

# Computer algebra independent integration tests

5-Inverse-trig-functions/5.1-Inverse-sine/5.1.4-f-x^m-d+e-x^2-p-a+b-arcsin-c-x-  
^n

Nasser M. Abbasi

May 23, 2020

Compiled on May 23, 2020 at 9:22am

## Contents

|          |   |            |
|----------|---|------------|
| <b>1</b> | <b>Introduction</b>   | <b>31</b>  |
| 1.1      | Listing of CAS systems tested . . . . .                                   | 31         |
| 1.2      | Results . . . . .   | 32         |
| 1.3      | Performance . . . . .   | 35         |
| 1.4      | list of integrals that has no closed form antiderivative . . . . .        | 36         |
| 1.5      | list of integrals solved by CAS but has no known antiderivative . . . . . | 36         |
| 1.6      | list of integrals solved by CAS but failed verification . . . . .         | 36         |
| 1.7      | Timing . . . . .  | 37         |
| 1.8      | Verification . . . . .  | 37         |
| 1.9      | Important notes about some of the results . . . . .                       | 38         |
| 1.10     | Design of the test system . . . . .                                       | 40         |
| <b>2</b> | <b>detailed summary tables of results</b>                                 | <b>41</b>  |
| 2.1      | List of integrals sorted by grade for each CAS . . . . .                  | 41         |
| 2.2      | Detailed conclusion table per each integral for all CAS systems . . . . . | 48         |
| 2.3      | Detailed conclusion table specific for Rubi results . . . . .             | 188        |
| <b>3</b> | <b>Listing of integrals</b>   | <b>213</b> |
| 3.1      | $\int x^4 (d - c^2 dx^2) (a + b \sin^{-1}(cx)) dx$ . . . . .              | 213        |
| 3.2      | $\int x^3 (d - c^2 dx^2) (a + b \sin^{-1}(cx)) dx$ . . . . .              | 218        |
| 3.3      | $\int x^2 (d - c^2 dx^2) (a + b \sin^{-1}(cx)) dx$ . . . . .              | 223        |

|      |  |     |
|------|--|-----|
| 3.4  | $\int x (d - c^2 dx^2) (a + b \sin^{-1}(cx)) dx$             | 227 |
| 3.5  | $\int (d - c^2 dx^2) (a + b \sin^{-1}(cx)) dx$               | 231 |
| 3.6  | $\int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))}{x} dx$      | 235 |
| 3.7  | $\int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))}{x^2} dx$    | 240 |
| 3.8  | $\int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))}{x^3} dx$    | 245 |
| 3.9  | $\int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))}{x^4} dx$    | 250 |
| 3.10 | $\int x^4 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx$         | 255 |
| 3.11 | $\int x^3 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx$         | 260 |
| 3.12 | $\int x^2 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx$         | 265 |
| 3.13 | $\int x (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx$           | 270 |
| 3.14 | $\int (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx$             | 274 |
| 3.15 | $\int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))}{x} dx$   | 278 |
| 3.16 | $\int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))}{x^2} dx$ | 283 |
| 3.17 | $\int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))}{x^3} dx$ | 290 |
| 3.18 | $\int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))}{x^4} dx$ | 295 |
| 3.19 | $\int x^4 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx$         | 300 |
| 3.20 | $\int x^3 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx$         | 305 |
| 3.21 | $\int x^2 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx$         | 311 |
| 3.22 | $\int x (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx$           | 316 |
| 3.23 | $\int (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx$             | 321 |
| 3.24 | $\int \frac{(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))}{x} dx$   | 326 |
| 3.25 | $\int \frac{(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))}{x^2} dx$ | 331 |
| 3.26 | $\int \frac{(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))}{x^3} dx$ | 339 |
| 3.27 | $\int \frac{(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))}{x^4} dx$ | 345 |
| 3.28 | $\int \frac{x^4 (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx$     | 351 |
| 3.29 | $\int \frac{x^3 (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx$     | 356 |
| 3.30 | $\int \frac{x^2 (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx$     | 361 |
| 3.31 | $\int \frac{x (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx$       | 366 |

|      |   |     |
|------|---|-----|
| 3.32 | $\int \frac{a+b \sin^{-1}(cx)}{d-c^2 dx^2} dx$          | 370 |
| 3.33 | $\int \frac{a+b \sin^{-1}(cx)}{x(d-c^2 dx^2)} dx$       | 374 |
| 3.34 | $\int \frac{a+b \sin^{-1}(cx)}{x^2(d-c^2 dx^2)} dx$     | 378 |
| 3.35 | $\int \frac{a+b \sin^{-1}(cx)}{x^3(d-c^2 dx^2)} dx$     | 383 |
| 3.36 | $\int \frac{a+b \sin^{-1}(cx)}{x^4(d-c^2 dx^2)} dx$     | 388 |
| 3.37 | $\int \frac{x^4(a+b \sin^{-1}(cx))}{(d-c^2 dx^2)^2} dx$ | 393 |
| 3.38 | $\int \frac{x^3(a+b \sin^{-1}(cx))}{(d-c^2 dx^2)^2} dx$ | 399 |
| 3.39 | $\int \frac{x^2(a+b \sin^{-1}(cx))}{(d-c^2 dx^2)^2} dx$ | 404 |
| 3.40 | $\int \frac{x(a+b \sin^{-1}(cx))}{(d-c^2 dx^2)^2} dx$   | 409 |
| 3.41 | $\int \frac{a+b \sin^{-1}(cx)}{(d-c^2 dx^2)^2} dx$      | 413 |
| 3.42 | $\int \frac{a+b \sin^{-1}(cx)}{x(d-c^2 dx^2)^2} dx$     | 418 |
| 3.43 | $\int \frac{a+b \sin^{-1}(cx)}{x^2(d-c^2 dx^2)^2} dx$   | 423 |
| 3.44 | $\int \frac{a+b \sin^{-1}(cx)}{x^3(d-c^2 dx^2)^2} dx$   | 429 |
| 3.45 | $\int \frac{a+b \sin^{-1}(cx)}{x^4(d-c^2 dx^2)^2} dx$   | 434 |
| 3.46 | $\int \frac{x^4(a+b \sin^{-1}(cx))}{(d-c^2 dx^2)^3} dx$ | 440 |
| 3.47 | $\int \frac{x^3(a+b \sin^{-1}(cx))}{(d-c^2 dx^2)^3} dx$ | 446 |
| 3.48 | $\int \frac{x^2(a+b \sin^{-1}(cx))}{(d-c^2 dx^2)^3} dx$ | 450 |
| 3.49 | $\int \frac{x(a+b \sin^{-1}(cx))}{(d-c^2 dx^2)^3} dx$   | 455 |
| 3.50 | $\int \frac{a+b \sin^{-1}(cx)}{(d-c^2 dx^2)^3} dx$      | 459 |
| 3.51 | $\int \frac{a+b \sin^{-1}(cx)}{x(d-c^2 dx^2)^3} dx$     | 464 |
| 3.52 | $\int \frac{a+b \sin^{-1}(cx)}{x^2(d-c^2 dx^2)^3} dx$   | 469 |
| 3.53 | $\int \frac{a+b \sin^{-1}(cx)}{x^3(d-c^2 dx^2)^3} dx$   | 476 |

|      |   |     |
|------|---|-----|
| 3.54 | $\int \frac{a+b \sin^{-1}(cx)}{x^4(d-c^2dx^2)^3} dx \dots\dots\dots$          | 482 |
| 3.55 | $\int x^4 \sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx)) dx \dots\dots\dots$            | 489 |
| 3.56 | $\int x^2 \sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx)) dx \dots\dots\dots$            | 493 |
| 3.57 | $\int \sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx)) dx \dots\dots\dots$                | 497 |
| 3.58 | $\int \frac{\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{x^2} dx \dots\dots\dots$     | 501 |
| 3.59 | $\int \frac{\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{x^4} dx \dots\dots\dots$     | 505 |
| 3.60 | $\int \frac{\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{x^6} dx \dots\dots\dots$     | 509 |
| 3.61 | $\int \frac{\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{x^8} dx \dots\dots\dots$     | 514 |
| 3.62 | $\int x^5 \sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx)) dx \dots\dots\dots$            | 520 |
| 3.63 | $\int x^3 \sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx)) dx \dots\dots\dots$            | 525 |
| 3.64 | $\int x \sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx)) dx \dots\dots\dots$              | 529 |
| 3.65 | $\int \frac{\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{x} dx \dots\dots\dots$       | 533 |
| 3.66 | $\int \frac{\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{x^3} dx \dots\dots\dots$     | 538 |
| 3.67 | $\int \frac{\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{x^5} dx \dots\dots\dots$     | 543 |
| 3.68 | $\int x^4 (d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx)) dx \dots\dots\dots$           | 548 |
| 3.69 | $\int x^2 (d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx)) dx \dots\dots\dots$           | 553 |
| 3.70 | $\int (d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx)) dx \dots\dots\dots$               | 558 |
| 3.71 | $\int \frac{(d-c^2dx^2)^{3/2}(a+b \sin^{-1}(cx))}{x^2} dx \dots\dots\dots$    | 562 |
| 3.72 | $\int \frac{(d-c^2dx^2)^{3/2}(a+b \sin^{-1}(cx))}{x^4} dx \dots\dots\dots$    | 566 |
| 3.73 | $\int \frac{(d-c^2dx^2)^{3/2}(a+b \sin^{-1}(cx))}{x^6} dx \dots\dots\dots$    | 571 |
| 3.74 | $\int \frac{(d-c^2dx^2)^{3/2}(a+b \sin^{-1}(cx))}{x^8} dx \dots\dots\dots$    | 576 |
| 3.75 | $\int \frac{(d-c^2dx^2)^{3/2}(a+b \sin^{-1}(cx))}{x^{10}} dx \dots\dots\dots$ | 582 |
| 3.76 | $\int \frac{(d-c^2dx^2)^{3/2}(a+b \sin^{-1}(cx))}{x^{12}} dx \dots\dots\dots$ | 589 |
| 3.77 | $\int x^7 (d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx)) dx \dots\dots\dots$           | 594 |
| 3.78 | $\int x^5 (d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx)) dx \dots\dots\dots$           | 599 |
| 3.79 | $\int x^3 (d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx)) dx \dots\dots\dots$           | 604 |
| 3.80 | $\int x (d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx)) dx \dots\dots\dots$             | 609 |
| 3.81 | $\int \frac{(d-c^2dx^2)^{3/2}(a+b \sin^{-1}(cx))}{x} dx \dots\dots\dots$      | 613 |

|       |   |     |
|-------|---|-----|
| 3.82  | $\int \frac{(d-c^2 dx^2)^{3/2} (a+b \sin^{-1}(cx))}{x^3} dx$    | 618 |
| 3.83  | $\int \frac{(d-c^2 dx^2)^{3/2} (a+b \sin^{-1}(cx))}{x^5} dx$    | 623 |
| 3.84  | $\int x^4 (d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx)) dx$            | 628 |
| 3.85  | $\int x^2 (d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx)) dx$            | 633 |
| 3.86  | $\int (d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx)) dx$                | 638 |
| 3.87  | $\int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))}{x^2} dx$    | 643 |
| 3.88  | $\int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))}{x^4} dx$    | 648 |
| 3.89  | $\int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))}{x^6} dx$    | 653 |
| 3.90  | $\int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))}{x^8} dx$    | 659 |
| 3.91  | $\int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))}{x^{10}} dx$ | 665 |
| 3.92  | $\int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))}{x^{12}} dx$ | 670 |
| 3.93  | $\int x^5 (d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx)) dx$            | 675 |
| 3.94  | $\int x^3 (d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx)) dx$            | 681 |
| 3.95  | $\int x (d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx)) dx$              | 686 |
| 3.96  | $\int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))}{x} dx$      | 690 |
| 3.97  | $\int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))}{x^3} dx$    | 695 |
| 3.98  | $\int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))}{x^5} dx$    | 701 |
| 3.99  | $\int \sqrt{1-x^2} \sin^{-1}(x) dx$                             | 707 |
| 3.100 | $\int \sqrt{\pi-c^2 \pi x^2} (a+b \sin^{-1}(cx)) dx$            | 710 |
| 3.101 | $\int \frac{x^4 \sin^{-1}(ax)}{\sqrt{1-a^2 x^2}} dx$            | 714 |
| 3.102 | $\int \frac{x^3 \sin^{-1}(ax)}{\sqrt{1-a^2 x^2}} dx$            | 718 |
| 3.103 | $\int \frac{x^2 \sin^{-1}(ax)}{\sqrt{1-a^2 x^2}} dx$            | 722 |
| 3.104 | $\int \frac{x \sin^{-1}(ax)}{\sqrt{1-a^2 x^2}} dx$              | 726 |
| 3.105 | $\int \frac{\sin^{-1}(ax)}{\sqrt{1-a^2 x^2}} dx$                | 729 |
| 3.106 | $\int \frac{\sin^{-1}(ax)}{x \sqrt{1-a^2 x^2}} dx$              | 732 |
| 3.107 | $\int \frac{\sin^{-1}(ax)}{x^2 \sqrt{1-a^2 x^2}} dx$            | 736 |
| 3.108 | $\int \frac{\sin^{-1}(ax)}{x^3 \sqrt{1-a^2 x^2}} dx$            | 739 |

|       |  |     |
|-------|--|-----|
| 3.109 | $\int \frac{x^5(a+b \sin^{-1}(cx))}{\sqrt{d-c^2dx^2}} dx$  | 743 |
| 3.110 | $\int \frac{x^4(a+b \sin^{-1}(cx))}{\sqrt{d-c^2dx^2}} dx$  | 747 |
| 3.111 | $\int \frac{x^3(a+b \sin^{-1}(cx))}{\sqrt{d-c^2dx^2}} dx$  | 751 |
| 3.112 | $\int \frac{x^2(a+b \sin^{-1}(cx))}{\sqrt{d-c^2dx^2}} dx$  | 755 |
| 3.113 | $\int \frac{x(a+b \sin^{-1}(cx))}{\sqrt{d-c^2dx^2}} dx$    | 759 |
| 3.114 | $\int \frac{a+b \sin^{-1}(cx)}{\sqrt{d-c^2dx^2}} dx$       | 763 |
| 3.115 | $\int \frac{a+b \sin^{-1}(cx)}{x\sqrt{d-c^2dx^2}} dx$      | 766 |
| 3.116 | $\int \frac{a+b \sin^{-1}(cx)}{x^2\sqrt{d-c^2dx^2}} dx$    | 770 |
| 3.117 | $\int \frac{a+b \sin^{-1}(cx)}{x^3\sqrt{d-c^2dx^2}} dx$    | 774 |
| 3.118 | $\int \frac{a+b \sin^{-1}(cx)}{x^4\sqrt{d-c^2dx^2}} dx$    | 779 |
| 3.119 | $\int \frac{x^5(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{3/2}} dx$ | 784 |
| 3.120 | $\int \frac{x^4(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{3/2}} dx$ | 789 |
| 3.121 | $\int \frac{x^3(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{3/2}} dx$ | 794 |
| 3.122 | $\int \frac{x^2(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{3/2}} dx$ | 799 |
| 3.123 | $\int \frac{x(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{3/2}} dx$   | 803 |
| 3.124 | $\int \frac{a+b \sin^{-1}(cx)}{(d-c^2dx^2)^{3/2}} dx$      | 807 |
| 3.125 | $\int \frac{a+b \sin^{-1}(cx)}{x(d-c^2dx^2)^{3/2}} dx$     | 811 |
| 3.126 | $\int \frac{a+b \sin^{-1}(cx)}{x^2(d-c^2dx^2)^{3/2}} dx$   | 816 |
| 3.127 | $\int \frac{a+b \sin^{-1}(cx)}{x^3(d-c^2dx^2)^{3/2}} dx$   | 821 |
| 3.128 | $\int \frac{a+b \sin^{-1}(cx)}{x^4(d-c^2dx^2)^{3/2}} dx$   | 827 |
| 3.129 | $\int \frac{x^6(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{5/2}} dx$ | 832 |
| 3.130 | $\int \frac{x^5(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{5/2}} dx$ | 838 |
| 3.131 | $\int \frac{x^4(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{5/2}} dx$ | 843 |

|       |  |     |
|-------|--|-----|
| 3.132 | $\int \frac{x^3(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{5/2}} dx$       | 848 |
| 3.133 | $\int \frac{x^2(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{5/2}} dx$       | 853 |
| 3.134 | $\int \frac{x(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{5/2}} dx$         | 858 |
| 3.135 | $\int \frac{a+b \sin^{-1}(cx)}{(d-c^2dx^2)^{5/2}} dx$            | 862 |
| 3.136 | $\int \frac{a+b \sin^{-1}(cx)}{x(d-c^2dx^2)^{5/2}} dx$           | 867 |
| 3.137 | $\int \frac{a+b \sin^{-1}(cx)}{x^2(d-c^2dx^2)^{5/2}} dx$         | 873 |
| 3.138 | $\int \frac{a+b \sin^{-1}(cx)}{x^3(d-c^2dx^2)^{5/2}} dx$         | 878 |
| 3.139 | $\int \frac{a+b \sin^{-1}(cx)}{x^4(d-c^2dx^2)^{5/2}} dx$         | 885 |
| 3.140 | $\int \frac{\sin^{-1}(ax)}{(c-a^2cx^2)^{7/2}} dx$                | 891 |
| 3.141 | $\int \frac{(fx)^{3/2}(a+b \sin^{-1}(cx))}{\sqrt{1-c^2x^2}} dx$  | 895 |
| 3.142 | $\int \frac{(fx)^{3/2}(a+b \sin^{-1}(cx))}{\sqrt{d-c^2dx^2}} dx$ | 899 |
| 3.143 | $\int x^m (d-c^2dx^2)^3 (a+b \sin^{-1}(cx)) dx$                  | 903 |
| 3.144 | $\int x^m (d-c^2dx^2)^2 (a+b \sin^{-1}(cx)) dx$                  | 908 |
| 3.145 | $\int x^m (d-c^2dx^2) (a+b \sin^{-1}(cx)) dx$                    | 913 |
| 3.146 | $\int \frac{x^m(a+b \sin^{-1}(cx))}{d-c^2dx^2} dx$               | 917 |
| 3.147 | $\int \frac{x^m(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^2} dx$           | 920 |
| 3.148 | $\int \frac{x^m(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^3} dx$           | 923 |
| 3.149 | $\int x^m (d-c^2dx^2)^{5/2} (a+b \sin^{-1}(cx)) dx$              | 927 |
| 3.150 | $\int x^m (d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx)) dx$              | 932 |
| 3.151 | $\int x^m \sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx)) dx$               | 937 |
| 3.152 | $\int \frac{x^m(a+b \sin^{-1}(cx))}{\sqrt{d-c^2dx^2}} dx$        | 941 |
| 3.153 | $\int \frac{x^m(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{3/2}} dx$       | 945 |
| 3.154 | $\int \frac{x^m(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{5/2}} dx$       | 950 |
| 3.155 | $\int \frac{x^m \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx$              | 955 |

|       |  |      |
|-------|--|------|
| 3.156 | $\int x^4 (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx$           | 958  |
| 3.157 | $\int x^3 (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx$           | 964  |
| 3.158 | $\int x^2 (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx$           | 970  |
| 3.159 | $\int x (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx$             | 976  |
| 3.160 | $\int (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx$               | 981  |
| 3.161 | $\int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))^2}{x} dx$      | 986  |
| 3.162 | $\int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))^2}{x^2} dx$    | 992  |
| 3.163 | $\int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))^2}{x^3} dx$    | 997  |
| 3.164 | $\int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))^2}{x^4} dx$    | 1003 |
| 3.165 | $\int x^4 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx$         | 1008 |
| 3.166 | $\int x^3 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx$         | 1015 |
| 3.167 | $\int x^2 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx$         | 1021 |
| 3.168 | $\int x (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx$           | 1028 |
| 3.169 | $\int (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx$             | 1034 |
| 3.170 | $\int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2}{x} dx$   | 1039 |
| 3.171 | $\int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2}{x^2} dx$ | 1045 |
| 3.172 | $\int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2}{x^3} dx$ | 1051 |
| 3.173 | $\int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2}{x^4} dx$ | 1058 |
| 3.174 | $\int x^4 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx$         | 1064 |
| 3.175 | $\int x^3 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx$         | 1072 |
| 3.176 | $\int x^2 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx$         | 1079 |
| 3.177 | $\int x (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx$           | 1087 |
| 3.178 | $\int (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx$             | 1093 |
| 3.179 | $\int \frac{(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2}{x} dx$   | 1099 |
| 3.180 | $\int \frac{(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2}{x^2} dx$ | 1106 |
| 3.181 | $\int \frac{(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2}{x^3} dx$ | 1113 |
| 3.182 | $\int \frac{(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2}{x^4} dx$ | 1121 |
| 3.183 | $\int \frac{x^4 (a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx$     | 1128 |



|       |  |      |
|-------|--|------|
| 3.184 | $\int \frac{x^3(a+b \sin^{-1}(cx))^2}{d-c^2dx^2} dx$     | 1134 |
| 3.185 | $\int \frac{x^2(a+b \sin^{-1}(cx))^2}{d-c^2dx^2} dx$     | 1140 |
| 3.186 | $\int \frac{x(a+b \sin^{-1}(cx))^2}{d-c^2dx^2} dx$       | 1145 |
| 3.187 | $\int \frac{(a+b \sin^{-1}(cx))^2}{d-c^2dx^2} dx$        | 1150 |
| 3.188 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x(d-c^2dx^2)} dx$     | 1155 |
| 3.189 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x^2(d-c^2dx^2)} dx$   | 1160 |
| 3.190 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x^3(d-c^2dx^2)} dx$   | 1166 |
| 3.191 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x^4(d-c^2dx^2)} dx$   | 1172 |
| 3.192 | $\int \frac{x^4(a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^2} dx$ | 1179 |
| 3.193 | $\int \frac{x^3(a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^2} dx$ | 1186 |
| 3.194 | $\int \frac{x^2(a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^2} dx$ | 1192 |
| 3.195 | $\int \frac{x(a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^2} dx$   | 1198 |
| 3.196 | $\int \frac{(a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^2} dx$    | 1202 |
| 3.197 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x(d-c^2dx^2)^2} dx$   | 1208 |
| 3.198 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x^2(d-c^2dx^2)^2} dx$ | 1214 |
| 3.199 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x^3(d-c^2dx^2)^2} dx$ | 1222 |
| 3.200 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x^4(d-c^2dx^2)^2} dx$ | 1230 |
| 3.201 | $\int \frac{x^4(a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^3} dx$ | 1239 |
| 3.202 | $\int \frac{x^3(a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^3} dx$ | 1246 |
| 3.203 | $\int \frac{x^2(a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^3} dx$ | 1252 |

|       |   |       |
|-------|---|-------|
| 3.204 | $\int \frac{x(a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^3} dx$        | .1259 |
| 3.205 | $\int \frac{(a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^3} dx$         | .1264 |
| 3.206 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x(d-c^2dx^2)^3} dx$        | .1271 |
| 3.207 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x^2(d-c^2dx^2)^3} dx$      | .1278 |
| 3.208 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x^3(d-c^2dx^2)^3} dx$      | .1287 |
| 3.209 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x^4(d-c^2dx^2)^3} dx$      | .1296 |
| 3.210 | $\int x^3 \sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx))^2 dx$          | .1306 |
| 3.211 | $\int x^2 \sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx))^2 dx$          | .1312 |
| 3.212 | $\int x \sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx))^2 dx$            | .1317 |
| 3.213 | $\int \sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx))^2 dx$              | .1322 |
| 3.214 | $\int \frac{\sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx))^2}{x} dx$    | .1326 |
| 3.215 | $\int \frac{\sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx))^2}{x^2} dx$  | .1332 |
| 3.216 | $\int \frac{\sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx))^2}{x^3} dx$  | .1337 |
| 3.217 | $\int \frac{\sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx))^2}{x^4} dx$  | .1344 |
| 3.218 | $\int x^3 (d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx))^2 dx$         | .1351 |
| 3.219 | $\int x^2 (d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx))^2 dx$         | .1359 |
| 3.220 | $\int x (d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx))^2 dx$           | .1365 |
| 3.221 | $\int (d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx))^2 dx$             | .1371 |
| 3.222 | $\int \frac{(d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx))^2}{x} dx$   | .1376 |
| 3.223 | $\int \frac{(d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx))^2}{x^2} dx$ | .1383 |
| 3.224 | $\int \frac{(d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx))^2}{x^3} dx$ | .1390 |
| 3.225 | $\int \frac{(d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx))^2}{x^4} dx$ | .1398 |
| 3.226 | $\int x^3 (d-c^2dx^2)^{5/2} (a+b \sin^{-1}(cx))^2 dx$         | .1405 |
| 3.227 | $\int x^2 (d-c^2dx^2)^{5/2} (a+b \sin^{-1}(cx))^2 dx$         | .1414 |
| 3.228 | $\int x (d-c^2dx^2)^{5/2} (a+b \sin^{-1}(cx))^2 dx$           | .1422 |

|       |  |      |
|-------|--|------|
| 3.229 | $\int (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 dx$             | 1428 |
| 3.230 | $\int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2}{x} dx$   | 1434 |
| 3.231 | $\int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2}{x^2} dx$ | 1442 |
| 3.232 | $\int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2}{x^3} dx$ | 1450 |
| 3.233 | $\int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2}{x^4} dx$ | 1459 |
| 3.234 | $\int \frac{x^5 (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx$  | 1468 |
| 3.235 | $\int \frac{x^4 (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx$  | 1474 |
| 3.236 | $\int \frac{x^3 (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx$  | 1479 |
| 3.237 | $\int \frac{x^2 (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx$  | 1484 |
| 3.238 | $\int \frac{x (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx$    | 1489 |
| 3.239 | $\int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx$      | 1493 |
| 3.240 | $\int \frac{(a + b \sin^{-1}(cx))^2}{x \sqrt{d - c^2 dx^2}} dx$    | 1497 |
| 3.241 | $\int \frac{(a + b \sin^{-1}(cx))^2}{x^2 \sqrt{d - c^2 dx^2}} dx$  | 1502 |
| 3.242 | $\int \frac{(a + b \sin^{-1}(cx))^2}{x^3 \sqrt{d - c^2 dx^2}} dx$  | 1507 |
| 3.243 | $\int \frac{(a + b \sin^{-1}(cx))^2}{x^4 \sqrt{d - c^2 dx^2}} dx$  | 1514 |
| 3.244 | $\int \frac{x^5 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx$ | 1520 |
| 3.245 | $\int \frac{x^4 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx$ | 1527 |
| 3.246 | $\int \frac{x^3 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx$ | 1534 |
| 3.247 | $\int \frac{x^2 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx$ | 1540 |
| 3.248 | $\int \frac{x (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx$   | 1545 |
| 3.249 | $\int \frac{(a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx$     | 1550 |

|       |   |           |      |
|-------|---|-----------|------|
| 3.250 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x(d-c^2 dx^2)^{3/2}} dx$   | . . . . . | 1555 |
| 3.251 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x^2(d-c^2 dx^2)^{3/2}} dx$ | . . . . . | 1562 |
| 3.252 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x^3(d-c^2 dx^2)^{3/2}} dx$ | . . . . . | 1568 |
| 3.253 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x^4(d-c^2 dx^2)^{3/2}} dx$ | . . . . . | 1576 |
| 3.254 | $\int \frac{x^5(a+b \sin^{-1}(cx))^2}{(d-c^2 dx^2)^{5/2}} dx$ | . . . . . | 1583 |
| 3.255 | $\int \frac{x^4(a+b \sin^{-1}(cx))^2}{(d-c^2 dx^2)^{5/2}} dx$ | . . . . . | 1590 |
| 3.256 | $\int \frac{x^3(a+b \sin^{-1}(cx))^2}{(d-c^2 dx^2)^{5/2}} dx$ | . . . . . | 1598 |
| 3.257 | $\int \frac{x^2(a+b \sin^{-1}(cx))^2}{(d-c^2 dx^2)^{5/2}} dx$ | . . . . . | 1604 |
| 3.258 | $\int \frac{x(a+b \sin^{-1}(cx))^2}{(d-c^2 dx^2)^{5/2}} dx$   | . . . . . | 1611 |
| 3.259 | $\int \frac{(a+b \sin^{-1}(cx))^2}{(d-c^2 dx^2)^{5/2}} dx$    | . . . . . | 1617 |
| 3.260 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x(d-c^2 dx^2)^{5/2}} dx$   | . . . . . | 1624 |
| 3.261 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x^2(d-c^2 dx^2)^{5/2}} dx$ | . . . . . | 1632 |
| 3.262 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x^3(d-c^2 dx^2)^{5/2}} dx$ | . . . . . | 1641 |
| 3.263 | $\int \frac{(a+b \sin^{-1}(cx))^2}{x^4(d-c^2 dx^2)^{5/2}} dx$ | . . . . . | 1651 |
| 3.264 | $\int \frac{x^4 \sin^{-1}(ax)^2}{\sqrt{1-a^2 x^2}} dx$        | . . . . . | 1658 |
| 3.265 | $\int \frac{x^3 \sin^{-1}(ax)^2}{\sqrt{1-a^2 x^2}} dx$        | . . . . . | 1662 |
| 3.266 | $\int \frac{x^2 \sin^{-1}(ax)^2}{\sqrt{1-a^2 x^2}} dx$        | . . . . . | 1667 |
| 3.267 | $\int \frac{x \sin^{-1}(ax)^2}{\sqrt{1-a^2 x^2}} dx$          | . . . . . | 1671 |
| 3.268 | $\int \frac{\sin^{-1}(ax)^2}{\sqrt{1-a^2 x^2}} dx$            | . . . . . | 1675 |
| 3.269 | $\int \frac{\sin^{-1}(ax)^2}{x\sqrt{1-a^2 x^2}} dx$           | . . . . . | 1678 |
| 3.270 | $\int \frac{\sin^{-1}(ax)^2}{x^2\sqrt{1-a^2 x^2}} dx$         | . . . . . | 1682 |

|       |   |           |      |
|-------|---|-----------|------|
| 3.271 | $\int \frac{\sin^{-1}(ax)^2}{x^3\sqrt{1-a^2x^2}} dx$          | . . . . . | 1686 |
| 3.272 | $\int \frac{\sin^{-1}(ax)^2}{\sqrt{c-a^2cx^2}} dx$            | . . . . . | 1691 |
| 3.273 | $\int \frac{\sin^{-1}(ax)^2}{(c-a^2cx^2)^{3/2}} dx$           | . . . . . | 1694 |
| 3.274 | $\int \frac{\sin^{-1}(ax)^2}{(c-a^2cx^2)^{5/2}} dx$           | . . . . . | 1699 |
| 3.275 | $\int \frac{\sin^{-1}(ax)^2}{(c-a^2cx^2)^{7/2}} dx$           | . . . . . | 1705 |
| 3.276 | $\int x^m (d - c^2dx^2)^3 (a + b \sin^{-1}(cx))^2 dx$         | . . . . . | 1711 |
| 3.277 | $\int x^m (d - c^2dx^2)^2 (a + b \sin^{-1}(cx))^2 dx$         | . . . . . | 1715 |
| 3.278 | $\int x^m (d - c^2dx^2) (a + b \sin^{-1}(cx))^2 dx$           | . . . . . | 1718 |
| 3.279 | $\int \frac{x^m (a+b \sin^{-1}(cx))^2}{d-c^2dx^2} dx$         | . . . . . | 1721 |
| 3.280 | $\int \frac{x^m (a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^2} dx$     | . . . . . | 1724 |
| 3.281 | $\int \frac{x^m (a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^3} dx$     | . . . . . | 1728 |
| 3.282 | $\int x^m (d - c^2dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 dx$     | . . . . . | 1732 |
| 3.283 | $\int x^m (d - c^2dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx$     | . . . . . | 1736 |
| 3.284 | $\int x^m \sqrt{d - c^2dx^2} (a + b \sin^{-1}(cx))^2 dx$      | . . . . . | 1739 |
| 3.285 | $\int \frac{x^m (a+b \sin^{-1}(cx))^2}{\sqrt{d-c^2dx^2}} dx$  | . . . . . | 1742 |
| 3.286 | $\int \frac{x^m (a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^{3/2}} dx$ | . . . . . | 1745 |
| 3.287 | $\int \frac{x^m (a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^{5/2}} dx$ | . . . . . | 1748 |
| 3.288 | $\int \frac{x^m \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx$         | . . . . . | 1751 |
| 3.289 | $\int (c - a^2cx^2)^3 \sin^{-1}(ax)^3 dx$                     | . . . . . | 1754 |
| 3.290 | $\int (c - a^2cx^2)^2 \sin^{-1}(ax)^3 dx$                     | . . . . . | 1761 |
| 3.291 | $\int (c - a^2cx^2) \sin^{-1}(ax)^3 dx$                       | . . . . . | 1767 |
| 3.292 | $\int \frac{\sin^{-1}(ax)^3}{c-a^2cx^2} dx$                   | . . . . . | 1772 |
| 3.293 | $\int \frac{\sin^{-1}(ax)^3}{(c-a^2cx^2)^2} dx$               | . . . . . | 1777 |
| 3.294 | $\int \frac{\sin^{-1}(ax)^3}{(c-a^2cx^2)^3} dx$               | . . . . . | 1783 |
| 3.295 | $\int (c - a^2cx^2)^{5/2} \sin^{-1}(ax)^3 dx$                 | . . . . . | 1790 |

|       |   |       |
|-------|---|-------|
| 3.296 | $\int (c - a^2cx^2)^{3/2} \sin^{-1}(ax)^3 dx$               | .1796 |
| 3.297 | $\int \sqrt{c - a^2cx^2} \sin^{-1}(ax)^3 dx$                | .1801 |
| 3.298 | $\int \frac{\sin^{-1}(ax)^3}{\sqrt{c - a^2cx^2}} dx$        | .1805 |
| 3.299 | $\int \frac{\sin^{-1}(ax)^3}{(c - a^2cx^2)^{3/2}} dx$       | .1808 |
| 3.300 | $\int \frac{\sin^{-1}(ax)^3}{(c - a^2cx^2)^{5/2}} dx$       | .1813 |
| 3.301 | $\int \frac{\sin^{-1}(ax)^3}{(c - a^2cx^2)^{7/2}} dx$       | .1819 |
| 3.302 | $\int \frac{x^m \sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx$     | .1826 |
| 3.303 | $\int \frac{x^4 \sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx$     | .1829 |
| 3.304 | $\int \frac{x^3 \sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx$     | .1833 |
| 3.305 | $\int \frac{x^2 \sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx$     | .1838 |
| 3.306 | $\int \frac{x \sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx$       | .1842 |
| 3.307 | $\int \frac{\sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx$         | .1846 |
| 3.308 | $\int \frac{\sin^{-1}(ax)^3}{x\sqrt{1 - a^2x^2}} dx$        | .1849 |
| 3.309 | $\int \frac{\sin^{-1}(ax)^3}{x^2\sqrt{1 - a^2x^2}} dx$      | .1854 |
| 3.310 | $\int \frac{\sin^{-1}(ax)^3}{x^3\sqrt{1 - a^2x^2}} dx$      | .1859 |
| 3.311 | $\int \frac{(c - a^2cx^2)^3}{\sin^{-1}(ax)} dx$             | .1865 |
| 3.312 | $\int \frac{(c - a^2cx^2)^2}{\sin^{-1}(ax)} dx$             | .1869 |
| 3.313 | $\int \frac{c - a^2cx^2}{\sin^{-1}(ax)} dx$                 | .1873 |
| 3.314 | $\int \frac{1}{(c - a^2cx^2) \sin^{-1}(ax)} dx$             | .1876 |
| 3.315 | $\int \frac{1}{(c - a^2cx^2)^2 \sin^{-1}(ax)} dx$           | .1879 |
| 3.316 | $\int \frac{x^4 \sqrt{1 - c^2x^2}}{a + b \sin^{-1}(cx)} dx$ | .1882 |
| 3.317 | $\int \frac{x^3 \sqrt{1 - c^2x^2}}{a + b \sin^{-1}(cx)} dx$ | .1887 |
| 3.318 | $\int \frac{x^2 \sqrt{1 - c^2x^2}}{a + b \sin^{-1}(cx)} dx$ | .1892 |
| 3.319 | $\int \frac{x \sqrt{1 - c^2x^2}}{a + b \sin^{-1}(cx)} dx$   | .1896 |
| 3.320 | $\int \frac{\sqrt{1 - c^2x^2}}{a + b \sin^{-1}(cx)} dx$     | .1900 |

|       |  |               |
|-------|--|---------------|
| 3.321 | $\int \frac{\sqrt{1-c^2x^2}}{x(a+b\sin^{-1}(cx))} dx$    | . . . . .1904 |
| 3.322 | $\int \frac{\sqrt{1-c^2x^2}}{x^2(a+b\sin^{-1}(cx))} dx$  | . . . . .1908 |
| 3.323 | $\int \frac{\sqrt{1-c^2x^2}}{x^3(a+b\sin^{-1}(cx))} dx$  | . . . . .1911 |
| 3.324 | $\int \frac{\sqrt{1-c^2x^2}}{x^4(a+b\sin^{-1}(cx))} dx$  | . . . . .1914 |
| 3.325 | $\int \frac{x^3(1-c^2x^2)^{3/2}}{a+b\sin^{-1}(cx)} dx$   | . . . . .1917 |
| 3.326 | $\int \frac{x^2(1-c^2x^2)^{3/2}}{a+b\sin^{-1}(cx)} dx$   | . . . . .1922 |
| 3.327 | $\int \frac{x(1-c^2x^2)^{3/2}}{a+b\sin^{-1}(cx)} dx$     | . . . . .1927 |
| 3.328 | $\int \frac{(1-c^2x^2)^{3/2}}{a+b\sin^{-1}(cx)} dx$      | . . . . .1932 |
| 3.329 | $\int \frac{(1-c^2x^2)^{3/2}}{x(a+b\sin^{-1}(cx))} dx$   | . . . . .1936 |
| 3.330 | $\int \frac{(1-c^2x^2)^{3/2}}{x^2(a+b\sin^{-1}(cx))} dx$ | . . . . .1940 |
| 3.331 | $\int \frac{(1-c^2x^2)^{3/2}}{x^3(a+b\sin^{-1}(cx))} dx$ | . . . . .1944 |
| 3.332 | $\int \frac{(1-c^2x^2)^{3/2}}{x^4(a+b\sin^{-1}(cx))} dx$ | . . . . .1947 |
| 3.333 | $\int \frac{x^3(1-c^2x^2)^{5/2}}{a+b\sin^{-1}(cx)} dx$   | . . . . .1950 |
| 3.334 | $\int \frac{x^2(1-c^2x^2)^{5/2}}{a+b\sin^{-1}(cx)} dx$   | . . . . .1955 |
| 3.335 | $\int \frac{x(1-c^2x^2)^{5/2}}{a+b\sin^{-1}(cx)} dx$     | . . . . .1960 |
| 3.336 | $\int \frac{(1-c^2x^2)^{5/2}}{a+b\sin^{-1}(cx)} dx$      | . . . . .1965 |
| 3.337 | $\int \frac{(1-c^2x^2)^{5/2}}{x(a+b\sin^{-1}(cx))} dx$   | . . . . .1970 |
| 3.338 | $\int \frac{(1-c^2x^2)^{5/2}}{x^2(a+b\sin^{-1}(cx))} dx$ | . . . . .1974 |
| 3.339 | $\int \frac{(1-c^2x^2)^{5/2}}{x^3(a+b\sin^{-1}(cx))} dx$ | . . . . .1978 |
| 3.340 | $\int \frac{(1-c^2x^2)^{5/2}}{x^4(a+b\sin^{-1}(cx))} dx$ | . . . . .1981 |
| 3.341 | $\int \frac{x^4}{\sqrt{1-a^2x^2}\sin^{-1}(ax)} dx$       | . . . . .1984 |
| 3.342 | $\int \frac{x^3}{\sqrt{1-a^2x^2}\sin^{-1}(ax)} dx$       | . . . . .1988 |

|       |  |           |      |
|-------|--|-----------|------|
| 3.343 | $\int \frac{x^2}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$        | . . . . . | 1992 |
| 3.344 | $\int \frac{x^2}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$        | . . . . . | 1996 |
| 3.345 | $\int \frac{x}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$          | . . . . . | 2000 |
| 3.346 | $\int \frac{1}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$          | . . . . . | 2003 |
| 3.347 | $\int \frac{1}{x\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$         | . . . . . | 2006 |
| 3.348 | $\int \frac{1}{x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$       | . . . . . | 2009 |
| 3.349 | $\int \frac{x^5}{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))} dx$   | . . . . . | 2012 |
| 3.350 | $\int \frac{x^4}{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))} dx$   | . . . . . | 2017 |
| 3.351 | $\int \frac{x^3}{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))} dx$   | . . . . . | 2022 |
| 3.352 | $\int \frac{x^2}{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))} dx$   | . . . . . | 2026 |
| 3.353 | $\int \frac{x}{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))} dx$     | . . . . . | 2030 |
| 3.354 | $\int \frac{1}{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))} dx$     | . . . . . | 2034 |
| 3.355 | $\int \frac{1}{x\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))} dx$    | . . . . . | 2037 |
| 3.356 | $\int \frac{1}{x^2\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))} dx$  | . . . . . | 2040 |
| 3.357 | $\int \frac{x^2}{(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))} dx$  | . . . . . | 2043 |
| 3.358 | $\int \frac{x}{(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))} dx$    | . . . . . | 2046 |
| 3.359 | $\int \frac{1}{(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))} dx$    | . . . . . | 2049 |
| 3.360 | $\int \frac{1}{x(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))} dx$   | . . . . . | 2052 |
| 3.361 | $\int \frac{1}{x^2(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))} dx$ | . . . . . | 2055 |
| 3.362 | $\int \frac{x^2}{(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))} dx$  | . . . . . | 2058 |
| 3.363 | $\int \frac{x}{(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))} dx$    | . . . . . | 2061 |
| 3.364 | $\int \frac{1}{(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))} dx$    | . . . . . | 2064 |
| 3.365 | $\int \frac{1}{x(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))} dx$   | . . . . . | 2067 |
| 3.366 | $\int \frac{1}{x^2(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))} dx$ | . . . . . | 2070 |
| 3.367 | $\int \frac{x^m(1-c^2x^2)^{5/2}}{a+b \sin^{-1}(cx)} dx$    | . . . . . | 2073 |



|       |  |      |
|-------|--|------|
| 3.368 | $\int \frac{x^m(1-c^2x^2)^{3/2}}{a+b\sin^{-1}(cx)} dx$   | 2076 |
| 3.369 | $\int \frac{x^m\sqrt{1-c^2x^2}}{a+b\sin^{-1}(cx)} dx$  | 2079 |
| 3.370 | $\int \frac{x^m}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx$  | 2082 |
| 3.371 | $\int \frac{x^m}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$                                       | 2085 |
| 3.372 | $\int \frac{x^m}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$                                       | 2088 |
| 3.373 | $\int \frac{x^m}{\sqrt{1-a^2x^2}\sin^{-1}(ax)} dx$   | 2091 |
| 3.374 | $\int \frac{(c-a^2cx^2)^3}{\sin^{-1}(ax)^2} dx$  | 2094 |
| 3.375 | $\int \frac{(c-a^2cx^2)^2}{\sin^{-1}(ax)^2} dx$  | 2098 |
| 3.376 | $\int \frac{c-a^2cx^2}{\sin^{-1}(ax)^2} dx$  | 2102 |
| 3.377 | $\int \frac{1}{(c-a^2cx^2)\sin^{-1}(ax)^2} dx$   | 2106 |
| 3.378 | $\int \frac{1}{(c-a^2cx^2)^2\sin^{-1}(ax)^2} dx$   | 2109 |
| 3.379 | $\int \left( \frac{1}{(1-x^2)\sin^{-1}(x)^2} - \frac{x}{(1-x^2)^{3/2}\sin^{-1}(x)} \right) dx$ | 2112 |
| 3.380 | $\int \frac{x^m\sqrt{1-c^2x^2}}{(a+b\sin^{-1}(cx))^2} dx$                                      | 2115 |
| 3.381 | $\int \frac{x^3\sqrt{1-c^2x^2}}{(a+b\sin^{-1}(cx))^2} dx$                                      | 2118 |
| 3.382 | $\int \frac{x^2\sqrt{1-c^2x^2}}{(a+b\sin^{-1}(cx))^2} dx$                                      | 2124 |
| 3.383 | $\int \frac{x\sqrt{1-c^2x^2}}{(a+b\sin^{-1}(cx))^2} dx$  | 2129 |
| 3.384 | $\int \frac{\sqrt{1-c^2x^2}}{(a+b\sin^{-1}(cx))^2} dx$   | 2134 |
| 3.385 | $\int \frac{\sqrt{1-c^2x^2}}{x(a+b\sin^{-1}(cx))^2} dx$  | 2139 |
| 3.386 | $\int \frac{\sqrt{1-c^2x^2}}{x^2(a+b\sin^{-1}(cx))^2} dx$                                      | 2143 |
| 3.387 | $\int \frac{\sqrt{1-c^2x^2}}{x^3(a+b\sin^{-1}(cx))^2} dx$                                      | 2146 |
| 3.388 | $\int \frac{\sqrt{1-c^2x^2}}{x^4(a+b\sin^{-1}(cx))^2} dx$                                      | 2149 |
| 3.389 | $\int \frac{x^m(1-c^2x^2)^{3/2}}{(a+b\sin^{-1}(cx))^2} dx$                                     | 2152 |

|       |   |           |       |
|-------|---|-----------|-------|
| 3.390 | $\int \frac{x^3(1-c^2x^2)^{3/2}}{(a+b \sin^{-1}(cx))^2} dx$ | . . . . . | .2155 |
| 3.391 | $\int \frac{x^2(1-c^2x^2)^{3/2}}{(a+b \sin^{-1}(cx))^2} dx$ | . . . . . | .2162 |
| 3.392 | $\int \frac{x(1-c^2x^2)^{3/2}}{(a+b \sin^{-1}(cx))^2} dx$   | . . . . . | .2168 |
| 3.393 | $\int \frac{(1-c^2x^2)^{3/2}}{(a+b \sin^{-1}(cx))^2} dx$    | . . . . . | .2174 |
| 3.394 | $\int \frac{(1-c^2x^2)^{3/2}}{x(a+b \sin^{-1}(cx))^2} dx$   | . . . . . | .2179 |
| 3.395 | $\int \frac{(1-c^2x^2)^{3/2}}{x^2(a+b \sin^{-1}(cx))^2} dx$ | . . . . . | .2183 |
| 3.396 | $\int \frac{(1-c^2x^2)^{3/2}}{x^3(a+b \sin^{-1}(cx))^2} dx$ | . . . . . | .2186 |
| 3.397 | $\int \frac{(1-c^2x^2)^{3/2}}{x^4(a+b \sin^{-1}(cx))^2} dx$ | . . . . . | .2189 |
| 3.398 | $\int \frac{x^m(1-c^2x^2)^{5/2}}{(a+b \sin^{-1}(cx))^2} dx$ | . . . . . | .2192 |
| 3.399 | $\int \frac{x^3(1-c^2x^2)^{5/2}}{(a+b \sin^{-1}(cx))^2} dx$ | . . . . . | .2195 |
| 3.400 | $\int \frac{x^2(1-c^2x^2)^{5/2}}{(a+b \sin^{-1}(cx))^2} dx$ | . . . . . | .2202 |
| 3.401 | $\int \frac{x(1-c^2x^2)^{5/2}}{(a+b \sin^{-1}(cx))^2} dx$   | . . . . . | .2209 |
| 3.402 | $\int \frac{(1-c^2x^2)^{5/2}}{(a+b \sin^{-1}(cx))^2} dx$    | . . . . . | .2216 |
| 3.403 | $\int \frac{(1-c^2x^2)^{5/2}}{x(a+b \sin^{-1}(cx))^2} dx$   | . . . . . | .2222 |
| 3.404 | $\int \frac{(1-c^2x^2)^{5/2}}{x^2(a+b \sin^{-1}(cx))^2} dx$ | . . . . . | .2226 |
| 3.405 | $\int \frac{(1-c^2x^2)^{5/2}}{x^3(a+b \sin^{-1}(cx))^2} dx$ | . . . . . | .2229 |
| 3.406 | $\int \frac{(1-c^2x^2)^{5/2}}{x^4(a+b \sin^{-1}(cx))^2} dx$ | . . . . . | .2232 |
| 3.407 | $\int \frac{x^m}{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^2} dx$  | . . . . . | .2235 |
| 3.408 | $\int \frac{x^5}{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^2} dx$  | . . . . . | .2238 |

|       |   |      |
|-------|---|------|
| 3.409 | $\int \frac{x^4}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$   | 2244 |
| 3.410 | $\int \frac{x^3}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$   | 2249 |
| 3.411 | $\int \frac{x^2}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$   | 2254 |
| 3.412 | $\int \frac{x}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$     | 2259 |
| 3.413 | $\int \frac{1}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$     | 2263 |
| 3.414 | $\int \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$    | 2266 |
| 3.415 | $\int \frac{1}{x^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$  | 2269 |
| 3.416 | $\int \frac{x^m}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$  | 2272 |
| 3.417 | $\int \frac{x^3}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$  | 2275 |
| 3.418 | $\int \frac{x^2}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$  | 2278 |
| 3.419 | $\int \frac{x}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$    | 2281 |
| 3.420 | $\int \frac{1}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$    | 2284 |
| 3.421 | $\int \frac{1}{x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$   | 2287 |
| 3.422 | $\int \frac{1}{x^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$ | 2290 |
| 3.423 | $\int \frac{x^m}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx$  | 2293 |
| 3.424 | $\int \frac{x^3}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx$  | 2296 |
| 3.425 | $\int \frac{x^2}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx$  | 2299 |
| 3.426 | $\int \frac{x}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx$    | 2302 |
| 3.427 | $\int \frac{1}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx$    | 2305 |
| 3.428 | $\int \frac{1}{x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx$   | 2308 |
| 3.429 | $\int \frac{1}{x^2(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx$ | 2311 |
| 3.430 | $\int \frac{1}{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3} dx$          | 2314 |
| 3.431 | $\int \frac{x^3(d-c^2dx^2)}{(a+b\sin^{-1}(cx))^{3/2}} dx$   | 2317 |

|       |  |       |
|-------|--|-------|
| 3.432 | $\int \frac{x^2(d-c^2dx^2)}{(a+b\sin^{-1}(cx))^{3/2}} dx$  | .2323 |
| 3.433 | $\int \frac{x(d-c^2dx^2)}{(a+b\sin^{-1}(cx))^{3/2}} dx$  | .2330 |
| 3.434 | $\int \frac{d-c^2dx^2}{(a+b\sin^{-1}(cx))^{3/2}} dx$   | .2336 |
| 3.435 | $\int \frac{d-c^2dx^2}{x(a+b\sin^{-1}(cx))^{3/2}} dx$  | .2341 |
| 3.436 | $\int \frac{x^3(d-c^2dx^2)^2}{(a+b\sin^{-1}(cx))^{3/2}} dx$  | .2345 |
| 3.437 | $\int \frac{x^2(d-c^2dx^2)^2}{(a+b\sin^{-1}(cx))^{3/2}} dx$  | .2352 |
| 3.438 | $\int \frac{x(d-c^2dx^2)^2}{(a+b\sin^{-1}(cx))^{3/2}} dx$  | .2359 |
| 3.439 | $\int \frac{(d-c^2dx^2)^2}{(a+b\sin^{-1}(cx))^{3/2}} dx$   | .2366 |
| 3.440 | $\int \frac{(d-c^2dx^2)^2}{x(a+b\sin^{-1}(cx))^{3/2}} dx$  | .2373 |
| 3.441 | $\int \left( -\frac{3x}{8(1-x^2)\sqrt{\sin^{-1}(x)}} + \frac{x\sin^{-1}(x)^{3/2}}{(1-x^2)^2} \right) dx$ | .2377 |
| 3.442 | $\int (c - a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)} dx$   | .2381 |
| 3.443 | $\int \sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} dx$  | .2386 |
| 3.444 | $\int \frac{\sqrt{\sin^{-1}(ax)}}{\sqrt{c - a^2cx^2}} dx$  | .2391 |
| 3.445 | $\int \frac{\sqrt{\sin^{-1}(ax)}}{(c - a^2cx^2)^{3/2}} dx$   | .2394 |
| 3.446 | $\int \frac{\sqrt{\sin^{-1}(ax)}}{(c - a^2cx^2)^{5/2}} dx$   | .2397 |
| 3.447 | $\int (c - a^2cx^2)^{3/2} \sin^{-1}(ax)^{3/2} dx$  | .2400 |
| 3.448 | $\int \sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2} dx$   | .2406 |
| 3.449 | $\int \frac{\sin^{-1}(ax)^{3/2}}{\sqrt{c - a^2cx^2}} dx$   | .2411 |
| 3.450 | $\int \frac{\sin^{-1}(ax)^{3/2}}{(c - a^2cx^2)^{3/2}} dx$  | .2414 |
| 3.451 | $\int (c - a^2cx^2)^{3/2} \sin^{-1}(ax)^{5/2} dx$  | .2417 |
| 3.452 | $\int \sqrt{c - a^2cx^2} \sin^{-1}(ax)^{5/2} dx$   | .2423 |
| 3.453 | $\int \frac{\sin^{-1}(ax)^{5/2}}{\sqrt{c - a^2cx^2}} dx$   | .2428 |

|       |  |      |
|-------|--|------|
| 3.454 | $\int \frac{\sin^{-1}(ax)^{5/2}}{(c-a^2cx^2)^{3/2}} dx$                      | 2431 |
| 3.455 | $\int (a^2 - x^2)^{3/2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} dx$         | 2434 |
| 3.456 | $\int \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} dx$          | 2439 |
| 3.457 | $\int \frac{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{\sqrt{a^2 - x^2}} dx$  | 2444 |
| 3.458 | $\int \frac{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{(a^2 - x^2)^{3/2}} dx$ | 2448 |
| 3.459 | $\int \frac{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{(a^2 - x^2)^{5/2}} dx$ | 2451 |
| 3.460 | $\int (a^2 - x^2)^{3/2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2} dx$          | 2454 |
| 3.461 | $\int \sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2} dx$           | 2460 |
| 3.462 | $\int \frac{\sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{\sqrt{a^2 - x^2}} dx$   | 2465 |
| 3.463 | $\int \frac{\sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{(a^2 - x^2)^{3/2}} dx$  | 2469 |
| 3.464 | $\int \frac{x}{\sqrt{1-x^2} \sqrt{\sin^{-1}(x)}} dx$                         | 2472 |
| 3.465 | $\int \frac{(c-a^2cx^2)^{5/2}}{\sqrt{\sin^{-1}(ax)}} dx$                     | 2475 |
| 3.466 | $\int \frac{(c-a^2cx^2)^{3/2}}{\sqrt{\sin^{-1}(ax)}} dx$                     | 2480 |
| 3.467 | $\int \frac{\sqrt{c-a^2cx^2}}{\sqrt{\sin^{-1}(ax)}} dx$                      | 2485 |
| 3.468 | $\int \frac{1}{\sqrt{c-a^2cx^2} \sqrt{\sin^{-1}(ax)}} dx$                    | 2489 |
| 3.469 | $\int \frac{1}{(c-a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)}} dx$                   | 2492 |
| 3.470 | $\int \frac{1}{(c-a^2cx^2)^{5/2} \sqrt{\sin^{-1}(ax)}} dx$                   | 2495 |
| 3.471 | $\int \frac{(c-a^2cx^2)^{5/2}}{\sin^{-1}(ax)^{3/2}} dx$                      | 2498 |
| 3.472 | $\int \frac{(c-a^2cx^2)^{3/2}}{\sin^{-1}(ax)^{3/2}} dx$                      | 2503 |
| 3.473 | $\int \frac{\sqrt{c-a^2cx^2}}{\sin^{-1}(ax)^{3/2}} dx$                       | 2508 |
| 3.474 | $\int \frac{1}{\sqrt{c-a^2cx^2} \sin^{-1}(ax)^{3/2}} dx$                     | 2513 |
| 3.475 | $\int \frac{1}{(c-a^2cx^2)^{3/2} \sin^{-1}(ax)^{3/2}} dx$                    | 2516 |
| 3.476 | $\int \frac{1}{(c-a^2cx^2)^{5/2} \sin^{-1}(ax)^{3/2}} dx$                    | 2519 |

|       |   |      |
|-------|---|------|
| 3.477 | $\int \frac{(c-a^2cx^2)^{3/2}}{\sin^{-1}(ax)^{5/2}} dx$       | 2522 |
| 3.478 | $\int \frac{\sqrt{c-a^2cx^2}}{\sin^{-1}(ax)^{5/2}} dx$        | 2527 |
| 3.479 | $\int \frac{1}{\sqrt{c-a^2cx^2} \sin^{-1}(ax)^{5/2}} dx$      | 2531 |
| 3.480 | $\int \frac{1}{(c-a^2cx^2)^{3/2} \sin^{-1}(ax)^{5/2}} dx$     | 2534 |
| 3.481 | $\int \frac{1}{(c-a^2cx^2)^{5/2} \sin^{-1}(ax)^{5/2}} dx$     | 2537 |
| 3.482 | $\int x^2 \sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx))^n dx$          | 2540 |
| 3.483 | $\int x \sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx))^n dx$            | 2545 |
| 3.484 | $\int \sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx))^n dx$              | 2550 |
| 3.485 | $\int \frac{\sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx))^n}{x} dx$    | 2555 |
| 3.486 | $\int \frac{\sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx))^n}{x^2} dx$  | 2558 |
| 3.487 | $\int x^2 (d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx))^n dx$         | 2561 |
| 3.488 | $\int x (d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx))^n dx$           | 2566 |
| 3.489 | $\int (d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx))^n dx$             | 2571 |
| 3.490 | $\int \frac{(d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx))^n}{x} dx$   | 2576 |
| 3.491 | $\int \frac{(d-c^2dx^2)^{3/2} (a+b \sin^{-1}(cx))^n}{x^2} dx$ | 2579 |
| 3.492 | $\int x^2 (d-c^2dx^2)^{5/2} (a+b \sin^{-1}(cx))^n dx$         | 2582 |
| 3.493 | $\int x (d-c^2dx^2)^{5/2} (a+b \sin^{-1}(cx))^n dx$           | 2588 |
| 3.494 | $\int (d-c^2dx^2)^{5/2} (a+b \sin^{-1}(cx))^n dx$             | 2593 |
| 3.495 | $\int \frac{(d-c^2dx^2)^{5/2} (a+b \sin^{-1}(cx))^n}{x} dx$   | 2598 |
| 3.496 | $\int \frac{(d-c^2dx^2)^{5/2} (a+b \sin^{-1}(cx))^n}{x^2} dx$ | 2601 |
| 3.497 | $\int \frac{x^m \sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx$         | 2604 |
| 3.498 | $\int \frac{x^3 \sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx$         | 2607 |
| 3.499 | $\int \frac{x^2 \sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx$         | 2611 |
| 3.500 | $\int \frac{x \sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx$           | 2615 |
| 3.501 | $\int \frac{\sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx$             | 2619 |
| 3.502 | $\int \frac{\sin^{-1}(ax)^n}{x \sqrt{1-a^2x^2}} dx$           | 2622 |
| 3.503 | $\int \frac{\sin^{-1}(ax)^n}{x^2 \sqrt{1-a^2x^2}} dx$         | 2625 |

|       |   |       |
|-------|---|-------|
| 3.504 | $\int (d + cdx)^{5/2} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) dx$          | .2628 |
| 3.505 | $\int (d + cdx)^{3/2} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) dx$          | .2633 |
| 3.506 | $\int \sqrt{d + cdx} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) dx$           | .2638 |
| 3.507 | $\int \frac{\sqrt{f - cfx}(a + b \sin^{-1}(cx))}{\sqrt{d + cdx}} dx$    | .2642 |
| 3.508 | $\int \frac{\sqrt{f - cfx}(a + b \sin^{-1}(cx))}{(d + cdx)^{3/2}} dx$   | .2646 |
| 3.509 | $\int \frac{\sqrt{f - cfx}(a + b \sin^{-1}(cx))}{(d + cdx)^{5/2}} dx$   | .2651 |
| 3.510 | $\int (d + cdx)^{5/2} (f - cfx)^{3/2} (a + b \sin^{-1}(cx)) dx$         | .2656 |
| 3.511 | $\int (d + cdx)^{3/2} (f - cfx)^{3/2} (a + b \sin^{-1}(cx)) dx$         | .2661 |
| 3.512 | $\int \sqrt{d + cdx} (f - cfx)^{3/2} (a + b \sin^{-1}(cx)) dx$          | .2666 |
| 3.513 | $\int \frac{(f - cfx)^{3/2} (a + b \sin^{-1}(cx))}{\sqrt{d + cdx}} dx$  | .2671 |
| 3.514 | $\int \frac{(f - cfx)^{3/2} (a + b \sin^{-1}(cx))}{(d + cdx)^{3/2}} dx$ | .2676 |
| 3.515 | $\int \frac{(f - cfx)^{3/2} (a + b \sin^{-1}(cx))}{(d + cdx)^{5/2}} dx$ | .2681 |
| 3.516 | $\int (d + cdx)^{5/2} (f - cfx)^{5/2} (a + b \sin^{-1}(cx)) dx$         | .2686 |
| 3.517 | $\int (d + cdx)^{3/2} (f - cfx)^{5/2} (a + b \sin^{-1}(cx)) dx$         | .2691 |
| 3.518 | $\int \sqrt{d + cdx} (f - cfx)^{5/2} (a + b \sin^{-1}(cx)) dx$          | .2696 |
| 3.519 | $\int \frac{(f - cfx)^{5/2} (a + b \sin^{-1}(cx))}{\sqrt{d + cdx}} dx$  | .2701 |
| 3.520 | $\int \frac{(f - cfx)^{5/2} (a + b \sin^{-1}(cx))}{(d + cdx)^{3/2}} dx$ | .2706 |
| 3.521 | $\int \frac{(f - cfx)^{5/2} (a + b \sin^{-1}(cx))}{(d + cdx)^{5/2}} dx$ | .2712 |
| 3.522 | $\int \frac{(d + cdx)^{5/2} (a + b \sin^{-1}(cx))}{\sqrt{f - cfx}} dx$  | .2718 |
| 3.523 | $\int \frac{(d + cdx)^{3/2} (a + b \sin^{-1}(cx))}{\sqrt{f - cfx}} dx$  | .2723 |
| 3.524 | $\int \frac{\sqrt{d + cdx} (a + b \sin^{-1}(cx))}{\sqrt{f - cfx}} dx$   | .2728 |
| 3.525 | $\int \frac{a + b \sin^{-1}(cx)}{\sqrt{d + cdx} \sqrt{f - cfx}} dx$     | .2732 |
| 3.526 | $\int \frac{a + b \sin^{-1}(cx)}{(d + cdx)^{3/2} \sqrt{f - cfx}} dx$    | .2736 |
| 3.527 | $\int \frac{a + b \sin^{-1}(cx)}{(d + cdx)^{5/2} \sqrt{f - cfx}} dx$    | .2741 |
| 3.528 | $\int \frac{(d + cdx)^{5/2} (a + b \sin^{-1}(cx))}{(f - cfx)^{3/2}} dx$ | .2746 |
| 3.529 | $\int \frac{(d + cdx)^{3/2} (a + b \sin^{-1}(cx))}{(f - cfx)^{3/2}} dx$ | .2752 |
| 3.530 | $\int \frac{\sqrt{d + cdx} (a + b \sin^{-1}(cx))}{(f - cfx)^{3/2}} dx$  | .2757 |
| 3.531 | $\int \frac{a + b \sin^{-1}(cx)}{\sqrt{d + cdx} (f - cfx)^{3/2}} dx$    | .2762 |

|       |  |      |
|-------|--|------|
| 3.532 | $\int \frac{a+b \sin^{-1}(cx)}{(d+cdx)^{3/2}(f-cfx)^{3/2}} dx \dots\dots\dots$     | 2767 |
| 3.533 | $\int \frac{a+b \sin^{-1}(cx)}{(d+cdx)^{5/2}(f-cfx)^{3/2}} dx \dots\dots\dots$     | 2771 |
| 3.534 | $\int \frac{(d+cdx)^{5/2}(a+b \sin^{-1}(cx))}{(f-cfx)^{5/2}} dx \dots\dots\dots$   | 2776 |
| 3.535 | $\int \frac{(d+cdx)^{3/2}(a+b \sin^{-1}(cx))}{(f-cfx)^{5/2}} dx \dots\dots\dots$   | 2782 |
| 3.536 | $\int \frac{\sqrt{d+cdx}(a+b \sin^{-1}(cx))}{(f-cfx)^{5/2}} dx \dots\dots\dots$    | 2787 |
| 3.537 | $\int \frac{a+b \sin^{-1}(cx)}{\sqrt{d+cdx}(f-cfx)^{5/2}} dx \dots\dots\dots$      | 2792 |
| 3.538 | $\int \frac{a+b \sin^{-1}(cx)}{(d+cdx)^{3/2}(f-cfx)^{5/2}} dx \dots\dots\dots$     | 2797 |
| 3.539 | $\int \frac{a+b \sin^{-1}(cx)}{(d+cdx)^{5/2}(f-cfx)^{5/2}} dx \dots\dots\dots$     | 2802 |
| 3.540 | $\int (d+cdx)^{5/2} \sqrt{e-cex} (a+b \sin^{-1}(cx))^2 dx \dots\dots\dots$         | 2807 |
| 3.541 | $\int (d+cdx)^{3/2} \sqrt{e-cex} (a+b \sin^{-1}(cx))^2 dx \dots\dots\dots$         | 2814 |
| 3.542 | $\int \sqrt{d+cdx} \sqrt{e-cex} (a+b \sin^{-1}(cx))^2 dx \dots\dots\dots$          | 2820 |
| 3.543 | $\int \frac{\sqrt{e-cex}(a+b \sin^{-1}(cx))^2}{\sqrt{d+cdx}} dx \dots\dots\dots$   | 2825 |
| 3.544 | $\int \frac{\sqrt{e-cex}(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2}} dx \dots\dots\dots$  | 2830 |
| 3.545 | $\int \frac{\sqrt{e-cex}(a+b \sin^{-1}(cx))^2}{(d+cdx)^{5/2}} dx \dots\dots\dots$  | 2837 |
| 3.546 | $\int (d+cdx)^{5/2} (e-cex)^{3/2} (a+b \sin^{-1}(cx))^2 dx \dots\dots\dots$        | 2844 |
| 3.547 | $\int (d+cdx)^{3/2} (e-cex)^{3/2} (a+b \sin^{-1}(cx))^2 dx \dots\dots\dots$        | 2851 |
| 3.548 | $\int \sqrt{d+cdx} (e-cex)^{3/2} (a+b \sin^{-1}(cx))^2 dx \dots\dots\dots$         | 2857 |
| 3.549 | $\int \frac{(e-cex)^{3/2}(a+b \sin^{-1}(cx))^2}{\sqrt{d+cdx}} dx \dots\dots\dots$  | 2863 |
| 3.550 | $\int \frac{(e-cex)^{3/2}(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2}} dx \dots\dots\dots$ | 2868 |
| 3.551 | $\int \frac{(e-cex)^{3/2}(a+b \sin^{-1}(cx))^2}{(d+cdx)^{5/2}} dx \dots\dots\dots$ | 2876 |
| 3.552 | $\int (d+cdx)^{5/2} (e-cex)^{5/2} (a+b \sin^{-1}(cx))^2 dx \dots\dots\dots$        | 2883 |
| 3.553 | $\int (d+cdx)^{3/2} (e-cex)^{5/2} (a+b \sin^{-1}(cx))^2 dx \dots\dots\dots$        | 2889 |
| 3.554 | $\int \sqrt{d+cdx} (e-cex)^{5/2} (a+b \sin^{-1}(cx))^2 dx \dots\dots\dots$         | 2896 |
| 3.555 | $\int \frac{(e-cex)^{5/2}(a+b \sin^{-1}(cx))^2}{\sqrt{d+cdx}} dx \dots\dots\dots$  | 2903 |
| 3.556 | $\int \frac{(e-cex)^{5/2}(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2}} dx \dots\dots\dots$ | 2909 |
| 3.557 | $\int \frac{(e-cex)^{5/2}(a+b \sin^{-1}(cx))^2}{(d+cdx)^{5/2}} dx \dots\dots\dots$ | 2919 |



|       |   |           |      |
|-------|---|-----------|------|
| 3.558 | $\int \frac{(d+cdx)^{5/2}(a+b \sin^{-1}(cx))^2}{\sqrt{e-cex}} dx$     | . . . . . | 2927 |
| 3.559 | $\int \frac{(d+cdx)^{3/2}(a+b \sin^{-1}(cx))^2}{\sqrt{e-cex}} dx$     | . . . . . | 2933 |
| 3.560 | $\int \frac{\sqrt{d+cdx}(a+b \sin^{-1}(cx))^2}{\sqrt{e-cex}} dx$      | . . . . . | 2938 |
| 3.561 | $\int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{d+cdx}\sqrt{e-cex}} dx$      | . . . . . | 2943 |
| 3.562 | $\int \frac{(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2}\sqrt{e-cex}} dx$     | . . . . . | 2947 |
| 3.563 | $\int \frac{(a+b \sin^{-1}(cx))^2}{(d+cdx)^{5/2}\sqrt{e-cex}} dx$     | . . . . . | 2953 |
| 3.564 | $\int \frac{(d+cdx)^{5/2}(a+b \sin^{-1}(cx))^2}{(e-cex)^{3/2}} dx$    | . . . . . | 2961 |
| 3.565 | $\int \frac{(d+cdx)^{3/2}(a+b \sin^{-1}(cx))^2}{(e-cex)^{3/2}} dx$    | . . . . . | 2970 |
| 3.566 | $\int \frac{\sqrt{d+cdx}(a+b \sin^{-1}(cx))^2}{(e-cex)^{3/2}} dx$     | . . . . . | 2978 |
| 3.567 | $\int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{d+cdx}(e-cex)^{3/2}} dx$     | . . . . . | 2985 |
| 3.568 | $\int \frac{(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2}(e-cex)^{3/2}} dx$    | . . . . . | 2991 |
| 3.569 | $\int \frac{(a+b \sin^{-1}(cx))^2}{(d+cdx)^{5/2}(e-cex)^{3/2}} dx$    | . . . . . | 2996 |
| 3.570 | $\int \frac{(d+cdx)^{5/2}(a+b \sin^{-1}(cx))^2}{(e-cex)^{5/2}} dx$    | . . . . . | 3004 |
| 3.571 | $\int \frac{(d+cdx)^{3/2}(a+b \sin^{-1}(cx))^2}{(e-cex)^{5/2}} dx$    | . . . . . | 3012 |
| 3.572 | $\int \frac{\sqrt{d+cdx}(a+b \sin^{-1}(cx))^2}{(e-cex)^{5/2}} dx$     | . . . . . | 3019 |
| 3.573 | $\int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{d+cdx}(e-cex)^{5/2}} dx$     | . . . . . | 3026 |
| 3.574 | $\int \frac{(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2}(e-cex)^{5/2}} dx$    | . . . . . | 3034 |
| 3.575 | $\int \frac{(a+b \sin^{-1}(cx))^2}{(d+cdx)^{5/2}(e-cex)^{5/2}} dx$    | . . . . . | 3042 |
| 3.576 | $\int x^2 \sqrt{d+cdx} \sqrt{e-cex} (a+b \sin^{-1}(cx))^2 dx$         | . . . . . | 3048 |
| 3.577 | $\int x \sqrt{d+cdx} \sqrt{e-cex} (a+b \sin^{-1}(cx))^2 dx$           | . . . . . | 3053 |
| 3.578 | $\int \sqrt{d+cdx} \sqrt{e-cex} (a+b \sin^{-1}(cx))^2 dx$             | . . . . . | 3058 |
| 3.579 | $\int \frac{\sqrt{d+cdx} \sqrt{e-cex} (a+b \sin^{-1}(cx))^2}{x} dx$   | . . . . . | 3063 |
| 3.580 | $\int \frac{\sqrt{d+cdx} \sqrt{e-cex} (a+b \sin^{-1}(cx))^2}{x^2} dx$ | . . . . . | 3069 |
| 3.581 | $\int x^2 (d+cdx)^{3/2} (e-cex)^{3/2} (a+b \sin^{-1}(cx))^2 dx$       | . . . . . | 3074 |

|       |  |      |
|-------|--|------|
| 3.582 | $\int x(d+cdx)^{3/2}(e-cex)^{3/2}(a+b\sin^{-1}(cx))^2 dx$            | 3080 |
| 3.583 | $\int (d+cdx)^{3/2}(e-cex)^{3/2}(a+b\sin^{-1}(cx))^2 dx$             | 3086 |
| 3.584 | $\int \frac{(d+cdx)^{3/2}(e-cex)^{3/2}(a+b\sin^{-1}(cx))^2}{x} dx$   | 3092 |
| 3.585 | $\int \frac{(d+cdx)^{3/2}(e-cex)^{3/2}(a+b\sin^{-1}(cx))^2}{x^2} dx$ | 3099 |
| 3.586 | $\int \frac{x^2(a+b\sin^{-1}(cx))^2}{\sqrt{d+cdx}\sqrt{e-cex}} dx$   | 3106 |
| 3.587 | $\int \frac{x(a+b\sin^{-1}(cx))^2}{\sqrt{d+cdx}\sqrt{e-cex}} dx$     | 3111 |
| 3.588 | $\int \frac{(a+b\sin^{-1}(cx))^2}{\sqrt{d+cdx}\sqrt{e-cex}} dx$      | 3115 |
| 3.589 | $\int \frac{(a+b\sin^{-1}(cx))^2}{x\sqrt{d+cdx}\sqrt{e-cex}} dx$     | 3119 |
| 3.590 | $\int \frac{(a+b\sin^{-1}(cx))^2}{x^2\sqrt{d+cdx}\sqrt{e-cex}} dx$   | 3124 |
| 3.591 | $\int \frac{x^2(a+b\sin^{-1}(cx))^2}{(d+cdx)^{3/2}(e-cex)^{3/2}} dx$ | 3129 |
| 3.592 | $\int \frac{x(a+b\sin^{-1}(cx))^2}{(d+cdx)^{3/2}(e-cex)^{3/2}} dx$   | 3135 |
| 3.593 | $\int \frac{(a+b\sin^{-1}(cx))^2}{(d+cdx)^{3/2}(e-cex)^{3/2}} dx$    | 3140 |
| 3.594 | $\int \frac{(a+b\sin^{-1}(cx))^2}{x(d+cdx)^{3/2}(e-cex)^{3/2}} dx$   | 3145 |
| 3.595 | $\int \frac{(a+b\sin^{-1}(cx))^2}{x^2(d+cdx)^{3/2}(e-cex)^{3/2}} dx$ | 3151 |
| 3.596 | $\int x^4(d+ex^2)(a+b\sin^{-1}(cx)) dx$                              | 3157 |
| 3.597 | $\int x^3(d+ex^2)(a+b\sin^{-1}(cx)) dx$                              | 3162 |
| 3.598 | $\int x^2(d+ex^2)(a+b\sin^{-1}(cx)) dx$                              | 3167 |
| 3.599 | $\int x(d+ex^2)(a+b\sin^{-1}(cx)) dx$                                | 3171 |
| 3.600 | $\int (d+ex^2)(a+b\sin^{-1}(cx)) dx$                                 | 3175 |
| 3.601 | $\int \frac{(d+ex^2)(a+b\sin^{-1}(cx))}{x} dx$                       | 3179 |
| 3.602 | $\int \frac{(d+ex^2)(a+b\sin^{-1}(cx))}{x^2} dx$                     | 3185 |
| 3.603 | $\int \frac{(d+ex^2)(a+b\sin^{-1}(cx))}{x^3} dx$                     | 3190 |
| 3.604 | $\int \frac{(d+ex^2)(a+b\sin^{-1}(cx))}{x^4} dx$                     | 3195 |
| 3.605 | $\int x^4(d+ex^2)^2(a+b\sin^{-1}(cx)) dx$                            | 3200 |
| 3.606 | $\int x^3(d+ex^2)^2(a+b\sin^{-1}(cx)) dx$                            | 3206 |
| 3.607 | $\int x^2(d+ex^2)^2(a+b\sin^{-1}(cx)) dx$                            | 3212 |
| 3.608 | $\int x(d+ex^2)^2(a+b\sin^{-1}(cx)) dx$                              | 3217 |

|       |   |      |
|-------|---|------|
| 3.609 | $\int (d + ex^2)^2 (a + b \sin^{-1}(cx)) dx$        | 3222 |
| 3.610 | $\int \frac{(d+ex^2)^2(a+b \sin^{-1}(cx))}{x} dx$   | 3227 |
| 3.611 | $\int \frac{(d+ex^2)^2(a+b \sin^{-1}(cx))}{x^2} dx$ | 3233 |
| 3.612 | $\int \frac{(d+ex^2)^2(a+b \sin^{-1}(cx))}{x^3} dx$ | 3240 |
| 3.613 | $\int \frac{(d+ex^2)^2(a+b \sin^{-1}(cx))}{x^4} dx$ | 3246 |
| 3.614 | $\int x^4 (d + ex^2)^3 (a + b \sin^{-1}(cx)) dx$    | 3252 |
| 3.615 | $\int x^3 (d + ex^2)^3 (a + b \sin^{-1}(cx)) dx$    | 3258 |
| 3.616 | $\int x^2 (d + ex^2)^3 (a + b \sin^{-1}(cx)) dx$    | 3265 |
| 3.617 | $\int x (d + ex^2)^3 (a + b \sin^{-1}(cx)) dx$      | 3270 |
| 3.618 | $\int (d + ex^2)^3 (a + b \sin^{-1}(cx)) dx$        | 3276 |
| 3.619 | $\int \frac{(d+ex^2)^3(a+b \sin^{-1}(cx))}{x} dx$   | 3281 |
| 3.620 | $\int \frac{(d+ex^2)^3(a+b \sin^{-1}(cx))}{x^2} dx$ | 3287 |
| 3.621 | $\int \frac{(d+ex^2)^3(a+b \sin^{-1}(cx))}{x^3} dx$ | 3298 |
| 3.622 | $\int \frac{(d+ex^2)^3(a+b \sin^{-1}(cx))}{x^4} dx$ | 3304 |
| 3.623 | $\int (d + ex^2)^4 (a + b \sin^{-1}(cx)) dx$        | 3310 |
| 3.624 | $\int \frac{x^4(a+b \sin^{-1}(cx))}{d+ex^2} dx$     | 3316 |
| 3.625 | $\int \frac{x^3(a+b \sin^{-1}(cx))}{d+ex^2} dx$     | 3322 |
| 3.626 | $\int \frac{x^2(a+b \sin^{-1}(cx))}{d+ex^2} dx$     | 3329 |
| 3.627 | $\int \frac{x(a+b \sin^{-1}(cx))}{d+ex^2} dx$       | 3335 |
| 3.628 | $\int \frac{a+b \sin^{-1}(cx)}{d+ex^2} dx$          | 3341 |
| 3.629 | $\int \frac{a+b \sin^{-1}(cx)}{x(d+ex^2)} dx$       | 3346 |
| 3.630 | $\int \frac{a+b \sin^{-1}(cx)}{x^2(d+ex^2)} dx$     | 3352 |
| 3.631 | $\int \frac{a+b \sin^{-1}(cx)}{x^3(d+ex^2)} dx$     | 3358 |
| 3.632 | $\int \frac{a+b \sin^{-1}(cx)}{x^4(d+ex^2)} dx$     | 3364 |
| 3.633 | $\int \frac{x^3(a+b \sin^{-1}(cx))}{(d+ex^2)^2} dx$ | 3371 |
| 3.634 | $\int \frac{x(a+b \sin^{-1}(cx))}{(d+ex^2)^2} dx$   | 3379 |

|       |   |           |       |
|-------|---|-----------|-------|
| 3.635 | $\int \frac{a+b \sin^{-1}(cx)}{x(d+ex^2)^2} dx$     | . . . . . | .3383 |
| 3.636 | $\int \frac{a+b \sin^{-1}(cx)}{x^3(d+ex^2)^2} dx$   | . . . . . | .3389 |
| 3.637 | $\int \frac{x^4(a+b \sin^{-1}(cx))}{(d+ex^2)^2} dx$ | . . . . . | .3395 |
| 3.638 | $\int \frac{x^2(a+b \sin^{-1}(cx))}{(d+ex^2)^2} dx$ | . . . . . | .3403 |
| 3.639 | $\int \frac{a+b \sin^{-1}(cx)}{(d+ex^2)^2} dx$      | . . . . . | .3410 |
| 3.640 | $\int \frac{a+b \sin^{-1}(cx)}{x^2(d+ex^2)^2} dx$   | . . . . . | .3417 |
| 3.641 | $\int \frac{x^5(a+b \sin^{-1}(cx))}{(d+ex^2)^3} dx$ | . . . . . | .3425 |
| 3.642 | $\int \frac{x^3(a+b \sin^{-1}(cx))}{(d+ex^2)^3} dx$ | . . . . . | .3432 |
| 3.643 | $\int \frac{x(a+b \sin^{-1}(cx))}{(d+ex^2)^3} dx$   | . . . . . | .3438 |
| 3.644 | $\int \frac{a+b \sin^{-1}(cx)}{x(d+ex^2)^3} dx$     | . . . . . | .3443 |
| 3.645 | $\int \frac{a+b \sin^{-1}(cx)}{x^3(d+ex^2)^3} dx$   | . . . . . | .3451 |
| 3.646 | $\int \frac{x^4(a+b \sin^{-1}(cx))}{(d+ex^2)^3} dx$ | . . . . . | .3459 |
| 3.647 | $\int \frac{x^2(a+b \sin^{-1}(cx))}{(d+ex^2)^3} dx$ | . . . . . | .3468 |
| 3.648 | $\int \frac{a+b \sin^{-1}(cx)}{(d+ex^2)^3} dx$      | . . . . . | .3477 |
| 3.649 | $\int \sqrt{d+ex^2} (a+b \sin^{-1}(cx)) dx$         | . . . . . | .3486 |
| 3.650 | $\int \frac{a+b \sin^{-1}(cx)}{\sqrt{d+ex^2}} dx$   | . . . . . | .3489 |
| 3.651 | $\int \frac{a+b \sin^{-1}(cx)}{(d+ex^2)^{3/2}} dx$  | . . . . . | .3492 |
| 3.652 | $\int \frac{a+b \sin^{-1}(cx)}{(d+ex^2)^{5/2}} dx$  | . . . . . | .3497 |
| 3.653 | $\int \frac{a+b \sin^{-1}(cx)}{(d+ex^2)^{7/2}} dx$  | . . . . . | .3502 |
| 3.654 | $\int (fx)^m (d+ex^2)^3 (a+b \sin^{-1}(cx)) dx$     | . . . . . | .3509 |
| 3.655 | $\int (fx)^m (d+ex^2)^2 (a+b \sin^{-1}(cx)) dx$     | . . . . . | .3514 |
| 3.656 | $\int (fx)^m (d+ex^2) (a+b \sin^{-1}(cx)) dx$       | . . . . . | .3519 |
| 3.657 | $\int \frac{(fx)^m (a+b \sin^{-1}(cx))}{d+ex^2} dx$ | . . . . . | .3523 |

|       |   |      |
|-------|---|------|
| 3.658 | $\int \frac{(fx)^m (a+b \sin^{-1}(cx))}{(d+ex^2)^2} dx$ | 3526 |
| 3.659 | $\int (d+ex^2)^3 (a+b \sin^{-1}(cx))^2 dx$              | 3529 |
| 3.660 | $\int (d+ex^2)^2 (a+b \sin^{-1}(cx))^2 dx$              | 3536 |
| 3.661 | $\int (d+ex^2) (a+b \sin^{-1}(cx))^2 dx$                | 3542 |
| 3.662 | $\int (a+b \sin^{-1}(cx))^2 dx$                         | 3547 |
| 3.663 | $\int \frac{(a+b \sin^{-1}(cx))^2}{d+ex^2} dx$          | 3551 |
| 3.664 | $\int \sqrt{d+ex^2} (a+b \sin^{-1}(cx))^2 dx$           | 3557 |
| 3.665 | $\int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{d+ex^2}} dx$   | 3560 |
| 3.666 | $\int \frac{(a+b \sin^{-1}(cx))^2}{(d+ex^2)^{3/2}} dx$  | 3563 |
| 3.667 | $\int \frac{(a+b \sin^{-1}(cx))^2}{(d+ex^2)^{5/2}} dx$  | 3566 |
| 3.668 | $\int \frac{(d+ex^2)^2}{a+b \sin^{-1}(cx)} dx$          | 3569 |
| 3.669 | $\int \frac{d+ex^2}{a+b \sin^{-1}(cx)} dx$              | 3575 |
| 3.670 | $\int \frac{1}{a+b \sin^{-1}(cx)} dx$                   | 3580 |
| 3.671 | $\int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))} dx$         | 3584 |
| 3.672 | $\int \frac{1}{(d+ex^2)^2 (a+b \sin^{-1}(cx))} dx$      | 3587 |
| 3.673 | $\int \frac{\sqrt{d+ex^2}}{a+b \sin^{-1}(cx)} dx$       | 3590 |
| 3.674 | $\int \frac{1}{\sqrt{d+ex^2} (a+b \sin^{-1}(cx))} dx$   | 3593 |
| 3.675 | $\int \frac{1}{(d+ex^2)^{3/2} (a+b \sin^{-1}(cx))} dx$  | 3596 |
| 3.676 | $\int \frac{1}{(d+ex^2)^{5/2} (a+b \sin^{-1}(cx))} dx$  | 3599 |
| 3.677 | $\int \frac{(d+ex^2)^2}{(a+b \sin^{-1}(cx))^2} dx$      | 3602 |
| 3.678 | $\int \frac{d+ex^2}{(a+b \sin^{-1}(cx))^2} dx$          | 3609 |
| 3.679 | $\int \frac{1}{(a+b \sin^{-1}(cx))^2} dx$               | 3615 |
| 3.680 | $\int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))^2} dx$       | 3619 |
| 3.681 | $\int \frac{1}{(d+ex^2)^2 (a+b \sin^{-1}(cx))^2} dx$    | 3622 |

|       |  |       |
|-------|--|-------|
| 3.682 | $\int \frac{\sqrt{d+ex^2}}{(a+b \sin^{-1}(cx))^2} dx$    | .3625 |
| 3.683 | $\int \frac{1}{\sqrt{d+ex^2}(a+b \sin^{-1}(cx))^2} dx$   | .3628 |
| 3.684 | $\int \frac{1}{(d+ex^2)^{3/2}(a+b \sin^{-1}(cx))^2} dx$  | .3631 |
| 3.685 | $\int \frac{1}{(d+ex^2)^{5/2}(a+b \sin^{-1}(cx))^2} dx$  | .3634 |
| 3.686 | $\int (d+ex^2)^2 \sqrt{a+b \sin^{-1}(cx)} dx$            | .3637 |
| 3.687 | $\int (d+ex^2) \sqrt{a+b \sin^{-1}(cx)} dx$              | .3645 |
| 3.688 | $\int \sqrt{a+b \sin^{-1}(cx)} dx$                       | .3652 |
| 3.689 | $\int \frac{\sqrt{a+b \sin^{-1}(cx)}}{d+ex^2} dx$        | .3657 |
| 3.690 | $\int \frac{\sqrt{a+b \sin^{-1}(cx)}}{(d+ex^2)^2} dx$    | .3660 |
| 3.691 | $\int (d+ex^2) (a+b \sin^{-1}(cx))^{3/2} dx$             | .3663 |
| 3.692 | $\int (a+b \sin^{-1}(cx))^{3/2} dx$                      | .3671 |
| 3.693 | $\int \frac{(a+b \sin^{-1}(cx))^{3/2}}{d+ex^2} dx$       | .3676 |
| 3.694 | $\int \frac{(a+b \sin^{-1}(cx))^{3/2}}{(d+ex^2)^2} dx$   | .3679 |
| 3.695 | $\int \frac{(d+ex^2)^2}{\sqrt{a+b \sin^{-1}(cx)}} dx$    | .3682 |
| 3.696 | $\int \frac{d+ex^2}{\sqrt{a+b \sin^{-1}(cx)}} dx$        | .3689 |
| 3.697 | $\int \frac{1}{\sqrt{a+b \sin^{-1}(cx)}} dx$             | .3695 |
| 3.698 | $\int \frac{1}{(d+ex^2)\sqrt{a+b \sin^{-1}(cx)}} dx$     | .3699 |
| 3.699 | $\int \frac{1}{(d+ex^2)^2 \sqrt{a+b \sin^{-1}(cx)}} dx$  | .3702 |
| 3.700 | $\int \frac{d+ex^2}{(a+b \sin^{-1}(cx))^{3/2}} dx$       | .3705 |
| 3.701 | $\int \frac{1}{(a+b \sin^{-1}(cx))^{3/2}} dx$            | .3711 |
| 3.702 | $\int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))^{3/2}} dx$    | .3716 |
| 3.703 | $\int \frac{1}{(d+ex^2)^2 (a+b \sin^{-1}(cx))^{3/2}} dx$ | .3719 |

#### 4 Listing of Grading functions

3723

# Chapter 1

## Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [ 703 ]. This is test number [ 143 ].

### 1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12 on windows 10.
3. Maple 2020 (64 bit) on windows 10.
4. Maxima 5.43 on Linux. (via sagemath 8.9)
5. Fricas 1.3.6 on Linux (via sagemath 9.0)
6. Sympy 1.5 under Python 3.7.3 using Anaconda distribution.
7. Giac/Xcas 1.5 on Linux. (via sagemath 8.9)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

## 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

| System      | solved          | Failed          |
|-------------|-----------------|-----------------|
| Rubi        | % 99.57 ( 700 ) | % 0.43 ( 3 )    |
| Mathematica | % 98.72 ( 694 ) | % 1.28 ( 9 )    |
| Maple       | % 78.81 ( 554 ) | % 21.19 ( 149 ) |
| Maxima      | % 27.03 ( 190 ) | % 72.97 ( 513 ) |
| Fricas      | % 37.7 ( 265 )  | % 62.3 ( 438 )  |
| Sympy       | % 24.47 ( 172 ) | % 75.53 ( 531 ) |
| Giac        | % 39.83 ( 280 ) | % 60.17 ( 423 ) |

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.




| grade | description   |
|-------|---|
| A     | Integral was solved and antiderivative is optimal in quality and leaf size.   |
| B     | Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.  |
| C     | Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol> |
| F     | Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.  |


Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.

| System      | % A grade | % B grade | % C grade | % F grade |
|-------------|-----------|-----------|-----------|-----------|
| Rubi        | 99.57     | 0.        | 0.        | 0.43      |
| Mathematica | 87.62     | 4.98      | 6.12      | 1.28      |
| Maple       | 52.63     | 14.37     | 11.81     | 21.19     |
| Maxima      | 24.61     | 2.42      | 0.        | 72.97     |
| Fricas      | 36.7      | 1.        | 0.        | 62.3      |
| Sympy       | 24.47     | 0.        | 0.        | 75.53     |
| Giac        | 28.59     | 9.82      | 1.42      | 60.17     |

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



## 1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

| System      | Mean time (sec) | Mean size | Normalized mean | Median size | Normalized median |
|-------------|-----------------|-----------|-----------------|-------------|-------------------|
| Rubi        | 0.38            | 224.5     | 0.81            | 188.5       | 1.                |
| Mathematica | 2.73            | 240.44    | 0.86            | 165.        | 0.82              |
| Maple       | 0.39            | 511.94    | 1.84            | 248.        | 1.35              |
| Maxima      | 0.87            | 158.59    | 0.92            | 15.         | 0.34              |
| Fricas      | 1.33            | 313.62    | 1.83            | 119.        | 1.71              |
| Sympy       | 8.04            | 128.59    | 0.69            | 0.          | 0.                |
| Giac        | 1.9             | 444.98    | 2.49            | 39.5        | 1.18              |

## 1.4 list of integrals that has no closed form antiderivative

{146, 147, 148, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 302, 314, 315, 321, 322, 323, 324, 329, 330, 331, 332, 337, 338, 339, 340, 347, 348, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 377, 378, 380, 385, 386, 387, 388, 389, 394, 395, 396, 397, 398, 403, 404, 405, 406, 407, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 435, 440, 445, 446, 450, 454, 458, 459, 463, 469, 470, 475, 476, 480, 481, 485, 486, 490, 491, 495, 496, 497, 502, 503, 649, 650, 657, 658, 664, 665, 666, 667, 671, 672, 673, 674, 675, 676, 680, 681, 682, 683, 684, 685, 689, 690, 693, 694, 698, 699, 702, 703}

## 1.5 list of integrals solved by CAS but has no known antiderivative

**Rubi** {}

**Mathematica** {}

**Maple** {}

**Maxima** {}

**Fricas** {}

**Sympy** {}

**Giac** {}

## 1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

**Rubi** {}

**Mathematica** {6, 8, 15, 17, 24, 26, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 41, 42, 43, 44, 45, 46, 48, 50, 51, 52, 53, 54, 65, 67, 81, 82, 83, 96, 97, 98, 106, 108, 115, 117, 136, 138, 161, 162, 163, 164, 170, 171, 172, 173, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 196, 197, 198, 199, 200, 201, 203, 205, 206, 207, 208, 209, 214, 215, 216, 217, 222, 223, 224,

225, 230, 231, 232, 233, 240, 241, 242, 243, 245, 246, 247, 249, 251, 252, 253, 254, 255, 257, 258, 259, 260, 261, 262, 263, 269, 271, 294, 308, 309, 310, 328, 431, 432, 433, 434, 436, 437, 438, 439, 442, 443, 447, 448, 451, 452, 455, 456, 460, 461, 464, 465, 466, 467, 471, 472, 477, 478, 515, 529, 534, 535, 545, 551, 557, 562, 563, 566, 567, 569, 570, 571, 572, 573, 574, 575, 579, 580, 584, 585, 589, 590, 595, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 637, 638, 639, 640, 641, 646, 647, 648, 651, 652, 653, 663, 686, 687, 688, 691, 692, 695, 696, 697, 700, 701}

**Maple** Verification phase not implemented yet.

**Maxima** Verification phase not implemented yet.

**Fricas** Verification phase not implemented yet.

**Sympy** Verification phase not implemented yet.

**Giac** Verification phase not implemented yet.

## 1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

## 1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.9 Important notes about some of the results

### 1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using sagemath (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 30 such integrals out of total 705, or about 4 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. If the output was an exception `ValueError` then this is most likely due to this reason.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

### 1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error Exception raised: NotImplementedError

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

## 1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function LeafSize is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size is determined as follows.

For Fricas, Giac and Maxima (all called via sagemath) the following code is used

#see <https://stackoverflow.com/questions/25202346/how-to-obtain-leaf-count-expression-size-in>

```
def tree(expr):
    if expr.operator() is None:
        return expr
    else:
        return [expr.operator()+map(tree, expr.operands())
```

```
try:
    # 1.35 is a fudge factor since this estimate of leaf count is bit lower than
    #what it should be compared to Mathematica's
    leafCount = round(1.35*len(flatten(tree(anti))))
except Exception as ee:
    leafCount =1
```

For Sympy, called directly from Python, the following code is used


```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

    except Exception as ee:
        leafCount =1
```

When these cas systems have a builtin function to find the leaf size of expressions, it will be used instead, and these tests run again.

## 1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. It contains 13 fields. This is description of each record (line)

1. integer. the problem number.
2. integer. 0 or 1 for failed or passed. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntx.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. The optimal antiderivative in CAS own syntax.

**High level overview of the CAS independent integration test build system**

Nasser M. Abbasi  
June 22, 2018



# Chapter 2

## detailed summary tables of results

### 2.1 List of integrals sorted by grade for each CAS

#### 2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510,

511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703 }

B grade: { }

C grade: { }

F grade: { 276, 277, 278 }

## 2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 33, 35, 37, 40, 42, 43, 44, 45, 47, 49, 51, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 120, 122, 123, 124, 125, 126, 127, 128, 129, 131, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 185, 186, 187, 188, 189, 190, 194, 195, 196, 197, 199, 201, 202, 203, 204, 205, 206, 208, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 435, 440, 444, 445, 446, 449, 450, 453, 454, 457, 458, 459, 462, 463, 468, 469, 470, 473, 474, 475, 476, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 522, 523, 524, 525, 526, 527, 528, 530, 531, 532, 533, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 552, 553, 554, 555, 558, 559, 560, 562, 563, 565, 566, 567, 569, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 589, 590, 592, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 637, 638,

639, 640, 641, 642, 643, 646, 647, 648, 649, 650, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 689, 690, 693, 694, 698, 699, 702, 703 }

B grade: { 29, 31, 32, 34, 36, 38, 39, 41, 46, 48, 50, 52, 184, 191, 192, 193, 198, 200, 207, 209, 294, 521, 529, 534, 551, 556, 557, 561, 564, 568, 570, 571, 588, 591, 593 }

C grade: { 119, 121, 130, 132, 431, 432, 433, 434, 436, 437, 438, 439, 442, 443, 447, 448, 451, 452, 455, 456, 460, 461, 464, 465, 466, 467, 471, 472, 477, 478, 651, 652, 653, 686, 687, 688, 691, 692, 695, 696, 697, 700, 701 }

F grade: { 276, 277, 278, 441, 635, 636, 644, 645, 654 }

## 2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 34, 36, 37, 38, 39, 40, 41, 43, 44, 45, 46, 48, 50, 52, 54, 65, 67, 81, 84, 96, 97, 98, 99, 100, 101, 102, 103, 105, 106, 107, 108, 114, 115, 125, 127, 136, 138, 146, 147, 148, 156, 157, 158, 159, 160, 162, 164, 165, 166, 167, 168, 169, 171, 173, 174, 175, 176, 177, 178, 180, 182, 184, 186, 189, 191, 240, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 293, 294, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 444, 445, 446, 449, 450, 453, 454, 457, 458, 459, 462, 463, 464, 468, 469, 470, 474, 475, 476, 479, 480, 481, 485, 486, 490, 491, 495, 496, 497, 501, 502, 503, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 649, 650, 657, 658, 661, 662, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703 }

B grade: { 32, 33, 35, 42, 47, 49, 51, 53, 55, 56, 57, 66, 68, 69, 70, 82, 83, 85, 86, 104, 110, 112, 117, 161, 163, 170, 172, 179, 181, 187, 188, 190, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 211, 213, 214, 215, 216, 217, 219, 221, 222, 223, 224, 225, 227, 229, 230, 231, 232, 233, 235, 237, 239, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 634, 642, 643, 659, 660, 691, 692 }

C grade: { 58, 59, 60, 61, 62, 63, 64, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 87, 88, 89, 90, 91, 92, 93, 94, 95, 109, 111, 113, 116, 118, 119, 120, 121, 122, 123, 124, 126, 128, 129, 130, 131, 132, 133, 134, 135, 137, 139, 140, 210, 212, 218, 220, 226, 228, 234, 236, 238, 295, 296, 297, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 635, 636, 637, 638, 639, 640, 641, 644, 645, 646, 647, 648 }

F grade: { 141, 142, 143, 144, 145, 149, 150, 151, 152, 153, 154, 155, 183, 185, 276, 277, 278, 292, 379, 441, 442, 443, 447, 448, 451, 452, 455, 456, 460, 461, 465, 466, 467, 471, 472, 473, 477, 478, 482, }

483, 484, 487, 488, 489, 492, 493, 494, 498, 499, 500, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 651, 652, 653, 654, 655, 656, 663 }

## 2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 7, 9, 12, 14, 16, 18, 23, 25, 27, 64, 80, 95, 99, 101, 102, 103, 104, 105, 107, 113, 124, 132, 133, 135, 140, 146, 147, 148, 156, 158, 212, 220, 228, 238, 265, 267, 268, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 299, 300, 302, 304, 306, 307, 314, 315, 321, 322, 323, 324, 329, 330, 331, 332, 337, 338, 339, 340, 346, 347, 348, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 385, 386, 387, 388, 394, 395, 396, 397, 404, 405, 406, 407, 413, 414, 415, 422, 425, 429, 430, 435, 440, 458, 459, 463, 485, 486, 490, 491, 495, 496, 532, 539, 596, 597, 598, 599, 600, 602, 604, 605, 606, 607, 608, 609, 611, 613, 614, 615, 616, 617, 618, 620, 622, 623, 657, 658, 659, 660, 661, 662, 667, 671, 672, 673, 674, 675, 676, 690, 694, 699, 702, 703 }

B grade: { 10, 11, 13, 19, 20, 21, 22, 40, 160, 165, 167, 169, 174, 176, 178, 195, 379 }

C grade: { }

F grade: { 6, 8, 15, 17, 24, 26, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 96, 97, 98, 100, 106, 108, 109, 110, 111, 112, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 125, 126, 127, 128, 129, 130, 131, 134, 136, 137, 138, 139, 141, 142, 143, 144, 145, 149, 150, 151, 152, 153, 154, 155, 157, 159, 161, 162, 163, 164, 166, 168, 170, 171, 172, 173, 175, 177, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 213, 214, 215, 216, 217, 218, 219, 221, 222, 223, 224, 225, 226, 227, 229, 230, 231, 232, 233, 234, 235, 236, 237, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 266, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 295, 296, 297, 298, 301, 303, 305, 308, 309, 310, 311, 312, 313, 316, 317, 318, 319, 320, 325, 326, 327, 328, 333, 334, 335, 336, 341, 342, 343, 344, 345, 349, 350, 351, 352, 353, 374, 375, 376, 377, 378, 380, 381, 382, 383, 384, 389, 390, 391, 392, 393, 398, 399, 400, 401, 402, 403, 408, 409, 410, 411, 412, 416, 417, 418, 419, 420, 421, 423, 424, 426, 427, 428, 431, 432, 433, 434, 436, 437, 438, 439, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 460, 461, 462, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 487, 488, 489, 492, 493, 494, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 533, 534, 535, 536, 537, 538, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 601, 603, 610, 612, 619, 621, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, }

651, 652, 653, 654, 655, 656, 663, 664, 665, 666, 668, 669, 670, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 691, 692, 693, 695, 696, 697, 698, 700, 701 }

## 2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 7, 9, 10, 11, 12, 13, 14, 16, 18, 19, 20, 21, 22, 23, 25, 27, 40, 47, 49, 60, 61, 62, 63, 64, 73, 74, 75, 76, 77, 78, 79, 80, 90, 91, 92, 93, 94, 95, 99, 101, 102, 103, 104, 105, 107, 109, 111, 113, 116, 118, 119, 121, 123, 130, 132, 134, 146, 147, 148, 156, 157, 158, 159, 160, 165, 166, 167, 168, 169, 174, 175, 176, 177, 178, 195, 202, 204, 210, 212, 218, 220, 226, 228, 234, 236, 238, 264, 265, 266, 267, 268, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 302, 303, 304, 305, 306, 307, 314, 315, 321, 322, 323, 324, 329, 330, 331, 332, 337, 338, 339, 340, 346, 347, 348, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 377, 378, 379, 380, 385, 386, 387, 388, 389, 394, 395, 396, 397, 398, 403, 404, 405, 406, 407, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 457, 462, 474, 479, 485, 486, 490, 491, 495, 496, 497, 501, 502, 503, 509, 526, 527, 531, 536, 537, 577, 582, 587, 596, 597, 598, 599, 600, 602, 604, 605, 606, 607, 608, 609, 611, 613, 614, 615, 616, 617, 618, 620, 622, 623, 649, 650, 657, 658, 659, 660, 661, 662, 664, 665, 666, 667, 671, 672, 673, 674, 675, 676, 680, 681, 682, 683, 684, 685 }

B grade: { 59, 634, 642, 643, 651, 652, 653 }

C grade: { }

F grade: { 6, 8, 15, 17, 24, 26, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 41, 42, 43, 44, 45, 46, 48, 50, 51, 52, 53, 54, 55, 56, 57, 58, 65, 66, 67, 68, 69, 70, 71, 72, 81, 82, 83, 84, 85, 86, 87, 88, 89, 96, 97, 98, 100, 106, 108, 110, 112, 114, 115, 117, 120, 122, 124, 125, 126, 127, 128, 129, 131, 133, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 149, 150, 151, 152, 153, 154, 155, 161, 162, 163, 164, 170, 171, 172, 173, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 196, 197, 198, 199, 200, 201, 203, 205, 206, 207, 208, 209, 211, 213, 214, 215, 216, 217, 219, 221, 222, 223, 224, 225, 227, 229, 230, 231, 232, 233, 235, 237, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 308, 309, 310, 311, 312, 313, 316, 317, 318, 319, 320, 325, 326, 327, 328, 333, 334, 335, 336, 341, 342, 343, 344, 345, 349, 350, 351, 352, 353, 374, 375, 376, 381, 382, 383, 384, 390, 391, 392, 393, 399, 400, 401, 402, 408, 409, 410, 411, 412, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 458, 459, 460, 461, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 475, 476, 477, 478, 480, 481, 482, 483, 484, 487, 488, 489, 492, 493, 494, 498, 499, 500, 504, 505, 506, 507, 508, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 528, 529, 530, 532, 533, 534, 535, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 578, 579, 580, 581, 583, 584, 585, 586, 588, 589, 590, 591, 592, 593, 594, 595, 601, 603, 610, 612, 619, 621, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 635, 636, 637, 638, 639, 640, 641, 644, 645, 646, 647, 648, 654, 655, 656, 663, 668, 669, 670, 677, 678, 679, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703 }

## 2.1.6 Sympy

A grade: { 1, 2, 3, 4, 5, 7, 9, 10, 11, 12, 13, 14, 16, 18, 19, 20, 21, 22, 23, 25, 27, 99, 101, 102, 103, 104, 105, 146, 147, 156, 157, 158, 159, 160, 165, 166, 167, 168, 169, 174, 175, 176, 177, 178, 264, 265, 266, 267, 268, 279, 280, 285, 286, 288, 289, 290, 291, 302, 303, 304, 305, 306, 307, 314, 315, 321, 322, 323, 324, 329, 330, 331, 332, 346, 347, 348, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 368, 369, 370, 371, 373, 377, 378, 380, 385, 386, 387, 388, 394, 395, 396, 407, 414, 415, 417, 418, 419, 420, 421, 424, 425, 426, 427, 430, 435, 440, 445, 458, 469, 485, 486, 497, 501, 502, 503, 596, 597, 598, 599, 600, 602, 604, 605, 606, 607, 608, 609, 611, 613, 614, 615, 616, 617, 618, 620, 622, 623, 649, 650, 657, 659, 660, 661, 662, 664, 665, 666, 671, 673, 674, 675, 676, 682, 683, 684, 689, 690, 693, 698, 702 }

B grade: { }

C grade: { }

F grade: { 6, 8, 15, 17, 24, 26, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 100, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 148, 149, 150, 151, 152, 153, 154, 155, 161, 162, 163, 164, 170, 171, 172, 173, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 281, 282, 283, 284, 287, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 308, 309, 310, 311, 312, 313, 316, 317, 318, 319, 320, 325, 326, 327, 328, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 349, 350, 351, 352, 353, 354, 367, 372, 374, 375, 376, 379, 381, 382, 383, 384, 389, 390, 391, 392, 393, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 408, 409, 410, 411, 412, 413, 416, 422, 423, 428, 429, 431, 432, 433, 434, 436, 437, 438, 439, 441, 442, 443, 444, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 498, 499, 500, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 601, 603, 610, 612, 619, 621, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 651, 652, 653, 654, 655, 656, 658, 663, 667, 668, 669, 670, 672, 677, 678, 679, 680, 681, 685, 686, 687, 688, 691, 692, 694, 695, 696, 697, 699, 700, 701, 703 }

## 2.1.7 Giac

A grade: { 1, 2, 3, 4, 5, 10, 11, 12, 13, 14, 19, 20, 21, 22, 23, 40, 47, 99, 101, 102, 103, 104, 105, 140, 146, 147, 148, 156, 158, 159, 160, 166, 168, 169, 175, 177, 264, 265, 266, 267, 268, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 302, 303, 304, 305, 306, 307, 311, 312, 313, 314, 315, 319, 320, 321, 322, 323, 324, 328, 329, 330, 331, 332, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 350, 351, 352, 353, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 380, 385, 386, 387, 388, 389, 394, 395, 396, 397, 398, 403, 404, 405, 406, 407, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 425, 427, 430, 435, 440, 445, 446, 450, 454, 457, 458, 459, 462, 463, 469, 470, 475, 476, 480, 481, 485, 486, 490, 491, 495, 496, 501, 502, 503, 599, 600, 609, 649, 650, 657, 658, 662, 664, 665, 666, 667, 668, 669, 670, 671, 673, 674, 675, 676, 680, 682, 683, 684, 685, 689, 693, 698, 702 }

B grade: { 7, 9, 16, 25, 49, 107, 157, 165, 167, 174, 176, 178, 195, 202, 204, 316, 317, 318, 325, 326, 327, 333, 334, 335, 336, 349, 381, 382, 383, 384, 390, 391, 392, 393, 399, 400, 401, 402, 408, 409, 410, 411, 412, 577, 582, 596, 597, 598, 602, 604, 605, 606, 607, 608, 611, 613, 614, 615, 616, 617, 618, 620, 623, 659, 660, 661, 677, 678, 679 }

C grade: { 354, 464, 686, 687, 688, 691, 692, 695, 696, 697 }

F grade: { 6, 8, 15, 17, 18, 24, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 41, 42, 43, 44, 45, 46, 48, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 100, 106, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 141, 142, 143, 144, 145, 149, 150, 151, 152, 153, 154, 155, 161, 162, 163, 164, 170, 171, 172, 173, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 196, 197, 198, 199, 200, 201, 203, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 308, 309, 310, 379, 424, 426, 428, 429, 431, 432, 433, 434, 436, 437, 438, 439, 441, 442, 443, 444, 447, 448, 449, 451, 452, 453, 455, 456, 460, 461, 465, 466, 467, 468, 471, 472, 473, 474, 477, 478, 479, 482, 483, 484, 487, 488, 489, 492, 493, 494, 497, 498, 499, 500, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 578, 579, 580, 581, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 601, 603, 610, 612, 619, 621, 622, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 651, 652, 653, 654, 655, 656, 663, 672, 681, 690, 694, 699, 700, 701, 703 }

## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

| Problem 1       | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 128     | 128  | 87          | 130   | 255    | 244    | 151    | 263   |
| normalized size | 1       | 1.   | 0.68        | 1.02  | 1.99   | 1.91   | 1.18   | 2.05  |
| time (sec)      | N/A     | 0.12 | 0.136       | 0.008 | 1.621  | 2.14   | 12.675 | 1.427 |

| Problem 2       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 123     | 123   | 89          | 118   | 261    | 221    | 138    | 220   |
| normalized size | 1       | 1.    | 0.72        | 0.96  | 2.12   | 1.8    | 1.12   | 1.79  |
| time (sec)      | N/A     | 0.096 | 0.09        | 0.008 | 1.529  | 2.041  | 13.766 | 1.375 |

| Problem 3       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 105     | 105   | 85          | 110   | 200    | 213    | 126   | 192  |
| normalized size | 1       | 1.    | 0.81        | 1.05  | 1.9    | 2.03   | 1.2   | 1.83 |
| time (sec)      | N/A     | 0.103 | 0.096       | 0.006 | 1.522  | 2.148  | 3.554 | 1.35 |

| Problem 4       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 90      | 90    | 77          | 98    | 205    | 200    | 117   | 124   |
| normalized size | 1       | 1.    | 0.86        | 1.09  | 2.28   | 2.22   | 1.3   | 1.38  |
| time (sec)      | N/A     | 0.042 | 0.086       | 0.004 | 1.583  | 2.171  | 7.073 | 1.353 |



| Problem 5       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 77      | 77    | 88          | 82    | 131    | 163    | 90    | 108   |
| normalized size | 1       | 1.    | 1.14        | 1.06  | 1.7    | 2.12   | 1.17  | 1.4   |
| time (sec)      | N/A     | 0.061 | 0.069       | 0.006 | 1.688  | 2.166  | 3.523 | 1.325 |

| Problem 6       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 121     | 121   | 99          | 178   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.82        | 1.47  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.116 | 0.119       | 0.158 | 0.     | 0.     | 0.    | 0.   |

| Problem 7       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 69      | 69    | 78          | 67    | 111    | 236    | 82    | 1156  |
| normalized size | 1       | 1.    | 1.13        | 0.97  | 1.61   | 3.42   | 1.19  | 16.75 |
| time (sec)      | N/A     | 0.076 | 0.036       | 0.007 | 1.566  | 2.566  | 5.354 | 6.151 |

| Problem 8       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 139     | 139   | 110         | 195   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.79        | 1.4   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.121 | 0.105       | 0.23  | 0.     | 0.     | 0.    | 0.   |

| Problem 9       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac   |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|--------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B      |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD    |
| size            | 81      | 81    | 93          | 91    | 166    | 259    | 178   | 400    |
| normalized size | 1       | 1.    | 1.15        | 1.12  | 2.05   | 3.2    | 2.2   | 4.94   |
| time (sec)      | N/A     | 0.086 | 0.04        | 0.011 | 1.607  | 2.958  | 7.588 | 22.481 |

| Problem 10      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 186     | 186   | 119         | 172   | 443    | 366    | 230    | 383   |
| normalized size | 1       | 1.    | 0.64        | 0.92  | 2.38   | 1.97   | 1.24   | 2.06  |
| time (sec)      | N/A     | 0.207 | 0.107       | 0.01  | 1.576  | 2.567  | 34.093 | 1.304 |

| Problem 11      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A    | A           | A     | B      | A      | A      | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 184     | 184  | 115         | 160   | 451    | 351    | 218    | 286   |
| normalized size | 1       | 1.   | 0.62        | 0.87  | 2.45   | 1.91   | 1.18   | 1.55  |
| time (sec)      | N/A     | 0.17 | 0.1         | 0.007 | 1.584  | 2.537  | 20.734 | 1.274 |

| Problem 12      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 161     | 161  | 111         | 152   | 360    | 329    | 202    | 306   |
| normalized size | 1       | 1.   | 0.69        | 0.94  | 2.24   | 2.04   | 1.25   | 1.9   |
| time (sec)      | N/A     | 0.17 | 0.092       | 0.006 | 1.587  | 2.554  | 14.912 | 1.305 |

| Problem 13      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 124     | 124   | 94          | 140   | 369    | 306    | 190   | 182   |
| normalized size | 1       | 1.    | 0.76        | 1.13  | 2.98   | 2.47   | 1.53  | 1.47  |
| time (sec)      | N/A     | 0.065 | 0.064       | 0.006 | 1.691  | 2.155  | 7.703 | 1.274 |

| Problem 14      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 131     | 131   | 95          | 122   | 265    | 274    | 165   | 213   |
| normalized size | 1       | 1.    | 0.73        | 0.93  | 2.02   | 2.09   | 1.26  | 1.63  |
| time (sec)      | N/A     | 0.104 | 0.092       | 0.004 | 1.71   | 2.092  | 4.835 | 1.212 |

| Problem 15      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 184     | 184   | 142         | 250   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.77        | 1.36  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.202 | 0.161       | 0.219 | 0.     | 0.     | 0.    | 0.   |

| Problem 16      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac   |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|--------|
| grade           | A       | A     | A           | A     | A      | A      | A      | B      |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD    |
| size            | 123     | 123   | 126         | 117   | 216    | 343    | 182    | 3668   |
| normalized size | 1       | 1.    | 1.02        | 0.95  | 1.76   | 2.79   | 1.48   | 29.82  |
| time (sec)      | N/A     | 0.155 | 0.09        | 0.007 | 1.562  | 2.464  | 10.357 | 31.369 |

| Problem 17      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 201     | 201   | 162         | 278   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.81        | 1.38  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.208 | 0.167       | 0.375 | 0.     | 0.     | 0.    | 0.   |

| Problem 18      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|------|
| grade           | A       | A     | A           | A     | A      | A      | A      | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD  |
| size            | 128     | 128   | 136         | 115   | 230    | 358    | 235    | 0    |
| normalized size | 1       | 1.    | 1.06        | 0.9   | 1.8    | 2.8    | 1.84   | 0.   |
| time (sec)      | N/A     | 0.162 | 0.093       | 0.01  | 1.585  | 2.529  | 12.142 | 0.   |

| Problem 19      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 232     | 232   | 143         | 214   | 647    | 489    | 289    | 477   |
| normalized size | 1       | 1.    | 0.62        | 0.92  | 2.79   | 2.11   | 1.25   | 2.06  |
| time (sec)      | N/A     | 0.291 | 0.189       | 0.016 | 1.579  | 2.218  | 91.578 | 1.289 |

| Problem 20      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 206     | 206   | 139         | 202   | 657    | 454    | 280    | 331   |
| normalized size | 1       | 1.    | 0.67        | 0.98  | 3.19   | 2.2    | 1.36   | 1.61  |
| time (sec)      | N/A     | 0.179 | 0.189       | 0.013 | 1.649  | 2.085  | 69.103 | 1.267 |

| Problem 21      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 207     | 207   | 135         | 194   | 537    | 428    | 265    | 400   |
| normalized size | 1       | 1.    | 0.65        | 0.94  | 2.59   | 2.07   | 1.28   | 1.93  |
| time (sec)      | N/A     | 0.258 | 0.162       | 0.006 | 1.641  | 2.263  | 26.984 | 1.203 |

| Problem 22      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|------|
| grade           | A       | A     | A           | A     | B      | A      | A      | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD  |
| size            | 150     | 150   | 110         | 182   | 548    | 404    | 253    | 227  |
| normalized size | 1       | 1.    | 0.73        | 1.21  | 3.65   | 2.69   | 1.69   | 1.51 |
| time (sec)      | N/A     | 0.076 | 0.081       | 0.004 | 1.771  | 2.122  | 17.473 | 1.25 |

| Problem 23      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 175     | 175   | 119         | 164   | 414    | 367    | 221    | 302   |
| normalized size | 1       | 1.    | 0.68        | 0.94  | 2.37   | 2.1    | 1.26   | 1.73  |
| time (sec)      | N/A     | 0.171 | 0.205       | 0.004 | 1.636  | 2.199  | 20.578 | 1.235 |

| Problem 24      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 235     | 235   | 183         | 302   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.78        | 1.29  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.283 | 0.21        | 0.275 | 0.     | 0.     | 0.    | 0.   |

| Problem 25      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac    |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|---------|
| grade           | A       | A     | A           | A     | A      | A      | A      | B       |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD     |
| size            | 164     | 164   | 166         | 155   | 338    | 427    | 287    | 7443    |
| normalized size | 1       | 1.    | 1.01        | 0.95  | 2.06   | 2.6    | 1.75   | 45.38   |
| time (sec)      | N/A     | 0.231 | 0.112       | 0.006 | 1.6    | 2.815  | 40.478 | 145.438 |

| Problem 26      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 263     | 263   | 203         | 330   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.77        | 1.25  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.298 | 0.178       | 0.473 | 0.     | 0.     | 0.    | 0.   |

| Problem 27      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 178     | 178   | 175         | 161   | 327    | 440    | 326    | 0     |
| normalized size | 1       | 1.    | 0.98        | 0.9   | 1.84   | 2.47   | 1.83   | 0.    |
| time (sec)      | N/A     | 0.251 | 0.153       | 0.01  | 1.568  | 2.804  | 17.558 | 0.    |

| Problem 28      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 172     | 172   | 286         | 270   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.66        | 1.57  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.238 | 0.305       | 0.253 | 0.     | 0.     | 0.    | 0.   |

| Problem 29      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 144     | 144   | 294         | 181   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.04        | 1.26  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.188 | 0.125       | 0.148 | 0.     | 0.     | 0.    | 0.   |

| Problem 30      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 124     | 124   | 238         | 218   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.92        | 1.76  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.137 | 0.102       | 0.096 | 0.     | 0.     | 0.    | 0.   |

| Problem 31      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 82      | 82    | 244         | 118   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.98        | 1.44  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.105 | 0.076       | 0.042 | 0.     | 0.     | 0.    | 0.   |

| Problem 32      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 84      | 84    | 207         | 426   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.46        | 5.07  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.067 | 0.23        | 0.102 | 0.     | 0.     | 0.    | 0.   |

| Problem 33      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 71      | 71   | 105         | 215   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.48        | 3.03  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.11 | 0.076       | 0.073 | 0.     | 0.     | 0.    | 0.   |

| Problem 34      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 116     | 116   | 259         | 236   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.23        | 2.03  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.151 | 0.344       | 0.133 | 0.     | 0.     | 0.    | 0.   |

| Problem 35      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 124     | 124   | 149         | 296   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.2         | 2.39  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.187 | 0.334       | 0.171 | 0.     | 0.     | 0.    | 0.   |

| Problem 36      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 173     | 173   | 350         | 303   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.02        | 1.75  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.244 | 0.147       | 0.177 | 0.     | 0.     | 0.    | 0.   |

| Problem 37      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 187     | 187   | 332         | 305   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.78        | 1.63  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.237 | 0.453       | 0.267 | 0.     | 0.     | 0.    | 0.   |

| Problem 38      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 155     | 155   | 334         | 251   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.15        | 1.62  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.184 | 0.52        | 0.263 | 0.     | 0.     | 0.    | 0.   |

| Problem 39      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 144     | 144   | 463         | 263   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.22        | 1.83  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.136 | 0.173       | 0.171 | 0.     | 0.     | 0.    | 0.   |

| Problem 40      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 57      | 57    | 50          | 98    | 225    | 115    | 0     | 120   |
| normalized size | 1       | 1.    | 0.88        | 1.72  | 3.95   | 2.02   | 0.    | 2.11  |
| time (sec)      | N/A     | 0.048 | 0.047       | 0.011 | 1.742  | 2.042  | 0.    | 1.409 |

| Problem 41      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 141     | 141   | 334         | 260   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.37        | 1.84  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.096 | 0.808       | 0.087 | 0.     | 0.     | 0.    | 0.   |

| Problem 42      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 122     | 122   | 153         | 335   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.25        | 2.75  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.173 | 0.357       | 0.169 | 0.     | 0.     | 0.    | 0.   |

| Problem 43      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 186     | 186   | 348         | 330   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.87        | 1.77  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.193 | 0.798       | 0.193 | 0.     | 0.     | 0.    | 0.   |

| Problem 44      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 159     | 159   | 213         | 367   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.34        | 2.31  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.264 | 0.722       | 0.184 | 0.     | 0.     | 0.    | 0.   |



| Problem 45      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 259     | 285   | 426         | 426   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.1   | 1.64        | 1.64  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.308 | 0.929       | 0.23  | 0.     | 0.     | 0.    | 0.    |

| Problem 46      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 204     | 204   | 445         | 389   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.18        | 1.91  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.241 | 1.071       | 0.378 | 0.     | 0.     | 0.    | 0.   |

| Problem 47      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 100     | 100   | 79          | 212   | 0      | 188    | 0     | 167   |
| normalized size | 1       | 1.    | 0.79        | 2.12  | 0.     | 1.88   | 0.    | 1.67  |
| time (sec)      | N/A     | 0.084 | 0.073       | 0.02  | 0.     | 2.097  | 0.    | 1.368 |

| Problem 48      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 202     | 202   | 445         | 386   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.2         | 1.91  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.184 | 0.707       | 0.3   | 0.     | 0.     | 0.    | 0.   |

| Problem 49      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 83      | 83    | 62          | 151   | 0      | 186    | 0     | 232   |
| normalized size | 1       | 1.    | 0.75        | 1.82  | 0.     | 2.24   | 0.    | 2.8   |
| time (sec)      | N/A     | 0.054 | 0.101       | 0.01  | 0.     | 2.27   | 0.    | 1.325 |

| Problem 50      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 196     | 196   | 501         | 384   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.56        | 1.96  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.134 | 1.544       | 0.145 | 0.     | 0.     | 0.    | 0.   |

| Problem 51      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 173     | 173   | 201         | 503   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.16        | 2.91  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.252 | 0.936       | 0.199 | 0.     | 0.     | 0.    | 0.   |

| Problem 52      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 242     | 242   | 512         | 461   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.12        | 1.9   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.242 | 1.512       | 0.223 | 0.     | 0.     | 0.    | 0.   |

| Problem 53      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 248     | 248   | 256         | 635   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.03        | 2.56  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.346 | 1.479       | 0.264 | 0.     | 0.     | 0.    | 0.   |

| Problem 54      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 317     | 369   | 587         | 576   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.16  | 1.85        | 1.82  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.382 | 1.52        | 0.304 | 0.     | 0.     | 0.    | 0.   |

| Problem 55      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 262     | 262   | 169         | 482   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.65        | 1.84  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.282 | 0.124       | 0.448 | 0.     | 0.     | 0.    | 0.   |

| Problem 56      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 189     | 189   | 140         | 373   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.74        | 1.97  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.191 | 0.096       | 0.206 | 0.     | 0.     | 0.    | 0.   |

| Problem 57      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 116     | 116   | 111         | 260   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.96        | 2.24  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.055 | 0.05        | 0.112 | 0.     | 0.     | 0.    | 0.   |

| Problem 58      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | C     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 110     | 110  | 142         | 308   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.29        | 2.8   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.11 | 0.328       | 0.172 | 0.     | 0.     | 0.    | 0.   |

| Problem 59      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 111     | 111   | 134         | 1117  | 0      | 883    | 0     | 0    |
| normalized size | 1       | 1.    | 1.21        | 10.06 | 0.     | 7.95   | 0.    | 0.   |
| time (sec)      | N/A     | 0.093 | 0.133       | 0.243 | 0.     | 2.6    | 0.    | 0.   |

| Problem 60      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 187     | 187   | 162         | 1902  | 0      | 1056   | 0     | 0    |
| normalized size | 1       | 1.    | 0.87        | 10.17 | 0.     | 5.65   | 0.    | 0.   |
| time (sec)      | N/A     | 0.134 | 0.138       | 0.302 | 0.     | 2.713  | 0.    | 0.   |

| Problem 61      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 263     | 263   | 187         | 2748  | 0      | 1218   | 0     | 0    |
| normalized size | 1       | 1.    | 0.71        | 10.45 | 0.     | 4.63   | 0.    | 0.   |
| time (sec)      | N/A     | 0.169 | 0.159       | 0.361 | 0.     | 3.317  | 0.    | 0.   |

| Problem 62      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 256     | 256   | 157         | 953   | 0      | 393    | 0     | 0     |
| normalized size | 1       | 1.    | 0.61        | 3.72  | 0.     | 1.54   | 0.    | 0.    |
| time (sec)      | N/A     | 0.208 | 0.164       | 0.4   | 0.     | 2.441  | 0.    | 0.    |

| Problem 63      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F     | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 183     | 183   | 134         | 617   | 0      | 319    | 0     | 0     |
| normalized size | 1       | 1.    | 0.73        | 3.37  | 0.     | 1.74   | 0.    | 0.    |
| time (sec)      | N/A     | 0.168 | 0.085       | 0.277 | 0.     | 2.444  | 0.    | 0.    |

| Problem 64      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | A      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 110     | 110   | 70          | 343   | 101    | 248    | 0     | 0     |
| normalized size | 1       | 1.    | 0.64        | 3.12  | 0.92   | 2.25   | 0.    | 0.    |
| time (sec)      | N/A     | 0.068 | 0.084       | 0.137 | 1.68   | 2.322  | 0.    | 0.    |

| Problem 65      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 203     | 203  | 187         | 413   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.92        | 2.03  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.21 | 0.518       | 0.154 | 0.     | 0.     | 0.    | 0.   |

| Problem 66      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 225     | 225   | 239         | 462   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.06        | 2.05  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.208 | 2.028       | 0.222 | 0.     | 0.     | 0.    | 0.   |

| Problem 67      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 301     | 301   | 321         | 571   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.07        | 1.9   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.294 | 3.932       | 0.293 | 0.     | 0.     | 0.    | 0.   |

| Problem 68      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 340     | 340   | 193         | 600   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.57        | 1.76  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.405 | 0.192       | 0.339 | 0.     | 0.     | 0.    | 0.   |

| Problem 69      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 265     | 265  | 170         | 489   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.64        | 1.85  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.32 | 0.159       | 0.28  | 0.     | 0.     | 0.    | 0.   |

| Problem 70      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 188     | 188   | 210         | 371   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.12        | 1.97  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.105 | 0.55        | 0.14  | 0.     | 0.     | 0.    | 0.   |

| Problem 71      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 185     | 185   | 222         | 464   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.2         | 2.51  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.168 | 0.537       | 0.201 | 0.     | 0.     | 0.    | 0.   |

| Problem 72      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 191     | 191   | 211         | 1289  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.1         | 6.75  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.229 | 0.738       | 0.251 | 0.     | 0.     | 0.    | 0.   |

| Problem 73      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 154     | 154   | 144         | 2350  | 0      | 1103   | 0     | 0    |
| normalized size | 1       | 1.    | 0.94        | 15.26 | 0.     | 7.16   | 0.    | 0.   |
| time (sec)      | N/A     | 0.114 | 0.17        | 0.283 | 0.     | 2.515  | 0.    | 0.   |

| Problem 74      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 231     | 231   | 173         | 3383  | 0      | 1296   | 0     | 0    |
| normalized size | 1       | 1.    | 0.75        | 14.65 | 0.     | 5.61   | 0.    | 0.   |
| time (sec)      | N/A     | 0.164 | 0.182       | 0.361 | 0.     | 2.577  | 0.    | 0.   |

| Problem 75      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 308     | 308   | 197         | 4560  | 0      | 1517   | 0     | 0    |
| normalized size | 1       | 1.    | 0.64        | 14.81 | 0.     | 4.93   | 0.    | 0.   |
| time (sec)      | N/A     | 0.213 | 0.257       | 0.457 | 0.     | 2.658  | 0.    | 0.   |

| Problem 76      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 385     | 385   | 221         | 5881  | 0      | 1702   | 0     | 0    |
| normalized size | 1       | 1.    | 0.57        | 15.28 | 0.     | 4.42   | 0.    | 0.   |
| time (sec)      | N/A     | 0.301 | 0.24        | 0.598 | 0.     | 2.968  | 0.    | 0.   |

| Problem 77      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 375     | 375   | 174         | 1781  | 0      | 613    | 0     | 0    |
| normalized size | 1       | 1.    | 0.46        | 4.75  | 0.     | 1.63   | 0.    | 0.   |
| time (sec)      | N/A     | 0.293 | 0.187       | 0.585 | 0.     | 1.96   | 0.    | 0.   |

| Problem 78      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 301     | 301   | 150         | 1327  | 0      | 513    | 0     | 0    |
| normalized size | 1       | 1.    | 0.5         | 4.41  | 0.     | 1.7    | 0.    | 0.   |
| time (sec)      | N/A     | 0.238 | 0.158       | 0.41  | 0.     | 1.915  | 0.    | 0.   |

| Problem 79      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 227     | 227  | 126         | 931   | 0      | 427    | 0     | 0    |
| normalized size | 1       | 1.   | 0.56        | 4.1   | 0.     | 1.88   | 0.    | 0.   |
| time (sec)      | N/A     | 0.2  | 0.129       | 0.264 | 0.     | 1.933  | 0.    | 0.   |

| Problem 80      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | A      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 153     | 153   | 84          | 597   | 117    | 344    | 0     | 0    |
| normalized size | 1       | 1.    | 0.55        | 3.9   | 0.76   | 2.25   | 0.    | 0.   |
| time (sec)      | N/A     | 0.087 | 0.056       | 0.175 | 1.576  | 2.274  | 0.    | 0.   |

| Problem 81      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 278     | 278   | 278         | 525   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 1.89  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.327 | 1.077       | 0.187 | 0.     | 0.     | 0.    | 0.   |

| Problem 82      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 297     | 297  | 389         | 574   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.31        | 1.93  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.33 | 2.093       | 0.227 | 0.     | 0.     | 0.    | 0.   |

| Problem 83      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 307     | 307   | 494         | 601   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.61        | 1.96  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.324 | 5.753       | 0.273 | 0.     | 0.     | 0.    | 0.   |

| Problem 84      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 430     | 430   | 220         | 735   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.51        | 1.71  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.553 | 0.237       | 0.471 | 0.     | 0.     | 0.    | 0.   |



| Problem 85      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 351     | 351   | 196         | 620   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.56        | 1.77  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.473 | 0.198       | 0.313 | 0.     | 0.     | 0.    | 0.   |

| Problem 86      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 265     | 265   | 266         | 495   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 1.87  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.157 | 0.912       | 0.186 | 0.     | 0.     | 0.    | 0.   |

| Problem 87      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | C     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 268     | 268  | 257         | 593   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.96        | 2.21  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.24 | 0.888       | 0.25  | 0.     | 0.     | 0.    | 0.   |

| Problem 88      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 277     | 277   | 243         | 1527  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.88        | 5.51  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.304 | 1.514       | 0.295 | 0.     | 0.     | 0.    | 0.   |

| Problem 89      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 277     | 277   | 234         | 2615  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.84        | 9.44  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.354 | 1.265       | 0.319 | 0.     | 0.     | 0.    | 0.   |

| Problem 90      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 203     | 203   | 156         | 4031  | 0      | 1368   | 0     | 0    |
| normalized size | 1       | 1.    | 0.77        | 19.86 | 0.     | 6.74   | 0.    | 0.   |
| time (sec)      | N/A     | 0.125 | 0.212       | 0.36  | 0.     | 2.916  | 0.    | 0.   |

| Problem 91      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 282     | 282   | 184         | 5323  | 0      | 1609   | 0     | 0    |
| normalized size | 1       | 1.    | 0.65        | 18.88 | 0.     | 5.71   | 0.    | 0.   |
| time (sec)      | N/A     | 0.179 | 0.218       | 0.477 | 0.     | 3.124  | 0.    | 0.   |

| Problem 92      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 361     | 361   | 209         | 6758  | 0      | 1871   | 0     | 0    |
| normalized size | 1       | 1.    | 0.58        | 18.72 | 0.     | 5.18   | 0.    | 0.   |
| time (sec)      | N/A     | 0.223 | 0.237       | 0.648 | 0.     | 3.61   | 0.    | 0.   |

| Problem 93      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 354     | 354   | 160         | 1775  | 0      | 666    | 0     | 0    |
| normalized size | 1       | 1.    | 0.45        | 5.01  | 0.     | 1.88   | 0.    | 0.   |
| time (sec)      | N/A     | 0.246 | 0.2         | 0.47  | 0.     | 2.314  | 0.    | 0.   |

| Problem 94      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 278     | 278   | 137         | 1063  | 0      | 548    | 0     | 0    |
| normalized size | 1       | 1.    | 0.49        | 3.82  | 0.     | 1.97   | 0.    | 0.   |
| time (sec)      | N/A     | 0.203 | 0.167       | 0.311 | 0.     | 2.253  | 0.    | 0.   |

| Problem 95      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | A      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 202     | 202   | 93          | 921   | 132    | 448    | 0     | 0    |
| normalized size | 1       | 1.    | 0.46        | 4.56  | 0.65   | 2.22   | 0.    | 0.   |
| time (sec)      | N/A     | 0.091 | 0.069       | 0.223 | 1.654  | 2.253  | 0.    | 0.   |

| Problem 96      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 361     | 361   | 394         | 652   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.09        | 1.81  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.463 | 1.715       | 0.237 | 0.     | 0.     | 0.    | 0.   |

| Problem 97      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 386     | 386   | 484         | 704   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.25        | 1.82  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.458 | 5.3         | 0.273 | 0.     | 0.     | 0.    | 0.   |

| Problem 98      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 389     | 389   | 640         | 727   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.65        | 1.87  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.455 | 6.132       | 0.312 | 0.     | 0.     | 0.    | 0.   |

| Problem 99      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 34      | 34    | 30          | 31    | 41     | 81     | 48     | 36    |
| normalized size | 1       | 1.    | 0.88        | 0.91  | 1.21   | 2.38   | 1.41   | 1.06  |
| time (sec)      | N/A     | 0.031 | 0.008       | 0.044 | 1.57   | 2.085  | 22.196 | 1.195 |

| Problem 100     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 68      | 116   | 87          | 101   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.71  | 1.28        | 1.49  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.059 | 0.051       | 0.043 | 0.     | 0.     | 0.    | 0.    |

| Problem 101     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 88      | 88    | 64          | 74    | 140    | 142    | 82    | 123   |
| normalized size | 1       | 1.    | 0.73        | 0.84  | 1.59   | 1.61   | 0.93  | 1.4   |
| time (sec)      | N/A     | 0.152 | 0.034       | 0.057 | 1.626  | 2.084  | 2.88  | 1.277 |

| Problem 102     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 72      | 72    | 49          | 95    | 82     | 103    | 65    | 72    |
| normalized size | 1       | 1.    | 0.68        | 1.32  | 1.14   | 1.43   | 0.9   | 1.    |
| time (sec)      | N/A     | 0.107 | 0.025       | 0.046 | 1.568  | 2.076  | 1.577 | 1.222 |

| Problem 103     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 50      | 50    | 43          | 40    | 101    | 100    | 42    | 72    |
| normalized size | 1       | 1.    | 0.86        | 0.8   | 2.02   | 2.     | 0.84  | 1.44  |
| time (sec)      | N/A     | 0.082 | 0.011       | 0.046 | 1.589  | 2.048  | 0.932 | 1.382 |

| Problem 104     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 29      | 29    | 29          | 62    | 36     | 59     | 24    | 36    |
| normalized size | 1       | 1.    | 1.          | 2.14  | 1.24   | 2.03   | 0.83  | 1.24  |
| time (sec)      | N/A     | 0.041 | 0.008       | 0.038 | 1.539  | 2.133  | 0.522 | 1.402 |

| Problem 105     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 13      | 13   | 13          | 12    | 15     | 28     | 10    | 15   |
| normalized size | 1       | 1.   | 1.          | 0.92  | 1.15   | 2.15   | 0.77  | 1.15 |
| time (sec)      | N/A     | 0.02 | 0.005       | 0.004 | 1.585  | 1.953  | 0.439 | 1.27 |

| Problem 106     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 52      | 52    | 71          | 103   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.37        | 1.98  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.084 | 0.092       | 0.085 | 0.     | 0.     | 0.    | 0.   |

| Problem 107     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 28      | 28    | 28          | 32    | 35     | 66     | 0     | 99    |
| normalized size | 1       | 1.    | 1.          | 1.14  | 1.25   | 2.36   | 0.    | 3.54  |
| time (sec)      | N/A     | 0.061 | 0.024       | 0.045 | 1.573  | 2.198  | 0.    | 1.388 |

| Problem 108     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 98      | 98    | 137         | 178   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.4         | 1.82  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.147 | 0.838       | 0.172 | 0.     | 0.     | 0.    | 0.   |

| Problem 109     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 224     | 224   | 119         | 665   | 0      | 328    | 0     | 0    |
| normalized size | 1       | 1.    | 0.53        | 2.97  | 0.     | 1.46   | 0.    | 0.   |
| time (sec)      | N/A     | 0.265 | 0.072       | 0.369 | 0.     | 2.158  | 0.    | 0.   |

| Problem 110     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 200     | 200  | 161         | 400   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.8         | 2.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.25 | 0.805       | 0.332 | 0.     | 0.     | 0.    | 0.   |

| Problem 111     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 148     | 148   | 92          | 381   | 0      | 255    | 0     | 0    |
| normalized size | 1       | 1.    | 0.62        | 2.57  | 0.     | 1.72   | 0.    | 0.   |
| time (sec)      | N/A     | 0.159 | 0.052       | 0.24  | 0.     | 1.839  | 0.    | 0.   |

| Problem 112     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 124     | 124   | 134         | 285   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.08        | 2.3   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.146 | 1.031       | 0.186 | 0.     | 0.     | 0.    | 0.   |

| Problem 113     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | A      | A      | F(-2) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 67      | 67    | 64          | 159   | 78     | 188    | 0     | 0    |
| normalized size | 1       | 1.    | 0.96        | 2.37  | 1.16   | 2.81   | 0.    | 0.   |
| time (sec)      | N/A     | 0.061 | 0.032       | 0.093 | 1.681  | 1.802  | 0.    | 0.   |

| Problem 114     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 49      | 49    | 50          | 86    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.02        | 1.76  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.051 | 0.062       | 0.038 | 0.     | 0.     | 0.    | 0.   |

| Problem 115     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 145     | 145   | 146         | 180   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.01        | 1.24  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.194 | 0.29        | 0.101 | 0.     | 0.     | 0.    | 0.   |

| Problem 116     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | C     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 66      | 66   | 69          | 216   | 0      | 487    | 0     | 0    |
| normalized size | 1       | 1.   | 1.05        | 3.27  | 0.     | 7.38   | 0.    | 0.   |
| time (sec)      | N/A     | 0.09 | 0.124       | 0.148 | 0.     | 2.098  | 0.    | 0.   |

| Problem 117     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 229     | 229   | 244         | 461   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.07        | 2.01  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.299 | 2.299       | 0.221 | 0.     | 0.     | 0.    | 0.   |

| Problem 118     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 147     | 147   | 152         | 849   | 0      | 895    | 0     | 0    |
| normalized size | 1       | 1.    | 1.03        | 5.78  | 0.     | 6.09   | 0.    | 0.   |
| time (sec)      | N/A     | 0.188 | 0.203       | 0.237 | 0.     | 2.251  | 0.    | 0.   |

| Problem 119     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 221     | 229   | 166         | 423   | 0      | 942    | 0     | 0    |
| normalized size | 1       | 1.04  | 0.75        | 1.91  | 0.     | 4.26   | 0.    | 0.   |
| time (sec)      | N/A     | 0.291 | 0.289       | 0.334 | 0.     | 2.229  | 0.    | 0.   |

| Problem 120     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 214     | 214   | 173         | 436   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.81        | 2.04  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.287 | 0.468       | 0.301 | 0.     | 0.     | 0.    | 0.   |

| Problem 121     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | C     | F(-2)  | A      | F(-2) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 142     | 146  | 136         | 306   | 0      | 810    | 0     | 0    |
| normalized size | 1       | 1.03 | 0.96        | 2.15  | 0.     | 5.7    | 0.    | 0.   |
| time (sec)      | N/A     | 0.18 | 0.207       | 0.214 | 0.     | 2.119  | 0.    | 0.   |

| Problem 122     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 135     | 135   | 160         | 274   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.19        | 2.03  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.159 | 0.196       | 0.164 | 0.     | 0.     | 0.    | 0.   |

| Problem 123     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | C     | F      | A      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 73      | 73   | 51          | 194   | 0      | 595    | 0     | 0    |
| normalized size | 1       | 1.   | 0.7         | 2.66  | 0.     | 8.15   | 0.    | 0.   |
| time (sec)      | N/A     | 0.07 | 0.027       | 0.095 | 0.     | 2.115  | 0.    | 0.   |

| Problem 124     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | A      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 80      | 80    | 77          | 177   | 93     | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.96        | 2.21  | 1.16   | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.036 | 0.203       | 0.086 | 1.702  | 0.     | 0.    | 0.   |



| Problem 125     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 220     | 220   | 300         | 344   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.36        | 1.56  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.311 | 0.998       | 0.132 | 0.     | 0.     | 0.    | 0.   |

| Problem 126     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 150     | 150   | 117         | 239   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.78        | 1.59  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.155 | 0.228       | 0.147 | 0.     | 0.     | 0.    | 0.   |

| Problem 127     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 316     | 316   | 404         | 474   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.28        | 1.5   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.441 | 2.12        | 0.23  | 0.     | 0.     | 0.    | 0.   |

| Problem 128     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 238     | 238   | 162         | 1045  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.68        | 4.39  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.292 | 0.312       | 0.25  | 0.     | 0.     | 0.    | 0.   |

| Problem 129     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 293     | 293   | 253         | 1716  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.86        | 5.86  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.443 | 0.634       | 0.403 | 0.     | 0.     | 0.    | 0.   |

| Problem 130     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 219     | 234   | 169         | 459   | 0      | 1045   | 0     | 0    |
| normalized size | 1       | 1.07  | 0.77        | 2.1   | 0.     | 4.77   | 0.    | 0.   |
| time (sec)      | N/A     | 0.316 | 0.307       | 0.316 | 0.     | 2.424  | 0.    | 0.   |

| Problem 131     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 212     | 212   | 213         | 1510  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 7.12  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.302 | 0.424       | 0.277 | 0.     | 0.     | 0.    | 0.   |

| Problem 132     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | C     | A      | A      | F(-2) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 150     | 155   | 143         | 307   | 216    | 913    | 0     | 0    |
| normalized size | 1       | 1.03  | 0.95        | 2.05  | 1.44   | 6.09   | 0.    | 0.   |
| time (sec)      | N/A     | 0.197 | 0.229       | 0.218 | 1.621  | 2.3    | 0.    | 0.   |

| Problem 133     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | A      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 125     | 125   | 103         | 1219  | 207    | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.82        | 9.75  | 1.66   | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.131 | 0.193       | 0.204 | 1.674  | 0.     | 0.    | 0.   |

| Problem 134     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-1)  | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 119     | 119   | 85          | 259   | 0      | 815    | 0     | 0    |
| normalized size | 1       | 1.    | 0.71        | 2.18  | 0.     | 6.85   | 0.    | 0.   |
| time (sec)      | N/A     | 0.081 | 0.046       | 0.13  | 0.     | 2.198  | 0.    | 0.   |

| Problem 135     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | A      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 154     | 154   | 113         | 1071  | 190    | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.73        | 6.95  | 1.23   | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.079 | 0.238       | 0.125 | 1.769  | 0.     | 0.    | 0.   |

| Problem 136     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 291     | 291   | 456         | 449   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.57        | 1.54  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.437 | 2.001       | 0.154 | 0.     | 0.     | 0.    | 0.   |

| Problem 137     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | C     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 224     | 224  | 188         | 1346  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.84        | 6.01  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.22 | 0.297       | 0.204 | 0.     | 0.     | 0.    | 0.   |

| Problem 138     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 433     | 433   | 537         | 624   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.24        | 1.44  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.582 | 7.483       | 0.279 | 0.     | 0.     | 0.    | 0.   |

| Problem 139     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 310     | 310   | 213         | 1875  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.69        | 6.05  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.387 | 0.345       | 0.261 | 0.     | 0.     | 0.    | 0.   |

| Problem 140     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | A      | F      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 210     | 210   | 111         | 409   | 209    | 0      | 0     | 173   |
| normalized size | 1       | 1.    | 0.53        | 1.95  | 1.     | 0.     | 0.    | 0.82  |
| time (sec)      | N/A     | 0.115 | 0.216       | 0.217 | 1.706  | 0.     | 0.    | 1.431 |

| Problem 141     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 79      | 79    | 68          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.86        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.102 | 0.051       | 0.247 | 0.     | 0.     | 0.    | 0.   |

| Problem 142     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 137     | 137   | 97          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.71        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.216 | 0.042       | 0.529 | 0.     | 0.     | 0.    | 0.   |

| Problem 143     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 315     | 315   | 256         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.81        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 2.164 | 0.55        | 8.282 | 0.     | 0.     | 0.    | 0.   |

| Problem 144     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 217     | 217   | 187         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.86        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.306 | 0.015       | 5.034 | 0.     | 0.     | 0.    | 0.   |

| Problem 145     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 129     | 129   | 118         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.91        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.141 | 0.082       | 2.898 | 0.     | 0.     | 0.    | 0.   |

| Problem 146     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 27      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.064 | 3.924       | 0.539 | 0.     | 0.     | 0.    | 0.   |

| Problem 147     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 116     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.155 | 5.701       | 0.54  | 0.     | 0.     | 0.    | 0.   |

| Problem 148     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 207     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.248 | 6.113       | 0.606 | 0.     | 0.     | 0.    | 0.   |

| Problem 149     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 635     | 635   | 338         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.53        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.559 | 1.316       | 4.455 | 0.     | 0.     | 0.    | 0.   |

| Problem 150     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 399     | 399   | 237         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.59        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.332 | 0.604       | 2.572 | 0.     | 0.     | 0.    | 0.   |

| Problem 151     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 245     | 245   | 181         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.74        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.202 | 0.073       | 1.957 | 0.     | 0.     | 0.    | 0.   |

| Problem 152     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 163     | 163   | 129         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.79        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.197 | 0.063       | 0.905 | 0.     | 0.     | 0.    | 0.   |

| Problem 153     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 272     | 272   | 207         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.76        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.315 | 0.247       | 0.575 | 0.     | 0.     | 0.    | 0.   |

| Problem 154     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 408     | 408   | 279         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.68        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.455 | 0.381       | 0.602 | 0.     | 0.     | 0.    | 0.   |

| Problem 155     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 100     | 100  | 95          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.95        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.07 | 0.037       | 0.513 | 0.     | 0.     | 0.    | 0.   |

| Problem 156     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 290     | 290   | 203         | 276   | 612    | 559    | 388   | 668   |
| normalized size | 1       | 1.    | 0.7         | 0.95  | 2.11   | 1.93   | 1.34  | 2.3   |
| time (sec)      | N/A     | 0.461 | 0.265       | 0.111 | 1.68   | 1.895  | 17.71 | 1.469 |

| Problem 157     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | F      | A      | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 202     | 202   | 192         | 306   | 0      | 470    | 332    | 535   |
| normalized size | 1       | 1.    | 0.95        | 1.51  | 0.     | 2.33   | 1.64   | 2.65  |
| time (sec)      | N/A     | 0.537 | 0.162       | 0.044 | 0.     | 1.903  | 12.183 | 1.372 |

| Problem 158     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 211     | 211   | 179         | 280   | 478    | 456    | 313   | 481   |
| normalized size | 1       | 1.    | 0.85        | 1.33  | 2.27   | 2.16   | 1.48  | 2.28  |
| time (sec)      | N/A     | 0.337 | 0.219       | 0.087 | 1.658  | 1.8    | 6.337 | 1.514 |

| Problem 159     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 138     | 138   | 157         | 206   | 0      | 396    | 269   | 321   |
| normalized size | 1       | 1.    | 1.14        | 1.49  | 0.     | 2.87   | 1.95  | 2.33  |
| time (sec)      | N/A     | 0.133 | 0.288       | 0.078 | 0.     | 1.94   | 4.003 | 1.451 |

| Problem 160     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 128     | 128   | 137         | 173   | 315    | 335    | 224   | 265   |
| normalized size | 1       | 1.    | 1.07        | 1.35  | 2.46   | 2.62   | 1.75  | 2.07  |
| time (sec)      | N/A     | 0.137 | 0.203       | 0.033 | 1.677  | 1.817  | 1.745 | 1.454 |

| Problem 161     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 178     | 178   | 236         | 459   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.33        | 2.58  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.238 | 0.453       | 0.229 | 0.     | 0.     | 0.    | 0.   |

| Problem 162     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 149     | 149   | 203         | 269   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.36        | 1.81  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.298 | 0.41        | 0.221 | 0.     | 0.     | 0.    | 0.   |

| Problem 163     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 193     | 193   | 236         | 564   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.22        | 2.92  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.287 | 0.393       | 0.337 | 0.     | 0.     | 0.    | 0.   |

| Problem 164     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 176     | 176   | 266         | 291   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.51        | 1.65  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.377 | 0.743       | 0.361 | 0.     | 0.     | 0.    | 0.   |



| Problem 165     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 395     | 395   | 253         | 531   | 1054   | 810    | 563    | 948   |
| normalized size | 1       | 1.    | 0.64        | 1.34  | 2.67   | 2.05   | 1.43   | 2.4   |
| time (sec)      | N/A     | 0.724 | 0.247       | 0.159 | 1.766  | 1.9    | 57.558 | 1.583 |

| Problem 166     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | F      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 302     | 302   | 239         | 424   | 0      | 729    | 515    | 711   |
| normalized size | 1       | 1.    | 0.79        | 1.4   | 0.     | 2.41   | 1.71   | 2.35  |
| time (sec)      | N/A     | 1.008 | 0.239       | 0.139 | 0.     | 1.882  | 38.141 | 1.572 |

| Problem 167     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|------|
| grade           | A       | A     | A           | A     | B      | A      | A      | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD  |
| size            | 310     | 310   | 229         | 400   | 856    | 697    | 483    | 747  |
| normalized size | 1       | 1.    | 0.74        | 1.29  | 2.76   | 2.25   | 1.56   | 2.41 |
| time (sec)      | N/A     | 0.571 | 0.217       | 0.044 | 1.868  | 1.901  | 19.886 | 1.47 |

| Problem 168     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | F      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 209     | 209   | 209         | 283   | 0      | 609    | 430    | 482   |
| normalized size | 1       | 1.    | 1.          | 1.35  | 0.     | 2.91   | 2.06   | 2.31  |
| time (sec)      | N/A     | 0.198 | 0.286       | 0.038 | 0.     | 1.803  | 13.713 | 1.485 |

| Problem 169     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 219     | 219   | 193         | 275   | 628    | 560    | 389   | 505   |
| normalized size | 1       | 1.    | 0.88        | 1.26  | 2.87   | 2.56   | 1.78  | 2.31  |
| time (sec)      | N/A     | 0.256 | 0.258       | 0.037 | 1.758  | 1.876  | 7.153 | 1.446 |

| Problem 170     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 271     | 271   | 353         | 623   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.3         | 2.3   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.415 | 0.479       | 0.307 | 0.     | 0.     | 0.    | 0.   |

| Problem 171     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 249     | 249   | 322         | 417   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.29        | 1.67  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.493 | 1.03        | 0.257 | 0.     | 0.     | 0.    | 0.   |

| Problem 172     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 287     | 287   | 343         | 767   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.2         | 2.67  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.475 | 0.881       | 0.525 | 0.     | 0.     | 0.    | 0.   |

| Problem 173     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 268     | 268   | 374         | 425   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.4         | 1.59  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.675 | 0.822       | 0.421 | 0.     | 0.     | 0.    | 0.   |

| Problem 174     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy   | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|---------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A       | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD     | TBD   |
| size            | 476     | 476   | 301         | 672   | 1540   | 1071   | 702     | 1168  |
| normalized size | 1       | 1.    | 0.63        | 1.41  | 3.24   | 2.25   | 1.47    | 2.45  |
| time (sec)      | N/A     | 1.018 | 0.435       | 0.116 | 1.949  | 1.987  | 123.868 | 1.441 |

| Problem 175     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | F      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 384     | 384   | 287         | 519   | 0      | 938    | 654    | 840   |
| normalized size | 1       | 1.    | 0.75        | 1.35  | 0.     | 2.44   | 1.7    | 2.19  |
| time (sec)      | N/A     | 1.594 | 0.438       | 0.105 | 0.     | 2.028  | 95.649 | 1.393 |

| Problem 176     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 391     | 391   | 277         | 525   | 1277   | 903    | 626    | 967   |
| normalized size | 1       | 1.    | 0.71        | 1.34  | 3.27   | 2.31   | 1.6    | 2.47  |
| time (sec)      | N/A     | 0.823 | 0.382       | 0.054 | 1.822  | 2.002  | 55.645 | 1.417 |

| Problem 177     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | F      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 268     | 268   | 257         | 358   | 0      | 799    | 573    | 610   |
| normalized size | 1       | 1.    | 0.96        | 1.34  | 0.     | 2.98   | 2.14   | 2.28  |
| time (sec)      | N/A     | 0.247 | 0.337       | 0.041 | 0.     | 2.024  | 38.386 | 1.471 |

| Problem 178     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 298     | 298   | 241         | 384   | 984    | 759    | 524    | 713   |
| normalized size | 1       | 1.    | 0.81        | 1.29  | 3.3    | 2.55   | 1.76   | 2.39  |
| time (sec)      | N/A     | 0.372 | 0.431       | 0.042 | 1.701  | 1.931  | 21.189 | 1.486 |

| Problem 179     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 354     | 354   | 448         | 743   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.27        | 2.1   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.658 | 0.826       | 0.382 | 0.     | 0.     | 0.    | 0.   |

| Problem 180     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 329     | 329   | 483         | 535   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.47        | 1.63  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.706 | 1.25        | 0.336 | 0.     | 0.     | 0.    | 0.   |

| Problem 181     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 371     | 371   | 494         | 888   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.33        | 2.39  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.723 | 1.385       | 0.682 | 0.     | 0.     | 0.    | 0.   |

| Problem 182     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 348     | 348   | 480         | 547   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.38        | 1.57  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.981 | 0.999       | 0.526 | 0.     | 0.     | 0.    | 0.   |

| Problem 183     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 297     | 297   | 508         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.71        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.549 | 0.825       | 0.418 | 0.     | 0.     | 0.    | 0.   |

| Problem 184     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | F(-1)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 210     | 210   | 441         | 416   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.1         | 1.98  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.378 | 0.397       | 0.243 | 0.     | 0.     | 0.    | 0.   |

| Problem 185     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 218     | 218   | 317         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.45        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.287 | 0.304       | 0.209 | 0.     | 0.     | 0.    | 0.   |

| Problem 186     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-1)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 117     | 117   | 143         | 258   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.22        | 2.21  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.172 | 0.08        | 0.063 | 0.     | 0.     | 0.    | 0.   |

| Problem 187     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 156     | 156   | 207         | 404   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.33        | 2.59  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.127 | 0.509       | 0.106 | 0.     | 0.     | 0.    | 0.   |

| Problem 188     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 131     | 131   | 254         | 529   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.94        | 4.04  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.197 | 0.195       | 0.092 | 0.     | 0.     | 0.    | 0.   |

| Problem 189     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 238     | 238   | 391         | 575   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 1.64        | 2.42  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.348 | 0.714       | 0.21  | 0.     | 0.     | 0.    | 0.    |

| Problem 190     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 210     | 210   | 353         | 793   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.68        | 3.78  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.383 | 1.196       | 0.262 | 0.     | 0.     | 0.    | 0.   |

| Problem 191     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 333     | 333   | 849         | 725   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.55        | 2.18  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.654 | 7.819       | 0.312 | 0.     | 0.     | 0.    | 0.   |

| Problem 192     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 300     | 300   | 614         | 705   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.05        | 2.35  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.525 | 3.104       | 0.409 | 0.     | 0.     | 0.    | 0.   |

| Problem 193     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F(-1)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 227     | 227   | 502         | 585   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.21        | 2.58  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.395 | 1.059       | 0.327 | 0.     | 0.     | 0.    | 0.   |

| Problem 194     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 233     | 233   | 383         | 599   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.64        | 2.57  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.299 | 2.631       | 0.267 | 0.     | 0.     | 0.    | 0.   |

| Problem 195     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F     | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 89      | 89    | 75          | 205   | 495    | 230    | 0     | 275  |
| normalized size | 1       | 1.    | 0.84        | 2.3   | 5.56   | 2.58   | 0.    | 3.09 |
| time (sec)      | N/A     | 0.099 | 0.19        | 0.03  | 1.678  | 2.65   | 0.    | 1.56 |

| Problem 196     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 230     | 230   | 359         | 593   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.56        | 2.58  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.236 | 2.604       | 0.15  | 0.     | 0.     | 0.    | 0.   |

| Problem 197     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 211     | 211   | 365         | 829   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.73        | 3.93  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.365 | 1.271       | 0.244 | 0.     | 0.     | 0.    | 0.   |

| Problem 198     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F      | F      | F     | F(-2) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 324     | 324   | 1059        | 778   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 3.27        | 2.4   | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.563 | 9.57        | 0.301 | 0.     | 0.     | 0.    | 0.    |

| Problem 199     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 270     | 270   | 430         | 903   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.59        | 3.34  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.551 | 1.558       | 0.246 | 0.     | 0.     | 0.    | 0.   |

| Problem 200     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F      | F      | F     | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 439     | 439   | 1514        | 1019  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 3.45        | 2.32  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.949 | 12.927      | 0.382 | 0.     | 0.     | 0.    | 0.    |

| Problem 201     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 343     | 343   | 667         | 903   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 1.94        | 2.63  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.536 | 6.377       | 0.547 | 0.     | 0.     | 0.    | 0.    |

| Problem 202     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 172     | 172   | 192         | 472   | 0      | 421    | 0     | 429   |
| normalized size | 1       | 1.    | 1.12        | 2.74  | 0.     | 2.45   | 0.    | 2.49  |
| time (sec)      | N/A     | 0.334 | 0.186       | 0.353 | 0.     | 2.651  | 0.    | 2.136 |

| Problem 203     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 341     | 341   | 446         | 894   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.31        | 2.62  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.422 | 4.379       | 0.437 | 0.     | 0.     | 0.    | 0.   |

| Problem 204     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 150     | 150   | 162         | 335   | 0      | 360    | 0     | 533   |
| normalized size | 1       | 1.    | 1.08        | 2.23  | 0.     | 2.4    | 0.    | 3.55  |
| time (sec)      | N/A     | 0.137 | 0.197       | 0.036 | 0.     | 2.716  | 0.    | 1.465 |



| Problem 205     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 332     | 332   | 556         | 890   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.67        | 2.68  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.351 | 5.804       | 0.233 | 0.     | 0.     | 0.    | 0.   |

| Problem 206     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 296     | 296   | 459         | 1224  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.55        | 4.14  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.491 | 3.681       | 0.31  | 0.     | 0.     | 0.    | 0.   |

| Problem 207     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 429     | 429   | 1351        | 1093  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 3.15        | 2.55  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.759 | 11.566      | 0.392 | 0.     | 0.     | 0.    | 0.    |

| Problem 208     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 403     | 403   | 569         | 1547  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.41        | 3.84  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.784 | 6.613       | 0.396 | 0.     | 0.     | 0.    | 0.   |

| Problem 209     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 572     | 572   | 1657        | 1352  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 2.9         | 2.36  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 1.321 | 12.034      | 0.494 | 0.     | 0.     | 0.    | 0.    |

| Problem 210     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | C     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 374     | 374  | 242         | 1238  | 0      | 610    | 0     | 0    |
| normalized size | 1       | 1.   | 0.65        | 3.31  | 0.     | 1.63   | 0.    | 0.   |
| time (sec)      | N/A     | 0.47 | 0.283       | 0.428 | 0.     | 2.671  | 0.    | 0.   |

| Problem 211     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 303     | 303   | 246         | 812   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.81        | 2.68  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.384 | 0.321       | 0.331 | 0.     | 0.     | 0.    | 0.   |

| Problem 212     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | A      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 188     | 188   | 120         | 700   | 254    | 450    | 0     | 0    |
| normalized size | 1       | 1.    | 0.64        | 3.72  | 1.35   | 2.39   | 0.    | 0.   |
| time (sec)      | N/A     | 0.159 | 0.259       | 0.226 | 1.688  | 2.491  | 0.    | 0.   |

| Problem 213     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 192     | 192   | 128         | 564   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.67        | 2.94  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.115 | 0.214       | 0.169 | 0.     | 0.     | 0.    | 0.   |

| Problem 214     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 378     | 378   | 391         | 1017  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.03        | 2.69  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.349 | 1.116       | 0.274 | 0.     | 0.     | 0.    | 0.   |

| Problem 215     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 227     | 227  | 257         | 762   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.13        | 3.36  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.32 | 0.977       | 0.27  | 0.     | 0.     | 0.    | 0.   |

| Problem 216     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 398     | 398   | 480         | 1082  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.21        | 2.72  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.382 | 5.063       | 0.342 | 0.     | 0.     | 0.    | 0.   |

| Problem 217     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 314     | 314   | 248         | 3017  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.79        | 9.61  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.272 | 1.189       | 0.361 | 0.     | 0.     | 0.    | 0.   |

| Problem 218     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 503     | 503  | 244         | 1882  | 0      | 853    | 0     | 0    |
| normalized size | 1       | 1.   | 0.49        | 3.74  | 0.     | 1.7    | 0.    | 0.   |
| time (sec)      | N/A     | 0.78 | 0.304       | 0.497 | 0.     | 2.794  | 0.    | 0.   |

| Problem 219     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 421     | 421  | 297         | 1075  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.71        | 2.55  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.71 | 0.313       | 0.48  | 0.     | 0.     | 0.    | 0.   |

| Problem 220     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | A      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 279     | 279   | 159         | 1224  | 319    | 657    | 0     | 0    |
| normalized size | 1       | 1.    | 0.57        | 4.39  | 1.14   | 2.35   | 0.    | 0.   |
| time (sec)      | N/A     | 0.228 | 0.18        | 0.306 | 1.678  | 2.955  | 0.    | 0.   |

| Problem 221     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 305     | 307  | 329         | 820   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.01 | 1.08        | 2.69  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.24 | 1.117       | 0.243 | 0.     | 0.     | 0.    | 0.   |

| Problem 222     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 545     | 545   | 576         | 1276  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.06        | 2.34  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.604 | 2.482       | 0.322 | 0.     | 0.     | 0.    | 0.   |

| Problem 223     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 424     | 424   | 396         | 1148  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.93        | 2.71  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.404 | 2.419       | 0.324 | 0.     | 0.     | 0.    | 0.   |

| Problem 224     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 590     | 590   | 854         | 1372  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.45        | 2.33  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.612 | 7.056       | 0.398 | 0.     | 0.     | 0.    | 0.   |

| Problem 225     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 400     | 400   | 493         | 3281  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.23        | 8.2   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.555 | 1.82        | 0.388 | 0.     | 0.     | 0.    | 0.   |

| Problem 226     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 651     | 651   | 270         | 2146  | 0      | 1088   | 0     | 0    |
| normalized size | 1       | 1.    | 0.41        | 3.3   | 0.     | 1.67   | 0.    | 0.   |
| time (sec)      | N/A     | 1.246 | 0.417       | 0.518 | 0.     | 2.468  | 0.    | 0.   |

| Problem 227     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 556     | 556   | 348         | 1375  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.63        | 2.47  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.107 | 0.463       | 0.571 | 0.     | 0.     | 0.    | 0.   |

| Problem 228     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | A      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 382     | 382   | 216         | 1888  | 379    | 888    | 0     | 0    |
| normalized size | 1       | 1.    | 0.57        | 4.94  | 0.99   | 2.32   | 0.    | 0.   |
| time (sec)      | N/A     | 0.293 | 0.324       | 0.402 | 1.625  | 1.979  | 0.    | 0.   |

| Problem 229     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 438     | 438   | 407         | 1107  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.93        | 2.53  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.387 | 1.818       | 0.326 | 0.     | 0.     | 0.    | 0.   |

| Problem 230     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 687     | 687   | 775         | 1574  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.13        | 2.29  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.886 | 4.532       | 0.415 | 0.     | 0.     | 0.    | 0.   |

| Problem 231     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 561     | 561   | 586         | 1446  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.04        | 2.58  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.603 | 2.079       | 0.411 | 0.     | 0.     | 0.    | 0.   |

| Problem 232     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 740     | 740   | 1073        | 1674  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.45        | 2.26  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.955 | 7.193       | 0.481 | 0.     | 0.     | 0.    | 0.   |

| Problem 233     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 591     | 591   | 690         | 3855  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.17        | 6.52  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.883 | 3.563       | 0.465 | 0.     | 0.     | 0.    | 0.   |

| Problem 234     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 400     | 400   | 230         | 1304  | 0      | 628    | 0     | 0    |
| normalized size | 1       | 1.    | 0.57        | 3.26  | 0.     | 1.57   | 0.    | 0.   |
| time (sec)      | N/A     | 0.583 | 0.168       | 0.597 | 0.     | 2.005  | 0.    | 0.   |

| Problem 235     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 337     | 337   | 283         | 871   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.84        | 2.58  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.484 | 1.387       | 0.476 | 0.     | 0.     | 0.    | 0.   |

| Problem 236     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 277     | 277   | 176         | 750   | 0      | 456    | 0     | 0    |
| normalized size | 1       | 1.    | 0.64        | 2.71  | 0.     | 1.65   | 0.    | 0.   |
| time (sec)      | N/A     | 0.329 | 0.124       | 0.394 | 0.     | 2.019  | 0.    | 0.   |

| Problem 237     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 206     | 213   | 210         | 612   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.03  | 1.02        | 2.97  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.269 | 1.185       | 0.271 | 0.     | 0.     | 0.    | 0.   |

| Problem 238     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | A      | A      | F(-2) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 146     | 146   | 86          | 316   | 176    | 312    | 0     | 0    |
| normalized size | 1       | 1.    | 0.59        | 2.16  | 1.21   | 2.14   | 0.    | 0.   |
| time (sec)      | N/A     | 0.122 | 0.086       | 0.142 | 1.591  | 1.862  | 0.    | 0.   |

| Problem 239     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 49      | 49    | 64          | 143   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.31        | 2.92  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.091 | 0.168       | 0.053 | 0.     | 0.     | 0.    | 0.   |

| Problem 240     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 257     | 257   | 301         | 387   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.17        | 1.51  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.341 | 0.614       | 0.152 | 0.     | 0.     | 0.    | 0.   |

| Problem 241     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 183     | 183  | 159         | 638   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.87        | 3.49  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.22 | 0.385       | 0.209 | 0.     | 0.     | 0.    | 0.   |

| Problem 242     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 402     | 402   | 487         | 1107  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.21        | 2.75  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.519 | 5.418       | 0.322 | 0.     | 0.     | 0.    | 0.   |

| Problem 243     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 319     | 319  | 269         | 2320  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.84        | 7.27  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.39 | 0.671       | 0.336 | 0.     | 0.     | 0.    | 0.   |

| Problem 244     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 549     | 549   | 453         | 1089  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.83        | 1.98  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.741 | 0.682       | 0.546 | 0.     | 0.     | 0.    | 0.   |



| Problem 245     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 424     | 424   | 312         | 976   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.74        | 2.3   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.643 | 2.185       | 0.546 | 0.     | 0.     | 0.    | 0.   |

| Problem 246     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-2) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 412     | 412   | 369         | 830   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.9         | 2.01  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.454 | 0.534       | 0.346 | 0.     | 0.     | 0.    | 0.   |

| Problem 247     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 250     | 250   | 295         | 581   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.18        | 2.32  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.357 | 0.568       | 0.237 | 0.     | 0.     | 0.    | 0.   |

| Problem 248     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 208     | 208   | 276         | 540   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.33        | 2.6   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.186 | 0.542       | 0.133 | 0.     | 0.     | 0.    | 0.   |

| Problem 249     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-1)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 195     | 195   | 165         | 425   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.85        | 2.18  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.161 | 0.502       | 0.119 | 0.     | 0.     | 0.    | 0.   |

| Problem 250     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 467     | 467   | 667         | 1096  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.43        | 2.35  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.573 | 1.943       | 0.244 | 0.     | 0.     | 0.    | 0.   |

| Problem 251     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 333     | 333   | 322         | 807   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.97        | 2.42  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.437 | 0.704       | 0.207 | 0.     | 0.     | 0.    | 0.   |

| Problem 252     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 634     | 634   | 844         | 1490  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.33        | 2.35  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.928 | 8.161       | 0.383 | 0.     | 0.     | 0.    | 0.   |

| Problem 253     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 483     | 483   | 462         | 2845  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.96        | 5.89  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.804 | 0.853       | 0.372 | 0.     | 0.     | 0.    | 0.   |

| Problem 254     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 546     | 546   | 594         | 1201  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.09        | 2.2   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.865 | 1.542       | 0.523 | 0.     | 0.     | 0.    | 0.   |

| Problem 255     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 421     | 421   | 374         | 3907  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.89        | 9.28  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.726 | 1.485       | 0.556 | 0.     | 0.     | 0.    | 0.   |

| Problem 256     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-1)  | F      | F(-2) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 332     | 332   | 511         | 829   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.54        | 2.5   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.489 | 0.834       | 0.283 | 0.     | 0.     | 0.    | 0.   |

| Problem 257     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-1)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 332     | 332   | 303         | 3277  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.91        | 9.87  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.352 | 0.803       | 0.303 | 0.     | 0.     | 0.    | 0.   |

| Problem 258     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 294     | 294   | 461         | 762   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.57        | 2.59  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.218 | 1.177       | 0.187 | 0.     | 0.     | 0.    | 0.   |

| Problem 259     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-1)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 311     | 311   | 320         | 2896  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.03        | 9.31  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.276 | 0.992       | 0.205 | 0.     | 0.     | 0.    | 0.   |

| Problem 260     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 577     | 577  | 935         | 1373  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.62        | 2.38  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.86 | 8.644       | 0.319 | 0.     | 0.     | 0.    | 0.   |

| Problem 261     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 452     | 452   | 352         | 3777  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.78        | 8.36  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.617 | 2.585       | 0.316 | 0.     | 0.     | 0.    | 0.   |

| Problem 262     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 752     | 752   | 1090        | 1876  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.45        | 2.49  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.256 | 10.64       | 0.468 | 0.     | 0.     | 0.    | 0.   |

| Problem 263     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 538     | 538   | 441         | 5229  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.82        | 9.72  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.053 | 3.587       | 0.381 | 0.     | 0.     | 0.    | 0.   |

| Problem 264     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 157     | 157   | 100         | 129   | 0      | 205    | 146   | 193   |
| normalized size | 1       | 1.    | 0.64        | 0.82  | 0.     | 1.31   | 0.93  | 1.23  |
| time (sec)      | N/A     | 0.271 | 0.052       | 0.063 | 0.     | 1.738  | 4.832 | 1.266 |

| Problem 265     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 126     | 126   | 81          | 127   | 142    | 154    | 121   | 138   |
| normalized size | 1       | 1.    | 0.64        | 1.01  | 1.13   | 1.22   | 0.96  | 1.1   |
| time (sec)      | N/A     | 0.202 | 0.045       | 0.055 | 1.551  | 1.785  | 2.701 | 1.227 |

| Problem 266     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 89      | 89    | 73          | 71    | 0      | 150    | 78    | 109   |
| normalized size | 1       | 1.    | 0.82        | 0.8   | 0.     | 1.69   | 0.88  | 1.22  |
| time (sec)      | N/A     | 0.137 | 0.024       | 0.062 | 0.     | 1.732  | 1.502 | 1.248 |

| Problem 267     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 55      | 55    | 51          | 80    | 66     | 89     | 49    | 66    |
| normalized size | 1       | 1.    | 0.93        | 1.45  | 1.2    | 1.62   | 0.89  | 1.2   |
| time (sec)      | N/A     | 0.072 | 0.013       | 0.044 | 1.497  | 1.686  | 0.875 | 1.276 |

| Problem 268     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 13      | 13    | 13          | 12    | 15     | 28     | 10    | 15    |
| normalized size | 1       | 1.    | 1.          | 0.92  | 1.15   | 2.15   | 0.77  | 1.15  |
| time (sec)      | N/A     | 0.034 | 0.004       | 0.003 | 1.519  | 1.624  | 0.475 | 1.254 |

| Problem 269     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 92      | 92    | 116         | 161   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.26        | 1.75  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.143 | 0.103       | 0.06  | 0.     | 0.     | 0.    | 0.   |

| Problem 270     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 76      | 76    | 72          | 148   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.95        | 1.95  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.144 | 0.261       | 0.107 | 0.     | 0.     | 0.    | 0.   |

| Problem 271     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 163     | 163   | 194         | 269   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.19        | 1.65  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.255 | 1.336       | 0.155 | 0.     | 0.     | 0.    | 0.   |

| Problem 272     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 42      | 42    | 42          | 52    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 1.24  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.068 | 0.054       | 0.039 | 0.     | 0.     | 0.    | 0.   |

| Problem 273     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 179     | 179   | 108         | 169   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.6         | 0.94  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.129 | 0.221       | 0.102 | 0.     | 0.     | 0.    | 0.   |

| Problem 274     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 283     | 283   | 149         | 365   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.53        | 1.29  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.217 | 0.586       | 0.167 | 0.     | 0.     | 0.    | 0.   |

| Problem 275     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 390     | 390   | 234         | 556   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.6         | 1.43  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.329 | 0.81        | 0.207 | 0.     | 0.     | 0.    | 0.   |

| Problem 276     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | F     | F           | F      | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | N/A   | N/A         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 1312    | 0     | 0           | 0      | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.     | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.083 | 3.468       | 14.642 | 0.     | 0.     | 0.    | 0.   |

| Problem 277     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | F     | F           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 756     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.081 | 0.142       | 7.016 | 0.     | 0.     | 0.    | 0.   |

| Problem 278     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | F     | F           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 371     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.049 | 0.092       | 2.915 | 0.     | 0.     | 0.    | 0.   |

| Problem 279     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 29      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.091 | 6.466       | 0.463 | 0.     | 0.     | 0.    | 0.   |

| Problem 280     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 279     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.408 | 7.96        | 0.526 | 0.     | 0.     | 0.    | 0.   |

| Problem 281     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 668     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.913 | 9.125       | 0.605 | 0.     | 0.     | 0.    | 0.   |

| Problem 282     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 957     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.157 | 4.441       | 7.355 | 0.     | 0.     | 0.    | 0.   |

| Problem 283     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 499     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.152 | 0.154       | 3.022 | 0.     | 0.     | 0.    | 0.   |

| Problem 284     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 203     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.139 | 0.101       | 1.239 | 0.     | 0.     | 0.    | 0.   |



| Problem 285     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 31      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.151 | 3.131       | 0.637 | 0.     | 0.     | 0.    | 0.   |

| Problem 286     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 31      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.166 | 4.27        | 0.595 | 0.     | 0.     | 0.    | 0.   |

| Problem 287     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 31      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.166 | 4.319       | 0.622 | 0.     | 0.     | 0.    | 0.   |

| Problem 288     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 26      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.095 | 0.862       | 0.497 | 0.     | 0.     | 0.    | 0.   |

| Problem 289     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|--------|------|
| grade           | A       | A    | A           | A     | A      | A      | A      | A    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD    | TBD  |
| size            | 370     | 370  | 171         | 278   | 383    | 512    | 355    | 512  |
| normalized size | 1       | 1.   | 0.46        | 0.75  | 1.04   | 1.38   | 0.96   | 1.38 |
| time (sec)      | N/A     | 0.7  | 0.323       | 0.078 | 1.567  | 1.797  | 25.739 | 1.46 |

| Problem 290     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 273     | 273   | 139         | 206   | 292    | 375    | 262   | 360   |
| normalized size | 1       | 1.    | 0.51        | 0.75  | 1.07   | 1.37   | 0.96  | 1.32  |
| time (sec)      | N/A     | 0.407 | 0.216       | 0.052 | 1.572  | 1.713  | 8.794 | 1.442 |

| Problem 291     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 158     | 158   | 101         | 132   | 173    | 225    | 150   | 188   |
| normalized size | 1       | 1.    | 0.64        | 0.84  | 1.09   | 1.42   | 0.95  | 1.19  |
| time (sec)      | N/A     | 0.211 | 0.09        | 0.041 | 1.586  | 1.616  | 2.451 | 1.383 |

| Problem 292     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | A      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 200     | 200   | 162         | 0     | 49     | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.81        | 0.    | 0.24   | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.134 | 0.182       | 0.1   | 2.247  | 0.     | 0.    | 0.   |

| Problem 293     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 337     | 337   | 234         | 486   | 77     | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.69        | 1.44  | 0.23   | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.296 | 0.404       | 0.149 | 2.654  | 0.     | 0.    | 0.   |

| Problem 294     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | A      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 455     | 455   | 1544        | 726   | 105    | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.39        | 1.6   | 0.23   | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.507 | 12.441      | 0.224 | 3.319  | 0.     | 0.    | 0.   |

| Problem 295     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 533     | 533   | 179         | 875   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.34        | 1.64  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.547 | 0.8         | 0.247 | 0.     | 0.     | 0.    | 0.   |

| Problem 296     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 365     | 365   | 138         | 533   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.38        | 1.46  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.322 | 0.313       | 0.161 | 0.     | 0.     | 0.    | 0.   |

| Problem 297     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 215     | 215   | 114         | 260   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.53        | 1.21  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.165 | 0.057       | 0.139 | 0.     | 0.     | 0.    | 0.   |

| Problem 298     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 42      | 42    | 42          | 52    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 1.24  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.069 | 0.043       | 0.03  | 0.     | 0.     | 0.    | 0.   |

| Problem 299     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 238     | 238   | 157         | 203   | 76     | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.66        | 0.85  | 0.32   | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.175 | 0.252       | 0.101 | 4.002  | 0.     | 0.    | 0.   |

| Problem 300     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 388     | 388   | 211         | 661   | 143    | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.54        | 1.7   | 0.37   | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.306 | 0.559       | 0.207 | 2.705  | 0.     | 0.    | 0.   |

| Problem 301     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 547     | 547   | 319         | 1017  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.58        | 1.86  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.481 | 0.727       | 0.283 | 0.     | 0.     | 0.    | 0.   |

| Problem 302     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 26      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.083 | 0.861       | 0.485 | 0.     | 0.     | 0.    | 0.   |

| Problem 303     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 191     | 191   | 125         | 159   | 0      | 273    | 185   | 259  |
| normalized size | 1       | 1.    | 0.65        | 0.83  | 0.     | 1.43   | 0.97  | 1.36 |
| time (sec)      | N/A     | 0.468 | 0.062       | 0.068 | 0.     | 1.672  | 8.675 | 1.46 |

| Problem 304     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 157     | 157   | 100         | 180   | 177    | 209    | 148   | 174   |
| normalized size | 1       | 1.    | 0.64        | 1.15  | 1.13   | 1.33   | 0.94  | 1.11  |
| time (sec)      | N/A     | 0.321 | 0.052       | 0.056 | 1.61   | 1.697  | 4.781 | 1.471 |

| Problem 305     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 107     | 107   | 85          | 85    | 0      | 185    | 100   | 146   |
| normalized size | 1       | 1.    | 0.79        | 0.79  | 0.     | 1.73   | 0.93  | 1.36  |
| time (sec)      | N/A     | 0.207 | 0.03        | 0.066 | 0.     | 1.649  | 2.788 | 1.436 |

| Problem 306     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 67      | 67    | 61          | 107   | 86     | 119    | 61    | 84    |
| normalized size | 1       | 1.    | 0.91        | 1.6   | 1.28   | 1.78   | 0.91  | 1.25  |
| time (sec)      | N/A     | 0.105 | 0.017       | 0.046 | 1.512  | 1.929  | 1.416 | 1.415 |

| Problem 307     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 13      | 13   | 13          | 12    | 15     | 28     | 10    | 15   |
| normalized size | 1       | 1.   | 1.          | 0.92  | 1.15   | 2.15   | 0.77  | 1.15 |
| time (sec)      | N/A     | 0.03 | 0.004       | 0.005 | 1.473  | 1.819  | 0.862 | 1.38 |

| Problem 308     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 138     | 138  | 180         | 221   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.3         | 1.6   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.16 | 0.15        | 0.066 | 0.     | 0.     | 0.    | 0.   |

| Problem 309     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 99      | 99    | 108         | 208   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.09        | 2.1   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.182 | 0.209       | 0.105 | 0.     | 0.     | 0.    | 0.   |

| Problem 310     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 264     | 264   | 317         | 428   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.2         | 1.62  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.357 | 4.432       | 0.167 | 0.     | 0.     | 0.    | 0.   |

| Problem 311     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 67      | 67    | 43          | 42    | 0      | 0      | 0     | 80    |
| normalized size | 1       | 1.    | 0.64        | 0.63  | 0.     | 0.     | 0.    | 1.19  |
| time (sec)      | N/A     | 0.105 | 0.116       | 0.044 | 0.     | 0.     | 0.    | 1.406 |

| Problem 312     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 50      | 50   | 34          | 33    | 0      | 0      | 0     | 59    |
| normalized size | 1       | 1.   | 0.68        | 0.66  | 0.     | 0.     | 0.    | 1.18  |
| time (sec)      | N/A     | 0.09 | 0.078       | 0.028 | 0.     | 0.     | 0.    | 1.356 |

| Problem 313     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 29      | 29    | 23          | 22    | 0      | 0      | 0     | 34    |
| normalized size | 1       | 1.    | 0.79        | 0.76  | 0.     | 0.     | 0.    | 1.17  |
| time (sec)      | N/A     | 0.064 | 0.019       | 0.028 | 0.     | 0.     | 0.    | 1.325 |

| Problem 314     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 22      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.024 | 2.533       | 0.099 | 0.     | 0.     | 0.    | 0.   |

| Problem 315     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 22      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.024 | 7.68        | 0.259 | 0.     | 0.     | 0.    | 0.   |

| Problem 316     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 206     | 206  | 152         | 193   | 0      | 0      | 0     | 637   |
| normalized size | 1       | 1.   | 0.74        | 0.94  | 0.     | 0.     | 0.    | 3.09  |
| time (sec)      | N/A     | 0.46 | 0.423       | 0.057 | 0.     | 0.     | 0.    | 1.489 |

| Problem 317     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 183     | 179  | 135         | 138   | 0      | 0      | 0     | 486   |
| normalized size | 1       | 0.98 | 0.74        | 0.75  | 0.     | 0.     | 0.    | 2.66  |
| time (sec)      | N/A     | 0.43 | 0.323       | 0.048 | 0.     | 0.     | 0.    | 1.374 |

| Problem 318     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 82      | 82    | 66          | 77    | 0      | 0      | 0     | 228   |
| normalized size | 1       | 1.    | 0.8         | 0.94  | 0.     | 0.     | 0.    | 2.78  |
| time (sec)      | N/A     | 0.251 | 0.182       | 0.046 | 0.     | 0.     | 0.    | 1.376 |

| Problem 319     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 121     | 117   | 91          | 92    | 0      | 0      | 0     | 232  |
| normalized size | 1       | 0.97  | 0.75        | 0.76  | 0.     | 0.     | 0.    | 1.92 |
| time (sec)      | N/A     | 0.262 | 0.207       | 0.041 | 0.     | 0.     | 0.    | 1.4  |

| Problem 320     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 82      | 82    | 62          | 77    | 0      | 0      | 0     | 138   |
| normalized size | 1       | 1.    | 0.76        | 0.94  | 0.     | 0.     | 0.    | 1.68  |
| time (sec)      | N/A     | 0.166 | 0.152       | 0.041 | 0.     | 0.     | 0.    | 1.422 |

| Problem 321     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 78      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.399 | 2.864       | 0.267 | 0.     | 0.     | 0.    | 0.   |

| Problem 322     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 46      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.298 | 0.859       | 0.317 | 0.     | 0.     | 0.    | 0.   |

| Problem 323     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.121 | 5.283       | 2.18  | 0.     | 0.     | 0.    | 0.   |

| Problem 324     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A    | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A  | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0    | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.   | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.12 | 0.75        | 3.641 | 0.     | 0.     | 0.    | 0.   |



| Problem 325     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 245     | 241   | 179         | 184   | 0      | 0      | 0     | 829  |
| normalized size | 1       | 0.98  | 0.73        | 0.75  | 0.     | 0.     | 0.    | 3.38 |
| time (sec)      | N/A     | 0.499 | 0.752       | 0.053 | 0.     | 0.     | 0.    | 1.39 |

| Problem 326     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 206     | 206   | 165         | 193   | 0      | 0      | 0     | 639   |
| normalized size | 1       | 1.    | 0.8         | 0.94  | 0.     | 0.     | 0.    | 3.1   |
| time (sec)      | N/A     | 0.423 | 0.595       | 0.05  | 0.     | 0.     | 0.    | 1.372 |

| Problem 327     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 183     | 179   | 136         | 139   | 0      | 0      | 0     | 486   |
| normalized size | 1       | 0.98  | 0.74        | 0.76  | 0.     | 0.     | 0.    | 2.66  |
| time (sec)      | N/A     | 0.344 | 0.494       | 0.046 | 0.     | 0.     | 0.    | 1.423 |

| Problem 328     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 144     | 144   | 121         | 135   | 0      | 0      | 0     | 340   |
| normalized size | 1       | 1.    | 0.84        | 0.94  | 0.     | 0.     | 0.    | 2.36  |
| time (sec)      | N/A     | 0.242 | 0.324       | 0.043 | 0.     | 0.     | 0.    | 1.405 |

| Problem 329     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 139     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.752 | 2.916       | 0.268 | 0.     | 0.     | 0.    | 0.   |

| Problem 330     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 106     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.576 | 1.151       | 0.273 | 0.     | 0.     | 0.    | 0.   |

| Problem 331     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.139 | 5.206       | 2.187 | 0.     | 0.     | 0.    | 0.   |

| Problem 332     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A    | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A  | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0    | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.   | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.14 | 0.758       | 3.401 | 0.     | 0.     | 0.    | 0.   |

| Problem 333     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 245     | 241   | 180         | 185   | 0      | 0      | 0     | 1007 |
| normalized size | 1       | 0.98  | 0.73        | 0.76  | 0.     | 0.     | 0.    | 4.11 |
| time (sec)      | N/A     | 0.512 | 1.136       | 0.054 | 0.     | 0.     | 0.    | 1.45 |

| Problem 334     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F      | F      | F(-1) | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 268     | 268  | 209         | 251   | 0      | 0      | 0     | 1022  |
| normalized size | 1       | 1.   | 0.78        | 0.94  | 0.     | 0.     | 0.    | 3.81  |
| time (sec)      | N/A     | 0.53 | 1.03        | 0.055 | 0.     | 0.     | 0.    | 1.392 |

| Problem 335     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 245     | 241   | 180         | 185   | 0      | 0      | 0     | 829   |
| normalized size | 1       | 0.98  | 0.73        | 0.76  | 0.     | 0.     | 0.    | 3.38  |
| time (sec)      | N/A     | 0.447 | 0.914       | 0.048 | 0.     | 0.     | 0.    | 1.424 |

| Problem 336     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 206     | 206   | 165         | 193   | 0      | 0      | 0     | 637  |
| normalized size | 1       | 1.    | 0.8         | 0.94  | 0.     | 0.     | 0.    | 3.09 |
| time (sec)      | N/A     | 0.321 | 0.682       | 0.044 | 0.     | 0.     | 0.    | 1.41 |

| Problem 337     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 195     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.145 | 2.93        | 0.323 | 0.     | 0.     | 0.    | 0.   |

| Problem 338     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 160     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.933 | 1.065       | 0.335 | 0.     | 0.     | 0.    | 0.   |

| Problem 339     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.143 | 5.226       | 2.24  | 0.     | 0.     | 0.    | 0.   |

| Problem 340     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.145 | 0.848       | 3.553 | 0.     | 0.     | 0.    | 0.   |

| Problem 341     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 41      | 41    | 31          | 36    | 0      | 0      | 0     | 47    |
| normalized size | 1       | 1.    | 0.76        | 0.88  | 0.     | 0.     | 0.    | 1.15  |
| time (sec)      | N/A     | 0.159 | 0.072       | 0.055 | 0.     | 0.     | 0.    | 1.315 |

| Problem 342     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 27      | 27    | 24          | 21    | 0      | 0      | 0     | 31    |
| normalized size | 1       | 1.    | 0.89        | 0.78  | 0.     | 0.     | 0.    | 1.15  |
| time (sec)      | N/A     | 0.145 | 0.06        | 0.049 | 0.     | 0.     | 0.    | 1.357 |

| Problem 343     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 27      | 27    | 22          | 24    | 0      | 0      | 0     | 31    |
| normalized size | 1       | 1.    | 0.81        | 0.89  | 0.     | 0.     | 0.    | 1.15  |
| time (sec)      | N/A     | 0.136 | 0.058       | 0.043 | 0.     | 0.     | 0.    | 1.315 |

| Problem 344     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 27      | 27    | 22          | 24    | 0      | 0      | 0     | 31    |
| normalized size | 1       | 1.    | 0.81        | 0.89  | 0.     | 0.     | 0.    | 1.15  |
| time (sec)      | N/A     | 0.135 | 0.014       | 0.    | 0.     | 0.     | 0.    | 1.316 |

| Problem 345     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 9       | 9     | 9           | 10    | 0      | 0      | 0     | 12    |
| normalized size | 1       | 1.    | 1.          | 1.11  | 0.     | 0.     | 0.    | 1.33  |
| time (sec)      | N/A     | 0.075 | 0.048       | 0.037 | 0.     | 0.     | 0.    | 1.374 |

| Problem 346     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 9       | 9     | 9           | 10    | 12     | 28     | 7     | 14    |
| normalized size | 1       | 1.    | 1.          | 1.11  | 1.33   | 3.11   | 0.78  | 1.56  |
| time (sec)      | N/A     | 0.033 | 0.019       | 0.003 | 1.876  | 1.851  | 0.496 | 1.291 |

| Problem 347     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 26      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.089 | 1.181       | 0.092 | 0.     | 0.     | 0.    | 0.   |

| Problem 348     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 26      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.092 | 0.108       | 0.134 | 0.     | 0.     | 0.    | 0.   |

| Problem 349     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 183     | 179   | 136         | 139   | 0      | 0      | 0     | 486   |
| normalized size | 1       | 0.98  | 0.74        | 0.76  | 0.     | 0.     | 0.    | 2.66  |
| time (sec)      | N/A     | 0.373 | 0.319       | 0.048 | 0.     | 0.     | 0.    | 1.432 |

| Problem 350     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 144     | 144   | 108         | 135   | 0      | 0      | 0     | 343   |
| normalized size | 1       | 1.    | 0.75        | 0.94  | 0.     | 0.     | 0.    | 2.38  |
| time (sec)      | N/A     | 0.331 | 0.235       | 0.046 | 0.     | 0.     | 0.    | 1.388 |

| Problem 351     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 121     | 117  | 92          | 93    | 0      | 0      | 0     | 232   |
| normalized size | 1       | 0.97 | 0.76        | 0.77  | 0.     | 0.     | 0.    | 1.92  |
| time (sec)      | N/A     | 0.31 | 0.196       | 0.043 | 0.     | 0.     | 0.    | 1.411 |

| Problem 352     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 82      | 82   | 64          | 77    | 0      | 0      | 0     | 140   |
| normalized size | 1       | 1.   | 0.78        | 0.94  | 0.     | 0.     | 0.    | 1.71  |
| time (sec)      | N/A     | 0.25 | 0.158       | 0.043 | 0.     | 0.     | 0.    | 1.317 |

| Problem 353     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 54      | 50    | 45          | 46    | 0      | 0      | 0     | 68    |
| normalized size | 1       | 0.93  | 0.83        | 0.85  | 0.     | 0.     | 0.    | 1.26  |
| time (sec)      | N/A     | 0.154 | 0.105       | 0.039 | 0.     | 0.     | 0.    | 1.426 |

| Problem 354     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-2) | C     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 16      | 16    | 16          | 17    | 22     | 42     | 0     | 43    |
| normalized size | 1       | 1.    | 1.          | 1.06  | 1.38   | 2.62   | 0.    | 2.69  |
| time (sec)      | N/A     | 0.048 | 0.048       | 0.006 | 1.506  | 1.936  | 0.    | 1.337 |

| Problem 355     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.124 | 2.651       | 0.117 | 0.     | 0.     | 0.    | 0.   |

| Problem 356     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.128 | 0.069       | 0.085 | 0.     | 0.     | 0.    | 0.   |

| Problem 357     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.142 | 3.714       | 0.281 | 0.     | 0.     | 0.    | 0.   |

| Problem 358     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 28      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.101 | 9.683       | 0.202 | 0.     | 0.     | 0.    | 0.   |

| Problem 359     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 27      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.047 | 0.094       | 0.142 | 0.     | 0.     | 0.    | 0.   |

| Problem 360     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.134 | 2.559       | 1.931 | 0.     | 0.     | 0.    | 0.   |

| Problem 361     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.136 | 1.882       | 0.385 | 0.     | 0.     | 0.    | 0.   |

| Problem 362     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A    | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A  | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0    | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.   | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.14 | 4.276       | 1.955 | 0.     | 0.     | 0.    | 0.   |

| Problem 363     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 28      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.092 | 24.043      | 1.76  | 0.     | 0.     | 0.    | 0.   |

| Problem 364     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 27      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.047 | 0.102       | 1.447 | 0.     | 0.     | 0.    | 0.   |



| Problem 365     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.135 | 5.639       | 4.153 | 0.     | 0.     | 0.    | 0.   |

| Problem 366     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.136 | 5.745       | 4.325 | 0.     | 0.     | 0.    | 0.   |

| Problem 367     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.128 | 0.904       | 0.967 | 0.     | 0.     | 0.    | 0.   |

| Problem 368     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.127 | 0.484       | 0.854 | 0.     | 0.     | 0.    | 0.   |

| Problem 369     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.113 | 0.065       | 0.664 | 0.     | 0.     | 0.    | 0.   |

| Problem 370     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A    | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A  | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0    | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.   | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.12 | 0.562       | 0.2   | 0.     | 0.     | 0.    | 0.   |

| Problem 371     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A    | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A  | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0    | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.   | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.14 | 1.065       | 0.435 | 0.     | 0.     | 0.    | 0.   |

| Problem 372     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.132 | 1.615       | 0.551 | 0.     | 0.     | 0.    | 0.   |

| Problem 373     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A    | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A  | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 26      | 0    | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.   | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.09 | 0.384       | 0.2   | 0.     | 0.     | 0.    | 0.   |

| Problem 374     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 95      | 95    | 83          | 105   | 0      | 0      | 0     | 128   |
| normalized size | 1       | 1.    | 0.87        | 1.11  | 0.     | 0.     | 0.    | 1.35  |
| time (sec)      | N/A     | 0.174 | 0.58        | 0.05  | 0.     | 0.     | 0.    | 1.403 |

| Problem 375     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 78      | 78    | 70          | 83    | 0      | 0      | 0     | 109  |
| normalized size | 1       | 1.    | 0.9         | 1.06  | 0.     | 0.     | 0.    | 1.4  |
| time (sec)      | N/A     | 0.161 | 0.487       | 0.034 | 0.     | 0.     | 0.    | 1.44 |

| Problem 376     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 55      | 55    | 55          | 59    | 0      | 0      | 0     | 66    |
| normalized size | 1       | 1.    | 1.          | 1.07  | 0.     | 0.     | 0.    | 1.2   |
| time (sec)      | N/A     | 0.118 | 0.222       | 0.032 | 0.     | 0.     | 0.    | 1.384 |

| Problem 377     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 58      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.096 | 3.763       | 0.102 | 0.     | 0.     | 0.    | 0.   |

| Problem 378     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 59      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.097 | 14.533      | 0.289 | 0.     | 0.     | 0.    | 0.   |

| Problem 379     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | B      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 17      | 17    | 17          | 0     | 50     | 51     | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 0.    | 2.94   | 3.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.125 | 0.15        | 1.068 | 3.109  | 1.677  | 0.    | 0.   |

| Problem 380     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.114 | 0.503       | 0.668 | 0.     | 0.     | 0.    | 0.   |

| Problem 381     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 214     | 210   | 175         | 340   | 0      | 0      | 0     | 1686  |
| normalized size | 1       | 0.98  | 0.82        | 1.59  | 0.     | 0.     | 0.    | 7.88  |
| time (sec)      | N/A     | 0.633 | 0.544       | 0.056 | 0.     | 0.     | 0.    | 1.703 |

| Problem 382     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 94      | 94    | 82          | 136   | 0      | 0      | 0     | 760  |
| normalized size | 1       | 1.    | 0.87        | 1.45  | 0.     | 0.     | 0.    | 8.09 |
| time (sec)      | N/A     | 0.468 | 0.322       | 0.046 | 0.     | 0.     | 0.    | 1.53 |

| Problem 383     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 150     | 198  | 125         | 223   | 0      | 0      | 0     | 821   |
| normalized size | 1       | 1.32 | 0.83        | 1.49  | 0.     | 0.     | 0.    | 5.47  |
| time (sec)      | N/A     | 0.37 | 0.283       | 0.049 | 0.     | 0.     | 0.    | 1.517 |

| Problem 384     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 86      | 86    | 72          | 134   | 0      | 0      | 0     | 392   |
| normalized size | 1       | 1.    | 0.84        | 1.56  | 0.     | 0.     | 0.    | 4.56  |
| time (sec)      | N/A     | 0.162 | 0.198       | 0.046 | 0.     | 0.     | 0.    | 1.555 |

| Problem 385     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 104     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.204 | 10.226      | 0.532 | 0.     | 0.     | 0.    | 0.   |

| Problem 386     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 56      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.149 | 2.323       | 0.43  | 0.     | 0.     | 0.    | 0.   |

| Problem 387     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.121 | 15.611      | 3.499 | 0.     | 0.     | 0.    | 0.   |

| Problem 388     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.121 | 3.445       | 5.385 | 0.     | 0.     | 0.    | 0.   |

| Problem 389     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.135 | 0.536       | 0.869 | 0.     | 0.     | 0.    | 0.   |

| Problem 390     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F      | F      | F(-1) | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 278     | 274  | 399         | 455   | 0      | 0      | 0     | 2788  |
| normalized size | 1       | 0.99 | 1.44        | 1.64  | 0.     | 0.     | 0.    | 10.03 |
| time (sec)      | N/A     | 0.89 | 1.054       | 0.061 | 0.     | 0.     | 0.    | 1.744 |

| Problem 391     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 220     | 220   | 306         | 364   | 0      | 0      | 0     | 2097  |
| normalized size | 1       | 1.    | 1.39        | 1.65  | 0.     | 0.     | 0.    | 9.53  |
| time (sec)      | N/A     | 0.636 | 0.809       | 0.058 | 0.     | 0.     | 0.    | 1.702 |

| Problem 392     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 214     | 210   | 295         | 341   | 0      | 0      | 0     | 1640  |
| normalized size | 1       | 0.98  | 1.38        | 1.59  | 0.     | 0.     | 0.    | 7.66  |
| time (sec)      | N/A     | 0.666 | 0.517       | 0.051 | 0.     | 0.     | 0.    | 1.709 |

| Problem 393     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 150     | 150   | 122         | 250   | 0      | 0      | 0     | 1008  |
| normalized size | 1       | 1.    | 0.81        | 1.67  | 0.     | 0.     | 0.    | 6.72  |
| time (sec)      | N/A     | 0.273 | 0.624       | 0.048 | 0.     | 0.     | 0.    | 1.651 |

| Problem 394     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 176     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.404 | 10.335      | 0.343 | 0.     | 0.     | 0.    | 0.   |

| Problem 395     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 100     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.246 | 4.342       | 0.341 | 0.     | 0.     | 0.    | 0.   |

| Problem 396     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A    | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A  | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0    | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.   | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.14 | 15.925      | 0.921 | 0.     | 0.     | 0.    | 0.   |

| Problem 397     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 68      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.197 | 2.626       | 4.744 | 0.     | 0.     | 0.    | 0.   |

| Problem 398     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.137 | 0.562       | 0.935 | 0.     | 0.     | 0.    | 0.   |

| Problem 399     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 278     | 274   | 408         | 455   | 0      | 0      | 0     | 3347  |
| normalized size | 1       | 0.99  | 1.47        | 1.64  | 0.     | 0.     | 0.    | 12.04 |
| time (sec)      | N/A     | 1.155 | 1.508       | 0.06  | 0.     | 0.     | 0.    | 1.774 |

| Problem 400     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 282     | 282   | 414         | 478   | 0      | 0      | 0     | 3322  |
| normalized size | 1       | 1.    | 1.47        | 1.7   | 0.     | 0.     | 0.    | 11.78 |
| time (sec)      | N/A     | 0.933 | 1.082       | 0.061 | 0.     | 0.     | 0.    | 1.818 |

| Problem 401     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 276     | 272   | 404         | 455   | 0      | 0      | 0     | 2735  |
| normalized size | 1       | 0.99  | 1.46        | 1.65  | 0.     | 0.     | 0.    | 9.91  |
| time (sec)      | N/A     | 0.872 | 0.945       | 0.057 | 0.     | 0.     | 0.    | 1.724 |

| Problem 402     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F      | F      | F(-1) | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 217     | 217  | 311         | 364   | 0      | 0      | 0     | 1882  |
| normalized size | 1       | 1.   | 1.43        | 1.68  | 0.     | 0.     | 0.    | 8.67  |
| time (sec)      | N/A     | 0.4  | 0.825       | 0.054 | 0.     | 0.     | 0.    | 1.595 |

| Problem 403     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 234     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.534 | 12.721      | 0.424 | 0.     | 0.     | 0.    | 0.   |

| Problem 404     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 104     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.312 | 3.44        | 0.443 | 0.     | 0.     | 0.    | 0.   |



| Problem 405     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A    | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A  | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0    | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.   | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.14 | 15.979      | 3.508 | 0.     | 0.     | 0.    | 0.   |

| Problem 406     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.138 | 3.146       | 5.251 | 0.     | 0.     | 0.    | 0.   |

| Problem 407     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 48      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.162 | 0.597       | 0.233 | 0.     | 0.     | 0.    | 0.   |

| Problem 408     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 204     | 200   | 157         | 341   | 0      | 0      | 0     | 1725  |
| normalized size | 1       | 0.98  | 0.77        | 1.67  | 0.     | 0.     | 0.    | 8.46  |
| time (sec)      | N/A     | 0.441 | 0.345       | 0.054 | 0.     | 0.     | 0.    | 1.649 |

| Problem 409     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 141     | 141   | 117         | 250   | 0      | 0      | 0     | 1183  |
| normalized size | 1       | 1.    | 0.83        | 1.77  | 0.     | 0.     | 0.    | 8.39  |
| time (sec)      | N/A     | 0.359 | 0.301       | 0.05  | 0.     | 0.     | 0.    | 1.569 |

| Problem 410     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 142     | 138  | 113         | 227   | 0      | 0      | 0     | 859   |
| normalized size | 1       | 0.97 | 0.8         | 1.6   | 0.     | 0.     | 0.    | 6.05  |
| time (sec)      | N/A     | 0.34 | 0.269       | 0.046 | 0.     | 0.     | 0.    | 1.552 |

| Problem 411     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 79      | 79    | 70          | 136   | 0      | 0      | 0     | 467   |
| normalized size | 1       | 1.    | 0.89        | 1.72  | 0.     | 0.     | 0.    | 5.91  |
| time (sec)      | N/A     | 0.244 | 0.157       | 0.047 | 0.     | 0.     | 0.    | 1.481 |

| Problem 412     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F      | F      | F     | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 72      | 72   | 59          | 108   | 0      | 0      | 0     | 270   |
| normalized size | 1       | 1.   | 0.82        | 1.5   | 0.     | 0.     | 0.    | 3.75  |
| time (sec)      | N/A     | 0.15 | 0.107       | 0.042 | 0.     | 0.     | 0.    | 1.473 |

| Problem 413     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-2) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 18      | 18    | 18          | 19    | 24     | 43     | 0     | 24    |
| normalized size | 1       | 1.    | 1.          | 1.06  | 1.33   | 2.39   | 0.    | 1.33  |
| time (sec)      | N/A     | 0.044 | 0.008       | 0.006 | 1.493  | 2.263  | 0.    | 1.134 |

| Problem 414     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 46      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.152 | 7.292       | 0.13  | 0.     | 0.     | 0.    | 0.   |

| Problem 415     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 46      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.149 | 1.288       | 0.093 | 0.     | 0.     | 0.    | 0.   |

| Problem 416     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.136 | 1.117       | 0.448 | 0.     | 0.     | 0.    | 0.   |

| Problem 417     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.141 | 59.009      | 0.482 | 0.     | 0.     | 0.    | 0.   |

| Problem 418     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 68      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.201 | 7.82        | 0.327 | 0.     | 0.     | 0.    | 0.   |

| Problem 419     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 28      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.093 | 58.237      | 0.223 | 0.     | 0.     | 0.    | 0.   |

| Problem 420     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 63      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.108 | 2.569       | 0.194 | 0.     | 0.     | 0.    | 0.   |

| Problem 421     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.132 | 46.907      | 2.224 | 0.     | 0.     | 0.    | 0.   |

| Problem 422     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.132 | 31.424      | 0.642 | 0.     | 0.     | 0.    | 0.   |

| Problem 423     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.133 | 1.631       | 0.564 | 0.     | 0.     | 0.    | 0.   |

| Problem 424     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | A     | F(-1) |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.134 | 100.053     | 3.177 | 0.     | 0.     | 0.    | 0.    |

| Problem 425     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.136 | 11.39       | 2.841 | 0.     | 0.     | 0.    | 0.   |

| Problem 426     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | A     | F(-1) |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 28      | 0     | 0           | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.094 | 103.175     | 2.423 | 0.     | 0.     | 0.    | 0.    |

| Problem 427     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A    | A           | A     | F(-1)  | A      | A     | A    |
| verified        | N/A     | N/A  | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 63      | 0    | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.   | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.11 | 4.014       | 0.462 | 0.     | 0.     | 0.    | 0.   |

| Problem 428     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | F(-1) | F(-1) |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.131 | 77.64       | 6.138 | 0.     | 0.     | 0.    | 0.    |

| Problem 429     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | F(-1) |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 30      | 0     | 0           | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.132 | 23.673      | 6.249 | 0.     | 0.     | 0.    | 0.    |

| Problem 430     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 13      | 13    | 13          | 12    | 15     | 32     | 12    | 15    |
| normalized size | 1       | 1.    | 1.          | 0.92  | 1.15   | 2.46   | 0.92  | 1.15  |
| time (sec)      | N/A     | 0.031 | 0.005       | 0.01  | 1.44   | 2.041  | 1.158 | 1.434 |

| Problem 431     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 251     | 251   | 287         | 287   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.14        | 1.14  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.444 | 1.41        | 0.097 | 0.     | 0.     | 0.    | 0.   |

| Problem 432     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 591     | 591   | 514         | 441   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.87        | 0.75  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.668 | 1.541       | 0.106 | 0.     | 0.     | 0.    | 0.   |

| Problem 433     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 241     | 241   | 375         | 283   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.56        | 1.17  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.787 | 2.224       | 0.079 | 0.     | 0.     | 0.    | 0.   |

| Problem 434     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 253     | 253   | 348         | 297   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.38        | 1.17  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.592 | 1.096       | 0.074 | 0.     | 0.     | 0.    | 0.   |

| Problem 435     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | F(-2)  | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 170     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.779 | 1.836       | 0.3   | 0.     | 0.     | 0.    | 0.   |

| Problem 436     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 485     | 485   | 540         | 551   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.11        | 1.14  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.662 | 2.745       | 0.105 | 0.     | 0.     | 0.    | 0.   |

| Problem 437     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 511     | 511   | 686         | 590   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.34        | 1.15  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 2.124 | 2.756       | 0.112 | 0.     | 0.     | 0.    | 0.   |

| Problem 438     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 373     | 373   | 509         | 426   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.36        | 1.14  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.401 | 3.07        | 0.086 | 0.     | 0.     | 0.    | 0.   |

| Problem 439     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 390     | 390   | 522         | 446   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.34        | 1.14  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.816 | 2.401       | 0.087 | 0.     | 0.     | 0.    | 0.   |

| Problem 440     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | F(-2)  | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 288     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.463 | 3.508       | 0.404 | 0.     | 0.     | 0.    | 0.   |

| Problem 441     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | F           | F     | F(-2)  | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 42      | 42    | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.151 | 3.527       | 0.218 | 0.     | 0.     | 0.    | 0.   |

| Problem 442     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F(-2)  | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 227     | 227   | 166         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.73        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.283 | 0.22        | 0.197 | 0.     | 0.     | 0.    | 0.   |

| Problem 443     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F(-2)  | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 130     | 130   | 138         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.06        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.118 | 0.067       | 0.231 | 0.     | 0.     | 0.    | 0.   |

| Problem 444     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 44      | 44    | 44          | 38    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 0.86  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.075 | 0.047       | 0.039 | 0.     | 0.     | 0.    | 0.   |



| Problem 445     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | F(-2)  | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 90      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.095 | 0.619       | 0.235 | 0.     | 0.     | 0.    | 0.   |

| Problem 446     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | F(-2)  | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 185     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.189 | 1.721       | 0.296 | 0.     | 0.     | 0.    | 0.   |

| Problem 447     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F(-2)  | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 363     | 363   | 186         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.51        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.434 | 0.425       | 0.179 | 0.     | 0.     | 0.    | 0.   |

| Problem 448     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F(-2)  | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 219     | 219   | 158         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.72        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.225 | 0.108       | 0.234 | 0.     | 0.     | 0.    | 0.   |

| Problem 449     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 44      | 44    | 44          | 38    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 0.86  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.072 | 0.056       | 0.037 | 0.     | 0.     | 0.    | 0.   |

| Problem 450     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | F(-2)  | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 90      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.088 | 0.7         | 0.208 | 0.     | 0.     | 0.    | 0.   |

| Problem 451     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F(-2)  | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 431     | 431   | 180         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.42        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.578 | 0.317       | 0.18  | 0.     | 0.     | 0.    | 0.   |

| Problem 452     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F(-2)  | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 247     | 247   | 158         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.64        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.249 | 0.123       | 0.234 | 0.     | 0.     | 0.    | 0.   |

| Problem 453     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 44      | 44    | 44          | 38    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 0.86  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.069 | 0.053       | 0.038 | 0.     | 0.     | 0.    | 0.   |

| Problem 454     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | F(-2)  | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 90      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.085 | 0.676       | 0.238 | 0.     | 0.     | 0.    | 0.   |

| Problem 455     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F      | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 226     | 226   | 183         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.81        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.237 | 0.201       | 0.256 | 0.     | 0.     | 0.    | 0.   |

| Problem 456     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 126     | 126   | 148         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.17        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.106 | 0.072       | 0.267 | 0.     | 0.     | 0.    | 0.   |

| Problem 457     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 42      | 42    | 42          | 38    | 0      | 90     | 0     | 20    |
| normalized size | 1       | 1.    | 1.          | 0.9   | 0.     | 2.14   | 0.    | 0.48  |
| time (sec)      | N/A     | 0.061 | 0.032       | 0.043 | 0.     | 2.279  | 0.    | 1.225 |

| Problem 458     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | F(-2)  | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 89      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.075 | 0.573       | 0.227 | 0.     | 0.     | 0.    | 0.   |

| Problem 459     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | F(-2)  | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 183     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.156 | 1.758       | 0.273 | 0.     | 0.     | 0.    | 0.   |

| Problem 460     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F      | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 359     | 359   | 209         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.58        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.421 | 0.435       | 0.184 | 0.     | 0.     | 0.    | 0.   |

| Problem 461     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F      | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 215     | 215   | 173         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.8         | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.232 | 0.136       | 0.236 | 0.     | 0.     | 0.    | 0.   |

| Problem 462     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 42      | 42    | 42          | 38    | 0      | 92     | 0     | 16    |
| normalized size | 1       | 1.    | 1.          | 0.9   | 0.     | 2.19   | 0.    | 0.38  |
| time (sec)      | N/A     | 0.065 | 0.036       | 0.038 | 0.     | 2.305  | 0.    | 1.407 |

| Problem 463     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | F(-2)  | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 89      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.075 | 0.658       | 0.188 | 0.     | 0.     | 0.    | 0.   |

| Problem 464     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F(-2)  | F(-2)  | F     | C     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 25      | 25    | 53          | 20    | 0      | 0      | 0     | 50    |
| normalized size | 1       | 1.    | 2.12        | 0.8   | 0.     | 0.     | 0.    | 2.    |
| time (sec)      | N/A     | 0.061 | 0.076       | 0.067 | 0.     | 0.     | 0.    | 1.356 |

| Problem 465     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F(-2)  | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 244     | 244   | 336         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.38        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.193 | 0.629       | 0.182 | 0.     | 0.     | 0.    | 0.   |

| Problem 466     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F(-2)  | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 170     | 170   | 182         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.07        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.154 | 0.305       | 0.181 | 0.     | 0.     | 0.    | 0.   |

| Problem 467     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F(-2)  | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 99      | 99    | 118         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.19        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.122 | 0.129       | 0.235 | 0.     | 0.     | 0.    | 0.   |

| Problem 468     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | F(-2)  | F(-2)  | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 42      | 42   | 42          | 38    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.          | 0.9   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.07 | 0.047       | 0.034 | 0.     | 0.     | 0.    | 0.   |

| Problem 469     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | F(-2)  | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 26      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.041 | 0.852       | 0.207 | 0.     | 0.     | 0.    | 0.   |

| Problem 470     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A    | A           | A     | F(-2)  | F(-2)  | F(-1) | A    |
| verified        | N/A     | N/A  | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 26      | 0    | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.   | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.04 | 2.036       | 0.284 | 0.     | 0.     | 0.    | 0.   |

| Problem 471     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F(-2)  | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 237     | 237   | 404         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.7         | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.186 | 1.056       | 0.178 | 0.     | 0.     | 0.    | 0.   |

| Problem 472     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F(-2)  | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 163     | 163   | 211         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.29        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.134 | 0.376       | 0.177 | 0.     | 0.     | 0.    | 0.   |

| Problem 473     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F(-2)  | F(-2)  | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 98      | 98   | 83          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.85        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.08 | 0.17        | 0.234 | 0.     | 0.     | 0.    | 0.   |

| Problem 474     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 42      | 42   | 42          | 38    | 0      | 109    | 0     | 0    |
| normalized size | 1       | 1.   | 1.          | 0.9   | 0.     | 2.6    | 0.    | 0.   |
| time (sec)      | N/A     | 0.07 | 0.044       | 0.036 | 0.     | 2.152  | 0.    | 0.   |

| Problem 475     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | F(-2)  | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 102     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.092 | 0.841       | 0.211 | 0.     | 0.     | 0.    | 0.   |

| Problem 476     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | F(-2)  | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 102     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.094 | 1.878       | 0.291 | 0.     | 0.     | 0.    | 0.   |

| Problem 477     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F(-2)  | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 206     | 206   | 251         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.22        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.297 | 1.333       | 0.183 | 0.     | 0.     | 0.    | 0.   |

| Problem 478     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F(-2)  | F(-2)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 130     | 130   | 142         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.09        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.073 | 0.47        | 0.236 | 0.     | 0.     | 0.    | 0.   |

| Problem 479     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 44      | 44    | 44          | 38    | 0      | 112    | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 0.86  | 0.     | 2.55   | 0.    | 0.   |
| time (sec)      | N/A     | 0.069 | 0.053       | 0.036 | 0.     | 1.951  | 0.    | 0.   |

| Problem 480     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | F(-2)  | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 106     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.087 | 0.838       | 0.206 | 0.     | 0.     | 0.    | 0.   |

| Problem 481     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | F(-2)  | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 106     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.089 | 1.929       | 0.293 | 0.     | 0.     | 0.    | 0.   |

| Problem 482     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 259     | 259   | 189         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.73        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.456 | 0.833       | 0.36  | 0.     | 0.     | 0.    | 0.   |

| Problem 483     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 391     | 391  | 272         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.7         | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.44 | 0.841       | 0.225 | 0.     | 0.     | 0.    | 0.   |

| Problem 484     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 259     | 259   | 182         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.7         | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.293 | 0.753       | 0.21  | 0.     | 0.     | 0.    | 0.   |



| Problem 485     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 218     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.138 | 0.192       | 0.434 | 0.     | 0.     | 0.    | 0.   |

| Problem 486     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 87      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.142 | 0.257       | 0.217 | 0.     | 0.     | 0.    | 0.   |

| Problem 487     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 684     | 684  | 436         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.64        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.81 | 3.21        | 0.267 | 0.     | 0.     | 0.    | 0.   |

| Problem 488     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 595     | 595   | 464         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.78        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.586 | 2.092       | 0.171 | 0.     | 0.     | 0.    | 0.   |

| Problem 489     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 466     | 466   | 326         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.7         | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.407 | 1.66        | 0.133 | 0.     | 0.     | 0.    | 0.   |

| Problem 490     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 426     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.159 | 0.205       | 0.162 | 0.     | 0.     | 0.    | 0.   |

| Problem 491     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 297     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.158 | 0.715       | 0.196 | 0.     | 0.     | 0.    | 0.   |

| Problem 492     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 906     | 906  | 989         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.09        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.96 | 4.218       | 0.259 | 0.     | 0.     | 0.    | 0.   |

| Problem 493     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 815     | 815   | 603         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.74        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.735 | 3.974       | 0.174 | 0.     | 0.     | 0.    | 0.   |

| Problem 494     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 698     | 698   | 477         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.68        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.577 | 4.335       | 0.13  | 0.     | 0.     | 0.    | 0.   |

| Problem 495     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 826     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.155 | 0.225       | 0.161 | 0.     | 0.     | 0.    | 0.   |

| Problem 496     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A    | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A  | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 501     | 0    | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.   | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.16 | 0.722       | 0.19  | 0.     | 0.     | 0.    | 0.   |

| Problem 497     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | N/A     | A     | A           | A     | F(-2)  | A      | A     | F(-1) |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 26      | 0     | 0           | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.102 | 0.477       | 0.355 | 0.     | 0.     | 0.    | 0.    |

| Problem 498     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 163     | 163   | 153         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.94        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.246 | 0.32        | 0.248 | 0.     | 0.     | 0.    | 0.   |

| Problem 499     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 109     | 109   | 109         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.207 | 0.254       | 0.217 | 0.     | 0.     | 0.    | 0.   |

| Problem 500     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 75      | 75    | 70          | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.93        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.116 | 0.074       | 0.097 | 0.     | 0.     | 0.    | 0.   |

| Problem 501     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 17      | 17    | 17          | 18    | 0      | 50     | 34    | 23    |
| normalized size | 1       | 1.    | 1.          | 1.06  | 0.     | 2.94   | 2.    | 1.35  |
| time (sec)      | N/A     | 0.036 | 0.007       | 0.003 | 0.     | 2.087  | 1.039 | 1.235 |

| Problem 502     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 26      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.102 | 3.219       | 0.099 | 0.     | 0.     | 0.    | 0.   |

| Problem 503     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 26      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.102 | 0.936       | 0.127 | 0.     | 0.     | 0.    | 0.   |

| Problem 504     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 376     | 376   | 293         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.78        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.537 | 1.234       | 0.338 | 0.     | 0.     | 0.    | 0.   |

| Problem 505     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 273     | 273   | 260         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.95        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.297 | 0.944       | 0.232 | 0.     | 0.     | 0.    | 0.   |

| Problem 506     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 134     | 134   | 158         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.18        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.165 | 0.933       | 0.237 | 0.     | 0.     | 0.    | 0.   |

| Problem 507     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 141     | 141   | 200         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.42        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.264 | 0.785       | 0.243 | 0.     | 0.     | 0.    | 0.   |

| Problem 508     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 162     | 162  | 248         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.53        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.36 | 1.325       | 0.285 | 0.     | 0.     | 0.    | 0.   |

| Problem 509     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 163     | 163   | 114         | 0     | 0      | 1137   | 0     | 0    |
| normalized size | 1       | 1.    | 0.7         | 0.    | 0.     | 6.98   | 0.    | 0.   |
| time (sec)      | N/A     | 0.269 | 0.483       | 0.239 | 0.     | 2.817  | 0.    | 0.   |

| Problem 510     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 414     | 414  | 305         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.74        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.39 | 1.523       | 0.224 | 0.     | 0.     | 0.    | 0.   |

| Problem 511     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 226     | 226   | 247         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.09        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.224 | 1.044       | 0.224 | 0.     | 0.     | 0.    | 0.   |

| Problem 512     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 273     | 273   | 260         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.95        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.312 | 1.003       | 0.236 | 0.     | 0.     | 0.    | 0.   |

| Problem 513     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 242     | 242   | 238         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.98        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.425 | 1.224       | 0.23  | 0.     | 0.     | 0.    | 0.   |

| Problem 514     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 252     | 252   | 291         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.15        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.436 | 3.157       | 0.238 | 0.     | 0.     | 0.    | 0.   |

| Problem 515     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 324     | 324   | 599         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.85        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.353 | 5.101       | 0.233 | 0.     | 0.     | 0.    | 0.   |

| Problem 516     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 315     | 315   | 303         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.96        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.265 | 1.513       | 0.226 | 0.     | 0.     | 0.    | 0.   |

| Problem 517     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 414     | 414   | 305         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.74        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.382 | 1.455       | 0.224 | 0.     | 0.     | 0.    | 0.   |

| Problem 518     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 376     | 376   | 293         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.78        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.539 | 1.203       | 0.235 | 0.     | 0.     | 0.    | 0.   |

| Problem 519     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 345     | 345   | 274         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.79        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.592 | 1.734       | 0.23  | 0.     | 0.     | 0.    | 0.   |

| Problem 520     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 465     | 465   | 685         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.47        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.375 | 3.562       | 0.247 | 0.     | 0.     | 0.    | 0.   |

| Problem 521     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 420     | 420   | 847         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.02        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.394 | 6.721       | 0.242 | 0.     | 0.     | 0.    | 0.   |

| Problem 522     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 345     | 345   | 270         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.78        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.587 | 2.079       | 0.233 | 0.     | 0.     | 0.    | 0.   |

| Problem 523     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 242     | 242  | 238         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.98        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.42 | 1.124       | 0.23  | 0.     | 0.     | 0.    | 0.   |

| Problem 524     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 141     | 141   | 200         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.42        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.258 | 0.705       | 0.243 | 0.     | 0.     | 0.    | 0.   |



| Problem 525     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 55      | 55    | 110         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.144 | 0.498       | 0.21  | 0.     | 0.     | 0.    | 0.   |

| Problem 526     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 99      | 99    | 79          | 0     | 0      | 803    | 0     | 0    |
| normalized size | 1       | 1.    | 0.8         | 0.    | 0.     | 8.11   | 0.    | 0.   |
| time (sec)      | N/A     | 0.213 | 0.364       | 0.231 | 0.     | 2.599  | 0.    | 0.   |

| Problem 527     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 265     | 265  | 118         | 0     | 0      | 1157   | 0     | 0    |
| normalized size | 1       | 1.   | 0.45        | 0.    | 0.     | 4.37   | 0.    | 0.   |
| time (sec)      | N/A     | 0.3  | 0.454       | 0.235 | 0.     | 3.114  | 0.    | 0.   |

| Problem 528     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 463     | 463  | 768         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.66        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.37 | 3.995       | 0.245 | 0.     | 0.     | 0.    | 0.   |

| Problem 529     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 252     | 252   | 514         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.04        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.422 | 2.668       | 0.238 | 0.     | 0.     | 0.    | 0.   |

| Problem 530     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 162     | 162   | 281         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.73        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.347 | 1.502       | 0.263 | 0.     | 0.     | 0.    | 0.   |

| Problem 531     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 98      | 98   | 106         | 0     | 0      | 803    | 0     | 0    |
| normalized size | 1       | 1.   | 1.08        | 0.    | 0.     | 8.19   | 0.    | 0.   |
| time (sec)      | N/A     | 0.21 | 0.429       | 0.231 | 0.     | 2.505  | 0.    | 0.   |

| Problem 532     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | A      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 96      | 96    | 105         | 0     | 117    | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.09        | 0.    | 1.22   | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.175 | 0.454       | 0.227 | 1.522  | 0.     | 0.    | 0.   |

| Problem 533     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 255     | 255   | 180         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.71        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.262 | 0.598       | 0.227 | 0.     | 0.     | 0.    | 0.   |

| Problem 534     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | B           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 419     | 419  | 850         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 2.03        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.38 | 5.793       | 0.247 | 0.     | 0.     | 0.    | 0.   |

| Problem 535     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 324     | 324   | 601         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.85        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.341 | 4.432       | 0.232 | 0.     | 0.     | 0.    | 0.   |

| Problem 536     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 164     | 164   | 126         | 0     | 0      | 1137   | 0     | 0    |
| normalized size | 1       | 1.    | 0.77        | 0.    | 0.     | 6.93   | 0.    | 0.   |
| time (sec)      | N/A     | 0.256 | 0.487       | 0.242 | 0.     | 3.246  | 0.    | 0.   |

| Problem 537     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 265     | 265   | 130         | 0     | 0      | 1157   | 0     | 0    |
| normalized size | 1       | 1.    | 0.49        | 0.    | 0.     | 4.37   | 0.    | 0.   |
| time (sec)      | N/A     | 0.286 | 0.462       | 0.229 | 0.     | 3.435  | 0.    | 0.   |

| Problem 538     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 255     | 255   | 184         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.72        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.252 | 0.624       | 0.23  | 0.     | 0.     | 0.    | 0.   |

| Problem 539     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | A      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 188     | 188   | 178         | 0     | 239    | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.95        | 0.    | 1.27   | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.202 | 0.582       | 0.228 | 1.54   | 0.     | 0.    | 0.   |

| Problem 540     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 613     | 613  | 555         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.91        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.01 | 2.291       | 0.311 | 0.     | 0.     | 0.    | 0.   |

| Problem 541     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 455     | 455   | 437         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.96        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.571 | 1.786       | 0.262 | 0.     | 0.     | 0.    | 0.   |

| Problem 542     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 222     | 222   | 288         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.3         | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.299 | 1.013       | 0.266 | 0.     | 0.     | 0.    | 0.   |

| Problem 543     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 230     | 230   | 296         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.29        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.441 | 1.148       | 0.271 | 0.     | 0.     | 0.    | 0.   |

| Problem 544     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 530     | 530   | 547         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.03        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.948 | 3.712       | 0.214 | 0.     | 0.     | 0.    | 0.   |

| Problem 545     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 486     | 486   | 694         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.43        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.119 | 7.947       | 0.267 | 0.     | 0.     | 0.    | 0.   |

| Problem 546     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 697     | 697  | 574         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.82        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.8  | 3.525       | 0.256 | 0.     | 0.     | 0.    | 0.   |

| Problem 547     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 362     | 362   | 373         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.03        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.431 | 1.839       | 0.25  | 0.     | 0.     | 0.    | 0.   |

| Problem 548     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 455     | 455   | 440         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.97        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.592 | 1.808       | 0.267 | 0.     | 0.     | 0.    | 0.   |

| Problem 549     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 398     | 398   | 358         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.9         | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.578 | 2.237       | 0.262 | 0.     | 0.     | 0.    | 0.   |

| Problem 550     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 714     | 714   | 1086        | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.52        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.085 | 7.328       | 0.201 | 0.     | 0.     | 0.    | 0.   |

| Problem 551     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 544     | 544   | 1430        | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.63        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.154 | 9.594       | 0.204 | 0.     | 0.     | 0.    | 0.   |

| Problem 552     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 502     | 502   | 450         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.9         | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.568 | 2.836       | 0.256 | 0.     | 0.     | 0.    | 0.   |

| Problem 553     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 697     | 697   | 574         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.82        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.794 | 3.667       | 0.259 | 0.     | 0.     | 0.    | 0.   |

| Problem 554     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 613     | 613   | 555         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.91        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.003 | 2.329       | 0.275 | 0.     | 0.     | 0.    | 0.   |

| Problem 555     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 559     | 559   | 473         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.85        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.688 | 3.263       | 0.266 | 0.     | 0.     | 0.    | 0.   |

| Problem 556     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 918     | 918   | 2279        | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.48        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.273 | 10.767      | 0.217 | 0.     | 0.     | 0.    | 0.   |

| Problem 557     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 729     | 729   | 2326        | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.19        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.303 | 12.45       | 0.204 | 0.     | 0.     | 0.    | 0.   |

| Problem 558     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 559     | 559  | 434         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.78        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.66 | 3.562       | 0.263 | 0.     | 0.     | 0.    | 0.   |

| Problem 559     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 398     | 398   | 344         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.86        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.562 | 2.159       | 0.265 | 0.     | 0.     | 0.    | 0.   |

| Problem 560     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 231     | 231   | 298         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.29        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.442 | 1.127       | 0.273 | 0.     | 0.     | 0.    | 0.   |

| Problem 561     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 55      | 55    | 159         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.89        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.238 | 0.921       | 0.24  | 0.     | 0.     | 0.    | 0.   |

| Problem 562     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 455     | 455   | 225         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.49        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.672 | 1.726       | 0.267 | 0.     | 0.     | 0.    | 0.   |

| Problem 563     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 896     | 896   | 536         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.6         | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.239 | 7.394       | 0.263 | 0.     | 0.     | 0.    | 0.   |

| Problem 564     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 918     | 918   | 2029        | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.21        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.275 | 13.589      | 0.207 | 0.     | 0.     | 0.    | 0.   |



| Problem 565     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 713     | 713   | 1247        | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.75        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.049 | 10.44       | 0.202 | 0.     | 0.     | 0.    | 0.   |

| Problem 566     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 530     | 530   | 513         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.97        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.909 | 5.926       | 0.217 | 0.     | 0.     | 0.    | 0.   |

| Problem 567     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 454     | 454   | 221         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.49        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.659 | 1.689       | 0.26  | 0.     | 0.     | 0.    | 0.   |

| Problem 568     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | F     | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 217     | 217   | 550         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.53        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.377 | 1.336       | 0.253 | 0.     | 0.     | 0.    | 0.   |

| Problem 569     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 709     | 709   | 735         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.04        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.839 | 8.233       | 0.257 | 0.     | 0.     | 0.    | 0.   |

| Problem 570     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 730     | 730   | 2300        | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.15        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.291 | 12.896      | 0.202 | 0.     | 0.     | 0.    | 0.   |

| Problem 571     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 544     | 544   | 1411        | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.59        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.145 | 9.92        | 0.206 | 0.     | 0.     | 0.    | 0.   |

| Problem 572     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 486     | 486  | 683         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.41        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.07 | 8.236       | 0.273 | 0.     | 0.     | 0.    | 0.   |

| Problem 573     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 896     | 896   | 388         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.43        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.231 | 6.602       | 0.257 | 0.     | 0.     | 0.    | 0.   |

| Problem 574     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 709     | 709   | 760         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.07        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.836 | 8.29        | 0.257 | 0.     | 0.     | 0.    | 0.   |

| Problem 575     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 366     | 366   | 722         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.97        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.474 | 9.408       | 0.259 | 0.     | 0.     | 0.    | 0.   |

| Problem 576     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 351     | 351   | 297         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.85        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.705 | 1.139       | 0.648 | 0.     | 0.     | 0.    | 0.   |

| Problem 577     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | A      | F(-1) | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 225     | 225   | 178         | 0     | 0      | 435    | 0     | 610  |
| normalized size | 1       | 1.    | 0.79        | 0.    | 0.     | 1.93   | 0.    | 2.71 |
| time (sec)      | N/A     | 0.395 | 0.585       | 0.361 | 0.     | 2.448  | 0.    | 1.6  |

| Problem 578     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 222     | 222  | 288         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.3         | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.29 | 1.099       | 0.    | 0.     | 0.     | 0.    | 0.   |

| Problem 579     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 432     | 432   | 434         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.681 | 2.292       | 0.296 | 0.     | 0.     | 0.    | 0.   |

| Problem 580     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 257     | 257   | 373         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.45        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.594 | 1.188       | 0.431 | 0.     | 0.     | 0.    | 0.   |

| Problem 581     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 509     | 509   | 452         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.89        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.026 | 2.157       | 0.616 | 0.     | 0.     | 0.    | 0.   |

| Problem 582     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | F     | F(-2)  | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 338     | 338   | 207         | 0     | 0      | 691    | 0     | 1897  |
| normalized size | 1       | 1.    | 0.61        | 0.    | 0.     | 2.04   | 0.    | 5.61  |
| time (sec)      | N/A     | 0.507 | 0.816       | 0.35  | 0.     | 2.533  | 0.    | 2.153 |

| Problem 583     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 362     | 362   | 373         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.03        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.422 | 1.631       | 0.    | 0.     | 0.     | 0.    | 0.   |

| Problem 584     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 647     | 647   | 632         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.98        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.941 | 4.943       | 0.279 | 0.     | 0.     | 0.    | 0.   |

| Problem 585     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 505     | 505   | 538         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.07        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.807 | 2.266       | 0.419 | 0.     | 0.     | 0.    | 0.   |

| Problem 586     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 250     | 250   | 326         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.3         | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.582 | 1.302       | 0.331 | 0.     | 0.     | 0.    | 0.   |

| Problem 587     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 177     | 177   | 150         | 0     | 0      | 302    | 0     | 0    |
| normalized size | 1       | 1.    | 0.85        | 0.    | 0.     | 1.71   | 0.    | 0.   |
| time (sec)      | N/A     | 0.377 | 0.66        | 0.365 | 0.     | 2.332  | 0.    | 0.   |

| Problem 588     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 55      | 55    | 159         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.89        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.232 | 0.647       | 0.    | 0.     | 0.     | 0.    | 0.   |

| Problem 589     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 287     | 287  | 336         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.17        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.58 | 1.503       | 0.289 | 0.     | 0.     | 0.    | 0.   |

| Problem 590     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 214     | 214   | 189         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.88        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.584 | 1.12        | 0.526 | 0.     | 0.     | 0.    | 0.   |

| Problem 591     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 295     | 295   | 636         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.16        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.743 | 2.53        | 0.338 | 0.     | 0.     | 0.    | 0.   |

| Problem 592     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 244     | 244   | 453         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.86        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.488 | 1.347       | 0.38  | 0.     | 0.     | 0.    | 0.   |

| Problem 593     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | F     | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 217     | 217   | 550         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.53        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.383 | 0.776       | 0.    | 0.     | 0.     | 0.    | 0.   |

| Problem 594     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 548     | 548   | 877         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.6         | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.853 | 5.747       | 0.284 | 0.     | 0.     | 0.    | 0.   |

| Problem 595     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 396     | 396   | 564         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.42        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.858 | 2.476       | 0.49  | 0.     | 0.     | 0.    | 0.   |

| Problem 596     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 152     | 152  | 115         | 201   | 247    | 308    | 223   | 439   |
| normalized size | 1       | 1.   | 0.76        | 1.32  | 1.62   | 2.03   | 1.47  | 2.89  |
| time (sec)      | N/A     | 0.15 | 0.114       | 0.005 | 1.463  | 2.278  | 7.818 | 1.216 |

| Problem 597     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 149     | 149   | 116         | 177   | 252    | 286    | 206   | 454   |
| normalized size | 1       | 1.    | 0.78        | 1.19  | 1.69   | 1.92   | 1.38  | 3.05  |
| time (sec)      | N/A     | 0.117 | 0.082       | 0.006 | 1.475  | 2.345  | 5.268 | 1.268 |

| Problem 598     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 120     | 120   | 96          | 161   | 192    | 250    | 172   | 293   |
| normalized size | 1       | 1.    | 0.8         | 1.34  | 1.6    | 2.08   | 1.43  | 2.44  |
| time (sec)      | N/A     | 0.127 | 0.091       | 0.004 | 1.447  | 2.387  | 2.593 | 1.324 |

| Problem 599     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 122     | 122   | 95          | 137   | 197    | 234    | 153   | 273   |
| normalized size | 1       | 1.    | 0.78        | 1.12  | 1.61   | 1.92   | 1.25  | 2.24  |
| time (sec)      | N/A     | 0.088 | 0.064       | 0.005 | 1.449  | 2.347  | 1.395 | 1.272 |

| Problem 600     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 81      | 81    | 71          | 111   | 123    | 186    | 109   | 154   |
| normalized size | 1       | 1.    | 0.88        | 1.37  | 1.52   | 2.3    | 1.35  | 1.9   |
| time (sec)      | N/A     | 0.065 | 0.065       | 0.003 | 1.442  | 2.498  | 0.689 | 1.232 |

| Problem 601     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 132     | 132   | 108         | 177   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.82        | 1.34  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.239 | 0.2         | 0.205 | 0.     | 0.     | 0.    | 0.   |

| Problem 602     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 66      | 66    | 71          | 79    | 107    | 244    | 75    | 1399  |
| normalized size | 1       | 1.    | 1.08        | 1.2   | 1.62   | 3.7    | 1.14  | 21.2  |
| time (sec)      | N/A     | 0.077 | 0.055       | 0.008 | 1.437  | 3.09   | 4.115 | 1.753 |

| Problem 603     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 119     | 119   | 104         | 174   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.87        | 1.46  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.223 | 0.11        | 0.287 | 0.     | 0.     | 0.    | 0.   |

| Problem 604     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 85      | 85    | 109         | 120   | 161    | 277    | 170   | 581   |
| normalized size | 1       | 1.    | 1.28        | 1.41  | 1.89   | 3.26   | 2.    | 6.84  |
| time (sec)      | N/A     | 0.087 | 0.047       | 0.01  | 1.439  | 2.457  | 5.272 | 13.46 |



| Problem 605     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 241     | 241   | 187         | 339   | 424    | 540    | 415    | 805   |
| normalized size | 1       | 1.    | 0.78        | 1.41  | 1.76   | 2.24   | 1.72   | 3.34  |
| time (sec)      | N/A     | 0.318 | 0.205       | 0.005 | 1.475  | 2.083  | 23.995 | 1.261 |

| Problem 606     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|------|
| grade           | A       | A     | A           | A     | A      | A      | A      | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD  |
| size            | 241     | 241   | 190         | 303   | 432    | 517    | 382    | 861  |
| normalized size | 1       | 1.    | 0.79        | 1.26  | 1.79   | 2.15   | 1.59   | 3.57 |
| time (sec)      | N/A     | 0.251 | 0.163       | 0.007 | 1.475  | 2.145  | 15.678 | 1.25 |

| Problem 607     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 198     | 198   | 158         | 279   | 342    | 450    | 333   | 576   |
| normalized size | 1       | 1.    | 0.8         | 1.41  | 1.73   | 2.27   | 1.68  | 2.91  |
| time (sec)      | N/A     | 0.221 | 0.184       | 0.004 | 1.467  | 2.041  | 8.288 | 1.261 |

| Problem 608     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 183     | 183   | 159         | 243   | 350    | 414    | 299   | 571   |
| normalized size | 1       | 1.    | 0.87        | 1.33  | 1.91   | 2.26   | 1.63  | 3.12  |
| time (sec)      | N/A     | 0.176 | 0.143       | 0.004 | 1.461  | 2.113  | 5.862 | 1.351 |

| Problem 609     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 150     | 150   | 125         | 209   | 246    | 348    | 240   | 355  |
| normalized size | 1       | 1.    | 0.83        | 1.39  | 1.64   | 2.32   | 1.6   | 2.37 |
| time (sec)      | N/A     | 0.136 | 0.151       | 0.006 | 1.457  | 2.035  | 2.859 | 1.25 |

| Problem 610     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 229     | 229   | 184         | 272   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.8         | 1.19  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.335 | 0.465       | 0.208 | 0.     | 0.     | 0.    | 0.   |

| Problem 611     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 126     | 126   | 129         | 168   | 204    | 385    | 167   | 5733  |
| normalized size | 1       | 1.    | 1.02        | 1.33  | 1.62   | 3.06   | 1.33  | 45.5  |
| time (sec)      | N/A     | 0.184 | 0.138       | 0.008 | 1.462  | 2.755  | 5.774 | 3.077 |

| Problem 612     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 185     | 185   | 159         | 248   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.86        | 1.34  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.338 | 0.333       | 0.371 | 0.     | 0.     | 0.    | 0.   |

| Problem 613     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac   |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|--------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B      |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD    |
| size            | 126     | 126   | 140         | 156   | 215    | 393    | 219   | 3429   |
| normalized size | 1       | 1.    | 1.11        | 1.24  | 1.71   | 3.12   | 1.74  | 27.21  |
| time (sec)      | N/A     | 0.201 | 0.163       | 0.01  | 1.451  | 2.867  | 7.151 | 84.875 |

| Problem 614     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 341     | 341   | 271         | 497   | 628    | 846    | 631    | 1253  |
| normalized size | 1       | 1.    | 0.79        | 1.46  | 1.84   | 2.48   | 1.85   | 3.67  |
| time (sec)      | N/A     | 0.435 | 0.262       | 0.016 | 1.495  | 2.065  | 65.626 | 1.362 |

| Problem 615     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 380     | 380   | 276         | 449   | 639    | 776    | 597   | 1386  |
| normalized size | 1       | 1.    | 0.73        | 1.18  | 1.68   | 2.04   | 1.57  | 3.65  |
| time (sec)      | N/A     | 0.508 | 0.242       | 0.006 | 1.489  | 2.211  | 46.39 | 1.329 |

| Problem 616     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|------|
| grade           | A       | A     | A           | A     | A      | A      | A      | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD  |
| size            | 287     | 287   | 231         | 417   | 518    | 679    | 525    | 942  |
| normalized size | 1       | 1.    | 0.8         | 1.45  | 1.8    | 2.37   | 1.83   | 3.28 |
| time (sec)      | N/A     | 0.373 | 0.226       | 0.006 | 1.474  | 2.063  | 24.827 | 1.29 |

| Problem 617     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 258     | 258   | 232         | 369   | 529    | 636    | 483    | 987   |
| normalized size | 1       | 1.    | 0.9         | 1.43  | 2.05   | 2.47   | 1.87   | 3.83  |
| time (sec)      | N/A     | 0.268 | 0.2         | 0.005 | 1.489  | 2.158  | 16.905 | 1.239 |

| Problem 618     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 225     | 225   | 187         | 325   | 394    | 537    | 389   | 633   |
| normalized size | 1       | 1.    | 0.83        | 1.44  | 1.75   | 2.39   | 1.73  | 2.81  |
| time (sec)      | N/A     | 0.251 | 0.244       | 0.005 | 1.468  | 2.057  | 8.864 | 1.299 |

| Problem 619     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 357     | 357   | 278         | 392   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.78        | 1.1   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.476 | 0.371       | 0.342 | 0.     | 0.     | 0.    | 0.   |

| Problem 620     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 190     | 190   | 183         | 264   | 325    | 539    | 272   | 14533 |
| normalized size | 1       | 1.    | 0.96        | 1.39  | 1.71   | 2.84   | 1.43  | 76.49 |
| time (sec)      | N/A     | 0.271 | 0.202       | 0.01  | 1.45   | 3.295  | 9.288 | 6.895 |

| Problem 621     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 262     | 262   | 220         | 345   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.84        | 1.32  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.779 | 0.415       | 0.599 | 0.     | 0.     | 0.    | 0.   |

| Problem 622     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|------|
| grade           | A       | A     | A           | A     | A      | A      | A      | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD  |
| size            | 186     | 186   | 194         | 249   | 312    | 541    | 311    | 0    |
| normalized size | 1       | 1.    | 1.04        | 1.34  | 1.68   | 2.91   | 1.67   | 0.   |
| time (sec)      | N/A     | 0.315 | 0.252       | 0.01  | 1.471  | 4.128  | 10.327 | 0.   |

| Problem 623     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A      | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 317     | 317  | 260         | 465   | 572    | 782    | 593    | 1004  |
| normalized size | 1       | 1.   | 0.82        | 1.47  | 1.8    | 2.47   | 1.87   | 3.17  |
| time (sec)      | N/A     | 0.34 | 0.307       | 0.004 | 1.495  | 2.482  | 25.235 | 1.392 |

| Problem 624     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F     | F(-2) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 653     | 653   | 515         | 363   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.79        | 0.56  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 1.053 | 0.93        | 1.555 | 0.     | 0.     | 0.    | 0.    |

| Problem 625     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 559     | 559   | 454         | 2854  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.81        | 5.11  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.911 | 0.358       | 0.512 | 0.     | 0.     | 0.    | 0.   |

| Problem 626     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F     | F(-2) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 579     | 579   | 456         | 285   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.79        | 0.49  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.904 | 0.349       | 0.344 | 0.     | 0.     | 0.    | 0.    |

| Problem 627     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 491     | 491   | 399         | 2749  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.81        | 5.6   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.736 | 0.142       | 0.221 | 0.     | 0.     | 0.    | 0.   |

| Problem 628     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 541     | 541   | 490         | 236   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.91        | 0.44  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.739 | 0.411       | 0.062 | 0.     | 0.     | 0.    | 0.   |

| Problem 629     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | C     | F      | F      | F     | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 518     | 518  | 441         | 355   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.85        | 0.69  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.93 | 0.714       | 0.158 | 0.     | 0.     | 0.    | 0.   |

| Problem 630     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F     | F(-2) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 579     | 579   | 455         | 363   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.79        | 0.63  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.916 | 0.377       | 0.511 | 0.     | 0.     | 0.    | 0.    |

| Problem 631     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 573     | 573   | 483         | 419   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.84        | 0.73  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.988 | 2.275       | 0.237 | 0.     | 0.     | 0.    | 0.   |

| Problem 632     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 649     | 649   | 531         | 472   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.82        | 0.73  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.962 | 0.435       | 0.544 | 0.     | 0.     | 0.    | 0.   |

| Problem 633     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 574     | 574   | 593         | 2907  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.03        | 5.06  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.956 | 1.034       | 0.523 | 0.     | 0.     | 0.    | 0.   |

| Problem 634     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 83      | 83    | 87          | 414   | 0      | 830    | 0     | 0    |
| normalized size | 1       | 1.    | 1.05        | 4.99  | 0.     | 10.    | 0.    | 0.   |
| time (sec)      | N/A     | 0.059 | 0.147       | 0.032 | 0.     | 2.716  | 0.    | 0.   |

| Problem 635     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | F           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 597     | 597   | 0           | 491   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 0.82  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.009 | 3.624       | 0.234 | 0.     | 0.     | 0.    | 0.   |

| Problem 636     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | F           | C     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 632     | 632   | 0           | 679   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.          | 1.07  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 1.045 | 5.861       | 0.346 | 0.     | 0.     | 0.    | 0.    |

| Problem 637     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 787     | 787   | 649         | 1738  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.82        | 2.21  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 2.027 | 1.51        | 1.484 | 0.     | 0.     | 0.    | 0.   |

| Problem 638     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F     | F(-2) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 745     | 745   | 603         | 1677  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.81        | 2.25  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 1.943 | 1.17        | 0.645 | 0.     | 0.     | 0.    | 0.    |

| Problem 639     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 757     | 757   | 591         | 1687  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.78        | 2.23  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.995 | 1.691       | 0.547 | 0.     | 0.     | 0.    | 0.   |

| Problem 640     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 795     | 795   | 672         | 1839  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.85        | 2.31  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 1.998 | 1.476       | 2.112 | 0.     | 0.     | 0.    | 0.    |

| Problem 641     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 705     | 705   | 973         | 5124  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.38        | 7.27  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.095 | 6.486       | 1.639 | 0.     | 0.     | 0.    | 0.   |

| Problem 642     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | B      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 153     | 153   | 152         | 1055  | 0      | 1891   | 0     | 0    |
| normalized size | 1       | 1.    | 0.99        | 6.9   | 0.     | 12.36  | 0.    | 0.   |
| time (sec)      | N/A     | 0.194 | 0.537       | 0.018 | 0.     | 3.999  | 0.    | 0.   |

| Problem 643     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | B      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 133     | 133   | 141         | 1017  | 0      | 1604   | 0     | 0    |
| normalized size | 1       | 1.    | 1.06        | 7.65  | 0.     | 12.06  | 0.    | 0.   |
| time (sec)      | N/A     | 0.095 | 0.576       | 0.012 | 0.     | 3.902  | 0.    | 0.   |

| Problem 644     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | F           | C     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 727     | 727   | 0           | 1379  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.          | 1.9   | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 1.132 | 6.628       | 0.461 | 0.     | 0.     | 0.    | 0.    |



| Problem 645     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | F           | C     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 783     | 783   | 0           | 1816  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.          | 2.32  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 1.175 | 9.259       | 0.622 | 0.     | 0.     | 0.    | 0.    |

| Problem 646     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 1082    | 1082  | 1014        | 3107  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.94        | 2.87  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 3.384 | 5.883       | 1.096 | 0.     | 0.     | 0.    | 0.   |

| Problem 647     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 1092    | 1092  | 1064        | 2259  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.97        | 2.07  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 2.611 | 6.029       | 1.247 | 0.     | 0.     | 0.    | 0.   |

| Problem 648     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 1092    | 1092  | 1055        | 3110  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.97        | 2.85  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.248 | 6.063       | 0.734 | 0.     | 0.     | 0.    | 0.   |

| Problem 649     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 22      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.022 | 5.899       | 0.514 | 0.     | 0.     | 0.    | 0.   |

| Problem 650     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 22      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.023 | 4.091       | 0.421 | 0.     | 0.     | 0.    | 0.   |

| Problem 651     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F(-2)  | B      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 70      | 70    | 74          | 0     | 0      | 651    | 0     | 0    |
| normalized size | 1       | 1.    | 1.06        | 0.    | 0.     | 9.3    | 0.    | 0.   |
| time (sec)      | N/A     | 0.099 | 0.117       | 0.313 | 0.     | 2.31   | 0.    | 0.   |

| Problem 652     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | F     | F      | B      | F(-1) | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 146     | 146  | 190         | 0     | 0      | 1418   | 0     | 0    |
| normalized size | 1       | 1.   | 1.3         | 0.    | 0.     | 9.71   | 0.    | 0.   |
| time (sec)      | N/A     | 0.16 | 0.24        | 0.323 | 0.     | 2.708  | 0.    | 0.   |

| Problem 653     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | F     | F      | B      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 226     | 226   | 188         | 0     | 0      | 2700   | 0     | 0    |
| normalized size | 1       | 1.    | 0.83        | 0.    | 0.     | 11.95  | 0.    | 0.   |
| time (sec)      | N/A     | 0.825 | 0.433       | 0.325 | 0.     | 3.492  | 0.    | 0.   |

| Problem 654     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | F           | F      | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | N/A         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 484     | 455   | 0           | 0      | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.94  | 0.          | 0.     | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 2.376 | 5.318       | 22.783 | 0.     | 0.     | 0.    | 0.   |

| Problem 655     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 293     | 272   | 224         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.93  | 0.76        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.415 | 0.28        | 8.931 | 0.     | 0.     | 0.    | 0.   |

| Problem 656     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 161     | 148   | 122         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.92  | 0.76        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.166 | 0.18        | 3.367 | 0.     | 0.     | 0.    | 0.   |

| Problem 657     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 25      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.062 | 8.545       | 0.883 | 0.     | 0.     | 0.    | 0.   |

| Problem 658     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 25      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.059 | 10.292      | 0.393 | 0.     | 0.     | 0.    | 0.   |

| Problem 659     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | B     | A      | A      | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 569     | 569   | 435         | 1194  | 944    | 1277   | 989    | 1642  |
| normalized size | 1       | 1.    | 0.76        | 2.1   | 1.66   | 2.24   | 1.74   | 2.89  |
| time (sec)      | N/A     | 0.963 | 0.494       | 0.125 | 1.53   | 2.26   | 17.951 | 1.387 |

| Problem 660     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | A      | A      | A     | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 335     | 335   | 291         | 635   | 590    | 790    | 595   | 915  |
| normalized size | 1       | 1.    | 0.87        | 1.9   | 1.76   | 2.36   | 1.78  | 2.73 |
| time (sec)      | N/A     | 0.557 | 0.321       | 0.075 | 1.481  | 2.19   | 6.242 | 1.33 |

| Problem 661     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 156     | 156   | 148         | 276   | 298    | 400    | 279   | 400   |
| normalized size | 1       | 1.    | 0.95        | 1.77  | 1.91   | 2.56   | 1.79  | 2.56  |
| time (sec)      | N/A     | 0.261 | 0.244       | 0.049 | 1.447  | 2.035  | 1.594 | 1.322 |

| Problem 662     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 47      | 47   | 47          | 72    | 97     | 159    | 82    | 101  |
| normalized size | 1       | 1.   | 1.          | 1.53  | 2.06   | 3.38   | 1.74  | 2.15 |
| time (sec)      | N/A     | 0.06 | 0.042       | 0.042 | 1.415  | 1.972  | 0.301 | 1.27 |

| Problem 663     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F(-2)  | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 821     | 821   | 1101        | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.34        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.342 | 0.777       | 0.711 | 0.     | 0.     | 0.    | 0.   |

| Problem 664     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.037 | 16.879      | 0.379 | 0.     | 0.     | 0.    | 0.   |

| Problem 665     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.039 | 12.131      | 0.368 | 0.     | 0.     | 0.    | 0.   |

| Problem 666     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.044 | 3.918       | 0.293 | 0.     | 0.     | 0.    | 0.   |

| Problem 667     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.044 | 8.17        | 0.301 | 0.     | 0.     | 0.    | 0.   |

| Problem 668     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 387     | 379  | 253         | 310   | 0      | 0      | 0     | 846   |
| normalized size | 1       | 0.98 | 0.65        | 0.8   | 0.     | 0.     | 0.    | 2.19  |
| time (sec)      | N/A     | 0.77 | 0.615       | 0.046 | 0.     | 0.     | 0.    | 1.394 |

| Problem 669     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 179     | 175   | 125         | 142   | 0      | 0      | 0     | 317   |
| normalized size | 1       | 0.98  | 0.7         | 0.79  | 0.     | 0.     | 0.    | 1.77  |
| time (sec)      | N/A     | 0.335 | 0.268       | 0.038 | 0.     | 0.     | 0.    | 1.243 |

| Problem 670     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 53      | 53    | 44          | 48    | 0      | 0      | 0     | 66    |
| normalized size | 1       | 1.    | 0.83        | 0.91  | 0.     | 0.     | 0.    | 1.25  |
| time (sec)      | N/A     | 0.063 | 0.025       | 0.026 | 0.     | 0.     | 0.    | 1.328 |

| Problem 671     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 22      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.036 | 0.684       | 0.523 | 0.     | 0.     | 0.    | 0.   |

| Problem 672     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | F(-2) |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 22      | 0     | 0           | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.034 | 3.451       | 1.979 | 0.     | 0.     | 0.    | 0.    |

| Problem 673     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.042 | 1.252       | 0.253 | 0.     | 0.     | 0.    | 0.   |

| Problem 674     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.044 | 1.101       | 0.235 | 0.     | 0.     | 0.    | 0.   |

| Problem 675     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.047 | 1.57        | 0.184 | 0.     | 0.     | 0.    | 0.   |

| Problem 676     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.048 | 3.787       | 0.185 | 0.     | 0.     | 0.    | 0.   |

| Problem 677     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-1)  | F      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 498     | 486   | 359         | 795   | 0      | 0      | 0     | 3137  |
| normalized size | 1       | 0.98  | 0.72        | 1.6   | 0.     | 0.     | 0.    | 6.3   |
| time (sec)      | N/A     | 0.761 | 2.081       | 0.092 | 0.     | 0.     | 0.    | 1.672 |

| Problem 678     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-1)  | F      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 249     | 241   | 191         | 367   | 0      | 0      | 0     | 1222  |
| normalized size | 1       | 0.97  | 0.77        | 1.47  | 0.     | 0.     | 0.    | 4.91  |
| time (sec)      | N/A     | 0.418 | 0.943       | 0.071 | 0.     | 0.     | 0.    | 1.491 |

| Problem 679     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-1)  | F      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 86      | 82    | 72          | 76    | 0      | 0      | 0     | 259   |
| normalized size | 1       | 0.95  | 0.84        | 0.88  | 0.     | 0.     | 0.    | 3.01  |
| time (sec)      | N/A     | 0.168 | 0.163       | 0.    | 0.     | 0.     | 0.    | 1.305 |

| Problem 680     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 22      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.034 | 20.526      | 0.688 | 0.     | 0.     | 0.    | 0.   |

| Problem 681     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | F(-1) | F(-1) |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 22      | 0     | 0           | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.033 | 49.753      | 2.052 | 0.     | 0.     | 0.    | 0.    |

| Problem 682     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A    | A           | A     | F(-1)  | A      | A     | A    |
| verified        | N/A     | N/A  | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 24      | 0    | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.   | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.04 | 6.871       | 0.261 | 0.     | 0.     | 0.    | 0.   |

| Problem 683     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.041 | 11.193      | 0.242 | 0.     | 0.     | 0.    | 0.   |

| Problem 684     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.044 | 25.026      | 0.187 | 0.     | 0.     | 0.    | 0.   |



| Problem 685     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-1)  | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.043 | 48.412      | 0.185 | 0.     | 0.     | 0.    | 0.   |

| Problem 686     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F      | F(-2)  | F     | C     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 754     | 754   | 400         | 1137  | 0      | 0      | 0     | 1751  |
| normalized size | 1       | 1.    | 0.53        | 1.51  | 0.     | 0.     | 0.    | 2.32  |
| time (sec)      | N/A     | 2.265 | 1.56        | 0.159 | 0.     | 0.     | 0.    | 3.219 |

| Problem 687     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F      | F(-2)  | F     | C     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 369     | 369   | 244         | 542   | 0      | 0      | 0     | 865   |
| normalized size | 1       | 1.    | 0.66        | 1.47  | 0.     | 0.     | 0.    | 2.34  |
| time (sec)      | N/A     | 1.027 | 0.614       | 0.112 | 0.     | 0.     | 0.    | 2.384 |

| Problem 688     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F      | F(-2)  | F     | C     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 120     | 120   | 119         | 178   | 0      | 0      | 0     | 266   |
| normalized size | 1       | 1.    | 0.99        | 1.48  | 0.     | 0.     | 0.    | 2.22  |
| time (sec)      | N/A     | 0.271 | 0.093       | 0.001 | 0.     | 0.     | 0.    | 1.508 |

| Problem 689     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | F(-2)  | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.053 | 9.965       | 0.202 | 0.     | 0.     | 0.    | 0.   |

| Problem 690     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | N/A     | A     | A           | A     | A      | F(-2)  | A     | F(-2) |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.049 | 21.252      | 0.501 | 0.     | 0.     | 0.    | 0.    |

| Problem 691     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | F      | F(-2)  | F     | C     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 482     | 482   | 873         | 835   | 0      | 0      | 0     | 2699  |
| normalized size | 1       | 1.    | 1.81        | 1.73  | 0.     | 0.     | 0.    | 5.6   |
| time (sec)      | N/A     | 1.424 | 10.102      | 0.154 | 0.     | 0.     | 0.    | 3.823 |

| Problem 692     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | F      | F(-2)  | F     | C     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 159     | 159   | 291         | 270   | 0      | 0      | 0     | 879   |
| normalized size | 1       | 1.    | 1.83        | 1.7   | 0.     | 0.     | 0.    | 5.53  |
| time (sec)      | N/A     | 0.232 | 2.742       | 0.    | 0.     | 0.     | 0.    | 2.181 |

| Problem 693     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | F(-2)  | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.062 | 3.384       | 0.204 | 0.     | 0.     | 0.    | 0.   |

| Problem 694     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | N/A     | A     | A           | A     | A      | F(-2)  | F(-1) | F(-2) |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.059 | 11.302      | 0.562 | 0.     | 0.     | 0.    | 0.    |

| Problem 695     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F      | F(-2)  | F     | C     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 679     | 679   | 401         | 545   | 0      | 0      | 0     | 1314  |
| normalized size | 1       | 1.    | 0.59        | 0.8   | 0.     | 0.     | 0.    | 1.94  |
| time (sec)      | N/A     | 1.504 | 1.574       | 0.101 | 0.     | 0.     | 0.    | 3.086 |

| Problem 696     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F      | F(-2)  | F     | C     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 329     | 329   | 246         | 248   | 0      | 0      | 0     | 655   |
| normalized size | 1       | 1.    | 0.75        | 0.75  | 0.     | 0.     | 0.    | 1.99  |
| time (sec)      | N/A     | 0.637 | 0.605       | 0.068 | 0.     | 0.     | 0.    | 2.567 |

| Problem 697     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F      | F(-2)  | F     | C     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 101     | 101   | 121         | 83    | 0      | 0      | 0     | 215   |
| normalized size | 1       | 1.    | 1.2         | 0.82  | 0.     | 0.     | 0.    | 2.13  |
| time (sec)      | N/A     | 0.095 | 0.096       | 0.    | 0.     | 0.     | 0.    | 1.791 |

| Problem 698     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | F(-2)  | F(-2)  | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.057 | 0.145       | 0.209 | 0.     | 0.     | 0.    | 0.   |

| Problem 699     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | N/A     | A     | A           | A     | A      | F(-2)  | F(-1) | F(-2) |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.054 | 0.279       | 0.478 | 0.     | 0.     | 0.    | 0.    |

| Problem 700     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 394     | 394   | 417         | 446   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.06        | 1.13  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.798 | 1.173       | 0.113 | 0.     | 0.     | 0.    | 0.   |

| Problem 701     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F(-2)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 137     | 137   | 167         | 149   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.22        | 1.09  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.268 | 0.308       | 0.    | 0.     | 0.     | 0.    | 0.   |

| Problem 702     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | F(-2)  | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 24      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.064 | 0.159       | 0.201 | 0.     | 0.     | 0.    | 0.   |

| Problem 703     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | N/A     | A    | A           | A     | A      | F(-2)  | F(-1) | F(-2) |
| verified        | N/A     | N/A  | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 24      | 0    | 0           | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 0.   | 0.          | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.06 | 0.295       | 0.503 | 0.     | 0.     | 0.    | 0.    |

## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [621] had the largest ratio of [ 0.7619 ]

Table 2.1: Rubi specific breakdown of results for each integral

| #  | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 1  | A     | 5                    | 5                      | 1.                                  | 23                  | 0.217   |
| 2  | A     | 6                    | 6                      | 1.                                  | 23                  | 0.261   |
| 3  | A     | 5                    | 5                      | 1.                                  | 23                  | 0.217   |
| 4  | A     | 4                    | 3                      | 1.                                  | 21                  | 0.143   |
| 5  | A     | 5                    | 4                      | 1.                                  | 20                  | 0.2   |
| 6  | A     | 8                    | 8                      | 1.                                  | 23                  | 0.348   |
| 7  | A     | 6                    | 7                      | 1.                                  | 23                  | 0.304   |
| 8  | A     | 8                    | 8                      | 1.                                  | 23                  | 0.348   |
| 9  | A     | 6                    | 7                      | 1.                                  | 23                  | 0.304   |
| 10 | A     | 6                    | 6                      | 1.                                  | 25                  | 0.24  |
| 11 | A     | 7                    | 8                      | 1.                                  | 25                  | 0.32  |
| 12 | A     | 5                    | 5                      | 1.                                  | 25                  | 0.2   |
| 13 | A     | 5                    | 3                      | 1.                                  | 23                  | 0.13  |
| 14 | A     | 5                    | 5                      | 1.                                  | 22                  | 0.227   |
| 15 | A     | 12                   | 8                      | 1.                                  | 25                  | 0.32  |
| 16 | A     | 7                    | 7                      | 1.                                  | 25                  | 0.28  |
| 17 | A     | 12                   | 10                     | 1.                                  | 25                  | 0.4   |
| 18 | A     | 7                    | 8                      | 1.                                  | 25                  | 0.32  |
| 19 | A     | 5                    | 5                      | 1.                                  | 25                  | 0.2   |
| 20 | A     | 8                    | 7                      | 1.                                  | 25                  | 0.28  |
| 21 | A     | 5                    | 5                      | 1.                                  | 25                  | 0.2   |
| 22 | A     | 6                    | 3                      | 1.                                  | 23                  | 0.13  |
| 23 | A     | 5                    | 5                      | 1.                                  | 22                  | 0.227   |
| 24 | A     | 17                   | 8                      | 1.                                  | 25                  | 0.32  |
| 25 | A     | 7                    | 7                      | 1.                                  | 25                  | 0.28  |
| 26 | A     | 17                   | 10                     | 1.                                  | 25                  | 0.4   |
| 27 | A     | 8                    | 8                      | 1.                                  | 25                  | 0.32  |
| 28 | A     | 12                   | 8                      | 1.                                  | 25                  | 0.32  |
| 29 | A     | 8                    | 8                      | 1.                                  | 25                  | 0.32  |
| 30 | A     | 8                    | 6                      | 1.                                  | 25                  | 0.24  |
| 31 | A     | 5                    | 5                      | 1.                                  | 23                  | 0.217   |

Continued on next page

Table 2.1 – continued from previous page

| #  | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 32 | A     | 6                    | 4                      | 1.                                  | 22                  | 0.182   |
| 33 | A     | 7                    | 5                      | 1.                                  | 25                  | 0.2   |
| 34 | A     | 10                   | 8                      | 1.                                  | 25                  | 0.32  |
| 35 | A     | 9                    | 7                      | 1.                                  | 25                  | 0.28  |
| 36 | A     | 15                   | 9                      | 1.                                  | 25                  | 0.36  |
| 37 | A     | 12                   | 9                      | 1.                                  | 25                  | 0.36  |
| 38 | A     | 8                    | 8                      | 1.                                  | 25                  | 0.32  |
| 39 | A     | 8                    | 6                      | 1.                                  | 25                  | 0.24  |
| 40 | A     | 2                    | 2                      | 1.                                  | 23                  | 0.087   |
| 41 | A     | 8                    | 6                      | 1.                                  | 22                  | 0.273   |
| 42 | A     | 9                    | 7                      | 1.                                  | 25                  | 0.28  |
| 43 | A     | 13                   | 11                     | 1.                                  | 25                  | 0.44  |
| 44 | A     | 12                   | 9                      | 1.                                  | 25                  | 0.36  |
| 45 | A     | 19                   | 11                     | 1.1                                 | 25                  | 0.44  |
| 46 | A     | 12                   | 8                      | 1.                                  | 25                  | 0.32  |
| 47 | A     | 4                    | 3                      | 1.                                  | 25                  | 0.12  |
| 48 | A     | 10                   | 7                      | 1.                                  | 25                  | 0.28  |
| 49 | A     | 3                    | 3                      | 1.                                  | 23                  | 0.13  |
| 50 | A     | 10                   | 6                      | 1.                                  | 22                  | 0.273   |
| 51 | A     | 12                   | 8                      | 1.                                  | 25                  | 0.32  |
| 52 | A     | 16                   | 11                     | 1.                                  | 25                  | 0.44  |
| 53 | A     | 16                   | 10                     | 1.                                  | 25                  | 0.4   |
| 54 | A     | 23                   | 11                     | 1.16                                | 25                  | 0.44  |
| 55 | A     | 7                    | 4                      | 1.                                  | 27                  | 0.148   |
| 56 | A     | 5                    | 4                      | 1.                                  | 27                  | 0.148   |
| 57 | A     | 3                    | 3                      | 1.                                  | 24                  | 0.125   |
| 58 | A     | 3                    | 3                      | 1.                                  | 27                  | 0.111   |
| 59 | A     | 3                    | 2                      | 1.                                  | 27                  | 0.074   |
| 60 | A     | 6                    | 5                      | 1.                                  | 27                  | 0.185   |
| 61 | A     | 7                    | 5                      | 1.                                  | 27                  | 0.185   |
| 62 | A     | 6                    | 4                      | 1.                                  | 27                  | 0.148   |
| 63 | A     | 6                    | 4                      | 1.                                  | 27                  | 0.148   |

Continued on next page

Table 2.1 – continued from previous page

| #  | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 64 | A     | 2                    | 1                      | 1.                                  | 25                  | 0.04  |
| 65 | A     | 8                    | 6                      | 1.                                  | 27                  | 0.222   |
| 66 | A     | 8                    | 6                      | 1.                                  | 27                  | 0.222   |
| 67 | A     | 10                   | 7                      | 1.                                  | 27                  | 0.259   |
| 68 | A     | 10                   | 6                      | 1.                                  | 27                  | 0.222   |
| 69 | A     | 8                    | 6                      | 1.                                  | 27                  | 0.222   |
| 70 | A     | 6                    | 5                      | 1.                                  | 24                  | 0.208   |
| 71 | A     | 6                    | 5                      | 1.                                  | 27                  | 0.185   |
| 72 | A     | 6                    | 5                      | 1.                                  | 27                  | 0.185   |
| 73 | A     | 4                    | 3                      | 1.                                  | 27                  | 0.111   |
| 74 | A     | 7                    | 6                      | 1.                                  | 27                  | 0.222   |
| 75 | A     | 8                    | 6                      | 1.                                  | 27                  | 0.222   |
| 76 | A     | 9                    | 6                      | 1.                                  | 27                  | 0.222   |
| 77 | A     | 7                    | 5                      | 1.                                  | 27                  | 0.185   |
| 78 | A     | 7                    | 5                      | 1.                                  | 27                  | 0.185   |
| 79 | A     | 7                    | 5                      | 1.                                  | 27                  | 0.185   |
| 80 | A     | 3                    | 2                      | 1.                                  | 25                  | 0.08  |
| 81 | A     | 10                   | 7                      | 1.                                  | 27                  | 0.259   |
| 82 | A     | 11                   | 8                      | 1.                                  | 27                  | 0.296   |
| 83 | A     | 11                   | 8                      | 1.                                  | 27                  | 0.296   |
| 84 | A     | 14                   | 8                      | 1.                                  | 27                  | 0.296   |
| 85 | A     | 12                   | 8                      | 1.                                  | 27                  | 0.296   |
| 86 | A     | 8                    | 6                      | 1.                                  | 24                  | 0.25  |
| 87 | A     | 10                   | 8                      | 1.                                  | 27                  | 0.296   |
| 88 | A     | 10                   | 7                      | 1.                                  | 27                  | 0.259   |
| 89 | A     | 10                   | 7                      | 1.                                  | 27                  | 0.259   |
| 90 | A     | 4                    | 3                      | 1.                                  | 27                  | 0.111   |
| 91 | A     | 8                    | 7                      | 1.                                  | 27                  | 0.259   |
| 92 | A     | 8                    | 6                      | 1.                                  | 27                  | 0.222   |
| 93 | A     | 7                    | 5                      | 1.                                  | 27                  | 0.185   |
| 94 | A     | 7                    | 5                      | 1.                                  | 27                  | 0.185   |
| 95 | A     | 3                    | 2                      | 1.                                  | 25                  | 0.08  |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 96  | A     | 13                   | 8                      | 1.                                  | 27                  | 0.296   |
| 97  | A     | 13                   | 9                      | 1.                                  | 27                  | 0.333   |
| 98  | A     | 14                   | 9                      | 1.                                  | 27                  | 0.333   |
| 99  | A     | 3                    | 3                      | 1.                                  | 14                  | 0.214   |
| 100 | A     | 3                    | 3                      | 1.71                                | 24                  | 0.125   |
| 101 | A     | 5                    | 3                      | 1.                                  | 22                  | 0.136   |
| 102 | A     | 4                    | 4                      | 1.                                  | 22                  | 0.182   |
| 103 | A     | 3                    | 3                      | 1.                                  | 22                  | 0.136   |
| 104 | A     | 2                    | 2                      | 1.                                  | 20                  | 0.1   |
| 105 | A     | 1                    | 1                      | 1.                                  | 19                  | 0.053   |
| 106 | A     | 6                    | 4                      | 1.                                  | 22                  | 0.182   |
| 107 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 108 | A     | 8                    | 6                      | 1.                                  | 22                  | 0.273   |
| 109 | A     | 6                    | 4                      | 1.                                  | 27                  | 0.148   |
| 110 | A     | 6                    | 4                      | 1.                                  | 27                  | 0.148   |
| 111 | A     | 4                    | 4                      | 1.                                  | 27                  | 0.148   |
| 112 | A     | 4                    | 4                      | 1.                                  | 27                  | 0.148   |
| 113 | A     | 2                    | 2                      | 1.                                  | 25                  | 0.08  |
| 114 | A     | 2                    | 2                      | 1.                                  | 24                  | 0.083   |
| 115 | A     | 7                    | 5                      | 1.                                  | 27                  | 0.185   |
| 116 | A     | 2                    | 2                      | 1.                                  | 27                  | 0.074   |
| 117 | A     | 9                    | 7                      | 1.                                  | 27                  | 0.259   |
| 118 | A     | 4                    | 4                      | 1.                                  | 27                  | 0.148   |
| 119 | A     | 8                    | 7                      | 1.04                                | 27                  | 0.259   |
| 120 | A     | 8                    | 7                      | 1.                                  | 27                  | 0.259   |
| 121 | A     | 5                    | 5                      | 1.03                                | 27                  | 0.185   |
| 122 | A     | 4                    | 4                      | 1.                                  | 27                  | 0.148   |
| 123 | A     | 2                    | 2                      | 1.                                  | 25                  | 0.08  |
| 124 | A     | 2                    | 2                      | 1.                                  | 24                  | 0.083   |
| 125 | A     | 9                    | 7                      | 1.                                  | 27                  | 0.259   |
| 126 | A     | 7                    | 7                      | 1.                                  | 27                  | 0.259   |
| 127 | A     | 12                   | 9                      | 1.                                  | 27                  | 0.333   |

Continued on next page



Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 128 | A     | 11                   | 8                      | 1.                                  | 27                  | 0.296   |
| 129 | A     | 12                   | 7                      | 1.                                  | 27                  | 0.259   |
| 130 | A     | 9                    | 6                      | 1.07                                | 27                  | 0.222   |
| 131 | A     | 8                    | 6                      | 1.                                  | 27                  | 0.222   |
| 132 | A     | 5                    | 4                      | 1.03                                | 27                  | 0.148   |
| 133 | A     | 4                    | 3                      | 1.                                  | 27                  | 0.111   |
| 134 | A     | 3                    | 3                      | 1.                                  | 25                  | 0.12  |
| 135 | A     | 4                    | 4                      | 1.                                  | 24                  | 0.167   |
| 136 | A     | 12                   | 8                      | 1.                                  | 27                  | 0.296   |
| 137 | A     | 8                    | 7                      | 1.                                  | 27                  | 0.259   |
| 138 | A     | 16                   | 11                     | 1.                                  | 27                  | 0.407   |
| 139 | A     | 12                   | 7                      | 1.                                  | 27                  | 0.259   |
| 140 | A     | 6                    | 4                      | 1.                                  | 20                  | 0.2   |
| 141 | A     | 1                    | 1                      | 1.                                  | 30                  | 0.033   |
| 142 | A     | 2                    | 2                      | 1.                                  | 31                  | 0.065   |
| 143 | A     | 6                    | 7                      | 1.                                  | 25                  | 0.28  |
| 144 | A     | 5                    | 6                      | 1.                                  | 25                  | 0.24  |
| 145 | A     | 4                    | 5                      | 1.                                  | 23                  | 0.217   |
| 146 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 147 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 148 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 149 | A     | 9                    | 6                      | 1.                                  | 27                  | 0.222   |
| 150 | A     | 6                    | 5                      | 1.                                  | 27                  | 0.185   |
| 151 | A     | 3                    | 3                      | 1.                                  | 27                  | 0.111   |
| 152 | A     | 2                    | 2                      | 1.                                  | 27                  | 0.074   |
| 153 | A     | 4                    | 4                      | 1.                                  | 27                  | 0.148   |
| 154 | A     | 6                    | 4                      | 1.                                  | 27                  | 0.148   |
| 155 | A     | 1                    | 1                      | 1.                                  | 22                  | 0.045   |
| 156 | A     | 11                   | 10                     | 1.                                  | 25                  | 0.4   |
| 157 | A     | 14                   | 6                      | 1.                                  | 25                  | 0.24  |
| 158 | A     | 9                    | 10                     | 1.                                  | 25                  | 0.4   |
| 159 | A     | 7                    | 6                      | 1.                                  | 23                  | 0.261   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 160 | A     | 6                    | 4                      | 1.                                  | 22                  | 0.182   |
| 161 | A     | 10                   | 10                     | 1.                                  | 25                  | 0.4   |
| 162 | A     | 12                   | 9                      | 1.                                  | 25                  | 0.36  |
| 163 | A     | 10                   | 10                     | 1.                                  | 25                  | 0.4   |
| 164 | A     | 16                   | 8                      | 1.                                  | 25                  | 0.32  |
| 165 | A     | 16                   | 11                     | 1.                                  | 27                  | 0.407   |
| 166 | A     | 25                   | 7                      | 1.                                  | 27                  | 0.259   |
| 167 | A     | 14                   | 11                     | 1.                                  | 27                  | 0.407   |
| 168 | A     | 9                    | 7                      | 1.                                  | 25                  | 0.28  |
| 169 | A     | 10                   | 5                      | 1.                                  | 24                  | 0.208   |
| 170 | A     | 17                   | 12                     | 1.                                  | 27                  | 0.444   |
| 171 | A     | 17                   | 11                     | 1.                                  | 27                  | 0.407   |
| 172 | A     | 17                   | 12                     | 1.                                  | 27                  | 0.444   |
| 173 | A     | 24                   | 10                     | 1.                                  | 27                  | 0.37  |
| 174 | A     | 21                   | 11                     | 1.                                  | 27                  | 0.407   |
| 175 | A     | 40                   | 9                      | 1.                                  | 27                  | 0.333   |
| 176 | A     | 19                   | 11                     | 1.                                  | 27                  | 0.407   |
| 177 | A     | 11                   | 7                      | 1.                                  | 25                  | 0.28  |
| 178 | A     | 14                   | 5                      | 1.                                  | 24                  | 0.208   |
| 179 | A     | 26                   | 13                     | 1.                                  | 27                  | 0.482   |
| 180 | A     | 24                   | 12                     | 1.                                  | 27                  | 0.444   |
| 181 | A     | 28                   | 15                     | 1.                                  | 27                  | 0.556   |
| 182 | A     | 31                   | 12                     | 1.                                  | 27                  | 0.444   |
| 183 | A     | 16                   | 10                     | 1.                                  | 27                  | 0.37  |
| 184 | A     | 10                   | 10                     | 1.                                  | 27                  | 0.37  |
| 185 | A     | 11                   | 8                      | 1.                                  | 27                  | 0.296   |
| 186 | A     | 6                    | 6                      | 1.                                  | 25                  | 0.24  |
| 187 | A     | 8                    | 5                      | 1.                                  | 24                  | 0.208   |
| 188 | A     | 9                    | 6                      | 1.                                  | 27                  | 0.222   |
| 189 | A     | 15                   | 10                     | 1.                                  | 27                  | 0.37  |
| 190 | A     | 12                   | 9                      | 1.                                  | 27                  | 0.333   |
| 191 | A     | 24                   | 11                     | 1.                                  | 27                  | 0.407   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 192 | A     | 15                   | 14                     | 1.                                  | 27                  | 0.518   |
| 193 | A     | 10                   | 9                      | 1.                                  | 27                  | 0.333   |
| 194 | A     | 11                   | 8                      | 1.                                  | 27                  | 0.296   |
| 195 | A     | 3                    | 3                      | 1.                                  | 25                  | 0.12  |
| 196 | A     | 11                   | 8                      | 1.                                  | 24                  | 0.333   |
| 197 | A     | 12                   | 9                      | 1.                                  | 27                  | 0.333   |
| 198 | A     | 20                   | 14                     | 1.                                  | 27                  | 0.518   |
| 199 | A     | 17                   | 15                     | 1.                                  | 27                  | 0.556   |
| 200 | A     | 32                   | 15                     | 1.                                  | 27                  | 0.556   |
| 201 | A     | 16                   | 13                     | 1.                                  | 27                  | 0.482   |
| 202 | A     | 8                    | 6                      | 1.                                  | 27                  | 0.222   |
| 203 | A     | 15                   | 10                     | 1.                                  | 27                  | 0.37  |
| 204 | A     | 5                    | 5                      | 1.                                  | 25                  | 0.2   |
| 205 | A     | 15                   | 9                      | 1.                                  | 24                  | 0.375   |
| 206 | A     | 17                   | 11                     | 1.                                  | 27                  | 0.407   |
| 207 | A     | 27                   | 15                     | 1.                                  | 27                  | 0.556   |
| 208 | A     | 23                   | 19                     | 1.                                  | 27                  | 0.704   |
| 209 | A     | 43                   | 17                     | 1.                                  | 27                  | 0.63  |
| 210 | A     | 14                   | 8                      | 1.                                  | 29                  | 0.276   |
| 211 | A     | 10                   | 6                      | 1.                                  | 29                  | 0.207   |
| 212 | A     | 5                    | 4                      | 1.                                  | 27                  | 0.148   |
| 213 | A     | 5                    | 5                      | 1.                                  | 26                  | 0.192   |
| 214 | A     | 12                   | 8                      | 1.                                  | 29                  | 0.276   |
| 215 | A     | 7                    | 7                      | 1.                                  | 29                  | 0.241   |
| 216 | A     | 13                   | 10                     | 1.                                  | 29                  | 0.345   |
| 217 | A     | 9                    | 9                      | 1.                                  | 29                  | 0.31  |
| 218 | A     | 20                   | 14                     | 1.                                  | 29                  | 0.483   |
| 219 | A     | 17                   | 11                     | 1.                                  | 29                  | 0.379   |
| 220 | A     | 6                    | 6                      | 1.                                  | 27                  | 0.222   |
| 221 | A     | 10                   | 8                      | 1.01                                | 26                  | 0.308   |
| 222 | A     | 17                   | 12                     | 1.                                  | 29                  | 0.414   |
| 223 | A     | 14                   | 13                     | 1.                                  | 29                  | 0.448   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 224 | A     | 18                   | 15                     | 1.                                  | 29                  | 0.517   |
| 225 | A     | 16                   | 11                     | 1.                                  | 29                  | 0.379   |
| 226 | A     | 27                   | 18                     | 1.                                  | 29                  | 0.621   |
| 227 | A     | 25                   | 14                     | 1.                                  | 29                  | 0.483   |
| 228 | A     | 6                    | 6                      | 1.                                  | 27                  | 0.222   |
| 229 | A     | 16                   | 8                      | 1.                                  | 26                  | 0.308   |
| 230 | A     | 23                   | 16                     | 1.                                  | 29                  | 0.552   |
| 231 | A     | 23                   | 15                     | 1.                                  | 29                  | 0.517   |
| 232 | A     | 25                   | 20                     | 1.                                  | 29                  | 0.69  |
| 233 | A     | 27                   | 15                     | 1.                                  | 29                  | 0.517   |
| 234 | A     | 14                   | 7                      | 1.                                  | 29                  | 0.241   |
| 235 | A     | 11                   | 6                      | 1.                                  | 29                  | 0.207   |
| 236 | A     | 9                    | 7                      | 1.                                  | 29                  | 0.241   |
| 237 | A     | 6                    | 6                      | 1.03                                | 29                  | 0.207   |
| 238 | A     | 4                    | 3                      | 1.                                  | 27                  | 0.111   |
| 239 | A     | 2                    | 2                      | 1.                                  | 26                  | 0.077   |
| 240 | A     | 9                    | 6                      | 1.                                  | 29                  | 0.207   |
| 241 | A     | 6                    | 6                      | 1.                                  | 29                  | 0.207   |
| 242 | A     | 14                   | 11                     | 1.                                  | 29                  | 0.379   |
| 243 | A     | 9                    | 9                      | 1.                                  | 29                  | 0.31  |
| 244 | A     | 22                   | 13                     | 1.                                  | 29                  | 0.448   |
| 245 | A     | 15                   | 13                     | 1.                                  | 29                  | 0.448   |
| 246 | A     | 13                   | 9                      | 1.                                  | 29                  | 0.31  |
| 247 | A     | 8                    | 8                      | 1.                                  | 29                  | 0.276   |
| 248 | A     | 7                    | 5                      | 1.                                  | 27                  | 0.185   |
| 249 | A     | 6                    | 6                      | 1.                                  | 26                  | 0.231   |
| 250 | A     | 16                   | 11                     | 1.                                  | 29                  | 0.379   |
| 251 | A     | 14                   | 10                     | 1.                                  | 29                  | 0.345   |
| 252 | A     | 27                   | 15                     | 1.                                  | 29                  | 0.517   |
| 253 | A     | 24                   | 11                     | 1.                                  | 29                  | 0.379   |
| 254 | A     | 26                   | 11                     | 1.                                  | 29                  | 0.379   |
| 255 | A     | 17                   | 10                     | 1.                                  | 29                  | 0.345   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 256 | A     | 16                   | 7                      | 1.                                  | 29                  | 0.241   |
| 257 | A     | 9                    | 9                      | 1.                                  | 29                  | 0.31  |
| 258 | A     | 9                    | 7                      | 1.                                  | 27                  | 0.259   |
| 259 | A     | 9                    | 9                      | 1.                                  | 26                  | 0.346   |
| 260 | A     | 25                   | 13                     | 1.                                  | 29                  | 0.448   |
| 261 | A     | 19                   | 14                     | 1.                                  | 29                  | 0.483   |
| 262 | A     | 39                   | 18                     | 1.                                  | 29                  | 0.621   |
| 263 | A     | 32                   | 15                     | 1.                                  | 29                  | 0.517   |
| 264 | A     | 10                   | 5                      | 1.                                  | 24                  | 0.208   |
| 265 | A     | 8                    | 7                      | 1.                                  | 24                  | 0.292   |
| 266 | A     | 5                    | 5                      | 1.                                  | 24                  | 0.208   |
| 267 | A     | 3                    | 3                      | 1.                                  | 22                  | 0.136   |
| 268 | A     | 1                    | 1                      | 1.                                  | 21                  | 0.048   |
| 269 | A     | 8                    | 5                      | 1.                                  | 24                  | 0.208   |
| 270 | A     | 6                    | 6                      | 1.                                  | 24                  | 0.25  |
| 271 | A     | 13                   | 10                     | 1.                                  | 24                  | 0.417   |
| 272 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 273 | A     | 6                    | 6                      | 1.                                  | 22                  | 0.273   |
| 274 | A     | 9                    | 9                      | 1.                                  | 22                  | 0.409   |
| 275 | A     | 13                   | 10                     | 1.                                  | 22                  | 0.454   |
| 276 | F     | 0                    | 0                      | N/A                                 | 0                   | N/A   |
| 277 | F     | 0                    | 0                      | N/A                                 | 0                   | N/A   |
| 278 | F     | 0                    | 0                      | N/A                                 | 0                   | N/A   |
| 279 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 280 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 281 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 282 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 283 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 284 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 285 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 286 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 287 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 288 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 289 | A     | 24                   | 13                     | 1.                                  | 20                  | 0.65  |
| 290 | A     | 17                   | 11                     | 1.                                  | 20                  | 0.55  |
| 291 | A     | 10                   | 7                      | 1.                                  | 18                  | 0.389   |
| 292 | A     | 10                   | 6                      | 1.                                  | 20                  | 0.3   |
| 293 | A     | 18                   | 10                     | 1.                                  | 20                  | 0.5   |
| 294 | A     | 28                   | 11                     | 1.                                  | 20                  | 0.55  |
| 295 | A     | 24                   | 9                      | 1.                                  | 22                  | 0.409   |
| 296 | A     | 14                   | 8                      | 1.                                  | 22                  | 0.364   |
| 297 | A     | 6                    | 5                      | 1.                                  | 22                  | 0.227   |
| 298 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 299 | A     | 7                    | 7                      | 1.                                  | 22                  | 0.318   |
| 300 | A     | 11                   | 11                     | 1.                                  | 22                  | 0.5   |
| 301 | A     | 17                   | 12                     | 1.                                  | 22                  | 0.546   |
| 302 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 303 | A     | 13                   | 4                      | 1.                                  | 24                  | 0.167   |
| 304 | A     | 10                   | 6                      | 1.                                  | 24                  | 0.25  |
| 305 | A     | 6                    | 4                      | 1.                                  | 24                  | 0.167   |
| 306 | A     | 4                    | 3                      | 1.                                  | 22                  | 0.136   |
| 307 | A     | 1                    | 1                      | 1.                                  | 21                  | 0.048   |
| 308 | A     | 10                   | 6                      | 1.                                  | 24                  | 0.25  |
| 309 | A     | 7                    | 7                      | 1.                                  | 24                  | 0.292   |
| 310 | A     | 18                   | 10                     | 1.                                  | 24                  | 0.417   |
| 311 | A     | 7                    | 3                      | 1.                                  | 20                  | 0.15  |
| 312 | A     | 6                    | 3                      | 1.                                  | 20                  | 0.15  |
| 313 | A     | 5                    | 3                      | 1.                                  | 18                  | 0.167   |
| 314 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 315 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 316 | A     | 12                   | 5                      | 1.                                  | 28                  | 0.179   |
| 317 | A     | 12                   | 5                      | 0.98                                | 28                  | 0.179   |
| 318 | A     | 6                    | 5                      | 1.                                  | 28                  | 0.179   |
| 319 | A     | 9                    | 5                      | 0.97                                | 26                  | 0.192   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 320 | A     | 6                    | 5                      | 1.                                  | 25                  | 0.2   |
| 321 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 322 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 323 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 324 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 325 | A     | 15                   | 5                      | 0.98                                | 28                  | 0.179   |
| 326 | A     | 12                   | 5                      | 1.                                  | 28                  | 0.179   |
| 327 | A     | 12                   | 5                      | 0.98                                | 26                  | 0.192   |
| 328 | A     | 9                    | 5                      | 1.                                  | 25                  | 0.2   |
| 329 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 330 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 331 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 332 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 333 | A     | 15                   | 5                      | 0.98                                | 28                  | 0.179   |
| 334 | A     | 15                   | 5                      | 1.                                  | 28                  | 0.179   |
| 335 | A     | 15                   | 5                      | 0.98                                | 26                  | 0.192   |
| 336 | A     | 12                   | 5                      | 1.                                  | 25                  | 0.2   |
| 337 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 338 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 339 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 340 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 341 | A     | 5                    | 3                      | 1.                                  | 24                  | 0.125   |
| 342 | A     | 5                    | 3                      | 1.                                  | 24                  | 0.125   |
| 343 | A     | 4                    | 3                      | 1.                                  | 24                  | 0.125   |
| 344 | A     | 4                    | 3                      | 1.                                  | 24                  | 0.125   |
| 345 | A     | 2                    | 2                      | 1.                                  | 22                  | 0.091   |
| 346 | A     | 1                    | 1                      | 1.                                  | 21                  | 0.048   |
| 347 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 348 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 349 | A     | 12                   | 5                      | 0.98                                | 28                  | 0.179   |
| 350 | A     | 9                    | 5                      | 1.                                  | 28                  | 0.179   |
| 351 | A     | 9                    | 5                      | 0.97                                | 28                  | 0.179   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 352 | A     | 6                    | 5                      | 1.                                  | 28                  | 0.179   |
| 353 | A     | 4                    | 4                      | 0.93                                | 26                  | 0.154   |
| 354 | A     | 1                    | 1                      | 1.                                  | 25                  | 0.04  |
| 355 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 356 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 357 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 358 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 359 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 360 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 361 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 362 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 363 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 364 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 365 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 366 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 367 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 368 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 369 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 370 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 371 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 372 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 373 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 374 | A     | 8                    | 4                      | 1.                                  | 20                  | 0.2   |
| 375 | A     | 7                    | 4                      | 1.                                  | 20                  | 0.2   |
| 376 | A     | 6                    | 4                      | 1.                                  | 18                  | 0.222   |
| 377 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 378 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 379 | A     | 2                    | 1                      | 1.                                  | 33                  | 0.03  |
| 380 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 381 | A     | 22                   | 6                      | 0.98                                | 28                  | 0.214   |
| 382 | A     | 16                   | 7                      | 1.                                  | 28                  | 0.25  |
| 383 | A     | 14                   | 7                      | 1.32                                | 26                  | 0.269   |

Continued on next page



Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 384 | A     | 7                    | 7                      | 1.                                  | 25                  | 0.28  |
| 385 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 386 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 387 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 388 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 389 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 390 | A     | 28                   | 6                      | 0.99                                | 28                  | 0.214   |
| 391 | A     | 19                   | 6                      | 1.                                  | 28                  | 0.214   |
| 392 | A     | 22                   | 8                      | 0.98                                | 26                  | 0.308   |
| 393 | A     | 10                   | 6                      | 1.                                  | 25                  | 0.24  |
| 394 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 395 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 396 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 397 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 398 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 399 | A     | 34                   | 6                      | 0.99                                | 28                  | 0.214   |
| 400 | A     | 28                   | 6                      | 1.                                  | 28                  | 0.214   |
| 401 | A     | 28                   | 8                      | 0.99                                | 26                  | 0.308   |
| 402 | A     | 13                   | 6                      | 1.                                  | 25                  | 0.24  |
| 403 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 404 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 405 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 406 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 407 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 408 | A     | 13                   | 6                      | 0.98                                | 28                  | 0.214   |
| 409 | A     | 10                   | 6                      | 1.                                  | 28                  | 0.214   |
| 410 | A     | 10                   | 6                      | 0.97                                | 28                  | 0.214   |
| 411 | A     | 7                    | 7                      | 1.                                  | 28                  | 0.25  |
| 412 | A     | 5                    | 5                      | 1.                                  | 26                  | 0.192   |
| 413 | A     | 1                    | 1                      | 1.                                  | 25                  | 0.04  |
| 414 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 415 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 416 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 417 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 418 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 419 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 420 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 421 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 422 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 423 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 424 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 425 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 426 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 427 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 428 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 429 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 430 | A     | 1                    | 1                      | 1.                                  | 21                  | 0.048   |
| 431 | A     | 27                   | 8                      | 1.                                  | 27                  | 0.296   |
| 432 | A     | 32                   | 8                      | 1.                                  | 27                  | 0.296   |
| 433 | A     | 17                   | 10                     | 1.                                  | 25                  | 0.4   |
| 434 | A     | 14                   | 8                      | 1.                                  | 24                  | 0.333   |
| 435 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 436 | A     | 32                   | 8                      | 1.                                  | 29                  | 0.276   |
| 437 | A     | 42                   | 8                      | 1.                                  | 29                  | 0.276   |
| 438 | A     | 32                   | 10                     | 1.                                  | 27                  | 0.37  |
| 439 | A     | 19                   | 8                      | 1.                                  | 26                  | 0.308   |
| 440 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 441 | A     | 3                    | 2                      | 1.                                  | 38                  | 0.053   |
| 442 | A     | 15                   | 9                      | 1.                                  | 24                  | 0.375   |
| 443 | A     | 7                    | 7                      | 1.                                  | 24                  | 0.292   |
| 444 | A     | 2                    | 2                      | 1.                                  | 24                  | 0.083   |
| 445 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 446 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 447 | A     | 17                   | 10                     | 1.                                  | 24                  | 0.417   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 448 | A     | 8                    | 7                      | 1.                                  | 24                  | 0.292   |
| 449 | A     | 2                    | 2                      | 1.                                  | 24                  | 0.083   |
| 450 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 451 | A     | 27                   | 12                     | 1.                                  | 24                  | 0.5   |
| 452 | A     | 10                   | 9                      | 1.                                  | 24                  | 0.375   |
| 453 | A     | 2                    | 2                      | 1.                                  | 24                  | 0.083   |
| 454 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 455 | A     | 15                   | 9                      | 1.                                  | 24                  | 0.375   |
| 456 | A     | 7                    | 7                      | 1.                                  | 24                  | 0.292   |
| 457 | A     | 2                    | 2                      | 1.                                  | 24                  | 0.083   |
| 458 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 459 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 460 | A     | 17                   | 10                     | 1.                                  | 24                  | 0.417   |
| 461 | A     | 8                    | 7                      | 1.                                  | 24                  | 0.292   |
| 462 | A     | 2                    | 2                      | 1.                                  | 24                  | 0.083   |
| 463 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 464 | A     | 3                    | 3                      | 1.                                  | 19                  | 0.158   |
| 465 | A     | 10                   | 5                      | 1.                                  | 24                  | 0.208   |
| 466 | A     | 8                    | 5                      | 1.                                  | 24                  | 0.208   |
| 467 | A     | 6                    | 5                      | 1.                                  | 24                  | 0.208   |
| 468 | A     | 2                    | 2                      | 1.                                  | 24                  | 0.083   |
| 469 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 470 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 471 | A     | 10                   | 5                      | 1.                                  | 24                  | 0.208   |
| 472 | A     | 8                    | 5                      | 1.                                  | 24                  | 0.208   |
| 473 | A     | 6                    | 6                      | 1.                                  | 24                  | 0.25  |
| 474 | A     | 2                    | 2                      | 1.                                  | 24                  | 0.083   |
| 475 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 476 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 477 | A     | 12                   | 8                      | 1.                                  | 24                  | 0.333   |
| 478 | A     | 4                    | 4                      | 1.                                  | 24                  | 0.167   |
| 479 | A     | 2                    | 2                      | 1.                                  | 24                  | 0.083   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 480 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 481 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 482 | A     | 7                    | 5                      | 1.                                  | 29                  | 0.172   |
| 483 | A     | 10                   | 5                      | 1.                                  | 27                  | 0.185   |
| 484 | A     | 7                    | 5                      | 1.                                  | 26                  | 0.192   |
| 485 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 486 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 487 | A     | 13                   | 5                      | 1.                                  | 29                  | 0.172   |
| 488 | A     | 13                   | 5                      | 1.                                  | 27                  | 0.185   |
| 489 | A     | 10                   | 5                      | 1.                                  | 26                  | 0.192   |
| 490 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 491 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 492 | A     | 16                   | 5                      | 1.                                  | 29                  | 0.172   |
| 493 | A     | 16                   | 5                      | 1.                                  | 27                  | 0.185   |
| 494 | A     | 13                   | 5                      | 1.                                  | 26                  | 0.192   |
| 495 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 496 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 497 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 498 | A     | 9                    | 4                      | 1.                                  | 24                  | 0.167   |
| 499 | A     | 6                    | 4                      | 1.                                  | 24                  | 0.167   |
| 500 | A     | 4                    | 3                      | 1.                                  | 22                  | 0.136   |
| 501 | A     | 1                    | 1                      | 1.                                  | 21                  | 0.048   |
| 502 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 503 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 504 | A     | 13                   | 8                      | 1.                                  | 30                  | 0.267   |
| 505 | A     | 8                    | 6                      | 1.                                  | 30                  | 0.2   |
| 506 | A     | 4                    | 4                      | 1.                                  | 30                  | 0.133   |
| 507 | A     | 6                    | 5                      | 1.                                  | 30                  | 0.167   |
| 508 | A     | 8                    | 8                      | 1.                                  | 30                  | 0.267   |
| 509 | A     | 6                    | 6                      | 1.                                  | 30                  | 0.2   |
| 510 | A     | 12                   | 9                      | 1.                                  | 30                  | 0.3   |
| 511 | A     | 7                    | 6                      | 1.                                  | 30                  | 0.2   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 512 | A     | 8                    | 6                      | 1.                                  | 30                  | 0.2   |
| 513 | A     | 9                    | 7                      | 1.                                  | 30                  | 0.233   |
| 514 | A     | 10                   | 10                     | 1.                                  | 30                  | 0.333   |
| 515 | A     | 9                    | 9                      | 1.                                  | 30                  | 0.3   |
| 516 | A     | 9                    | 7                      | 1.                                  | 30                  | 0.233   |
| 517 | A     | 12                   | 9                      | 1.                                  | 30                  | 0.3   |
| 518 | A     | 13                   | 8                      | 1.                                  | 30                  | 0.267   |
| 519 | A     | 13                   | 7                      | 1.                                  | 30                  | 0.233   |
| 520 | A     | 7                    | 9                      | 1.                                  | 30                  | 0.3   |
| 521 | A     | 10                   | 8                      | 1.                                  | 30                  | 0.267   |
| 522 | A     | 13                   | 7                      | 1.                                  | 30                  | 0.233   |
| 523 | A     | 9                    | 7                      | 1.                                  | 30                  | 0.233   |
| 524 | A     | 6                    | 5                      | 1.                                  | 30                  | 0.167   |
| 525 | A     | 2                    | 2                      | 1.                                  | 30                  | 0.067   |
| 526 | A     | 5                    | 6                      | 1.                                  | 30                  | 0.2   |
| 527 | A     | 8                    | 8                      | 1.                                  | 30                  | 0.267   |
| 528 | A     | 7                    | 9                      | 1.                                  | 30                  | 0.3   |
| 529 | A     | 10                   | 10                     | 1.                                  | 30                  | 0.333   |
| 530 | A     | 8                    | 8                      | 1.                                  | 30                  | 0.267   |
| 531 | A     | 5                    | 6                      | 1.                                  | 30                  | 0.2   |
| 532 | A     | 3                    | 3                      | 1.                                  | 30                  | 0.1   |
| 533 | A     | 8                    | 8                      | 1.                                  | 30                  | 0.267   |
| 534 | A     | 10                   | 8                      | 1.                                  | 30                  | 0.267   |
| 535 | A     | 9                    | 9                      | 1.                                  | 30                  | 0.3   |
| 536 | A     | 6                    | 6                      | 1.                                  | 30                  | 0.2   |
| 537 | A     | 8                    | 8                      | 1.                                  | 30                  | 0.267   |
| 538 | A     | 8                    | 8                      | 1.                                  | 30                  | 0.267   |
| 539 | A     | 5                    | 5                      | 1.                                  | 30                  | 0.167   |
| 540 | A     | 23                   | 13                     | 1.                                  | 32                  | 0.406   |
| 541 | A     | 13                   | 11                     | 1.                                  | 32                  | 0.344   |
| 542 | A     | 6                    | 6                      | 1.                                  | 32                  | 0.188   |
| 543 | A     | 8                    | 6                      | 1.                                  | 32                  | 0.188   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 544 | A     | 19                   | 13                     | 1.                                  | 32                  | 0.406   |
| 545 | A     | 20                   | 12                     | 1.                                  | 32                  | 0.375   |
| 546 | A     | 19                   | 15                     | 1.                                  | 32                  | 0.469   |
| 547 | A     | 11                   | 9                      | 1.                                  | 32                  | 0.281   |
| 548 | A     | 13                   | 11                     | 1.                                  | 32                  | 0.344   |
| 549 | A     | 11                   | 9                      | 1.                                  | 32                  | 0.281   |
| 550 | A     | 23                   | 15                     | 1.                                  | 32                  | 0.469   |
| 551 | A     | 21                   | 13                     | 1.                                  | 32                  | 0.406   |
| 552 | A     | 17                   | 9                      | 1.                                  | 32                  | 0.281   |
| 553 | A     | 19                   | 15                     | 1.                                  | 32                  | 0.469   |
| 554 | A     | 23                   | 13                     | 1.                                  | 32                  | 0.406   |
| 555 | A     | 17                   | 10                     | 1.                                  | 32                  | 0.312   |
| 556 | A     | 28                   | 19                     | 1.                                  | 32                  | 0.594   |
| 557 | A     | 25                   | 16                     | 1.                                  | 32                  | 0.5   |
| 558 | A     | 17                   | 10                     | 1.                                  | 32                  | 0.312   |
| 559 | A     | 11                   | 9                      | 1.                                  | 32                  | 0.281   |
| 560 | A     | 8                    | 6                      | 1.                                  | 32                  | 0.188   |
| 561 | A     | 2                    | 2                      | 1.                                  | 32                  | 0.062   |
| 562 | A     | 16                   | 11                     | 1.                                  | 32                  | 0.344   |
| 563 | A     | 30                   | 18                     | 1.                                  | 32                  | 0.562   |
| 564 | A     | 28                   | 19                     | 1.                                  | 32                  | 0.594   |
| 565 | A     | 23                   | 15                     | 1.                                  | 32                  | 0.469   |
| 566 | A     | 19                   | 13                     | 1.                                  | 32                  | 0.406   |
| 567 | A     | 16                   | 11                     | 1.                                  | 32                  | 0.344   |
| 568 | A     | 7                    | 7                      | 1.                                  | 32                  | 0.219   |
| 569 | A     | 21                   | 14                     | 1.                                  | 32                  | 0.438   |
| 570 | A     | 25                   | 16                     | 1.                                  | 32                  | 0.5   |
| 571 | A     | 21                   | 13                     | 1.                                  | 32                  | 0.406   |
| 572 | A     | 20                   | 12                     | 1.                                  | 32                  | 0.375   |
| 573 | A     | 30                   | 18                     | 1.                                  | 32                  | 0.562   |
| 574 | A     | 21                   | 14                     | 1.                                  | 32                  | 0.438   |
| 575 | A     | 10                   | 10                     | 1.                                  | 32                  | 0.312   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 576 | A     | 11                   | 7                      | 1.                                  | 35                  | 0.2   |
| 577 | A     | 6                    | 5                      | 1.                                  | 33                  | 0.152   |
| 578 | A     | 6                    | 6                      | 1.                                  | 32                  | 0.188   |
| 579 | A     | 13                   | 9                      | 1.                                  | 35                  | 0.257   |
| 580 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |
| 581 | A     | 18                   | 12                     | 1.                                  | 35                  | 0.343   |
| 582 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 583 | A     | 11                   | 9                      | 1.                                  | 32                  | 0.281   |
| 584 | A     | 18                   | 13                     | 1.                                  | 35                  | 0.371   |
| 585 | A     | 15                   | 14                     | 1.                                  | 35                  | 0.4   |
| 586 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 587 | A     | 5                    | 4                      | 1.                                  | 33                  | 0.121   |
| 588 | A     | 2                    | 2                      | 1.                                  | 32                  | 0.062   |
| 589 | A     | 9                    | 6                      | 1.                                  | 35                  | 0.171   |
| 590 | A     | 7                    | 7                      | 1.                                  | 35                  | 0.2   |
| 591 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |
| 592 | A     | 8                    | 6                      | 1.                                  | 33                  | 0.182   |
| 593 | A     | 7                    | 7                      | 1.                                  | 32                  | 0.219   |
| 594 | A     | 16                   | 11                     | 1.                                  | 35                  | 0.314   |
| 595 | A     | 15                   | 11                     | 1.                                  | 35                  | 0.314   |
| 596 | A     | 5                    | 5                      | 1.                                  | 19                  | 0.263   |
| 597 | A     | 6                    | 6                      | 1.                                  | 19                  | 0.316   |
| 598 | A     | 5                    | 5                      | 1.                                  | 19                  | 0.263   |
| 599 | A     | 4                    | 4                      | 1.                                  | 17                  | 0.235   |
| 600 | A     | 4                    | 3                      | 1.                                  | 16                  | 0.188   |
| 601 | A     | 12                   | 12                     | 1.                                  | 19                  | 0.632   |
| 602 | A     | 5                    | 6                      | 1.                                  | 19                  | 0.316   |
| 603 | A     | 10                   | 10                     | 1.                                  | 19                  | 0.526   |
| 604 | A     | 6                    | 7                      | 1.                                  | 19                  | 0.368   |
| 605 | A     | 6                    | 6                      | 1.                                  | 21                  | 0.286   |
| 606 | A     | 7                    | 8                      | 1.                                  | 21                  | 0.381   |
| 607 | A     | 5                    | 5                      | 1.                                  | 21                  | 0.238   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 608 | A     | 5                    | 5                      | 1.                                  | 19                  | 0.263   |
| 609 | A     | 5                    | 5                      | 1.                                  | 18                  | 0.278   |
| 610 | A     | 14                   | 12                     | 1.                                  | 21                  | 0.571   |
| 611 | A     | 6                    | 6                      | 1.                                  | 21                  | 0.286   |
| 612 | A     | 13                   | 14                     | 1.                                  | 21                  | 0.667   |
| 613 | A     | 6                    | 7                      | 1.                                  | 21                  | 0.333   |
| 614 | A     | 5                    | 5                      | 1.                                  | 21                  | 0.238   |
| 615 | A     | 8                    | 7                      | 1.                                  | 21                  | 0.333   |
| 616 | A     | 5                    | 5                      | 1.                                  | 21                  | 0.238   |
| 617 | A     | 6                    | 5                      | 1.                                  | 19                  | 0.263   |
| 618 | A     | 5                    | 5                      | 1.                                  | 18                  | 0.278   |
| 619 | A     | 19                   | 13                     | 1.                                  | 21                  | 0.619   |
| 620 | A     | 6                    | 6                      | 1.                                  | 21                  | 0.286   |
| 621 | A     | 15                   | 16                     | 1.                                  | 21                  | 0.762   |
| 622 | A     | 8                    | 8                      | 1.                                  | 21                  | 0.381   |
| 623 | A     | 5                    | 5                      | 1.                                  | 18                  | 0.278   |
| 624 | A     | 27                   | 12                     | 1.                                  | 21                  | 0.571   |
| 625 | A     | 23                   | 9                      | 1.                                  | 21                  | 0.429   |
| 626 | A     | 23                   | 9                      | 1.                                  | 21                  | 0.429   |
| 627 | A     | 18                   | 6                      | 1.                                  | 19                  | 0.316   |
| 628 | A     | 18                   | 6                      | 1.                                  | 18                  | 0.333   |
| 629 | A     | 25                   | 8                      | 1.                                  | 21                  | 0.381   |
| 630 | A     | 24                   | 11                     | 1.                                  | 21                  | 0.524   |
| 631 | A     | 27                   | 10                     | 1.                                  | 21                  | 0.476   |
| 632 | A     | 29                   | 12                     | 1.                                  | 21                  | 0.571   |
| 633 | A     | 23                   | 9                      | 1.                                  | 21                  | 0.429   |
| 634 | A     | 3                    | 3                      | 1.                                  | 19                  | 0.158   |
| 635 | A     | 28                   | 11                     | 1.                                  | 21                  | 0.524   |
| 636 | A     | 30                   | 13                     | 1.                                  | 21                  | 0.619   |
| 637 | A     | 49                   | 12                     | 1.                                  | 21                  | 0.571   |
| 638 | A     | 46                   | 10                     | 1.                                  | 21                  | 0.476   |
| 639 | A     | 26                   | 9                      | 1.                                  | 18                  | 0.5   |

Continued on next page



Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 640 | A     | 50                   | 14                     | 1.                                  | 21                  | 0.667   |
| 641 | A     | 27                   | 10                     | 1.                                  | 21                  | 0.476   |
| 642 | A     | 7                    | 8                      | 1.                                  | 21                  | 0.381   |
| 643 | A     | 4                    | 4                      | 1.                                  | 19                  | 0.21  |
| 644 | A     | 32                   | 12                     | 1.                                  | 21                  | 0.571   |
| 645 | A     | 34                   | 14                     | 1.                                  | 21                  | 0.667   |
| 646 | A     | 80                   | 11                     | 1.                                  | 21                  | 0.524   |
| 647 | A     | 62                   | 11                     | 1.                                  | 21                  | 0.524   |
| 648 | A     | 34                   | 10                     | 1.                                  | 18                  | 0.556   |
| 649 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 650 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 651 | A     | 6                    | 7                      | 1.                                  | 20                  | 0.35  |
| 652 | A     | 7                    | 9                      | 1.                                  | 20                  | 0.45  |
| 653 | A     | 8                    | 10                     | 1.                                  | 20                  | 0.5   |
| 654 | A     | 6                    | 7                      | 0.94                                | 23                  | 0.304   |
| 655 | A     | 5                    | 6                      | 0.93                                | 23                  | 0.261   |
| 656 | A     | 4                    | 5                      | 0.92                                | 21                  | 0.238   |
| 657 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 658 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 659 | A     | 26                   | 7                      | 1.                                  | 20                  | 0.35  |
| 660 | A     | 17                   | 7                      | 1.                                  | 20                  | 0.35  |
| 661 | A     | 10                   | 7                      | 1.                                  | 18                  | 0.389   |
| 662 | A     | 3                    | 3                      | 1.                                  | 10                  | 0.3   |
| 663 | A     | 22                   | 7                      | 1.                                  | 20                  | 0.35  |
| 664 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 665 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 666 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 667 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 668 | A     | 27                   | 7                      | 0.98                                | 20                  | 0.35  |
| 669 | A     | 15                   | 7                      | 0.98                                | 18                  | 0.389   |
| 670 | A     | 4                    | 4                      | 1.                                  | 10                  | 0.4   |
| 671 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 672 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 673 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 674 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 675 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 676 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 677 | A     | 26                   | 7                      | 0.98                                | 20                  | 0.35  |
| 678 | A     | 15                   | 7                      | 0.97                                | 18                  | 0.389   |
| 679 | A     | 5                    | 5                      | 0.95                                | 10                  | 0.5   |
| 680 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 681 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 682 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 683 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 684 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 685 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 686 | A     | 42                   | 10                     | 1.                                  | 22                  | 0.454   |
| 687 | A     | 23                   | 10                     | 1.                                  | 20                  | 0.5   |
| 688 | A     | 7                    | 7                      | 1.                                  | 12                  | 0.583   |
| 689 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 690 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 691 | A     | 32                   | 13                     | 1.                                  | 20                  | 0.65  |
| 692 | A     | 8                    | 8                      | 1.                                  | 12                  | 0.667   |
| 693 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 694 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 695 | A     | 39                   | 9                      | 1.                                  | 22                  | 0.409   |
| 696 | A     | 21                   | 9                      | 1.                                  | 20                  | 0.45  |
| 697 | A     | 6                    | 6                      | 1.                                  | 12                  | 0.5   |
| 698 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 699 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 700 | A     | 21                   | 9                      | 1.                                  | 20                  | 0.45  |
| 701 | A     | 7                    | 7                      | 1.                                  | 12                  | 0.583   |
| 702 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 703 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |





# Chapter 3

## Listing of integrals

### 3.1

$$\int x^4 (d - c^2 dx^2) (a + b \sin^{-1}(cx)) dx$$

Optimal. Leaf size=128

$$-\frac{1}{7}c^2 dx^7 (a + b \sin^{-1}(cx)) + \frac{1}{5}dx^5 (a + b \sin^{-1}(cx)) + \frac{bd(1 - c^2x^2)^{7/2}}{49c^5} - \frac{8bd(1 - c^2x^2)^{5/2}}{175c^5} + \frac{bd(1 - c^2x^2)^{3/2}}{105c^5} + \frac{2bd\sqrt{1 - c^2x^2}}{35c}$$

[Out] (2\*b\*d\*Sqrt[1 - c^2\*x^2])/(35\*c^5) + (b\*d\*(1 - c^2\*x^2)^(3/2))/(105\*c^5) - (8\*b\*d\*(1 - c^2\*x^2)^(5/2))/(175\*c^5) + (b\*d\*(1 - c^2\*x^2)^(7/2))/(49\*c^5) + (d\*x^5\*(a + b\*ArcSin[c\*x]))/5 - (c^2\*d\*x^7\*(a + b\*ArcSin[c\*x]))/7

---

**Rubi [A]** time = 0.120213, antiderivative size = 128, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {14, 4687, 12, 446, 77}

$$-\frac{1}{7}c^2 dx^7 (a + b \sin^{-1}(cx)) + \frac{1}{5}dx^5 (a + b \sin^{-1}(cx)) + \frac{bd(1 - c^2x^2)^{7/2}}{49c^5} - \frac{8bd(1 - c^2x^2)^{5/2}}{175c^5} + \frac{bd(1 - c^2x^2)^{3/2}}{105c^5} + \frac{2bd\sqrt{1 - c^2x^2}}{35c}$$

Antiderivative was successfully verified.

[In] Int[x^4\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (2\*b\*d\*Sqrt[1 - c^2\*x^2])/(35\*c^5) + (b\*d\*(1 - c^2\*x^2)^(3/2))/(105\*c^5) - (8\*b\*d\*(1 - c^2\*x^2)^(5/2))/(175\*c^5) + (b\*d\*(1 - c^2\*x^2)^(7/2))/(49\*c^5) + (d\*x^5\*(a + b\*ArcSin[c\*x]))/5 - (c^2\*d\*x^7\*(a + b\*ArcSin[c\*x]))/7

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Rule 4687

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 77

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))
```

Rubi steps

$$\begin{aligned}
\int x^4 (d - c^2 dx^2) (a + b \sin^{-1}(cx)) dx &= \frac{1}{5} dx^5 (a + b \sin^{-1}(cx)) - \frac{1}{7} c^2 dx^7 (a + b \sin^{-1}(cx)) - (bc) \int \frac{dx^5 (7 - 5c^2 x^2)}{35 \sqrt{1 - c^2 x^2}} dx \\
&= \frac{1}{5} dx^5 (a + b \sin^{-1}(cx)) - \frac{1}{7} c^2 dx^7 (a + b \sin^{-1}(cx)) - \frac{1}{35} (bcd) \int \frac{x^5 (7 - 5c^2 x^2)}{\sqrt{1 - c^2 x^2}} dx \\
&= \frac{1}{5} dx^5 (a + b \sin^{-1}(cx)) - \frac{1}{7} c^2 dx^7 (a + b \sin^{-1}(cx)) - \frac{1}{70} (bcd) \text{Subst} \left( \int \frac{x^2 (7 - 5c^2 x^2)}{\sqrt{1 - c^2 x^2}} dx \right) \\
&= \frac{1}{5} dx^5 (a + b \sin^{-1}(cx)) - \frac{1}{7} c^2 dx^7 (a + b \sin^{-1}(cx)) - \frac{1}{70} (bcd) \text{Subst} \left( \int \left( \frac{2}{c^4 \sqrt{1 - c^2 x^2}} \right) dx \right) \\
&= \frac{2bd \sqrt{1 - c^2 x^2}}{35c^5} + \frac{bd (1 - c^2 x^2)^{3/2}}{105c^5} - \frac{8bd (1 - c^2 x^2)^{5/2}}{175c^5} + \frac{bd (1 - c^2 x^2)^{7/2}}{49c^5} + \frac{1}{5} dx^5
\end{aligned}$$

**Mathematica [A]** time = 0.135931, size = 87, normalized size = 0.68

$$\frac{d \left( -105ax^5 (5c^2x^2 - 7) + \frac{b\sqrt{1-c^2x^2}(-75c^6x^6+57c^4x^4+76c^2x^2+152)}{c^5} - 105bx^5 (5c^2x^2 - 7) \sin^{-1}(cx) \right)}{3675}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d\*(-105\*a\*x^5\*(-7 + 5\*c^2\*x^2) + (b\*Sqrt[1 - c^2\*x^2]\*(152 + 76\*c^2\*x^2 + 57\*c^4\*x^4 - 75\*c^6\*x^6))/c^5 - 105\*b\*x^5\*(-7 + 5\*c^2\*x^2)\*ArcSin[c\*x]))/3675

**Maple [A]** time = 0.008, size = 130, normalized size = 1.

$$\frac{1}{c^5} \left( -da \left( \frac{c^7 x^7}{7} - \frac{c^5 x^5}{5} \right) - db \left( \frac{\arcsin(cx) c^7 x^7}{7} - \frac{\arcsin(cx) c^5 x^5}{5} + \frac{c^6 x^6}{49} \sqrt{-c^2 x^2 + 1} - \frac{19 c^4 x^4}{1225} \sqrt{-c^2 x^2 + 1} - \frac{76 c^2 x^2}{3675} \sqrt{-c^2 x^2 + 1} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x)),x)

[Out] 1/c^5\*(-d\*a\*(1/7\*c^7\*x^7-1/5\*c^5\*x^5)-d\*b\*(1/7\*arcsin(c\*x)\*c^7\*x^7-1/5\*arcsin(c\*x)\*c^5\*x^5+1/49\*c^6\*x^6\*(-c^2\*x^2+1)^(1/2)-19/1225\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-76/3675\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2))

$$\int (-1/2) - 76/3675 * c^2 * x^2 * (-c^2 * x^2 + 1)^{1/2} - 152/3675 * (-c^2 * x^2 + 1)^{1/2} dx$$

**Maxima [A]** time = 1.62084, size = 255, normalized size = 1.99

$$-\frac{1}{7} ac^2 dx^7 + \frac{1}{5} adx^5 - \frac{1}{245} \left( 35 x^7 \arcsin(cx) + \left( \frac{5 \sqrt{-c^2 x^2 + 1} x^6}{c^2} + \frac{6 \sqrt{-c^2 x^2 + 1} x^4}{c^4} + \frac{8 \sqrt{-c^2 x^2 + 1} x^2}{c^6} + \frac{16 \sqrt{-c^2 x^2 + 1}}{c^8} \right) \right) b * c^2 * d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] -1/7\*a\*c^2\*d\*x^7 + 1/5\*a\*d\*x^5 - 1/245\*(35\*x^7\*arcsin(c\*x) + (5\*sqrt(-c^2\*x^2 + 1)\*x^6/c^2 + 6\*sqrt(-c^2\*x^2 + 1)\*x^4/c^4 + 8\*sqrt(-c^2\*x^2 + 1)\*x^2/c^6 + 16\*sqrt(-c^2\*x^2 + 1)/c^8)\*c)\*b\*c^2\*d + 1/75\*(15\*x^5\*arcsin(c\*x) + (3\*sqrt(-c^2\*x^2 + 1)\*x^4/c^2 + 4\*sqrt(-c^2\*x^2 + 1)\*x^2/c^4 + 8\*sqrt(-c^2\*x^2 + 1)/c^6)\*c)\*b\*d

**Fricas [A]** time = 2.13976, size = 244, normalized size = 1.91

$$\frac{525 ac^7 dx^7 - 735 ac^5 dx^5 + 105 (5 bc^7 dx^7 - 7 bc^5 dx^5) \arcsin(cx) + (75 bc^6 dx^6 - 57 bc^4 dx^4 - 76 bc^2 dx^2 - 152 bd) \sqrt{-c^2 x^2 + 1}}{3675 c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] -1/3675\*(525\*a\*c^7\*d\*x^7 - 735\*a\*c^5\*d\*x^5 + 105\*(5\*b\*c^7\*d\*x^7 - 7\*b\*c^5\*d\*x^5)\*arcsin(c\*x) + (75\*b\*c^6\*d\*x^6 - 57\*b\*c^4\*d\*x^4 - 76\*b\*c^2\*d\*x^2 - 152\*b\*d)\*sqrt(-c^2\*x^2 + 1))/c^5

**Sympy [A]** time = 12.6751, size = 151, normalized size = 1.18

$$\begin{cases} -\frac{ac^2 dx^7}{7} + \frac{adx^5}{5} - \frac{bc^2 dx^7 \operatorname{asin}(cx)}{7} - \frac{bcdx^6 \sqrt{-c^2 x^2 + 1}}{49} + \frac{bdx^5 \operatorname{asin}(cx)}{5} + \frac{19bdx^4 \sqrt{-c^2 x^2 + 1}}{1225c} + \frac{76bdx^2 \sqrt{-c^2 x^2 + 1}}{3675c^3} + \frac{152bd \sqrt{-c^2 x^2 + 1}}{3675c^5} & \text{for } c \neq 0 \\ \frac{adx^5}{5} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(x\*\*4\*(-c\*\*2\*d\*x\*\*2+d)\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((-a\*c\*\*2\*d\*x\*\*7/7 + a\*d\*x\*\*5/5 - b\*c\*\*2\*d\*x\*\*7\*asin(c\*x)/7 - b\*c\*d\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)/49 + b\*d\*x\*\*5\*asin(c\*x)/5 + 19\*b\*d\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(1225\*c) + 76\*b\*d\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(3675\*c\*\*3) + 152\*b\*d\*sqrt(-c\*\*2\*x\*\*2 + 1)/(3675\*c\*\*5), Ne(c, 0)), (a\*d\*x\*\*5/5, True))

**Giac [A]** time = 1.42701, size = 263, normalized size = 2.05

$$-\frac{1}{7}ac^2dx^7 + \frac{1}{5}adx^5 - \frac{(c^2x^2-1)^3 bdx \arcsin(cx)}{7c^4} - \frac{8(c^2x^2-1)^2 bdx \arcsin(cx)}{35c^4} - \frac{(c^2x^2-1) bdx \arcsin(cx)}{35c^4} - \frac{(c^2x^2-1)^{3/2} bdx}{35c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] -1/7\*a\*c^2\*d\*x^7 + 1/5\*a\*d\*x^5 - 1/7\*(c^2\*x^2 - 1)^3\*b\*d\*x\*arcsin(c\*x)/c^4 - 8/35\*(c^2\*x^2 - 1)^2\*b\*d\*x\*arcsin(c\*x)/c^4 - 1/35\*(c^2\*x^2 - 1)\*b\*d\*x\*arcsin(c\*x)/c^4 - 1/49\*(c^2\*x^2 - 1)^3\*sqrt(-c^2\*x^2 + 1)\*b\*d/c^5 + 2/35\*b\*d\*x\*arcsin(c\*x)/c^4 - 8/175\*(c^2\*x^2 - 1)^2\*sqrt(-c^2\*x^2 + 1)\*b\*d/c^5 + 1/105\*(-c^2\*x^2 + 1)^(3/2)\*b\*d/c^5 + 2/35\*sqrt(-c^2\*x^2 + 1)\*b\*d/c^5

### 3.2 $\int x^3 (d - c^2 dx^2) (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=123

$$-\frac{1}{6}c^2 dx^6 (a + b \sin^{-1}(cx)) + \frac{1}{4}dx^4 (a + b \sin^{-1}(cx)) - \frac{1}{36}bcdx^5 \sqrt{1 - c^2 x^2} + \frac{bdx^3 \sqrt{1 - c^2 x^2}}{36c} + \frac{bdx \sqrt{1 - c^2 x^2}}{24c^3} - \frac{bd \sin^{-1}(cx)}{24c^4}$$

[Out] (b\*d\*x\*Sqrt[1 - c^2\*x^2])/(24\*c^3) + (b\*d\*x^3\*Sqrt[1 - c^2\*x^2])/(36\*c) - (b\*c\*d\*x^5\*Sqrt[1 - c^2\*x^2])/36 - (b\*d\*ArcSin[c\*x])/(24\*c^4) + (d\*x^4\*(a + b\*ArcSin[c\*x]))/4 - (c^2\*d\*x^6\*(a + b\*ArcSin[c\*x]))/6

**Rubi [A]** time = 0.0959112, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {14, 4687, 12, 459, 321, 216}

$$-\frac{1}{6}c^2 dx^6 (a + b \sin^{-1}(cx)) + \frac{1}{4}dx^4 (a + b \sin^{-1}(cx)) - \frac{1}{36}bcdx^5 \sqrt{1 - c^2 x^2} + \frac{bdx^3 \sqrt{1 - c^2 x^2}}{36c} + \frac{bdx \sqrt{1 - c^2 x^2}}{24c^3} - \frac{bd \sin^{-1}(cx)}{24c^4}$$

Antiderivative was successfully verified.

[In] Int[x^3\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*d\*x\*Sqrt[1 - c^2\*x^2])/(24\*c^3) + (b\*d\*x^3\*Sqrt[1 - c^2\*x^2])/(36\*c) - (b\*c\*d\*x^5\*Sqrt[1 - c^2\*x^2])/36 - (b\*d\*ArcSin[c\*x])/(24\*c^4) + (d\*x^4\*(a + b\*ArcSin[c\*x]))/4 - (c^2\*d\*x^6\*(a + b\*ArcSin[c\*x]))/6

#### Rule 14

Int[(u\_)\*((c\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rule 4687

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))\*((f\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 459

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(b\*e\*(m + n\*(p + 1) + 1)), x] - Dist[(a\*d\*(m + 1) - b\*c\*(m + n\*(p + 1) + 1))/(b\*(m + n\*(p + 1) + 1)), Int[(e\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && NeQ[m + n\*(p + 1) + 1, 0]

### Rule 321

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned}
 \int x^3 (d - c^2 dx^2) (a + b \sin^{-1}(cx)) dx &= \frac{1}{4} dx^4 (a + b \sin^{-1}(cx)) - \frac{1}{6} c^2 dx^6 (a + b \sin^{-1}(cx)) - (bc) \int \frac{dx^4 (3 - 2c^2 x^2)}{12\sqrt{1 - c^2 x^2}} dx \\
 &= \frac{1}{4} dx^4 (a + b \sin^{-1}(cx)) - \frac{1}{6} c^2 dx^6 (a + b \sin^{-1}(cx)) - \frac{1}{12} (bcd) \int \frac{x^4 (3 - 2c^2 x^2)}{\sqrt{1 - c^2 x^2}} dx \\
 &= -\frac{1}{36} bcdx^5 \sqrt{1 - c^2 x^2} + \frac{1}{4} dx^4 (a + b \sin^{-1}(cx)) - \frac{1}{6} c^2 dx^6 (a + b \sin^{-1}(cx)) - \frac{1}{9} (bcd) \int \frac{x^2}{\sqrt{1 - c^2 x^2}} dx \\
 &= \frac{bdx^3 \sqrt{1 - c^2 x^2}}{36c} - \frac{1}{36} bcdx^5 \sqrt{1 - c^2 x^2} + \frac{1}{4} dx^4 (a + b \sin^{-1}(cx)) - \frac{1}{6} c^2 dx^6 (a + b \sin^{-1}(cx)) \\
 &= \frac{bdx \sqrt{1 - c^2 x^2}}{24c^3} + \frac{bdx^3 \sqrt{1 - c^2 x^2}}{36c} - \frac{1}{36} bcdx^5 \sqrt{1 - c^2 x^2} + \frac{1}{4} dx^4 (a + b \sin^{-1}(cx)) \\
 &= \frac{bdx \sqrt{1 - c^2 x^2}}{24c^3} + \frac{bdx^3 \sqrt{1 - c^2 x^2}}{36c} - \frac{1}{36} bcdx^5 \sqrt{1 - c^2 x^2} - \frac{bd \sin^{-1}(cx)}{24c^4} + \frac{1}{4} dx^4 (a + b \sin^{-1}(cx))
 \end{aligned}$$

**Mathematica [A]** time = 0.0903986, size = 89, normalized size = 0.72

$$\frac{d\left(-6ac^4x^4(2c^2x^2-3)+bcx\sqrt{1-c^2x^2}(-2c^4x^4+2c^2x^2+3)-3b(4c^6x^6-6c^4x^4+1)\sin^{-1}(cx)\right)}{72c^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d\*(-6\*a\*c^4\*x^4\*(-3 + 2\*c^2\*x^2) + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(3 + 2\*c^2\*x^2 - 2\*c^4\*x^4) - 3\*b\*(1 - 6\*c^4\*x^4 + 4\*c^6\*x^6)\*ArcSin[c\*x]))/(72\*c^4)

**Maple [A]** time = 0.008, size = 118, normalized size = 1.

$$\frac{1}{c^4} \left( -da \left( \frac{c^6 x^6}{6} - \frac{c^4 x^4}{4} \right) - db \left( \frac{\arcsin(cx) c^6 x^6}{6} - \frac{c^4 x^4 \arcsin(cx)}{4} + \frac{c^5 x^5 \sqrt{-c^2 x^2 + 1}}{36} - \frac{c^3 x^3 \sqrt{-c^2 x^2 + 1}}{36} - \frac{cx \sqrt{-c^2 x^2 + 1}}{24} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x)),x)

[Out] 1/c^4\*(-d\*a\*(1/6\*c^6\*x^6-1/4\*c^4\*x^4)-d\*b\*(1/6\*arcsin(c\*x)\*c^6\*x^6-1/4\*c^4\*x^4\*arcsin(c\*x)+1/36\*c^5\*x^5\*(-c^2\*x^2+1)^(1/2)-1/36\*c^3\*x^3\*(-c^2\*x^2+1)^(1/2)-1/24\*c\*x\*(-c^2\*x^2+1)^(1/2)+1/24\*arcsin(c\*x)))

**Maxima [A]** time = 1.52922, size = 261, normalized size = 2.12

$$-\frac{1}{6}ac^2dx^6 + \frac{1}{4}adx^4 - \frac{1}{288} \left( 48x^6 \arcsin(cx) + \left( \frac{8\sqrt{-c^2x^2+1}x^5}{c^2} + \frac{10\sqrt{-c^2x^2+1}x^3}{c^4} + \frac{15\sqrt{-c^2x^2+1}x}{c^6} - \frac{15\arcsin\left(\frac{c^2x}{\sqrt{c^2}}\right)}{\sqrt{c^2}c^6} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] -1/6\*a\*c^2\*d\*x^6 + 1/4\*a\*d\*x^4 - 1/288\*(48\*x^6\*arcsin(c\*x) + (8\*sqrt(-c^2\*x^2 + 1)\*x^5/c^2 + 10\*sqrt(-c^2\*x^2 + 1)\*x^3/c^4 + 15\*sqrt(-c^2\*x^2 + 1)\*x/c^6 - 15\*arcsin(c^2\*x/sqrt(c^2))/(sqrt(c^2)\*c^6))\*c)\*b\*c^2\*d + 1/32\*(8\*x^4\*a

$\text{rcsin}(c*x) + (2*\sqrt{-c^2*x^2 + 1})*x^3/c^2 + 3*\sqrt{-c^2*x^2 + 1})*x/c^4 - 3*\arcsin(c^2*x/\sqrt{c^2}))/(\sqrt{c^2}*c^4))*c)*b*d$

**Fricas [A]** time = 2.0412, size = 221, normalized size = 1.8

$$\frac{12ac^6dx^6 - 18ac^4dx^4 + 3(4bc^6dx^6 - 6bc^4dx^4 + bd)\arcsin(cx) + (2bc^5dx^5 - 2bc^3dx^3 - 3bcdx)\sqrt{-c^2x^2 + 1}}{72c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out]  $-1/72*(12*a*c^6*d*x^6 - 18*a*c^4*d*x^4 + 3*(4*b*c^6*d*x^6 - 6*b*c^4*d*x^4 + b*d)*\arcsin(c*x) + (2*b*c^5*d*x^5 - 2*b*c^3*d*x^3 - 3*b*c*d*x)*\sqrt{-c^2*x^2 + 1})/c^4$

**Sympy [A]** time = 13.7657, size = 138, normalized size = 1.12

$$\begin{cases} -\frac{ac^2dx^6}{4} + \frac{adx^4}{4} - \frac{bc^2dx^6 \arcsin(cx)}{6} - \frac{bcdx^5\sqrt{-c^2x^2+1}}{36} + \frac{bdx^4 \arcsin(cx)}{4} + \frac{bdx^3\sqrt{-c^2x^2+1}}{36c} + \frac{bdx\sqrt{-c^2x^2+1}}{24c^3} - \frac{bd \arcsin(cx)}{24c^4} & \text{for } c \neq 0 \\ \frac{adx^4}{4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-c\*\*2\*d\*x\*\*2+d)\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((-a\*c\*\*2\*d\*x\*\*6/6 + a\*d\*x\*\*4/4 - b\*c\*\*2\*d\*x\*\*6\*asin(c\*x)/6 - b\*c\*d\*x\*\*5\*sqrt(-c\*\*2\*x\*\*2 + 1)/36 + b\*d\*x\*\*4\*asin(c\*x)/4 + b\*d\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/(36\*c) + b\*d\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)/(24\*c\*\*3) - b\*d\*asin(c\*x)/(24\*c\*\*4), Ne(c, 0)), (a\*d\*x\*\*4/4, True))

**Giac [A]** time = 1.37521, size = 220, normalized size = 1.79

$$-\frac{(c^2x^2 - 1)^2\sqrt{-c^2x^2 + 1}bdx}{36c^3} - \frac{(c^2x^2 - 1)^3bd \arcsin(cx)}{6c^4} + \frac{(-c^2x^2 + 1)^{\frac{3}{2}}bdx}{36c^3} - \frac{(c^2x^2 - 1)^3ad}{6c^4} - \frac{(c^2x^2 - 1)^2bd \arcsin(cx)}{4c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(-c^2*d*x^2+d)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] -1/36*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b*d*x/c^3 - 1/6*(c^2*x^2 - 1)^3*b*  
d*arcsin(c*x)/c^4 + 1/36*(-c^2*x^2 + 1)^(3/2)*b*d*x/c^3 - 1/6*(c^2*x^2 - 1)  
^3*a*d/c^4 - 1/4*(c^2*x^2 - 1)^2*b*d*arcsin(c*x)/c^4 + 1/24*sqrt(-c^2*x^2 +  
1)*b*d*x/c^3 - 1/4*(c^2*x^2 - 1)^2*a*d/c^4 + 1/24*b*d*arcsin(c*x)/c^4
```

### 3.3 $\int x^2 (d - c^2 dx^2) (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=105

$$-\frac{1}{5}c^2 dx^5 (a + b \sin^{-1}(cx)) + \frac{1}{3}dx^3 (a + b \sin^{-1}(cx)) - \frac{bd(1 - c^2 x^2)^{5/2}}{25c^3} + \frac{bd(1 - c^2 x^2)^{3/2}}{45c^3} + \frac{2bd\sqrt{1 - c^2 x^2}}{15c^3}$$

[Out] (2\*b\*d\*Sqrt[1 - c^2\*x^2])/(15\*c^3) + (b\*d\*(1 - c^2\*x^2)^(3/2))/(45\*c^3) - (b\*d\*(1 - c^2\*x^2)^(5/2))/(25\*c^3) + (d\*x^3\*(a + b\*ArcSin[c\*x]))/3 - (c^2\*d\*x^5\*(a + b\*ArcSin[c\*x]))/5

**Rubi [A]** time = 0.103338, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {14, 4687, 12, 446, 77}

$$-\frac{1}{5}c^2 dx^5 (a + b \sin^{-1}(cx)) + \frac{1}{3}dx^3 (a + b \sin^{-1}(cx)) - \frac{bd(1 - c^2 x^2)^{5/2}}{25c^3} + \frac{bd(1 - c^2 x^2)^{3/2}}{45c^3} + \frac{2bd\sqrt{1 - c^2 x^2}}{15c^3}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (2\*b\*d\*Sqrt[1 - c^2\*x^2])/(15\*c^3) + (b\*d\*(1 - c^2\*x^2)^(3/2))/(45\*c^3) - (b\*d\*(1 - c^2\*x^2)^(5/2))/(25\*c^3) + (d\*x^3\*(a + b\*ArcSin[c\*x]))/3 - (c^2\*d\*x^5\*(a + b\*ArcSin[c\*x]))/5

#### Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

#### Rule 4687

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))*((f_.)*(x_))^(m_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 77

```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_
.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0]
&& ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p +
5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b,
c, d, e, f])))
```

### Rubi steps

$$\begin{aligned}
\int x^2 (d - c^2 dx^2) (a + b \sin^{-1}(cx)) dx &= \frac{1}{3} dx^3 (a + b \sin^{-1}(cx)) - \frac{1}{5} c^2 dx^5 (a + b \sin^{-1}(cx)) - (bc) \int \frac{dx^3 (5 - 3c^2 x^2)}{15\sqrt{1 - c^2 x^2}} dx \\
&= \frac{1}{3} dx^3 (a + b \sin^{-1}(cx)) - \frac{1}{5} c^2 dx^5 (a + b \sin^{-1}(cx)) - \frac{1}{15} (bcd) \int \frac{x^3 (5 - 3c^2 x^2)}{\sqrt{1 - c^2 x^2}} dx \\
&= \frac{1}{3} dx^3 (a + b \sin^{-1}(cx)) - \frac{1}{5} c^2 dx^5 (a + b \sin^{-1}(cx)) - \frac{1}{30} (bcd) \text{Subst} \left( \int \frac{x (5 - 3c^2 x^2)}{\sqrt{1 - c^2 x^2}} dx \right) \\
&= \frac{1}{3} dx^3 (a + b \sin^{-1}(cx)) - \frac{1}{5} c^2 dx^5 (a + b \sin^{-1}(cx)) - \frac{1}{30} (bcd) \text{Subst} \left( \int \left( \frac{2}{c^2 \sqrt{1 - c^2 x^2}} - \frac{3x^2}{\sqrt{1 - c^2 x^2}} \right) dx \right) \\
&= \frac{2bd\sqrt{1 - c^2 x^2}}{15c^3} + \frac{bd(1 - c^2 x^2)^{3/2}}{45c^3} - \frac{bd(1 - c^2 x^2)^{5/2}}{25c^3} + \frac{1}{3} dx^3 (a + b \sin^{-1}(cx)) - \frac{1}{5} c^2 dx^5 (a + b \sin^{-1}(cx))
\end{aligned}$$

**Mathematica [A]** time = 0.0962014, size = 85, normalized size = 0.81

$$\frac{d \left( a (75c^3 x^3 - 45c^5 x^5) + b\sqrt{1 - c^2 x^2} (-9c^4 x^4 + 13c^2 x^2 + 26) + 15bc^3 x^3 (5 - 3c^2 x^2) \sin^{-1}(cx) \right)}{225c^3}$$

Antiderivative was successfully verified.



[In] Integrate[x^2\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d\*(b\*Sqrt[1 - c^2\*x^2]\*(26 + 13\*c^2\*x^2 - 9\*c^4\*x^4) + a\*(75\*c^3\*x^3 - 45\*c^5\*x^5) + 15\*b\*c^3\*x^3\*(5 - 3\*c^2\*x^2)\*ArcSin[c\*x]))/(225\*c^3)

**Maple [A]** time = 0.006, size = 110, normalized size = 1.1

$$\frac{1}{c^3} \left( -da \left( \frac{c^5 x^5}{5} - \frac{c^3 x^3}{3} \right) - db \left( \frac{\arcsin(cx) c^5 x^5}{5} - \frac{c^3 x^3 \arcsin(cx)}{3} + \frac{c^4 x^4}{25} \sqrt{-c^2 x^2 + 1} - \frac{13 c^2 x^2}{225} \sqrt{-c^2 x^2 + 1} - \frac{26}{225} \sqrt{-c^2 x^2 + 1} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x)),x)

[Out] 1/c^3\*(-d\*a\*(1/5\*c^5\*x^5-1/3\*c^3\*x^3)-d\*b\*(1/5\*arcsin(c\*x)\*c^5\*x^5-1/3\*c^3\*x^3\*arcsin(c\*x)+1/25\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-13/225\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-26/225\*(-c^2\*x^2+1)^(1/2)))

**Maxima [A]** time = 1.52165, size = 200, normalized size = 1.9

$$-\frac{1}{5} a c^2 d x^5 - \frac{1}{75} \left( 15 x^5 \arcsin(cx) + \left( \frac{3 \sqrt{-c^2 x^2 + 1} x^4}{c^2} + \frac{4 \sqrt{-c^2 x^2 + 1} x^2}{c^4} + \frac{8 \sqrt{-c^2 x^2 + 1}}{c^6} \right) c \right) b c^2 d + \frac{1}{3} a d x^3 + \frac{1}{9} \left( 3 x^3 \arcsin(cx) + \frac{4 x^2 \sqrt{-c^2 x^2 + 1}}{c^2} + \frac{8 x \sqrt{-c^2 x^2 + 1}}{c^4} + \frac{8 \sqrt{-c^2 x^2 + 1}}{c^6} \right) b d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] -1/5\*a\*c^2\*d\*x^5 - 1/75\*(15\*x^5\*arcsin(c\*x) + (3\*sqrt(-c^2\*x^2 + 1)\*x^4/c^2 + 4\*sqrt(-c^2\*x^2 + 1)\*x^2/c^4 + 8\*sqrt(-c^2\*x^2 + 1)/c^6)\*c)\*b\*c^2\*d + 1/3\*a\*d\*x^3 + 1/9\*(3\*x^3\*arcsin(c\*x) + c\*(sqrt(-c^2\*x^2 + 1)\*x^2/c^2 + 2\*sqrt(-c^2\*x^2 + 1)/c^4))\*b\*d

**Fricas [A]** time = 2.14777, size = 213, normalized size = 2.03

$$\frac{45 a c^5 d x^5 - 75 a c^3 d x^3 + 15 (3 b c^5 d x^5 - 5 b c^3 d x^3) \arcsin(cx) + (9 b c^4 d x^4 - 13 b c^2 d x^2 - 26 b d) \sqrt{-c^2 x^2 + 1}}{225 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(-c^2*d*x^2+d)*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] -1/225*(45*a*c^5*d*x^5 - 75*a*c^3*d*x^3 + 15*(3*b*c^5*d*x^5 - 5*b*c^3*d*x^3)
)*arcsin(c*x) + (9*b*c^4*d*x^4 - 13*b*c^2*d*x^2 - 26*b*d)*sqrt(-c^2*x^2 + 1
)/c^3
```

**Sympy [A]** time = 3.55446, size = 126, normalized size = 1.2

$$\begin{cases} -\frac{ac^2dx^5}{5} + \frac{adx^3}{3} - \frac{bc^2dx^5 \arcsin(cx)}{5} - \frac{bcdx^4\sqrt{-c^2x^2+1}}{25} + \frac{bdx^3 \arcsin(cx)}{3} + \frac{13bdx^2\sqrt{-c^2x^2+1}}{225c} + \frac{26bd\sqrt{-c^2x^2+1}}{225c^3} & \text{for } c \neq 0 \\ \frac{adx^3}{3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(-c**2*d*x**2+d)*(a+b*asin(c*x)),x)
```

```
[Out] Piecewise((-a*c**2*d*x**5/5 + a*d*x**3/3 - b*c**2*d*x**5*asin(c*x)/5 - b*c*
d*x**4*sqrt(-c**2*x**2 + 1)/25 + b*d*x**3*asin(c*x)/3 + 13*b*d*x**2*sqrt(-c
**2*x**2 + 1)/(225*c) + 26*b*d*sqrt(-c**2*x**2 + 1)/(225*c**3), Ne(c, 0)),
(a*d*x**3/3, True))
```

**Giac [A]** time = 1.35016, size = 192, normalized size = 1.83

$$-\frac{1}{5}ac^2dx^5 + \frac{1}{3}adx^3 - \frac{(c^2x^2-1)^2 bdx \arcsin(cx)}{5c^2} - \frac{(c^2x^2-1) bdx \arcsin(cx)}{15c^2} + \frac{2 bdx \arcsin(cx)}{15c^2} - \frac{(c^2x^2-1)^2 \sqrt{-c^2x^2+1}}{25c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(-c^2*d*x^2+d)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] -1/5*a*c^2*d*x^5 + 1/3*a*d*x^3 - 1/5*(c^2*x^2 - 1)^2*b*d*x*arcsin(c*x)/c^2
- 1/15*(c^2*x^2 - 1)*b*d*x*arcsin(c*x)/c^2 + 2/15*b*d*x*arcsin(c*x)/c^2 - 1
/25*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b*d/c^3 + 1/45*(-c^2*x^2 + 1)^(3/2)*
b*d/c^3 + 2/15*sqrt(-c^2*x^2 + 1)*b*d/c^3
```

### 3.4 $\int x (d - c^2 dx^2) (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=90

$$-\frac{d(1-c^2x^2)^2(a+b\sin^{-1}(cx))}{4c^2} + \frac{bdx(1-c^2x^2)^{3/2}}{16c} + \frac{3bdx\sqrt{1-c^2x^2}}{32c} + \frac{3bd\sin^{-1}(cx)}{32c^2}$$

[Out] (3\*b\*d\*x\*Sqrt[1 - c^2\*x^2])/(32\*c) + (b\*d\*x\*(1 - c^2\*x^2)^(3/2))/(16\*c) + (3\*b\*d\*ArcSin[c\*x])/(32\*c^2) - (d\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x]))/(4\*c^2)

**Rubi [A]** time = 0.041917, antiderivative size = 90, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {4677, 195, 216}

$$-\frac{d(1-c^2x^2)^2(a+b\sin^{-1}(cx))}{4c^2} + \frac{bdx(1-c^2x^2)^{3/2}}{16c} + \frac{3bdx\sqrt{1-c^2x^2}}{32c} + \frac{3bd\sin^{-1}(cx)}{32c^2}$$

Antiderivative was successfully verified.

[In] Int[x\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (3\*b\*d\*x\*Sqrt[1 - c^2\*x^2])/(32\*c) + (b\*d\*x\*(1 - c^2\*x^2)^(3/2))/(16\*c) + (3\*b\*d\*ArcSin[c\*x])/(32\*c^2) - (d\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x]))/(4\*c^2)

#### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*(x\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rule 195

Int[((a\_.) + (b\_.)\*(x\_.)^ (n\_.))^ (p\_.), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p])) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n],

Denominator[p]])

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned}
 \int x(d - c^2 dx^2)(a + b \sin^{-1}(cx)) dx &= -\frac{d(1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))}{4c^2} + \frac{(bd) \int (1 - c^2 x^2)^{3/2} dx}{4c} \\
 &= \frac{bdx(1 - c^2 x^2)^{3/2}}{16c} - \frac{d(1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))}{4c^2} + \frac{(3bd) \int \sqrt{1 - c^2 x^2} dx}{16c} \\
 &= \frac{3bdx\sqrt{1 - c^2 x^2}}{32c} + \frac{bdx(1 - c^2 x^2)^{3/2}}{16c} - \frac{d(1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))}{4c^2} + \frac{(3bd) \int \frac{dx}{\sqrt{1 - c^2 x^2}}}{32c} \\
 &= \frac{3bdx\sqrt{1 - c^2 x^2}}{32c} + \frac{bdx(1 - c^2 x^2)^{3/2}}{16c} + \frac{3bd \sin^{-1}(cx)}{32c^2} - \frac{d(1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))}{4c^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.0864117, size = 77, normalized size = 0.86

$$\frac{d \left( cx \left( 8acx(c^2 x^2 - 2) + b\sqrt{1 - c^2 x^2}(2c^2 x^2 - 5) \right) + b(8c^4 x^4 - 16c^2 x^2 + 5) \sin^{-1}(cx) \right)}{32c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] -(d\*(c\*x\*(8\*a\*c\*x\*(-2 + c^2\*x^2) + b\*Sqrt[1 - c^2\*x^2]\*(-5 + 2\*c^2\*x^2)) + b\*(5 - 16\*c^2\*x^2 + 8\*c^4\*x^4)\*ArcSin[c\*x]))/(32\*c^2)

**Maple [A]** time = 0.004, size = 98, normalized size = 1.1

$$\frac{1}{c^2} \left( -da \left( \frac{c^4 x^4}{4} - \frac{c^2 x^2}{2} \right) - db \left( \frac{c^4 x^4 \arcsin(cx)}{4} - \frac{c^2 x^2 \arcsin(cx)}{2} + \frac{c^3 x^3 \sqrt{-c^2 x^2 + 1}}{16} - \frac{5cx \sqrt{-c^2 x^2 + 1}}{32} + \frac{5 \arcsin(cx)}{32} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(-c^2*d*x^2+d)*(a+b*arcsin(c*x)),x)`

[Out]  $1/c^2*(-d*a*(1/4*c^4*x^4-1/2*c^2*x^2)-d*b*(1/4*c^4*x^4*arcsin(c*x)-1/2*c^2*x^2*arcsin(c*x)+1/16*c^3*x^3*(-c^2*x^2+1)^{(1/2)}-5/32*c*x*(-c^2*x^2+1)^{(1/2)}+5/32*arcsin(c*x))$

**Maxima [A]** time = 1.58258, size = 205, normalized size = 2.28

$$-\frac{1}{4}ac^2dx^4 - \frac{1}{32}\left(8x^4\arcsin(cx) + \left(\frac{2\sqrt{-c^2x^2+1}x^3}{c^2} + \frac{3\sqrt{-c^2x^2+1}x}{c^4} - \frac{3\arcsin\left(\frac{c^2x}{\sqrt{c^2}}\right)}{\sqrt{c^2}c^4}\right)c\right)bc^2d + \frac{1}{2}adx^2 + \frac{1}{4}\left(2x^2\arcsin(cx) + \frac{2\sqrt{-c^2x^2+1}x^3}{c^2} + \frac{3\sqrt{-c^2x^2+1}x}{c^4} - \frac{3\arcsin\left(\frac{c^2x}{\sqrt{c^2}}\right)}{\sqrt{c^2}c^4}\right)c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*d*x^2+d)*(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out]  $-1/4*a*c^2*d*x^4 - 1/32*(8*x^4*arcsin(c*x) + (2*sqrt(-c^2*x^2 + 1)*x^3/c^2 + 3*sqrt(-c^2*x^2 + 1)*x/c^4 - 3*arcsin(c^2*x/sqrt(c^2))/(sqrt(c^2)*c^4))*c^2*d + 1/2*a*d*x^2 + 1/4*(2*x^2*arcsin(c*x) + c*(sqrt(-c^2*x^2 + 1)*x/c^2 - arcsin(c^2*x/sqrt(c^2))/(sqrt(c^2)*c^2)))*b*d$

**Fricas [A]** time = 2.17125, size = 200, normalized size = 2.22

$$\frac{8ac^4dx^4 - 16ac^2dx^2 + (8bc^4dx^4 - 16bc^2dx^2 + 5bd)\arcsin(cx) + (2bc^3dx^3 - 5bcdx)\sqrt{-c^2x^2+1}}{32c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*d*x^2+d)*(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out]  $-1/32*(8*a*c^4*d*x^4 - 16*a*c^2*d*x^2 + (8*b*c^4*d*x^4 - 16*b*c^2*d*x^2 + 5*b*d)*arcsin(c*x) + (2*b*c^3*d*x^3 - 5*b*c*d*x)*sqrt(-c^2*x^2 + 1))/c^2$

**Sympy [A]** time = 7.07325, size = 117, normalized size = 1.3

$$\begin{cases} -\frac{ac^2dx^4}{2} + \frac{adx^2}{2} - \frac{bc^2dx^4\arcsin(cx)}{4} - \frac{bcdx^3\sqrt{-c^2x^2+1}}{16} + \frac{bdx^2\arcsin(cx)}{2} + \frac{5bdx\sqrt{-c^2x^2+1}}{32c} - \frac{5bd\arcsin(cx)}{32c^2} & \text{for } c \neq 0 \\ \frac{adx^2}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(-c**2*d*x**2+d)*(a+b*asin(c*x)),x)
```

```
[Out] Piecewise((-a*c**2*d*x**4/4 + a*d*x**2/2 - b*c**2*d*x**4*asin(c*x)/4 - b*c*
d*x**3*sqrt(-c**2*x**2 + 1)/16 + b*d*x**2*asin(c*x)/2 + 5*b*d*x*sqrt(-c**2*
x**2 + 1)/(32*c) - 5*b*d*asin(c*x)/(32*c**2), Ne(c, 0)), (a*d*x**2/2, True)
)
```

**Giac [A]** time = 1.35259, size = 124, normalized size = 1.38

$$\frac{(-c^2x^2 + 1)^{\frac{3}{2}}bdx}{16c} - \frac{(c^2x^2 - 1)^2bd \arcsin(cx)}{4c^2} + \frac{3\sqrt{-c^2x^2 + 1}bdx}{32c} - \frac{(c^2x^2 - 1)^2ad}{4c^2} + \frac{3bd \arcsin(cx)}{32c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(-c^2*d*x^2+d)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] 1/16*(-c^2*x^2 + 1)^(3/2)*b*d*x/c - 1/4*(c^2*x^2 - 1)^2*b*d*arcsin(c*x)/c^2
+ 3/32*sqrt(-c^2*x^2 + 1)*b*d*x/c - 1/4*(c^2*x^2 - 1)^2*a*d/c^2 + 3/32*b*d
*arcsin(c*x)/c^2
```

### 3.5 $\int (d - c^2 dx^2) (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=77

$$-\frac{1}{3}c^2 dx^3 (a + b \sin^{-1}(cx)) + dx (a + b \sin^{-1}(cx)) + \frac{bd(1 - c^2 x^2)^{3/2}}{9c} + \frac{2bd\sqrt{1 - c^2 x^2}}{3c}$$

[Out]  $(2*b*d*\text{Sqrt}[1 - c^2*x^2])/(3*c) + (b*d*(1 - c^2*x^2)^{(3/2)})/(9*c) + d*x*(a + b*\text{ArcSin}[c*x]) - (c^2*d*x^3*(a + b*\text{ArcSin}[c*x]))/3$

**Rubi [A]** time = 0.0609626, antiderivative size = 77, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4645, 12, 444, 43}

$$-\frac{1}{3}c^2 dx^3 (a + b \sin^{-1}(cx)) + dx (a + b \sin^{-1}(cx)) + \frac{bd(1 - c^2 x^2)^{3/2}}{9c} + \frac{2bd\sqrt{1 - c^2 x^2}}{3c}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d - c^2*d*x^2)*(a + b*\text{ArcSin}[c*x]),x]$

[Out]  $(2*b*d*\text{Sqrt}[1 - c^2*x^2])/(3*c) + (b*d*(1 - c^2*x^2)^{(3/2)})/(9*c) + d*x*(a + b*\text{ArcSin}[c*x]) - (c^2*d*x^3*(a + b*\text{ArcSin}[c*x]))/3$

#### Rule 4645

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{With}\{u = \text{IntHide}[(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSin}[c*x], u, x] - \text{Dist}[b*c, \text{Int}[\text{SimplifyIntegrand}[u/\text{Sqrt}[1 - c^2*x^2], x], x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[p, 0]$

#### Rule 12

$\text{Int}[(a_)*(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

#### Rule 444

$\text{Int}[(x_)^{(m_.)}*((a_) + (b_.)*(x_)^{(n_.)})^{(p_.)}*((c_) + (d_.)*(x_)^{(n_.)})^{(q_.)}, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p, q\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[m - n +$

1, 0]

**Rule 43**

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

**Rubi steps**

$$\begin{aligned}
\int (d - c^2 dx^2) (a + b \sin^{-1}(cx)) dx &= dx (a + b \sin^{-1}(cx)) - \frac{1}{3} c^2 dx^3 (a + b \sin^{-1}(cx)) - (bc) \int \frac{dx \left(1 - \frac{c^2 x^2}{3}\right)}{\sqrt{1 - c^2 x^2}} dx \\
&= dx (a + b \sin^{-1}(cx)) - \frac{1}{3} c^2 dx^3 (a + b \sin^{-1}(cx)) - (bcd) \int \frac{x \left(1 - \frac{c^2 x^2}{3}\right)}{\sqrt{1 - c^2 x^2}} dx \\
&= dx (a + b \sin^{-1}(cx)) - \frac{1}{3} c^2 dx^3 (a + b \sin^{-1}(cx)) - \frac{1}{2} (bcd) \text{Subst} \left( \int \frac{1 - \frac{c^2 x}{3}}{\sqrt{1 - c^2 x}} dx, x, \right. \\
&= dx (a + b \sin^{-1}(cx)) - \frac{1}{3} c^2 dx^3 (a + b \sin^{-1}(cx)) - \frac{1}{2} (bcd) \text{Subst} \left( \int \left( \frac{2}{3\sqrt{1 - c^2 x}} + \frac{1}{3} \right. \right. \\
&= \frac{2bd\sqrt{1 - c^2 x^2}}{3c} + \frac{bd(1 - c^2 x^2)^{3/2}}{9c} + dx (a + b \sin^{-1}(cx)) - \frac{1}{3} c^2 dx^3 (a + b \sin^{-1}(cx))
\end{aligned}$$

**Mathematica [A]** time = 0.0692109, size = 88, normalized size = 1.14

$$-\frac{1}{3}ac^2dx^3 + adx - \frac{1}{9}bcdx^2\sqrt{1 - c^2x^2} + \frac{7bd\sqrt{1 - c^2x^2}}{9c} - \frac{1}{3}bc^2dx^3\sin^{-1}(cx) + bdx\sin^{-1}(cx)$$

Antiderivative was successfully verified.

```
[In] Integrate[(d - c^2*d*x^2)*(a + b*ArcSin[c*x]),x]
```

```
[Out] a*d*x - (a*c^2*d*x^3)/3 + (7*b*d*Sqrt[1 - c^2*x^2])/(9*c) - (b*c*d*x^2*Sqrt
[1 - c^2*x^2])/9 + b*d*x*ArcSin[c*x] - (b*c^2*d*x^3*ArcSin[c*x])/3
```



**Maple [A]** time = 0.006, size = 82, normalized size = 1.1

$$\frac{1}{c} \left( -da \left( \frac{c^3 x^3}{3} - cx \right) - db \left( \frac{c^3 x^3 \arcsin(cx)}{3} - cx \arcsin(cx) + \frac{c^2 x^2}{9} \sqrt{-c^2 x^2 + 1} - \frac{7}{9} \sqrt{-c^2 x^2 + 1} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x)),x)

[Out] 1/c\*(-d\*a\*(1/3\*c^3\*x^3-c\*x)-d\*b\*(1/3\*c^3\*x^3\*arcsin(c\*x)-c\*x\*arcsin(c\*x)+1/9\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-7/9\*(-c^2\*x^2+1)^(1/2)))

**Maxima [A]** time = 1.68806, size = 131, normalized size = 1.7

$$-\frac{1}{3} ac^2 dx^3 - \frac{1}{9} \left( 3x^3 \arcsin(cx) + c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2}{c^2} + \frac{2\sqrt{-c^2 x^2 + 1}}{c^4} \right) \right) bc^2 d + adx + \frac{(cx \arcsin(cx) + \sqrt{-c^2 x^2 + 1})bd}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] -1/3\*a\*c^2\*d\*x^3 - 1/9\*(3\*x^3\*arcsin(c\*x) + c\*(sqrt(-c^2\*x^2 + 1)\*x^2/c^2 + 2\*sqrt(-c^2\*x^2 + 1)/c^4))\*b\*c^2\*d + a\*d\*x + (c\*x\*arcsin(c\*x) + sqrt(-c^2\*x^2 + 1))\*b\*d/c

**Fricas [A]** time = 2.16592, size = 163, normalized size = 2.12

$$\frac{3ac^3 dx^3 - 9acdx + 3(bc^3 dx^3 - 3bcdx) \arcsin(cx) + (bc^2 dx^2 - 7bd) \sqrt{-c^2 x^2 + 1}}{9c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] -1/9\*(3\*a\*c^3\*d\*x^3 - 9\*a\*c\*d\*x + 3\*(b\*c^3\*d\*x^3 - 3\*b\*c\*d\*x)\*arcsin(c\*x) + (b\*c^2\*d\*x^2 - 7\*b\*d)\*sqrt(-c^2\*x^2 + 1))/c

**Sympy [A]** time = 3.52337, size = 90, normalized size = 1.17

$$\begin{cases} -\frac{ac^2dx^3}{3} + adx - \frac{bc^2dx^3 \operatorname{asin}(cx)}{3} - \frac{bcdx^2\sqrt{-c^2x^2+1}}{9} + bdx \operatorname{asin}(cx) + \frac{7bd\sqrt{-c^2x^2+1}}{9c} & \text{for } c \neq 0 \\ adx & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((-a\*c\*\*2\*d\*x\*\*3/3 + a\*d\*x - b\*c\*\*2\*d\*x\*\*3\*asin(c\*x)/3 - b\*c\*d\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/9 + b\*d\*x\*asin(c\*x) + 7\*b\*d\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c), Ne(c, 0)), (a\*d\*x, True))

**Giac [A]** time = 1.32507, size = 108, normalized size = 1.4

$$-\frac{1}{3}ac^2dx^3 - \frac{1}{3}(c^2x^2 - 1)bdx \operatorname{arcsin}(cx) + \frac{2}{3}bdx \operatorname{arcsin}(cx) + adx + \frac{(-c^2x^2 + 1)^{\frac{3}{2}}bd}{9c} + \frac{2\sqrt{-c^2x^2 + 1}bd}{3c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] -1/3\*a\*c^2\*d\*x^3 - 1/3\*(c^2\*x^2 - 1)\*b\*d\*x\*arcsin(c\*x) + 2/3\*b\*d\*x\*arcsin(c\*x) + a\*d\*x + 1/9\*(-c^2\*x^2 + 1)^(3/2)\*b\*d/c + 2/3\*sqrt(-c^2\*x^2 + 1)\*b\*d/c

$$3.6 \quad \int \frac{(d-c^2 dx^2)(a+b \sin^{-1}(cx))}{x} dx$$

**Optimal.** Leaf size=121

$$-\frac{1}{2}ibd\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right) + \frac{1}{2}d(1-c^2x^2)(a+b\sin^{-1}(cx)) - \frac{id(a+b\sin^{-1}(cx))^2}{2b} + d\log\left(1-e^{2i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))$$

[Out]  $-(b*c*d*x*\text{Sqrt}[1 - c^2*x^2])/4 - (b*d*\text{ArcSin}[c*x])/4 + (d*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x]))/2 - ((I/2)*d*(a + b*\text{ArcSin}[c*x])^2)/b + d*(a + b*\text{ArcSin}[c*x])*Log[1 - E^((2*I)*\text{ArcSin}[c*x])] - (I/2)*b*d*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])]$

**Rubi [A]** time = 0.116377, antiderivative size = 121, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {4683, 4625, 3717, 2190, 2279, 2391, 195, 216}

$$-\frac{1}{2}ibd\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right) + \frac{1}{2}d(1-c^2x^2)(a+b\sin^{-1}(cx)) - \frac{id(a+b\sin^{-1}(cx))^2}{2b} + d\log\left(1-e^{2i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d - c^2*d*x^2)*(a + b*\text{ArcSin}[c*x])/x, x]$

[Out]  $-(b*c*d*x*\text{Sqrt}[1 - c^2*x^2])/4 - (b*d*\text{ArcSin}[c*x])/4 + (d*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x]))/2 - ((I/2)*d*(a + b*\text{ArcSin}[c*x])^2)/b + d*(a + b*\text{ArcSin}[c*x])*Log[1 - E^((2*I)*\text{ArcSin}[c*x])] - (I/2)*b*d*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])]$

### Rule 4683

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + (d + e*x^2)^p)/x, x]$ ,  $x\_Symbol \rightarrow \text{Simp}[(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])/(2*p), x] + (\text{Dist}[d, \text{Int}[(d + e*x^2)^{p-1}*(a + b*\text{ArcSin}[c*x])/x, x], x] - \text{Dist}[(b*c*d^p)/(2*p), \text{Int}[(1 - c^2*x^2)^{p-1/2}, x], x]) /;$   $\text{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{E} \ \text{qQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[p, 0]$

### Rule 4625

$\text{Int}[(a + \text{ArcSin}[c*x])^n/x, x]$ ,  $x\_Symbol \rightarrow \text{Subst}[\text{Int}[(a + b*x)^n/\text{Tan}[x], x], x, \text{ArcSin}[c*x]] /;$   $\text{FreeQ}\{a, b, c, x\} \ \&\& \ \text{IGtQ}[n, 0]$

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^p)/(n*p
+ 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; Free
Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] &&
IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n],
Denominator[p]])
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))}{x} dx &= \frac{1}{2}d(1 - c^2 x^2)(a + b \sin^{-1}(cx)) + d \int \frac{a + b \sin^{-1}(cx)}{x} dx - \frac{1}{2}(bcd) \int \sqrt{1 - c^2 x^2} dx \\
&= -\frac{1}{4}bcdx\sqrt{1 - c^2 x^2} + \frac{1}{2}d(1 - c^2 x^2)(a + b \sin^{-1}(cx)) + d \operatorname{Subst}\left(\int (a + bx) \cot(x) dx, cx\right) \\
&= -\frac{1}{4}bcdx\sqrt{1 - c^2 x^2} - \frac{1}{4}bd \sin^{-1}(cx) + \frac{1}{2}d(1 - c^2 x^2)(a + b \sin^{-1}(cx)) - \frac{id(a + b \sin^{-1}(cx))}{2b} \\
&= -\frac{1}{4}bcdx\sqrt{1 - c^2 x^2} - \frac{1}{4}bd \sin^{-1}(cx) + \frac{1}{2}d(1 - c^2 x^2)(a + b \sin^{-1}(cx)) - \frac{id(a + b \sin^{-1}(cx))}{2b} \\
&= -\frac{1}{4}bcdx\sqrt{1 - c^2 x^2} - \frac{1}{4}bd \sin^{-1}(cx) + \frac{1}{2}d(1 - c^2 x^2)(a + b \sin^{-1}(cx)) - \frac{id(a + b \sin^{-1}(cx))}{2b} \\
&= -\frac{1}{4}bcdx\sqrt{1 - c^2 x^2} - \frac{1}{4}bd \sin^{-1}(cx) + \frac{1}{2}d(1 - c^2 x^2)(a + b \sin^{-1}(cx)) - \frac{id(a + b \sin^{-1}(cx))}{2b}
\end{aligned}$$

**Mathematica [A]** time = 0.118707, size = 99, normalized size = 0.82

$$-\frac{1}{4}d \left( 2ib \operatorname{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + 2ac^2 x^2 - 4a \log(x) + bcx\sqrt{1 - c^2 x^2} + b \sin^{-1}(cx) \left( 2c^2 x^2 - 4 \log\left(1 - e^{2i \sin^{-1}(cx)}\right) - 1 \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x]))/x,x]

[Out] -(d\*(2\*a\*c^2\*x^2 + b\*c\*x\*Sqrt[1 - c^2\*x^2] + (2\*I)\*b\*ArcSin[c\*x]^2 + b\*ArcSin[c\*x]\*(-1 + 2\*c^2\*x^2 - 4\*Log[1 - E^((2\*I)\*ArcSin[c\*x])]) - 4\*a\*Log[x] + (2\*I)\*b\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])]))/4

**Maple [A]** time = 0.158, size = 178, normalized size = 1.5

$$-\frac{dac^2x^2}{2} + da \ln(cx) - \frac{i}{2}bd(\arcsin(cx))^2 - \frac{dbcx}{4}\sqrt{-c^2x^2 + 1} - \frac{db \arcsin(cx) c^2x^2}{2} + \frac{bd \arcsin(cx)}{4} + db \arcsin(cx) \ln$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))/x,x)

[Out] -1/2\*d\*a\*c^2\*x^2+d\*a\*ln(c\*x)-1/2\*I\*b\*d\*arcsin(c\*x)^2-1/4\*b\*c\*d\*x\*(-c^2\*x^2+1)^(1/2)-1/2\*d\*b\*arcsin(c\*x)\*c^2\*x^2+1/4\*b\*d\*arcsin(c\*x)+d\*b\*arcsin(c\*x)\*ln

$$(1-I*c*x-(-c^2*x^2+1)^{(1/2)})+d*b*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-I*d*b*polylog(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})-I*d*b*polylog(2,I*c*x+(-c^2*x^2+1)^{(1/2)})$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2}ac^2dx^2 + ad \log(x) - \int \frac{(bc^2dx^2 - bd) \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))/x,x, algorithm="maxima")

[Out] -1/2\*a\*c^2\*d\*x^2 + a\*d\*log(x) - integrate((b\*c^2\*d\*x^2 - b\*d)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/x, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{ac^2dx^2 - ad + (bc^2dx^2 - bd) \arcsin(cx)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))/x,x, algorithm="fricas")

[Out] integral(-(a\*c^2\*d\*x^2 - a\*d + (b\*c^2\*d\*x^2 - b\*d)\*arcsin(c\*x))/x, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d\left(\int -\frac{a}{x} dx + \int ac^2x dx + \int -\frac{b \operatorname{asin}(cx)}{x} dx + \int bc^2x \operatorname{asin}(cx) dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*(a+b\*asin(c\*x))/x,x)

```
[Out] -d*(Integral(-a/x, x) + Integral(a*c**2*x, x) + Integral(-b*asin(c*x)/x, x)
+ Integral(b*c**2*x*asin(c*x), x))
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(c^2 dx^2 - d)(b \arcsin(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)*(a+b*arcsin(c*x))/x,x, algorithm="giac")
```

```
[Out] integrate(-(c^2*d*x^2 - d)*(b*arcsin(c*x) + a)/x, x)
```

$$3.7 \quad \int \frac{(d-c^2 dx^2)(a+b \sin^{-1}(cx))}{x^2} dx$$

**Optimal.** Leaf size=69

$$c^2(-d)x(a+b \sin^{-1}(cx)) - \frac{d(a+b \sin^{-1}(cx))}{x} - bcd\sqrt{1-c^2x^2} - bcd \tanh^{-1}\left(\sqrt{1-c^2x^2}\right)$$

[Out]  $-(b*c*d*\text{Sqrt}[1 - c^2*x^2]) - (d*(a + b*\text{ArcSin}[c*x]))/x - c^2*d*x*(a + b*\text{ArcSin}[c*x]) - b*c*d*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]]$

**Rubi [A]** time = 0.0756378, antiderivative size = 69, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {14, 4687, 12, 446, 80, 63, 208}

$$c^2(-d)x(a+b \sin^{-1}(cx)) - \frac{d(a+b \sin^{-1}(cx))}{x} - bcd\sqrt{1-c^2x^2} - bcd \tanh^{-1}\left(\sqrt{1-c^2x^2}\right)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{(d - c^2*d*x^2)*(a + b*\text{ArcSin}[c*x])}{x^2}, x]$

[Out]  $-(b*c*d*\text{Sqrt}[1 - c^2*x^2]) - (d*(a + b*\text{ArcSin}[c*x]))/x - c^2*d*x*(a + b*\text{ArcSin}[c*x]) - b*c*d*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]]$

#### Rule 14

$\text{Int}[(u_)*((c_)*(x_))^{(m_)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /;$  FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rule 4687

$\text{Int}[(a_ + \text{ArcSin}[(c_)*(x_)]*(b_))*((f_)*(x_))^{(m_)*((d_ + (e_)*(x_)^2)^{(p_)}, x\_Symbol] \rightarrow \text{With}[\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSin}[c*x], u, x] - \text{Dist}[b*c, \text{Int}[\text{SimplifyIntegrand}[u/\text{Sqrt}[1 - c^2*x^2], x], x], x]] /;$  FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

#### Rule 12



```
Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] :=> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 80

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] :=> Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p
+ 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(
n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f
, n, p}, x] && NeQ[n + p + 2, 0]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :=> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))}{x^2} dx &= -\frac{d(a + b \sin^{-1}(cx))}{x} - c^2 dx (a + b \sin^{-1}(cx)) - (bc) \int \frac{d(-1 - c^2 x^2)}{x \sqrt{1 - c^2 x^2}} dx \\
&= -\frac{d(a + b \sin^{-1}(cx))}{x} - c^2 dx (a + b \sin^{-1}(cx)) - (bcd) \int \frac{-1 - c^2 x^2}{x \sqrt{1 - c^2 x^2}} dx \\
&= -\frac{d(a + b \sin^{-1}(cx))}{x} - c^2 dx (a + b \sin^{-1}(cx)) - \frac{1}{2}(bcd) \text{Subst} \left( \int \frac{-1 - c^2 x}{x \sqrt{1 - c^2 x}} dx, x, \frac{1}{c} \right) \\
&= -bcd \sqrt{1 - c^2 x^2} - \frac{d(a + b \sin^{-1}(cx))}{x} - c^2 dx (a + b \sin^{-1}(cx)) + \frac{1}{2}(bcd) \text{Subst} \left( \int \frac{-1}{x \sqrt{1 - c^2 x}} dx, x, \frac{1}{c} \right) \\
&= -bcd \sqrt{1 - c^2 x^2} - \frac{d(a + b \sin^{-1}(cx))}{x} - c^2 dx (a + b \sin^{-1}(cx)) - \frac{(bd) \text{Subst} \left( \int \frac{1}{\frac{1}{c^2} - \frac{x^2}{c^2}} dx, x, \frac{1}{c} \right)}{c} \\
&= -bcd \sqrt{1 - c^2 x^2} - \frac{d(a + b \sin^{-1}(cx))}{x} - c^2 dx (a + b \sin^{-1}(cx)) - bcd \tanh^{-1} \left( \sqrt{1 - c^2 x^2} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.0355648, size = 78, normalized size = 1.13

$$-ac^2 dx - \frac{ad}{x} - bcd \sqrt{1 - c^2 x^2} - bcd \tanh^{-1} \left( \sqrt{1 - c^2 x^2} \right) - bc^2 dx \sin^{-1}(cx) - \frac{bd \sin^{-1}(cx)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[((d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x]))/x^2,x]

[Out] -((a\*d)/x) - a\*c^2\*d\*x - b\*c\*d\*Sqrt[1 - c^2\*x^2] - (b\*d\*ArcSin[c\*x])/x - b\*c^2\*d\*x\*ArcSin[c\*x] - b\*c\*d\*ArcTanh[Sqrt[1 - c^2\*x^2]]

**Maple [A]** time = 0.007, size = 67, normalized size = 1.

$$c \left( -da \left( cx + \frac{1}{cx} \right) - db \left( cx \arcsin(cx) + \frac{\arcsin(cx)}{cx} + \sqrt{-c^2 x^2 + 1} + \text{Artanh} \left( \frac{1}{\sqrt{-c^2 x^2 + 1}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))/x^2,x)

[Out]  $c*(-d*a*(c*x+1/c/x)-d*b*(c*x*\arcsin(c*x)+1/c/x*\arcsin(c*x)+(-c^2*x^2+1)^(1/2)+\operatorname{arctanh}(1/(-c^2*x^2+1)^(1/2))))$

**Maxima [A]** time = 1.56601, size = 111, normalized size = 1.61

$$-ac^2dx - \left(cx \arcsin(cx) + \sqrt{-c^2x^2 + 1}\right)bcd - \left(c \log\left(\frac{2\sqrt{-c^2x^2 + 1}}{|x|} + \frac{2}{|x|}\right) + \frac{\arcsin(cx)}{x}\right)bd - \frac{ad}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)*(a+b*arcsin(c*x))/x^2,x, algorithm="maxima")`

[Out]  $-a*c^2*d*x - (c*x*\arcsin(c*x) + \operatorname{sqrt}(-c^2*x^2 + 1))*b*c*d - (c*\log(2*\operatorname{sqrt}(-c^2*x^2 + 1)/\operatorname{abs}(x) + 2/\operatorname{abs}(x)) + \arcsin(c*x)/x)*b*d - a*d/x$

**Fricas [A]** time = 2.56593, size = 236, normalized size = 3.42

$$\frac{2ac^2dx^2 + bcdx \log\left(\sqrt{-c^2x^2 + 1} + 1\right) - bcdx \log\left(\sqrt{-c^2x^2 + 1} - 1\right) + 2\sqrt{-c^2x^2 + 1}bcdx + 2ad + 2(bc^2dx^2 + bd) \arcsin(cx)}{2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)*(a+b*arcsin(c*x))/x^2,x, algorithm="fricas")`

[Out]  $-1/2*(2*a*c^2*d*x^2 + b*c*d*x*\log(\operatorname{sqrt}(-c^2*x^2 + 1) + 1) - b*c*d*x*\log(\operatorname{sqrt}(-c^2*x^2 + 1) - 1) + 2*\operatorname{sqrt}(-c^2*x^2 + 1)*b*c*d*x + 2*a*d + 2*(b*c^2*d*x^2 + b*d)*\arcsin(c*x))/x$

**Sympy [A]** time = 5.35423, size = 82, normalized size = 1.19

$$-ac^2dx - \frac{ad}{x} - bc^2d \left( \begin{cases} 0 & \text{for } c = 0 \\ x \operatorname{asin}(cx) + \frac{\sqrt{-c^2x^2+1}}{c} & \text{otherwise} \end{cases} \right) + bcd \left( \begin{cases} -\operatorname{acosh}\left(\frac{1}{cx}\right) & \text{for } \frac{1}{|c^2x^2|} > 1 \\ i \operatorname{asin}\left(\frac{1}{cx}\right) & \text{otherwise} \end{cases} \right) - \frac{bd \operatorname{asin}(cx)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c**2*d*x**2+d)*(a+b*asin(c*x))/x**2,x)
```

```
[Out] -a*c**2*d*x - a*d/x - b*c**2*d*Piecewise((0, Eq(c, 0)), (x*asin(c*x) + sqrt(-c**2*x**2 + 1)/c, True)) + b*c*d*Piecewise((-acosh(1/(c*x)), 1/Abs(c**2*x**2) > 1), (I*asin(1/(c*x)), True)) - b*d*asin(c*x)/x
```

**Giac [B]** time = 6.15113, size = 1156, normalized size = 16.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)*(a+b*arcsin(c*x))/x^2,x, algorithm="giac")
```

```
[Out] -1/2*b*c^5*d*x^4*arcsin(c*x)/((c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)^4) - 1/2*a*c^5*d*x^4/((c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)^4) + b*c^4*d*x^3*log(abs(c)*abs(x))/((c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)^3) - b*c^4*d*x^3*log(sqrt(-c^2*x^2 + 1) + 1)/((c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)^3) + b*c^4*d*x^3/((c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)^3) - 3*b*c^3*d*x^2*arcsin(c*x)/((c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)^2) - 3*a*c^3*d*x^2/((c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)^2) + b*c^2*d*x*log(abs(c)*abs(x))/((c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)^3) - b*c^2*d*x*log(sqrt(-c^2*x^2 + 1) + 1)/((c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)^3) + c*x/(sqrt(-c^2*x^2 + 1) + 1) - b*c^2*d*x/((c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)) - 1/2*b*c*d*arcsin(c*x)/(c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c^2*x^2 + 1) + 1)) - 1/2*a*c*d/(c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c^2*x^2 + 1) + 1))
```

$$3.8 \quad \int \frac{(d-c^2 dx^2)(a+b \sin^{-1}(cx))}{x^3} dx$$

**Optimal.** Leaf size=139

$$\frac{1}{2}ibc^2d\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right) - \frac{d(1-c^2x^2)(a+b\sin^{-1}(cx))}{2x^2} + \frac{ic^2d(a+b\sin^{-1}(cx))^2}{2b} - c^2d\log\left(1-e^{2i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))$$

[Out]  $-(b*c*d*\text{Sqrt}[1-c^2*x^2])/(2*x) - (b*c^2*d*\text{ArcSin}[c*x])/2 - (d*(1-c^2*x^2)*(a+b*\text{ArcSin}[c*x]))/(2*x^2) + ((I/2)*c^2*d*(a+b*\text{ArcSin}[c*x])^2)/b - c^2*d*(a+b*\text{ArcSin}[c*x])*Log[1-E^((2*I)*\text{ArcSin}[c*x])] + (I/2)*b*c^2*d*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])]$

**Rubi [A]** time = 0.120644, antiderivative size = 139, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {4685, 277, 216, 4625, 3717, 2190, 2279, 2391}

$$\frac{1}{2}ibc^2d\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right) - \frac{d(1-c^2x^2)(a+b\sin^{-1}(cx))}{2x^2} + \frac{ic^2d(a+b\sin^{-1}(cx))^2}{2b} - c^2d\log\left(1-e^{2i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d - c^2*d*x^2)*(a + b*\text{ArcSin}[c*x])/x^3, x]$

[Out]  $-(b*c*d*\text{Sqrt}[1-c^2*x^2])/(2*x) - (b*c^2*d*\text{ArcSin}[c*x])/2 - (d*(1-c^2*x^2)*(a+b*\text{ArcSin}[c*x]))/(2*x^2) + ((I/2)*c^2*d*(a+b*\text{ArcSin}[c*x])^2)/b - c^2*d*(a+b*\text{ArcSin}[c*x])*Log[1-E^((2*I)*\text{ArcSin}[c*x])] + (I/2)*b*c^2*d*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])]$

#### Rule 4685

$\text{Int}[(a_.) + \text{ArcSin}[c_.*x_)]*(b_.)*((f_.*x_))^{(m_)}*((d_.) + (e_.*x_))^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])/((f*(m+1)), x] + (-\text{Dist}[(b*c*d^p)/(f*(m+1)), \text{Int}[(f*x)^{(m+1)}*(1-c^2*x^2)^{(p-1/2)}, x], x] - \text{Dist}[(2*e*p)/(f^2*(m+1)), \text{Int}[(f*x)^{(m+2)}*(d + e*x^2)^{(p-1)}*(a + b*\text{ArcSin}[c*x]), x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[p, 0] \&\& \text{ILtQ}[m+1, 2, 0]$

#### Rule 277

$\text{Int}[(c_.*x_))^{(m_)}*((a_.) + (b_.*x_))^{(n_)}^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(c*x)^{(m+1)}*(a + b*x^n)^p/(c*(m+1)), x] - \text{Dist}[(b*n*p)/(c^n*(m+1)), \text{Int}[(c*x)^{(m+1)}*(a + b*x^n)^p/(c*(m+1)), x]$

```
t[(c*x)^(m+n)*(a+b*x^n)^(p-1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[
n, 0] && GtQ[p, 0] && LtQ[m, -1] && !ILtQ[(m+n*p+n+1)/n, 0] && IntBi
nomialQ[a, b, c, n, m, p, x]
```

### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rule 4625

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[(
a + b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

### Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Simp[(I*(c + d*x)^(m+1))/(d*(m+1)), x] - Dist[2*I, Int[((c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m-1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))}{x^3} dx &= -\frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))}{2x^2} + \frac{1}{2}(bcd) \int \frac{\sqrt{1 - c^2 x^2}}{x^2} dx - (c^2 d) \int \frac{a + b \sin^{-1}(cx)}{x} dx \\
&= -\frac{bcd\sqrt{1 - c^2 x^2}}{2x} - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))}{2x^2} - (c^2 d) \text{Subst} \left( \int (a + bx) \cot(x) dx, cx \right) \\
&= -\frac{bcd\sqrt{1 - c^2 x^2}}{2x} - \frac{1}{2}bc^2 d \sin^{-1}(cx) - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))}{2x^2} + \frac{ic^2 d(a + b \sin^{-1}(cx))}{2b} \\
&= -\frac{bcd\sqrt{1 - c^2 x^2}}{2x} - \frac{1}{2}bc^2 d \sin^{-1}(cx) - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))}{2x^2} + \frac{ic^2 d(a + b \sin^{-1}(cx))}{2b} \\
&= -\frac{bcd\sqrt{1 - c^2 x^2}}{2x} - \frac{1}{2}bc^2 d \sin^{-1}(cx) - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))}{2x^2} + \frac{ic^2 d(a + b \sin^{-1}(cx))}{2b} \\
&= -\frac{bcd\sqrt{1 - c^2 x^2}}{2x} - \frac{1}{2}bc^2 d \sin^{-1}(cx) - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))}{2x^2} + \frac{ic^2 d(a + b \sin^{-1}(cx))}{2b}
\end{aligned}$$

**Mathematica [A]** time = 0.105223, size = 110, normalized size = 0.79

$$\frac{d \left( -ibc^2 x^2 \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + 2ac^2 x^2 \log(x) + a + bcx \sqrt{1 - c^2 x^2} - ibc^2 x^2 \sin^{-1}(cx)^2 + b \sin^{-1}(cx) \left( 1 + 2c^2 x^2 \log(x) \right) \right)}{2x^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x]))/x^3,x]

[Out] -(d\*(a + b\*c\*x\*Sqrt[1 - c^2\*x^2] - I\*b\*c^2\*x^2\*ArcSin[c\*x]^2 + b\*ArcSin[c\*x])\*(1 + 2\*c^2\*x^2\*Log[1 - E^((2\*I)\*ArcSin[c\*x])]) + 2\*a\*c^2\*x^2\*Log[x] - I\*b\*c^2\*x^2\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])]))/(2\*x^2)

**Maple [A]** time = 0.23, size = 195, normalized size = 1.4

$$-\frac{da}{2x^2} - c^2 da \ln(cx) + \frac{i}{2}c^2 db (\arcsin(cx))^2 + \frac{i}{2}c^2 db - \frac{bcd}{2x} \sqrt{-c^2 x^2 + 1} - \frac{bd \arcsin(cx)}{2x^2} - c^2 db \arcsin(cx) \ln \left( 1 + icx + \sqrt{1 - c^2 x^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))/x^3,x)

[Out]  $-1/2*d*a/x^2-c^2*d*a*\ln(c*x)+1/2*I*c^2*d*b*\arcsin(c*x)^2+1/2*I*c^2*d*b-1/2*b*c*d*(-c^2*x^2+1)^{(1/2)}/x-1/2*d*b*\arcsin(c*x)/x^2-c^2*d*b*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-c^2*d*b*\arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})+I*c^2*d*b*\operatorname{polylog}(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})+I*c^2*d*b*\operatorname{polylog}(2,I*c*x+(-c^2*x^2+1)^{(1/2)})$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-bc^2d \int \frac{\arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)}{x} dx - ac^2d \log(x) - \frac{1}{2}bd \left( \frac{\sqrt{-c^2x^2+1}c}{x} + \frac{\arcsin(cx)}{x^2} \right) - \frac{ad}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)*(a+b*arcsin(c*x))/x^3,x, algorithm="maxima")`

[Out]  $-b*c^2*d*\operatorname{integrate}(\arctan2(c*x, \sqrt{c*x+1}*\sqrt{-c*x+1})/x, x) - a*c^2*d*\log(x) - 1/2*b*d*(\sqrt{-c^2*x^2+1}*c/x + \arcsin(c*x)/x^2) - 1/2*a*d/x^2$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{ac^2dx^2 - ad + (bc^2dx^2 - bd)\arcsin(cx)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)*(a+b*arcsin(c*x))/x^3,x, algorithm="fricas")`

[Out] `integral(-(a*c^2*d*x^2 - a*d + (b*c^2*d*x^2 - b*d)*arcsin(c*x))/x^3, x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d \left( \int -\frac{a}{x^3} dx + \int \frac{ac^2}{x} dx + \int -\frac{b \operatorname{asin}(cx)}{x^3} dx + \int \frac{bc^2 \operatorname{asin}(cx)}{x} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((-c**2*d*x**2+d)*(a+b*asin(c*x))/x**3,x)
```

```
[Out] -d*(Integral(-a/x**3, x) + Integral(a*c**2/x, x) + Integral(-b*asin(c*x)/x*
*3, x) + Integral(b*c**2*asin(c*x)/x, x))
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(c^2 dx^2 - d)(b \arcsin(cx) + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)*(a+b*arcsin(c*x))/x^3,x, algorithm="giac")
```

```
[Out] integrate(-(c^2*d*x^2 - d)*(b*arcsin(c*x) + a)/x^3, x)
```

$$3.9 \quad \int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))}{x^4} dx$$

**Optimal.** Leaf size=81

$$\frac{c^2 d (a + b \sin^{-1}(cx))}{x} - \frac{d (a + b \sin^{-1}(cx))}{3x^3} - \frac{bcd\sqrt{1 - c^2 x^2}}{6x^2} + \frac{5}{6} bc^3 d \tanh^{-1}(\sqrt{1 - c^2 x^2})$$

[Out]  $-(b*c*d*\text{Sqrt}[1 - c^2*x^2])/(6*x^2) - (d*(a + b*\text{ArcSin}[c*x]))/(3*x^3) + (c^2*d*(a + b*\text{ArcSin}[c*x]))/x + (5*b*c^3*d*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/6$

**Rubi [A]** time = 0.086358, antiderivative size = 81, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {14, 4687, 12, 446, 78, 63, 208}

$$\frac{c^2 d (a + b \sin^{-1}(cx))}{x} - \frac{d (a + b \sin^{-1}(cx))}{3x^3} - \frac{bcd\sqrt{1 - c^2 x^2}}{6x^2} + \frac{5}{6} bc^3 d \tanh^{-1}(\sqrt{1 - c^2 x^2})$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d - c^2*d*x^2)*(a + b*\text{ArcSin}[c*x])/x^4, x]$

[Out]  $-(b*c*d*\text{Sqrt}[1 - c^2*x^2])/(6*x^2) - (d*(a + b*\text{ArcSin}[c*x]))/(3*x^3) + (c^2*d*(a + b*\text{ArcSin}[c*x]))/x + (5*b*c^3*d*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/6$

#### Rule 14

$\text{Int}[(u_*)*((c_*)*(x_*)^{(m_*)}), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /;$  FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rule 4687

$\text{Int}[(a_ + \text{ArcSin}[(c_*)*(x_*)]*(b_))*((f_)*(x_*)^{(m_)*}((d_ + (e_)*(x_*)^2)^{(p_)}), x\_Symbol] \rightarrow \text{With}[\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSin}[c*x], u, x] - \text{Dist}[b*c, \text{Int}[\text{SimplifyIntegrand}[u/\text{Sqrt}[1 - c^2*x^2], x], x], x]] /;$  FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_.), x_Symbol] :=> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 78

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :=> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :=> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))}{x^4} dx &= -\frac{d(a + b \sin^{-1}(cx))}{3x^3} + \frac{c^2 d(a + b \sin^{-1}(cx))}{x} - (bc) \int \frac{d(-1 + 3c^2 x^2)}{3x^3 \sqrt{1 - c^2 x^2}} dx \\
&= -\frac{d(a + b \sin^{-1}(cx))}{3x^3} + \frac{c^2 d(a + b \sin^{-1}(cx))}{x} - \frac{1}{3}(bcd) \int \frac{-1 + 3c^2 x^2}{x^3 \sqrt{1 - c^2 x^2}} dx \\
&= -\frac{d(a + b \sin^{-1}(cx))}{3x^3} + \frac{c^2 d(a + b \sin^{-1}(cx))}{x} - \frac{1}{6}(bcd) \text{Subst} \left( \int \frac{-1 + 3c^2 x}{x^2 \sqrt{1 - c^2 x}} dx, x, \right. \\
&= -\frac{bcd\sqrt{1 - c^2 x^2}}{6x^2} - \frac{d(a + b \sin^{-1}(cx))}{3x^3} + \frac{c^2 d(a + b \sin^{-1}(cx))}{x} - \frac{1}{12}(5bc^3 d) \text{Subst} \left( \int \right. \\
&= -\frac{bcd\sqrt{1 - c^2 x^2}}{6x^2} - \frac{d(a + b \sin^{-1}(cx))}{3x^3} + \frac{c^2 d(a + b \sin^{-1}(cx))}{x} + \frac{1}{6}(5bcd) \text{Subst} \left( \int \right. \\
&= -\frac{bcd\sqrt{1 - c^2 x^2}}{6x^2} - \frac{d(a + b \sin^{-1}(cx))}{3x^3} + \frac{c^2 d(a + b \sin^{-1}(cx))}{x} + \frac{5}{6}bc^3 d \tanh^{-1} \left( \sqrt{1 - c^2 x^2} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.0395833, size = 93, normalized size = 1.15

$$\frac{ac^2 d}{x} - \frac{ad}{3x^3} - \frac{bcd\sqrt{1 - c^2 x^2}}{6x^2} + \frac{5}{6}bc^3 d \tanh^{-1} \left( \sqrt{1 - c^2 x^2} \right) + \frac{bc^2 d \sin^{-1}(cx)}{x} - \frac{bd \sin^{-1}(cx)}{3x^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x]))/x^4,x]

[Out] -(a\*d)/(3\*x^3) + (a\*c^2\*d)/x - (b\*c\*d\*Sqrt[1 - c^2\*x^2])/(6\*x^2) - (b\*d\*ArcSin[c\*x])/(3\*x^3) + (b\*c^2\*d\*ArcSin[c\*x])/x + (5\*b\*c^3\*d\*ArcTanh[Sqrt[1 - c^2\*x^2]])/6

**Maple [A]** time = 0.011, size = 91, normalized size = 1.1

$$c^3 \left( -da \left( -\frac{1}{cx} + \frac{1}{3c^3 x^3} \right) - db \left( -\frac{\arcsin(cx)}{cx} + \frac{\arcsin(cx)}{3c^3 x^3} + \frac{1}{6c^2 x^2} \sqrt{-c^2 x^2 + 1} - \frac{5}{6} \text{Artanh} \left( \frac{1}{\sqrt{-c^2 x^2 + 1}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))/x^4,x)

[Out]  $c^3*(-d*a*(-1/c/x+1/3/c^3/x^3)-d*b*(-1/c/x*\arcsin(c*x)+1/3/c^3/x^3*\arcsin(c*x))+1/6/c^2/x^2*(-c^2*x^2+1)^{(1/2)}-5/6*\operatorname{arctanh}(1/(-c^2*x^2+1)^{(1/2)}))$

**Maxima [A]** time = 1.60712, size = 166, normalized size = 2.05

$$\left( c \log \left( \frac{2\sqrt{-c^2x^2+1}}{|x|} + \frac{2}{|x|} \right) + \frac{\arcsin(cx)}{x} \right) bc^2d - \frac{1}{6} \left( \left( c^2 \log \left( \frac{2\sqrt{-c^2x^2+1}}{|x|} + \frac{2}{|x|} \right) + \frac{\sqrt{-c^2x^2+1}}{x^2} \right) c + \frac{2\arcsin(cx)}{x^3} \right) bd$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)*(a+b*arcsin(c*x))/x^4,x, algorithm="maxima")`

[Out]  $(c*\log(2*\sqrt{-c^2*x^2+1}/\operatorname{abs}(x)+2/\operatorname{abs}(x))+\arcsin(c*x)/x)*b*c^2*d-1/6*((c^2*\log(2*\sqrt{-c^2*x^2+1}/\operatorname{abs}(x)+2/\operatorname{abs}(x))+\sqrt{-c^2*x^2+1}/x^2)*c+2*\arcsin(c*x)/x^3)*b*d+a*c^2*d/x-1/3*a*d/x^3$

**Fricas [A]** time = 2.95843, size = 259, normalized size = 3.2

$$\frac{5bc^3dx^3 \log(\sqrt{-c^2x^2+1}+1) - 5bc^3dx^3 \log(\sqrt{-c^2x^2+1}-1) + 12ac^2dx^2 - 2\sqrt{-c^2x^2+1}bcdx - 4ad + 4(3bc^2dx^2 - bcd)}{12x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)*(a+b*arcsin(c*x))/x^4,x, algorithm="fricas")`

[Out]  $1/12*(5*b*c^3*d*x^3*\log(\sqrt{-c^2*x^2+1}+1)-5*b*c^3*d*x^3*\log(\sqrt{-c^2*x^2+1}-1)+12*a*c^2*d*x^2-2*\sqrt{-c^2*x^2+1}*b*c*d*x-4*a*d+4*(3*b*c^2*d*x^2-b*d)*\arcsin(c*x))/x^3$

**Sympy [A]** time = 7.58766, size = 178, normalized size = 2.2

$$\frac{ac^2d}{x} - \frac{ad}{3x^3} - bc^3d \left\{ \begin{array}{ll} -\operatorname{acosh}\left(\frac{1}{cx}\right) & \text{for } \frac{1}{|c^2x^2|} > 1 \\ i\operatorname{asin}\left(\frac{1}{cx}\right) & \text{otherwise} \end{array} \right\} + \frac{bc^2d \operatorname{asin}(cx)}{x} + \frac{bcd \left\{ \begin{array}{l} \left( -\frac{c^2 \operatorname{acosh}\left(\frac{1}{cx}\right)}{2} - \frac{c\sqrt{-1+\frac{1}{c^2x^2}}}{2x} \right) \\ \left( \frac{ic^2 \operatorname{asin}\left(\frac{1}{cx}\right)}{2} - \frac{ic}{2x\sqrt{1-\frac{1}{c^2x^2}}} + \frac{i}{2cx^3\sqrt{1-\frac{1}{c^2x^2}}} \right) \end{array} \right\}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*(a+b\*asin(c\*x))/x\*\*4,x)

[Out] a\*c\*\*2\*d/x - a\*d/(3\*x\*\*3) - b\*c\*\*3\*d\*Piecewise((-acosh(1/(c\*x)), 1/Abs(c\*\*2\*x\*\*2) > 1), (I\*asin(1/(c\*x)), True)) + b\*c\*\*2\*d\*asin(c\*x)/x + b\*c\*d\*Piecewise((-c\*\*2\*acosh(1/(c\*x))/2 - c\*sqrt(-1 + 1/(c\*\*2\*x\*\*2))/(2\*x), 1/Abs(c\*\*2\*x\*\*2) > 1), (I\*c\*\*2\*asin(1/(c\*x))/2 - I\*c/(2\*x\*sqrt(1 - 1/(c\*\*2\*x\*\*2)))) + I/(2\*c\*x\*\*3\*sqrt(1 - 1/(c\*\*2\*x\*\*2))), True))/3 - b\*d\*asin(c\*x)/(3\*x\*\*3)

**Giac [B]** time = 22.4812, size = 400, normalized size = 4.94

$$-\frac{bc^6 dx^3 \arcsin(cx)}{24(\sqrt{-c^2 x^2 + 1} + 1)^3} - \frac{ac^6 dx^3}{24(\sqrt{-c^2 x^2 + 1} + 1)^3} + \frac{bc^5 dx^2}{24(\sqrt{-c^2 x^2 + 1} + 1)^2} + \frac{3bc^4 dx \arcsin(cx)}{8(\sqrt{-c^2 x^2 + 1} + 1)} + \frac{3ac^4 dx}{8(\sqrt{-c^2 x^2 + 1} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))/x^4,x, algorithm="giac")

[Out] -1/24\*b\*c^6\*d\*x^3\*arcsin(c\*x)/(sqrt(-c^2\*x^2 + 1) + 1)^3 - 1/24\*a\*c^6\*d\*x^3/(sqrt(-c^2\*x^2 + 1) + 1)^3 + 1/24\*b\*c^5\*d\*x^2/(sqrt(-c^2\*x^2 + 1) + 1)^2 + 3/8\*b\*c^4\*d\*x\*arcsin(c\*x)/(sqrt(-c^2\*x^2 + 1) + 1) + 3/8\*a\*c^4\*d\*x/(sqrt(-c^2\*x^2 + 1) + 1) - 5/6\*b\*c^3\*d\*log(abs(c)\*abs(x)) + 5/6\*b\*c^3\*d\*log(sqrt(-c^2\*x^2 + 1) + 1) + 3/8\*b\*c^2\*d\*(sqrt(-c^2\*x^2 + 1) + 1)\*arcsin(c\*x)/x + 3/8\*a\*c^2\*d\*(sqrt(-c^2\*x^2 + 1) + 1)/x - 1/24\*b\*c\*d\*(sqrt(-c^2\*x^2 + 1) + 1)^2/x^2 - 1/24\*b\*d\*(sqrt(-c^2\*x^2 + 1) + 1)^3\*arcsin(c\*x)/x^3 - 1/24\*a\*d\*(sqrt(-c^2\*x^2 + 1) + 1)^3/x^3

### 3.10 $\int x^4 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=186

$$\frac{1}{9}c^4d^2x^9(a + b \sin^{-1}(cx)) - \frac{2}{7}c^2d^2x^7(a + b \sin^{-1}(cx)) + \frac{1}{5}d^2x^5(a + b \sin^{-1}(cx)) + \frac{bd^2(1 - c^2x^2)^{9/2}}{81c^5} - \frac{10bd^2(1 - c^2x^2)^7}{441c^5}$$

[Out]  $(8*b*d^2*sqrt[1 - c^2*x^2])/(315*c^5) + (4*b*d^2*(1 - c^2*x^2)^(3/2))/(945*c^5) + (b*d^2*(1 - c^2*x^2)^(5/2))/(525*c^5) - (10*b*d^2*(1 - c^2*x^2)^(7/2))/(441*c^5) + (b*d^2*(1 - c^2*x^2)^(9/2))/(81*c^5) + (d^2*x^5*(a + b*ArcSin[c*x]))/5 - (2*c^2*d^2*x^7*(a + b*ArcSin[c*x]))/7 + (c^4*d^2*x^9*(a + b*ArcSin[c*x]))/9$

**Rubi [A]** time = 0.206582, antiderivative size = 186, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$ , Rules used = {270, 4687, 12, 1251, 897, 1153}

$$\frac{1}{9}c^4d^2x^9(a + b \sin^{-1}(cx)) - \frac{2}{7}c^2d^2x^7(a + b \sin^{-1}(cx)) + \frac{1}{5}d^2x^5(a + b \sin^{-1}(cx)) + \frac{bd^2(1 - c^2x^2)^{9/2}}{81c^5} - \frac{10bd^2(1 - c^2x^2)^7}{441c^5}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^4*(d - c^2*d*x^2)^2*(a + b*ArcSin[c*x]), x]$

[Out]  $(8*b*d^2*sqrt[1 - c^2*x^2])/(315*c^5) + (4*b*d^2*(1 - c^2*x^2)^(3/2))/(945*c^5) + (b*d^2*(1 - c^2*x^2)^(5/2))/(525*c^5) - (10*b*d^2*(1 - c^2*x^2)^(7/2))/(441*c^5) + (b*d^2*(1 - c^2*x^2)^(9/2))/(81*c^5) + (d^2*x^5*(a + b*ArcSin[c*x]))/5 - (2*c^2*d^2*x^7*(a + b*ArcSin[c*x]))/7 + (c^4*d^2*x^9*(a + b*ArcSin[c*x]))/9$

#### Rule 270

$\text{Int}[\left((c_{.})*(x_{.})\right)^{(m_{.})}*((a_{.}) + (b_{.})*(x_{.})^{(n_{.})})^{(p_{.})}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, m, n\}, x] \&\& \text{IGtQ}[p, 0]$

#### Rule 4687

$\text{Int}[\left((a_{.}) + \text{ArcSin}[(c_{.})*(x_{.})]\right)*(b_{.})*\left((f_{.})*(x_{.})\right)^{(m_{.})}*\left((d_{.}) + (e_{.})*(x_{.})^2\right)^{(p_{.})}, x\_Symbol] \rightarrow \text{With}\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*ArcSin[c*x], u, x] - \text{Dist}[b*c, \text{Int}[\text{SimplifyIntegrand}[u/sqrt[1 - c^2*x$

```
^2], x], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] &&
IGtQ[p, 0]
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)
^4)^(p_.), x_Symbol] :=> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

### Rule 897

```
Int[((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_)^(n_))*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_.), x_Symbol] :=> With[{q = Denominator[m]}, Dist[q/e, S
ubst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e +
a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)
^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegersQ[n, p] && Fra
ctionQ[m]
```

### Rule 1153

```
Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] :=> Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x],
x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e
+ a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]
```

### Rubi steps



$$\begin{aligned}
\int x^4 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx &= \frac{1}{5} d^2 x^5 (a + b \sin^{-1}(cx)) - \frac{2}{7} c^2 d^2 x^7 (a + b \sin^{-1}(cx)) + \frac{1}{9} c^4 d^2 x^9 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{5} d^2 x^5 (a + b \sin^{-1}(cx)) - \frac{2}{7} c^2 d^2 x^7 (a + b \sin^{-1}(cx)) + \frac{1}{9} c^4 d^2 x^9 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{5} d^2 x^5 (a + b \sin^{-1}(cx)) - \frac{2}{7} c^2 d^2 x^7 (a + b \sin^{-1}(cx)) + \frac{1}{9} c^4 d^2 x^9 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{5} d^2 x^5 (a + b \sin^{-1}(cx)) - \frac{2}{7} c^2 d^2 x^7 (a + b \sin^{-1}(cx)) + \frac{1}{9} c^4 d^2 x^9 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{5} d^2 x^5 (a + b \sin^{-1}(cx)) - \frac{2}{7} c^2 d^2 x^7 (a + b \sin^{-1}(cx)) + \frac{1}{9} c^4 d^2 x^9 (a + b \sin^{-1}(cx)) \\
&= \frac{8bd^2 \sqrt{1 - c^2 x^2}}{315c^5} + \frac{4bd^2 (1 - c^2 x^2)^{3/2}}{945c^5} + \frac{bd^2 (1 - c^2 x^2)^{5/2}}{525c^5} - \frac{10bd^2 (1 - c^2 x^2)^{7/2}}{441c^5}
\end{aligned}$$

**Mathematica [A]** time = 0.107498, size = 119, normalized size = 0.64

$$\frac{d^2 \left( 315ac^5x^5 (35c^4x^4 - 90c^2x^2 + 63) + b\sqrt{1 - c^2x^2} (1225c^8x^8 - 2650c^6x^6 + 789c^4x^4 + 1052c^2x^2 + 2104) + 315bc^5x^5 (315c^4x^4 - 90c^2x^2 + 63) \right)}{99225c^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (d^2\*(315\*a\*c^5\*x^5\*(63 - 90\*c^2\*x^2 + 35\*c^4\*x^4) + b\*Sqrt[1 - c^2\*x^2]\*(2104 + 1052\*c^2\*x^2 + 789\*c^4\*x^4 - 2650\*c^6\*x^6 + 1225\*c^8\*x^8) + 315\*b\*c^5\*x^5\*(63 - 90\*c^2\*x^2 + 35\*c^4\*x^4)\*ArcSin[c\*x]))/(99225\*c^5)

**Maple [A]** time = 0.01, size = 172, normalized size = 0.9

$$\frac{1}{c^5} \left( d^2 a \left( \frac{c^9 x^9}{9} - \frac{2c^7 x^7}{7} + \frac{c^5 x^5}{5} \right) + d^2 b \left( \frac{\arcsin(cx) c^9 x^9}{9} - \frac{2 \arcsin(cx) c^7 x^7}{7} + \frac{\arcsin(cx) c^5 x^5}{5} + \frac{c^8 x^8}{81} \sqrt{-c^2 x^2 + 1} - \frac{10}{81} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x)

```
[Out] 1/c^5*(d^2*a*(1/9*c^9*x^9-2/7*c^7*x^7+1/5*c^5*x^5)+d^2*b*(1/9*arcsin(c*x)*c^9*x^9-2/7*arcsin(c*x)*c^7*x^7+1/5*arcsin(c*x)*c^5*x^5+1/81*c^8*x^8*(-c^2*x^2+1)^(1/2)-106/3969*c^6*x^6*(-c^2*x^2+1)^(1/2)+263/33075*c^4*x^4*(-c^2*x^2+1)^(1/2)+1052/99225*c^2*x^2*(-c^2*x^2+1)^(1/2)+2104/99225*(-c^2*x^2+1)^(1/2)))
```

**Maxima [B]** time = 1.57597, size = 443, normalized size = 2.38

$$\frac{1}{9}ac^4d^2x^9 - \frac{2}{7}ac^2d^2x^7 + \frac{1}{2835} \left( 315x^9 \arcsin(cx) + \left( \frac{35\sqrt{-c^2x^2+1}x^8}{c^2} + \frac{40\sqrt{-c^2x^2+1}x^6}{c^4} + \frac{48\sqrt{-c^2x^2+1}x^4}{c^6} + \frac{64\sqrt{-c^2x^2+1}x^2}{c^8} + \frac{128\sqrt{-c^2x^2+1}}{c^6} \right) c \right) b c^4 d^2 + \frac{1}{5}a d^2 x^5 - \frac{2}{245} (35x^7 \arcsin(cx) + (5\sqrt{-c^2x^2+1}x^6/c^2 + 6\sqrt{-c^2x^2+1}x^4/c^4 + 8\sqrt{-c^2x^2+1}x^2/c^6 + 16\sqrt{-c^2x^2+1}/c^8) c) b c^2 d^2 + \frac{1}{75} (15x^5 \arcsin(cx) + (3\sqrt{-c^2x^2+1}x^4/c^2 + 4\sqrt{-c^2x^2+1}x^2/c^4 + 8\sqrt{-c^2x^2+1}/c^6) c) b d^2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] 1/9*a*c^4*d^2*x^9 - 2/7*a*c^2*d^2*x^7 + 1/2835*(315*x^9*arcsin(c*x) + (35*sqrt(-c^2*x^2 + 1)*x^8/c^2 + 40*sqrt(-c^2*x^2 + 1)*x^6/c^4 + 48*sqrt(-c^2*x^2 + 1)*x^4/c^6 + 64*sqrt(-c^2*x^2 + 1)*x^2/c^8 + 128*sqrt(-c^2*x^2 + 1)/c^6)*c)*b*c^4*d^2 + 1/5*a*d^2*x^5 - 2/245*(35*x^7*arcsin(c*x) + (5*sqrt(-c^2*x^2 + 1)*x^6/c^2 + 6*sqrt(-c^2*x^2 + 1)*x^4/c^4 + 8*sqrt(-c^2*x^2 + 1)*x^2/c^6 + 16*sqrt(-c^2*x^2 + 1)/c^8)*c)*b*c^2*d^2 + 1/75*(15*x^5*arcsin(c*x) + (3*sqrt(-c^2*x^2 + 1)*x^4/c^2 + 4*sqrt(-c^2*x^2 + 1)*x^2/c^4 + 8*sqrt(-c^2*x^2 + 1)/c^6)*c)*b*d^2
```

**Fricas [A]** time = 2.56715, size = 366, normalized size = 1.97

$$\frac{11025ac^9d^2x^9 - 28350ac^7d^2x^7 + 19845ac^5d^2x^5 + 315(35bc^9d^2x^9 - 90bc^7d^2x^7 + 63bc^5d^2x^5) \arcsin(cx) + (1225bc^8d^2x^8 - 2650bc^6d^2x^6 + 789bc^4d^2x^4 + 1052bc^2d^2x^2 + 2104bd^2) \sqrt{-c^2x^2 + 1}}{99225c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] 1/99225*(11025*a*c^9*d^2*x^9 - 28350*a*c^7*d^2*x^7 + 19845*a*c^5*d^2*x^5 + 315*(35*b*c^9*d^2*x^9 - 90*b*c^7*d^2*x^7 + 63*b*c^5*d^2*x^5)*arcsin(c*x) + (1225*b*c^8*d^2*x^8 - 2650*b*c^6*d^2*x^6 + 789*b*c^4*d^2*x^4 + 1052*b*c^2*d^2*x^2 + 2104*b*d^2)*sqrt(-c^2*x^2 + 1))/c^5
```

**Sympy [A]** time = 34.0927, size = 230, normalized size = 1.24

$$\left\{ \begin{array}{l} \frac{ac^4d^2x^9}{5} - \frac{2ac^2d^2x^7}{7} + \frac{ad^2x^5}{5} + \frac{bc^4d^2x^9 \operatorname{asin}(cx)}{9} + \frac{bc^3d^2x^8\sqrt{-c^2x^2+1}}{81} - \frac{2bc^2d^2x^7 \operatorname{asin}(cx)}{7} - \frac{106bcd^2x^6\sqrt{-c^2x^2+1}}{3969} + \frac{bd^2x^5 \operatorname{asin}(cx)}{5} + \frac{263bd^2x^4}{330} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(-c\*\*2\*d\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*c\*\*4\*d\*\*2\*x\*\*9/9 - 2\*a\*c\*\*2\*d\*\*2\*x\*\*7/7 + a\*d\*\*2\*x\*\*5/5 + b\*c\*\*4\*d\*\*2\*x\*\*9\*asin(c\*x)/9 + b\*c\*\*3\*d\*\*2\*x\*\*8\*sqrt(-c\*\*2\*x\*\*2 + 1)/81 - 2\*b\*c\*\*2\*d\*\*2\*x\*\*7\*asin(c\*x)/7 - 106\*b\*c\*d\*\*2\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)/3969 + b\*d\*\*2\*x\*\*5\*asin(c\*x)/5 + 263\*b\*d\*\*2\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(33075\*c) + 1052\*b\*d\*\*2\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(99225\*c\*\*3) + 2104\*b\*d\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(99225\*c\*\*5), Ne(c, 0)), (a\*d\*\*2\*x\*\*5/5, True))

**Giac [A]** time = 1.30353, size = 383, normalized size = 2.06

$$\frac{1}{9}ac^4d^2x^9 - \frac{2}{7}ac^2d^2x^7 + \frac{1}{5}ad^2x^5 + \frac{(c^2x^2-1)^4bd^2x \operatorname{arcsin}(cx)}{9c^4} + \frac{10(c^2x^2-1)^3bd^2x \operatorname{arcsin}(cx)}{63c^4} + \frac{(c^2x^2-1)^2bd^2x \operatorname{arcsin}(cx)}{105c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] 1/9\*a\*c^4\*d^2\*x^9 - 2/7\*a\*c^2\*d^2\*x^7 + 1/5\*a\*d^2\*x^5 + 1/9\*(c^2\*x^2 - 1)^4\*b\*d^2\*x\*arcsin(c\*x)/c^4 + 10/63\*(c^2\*x^2 - 1)^3\*b\*d^2\*x\*arcsin(c\*x)/c^4 + 1/105\*(c^2\*x^2 - 1)^2\*b\*d^2\*x\*arcsin(c\*x)/c^4 + 1/81\*(c^2\*x^2 - 1)^4\*sqrt(-c^2\*x^2 + 1)\*b\*d^2/c^5 - 4/315\*(c^2\*x^2 - 1)\*b\*d^2\*x\*arcsin(c\*x)/c^4 + 10/441\*(c^2\*x^2 - 1)^3\*sqrt(-c^2\*x^2 + 1)\*b\*d^2/c^5 + 8/315\*b\*d^2\*x\*arcsin(c\*x)/c^4 + 1/525\*(c^2\*x^2 - 1)^2\*sqrt(-c^2\*x^2 + 1)\*b\*d^2/c^5 + 4/945\*(-c^2\*x^2 + 1)^(3/2)\*b\*d^2/c^5 + 8/315\*sqrt(-c^2\*x^2 + 1)\*b\*d^2/c^5

### 3.11 $\int x^3 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=184

$$\frac{1}{8}c^4 d^2 x^8 (a + b \sin^{-1}(cx)) - \frac{1}{3}c^2 d^2 x^6 (a + b \sin^{-1}(cx)) + \frac{1}{4}d^2 x^4 (a + b \sin^{-1}(cx)) + \frac{1}{64}bc^3 d^2 x^7 \sqrt{1 - c^2 x^2} - \frac{43bcd^2 x^5 \sqrt{1 - c^2 x^2}}{1152}$$

[Out] (73\*b\*d^2\*x\*Sqrt[1 - c^2\*x^2])/(3072\*c^3) + (73\*b\*d^2\*x^3\*Sqrt[1 - c^2\*x^2])/(4608\*c) - (43\*b\*c\*d^2\*x^5\*Sqrt[1 - c^2\*x^2])/1152 + (b\*c^3\*d^2\*x^7\*Sqrt[1 - c^2\*x^2])/64 - (73\*b\*d^2\*ArcSin[c\*x])/(3072\*c^4) + (d^2\*x^4\*(a + b\*ArcSin[c\*x]))/4 - (c^2\*d^2\*x^6\*(a + b\*ArcSin[c\*x]))/3 + (c^4\*d^2\*x^8\*(a + b\*ArcSin[c\*x]))/8

**Rubi [A]** time = 0.169913, antiderivative size = 184, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.32$ , Rules used = {266, 43, 4687, 12, 1267, 459, 321, 216}

$$\frac{1}{8}c^4 d^2 x^8 (a + b \sin^{-1}(cx)) - \frac{1}{3}c^2 d^2 x^6 (a + b \sin^{-1}(cx)) + \frac{1}{4}d^2 x^4 (a + b \sin^{-1}(cx)) + \frac{1}{64}bc^3 d^2 x^7 \sqrt{1 - c^2 x^2} - \frac{43bcd^2 x^5 \sqrt{1 - c^2 x^2}}{1152}$$

Antiderivative was successfully verified.

[In] Int[x^3\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (73\*b\*d^2\*x\*Sqrt[1 - c^2\*x^2])/(3072\*c^3) + (73\*b\*d^2\*x^3\*Sqrt[1 - c^2\*x^2])/(4608\*c) - (43\*b\*c\*d^2\*x^5\*Sqrt[1 - c^2\*x^2])/1152 + (b\*c^3\*d^2\*x^7\*Sqrt[1 - c^2\*x^2])/64 - (73\*b\*d^2\*ArcSin[c\*x])/(3072\*c^4) + (d^2\*x^4\*(a + b\*ArcSin[c\*x]))/4 - (c^2\*d^2\*x^6\*(a + b\*ArcSin[c\*x]))/3 + (c^4\*d^2\*x^8\*(a + b\*ArcSin[c\*x]))/8

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le

Q[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rule 4687

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 1267

Int[((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(q\_.)\*((a\_.) + (b\_.)\*(x\_.)^2 + (c\_.)\*(x\_.)^4)^(p\_.), x\_Symbol] := Simp[(c^p\*(f\*x)^(m + 4\*p - 1)\*(d + e\*x^2)^(q + 1))/(e\*f^(4\*p - 1)\*(m + 4\*p + 2\*q + 1)), x] + Dist[1/(e\*(m + 4\*p + 2\*q + 1)), Int[(f\*x)^m\*(d + e\*x^2)^q\*ExpandToSum[e\*(m + 4\*p + 2\*q + 1)\*((a + b\*x^2 + c\*x^4)^p - c^p\*x^(4\*p)) - d\*c^p\*(m + 4\*p - 1)\*x^(4\*p - 2), x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4\*a\*c, 0] && IGtQ[p, 0] && !IntegerQ[q] && NeQ[m + 4\*p + 2\*q + 1, 0]

### Rule 459

Int[((e\_.)\*(x\_.))^(m\_.)\*((a\_.) + (b\_.)\*(x\_.)^n)^(p\_.)\*((c\_.) + (d\_.)\*(x\_.)^n), x\_Symbol] := Simp[(d\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(b\*e\*(m + n\*(p + 1) + 1)), x] - Dist[(a\*d\*(m + 1) - b\*c\*(m + n\*(p + 1) + 1))/(b\*(m + n\*(p + 1) + 1)), Int[(e\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && NeQ[m + n\*(p + 1) + 1, 0]

### Rule 321

Int[((c\_.)\*(x\_.))^(m\_.)\*((a\_.) + (b\_.)\*(x\_.)^n)^(p\_.), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rubi steps

$$\begin{aligned}
\int x^3 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx &= \frac{1}{4} d^2 x^4 (a + b \sin^{-1}(cx)) - \frac{1}{3} c^2 d^2 x^6 (a + b \sin^{-1}(cx)) + \frac{1}{8} c^4 d^2 x^8 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{4} d^2 x^4 (a + b \sin^{-1}(cx)) - \frac{1}{3} c^2 d^2 x^6 (a + b \sin^{-1}(cx)) + \frac{1}{8} c^4 d^2 x^8 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{64} b c^3 d^2 x^7 \sqrt{1 - c^2 x^2} + \frac{1}{4} d^2 x^4 (a + b \sin^{-1}(cx)) - \frac{1}{3} c^2 d^2 x^6 (a + b \sin^{-1}(cx)) + \frac{1}{8} c^4 d^2 x^8 (a + b \sin^{-1}(cx)) \\
&= -\frac{43 b c d^2 x^5 \sqrt{1 - c^2 x^2}}{1152} + \frac{1}{64} b c^3 d^2 x^7 \sqrt{1 - c^2 x^2} + \frac{1}{4} d^2 x^4 (a + b \sin^{-1}(cx)) - \frac{1}{3} c^2 d^2 x^6 (a + b \sin^{-1}(cx)) \\
&= \frac{73 b d^2 x^3 \sqrt{1 - c^2 x^2}}{4608 c} - \frac{43 b c d^2 x^5 \sqrt{1 - c^2 x^2}}{1152} + \frac{1}{64} b c^3 d^2 x^7 \sqrt{1 - c^2 x^2} + \frac{1}{4} d^2 x^4 (a + b \sin^{-1}(cx)) \\
&= \frac{73 b d^2 x \sqrt{1 - c^2 x^2}}{3072 c^3} + \frac{73 b d^2 x^3 \sqrt{1 - c^2 x^2}}{4608 c} - \frac{43 b c d^2 x^5 \sqrt{1 - c^2 x^2}}{1152} + \frac{1}{64} b c^3 d^2 x^7 \sqrt{1 - c^2 x^2} \\
&= \frac{73 b d^2 x \sqrt{1 - c^2 x^2}}{3072 c^3} + \frac{73 b d^2 x^3 \sqrt{1 - c^2 x^2}}{4608 c} - \frac{43 b c d^2 x^5 \sqrt{1 - c^2 x^2}}{1152} + \frac{1}{64} b c^3 d^2 x^7 \sqrt{1 - c^2 x^2}
\end{aligned}$$

**Mathematica [A]** time = 0.0998687, size = 115, normalized size = 0.62

$$\frac{d^2 \left( 384 a c^4 x^4 (3 c^4 x^4 - 8 c^2 x^2 + 6) + b c x \sqrt{1 - c^2 x^2} (144 c^6 x^6 - 344 c^4 x^4 + 146 c^2 x^2 + 219) + 3 b (384 c^8 x^8 - 1024 c^6 x^6 + 768 c^4 x^4 - 219 + 146 c^2 x^2 - 344 c^4 x^4 + 144 c^6 x^6) + 3 b^* (-73 + 768 c^4 x^4 - 1024 c^6 x^6 + 384 c^8 x^8) \operatorname{ArcSin}[c x] \right)}{9216 c^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (d^2\*(384\*a\*c^4\*x^4\*(6 - 8\*c^2\*x^2 + 3\*c^4\*x^4) + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(219 + 146\*c^2\*x^2 - 344\*c^4\*x^4 + 144\*c^6\*x^6) + 3\*b\*(-73 + 768\*c^4\*x^4 - 1024\*c^6\*x^6 + 384\*c^8\*x^8)\*ArcSin[c\*x]))/(9216\*c^4)

**Maple [A]** time = 0.007, size = 160, normalized size = 0.9

$$\frac{1}{c^4} \left( d^2 a \left( \frac{c^8 x^8}{8} - \frac{c^6 x^6}{3} + \frac{c^4 x^4}{4} \right) + d^2 b \left( \frac{\arcsin(cx) c^8 x^8}{8} - \frac{\arcsin(cx) c^6 x^6}{3} + \frac{c^4 x^4 \arcsin(cx)}{4} + \frac{c^7 x^7}{64} \sqrt{-c^2 x^2 + 1} - \frac{43 c^5 x^5}{1152} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x)),x)`

[Out]  $\frac{1}{c^4}*(d^2*a*(\frac{1}{8}*c^8*x^8-\frac{1}{3}*c^6*x^6+\frac{1}{4}*c^4*x^4)+d^2*b*(\frac{1}{8}*arcsin(c*x)*c^8*x^8-\frac{1}{3}*arcsin(c*x)*c^6*x^6+\frac{1}{4}*c^4*x^4*arcsin(c*x)+\frac{1}{64}*c^7*x^7*(-c^2*x^2+1)^{(1/2)}-\frac{43}{1152}*c^5*x^5*(-c^2*x^2+1)^{(1/2)}+\frac{73}{4608}*c^3*x^3*(-c^2*x^2+1)^{(1/2)}+\frac{73}{3072}*c*x*(-c^2*x^2+1)^{(1/2)}-\frac{73}{3072}*arcsin(c*x))$

**Maxima [B]** time = 1.58398, size = 451, normalized size = 2.45

$$\frac{1}{8}ac^4d^2x^8 - \frac{1}{3}ac^2d^2x^6 + \frac{1}{3072} \left( 384x^8 \arcsin(cx) + \left( \frac{48\sqrt{-c^2x^2+1}x^7}{c^2} + \frac{56\sqrt{-c^2x^2+1}x^5}{c^4} + \frac{70\sqrt{-c^2x^2+1}x^3}{c^6} + \frac{105\sqrt{-c^2x^2+1}x}{c^8} - 105\arcsin\left(\frac{c^2x}{\sqrt{c^2+1}}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out]  $\frac{1}{8}ac^4d^2x^8 - \frac{1}{3}ac^2d^2x^6 + \frac{1}{3072}*(384*x^8*arcsin(c*x) + (48*\sqrt{-c^2*x^2+1}*x^7/c^2 + 56*\sqrt{-c^2*x^2+1}*x^5/c^4 + 70*\sqrt{-c^2*x^2+1}*x^3/c^6 + 105*\sqrt{-c^2*x^2+1}*x/c^8 - 105*arcsin(c^2*x/\sqrt{c^2+1}))/(\sqrt{c^2+1}*c^8))*c)*b*c^4*d^2 + \frac{1}{4}a*d^2*x^4 - \frac{1}{144}*(48*x^6*arcsin(c*x) + (8*\sqrt{-c^2*x^2+1}*x^5/c^2 + 10*\sqrt{-c^2*x^2+1}*x^3/c^4 + 15*\sqrt{-c^2*x^2+1}*x/c^6 - 15*arcsin(c^2*x/\sqrt{c^2+1}))/(\sqrt{c^2+1}*c^6))*c)*b*c^2*d^2 + \frac{1}{32}*(8*x^4*arcsin(c*x) + (2*\sqrt{-c^2*x^2+1}*x^3/c^2 + 3*\sqrt{-c^2*x^2+1}*x/c^4 - 3*arcsin(c^2*x/\sqrt{c^2+1}))/(\sqrt{c^2+1}*c^4))*c)*b*d^2$

**Fricas [A]** time = 2.53678, size = 351, normalized size = 1.91

$$\frac{1152ac^8d^2x^8 - 3072ac^6d^2x^6 + 2304ac^4d^2x^4 + 3(384bc^8d^2x^8 - 1024bc^6d^2x^6 + 768bc^4d^2x^4 - 73bd^2)arcsin(cx) + (1488ac^7d^2x^7 - 1024ac^5d^2x^5 + 576ac^3d^2x^3 - 105ac^2d^2x) \sqrt{-c^2x^2+1}}{9216c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out]  $\frac{1}{9216}*(1152*a*c^8*d^2*x^8 - 3072*a*c^6*d^2*x^6 + 2304*a*c^4*d^2*x^4 + 3*(384*b*c^8*d^2*x^8 - 1024*b*c^6*d^2*x^6 + 768*b*c^4*d^2*x^4 - 73*b*d^2)*arcsin(c*x) + (1488*a*c^7*d^2*x^7 - 1024*a*c^5*d^2*x^5 + 576*a*c^3*d^2*x^3 - 105*a*c^2*d^2*x) \sqrt{-c^2*x^2+1})$

$$n(cx) + (144*bc^7*d^2*x^7 - 344*bc^5*d^2*x^5 + 146*bc^3*d^2*x^3 + 219*b*c*d^2*x)*\sqrt{-c^2*x^2 + 1})/c^4$$

**Sympy [A]** time = 20.7344, size = 218, normalized size = 1.18

$$\left\{ \begin{array}{l} \frac{ac^4d^2x^8}{8} - \frac{ac^2d^2x^6}{3} + \frac{ad^2x^4}{4} + \frac{bc^4d^2x^8 \operatorname{asin}(cx)}{8} + \frac{bc^3d^2x^7\sqrt{-c^2x^2+1}}{64} - \frac{bc^2d^2x^6 \operatorname{asin}(cx)}{3} - \frac{43bcd^2x^5\sqrt{-c^2x^2+1}}{1152} + \frac{bd^2x^4 \operatorname{asin}(cx)}{4} + \frac{73bd^2x^3\sqrt{-c^2x^2+1}}{4608c} \\ \frac{ad^2x^4}{4} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-c\*\*2\*d\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*c\*\*4\*d\*\*2\*x\*\*8/8 - a\*c\*\*2\*d\*\*2\*x\*\*6/3 + a\*d\*\*2\*x\*\*4/4 + b\*c\*\*4\*d\*\*2\*x\*\*8\*asin(c\*x)/8 + b\*c\*\*3\*d\*\*2\*x\*\*7\*sqrt(-c\*\*2\*x\*\*2 + 1)/64 - b\*c\*\*2\*d\*\*2\*x\*\*6\*asin(c\*x)/3 - 43\*b\*c\*d\*\*2\*x\*\*5\*sqrt(-c\*\*2\*x\*\*2 + 1)/1152 + b\*d\*\*2\*x\*\*4\*asin(c\*x)/4 + 73\*b\*d\*\*2\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/(4608\*c) + 73\*b\*d\*\*2\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)/(3072\*c\*\*3) - 73\*b\*d\*\*2\*asin(c\*x)/(3072\*c\*\*4), Ne(c, 0)), (a\*d\*\*2\*x\*\*4/4, True))

**Giac [A]** time = 1.27356, size = 286, normalized size = 1.55

$$\frac{(c^2x^2 - 1)^3 \sqrt{-c^2x^2 + 1} bd^2x}{64c^3} + \frac{(c^2x^2 - 1)^4 bd^2 \arcsin(cx)}{8c^4} + \frac{11(c^2x^2 - 1)^2 \sqrt{-c^2x^2 + 1} bd^2x}{1152c^3} + \frac{(c^2x^2 - 1)^4 ad^2}{8c^4} + \frac{(c^2x^2 - 1)}{4608c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] 1/64\*(c^2\*x^2 - 1)^3\*sqrt(-c^2\*x^2 + 1)\*b\*d^2\*x/c^3 + 1/8\*(c^2\*x^2 - 1)^4\*b\*d^2\*arcsin(c\*x)/c^4 + 11/1152\*(c^2\*x^2 - 1)^2\*sqrt(-c^2\*x^2 + 1)\*b\*d^2\*x/c^3 + 1/8\*(c^2\*x^2 - 1)^4\*a\*d^2/c^4 + 1/6\*(c^2\*x^2 - 1)^3\*b\*d^2\*arcsin(c\*x)/c^4 + 55/4608\*(-c^2\*x^2 + 1)^(3/2)\*b\*d^2\*x/c^3 + 1/6\*(c^2\*x^2 - 1)^3\*a\*d^2/c^4 + 55/3072\*sqrt(-c^2\*x^2 + 1)\*b\*d^2\*x/c^3 + 55/3072\*b\*d^2\*arcsin(c\*x)/c^4



### 3.12 $\int x^2 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=161

$$\frac{1}{7}c^4d^2x^7(a + b \sin^{-1}(cx)) - \frac{2}{5}c^2d^2x^5(a + b \sin^{-1}(cx)) + \frac{1}{3}d^2x^3(a + b \sin^{-1}(cx)) - \frac{bd^2(1 - c^2x^2)^{7/2}}{49c^3} + \frac{bd^2(1 - c^2x^2)^{5/2}}{175c^3}$$

[Out]  $(8*b*d^2*sqrt[1 - c^2*x^2])/(105*c^3) + (4*b*d^2*(1 - c^2*x^2)^(3/2))/(315*c^3) + (b*d^2*(1 - c^2*x^2)^(5/2))/(175*c^3) - (b*d^2*(1 - c^2*x^2)^(7/2))/(49*c^3) + (d^2*x^3*(a + b*ArcSin[c*x]))/3 - (2*c^2*d^2*x^5*(a + b*ArcSin[c*x]))/5 + (c^4*d^2*x^7*(a + b*ArcSin[c*x]))/7$

**Rubi [A]** time = 0.169966, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {270, 4687, 12, 1251, 771}

$$\frac{1}{7}c^4d^2x^7(a + b \sin^{-1}(cx)) - \frac{2}{5}c^2d^2x^5(a + b \sin^{-1}(cx)) + \frac{1}{3}d^2x^3(a + b \sin^{-1}(cx)) - \frac{bd^2(1 - c^2x^2)^{7/2}}{49c^3} + \frac{bd^2(1 - c^2x^2)^{5/2}}{175c^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2*(d - c^2*d*x^2)^2*(a + b*\text{ArcSin}[c*x]), x]$

[Out]  $(8*b*d^2*sqrt[1 - c^2*x^2])/(105*c^3) + (4*b*d^2*(1 - c^2*x^2)^(3/2))/(315*c^3) + (b*d^2*(1 - c^2*x^2)^(5/2))/(175*c^3) - (b*d^2*(1 - c^2*x^2)^(7/2))/(49*c^3) + (d^2*x^3*(a + b*ArcSin[c*x]))/3 - (2*c^2*d^2*x^5*(a + b*ArcSin[c*x]))/5 + (c^4*d^2*x^7*(a + b*ArcSin[c*x]))/7$

#### Rule 270

$\text{Int}[(c_*)(x_)^{(m_*)}((a_*) + (b_*)(x_)^{(n_)})^{(p_*)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, m, n, x\} \ \&\& \ \text{IGtQ}[p, 0]$

#### Rule 4687

$\text{Int}[(a_*) + \text{ArcSin}[(c_*)(x_*)] * (b_*) * ((f_*)(x_)^{(m_*)} * ((d_*) + (e_*)(x_)^2)^{(p_*)}), x\_Symbol] \rightarrow \text{With}\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSin}[c*x], u, x] - \text{Dist}[b*c, \text{Int}[\text{SimplifyIntegrand}[u/\text{sqrt}[1 - c^2*x^2], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\&$

IGtQ[p, 0]

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)
^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rule 771

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (
c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)*
(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^
2 - 4*a*c, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))
```

Rubi steps

$$\begin{aligned}
\int x^2 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx &= \frac{1}{3} d^2 x^3 (a + b \sin^{-1}(cx)) - \frac{2}{5} c^2 d^2 x^5 (a + b \sin^{-1}(cx)) + \frac{1}{7} c^4 d^2 x^7 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{3} d^2 x^3 (a + b \sin^{-1}(cx)) - \frac{2}{5} c^2 d^2 x^5 (a + b \sin^{-1}(cx)) + \frac{1}{7} c^4 d^2 x^7 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{3} d^2 x^3 (a + b \sin^{-1}(cx)) - \frac{2}{5} c^2 d^2 x^5 (a + b \sin^{-1}(cx)) + \frac{1}{7} c^4 d^2 x^7 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{3} d^2 x^3 (a + b \sin^{-1}(cx)) - \frac{2}{5} c^2 d^2 x^5 (a + b \sin^{-1}(cx)) + \frac{1}{7} c^4 d^2 x^7 (a + b \sin^{-1}(cx)) \\
&= \frac{8bd^2\sqrt{1-c^2x^2}}{105c^3} + \frac{4bd^2(1-c^2x^2)^{3/2}}{315c^3} + \frac{bd^2(1-c^2x^2)^{5/2}}{175c^3} - \frac{bd^2(1-c^2x^2)^{7/2}}{49c^3} + \frac{1}{3}
\end{aligned}$$

**Mathematica [A]** time = 0.0922021, size = 111, normalized size = 0.69

$$\frac{d^2 \left( 105ac^3x^3 (15c^4x^4 - 42c^2x^2 + 35) + b\sqrt{1-c^2x^2} (225c^6x^6 - 612c^4x^4 + 409c^2x^2 + 818) + 105bc^3x^3 (15c^4x^4 - 42c^2x^2 + 35) \right)}{11025c^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (d^2\*(105\*a\*c^3\*x^3\*(35 - 42\*c^2\*x^2 + 15\*c^4\*x^4) + b\*Sqrt[1 - c^2\*x^2]\*(818 + 409\*c^2\*x^2 - 612\*c^4\*x^4 + 225\*c^6\*x^6) + 105\*b\*c^3\*x^3\*(35 - 42\*c^2\*x^2 + 15\*c^4\*x^4)\*ArcSin[c\*x]))/(11025\*c^3)

**Maple [A]** time = 0.006, size = 152, normalized size = 0.9

$$\frac{1}{c^3} \left( d^2 a \left( \frac{c^7 x^7}{7} - \frac{2c^5 x^5}{5} + \frac{c^3 x^3}{3} \right) + d^2 b \left( \frac{\arcsin(cx) c^7 x^7}{7} - \frac{2 \arcsin(cx) c^5 x^5}{5} + \frac{c^3 x^3 \arcsin(cx)}{3} + \frac{c^6 x^6}{49} \sqrt{-c^2 x^2 + 1} - \frac{68}{1225} \sqrt{-c^2 x^2 + 1} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x)

[Out] 1/c^3\*(d^2\*a\*(1/7\*c^7\*x^7-2/5\*c^5\*x^5+1/3\*c^3\*x^3)+d^2\*b\*(1/7\*arcsin(c\*x)\*c^7\*x^7-2/5\*arcsin(c\*x)\*c^5\*x^5+1/3\*c^3\*x^3\*arcsin(c\*x)+1/49\*c^6\*x^6\*(-c^2\*x^2+1)^(1/2)-68/1225\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)+409/11025\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)+818/11025\*(-c^2\*x^2+1)^(1/2)))

**Maxima [A]** time = 1.58702, size = 360, normalized size = 2.24

$$\frac{1}{7} a c^4 d^2 x^7 - \frac{2}{5} a c^2 d^2 x^5 + \frac{1}{245} \left( 35 x^7 \arcsin(cx) + \left( \frac{5 \sqrt{-c^2 x^2 + 1} x^6}{c^2} + \frac{6 \sqrt{-c^2 x^2 + 1} x^4}{c^4} + \frac{8 \sqrt{-c^2 x^2 + 1} x^2}{c^6} + \frac{16 \sqrt{-c^2 x^2 + 1}}{c^8} \right) \right) b c^4 d^2 - \frac{2}{75} (15 x^5 \arcsin(cx) + (3 \sqrt{-c^2 x^2 + 1} x^4 / c^2 + 4 \sqrt{-c^2 x^2 + 1} x^2 / c^4 + 8 \sqrt{-c^2 x^2 + 1} / c^6) c) b c^2 d^2 + \frac{1}{9} (3 x^3 \arcsin(cx) + c (\sqrt{-c^2 x^2 + 1} x^2 / c^2 + 2 \sqrt{-c^2 x^2 + 1} / c^4)) b d^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] 1/7\*a\*c^4\*d^2\*x^7 - 2/5\*a\*c^2\*d^2\*x^5 + 1/245\*(35\*x^7\*arcsin(c\*x) + (5\*sqrt(-c^2\*x^2 + 1)\*x^6/c^2 + 6\*sqrt(-c^2\*x^2 + 1)\*x^4/c^4 + 8\*sqrt(-c^2\*x^2 + 1)\*x^2/c^6 + 16\*sqrt(-c^2\*x^2 + 1)/c^8)\*c)\*b\*c^4\*d^2 - 2/75\*(15\*x^5\*arcsin(c\*x) + (3\*sqrt(-c^2\*x^2 + 1)\*x^4/c^2 + 4\*sqrt(-c^2\*x^2 + 1)\*x^2/c^4 + 8\*sqrt(-c^2\*x^2 + 1)/c^6)\*c)\*b\*c^2\*d^2 + 1/9\*(3\*x^3\*arcsin(c\*x) + c\*(sqrt(-c^2\*x^2 + 1)\*x^2/c^2 + 2\*sqrt(-c^2\*x^2 + 1)/c^4))\*b\*d^2

---

**Fricas [A]** time = 2.55373, size = 329, normalized size = 2.04

$$\frac{1575 ac^7 d^2 x^7 - 4410 ac^5 d^2 x^5 + 3675 ac^3 d^2 x^3 + 105 (15 bc^7 d^2 x^7 - 42 bc^5 d^2 x^5 + 35 bc^3 d^2 x^3) \arcsin(cx) + (225 bc^6 d^2 x^6 - 612 bc^4 d^2 x^4 + 409 bc^2 d^2 x^2 + 818 b d^2) \sqrt{-c^2 x^2 + 1}}{11025 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] 1/11025\*(1575\*a\*c^7\*d^2\*x^7 - 4410\*a\*c^5\*d^2\*x^5 + 3675\*a\*c^3\*d^2\*x^3 + 105\*(15\*b\*c^7\*d^2\*x^7 - 42\*b\*c^5\*d^2\*x^5 + 35\*b\*c^3\*d^2\*x^3)\*arcsin(c\*x) + (225\*b\*c^6\*d^2\*x^6 - 612\*b\*c^4\*d^2\*x^4 + 409\*b\*c^2\*d^2\*x^2 + 818\*b\*d^2)\*sqrt(-c^2\*x^2 + 1))/c^3

---

**Sympy [A]** time = 14.9122, size = 202, normalized size = 1.25

$$\left\{ \begin{array}{l} \frac{ac^4 d^2 x^7}{7} - \frac{2ac^2 d^2 x^5}{5} + \frac{ad^2 x^3}{3} + \frac{bc^4 d^2 x^7 \arcsin(cx)}{7} + \frac{bc^3 d^2 x^6 \sqrt{-c^2 x^2 + 1}}{49} - \frac{2bc^2 d^2 x^5 \arcsin(cx)}{5} - \frac{68bcd^2 x^4 \sqrt{-c^2 x^2 + 1}}{1225} + \frac{bd^2 x^3 \arcsin(cx)}{3} + \frac{409bd^2 x^2 \sqrt{-c^2 x^2 + 1}}{11025c} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-c\*\*2\*d\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*c\*\*4\*d\*\*2\*x\*\*7/7 - 2\*a\*c\*\*2\*d\*\*2\*x\*\*5/5 + a\*d\*\*2\*x\*\*3/3 + b\*c\*\*4\*d\*\*2\*x\*\*7\*asin(c\*x)/7 + b\*c\*\*3\*d\*\*2\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)/49 - 2\*b\*c\*\*2\*d\*\*2\*x\*\*5\*asin(c\*x)/5 - 68\*b\*c\*d\*\*2\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/1225 + b\*d\*\*2\*x\*\*3\*asin(c\*x)/3 + 409\*b\*d\*\*2\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(11025\*c) + 818\*b\*d\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(11025\*c\*\*3), Ne(c, 0)), (a\*d\*\*2\*x\*\*3/3, True))

---

**Giac [A]** time = 1.30501, size = 306, normalized size = 1.9

$$\frac{1}{7} ac^4 d^2 x^7 - \frac{2}{5} ac^2 d^2 x^5 + \frac{1}{3} ad^2 x^3 + \frac{(c^2 x^2 - 1)^3 bd^2 x \arcsin(cx)}{7c^2} + \frac{(c^2 x^2 - 1)^2 bd^2 x \arcsin(cx)}{35c^2} - \frac{4(c^2 x^2 - 1)bd^2 x \arcsin(cx)}{105c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] 1/7*a*c^4*d^2*x^7 - 2/5*a*c^2*d^2*x^5 + 1/3*a*d^2*x^3 + 1/7*(c^2*x^2 - 1)^3
*b*d^2*x*arcsin(c*x)/c^2 + 1/35*(c^2*x^2 - 1)^2*b*d^2*x*arcsin(c*x)/c^2 - 4
/105*(c^2*x^2 - 1)*b*d^2*x*arcsin(c*x)/c^2 + 1/49*(c^2*x^2 - 1)^3*sqrt(-c^2
*x^2 + 1)*b*d^2/c^3 + 8/105*b*d^2*x*arcsin(c*x)/c^2 + 1/175*(c^2*x^2 - 1)^2
*sqrt(-c^2*x^2 + 1)*b*d^2/c^3 + 4/315*(-c^2*x^2 + 1)^(3/2)*b*d^2/c^3 + 8/10
5*sqrt(-c^2*x^2 + 1)*b*d^2/c^3
```

### 3.13 $\int x (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=124

$$-\frac{d^2(1-c^2x^2)^3(a+b\sin^{-1}(cx))}{6c^2} + \frac{bd^2x(1-c^2x^2)^{5/2}}{36c} + \frac{5bd^2x(1-c^2x^2)^{3/2}}{144c} + \frac{5bd^2x\sqrt{1-c^2x^2}}{96c} + \frac{5bd^2\sin^{-1}(cx)}{96c^2}$$

[Out] (5\*b\*d^2\*x\*Sqrt[1 - c^2\*x^2])/(96\*c) + (5\*b\*d^2\*x\*(1 - c^2\*x^2)^(3/2))/(144\*c) + (b\*d^2\*x\*(1 - c^2\*x^2)^(5/2))/(36\*c) + (5\*b\*d^2\*ArcSin[c\*x])/(96\*c^2) - (d^2\*(1 - c^2\*x^2)^3\*(a + b\*ArcSin[c\*x]))/(6\*c^2)

**Rubi [A]** time = 0.0653594, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {4677, 195, 216}

$$-\frac{d^2(1-c^2x^2)^3(a+b\sin^{-1}(cx))}{6c^2} + \frac{bd^2x(1-c^2x^2)^{5/2}}{36c} + \frac{5bd^2x(1-c^2x^2)^{3/2}}{144c} + \frac{5bd^2x\sqrt{1-c^2x^2}}{96c} + \frac{5bd^2\sin^{-1}(cx)}{96c^2}$$

Antiderivative was successfully verified.

[In] Int[x\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (5\*b\*d^2\*x\*Sqrt[1 - c^2\*x^2])/(96\*c) + (5\*b\*d^2\*x\*(1 - c^2\*x^2)^(3/2))/(144\*c) + (b\*d^2\*x\*(1 - c^2\*x^2)^(5/2))/(36\*c) + (5\*b\*d^2\*ArcSin[c\*x])/(96\*c^2) - (d^2\*(1 - c^2\*x^2)^3\*(a + b\*ArcSin[c\*x]))/(6\*c^2)

#### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p])) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n],

Denominator [p])

**Rule 216**

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

**Rubi steps**

$$\begin{aligned}
 \int x(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx &= -\frac{d^2(1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))}{6c^2} + \frac{(bd^2) \int (1 - c^2 x^2)^{5/2} dx}{6c} \\
 &= \frac{bd^2 x (1 - c^2 x^2)^{5/2}}{36c} - \frac{d^2(1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))}{6c^2} + \frac{(5bd^2) \int (1 - c^2 x^2)^{3/2} dx}{36c} \\
 &= \frac{5bd^2 x (1 - c^2 x^2)^{3/2}}{144c} + \frac{bd^2 x (1 - c^2 x^2)^{5/2}}{36c} - \frac{d^2(1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))}{6c^2} + \frac{(5bd^2) \int (1 - c^2 x^2)^{1/2} dx}{36c} \\
 &= \frac{5bd^2 x \sqrt{1 - c^2 x^2}}{96c} + \frac{5bd^2 x (1 - c^2 x^2)^{3/2}}{144c} + \frac{bd^2 x (1 - c^2 x^2)^{5/2}}{36c} - \frac{d^2(1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))}{6c^2} \\
 &= \frac{5bd^2 x \sqrt{1 - c^2 x^2}}{96c} + \frac{5bd^2 x (1 - c^2 x^2)^{3/2}}{144c} + \frac{bd^2 x (1 - c^2 x^2)^{5/2}}{36c} + \frac{5bd^2 \sin^{-1}(cx)}{96c^2} - \frac{d^2(1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))}{6c^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.0644968, size = 94, normalized size = 0.76

$$\frac{d^2 \left( 48a(c^2 x^2 - 1)^3 + bcx\sqrt{1 - c^2 x^2} (8c^4 x^4 - 26c^2 x^2 + 33) + 3b(16c^6 x^6 - 48c^4 x^4 + 48c^2 x^2 - 11) \sin^{-1}(cx) \right)}{288c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x]), x]

[Out] (d^2\*(48\*a\*(-1 + c^2\*x^2)^3 + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(33 - 26\*c^2\*x^2 + 8\*c^4\*x^4) + 3\*b\*(-11 + 48\*c^2\*x^2 - 48\*c^4\*x^4 + 16\*c^6\*x^6)\*ArcSin[c\*x]))/(288\*c^2)

**Maple [A]** time = 0.006, size = 140, normalized size = 1.1

$$\frac{1}{c^2} \left( d^2 a \left( \frac{c^6 x^6}{6} - \frac{c^4 x^4}{2} + \frac{c^2 x^2}{2} \right) + d^2 b \left( \frac{\arcsin(cx) c^6 x^6}{6} - \frac{c^4 x^4 \arcsin(cx)}{2} + \frac{c^2 x^2 \arcsin(cx)}{2} + \frac{c^5 x^5 \sqrt{-c^2 x^2 + 1}}{36} - \frac{13 c^3}{144} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x)),x)`

[Out]  $\frac{1}{c^2}*(d^2*a*(\frac{1}{6}*c^6*x^6-\frac{1}{2}*c^4*x^4+\frac{1}{2}*c^2*x^2)+d^2*b*(\frac{1}{6}*arcsin(c*x)*c^6*x^6-\frac{1}{2}*c^4*x^4*arcsin(c*x)+\frac{1}{2}*c^2*x^2*arcsin(c*x)+\frac{1}{36}*c^5*x^5*(-c^2*x^2+1)^{(1/2)}-\frac{13}{144}*c^3*x^3*(-c^2*x^2+1)^{(1/2)}+\frac{11}{96}*c*x*(-c^2*x^2+1)^{(1/2)}-\frac{11}{96}*arcsin(c*x))$

**Maxima [B]** time = 1.69115, size = 369, normalized size = 2.98

$$\frac{1}{6}ac^4d^2x^6 - \frac{1}{2}ac^2d^2x^4 + \frac{1}{288} \left( 48x^6 \arcsin(cx) + \left( \frac{8\sqrt{-c^2x^2+1}x^5}{c^2} + \frac{10\sqrt{-c^2x^2+1}x^3}{c^4} + \frac{15\sqrt{-c^2x^2+1}x}{c^6} - \frac{15 \arcsin(\sqrt{-c^2x^2+1}x)}{\sqrt{c^2c^6}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out]  $\frac{1}{6}a*c^4*d^2*x^6 - \frac{1}{2}a*c^2*d^2*x^4 + \frac{1}{288}*(48*x^6*arcsin(c*x) + (8*\sqrt{-c^2*x^2 + 1}*x^5/c^2 + 10*\sqrt{-c^2*x^2 + 1}*x^3/c^4 + 15*\sqrt{-c^2*x^2 + 1}*x/c^6 - 15*arcsin(c^2*x/\sqrt{c^2})/(\sqrt{c^2}*c^6))*c)*b*c^4*d^2 - \frac{1}{16}*(8*x^4*arcsin(c*x) + (2*\sqrt{-c^2*x^2 + 1}*x^3/c^2 + 3*\sqrt{-c^2*x^2 + 1}*x/c^4 - 3*arcsin(c^2*x/\sqrt{c^2})/(\sqrt{c^2}*c^4))*c)*b*c^2*d^2 + \frac{1}{2}a*d^2*x^2 + \frac{1}{4}*(2*x^2*arcsin(c*x) + c*(\sqrt{-c^2*x^2 + 1}*x/c^2 - arcsin(c^2*x/\sqrt{c^2})/(\sqrt{c^2}*c^2)))*b*d^2$

**Fricas [A]** time = 2.15539, size = 306, normalized size = 2.47

$$\frac{48ac^6d^2x^6 - 144ac^4d^2x^4 + 144ac^2d^2x^2 + 3(16bc^6d^2x^6 - 48bc^4d^2x^4 + 48bc^2d^2x^2 - 11bd^2) \arcsin(cx) + (8bc^5d^2x^5 - 20bc^3d^2x^3 + 15bc^2d^2x^2 - 11bd^2) \arcsin(c^2x/\sqrt{c^2})}{288c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out]  $\frac{1}{288}*(48*a*c^6*d^2*x^6 - 144*a*c^4*d^2*x^4 + 144*a*c^2*d^2*x^2 + 3*(16*b*c^6*d^2*x^6 - 48*b*c^4*d^2*x^4 + 48*b*c^2*d^2*x^2 - 11*b*d^2)*arcsin(c*x) + (8*b*c^5*d^2*x^5 - 20*b*c^3*d^2*x^3 + 15*b*c^2*d^2*x^2 - 11*b*d^2)*arcsin(c^2*x/\sqrt{c^2}))$



$$(8*b*c^5*d^2*x^5 - 26*b*c^3*d^2*x^3 + 33*b*c*d^2*x)*\sqrt{-c^2*x^2 + 1})/c^2$$

**Sympy [A]** time = 7.70257, size = 190, normalized size = 1.53

$$\left\{ \begin{array}{l} \frac{ac^4d^2x^6}{2} - \frac{ac^2d^2x^4}{2} + \frac{ad^2x^2}{2} + \frac{bc^4d^2x^6 \operatorname{asin}(cx)}{6} + \frac{bc^3d^2x^5\sqrt{-c^2x^2+1}}{36} - \frac{bc^2d^2x^4 \operatorname{asin}(cx)}{2} - \frac{13bcd^2x^3\sqrt{-c^2x^2+1}}{144} + \frac{bd^2x^2 \operatorname{asin}(cx)}{2} + \frac{11bd^2x\sqrt{-c^2x^2}}{96c} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c\*\*2\*d\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*c\*\*4\*d\*\*2\*x\*\*6/6 - a\*c\*\*2\*d\*\*2\*x\*\*4/2 + a\*d\*\*2\*x\*\*2/2 + b\*c\*\*4\*d\*\*2\*x\*\*6\*asin(c\*x)/6 + b\*c\*\*3\*d\*\*2\*x\*\*5\*sqrt(-c\*\*2\*x\*\*2 + 1)/36 - b\*c\*\*2\*d\*\*2\*x\*\*4\*asin(c\*x)/2 - 13\*b\*c\*d\*\*2\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/144 + b\*d\*\*2\*x\*\*2\*asin(c\*x)/2 + 11\*b\*d\*\*2\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)/(96\*c) - 11\*b\*d\*\*2\*asin(c\*x)/(96\*c\*\*2), Ne(c, 0)), (a\*d\*\*2\*x\*\*2/2, True))

**Giac [A]** time = 1.27394, size = 182, normalized size = 1.47

$$\frac{(c^2x^2 - 1)^2\sqrt{-c^2x^2 + 1}bd^2x}{36c} + \frac{(c^2x^2 - 1)^3bd^2 \arcsin(cx)}{6c^2} + \frac{5(-c^2x^2 + 1)^{\frac{3}{2}}bd^2x}{144c} + \frac{(c^2x^2 - 1)^3ad^2}{6c^2} + \frac{5\sqrt{-c^2x^2 + 1}bd^2x}{96c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] 1/36\*(c^2\*x^2 - 1)^2\*sqrt(-c^2\*x^2 + 1)\*b\*d^2\*x/c + 1/6\*(c^2\*x^2 - 1)^3\*b\*d^2\*arcsin(c\*x)/c^2 + 5/144\*(-c^2\*x^2 + 1)^(3/2)\*b\*d^2\*x/c + 1/6\*(c^2\*x^2 - 1)^3\*a\*d^2/c^2 + 5/96\*sqrt(-c^2\*x^2 + 1)\*b\*d^2\*x/c + 5/96\*b\*d^2\*arcsin(c\*x)/c^2

### 3.14 $\int (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=131

$$\frac{1}{5}c^4 d^2 x^5 (a + b \sin^{-1}(cx)) - \frac{2}{3}c^2 d^2 x^3 (a + b \sin^{-1}(cx)) + d^2 x (a + b \sin^{-1}(cx)) + \frac{bd^2 (1 - c^2 x^2)^{5/2}}{25c} + \frac{4bd^2 (1 - c^2 x^2)^{3/2}}{45c} + \dots$$

[Out]  $(8*b*d^2*sqrt[1 - c^2*x^2])/(15*c) + (4*b*d^2*(1 - c^2*x^2)^(3/2))/(45*c) + (b*d^2*(1 - c^2*x^2)^(5/2))/(25*c) + d^2*x*(a + b*ArcSin[c*x]) - (2*c^2*d^2*x^3*(a + b*ArcSin[c*x]))/3 + (c^4*d^2*x^5*(a + b*ArcSin[c*x]))/5$

**Rubi [A]** time = 0.104451, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$ , Rules used = {194, 4645, 12, 1247, 698}

$$\frac{1}{5}c^4 d^2 x^5 (a + b \sin^{-1}(cx)) - \frac{2}{3}c^2 d^2 x^3 (a + b \sin^{-1}(cx)) + d^2 x (a + b \sin^{-1}(cx)) + \frac{bd^2 (1 - c^2 x^2)^{5/2}}{25c} + \frac{4bd^2 (1 - c^2 x^2)^{3/2}}{45c} + \dots$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d - c^2*d*x^2)^2*(a + b*ArcSin[c*x]),x]$

[Out]  $(8*b*d^2*sqrt[1 - c^2*x^2])/(15*c) + (4*b*d^2*(1 - c^2*x^2)^(3/2))/(45*c) + (b*d^2*(1 - c^2*x^2)^(5/2))/(25*c) + d^2*x*(a + b*ArcSin[c*x]) - (2*c^2*d^2*x^3*(a + b*ArcSin[c*x]))/3 + (c^4*d^2*x^5*(a + b*ArcSin[c*x]))/5$

#### Rule 194

$\text{Int}[(a + b*(x)^n)^p, x\_Symbol] := \text{Int}[\text{ExpandIntegrand}[(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IGtQ}[p, 0]$

#### Rule 4645

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + (d + e*x^2)^p), x\_Symbol] := \text{With}\{u = \text{IntHide}[d + e*x^2]^p, x\}, \text{Dist}[a + b*ArcSin[c*x], u, x] - \text{Dist}[b*c, \text{Int}[\text{SimplifyIntegrand}[u/Sqrt[1 - c^2*x^2], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[p, 0]$

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 1247

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

### Rule 698

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))
```

### Rubi steps

$$\begin{aligned}
 \int (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx &= d^2 x (a + b \sin^{-1}(cx)) - \frac{2}{3} c^2 d^2 x^3 (a + b \sin^{-1}(cx)) + \frac{1}{5} c^4 d^2 x^5 (a + b \sin^{-1}(cx)) - \dots \\
 &= d^2 x (a + b \sin^{-1}(cx)) - \frac{2}{3} c^2 d^2 x^3 (a + b \sin^{-1}(cx)) + \frac{1}{5} c^4 d^2 x^5 (a + b \sin^{-1}(cx)) - \dots \\
 &= d^2 x (a + b \sin^{-1}(cx)) - \frac{2}{3} c^2 d^2 x^3 (a + b \sin^{-1}(cx)) + \frac{1}{5} c^4 d^2 x^5 (a + b \sin^{-1}(cx)) - \dots \\
 &= d^2 x (a + b \sin^{-1}(cx)) - \frac{2}{3} c^2 d^2 x^3 (a + b \sin^{-1}(cx)) + \frac{1}{5} c^4 d^2 x^5 (a + b \sin^{-1}(cx)) - \dots \\
 &= \frac{8bd^2\sqrt{1-c^2x^2}}{15c} + \frac{4bd^2(1-c^2x^2)^{3/2}}{45c} + \frac{bd^2(1-c^2x^2)^{5/2}}{25c} + d^2x(a + b \sin^{-1}(cx)) - \dots
 \end{aligned}$$

**Mathematica [A]** time = 0.0915752, size = 95, normalized size = 0.73

$$\frac{d^2 \left( 15acx (3c^4x^4 - 10c^2x^2 + 15) + b\sqrt{1-c^2x^2} (9c^4x^4 - 38c^2x^2 + 149) + 15bcx (3c^4x^4 - 10c^2x^2 + 15) \sin^{-1}(cx) \right)}{225c}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d - c^2*d*x^2)^2*(a + b*ArcSin[c*x]),x]
```

[Out]  $(d^2*(15*a*c*x*(15 - 10*c^2*x^2 + 3*c^4*x^4) + b*\text{Sqrt}[1 - c^2*x^2]*(149 - 3*8*c^2*x^2 + 9*c^4*x^4) + 15*b*c*x*(15 - 10*c^2*x^2 + 3*c^4*x^4)*\text{ArcSin}[c*x])/(225*c)$

**Maple [A]** time = 0.004, size = 122, normalized size = 0.9

$$\frac{1}{c} \left( d^2 a \left( \frac{c^5 x^5}{5} - \frac{2 c^3 x^3}{3} + c x \right) + d^2 b \left( \frac{\arcsin(cx) c^5 x^5}{5} - \frac{2 c^3 x^3 \arcsin(cx)}{3} + c x \arcsin(cx) + \frac{c^4 x^4}{25} \sqrt{-c^2 x^2 + 1} - \frac{38 c^2 x^2}{225} \sqrt{-c^2 x^2 + 1} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((-c^2*d*x^2+d)^2*(a+b*\arcsin(c*x)),x)$

[Out]  $1/c*(d^2*a*(1/5*c^5*x^5-2/3*c^3*x^3+c*x)+d^2*b*(1/5*\arcsin(c*x)*c^5*x^5-2/3*c^3*x^3*\arcsin(c*x)+c*x*\arcsin(c*x)+1/25*c^4*x^4*(-c^2*x^2+1)^(1/2)-38/225*c^2*x^2*(-c^2*x^2+1)^(1/2)+149/225*(-c^2*x^2+1)^(1/2)))$

**Maxima [A]** time = 1.70968, size = 265, normalized size = 2.02

$$\frac{1}{5} a c^4 d^2 x^5 + \frac{1}{75} \left( 15 x^5 \arcsin(cx) + \left( \frac{3 \sqrt{-c^2 x^2 + 1} x^4}{c^2} + \frac{4 \sqrt{-c^2 x^2 + 1} x^2}{c^4} + \frac{8 \sqrt{-c^2 x^2 + 1}}{c^6} \right) c \right) b c^4 d^2 - \frac{2}{3} a c^2 d^2 x^3 - \frac{2}{9} \left( 3 x^3 \arcsin(cx) + \frac{2 \sqrt{-c^2 x^2 + 1} x^2}{c^2} + \frac{4 \sqrt{-c^2 x^2 + 1}}{c^4} \right) b c^2 d^2 + a d^2 x + (c x \arcsin(cx) + \sqrt{-c^2 x^2 + 1}) b d^2 / c$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((-c^2*d*x^2+d)^2*(a+b*\arcsin(c*x)),x, \text{algorithm}="maxima")$

[Out]  $1/5*a*c^4*d^2*x^5 + 1/75*(15*x^5*\arcsin(c*x) + (3*\text{sqrt}(-c^2*x^2 + 1)*x^4/c^2 + 4*\text{sqrt}(-c^2*x^2 + 1)*x^2/c^4 + 8*\text{sqrt}(-c^2*x^2 + 1)/c^6)*c)*b*c^4*d^2 - 2/3*a*c^2*d^2*x^3 - 2/9*(3*x^3*\arcsin(c*x) + c*(\text{sqrt}(-c^2*x^2 + 1)*x^2/c^2 + 2*\text{sqrt}(-c^2*x^2 + 1)/c^4))*b*c^2*d^2 + a*d^2*x + (c*x*\arcsin(c*x) + \text{sqrt}(-c^2*x^2 + 1))*b*d^2/c$

**Fricas [A]** time = 2.09164, size = 274, normalized size = 2.09

$$\frac{45 a c^5 d^2 x^5 - 150 a c^3 d^2 x^3 + 225 a c d^2 x + 15 (3 b c^5 d^2 x^5 - 10 b c^3 d^2 x^3 + 15 b c d^2 x) \arcsin(cx) + (9 b c^4 d^2 x^4 - 38 b c^2 d^2 x^2 + 149 b d^2) \sqrt{-c^2 x^2 + 1}}{225 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out]  $\frac{1}{225}*(45*a*c^5*d^2*x^5 - 150*a*c^3*d^2*x^3 + 225*a*c*d^2*x + 15*(3*b*c^5*d^2*x^5 - 10*b*c^3*d^2*x^3 + 15*b*c*d^2*x)*\arcsin(c*x) + (9*b*c^4*d^2*x^4 - 38*b*c^2*d^2*x^2 + 149*b*d^2)*\sqrt{-c^2*x^2 + 1})/c$

**Sympy [A]** time = 4.83471, size = 165, normalized size = 1.26

$$\left\{ \begin{array}{l} \frac{ac^4d^2x^5}{5} - \frac{2ac^2d^2x^3}{3} + ad^2x + \frac{bc^4d^2x^5 \operatorname{asin}(cx)}{5} + \frac{bc^3d^2x^4\sqrt{-c^2x^2+1}}{25} - \frac{2bc^2d^2x^3 \operatorname{asin}(cx)}{3} - \frac{38bcd^2x^2\sqrt{-c^2x^2+1}}{225} + bd^2x \operatorname{asin}(cx) + \frac{149bd^2\sqrt{-c^2x^2+1}}{225} \\ ad^2x \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*c\*\*4\*d\*\*2\*x\*\*5/5 - 2\*a\*c\*\*2\*d\*\*2\*x\*\*3/3 + a\*d\*\*2\*x + b\*c\*\*4\*d\*\*2\*x\*\*5\*asin(c\*x)/5 + b\*c\*\*3\*d\*\*2\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/25 - 2\*b\*c\*\*2\*d\*\*2\*x\*\*3\*asin(c\*x)/3 - 38\*b\*c\*d\*\*2\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/225 + b\*d\*\*2\*x\*asin(c\*x) + 149\*b\*d\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(225\*c), Ne(c, 0)), (a\*d\*\*2\*x, True))

**Giac [A]** time = 1.21212, size = 213, normalized size = 1.63

$$\frac{1}{5}ac^4d^2x^5 - \frac{2}{3}ac^2d^2x^3 + \frac{1}{5}(c^2x^2 - 1)^2bd^2x \operatorname{arcsin}(cx) - \frac{4}{15}(c^2x^2 - 1)bd^2x \operatorname{arcsin}(cx) + \frac{8}{15}bd^2x \operatorname{arcsin}(cx) + \frac{(c^2x^2 - 1)\sqrt{-c^2x^2 + 1}}{225}bd^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out]  $\frac{1}{5}a*c^4*d^2*x^5 - \frac{2}{3}a*c^2*d^2*x^3 + \frac{1}{5}*(c^2*x^2 - 1)^2*b*d^2*x*\arcsin(c*x) - \frac{4}{15}*(c^2*x^2 - 1)*b*d^2*x*\arcsin(c*x) + \frac{8}{15}*b*d^2*x*\arcsin(c*x) + \frac{1}{25}*(c^2*x^2 - 1)^2*\sqrt{-c^2*x^2 + 1}*b*d^2/c + a*d^2*x + \frac{4}{45}*(-c^2*x^2 + 1)^{(3/2)}*b*d^2/c + \frac{8}{15}*\sqrt{-c^2*x^2 + 1}*b*d^2/c$

$$3.15 \quad \int \frac{(d-c^2 dx^2)^2 (a+b \sin^{-1}(cx))}{x} dx$$

**Optimal.** Leaf size=184

$$-\frac{1}{2}ibd^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + \frac{1}{4}d^2(1-c^2x^2)^2(a+b \sin^{-1}(cx)) + \frac{1}{2}d^2(1-c^2x^2)(a+b \sin^{-1}(cx)) - \frac{id^2(a+b \sin^{-1}(cx))}{2b}$$

[Out]  $(-11*b*c*d^2*x*\text{Sqrt}[1 - c^2*x^2])/32 - (b*c*d^2*x*(1 - c^2*x^2)^{(3/2)})/16 - (11*b*d^2*\text{ArcSin}[c*x])/32 + (d^2*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x]))/2 + (d^2*(1 - c^2*x^2)^2*(a + b*\text{ArcSin}[c*x]))/4 - ((I/2)*d^2*(a + b*\text{ArcSin}[c*x])^2)/b + d^2*(a + b*\text{ArcSin}[c*x])*Log[1 - E^((2*I)*\text{ArcSin}[c*x])] - (I/2)*b*d^2*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])]$

**Rubi [A]** time = 0.201675, antiderivative size = 184, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.32$ , Rules used = {4683, 4625, 3717, 2190, 2279, 2391, 195, 216}

$$-\frac{1}{2}ibd^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + \frac{1}{4}d^2(1-c^2x^2)^2(a+b \sin^{-1}(cx)) + \frac{1}{2}d^2(1-c^2x^2)(a+b \sin^{-1}(cx)) - \frac{id^2(a+b \sin^{-1}(cx))}{2b}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{(d - c^2*d*x^2)^2*(a + b*\text{ArcSin}[c*x])}{x}, x]$

[Out]  $(-11*b*c*d^2*x*\text{Sqrt}[1 - c^2*x^2])/32 - (b*c*d^2*x*(1 - c^2*x^2)^{(3/2)})/16 - (11*b*d^2*\text{ArcSin}[c*x])/32 + (d^2*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x]))/2 + (d^2*(1 - c^2*x^2)^2*(a + b*\text{ArcSin}[c*x]))/4 - ((I/2)*d^2*(a + b*\text{ArcSin}[c*x])^2)/b + d^2*(a + b*\text{ArcSin}[c*x])*Log[1 - E^((2*I)*\text{ArcSin}[c*x])] - (I/2)*b*d^2*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])]$

### Rule 4683

$\text{Int}[\frac{((a_.) + \text{ArcSin}[c_.]*(x_.))*(b_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}}{(x_.), x\_Symbol]} := \text{Simp}[\frac{(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])}{(2*p)}, x] + (\text{Dist}[d, \text{Int}[\frac{(d + e*x^2)^{(p-1)}*(a + b*\text{ArcSin}[c*x])}{x}, x], x] - \text{Dist}[\frac{b*c*d^p}{(2*p)}, \text{Int}[(1 - c^2*x^2)^{(p-1/2)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e\}, x \&\& \text{E} \text{qQ}[c^2*d + e, 0] \&\& \text{IGtQ}[p, 0]$

### Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

### Rule 3717

Int[((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_.)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m \* E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

### Rule 2190

Int[(((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_.)))^(n\_.)\*((c\_.) + (d\_.)\*(x\_.))^(m\_.))/((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_.)))^(n\_.), x\_Symbol] := Simp[((c + d\*x)^m \* Log[1 + (b\*(F^(g\*(e + f\*x))))^n]/a)/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x))))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^(e\_.)\*((c\_.) + (d\_.)\*(x\_.)))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_.)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 195

Int[((a\_) + (b\_.)\*(x\_.)^(n\_.))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))}{x} dx &= \frac{1}{4} d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx)) + d \int \frac{(d - c^2 dx^2) (a + b \sin^{-1}(cx))}{x} dx - \frac{1}{4} (bcd^2 x^2) \\
&= -\frac{1}{16} bcd^2 x (1 - c^2 x^2)^{3/2} + \frac{1}{2} d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) + \frac{1}{4} d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx)) \\
&= -\frac{11}{32} bcd^2 x \sqrt{1 - c^2 x^2} - \frac{1}{16} bcd^2 x (1 - c^2 x^2)^{3/2} + \frac{1}{2} d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) + \frac{1}{4} d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx)) \\
&= -\frac{11}{32} bcd^2 x \sqrt{1 - c^2 x^2} - \frac{1}{16} bcd^2 x (1 - c^2 x^2)^{3/2} - \frac{11}{32} bd^2 \sin^{-1}(cx) + \frac{1}{2} d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) \\
&= -\frac{11}{32} bcd^2 x \sqrt{1 - c^2 x^2} - \frac{1}{16} bcd^2 x (1 - c^2 x^2)^{3/2} - \frac{11}{32} bd^2 \sin^{-1}(cx) + \frac{1}{2} d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) \\
&= -\frac{11}{32} bcd^2 x \sqrt{1 - c^2 x^2} - \frac{1}{16} bcd^2 x (1 - c^2 x^2)^{3/2} - \frac{11}{32} bd^2 \sin^{-1}(cx) + \frac{1}{2} d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) \\
&= -\frac{11}{32} bcd^2 x \sqrt{1 - c^2 x^2} - \frac{1}{16} bcd^2 x (1 - c^2 x^2)^{3/2} - \frac{11}{32} bd^2 \sin^{-1}(cx) + \frac{1}{2} d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx))
\end{aligned}$$

**Mathematica [A]** time = 0.161432, size = 142, normalized size = 0.77

$$\frac{1}{32} d^2 \left( -16ib \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + 8ac^4 x^4 - 32ac^2 x^2 + 32a \log(x) + 2bc^3 x^3 \sqrt{1 - c^2 x^2} - 13bcx \sqrt{1 - c^2 x^2} + b \sin^{-1}(cx) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x]))/x,x]

[Out] (d^2\*(-32\*a\*c^2\*x^2 + 8\*a\*c^4\*x^4 - 13\*b\*c\*x\*sqrt[1 - c^2\*x^2] + 2\*b\*c^3\*x^3\*sqrt[1 - c^2\*x^2] - (16\*I)\*b\*ArcSin[c\*x]^2 + b\*ArcSin[c\*x]\*(13 - 32\*c^2\*x^2 + 8\*c^4\*x^4 + 32\*Log[1 - E^((2\*I)\*ArcSin[c\*x])])) + 32\*a\*Log[x] - (16\*I)\*b\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])]))/32

**Maple [A]** time = 0.219, size = 250, normalized size = 1.4

$$\frac{d^2 ac^4 x^4}{4} - d^2 ac^2 x^2 + d^2 a \ln(cx) + \frac{d^2 b \arcsin(cx) c^4 x^4}{4} - d^2 b \arcsin(cx) c^2 x^2 + \frac{13 bd^2 \arcsin(cx)}{32} + \frac{d^2 bc^3 x^3}{16} \sqrt{-c^2 x^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))/x,x)`

[Out]  $\frac{1}{4}d^2ac^4x^4 - d^2a^2c^2x^2 + d^2a^2\ln(cx) + \frac{1}{4}d^2b\arcsin(cx)c^4x^4 - d^2b\arcsin(cx)c^2x^2 + \frac{13}{32}bd^2\arcsin(cx) + \frac{1}{16}d^2b(-c^2x^2+1)^{\frac{1}{2}}c^3x^3 - \frac{13}{32}b^2cd^2x(-c^2x^2+1)^{\frac{1}{2}} - Id^2b\text{polylog}(2, Icx + (-c^2x^2+1)^{\frac{1}{2}}) + d^2b\arcsin(cx)\ln(1+Icx + (-c^2x^2+1)^{\frac{1}{2}}) + d^2b\arcsin(cx)\ln(1-Icx - (-c^2x^2+1)^{\frac{1}{2}}) - Id^2b\text{polylog}(2, -Icx - (-c^2x^2+1)^{\frac{1}{2}}) - \frac{1}{2}Ib^2d^2\arcsin(cx)^2$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{4}ac^4d^2x^4 - ac^2d^2x^2 + ad^2\log(x) + \int \frac{(bc^4d^2x^4 - 2bc^2d^2x^2 + bd^2)\arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))/x,x, algorithm="maxima")`

[Out] `1/4*a*c^4*d^2*x^4 - a*c^2*d^2*x^2 + a*d^2*log(x) + integrate((b*c^4*d^2*x^4 - 2*b*c^2*d^2*x^2 + b*d^2)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))/x, x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{ac^4d^2x^4 - 2ac^2d^2x^2 + ad^2 + (bc^4d^2x^4 - 2bc^2d^2x^2 + bd^2)\arcsin(cx)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))/x,x, algorithm="fricas")`

[Out] `integral((a*c^4*d^2*x^4 - 2*a*c^2*d^2*x^2 + a*d^2 + (b*c^4*d^2*x^4 - 2*b*c^2*d^2*x^2 + b*d^2)*arcsin(c*x))/x, x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$d^2\left(\int \frac{a}{x} dx + \int -2ac^2x dx + \int ac^4x^3 dx + \int \frac{b\text{asin}(cx)}{x} dx + \int -2bc^2x \text{asin}(cx) dx + \int bc^4x^3 \text{asin}(cx) dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x))/x,x)

[Out] d\*\*2\*(Integral(a/x, x) + Integral(-2\*a\*c\*\*2\*x, x) + Integral(a\*c\*\*4\*x\*\*3, x) + Integral(b\*asin(c\*x)/x, x) + Integral(-2\*b\*c\*\*2\*x\*asin(c\*x), x) + Integral(b\*c\*\*4\*x\*\*3\*asin(c\*x), x))

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c^2 dx^2 - d)^2 (b \arcsin(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))/x,x, algorithm="giac")

[Out] integrate((c^2\*d\*x^2 - d)^2\*(b\*arcsin(c\*x) + a)/x, x)

$$3.16 \quad \int \frac{(d-c^2 dx^2)^2 (a+b \sin^{-1}(cx))}{x^2} dx$$

**Optimal.** Leaf size=123

$$\frac{1}{3}c^4 d^2 x^3 (a + b \sin^{-1}(cx)) - 2c^2 d^2 x (a + b \sin^{-1}(cx)) - \frac{d^2 (a + b \sin^{-1}(cx))}{x} - \frac{1}{9}bcd^2 (1 - c^2 x^2)^{3/2} - \frac{5}{3}bcd^2 \sqrt{1 - c^2 x^2} - b$$

[Out]  $(-5*b*c*d^2*sqrt[1 - c^2*x^2])/3 - (b*c*d^2*(1 - c^2*x^2)^(3/2))/9 - (d^2*(a + b*ArcSin[c*x]))/x - 2*c^2*d^2*x*(a + b*ArcSin[c*x]) + (c^4*d^2*x^3*(a + b*ArcSin[c*x]))/3 - b*c*d^2*ArcTanh[Sqrt[1 - c^2*x^2]]$

**Rubi [A]** time = 0.15514, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.28$ , Rules used = {270, 4687, 12, 1251, 897, 1153, 208}

$$\frac{1}{3}c^4 d^2 x^3 (a + b \sin^{-1}(cx)) - 2c^2 d^2 x (a + b \sin^{-1}(cx)) - \frac{d^2 (a + b \sin^{-1}(cx))}{x} - \frac{1}{9}bcd^2 (1 - c^2 x^2)^{3/2} - \frac{5}{3}bcd^2 \sqrt{1 - c^2 x^2} - b$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x]))/x^2,x]

[Out]  $(-5*b*c*d^2*sqrt[1 - c^2*x^2])/3 - (b*c*d^2*(1 - c^2*x^2)^(3/2))/9 - (d^2*(a + b*ArcSin[c*x]))/x - 2*c^2*d^2*x*(a + b*ArcSin[c*x]) + (c^4*d^2*x^3*(a + b*ArcSin[c*x]))/3 - b*c*d^2*ArcTanh[Sqrt[1 - c^2*x^2]]$

### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

### Rule 4687

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))\*((f\_.)\*(x\_)^(m\_.))\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

Rule 12

$\text{Int}[(a_*)(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] \text{ /; FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_)] \text{ /; FreeQ}[b, x]$

Rule 1251

$\text{Int}[(x_)^{(m_)}*((d_) + (e_)*(x_)^2)^{(q_)}*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}, x\_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{(m-1)/2}*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] \text{ /; FreeQ}[\{a, b, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m-1)/2]$

Rule 897

$\text{Int}[(d_.) + (e_.)*(x_))^{(m_)}*((f_.) + (g_.)*(x_))^{(n_)}*((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^{(p_)}, x\_Symbol] \rightarrow \text{With}[\{q = \text{Denominator}[m]\}, \text{Dist}[q/e, \text{Subst}[\text{Int}[x^{(q*(m+1)-1)}*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e + a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^{(2*q)})/e^2)^p, x], x, (d + e*x)^{(1/q)}], x] \text{ /; FreeQ}[\{a, b, c, d, e, f, g\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{IntegersQ}[n, p] \ \&\& \ \text{FractionQ}[m]$

Rule 1153

$\text{Int}[(d_.) + (e_.)*(x_)^2)^{(q_)}*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(p_)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] \text{ /; FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{IGtQ}[q, -2]$

Rule 208

$\text{Int}[(a_.) + (b_.)*(x_)^2)^{(-1)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] \text{ /; FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))}{x^2} dx &= -\frac{d^2 (a + b \sin^{-1}(cx))}{x} - 2c^2 d^2 x (a + b \sin^{-1}(cx)) + \frac{1}{3} c^4 d^2 x^3 (a + b \sin^{-1}(cx)) - \frac{1}{3} c^4 d^2 x^3 (a + b \sin^{-1}(cx)) - \frac{1}{3} c^4 d^2 x^3 (a + b \sin^{-1}(cx)) - \frac{1}{3} c^4 d^2 x^3 (a + b \sin^{-1}(cx)) \\
&= -\frac{d^2 (a + b \sin^{-1}(cx))}{x} - 2c^2 d^2 x (a + b \sin^{-1}(cx)) + \frac{1}{3} c^4 d^2 x^3 (a + b \sin^{-1}(cx)) - \frac{1}{3} c^4 d^2 x^3 (a + b \sin^{-1}(cx)) - \frac{1}{3} c^4 d^2 x^3 (a + b \sin^{-1}(cx)) - \frac{1}{3} c^4 d^2 x^3 (a + b \sin^{-1}(cx)) \\
&= -\frac{d^2 (a + b \sin^{-1}(cx))}{x} - 2c^2 d^2 x (a + b \sin^{-1}(cx)) + \frac{1}{3} c^4 d^2 x^3 (a + b \sin^{-1}(cx)) - \frac{1}{3} c^4 d^2 x^3 (a + b \sin^{-1}(cx)) - \frac{1}{3} c^4 d^2 x^3 (a + b \sin^{-1}(cx)) - \frac{1}{3} c^4 d^2 x^3 (a + b \sin^{-1}(cx)) \\
&= -\frac{d^2 (a + b \sin^{-1}(cx))}{x} - 2c^2 d^2 x (a + b \sin^{-1}(cx)) + \frac{1}{3} c^4 d^2 x^3 (a + b \sin^{-1}(cx)) + \dots \\
&= -\frac{d^2 (a + b \sin^{-1}(cx))}{x} - 2c^2 d^2 x (a + b \sin^{-1}(cx)) + \frac{1}{3} c^4 d^2 x^3 (a + b \sin^{-1}(cx)) + \dots \\
&= -\frac{5}{3} bcd^2 \sqrt{1 - c^2 x^2} - \frac{1}{9} bcd^2 (1 - c^2 x^2)^{3/2} - \frac{d^2 (a + b \sin^{-1}(cx))}{x} - 2c^2 d^2 x (a + b \sin^{-1}(cx)) \\
&= -\frac{5}{3} bcd^2 \sqrt{1 - c^2 x^2} - \frac{1}{9} bcd^2 (1 - c^2 x^2)^{3/2} - \frac{d^2 (a + b \sin^{-1}(cx))}{x} - 2c^2 d^2 x (a + b \sin^{-1}(cx))
\end{aligned}$$

**Mathematica [A]** time = 0.0902922, size = 126, normalized size = 1.02

$$\frac{d^2 (3ac^4 x^4 - 18ac^2 x^2 - 9a + bc^3 x^3 \sqrt{1 - c^2 x^2} - 16bcx \sqrt{1 - c^2 x^2} - 9bcx \log(\sqrt{1 - c^2 x^2} + 1) + 3b(c^4 x^4 - 6c^2 x^2 - 3) \sin^{-1}(cx))}{9x}$$

Antiderivative was successfully verified.

[In] Integrate[((d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x]))/x^2,x]

[Out] (d^2\*(-9\*a - 18\*a\*c^2\*x^2 + 3\*a\*c^4\*x^4 - 16\*b\*c\*x\*Sqrt[1 - c^2\*x^2] + b\*c^3\*x^3\*Sqrt[1 - c^2\*x^2] + 3\*b\*(-3 - 6\*c^2\*x^2 + c^4\*x^4)\*ArcSin[c\*x] + 9\*b\*c\*x\*Log[x] - 9\*b\*c\*x\*Log[1 + Sqrt[1 - c^2\*x^2]]))/(9\*x)

**Maple [A]** time = 0.007, size = 117, normalized size = 1.

$$c \left( d^2 a \left( \frac{c^3 x^3}{3} - 2cx - \frac{1}{cx} \right) + d^2 b \left( \frac{c^3 x^3 \arcsin(cx)}{3} - 2cx \arcsin(cx) - \frac{\arcsin(cx)}{cx} + \frac{c^2 x^2}{9} \sqrt{-c^2 x^2 + 1} - \frac{16}{9} \sqrt{-c^2 x^2 + 1} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))/x^2,x)`

[Out] `c*(d^2*a*(1/3*c^3*x^3-2*c*x-1/c/x)+d^2*b*(1/3*c^3*x^3*arcsin(c*x)-2*c*x*arcsin(c*x)-1/c/x*arcsin(c*x)+1/9*c^2*x^2*(-c^2*x^2+1)^(1/2)-16/9*(-c^2*x^2+1)^(1/2)-arctanh(1/(-c^2*x^2+1)^(1/2))))`

**Maxima [A]** time = 1.5615, size = 216, normalized size = 1.76

$$\frac{1}{3}ac^4d^2x^3 + \frac{1}{9}\left(3x^3\arcsin(cx) + c\left(\frac{\sqrt{-c^2x^2+1}x^2}{c^2} + \frac{2\sqrt{-c^2x^2+1}}{c^4}\right)\right)bc^4d^2 - 2ac^2d^2x - 2\left(cx\arcsin(cx) + \sqrt{-c^2x^2+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))/x^2,x, algorithm="maxima")`

[Out] `1/3*a*c^4*d^2*x^3 + 1/9*(3*x^3*arcsin(c*x) + c*(sqrt(-c^2*x^2 + 1)*x^2/c^2 + 2*sqrt(-c^2*x^2 + 1)/c^4))*b*c^4*d^2 - 2*a*c^2*d^2*x - 2*(c*x*arcsin(c*x) + sqrt(-c^2*x^2 + 1))*b*c*d^2 - (c*log(2*sqrt(-c^2*x^2 + 1)/abs(x) + 2/abs(x)) + arcsin(c*x)/x)*b*d^2 - a*d^2/x`

**Fricas [A]** time = 2.46411, size = 343, normalized size = 2.79

$$\frac{6ac^4d^2x^4 - 36ac^2d^2x^2 - 9bcd^2x\log(\sqrt{-c^2x^2+1}+1) + 9bcd^2x\log(\sqrt{-c^2x^2+1}-1) - 18ad^2 + 6(bc^4d^2x^4 - 6bc^2d^2x^2)}{18x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))/x^2,x, algorithm="fricas")`

[Out] `1/18*(6*a*c^4*d^2*x^4 - 36*a*c^2*d^2*x^2 - 9*b*c*d^2*x*log(sqrt(-c^2*x^2 + 1) + 1) + 9*b*c*d^2*x*log(sqrt(-c^2*x^2 + 1) - 1) - 18*a*d^2 + 6*(b*c^4*d^2*x^4 - 6*b*c^2*d^2*x^2 - 3*b*d^2)*arcsin(c*x) + 2*(b*c^3*d^2*x^3 - 16*b*c*d^2*x)*sqrt(-c^2*x^2 + 1))/x`

**Sympy [A]** time = 10.3568, size = 182, normalized size = 1.48

$$\frac{ac^4d^2x^3}{3} - 2ac^2d^2x - \frac{ad^2}{x} - \frac{bc^5d^2 \left( \begin{cases} -\frac{x^2\sqrt{-c^2x^2+1}}{3c^2} - \frac{2\sqrt{-c^2x^2+1}}{3c^4} & \text{for } c \neq 0 \\ \frac{x^4}{4} & \text{otherwise} \end{cases} \right)}{3} + \frac{bc^4d^2x^3 \operatorname{asin}(cx)}{3} - 2bc^2d^2 \left( \begin{cases} 0 \\ x \operatorname{asin}(cx) \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x))/x\*\*2,x)

[Out] a\*c\*\*4\*d\*\*2\*x\*\*3/3 - 2\*a\*c\*\*2\*d\*\*2\*x - a\*d\*\*2/x - b\*c\*\*5\*d\*\*2\*Piecewise((-x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(3\*c\*\*2) - 2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(3\*c\*\*4), Ne(c, 0)), (x\*\*4/4, True))/3 + b\*c\*\*4\*d\*\*2\*x\*\*3\*asin(c\*x)/3 - 2\*b\*c\*\*2\*d\*\*2\*Piecewise((0, Eq(c, 0)), (x\*asin(c\*x) + sqrt(-c\*\*2\*x\*\*2 + 1)/c, True)) + b\*c\*d\*\*2\*Piecewise((-acosh(1/(c\*x)), 1/Abs(c\*\*2\*x\*\*2) > 1), (I\*asin(1/(c\*x)), True)) - b\*d\*\*2\*asin(c\*x)/x

**Giac [B]** time = 31.3695, size = 3668, normalized size = 29.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))/x^2,x, algorithm="giac")

[Out] -1/2\*b\*c^9\*d^2\*x^8\*arcsin(c\*x)/((c^7\*x^7/(sqrt(-c^2\*x^2 + 1) + 1)^7 + 3\*c^5\*x^5/(sqrt(-c^2\*x^2 + 1) + 1)^5 + 3\*c^3\*x^3/(sqrt(-c^2\*x^2 + 1) + 1)^3 + c\*x/(sqrt(-c^2\*x^2 + 1) + 1))\*(sqrt(-c^2\*x^2 + 1) + 1)^8) - 1/2\*a\*c^9\*d^2\*x^8/((c^7\*x^7/(sqrt(-c^2\*x^2 + 1) + 1)^7 + 3\*c^5\*x^5/(sqrt(-c^2\*x^2 + 1) + 1)^5 + 3\*c^3\*x^3/(sqrt(-c^2\*x^2 + 1) + 1)^3 + c\*x/(sqrt(-c^2\*x^2 + 1) + 1))\*(sqrt(-c^2\*x^2 + 1) + 1)^8) + b\*c^8\*d^2\*x^7\*log(abs(c)\*abs(x))/((c^7\*x^7/(sqrt(-c^2\*x^2 + 1) + 1)^7 + 3\*c^5\*x^5/(sqrt(-c^2\*x^2 + 1) + 1)^5 + 3\*c^3\*x^3/(sqrt(-c^2\*x^2 + 1) + 1)^3 + c\*x/(sqrt(-c^2\*x^2 + 1) + 1))\*(sqrt(-c^2\*x^2 + 1) + 1)^7) - b\*c^8\*d^2\*x^7\*log(sqrt(-c^2\*x^2 + 1) + 1)/((c^7\*x^7/(sqrt(-c^2\*x^2 + 1) + 1)^7 + 3\*c^5\*x^5/(sqrt(-c^2\*x^2 + 1) + 1)^5 + 3\*c^3\*x^3/(sqrt(-c^2\*x^2 + 1) + 1)^3 + c\*x/(sqrt(-c^2\*x^2 + 1) + 1))\*(sqrt(-c^2\*x^2 + 1) + 1)^7) + 16/9\*b\*c^8\*d^2\*x^7/((c^7\*x^7/(sqrt(-c^2\*x^2 + 1) + 1)^7 + 3\*c^5\*x^5/(sqrt(-c^2\*x^2 + 1) + 1)^5 + 3\*c^3\*x^3/(sqrt(-c^2\*x^2 + 1) + 1)^3 + c\*x/(sqrt(-c^2\*x^2 + 1) + 1))\*(sqrt(-c^2\*x^2 + 1) + 1)^7) - 6\*b\*c^7\*d^2\*x^6\*arcsin(c\*x)/((c^7\*x^7/(sqrt(-c^2\*x^2 + 1) + 1)^7 + 3\*c^5\*x^5/(sqrt(-c^2\*x^2 + 1) + 1)^5 + 3\*c^3\*x^3/(sqrt(-c^2\*x^2 + 1) + 1)^3 + c\*x/(sqrt(-c^2\*x^2 + 1) + 1))\*(sqrt(-c^2\*x^2 + 1) + 1)^7)

$$\begin{aligned}
& + 1)^5 + 3c^3x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1) \\
& ))*(\sqrt{-c^2x^2 + 1} + 1)^6) - 6a*c^7*d^2*x^6/((c^7*x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^5*x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^3*x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1))*(\sqrt{-c^2x^2 + 1} + 1)^6) + 3b*c^6*d^2*x^5*\log(\text{abs}(c)*\text{abs}(x))/((c^7*x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^5*x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^3*x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1))*(\sqrt{-c^2x^2 + 1} + 1)^5) - 3b*c^6*d^2*x^5*\log(\sqrt{-c^2x^2 + 1} + 1)/((c^7*x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^5*x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^3*x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1))*(\sqrt{-c^2x^2 + 1} + 1)^5) + 4/3*b*c^6*d^2*x^5/((c^7*x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^5*x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^3*x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1))*(\sqrt{-c^2x^2 + 1} + 1)^5) - 25/3*b*c^5*d^2*x^4*\arcsin(cx)/((c^7*x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^5*x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^3*x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1))*(\sqrt{-c^2x^2 + 1} + 1)^4) - 25/3*a*c^5*d^2*x^4/((c^7*x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^5*x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^3*x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1))*(\sqrt{-c^2x^2 + 1} + 1)^4) + 3b*c^4*d^2*x^3*\log(\text{abs}(c)*\text{abs}(x))/((c^7*x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^5*x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^3*x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1))*(\sqrt{-c^2x^2 + 1} + 1)^3) - 3b*c^4*d^2*x^3*\log(\sqrt{-c^2x^2 + 1} + 1)/((c^7*x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^5*x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^3*x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1))*(\sqrt{-c^2x^2 + 1} + 1)^3) - 4/3*b*c^4*d^2*x^3/((c^7*x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^5*x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^3*x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1))*(\sqrt{-c^2x^2 + 1} + 1)^3) - 6b*c^3*d^2*x^2*\arcsin(cx)/((c^7*x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^5*x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^3*x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1))*(\sqrt{-c^2x^2 + 1} + 1)^2) - 6a*c^3*d^2*x^2/((c^7*x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^5*x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^3*x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1))*(\sqrt{-c^2x^2 + 1} + 1)^2) + b*c^2*d^2*x*\log(\text{abs}(c)*\text{abs}(x))/((c^7*x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^5*x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^3*x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1))*(\sqrt{-c^2x^2 + 1} + 1)) - b*c^2*d^2*x*\log(\sqrt{-c^2x^2 + 1} + 1)/((c^7*x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^5*x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^3*x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1))*(\sqrt{-c^2x^2 + 1} + 1)) - 16/9*b*c^2*d^2*x/((c^7*x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^5*x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^3*x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1))*(\sqrt{-c^2x^2 + 1} + 1)) - 1/2*b*c*d^2*\arcsin(cx)/(c^7*x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^5*x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^3*x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1)) - 1/2*a*c*d^2/(c^7*x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^5*x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^3*x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1))
\end{aligned}$$





$$3.17 \quad \int \frac{(d-c^2 dx^2)^2 (a+b \sin^{-1}(cx))}{x^3} dx$$

**Optimal.** Leaf size=201

$$ibc^2 d^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) - c^2 d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) - \frac{d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))}{2x^2} + \frac{ic^2 d^2 (a + b \sin^{-1}(cx))}{b}$$

[Out]  $-(b*c^3*d^2*x*\text{Sqrt}[1 - c^2*x^2])/4 - (b*c*d^2*(1 - c^2*x^2)^{(3/2)})/(2*x) - (b*c^2*d^2*\text{ArcSin}[c*x])/4 - c^2*d^2*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x]) - (d^2*(1 - c^2*x^2)^2*(a + b*\text{ArcSin}[c*x]))/(2*x^2) + (I*c^2*d^2*(a + b*\text{ArcSin}[c*x])^2)/b - 2*c^2*d^2*(a + b*\text{ArcSin}[c*x])*Log[1 - E^((2*I)*\text{ArcSin}[c*x])] + I*b*c^2*d^2*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])]$

**Rubi [A]** time = 0.207758, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 10, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {4685, 277, 195, 216, 4683, 4625, 3717, 2190, 2279, 2391}

$$ibc^2 d^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) - c^2 d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) - \frac{d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))}{2x^2} + \frac{ic^2 d^2 (a + b \sin^{-1}(cx))}{b}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{(d - c^2*d*x^2)^2*(a + b*\text{ArcSin}[c*x])}{x^3}, x]$

[Out]  $-(b*c^3*d^2*x*\text{Sqrt}[1 - c^2*x^2])/4 - (b*c*d^2*(1 - c^2*x^2)^{(3/2)})/(2*x) - (b*c^2*d^2*\text{ArcSin}[c*x])/4 - c^2*d^2*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x]) - (d^2*(1 - c^2*x^2)^2*(a + b*\text{ArcSin}[c*x]))/(2*x^2) + (I*c^2*d^2*(a + b*\text{ArcSin}[c*x])^2)/b - 2*c^2*d^2*(a + b*\text{ArcSin}[c*x])*Log[1 - E^((2*I)*\text{ArcSin}[c*x])] + I*b*c^2*d^2*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])]$

### Rule 4685

$\text{Int}[\frac{(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)*((f_.)*(x_))^{(m_)}*((d_.) + (e_.)*(x_))^{(p_.)}}{x\_Symbol}, x\_Symbol] \rightarrow \text{Simp}[\frac{(f*x)^{(m+1)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])}{(f*(m+1))}, x] + (-\text{Dist}[(b*c*d^p)/(f*(m+1)), \text{Int}[(f*x)^{(m+1)}*(1 - c^2*x^2)^{(p-1/2)}, x], x] - \text{Dist}[(2*e*p)/(f^2*(m+1)), \text{Int}[(f*x)^{(m+2)}*(d + e*x^2)^{(p-1)}*(a + b*\text{ArcSin}[c*x]), x], x]) /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[p, 0] \&\& \text{ILtQ}[(m+1)/2, 0]$

### Rule 277

```
Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^p)/(c*(m + 1)), x] - Dist[(b*n*p)/(c^n*(m + 1)), In
t[(c*x)^(m + n)*(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[
n, 0] && GtQ[p, 0] && LtQ[m, -1] && !ILtQ[(m + n*p + n + 1)/n, 0] && IntBi
nomialQ[a, b, c, n, m, p, x]
```

### Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p
+ 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; Free
Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] &&
IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n],
Denominator[p]])
```

### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rule 4683

```
Int[(((a_.) + ArcSin[(c_.)*(x_)])*(b_.))*((d_) + (e_.)*(x_)^2)^(p_.)/(x_),
x_Symbol] := Simp[((d + e*x^2)^p*(a + b*ArcSin[c*x]))/(2*p), x] + (Dist[d,
Int[((d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x]))/x, x], x] - Dist[(b*c*d^p)/(2
*p), Int[(1 - c^2*x^2)^(p - 1/2), x], x]) /; FreeQ[{a, b, c, d, e}, x] && E
qQ[c^2*d + e, 0] && IGtQ[p, 0]
```

### Rule 4625

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[(
a + b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

### Rule 3717

```
Int[((c_.) + (d_.)*(x_)^(m_.))*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_)^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
```

)^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_)\*((F\_)^((e\_)\*((c\_) + (d\_)\*(x\_))))^(n\_)], x\_Symbol]  
 :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] :> -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps

$$\begin{aligned}
 \int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))}{x^3} dx &= -\frac{d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))}{2x^2} - (2c^2 d) \int \frac{(d - c^2 dx^2) (a + b \sin^{-1}(cx))}{x} dx + \frac{1}{2} \\
 &= -\frac{bcd^2 (1 - c^2 x^2)^{3/2}}{2x} - c^2 d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) - \frac{d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))}{2x^2} \\
 &= -\frac{1}{4} bc^3 d^2 x \sqrt{1 - c^2 x^2} - \frac{bcd^2 (1 - c^2 x^2)^{3/2}}{2x} - c^2 d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) - \frac{d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))}{2x^2} \\
 &= -\frac{1}{4} bc^3 d^2 x \sqrt{1 - c^2 x^2} - \frac{bcd^2 (1 - c^2 x^2)^{3/2}}{2x} - \frac{1}{4} bc^2 d^2 \sin^{-1}(cx) - c^2 d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) - \frac{d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))}{2x^2} \\
 &= -\frac{1}{4} bc^3 d^2 x \sqrt{1 - c^2 x^2} - \frac{bcd^2 (1 - c^2 x^2)^{3/2}}{2x} - \frac{1}{4} bc^2 d^2 \sin^{-1}(cx) - c^2 d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) - \frac{d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))}{2x^2} \\
 &= -\frac{1}{4} bc^3 d^2 x \sqrt{1 - c^2 x^2} - \frac{bcd^2 (1 - c^2 x^2)^{3/2}}{2x} - \frac{1}{4} bc^2 d^2 \sin^{-1}(cx) - c^2 d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) - \frac{d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))}{2x^2} \\
 &= -\frac{1}{4} bc^3 d^2 x \sqrt{1 - c^2 x^2} - \frac{bcd^2 (1 - c^2 x^2)^{3/2}}{2x} - \frac{1}{4} bc^2 d^2 \sin^{-1}(cx) - c^2 d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) - \frac{d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))}{2x^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.166968, size = 162, normalized size = 0.81

$$\frac{d^2 \left( 4ibc^2 x^2 \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + 2ac^4 x^4 - 8ac^2 x^2 \log(x) - 2a + bc^3 x^3 \sqrt{1 - c^2 x^2} - 2bcx \sqrt{1 - c^2 x^2} + 4ibc^2 x^2 \sin^{-1}(cx) \right)}{4x^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x]))/x^3,x]

[Out] (d^2\*(-2\*a + 2\*a\*c^4\*x^4 - 2\*b\*c\*x\*Sqrt[1 - c^2\*x^2] + b\*c^3\*x^3\*Sqrt[1 - c^2\*x^2] + (4\*I)\*b\*c^2\*x^2\*ArcSin[c\*x]^2 + b\*ArcSin[c\*x]\*(-2 - c^2\*x^2 + 2\*c^4\*x^4 - 8\*c^2\*x^2\*Log[1 - E^((2\*I)\*ArcSin[c\*x])]) - 8\*a\*c^2\*x^2\*Log[x] + (4\*I)\*b\*c^2\*x^2\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])]))/(4\*x^2)

**Maple [A]** time = 0.375, size = 278, normalized size = 1.4

$$\frac{c^4 d^2 a x^2}{2} - \frac{d^2 a}{2 x^2} - 2 c^2 d^2 a \ln(cx) + i c^2 d^2 b (\arcsin(cx))^2 + \frac{b c^3 d^2 x \sqrt{-c^2 x^2 + 1}}{4} + \frac{c^4 d^2 b \arcsin(cx) x^2}{2} - \frac{b c^2 d^2 \arcsin(cx)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))/x^3,x)

[Out] 1/2\*c^4\*d^2\*a\*x^2-1/2\*d^2\*a/x^2-2\*c^2\*d^2\*a\*ln(c\*x)+I\*c^2\*d^2\*b\*arcsin(c\*x)^2+1/4\*b\*c^3\*d^2\*x\*(-c^2\*x^2+1)^(1/2)+1/2\*c^4\*d^2\*b\*arcsin(c\*x)\*x^2-1/4\*b\*c^2\*d^2\*arcsin(c\*x)+1/2\*I\*c^2\*d^2\*b-1/2\*b\*c\*d^2\*(-c^2\*x^2+1)^(1/2)/x-1/2\*d^2\*b\*arcsin(c\*x)/x^2-2\*c^2\*d^2\*b\*arcsin(c\*x)\*ln(1+I\*c\*x+(-c^2\*x^2+1)^(1/2))-2\*c^2\*d^2\*b\*arcsin(c\*x)\*ln(1-I\*c\*x-(-c^2\*x^2+1)^(1/2))+2\*I\*c^2\*d^2\*b\*polylog(2,-I\*c\*x-(-c^2\*x^2+1)^(1/2))+2\*I\*c^2\*d^2\*b\*polylog(2,I\*c\*x+(-c^2\*x^2+1)^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} a c^4 d^2 x^2 - 2 a c^2 d^2 \log(x) - \frac{1}{2} b d^2 \left( \frac{\sqrt{-c^2 x^2 + 1} c}{x} + \frac{\arcsin(cx)}{x^2} \right) - \frac{a d^2}{2 x^2} + \int \frac{(b c^4 d^2 x^2 - 2 b c^2 d^2) \arctan(cx, \sqrt{c x + 1} \sqrt{-c^2 x^2 + 1})}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))/x^3,x, algorithm="maxima")

[Out] 1/2\*a\*c^4\*d^2\*x^2 - 2\*a\*c^2\*d^2\*log(x) - 1/2\*b\*d^2\*(sqrt(-c^2\*x^2 + 1)\*c/x + arcsin(c\*x)/x^2) - 1/2\*a\*d^2/x^2 + integrate((b\*c^4\*d^2\*x^2 - 2\*b\*c^2\*d^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/x, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{ac^4d^2x^4 - 2ac^2d^2x^2 + ad^2 + (bc^4d^2x^4 - 2bc^2d^2x^2 + bd^2)\arcsin(cx)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))/x^3,x, algorithm="fricas")

[Out] integral((a\*c^4\*d^2\*x^4 - 2\*a\*c^2\*d^2\*x^2 + a\*d^2 + (b\*c^4\*d^2\*x^4 - 2\*b\*c^2\*d^2\*x^2 + b\*d^2)\*arcsin(c\*x))/x^3, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$d^2\left(\int\frac{a}{x^3}dx + \int-\frac{2ac^2}{x}dx + \int ac^4x dx + \int\frac{b\arcsin(cx)}{x^3}dx + \int-\frac{2bc^2\arcsin(cx)}{x}dx + \int bc^4x\arcsin(cx)dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x))/x\*\*3,x)

[Out] d\*\*2\*(Integral(a/x\*\*3, x) + Integral(-2\*a\*c\*\*2/x, x) + Integral(a\*c\*\*4\*x, x) + Integral(b\*asin(c\*x)/x\*\*3, x) + Integral(-2\*b\*c\*\*2\*asin(c\*x)/x, x) + Integral(b\*c\*\*4\*x\*asin(c\*x), x))

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int\frac{(c^2dx^2 - d)^2(b\arcsin(cx) + a)}{x^3}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))/x^3,x, algorithm="giac")

[Out] integrate((c^2\*d\*x^2 - d)^2\*(b\*arcsin(c\*x) + a)/x^3, x)

$$3.18 \quad \int \frac{(d-c^2dx^2)^2(a+b\sin^{-1}(cx))}{x^4} dx$$

**Optimal.** Leaf size=128

$$c^4d^2x(a+b\sin^{-1}(cx)) + \frac{2c^2d^2(a+b\sin^{-1}(cx))}{x} - \frac{d^2(a+b\sin^{-1}(cx))}{3x^3} + bc^3d^2\sqrt{1-c^2x^2} - \frac{bcd^2\sqrt{1-c^2x^2}}{6x^2} + \frac{11}{6}bc^3d^2t$$

[Out] b\*c^3\*d^2\*Sqrt[1 - c^2\*x^2] - (b\*c\*d^2\*Sqrt[1 - c^2\*x^2])/(6\*x^2) - (d^2\*(a + b\*ArcSin[c\*x]))/(3\*x^3) + (2\*c^2\*d^2\*(a + b\*ArcSin[c\*x]))/x + c^4\*d^2\*x\*(a + b\*ArcSin[c\*x]) + (11\*b\*c^3\*d^2\*ArcTanh[Sqrt[1 - c^2\*x^2]])/6

**Rubi [A]** time = 0.161704, antiderivative size = 128, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.32$ , Rules used = {270, 4687, 12, 1251, 897, 1157, 388, 208}

$$c^4d^2x(a+b\sin^{-1}(cx)) + \frac{2c^2d^2(a+b\sin^{-1}(cx))}{x} - \frac{d^2(a+b\sin^{-1}(cx))}{3x^3} + bc^3d^2\sqrt{1-c^2x^2} - \frac{bcd^2\sqrt{1-c^2x^2}}{6x^2} + \frac{11}{6}bc^3d^2t$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x]))/x^4,x]

[Out] b\*c^3\*d^2\*Sqrt[1 - c^2\*x^2] - (b\*c\*d^2\*Sqrt[1 - c^2\*x^2])/(6\*x^2) - (d^2\*(a + b\*ArcSin[c\*x]))/(3\*x^3) + (2\*c^2\*d^2\*(a + b\*ArcSin[c\*x]))/x + c^4\*d^2\*x\*(a + b\*ArcSin[c\*x]) + (11\*b\*c^3\*d^2\*ArcTanh[Sqrt[1 - c^2\*x^2]])/6

### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

### Rule 4687

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))\*((f\_.)\*(x\_)^(m\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

Rule 12

$\text{Int}[(a_*)(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 1251

$\text{Int}[(x_)^{(m_*)}((d_) + (e_*)(x_)^2)^{(q_*)}((a_) + (b_*)(x_)^2 + (c_*)(x_)^4)^{(p_*)}, x\_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{(m-1)/2}(d + e*x)^q(a + b*x + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, b, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m-1)/2]$

Rule 897

$\text{Int}(((d_.) + (e_*)(x_))^{(m_*)}((f_.) + (g_*)(x_))^{(n_*)}((a_.) + (b_*)(x_.) + (c_*)(x_.)^2)^{(p_*)}, x\_Symbol] \rightarrow \text{With}[\{q = \text{Denominator}[m]\}, \text{Dist}[q/e, \text{Subst}[\text{Int}[x^{(q*(m+1)-1)}((e*f - d*g)/e + (g*x^q)/e)^n((c*d^2 - b*d*e + a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^{(2*q)})/e^2)^p, x], x, (d + e*x)^{(1/q)}], x]] /; \text{FreeQ}[\{a, b, c, d, e, f, g\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{IntegersQ}[n, p] \ \&\& \ \text{FractionQ}[m]$

Rule 1157

$\text{Int}(((d_) + (e_*)(x_)^2)^{(q_*)}((a_) + (b_*)(x_)^2 + (c_*)(x_)^4)^{(p_*)}, x\_Symbol] \rightarrow \text{With}[\{Qx = \text{PolynomialQuotient}[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], R = \text{Coeff}[\text{PolynomialRemainder}[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x, 0]\}, -\text{Simp}[(R*x*(d + e*x^2)^{(q+1)})/(2*d*(q+1)), x] + \text{Dist}[1/(2*d*(q+1)), \text{Int}[(d + e*x^2)^{(q+1)}*\text{ExpandToSum}[2*d*(q+1)*Qx + R*(2*q+3), x], x], x]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{LtQ}[q, -1]$

Rule 388

$\text{Int}(((a_) + (b_*)(x_)^{(n_*)})^{(p_*)}((c_) + (d_*)(x_)^{(n_*)}), x\_Symbol] \rightarrow \text{Simp}[(d*x*(a + b*x^n)^{(p+1)})/(b*(n*(p+1) + 1)), x] - \text{Dist}[(a*d - b*c*(n*(p+1) + 1))/(b*(n*(p+1) + 1)), \text{Int}[(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[n*(p+1) + 1, 0]$

Rule 208

$\text{Int}(((a_) + (b_*)(x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$



Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))}{x^4} dx &= -\frac{d^2 (a + b \sin^{-1}(cx))}{3x^3} + \frac{2c^2 d^2 (a + b \sin^{-1}(cx))}{x} + c^4 d^2 x (a + b \sin^{-1}(cx)) - (bc) \\
&= -\frac{d^2 (a + b \sin^{-1}(cx))}{3x^3} + \frac{2c^2 d^2 (a + b \sin^{-1}(cx))}{x} + c^4 d^2 x (a + b \sin^{-1}(cx)) - \frac{1}{3} (bc) \\
&= -\frac{d^2 (a + b \sin^{-1}(cx))}{3x^3} + \frac{2c^2 d^2 (a + b \sin^{-1}(cx))}{x} + c^4 d^2 x (a + b \sin^{-1}(cx)) - \frac{1}{6} (bc) \\
&= -\frac{d^2 (a + b \sin^{-1}(cx))}{3x^3} + \frac{2c^2 d^2 (a + b \sin^{-1}(cx))}{x} + c^4 d^2 x (a + b \sin^{-1}(cx)) + \frac{bd^2}{6x^2} \\
&= -\frac{bcd^2 \sqrt{1 - c^2 x^2}}{6x^2} - \frac{d^2 (a + b \sin^{-1}(cx))}{3x^3} + \frac{2c^2 d^2 (a + b \sin^{-1}(cx))}{x} + c^4 d^2 x (a + b \sin^{-1}(cx)) \\
&= bc^3 d^2 \sqrt{1 - c^2 x^2} - \frac{bcd^2 \sqrt{1 - c^2 x^2}}{6x^2} - \frac{d^2 (a + b \sin^{-1}(cx))}{3x^3} + \frac{2c^2 d^2 (a + b \sin^{-1}(cx))}{x} \\
&= bc^3 d^2 \sqrt{1 - c^2 x^2} - \frac{bcd^2 \sqrt{1 - c^2 x^2}}{6x^2} - \frac{d^2 (a + b \sin^{-1}(cx))}{3x^3} + \frac{2c^2 d^2 (a + b \sin^{-1}(cx))}{x}
\end{aligned}$$

**Mathematica [A]** time = 0.0932271, size = 136, normalized size = 1.06

$$\frac{d^2 \left( 6ac^4 x^4 + 12ac^2 x^2 - 2a + 6bc^3 x^3 \sqrt{1 - c^2 x^2} - bcx \sqrt{1 - c^2 x^2} - 11bc^3 x^3 \log(x) + 11bc^3 x^3 \log(\sqrt{1 - c^2 x^2} + 1) \right) + 2b(3c^4 x^3 \sqrt{1 - c^2 x^2})}{6x^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x]))/x^4,x]

[Out] (d^2\*(-2\*a + 12\*a\*c^2\*x^2 + 6\*a\*c^4\*x^4 - b\*c\*x\*Sqrt[1 - c^2\*x^2] + 6\*b\*c^3\*x^3\*Sqrt[1 - c^2\*x^2] + 2\*b\*(-1 + 6\*c^2\*x^2 + 3\*c^4\*x^4)\*ArcSin[c\*x] - 11\*b\*c^3\*x^3\*Log[x] + 11\*b\*c^3\*x^3\*Log[1 + Sqrt[1 - c^2\*x^2]]))/(6\*x^3)

**Maple [A]** time = 0.01, size = 115, normalized size = 0.9

$$c^3 \left( d^2 a \left( cx + 2 \frac{1}{cx} - \frac{1}{3c^3 x^3} \right) + d^2 b \left( cx \arcsin(cx) + 2 \frac{\arcsin(cx)}{cx} - \frac{\arcsin(cx)}{3c^3 x^3} + \sqrt{-c^2 x^2 + 1} + \frac{11}{6} \operatorname{Artanh} \left( \frac{1}{\sqrt{-c^2 x^2 + 1}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))/x^4,x)`

[Out]  $c^3(d^2a(c*x+2/c/x-1/3/c^3/x^3)+d^2b*(c*x*arcsin(c*x)+2/c/x*arcsin(c*x)-1/3/c^3/x^3*arcsin(c*x)+(-c^2*x^2+1)^{(1/2)}+11/6*arctanh(1/(-c^2*x^2+1)^{(1/2)}))-1/6/c^2/x^2*(-c^2*x^2+1)^{(1/2)})$

**Maxima [A]** time = 1.58534, size = 230, normalized size = 1.8

$$ac^4d^2x + (cx \arcsin(cx) + \sqrt{-c^2x^2 + 1})bc^3d^2 + 2 \left( c \log \left( \frac{2\sqrt{-c^2x^2 + 1}}{|x|} + \frac{2}{|x|} \right) + \frac{\arcsin(cx)}{x} \right) bc^2d^2 - \frac{1}{6} \left( c^2 \log \left( \frac{2\sqrt{-c^2x^2 + 1}}{|x|} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))/x^4,x, algorithm="maxima")`

[Out]  $a*c^4*d^2*x + (c*x*arcsin(c*x) + \sqrt{-c^2*x^2 + 1})*b*c^3*d^2 + 2*(c*\log(2*\sqrt{-c^2*x^2 + 1}/\text{abs}(x) + 2/\text{abs}(x)) + \arcsin(c*x)/x)*b*c^2*d^2 - 1/6*((c^2*\log(2*\sqrt{-c^2*x^2 + 1}/\text{abs}(x) + 2/\text{abs}(x)) + \sqrt{-c^2*x^2 + 1}/x^2)*c + 2*arcsin(c*x)/x^3)*b*d^2 + 2*a*c^2*d^2/x - 1/3*a*d^2/x^3$

**Fricas [A]** time = 2.52897, size = 358, normalized size = 2.8

$$\frac{12ac^4d^2x^4 + 11bc^3d^2x^3 \log(\sqrt{-c^2x^2 + 1} + 1) - 11bc^3d^2x^3 \log(\sqrt{-c^2x^2 + 1} - 1) + 24ac^2d^2x^2 - 4ad^2 + 4(3bc^4d^2x^4 + 6bc^3d^2x^3)}{12x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))/x^4,x, algorithm="fricas")`

[Out]  $1/12*(12*a*c^4*d^2*x^4 + 11*b*c^3*d^2*x^3*\log(\sqrt{-c^2*x^2 + 1} + 1) - 11*b*c^3*d^2*x^3*\log(\sqrt{-c^2*x^2 + 1} - 1) + 24*a*c^2*d^2*x^2 - 4*a*d^2 + 4*(3*b*c^4*d^2*x^4 + 6*b*c^3*d^2*x^3 - b*d^2)*arcsin(c*x) + 2*(6*b*c^3*d^2*x^3 - b*c*d^2*x)*\sqrt{-c^2*x^2 + 1})/x^3$

**Sympy [A]** time = 12.1423, size = 235, normalized size = 1.84

$$ac^4d^2x + \frac{2ac^2d^2}{x} - \frac{ad^2}{3x^3} + bc^4d^2 \left( \begin{cases} 0 & \text{for } c = 0 \\ x \operatorname{asin}(cx) + \frac{\sqrt{-c^2x^2+1}}{c} & \text{otherwise} \end{cases} \right) - 2bc^3d^2 \left( \begin{cases} -\operatorname{acosh}\left(\frac{1}{cx}\right) & \text{for } \frac{1}{|c^2x^2|} > 1 \\ i \operatorname{asin}\left(\frac{1}{cx}\right) & \text{otherwise} \end{cases} \right) + \frac{2bc^3d^2}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x))/x\*\*4,x)

[Out] a\*c\*\*4\*d\*\*2\*x + 2\*a\*c\*\*2\*d\*\*2/x - a\*d\*\*2/(3\*x\*\*3) + b\*c\*\*4\*d\*\*2\*Piecewise((0, Eq(c, 0)), (x\*asin(c\*x) + sqrt(-c\*\*2\*x\*\*2 + 1)/c, True)) - 2\*b\*c\*\*3\*d\*\*2\*Piecewise((-acosh(1/(c\*x)), 1/Abs(c\*\*2\*x\*\*2) > 1), (I\*asin(1/(c\*x)), True)) + 2\*b\*c\*\*2\*d\*\*2\*asin(c\*x)/x + b\*c\*d\*\*2\*Piecewise((-c\*\*2\*acosh(1/(c\*x))/2 - c\*sqrt(-1 + 1/(c\*\*2\*x\*\*2)))/(2\*x), 1/Abs(c\*\*2\*x\*\*2) > 1), (I\*c\*\*2\*asin(1/(c\*x))/2 - I\*c/(2\*x\*sqrt(1 - 1/(c\*\*2\*x\*\*2)))) + I/(2\*c\*x\*\*3\*sqrt(1 - 1/(c\*\*2\*x\*\*2))), True))/3 - b\*d\*\*2\*asin(c\*x)/(3\*x\*\*3)

**Giac [F]** time = 0., size = 0, normalized size = 0.

sage<sub>0</sub>x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))/x^4,x, algorithm="giac")

[Out] sage<sub>0</sub>\*x

### 3.19 $\int x^4 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=232

$$-\frac{1}{11}c^6d^3x^{11}(a + b \sin^{-1}(cx)) + \frac{1}{3}c^4d^3x^9(a + b \sin^{-1}(cx)) - \frac{3}{7}c^2d^3x^7(a + b \sin^{-1}(cx)) + \frac{1}{5}d^3x^5(a + b \sin^{-1}(cx)) + \frac{bd^3(1 - c^2x^2)^{3/2}}{11c^5}$$

[Out] (16\*b\*d^3\*Sqrt[1 - c^2\*x^2])/(1155\*c^5) + (8\*b\*d^3\*(1 - c^2\*x^2)^(3/2))/(3465\*c^5) + (2\*b\*d^3\*(1 - c^2\*x^2)^(5/2))/(1925\*c^5) + (b\*d^3\*(1 - c^2\*x^2)^(7/2))/(1617\*c^5) - (4\*b\*d^3\*(1 - c^2\*x^2)^(9/2))/(297\*c^5) + (b\*d^3\*(1 - c^2\*x^2)^(11/2))/(121\*c^5) + (d^3\*x^5\*(a + b\*ArcSin[c\*x]))/5 - (3\*c^2\*d^3\*x^7\*(a + b\*ArcSin[c\*x]))/7 + (c^4\*d^3\*x^9\*(a + b\*ArcSin[c\*x]))/3 - (c^6\*d^3\*x^11\*(a + b\*ArcSin[c\*x]))/11

**Rubi [A]** time = 0.29056, antiderivative size = 232, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {270, 4687, 12, 1799, 1620}

$$-\frac{1}{11}c^6d^3x^{11}(a + b \sin^{-1}(cx)) + \frac{1}{3}c^4d^3x^9(a + b \sin^{-1}(cx)) - \frac{3}{7}c^2d^3x^7(a + b \sin^{-1}(cx)) + \frac{1}{5}d^3x^5(a + b \sin^{-1}(cx)) + \frac{bd^3(1 - c^2x^2)^{3/2}}{11c^5}$$

Antiderivative was successfully verified.

[In] Int[x^4\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] (16\*b\*d^3\*Sqrt[1 - c^2\*x^2])/(1155\*c^5) + (8\*b\*d^3\*(1 - c^2\*x^2)^(3/2))/(3465\*c^5) + (2\*b\*d^3\*(1 - c^2\*x^2)^(5/2))/(1925\*c^5) + (b\*d^3\*(1 - c^2\*x^2)^(7/2))/(1617\*c^5) - (4\*b\*d^3\*(1 - c^2\*x^2)^(9/2))/(297\*c^5) + (b\*d^3\*(1 - c^2\*x^2)^(11/2))/(121\*c^5) + (d^3\*x^5\*(a + b\*ArcSin[c\*x]))/5 - (3\*c^2\*d^3\*x^7\*(a + b\*ArcSin[c\*x]))/7 + (c^4\*d^3\*x^9\*(a + b\*ArcSin[c\*x]))/3 - (c^6\*d^3\*x^11\*(a + b\*ArcSin[c\*x]))/11

#### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

#### Rule 4687

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)
^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[
a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x
^2], x], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] &&
IGtQ[p, 0]
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 1799

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Dist[1/2, Su
bst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x)^p, x], x, x^2], x] /;
FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]
```

### Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:= Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c
, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[E
xpon[Px, x], 2]
```

### Rubi steps

$$\begin{aligned}
\int x^4 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx &= \frac{1}{5} d^3 x^5 (a + b \sin^{-1}(cx)) - \frac{3}{7} c^2 d^3 x^7 (a + b \sin^{-1}(cx)) + \frac{1}{3} c^4 d^3 x^9 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{5} d^3 x^5 (a + b \sin^{-1}(cx)) - \frac{3}{7} c^2 d^3 x^7 (a + b \sin^{-1}(cx)) + \frac{1}{3} c^4 d^3 x^9 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{5} d^3 x^5 (a + b \sin^{-1}(cx)) - \frac{3}{7} c^2 d^3 x^7 (a + b \sin^{-1}(cx)) + \frac{1}{3} c^4 d^3 x^9 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{5} d^3 x^5 (a + b \sin^{-1}(cx)) - \frac{3}{7} c^2 d^3 x^7 (a + b \sin^{-1}(cx)) + \frac{1}{3} c^4 d^3 x^9 (a + b \sin^{-1}(cx)) \\
&= \frac{16bd^3 \sqrt{1 - c^2 x^2}}{1155c^5} + \frac{8bd^3 (1 - c^2 x^2)^{3/2}}{3465c^5} + \frac{2bd^3 (1 - c^2 x^2)^{5/2}}{1925c^5} + \frac{bd^3 (1 - c^2 x^2)^{7/2}}{1617c^5}
\end{aligned}$$

**Mathematica [A]** time = 0.188538, size = 143, normalized size = 0.62

$$d^3 \left( -3465ac^5x^5 (105c^6x^6 - 385c^4x^4 + 495c^2x^2 - 231) + b\sqrt{1-c^2x^2} (-33075c^{10}x^{10} + 111475c^8x^8 - 117625c^6x^6 + 18933c^4x^4 - 117625c^2x^2 + 50488) \right) / (4002075c^5)$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] (d^3\*(-3465\*a\*c^5\*x^5\*(-231 + 495\*c^2\*x^2 - 385\*c^4\*x^4 + 105\*c^6\*x^6) + b\*Sqrt[1 - c^2\*x^2]\*(50488 + 25244\*c^2\*x^2 + 18933\*c^4\*x^4 - 117625\*c^6\*x^6 + 111475\*c^8\*x^8 - 33075\*c^10\*x^10) - 3465\*b\*c^5\*x^5\*(-231 + 495\*c^2\*x^2 - 385\*c^4\*x^4 + 105\*c^6\*x^6)\*ArcSin[c\*x]))/(4002075\*c^5)

**Maple [A]** time = 0.016, size = 214, normalized size = 0.9

$$\frac{1}{c^5} \left( -d^3 a \left( \frac{c^{11} x^{11}}{11} - \frac{c^9 x^9}{3} + \frac{3c^7 x^7}{7} - \frac{c^5 x^5}{5} \right) - d^3 b \left( \frac{\arcsin(cx) c^{11} x^{11}}{11} - \frac{\arcsin(cx) c^9 x^9}{3} + \frac{3 \arcsin(cx) c^7 x^7}{7} - \frac{\arcsin(cx) c^5 x^5}{5} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x)

[Out] 1/c^5\*(-d^3\*a\*(1/11\*c^11\*x^11-1/3\*c^9\*x^9+3/7\*c^7\*x^7-1/5\*c^5\*x^5)-d^3\*b\*(1/11\*arcsin(c\*x)\*c^11\*x^11-1/3\*arcsin(c\*x)\*c^9\*x^9+3/7\*arcsin(c\*x)\*c^7\*x^7-1/5\*arcsin(c\*x)\*c^5\*x^5+1/121\*c^10\*x^10\*(-c^2\*x^2+1)^(1/2)-91/3267\*c^8\*x^8\*(-c^2\*x^2+1)^(1/2)+4705/160083\*c^6\*x^6\*(-c^2\*x^2+1)^(1/2)-6311/1334025\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-25244/4002075\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-50488/4002075\*(-c^2\*x^2+1)^(1/2))

**Maxima [B]** time = 1.57926, size = 647, normalized size = 2.79

$$-\frac{1}{11} ac^6 d^3 x^{11} + \frac{1}{3} ac^4 d^3 x^9 - \frac{3}{7} ac^2 d^3 x^7 - \frac{1}{7623} \left( 693 x^{11} \arcsin(cx) + \left( \frac{63 \sqrt{-c^2 x^2 + 1} x^{10}}{c^2} + \frac{70 \sqrt{-c^2 x^2 + 1} x^8}{c^4} + \frac{80 \sqrt{-c^2 x^2 + 1} x^6}{c^6} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

```
[Out] -1/11*a*c^6*d^3*x^11 + 1/3*a*c^4*d^3*x^9 - 3/7*a*c^2*d^3*x^7 - 1/7623*(693*x^11*arcsin(c*x) + (63*sqrt(-c^2*x^2 + 1)*x^10/c^2 + 70*sqrt(-c^2*x^2 + 1)*x^8/c^4 + 80*sqrt(-c^2*x^2 + 1)*x^6/c^6 + 96*sqrt(-c^2*x^2 + 1)*x^4/c^8 + 128*sqrt(-c^2*x^2 + 1)*x^2/c^10 + 256*sqrt(-c^2*x^2 + 1)/c^12)*c)*b*c^6*d^3 + 1/945*(315*x^9*arcsin(c*x) + (35*sqrt(-c^2*x^2 + 1)*x^8/c^2 + 40*sqrt(-c^2*x^2 + 1)*x^6/c^4 + 48*sqrt(-c^2*x^2 + 1)*x^4/c^6 + 64*sqrt(-c^2*x^2 + 1)*x^2/c^8 + 128*sqrt(-c^2*x^2 + 1)/c^10)*c)*b*c^4*d^3 + 1/5*a*d^3*x^5 - 3/245*(35*x^7*arcsin(c*x) + (5*sqrt(-c^2*x^2 + 1)*x^6/c^2 + 6*sqrt(-c^2*x^2 + 1)*x^4/c^4 + 8*sqrt(-c^2*x^2 + 1)*x^2/c^6 + 16*sqrt(-c^2*x^2 + 1)/c^8)*c)*b*c^2*d^3 + 1/75*(15*x^5*arcsin(c*x) + (3*sqrt(-c^2*x^2 + 1)*x^4/c^2 + 4*sqrt(-c^2*x^2 + 1)*x^2/c^4 + 8*sqrt(-c^2*x^2 + 1)/c^6)*c)*b*d^3
```

**Fricas [A]** time = 2.21753, size = 489, normalized size = 2.11

$$363825 ac^{11}d^3x^{11} - 1334025 ac^9d^3x^9 + 1715175 ac^7d^3x^7 - 800415 ac^5d^3x^5 + 3465 (105 bc^{11}d^3x^{11} - 385 bc^9d^3x^9 + 495$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(-c^2*d*x^2+d)^3*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] -1/4002075*(363825*a*c^11*d^3*x^11 - 1334025*a*c^9*d^3*x^9 + 1715175*a*c^7*d^3*x^7 - 800415*a*c^5*d^3*x^5 + 3465*(105*b*c^11*d^3*x^11 - 385*b*c^9*d^3*x^9 + 495*b*c^7*d^3*x^7 - 231*b*c^5*d^3*x^5)*arcsin(c*x) + (33075*b*c^10*d^3*x^10 - 111475*b*c^8*d^3*x^8 + 117625*b*c^6*d^3*x^6 - 18933*b*c^4*d^3*x^4 - 25244*b*c^2*d^3*x^2 - 50488*b*d^3)*sqrt(-c^2*x^2 + 1))/c^5
```

**Sympy [A]** time = 91.5783, size = 289, normalized size = 1.25

$$\left\{ \begin{array}{l} -\frac{ac^6d^3x^{11}}{5} + \frac{ac^4d^3x^9}{3} - \frac{3ac^2d^3x^7}{7} + \frac{ad^3x^5}{5} - \frac{bc^6d^3x^{11}\operatorname{asin}(cx)}{11} - \frac{bc^5d^3x^{10}\sqrt{-c^2x^2+1}}{121} + \frac{bc^4d^3x^9\operatorname{asin}(cx)}{3} + \frac{91bc^3d^3x^8\sqrt{-c^2x^2+1}}{3267} - \frac{3bc^2d^3x^7\operatorname{asin}(cx)}{7} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(-c**2*d*x**2+d)**3*(a+b*asin(c*x)),x)
```

```
[Out] Piecewise((-a*c**6*d**3*x**11/11 + a*c**4*d**3*x**9/3 - 3*a*c**2*d**3*x**7/7 + a*d**3*x**5/5 - b*c**6*d**3*x**11*asin(c*x)/11 - b*c**5*d**3*x**10*sqrt(-c**2*x**2 + 1)/121 + b*c**4*d**3*x**9*asin(c*x)/3 + 91*b*c**3*d**3*x**8*s
```

```

qrt(-c**2*x**2 + 1)/3267 - 3*b*c**2*d**3*x**7*asin(c*x)/7 - 4705*b*c*d**3*x
**6*sqrt(-c**2*x**2 + 1)/160083 + b*d**3*x**5*asin(c*x)/5 + 6311*b*d**3*x**
4*sqrt(-c**2*x**2 + 1)/(1334025*c) + 25244*b*d**3*x**2*sqrt(-c**2*x**2 + 1)
/(4002075*c**3) + 50488*b*d**3*sqrt(-c**2*x**2 + 1)/(4002075*c**5), Ne(c, 0
)), (a*d**3*x**5/5, True))

```

**Giac [A]** time = 1.28889, size = 477, normalized size = 2.06

$$-\frac{1}{11}ac^6d^3x^{11} + \frac{1}{3}ac^4d^3x^9 - \frac{3}{7}ac^2d^3x^7 + \frac{1}{5}ad^3x^5 - \frac{(c^2x^2 - 1)^5bd^3x \arcsin(cx)}{11c^4} - \frac{4(c^2x^2 - 1)^4bd^3x \arcsin(cx)}{33c^4} - \frac{(c^2x^2 - 1)^3bd^3x \arcsin(cx)}{11c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] -1/11\*a\*c^6\*d^3\*x^11 + 1/3\*a\*c^4\*d^3\*x^9 - 3/7\*a\*c^2\*d^3\*x^7 + 1/5\*a\*d^3\*x^5 - 1/11\*(c^2\*x^2 - 1)^5\*b\*d^3\*x\*arcsin(c\*x)/c^4 - 4/33\*(c^2\*x^2 - 1)^4\*b\*d^3\*x\*arcsin(c\*x)/c^4 - 1/231\*(c^2\*x^2 - 1)^3\*b\*d^3\*x\*arcsin(c\*x)/c^4 - 1/121\*(c^2\*x^2 - 1)^5\*sqrt(-c^2\*x^2 + 1)\*b\*d^3/c^5 + 2/385\*(c^2\*x^2 - 1)^2\*b\*d^3\*x\*arcsin(c\*x)/c^4 - 4/297\*(c^2\*x^2 - 1)^4\*sqrt(-c^2\*x^2 + 1)\*b\*d^3/c^5 - 8/1155\*(c^2\*x^2 - 1)\*b\*d^3\*x\*arcsin(c\*x)/c^4 - 1/1617\*(c^2\*x^2 - 1)^3\*sqrt(-c^2\*x^2 + 1)\*b\*d^3/c^5 + 16/1155\*b\*d^3\*x\*arcsin(c\*x)/c^4 + 2/1925\*(c^2\*x^2 - 1)^2\*sqrt(-c^2\*x^2 + 1)\*b\*d^3/c^5 + 8/3465\*(-c^2\*x^2 + 1)^(3/2)\*b\*d^3/c^5 + 16/1155\*sqrt(-c^2\*x^2 + 1)\*b\*d^3/c^5



### 3.20 $\int x^3 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=206

$$\frac{d^3 (1 - c^2 x^2)^5 (a + b \sin^{-1}(cx))}{10c^4} - \frac{d^3 (1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))}{8c^4} - \frac{bd^3 x (1 - c^2 x^2)^{9/2}}{100c^3} + \frac{7bd^3 x (1 - c^2 x^2)^{7/2}}{1600c^3} + \frac{49bd^3 x}{9}$$

[Out] (49\*b\*d^3\*x\*sqrt[1 - c^2\*x^2])/(5120\*c^3) + (49\*b\*d^3\*x\*(1 - c^2\*x^2)^(3/2))/(7680\*c^3) + (49\*b\*d^3\*x\*(1 - c^2\*x^2)^(5/2))/(9600\*c^3) + (7\*b\*d^3\*x\*(1 - c^2\*x^2)^(7/2))/(1600\*c^3) - (b\*d^3\*x\*(1 - c^2\*x^2)^(9/2))/(100\*c^3) + (49\*b\*d^3\*ArcSin[c\*x])/(5120\*c^4) - (d^3\*(1 - c^2\*x^2)^4\*(a + b\*ArcSin[c\*x]))/(8\*c^4) + (d^3\*(1 - c^2\*x^2)^5\*(a + b\*ArcSin[c\*x]))/(10\*c^4)

**Rubi [A]** time = 0.178894, antiderivative size = 206, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.28$ , Rules used = {266, 43, 4687, 12, 388, 195, 216}

$$\frac{d^3 (1 - c^2 x^2)^5 (a + b \sin^{-1}(cx))}{10c^4} - \frac{d^3 (1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))}{8c^4} - \frac{bd^3 x (1 - c^2 x^2)^{9/2}}{100c^3} + \frac{7bd^3 x (1 - c^2 x^2)^{7/2}}{1600c^3} + \frac{49bd^3 x}{9}$$

Antiderivative was successfully verified.

[In] Int[x^3\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] (49\*b\*d^3\*x\*sqrt[1 - c^2\*x^2])/(5120\*c^3) + (49\*b\*d^3\*x\*(1 - c^2\*x^2)^(3/2))/(7680\*c^3) + (49\*b\*d^3\*x\*(1 - c^2\*x^2)^(5/2))/(9600\*c^3) + (7\*b\*d^3\*x\*(1 - c^2\*x^2)^(7/2))/(1600\*c^3) - (b\*d^3\*x\*(1 - c^2\*x^2)^(9/2))/(100\*c^3) + (49\*b\*d^3\*ArcSin[c\*x])/(5120\*c^4) - (d^3\*(1 - c^2\*x^2)^4\*(a + b\*ArcSin[c\*x]))/(8\*c^4) + (d^3\*(1 - c^2\*x^2)^5\*(a + b\*ArcSin[c\*x]))/(10\*c^4)

#### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le

$Q[7*m + 4*n + 4, 0] \ || \ LtQ[9*m + 5*(n + 1), 0] \ || \ GtQ[m + n + 2, 0]$

### Rule 4687

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \ :> \ \text{With}[\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSin}[c*x], u, x] - \text{Dist}[b*c, \text{Int}[\text{SimplifyIntegrand}[u/\text{Sqrt}[1 - c^2*x^2], x], x], x]] \ /; \ \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[p, 0]$

### Rule 12

$\text{Int}[(a_)*(u_), x\_Symbol] \ :> \ \text{Dist}[a, \text{Int}[u, x], x] \ /; \ \text{FreeQ}[a, x] \ \&\& \ !\text{Match}Q[u, (b_)*(v_)] \ /; \ \text{FreeQ}[b, x]$

### Rule 388

$\text{Int}[(a_) + (b_.)*(x_)^{(n_)}]^{(p_)}*((c_) + (d_.)*(x_)^{(n_)}), x\_Symbol] \ :> \ \text{Simp}[(d*x*(a + b*x^n)^{(p+1)})/(b*(n*(p+1) + 1)), x] - \text{Dist}[(a*d - b*c*(n*(p+1) + 1))/(b*(n*(p+1) + 1)), \text{Int}[(a + b*x^n)^p, x], x] \ /; \ \text{FreeQ}[\{a, b, c, d, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[n*(p+1) + 1, 0]$

### Rule 195

$\text{Int}[(a_) + (b_.)*(x_)^{(n_)}]^{(p_)}, x\_Symbol] \ :> \ \text{Simp}[(x*(a + b*x^n)^p)/(n*p + 1), x] + \text{Dist}[(a*n*p)/(n*p + 1), \text{Int}[(a + b*x^n)^{(p-1)}], x], x] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ (\text{IntegerQ}[2*p] \ || \ (\text{EqQ}[n, 2] \ \&\& \ \text{IntegerQ}[4*p])) \ || \ (\text{EqQ}[n, 2] \ \&\& \ \text{IntegerQ}[3*p])) \ || \ \text{LtQ}[\text{Denominator}[p + 1/n], \text{Denominator}[p]]$

### Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^2], x\_Symbol] \ :> \ \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{GtQ}[a, 0] \ \&\& \ \text{NegQ}[b]$

### Rubi steps

$$\begin{aligned}
\int x^3 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx &= -\frac{d^3 (1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))}{8c^4} + \frac{d^3 (1 - c^2 x^2)^5 (a + b \sin^{-1}(cx))}{10c^4} - (bc) \int \frac{d^3 (1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))}{8c^4} + \frac{d^3 (1 - c^2 x^2)^5 (a + b \sin^{-1}(cx))}{10c^4} - (bd^3) \int \frac{d^3 (1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))}{8c^4} + \frac{d^3 (1 - c^2 x^2)^5 (a + b \sin^{-1}(cx))}{10c^4} \\
&= -\frac{bd^3 x (1 - c^2 x^2)^{9/2}}{100c^3} - \frac{d^3 (1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))}{8c^4} + \frac{d^3 (1 - c^2 x^2)^5 (a + b \sin^{-1}(cx))}{10c^4} \\
&= \frac{7bd^3 x (1 - c^2 x^2)^{7/2}}{1600c^3} - \frac{bd^3 x (1 - c^2 x^2)^{9/2}}{100c^3} - \frac{d^3 (1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))}{8c^4} + \frac{d^3 (1 - c^2 x^2)^5 (a + b \sin^{-1}(cx))}{10c^4} \\
&= \frac{49bd^3 x (1 - c^2 x^2)^{5/2}}{9600c^3} + \frac{7bd^3 x (1 - c^2 x^2)^{7/2}}{1600c^3} - \frac{bd^3 x (1 - c^2 x^2)^{9/2}}{100c^3} - \frac{d^3 (1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))}{8c^4} + \frac{d^3 (1 - c^2 x^2)^5 (a + b \sin^{-1}(cx))}{10c^4} \\
&= \frac{49bd^3 x (1 - c^2 x^2)^{3/2}}{7680c^3} + \frac{49bd^3 x (1 - c^2 x^2)^{5/2}}{9600c^3} + \frac{7bd^3 x (1 - c^2 x^2)^{7/2}}{1600c^3} - \frac{bd^3 x (1 - c^2 x^2)^{9/2}}{100c^3} - \frac{d^3 (1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))}{8c^4} + \frac{d^3 (1 - c^2 x^2)^5 (a + b \sin^{-1}(cx))}{10c^4} \\
&= \frac{49bd^3 x \sqrt{1 - c^2 x^2}}{5120c^3} + \frac{49bd^3 x (1 - c^2 x^2)^{3/2}}{7680c^3} + \frac{49bd^3 x (1 - c^2 x^2)^{5/2}}{9600c^3} + \frac{7bd^3 x (1 - c^2 x^2)^{7/2}}{1600c^3} - \frac{bd^3 x (1 - c^2 x^2)^{9/2}}{100c^3} - \frac{d^3 (1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))}{8c^4} + \frac{d^3 (1 - c^2 x^2)^5 (a + b \sin^{-1}(cx))}{10c^4} \\
&= \frac{49bd^3 x \sqrt{1 - c^2 x^2}}{5120c^3} + \frac{49bd^3 x (1 - c^2 x^2)^{3/2}}{7680c^3} + \frac{49bd^3 x (1 - c^2 x^2)^{5/2}}{9600c^3} + \frac{7bd^3 x (1 - c^2 x^2)^{7/2}}{1600c^3} - \frac{bd^3 x (1 - c^2 x^2)^{9/2}}{100c^3} - \frac{d^3 (1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))}{8c^4} + \frac{d^3 (1 - c^2 x^2)^5 (a + b \sin^{-1}(cx))}{10c^4}
\end{aligned}$$

**Mathematica [A]** time = 0.188653, size = 139, normalized size = 0.67

$$\frac{d^3 \left( -1920ac^4 x^4 (4c^6 x^6 - 15c^4 x^4 + 20c^2 x^2 - 10) + bcx \sqrt{1 - c^2 x^2} (-768c^8 x^8 + 2736c^6 x^6 - 3208c^4 x^4 + 790c^2 x^2 + 1185) - 76800c^4 \right)}{76800c^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] (d^3\*(-1920\*a\*c^4\*x^4\*(-10 + 20\*c^2\*x^2 - 15\*c^4\*x^4 + 4\*c^6\*x^6) + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(1185 + 790\*c^2\*x^2 - 3208\*c^4\*x^4 + 2736\*c^6\*x^6 - 768\*c^8\*x^8) - 15\*b\*(79 - 1280\*c^4\*x^4 + 2560\*c^6\*x^6 - 1920\*c^8\*x^8 + 512\*c^10\*x^10)\*ArcSin[c\*x]))/(76800\*c^4)

**Maple [A]** time = 0.013, size = 202, normalized size = 1.

$$\frac{1}{c^4} \left( -d^3 a \left( \frac{c^{10} x^{10}}{10} - \frac{3c^8 x^8}{8} + \frac{c^6 x^6}{2} - \frac{c^4 x^4}{4} \right) - d^3 b \left( \frac{\arcsin(cx) c^{10} x^{10}}{10} - \frac{3 \arcsin(cx) c^8 x^8}{8} + \frac{\arcsin(cx) c^6 x^6}{2} - \frac{c^4 x^4 \arcsin(cx)}{4} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(-c^2*d*x^2+d)^3*(a+b*arcsin(c*x)),x)
```

```
[Out] 1/c^4*(-d^3*a*(1/10*c^10*x^10-3/8*c^8*x^8+1/2*c^6*x^6-1/4*c^4*x^4)-d^3*b*(1/10*arcsin(c*x)*c^10*x^10-3/8*arcsin(c*x)*c^8*x^8+1/2*arcsin(c*x)*c^6*x^6-1/4*c^4*x^4*arcsin(c*x)+1/100*c^9*x^9*(-c^2*x^2+1)^(1/2)-57/1600*c^7*x^7*(-c^2*x^2+1)^(1/2)+401/9600*c^5*x^5*(-c^2*x^2+1)^(1/2)-79/7680*c^3*x^3*(-c^2*x^2+1)^(1/2)-79/5120*c*x*(-c^2*x^2+1)^(1/2)+79/5120*arcsin(c*x)))
```

**Maxima [B]** time = 1.64879, size = 657, normalized size = 3.19

$$-\frac{1}{10}ac^6d^3x^{10} + \frac{3}{8}ac^4d^3x^8 - \frac{1}{2}ac^2d^3x^6 - \frac{1}{12800} \left( 1280x^{10}\arcsin(cx) + \left( \frac{128\sqrt{-c^2x^2+1}x^9}{c^2} + \frac{144\sqrt{-c^2x^2+1}x^7}{c^4} + \frac{168\sqrt{-c^2x^2+1}x^5}{c^6} + \frac{210\sqrt{-c^2x^2+1}x^3}{c^8} + \frac{315\sqrt{-c^2x^2+1}x}{c^{10}} - 315\arcsin\left(\frac{c^2x}{\sqrt{c^2+1}}\right) \right) / (\sqrt{c^2+1}) * c^10 \right) * c * b * c^6 * d^3 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(-c^2*d*x^2+d)^3*(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] -1/10*a*c^6*d^3*x^10 + 3/8*a*c^4*d^3*x^8 - 1/2*a*c^2*d^3*x^6 - 1/12800*(1280*x^10*arcsin(c*x) + (128*sqrt(-c^2*x^2 + 1)*x^9/c^2 + 144*sqrt(-c^2*x^2 + 1)*x^7/c^4 + 168*sqrt(-c^2*x^2 + 1)*x^5/c^6 + 210*sqrt(-c^2*x^2 + 1)*x^3/c^8 + 315*sqrt(-c^2*x^2 + 1)*x/c^10 - 315*arcsin(c^2*x/sqrt(c^2))/sqrt(c^2)*c^10)*c)*b*c^6*d^3 + 1/1024*(384*x^8*arcsin(c*x) + (48*sqrt(-c^2*x^2 + 1)*x^7/c^2 + 56*sqrt(-c^2*x^2 + 1)*x^5/c^4 + 70*sqrt(-c^2*x^2 + 1)*x^3/c^6 + 105*sqrt(-c^2*x^2 + 1)*x/c^8 - 105*arcsin(c^2*x/sqrt(c^2))/sqrt(c^2)*c^8)*c)*b*c^4*d^3 + 1/4*a*d^3*x^4 - 1/96*(48*x^6*arcsin(c*x) + (8*sqrt(-c^2*x^2 + 1)*x^5/c^2 + 10*sqrt(-c^2*x^2 + 1)*x^3/c^4 + 15*sqrt(-c^2*x^2 + 1)*x/c^6 - 15*arcsin(c^2*x/sqrt(c^2))/sqrt(c^2)*c^6)*c)*b*c^2*d^3 + 1/32*(8*x^4*arcsin(c*x) + (2*sqrt(-c^2*x^2 + 1)*x^3/c^2 + 3*sqrt(-c^2*x^2 + 1)*x/c^4 - 3*arcsin(c^2*x/sqrt(c^2))/sqrt(c^2)*c^4)*c)*b*d^3
```

**Fricas [A]** time = 2.08545, size = 454, normalized size = 2.2

$$7680ac^{10}d^3x^{10} - 28800ac^8d^3x^8 + 38400ac^6d^3x^6 - 19200ac^4d^3x^4 + 15(512bc^{10}d^3x^{10} - 1920bc^8d^3x^8 + 2560bc^6d^3x^6 - \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] 
$$-1/76800*(7680*a*c^{10}*d^3*x^{10} - 28800*a*c^8*d^3*x^8 + 38400*a*c^6*d^3*x^6 - 19200*a*c^4*d^3*x^4 + 15*(512*b*c^{10}*d^3*x^{10} - 1920*b*c^8*d^3*x^8 + 2560*b*c^6*d^3*x^6 - 1280*b*c^4*d^3*x^4 + 79*b*d^3)*arcsin(c*x) + (768*b*c^9*d^3*x^9 - 2736*b*c^7*d^3*x^7 + 3208*b*c^5*d^3*x^5 - 790*b*c^3*d^3*x^3 - 1185*b*c*d^3*x)*sqrt(-c^2*x^2 + 1))/c^4$$

**Sympy [A]** time = 69.1025, size = 280, normalized size = 1.36

$$\left\{ \frac{ac^6d^3x^{10}}{ad^3x^4} + \frac{3ac^4d^3x^8}{8} - \frac{ac^2d^3x^6}{2} + \frac{ad^3x^4}{4} - \frac{bc^6d^3x^{10} \operatorname{asin}(cx)}{10} - \frac{bc^5d^3x^9\sqrt{-c^2x^2+1}}{100} + \frac{3bc^4d^3x^8 \operatorname{asin}(cx)}{8} + \frac{57bc^3d^3x^7\sqrt{-c^2x^2+1}}{1600} - \frac{bc^2d^3x^6 \operatorname{asin}(cx)}{2} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((-a\*c\*\*6\*d\*\*3\*x\*\*10/10 + 3\*a\*c\*\*4\*d\*\*3\*x\*\*8/8 - a\*c\*\*2\*d\*\*3\*x\*\*6/2 + a\*d\*\*3\*x\*\*4/4 - b\*c\*\*6\*d\*\*3\*x\*\*10\*asin(c\*x)/10 - b\*c\*\*5\*d\*\*3\*x\*\*9\*sqrt(-c\*\*2\*x\*\*2 + 1)/100 + 3\*b\*c\*\*4\*d\*\*3\*x\*\*8\*asin(c\*x)/8 + 57\*b\*c\*\*3\*d\*\*3\*x\*\*7\*sqrt(-c\*\*2\*x\*\*2 + 1)/1600 - b\*c\*\*2\*d\*\*3\*x\*\*6\*asin(c\*x)/2 - 401\*b\*c\*d\*\*3\*x\*\*5\*sqrt(-c\*\*2\*x\*\*2 + 1)/9600 + b\*d\*\*3\*x\*\*4\*asin(c\*x)/4 + 79\*b\*d\*\*3\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/(7680\*c) + 79\*b\*d\*\*3\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)/(5120\*c\*\*3) - 79\*b\*d\*\*3\*asin(c\*x)/(5120\*c\*\*4), Ne(c, 0)), (a\*d\*\*3\*x\*\*4/4, True))

**Giac [A]** time = 1.26654, size = 331, normalized size = 1.61

$$-\frac{(c^2x^2 - 1)^4 \sqrt{-c^2x^2 + 1} bd^3x}{100 c^3} - \frac{(c^2x^2 - 1)^5 bd^3 \operatorname{arcsin}(cx)}{10 c^4} - \frac{7(c^2x^2 - 1)^3 \sqrt{-c^2x^2 + 1} bd^3x}{1600 c^3} - \frac{(c^2x^2 - 1)^5 ad^3}{10 c^4} - \frac{(c^2x^2 - 1)^4 \sqrt{-c^2x^2 + 1} bd^3x}{100 c^3} - \frac{(c^2x^2 - 1)^5 bd^3 \operatorname{arcsin}(cx)}{10 c^4} - \frac{7(c^2x^2 - 1)^3 \sqrt{-c^2x^2 + 1} bd^3x}{1600 c^3} - \frac{(c^2x^2 - 1)^5 ad^3}{10 c^4} - \frac{(c^2x^2 - 1)^4 \sqrt{-c^2x^2 + 1} bd^3x}{100 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] 
$$-1/100*(c^2*x^2 - 1)^4*sqrt(-c^2*x^2 + 1)*b*d^3*x/c^3 - 1/10*(c^2*x^2 - 1)^5*b*d^3*arcsin(c*x)/c^4 - 7/1600*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b*d^3*x/c^3 - 1/10*(c^2*x^2 - 1)^5*a*d^3/c^4 - 1/8*(c^2*x^2 - 1)^4*b*d^3*arcsin(c*x)/c^4 + 49/9600*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b*d^3*x/c^3 - 1/8*(c^2*$$

$$x^2 - 1)^4 a d^3 / c^4 + 49/7680 (-c^2 x^2 + 1)^{3/2} b d^3 x / c^3 + 49/5120 s$$
$$\text{qrt}(-c^2 x^2 + 1) b d^3 x / c^3 + 49/5120 b d^3 \arcsin(c x) / c^4$$

### 3.21 $\int x^2 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=207

$$-\frac{1}{9}c^6d^3x^9(a + b \sin^{-1}(cx)) + \frac{3}{7}c^4d^3x^7(a + b \sin^{-1}(cx)) - \frac{3}{5}c^2d^3x^5(a + b \sin^{-1}(cx)) + \frac{1}{3}d^3x^3(a + b \sin^{-1}(cx)) - \frac{bd^3(1 - c^2x^2)^{3/2}}{8}$$

[Out] (16\*b\*d^3\*Sqrt[1 - c^2\*x^2])/(315\*c^3) + (8\*b\*d^3\*(1 - c^2\*x^2)^(3/2))/(945\*c^3) + (2\*b\*d^3\*(1 - c^2\*x^2)^(5/2))/(525\*c^3) + (b\*d^3\*(1 - c^2\*x^2)^(7/2))/(441\*c^3) - (b\*d^3\*(1 - c^2\*x^2)^(9/2))/(81\*c^3) + (d^3\*x^3\*(a + b\*ArcSin[c\*x]))/3 - (3\*c^2\*d^3\*x^5\*(a + b\*ArcSin[c\*x]))/5 + (3\*c^4\*d^3\*x^7\*(a + b\*ArcSin[c\*x]))/7 - (c^6\*d^3\*x^9\*(a + b\*ArcSin[c\*x]))/9

**Rubi [A]** time = 0.25779, antiderivative size = 207, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {270, 4687, 12, 1799, 1620}

$$-\frac{1}{9}c^6d^3x^9(a + b \sin^{-1}(cx)) + \frac{3}{7}c^4d^3x^7(a + b \sin^{-1}(cx)) - \frac{3}{5}c^2d^3x^5(a + b \sin^{-1}(cx)) + \frac{1}{3}d^3x^3(a + b \sin^{-1}(cx)) - \frac{bd^3(1 - c^2x^2)^{3/2}}{8}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] (16\*b\*d^3\*Sqrt[1 - c^2\*x^2])/(315\*c^3) + (8\*b\*d^3\*(1 - c^2\*x^2)^(3/2))/(945\*c^3) + (2\*b\*d^3\*(1 - c^2\*x^2)^(5/2))/(525\*c^3) + (b\*d^3\*(1 - c^2\*x^2)^(7/2))/(441\*c^3) - (b\*d^3\*(1 - c^2\*x^2)^(9/2))/(81\*c^3) + (d^3\*x^3\*(a + b\*ArcSin[c\*x]))/3 - (3\*c^2\*d^3\*x^5\*(a + b\*ArcSin[c\*x]))/5 + (3\*c^4\*d^3\*x^7\*(a + b\*ArcSin[c\*x]))/7 - (c^6\*d^3\*x^9\*(a + b\*ArcSin[c\*x]))/9

#### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

#### Rule 4687

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))\*((f\_.)\*(x\_)^(m\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x

```
^2], x], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] &&
IGtQ[p, 0]
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 1799

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Dist[1/2, Su
bst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x)^p, x], x, x^2], x] /;
FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]
```

### Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:= Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c
, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[E
xpon[Px, x], 2]
```

### Rubi steps

$$\begin{aligned}
\int x^2 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx &= \frac{1}{3} d^3 x^3 (a + b \sin^{-1}(cx)) - \frac{3}{5} c^2 d^3 x^5 (a + b \sin^{-1}(cx)) + \frac{3}{7} c^4 d^3 x^7 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{3} d^3 x^3 (a + b \sin^{-1}(cx)) - \frac{3}{5} c^2 d^3 x^5 (a + b \sin^{-1}(cx)) + \frac{3}{7} c^4 d^3 x^7 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{3} d^3 x^3 (a + b \sin^{-1}(cx)) - \frac{3}{5} c^2 d^3 x^5 (a + b \sin^{-1}(cx)) + \frac{3}{7} c^4 d^3 x^7 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{3} d^3 x^3 (a + b \sin^{-1}(cx)) - \frac{3}{5} c^2 d^3 x^5 (a + b \sin^{-1}(cx)) + \frac{3}{7} c^4 d^3 x^7 (a + b \sin^{-1}(cx)) \\
&= \frac{16bd^3 \sqrt{1 - c^2 x^2}}{315c^3} + \frac{8bd^3 (1 - c^2 x^2)^{3/2}}{945c^3} + \frac{2bd^3 (1 - c^2 x^2)^{5/2}}{525c^3} + \frac{bd^3 (1 - c^2 x^2)^{7/2}}{441c^3}
\end{aligned}$$

**Mathematica [A]** time = 0.161514, size = 135, normalized size = 0.65

$$\frac{d^3 \left( -315ac^3 x^3 (35c^6 x^6 - 135c^4 x^4 + 189c^2 x^2 - 105) + b \sqrt{1 - c^2 x^2} (-1225c^8 x^8 + 4675c^6 x^6 - 6297c^4 x^4 + 2629c^2 x^2 + 5258) \right)}{99225c^3}$$



Antiderivative was successfully verified.

[In] Integrate[x^2\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] (d^3\*(-315\*a\*c^3\*x^3\*(-105 + 189\*c^2\*x^2 - 135\*c^4\*x^4 + 35\*c^6\*x^6) + b\*Sqrt[1 - c^2\*x^2]\*(5258 + 2629\*c^2\*x^2 - 6297\*c^4\*x^4 + 4675\*c^6\*x^6 - 1225\*c^8\*x^8) - 315\*b\*c^3\*x^3\*(-105 + 189\*c^2\*x^2 - 135\*c^4\*x^4 + 35\*c^6\*x^6)\*ArcSin[c\*x]))/(99225\*c^3)

**Maple [A]** time = 0.006, size = 194, normalized size = 0.9

$$\frac{1}{c^3} \left( -d^3 a \left( \frac{c^9 x^9}{9} - \frac{3c^7 x^7}{7} + \frac{3c^5 x^5}{5} - \frac{c^3 x^3}{3} \right) - d^3 b \left( \frac{\arcsin(cx) c^9 x^9}{9} - \frac{3 \arcsin(cx) c^7 x^7}{7} + \frac{3 \arcsin(cx) c^5 x^5}{5} - \frac{c^3 x^3 \arcsin(cx)}{3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x)

[Out] 1/c^3\*(-d^3\*a\*(1/9\*c^9\*x^9-3/7\*c^7\*x^7+3/5\*c^5\*x^5-1/3\*c^3\*x^3)-d^3\*b\*(1/9\*arcsin(c\*x)\*c^9\*x^9-3/7\*arcsin(c\*x)\*c^7\*x^7+3/5\*arcsin(c\*x)\*c^5\*x^5-1/3\*c^3\*x^3\*arcsin(c\*x)+1/81\*c^8\*x^8\*(-c^2\*x^2+1)^(1/2)-187/3969\*c^6\*x^6\*(-c^2\*x^2+1)^(1/2)+2099/33075\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-2629/99225\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-5258/99225\*(-c^2\*x^2+1)^(1/2)))

**Maxima [B]** time = 1.64068, size = 537, normalized size = 2.59

$$-\frac{1}{9} a c^6 d^3 x^9 + \frac{3}{7} a c^4 d^3 x^7 - \frac{1}{2835} \left( 315 x^9 \arcsin(cx) + \left( \frac{35 \sqrt{-c^2 x^2 + 1} x^8}{c^2} + \frac{40 \sqrt{-c^2 x^2 + 1} x^6}{c^4} + \frac{48 \sqrt{-c^2 x^2 + 1} x^4}{c^6} + \frac{64 \sqrt{-c^2 x^2 + 1} x^2}{c^8} + \frac{128 \sqrt{-c^2 x^2 + 1}}{c^{10}} \right) * b * c^6 * d^3 - \frac{3}{5} a * c^2 * d^3 * x^5 + \frac{3}{245} * (35 * x^7 * \arcsin(cx) + (5 * \sqrt{-c^2 x^2 + 1} * x^6 / c^2 + 6 * \sqrt{-c^2 x^2 + 1} * x^4 / c^4 + 8 * \sqrt{-c^2 x^2 + 1} * x^2 / c^6 + 16 * \sqrt{-c^2 x^2 + 1} / c^8) * c) * b * c^4 * d^3 - \frac{1}{25} * (15 * x^5 * \arcsin(cx) + (5 * \sqrt{-c^2 x^2 + 1} * x^4 / c^2 + 6 * \sqrt{-c^2 x^2 + 1} * x^2 / c^4 + 8 * \sqrt{-c^2 x^2 + 1} / c^6) * c) * b * c^2 * d^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] -1/9\*a\*c^6\*d^3\*x^9 + 3/7\*a\*c^4\*d^3\*x^7 - 1/2835\*(315\*x^9\*arcsin(c\*x) + (35\*sqrt(-c^2\*x^2 + 1)\*x^8/c^2 + 40\*sqrt(-c^2\*x^2 + 1)\*x^6/c^4 + 48\*sqrt(-c^2\*x^2 + 1)\*x^4/c^6 + 64\*sqrt(-c^2\*x^2 + 1)\*x^2/c^8 + 128\*sqrt(-c^2\*x^2 + 1)/c^10)\*c)\*b\*c^6\*d^3 - 3/5\*a\*c^2\*d^3\*x^5 + 3/245\*(35\*x^7\*arcsin(c\*x) + (5\*sqrt(-c^2\*x^2 + 1)\*x^6/c^2 + 6\*sqrt(-c^2\*x^2 + 1)\*x^4/c^4 + 8\*sqrt(-c^2\*x^2 + 1)\*x^2/c^6 + 16\*sqrt(-c^2\*x^2 + 1)/c^8)\*c)\*b\*c^4\*d^3 - 1/25\*(15\*x^5\*arcsin(c\*x) + (5\*sqrt(-c^2\*x^2 + 1)\*x^4/c^2 + 6\*sqrt(-c^2\*x^2 + 1)\*x^2/c^4 + 8\*sqrt(-c^2\*x^2 + 1)/c^6)\*c)\*b\*c^2\*d^3

$x) + (3\sqrt{-c^2x^2 + 1})x^4/c^2 + 4\sqrt{-c^2x^2 + 1})x^2/c^4 + 8\sqrt{-c^2x^2 + 1}/c^6) * c) * b * c^2 * d^3 + 1/3 * a * d^3 * x^3 + 1/9 * (3 * x^3 * \arcsin(cx) + c * (\sqrt{-c^2x^2 + 1}) * x^2/c^2 + 2 * \sqrt{-c^2x^2 + 1}/c^4) * b * d^3$

**Fricas [A]** time = 2.26268, size = 428, normalized size = 2.07

$$\frac{11025 ac^9 d^3 x^9 - 42525 ac^7 d^3 x^7 + 59535 ac^5 d^3 x^5 - 33075 ac^3 d^3 x^3 + 315 (35 bc^9 d^3 x^9 - 135 bc^7 d^3 x^7 + 189 bc^5 d^3 x^5 - 105 bc^3 d^3 x^3) \arcsin(cx) + (1225 b^2 c^8 d^3 x^8 - 4675 b^2 c^6 d^3 x^6 + 6297 b^2 c^4 d^3 x^4 - 2629 b^2 c^2 d^3 x^2 - 5258 b^2 d^3) \sqrt{-c^2 x^2 + 1}}{99225 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out]  $-1/99225 * (11025 * a * c^9 * d^3 * x^9 - 42525 * a * c^7 * d^3 * x^7 + 59535 * a * c^5 * d^3 * x^5 - 33075 * a * c^3 * d^3 * x^3 + 315 * (35 * b * c^9 * d^3 * x^9 - 135 * b * c^7 * d^3 * x^7 + 189 * b * c^5 * d^3 * x^5 - 105 * b * c^3 * d^3 * x^3) * \arcsin(cx) + (1225 * b^2 * c^8 * d^3 * x^8 - 4675 * b^2 * c^6 * d^3 * x^6 + 6297 * b^2 * c^4 * d^3 * x^4 - 2629 * b^2 * c^2 * d^3 * x^2 - 5258 * b^2 * d^3) * \sqrt{-c^2 * x^2 + 1}) / c^3$

**Sympy [A]** time = 26.9838, size = 265, normalized size = 1.28

$$\left\{ \begin{array}{l} \frac{ac^6 d^3 x^9}{3} + \frac{3ac^4 d^3 x^7}{7} - \frac{3ac^2 d^3 x^5}{5} + \frac{ad^3 x^3}{3} - \frac{bc^6 d^3 x^9 \arcsin(cx)}{9} - \frac{bc^5 d^3 x^8 \sqrt{-c^2 x^2 + 1}}{81} + \frac{3bc^4 d^3 x^7 \arcsin(cx)}{7} + \frac{187bc^3 d^3 x^6 \sqrt{-c^2 x^2 + 1}}{3969} - \frac{3bc^2 d^3 x^5 \arcsin(cx)}{5} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((-a\*c\*\*6\*d\*\*3\*x\*\*9/9 + 3\*a\*c\*\*4\*d\*\*3\*x\*\*7/7 - 3\*a\*c\*\*2\*d\*\*3\*x\*\*5/5 + a\*d\*\*3\*x\*\*3/3 - b\*c\*\*6\*d\*\*3\*x\*\*9\*asin(c\*x)/9 - b\*c\*\*5\*d\*\*3\*x\*\*8\*sqrt(-c\*\*2\*x\*\*2 + 1)/81 + 3\*b\*c\*\*4\*d\*\*3\*x\*\*7\*asin(c\*x)/7 + 187\*b\*c\*\*3\*d\*\*3\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)/3969 - 3\*b\*c\*\*2\*d\*\*3\*x\*\*5\*asin(c\*x)/5 - 2099\*b\*c\*d\*\*3\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/33075 + b\*d\*\*3\*x\*\*3\*asin(c\*x)/3 + 2629\*b\*d\*\*3\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(99225\*c) + 5258\*b\*d\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/(99225\*c\*\*3), Ne(c, 0)), (a\*d\*\*3\*x\*\*3/3, True))

**Giac [A]** time = 1.20336, size = 400, normalized size = 1.93

$$-\frac{1}{9}ac^6d^3x^9 + \frac{3}{7}ac^4d^3x^7 - \frac{3}{5}ac^2d^3x^5 - \frac{(c^2x^2-1)^4bd^3x \arcsin(cx)}{9c^2} + \frac{1}{3}ad^3x^3 - \frac{(c^2x^2-1)^3bd^3x \arcsin(cx)}{63c^2} + \frac{2(c^2x^2-1)^2bd^3x \arcsin(cx)}{63c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] -1/9\*a\*c^6\*d^3\*x^9 + 3/7\*a\*c^4\*d^3\*x^7 - 3/5\*a\*c^2\*d^3\*x^5 - 1/9\*(c^2\*x^2 - 1)^4\*b\*d^3\*x\*arcsin(c\*x)/c^2 + 1/3\*a\*d^3\*x^3 - 1/63\*(c^2\*x^2 - 1)^3\*b\*d^3\*x\*arcsin(c\*x)/c^2 + 2/105\*(c^2\*x^2 - 1)^2\*b\*d^3\*x\*arcsin(c\*x)/c^2 - 1/81\*(c^2\*x^2 - 1)^4\*sqrt(-c^2\*x^2 + 1)\*b\*d^3/c^3 - 8/315\*(c^2\*x^2 - 1)\*b\*d^3\*x\*arcsin(c\*x)/c^2 - 1/441\*(c^2\*x^2 - 1)^3\*sqrt(-c^2\*x^2 + 1)\*b\*d^3/c^3 + 16/315\*b\*d^3\*x\*arcsin(c\*x)/c^2 + 2/525\*(c^2\*x^2 - 1)^2\*sqrt(-c^2\*x^2 + 1)\*b\*d^3/c^3 + 8/945\*(-c^2\*x^2 + 1)^(3/2)\*b\*d^3/c^3 + 16/315\*sqrt(-c^2\*x^2 + 1)\*b\*d^3/c^3

## 3.22 $\int x (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=150

$$-\frac{d^3(1-c^2x^2)^4(a+b\sin^{-1}(cx))}{8c^2} + \frac{bd^3x(1-c^2x^2)^{7/2}}{64c} + \frac{7bd^3x(1-c^2x^2)^{5/2}}{384c} + \frac{35bd^3x(1-c^2x^2)^{3/2}}{1536c} + \frac{35bd^3x\sqrt{1-c^2x^2}}{1024c}$$

[Out] (35\*b\*d^3\*x\*Sqrt[1 - c^2\*x^2])/(1024\*c) + (35\*b\*d^3\*x\*(1 - c^2\*x^2)^(3/2))/(1536\*c) + (7\*b\*d^3\*x\*(1 - c^2\*x^2)^(5/2))/(384\*c) + (b\*d^3\*x\*(1 - c^2\*x^2)^(7/2))/(64\*c) + (35\*b\*d^3\*ArcSin[c\*x])/(1024\*c^2) - (d^3\*(1 - c^2\*x^2)^4\*(a + b\*ArcSin[c\*x]))/(8\*c^2)

**Rubi [A]** time = 0.0762765, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {4677, 195, 216}

$$-\frac{d^3(1-c^2x^2)^4(a+b\sin^{-1}(cx))}{8c^2} + \frac{bd^3x(1-c^2x^2)^{7/2}}{64c} + \frac{7bd^3x(1-c^2x^2)^{5/2}}{384c} + \frac{35bd^3x(1-c^2x^2)^{3/2}}{1536c} + \frac{35bd^3x\sqrt{1-c^2x^2}}{1024c}$$

Antiderivative was successfully verified.

[In] Int[x\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] (35\*b\*d^3\*x\*Sqrt[1 - c^2\*x^2])/(1024\*c) + (35\*b\*d^3\*x\*(1 - c^2\*x^2)^(3/2))/(1536\*c) + (7\*b\*d^3\*x\*(1 - c^2\*x^2)^(5/2))/(384\*c) + (b\*d^3\*x\*(1 - c^2\*x^2)^(7/2))/(64\*c) + (35\*b\*d^3\*ArcSin[c\*x])/(1024\*c^2) - (d^3\*(1 - c^2\*x^2)^4\*(a + b\*ArcSin[c\*x]))/(8\*c^2)

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; Free

Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p])) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :-> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned}
 \int x(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx &= -\frac{d^3 (1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))}{8c^2} + \frac{(bd^3) \int (1 - c^2 x^2)^{7/2} dx}{8c} \\
 &= \frac{bd^3 x (1 - c^2 x^2)^{7/2}}{64c} - \frac{d^3 (1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))}{8c^2} + \frac{(7bd^3) \int (1 - c^2 x^2)^{5/2} dx}{64c} \\
 &= \frac{7bd^3 x (1 - c^2 x^2)^{5/2}}{384c} + \frac{bd^3 x (1 - c^2 x^2)^{7/2}}{64c} - \frac{d^3 (1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))}{8c^2} + \frac{(3bd^3) \int (1 - c^2 x^2)^{3/2} dx}{64c} \\
 &= \frac{35bd^3 x (1 - c^2 x^2)^{3/2}}{1536c} + \frac{7bd^3 x (1 - c^2 x^2)^{5/2}}{384c} + \frac{bd^3 x (1 - c^2 x^2)^{7/2}}{64c} - \frac{d^3 (1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))}{8c^2} \\
 &= \frac{35bd^3 x \sqrt{1 - c^2 x^2}}{1024c} + \frac{35bd^3 x (1 - c^2 x^2)^{3/2}}{1536c} + \frac{7bd^3 x (1 - c^2 x^2)^{5/2}}{384c} + \frac{bd^3 x (1 - c^2 x^2)^{7/2}}{64c} \\
 &= \frac{35bd^3 x \sqrt{1 - c^2 x^2}}{1024c} + \frac{35bd^3 x (1 - c^2 x^2)^{3/2}}{1536c} + \frac{7bd^3 x (1 - c^2 x^2)^{5/2}}{384c} + \frac{bd^3 x (1 - c^2 x^2)^{7/2}}{64c}
 \end{aligned}$$

**Mathematica [A]** time = 0.0807438, size = 110, normalized size = 0.73

$$\frac{d^3 \left( 384a (c^2 x^2 - 1)^4 + bcx \sqrt{1 - c^2 x^2} (48c^6 x^6 - 200c^4 x^4 + 326c^2 x^2 - 279) + 3b (128c^8 x^8 - 512c^6 x^6 + 768c^4 x^4 - 512c^2 x^2 + 128) \right) \text{ArcSin}[cx]}{3072c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] -(d^3\*(384\*a\*(-1 + c^2\*x^2)^4 + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-279 + 326\*c^2\*x^2 - 200\*c^4\*x^4 + 48\*c^6\*x^6) + 3\*b\*(93 - 512\*c^2\*x^2 + 768\*c^4\*x^4 - 512\*c^6\*x^6 + 128\*c^8\*x^8)\*ArcSin[c\*x]))/(3072\*c^2)

**Maple [A]** time = 0.004, size = 182, normalized size = 1.2

$$\frac{1}{c^2} \left( -d^3 a \left( \frac{c^8 x^8}{8} - \frac{c^6 x^6}{2} + \frac{3c^4 x^4}{4} - \frac{c^2 x^2}{2} \right) - d^3 b \left( \frac{\arcsin(cx) c^8 x^8}{8} - \frac{\arcsin(cx) c^6 x^6}{2} + \frac{3c^4 x^4 \arcsin(cx)}{4} - \frac{c^2 x^2 \arcsin(cx)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x)

[Out] 1/c^2\*(-d^3\*a\*(1/8\*c^8\*x^8-1/2\*c^6\*x^6+3/4\*c^4\*x^4-1/2\*c^2\*x^2)-d^3\*b\*(1/8\*arcsin(c\*x)\*c^8\*x^8-1/2\*arcsin(c\*x)\*c^6\*x^6+3/4\*c^4\*x^4\*arcsin(c\*x)-1/2\*c^2\*x^2\*arcsin(c\*x)+1/64\*c^7\*x^7\*(-c^2\*x^2+1)^(1/2)-25/384\*c^5\*x^5\*(-c^2\*x^2+1)^(1/2)+163/1536\*c^3\*x^3\*(-c^2\*x^2+1)^(1/2)-93/1024\*c\*x\*(-c^2\*x^2+1)^(1/2)+93/1024\*arcsin(c\*x)))

**Maxima [B]** time = 1.77141, size = 548, normalized size = 3.65

$$-\frac{1}{8} ac^6 d^3 x^8 + \frac{1}{2} ac^4 d^3 x^6 - \frac{1}{3072} \left( 384 x^8 \arcsin(cx) + \left( \frac{48 \sqrt{-c^2 x^2 + 1} x^7}{c^2} + \frac{56 \sqrt{-c^2 x^2 + 1} x^5}{c^4} + \frac{70 \sqrt{-c^2 x^2 + 1} x^3}{c^6} + \frac{105 \sqrt{-c^2 x^2 + 1} x}{c^8} - 105 \arcsin(c^2 x / \sqrt{c^2 + 1}) \right) / (\sqrt{c^2 + 1} c^8) \right) * c * b * c^6 d^3 - \frac{3}{4} a * c^2 * d^3 * x^4 + \frac{1}{96} * (48 * x^6 * \arcsin(c * x) + (8 * \sqrt{-c^2 * x^2 + 1} * x^5 / c^2 + 10 * \sqrt{-c^2 * x^2 + 1} * x^3 / c^4 + 15 * \sqrt{-c^2 * x^2 + 1} * x / c^6 - 15 * \arcsin(c^2 * x / \sqrt{c^2 + 1})) / (\sqrt{c^2 + 1} * c^6)) * c * b * c^4 * d^3 - \frac{3}{32} * (8 * x^4 * \arcsin(c * x) + (2 * \sqrt{-c^2 * x^2 + 1} * x^3 / c^2 + 3 * \sqrt{-c^2 * x^2 + 1} * x / c^4 - 3 * \arcsin(c^2 * x / \sqrt{c^2 + 1})) / (\sqrt{c^2 + 1} * c^4)) * c * b * c^2 * d^3 + \frac{1}{2} * a * d^3 * x^2 + \frac{1}{4} * (2 * x^2 * \arcsin(c * x) + c * (\sqrt{-c^2 * x^2 + 1} * x / c^2 - \arcsin(c^2 * x / \sqrt{c^2 + 1})) / (\sqrt{c^2 + 1} * c^2)) * b * d^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] -1/8\*a\*c^6\*d^3\*x^8 + 1/2\*a\*c^4\*d^3\*x^6 - 1/3072\*(384\*x^8\*arcsin(c\*x) + (48\*sqrt(-c^2\*x^2 + 1)\*x^7/c^2 + 56\*sqrt(-c^2\*x^2 + 1)\*x^5/c^4 + 70\*sqrt(-c^2\*x^2 + 1)\*x^3/c^6 + 105\*sqrt(-c^2\*x^2 + 1)\*x/c^8 - 105\*arcsin(c^2\*x/sqrt(c^2 + 1)))/(sqrt(c^2 + 1)\*c^8))\*c\*b\*c^6\*d^3 - 3/4\*a\*c^2\*d^3\*x^4 + 1/96\*(48\*x^6\*arcsin(c\*x) + (8\*sqrt(-c^2\*x^2 + 1)\*x^5/c^2 + 10\*sqrt(-c^2\*x^2 + 1)\*x^3/c^4 + 15\*sqrt(-c^2\*x^2 + 1)\*x/c^6 - 15\*arcsin(c^2\*x/sqrt(c^2 + 1)))/(sqrt(c^2 + 1)\*c^6))\*c\*b\*c^4\*d^3 - 3/32\*(8\*x^4\*arcsin(c\*x) + (2\*sqrt(-c^2\*x^2 + 1)\*x^3/c^2 + 3\*sqrt(-c^2\*x^2 + 1)\*x/c^4 - 3\*arcsin(c^2\*x/sqrt(c^2 + 1)))/(sqrt(c^2 + 1)\*c^4))\*c\*b\*c^2\*d^3 + 1/2\*a\*d^3\*x^2 + 1/4\*(2\*x^2\*arcsin(c\*x) + c\*(sqrt(-c^2\*x^2 + 1)\*x/c^2 - arcsin(c^2\*x/sqrt(c^2 + 1)))/(sqrt(c^2 + 1)\*c^2))\*b\*d^3

**Fricas [A]** time = 2.12246, size = 404, normalized size = 2.69

$$\frac{384 ac^8 d^3 x^8 - 1536 ac^6 d^3 x^6 + 2304 ac^4 d^3 x^4 - 1536 ac^2 d^3 x^2 + 3(128 bc^8 d^3 x^8 - 512 bc^6 d^3 x^6 + 768 bc^4 d^3 x^4 - 512 bc^2 d^3 x^2 - 105 \sqrt{-c^2 x^2 + 1} x^7 / c^2 + 56 \sqrt{-c^2 x^2 + 1} x^5 / c^4 + 70 \sqrt{-c^2 x^2 + 1} x^3 / c^6 + 105 \sqrt{-c^2 x^2 + 1} x / c^8 - 105 \arcsin(c^2 x / \sqrt{c^2 + 1})) / (\sqrt{c^2 + 1} c^8) * c * b * c^6 d^3 - \frac{3}{4} a * c^2 * d^3 * x^4 + \frac{1}{96} * (48 * x^6 * \arcsin(c * x) + (8 * \sqrt{-c^2 * x^2 + 1} * x^5 / c^2 + 10 * \sqrt{-c^2 * x^2 + 1} * x^3 / c^4 + 15 * \sqrt{-c^2 * x^2 + 1} * x / c^6 - 15 * \arcsin(c^2 * x / \sqrt{c^2 + 1})) / (\sqrt{c^2 + 1} * c^6)) * c * b * c^4 * d^3 - \frac{3}{32} * (8 * x^4 * \arcsin(c * x) + (2 * \sqrt{-c^2 * x^2 + 1} * x^3 / c^2 + 3 * \sqrt{-c^2 * x^2 + 1} * x / c^4 - 3 * \arcsin(c^2 * x / \sqrt{c^2 + 1})) / (\sqrt{c^2 + 1} * c^4)) * c * b * c^2 * d^3 + \frac{1}{2} * a * d^3 * x^2 + \frac{1}{4} * (2 * x^2 * \arcsin(c * x) + c * (\sqrt{-c^2 * x^2 + 1} * x / c^2 - \arcsin(c^2 * x / \sqrt{c^2 + 1})) / (\sqrt{c^2 + 1} * c^2)) * b * d^3$$

3072 c^2

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*d*x^2+d)^3*(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] 
$$-1/3072*(384*a*c^8*d^3*x^8 - 1536*a*c^6*d^3*x^6 + 2304*a*c^4*d^3*x^4 - 1536*a*c^2*d^3*x^2 + 3*(128*b*c^8*d^3*x^8 - 512*b*c^6*d^3*x^6 + 768*b*c^4*d^3*x^4 - 512*b*c^2*d^3*x^2 + 93*b*d^3)*arcsin(c*x) + (48*b*c^7*d^3*x^7 - 200*b*c^5*d^3*x^5 + 326*b*c^3*d^3*x^3 - 279*b*c*d^3*x)*sqrt(-c^2*x^2 + 1))/c^2$$

**Sympy [A]** time = 17.4734, size = 253, normalized size = 1.69

$$\left\{ \begin{array}{l} -\frac{ac^6d^3x^8}{2} + \frac{ac^4d^3x^6}{2} - \frac{3ac^2d^3x^4}{4} + \frac{ad^3x^2}{2} - \frac{bc^6d^3x^8 \operatorname{asin}(cx)}{8} - \frac{bc^5d^3x^7\sqrt{-c^2x^2+1}}{64} + \frac{bc^4d^3x^6 \operatorname{asin}(cx)}{2} + \frac{25bc^3d^3x^5\sqrt{-c^2x^2+1}}{384} - \frac{3bc^2d^3x^4 \operatorname{asin}(cx)}{4} \\ \frac{ad^3x^2}{2} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c**2*d*x**2+d)**3*(a+b*asin(c*x)),x)`

[Out] `Piecewise((-a*c**6*d**3*x**8/8 + a*c**4*d**3*x**6/2 - 3*a*c**2*d**3*x**4/4 + a*d**3*x**2/2 - b*c**6*d**3*x**8*asin(c*x)/8 - b*c**5*d**3*x**7*sqrt(-c**2*x**2 + 1)/64 + b*c**4*d**3*x**6*asin(c*x)/2 + 25*b*c**3*d**3*x**5*sqrt(-c**2*x**2 + 1)/384 - 3*b*c**2*d**3*x**4*asin(c*x)/4 - 163*b*c*d**3*x**3*sqrt(-c**2*x**2 + 1)/1536 + b*d**3*x**2*asin(c*x)/2 + 93*b*d**3*x*sqrt(-c**2*x**2 + 1)/(1024*c) - 93*b*d**3*asin(c*x)/(1024*c**2), Ne(c, 0)), (a*d**3*x**2/2, True))`

**Giac [A]** time = 1.24997, size = 227, normalized size = 1.51

$$\frac{(c^2x^2 - 1)^3\sqrt{-c^2x^2 + 1}bd^3x}{64c} - \frac{(c^2x^2 - 1)^4bd^3 \operatorname{arcsin}(cx)}{8c^2} + \frac{7(c^2x^2 - 1)^2\sqrt{-c^2x^2 + 1}bd^3x}{384c} - \frac{(c^2x^2 - 1)^4ad^3}{8c^2} + \frac{35(-c^2x^2 + 1)^{3/2}bd^3x}{1024c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*d*x^2+d)^3*(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] 
$$-1/64*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b*d^3*x/c - 1/8*(c^2*x^2 - 1)^4*b*d^3*arcsin(c*x)/c^2 + 7/384*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b*d^3*x/c - 1/8*(c^2*x^2 - 1)^4*a*d^3/c^2 + 35/1536*(-c^2*x^2 + 1)^{3/2}*b*d^3*x/c + 35$$

$$\frac{1}{1024} \sqrt{-c^2 x^2 + 1} b d^3 x / c + \frac{35}{1024} b d^3 \arcsin(c x) / c^2$$



### 3.23 $\int (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=175

$$-\frac{1}{7}c^6d^3x^7(a + b \sin^{-1}(cx)) + \frac{3}{5}c^4d^3x^5(a + b \sin^{-1}(cx)) - c^2d^3x^3(a + b \sin^{-1}(cx)) + d^3x(a + b \sin^{-1}(cx)) + \frac{bd^3(1 - c^2)}{49c}$$

[Out] (16\*b\*d^3\*Sqrt[1 - c^2\*x^2])/(35\*c) + (8\*b\*d^3\*(1 - c^2\*x^2)^(3/2))/(105\*c) + (6\*b\*d^3\*(1 - c^2\*x^2)^(5/2))/(175\*c) + (b\*d^3\*(1 - c^2\*x^2)^(7/2))/(49\*c) + d^3\*x\*(a + b\*ArcSin[c\*x]) - c^2\*d^3\*x^3\*(a + b\*ArcSin[c\*x]) + (3\*c^4\*d^3\*x^5\*(a + b\*ArcSin[c\*x]))/5 - (c^6\*d^3\*x^7\*(a + b\*ArcSin[c\*x]))/7

**Rubi [A]** time = 0.171282, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$ , Rules used = {194, 4645, 12, 1799, 1850}

$$-\frac{1}{7}c^6d^3x^7(a + b \sin^{-1}(cx)) + \frac{3}{5}c^4d^3x^5(a + b \sin^{-1}(cx)) - c^2d^3x^3(a + b \sin^{-1}(cx)) + d^3x(a + b \sin^{-1}(cx)) + \frac{bd^3(1 - c^2)}{49c}$$

Antiderivative was successfully verified.

[In] Int[(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] (16\*b\*d^3\*Sqrt[1 - c^2\*x^2])/(35\*c) + (8\*b\*d^3\*(1 - c^2\*x^2)^(3/2))/(105\*c) + (6\*b\*d^3\*(1 - c^2\*x^2)^(5/2))/(175\*c) + (b\*d^3\*(1 - c^2\*x^2)^(7/2))/(49\*c) + d^3\*x\*(a + b\*ArcSin[c\*x]) - c^2\*d^3\*x^3\*(a + b\*ArcSin[c\*x]) + (3\*c^4\*d^3\*x^5\*(a + b\*ArcSin[c\*x]))/5 - (c^6\*d^3\*x^7\*(a + b\*ArcSin[c\*x]))/7

#### Rule 194

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 4645

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1799

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x)^p, x], x, x^2], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned} \int (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx &= d^3 x (a + b \sin^{-1}(cx)) - c^2 d^3 x^3 (a + b \sin^{-1}(cx)) + \frac{3}{5} c^4 d^3 x^5 (a + b \sin^{-1}(cx)) - \frac{1}{7} c^6 d^3 x^7 (a + b \sin^{-1}(cx)) \\ &= d^3 x (a + b \sin^{-1}(cx)) - c^2 d^3 x^3 (a + b \sin^{-1}(cx)) + \frac{3}{5} c^4 d^3 x^5 (a + b \sin^{-1}(cx)) - \frac{1}{7} c^6 d^3 x^7 (a + b \sin^{-1}(cx)) \\ &= d^3 x (a + b \sin^{-1}(cx)) - c^2 d^3 x^3 (a + b \sin^{-1}(cx)) + \frac{3}{5} c^4 d^3 x^5 (a + b \sin^{-1}(cx)) - \frac{1}{7} c^6 d^3 x^7 (a + b \sin^{-1}(cx)) \\ &= d^3 x (a + b \sin^{-1}(cx)) - c^2 d^3 x^3 (a + b \sin^{-1}(cx)) + \frac{3}{5} c^4 d^3 x^5 (a + b \sin^{-1}(cx)) - \frac{1}{7} c^6 d^3 x^7 (a + b \sin^{-1}(cx)) \\ &= \frac{16bd^3\sqrt{1-c^2x^2}}{35c} + \frac{8bd^3(1-c^2x^2)^{3/2}}{105c} + \frac{6bd^3(1-c^2x^2)^{5/2}}{175c} + \frac{bd^3(1-c^2x^2)^{7/2}}{49c} + d^3 \int \frac{1-c^2x^2}{\sqrt{1-c^2x^2}} dx \end{aligned}$$

**Mathematica [A]** time = 0.205248, size = 119, normalized size = 0.68

$$\frac{d^3 \left( 105acx \left( 5c^6x^6 - 21c^4x^4 + 35c^2x^2 - 35 \right) + b\sqrt{1-c^2x^2} \left( 75c^6x^6 - 351c^4x^4 + 757c^2x^2 - 2161 \right) + 105bcx \left( 5c^6x^6 - 21c^4x^4 + 35c^2x^2 - 35 \right) \right)}{3675c}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d - c^2*d*x^2)^3*(a + b*ArcSin[c*x]), x]
```

[Out]  $-(d^3*(105*a*c*x*(-35 + 35*c^2*x^2 - 21*c^4*x^4 + 5*c^6*x^6) + b*\text{Sqrt}[1 - c^2*x^2]*(-2161 + 757*c^2*x^2 - 351*c^4*x^4 + 75*c^6*x^6) + 105*b*c*x*(-35 + 35*c^2*x^2 - 21*c^4*x^4 + 5*c^6*x^6)*\text{ArcSin}[c*x]))/(3675*c)$

**Maple [A]** time = 0.004, size = 164, normalized size = 0.9

$\frac{1}{c} \left( -d^3 a \left( \frac{c^7 x^7}{7} - \frac{3 c^5 x^5}{5} + c^3 x^3 - c x \right) - d^3 b \left( \frac{\arcsin(cx) c^7 x^7}{7} - \frac{3 \arcsin(cx) c^5 x^5}{5} + c^3 x^3 \arcsin(cx) - c x \arcsin(cx) + \right. \right.$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((-c^2*d*x^2+d)^3*(a+b*\arcsin(c*x)),x)$

[Out]  $1/c*(-d^3*a*(1/7*c^7*x^7-3/5*c^5*x^5+c^3*x^3-c*x)-d^3*b*(1/7*\arcsin(c*x)*c^7*x^7-3/5*\arcsin(c*x)*c^5*x^5+c^3*x^3*\arcsin(c*x)-c*x*\arcsin(c*x)+1/49*c^6*x^6*(-c^2*x^2+1)^{(1/2)}-117/1225*c^4*x^4*(-c^2*x^2+1)^{(1/2)}+757/3675*c^2*x^2*(-c^2*x^2+1)^{(1/2)}-2161/3675*(-c^2*x^2+1)^{(1/2))}$

**Maxima [A]** time = 1.63586, size = 414, normalized size = 2.37

$-\frac{1}{7}ac^6d^3x^7 + \frac{3}{5}ac^4d^3x^5 - \frac{1}{245} \left( 35x^7 \arcsin(cx) + \left( \frac{5\sqrt{-c^2x^2+1}x^6}{c^2} + \frac{6\sqrt{-c^2x^2+1}x^4}{c^4} + \frac{8\sqrt{-c^2x^2+1}x^2}{c^6} + \frac{16\sqrt{-c^2x^2+1}}{c^8} \right) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((-c^2*d*x^2+d)^3*(a+b*\arcsin(c*x)),x, \text{algorithm}="maxima")$

[Out]  $-1/7*a*c^6*d^3*x^7 + 3/5*a*c^4*d^3*x^5 - 1/245*(35*x^7*\arcsin(c*x) + (5*\text{sqrt}(-c^2*x^2 + 1)*x^6/c^2 + 6*\text{sqrt}(-c^2*x^2 + 1)*x^4/c^4 + 8*\text{sqrt}(-c^2*x^2 + 1)*x^2/c^6 + 16*\text{sqrt}(-c^2*x^2 + 1)/c^8)*c)*b*c^6*d^3 + 1/25*(15*x^5*\arcsin(c*x) + (3*\text{sqrt}(-c^2*x^2 + 1)*x^4/c^2 + 4*\text{sqrt}(-c^2*x^2 + 1)*x^2/c^4 + 8*\text{sqrt}(-c^2*x^2 + 1)/c^6)*c)*b*c^4*d^3 - a*c^2*d^3*x^3 - 1/3*(3*x^3*\arcsin(c*x) + c*(\text{sqrt}(-c^2*x^2 + 1)*x^2/c^2 + 2*\text{sqrt}(-c^2*x^2 + 1)/c^4))*b*c^2*d^3 + a*d^3*x + (c*x*\arcsin(c*x) + \text{sqrt}(-c^2*x^2 + 1))*b*d^3/c$

**Fricas [A]** time = 2.19863, size = 367, normalized size = 2.1

$\frac{525ac^7d^3x^7 - 2205ac^5d^3x^5 + 3675ac^3d^3x^3 - 3675acd^3x + 105(5bc^7d^3x^7 - 21bc^5d^3x^5 + 35bc^3d^3x^3 - 35bcd^3x) \arcsin(cx)}{3675c}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] 
$$-1/3675*(525*a*c^7*d^3*x^7 - 2205*a*c^5*d^3*x^5 + 3675*a*c^3*d^3*x^3 - 3675*a*c*d^3*x + 105*(5*b*c^7*d^3*x^7 - 21*b*c^5*d^3*x^5 + 35*b*c^3*d^3*x^3 - 35*b*c*d^3*x)*\arcsin(c*x) + (75*b*c^6*d^3*x^6 - 351*b*c^4*d^3*x^4 + 757*b*c^2*d^3*x^2 - 2161*b*d^3)*\sqrt{-c^2*x^2 + 1})/c$$

**Sympy [A]** time = 20.5782, size = 221, normalized size = 1.26

$$\left\{ \begin{array}{l} -\frac{ac^6d^3x^7}{7} + \frac{3ac^4d^3x^5}{5} - ac^2d^3x^3 + ad^3x - \frac{bc^6d^3x^7 \arcsin(cx)}{7} - \frac{bc^5d^3x^6\sqrt{-c^2x^2+1}}{49} + \frac{3bc^4d^3x^5 \arcsin(cx)}{5} + \frac{117bc^3d^3x^4\sqrt{-c^2x^2+1}}{1225} - bc^2d^3x^3 \arcsin(cx) \\ ad^3x \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((-a\*c\*\*6\*d\*\*3\*x\*\*7/7 + 3\*a\*c\*\*4\*d\*\*3\*x\*\*5/5 - a\*c\*\*2\*d\*\*3\*x\*\*3 + a\*d\*\*3\*x - b\*c\*\*6\*d\*\*3\*x\*\*7\*asin(c\*x)/7 - b\*c\*\*5\*d\*\*3\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)/49 + 3\*b\*c\*\*4\*d\*\*3\*x\*\*5\*asin(c\*x)/5 + 117\*b\*c\*\*3\*d\*\*3\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/1225 - b\*c\*\*2\*d\*\*3\*x\*\*3\*asin(c\*x) - 757\*b\*c\*d\*\*3\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/3675 + b\*d\*\*3\*x\*asin(c\*x) + 2161\*b\*d\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/(3675\*c), Ne(c, 0)), (a\*d\*\*3\*x, True))

**Giac [A]** time = 1.235, size = 302, normalized size = 1.73

$$-\frac{1}{7}ac^6d^3x^7 + \frac{3}{5}ac^4d^3x^5 - ac^2d^3x^3 - \frac{1}{7}(c^2x^2 - 1)^3bd^3x \arcsin(cx) + \frac{6}{35}(c^2x^2 - 1)^2bd^3x \arcsin(cx) - \frac{8}{35}(c^2x^2 - 1)bd^3x \arcsin(cx) + \frac{1}{7}(c^2x^2 - 1)^3bd^3x \arcsin(cx) - \frac{6}{35}(c^2x^2 - 1)^2bd^3x \arcsin(cx) + \frac{8}{35}(c^2x^2 - 1)bd^3x \arcsin(cx) - \frac{1}{7}bd^3x \arcsin(cx) + \frac{1}{7}ad^3x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] 
$$-1/7*a*c^6*d^3*x^7 + 3/5*a*c^4*d^3*x^5 - a*c^2*d^3*x^3 - 1/7*(c^2*x^2 - 1)^3*b*d^3*x*\arcsin(c*x) + 6/35*(c^2*x^2 - 1)^2*b*d^3*x*\arcsin(c*x) - 8/35*(c^2*x^2 - 1)*b*d^3*x*\arcsin(c*x) - 1/49*(c^2*x^2 - 1)^3*\sqrt{-c^2*x^2 + 1}*b*d^3/c + 16/35*b*d^3*x*\arcsin(c*x) + 6/175*(c^2*x^2 - 1)^2*\sqrt{-c^2*x^2 + 1}$$

$$) * b * d^3 / c + a * d^3 * x + 8 / 105 * (-c^2 * x^2 + 1)^{3/2} * b * d^3 / c + 16 / 35 * \text{sqrt}(-c^2 * x^2 + 1) * b * d^3 / c$$

$$3.24 \quad \int \frac{(d-c^2 dx^2)^3 (a+b \sin^{-1}(cx))}{x} dx$$

**Optimal.** Leaf size=235

$$-\frac{1}{2}ibd^3 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + \frac{1}{6}d^3 (1-c^2x^2)^3 (a+b \sin^{-1}(cx)) + \frac{1}{4}d^3 (1-c^2x^2)^2 (a+b \sin^{-1}(cx)) + \frac{1}{2}d^3 (1-c^2x^2)$$

```
[Out] (-19*b*c*d^3*x*Sqrt[1 - c^2*x^2])/48 - (7*b*c*d^3*x*(1 - c^2*x^2)^(3/2))/72
- (b*c*d^3*x*(1 - c^2*x^2)^(5/2))/36 - (19*b*d^3*ArcSin[c*x])/48 + (d^3*(1
- c^2*x^2)*(a + b*ArcSin[c*x]))/2 + (d^3*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x
]))/4 + (d^3*(1 - c^2*x^2)^3*(a + b*ArcSin[c*x]))/6 - ((I/2)*d^3*(a + b*Arc
Sin[c*x])^2)/b + d^3*(a + b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSin[c*x])] - (
I/2)*b*d^3*PolyLog[2, E^((2*I)*ArcSin[c*x])]
```

---

**Rubi [A]** time = 0.283025, antiderivative size = 235, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.32$ , Rules used = {4683, 4625, 3717, 2190, 2279, 2391, 195, 216}

$$-\frac{1}{2}ibd^3 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + \frac{1}{6}d^3 (1-c^2x^2)^3 (a+b \sin^{-1}(cx)) + \frac{1}{4}d^3 (1-c^2x^2)^2 (a+b \sin^{-1}(cx)) + \frac{1}{2}d^3 (1-c^2x^2)$$

Antiderivative was successfully verified.

```
[In] Int[((d - c^2*d*x^2)^3*(a + b*ArcSin[c*x]))/x,x]
```

```
[Out] (-19*b*c*d^3*x*Sqrt[1 - c^2*x^2])/48 - (7*b*c*d^3*x*(1 - c^2*x^2)^(3/2))/72
- (b*c*d^3*x*(1 - c^2*x^2)^(5/2))/36 - (19*b*d^3*ArcSin[c*x])/48 + (d^3*(1
- c^2*x^2)*(a + b*ArcSin[c*x]))/2 + (d^3*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x
]))/4 + (d^3*(1 - c^2*x^2)^3*(a + b*ArcSin[c*x]))/6 - ((I/2)*d^3*(a + b*Arc
Sin[c*x])^2)/b + d^3*(a + b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSin[c*x])] - (
I/2)*b*d^3*PolyLog[2, E^((2*I)*ArcSin[c*x])]
```

### Rule 4683

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_)^2)^(p_.))/(x_),
x_Symbol] := Simp[((d + e*x^2)^p*(a + b*ArcSin[c*x]))/(2*p), x] + (Dist[d,
Int[((d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x]))/x, x], x] - Dist[(b*c*d^p)/(2
*p), Int[(1 - c^2*x^2)^(p - 1/2), x], x]) /; FreeQ[{a, b, c, d, e}, x] && E
qQ[c^2*d + e, 0] && IGtQ[p, 0]
```

Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m \* E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1) \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))}{x} dx &= \frac{1}{6} d^3 (1 - c^2 x^2)^3 (a + b \sin^{-1}(cx)) + d \int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))}{x} dx - \frac{1}{6} (bcd^3) \\
&= -\frac{1}{36} bcd^3 x (1 - c^2 x^2)^{5/2} + \frac{1}{4} d^3 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx)) + \frac{1}{6} d^3 (1 - c^2 x^2)^3 (a + b \sin^{-1}(cx)) \\
&= -\frac{7}{72} bcd^3 x (1 - c^2 x^2)^{3/2} - \frac{1}{36} bcd^3 x (1 - c^2 x^2)^{5/2} + \frac{1}{2} d^3 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) \\
&= -\frac{19}{48} bcd^3 x \sqrt{1 - c^2 x^2} - \frac{7}{72} bcd^3 x (1 - c^2 x^2)^{3/2} - \frac{1}{36} bcd^3 x (1 - c^2 x^2)^{5/2} + \frac{1}{2} d^3 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) \\
&= -\frac{19}{48} bcd^3 x \sqrt{1 - c^2 x^2} - \frac{7}{72} bcd^3 x (1 - c^2 x^2)^{3/2} - \frac{1}{36} bcd^3 x (1 - c^2 x^2)^{5/2} - \frac{19}{48} bd^3 \sin^{-1}(cx) \\
&= -\frac{19}{48} bcd^3 x \sqrt{1 - c^2 x^2} - \frac{7}{72} bcd^3 x (1 - c^2 x^2)^{3/2} - \frac{1}{36} bcd^3 x (1 - c^2 x^2)^{5/2} - \frac{19}{48} bd^3 \sin^{-1}(cx) \\
&= -\frac{19}{48} bcd^3 x \sqrt{1 - c^2 x^2} - \frac{7}{72} bcd^3 x (1 - c^2 x^2)^{3/2} - \frac{1}{36} bcd^3 x (1 - c^2 x^2)^{5/2} - \frac{19}{48} bd^3 \sin^{-1}(cx) \\
&= -\frac{19}{48} bcd^3 x \sqrt{1 - c^2 x^2} - \frac{7}{72} bcd^3 x (1 - c^2 x^2)^{3/2} - \frac{1}{36} bcd^3 x (1 - c^2 x^2)^{5/2} - \frac{19}{48} bd^3 \sin^{-1}(cx)
\end{aligned}$$

**Mathematica [A]** time = 0.210419, size = 183, normalized size = 0.78

$$-\frac{1}{144} d^3 \left( 72 \operatorname{ibPolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + 24ac^6 x^6 - 108ac^4 x^4 + 216ac^2 x^2 - 144a \log(x) + 4bc^5 x^5 \sqrt{1 - c^2 x^2} - 22bc^3 x^3 \sqrt{1 - c^2 x^2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]))/x,x]

[Out]  $-(d^3*(216*a*c^2*x^2 - 108*a*c^4*x^4 + 24*a*c^6*x^6 + 75*b*c*x*\operatorname{Sqrt}[1 - c^2*x^2] - 22*b*c^3*x^3*\operatorname{Sqrt}[1 - c^2*x^2] + 4*b*c^5*x^5*\operatorname{Sqrt}[1 - c^2*x^2] + (72*I)*b*\operatorname{ArcSin}[c*x]^2 + 3*b*\operatorname{ArcSin}[c*x]*(-25 + 72*c^2*x^2 - 36*c^4*x^4 + 8*c^6*x^6 - 48*\operatorname{Log}[1 - E^{((2*I)*\operatorname{ArcSin}[c*x])}]) - 144*a*\operatorname{Log}[x] + (72*I)*b*\operatorname{PolyLog}[2, E^{((2*I)*\operatorname{ArcSin}[c*x])}]))/144$

**Maple [A]** time = 0.275, size = 302, normalized size = 1.3

$$-\frac{d^3 ac^6 x^6}{6} + \frac{3 d^3 ac^4 x^4}{4} - \frac{3 d^3 ac^2 x^2}{2} + d^3 a \ln(cx) + \frac{3 d^3 b \arcsin(cx) c^4 x^4}{4} - \frac{3 d^3 b \arcsin(cx) c^2 x^2}{2} - \frac{d^3 b \arcsin(cx) c^6 x^6}{6}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*d*x^2+d)^3*(a+b*arcsin(c*x))/x,x)`

[Out] 
$$-1/6*d^3*a*c^6*x^6+3/4*d^3*a*c^4*x^4-3/2*d^3*a*c^2*x^2+d^3*a*\ln(c*x)+3/4*d^3*b*arcsin(c*x)*c^4*x^4-3/2*d^3*b*arcsin(c*x)*c^2*x^2-1/6*d^3*b*arcsin(c*x)*c^6*x^6+25/48*b*d^3*arcsin(c*x)-I*d^3*b*polylog(2,I*c*x+(-c^2*x^2+1)^(1/2))-I*d^3*b*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2))-1/2*I*b*d^3*arcsin(c*x)^2+d^3*b*arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^(1/2))+d^3*b*arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^(1/2))-1/36*d^3*b*(-c^2*x^2+1)^(1/2)*c^5*x^5+11/72*d^3*b*(-c^2*x^2+1)^(1/2)*c^3*x^3-25/48*b*c*d^3*x*(-c^2*x^2+1)^(1/2)$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{6}ac^6d^3x^6 + \frac{3}{4}ac^4d^3x^4 - \frac{3}{2}ac^2d^3x^2 + ad^3 \log(x) - \int \frac{(bc^6d^3x^6 - 3bc^4d^3x^4 + 3bc^2d^3x^2 - bd^3) \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^3*(a+b*arcsin(c*x))/x,x, algorithm="maxima")`

[Out] 
$$-1/6*a*c^6*d^3*x^6 + 3/4*a*c^4*d^3*x^4 - 3/2*a*c^2*d^3*x^2 + a*d^3*\log(x) - \text{integrate}((b*c^6*d^3*x^6 - 3*b*c^4*d^3*x^4 + 3*b*c^2*d^3*x^2 - b*d^3)*\arctan2(c*x, \text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1))/x, x)$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{ac^6d^3x^6 - 3ac^4d^3x^4 + 3ac^2d^3x^2 - ad^3 + (bc^6d^3x^6 - 3bc^4d^3x^4 + 3bc^2d^3x^2 - bd^3) \arcsin(cx)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^3*(a+b*arcsin(c*x))/x,x, algorithm="fricas")`

[Out] 
$$\text{integral}(-(a*c^6*d^3*x^6 - 3*a*c^4*d^3*x^4 + 3*a*c^2*d^3*x^2 - a*d^3 + (b*c^6*d^3*x^6 - 3*b*c^4*d^3*x^4 + 3*b*c^2*d^3*x^2 - b*d^3)*\arcsin(c*x))/x, x)$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d^3 \left( \int -\frac{a}{x} dx + \int 3ac^2x dx + \int -3ac^4x^3 dx + \int ac^6x^5 dx + \int -\frac{b \operatorname{asin}(cx)}{x} dx + \int 3bc^2x \operatorname{asin}(cx) dx + \int -3bc^4x^3 \operatorname{asin}(cx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x))/x,x)

[Out] -d\*\*3\*(Integral(-a/x, x) + Integral(3\*a\*c\*\*2\*x, x) + Integral(-3\*a\*c\*\*4\*x\*\*3, x) + Integral(a\*c\*\*6\*x\*\*5, x) + Integral(-b\*asin(c\*x)/x, x) + Integral(3\*b\*c\*\*2\*x\*asin(c\*x), x) + Integral(-3\*b\*c\*\*4\*x\*\*3\*asin(c\*x), x) + Integral(b\*c\*\*6\*x\*\*5\*asin(c\*x), x))

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(c^2dx^2 - d)^3 (b \operatorname{arcsin}(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x,x, algorithm="giac")

[Out] integrate(-(c^2\*d\*x^2 - d)^3\*(b\*arcsin(c\*x) + a)/x, x)

$$3.25 \quad \int \frac{(d-c^2 dx^2)^3 (a+b \sin^{-1}(cx))}{x^2} dx$$

**Optimal.** Leaf size=164

$$-\frac{1}{5}c^6 d^3 x^5 (a+b \sin^{-1}(cx)) + c^4 d^3 x^3 (a+b \sin^{-1}(cx)) - 3c^2 d^3 x (a+b \sin^{-1}(cx)) - \frac{d^3 (a+b \sin^{-1}(cx))}{x} - \frac{1}{25}bcd^3 (1-c^2 x^2)$$

[Out] (-11\*b\*c\*d^3\*Sqrt[1 - c^2\*x^2])/5 - (b\*c\*d^3\*(1 - c^2\*x^2)^(3/2))/5 - (b\*c\*d^3\*(1 - c^2\*x^2)^(5/2))/25 - (d^3\*(a + b\*ArcSin[c\*x]))/x - 3\*c^2\*d^3\*x\*(a + b\*ArcSin[c\*x]) + c^4\*d^3\*x^3\*(a + b\*ArcSin[c\*x]) - (c^6\*d^3\*x^5\*(a + b\*ArcSin[c\*x]))/5 - b\*c\*d^3\*ArcTanh[Sqrt[1 - c^2\*x^2]]

**Rubi [A]** time = 0.23118, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.28$ , Rules used = {270, 4687, 12, 1799, 1620, 63, 208}

$$-\frac{1}{5}c^6 d^3 x^5 (a+b \sin^{-1}(cx)) + c^4 d^3 x^3 (a+b \sin^{-1}(cx)) - 3c^2 d^3 x (a+b \sin^{-1}(cx)) - \frac{d^3 (a+b \sin^{-1}(cx))}{x} - \frac{1}{25}bcd^3 (1-c^2 x^2)$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]))/x^2,x]

[Out] (-11\*b\*c\*d^3\*Sqrt[1 - c^2\*x^2])/5 - (b\*c\*d^3\*(1 - c^2\*x^2)^(3/2))/5 - (b\*c\*d^3\*(1 - c^2\*x^2)^(5/2))/25 - (d^3\*(a + b\*ArcSin[c\*x]))/x - 3\*c^2\*d^3\*x\*(a + b\*ArcSin[c\*x]) + c^4\*d^3\*x^3\*(a + b\*ArcSin[c\*x]) - (c^6\*d^3\*x^5\*(a + b\*ArcSin[c\*x]))/5 - b\*c\*d^3\*ArcTanh[Sqrt[1 - c^2\*x^2]]

### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

### Rule 4687

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*((f\_.)\*(x\_)^(m\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] &&

IGtQ[p, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 1799

Int[(Pq\_)\*(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x)^p, x], x, x^2], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

### Rule 1620

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Int[ExpandIntegrand[Px\*(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))}{x^2} dx &= -\frac{d^3 (a + b \sin^{-1}(cx))}{x} - 3c^2 d^3 x (a + b \sin^{-1}(cx)) + c^4 d^3 x^3 (a + b \sin^{-1}(cx)) - \frac{1}{5} c^6 x^5 (a + b \sin^{-1}(cx)) \\
&= -\frac{d^3 (a + b \sin^{-1}(cx))}{x} - 3c^2 d^3 x (a + b \sin^{-1}(cx)) + c^4 d^3 x^3 (a + b \sin^{-1}(cx)) - \frac{1}{5} c^6 x^5 (a + b \sin^{-1}(cx)) \\
&= -\frac{d^3 (a + b \sin^{-1}(cx))}{x} - 3c^2 d^3 x (a + b \sin^{-1}(cx)) + c^4 d^3 x^3 (a + b \sin^{-1}(cx)) - \frac{1}{5} c^6 x^5 (a + b \sin^{-1}(cx)) \\
&= -\frac{d^3 (a + b \sin^{-1}(cx))}{x} - 3c^2 d^3 x (a + b \sin^{-1}(cx)) + c^4 d^3 x^3 (a + b \sin^{-1}(cx)) - \frac{1}{5} c^6 x^5 (a + b \sin^{-1}(cx)) \\
&= -\frac{11}{5} bcd^3 \sqrt{1 - c^2 x^2} - \frac{1}{5} bcd^3 (1 - c^2 x^2)^{3/2} - \frac{1}{25} bcd^3 (1 - c^2 x^2)^{5/2} - \frac{d^3 (a + b \sin^{-1}(cx))}{x} \\
&= -\frac{11}{5} bcd^3 \sqrt{1 - c^2 x^2} - \frac{1}{5} bcd^3 (1 - c^2 x^2)^{3/2} - \frac{1}{25} bcd^3 (1 - c^2 x^2)^{5/2} - \frac{d^3 (a + b \sin^{-1}(cx))}{x} \\
&= -\frac{11}{5} bcd^3 \sqrt{1 - c^2 x^2} - \frac{1}{5} bcd^3 (1 - c^2 x^2)^{3/2} - \frac{1}{25} bcd^3 (1 - c^2 x^2)^{5/2} - \frac{d^3 (a + b \sin^{-1}(cx))}{x}
\end{aligned}$$

**Mathematica [A]** time = 0.112286, size = 166, normalized size = 1.01

$$\frac{d^3 \left( 5ac^6 x^6 - 25ac^4 x^4 + 75ac^2 x^2 + 25a + bc^5 x^5 \sqrt{1 - c^2 x^2} - 7bc^3 x^3 \sqrt{1 - c^2 x^2} + 61bcx \sqrt{1 - c^2 x^2} + 25bcx \log \left( \sqrt{1 - c^2 x^2} + x \right) \right)}{25x}$$

Antiderivative was successfully verified.

[In] Integrate(((d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]))/x^2,x)

[Out] -(d^3\*(25\*a + 75\*a\*c^2\*x^2 - 25\*a\*c^4\*x^4 + 5\*a\*c^6\*x^6 + 61\*b\*c\*x\*sqrt[1 - c^2\*x^2] - 7\*b\*c^3\*x^3\*sqrt[1 - c^2\*x^2] + b\*c^5\*x^5\*sqrt[1 - c^2\*x^2] + 5\*b\*(5 + 15\*c^2\*x^2 - 5\*c^4\*x^4 + c^6\*x^6)\*ArcSin[c\*x] - 25\*b\*c\*x\*Log[x] + 25\*b\*c\*x\*Log[1 + sqrt[1 - c^2\*x^2]]))/(25\*x)

**Maple [A]** time = 0.006, size = 155, normalized size = 1.

$$c \left( -d^3 a \left( \frac{c^5 x^5}{5} - c^3 x^3 + 3cx + \frac{1}{cx} \right) - d^3 b \left( \frac{\arcsin(cx) c^5 x^5}{5} - c^3 x^3 \arcsin(cx) + 3cx \arcsin(cx) + \frac{\arcsin(cx)}{cx} + \frac{c^4 x^4}{25} \sqrt{1 - c^2 x^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*d*x^2+d)^3*(a+b*arcsin(c*x))/x^2,x)`

[Out] `c*(-d^3*a*(1/5*c^5*x^5-c^3*x^3+3*c*x+1/c/x)-d^3*b*(1/5*arcsin(c*x)*c^5*x^5-c^3*x^3*arcsin(c*x)+3*c*x*arcsin(c*x)+1/c/x*arcsin(c*x)+1/25*c^4*x^4*(-c^2*x^2+1)^(1/2)-7/25*c^2*x^2*(-c^2*x^2+1)^(1/2)+61/25*(-c^2*x^2+1)^(1/2)+arctanh(1/(-c^2*x^2+1)^(1/2))))`

**Maxima [A]** time = 1.6, size = 338, normalized size = 2.06

$$-\frac{1}{5}ac^6d^3x^5 - \frac{1}{75}\left(15x^5\arcsin(cx) + \left(\frac{3\sqrt{-c^2x^2+1}x^4}{c^2} + \frac{4\sqrt{-c^2x^2+1}x^2}{c^4} + \frac{8\sqrt{-c^2x^2+1}}{c^6}\right)c\right)bc^6d^3 + ac^4d^3x^3 + \frac{1}{3}\left(3x^3a\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^3*(a+b*arcsin(c*x))/x^2,x, algorithm="maxima")`

[Out] `-1/5*a*c^6*d^3*x^5 - 1/75*(15*x^5*arcsin(c*x) + (3*sqrt(-c^2*x^2 + 1)*x^4/c^2 + 4*sqrt(-c^2*x^2 + 1)*x^2/c^4 + 8*sqrt(-c^2*x^2 + 1)/c^6)*c)*b*c^6*d^3 + a*c^4*d^3*x^3 + 1/3*(3*x^3*arcsin(c*x) + c*(sqrt(-c^2*x^2 + 1)*x^2/c^2 + 2*sqrt(-c^2*x^2 + 1)/c^4))*b*c^4*d^3 - 3*a*c^2*d^3*x - 3*(c*x*arcsin(c*x) + sqrt(-c^2*x^2 + 1))*b*c*d^3 - (c*log(2*sqrt(-c^2*x^2 + 1)/abs(x) + 2/abs(x))) + arcsin(c*x)/x)*b*d^3 - a*d^3/x`

**Fricas [A]** time = 2.81481, size = 427, normalized size = 2.6

$$10ac^6d^3x^6 - 50ac^4d^3x^4 + 150ac^2d^3x^2 + 25bcd^3x \log\left(\sqrt{-c^2x^2+1}+1\right) - 25bcd^3x \log\left(\sqrt{-c^2x^2+1}-1\right) + 50ad^3 + 10$$

50x

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^3*(a+b*arcsin(c*x))/x^2,x, algorithm="fricas")`

[Out] `-1/50*(10*a*c^6*d^3*x^6 - 50*a*c^4*d^3*x^4 + 150*a*c^2*d^3*x^2 + 25*b*c*d^3*x*log(sqrt(-c^2*x^2 + 1) + 1) - 25*b*c*d^3*x*log(sqrt(-c^2*x^2 + 1) - 1) + 50*a*d^3 + 10*(b*c^6*d^3*x^6 - 5*b*c^4*d^3*x^4 + 15*b*c^2*d^3*x^2 + 5*b*d^3)*arcsin(c*x) + 2*(b*c^5*d^3*x^5 - 7*b*c^3*d^3*x^3 + 61*b*c*d^3*x)*sqrt(-c`

$$\sqrt{2x^2 + 1})/x$$

**Sympy [A]** time = 40.4781, size = 287, normalized size = 1.75

$$-\frac{ac^6d^3x^5}{5} + ac^4d^3x^3 - 3ac^2d^3x - \frac{ad^3}{x} + \frac{bc^7d^3 \left( \begin{cases} -\frac{x^4\sqrt{-c^2x^2+1}}{5c^2} - \frac{4x^2\sqrt{-c^2x^2+1}}{15c^4} - \frac{8\sqrt{-c^2x^2+1}}{15c^6} & \text{for } c \neq 0 \\ \frac{x^6}{6} & \text{otherwise} \end{cases} \right)}{5} - \frac{bc^6d^3x^5 \operatorname{asin}(c)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x))/x\*\*2,x)

[Out] -a\*c\*\*6\*d\*\*3\*x\*\*5/5 + a\*c\*\*4\*d\*\*3\*x\*\*3 - 3\*a\*c\*\*2\*d\*\*3\*x - a\*d\*\*3/x + b\*c\*\*7\*d\*\*3\*Piecewise((-x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(5\*c\*\*2) - 4\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(15\*c\*\*4) - 8\*sqrt(-c\*\*2\*x\*\*2 + 1)/(15\*c\*\*6), Ne(c, 0)), (x\*\*6/6, True))/5 - b\*c\*\*6\*d\*\*3\*x\*\*5\*asin(c\*x)/5 - b\*c\*\*5\*d\*\*3\*Piecewise((-x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(3\*c\*\*2) - 2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(3\*c\*\*4), Ne(c, 0)), (x\*\*4/4, True)) + b\*c\*\*4\*d\*\*3\*x\*\*3\*asin(c\*x) - 3\*b\*c\*\*2\*d\*\*3\*Piecewise((0, Eq(c, 0)), (x\*asin(c\*x) + sqrt(-c\*\*2\*x\*\*2 + 1)/c, True)) + b\*c\*d\*\*3\*Piecewise((-acosh(1/(c\*x)), 1/Abs(c\*\*2\*x\*\*2) > 1), (I\*asin(1/(c\*x)), True)) - b\*d\*\*3\*asin(c\*x)/x

**Giac [B]** time = 145.438, size = 7443, normalized size = 45.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x^2,x, algorithm="giac")

[Out] -1/2\*b\*c^13\*d^3\*x^12\*arcsin(c\*x)/((c^11\*x^11/(sqrt(-c^2\*x^2 + 1) + 1)^11 + 5\*c^9\*x^9/(sqrt(-c^2\*x^2 + 1) + 1)^9 + 10\*c^7\*x^7/(sqrt(-c^2\*x^2 + 1) + 1)^7 + 10\*c^5\*x^5/(sqrt(-c^2\*x^2 + 1) + 1)^5 + 5\*c^3\*x^3/(sqrt(-c^2\*x^2 + 1) + 1)^3 + c\*x/(sqrt(-c^2\*x^2 + 1) + 1))\*(sqrt(-c^2\*x^2 + 1) + 1)^12) - 1/2\*a\*c^13\*d^3\*x^12/((c^11\*x^11/(sqrt(-c^2\*x^2 + 1) + 1)^11 + 5\*c^9\*x^9/(sqrt(-c^2\*x^2 + 1) + 1)^9 + 10\*c^7\*x^7/(sqrt(-c^2\*x^2 + 1) + 1)^7 + 10\*c^5\*x^5/(sqrt(-c^2\*x^2 + 1) + 1)^5 + 5\*c^3\*x^3/(sqrt(-c^2\*x^2 + 1) + 1)^3 + c\*x/(sqrt(-c^2\*x^2 + 1) + 1))\*(sqrt(-c^2\*x^2 + 1) + 1)^12) + b\*c^12\*d^3\*x^11\*log(abs(c





$$\begin{aligned}
& 1)^5 + 5c^3x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2x^2 + 1} + 1)) \\
& *(\sqrt{-c^2x^2 + 1} + 1)^7 + 22/5*b*c^8*d^3*x^7/((c^{11}*x^{11}/(\sqrt{-c^2*x^2 \\
& 2 + 1) + 1)^{11} + 5*c^9*x^9/(\sqrt{-c^2*x^2 + 1} + 1)^9 + 10*c^7*x^7/(\sqrt{-c \\
& ^2*x^2 + 1) + 1)^7 + 10*c^5*x^5/(\sqrt{-c^2*x^2 + 1} + 1)^5 + 5*c^3*x^3/(\sqrt{ \\
& t(-c^2*x^2 + 1) + 1)^3 + cx/(\sqrt{-c^2*x^2 + 1} + 1))*(\sqrt{-c^2*x^2 + 1} \\
& + 1)^7) - 182/5*b*c^7*d^3*x^6*arcsin(cx)/((c^{11}*x^{11}/(\sqrt{-c^2*x^2 + 1} + \\
& 1)^{11} + 5*c^9*x^9/(\sqrt{-c^2*x^2 + 1} + 1)^9 + 10*c^7*x^7/(\sqrt{-c^2*x^2 + \\
& 1) + 1)^7 + 10*c^5*x^5/(\sqrt{-c^2*x^2 + 1} + 1)^5 + 5*c^3*x^3/(\sqrt{-c^2*x \\
& ^2 + 1) + 1)^3 + cx/(\sqrt{-c^2*x^2 + 1} + 1))*(\sqrt{-c^2*x^2 + 1} + 1)^6) \\
& - 182/5*a*c^7*d^3*x^6/((c^{11}*x^{11}/(\sqrt{-c^2*x^2 + 1} + 1)^{11} + 5*c^9*x^9/( \\
& \sqrt{-c^2*x^2 + 1} + 1)^9 + 10*c^7*x^7/(\sqrt{-c^2*x^2 + 1} + 1)^7 + 10*c^5* \\
& x^5/(\sqrt{-c^2*x^2 + 1} + 1)^5 + 5*c^3*x^3/(\sqrt{-c^2*x^2 + 1} + 1)^3 + cx \\
& /(\sqrt{-c^2*x^2 + 1} + 1))*(\sqrt{-c^2*x^2 + 1} + 1)^6 + 10*b*c^6*d^3*x^5*1 \\
& \log(\text{abs}(c)*\text{abs}(x))/((c^{11}*x^{11}/(\sqrt{-c^2*x^2 + 1} + 1)^{11} + 5*c^9*x^9/(\sqrt{ \\
& (-c^2*x^2 + 1) + 1)^9 + 10*c^7*x^7/(\sqrt{-c^2*x^2 + 1} + 1)^7 + 10*c^5*x^5/ \\
& (\sqrt{-c^2*x^2 + 1} + 1)^5 + 5*c^3*x^3/(\sqrt{-c^2*x^2 + 1} + 1)^3 + cx/(\sqrt{ \\
& (-c^2*x^2 + 1) + 1))*(\sqrt{-c^2*x^2 + 1} + 1)^5) - 10*b*c^6*d^3*x^5*\log(s \\
& \sqrt{-c^2*x^2 + 1} + 1)/((c^{11}*x^{11}/(\sqrt{-c^2*x^2 + 1} + 1)^{11} + 5*c^9*x^9/ \\
& (\sqrt{-c^2*x^2 + 1} + 1)^9 + 10*c^7*x^7/(\sqrt{-c^2*x^2 + 1} + 1)^7 + 10*c^5 \\
& *x^5/(\sqrt{-c^2*x^2 + 1} + 1)^5 + 5*c^3*x^3/(\sqrt{-c^2*x^2 + 1} + 1)^3 + c* \\
& x/(\sqrt{-c^2*x^2 + 1} + 1))*(\sqrt{-c^2*x^2 + 1} + 1)^5) - 22/5*b*c^6*d^3*x^ \\
& 5/((c^{11}*x^{11}/(\sqrt{-c^2*x^2 + 1} + 1)^{11} + 5*c^9*x^9/(\sqrt{-c^2*x^2 + 1} + \\
& 1)^9 + 10*c^7*x^7/(\sqrt{-c^2*x^2 + 1} + 1)^7 + 10*c^5*x^5/(\sqrt{-c^2*x^2 + \\
& 1) + 1)^5 + 5*c^3*x^3/(\sqrt{-c^2*x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2*x^2 + 1} \\
& + 1))*(\sqrt{-c^2*x^2 + 1} + 1)^5) - 47/2*b*c^5*d^3*x^4*arcsin(cx)/((c^{11}* \\
& x^{11}/(\sqrt{-c^2*x^2 + 1} + 1)^{11} + 5*c^9*x^9/(\sqrt{-c^2*x^2 + 1} + 1)^9 + 1 \\
& 0*c^7*x^7/(\sqrt{-c^2*x^2 + 1} + 1)^7 + 10*c^5*x^5/(\sqrt{-c^2*x^2 + 1} + 1)^ \\
& 5 + 5*c^3*x^3/(\sqrt{-c^2*x^2 + 1} + 1)^3 + cx/(\sqrt{-c^2*x^2 + 1} + 1))*(s \\
& \sqrt{-c^2*x^2 + 1} + 1)^4) - 47/2*a*c^5*d^3*x^4/((c^{11}*x^{11}/(\sqrt{-c^2*x^2 + \\
& 1) + 1)^{11} + 5*c^9*x^9/(\sqrt{-c^2*x^2 + 1} + 1)^9 + 10*c^7*x^7/(\sqrt{-c^2* \\
& x^2 + 1} + 1)^7 + 10*c^5*x^5/(\sqrt{-c^2*x^2 + 1} + 1)^5 + 5*c^3*x^3/(\sqrt{- \\
& c^2*x^2 + 1) + 1)^3 + cx/(\sqrt{-c^2*x^2 + 1} + 1))*(\sqrt{-c^2*x^2 + 1} + 1 \\
& )^4) + 5*b*c^4*d^3*x^3*\log(\text{abs}(c)*\text{abs}(x))/((c^{11}*x^{11}/(\sqrt{-c^2*x^2 + 1} + \\
& 1)^{11} + 5*c^9*x^9/(\sqrt{-c^2*x^2 + 1} + 1)^9 + 10*c^7*x^7/(\sqrt{-c^2*x^2 + \\
& 1) + 1)^7 + 10*c^5*x^5/(\sqrt{-c^2*x^2 + 1} + 1)^5 + 5*c^3*x^3/(\sqrt{-c^2*x \\
& ^2 + 1) + 1)^3 + cx/(\sqrt{-c^2*x^2 + 1} + 1))*(\sqrt{-c^2*x^2 + 1} + 1)^3) \\
& - 5*b*c^4*d^3*x^3*\log(\sqrt{-c^2*x^2 + 1} + 1)/((c^{11}*x^{11}/(\sqrt{-c^2*x^2 + \\
& 1) + 1)^{11} + 5*c^9*x^9/(\sqrt{-c^2*x^2 + 1} + 1)^9 + 10*c^7*x^7/(\sqrt{-c^2*x \\
& ^2 + 1) + 1)^7 + 10*c^5*x^5/(\sqrt{-c^2*x^2 + 1} + 1)^5 + 5*c^3*x^3/(\sqrt{-c \\
& ^2*x^2 + 1) + 1)^3 + cx/(\sqrt{-c^2*x^2 + 1} + 1))*(\sqrt{-c^2*x^2 + 1} + 1) \\
& ^3) - 31/5*b*c^4*d^3*x^3/((c^{11}*x^{11}/(\sqrt{-c^2*x^2 + 1} + 1)^{11} + 5*c^9*x^ \\
& 9/(\sqrt{-c^2*x^2 + 1} + 1)^9 + 10*c^7*x^7/(\sqrt{-c^2*x^2 + 1} + 1)^7 + 10*c \\
& ^5*x^5/(\sqrt{-c^2*x^2 + 1} + 1)^5 + 5*c^3*x^3/(\sqrt{-c^2*x^2 + 1} + 1)^3 + \\
& cx/(\sqrt{-c^2*x^2 + 1} + 1))*(\sqrt{-c^2*x^2 + 1} + 1)^3) - 9*b*c^3*d^3*x^2 \\
& *arcsin(cx)/((c^{11}*x^{11}/(\sqrt{-c^2*x^2 + 1} + 1)^{11} + 5*c^9*x^9/(\sqrt{-c^2
\end{aligned}$$

$$\begin{aligned}
& *x^2 + 1) + 1)^9 + 10*c^7*x^7/(sqrt(-c^2*x^2 + 1) + 1)^7 + 10*c^5*x^5/(sqrt \\
& (-c^2*x^2 + 1) + 1)^5 + 5*c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c \\
& ^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)^2) - 9*a*c^3*d^3*x^2/((c^11*x^11 \\
& /((sqrt(-c^2*x^2 + 1) + 1)^11 + 5*c^9*x^9/(sqrt(-c^2*x^2 + 1) + 1)^9 + 10*c^7 \\
& *x^7/(sqrt(-c^2*x^2 + 1) + 1)^7 + 10*c^5*x^5/(sqrt(-c^2*x^2 + 1) + 1)^5 + \\
& 5*c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c \\
& ^2*x^2 + 1) + 1)^2) + b*c^2*d^3*x*log(abs(c)*abs(x))/((c^11*x^11/(sqrt(-c \\
& ^2*x^2 + 1) + 1)^11 + 5*c^9*x^9/(sqrt(-c^2*x^2 + 1) + 1)^9 + 10*c^7*x^7/(sq \\
& rt(-c^2*x^2 + 1) + 1)^7 + 10*c^5*x^5/(sqrt(-c^2*x^2 + 1) + 1)^5 + 5*c^3*x^3 \\
& /((sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 \\
& + 1) + 1)) - b*c^2*d^3*x*log(sqrt(-c^2*x^2 + 1) + 1)/((c^11*x^11/(sqrt(-c^2 \\
& *x^2 + 1) + 1)^11 + 5*c^9*x^9/(sqrt(-c^2*x^2 + 1) + 1)^9 + 10*c^7*x^7/(sqrt \\
& (-c^2*x^2 + 1) + 1)^7 + 10*c^5*x^5/(sqrt(-c^2*x^2 + 1) + 1)^5 + 5*c^3*x^3/( \\
& sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + \\
& 1) + 1)) - 61/25*b*c^2*d^3*x/((c^11*x^11/(sqrt(-c^2*x^2 + 1) + 1)^11 + 5*c^ \\
& 9*x^9/(sqrt(-c^2*x^2 + 1) + 1)^9 + 10*c^7*x^7/(sqrt(-c^2*x^2 + 1) + 1)^7 + \\
& 10*c^5*x^5/(sqrt(-c^2*x^2 + 1) + 1)^5 + 5*c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^ \\
& 3 + c*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)) - 1/2*b*c*d^3*a \\
& rcsin(c*x)/(c^11*x^11/(sqrt(-c^2*x^2 + 1) + 1)^11 + 5*c^9*x^9/(sqrt(-c^2*x^ \\
& 2 + 1) + 1)^9 + 10*c^7*x^7/(sqrt(-c^2*x^2 + 1) + 1)^7 + 10*c^5*x^5/(sqrt(-c \\
& ^2*x^2 + 1) + 1)^5 + 5*c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c*x/(sqrt(-c^2* \\
& x^2 + 1) + 1)) - 1/2*a*c*d^3/(c^11*x^11/(sqrt(-c^2*x^2 + 1) + 1)^11 + 5*c^9 \\
& *x^9/(sqrt(-c^2*x^2 + 1) + 1)^9 + 10*c^7*x^7/(sqrt(-c^2*x^2 + 1) + 1)^7 + 1 \\
& 0*c^5*x^5/(sqrt(-c^2*x^2 + 1) + 1)^5 + 5*c^3*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 \\
& + c*x/(sqrt(-c^2*x^2 + 1) + 1))
\end{aligned}$$

$$3.26 \quad \int \frac{(d-c^2 dx^2)^3 (a+b \sin^{-1}(cx))}{x^3} dx$$

**Optimal.** Leaf size=263

$$\frac{3}{2} ibc^2 d^3 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) - \frac{d^3 (1-c^2 x^2)^3 (a+b \sin^{-1}(cx))}{2x^2} - \frac{3}{4} c^2 d^3 (1-c^2 x^2)^2 (a+b \sin^{-1}(cx)) - \frac{3}{2} c^2 d^3 (1-c^2 x^2)$$

```
[Out] (3*b*c^3*d^3*x*Sqrt[1 - c^2*x^2])/32 - (7*b*c^3*d^3*x*(1 - c^2*x^2)^(3/2))/16 - (b*c*d^3*(1 - c^2*x^2)^(5/2))/(2*x) + (3*b*c^2*d^3*ArcSin[c*x])/32 - (3*c^2*d^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/2 - (3*c^2*d^3*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/4 - (d^3*(1 - c^2*x^2)^3*(a + b*ArcSin[c*x]))/(2*x^2) + (((3*I)/2)*c^2*d^3*(a + b*ArcSin[c*x])^2)/b - 3*c^2*d^3*(a + b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSin[c*x])] + ((3*I)/2)*b*c^2*d^3*PolyLog[2, E^((2*I)*ArcSin[c*x])]
```

**Rubi [A]** time = 0.298457, antiderivative size = 263, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 10, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {4685, 277, 195, 216, 4683, 4625, 3717, 2190, 2279, 2391}

$$\frac{3}{2} ibc^2 d^3 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) - \frac{d^3 (1-c^2 x^2)^3 (a+b \sin^{-1}(cx))}{2x^2} - \frac{3}{4} c^2 d^3 (1-c^2 x^2)^2 (a+b \sin^{-1}(cx)) - \frac{3}{2} c^2 d^3 (1-c^2 x^2)$$

Antiderivative was successfully verified.

```
[In] Int[((d - c^2*d*x^2)^3*(a + b*ArcSin[c*x]))/x^3, x]
```

```
[Out] (3*b*c^3*d^3*x*Sqrt[1 - c^2*x^2])/32 - (7*b*c^3*d^3*x*(1 - c^2*x^2)^(3/2))/16 - (b*c*d^3*(1 - c^2*x^2)^(5/2))/(2*x) + (3*b*c^2*d^3*ArcSin[c*x])/32 - (3*c^2*d^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/2 - (3*c^2*d^3*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/4 - (d^3*(1 - c^2*x^2)^3*(a + b*ArcSin[c*x]))/(2*x^2) + (((3*I)/2)*c^2*d^3*(a + b*ArcSin[c*x])^2)/b - 3*c^2*d^3*(a + b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSin[c*x])] + ((3*I)/2)*b*c^2*d^3*PolyLog[2, E^((2*I)*ArcSin[c*x])]
```

### Rule 4685

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))*((f_.)*(x_)^(m_.))*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcSin[c*x]))/(f*(m + 1)), x] + (-Dist[(b*c*d^p)/(f*(m + 1)), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2), x], x] - Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m + 2)*
```

$(d + e*x^2)^{(p-1)}*(a + b*\text{ArcSin}[c*x]), x], x]) /;$  FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0] && ILtQ[(m + 1)/2, 0]

### Rule 277

Int[((c\_.)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^p)/(c\*(m + 1)), x] - Dist[(b\*n\*p)/(c^n\*(m + 1)), Int[(c\*x)^(m + n)\*(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m, -1] && !ILtQ[(m + n\*p + n + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 4683

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^((d\_) + (e\_.)\*(x\_)^2)^(p\_.))/(x\_), x\_Symbol] := Simp[((d + e\*x^2)^p\*(a + b\*ArcSin[c\*x]))/(2\*p), x] + (Dist[d, Int[((d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x]))/x, x], x] - Dist[(b\*c\*d^p)/(2\*p), Int[(1 - c^2\*x^2)^(p - 1/2), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

### Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

### Rule 3717

Int[((c\_.) + (d\_.)\*(x\_)^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[(c + d\*x)^m \* E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))}{x^3} dx &= -\frac{d^3 (1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))}{2x^2} - (3c^2 d) \int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))}{x} dx + \\
&= -\frac{bcd^3 (1 - c^2 x^2)^{5/2}}{2x} - \frac{3}{4} c^2 d^3 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx)) - \frac{d^3 (1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))}{2x^2} \\
&= -\frac{7}{16} bc^3 d^3 x (1 - c^2 x^2)^{3/2} - \frac{bcd^3 (1 - c^2 x^2)^{5/2}}{2x} - \frac{3}{2} c^2 d^3 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) \\
&= \frac{3}{32} bc^3 d^3 x \sqrt{1 - c^2 x^2} - \frac{7}{16} bc^3 d^3 x (1 - c^2 x^2)^{3/2} - \frac{bcd^3 (1 - c^2 x^2)^{5/2}}{2x} - \frac{3}{2} c^2 d^3 (1 - c^2 x^2) (a + b \sin^{-1}(cx)) \\
&= \frac{3}{32} bc^3 d^3 x \sqrt{1 - c^2 x^2} - \frac{7}{16} bc^3 d^3 x (1 - c^2 x^2)^{3/2} - \frac{bcd^3 (1 - c^2 x^2)^{5/2}}{2x} + \frac{3}{32} bc^2 d^3 \sin^{-1}(cx) \\
&= \frac{3}{32} bc^3 d^3 x \sqrt{1 - c^2 x^2} - \frac{7}{16} bc^3 d^3 x (1 - c^2 x^2)^{3/2} - \frac{bcd^3 (1 - c^2 x^2)^{5/2}}{2x} + \frac{3}{32} bc^2 d^3 \sin^{-1}(cx) \\
&= \frac{3}{32} bc^3 d^3 x \sqrt{1 - c^2 x^2} - \frac{7}{16} bc^3 d^3 x (1 - c^2 x^2)^{3/2} - \frac{bcd^3 (1 - c^2 x^2)^{5/2}}{2x} + \frac{3}{32} bc^2 d^3 \sin^{-1}(cx) \\
&= \frac{3}{32} bc^3 d^3 x \sqrt{1 - c^2 x^2} - \frac{7}{16} bc^3 d^3 x (1 - c^2 x^2)^{3/2} - \frac{bcd^3 (1 - c^2 x^2)^{5/2}}{2x} + \frac{3}{32} bc^2 d^3 \sin^{-1}(cx)
\end{aligned}$$

**Mathematica [A]** time = 0.178301, size = 203, normalized size = 0.77

$$d^3 \left( -48ibc^2x^2 \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + 8ac^6x^6 - 48ac^4x^4 + 96ac^2x^2 \log(x) + 16a + 2bc^5x^5\sqrt{1-c^2x^2} - 21bc^3x^3\sqrt{1-c^2x^2} \right)$$

32

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]))/x^3,x]

[Out]  $-(d^3(16*a - 48*a*c^4*x^4 + 8*a*c^6*x^6 + 16*b*c*x*\text{Sqrt}[1 - c^2*x^2] - 21*b*c^3*x^3*\text{Sqrt}[1 - c^2*x^2] + 2*b*c^5*x^5*\text{Sqrt}[1 - c^2*x^2] - (48*I)*b*c^2*x^2*\text{ArcSin}[c*x]^2 + b*\text{ArcSin}[c*x]*(16 + 21*c^2*x^2 - 48*c^4*x^4 + 8*c^6*x^6 + 96*c^2*x^2*\text{Log}[1 - E^((2*I)*\text{ArcSin}[c*x])]) + 96*a*c^2*x^2*\text{Log}[x] - (48*I)*b*c^2*x^2*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])]))/(32*x^2)$

**Maple [A]** time = 0.473, size = 330, normalized size = 1.3

$$-\frac{c^6 d^3 a x^4}{4} + \frac{3 c^4 d^3 a x^2}{2} - \frac{d^3 a}{2 x^2} - 3 c^2 d^3 a \ln(cx) - \frac{b d^3 \arcsin(cx)}{2 x^2} - \frac{c^6 d^3 b \arcsin(cx) x^4}{4} + \frac{3 c^4 d^3 b \arcsin(cx) x^2}{2} - \frac{21 b c^2 d^3 \arcsin(cx)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x^3,x)

[Out]  $-1/4*c^6*d^3*a*x^4+3/2*c^4*d^3*a*x^2-1/2*d^3*a/x^2-3*c^2*d^3*a*\ln(cx)-1/2*d^3*b*\arcsin(cx)/x^2-1/4*c^6*d^3*b*\arcsin(cx)*x^4+3/2*c^4*d^3*b*\arcsin(cx)*x^2-21/32*b*c^2*d^3*\arcsin(cx)+3*I*c^2*d^3*b*\text{polylog}(2,-I*c*x-(-c^2*x^2+1)^(1/2))-1/2*b*c*d^3*(-c^2*x^2+1)^(1/2)/x+1/2*I*c^2*d^3*b-3*c^2*d^3*b*\arcsin(cx)*\ln(1-I*c*x-(-c^2*x^2+1)^(1/2))+3*I*c^2*d^3*b*\text{polylog}(2,I*c*x+(-c^2*x^2+1)^(1/2))-3*c^2*d^3*b*\arcsin(cx)*\ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-1/16*c^5*d^3*b*(-c^2*x^2+1)^(1/2)*x^3+21/32*b*c^3*d^3*x*(-c^2*x^2+1)^(1/2)+3/2*I*c^2*d^3*b*\arcsin(cx)^2$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4}ac^6d^3x^4 + \frac{3}{2}ac^4d^3x^2 - 3ac^2d^3 \log(x) - \frac{1}{2}bd^3 \left( \frac{\sqrt{-c^2x^2+1}c}{x} + \frac{\arcsin(cx)}{x^2} \right) - \frac{ad^3}{2x^2} - \int \frac{(bc^6d^3x^4 - 3bc^4d^3x^2 + 3bc^2d^3x^0)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x^3,x, algorithm="maxima")

[Out] 
$$-1/4*a*c^6*d^3*x^4 + 3/2*a*c^4*d^3*x^2 - 3*a*c^2*d^3*\log(x) - 1/2*b*d^3*(\sqrt{-c^2*x^2 + 1}*c/x + \arcsin(c*x)/x^2) - 1/2*a*d^3/x^2 - \int (b*c^6*d^3*x^4 - 3*b*c^4*d^3*x^2 + 3*b*c^2*d^3)*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})/x, x$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral  $\left( -\frac{ac^6d^3x^6 - 3ac^4d^3x^4 + 3ac^2d^3x^2 - ad^3 + (bc^6d^3x^6 - 3bc^4d^3x^4 + 3bc^2d^3x^2 - bd^3)\arcsin(cx)}{x^3}, x \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x^3,x, algorithm="fricas")

[Out] 
$$\int (-a*c^6*d^3*x^6 - 3*a*c^4*d^3*x^4 + 3*a*c^2*d^3*x^2 - a*d^3 + (b*c^6*d^3*x^6 - 3*b*c^4*d^3*x^4 + 3*b*c^2*d^3*x^2 - b*d^3)*\arcsin(c*x))/x^3, x$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d^3 \left( \int -\frac{a}{x^3} dx + \int \frac{3ac^2}{x} dx + \int -3ac^4x dx + \int ac^6x^3 dx + \int -\frac{b \operatorname{asin}(cx)}{x^3} dx + \int \frac{3bc^2 \operatorname{asin}(cx)}{x} dx + \int -3bc^4x \operatorname{asin}(cx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x))/x\*\*3,x)

[Out] 
$$-d**3*(\operatorname{Integral}(-a/x**3, x) + \operatorname{Integral}(3*a*c**2/x, x) + \operatorname{Integral}(-3*a*c**4*x, x) + \operatorname{Integral}(a*c**6*x**3, x) + \operatorname{Integral}(-b*\operatorname{asin}(c*x)/x**3, x) + \operatorname{Integral}(3*b*c**2*\operatorname{asin}(c*x)/x, x) + \operatorname{Integral}(-3*b*c**4*x*\operatorname{asin}(c*x), x) + \operatorname{Integral}(b*c**6*x**3*\operatorname{asin}(c*x), x))$$

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(c^2dx^2 - d)^3 (b \operatorname{arcsin}(cx) + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^3*(a+b*arcsin(c*x))/x^3,x, algorithm="giac")
```

```
[Out] integrate(-(c^2*d*x^2 - d)^3*(b*arcsin(c*x) + a)/x^3, x)
```



$$3.27 \quad \int \frac{(d-c^2 dx^2)^3 (a+b \sin^{-1}(cx))}{x^4} dx$$

**Optimal.** Leaf size=178

$$-\frac{1}{3}c^6 d^3 x^3 (a + b \sin^{-1}(cx)) + 3c^4 d^3 x (a + b \sin^{-1}(cx)) + \frac{3c^2 d^3 (a + b \sin^{-1}(cx))}{x} - \frac{d^3 (a + b \sin^{-1}(cx))}{3x^3} + \frac{1}{9}bc^3 d^3 (1 - c^2$$

[Out]  $(8*b*c^3*d^3*\text{Sqrt}[1 - c^2*x^2])/3 - (b*c*d^3*\text{Sqrt}[1 - c^2*x^2])/(6*x^2) + (b*c^3*d^3*(1 - c^2*x^2)^{(3/2)})/9 - (d^3*(a + b*\text{ArcSin}[c*x]))/(3*x^3) + (3*c^2*d^3*(a + b*\text{ArcSin}[c*x]))/x + 3*c^4*d^3*x*(a + b*\text{ArcSin}[c*x]) - (c^6*d^3*x^3*(a + b*\text{ArcSin}[c*x]))/3 + (17*b*c^3*d^3*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/6$

**Rubi [A]** time = 0.251276, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.32$ , Rules used = {270, 4687, 12, 1799, 1621, 897, 1153, 208}

$$-\frac{1}{3}c^6 d^3 x^3 (a + b \sin^{-1}(cx)) + 3c^4 d^3 x (a + b \sin^{-1}(cx)) + \frac{3c^2 d^3 (a + b \sin^{-1}(cx))}{x} - \frac{d^3 (a + b \sin^{-1}(cx))}{3x^3} + \frac{1}{9}bc^3 d^3 (1 - c^2$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]))/x^4,x]

[Out]  $(8*b*c^3*d^3*\text{Sqrt}[1 - c^2*x^2])/3 - (b*c*d^3*\text{Sqrt}[1 - c^2*x^2])/(6*x^2) + (b*c^3*d^3*(1 - c^2*x^2)^{(3/2)})/9 - (d^3*(a + b*\text{ArcSin}[c*x]))/(3*x^3) + (3*c^2*d^3*(a + b*\text{ArcSin}[c*x]))/x + 3*c^4*d^3*x*(a + b*\text{ArcSin}[c*x]) - (c^6*d^3*x^3*(a + b*\text{ArcSin}[c*x]))/3 + (17*b*c^3*d^3*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/6$

### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

### Rule 4687

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*((f\_.)\*(x\_)^(m\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] &&

IGtQ[p, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 1799

Int[(Pq\_)\*(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x)^p, x], x, x^2], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

### Rule 1621

Int[(Px\_)\*((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{Qx = PolynomialQuotient[Px, a + b\*x, x], R = PolynomialRemainder[Px, a + b\*x, x]}, Simp[(R\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((m + 1)\*(b\*c - a\*d)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*ExpandToSum[(m + 1)\*(b\*c - a\*d)\*Qx - d\*R\*(m + n + 2), x], x], x]] /; FreeQ[{a, b, c, d, n}, x] && PolyQ[Px, x] && ILtQ[m, -1] && GtQ[Expon[Px, x], 2]

### Rule 897

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_ + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

### Rule 1153

Int[((d\_) + (e\_.)\*(x\_)^2)^(q\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))}{x^4} dx &= -\frac{d^3 (a + b \sin^{-1}(cx))}{3x^3} + \frac{3c^2 d^3 (a + b \sin^{-1}(cx))}{x} + 3c^4 d^3 x (a + b \sin^{-1}(cx)) - \frac{1}{3} c^6 \\
&= -\frac{d^3 (a + b \sin^{-1}(cx))}{3x^3} + \frac{3c^2 d^3 (a + b \sin^{-1}(cx))}{x} + 3c^4 d^3 x (a + b \sin^{-1}(cx)) - \frac{1}{3} c^6 \\
&= -\frac{d^3 (a + b \sin^{-1}(cx))}{3x^3} + \frac{3c^2 d^3 (a + b \sin^{-1}(cx))}{x} + 3c^4 d^3 x (a + b \sin^{-1}(cx)) - \frac{1}{3} c^6 \\
&= -\frac{bcd^3 \sqrt{1 - c^2 x^2}}{6x^2} - \frac{d^3 (a + b \sin^{-1}(cx))}{3x^3} + \frac{3c^2 d^3 (a + b \sin^{-1}(cx))}{x} + 3c^4 d^3 x (a + b \sin^{-1}(cx)) - \frac{1}{3} c^6 \\
&= -\frac{bcd^3 \sqrt{1 - c^2 x^2}}{6x^2} - \frac{d^3 (a + b \sin^{-1}(cx))}{3x^3} + \frac{3c^2 d^3 (a + b \sin^{-1}(cx))}{x} + 3c^4 d^3 x (a + b \sin^{-1}(cx)) - \frac{1}{3} c^6 \\
&= -\frac{bcd^3 \sqrt{1 - c^2 x^2}}{6x^2} - \frac{d^3 (a + b \sin^{-1}(cx))}{3x^3} + \frac{3c^2 d^3 (a + b \sin^{-1}(cx))}{x} + 3c^4 d^3 x (a + b \sin^{-1}(cx)) - \frac{1}{3} c^6 \\
&= \frac{8}{3} bc^3 d^3 \sqrt{1 - c^2 x^2} - \frac{bcd^3 \sqrt{1 - c^2 x^2}}{6x^2} + \frac{1}{9} bc^3 d^3 (1 - c^2 x^2)^{3/2} - \frac{d^3 (a + b \sin^{-1}(cx))}{3x^3} \\
&= \frac{8}{3} bc^3 d^3 \sqrt{1 - c^2 x^2} - \frac{bcd^3 \sqrt{1 - c^2 x^2}}{6x^2} + \frac{1}{9} bc^3 d^3 (1 - c^2 x^2)^{3/2} - \frac{d^3 (a + b \sin^{-1}(cx))}{3x^3}
\end{aligned}$$

**Mathematica [A]** time = 0.15279, size = 175, normalized size = 0.98

$$\frac{d^3 \left( 6ac^6 x^6 - 54ac^4 x^4 - 54ac^2 x^2 + 6a + 2bc^5 x^5 \sqrt{1 - c^2 x^2} - 50bc^3 x^3 \sqrt{1 - c^2 x^2} + 3bcx \sqrt{1 - c^2 x^2} + 51bc^3 x^3 \log(x) - 51bc^3 \right)}{18x^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]))/x^4,x]

[Out] -(d^3\*(6\*a - 54\*a\*c^2\*x^2 - 54\*a\*c^4\*x^4 + 6\*a\*c^6\*x^6 + 3\*b\*c\*x\*Sqrt[1 - c^2\*x^2] - 50\*b\*c^3\*x^3\*Sqrt[1 - c^2\*x^2] + 2\*b\*c^5\*x^5\*Sqrt[1 - c^2\*x^2] + 6\*b\*(1 - 9\*c^2\*x^2 - 9\*c^4\*x^4 + c^6\*x^6)\*ArcSin[c\*x] + 51\*b\*c^3\*x^3\*Log[x] - 51\*b\*c^3\*x^3\*Log[1 + Sqrt[1 - c^2\*x^2]]))/(18\*x^3)

---

**Maple [A]** time = 0.01, size = 161, normalized size = 0.9

$$c^3 \left( -d^3 a \left( \frac{c^3 x^3}{3} - 3cx - 3 \frac{1}{cx} + \frac{1}{3c^3 x^3} \right) - d^3 b \left( \frac{c^3 x^3 \arcsin(cx)}{3} - 3cx \arcsin(cx) - 3 \frac{\arcsin(cx)}{cx} + \frac{\arcsin(cx)}{3c^3 x^3} + \frac{c^2 x^2}{9} \sqrt{-c^2 x^2 + 1} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x^4,x)

[Out] c^3\*(-d^3\*a\*(1/3\*c^3\*x^3-3\*c\*x-3/c/x+1/3/c^3/x^3)-d^3\*b\*(1/3\*c^3\*x^3\*arcsin(c\*x)-3\*c\*x\*arcsin(c\*x)-3/c/x\*arcsin(c\*x)+1/3/c^3/x^3\*arcsin(c\*x)+1/9\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-25/9\*(-c^2\*x^2+1)^(1/2)-17/6\*arctanh(1/(-c^2\*x^2+1)^(1/2))+1/6/c^2/x^2\*(-c^2\*x^2+1)^(1/2)))

---

**Maxima [A]** time = 1.56809, size = 327, normalized size = 1.84

$$-\frac{1}{3} ac^6 d^3 x^3 - \frac{1}{9} \left( 3x^3 \arcsin(cx) + c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2}{c^2} + \frac{2\sqrt{-c^2 x^2 + 1}}{c^4} \right) \right) bc^6 d^3 + 3ac^4 d^3 x + 3 \left( cx \arcsin(cx) + \sqrt{-c^2 x^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x^4,x, algorithm="maxima")

[Out] -1/3\*a\*c^6\*d^3\*x^3 - 1/9\*(3\*x^3\*arcsin(c\*x) + c\*(sqrt(-c^2\*x^2 + 1)\*x^2/c^2 + 2\*sqrt(-c^2\*x^2 + 1)/c^4))\*b\*c^6\*d^3 + 3\*a\*c^4\*d^3\*x + 3\*(c\*x\*arcsin(c\*x) + sqrt(-c^2\*x^2 + 1))\*b\*c^3\*d^3 + 3\*(c\*log(2\*sqrt(-c^2\*x^2 + 1)/abs(x) + 2/abs(x)) + arcsin(c\*x)/x)\*b\*c^2\*d^3 - 1/6\*((c^2\*log(2\*sqrt(-c^2\*x^2 + 1)/abs(x) + 2/abs(x)) + sqrt(-c^2\*x^2 + 1)/x^2)\*c + 2\*arcsin(c\*x)/x^3)\*b\*d^3 + 3\*a\*c^2\*d^3/x - 1/3\*a\*d^3/x^3

---

**Fricas [A]** time = 2.80443, size = 440, normalized size = 2.47

$$\frac{12 ac^6 d^3 x^6 - 108 ac^4 d^3 x^4 - 51 bc^3 d^3 x^3 \log(\sqrt{-c^2 x^2 + 1} + 1) + 51 bc^3 d^3 x^3 \log(\sqrt{-c^2 x^2 + 1} - 1) - 108 ac^2 d^3 x^2 + 12 ad^3}{36 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x^4,x, algorithm="fricas")

[Out] 
$$-1/36*(12*a*c^6*d^3*x^6 - 108*a*c^4*d^3*x^4 - 51*b*c^3*d^3*x^3*\log(\sqrt{-c^2*x^2 + 1} + 1) + 51*b*c^3*d^3*x^3*\log(\sqrt{-c^2*x^2 + 1} - 1) - 108*a*c^2*d^3*x^2 + 12*a*d^3 + 12*(b*c^6*d^3*x^6 - 9*b*c^4*d^3*x^4 - 9*b*c^2*d^3*x^2 + b*d^3)*\arcsin(c*x) + 2*(2*b*c^5*d^3*x^5 - 50*b*c^3*d^3*x^3 + 3*b*c*d^3*x)*\sqrt{-c^2*x^2 + 1})/x^3$$

**Sympy [A]** time = 17.5578, size = 326, normalized size = 1.83

$$-\frac{ac^6d^3x^3}{3} + 3ac^4d^3x + \frac{3ac^2d^3}{x} - \frac{ad^3}{3x^3} + \frac{bc^7d^3}{3} \left( \begin{array}{l} \frac{x^2\sqrt{-c^2x^2+1}}{3c^2} - \frac{2\sqrt{-c^2x^2+1}}{3c^4} \text{ for } c \neq 0 \\ \frac{x^4}{4} \text{ otherwise} \end{array} \right) - \frac{bc^6d^3x^3 \operatorname{asin}(cx)}{3} + 3bc^4d^3 \left( \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x))/x\*\*4,x)

[Out] 
$$-a*c**6*d**3*x**3/3 + 3*a*c**4*d**3*x + 3*a*c**2*d**3/x - a*d**3/(3*x**3) + b*c**7*d**3*\operatorname{Piecewise}((-x**2*\sqrt{-c**2*x**2 + 1})/(3*c**2) - 2*\sqrt{-c**2*x**2 + 1})/(3*c**4), \operatorname{Ne}(c, 0)), (x**4/4, \operatorname{True}))/3 - b*c**6*d**3*x**3*\operatorname{asin}(c*x)/3 + 3*b*c**4*d**3*\operatorname{Piecewise}((0, \operatorname{Eq}(c, 0)), (x*\operatorname{asin}(c*x) + \sqrt{-c**2*x**2 + 1})/c, \operatorname{True})) - 3*b*c**3*d**3*\operatorname{Piecewise}((-a*\operatorname{cosh}(1/(c*x))), 1/\operatorname{Abs}(c**2*x**2) > 1), (I*\operatorname{asin}(1/(c*x))), \operatorname{True})) + 3*b*c**2*d**3*\operatorname{asin}(c*x)/x + b*c*d**3*\operatorname{Piecewise}((-c**2*a*\operatorname{cosh}(1/(c*x)))/2 - c*\sqrt{-1 + 1/(c**2*x**2)})/(2*x), 1/\operatorname{Abs}(c**2*x**2) > 1), (I*c**2*\operatorname{asin}(1/(c*x))/2 - I*c/(2*x*\sqrt{1 - 1/(c**2*x**2)})) + I/(2*c*x**3*\sqrt{1 - 1/(c**2*x**2)})), \operatorname{True}))/3 - b*d**3*\operatorname{asin}(c*x)/(3*x**3)$$

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x^4,x, algorithm="giac")

[Out] Timed out

$$3.28 \quad \int \frac{x^4 (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx$$

**Optimal.** Leaf size=172

$$\frac{ibPolyLog\left(2, -ie^{i\sin^{-1}(cx)}\right)}{c^5 d} - \frac{ibPolyLog\left(2, ie^{i\sin^{-1}(cx)}\right)}{c^5 d} - \frac{x^3 (a + b \sin^{-1}(cx))}{3c^2 d} - \frac{x (a + b \sin^{-1}(cx))}{c^4 d} - \frac{2i \tan^{-1}\left(e^{i\sin^{-1}(cx)}\right)}{c^4 d}$$

[Out]  $(-4*b*\text{Sqrt}[1 - c^2*x^2])/(3*c^5*d) + (b*(1 - c^2*x^2)^{(3/2)})/(9*c^5*d) - (x*(a + b*\text{ArcSin}[c*x]))/(c^4*d) - (x^3*(a + b*\text{ArcSin}[c*x]))/(3*c^2*d) - ((2*I)*(a + b*\text{ArcSin}[c*x])* \text{ArcTan}[E^{(I*\text{ArcSin}[c*x])}])/(c^5*d) + (I*b*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[c*x])}])/(c^5*d) - (I*b*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}])/(c^5*d)$

**Rubi [A]** time = 0.237931, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.32$ , Rules used = {4715, 4657, 4181, 2279, 2391, 261, 266, 43}

$$\frac{ibPolyLog\left(2, -ie^{i\sin^{-1}(cx)}\right)}{c^5 d} - \frac{ibPolyLog\left(2, ie^{i\sin^{-1}(cx)}\right)}{c^5 d} - \frac{x^3 (a + b \sin^{-1}(cx))}{3c^2 d} - \frac{x (a + b \sin^{-1}(cx))}{c^4 d} - \frac{2i \tan^{-1}\left(e^{i\sin^{-1}(cx)}\right)}{c^4 d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^4*(a + b*\text{ArcSin}[c*x]))/(d - c^2*d*x^2), x]$

[Out]  $(-4*b*\text{Sqrt}[1 - c^2*x^2])/(3*c^5*d) + (b*(1 - c^2*x^2)^{(3/2)})/(9*c^5*d) - (x*(a + b*\text{ArcSin}[c*x]))/(c^4*d) - (x^3*(a + b*\text{ArcSin}[c*x]))/(3*c^2*d) - ((2*I)*(a + b*\text{ArcSin}[c*x])* \text{ArcTan}[E^{(I*\text{ArcSin}[c*x])}])/(c^5*d) + (I*b*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[c*x])}])/(c^5*d) - (I*b*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}])/(c^5*d)$

### Rule 4715

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + (f*x)^m)^n*(d + e*x^2)^p, x\_Symbol] := \text{Simp}[(f*(f*x)^{m-1}*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n)/(e*(m + 2*p + 1)), x] + (\text{Dist}[(f^2*(m-1))/(c^2*(m + 2*p + 1)], \text{Int}[(f*x)^{m-2}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n, x], x) + \text{Dist}[(b*f*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}]/(c*(m + 2*p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{m-1}*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{n-1}, x], x) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x \&\& \text{EqQ}[c^2*d + e,$

0] && GtQ[n, 0] && GtQ[m, 1] && NeQ[m + 2\*p + 1, 0] && IntegerQ[m]

### Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/((d\_.) + (e\_.)\*(x\_)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_.))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_.) + (b\_.)\*((F\_)^(e\_.)\*((c\_.) + (d\_.)\*(x\_.)))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 261

Int[(x\_)^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_.) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_.))^(m\_.)\*((c\_.) + (d\_.)\*(x\_.))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le



Q[7\*m + 4\*n + 4, 0] || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^4 (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx &= -\frac{x^3 (a + b \sin^{-1}(cx))}{3c^2 d} + \frac{\int \frac{x^2 (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx}{c^2} + \frac{b \int \frac{x^3}{\sqrt{1 - c^2 x^2}} dx}{3cd} \\
 &= -\frac{x (a + b \sin^{-1}(cx))}{c^4 d} - \frac{x^3 (a + b \sin^{-1}(cx))}{3c^2 d} + \frac{\int \frac{a + b \sin^{-1}(cx)}{d - c^2 dx^2} dx}{c^4} + \frac{b \int \frac{x}{\sqrt{1 - c^2 x^2}} dx}{c^3 d} + \frac{b \text{Subst}}{c^3 d} \\
 &= -\frac{b\sqrt{1 - c^2 x^2}}{c^5 d} - \frac{x (a + b \sin^{-1}(cx))}{c^4 d} - \frac{x^3 (a + b \sin^{-1}(cx))}{3c^2 d} + \frac{\text{Subst} \left( \int (a + bx) \sec(x) dx, x, \right)}{c^5 d} \\
 &= -\frac{4b\sqrt{1 - c^2 x^2}}{3c^5 d} + \frac{b(1 - c^2 x^2)^{3/2}}{9c^5 d} - \frac{x (a + b \sin^{-1}(cx))}{c^4 d} - \frac{x^3 (a + b \sin^{-1}(cx))}{3c^2 d} - \frac{2i (a + b \sin^{-1}(cx))}{c^5 d} \\
 &= -\frac{4b\sqrt{1 - c^2 x^2}}{3c^5 d} + \frac{b(1 - c^2 x^2)^{3/2}}{9c^5 d} - \frac{x (a + b \sin^{-1}(cx))}{c^4 d} - \frac{x^3 (a + b \sin^{-1}(cx))}{3c^2 d} - \frac{2i (a + b \sin^{-1}(cx))}{c^5 d} \\
 &= -\frac{4b\sqrt{1 - c^2 x^2}}{3c^5 d} + \frac{b(1 - c^2 x^2)^{3/2}}{9c^5 d} - \frac{x (a + b \sin^{-1}(cx))}{c^4 d} - \frac{x^3 (a + b \sin^{-1}(cx))}{3c^2 d} - \frac{2i (a + b \sin^{-1}(cx))}{c^5 d}
 \end{aligned}$$

**Mathematica [A]** time = 0.304937, size = 286, normalized size = 1.66

$$\frac{-18ib \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) + 18ib \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) + 6ac^3 x^3 + 18acx + 9a \log(1 - cx) - 9a \log(cx + 1) + 2i (a + b \sin^{-1}(cx))}{(18c^5 d)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2), x]

[Out]  $-(18acx + 6ac^3x^3 + 22b\sqrt{1 - c^2x^2} + 2bc^2x^2\sqrt{1 - c^2x^2} + (9i)b\pi\text{ArcSin}[cx] + 18bcx\text{ArcSin}[cx] + 6bc^3x^3\text{ArcSin}[cx] - 9b\pi\text{Log}[1 - I\text{E}^{(I\text{ArcSin}[cx])}] - 18b\text{ArcSin}[cx]\text{Log}[1 - I\text{E}^{(I\text{ArcSin}[cx])}] - 9b\pi\text{Log}[1 + I\text{E}^{(I\text{ArcSin}[cx])}] + 18b\text{ArcSin}[cx]\text{Log}[1 + I\text{E}^{(I\text{ArcSin}[cx])}] + 9a\text{Log}[1 - cx] - 9a\text{Log}[1 + cx] + 9b\pi\text{Log}[-\text{Cos}[(\pi + 2\text{ArcSin}[cx])/4]] + 9b\pi\text{Log}[\text{Sin}[(\pi + 2\text{ArcSin}[cx])/4]] - (18i)b\text{PolyLog}[2, (-I)\text{E}^{(I\text{ArcSin}[cx])}] + (18i)b\text{PolyLog}[2, I\text{E}^{(I\text{ArcSin}[cx])}])/(18c^5d)$

**Maple [A]** time = 0.253, size = 270, normalized size = 1.6

$$\frac{ax^3}{3c^2d} - \frac{ax}{c^4d} - \frac{a \ln(cx-1)}{2c^5d} + \frac{a \ln(cx+1)}{2c^5d} - \frac{b \arcsin(cx)x^3}{3c^2d} - \frac{b \arcsin(cx)x}{c^4d} - \frac{ib}{c^5d} \operatorname{dilog}\left(1 - i\left(icx + \sqrt{-c^2x^2 + 1}\right)\right) -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a+b*arcsin(c*x))/(-c^2*d*x^2+d), x)`

[Out]  $-1/3/c^2*a/d*x^3-1/c^4*a/d*x-1/2/c^5*a/d*\ln(c*x-1)+1/2/c^5*a/d*\ln(c*x+1)-1/3/c^2*b/d*\arcsin(c*x)*x^3-1/c^4*b/d*\arcsin(c*x)*x-I/c^5*b/d*\operatorname{dilog}(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))-1/9/c^3*b/d*(-c^2*x^2+1)^{(1/2)}*x^2-11/9*b*(-c^2*x^2+1)^{(1/2)}/c^5/d-1/c^5*b/d*\arcsin(c*x)*\ln(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+1/c^5*b/d*\arcsin(c*x)*\ln(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+I/c^5*b/d*\operatorname{dilog}(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{6}a\left(\frac{2(c^2x^3+3x)}{c^4d}-\frac{3\log(cx+1)}{c^5d}+\frac{3\log(cx-1)}{c^5d}\right)+\frac{-\frac{1}{3}\left(c^5d\left(\frac{2(c^2x^2+2)\sqrt{cx+1}\sqrt{-cx+1}}{c^5d}+\frac{18\sqrt{cx+1}\sqrt{-cx+1}}{c^5d}\right)+3\int-\frac{3\sqrt{cx+1}\sqrt{-cx+1}}{c^5d}dx\right)}{c^5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsin(c*x))/(-c^2*d*x^2+d), x, algorithm="maxima")`

[Out]  $-1/6*a*(2*(c^2*x^3+3*x)/(c^4*d)-3*\log(c*x+1)/(c^5*d)+3*\log(c*x-1)/(c^5*d))+1/6*(6*c^5*d*\operatorname{integrate}(-1/6*(2*c^3*x^3+6*c*x-3*\log(c*x+1)+3*\log(-c*x+1))*\operatorname{sqrt}(c*x+1)*\operatorname{sqrt}(-c*x+1)/(c^6*d*x^2-c^4*d), x)-2*(c^3*x^3+3*c*x)*\operatorname{arctan2}(c*x,\operatorname{sqrt}(c*x+1)*\operatorname{sqrt}(-c*x+1))+3*\operatorname{arctan2}(c*x,\operatorname{sqrt}(c*x+1)*\operatorname{sqrt}(-c*x+1))*\log(c*x+1)-3*\operatorname{arctan2}(c*x,\operatorname{sqrt}(c*x+1)*\operatorname{sqrt}(-c*x+1))*\log(-c*x+1))*b/(c^5*d)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{bx^4 \arcsin(cx) + ax^4}{c^2 dx^2 - d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))/(-c^2*d*x^2+d),x, algorithm="fricas")
```

```
[Out] integral(-(b*x^4*arcsin(c*x) + a*x^4)/(c^2*d*x^2 - d), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{ax^4}{c^2x^2-1} dx + \int \frac{bx^4 \operatorname{asin}(cx)}{c^2x^2-1} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(a+b*asin(c*x))/(-c**2*d*x**2+d),x)
```

```
[Out] -(Integral(a*x**4/(c**2*x**2 - 1), x) + Integral(b*x**4*asin(c*x)/(c**2*x**2 - 1), x))/d
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \operatorname{arcsin}(cx) + a)x^4}{c^2dx^2 - d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))/(-c^2*d*x^2+d),x, algorithm="giac")
```

```
[Out] integrate(-(b*arcsin(c*x) + a)*x^4/(c^2*d*x^2 - d), x)
```

$$3.29 \quad \int \frac{x^3(a+b \sin^{-1}(cx))}{d-c^2dx^2} dx$$

**Optimal.** Leaf size=144

$$\frac{ibPolyLog\left(2, -e^{2i \sin^{-1}(cx)}\right)}{2c^4d} - \frac{x^2(a+b \sin^{-1}(cx))}{2c^2d} + \frac{i(a+b \sin^{-1}(cx))^2}{2bc^4d} - \frac{\log\left(1+e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{c^4d} - \frac{bx\sqrt{1-c^2x^2}}{4c^3d}$$

[Out]  $-(b*x*\text{Sqrt}[1 - c^2*x^2])/(4*c^3*d) + (b*\text{ArcSin}[c*x])/(4*c^4*d) - (x^2*(a + b*\text{ArcSin}[c*x]))/(2*c^2*d) + ((I/2)*(a + b*\text{ArcSin}[c*x])^2)/(b*c^4*d) - ((a + b*\text{ArcSin}[c*x])*Log[1 + E^((2*I)*\text{ArcSin}[c*x])])/(c^4*d) + ((I/2)*b*\text{PolyLog}[2, -E^((2*I)*\text{ArcSin}[c*x])])/(c^4*d)$

**Rubi [A]** time = 0.188384, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.32$ , Rules used = {4715, 4675, 3719, 2190, 2279, 2391, 321, 216}

$$\frac{ibPolyLog\left(2, -e^{2i \sin^{-1}(cx)}\right)}{2c^4d} - \frac{x^2(a+b \sin^{-1}(cx))}{2c^2d} + \frac{i(a+b \sin^{-1}(cx))^2}{2bc^4d} - \frac{\log\left(1+e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{c^4d} - \frac{bx\sqrt{1-c^2x^2}}{4c^3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^3*(a + b*\text{ArcSin}[c*x]))/(d - c^2*d*x^2), x]$

[Out]  $-(b*x*\text{Sqrt}[1 - c^2*x^2])/(4*c^3*d) + (b*\text{ArcSin}[c*x])/(4*c^4*d) - (x^2*(a + b*\text{ArcSin}[c*x]))/(2*c^2*d) + ((I/2)*(a + b*\text{ArcSin}[c*x])^2)/(b*c^4*d) - ((a + b*\text{ArcSin}[c*x])*Log[1 + E^((2*I)*\text{ArcSin}[c*x])])/(c^4*d) + ((I/2)*b*\text{PolyLog}[2, -E^((2*I)*\text{ArcSin}[c*x])])/(c^4*d)$

### Rule 4715

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + \text{ArcSin}[c*x])^n*(f*x)^m*(d + e*x^2)^p, x\_Symbol] :> \text{Simp}[(f*(f*x)^{m-1}*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n)/(e*(m + 2*p + 1)), x] + (\text{Dist}[(f^2*(m-1))/(c^2*(m + 2*p + 1)], \text{Int}[(f*x)^{m-2}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n, x], x] + \text{Dist}[(b*f*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}]/(c*(m + 2*p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{m-1}*(1 - c^2*x^2)^{p+1/2}*(a + b*\text{ArcSin}[c*x])^{n-1}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[m, 1] \&\& \text{NeQ}[m + 2*p + 1, 0] \&\& \text{IntegerQ}[m]$

### Rule 4675

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.))/((d_.) + (e_.)*(x_)^2),
x_Symbol] :> -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x]
], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 3719

```
Int[(((c_.) + (d_.)*(x_.))^(m_.)*tan[(e_.) + (f_.)*(x_.)], x_Symbol] :> Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] :> Simp
[(c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_.))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 321

```
Int[(((c_.)*(x_.))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx &= -\frac{x^2 (a + b \sin^{-1}(cx))}{2c^2 d} + \frac{\int \frac{x(a+b \sin^{-1}(cx))}{d-c^2 dx^2} dx}{c^2} + \frac{b \int \frac{x^2}{\sqrt{1-c^2 x^2}} dx}{2cd} \\
&= -\frac{bx\sqrt{1-c^2 x^2}}{4c^3 d} - \frac{x^2 (a + b \sin^{-1}(cx))}{2c^2 d} + \frac{\text{Subst}\left(\int (a + bx) \tan(x) dx, x, \sin^{-1}(cx)\right)}{c^4 d} + \frac{b \int \frac{1}{\sqrt{1-c^2 x^2}} dx}{4c^3 d} \\
&= -\frac{bx\sqrt{1-c^2 x^2}}{4c^3 d} + \frac{b \sin^{-1}(cx)}{4c^4 d} - \frac{x^2 (a + b \sin^{-1}(cx))}{2c^2 d} + \frac{i(a + b \sin^{-1}(cx))^2}{2bc^4 d} - \frac{(2i) \text{Subst}\left(\int \frac{x^2}{\sqrt{1-c^2 x^2}} dx, x, \sin^{-1}(cx)\right)}{4c^3 d} \\
&= -\frac{bx\sqrt{1-c^2 x^2}}{4c^3 d} + \frac{b \sin^{-1}(cx)}{4c^4 d} - \frac{x^2 (a + b \sin^{-1}(cx))}{2c^2 d} + \frac{i(a + b \sin^{-1}(cx))^2}{2bc^4 d} - \frac{(a + b \sin^{-1}(cx))}{4c^3 d} \\
&= -\frac{bx\sqrt{1-c^2 x^2}}{4c^3 d} + \frac{b \sin^{-1}(cx)}{4c^4 d} - \frac{x^2 (a + b \sin^{-1}(cx))}{2c^2 d} + \frac{i(a + b \sin^{-1}(cx))^2}{2bc^4 d} - \frac{(a + b \sin^{-1}(cx))}{4c^3 d} \\
&= -\frac{bx\sqrt{1-c^2 x^2}}{4c^3 d} + \frac{b \sin^{-1}(cx)}{4c^4 d} - \frac{x^2 (a + b \sin^{-1}(cx))}{2c^2 d} + \frac{i(a + b \sin^{-1}(cx))^2}{2bc^4 d} - \frac{(a + b \sin^{-1}(cx))}{4c^3 d}
\end{aligned}$$

**Mathematica [B]** time = 0.124941, size = 294, normalized size = 2.04

$$-4ib \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) - 4ib \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) + 2ac^2 x^2 + 2a \log(1 - c^2 x^2) + bcx\sqrt{1 - c^2 x^2} + 2bc^2 x^2 \sin^{-1}(cx)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2), x]

[Out]  $-(2*a*c^2*x^2 + b*c*x*\text{Sqrt}[1 - c^2*x^2] - b*\text{ArcSin}[c*x] + (4*I)*b*\text{Pi}*\text{ArcSin}[c*x] + 2*b*c^2*x^2*\text{ArcSin}[c*x] - (2*I)*b*\text{ArcSin}[c*x]^2 + 8*b*\text{Pi}*\text{Log}[1 + E^{((-I)*\text{ArcSin}[c*x])}] + 2*b*\text{Pi}*\text{Log}[1 - I*E^{(I*\text{ArcSin}[c*x])}] + 4*b*\text{ArcSin}[c*x]*\text{Log}[1 - I*E^{(I*\text{ArcSin}[c*x])}] - 2*b*\text{Pi}*\text{Log}[1 + I*E^{(I*\text{ArcSin}[c*x])}] + 4*b*\text{ArcSin}[c*x]*\text{Log}[1 + I*E^{(I*\text{ArcSin}[c*x])}] + 2*a*\text{Log}[1 - c^2*x^2] - 8*b*\text{Pi}*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2]] + 2*b*\text{Pi}*\text{Log}[-\text{Cos}[(\text{Pi} + 2*\text{ArcSin}[c*x])/4]] - 2*b*\text{Pi}*\text{Log}[\text{Sin}[(\text{Pi} + 2*\text{ArcSin}[c*x])/4]] - (4*I)*b*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[c*x])}] - (4*I)*b*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}])]/(4*c^4*d)$

**Maple [A]** time = 0.148, size = 181, normalized size = 1.3

$$-\frac{ax^2}{2c^2d} - \frac{a \ln(cx-1)}{2c^4d} - \frac{a \ln(cx+1)}{2c^4d} + \frac{\frac{1}{2}b(\arcsin(cx))^2}{c^4d} - \frac{bx}{4c^3d} \sqrt{-c^2x^2+1} - \frac{b \arcsin(cx)x^2}{2c^2d} + \frac{b \arcsin(cx)}{4c^4d} - \frac{b \arcsin(cx)}{c^4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arcsin(c*x))/(-c^2*d*x^2+d),x)`

[Out]  $-1/2/c^2*a/d*x^2-1/2/c^4*a/d*\ln(c*x-1)-1/2/c^4*a/d*\ln(c*x+1)+1/2*I/c^4*b/d*$   
 $\arcsin(c*x)^2-1/4*b*x*(-c^2*x^2+1)^{(1/2)}/c^3/d-1/2/c^2*b/d*\arcsin(c*x)*x^2+$   
 $1/4*b*\arcsin(c*x)/c^4/d-1/c^4*b/d*\arcsin(c*x)*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2)}$   
 $))^2)+1/2*I*b*polylog(2,-(I*c*x+(-c^2*x^2+1)^{(1/2}))^2)/c^4/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2}a\left(\frac{x^2}{c^2d} + \frac{\log(c^2x^2 - 1)}{c^4d}\right) - \frac{\left(c^4d \int \frac{c^2x^2e^{\left(\frac{1}{2}\log(cx+1)+\frac{1}{2}\log(-cx+1)\right)} + e^{\left(\frac{1}{2}\log(cx+1)+\frac{1}{2}\log(-cx+1)\right)} \log(cx+1) + e^{\left(\frac{1}{2}\log(cx+1)+\frac{1}{2}\log(-cx+1)\right)} \log(-cx-1)}{c^7dx^4 - c^5dx^2 - (c^5dx^2 - c^3d)(cx+1)(cx-1)} dx\right)}{c^7dx^4 - c^5dx^2 - (c^5dx^2 - c^3d)(cx+1)(cx-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsin(c*x))/(-c^2*d*x^2+d),x, algorithm="maxima")`

[Out]  $-1/2*a*(x^2/(c^2*d) + \log(c^2*x^2 - 1)/(c^4*d)) - 1/2*(2*c^4*d*\text{integrate}(1/$   
 $2*(c^2*x^2*e^{(1/2*\log(c*x + 1) + 1/2*\log(-c*x + 1))} + e^{(1/2*\log(c*x + 1) +$   
 $1/2*\log(-c*x + 1))*\log(c*x + 1) + e^{(1/2*\log(c*x + 1) + 1/2*\log(-c*x + 1)}$   
 $*\log(-c*x + 1))/(c^7*d*x^4 - c^5*d*x^2 + (c^5*d*x^2 - c^3*d)*e^{(\log(c*x + 1$   
 $) + \log(-c*x + 1))}, x) + c^2*x^2*\arctan2(c*x, \text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1)$   
 $) + \arctan2(c*x, \text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1))*\log(c*x + 1) + \arctan2(c*x,$   
 $\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1))*\log(-c*x + 1))*b/(c^4*d)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{bx^3 \arcsin(cx) + ax^3}{c^2dx^2 - d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsin(c*x))/(-c^2*d*x^2+d),x, algorithm="fricas")`

[Out] `integral(-(b*x^3*arcsin(c*x) + a*x^3)/(c^2*d*x^2 - d), x)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{ax^3}{c^2x^2-1} dx + \int \frac{bx^3 \operatorname{asin}(cx)}{c^2x^2-1} dx$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d), x)

[Out] -(Integral(a\*x\*\*3/(c\*\*2\*x\*\*2 - 1), x) + Integral(b\*x\*\*3\*asin(c\*x)/(c\*\*2\*x\*\*2 - 1), x))/d

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \operatorname{arcsin}(cx) + a)x^3}{c^2dx^2 - d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d), x, algorithm="giac")

[Out] integrate(-(b\*arcsin(c\*x) + a)\*x^3/(c^2\*d\*x^2 - d), x)



$$3.30 \quad \int \frac{x^2(a+b \sin^{-1}(cx))}{d-c^2dx^2} dx$$

**Optimal.** Leaf size=124

$$\frac{ibPolyLog\left(2, -ie^{i \sin^{-1}(cx)}\right)}{c^3d} - \frac{ibPolyLog\left(2, ie^{i \sin^{-1}(cx)}\right)}{c^3d} - \frac{x(a+b \sin^{-1}(cx))}{c^2d} - \frac{2i \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{c^3d}$$

[Out] -((b\*Sqrt[1 - c^2\*x^2])/(c^3\*d)) - (x\*(a + b\*ArcSin[c\*x]))/(c^2\*d) - ((2\*I)\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/(c^3\*d) + (I\*b\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/(c^3\*d) - (I\*b\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c^3\*d)

**Rubi [A]** time = 0.137464, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$ , Rules used = {4715, 4657, 4181, 2279, 2391, 261}

$$\frac{ibPolyLog\left(2, -ie^{i \sin^{-1}(cx)}\right)}{c^3d} - \frac{ibPolyLog\left(2, ie^{i \sin^{-1}(cx)}\right)}{c^3d} - \frac{x(a+b \sin^{-1}(cx))}{c^2d} - \frac{2i \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{c^3d}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2), x]

[Out] -((b\*Sqrt[1 - c^2\*x^2])/(c^3\*d)) - (x\*(a + b\*ArcSin[c\*x]))/(c^2\*d) - ((2\*I)\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/(c^3\*d) + (I\*b\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/(c^3\*d) - (I\*b\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c^3\*d)

### Rule 4715

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_.))^ (m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^ (p\_.), x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(e\*(m + 2\*p + 1)), x] + (Dist[(f^2\*(m - 1))/(c^2\*(m + 2\*p + 1)), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*f\*n\*d\*IntPart[p]\*(d + e\*x^2)^FracPart[p])/(c\*(m + 2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && NeQ[m + 2\*p + 1, 0] && IntegerQ[m]

### Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2), x_Symbol]
:= Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:= Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx &= -\frac{x(a + b \sin^{-1}(cx))}{c^2 d} + \frac{\int \frac{a + b \sin^{-1}(cx)}{d - c^2 dx^2} dx}{c^2} + \frac{b \int \frac{x}{\sqrt{1 - c^2 x^2}} dx}{cd} \\
&= -\frac{b\sqrt{1 - c^2 x^2}}{c^3 d} - \frac{x(a + b \sin^{-1}(cx))}{c^2 d} + \frac{\text{Subst}\left(\int (a + bx) \sec(x) dx, x, \sin^{-1}(cx)\right)}{c^3 d} \\
&= -\frac{b\sqrt{1 - c^2 x^2}}{c^3 d} - \frac{x(a + b \sin^{-1}(cx))}{c^2 d} - \frac{2i(a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{c^3 d} - \frac{b \text{Subst}\left(\int \frac{1}{\sqrt{1 - c^2 x^2}} dx, x, \sin^{-1}(cx)\right)}{c^3 d} \\
&= -\frac{b\sqrt{1 - c^2 x^2}}{c^3 d} - \frac{x(a + b \sin^{-1}(cx))}{c^2 d} - \frac{2i(a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{c^3 d} + \frac{(ib) \text{Subst}\left(\int \frac{1}{\sqrt{1 - c^2 x^2}} dx, x, \sin^{-1}(cx)\right)}{c^3 d} \\
&= -\frac{b\sqrt{1 - c^2 x^2}}{c^3 d} - \frac{x(a + b \sin^{-1}(cx))}{c^2 d} - \frac{2i(a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{c^3 d} + \frac{ib \text{Li}_2\left(-ie^{i \sin^{-1}(cx)}\right)}{c^3 d}
\end{aligned}$$

**Mathematica [A]** time = 0.102074, size = 238, normalized size = 1.92

$$-\frac{2ib \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) + 2ib \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) + 2acx + a \log(1 - cx) - a \log(cx + 1) + 2b\sqrt{1 - c^2 x^2} + 2b \text{Subst}\left(\int \frac{1}{\sqrt{1 - c^2 x^2}} dx, x, \sin^{-1}(cx)\right)}{c^3 d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2), x]

[Out]  $-(2*a*c*x + 2*b*\text{Sqrt}[1 - c^2*x^2] + I*b*\text{Pi}*ArcSin[c*x] + 2*b*c*x*ArcSin[c*x] - b*\text{Pi}*\text{Log}[1 - I*E^{(I*ArcSin[c*x])}] - 2*b*ArcSin[c*x]*\text{Log}[1 - I*E^{(I*ArcSin[c*x])}] - b*\text{Pi}*\text{Log}[1 + I*E^{(I*ArcSin[c*x])}] + 2*b*ArcSin[c*x]*\text{Log}[1 + I*E^{(I*ArcSin[c*x])}] + a*\text{Log}[1 - cx] - a*\text{Log}[1 + cx] + b*\text{Pi}*\text{Log}[-\text{Cos}[(\text{Pi} + 2*ArcSin[c*x])/4]] + b*\text{Pi}*\text{Log}[\text{Sin}[(\text{Pi} + 2*ArcSin[c*x])/4]] - (2*I)*b*\text{PolyLog}[2, (-I)*E^{(I*ArcSin[c*x])}] + (2*I)*b*\text{PolyLog}[2, I*E^{(I*ArcSin[c*x])}])/(2*c^3*d)$

**Maple [A]** time = 0.096, size = 218, normalized size = 1.8

$$-\frac{ax}{c^2 d} - \frac{a \ln(cx - 1)}{2c^3 d} + \frac{a \ln(cx + 1)}{2c^3 d} - \frac{b}{c^3 d} \sqrt{-c^2 x^2 + 1} + \frac{b \arcsin(cx)}{c^3 d} \ln\left(1 - i\left(icx + \sqrt{-c^2 x^2 + 1}\right)\right) - \frac{b \arcsin(cx)}{c^3 d} \ln\left(1 + i\left(icx + \sqrt{-c^2 x^2 + 1}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d), x)

[Out]  $-1/c^2*a/d*x-1/2/c^3*a/d*\ln(c*x-1)+1/2/c^3*a/d*\ln(c*x+1)-b*(-c^2*x^2+1)^{(1/2)}/c^3/d+1/c^3*b/d*\arcsin(c*x)*\ln(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))-1/c^3*b/d*\arcsin(c*x)*\ln(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))-1/c^2*b/d*\arcsin(c*x)*x-I/c^3*b/d*dilog(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+I/c^3*b/d*dilog(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2}a\left(\frac{2x}{c^2d} - \frac{\log(cx+1)}{c^3d} + \frac{\log(cx-1)}{c^3d}\right) + \frac{-\left(c^3d\left(\frac{2\sqrt{cx+1}\sqrt{-cx+1}}{c^3d} + \int -\frac{\sqrt{cx+1}\sqrt{-cx+1}(\log(cx+1)-\log(-cx+1))}{c^4dx^2-c^2d} dx\right) + 2cx \arctan\left(\frac{\sqrt{cx+1}\sqrt{-cx+1}}{c^2d}\right)\right)}{c^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsin(c*x))/(-c^2*d*x^2+d),x, algorithm="maxima")`

[Out]  $-1/2*a*(2*x/(c^2*d) - \log(c*x + 1)/(c^3*d) + \log(c*x - 1)/(c^3*d)) + 1/2*(2*c^3*d*\integrate(-1/2*(2*c*x - \log(c*x + 1) + \log(-c*x + 1))*\sqrt{c*x + 1}*\sqrt{-c*x + 1}/(c^4*d*x^2 - c^2*d), x) - 2*c*x*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1} + \arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})*\log(c*x + 1) - \arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})*b/(c^3*d)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{bx^2 \arcsin(cx) + ax^2}{c^2 dx^2 - d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsin(c*x))/(-c^2*d*x^2+d),x, algorithm="fricas")`

[Out] `integral(-(b*x^2*arcsin(c*x) + a*x^2)/(c^2*d*x^2 - d), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{ax^2}{c^2x^2-1} dx + \int \frac{bx^2 \arcsin(cx)}{c^2x^2-1} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d), x)

[Out] -(Integral(a\*x\*\*2/(c\*\*2\*x\*\*2 - 1), x) + Integral(b\*x\*\*2\*asin(c\*x)/(c\*\*2\*x\*\*2 - 1), x))/d

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \arcsin(cx) + a)x^2}{c^2 dx^2 - d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d), x, algorithm="giac")

[Out] integrate(-(b\*arcsin(c\*x) + a)\*x^2/(c^2\*d\*x^2 - d), x)

$$3.31 \quad \int \frac{x(a+b \sin^{-1}(cx))}{d-c^2 dx^2} dx$$

**Optimal.** Leaf size=82

$$\frac{ibPolyLog\left(2, -e^{2i \sin^{-1}(cx)}\right)}{2c^2 d} + \frac{i(a+b \sin^{-1}(cx))^2}{2bc^2 d} - \frac{\log\left(1 + e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{c^2 d}$$

[Out] ((I/2)\*(a + b\*ArcSin[c\*x])^2)/(b\*c^2\*d) - ((a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(c^2\*d) + ((I/2)\*b\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c^2\*d)

**Rubi [A]** time = 0.105294, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {4675, 3719, 2190, 2279, 2391}

$$\frac{ibPolyLog\left(2, -e^{2i \sin^{-1}(cx)}\right)}{2c^2 d} + \frac{i(a+b \sin^{-1}(cx))^2}{2bc^2 d} - \frac{\log\left(1 + e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{c^2 d}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2), x]

[Out] ((I/2)\*(a + b\*ArcSin[c\*x])^2)/(b\*c^2\*d) - ((a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(c^2\*d) + ((I/2)\*b\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c^2\*d)

#### Rule 4675

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)/((d\_) + (e\_.)\*(x\_)^2), x\_Symbol] := -Dist[e^(-1), Subst[Int[(a + b\*x)^n\*Tan[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

#### Rule 3719

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

#### Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned} \int \frac{x(a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx &= \frac{\text{Subst}\left(\int (a + bx) \tan(x) dx, x, \sin^{-1}(cx)\right)}{c^2 d} \\ &= \frac{i(a + b \sin^{-1}(cx))^2}{2bc^2 d} - \frac{(2i) \text{Subst}\left(\int \frac{e^{2ix(a+bx)}}{1+e^{2ix}} dx, x, \sin^{-1}(cx)\right)}{c^2 d} \\ &= \frac{i(a + b \sin^{-1}(cx))^2}{2bc^2 d} - \frac{(a + b \sin^{-1}(cx)) \log\left(1 + e^{2i \sin^{-1}(cx)}\right)}{c^2 d} + \frac{b \text{Subst}\left(\int \log\left(1 + e^{2ix}\right) dx, x, e^{2i \sin^{-1}(cx)}\right)}{c^2 d} \\ &= \frac{i(a + b \sin^{-1}(cx))^2}{2bc^2 d} - \frac{(a + b \sin^{-1}(cx)) \log\left(1 + e^{2i \sin^{-1}(cx)}\right)}{c^2 d} - \frac{(ib) \text{Subst}\left(\int \frac{\log(1+x)}{x} dx, x, e^{2i \sin^{-1}(cx)}\right)}{2c^2 d} \\ &= \frac{i(a + b \sin^{-1}(cx))^2}{2bc^2 d} - \frac{(a + b \sin^{-1}(cx)) \log\left(1 + e^{2i \sin^{-1}(cx)}\right)}{c^2 d} + \frac{ib \text{Li}_2\left(-e^{2i \sin^{-1}(cx)}\right)}{2c^2 d} \end{aligned}$$

**Mathematica [B]** time = 0.0762788, size = 244, normalized size = 2.98

---


$$-2ib \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) - 2ib \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) + a \log\left(1 - c^2 x^2\right) - ib \sin^{-1}(cx)^2 + 2i\pi b \sin^{-1}(cx) + 2b \sin^{-1}(cx)$$


---

Warning: Unable to verify antiderivative.

```
[In] Integrate[(x*(a + b*ArcSin[c*x]))/(d - c^2*d*x^2), x]
```

```
[Out] -((2*I)*b*Pi*ArcSin[c*x] - I*b*ArcSin[c*x]^2 + 4*b*Pi*Log[1 + E^((-I)*ArcSin[c*x])] + b*Pi*Log[1 - I*E^(I*ArcSin[c*x])] + 2*b*ArcSin[c*x]*Log[1 - I*E^(I*ArcSin[c*x])] - b*Pi*Log[1 + I*E^(I*ArcSin[c*x])] + 2*b*ArcSin[c*x]*Log[1 + I*E^(I*ArcSin[c*x])] + a*Log[1 - c^2*x^2] - 4*b*Pi*Log[Cos[ArcSin[c*x]/2]] + b*Pi*Log[-Cos[(Pi + 2*ArcSin[c*x])/4]] - b*Pi*Log[Sin[(Pi + 2*ArcSin[c*x])/4]] - (2*I)*b*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] - (2*I)*b*PolyLog[2, I*E^(I*ArcSin[c*x])])/(2*c^2*d)
```

**Maple [A]** time = 0.042, size = 118, normalized size = 1.4

$$-\frac{a \ln(cx-1)}{2c^2d} - \frac{a \ln(cx+1)}{2c^2d} + \frac{\frac{i}{2}b(\arcsin(cx))^2}{c^2d} - \frac{b \arcsin(cx)}{c^2d} \ln\left(1 + \left(icx + \sqrt{-c^2x^2 + 1}\right)^2\right) + \frac{\frac{i}{2}b}{c^2d} \text{polylog}\left(2, -\left(icx + \sqrt{-c^2x^2 + 1}\right)^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(a+b*arcsin(c*x))/(-c^2*d*x^2+d),x)
```

```
[Out] -1/2/c^2*a/d*ln(c*x-1)-1/2/c^2*a/d*ln(c*x+1)+1/2*I/c^2*b/d*arcsin(c*x)^2-1/c^2*b/d*arcsin(c*x)*ln(1+(I*c*x+(-c^2*x^2+1)^(1/2))^2)+1/2*I*b*polylog(2,-(I*c*x+(-c^2*x^2+1)^(1/2))^2)/c^2/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\left( c^2d \int \frac{e^{\left(\frac{1}{2} \log(cx+1) + \frac{1}{2} \log(-cx+1)\right) \log(cx+1) + e^{\left(\frac{1}{2} \log(cx+1) + \frac{1}{2} \log(-cx+1)\right) \log(-cx+1)}}}{c^5dx^4 - c^3dx^2 - (c^3dx^2 - cd)(cx+1)(cx-1)} dx + \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) \log(cx+1) + \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) \log(-cx+1) \right)}{2c^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsin(c*x))/(-c^2*d*x^2+d),x, algorithm="maxima")
```

```
[Out] -1/2*(2*c^2*d*integrate(1/2*(e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1))*log(c*x + 1) + e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1))*log(-c*x + 1))/(c^5*d*x^4 - c^3*d*x^2 + (c^3*d*x^2 - c*d)*e^(log(c*x + 1) + log(-c*x + 1))), x) + arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))*log(c*x + 1) + arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))*log(-c*x + 1))*b/(c^2*d) - 1/2*a*log(c^2*d*x^2 - d)/(c^2*d)
```



---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{bx \arcsin(cx) + ax}{c^2 dx^2 - d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsin(c*x))/(-c^2*d*x^2+d),x, algorithm="fricas")`

[Out] `integral(-(b*x*arcsin(c*x) + a*x)/(c^2*d*x^2 - d), x)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{ax}{c^2 x^2 - 1} dx + \int \frac{bx \arcsin(cx)}{c^2 x^2 - 1} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*asin(c*x))/(-c**2*d*x**2+d),x)`

[Out] `-(Integral(a*x/(c**2*x**2 - 1), x) + Integral(b*x*asin(c*x)/(c**2*x**2 - 1), x))/d`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \arcsin(cx) + a)x}{c^2 dx^2 - d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsin(c*x))/(-c^2*d*x^2+d),x, algorithm="giac")`

[Out] `integrate(-(b*arcsin(c*x) + a)*x/(c^2*d*x^2 - d), x)`

$$3.32 \quad \int \frac{a+b \sin^{-1}(cx)}{d-c^2 dx^2} dx$$

**Optimal.** Leaf size=84

$$\frac{ibPolyLog\left(2, -ie^{i \sin^{-1}(cx)}\right)}{cd} - \frac{ibPolyLog\left(2, ie^{i \sin^{-1}(cx)}\right)}{cd} - \frac{2i \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{cd}$$

[Out]  $((-2*I)*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c*d) + (I*b*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c*d) - (I*b*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c*d)$

**Rubi [A]** time = 0.0672187, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4657, 4181, 2279, 2391}

$$\frac{ibPolyLog\left(2, -ie^{i \sin^{-1}(cx)}\right)}{cd} - \frac{ibPolyLog\left(2, ie^{i \sin^{-1}(cx)}\right)}{cd} - \frac{2i \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{cd}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(d - c^2\*d\*x^2), x]

[Out]  $((-2*I)*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c*d) + (I*b*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c*d) - (I*b*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c*d)$

#### Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.]/((d\_.) + (e\_.)\*(x\_)^2), x\_Symbol  
 ] => Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /  
 ; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

#### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol  
 ] => Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{a + b \sin^{-1}(cx)}{d - c^2 dx^2} dx &= \frac{\text{Subst}\left(\int (a + bx) \sec(x) dx, x, \sin^{-1}(cx)\right)}{cd} \\ &= -\frac{2i(a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{cd} - \frac{b \text{Subst}\left(\int \log(1 - ie^{ix}) dx, x, \sin^{-1}(cx)\right)}{cd} + \frac{b \text{Subst}\left(\int \log(1 + ie^{ix}) dx, x, \sin^{-1}(cx)\right)}{cd} \\ &= -\frac{2i(a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{cd} + \frac{(ib) \text{Subst}\left(\int \frac{\log(1-ix)}{x} dx, x, e^{i \sin^{-1}(cx)}\right)}{cd} - \frac{(ib) \text{Subst}\left(\int \frac{\log(1+ix)}{x} dx, x, e^{i \sin^{-1}(cx)}\right)}{cd} \\ &= -\frac{2i(a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{cd} + \frac{ib \text{Li}_2\left(-ie^{i \sin^{-1}(cx)}\right)}{cd} - \frac{ib \text{Li}_2\left(ie^{i \sin^{-1}(cx)}\right)}{cd} \end{aligned}$$

**Mathematica [B]** time = 0.229741, size = 207, normalized size = 2.46

$$2ib \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) - 2ib \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) - a \log(1 - cx) + a \log(cx + 1) - i\pi b \sin^{-1}(cx) + 2b \sin^{-1}(cx)$$


---

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcSin[c*x])/(d - c^2*d*x^2), x]
```

```
[Out] ((-I)*b*Pi*ArcSin[c*x] + b*Pi*Log[1 - I*E^(I*ArcSin[c*x])] + 2*b*ArcSin[c*x]
]*Log[1 - I*E^(I*ArcSin[c*x])] + b*Pi*Log[1 + I*E^(I*ArcSin[c*x])] - 2*b*Ar
cSin[c*x]*Log[1 + I*E^(I*ArcSin[c*x])] - a*Log[1 - c*x] + a*Log[1 + c*x] -
b*Pi*Log[-Cos[(Pi + 2*ArcSin[c*x])/4]] - b*Pi*Log[Sin[(Pi + 2*ArcSin[c*x])/
4]] + (2*I)*b*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] - (2*I)*b*PolyLog[2, I*E^(
I*ArcSin[c*x])])/(2*c*d)
```

---

**Maple [B]** time = 0.102, size = 426, normalized size = 5.1

$$\frac{a \operatorname{Artanh}(cx)}{dc} + \frac{b \operatorname{Artanh}(cx) \arcsin(cx)}{dc} - \frac{ib}{dc} \operatorname{dilog}\left(-i \frac{1}{\sqrt{-c^2x^2+1}} - icx \frac{1}{\sqrt{-c^2x^2+1}}\right) + \frac{ib \operatorname{Artanh}(cx)}{dc} \ln\left((1-i) \cosh\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))/(-c^2*d*x^2+d),x)`

[Out]  $\frac{1}{c} \frac{a}{d} \operatorname{arctanh}(cx) + \frac{1}{c} \frac{b}{d} \operatorname{arctanh}(cx) \arcsin(cx) - \frac{I}{c} \frac{b}{d} \operatorname{dilog}\left(-\frac{I}{(-c^2x^2+1)^{1/2}} - \frac{Icx}{(-c^2x^2+1)^{1/2}}\right) + \frac{I}{c} \frac{b}{d} \ln\left((1-I) \cosh\left(\frac{1}{2} \operatorname{arctanh}(cx)\right) + (1+I) \sinh\left(\frac{1}{2} \operatorname{arctanh}(cx)\right)\right) \operatorname{arctanh}(cx) - \frac{I}{c} \frac{b}{d} \ln\left((1-I) \cosh\left(\frac{1}{2} \operatorname{arctanh}(cx)\right) + (1+I) \sinh\left(\frac{1}{2} \operatorname{arctanh}(cx)\right)\right) \ln\left(-\frac{I}{(-c^2x^2+1)^{1/2}} - \frac{Icx}{(-c^2x^2+1)^{1/2}}\right) + \frac{I}{c} \frac{b}{d} \operatorname{dilog}\left(\frac{I}{(-c^2x^2+1)^{1/2}} + \frac{Icx}{(-c^2x^2+1)^{1/2}}\right) - \frac{I}{c} \frac{b}{d} \ln\left((1+I) \cosh\left(\frac{1}{2} \operatorname{arctanh}(cx)\right) + (1-I) \sinh\left(\frac{1}{2} \operatorname{arctanh}(cx)\right)\right) \operatorname{arctanh}(cx) + \frac{I}{c} \frac{b}{d} \ln\left((1+I) \cosh\left(\frac{1}{2} \operatorname{arctanh}(cx)\right) + (1-I) \sinh\left(\frac{1}{2} \operatorname{arctanh}(cx)\right)\right) \ln\left(\frac{I}{(-c^2x^2+1)^{1/2}} + \frac{Icx}{(-c^2x^2+1)^{1/2}}\right) + \frac{1}{2} \frac{I}{c} \frac{b}{d} \operatorname{arctanh}(cx) \ln\left(\frac{I}{(-c^2x^2+1)^{1/2}} + \frac{Icx}{(-c^2x^2+1)^{1/2}}\right) - \frac{1}{2} \frac{I}{c} \frac{b}{d} \operatorname{arctanh}(cx) \ln\left(-\frac{I}{(-c^2x^2+1)^{1/2}} - \frac{Icx}{(-c^2x^2+1)^{1/2}}\right)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} a \left( \frac{\log(cx+1)}{cd} - \frac{\log(cx-1)}{cd} \right) + \frac{\left( cd \int \frac{\sqrt{cx+1}\sqrt{-cx+1}(\log(cx+1)-\log(-cx+1))}{c^2dx^2-d} dx + \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) \log(cx+1) \right)}{2cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/(-c^2*d*x^2+d),x, algorithm="maxima")`

[Out]  $\frac{1}{2} a \left( \frac{\log(cx+1)}{cd} - \frac{\log(cx-1)}{cd} \right) + \frac{1}{2} \frac{(2cd \operatorname{integrate}\left(\frac{1}{2} \sqrt{cx+1} \sqrt{-cx+1} (\log(cx+1) - \log(-cx+1)) / (c^2dx^2 - d), x\right) + \arctan2(cx, \sqrt{cx+1} \sqrt{-cx+1}) \log(cx+1) - \arctan2(cx, \sqrt{cx+1} \sqrt{-cx+1}) \log(-cx+1)) b}{cd}$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{b \arcsin(cx) + a}{c^2dx^2 - d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d),x, algorithm="fricas")

[Out] integral(-(b\*arcsin(c\*x) + a)/(c^2\*d\*x^2 - d), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{\int \frac{a}{c^2x^2-1} dx + \int \frac{b \arcsin(cx)}{c^2x^2-1} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d),x)

[Out] -(Integral(a/(c\*\*2\*x\*\*2 - 1), x) + Integral(b\*asin(c\*x)/(c\*\*2\*x\*\*2 - 1), x))/d

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{b \arcsin(cx) + a}{c^2dx^2 - d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d),x, algorithm="giac")

[Out] integrate(-(b\*arcsin(c\*x) + a)/(c^2\*d\*x^2 - d), x)

$$3.33 \quad \int \frac{a+b \sin^{-1}(cx)}{x(d-c^2 dx^2)} dx$$

**Optimal.** Leaf size=71

$$\frac{ibPolyLog\left(2, -e^{2i \sin^{-1}(cx)}\right)}{2d} - \frac{ibPolyLog\left(2, e^{2i \sin^{-1}(cx)}\right)}{2d} - \frac{2 \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{d}$$

[Out] (-2\*(a + b\*ArcSin[c\*x])\*ArcTanh[E^((2\*I)\*ArcSin[c\*x])])/d + ((I/2)\*b\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/d - ((I/2)\*b\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])])/d

**Rubi [A]** time = 0.110487, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4679, 4419, 4183, 2279, 2391}

$$\frac{ibPolyLog\left(2, -e^{2i \sin^{-1}(cx)}\right)}{2d} - \frac{ibPolyLog\left(2, e^{2i \sin^{-1}(cx)}\right)}{2d} - \frac{2 \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(x\*(d - c^2\*d\*x^2)), x]

[Out] (-2\*(a + b\*ArcSin[c\*x])\*ArcTanh[E^((2\*I)\*ArcSin[c\*x])])/d + ((I/2)\*b\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/d - ((I/2)\*b\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])])/d

#### Rule 4679

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/((x\_)\*((d\_.) + (e\_.)\*(x\_)^2)), x\_Symbol] := Dist[1/d, Subst[Int[(a + b\*x)^n/(Cos[x]\*Sin[x]), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

#### Rule 4419

Int[Csc[(a\_.) + (b\_.)\*(x\_)]^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sec[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Dist[2^n, Int[(c + d\*x)^m\*Csc[2\*a + 2\*b\*x]^n, x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]

#### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned} \int \frac{a + b \sin^{-1}(cx)}{x(d - c^2 dx^2)} dx &= \frac{\text{Subst}\left(\int (a + bx) \csc(x) \sec(x) dx, x, \sin^{-1}(cx)\right)}{d} \\ &= \frac{2 \text{Subst}\left(\int (a + bx) \csc(2x) dx, x, \sin^{-1}(cx)\right)}{d} \\ &= -\frac{2(a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d} - \frac{b \text{Subst}\left(\int \log(1 - e^{2ix}) dx, x, \sin^{-1}(cx)\right)}{d} + \frac{b \text{Subst}\left(\int \log(1 + e^{2ix}) dx, x, \sin^{-1}(cx)\right)}{d} \\ &= -\frac{2(a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d} + \frac{(ib) \text{Subst}\left(\int \frac{\log(1-x)}{x} dx, x, e^{2i \sin^{-1}(cx)}\right)}{2d} - \frac{(ib) \text{Subst}\left(\int \frac{\log(1+x)}{x} dx, x, e^{2i \sin^{-1}(cx)}\right)}{2d} \\ &= -\frac{2(a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d} + \frac{ib \text{Li}_2\left(-e^{2i \sin^{-1}(cx)}\right)}{2d} - \frac{ib \text{Li}_2\left(e^{2i \sin^{-1}(cx)}\right)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.0764924, size = 105, normalized size = 1.48

$$\frac{ib \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right) - ib \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) - a \log(1 - c^2 x^2) + 2a \log(x) + 2b \sin^{-1}(cx) \log\left(1 - e^{2i \sin^{-1}(cx)}\right)}{2d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcSin[c*x])/(x*(d - c^2*d*x^2)), x]
```

[Out]  $(2*b*\text{ArcSin}[c*x]*\text{Log}[1 - E^{((2*I)*\text{ArcSin}[c*x])}] - 2*b*\text{ArcSin}[c*x]*\text{Log}[1 + E^{((2*I)*\text{ArcSin}[c*x])}]) + 2*a*\text{Log}[x] - a*\text{Log}[1 - c^2*x^2] + I*b*\text{PolyLog}[2, -E^{((2*I)*\text{ArcSin}[c*x])}] - I*b*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}])/(2*d)$

**Maple [B]** time = 0.073, size = 215, normalized size = 3.

$$-\frac{a \ln(cx-1)}{2d} - \frac{a \ln(cx+1)}{2d} + \frac{a \ln(cx)}{d} + \frac{b \arcsin(cx)}{d} \ln\left(1 + icx + \sqrt{-c^2x^2 + 1}\right) - \frac{ib}{d} \text{polylog}\left(2, -icx - \sqrt{-c^2x^2 + 1}\right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))/x/(-c^2*d*x^2+d),x)`

[Out]  $-1/2*a/d*\ln(c*x-1)-1/2*a/d*\ln(c*x+1)+a/d*\ln(c*x)+b/d*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-I*b/d*\text{polylog}(2,-I*c*x+(-c^2*x^2+1)^{(1/2)})+b/d*\arcsin(c*x)*\ln(1-I*c*x+(-c^2*x^2+1)^{(1/2)})-I*b/d*\text{polylog}(2,I*c*x+(-c^2*x^2+1)^{(1/2)})-b/d*\arcsin(c*x)*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)+1/2*I*b*\text{polylog}(2,-(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2}a\left(\frac{\log(cx+1)}{d} + \frac{\log(cx-1)}{d} - \frac{2\log(x)}{d}\right) - b \int \frac{\arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)}{c^2dx^3 - dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x/(-c^2*d*x^2+d),x, algorithm="maxima")`

[Out]  $-1/2*a*(\log(c*x + 1)/d + \log(c*x - 1)/d - 2*\log(x)/d) - b*\text{integrate}(\arctan2(c*x, \text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1))/(c^2*d*x^3 - d*x), x)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b \arcsin(cx) + a}{c^2dx^3 - dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((a+b*arcsin(c*x))/x/(-c^2*d*x^2+d),x, algorithm="fricas")
```

```
[Out] integral(-(b*arcsin(c*x) + a)/(c^2*d*x^3 - d*x), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{\int \frac{a}{c^2x^3-x} dx + \int \frac{b \arcsin(cx)}{c^2x^3-x} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/x/(-c**2*d*x**2+d),x)
```

```
[Out] -(Integral(a/(c**2*x**3 - x), x) + Integral(b*asin(c*x)/(c**2*x**3 - x), x)
)/d
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{b \arcsin(cx) + a}{(c^2dx^2 - d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x/(-c^2*d*x^2+d),x, algorithm="giac")
```

```
[Out] integrate(-(b*arcsin(c*x) + a)/((c^2*d*x^2 - d)*x), x)
```

$$3.34 \quad \int \frac{a+b \sin^{-1}(cx)}{x^2(d-c^2dx^2)} dx$$

**Optimal.** Leaf size=116

$$\frac{ibcPolyLog\left(2, -ie^{i \sin^{-1}(cx)}\right)}{d} - \frac{ibcPolyLog\left(2, ie^{i \sin^{-1}(cx)}\right)}{d} - \frac{a + b \sin^{-1}(cx)}{dx} - \frac{2ic \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{d}$$

[Out] -((a + b\*ArcSin[c\*x])/(d\*x)) - ((2\*I)\*c\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/d - (b\*c\*ArcTanh[Sqrt[1 - c^2\*x^2]])/d + (I\*b\*c\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/d - (I\*b\*c\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/d

**Rubi [A]** time = 0.151488, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.32$ , Rules used = {4701, 4657, 4181, 2279, 2391, 266, 63, 208}

$$\frac{ibcPolyLog\left(2, -ie^{i \sin^{-1}(cx)}\right)}{d} - \frac{ibcPolyLog\left(2, ie^{i \sin^{-1}(cx)}\right)}{d} - \frac{a + b \sin^{-1}(cx)}{dx} - \frac{2ic \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(x^2\*(d - c^2\*d\*x^2)), x]

[Out] -((a + b\*ArcSin[c\*x])/(d\*x)) - ((2\*I)\*c\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/d - (b\*c\*ArcTanh[Sqrt[1 - c^2\*x^2]])/d + (I\*b\*c\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/d - (I\*b\*c\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/d

### Rule 4701

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] + (Dist[(c^2\*(m + 2\*p + 3))/(f^2\*(m + 1)), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p]]/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

### Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_)^2), x_Symbol]
:> Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^2(d - c^2 dx^2)} dx &= -\frac{a + b \sin^{-1}(cx)}{dx} + c^2 \int \frac{a + b \sin^{-1}(cx)}{d - c^2 dx^2} dx + \frac{(bc) \int \frac{1}{x\sqrt{1-c^2x^2}} dx}{d} \\
&= -\frac{a + b \sin^{-1}(cx)}{dx} + \frac{c \operatorname{Subst}\left(\int (a + bx) \sec(x) dx, x, \sin^{-1}(cx)\right)}{d} + \frac{(bc) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1-c^2x}} dx, x, x^2\right)}{2d} \\
&= -\frac{a + b \sin^{-1}(cx)}{dx} - \frac{2ic(a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{d} - \frac{b \operatorname{Subst}\left(\int \frac{1}{\frac{1}{c^2} - \frac{x^2}{c^2}} dx, x, \sqrt{1 - c^2 x^2}\right)}{cd} \\
&= -\frac{a + b \sin^{-1}(cx)}{dx} - \frac{2ic(a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{d} - \frac{bc \tanh^{-1}\left(\sqrt{1 - c^2 x^2}\right)}{d} + \frac{(ibc) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1-c^2x}} dx, x, x^2\right)}{2d} \\
&= -\frac{a + b \sin^{-1}(cx)}{dx} - \frac{2ic(a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{d} - \frac{bc \tanh^{-1}\left(\sqrt{1 - c^2 x^2}\right)}{d} + \frac{ibc \operatorname{Li}_2\left(-i \frac{1 - \sqrt{1 - c^2 x^2}}{1 + \sqrt{1 - c^2 x^2}}\right)}{d}
\end{aligned}$$

**Mathematica [B]** time = 0.34398, size = 259, normalized size = 2.23

$$-2ibcx \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) + 2ibcx \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) + acx \log(1 - cx) - acx \log(cx + 1) + 2a + 2bcx \tanh^{-1}\left(\sqrt{1 - c^2 x^2}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^2\*(d - c^2\*d\*x^2)), x]

[Out]  $-(2*a + 2*b*ArcSin[c*x] + I*b*c*Pi*x*ArcSin[c*x] + 2*b*c*x*ArcTanh[Sqrt[1 - c^2*x^2]] - b*c*Pi*x*Log[1 - I*E^(I*ArcSin[c*x])] - 2*b*c*x*ArcSin[c*x]*Log[1 - I*E^(I*ArcSin[c*x])] - b*c*Pi*x*Log[1 + I*E^(I*ArcSin[c*x])] + 2*b*c*x*ArcSin[c*x]*Log[1 + I*E^(I*ArcSin[c*x])] + a*c*x*Log[1 - c*x] - a*c*x*Log[1 + c*x] + b*c*Pi*x*Log[-Cos[(Pi + 2*ArcSin[c*x])/4]] + b*c*Pi*x*Log[Sin[(Pi + 2*ArcSin[c*x])/4]] - (2*I)*b*c*x*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] + (2*I)*b*c*x*PolyLog[2, I*E^(I*ArcSin[c*x])])/(2*d*x)$

**Maple [A]** time = 0.133, size = 236, normalized size = 2.

$$-\frac{ca \ln(cx - 1)}{2d} + \frac{ca \ln(cx + 1)}{2d} - \frac{a}{dx} - \frac{b \arcsin(cx)}{dx} - \frac{bc \arcsin(cx)}{d} \ln\left(1 + i\left(icx + \sqrt{-c^2 x^2 + 1}\right)\right) + \frac{bc \arcsin(cx)}{d} \ln\left(1 - i\left(icx + \sqrt{-c^2 x^2 + 1}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d),x)

[Out]  $-1/2*c*a/d*\ln(c*x-1)+1/2*c*a/d*\ln(c*x+1)-a/d/x-b/d*arcsin(c*x)/x-c*b/d*arcsin(c*x)*\ln(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+c*b/d*arcsin(c*x)*\ln(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))-c*b/d*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})+c*b/d*\ln(I*c*x+(-c^2*x^2+1)^{(1/2)}-1)-I*c*b/d*dilog(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+I*c*b/d*dilog(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} a \left( \frac{c \log(cx+1)}{d} - \frac{c \log(cx-1)}{d} - \frac{2}{dx} \right) + \frac{\left( cx \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) \log(cx+1) - cx \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) \log(cx-1) \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d),x, algorithm="maxima")

[Out]  $1/2*a*(c*\log(c*x + 1)/d - c*\log(c*x - 1)/d - 2/(d*x)) + 1/2*(c*x*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})*\log(c*x + 1) - c*x*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})*\log(-c*x + 1) + 2*d*x*\integrate(1/2*(c^2*x*\log(c*x + 1) - c^2*x*\log(-c*x + 1) - 2*c)*\sqrt{c*x + 1}*\sqrt{-c*x + 1}/(c^2*d*x^3 - d*x), x) - 2*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1}))*b/(d*x)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{c^2 dx^4 - dx^2}, x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d),x, algorithm="fricas")

[Out] integral(-(b\*arcsin(c\*x) + a)/(c^2\*d\*x^4 - d\*x^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a}{c^2 x^4 - x^2} dx + \int \frac{b \arcsin(cx)}{c^2 x^4 - x^2} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x\*\*2/(-c\*\*2\*d\*x\*\*2+d),x)

[Out] -(Integral(a/(c\*\*2\*x\*\*4 - x\*\*2), x) + Integral(b\*asin(c\*x)/(c\*\*2\*x\*\*4 - x\*\*2), x))/d

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(c^2 dx^2 - d)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d),x, algorithm="giac")

[Out] integrate(-(b\*arcsin(c\*x) + a)/((c^2\*d\*x^2 - d)\*x^2), x)

$$3.35 \quad \int \frac{a+b \sin^{-1}(cx)}{x^3(d-c^2 dx^2)} dx$$

**Optimal.** Leaf size=124

$$\frac{ibc^2 \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{2d} - \frac{ibc^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)}{2d} - \frac{2c^2 \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{d} - \frac{a + b \sin^{-1}(cx)}{2dx^2}$$

[Out]  $-(b*c*\text{Sqrt}[1 - c^2*x^2])/(2*d*x) - (a + b*\text{ArcSin}[c*x])/(2*d*x^2) - (2*c^2*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^((2*I)*\text{ArcSin}[c*x])])/d + ((I/2)*b*c^2*\text{PolyLog}[2, -E^((2*I)*\text{ArcSin}[c*x])])/d - ((I/2)*b*c^2*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])])/d$

**Rubi [A]** time = 0.186891, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.28$ , Rules used = {4701, 4679, 4419, 4183, 2279, 2391, 264}

$$\frac{ibc^2 \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{2d} - \frac{ibc^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)}{2d} - \frac{2c^2 \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{d} - \frac{a + b \sin^{-1}(cx)}{2dx^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])/(x^3*(d - c^2*d*x^2)), x]$

[Out]  $-(b*c*\text{Sqrt}[1 - c^2*x^2])/(2*d*x) - (a + b*\text{ArcSin}[c*x])/(2*d*x^2) - (2*c^2*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^((2*I)*\text{ArcSin}[c*x])])/d + ((I/2)*b*c^2*\text{PolyLog}[2, -E^((2*I)*\text{ArcSin}[c*x])])/d - ((I/2)*b*c^2*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])])/d$

### Rule 4701

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*(d + e*x^2)^p, x] := \text{Simp}[(f*x)^{m+1}*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n/(d*f*(m+1)), x] + (\text{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1)], \text{Int}[(f*x)^{m+2}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n, x], x) - \text{Dist}[(b*c^n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}/(f*(m+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{m+1}*(1 - c^2*x^2)^{p+1/2}*(a + b*\text{ArcSin}[c*x])^{n-1}], x], x) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[m]$

Rule 4679

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((x_)*((d_) + (e_.)*(x_)^2)),
x_Symbol] := Dist[1/d, Subst[Int[(a + b*x)^n/(Cos[x]*Sin[x]), x], x, ArcSin
[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 4419

```
Int[Csc[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Dist[2^n, Int[(c + d*x)^m*Csc[2*a + 2*b*x]^n,
x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-
2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 264

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rubi steps



$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^3(d - c^2 dx^2)} dx &= -\frac{a + b \sin^{-1}(cx)}{2dx^2} + c^2 \int \frac{a + b \sin^{-1}(cx)}{x(d - c^2 dx^2)} dx + \frac{(bc) \int \frac{1}{x^2 \sqrt{1-c^2 x^2}} dx}{2d} \\
&= -\frac{bc\sqrt{1-c^2 x^2}}{2dx} - \frac{a + b \sin^{-1}(cx)}{2dx^2} + \frac{c^2 \text{Subst}\left(\int (a + bx) \csc(x) \sec(x) dx, x, \sin^{-1}(cx)\right)}{d} \\
&= -\frac{bc\sqrt{1-c^2 x^2}}{2dx} - \frac{a + b \sin^{-1}(cx)}{2dx^2} + \frac{(2c^2) \text{Subst}\left(\int (a + bx) \csc(2x) dx, x, \sin^{-1}(cx)\right)}{d} \\
&= -\frac{bc\sqrt{1-c^2 x^2}}{2dx} - \frac{a + b \sin^{-1}(cx)}{2dx^2} - \frac{2c^2(a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d} - \frac{(bc^2) \text{Subst}\left(\int 1\right)}{d} \\
&= -\frac{bc\sqrt{1-c^2 x^2}}{2dx} - \frac{a + b \sin^{-1}(cx)}{2dx^2} - \frac{2c^2(a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d} + \frac{(ibc^2) \text{Subst}\left(\int 1\right)}{d} \\
&= -\frac{bc\sqrt{1-c^2 x^2}}{2dx} - \frac{a + b \sin^{-1}(cx)}{2dx^2} - \frac{2c^2(a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d} + \frac{ibc^2 \text{Li}_2\left(-e^{2i \sin^{-1}(cx)}\right)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.334409, size = 149, normalized size = 1.2

$$\frac{bc^2 \left( -i \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right) + i \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + \frac{\sqrt{1-c^2 x^2}}{cx} + \frac{\sin^{-1}(cx)}{c^2 x^2} - 2 \sin^{-1}(cx) \log\left(1 - e^{2i \sin^{-1}(cx)}\right) + 2 \right)}{2d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^3\*(d - c^2\*d\*x^2)), x]

[Out]  $-(a/x^2 - 2*a*c^2*\text{Log}[x] + a*c^2*\text{Log}[1 - c^2*x^2] + b*c^2*(\text{Sqrt}[1 - c^2*x^2] / (c*x) + \text{ArcSin}[c*x] / (c^2*x^2) - 2*\text{ArcSin}[c*x]*\text{Log}[1 - E^((2*I)*\text{ArcSin}[c*x])]) + 2*\text{ArcSin}[c*x]*\text{Log}[1 + E^((2*I)*\text{ArcSin}[c*x])] - I*\text{PolyLog}[2, -E^((2*I)*\text{ArcSin}[c*x])] + I*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])]) / (2*d)$

**Maple [B]** time = 0.171, size = 296, normalized size = 2.4

$$-\frac{c^2 a \ln(cx-1)}{2d} - \frac{c^2 a \ln(cx+1)}{2d} - \frac{a}{2dx^2} + \frac{c^2 a \ln(cx)}{d} + \frac{\frac{i}{2} c^2 b}{d} - \frac{bc}{2dx} \sqrt{-c^2 x^2 + 1} - \frac{b \arcsin(cx)}{2dx^2} + \frac{c^2 b \arcsin(cx)}{d} \ln\left(\dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))/x^3/(-c^2*d*x^2+d),x)`

[Out] 
$$-1/2*c^2*a/d*\ln(c*x-1)-1/2*c^2*a/d*\ln(c*x+1)-1/2*a/d/x^2+c^2*a/d*\ln(c*x)+1/2*I*c^2*b/d-1/2*b*c*(-c^2*x^2+1)^{(1/2)}/d/x-1/2*b/d*arcsin(c*x)/x^2+c^2*b/d*arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-I*c^2*b/d*polylog(2,-I*c*x+(-c^2*x^2+1)^{(1/2)})+c^2*b/d*arcsin(c*x)*\ln(1-I*c*x+(-c^2*x^2+1)^{(1/2)})-I*c^2*b/d*polylog(2,I*c*x+(-c^2*x^2+1)^{(1/2)})-c^2*b/d*arcsin(c*x)*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)+1/2*I*b*c^2*polylog(2,-(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2} \left( \frac{c^2 \log(cx+1)}{d} + \frac{c^2 \log(cx-1)}{d} - \frac{2c^2 \log(x)}{d} + \frac{1}{dx^2} \right) a - b \int \frac{\arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)}{c^2 dx^5 - dx^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x^3/(-c^2*d*x^2+d),x, algorithm="maxima")`

[Out] 
$$-1/2*(c^2*\log(c*x + 1)/d + c^2*\log(c*x - 1)/d - 2*c^2*\log(x)/d + 1/(d*x^2)) *a - b*integrate(arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))/(c^2*d*x^5 - d*x^3), x)$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b \arcsin(cx) + a}{c^2 dx^5 - dx^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x^3/(-c^2*d*x^2+d),x, algorithm="fricas")`

[Out] `integral(-(b*arcsin(c*x) + a)/(c^2*d*x^5 - d*x^3), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{\int \frac{a}{c^2 x^5 - x^3} dx + \int \frac{b \arcsin(cx)}{c^2 x^5 - x^3} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/x**3/(-c**2*d*x**2+d), x)
```

```
[Out] -(Integral(a/(c**2*x**5 - x**3), x) + Integral(b*asin(c*x)/(c**2*x**5 - x**3), x))/d
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{b \arcsin(cx) + a}{(c^2 dx^2 - d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^3/(-c^2*d*x^2+d), x, algorithm="giac")
```

```
[Out] integrate(-(b*arcsin(c*x) + a)/((c^2*d*x^2 - d)*x^3), x)
```

$$3.36 \quad \int \frac{a+b \sin^{-1}(cx)}{x^4(d-c^2 dx^2)} dx$$

**Optimal.** Leaf size=173

$$\frac{ibc^3 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{d} - \frac{ibc^3 \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{d} - \frac{c^2 (a + b \sin^{-1}(cx))}{dx} - \frac{2ic^3 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{d}$$

[Out]  $-(b*c*\text{Sqrt}[1 - c^2*x^2])/(6*d*x^2) - (a + b*\text{ArcSin}[c*x])/(3*d*x^3) - (c^2*(a + b*\text{ArcSin}[c*x]))/(d*x) - ((2*I)*c^3*(a + b*\text{ArcSin}[c*x])* \text{ArcTan}[E^{(I*\text{ArcSin}[c*x])}])/d - (7*b*c^3*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/(6*d) + (I*b*c^3*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[c*x])}])/d - (I*b*c^3*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}])/d$

**Rubi [A]** time = 0.243657, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 9, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.36$ , Rules used = {4701, 4657, 4181, 2279, 2391, 266, 63, 208, 51}

$$\frac{ibc^3 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{d} - \frac{ibc^3 \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{d} - \frac{c^2 (a + b \sin^{-1}(cx))}{dx} - \frac{2ic^3 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])/(x^4*(d - c^2*d*x^2)), x]$

[Out]  $-(b*c*\text{Sqrt}[1 - c^2*x^2])/(6*d*x^2) - (a + b*\text{ArcSin}[c*x])/(3*d*x^3) - (c^2*(a + b*\text{ArcSin}[c*x]))/(d*x) - ((2*I)*c^3*(a + b*\text{ArcSin}[c*x])* \text{ArcTan}[E^{(I*\text{ArcSin}[c*x])}])/d - (7*b*c^3*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/(6*d) + (I*b*c^3*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[c*x])}])/d - (I*b*c^3*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}])/d$

**Rule 4701**

$\text{Int}[(a + b*\text{ArcSin}[c*x])/(x^4*(d - c^2*d*x^2)), x] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n / (d*f*(m+1)), x] + (\text{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1)], \text{Int}[(f*x)^{(m+2)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n, x], x) - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}] / (f*(m+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m+1)}*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x) /;$  FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n,

0] && LtQ[m, -1] && IntegerQ[m]

### Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/((d\_) + (e\_.)\*(x\_)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^4 (d - c^2 dx^2)} dx &= -\frac{a + b \sin^{-1}(cx)}{3dx^3} + c^2 \int \frac{a + b \sin^{-1}(cx)}{x^2 (d - c^2 dx^2)} dx + \frac{(bc) \int \frac{1}{x^3 \sqrt{1 - c^2 x^2}} dx}{3d} \\
&= -\frac{a + b \sin^{-1}(cx)}{3dx^3} - \frac{c^2 (a + b \sin^{-1}(cx))}{dx} + c^4 \int \frac{a + b \sin^{-1}(cx)}{d - c^2 dx^2} dx + \frac{(bc) \text{Subst}\left(\int \frac{1}{x^2 \sqrt{1 - c^2 x}} dx, x\right)}{6d} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{6dx^2} - \frac{a + b \sin^{-1}(cx)}{3dx^3} - \frac{c^2 (a + b \sin^{-1}(cx))}{dx} + \frac{c^3 \text{Subst}\left(\int (a + bx) \sec(x) dx, x, \sin^{-1}(cx)\right)}{d} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{6dx^2} - \frac{a + b \sin^{-1}(cx)}{3dx^3} - \frac{c^2 (a + b \sin^{-1}(cx))}{dx} - \frac{2ic^3 (a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{d} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{6dx^2} - \frac{a + b \sin^{-1}(cx)}{3dx^3} - \frac{c^2 (a + b \sin^{-1}(cx))}{dx} - \frac{2ic^3 (a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{d} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{6dx^2} - \frac{a + b \sin^{-1}(cx)}{3dx^3} - \frac{c^2 (a + b \sin^{-1}(cx))}{dx} - \frac{2ic^3 (a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{d}
\end{aligned}$$

**Mathematica [B]** time = 0.147467, size = 350, normalized size = 2.02

$$-\frac{6ibc^3 x^3 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) + 6ibc^3 x^3 \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) + 6ac^2 x^2 + 3ac^3 x^3 \log(1 - cx) - 3ac^3 x^3 \log(cx + 1)}{d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcSin[c*x])/(x^4*(d - c^2*d*x^2)), x]
```

```
[Out] -(2*a + 6*a*c^2*x^2 + b*c*x*Sqrt[1 - c^2*x^2] + 2*b*ArcSin[c*x] + 6*b*c^2*x^2*ArcSin[c*x] + (3*I)*b*c^3*Pi*x^3*ArcSin[c*x] + 7*b*c^3*x^3*ArcTanh[Sqrt[
```

$$1 - c^2x^2]] - 3bc^3\pi x^3 \log[1 - I E^{(I \text{ArcSin}[c*x])}] - 6bc^3x^3 \text{ArcSin}[c*x] \log[1 - I E^{(I \text{ArcSin}[c*x])}] - 3bc^3\pi x^3 \log[1 + I E^{(I \text{ArcSin}[c*x])}] + 6bc^3x^3 \text{ArcSin}[c*x] \log[1 + I E^{(I \text{ArcSin}[c*x])}] + 3ac^3x^3 \log[1 - cx] - 3ac^3x^3 \log[1 + cx] + 3bc^3\pi x^3 \log[-\text{Cos}[(\pi + 2 \text{ArcSin}[c*x])/4]] + 3bc^3\pi x^3 \log[\text{Sin}[(\pi + 2 \text{ArcSin}[c*x])/4]] - (6I)bc^3x^3 \text{PolyLog}[2, (-I)E^{(I \text{ArcSin}[c*x])}] + (6I)bc^3x^3 \text{PolyLog}[2, I E^{(I \text{ArcSin}[c*x])}]]/(6dx^3)$$

**Maple [A]** time = 0.177, size = 303, normalized size = 1.8

$$-\frac{c^3a \ln(cx-1)}{2d} + \frac{c^3a \ln(cx+1)}{2d} - \frac{a}{3dx^3} - \frac{c^2a}{dx} - \frac{c^2b \arcsin(cx)}{dx} - \frac{bc}{6dx^2} \sqrt{-c^2x^2+1} - \frac{b \arcsin(cx)}{3dx^3} + \frac{7bc^3}{6d} \ln\left( icx + \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^4/(-c^2\*d\*x^2+d), x)

[Out]  $-1/2c^3a/d \ln(cx-1) + 1/2c^3a/d \ln(cx+1) - 1/3a/d/x^3 - c^2a/d/x - c^2b/d \arcsin(cx)/x - 1/6bc^3(-c^2x^2+1)^{(1/2)}/d/x^2 - 1/3b/d \arcsin(cx)/x^3 + 7/6c^3b/d \ln(Icx + (-c^2x^2+1)^{(1/2)} - 1) - 7/6c^3b/d \ln(1 + Icx + (-c^2x^2+1)^{(1/2)}) + c^3b/d \arcsin(cx) \ln(1 - I(Icx + (-c^2x^2+1)^{(1/2)})) - c^3b/d \arcsin(cx) \ln(1 + I(Icx + (-c^2x^2+1)^{(1/2)})) - I c^3b/d \text{dilog}(1 - I(Icx + (-c^2x^2+1)^{(1/2)})) + I c^3b/d \text{dilog}(1 + I(Icx + (-c^2x^2+1)^{(1/2)}))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{6} \left( \frac{3c^3 \log(cx+1)}{d} - \frac{3c^3 \log(cx-1)}{d} - \frac{2(3c^2x^2+1)}{dx^3} \right) a + \frac{\left( 3c^3x^3 \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) \log(cx+1) - 3c^3x^3 \right.}{\left. \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^4/(-c^2\*d\*x^2+d), x, algorithm="maxima")

[Out]  $1/6*(3c^3 \log(cx+1)/d - 3c^3 \log(cx-1)/d - 2(3c^2x^2+1)/(dx^3))a + 1/6*(3c^3x^3 \arctan2(cx, \sqrt{cx+1}) \sqrt{-cx+1}) \log(cx+1) - 3c^3x^3 \arctan2(cx, \sqrt{cx+1}) \sqrt{-cx+1}) \log(-cx+1) + 6dx^3 \int (1/6*(3c^4x^3 \log(cx+1) - 3c^4x^3 \log(-cx+1) - 6c^3x^2 - 2c) \sqrt{cx+1} \sqrt{-cx+1} / (c^2dx^5 - dx^3), x) - 2*(3*$

$c^2x^2 + 1) \arctan2(cx, \sqrt{cx + 1} \sqrt{-cx + 1}) * b / (d * x^3)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b \arcsin(cx) + a}{c^2 dx^6 - dx^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^4/(-c^2\*d\*x^2+d),x, algorithm="fricas")

[Out] integral(-(b\*arcsin(c\*x) + a)/(c^2\*d\*x^6 - d\*x^4), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a}{c^2 x^6 - x^4} dx + \int \frac{b \arcsin(cx)}{c^2 x^6 - x^4} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x\*\*4/(-c\*\*2\*d\*x\*\*2+d),x)

[Out] -(Integral(a/(c\*\*2\*x\*\*6 - x\*\*4), x) + Integral(b\*asin(c\*x)/(c\*\*2\*x\*\*6 - x\*\*4), x))/d

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{b \arcsin(cx) + a}{(c^2 dx^2 - d)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^4/(-c^2\*d\*x^2+d),x, algorithm="giac")

[Out] integrate(-(b\*arcsin(c\*x) + a)/((c^2\*d\*x^2 - d)\*x^4), x)



$$3.37 \quad \int \frac{x^4(a+b\sin^{-1}(cx))}{(d-c^2dx^2)^2} dx$$

**Optimal.** Leaf size=187

$$-\frac{3ib\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right)}{2c^5d^2} + \frac{3ib\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right)}{2c^5d^2} + \frac{x^3(a+b\sin^{-1}(cx))}{2c^2d^2(1-c^2x^2)} + \frac{3x(a+b\sin^{-1}(cx))}{2c^4d^2} + \frac{3i\tan^{-1}\left(\frac{cx}{d-c^2x^2}\right)}{2c^4d^2}$$

```
[Out] -b/(2*c^5*d^2*Sqrt[1 - c^2*x^2]) + (b*Sqrt[1 - c^2*x^2])/(c^5*d^2) + (3*x*(a + b*ArcSin[c*x]))/(2*c^4*d^2) + (x^3*(a + b*ArcSin[c*x]))/(2*c^2*d^2*(1 - c^2*x^2)) + ((3*I)*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c^5*d^2) - (((3*I)/2)*b*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c^5*d^2) + (((3*I)/2)*b*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c^5*d^2)
```

**Rubi [A]** time = 0.236777, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.36$ , Rules used = {4703, 4715, 4657, 4181, 2279, 2391, 261, 266, 43}

$$-\frac{3ib\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right)}{2c^5d^2} + \frac{3ib\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right)}{2c^5d^2} + \frac{x^3(a+b\sin^{-1}(cx))}{2c^2d^2(1-c^2x^2)} + \frac{3x(a+b\sin^{-1}(cx))}{2c^4d^2} + \frac{3i\tan^{-1}\left(\frac{cx}{d-c^2x^2}\right)}{2c^4d^2}$$

Antiderivative was successfully verified.

```
[In] Int[(x^4*(a + b*ArcSin[c*x]))/(d - c^2*d*x^2)^2, x]
```

```
[Out] -b/(2*c^5*d^2*Sqrt[1 - c^2*x^2]) + (b*Sqrt[1 - c^2*x^2])/(c^5*d^2) + (3*x*(a + b*ArcSin[c*x]))/(2*c^4*d^2) + (x^3*(a + b*ArcSin[c*x]))/(2*c^2*d^2*(1 - c^2*x^2)) + ((3*I)*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c^5*d^2) - (((3*I)/2)*b*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c^5*d^2) + (((3*I)/2)*b*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c^5*d^2)
```

### Rule 4703

```
Int[((a_) + ArcSin[(c_)*(x_)])*(b_)^(n_)*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + (-Dist[(f^2*(m - 1))/(2*e*(p + 1)), Int[(f*x)^(m - 2)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*f*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^n
```

$- 1), x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{GtQ}[m, 1]$

### Rule 4715

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(f*(f*x)^{(m-1)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n)/(e*(m + 2*p + 1)), x] + (\text{Dist}[(f^2*(m-1))/(c^2*(m + 2*p + 1)), \text{Int}[(f*x)^{(m-2)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n, x], x] + \text{Dist}[(b*f*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}]/(c*(m + 2*p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m-1)}*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{NeQ}[m + 2*p + 1, 0] \ \&\& \ \text{IntegerQ}[m]$

### Rule 4657

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}/((d_.) + (e_.)*(x_.)^2), x\_Symbol] \rightarrow \text{Dist}[1/(c*d), \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sec}[x], x], x, \text{ArcSin}[c*x]], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[n, 0]$

### Rule 4181

$\text{Int}[\text{csc}[(e_.) + \text{Pi}*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[(-2*(c + d*x)^m*\text{ArcTanh}[E^{(I*k*Pi)}*E^{(I*(e + f*x))}])/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 - E^{(I*k*Pi)}*E^{(I*(e + f*x))}], x], x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + E^{(I*k*Pi)}*E^{(I*(e + f*x))}], x], x]) /; \text{FreeQ}\{c, d, e, f\}, x\} \ \&\& \ \text{IntegerQ}[2*k] \ \&\& \ \text{IGtQ}[m, 0]$

### Rule 2279

$\text{Int}[\text{Log}[(a_.) + (b_.)*((F_.)^{((e_.)*((c_.) + (d_.)*(x_.)))})^{(n_.)}], x\_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x\} \ \&\& \ \text{GtQ}[a, 0]$

### Rule 2391

$\text{Int}[\text{Log}[(c_.)*((d_.) + (e_.)*(x_.)^{(n_.)})]/(x_.), x\_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x\} \ \&\& \ \text{EqQ}[c*d, 1]$

### Rule 261

$\text{Int}[(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(a + b*x^n)^{(p+1)}/(b*n*(p+1)), x] /; \text{FreeQ}\{a, b, m, n, p\}, x\} \ \&\& \ \text{EqQ}[m, n-1] \ \&\& \ \text{NeQ}[p, -1]$

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{x^4 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^2} dx &= \frac{x^3 (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} - \frac{b \int \frac{x^3}{(1 - c^2 x^2)^{3/2}} dx}{2cd^2} - \frac{3 \int \frac{x^2 (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx}{2c^2 d} \\ &= \frac{3x (a + b \sin^{-1}(cx))}{2c^4 d^2} + \frac{x^3 (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} - \frac{(3b) \int \frac{x}{\sqrt{1 - c^2 x^2}} dx}{2c^3 d^2} - \frac{b \operatorname{Subst} \left( \int \frac{x}{(1 - c^2 x)^{3/2}} dx, x \right)}{4cd^2} \\ &= \frac{3b\sqrt{1 - c^2 x^2}}{2c^5 d^2} + \frac{3x (a + b \sin^{-1}(cx))}{2c^4 d^2} + \frac{x^3 (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} - \frac{3 \operatorname{Subst} \left( \int (a + bx) \sec(x) dx \right)}{2c^5 d^2} \\ &= -\frac{b}{2c^5 d^2 \sqrt{1 - c^2 x^2}} + \frac{b\sqrt{1 - c^2 x^2}}{c^5 d^2} + \frac{3x (a + b \sin^{-1}(cx))}{2c^4 d^2} + \frac{x^3 (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} + \frac{3i (a + b \sin^{-1}(cx))}{2c^5 d^2} \\ &= -\frac{b}{2c^5 d^2 \sqrt{1 - c^2 x^2}} + \frac{b\sqrt{1 - c^2 x^2}}{c^5 d^2} + \frac{3x (a + b \sin^{-1}(cx))}{2c^4 d^2} + \frac{x^3 (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} + \frac{3i (a + b \sin^{-1}(cx))}{2c^5 d^2} \\ &= -\frac{b}{2c^5 d^2 \sqrt{1 - c^2 x^2}} + \frac{b\sqrt{1 - c^2 x^2}}{c^5 d^2} + \frac{3x (a + b \sin^{-1}(cx))}{2c^4 d^2} + \frac{x^3 (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} + \frac{3i (a + b \sin^{-1}(cx))}{2c^5 d^2} \end{aligned}$$

**Mathematica [A]** time = 0.452945, size = 332, normalized size = 1.78

$$\frac{-6ib \operatorname{PolyLog} \left( 2, -ie^{i \sin^{-1}(cx)} \right) + 6ib \operatorname{PolyLog} \left( 2, ie^{i \sin^{-1}(cx)} \right) - \frac{2acx}{c^2 x^2 - 1} + 4acx + 3a \log(1 - cx) - 3a \log(cx + 1) + \frac{b\sqrt{1 - c^2 x^2}}{cx - 1}}{1}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^2,x]

[Out] (4\*a\*c\*x + 4\*b\*Sqrt[1 - c^2\*x^2] + (b\*Sqrt[1 - c^2\*x^2])/(-1 + c\*x) - (b\*Sqrt[1 - c^2\*x^2]))/(1 + c\*x) - (2\*a\*c\*x)/(-1 + c^2\*x^2) + (3\*I)\*b\*Pi\*ArcSin[c\*x] + 4\*b\*c\*x\*ArcSin[c\*x] + (b\*ArcSin[c\*x])/(1 - c\*x) - (b\*ArcSin[c\*x])/(1 + c\*x) - 3\*b\*Pi\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - 6\*b\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - 3\*b\*Pi\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 6\*b\*ArcSin[c\*x]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 3\*a\*Log[1 - c\*x] - 3\*a\*Log[1 + c\*x] + 3\*b\*Pi\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]] + 3\*b\*Pi\*Log[Sin[(Pi + 2\*ArcSin[c\*x])/4]] - (6\*I)\*b\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] + (6\*I)\*b\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(4\*c^5\*d^2)

**Maple [A]** time = 0.267, size = 305, normalized size = 1.6

$$\frac{ax}{c^4d^2} - \frac{a}{4c^5d^2(cx-1)} + \frac{3a \ln(cx-1)}{4c^5d^2} - \frac{a}{4c^5d^2(cx+1)} - \frac{3a \ln(cx+1)}{4c^5d^2} + \frac{b}{c^5d^2} \sqrt{-c^2x^2+1} + \frac{b \arcsin(cx)x}{c^4d^2} - \frac{b \arcsin(cx)}{2c^4d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x)

[Out] 1/c^4\*a/d^2\*x-1/4/c^5\*a/d^2/(c\*x-1)+3/4/c^5\*a/d^2\*ln(c\*x-1)-1/4/c^5\*a/d^2/(c\*x+1)-3/4/c^5\*a/d^2\*ln(c\*x+1)+b\*(-c^2\*x^2+1)^(1/2)/c^5/d^2+1/c^4\*b/d^2\*arcsin(c\*x)\*x-1/2/c^4\*b/d^2/(c^2\*x^2-1)\*arcsin(c\*x)\*x+1/2/c^5\*b/d^2/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)+3/2/c^5\*b/d^2\*arcsin(c\*x)\*ln(1+I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))-3/2/c^5\*b/d^2\*arcsin(c\*x)\*ln(1-I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))-3/2\*I/c^5\*b/d^2\*dilog(1+I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))+3/2\*I/c^5\*b/d^2\*dilog(1-I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4}a \left( \frac{2x}{c^6d^2x^2 - c^4d^2} - \frac{4x}{c^4d^2} + \frac{3 \log(cx+1)}{c^5d^2} - \frac{3 \log(cx-1)}{c^5d^2} \right) - \frac{\left( 3(c^2x^2 - 1) \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) \log(cx+1) \right)}{c^4d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x, algorithm="maxima")

```
[Out] -1/4*a*(2*x/(c^6*d^2*x^2 - c^4*d^2) - 4*x/(c^4*d^2) + 3*log(c*x + 1)/(c^5*d^2) - 3*log(c*x - 1)/(c^5*d^2)) - 1/4*(3*(c^2*x^2 - 1)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))*log(c*x + 1) - 3*(c^2*x^2 - 1)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))*log(-c*x + 1) - 2*(2*c^3*x^3 - 3*c*x)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + 4*(c^7*d^2*x^2 - c^5*d^2)*integrate(-1/4*(4*c^3*x^3 - 6*c*x - 3*(c^2*x^2 - 1)*log(c*x + 1) + 3*(c^2*x^2 - 1)*log(-c*x + 1))*sqrt(c*x + 1)*sqrt(-c*x + 1)/(c^8*d^2*x^4 - 2*c^6*d^2*x^2 + c^4*d^2), x))*b/(c^7*d^2*x^2 - c^5*d^2)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^4 \arcsin(cx) + ax^4}{c^4 d^2 x^4 - 2c^2 d^2 x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^2,x, algorithm="fricas")
```

```
[Out] integral((b*x^4*arcsin(c*x) + a*x^4)/(c^4*d^2*x^4 - 2*c^2*d^2*x^2 + d^2), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{ax^4}{c^4 x^4 - 2c^2 x^2 + 1} dx + \int \frac{bx^4 \arcsin(cx)}{c^4 x^4 - 2c^2 x^2 + 1} dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(a+b*asin(c*x))/(-c**2*d*x**2+d)**2,x)
```

```
[Out] (Integral(a*x**4/(c**4*x**4 - 2*c**2*x**2 + 1), x) + Integral(b*x**4*asin(c*x)/(c**4*x**4 - 2*c**2*x**2 + 1), x))/d**2
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^4}{(c^2 dx^2 - d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^2,x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)*x^4/(c^2*d*x^2 - d)^2, x)
```

$$3.38 \quad \int \frac{x^3(a+b\sin^{-1}(cx))}{(d-c^2dx^2)^2} dx$$

**Optimal.** Leaf size=155

$$\frac{ib\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{2c^4d^2} + \frac{x^2(a+b\sin^{-1}(cx))}{2c^2d^2(1-c^2x^2)} - \frac{i(a+b\sin^{-1}(cx))^2}{2bc^4d^2} + \frac{\log\left(1+e^{2i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{c^4d^2} - \frac{2c^2d^2(1-c^2x^2)}{2c^4d^2}$$

[Out]  $-(b*x)/(2*c^3*d^2*\text{Sqrt}[1 - c^2*x^2]) + (b*\text{ArcSin}[c*x])/(2*c^4*d^2) + (x^2*(a + b*\text{ArcSin}[c*x]))/(2*c^2*d^2*(1 - c^2*x^2)) - ((I/2)*(a + b*\text{ArcSin}[c*x])^2)/(b*c^4*d^2) + ((a + b*\text{ArcSin}[c*x])*Log[1 + E^((2*I)*\text{ArcSin}[c*x])])/(c^4*d^2) - ((I/2)*b*\text{PolyLog}[2, -E^((2*I)*\text{ArcSin}[c*x])])/(c^4*d^2)$

**Rubi [A]** time = 0.183785, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.32$ , Rules used = {4703, 4675, 3719, 2190, 2279, 2391, 288, 216}

$$\frac{ib\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{2c^4d^2} + \frac{x^2(a+b\sin^{-1}(cx))}{2c^2d^2(1-c^2x^2)} - \frac{i(a+b\sin^{-1}(cx))^2}{2bc^4d^2} + \frac{\log\left(1+e^{2i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{c^4d^2} - \frac{2c^2d^2(1-c^2x^2)}{2c^4d^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^3*(a + b*\text{ArcSin}[c*x]))/(d - c^2*d*x^2)^2, x]$

[Out]  $-(b*x)/(2*c^3*d^2*\text{Sqrt}[1 - c^2*x^2]) + (b*\text{ArcSin}[c*x])/(2*c^4*d^2) + (x^2*(a + b*\text{ArcSin}[c*x]))/(2*c^2*d^2*(1 - c^2*x^2)) - ((I/2)*(a + b*\text{ArcSin}[c*x])^2)/(b*c^4*d^2) + ((a + b*\text{ArcSin}[c*x])*Log[1 + E^((2*I)*\text{ArcSin}[c*x])])/(c^4*d^2) - ((I/2)*b*\text{PolyLog}[2, -E^((2*I)*\text{ArcSin}[c*x])])/(c^4*d^2)$

### Rule 4703

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((f*x)^m*(d + e*x^2)^p + (f*x)^m*(d + e*x^2)^p), x\_Symbol] := \text{Simp}[(f*(f*x)^{m-1}*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n)/(2*e*(p+1)), x] + (-\text{Dist}[(f^2*(m-1))/(2*e*(p+1)), \text{Int}[(f*x)^{m-2}*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n, x], x] + \text{Dist}[(b*f^n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}]/(2*c*(p+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{m-1}*(1 - c^2*x^2)^{p+1/2}*(a + b*\text{ArcSin}[c*x])^{n-1}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{GtQ}[m, 1]$

Rule 4675

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.))/((d_.) + (e_.)*(x_)^2),
x_Symbol] := -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x]
], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_)^(m_.))*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_)^(m_.)))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 288

```
Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(c^
(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[(c^
n*(m - n + 1))/(b*n*(p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^(p + 1), x], x]
/; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !I
LtQ[(m + n*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```



Rubi steps

$$\begin{aligned}
\int \frac{x^3 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^2} dx &= \frac{x^2 (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} - \frac{b \int \frac{x^2}{(1 - c^2 x^2)^{3/2}} dx}{2cd^2} - \frac{\int \frac{x(a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx}{c^2 d} \\
&= -\frac{bx}{2c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{x^2 (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} - \frac{\text{Subst} \left( \int (a + bx) \tan(x) dx, x, \sin^{-1}(cx) \right)}{c^4 d^2} + \frac{b \int}{c^2 d} \\
&= -\frac{bx}{2c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{b \sin^{-1}(cx)}{2c^4 d^2} + \frac{x^2 (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} - \frac{i (a + b \sin^{-1}(cx))^2}{2bc^4 d^2} + \frac{(2i) \text{Subst}}{c^2 d} \\
&= -\frac{bx}{2c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{b \sin^{-1}(cx)}{2c^4 d^2} + \frac{x^2 (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} - \frac{i (a + b \sin^{-1}(cx))^2}{2bc^4 d^2} + \frac{(a + b \sin^{-1}(cx))}{c^2 d} \\
&= -\frac{bx}{2c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{b \sin^{-1}(cx)}{2c^4 d^2} + \frac{x^2 (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} - \frac{i (a + b \sin^{-1}(cx))^2}{2bc^4 d^2} + \frac{(a + b \sin^{-1}(cx))}{c^2 d} \\
&= -\frac{bx}{2c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{b \sin^{-1}(cx)}{2c^4 d^2} + \frac{x^2 (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} - \frac{i (a + b \sin^{-1}(cx))^2}{2bc^4 d^2} + \frac{(a + b \sin^{-1}(cx))}{c^2 d}
\end{aligned}$$

**Mathematica [B]** time = 0.520148, size = 334, normalized size = 2.15

$$-4ib \text{PolyLog} \left( 2, -ie^{i \sin^{-1}(cx)} \right) - 4ib \text{PolyLog} \left( 2, ie^{i \sin^{-1}(cx)} \right) - \frac{2a}{c^2 x^2 - 1} + 2a \log(1 - c^2 x^2) + \frac{b\sqrt{1 - c^2 x^2}}{cx - 1} + \frac{b\sqrt{1 - c^2 x^2}}{cx + 1} - 2ib \sin^{-1}(cx)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^2,x]

[Out] ((b\*Sqrt[1 - c^2\*x^2])/(-1 + c\*x) + (b\*Sqrt[1 - c^2\*x^2])/(1 + c\*x) - (2\*a)/(-1 + c^2\*x^2) + (4\*I)\*b\*Pi\*ArcSin[c\*x] + (b\*ArcSin[c\*x])/(1 - c\*x) + (b\*ArcSin[c\*x])/(1 + c\*x) - (2\*I)\*b\*ArcSin[c\*x]^2 + 8\*b\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])] + 2\*b\*Pi\*Log[1 - I\*E^(I\*ArcSin[c\*x])] + 4\*b\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - 2\*b\*Pi\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 4\*b\*ArcSin[c\*x]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 2\*a\*Log[1 - c^2\*x^2] - 8\*b\*Pi\*Log[Cos[ArcSin[c\*x]/2]] + 2\*b\*Pi\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]] - 2\*b\*Pi\*Log[Sin[(Pi + 2\*ArcSin[c\*x])/4]] - (4\*I)\*b\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] - (4\*I)\*b\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(4\*c^4\*d^2)

---

**Maple [A]** time = 0.263, size = 251, normalized size = 1.6

$$-\frac{a}{4c^4d^2(cx-1)} + \frac{a \ln(cx-1)}{2c^4d^2} + \frac{a}{4c^4d^2(cx+1)} + \frac{a \ln(cx+1)}{2c^4d^2} - \frac{\frac{i}{2}b(\arcsin(cx))^2}{c^4d^2} - \frac{\frac{i}{2}bx^2}{c^2d^2(c^2x^2-1)} + \frac{bx}{2c^3d^2(c^2x^2-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x)

[Out]  $-1/4/c^4*a/d^2/(c*x-1)+1/2/c^4*a/d^2*\ln(c*x-1)+1/4/c^4*a/d^2/(c*x+1)+1/2/c^4*a/d^2*\ln(c*x+1)-1/2*I/c^4*b/d^2*arcsin(c*x)^2-1/2*I/c^2*b/d^2/(c^2*x^2-1)*x^2+1/2/c^3*b/d^2/(c^2*x^2-1)*x*(-c^2*x^2+1)^{(1/2)}-1/2/c^4*b/d^2/(c^2*x^2-1)*arcsin(c*x)+1/2*I/c^4*b/d^2/(c^2*x^2-1)+1/c^4*b/d^2*arcsin(c*x)*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2}))^2)-1/2*I*b*polylog(2,-(I*c*x+(-c^2*x^2+1)^{(1/2}))^2)/c^4/d^2$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2}a\left(\frac{1}{c^6d^2x^2-c^4d^2}-\frac{\log(c^2x^2-1)}{c^4d^2}\right)+\frac{\left((c^2x^2-1)\arctan(cx,\sqrt{cx+1}\sqrt{-cx+1})\log(cx+1)+(c^2x^2-1)\arctan(cx,\sqrt{-cx+1}\sqrt{cx+1})\log(-cx+1)\right)}{c^4d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x, algorithm="maxima")

[Out]  $-1/2*a*(1/(c^6*d^2*x^2-c^4*d^2)-\log(c^2*x^2-1)/(c^4*d^2))+1/2*((c^2*x^2-1)*\arctan2(c*x,\sqrt{c*x+1}*\sqrt{-c*x+1})*\log(c*x+1)+(c^2*x^2-1)*\arctan2(c*x,\sqrt{-c*x+1}*\sqrt{c*x+1})*\log(-c*x+1)+2*(c^6*d^2*x^2-c^4*d^2)*\integrate(1/2*((c^2*x^2-1)*e^{(1/2*\log(c*x+1)+1/2*\log(-c*x+1))}*\log(c*x+1)+(c^2*x^2-1)*e^{(1/2*\log(c*x+1)+1/2*\log(-c*x+1))}*\log(-c*x+1)-e^{(1/2*\log(c*x+1)+1/2*\log(-c*x+1))})/(c^9*d^2*x^6-2*c^7*d^2*x^4+c^5*d^2*x^2+(c^7*d^2*x^4-2*c^5*d^2*x^2+c^3*d^2)*e^{(\log(c*x+1)+\log(-c*x+1))}),x)-\arctan2(c*x,\sqrt{c*x+1}*\sqrt{-c*x+1}))*b/(c^6*d^2*x^2-c^4*d^2)$

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^3 \arcsin(cx) + ax^3}{c^4 d^2 x^4 - 2c^2 d^2 x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b\*x^3\*arcsin(c\*x) + a\*x^3)/(c^4\*d^2\*x^4 - 2\*c^2\*d^2\*x^2 + d^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{ax^3}{c^4 x^4 - 2c^2 x^2 + 1} dx + \int \frac{bx^3 \arcsin(cx)}{c^4 x^4 - 2c^2 x^2 + 1} dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*2,x)

[Out] (Integral(a\*x\*\*3/(c\*\*4\*x\*\*4 - 2\*c\*\*2\*x\*\*2 + 1), x) + Integral(b\*x\*\*3\*asin(c\*x)/(c\*\*4\*x\*\*4 - 2\*c\*\*2\*x\*\*2 + 1), x))/d\*\*2

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^3}{(c^2 dx^2 - d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^3/(c^2\*d\*x^2 - d)^2, x)

$$3.39 \quad \int \frac{x^2(a+b \sin^{-1}(cx))}{(d-c^2 dx^2)^2} dx$$

**Optimal.** Leaf size=144

$$-\frac{ibPolyLog\left(2, -ie^{i \sin^{-1}(cx)}\right)}{2c^3 d^2} + \frac{ibPolyLog\left(2, ie^{i \sin^{-1}(cx)}\right)}{2c^3 d^2} + \frac{x(a+b \sin^{-1}(cx))}{2c^2 d^2(1-c^2 x^2)} + \frac{i \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{c^3 d^2}$$

[Out]  $-b/(2*c^3*d^2*sqrt[1 - c^2*x^2]) + (x*(a + b*ArcSin[c*x]))/(2*c^2*d^2*(1 - c^2*x^2)) + (I*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c^3*d^2) - ((I/2)*b*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c^3*d^2) + ((I/2)*b*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c^3*d^2)$

**Rubi [A]** time = 0.136193, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$ , Rules used = {4703, 4657, 4181, 2279, 2391, 261}

$$-\frac{ibPolyLog\left(2, -ie^{i \sin^{-1}(cx)}\right)}{2c^3 d^2} + \frac{ibPolyLog\left(2, ie^{i \sin^{-1}(cx)}\right)}{2c^3 d^2} + \frac{x(a+b \sin^{-1}(cx))}{2c^2 d^2(1-c^2 x^2)} + \frac{i \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{c^3 d^2}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^2,x]

[Out]  $-b/(2*c^3*d^2*sqrt[1 - c^2*x^2]) + (x*(a + b*ArcSin[c*x]))/(2*c^2*d^2*(1 - c^2*x^2)) + (I*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c^3*d^2) - ((I/2)*b*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c^3*d^2) + ((I/2)*b*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c^3*d^2)$

### Rule 4703

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + (-Dist[(f^2\*(m - 1))/(2\*e\*(p + 1)), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*f\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && GtQ[m, 1]

Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2), x_Symbol]
:> Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist[
(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))],
x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n],
x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2,
-(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/
(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^2} dx &= \frac{x (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} - \frac{b \int \frac{x}{(1 - c^2 x^2)^{3/2}} dx}{2cd^2} - \frac{\int \frac{a + b \sin^{-1}(cx)}{d - c^2 dx^2} dx}{2c^2 d} \\
&= -\frac{b}{2c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{x (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} - \frac{\text{Subst} \left( \int (a + bx) \sec(x) dx, x, \sin^{-1}(cx) \right)}{2c^3 d^2} \\
&= -\frac{b}{2c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{x (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} + \frac{i (a + b \sin^{-1}(cx)) \tan^{-1} \left( e^{i \sin^{-1}(cx)} \right)}{c^3 d^2} + \frac{b \text{Subst} \left( \int \frac{1}{\sec(x)} dx, x, \sin^{-1}(cx) \right)}{2c^3 d^2} \\
&= -\frac{b}{2c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{x (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} + \frac{i (a + b \sin^{-1}(cx)) \tan^{-1} \left( e^{i \sin^{-1}(cx)} \right)}{c^3 d^2} - \frac{(ib) \text{Subst} \left( \int \frac{1}{\sec(x)} dx, x, \sin^{-1}(cx) \right)}{2c^3 d^2} \\
&= -\frac{b}{2c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{x (a + b \sin^{-1}(cx))}{2c^2 d^2 (1 - c^2 x^2)} + \frac{i (a + b \sin^{-1}(cx)) \tan^{-1} \left( e^{i \sin^{-1}(cx)} \right)}{c^3 d^2} - \frac{ib \text{Li}_2 \left( -ie^{i \sin^{-1}(cx)} \right)}{2c^3 d^2}
\end{aligned}$$

**Mathematica [B]** time = 0.173277, size = 463, normalized size = 3.22

$$b \left( \frac{2i \text{PolyLog} \left( 2, -ie^{i \sin^{-1}(cx)} \right)}{c} - \frac{i \sin^{-1}(cx)^2}{2c} + \frac{3i\pi \sin^{-1}(cx)}{2c} + \frac{2 \sin^{-1}(cx) \log \left( 1 + ie^{i \sin^{-1}(cx)} \right)}{c} + \frac{2\pi \log \left( 1 + e^{-i \sin^{-1}(cx)} \right)}{4c^2} - \frac{\pi \log \left( 1 + ie^{i \sin^{-1}(cx)} \right)}{c} - \frac{2\pi \log \left( \cos \left( \frac{1}{2} \sin^{-1}(cx) \right) \right)}{c} + \dots \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^2,x]

[Out]  $-(a*x)/(2*c^2*d^2*(-1 + c^2*x^2)) + (a*\text{Log}[1 - c*x])/(4*c^3*d^2) - (a*\text{Log}[1 + c*x])/(4*c^3*d^2) + (b*((\text{Sqrt}[1 - c^2*x^2] - \text{ArcSin}[c*x])/(4*c^3*(-1 + c*x)) - (\text{Sqrt}[1 - c^2*x^2] + \text{ArcSin}[c*x])/(4*c^2*(c + c^2*x)) + (((3*I)/2)*\text{Pi}*\text{ArcSin}[c*x])/c - ((I/2)*\text{ArcSin}[c*x]^2)/c + (2*\text{Pi}*\text{Log}[1 + E^((-I)*\text{ArcSin}[c*x])])/c - (\text{Pi}*\text{Log}[1 + I*E^(I*\text{ArcSin}[c*x])])/c + (2*\text{ArcSin}[c*x]*\text{Log}[1 + I*E^(I*\text{ArcSin}[c*x])])/c - (2*\text{Pi}*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2]])/c + (\text{Pi}*\text{Log}[-\text{Cos}[(\text{Pi} + 2*\text{ArcSin}[c*x])/4]])/c - ((2*I)*\text{PolyLog}[2, (-I)*E^(I*\text{ArcSin}[c*x])])/c)/(4*c^2) - (((I/2)*\text{Pi}*\text{ArcSin}[c*x])/c - ((I/2)*\text{ArcSin}[c*x]^2)/c + (2*\text{Pi}*\text{Log}[1 + E^((-I)*\text{ArcSin}[c*x])])/c + (\text{Pi}*\text{Log}[1 - I*E^(I*\text{ArcSin}[c*x])])/c + (2*\text{ArcSin}[c*x]*\text{Log}[1 - I*E^(I*\text{ArcSin}[c*x])])/c - (2*\text{Pi}*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2]])/c - (\text{Pi}*\text{Log}[\text{Sin}[(\text{Pi} + 2*\text{ArcSin}[c*x])/4]])/c - ((2*I)*\text{PolyLog}[2, I*E^(I*\text{ArcSin}[c*x])])/c)/(4*c^2))/d^2$

---

**Maple [A]** time = 0.171, size = 263, normalized size = 1.8

$$-\frac{a}{4c^3d^2(cx-1)} + \frac{a \ln(cx-1)}{4c^3d^2} - \frac{a}{4c^3d^2(cx+1)} - \frac{a \ln(cx+1)}{4c^3d^2} - \frac{b \arcsin(cx)x}{2c^2d^2(c^2x^2-1)} + \frac{b}{2c^3d^2(c^2x^2-1)} \sqrt{-c^2x^2+1} + \frac{b}{2c^3d^2(c^2x^2-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^2,x)`

[Out] 
$$-1/4/c^3*a/d^2/(c*x-1)+1/4/c^3*a/d^2*\ln(c*x-1)-1/4/c^3*a/d^2/(c*x+1)-1/4/c^3*a/d^2*\ln(c*x+1)-1/2/c^2*b/d^2/(c^2*x^2-1)*\arcsin(c*x)*x+1/2/c^3*b/d^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}+1/2/c^3*b/d^2*\arcsin(c*x)*\ln(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))-1/2/c^3*b/d^2*\arcsin(c*x)*\ln(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))-1/2*I/c^3*b/d^2*\operatorname{dilog}(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+1/2*I/c^3*b/d^2*\operatorname{dilog}(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))$$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4}a\left(\frac{2x}{c^4d^2x^2-c^2d^2} + \frac{\log(cx+1)}{c^3d^2} - \frac{\log(cx-1)}{c^3d^2}\right) - \frac{\left(2cx \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + (c^2x^2-1) \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)\right)}{c^3d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^2,x, algorithm="maxima")`

[Out] 
$$-1/4*a*(2*x/(c^4*d^2*x^2-c^2*d^2) + \log(c*x+1)/(c^3*d^2) - \log(c*x-1)/(c^3*d^2)) - 1/4*(2*c*x*\arctan2(c*x, \sqrt{c*x+1}*\sqrt{-c*x+1}) + (c^2*x^2-1)*\arctan2(c*x, \sqrt{c*x+1}*\sqrt{-c*x+1})*\log(c*x+1) - (c^2*x^2-1)*\arctan2(c*x, \sqrt{c*x+1}*\sqrt{-c*x+1})*\log(-c*x+1) + 4*(c^5*d^2*x^2-c^3*d^2)*\int(1/4*(2*c*x+(c^2*x^2-1)*\log(c*x+1)-(c^2*x^2-1)*\log(-c*x+1))*\sqrt{c*x+1}*\sqrt{-c*x+1}/(c^6*d^2*x^4-2*c^4*d^2*x^2+c^2*d^2),x))*b/(c^5*d^2*x^2-c^3*d^2)$$

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{bx^2 \arcsin(cx) + ax^2}{c^4d^2x^4 - 2c^2d^2x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b\*x^2\*arcsin(c\*x) + a\*x^2)/(c^4\*d^2\*x^4 - 2\*c^2\*d^2\*x^2 + d^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{ax^2}{c^4x^4-2c^2x^2+1} dx + \int \frac{bx^2 \operatorname{asin}(cx)}{c^4x^4-2c^2x^2+1} dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*2,x)

[Out] (Integral(a\*x\*\*2/(c\*\*4\*x\*\*4 - 2\*c\*\*2\*x\*\*2 + 1), x) + Integral(b\*x\*\*2\*asin(c\*x)/(c\*\*4\*x\*\*4 - 2\*c\*\*2\*x\*\*2 + 1), x))/d\*\*2

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)x^2}{(c^2dx^2 - d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^2/(c^2\*d\*x^2 - d)^2, x)



$$3.40 \quad \int \frac{x(a+b \sin^{-1}(cx))}{(d-c^2x^2)^2} dx$$

**Optimal.** Leaf size=57

$$\frac{a + b \sin^{-1}(cx)}{2c^2d^2(1 - c^2x^2)} - \frac{bx}{2cd^2\sqrt{1 - c^2x^2}}$$

[Out]  $-(b*x)/(2*c*d^2*sqrt[1 - c^2*x^2]) + (a + b*ArcSin[c*x])/(2*c^2*d^2*(1 - c^2*x^2))$

**Rubi [A]** time = 0.047586, antiderivative size = 57, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {4677, 191}

$$\frac{a + b \sin^{-1}(cx)}{2c^2d^2(1 - c^2x^2)} - \frac{bx}{2cd^2\sqrt{1 - c^2x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x*(a + b*ArcSin[c*x]))/(d - c^2*d*x^2)^2, x]$

[Out]  $-(b*x)/(2*c*d^2*sqrt[1 - c^2*x^2]) + (a + b*ArcSin[c*x])/(2*c^2*d^2*(1 - c^2*x^2))$

#### Rule 4677

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*(d + e*x^2)^p, x\_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^{p+1}*(a + b*ArcSin[c*x])^n/(2*e*(p+1)), x] + \text{Dist}[(b*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]})/(2*c*(p+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(1 - c^2*x^2)^{p+1/2}*(a + b*ArcSin[c*x])^{n-1}, x], x] /;$  FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rule 191

$\text{Int}[(a + b*x^n)^p, x\_Symbol] \rightarrow \text{Simp}[(x*(a + b*x^n)^{p+1})/a, x] /;$  FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

#### Rubi steps

$$\int \frac{x(a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^2} dx = \frac{a + b \sin^{-1}(cx)}{2c^2 d^2 (1 - c^2 x^2)} - \frac{b \int \frac{1}{(1 - c^2 x^2)^{3/2}} dx}{2cd^2}$$

$$= -\frac{bx}{2cd^2 \sqrt{1 - c^2 x^2}} + \frac{a + b \sin^{-1}(cx)}{2c^2 d^2 (1 - c^2 x^2)}$$

**Mathematica [A]** time = 0.047155, size = 50, normalized size = 0.88

$$\frac{a - bcx\sqrt{1 - c^2 x^2} + b \sin^{-1}(cx)}{2c^2 d^2 - 2c^4 d^2 x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^2,x]

[Out] (a - b\*c\*x\*Sqrt[1 - c^2\*x^2] + b\*ArcSin[c\*x])/(2\*c^2\*d^2 - 2\*c^4\*d^2\*x^2)

**Maple [A]** time = 0.011, size = 98, normalized size = 1.7

$$\frac{1}{c^2} \left( -\frac{a}{2d^2(c^2x^2 - 1)} + \frac{b}{d^2} \left( -\frac{\arcsin(cx)}{2c^2x^2 - 2} + \frac{1}{4cx - 4} \sqrt{-(cx - 1)^2 - 2cx + 2} + \frac{1}{4cx + 4} \sqrt{-(cx + 1)^2 + 2cx + 2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x)

[Out] 1/c^2\*(-1/2\*a/d^2/(c^2\*x^2-1)+b/d^2\*(-1/2/(c^2\*x^2-1)\*arcsin(c\*x)+1/4/(c\*x-1)\*(-(c\*x-1)^2-2\*c\*x+2)^(1/2)+1/4/(c\*x+1)\*(-(c\*x+1)^2+2\*c\*x+2)^(1/2)))

**Maxima [B]** time = 1.74219, size = 225, normalized size = 3.95

$$\frac{1}{4} \left( \frac{\left( \frac{\sqrt{-c^2x^2+1}c^2d^2}{c^6d^4+\sqrt{c^6d^4}c^4d^2x} - \frac{\sqrt{-c^2x^2+1}c^2d^2}{c^6d^4-\sqrt{c^6d^4}c^4d^2x} \right) c^5d^2}{\sqrt{c^6d^4}} - \frac{2 \arcsin(cx)}{c^4d^2x^2 - c^2d^2} \right) b - \frac{a}{2(c^4d^2x^2 - c^2d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x, algorithm="maxima")

[Out]  $\frac{1}{4} * ((\sqrt{-c^2x^2 + 1}) * c^2d^2 / (c^6d^4 + \sqrt{c^6d^4} * c^4d^2x) - \sqrt{-c^2x^2 + 1}) * c^2d^2 / (c^6d^4 - \sqrt{c^6d^4} * c^4d^2x) * c^5d^2 / \sqrt{c^6d^4} - 2 * \arcsin(cx) / (c^4d^2x^2 - c^2d^2) * b - 1/2 * a / (c^4d^2x^2 - c^2d^2)$

**Fricas [A]** time = 2.04174, size = 115, normalized size = 2.02

$$\frac{ac^2x^2 - \sqrt{-c^2x^2 + 1}bcx + b \arcsin(cx)}{2(c^4d^2x^2 - c^2d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x, algorithm="fricas")

[Out]  $-1/2 * (a * c^2 * x^2 - \sqrt{-c^2 * x^2 + 1} * b * c * x + b * \arcsin(c * x)) / (c^4 * d^2 * x^2 - c^2 * d^2)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{ax}{c^4x^4 - 2c^2x^2 + 1} dx + \int \frac{bx \arcsin(cx)}{c^4x^4 - 2c^2x^2 + 1} dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*2,x)

[Out] (Integral(a\*x/(c\*\*4\*x\*\*4 - 2\*c\*\*2\*x\*\*2 + 1), x) + Integral(b\*x\*asin(c\*x)/(c\*\*4\*x\*\*4 - 2\*c\*\*2\*x\*\*2 + 1), x))/d\*\*2

**Giac [A]** time = 1.40863, size = 120, normalized size = 2.11

$$-\frac{bx^2 \arcsin(cx)}{2(c^2x^2 - 1)d^2} - \frac{ax^2}{2(c^2x^2 - 1)d^2} - \frac{bx}{2\sqrt{-c^2x^2 + 1}cd^2} + \frac{b \arcsin(cx)}{2c^2d^2} + \frac{a}{2c^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^2,x, algorithm="giac")
```

```
[Out] -1/2*b*x^2*arcsin(c*x)/((c^2*x^2 - 1)*d^2) - 1/2*a*x^2/((c^2*x^2 - 1)*d^2)
- 1/2*b*x/(sqrt(-c^2*x^2 + 1)*c*d^2) + 1/2*b*arcsin(c*x)/(c^2*d^2) + 1/2*a/
(c^2*d^2)
```

$$3.41 \quad \int \frac{a+b \sin^{-1}(cx)}{(d-c^2 dx^2)^2} dx$$

**Optimal.** Leaf size=141

$$\frac{ibPolyLog\left(2, -ie^{i \sin^{-1}(cx)}\right)}{2cd^2} - \frac{ibPolyLog\left(2, ie^{i \sin^{-1}(cx)}\right)}{2cd^2} + \frac{x(a+b \sin^{-1}(cx))}{2d^2(1-c^2x^2)} - \frac{i \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{cd^2}$$

[Out]  $-b/(2*c*d^2*sqrt[1 - c^2*x^2]) + (x*(a + b*ArcSin[c*x]))/(2*d^2*(1 - c^2*x^2)) - (I*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c*d^2) + ((I/2)*b*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c*d^2) - ((I/2)*b*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c*d^2)$

**Rubi [A]** time = 0.0956248, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {4655, 4657, 4181, 2279, 2391, 261}

$$\frac{ibPolyLog\left(2, -ie^{i \sin^{-1}(cx)}\right)}{2cd^2} - \frac{ibPolyLog\left(2, ie^{i \sin^{-1}(cx)}\right)}{2cd^2} + \frac{x(a+b \sin^{-1}(cx))}{2d^2(1-c^2x^2)} - \frac{i \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{cd^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*ArcSin[c*x])/(d - c^2*d*x^2)^2, x]$

[Out]  $-b/(2*c*d^2*sqrt[1 - c^2*x^2]) + (x*(a + b*ArcSin[c*x]))/(2*d^2*(1 - c^2*x^2)) - (I*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c*d^2) + ((I/2)*b*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c*d^2) - ((I/2)*b*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c*d^2)$

### Rule 4655

$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)*((d_. + (e_.)*(x_.)^2)^{(p_.)}, x\_ \text{Symbol}] :> -\text{Simp}[(x*(d + e*x^2)^{(p + 1)}*(a + b*ArcSin[c*x])^n)/(2*d*(p + 1)), x] + (\text{Dist}[(2*p + 3)/(2*d*(p + 1)), \text{Int}[(d + e*x^2)^{(p + 1)}*(a + b*ArcSin[c*x])^n, x], x] + \text{Dist}[(b*c*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(2*(p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[x*(1 - c^2*x^2)^{(p + 1/2)}*(a + b*ArcSin[c*x])^{(n - 1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{NeQ}[p, -3/2]$

Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2), x_Symbol]
:> Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^2} dx &= \frac{x(a + b \sin^{-1}(cx))}{2d^2(1 - c^2 x^2)} - \frac{(bc) \int \frac{x}{(1 - c^2 x^2)^{3/2}} dx}{2d^2} + \frac{\int \frac{a + b \sin^{-1}(cx)}{d - c^2 dx^2} dx}{2d} \\
&= -\frac{b}{2cd^2 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))}{2d^2(1 - c^2 x^2)} + \frac{\text{Subst}\left(\int (a + bx) \sec(x) dx, x, \sin^{-1}(cx)\right)}{2cd^2} \\
&= -\frac{b}{2cd^2 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))}{2d^2(1 - c^2 x^2)} - \frac{i(a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{cd^2} - \frac{b \text{Subst}\left(\int \log\right)}{cd^2} \\
&= -\frac{b}{2cd^2 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))}{2d^2(1 - c^2 x^2)} - \frac{i(a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{cd^2} + \frac{(ib) \text{Subst}\left(\int \log\right)}{cd^2} \\
&= -\frac{b}{2cd^2 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))}{2d^2(1 - c^2 x^2)} - \frac{i(a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{cd^2} + \frac{ib \text{Li}_2\left(-ie^{i \sin^{-1}(cx)}\right)}{2cd^2}
\end{aligned}$$

**Mathematica [B]** time = 0.807709, size = 334, normalized size = 2.37

$$-\frac{2ib \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{c} + \frac{2ib \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{c} + \frac{2ax}{c^2 x^2 - 1} + \frac{a \log(1 - cx)}{c} - \frac{a \log(cx + 1)}{c} + \frac{b \sqrt{1 - c^2 x^2}}{c - c^2 x} + \frac{b \sqrt{1 - c^2 x^2}}{c^2 x + c} + \frac{b \sin^{-1}(cx)}{c^2 x + c} + \frac{bs}{c}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(d - c^2\*d\*x^2)^2, x]

[Out]  $-\left(\frac{b \sqrt{1 - c^2 x^2}}{c - c^2 x} + \frac{b \sqrt{1 - c^2 x^2}}{c + c^2 x}\right) + \left(\frac{2 a x}{-1 + c^2 x^2} + \frac{i b \pi \text{ArcSin}[c x]}{c} + \frac{b \text{ArcSin}[c x]}{c(-1 + c x)} + \frac{b \text{ArcSin}[c x]}{c + c^2 x} - \frac{b \pi \text{Log}[1 - I E^{(I \text{ArcSin}[c x])}]}{c} - \frac{(2 b \text{ArcSin}[c x] \text{Log}[1 - I E^{(I \text{ArcSin}[c x])}])}{c} - \frac{b \pi \text{Log}[1 + I E^{(I \text{ArcSin}[c x])}]}{c} + \frac{(2 b \text{ArcSin}[c x] \text{Log}[1 + I E^{(I \text{ArcSin}[c x])}])}{c} + \frac{a \text{Log}[1 - c x]}{c} - \frac{a \text{Log}[1 + c x]}{c} + \frac{b \pi \text{Log}[-\text{Cos}[(\pi + 2 \text{ArcSin}[c x])/4]]}{c} + \frac{b \pi \text{Log}[\text{Sin}[(\pi + 2 \text{ArcSin}[c x])/4]]}{c} - \frac{((2 I) b \text{PolyLog}[2, (-I) E^{(I \text{ArcSin}[c x])}]}{c} + \frac{((2 I) b \text{PolyLog}[2, I E^{(I \text{ArcSin}[c x])}]}{c})}{(4 d^2)}$

**Maple [A]** time = 0.087, size = 260, normalized size = 1.8

$$-\frac{a}{4cd^2(cx-1)} - \frac{a \ln(cx-1)}{4cd^2} - \frac{a}{4cd^2(cx+1)} + \frac{a \ln(cx+1)}{4cd^2} - \frac{b \arcsin(cx)x}{2d^2(c^2x^2-1)} + \frac{b}{2cd^2(c^2x^2-1)} \sqrt{-c^2x^2+1} - \frac{b \arcsin(cx)}{2cd^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))/(-c^2*d*x^2+d)^2,x)`

[Out] 
$$-1/4/c*a/d^2/(c*x-1)-1/4/c*a/d^2*\ln(c*x-1)-1/4/c*a/d^2/(c*x+1)+1/4/c*a/d^2*\ln(c*x+1)-1/2*b/d^2/(c^2*x^2-1)*\arcsin(c*x)*x+1/2/c*b/d^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}-1/2/c*b/d^2*\arcsin(c*x)*\ln(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+1/2/c*b/d^2*\arcsin(c*x)*\ln(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+1/2*I/c*b/d^2*\operatorname{dilog}(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))-1/2*I/c*b/d^2*\operatorname{dilog}(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4}a\left(\frac{2x}{c^2d^2x^2-d^2}-\frac{\log(cx+1)}{cd^2}+\frac{\log(cx-1)}{cd^2}\right)-\frac{\left(2cx\arctan\left(cx,\sqrt{cx+1}\sqrt{-cx+1}\right)-\left(c^2x^2-1\right)\arctan\left(cx,\sqrt{cx+1}\right)\right)}{c^2d^2x^2-d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/(-c^2*d*x^2+d)^2,x, algorithm="maxima")`

[Out] 
$$-1/4*a*(2*x/(c^2*d^2*x^2-d^2)-\log(c*x+1)/(c*d^2)+\log(c*x-1)/(c*d^2))-1/4*(2*c*x*\arctan2(c*x,\sqrt{c*x+1}*\sqrt{-c*x+1})-(c^2*x^2-1)*\arctan2(c*x,\sqrt{c*x+1}*\sqrt{-c*x+1}))*\log(c*x+1)+(c^2*x^2-1)*\arctan2(c*x,\sqrt{c*x+1}*\sqrt{-c*x+1})*\log(-c*x+1)-4*(c^3*d^2*x^2-c*d^2)*\int(-1/4*(2*c*x-(c^2*x^2-1))*\log(c*x+1)+(c^2*x^2-1)*\log(-c*x+1))*\sqrt{c*x+1}*\sqrt{-c*x+1}/(c^4*d^2*x^4-2*c^2*d^2*x^2+d^2),x)*b/(c^3*d^2*x^2-c*d^2)$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b\arcsin(cx)+a}{c^4d^2x^4-2c^2d^2x^2+d^2},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/(-c^2*d*x^2+d)^2,x, algorithm="fricas")`

[Out] `integral((b*arcsin(c*x) + a)/(c^4*d^2*x^4 - 2*c^2*d^2*x^2 + d^2), x)`



---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*2,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(c^2 dx^2 - d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/(c^2\*d\*x^2 - d)^2, x)

$$3.42 \quad \int \frac{a+b \sin^{-1}(cx)}{x(d-c^2 dx^2)^2} dx$$

**Optimal.** Leaf size=122

$$\frac{ibPolyLog\left(2, -e^{2i \sin^{-1}(cx)}\right)}{2d^2} - \frac{ibPolyLog\left(2, e^{2i \sin^{-1}(cx)}\right)}{2d^2} + \frac{a + b \sin^{-1}(cx)}{2d^2(1 - c^2 x^2)} - \frac{2 \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{d^2} - \frac{2}{2}$$

[Out]  $-(b*c*x)/(2*d^2*sqrt[1 - c^2*x^2]) + (a + b*ArcSin[c*x])/(2*d^2*(1 - c^2*x^2)) - (2*(a + b*ArcSin[c*x])*ArcTanh[E^((2*I)*ArcSin[c*x])])/d^2 + ((I/2)*b*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/d^2 - ((I/2)*b*PolyLog[2, E^((2*I)*ArcSin[c*x])])/d^2$

**Rubi [A]** time = 0.172984, antiderivative size = 122, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.28$ , Rules used = {4705, 4679, 4419, 4183, 2279, 2391, 191}

$$\frac{ibPolyLog\left(2, -e^{2i \sin^{-1}(cx)}\right)}{2d^2} - \frac{ibPolyLog\left(2, e^{2i \sin^{-1}(cx)}\right)}{2d^2} + \frac{a + b \sin^{-1}(cx)}{2d^2(1 - c^2 x^2)} - \frac{2 \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{d^2} - \frac{2}{2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(x\*(d - c^2\*d\*x^2)^2), x]

[Out]  $-(b*c*x)/(2*d^2*sqrt[1 - c^2*x^2]) + (a + b*ArcSin[c*x])/(2*d^2*(1 - c^2*x^2)) - (2*(a + b*ArcSin[c*x])*ArcTanh[E^((2*I)*ArcSin[c*x])])/d^2 + ((I/2)*b*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/d^2 - ((I/2)*b*PolyLog[2, E^((2*I)*ArcSin[c*x])])/d^2$

**Rule 4705**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_.))^ (m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^ (p\_.), x\_Symbol] :> -Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*f\*(p + 1)), x] + (Dist[(m + 2\*p + 3)/(2\*d\*(p + 1)), Int[(f\*x)^m\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*f\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1])

)

Rule 4679

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((x_)*((d_) + (e_.)*(x_)^2)),
x_Symbol] := Dist[1/d, Subst[Int[(a + b*x)^n/(Cos[x]*Sin[x]), x], x, ArcSin
[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 4419

```
Int[Csc[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Dist[2^n, Int[(c + d*x)^m*Csc[2*a + 2*b*x]^n,
x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-
2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 191

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1)
)/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x(d - c^2 dx^2)^2} dx &= \frac{a + b \sin^{-1}(cx)}{2d^2(1 - c^2 x^2)} - \frac{(bc) \int \frac{1}{(1 - c^2 x^2)^{3/2}} dx}{2d^2} + \frac{\int \frac{a + b \sin^{-1}(cx)}{x(d - c^2 dx^2)} dx}{d} \\
&= -\frac{bcx}{2d^2 \sqrt{1 - c^2 x^2}} + \frac{a + b \sin^{-1}(cx)}{2d^2(1 - c^2 x^2)} + \frac{\text{Subst}\left(\int (a + bx) \csc(x) \sec(x) dx, x, \sin^{-1}(cx)\right)}{d^2} \\
&= -\frac{bcx}{2d^2 \sqrt{1 - c^2 x^2}} + \frac{a + b \sin^{-1}(cx)}{2d^2(1 - c^2 x^2)} + \frac{2 \text{Subst}\left(\int (a + bx) \csc(2x) dx, x, \sin^{-1}(cx)\right)}{d^2} \\
&= -\frac{bcx}{2d^2 \sqrt{1 - c^2 x^2}} + \frac{a + b \sin^{-1}(cx)}{2d^2(1 - c^2 x^2)} - \frac{2(a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d^2} - \frac{b \text{Subst}\left(\int \log(1 - \dots)\right)}{d^2} \\
&= -\frac{bcx}{2d^2 \sqrt{1 - c^2 x^2}} + \frac{a + b \sin^{-1}(cx)}{2d^2(1 - c^2 x^2)} - \frac{2(a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d^2} + \frac{(ib) \text{Subst}\left(\int \frac{\log(1 - \dots)}{x}\right)}{2d^2} \\
&= -\frac{bcx}{2d^2 \sqrt{1 - c^2 x^2}} + \frac{a + b \sin^{-1}(cx)}{2d^2(1 - c^2 x^2)} - \frac{2(a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d^2} + \frac{ib \text{Li}_2\left(-e^{2i \sin^{-1}(cx)}\right)}{2d^2}
\end{aligned}$$

**Mathematica [A]** time = 0.356829, size = 153, normalized size = 1.25

$$\frac{b \left( i \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right) - i \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) - \frac{cx}{\sqrt{1 - c^2 x^2}} + \frac{\sin^{-1}(cx)}{1 - c^2 x^2} + 2 \sin^{-1}(cx) \log\left(1 - e^{2i \sin^{-1}(cx)}\right) - 2 \sin^{-1}(cx) \log\left(1 + e^{2i \sin^{-1}(cx)}\right) \right)}{2d^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x\*(d - c^2\*d\*x^2)^2), x]

[Out] (a/(1 - c^2\*x^2) + 2\*a\*Log[x] - a\*Log[1 - c^2\*x^2] + b\*(-((c\*x)/Sqrt[1 - c^2\*x^2]) + ArcSin[c\*x]/(1 - c^2\*x^2) + 2\*ArcSin[c\*x]\*Log[1 - E^((2\*I)\*ArcSin[c\*x])] - 2\*ArcSin[c\*x]\*Log[1 + E^((2\*I)\*ArcSin[c\*x])] + I\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])] - I\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])]))/(2\*d^2)

**Maple [B]** time = 0.169, size = 335, normalized size = 2.8

$$-\frac{a}{4d^2(cx-1)} - \frac{a \ln(cx-1)}{2d^2} + \frac{a}{4d^2(cx+1)} - \frac{a \ln(cx+1)}{2d^2} + \frac{a \ln(cx)}{d^2} - \frac{\frac{i}{2}bc^2x^2}{d^2(c^2x^2-1)} + \frac{xbc}{2d^2(c^2x^2-1)} \sqrt{-c^2x^2+1} - \frac{b}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))/x/(-c^2*d*x^2+d)^2,x)`

[Out] 
$$-1/4*a/d^2/(c*x-1)-1/2*a/d^2*\ln(c*x-1)+1/4*a/d^2/(c*x+1)-1/2*a/d^2*\ln(c*x+1)+a/d^2*\ln(c*x)-1/2*I*b/d^2/(c^2*x^2-1)*c^2*x^2+1/2*b/d^2/(c^2*x^2-1)*c*x*(-c^2*x^2+1)^{(1/2)}-1/2*b/d^2/(c^2*x^2-1)*\arcsin(c*x)+1/2*I*b/d^2/(c^2*x^2-1)+b/d^2*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-I*b/d^2*\operatorname{polylog}(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})+b/d^2*\arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})-I*b/d^2*\operatorname{polylog}(2,I*c*x+(-c^2*x^2+1)^{(1/2)})-b/d^2*\arcsin(c*x)*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)+1/2*I*b*\operatorname{polylog}(2,-(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)/d^2$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2}a\left(\frac{1}{c^2d^2x^2-d^2}+\frac{\log(cx+1)}{d^2}+\frac{\log(cx-1)}{d^2}-\frac{2\log(x)}{d^2}\right)+b\int\frac{\arctan\left(cx,\sqrt{cx+1}\sqrt{-cx+1}\right)}{c^4d^2x^5-2c^2d^2x^3+d^2x}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x/(-c^2*d*x^2+d)^2,x, algorithm="maxima")`

[Out] 
$$-1/2*a*(1/(c^2*d^2*x^2-d^2)+\log(c*x+1)/d^2+\log(c*x-1)/d^2-2*\log(x)/d^2)+b*\operatorname{integrate}(\arctan2(c*x,\sqrt{c*x+1}*\sqrt{-c*x+1})/(c^4*d^2*x^5-2*c^2*d^2*x^3+d^2*x),x)$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b\arcsin(cx)+a}{c^4d^2x^5-2c^2d^2x^3+d^2x},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x/(-c^2*d*x^2+d)^2,x, algorithm="fricas")`

[Out] `integral((b*arcsin(c*x)+a)/(c^4*d^2*x^5-2*c^2*d^2*x^3+d^2*x),x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x/(-c\*\*2\*d\*x\*\*2+d)\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(c^2 dx^2 - d)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x/(-c^2\*d\*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/((c^2\*d\*x^2 - d)^2\*x), x)

$$3.43 \quad \int \frac{a+b \sin^{-1}(cx)}{x^2(d-c^2dx^2)^2} dx$$

**Optimal.** Leaf size=186

$$\frac{3ibc \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{2d^2} - \frac{3ibc \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{2d^2} + \frac{3c^2x(a+b \sin^{-1}(cx))}{2d^2(1-c^2x^2)} - \frac{a+b \sin^{-1}(cx)}{d^2x(1-c^2x^2)} - \frac{3ic \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{d^2x(1-c^2x^2)}$$

[Out]  $-(b*c)/(2*d^2*\sqrt{1-c^2*x^2}) - (a+b*\operatorname{ArcSin}[c*x])/(d^2*x*(1-c^2*x^2)) + (3*c^2*x*(a+b*\operatorname{ArcSin}[c*x]))/(2*d^2*(1-c^2*x^2)) - ((3*I)*c*(a+b*\operatorname{ArcSin}[c*x])* \operatorname{ArcTan}[E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 - (b*c*\operatorname{ArcTanh}[\sqrt{1-c^2*x^2}])/d^2 + (((3*I)/2)*b*c*\operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 - (((3*I)/2)*b*c*\operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x])}])/d^2$

**Rubi [A]** time = 0.192593, antiderivative size = 186, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 11, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.44$ , Rules used = {4701, 4655, 4657, 4181, 2279, 2391, 261, 266, 51, 63, 208}

$$\frac{3ibc \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{2d^2} - \frac{3ibc \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{2d^2} + \frac{3c^2x(a+b \sin^{-1}(cx))}{2d^2(1-c^2x^2)} - \frac{a+b \sin^{-1}(cx)}{d^2x(1-c^2x^2)} - \frac{3ic \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{d^2x(1-c^2x^2)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a+b*\operatorname{ArcSin}[c*x])/(x^2*(d-c^2*d*x^2)^2), x]$

[Out]  $-(b*c)/(2*d^2*\sqrt{1-c^2*x^2}) - (a+b*\operatorname{ArcSin}[c*x])/(d^2*x*(1-c^2*x^2)) + (3*c^2*x*(a+b*\operatorname{ArcSin}[c*x]))/(2*d^2*(1-c^2*x^2)) - ((3*I)*c*(a+b*\operatorname{ArcSin}[c*x])* \operatorname{ArcTan}[E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 - (b*c*\operatorname{ArcTanh}[\sqrt{1-c^2*x^2}])/d^2 + (((3*I)/2)*b*c*\operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 - (((3*I)/2)*b*c*\operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x])}])/d^2$

### Rule 4701

$\operatorname{Int}[(a_.) + \operatorname{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] := \operatorname{Simp}[(f*x)^{(m+1)}*(d+e*x^2)^{(p+1)}*(a+b*\operatorname{ArcSin}[c*x])^n/(d*f*(m+1)), x] + (\operatorname{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1)], \operatorname{Int}[(f*x)^{(m+2)}*(d+e*x^2)^p*(a+b*\operatorname{ArcSin}[c*x])^n, x], x) - \operatorname{Dist}[(b*c^n*d*\operatorname{IntPart}[p]*(d+e*x^2)^{\operatorname{FracPart}[p]}]/(f*(m+1)*(1-c^2*x^2)^{\operatorname{FracPart}[p]}), \operatorname{Int}[(f*x)^{(m+1)}*(1-c^2*x^2)^{(p+1/2)}*(a+b*\operatorname{ArcSin}[c*x])^{(n-1)}]$

, x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

#### Rule 4655

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(x\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*(p + 1)), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

#### Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/((d\_) + (e\_.)\*(x\_)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

#### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

#### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

#### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

#### Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^ (p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]



Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^2 (d - c^2 dx^2)^2} dx &= -\frac{a + b \sin^{-1}(cx)}{d^2 x (1 - c^2 x^2)} + (3c^2) \int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^2} dx + \frac{(bc) \int \frac{1}{x(1-c^2x)^{3/2}} dx}{d^2} \\
&= -\frac{a + b \sin^{-1}(cx)}{d^2 x (1 - c^2 x^2)} + \frac{3c^2 x (a + b \sin^{-1}(cx))}{2d^2 (1 - c^2 x^2)} + \frac{(bc) \text{Subst} \left( \int \frac{1}{x(1-c^2x)^{3/2}} dx, x, x^2 \right)}{2d^2} - \frac{(3bc^3) \int \frac{x}{(1-c^2x^2)^2} dx}{2d^2} \\
&= -\frac{bc}{2d^2 \sqrt{1 - c^2 x^2}} - \frac{a + b \sin^{-1}(cx)}{d^2 x (1 - c^2 x^2)} + \frac{3c^2 x (a + b \sin^{-1}(cx))}{2d^2 (1 - c^2 x^2)} + \frac{(3c) \text{Subst} \left( \int (a + bx) \sec(x) dx, x, \right)}{2d^2} \\
&= -\frac{bc}{2d^2 \sqrt{1 - c^2 x^2}} - \frac{a + b \sin^{-1}(cx)}{d^2 x (1 - c^2 x^2)} + \frac{3c^2 x (a + b \sin^{-1}(cx))}{2d^2 (1 - c^2 x^2)} - \frac{3ic (a + b \sin^{-1}(cx)) \tan^{-1} \left( e^{i \sin^{-1}(cx)} \right)}{d^2} \\
&= -\frac{bc}{2d^2 \sqrt{1 - c^2 x^2}} - \frac{a + b \sin^{-1}(cx)}{d^2 x (1 - c^2 x^2)} + \frac{3c^2 x (a + b \sin^{-1}(cx))}{2d^2 (1 - c^2 x^2)} - \frac{3ic (a + b \sin^{-1}(cx)) \tan^{-1} \left( e^{i \sin^{-1}(cx)} \right)}{d^2} \\
&= -\frac{bc}{2d^2 \sqrt{1 - c^2 x^2}} - \frac{a + b \sin^{-1}(cx)}{d^2 x (1 - c^2 x^2)} + \frac{3c^2 x (a + b \sin^{-1}(cx))}{2d^2 (1 - c^2 x^2)} - \frac{3ic (a + b \sin^{-1}(cx)) \tan^{-1} \left( e^{i \sin^{-1}(cx)} \right)}{d^2}
\end{aligned}$$

**Mathematica [A]** time = 0.797835, size = 348, normalized size = 1.87

$$-6ibc \text{PolyLog} \left( 2, -ie^{i \sin^{-1}(cx)} \right) + 6ibc \text{PolyLog} \left( 2, ie^{i \sin^{-1}(cx)} \right) + \frac{2ac^2x}{c^2x^2-1} + 3ac \log(1 - cx) - 3ac \log(cx + 1) + \frac{4a}{x} + \frac{bc\sqrt{1-c^2x^2}}{1-cx}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^2\*(d - c^2\*d\*x^2)^2), x]

[Out] -((4\*a)/x + (b\*c\*Sqrt[1 - c^2\*x^2])/(1 - c\*x) + (b\*c\*Sqrt[1 - c^2\*x^2])/(1 + c\*x) + (2\*a\*c^2\*x)/(-1 + c^2\*x^2) + (3\*I)\*b\*c\*Pi\*ArcSin[c\*x] + (4\*b\*ArcSin[c\*x])/x + (b\*c\*ArcSin[c\*x])/(-1 + c\*x) + (b\*c\*ArcSin[c\*x])/(1 + c\*x) + 4\*b\*c\*ArcTanh[Sqrt[1 - c^2\*x^2]] - 3\*b\*c\*Pi\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - 6\*b\*c\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - 3\*b\*c\*Pi\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 6\*b\*c\*ArcSin[c\*x]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 3\*a\*c\*Log[1 - c\*x] - 3\*a\*c\*Log[1 + c\*x] + 3\*b\*c\*Pi\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]] + 3\*b\*c\*Pi\*Log[Sin[(Pi + 2\*ArcSin[c\*x])/4]] - (6\*I)\*b\*c\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] + (6\*I)\*b\*c\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(4\*d^2)

---

**Maple [A]** time = 0.193, size = 330, normalized size = 1.8

$$-\frac{ca}{4d^2(cx-1)} - \frac{3ca \ln(cx-1)}{4d^2} - \frac{ca}{4d^2(cx+1)} + \frac{3ca \ln(cx+1)}{4d^2} - \frac{a}{d^2x} - \frac{3b \arcsin(cx) c^2x}{2d^2(c^2x^2-1)} + \frac{bc}{2d^2(c^2x^2-1)} \sqrt{-c^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))/x^2/(-c^2*d*x^2+d)^2,x)`

[Out]  $-1/4*c*a/d^2/(c*x-1)-3/4*c*a/d^2*\ln(c*x-1)-1/4*c*a/d^2/(c*x+1)+3/4*c*a/d^2*\ln(c*x+1)-a/d^2/x-3/2*b/d^2/(c^2*x^2-1)*\arcsin(c*x)*c^2*x+1/2*c*b/d^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}+b/d^2/x/(c^2*x^2-1)*\arcsin(c*x)+c*b/d^2*\ln(I*c*x+(-c^2*x^2+1)^{(1/2)}-1)-c*b/d^2*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})+3/2*I*c*b/d^2*\operatorname{dilog}(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+3/2*c*b/d^2*\arcsin(c*x)*\ln(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))-3/2*I*c*b/d^2*\operatorname{dilog}(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))-3/2*c*b/d^2*\arcsin(c*x)*\ln(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4} a \left( \frac{2(3c^2x^2-2)}{c^2d^2x^3-d^2x} - \frac{3c \log(cx+1)}{d^2} + \frac{3c \log(cx-1)}{d^2} \right) + \frac{\left( 3(c^3x^3-cx) \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) \log(cx+1) - \dots \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x^2/(-c^2*d*x^2+d)^2,x, algorithm="maxima")`

[Out]  $-1/4*a*(2*(3*c^2*x^2-2)/(c^2*d^2*x^3-d^2*x)-3*c*\log(c*x+1)/d^2+3*c*\log(c*x-1)/d^2)+1/4*(3*(c^3*x^3-c*x)*\arctan2(c*x,\sqrt{c*x+1})*\sqrt{-c*x+1})*\log(c*x+1)-3*(c^3*x^3-c*x)*\arctan2(c*x,\sqrt{c*x+1})*\sqrt{-c*x+1})*\log(-c*x+1)-2*(3*c^2*x^2-2)*\arctan2(c*x,\sqrt{c*x+1})*\sqrt{-c*x+1}+4*(c^2*d^2*x^3-d^2*x)*\operatorname{integrate}(-1/4*(6*c^3*x^2-3*(c^4*x^3-c^2*x)*\log(c*x+1)+3*(c^4*x^3-c^2*x)*\log(-c*x+1)-4*c)*\sqrt{c*x+1})*\sqrt{-c*x+1}/(c^4*d^2*x^5-2*c^2*d^2*x^3+d^2*x),x)*b/(c^2*d^2*x^3-d^2*x)$

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \arcsin(cx) + a}{c^4 d^2 x^6 - 2 c^2 d^2 x^4 + d^2 x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b\*arcsin(c\*x) + a)/(c^4\*d^2\*x^6 - 2\*c^2\*d^2\*x^4 + d^2\*x^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a}{c^4 x^6 - 2c^2 x^4 + x^2} dx + \int \frac{b \arcsin(cx)}{c^4 x^6 - 2c^2 x^4 + x^2} dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*2,x)

[Out] (Integral(a/(c\*\*4\*x\*\*6 - 2\*c\*\*2\*x\*\*4 + x\*\*2), x) + Integral(b\*asin(c\*x)/(c\*\*4\*x\*\*6 - 2\*c\*\*2\*x\*\*4 + x\*\*2), x))/d\*\*2

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(c^2 dx^2 - d)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/((c^2\*d\*x^2 - d)^2\*x^2), x)

$$3.44 \quad \int \frac{a+b \sin^{-1}(cx)}{x^3(d-c^2dx^2)^2} dx$$

**Optimal.** Leaf size=159

$$\frac{ibc^2 \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{d^2} - \frac{ibc^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)}{d^2} + \frac{c^2(a+b \sin^{-1}(cx))}{d^2(1-c^2x^2)} - \frac{a+b \sin^{-1}(cx)}{2d^2x^2(1-c^2x^2)} - \frac{4c^2 \tanh^{-1}\left(\frac{cx}{d-c^2dx^2}\right)}{d^2(1-c^2x^2)}$$

[Out]  $-(b*c)/(2*d^2*x*\text{Sqrt}[1-c^2*x^2]) + (c^2*(a+b*\text{ArcSin}[c*x]))/(d^2*(1-c^2*x^2)) - (a+b*\text{ArcSin}[c*x])/(2*d^2*x^2*(1-c^2*x^2)) - (4*c^2*(a+b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^((2*I)*\text{ArcSin}[c*x])])/d^2 + (I*b*c^2*\text{PolyLog}[2, -E^((2*I)*\text{ArcSin}[c*x])])/d^2 - (I*b*c^2*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])])/d^2$

**Rubi [A]** time = 0.264022, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.36$ , Rules used = {4701, 4705, 4679, 4419, 4183, 2279, 2391, 191, 271}

$$\frac{ibc^2 \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{d^2} - \frac{ibc^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)}{d^2} + \frac{c^2(a+b \sin^{-1}(cx))}{d^2(1-c^2x^2)} - \frac{a+b \sin^{-1}(cx)}{2d^2x^2(1-c^2x^2)} - \frac{4c^2 \tanh^{-1}\left(\frac{cx}{d-c^2dx^2}\right)}{d^2(1-c^2x^2)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a+b*\text{ArcSin}[c*x])/(x^3*(d-c^2*d*x^2)^2), x]$

[Out]  $-(b*c)/(2*d^2*x*\text{Sqrt}[1-c^2*x^2]) + (c^2*(a+b*\text{ArcSin}[c*x]))/(d^2*(1-c^2*x^2)) - (a+b*\text{ArcSin}[c*x])/(2*d^2*x^2*(1-c^2*x^2)) - (4*c^2*(a+b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^((2*I)*\text{ArcSin}[c*x])])/d^2 + (I*b*c^2*\text{PolyLog}[2, -E^((2*I)*\text{ArcSin}[c*x])])/d^2 - (I*b*c^2*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])])/d^2$

### Rule 4701

$\text{Int}[(a + b*\text{ArcSin}[c*x])/(x^3*(d-c^2*d*x^2)^2), x] := \text{Simp}[(f*x)^{(m+1)}*(d+e*x^2)^{(p+1)}*(a+b*\text{ArcSin}[c*x])^n/(d*f*(m+1)), x] + (\text{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1)], \text{Int}[(f*x)^{(m+2)}*(d+e*x^2)^p*(a+b*\text{ArcSin}[c*x])^n, x], x) - \text{Dist}[(b*c^n*d*\text{IntPart}[p]*(d+e*x^2)^{\text{FracPart}[p]}/(f*(m+1)*(1-c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m+1)}*(1-c^2*x^2)^{(p+1/2)}*(a+b*\text{ArcSin}[c*x])^{(n-1)}, x], x)] /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x \ \&\& \ \text{EqQ}[c^2*d+e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{IntegerQ}[m]$

Rule 4705

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)
)*(x_)^2)^(p_), x_Symbol] := -Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a +
b*ArcSin[c*x])^n)/(2*d*f*(p + 1)), x] + (Dist[(m + 2*p + 3)/(2*d*(p + 1)),
Int[(f*x)^m*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*c*n
*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*f*(p + 1)*(1 - c^2*x^2)^FracPart[
p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1]
)
```

Rule 4679

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)/((x_)*((d_) + (e_.)*(x_)^2)),
x_Symbol] := Dist[1/d, Subst[Int[(a + b*x)^n/(Cos[x]*Sin[x]), x], x, ArcSin
[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 4419

```
Int[Csc[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Dist[2^n, Int[(c + d*x)^m*Csc[2*a + 2*b*x]^n,
x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 191

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1)
)/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

### Rule 271

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x^(m + 1)*(
a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m +
1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{a + b \sin^{-1}(cx)}{x^3 (d - c^2 dx^2)^2} dx &= -\frac{a + b \sin^{-1}(cx)}{2d^2 x^2 (1 - c^2 x^2)} + (2c^2) \int \frac{a + b \sin^{-1}(cx)}{x (d - c^2 dx^2)^2} dx + \frac{(bc) \int \frac{1}{x^2 (1 - c^2 x^2)^{3/2}} dx}{2d^2} \\ &= -\frac{bc}{2d^2 x \sqrt{1 - c^2 x^2}} + \frac{c^2 (a + b \sin^{-1}(cx))}{d^2 (1 - c^2 x^2)} - \frac{a + b \sin^{-1}(cx)}{2d^2 x^2 (1 - c^2 x^2)} + \frac{(2c^2) \int \frac{a + b \sin^{-1}(cx)}{x (d - c^2 dx^2)} dx}{d} \\ &= -\frac{bc}{2d^2 x \sqrt{1 - c^2 x^2}} + \frac{c^2 (a + b \sin^{-1}(cx))}{d^2 (1 - c^2 x^2)} - \frac{a + b \sin^{-1}(cx)}{2d^2 x^2 (1 - c^2 x^2)} + \frac{(2c^2) \text{Subst}\left(\int (a + bx) \csc(x) \sec(x) dx\right)}{d^2} \\ &= -\frac{bc}{2d^2 x \sqrt{1 - c^2 x^2}} + \frac{c^2 (a + b \sin^{-1}(cx))}{d^2 (1 - c^2 x^2)} - \frac{a + b \sin^{-1}(cx)}{2d^2 x^2 (1 - c^2 x^2)} + \frac{(4c^2) \text{Subst}\left(\int (a + bx) \csc(2x) dx\right)}{d^2} \\ &= -\frac{bc}{2d^2 x \sqrt{1 - c^2 x^2}} + \frac{c^2 (a + b \sin^{-1}(cx))}{d^2 (1 - c^2 x^2)} - \frac{a + b \sin^{-1}(cx)}{2d^2 x^2 (1 - c^2 x^2)} - \frac{4c^2 (a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d^2} \\ &= -\frac{bc}{2d^2 x \sqrt{1 - c^2 x^2}} + \frac{c^2 (a + b \sin^{-1}(cx))}{d^2 (1 - c^2 x^2)} - \frac{a + b \sin^{-1}(cx)}{2d^2 x^2 (1 - c^2 x^2)} - \frac{4c^2 (a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d^2} \\ &= -\frac{bc}{2d^2 x \sqrt{1 - c^2 x^2}} + \frac{c^2 (a + b \sin^{-1}(cx))}{d^2 (1 - c^2 x^2)} - \frac{a + b \sin^{-1}(cx)}{2d^2 x^2 (1 - c^2 x^2)} - \frac{4c^2 (a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d^2} \end{aligned}$$

**Mathematica [A]** time = 0.721667, size = 213, normalized size = 1.34

$$\frac{-2ibc^2 \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right) + 2ibc^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + \frac{ac^2}{c^2 x^2 - 1} + 2ac^2 \log(1 - c^2 x^2) - 4ac^2 \log(x) + \frac{a}{x^2} + \frac{b}{\sqrt{1 - c^2 x^2}}}{2d^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^3\*(d - c^2\*d\*x^2)^2), x]

[Out]  $-(a/x^2 + (b*c^3*x)/\text{Sqrt}[1 - c^2*x^2] + (b*c*\text{Sqrt}[1 - c^2*x^2])/x + (a*c^2)/(-1 + c^2*x^2) + (b*\text{ArcSin}[c*x])/x^2 + (b*c^2*\text{ArcSin}[c*x])/(-1 + c^2*x^2) - 4*b*c^2*\text{ArcSin}[c*x]*\text{Log}[1 - E^{((2*I)*\text{ArcSin}[c*x])}] + 4*b*c^2*\text{ArcSin}[c*x]*\text{Log}[1 + E^{((2*I)*\text{ArcSin}[c*x])}] - 4*a*c^2*\text{Log}[x] + 2*a*c^2*\text{Log}[1 - c^2*x^2] - (2*I)*b*c^2*\text{PolyLog}[2, -E^{((2*I)*\text{ArcSin}[c*x])}] + (2*I)*b*c^2*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}]]/(2*d^2)$

**Maple [A]** time = 0.184, size = 367, normalized size = 2.3

$$-\frac{c^2 a}{4 d^2 (c x - 1)} - \frac{c^2 a \ln(c x - 1)}{d^2} + \frac{c^2 a}{4 d^2 (c x + 1)} - \frac{c^2 a \ln(c x + 1)}{d^2} - \frac{a}{2 d^2 x^2} + 2 \frac{c^2 a \ln(c x)}{d^2} - \frac{c^2 b \arcsin(c x)}{d^2 (c^2 x^2 - 1)} + \frac{b c}{2 d^2 x (c^2 x^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^3/(-c^2\*d\*x^2+d)^2,x)

[Out]  $-1/4*c^2*a/d^2/(c*x-1)-c^2*a/d^2*\ln(c*x-1)+1/4*c^2*a/d^2/(c*x+1)-c^2*a/d^2*\ln(c*x+1)-1/2*a/d^2/x^2+2*c^2*a/d^2*\ln(c*x)-c^2*b/d^2/(c^2*x^2-1)*\arcsin(c*x)+1/2*c*b/d^2/x/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}+1/2*b/d^2/x^2/(c^2*x^2-1)*\arcsin(c*x)+2*c^2*b/d^2*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})+2*c^2*b/d^2*\arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})-2*c^2*b/d^2*\arcsin(c*x)*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)+I*b*c^2*\text{polylog}(2,-(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)/d^2-2*I*c^2*b/d^2*\text{polylog}(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})-2*I*c^2*b/d^2*\text{polylog}(2,I*c*x+(-c^2*x^2+1)^{(1/2)})$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2} a \left( \frac{2 c^2 \log(c x + 1)}{d^2} + \frac{2 c^2 \log(c x - 1)}{d^2} - \frac{4 c^2 \log(x)}{d^2} + \frac{2 c^2 x^2 - 1}{c^2 d^2 x^4 - d^2 x^2} \right) + b \int \frac{\arctan\left(c x, \sqrt{c x + 1} \sqrt{-c x + 1}\right)}{c^4 d^2 x^7 - 2 c^2 d^2 x^5 + d^2 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^3/(-c^2\*d\*x^2+d)^2,x, algorithm="maxima")

[Out]  $-1/2*a*(2*c^2*\log(c*x + 1)/d^2 + 2*c^2*\log(c*x - 1)/d^2 - 4*c^2*\log(x)/d^2 + (2*c^2*x^2 - 1)/(c^2*d^2*x^4 - d^2*x^2)) + b*\text{integrate}(\arctan2(c*x, \text{sqrt}(\sqrt{c*x + 1} \sqrt{-c*x + 1})), x)$



$c*x + 1)*\sqrt{-c*x + 1})/(c^4*d^2*x^7 - 2*c^2*d^2*x^5 + d^2*x^3), x)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \arcsin(cx) + a}{c^4 d^2 x^7 - 2 c^2 d^2 x^5 + d^2 x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x^3/(-c^2*d*x^2+d)^2,x, algorithm="fricas")`

[Out] `integral((b*arcsin(c*x) + a)/(c^4*d^2*x^7 - 2*c^2*d^2*x^5 + d^2*x^3), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a}{c^4 x^7 - 2c^2 x^5 + x^3} dx + \int \frac{b \arcsin(cx)}{c^4 x^7 - 2c^2 x^5 + x^3} dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))/x**3/(-c**2*d*x**2+d)**2,x)`

[Out] `(Integral(a/(c**4*x**7 - 2*c**2*x**5 + x**3), x) + Integral(b*asin(c*x)/(c**4*x**7 - 2*c**2*x**5 + x**3), x))/d**2`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(c^2 dx^2 - d)^2 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x^3/(-c^2*d*x^2+d)^2,x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)/((c^2*d*x^2 - d)^2*x^3), x)`

$$3.45 \quad \int \frac{a+b \sin^{-1}(cx)}{x^4(d-c^2dx^2)^2} dx$$

**Optimal.** Leaf size=259

$$\frac{5ibc^3 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{2d^2} - \frac{5ibc^3 \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{2d^2} + \frac{5c^4x(a+b \sin^{-1}(cx))}{2d^2(1-c^2x^2)} - \frac{5c^2(a+b \sin^{-1}(cx))}{3d^2x(1-c^2x^2)} - \frac{a+b}{3d^2x^3}$$

[Out]  $-(b*c^3)/(3*d^2*\text{Sqrt}[1 - c^2*x^2]) - (b*c)/(6*d^2*x^2*\text{Sqrt}[1 - c^2*x^2]) - (a + b*\text{ArcSin}[c*x])/(3*d^2*x^3*(1 - c^2*x^2)) - (5*c^2*(a + b*\text{ArcSin}[c*x]))/(3*d^2*x*(1 - c^2*x^2)) + (5*c^4*x*(a + b*\text{ArcSin}[c*x]))/(2*d^2*(1 - c^2*x^2)) - ((5*I)*c^3*(a + b*\text{ArcSin}[c*x])* \text{ArcTan}[E^{(I*\text{ArcSin}[c*x])}])/d^2 - (13*b*c^3*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/(6*d^2) + (((5*I)/2)*b*c^3*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[c*x])}])/d^2 - (((5*I)/2)*b*c^3*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}])/d^2$

**Rubi [A]** time = 0.307726, antiderivative size = 285, normalized size of antiderivative = 1.1, number of steps used = 19, number of rules used = 11, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.44$ , Rules used = {4701, 4655, 4657, 4181, 2279, 2391, 261, 266, 51, 63, 208}

$$\frac{5ibc^3 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{2d^2} - \frac{5ibc^3 \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{2d^2} + \frac{5c^4x(a+b \sin^{-1}(cx))}{2d^2(1-c^2x^2)} - \frac{5c^2(a+b \sin^{-1}(cx))}{3d^2x(1-c^2x^2)} - \frac{a+b}{3d^2x^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])/(x^4*(d - c^2*d*x^2)^2), x]$

[Out]  $(-5*b*c^3)/(6*d^2*\text{Sqrt}[1 - c^2*x^2]) + (b*c)/(3*d^2*x^2*\text{Sqrt}[1 - c^2*x^2]) - (b*c*\text{Sqrt}[1 - c^2*x^2])/(2*d^2*x^2) - (a + b*\text{ArcSin}[c*x])/(3*d^2*x^3*(1 - c^2*x^2)) - (5*c^2*(a + b*\text{ArcSin}[c*x]))/(3*d^2*x*(1 - c^2*x^2)) + (5*c^4*x*(a + b*\text{ArcSin}[c*x]))/(2*d^2*(1 - c^2*x^2)) - ((5*I)*c^3*(a + b*\text{ArcSin}[c*x])* \text{ArcTan}[E^{(I*\text{ArcSin}[c*x])}])/d^2 - (13*b*c^3*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/(6*d^2) + (((5*I)/2)*b*c^3*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[c*x])}])/d^2 - (((5*I)/2)*b*c^3*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}])/d^2$

**Rule 4701**

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((f*x)^m)*(d + e*x^2)^p, x\_Symbol] \rightarrow \text{Simp}[(f*x)^{m+1}*(d + e*x^2)^{p+1}*(a + b$

\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] + (Dist[(c^2\*(m + 2\*p + 3))/(f^2\*(m + 1)), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

### Rule 4655

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n]\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(x\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*(p + 1)), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

### Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n]/((d\_.) + (e\_.)\*(x\_)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_.) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^4 (d - c^2 dx^2)^2} dx &= -\frac{a + b \sin^{-1}(cx)}{3d^2 x^3 (1 - c^2 x^2)} + \frac{1}{3} (5c^2) \int \frac{a + b \sin^{-1}(cx)}{x^2 (d - c^2 dx^2)^2} dx + \frac{(bc) \int \frac{1}{x^3 (1 - c^2 x^2)^{3/2}} dx}{3d^2} \\
&= -\frac{a + b \sin^{-1}(cx)}{3d^2 x^3 (1 - c^2 x^2)} - \frac{5c^2 (a + b \sin^{-1}(cx))}{3d^2 x (1 - c^2 x^2)} + (5c^4) \int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^2} dx + \frac{(bc) \text{Subst} \left( \int \frac{1}{x^2 (1 - c^2 x^2)} dx \right)}{6d^2} \\
&= \frac{bc}{3d^2 x^2 \sqrt{1 - c^2 x^2}} - \frac{a + b \sin^{-1}(cx)}{3d^2 x^3 (1 - c^2 x^2)} - \frac{5c^2 (a + b \sin^{-1}(cx))}{3d^2 x (1 - c^2 x^2)} + \frac{5c^4 x (a + b \sin^{-1}(cx))}{2d^2 (1 - c^2 x^2)} + \frac{(bc) \text{Subst} \left( \int \frac{1}{x^2 (1 - c^2 x^2)} dx \right)}{6d^2} \\
&= -\frac{5bc^3}{6d^2 \sqrt{1 - c^2 x^2}} + \frac{bc}{3d^2 x^2 \sqrt{1 - c^2 x^2}} - \frac{bc \sqrt{1 - c^2 x^2}}{2d^2 x^2} - \frac{a + b \sin^{-1}(cx)}{3d^2 x^3 (1 - c^2 x^2)} - \frac{5c^2 (a + b \sin^{-1}(cx))}{3d^2 x (1 - c^2 x^2)} + \\
&= -\frac{5bc^3}{6d^2 \sqrt{1 - c^2 x^2}} + \frac{bc}{3d^2 x^2 \sqrt{1 - c^2 x^2}} - \frac{bc \sqrt{1 - c^2 x^2}}{2d^2 x^2} - \frac{a + b \sin^{-1}(cx)}{3d^2 x^3 (1 - c^2 x^2)} - \frac{5c^2 (a + b \sin^{-1}(cx))}{3d^2 x (1 - c^2 x^2)} + \\
&= -\frac{5bc^3}{6d^2 \sqrt{1 - c^2 x^2}} + \frac{bc}{3d^2 x^2 \sqrt{1 - c^2 x^2}} - \frac{bc \sqrt{1 - c^2 x^2}}{2d^2 x^2} - \frac{a + b \sin^{-1}(cx)}{3d^2 x^3 (1 - c^2 x^2)} - \frac{5c^2 (a + b \sin^{-1}(cx))}{3d^2 x (1 - c^2 x^2)} + \\
&= -\frac{5bc^3}{6d^2 \sqrt{1 - c^2 x^2}} + \frac{bc}{3d^2 x^2 \sqrt{1 - c^2 x^2}} - \frac{bc \sqrt{1 - c^2 x^2}}{2d^2 x^2} - \frac{a + b \sin^{-1}(cx)}{3d^2 x^3 (1 - c^2 x^2)} - \frac{5c^2 (a + b \sin^{-1}(cx))}{3d^2 x (1 - c^2 x^2)} +
\end{aligned}$$

**Mathematica [A]** time = 0.929428, size = 426, normalized size = 1.64

$$-30ibc^3 \text{PolyLog} \left( 2, -ie^{i \sin^{-1}(cx)} \right) + 30ibc^3 \text{PolyLog} \left( 2, ie^{i \sin^{-1}(cx)} \right) + \frac{6ac^4 x}{c^2 x^2 - 1} + \frac{24ac^2}{x} + 15ac^3 \log(1 - cx) - 15ac^3 \log(cx)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^4\*(d - c^2\*d\*x^2)^2), x]

[Out] -((4\*a)/x^3 + (24\*a\*c^2)/x + (2\*b\*c\*Sqrt[1 - c^2\*x^2])/x^2 - (3\*b\*c^3\*Sqrt[1 - c^2\*x^2])/(-1 + c\*x) + (3\*b\*c^3\*Sqrt[1 - c^2\*x^2])/(1 + c\*x) + (6\*a\*c^4\*x)/(-1 + c^2\*x^2) + (15\*I)\*b\*c^3\*Pi\*ArcSin[c\*x] + (4\*b\*ArcSin[c\*x])/x^3 + (24\*b\*c^2\*ArcSin[c\*x])/x + (3\*b\*c^3\*ArcSin[c\*x])/(-1 + c\*x) + (3\*b\*c^3\*ArcSin[c\*x])/(1 + c\*x) + 26\*b\*c^3\*ArcTanh[Sqrt[1 - c^2\*x^2]] - 15\*b\*c^3\*Pi\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - 30\*b\*c^3\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])]

$$] - 15*b*c^3*Pi*Log[1 + I*E^(I*ArcSin[c*x])] + 30*b*c^3*ArcSin[c*x]*Log[1 + I*E^(I*ArcSin[c*x])] + 15*a*c^3*Log[1 - c*x] - 15*a*c^3*Log[1 + c*x] + 15*b*c^3*Pi*Log[-Cos[(Pi + 2*ArcSin[c*x])/4]] + 15*b*c^3*Pi*Log[Sin[(Pi + 2*ArcSin[c*x])/4]] - (30*I)*b*c^3*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] + (30*I)*b*c^3*PolyLog[2, I*E^(I*ArcSin[c*x])]/(12*d^2)$$

**Maple [A]** time = 0.23, size = 426, normalized size = 1.6

$$-\frac{c^3 a}{4 d^2 (c x - 1)} - \frac{5 c^3 a \ln (c x - 1)}{4 d^2} - \frac{c^3 a}{4 d^2 (c x + 1)} + \frac{5 c^3 a \ln (c x + 1)}{4 d^2} - \frac{a}{3 d^2 x^3} - 2 \frac{c^2 a}{d^2 x} - \frac{5 c^4 b \arcsin (c x) x}{2 d^2 (c^2 x^2 - 1)} + \frac{b c^3}{3 d^2 (c^2 x^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^4/(-c^2\*d\*x^2+d)^2,x)

[Out] 
$$-1/4*c^3*a/d^2/(c*x-1)-5/4*c^3*a/d^2*\ln(c*x-1)-1/4*c^3*a/d^2/(c*x+1)+5/4*c^3*a/d^2*\ln(c*x+1)-1/3*a/d^2/x^3-2*c^2*a/d^2/x-5/2*c^4*b/d^2/(c^2*x^2-1)*\arcsin(c*x)*x+1/3*c^3*b/d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)+5/3*c^2*b/d^2/x/(c^2*x^2-1)*\arcsin(c*x)+1/6*c*b/d^2/x^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)+1/3*b/d^2/x^3/(c^2*x^2-1)*\arcsin(c*x)+13/6*c^3*b/d^2*\ln(I*c*x+(-c^2*x^2+1)^(1/2))-1)-13/6*c^3*b/d^2*\ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-5/2*c^3*b/d^2*\arcsin(c*x)*\ln(1+I*(I*c*x+(-c^2*x^2+1)^(1/2)))+5/2*I*c^3*b/d^2*\operatorname{dilog}(1+I*(I*c*x+(-c^2*x^2+1)^(1/2)))-5/2*I*c^3*b/d^2*\operatorname{dilog}(1-I*(I*c*x+(-c^2*x^2+1)^(1/2)))+5/2*c^3*b/d^2*\arcsin(c*x)*\ln(1-I*(I*c*x+(-c^2*x^2+1)^(1/2)))$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{12} \left( \frac{15 c^3 \log (c x + 1)}{d^2} - \frac{15 c^3 \log (c x - 1)}{d^2} - \frac{2 (15 c^4 x^4 - 10 c^2 x^2 - 2)}{c^2 d^2 x^5 - d^2 x^3} \right) a + \frac{\left( 15 (c^5 x^5 - c^3 x^3) \arctan (c x, \sqrt{c x + 1} \sqrt{-c x + 1}) \right)}{c^2 d^2 x^5 - d^2 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^4/(-c^2\*d\*x^2+d)^2,x, algorithm="maxima")

[Out] 
$$1/12*(15*c^3*\log(c*x + 1)/d^2 - 15*c^3*\log(c*x - 1)/d^2 - 2*(15*c^4*x^4 - 10*c^2*x^2 - 2)/(c^2*d^2*x^5 - d^2*x^3))*a + 1/12*(15*(c^5*x^5 - c^3*x^3)*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})*\log(c*x + 1) - 15*(c^5*x^5 - c^3*x^3)*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})*\log(-c*x + 1) - 2*(15*c^4*x^4 - 10*c^2*x^2 - 2)/(c^2*d^2*x^5 - d^2*x^3))$$

$4 - 10c^2x^2 - 2) \arctan2(cx, \sqrt{cx + 1})\sqrt{-cx + 1}) + 12(c^2d^2x^5 - d^2x^3) \int (-1/12(30c^5x^4 - 20c^3x^2 - 15(c^6x^5 - c^4x^3) \log(cx + 1) + 15(c^6x^5 - c^4x^3) \log(-cx + 1) - 4c) \sqrt{cx + 1}) \sqrt{-cx + 1} / (c^4d^2x^7 - 2c^2d^2x^5 + d^2x^3), x) * b / (c^2d^2x^5 - d^2x^3)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\int \left( \frac{b \arcsin(cx) + a}{c^4d^2x^8 - 2c^2d^2x^6 + d^2x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^4/(-c^2\*d\*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b\*arcsin(c\*x) + a)/(c^4\*d^2\*x^8 - 2\*c^2\*d^2\*x^6 + d^2\*x^4), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a}{c^4x^8 - 2c^2x^6 + x^4} dx + \int \frac{b \arcsin(cx)}{c^4x^8 - 2c^2x^6 + x^4} dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x\*\*4/(-c\*\*2\*d\*x\*\*2+d)\*\*2,x)

[Out] (Integral(a/(c\*\*4\*x\*\*8 - 2\*c\*\*2\*x\*\*6 + x\*\*4), x) + Integral(b\*asin(c\*x)/(c\*\*4\*x\*\*8 - 2\*c\*\*2\*x\*\*6 + x\*\*4), x))/d\*\*2

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^4/(-c^2\*d\*x^2+d)^2,x, algorithm="giac")

[Out] Timed out

$$3.46 \quad \int \frac{x^4 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^3} dx$$

**Optimal.** Leaf size=204

$$\frac{3ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{8c^5 d^3} - \frac{3ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{8c^5 d^3} + \frac{x^3 (a + b \sin^{-1}(cx))}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{3x (a + b \sin^{-1}(cx))}{8c^4 d^3 (1 - c^2 x^2)} - \frac{3i \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{8c^5 d^3}$$

[Out]  $-b/(12*c^5*d^3*(1 - c^2*x^2)^{(3/2)}) + (5*b)/(8*c^5*d^3*\operatorname{Sqrt}[1 - c^2*x^2]) + (x^3*(a + b*\operatorname{ArcSin}[c*x]))/(4*c^2*d^3*(1 - c^2*x^2)^2) - (3*x*(a + b*\operatorname{ArcSin}[c*x]))/(8*c^4*d^3*(1 - c^2*x^2)) - (((3*I)/4)*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{ArcTan}[E^{(I*\operatorname{ArcSin}[c*x])}])/(c^5*d^3) + (((3*I)/8)*b*\operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^5*d^3) - (((3*I)/8)*b*\operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^5*d^3)$

**Rubi [A]** time = 0.240689, antiderivative size = 204, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.32$ , Rules used = {4703, 4657, 4181, 2279, 2391, 261, 266, 43}

$$\frac{3ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{8c^5 d^3} - \frac{3ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{8c^5 d^3} + \frac{x^3 (a + b \sin^{-1}(cx))}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{3x (a + b \sin^{-1}(cx))}{8c^4 d^3 (1 - c^2 x^2)} - \frac{3i \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{8c^5 d^3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(x^4*(a + b*\operatorname{ArcSin}[c*x]))/(d - c^2*d*x^2)^3, x]$

[Out]  $-b/(12*c^5*d^3*(1 - c^2*x^2)^{(3/2)}) + (5*b)/(8*c^5*d^3*\operatorname{Sqrt}[1 - c^2*x^2]) + (x^3*(a + b*\operatorname{ArcSin}[c*x]))/(4*c^2*d^3*(1 - c^2*x^2)^2) - (3*x*(a + b*\operatorname{ArcSin}[c*x]))/(8*c^4*d^3*(1 - c^2*x^2)) - (((3*I)/4)*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{ArcTan}[E^{(I*\operatorname{ArcSin}[c*x])}])/(c^5*d^3) + (((3*I)/8)*b*\operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^5*d^3) - (((3*I)/8)*b*\operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^5*d^3)$

### Rule 4703

$\operatorname{Int}[(a_.) + \operatorname{ArcSin}[(c_.)*(x_)]*(b_.)^{(n_.)}*((f_.)*(x_))^{(m_.)}*((d_.) + (e_.)*(x_)^2)^{(p_.)}, x\_Symbol] \rightarrow \operatorname{Simp}[(f*(f*x)^{(m-1)}*(d + e*x^2)^{(p+1)}*(a + b*\operatorname{ArcSin}[c*x])^n)/(2*e*(p+1)), x] + (-\operatorname{Dist}[(f^2*(m-1))/(2*e*(p+1)], \operatorname{Int}[(f*x)^{(m-2)}*(d + e*x^2)^{(p+1)}*(a + b*\operatorname{ArcSin}[c*x])^n, x], x] + \operatorname{Dist}[(b*f*n*d*\operatorname{IntPart}[p]*(d + e*x^2)^{\operatorname{FracPart}[p]}]/(2*c*(p+1)*(1 - c^2*x^2)^{\operatorname{FracPart}[p]}), \operatorname{Int}[(f*x)^{(m-1)}*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\operatorname{ArcSin}[c*x])^n,$



- 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && GtQ[m, 1]

### Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_./((d\_.) + (e\_.)\*(x\_)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^p\_, x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^p\_, x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le

Q[7\*m + 4\*n + 4, 0] || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^4 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^3} dx &= \frac{x^3 (a + b \sin^{-1}(cx))}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{b \int \frac{x^3}{(1 - c^2 x^2)^{5/2}} dx}{4cd^3} - \frac{3 \int \frac{x^{2(a+b \sin^{-1}(cx))}}{(d - c^2 dx^2)^2} dx}{4c^2 d} \\
 &= \frac{x^3 (a + b \sin^{-1}(cx))}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{3x (a + b \sin^{-1}(cx))}{8c^4 d^3 (1 - c^2 x^2)} + \frac{(3b) \int \frac{x}{(1 - c^2 x^2)^{3/2}} dx}{8c^3 d^3} - \frac{b \operatorname{Subst} \left( \int \frac{x}{(1 - c^2 x)^{5/2}} dx, \right)}{8cd^3} \\
 &= \frac{3b}{8c^5 d^3 \sqrt{1 - c^2 x^2}} + \frac{x^3 (a + b \sin^{-1}(cx))}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{3x (a + b \sin^{-1}(cx))}{8c^4 d^3 (1 - c^2 x^2)} + \frac{3 \operatorname{Subst} \left( \int (a + bx) \sec(x) dx \right)}{8c^5 d^3} \\
 &= -\frac{b}{12c^5 d^3 (1 - c^2 x^2)^{3/2}} + \frac{5b}{8c^5 d^3 \sqrt{1 - c^2 x^2}} + \frac{x^3 (a + b \sin^{-1}(cx))}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{3x (a + b \sin^{-1}(cx))}{8c^4 d^3 (1 - c^2 x^2)} - \frac{3i}{8c^5 d^3} \\
 &= -\frac{b}{12c^5 d^3 (1 - c^2 x^2)^{3/2}} + \frac{5b}{8c^5 d^3 \sqrt{1 - c^2 x^2}} + \frac{x^3 (a + b \sin^{-1}(cx))}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{3x (a + b \sin^{-1}(cx))}{8c^4 d^3 (1 - c^2 x^2)} - \frac{3i}{8c^5 d^3} \\
 &= -\frac{b}{12c^5 d^3 (1 - c^2 x^2)^{3/2}} + \frac{5b}{8c^5 d^3 \sqrt{1 - c^2 x^2}} + \frac{x^3 (a + b \sin^{-1}(cx))}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{3x (a + b \sin^{-1}(cx))}{8c^4 d^3 (1 - c^2 x^2)} - \frac{3i}{8c^5 d^3}
 \end{aligned}$$

**Mathematica [B]** time = 1.07112, size = 445, normalized size = 2.18

$$18ib \operatorname{PolyLog} \left( 2, -ie^{i \sin^{-1}(cx)} \right) - 18ib \operatorname{PolyLog} \left( 2, ie^{i \sin^{-1}(cx)} \right) + \frac{30acx}{c^2 x^2 - 1} + \frac{12acx}{(c^2 x^2 - 1)^2} - 9a \log(1 - cx) + 9a \log(cx + 1) - \frac{15b\sqrt{1 - c^2 x^2}}{cx}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^3,x]

[Out] ((-2\*b\*Sqrt[1 - c^2\*x^2])/(-1 + c\*x)^2 + (b\*c\*x\*Sqrt[1 - c^2\*x^2])/(-1 + c\*x)^2 - (15\*b\*Sqrt[1 - c^2\*x^2])/(-1 + c\*x) - (2\*b\*Sqrt[1 - c^2\*x^2])/(1 + c\*x)^2 - (b\*c\*x\*Sqrt[1 - c^2\*x^2])/(1 + c\*x)^2 + (15\*b\*Sqrt[1 - c^2\*x^2])/(1 + c\*x) + (12\*a\*c\*x)/(-1 + c^2\*x^2)^2 + (30\*a\*c\*x)/(-1 + c^2\*x^2) - (9\*I)\*b

$$\begin{aligned} & \pi \operatorname{ArcSin}[c*x] + (3*b*\operatorname{ArcSin}[c*x])/(-1 + c*x)^2 + (15*b*\operatorname{ArcSin}[c*x])/(-1 + \\ & c*x) - (3*b*\operatorname{ArcSin}[c*x])/(1 + c*x)^2 + (15*b*\operatorname{ArcSin}[c*x])/(1 + c*x) + 9*b* \\ & \pi*\operatorname{Log}[1 - I*E^{(I*\operatorname{ArcSin}[c*x])}] + 18*b*\operatorname{ArcSin}[c*x]*\operatorname{Log}[1 - I*E^{(I*\operatorname{ArcSin}[c* \\ & x])}] + 9*b*\pi*\operatorname{Log}[1 + I*E^{(I*\operatorname{ArcSin}[c*x])}] - 18*b*\operatorname{ArcSin}[c*x]*\operatorname{Log}[1 + I*E^{( \\ & I*\operatorname{ArcSin}[c*x])}] - 9*a*\operatorname{Log}[1 - c*x] + 9*a*\operatorname{Log}[1 + c*x] - 9*b*\pi*\operatorname{Log}[-\operatorname{Cos}[(\pi \\ & + 2*\operatorname{ArcSin}[c*x])/4]] - 9*b*\pi*\operatorname{Log}[\operatorname{Sin}[(\pi + 2*\operatorname{ArcSin}[c*x])/4]] + (18*I)*b* \\ & \operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}] - (18*I)*b*\operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x] \\ & )}])]/(48*c^5*d^3) \end{aligned}$$

**Maple [A]** time = 0.378, size = 389, normalized size = 1.9

$$\frac{a}{16c^5d^3(cx-1)^2} + \frac{5a}{16c^5d^3(cx-1)} - \frac{3a \ln(cx-1)}{16c^5d^3} - \frac{a}{16c^5d^3(cx+1)^2} + \frac{5a}{16c^5d^3(cx+1)} + \frac{3a \ln(cx+1)}{16c^5d^3} + \frac{5b \arcsin(cx)}{8c^2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^3,x)`

[Out]  $\frac{1}{16} \frac{a}{c^5 d^3} \frac{1}{(c x-1)^2} + \frac{5}{16} \frac{a}{c^5 d^3} \frac{1}{(c x-1)} - \frac{3}{16} \frac{a \ln(c x-1)}{c^5 d^3} - \frac{1}{16} \frac{a}{c^5 d^3} \frac{1}{(c x+1)^2} + \frac{5}{16} \frac{a}{c^5 d^3} \frac{1}{(c x+1)} + \frac{3}{16} \frac{a \ln(c x+1)}{c^5 d^3} + \frac{5}{8} \frac{b \arcsin(c x)}{c^2 d^3} \frac{1}{(c^4 x^4 - 2 c^2 x^2 + 1)} + \frac{5}{8} \frac{b \arcsin(c x)}{c^2 d^3} \frac{1}{(c^4 x^4 - 2 c^2 x^2 + 1)} * x^3 - \frac{5}{8} \frac{b \arcsin(c x)}{c^3 d^3} \frac{1}{(c^4 x^4 - 2 c^2 x^2 + 1)} * x^2 * (-c^2 x^2 + 1)^{(1/2)} - \frac{3}{8} \frac{b \arcsin(c x)}{c^4 d^3} \frac{1}{(c^4 x^4 - 2 c^2 x^2 + 1)} * x + \frac{13}{24} \frac{b \arcsin(c x)}{c^5 d^3} \frac{1}{(c^4 x^4 - 2 c^2 x^2 + 1)} * (-c^2 x^2 + 1)^{(1/2)} - \frac{3}{8} \frac{b \arcsin(c x)}{c^5 d^3} \frac{1}{(c^4 x^4 - 2 c^2 x^2 + 1)} * \ln(1 + I * (I * c * x + (-c^2 x^2 + 1)^{(1/2)})) + \frac{3}{8} \frac{b \arcsin(c x)}{c^5 d^3} \frac{1}{(c^4 x^4 - 2 c^2 x^2 + 1)} * \ln(1 - I * (I * c * x + (-c^2 x^2 + 1)^{(1/2)})) + \frac{3}{8} \frac{b \arcsin(c x)}{c^5 d^3} \frac{1}{(c^4 x^4 - 2 c^2 x^2 + 1)} * \operatorname{dilog}(1 + I * (I * c * x + (-c^2 x^2 + 1)^{(1/2)})) - \frac{3}{8} \frac{b \arcsin(c x)}{c^5 d^3} \frac{1}{(c^4 x^4 - 2 c^2 x^2 + 1)} * \operatorname{dilog}(1 - I * (I * c * x + (-c^2 x^2 + 1)^{(1/2)}))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{16} a \left( \frac{2(5c^2x^3 - 3x)}{c^8d^3x^4 - 2c^6d^3x^2 + c^4d^3} + \frac{3 \log(cx+1)}{c^5d^3} - \frac{3 \log(cx-1)}{c^5d^3} \right) + \frac{3(c^4x^4 - 2c^2x^2 + 1) \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})}{c^5d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^3,x, algorithm="maxima")`

[Out]  $\frac{1}{16} a * (2 * (5 * c^2 * x^3 - 3 * x) / (c^8 * d^3 * x^4 - 2 * c^6 * d^3 * x^2 + c^4 * d^3) + 3 * \log(cx + 1) / (c^5 * d^3) - 3 * \log(cx - 1) / (c^5 * d^3)) + \frac{1}{16} * (3 * (c^4 * x^4 - 2 * c^2 * x^2 + 1) * \arctan(cx, \sqrt{cx + 1} \sqrt{-cx + 1}) / (c^5 * d^3)$

$x^2 + 1) \arctan_2(cx, \sqrt{cx + 1} \sqrt{-cx + 1}) \log(cx + 1) - 3(c^4x^4 - 2c^2x^2 + 1) \arctan_2(cx, \sqrt{cx + 1} \sqrt{-cx + 1}) \log(-cx + 1) + 2(5c^3x^3 - 3cx) \arctan_2(cx, \sqrt{cx + 1} \sqrt{-cx + 1}) + 16(c^9d^3x^4 - 2c^7d^3x^2 + c^5d^3) \int \frac{1}{16(10c^3x^3 - 6cx + 3(c^4x^4 - 2c^2x^2 + 1) \log(cx + 1) - 3(c^4x^4 - 2c^2x^2 + 1) \log(-cx + 1)) \sqrt{cx + 1} \sqrt{-cx + 1}}{(c^{10}d^3x^6 - 3c^8d^3x^4 + 3c^6d^3x^2 - c^4d^3), x) dx$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{bx^4 \arcsin(cx) + ax^4}{c^6d^3x^6 - 3c^4d^3x^4 + 3c^2d^3x^2 - d^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out] integral(-(b\*x^4\*arcsin(c\*x) + a\*x^4)/(c^6\*d^3\*x^6 - 3\*c^4\*d^3\*x^4 + 3\*c^2\*d^3\*x^2 - d^3), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{ax^4}{c^6x^6 - 3c^4x^4 + 3c^2x^2 - 1} dx + \int \frac{bx^4 \arcsin(cx)}{c^6x^6 - 3c^4x^4 + 3c^2x^2 - 1} dx}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*3,x)

[Out] -(Integral(a\*x\*\*4/(c\*\*6\*x\*\*6 - 3\*c\*\*4\*x\*\*4 + 3\*c\*\*2\*x\*\*2 - 1), x) + Integral(b\*x\*\*4\*asin(c\*x)/(c\*\*6\*x\*\*6 - 3\*c\*\*4\*x\*\*4 + 3\*c\*\*2\*x\*\*2 - 1), x))/d\*\*3

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^4}{(c^2dx^2 - d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^3,x, algorithm="giac")
```

```
[Out] integrate(-(b*arcsin(c*x) + a)*x^4/(c^2*d*x^2 - d)^3, x)
```

$$3.47 \quad \int \frac{x^3(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^3} dx$$

**Optimal.** Leaf size=100

$$\frac{x^4(a+b \sin^{-1}(cx))}{4d^3(1-c^2x^2)^2} - \frac{bx^3}{12cd^3(1-c^2x^2)^{3/2}} + \frac{bx}{4c^3d^3\sqrt{1-c^2x^2}} - \frac{b \sin^{-1}(cx)}{4c^4d^3}$$

[Out]  $-(b*x^3)/(12*c*d^3*(1 - c^2*x^2)^(3/2)) + (b*x)/(4*c^3*d^3*sqrt[1 - c^2*x^2]) - (b*ArcSin[c*x])/(4*c^4*d^3) + (x^4*(a + b*ArcSin[c*x]))/(4*d^3*(1 - c^2*x^2)^2)$

**Rubi [A]** time = 0.0844497, antiderivative size = 100, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$ , Rules used = {4681, 288, 216}

$$\frac{x^4(a+b \sin^{-1}(cx))}{4d^3(1-c^2x^2)^2} - \frac{bx^3}{12cd^3(1-c^2x^2)^{3/2}} + \frac{bx}{4c^3d^3\sqrt{1-c^2x^2}} - \frac{b \sin^{-1}(cx)}{4c^4d^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^3*(a + b*ArcSin[c*x]))/(d - c^2*d*x^2)^3, x]$

[Out]  $-(b*x^3)/(12*c*d^3*(1 - c^2*x^2)^(3/2)) + (b*x)/(4*c^3*d^3*sqrt[1 - c^2*x^2]) - (b*ArcSin[c*x])/(4*c^4*d^3) + (x^4*(a + b*ArcSin[c*x]))/(4*d^3*(1 - c^2*x^2)^2)$

#### Rule 4681

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((f*x)^m*(d + e*x^2)^p), x\_Symbol] \rightarrow \text{Simp}[(f*x)^{m+1}*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n]/(d*f*(m+1)), x] - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]})/(f*(m+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{m+1}*(1 - c^2*x^2)^{p+1/2}*(a + b*\text{ArcSin}[c*x])^{n-1}], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, p\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{EqQ}[m + 2*p + 3, 0] \& \& \text{NeQ}[m, -1]$

#### Rule 288

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[(c^
n*(m - n + 1))/(b*n*(p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^(p + 1), x], x]
/; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !I
LtQ[(m + n*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^3 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^3} dx &= \frac{x^4 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} - \frac{(bc) \int \frac{x^4}{(1 - c^2 x^2)^{5/2}} dx}{4d^3} \\ &= -\frac{bx^3}{12cd^3 (1 - c^2 x^2)^{3/2}} + \frac{x^4 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} + \frac{b \int \frac{x^2}{(1 - c^2 x^2)^{3/2}} dx}{4cd^3} \\ &= -\frac{bx^3}{12cd^3 (1 - c^2 x^2)^{3/2}} + \frac{bx}{4c^3 d^3 \sqrt{1 - c^2 x^2}} + \frac{x^4 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} - \frac{b \int \frac{1}{\sqrt{1 - c^2 x^2}} dx}{4c^3 d^3} \\ &= -\frac{bx^3}{12cd^3 (1 - c^2 x^2)^{3/2}} + \frac{bx}{4c^3 d^3 \sqrt{1 - c^2 x^2}} - \frac{b \sin^{-1}(cx)}{4c^4 d^3} + \frac{x^4 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} \end{aligned}$$

**Mathematica [A]** time = 0.0726101, size = 79, normalized size = 0.79

$$\frac{a(6c^2x^2 - 3) + bcx\sqrt{1 - c^2x^2}(3 - 4c^2x^2) + 3b(2c^2x^2 - 1)\sin^{-1}(cx)}{12c^4d^3(c^2x^2 - 1)^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^3*(a + b*ArcSin[c*x]))/(d - c^2*d*x^2)^3,x]
```

```
[Out] (b*c*x*(3 - 4*c^2*x^2)*Sqrt[1 - c^2*x^2] + a*(-3 + 6*c^2*x^2) + 3*b*(-1 + 2
*c^2*x^2)*ArcSin[c*x])/(12*c^4*d^3*(-1 + c^2*x^2)^2)
```

**Maple [B]** time = 0.02, size = 212, normalized size = 2.1

$$\frac{1}{c^4} \left( -\frac{a}{d^3} \left( -\frac{1}{16 (cx-1)^2} - \frac{3}{16 cx-16} - \frac{1}{16 (cx+1)^2} + \frac{3}{16 cx+16} \right) - \frac{b}{d^3} \left( -\frac{\arcsin(cx)}{16 (cx-1)^2} - \frac{3 \arcsin(cx)}{16 cx-16} - \frac{\arcsin(cx)}{16 (cx+1)^2} + \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^3,x)

[Out] 1/c^4\*(-a/d^3\*(-1/16/(c\*x-1)^2-3/16/(c\*x-1)-1/16/(c\*x+1)^2+3/16/(c\*x+1))-b/d^3\*(-1/16\*arcsin(c\*x)/(c\*x-1)^2-3/16\*arcsin(c\*x)/(c\*x-1)-1/16\*arcsin(c\*x)/(c\*x+1)^2+3/16\*arcsin(c\*x)/(c\*x+1)+1/6/(c\*x-1)\*(-(c\*x-1)^2-2\*c\*x+2)^(1/2)+1/6/(c\*x+1)\*(-(c\*x+1)^2+2\*c\*x+2)^(1/2)+1/48/(c\*x-1)^2\*(-(c\*x-1)^2-2\*c\*x+2)^(1/2)-1/48/(c\*x+1)^2\*(-(c\*x+1)^2+2\*c\*x+2)^(1/2)))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(2c^2x^2-1)a}{4(c^8d^3x^4-2c^6d^3x^2+c^4d^3)} + \frac{\left( (2c^2x^2-1) \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + (c^8d^3x^4-2c^6d^3x^2+c^4d^3) \int \frac{1}{c^{11}d^3x^8-3c^9d^3x^6} \right)}{4(c^8d^3x^4-2c^6d^3x^2+c^4d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^3,x, algorithm="maxima")

[Out] 1/4\*(2\*c^2\*x^2-1)\*a/(c^8\*d^3\*x^4-2\*c^6\*d^3\*x^2+c^4\*d^3)+1/4\*((2\*c^2\*x^2-1)\*arctan2(c\*x, sqrt(c\*x+1)\*sqrt(-c\*x+1))+4\*(c^8\*d^3\*x^4-2\*c^6\*d^3\*x^2+c^4\*d^3)\*integrate(1/4\*(2\*c^2\*x^2-1)\*e^(1/2\*log(c\*x+1)+1/2\*log(-c\*x+1))/(c^11\*d^3\*x^8-3\*c^9\*d^3\*x^6+3\*c^7\*d^3\*x^4-c^5\*d^3\*x^2+(c^9\*d^3\*x^6-3\*c^7\*d^3\*x^4+3\*c^5\*d^3\*x^2-c^3\*d^3)\*e^(log(c\*x+1)+log(-c\*x+1))), x))\*b/(c^8\*d^3\*x^4-2\*c^6\*d^3\*x^2+c^4\*d^3)

**Fricas [A]** time = 2.09677, size = 188, normalized size = 1.88

$$\frac{3ac^4x^4+3(2bc^2x^2-b)\arcsin(cx)-(4bc^3x^3-3bcx)\sqrt{-c^2x^2+1}}{12(c^8d^3x^4-2c^6d^3x^2+c^4d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out] 1/12\*(3\*a\*c^4\*x^4 + 3\*(2\*b\*c^2\*x^2 - b)\*arcsin(c\*x) - (4\*b\*c^3\*x^3 - 3\*b\*c\*x)\*sqrt(-c^2\*x^2 + 1))/(c^8\*d^3\*x^4 - 2\*c^6\*d^3\*x^2 + c^4\*d^3)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{ax^3}{c^6x^6-3c^4x^4+3c^2x^2-1} dx + \int \frac{bx^3 \arcsin(cx)}{c^6x^6-3c^4x^4+3c^2x^2-1} dx}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*3,x)

[Out] -(Integral(a\*x\*\*3/(c\*\*6\*x\*\*6 - 3\*c\*\*4\*x\*\*4 + 3\*c\*\*2\*x\*\*2 - 1), x) + Integral(b\*x\*\*3\*asin(c\*x)/(c\*\*6\*x\*\*6 - 3\*c\*\*4\*x\*\*4 + 3\*c\*\*2\*x\*\*2 - 1), x))/d\*\*3

**Giac [A]** time = 1.368, size = 167, normalized size = 1.67

$$\frac{bx^4 \arcsin(cx)}{4(c^2x^2-1)^2d^3} + \frac{ax^4}{4(c^2x^2-1)^2d^3} + \frac{bx^3}{12(c^2x^2-1)\sqrt{-c^2x^2+1}cd^3} + \frac{bx}{4\sqrt{-c^2x^2+1}c^3d^3} - \frac{b \arcsin(cx)}{4c^4d^3} - \frac{a}{4c^4d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^3,x, algorithm="giac")

[Out] 1/4\*b\*x^4\*arcsin(c\*x)/((c^2\*x^2 - 1)^2\*d^3) + 1/4\*a\*x^4/((c^2\*x^2 - 1)^2\*d^3) + 1/12\*b\*x^3/((c^2\*x^2 - 1)\*sqrt(-c^2\*x^2 + 1)\*c\*d^3) + 1/4\*b\*x/(sqrt(-c^2\*x^2 + 1)\*c^3\*d^3) - 1/4\*b\*arcsin(c\*x)/(c^4\*d^3) - 1/4\*a/(c^4\*d^3)

$$3.48 \quad \int \frac{x^2(a+b\sin^{-1}(cx))}{(d-c^2dx^2)^3} dx$$

**Optimal.** Leaf size=202

$$-\frac{ibPolyLog\left(2, -ie^{i\sin^{-1}(cx)}\right)}{8c^3d^3} + \frac{ibPolyLog\left(2, ie^{i\sin^{-1}(cx)}\right)}{8c^3d^3} - \frac{x(a+b\sin^{-1}(cx))}{8c^2d^3(1-c^2x^2)} + \frac{x(a+b\sin^{-1}(cx))}{4c^2d^3(1-c^2x^2)^2} + \frac{i\tan^{-1}\left(e^{i\sin^{-1}(cx)}\right)}{4}$$

[Out]  $-b/(12*c^3*d^3*(1 - c^2*x^2)^{(3/2)}) + b/(8*c^3*d^3*sqrt[1 - c^2*x^2]) + (x*(a + b*ArcSin[c*x]))/(4*c^2*d^3*(1 - c^2*x^2)^2) - (x*(a + b*ArcSin[c*x]))/(8*c^2*d^3*(1 - c^2*x^2)) + ((I/4)*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c^3*d^3) - ((I/8)*b*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c^3*d^3) + ((I/8)*b*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c^3*d^3)$

**Rubi [A]** time = 0.183918, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.28$ , Rules used = {4703, 4655, 4657, 4181, 2279, 2391, 261}

$$-\frac{ibPolyLog\left(2, -ie^{i\sin^{-1}(cx)}\right)}{8c^3d^3} + \frac{ibPolyLog\left(2, ie^{i\sin^{-1}(cx)}\right)}{8c^3d^3} - \frac{x(a+b\sin^{-1}(cx))}{8c^2d^3(1-c^2x^2)} + \frac{x(a+b\sin^{-1}(cx))}{4c^2d^3(1-c^2x^2)^2} + \frac{i\tan^{-1}\left(e^{i\sin^{-1}(cx)}\right)}{4}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^3, x]

[Out]  $-b/(12*c^3*d^3*(1 - c^2*x^2)^{(3/2)}) + b/(8*c^3*d^3*sqrt[1 - c^2*x^2]) + (x*(a + b*ArcSin[c*x]))/(4*c^2*d^3*(1 - c^2*x^2)^2) - (x*(a + b*ArcSin[c*x]))/(8*c^2*d^3*(1 - c^2*x^2)) + ((I/4)*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c^3*d^3) - ((I/8)*b*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c^3*d^3) + ((I/8)*b*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c^3*d^3)$

**Rule 4703**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.)\*((f\_.)\*(x\_.))^m\_.\*((d\_.) + (e\_.)\*(x\_.)^2)^p\_., x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + (-Dist[(f^2\*(m - 1))/(2\*e\*(p + 1)), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*f\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^n

- 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && GtQ[m, 1]

### Rule 4655

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := -Simp[(x\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*(p + 1)), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

### Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/((d\_.) + (e\_.)\*(x\_.)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_.))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_.))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_.)^n)]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^n)^(p\_.), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^3} dx &= \frac{x (a + b \sin^{-1}(cx))}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{b \int \frac{x}{(1 - c^2 x^2)^{5/2}} dx}{4cd^3} - \frac{\int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^2} dx}{4c^2 d} \\
&= -\frac{b}{12c^3 d^3 (1 - c^2 x^2)^{3/2}} + \frac{x (a + b \sin^{-1}(cx))}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{x (a + b \sin^{-1}(cx))}{8c^2 d^3 (1 - c^2 x^2)} + \frac{b \int \frac{x}{(1 - c^2 x^2)^{3/2}} dx}{8cd^3} - \frac{\int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^2} dx}{4c^2 d} \\
&= -\frac{b}{12c^3 d^3 (1 - c^2 x^2)^{3/2}} + \frac{b}{8c^3 d^3 \sqrt{1 - c^2 x^2}} + \frac{x (a + b \sin^{-1}(cx))}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{x (a + b \sin^{-1}(cx))}{8c^2 d^3 (1 - c^2 x^2)} - \frac{\int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^2} dx}{4c^2 d} \\
&= -\frac{b}{12c^3 d^3 (1 - c^2 x^2)^{3/2}} + \frac{b}{8c^3 d^3 \sqrt{1 - c^2 x^2}} + \frac{x (a + b \sin^{-1}(cx))}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{x (a + b \sin^{-1}(cx))}{8c^2 d^3 (1 - c^2 x^2)} + \frac{i (a + b \sin^{-1}(cx))}{4c^2 d} \\
&= -\frac{b}{12c^3 d^3 (1 - c^2 x^2)^{3/2}} + \frac{b}{8c^3 d^3 \sqrt{1 - c^2 x^2}} + \frac{x (a + b \sin^{-1}(cx))}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{x (a + b \sin^{-1}(cx))}{8c^2 d^3 (1 - c^2 x^2)} + \frac{i (a + b \sin^{-1}(cx))}{4c^2 d} \\
&= -\frac{b}{12c^3 d^3 (1 - c^2 x^2)^{3/2}} + \frac{b}{8c^3 d^3 \sqrt{1 - c^2 x^2}} + \frac{x (a + b \sin^{-1}(cx))}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{x (a + b \sin^{-1}(cx))}{8c^2 d^3 (1 - c^2 x^2)} + \frac{i (a + b \sin^{-1}(cx))}{4c^2 d}
\end{aligned}$$

**Mathematica [B]** time = 0.706753, size = 445, normalized size = 2.2

$$-6ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) + 6ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) + \frac{6acx}{c^2 x^2 - 1} + \frac{12acx}{(c^2 x^2 - 1)^2} + 3a \log(1 - cx) - 3a \log(cx + 1) - \frac{3b\sqrt{1 - c^2 x^2}}{cx - 1}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^3,x]

[Out] ((-2\*b\*Sqrt[1 - c^2\*x^2])/(-1 + c\*x)^2 + (b\*c\*x\*Sqrt[1 - c^2\*x^2])/(-1 + c\*x)^2 - (3\*b\*Sqrt[1 - c^2\*x^2])/(-1 + c\*x) - (2\*b\*Sqrt[1 - c^2\*x^2])/(1 + c\*x)^2 - (b\*c\*x\*Sqrt[1 - c^2\*x^2])/(1 + c\*x)^2 + (3\*b\*Sqrt[1 - c^2\*x^2])/(1 + c\*x) + (12\*a\*c\*x)/(-1 + c^2\*x^2)^2 + (6\*a\*c\*x)/(-1 + c^2\*x^2) + (3\*I)\*b\*Pi\*ArcSin[c\*x] + (3\*b\*ArcSin[c\*x])/(-1 + c\*x)^2 + (3\*b\*ArcSin[c\*x])/(-1 + c\*x) - (3\*b\*ArcSin[c\*x])/(1 + c\*x)^2 + (3\*b\*ArcSin[c\*x])/(1 + c\*x) - 3\*b\*Pi\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - 6\*b\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - 3\*b\*Pi\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 6\*b\*ArcSin[c\*x]\*Log[1 + I\*E^(I\*ArcSi

$n[c*x]] + 3*a*\text{Log}[1 - c*x] - 3*a*\text{Log}[1 + c*x] + 3*b*\text{Pi}*\text{Log}[-\text{Cos}[(\text{Pi} + 2*\text{ArcSin}[c*x])/4]] + 3*b*\text{Pi}*\text{Log}[\text{Sin}[(\text{Pi} + 2*\text{ArcSin}[c*x])/4]] - (6*I)*b*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[c*x])}] + (6*I)*b*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}]]/(48*c^3*d^3)$

**Maple [A]** time = 0.3, size = 386, normalized size = 1.9

$$\frac{a}{16c^3d^3(cx-1)^2} + \frac{a}{16c^3d^3(cx-1)} + \frac{a \ln(cx-1)}{16c^3d^3} - \frac{a}{16c^3d^3(cx+1)^2} + \frac{a}{16c^3d^3(cx+1)} - \frac{a \ln(cx+1)}{16c^3d^3} + \frac{b \arcsin}{8d^3(c^4x^4 - 2c^2x^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2*(a+b*\arcsin(c*x))/(-c^2*d*x^2+d)^3, x)$

[Out]  $1/16/c^3*a/d^3/(c*x-1)^2+1/16/c^3*a/d^3/(c*x-1)+1/16/c^3*a/d^3*\ln(c*x-1)-1/16/c^3*a/d^3/(c*x+1)^2+1/16/c^3*a/d^3/(c*x+1)-1/16/c^3*a/d^3*\ln(c*x+1)+1/8*b/d^3/(c^4*x^4-2*c^2*x^2+1)*\arcsin(c*x)*x^3-1/8/c*b/d^3/(c^4*x^4-2*c^2*x^2+1)*x^2*(-c^2*x^2+1)^{(1/2)}+1/8/c^2*b/d^3/(c^4*x^4-2*c^2*x^2+1)*\arcsin(c*x)*x+1/24/c^3*b/d^3/(c^4*x^4-2*c^2*x^2+1)*(-c^2*x^2+1)^{(1/2)}+1/8/c^3*b/d^3*\arcsin(c*x)*\ln(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))-1/8/c^3*b/d^3*\arcsin(c*x)*\ln(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))-1/8*I/c^3*b/d^3*\text{dilog}(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+1/8*I/c^3*b/d^3*\text{dilog}(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{16} a \left( \frac{2(c^2x^3 + x)}{c^6d^3x^4 - 2c^4d^3x^2 + c^2d^3} - \frac{\log(cx+1)}{c^3d^3} + \frac{\log(cx-1)}{c^3d^3} \right) - \frac{\left( (c^4x^4 - 2c^2x^2 + 1) \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) \log \right)}{16d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^2*(a+b*\arcsin(c*x))/(-c^2*d*x^2+d)^3, x, \text{algorithm}="maxima")$

[Out]  $1/16*a*(2*(c^2*x^3 + x)/(c^6*d^3*x^4 - 2*c^4*d^3*x^2 + c^2*d^3) - \log(c*x + 1)/(c^3*d^3) + \log(c*x - 1)/(c^3*d^3)) - 1/16*((c^4*x^4 - 2*c^2*x^2 + 1)*a \text{rctan2}(c*x, \text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1))*\log(c*x + 1) - (c^4*x^4 - 2*c^2*x^2 + 1)*\arctan2(c*x, \text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1))*\log(-c*x + 1) - 2*(c^3*x^3 + c*x)*\arctan2(c*x, \text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1)) + 16*(c^7*d^3*x^4 - 2*c^5*d^3*x^2 + c^3*d^3)*\text{integrate}(-1/16*(2*c^3*x^3 + 2*c*x - (c^4*x^4 - 2*c^2*x^2 + 1))$

$2*x^2 + 1)*\log(c*x + 1) + (c^4*x^4 - 2*c^2*x^2 + 1)*\log(-c*x + 1))*\sqrt{c*x + 1}*\sqrt{-c*x + 1}/(c^8*d^3*x^6 - 3*c^6*d^3*x^4 + 3*c^4*d^3*x^2 - c^2*d^3), x)))*b/(c^7*d^3*x^4 - 2*c^5*d^3*x^2 + c^3*d^3)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{bx^2 \arcsin(cx) + ax^2}{c^6 d^3 x^6 - 3c^4 d^3 x^4 + 3c^2 d^3 x^2 - d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out] integral(-(b\*x^2\*arcsin(c\*x) + a\*x^2)/(c^6\*d^3\*x^6 - 3\*c^4\*d^3\*x^4 + 3\*c^2\*d^3\*x^2 - d^3), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{ax^2}{c^6 x^6 - 3c^4 x^4 + 3c^2 x^2 - 1} dx + \int \frac{bx^2 \arcsin(cx)}{c^6 x^6 - 3c^4 x^4 + 3c^2 x^2 - 1} dx}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*3,x)

[Out] -(Integral(a\*x\*\*2/(c\*\*6\*x\*\*6 - 3\*c\*\*4\*x\*\*4 + 3\*c\*\*2\*x\*\*2 - 1), x) + Integral(b\*x\*\*2\*asin(c\*x)/(c\*\*6\*x\*\*6 - 3\*c\*\*4\*x\*\*4 + 3\*c\*\*2\*x\*\*2 - 1), x))/d\*\*3

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \arcsin(cx) + a)x^2}{(c^2 dx^2 - d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^3,x, algorithm="giac")

[Out] integrate(-(b\*arcsin(c\*x) + a)\*x^2/(c^2\*d\*x^2 - d)^3, x)

$$3.49 \quad \int \frac{x(a+b \sin^{-1}(cx))}{(d-c^2x^2)^3} dx$$

Optimal. Leaf size=83

$$\frac{a+b \sin^{-1}(cx)}{4c^2d^3(1-c^2x^2)^2} - \frac{bx}{6cd^3\sqrt{1-c^2x^2}} - \frac{bx}{12cd^3(1-c^2x^2)^{3/2}}$$

[Out]  $-(b*x)/(12*c*d^3*(1-c^2*x^2)^(3/2)) - (b*x)/(6*c*d^3*sqrt[1-c^2*x^2]) + (a+b*ArcSin[c*x])/(4*c^2*d^3*(1-c^2*x^2)^2)$

**Rubi [A]** time = 0.0539175, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {4677, 192, 191}

$$\frac{a+b \sin^{-1}(cx)}{4c^2d^3(1-c^2x^2)^2} - \frac{bx}{6cd^3\sqrt{1-c^2x^2}} - \frac{bx}{12cd^3(1-c^2x^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^3,x]

[Out]  $-(b*x)/(12*c*d^3*(1-c^2*x^2)^(3/2)) - (b*x)/(6*c*d^3*sqrt[1-c^2*x^2]) + (a+b*ArcSin[c*x])/(4*c^2*d^3*(1-c^2*x^2)^2)$

#### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rule 192

Int[((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0]

&& NeQ[p, -1]

### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

### Rubi steps

$$\begin{aligned} \int \frac{x(a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^3} dx &= \frac{a + b \sin^{-1}(cx)}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{b \int \frac{1}{(1 - c^2 x^2)^{5/2}} dx}{4cd^3} \\ &= -\frac{bx}{12cd^3 (1 - c^2 x^2)^{3/2}} + \frac{a + b \sin^{-1}(cx)}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{b \int \frac{1}{(1 - c^2 x^2)^{3/2}} dx}{6cd^3} \\ &= -\frac{bx}{12cd^3 (1 - c^2 x^2)^{3/2}} - \frac{bx}{6cd^3 \sqrt{1 - c^2 x^2}} + \frac{a + b \sin^{-1}(cx)}{4c^2 d^3 (1 - c^2 x^2)^2} \end{aligned}$$

**Mathematica [A]** time = 0.100991, size = 62, normalized size = 0.75

$$\frac{\frac{a + b \sin^{-1}(cx)}{(c^2 x^2 - 1)^2} + \frac{bcx(2c^2 x^2 - 3)}{3(1 - c^2 x^2)^{3/2}}}{4c^2 d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^3,x]

[Out] ((b\*c\*x\*(-3 + 2\*c^2\*x^2))/(3\*(1 - c^2\*x^2)^(3/2)) + (a + b\*ArcSin[c\*x])/(-1 + c^2\*x^2)^2)/(4\*c^2\*d^3)

**Maple [B]** time = 0.01, size = 151, normalized size = 1.8

$$\frac{1}{c^2} \left( \frac{a}{4d^3 (c^2 x^2 - 1)^2} - \frac{b}{d^3} \left( -\frac{\arcsin(cx)}{4(c^2 x^2 - 1)^2} - \frac{1}{12cx - 12} \sqrt{-(cx - 1)^2 - 2cx + 2} - \frac{1}{12cx + 12} \sqrt{-(cx + 1)^2 + 2cx + 2} + \frac{1}{48} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(x*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^3,x)`

[Out]  $1/c^2*(1/4*a/d^3/(c^2*x^2-1)^2-b/d^3*(-1/4/(c^2*x^2-1)^2*\arcsin(c*x)-1/12/(c*x-1)*(-(c*x-1)^2-2*c*x+2)^{(1/2)}-1/12/(c*x+1)*(-(c*x+1)^2+2*c*x+2)^{(1/2)}+1/48/(c*x-1)^2*(-(c*x-1)^2-2*c*x+2)^{(1/2)}-1/48/(c*x+1)^2*(-(c*x+1)^2+2*c*x+2)^{(1/2}))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\left( (c^6 d^3 x^4 - 2 c^4 d^3 x^2 + c^2 d^3) \int \frac{e^{\left(\frac{1}{2} \log(cx+1) + \frac{1}{2} \log(-cx+1)\right)}}{c^9 d^3 x^8 - 3 c^7 d^3 x^6 + 3 c^5 d^3 x^4 - c^3 d^3 x^2 - (c^7 d^3 x^6 - 3 c^5 d^3 x^4 + 3 c^3 d^3 x^2 - c d^3)(cx+1)(cx-1)} dx + \arctan\left(cx, \sqrt{cx+1}\right) \right)}{4 (c^6 d^3 x^4 - 2 c^4 d^3 x^2 + c^2 d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^3,x, algorithm="maxima")`

[Out]  $1/4*(4*(c^6*d^3*x^4 - 2*c^4*d^3*x^2 + c^2*d^3)*integrate(1/4*e^{(1/2*\log(c*x + 1) + 1/2*\log(-c*x + 1))}/(c^9*d^3*x^8 - 3*c^7*d^3*x^6 + 3*c^5*d^3*x^4 - c^3*d^3*x^2 + (c^7*d^3*x^6 - 3*c^5*d^3*x^4 + 3*c^3*d^3*x^2 - c*d^3)*e^{(\log(c*x + 1) + \log(-c*x + 1))}), x) + \arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})) * b/(c^6*d^3*x^4 - 2*c^4*d^3*x^2 + c^2*d^3) + 1/4*a/(c^6*d^3*x^4 - 2*c^4*d^3*x^2 + c^2*d^3)$

**Fricas [A]** time = 2.26994, size = 186, normalized size = 2.24

$$\frac{3ac^4x^4 - 6ac^2x^2 - 3b\arcsin(cx) - (2bc^3x^3 - 3bcx)\sqrt{-c^2x^2 + 1}}{12(c^6d^3x^4 - 2c^4d^3x^2 + c^2d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^3,x, algorithm="fricas")`

[Out]  $-1/12*(3*a*c^4*x^4 - 6*a*c^2*x^2 - 3*b*\arcsin(c*x) - (2*b*c^3*x^3 - 3*b*c*x)*\sqrt{-c^2*x^2 + 1})/(c^6*d^3*x^4 - 2*c^4*d^3*x^2 + c^2*d^3)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{ax}{c^6x^6-3c^4x^4+3c^2x^2-1} dx + \int \frac{bx \operatorname{asin}(cx)}{c^6x^6-3c^4x^4+3c^2x^2-1} dx}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*3,x)

[Out] -(Integral(a\*x/(c\*\*6\*x\*\*6 - 3\*c\*\*4\*x\*\*4 + 3\*c\*\*2\*x\*\*2 - 1), x) + Integral(b\*x\*asin(c\*x)/(c\*\*6\*x\*\*6 - 3\*c\*\*4\*x\*\*4 + 3\*c\*\*2\*x\*\*2 - 1), x))/d\*\*3

**Giac [B]** time = 1.32488, size = 232, normalized size = 2.8

$$\frac{bc^2x^4 \operatorname{arcsin}(cx)}{4(c^2x^2-1)^2d^3} + \frac{ac^2x^4}{4(c^2x^2-1)^2d^3} + \frac{bcx^3}{12(c^2x^2-1)\sqrt{-c^2x^2+1}d^3} - \frac{bx^2 \operatorname{arcsin}(cx)}{2(c^2x^2-1)d^3} - \frac{ax^2}{2(c^2x^2-1)d^3} - \frac{bx}{4\sqrt{-c^2x^2+1}cd^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^3,x, algorithm="giac")

[Out] 1/4\*b\*c^2\*x^4\*arcsin(c\*x)/((c^2\*x^2 - 1)^2\*d^3) + 1/4\*a\*c^2\*x^4/((c^2\*x^2 - 1)^2\*d^3) + 1/12\*b\*c\*x^3/((c^2\*x^2 - 1)\*sqrt(-c^2\*x^2 + 1)\*d^3) - 1/2\*b\*x^2\*arcsin(c\*x)/((c^2\*x^2 - 1)\*d^3) - 1/2\*a\*x^2/((c^2\*x^2 - 1)\*d^3) - 1/4\*b\*x/(sqrt(-c^2\*x^2 + 1)\*c\*d^3) + 1/4\*b\*arcsin(c\*x)/(c^2\*d^3) + 1/4\*a/(c^2\*d^3)

$$3.50 \quad \int \frac{a+b \sin^{-1}(cx)}{(d-c^2 dx^2)^3} dx$$

**Optimal.** Leaf size=196

$$\frac{3ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{8cd^3} - \frac{3ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{8cd^3} + \frac{3x(a+b \sin^{-1}(cx))}{8d^3(1-c^2x^2)} + \frac{x(a+b \sin^{-1}(cx))}{4d^3(1-c^2x^2)^2} - \frac{3i \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{8d^3}$$

[Out]  $-b/(12*c*d^3*(1 - c^2*x^2)^{(3/2)}) - (3*b)/(8*c*d^3*\sqrt{1 - c^2*x^2}) + (x*(a + b*\operatorname{ArcSin}[c*x]))/(4*d^3*(1 - c^2*x^2)^2) + (3*x*(a + b*\operatorname{ArcSin}[c*x]))/(8*d^3*(1 - c^2*x^2)) - (((3*I)/4)*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{ArcTan}[E^{(I*\operatorname{ArcSin}[c*x])}])/(c*d^3) + (((3*I)/8)*b*\operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/(c*d^3) - (((3*I)/8)*b*\operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x])}])/(c*d^3)$

**Rubi [A]** time = 0.133682, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {4655, 4657, 4181, 2279, 2391, 261}

$$\frac{3ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{8cd^3} - \frac{3ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{8cd^3} + \frac{3x(a+b \sin^{-1}(cx))}{8d^3(1-c^2x^2)} + \frac{x(a+b \sin^{-1}(cx))}{4d^3(1-c^2x^2)^2} - \frac{3i \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{8d^3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b*\operatorname{ArcSin}[c*x])/(d - c^2*d*x^2)^3, x]$

[Out]  $-b/(12*c*d^3*(1 - c^2*x^2)^{(3/2)}) - (3*b)/(8*c*d^3*\sqrt{1 - c^2*x^2}) + (x*(a + b*\operatorname{ArcSin}[c*x]))/(4*d^3*(1 - c^2*x^2)^2) + (3*x*(a + b*\operatorname{ArcSin}[c*x]))/(8*d^3*(1 - c^2*x^2)) - (((3*I)/4)*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{ArcTan}[E^{(I*\operatorname{ArcSin}[c*x])}])/(c*d^3) + (((3*I)/8)*b*\operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/(c*d^3) - (((3*I)/8)*b*\operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x])}])/(c*d^3)$

**Rule 4655**

$\operatorname{Int}[(a_.) + \operatorname{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_ \text{Symbol}] :> -\operatorname{Simp}[(x*(d + e*x^2)^{(p+1)}*(a + b*\operatorname{ArcSin}[c*x])^n)/(2*d*(p+1)), x] + (\operatorname{Dist}[(2*p+3)/(2*d*(p+1)), \operatorname{Int}[(d + e*x^2)^{(p+1)}*(a + b*\operatorname{ArcSin}[c*x])^n, x], x] + \operatorname{Dist}[(b*c*n*d*\operatorname{IntPart}[p]*(d + e*x^2)^{\operatorname{FracPart}[p]}]/(2*(p+1)*(1 - c^2*x^2)^{\operatorname{FracPart}[p]}), \operatorname{Int}[x*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\operatorname{ArcSin}[c*x])^{(n-1)}, x], x]) /; \operatorname{FreeQ}\{a, b, c, d, e\}, x] \&\& \operatorname{EqQ}[c^2*d + e, 0]$

&& GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

### Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/((d\_) + (e\_.)\*(x\_)^2), x\_Symbol] :> Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] :> -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] :> Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^3} dx &= \frac{x(a + b \sin^{-1}(cx))}{4d^3(1 - c^2 x^2)^2} - \frac{(bc) \int \frac{x}{(1 - c^2 x^2)^{5/2}} dx}{4d^3} + \frac{3 \int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^2} dx}{4d} \\
&= -\frac{b}{12cd^3(1 - c^2 x^2)^{3/2}} + \frac{x(a + b \sin^{-1}(cx))}{4d^3(1 - c^2 x^2)^2} + \frac{3x(a + b \sin^{-1}(cx))}{8d^3(1 - c^2 x^2)} - \frac{(3bc) \int \frac{x}{(1 - c^2 x^2)^{3/2}} dx}{8d^3} + \frac{3 \int}{8d^3} \\
&= -\frac{b}{12cd^3(1 - c^2 x^2)^{3/2}} - \frac{3b}{8cd^3\sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))}{4d^3(1 - c^2 x^2)^2} + \frac{3x(a + b \sin^{-1}(cx))}{8d^3(1 - c^2 x^2)} + \frac{3 \text{Subst}}{8d^3} \\
&= -\frac{b}{12cd^3(1 - c^2 x^2)^{3/2}} - \frac{3b}{8cd^3\sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))}{4d^3(1 - c^2 x^2)^2} + \frac{3x(a + b \sin^{-1}(cx))}{8d^3(1 - c^2 x^2)} - \frac{3i(a + b \sin^{-1}(cx))}{8d^3} \\
&= -\frac{b}{12cd^3(1 - c^2 x^2)^{3/2}} - \frac{3b}{8cd^3\sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))}{4d^3(1 - c^2 x^2)^2} + \frac{3x(a + b \sin^{-1}(cx))}{8d^3(1 - c^2 x^2)} - \frac{3i(a + b \sin^{-1}(cx))}{8d^3} \\
&= -\frac{b}{12cd^3(1 - c^2 x^2)^{3/2}} - \frac{3b}{8cd^3\sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))}{4d^3(1 - c^2 x^2)^2} + \frac{3x(a + b \sin^{-1}(cx))}{8d^3(1 - c^2 x^2)} - \frac{3i(a + b \sin^{-1}(cx))}{8d^3}
\end{aligned}$$

**Mathematica [B]** time = 1.54429, size = 501, normalized size = 2.56

$$-\frac{6ib \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{c} + \frac{6ib \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{c} + \frac{6ax}{c^2 x^2 - 1} - \frac{4ax}{(c^2 x^2 - 1)^2} + \frac{3a \log(1 - cx)}{c} - \frac{3a \log(cx + 1)}{c} + \frac{3b\sqrt{1 - c^2 x^2}}{c - c^2 x} + \frac{3b\sqrt{1 - c^2 x^2}}{c^2 x + c}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(d - c^2\*d\*x^2)^3, x]

[Out] -((2\*b\*Sqrt[1 - c^2\*x^2])/(3\*c\*(-1 + c\*x)^2) - (b\*x\*Sqrt[1 - c^2\*x^2])/(3\*(-1 + c\*x)^2) + (2\*b\*Sqrt[1 - c^2\*x^2])/(3\*c\*(1 + c\*x)^2) + (b\*x\*Sqrt[1 - c^2\*x^2])/(3\*(1 + c\*x)^2) + (3\*b\*Sqrt[1 - c^2\*x^2])/(c - c^2\*x) + (3\*b\*Sqrt[1 - c^2\*x^2])/(c + c^2\*x) - (4\*a\*x)/(-1 + c^2\*x^2)^2 + (6\*a\*x)/(-1 + c^2\*x^2) + ((3\*I)\*b\*Pi\*ArcSin[c\*x])/c - (b\*ArcSin[c\*x])/(c\*(-1 + c\*x)^2) + (b\*ArcSin[c\*x])/(c\*(1 + c\*x)^2) - (3\*b\*ArcSin[c\*x])/(c - c^2\*x) + (3\*b\*ArcSin[c\*x])/(c + c^2\*x) - (3\*b\*Pi\*Log[1 - I\*E^(I\*ArcSin[c\*x])])/c - (6\*b\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])])/c - (3\*b\*Pi\*Log[1 + I\*E^(I\*ArcSin[c\*x])])/c + (6\*b\*ArcSin[c\*x]\*Log[1 + I\*E^(I\*ArcSin[c\*x])])/c + (3\*a\*Log[1 - cx])/c - (3\*a\*Log[1 + cx])/c + (3\*b\*Pi\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]])/c + (3\*b\*

$\text{Pi} * \text{Log}[\text{Sin}[(\text{Pi} + 2 * \text{ArcSin}[c * x])/4]]/c - ((6 * I) * b * \text{PolyLog}[2, (-I) * E^{(I * \text{ArcSin}[c * x])}]/c + ((6 * I) * b * \text{PolyLog}[2, I * E^{(I * \text{ArcSin}[c * x])}]/c)/(16 * d^3)$

**Maple [A]** time = 0.145, size = 384, normalized size = 2.

$$\frac{a}{16cd^3(cx-1)^2} - \frac{3a}{16cd^3(cx-1)} - \frac{3a \ln(cx-1)}{16cd^3} - \frac{a}{16cd^3(cx+1)^2} - \frac{3a}{16cd^3(cx+1)} + \frac{3a \ln(cx+1)}{16cd^3} - \frac{3c^2b \arcsin(c)}{8d^3(c^4x^4 - 2c^2x^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))/(-c^2*d*x^2+d)^3,x)`

[Out]  $1/16/c*a/d^3/(c*x-1)^2 - 3/16/c*a/d^3/(c*x-1) - 3/16/c*a/d^3*\ln(c*x-1) - 1/16/c*a/d^3/(c*x+1)^2 - 3/16/c*a/d^3/(c*x+1) + 3/16/c*a/d^3*\ln(c*x+1) - 3/8*c^2*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1) * \arcsin(c*x) * x^3 + 3/8*c*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1) * x^2 * (-c^2*x^2 + 1)^{(1/2)} + 5/8*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1) * \arcsin(c*x) * x - 11/24/c*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1) * (-c^2*x^2 + 1)^{(1/2)} - 3/8/c*b/d^3 * \arcsin(c*x) * \ln(1 + I * (I * c * x + (-c^2 * x^2 + 1)^{(1/2)})) + 3/8/c*b/d^3 * \arcsin(c*x) * \ln(1 - I * (I * c * x + (-c^2 * x^2 + 1)^{(1/2)})) + 3/8 * I / c * b / d^3 * \text{dilog}(1 + I * (I * c * x + (-c^2 * x^2 + 1)^{(1/2)})) - 3/8 * I / c * b / d^3 * \text{dilog}(1 - I * (I * c * x + (-c^2 * x^2 + 1)^{(1/2)}))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{16} a \left( \frac{2(3c^2x^3 - 5x)}{c^4d^3x^4 - 2c^2d^3x^2 + d^3} - \frac{3 \log(cx+1)}{cd^3} + \frac{3 \log(cx-1)}{cd^3} \right) + \frac{3(c^4x^4 - 2c^2x^2 + 1) \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})}{c^4d^3x^4 - 2c^2d^3x^2 + d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/(-c^2*d*x^2+d)^3,x, algorithm="maxima")`

[Out]  $-1/16*a*(2*(3*c^2*x^3 - 5*x)/(c^4*d^3*x^4 - 2*c^2*d^3*x^2 + d^3) - 3*\log(c*x + 1)/(c*d^3) + 3*\log(c*x - 1)/(c*d^3)) + 1/16*(3*(c^4*x^4 - 2*c^2*x^2 + 1)*\arctan2(c*x, \text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1))*\log(c*x + 1) - 3*(c^4*x^4 - 2*c^2*x^2 + 1)*\arctan2(c*x, \text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1))*\log(-c*x + 1) - 2*(3*c^3*x^3 - 5*c*x)*\arctan2(c*x, \text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1)) + 16*(c^5*d^3*x^4 - 2*c^3*d^3*x^2 + c*d^3)*\text{integrate}(-1/16*(6*c^3*x^3 - 10*c*x - 3*(c^4*x^4 - 2*c^2*x^2 + 1)*\log(c*x + 1) + 3*(c^4*x^4 - 2*c^2*x^2 + 1)*\log(-c*x + 1))*\text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1)/(c^6*d^3*x^6 - 3*c^4*d^3*x^4 + 3*c^2*d^3*x^2 + d^3), x)$

$$^2 - d^3), x)) * b / (c^5 * d^3 * x^4 - 2 * c^3 * d^3 * x^2 + c * d^3)$$


---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b \arcsin(cx) + a}{c^6 d^3 x^6 - 3 c^4 d^3 x^4 + 3 c^2 d^3 x^2 - d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out] integral(-(b\*arcsin(c\*x) + a)/(c^6\*d^3\*x^6 - 3\*c^4\*d^3\*x^4 + 3\*c^2\*d^3\*x^2 - d^3), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*3,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{b \arcsin(cx) + a}{(c^2 dx^2 - d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^3,x, algorithm="giac")

[Out] integrate(-(b\*arcsin(c\*x) + a)/(c^2\*d\*x^2 - d)^3, x)

$$3.51 \quad \int \frac{a+b \sin^{-1}(cx)}{x(d-c^2 dx^2)^3} dx$$

**Optimal.** Leaf size=173

$$\frac{ibPolyLog\left(2, -e^{2i \sin^{-1}(cx)}\right)}{2d^3} - \frac{ibPolyLog\left(2, e^{2i \sin^{-1}(cx)}\right)}{2d^3} + \frac{a+b \sin^{-1}(cx)}{2d^3(1-c^2x^2)} + \frac{a+b \sin^{-1}(cx)}{4d^3(1-c^2x^2)^2} - \frac{2 \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)(a)}{d^3}$$

[Out]  $-(b*c*x)/(12*d^3*(1-c^2*x^2)^{(3/2)}) - (2*b*c*x)/(3*d^3*sqrt[1-c^2*x^2])$   
 $+ (a+b*ArcSin[c*x])/(4*d^3*(1-c^2*x^2)^2) + (a+b*ArcSin[c*x])/(2*d^3$   
 $*(1-c^2*x^2)) - (2*(a+b*ArcSin[c*x])*ArcTanh[E^((2*I)*ArcSin[c*x])])/d^3$   
 $+ ((I/2)*b*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/d^3 - ((I/2)*b*PolyLog[2,$   
 $E^((2*I)*ArcSin[c*x])])/d^3$

**Rubi [A]** time = 0.251842, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.32$ , Rules used = {4705, 4679, 4419, 4183, 2279, 2391, 191, 192}

$$\frac{ibPolyLog\left(2, -e^{2i \sin^{-1}(cx)}\right)}{2d^3} - \frac{ibPolyLog\left(2, e^{2i \sin^{-1}(cx)}\right)}{2d^3} + \frac{a+b \sin^{-1}(cx)}{2d^3(1-c^2x^2)} + \frac{a+b \sin^{-1}(cx)}{4d^3(1-c^2x^2)^2} - \frac{2 \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)(a)}{d^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(x\*(d - c^2\*d\*x^2)^3), x]

[Out]  $-(b*c*x)/(12*d^3*(1-c^2*x^2)^{(3/2)}) - (2*b*c*x)/(3*d^3*sqrt[1-c^2*x^2])$   
 $+ (a+b*ArcSin[c*x])/(4*d^3*(1-c^2*x^2)^2) + (a+b*ArcSin[c*x])/(2*d^3$   
 $*(1-c^2*x^2)) - (2*(a+b*ArcSin[c*x])*ArcTanh[E^((2*I)*ArcSin[c*x])])/d^3$   
 $+ ((I/2)*b*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/d^3 - ((I/2)*b*PolyLog[2,$   
 $E^((2*I)*ArcSin[c*x])])/d^3$

**Rule 4705**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> -Simp[((f\*x)^(m+1)\*(d+e\*x^2)^(p+1)\*(a+b\*ArcSin[c\*x])^n)/(2\*d\*f\*(p+1)), x] + (Dist[(m+2\*p+3)/(2\*d\*(p+1)), Int[(f\*x)^m\*(d+e\*x^2)^(p+1)\*(a+b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d+e\*x^2)^FracPart[p])/(2\*f\*(p+1)\*(1-c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m+1)\*(1-c^2\*x^2)^(p+1/2)\*(a+b\*ArcSin[c\*x])^(n-1),



```
x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1])
```

### Rule 4679

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)/((x_)*((d_) + (e_.)*(x_)^2)), x_Symbol] := Dist[1/d, Subst[Int[(a + b*x)^n/(Cos[x]*Sin[x]), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 4419

```
Int[Csc[(a_.) + (b_.)*(x_)]^ (n_.)*((c_.) + (d_.)*(x_))^ (m_.)*Sec[(a_.) + (b_.)*(x_)]^ (n_.), x_Symbol] := Dist[2^n, Int[(c + d*x)^m*Csc[2*a + 2*b*x]^n, x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^ (m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^ (n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^ (n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 191

```
Int[((a_) + (b_.)*(x_)^ (n_.))^ (p_.), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

### Rule 192

```
Int[((a_) + (b_.)*(x_)^ (n_.))^ (p_.), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0]
```

&& NeQ[p, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{a + b \sin^{-1}(cx)}{x(d - c^2 dx^2)^3} dx &= \frac{a + b \sin^{-1}(cx)}{4d^3(1 - c^2 x^2)^2} - \frac{(bc) \int \frac{1}{(1 - c^2 x^2)^{5/2}} dx}{4d^3} + \frac{\int \frac{a + b \sin^{-1}(cx)}{x(d - c^2 dx^2)^2} dx}{d} \\
 &= -\frac{bcx}{12d^3(1 - c^2 x^2)^{3/2}} + \frac{a + b \sin^{-1}(cx)}{4d^3(1 - c^2 x^2)^2} + \frac{a + b \sin^{-1}(cx)}{2d^3(1 - c^2 x^2)} - \frac{(bc) \int \frac{1}{(1 - c^2 x^2)^{3/2}} dx}{6d^3} - \frac{(bc) \int \frac{1}{(1 - c^2 x^2)^{3/2}} dx}{2d^3} \\
 &= -\frac{bcx}{12d^3(1 - c^2 x^2)^{3/2}} - \frac{2bcx}{3d^3\sqrt{1 - c^2 x^2}} + \frac{a + b \sin^{-1}(cx)}{4d^3(1 - c^2 x^2)^2} + \frac{a + b \sin^{-1}(cx)}{2d^3(1 - c^2 x^2)} + \frac{\text{Subst}\left(\int (a + bx) \text{csc}\right)}{d^3} \\
 &= -\frac{bcx}{12d^3(1 - c^2 x^2)^{3/2}} - \frac{2bcx}{3d^3\sqrt{1 - c^2 x^2}} + \frac{a + b \sin^{-1}(cx)}{4d^3(1 - c^2 x^2)^2} + \frac{a + b \sin^{-1}(cx)}{2d^3(1 - c^2 x^2)} + \frac{2 \text{Subst}\left(\int (a + bx) \text{csc}\right)}{d^3} \\
 &= -\frac{bcx}{12d^3(1 - c^2 x^2)^{3/2}} - \frac{2bcx}{3d^3\sqrt{1 - c^2 x^2}} + \frac{a + b \sin^{-1}(cx)}{4d^3(1 - c^2 x^2)^2} + \frac{a + b \sin^{-1}(cx)}{2d^3(1 - c^2 x^2)} - \frac{2(a + b \sin^{-1}(cx)) \text{ta}}{d^3} \\
 &= -\frac{bcx}{12d^3(1 - c^2 x^2)^{3/2}} - \frac{2bcx}{3d^3\sqrt{1 - c^2 x^2}} + \frac{a + b \sin^{-1}(cx)}{4d^3(1 - c^2 x^2)^2} + \frac{a + b \sin^{-1}(cx)}{2d^3(1 - c^2 x^2)} - \frac{2(a + b \sin^{-1}(cx)) \text{ta}}{d^3} \\
 &= -\frac{bcx}{12d^3(1 - c^2 x^2)^{3/2}} - \frac{2bcx}{3d^3\sqrt{1 - c^2 x^2}} + \frac{a + b \sin^{-1}(cx)}{4d^3(1 - c^2 x^2)^2} + \frac{a + b \sin^{-1}(cx)}{2d^3(1 - c^2 x^2)} - \frac{2(a + b \sin^{-1}(cx)) \text{ta}}{d^3}
 \end{aligned}$$

**Mathematica [A]** time = 0.936411, size = 201, normalized size = 1.16

$$\frac{b \left( -6i \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right) + 6i \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + \frac{8cx}{\sqrt{1 - c^2 x^2}} + \frac{cx}{(1 - c^2 x^2)^{3/2}} + \frac{6 \sin^{-1}(cx)}{c^2 x^2 - 1} - \frac{3 \sin^{-1}(cx)}{(c^2 x^2 - 1)^2} - 12 \sin^{-1}(cx) \right)}{12d^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x\*(d - c^2\*d\*x^2)^3), x]

[Out] -((-3\*a)/(-1 + c^2\*x^2)^2 + (6\*a)/(-1 + c^2\*x^2) - 12\*a\*Log[x] + 6\*a\*Log[1 - c^2\*x^2] + b\*((c\*x)/(1 - c^2\*x^2)^(3/2) + (8\*c\*x)/Sqrt[1 - c^2\*x^2] - (3\*ArcSin[c\*x])/(-1 + c^2\*x^2)^2 + (6\*ArcSin[c\*x])/(-1 + c^2\*x^2) - 12\*ArcSin[

$c*x]*\text{Log}[1 - E^{((2*I)*\text{ArcSin}[c*x])}] + 12*\text{ArcSin}[c*x]*\text{Log}[1 + E^{((2*I)*\text{ArcSin}[c*x])}] - (6*I)*\text{PolyLog}[2, -E^{((2*I)*\text{ArcSin}[c*x])}] + (6*I)*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}]]/(12*d^3)$

**Maple [B]** time = 0.199, size = 503, normalized size = 2.9

$$\frac{a}{16d^3(cx-1)^2} - \frac{5a}{16d^3(cx-1)} - \frac{a \ln(cx-1)}{2d^3} + \frac{a}{16d^3(cx+1)^2} + \frac{5a}{16d^3(cx+1)} - \frac{a \ln(cx+1)}{2d^3} + \frac{a \ln(cx)}{d^3} + \frac{\frac{4i}{3}b}{d^3(c^4x^4 - \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))/x/(-c^2*d*x^2+d)^3,x)`

[Out]  $1/16*a/d^3/(c*x-1)^2 - 5/16*a/d^3/(c*x-1) - 1/2*a/d^3*\ln(c*x-1) + 1/16*a/d^3/(c*x+1)^2 + 5/16*a/d^3/(c*x+1) - 1/2*a/d^3*\ln(c*x+1) + a/d^3*\ln(c*x) + 4/3*I*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)*c^2*x^2 + 2/3*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)*c^3*x^3*(-c^2*x^2 + 1)^{(1/2)} - 1/2*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)*\arcsin(c*x)*c^2*x^2 - 2/3*I*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)*c^4*x^4 - 3/4*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)*c*x*(-c^2*x^2 + 1)^{(1/2)} + 3/4*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)*\arcsin(c*x) + 1/2*I*b*\text{polylog}(2, -(I*c*x + (-c^2*x^2 + 1)^{(1/2)})^2)/d^3 + b/d^3*\arcsin(c*x)*\ln(1 + I*c*x + (-c^2*x^2 + 1)^{(1/2)}) - 2/3*I*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1) + b/d^3*\arcsin(c*x)*\ln(1 - I*c*x - (-c^2*x^2 + 1)^{(1/2)}) - I*b/d^3*\text{polylog}(2, I*c*x + (-c^2*x^2 + 1)^{(1/2)}) - b/d^3*\arcsin(c*x)*\ln(1 + (I*c*x + (-c^2*x^2 + 1)^{(1/2)})^2) - I*b/d^3*\text{polylog}(2, -I*c*x - (-c^2*x^2 + 1)^{(1/2)})$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4}a\left(\frac{2c^2x^2 - 3}{c^4d^3x^4 - 2c^2d^3x^2 + d^3} + \frac{2 \log(cx + 1)}{d^3} + \frac{2 \log(cx - 1)}{d^3} - \frac{4 \log(x)}{d^3}\right) - b \int \frac{\arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)}{c^6d^3x^7 - 3c^4d^3x^5 + 3c^2d^3x^3 - d^3x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x/(-c^2*d*x^2+d)^3,x, algorithm="maxima")`

[Out]  $-1/4*a*((2*c^2*x^2 - 3)/(c^4*d^3*x^4 - 2*c^2*d^3*x^2 + d^3) + 2*\log(c*x + 1)/d^3 + 2*\log(c*x - 1)/d^3 - 4*\log(x)/d^3) - b*\text{integrate}(\arctan2(c*x, \text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1))/(c^6*d^3*x^7 - 3*c^4*d^3*x^5 + 3*c^2*d^3*x^3 - d^3*x), x)$

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b \arcsin(cx) + a}{c^6 d^3 x^7 - 3 c^4 d^3 x^5 + 3 c^2 d^3 x^3 - d^3 x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out] integral(-(b\*arcsin(c\*x) + a)/(c^6\*d^3\*x^7 - 3\*c^4\*d^3\*x^5 + 3\*c^2\*d^3\*x^3 - d^3\*x), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x/(-c\*\*2\*d\*x\*\*2+d)\*\*3,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{b \arcsin(cx) + a}{(c^2 dx^2 - d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x/(-c^2\*d\*x^2+d)^3,x, algorithm="giac")

[Out] integrate(-(b\*arcsin(c\*x) + a)/((c^2\*d\*x^2 - d)^3\*x), x)

$$3.52 \quad \int \frac{a+b \sin^{-1}(cx)}{x^2(d-c^2dx^2)^3} dx$$

**Optimal.** Leaf size=242

$$\frac{15bc \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{8d^3} - \frac{15bc \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{8d^3} + \frac{15c^2x(a+b \sin^{-1}(cx))}{8d^3(1-c^2x^2)} + \frac{5c^2x(a+b \sin^{-1}(cx))}{4d^3(1-c^2x^2)^2} - \frac{a}{d^3}$$

[Out]  $-(b*c)/(12*d^3*(1-c^2*x^2)^{(3/2)}) - (7*b*c)/(8*d^3*\operatorname{Sqrt}[1-c^2*x^2]) - (a+b*\operatorname{ArcSin}[c*x])/(d^3*x*(1-c^2*x^2)^2) + (5*c^2*x*(a+b*\operatorname{ArcSin}[c*x]))/(4*d^3*(1-c^2*x^2)^2) + (15*c^2*x*(a+b*\operatorname{ArcSin}[c*x]))/(8*d^3*(1-c^2*x^2)) - (((15*I)/4)*c*(a+b*\operatorname{ArcSin}[c*x])* \operatorname{ArcTan}[E^{(I*\operatorname{ArcSin}[c*x])}])/d^3 - (b*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[1-c^2*x^2]])/d^3 + (((15*I)/8)*b*c*\operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/d^3 - (((15*I)/8)*b*c*\operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x])}])/d^3$

**Rubi [A]** time = 0.24238, antiderivative size = 242, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 11, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.44$ , Rules used = {4701, 4655, 4657, 4181, 2279, 2391, 261, 266, 51, 63, 208}

$$\frac{15bc \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{8d^3} - \frac{15bc \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{8d^3} + \frac{15c^2x(a+b \sin^{-1}(cx))}{8d^3(1-c^2x^2)} + \frac{5c^2x(a+b \sin^{-1}(cx))}{4d^3(1-c^2x^2)^2} - \frac{a}{d^3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a+b*\operatorname{ArcSin}[c*x])/(x^2*(d-c^2*d*x^2)^3), x]$

[Out]  $-(b*c)/(12*d^3*(1-c^2*x^2)^{(3/2)}) - (7*b*c)/(8*d^3*\operatorname{Sqrt}[1-c^2*x^2]) - (a+b*\operatorname{ArcSin}[c*x])/(d^3*x*(1-c^2*x^2)^2) + (5*c^2*x*(a+b*\operatorname{ArcSin}[c*x]))/(4*d^3*(1-c^2*x^2)^2) + (15*c^2*x*(a+b*\operatorname{ArcSin}[c*x]))/(8*d^3*(1-c^2*x^2)) - (((15*I)/4)*c*(a+b*\operatorname{ArcSin}[c*x])* \operatorname{ArcTan}[E^{(I*\operatorname{ArcSin}[c*x])}])/d^3 - (b*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[1-c^2*x^2]])/d^3 + (((15*I)/8)*b*c*\operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/d^3 - (((15*I)/8)*b*c*\operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x])}])/d^3$

**Rule 4701**

$\operatorname{Int}[(a + b*\operatorname{ArcSin}[c*x])/(x^2*(d-c^2*x^2)^3), x] := \operatorname{Simp}[(f*x)^{(m+1)}*(d+e*x^2)^{(p+1)}*(a+b*\operatorname{ArcSin}[c*x])^n/(d*f*(m+1)), x] + (\operatorname{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1)], \operatorname{Int}[(f*x)^{(m+2)}*(d+e*x^2)^p*(a+b*\operatorname{ArcSin}[c*x])^n, x]) - \operatorname{Dist}[(b*$

$c^n d^{\text{IntPart}[p]} (d + e x^2)^{\text{FracPart}[p]} / (f(m+1)(1 - c^2 x^2)^{\text{FracPart}[p]})$ ,  $\text{Int}[(f x)^{m+1} (1 - c^2 x^2)^{p+1/2} (a + b \text{ArcSin}[c x])^{n-1}]$ ,  $x]$ );  $\text{FreeQ}\{a, b, c, d, e, f, p\}, x\} \&\& \text{EqQ}[c^2 d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[m]$

#### Rule 4655

$\text{Int}[(a + \text{ArcSin}[c x] b)^{n-1} ((d + e x^2)^p), x_{\text{Symbol}}] \rightarrow -\text{Simp}[(x(d + e x^2)^{p+1} (a + b \text{ArcSin}[c x])^n) / (2 d (p+1)), x] + (\text{Dist}[(2p+3)/(2 d (p+1)), \text{Int}[(d + e x^2)^{p+1} (a + b \text{ArcSin}[c x])^n, x], x] + \text{Dist}[b c^n d^{\text{IntPart}[p]} (d + e x^2)^{\text{FracPart}[p]} / (2(p+1)(1 - c^2 x^2)^{\text{FracPart}[p]}), \text{Int}[x(1 - c^2 x^2)^{p+1/2} (a + b \text{ArcSin}[c x])^{n-1}, x], x]) /;$   $\text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2 d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{NeQ}[p, -3/2]$

#### Rule 4657

$\text{Int}[(a + \text{ArcSin}[c x] b)^{n-1} / (d + e x^2), x_{\text{Symbol}}] \rightarrow \text{Dist}[1/(c d), \text{Subst}[\text{Int}[(a + b x)^n \text{Sec}[x], x], x, \text{ArcSin}[c x]], x] /;$   $\text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2 d + e, 0] \&\& \text{IGtQ}[n, 0]$

#### Rule 4181

$\text{Int}[\text{csc}[(e + \text{Pi}(k) + (f x)) * ((c + d x)^m)], x_{\text{Symbol}}] \rightarrow \text{Simp}[(-2(c + d x)^m \text{ArcTanh}[E^{(I k \text{Pi})} E^{(I(e + f x))}]) / f, x] + (-\text{Dist}[(d^m)/f, \text{Int}[(c + d x)^{m-1} \text{Log}[1 - E^{(I k \text{Pi})} E^{(I(e + f x))}], x], x] + \text{Dist}[(d^m)/f, \text{Int}[(c + d x)^{m-1} \text{Log}[1 + E^{(I k \text{Pi})} E^{(I(e + f x))}], x], x]) /;$   $\text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{IntegerQ}[2 k] \&\& \text{IGtQ}[m, 0]$

#### Rule 2279

$\text{Int}[\text{Log}[(a + b x) * ((F)^{(e * ((c + d x)))})^n], x_{\text{Symbol}}] \rightarrow \text{Dist}[1/(d e^n \text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b x]/x, x], x, (F^{(e * (c + d x))})^n], x] /;$   $\text{FreeQ}\{F, a, b, c, d, e, n\}, x\} \&\& \text{GtQ}[a, 0]$

#### Rule 2391

$\text{Int}[\text{Log}[(c + d x) * (e x)^n] / (x), x_{\text{Symbol}}] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c e x^n)] / n, x] /;$   $\text{FreeQ}\{c, d, e, n\}, x\} \&\& \text{EqQ}[c d, 1]$

#### Rule 261

$\text{Int}[(x)^{m-1} (a + b x^n)^p, x_{\text{Symbol}}] \rightarrow \text{Simp}[(a + b x^n)^{p+1} / (b^n (p+1)), x] /;$   $\text{FreeQ}\{a, b, m, n, p\}, x\} \&\& \text{EqQ}[m, n-1] \&\&$

NeQ[p, -1]

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^2 (d - c^2 dx^2)^3} dx &= -\frac{a + b \sin^{-1}(cx)}{d^3 x (1 - c^2 x^2)^2} + (5c^2) \int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^3} dx + \frac{(bc) \int \frac{1}{x(1-c^2x^2)^{5/2}} dx}{d^3} \\
&= -\frac{a + b \sin^{-1}(cx)}{d^3 x (1 - c^2 x^2)^2} + \frac{5c^2 x (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} + \frac{(bc) \text{Subst} \left( \int \frac{1}{x(1-c^2x)^{5/2}} dx, x, x^2 \right)}{2d^3} - \frac{(5bc^3) \int \frac{x}{(1-c^2x^2)^{5/2}} dx}{4d^3} \\
&= -\frac{bc}{12d^3 (1 - c^2 x^2)^{3/2}} - \frac{a + b \sin^{-1}(cx)}{d^3 x (1 - c^2 x^2)^2} + \frac{5c^2 x (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} + \frac{15c^2 x (a + b \sin^{-1}(cx))}{8d^3 (1 - c^2 x^2)} + \frac{(bc) \int \frac{x}{(1-c^2x^2)^{5/2}} dx}{4d^3} \\
&= -\frac{bc}{12d^3 (1 - c^2 x^2)^{3/2}} - \frac{7bc}{8d^3 \sqrt{1 - c^2 x^2}} - \frac{a + b \sin^{-1}(cx)}{d^3 x (1 - c^2 x^2)^2} + \frac{5c^2 x (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} + \frac{15c^2 x (a + b \sin^{-1}(cx))}{8d^3 (1 - c^2 x^2)} \\
&= -\frac{bc}{12d^3 (1 - c^2 x^2)^{3/2}} - \frac{7bc}{8d^3 \sqrt{1 - c^2 x^2}} - \frac{a + b \sin^{-1}(cx)}{d^3 x (1 - c^2 x^2)^2} + \frac{5c^2 x (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} + \frac{15c^2 x (a + b \sin^{-1}(cx))}{8d^3 (1 - c^2 x^2)} \\
&= -\frac{bc}{12d^3 (1 - c^2 x^2)^{3/2}} - \frac{7bc}{8d^3 \sqrt{1 - c^2 x^2}} - \frac{a + b \sin^{-1}(cx)}{d^3 x (1 - c^2 x^2)^2} + \frac{5c^2 x (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} + \frac{15c^2 x (a + b \sin^{-1}(cx))}{8d^3 (1 - c^2 x^2)} \\
&= -\frac{bc}{12d^3 (1 - c^2 x^2)^{3/2}} - \frac{7bc}{8d^3 \sqrt{1 - c^2 x^2}} - \frac{a + b \sin^{-1}(cx)}{d^3 x (1 - c^2 x^2)^2} + \frac{5c^2 x (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} + \frac{15c^2 x (a + b \sin^{-1}(cx))}{8d^3 (1 - c^2 x^2)}
\end{aligned}$$

**Mathematica [B]** time = 1.51178, size = 512, normalized size = 2.12

$$-30ibc \text{PolyLog} \left( 2, -ie^{i \sin^{-1}(cx)} \right) + 30ibc \text{PolyLog} \left( 2, ie^{i \sin^{-1}(cx)} \right) + \frac{14ac^2x}{c^2x^2-1} - \frac{4ac^2x}{(c^2x^2-1)^2} + 15ac \log(1 - cx) - 15ac \log(cx) + \dots$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^2\*(d - c^2\*d\*x^2)^3), x]

[Out] -((16\*a)/x + (2\*b\*c\*Sqrt[1 - c^2\*x^2])/(3\*(-1 + c\*x)^2) - (b\*c^2\*x\*Sqrt[1 - c^2\*x^2])/(3\*(-1 + c\*x)^2) - (7\*b\*c\*Sqrt[1 - c^2\*x^2])/(-1 + c\*x) + (2\*b\*c\*Sqrt[1 - c^2\*x^2])/(3\*(1 + c\*x)^2) + (b\*c^2\*x\*Sqrt[1 - c^2\*x^2])/(3\*(1 + c\*x)^2) + (7\*b\*c\*Sqrt[1 - c^2\*x^2])/(1 + c\*x) - (4\*a\*c^2\*x)/(-1 + c^2\*x^2)^2



$$\begin{aligned}
& + (14*a*c^2*x)/(-1 + c^2*x^2) + (15*I)*b*c*Pi*ArcSin[c*x] + (16*b*ArcSin[c*x])/x - (b*c*ArcSin[c*x])/(-1 + c*x)^2 + (7*b*c*ArcSin[c*x])/(-1 + c*x) + \\
& (b*c*ArcSin[c*x])/(1 + c*x)^2 + (7*b*c*ArcSin[c*x])/(1 + c*x) + 16*b*c*ArcTanh[Sqrt[1 - c^2*x^2]] - 15*b*c*Pi*Log[1 - I*E^(I*ArcSin[c*x])] - 30*b*c*ArcSin[c*x]*Log[1 - I*E^(I*ArcSin[c*x])] - 15*b*c*Pi*Log[1 + I*E^(I*ArcSin[c*x])] + 30*b*c*ArcSin[c*x]*Log[1 + I*E^(I*ArcSin[c*x])] + 15*a*c*Log[1 - c*x] - 15*a*c*Log[1 + c*x] + 15*b*c*Pi*Log[-Cos[(Pi + 2*ArcSin[c*x])/4]] + 15*b*c*Pi*Log[Sin[(Pi + 2*ArcSin[c*x])/4]] - (30*I)*b*c*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] + (30*I)*b*c*PolyLog[2, I*E^(I*ArcSin[c*x])]/(16*d^3)
\end{aligned}$$

**Maple [A]** time = 0.223, size = 461, normalized size = 1.9

$$\frac{ca}{16d^3(cx-1)^2} - \frac{7ca}{16d^3(cx-1)} - \frac{15ca \ln(cx-1)}{16d^3} - \frac{ca}{16d^3(cx+1)^2} - \frac{7ca}{16d^3(cx+1)} + \frac{15ca \ln(cx+1)}{16d^3} - \frac{a}{d^3x} - \frac{15ba}{8d^3(c^4x^4-2c^2x^2+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d)^3,x)

[Out] 1/16\*c\*a/d^3/(c\*x-1)^2-7/16\*c\*a/d^3/(c\*x-1)-15/16\*c\*a/d^3\*ln(c\*x-1)-1/16\*c\*a/d^3/(c\*x+1)^2-7/16\*c\*a/d^3/(c\*x+1)+15/16\*c\*a/d^3\*ln(c\*x+1)-a/d^3/x-15/8\*b/d^3/(c^4\*x^4-2\*c^2\*x^2+1)\*arcsin(c\*x)\*c^4\*x^3+7/8\*b/d^3/(c^4\*x^4-2\*c^2\*x^2+1)\*c^3\*x^2\*(-c^2\*x^2+1)^(1/2)+25/8\*b/d^3/(c^4\*x^4-2\*c^2\*x^2+1)\*arcsin(c\*x)\*c^2\*x-23/24\*c\*b/d^3/(c^4\*x^4-2\*c^2\*x^2+1)\*(-c^2\*x^2+1)^(1/2)-b/d^3/(c^4\*x^4-2\*c^2\*x^2+1)/x\*arcsin(c\*x)+c\*b/d^3\*ln(I\*c\*x+(-c^2\*x^2+1)^(1/2))-1)-c\*b/d^3\*ln(1+I\*c\*x+(-c^2\*x^2+1)^(1/2))-15/8\*c\*b/d^3\*arcsin(c\*x)\*ln(1+I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))+15/8\*c\*b/d^3\*arcsin(c\*x)\*ln(1-I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))-15/8\*I\*c\*b/d^3\*dilog(1-I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))+15/8\*I\*c\*b/d^3\*dilog(1+I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{16}a \left( \frac{2(15c^4x^4 - 25c^2x^2 + 8)}{c^4d^3x^5 - 2c^2d^3x^3 + d^3x} - \frac{15c \log(cx+1)}{d^3} + \frac{15c \log(cx-1)}{d^3} \right) + \frac{\left( 15(c^5x^5 - 2c^3x^3 + cx) \arctan\left( cx, \sqrt{cx+1} \right) \right)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d)^3,x, algorithm="maxima")

```
[Out] -1/16*a*(2*(15*c^4*x^4 - 25*c^2*x^2 + 8)/(c^4*d^3*x^5 - 2*c^2*d^3*x^3 + d^3*x) - 15*c*log(c*x + 1)/d^3 + 15*c*log(c*x - 1)/d^3) + 1/16*(15*(c^5*x^5 - 2*c^3*x^3 + c*x)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))*log(c*x + 1) - 15*(c^5*x^5 - 2*c^3*x^3 + c*x)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))*log(-c*x + 1) - 2*(15*c^4*x^4 - 25*c^2*x^2 + 8)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + 16*(c^4*d^3*x^5 - 2*c^2*d^3*x^3 + d^3*x)*integrate(-1/16*(30*c^5*x^4 - 50*c^3*x^2 - 15*(c^6*x^5 - 2*c^4*x^3 + c^2*x)*log(c*x + 1) + 15*(c^6*x^5 - 2*c^4*x^3 + c^2*x)*log(-c*x + 1) + 16*c)*sqrt(c*x + 1)*sqrt(-c*x + 1)/(c^6*d^3*x^7 - 3*c^4*d^3*x^5 + 3*c^2*d^3*x^3 - d^3*x), x))*b/(c^4*d^3*x^5 - 2*c^2*d^3*x^3 + d^3*x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \arcsin(cx) + a}{c^6 d^3 x^8 - 3 c^4 d^3 x^6 + 3 c^2 d^3 x^4 - d^3 x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^2/(-c^2*d*x^2+d)^3,x, algorithm="fricas")
```

```
[Out] integral(-(b*arcsin(c*x) + a)/(c^6*d^3*x^8 - 3*c^4*d^3*x^6 + 3*c^2*d^3*x^4 - d^3*x^2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/x**2/(-c**2*d*x**2+d)**3,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{b \arcsin(cx) + a}{(c^2 dx^2 - d)^3 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^2/(-c^2*d*x^2+d)^3,x, algorithm="giac")
```

```
[Out] integrate(-(b*arcsin(c*x) + a)/((c^2*d*x^2 - d)^3*x^2), x)
```

$$3.53 \quad \int \frac{a+b \sin^{-1}(cx)}{x^3(d-c^2dx^2)^3} dx$$

**Optimal.** Leaf size=248

$$\frac{3ibc^2 \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{2d^3} - \frac{3ibc^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)}{2d^3} + \frac{3c^2(a+b \sin^{-1}(cx))}{2d^3(1-c^2x^2)} + \frac{3c^2(a+b \sin^{-1}(cx))}{4d^3(1-c^2x^2)^2} - \frac{a+b \sin^{-1}(cx)}{2d^3x^2}$$

[Out]  $-(b*c)/(2*d^3*x*(1-c^2*x^2)^{(3/2)}) + (5*b*c^3*x)/(12*d^3*(1-c^2*x^2)^{(3/2)}) - (2*b*c^3*x)/(3*d^3*\text{Sqrt}[1-c^2*x^2]) + (3*c^2*(a+b*\text{ArcSin}[c*x]))/(4*d^3*(1-c^2*x^2)^2) - (a+b*\text{ArcSin}[c*x])/(2*d^3*x^2*(1-c^2*x^2)^2) + (3*c^2*(a+b*\text{ArcSin}[c*x]))/(2*d^3*(1-c^2*x^2)) - (6*c^2*(a+b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^{((2*I)*\text{ArcSin}[c*x])}])/d^3 + (((3*I)/2)*b*c^2*\text{PolyLog}[2, -E^{((2*I)*\text{ArcSin}[c*x])}])/d^3 - (((3*I)/2)*b*c^2*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}])/d^3$

**Rubi [A]** time = 0.346334, antiderivative size = 248, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 10, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {4701, 4705, 4679, 4419, 4183, 2279, 2391, 191, 192, 271}

$$\frac{3ibc^2 \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{2d^3} - \frac{3ibc^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)}{2d^3} + \frac{3c^2(a+b \sin^{-1}(cx))}{2d^3(1-c^2x^2)} + \frac{3c^2(a+b \sin^{-1}(cx))}{4d^3(1-c^2x^2)^2} - \frac{a+b \sin^{-1}(cx)}{2d^3x^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(x^3\*(d - c^2\*d\*x^2)^3), x]

[Out]  $-(b*c)/(2*d^3*x*(1-c^2*x^2)^{(3/2)}) + (5*b*c^3*x)/(12*d^3*(1-c^2*x^2)^{(3/2)}) - (2*b*c^3*x)/(3*d^3*\text{Sqrt}[1-c^2*x^2]) + (3*c^2*(a+b*\text{ArcSin}[c*x]))/(4*d^3*(1-c^2*x^2)^2) - (a+b*\text{ArcSin}[c*x])/(2*d^3*x^2*(1-c^2*x^2)^2) + (3*c^2*(a+b*\text{ArcSin}[c*x]))/(2*d^3*(1-c^2*x^2)) - (6*c^2*(a+b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^{((2*I)*\text{ArcSin}[c*x])}])/d^3 + (((3*I)/2)*b*c^2*\text{PolyLog}[2, -E^{((2*I)*\text{ArcSin}[c*x])}])/d^3 - (((3*I)/2)*b*c^2*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}])/d^3$

**Rule 4701**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^(n\_.)\*((f\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b

```
*ArcSin[c*x])^n)/(d*f*(m + 1)), x] + (Dist[(c^2*(m + 2*p + 3))/(f^2*(m + 1)
), Int[(f*x)^(m + 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*
c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart
[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[m, -1] && IntegerQ[m]
```

### Rule 4705

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n]*((f_.)*(x_.))^m*((d_.) + (e_.
)*(x_)^2)^(p_), x_Symbol] := -Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a +
b*ArcSin[c*x])^n)/(2*d*f*(p + 1)), x] + (Dist[(m + 2*p + 3)/(2*d*(p + 1)),
Int[(f*x)^m*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*c*n
*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*f*(p + 1)*(1 - c^2*x^2)^FracPart[
p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1]
)
```

### Rule 4679

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n]/((x_.)*((d_.) + (e_.)*(x_)^2)),
x_Symbol] := Dist[1/d, Subst[Int[(a + b*x)^n/(Cos[x]*Sin[x]), x], x, ArcSin
[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 4419

```
Int[Csc[(a_.) + (b_.)*(x_.)]^n]*((c_.) + (d_.)*(x_.))^m*Sec[(a_.) + (b
_.)*(x_.)]^n, x_Symbol] := Dist[2^n, Int[(c + d*x)^m*Csc[2*a + 2*b*x]^n,
x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^m, x_Symbol] := Simp[(-
2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_.))))^n], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 271

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*(m + 1)), x] - Dist[(b\*(m + n\*(p + 1) + 1))/(a\*(m + 1)), Int[x^(m + n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^3 (d - c^2 dx^2)^3} dx &= -\frac{a + b \sin^{-1}(cx)}{2d^3 x^2 (1 - c^2 x^2)^2} + (3c^2) \int \frac{a + b \sin^{-1}(cx)}{x (d - c^2 dx^2)^3} dx + \frac{(bc) \int \frac{1}{x^2 (1 - c^2 x^2)^{5/2}} dx}{2d^3} \\
&= -\frac{bc}{2d^3 x (1 - c^2 x^2)^{3/2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} - \frac{a + b \sin^{-1}(cx)}{2d^3 x^2 (1 - c^2 x^2)^2} - \frac{(3bc^3) \int \frac{1}{(1 - c^2 x^2)^{5/2}} dx}{4d^3} + \dots \\
&= -\frac{bc}{2d^3 x (1 - c^2 x^2)^{3/2}} + \frac{5bc^3 x}{12d^3 (1 - c^2 x^2)^{3/2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} - \frac{a + b \sin^{-1}(cx)}{2d^3 x^2 (1 - c^2 x^2)^2} + \frac{3c^2 (a + b \sin^{-1}(cx))}{2d^3} \\
&= -\frac{bc}{2d^3 x (1 - c^2 x^2)^{3/2}} + \frac{5bc^3 x}{12d^3 (1 - c^2 x^2)^{3/2}} - \frac{2bc^3 x}{3d^3 \sqrt{1 - c^2 x^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} - \frac{a + b \sin^{-1}(cx)}{2d^3 x^2 (1 - c^2 x^2)^2} \\
&= -\frac{bc}{2d^3 x (1 - c^2 x^2)^{3/2}} + \frac{5bc^3 x}{12d^3 (1 - c^2 x^2)^{3/2}} - \frac{2bc^3 x}{3d^3 \sqrt{1 - c^2 x^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} - \frac{a + b \sin^{-1}(cx)}{2d^3 x^2 (1 - c^2 x^2)^2} \\
&= -\frac{bc}{2d^3 x (1 - c^2 x^2)^{3/2}} + \frac{5bc^3 x}{12d^3 (1 - c^2 x^2)^{3/2}} - \frac{2bc^3 x}{3d^3 \sqrt{1 - c^2 x^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} - \frac{a + b \sin^{-1}(cx)}{2d^3 x^2 (1 - c^2 x^2)^2} \\
&= -\frac{bc}{2d^3 x (1 - c^2 x^2)^{3/2}} + \frac{5bc^3 x}{12d^3 (1 - c^2 x^2)^{3/2}} - \frac{2bc^3 x}{3d^3 \sqrt{1 - c^2 x^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} - \frac{a + b \sin^{-1}(cx)}{2d^3 x^2 (1 - c^2 x^2)^2} \\
&= -\frac{bc}{2d^3 x (1 - c^2 x^2)^{3/2}} + \frac{5bc^3 x}{12d^3 (1 - c^2 x^2)^{3/2}} - \frac{2bc^3 x}{3d^3 \sqrt{1 - c^2 x^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} - \frac{a + b \sin^{-1}(cx)}{2d^3 x^2 (1 - c^2 x^2)^2}
\end{aligned}$$

**Mathematica [A]** time = 1.47888, size = 256, normalized size = 1.03

$$bc^2 \left( -18i \text{PolyLog} \left( 2, -e^{2i \sin^{-1}(cx)} \right) + 18i \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + \frac{14cx}{\sqrt{1-c^2x^2}} + \frac{cx}{(1-c^2x^2)^{3/2}} + \frac{6\sqrt{1-c^2x^2}}{cx} + \frac{12 \sin^{-1}(cx)}{c^2x^2-1} - \frac{3 \sin^{-1}(cx)}{(c^2x^2-1)^{3/2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^3\*(d - c^2\*d\*x^2)^3), x]

[Out] -((6\*a)/x^2 - (3\*a\*c^2)/(-1 + c^2\*x^2)^2 + (12\*a\*c^2)/(-1 + c^2\*x^2) - 36\*a\*c^2\*Log[x] + 18\*a\*c^2\*Log[1 - c^2\*x^2] + b\*c^2\*((c\*x)/(1 - c^2\*x^2)^(3/2) + (14\*c\*x)/Sqrt[1 - c^2\*x^2] + (6\*Sqrt[1 - c^2\*x^2])/(c\*x) + (6\*ArcSin[c\*x])

$$\frac{1}{(c^2 x^2) - (3 \operatorname{ArcSin}[c x]) / (-1 + c^2 x^2)^2 + (12 \operatorname{ArcSin}[c x]) / (-1 + c^2 x^2) - 36 \operatorname{ArcSin}[c x] \operatorname{Log}[1 - E^{((2I) \operatorname{ArcSin}[c x])}] + 36 \operatorname{ArcSin}[c x] \operatorname{Log}[1 + E^{((2I) \operatorname{ArcSin}[c x])}] - (18I) \operatorname{PolyLog}[2, -E^{((2I) \operatorname{ArcSin}[c x])}] + (18I) \operatorname{PolyLog}[2, E^{((2I) \operatorname{ArcSin}[c x])}])]}{(12 d^3)}$$

**Maple [B]** time = 0.264, size = 635, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))/x^3/(-c^2*d*x^2+d)^3,x)`

[Out]  $\frac{1}{16} c^2 a / d^3 / (c x - 1)^2 - 9 / 16 c^2 a / d^3 / (c x - 1) - 3 / 2 c^2 a / d^3 \ln(c x - 1) + 1 / 16 c^2 a / d^3 / (c x + 1)^2 + 9 / 16 c^2 a / d^3 / (c x + 1) - 3 / 2 c^2 a / d^3 \ln(c x + 1) - 1 / 2 a / d^3 / x^2 + 3 c^2 a / d^3 \ln(c x) + 4 / 3 I c^4 b / d^3 / (c^4 x^4 - 2 c^2 x^2 + 1) x^2 + 2 / 3 c^5 b / d^3 / (c^4 x^4 - 2 c^2 x^2 + 1) x^3 (-c^2 x^2 + 1)^{1/2} - 3 / 2 c^4 b / d^3 / (c^4 x^4 - 2 c^2 x^2 + 1) \operatorname{arcsin}(c x) x^2 - 2 / 3 I c^2 b / d^3 / (c^4 x^4 - 2 c^2 x^2 + 1) - 1 / 4 c^3 b / d^3 / (c^4 x^4 - 2 c^2 x^2 + 1) x (-c^2 x^2 + 1)^{1/2} + 9 / 4 c^2 b / d^3 / (c^4 x^4 - 2 c^2 x^2 + 1) \operatorname{arcsin}(c x) - 3 I c^2 b / d^3 \operatorname{polylog}(2, I c x + (-c^2 x^2 + 1)^{1/2}) - 1 / 2 c^2 b / d^3 / (c^4 x^4 - 2 c^2 x^2 + 1) / x (-c^2 x^2 + 1)^{1/2} - 1 / 2 b / d^3 / (c^4 x^4 - 2 c^2 x^2 + 1) / x^2 \operatorname{arcsin}(c x) + 3 c^2 b / d^3 \operatorname{arcsin}(c x) \ln(1 + I c x + (-c^2 x^2 + 1)^{1/2}) - 3 I c^2 b / d^3 \operatorname{polylog}(2, -I c x - (-c^2 x^2 + 1)^{1/2}) + 3 c^2 b / d^3 \operatorname{arcsin}(c x) \ln(1 - I c x - (-c^2 x^2 + 1)^{1/2}) + 3 / 2 I b c^2 \operatorname{polylog}(2, -(I c x + (-c^2 x^2 + 1)^{1/2}))^2 / d^3 - 3 c^2 b / d^3 \operatorname{arcsin}(c x) \ln(1 + (I c x + (-c^2 x^2 + 1)^{1/2}))^2) - 2 / 3 I c^6 b / d^3 / (c^4 x^4 - 2 c^2 x^2 + 1) x^4$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4} a \left( \frac{6 c^4 x^4 - 9 c^2 x^2 + 2}{c^4 d^3 x^6 - 2 c^2 d^3 x^4 + d^3 x^2} + \frac{6 c^2 \log(c x + 1)}{d^3} + \frac{6 c^2 \log(c x - 1)}{d^3} - \frac{12 c^2 \log(x)}{d^3} \right) - b \int \frac{\arctan\left(c x, \sqrt{c x + 1} \sqrt{-c x}\right)}{c^6 d^3 x^9 - 3 c^4 d^3 x^7 + 3 c^2 d^3 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x^3/(-c^2*d*x^2+d)^3,x, algorithm="maxima")`

[Out]  $-\frac{1}{4} a * ((6 c^4 x^4 - 9 c^2 x^2 + 2) / (c^4 d^3 x^6 - 2 c^2 d^3 x^4 + d^3 x^2) + 6 c^2 \log(c x + 1) / d^3 + 6 c^2 \log(c x - 1) / d^3 - 12 c^2 \log(x) / d^3) - b * \operatorname{integrate}(\arctan2(c x, \sqrt{c x + 1} * \sqrt{-c x}) / (c^6 d^3 x^9 - 3 c^4 x^5), x)$



$d^3x^7 + 3c^2d^3x^5 - d^3x^3), x)$

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b \arcsin(cx) + a}{c^6d^3x^9 - 3c^4d^3x^7 + 3c^2d^3x^5 - d^3x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^3/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out] integral(-(b\*arcsin(c\*x) + a)/(c^6\*d^3\*x^9 - 3\*c^4\*d^3\*x^7 + 3\*c^2\*d^3\*x^5 - d^3\*x^3), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x\*\*3/(-c\*\*2\*d\*x\*\*2+d)\*\*3,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{b \arcsin(cx) + a}{(c^2dx^2 - d)^3 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^3/(-c^2\*d\*x^2+d)^3,x, algorithm="giac")

[Out] integrate(-(b\*arcsin(c\*x) + a)/((c^2\*d\*x^2 - d)^3\*x^3), x)

$$3.54 \quad \int \frac{a+b \sin^{-1}(cx)}{x^4(d-c^2dx^2)^3} dx$$

**Optimal.** Leaf size=317

$$\frac{35bc^3 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{8d^3} - \frac{35bc^3 \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{8d^3} + \frac{35c^4x(a+b \sin^{-1}(cx))}{8d^3(1-c^2x^2)} + \frac{35c^4x(a+b \sin^{-1}(cx))}{12d^3(1-c^2x^2)^2}$$

[Out] (b\*c^3)/(12\*d^3\*(1 - c^2\*x^2)^(3/2)) - (b\*c)/(6\*d^3\*x^2\*(1 - c^2\*x^2)^(3/2)) - (29\*b\*c^3)/(24\*d^3\*sqrt[1 - c^2\*x^2]) - (a + b\*ArcSin[c\*x])/(3\*d^3\*x^3\*(1 - c^2\*x^2)^2) - (7\*c^2\*(a + b\*ArcSin[c\*x]))/(3\*d^3\*x\*(1 - c^2\*x^2)^2) + (35\*c^4\*x\*(a + b\*ArcSin[c\*x]))/(12\*d^3\*(1 - c^2\*x^2)^2) + (35\*c^4\*x\*(a + b\*ArcSin[c\*x]))/(8\*d^3\*(1 - c^2\*x^2)) - (((35\*I)/4)\*c^3\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/d^3 - (19\*b\*c^3\*ArcTanh[Sqrt[1 - c^2\*x^2]])/(6\*d^3) + (((35\*I)/8)\*b\*c^3\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/d^3 - (((35\*I)/8)\*b\*c^3\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/d^3

**Rubi [A]** time = 0.381699, antiderivative size = 369, normalized size of antiderivative = 1.16, number of steps used = 23, number of rules used = 11, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.44$ , Rules used = {4701, 4655, 4657, 4181, 2279, 2391, 261, 266, 51, 63, 208}

$$\frac{35bc^3 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{8d^3} - \frac{35bc^3 \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{8d^3} + \frac{35c^4x(a+b \sin^{-1}(cx))}{8d^3(1-c^2x^2)} + \frac{35c^4x(a+b \sin^{-1}(cx))}{12d^3(1-c^2x^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(x^4\*(d - c^2\*d\*x^2)^3), x]

[Out] (-7\*b\*c^3)/(36\*d^3\*(1 - c^2\*x^2)^(3/2)) + (b\*c)/(9\*d^3\*x^2\*(1 - c^2\*x^2)^(3/2)) - (49\*b\*c^3)/(24\*d^3\*sqrt[1 - c^2\*x^2]) + (5\*b\*c)/(9\*d^3\*x^2\*sqrt[1 - c^2\*x^2]) - (5\*b\*c\*sqrt[1 - c^2\*x^2])/(6\*d^3\*x^2) - (a + b\*ArcSin[c\*x])/(3\*d^3\*x^3\*(1 - c^2\*x^2)^2) - (7\*c^2\*(a + b\*ArcSin[c\*x]))/(3\*d^3\*x\*(1 - c^2\*x^2)^2) + (35\*c^4\*x\*(a + b\*ArcSin[c\*x]))/(12\*d^3\*(1 - c^2\*x^2)^2) + (35\*c^4\*x\*(a + b\*ArcSin[c\*x]))/(8\*d^3\*(1 - c^2\*x^2)) - (((35\*I)/4)\*c^3\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/d^3 - (19\*b\*c^3\*ArcTanh[Sqrt[1 - c^2\*x^2]])/(6\*d^3) + (((35\*I)/8)\*b\*c^3\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/d^3 - (((35\*I)/8)\*b\*c^3\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/d^3

Rule 4701

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_)^(m_)*((d_) + (e_.)
)*(x_)^2)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b
*ArcSin[c*x])^n)/(d*f*(m + 1)), x] + (Dist[(c^2*(m + 2*p + 3))/(f^2*(m + 1)
), Int[(f*x)^(m + 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*
c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart
[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[m, -1] && IntegerQ[m]

```

### Rule 4655

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_), x_
Symbol] := -Simp[(x*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*d*(p + 1)
), x] + (Dist[(2*p + 3)/(2*d*(p + 1)), Int[(d + e*x^2)^(p + 1)*(a + b*ArcSi
n[c*x])^n, x], x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*(p
+ 1)*(1 - c^2*x^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcS
in[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0]
&& GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

```

### Rule 4657

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2), x_Symbol
] := Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]

```

### Rule 4181

```

Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol
] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x)
)], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

```

### Rule 2279

```

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

### Rule 2391

```

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^4 (d - c^2 dx^2)^3} dx &= -\frac{a + b \sin^{-1}(cx)}{3d^3 x^3 (1 - c^2 x^2)^2} + \frac{1}{3} (7c^2) \int \frac{a + b \sin^{-1}(cx)}{x^2 (d - c^2 dx^2)^3} dx + \frac{(bc) \int \frac{1}{x^3 (1 - c^2 x^2)^{5/2}} dx}{3d^3} \\
&= -\frac{a + b \sin^{-1}(cx)}{3d^3 x^3 (1 - c^2 x^2)^2} - \frac{7c^2 (a + b \sin^{-1}(cx))}{3d^3 x (1 - c^2 x^2)^2} + \frac{1}{3} (35c^4) \int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^3} dx + \frac{(bc) \text{Subst} \left( \int \frac{1}{x^2} dx \right)}{6} \\
&= \frac{bc}{9d^3 x^2 (1 - c^2 x^2)^{3/2}} - \frac{a + b \sin^{-1}(cx)}{3d^3 x^3 (1 - c^2 x^2)^2} - \frac{7c^2 (a + b \sin^{-1}(cx))}{3d^3 x (1 - c^2 x^2)^2} + \frac{35c^4 x (a + b \sin^{-1}(cx))}{12d^3 (1 - c^2 x^2)^2} + \frac{(5)}{6} \\
&= -\frac{7bc^3}{36d^3 (1 - c^2 x^2)^{3/2}} + \frac{bc}{9d^3 x^2 (1 - c^2 x^2)^{3/2}} + \frac{5bc}{9d^3 x^2 \sqrt{1 - c^2 x^2}} - \frac{a + b \sin^{-1}(cx)}{3d^3 x^3 (1 - c^2 x^2)^2} - \frac{7c^2 (a + b \sin^{-1}(cx))}{3d^3 x (1 - c^2 x^2)^2} \\
&= -\frac{7bc^3}{36d^3 (1 - c^2 x^2)^{3/2}} + \frac{bc}{9d^3 x^2 (1 - c^2 x^2)^{3/2}} - \frac{49bc^3}{24d^3 \sqrt{1 - c^2 x^2}} + \frac{5bc}{9d^3 x^2 \sqrt{1 - c^2 x^2}} - \frac{5bc \sqrt{1 - c^2 x^2}}{6d^3 x^2} \\
&= -\frac{7bc^3}{36d^3 (1 - c^2 x^2)^{3/2}} + \frac{bc}{9d^3 x^2 (1 - c^2 x^2)^{3/2}} - \frac{49bc^3}{24d^3 \sqrt{1 - c^2 x^2}} + \frac{5bc}{9d^3 x^2 \sqrt{1 - c^2 x^2}} - \frac{5bc \sqrt{1 - c^2 x^2}}{6d^3 x^2} \\
&= -\frac{7bc^3}{36d^3 (1 - c^2 x^2)^{3/2}} + \frac{bc}{9d^3 x^2 (1 - c^2 x^2)^{3/2}} - \frac{49bc^3}{24d^3 \sqrt{1 - c^2 x^2}} + \frac{5bc}{9d^3 x^2 \sqrt{1 - c^2 x^2}} - \frac{5bc \sqrt{1 - c^2 x^2}}{6d^3 x^2} \\
&= -\frac{7bc^3}{36d^3 (1 - c^2 x^2)^{3/2}} + \frac{bc}{9d^3 x^2 (1 - c^2 x^2)^{3/2}} - \frac{49bc^3}{24d^3 \sqrt{1 - c^2 x^2}} + \frac{5bc}{9d^3 x^2 \sqrt{1 - c^2 x^2}} - \frac{5bc \sqrt{1 - c^2 x^2}}{6d^3 x^2}
\end{aligned}$$

**Mathematica [A]** time = 1.52046, size = 587, normalized size = 1.85

$$-210ibc^3 \text{PolyLog} \left( 2, -ie^{i \sin^{-1}(cx)} \right) + 210ibc^3 \text{PolyLog} \left( 2, ie^{i \sin^{-1}(cx)} \right) + \frac{66ac^4 x}{c^2 x^2 - 1} - \frac{12ac^4 x}{(c^2 x^2 - 1)^2} + \frac{144ac^2}{x} + 105ac^3 \log(1 - cx)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^4\*(d - c^2\*d\*x^2)^3), x]

```
[Out] -((16*a)/x^3 + (144*a*c^2)/x + (8*b*c*Sqrt[1 - c^2*x^2])/x^2 + (2*b*c^3*Sqr
t[1 - c^2*x^2])/(-1 + c*x)^2 - (b*c^4*x*Sqrt[1 - c^2*x^2])/(-1 + c*x)^2 - (
33*b*c^3*Sqrt[1 - c^2*x^2])/(-1 + c*x) + (2*b*c^3*Sqrt[1 - c^2*x^2))/(1 + c
*x)^2 + (b*c^4*x*Sqrt[1 - c^2*x^2))/(1 + c*x)^2 + (33*b*c^3*Sqrt[1 - c^2*x^
2))/(1 + c*x) - (12*a*c^4*x)/(-1 + c^2*x^2)^2 + (66*a*c^4*x)/(-1 + c^2*x^2)
+ (105*I)*b*c^3*Pi*ArcSin[c*x] + (16*b*ArcSin[c*x])/x^3 + (144*b*c^2*ArcSi
n[c*x])/x - (3*b*c^3*ArcSin[c*x])/(-1 + c*x)^2 + (33*b*c^3*ArcSin[c*x])/(-1
+ c*x) + (3*b*c^3*ArcSin[c*x))/(1 + c*x)^2 + (33*b*c^3*ArcSin[c*x))/(1 + c
*x) + 152*b*c^3*ArcTanh[Sqrt[1 - c^2*x^2]] - 105*b*c^3*Pi*Log[1 - I*E^(I*Ar
cSin[c*x])] - 210*b*c^3*ArcSin[c*x]*Log[1 - I*E^(I*ArcSin[c*x])] - 105*b*c^
3*Pi*Log[1 + I*E^(I*ArcSin[c*x])] + 210*b*c^3*ArcSin[c*x]*Log[1 + I*E^(I*Ar
cSin[c*x])] + 105*a*c^3*Log[1 - c*x] - 105*a*c^3*Log[1 + c*x] + 105*b*c^3*P
i*Log[-Cos[(Pi + 2*ArcSin[c*x])/4]] + 105*b*c^3*Pi*Log[Sin[(Pi + 2*ArcSin[c
*x])/4]] - (210*I)*b*c^3*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] + (210*I)*b*c^3
*PolyLog[2, I*E^(I*ArcSin[c*x])]/(48*d^3)
```

---

**Maple [A]** time = 0.304, size = 576, normalized size = 1.8

$$\frac{c^3 a}{16 d^3 (c x - 1)^2} - \frac{11 c^3 a}{16 d^3 (c x - 1)} - \frac{35 c^3 a \ln(c x - 1)}{16 d^3} - \frac{c^3 a}{16 d^3 (c x + 1)^2} - \frac{11 c^3 a}{16 d^3 (c x + 1)} + \frac{35 c^3 a \ln(c x + 1)}{16 d^3} - \frac{a}{3 d^3 x^3} - 3 \frac{c^2}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))/x^4/(-c^2*d*x^2+d)^3,x)
```

```
[Out] 1/16*c^3*a/d^3/(c*x-1)^2-11/16*c^3*a/d^3/(c*x-1)-35/16*c^3*a/d^3*ln(c*x-1)-
1/16*c^3*a/d^3/(c*x+1)^2-11/16*c^3*a/d^3/(c*x+1)+35/16*c^3*a/d^3*ln(c*x+1)-
1/3*a/d^3/x^3-3*c^2*a/d^3/x-35/8*c^6*b/d^3/(c^4*x^4-2*c^2*x^2+1)*arcsin(c*x
)*x^3+29/24*c^5*b/d^3/(c^4*x^4-2*c^2*x^2+1)*x^2*(-c^2*x^2+1)^(1/2)+175/24*c
^4*b/d^3/(c^4*x^4-2*c^2*x^2+1)*arcsin(c*x)*x-9/8*c^3*b/d^3/(c^4*x^4-2*c^2*x
^2+1)*(-c^2*x^2+1)^(1/2)-7/3*c^2*b/d^3/(c^4*x^4-2*c^2*x^2+1)/x*arcsin(c*x)-
1/6*c*b/d^3/(c^4*x^4-2*c^2*x^2+1)/x^2*(-c^2*x^2+1)^(1/2)-1/3*b/d^3/(c^4*x^4
-2*c^2*x^2+1)/x^3*arcsin(c*x)+19/6*c^3*b/d^3*ln(I*c*x+(-c^2*x^2+1)^(1/2))-1
-19/6*c^3*b/d^3*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))+35/8*I*c^3*b/d^3*dilog(1+I*(
I*c*x+(-c^2*x^2+1)^(1/2)))-35/8*I*c^3*b/d^3*dilog(1-I*(I*c*x+(-c^2*x^2+1)^(
1/2)))-35/8*c^3*b/d^3*arcsin(c*x)*ln(1+I*(I*c*x+(-c^2*x^2+1)^(1/2)))+35/8*c
^3*b/d^3*arcsin(c*x)*ln(1-I*(I*c*x+(-c^2*x^2+1)^(1/2)))
```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{48} a \left( \frac{105 c^3 \log(cx+1)}{d^3} - \frac{105 c^3 \log(cx-1)}{d^3} - \frac{2(105 c^6 x^6 - 175 c^4 x^4 + 56 c^2 x^2 + 8)}{c^4 d^3 x^7 - 2 c^2 d^3 x^5 + d^3 x^3} \right) + \frac{\left( 105 (c^7 x^7 - 2 c^5 x^5 + c^3 x^3) \arctan\left(\frac{c x}{\sqrt{c x + 1} \sqrt{-c x + 1}}\right) \right)}{c^4 d^3 x^7 - 2 c^2 d^3 x^5 + d^3 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^4/(-c^2\*d\*x^2+d)^3,x, algorithm="maxima")

[Out] 1/48\*a\*(105\*c^3\*log(c\*x + 1)/d^3 - 105\*c^3\*log(c\*x - 1)/d^3 - 2\*(105\*c^6\*x^6 - 175\*c^4\*x^4 + 56\*c^2\*x^2 + 8)/(c^4\*d^3\*x^7 - 2\*c^2\*d^3\*x^5 + d^3\*x^3)) + 1/48\*(105\*(c^7\*x^7 - 2\*c^5\*x^5 + c^3\*x^3)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*log(c\*x + 1) - 105\*(c^7\*x^7 - 2\*c^5\*x^5 + c^3\*x^3)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*log(-c\*x + 1) - 2\*(105\*c^6\*x^6 - 175\*c^4\*x^4 + 56\*c^2\*x^2 + 8)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + 48\*(c^4\*d^3\*x^7 - 2\*c^2\*d^3\*x^5 + d^3\*x^3)\*integrate(-1/48\*(210\*c^7\*x^6 - 350\*c^5\*x^4 + 112\*c^3\*x^2 - 105\*(c^8\*x^7 - 2\*c^6\*x^5 + c^4\*x^3)\*log(c\*x + 1) + 105\*(c^8\*x^7 - 2\*c^6\*x^5 + c^4\*x^3)\*log(-c\*x + 1) + 16\*c)\*sqrt(c\*x + 1)\*sqrt(-c\*x + 1)/(c^6\*d^3\*x^9 - 3\*c^4\*d^3\*x^7 + 3\*c^2\*d^3\*x^5 - d^3\*x^3), x))\*b/(c^4\*d^3\*x^7 - 2\*c^2\*d^3\*x^5 + d^3\*x^3)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b \arcsin(cx) + a}{c^6 d^3 x^{10} - 3 c^4 d^3 x^8 + 3 c^2 d^3 x^6 - d^3 x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^4/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out] integral(-(b\*arcsin(c\*x) + a)/(c^6\*d^3\*x^10 - 3\*c^4\*d^3\*x^8 + 3\*c^2\*d^3\*x^6 - d^3\*x^4), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/x**4/(-c**2*d*x**2+d)**3,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{b \arcsin(cx) + a}{(c^2 dx^2 - d)^3 x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^4/(-c^2*d*x^2+d)^3,x, algorithm="giac")
```

```
[Out] integrate(-(b*arcsin(c*x) + a)/((c^2*d*x^2 - d)^3*x^4), x)
```



### 3.55 $\int x^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=262

$$\frac{1}{6}x^5\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx)) - \frac{x^3\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{24c^2} - \frac{x\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{16c^4} + \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{32bc^5\sqrt{1-c^2x^2}}$$

[Out] (b\*x^2\*Sqrt[d - c^2\*d\*x^2])/(32\*c^3\*Sqrt[1 - c^2\*x^2]) + (b\*x^4\*Sqrt[d - c^2\*d\*x^2])/(96\*c\*Sqrt[1 - c^2\*x^2]) - (b\*c\*x^6\*Sqrt[d - c^2\*d\*x^2])/(36\*Sqrt[1 - c^2\*x^2]) - (x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(16\*c^4) - (x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(24\*c^2) + (x^5\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/6 + (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(32\*b\*c^5\*Sqrt[1 - c^2\*x^2])

**Rubi [A]** time = 0.28189, antiderivative size = 262, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {4697, 4707, 4641, 30}

$$\frac{1}{6}x^5\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx)) - \frac{x^3\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{24c^2} - \frac{x\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{16c^4} + \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{32bc^5\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^4\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*x^2\*Sqrt[d - c^2\*d\*x^2])/(32\*c^3\*Sqrt[1 - c^2\*x^2]) + (b\*x^4\*Sqrt[d - c^2\*d\*x^2])/(96\*c\*Sqrt[1 - c^2\*x^2]) - (b\*c\*x^6\*Sqrt[d - c^2\*d\*x^2])/(36\*Sqrt[1 - c^2\*x^2]) - (x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(16\*c^4) - (x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(24\*c^2) + (x^5\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/6 + (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(32\*b\*c^5\*Sqrt[1 - c^2\*x^2])

#### Rule 4697

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2)), x] + (Dist[Sqrt[d + e\*x^2]/((m + 2)\*Sqrt[1 - c^2\*x^2]), Int[((f\*x)^m\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c^n\*Sqrt[d + e\*x^2])/(f\*(m + 2)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq

$Q[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& !\text{LtQ}[m, -1] \&\& (\text{RationalQ}[m] \ || \ \text{EqQ}[n, 1])$

### Rule 4707

$\text{Int}[(((a_.) + \text{ArcSin}[c_.](x_.)]*(b_.))^{\text{(n_.)}}*((f_.)(x_.))^{\text{(m_.)}}/\text{Sqrt}[(d_.) + (e_.)(x_.)^2], x\_Symbol] \text{:>} \text{Simp}[(f*(f*x)^{\text{(m - 1)}}*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^{\text{(n)}})/(e*m), x] + (\text{Dist}[(f^2*(m - 1))/(c^2*m), \text{Int}[(f*x)^{\text{(m - 2)}}*(a + b*\text{ArcSin}[c*x])^{\text{(n)}}/\text{Sqrt}[d + e*x^2], x], x] + \text{Dist}[(b*f*n*\text{Sqrt}[1 - c^2*x^2])/(c*m*\text{Sqrt}[d + e*x^2]), \text{Int}[(f*x)^{\text{(m - 1)}}*(a + b*\text{ArcSin}[c*x])^{\text{(n - 1)}}], x], x) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[m, 1] \&\& \text{IntegerQ}[m]$

### Rule 4641

$\text{Int}[(a_.) + \text{ArcSin}[c_.](x_.)]*(b_.))^{\text{(n_.)}}/\text{Sqrt}[(d_.) + (e_.)(x_.)^2], x\_Symbol] \text{:>} \text{Simp}[(a + b*\text{ArcSin}[c*x])^{\text{(n + 1)}}/(b*c*\text{Sqrt}[d]*(n + 1)), x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[d, 0] \&\& \text{NeQ}[n, -1]$

### Rule 30

$\text{Int}[(x_.)^{\text{(m_.)}}, x\_Symbol] \text{:>} \text{Simp}[x^{\text{(m + 1)}}/(m + 1), x] /; \text{FreeQ}[m, x] \&\& \text{NeQ}[m, -1]$

### Rubi steps

$$\begin{aligned} \int x^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) dx &= \frac{1}{6} x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{\sqrt{d - c^2 dx^2} \int \frac{x^4 (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} dx}{6 \sqrt{1 - c^2 x^2}} - \frac{(bc \sqrt{d - c^2 dx^2})}{6 \sqrt{1 - c^2 x^2}} \\ &= -\frac{bcx^6 \sqrt{d - c^2 dx^2}}{36 \sqrt{1 - c^2 x^2}} - \frac{x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{24c^2} + \frac{1}{6} x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) \\ &= \frac{bx^4 \sqrt{d - c^2 dx^2}}{96c \sqrt{1 - c^2 x^2}} - \frac{bcx^6 \sqrt{d - c^2 dx^2}}{36 \sqrt{1 - c^2 x^2}} - \frac{x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{16c^4} - \frac{x^3 \sqrt{d - c^2 dx^2}}{16c^4} \\ &= \frac{bx^2 \sqrt{d - c^2 dx^2}}{32c^3 \sqrt{1 - c^2 x^2}} + \frac{bx^4 \sqrt{d - c^2 dx^2}}{96c \sqrt{1 - c^2 x^2}} - \frac{bcx^6 \sqrt{d - c^2 dx^2}}{36 \sqrt{1 - c^2 x^2}} - \frac{x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{16c^4} \end{aligned}$$

**Mathematica [A]** time = 0.124203, size = 169, normalized size = 0.65

$$\frac{\sqrt{d - c^2 dx^2} \left( 9a^2 + 6abcx \sqrt{1 - c^2 x^2} (8c^4 x^4 - 2c^2 x^2 - 3) + 6b \sin^{-1}(cx) \left( 3a + bcx \sqrt{1 - c^2 x^2} (8c^4 x^4 - 2c^2 x^2 - 3) \right) + b^2 c^2 x^2 \right)}{288bc^5 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]),x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(9\*a^2 + b^2\*c^2\*x^2\*(9 + 3\*c^2\*x^2 - 8\*c^4\*x^4) + 6\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-3 - 2\*c^2\*x^2 + 8\*c^4\*x^4) + 6\*b\*(3\*a + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-3 - 2\*c^2\*x^2 + 8\*c^4\*x^4))\*ArcSin[c\*x] + 9\*b^2\*ArcSin[c\*x]^2))/(288\*b\*c^5\*Sqrt[1 - c^2\*x^2])

**Maple [B]** time = 0.448, size = 482, normalized size = 1.8

$$-\frac{ax^3}{6c^2d}(-c^2dx^2 + d)^{\frac{3}{2}} - \frac{ax}{8c^4d}(-c^2dx^2 + d)^{\frac{3}{2}} + \frac{ax}{16c^4}\sqrt{-c^2dx^2 + d} + \frac{ad}{16c^4}\arctan\left(x\sqrt{c^2d}\frac{1}{\sqrt{-c^2dx^2 + d}}\right)\frac{1}{\sqrt{c^2d}} + \frac{bc^2x}{36c^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x)),x)

[Out] -1/6\*a\*x^3\*(-c^2\*d\*x^2+d)^(3/2)/c^2/d-1/8\*a/c^4\*x\*(-c^2\*d\*x^2+d)^(3/2)/d+1/16\*a/c^4\*x\*(-c^2\*d\*x^2+d)^(1/2)+1/16\*a/c^4\*d/(c^2\*d)^(1/2)\*arctan((c^2\*d)^(1/2)\*x/(-c^2\*d\*x^2+d)^(1/2))+1/36\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*c/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*x^6-1/96\*b\*(-d\*(c^2\*x^2-1))^(1/2)/c/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*x^4-1/32\*b\*(-d\*(c^2\*x^2-1))^(1/2)/c^3/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*x^2+1/6\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*c^2/(c^2\*x^2-1)\*arcsin(c\*x)\*x^7-5/24\*b\*(-d\*(c^2\*x^2-1))^(1/2)/(c^2\*x^2-1)\*arcsin(c\*x)\*x^5-1/48\*b\*(-d\*(c^2\*x^2-1))^(1/2)/c^2/(c^2\*x^2-1)\*arcsin(c\*x)\*x^3+1/16\*b\*(-d\*(c^2\*x^2-1))^(1/2)/c^4/(c^2\*x^2-1)\*arcsin(c\*x)\*x+25/2304\*b\*(-d\*(c^2\*x^2-1))^(1/2)/c^5/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)-1/32\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c^5/(c^2\*x^2-1)\*arcsin(c\*x)^2

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(bx^4 \arcsin(cx) + ax^4\right)\sqrt{-c^2dx^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral((b*x^4*arcsin(c*x) + a*x^4)*sqrt(-c^2*d*x^2 + d), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(-c**2*d*x**2+d)**(1/2)*(a+b*asin(c*x)),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2dx^2 + d}(b \arcsin(cx) + a)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] `integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)*x^4, x)`

### 3.56 $\int x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=189

$$\frac{1}{4}x^3\sqrt{d - c^2dx^2}(a + b \sin^{-1}(cx)) - \frac{x\sqrt{d - c^2dx^2}(a + b \sin^{-1}(cx))}{8c^2} + \frac{\sqrt{d - c^2dx^2}(a + b \sin^{-1}(cx))^2}{16bc^3\sqrt{1 - c^2x^2}} - \frac{bcx^4\sqrt{d - c^2dx^2}}{16\sqrt{1 - c^2x^2}} +$$

[Out] (b\*x^2\*Sqrt[d - c^2\*d\*x^2])/(16\*c\*Sqrt[1 - c^2\*x^2]) - (b\*c\*x^4\*Sqrt[d - c^2\*d\*x^2])/(16\*Sqrt[1 - c^2\*x^2]) - (x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(8\*c^2) + (x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/4 + (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(16\*b\*c^3\*Sqrt[1 - c^2\*x^2])

**Rubi [A]** time = 0.191156, antiderivative size = 189, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {4697, 4707, 4641, 30}

$$\frac{1}{4}x^3\sqrt{d - c^2dx^2}(a + b \sin^{-1}(cx)) - \frac{x\sqrt{d - c^2dx^2}(a + b \sin^{-1}(cx))}{8c^2} + \frac{\sqrt{d - c^2dx^2}(a + b \sin^{-1}(cx))^2}{16bc^3\sqrt{1 - c^2x^2}} - \frac{bcx^4\sqrt{d - c^2dx^2}}{16\sqrt{1 - c^2x^2}} +$$

Antiderivative was successfully verified.

[In] Int[x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*x^2\*Sqrt[d - c^2\*d\*x^2])/(16\*c\*Sqrt[1 - c^2\*x^2]) - (b\*c\*x^4\*Sqrt[d - c^2\*d\*x^2])/(16\*Sqrt[1 - c^2\*x^2]) - (x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(8\*c^2) + (x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/4 + (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(16\*b\*c^3\*Sqrt[1 - c^2\*x^2])

#### Rule 4697

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_.))^ (m\_)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2)), x] + (Dist[Sqrt[d + e\*x^2]/((m + 2)\*Sqrt[1 - c^2\*x^2]), Int[((f\*x)^m\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(f\*(m + 2)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

#### Rule 4707

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_.)*((f_.)*(x_.))^(m_.)/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]
```

### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

### Rule 30

```
Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]
```

### Rubi steps

$$\begin{aligned} \int x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) dx &= \frac{1}{4} x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{\sqrt{d - c^2 dx^2} \int \frac{x^2 (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} dx}{4 \sqrt{1 - c^2 x^2}} - \frac{(bc \sqrt{d - c^2 dx^2})}{4 \sqrt{1 - c^2 x^2}} \\ &= -\frac{bcx^4 \sqrt{d - c^2 dx^2}}{16 \sqrt{1 - c^2 x^2}} - \frac{x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8c^2} + \frac{1}{4} x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) \\ &= \frac{bx^2 \sqrt{d - c^2 dx^2}}{16c \sqrt{1 - c^2 x^2}} - \frac{bcx^4 \sqrt{d - c^2 dx^2}}{16 \sqrt{1 - c^2 x^2}} - \frac{x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8c^2} + \frac{1}{4} x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) \end{aligned}$$

**Mathematica [A]** time = 0.0956823, size = 140, normalized size = 0.74

$$\frac{\sqrt{d - c^2 dx^2} \left( a^2 + 2abcx \sqrt{1 - c^2 x^2} (2c^2 x^2 - 1) + 2b \sin^{-1}(cx) \left( a + bcx \sqrt{1 - c^2 x^2} (2c^2 x^2 - 1) \right) + b^2 c^2 x^2 (1 - c^2 x^2) + b^2 \sin^{-1}(cx) \right)}{16bc^3 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]),x]
```

[Out]  $(\text{Sqrt}[d - c^2*d*x^2]*(a^2 + b^2*c^2*x^2*(1 - c^2*x^2) + 2*a*b*c*x*\text{Sqrt}[1 - c^2*x^2])*(-1 + 2*c^2*x^2) + 2*b*(a + b*c*x*\text{Sqrt}[1 - c^2*x^2])*(-1 + 2*c^2*x^2))*\text{ArcSin}[c*x] + b^2*\text{ArcSin}[c*x]^2)/(16*b*c^3*\text{Sqrt}[1 - c^2*x^2])$

**Maple [B]** time = 0.206, size = 373, normalized size = 2.

$$-\frac{ax}{4c^2d}(-c^2dx^2 + d)^{\frac{3}{2}} + \frac{ax}{8c^2}\sqrt{-c^2dx^2 + d} + \frac{ad}{8c^2} \arctan\left(x\sqrt{cd}\frac{1}{\sqrt{-c^2dx^2 + d}}\right) \frac{1}{\sqrt{cd}} + \frac{bcx^4}{16c^2x^2 - 16}\sqrt{-d(c^2x^2 - 1)}\sqrt{-}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2*(-c^2*d*x^2+d)^{(1/2)}*(a+b*\arcsin(c*x)),x)$

[Out]  $-1/4*a*x*(-c^2*d*x^2+d)^{(3/2)}/c^2/d+1/8*a/c^2*x*(-c^2*d*x^2+d)^{(1/2)}+1/8*a/c^2*d/(c^2*d)^{(1/2)}*\arctan((c^2*d)^{(1/2)}*x/(-c^2*d*x^2+d)^{(1/2)})+1/16*b*(-d*(c^2*x^2-1))^{(1/2)}*c/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^4-1/16*b*(-d*(c^2*x^2-1))^{(1/2)}/c/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^2+1/4*b*(-d*(c^2*x^2-1))^{(1/2)}*c^2/(c^2*x^2-1)*\arcsin(c*x)*x^5-3/8*b*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)*\arcsin(c*x)*x^3+1/8*b*(-d*(c^2*x^2-1))^{(1/2)}/c^2/(c^2*x^2-1)*\arcsin(c*x)*x+1/128*b*(-d*(c^2*x^2-1))^{(1/2)}/c^3/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}-1/16*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^3/(c^2*x^2-1)*\arcsin(c*x)^2$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^2*(-c^2*d*x^2+d)^{(1/2)}*(a+b*\arcsin(c*x)),x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{-c^2dx^2 + d}(bx^2 \arcsin(cx) + ax^2), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] integral(sqrt(-c^2*d*x^2 + d)*(b*x^2*arcsin(c*x) + a*x^2), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x^2 \sqrt{-d(cx-1)(cx+1)} (a + b \operatorname{asin}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(-c**2*d*x**2+d)**(1/2)*(a+b*asin(c*x)),x)
```

```
[Out] Integral(x**2*sqrt(-d*(c*x - 1)*(c*x + 1))*(a + b*asin(c*x)), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2 dx^2 + d} (b \operatorname{arcsin}(cx) + a) x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)*x^2, x)
```



### 3.57 $\int \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=116

$$\frac{1}{2}x\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{4bc\sqrt{1 - c^2 x^2}} - \frac{bcx^2\sqrt{d - c^2 dx^2}}{4\sqrt{1 - c^2 x^2}}$$

[Out]  $-(b*c*x^2*\text{Sqrt}[d - c^2*d*x^2])/(4*\text{Sqrt}[1 - c^2*x^2]) + (x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/2 + (\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(4*b*c*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.0548086, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {4647, 4641, 30}

$$\frac{1}{2}x\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{4bc\sqrt{1 - c^2 x^2}} - \frac{bcx^2\sqrt{d - c^2 dx^2}}{4\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]), x]$

[Out]  $-(b*c*x^2*\text{Sqrt}[d - c^2*d*x^2])/(4*\text{Sqrt}[1 - c^2*x^2]) + (x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/2 + (\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(4*b*c*\text{Sqrt}[1 - c^2*x^2])$

#### Rule 4647

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*\text{Sqrt}[d + e*x^2], x]$   
 $\text{Simp}[(x*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n)/2, x] + (\text{Dist}[\text{Sqrt}[d + e*x^2]/(2*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[1 - c^2*x^2], x], x] - \text{Dist}[(b*c*n*\text{Sqrt}[d + e*x^2])/(2*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[x*(a + b*\text{ArcSin}[c*x])^{n-1}, x], x]) /;$   
 $\text{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0]$

#### Rule 4641

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n/\text{Sqrt}[d + e*x^2], x]$   
 $\text{Simp}[(a + b*\text{ArcSin}[c*x])^{n+1}/(b*c*\text{Sqrt}[d]*(n+1)), x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, n, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ \text{NeQ}[n, -1]$

**Rule 30**

$\text{Int}[(x_)^{(m_.)}, x\_Symbol] \text{ :> Simp}[x^{(m + 1)}/(m + 1), x] \text{ /; FreeQ}[m, x] \ \&\& \ \text{NeQ}[m, -1]$

**Rubi steps**

$$\begin{aligned} \int \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) dx &= \frac{1}{2} x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{\sqrt{d - c^2 dx^2} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} dx}{2\sqrt{1 - c^2 x^2}} - \frac{(bc\sqrt{d - c^2 dx^2}) \int}{2\sqrt{1 - c^2 x^2}} \\ &= -\frac{bcx^2 \sqrt{d - c^2 dx^2}}{4\sqrt{1 - c^2 x^2}} + \frac{1}{2} x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{4bc\sqrt{1 - c^2 x^2}} \end{aligned}$$

**Mathematica [A]** time = 0.0504091, size = 111, normalized size = 0.96

$$\frac{\sqrt{d - c^2 dx^2} (a^2 + 2abcx\sqrt{1 - c^2 x^2} + 2b \sin^{-1}(cx) (a + bcx\sqrt{1 - c^2 x^2}) - b^2 c^2 x^2 + b^2 \sin^{-1}(cx)^2)}{4bc\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]),x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(a^2 - b^2\*c^2\*x^2 + 2\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2] + 2\*b\*(a + b\*c\*x\*Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x] + b^2\*ArcSin[c\*x]^2))/(4\*b\*c\*Sqrt[1 - c^2\*x^2])

**Maple [B]** time = 0.112, size = 260, normalized size = 2.2

$$\frac{ax}{2} \sqrt{-c^2 dx^2 + d} + \frac{ad}{2} \arctan\left(x\sqrt{c^2 d} \frac{1}{\sqrt{-c^2 dx^2 + d}}\right) \frac{1}{\sqrt{c^2 d}} - \frac{b(\arcsin(cx))^2}{4c(c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} \sqrt{-c^2 x^2 + 1} + \frac{bc^2 \arcsin(cx)}{2c^2 x^2 - 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x)),x)

[Out] 1/2\*a\*x\*(-c^2\*d\*x^2+d)^(1/2)+1/2\*a\*d/(c^2\*d)^(1/2)\*arctan((c^2\*d)^(1/2)\*x/(-c^2\*d\*x^2+d)^(1/2))-1/4\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c/(c^2

$$*x^2-1)*\arcsin(cx)^2+1/2*b*(-d*(c^2*x^2-1))^{1/2}*c^2/(c^2*x^2-1)*\arcsin(cx)*x^3+1/4*b*(-d*(c^2*x^2-1))^{1/2}*c/(c^2*x^2-1)*(-c^2*x^2+1)^{1/2}*x^2-1/2*b*(-d*(c^2*x^2-1))^{1/2}/(c^2*x^2-1)*\arcsin(cx)*x-1/8*b*(-d*(c^2*x^2-1))^{1/2}/c/(c^2*x^2-1)*(-c^2*x^2+1)^{1/2}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^{1/2}\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{-c^2dx^2+d}(b\arcsin(cx)+a),x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^{1/2}\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*d\*x^2+d)\*(b\*arcsin(c\*x)+a),x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-d(cx-1)(cx+1)}(a+b\text{asin}(cx))dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(1/2)\*(a+b\*asin(c\*x)),x)

[Out] Integral(sqrt(-d\*(c\*x-1)\*(c\*x+1))\*(a+b\*asin(c\*x)),x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a), x)
```

$$3.58 \quad \int \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{x^2} dx$$

**Optimal.** Leaf size=110

$$-\frac{c\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{2b\sqrt{1-c^2x^2}} - \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{x} + \frac{bc\log(x)\sqrt{d-c^2dx^2}}{\sqrt{1-c^2x^2}}$$

[Out] -((Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/x) - (c\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(2\*b\*Sqrt[1 - c^2\*x^2]) + (b\*c\*Sqrt[d - c^2\*d\*x^2]\*Log[x])/Sqrt[1 - c^2\*x^2]

**Rubi [A]** time = 0.110228, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {4693, 29, 4641}

$$-\frac{c\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{2b\sqrt{1-c^2x^2}} - \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{x} + \frac{bc\log(x)\sqrt{d-c^2dx^2}}{\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/x^2,x]

[Out] -((Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/x) - (c\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(2\*b\*Sqrt[1 - c^2\*x^2]) + (b\*c\*Sqrt[d - c^2\*d\*x^2]\*Log[x])/Sqrt[1 - c^2\*x^2]

### Rule 4693

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((f\_)\*(x\_))^(m\_)\*Sqrt[(d\_) + (e\_)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 1)), x] + (-Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(f\*(m + 1)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] + Dist[(c^2\*Sqrt[d + e\*x^2])/(f^2\*(m + 1)\*Sqrt[1 - c^2\*x^2]), Int[((f\*x)^(m + 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1]

### Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

**Rule 4641**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

**Rubi steps**

$$\int \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x^2} dx = -\frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x} + \frac{(bc\sqrt{d - c^2 dx^2}) \int \frac{1}{x} dx}{\sqrt{1 - c^2 x^2}} - \frac{(c^2 \sqrt{d - c^2 dx^2}) \int \frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} dx}{\sqrt{1 - c^2 x^2}}$$

$$= -\frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x} - \frac{c\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2b\sqrt{1 - c^2 x^2}} + \frac{bc\sqrt{d - c^2 dx^2} \log\left(\frac{cx\sqrt{d - c^2 dx^2} + \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}}\right)}{\sqrt{1 - c^2 x^2}}$$

**Mathematica [A]** time = 0.328402, size = 142, normalized size = 1.29

$$-\frac{a\sqrt{-d(c^2x^2 - 1)}}{x} + ac\sqrt{d} \tan^{-1}\left(\frac{cx\sqrt{-d(c^2x^2 - 1)}}{\sqrt{d}(c^2x^2 - 1)}\right) - \frac{bc\sqrt{d}(1 - c^2x^2) \left(\frac{2\sqrt{1 - c^2x^2} \sin^{-1}(cx)}{cx} - 2 \log(cx) + \sin^{-1}(cx)^2\right)}{2\sqrt{1 - c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/x^2,x]

[Out] -((a\*Sqrt[-(d\*(-1 + c^2\*x^2))])/x) + a\*c\*Sqrt[d]\*ArcTan[(c\*x\*Sqrt[-(d\*(-1 + c^2\*x^2))])/(Sqrt[d]\*(-1 + c^2\*x^2))] - (b\*c\*Sqrt[d\*(1 - c^2\*x^2)]\*((2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(c\*x) + ArcSin[c\*x]^2 - 2\*Log[c\*x]))/(2\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.172, size = 308, normalized size = 2.8

$$-\frac{a}{dx} (-c^2 dx^2 + d)^{\frac{3}{2}} - ac^2 x \sqrt{-c^2 dx^2 + d} - ac^2 d \arctan\left(x \sqrt{c^2 d} \frac{1}{\sqrt{-c^2 dx^2 + d}}\right) \frac{1}{\sqrt{c^2 d}} + \frac{b(\arcsin(cx))^2 c}{2c^2 x^2 - 2} \sqrt{-d(c^2 x^2 - 1)} \sqrt{-d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))/x^2,x)

```
[Out] -a/d/x*(-c^2*d*x^2+d)^(3/2)-a*c^2*x*(-c^2*d*x^2+d)^(1/2)-a*c^2*d/(c^2*d)^(1/2)*arctan((c^2*d)^(1/2)*x/(-c^2*d*x^2+d)^(1/2))+1/2*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*arcsin(c*x)^2*c+I*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*arcsin(c*x)*c-b*(-d*(c^2*x^2-1))^(1/2)*arcsin(c*x)/(c^2*x^2-1)*x*c^2+b*(-d*(c^2*x^2-1))^(1/2)*arcsin(c*x)/(c^2*x^2-1)/x-b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*ln((I*c*x+(-c^2*x^2+1)^(1/2))^2-1)*c
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))/x^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2+d}(b\arcsin(cx)+a)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))/x^2,x, algorithm="fricas")
```

```
[Out] integral(sqrt(-c^2*d*x^2+d)*(b*arcsin(c*x)+a)/x^2,x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-d}(cx-1)(cx+1)(a+b\text{asin}(cx))}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c**2*d*x**2+d)**(1/2)*(a+b*asin(c*x))/x**2,x)
```

[Out] Integral(sqrt(-d\*(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))/x\*\*2, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2 dx^2 + d(b \arcsin(cx) + a)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))/x^2,x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)/x^2, x)



$$3.59 \quad \int \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{x^4} dx$$

**Optimal.** Leaf size=111

$$-\frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{3dx^3} - \frac{bc\sqrt{d-c^2dx^2}}{6x^2\sqrt{1-c^2x^2}} - \frac{bc^3\log(x)\sqrt{d-c^2dx^2}}{3\sqrt{1-c^2x^2}}$$

[Out]  $-(b*c*\text{Sqrt}[d - c^2*d*x^2])/(6*x^2*\text{Sqrt}[1 - c^2*x^2]) - ((d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/(3*d*x^3) - (b*c^3*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(3*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.0925604, antiderivative size = 111, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {4681, 14}

$$-\frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{3dx^3} - \frac{bc\sqrt{d-c^2dx^2}}{6x^2\sqrt{1-c^2x^2}} - \frac{bc^3\log(x)\sqrt{d-c^2dx^2}}{3\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/x^4, x]$

[Out]  $-(b*c*\text{Sqrt}[d - c^2*d*x^2])/(6*x^2*\text{Sqrt}[1 - c^2*x^2]) - ((d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/(3*d*x^3) - (b*c^3*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(3*\text{Sqrt}[1 - c^2*x^2])$

### Rule 4681

$\text{Int}[(a_ + \text{ArcSin}[c_*(x_)]*(b_))^{(n_)}*((f_)*(x_))^{(m_)}*((d_ + (e_)*(x_)^2)^{(p_)}, x\_Symbol] := \text{Simp}[(f*x)^{(m+1)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^{(n)}]/(d*f*(m+1)), x] - \text{Dist}[(b*c*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(f*(m+1)*(1 - c^2*x^2)^{\text{FracPart}[p]})], \text{Int}[(f*x)^{(m+1)}*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x] /;$  FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] && NeQ[m, -1]

### Rule 14

$\text{Int}[(u_)*((c_)*(x_))^{(m_)}, x\_Symbol] := \text{Int}[\text{ExpandIntegrand}[(c*x)^{m*u}, x], x] /;$  FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_)

+ (b\_.)\*(v\_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{x^4} dx &= -\frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{3dx^3} + \frac{(bc\sqrt{d-c^2dx^2}) \int \frac{1-c^2x^2}{x^3} dx}{3\sqrt{1-c^2x^2}} \\ &= -\frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{3dx^3} + \frac{(bc\sqrt{d-c^2dx^2}) \int \left(\frac{1}{x^3} - \frac{c^2}{x}\right) dx}{3\sqrt{1-c^2x^2}} \\ &= -\frac{bc\sqrt{d-c^2dx^2}}{6x^2\sqrt{1-c^2x^2}} - \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{3dx^3} - \frac{bc^3\sqrt{d-c^2dx^2}\log(x)}{3\sqrt{1-c^2x^2}} \end{aligned}$$

**Mathematica [A]** time = 0.133413, size = 134, normalized size = 1.21

$$\frac{\sqrt{d-c^2dx^2} \left( 2a(c^2x^2-1)^2 + bcx(1-3c^2x^2)\sqrt{1-c^2x^2} + 2b(c^2x^2-1)^2\sin^{-1}(cx) \right)}{6x^3(c^2x^2-1)} - \frac{bc^3\log(x)\sqrt{d-c^2dx^2}}{3\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/x^4,x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(b\*c\*x\*(1 - 3\*c^2\*x^2)\*Sqrt[1 - c^2\*x^2] + 2\*a\*(-1 + c^2\*x^2)^2 + 2\*b\*(-1 + c^2\*x^2)^2\*ArcSin[c\*x]))/(6\*x^3\*(-1 + c^2\*x^2)) - (b\*c^3\*Sqrt[d - c^2\*d\*x^2]\*Log[x])/(3\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.243, size = 1117, normalized size = 10.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))/x^4,x)

[Out] -1/3\*a/d/x^3\*(-c^2\*d\*x^2+d)^(3/2)-1/6\*I\*b\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x^4-3\*c^2\*x^2+1)\*x^5/(c^2\*x^2-1)\*c^8-I\*b\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x^4-3\*c^2\*x^2+1)\*x^2/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*arcsin(c\*x)\*c^5+b\*(-d\*(c^2\*x^2-1))^(1/2)

$$\begin{aligned}
& -1)^{(1/2)} / (3c^4x^4 - 3c^2x^2 + 1) * x^5 / (c^2x^2 - 1) * \arcsin(cx) * c^8 - 1/6 * I * b * \\
& (-d * (c^2x^2 - 1))^{(1/2)} / (3c^4x^4 - 3c^2x^2 + 1) * x / (c^2x^2 - 1) * c^4 - 2 * I * b * (-d * \\
& (c^2x^2 - 1))^{(1/2)} * (-c^2x^2 + 1)^{(1/2)} * \arcsin(cx) * c^3 / (3c^2x^2 - 3) + 1/3 * I * b \\
& * (-d * (c^2x^2 - 1))^{(1/2)} / (3c^4x^4 - 3c^2x^2 + 1) / (c^2x^2 - 1) * (-c^2x^2 + 1)^{(1/2)} * \arcsin(cx) * c^3 - 3 * b * (-d * (c^2x^2 - 1))^{(1/2)} / (3c^4x^4 - 3c^2x^2 + 1) * x^3 / \\
& (c^2x^2 - 1) * \arcsin(cx) * c^6 + I * b * (-d * (c^2x^2 - 1))^{(1/2)} / (3c^4x^4 - 3c^2x^2 + 1) * x^4 / (c^2x^2 - 1) * (-c^2x^2 + 1)^{(1/2)} * \arcsin(cx) * c^7 + 1/6 * I * b * (-d * (c^2x^2 - 1))^{(1/2)} / (3c^4x^4 - 3c^2x^2 + 1) * x / (c^2x^2 - 1) * (-c^2x^2 + 1) * c^4 + 1/2 * b * (-d * (c^2x^2 - 1))^{(1/2)} / (3c^4x^4 - 3c^2x^2 + 1) * x^2 / (c^2x^2 - 1) * (-c^2x^2 + 1)^{(1/2)} * c^5 + 1/3 * I * b * (-d * (c^2x^2 - 1))^{(1/2)} / (3c^4x^4 - 3c^2x^2 + 1) * x^3 / (c^2x^2 - 1) * c^6 + 10/3 * b * (-d * (c^2x^2 - 1))^{(1/2)} / (3c^4x^4 - 3c^2x^2 + 1) * x / (c^2x^2 - 1) * \arcsin(cx) * c^4 - 1/6 * I * b * (-d * (c^2x^2 - 1))^{(1/2)} / (3c^4x^4 - 3c^2x^2 + 1) * x^3 / (c^2x^2 - 1) * (-c^2x^2 + 1) * c^6 - 1/2 * b * (-d * (c^2x^2 - 1))^{(1/2)} / (3c^4x^4 - 3c^2x^2 + 1) * x^2 + 1 / (c^2x^2 - 1) * c^3 * (-c^2x^2 + 1)^{(1/2)} - 5/3 * b * (-d * (c^2x^2 - 1))^{(1/2)} / (3c^4x^4 - 3c^2x^2 + 1) / x / (c^2x^2 - 1) * \arcsin(cx) * c^2 + 1/6 * b * (-d * (c^2x^2 - 1))^{(1/2)} / (3c^4x^4 - 3c^2x^2 + 1) / x^2 / (c^2x^2 - 1) * (-c^2x^2 + 1)^{(1/2)} * c + 1/3 * b * (-d * (c^2x^2 - 1))^{(1/2)} / (3c^4x^4 - 3c^2x^2 + 1) / x^3 / (c^2x^2 - 1) * \arcsin(cx) + 1/3 * b * (-d * (c^2x^2 - 1))^{(1/2)} * (-c^2x^2 + 1)^{(1/2)} / (c^2x^2 - 1) * \ln((I * cx + (-c^2x^2 + 1)^{(1/2)})^2 - 1) * c^3
\end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))/x^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.60023, size = 883, normalized size = 7.95

$$\left[ \frac{(bc^5x^5 - bc^3x^3)\sqrt{d} \log\left(\frac{c^2dx^6 + c^2dx^2 - dx^4 + \sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1}(x^4 - 1)\sqrt{d} - d}{c^2x^4 - x^2}\right) - \sqrt{-c^2dx^2 + d}(bcx^3 - bcx)\sqrt{-c^2x^2 + 1} + 2(ac^4x^4 - bc^2x^2)}{6(c^2x^5 - x^3)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))/x^4,x, algorithm="fricas")

```
[Out] [1/6*((b*c^5*x^5 - b*c^3*x^3)*sqrt(d)*log((c^2*d*x^6 + c^2*d*x^2 - d*x^4 +
sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1)*(x^4 - 1)*sqrt(d) - d)/(c^2*x^4 - x
^2)) - sqrt(-c^2*d*x^2 + d)*(b*c*x^3 - b*c*x)*sqrt(-c^2*x^2 + 1) + 2*(a*c^4
*x^4 - 2*a*c^2*x^2 + (b*c^4*x^4 - 2*b*c^2*x^2 + b)*arcsin(c*x) + a)*sqrt(-c
^2*d*x^2 + d))/(c^2*x^5 - x^3), -1/6*(2*(b*c^5*x^5 - b*c^3*x^3)*sqrt(-d)*ar
ctan(sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1)*(x^2 + 1)*sqrt(-d)/(c^2*d*x^4
- (c^2 + 1)*d*x^2 + d)) + sqrt(-c^2*d*x^2 + d)*(b*c*x^3 - b*c*x)*sqrt(-c^2*
x^2 + 1) - 2*(a*c^4*x^4 - 2*a*c^2*x^2 + (b*c^4*x^4 - 2*b*c^2*x^2 + b)*arcsi
n(c*x) + a)*sqrt(-c^2*d*x^2 + d))/(c^2*x^5 - x^3)]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-d}(cx-1)(cx+1)(a+b\operatorname{asin}(cx))}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c**2*d*x**2+d)**(1/2)*(a+b*asin(c*x))/x**4,x)
```

```
[Out] Integral(sqrt(-d*(c*x - 1)*(c*x + 1))*(a + b*asin(c*x))/x**4, x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2dx^2 + d}(b\operatorname{arcsin}(cx) + a)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))/x^4,x, algorithm="giac")
```

```
[Out] integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)/x^4, x)
```

$$3.60 \quad \int \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{x^6} dx$$

**Optimal.** Leaf size=187

$$\frac{2c^2(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{15dx^3} - \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{5dx^5} + \frac{bc^3\sqrt{d-c^2dx^2}}{30x^2\sqrt{1-c^2x^2}} - \frac{bc\sqrt{d-c^2dx^2}}{20x^4\sqrt{1-c^2x^2}} - \frac{2bc^5\log(x)}{15\sqrt{1-c^2x^2}}$$

[Out]  $-(b*c*\text{Sqrt}[d - c^2*d*x^2])/(20*x^4*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*\text{Sqrt}[d - c^2*d*x^2])/(30*x^2*\text{Sqrt}[1 - c^2*x^2]) - ((d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(5*d*x^5) - (2*c^2*(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(15*d*x^3) - (2*b*c^5*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(15*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.134158, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {271, 264, 4691, 12, 14}

$$\frac{2c^2(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{15dx^3} - \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{5dx^5} + \frac{bc^3\sqrt{d-c^2dx^2}}{30x^2\sqrt{1-c^2x^2}} - \frac{bc\sqrt{d-c^2dx^2}}{20x^4\sqrt{1-c^2x^2}} - \frac{2bc^5\log(x)}{15\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/x^6, x]$

[Out]  $-(b*c*\text{Sqrt}[d - c^2*d*x^2])/(20*x^4*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*\text{Sqrt}[d - c^2*d*x^2])/(30*x^2*\text{Sqrt}[1 - c^2*x^2]) - ((d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(5*d*x^5) - (2*c^2*(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(15*d*x^3) - (2*b*c^5*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(15*\text{Sqrt}[1 - c^2*x^2])$

### Rule 271

$\text{Int}[(x_)^{(m)}*((a_) + (b_)*(x_)^{(n)})^{(p)}, x\_Symbol] \rightarrow \text{Simp}[(x^{(m+1)}*(a + b*x^n)^{(p+1)})/(a*(m+1)), x] - \text{Dist}[(b*(m+n*(p+1)+1))/(a*(m+1)), \text{Int}[x^{(m+n)}*(a + b*x^n)^p, x], x] /;$  FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m+1)/n+p+1], 0] && NeQ[m, -1]

### Rule 264

$\text{Int}[((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n)})^{(p)}, x\_Symbol] \rightarrow \text{Simp}[(c*x)^{(m+1)}*(a + b*x^n)^{(p+1)})/(a*c*(m+1)), x] /;$  FreeQ[{a, b, c, m, n,

p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

### Rule 4691

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))*(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(p_)
, x_Symbol] := With[{u = IntHide[x^m*(1 - c^2*x^2)^p, x]}, Dist[a + b*ArcSi
n[c*x], Int[x^m*(d + e*x^2)^p, x], x] - Dist[(b*c*d^(p - 1/2)*Sqrt[d + e*x^
2])/Sqrt[1 - c^2*x^2], Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x
]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p + 1/2, 0] &&
(IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2*p + 3)/2, 0])
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 14

```
Int[(u_)*((c_.)*(x_)^(m_.)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x^6} dx &= -\frac{(bc\sqrt{d - c^2 dx^2}) \int \frac{-3+c^2x^2+2c^4x^4}{15x^5} dx}{\sqrt{1 - c^2x^2}} + (a + b \sin^{-1}(cx)) \int \frac{\sqrt{d - c^2 dx^2}}{x^6} dx \\
 &= -\frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{5dx^5} - \frac{(bc\sqrt{d - c^2 dx^2}) \int \frac{-3+c^2x^2+2c^4x^4}{x^5} dx}{15\sqrt{1 - c^2x^2}} + \frac{1}{5} (2c^2 (a + b \sin^{-1}(cx))) \\
 &= -\frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{5dx^5} - \frac{2c^2 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{15dx^3} - \frac{(bc\sqrt{d - c^2 dx^2}) \int \frac{-3+c^2x^2+2c^4x^4}{x^5} dx}{15\sqrt{1 - c^2x^2}} \\
 &= -\frac{bc\sqrt{d - c^2 dx^2}}{20x^4\sqrt{1 - c^2x^2}} + \frac{bc^3\sqrt{d - c^2 dx^2}}{30x^2\sqrt{1 - c^2x^2}} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{5dx^5} - \frac{2c^2 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{15dx^3}
 \end{aligned}$$

**Mathematica [A]** time = 0.137784, size = 162, normalized size = 0.87

$$\frac{\sqrt{d - c^2 dx^2} (12a (2c^2 x^2 + 3) (c^2 x^2 - 1)^2 + bcx\sqrt{1 - c^2 x^2} (-50c^4 x^4 - 6c^2 x^2 + 9) + 12b (2c^2 x^2 + 3) (c^2 x^2 - 1)^2 \sin^{-1}(cx))}{180x^5 (c^2 x^2 - 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/x^6,x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(12\*a\*(-1 + c^2\*x^2)^2\*(3 + 2\*c^2\*x^2) + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(9 - 6\*c^2\*x^2 - 50\*c^4\*x^4) + 12\*b\*(-1 + c^2\*x^2)^2\*(3 + 2\*c^2\*x^2)\*ArcSin[c\*x]))/(180\*x^5\*(-1 + c^2\*x^2)) - (2\*b\*c^5\*Sqrt[d - c^2\*d\*x^2]\*Log[x])/(15\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.302, size = 1902, normalized size = 10.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))/x^6,x)

[Out] 
$$\begin{aligned} & -2/15*a*c^2/d/x^3*(-c^2*d*x^2+d)^{(3/2)}+2/15*I*b*(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)*x^7/(c^2*x^2-1)*(-c^2*x^2+1)*c^{12+3/10}*I*b* \\ & (-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)*x/(c^2*x^2-1)*(-c^2*x^2+1)*c^6-2/15*I*b*(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)*x^5/(c^2*x^2-1)*(-c^2*x^2+1)*c^{10-3/10}*I*b*(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)*x^3/(c^2*x^2-1)*(-c^2*x^2+1)*c^8+6/5*I*b \\ & *(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^5+9/20*b*(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)/x^4/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^4*I*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*\arcsin(c*x)*c^5/(15*c^2*x^2-15)+2/15*I*b*(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)*x^9/(c^2*x^2-1)*c^{14-4/15}*I*b*(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)*x^7/(c^2*x^2-1)*c^{12-1/6}*I*b*(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)*x^5/(c^2*x^2-1)*c^{10+3/5}*I*b*(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)*x^3/(c^2*x^2-1)*c^8-3/10*I*b*(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)*x/(c^2*x^2-1)*c^6+2*b*(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)*x^7/(c^2*x^2-1)*\arcsin(c*x)*c^{12-5/3}*b*(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)*x^5/(c^2*x^2-1)*\arcsin(c*x)*c^{10-1/2}*b*(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)*x^4/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^9-17/3*b*(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)*x^3/(c^2*x^2-1)*\arcsin(c*x)*c^8+11/12*b*(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)*x^2/(c^2*x^2-1)*c^7*(-c^2*x^2+1)^{(1/2)}+98/15*b*(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)*x/(c^2*x^2-1)*\arcsin(c*x)*c^6+12/5*b*(-d*(c^2*x^2-1))^{(1/2)}/(15*c^6*x^6-5*c^4*x^4-15*c^2*x^2+9)/x/(c^2*x^2-1)*\arcsin(c*x)*c^4-2 \end{aligned}$$

$$\frac{1}{20} b (-d(c^2 x^2 - 1))^{1/2} / (15 c^6 x^6 - 5 c^4 x^4 - 15 c^2 x^2 + 9) / x^2 / (c^2 x^2 - 1) c^3 (-c^2 x^2 + 1)^{1/2} - 27/5 b (-d(c^2 x^2 - 1))^{1/2} / (15 c^6 x^6 - 5 c^4 x^4 - 15 c^2 x^2 + 9) / x^3 / (c^2 x^2 - 1) \arcsin(c x) c^2 + 9/5 b (-d(c^2 x^2 - 1))^{1/2} / (15 c^6 x^6 - 5 c^4 x^4 - 15 c^2 x^2 + 9) / x^5 / (c^2 x^2 - 1) \arcsin(c x) + 2/15 b (-d(c^2 x^2 - 1))^{1/2} (-c^2 x^2 + 1)^{1/2} / (c^2 x^2 - 1) \ln((I c x + (-c^2 x^2 + 1)^{1/2})^2 - 1) c^5 + 1/4 b (-d(c^2 x^2 - 1))^{1/2} / (15 c^6 x^6 - 5 c^4 x^4 - 15 c^2 x^2 + 9) / (c^2 x^2 - 1) c^5 (-c^2 x^2 + 1)^{1/2} - 1/5 a/d/x^5 (-c^2 d x^2 + d)^{3/2} + 2 I b (-d(c^2 x^2 - 1))^{1/2} / (15 c^6 x^6 - 5 c^4 x^4 - 15 c^2 x^2 + 9) x^6 / (c^2 x^2 - 1) \arcsin(c x) (-c^2 x^2 + 1)^{1/2} c^{11} - 2/3 I b (-d(c^2 x^2 - 1))^{1/2} / (15 c^6 x^6 - 5 c^4 x^4 - 15 c^2 x^2 + 9) x^4 / (c^2 x^2 - 1) \arcsin(c x) (-c^2 x^2 + 1)^{1/2} c^9 - 2 I b (-d(c^2 x^2 - 1))^{1/2} / (15 c^6 x^6 - 5 c^4 x^4 - 15 c^2 x^2 + 9) x^2 / (c^2 x^2 - 1) \arcsin(c x) (-c^2 x^2 + 1)^{1/2} c^7$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))/x^6,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.71307, size = 1056, normalized size = 5.65

$$\frac{4 (bc^7 x^7 - bc^5 x^5) \sqrt{d} \log\left(\frac{c^2 dx^6 + c^2 dx^2 - dx^4 + \sqrt{-c^2 dx^2 + d} \sqrt{-c^2 x^2 + 1} (x^4 - 1) \sqrt{d-d}}{c^2 x^4 - x^2}\right) - (2 bc^3 x^3 - (2 bc^3 - 3 bc) x^5 - 3 bcx) \sqrt{-c^2 dx^2 + d}}{60 (c^2 x^7 - x^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))/x^6,x, algorithm="fricas")

[Out] [1/60\*(4\*(b\*c^7\*x^7 - b\*c^5\*x^5)\*sqrt(d)\*log((c^2\*d\*x^6 + c^2\*d\*x^2 - d\*x^4 + sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*(x^4 - 1)\*sqrt(d) - d)/(c^2\*x^4 - x^2)) - (2\*b\*c^3\*x^3 - (2\*b\*c^3 - 3\*b\*c)\*x^5 - 3\*b\*c\*x)\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1) + 4\*(2\*a\*c^6\*x^6 - a\*c^4\*x^4 - 4\*a\*c^2\*x^2 + (2\*b\*c^6\*x^6 - b\*c^4\*x^4 - 4\*b\*c^2\*x^2 + 3\*b)\*arcsin(c\*x) + 3\*a)\*sqrt(-c^2\*d\*x^2 + d))/(c^2\*x^7 - x^5), -1/60\*(8\*(b\*c^7\*x^7 - b\*c^5\*x^5)\*sqrt(-d)\*arctan(sqrt



$$\begin{aligned} & (-c^2 d x^2 + d) \sqrt{-c^2 x^2 + 1} (x^2 + 1) \sqrt{-d} / (c^2 d x^4 - (c^2 + \\ & 1) d x^2 + d) + (2 b c^3 x^3 - (2 b c^3 - 3 b c) x^5 - 3 b c x) \sqrt{-c^2 d x^2 + d} \sqrt{-c^2 x^2 + 1} - 4 (2 a c^6 x^6 - a c^4 x^4 - 4 a c^2 x^2 + \\ & (2 b c^6 x^6 - b c^4 x^4 - 4 b c^2 x^2 + 3 b) \arcsin(c x) + 3 a) \sqrt{-c^2 d x^2 + d} / (c^2 x^7 - x^5) \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-d}(cx-1)(cx+1)(a+b \operatorname{asin}(cx))}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(1/2)\*(a+b\*asin(c\*x))/x\*\*6,x)

[Out] Integral(sqrt(-d\*(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))/x\*\*6, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2 dx^2 + d}(b \arcsin(cx) + a)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))/x^6,x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)/x^6, x)

$$3.61 \quad \int \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{x^8} dx$$

**Optimal.** Leaf size=263

$$\frac{8c^4(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{105dx^3} - \frac{4c^2(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{35dx^5} - \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{7dx^7} + \frac{2bc^5\sqrt{d-c^2dx^2}}{105x^2\sqrt{1-c^2x^2}}$$

[Out]  $-(b*c*\text{Sqrt}[d - c^2*d*x^2])/(42*x^6*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*\text{Sqrt}[d - c^2*d*x^2])/(140*x^4*\text{Sqrt}[1 - c^2*x^2]) + (2*b*c^5*\text{Sqrt}[d - c^2*d*x^2])/(105*x^2*\text{Sqrt}[1 - c^2*x^2]) - ((d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(7*d*x^7) - (4*c^2*(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(35*d*x^5) - (8*c^4*(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(105*d*x^3) - (8*b*c^7*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(105*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.168816, antiderivative size = 263, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {271, 264, 4691, 12, 14}

$$\frac{8c^4(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{105dx^3} - \frac{4c^2(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{35dx^5} - \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{7dx^7} + \frac{2bc^5\sqrt{d-c^2dx^2}}{105x^2\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/x^8, x]$

[Out]  $-(b*c*\text{Sqrt}[d - c^2*d*x^2])/(42*x^6*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*\text{Sqrt}[d - c^2*d*x^2])/(140*x^4*\text{Sqrt}[1 - c^2*x^2]) + (2*b*c^5*\text{Sqrt}[d - c^2*d*x^2])/(105*x^2*\text{Sqrt}[1 - c^2*x^2]) - ((d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(7*d*x^7) - (4*c^2*(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(35*d*x^5) - (8*c^4*(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(105*d*x^3) - (8*b*c^7*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(105*\text{Sqrt}[1 - c^2*x^2])$

### Rule 271

$\text{Int}[(x_)^{(m_)}*((a_) + (b_.)*(x_)^{(n_)})^{(p_)}, x\_Symbol] := \text{Simp}[(x^{(m+1)}*(a + b*x^n)^{(p+1)})/(a*(m+1)), x] - \text{Dist}[(b*(m+n*(p+1)+1))/(a*(m+1)), \text{Int}[x^{(m+n)}*(a + b*x^n)^p, x], x] /;$  FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m+1)/n+p+1], 0] && NeQ[m, -1]

### Rule 264

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

### Rule 4691

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_)
, x_Symbol] := With[{u = IntHide[x^m*(1 - c^2*x^2)^p, x]}, Dist[a + b*ArcSi
n[c*x], Int[x^m*(d + e*x^2)^p, x], x] - Dist[(b*c*d^(p - 1/2)*Sqrt[d + e*x^
2])/Sqrt[1 - c^2*x^2], Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x
]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p + 1/2, 0] &&
(IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2*p + 3)/2, 0])
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 14

```
Int[(u_)*((c_.)*(x_)^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
+ (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x^8} dx &= -\frac{(bc\sqrt{d - c^2 dx^2}) \int \frac{-15 + 3c^2 x^2 + 4c^4 x^4 + 8c^6 x^6}{105x^7} dx}{\sqrt{1 - c^2 x^2}} + (a + b \sin^{-1}(cx)) \int \frac{\sqrt{d - c^2 dx^2}}{x^8} dx \\ &= -\frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{7dx^7} - \frac{(bc\sqrt{d - c^2 dx^2}) \int \frac{-15 + 3c^2 x^2 + 4c^4 x^4 + 8c^6 x^6}{x^7} dx}{105\sqrt{1 - c^2 x^2}} + \frac{1}{7} \\ &= -\frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{7dx^7} - \frac{4c^2 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{35dx^5} - \frac{(bc\sqrt{d - c^2 dx^2}) \int \frac{1}{x^7} dx}{105\sqrt{1 - c^2 x^2}} \\ &= -\frac{bc\sqrt{d - c^2 dx^2}}{42x^6\sqrt{1 - c^2 x^2}} + \frac{bc^3\sqrt{d - c^2 dx^2}}{140x^4\sqrt{1 - c^2 x^2}} + \frac{2bc^5\sqrt{d - c^2 dx^2}}{105x^2\sqrt{1 - c^2 x^2}} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{7dx^7} \end{aligned}$$

**Mathematica [A]** time = 0.158904, size = 187, normalized size = 0.71

$$\frac{\sqrt{d - c^2 dx^2} \left( 20a (8c^4 x^4 + 12c^2 x^2 + 15) (c^2 x^2 - 1)^2 - bcx \sqrt{1 - c^2 x^2} (392c^6 x^6 + 40c^4 x^4 + 15c^2 x^2 - 50) + 20b (8c^4 x^4 + 12c^2 x^2 - 5) \right)}{2100x^7 (c^2 x^2 - 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/x^8,x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(20\*a\*(-1 + c^2\*x^2)^2\*(15 + 12\*c^2\*x^2 + 8\*c^4\*x^4) - b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-50 + 15\*c^2\*x^2 + 40\*c^4\*x^4 + 392\*c^6\*x^6) + 20\*b\*(-1 + c^2\*x^2)^2\*(15 + 12\*c^2\*x^2 + 8\*c^4\*x^4)\*ArcSin[c\*x]))/(2100\*x^7\*(-1 + c^2\*x^2)) - (8\*b\*c^7\*Sqrt[d - c^2\*d\*x^2]\*Log[x])/(105\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.361, size = 2748, normalized size = 10.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))/x^8,x)

[Out]  $\frac{73}{20} b (-d(c^2 x^2 - 1))^{1/2} / (280 c^8 x^8 - 105 c^6 x^6 - 21 c^4 x^4 - 315 c^2 x^2 + 225) / (c^2 x^2 - 1) * c^7 (-c^2 x^2 + 1)^{1/2} + 8/105 * b (-d(c^2 x^2 - 1))^{1/2} * (-c^2 x^2 + 1)^{1/2} / (c^2 x^2 - 1) * \ln((I * c * x + (-c^2 x^2 + 1)^{1/2})^2 - 1) * c^7 + 225/7 * b (-d(c^2 x^2 - 1))^{1/2} / (280 c^8 x^8 - 105 c^6 x^6 - 21 c^4 x^4 - 315 c^2 x^2 + 225) / x^7 / (c^2 x^2 - 1) * \arcsin(c * x) - 4/35 * a * c^2 / d / x^5 * (-c^2 d x^2 + d)^{3/2} + 20/7 * I * b (-d(c^2 x^2 - 1))^{1/2} / (280 c^8 x^8 - 105 c^6 x^6 - 21 c^4 x^4 - 315 c^2 x^2 + 225) * x / (c^2 x^2 - 1) * (-c^2 x^2 + 1) * c^8 + 120/7 * I * b (-d(c^2 x^2 - 1))^{1/2} / (280 c^8 x^8 - 105 c^6 x^6 - 21 c^4 x^4 - 315 c^2 x^2 + 225) / (c^2 x^2 - 1) * \arcsin(c * x) * (-c^2 x^2 + 1)^{1/2} * c^7 + 128/105 * I * b (-d(c^2 x^2 - 1))^{1/2} / (280 c^8 x^8 - 105 c^6 x^6 - 21 c^4 x^4 - 315 c^2 x^2 + 225) * x^{11} / (c^2 x^2 - 1) * (-c^2 x^2 + 1) * c^{18} + 16/15 * I * b (-d(c^2 x^2 - 1))^{1/2} / (280 c^8 x^8 - 105 c^6 x^6 - 21 c^4 x^4 - 315 c^2 x^2 + 225) * x^9 / (c^2 x^2 - 1) * (-c^2 x^2 + 1) * c^{16} - 88/105 * I * b (-d(c^2 x^2 - 1))^{1/2} / (280 c^8 x^8 - 105 c^6 x^6 - 21 c^4 x^4 - 315 c^2 x^2 + 225) * x^7 / (c^2 x^2 - 1) * (-c^2 x^2 + 1) * c^{14} - 302/105 * I * b (-d(c^2 x^2 - 1))^{1/2} / (280 c^8 x^8 - 105 c^6 x^6 - 21 c^4 x^4 - 315 c^2 x^2 + 225) * x^5 / (c^2 x^2 - 1) * (-c^2 x^2 + 1) * c^{12} - 10/7 * I * b (-d(c^2 x^2 - 1))^{1/2} / (280 c^8 x^8 - 105 c^6 x^6 - 21 c^4 x^4 - 315 c^2 x^2 + 225) * x^3 / (c^2 x^2 - 1) * (-c^2 x^2 + 1) * c^{10} - 8/105 * a * c^4 / d / x^3 * (-c^2 d x^2 + d)^{3/2} + 64/3 * b (-d(c^2 x^2 - 1))^{1/2} / (280 c^8 x^8 - 105 c^6 x^6 - 21 c^4 x^4 - 315 c^2 x^2 + 225) * x^9 /$

$$\begin{aligned}
& (c^2x^2-1)\arcsin(cx)*c^{16}-56/3*b*(-d*(c^2x^2-1))^{(1/2)}/(280*c^8*x^8-105 \\
& *c^6*x^6-21*c^4*x^4-315*c^2*x^2+225)*x^7/(c^2x^2-1)\arcsin(cx)*c^{14}-16/3* \\
& b*(-d*(c^2x^2-1))^{(1/2)}/(280*c^8*x^8-105*c^6*x^6-21*c^4*x^4-315*c^2*x^2+22 \\
& 5)*x^6/(c^2x^2-1)*(-c^2x^2+1)^{(1/2)}*c^{13}-4/15*b*(-d*(c^2x^2-1))^{(1/2)}/(2 \\
& 80*c^8*x^8-105*c^6*x^6-21*c^4*x^4-315*c^2*x^2+225)*x^5/(c^2x^2-1)\arcsin(c \\
& *x)*c^{12}-351/5*b*(-d*(c^2x^2-1))^{(1/2)}/(280*c^8*x^8-105*c^6*x^6-21*c^4*x^4 \\
& -315*c^2*x^2+225)*x^3/(c^2x^2-1)\arcsin(cx)*c^{10}+469/60*b*(-d*(c^2x^2-1) \\
& )^{(1/2)}/(280*c^8*x^8-105*c^6*x^6-21*c^4*x^4-315*c^2*x^2+225)*x^2/(c^2x^2-1 \\
& )*c^9*(-c^2x^2+1)^{(1/2)}+3057/35*b*(-d*(c^2x^2-1))^{(1/2)}/(280*c^8*x^8-105* \\
& c^6*x^6-21*c^4*x^4-315*c^2*x^2+225)*x/(c^2x^2-1)\arcsin(cx)*c^8-594/35*b \\
& (-d*(c^2x^2-1))^{(1/2)}/(280*c^8*x^8-105*c^6*x^6-21*c^4*x^4-315*c^2*x^2+225) \\
& /x/(c^2x^2-1)\arcsin(cx)*c^6-71/28*b*(-d*(c^2x^2-1))^{(1/2)}/(280*c^8*x^8- \\
& 105*c^6*x^6-21*c^4*x^4-315*c^2*x^2+225)/x^2/(c^2x^2-1)*c^5*(-c^2x^2+1)^{(1 \\
& /2)}+342/7*b*(-d*(c^2x^2-1))^{(1/2)}/(280*c^8*x^8-105*c^6*x^6-21*c^4*x^4-315* \\
& c^2*x^2+225)/x^3/(c^2x^2-1)\arcsin(cx)*c^4-255/28*b*(-d*(c^2x^2-1))^{(1/2) \\
& )}/(280*c^8*x^8-105*c^6*x^6-21*c^4*x^4-315*c^2*x^2+225)/x^4/(c^2x^2-1)*c^3* \\
& (-c^2x^2+1)^{(1/2)}-585/7*b*(-d*(c^2x^2-1))^{(1/2)}/(280*c^8*x^8-105*c^6*x^6- \\
& 21*c^4*x^4-315*c^2*x^2+225)/x^5/(c^2x^2-1)\arcsin(cx)*c^2+75/14*b*(-d*(c^ \\
& 2*x^2-1))^{(1/2)}/(280*c^8*x^8-105*c^6*x^6-21*c^4*x^4-315*c^2*x^2+225)/x^6/(c \\
& ^2*x^2-1)*(-c^2x^2+1)^{(1/2)}*c-16*I*b*(-d*(c^2x^2-1))^{(1/2)}*(-c^2x^2+1)^{( \\
& 1/2)}\arcsin(cx)*c^7/(105*c^2*x^2-105)+128/105*I*b*(-d*(c^2x^2-1))^{(1/2)}/( \\
& 280*c^8*x^8-105*c^6*x^6-21*c^4*x^4-315*c^2*x^2+225)*x^{13}/(c^2x^2-1)*c^{20}-1 \\
& 6/105*I*b*(-d*(c^2x^2-1))^{(1/2)}/(280*c^8*x^8-105*c^6*x^6-21*c^4*x^4-315*c^ \\
& 2*x^2+225)*x^{11}/(c^2x^2-1)*c^{18}-40/21*I*b*(-d*(c^2x^2-1))^{(1/2)}/(280*c^8* \\
& x^8-105*c^6*x^6-21*c^4*x^4-315*c^2*x^2+225)*x^9/(c^2x^2-1)*c^{16}-214/105*I* \\
& b*(-d*(c^2x^2-1))^{(1/2)}/(280*c^8*x^8-105*c^6*x^6-21*c^4*x^4-315*c^2*x^2+22 \\
& 5)*x^7/(c^2x^2-1)*c^{14}+152/105*I*b*(-d*(c^2x^2-1))^{(1/2)}/(280*c^8*x^8-105 \\
& *c^6*x^6-21*c^4*x^4-315*c^2*x^2+225)*x^5/(c^2x^2-1)*c^{12}+30/7*I*b*(-d*(c^2 \\
& *x^2-1))^{(1/2)}/(280*c^8*x^8-105*c^6*x^6-21*c^4*x^4-315*c^2*x^2+225)*x^3/(c^ \\
& 2*x^2-1)*c^{10}-20/7*I*b*(-d*(c^2x^2-1))^{(1/2)}/(280*c^8*x^8-105*c^6*x^6-21*c \\
& ^4*x^4-315*c^2*x^2+225)*x/(c^2x^2-1)*c^8+64/3*I*b*(-d*(c^2x^2-1))^{(1/2)}/( \\
& 280*c^8*x^8-105*c^6*x^6-21*c^4*x^4-315*c^2*x^2+225)*x^8/(c^2x^2-1)\arcsin( \\
& cx)*(-c^2x^2+1)^{(1/2)}*c^{15}-8*I*b*(-d*(c^2x^2-1))^{(1/2)}/(280*c^8*x^8-105* \\
& c^6*x^6-21*c^4*x^4-315*c^2*x^2+225)*x^6/(c^2x^2-1)\arcsin(cx)*(-c^2x^2+1 \\
& )^{(1/2)}*c^{13}-8/5*I*b*(-d*(c^2x^2-1))^{(1/2)}/(280*c^8*x^8-105*c^6*x^6-21*c^4 \\
& *x^4-315*c^2*x^2+225)*x^4/(c^2x^2-1)\arcsin(cx)*(-c^2x^2+1)^{(1/2)}*c^{11}-2 \\
& 4*I*b*(-d*(c^2x^2-1))^{(1/2)}/(280*c^8*x^8-105*c^6*x^6-21*c^4*x^4-315*c^2*x^ \\
& 2+225)*x^2/(c^2x^2-1)\arcsin(cx)*(-c^2x^2+1)^{(1/2)}*c^9-1/7*a/d/x^7*(-c^2 \\
& *d*x^2+d)^{(3/2)}
\end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))/x^8,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 3.31668, size = 1218, normalized size = 4.63

$$\left[ \frac{16(bc^9x^9 - bc^7x^7)\sqrt{d} \log\left(\frac{c^2dx^6 + c^2dx^2 - dx^4 + \sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1}(x^4 - 1)\sqrt{d-d}}{c^2x^4 - x^2}\right) - (8bc^5x^5 - (8bc^5 + 3bc^3 - 10bc)x^7 + 3bc^3x^3 - 10bc^3x)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))/x^8,x, algorithm="fricas")
```

```
[Out] [1/420*(16*(b*c^9*x^9 - b*c^7*x^7)*sqrt(d)*log((c^2*d*x^6 + c^2*d*x^2 - d*x^4 + sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1)*(x^4 - 1)*sqrt(d) - d)/(c^2*x^4 - x^2)) - (8*b*c^5*x^5 - (8*b*c^5 + 3*b*c^3 - 10*b*c)*x^7 + 3*b*c^3*x^3 - 10*b*c*x)*sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1) + 4*(8*a*c^8*x^8 - 4*a*c^6*x^6 - a*c^4*x^4 - 18*a*c^2*x^2 + (8*b*c^8*x^8 - 4*b*c^6*x^6 - b*c^4*x^4 - 18*b*c^2*x^2 + 15*b)*arcsin(c*x) + 15*a)*sqrt(-c^2*d*x^2 + d))/(c^2*x^9 - x^7), -1/420*(32*(b*c^9*x^9 - b*c^7*x^7)*sqrt(-d)*arctan(sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1)*(x^2 + 1)*sqrt(-d)/(c^2*d*x^4 - (c^2 + 1)*d*x^2 + d) + (8*b*c^5*x^5 - (8*b*c^5 + 3*b*c^3 - 10*b*c)*x^7 + 3*b*c^3*x^3 - 10*b*c*x)*sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1) - 4*(8*a*c^8*x^8 - 4*a*c^6*x^6 - a*c^4*x^4 - 18*a*c^2*x^2 + (8*b*c^8*x^8 - 4*b*c^6*x^6 - b*c^4*x^4 - 18*b*c^2*x^2 + 15*b)*arcsin(c*x) + 15*a)*sqrt(-c^2*d*x^2 + d))/(c^2*x^9 - x^7)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c**2*d*x**2+d)**(1/2)*(a+b*asin(c*x))/x**8,x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2 dx^2 + d}(b \arcsin(cx) + a)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))/x^8,x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)/x^8, x)

### 3.62 $\int x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=256

$$-\frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7c^6 d^3} + \frac{2(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5c^6 d^2} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{3c^6 d} - \frac{bcx^7 \sqrt{d - c^2 dx^2}}{49\sqrt{1 - c^2 x^2}}$$

```
[Out] (8*b*x*Sqrt[d - c^2*d*x^2])/(105*c^5*Sqrt[1 - c^2*x^2]) + (4*b*x^3*Sqrt[d -
c^2*d*x^2])/(315*c^3*Sqrt[1 - c^2*x^2]) + (b*x^5*Sqrt[d - c^2*d*x^2])/(175
*c*Sqrt[1 - c^2*x^2]) - (b*c*x^7*Sqrt[d - c^2*d*x^2])/(49*Sqrt[1 - c^2*x^2]
) - ((d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x]))/(3*c^6*d) + (2*(d - c^2*d*x
^2)^(5/2)*(a + b*ArcSin[c*x]))/(5*c^6*d^2) - ((d - c^2*d*x^2)^(7/2)*(a + b*
ArcSin[c*x]))/(7*c^6*d^3)
```

**Rubi [A]** time = 0.20798, antiderivative size = 256, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {266, 43, 4691, 12}

$$-\frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7c^6 d^3} + \frac{2(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5c^6 d^2} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{3c^6 d} - \frac{bcx^7 \sqrt{d - c^2 dx^2}}{49\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

```
[In] Int[x^5*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]),x]
```

```
[Out] (8*b*x*Sqrt[d - c^2*d*x^2])/(105*c^5*Sqrt[1 - c^2*x^2]) + (4*b*x^3*Sqrt[d -
c^2*d*x^2])/(315*c^3*Sqrt[1 - c^2*x^2]) + (b*x^5*Sqrt[d - c^2*d*x^2])/(175
*c*Sqrt[1 - c^2*x^2]) - (b*c*x^7*Sqrt[d - c^2*d*x^2])/(49*Sqrt[1 - c^2*x^2]
) - ((d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x]))/(3*c^6*d) + (2*(d - c^2*d*x
^2)^(5/2)*(a + b*ArcSin[c*x]))/(5*c^6*d^2) - ((d - c^2*d*x^2)^(7/2)*(a + b*
ArcSin[c*x]))/(7*c^6*d^3)
```

#### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

#### Rule 43



```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

### Rule 4691

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_)
, x_Symbol] := With[{u = IntHide[x^m*(1 - c^2*x^2)^p, x]}, Dist[a + b*ArcSi
n[c*x], Int[x^m*(d + e*x^2)^p, x], x] - Dist[(b*c*d^(p - 1/2)*Sqrt[d + e*x^
2])/Sqrt[1 - c^2*x^2], Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x
]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p + 1/2, 0] &&
(IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2*p + 3)/2, 0])
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rubi steps

$$\begin{aligned} \int x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) dx &= -\frac{(bc\sqrt{d - c^2 dx^2}) \int \frac{-8 - 4c^2 x^2 - 3c^4 x^4 + 15c^6 x^6}{105c^6} dx}{\sqrt{1 - c^2 x^2}} + (a + b \sin^{-1}(cx)) \int x^5 \sqrt{d - c^2 dx^2} \\ &= -\frac{(b\sqrt{d - c^2 dx^2}) \int (-8 - 4c^2 x^2 - 3c^4 x^4 + 15c^6 x^6) dx}{105c^5 \sqrt{1 - c^2 x^2}} + \frac{1}{2} (a + b \sin^{-1}(cx)) \text{Sub} \\ &= \frac{8bx\sqrt{d - c^2 dx^2}}{105c^5 \sqrt{1 - c^2 x^2}} + \frac{4bx^3\sqrt{d - c^2 dx^2}}{315c^3 \sqrt{1 - c^2 x^2}} + \frac{bx^5\sqrt{d - c^2 dx^2}}{175c \sqrt{1 - c^2 x^2}} - \frac{bcx^7\sqrt{d - c^2 dx^2}}{49\sqrt{1 - c^2 x^2}} + \frac{1}{2} (a \\ &= \frac{8bx\sqrt{d - c^2 dx^2}}{105c^5 \sqrt{1 - c^2 x^2}} + \frac{4bx^3\sqrt{d - c^2 dx^2}}{315c^3 \sqrt{1 - c^2 x^2}} + \frac{bx^5\sqrt{d - c^2 dx^2}}{175c \sqrt{1 - c^2 x^2}} - \frac{bcx^7\sqrt{d - c^2 dx^2}}{49\sqrt{1 - c^2 x^2}} - \frac{(d - c^2 x^2)^{3/2}}{105c^5} \end{aligned}$$

**Mathematica [A]** time = 0.164203, size = 157, normalized size = 0.61

$$\frac{\sqrt{d - c^2 dx^2} \left( 105a\sqrt{1 - c^2 x^2} (15c^6 x^6 - 3c^4 x^4 - 4c^2 x^2 - 8) + bcx (-225c^6 x^6 + 63c^4 x^4 + 140c^2 x^2 + 840) + 105b\sqrt{1 - c^2 x^2} \right)}{11025c^6 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^5\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]),x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(b\*c\*x\*(840 + 140\*c^2\*x^2 + 63\*c^4\*x^4 - 225\*c^6\*x^6) + 105\*a\*Sqrt[1 - c^2\*x^2]\*(-8 - 4\*c^2\*x^2 - 3\*c^4\*x^4 + 15\*c^6\*x^6) + 105\*b\*Sqrt[1 - c^2\*x^2]\*(-8 - 4\*c^2\*x^2 - 3\*c^4\*x^4 + 15\*c^6\*x^6)\*ArcSin[c\*x]))/(11025\*c^6\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.4, size = 953, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x)),x)

[Out] a\*(-1/7\*x^4\*(-c^2\*d\*x^2+d)^(3/2)/c^2/d+4/7/c^2\*(-1/5\*x^2\*(-c^2\*d\*x^2+d)^(3/2)/c^2/d-2/15/d/c^4\*(-c^2\*d\*x^2+d)^(3/2)))+b\*(1/6272\*(-d\*(c^2\*x^2-1))^(1/2)\*(64\*c^8\*x^8-144\*c^6\*x^6-64\*I\*(-c^2\*x^2+1)^(1/2)\*x^7\*c^7+104\*c^4\*x^4+112\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5-25\*c^2\*x^2-56\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+7\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c+1)\*(I+7\*arcsin(c\*x))/c^6/(c^2\*x^2-1)+3/3200\*(-d\*(c^2\*x^2-1))^(1/2)\*(16\*c^6\*x^6-28\*c^4\*x^4-16\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5+13\*c^2\*x^2+20\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3-5\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(I+5\*arcsin(c\*x))/c^6/(c^2\*x^2-1)+1/1152\*(-d\*(c^2\*x^2-1))^(1/2)\*(4\*c^4\*x^4-5\*c^2\*x^2-4\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+3\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c+1)\*(I+3\*arcsin(c\*x))/c^6/(c^2\*x^2-1)-5/128\*(-d\*(c^2\*x^2-1))^(1/2)\*(c^2\*x^2-I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(arcsin(c\*x)+I)/c^6/(c^2\*x^2-1)-5/128\*(-d\*(c^2\*x^2-1))^(1/2)\*(I\*(-c^2\*x^2+1)^(1/2)\*x\*c+c^2\*x^2-1)\*(arcsin(c\*x)-I)/c^6/(c^2\*x^2-1)+1/1152\*(-d\*(c^2\*x^2-1))^(1/2)\*(4\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+4\*c^4\*x^4-3\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-5\*c^2\*x^2+1)\*(-I+3\*arcsin(c\*x))/c^6/(c^2\*x^2-1)+3/3200\*(-d\*(c^2\*x^2-1))^(1/2)\*(16\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5+16\*c^6\*x^6-20\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3-28\*c^4\*x^4+5\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c+13\*c^2\*x^2-1)\*(-I+5\*arcsin(c\*x))/c^6/(c^2\*x^2-1)+1/6272\*(-d\*(c^2\*x^2-1))^(1/2)\*(64\*I\*(-c^2\*x^2+1)^(1/2)\*x^7\*c^7+64\*c^8\*x^8-112\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5-144\*c^6\*x^6+56\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+104\*c^4\*x^4-7\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-25\*c^2\*x^2+1)\*(-I+7\*arcsin(c\*x))/c^6/(c^2\*x^2-1))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.44133, size = 393, normalized size = 1.54

$$\frac{(225bc^7x^7 - 63bc^5x^5 - 140bc^3x^3 - 840bcx)\sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1} + 105(15ac^8x^8 - 18ac^6x^6 - ac^4x^4 - 4ac^2x^2 + 1)}{11025(c^8x^2 - c^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out]  $\frac{1}{11025} \left( (225bc^7x^7 - 63bc^5x^5 - 140bc^3x^3 - 840bcx) \sqrt{-c^2dx^2 + d} \sqrt{-c^2x^2 + 1} + 105(15ac^8x^8 - 18ac^6x^6 - ac^4x^4 - 4ac^2x^2 + 1) \right) \arcsin(cx) + 8a \sqrt{-c^2dx^2 + d} / (c^8x^2 - c^6)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(-c**2*d*x**2+d)**(1/2)*(a+b*asin(c*x)),x)`

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

### 3.63 $\int x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=183

$$\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5c^4 d^2} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{3c^4 d} - \frac{bcx^5 \sqrt{d - c^2 dx^2}}{25\sqrt{1 - c^2 x^2}} + \frac{bx^3 \sqrt{d - c^2 dx^2}}{45c\sqrt{1 - c^2 x^2}} + \frac{2bx\sqrt{d - c^2 dx^2}}{15c^3\sqrt{1 - c^2 x^2}}$$

[Out]  $(2*b*x*\text{Sqrt}[d - c^2*d*x^2])/(15*c^3*\text{Sqrt}[1 - c^2*x^2]) + (b*x^3*\text{Sqrt}[d - c^2*d*x^2])/(45*c*\text{Sqrt}[1 - c^2*x^2]) - (b*c*x^5*\text{Sqrt}[d - c^2*d*x^2])/(25*\text{Sqrt}[1 - c^2*x^2]) - ((d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/(3*c^4*d) + ((d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x]))/(5*c^4*d^2)$

**Rubi [A]** time = 0.168046, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {266, 43, 4691, 12}

$$\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5c^4 d^2} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{3c^4 d} - \frac{bcx^5 \sqrt{d - c^2 dx^2}}{25\sqrt{1 - c^2 x^2}} + \frac{bx^3 \sqrt{d - c^2 dx^2}}{45c\sqrt{1 - c^2 x^2}} + \frac{2bx\sqrt{d - c^2 dx^2}}{15c^3\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^3*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]), x]$

[Out]  $(2*b*x*\text{Sqrt}[d - c^2*d*x^2])/(15*c^3*\text{Sqrt}[1 - c^2*x^2]) + (b*x^3*\text{Sqrt}[d - c^2*d*x^2])/(45*c*\text{Sqrt}[1 - c^2*x^2]) - (b*c*x^5*\text{Sqrt}[d - c^2*d*x^2])/(25*\text{Sqrt}[1 - c^2*x^2]) - ((d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/(3*c^4*d) + ((d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x]))/(5*c^4*d^2)$

#### Rule 266

$\text{Int}[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{\text{Simplify}[(m + 1)/n] - 1}*(a + b*x)^p, x], x, x^n], x] /;$   $\text{FreeQ}\{a, b, m, n, p, x\}$  &&  $\text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

#### Rule 43

$\text{Int}[(a_ + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /;$   $\text{FreeQ}\{a, b, c, d, n, x\}$  &&  $\text{NeQ}[b*c - a*d, 0]$  &&  $\text{IGtQ}[m, 0]$  &&  $(\text{!IntegerQ}[n] \parallel (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) \parallel \text{LtQ}[9*m + 5*(n + 1), 0] \parallel \text{GtQ}[m + n + 2, 0])$

Rule 4691

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))*(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(p_)
, x_Symbol] := With[{u = IntHide[x^m*(1 - c^2*x^2)^p, x]}, Dist[a + b*ArcSi
n[c*x], Int[x^m*(d + e*x^2)^p, x], x] - Dist[(b*c*d^(p - 1/2)*Sqrt[d + e*x^
2])/Sqrt[1 - c^2*x^2], Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x
]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p + 1/2, 0] &&
(IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2*p + 3)/2, 0])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rubi steps

$$\begin{aligned}
\int x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) dx &= -\frac{(bc\sqrt{d - c^2 dx^2}) \int \frac{-2 - c^2 x^2 + 3c^4 x^4}{15c^4} dx}{\sqrt{1 - c^2 x^2}} + (a + b \sin^{-1}(cx)) \int x^3 \sqrt{d - c^2 dx^2} dx \\
&= -\frac{(b\sqrt{d - c^2 dx^2}) \int (-2 - c^2 x^2 + 3c^4 x^4) dx}{15c^3 \sqrt{1 - c^2 x^2}} + \frac{1}{2} (a + b \sin^{-1}(cx)) \text{Subst} \left( \int x \sqrt{d - c^2 dx^2} dx, x, \frac{d - c^2 dx^2}{c} \right) \\
&= \frac{2bx\sqrt{d - c^2 dx^2}}{15c^3 \sqrt{1 - c^2 x^2}} + \frac{bx^3\sqrt{d - c^2 dx^2}}{45c\sqrt{1 - c^2 x^2}} - \frac{bcx^5\sqrt{d - c^2 dx^2}}{25\sqrt{1 - c^2 x^2}} + \frac{1}{2} (a + b \sin^{-1}(cx)) \text{Subst} \left( \int x \sqrt{d - c^2 dx^2} dx, x, \frac{d - c^2 dx^2}{c} \right) \\
&= \frac{2bx\sqrt{d - c^2 dx^2}}{15c^3 \sqrt{1 - c^2 x^2}} + \frac{bx^3\sqrt{d - c^2 dx^2}}{45c\sqrt{1 - c^2 x^2}} - \frac{bcx^5\sqrt{d - c^2 dx^2}}{25\sqrt{1 - c^2 x^2}} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{3c^4 d}
\end{aligned}$$

**Mathematica [A]** time = 0.0853771, size = 134, normalized size = 0.73

$$\frac{\sqrt{d - c^2 dx^2} \left( 15a\sqrt{1 - c^2 x^2} (3c^4 x^4 - c^2 x^2 - 2) + b(-9c^5 x^5 + 5c^3 x^3 + 30cx) + 15b\sqrt{1 - c^2 x^2} (3c^4 x^4 - c^2 x^2 - 2) \sin^{-1}(cx) \right)}{225c^4 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^3*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]),x]
```

```
[Out] (Sqrt[d - c^2*d*x^2]*(15*a*Sqrt[1 - c^2*x^2]*(-2 - c^2*x^2 + 3*c^4*x^4) + b
*(30*c*x + 5*c^3*x^3 - 9*c^5*x^5) + 15*b*Sqrt[1 - c^2*x^2]*(-2 - c^2*x^2 +
3*c^4*x^4)*ArcSin[c*x]))/(225*c^4*Sqrt[1 - c^2*x^2])
```

---

**Maple [C]** time = 0.277, size = 617, normalized size = 3.4

$$a \left( -\frac{x^2}{5c^2d} (-c^2dx^2 + d)^{\frac{3}{2}} - \frac{2}{15dc^4} (-c^2dx^2 + d)^{\frac{3}{2}} \right) + b \left( \frac{i + 5 \arcsin(cx)}{800c^4(c^2x^2 - 1)} \sqrt{-d(c^2x^2 - 1)} \left( 16c^6x^6 - 28c^4x^4 - 16i\sqrt{-c^2x^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x)`

[Out] `a*(-1/5*x^2*(-c^2*d*x^2+d)^(3/2)/c^2/d-2/15/d/c^4*(-c^2*d*x^2+d)^(3/2))+b*(1/800*(-d*(c^2*x^2-1))^(1/2)*(16*c^6*x^6-28*c^4*x^4-16*I*(-c^2*x^2+1)^(1/2)*x^5*c^5+13*c^2*x^2+20*I*(-c^2*x^2+1)^(1/2)*x^3*c^3-5*I*(-c^2*x^2+1)^(1/2)*x*c-1)*(I+5*arcsin(c*x))/c^4/(c^2*x^2-1)+1/288*(-d*(c^2*x^2-1))^(1/2)*(4*c^4*x^4-5*c^2*x^2-4*I*(-c^2*x^2+1)^(1/2)*x^3*c^3+3*I*(-c^2*x^2+1)^(1/2)*x*c+1)*(I+3*arcsin(c*x))/c^4/(c^2*x^2-1)-1/16*(-d*(c^2*x^2-1))^(1/2)*(c^2*x^2-I*(-c^2*x^2+1)^(1/2)*x*c-1)*(arcsin(c*x)+I)/c^4/(c^2*x^2-1)-1/16*(-d*(c^2*x^2-1))^(1/2)*(I*(-c^2*x^2+1)^(1/2)*x*c+c^2*x^2-1)*(arcsin(c*x)-I)/c^4/(c^2*x^2-1)+1/288*(-d*(c^2*x^2-1))^(1/2)*(4*I*(-c^2*x^2+1)^(1/2)*x^3*c^3+4*c^4*x^4-3*I*(-c^2*x^2+1)^(1/2)*x*c-5*c^2*x^2+1)*(-I+3*arcsin(c*x))/c^4/(c^2*x^2-1)+1/800*(-d*(c^2*x^2-1))^(1/2)*(16*I*(-c^2*x^2+1)^(1/2)*x^5*c^5+16*c^6*x^6-20*I*(-c^2*x^2+1)^(1/2)*x^3*c^3-28*c^4*x^4+5*I*(-c^2*x^2+1)^(1/2)*x*c+13*c^2*x^2-1)*(-I+5*arcsin(c*x))/c^4/(c^2*x^2-1))`

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

---

**Fricas [A]** time = 2.44425, size = 319, normalized size = 1.74

$$\frac{(9bc^5x^5 - 5bc^3x^3 - 30bcx)\sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1} + 15(3ac^6x^6 - 4ac^4x^4 - ac^2x^2 + (3bc^6x^6 - 4bc^4x^4 - bc^2x^2 + 2b))}{225(c^6x^2 - c^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] 1/225*((9*b*c^5*x^5 - 5*b*c^3*x^3 - 30*b*c*x)*sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1) + 15*(3*a*c^6*x^6 - 4*a*c^4*x^4 - a*c^2*x^2 + (3*b*c^6*x^6 - 4*b*c^4*x^4 - b*c^2*x^2 + 2*b)*arcsin(c*x) + 2*a)*sqrt(-c^2*d*x^2 + d))/(c^6*x^2 - c^4)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x^3 \sqrt{-d(cx-1)(cx+1)} (a + b \operatorname{asin}(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(-c**2*d*x**2+d)**(1/2)*(a+b*asin(c*x)),x)
```

```
[Out] Integral(x**3*sqrt(-d*(c*x - 1)*(c*x + 1))*(a + b*asin(c*x)), x)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```



### 3.64 $\int x\sqrt{d - c^2dx^2} (a + b\sin^{-1}(cx)) dx$

**Optimal.** Leaf size=110

$$-\frac{(d - c^2dx^2)^{3/2} (a + b\sin^{-1}(cx))}{3c^2d} - \frac{bcx^3\sqrt{d - c^2dx^2}}{9\sqrt{1 - c^2x^2}} + \frac{bx\sqrt{d - c^2dx^2}}{3c\sqrt{1 - c^2x^2}}$$

[Out] (b\*x\*Sqrt[d - c^2\*d\*x^2])/(3\*c\*Sqrt[1 - c^2\*x^2]) - (b\*c\*x^3\*Sqrt[d - c^2\*d\*x^2])/(9\*Sqrt[1 - c^2\*x^2]) - ((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(3\*c^2\*d)

**Rubi [A]** time = 0.0680963, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.04$ , Rules used = {4677}

$$-\frac{(d - c^2dx^2)^{3/2} (a + b\sin^{-1}(cx))}{3c^2d} - \frac{bcx^3\sqrt{d - c^2dx^2}}{9\sqrt{1 - c^2x^2}} + \frac{bx\sqrt{d - c^2dx^2}}{3c\sqrt{1 - c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*x\*Sqrt[d - c^2\*d\*x^2])/(3\*c\*Sqrt[1 - c^2\*x^2]) - (b\*c\*x^3\*Sqrt[d - c^2\*d\*x^2])/(9\*Sqrt[1 - c^2\*x^2]) - ((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(3\*c^2\*d)

#### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rubi steps

$$\int x\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))dx = -\frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{3c^2d} + \frac{(b\sqrt{d-c^2dx^2})\int(1-c^2x^2)dx}{3c\sqrt{1-c^2x^2}}$$

$$= \frac{bx\sqrt{d-c^2dx^2}}{3c\sqrt{1-c^2x^2}} - \frac{bcx^3\sqrt{d-c^2dx^2}}{9\sqrt{1-c^2x^2}} - \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{3c^2d}$$

**Mathematica [A]** time = 0.0841051, size = 70, normalized size = 0.64

$$\frac{\sqrt{d-c^2dx^2}\left((c^2x^2-1)(a+b\sin^{-1}(cx)) + \frac{bc\left(x-\frac{c^2x^3}{3}\right)}{\sqrt{1-c^2x^2}}\right)}{3c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]), x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*((b\*c\*(x - (c^2\*x^3)/3))/Sqrt[1 - c^2\*x^2] + (-1 + c^2\*x^2)\*(a + b\*ArcSin[c\*x])))/(3\*c^2)

**Maple [C]** time = 0.137, size = 343, normalized size = 3.1

$$-\frac{a}{3c^2d}(-c^2dx^2+d)^{\frac{3}{2}} + b\left(\frac{i+3\arcsin(cx)}{72c^2(c^2x^2-1)}\sqrt{-d(c^2x^2-1)}\left(4c^4x^4-5c^2x^2-4i\sqrt{-c^2x^2+1}x^3c^3+3i\sqrt{-c^2x^2+1}xc+1\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x)), x)

[Out] -1/3\*a/c^2/d\*(-c^2\*d\*x^2+d)^(3/2)+b\*(1/72\*(-d\*(c^2\*x^2-1))^(1/2)\*(4\*c^4\*x^4-5\*c^2\*x^2-4\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+3\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c+1)\*(I+3\*arcsin(c\*x))/c^2/(c^2\*x^2-1)-1/8\*(-d\*(c^2\*x^2-1))^(1/2)\*(c^2\*x^2-I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(arcsin(c\*x)+I)/c^2/(c^2\*x^2-1)-1/8\*(-d\*(c^2\*x^2-1))^(1/2)\*(I\*(-c^2\*x^2+1)^(1/2)\*x\*c+c^2\*x^2-1)\*(arcsin(c\*x)-I)/c^2/(c^2\*x^2-1)+1/72\*(-d\*(c^2\*x^2-1))^(1/2)\*(4\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+4\*c^4\*x^4-3\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-5\*c^2\*x^2+1)\*(-I+3\*arcsin(c\*x))/c^2/(c^2\*x^2-1))

---

**Maxima [A]** time = 1.67976, size = 101, normalized size = 0.92

$$-\frac{(-c^2dx^2 + d)^{\frac{3}{2}}b \arcsin(cx)}{3c^2d} - \frac{(c^2d^{\frac{3}{2}}x^3 - 3d^{\frac{3}{2}}x)b}{9cd} - \frac{(-c^2dx^2 + d)^{\frac{3}{2}}a}{3c^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out]  $-\frac{1}{3}(-c^2dx^2 + d)^{\frac{3}{2}}b \arcsin(cx)/(c^2d) - \frac{1}{9}(c^2d^{\frac{3}{2}}x^3 - 3d^{\frac{3}{2}}x)b/(cd) - \frac{1}{3}(-c^2dx^2 + d)^{\frac{3}{2}}a/(c^2d)$

---

**Fricas [A]** time = 2.32224, size = 248, normalized size = 2.25

$$\frac{(bc^3x^3 - 3bcx)\sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1} + 3(ac^4x^4 - 2ac^2x^2 + (bc^4x^4 - 2bc^2x^2 + b)\arcsin(cx) + a)\sqrt{-c^2dx^2 + d}}{9(c^4x^2 - c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out]  $\frac{1}{9}((b*c^3*x^3 - 3*b*c*x)*\sqrt{-c^2*d*x^2 + d}*\sqrt{-c^2*x^2 + 1} + 3*(a*c^4*x^4 - 2*a*c^2*x^2 + (b*c^4*x^4 - 2*b*c^2*x^2 + b)*\arcsin(c*x) + a)*\sqrt{-c^2*d*x^2 + d})/(c^4*x^2 - c^2)$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c\*\*2\*d\*x\*\*2+d)\*\*(1/2)\*(a+b\*asin(c\*x)),x)

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.65 \quad \int \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{x} dx$$

**Optimal.** Leaf size=203

$$\frac{ib\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)}{\sqrt{1-c^2x^2}} - \frac{ib\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)}{\sqrt{1-c^2x^2}} + \sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx)) - \frac{2\sqrt{d-c^2dx^2}}{c}$$

[Out]  $-\left(\frac{b c x \sqrt{d-c^2 d x^2}}{\sqrt{1-c^2 x^2}}\right) + \sqrt{d-c^2 d x^2} (a + b \text{ArcSin}[c x]) - \left(\frac{2 \sqrt{d-c^2 d x^2} (a + b \text{ArcSin}[c x]) \text{ArcTanh}\left[E^{\left(I \text{ArcSin}[c x]\right)}\right]}{\sqrt{1-c^2 x^2}}\right) + \left(\frac{I b \sqrt{d-c^2 d x^2} \text{PolyLog}\left[2, -E^{\left(I \text{ArcSin}[c x]\right)}\right]}{\sqrt{1-c^2 x^2}}\right) - \left(\frac{I b \sqrt{d-c^2 d x^2} \text{PolyLog}\left[2, E^{\left(I \text{ArcSin}[c x]\right)}\right]}{\sqrt{1-c^2 x^2}}\right)$

**Rubi [A]** time = 0.209705, antiderivative size = 203, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4697, 4709, 4183, 2279, 2391, 8}

$$\frac{ib\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)}{\sqrt{1-c^2x^2}} - \frac{ib\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)}{\sqrt{1-c^2x^2}} + \sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx)) - \frac{2\sqrt{d-c^2dx^2}}{c}$$

Antiderivative was successfully verified.

[In]  $\text{Int}\left[\left(\frac{\sqrt{d-c^2 d x^2} (a + b \text{ArcSin}[c x])}{x}\right), x\right]$

[Out]  $-\left(\frac{b c x \sqrt{d-c^2 d x^2}}{\sqrt{1-c^2 x^2}}\right) + \sqrt{d-c^2 d x^2} (a + b \text{ArcSin}[c x]) - \left(\frac{2 \sqrt{d-c^2 d x^2} (a + b \text{ArcSin}[c x]) \text{ArcTanh}\left[E^{\left(I \text{ArcSin}[c x]\right)}\right]}{\sqrt{1-c^2 x^2}}\right) + \left(\frac{I b \sqrt{d-c^2 d x^2} \text{PolyLog}\left[2, -E^{\left(I \text{ArcSin}[c x]\right)}\right]}{\sqrt{1-c^2 x^2}}\right) - \left(\frac{I b \sqrt{d-c^2 d x^2} \text{PolyLog}\left[2, E^{\left(I \text{ArcSin}[c x]\right)}\right]}{\sqrt{1-c^2 x^2}}\right)$

**Rule 4697**

$\text{Int}\left[\left(\frac{(a + \text{ArcSin}[c x]) (b x)^n}{(f x)^m \sqrt{d + e x^2}}\right), x\right] \rightarrow \text{Simp}\left[\frac{(f x)^{m+1} \sqrt{d + e x^2} (a + b \text{ArcSin}[c x])^n}{(f (m+2))}, x\right] + \left(\frac{\text{Dist}\left[\sqrt{d + e x^2}, \frac{1}{(m+2) \sqrt{1-c^2 x^2}}\right], \text{Int}\left[\frac{(f x)^m (a + b \text{ArcSin}[c x])^n}{\sqrt{1-c^2 x^2}}, x\right], x\right) - \text{Dist}\left[\frac{b c n \sqrt{d + e x^2}}{(f (m+2) \sqrt{1-c^2 x^2})}, \text{Int}\left[\frac{(f x)^{m+1} (a + b \text{ArcSin}[c x])^{n-1}}{x}, x\right]\right] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x \ \&\& \ \text{Eq}\left[c^2 d + e, 0\right] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{!LtQ}[m, -1] \ \&\& \ (\text{RationalQ}[m] \ || \ \text{EqQ}[n, 1])$

Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_.)*(x_)^(m_.)/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^m_.], x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^n_.], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x} dx &= \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{\sqrt{d - c^2 dx^2} \int \frac{a + b \sin^{-1}(cx)}{x \sqrt{1 - c^2 x^2}} dx}{\sqrt{1 - c^2 x^2}} - \frac{(bc \sqrt{d - c^2 dx^2}) \int 1}{\sqrt{1 - c^2 x^2}} \\
&= -\frac{bcx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{\sqrt{d - c^2 dx^2} \operatorname{Subst}\left(\int (a + bx) c\right)}{\sqrt{1 - c^2 x^2}} \\
&= -\frac{bcx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{2\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} \\
&= -\frac{bcx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{2\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} \\
&= -\frac{bcx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{2\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.51766, size = 187, normalized size = 0.92

$$\frac{b\sqrt{d - c^2 dx^2} \left( i \operatorname{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right) - i \operatorname{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right) + \sqrt{1 - c^2 x^2} \sin^{-1}(cx) - cx + \sin^{-1}(cx) \log\left(1 - e^{i \sin^{-1}(cx)}\right) \right)}{\sqrt{1 - c^2 x^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/x,x]

[Out] a\*Sqrt[d - c^2\*d\*x^2] + a\*Sqrt[d]\*Log[x] - a\*Sqrt[d]\*Log[d + Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]] + (b\*Sqrt[d - c^2\*d\*x^2]\*(-(c\*x) + Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + ArcSin[c\*x]\*Log[1 - E^(I\*ArcSin[c\*x])]) - ArcSin[c\*x]\*Log[1 + E^(I\*ArcSin[c\*x])]) + I\*PolyLog[2, -E^(I\*ArcSin[c\*x])] - I\*PolyLog[2, E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2]

**Maple [A]** time = 0.154, size = 413, normalized size = 2.

$$-\sqrt{d} \ln\left(\frac{1}{x} \left(2d + 2\sqrt{d}\sqrt{-c^2 dx^2 + d}\right)\right) a + \sqrt{-c^2 dx^2 + da} + \frac{b \arcsin(cx) x^2 c^2}{c^2 x^2 - 1} \sqrt{-d(c^2 x^2 - 1)} + \frac{xbc}{c^2 x^2 - 1} \sqrt{-d(c^2 x^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))/x,x)

```
[Out] -d^(1/2)*ln((2*d+2*d^(1/2)*(-c^2*d*x^2+d)^(1/2))/x)*a+(-c^2*d*x^2+d)^(1/2)*
a+b*(-d*(c^2*x^2-1))^(1/2)/(c^2*x^2-1)*arcsin(c*x)*x^2*c^2+b*(-d*(c^2*x^2-1)
)^(1/2)/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x*c-b*(-d*(c^2*x^2-1))^(1/2)/(c^2*x
^2-1)*arcsin(c*x)+b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*a
rcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^
2+1)^(1/2)/(c^2*x^2-1)*arcsin(c*x)*ln(1-I*c*x-(-c^2*x^2+1)^(1/2))-I*b*(-d*(
c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*polylog(2,-I*c*x-(-c^2*x^2
+1)^(1/2))+I*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*polylo
g(2,I*c*x+(-c^2*x^2+1)^(1/2))
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))/x,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2 + d}(b \arcsin(cx) + a)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))/x,x, algorithm="fricas")
```

```
[Out] integral(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)/x, x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-d}(cx-1)(cx+1)(a+b \operatorname{asin}(cx))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(1/2)\*(a+b\*asin(c\*x))/x,x)

[Out] Integral(sqrt(-d\*(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))/x, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2 dx^2 + d}(b \arcsin(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))/x,x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)/x, x)

$$3.66 \quad \int \frac{\sqrt{d-c^2x^2}(a+b\sin^{-1}(cx))}{x^3} dx$$

**Optimal.** Leaf size=225

$$-\frac{ibc^2\sqrt{d-c^2x^2}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)}{2\sqrt{1-c^2x^2}} + \frac{ibc^2\sqrt{d-c^2x^2}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)}{2\sqrt{1-c^2x^2}} - \frac{\sqrt{d-c^2x^2}(a+b\sin^{-1}(cx))}{2x^2} + \frac{c^2\sqrt{d-c^2x^2}}{2x^2}$$

[Out]  $-(b*c*\text{Sqrt}[d - c^2*d*x^2])/(2*x*\text{Sqrt}[1 - c^2*x^2]) - (\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(2*x^2) + (c^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/(\text{Sqrt}[1 - c^2*x^2]) - ((I/2)*b*c^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/(\text{Sqrt}[1 - c^2*x^2]) + ((I/2)*b*c^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/(\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.207735, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4693, 30, 4709, 4183, 2279, 2391}

$$-\frac{ibc^2\sqrt{d-c^2x^2}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)}{2\sqrt{1-c^2x^2}} + \frac{ibc^2\sqrt{d-c^2x^2}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)}{2\sqrt{1-c^2x^2}} - \frac{\sqrt{d-c^2x^2}(a+b\sin^{-1}(cx))}{2x^2} + \frac{c^2\sqrt{d-c^2x^2}}{2x^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/x^3, x]$

[Out]  $-(b*c*\text{Sqrt}[d - c^2*d*x^2])/(2*x*\text{Sqrt}[1 - c^2*x^2]) - (\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(2*x^2) + (c^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/(\text{Sqrt}[1 - c^2*x^2]) - ((I/2)*b*c^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/(\text{Sqrt}[1 - c^2*x^2]) + ((I/2)*b*c^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/(\text{Sqrt}[1 - c^2*x^2])$

**Rule 4693**

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*(f*x)^m*\text{Sqrt}[d + e*x^2], x\_Symbol] :> \text{Simp}[(f*x)^{m+1}*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n/(f*(m+1)), x] + (-\text{Dist}[b*c*n*\text{Sqrt}[d + e*x^2]/(f*(m+1)*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(f*x)^{m+1}*(a + b*\text{ArcSin}[c*x])^n, x], x] + \text{Dist}[(c^2*\text{Sqrt}[d + e*x^2])/(f^2*(m+1)*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(f*x)^{m+2}*(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[1 - c^2*x^2], x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[m, -1]$

Rule 30

```
Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]
```

Rule 4709

```
Int[(((a_) + ArcSin[(c_)*(x_)]*(b_.))^n_)*(x_)^(m_)]/Sqrt[(d_) + (e_)*(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 4183

```
Int[csc[(e_) + (f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^n_], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{x^3} dx &= -\frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{2x^2} + \frac{(bc\sqrt{d-c^2dx^2}) \int \frac{1}{x^2} dx}{2\sqrt{1-c^2x^2}} - \frac{(c^2\sqrt{d-c^2dx^2}) \int \frac{a+b\sin^{-1}(cx)}{x\sqrt{1-c^2x^2}} dx}{2\sqrt{1-c^2x^2}} \\
&= -\frac{bc\sqrt{d-c^2dx^2}}{2x\sqrt{1-c^2x^2}} - \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{2x^2} - \frac{(c^2\sqrt{d-c^2dx^2}) \text{Subst}\left(\int(a+bx)\sqrt{1-c^2x^2} dx, x, \frac{cx}{\sqrt{1-c^2x^2}}\right)}{2\sqrt{1-c^2x^2}} \\
&= -\frac{bc\sqrt{d-c^2dx^2}}{2x\sqrt{1-c^2x^2}} - \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{2x^2} + \frac{c^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx)) \text{ta}}{\sqrt{1-c^2x^2}} \\
&= -\frac{bc\sqrt{d-c^2dx^2}}{2x\sqrt{1-c^2x^2}} - \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{2x^2} + \frac{c^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx)) \text{ta}}{\sqrt{1-c^2x^2}} \\
&= -\frac{bc\sqrt{d-c^2dx^2}}{2x\sqrt{1-c^2x^2}} - \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{2x^2} + \frac{c^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx)) \text{ta}}{\sqrt{1-c^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 2.02804, size = 239, normalized size = 1.06

$$\frac{1}{8} \left( \frac{bc^2d\sqrt{1-c^2x^2} \left( -4i\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right) + 4i\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right) - 4\sin^{-1}(cx) \log\left(1 - e^{i\sin^{-1}(cx)}\right) + 4\sin^{-1}(cx) \log\left(1 + e^{i\sin^{-1}(cx)}\right) \right)}{\sqrt{1-c^2x^2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/x^3, x]

[Out] ((-4\*a\*Sqrt[d - c^2\*d\*x^2])/x^2 - 4\*a\*c^2\*Sqrt[d]\*Log[x] + 4\*a\*c^2\*Sqrt[d]\*Log[d + Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]] + (b\*c^2\*d\*Sqrt[1 - c^2\*x^2]\*(-2\*Cot[ArcSin[c\*x]/2] - ArcSin[c\*x]\*Csc[ArcSin[c\*x]/2]^2 - 4\*ArcSin[c\*x]\*Log[1 - E^(I\*ArcSin[c\*x])] + 4\*ArcSin[c\*x]\*Log[1 + E^(I\*ArcSin[c\*x])]) - (4\*I)\*PolyLog[2, -E^(I\*ArcSin[c\*x])] + (4\*I)\*PolyLog[2, E^(I\*ArcSin[c\*x])] + ArcSin[c\*x]\*Sec[ArcSin[c\*x]/2]^2 - 2\*Tan[ArcSin[c\*x]/2]))/Sqrt[d - c^2\*d\*x^2])/8

**Maple [B]** time = 0.222, size = 462, normalized size = 2.1

$$-\frac{a}{2dx^2}(-c^2dx^2 + d)^{\frac{3}{2}} + \frac{ac^2}{2}\sqrt{d}\ln\left(\frac{1}{x}\left(2d + 2\sqrt{d}\sqrt{-c^2dx^2 + d}\right)\right) - \frac{ac^2}{2}\sqrt{-c^2dx^2 + d} - \frac{b\arcsin(cx)c^2}{2c^2x^2 - 2}\sqrt{-d(c^2x^2 - 1)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))/x^3,x)`

[Out] `-1/2*a/d/x^2*(-c^2*d*x^2+d)^(3/2)+1/2*a*d^(1/2)*ln((2*d+2*d^(1/2)*(-c^2*d*x^2+d)^(1/2))/x)*c^2-1/2*a*(-c^2*d*x^2+d)^(1/2)*c^2-1/2*b*(-d*(c^2*x^2-1))^(1/2)/(c^2*x^2-1)*arcsin(c*x)*c^2+1/2*b*(-d*(c^2*x^2-1))^(1/2)/(c^2*x^2-1)/x*(-c^2*x^2+1)^(1/2)*c+1/2*b*(-d*(c^2*x^2-1))^(1/2)/(c^2*x^2-1)/x^2*arcsin(c*x)-b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)*c^2/(2*c^2*x^2-2)*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))+b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)*c^2/(2*c^2*x^2-2)*arcsin(c*x)*ln(1-I*c*x-(-c^2*x^2+1)^(1/2))+I*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)*c^2/(2*c^2*x^2-2)*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2))-I*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)*c^2/(2*c^2*x^2-2)*polylog(2,I*c*x+(-c^2*x^2+1)^(1/2))`

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))/x^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2+d}(b\arcsin(cx)+a)}{x^3},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))/x^3,x, algorithm="fricas")`

[Out] `integral(sqrt(-c^2*d*x^2+d)*(b*arcsin(c*x)+a)/x^3,x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-d(cx-1)(cx+1)}(a+b\text{asin}(cx))}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(1/2)\*(a+b\*asin(c\*x))/x\*\*3,x)

[Out] Integral(sqrt(-d\*(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))/x\*\*3, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2 dx^2 + d}(b \arcsin(cx) + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))/x^3,x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)/x^3, x)

$$3.67 \quad \int \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{x^5} dx$$

**Optimal.** Leaf size=301

$$-\frac{ibc^4\sqrt{d-c^2dx^2}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)}{8\sqrt{1-c^2x^2}} + \frac{ibc^4\sqrt{d-c^2dx^2}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)}{8\sqrt{1-c^2x^2}} + \frac{c^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{8x^2}$$

[Out]  $-(b*c*\text{Sqrt}[d - c^2*d*x^2])/(12*x^3*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*\text{Sqrt}[d - c^2*d*x^2])/(8*x*\text{Sqrt}[1 - c^2*x^2]) - (\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(4*x^4) + (c^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(8*x^2) + (c^4*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/(4*\text{Sqrt}[1 - c^2*x^2]) - ((I/8)*b*c^4*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/\text{Sqrt}[1 - c^2*x^2] + ((I/8)*b*c^4*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/\text{Sqrt}[1 - c^2*x^2]$

**Rubi [A]** time = 0.294422, antiderivative size = 301, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {4693, 30, 4701, 4709, 4183, 2279, 2391}

$$-\frac{ibc^4\sqrt{d-c^2dx^2}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)}{8\sqrt{1-c^2x^2}} + \frac{ibc^4\sqrt{d-c^2dx^2}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)}{8\sqrt{1-c^2x^2}} + \frac{c^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{8x^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/x^5, x]$

[Out]  $-(b*c*\text{Sqrt}[d - c^2*d*x^2])/(12*x^3*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*\text{Sqrt}[d - c^2*d*x^2])/(8*x*\text{Sqrt}[1 - c^2*x^2]) - (\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(4*x^4) + (c^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(8*x^2) + (c^4*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/(4*\text{Sqrt}[1 - c^2*x^2]) - ((I/8)*b*c^4*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/\text{Sqrt}[1 - c^2*x^2] + ((I/8)*b*c^4*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/\text{Sqrt}[1 - c^2*x^2]$

### Rule 4693

$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^(n_.)*((f_.*(x_.))^(m_.)*\text{Sqrt}[(d_. + (e_.*(x_.)^2), x\_Symbol] :> \text{Simp}[(f*x)^(m + 1)*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n]/(f*(m + 1)), x] + (-\text{Dist}[(b*c*n*\text{Sqrt}[d + e*x^2])/(f*(m + 1))*\text{Sqr}$

$\text{t}[1 - c^2x^2]), \text{Int}[(f*x)^{(m+1)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x] + \text{Dist}[(c^2*\text{Sqrt}[d + e*x^2])/(f^2*(m+1)*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(f*x)^{(m+2)}*(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[1 - c^2*x^2], x], x) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[m, -1]$

### Rule 30

$\text{Int}[(x_)^{(m_.)}, x\_Symbol] :> \text{Simp}[x^{(m+1)}/(m+1), x] /; \text{FreeQ}[m, x] \&\& \text{NeQ}[m, -1]$

### Rule 4701

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_)]*(b_.)]^{(n_.)}*((f_.)*(x_))^{(m_.)}*((d_.) + (e_.)*(x_)^2)^{(p_.)}, x\_Symbol] :> \text{Simp}[(f*x)^{(m+1)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n/(d*f*(m+1)), x] + (\text{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1)), \text{Int}[(f*x)^{(m+2)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]})/(f*(m+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m+1)}*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x)) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[m]$

### Rule 4709

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_)]*(b_.)]^{(n_.)}*(x_)^{(m_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_)^2], x\_Symbol] :> \text{Dist}[1/(c^{(m+1)}*\text{Sqrt}[d]), \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sin}[x]^m, x], x, \text{ArcSin}[c*x]], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[d, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m]$

### Rule 4183

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^{(m_.)}, x\_Symbol] :> \text{Simp}[(-2*(c + d*x)^m*\text{ArcTanh}[E^{(I*(e + f*x))}]/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 - E^{(I*(e + f*x))}], x], x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + E^{(I*(e + f*x))}], x], x)) /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0]$

### Rule 2279

$\text{Int}[\text{Log}[(a_.) + (b_.)*((F_)^{((e_.)*((c_.) + (d_.)*(x_)))})^{(n_.)}], x\_Symbol] :> \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x] \&\& \text{GtQ}[a, 0]$

### Rule 2391



Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] :> -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{x^5} dx &= -\frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{4x^4} + \frac{(bc\sqrt{d-c^2dx^2}) \int \frac{1}{x^4} dx}{4\sqrt{1-c^2x^2}} - \frac{(c^2\sqrt{d-c^2dx^2}) \int \frac{a+b}{x^3} dx}{4\sqrt{1-c^2x^2}} \\ &= -\frac{bc\sqrt{d-c^2dx^2}}{12x^3\sqrt{1-c^2x^2}} - \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{4x^4} + \frac{c^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{8x^2} \\ &= -\frac{bc\sqrt{d-c^2dx^2}}{12x^3\sqrt{1-c^2x^2}} + \frac{bc^3\sqrt{d-c^2dx^2}}{8x\sqrt{1-c^2x^2}} - \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{4x^4} + \frac{c^2\sqrt{d-c^2dx^2}}{8x^2} \\ &= -\frac{bc\sqrt{d-c^2dx^2}}{12x^3\sqrt{1-c^2x^2}} + \frac{bc^3\sqrt{d-c^2dx^2}}{8x\sqrt{1-c^2x^2}} - \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{4x^4} + \frac{c^2\sqrt{d-c^2dx^2}}{8x^2} \\ &= -\frac{bc\sqrt{d-c^2dx^2}}{12x^3\sqrt{1-c^2x^2}} + \frac{bc^3\sqrt{d-c^2dx^2}}{8x\sqrt{1-c^2x^2}} - \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{4x^4} + \frac{c^2\sqrt{d-c^2dx^2}}{8x^2} \\ &= -\frac{bc\sqrt{d-c^2dx^2}}{12x^3\sqrt{1-c^2x^2}} + \frac{bc^3\sqrt{d-c^2dx^2}}{8x\sqrt{1-c^2x^2}} - \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{4x^4} + \frac{c^2\sqrt{d-c^2dx^2}}{8x^2} \end{aligned}$$

**Mathematica [A]** time = 3.93246, size = 321, normalized size = 1.07

$$bc^4\sqrt{d-c^2dx^2} \left( -24i\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right) + 24i\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right) - \frac{16\sin^4\left(\frac{1}{2}\sin^{-1}(cx)\right)}{c^3x^3} - 24\sin^{-1}(cx)\log\left(1 - e^{i\sin^{-1}(cx)}\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/x^5, x]

[Out] (a\*(-2 + c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])/(8\*x^4) - (a\*c^4\*Sqrt[d]\*Log[x])/8 + (a\*c^4\*Sqrt[d]\*Log[d + Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]])/8 + (b\*c^4\*Sqrt[d - c^2\*d\*x^2]\*(8\*Cot[ArcSin[c\*x]/2] + 6\*ArcSin[c\*x]\*Csc[ArcSin[c\*x]/2]^2 - c\*x\*Csc[ArcSin[c\*x]/2]^4 - 3\*ArcSin[c\*x]\*Csc[ArcSin[c\*x]/2]^4 - 24\*ArcSin[c\*x]\*Log[1 - E^(I\*ArcSin[c\*x])]) + 24\*ArcSin[c\*x]\*Log[1 + E^(I\*ArcSin[c\*x])]) - (24\*I)\*PolyLog[2, -E^(I\*ArcSin[c\*x])] + (24\*I)\*PolyLog[2, E^(I\*ArcSin[c\*x])] - 6\*ArcSin[c\*x]\*Sec[ArcSin[c\*x]/2]^2 + 3\*ArcSin[c\*x]\*Sec[ArcSin[c\*x]/2]^4 -

$$(16*\text{Sin}[\text{ArcSin}[c*x]/2]^4)/(c^3*x^3) + 8*\text{Tan}[\text{ArcSin}[c*x]/2]))/(192*\text{Sqrt}[1 - c^2*x^2])$$

**Maple [A]** time = 0.293, size = 571, normalized size = 1.9

$$-\frac{a}{4dx^4}(-c^2dx^2+d)^{\frac{3}{2}} - \frac{ac^2}{8dx^2}(-c^2dx^2+d)^{\frac{3}{2}} + \frac{ac^4}{8}\sqrt{d}\ln\left(\frac{1}{x}\left(2d+2\sqrt{d}\sqrt{-c^2dx^2+d}\right)\right) - \frac{ac^4}{8}\sqrt{-c^2dx^2+d} + \frac{b\arcsin(c}{8c^2x^2 -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))/x^5,x)

[Out]  $-1/4*a/d/x^4*(-c^2*d*x^2+d)^{(3/2)} - 1/8*a*c^2/d/x^2*(-c^2*d*x^2+d)^{(3/2)} + 1/8*a*c^4*d^{(1/2)}*\ln((2*d+2*d^{(1/2)}*(-c^2*d*x^2+d)^{(1/2)})/x) - 1/8*a*c^4*(-c^2*d*x^2+d)^{(1/2)} + 1/8*b*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)*\arcsin(c*x)*c^4 - 1/8*b*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/x*(-c^2*x^2+1)^{(1/2)}*c^3 - 3/8*b*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/x^2*\arcsin(c*x)*c^2 + 1/12*b*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/x^3*(-c^2*x^2+1)^{(1/2)}*c + 1/4*b*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/x^4*\arcsin(c*x) - b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*c^4/(8*c^2*x^2-8)*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)}) + b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*c^4/(8*c^2*x^2-8)*\arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)}) + I*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*c^4/(8*c^2*x^2-8)*\text{polylog}(2,-I*c*x-(-c^2*x^2+1)^{(1/2)}) - I*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*c^4/(8*c^2*x^2-8)*\text{polylog}(2,I*c*x+(-c^2*x^2+1)^{(1/2)})$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))/x^5,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2+d}(b\arcsin(cx)+a)}{x^5},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))/x^5,x, algorithm="fricas")`

[Out] `integral(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)/x^5, x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-d(cx-1)(cx+1)}(a+b\operatorname{asin}(cx))}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c**2*d*x**2+d)**(1/2)*(a+b*asin(c*x))/x**5,x)`

[Out] `Integral(sqrt(-d*(c*x - 1)*(c*x + 1))*(a + b*asin(c*x))/x**5, x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2dx^2 + d}(b \operatorname{arcsin}(cx) + a)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))/x^5,x, algorithm="giac")`

[Out] `integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)/x^5, x)`

### 3.68 $\int x^4 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=340

$$\frac{1}{8}x^5(d - c^2 dx^2)^{3/2}(a + b \sin^{-1}(cx)) + \frac{1}{16}dx^5\sqrt{d - c^2 dx^2}(a + b \sin^{-1}(cx)) - \frac{dx^3\sqrt{d - c^2 dx^2}(a + b \sin^{-1}(cx))}{64c^2} - \frac{3dx\sqrt{d - c^2 dx^2}(a + b \sin^{-1}(cx))}{64c^2}$$

```
[Out] (3*b*d*x^2*Sqrt[d - c^2*d*x^2])/(256*c^3*Sqrt[1 - c^2*x^2]) + (b*d*x^4*Sqrt[d - c^2*d*x^2])/(256*c*Sqrt[1 - c^2*x^2]) - (b*c*d*x^6*Sqrt[d - c^2*d*x^2])/(32*Sqrt[1 - c^2*x^2]) + (b*c^3*d*x^8*Sqrt[d - c^2*d*x^2])/(64*Sqrt[1 - c^2*x^2]) - (3*d*x*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(128*c^4) - (d*x^3*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(64*c^2) + (d*x^5*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/16 + (x^5*(d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x]))/8 + (3*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/(256*b*c^5*Sqrt[1 - c^2*x^2])
```

**Rubi [A]** time = 0.405304, antiderivative size = 340, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4699, 4697, 4707, 4641, 30, 14}

$$\frac{1}{8}x^5(d - c^2 dx^2)^{3/2}(a + b \sin^{-1}(cx)) + \frac{1}{16}dx^5\sqrt{d - c^2 dx^2}(a + b \sin^{-1}(cx)) - \frac{dx^3\sqrt{d - c^2 dx^2}(a + b \sin^{-1}(cx))}{64c^2} - \frac{3dx\sqrt{d - c^2 dx^2}(a + b \sin^{-1}(cx))}{64c^2}$$

Antiderivative was successfully verified.

```
[In] Int[x^4*(d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x]),x]
```

```
[Out] (3*b*d*x^2*Sqrt[d - c^2*d*x^2])/(256*c^3*Sqrt[1 - c^2*x^2]) + (b*d*x^4*Sqrt[d - c^2*d*x^2])/(256*c*Sqrt[1 - c^2*x^2]) - (b*c*d*x^6*Sqrt[d - c^2*d*x^2])/(32*Sqrt[1 - c^2*x^2]) + (b*c^3*d*x^8*Sqrt[d - c^2*d*x^2])/(64*Sqrt[1 - c^2*x^2]) - (3*d*x*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(128*c^4) - (d*x^3*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(64*c^2) + (d*x^5*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/16 + (x^5*(d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x]))/8 + (3*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/(256*b*c^5*Sqrt[1 - c^2*x^2])
```

#### Rule 4699

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
```

```

in[c*x]^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

### Rule 4697

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_)*((f_.)*(x_))^(m_)*Sqrt[(d_ +
(e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[(f*x)^m*(a + b*ArcSin[c*x])^n]/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x)] /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

### Rule 4707

```

Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_)*((f_.)*(x_))^(m_)/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n]/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x)] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]

```

### Rule 4641

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_/Sqrt[(d_ + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

```

### Rule 30

```

Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]

```

### Rule 14

```

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_
+ (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

```

Rubi steps

$$\begin{aligned}
\int x^4 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx &= \frac{1}{8} x^5 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) + \frac{1}{8} (3d) \int x^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) \\
&= \frac{1}{16} dx^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{1}{8} x^5 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) + \frac{1}{8} (3d) \int x^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) \\
&= -\frac{bcdx^6 \sqrt{d - c^2 dx^2}}{32\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^8 \sqrt{d - c^2 dx^2}}{64\sqrt{1 - c^2 x^2}} - \frac{dx^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{64c^2} + \frac{3d^2 x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{128c^2} \\
&= \frac{bdx^4 \sqrt{d - c^2 dx^2}}{256c\sqrt{1 - c^2 x^2}} - \frac{bcdx^6 \sqrt{d - c^2 dx^2}}{32\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^8 \sqrt{d - c^2 dx^2}}{64\sqrt{1 - c^2 x^2}} - \frac{3dx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{128c^2} \\
&= \frac{3bdx^2 \sqrt{d - c^2 dx^2}}{256c^3 \sqrt{1 - c^2 x^2}} + \frac{bdx^4 \sqrt{d - c^2 dx^2}}{256c\sqrt{1 - c^2 x^2}} - \frac{bcdx^6 \sqrt{d - c^2 dx^2}}{32\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^8 \sqrt{d - c^2 dx^2}}{64\sqrt{1 - c^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.192092, size = 193, normalized size = 0.57

$$\frac{d\sqrt{d - c^2 dx^2} \left( 3a^2 - 2abcx\sqrt{1 - c^2 x^2} (16c^6 x^6 - 24c^4 x^4 + 2c^2 x^2 + 3) - 2b \sin^{-1}(cx) \left( bcx\sqrt{1 - c^2 x^2} (16c^6 x^6 - 24c^4 x^4 + 2c^2 x^2 + 3) - 2b \sin^{-1}(cx) \right) \right)}{256bc^5 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d\*Sqrt[d - c^2\*d\*x^2]\*(3\*a^2 + b^2\*c^2\*x^2\*(3 + c^2\*x^2 - 8\*c^4\*x^4 + 4\*c^6\*x^6) - 2\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(3 + 2\*c^2\*x^2 - 24\*c^4\*x^4 + 16\*c^6\*x^6) - 2\*b\*(-3\*a + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(3 + 2\*c^2\*x^2 - 24\*c^4\*x^4 + 16\*c^6\*x^6))\*ArcSin[c\*x] + 3\*b^2\*ArcSin[c\*x]^2))/(256\*b\*c^5\*Sqrt[1 - c^2\*x^2])

**Maple [B]** time = 0.339, size = 600, normalized size = 1.8

$$-\frac{ax^3}{8c^2d} (-c^2 dx^2 + d)^{\frac{5}{2}} - \frac{ax}{16c^4d} (-c^2 dx^2 + d)^{\frac{5}{2}} + \frac{ax}{64c^4} (-c^2 dx^2 + d)^{\frac{3}{2}} + \frac{3adx}{128c^4} \sqrt{-c^2 dx^2 + d} + \frac{3ad^2}{128c^4} \arctan\left(x\sqrt{c^2d} \frac{1}{\sqrt{-c^2 dx^2 + d}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^4*(-c^2*d*x^2+d)^{(3/2)}*(a+b*\arcsin(c*x)),x)$

[Out] 
$$\begin{aligned} & -1/8*a*x^3*(-c^2*d*x^2+d)^{(5/2)}/c^2/d-1/16*a/c^4*x*(-c^2*d*x^2+d)^{(5/2)}/d+1 \\ & /64*a/c^4*x*(-c^2*d*x^2+d)^{(3/2)}+3/128*a/c^4*d*x*(-c^2*d*x^2+d)^{(1/2)}+3/128 \\ & *a/c^4*d^2/(c^2*d)^{(1/2)}*\arctan((c^2*d)^{(1/2)}*x/(-c^2*d*x^2+d)^{(1/2)})-3/256 \\ & *b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^5/(c^2*x^2-1)*\arcsin(c*x)^2* \\ & d-1/64*b*(-d*(c^2*x^2-1))^{(1/2)}*d*c^3/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^8+1/ \\ & 32*b*(-d*(c^2*x^2-1))^{(1/2)}*d*c/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^6-1/256*b* \\ & (-d*(c^2*x^2-1))^{(1/2)}*d/c/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^4-3/256*b*(-d*( \\ & c^2*x^2-1))^{(1/2)}*d/c^3/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^2-1/8*b*(-d*(c^2*x \\ & ^2-1))^{(1/2)}*d*c^4/(c^2*x^2-1)*\arcsin(c*x)*x^9+5/16*b*(-d*(c^2*x^2-1))^{(1/2)} \\ & )*d*c^2/(c^2*x^2-1)*\arcsin(c*x)*x^7-13/64*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(c^2*x \\ & ^2-1)*\arcsin(c*x)*x^5-1/128*b*(-d*(c^2*x^2-1))^{(1/2)}*d/c^2/(c^2*x^2-1)*\arcs \\ & \text{in}(c*x)*x^3+3/128*b*(-d*(c^2*x^2-1))^{(1/2)}*d/c^4/(c^2*x^2-1)*\arcsin(c*x)*x+ \\ & 15/8192*b*(-d*(c^2*x^2-1))^{(1/2)}*d/c^5/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)} \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^4*(-c^2*d*x^2+d)^{(3/2)}*(a+b*\arcsin(c*x)),x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(ac^2dx^6 - adx^4 + (bc^2dx^6 - bdx^4)\arcsin(cx)\right)\sqrt{-c^2dx^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^4*(-c^2*d*x^2+d)^{(3/2)}*(a+b*\arcsin(c*x)),x, \text{algorithm}=\text{"fricas"})$

[Out]  $\text{integral}(-\left(ac^2*d*x^6 - a*d*x^4 + (b*c^2*d*x^6 - b*d*x^4)*\arcsin(c*x)\right)*\text{sqrt}(-c^2*d*x^2 + d), x)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a) x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)\*x^4, x)



$$3.69 \quad \int x^2 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx$$

**Optimal.** Leaf size=265

$$\frac{1}{6}x^3 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) + \frac{1}{8}dx^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{dx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{16c^2} + \frac{d \sqrt{d - c^2 dx^2}}{32}$$

[Out] (b\*d\*x^2\*Sqrt[d - c^2\*d\*x^2])/(32\*c\*Sqrt[1 - c^2\*x^2]) - (7\*b\*c\*d\*x^4\*Sqrt[d - c^2\*d\*x^2])/(96\*Sqrt[1 - c^2\*x^2]) + (b\*c^3\*d\*x^6\*Sqrt[d - c^2\*d\*x^2])/(36\*Sqrt[1 - c^2\*x^2]) - (d\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(16\*c^2) + (d\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/8 + (x^3\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/6 + (d\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(32\*b\*c^3\*Sqrt[1 - c^2\*x^2])

**Rubi [A]** time = 0.319808, antiderivative size = 265, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4699, 4697, 4707, 4641, 30, 14}

$$\frac{1}{6}x^3 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) + \frac{1}{8}dx^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{dx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{16c^2} + \frac{d \sqrt{d - c^2 dx^2}}{32}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*d\*x^2\*Sqrt[d - c^2\*d\*x^2])/(32\*c\*Sqrt[1 - c^2\*x^2]) - (7\*b\*c\*d\*x^4\*Sqrt[d - c^2\*d\*x^2])/(96\*Sqrt[1 - c^2\*x^2]) + (b\*c^3\*d\*x^6\*Sqrt[d - c^2\*d\*x^2])/(36\*Sqrt[1 - c^2\*x^2]) - (d\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(16\*c^2) + (d\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/8 + (x^3\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/6 + (d\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(32\*b\*c^3\*Sqrt[1 - c^2\*x^2])

### Rule 4699

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2\*p + 1)), x] + (Dist[(2\*d\*p)/(m + 2\*p + 1), Int[(f\*x)^m\*(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d\*IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x

]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

### Rule 4697

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2)), x] + (Dist[Sqrt[d + e\*x^2]/((m + 2)\*Sqrt[1 - c^2\*x^2]), Int[((f\*x)^m\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(f\*(m + 2)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rule 14

Int[(u\_)\*((c\_.)\*(x\_))^(m\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

### Rubi steps

$$\begin{aligned}
\int x^2 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx &= \frac{1}{6} x^3 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) + \frac{1}{2} d \int x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) \\
&= \frac{1}{8} dx^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{1}{6} x^3 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) + \left( \frac{7bcdx^4 \sqrt{d - c^2 dx^2}}{96\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^6 \sqrt{d - c^2 dx^2}}{36\sqrt{1 - c^2 x^2}} - \frac{dx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{16c^2} \right) \\
&= \frac{bdx^2 \sqrt{d - c^2 dx^2}}{32c\sqrt{1 - c^2 x^2}} - \frac{7bcdx^4 \sqrt{d - c^2 dx^2}}{96\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^6 \sqrt{d - c^2 dx^2}}{36\sqrt{1 - c^2 x^2}} - \frac{dx \sqrt{d - c^2 dx^2}}{16c^2}
\end{aligned}$$

**Mathematica [A]** time = 0.15862, size = 170, normalized size = 0.64

$$\frac{d\sqrt{d - c^2 dx^2} \left( 9a^2 - 6abcx\sqrt{1 - c^2 x^2} (8c^4 x^4 - 14c^2 x^2 + 3) + 6b \sin^{-1}(cx) \left( 3a + bcx\sqrt{1 - c^2 x^2} (-8c^4 x^4 + 14c^2 x^2 - 3) \right) \right) + b}{288bc^3\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d\*Sqrt[d - c^2\*d\*x^2]\*(9\*a^2 + b^2\*c^2\*x^2\*(9 - 21\*c^2\*x^2 + 8\*c^4\*x^4) - 6\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(3 - 14\*c^2\*x^2 + 8\*c^4\*x^4) + 6\*b\*(3\*a + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-3 + 14\*c^2\*x^2 - 8\*c^4\*x^4))\*ArcSin[c\*x] + 9\*b^2\*ArcSin[c\*x]^2))/(288\*b\*c^3\*Sqrt[1 - c^2\*x^2])

**Maple [B]** time = 0.28, size = 489, normalized size = 1.9

$$-\frac{ax}{6c^2d} (-c^2 dx^2 + d)^{\frac{5}{2}} + \frac{ax}{24c^2} (-c^2 dx^2 + d)^{\frac{3}{2}} + \frac{adx}{16c^2} \sqrt{-c^2 dx^2 + d} + \frac{ad^2}{16c^2} \arctan\left(x\sqrt{c^2d} \frac{1}{\sqrt{-c^2 dx^2 + d}}\right) \frac{1}{\sqrt{c^2d}} - \frac{bcd^4 a}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x)

[Out] -1/6\*a\*x\*(-c^2\*d\*x^2+d)^(5/2)/c^2/d+1/24\*a/c^2\*x\*(-c^2\*d\*x^2+d)^(3/2)+1/16\*a/c^2\*d\*x\*(-c^2\*d\*x^2+d)^(1/2)+1/16\*a/c^2\*d^2/(c^2\*d)^(1/2)\*arctan((c^2\*d)^(1/2)\*x/sqrt(-c^2\*d\*x^2+d))

$$\begin{aligned} & (1/2)*x/(-c^2*d*x^2+d)^{(1/2)}-1/6*b*(-d*(c^2*x^2-1))^{(1/2)}*d*c^4/(c^2*x^2-1) \\ & *arcsin(c*x)*x^7+11/24*b*(-d*(c^2*x^2-1))^{(1/2)}*d*c^2/(c^2*x^2-1)*arcsin(c \\ & *x)*x^5-17/48*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(c^2*x^2-1)*arcsin(c*x)*x^3+1/16*b \\ & *(-d*(c^2*x^2-1))^{(1/2)}*d/c^2/(c^2*x^2-1)*arcsin(c*x)*x-7/2304*b*(-d*(c^2*x \\ & ^2-1))^{(1/2)}*d/c^3/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}-1/32*b*(-d*(c^2*x^2-1))^{( \\ & 1/2)}*(-c^2*x^2+1)^{(1/2)}/c^3/(c^2*x^2-1)*arcsin(c*x)^2*d-1/36*b*(-d*(c^2*x^2 \\ & -1))^{(1/2)}*d*c^3/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^6+7/96*b*(-d*(c^2*x^2-1)) \\ & ^{(1/2)}*d*c/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^4-1/32*b*(-d*(c^2*x^2-1))^{(1/2)} \\ & *d/c/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^2 \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(ac^2dx^4 - adx^2 + (bc^2dx^4 - bdx^2)\arcsin(cx)\right)\sqrt{-c^2dx^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(-(a\*c^2\*d\*x^4 - a\*d\*x^2 + (b\*c^2\*d\*x^4 - b\*d\*x^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(-c**2*d*x**2+d)**(3/2)*(a+b*asin(c*x)),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a) x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(3/2)*(b*arcsin(c*x) + a)*x^2, x)
```

### 3.70 $\int (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=188

$$\frac{1}{4}x(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) + \frac{3}{8}dx\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{3d\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{16bc\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^4 \sqrt{d - c^2 dx^2}}{16\sqrt{1 - c^2 x^2}}$$

[Out]  $(-5*b*c*d*x^2*\text{Sqrt}[d - c^2*d*x^2])/(16*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*d*x^4*\text{Sqrt}[d - c^2*d*x^2])/(16*\text{Sqrt}[1 - c^2*x^2]) + (3*d*x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/8 + (x*(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/4 + (3*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(16*b*c*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.105156, antiderivative size = 188, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {4649, 4647, 4641, 30, 14}

$$\frac{1}{4}x(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) + \frac{3}{8}dx\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{3d\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{16bc\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^4 \sqrt{d - c^2 dx^2}}{16\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]),x]$

[Out]  $(-5*b*c*d*x^2*\text{Sqrt}[d - c^2*d*x^2])/(16*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*d*x^4*\text{Sqrt}[d - c^2*d*x^2])/(16*\text{Sqrt}[1 - c^2*x^2]) + (3*d*x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/8 + (x*(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/4 + (3*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(16*b*c*\text{Sqrt}[1 - c^2*x^2])$

#### Rule 4649

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)]^{(n_.)}*((d_.) + (e_.)*(x_)^2)^{(p_.)}, x$   
 $\_Symbol] :> \text{Simp}[(x*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n)/(2*p + 1), x] + (D$   
 $\text{ist}[(2*d*p)/(2*p + 1), \text{Int}[(d + e*x^2)^(p - 1)*(a + b*\text{ArcSin}[c*x])^n, x], x$   
 $] - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}]/((2*p + 1)*(1 - c^2*x$   
 $^2)^{\text{FracPart}[p]}), \text{Int}[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*\text{ArcSin}[c*x])^(n - 1)$   
 $, x], x) /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{GtQ}[p, 0]$

#### Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
```

#### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

#### Rule 30

```
Int[(x_)^(m_.), x_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]
```

#### Rule 14

```
Int[(u_)*((c_.)*(x_)^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

#### Rubi steps

$$\begin{aligned} \int (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx &= \frac{1}{4} x (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) + \frac{1}{4} (3d) \int \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) dx \\ &= \frac{3}{8} dx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{1}{4} x (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) + \frac{(3d\sqrt{d - c^2 dx^2})}{8} \\ &= -\frac{5bcdx^2\sqrt{d - c^2 dx^2}}{16\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^4 \sqrt{d - c^2 dx^2}}{16\sqrt{1 - c^2 x^2}} + \frac{3}{8} dx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \end{aligned}$$

**Mathematica [A]** time = 0.549964, size = 210, normalized size = 1.12

$$\frac{d\sqrt{d - c^2 dx^2} \left( 16acx\sqrt{1 - c^2 x^2} (5 - 2c^2 x^2) + 16b \cos(2 \sin^{-1}(cx)) + b \cos(4 \sin^{-1}(cx)) \right) - 48ad^{3/2}\sqrt{1 - c^2 x^2} \tan^{-1}\left(\frac{cx\sqrt{a}}{\sqrt{d - c^2 dx^2}}\right)}{128c\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x]),x]
```

```
[Out] (24*b*d*Sqrt[d - c^2*d*x^2]*ArcSin[c*x]^2 - 48*a*d^(3/2)*Sqrt[1 - c^2*x^2]*
ArcTan[(c*x*Sqrt[d - c^2*d*x^2])/(Sqrt[d]*(-1 + c^2*x^2))] + d*Sqrt[d - c^2
*d*x^2]*(16*a*c*x*(5 - 2*c^2*x^2)*Sqrt[1 - c^2*x^2] + 16*b*Cos[2*ArcSin[c*x
]] + b*Cos[4*ArcSin[c*x]]) + 4*b*d*Sqrt[d - c^2*d*x^2]*ArcSin[c*x]*(8*Sin[2
*ArcSin[c*x]] + Sin[4*ArcSin[c*x]]))/(128*c*Sqrt[1 - c^2*x^2])
```

**Maple [B]** time = 0.14, size = 371, normalized size = 2.

$$\frac{ax}{4}(-c^2dx^2 + d)^{\frac{3}{2}} + \frac{3adx}{8}\sqrt{-c^2dx^2 + d} + \frac{3ad^2}{8}\arctan\left(x\sqrt{c^2d}\frac{1}{\sqrt{-c^2dx^2 + d}}\right)\frac{1}{\sqrt{c^2d}} - \frac{3b(\arcsin(cx))^2d}{16c(c^2x^2 - 1)}\sqrt{-d(c^2x^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x)),x)
```

```
[Out] 1/4*a*x*(-c^2*d*x^2+d)^(3/2)+3/8*a*d*x*(-c^2*d*x^2+d)^(1/2)+3/8*a*d^2/(c^2*
d)^(1/2)*arctan((c^2*d)^(1/2)*x/(-c^2*d*x^2+d)^(1/2))-3/16*b*(-d*(c^2*x^2-1
))^(1/2)*(-c^2*x^2+1)^(1/2)/c/(c^2*x^2-1)*arcsin(c*x)^2*d-1/4*b*(-d*(c^2*x^
2-1))^(1/2)*d*c^4/(c^2*x^2-1)*arcsin(c*x)*x^5+7/8*b*(-d*(c^2*x^2-1))^(1/2)*
d*c^2/(c^2*x^2-1)*arcsin(c*x)*x^3-17/128*b*(-d*(c^2*x^2-1))^(1/2)*d/c/(c^2*
x^2-1)*(-c^2*x^2+1)^(1/2)-5/8*b*(-d*(c^2*x^2-1))^(1/2)*d/(c^2*x^2-1)*arcsin
(c*x)*x-1/16*b*(-d*(c^2*x^2-1))^(1/2)*d*c^3/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*
x^4+5/16*b*(-d*(c^2*x^2-1))^(1/2)*d*c/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^2
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```



**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(ac^2dx^2 - ad + (bc^2dx^2 - bd)\arcsin(cx)\right)\sqrt{-c^2dx^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(-(a\*c^2\*d\*x^2 - a\*d + (b\*c^2\*d\*x^2 - b\*d)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (-d(cx - 1)(cx + 1))^{\frac{3}{2}} (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x)),x)

[Out] Integral((-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2)\*(a + b\*asin(c\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2dx^2 + d)^{\frac{3}{2}}(b \arcsin(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a), x)

$$3.71 \quad \int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x^2} dx$$

**Optimal.** Leaf size=185

$$-\frac{3}{2}c^2 dx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{3cd \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{4b \sqrt{1 - c^2 x^2}} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x} + \frac{bc^3 dx^2 \sqrt{d - c^2 dx^2}}{4 \sqrt{1 - c^2 x^2}}$$

[Out] (b\*c^3\*d\*x^2\*Sqrt[d - c^2\*d\*x^2])/(4\*Sqrt[1 - c^2\*x^2]) - (3\*c^2\*d\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/2 - ((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/x - (3\*c\*d\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(4\*b\*Sqrt[1 - c^2\*x^2]) + (b\*c\*d\*Sqrt[d - c^2\*d\*x^2]\*Log[x])/Sqrt[1 - c^2\*x^2]

**Rubi [A]** time = 0.167893, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {4695, 4647, 4641, 30, 14}

$$-\frac{3}{2}c^2 dx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{3cd \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{4b \sqrt{1 - c^2 x^2}} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x} + \frac{bc^3 dx^2 \sqrt{d - c^2 dx^2}}{4 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/x^2,x]

[Out] (b\*c^3\*d\*x^2\*Sqrt[d - c^2\*d\*x^2])/(4\*Sqrt[1 - c^2\*x^2]) - (3\*c^2\*d\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/2 - ((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/x - (3\*c\*d\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(4\*b\*Sqrt[1 - c^2\*x^2]) + (b\*c\*d\*Sqrt[d - c^2\*d\*x^2]\*Log[x])/Sqrt[1 - c^2\*x^2]

### Rule 4695

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 1)), x] + (-Dist[(2\*e\*p)/(f^2\*(m + 1)), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d\*IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0] && LtQ[m, -1]

Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 14

Int[(u\_)\*((c\_.)\*(x\_.))^(m\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rubi steps

$$\begin{aligned} \int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x^2} dx &= -\frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x} - (3c^2 d) \int \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) dx + \\ &= -\frac{3}{2} c^2 dx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x} + \frac{(bcd)^{3/2}}{2} \\ &= \frac{bc^3 dx^2 \sqrt{d - c^2 dx^2}}{4\sqrt{1 - c^2 x^2}} - \frac{3}{2} c^2 dx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x} \end{aligned}$$

**Mathematica [A]** time = 0.536894, size = 222, normalized size = 1.2

$$\frac{3}{2} acd^{3/2} \tan^{-1} \left( \frac{cx \sqrt{-d(c^2 x^2 - 1)}}{\sqrt{d}(c^2 x^2 - 1)} \right) + \sqrt{-d(c^2 x^2 - 1)} \left( -\frac{1}{2} ac^2 dx - \frac{ad}{x} \right) - \frac{bcd \sqrt{d(1 - c^2 x^2)} \left( \frac{2\sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{cx} - 2 \log(cx) \right)}{2\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x]))/x^2,x]
```

```
[Out] (-((a*d)/x) - (a*c^2*d*x)/2)*Sqrt[-(d*(-1 + c^2*x^2))] + (3*a*c*d^(3/2)*ArcTan[(c*x*Sqrt[-(d*(-1 + c^2*x^2))])/(Sqrt[d]*(-1 + c^2*x^2))])/2 - (b*c*d*Sqrt[d*(1 - c^2*x^2)]*((2*Sqrt[1 - c^2*x^2]*ArcSin[c*x])/(c*x) + ArcSin[c*x]^2 - 2*Log[c*x]))/(2*Sqrt[1 - c^2*x^2]) - (b*c*d*Sqrt[d*(1 - c^2*x^2)]*(Cos[2*ArcSin[c*x]] + 2*ArcSin[c*x]*(ArcSin[c*x] + Sin[2*ArcSin[c*x]])))/(8*Sqrt[1 - c^2*x^2])
```

**Maple [C]** time = 0.201, size = 464, normalized size = 2.5

$$-\frac{a}{dx}(-c^2dx^2 + d)^{\frac{5}{2}} - ac^2x(-c^2dx^2 + d)^{\frac{3}{2}} - \frac{3ac^2dx}{2}\sqrt{-c^2dx^2 + d} - \frac{3ac^2d^2}{2}\arctan\left(x\sqrt{c^2d}\frac{1}{\sqrt{-c^2dx^2 + d}}\right)\frac{1}{\sqrt{c^2d}} + \frac{3b(\arcsin(cx) + \sqrt{1 - c^2x^2})}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x))/x^2,x)
```

```
[Out] -a/d/x*(-c^2*d*x^2+d)^(5/2)-a*c^2*x*(-c^2*d*x^2+d)^(3/2)-3/2*a*c^2*d*x*(-c^2*d*x^2+d)^(1/2)-3/2*a*c^2*d^2/(c^2*d)^(1/2)*arctan((c^2*d)^(1/2)*x/(-c^2*d*x^2+d)^(1/2))+3/4*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*arcsin(c*x)^2*d*c-1/4*b*(-d*(c^2*x^2-1))^(1/2)*d*c^3/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^2-1/2*b*(-d*(c^2*x^2-1))^(1/2)*d*c^4/(c^2*x^2-1)*arcsin(c*x)*x^3+1/8*b*(-d*(c^2*x^2-1))^(1/2)*d*c/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)+I*b*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/(c^2*x^2-1)*arcsin(c*x)*d*c-1/2*b*(-d*(c^2*x^2-1))^(1/2)*d*c^2/(c^2*x^2-1)*arcsin(c*x)*x+b*(-d*(c^2*x^2-1))^(1/2)*arcsin(c*x)*d/(c^2*x^2-1)/x-b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*ln((I*c*x+(-c^2*x^2+1)^(1/2))^2-1)*d*c
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x))/x^2,x, algorithm="maxima")
```

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(ac^2dx^2 - ad + (bc^2dx^2 - bd)\arcsin(cx))\sqrt{-c^2dx^2 + d}}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^2,x, algorithm="fricas")

[Out] integral(-(a\*c^2\*d\*x^2 - a\*d + (b\*c^2\*d\*x^2 - b\*d)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)/x^2, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-d(cx-1)(cx+1))^{\frac{3}{2}}(a+b\arcsin(cx))}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))/x\*\*2,x)

[Out] Integral((-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2)\*(a + b\*asin(c\*x))/x\*\*2, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2dx^2 + d)^{\frac{3}{2}}(b\arcsin(cx) + a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^2,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)/x^2, x)

$$3.72 \quad \int \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{x^4} dx$$

**Optimal.** Leaf size=191

$$\frac{c^3d\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{2b\sqrt{1-c^2x^2}} + \frac{c^2d\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{x} - \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{3x^3} - \frac{bcd\sqrt{d-c^2dx^2}}{6x^2\sqrt{1-c^2x^2}}$$

[Out]  $-(b*c*d*\text{Sqrt}[d - c^2*d*x^2])/(6*x^2*\text{Sqrt}[1 - c^2*x^2]) + (c^2*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/x - ((d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(3*x^3) + (c^3*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(2*b*\text{Sqrt}[1 - c^2*x^2]) - (4*b*c^3*d*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(3*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.228927, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {4695, 4693, 29, 4641, 14}

$$\frac{c^3d\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{2b\sqrt{1-c^2x^2}} + \frac{c^2d\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{x} - \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{3x^3} - \frac{bcd\sqrt{d-c^2dx^2}}{6x^2\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x])/x^4, x]$

[Out]  $-(b*c*d*\text{Sqrt}[d - c^2*d*x^2])/(6*x^2*\text{Sqrt}[1 - c^2*x^2]) + (c^2*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/x - ((d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(3*x^3) + (c^3*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(2*b*\text{Sqrt}[1 - c^2*x^2]) - (4*b*c^3*d*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(3*\text{Sqrt}[1 - c^2*x^2])$

### Rule 4695

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*(f*x)^m*(d + e*x^2)^p, x] := \text{Simp}[(f*x)^{m+1}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n/(f*(m+1)), x] + (-\text{Dist}[(2*e*p)/(f^2*(m+1)), \text{Int}[(f*x)^{m+2}*(d + e*x^2)^{p-1}*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c^n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]})/(f*(m+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{m+1}*(1 - c^2*x^2)^{p-1/2}*(a + b*\text{ArcSin}[c*x])^{n-1}, x], x]) /;$   
 $\text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{GtQ}[p, 0]$   
 $] \ \&\& \ \text{LtQ}[m, -1]$

Rule 4693

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 1)), x] + (-Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(f\*(m + 1)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] + Dist[(c^2\*Sqrt[d + e\*x^2])/(f^2\*(m + 1)\*Sqrt[1 - c^2\*x^2]), Int[((f\*x)^(m + 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1]

Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 14

Int[(u\_)\*((c\_.)\*(x\_.))^(m\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rubi steps

$$\begin{aligned} \int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x^4} dx &= -\frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{3x^3} - (c^2 d) \int \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x^2} dx + \\ &= \frac{c^2 d \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{3x^3} + \frac{(bcd \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)))}{x} \\ &= -\frac{bcd \sqrt{d - c^2 dx^2}}{6x^2 \sqrt{1 - c^2 x^2}} + \frac{c^2 d \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{3x^3} \end{aligned}$$

**Mathematica [A]** time = 0.73822, size = 211, normalized size = 1.1

$$\frac{d \sqrt{d - c^2 dx^2} \left( 2a(1 - 4c^2 x^2) \sqrt{1 - c^2 x^2} + 8bc^3 x^3 \log(cx) + bcx \right)}{6x^3 \sqrt{1 - c^2 x^2}} - ac^3 d^{3/2} \tan^{-1} \left( \frac{cx \sqrt{d - c^2 dx^2}}{\sqrt{d} (c^2 x^2 - 1)} \right) + \frac{bc^3 d \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{2\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/x^4,x]

[Out] (b\*d\*(-1 + 4\*c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/(3\*x^3) + (b\*c^3\*d\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x]^2)/(2\*Sqrt[1 - c^2\*x^2]) - a\*c^3\*d^(3/2)\*ArcTan[(c\*x\*Sqrt[d - c^2\*d\*x^2])/(Sqrt[d]\*(-1 + c^2\*x^2))] - (d\*Sqrt[d - c^2\*d\*x^2]\*(b\*c\*x + 2\*a\*(1 - 4\*c^2\*x^2)\*Sqrt[1 - c^2\*x^2] + 8\*b\*c^3\*x^3\*Log[c\*x]))/(6\*x^3\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.251, size = 1289, normalized size = 6.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^4,x)

[Out] -1/3\*a/d/x^3\*(-c^2\*d\*x^2+d)^(5/2)+2/3\*a\*c^2/d/x\*(-c^2\*d\*x^2+d)^(5/2)+2/3\*a\*c^4\*x\*(-c^2\*d\*x^2+d)^(3/2)+a\*c^4\*d\*x\*(-c^2\*d\*x^2+d)^(1/2)+a\*c^4\*d^2/(c^2\*d)^(1/2)\*arctan((c^2\*d)^(1/2)\*x/(-c^2\*d\*x^2+d)^(1/2))-1/2\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/(c^2\*x^2-1)\*arcsin(c\*x)^2\*c^3\*d-2/3\*I\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d/(24\*c^4\*x^4-9\*c^2\*x^2+1)\*x/(c^2\*x^2-1)\*c^4+4/3\*I\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d/(24\*c^4\*x^4-9\*c^2\*x^2+1)/(c^2\*x^2-1)\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)\*c^3+32\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d/(24\*c^4\*x^4-9\*c^2\*x^2+1)\*x^5/(c^2\*x^2-1)\*arcsin(c\*x)\*c^8-12\*I\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d/(24\*c^4\*x^4-9\*c^2\*x^2+1)\*x^2/(c^2\*x^2-1)\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)\*c^5+10/3\*I\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d/(24\*c^4\*x^4-9\*c^2\*x^2+1)\*x^3/(c^2\*x^2-1)\*c^6-8/3\*I\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d/(24\*c^4\*x^4-9\*c^2\*x^2+1)\*x^3/(c^2\*x^2-1)\*arcsin(c\*x)\*c^6-52\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d/(24\*c^4\*x^4-9\*c^2\*x^2+1)\*x^3/(c^2\*x^2-1)\*arcsin(c\*x)\*c^6+32\*I\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d/(24\*c^4\*x^4-9\*c^2\*x^2+1)\*x^4/(c^2\*x^2-1)\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)\*c^7+2/3\*I\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d/(24\*c^4\*x^4-9\*c^2\*x^2+1)\*x/(c^2\*x^2-1)\*(-c^2\*x^2+1)\*c^4+4\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d/(24\*c^4\*x^4-9\*c^2\*x^2+1)\*x^2/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*c^5-8\*I\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)\*arcsin(c\*x)\*c^3\*d/(3\*c^2\*x^2-3)+73/3\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d/(24\*c^4\*x^4-9\*c^2\*x^2+1)\*x/(c^2\*x^2-1)\*arcsin(c\*x)\*c^4-8/3\*I\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d/(24\*c^4\*x^4-9\*c^2\*x^2+1)\*x^5/(c^2\*x^2-1)\*c^8-3/2\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d/(24\*c^4\*x^4-9\*c^2\*x^2+1)/(c^2\*x^2-1)\*c^3\*(-c^2\*x^2+1)^(1/2)-14/3\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d/(24\*c^4\*x^4-9\*c^2\*x^2+1)/x/(c^2\*x^2-1)\*arcsin(c\*x)\*c^2+1/6\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d/(24\*c^4\*x^4-9\*c^2\*x^2+1)/x^2/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*c+1/3\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d/(24\*c^4\*x^4-9\*c^2\*x^2+1)/x^3/(c^2\*x^2-1)\*arcsin(c\*x)



$c*x)+4/3*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*\ln((I*c*x+(-c^2*x^2+1)^{(1/2)})^2-1)*c^3*d$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(ac^2dx^2 - ad + (bc^2dx^2 - bd) \arcsin(cx))\sqrt{-c^2dx^2 + d}}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^4,x, algorithm="fricas")

[Out] integral(-(a\*c^2\*d\*x^2 - a\*d + (b\*c^2\*d\*x^2 - b\*d)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)/x^4, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-d(cx - 1)(cx + 1))^{\frac{3}{2}}(a + b \operatorname{asin}(cx))}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))/x\*\*4,x)

[Out] Integral((-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2)\*(a + b\*asin(c\*x))/x\*\*4, x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^4,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)/x^4, x)

$$3.73 \quad \int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x^6} dx$$

**Optimal.** Leaf size=154

$$-\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5dx^5} + \frac{bc^3 d \sqrt{d - c^2 dx^2}}{5x^2 \sqrt{1 - c^2 x^2}} - \frac{bcd \sqrt{d - c^2 dx^2}}{20x^4 \sqrt{1 - c^2 x^2}} + \frac{bc^5 d \log(x) \sqrt{d - c^2 dx^2}}{5 \sqrt{1 - c^2 x^2}}$$

[Out]  $-(b*c*d*Sqrt[d - c^2*d*x^2])/(20*x^4*Sqrt[1 - c^2*x^2]) + (b*c^3*d*Sqrt[d - c^2*d*x^2])/(5*x^2*Sqrt[1 - c^2*x^2]) - ((d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x]))/(5*d*x^5) + (b*c^5*d*Sqrt[d - c^2*d*x^2]*Log[x])/(5*Sqrt[1 - c^2*x^2])$

**Rubi [A]** time = 0.113988, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {4681, 266, 43}

$$-\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5dx^5} + \frac{bc^3 d \sqrt{d - c^2 dx^2}}{5x^2 \sqrt{1 - c^2 x^2}} - \frac{bcd \sqrt{d - c^2 dx^2}}{20x^4 \sqrt{1 - c^2 x^2}} + \frac{bc^5 d \log(x) \sqrt{d - c^2 dx^2}}{5 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{(d - c^2*d*x^2)^{(3/2)}*(a + b*ArcSin[c*x])}{x^6}, x]$

[Out]  $-(b*c*d*Sqrt[d - c^2*d*x^2])/(20*x^4*Sqrt[1 - c^2*x^2]) + (b*c^3*d*Sqrt[d - c^2*d*x^2])/(5*x^2*Sqrt[1 - c^2*x^2]) - ((d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x]))/(5*d*x^5) + (b*c^5*d*Sqrt[d - c^2*d*x^2]*Log[x])/(5*Sqrt[1 - c^2*x^2])$

#### Rule 4681

$\text{Int}[\frac{(a + ArcSin[c*x])*(b*x)^n*(f*x)^m*(d + e*x^2)^p}{x^6}, x] := \text{Simp}[\frac{(f*x)^{m+1}*(d + e*x^2)^{p+1}*(a + b*ArcSin[c*x])^n}{d*f*(m+1)}, x] - \text{Dist}[\frac{(b*c*n*d*IntPart[p]*(d + e*x^2)^FracPart[p])}{f*(m+1)*(1 - c^2*x^2)^FracPart[p]}, \text{Int}[\frac{(f*x)^{m+1}*(1 - c^2*x^2)^{p+1/2}*(a + b*ArcSin[c*x])^{n-1}}{x}, x]] /; \text{FreeQ}\{a, b, c, d, e, f, m, p\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{EqQ}[m + 2*p + 3, 0] \&\& \text{NeQ}[m, -1]$

#### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x^6} dx &= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5dx^5} + \frac{(bcd\sqrt{d - c^2 dx^2}) \int \frac{(1 - c^2 x^2)^2}{x^5} dx}{5\sqrt{1 - c^2 x^2}} \\ &= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5dx^5} + \frac{(bcd\sqrt{d - c^2 dx^2}) \text{Subst}\left(\int \frac{(1 - c^2 x)^2}{x^3} dx, x, x^2\right)}{10\sqrt{1 - c^2 x^2}} \\ &= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5dx^5} + \frac{(bcd\sqrt{d - c^2 dx^2}) \text{Subst}\left(\int \left(\frac{1}{x^3} - \frac{2c^2}{x^2} + \frac{c^4}{x}\right) dx, x, x^2\right)}{10\sqrt{1 - c^2 x^2}} \\ &= -\frac{bcd\sqrt{d - c^2 dx^2}}{20x^4\sqrt{1 - c^2 x^2}} + \frac{bc^3 d\sqrt{d - c^2 dx^2}}{5x^2\sqrt{1 - c^2 x^2}} - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5dx^5} + \frac{bc^5 d\sqrt{d - c^2 dx^2}}{5x^4\sqrt{1 - c^2 x^2}} \end{aligned}$$

**Mathematica [A]** time = 0.169931, size = 144, normalized size = 0.94

$$\frac{bc^5 d \log(x) \sqrt{d - c^2 dx^2}}{5\sqrt{1 - c^2 x^2}} - \frac{d\sqrt{d - c^2 dx^2} \left(12a(c^2 x^2 - 1)^3 + bcx\sqrt{1 - c^2 x^2}(-25c^4 x^4 + 12c^2 x^2 - 3) + 12b(c^2 x^2 - 1)^3 \sin^{-1}(cx)\right)}{60x^5(c^2 x^2 - 1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x]))/x^6,x]
```

```
[Out] -(d*Sqrt[d - c^2*d*x^2]*(12*a*(-1 + c^2*x^2)^3 + b*c*x*Sqrt[1 - c^2*x^2]*(-
3 + 12*c^2*x^2 - 25*c^4*x^4) + 12*b*(-1 + c^2*x^2)^3*ArcSin[c*x]))/(60*x^5*
(-1 + c^2*x^2)) + (b*c^5*d*Sqrt[d - c^2*d*x^2]*Log[x])/(5*Sqrt[1 - c^2*x^2]
)
```

**Maple [C]** time = 0.283, size = 2350, normalized size = 15.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int ((-c^2dx^2+d)^{3/2})(a+b\arcsin(cx))/x^6, x$

[Out] 
$$I*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x^2/(c^2*x^2-1)*\arcsin(cx)*(-c^2*x^2+1)^{1/2}*c^7-I*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x^8/(c^2*x^2-1)*\arcsin(cx)*(-c^2*x^2+1)^{1/2}*c^{13}+2*I*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x^6/(c^2*x^2-1)*\arcsin(cx)*(-c^2*x^2+1)^{1/2}*c^{11}-2*I*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x^4/(c^2*x^2-1)*\arcsin(cx)*(-c^2*x^2+1)^{1/2}*c^9-b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x^6/(c^2*x^2-1)*(-c^2*x^2+1)^{1/2}*c^{11}+5*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x^7/(c^2*x^2-1)*\arcsin(cx)*c^{12}-b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x^9/(c^2*x^2-1)*\arcsin(cx)*c^{14}+1/5*I*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x^9/(c^2*x^2-1)*c^{14}-13/20*I*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x^7/(c^2*x^2-1)*c^{12}+3/4*I*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x^5/(c^2*x^2-1)*c^{10}-7/20*I*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x^3/(c^2*x^2-1)*c^8+1/20*I*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x/(c^2*x^2-1)*c^6+2*I*b*(-d*(c^2*x^2-1))^{1/2}*(-c^2*x^2+1)^{1/2}*\arcsin(cx)*c^5*d/(5*c^2*x^2-5)-8/5*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)/x^3/(c^2*x^2-1)*\arcsin(cx)*c^2+1/20*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)/x^4/(c^2*x^2-1)*(-c^2*x^2+1)^{1/2}*c^{14}*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x^3/(c^2*x^2-1)*\arcsin(cx)*c^8-5/2*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x^2/(c^2*x^2-1)*c^7*(-c^2*x^2+1)^{1/2}-56/5*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x/(c^2*x^2-1)*\arcsin(cx)*c^6+28/5*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)/x/(c^2*x^2-1)*\arcsin(cx)*c^4-9/20*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)/x^2/(c^2*x^2-1)*c^3*(-c^2*x^2+1)^{1/2}+9/4*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x^4/(c^2*x^2-1)*(-c^2*x^2+1)^{1/2}*c^9-11*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x^5/(c^2*x^2-1)*\arcsin(cx)*c^{10}+3/2*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)/(c^2*x^2-1)*c^5*(-c^2*x^2+1)^{1/2}+1/5*b*(-d*(c^2*x^2-1))^{1/2}*d/(5*c^8*x^8-10*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)/x^5/(c^2*x^2-$$

$$1) \arcsin(cx) - 1/5 * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * (-c^2 * x^2 + 1)^{(1/2)} / (c^2 * x^2 - 1) * \ln((I * cx + (-c^2 * x^2 + 1)^{(1/2)})^2 - 1) * c^5 * d - 1/20 * I * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * d / (5 * c^8 * x^8 - 10 * c^6 * x^6 + 10 * c^4 * x^4 - 5 * c^2 * x^2 + 1) * x / (c^2 * x^2 - 1) * (-c^2 * x^2 + 1) * c^6 - 1/5 * I * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * d / (5 * c^8 * x^8 - 10 * c^6 * x^6 + 10 * c^4 * x^4 - 5 * c^2 * x^2 + 1) / (c^2 * x^2 - 1) * \arcsin(cx) * (-c^2 * x^2 + 1)^{(1/2)} * c^5 + 1/5 * I * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * d / (5 * c^8 * x^8 - 10 * c^6 * x^6 + 10 * c^4 * x^4 - 5 * c^2 * x^2 + 1) * x^7 / (c^2 * x^2 - 1) * (-c^2 * x^2 + 1) * c^{12} - 9/20 * I * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * d / (5 * c^8 * x^8 - 10 * c^6 * x^6 + 10 * c^4 * x^4 - 5 * c^2 * x^2 + 1) * x^5 / (c^2 * x^2 - 1) * (-c^2 * x^2 + 1) * c^{10} + 3/10 * I * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * d / (5 * c^8 * x^8 - 10 * c^6 * x^6 + 10 * c^4 * x^4 - 5 * c^2 * x^2 + 1) * x^3 / (c^2 * x^2 - 1) * (-c^2 * x^2 + 1) * c^8 - 1/5 * a / d / x^5 * (-c^2 * d * x^2 + d)^{(5/2)}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^6,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.5148, size = 1103, normalized size = 7.16

$$\left[ \frac{2(bc^7 dx^7 - bc^5 dx^5) \sqrt{d} \log\left(\frac{c^2 dx^6 + c^2 dx^2 - dx^4 - \sqrt{-c^2 dx^2 + d} \sqrt{-c^2 x^2 + 1} (x^4 - 1) \sqrt{d} - d}{c^2 x^4 - x^2}\right) - (4bc^3 dx^3 - (4bc^3 - bc) dx^5 - bcdx) \sqrt{-c^2 dx^2 + d}}{20(c^2 x^7)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^6,x, algorithm="fricas")

[Out] [1/20\*(2\*(b\*c^7\*d\*x^7 - b\*c^5\*d\*x^5)\*sqrt(d)\*log((c^2\*d\*x^6 + c^2\*d\*x^2 - d\*x^4 - sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*(x^4 - 1)\*sqrt(d) - d)/(c^2\*x^4 - x^2)) - (4\*b\*c^3\*d\*x^3 - (4\*b\*c^3 - b\*c)\*d\*x^5 - b\*c\*d\*x)\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1) - 4\*(a\*c^6\*d\*x^6 - 3\*a\*c^4\*d\*x^4 + 3\*a\*c^2\*d\*x^2 - a\*d + (b\*c^6\*d\*x^6 - 3\*b\*c^4\*d\*x^4 + 3\*b\*c^2\*d\*x^2 - b\*d)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d))/(c^2\*x^7 - x^5), 1/20\*(4\*(b\*c^7\*d\*x^7 - b\*c^5\*d\*x^5)\*sqrt(-d)\*arctan(sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*(x^2 + 1)\*sqrt(-d)/(c^2\*d\*x^4 - (c^2 + 1)\*d\*x^2 + d)) - (4\*b\*c^3\*d\*x^3 - (4\*b\*c^3 - b\*c)\*d\*x^

5 - b\*c\*d\*x)\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1) - 4\*(a\*c^6\*d\*x^6 - 3\*a\*c^4\*d\*x^4 + 3\*a\*c^2\*d\*x^2 - a\*d + (b\*c^6\*d\*x^6 - 3\*b\*c^4\*d\*x^4 + 3\*b\*c^2\*d\*x^2 - b\*d)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d))/(c^2\*x^7 - x^5)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))/x\*\*6,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^6,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)/x^6, x)

$$3.74 \quad \int \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{x^8} dx$$

**Optimal.** Leaf size=231

$$-\frac{2c^2(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{35dx^5} - \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{7dx^7} - \frac{bc^5d\sqrt{d-c^2dx^2}}{70x^2\sqrt{1-c^2x^2}} + \frac{2bc^3d\sqrt{d-c^2dx^2}}{35x^4\sqrt{1-c^2x^2}} - \frac{bcd\sqrt{d-c^2dx^2}}{42x^6\sqrt{1-c^2x^2}}$$

[Out]  $-(b*c*d*Sqrt[d - c^2*d*x^2])/(42*x^6*Sqrt[1 - c^2*x^2]) + (2*b*c^3*d*Sqrt[d - c^2*d*x^2])/(35*x^4*Sqrt[1 - c^2*x^2]) - (b*c^5*d*Sqrt[d - c^2*d*x^2])/(70*x^2*Sqrt[1 - c^2*x^2]) - ((d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x]))/(7*d*x^7) - (2*c^2*(d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x]))/(35*d*x^5) + (2*b*c^7*d*Sqrt[d - c^2*d*x^2]*Log[x])/(35*Sqrt[1 - c^2*x^2])$

**Rubi [A]** time = 0.16388, antiderivative size = 231, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {271, 264, 4691, 12, 446, 76}

$$-\frac{2c^2(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{35dx^5} - \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{7dx^7} - \frac{bc^5d\sqrt{d-c^2dx^2}}{70x^2\sqrt{1-c^2x^2}} + \frac{2bc^3d\sqrt{d-c^2dx^2}}{35x^4\sqrt{1-c^2x^2}} - \frac{bcd\sqrt{d-c^2dx^2}}{42x^6\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/x^8,x]

[Out]  $-(b*c*d*Sqrt[d - c^2*d*x^2])/(42*x^6*Sqrt[1 - c^2*x^2]) + (2*b*c^3*d*Sqrt[d - c^2*d*x^2])/(35*x^4*Sqrt[1 - c^2*x^2]) - (b*c^5*d*Sqrt[d - c^2*d*x^2])/(70*x^2*Sqrt[1 - c^2*x^2]) - ((d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x]))/(7*d*x^7) - (2*c^2*(d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x]))/(35*d*x^5) + (2*b*c^7*d*Sqrt[d - c^2*d*x^2]*Log[x])/(35*Sqrt[1 - c^2*x^2])$

### Rule 271

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*(m + 1)), x] - Dist[(b\*(m + n\*(p + 1) + 1))/(a\*(m + 1)), Int[x^(m + n)\*a + b\*x^n]^p, x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

### Rule 264



```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

### Rule 4691

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_)
, x_Symbol] := With[{u = IntHide[x^m*(1 - c^2*x^2)^p, x]}, Dist[a + b*ArcSi
n[c*x], Int[x^m*(d + e*x^2)^p, x], x] - Dist[(b*c*d^(p - 1/2)*Sqrt[d + e*x^
2])/Sqrt[1 - c^2*x^2], Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x
]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p + 1/2, 0] &&
(IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2*p + 3)/2, 0])
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 76

```
Int[((d_.)*(x_))^(n_.)*((a_) + (b_.)*(x_))*((e_) + (f_.)*(x_))^(p_.), x_Sym
bol] := Int[ExpandIntegrand[(a + b*x)*(d*x)^n*(e + f*x)^p, x], x] /; FreeQ[
{a, b, d, e, f, n}, x] && IGtQ[p, 0] && (NeQ[n, -1] || EqQ[p, 1]) && NeQ[b*
e + a*f, 0] && (!IntegerQ[n] || LtQ[9*p + 5*n, 0] || GeQ[n + p + 1, 0] ||
(GeQ[n + p + 2, 0] && RationalQ[a, b, d, e, f])) && (NeQ[n + p + 3, 0] || E
qQ[p, 1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x^8} dx &= -\frac{(bcd\sqrt{d - c^2 dx^2}) \int \frac{(-5 - 2c^2 x^2)(1 - c^2 x^2)^2}{35x^7} dx}{\sqrt{1 - c^2 x^2}} + (a + b \sin^{-1}(cx)) \int \frac{(d - c^2 dx^2)^{3/2}}{x^8} dx \\
&= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{7dx^7} - \frac{(bcd\sqrt{d - c^2 dx^2}) \int \frac{(-5 - 2c^2 x^2)(1 - c^2 x^2)^2}{x^7} dx}{35\sqrt{1 - c^2 x^2}} + \frac{1}{7} \\
&= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{7dx^7} - \frac{2c^2 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{35dx^5} - \frac{(bcd\sqrt{d - c^2 dx^2}) \int \frac{(-5 - 2c^2 x^2)(1 - c^2 x^2)^2}{x^7} dx}{35\sqrt{1 - c^2 x^2}} \\
&= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{7dx^7} - \frac{2c^2 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{35dx^5} - \frac{(bcd\sqrt{d - c^2 dx^2}) \int \frac{(-5 - 2c^2 x^2)(1 - c^2 x^2)^2}{x^7} dx}{35\sqrt{1 - c^2 x^2}} \\
&= -\frac{bcd\sqrt{d - c^2 dx^2}}{42x^6\sqrt{1 - c^2 x^2}} + \frac{2bc^3 d\sqrt{d - c^2 dx^2}}{35x^4\sqrt{1 - c^2 x^2}} - \frac{bc^5 d\sqrt{d - c^2 dx^2}}{70x^2\sqrt{1 - c^2 x^2}} - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{7dx^7}
\end{aligned}$$

**Mathematica [A]** time = 0.18152, size = 173, normalized size = 0.75

$$\frac{2bc^7 d \log(x) \sqrt{d - c^2 dx^2}}{35\sqrt{1 - c^2 x^2}} - \frac{d\sqrt{d - c^2 dx^2} \left( 30a(2c^2 x^2 + 5)(c^2 x^2 - 1)^3 - bcx\sqrt{1 - c^2 x^2} (147c^6 x^6 + 15c^4 x^4 - 60c^2 x^2 + 25) \right)}{1050x^7 (c^2 x^2 - 1)}$$

Antiderivative was successfully verified.

[In] Integrate[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/x^8,x]

[Out] -(d\*Sqrt[d - c^2\*d\*x^2]\*(30\*a\*(-1 + c^2\*x^2)^3\*(5 + 2\*c^2\*x^2) - b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(25 - 60\*c^2\*x^2 + 15\*c^4\*x^4 + 147\*c^6\*x^6) + 30\*b\*(-1 + c^2\*x^2)^3\*(5 + 2\*c^2\*x^2)\*ArcSin[c\*x]))/(1050\*x^7\*(-1 + c^2\*x^2)) + (2\*b\*c^7\*d\*Sqrt[d - c^2\*d\*x^2]\*Log[x])/(35\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.361, size = 3383, normalized size = 14.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^8,x)

[Out] 
$$\begin{aligned} & -2/35*a*c^2/d/x^5*(-c^2*d*x^2+d)^{(5/2)}-44/5*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(3 \\ & 5*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x^4/(c^2*x^2- \\ & 1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^{11}+6*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c \\ & ^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x^2/(c^2*x^2-1)* \\ & \arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^9+2*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}* \\ & x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x^8/(c^2*x^2-1)*\arcs \\ & \sin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^{15}+4*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{1 \\ & 0}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x^6/(c^2*x^2-1)*\arcsin( \\ & c*x)*(-c^2*x^2+1)^{(1/2)}*c^{13}-2*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-3 \\ & 5*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x^{10}/(c^2*x^2-1)*\arcsin(c* \\ & x)*(-c^2*x^2+1)^{(1/2)}*c^{17}-55/14*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-3 \\ & 5*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)/x^4/(c^2*x^2-1)*c^3*(-c^2* \\ & x^2+1)^{(1/2)}-170/7*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c \\ & ^6*x^6+154*c^4*x^4-105*c^2*x^2+25)/x^5/(c^2*x^2-1)*\arcsin(c*x)*c^2+25/42*b* \\ & (-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-10 \\ & 5*c^2*x^2+25)/x^6/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c+1/2*b*(-d*(c^2*x^2-1))^{( \\ & 1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x^8/ \\ & (c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^{15}+9/35*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c \\ & ^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x^{11}/(c^2*x^2-1) \\ & *c^{18}+1/21*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6 \\ & +154*c^4*x^4-105*c^2*x^2+25)*x^9/(c^2*x^2-1)*c^{16}-142/105*I*b*(-d*(c^2*x^2- \\ & 1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25) \\ & *x^7/(c^2*x^2-1)*c^{14}+72/35*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c \\ & ^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x^5/(c^2*x^2-1)*c^{12}-25/21*I* \\ & b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4- \\ & 105*c^2*x^2+25)*x^3/(c^2*x^2-1)*c^{10}+5/21*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35* \\ & c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x/(c^2*x^2-1)*c \\ & ^8+4*I*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*\arcsin(c*x)*c^7*d/(35*c^ \\ & 2*x^2-35)-2/35*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6 \\ & *x^6+154*c^4*x^4-105*c^2*x^2+25)*x^{13}/(c^2*x^2-1)*c^{20}-2*b*(-d*(c^2*x^2-1)) \\ & ^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x^{ \\ & 11}/(c^2*x^2-1)*\arcsin(c*x)*c^{18}+3*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}- \\ & 35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x^9/(c^2*x^2-1)*\arcsin(c* \\ & x)*c^{16}+12*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+1 \\ & 54*c^4*x^4-105*c^2*x^2+25)*x^7/(c^2*x^2-1)*\arcsin(c*x)*c^{14}-5/2*b*(-d*(c^2* \\ & x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2 \\ & +25)*x^6/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^{13}-164/5*b*(-d*(c^2*x^2-1))^{(1/2)} \\ & *d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x^5/(c^2 \\ & *x^2-1)*\arcsin(c*x)*c^{12}+11/6*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c \\ & ^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x^4/(c^2*x^2-1)*(-c^2*x^2+1)^{ \\ & (1/2)}*c^{11}+52/5*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6* \\ & x^6+154*c^4*x^4-105*c^2*x^2+25)*x^3/(c^2*x^2-1)*\arcsin(c*x)*c^{10}+161/30*b*( \\ & -d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105 \\ & *c^2*x^2+25)*x^2/(c^2*x^2-1)*c^9*(-c^2*x^2+1)^{(1/2)}+1966/35*b*(-d*(c^2*x^2- \\ & 1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25) \end{aligned}$$

$$\begin{aligned} & *x/(c^2*x^2-1)*\arcsin(c*x)*c^8-3272/35*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}* \\ & x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)/x/(c^2*x^2-1)*\arcsin \\ & (c*x)*c^6+421/42*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6 \\ & *x^6+154*c^4*x^4-105*c^2*x^2+25)/x^2/(c^2*x^2-1)*c^5*(-c^2*x^2+1)^{(1/2)}+472 \\ & /7*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x \\ & ^4-105*c^2*x^2+25)/x^3/(c^2*x^2-1)*\arcsin(c*x)*c^4-10/7*I*b*(-d*(c^2*x^2-1) \\ & )^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)/( \\ & c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^7-2/35*I*b*(-d*(c^2*x^2-1))^{(1/ \\ & 2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x^{11}/( \\ & c^2*x^2-1)*(-c^2*x^2+1)*c^{18}+1/5*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10} \\ & -35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x^9/(c^2*x^2-1)*(-c^2*x^ \\ & 2+1)*c^{16}+26/105*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c \\ & ^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x^7/(c^2*x^2-1)*(-c^2*x^2+1)*c^{14}-116/10 \\ & 5*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4* \\ & x^4-105*c^2*x^2+25)*x^5/(c^2*x^2-1)*(-c^2*x^2+1)*c^{12}+20/21*I*b*(-d*(c^2*x^ \\ & 2-1))^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+2 \\ & 5)*x^3/(c^2*x^2-1)*(-c^2*x^2+1)*c^{10}-5/21*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(35* \\ & c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)*x/(c^2*x^2-1)* \\ & (-c^2*x^2+1)*c^8-1/7*a/d/x^7*(-c^2*d*x^2+d)^{(5/2)}+25/7*b*(-d*(c^2*x^2-1))^{(1 \\ & /2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)/x^7/( \\ & c^2*x^2-1)*\arcsin(c*x)-2/35*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^ \\ & 2*x^2-1)*\ln((I*c*x+(-c^2*x^2+1)^{(1/2)})^2-1)*c^7*d-359/30*b*(-d*(c^2*x^2-1) \\ & )^{(1/2)}*d/(35*c^{10}*x^{10}-35*c^8*x^8-70*c^6*x^6+154*c^4*x^4-105*c^2*x^2+25)/(c \\ & ^2*x^2-1)*c^7*(-c^2*x^2+1)^{(1/2)} \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^8,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.57653, size = 1296, normalized size = 5.61

$$\left[ \frac{6(bc^9 dx^9 - bc^7 dx^7) \sqrt{d} \log\left(\frac{c^2 dx^6 + c^2 dx^2 - dx^4 - \sqrt{-c^2 dx^2 + d} \sqrt{-c^2 x^2 + 1} (x^4 - 1) \sqrt{d-d}}{c^2 x^4 - x^2}\right) + (3bc^5 dx^5 - (3bc^5 - 12bc^3 + 5bc) dx^7 - 12bc^3 dx^9)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^8,x, algorithm="fricas")

[Out] [1/210\*(6\*(b\*c^9\*d\*x^9 - b\*c^7\*d\*x^7)\*sqrt(d)\*log((c^2\*d\*x^6 + c^2\*d\*x^2 - d\*x^4 - sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*(x^4 - 1)\*sqrt(d) - d)/(c^2\*x^4 - x^2)) + (3\*b\*c^5\*d\*x^5 - (3\*b\*c^5 - 12\*b\*c^3 + 5\*b\*c)\*d\*x^7 - 12\*b\*c^3\*d\*x^3 + 5\*b\*c\*d\*x)\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1) - 6\*(2\*a\*c^8\*d\*x^8 - a\*c^6\*d\*x^6 - 9\*a\*c^4\*d\*x^4 + 13\*a\*c^2\*d\*x^2 - 5\*a\*d + (2\*b\*c^8\*d\*x^8 - b\*c^6\*d\*x^6 - 9\*b\*c^4\*d\*x^4 + 13\*b\*c^2\*d\*x^2 - 5\*b\*d)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d))/(c^2\*x^9 - x^7), 1/210\*(12\*(b\*c^9\*d\*x^9 - b\*c^7\*d\*x^7)\*sqrt(-d)\*arctan(sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*(x^2 + 1)\*sqrt(-d)/(c^2\*d\*x^4 - (c^2 + 1)\*d\*x^2 + d)) + (3\*b\*c^5\*d\*x^5 - (3\*b\*c^5 - 12\*b\*c^3 + 5\*b\*c)\*d\*x^7 - 12\*b\*c^3\*d\*x^3 + 5\*b\*c\*d\*x)\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1) - 6\*(2\*a\*c^8\*d\*x^8 - a\*c^6\*d\*x^6 - 9\*a\*c^4\*d\*x^4 + 13\*a\*c^2\*d\*x^2 - 5\*a\*d + (2\*b\*c^8\*d\*x^8 - b\*c^6\*d\*x^6 - 9\*b\*c^4\*d\*x^4 + 13\*b\*c^2\*d\*x^2 - 5\*b\*d)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d))/(c^2\*x^9 - x^7)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))/x\*\*8,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^8,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)/x^8, x)

$$3.75 \quad \int \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{x^{10}} dx$$

**Optimal.** Leaf size=308

$$\frac{8c^4(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{315dx^5} - \frac{4c^2(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{63dx^7} - \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{9dx^9} - \frac{2bc^7d\sqrt{d}}{315x^2\sqrt{1}}$$

[Out]  $-(b*c*d*Sqrt[d - c^2*d*x^2])/(72*x^8*Sqrt[1 - c^2*x^2]) + (5*b*c^3*d*Sqrt[d - c^2*d*x^2])/(189*x^6*Sqrt[1 - c^2*x^2]) - (b*c^5*d*Sqrt[d - c^2*d*x^2])/(420*x^4*Sqrt[1 - c^2*x^2]) - (2*b*c^7*d*Sqrt[d - c^2*d*x^2])/(315*x^2*Sqrt[1 - c^2*x^2]) - ((d - c^2*d*x^2)^{(5/2)}*(a + b*ArcSin[c*x]))/(9*d*x^9) - (4*c^2*(d - c^2*d*x^2)^{(5/2)}*(a + b*ArcSin[c*x]))/(63*d*x^7) - (8*c^4*(d - c^2*d*x^2)^{(5/2)}*(a + b*ArcSin[c*x]))/(315*d*x^5) + (8*b*c^9*d*Sqrt[d - c^2*d*x^2]*Log[x])/(315*Sqrt[1 - c^2*x^2])$

**Rubi [A]** time = 0.213051, antiderivative size = 308, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {271, 264, 4691, 12, 1251, 893}

$$\frac{8c^4(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{315dx^5} - \frac{4c^2(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{63dx^7} - \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{9dx^9} - \frac{2bc^7d\sqrt{d}}{315x^2\sqrt{1}}$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/x^10,x]

[Out]  $-(b*c*d*Sqrt[d - c^2*d*x^2])/(72*x^8*Sqrt[1 - c^2*x^2]) + (5*b*c^3*d*Sqrt[d - c^2*d*x^2])/(189*x^6*Sqrt[1 - c^2*x^2]) - (b*c^5*d*Sqrt[d - c^2*d*x^2])/(420*x^4*Sqrt[1 - c^2*x^2]) - (2*b*c^7*d*Sqrt[d - c^2*d*x^2])/(315*x^2*Sqrt[1 - c^2*x^2]) - ((d - c^2*d*x^2)^{(5/2)}*(a + b*ArcSin[c*x]))/(9*d*x^9) - (4*c^2*(d - c^2*d*x^2)^{(5/2)}*(a + b*ArcSin[c*x]))/(63*d*x^7) - (8*c^4*(d - c^2*d*x^2)^{(5/2)}*(a + b*ArcSin[c*x]))/(315*d*x^5) + (8*b*c^9*d*Sqrt[d - c^2*d*x^2]*Log[x])/(315*Sqrt[1 - c^2*x^2])$

**Rule 271**

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x^(m + 1))\*(a + b\*x^n)^(p + 1)/(a\*(m + 1)), x] - Dist[(b\*(m + n\*(p + 1) + 1))/(a\*(m + 1)), Int[x^(m + n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL

tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

### Rule 264

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

### Rule 4691

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_) , x\_Symbol] :> With[{u = IntHide[x^m\*(1 - c^2\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], Int[x^m\*(d + e\*x^2)^p, x], x] - Dist[(b\*c\*d^(p - 1/2)\*Sqrt[d + e\*x^2])/Sqrt[1 - c^2\*x^2], Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p + 1/2, 0] && (IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2\*p + 3)/2, 0])

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 1251

Int[(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(q\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_.), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)\*(d + e\*x)^q\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

### Rule 893

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegersQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0]))

### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x^{10}} dx &= -\frac{(bcd\sqrt{d - c^2 dx^2}) \int \frac{(1 - c^2 x^2)^2 (-35 - 20c^2 x^2 - 8c^4 x^4)}{315x^9} dx}{\sqrt{1 - c^2 x^2}} + (a + b \sin^{-1}(cx)) \int \frac{(d - c^2 dx^2)^{3/2}}{x^{10}} dx \\
&= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{9dx^9} - \frac{(bcd\sqrt{d - c^2 dx^2}) \int \frac{(1 - c^2 x^2)^2 (-35 - 20c^2 x^2 - 8c^4 x^4)}{x^9} dx}{315\sqrt{1 - c^2 x^2}} \\
&= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{9dx^9} - \frac{4c^2 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{63dx^7} - \frac{(bcd\sqrt{d - c^2 dx^2}) \int \frac{(1 - c^2 x^2)^2 (-35 - 20c^2 x^2 - 8c^4 x^4)}{x^9} dx}{315\sqrt{1 - c^2 x^2}} \\
&= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{9dx^9} - \frac{4c^2 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{63dx^7} - \frac{8c^4 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{315\sqrt{1 - c^2 x^2}} \\
&= -\frac{bcd\sqrt{d - c^2 dx^2}}{72x^8\sqrt{1 - c^2 x^2}} + \frac{5bc^3 d\sqrt{d - c^2 dx^2}}{189x^6\sqrt{1 - c^2 x^2}} - \frac{bc^5 d\sqrt{d - c^2 dx^2}}{420x^4\sqrt{1 - c^2 x^2}} - \frac{2bc^7 d\sqrt{d - c^2 dx^2}}{315x^2\sqrt{1 - c^2 x^2}} - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{9dx^9}
\end{aligned}$$

**Mathematica [A]** time = 0.257498, size = 197, normalized size = 0.64

$$\frac{8bc^9 d \log(x) \sqrt{d - c^2 dx^2}}{315\sqrt{1 - c^2 x^2}} - \frac{d\sqrt{d - c^2 dx^2} (840a(8c^4 x^4 + 20c^2 x^2 + 35)(c^2 x^2 - 1)^3 - bcx\sqrt{1 - c^2 x^2}(18264c^8 x^8 + 1680c^6 x^6 - 1680c^4 x^4 - 3675 - 7000c^2 x^2 + 630c^4 x^4 + 1680c^6 x^6 + 18264c^8 x^8) + 840b(-1 + c^2 x^2)^3(35 + 20c^2 x^2 + 8c^4 x^4) \operatorname{ArcSin}[cx])}{264600x^9(c^2 x^2 - 1)}$$

Antiderivative was successfully verified.

[In] Integrate[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/x^10,x]

[Out] -(d\*Sqrt[d - c^2\*d\*x^2]\*(840\*a\*(-1 + c^2\*x^2)^3\*(35 + 20\*c^2\*x^2 + 8\*c^4\*x^4) - b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(3675 - 7000\*c^2\*x^2 + 630\*c^4\*x^4 + 1680\*c^6\*x^6 + 18264\*c^8\*x^8) + 840\*b\*(-1 + c^2\*x^2)^3\*(35 + 20\*c^2\*x^2 + 8\*c^4\*x^4) \*ArcSin[c\*x]))/(264600\*x^9\*(-1 + c^2\*x^2)) + (8\*b\*c^9\*d\*Sqrt[d - c^2\*d\*x^2] \*Log[x])/(315\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.457, size = 4560, normalized size = 14.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.



[In]  $\text{int}((-c^2dx^2+d)^{(3/2)}*(a+b*\arcsin(cx))/x^{10},x)$

[Out] 
$$\begin{aligned} & -4/63*a*c^2/d/x^7*(-c^2dx^2+d)^{(5/2)}+113594/63*b*(-d*(c^2x^2-1))^{(1/2)}*d \\ & / (840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)/x/(c^2*x^2-1)*\arcsin(cx)*c^8-25915/126*b*(-d*(c^2*x^2-1))^{(1/2)} \\ & )*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725 \\ & *c^2*x^2+1225)/x^2/(c^2*x^2-1)*c^7*(-c^2*x^2+1)^{(1/2)}-174520/63*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210* \\ & c^4*x^4-4725*c^2*x^2+1225)/x^3/(c^2*x^2-1)*\arcsin(cx)*c^6+1285/6*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210 \\ & 0*c^4*x^4-4725*c^2*x^2+1225)/x^4/(c^2*x^2-1)*c^5*(-c^2*x^2+1)^{(1/2)}-64/3*b* \\ & (-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^{13}/(c^2*x^2-1)*\arcsin(cx)*c^{22}+104/3 \\ & *b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^{11}/(c^2*x^2-1)*\arcsin(cx)*c^{20}+92 \\ & 2/945*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^{11}/(c^2*x^2-1)*c^{20}-2906/94 \\ & 5*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^9/(c^2*x^2-1)*c^{18}-2069/189*I*b \\ & *(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^7/(c^2*x^2-1)*c^{16}+4639/189*I*b*(-d* \\ & (c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^5/(c^2*x^2-1)*c^{14}-455/27*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^3/(c^2*x^2-1)*c^{12}+35/9*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x/(c^2*x^2-1)*c^{10}+16*I*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*\arcsin(cx)*c^9*d/(315*c^2*x^2-315)-128/315*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^{17}/(c^2*x^2-1)*c^{26}+16/315*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^{15}/(c^2*x^2-1)*c^{24}+344/189*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^{13}/(c^2*x^2-1)*c^{22}+19540/9*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)/x^5/(c^2*x^2-1)*\arcsin(cx)*c^4-21175/216*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)/x^6/(c^2*x^2-1)*c^3*(-c^2*x^2+1)^{(1/2)}-7700/9*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)/x^7/(c^2*x^2-1)*\arcsin(cx)*c^2+1225/72*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)/x^8/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c+16/3*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^{10}/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^{19}-212/15*b*(-d$$

$$\begin{aligned}
&*(c^2*x^2-1)^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6 \\
&+6210*c^4*x^4-4725*c^2*x^2+1225)*x^9/(c^2*x^2-1)*\arcsin(c*x)*c^{18}-4*b*(-d*( \\
&c^2*x^2-1)^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6 \\
&210*c^4*x^4-4725*c^2*x^2+1225)*x^8/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^{17}+3151 \\
&/15*b*(-d*(c^2*x^2-1)^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-273 \\
&0*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^7/(c^2*x^2-1)*\arcsin(c*x)*c^{16}- \\
&4189/180*b*(-d*(c^2*x^2-1)^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8- \\
&2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^6/(c^2*x^2-1)*(-c^2*x^2+1) \\
&^{(1/2)}*c^{15}-60632/105*b*(-d*(c^2*x^2-1)^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10} \\
&+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^5/(c^2*x^2-1) \\
&*\arcsin(c*x)*c^{14}+1187/60*b*(-d*(c^2*x^2-1)^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10} \\
&0*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^4/(c^2*x^2- \\
&1)*(-c^2*x^2+1)^{(1/2)}*c^{13}+59884/105*b*(-d*(c^2*x^2-1)^{(1/2)}*d/(840*c^{12} \\
&*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225) \\
&)*x^3/(c^2*x^2-1)*\arcsin(c*x)*c^{12}+829/56*b*(-d*(c^2*x^2-1)^{(1/2)}*d/(840*c \\
&^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1 \\
&225)*x^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^{11}-43264/63*b*(-d*(c^2*x^2-1)^{(1/ \\
&2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-47 \\
&25*c^2*x^2+1225)*x/(c^2*x^2-1)*\arcsin(c*x)*c^{10}-8/315*a*c^4/d/x^5*(-c^2*d*x \\
&^2+d)^{(5/2)}+24*I*b*(-d*(c^2*x^2-1)^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+18 \\
&9*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^{10}/(c^2*x^2-1)*\ar \\
&\sin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^{19}-24/5*I*b*(-d*(c^2*x^2-1)^{(1/2)}*d/(840*c^{1 \\
&2}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+122 \\
&5)*x^8/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^{17}-1/9*a/d/x^9*(-c^2*d* \\
&x^2+d)^{(5/2)}+208/3*I*b*(-d*(c^2*x^2-1)^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{1 \\
&0}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^6/(c^2*x^2-1)* \\
&\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^{15}-1104/7*I*b*(-d*(c^2*x^2-1)^{(1/2)}*d/(84 \\
&0*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^ \\
&2+1225)*x^4/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^{13}+120*I*b*(-d*(c^ \\
&2*x^2-1)^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+621 \\
&0*c^4*x^4-4725*c^2*x^2+1225)*x^2/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)} \\
&*c^{11}-64/3*I*b*(-d*(c^2*x^2-1)^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^ \\
&8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^{12}/(c^2*x^2-1)*\arcsin( \\
&c*x)*(-c^2*x^2+1)^{(1/2)}*c^{21}-2189/189*I*b*(-d*(c^2*x^2-1)^{(1/2)}*d/(840*c^{1 \\
&2}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+122 \\
&5)*x^5/(c^2*x^2-1)*(-c^2*x^2+1)*c^{14}+350/27*I*b*(-d*(c^2*x^2-1)^{(1/2)}*d/(8 \\
&40*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x \\
&^2+1225)*x^3/(c^2*x^2-1)*(-c^2*x^2+1)*c^{12}-35/9*I*b*(-d*(c^2*x^2-1)^{(1/2)}* \\
&d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c \\
&^2*x^2+1225)*x/(c^2*x^2-1)*(-c^2*x^2+1)*c^{10}-280/9*I*b*(-d*(c^2*x^2-1)^{(1/ \\
&2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-472 \\
&5*c^2*x^2+1225)/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^9+1225/9*b*(-d \\
&*(c^2*x^2-1)^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^6 \\
&+6210*c^4*x^4-4725*c^2*x^2+1225)/x^9/(c^2*x^2-1)*\arcsin(c*x)+30055/504*b*(- \\
&d*(c^2*x^2-1)^{(1/2)}*d/(840*c^{12}*x^{12}-945*c^{10}*x^{10}+189*c^8*x^8-2730*c^6*x^
\end{aligned}$$

$$6+6210*c^4*x^4-4725*c^2*x^2+1225)/(c^2*x^2-1)*c^9*(-c^2*x^2+1)^{(1/2)}-8/315*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*\ln((I*c*x+(-c^2*x^2+1)^{(1/2)})^2-1)*c^9*d-128/315*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^12*x^12-945*c^10*x^10+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^15/(c^2*x^2-1)*(-c^2*x^2+1)*c^24-16/45*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^12*x^12-945*c^10*x^10+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^13/(c^2*x^2-1)*(-c^2*x^2+1)*c^22+1384/945*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^12*x^12-945*c^10*x^10+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^11/(c^2*x^2-1)*(-c^2*x^2+1)*c^20+2306/945*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^12*x^12-945*c^10*x^10+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^9/(c^2*x^2-1)*(-c^2*x^2+1)*c^18-40/63*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(840*c^12*x^12-945*c^10*x^10+189*c^8*x^8-2730*c^6*x^6+6210*c^4*x^4-4725*c^2*x^2+1225)*x^7/(c^2*x^2-1)*(-c^2*x^2+1)*c^16$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^10,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.65776, size = 1517, normalized size = 4.93

$$\left[ \frac{96(bc^{11}dx^{11} - bc^9dx^9)\sqrt{d}\log\left(\frac{c^2dx^6+c^2dx^2-dx^4-\sqrt{-c^2dx^2+d}\sqrt{-c^2x^2+1}(x^4-1)\sqrt{d-d}}{c^2x^4-x^2}\right)}{\right] + (48bc^7dx^7 + 18bc^5dx^5 - (48bc^7 + 18bc^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^10,x, algorithm="fricas")

[Out] [1/7560\*(96\*(b\*c^11\*d\*x^11 - b\*c^9\*d\*x^9)\*sqrt(d)\*log((c^2\*d\*x^6 + c^2\*d\*x^2 - d\*x^4 - sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*(x^4 - 1)\*sqrt(d) - d)/(c^2\*x^4 - x^2)) + (48\*b\*c^7\*d\*x^7 + 18\*b\*c^5\*d\*x^5 - (48\*b\*c^7 + 18\*b\*c^5

```

- 200*b*c^3 + 105*b*c)*d*x^9 - 200*b*c^3*d*x^3 + 105*b*c*d*x)*sqrt(-c^2*d*x
^2 + d)*sqrt(-c^2*x^2 + 1) - 24*(8*a*c^10*d*x^10 - 4*a*c^8*d*x^8 - a*c^6*d*
x^6 - 53*a*c^4*d*x^4 + 85*a*c^2*d*x^2 - 35*a*d + (8*b*c^10*d*x^10 - 4*b*c^8
*d*x^8 - b*c^6*d*x^6 - 53*b*c^4*d*x^4 + 85*b*c^2*d*x^2 - 35*b*d)*arcsin(c*x
))*sqrt(-c^2*d*x^2 + d))/(c^2*x^11 - x^9), 1/7560*(192*(b*c^11*d*x^11 - b*c
^9*d*x^9)*sqrt(-d)*arctan(sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1)*(x^2 + 1)
*sqrt(-d))/(c^2*d*x^4 - (c^2 + 1)*d*x^2 + d)) + (48*b*c^7*d*x^7 + 18*b*c^5*d
*x^5 - (48*b*c^7 + 18*b*c^5 - 200*b*c^3 + 105*b*c)*d*x^9 - 200*b*c^3*d*x^3
+ 105*b*c*d*x)*sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1) - 24*(8*a*c^10*d*x^1
0 - 4*a*c^8*d*x^8 - a*c^6*d*x^6 - 53*a*c^4*d*x^4 + 85*a*c^2*d*x^2 - 35*a*d
+ (8*b*c^10*d*x^10 - 4*b*c^8*d*x^8 - b*c^6*d*x^6 - 53*b*c^4*d*x^4 + 85*b*c^
2*d*x^2 - 35*b*d)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d))/(c^2*x^11 - x^9)]

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c**2*d*x**2+d)**(3/2)*(a+b*asin(c*x))/x**10,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x))/x^10,x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(3/2)*(b*arcsin(c*x) + a)/x^10, x)
```

$$3.76 \quad \int \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{x^{12}} dx$$

**Optimal.** Leaf size=385

$$\frac{16c^6(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{1155dx^5} - \frac{8c^4(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{231dx^7} - \frac{2c^2(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{33dx^9} - \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{110x^{10}\sqrt{1-c^2x^2}} + \frac{b^3c^3d\sqrt{d-c^2dx^2}}{66x^8\sqrt{1-c^2x^2}} - \frac{b^5c^5d\sqrt{d-c^2dx^2}}{1386x^6\sqrt{1-c^2x^2}} - \frac{b^7c^7d\sqrt{d-c^2dx^2}}{770x^4\sqrt{1-c^2x^2}} - \frac{4b^9c^9d\sqrt{d-c^2dx^2}}{1155x^2\sqrt{1-c^2x^2}} - \frac{(d-c^2dx^2)^{5/2}(a+b\text{ArcSin}[cx])}{11dx^{11}} - \frac{2c^2(d-c^2dx^2)^{5/2}(a+b\text{ArcSin}[cx])}{33dx^9} - \frac{8c^4(d-c^2dx^2)^{5/2}(a+b\text{ArcSin}[cx])}{231dx^7} - \frac{16c^6(d-c^2dx^2)^{5/2}(a+b\text{ArcSin}[cx])}{1155dx^5} + \frac{16b^6c^{11}d\sqrt{d-c^2dx^2}\text{Log}[x]}{1155\sqrt{1-c^2x^2}}$$

[Out]  $-(b*c*d*\text{Sqrt}[d - c^2*d*x^2])/(110*x^{10}*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*d*\text{Sqrt}[d - c^2*d*x^2])/(66*x^8*\text{Sqrt}[1 - c^2*x^2]) - (b*c^5*d*\text{Sqrt}[d - c^2*d*x^2])/(1386*x^6*\text{Sqrt}[1 - c^2*x^2]) - (b*c^7*d*\text{Sqrt}[d - c^2*d*x^2])/(770*x^4*\text{Sqrt}[1 - c^2*x^2]) - (4*b*c^9*d*\text{Sqrt}[d - c^2*d*x^2])/(1155*x^2*\text{Sqrt}[1 - c^2*x^2]) - ((d - c^2*d*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x]))/(11*d*x^{11}) - (2*c^2*(d - c^2*d*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x]))/(33*d*x^9) - (8*c^4*(d - c^2*d*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x]))/(231*d*x^7) - (16*c^6*(d - c^2*d*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x]))/(1155*d*x^5) + (16*b*c^{11}*d*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(1155*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.301133, antiderivative size = 385, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {271, 264, 4691, 12, 1799, 1620}

$$\frac{16c^6(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{1155dx^5} - \frac{8c^4(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{231dx^7} - \frac{2c^2(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{33dx^9} - \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{110x^{10}\sqrt{1-c^2x^2}} + \frac{b^3c^3d\sqrt{d-c^2dx^2}}{66x^8\sqrt{1-c^2x^2}} - \frac{b^5c^5d\sqrt{d-c^2dx^2}}{1386x^6\sqrt{1-c^2x^2}} - \frac{b^7c^7d\sqrt{d-c^2dx^2}}{770x^4\sqrt{1-c^2x^2}} - \frac{4b^9c^9d\sqrt{d-c^2dx^2}}{1155x^2\sqrt{1-c^2x^2}} - \frac{(d-c^2dx^2)^{5/2}(a+b\text{ArcSin}[cx])}{11dx^{11}} - \frac{2c^2(d-c^2dx^2)^{5/2}(a+b\text{ArcSin}[cx])}{33dx^9} - \frac{8c^4(d-c^2dx^2)^{5/2}(a+b\text{ArcSin}[cx])}{231dx^7} - \frac{16c^6(d-c^2dx^2)^{5/2}(a+b\text{ArcSin}[cx])}{1155dx^5} + \frac{16b^6c^{11}d\sqrt{d-c^2dx^2}\text{Log}[x]}{1155\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x])}{x^{12}}, x]$

[Out]  $-(b*c*d*\text{Sqrt}[d - c^2*d*x^2])/(110*x^{10}*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*d*\text{Sqrt}[d - c^2*d*x^2])/(66*x^8*\text{Sqrt}[1 - c^2*x^2]) - (b*c^5*d*\text{Sqrt}[d - c^2*d*x^2])/(1386*x^6*\text{Sqrt}[1 - c^2*x^2]) - (b*c^7*d*\text{Sqrt}[d - c^2*d*x^2])/(770*x^4*\text{Sqrt}[1 - c^2*x^2]) - (4*b*c^9*d*\text{Sqrt}[d - c^2*d*x^2])/(1155*x^2*\text{Sqrt}[1 - c^2*x^2]) - ((d - c^2*d*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x]))/(11*d*x^{11}) - (2*c^2*(d - c^2*d*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x]))/(33*d*x^9) - (8*c^4*(d - c^2*d*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x]))/(231*d*x^7) - (16*c^6*(d - c^2*d*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x]))/(1155*d*x^5) + (16*b*c^{11}*d*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(1155*\text{Sqrt}[1 - c^2*x^2])$

**Rule 271**

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x^(m + 1)*(
a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m +
1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

#### Rule 264

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

#### Rule 4691

```
Int[((a_) + ArcSin[(c_)*(x_)])*(b_)*(x_)^(m_)*((d_) + (e_)*(x_)^2)^(p_)
, x_Symbol] := With[{u = IntHide[x^m*(1 - c^2*x^2)^p, x]}, Dist[a + b*ArcSi
n[c*x], Int[x^m*(d + e*x^2)^p, x], x] - Dist[(b*c*d^(p - 1/2)*Sqrt[d + e*x^
2])/Sqrt[1 - c^2*x^2], Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x
]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p + 1/2, 0] &&
(IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2*p + 3)/2, 0])
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

#### Rule 1799

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Dist[1/2, Su
bst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x)^p, x], x, x^2], x] /;
FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]
```

#### Rule 1620

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol]
:= Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c
, d, m, n}, x] && PolyQ[Px, x] && (IntegerQ[m, n] || IGtQ[m, -2]) && GtQ[E
xpon[Px, x], 2]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x^{12}} dx &= -\frac{(bcd\sqrt{d - c^2 dx^2}) \int \frac{(1 - c^2 x^2)^2 (-105 - 70c^2 x^2 - 40c^4 x^4 - 16c^6 x^6)}{1155x^{11}} dx}{\sqrt{1 - c^2 x^2}} + (a + b \sin^{-1}(cx)) \int \frac{1}{x^{12}} dx \\
&= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{11dx^{11}} - \frac{(bcd\sqrt{d - c^2 dx^2}) \int \frac{(1 - c^2 x^2)^2 (-105 - 70c^2 x^2 - 40c^4 x^4 - 16c^6 x^6)}{x^{11}} dx}{1155\sqrt{1 - c^2 x^2}} \\
&= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{11dx^{11}} - \frac{2c^2 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{33dx^9} - \frac{(bcd\sqrt{d - c^2 dx^2}) \int \frac{1}{x^{11}} dx}{1155\sqrt{1 - c^2 x^2}} \\
&= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{11dx^{11}} - \frac{2c^2 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{33dx^9} - \frac{8c^4 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{1155\sqrt{1 - c^2 x^2}} \\
&= -\frac{bcd\sqrt{d - c^2 dx^2}}{110x^{10}\sqrt{1 - c^2 x^2}} + \frac{bc^3 d\sqrt{d - c^2 dx^2}}{66x^8\sqrt{1 - c^2 x^2}} - \frac{bc^5 d\sqrt{d - c^2 dx^2}}{1386x^6\sqrt{1 - c^2 x^2}} - \frac{bc^7 d\sqrt{d - c^2 dx^2}}{770x^4\sqrt{1 - c^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.240391, size = 221, normalized size = 0.57

$$\frac{16bc^{11}d \log(x)\sqrt{d - c^2 dx^2}}{1155\sqrt{1 - c^2 x^2}} - \frac{d\sqrt{d - c^2 dx^2} \left( 630a(16c^6 x^6 + 40c^4 x^4 + 70c^2 x^2 + 105)(c^2 x^2 - 1)^3 - bcx\sqrt{1 - c^2 x^2}(29524c^{11} - 16c^9 x^2 + 16c^7 x^4 - 16c^5 x^6 + 16c^3 x^8 - 16c x^{10}) \right)}{1155\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/x^12,x]

[Out]  $-(d*\text{Sqrt}[d - c^2*d*x^2])*(630*a*(-1 + c^2*x^2)^3*(105 + 70*c^2*x^2 + 40*c^4*x^4 + 16*c^6*x^6) - b*c*x*\text{Sqrt}[1 - c^2*x^2]*(6615 - 11025*c^2*x^2 + 525*c^4*x^4 + 945*c^6*x^6 + 2520*c^8*x^8 + 29524*c^{10}*x^{10}) + 630*b*(-1 + c^2*x^2)^3*(105 + 70*c^2*x^2 + 40*c^4*x^4 + 16*c^6*x^6)*\text{ArcSin}[c*x])/(727650*x^{11}*(-1 + c^2*x^2)) + (16*b*c^{11}*d*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(1155*\text{Sqrt}[1 - c^2*x^2])$

**Maple [C]** time = 0.598, size = 5881, normalized size = 15.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x))/x^12,x)
```

```
[Out] result too large to display
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x))/x^12,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 2.96817, size = 1702, normalized size = 4.42

$$\left[ \frac{48(bc^{13}dx^{13} - bc^{11}dx^{11})\sqrt{d} \log\left(\frac{c^2dx^6 + c^2dx^2 - dx^4 - \sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1}(x^4 - 1)\sqrt{d-d}}{c^2x^4 - x^2}\right) + (24bc^9dx^9 + 9bc^7dx^7 - (24bc^9 + 9bc^7 + \dots)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x))/x^12,x, algorithm="fricas")
```

```
[Out] [1/6930*(48*(b*c^13*d*x^13 - b*c^11*d*x^11)*sqrt(d)*log((c^2*d*x^6 + c^2*d*x^2 - d*x^4 - sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1)*(x^4 - 1)*sqrt(d) - d)/(c^2*x^4 - x^2)) + (24*b*c^9*d*x^9 + 9*b*c^7*d*x^7 - (24*b*c^9 + 9*b*c^7 + 5*b*c^5 - 105*b*c^3 + 63*b*c)*d*x^11 + 5*b*c^5*d*x^5 - 105*b*c^3*d*x^3 + 63*b*c*d*x)*sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1) - 6*(16*a*c^12*d*x^12 - 8*a*c^10*d*x^10 - 2*a*c^8*d*x^8 - a*c^6*d*x^6 - 145*a*c^4*d*x^4 + 245*a*c^2*d*x^2 - 105*a*d + (16*b*c^12*d*x^12 - 8*b*c^10*d*x^10 - 2*b*c^8*d*x^8 - b*c^6*d*x^6 - 145*b*c^4*d*x^4 + 245*b*c^2*d*x^2 - 105*b*d)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d)/(c^2*x^13 - x^11), 1/6930*(96*(b*c^13*d*x^13 - b*c^11*d*x^11)*sqrt(-d)*arctan(sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1)*(x^2 + 1)*sqrt(-d)/(c^2*d*x^4 - (c^2 + 1)*d*x^2 + d)) + (24*b*c^9*d*x^9 + 9*b*c^7*d*x^7 - (24*b*c^9 + 9*b*c^7 + 5*b*c^5 - 105*b*c^3 + 63*b*c)*d*x^11 + 5*b*c^5*d*x^5
```



```
- 105*b*c^3*d*x^3 + 63*b*c*d*x)*sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1) -
6*(16*a*c^12*d*x^12 - 8*a*c^10*d*x^10 - 2*a*c^8*d*x^8 - a*c^6*d*x^6 - 145*a
*c^4*d*x^4 + 245*a*c^2*d*x^2 - 105*a*d + (16*b*c^12*d*x^12 - 8*b*c^10*d*x^1
0 - 2*b*c^8*d*x^8 - b*c^6*d*x^6 - 145*b*c^4*d*x^4 + 245*b*c^2*d*x^2 - 105*b
*d)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d))/(c^2*x^13 - x^11)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c**2*d*x**2+d)**(3/2)*(a+b*asin(c*x))/x**12,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)}{x^{12}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x))/x^12,x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(3/2)*(b*arcsin(c*x) + a)/x^12, x)
```

### 3.77 $\int x^7 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=375

$$\frac{(d - c^2 dx^2)^{11/2} (a + b \sin^{-1}(cx))}{11c^8 d^4} - \frac{(d - c^2 dx^2)^{9/2} (a + b \sin^{-1}(cx))}{3c^8 d^3} + \frac{3(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7c^8 d^2} - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5c^8 d}$$

[Out] (16\*b\*d\*x\*Sqrt[d - c^2\*d\*x^2])/(1155\*c^7\*Sqrt[1 - c^2\*x^2]) + (8\*b\*d\*x^3\*Sqrt[d - c^2\*d\*x^2])/(3465\*c^5\*Sqrt[1 - c^2\*x^2]) + (2\*b\*d\*x^5\*Sqrt[d - c^2\*d\*x^2])/(1925\*c^3\*Sqrt[1 - c^2\*x^2]) + (b\*d\*x^7\*Sqrt[d - c^2\*d\*x^2])/(1617\*c\*Sqrt[1 - c^2\*x^2]) - (4\*b\*c\*d\*x^9\*Sqrt[d - c^2\*d\*x^2])/(297\*Sqrt[1 - c^2\*x^2]) + (b\*c^3\*d\*x^11\*Sqrt[d - c^2\*d\*x^2])/(121\*Sqrt[1 - c^2\*x^2]) - ((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/(5\*c^8\*d) + (3\*(d - c^2\*d\*x^2)^(7/2)\*(a + b\*ArcSin[c\*x]))/(7\*c^8\*d^2) - ((d - c^2\*d\*x^2)^(9/2)\*(a + b\*ArcSin[c\*x]))/(3\*c^8\*d^3) + ((d - c^2\*d\*x^2)^(11/2)\*(a + b\*ArcSin[c\*x]))/(11\*c^8\*d^4)

**Rubi [A]** time = 0.293262, antiderivative size = 375, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {266, 43, 4691, 12, 1810}

$$\frac{(d - c^2 dx^2)^{11/2} (a + b \sin^{-1}(cx))}{11c^8 d^4} - \frac{(d - c^2 dx^2)^{9/2} (a + b \sin^{-1}(cx))}{3c^8 d^3} + \frac{3(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7c^8 d^2} - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5c^8 d}$$

Antiderivative was successfully verified.

[In] Int[x^7\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (16\*b\*d\*x\*Sqrt[d - c^2\*d\*x^2])/(1155\*c^7\*Sqrt[1 - c^2\*x^2]) + (8\*b\*d\*x^3\*Sqrt[d - c^2\*d\*x^2])/(3465\*c^5\*Sqrt[1 - c^2\*x^2]) + (2\*b\*d\*x^5\*Sqrt[d - c^2\*d\*x^2])/(1925\*c^3\*Sqrt[1 - c^2\*x^2]) + (b\*d\*x^7\*Sqrt[d - c^2\*d\*x^2])/(1617\*c\*Sqrt[1 - c^2\*x^2]) - (4\*b\*c\*d\*x^9\*Sqrt[d - c^2\*d\*x^2])/(297\*Sqrt[1 - c^2\*x^2]) + (b\*c^3\*d\*x^11\*Sqrt[d - c^2\*d\*x^2])/(121\*Sqrt[1 - c^2\*x^2]) - ((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/(5\*c^8\*d) + (3\*(d - c^2\*d\*x^2)^(7/2)\*(a + b\*ArcSin[c\*x]))/(7\*c^8\*d^2) - ((d - c^2\*d\*x^2)^(9/2)\*(a + b\*ArcSin[c\*x]))/(3\*c^8\*d^3) + ((d - c^2\*d\*x^2)^(11/2)\*(a + b\*ArcSin[c\*x]))/(11\*c^8\*d^4)

**Rule 266**

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int  
[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n},  
x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le  
Q[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rule 4691

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.),  
x\_Symbol] := With[{u = IntHide[x^m\*(1 - c^2\*x^2)^p, x]}, Dist[a + b\*ArcSi  
n[c\*x], Int[x^m\*(d + e\*x^2)^p, x], x] - Dist[(b\*c\*d^(p - 1/2)\*Sqrt[d + e\*x^  
2])/Sqrt[1 - c^2\*x^2], Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x  
] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p + 1/2, 0] &&  
(IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2\*p + 3)/2, 0])

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match  
Q[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 1810

Int[(Pq\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[Pq\*  
(a + b\*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rubi steps

$$\begin{aligned} \int x^7 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx &= -\frac{(bcd\sqrt{d - c^2 dx^2}) \int \frac{(1 - c^2 x^2)^2 (-16 - 40c^2 x^2 - 70c^4 x^4 - 105c^6 x^6)}{1155c^8} dx}{\sqrt{1 - c^2 x^2}} + (a + b \sin^{-1}(cx)) \\ &= -\frac{(bd\sqrt{d - c^2 dx^2}) \int (1 - c^2 x^2)^2 (-16 - 40c^2 x^2 - 70c^4 x^4 - 105c^6 x^6) dx}{1155c^7 \sqrt{1 - c^2 x^2}} + \frac{1}{2} \left( \frac{bd\sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} \right) \\ &= -\frac{(bd\sqrt{d - c^2 dx^2}) \int (-16 - 8c^2 x^2 - 6c^4 x^4 - 5c^6 x^6 + 140c^8 x^8 - 105c^{10} x^{10}) dx}{1155c^7 \sqrt{1 - c^2 x^2}} \\ &= \frac{16bdx\sqrt{d - c^2 dx^2}}{1155c^7 \sqrt{1 - c^2 x^2}} + \frac{8bdx^3\sqrt{d - c^2 dx^2}}{3465c^5 \sqrt{1 - c^2 x^2}} + \frac{2bdx^5\sqrt{d - c^2 dx^2}}{1925c^3 \sqrt{1 - c^2 x^2}} + \frac{bdx^7\sqrt{d - c^2 dx^2}}{1617c \sqrt{1 - c^2 x^2}} \end{aligned}$$

**Mathematica [A]** time = 0.18655, size = 174, normalized size = 0.46

$$\frac{d\sqrt{d-c^2dx^2} \left( -3465a(105c^6x^6 + 70c^4x^4 + 40c^2x^2 + 16)(1-c^2x^2)^{5/2} + bcx(33075c^{10}x^{10} - 53900c^8x^8 + 2475c^6x^6 + 415c^4x^4 + 105c^2x^2 + 16) \right)}{4002075c^8\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^7\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d\*Sqrt[d - c^2\*d\*x^2]\*(-3465\*a\*(1 - c^2\*x^2)^(5/2)\*(16 + 40\*c^2\*x^2 + 70\*c^4\*x^4 + 105\*c^6\*x^6) + b\*c\*x\*(55440 + 9240\*c^2\*x^2 + 4158\*c^4\*x^4 + 2475\*c^6\*x^6 - 53900\*c^8\*x^8 + 33075\*c^10\*x^10) - 3465\*b\*(1 - c^2\*x^2)^(5/2)\*(16 + 40\*c^2\*x^2 + 70\*c^4\*x^4 + 105\*c^6\*x^6)\*ArcSin[c\*x]))/(4002075\*c^8\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.585, size = 1781, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x)

[Out] a\*(-1/11\*x^6\*(-c^2\*d\*x^2+d)^(5/2)/c^2/d+6/11/c^2\*(-1/9\*x^4\*(-c^2\*d\*x^2+d)^(5/2)/c^2/d+4/9/c^2\*(-1/7\*x^2\*(-c^2\*d\*x^2+d)^(5/2)/c^2/d-2/35/d/c^4\*(-c^2\*d\*x^2+d)^(5/2))))+b\*(-1/247808\*(-d\*(c^2\*x^2-1))^(1/2)\*(1+11\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c+4096\*c^8\*x^8-2352\*c^6\*x^6+620\*c^4\*x^4-61\*c^2\*x^2-220\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+2816\*I\*(-c^2\*x^2+1)^(1/2)\*x^9\*c^9+1024\*x^12\*c^12-3328\*c^10\*x^10-1024\*I\*(-c^2\*x^2+1)^(1/2)\*x^11\*c^11+1232\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5-2816\*I\*(-c^2\*x^2+1)^(1/2)\*x^7\*c^7)\*(I+11\*arcsin(c\*x))\*d/c^8/(c^2\*x^2-1)-1/55296\*(-d\*(c^2\*x^2-1))^(1/2)\*(256\*c^10\*x^10-704\*c^8\*x^8-256\*I\*(-c^2\*x^2+1)^(1/2)\*x^9\*c^9+688\*c^6\*x^6+576\*I\*(-c^2\*x^2+1)^(1/2)\*x^7\*c^7-280\*c^4\*x^4-432\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5+41\*c^2\*x^2+120\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3-9\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(I+9\*arcsin(c\*x))\*d/c^8/(c^2\*x^2-1)+1/100352\*(-d\*(c^2\*x^2-1))^(1/2)\*(64\*c^8\*x^8-144\*c^6\*x^6-64\*I\*(-c^2\*x^2+1)^(1/2)\*x^7\*c^7+104\*c^4\*x^4+112\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5-25\*c^2\*x^2-56\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+7\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c+1)\*(I+7\*arcsin(c\*x))\*d/c^8/(c^2\*x^2-1)+11/51200\*(-d\*(c^2\*x^2-1))^(1/2)\*(16\*c^6\*x^6-28\*c^4\*x^4-16\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5+13\*c^2\*x^2+20\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3-5\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(I+5\*arcsin(c\*x))\*d/c^8/(c^2\*x^2-1)+1/3072\*(-d\*(c^2\*x^2-1))^(1/2)\*(4\*c^4\*x^4-5\*c^2\*x^2-4\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+3\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(I+3\*arcsin(c\*x))\*d/c^8/(c^2\*x^2-1)

$$\begin{aligned} & \frac{1}{2} * x * c + 1) * (I + 3 * \arcsin(c * x)) * d / c^8 / (c^2 * x^2 - 1) - 7 / 1024 * (-d * (c^2 * x^2 - 1))^{(1/2)} \\ & * (c^2 * x^2 - I * (-c^2 * x^2 + 1)^{(1/2)} * x * c - 1) * (\arcsin(c * x) + I) * d / c^8 / (c^2 * x^2 - 1) - 7 \\ & / 1024 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (I * (-c^2 * x^2 + 1)^{(1/2)} * x * c + c^2 * x^2 - 1) * (\arcsin(c \\ & * x) - I) * d / c^8 / (c^2 * x^2 - 1) + 1 / 3072 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (4 * I * (-c^2 * x^2 + 1)^{(1/2)} \\ & * x^3 * c^3 + 4 * c^4 * x^4 - 3 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c - 5 * c^2 * x^2 + 1) * (-I + 3 * \arcsin(c \\ & * x)) * d / c^8 / (c^2 * x^2 - 1) + 11 / 51200 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (16 * I * (-c^2 * x^2 + 1)^{(1/2)} \\ & * x^5 * c^5 + 16 * c^6 * x^6 - 20 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 - 28 * c^4 * x^4 + 5 * I * (-c \\ & ^2 * x^2 + 1)^{(1/2)} * x * c + 13 * c^2 * x^2 - 1) * (-I + 5 * \arcsin(c * x)) * d / c^8 / (c^2 * x^2 - 1) + 1 / 10 \\ & 0352 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (64 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^7 * c^7 + 64 * c^8 * x^8 - 112 \\ & * I * (-c^2 * x^2 + 1)^{(1/2)} * x^5 * c^5 - 144 * c^6 * x^6 + 56 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 + 1 \\ & 04 * c^4 * x^4 - 7 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c - 25 * c^2 * x^2 + 1) * (-I + 7 * \arcsin(c * x)) * d / c^ \\ & 8 / (c^2 * x^2 - 1) - 1 / 55296 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (256 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^9 * \\ & c^9 + 256 * c^10 * x^10 - 576 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^7 * c^7 - 704 * c^8 * x^8 + 432 * I * (-c^2 * \\ & x^2 + 1)^{(1/2)} * x^5 * c^5 + 688 * c^6 * x^6 - 120 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 - 280 * c^4 * x \\ & ^4 + 9 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c + 41 * c^2 * x^2 - 1) * (-I + 9 * \arcsin(c * x)) * d / c^8 / (c^2 * x \\ & ^2 - 1) - 1 / 247808 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (1024 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^11 * c^11 + \\ & 1024 * x^12 * c^12 - 2816 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^9 * c^9 - 3328 * c^10 * x^10 + 2816 * I * (-c^ \\ & 2 * x^2 + 1)^{(1/2)} * x^7 * c^7 + 4096 * c^8 * x^8 - 1232 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^5 * c^5 - 2352 * \\ & c^6 * x^6 + 220 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 + 620 * c^4 * x^4 - 11 * I * (-c^2 * x^2 + 1)^{(1/2)} \\ & ) * x * c - 61 * c^2 * x^2 + 1) * (-I + 11 * \arcsin(c * x)) * d / c^8 / (c^2 * x^2 - 1) \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.9603, size = 613, normalized size = 1.63

$$\frac{(33075 bc^{11} dx^{11} - 53900 bc^9 dx^9 + 2475 bc^7 dx^7 + 4158 bc^5 dx^5 + 9240 bc^3 dx^3 + 55440 bcdx) \sqrt{-c^2 dx^2 + d} \sqrt{-c^2 x^2 + 1} + \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

```
[Out] -1/4002075*((33075*b*c^11*d*x^11 - 53900*b*c^9*d*x^9 + 2475*b*c^7*d*x^7 + 4
158*b*c^5*d*x^5 + 9240*b*c^3*d*x^3 + 55440*b*c*d*x)*sqrt(-c^2*d*x^2 + d)*sq
rt(-c^2*x^2 + 1) + 3465*(105*a*c^12*d*x^12 - 245*a*c^10*d*x^10 + 145*a*c^8*
d*x^8 + a*c^6*d*x^6 + 2*a*c^4*d*x^4 + 8*a*c^2*d*x^2 - 16*a*d + (105*b*c^12*
d*x^12 - 245*b*c^10*d*x^10 + 145*b*c^8*d*x^8 + b*c^6*d*x^6 + 2*b*c^4*d*x^4
+ 8*b*c^2*d*x^2 - 16*b*d)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d))/(c^10*x^2 - c^
8)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**7*(-c**2*d*x**2+d)**(3/2)*(a+b*asin(c*x)),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a) x^7 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^7*(-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(3/2)*(b*arcsin(c*x) + a)*x^7, x)
```

$$3.78 \quad \int x^5 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx$$

**Optimal.** Leaf size=301

$$-\frac{(d - c^2 dx^2)^{9/2} (a + b \sin^{-1}(cx))}{9c^6 d^3} + \frac{2(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7c^6 d^2} - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5c^6 d} + \frac{bc^3 dx^9 \sqrt{d - c^2 dx^2}}{81 \sqrt{1 - c^2}}$$

[Out] (8\*b\*d\*x\*Sqrt[d - c^2\*d\*x^2])/(315\*c^5\*Sqrt[1 - c^2\*x^2]) + (4\*b\*d\*x^3\*Sqrt[d - c^2\*d\*x^2])/(945\*c^3\*Sqrt[1 - c^2\*x^2]) + (b\*d\*x^5\*Sqrt[d - c^2\*d\*x^2])/(525\*c\*Sqrt[1 - c^2\*x^2]) - (10\*b\*c\*d\*x^7\*Sqrt[d - c^2\*d\*x^2])/(441\*Sqrt[1 - c^2\*x^2]) + (b\*c^3\*d\*x^9\*Sqrt[d - c^2\*d\*x^2])/(81\*Sqrt[1 - c^2\*x^2]) - ((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/(5\*c^6\*d) + (2\*(d - c^2\*d\*x^2)^(7/2)\*(a + b\*ArcSin[c\*x]))/(7\*c^6\*d^2) - ((d - c^2\*d\*x^2)^(9/2)\*(a + b\*ArcSin[c\*x]))/(9\*c^6\*d^3)

**Rubi [A]** time = 0.237526, antiderivative size = 301, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {266, 43, 4691, 12, 1153}

$$-\frac{(d - c^2 dx^2)^{9/2} (a + b \sin^{-1}(cx))}{9c^6 d^3} + \frac{2(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7c^6 d^2} - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5c^6 d} + \frac{bc^3 dx^9 \sqrt{d - c^2 dx^2}}{81 \sqrt{1 - c^2}}$$

Antiderivative was successfully verified.

[In] Int[x^5\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (8\*b\*d\*x\*Sqrt[d - c^2\*d\*x^2])/(315\*c^5\*Sqrt[1 - c^2\*x^2]) + (4\*b\*d\*x^3\*Sqrt[d - c^2\*d\*x^2])/(945\*c^3\*Sqrt[1 - c^2\*x^2]) + (b\*d\*x^5\*Sqrt[d - c^2\*d\*x^2])/(525\*c\*Sqrt[1 - c^2\*x^2]) - (10\*b\*c\*d\*x^7\*Sqrt[d - c^2\*d\*x^2])/(441\*Sqrt[1 - c^2\*x^2]) + (b\*c^3\*d\*x^9\*Sqrt[d - c^2\*d\*x^2])/(81\*Sqrt[1 - c^2\*x^2]) - ((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/(5\*c^6\*d) + (2\*(d - c^2\*d\*x^2)^(7/2)\*(a + b\*ArcSin[c\*x]))/(7\*c^6\*d^2) - ((d - c^2\*d\*x^2)^(9/2)\*(a + b\*ArcSin[c\*x]))/(9\*c^6\*d^3)

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 4691

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.)
, x_Symbol] := With[{u = IntHide[x^m*(1 - c^2*x^2)^p, x]}, Dist[a + b*ArcSi
n[c*x], Int[x^m*(d + e*x^2)^p, x], x] - Dist[(b*c*d^(p - 1/2)*Sqrt[d + e*x^
2])/Sqrt[1 - c^2*x^2], Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x
]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p + 1/2, 0] &&
(IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2*p + 3)/2, 0])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1153

```
Int[((d_.) + (e_.)*(x_)^2)^(q_.)*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x],
x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e
+ a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]
```

Rubi steps

$$\begin{aligned}
\int x^5 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx &= -\frac{(bcd\sqrt{d - c^2 dx^2}) \int \frac{(1 - c^2 x^2)^2 (-8 - 20c^2 x^2 - 35c^4 x^4)}{315c^6} dx}{\sqrt{1 - c^2 x^2}} + (a + b \sin^{-1}(cx)) \int x^5 (d - c^2 dx^2)^{3/2} dx \\
&= -\frac{(bd\sqrt{d - c^2 dx^2}) \int (1 - c^2 x^2)^2 (-8 - 20c^2 x^2 - 35c^4 x^4) dx}{315c^5 \sqrt{1 - c^2 x^2}} + \frac{1}{2} (a + b \sin^{-1}(cx)) \int x^5 (d - c^2 dx^2)^{3/2} dx \\
&= -\frac{(bd\sqrt{d - c^2 dx^2}) \int (-8 - 4c^2 x^2 - 3c^4 x^4 + 50c^6 x^6 - 35c^8 x^8) dx}{315c^5 \sqrt{1 - c^2 x^2}} + \frac{1}{2} (a + b \sin^{-1}(cx)) \int x^5 (d - c^2 dx^2)^{3/2} dx \\
&= \frac{8bdx\sqrt{d - c^2 dx^2}}{315c^5 \sqrt{1 - c^2 x^2}} + \frac{4bdx^3\sqrt{d - c^2 dx^2}}{945c^3 \sqrt{1 - c^2 x^2}} + \frac{bdx^5\sqrt{d - c^2 dx^2}}{525c \sqrt{1 - c^2 x^2}} - \frac{10bcdx^7\sqrt{d - c^2 dx^2}}{441\sqrt{1 - c^2 x^2}}
\end{aligned}$$



**Mathematica [A]** time = 0.15775, size = 150, normalized size = 0.5

$$\frac{d\sqrt{d-c^2dx^2}\left(-315a(35c^4x^4+20c^2x^2+8)(1-c^2x^2)^{5/2}+bcx(1225c^8x^8-2250c^6x^6+189c^4x^4+420c^2x^2+2520)-315b(1-c^2x^2)^{5/2}(8+20c^2x^2+35c^4x^4)\text{ArcSin}[cx]\right)}{99225c^6\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^5\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d\*Sqrt[d - c^2\*d\*x^2]\*(-315\*a\*(1 - c^2\*x^2)^(5/2)\*(8 + 20\*c^2\*x^2 + 35\*c^4\*x^4) + b\*c\*x\*(2520 + 420\*c^2\*x^2 + 189\*c^4\*x^4 - 2250\*c^6\*x^6 + 1225\*c^8\*x^8) - 315\*b\*(1 - c^2\*x^2)^(5/2)\*(8 + 20\*c^2\*x^2 + 35\*c^4\*x^4)\*ArcSin[c\*x]))/(99225\*c^6\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.41, size = 1327, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x)

[Out] a\*(-1/9\*x^4\*(-c^2\*d\*x^2+d)^(5/2)/c^2/d+4/9/c^2\*(-1/7\*x^2\*(-c^2\*d\*x^2+d)^(5/2)/c^2/d-2/35/d/c^4\*(-c^2\*d\*x^2+d)^(5/2)))+b\*(-1/41472\*(-d\*(c^2\*x^2-1))^(1/2)\*(256\*c^10\*x^10-704\*c^8\*x^8-256\*I\*(-c^2\*x^2+1)^(1/2)\*x^9\*c^9+688\*c^6\*x^6+576\*I\*(-c^2\*x^2+1)^(1/2)\*x^7\*c^7-280\*c^4\*x^4-432\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5+41\*c^2\*x^2+120\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3-9\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(I+9\*arcsin(c\*x))\*d/c^6/(c^2\*x^2-1)-1/25088\*(-d\*(c^2\*x^2-1))^(1/2)\*(64\*c^8\*x^8-144\*c^6\*x^6-64\*I\*(-c^2\*x^2+1)^(1/2)\*x^7\*c^7+104\*c^4\*x^4+112\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5-25\*c^2\*x^2-56\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+7\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c+1)\*(I+7\*arcsin(c\*x))\*d/c^6/(c^2\*x^2-1)+1/3200\*(-d\*(c^2\*x^2-1))^(1/2)\*(16\*c^6\*x^6-28\*c^4\*x^4-16\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5+13\*c^2\*x^2+20\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3-5\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(I+5\*arcsin(c\*x))\*d/c^6/(c^2\*x^2-1)+1/1152\*(-d\*(c^2\*x^2-1))^(1/2)\*(4\*c^4\*x^4-5\*c^2\*x^2-4\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+3\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c+1)\*(I+3\*arcsin(c\*x))\*d/c^6/(c^2\*x^2-1)-3/256\*(-d\*(c^2\*x^2-1))^(1/2)\*(c^2\*x^2-I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(arcsin(c\*x)+I)\*d/c^6/(c^2\*x^2-1)-3/256\*(-d\*(c^2\*x^2-1))^(1/2)\*(I\*(-c^2\*x^2+1)^(1/2)\*x\*c+c^2\*x^2-1)\*(arcsin(c\*x)-I)\*d/c^6/(c^2\*x^2-1)+1/1152\*(-d\*(c^2\*x^2-1))^(1/2)\*(4\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+4\*c^4\*x^4-3\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-5\*c^2\*x^2+1)\*(-I+3\*arcsin(c\*x))\*d/c^6/(c^2\*x^2-1)+1/3200\*(-d\*(c^2\*x^2-1))^(1/2)\*(16\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5+16\*c^6\*x^6-20\*I\*(-

$$-c^2x^2+1)^{(1/2)}x^3c^3-28c^4x^4+5I(-c^2x^2+1)^{(1/2)}xc+13c^2x^2-1)*(-I+5\arcsin(cx))*d/c^6/(c^2x^2-1)-1/25088*(-d*(c^2x^2-1))^{(1/2)}*(64*I(-c^2x^2+1)^{(1/2)}x^7c^7+64c^8x^8-112*I(-c^2x^2+1)^{(1/2)}x^5c^5-144c^6x^6+56*I(-c^2x^2+1)^{(1/2)}x^3c^3+104c^4x^4-7*I(-c^2x^2+1)^{(1/2)}xc-25c^2x^2+1)*(-I+7\arcsin(cx))*d/c^6/(c^2x^2-1)-1/41472*(-d*(c^2x^2-1))^{(1/2)}*(256*I(-c^2x^2+1)^{(1/2)}x^9c^9+256c^{10}x^{10}-576*I(-c^2x^2+1)^{(1/2)}x^7c^7-704c^8x^8+432*I(-c^2x^2+1)^{(1/2)}x^5c^5+688c^6x^6-120*I(-c^2x^2+1)^{(1/2)}x^3c^3-280c^4x^4+9*I(-c^2x^2+1)^{(1/2)}xc+41c^2x^2-1)*(-I+9\arcsin(cx))*d/c^6/(c^2x^2-1))$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.91501, size = 513, normalized size = 1.7

$$(1225bc^9dx^9 - 2250bc^7dx^7 + 189bc^5dx^5 + 420bc^3dx^3 + 2520bcdx)\sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1} + 315(35ac^{10}dx^{10} - 85a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] 
$$-1/99225*((1225*b*c^9*d*x^9 - 2250*b*c^7*d*x^7 + 189*b*c^5*d*x^5 + 420*b*c^3*d*x^3 + 2520*b*c*d*x)*\sqrt{-c^2*d*x^2 + d}*\sqrt{-c^2*x^2 + 1} + 315*(35*a*c^{10}*d*x^{10} - 85*a*c^8*d*x^8 + 53*a*c^6*d*x^6 + a*c^4*d*x^4 + 4*a*c^2*d*x^2 - 8*a*d + (35*b*c^{10}*d*x^{10} - 85*b*c^8*d*x^8 + 53*b*c^6*d*x^6 + b*c^4*d*x^4 + 4*b*c^2*d*x^2 - 8*b*d)*\arcsin(cx))*\sqrt{-c^2*d*x^2 + d})/(c^8*x^2 - c^6)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(-c**2*d*x**2+d)**(3/2)*(a+b*asin(c*x)),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a) x^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] `integrate((-c^2*d*x^2 + d)^(3/2)*(b*arcsin(c*x) + a)*x^5, x)`

### 3.79 $\int x^3 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=227

$$\frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7c^4 d^2} - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5c^4 d} + \frac{bc^3 dx^7 \sqrt{d - c^2 dx^2}}{49\sqrt{1 - c^2 x^2}} - \frac{8bcdx^5 \sqrt{d - c^2 dx^2}}{175\sqrt{1 - c^2 x^2}} + \frac{bdx^3 \sqrt{d - c^2 dx^2}}{105c\sqrt{1 - c^2 x^2}}$$

[Out] (2\*b\*d\*x\*Sqrt[d - c^2\*d\*x^2])/(35\*c^3\*Sqrt[1 - c^2\*x^2]) + (b\*d\*x^3\*Sqrt[d - c^2\*d\*x^2])/(105\*c\*Sqrt[1 - c^2\*x^2]) - (8\*b\*c\*d\*x^5\*Sqrt[d - c^2\*d\*x^2])/(175\*Sqrt[1 - c^2\*x^2]) + (b\*c^3\*d\*x^7\*Sqrt[d - c^2\*d\*x^2])/(49\*Sqrt[1 - c^2\*x^2]) - ((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/(5\*c^4\*d) + ((d - c^2\*d\*x^2)^(7/2)\*(a + b\*ArcSin[c\*x]))/(7\*c^4\*d^2)

**Rubi [A]** time = 0.199504, antiderivative size = 227, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {266, 43, 4691, 12, 373}

$$\frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7c^4 d^2} - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5c^4 d} + \frac{bc^3 dx^7 \sqrt{d - c^2 dx^2}}{49\sqrt{1 - c^2 x^2}} - \frac{8bcdx^5 \sqrt{d - c^2 dx^2}}{175\sqrt{1 - c^2 x^2}} + \frac{bdx^3 \sqrt{d - c^2 dx^2}}{105c\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^3\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (2\*b\*d\*x\*Sqrt[d - c^2\*d\*x^2])/(35\*c^3\*Sqrt[1 - c^2\*x^2]) + (b\*d\*x^3\*Sqrt[d - c^2\*d\*x^2])/(105\*c\*Sqrt[1 - c^2\*x^2]) - (8\*b\*c\*d\*x^5\*Sqrt[d - c^2\*d\*x^2])/(175\*Sqrt[1 - c^2\*x^2]) + (b\*c^3\*d\*x^7\*Sqrt[d - c^2\*d\*x^2])/(49\*Sqrt[1 - c^2\*x^2]) - ((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/(5\*c^4\*d) + ((d - c^2\*d\*x^2)^(7/2)\*(a + b\*ArcSin[c\*x]))/(7\*c^4\*d^2)

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n},

$x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& ( !\text{IntegerQ}[n] \parallel (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) \parallel \text{LtQ}[9*m + 5*(n + 1), 0] \parallel \text{GtQ}[m + n + 2, 0])$

### Rule 4691

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]*(x_.)^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}$   
 $, x\_Symbol] := \text{With}[\{u = \text{IntHide}[x^m*(1 - c^2*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSin}[c*x], \text{Int}[x^m*(d + e*x^2)^p, x], x] - \text{Dist}[(b*c*d^{(p - 1/2)}*\text{Sqrt}[d + e*x^2])/\text{Sqrt}[1 - c^2*x^2], \text{Int}[\text{SimplifyIntegrand}[u/\text{Sqrt}[1 - c^2*x^2], x], x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[p + 1/2, 0] \&\& (\text{IGtQ}[(m + 1)/2, 0] \parallel \text{ILtQ}[(m + 2*p + 3)/2, 0])$

### Rule 12

$\text{Int}[(a_)*(u_), x\_Symbol] := \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& !\text{MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

### Rule 373

$\text{Int}[(a_) + (b_.)*(x_.)^{(n_.)})^{(p_.)}*((c_.) + (d_.)*(x_.)^{(n_.)})^{(q_.)}, x\_Symbol]$   
 $:= \text{Int}[\text{ExpandIntegrand}[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[p, 0] \&\& \text{IGtQ}[q, 0]$

### Rubi steps

$$\begin{aligned} \int x^3 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx &= -\frac{(bcd\sqrt{d - c^2 dx^2}) \int \frac{(-2 - 5c^2 x^2)(1 - c^2 x^2)^2}{35c^4} dx}{\sqrt{1 - c^2 x^2}} + (a + b \sin^{-1}(cx)) \int x^3 (d - c^2 dx^2)^{3/2} dx \\ &= -\frac{(bd\sqrt{d - c^2 dx^2}) \int (-2 - 5c^2 x^2)(1 - c^2 x^2)^2 dx}{35c^3 \sqrt{1 - c^2 x^2}} + \frac{1}{2} (a + b \sin^{-1}(cx)) \text{Subst} \\ &= -\frac{(bd\sqrt{d - c^2 dx^2}) \int (-2 - c^2 x^2 + 8c^4 x^4 - 5c^6 x^6) dx}{35c^3 \sqrt{1 - c^2 x^2}} + \frac{1}{2} (a + b \sin^{-1}(cx)) \text{Subst} \\ &= \frac{2bdx\sqrt{d - c^2 dx^2}}{35c^3 \sqrt{1 - c^2 x^2}} + \frac{bdx^3\sqrt{d - c^2 dx^2}}{105c\sqrt{1 - c^2 x^2}} - \frac{8bcdx^5\sqrt{d - c^2 dx^2}}{175\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^7\sqrt{d - c^2 dx^2}}{49\sqrt{1 - c^2 x^2}} \end{aligned}$$

**Mathematica [A]** time = 0.129352, size = 126, normalized size = 0.56

$$\frac{d\sqrt{d - c^2 dx^2} \left( -105a (5c^2 x^2 + 2) (1 - c^2 x^2)^{5/2} + bcx (75c^6 x^6 - 168c^4 x^4 + 35c^2 x^2 + 210) - 105b (5c^2 x^2 + 2) (1 - c^2 x^2)^{5/2} \right)}{3675c^4 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d\*Sqrt[d - c^2\*d\*x^2]\*(-105\*a\*(1 - c^2\*x^2)^(5/2)\*(2 + 5\*c^2\*x^2) + b\*c\*x\*(210 + 35\*c^2\*x^2 - 168\*c^4\*x^4 + 75\*c^6\*x^6) - 105\*b\*(1 - c^2\*x^2)^(5/2)\*(2 + 5\*c^2\*x^2)\*ArcSin[c\*x]))/(3675\*c^4\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.264, size = 931, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x)

[Out] a\*(-1/7\*x^2\*(-c^2\*d\*x^2+d)^(5/2)/c^2/d-2/35/d/c^4\*(-c^2\*d\*x^2+d)^(5/2))+b\*(-1/6272\*(-d\*(c^2\*x^2-1))^(1/2)\*(64\*c^8\*x^8-144\*c^6\*x^6-64\*I\*(-c^2\*x^2+1)^(1/2)\*x^7\*c^7+104\*c^4\*x^4+112\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5-25\*c^2\*x^2-56\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+7\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c+1)\*(I+7\*arcsin(c\*x))\*d/c^4/(c^2\*x^2-1)+1/3200\*(-d\*(c^2\*x^2-1))^(1/2)\*(16\*c^6\*x^6-28\*c^4\*x^4-16\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5+13\*c^2\*x^2+20\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3-5\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(I+5\*arcsin(c\*x))\*d/c^4/(c^2\*x^2-1)+1/384\*(-d\*(c^2\*x^2-1))^(1/2)\*(4\*c^4\*x^4-5\*c^2\*x^2-4\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+3\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c+1)\*(I+3\*arcsin(c\*x))\*d/c^4/(c^2\*x^2-1)-3/128\*(-d\*(c^2\*x^2-1))^(1/2)\*(c^2\*x^2-I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(arcsin(c\*x)+I)\*d/c^4/(c^2\*x^2-1)-3/128\*(-d\*(c^2\*x^2-1))^(1/2)\*(I\*(-c^2\*x^2+1)^(1/2)\*x\*c+c^2\*x^2-1)\*(arcsin(c\*x)-I)\*d/c^4/(c^2\*x^2-1)+1/384\*(-d\*(c^2\*x^2-1))^(1/2)\*(4\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+4\*c^4\*x^4-3\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-5\*c^2\*x^2+1)\*(-I+3\*arcsin(c\*x))\*d/c^4/(c^2\*x^2-1)+1/3200\*(-d\*(c^2\*x^2-1))^(1/2)\*(16\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5+16\*c^6\*x^6-20\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3-28\*c^4\*x^4+5\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c+13\*c^2\*x^2-1)\*(-I+5\*arcsin(c\*x))\*d/c^4/(c^2\*x^2-1)-1/6272\*(-d\*(c^2\*x^2-1))^(1/2)\*(64\*I\*(-c^2\*x^2+1)^(1/2)\*x^7\*c^7+64\*c^8\*x^8-112\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5-144\*c^6\*x^6+56\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+104\*c^4\*x^4-7\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-25\*c^2\*x^2+1)\*(-I+7\*arcsin(c\*x))\*d/c^4/(c^2\*x^2-1))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.93341, size = 427, normalized size = 1.88

$$\frac{(75bc^7dx^7 - 168bc^5dx^5 + 35bc^3dx^3 + 210bcdx)\sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1} + 105(5ac^8dx^8 - 13ac^6dx^6 + 9ac^4dx^4 + ac^2dx^2 + a)}{3675(c^6x^2 - c^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] 
$$-1/3675*((75*b*c^7*d*x^7 - 168*b*c^5*d*x^5 + 35*b*c^3*d*x^3 + 210*b*c*d*x)*\sqrt{-c^2*d*x^2 + d}*\sqrt{-c^2*x^2 + 1} + 105*(5*a*c^8*d*x^8 - 13*a*c^6*d*x^6 + 9*a*c^4*d*x^4 + a*c^2*d*x^2 - 2*a*d + (5*b*c^8*d*x^8 - 13*b*c^6*d*x^6 + 9*b*c^4*d*x^4 + b*c^2*d*x^2 - 2*b*d)*\arcsin(c*x))*\sqrt{-c^2*d*x^2 + d})/(c^6*x^2 - c^4)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(-c**2*d*x**2+d)**(3/2)*(a+b*asin(c*x)),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2dx^2 + d)^{\frac{3}{2}}(b \arcsin(cx) + a)x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(3/2)*(b*arcsin(c*x) + a)*x^3, x)
```



### 3.80 $\int x (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=153

$$-\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5c^2 d} + \frac{bc^3 dx^5 \sqrt{d - c^2 dx^2}}{25\sqrt{1 - c^2 x^2}} - \frac{2bcdx^3 \sqrt{d - c^2 dx^2}}{15\sqrt{1 - c^2 x^2}} + \frac{bdx \sqrt{d - c^2 dx^2}}{5c\sqrt{1 - c^2 x^2}}$$

[Out] (b\*d\*x\*Sqrt[d - c^2\*d\*x^2])/(5\*c\*Sqrt[1 - c^2\*x^2]) - (2\*b\*c\*d\*x^3\*Sqrt[d - c^2\*d\*x^2])/(15\*Sqrt[1 - c^2\*x^2]) + (b\*c^3\*d\*x^5\*Sqrt[d - c^2\*d\*x^2])/(25\*Sqrt[1 - c^2\*x^2]) - ((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/(5\*c^2\*d)

**Rubi [A]** time = 0.087443, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.08$ , Rules used = {4677, 194}

$$-\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5c^2 d} + \frac{bc^3 dx^5 \sqrt{d - c^2 dx^2}}{25\sqrt{1 - c^2 x^2}} - \frac{2bcdx^3 \sqrt{d - c^2 dx^2}}{15\sqrt{1 - c^2 x^2}} + \frac{bdx \sqrt{d - c^2 dx^2}}{5c\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Int[x\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*d\*x\*Sqrt[d - c^2\*d\*x^2])/(5\*c\*Sqrt[1 - c^2\*x^2]) - (2\*b\*c\*d\*x^3\*Sqrt[d - c^2\*d\*x^2])/(15\*Sqrt[1 - c^2\*x^2]) + (b\*c^3\*d\*x^5\*Sqrt[d - c^2\*d\*x^2])/(25\*Sqrt[1 - c^2\*x^2]) - ((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/(5\*c^2\*d)

#### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rule 194

Int[((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int x(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx &= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5c^2 d} + \frac{(bd\sqrt{d - c^2 dx^2}) \int (1 - c^2 x^2)^2 dx}{5c\sqrt{1 - c^2 x^2}} \\
&= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5c^2 d} + \frac{(bd\sqrt{d - c^2 dx^2}) \int (1 - 2c^2 x^2 + c^4 x^4) dx}{5c\sqrt{1 - c^2 x^2}} \\
&= \frac{bdx\sqrt{d - c^2 dx^2}}{5c\sqrt{1 - c^2 x^2}} - \frac{2bcdx^3\sqrt{d - c^2 dx^2}}{15\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^5 \sqrt{d - c^2 dx^2}}{25\sqrt{1 - c^2 x^2}} - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5c^2 d}
\end{aligned}$$

**Mathematica [A]** time = 0.0558955, size = 84, normalized size = 0.55

$$\frac{d\sqrt{d - c^2 dx^2} \left( \frac{bc \left( \frac{c^4 x^5}{5} - \frac{2c^2 x^3}{3} + x \right)}{\sqrt{1 - c^2 x^2}} - (c^2 x^2 - 1)^2 (a + b \sin^{-1}(cx)) \right)}{5c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d\*Sqrt[d - c^2\*d\*x^2]\*((b\*c\*(x - (2\*c^2\*x^3)/3 + (c^4\*x^5)/5))/Sqrt[1 - c^2\*x^2] - (-1 + c^2\*x^2)^2\*(a + b\*ArcSin[c\*x]))/(5\*c^2)

**Maple [C]** time = 0.175, size = 597, normalized size = 3.9

$$-\frac{a}{5c^2 d} (-c^2 dx^2 + d)^{\frac{5}{2}} + b \left( -\frac{(i + 5 \arcsin(cx))d}{800c^2 (c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} (16c^6 x^6 - 28c^4 x^4 - 16i\sqrt{-c^2 x^2 + 1}x^5 c^5 + 13c^2 x^2 + 20i) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x)

[Out] -1/5\*a/c^2/d\*(-c^2\*d\*x^2+d)^(5/2)+b\*(-1/800\*(-d\*(c^2\*x^2-1))^(1/2)\*(16\*c^6\*x^6-28\*c^4\*x^4-16\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5+13\*c^2\*x^2+20\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3-5\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(I+5\*arcsin(c\*x))\*d/c^2/(c^2\*x^2-1)+1/96\*(-d\*(c^2\*x^2-1))^(1/2)\*(4\*c^4\*x^4-5\*c^2\*x^2-4\*I\*(-c^2\*x^2+1)^(1/2)

$$\begin{aligned}
& 2) * x^3 * c^3 + 3 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c + 1) * (I + 3 * \arcsin(c * x)) * d / c^2 / (c^2 * x^2 - 1) \\
& - 1 / 16 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (c^2 * x^2 - I * (-c^2 * x^2 + 1)^{(1/2)} * x * c - 1) * (\arcsin(c * x) + I) * d / c^2 / (c^2 * x^2 - 1) \\
& - 1 / 16 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (I * (-c^2 * x^2 + 1)^{(1/2)} * x * c + c^2 * x^2 - 1) * (\arcsin(c * x) - I) * d / c^2 / (c^2 * x^2 - 1) \\
& + 1 / 96 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (4 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 + 4 * c^4 * x^4 - 3 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c - 5 * c^2 * x^2 + 1) * (-I + 3 * \arcsin(c * x)) * d / c^2 / (c^2 * x^2 - 1) \\
& - 1 / 800 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (16 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^5 * c^5 + 16 * c^6 * x^6 - 20 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 - 28 * c^4 * x^4 + 5 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c + 13 * c^2 * x^2 - 1) * (-I + 5 * \arcsin(c * x)) * d / c^2 / (c^2 * x^2 - 1)
\end{aligned}$$

**Maxima [A]** time = 1.57588, size = 117, normalized size = 0.76

$$-\frac{(-c^2 dx^2 + d)^{\frac{5}{2}} b \arcsin(cx)}{5c^2 d} - \frac{(-c^2 dx^2 + d)^{\frac{5}{2}} a}{5c^2 d} + \frac{(3c^4 d^{\frac{5}{2}} x^5 - 10c^2 d^{\frac{5}{2}} x^3 + 15d^{\frac{5}{2}} x)}{75cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] -1/5\*(-c^2\*d\*x^2 + d)^(5/2)\*b\*arcsin(c\*x)/(c^2\*d) - 1/5\*(-c^2\*d\*x^2 + d)^(5/2)\*a/(c^2\*d) + 1/75\*(3\*c^4\*d^(5/2)\*x^5 - 10\*c^2\*d^(5/2)\*x^3 + 15\*d^(5/2)\*x)\*b/(c\*d)

**Fricas [A]** time = 2.27427, size = 344, normalized size = 2.25

$$\frac{(3bc^5 dx^5 - 10bc^3 dx^3 + 15bcdx) \sqrt{-c^2 dx^2 + d} \sqrt{-c^2 x^2 + 1} + 15(ac^6 dx^6 - 3ac^4 dx^4 + 3ac^2 dx^2 - ad + (bc^6 dx^6 - 3bc^4 dx^4 - 3bc^2 dx^2 + ad)) \arcsin(cx)}{75(c^4 x^2 - c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] -1/75\*((3\*b\*c^5\*d\*x^5 - 10\*b\*c^3\*d\*x^3 + 15\*b\*c\*d\*x)\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1) + 15\*(a\*c^6\*d\*x^6 - 3\*a\*c^4\*d\*x^4 + 3\*a\*c^2\*d\*x^2 - a\*d + (b\*c^6\*d\*x^6 - 3\*b\*c^4\*d\*x^4 + 3\*b\*c^2\*d\*x^2 - b\*d)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d))/(c^4\*x^2 - c^2)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a) x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)\*x, x)

$$3.81 \quad \int \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{x} dx$$

**Optimal.** Leaf size=278

$$\frac{ibd\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)}{\sqrt{1-c^2x^2}} - \frac{ibd\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)}{\sqrt{1-c^2x^2}} + \frac{1}{3}(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx)) + c$$

[Out]  $(-4*b*c*d*x*\text{Sqrt}[d - c^2*d*x^2])/(3*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*d*x^3*\text{Sqrt}[d - c^2*d*x^2])/(9*\text{Sqrt}[1 - c^2*x^2]) + d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]) + ((d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/3 - (2*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^{(I*\text{ArcSin}[c*x])}])/ \text{Sqrt}[1 - c^2*x^2] + (I*b*d*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}])/ \text{Sqrt}[1 - c^2*x^2] - (I*b*d*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}])/ \text{Sqrt}[1 - c^2*x^2]$

**Rubi [A]** time = 0.326623, antiderivative size = 278, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {4699, 4697, 4709, 4183, 2279, 2391, 8}

$$\frac{ibd\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)}{\sqrt{1-c^2x^2}} - \frac{ibd\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)}{\sqrt{1-c^2x^2}} + \frac{1}{3}(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx)) + c$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{((d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))}{x}, x]$

[Out]  $(-4*b*c*d*x*\text{Sqrt}[d - c^2*d*x^2])/(3*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*d*x^3*\text{Sqrt}[d - c^2*d*x^2])/(9*\text{Sqrt}[1 - c^2*x^2]) + d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]) + ((d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/3 - (2*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^{(I*\text{ArcSin}[c*x])}])/ \text{Sqrt}[1 - c^2*x^2] + (I*b*d*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}])/ \text{Sqrt}[1 - c^2*x^2] - (I*b*d*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}])/ \text{Sqrt}[1 - c^2*x^2]$

**Rule 4699**

$\text{Int}[\frac{((a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}}{x}, x\_Symbol] \rightarrow \text{Simp}[\frac{(f*x)^{(m+1)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n}{(f*(m+2*p+1))}, x] + (\text{Dist}[(2*d*p)/(m+2*p+1), \text{Int}[(f*x)^$

```
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
)] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

### Rule 4697

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.)*((f_.)*(x_)^(m_)*Sqrt[(d_) +
(e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[((f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x)] /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

### Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_)^(m_.), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x)] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x} dx &= \frac{1}{3} (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) + d \int \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x} dx - \left( bc \right. \\
 &= -\frac{bcdx\sqrt{d - c^2 dx^2}}{3\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^3 \sqrt{d - c^2 dx^2}}{9\sqrt{1 - c^2 x^2}} + d\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{1}{3} (d \\
 &= -\frac{4bcdx\sqrt{d - c^2 dx^2}}{3\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^3 \sqrt{d - c^2 dx^2}}{9\sqrt{1 - c^2 x^2}} + d\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{1}{3} ( \\
 &= -\frac{4bcdx\sqrt{d - c^2 dx^2}}{3\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^3 \sqrt{d - c^2 dx^2}}{9\sqrt{1 - c^2 x^2}} + d\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{1}{3} ( \\
 &= -\frac{4bcdx\sqrt{d - c^2 dx^2}}{3\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^3 \sqrt{d - c^2 dx^2}}{9\sqrt{1 - c^2 x^2}} + d\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{1}{3} ( \\
 &= -\frac{4bcdx\sqrt{d - c^2 dx^2}}{3\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^3 \sqrt{d - c^2 dx^2}}{9\sqrt{1 - c^2 x^2}} + d\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{1}{3} (
 \end{aligned}$$

**Mathematica [A]** time = 1.07669, size = 278, normalized size = 1.

$$\frac{bd\sqrt{d - c^2 dx^2} \left( i \text{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) - i \text{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) + \sqrt{1 - c^2 x^2} \sin^{-1}(cx) - cx + \sin^{-1}(cx) \log \left( 1 - e^{i \sin^{-1}(cx)} \right) \right)}{\sqrt{1 - c^2 x^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/x,x]

[Out]  $-(a*d*(-4 + c^2*x^2)*\text{Sqrt}[d - c^2*d*x^2])/3 + a*d^{(3/2)}*\text{Log}[x] - a*d^{(3/2)}*\text{Log}[d + \text{Sqrt}[d]*\text{Sqrt}[d - c^2*d*x^2]] + (b*d*\text{Sqrt}[d - c^2*d*x^2]*(-(c*x) + \text{Sqrt}[1 - c^2*x^2]*\text{ArcSin}[c*x] + \text{ArcSin}[c*x]*\text{Log}[1 - E^{(I*\text{ArcSin}[c*x])}] - \text{ArcSin}[c*x]*\text{Log}[1 + E^{(I*\text{ArcSin}[c*x])}] + I*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}] - I*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}]])/ \text{Sqrt}[1 - c^2*x^2] - (b*d*\text{Sqrt}[d - c^2*d*x^2]*(9*c*x - 3*\text{ArcSin}[c*x]*(3*\text{Sqrt}[1 - c^2*x^2] + \text{Cos}[3*\text{ArcSin}[c*x]]) + \text{Sin}[3*\text{ArcSin}[c*x]]))/(36*\text{Sqrt}[1 - c^2*x^2])$

---

**Maple [A]** time = 0.187, size = 525, normalized size = 1.9

$$\frac{a}{3} \left(-c^2 dx^2 + d\right)^{\frac{3}{2}} - ad^{\frac{3}{2}} \ln\left(\frac{1}{x} \left(2d + 2\sqrt{d}\sqrt{-c^2 dx^2 + d}\right)\right) + a\sqrt{-c^2 dx^2 + d}d - \frac{ibd}{c^2 x^2 - 1} \sqrt{-d(c^2 x^2 - 1)} \sqrt{-c^2 x^2 + 1} \text{polylog}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x,x)

[Out]  $\frac{1}{3}(-c^2 d x^2 + d)^{3/2} a - a d^{3/2} \ln\left(\frac{(2d + 2\sqrt{d}\sqrt{-c^2 d x^2 + d})^{1/2}}{x}\right) + a(-c^2 d x^2 + d)^{1/2} d - I b (-d(c^2 x^2 - 1))^{1/2} (-c^2 x^2 + 1)^{1/2} / (c^2 x^2 - 1) d \text{polylog}(2, -I c x - (-c^2 x^2 + 1)^{1/2}) + I b (-d(c^2 x^2 - 1))^{1/2} (-c^2 x^2 + 1)^{1/2} / (c^2 x^2 - 1) d \text{polylog}(2, I c x + (-c^2 x^2 + 1)^{1/2}) - 1/3 b (-d(c^2 x^2 - 1))^{1/2} d / (c^2 x^2 - 1) \arcsin(c x) x^4 c^4 + 5/3 b (-d(c^2 x^2 - 1))^{1/2} d / (c^2 x^2 - 1) \arcsin(c x) x^2 c^2 - 1/9 b (-d(c^2 x^2 - 1))^{1/2} d / (c^2 x^2 - 1) (-c^2 x^2 + 1)^{1/2} x^3 c^3 + 4/3 b (-d(c^2 x^2 - 1))^{1/2} d / (c^2 x^2 - 1) (-c^2 x^2 + 1)^{1/2} x c + b (-d(c^2 x^2 - 1))^{1/2} (-c^2 x^2 + 1)^{1/2} / (c^2 x^2 - 1) d \arcsin(c x) \ln(1 + I c x + (-c^2 x^2 + 1)^{1/2}) - b (-d(c^2 x^2 - 1))^{1/2} (-c^2 x^2 + 1)^{1/2} / (c^2 x^2 - 1) d \arcsin(c x) \ln(1 - I c x - (-c^2 x^2 + 1)^{1/2}) - 4/3 b (-d(c^2 x^2 - 1))^{1/2} d / (c^2 x^2 - 1) \arcsin(c x)$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(ac^2 dx^2 - ad + (bc^2 dx^2 - bd) \arcsin(cx)) \sqrt{-c^2 dx^2 + d}}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x,x, algorithm="fricas")

[Out] integral(-(a\*c^2\*d\*x^2 - a\*d + (b\*c^2\*d\*x^2 - b\*d)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)/x, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))/x,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)/x, x)

$$3.82 \quad \int \frac{(d-c^2 dx^2)^{3/2} (a+b \sin^{-1}(cx))}{x^3} dx$$

**Optimal.** Leaf size=297

$$-\frac{3ibc^2 d \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)}{2\sqrt{1-c^2 x^2}} + \frac{3ibc^2 d \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right)}{2\sqrt{1-c^2 x^2}} - \frac{3}{2} c^2 d \sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx))$$

[Out]  $-(b*c*d*\text{Sqrt}[d - c^2*d*x^2])/(2*x*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*d*x*\text{Sqrt}[d - c^2*d*x^2])/\text{Sqrt}[1 - c^2*x^2] - (3*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/2 - ((d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(2*x^2) + (3*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^{(I*\text{ArcSin}[c*x])}])/\text{Sqrt}[1 - c^2*x^2] - (((3*I)/2)*b*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}])/\text{Sqrt}[1 - c^2*x^2] + (((3*I)/2)*b*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}])/\text{Sqrt}[1 - c^2*x^2]$

**Rubi [A]** time = 0.330104, antiderivative size = 297, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {4695, 4697, 4709, 4183, 2279, 2391, 8, 14}

$$-\frac{3ibc^2 d \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)}{2\sqrt{1-c^2 x^2}} + \frac{3ibc^2 d \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right)}{2\sqrt{1-c^2 x^2}} - \frac{3}{2} c^2 d \sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x])}{x^3}, x]$

[Out]  $-(b*c*d*\text{Sqrt}[d - c^2*d*x^2])/(2*x*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*d*x*\text{Sqrt}[d - c^2*d*x^2])/\text{Sqrt}[1 - c^2*x^2] - (3*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/2 - ((d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(2*x^2) + (3*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^{(I*\text{ArcSin}[c*x])}])/\text{Sqrt}[1 - c^2*x^2] - (((3*I)/2)*b*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}])/\text{Sqrt}[1 - c^2*x^2] + (((3*I)/2)*b*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}])/\text{Sqrt}[1 - c^2*x^2]$

### Rule 4695

$\text{Int}[\frac{(a + \text{ArcSin}[c*x])*(b*x)^n*(f*x)^m*(d + e*x^2)^p}{x^3}, x] := \text{Simp}[\frac{(f*x)^{m+1}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n}{f*(m+1)}, x] + (-\text{Dist}[(2*e*p)/(f^2*(m+1)), \text{Int}[(f*x)^m +$

2)\*(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x)] /;

FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0] && LtQ[m, -1]

### Rule 4697

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^n\_)\*((f\_.)\*(x\_))^(m\_)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2)), x] + (Dist[Sqrt[d + e\*x^2]/((m + 2)\*Sqrt[1 - c^2\*x^2]), Int[((f\*x)^m\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(f\*(m + 2)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

### Rule 4709

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^n\_)\*(x\_)^(m\_)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[1/(c^(m + 1)\*Sqrt[d]), Subst[Int[(a + b\*x)^n\*Sin[x]^m, x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^n\_]], x\_Symbol] :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] :> -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 14

Int[(u\_)\*((c\_.)\*(x\_))^(m\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

### Rubi steps

$$\begin{aligned} \int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x^3} dx &= -\frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{2x^2} - \frac{1}{2} (3c^2 d) \int \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x} dx \\ &= -\frac{3}{2} c^2 d \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{2x^2} + \frac{(bcd\sqrt{d - c^2 dx^2})}{2x\sqrt{1 - c^2 x^2}} \\ &= -\frac{bcd\sqrt{d - c^2 dx^2}}{2x\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{3}{2} c^2 d \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{2x^2} \\ &= -\frac{bcd\sqrt{d - c^2 dx^2}}{2x\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{3}{2} c^2 d \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{2x^2} \\ &= -\frac{bcd\sqrt{d - c^2 dx^2}}{2x\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{3}{2} c^2 d \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{2x^2} \\ &= -\frac{bcd\sqrt{d - c^2 dx^2}}{2x\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{3}{2} c^2 d \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{2x^2} \end{aligned}$$

**Mathematica [A]** time = 2.09342, size = 389, normalized size = 1.31

$$\frac{bc^2 d^2 \sqrt{1 - c^2 x^2} \left( -4i \operatorname{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) + 4i \operatorname{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) - 4 \sin^{-1}(cx) \log \left( 1 - e^{i \sin^{-1}(cx)} \right) + 4 \sin^{-1}(cx) \log \left( 1 + e^{i \sin^{-1}(cx)} \right) \right)}{8\sqrt{d}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/x^3,x]

[Out] -(a\*d\*(1 + 2\*c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])/(2\*x^2) - (3\*a\*c^2\*d^(3/2)\*Log[x])/2 + (3\*a\*c^2\*d^(3/2)\*Log[d + Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]])/2 + (b\*c^2\*d\*Sqrt[d - c^2\*d\*x^2]\*(c\*x - Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] - ArcSin[c\*x]\*Log[

$$\frac{1 - E^{(I \operatorname{ArcSin}[c*x])} + \operatorname{ArcSin}[c*x] \operatorname{Log}[1 + E^{(I \operatorname{ArcSin}[c*x])}] - I \operatorname{PolyLog}[2, -E^{(I \operatorname{ArcSin}[c*x])}] + I \operatorname{PolyLog}[2, E^{(I \operatorname{ArcSin}[c*x])}])}{\sqrt{1 - c^2 x^2}} + \frac{(b c^2 d^2 \sqrt{1 - c^2 x^2} (-2 \operatorname{Cot}[\operatorname{ArcSin}[c*x]/2] - \operatorname{ArcSin}[c*x] \operatorname{Csc}[\operatorname{ArcSin}[c*x]/2]^2 - 4 \operatorname{ArcSin}[c*x] \operatorname{Log}[1 - E^{(I \operatorname{ArcSin}[c*x])}] + 4 \operatorname{ArcSin}[c*x] \operatorname{Log}[1 + E^{(I \operatorname{ArcSin}[c*x])}] - (4 I) \operatorname{PolyLog}[2, -E^{(I \operatorname{ArcSin}[c*x])}] + (4 I) \operatorname{PolyLog}[2, E^{(I \operatorname{ArcSin}[c*x])}] + \operatorname{ArcSin}[c*x] \operatorname{Sec}[\operatorname{ArcSin}[c*x]/2]^2 - 2 \operatorname{Tan}[\operatorname{ArcSin}[c*x]/2]))}{(8 \sqrt{d - c^2 d x^2})}$$

**Maple [B]** time = 0.227, size = 574, normalized size = 1.9

$$-\frac{a}{2 dx^2} (-c^2 dx^2 + d)^{\frac{5}{2}} - \frac{ac^2}{2} (-c^2 dx^2 + d)^{\frac{3}{2}} + \frac{3ac^2}{2} d^{\frac{3}{2}} \ln\left(\frac{1}{x} \left(2d + 2\sqrt{d}\sqrt{-c^2 dx^2 + d}\right)\right) - \frac{3ac^2 d}{2} \sqrt{-c^2 dx^2 + d} - \frac{bc^4 d}{c^2} \arcsin\left(\frac{c x}{\sqrt{-c^2 dx^2 + d}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^3,x)

[Out] 
$$-1/2*a/d/x^2*(-c^2*d*x^2+d)^{5/2}-1/2*a*c^2*(-c^2*d*x^2+d)^{3/2}+3/2*a*c^2*d^{3/2}*\ln\left(\frac{(2*d+2*d^{1/2}*(-c^2*d*x^2+d)^{1/2})}{x}\right)-3/2*a*c^2*(-c^2*d*x^2+d)^{1/2}*d-b*(-d*(c^2*x^2-1))^{1/2}*c^4*d/(c^2*x^2-1)*\arcsin(c*x)*x^2-b*(-d*(c^2*x^2-1))^{1/2}*c^3*d/(c^2*x^2-1)*(-c^2*x^2+1)^{1/2}*x+1/2*b*(-d*(c^2*x^2-1))^{1/2}*c^2*d/(c^2*x^2-1)*\arcsin(c*x)+1/2*b*d*(-d*(c^2*x^2-1))^{1/2}/x/(c^2*x^2-1)*(-c^2*x^2+1)^{1/2}*c+1/2*b*d*(-d*(c^2*x^2-1))^{1/2}/x^2/(c^2*x^2-1)*\arcsin(c*x)-3*b*(-d*(c^2*x^2-1))^{1/2}*(-c^2*x^2+1)^{1/2}*c^2*d/(2*c^2*x^2-2)*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{1/2})+3*b*(-d*(c^2*x^2-1))^{1/2}*(-c^2*x^2+1)^{1/2}*c^2*d/(2*c^2*x^2-2)*\arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{1/2})+3*I*b*(-d*(c^2*x^2-1))^{1/2}*(-c^2*x^2+1)^{1/2}*c^2*d/(2*c^2*x^2-2)*\operatorname{polylog}(2,-I*c*x-(-c^2*x^2+1)^{1/2})-3*I*b*(-d*(c^2*x^2-1))^{1/2}*(-c^2*x^2+1)^{1/2}*c^2*d/(2*c^2*x^2-2)*\operatorname{polylog}(2,I*c*x+(-c^2*x^2+1)^{1/2})$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(ac^2dx^2 - ad + (bc^2dx^2 - bd) \arcsin(cx))\sqrt{-c^2dx^2 + d}}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^3,x, algorithm="fricas")

[Out] integral(-(a\*c^2\*d\*x^2 - a\*d + (b\*c^2\*d\*x^2 - b\*d)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)/x^3, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-d(cx-1)(cx+1))^{\frac{3}{2}}(a+b\text{asin}(cx))}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))/x\*\*3,x)

[Out] Integral((-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2)\*(a + b\*asin(c\*x))/x\*\*3, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2dx^2 + d)^{\frac{3}{2}}(b \arcsin(cx) + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^3,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)/x^3, x)

$$3.83 \quad \int \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{x^5} dx$$

**Optimal.** Leaf size=307

$$\frac{3ibc^4d\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)}{8\sqrt{1-c^2x^2}} - \frac{3ibc^4d\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)}{8\sqrt{1-c^2x^2}} + \frac{3c^2d\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{8x^2}$$

[Out]  $-(b*c*d*\text{Sqrt}[d - c^2*d*x^2])/(12*x^3*\text{Sqrt}[1 - c^2*x^2]) + (5*b*c^3*d*\text{Sqrt}[d - c^2*d*x^2])/(8*x*\text{Sqrt}[1 - c^2*x^2]) + (3*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(8*x^2) - ((d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/(4*x^4) - (3*c^4*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])* \text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/(4*\text{Sqrt}[1 - c^2*x^2]) + (((3*I)/8)*b*c^4*d*\text{Sqrt}[d - c^2*d*x^2]* \text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] - (((3*I)/8)*b*c^4*d*\text{Sqrt}[d - c^2*d*x^2]* \text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2]$

**Rubi [A]** time = 0.32404, antiderivative size = 307, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {4695, 4693, 30, 4709, 4183, 2279, 2391, 14}

$$\frac{3ibc^4d\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)}{8\sqrt{1-c^2x^2}} - \frac{3ibc^4d\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)}{8\sqrt{1-c^2x^2}} + \frac{3c^2d\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{8x^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x])}{x^5}, x]$

[Out]  $-(b*c*d*\text{Sqrt}[d - c^2*d*x^2])/(12*x^3*\text{Sqrt}[1 - c^2*x^2]) + (5*b*c^3*d*\text{Sqrt}[d - c^2*d*x^2])/(8*x*\text{Sqrt}[1 - c^2*x^2]) + (3*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(8*x^2) - ((d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/(4*x^4) - (3*c^4*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])* \text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/(4*\text{Sqrt}[1 - c^2*x^2]) + (((3*I)/8)*b*c^4*d*\text{Sqrt}[d - c^2*d*x^2]* \text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] - (((3*I)/8)*b*c^4*d*\text{Sqrt}[d - c^2*d*x^2]* \text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2]$

**Rule 4695**

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*(f*x)^m*(d + e*x^2)^p, x] \rightarrow \text{Simp}[(f*x)^{m+1}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n]/(f*(m+1)), x] + (-\text{Dist}[(2*e*p)/(f^2*(m+1)), \text{Int}[(f*x)^m*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n], x])$

2)\*(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /;

FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0] && LtQ[m, -1]

### Rule 4693

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 1)), x] + (-Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(f\*(m + 1)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] + Dist[(c^2\*Sqrt[d + e\*x^2])/(f^2\*(m + 1)\*Sqrt[1 - c^2\*x^2]), Int[((f\*x)^(m + 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x]) /;

FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /;

FreeQ[m, x] && NeQ[m, -1]

### Rule 4709

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*(x\_)^(m\_)]/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[1/(c^(m + 1)\*Sqrt[d]), Subst[Int[(a + b\*x)^n\*Sin[x]^m, x], x, ArcSin[c\*x]], x] /;

FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /;

FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_.) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /;

FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391



```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 14

```
Int[(u_)*((c_.)*(x_)^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

### Rubi steps

$$\begin{aligned} \int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x^5} dx &= -\frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{4x^4} - \frac{1}{4} (3c^2 d) \int \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x^3} dx \\ &= \frac{3c^2 d \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8x^2} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{4x^4} + \frac{(bcd \sqrt{d - c^2 dx^2})}{4x^4} \\ &= -\frac{bcd \sqrt{d - c^2 dx^2}}{12x^3 \sqrt{1 - c^2 x^2}} + \frac{5bc^3 d \sqrt{d - c^2 dx^2}}{8x \sqrt{1 - c^2 x^2}} + \frac{3c^2 d \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8x^2} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{4x^4} \\ &= -\frac{bcd \sqrt{d - c^2 dx^2}}{12x^3 \sqrt{1 - c^2 x^2}} + \frac{5bc^3 d \sqrt{d - c^2 dx^2}}{8x \sqrt{1 - c^2 x^2}} + \frac{3c^2 d \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8x^2} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{4x^4} \\ &= -\frac{bcd \sqrt{d - c^2 dx^2}}{12x^3 \sqrt{1 - c^2 x^2}} + \frac{5bc^3 d \sqrt{d - c^2 dx^2}}{8x \sqrt{1 - c^2 x^2}} + \frac{3c^2 d \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8x^2} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{4x^4} \\ &= -\frac{bcd \sqrt{d - c^2 dx^2}}{12x^3 \sqrt{1 - c^2 x^2}} + \frac{5bc^3 d \sqrt{d - c^2 dx^2}}{8x \sqrt{1 - c^2 x^2}} + \frac{3c^2 d \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8x^2} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{4x^4} \end{aligned}$$

**Mathematica [A]** time = 5.753, size = 494, normalized size = 1.61

$$\frac{bc^4 d^2 \sqrt{1 - c^2 x^2} \left( -4i \operatorname{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) + 4i \operatorname{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) - 4 \sin^{-1}(cx) \log \left( 1 - e^{i \sin^{-1}(cx)} \right) + 4 \sin^{-1}(cx) \log \left( 1 + e^{i \sin^{-1}(cx)} \right) \right)}{8x^4} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{4x^4} + \frac{bcd \sqrt{d - c^2 dx^2}}{4x^4}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x]))/x^5, x]
```

```
[Out] (a*d*(-2 + 5*c^2*x^2)*Sqrt[d - c^2*d*x^2])/(8*x^4) + (3*a*c^4*d^(3/2)*Log[x]) / 8 - (3*a*c^4*d^(3/2)*Log[d + Sqrt[d]*Sqrt[d - c^2*d*x^2]]) / 8 - (b*c^4*d^(3/2)*Sqrt[d - c^2*d*x^2]) / 8
```

```

2*sqrt[1 - c^2*x^2]*(-2*cot[ArcSin[c*x]/2] - ArcSin[c*x]*Csc[ArcSin[c*x]/2]
^2 - 4*ArcSin[c*x]*Log[1 - E^(I*ArcSin[c*x])] + 4*ArcSin[c*x]*Log[1 + E^(I*
ArcSin[c*x])] - (4*I)*PolyLog[2, -E^(I*ArcSin[c*x])] + (4*I)*PolyLog[2, E^(
I*ArcSin[c*x])] + ArcSin[c*x]*Sec[ArcSin[c*x]/2]^2 - 2*Tan[ArcSin[c*x]/2]))
/(8*sqrt[d - c^2*d*x^2]) + (b*c^4*d*sqrt[d - c^2*d*x^2]*(8*cot[ArcSin[c*x]/
2] + 6*ArcSin[c*x]*Csc[ArcSin[c*x]/2]^2 - c*x*Csc[ArcSin[c*x]/2]^4 - 3*ArcS
in[c*x]*Csc[ArcSin[c*x]/2]^4 - 24*ArcSin[c*x]*Log[1 - E^(I*ArcSin[c*x])] +
24*ArcSin[c*x]*Log[1 + E^(I*ArcSin[c*x])] - (24*I)*PolyLog[2, -E^(I*ArcSin[
c*x])] + (24*I)*PolyLog[2, E^(I*ArcSin[c*x])] - 6*ArcSin[c*x]*Sec[ArcSin[c*
x]/2]^2 + 3*ArcSin[c*x]*Sec[ArcSin[c*x]/2]^4 - (16*Sin[ArcSin[c*x]/2]^4)/(c
^3*x^3) + 8*Tan[ArcSin[c*x]/2]))/(192*sqrt[1 - c^2*x^2])

```

**Maple [B]** time = 0.273, size = 601, normalized size = 2.

$$-\frac{a}{4dx^4}(-c^2dx^2+d)^{\frac{5}{2}} + \frac{ac^2}{8dx^2}(-c^2dx^2+d)^{\frac{5}{2}} + \frac{ac^4}{8}(-c^2dx^2+d)^{\frac{3}{2}} - \frac{3ac^4}{8}d^{\frac{3}{2}}\ln\left(\frac{1}{x}\left(2d+2\sqrt{d}\sqrt{-c^2dx^2+d}\right)\right) + \frac{3ac^4d}{8}\sqrt{-c^2dx^2+d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^5,x)

```

[Out] -1/4*a/d/x^4*(-c^2*d*x^2+d)^(5/2)+1/8*a*c^2/d/x^2*(-c^2*d*x^2+d)^(5/2)+1/8*
a*c^4*(-c^2*d*x^2+d)^(3/2)-3/8*a*c^4*d^(3/2)*ln((2*d+2*d^(1/2)*(-c^2*d*x^2+
d)^(1/2))/x)+3/8*a*c^4*(-c^2*d*x^2+d)^(1/2)*d+5/8*b*d*(-d*(c^2*x^2-1))^(1/2
)/(c^2*x^2-1)*arcsin(c*x)*c^4-5/8*b*d*(-d*(c^2*x^2-1))^(1/2)/x/(c^2*x^2-1)*
(-c^2*x^2+1)^(1/2)*c^3-7/8*b*d*(-d*(c^2*x^2-1))^(1/2)/x^2/(c^2*x^2-1)*arcsi
n(c*x)*c^2+1/12*b*d*(-d*(c^2*x^2-1))^(1/2)/x^3/(c^2*x^2-1)*(-c^2*x^2+1)^(1/
2)*c+1/4*b*d*(-d*(c^2*x^2-1))^(1/2)/x^4/(c^2*x^2-1)*arcsin(c*x)+3*b*(-d*(c^
2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)*c^4*d/(8*c^2*x^2-8)*arcsin(c*x)*ln(1+I*c
*x+(-c^2*x^2+1)^(1/2))-3*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)*c^4*d/
(8*c^2*x^2-8)*arcsin(c*x)*ln(1-I*c*x-(-c^2*x^2+1)^(1/2))-3*I*b*(-d*(c^2*x^2
-1))^(1/2)*(-c^2*x^2+1)^(1/2)*c^4*d/(8*c^2*x^2-8)*polylog(2,-I*c*x-(-c^2*x^
2+1)^(1/2))+3*I*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)*c^4*d/(8*c^2*x^
2-8)*polylog(2,I*c*x+(-c^2*x^2+1)^(1/2))

```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^5,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(ac^2dx^2 - ad + (bc^2dx^2 - bd)\arcsin(cx))\sqrt{-c^2dx^2 + d}}{x^5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^5,x, algorithm="fricas")

[Out] integral(-(a\*c^2\*d\*x^2 - a\*d + (b\*c^2\*d\*x^2 - b\*d)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)/x^5, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))/x\*\*5,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2dx^2 + d)^{\frac{3}{2}}(b\arcsin(cx) + a)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))/x^5,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)/x^5, x)

### 3.84 $\int x^4 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=430

$$\frac{1}{32} d^2 x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{d^2 x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{128c^2} - \frac{3d^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{256c^4} + \frac{3d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{512c^6}$$

[Out] (3\*b\*d^2\*x^2\*Sqrt[d - c^2\*d\*x^2])/(512\*c^3\*Sqrt[1 - c^2\*x^2]) + (b\*d^2\*x^4\*Sqrt[d - c^2\*d\*x^2])/(512\*c\*Sqrt[1 - c^2\*x^2]) - (31\*b\*c\*d^2\*x^6\*Sqrt[d - c^2\*d\*x^2])/(960\*Sqrt[1 - c^2\*x^2]) + (21\*b\*c^3\*d^2\*x^8\*Sqrt[d - c^2\*d\*x^2])/(640\*Sqrt[1 - c^2\*x^2]) - (b\*c^5\*d^2\*x^10\*Sqrt[d - c^2\*d\*x^2])/(100\*Sqrt[1 - c^2\*x^2]) - (3\*d^2\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(256\*c^4) - (d^2\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(128\*c^2) + (d^2\*x^5\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/32 + (d\*x^5\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/16 + (x^5\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/10 + (3\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(512\*b\*c^5\*Sqrt[1 - c^2\*x^2])

**Rubi [A]** time = 0.553045, antiderivative size = 430, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {4699, 4697, 4707, 4641, 30, 14, 266, 43}

$$\frac{1}{32} d^2 x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{d^2 x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{128c^2} - \frac{3d^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{256c^4} + \frac{3d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{512c^6}$$

Antiderivative was successfully verified.

[In] Int[x^4\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (3\*b\*d^2\*x^2\*Sqrt[d - c^2\*d\*x^2])/(512\*c^3\*Sqrt[1 - c^2\*x^2]) + (b\*d^2\*x^4\*Sqrt[d - c^2\*d\*x^2])/(512\*c\*Sqrt[1 - c^2\*x^2]) - (31\*b\*c\*d^2\*x^6\*Sqrt[d - c^2\*d\*x^2])/(960\*Sqrt[1 - c^2\*x^2]) + (21\*b\*c^3\*d^2\*x^8\*Sqrt[d - c^2\*d\*x^2])/(640\*Sqrt[1 - c^2\*x^2]) - (b\*c^5\*d^2\*x^10\*Sqrt[d - c^2\*d\*x^2])/(100\*Sqrt[1 - c^2\*x^2]) - (3\*d^2\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(256\*c^4) - (d^2\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(128\*c^2) + (d^2\*x^5\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/32 + (d\*x^5\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/16 + (x^5\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/10 + (3\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(512\*b\*c^5\*Sqrt[1 - c^2\*x^2])

Rule 4699

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2\*p + 1)), x] + (Dist[(2\*d\*p)/(m + 2\*p + 1), Int[(f\*x)^m\*(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

Rule 4697

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2)), x] + (Dist[Sqrt[d + e\*x^2]/((m + 2)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^m\*(a + b\*ArcSin[c\*x])^n]/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(f\*(m + 2)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

Rule 4707

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[(f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n]/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 14

Int[(u\_)\*((c\_.)\*(x\_.))^(m\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*u, x]

, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_) + (b\_.)\*(v\_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[  
Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b,  
m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int  
[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n},  
x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le  
Q[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rubi steps

$$\begin{aligned}
 \int x^4 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) dx &= \frac{1}{10} x^5 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) + \frac{1}{2} d \int x^4 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx \\
 &= \frac{1}{16} dx^5 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) + \frac{1}{10} x^5 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) \\
 &= \frac{1}{32} d^2 x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{1}{16} dx^5 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) \\
 &= -\frac{31bcd^2 x^6 \sqrt{d - c^2 dx^2}}{960\sqrt{1 - c^2 x^2}} + \frac{21bc^3 d^2 x^8 \sqrt{d - c^2 dx^2}}{640\sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^{10} \sqrt{d - c^2 dx^2}}{100\sqrt{1 - c^2 x^2}} - \frac{d^2 x^3}{100\sqrt{1 - c^2 x^2}} \\
 &= \frac{bd^2 x^4 \sqrt{d - c^2 dx^2}}{512c\sqrt{1 - c^2 x^2}} - \frac{31bcd^2 x^6 \sqrt{d - c^2 dx^2}}{960\sqrt{1 - c^2 x^2}} + \frac{21bc^3 d^2 x^8 \sqrt{d - c^2 dx^2}}{640\sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^{10} \sqrt{d - c^2 dx^2}}{100\sqrt{1 - c^2 x^2}} \\
 &= \frac{3bd^2 x^2 \sqrt{d - c^2 dx^2}}{512c^3 \sqrt{1 - c^2 x^2}} + \frac{bd^2 x^4 \sqrt{d - c^2 dx^2}}{512c\sqrt{1 - c^2 x^2}} - \frac{31bcd^2 x^6 \sqrt{d - c^2 dx^2}}{960\sqrt{1 - c^2 x^2}} + \frac{21bc^3 d^2 x^8 \sqrt{d - c^2 dx^2}}{640\sqrt{1 - c^2 x^2}}
 \end{aligned}$$

**Mathematica [A]** time = 0.236859, size = 220, normalized size = 0.51

$$\frac{d^2 \sqrt{d - c^2 dx^2} \left( 225a^2 + 30abcx\sqrt{1 - c^2 x^2} (128c^8 x^8 - 336c^6 x^6 + 248c^4 x^4 - 10c^2 x^2 - 15) + 30b \sin^{-1}(cx) (15a + bcx\sqrt{1 - c^2 x^2}) \right)}{3840\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d^2\*Sqrt[d - c^2\*d\*x^2]\*(225\*a^2 + b^2\*c^2\*x^2\*(225 + 75\*c^2\*x^2 - 1240\*c^4\*x^4 + 1260\*c^6\*x^6 - 384\*c^8\*x^8) + 30\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-15 - 10\*c^2\*x^2 + 248\*c^4\*x^4 - 336\*c^6\*x^6 + 128\*c^8\*x^8) + 30\*b\*(15\*a + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-15 - 10\*c^2\*x^2 + 248\*c^4\*x^4 - 336\*c^6\*x^6 + 128\*c^8\*x^8)))\*ArcSin[c\*x] + 225\*b^2\*ArcSin[c\*x]^2)/(38400\*b\*c^5\*Sqrt[1 - c^2\*x^2])

**Maple [A]** time = 0.471, size = 735, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x)

[Out] -1/10\*a\*x^3\*(-c^2\*d\*x^2+d)^(7/2)/c^2/d-3/80\*a/c^4\*x\*(-c^2\*d\*x^2+d)^(7/2)/d+1/160\*a/c^4\*x\*(-c^2\*d\*x^2+d)^(5/2)+1/128\*a/c^4\*d\*x\*(-c^2\*d\*x^2+d)^(3/2)+3/256\*a/c^4\*d^2\*x\*(-c^2\*d\*x^2+d)^(1/2)+3/256\*a/c^4\*d^3/(c^2\*d)^(1/2)\*arctan((c^2\*d)^(1/2)\*x/(-c^2\*d\*x^2+d)^(1/2))-3/512\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c^5/(c^2\*x^2-1)\*arcsin(c\*x)^2\*d^2+1/100\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c^5/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*x^10-21/640\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c^3/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*x^8+31/960\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*x^6-1/512\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2/c/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*x^4-3/512\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2/c^3/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*x^2+1/10\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c^6/(c^2\*x^2-1)\*arcsin(c\*x)\*x^11-29/80\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c^4/(c^2\*x^2-1)\*arcsin(c\*x)\*x^9+73/160\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c^2/(c^2\*x^2-1)\*arcsin(c\*x)\*x^7-129/640\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2/(c^2\*x^2-1)\*arcsin(c\*x)\*x^5-1/256\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2/c^2/(c^2\*x^2-1)\*arcsin(c\*x)\*x^3+3/256\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2/c^4/(c^2\*x^2-1)\*arcsin(c\*x)\*x+101/1228800\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2/c^5/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(ac^4d^2x^8 - 2ac^2d^2x^6 + ad^2x^4 + (bc^4d^2x^8 - 2bc^2d^2x^6 + bd^2x^4)\arcsin(cx)\right)\sqrt{-c^2dx^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] integral((a*c^4*d^2*x^8 - 2*a*c^2*d^2*x^6 + a*d^2*x^4 + (b*c^4*d^2*x^8 - 2*
b*c^2*d^2*x^6 + b*d^2*x^4)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(-c**2*d*x**2+d)**(5/2)*(a+b*asin(c*x)),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2dx^2 + d)^{\frac{5}{2}}(b \arcsin(cx) + a)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(5/2)*(b*arcsin(c*x) + a)*x^4, x)
```



### 3.85 $\int x^2 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=351

$$\frac{5}{64}d^2x^3\sqrt{d - c^2dx^2}(a + b \sin^{-1}(cx)) - \frac{5d^2x\sqrt{d - c^2dx^2}(a + b \sin^{-1}(cx))}{128c^2} + \frac{5d^2\sqrt{d - c^2dx^2}(a + b \sin^{-1}(cx))^2}{256bc^3\sqrt{1 - c^2x^2}} + \frac{1}{8}x^3(d - c^2dx^2)^{5/2}(a + b \sin^{-1}(cx))$$

[Out] (5\*b\*d^2\*x^2\*Sqrt[d - c^2\*d\*x^2])/(256\*c\*Sqrt[1 - c^2\*x^2]) - (59\*b\*c\*d^2\*x^4\*Sqrt[d - c^2\*d\*x^2])/(768\*Sqrt[1 - c^2\*x^2]) + (17\*b\*c^3\*d^2\*x^6\*Sqrt[d - c^2\*d\*x^2])/(288\*Sqrt[1 - c^2\*x^2]) - (b\*c^5\*d^2\*x^8\*Sqrt[d - c^2\*d\*x^2])/(64\*Sqrt[1 - c^2\*x^2]) - (5\*d^2\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(128\*c^2) + (5\*d^2\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/64 + (5\*d\*x^3\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/48 + (x^3\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/8 + (5\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(256\*b\*c^3\*Sqrt[1 - c^2\*x^2])

**Rubi [A]** time = 0.472728, antiderivative size = 351, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {4699, 4697, 4707, 4641, 30, 14, 266, 43}

$$\frac{5}{64}d^2x^3\sqrt{d - c^2dx^2}(a + b \sin^{-1}(cx)) - \frac{5d^2x\sqrt{d - c^2dx^2}(a + b \sin^{-1}(cx))}{128c^2} + \frac{5d^2\sqrt{d - c^2dx^2}(a + b \sin^{-1}(cx))^2}{256bc^3\sqrt{1 - c^2x^2}} + \frac{1}{8}x^3(d - c^2dx^2)^{5/2}(a + b \sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In] Int[x^2\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (5\*b\*d^2\*x^2\*Sqrt[d - c^2\*d\*x^2])/(256\*c\*Sqrt[1 - c^2\*x^2]) - (59\*b\*c\*d^2\*x^4\*Sqrt[d - c^2\*d\*x^2])/(768\*Sqrt[1 - c^2\*x^2]) + (17\*b\*c^3\*d^2\*x^6\*Sqrt[d - c^2\*d\*x^2])/(288\*Sqrt[1 - c^2\*x^2]) - (b\*c^5\*d^2\*x^8\*Sqrt[d - c^2\*d\*x^2])/(64\*Sqrt[1 - c^2\*x^2]) - (5\*d^2\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(128\*c^2) + (5\*d^2\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/64 + (5\*d\*x^3\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/48 + (x^3\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/8 + (5\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(256\*b\*c^3\*Sqrt[1 - c^2\*x^2])

**Rule 4699**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^p\*(a + b\*ArcS

```

in[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

#### Rule 4697

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_)*((f_.)*(x_))^(m_)*Sqrt[(d_) +
(e_.)*(x_)^2], x_Symbol] :> Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[((f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

#### Rule 4707

```

Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_)*((f_.)*(x_))^(m_)]/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]

```

#### Rule 4641

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_]/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] :> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

```

#### Rule 30

```

Int[(x_)^(m_), x_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]

```

#### Rule 14

```

Int[(u_)*((c_.)*(x_))^(m_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

```

Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Dist[1/n, Subst[  
Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b,  
m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_)^(n\_.), x\_Symbol] := Int  
[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n},  
x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le  
Q[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int x^2 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) dx &= \frac{1}{8} x^3 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) + \frac{1}{8} (5d) \int x^2 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx \\ &= \frac{5}{48} dx^3 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) + \frac{1}{8} x^3 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) \\ &= \frac{5}{64} d^2 x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{5}{48} dx^3 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) \\ &= -\frac{59bcd^2 x^4 \sqrt{d - c^2 dx^2}}{768\sqrt{1 - c^2 x^2}} + \frac{17bc^3 d^2 x^6 \sqrt{d - c^2 dx^2}}{288\sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^8 \sqrt{d - c^2 dx^2}}{64\sqrt{1 - c^2 x^2}} - \frac{5d^2 x^3 \sqrt{d - c^2 dx^2}}{64} \\ &= \frac{5bd^2 x^2 \sqrt{d - c^2 dx^2}}{256c\sqrt{1 - c^2 x^2}} - \frac{59bcd^2 x^4 \sqrt{d - c^2 dx^2}}{768\sqrt{1 - c^2 x^2}} + \frac{17bc^3 d^2 x^6 \sqrt{d - c^2 dx^2}}{288\sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^8 \sqrt{d - c^2 dx^2}}{64\sqrt{1 - c^2 x^2}} \end{aligned}$$

**Mathematica [A]** time = 0.197845, size = 196, normalized size = 0.56

$$\frac{d^2 \sqrt{d - c^2 dx^2} \left( 45a^2 + 6abcx\sqrt{1 - c^2 x^2} (48c^6 x^6 - 136c^4 x^4 + 118c^2 x^2 - 15) + 6b \sin^{-1}(cx) \left( 15a + bcx\sqrt{1 - c^2 x^2} (48c^6 x^6 - 136c^4 x^4 + 118c^2 x^2 - 15) \right) \right)}{2304bc^3 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d^2\*Sqrt[d - c^2\*d\*x^2]\*(45\*a^2 + b^2\*c^2\*x^2\*(45 - 177\*c^2\*x^2 + 136\*c^4\*x^4 - 36\*c^6\*x^6) + 6\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-15 + 118\*c^2\*x^2 - 136\*c^4\*x^4 + 118\*c^2\*x^2 - 136\*c^4\*x^4 + 118\*c^2\*x^2 - 136\*c^4\*x^4)))/2304bc^3\*sqrt(1 - c^2\*x^2)

$$4x^4 + 48c^6x^6) + 6b*(15a + b*c*x*\text{Sqrt}[1 - c^2*x^2]*(-15 + 118*c^2*x^2 - 136*c^4*x^4 + 48*c^6*x^6))*\text{ArcSin}[c*x] + 45*b^2*\text{ArcSin}[c*x]^2)/(2304*b*c^3*\text{Sqrt}[1 - c^2*x^2])$$

**Maple [B]** time = 0.313, size = 620, normalized size = 1.8

$$-\frac{ax}{8c^2d}(-c^2dx^2 + d)^{\frac{7}{2}} + \frac{ax}{48c^2}(-c^2dx^2 + d)^{\frac{5}{2}} + \frac{5adx}{192c^2}(-c^2dx^2 + d)^{\frac{3}{2}} + \frac{5ad^2x}{128c^2}\sqrt{-c^2dx^2 + d} + \frac{5ad^3}{128c^2}\arctan\left(x\sqrt{c^2d}\frac{1}{\sqrt{-c^2dx^2 + d}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x)),x)`

[Out] 
$$-1/8*a*x*(-c^2*d*x^2+d)^{(7/2)}/c^2/d+1/48*a/c^2*x*(-c^2*d*x^2+d)^{(5/2)}+5/192*a/c^2*d*x*(-c^2*d*x^2+d)^{(3/2)}+5/128*a/c^2*d^2*x*(-c^2*d*x^2+d)^{(1/2)}+5/128*a/c^2*d^3/(c^2*d)^{(1/2)}*\arctan((c^2*d)^{(1/2)}*x/(-c^2*d*x^2+d)^{(1/2)})+1/8*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2*c^6/(c^2*x^2-1)*\arcsin(c*x)*x^9-23/48*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2*c^4/(c^2*x^2-1)*\arcsin(c*x)*x^7+127/192*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2*c^2/(c^2*x^2-1)*\arcsin(c*x)*x^5-133/384*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(c^2*x^2-1)*\arcsin(c*x)*x^3+5/128*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/c^2/(c^2*x^2-1)*\arcsin(c*x)*x-359/73728*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/c^3/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}+1/64*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2*c^5/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^8-17/288*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2*c^3/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^6+59/768*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2*c/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^4-5/256*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/c/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^2-5/256*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^3/(c^2*x^2-1)*\arcsin(c*x)^2*d^2$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(ac^4d^2x^6 - 2ac^2d^2x^4 + ad^2x^2 + (bc^4d^2x^6 - 2bc^2d^2x^4 + bd^2x^2)\arcsin(cx)\right)\sqrt{-c^2dx^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral((a\*c^4\*d^2\*x^6 - 2\*a\*c^2\*d^2\*x^4 + a\*d^2\*x^2 + (b\*c^4\*d^2\*x^6 - 2\*b\*c^2\*d^2\*x^4 + b\*d^2\*x^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2dx^2 + d)^{\frac{5}{2}}(b\arcsin(cx) + a)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)\*x^2, x)

### 3.86 $\int (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=265

$$\frac{5}{16} d^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{5d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{32bc \sqrt{1 - c^2 x^2}} + \frac{1}{6} x (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) + \frac{5}{24} dx (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))$$

[Out]  $(-25*b*c*d^2*x^2*\text{Sqrt}[d - c^2*d*x^2])/(96*\text{Sqrt}[1 - c^2*x^2]) + (5*b*c^3*d^2*x^4*\text{Sqrt}[d - c^2*d*x^2])/(96*\text{Sqrt}[1 - c^2*x^2]) + (b*d^2*(1 - c^2*x^2)^(5/2)*\text{Sqrt}[d - c^2*d*x^2])/(36*c) + (5*d^2*x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/16 + (5*d*x*(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/24 + (x*(d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x]))/6 + (5*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(32*b*c*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.156505, antiderivative size = 265, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4649, 4647, 4641, 30, 14, 261}

$$\frac{5}{16} d^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{5d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{32bc \sqrt{1 - c^2 x^2}} + \frac{1}{6} x (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) + \frac{5}{24} dx (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x]), x]$

[Out]  $(-25*b*c*d^2*x^2*\text{Sqrt}[d - c^2*d*x^2])/(96*\text{Sqrt}[1 - c^2*x^2]) + (5*b*c^3*d^2*x^4*\text{Sqrt}[d - c^2*d*x^2])/(96*\text{Sqrt}[1 - c^2*x^2]) + (b*d^2*(1 - c^2*x^2)^(5/2)*\text{Sqrt}[d - c^2*d*x^2])/(36*c) + (5*d^2*x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/16 + (5*d*x*(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/24 + (x*(d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x]))/6 + (5*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(32*b*c*\text{Sqrt}[1 - c^2*x^2])$

#### Rule 4649

$\text{Int}[(a + \text{ArcSin}[c*x])*(d + e*x^2)^p, x] \rightarrow \text{Simp}[(x*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n)/(2*p + 1), x] + (\text{Dist}[(2*d*p)/(2*p + 1), \text{Int}[(d + e*x^2)^(p - 1)*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}]/((2*p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*\text{ArcSin}[c*x])^(n - 1), x], x]) /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\&$

GtQ[p, 0]

### Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
```

### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

### Rule 30

```
Int[(x_)^(m_.), x_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]
```

### Rule 14

```
Int[(u_)*((c_.)*(x_)^(m_.)), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

### Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

### Rubi steps

$$\begin{aligned}
\int (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) dx &= \frac{1}{6} x (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) + \frac{1}{6} (5d) \int (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx \\
&= \frac{bd^2 (1 - c^2 x^2)^{5/2} \sqrt{d - c^2 dx^2}}{36c} + \frac{5}{24} dx (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) + \frac{1}{6} x (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) \\
&= \frac{bd^2 (1 - c^2 x^2)^{5/2} \sqrt{d - c^2 dx^2}}{36c} + \frac{5}{16} d^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{5}{24} dx (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) \\
&= -\frac{25bcd^2 x^2 \sqrt{d - c^2 dx^2}}{96\sqrt{1 - c^2 x^2}} + \frac{5bc^3 d^2 x^4 \sqrt{d - c^2 dx^2}}{96\sqrt{1 - c^2 x^2}} + \frac{bd^2 (1 - c^2 x^2)^{5/2} \sqrt{d - c^2 dx^2}}{36c} + \dots
\end{aligned}$$

**Mathematica [A]** time = 0.911691, size = 266, normalized size = 1.

$$d^2 \left( \sqrt{d - c^2 dx^2} \left( 384ac^5 x^5 \sqrt{1 - c^2 x^2} - 1248ac^3 x^3 \sqrt{1 - c^2 x^2} + 1584acx \sqrt{1 - c^2 x^2} + 270b \cos(2 \sin^{-1}(cx)) + 27b \cos(4 \sin^{-1}(cx)) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d^2\*(360\*b\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x]^2 - 720\*a\*Sqrt[d]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d - c^2\*d\*x^2])/(Sqrt[d]\*(-1 + c^2\*x^2))] + Sqrt[d - c^2\*d\*x^2]\*(1584\*a\*c\*x\*Sqrt[1 - c^2\*x^2] - 1248\*a\*c^3\*x^3\*Sqrt[1 - c^2\*x^2] + 384\*a\*c^5\*x^5\*Sqrt[1 - c^2\*x^2] + 270\*b\*Cos[2\*ArcSin[c\*x]] + 27\*b\*Cos[4\*ArcSin[c\*x]] + 2\*b\*Cos[6\*ArcSin[c\*x]]) + 12\*b\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x]\*(45\*Sin[2\*ArcSin[c\*x]] + 9\*Sin[4\*ArcSin[c\*x]] + Sin[6\*ArcSin[c\*x]]))/(2\*304\*c\*Sqrt[1 - c^2\*x^2])

**Maple [B]** time = 0.186, size = 495, normalized size = 1.9

$$\frac{ax}{6} (-c^2 dx^2 + d)^{\frac{5}{2}} + \frac{5adx}{24} (-c^2 dx^2 + d)^{\frac{3}{2}} + \frac{5ad^2x}{16} \sqrt{-c^2 dx^2 + d} + \frac{5ad^3}{16} \arctan\left(x\sqrt{c^2 d} \frac{1}{\sqrt{-c^2 dx^2 + d}}\right) \frac{1}{\sqrt{c^2 d}} - \frac{5b(\arcsin(cx))}{32c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x)



```
[Out] 1/6*a*x*(-c^2*d*x^2+d)^(5/2)+5/24*a*d*x*(-c^2*d*x^2+d)^(3/2)+5/16*a*d^2*x*(-c^2*d*x^2+d)^(1/2)+5/16*a*d^3/(c^2*d)^(1/2)*arctan((c^2*d)^(1/2)*x/(-c^2*d*x^2+d)^(1/2))-5/32*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/c/(c^2*x^2-1)*arcsin(c*x)^2*d^2+1/6*b*(-d*(c^2*x^2-1))^(1/2)*d^2*c^6/(c^2*x^2-1)*arcsin(c*x)*x^7-17/24*b*(-d*(c^2*x^2-1))^(1/2)*d^2*c^4/(c^2*x^2-1)*arcsin(c*x)*x^5+59/48*b*(-d*(c^2*x^2-1))^(1/2)*d^2*c^2/(c^2*x^2-1)*arcsin(c*x)*x^3-299/2304*b*(-d*(c^2*x^2-1))^(1/2)*d^2/c/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)-11/16*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(c^2*x^2-1)*arcsin(c*x)*x+1/36*b*(-d*(c^2*x^2-1))^(1/2)*d^2*c^5/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^6-13/96*b*(-d*(c^2*x^2-1))^(1/2)*d^2*c^3/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^4+11/32*b*(-d*(c^2*x^2-1))^(1/2)*d^2*c/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^2
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(ac^4d^2x^4 - 2ac^2d^2x^2 + ad^2 + (bc^4d^2x^4 - 2bc^2d^2x^2 + bd^2)\arcsin(cx)\right)\sqrt{-c^2dx^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] integral((a*c^4*d^2*x^4 - 2*a*c^2*d^2*x^2 + a*d^2 + (b*c^4*d^2*x^4 - 2*b*c^2*d^2*x^2 + b*d^2)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a), x)

$$3.87 \quad \int \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{x^2} dx$$

**Optimal.** Leaf size=268

$$-\frac{15}{8}c^2d^2x\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx)) - \frac{15cd^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{16b\sqrt{1-c^2x^2}} - \frac{5}{4}c^2dx(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx)) -$$

```
[Out] (9*b*c^3*d^2*x^2*Sqrt[d - c^2*d*x^2])/(16*Sqrt[1 - c^2*x^2]) - (b*c^5*d^2*x^4*Sqrt[d - c^2*d*x^2])/(16*Sqrt[1 - c^2*x^2]) - (15*c^2*d^2*x*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/8 - (5*c^2*d*x*(d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x]))/4 - ((d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x]))/x - (15*c*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/(16*b*Sqrt[1 - c^2*x^2]) + (b*c*d^2*Sqrt[d - c^2*d*x^2]*Log[x])/Sqrt[1 - c^2*x^2]
```

**Rubi [A]** time = 0.239901, antiderivative size = 268, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {4695, 4649, 4647, 4641, 30, 14, 266, 43}

$$-\frac{15}{8}c^2d^2x\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx)) - \frac{15cd^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{16b\sqrt{1-c^2x^2}} - \frac{5}{4}c^2dx(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx)) -$$

Antiderivative was successfully verified.

```
[In] Int[((d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x]))/x^2,x]
```

```
[Out] (9*b*c^3*d^2*x^2*Sqrt[d - c^2*d*x^2])/(16*Sqrt[1 - c^2*x^2]) - (b*c^5*d^2*x^4*Sqrt[d - c^2*d*x^2])/(16*Sqrt[1 - c^2*x^2]) - (15*c^2*d^2*x*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/8 - (5*c^2*d*x*(d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x]))/4 - ((d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x]))/x - (15*c*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/(16*b*Sqrt[1 - c^2*x^2]) + (b*c*d^2*Sqrt[d - c^2*d*x^2]*Log[x])/Sqrt[1 - c^2*x^2]
```

**Rule 4695**

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(f*(m + 1)), x] + (-Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /;
```

FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0]  
] && LtQ[m, -1]

#### Rule 4649

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(x\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(2\*p + 1), x] + (Dist[(2\*d\*p)/(2\*p + 1), Int[(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p]]/((2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0]

#### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 14

Int[(u\_)\*((c\_.)\*(x\_.))^ (m\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^ (p\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int  
 [ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n},  
 x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le  
 Q[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{x^2} dx &= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{x} - (5c^2 d) \int (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx \\ &= -\frac{5}{4} c^2 dx (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{x} - \frac{1}{4} ( \\ &= -\frac{15}{8} c^2 d^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{5}{4} c^2 dx (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) \\ &= \frac{9bc^3 d^2 x^2 \sqrt{d - c^2 dx^2}}{16\sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^4 \sqrt{d - c^2 dx^2}}{16\sqrt{1 - c^2 x^2}} - \frac{15}{8} c^2 d^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) \end{aligned}$$

**Mathematica [A]** time = 0.887622, size = 257, normalized size = 0.96

$$d^2 \left( \sqrt{d - c^2 dx^2} \left( 16 \left( a \sqrt{1 - c^2 x^2} (2c^4 x^4 - 9c^2 x^2 - 8) + 8bcx \log(cx) \right) - 32bcx \cos(2 \sin^{-1}(cx)) - bcx \cos(4 \sin^{-1}(cx)) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/x^2,x]

[Out] (d^2\*(-120\*b\*c\*x\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x]^2 + 240\*a\*c\*Sqrt[d]\*x\*Sqrt  
 [1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d - c^2\*d\*x^2])/(Sqrt[d]\*(-1 + c^2\*x^2))] +  
 Sqrt[d - c^2\*d\*x^2]\*(-32\*b\*c\*x\*Cos[2\*ArcSin[c\*x]] - b\*c\*x\*Cos[4\*ArcSin[c\*x]  
 ]) + 16\*(a\*Sqrt[1 - c^2\*x^2]\*(-8 - 9\*c^2\*x^2 + 2\*c^4\*x^4) + 8\*b\*c\*x\*Log[c\*x]  
 )) - 4\*b\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x]\*(32\*Sqrt[1 - c^2\*x^2] + 16\*c\*x\*Sin  
 [2\*ArcSin[c\*x]] + c\*x\*Sin[4\*ArcSin[c\*x]]))/(128\*x\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.25, size = 593, normalized size = 2.2

$$-\frac{a}{dx}(-c^2dx^2+d)^{\frac{7}{2}}-ac^2x(-c^2dx^2+d)^{\frac{5}{2}}-\frac{5ac^2dx}{4}(-c^2dx^2+d)^{\frac{3}{2}}-\frac{15ac^2d^2x}{8}\sqrt{-c^2dx^2+d}-\frac{15ac^2d^3}{8}\arctan\left(x\sqrt{c^2d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^2,x)

[Out] 
$$-a/d/x*(-c^2*d*x^2+d)^{(7/2)}-a*c^2*x*(-c^2*d*x^2+d)^{(5/2)}-5/4*a*c^2*d*x*(-c^2*d*x^2+d)^{(3/2)}-15/8*a*c^2*d^2*x*(-c^2*d*x^2+d)^{(1/2)}-15/8*a*c^2*d^3/(c^2*d)^{(1/2)}*\arctan((c^2*d)^{(1/2)}*x/(-c^2*d*x^2+d)^{(1/2)})+15/16*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*\arcsin(c*x)^2*c*d^2+I*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)*\arcsin(c*x)*c*d^2+b*(-d*(c^2*x^2-1))^{(1/2)}*\arcsin(c*x)*d^2/(c^2*x^2-1)/x-b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*\ln((I*c*x+(-c^2*x^2+1)^{(1/2)})^2-1)*c*d^2+1/4*b*(-d*(c^2*x^2-1))^{(1/2)}*c^6*d^2/(c^2*x^2-1)*\arcsin(c*x)*x^5-11/8*b*(-d*(c^2*x^2-1))^{(1/2)}*c^4*d^2/(c^2*x^2-1)*\arcsin(c*x)*x^3+1/8*b*(-d*(c^2*x^2-1))^{(1/2)}*c^2*d^2/(c^2*x^2-1)*\arcsin(c*x)*x+33/128*b*(-d*(c^2*x^2-1))^{(1/2)}*c*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}+1/16*b*(-d*(c^2*x^2-1))^{(1/2)}*c^5*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^4-9/16*b*(-d*(c^2*x^2-1))^{(1/2)}*c^3*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^2$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(ac^4d^2x^4-2ac^2d^2x^2+ad^2+(bc^4d^2x^4-2bc^2d^2x^2+bd^2)\arcsin(cx))\sqrt{-c^2dx^2+d}}{x^2},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^2,x, algorithm="fricas")

[Out] integral((a\*c^4\*d^2\*x^4 - 2\*a\*c^2\*d^2\*x^2 + a\*d^2 + (b\*c^4\*d^2\*x^4 - 2\*b\*c^2\*d^2\*x^2 + b\*d^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)/x^2, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))/x\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^2,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)/x^2, x)

$$3.88 \quad \int \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{x^4} dx$$

**Optimal.** Leaf size=277

$$\frac{5}{2}c^4d^2x\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx)) + \frac{5c^3d^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{4b\sqrt{1-c^2x^2}} + \frac{5c^2d(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{3x} - \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{3x^3} + \frac{5c^3d^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{4b\sqrt{1-c^2x^2}} + \frac{5c^2d(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{3x} - \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{3x^3} + \frac{5c^3d^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{4b\sqrt{1-c^2x^2}} + \frac{5c^2d(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{3x} - \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{3x^3}$$

[Out]  $-(b*c*d^2*\text{Sqrt}[d - c^2*d*x^2])/(6*x^2*\text{Sqrt}[1 - c^2*x^2]) - (b*c^5*d^2*x^2*\text{Sqrt}[d - c^2*d*x^2])/(4*\text{Sqrt}[1 - c^2*x^2]) + (5*c^4*d^2*x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/2 + (5*c^2*d*(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/(3*x) - ((d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x]))/(3*x^3) + (5*c^3*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(4*b*\text{Sqrt}[1 - c^2*x^2]) - (7*b*c^3*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(3*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.304384, antiderivative size = 277, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {4695, 4647, 4641, 30, 14, 266, 43}

$$\frac{5}{2}c^4d^2x\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx)) + \frac{5c^3d^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{4b\sqrt{1-c^2x^2}} + \frac{5c^2d(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{3x} - \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{3x^3} + \frac{5c^3d^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{4b\sqrt{1-c^2x^2}} + \frac{5c^2d(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{3x} - \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{3x^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x])/x^4, x]$

[Out]  $-(b*c*d^2*\text{Sqrt}[d - c^2*d*x^2])/(6*x^2*\text{Sqrt}[1 - c^2*x^2]) - (b*c^5*d^2*x^2*\text{Sqrt}[d - c^2*d*x^2])/(4*\text{Sqrt}[1 - c^2*x^2]) + (5*c^4*d^2*x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/2 + (5*c^2*d*(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/(3*x) - ((d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x]))/(3*x^3) + (5*c^3*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(4*b*\text{Sqrt}[1 - c^2*x^2]) - (7*b*c^3*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(3*\text{Sqrt}[1 - c^2*x^2])$

**Rule 4695**

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^(n_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x\_Symbol] \rightarrow \text{Simp}[(f*x)^(m+1)*(d+e*x^2)^p*(a+b*\text{ArcSin}[c*x])^n]/(f*(m+1)), x] + (-\text{Dist}[(2*e*p)/(f^2*(m+1)), \text{Int}[(f*x)^(m+2)*(d+e*x^2)^(p-1)*(a+b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d+e*x^2)^{\text{FracPart}[p]})/(f*(m+1)*(1-c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^(m+1)*(1-c^2*x^2)^(p-1/2)*(a+b*\text{ArcSin}[c*x])^(n-1), x], x]) /;$



FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0] && LtQ[m, -1]

#### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 14

Int[(u\_)\*((c\_.)\*(x\_.))^ (m\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^ (p\_.), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_.))^ (m\_.)\*((c\_.) + (d\_.)\*(x\_.))^ (n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{x^4} dx &= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{3x^3} - \frac{1}{3} (5c^2 d) \int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x^2} dx \\
&= \frac{5c^2 d (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{3x} - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{3x^3} + (5c^4 d^2) \int \frac{(d - c^2 dx^2)^{1/2} (a + b \sin^{-1}(cx))}{x} dx \\
&= \frac{5}{2} c^4 d^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{5c^2 d (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{3x} - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{3x^3} \\
&= -\frac{bcd^2 \sqrt{d - c^2 dx^2}}{6x^2 \sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^2 \sqrt{d - c^2 dx^2}}{4 \sqrt{1 - c^2 x^2}} + \frac{5}{2} c^4 d^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) + \frac{5c^2 d (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{3x} - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{3x^3}
\end{aligned}$$

**Mathematica [A]** time = 1.51381, size = 243, normalized size = 0.88

$$\frac{1}{24} d^2 \left( \frac{\sqrt{d - c^2 dx^2} (4a \sqrt{1 - c^2 x^2} (3c^4 x^4 + 14c^2 x^2 - 2) + b (-6c^5 x^5 + 3c^3 x^3 - 4cx) - 56bc^3 x^3 \log(cx))}{x^3 \sqrt{1 - c^2 x^2}} - 60ac^3 \sqrt{d} \tan^{-1} \left( \frac{cx}{\sqrt{1 - c^2 x^2}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/x^4,x]

[Out] (d^2\*((4\*b\*Sqrt[d - c^2\*d\*x^2]\*(-2 + 14\*c^2\*x^2 + 3\*c^4\*x^4)\*ArcSin[c\*x])/x^3 + (30\*b\*c^3\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x]^2)/Sqrt[1 - c^2\*x^2] - 60\*a\*c^3\*Sqrt[d]\*ArcTan[(c\*x\*Sqrt[d - c^2\*d\*x^2])/(Sqrt[d]\*(-1 + c^2\*x^2))] + (Sqrt[d - c^2\*d\*x^2]\*(4\*a\*Sqrt[1 - c^2\*x^2]\*(-2 + 14\*c^2\*x^2 + 3\*c^4\*x^4) + b\*(-4\*c\*x + 3\*c^3\*x^3 - 6\*c^5\*x^5) - 56\*b\*c^3\*x^3\*Log[c\*x]))/(x^3\*Sqrt[1 - c^2\*x^2])))/24

**Maple [C]** time = 0.295, size = 1527, normalized size = 5.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^4,x)

```
[Out] -1/3*a/d/x^3*(-c^2*d*x^2+d)^(7/2)+4/3*a*c^4*x*(-c^2*d*x^2+d)^(5/2)+4/3*a*c^
2/d/x*(-c^2*d*x^2+d)^(7/2)-1/8*b*(-d*(c^2*x^2-1))^(1/2)*c^3*d^2/(c^2*x^2-1)
*(-c^2*x^2+1)^(1/2)-49/6*I*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(63*c^4*x^4-15*c^2*
x^2+1)*x^5/(c^2*x^2-1)*c^8-203*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(63*c^4*x^4-15*
c^2*x^2+1)*x^3/(c^2*x^2-1)*arcsin(c*x)*c^6+21/2*b*(-d*(c^2*x^2-1))^(1/2)*d^
2/(63*c^4*x^4-15*c^2*x^2+1)*x^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*c^5+190/3*b*
(-d*(c^2*x^2-1))^(1/2)*d^2/(63*c^4*x^4-15*c^2*x^2+1)*x/(c^2*x^2-1)*arcsin(c
*x)*c^4-23/3*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(63*c^4*x^4-15*c^2*x^2+1)/x/(c^2*
x^2-1)*arcsin(c*x)*c^2+1/6*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(63*c^4*x^4-15*c^2*
x^2+1)/x^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*c+147*b*(-d*(c^2*x^2-1))^(1/2)*d^
2/(63*c^4*x^4-15*c^2*x^2+1)*x^5/(c^2*x^2-1)*arcsin(c*x)*c^8+28/3*I*b*(-d*(c
^2*x^2-1))^(1/2)*d^2/(63*c^4*x^4-15*c^2*x^2+1)*x^3/(c^2*x^2-1)*c^6-7/6*I*b*
(-d*(c^2*x^2-1))^(1/2)*d^2/(63*c^4*x^4-15*c^2*x^2+1)*x/(c^2*x^2-1)*c^4-14*I
*b*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)*arcsin(c*x)*c^3*d^2/(3*c^2*x^2
-3)+1/4*b*(-d*(c^2*x^2-1))^(1/2)*c^5*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^2
-5/4*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*arcsin(c*x)^2*
c^3*d^2+5/3*a*c^4*d*x*(-c^2*d*x^2+d)^(3/2)+5/2*a*c^4*d^2*x*(-c^2*d*x^2+d)^(
1/2)+5/2*a*c^4*d^3/(c^2*d)^(1/2)*arctan((c^2*d)^(1/2)*x/(-c^2*d*x^2+d)^(1/2
))+7/3*I*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(63*c^4*x^4-15*c^2*x^2+1)/(c^2*x^2-1)
*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^3-49/6*I*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(63
*c^4*x^4-15*c^2*x^2+1)*x^3/(c^2*x^2-1)*(-c^2*x^2+1)*c^6+7/6*I*b*(-d*(c^2*x^
2-1))^(1/2)*d^2/(63*c^4*x^4-15*c^2*x^2+1)*x/(c^2*x^2-1)*(-c^2*x^2+1)*c^4+1/
2*b*(-d*(c^2*x^2-1))^(1/2)*c^6*d^2/(c^2*x^2-1)*arcsin(c*x)*x^3-1/2*b*(-d*(c
^2*x^2-1))^(1/2)*c^4*d^2/(c^2*x^2-1)*arcsin(c*x)*x-5/2*b*(-d*(c^2*x^2-1))^(
1/2)*d^2/(63*c^4*x^4-15*c^2*x^2+1)/(c^2*x^2-1)*c^3*(-c^2*x^2+1)^(1/2)+7/3*b
*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*ln((I*c*x+(-c^2*x^2+
1)^(1/2))^2-1)*c^3*d^2+1/3*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(63*c^4*x^4-15*c^2*
x^2+1)/x^3/(c^2*x^2-1)*arcsin(c*x)+147*I*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(63*c
^4*x^4-15*c^2*x^2+1)*x^4/(c^2*x^2-1)*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^7-35*
I*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(63*c^4*x^4-15*c^2*x^2+1)*x^2/(c^2*x^2-1)*ar
csin(c*x)*(-c^2*x^2+1)^(1/2)*c^5
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))/x^4,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(ac^4d^2x^4 - 2ac^2d^2x^2 + ad^2 + (bc^4d^2x^4 - 2bc^2d^2x^2 + bd^2)\arcsin(cx))\sqrt{-c^2dx^2 + d}}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^4,x, algorithm="fricas")

[Out] integral((a\*c^4\*d^2\*x^4 - 2\*a\*c^2\*d^2\*x^2 + a\*d^2 + (b\*c^4\*d^2\*x^4 - 2\*b\*c^2\*d^2\*x^2 + b\*d^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)/x^4, x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))/x\*\*4,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2dx^2 + d)^{\frac{5}{2}}(b\arcsin(cx) + a)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^4,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)/x^4, x)

$$3.89 \quad \int \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{x^6} dx$$

**Optimal.** Leaf size=277

$$\frac{c^5d^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{2b\sqrt{1-c^2x^2}} - \frac{c^4d^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{x} + \frac{c^2d(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{3x^3} - \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{5x^5} - \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))^2}{2b\sqrt{1-c^2x^2}} + \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))\log(x)}{15\sqrt{1-c^2x^2}}$$

[Out]  $-(b*c*d^2*\text{Sqrt}[d - c^2*d*x^2])/(20*x^4*\text{Sqrt}[1 - c^2*x^2]) + (11*b*c^3*d^2*\text{Sqrt}[d - c^2*d*x^2])/(30*x^2*\text{Sqrt}[1 - c^2*x^2]) - (c^4*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/x + (c^2*d*(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/(3*x^3) - ((d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x]))/(5*x^5) - (c^5*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(2*b*\text{Sqrt}[1 - c^2*x^2]) + (23*b*c^5*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(15*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.354384, antiderivative size = 277, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {4695, 4693, 29, 4641, 14, 266, 43}

$$\frac{c^5d^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{2b\sqrt{1-c^2x^2}} - \frac{c^4d^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{x} + \frac{c^2d(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))}{3x^3} - \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{5x^5} - \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))^2}{2b\sqrt{1-c^2x^2}} + \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))\log(x)}{15\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x])/x^6, x]$

[Out]  $-(b*c*d^2*\text{Sqrt}[d - c^2*d*x^2])/(20*x^4*\text{Sqrt}[1 - c^2*x^2]) + (11*b*c^3*d^2*\text{Sqrt}[d - c^2*d*x^2])/(30*x^2*\text{Sqrt}[1 - c^2*x^2]) - (c^4*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/x + (c^2*d*(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/(3*x^3) - ((d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x]))/(5*x^5) - (c^5*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(2*b*\text{Sqrt}[1 - c^2*x^2]) + (23*b*c^5*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(15*\text{Sqrt}[1 - c^2*x^2])$

**Rule 4695**

$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_. + (e_.)*(x_.)^2)^(p_.), x\_Symbol] :> \text{Simp}[(f*x)^(m+1)*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n]/(f*(m+1)), x] + (-\text{Dist}[(2*e*p)/(f^2*(m+1)), \text{Int}[(f*x)^(m+2)*(d + e*x^2)^(p-1)*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]})/(f*(m+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^(m+1)*(1 - c^2*x^2)^(p-1/2)*(a + b*\text{ArcSin}[c*x])^(n-1), x], x]) /;$

FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0] && LtQ[m, -1]

### Rule 4693

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 1)), x] + (-Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(f\*(m + 1)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] + Dist[(c^2\*Sqrt[d + e\*x^2])/(f^2\*(m + 1)\*Sqrt[1 - c^2\*x^2]), Int[((f\*x)^(m + 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1]

### Rule 29

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 14

Int[(u\_)\*((c\_.)\*(x\_))^(m\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_) + (b\_.)\*(v\_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{x^6} dx &= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5x^5} - (c^2 d) \int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x^4} dx \\
&= \frac{c^2 d (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{3x^3} - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5x^5} + (c^4 d^2) \\
&= -\frac{c^4 d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x} + \frac{c^2 d (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{3x^3} - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{5x^5} \\
&= -\frac{bcd^2 \sqrt{d - c^2 dx^2}}{20x^4 \sqrt{1 - c^2 x^2}} + \frac{11bc^3 d^2 \sqrt{d - c^2 dx^2}}{30x^2 \sqrt{1 - c^2 x^2}} - \frac{c^4 d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x} + \dots
\end{aligned}$$

**Mathematica [A]** time = 1.26523, size = 234, normalized size = 0.84

$$\frac{1}{60} d^2 \left( \frac{\sqrt{d - c^2 dx^2} \left( -4a \sqrt{1 - c^2 x^2} (23c^4 x^4 - 11c^2 x^2 + 3) + bcx (22c^2 x^2 - 3) + 92bc^5 x^5 \log(cx) \right)}{x^5 \sqrt{1 - c^2 x^2}} + 60ac^5 \sqrt{d} \tan^{-1} \left( \frac{cx \sqrt{d - c^2 dx^2}}{\sqrt{d} (1 - c^2 x^2)} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/x^6,x]

[Out] (d^2\*((-4\*b\*Sqrt[d - c^2\*d\*x^2]\*(3 - 11\*c^2\*x^2 + 23\*c^4\*x^4)\*ArcSin[c\*x])/x^5 - (30\*b\*c^5\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x]^2)/Sqrt[1 - c^2\*x^2] + 60\*a\*c^5\*Sqrt[d]\*ArcTan[(c\*x\*Sqrt[d - c^2\*d\*x^2])/(Sqrt[d]\*(-1 + c^2\*x^2))] + (Sqrt[d - c^2\*d\*x^2]\*(b\*c\*x\*(-3 + 22\*c^2\*x^2) - 4\*a\*Sqrt[1 - c^2\*x^2]\*(3 - 11\*c^2\*x^2 + 23\*c^4\*x^4) + 92\*b\*c^5\*x^5\*Log[c\*x]))/(x^5\*Sqrt[1 - c^2\*x^2])))/60

**Maple [C]** time = 0.319, size = 2615, normalized size = 9.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^6,x)

[Out]  $2/15*a*c^2/d/x^3*(-c^2*d*x^2+d)^{(7/2)}-69/5*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^5-1889/12*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x^2/(c^2*x^2-1)*c^7*(-c^2*x^2+1)^{(1/2)}-9602/15*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x/(c^2*x^2-1)*\arcsin(c*x)*c^6+69/20*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x/(c^2*x^2-1)*c^6+46*I*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*\arcsin(c*x)*c^5*d^2/(15*c^2*x^2-15)+5819/30*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x^9/(c^2*x^2-1)*c^14-18791/60*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x^7/(c^2*x^2-1)*c^12+943/6*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x^5/(c^2*x^2-1)*c^10-207/5*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x^3/(c^2*x^2-1)*c^8+3519*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x^7/(c^2*x^2-1)*\arcsin(c*x)*c^12-759/2*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x^6/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^11-9595/3*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x^5/(c^2*x^2-1)*\arcsin(c*x)*c^10+1329/4*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x^4/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^9+5318/3*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x^3/(c^2*x^2-1)*\arcsin(c*x)*c^8+777/5*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)/x/(c^2*x^2-1)*\arcsin(c*x)*c^4-141/20*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)/x^2/(c^2*x^2-1)*c^3*(-c^2*x^2+1)^{(1/2)}-117/5*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)/x^3/(c^2*x^2-1)*\arcsin(c*x)*c^2+9/20*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)/x^4/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c-1587*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x^9/(c^2*x^2-1)*\arcsin(c*x)*c^14+9/5*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)/x^5/(c^2*x^2-1)*\arcsin(c*x)-23/15*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*\arcsin(c*x)^2*c^5*d^2+175/4*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)/(c^2*x^2-1)*c^5*(-c^2*x^2+1)^{(1/2)}+5819/30*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x^7/(c^2*x^2-1)*(-c^2*x^2+1)*c^12-7153/60*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x^5/(c^2*x^2-1)*(-c^2*x^2+1)*c^10+759/20*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x^3/(c^2*x^2-1)*(-c^2*x^2+1)*c^8-69/20*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x/(c^2*x^2-1)*(-c^2*x^2+1)*c^6+1173*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c^8*x^8-765*c^6*x^6+325*c^4*x^4-75*c^2*x^2+9)*x^6/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^11-1495/3*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(1035*c$



$$\begin{aligned} & ^8x^8-765c^6x^6+325c^4x^4-75c^2x^2+9)x^4/(c^2x^2-1)\arcsin(cx)*(- \\ & c^2x^2+1)^{(1/2)}c^9+115I*b*(-d*(c^2x^2-1))^{(1/2)}d^2/(1035c^8x^8-765c \\ & ^6x^6+325c^4x^4-75c^2x^2+9)x^2/(c^2x^2-1)\arcsin(cx)*(-c^2x^2+1)^{( \\ & 1/2)}c^7-1587I*b*(-d*(c^2x^2-1))^{(1/2)}d^2/(1035c^8x^8-765c^6x^6+325 \\ & c^4x^4-75c^2x^2+9)x^8/(c^2x^2-1)\arcsin(cx)*(-c^2x^2+1)^{(1/2)}c^{13-8} \\ & /15*a*c^4/d/x*(-c^2*d*x^2+d)^{(7/2)}-2/3*a*c^6*(-c^2*d*x^2+d)^{(3/2)}*d*x-a*c^6 \\ & *d^2*x*(-c^2*d*x^2+d)^{(1/2)}-a*c^6*d^3/(c^2*d)^{(1/2)}*\arctan((c^2*d)^{(1/2)}*x/ \\ & (-c^2*d*x^2+d)^{(1/2)})-1/5*a/d/x^5*(-c^2*d*x^2+d)^{(7/2)}-8/15*a*c^6*x*(-c^2*d \\ & *x^2+d)^{(5/2)} \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^6,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(ac^4d^2x^4 - 2ac^2d^2x^2 + ad^2 + (bc^4d^2x^4 - 2bc^2d^2x^2 + bd^2)\arcsin(cx))\sqrt{-c^2dx^2 + d}}{x^6}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^6,x, algorithm="fricas")

[Out] integral((a\*c^4\*d^2\*x^4 - 2\*a\*c^2\*d^2\*x^2 + a\*d^2 + (b\*c^4\*d^2\*x^4 - 2\*b\*c^2\*d^2\*x^2 + b\*d^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)/x^6, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c**2*d*x**2+d)**(5/2)*(a+b*asin(c*x))/x**6,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))/x^6,x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(5/2)*(b*arcsin(c*x) + a)/x^6, x)
```

$$3.90 \quad \int \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{x^8} dx$$

**Optimal.** Leaf size=203

$$-\frac{(d-c^2dx^2)^{7/2}(a+b\sin^{-1}(cx))}{7dx^7} - \frac{3bc^5d^2\sqrt{d-c^2dx^2}}{14x^2\sqrt{1-c^2x^2}} + \frac{3bc^3d^2\sqrt{d-c^2dx^2}}{28x^4\sqrt{1-c^2x^2}} - \frac{bcd^2\sqrt{d-c^2dx^2}}{42x^6\sqrt{1-c^2x^2}} - \frac{bc^7d^2\log(x)\sqrt{d-c^2dx^2}}{7\sqrt{1-c^2x^2}}$$

[Out]  $-(b*c*d^2*sqrt[d - c^2*d*x^2])/(42*x^6*sqrt[1 - c^2*x^2]) + (3*b*c^3*d^2*sqrt[d - c^2*d*x^2])/(28*x^4*sqrt[1 - c^2*x^2]) - (3*b*c^5*d^2*sqrt[d - c^2*d*x^2])/(14*x^2*sqrt[1 - c^2*x^2]) - ((d - c^2*d*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(7*d*x^7) - (b*c^7*d^2*sqrt[d - c^2*d*x^2]*Log[x])/(7*sqrt[1 - c^2*x^2])$

**Rubi [A]** time = 0.125442, antiderivative size = 203, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {4681, 266, 43}

$$-\frac{(d-c^2dx^2)^{7/2}(a+b\sin^{-1}(cx))}{7dx^7} - \frac{3bc^5d^2\sqrt{d-c^2dx^2}}{14x^2\sqrt{1-c^2x^2}} + \frac{3bc^3d^2\sqrt{d-c^2dx^2}}{28x^4\sqrt{1-c^2x^2}} - \frac{bcd^2\sqrt{d-c^2dx^2}}{42x^6\sqrt{1-c^2x^2}} - \frac{bc^7d^2\log(x)\sqrt{d-c^2dx^2}}{7\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/x^8,x]

[Out]  $-(b*c*d^2*sqrt[d - c^2*d*x^2])/(42*x^6*sqrt[1 - c^2*x^2]) + (3*b*c^3*d^2*sqrt[d - c^2*d*x^2])/(28*x^4*sqrt[1 - c^2*x^2]) - (3*b*c^5*d^2*sqrt[d - c^2*d*x^2])/(14*x^2*sqrt[1 - c^2*x^2]) - ((d - c^2*d*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(7*d*x^7) - (b*c^7*d^2*sqrt[d - c^2*d*x^2]*Log[x])/(7*sqrt[1 - c^2*x^2])$

### Rule 4681

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] && NeQ[m, -1]

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{x^8} dx &= -\frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7dx^7} + \frac{(bcd^2 \sqrt{d - c^2 dx^2}) \int \frac{(1 - c^2 x^2)^3}{x^7} dx}{7\sqrt{1 - c^2 x^2}} \\ &= -\frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7dx^7} + \frac{(bcd^2 \sqrt{d - c^2 dx^2}) \text{Subst}\left(\int \frac{(1 - c^2 x)^3}{x^4} dx, x, x^2\right)}{14\sqrt{1 - c^2 x^2}} \\ &= -\frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7dx^7} + \frac{(bcd^2 \sqrt{d - c^2 dx^2}) \text{Subst}\left(\int \left(\frac{1}{x^4} - \frac{3c^2}{x^3} + \frac{3c^4}{x^2} - \frac{c^6}{x}\right) dx, x, x^2\right)}{14\sqrt{1 - c^2 x^2}} \\ &= -\frac{bcd^2 \sqrt{d - c^2 dx^2}}{42x^6 \sqrt{1 - c^2 x^2}} + \frac{3bc^3 d^2 \sqrt{d - c^2 dx^2}}{28x^4 \sqrt{1 - c^2 x^2}} - \frac{3bc^5 d^2 \sqrt{d - c^2 dx^2}}{14x^2 \sqrt{1 - c^2 x^2}} - \frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7dx^7} \end{aligned}$$

**Mathematica [A]** time = 0.211525, size = 156, normalized size = 0.77

$$\frac{d^2 \sqrt{d - c^2 dx^2} \left( 60a (c^2 x^2 - 1)^4 + bcx \sqrt{1 - c^2 x^2} (-147c^6 x^6 + 90c^4 x^4 - 45c^2 x^2 + 10) + 60b (c^2 x^2 - 1)^4 \sin^{-1}(cx) \right)}{420x^7 (c^2 x^2 - 1)} - \frac{bc^7 d^2 \sqrt{d - c^2 dx^2}}{7}$$

Antiderivative was successfully verified.

```
[In] Integrate[((d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x]))/x^8,x]
```

```
[Out] (d^2*Sqrt[d - c^2*d*x^2]*(60*a*(-1 + c^2*x^2)^4 + b*c*x*Sqrt[1 - c^2*x^2]*(
10 - 45*c^2*x^2 + 90*c^4*x^4 - 147*c^6*x^6) + 60*b*(-1 + c^2*x^2)^4*ArcSin[
c*x]))/(420*x^7*(-1 + c^2*x^2)) - (b*c^7*d^2*Sqrt[d - c^2*d*x^2]*Log[x])/(7
```

\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.36, size = 4031, normalized size = 19.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^8,x)

[Out]  $\frac{1}{42} I b (-d(c^2 x^2 - 1))^{1/2} d^2 / (7c^{12} x^{12} - 21c^{10} x^{10} + 35c^8 x^8 - 35c^6 x^6 + 21c^4 x^4 - 7c^2 x^2 + 1) x / (c^2 x^2 - 1) (-c^2 x^2 + 1) c^8 + 1/7 I b (-d(c^2 x^2 - 1))^{1/2} d^2 / (7c^{12} x^{12} - 21c^{10} x^{10} + 35c^8 x^8 - 35c^6 x^6 + 21c^4 x^4 - 7c^2 x^2 + 1) / (c^2 x^2 - 1) \arcsin(c x) (-c^2 x^2 + 1)^{1/2} c^7 - 1/7 a/d / x^7 (-c^2 d x^2 + d)^{7/2} - 3/14 I b (-d(c^2 x^2 - 1))^{1/2} d^2 / (7c^{12} x^{12} - 21c^{10} x^{10} + 35c^8 x^8 - 35c^6 x^6 + 21c^4 x^4 - 7c^2 x^2 + 1) x^{11} / (c^2 x^2 - 1) (-c^2 x^2 + 1) c^{18} + 3/4 I b (-d(c^2 x^2 - 1))^{1/2} d^2 / (7c^{12} x^{12} - 21c^{10} x^{10} + 35c^8 x^8 - 35c^6 x^6 + 21c^4 x^4 - 7c^2 x^2 + 1) x^9 / (c^2 x^2 - 1) (-c^2 x^2 + 1) c^{16} - 83/84 I b (-d(c^2 x^2 - 1))^{1/2} d^2 / (7c^{12} x^{12} - 21c^{10} x^{10} + 35c^8 x^8 - 35c^6 x^6 + 21c^4 x^4 - 7c^2 x^2 + 1) x^7 / (c^2 x^2 - 1) (-c^2 x^2 + 1) c^{14} + 17/28 I b (-d(c^2 x^2 - 1))^{1/2} d^2 / (7c^{12} x^{12} - 21c^{10} x^{10} + 35c^8 x^8 - 35c^6 x^6 + 21c^4 x^4 - 7c^2 x^2 + 1) x^5 / (c^2 x^2 - 1) (-c^2 x^2 + 1) c^{12} - 5/28 I b (-d(c^2 x^2 - 1))^{1/2} d^2 / (7c^{12} x^{12} - 21c^{10} x^{10} + 35c^8 x^8 - 35c^6 x^6 + 21c^4 x^4 - 7c^2 x^2 + 1) x^3 / (c^2 x^2 - 1) (-c^2 x^2 + 1) c^{10} + 1/7 b (-d(c^2 x^2 - 1))^{1/2} d^2 / (7c^{12} x^{12} - 21c^{10} x^{10} + 35c^8 x^8 - 35c^6 x^6 + 21c^4 x^4 - 7c^2 x^2 + 1) / x^7 / (c^2 x^2 - 1) \arcsin(c x) + 1/7 b (-d(c^2 x^2 - 1))^{1/2} (-c^2 x^2 + 1)^{1/2} / (c^2 x^2 - 1) \ln((I c x + (-c^2 x^2 + 1)^{1/2})^2 - 1) c^7 d^2 - 5/12 b (-d(c^2 x^2 - 1))^{1/2} d^2 / (7c^{12} x^{12} - 21c^{10} x^{10} + 35c^8 x^8 - 35c^6 x^6 + 21c^4 x^4 - 7c^2 x^2 + 1) / (c^2 x^2 - 1) c^7 (-c^2 x^2 + 1)^{1/2} + b (-d(c^2 x^2 - 1))^{1/2} d^2 / (7c^{12} x^{12} - 21c^{10} x^{10} + 35c^8 x^8 - 35c^6 x^6 + 21c^4 x^4 - 7c^2 x^2 + 1) x^{13} / (c^2 x^2 - 1) \arcsin(c x) c^{20} - 7 b (-d(c^2 x^2 - 1))^{1/2} d^2 / (7c^{12} x^{12} - 21c^{10} x^{10} + 35c^8 x^8 - 35c^6 x^6 + 21c^4 x^4 - 7c^2 x^2 + 1) x^{11} / (c^2 x^2 - 1) \arcsin(c x) c^{18} + 3/2 b (-d(c^2 x^2 - 1))^{1/2} d^2 / (7c^{12} x^{12} - 21c^{10} x^{10} + 35c^8 x^8 - 35c^6 x^6 + 21c^4 x^4 - 7c^2 x^2 + 1) x^9 / (c^2 x^2 - 1) \arcsin(c x) c^{16} - 21/4 b (-d(c^2 x^2 - 1))^{1/2} d^2 / (7c^{12} x^{12} - 21c^{10} x^{10} + 35c^8 x^8 - 35c^6 x^6 + 21c^4 x^4 - 7c^2 x^2 + 1) x^8 / (c^2 x^2 - 1) (-c^2 x^2 + 1)^{1/2} c^{15} - 47 b (-d(c^2 x^2 - 1))^{1/2} d^2 / (7c^{12} x^{12} - 21c^{10} x^{10} + 35c^8 x^8 - 35c^6 x^6 + 21c^4 x^4 - 7c^2 x^2 + 1) x^7 / (c^2 x^2 - 1) \arcsin(c x) c^{14} + 119/12 b (-d(c^2 x^2 - 1))^{1/2} d^2 / (7c^{12} x^{12} - 21c^{10} x^{10} + 35c^8 x^8 - 35c^6 x^6 + 21c^4 x^4 - 7c^2 x^2 + 1) x^6 / (c^2 x^2 - 1) (-c^2 x^2 + 1)^{1/2} c^{14}$

$$\begin{aligned}
& 3+66*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x^5/(c^2*x^2-1)*\arcsin(c*x)*c^12-47/4*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x^4/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^11-66*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x^3/(c^2*x^2-1)*\arcsin(c*x)*c^10+109/12*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x^2/(c^2*x^2-1)*c^9*(-c^2*x^2+1)^{(1/2)}+330/7*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x/(c^2*x^2-1)*\arcsin(c*x)*c^8-165/7*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)/x/(c^2*x^2-1)*\arcsin(c*x)*c^6+41/28*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)/x^2/(c^2*x^2-1)*c^5*(-c^2*x^2+1)^{(1/2)}+55/7*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)/x^3/(c^2*x^2-1)*\arcsin(c*x)*c^4-23/84*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)/x^4/(c^2*x^2-1)*c^3*(-c^2*x^2+1)^{(1/2)}-11/7*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)/x^5/(c^2*x^2-1)*\arcsin(c*x)*c^2+1/42*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)/x^6/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c-2*I*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*\arcsin(c*x)*c^7*d^2/(7*c^2*x^2-7)-3/14*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x^13/(c^2*x^2-1)*c^20+27/28*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x^11/(c^2*x^2-1)*c^18-73/42*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x^9/(c^2*x^2-1)*c^16+67/42*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x^7/(c^2*x^2-1)*c^14-11/14*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x^5/(c^2*x^2-1)*c^12+17/84*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x^3/(c^2*x^2-1)*c^10-1/42*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x/(c^2*x^2-1)*c^8+I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x^12/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^19-I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x^2/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^9-3*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x^10/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^17+5*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x^8/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^15-5*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c^10*x^10+35*c^8*x^8-35*c^6*x^6+21*c^4*x^4-7*c^2*x^2+1)*x^6/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^13+3*I*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(7*c^12*x^12-21*c
\end{aligned}$$

$$^{10}x^{10}+35c^8x^8-35c^6x^6+21c^4x^4-7c^2x^2+1)x^4/(c^2x^2-1)*\arcsin(cx)*(-c^2x^2+1)^{(1/2)}c^{11}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^8,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.91641, size = 1368, normalized size = 6.74

$$\left[ \frac{6(bc^9d^2x^9 - bc^7d^2x^7)\sqrt{d} \log\left(\frac{c^2dx^6+c^2dx^2-dx^4+\sqrt{-c^2dx^2+d}\sqrt{-c^2x^2+1}(x^4-1)\sqrt{d-d}}{c^2x^4-x^2}\right) + (18bc^5d^2x^5 - (18bc^5 - 9bc^3 + 2bc)d^2x^7 - \dots}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^8,x, algorithm="fricas")

[Out] [1/84\*(6\*(b\*c^9\*d^2\*x^9 - b\*c^7\*d^2\*x^7)\*sqrt(d)\*log((c^2\*d\*x^6 + c^2\*d\*x^2 - d\*x^4 + sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*(x^4 - 1)\*sqrt(d) - d)/(c^2\*x^4 - x^2)) + (18\*b\*c^5\*d^2\*x^5 - (18\*b\*c^5 - 9\*b\*c^3 + 2\*b\*c)\*d^2\*x^7 - 9\*b\*c^3\*d^2\*x^3 + 2\*b\*c\*d^2\*x)\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1) + 12\*(a\*c^8\*d^2\*x^8 - 4\*a\*c^6\*d^2\*x^6 + 6\*a\*c^4\*d^2\*x^4 - 4\*a\*c^2\*d^2\*x^2 + a\*d^2 + (b\*c^8\*d^2\*x^8 - 4\*b\*c^6\*d^2\*x^6 + 6\*b\*c^4\*d^2\*x^4 - 4\*b\*c^2\*d^2\*x^2 + b\*d^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d))/(c^2\*x^9 - x^7), -1/84\*(12\*(b\*c^9\*d^2\*x^9 - b\*c^7\*d^2\*x^7)\*sqrt(-d)\*arctan(sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*(x^2 + 1)\*sqrt(-d)/(c^2\*d\*x^4 - (c^2 + 1)\*d\*x^2 + d)) - (18\*b\*c^5\*d^2\*x^5 - (18\*b\*c^5 - 9\*b\*c^3 + 2\*b\*c)\*d^2\*x^7 - 9\*b\*c^3\*d^2\*x^3 + 2\*b\*c\*d^2\*x)\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1) - 12\*(a\*c^8\*d^2\*x^8 - 4\*a\*c^6\*d^2\*x^6 + 6\*a\*c^4\*d^2\*x^4 - 4\*a\*c^2\*d^2\*x^2 + a\*d^2 + (b\*c^8\*d^2\*x^8 - 4\*b\*c^6\*d^2\*x^6 + 6\*b\*c^4\*d^2\*x^4 - 4\*b\*c^2\*d^2\*x^2 + b\*d^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d))/(c^2\*x^9 - x^7)]

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))/x\*\*8,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^8,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)/x^8, x)



$$3.91 \quad \int \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{x^{10}} dx$$

**Optimal.** Leaf size=282

$$\frac{2c^2(d-c^2dx^2)^{7/2}(a+b\sin^{-1}(cx))}{63dx^7} - \frac{(d-c^2dx^2)^{7/2}(a+b\sin^{-1}(cx))}{9dx^9} - \frac{bc^7d^2\sqrt{d-c^2dx^2}}{21x^2\sqrt{1-c^2x^2}} + \frac{bc^5d^2\sqrt{d-c^2dx^2}}{42x^4\sqrt{1-c^2x^2}} - \frac{bc^3d^2}{189x}$$

[Out]  $-(b*c^3*d^2*sqrt[d - c^2*d*x^2])/(189*x^6*sqrt[1 - c^2*x^2]) + (b*c^5*d^2*sqrt[d - c^2*d*x^2])/(42*x^4*sqrt[1 - c^2*x^2]) - (b*c^7*d^2*sqrt[d - c^2*d*x^2])/(21*x^2*sqrt[1 - c^2*x^2]) - (b*c*d^2*(1 - c^2*x^2)^(7/2)*sqrt[d - c^2*d*x^2])/(72*x^8) - ((d - c^2*d*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(9*d*x^9) - (2*c^2*(d - c^2*d*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(63*d*x^7) - (2*b*c^9*d^2*sqrt[d - c^2*d*x^2]*Log[x])/(63*sqrt[1 - c^2*x^2])$

**Rubi [A]** time = 0.178928, antiderivative size = 282, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {271, 264, 4691, 12, 446, 78, 43}

$$\frac{2c^2(d-c^2dx^2)^{7/2}(a+b\sin^{-1}(cx))}{63dx^7} - \frac{(d-c^2dx^2)^{7/2}(a+b\sin^{-1}(cx))}{9dx^9} - \frac{bc^7d^2\sqrt{d-c^2dx^2}}{21x^2\sqrt{1-c^2x^2}} + \frac{bc^5d^2\sqrt{d-c^2dx^2}}{42x^4\sqrt{1-c^2x^2}} - \frac{bc^3d^2}{189x}$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/x^10, x]

[Out]  $-(b*c^3*d^2*sqrt[d - c^2*d*x^2])/(189*x^6*sqrt[1 - c^2*x^2]) + (b*c^5*d^2*sqrt[d - c^2*d*x^2])/(42*x^4*sqrt[1 - c^2*x^2]) - (b*c^7*d^2*sqrt[d - c^2*d*x^2])/(21*x^2*sqrt[1 - c^2*x^2]) - (b*c*d^2*(1 - c^2*x^2)^(7/2)*sqrt[d - c^2*d*x^2])/(72*x^8) - ((d - c^2*d*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(9*d*x^9) - (2*c^2*(d - c^2*d*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(63*d*x^7) - (2*b*c^9*d^2*sqrt[d - c^2*d*x^2]*Log[x])/(63*sqrt[1 - c^2*x^2])$

### Rule 271

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*(m + 1)), x] - Dist[(b\*(m + n\*(p + 1) + 1))/(a\*(m + 1)), Int[x^(m + n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

Rule 264

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 4691

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(p_)
, x_Symbol] := With[{u = IntHide[x^m*(1 - c^2*x^2)^p, x]}, Dist[a + b*ArcSi
n[c*x], Int[x^m*(d + e*x^2)^p, x], x] - Dist[(b*c*d^(p - 1/2)*Sqrt[d + e*x^
2])/Sqrt[1 - c^2*x^2], Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x
]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p + 1/2, 0] &&
(IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2*p + 3)/2, 0])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 78

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))
```

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{x^{10}} dx &= -\frac{(bcd^2 \sqrt{d - c^2 dx^2}) \int \frac{(-7-2c^2 x^2)(1-c^2 x^2)^3}{63x^9} dx}{\sqrt{1 - c^2 x^2}} + (a + b \sin^{-1}(cx)) \int \frac{(d - c^2 dx^2)^{5/2}}{x^{10}} dx \\
&= -\frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{9dx^9} - \frac{(bcd^2 \sqrt{d - c^2 dx^2}) \int \frac{(-7-2c^2 x^2)(1-c^2 x^2)^3}{x^9} dx}{63\sqrt{1 - c^2 x^2}} + \\
&= -\frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{9dx^9} - \frac{2c^2 (d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{63dx^7} - \frac{(bcd^2 \sqrt{d - c^2 dx^2}) \int \frac{(-7-2c^2 x^2)(1-c^2 x^2)^3}{x^9} dx}{63\sqrt{1 - c^2 x^2}} \\
&= -\frac{bcd^2 (1 - c^2 x^2)^{7/2} \sqrt{d - c^2 dx^2}}{72x^8} - \frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{9dx^9} - \frac{2c^2 (d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{63dx^7} \\
&= -\frac{bcd^2 (1 - c^2 x^2)^{7/2} \sqrt{d - c^2 dx^2}}{72x^8} - \frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{9dx^9} - \frac{2c^2 (d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{63dx^7} \\
&= -\frac{bc^3 d^2 \sqrt{d - c^2 dx^2}}{189x^6 \sqrt{1 - c^2 x^2}} + \frac{bc^5 d^2 \sqrt{d - c^2 dx^2}}{42x^4 \sqrt{1 - c^2 x^2}} - \frac{bc^7 d^2 \sqrt{d - c^2 dx^2}}{21x^2 \sqrt{1 - c^2 x^2}} - \frac{bcd^2 (1 - c^2 x^2)^{7/2}}{72x^8}
\end{aligned}$$

**Mathematica [A]** time = 0.217809, size = 184, normalized size = 0.65

$$\frac{d^2 \sqrt{d - c^2 dx^2} \left( 840a(2c^2 x^2 + 7)(c^2 x^2 - 1)^4 + bcx\sqrt{1 - c^2 x^2}(-4566c^8 x^8 - 420c^6 x^6 + 3150c^4 x^4 - 2660c^2 x^2 + 735) + 840b(-1 + c^2 x^2)^4(7 + 2c^2 x^2) \right) + bcd^2 \sqrt{d - c^2 dx^2} \int \frac{(-7-2c^2 x^2)(1-c^2 x^2)^3}{x^9} dx}{52920x^9 (c^2 x^2 - 1)}$$

Antiderivative was successfully verified.

[In] Integrate[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/x^10,x]

[Out] (d^2\*Sqrt[d - c^2\*d\*x^2]\*(840\*a\*(-1 + c^2\*x^2)^4\*(7 + 2\*c^2\*x^2) + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(735 - 2660\*c^2\*x^2 + 3150\*c^4\*x^4 - 420\*c^6\*x^6 - 4566\*c^8\*x^8) + 840\*b\*(-1 + c^2\*x^2)^4\*(7 + 2\*c^2\*x^2)\*ArcSin[c\*x]))/(52920\*x^9\*(-1 + c^2\*x^2)) - (2\*b\*c^9\*d^2\*Sqrt[d - c^2\*d\*x^2]\*Log[x])/(63\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.477, size = 5323, normalized size = 18.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))/x^10,x)
```

```
[Out] result too large to display
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))/x^10,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 3.12368, size = 1609, normalized size = 5.71

$$\left[ \frac{24 (bc^{11}d^2x^{11} - bc^9d^2x^9)\sqrt{d} \log\left(\frac{c^2dx^6+c^2dx^2-dx^4+\sqrt{-c^2dx^2+d}\sqrt{-c^2x^2+1}(x^4-1)\sqrt{d-d}}{c^2x^4-x^2}\right) - (12bc^7d^2x^7 - 90bc^5d^2x^5 - (12bc^7 - 90bc^5)d^2x^3 + 76bc^3d^2x - 21bc^3d^2x^3 - 21bc^3d^2x^3 - 21bc^3d^2x^3) \sqrt{-c^2dx^2+d} \sqrt{-c^2x^2+1} + 24(2ac^{10}d^2x^{10} - ac^8d^2x^8 - 16ac^6d^2x^6 + 34ac^4d^2x^4 - 26ac^2d^2x^2 + 7ad^2 + (2bc^{10}d^2x^{10} - bc^8d^2x^8 - 16bc^6d^2x^6 + 34bc^4d^2x^4 - 26bc^2d^2x^2 + 7bd^2) \arcsin(cx)) \sqrt{-c^2dx^2+d}}{(c^2x^4 - x^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))/x^10,x, algorithm="fricas")
```

```
[Out] [1/1512*(24*(b*c^11*d^2*x^11 - b*c^9*d^2*x^9)*sqrt(d)*log((c^2*d*x^6 + c^2*d*x^2 - d*x^4 + sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1)*(x^4 - 1)*sqrt(d) - d)/(c^2*x^4 - x^2)) - (12*b*c^7*d^2*x^7 - 90*b*c^5*d^2*x^5 - (12*b*c^7 - 90*b*c^5 + 76*b*c^3 - 21*b*c)*d^2*x^9 + 76*b*c^3*d^2*x^3 - 21*b*c*d^2*x)*sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1) + 24*(2*a*c^10*d^2*x^10 - a*c^8*d^2*x^8 - 16*a*c^6*d^2*x^6 + 34*a*c^4*d^2*x^4 - 26*a*c^2*d^2*x^2 + 7*a*d^2 + (2*b*c^10*d^2*x^10 - b*c^8*d^2*x^8 - 16*b*c^6*d^2*x^6 + 34*b*c^4*d^2*x^4 - 26*b*c^2*d^2*x^2 + 7*b*d^2)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d))/(c^2*x^11 - x^9), -1/1512*(48*(b*c^11*d^2*x^11 - b*c^9*d^2*x^9)*sqrt(-d)*arctan(sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1)*(x^2 + 1)*sqrt(-d))/(c^2*d*x^4 - (c^2 + 1)*d*x^2 + d) + 24*(2*a*c^10*d^2*x^10 - a*c^8*d^2*x^8 - 16*a*c^6*d^2*x^6 + 34*a*c^4*d^2*x^4 - 26*a*c^2*d^2*x^2 + 7*a*d^2 + (2*b*c^10*d^2*x^10 - b*c^8*d^2*x^8 - 16*b*c^6*d^2*x^6 + 34*b*c^4*d^2*x^4 - 26*b*c^2*d^2*x^2 + 7*b*d^2)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d))/(c^2*x^11 - x^9)]
```

$2 + d)) + (12*b*c^7*d^2*x^7 - 90*b*c^5*d^2*x^5 - (12*b*c^7 - 90*b*c^5 + 76*b*c^3 - 21*b*c)*d^2*x^9 + 76*b*c^3*d^2*x^3 - 21*b*c*d^2*x)*\sqrt{-c^2*d*x^2 + d}*\sqrt{-c^2*x^2 + 1} - 24*(2*a*c^10*d^2*x^10 - a*c^8*d^2*x^8 - 16*a*c^6*d^2*x^6 + 34*a*c^4*d^2*x^4 - 26*a*c^2*d^2*x^2 + 7*a*d^2 + (2*b*c^10*d^2*x^10 - b*c^8*d^2*x^8 - 16*b*c^6*d^2*x^6 + 34*b*c^4*d^2*x^4 - 26*b*c^2*d^2*x^2 + 7*b*d^2)*\arcsin(c*x))*\sqrt{-c^2*d*x^2 + d))/(c^2*x^11 - x^9]$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))/x\*\*10,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^10,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)/x^10, x)

$$3.92 \quad \int \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{x^{12}} dx$$

**Optimal.** Leaf size=361

$$-\frac{8c^4(d-c^2dx^2)^{7/2}(a+b\sin^{-1}(cx))}{693dx^7} - \frac{4c^2(d-c^2dx^2)^{7/2}(a+b\sin^{-1}(cx))}{99dx^9} - \frac{(d-c^2dx^2)^{7/2}(a+b\sin^{-1}(cx))}{11dx^{11}} + \frac{2bc^9d^2\sqrt{d-c^2dx^2}}{693x^2\sqrt{1-c^2x^2}}$$

```
[Out] -(b*c*d^2*Sqrt[d - c^2*d*x^2])/(110*x^10*Sqrt[1 - c^2*x^2]) + (23*b*c^3*d^2
*Sqrt[d - c^2*d*x^2])/(792*x^8*Sqrt[1 - c^2*x^2]) - (113*b*c^5*d^2*Sqrt[d -
c^2*d*x^2])/(4158*x^6*Sqrt[1 - c^2*x^2]) + (b*c^7*d^2*Sqrt[d - c^2*d*x^2])
/(924*x^4*Sqrt[1 - c^2*x^2]) + (2*b*c^9*d^2*Sqrt[d - c^2*d*x^2])/(693*x^2*S
qrt[1 - c^2*x^2]) - ((d - c^2*d*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(11*d*x^11)
- (4*c^2*(d - c^2*d*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(99*d*x^9) - (8*c^4*(d
- c^2*d*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(693*d*x^7) - (8*b*c^11*d^2*Sqrt[d
- c^2*d*x^2]*Log[x])/(693*Sqrt[1 - c^2*x^2])
```

**Rubi [A]** time = 0.222861, antiderivative size = 361, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {271, 264, 4691, 12, 1251, 893}

$$-\frac{8c^4(d-c^2dx^2)^{7/2}(a+b\sin^{-1}(cx))}{693dx^7} - \frac{4c^2(d-c^2dx^2)^{7/2}(a+b\sin^{-1}(cx))}{99dx^9} - \frac{(d-c^2dx^2)^{7/2}(a+b\sin^{-1}(cx))}{11dx^{11}} + \frac{2bc^9d^2\sqrt{d-c^2dx^2}}{693x^2\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

```
[In] Int[((d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x]))/x^12,x]
```

```
[Out] -(b*c*d^2*Sqrt[d - c^2*d*x^2])/(110*x^10*Sqrt[1 - c^2*x^2]) + (23*b*c^3*d^2
*Sqrt[d - c^2*d*x^2])/(792*x^8*Sqrt[1 - c^2*x^2]) - (113*b*c^5*d^2*Sqrt[d -
c^2*d*x^2])/(4158*x^6*Sqrt[1 - c^2*x^2]) + (b*c^7*d^2*Sqrt[d - c^2*d*x^2])
/(924*x^4*Sqrt[1 - c^2*x^2]) + (2*b*c^9*d^2*Sqrt[d - c^2*d*x^2])/(693*x^2*S
qrt[1 - c^2*x^2]) - ((d - c^2*d*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(11*d*x^11)
- (4*c^2*(d - c^2*d*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(99*d*x^9) - (8*c^4*(d
- c^2*d*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(693*d*x^7) - (8*b*c^11*d^2*Sqrt[d
- c^2*d*x^2]*Log[x])/(693*Sqrt[1 - c^2*x^2])
```

### Rule 271

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x^(m + 1)*(
a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m +
```

1)), Int[x^(m + n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

### Rule 264

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

### Rule 4691

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{u = IntHide[x^m\*(1 - c^2\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], Int[x^m\*(d + e\*x^2)^p, x], x] - Dist[(b\*c\*d^(p - 1/2)\*Sqrt[d + e\*x^2])/Sqrt[1 - c^2\*x^2], Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p + 1/2, 0] && (IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2\*p + 3)/2, 0])

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 1251

Int[(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(q\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_.), x\_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)\*(d + e\*x)^q\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

### Rule 893

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_)^(n\_.))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegersQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0]))

### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{x^{12}} dx &= - \frac{(bcd^2 \sqrt{d - c^2 dx^2}) \int \frac{(1 - c^2 x^2)^3 (-63 - 28c^2 x^2 - 8c^4 x^4)}{693x^{11}} dx}{\sqrt{1 - c^2 x^2}} + (a + b \sin^{-1}(cx)) \int \frac{(d - c^2 dx^2)^{5/2}}{x^{12}} dx \\
&= - \frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{11dx^{11}} - \frac{(bcd^2 \sqrt{d - c^2 dx^2}) \int \frac{(1 - c^2 x^2)^3 (-63 - 28c^2 x^2 - 8c^4 x^4)}{x^{11}} dx}{693\sqrt{1 - c^2 x^2}} \\
&= - \frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{11dx^{11}} - \frac{4c^2 (d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{99dx^9} - \frac{(bcd^2 \sqrt{d - c^2 dx^2}) \int \frac{(1 - c^2 x^2)^3 (-63 - 28c^2 x^2 - 8c^4 x^4)}{x^{11}} dx}{693\sqrt{1 - c^2 x^2}} \\
&= - \frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{11dx^{11}} - \frac{4c^2 (d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{99dx^9} - \frac{8c^4 (d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{99dx^9} \\
&= - \frac{bcd^2 \sqrt{d - c^2 dx^2}}{110x^{10} \sqrt{1 - c^2 x^2}} + \frac{23bc^3 d^2 \sqrt{d - c^2 dx^2}}{792x^8 \sqrt{1 - c^2 x^2}} - \frac{113bc^5 d^2 \sqrt{d - c^2 dx^2}}{4158x^6 \sqrt{1 - c^2 x^2}} + \frac{bc^7 d^2 \sqrt{d - c^2 dx^2}}{924x^4 \sqrt{1 - c^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.237405, size = 209, normalized size = 0.58

$$\frac{d^2 \sqrt{d - c^2 dx^2} \left( 2520a (8c^4 x^4 + 28c^2 x^2 + 63) (c^2 x^2 - 1)^4 - bcx \sqrt{1 - c^2 x^2} (59048c^{10} x^{10} + 5040c^8 x^8 + 1890c^6 x^6 - 47460c^4 x^4 + 1746360x^{11} (c^2 x^2 - 1)) \right)}{1746360x^{11} (c^2 x^2 - 1)}$$

Antiderivative was successfully verified.

[In] Integrate[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/x^12,x]

[Out] (d^2\*Sqrt[d - c^2\*d\*x^2]\*(2520\*a\*(-1 + c^2\*x^2)^4\*(63 + 28\*c^2\*x^2 + 8\*c^4\*x^4) - b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-15876 + 50715\*c^2\*x^2 - 47460\*c^4\*x^4 + 1890\*c^6\*x^6 + 5040\*c^8\*x^8 + 59048\*c^10\*x^10) + 2520\*b\*(-1 + c^2\*x^2)^4\*(63 + 28\*c^2\*x^2 + 8\*c^4\*x^4)\*ArcSin[c\*x]))/(1746360\*x^11\*(-1 + c^2\*x^2)) - (8\*b\*c^11\*d^2\*Sqrt[d - c^2\*d\*x^2]\*Log[x])/(693\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.648, size = 6758, normalized size = 18.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.



```
[In] int((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))/x^12,x)
```

```
[Out] result too large to display
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))/x^12,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 3.6102, size = 1871, normalized size = 5.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))/x^12,x, algorithm="fricas")
```

```
[Out] [1/83160*(480*(b*c^13*d^2*x^13 - b*c^11*d^2*x^11)*sqrt(d)*log((c^2*d*x^6 + c^2*d*x^2 - d*x^4 + sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1)*(x^4 - 1)*sqrt(d) - d)/(c^2*x^4 - x^2)) - (240*b*c^9*d^2*x^9 + 90*b*c^7*d^2*x^7 - (240*b*c^9 + 90*b*c^7 - 2260*b*c^5 + 2415*b*c^3 - 756*b*c)*d^2*x^11 - 2260*b*c^5*d^2*x^5 + 2415*b*c^3*d^2*x^3 - 756*b*c*d^2*x)*sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1) + 120*(8*a*c^12*d^2*x^12 - 4*a*c^10*d^2*x^10 - a*c^8*d^2*x^8 - 116*a*c^6*d^2*x^6 + 274*a*c^4*d^2*x^4 - 224*a*c^2*d^2*x^2 + 63*a*d^2 + (8*b*c^12*d^2*x^12 - 4*b*c^10*d^2*x^10 - b*c^8*d^2*x^8 - 116*b*c^6*d^2*x^6 + 274*b*c^4*d^2*x^4 - 224*b*c^2*d^2*x^2 + 63*b*d^2)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d))/(c^2*x^13 - x^11), -1/83160*(960*(b*c^13*d^2*x^13 - b*c^11*d^2*x^11)*sqrt(-d)*arctan(sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1)*(x^2 + 1)*sqrt(-d)/(c^2*d*x^4 - (c^2 + 1)*d*x^2 + d)) + (240*b*c^9*d^2*x^9 + 90*b*c^7*d^2*x^7 - (240*b*c^9 + 90*b*c^7 - 2260*b*c^5 + 2415*b*c^3 - 756*b*c)*d^2*x^11 - 2260*b*c^5*d^2*x^5 + 2415*b*c^3*d^2*x^3 - 756*b*c*d^2*x)*sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1) - 120*(8*a*c^12*d^2*x^12 - 4*a*c^10*d^2*x^10 - a*c^8*d^2*x^8 - 116*a*c^6*d^2*x^6 + 274*a*c^4*d^2*x^4 - 224*a*c^2*d^2*x^2 + 63*a*d^2 + (8*b*c^12*d^2*x^12 - 4*b*c^10*d^2*x^10 - b*c^8*d^2*x^8 - 116*b*c^6*d^2*x^6 + 274*b*c^4*d^2*x^4 - 224*b*c^2*d^2*x^2 + 63*b*d^2)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d))/(c^2*x^13 - x^11)]
```

$$x^8 - 116ac^6d^2x^6 + 274a^2c^4d^2x^4 - 224a^3c^2d^2x^2 + 63a^4d^2 + (8b^2c^{12}d^2x^{12} - 4b^2c^{10}d^2x^{10} - b^2c^8d^2x^8 - 116b^2c^6d^2x^6 + 274b^2c^4d^2x^4 - 224b^2c^2d^2x^2 + 63b^2d^2) \arcsin(cx) \sqrt{-c^2d^2x^2 + d} / (c^2x^{13} - x^{11})]$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))/x\*\*12,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2dx^2 + d)^{\frac{5}{2}}(b \arcsin(cx) + a)}{x^{12}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^12,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)/x^12, x)

### 3.93 $\int x^5 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=354

$$-\frac{(d - c^2 dx^2)^{11/2} (a + b \sin^{-1}(cx))}{11c^6 d^3} + \frac{2(d - c^2 dx^2)^{9/2} (a + b \sin^{-1}(cx))}{9c^6 d^2} - \frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7c^6 d} - \frac{bc^5 d^2 x^{11} \sqrt{d}}{121\sqrt{1 -}}$$

[Out]  $(8*b*d^2*x*\text{Sqrt}[d - c^2*d*x^2])/(693*c^5*\text{Sqrt}[1 - c^2*x^2]) + (4*b*d^2*x^3*\text{Sqrt}[d - c^2*d*x^2])/(2079*c^3*\text{Sqrt}[1 - c^2*x^2]) + (b*d^2*x^5*\text{Sqrt}[d - c^2*d*x^2])/(1155*c*\text{Sqrt}[1 - c^2*x^2]) - (113*b*c*d^2*x^7*\text{Sqrt}[d - c^2*d*x^2])/(4851*\text{Sqrt}[1 - c^2*x^2]) + (23*b*c^3*d^2*x^9*\text{Sqrt}[d - c^2*d*x^2])/(891*\text{Sqrt}[1 - c^2*x^2]) - (b*c^5*d^2*x^{11}*\text{Sqrt}[d - c^2*d*x^2])/(121*\text{Sqrt}[1 - c^2*x^2]) - ((d - c^2*d*x^2)^{(7/2)}*(a + b*\text{ArcSin}[c*x]))/(7*c^6*d) + (2*(d - c^2*d*x^2)^{(9/2)}*(a + b*\text{ArcSin}[c*x]))/(9*c^6*d^2) - ((d - c^2*d*x^2)^{(11/2)}*(a + b*\text{ArcSin}[c*x]))/(11*c^6*d^3)$

**Rubi [A]** time = 0.246211, antiderivative size = 354, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {266, 43, 4691, 12, 1153}

$$-\frac{(d - c^2 dx^2)^{11/2} (a + b \sin^{-1}(cx))}{11c^6 d^3} + \frac{2(d - c^2 dx^2)^{9/2} (a + b \sin^{-1}(cx))}{9c^6 d^2} - \frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7c^6 d} - \frac{bc^5 d^2 x^{11} \sqrt{d}}{121\sqrt{1 -}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^5*(d - c^2*d*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x]),x]$

[Out]  $(8*b*d^2*x*\text{Sqrt}[d - c^2*d*x^2])/(693*c^5*\text{Sqrt}[1 - c^2*x^2]) + (4*b*d^2*x^3*\text{Sqrt}[d - c^2*d*x^2])/(2079*c^3*\text{Sqrt}[1 - c^2*x^2]) + (b*d^2*x^5*\text{Sqrt}[d - c^2*d*x^2])/(1155*c*\text{Sqrt}[1 - c^2*x^2]) - (113*b*c*d^2*x^7*\text{Sqrt}[d - c^2*d*x^2])/(4851*\text{Sqrt}[1 - c^2*x^2]) + (23*b*c^3*d^2*x^9*\text{Sqrt}[d - c^2*d*x^2])/(891*\text{Sqrt}[1 - c^2*x^2]) - (b*c^5*d^2*x^{11}*\text{Sqrt}[d - c^2*d*x^2])/(121*\text{Sqrt}[1 - c^2*x^2]) - ((d - c^2*d*x^2)^{(7/2)}*(a + b*\text{ArcSin}[c*x]))/(7*c^6*d) + (2*(d - c^2*d*x^2)^{(9/2)}*(a + b*\text{ArcSin}[c*x]))/(9*c^6*d^2) - ((d - c^2*d*x^2)^{(11/2)}*(a + b*\text{ArcSin}[c*x]))/(11*c^6*d^3)$

#### Rule 266

$\text{Int}[(x_)^m*((a_) + (b_)*(x_)^n)^p, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n) - 1]}*(a + b*x)^p, x], x, x^n], x] /;$  FreeQ[{a, b

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

### Rule 4691

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.)
, x_Symbol] := With[{u = IntHide[x^m*(1 - c^2*x^2)^p, x]}, Dist[a + b*ArcSi
n[c*x], Int[x^m*(d + e*x^2)^p, x], x] - Dist[(b*c*d^(p - 1/2)*Sqrt[d + e*x^
2])/Sqrt[1 - c^2*x^2], Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x
]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p + 1/2, 0] &&
(IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2*p + 3)/2, 0])
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 1153

```
Int[((d_.) + (e_.)*(x_)^2)^(q_.)*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x],
x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e
+ a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]
```

### Rubi steps

$$\begin{aligned}
\int x^5 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) dx &= -\frac{(bcd^2 \sqrt{d - c^2 dx^2}) \int \frac{(1 - c^2 x^2)^3 (-8 - 28c^2 x^2 - 63c^4 x^4)}{693c^6} dx}{\sqrt{1 - c^2 x^2}} + (a + b \sin^{-1}(cx)) \int x^5 (d - c^2 dx^2)^{5/2} dx \\
&= -\frac{(bd^2 \sqrt{d - c^2 dx^2}) \int (1 - c^2 x^2)^3 (-8 - 28c^2 x^2 - 63c^4 x^4) dx}{693c^5 \sqrt{1 - c^2 x^2}} + \frac{1}{2} (a + b \sin^{-1}(cx)) \int x^5 (d - c^2 dx^2)^{5/2} dx \\
&= -\frac{(bd^2 \sqrt{d - c^2 dx^2}) \int (-8 - 4c^2 x^2 - 3c^4 x^4 + 113c^6 x^6 - 161c^8 x^8 + 63c^{10} x^{10}) dx}{693c^5 \sqrt{1 - c^2 x^2}} \\
&= \frac{8bd^2 x \sqrt{d - c^2 dx^2}}{693c^5 \sqrt{1 - c^2 x^2}} + \frac{4bd^2 x^3 \sqrt{d - c^2 dx^2}}{2079c^3 \sqrt{1 - c^2 x^2}} + \frac{bd^2 x^5 \sqrt{d - c^2 dx^2}}{1155c \sqrt{1 - c^2 x^2}} - \frac{113bcd^2 x^7 \sqrt{d - c^2 dx^2}}{4851 \sqrt{1 - c^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.200128, size = 160, normalized size = 0.45

$$\frac{d^2 \sqrt{d - c^2 dx^2} \left( 3465a (63c^4 x^4 + 28c^2 x^2 + 8) (1 - c^2 x^2)^{7/2} + bcx (19845c^{10} x^{10} - 61985c^8 x^8 + 55935c^6 x^6 - 2079c^4 x^4 - 113c^2 x^2 + 8) \right)}{2401245c^6 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^5\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]),x]

[Out]  $-(d^2 \sqrt{d - c^2 dx^2}) * (3465 a * (1 - c^2 x^2)^{7/2} * (8 + 28 c^2 x^2 + 63 c^4 x^4) + b * c * x * (-27720 - 4620 c^2 x^2 - 2079 c^4 x^4 + 55935 c^6 x^6 - 61985 c^8 x^8 + 19845 c^{10} x^{10}) + 3465 b * (1 - c^2 x^2)^{7/2} * (8 + 28 c^2 x^2 + 63 c^4 x^4) * \text{ArcSin}[c * x]) / (2401245 c^6 \sqrt{1 - c^2 x^2})$

**Maple [C]** time = 0.47, size = 1775, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x)

[Out]  $a * (-1/11 * x^4 * (-c^2 * d * x^2 + d)^{7/2} / c^2 / d + 4/11 / c^2 * (-1/9 * x^2 * (-c^2 * d * x^2 + d)^{7/2} / c^2 / d - 2/63 / d / c^4 * (-c^2 * d * x^2 + d)^{7/2})) + b * (1/247808 * (-d * (c^2 * x^2 - 1))^{7/2} / c^2 / d - 2/63 / d / c^4 * (-c^2 * d * x^2 + d)^{7/2})$

$$\begin{aligned}
& \frac{1}{2} * (1 + 11 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c + 4096 * c^8 * x^8 - 2352 * c^6 * x^6 + 620 * c^4 * x^4 - 6 \\
& 1 * c^2 * x^2 - 220 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 + 2816 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^9 * c^ \\
& 9 + 1024 * x^{12} * c^{12} - 3328 * c^{10} * x^{10} - 1024 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^{11} * c^{11} + 1232 * I * \\
& (-c^2 * x^2 + 1)^{(1/2)} * x^5 * c^5 - 2816 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^7 * c^7) * (I + 11 * \arcsin(c * x)) * \\
& d^2 / c^6 / (c^2 * x^2 - 1) - 1 / 165888 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (256 * c^{10} * x^{10} - 70 \\
& 4 * c^8 * x^8 - 256 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^9 * c^9 + 688 * c^6 * x^6 + 576 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^7 * c^7 - 280 * c^4 * x^4 - 432 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^5 * c^5 + 41 * c^2 * x^2 + 120 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 - 9 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c - 1) * (I + 9 * \arcsin(c * x)) * \\
& d^2 / c^6 / (c^2 * x^2 - 1) - 5 / 100352 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (64 * c^8 * x^8 - 144 * c^6 * x^6 \\
& - 64 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^7 * c^7 + 104 * c^4 * x^4 + 112 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^5 * c^ \\
& 5 - 25 * c^2 * x^2 - 56 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 + 7 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c + 1) \\
& * (I + 7 * \arcsin(c * x)) * d^2 / c^6 / (c^2 * x^2 - 1) + 1 / 10240 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (16 * c \\
& ^6 * x^6 - 28 * c^4 * x^4 - 16 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^5 * c^5 + 13 * c^2 * x^2 + 20 * I * (-c^2 * x^2 \\
& + 1)^{(1/2)} * x^3 * c^3 - 5 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c - 1) * (I + 5 * \arcsin(c * x)) * d^2 / c^6 / ( \\
& c^2 * x^2 - 1) + 5 / 9216 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (4 * c^4 * x^4 - 5 * c^2 * x^2 - 4 * I * (-c^2 * x^2 \\
& + 1)^{(1/2)} * x^3 * c^3 + 3 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c + 1) * (I + 3 * \arcsin(c * x)) * d^2 / c^6 / ( \\
& c^2 * x^2 - 1) - 5 / 1024 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (c^2 * x^2 - I * (-c^2 * x^2 + 1)^{(1/2)} * x * c - \\
& 1) * (\arcsin(c * x) + I) * d^2 / c^6 / (c^2 * x^2 - 1) - 5 / 1024 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (I * (-c \\
& ^2 * x^2 + 1)^{(1/2)} * x * c + c^2 * x^2 - 1) * (\arcsin(c * x) - I) * d^2 / c^6 / (c^2 * x^2 - 1) + 5 / 9216 * ( \\
& -d * (c^2 * x^2 - 1))^{(1/2)} * (4 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 + 4 * c^4 * x^4 - 3 * I * (-c^2 * x \\
& ^2 + 1)^{(1/2)} * x * c - 5 * c^2 * x^2 + 1) * (-I + 3 * \arcsin(c * x)) * d^2 / c^6 / (c^2 * x^2 - 1) + 1 / 10240 \\
& * (-d * (c^2 * x^2 - 1))^{(1/2)} * (16 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^5 * c^5 + 16 * c^6 * x^6 - 20 * I * (-c \\
& ^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 - 28 * c^4 * x^4 + 5 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c + 13 * c^2 * x^2 - 1 \\
& ) * (-I + 5 * \arcsin(c * x)) * d^2 / c^6 / (c^2 * x^2 - 1) - 5 / 100352 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (6 \\
& 4 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^7 * c^7 + 64 * c^8 * x^8 - 112 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^5 * c^5 - \\
& 144 * c^6 * x^6 + 56 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 + 104 * c^4 * x^4 - 7 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c - 25 * c^2 * x^2 + 1) * (-I + 7 * \arcsin(c * x)) * d^2 / c^6 / (c^2 * x^2 - 1) - 1 / 165888 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (256 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^9 * c^9 + 256 * c^{10} * x^{10} - 576 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^7 * c^7 - 704 * c^8 * x^8 + 432 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^5 * c^5 + 688 * c^6 * x^6 - 120 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 - 280 * c^4 * x^4 + 9 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c + 41 * c^2 * x^2 - 1) * (-I + 9 * \arcsin(c * x)) * d^2 / c^6 / (c^2 * x^2 - 1) + 1 / 247808 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (1024 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^{11} * c^{11} + 1024 * x^{12} * c^{12} - 2816 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^9 * c^9 - 3328 * c^{10} * x^{10} + 2816 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^7 * c^7 + 40 \\
& 96 * c^8 * x^8 - 1232 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^5 * c^5 - 2352 * c^6 * x^6 + 220 * I * (-c^2 * x^2 + 1 \\
& )^{(1/2)} * x^3 * c^3 + 620 * c^4 * x^4 - 11 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c - 61 * c^2 * x^2 + 1) * (-I + 1 \\
& 1 * \arcsin(c * x)) * d^2 / c^6 / (c^2 * x^2 - 1)
\end{aligned}$$


---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.31399, size = 666, normalized size = 1.88

$$\frac{(19845 bc^{11} d^2 x^{11} - 61985 bc^9 d^2 x^9 + 55935 bc^7 d^2 x^7 - 2079 bc^5 d^2 x^5 - 4620 bc^3 d^2 x^3 - 27720 bcd^2 x) \sqrt{-c^2 dx^2 + d} \sqrt{-c^2 x^2}}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out]  $\frac{1}{2401245} \left( (19845 b c^{11} d^2 x^{11} - 61985 b c^9 d^2 x^9 + 55935 b c^7 d^2 x^7 - 2079 b c^5 d^2 x^5 - 4620 b c^3 d^2 x^3 - 27720 b c d^2 x) \sqrt{-c^2 d x^2 + d} \sqrt{-c^2 x^2 + 1} + 3465 (63 a c^{12} d^2 x^{12} - 224 a c^{10} d^2 x^{10} + 274 a c^8 d^2 x^8 - 116 a c^6 d^2 x^6 - a c^4 d^2 x^4 - 4 a c^2 d^2 x^2 + 8 a d^2 + (63 b c^{12} d^2 x^{12} - 224 b c^{10} d^2 x^{10} + 274 b c^8 d^2 x^8 - 116 b c^6 d^2 x^6 - b c^4 d^2 x^4 - 4 b c^2 d^2 x^2 + 8 b d^2) \arcsin(c x)) \sqrt{-c^2 d x^2 + d} \right) / (c^8 x^2 - c^6)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a) x^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(5/2)*(b*arcsin(c*x) + a)*x^5, x)
```



### 3.94 $\int x^3 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=278

$$\frac{(d - c^2 dx^2)^{9/2} (a + b \sin^{-1}(cx))}{9c^4 d^2} - \frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7c^4 d} - \frac{bc^5 d^2 x^9 \sqrt{d - c^2 dx^2}}{81 \sqrt{1 - c^2 x^2}} + \frac{19bc^3 d^2 x^7 \sqrt{d - c^2 dx^2}}{441 \sqrt{1 - c^2 x^2}} - \frac{bcd^2 x^5 \sqrt{d - c^2 dx^2}}{189 \sqrt{1 - c^2 x^2}}$$

[Out]  $(2*b*d^2*x*Sqrt[d - c^2*d*x^2])/(63*c^3*Sqrt[1 - c^2*x^2]) + (b*d^2*x^3*Sqrt[d - c^2*d*x^2])/(189*c*Sqrt[1 - c^2*x^2]) - (b*c*d^2*x^5*Sqrt[d - c^2*d*x^2])/(21*Sqrt[1 - c^2*x^2]) + (19*b*c^3*d^2*x^7*Sqrt[d - c^2*d*x^2])/(441*Sqrt[1 - c^2*x^2]) - (b*c^5*d^2*x^9*Sqrt[d - c^2*d*x^2])/(81*Sqrt[1 - c^2*x^2]) - ((d - c^2*d*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(7*c^4*d) + ((d - c^2*d*x^2)^(9/2)*(a + b*ArcSin[c*x]))/(9*c^4*d^2)$

**Rubi [A]** time = 0.20343, antiderivative size = 278, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {266, 43, 4691, 12, 373}

$$\frac{(d - c^2 dx^2)^{9/2} (a + b \sin^{-1}(cx))}{9c^4 d^2} - \frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7c^4 d} - \frac{bc^5 d^2 x^9 \sqrt{d - c^2 dx^2}}{81 \sqrt{1 - c^2 x^2}} + \frac{19bc^3 d^2 x^7 \sqrt{d - c^2 dx^2}}{441 \sqrt{1 - c^2 x^2}} - \frac{bcd^2 x^5 \sqrt{d - c^2 dx^2}}{189 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^3*(d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x]),x]$

[Out]  $(2*b*d^2*x*Sqrt[d - c^2*d*x^2])/(63*c^3*Sqrt[1 - c^2*x^2]) + (b*d^2*x^3*Sqrt[d - c^2*d*x^2])/(189*c*Sqrt[1 - c^2*x^2]) - (b*c*d^2*x^5*Sqrt[d - c^2*d*x^2])/(21*Sqrt[1 - c^2*x^2]) + (19*b*c^3*d^2*x^7*Sqrt[d - c^2*d*x^2])/(441*Sqrt[1 - c^2*x^2]) - (b*c^5*d^2*x^9*Sqrt[d - c^2*d*x^2])/(81*Sqrt[1 - c^2*x^2]) - ((d - c^2*d*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(7*c^4*d) + ((d - c^2*d*x^2)^(9/2)*(a + b*ArcSin[c*x]))/(9*c^4*d^2)$

#### Rule 266

$\text{Int}[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n) - 1}*(a + b*x)^p, x], x, x^n], x] /;$   $\text{FreeQ}\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

#### Rule 43

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

### Rule 4691

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_)
, x_Symbol] := With[{u = IntHide[x^m*(1 - c^2*x^2)^p, x]}, Dist[a + b*ArcSi
n[c*x], Int[x^m*(d + e*x^2)^p, x], x] - Dist[(b*c*d^(p - 1/2)*Sqrt[d + e*x^
2])/Sqrt[1 - c^2*x^2], Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x]
] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p + 1/2, 0] &&
(IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2*p + 3)/2, 0])
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 373

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol
] := Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b
, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]
```

### Rubi steps

$$\begin{aligned} \int x^3 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) dx &= -\frac{(bcd^2 \sqrt{d - c^2 dx^2}) \int \frac{(-2 - 7c^2 x^2)(1 - c^2 x^2)^3}{63c^4} dx}{\sqrt{1 - c^2 x^2}} + (a + b \sin^{-1}(cx)) \int x^3 (d - c^2 dx^2)^{5/2} dx \\ &= -\frac{(bd^2 \sqrt{d - c^2 dx^2}) \int (-2 - 7c^2 x^2)(1 - c^2 x^2)^3 dx}{63c^3 \sqrt{1 - c^2 x^2}} + \frac{1}{2} (a + b \sin^{-1}(cx)) \text{Subst} \\ &= -\frac{(bd^2 \sqrt{d - c^2 dx^2}) \int (-2 - c^2 x^2 + 15c^4 x^4 - 19c^6 x^6 + 7c^8 x^8) dx}{63c^3 \sqrt{1 - c^2 x^2}} + \frac{1}{2} (a + b \sin^{-1}(cx)) \text{Subst} \\ &= \frac{2bd^2 x \sqrt{d - c^2 dx^2}}{63c^3 \sqrt{1 - c^2 x^2}} + \frac{bd^2 x^3 \sqrt{d - c^2 dx^2}}{189c \sqrt{1 - c^2 x^2}} - \frac{bcd^2 x^5 \sqrt{d - c^2 dx^2}}{21 \sqrt{1 - c^2 x^2}} + \frac{19bc^3 d^2 x^7 \sqrt{d - c^2 dx^2}}{441 \sqrt{1 - c^2 x^2}} \end{aligned}$$

**Mathematica [A]** time = 0.166613, size = 137, normalized size = 0.49

$$\frac{d^2\sqrt{d-c^2dx^2}\left(-63a(7c^2x^2+2)(1-c^2x^2)^{7/2}+b(-49c^9x^9+171c^7x^7-189c^5x^5+21c^3x^3+126cx)-63b(7c^2x^2+2)\right)}{3969c^4\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d^2\*sqrt[d - c^2\*d\*x^2]\*(-63\*a\*(1 - c^2\*x^2)^(7/2)\*(2 + 7\*c^2\*x^2) + b\*(12\*6\*c\*x + 21\*c^3\*x^3 - 189\*c^5\*x^5 + 171\*c^7\*x^7 - 49\*c^9\*x^9) - 63\*b\*(1 - c^2\*x^2)^(7/2)\*(2 + 7\*c^2\*x^2)\*ArcSin[c\*x]))/(3969\*c^4\*sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.311, size = 1063, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x)

[Out] a\*(-1/9\*x^2\*(-c^2\*d\*x^2+d)^(7/2)/c^2/d-2/63/d/c^4\*(-c^2\*d\*x^2+d)^(7/2))+b\*(1/41472\*(-d\*(c^2\*x^2-1))^(1/2)\*(256\*c^10\*x^10-704\*c^8\*x^8-256\*I\*(-c^2\*x^2+1)^(1/2)\*x^9\*c^9+688\*c^6\*x^6+576\*I\*(-c^2\*x^2+1)^(1/2)\*x^7\*c^7-280\*c^4\*x^4-432\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5+41\*c^2\*x^2+120\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3-9\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(I+9\*arcsin(c\*x))\*d^2/c^4/(c^2\*x^2-1)-3/25088\*(-d\*(c^2\*x^2-1))^(1/2)\*(64\*c^8\*x^8-144\*c^6\*x^6-64\*I\*(-c^2\*x^2+1)^(1/2)\*x^7\*c^7+104\*c^4\*x^4+112\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5-25\*c^2\*x^2-56\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+7\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c+1)\*(I+7\*arcsin(c\*x))\*d^2/c^4/(c^2\*x^2-1)+1/576\*(-d\*(c^2\*x^2-1))^(1/2)\*(4\*c^4\*x^4-5\*c^2\*x^2-4\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+3\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c+1)\*(I+3\*arcsin(c\*x))\*d^2/c^4/(c^2\*x^2-1)-3/256\*(-d\*(c^2\*x^2-1))^(1/2)\*(c^2\*x^2-I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(arcsin(c\*x)+I)\*d^2/c^4/(c^2\*x^2-1)-3/256\*(-d\*(c^2\*x^2-1))^(1/2)\*(I\*(-c^2\*x^2+1)^(1/2)\*x\*c+c^2\*x^2-1)\*(arcsin(c\*x)-I)\*d^2/c^4/(c^2\*x^2-1)+1/576\*(-d\*(c^2\*x^2-1))^(1/2)\*(4\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+4\*c^4\*x^4-3\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-5\*c^2\*x^2+1)\*(-I+3\*arcsin(c\*x))\*d^2/c^4/(c^2\*x^2-1)-3/25088\*(-d\*(c^2\*x^2-1))^(1/2)\*(64\*I\*(-c^2\*x^2+1)^(1/2)\*x^7\*c^7+64\*c^8\*x^8-112\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5-144\*c^6\*x^6+56\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+104\*c^4\*x^4-7\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-25\*c^2\*x^2+1)\*(-I+7\*arcsin(c\*x))\*d^2/c^4/(c^2\*x^2-1)+1/41472\*(-d\*(c^2\*x^2-1))^(1/2)\*(256\*I\*(-c^2\*x^2+1)^(1/2)\*x^9\*c^9+256\*c^10\*x^10-576\*I\*(-c^2\*x^2+1)^(1/2)\*x^7\*c^7-704\*c^8\*x^8+432\*I\*(-c^2\*x^2+1)

$$\begin{aligned} & \left( \frac{1}{2} \right) x^5 c^5 + 688 c^6 x^6 - 120 I (-c^2 x^2 + 1)^{\frac{1}{2}} x^3 c^3 - 280 c^4 x^4 + 9 I \\ & * (-c^2 x^2 + 1)^{\frac{1}{2}} x c + 41 c^2 x^2 - 1 * (-I + 9 \arcsin(c x)) * d^2 / c^4 / (c^2 x^2 - 1) \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.25271, size = 548, normalized size = 1.97

$$(49 b c^9 d^2 x^9 - 171 b c^7 d^2 x^7 + 189 b c^5 d^2 x^5 - 21 b c^3 d^2 x^3 - 126 b c d^2 x) \sqrt{-c^2 d x^2 + d} \sqrt{-c^2 x^2 + 1} + 63 (7 a c^{10} d^2 x^{10} - 26 a c^8 d^2 x^8$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] 
$$\frac{1}{3969} \left( (49 b c^9 d^2 x^9 - 171 b c^7 d^2 x^7 + 189 b c^5 d^2 x^5 - 21 b c^3 d^2 x^3 - 126 b c d^2 x) \sqrt{-c^2 d x^2 + d} \sqrt{-c^2 x^2 + 1} + 63 (7 a c^{10} d^2 x^{10} - 26 a c^8 d^2 x^8 + 34 a c^6 d^2 x^6 - 16 a c^4 d^2 x^4 - a c^2 d^2 x^2 + 2 a d^2 + (7 b c^{10} d^2 x^{10} - 26 b c^8 d^2 x^8 + 34 b c^6 d^2 x^6 - 16 b c^4 d^2 x^4 - b c^2 d^2 x^2 + 2 b d^2) \arcsin(c x)) \sqrt{-c^2 d x^2 + d} \right) / (c^6 x^2 - c^4)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x)),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a) x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] `integrate((-c^2*d*x^2 + d)^(5/2)*(b*arcsin(c*x) + a)*x^3, x)`

### 3.95 $\int x (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=202

$$-\frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7c^2 d} - \frac{bc^5 d^2 x^7 \sqrt{d - c^2 dx^2}}{49\sqrt{1 - c^2 x^2}} + \frac{3bc^3 d^2 x^5 \sqrt{d - c^2 dx^2}}{35\sqrt{1 - c^2 x^2}} - \frac{bcd^2 x^3 \sqrt{d - c^2 dx^2}}{7\sqrt{1 - c^2 x^2}} + \frac{bd^2 x \sqrt{d - c^2 dx^2}}{7c\sqrt{1 - c^2 x^2}}$$

[Out] (b\*d^2\*x\*Sqrt[d - c^2\*d\*x^2])/(7\*c\*Sqrt[1 - c^2\*x^2]) - (b\*c\*d^2\*x^3\*Sqrt[d - c^2\*d\*x^2])/(7\*Sqrt[1 - c^2\*x^2]) + (3\*b\*c^3\*d^2\*x^5\*Sqrt[d - c^2\*d\*x^2])/(35\*Sqrt[1 - c^2\*x^2]) - (b\*c^5\*d^2\*x^7\*Sqrt[d - c^2\*d\*x^2])/(49\*Sqrt[1 - c^2\*x^2]) - ((d - c^2\*d\*x^2)^(7/2)\*(a + b\*ArcSin[c\*x]))/(7\*c^2\*d)

**Rubi [A]** time = 0.0907841, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.08$ , Rules used = {4677, 194}

$$-\frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7c^2 d} - \frac{bc^5 d^2 x^7 \sqrt{d - c^2 dx^2}}{49\sqrt{1 - c^2 x^2}} + \frac{3bc^3 d^2 x^5 \sqrt{d - c^2 dx^2}}{35\sqrt{1 - c^2 x^2}} - \frac{bcd^2 x^3 \sqrt{d - c^2 dx^2}}{7\sqrt{1 - c^2 x^2}} + \frac{bd^2 x \sqrt{d - c^2 dx^2}}{7c\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Int[x\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*d^2\*x\*Sqrt[d - c^2\*d\*x^2])/(7\*c\*Sqrt[1 - c^2\*x^2]) - (b\*c\*d^2\*x^3\*Sqrt[d - c^2\*d\*x^2])/(7\*Sqrt[1 - c^2\*x^2]) + (3\*b\*c^3\*d^2\*x^5\*Sqrt[d - c^2\*d\*x^2])/(35\*Sqrt[1 - c^2\*x^2]) - (b\*c^5\*d^2\*x^7\*Sqrt[d - c^2\*d\*x^2])/(49\*Sqrt[1 - c^2\*x^2]) - ((d - c^2\*d\*x^2)^(7/2)\*(a + b\*ArcSin[c\*x]))/(7\*c^2\*d)

#### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rule 194

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rubi steps

$$\begin{aligned} \int x (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) dx &= -\frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7c^2 d} + \frac{(bd^2 \sqrt{d - c^2 dx^2}) \int (1 - c^2 x^2)^3 dx}{7c \sqrt{1 - c^2 x^2}} \\ &= -\frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))}{7c^2 d} + \frac{(bd^2 \sqrt{d - c^2 dx^2}) \int (1 - 3c^2 x^2 + 3c^4 x^4 - c^6 x^6) dx}{7c \sqrt{1 - c^2 x^2}} \\ &= \frac{bd^2 x \sqrt{d - c^2 dx^2}}{7c \sqrt{1 - c^2 x^2}} - \frac{bcd^2 x^3 \sqrt{d - c^2 dx^2}}{7 \sqrt{1 - c^2 x^2}} + \frac{3bc^3 d^2 x^5 \sqrt{d - c^2 dx^2}}{35 \sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^7 \sqrt{d - c^2 dx^2}}{49 \sqrt{1 - c^2 x^2}} \end{aligned}$$

**Mathematica [A]** time = 0.0694342, size = 93, normalized size = 0.46

$$\frac{d^2 \sqrt{d - c^2 dx^2} \left( (c^2 x^2 - 1)^3 (a + b \sin^{-1}(cx)) + \frac{bc \left( -\frac{1}{7} c^6 x^7 + \frac{3c^4 x^5}{5} - c^2 x^3 + x \right)}{\sqrt{1 - c^2 x^2}} \right)}{7c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d^2\*Sqrt[d - c^2\*d\*x^2]\*((b\*c\*(x - c^2\*x^3 + (3\*c^4\*x^5)/5 - (c^6\*x^7)/7))/Sqrt[1 - c^2\*x^2] + (-1 + c^2\*x^2)^3\*(a + b\*ArcSin[c\*x]))/(7\*c^2)

**Maple [C]** time = 0.223, size = 921, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x)

[Out] -1/7\*a/c^2/d\*(-c^2\*d\*x^2+d)^(7/2)+b\*(1/6272\*(-d\*(c^2\*x^2-1))^(1/2)\*(64\*c^8\*x^8-144\*c^6\*x^6-64\*I\*(-c^2\*x^2+1)^(1/2)\*x^7\*c^7+104\*c^4\*x^4+112\*I\*(-c^2\*x^2

$$\begin{aligned}
& +1)^{(1/2)} * x^5 * c^5 - 25 * c^2 * x^2 - 56 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 + 7 * I * (-c^2 * x^2 + \\
& 1)^{(1/2)} * x * c + 1) * (I + 7 * \arcsin(c * x)) * d^2 / c^2 / (c^2 * x^2 - 1) - 1/640 * (-d * (c^2 * x^2 - 1) \\
& )^{(1/2)} * (16 * c^6 * x^6 - 28 * c^4 * x^4 - 16 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^5 * c^5 + 13 * c^2 * x^2 + 2 \\
& 0 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 - 5 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c - 1) * (I + 5 * \arcsin(c * \\
& x)) * d^2 / c^2 / (c^2 * x^2 - 1) + 1/128 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (4 * c^4 * x^4 - 5 * c^2 * x^2 - 4 \\
& * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 + 3 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c + 1) * (I + 3 * \arcsin(c * x \\
& )) * d^2 / c^2 / (c^2 * x^2 - 1) - 5/128 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (c^2 * x^2 - I * (-c^2 * x^2 + 1) \\
& )^{(1/2)} * x * c - 1) * (\arcsin(c * x) + I) * d^2 / c^2 / (c^2 * x^2 - 1) - 5/128 * (-d * (c^2 * x^2 - 1))^{(1 \\
& /2)} * (I * (-c^2 * x^2 + 1)^{(1/2)} * x * c + c^2 * x^2 - 1) * (\arcsin(c * x) - I) * d^2 / c^2 / (c^2 * x^2 - 1 \\
& ) + 1/128 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (4 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 + 4 * c^4 * x^4 - 3 * \\
& I * (-c^2 * x^2 + 1)^{(1/2)} * x * c - 5 * c^2 * x^2 + 1) * (-I + 3 * \arcsin(c * x)) * d^2 / c^2 / (c^2 * x^2 - 1 \\
& ) - 1/640 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (16 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^5 * c^5 + 16 * c^6 * x^6 - \\
& 20 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 - 28 * c^4 * x^4 + 5 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c + 13 * c^2 * x^2 - 1) * (-I + 5 * \arcsin(c * x)) * d^2 / c^2 / (c^2 * x^2 - 1) + 1/6272 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (64 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^7 * c^7 + 64 * c^8 * x^8 - 112 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^5 * c^5 - 144 * c^6 * x^6 + 56 * I * (-c^2 * x^2 + 1)^{(1/2)} * x^3 * c^3 + 104 * c^4 * x^4 - 7 * I * (-c^2 * x^2 + 1)^{(1/2)} * x * c - 25 * c^2 * x^2 + 1) * (-I + 7 * \arcsin(c * x)) * d^2 / c^2 / (c^2 * x^2 - 1)
\end{aligned}$$

**Maxima [A]** time = 1.6537, size = 132, normalized size = 0.65

$$\frac{(-c^2 dx^2 + d)^{\frac{7}{2}} b \arcsin(cx)}{7 c^2 d} - \frac{(-c^2 dx^2 + d)^{\frac{7}{2}} a}{7 c^2 d} - \frac{(5 c^6 d^{\frac{7}{2}} x^7 - 21 c^4 d^{\frac{7}{2}} x^5 + 35 c^2 d^{\frac{7}{2}} x^3 - 35 d^{\frac{7}{2}} x) b}{245 c d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] -1/7\*(-c^2\*d\*x^2 + d)^(7/2)\*b\*arcsin(c\*x)/(c^2\*d) - 1/7\*(-c^2\*d\*x^2 + d)^(7/2)\*a/(c^2\*d) - 1/245\*(5\*c^6\*d^(7/2)\*x^7 - 21\*c^4\*d^(7/2)\*x^5 + 35\*c^2\*d^(7/2)\*x^3 - 35\*d^(7/2)\*x)\*b/(c\*d)

**Fricas [A]** time = 2.25337, size = 448, normalized size = 2.22

$$\frac{(5 b c^7 d^2 x^7 - 21 b c^5 d^2 x^5 + 35 b c^3 d^2 x^3 - 35 b c d^2 x) \sqrt{-c^2 dx^2 + d} \sqrt{-c^2 x^2 + 1} + 35 (a c^8 d^2 x^8 - 4 a c^6 d^2 x^6 + 6 a c^4 d^2 x^4 - 4 a c^2 d^2 x^2 + 5 a d^2) \sqrt{-c^2 dx^2 + d}}{245 (c^4 x^2 - c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")



```
[Out] 1/245*((5*b*c^7*d^2*x^7 - 21*b*c^5*d^2*x^5 + 35*b*c^3*d^2*x^3 - 35*b*c*d^2*x)*sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1) + 35*(a*c^8*d^2*x^8 - 4*a*c^6*d^2*x^6 + 6*a*c^4*d^2*x^4 - 4*a*c^2*d^2*x^2 + a*d^2 + (b*c^8*d^2*x^8 - 4*b*c^6*d^2*x^6 + 6*b*c^4*d^2*x^4 - 4*b*c^2*d^2*x^2 + b*d^2)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d))/(c^4*x^2 - c^2)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(-c**2*d*x**2+d)**(5/2)*(a+b*asin(c*x)),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a) x dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(5/2)*(b*arcsin(c*x) + a)*x, x)
```

$$3.96 \quad \int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))}{x} dx$$

**Optimal.** Leaf size=361

$$\frac{ibd^2 \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)}{\sqrt{1-c^2 x^2}} - \frac{ibd^2 \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right)}{\sqrt{1-c^2 x^2}} + d^2 \sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx)) - \dots$$

[Out]  $(-23*b*c*d^2*x*\text{Sqrt}[d - c^2*d*x^2])/(15*\text{Sqrt}[1 - c^2*x^2]) + (11*b*c^3*d^2*x^3*\text{Sqrt}[d - c^2*d*x^2])/(45*\text{Sqrt}[1 - c^2*x^2]) - (b*c^5*d^2*x^5*\text{Sqrt}[d - c^2*d*x^2])/(25*\text{Sqrt}[1 - c^2*x^2]) + d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]) + (d*(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/3 + ((d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x]))/5 - (2*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] + (I*b*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] - (I*b*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2]$

**Rubi [A]** time = 0.462722, antiderivative size = 361, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {4699, 4697, 4709, 4183, 2279, 2391, 8, 194}

$$\frac{ibd^2 \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)}{\sqrt{1-c^2 x^2}} - \frac{ibd^2 \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right)}{\sqrt{1-c^2 x^2}} + d^2 \sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx)) - \dots$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x])/x, x]$

[Out]  $(-23*b*c*d^2*x*\text{Sqrt}[d - c^2*d*x^2])/(15*\text{Sqrt}[1 - c^2*x^2]) + (11*b*c^3*d^2*x^3*\text{Sqrt}[d - c^2*d*x^2])/(45*\text{Sqrt}[1 - c^2*x^2]) - (b*c^5*d^2*x^5*\text{Sqrt}[d - c^2*d*x^2])/(25*\text{Sqrt}[1 - c^2*x^2]) + d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]) + (d*(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/3 + ((d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x]))/5 - (2*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] + (I*b*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] - (I*b*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2]$

**Rule 4699**

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^(n_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x\_Symbol] \rightarrow \text{Simp}[(f*x)^(m + 1)*(d + e*x^2)^p*(a + b*\text{ArcS}$

```
in[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

### Rule 4697

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))^(n_)*((f_)*(x_))^(m_)*Sqrt[(d_) +
(e_)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[((f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

### Rule 4709

```
Int((((a_) + ArcSin[(c_)*(x_)]*(b_))^(n_)*(x_)^(m_))/Sqrt[(d_) + (e_)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 4183

```
Int[csc[(e_) + (f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 194

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{x} dx &= \frac{1}{5} (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) + d \int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x} dx - \frac{b}{5} \int \frac{(d - c^2 dx^2)^{5/2}}{x} dx \\
 &= \frac{1}{3} d (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) + \frac{1}{5} (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) + d^2 \int \frac{\sqrt{d - c^2 dx^2}}{x} dx \\
 &= -\frac{8bcd^2 x \sqrt{d - c^2 dx^2}}{15\sqrt{1 - c^2 x^2}} + \frac{11bc^3 d^2 x^3 \sqrt{d - c^2 dx^2}}{45\sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^5 \sqrt{d - c^2 dx^2}}{25\sqrt{1 - c^2 x^2}} + d^2 \sqrt{d - c^2 dx^2} \\
 &= -\frac{23bcd^2 x \sqrt{d - c^2 dx^2}}{15\sqrt{1 - c^2 x^2}} + \frac{11bc^3 d^2 x^3 \sqrt{d - c^2 dx^2}}{45\sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^5 \sqrt{d - c^2 dx^2}}{25\sqrt{1 - c^2 x^2}} + d^2 \sqrt{d - c^2 dx^2} \\
 &= -\frac{23bcd^2 x \sqrt{d - c^2 dx^2}}{15\sqrt{1 - c^2 x^2}} + \frac{11bc^3 d^2 x^3 \sqrt{d - c^2 dx^2}}{45\sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^5 \sqrt{d - c^2 dx^2}}{25\sqrt{1 - c^2 x^2}} + d^2 \sqrt{d - c^2 dx^2} \\
 &= -\frac{23bcd^2 x \sqrt{d - c^2 dx^2}}{15\sqrt{1 - c^2 x^2}} + \frac{11bc^3 d^2 x^3 \sqrt{d - c^2 dx^2}}{45\sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^5 \sqrt{d - c^2 dx^2}}{25\sqrt{1 - c^2 x^2}} + d^2 \sqrt{d - c^2 dx^2} \\
 &= -\frac{23bcd^2 x \sqrt{d - c^2 dx^2}}{15\sqrt{1 - c^2 x^2}} + \frac{11bc^3 d^2 x^3 \sqrt{d - c^2 dx^2}}{45\sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^5 \sqrt{d - c^2 dx^2}}{25\sqrt{1 - c^2 x^2}} + d^2 \sqrt{d - c^2 dx^2}
 \end{aligned}$$

**Mathematica [A]** time = 1.7149, size = 394, normalized size = 1.09

$$\frac{bd^2 \sqrt{d - c^2 dx^2} \left( i \operatorname{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) - i \operatorname{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) + \sqrt{1 - c^2 x^2} \sin^{-1}(cx) - cx + \sin^{-1}(cx) \log \left( 1 - e^{i \sin^{-1}(cx)} \right) \right)}{\sqrt{1 - c^2 x^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/x,x]

```
[Out] (a*d^2*Sqrt[d - c^2*d*x^2]*(23 - 11*c^2*x^2 + 3*c^4*x^4))/15 + a*d^(5/2)*Log[x] - a*d^(5/2)*Log[d + Sqrt[d]*Sqrt[d - c^2*d*x^2]] + (b*d^2*Sqrt[d - c^2*d*x^2]*(-(c*x) + Sqrt[1 - c^2*x^2]*ArcSin[c*x] + ArcSin[c*x]*Log[1 - E^(I*ArcSin[c*x])] - ArcSin[c*x]*Log[1 + E^(I*ArcSin[c*x])] + I*PolyLog[2, -E^(I*ArcSin[c*x])] - I*PolyLog[2, E^(I*ArcSin[c*x])]))/Sqrt[1 - c^2*x^2] - (b*d^2*Sqrt[d - c^2*d*x^2]*(9*c*x - 3*ArcSin[c*x]*(3*Sqrt[1 - c^2*x^2] + Cos[3*ArcSin[c*x]]) + Sin[3*ArcSin[c*x]]))/(18*Sqrt[1 - c^2*x^2]) + (b*d^2*Sqrt[d - c^2*d*x^2]*(450*c*x - 15*ArcSin[c*x]*(30*Sqrt[1 - c^2*x^2] + 5*Cos[3*ArcSin[c*x]] - 3*Cos[5*ArcSin[c*x]]) + 25*Sin[3*ArcSin[c*x]] - 9*Sin[5*ArcSin[c*x]]))/(3600*Sqrt[1 - c^2*x^2])
```

**Maple [A]** time = 0.237, size = 652, normalized size = 1.8

$$\frac{a}{5} (-c^2 dx^2 + d)^{\frac{5}{2}} + \frac{ad}{3} (-c^2 dx^2 + d)^{\frac{3}{2}} - ad^{\frac{5}{2}} \ln\left(\frac{1}{x} \left(2d + 2\sqrt{d}\sqrt{-c^2 dx^2 + d}\right)\right) + a\sqrt{-c^2 dx^2 + d} d^2 - \frac{ibd^2}{c^2 x^2 - 1} \sqrt{-d(c^2 x^2 - d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))/x,x)
```

```
[Out] 1/5*(-c^2*d*x^2+d)^(5/2)*a+1/3*a*d*(-c^2*d*x^2+d)^(3/2)-a*d^(5/2)*ln((2*d+2*d^(1/2)*(-c^2*d*x^2+d)^(1/2))/x)+a*(-c^2*d*x^2+d)^(1/2)*d^2-I*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*d^2*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2))+I*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*d^2*polylog(2,I*c*x+(-c^2*x^2+1)^(1/2))+1/5*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(c^2*x^2-1)*arcsin(c*x)*x^6*c^6-14/15*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(c^2*x^2-1)*arcsin(c*x)*x^4*c^4+34/15*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(c^2*x^2-1)*arcsin(c*x)*x^2*c^2+1/25*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^5*c^5-11/45*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^3*c^3+23/15*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x*c+b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*d^2*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*d^2*arcsin(c*x)*ln(1-I*c*x-(-c^2*x^2+1)^(1/2))-23/15*b*(-d*(c^2*x^2-1))^(1/2)*d^2/(c^2*x^2-1)*arcsin(c*x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(ac^4d^2x^4 - 2ac^2d^2x^2 + ad^2 + (bc^4d^2x^4 - 2bc^2d^2x^2 + bd^2)\arcsin(cx))\sqrt{-c^2dx^2 + d}}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x,x, algorithm="fricas")

[Out] integral((a\*c^4\*d^2\*x^4 - 2\*a\*c^2\*d^2\*x^2 + a\*d^2 + (b\*c^4\*d^2\*x^4 - 2\*b\*c^2\*d^2\*x^2 + b\*d^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)/x, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))/x,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2dx^2 + d)^{\frac{5}{2}}(b \arcsin(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)/x, x)

$$3.97 \quad \int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))}{x^3} dx$$

**Optimal.** Leaf size=386

$$-\frac{5ibc^2 d^2 \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)}{2\sqrt{1-c^2 x^2}} + \frac{5ibc^2 d^2 \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right)}{2\sqrt{1-c^2 x^2}} - \frac{5}{2} c^2 d^2 \sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx))$$

[Out]  $-(b*c*d^2*\text{Sqrt}[d - c^2*d*x^2])/(2*x*\text{Sqrt}[1 - c^2*x^2]) + (7*b*c^3*d^2*x*\text{Sqrt}[d - c^2*d*x^2])/(3*\text{Sqrt}[1 - c^2*x^2]) - (b*c^5*d^2*x^3*\text{Sqrt}[d - c^2*d*x^2])/(9*\text{Sqrt}[1 - c^2*x^2]) - (5*c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/2 - (5*c^2*d*(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/6 - ((d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x]))/(2*x^2) + (5*c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] - (((5*I)/2)*b*c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] + (((5*I)/2)*b*c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2]$

**Rubi [A]** time = 0.458406, antiderivative size = 386, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4695, 4699, 4697, 4709, 4183, 2279, 2391, 8, 270}

$$-\frac{5ibc^2 d^2 \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)}{2\sqrt{1-c^2 x^2}} + \frac{5ibc^2 d^2 \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right)}{2\sqrt{1-c^2 x^2}} - \frac{5}{2} c^2 d^2 \sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{(d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x])}{x^3}, x]$

[Out]  $-(b*c*d^2*\text{Sqrt}[d - c^2*d*x^2])/(2*x*\text{Sqrt}[1 - c^2*x^2]) + (7*b*c^3*d^2*x*\text{Sqrt}[d - c^2*d*x^2])/(3*\text{Sqrt}[1 - c^2*x^2]) - (b*c^5*d^2*x^3*\text{Sqrt}[d - c^2*d*x^2])/(9*\text{Sqrt}[1 - c^2*x^2]) - (5*c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/2 - (5*c^2*d*(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/6 - ((d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x]))/(2*x^2) + (5*c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] - (((5*I)/2)*b*c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] + (((5*I)/2)*b*c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2]$

**Rule 4695**

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 1)), x] + (-Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m +
2)*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPar
t[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f
*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /;
FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0
] && LtQ[m, -1]

```

### Rule 4699

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

### Rule 4697

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*Sqrt[(d_) +
(e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[(f*x)^m*(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

### Rule 4709

```

Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

```

### Rule 4183

```

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^
(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]

```



Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_)))]^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[Exp andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{x^3} dx &= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{2x^2} - \frac{1}{2} (5c^2 d) \int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x} dx \\
&= -\frac{5}{6} c^2 d (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{2x^2} - \frac{1}{2} (5c^2 d) \int \frac{(d - c^2 dx^2)^{1/2} (a + b \sin^{-1}(cx))}{x} dx \\
&= -\frac{bcd^2 \sqrt{d - c^2 dx^2}}{2x \sqrt{1 - c^2 x^2}} - \frac{bc^3 d^2 x \sqrt{d - c^2 dx^2}}{6 \sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^3 \sqrt{d - c^2 dx^2}}{9 \sqrt{1 - c^2 x^2}} - \frac{5}{2} c^2 d^2 \sqrt{d - c^2 dx^2} \\
&= -\frac{bcd^2 \sqrt{d - c^2 dx^2}}{2x \sqrt{1 - c^2 x^2}} + \frac{7bc^3 d^2 x \sqrt{d - c^2 dx^2}}{3 \sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^3 \sqrt{d - c^2 dx^2}}{9 \sqrt{1 - c^2 x^2}} - \frac{5}{2} c^2 d^2 \sqrt{d - c^2 dx^2} \\
&= -\frac{bcd^2 \sqrt{d - c^2 dx^2}}{2x \sqrt{1 - c^2 x^2}} + \frac{7bc^3 d^2 x \sqrt{d - c^2 dx^2}}{3 \sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^3 \sqrt{d - c^2 dx^2}}{9 \sqrt{1 - c^2 x^2}} - \frac{5}{2} c^2 d^2 \sqrt{d - c^2 dx^2} \\
&= -\frac{bcd^2 \sqrt{d - c^2 dx^2}}{2x \sqrt{1 - c^2 x^2}} + \frac{7bc^3 d^2 x \sqrt{d - c^2 dx^2}}{3 \sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^3 \sqrt{d - c^2 dx^2}}{9 \sqrt{1 - c^2 x^2}} - \frac{5}{2} c^2 d^2 \sqrt{d - c^2 dx^2} \\
&= -\frac{bcd^2 \sqrt{d - c^2 dx^2}}{2x \sqrt{1 - c^2 x^2}} + \frac{7bc^3 d^2 x \sqrt{d - c^2 dx^2}}{3 \sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^3 \sqrt{d - c^2 dx^2}}{9 \sqrt{1 - c^2 x^2}} - \frac{5}{2} c^2 d^2 \sqrt{d - c^2 dx^2}
\end{aligned}$$

**Mathematica [A]** time = 5.29996, size = 484, normalized size = 1.25

$$144bc^2 d^3 x^2 \sqrt{1 - c^2 x^2} \left( -i \left( \text{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) - \text{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) \right) - \sqrt{1 - c^2 x^2} \sin^{-1}(cx) + cx - \sin^{-1}(cx) \right) \left( \log \left( \frac{d - c^2 dx^2}{x^2} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/x^3,x]

[Out] (-12\*a\*d^3\*(-1 + c^2\*x^2)\*(-3 - 14\*c^2\*x^2 + 2\*c^4\*x^4) - 180\*a\*c^2\*d^(5/2)\*x^2\*Sqrt[d - c^2\*d\*x^2]\*Log[x] + 180\*a\*c^2\*d^(5/2)\*x^2\*Sqrt[d - c^2\*d\*x^2]\*Log[d + Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]] + 144\*b\*c^2\*d^3\*x^2\*Sqrt[1 - c^2\*x^2]\*(c\*x - Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] - ArcSin[c\*x]\*(Log[1 - E^(I\*ArcSin[c\*x])]) - Log[1 + E^(I\*ArcSin[c\*x])]) - I\*(PolyLog[2, -E^(I\*ArcSin[c\*x])] - PolyLog[2, E^(I\*ArcSin[c\*x])])) + 2\*b\*c^2\*d^3\*x^2\*Sqrt[1 - c^2\*x^2]\*(9\*c\*x - 3\*ArcSin[c\*x]\*(3\*Sqrt[1 - c^2\*x^2] + Cos[3\*ArcSin[c\*x]]) + Sin[3\*ArcSin[c\*x]]) - 9\*b\*c^2\*d^3\*x^2\*Sqrt[1 - c^2\*x^2]\*(2\*Cot[ArcSin[c\*x]/2] + ArcSin[c\*x]\*Csc[ArcSin[c\*x]/2]^2 + 4\*ArcSin[c\*x]\*Log[1 - E^(I\*ArcSin[c\*x])] - 4\*ArcSin

$$[c*x]*\text{Log}[1 + E^{(I*\text{ArcSin}[c*x])}] + (4*I)*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}] - (4*I)*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}] - \text{ArcSin}[c*x]*\text{Sec}[\text{ArcSin}[c*x]/2]^2 + 2*\text{Tan}[\text{ArcSin}[c*x]/2]) / (72*x^2*\text{Sqrt}[d - c^2*d*x^2])$$

**Maple [A]** time = 0.273, size = 704, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((-c^2*d*x^2+d)^{(5/2)}*(a+b*\arcsin(c*x))/x^3,x)$

[Out] 
$$\begin{aligned} & -1/2*a/d/x^2*(-c^2*d*x^2+d)^{(7/2)} - 1/2*a*c^2*(-c^2*d*x^2+d)^{(5/2)} - 5/6*a*c^2*d*(-c^2*d*x^2+d)^{(3/2)} + 5/2*a*c^2*d^{(5/2)}*\ln((2*d+2*d^{(1/2)}*(-c^2*d*x^2+d)^{(1/2)})/x) \\ & - 5/2*a*c^2*(-c^2*d*x^2+d)^{(1/2)}*d^2 - 5*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*c^2*d^2/(2*c^2*x^2-2)*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)}) \\ & + 5*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*c^2*d^2/(2*c^2*x^2-2)*\arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)}) \\ & + 1/9*b*(-d*(c^2*x^2-1))^{(1/2)}*c^5*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^3 - 7/3*b*(-d*(c^2*x^2-1))^{(1/2)}*c^3*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x \\ & + 11/6*b*(-d*(c^2*x^2-1))^{(1/2)}*c^2*d^2/(c^2*x^2-1)*\arcsin(c*x) + 1/2*b*d^2*(-d*(c^2*x^2-1))^{(1/2)}/x^2/(c^2*x^2-1)*\arcsin(c*x) \\ & + 1/3*b*(-d*(c^2*x^2-1))^{(1/2)}*c^6*d^2/(c^2*x^2-1)*\arcsin(c*x)*x^4 - 8/3*b*(-d*(c^2*x^2-1))^{(1/2)}*c^4*d^2/(c^2*x^2-1)*\arcsin(c*x)*x^2 + 1/2*b*d^2*(-d*(c^2*x^2-1))^{(1/2)}/x \\ & / (c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c + 5*I*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*c^2*d^2/(2*c^2*x^2-2)*\text{polylog}(2, -I*c*x-(-c^2*x^2+1)^{(1/2)}) \\ & - 5*I*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*c^2*d^2/(2*c^2*x^2-2)*\text{polylog}(2, I*c*x+(-c^2*x^2+1)^{(1/2)}) \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((-c^2*d*x^2+d)^{(5/2)}*(a+b*\arcsin(c*x))/x^3,x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(ac^4d^2x^4 - 2ac^2d^2x^2 + ad^2 + (bc^4d^2x^4 - 2bc^2d^2x^2 + bd^2)\arcsin(cx))\sqrt{-c^2dx^2 + d}}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^3,x, algorithm="fricas")

[Out] integral((a\*c^4\*d^2\*x^4 - 2\*a\*c^2\*d^2\*x^2 + a\*d^2 + (b\*c^4\*d^2\*x^4 - 2\*b\*c^2\*d^2\*x^2 + b\*d^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)/x^3, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))/x\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2dx^2 + d)^{\frac{5}{2}}(b\arcsin(cx) + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^3,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)/x^3, x)

$$3.98 \quad \int \frac{(d-c^2dx^2)^{5/2}(a+b\sin^{-1}(cx))}{x^5} dx$$

**Optimal.** Leaf size=389

$$\frac{15ibc^4d^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)}{8\sqrt{1-c^2x^2}} - \frac{15ibc^4d^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)}{8\sqrt{1-c^2x^2}} + \frac{15}{8}c^4d^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))$$

[Out]  $-(b*c*d^2*\text{Sqrt}[d - c^2*d*x^2])/(12*x^3*\text{Sqrt}[1 - c^2*x^2]) + (9*b*c^3*d^2*\text{Sqrt}[d - c^2*d*x^2])/(8*x*\text{Sqrt}[1 - c^2*x^2]) - (b*c^5*d^2*x*\text{Sqrt}[d - c^2*d*x^2])/\text{Sqrt}[1 - c^2*x^2] + (15*c^4*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/8 + (5*c^2*d*(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(8*x^2) - ((d - c^2*d*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x]))/(4*x^4) - (15*c^4*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^{\text{I}*\text{ArcSin}[c*x]}])/ (4*\text{Sqrt}[1 - c^2*x^2]) + (((15*I)/8)*b*c^4*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, -E^{\text{I}*\text{ArcSin}[c*x]}])/ \text{Sqrt}[1 - c^2*x^2] - (((15*I)/8)*b*c^4*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, E^{\text{I}*\text{ArcSin}[c*x]}])/ \text{Sqrt}[1 - c^2*x^2]$

**Rubi [A]** time = 0.4552, antiderivative size = 389, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4695, 4697, 4709, 4183, 2279, 2391, 8, 14, 270}

$$\frac{15ibc^4d^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)}{8\sqrt{1-c^2x^2}} - \frac{15ibc^4d^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)}{8\sqrt{1-c^2x^2}} + \frac{15}{8}c^4d^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{(d - c^2*d*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x])}{x^5}, x]$

[Out]  $-(b*c*d^2*\text{Sqrt}[d - c^2*d*x^2])/(12*x^3*\text{Sqrt}[1 - c^2*x^2]) + (9*b*c^3*d^2*\text{Sqrt}[d - c^2*d*x^2])/(8*x*\text{Sqrt}[1 - c^2*x^2]) - (b*c^5*d^2*x*\text{Sqrt}[d - c^2*d*x^2])/\text{Sqrt}[1 - c^2*x^2] + (15*c^4*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/8 + (5*c^2*d*(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(8*x^2) - ((d - c^2*d*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x]))/(4*x^4) - (15*c^4*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^{\text{I}*\text{ArcSin}[c*x]}])/ (4*\text{Sqrt}[1 - c^2*x^2]) + (((15*I)/8)*b*c^4*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, -E^{\text{I}*\text{ArcSin}[c*x]}])/ \text{Sqrt}[1 - c^2*x^2] - (((15*I)/8)*b*c^4*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, E^{\text{I}*\text{ArcSin}[c*x]}])/ \text{Sqrt}[1 - c^2*x^2]$

**Rule 4695**

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 1)), x] + (-Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m +
2)*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPar
t[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f
*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /;
FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0
] && LtQ[m, -1]

```

#### Rule 4697

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*Sqrt[(d_) +
(e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[((f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

#### Rule 4709

```

Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

```

#### Rule 4183

```

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)
^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]

```

#### Rule 2279

```

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

#### Rule 2391

```

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

```

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 14

Int[(u\_)\*((c\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_) + (b\_)\*(v\_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

Rule 270

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{x^5} dx &= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{4x^4} - \frac{1}{4} (5c^2 d) \int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x^3} \\
 &= \frac{5c^2 d (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{8x^2} - \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{4x^4} + \frac{1}{8} (15 \\
 &= -\frac{bcd^2 \sqrt{d - c^2 dx^2}}{12x^3 \sqrt{1 - c^2 x^2}} + \frac{bc^3 d^2 \sqrt{d - c^2 dx^2}}{2x \sqrt{1 - c^2 x^2}} + \frac{bc^5 d^2 x \sqrt{d - c^2 dx^2}}{4 \sqrt{1 - c^2 x^2}} + \frac{15}{8} c^4 d^2 \sqrt{d - c^2 dx^2} \\
 &= -\frac{bcd^2 \sqrt{d - c^2 dx^2}}{12x^3 \sqrt{1 - c^2 x^2}} + \frac{9bc^3 d^2 \sqrt{d - c^2 dx^2}}{8x \sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \frac{15}{8} c^4 d^2 \sqrt{d - c^2 dx^2} \\
 &= -\frac{bcd^2 \sqrt{d - c^2 dx^2}}{12x^3 \sqrt{1 - c^2 x^2}} + \frac{9bc^3 d^2 \sqrt{d - c^2 dx^2}}{8x \sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \frac{15}{8} c^4 d^2 \sqrt{d - c^2 dx^2} \\
 &= -\frac{bcd^2 \sqrt{d - c^2 dx^2}}{12x^3 \sqrt{1 - c^2 x^2}} + \frac{9bc^3 d^2 \sqrt{d - c^2 dx^2}}{8x \sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \frac{15}{8} c^4 d^2 \sqrt{d - c^2 dx^2} \\
 &= -\frac{bcd^2 \sqrt{d - c^2 dx^2}}{12x^3 \sqrt{1 - c^2 x^2}} + \frac{9bc^3 d^2 \sqrt{d - c^2 dx^2}}{8x \sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \frac{15}{8} c^4 d^2 \sqrt{d - c^2 dx^2}
 \end{aligned}$$

**Mathematica [A]** time = 6.13157, size = 640, normalized size = 1.65

$$\frac{bc^4d^2\sqrt{d-c^2dx^2}\left(i\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)-i\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)+\sqrt{1-c^2x^2}\sin^{-1}(cx)-cx+\sin^{-1}(cx)\log\left(1-e^{is}\right)\right)}{\sqrt{1-c^2x^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/x^5,x]

[Out] (a\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(-2 + 9\*c^2\*x^2 + 8\*c^4\*x^4))/(8\*x^4) + (15\*a\*c^4\*d^(5/2)\*Log[x])/8 - (15\*a\*c^4\*d^(5/2)\*Log[d + Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]])/8 + (b\*c^4\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(-(c\*x) + Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + ArcSin[c\*x]\*Log[1 - E^(I\*ArcSin[c\*x])] - ArcSin[c\*x]\*Log[1 + E^(I\*ArcSin[c\*x])]) + I\*PolyLog[2, -E^(I\*ArcSin[c\*x])] - I\*PolyLog[2, E^(I\*ArcSin[c\*x])])]/Sqrt[1 - c^2\*x^2] - (b\*c^4\*d^3\*Sqrt[1 - c^2\*x^2]\*(-2\*Cot[ArcSin[c\*x]/2] - ArcSin[c\*x]\*Csc[ArcSin[c\*x]/2]^2 - 4\*ArcSin[c\*x]\*Log[1 - E^(I\*ArcSin[c\*x])]) + 4\*ArcSin[c\*x]\*Log[1 + E^(I\*ArcSin[c\*x])]) - (4\*I)\*PolyLog[2, -E^(I\*ArcSin[c\*x])] + (4\*I)\*PolyLog[2, E^(I\*ArcSin[c\*x])] + ArcSin[c\*x]\*Sec[ArcSin[c\*x]/2]^2 - 2\*Tan[ArcSin[c\*x]/2]))/(4\*Sqrt[d - c^2\*d\*x^2]) + (b\*c^4\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(8\*Cot[ArcSin[c\*x]/2] + 6\*ArcSin[c\*x]\*Csc[ArcSin[c\*x]/2]^2 - c\*x\*Csc[ArcSin[c\*x]/2]^4 - 3\*ArcSin[c\*x]\*Csc[ArcSin[c\*x]/2]^4 - 24\*ArcSin[c\*x]\*Log[1 - E^(I\*ArcSin[c\*x])] + 24\*ArcSin[c\*x]\*Log[1 + E^(I\*ArcSin[c\*x])]) - (24\*I)\*PolyLog[2, -E^(I\*ArcSin[c\*x])] + (24\*I)\*PolyLog[2, E^(I\*ArcSin[c\*x])] - 6\*ArcSin[c\*x]\*Sec[ArcSin[c\*x]/2]^2 + 3\*ArcSin[c\*x]\*Sec[ArcSin[c\*x]/2]^4 - (16\*Sin[ArcSin[c\*x]/2]^4)/(c^3\*x^3) + 8\*Tan[ArcSin[c\*x]/2]))/(192\*Sqrt[1 - c^2\*x^2])

**Maple [A]** time = 0.312, size = 727, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^5,x)

[Out] -1/4\*a/d/x^4\*(-c^2\*d\*x^2+d)^(7/2)+3/8\*a\*c^2/d/x^2\*(-c^2\*d\*x^2+d)^(7/2)+3/8\*a\*c^4\*(-c^2\*d\*x^2+d)^(5/2)+5/8\*a\*c^4\*d\*(-c^2\*d\*x^2+d)^(3/2)-15/8\*a\*c^4\*d^(5/2)\*ln((2\*d+2\*d^(1/2)\*(-c^2\*d\*x^2+d)^(1/2))/x)+15/8\*a\*c^4\*(-c^2\*d\*x^2+d)^(1/2)\*d^2+b\*(-d\*(c^2\*x^2-1))^(1/2)\*c^6\*d^2/(c^2\*x^2-1)\*arcsin(c\*x)\*x^2+b\*(-d\*(c^2\*x^2-1))^(1/2)\*c^5\*d^2/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*x+1/8\*b\*(-d\*(c^2



```

x^2-1))^(1/2)*c^4*d^2/(c^2*x^2-1)*arcsin(c*x)-9/8*b*d^2*(-d*(c^2*x^2-1))^(1
/2)/x/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*c^3-11/8*b*d^2*(-d*(c^2*x^2-1))^(1/2)/
x^2/(c^2*x^2-1)*arcsin(c*x)*c^2+1/12*b*d^2*(-d*(c^2*x^2-1))^(1/2)/x^3/(c^2*
x^2-1)*(-c^2*x^2+1)^(1/2)*c+1/4*b*d^2*(-d*(c^2*x^2-1))^(1/2)/x^4/(c^2*x^2-1
)*arcsin(c*x)+15*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)*c^4*d^2/(8*c^2
*x^2-8)*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-15*b*(-d*(c^2*x^2-1))^(1
/2)*(-c^2*x^2+1)^(1/2)*c^4*d^2/(8*c^2*x^2-8)*arcsin(c*x)*ln(1-I*c*x-(-c^2*x
^2+1)^(1/2))+15*I*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)*c^4*d^2/(8*c^
2*x^2-8)*polylog(2,I*c*x+(-c^2*x^2+1)^(1/2))-15*I*b*(-d*(c^2*x^2-1))^(1/2)*
(-c^2*x^2+1)^(1/2)*c^4*d^2/(8*c^2*x^2-8)*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2
))

```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))/x^5,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(ac^4d^2x^4 - 2ac^2d^2x^2 + ad^2 + (bc^4d^2x^4 - 2bc^2d^2x^2 + bd^2)\arcsin(cx))\sqrt{-c^2dx^2 + d}}{x^5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))/x^5,x, algorithm="fricas")
```

```
[Out] integral((a*c^4*d^2*x^4 - 2*a*c^2*d^2*x^2 + a*d^2 + (b*c^4*d^2*x^4 - 2*b*c^
2*d^2*x^2 + b*d^2)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d)/x^5, x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))/x\*\*5,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))/x^5,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)/x^5, x)

### 3.99 $\int \sqrt{1-x^2} \sin^{-1}(x) dx$

**Optimal.** Leaf size=34

$$-\frac{x^2}{4} + \frac{1}{2}\sqrt{1-x^2}x \sin^{-1}(x) + \frac{1}{4} \sin^{-1}(x)^2$$

[Out]  $-x^2/4 + (x*\text{Sqrt}[1 - x^2]*\text{ArcSin}[x])/2 + \text{ArcSin}[x]^2/4$

**Rubi [A]** time = 0.0305888, antiderivative size = 34, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {4647, 4641, 30}

$$-\frac{x^2}{4} + \frac{1}{2}\sqrt{1-x^2}x \sin^{-1}(x) + \frac{1}{4} \sin^{-1}(x)^2$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sqrt}[1 - x^2]*\text{ArcSin}[x], x]$

[Out]  $-x^2/4 + (x*\text{Sqrt}[1 - x^2]*\text{ArcSin}[x])/2 + \text{ArcSin}[x]^2/4$

#### Rule 4647

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + \text{Sqrt}[d + e*x^2])^n, x] \text{ :> } \text{Simp}[(x*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n)/2, x] + (\text{Dist}[\text{Sqrt}[d + e*x^2]/(2*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[1 - c^2*x^2], x], x] - \text{Dist}[(b*c*n*\text{Sqrt}[d + e*x^2])/(2*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[x*(a + b*\text{ArcSin}[c*x])^{n-1}, x], x]) /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0]$

#### Rule 4641

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + \text{Sqrt}[d + e*x^2])^n, x] \text{ :> } \text{Simp}[(a + b*\text{ArcSin}[c*x])^{n+1}/(b*c*\text{Sqrt}[d + e*x^2]), x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ \text{NeQ}[n, -1]$

#### Rule 30

$\text{Int}[x^m, x] \text{ :> } \text{Simp}[x^{m+1}/(m+1), x] /; \text{FreeQ}[m, x] \ \&\& \ \text{NeQ}[m, -1]$

Rubi steps

$$\begin{aligned}\int \sqrt{1-x^2} \sin^{-1}(x) dx &= \frac{1}{2}x\sqrt{1-x^2} \sin^{-1}(x) - \frac{\int x dx}{2} + \frac{1}{2} \int \frac{\sin^{-1}(x)}{\sqrt{1-x^2}} dx \\ &= -\frac{x^2}{4} + \frac{1}{2}x\sqrt{1-x^2} \sin^{-1}(x) + \frac{1}{4} \sin^{-1}(x)^2\end{aligned}$$

**Mathematica [A]** time = 0.0083409, size = 30, normalized size = 0.88

$$\frac{1}{4} \left( -x^2 + 2\sqrt{1-x^2}x \sin^{-1}(x) + \sin^{-1}(x)^2 \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - x^2]\*ArcSin[x], x]

[Out] (-x^2 + 2\*x\*Sqrt[1 - x^2]\*ArcSin[x] + ArcSin[x]^2)/4

**Maple [A]** time = 0.044, size = 31, normalized size = 0.9

$$\frac{\arcsin(x)}{2} \left( x\sqrt{-x^2+1} + \arcsin(x) \right) - \frac{(\arcsin(x))^2}{4} - \frac{x^2}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(x)\*(-x^2+1)^(1/2), x)

[Out] 1/2\*arcsin(x)\*(x\*(-x^2+1)^(1/2)+arcsin(x))-1/4\*arcsin(x)^2-1/4\*x^2

**Maxima [A]** time = 1.5701, size = 41, normalized size = 1.21

$$-\frac{1}{4}x^2 + \frac{1}{2} \left( \sqrt{-x^2+1}x + \arcsin(x) \right) \arcsin(x) - \frac{1}{4} \arcsin(x)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(x)\*(-x^2+1)^(1/2), x, algorithm="maxima")

[Out]  $-1/4*x^2 + 1/2*(\sqrt{-x^2 + 1}*x + \arcsin(x))*\arcsin(x) - 1/4*\arcsin(x)^2$

**Fricas [A]** time = 2.08483, size = 81, normalized size = 2.38

$$\frac{1}{2} \sqrt{-x^2 + 1} x \arcsin(x) - \frac{1}{4} x^2 + \frac{1}{4} \arcsin(x)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(x)*(-x^2+1)^(1/2),x, algorithm="fricas")`

[Out]  $1/2*\sqrt{-x^2 + 1}*x*\arcsin(x) - 1/4*x^2 + 1/4*\arcsin(x)^2$

**Sympy [A]** time = 22.1957, size = 48, normalized size = 1.41

$$\left( \begin{cases} \frac{x\sqrt{1-x^2}}{2} + \frac{\arcsin(x)}{2} & \text{for } x > -1 \wedge x < 1 \end{cases} \right) \arcsin(x) - \begin{cases} \text{NaN} & \text{for } x < -1 \\ \frac{x^2}{4} + \frac{\arcsin^2(x)}{4} - \frac{\pi^2}{16} - \frac{1}{4} & \text{for } x < 1 \\ \text{NaN} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(x)*(-x**2+1)**(1/2),x)`

[Out] `Piecewise((x*sqrt(1 - x**2)/2 + asin(x)/2, (x > -1) & (x < 1))*asin(x) - Piecewise((nan, x < -1), (x**2/4 + asin(x)**2/4 - pi**2/16 - 1/4, x < 1), (nan, True))`

**Giac [A]** time = 1.19546, size = 36, normalized size = 1.06

$$\frac{1}{2} \sqrt{-x^2 + 1} x \arcsin(x) - \frac{1}{4} x^2 + \frac{1}{4} \arcsin(x)^2 + \frac{1}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(x)*(-x^2+1)^(1/2),x, algorithm="giac")`

[Out]  $1/2*\sqrt{-x^2 + 1}*x*\arcsin(x) - 1/4*x^2 + 1/4*\arcsin(x)^2 + 1/8$

### 3.100 $\int \sqrt{\pi - c^2 \pi x^2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=68

$$\frac{1}{2}x\sqrt{\pi - \pi c^2 x^2} (a + b \sin^{-1}(cx)) + \frac{\sqrt{\pi} (a + b \sin^{-1}(cx))^2}{4bc} - \frac{1}{4}\sqrt{\pi}bcx^2$$

[Out]  $-(b*c*\text{Sqrt}[\text{Pi}]*x^2)/4 + (x*\text{Sqrt}[\text{Pi} - c^2*\text{Pi}*x^2]*(a + b*\text{ArcSin}[c*x]))/2 + (\text{Sqrt}[\text{Pi}]*(a + b*\text{ArcSin}[c*x])^2)/(4*b*c)$

**Rubi [A]** time = 0.0585542, antiderivative size = 116, normalized size of antiderivative = 1.71, number of steps used = 3, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {4647, 4641, 30}

$$\frac{1}{2}x\sqrt{\pi - \pi c^2 x^2} (a + b \sin^{-1}(cx)) + \frac{\sqrt{\pi - \pi c^2 x^2} (a + b \sin^{-1}(cx))^2}{4bc\sqrt{1 - c^2 x^2}} - \frac{bcx^2\sqrt{\pi - \pi c^2 x^2}}{4\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sqrt}[\text{Pi} - c^2*\text{Pi}*x^2]*(a + b*\text{ArcSin}[c*x]),x]$

[Out]  $-(b*c*x^2*\text{Sqrt}[\text{Pi} - c^2*\text{Pi}*x^2])/(4*\text{Sqrt}[1 - c^2*x^2]) + (x*\text{Sqrt}[\text{Pi} - c^2*\text{Pi}*x^2]*(a + b*\text{ArcSin}[c*x]))/2 + (\text{Sqrt}[\text{Pi} - c^2*\text{Pi}*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(4*b*c*\text{Sqrt}[1 - c^2*x^2])$

#### Rule 4647

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*\text{Sqrt}[d + e*x^2], x, \text{symbol}] \rightarrow \text{Simp}[(x*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n)/2, x] + (\text{Dist}[\text{Sqrt}[d + e*x^2]/(2*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[1 - c^2*x^2], x], x] - \text{Dist}[(b*c*n*\text{Sqrt}[d + e*x^2])/(2*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[x*(a + b*\text{ArcSin}[c*x])^{n-1}, x], x]) /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0]$

#### Rule 4641

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n/\text{Sqrt}[d + e*x^2], x, \text{symbol}] \rightarrow \text{Simp}[(a + b*\text{ArcSin}[c*x])^{n+1}/(b*c*\text{Sqrt}[d]*(n+1)), x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ \text{NeQ}[n, -1]$

Rule 30

$\text{Int}[(x_)^{(m_.)}, x\_Symbol] \text{ :> Simp}[x^{(m + 1)}/(m + 1), x] \text{ /; FreeQ}[m, x] \ \&\& \ \text{NeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \int \sqrt{\pi - c^2 \pi x^2} (a + b \sin^{-1}(cx)) dx &= \frac{1}{2} x \sqrt{\pi - c^2 \pi x^2} (a + b \sin^{-1}(cx)) + \frac{\sqrt{\pi - c^2 \pi x^2} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} dx}{2\sqrt{1 - c^2 x^2}} - \frac{(bc\sqrt{\pi - c^2 \pi x^2})}{2\sqrt{1 - c^2 x^2}} \\ &= -\frac{bcx^2 \sqrt{\pi - c^2 \pi x^2}}{4\sqrt{1 - c^2 x^2}} + \frac{1}{2} x \sqrt{\pi - c^2 \pi x^2} (a + b \sin^{-1}(cx)) + \frac{\sqrt{\pi - c^2 \pi x^2} (a + b \sin^{-1}(cx))}{4bc\sqrt{1 - c^2 x^2}} \end{aligned}$$

**Mathematica [A]** time = 0.0508784, size = 87, normalized size = 1.28

$$\frac{\sqrt{\pi} \left( a^2 + 2abcx\sqrt{1 - c^2 x^2} + 2b \sin^{-1}(cx) \left( a + bcx\sqrt{1 - c^2 x^2} \right) - b^2 c^2 x^2 + b^2 \sin^{-1}(cx)^2 \right)}{4bc}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Pi - c^2\*Pi\*x^2]\*(a + b\*ArcSin[c\*x]),x]

[Out] (Sqrt[Pi]\*(a^2 - b^2\*c^2\*x^2 + 2\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2] + 2\*b\*(a + b\*c\*x\*Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x] + b^2\*ArcSin[c\*x]^2))/(4\*b\*c)

**Maple [A]** time = 0.043, size = 101, normalized size = 1.5

$$\frac{ax}{2} \sqrt{-\pi c^2 x^2 + \pi} + \frac{a\pi}{2} \arctan\left(x\sqrt{\pi c^2} \frac{1}{\sqrt{-\pi c^2 x^2 + \pi}}\right) \frac{1}{\sqrt{\pi c^2}} + \frac{b\sqrt{\pi} \arcsin(cx)x}{2} \sqrt{-c^2 x^2 + 1} - \frac{bcx^2 \sqrt{\pi}}{4} + \frac{b\sqrt{\pi} (\arcsin(cx))^2}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))\*(-Pi\*c^2\*x^2+Pi)^(1/2),x)

[Out] 1/2\*a\*x\*(-Pi\*c^2\*x^2+Pi)^(1/2)+1/2\*a\*Pi/(Pi\*c^2)^(1/2)\*arctan((Pi\*c^2)^(1/2)\*x/(-Pi\*c^2\*x^2+Pi)^(1/2))+1/2\*b\*Pi^(1/2)\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)\*x-1/4\*b\*c\*x^2\*Pi^(1/2)+1/4\*b\*Pi^(1/2)/c\*arcsin(c\*x)^2

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\sqrt{\pi}b \int \sqrt{cx+1}\sqrt{-cx+1} \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) dx + \frac{1}{2} \left( \sqrt{\pi - \pi c^2 x^2} + \frac{\pi \arcsin\left(\frac{c^2 x}{\sqrt{c^2}}\right)}{\sqrt{\pi c^2}} \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))\*(-pi\*c^2\*x^2+pi)^(1/2),x, algorithm="maxima")

[Out] sqrt(pi)\*b\*integrate(sqrt(c\*x + 1)\*sqrt(-c\*x + 1)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)), x) + 1/2\*(sqrt(pi - pi\*c^2\*x^2)\*x + pi\*arcsin(c^2\*x/sqrt(c^2))/sqrt(pi\*c^2))\*a

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{\pi - \pi c^2 x^2}(b \arcsin(cx) + a), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))\*(-pi\*c^2\*x^2+pi)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(pi - pi\*c^2\*x^2)\*(b\*arcsin(c\*x) + a), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\sqrt{\pi} \left( \int a \sqrt{-c^2 x^2 + 1} dx + \int b \sqrt{-c^2 x^2 + 1} \arcsin(cx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*(-pi\*c\*\*2\*x\*\*2+pi)\*\*(1/2),x)

[Out] sqrt(pi)\*(Integral(a\*sqrt(-c\*\*2\*x\*\*2 + 1), x) + Integral(b\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x), x))

---



**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))*(-pi*c^2*x^2+pi)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.101 \quad \int \frac{x^4 \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=88

$$\frac{3x^2}{16a^3} - \frac{x^3\sqrt{1-a^2x^2}\sin^{-1}(ax)}{4a^2} - \frac{3x\sqrt{1-a^2x^2}\sin^{-1}(ax)}{8a^4} + \frac{3\sin^{-1}(ax)^2}{16a^5} + \frac{x^4}{16a}$$

[Out] (3\*x^2)/(16\*a^3) + x^4/(16\*a) - (3\*x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/(8\*a^4) - (x^3\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/(4\*a^2) + (3\*ArcSin[a\*x]^2)/(16\*a^5)

**Rubi [A]** time = 0.151599, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {4707, 4641, 30}

$$\frac{3x^2}{16a^3} - \frac{x^3\sqrt{1-a^2x^2}\sin^{-1}(ax)}{4a^2} - \frac{3x\sqrt{1-a^2x^2}\sin^{-1}(ax)}{8a^4} + \frac{3\sin^{-1}(ax)^2}{16a^5} + \frac{x^4}{16a}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*ArcSin[a\*x])/Sqrt[1 - a^2\*x^2], x]

[Out] (3\*x^2)/(16\*a^3) + x^4/(16\*a) - (3\*x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/(8\*a^4) - (x^3\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/(4\*a^2) + (3\*ArcSin[a\*x]^2)/(16\*a^5)

Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.)\*((f\_.)\*(x\_.))^m\_)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 30

`Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]`

### Rubi steps

$$\begin{aligned} \int \frac{x^4 \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx &= -\frac{x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)}{4a^2} + \frac{3 \int \frac{x^2 \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx}{4a^2} + \frac{\int x^3 dx}{4a} \\ &= \frac{x^4}{16a} - \frac{3x \sqrt{1-a^2x^2} \sin^{-1}(ax)}{8a^4} - \frac{x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)}{4a^2} + \frac{3 \int \frac{\sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx}{8a^4} + \frac{3 \int x dx}{8a^3} \\ &= \frac{3x^2}{16a^3} + \frac{x^4}{16a} - \frac{3x \sqrt{1-a^2x^2} \sin^{-1}(ax)}{8a^4} - \frac{x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)}{4a^2} + \frac{3 \sin^{-1}(ax)^2}{16a^5} \end{aligned}$$

**Mathematica [A]** time = 0.0340756, size = 64, normalized size = 0.73

$$\frac{a^2x^2(a^2x^2 + 3) - 2ax\sqrt{1-a^2x^2}(2a^2x^2 + 3)\sin^{-1}(ax) + 3\sin^{-1}(ax)^2}{16a^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*ArcSin[a\*x])/Sqrt[1 - a^2\*x^2], x]

[Out] (a^2\*x^2\*(3 + a^2\*x^2) - 2\*a\*x\*Sqrt[1 - a^2\*x^2]\*(3 + 2\*a^2\*x^2)\*ArcSin[a\*x] + 3\*ArcSin[a\*x]^2)/(16\*a^5)

**Maple [A]** time = 0.057, size = 74, normalized size = 0.8

$$\frac{1}{16a^5} \left( -4 \arcsin(ax) \sqrt{-a^2x^2 + 1} x^3 a^3 + a^4 x^4 - 6 \arcsin(ax) \sqrt{-a^2x^2 + 1} x a + 3 a^2 x^2 + 3 (\arcsin(ax))^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*arcsin(a\*x)/(-a^2\*x^2+1)^(1/2), x)

[Out] 1/16\*(-4\*arcsin(a\*x)\*(-a^2\*x^2+1)^(1/2)\*x^3\*a^3+a^4\*x^4-6\*arcsin(a\*x)\*(-a^2\*x^2+1)^(1/2)\*x\*a+3\*a^2\*x^2+3\*arcsin(a\*x)^2)/a^5

**Maxima [A]** time = 1.62586, size = 140, normalized size = 1.59

$$\frac{1}{16} \left( \frac{x^4}{a^2} + \frac{3x^2}{a^4} - \frac{3 \arcsin\left(\frac{a^2x}{\sqrt{a^2}}\right)^2}{a^6} \right) a - \frac{1}{8} \left( \frac{2\sqrt{-a^2x^2+1}x^3}{a^2} + \frac{3\sqrt{-a^2x^2+1}x}{a^4} - \frac{3 \arcsin\left(\frac{a^2x}{\sqrt{a^2}}\right)}{\sqrt{a^2}a^4} \right) \arcsin(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] 1/16\*(x^4/a^2 + 3\*x^2/a^4 - 3\*arcsin(a^2\*x/sqrt(a^2))^2/a^6)\*a - 1/8\*(2\*sqrt(-a^2\*x^2 + 1)\*x^3/a^2 + 3\*sqrt(-a^2\*x^2 + 1)\*x/a^4 - 3\*arcsin(a^2\*x/sqrt(a^2))/(sqrt(a^2)\*a^4))\*arcsin(a\*x)

**Fricas [A]** time = 2.08423, size = 142, normalized size = 1.61

$$\frac{a^4x^4 + 3a^2x^2 - 2(2a^3x^3 + 3ax)\sqrt{-a^2x^2+1} \arcsin(ax) + 3 \arcsin(ax)^2}{16a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] 1/16\*(a^4\*x^4 + 3\*a^2\*x^2 - 2\*(2\*a^3\*x^3 + 3\*a\*x)\*sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x) + 3\*arcsin(a\*x)^2)/a^5

**Sympy [A]** time = 2.88018, size = 82, normalized size = 0.93

$$\begin{cases} \frac{x^4}{16a} - \frac{x^3\sqrt{-a^2x^2+1} \arcsin(ax)}{4a^2} + \frac{3x^2}{16a^3} - \frac{3x\sqrt{-a^2x^2+1} \arcsin(ax)}{8a^4} + \frac{3\arcsin^2(ax)}{16a^5} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*asin(a\*x)/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Piecewise((x\*\*4/(16\*a) - x\*\*3\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)/(4\*a\*\*2) + 3\*x\*\*2/(16\*a\*\*3) - 3\*x\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)/(8\*a\*\*4) + 3\*asin(a\*x)\*\*

$2/(16*a**5), Ne(a, 0)), (0, True))$

**Giac [A]** time = 1.27659, size = 123, normalized size = 1.4

$$\frac{(-a^2x^2 + 1)^{\frac{3}{2}}x \arcsin(ax)}{4a^4} - \frac{5\sqrt{-a^2x^2 + 1}x \arcsin(ax)}{8a^4} + \frac{(a^2x^2 - 1)^2}{16a^5} + \frac{3 \arcsin(ax)^2}{16a^5} + \frac{5(a^2x^2 - 1)}{16a^5} + \frac{17}{128a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="giac")`

[Out]  $1/4*(-a^2*x^2 + 1)^{(3/2)}*x*\arcsin(a*x)/a^4 - 5/8*\sqrt{-a^2*x^2 + 1}*x*\arcsin(a*x)/a^4 + 1/16*(a^2*x^2 - 1)^2/a^5 + 3/16*\arcsin(a*x)^2/a^5 + 5/16*(a^2*x^2 - 1)/a^5 + 17/128/a^5$

$$3.102 \quad \int \frac{x^3 \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=72

$$-\frac{x^2\sqrt{1-a^2x^2}\sin^{-1}(ax)}{3a^2} - \frac{2\sqrt{1-a^2x^2}\sin^{-1}(ax)}{3a^4} + \frac{2x}{3a^3} + \frac{x^3}{9a}$$

[Out] (2\*x)/(3\*a^3) + x^3/(9\*a) - (2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/(3\*a^4) - (x^2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/(3\*a^2)

**Rubi [A]** time = 0.107182, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4707, 4677, 8, 30}

$$-\frac{x^2\sqrt{1-a^2x^2}\sin^{-1}(ax)}{3a^2} - \frac{2\sqrt{1-a^2x^2}\sin^{-1}(ax)}{3a^4} + \frac{2x}{3a^3} + \frac{x^3}{9a}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*ArcSin[a\*x])/Sqrt[1 - a^2\*x^2],x]

[Out] (2\*x)/(3\*a^3) + x^3/(9\*a) - (2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/(3\*a^4) - (x^2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/(3\*a^2)

#### Rule 4707

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*((f_.)*(x_.))^ (m_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]
```

#### Rule 4677

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
```

, 0] && NeQ[p, -1]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 30

Int[(x\_)^(m\_), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \frac{x^3 \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx &= -\frac{x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)}{3a^2} + \frac{2 \int \frac{x \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx}{3a^2} + \frac{\int x^2 dx}{3a} \\ &= \frac{x^3}{9a} - \frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)}{3a^4} - \frac{x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)}{3a^2} + \frac{2 \int 1 dx}{3a^3} \\ &= \frac{2x}{3a^3} + \frac{x^3}{9a} - \frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)}{3a^4} - \frac{x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)}{3a^2} \end{aligned}$$

**Mathematica [A]** time = 0.0247226, size = 49, normalized size = 0.68

$$\frac{ax(a^2x^2 + 6) - 3\sqrt{1-a^2x^2}(a^2x^2 + 2)\sin^{-1}(ax)}{9a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*ArcSin[a\*x])/Sqrt[1 - a^2\*x^2], x]

[Out] (a\*x\*(6 + a^2\*x^2) - 3\*Sqrt[1 - a^2\*x^2]\*(2 + a^2\*x^2)\*ArcSin[a\*x])/(9\*a^4)

**Maple [A]** time = 0.046, size = 95, normalized size = 1.3

$$-\frac{1}{9a^4(a^2x^2 - 1)} \left( 3a^4x^4 \arcsin(ax) + 3a^2x^2 \arcsin(ax) + a^3x^3\sqrt{-a^2x^2 + 1} - 6 \arcsin(ax) + 6ax\sqrt{-a^2x^2 + 1} \right) \sqrt{-a^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*arcsin(a*x)/(-a^2*x^2+1)^(1/2),x)`

[Out]  $-1/9/a^4*(3*a^4*x^4*arcsin(a*x)+3*a^2*x^2*arcsin(a*x)+a^3*x^3*(-a^2*x^2+1)^(1/2)-6*arcsin(a*x)+6*a*x*(-a^2*x^2+1)^(1/2))*(-a^2*x^2+1)^(1/2)/(a^2*x^2-1)$

**Maxima [A]** time = 1.56754, size = 82, normalized size = 1.14

$$\frac{1}{9}a\left(\frac{x^3}{a^2} + \frac{6x}{a^4}\right) - \frac{1}{3}\left(\frac{\sqrt{-a^2x^2+1}x^2}{a^2} + \frac{2\sqrt{-a^2x^2+1}}{a^4}\right)\arcsin(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="maxima")`

[Out]  $1/9*a*(x^3/a^2 + 6*x/a^4) - 1/3*(sqrt(-a^2*x^2 + 1)*x^2/a^2 + 2*sqrt(-a^2*x^2 + 1)/a^4)*arcsin(a*x)$

**Fricas [A]** time = 2.07645, size = 103, normalized size = 1.43

$$\frac{a^3x^3 - 3(a^2x^2 + 2)\sqrt{-a^2x^2 + 1}\arcsin(ax) + 6ax}{9a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out]  $1/9*(a^3*x^3 - 3*(a^2*x^2 + 2)*sqrt(-a^2*x^2 + 1)*arcsin(a*x) + 6*a*x)/a^4$

**Sympy [A]** time = 1.57694, size = 65, normalized size = 0.9

$$\begin{cases} \frac{x^3}{9a} - \frac{x^2\sqrt{-a^2x^2+1}\operatorname{asin}(ax)}{3a^2} + \frac{2x}{3a^3} - \frac{2\sqrt{-a^2x^2+1}\operatorname{asin}(ax)}{3a^4} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(x\*\*3\*asin(a\*x)/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Piecewise((x\*\*3/(9\*a) - x\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)/(3\*a\*\*2) + 2\*x/(3\*a\*\*3) - 2\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)/(3\*a\*\*4), Ne(a, 0)), (0, True))

**Giac [A]** time = 1.22243, size = 72, normalized size = 1.

$$\frac{a^2x^3 + 6x}{9a^3} + \frac{\left((-a^2x^2 + 1)^{\frac{3}{2}} - 3\sqrt{-a^2x^2 + 1}\right) \arcsin(ax)}{3a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] 1/9\*(a^2\*x^3 + 6\*x)/a^3 + 1/3\*((-a^2\*x^2 + 1)^(3/2) - 3\*sqrt(-a^2\*x^2 + 1))\*arcsin(a\*x)/a^4

### 3.103 $\int \frac{x^2 \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx$

**Optimal.** Leaf size=50

$$-\frac{x\sqrt{1-a^2x^2}\sin^{-1}(ax)}{2a^2} + \frac{\sin^{-1}(ax)^2}{4a^3} + \frac{x^2}{4a}$$

[Out]  $x^2/(4*a) - (x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(2*a^2) + \text{ArcSin}[a*x]^2/(4*a^3)$

**Rubi [A]** time = 0.0818071, antiderivative size = 50, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {4707, 4641, 30}

$$-\frac{x\sqrt{1-a^2x^2}\sin^{-1}(ax)}{2a^2} + \frac{\sin^{-1}(ax)^2}{4a^3} + \frac{x^2}{4a}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^2*\text{ArcSin}[a*x])/\text{Sqrt}[1 - a^2*x^2], x]$

[Out]  $x^2/(4*a) - (x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(2*a^2) + \text{ArcSin}[a*x]^2/(4*a^3)$

#### Rule 4707

$\text{Int}[((a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{\text{(n_.)}}*((f_.)*(x_.))^{\text{(m_.)}}/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Simp}[(f*(f*x)^{\text{(m-1)}}*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^{\text{(n)}})/(e*m), x] + (\text{Dist}[(f^2*(m-1))/(c^2*m), \text{Int}[(f*x)^{\text{(m-2)}}*(a + b*\text{ArcSin}[c*x])^{\text{(n)}}/\text{Sqrt}[d + e*x^2], x], x] + \text{Dist}[(b*f*n*\text{Sqrt}[1 - c^2*x^2])/(c*m*\text{Sqrt}[d + e*x^2]), \text{Int}[(f*x)^{\text{(m-1)}}*(a + b*\text{ArcSin}[c*x])^{\text{(n-1)}}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[m, 1] \&\& \text{IntegerQ}[m]$

#### Rule 4641

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{\text{(n_.)}}/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcSin}[c*x])^{\text{(n+1)}}/(b*c*\text{Sqrt}[d]*(n+1)), x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[d, 0] \&\& \text{NeQ}[n, -1]$

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}\int \frac{x^2 \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx &= -\frac{x\sqrt{1-a^2x^2} \sin^{-1}(ax)}{2a^2} + \frac{\int \frac{\sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx}{2a^2} + \frac{\int x dx}{2a} \\ &= \frac{x^2}{4a} - \frac{x\sqrt{1-a^2x^2} \sin^{-1}(ax)}{2a^2} + \frac{\sin^{-1}(ax)^2}{4a^3}\end{aligned}$$

**Mathematica [A]** time = 0.0110443, size = 43, normalized size = 0.86

$$\frac{a^2x^2 - 2ax\sqrt{1-a^2x^2} \sin^{-1}(ax) + \sin^{-1}(ax)^2}{4a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*ArcSin[a\*x])/Sqrt[1 - a^2\*x^2], x]

[Out] (a^2\*x^2 - 2\*a\*x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x] + ArcSin[a\*x]^2)/(4\*a^3)

**Maple [A]** time = 0.046, size = 40, normalized size = 0.8

$$\frac{1}{4a^3} \left( -2 \arcsin(ax) \sqrt{-a^2x^2 + 1}xa + a^2x^2 + (\arcsin(ax))^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*arcsin(a\*x)/(-a^2\*x^2+1)^(1/2), x)

[Out] 1/4\*(-2\*arcsin(a\*x)\*(-a^2\*x^2+1)^(1/2)\*x\*a+a^2\*x^2+arcsin(a\*x)^2)/a^3

**Maxima [A]** time = 1.58923, size = 101, normalized size = 2.02

$$\frac{1}{4} a \left( \frac{x^2}{a^2} - \frac{\arcsin\left(\frac{a^2x}{\sqrt{a^2}}\right)^2}{a^4} \right) - \frac{1}{2} \left( \frac{\sqrt{-a^2x^2 + 1}x}{a^2} - \frac{\arcsin\left(\frac{a^2x}{\sqrt{a^2}}\right)}{\sqrt{a^2}a^2} \right) \arcsin(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="maxima")`

[Out]  $\frac{1}{4}a*(x^2/a^2 - \arcsin(a^2*x/\sqrt{a^2}))^2/a^4 - \frac{1}{2}*(\sqrt{-a^2*x^2 + 1})*x/a^2 - \arcsin(a^2*x/\sqrt{a^2})/(\sqrt{a^2}*a^2)*\arcsin(a*x)$

**Fricas [A]** time = 2.04795, size = 100, normalized size = 2.

$$\frac{a^2x^2 - 2\sqrt{-a^2x^2 + 1}ax \arcsin(ax) + \arcsin(ax)^2}{4a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out]  $\frac{1}{4}*(a^2*x^2 - 2*\sqrt{-a^2*x^2 + 1}*a*x*\arcsin(a*x) + \arcsin(a*x)^2)/a^3$

**Sympy [A]** time = 0.931884, size = 42, normalized size = 0.84

$$\begin{cases} \frac{x^2}{4a} - \frac{x\sqrt{-a^2x^2+1} \arcsin(ax)}{2a^2} + \frac{\arcsin^2(ax)}{4a^3} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*asin(a*x)/(-a**2*x**2+1)**(1/2),x)`

[Out] `Piecewise((x**2/(4*a) - x*sqrt(-a**2*x**2 + 1)*asin(a*x)/(2*a**2) + asin(a*x)**2/(4*a**3), Ne(a, 0)), (0, True))`

**Giac [A]** time = 1.38191, size = 72, normalized size = 1.44

$$-\frac{\sqrt{-a^2x^2 + 1}x \arcsin(ax)}{2a^2} + \frac{\arcsin(ax)^2}{4a^3} + \frac{a^2x^2 - 1}{4a^3} + \frac{1}{8a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="giac")
```

```
[Out] -1/2*sqrt(-a^2*x^2 + 1)*x*arcsin(a*x)/a^2 + 1/4*arcsin(a*x)^2/a^3 + 1/4*(a^2*x^2 - 1)/a^3 + 1/8/a^3
```

$$3.104 \quad \int \frac{x \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=29

$$\frac{x}{a} - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)}{a^2}$$

[Out] x/a - (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/a^2

**Rubi [A]** time = 0.0405081, antiderivative size = 29, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$ , Rules used = {4677, 8}

$$\frac{x}{a} - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)}{a^2}$$

Antiderivative was successfully verified.

[In] Int[(x\*ArcSin[a\*x])/Sqrt[1 - a^2\*x^2],x]

[Out] x/a - (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/a^2

#### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d*IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]
/; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

#### Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

#### Rubi steps

$$\int \frac{x \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx = -\frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)}{a^2} + \frac{\int 1 dx}{a}$$

$$= \frac{x}{a} - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)}{a^2}$$

**Mathematica [A]** time = 0.0083922, size = 29, normalized size = 1.

$$\frac{x}{a} - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)}{a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*ArcSin[a\*x])/Sqrt[1 - a^2\*x^2],x]

[Out] x/a - (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/a^2

**Maple [B]** time = 0.038, size = 62, normalized size = 2.1

$$-\frac{1}{a^2(a^2x^2-1)}\sqrt{-a^2x^2+1}\left(a^2x^2\arcsin(ax)-\arcsin(ax)+ax\sqrt{-a^2x^2+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x)

[Out] -1/a^2\*(-a^2\*x^2+1)^(1/2)/(a^2\*x^2-1)\*(a^2\*x^2\*arcsin(a\*x)-arcsin(a\*x)+a\*x\*(-a^2\*x^2+1)^(1/2))

**Maxima [A]** time = 1.53852, size = 36, normalized size = 1.24

$$\frac{x}{a} - \frac{\sqrt{-a^2x^2+1} \arcsin(ax)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out]  $x/a - \sqrt{-a^2x^2 + 1} \arcsin(ax)/a^2$

---

**Fricas [A]** time = 2.13272, size = 59, normalized size = 2.03

$$\frac{ax - \sqrt{-a^2x^2 + 1} \arcsin(ax)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out]  $(a*x - \sqrt{-a^2*x^2 + 1}*\arcsin(a*x))/a^2$

---

**Sympy [A]** time = 0.521907, size = 24, normalized size = 0.83

$$\begin{cases} \frac{x}{a} - \frac{\sqrt{-a^2x^2+1} \arcsin(ax)}{a^2} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*asin(a*x)/(-a**2*x**2+1)**(1/2),x)`

[Out] `Piecewise((x/a - sqrt(-a**2*x**2 + 1)*asin(a*x)/a**2, Ne(a, 0)), (0, True))`

---

**Giac [A]** time = 1.40187, size = 36, normalized size = 1.24

$$\frac{x}{a} - \frac{\sqrt{-a^2x^2 + 1} \arcsin(ax)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="giac")`

[Out]  $x/a - \sqrt{-a^2*x^2 + 1}*\arcsin(a*x)/a^2$



$$3.105 \quad \int \frac{\sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=13

$$\frac{\sin^{-1}(ax)^2}{2a}$$

[Out] ArcSin[a\*x]^2/(2\*a)

**Rubi [A]** time = 0.0197116, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$ , Rules used = {4641}

$$\frac{\sin^{-1}(ax)^2}{2a}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]/Sqrt[1 - a^2\*x^2], x]

[Out] ArcSin[a\*x]^2/(2\*a)

Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rubi steps

$$\int \frac{\sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx = \frac{\sin^{-1}(ax)^2}{2a}$$

**Mathematica [A]** time = 0.0052022, size = 13, normalized size = 1.

$$\frac{\sin^{-1}(ax)^2}{2a}$$

Antiderivative was successfully verified.

```
[In] Integrate[ArcSin[a*x]/Sqrt[1 - a^2*x^2],x]
```

```
[Out] ArcSin[a*x]^2/(2*a)
```

---

**Maple [A]** time = 0.004, size = 12, normalized size = 0.9

$$\frac{(\arcsin(ax))^2}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(arcsin(a*x)/(-a^2*x^2+1)^(1/2),x)
```

```
[Out] 1/2*arcsin(a*x)^2/a
```

---

**Maxima [A]** time = 1.58512, size = 15, normalized size = 1.15

$$\frac{\arcsin(ax)^2}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="maxima")
```

```
[Out] 1/2*arcsin(a*x)^2/a
```

---

**Fricas [A]** time = 1.95283, size = 28, normalized size = 2.15

$$\frac{\arcsin(ax)^2}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="fricas")
```

[Out]  $1/2*\arcsin(ax)^2/a$

---

**Sympy [A]** time = 0.438713, size = 10, normalized size = 0.77

$$\begin{cases} \frac{\arcsin^2(ax)}{2a} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)/(-a**2*x**2+1)**(1/2),x)`

[Out] `Piecewise((asin(a*x)**2/(2*a), Ne(a, 0)), (0, True))`

---

**Giac [A]** time = 1.27013, size = 15, normalized size = 1.15

$$\frac{\arcsin(ax)^2}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="giac")`

[Out]  $1/2*\arcsin(ax)^2/a$

$$3.106 \quad \int \frac{\sin^{-1}(ax)}{x\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=52

$$i\text{PolyLog}\left(2, -e^{i\sin^{-1}(ax)}\right) - i\text{PolyLog}\left(2, e^{i\sin^{-1}(ax)}\right) - 2\sin^{-1}(ax)\tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right)$$

[Out] -2\*ArcSin[a\*x]\*ArcTanh[E^(I\*ArcSin[a\*x])] + I\*PolyLog[2, -E^(I\*ArcSin[a\*x])]  
] - I\*PolyLog[2, E^(I\*ArcSin[a\*x])]

**Rubi [A]** time = 0.0839628, antiderivative size = 52, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4709, 4183, 2279, 2391}

$$i\text{PolyLog}\left(2, -e^{i\sin^{-1}(ax)}\right) - i\text{PolyLog}\left(2, e^{i\sin^{-1}(ax)}\right) - 2\sin^{-1}(ax)\tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]/(x\*Sqrt[1 - a^2\*x^2]),x]

[Out] -2\*ArcSin[a\*x]\*ArcTanh[E^(I\*ArcSin[a\*x])] + I\*PolyLog[2, -E^(I\*ArcSin[a\*x])]  
] - I\*PolyLog[2, E^(I\*ArcSin[a\*x])]

#### Rule 4709

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.)\*(x\_.)^(m\_.)]/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Dist[1/(c^(m + 1)\*Sqrt[d]), Subst[Int[(a + b\*x)^n\*Sin[x]^m, x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

#### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_.))^(m\_.), x\_Symbol] :> Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

#### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sin^{-1}(ax)}{x\sqrt{1-a^2x^2}} dx &= \text{Subst} \left( \int x \csc(x) dx, x, \sin^{-1}(ax) \right) \\ &= -2 \sin^{-1}(ax) \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) - \text{Subst} \left( \int \log(1 - e^{ix}) dx, x, \sin^{-1}(ax) \right) + \text{Subst} \left( \int \log(1 + e^{ix}) dx, x, \sin^{-1}(ax) \right) \\ &= -2 \sin^{-1}(ax) \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) + i \text{Subst} \left( \int \frac{\log(1-x)}{x} dx, x, e^{i \sin^{-1}(ax)} \right) - i \text{Subst} \left( \int \frac{\log(1+x)}{x} dx, x, e^{i \sin^{-1}(ax)} \right) \\ &= -2 \sin^{-1}(ax) \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) + i \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right) - i \text{Li}_2 \left( e^{i \sin^{-1}(ax)} \right) \end{aligned}$$

**Mathematica [A]** time = 0.0921003, size = 71, normalized size = 1.37

$$i \text{PolyLog} \left( 2, -e^{i \sin^{-1}(ax)} \right) - i \text{PolyLog} \left( 2, e^{i \sin^{-1}(ax)} \right) + \sin^{-1}(ax) \left( \log \left( 1 - e^{i \sin^{-1}(ax)} \right) - \log \left( 1 + e^{i \sin^{-1}(ax)} \right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[ArcSin[a*x]/(x*Sqrt[1 - a^2*x^2]), x]
```

```
[Out] ArcSin[a*x]*(Log[1 - E^(I*ArcSin[a*x])] - Log[1 + E^(I*ArcSin[a*x])]) + I*PolyLog[2, -E^(I*ArcSin[a*x])] - I*PolyLog[2, E^(I*ArcSin[a*x])]
```

**Maple [A]** time = 0.085, size = 103, normalized size = 2.

$$-\arcsin(ax) \ln \left( 1 + iax + \sqrt{-a^2x^2 + 1} \right) + \arcsin(ax) \ln \left( 1 - iax - \sqrt{-a^2x^2 + 1} \right) + i \text{polylog} \left( 2, -iax - \sqrt{-a^2x^2 + 1} \right) - i \text{polylog} \left( 2, iax + \sqrt{-a^2x^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(arcsin(a*x)/x/(-a^2*x^2+1)^(1/2), x)
```

```
[Out] -arcsin(a*x)*ln(1+I*a*x+(-a^2*x^2+1)^(1/2))+arcsin(a*x)*ln(1-I*a*x-(-a^2*x^2+1)^(1/2))+I*polylog(2,-I*a*x-(-a^2*x^2+1)^(1/2))-I*polylog(2,I*a*x+(-a^2*x^2+1)^(1/2))
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)}{\sqrt{-a^2x^2 + 1}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)/x/(-a^2*x^2+1)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(arcsin(a*x)/(sqrt(-a^2*x^2 + 1)*x), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2 + 1} \arcsin(ax)}{a^2x^3 - x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)/x/(-a^2*x^2+1)^(1/2),x, algorithm="fricas")
```

```
[Out] integral(-sqrt(-a^2*x^2 + 1)*arcsin(a*x)/(a^2*x^3 - x), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{asin}(ax)}{x\sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(asin(a*x)/x/(-a**2*x**2+1)**(1/2),x)
```

```
[Out] Integral(asin(a*x)/(x*sqrt(-(a*x - 1)*(a*x + 1))), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)}{\sqrt{-a^2x^2 + 1}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)/x/(-a^2*x^2+1)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(arcsin(a*x)/(sqrt(-a^2*x^2 + 1)*x), x)
```

$$3.107 \quad \int \frac{\sin^{-1}(ax)}{x^2 \sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=28

$$a \log(x) - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)}{x}$$

[Out] -((Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/x) + a\*Log[x]

**Rubi [A]** time = 0.0611197, antiderivative size = 28, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {4681, 29}

$$a \log(x) - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)}{x}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]/(x^2\*Sqrt[1 - a^2\*x^2]),x]

[Out] -((Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/x) + a\*Log[x]

#### Rule 4681

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] :> Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b
*ArcSin[c*x])^n)/(d*f*(m + 1)), x] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^F
racPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c
^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d,
e, f, m, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && EqQ[m + 2*p + 3, 0] &
& NeQ[m, -1]
```

#### Rule 29

```
Int[(x_)^(-1), x_Symbol] :> Simp[Log[x], x]
```

#### Rubi steps



$$\int \frac{\sin^{-1}(ax)}{x^2\sqrt{1-a^2x^2}} dx = -\frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)}{x} + a \int \frac{1}{x} dx$$

$$= -\frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)}{x} + a \log(x)$$

**Mathematica [A]** time = 0.0241364, size = 28, normalized size = 1.

$$a \log(x) - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]/(x^2\*Sqrt[1 - a^2\*x^2]), x]

[Out] -((Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/x) + a\*Log[x]

**Maple [A]** time = 0.045, size = 32, normalized size = 1.1

$$-\frac{1}{x} \left( -\ln(ax) ax + \arcsin(ax) \sqrt{-a^2x^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)/x^2/(-a^2\*x^2+1)^(1/2), x)

[Out] -(-ln(a\*x)\*a\*x+arcsin(a\*x)\*(-a^2\*x^2+1)^(1/2))/x

**Maxima [A]** time = 1.5734, size = 35, normalized size = 1.25

$$a \log(x) - \frac{\sqrt{-a^2x^2 + 1} \arcsin(ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/x^2/(-a^2\*x^2+1)^(1/2), x, algorithm="maxima")

[Out]  $a \cdot \log(x) - \sqrt{-a^2 x^2 + 1} \cdot \arcsin(ax) / x$

**Fricas [A]** time = 2.19825, size = 66, normalized size = 2.36

$$\frac{ax \log(x) - \sqrt{-a^2 x^2 + 1} \arcsin(ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)/x^2/(-a^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out]  $(a \cdot x \cdot \log(x) - \sqrt{-a^2 x^2 + 1} \cdot \arcsin(ax)) / x$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)}{x^2 \sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)/x**2/(-a**2*x**2+1)**(1/2),x)`

[Out] `Integral(asin(a*x)/(x**2*sqrt(-(a*x - 1)*(a*x + 1))), x)`

**Giac [B]** time = 1.38837, size = 99, normalized size = 3.54

$$\frac{1}{2} \left( \frac{a^4 x}{\left( \sqrt{-a^2 x^2 + 1} |a| + a \right) |a|} - \frac{\sqrt{-a^2 x^2 + 1} |a| + a}{x |a|} \right) \arcsin(ax) + \frac{1}{2} a \log(a^2 x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)/x^2/(-a^2*x^2+1)^(1/2),x, algorithm="giac")`

[Out]  $\frac{1}{2} \cdot (a^4 x / ((\sqrt{-a^2 x^2 + 1} \cdot \text{abs}(a) + a) \cdot \text{abs}(a)) - (\sqrt{-a^2 x^2 + 1} \cdot \text{abs}(a) + a) / (x \cdot \text{abs}(a))) \cdot \arcsin(ax) + \frac{1}{2} \cdot a \cdot \log(a^2 x^2)$

$$3.108 \quad \int \frac{\sin^{-1}(ax)}{x^3 \sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=98

$$\frac{1}{2}ia^2 \text{PolyLog}\left(2, -e^{i \sin^{-1}(ax)}\right) - \frac{1}{2}ia^2 \text{PolyLog}\left(2, e^{i \sin^{-1}(ax)}\right) - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)}{2x^2} + a^2 \left(-\sin^{-1}(ax)\right) \tanh^{-1}\left(e^{i \sin^{-1}(ax)}\right)$$

[Out] -a/(2\*x) - (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/(2\*x^2) - a^2\*ArcSin[a\*x]\*ArcTan h[E^(I\*ArcSin[a\*x])] + (I/2)\*a^2\*PolyLog[2, -E^(I\*ArcSin[a\*x])] - (I/2)\*a^2 \*PolyLog[2, E^(I\*ArcSin[a\*x])]

**Rubi [A]** time = 0.146777, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {4701, 4709, 4183, 2279, 2391, 30}

$$\frac{1}{2}ia^2 \text{PolyLog}\left(2, -e^{i \sin^{-1}(ax)}\right) - \frac{1}{2}ia^2 \text{PolyLog}\left(2, e^{i \sin^{-1}(ax)}\right) - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)}{2x^2} + a^2 \left(-\sin^{-1}(ax)\right) \tanh^{-1}\left(e^{i \sin^{-1}(ax)}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]/(x^3\*Sqrt[1 - a^2\*x^2]),x]

[Out] -a/(2\*x) - (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/(2\*x^2) - a^2\*ArcSin[a\*x]\*ArcTan h[E^(I\*ArcSin[a\*x])] + (I/2)\*a^2\*PolyLog[2, -E^(I\*ArcSin[a\*x])] - (I/2)\*a^2 \*PolyLog[2, E^(I\*ArcSin[a\*x])]

#### Rule 4701

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b \*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] + (Dist[(c^2\*(m + 2\*p + 3))/(f^2\*(m + 1)), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d\*IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart [p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

#### Rule 4709

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)^(m\_))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Dist[1/(c^(m + 1)\*Sqrt[d]), Subst[Int[(a + b\*x)^n\*Sin

`[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]`

### Rule 4183

`Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]`

### Rule 2279

`Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]`

### Rule 2391

`Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

### Rule 30

`Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]`

### Rubi steps

$$\begin{aligned}
 \int \frac{\sin^{-1}(ax)}{x^3\sqrt{1-a^2x^2}} dx &= -\frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)}{2x^2} + \frac{1}{2}a \int \frac{1}{x^2} dx + \frac{1}{2}a^2 \int \frac{\sin^{-1}(ax)}{x\sqrt{1-a^2x^2}} dx \\
 &= -\frac{a}{2x} - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)}{2x^2} + \frac{1}{2}a^2 \operatorname{Subst}\left(\int x \csc(x) dx, x, \sin^{-1}(ax)\right) \\
 &= -\frac{a}{2x} - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)}{2x^2} - a^2 \sin^{-1}(ax) \tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right) - \frac{1}{2}a^2 \operatorname{Subst}\left(\int \log(1-e^{ix}) dx, x, s\right) \\
 &= -\frac{a}{2x} - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)}{2x^2} - a^2 \sin^{-1}(ax) \tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right) + \frac{1}{2}(ia^2) \operatorname{Subst}\left(\int \frac{\log(1-x)}{x} dx, x, s\right) \\
 &= -\frac{a}{2x} - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)}{2x^2} - a^2 \sin^{-1}(ax) \tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right) + \frac{1}{2}ia^2 \operatorname{Li}_2\left(-e^{i\sin^{-1}(ax)}\right) - \frac{1}{2}ia^2 \operatorname{Li}_2\left(e^{i\sin^{-1}(ax)}\right)
 \end{aligned}$$

**Mathematica [A]** time = 0.838323, size = 137, normalized size = 1.4

$$\frac{1}{8}a^2 \left( 4i \operatorname{PolyLog} \left( 2, -e^{i \sin^{-1}(ax)} \right) - 4i \operatorname{PolyLog} \left( 2, e^{i \sin^{-1}(ax)} \right) + 4 \sin^{-1}(ax) \log \left( 1 - e^{i \sin^{-1}(ax)} \right) - 4 \sin^{-1}(ax) \log \left( 1 + e^{i \sin^{-1}(ax)} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcSin[a\*x]/(x^3\*Sqrt[1 - a^2\*x^2]), x]

[Out] (a^2\*(-2\*Cot[ArcSin[a\*x]/2] - ArcSin[a\*x]\*Csc[ArcSin[a\*x]/2]^2 + 4\*ArcSin[a\*x]\*Log[1 - E^(I\*ArcSin[a\*x])] - 4\*ArcSin[a\*x]\*Log[1 + E^(I\*ArcSin[a\*x])] + (4\*I)\*PolyLog[2, -E^(I\*ArcSin[a\*x])] - (4\*I)\*PolyLog[2, E^(I\*ArcSin[a\*x])] + ArcSin[a\*x]\*Sec[ArcSin[a\*x]/2]^2 - 2\*Tan[ArcSin[a\*x]/2]))/8

**Maple [A]** time = 0.172, size = 178, normalized size = 1.8

$$-\frac{1}{(2a^2x^2 - 2)x^2} \sqrt{-a^2x^2 + 1} \left( a^2x^2 \arcsin(ax) - ax\sqrt{-a^2x^2 + 1} - \arcsin(ax) \right) - \frac{a^2 \arcsin(ax)}{2} \ln \left( 1 + iax + \sqrt{-a^2x^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)/x^3/(-a^2\*x^2+1)^(1/2), x)

[Out] -1/2\*(-a^2\*x^2+1)^(1/2)/(a^2\*x^2-1)/x^2\*(a^2\*x^2\*arcsin(a\*x)-a\*x\*(-a^2\*x^2+1)^(1/2)-arcsin(a\*x))-1/2\*a^2\*arcsin(a\*x)\*ln(1+I\*a\*x+(-a^2\*x^2+1)^(1/2))+1/2\*a^2\*arcsin(a\*x)\*ln(1-I\*a\*x-(-a^2\*x^2+1)^(1/2))+1/2\*I\*a^2\*polylog(2,-I\*a\*x-(-a^2\*x^2+1)^(1/2))-1/2\*I\*a^2\*polylog(2,I\*a\*x+(-a^2\*x^2+1)^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)}{\sqrt{-a^2x^2 + 1}x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/x^3/(-a^2\*x^2+1)^(1/2), x, algorithm="maxima")

[Out] integrate(arcsin(a\*x)/(sqrt(-a^2\*x^2 + 1)\*x^3), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2+1}\arcsin(ax)}{a^2x^5-x^3},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/x^3/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)/(a^2\*x^5 - x^3), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{asin}(ax)}{x^3\sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)/x\*\*3/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(asin(a\*x)/(x\*\*3\*sqrt(-(a\*x - 1)\*(a\*x + 1))), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)}{\sqrt{-a^2x^2+1}x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/x^3/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(arcsin(a\*x)/(sqrt(-a^2\*x^2 + 1)\*x^3), x)

$$3.109 \quad \int \frac{x^5 (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx$$

**Optimal.** Leaf size=224

$$\frac{x^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{5c^2 d} - \frac{4x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15c^4 d} - \frac{8\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15c^6 d} + \frac{bx^5 \sqrt{1 - c^2 x^2}}{25c \sqrt{d - c^2 dx^2}}$$

[Out] (8\*b\*x\*Sqrt[1 - c^2\*x^2])/(15\*c^5\*Sqrt[d - c^2\*d\*x^2]) + (4\*b\*x^3\*Sqrt[1 - c^2\*x^2])/(45\*c^3\*Sqrt[d - c^2\*d\*x^2]) + (b\*x^5\*Sqrt[1 - c^2\*x^2])/(25\*c\*Sqrt[d - c^2\*d\*x^2]) - (8\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(15\*c^6\*d) - (4\*x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(15\*c^4\*d) - (x^4\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(5\*c^2\*d)

**Rubi [A]** time = 0.26524, antiderivative size = 224, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {4707, 4677, 8, 30}

$$\frac{x^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{5c^2 d} - \frac{4x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15c^4 d} - \frac{8\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15c^6 d} + \frac{bx^5 \sqrt{1 - c^2 x^2}}{25c \sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^5\*(a + b\*ArcSin[c\*x]))/Sqrt[d - c^2\*d\*x^2], x]

[Out] (8\*b\*x\*Sqrt[1 - c^2\*x^2])/(15\*c^5\*Sqrt[d - c^2\*d\*x^2]) + (4\*b\*x^3\*Sqrt[1 - c^2\*x^2])/(45\*c^3\*Sqrt[d - c^2\*d\*x^2]) + (b\*x^5\*Sqrt[1 - c^2\*x^2])/(25\*c\*Sqrt[d - c^2\*d\*x^2]) - (8\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(15\*c^6\*d) - (4\*x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(15\*c^4\*d) - (x^4\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(5\*c^2\*d)

#### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)]/Sqrt[(d\_ + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 30

```
Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{x^5 (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx &= -\frac{x^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{5c^2 d} + \frac{4 \int \frac{x^3 (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx}{5c^2} + \frac{(b \sqrt{1 - c^2 x^2}) \int x^4 dx}{5c \sqrt{d - c^2 dx^2}} \\ &= \frac{bx^5 \sqrt{1 - c^2 x^2}}{25c \sqrt{d - c^2 dx^2}} - \frac{4x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15c^4 d} - \frac{x^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{5c^2 d} + \frac{8 \int \frac{x^3}{\sqrt{d - c^2 dx^2}} dx}{15c^4 d} \\ &= \frac{4bx^3 \sqrt{1 - c^2 x^2}}{45c^3 \sqrt{d - c^2 dx^2}} + \frac{bx^5 \sqrt{1 - c^2 x^2}}{25c \sqrt{d - c^2 dx^2}} - \frac{8 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15c^6 d} - \frac{4x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15c^4 d} \\ &= \frac{8bx \sqrt{1 - c^2 x^2}}{15c^5 \sqrt{d - c^2 dx^2}} + \frac{4bx^3 \sqrt{1 - c^2 x^2}}{45c^3 \sqrt{d - c^2 dx^2}} + \frac{bx^5 \sqrt{1 - c^2 x^2}}{25c \sqrt{d - c^2 dx^2}} - \frac{8 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15c^6 d} - \frac{4x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15c^4 d} \end{aligned}$$

**Mathematica [A]** time = 0.0723077, size = 119, normalized size = 0.53

$$\frac{15a(3c^6 x^6 + c^4 x^4 + 4c^2 x^2 - 8) + bcx \sqrt{1 - c^2 x^2} (9c^4 x^4 + 20c^2 x^2 + 120) + 15b(3c^6 x^6 + c^4 x^4 + 4c^2 x^2 - 8) \sin^{-1}(cx)}{225c^6 \sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^5*(a + b*ArcSin[c*x]))/Sqrt[d - c^2*d*x^2], x]
```



[Out]  $(b*c*x*\text{Sqrt}[1 - c^2*x^2]*(120 + 20*c^2*x^2 + 9*c^4*x^4) + 15*a*(-8 + 4*c^2*x^2 + c^4*x^4 + 3*c^6*x^6) + 15*b*(-8 + 4*c^2*x^2 + c^4*x^4 + 3*c^6*x^6)*\text{ArcSin}[c*x])/(225*c^6*\text{Sqrt}[d - c^2*d*x^2])$

**Maple [C]** time = 0.369, size = 665, normalized size = 3.

$$a \left( -\frac{x^4}{5c^2d} \sqrt{-c^2dx^2 + d} + \frac{4}{5c^2} \left( -\frac{x^2}{3c^2d} \sqrt{-c^2dx^2 + d} - \frac{2}{3dc^4} \sqrt{-c^2dx^2 + d} \right) \right) + b \left( -\frac{i + 5 \arcsin(cx)}{800dc^6(c^2x^2 - 1)} \sqrt{-d(c^2x^2 - 1)} \right) (16$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^5*(a+b*\arcsin(c*x))/(-c^2*d*x^2+d)^{(1/2)}, x)$

[Out]  $a*(-1/5*x^4/c^2/d*(-c^2*d*x^2+d)^{(1/2)}+4/5/c^2*(-1/3*x^2/c^2/d*(-c^2*d*x^2+d)^{(1/2)}-2/3/d/c^4*(-c^2*d*x^2+d)^{(1/2)}))+b*(-1/800*(-d*(c^2*x^2-1))^{(1/2)}*(16*c^6*x^6-28*c^4*x^4-16*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5+13*c^2*x^2+20*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3-5*I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(I+5*\arcsin(c*x))/c^6/d/(c^2*x^2-1)-5/288*(-d*(c^2*x^2-1))^{(1/2)}*(4*c^4*x^4-5*c^2*x^2-4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+3*I*(-c^2*x^2+1)^{(1/2)}*x*c+1)*(I+3*\arcsin(c*x))/c^6/d/(c^2*x^2-1)-5/16*(-d*(c^2*x^2-1))^{(1/2)}*(c^2*x^2-I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(\arcsin(c*x)+I)/c^6/d/(c^2*x^2-1)-5/16*(-d*(c^2*x^2-1))^{(1/2)}*(I*(-c^2*x^2+1)^{(1/2)}*x*c+c^2*x^2-1)*(\arcsin(c*x)-I)/c^6/d/(c^2*x^2-1)-5/288*(-d*(c^2*x^2-1))^{(1/2)}*(4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+4*c^4*x^4-3*I*(-c^2*x^2+1)^{(1/2)}*x*c-5*c^2*x^2+1)*(-I+3*\arcsin(c*x))/c^6/d/(c^2*x^2-1)-1/800*(-d*(c^2*x^2-1))^{(1/2)}*(16*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5+16*c^6*x^6-20*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3-28*c^4*x^4+5*I*(-c^2*x^2+1)^{(1/2)}*x*c+13*c^2*x^2-1)*(-I+5*\arcsin(c*x))/c^6/d/(c^2*x^2-1))$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^5*(a+b*\arcsin(c*x))/(-c^2*d*x^2+d)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.15844, size = 328, normalized size = 1.46

$$\frac{(9bc^5x^5 + 20bc^3x^3 + 120bcx)\sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1} + 15(3ac^6x^6 + ac^4x^4 + 4ac^2x^2 + (3bc^6x^6 + bc^4x^4 + 4bc^2x^2 - 8b^2c^4x^4 + 4b^2c^2x^2 - 8b^2a)\arcsin(cx) - 8a)\sqrt{-c^2dx^2 + d}}{225(c^8dx^2 - c^6d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="fricas")

[Out] -1/225\*((9\*b\*c^5\*x^5 + 20\*b\*c^3\*x^3 + 120\*b\*c\*x)\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1) + 15\*(3\*a\*c^6\*x^6 + a\*c^4\*x^4 + 4\*a\*c^2\*x^2 + (3\*b\*c^6\*x^6 + b\*c^4\*x^4 + 4\*b\*c^2\*x^2 - 8\*b)\*arcsin(c\*x) - 8\*a)\*sqrt(-c^2\*d\*x^2 + d))/(c^8\*d\*x^2 - c^6\*d)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^5 (a + b \operatorname{asin}(cx))}{\sqrt{-d}(cx-1)(cx+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*(1/2),x)

[Out] Integral(x\*\*5\*(a + b\*asin(c\*x))/sqrt(-d\*(c\*x - 1)\*(c\*x + 1)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)x^5}{\sqrt{-c^2dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^5/sqrt(-c^2\*d\*x^2 + d), x)

$$3.110 \quad \int \frac{x^4(a+b \sin^{-1}(cx))}{\sqrt{d-c^2dx^2}} dx$$

**Optimal.** Leaf size=200

$$\frac{x^3\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{4c^2d} - \frac{3x\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{8c^4d} + \frac{3\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^2}{16bc^5\sqrt{d-c^2dx^2}} + \frac{bx^4\sqrt{1-c^2x^2}}{16c\sqrt{d-c^2dx^2}} +$$

[Out] (3\*b\*x^2\*Sqrt[1 - c^2\*x^2])/(16\*c^3\*Sqrt[d - c^2\*d\*x^2]) + (b\*x^4\*Sqrt[1 - c^2\*x^2])/(16\*c\*Sqrt[d - c^2\*d\*x^2]) - (3\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(8\*c^4\*d) - (x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(4\*c^2\*d) + (3\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(16\*b\*c^5\*Sqrt[d - c^2\*d\*x^2])

**Rubi [A]** time = 0.249813, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {4707, 4643, 4641, 30}

$$\frac{x^3\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{4c^2d} - \frac{3x\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{8c^4d} + \frac{3\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^2}{16bc^5\sqrt{d-c^2dx^2}} + \frac{bx^4\sqrt{1-c^2x^2}}{16c\sqrt{d-c^2dx^2}} +$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(a + b\*ArcSin[c\*x]))/Sqrt[d - c^2\*d\*x^2], x]

[Out] (3\*b\*x^2\*Sqrt[1 - c^2\*x^2])/(16\*c^3\*Sqrt[d - c^2\*d\*x^2]) + (b\*x^4\*Sqrt[1 - c^2\*x^2])/(16\*c\*Sqrt[d - c^2\*d\*x^2]) - (3\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(8\*c^4\*d) - (x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(4\*c^2\*d) + (3\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(16\*b\*c^5\*Sqrt[d - c^2\*d\*x^2])

#### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)]/Sqrt[(d\_ + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rule 4643

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Dist[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2], Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && !GtQ[d, 0]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 30

```
Int[(x_)^(m_.), x_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{x^4 (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx &= -\frac{x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{4c^2 d} + \frac{3 \int \frac{x^2 (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx}{4c^2} + \frac{(b \sqrt{1 - c^2 x^2}) \int x^3 dx}{4c \sqrt{d - c^2 dx^2}} \\ &= \frac{bx^4 \sqrt{1 - c^2 x^2}}{16c \sqrt{d - c^2 dx^2}} - \frac{3x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8c^4 d} - \frac{x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{4c^2 d} + \frac{3 \int \frac{a + b \sin^{-1}(cx)}{\sqrt{d - c^2 dx^2}} dx}{4c} \\ &= \frac{3bx^2 \sqrt{1 - c^2 x^2}}{16c^3 \sqrt{d - c^2 dx^2}} + \frac{bx^4 \sqrt{1 - c^2 x^2}}{16c \sqrt{d - c^2 dx^2}} - \frac{3x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8c^4 d} - \frac{x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{4c^2 d} \\ &= \frac{3bx^2 \sqrt{1 - c^2 x^2}}{16c^3 \sqrt{d - c^2 dx^2}} + \frac{bx^4 \sqrt{1 - c^2 x^2}}{16c \sqrt{d - c^2 dx^2}} - \frac{3x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8c^4 d} - \frac{x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{4c^2 d} \end{aligned}$$

**Mathematica [A]** time = 0.804621, size = 161, normalized size = 0.8

$$\frac{16acx(2c^2x^2+3)\sqrt{d-c^2dx^2}}{d} - \frac{48a \tan^{-1}\left(\frac{cx\sqrt{d-c^2dx^2}}{\sqrt{d}(c^2x^2-1)}\right)}{\sqrt{d}} + \frac{b\sqrt{1-c^2x^2}(4\sin^{-1}(cx)(6\sin^{-1}(cx)-8\sin(2\sin^{-1}(cx))+\sin(4\sin^{-1}(cx)))-16\cos(2\sin^{-1}(cx))+\cos(4\sin^{-1}(cx)))}{\sqrt{d-c^2dx^2}}}{128c^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(a + b\*ArcSin[c\*x]))/Sqrt[d - c^2\*d\*x^2], x]

```
[Out] ((-16*a*c*x*(3 + 2*c^2*x^2)*Sqrt[d - c^2*d*x^2])/d - (48*a*ArcTan[(c*x*Sqrt[d - c^2*d*x^2])/(Sqrt[d]*(-1 + c^2*x^2))])/Sqrt[d] + (b*Sqrt[1 - c^2*x^2]*(-16*Cos[2*ArcSin[c*x]] + Cos[4*ArcSin[c*x]] + 4*ArcSin[c*x]*(6*ArcSin[c*x] - 8*Sin[2*ArcSin[c*x]] + Sin[4*ArcSin[c*x]])))/Sqrt[d - c^2*d*x^2])/(128*c^5)
```

**Maple [B]** time = 0.332, size = 400, normalized size = 2.

$$-\frac{ax^3}{4c^2d}\sqrt{-c^2dx^2+d} - \frac{3ax}{8c^4d}\sqrt{-c^2dx^2+d} + \frac{3a}{8c^4}\arctan\left(x\sqrt{c^2d}\frac{1}{\sqrt{-c^2dx^2+d}}\right)\frac{1}{\sqrt{c^2d}} - \frac{b\arcsin(cx)x^5}{4d(c^2x^2-1)}\sqrt{-d(c^2x^2-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2), x)
```

```
[Out] -1/4*a*x^3/c^2/d*(-c^2*d*x^2+d)^(1/2)-3/8*a/c^4*x/d*(-c^2*d*x^2+d)^(1/2)+3/8*a/c^4/(c^2*d)^(1/2)*arctan((c^2*d)^(1/2)*x/(-c^2*d*x^2+d)^(1/2))-1/4*b*(-d*(c^2*x^2-1))^(1/2)/d/(c^2*x^2-1)*arcsin(c*x)*x^5-1/8*b*(-d*(c^2*x^2-1))^(1/2)/c^2/d/(c^2*x^2-1)*arcsin(c*x)*x^3+3/8*b*(-d*(c^2*x^2-1))^(1/2)/c^4/d/(c^2*x^2-1)*arcsin(c*x)*x+15/128*b*(-d*(c^2*x^2-1))^(1/2)/c^5/d/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)-3/16*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/c^5/d/(c^2*x^2-1)*arcsin(c*x)^2-1/16*b*(-d*(c^2*x^2-1))^(1/2)/c/d/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^4-3/16*b*(-d*(c^2*x^2-1))^(1/2)/c^3/d/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^2
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2), x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(bx^4 \arcsin(cx) + ax^4)\sqrt{-c^2dx^2 + d}}{c^2dx^2 - d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="fricas")

[Out] integral(-(b\*x^4\*arcsin(c\*x) + a\*x^4)\*sqrt(-c^2\*d\*x^2 + d)/(c^2\*d\*x^2 - d), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4 (a + b \arcsin(cx))}{\sqrt{-d}(cx - 1)(cx + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*(1/2),x)

[Out] Integral(x\*\*4\*(a + b\*asin(c\*x))/sqrt(-d\*(c\*x - 1)\*(c\*x + 1)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^4}{\sqrt{-c^2dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^4/sqrt(-c^2\*d\*x^2 + d), x)

$$3.111 \quad \int \frac{x^3(a+b \sin^{-1}(cx))}{\sqrt{d-c^2dx^2}} dx$$

**Optimal.** Leaf size=148

$$-\frac{x^2\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{3c^2d} - \frac{2\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{3c^4d} + \frac{bx^3\sqrt{1-c^2x^2}}{9c\sqrt{d-c^2dx^2}} + \frac{2bx\sqrt{1-c^2x^2}}{3c^3\sqrt{d-c^2dx^2}}$$

[Out] (2\*b\*x\*Sqrt[1 - c^2\*x^2])/(3\*c^3\*Sqrt[d - c^2\*d\*x^2]) + (b\*x^3\*Sqrt[1 - c^2\*x^2])/(9\*c\*Sqrt[d - c^2\*d\*x^2]) - (2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(3\*c^4\*d) - (x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(3\*c^2\*d)

**Rubi [A]** time = 0.159491, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {4707, 4677, 8, 30}

$$-\frac{x^2\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{3c^2d} - \frac{2\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{3c^4d} + \frac{bx^3\sqrt{1-c^2x^2}}{9c\sqrt{d-c^2dx^2}} + \frac{2bx\sqrt{1-c^2x^2}}{3c^3\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(a + b\*ArcSin[c\*x]))/Sqrt[d - c^2\*d\*x^2], x]

[Out] (2\*b\*x\*Sqrt[1 - c^2\*x^2])/(3\*c^3\*Sqrt[d - c^2\*d\*x^2]) + (b\*x^3\*Sqrt[1 - c^2\*x^2])/(9\*c\*Sqrt[d - c^2\*d\*x^2]) - (2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(3\*c^4\*d) - (x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(3\*c^2\*d)

#### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_))/Sqrt[(d\_ + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

#### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x]

1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \frac{x^3 (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx &= -\frac{x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3c^2 d} + \frac{2 \int \frac{x^{a+b \sin^{-1}(cx)}}{\sqrt{d - c^2 dx^2}} dx}{3c^2} + \frac{(b \sqrt{1 - c^2 x^2}) \int x^2 dx}{3c \sqrt{d - c^2 dx^2}} \\ &= \frac{bx^3 \sqrt{1 - c^2 x^2}}{9c \sqrt{d - c^2 dx^2}} - \frac{2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3c^4 d} - \frac{x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3c^2 d} + \frac{(2b \sqrt{1 - c^2 x^2}) \int x^2 dx}{3c^3 \sqrt{d - c^2 dx^2}} \\ &= \frac{2bx \sqrt{1 - c^2 x^2}}{3c^3 \sqrt{d - c^2 dx^2}} + \frac{bx^3 \sqrt{1 - c^2 x^2}}{9c \sqrt{d - c^2 dx^2}} - \frac{2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3c^4 d} - \frac{x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3c^2 d} \end{aligned}$$

**Mathematica [A]** time = 0.0523435, size = 92, normalized size = 0.62

$$\frac{3a(c^4 x^4 + c^2 x^2 - 2) + bcx \sqrt{1 - c^2 x^2} (c^2 x^2 + 6) + 3b(c^4 x^4 + c^2 x^2 - 2) \sin^{-1}(cx)}{9c^4 \sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(a + b\*ArcSin[c\*x]))/Sqrt[d - c^2\*d\*x^2], x]

[Out] (b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(6 + c^2\*x^2) + 3\*a\*(-2 + c^2\*x^2 + c^4\*x^4) + 3\*b\*(-2 + c^2\*x^2 + c^4\*x^4)\*ArcSin[c\*x])/(9\*c^4\*Sqrt[d - c^2\*d\*x^2])



**Maple [C]** time = 0.24, size = 381, normalized size = 2.6

$$a \left( -\frac{x^2}{3c^2d} \sqrt{-c^2dx^2 + d} - \frac{2}{3dc^4} \sqrt{-c^2dx^2 + d} \right) + b \left( -\frac{i + 3 \arcsin(cx)}{72dc^4(c^2x^2 - 1)} \sqrt{-d(c^2x^2 - 1)} \left( 4c^4x^4 - 5c^2x^2 - 4i\sqrt{-c^2x^2 + 1}x^3 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2), x)`

[Out] `a*(-1/3*x^2/c^2/d*(-c^2*d*x^2+d)^(1/2)-2/3/d/c^4*(-c^2*d*x^2+d)^(1/2))+b*(-1/72*(-d*(c^2*x^2-1))^(1/2)*(4*c^4*x^4-5*c^2*x^2-4*I*(-c^2*x^2+1)^(1/2)*x^3*c^3+3*I*(-c^2*x^2+1)^(1/2)*x*c+1)*(I+3*arcsin(c*x))/c^4/d/(c^2*x^2-1)-3/8*(-d*(c^2*x^2-1))^(1/2)*(c^2*x^2-I*(-c^2*x^2+1)^(1/2)*x*c-1)*(arcsin(c*x)+I)/c^4/d/(c^2*x^2-1)-3/8*(-d*(c^2*x^2-1))^(1/2)*(I*(-c^2*x^2+1)^(1/2)*x*c+c^2*x^2-1)*(arcsin(c*x)-I)/c^4/d/(c^2*x^2-1)-1/72*(-d*(c^2*x^2-1))^(1/2)*(4*I*(-c^2*x^2+1)^(1/2)*x^3*c^3+4*c^4*x^4-3*I*(-c^2*x^2+1)^(1/2)*x*c-5*c^2*x^2+1)*(-I+3*arcsin(c*x))/c^4/d/(c^2*x^2-1))`

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2), x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.8392, size = 255, normalized size = 1.72

$$\frac{(bc^3x^3 + 6bcx)\sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1} + 3(ac^4x^4 + ac^2x^2 + (bc^4x^4 + bc^2x^2 - 2b)\arcsin(cx) - 2a)\sqrt{-c^2dx^2 + d}}{9(c^6dx^2 - c^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2), x, algorithm="fricas")`

[Out] `-1/9*((b*c^3*x^3 + 6*b*c*x)*sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1) + 3*(a*c^4*x^4 + a*c^2*x^2 + (b*c^4*x^4 + b*c^2*x^2 - 2*b)*arcsin(c*x) - 2*a)*sqrt`

$$(-c^2 d x^2 + d) / (c^6 d x^2 - c^4 d)$$


---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 (a + b \operatorname{asin}(cx))}{\sqrt{-d}(cx-1)(cx+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*(1/2),x)

[Out] Integral(x\*\*3\*(a + b\*asin(c\*x))/sqrt(-d\*(c\*x - 1)\*(c\*x + 1)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)x^3}{\sqrt{-c^2 dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^3/sqrt(-c^2\*d\*x^2 + d), x)

$$3.112 \quad \int \frac{x^2(a+b \sin^{-1}(cx))}{\sqrt{d-c^2dx^2}} dx$$

**Optimal.** Leaf size=124

$$-\frac{x\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{2c^2d} + \frac{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^2}{4bc^3\sqrt{d-c^2dx^2}} + \frac{bx^2\sqrt{1-c^2x^2}}{4c\sqrt{d-c^2dx^2}}$$

[Out] (b\*x^2\*Sqrt[1 - c^2\*x^2])/(4\*c\*Sqrt[d - c^2\*d\*x^2]) - (x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(2\*c^2\*d) + (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(4\*b\*c^3\*Sqrt[d - c^2\*d\*x^2])

**Rubi [A]** time = 0.145509, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {4707, 4643, 4641, 30}

$$-\frac{x\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{2c^2d} + \frac{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^2}{4bc^3\sqrt{d-c^2dx^2}} + \frac{bx^2\sqrt{1-c^2x^2}}{4c\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(a + b\*ArcSin[c\*x]))/Sqrt[d - c^2\*d\*x^2],x]

[Out] (b\*x^2\*Sqrt[1 - c^2\*x^2])/(4\*c\*Sqrt[d - c^2\*d\*x^2]) - (x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(2\*c^2\*d) + (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(4\*b\*c^3\*Sqrt[d - c^2\*d\*x^2])

#### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_)]/Sqrt[(d\_ + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

#### Rule 4643

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/Sqrt[(d\_ + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(a + b\*ArcSin[c\*x])^n

/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_./Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \frac{x^2 (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx &= -\frac{x\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2c^2 d} + \frac{\int \frac{a + b \sin^{-1}(cx)}{\sqrt{d - c^2 dx^2}} dx}{2c^2} + \frac{(b\sqrt{1 - c^2 x^2}) \int x dx}{2c\sqrt{d - c^2 dx^2}} \\ &= \frac{bx^2\sqrt{1 - c^2 x^2}}{4c\sqrt{d - c^2 dx^2}} - \frac{x\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2c^2 d} + \frac{\sqrt{1 - c^2 x^2} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} dx}{2c^2\sqrt{d - c^2 dx^2}} \\ &= \frac{bx^2\sqrt{1 - c^2 x^2}}{4c\sqrt{d - c^2 dx^2}} - \frac{x\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2c^2 d} + \frac{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{4bc^3\sqrt{d - c^2 dx^2}} \end{aligned}$$

**Mathematica [A]** time = 1.03077, size = 134, normalized size = 1.08

$$\frac{\frac{4acx\sqrt{d-c^2dx^2}}{d} + \frac{4a \tan^{-1}\left(\frac{cx\sqrt{d-c^2dx^2}}{\sqrt{d}(c^2x^2-1)}\right)}{\sqrt{d}} + \frac{b\sqrt{1-c^2x^2}(-2\sin^{-1}(cx)^2+2\sin(2\sin^{-1}(cx))\sin^{-1}(cx)+\cos(2\sin^{-1}(cx)))}{\sqrt{d-c^2dx^2}}}{8c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(a + b\*ArcSin[c\*x]))/Sqrt[d - c^2\*d\*x^2], x]

[Out] -((4\*a\*c\*x\*Sqrt[d - c^2\*d\*x^2])/d + (4\*a\*ArcTan[(c\*x\*Sqrt[d - c^2\*d\*x^2])/Sqrt[d]\*(-1 + c^2\*x^2)]/Sqrt[d] + (b\*Sqrt[1 - c^2\*x^2]\*(-2\*ArcSin[c\*x]^2 + Cos[2\*ArcSin[c\*x]] + 2\*ArcSin[c\*x]\*Sin[2\*ArcSin[c\*x]]))/Sqrt[d - c^2\*d\*x^2]))/(8\*c^3)

---

**Maple [B]** time = 0.186, size = 285, normalized size = 2.3

$$-\frac{ax}{2c^2d}\sqrt{-c^2dx^2+d} + \frac{a}{2c^2}\arctan\left(x\sqrt{c^2d}\frac{1}{\sqrt{-c^2dx^2+d}}\right)\frac{1}{\sqrt{c^2d}} - \frac{b(\arcsin(cx))^2}{4dc^3(c^2x^2-1)}\sqrt{-d(c^2x^2-1)}\sqrt{-c^2x^2+1} - \frac{b\arcsin(cx)}{2d(c^2x^2-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2), x)`

[Out] 
$$-1/2*a*x/c^2/d*(-c^2*d*x^2+d)^(1/2)+1/2*a/c^2/(c^2*d)^(1/2)*\arctan((c^2*d)^(1/2)*x/(-c^2*d*x^2+d)^(1/2))-1/4*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/c^3/d/(c^2*x^2-1)*\arcsin(c*x)^2-1/2*b*(-d*(c^2*x^2-1))^(1/2)/d/(c^2*x^2-1)*\arcsin(c*x)*x^3-1/4*b*(-d*(c^2*x^2-1))^(1/2)/c/d/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^2+1/2*b*(-d*(c^2*x^2-1))^(1/2)/c^2/d/(c^2*x^2-1)*\arcsin(c*x)*x+1/8*b*(-d*(c^2*x^2-1))^(1/2)/c^3/d/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2), x, algorithm="maxima")`

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2+d}(bx^2\arcsin(cx)+ax^2)}{c^2dx^2-d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2), x, algorithm="fricas")`

[Out] `integral(-sqrt(-c^2*d*x^2+d)*(b*x^2*arcsin(c*x)+a*x^2)/(c^2*d*x^2-d), x)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 (a + b \operatorname{asin}(cx))}{\sqrt{-d}(cx - 1)(cx + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*(1/2), x)

[Out] Integral(x\*\*2\*(a + b\*asin(c\*x))/sqrt(-d\*(c\*x - 1)\*(c\*x + 1)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)x^2}{\sqrt{-c^2 dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(1/2), x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^2/sqrt(-c^2\*d\*x^2 + d), x)

$$3.113 \quad \int \frac{x(a+b \sin^{-1}(cx))}{\sqrt{d-c^2dx^2}} dx$$

**Optimal.** Leaf size=67

$$\frac{bx\sqrt{1-c^2x^2}}{c\sqrt{d-c^2dx^2}} - \frac{\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{c^2d}$$

[Out] (b\*x\*Sqrt[1 - c^2\*x^2])/(c\*Sqrt[d - c^2\*d\*x^2]) - (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(c^2\*d)

**Rubi [A]** time = 0.0605404, antiderivative size = 67, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.08$ , Rules used = {4677, 8}

$$\frac{bx\sqrt{1-c^2x^2}}{c\sqrt{d-c^2dx^2}} - \frac{\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{c^2d}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a + b\*ArcSin[c\*x]))/Sqrt[d - c^2\*d\*x^2], x]

[Out] (b\*x\*Sqrt[1 - c^2\*x^2])/(c\*Sqrt[d - c^2\*d\*x^2]) - (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(c^2\*d)

#### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

#### Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

#### Rubi steps

$$\int \frac{x(a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx = -\frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{c^2 d} + \frac{(b\sqrt{1 - c^2 x^2}) \int 1 dx}{c\sqrt{d - c^2 dx^2}}$$

$$= \frac{bx\sqrt{1 - c^2 x^2}}{c\sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{c^2 d}$$

**Mathematica [A]** time = 0.0315414, size = 64, normalized size = 0.96

$$\frac{a(c^2 x^2 - 1) + bcx\sqrt{1 - c^2 x^2} + b(c^2 x^2 - 1)\sin^{-1}(cx)}{c^2\sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(a + b\*ArcSin[c\*x]))/Sqrt[d - c^2\*d\*x^2], x]

[Out] (b\*c\*x\*Sqrt[1 - c^2\*x^2] + a\*(-1 + c^2\*x^2) + b\*(-1 + c^2\*x^2)\*ArcSin[c\*x]) / (c^2\*Sqrt[d - c^2\*d\*x^2])

**Maple [C]** time = 0.093, size = 159, normalized size = 2.4

$$-\frac{a}{c^2 d} \sqrt{-c^2 dx^2 + d} + b \left( -\frac{\arcsin(cx) + i}{2c^2 d (c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} (c^2 x^2 - i\sqrt{-c^2 x^2 + 1}xc - 1) - \frac{\arcsin(cx) - i}{2c^2 d (c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} (i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(1/2), x)

[Out] -a/c^2/d\*(-c^2\*d\*x^2+d)^(1/2)+b\*(-1/2\*(-d\*(c^2\*x^2-1))^(1/2)\*(c^2\*x^2-I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(arcsin(c\*x)+I)/c^2/d/(c^2\*x^2-1)-1/2\*(-d\*(c^2\*x^2-1))^(1/2)\*(I\*(-c^2\*x^2+1)^(1/2)\*x\*c+c^2\*x^2-1)\*(arcsin(c\*x)-I)/c^2/d/(c^2\*x^2-1))

**Maxima [A]** time = 1.68097, size = 78, normalized size = 1.16

$$\frac{bx}{c\sqrt{d}} - \frac{\sqrt{-c^2 dx^2 + db} \arcsin(cx)}{c^2 d} - \frac{\sqrt{-c^2 dx^2 + da}}{c^2 d}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2),x, algorithm="maxima")`

[Out]  $b*x/(c*\sqrt{d}) - \sqrt{-c^2*d*x^2 + d}*b*arcsin(c*x)/(c^2*d) - \sqrt{-c^2*d*x^2 + d}*a/(c^2*d)$

**Fricas [A]** time = 1.80182, size = 188, normalized size = 2.81

$$\frac{\sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1}bcx + (ac^2x^2 + (bc^2x^2 - b)arcsin(cx) - a)\sqrt{-c^2dx^2 + d}}{c^4dx^2 - c^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2),x, algorithm="fricas")`

[Out]  $-(\sqrt{-c^2*d*x^2 + d}*\sqrt{-c^2*x^2 + 1}*b*c*x + (a*c^2*x^2 + (b*c^2*x^2 - b)*arcsin(c*x) - a)*\sqrt{-c^2*d*x^2 + d})/(c^4*d*x^2 - c^2*d)$

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*asin(c*x))/(-c**2*d*x**2+d)**(1/2),x)`

[Out] Exception raised: TypeError

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x}{\sqrt{-c^2dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2),x, algorithm="giac")`

```
[Out] integrate((b*arcsin(c*x) + a)*x/sqrt(-c^2*d*x^2 + d), x)
```

$$3.114 \quad \int \frac{a+b \sin^{-1}(cx)}{\sqrt{d-c^2 dx^2}} dx$$

Optimal. Leaf size=49

$$\frac{\sqrt{1-c^2 x^2} (a+b \sin^{-1}(cx))^2}{2bc\sqrt{d-c^2 dx^2}}$$

[Out] (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(2\*b\*c\*Sqrt[d - c^2\*d\*x^2])

**Rubi [A]** time = 0.0508182, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {4643, 4641}

$$\frac{\sqrt{1-c^2 x^2} (a+b \sin^{-1}(cx))^2}{2bc\sqrt{d-c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/Sqrt[d - c^2\*d\*x^2], x]

[Out] (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(2\*b\*c\*Sqrt[d - c^2\*d\*x^2])

#### Rule 4643

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^n\_/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^n\_/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{a + b \sin^{-1}(cx)}{\sqrt{d - c^2 dx^2}} dx = \frac{\sqrt{1 - c^2 x^2} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} dx}{\sqrt{d - c^2 dx^2}}$$

$$= \frac{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{2bc\sqrt{d - c^2 dx^2}}$$

**Mathematica [A]** time = 0.0615352, size = 50, normalized size = 1.02

$$\frac{\sqrt{1 - c^2 x^2} \sin^{-1}(cx) (2a + b \sin^{-1}(cx))}{2c\sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/Sqrt[d - c^2\*d\*x^2], x]

[Out] (Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*(2\*a + b\*ArcSin[c\*x]))/(2\*c\*Sqrt[d - c^2\*d\*x^2])

**Maple [A]** time = 0.038, size = 86, normalized size = 1.8

$$a \arctan\left(x\sqrt{c^2 d} \frac{1}{\sqrt{-c^2 dx^2 + d}}\right) \frac{1}{\sqrt{c^2 d}} - \frac{b (\arcsin(cx))^2}{2dc(c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} \sqrt{-c^2 x^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(1/2), x)

[Out] a/(c^2\*d)^(1/2)\*arctan((c^2\*d)^(1/2)\*x/(-c^2\*d\*x^2+d)^(1/2))-1/2\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c/d/(c^2\*x^2-1)\*arcsin(c\*x)^2

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2+d}(b\arcsin(cx)+a)}{c^2dx^2-d},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2),x, algorithm="fricas")
```

```
[Out] integral(-sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)/(c^2*d*x^2 - d), x)
```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asin}(cx)}{\sqrt{-d(cx-1)(cx+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/(-c**2*d*x**2+d)**(1/2),x)
```

```
[Out] Integral((a + b*asin(c*x))/sqrt(-d*(c*x - 1)*(c*x + 1)), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{\sqrt{-c^2dx^2+d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/sqrt(-c^2*d*x^2 + d), x)
```

$$3.115 \quad \int \frac{a+b \sin^{-1}(cx)}{x\sqrt{d-c^2dx^2}} dx$$

**Optimal.** Leaf size=145

$$\frac{ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)}{\sqrt{d-c^2dx^2}} - \frac{ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)}{\sqrt{d-c^2dx^2}} - \frac{2\sqrt{1-c^2x^2} \tanh^{-1}\left(e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{d-c^2dx^2}}$$

[Out] (-2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*ArcTanh[E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] + (I\*b\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] - (I\*b\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2]

**Rubi [A]** time = 0.193626, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {4713, 4709, 4183, 2279, 2391}

$$\frac{ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)}{\sqrt{d-c^2dx^2}} - \frac{ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)}{\sqrt{d-c^2dx^2}} - \frac{2\sqrt{1-c^2x^2} \tanh^{-1}\left(e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(x\*Sqrt[d - c^2\*d\*x^2]), x]

[Out] (-2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*ArcTanh[E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] + (I\*b\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] - (I\*b\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2]

### Rule 4713

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_)^(m\_))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(f\*x)^m\*(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !GtQ[d, 0] && (IntegerQ[m] || EqQ[n, 1])

### Rule 4709

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)^(m\_))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[1/(c^(m + 1)\*Sqrt[d]), Subst[Int[(a + b\*x)^n\*Sin

$[x]^m, x], x, \text{ArcSin}[c*x]], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$

### Rule 4183

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^{(m_.)}, x\_Symbol] \text{ :> } \text{Simp}[( -2*(c + d*x)^m*\text{ArcTanh}[E^{(I*(e + f*x))}]]/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 - E^{(I*(e + f*x))}], x], x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + E^{(I*(e + f*x))}], x], x)) /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{IGtQ}[m, 0]$

### Rule 2279

$\text{Int}[\text{Log}[(a_.) + (b_.)*((F_)^{((e_.)*((c_.) + (d_.)*(x_.)))})^{(n_.)}], x\_Symbol] \text{ :> } \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /; \text{FreeQ}[\{F, a, b, c, d, e, n\}, x] \ \&\& \ \text{GtQ}[a, 0]$

### Rule 2391

$\text{Int}[\text{Log}[(c_.)*((d_.) + (e_.)*(x_.))^{(n_.)}]/(x_.), x\_Symbol] \text{ :> } -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}[\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c*d, 1]$

### Rubi steps

$$\begin{aligned} \int \frac{a + b \sin^{-1}(cx)}{x\sqrt{d - c^2 dx^2}} dx &= \frac{\sqrt{1 - c^2 x^2} \int \frac{a + b \sin^{-1}(cx)}{x\sqrt{1 - c^2 x^2}} dx}{\sqrt{d - c^2 dx^2}} \\ &= \frac{\sqrt{1 - c^2 x^2} \text{Subst}\left(\int (a + bx) \csc(x) dx, x, \sin^{-1}(cx)\right)}{\sqrt{d - c^2 dx^2}} \\ &= -\frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{\sqrt{d - c^2 dx^2}} - \frac{(b\sqrt{1 - c^2 x^2}) \text{Subst}\left(\int \log(1 - e^{ix}) dx, x, \sin^{-1}(cx)\right)}{\sqrt{d - c^2 dx^2}} \\ &= -\frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{\sqrt{d - c^2 dx^2}} + \frac{(ib\sqrt{1 - c^2 x^2}) \text{Subst}\left(\int \frac{\log(1-x)}{x} dx, x, e^{i \sin^{-1}(cx)}\right)}{\sqrt{d - c^2 dx^2}} \\ &= -\frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{\sqrt{d - c^2 dx^2}} + \frac{ib\sqrt{1 - c^2 x^2} \text{Li}_2\left(-e^{i \sin^{-1}(cx)}\right)}{\sqrt{d - c^2 dx^2}} - \frac{ib\sqrt{1 - c^2 x^2}}{\sqrt{d - c^2 dx^2}} \end{aligned}$$

**Mathematica [A]** time = 0.290129, size = 146, normalized size = 1.01

$$\frac{b\sqrt{1-c^2x^2}\left(i\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)-i\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)+\sin^{-1}(cx)\left(\log\left(1-e^{i\sin^{-1}(cx)}\right)-\log\left(1+e^{i\sin^{-1}(cx)}\right)\right)\right)}{\sqrt{d(1-c^2x^2)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x\*Sqrt[d - c^2\*d\*x^2]), x]

[Out] (a\*Log[x])/Sqrt[d] - (a\*Log[d + Sqrt[d]\*Sqrt[-(d\*(-1 + c^2\*x^2))]])/Sqrt[d] + (b\*Sqrt[1 - c^2\*x^2]\*(ArcSin[c\*x]\*(Log[1 - E^(I\*ArcSin[c\*x])]) - Log[1 + E^(I\*ArcSin[c\*x])]) + I\*PolyLog[2, -E^(I\*ArcSin[c\*x])] - I\*PolyLog[2, E^(I\*ArcSin[c\*x])])/Sqrt[d\*(1 - c^2\*x^2)]

**Maple [A]** time = 0.101, size = 180, normalized size = 1.2

$$-a \ln\left(\frac{1}{x}\left(2d + 2\sqrt{d}\sqrt{-c^2dx^2 + d}\right)\right) \frac{1}{\sqrt{d}} - \frac{ib}{d(c^2x^2 - 1)} \sqrt{-c^2x^2 + 1} \sqrt{-d(c^2x^2 - 1)} \left(i \arcsin(cx) \ln\left(1 + icx + \sqrt{-c^2x^2 + 1}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x/(-c^2\*d\*x^2+d)^(1/2), x)

[Out] -a/d^(1/2)\*ln((2\*d+2\*d^(1/2)\*(-c^2\*d\*x^2+d)^(1/2))/x)-I\*b\*(-c^2\*x^2+1)^(1/2)\*(-d\*(c^2\*x^2-1))^(1/2)\*(I\*arcsin(c\*x)\*ln(1+I\*c\*x+(-c^2\*x^2+1)^(1/2))-I\*arcsin(c\*x)\*ln(1-I\*c\*x-(-c^2\*x^2+1)^(1/2))+polylog(2,-I\*c\*x-(-c^2\*x^2+1)^(1/2))-polylog(2,I\*c\*x+(-c^2\*x^2+1)^(1/2)))/d/(c^2\*x^2-1)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x/(-c^2\*d\*x^2+d)^(1/2), x, algorithm="maxima")

[Out] Exception raised: ValueError



---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2 + d}(b \arcsin(cx) + a)}{c^2dx^3 - dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)/(c^2\*d\*x^3 - d\*x), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \arcsin(cx)}{x\sqrt{-d}(cx - 1)(cx + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x/(-c\*\*2\*d\*x\*\*2+d)\*\*(1/2),x)

[Out] Integral((a + b\*asin(c\*x))/(x\*sqrt(-d\*(c\*x - 1)\*(c\*x + 1))), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{\sqrt{-c^2dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/(sqrt(-c^2\*d\*x^2 + d)\*x), x)

$$3.116 \quad \int \frac{a+b \sin^{-1}(cx)}{x^2 \sqrt{d-c^2 dx^2}} dx$$

**Optimal.** Leaf size=66

$$\frac{bc\sqrt{1-c^2x^2} \log(x)}{\sqrt{d-c^2dx^2}} - \frac{\sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx))}{dx}$$

[Out] -((Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(d\*x)) + (b\*c\*Sqrt[1 - c^2\*x^2]\*Log[x])/Sqrt[d - c^2\*d\*x^2]

**Rubi [A]** time = 0.0904784, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {4681, 29}

$$\frac{bc\sqrt{1-c^2x^2} \log(x)}{\sqrt{d-c^2dx^2}} - \frac{\sqrt{d-c^2dx^2} (a+b \sin^{-1}(cx))}{dx}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(x^2\*Sqrt[d - c^2\*d\*x^2]), x]

[Out] -((Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(d\*x)) + (b\*c\*Sqrt[1 - c^2\*x^2]\*Log[x])/Sqrt[d - c^2\*d\*x^2]

#### Rule 4681

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] :> Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b
*ArcSin[c*x])^n)/(d*f*(m + 1)), x] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^F
racPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c
^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d,
e, f, m, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && EqQ[m + 2*p + 3, 0] &
& NeQ[m, -1]
```

#### Rule 29

```
Int[(x_)^(-1), x_Symbol] :> Simp[Log[x], x]
```

#### Rubi steps

$$\int \frac{a + b \sin^{-1}(cx)}{x^2 \sqrt{d - c^2 dx^2}} dx = -\frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{dx} + \frac{(bc \sqrt{1 - c^2 x^2}) \int \frac{1}{x} dx}{\sqrt{d - c^2 dx^2}}$$

$$= -\frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{dx} + \frac{bc \sqrt{1 - c^2 x^2} \log(x)}{\sqrt{d - c^2 dx^2}}$$

**Mathematica [A]** time = 0.124217, size = 69, normalized size = 1.05

$$\frac{bc \log(x) \sqrt{d - c^2 dx^2}}{d \sqrt{1 - c^2 x^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{dx}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^2\*Sqrt[d - c^2\*d\*x^2]),x]

[Out] -((Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(d\*x)) + (b\*c\*Sqrt[d - c^2\*d\*x^2]\*Log[x])/(d\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.148, size = 216, normalized size = 3.3

$$-\frac{a}{dx} \sqrt{-c^2 dx^2 + d} + \frac{ib \arcsin(cx) c}{d(c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} \sqrt{-c^2 x^2 + 1} - \frac{b \arcsin(cx) x c^2}{d(c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} + \frac{b \arcsin(cx)}{(c^2 x^2 - 1) dx} \sqrt{-d(c^2 x^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d)^(1/2),x)

[Out] -a/d/x\*(-c^2\*d\*x^2+d)^(1/2)+I\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/d/(c^2\*x^2-1)\*arcsin(c\*x)\*c-b\*(-d\*(c^2\*x^2-1))^(1/2)\*arcsin(c\*x)/d\*x/(c^2\*x^2-1)\*c^2+b\*(-d\*(c^2\*x^2-1))^(1/2)\*arcsin(c\*x)/d/x/(c^2\*x^2-1)-b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/d/(c^2\*x^2-1)\*ln((I\*c\*x+(-c^2\*x^2+1)^(1/2))^(1/2)-1)\*c

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.09764, size = 487, normalized size = 7.38

$$\left[ \frac{bc\sqrt{dx} \log\left(\frac{c^2dx^6+c^2dx^2-dx^4-\sqrt{-c^2dx^2+d}\sqrt{-c^2x^2+1}(x^4-1)\sqrt{d-d}}{c^2x^4-x^2}\right) - 2\sqrt{-c^2dx^2+d}(b\arcsin(cx)+a)bc\sqrt{-dx} \arctan\left(\frac{\sqrt{-c^2dx^2+d}\sqrt{-c^2x^2+1}}{c^2dx^4-x^2}\right)}{2dx}, \dots \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="fricas")

[Out] [1/2\*(b\*c\*sqrt(d)\*x\*log((c^2\*d\*x^6 + c^2\*d\*x^2 - d\*x^4 - sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*(x^4 - 1)\*sqrt(d) - d)/(c^2\*x^4 - x^2)) - 2\*sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a))/(d\*x), (b\*c\*sqrt(-d)\*x\*arctan(sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*(x^2 + 1)\*sqrt(-d)/(c^2\*d\*x^4 - (c^2 + 1)\*d\*x^2 + d)) - sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a))/(d\*x)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asin}(cx)}{x^2 \sqrt{-d}(cx-1)(cx+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*(1/2),x)

[Out] Integral((a + b\*asin(c\*x))/(x\*\*2\*sqrt(-d\*(c\*x - 1)\*(c\*x + 1))), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsin}(cx) + a}{\sqrt{-c^2dx^2 + dx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^2/(-c^2*d*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/(sqrt(-c^2*d*x^2 + d)*x^2), x)
```

$$3.117 \quad \int \frac{a+b \sin^{-1}(cx)}{x^3 \sqrt{d-c^2 dx^2}} dx$$

**Optimal.** Leaf size=229

$$\frac{ibc^2 \sqrt{1-c^2 x^2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)}{2\sqrt{d-c^2 dx^2}} - \frac{ibc^2 \sqrt{1-c^2 x^2} \text{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right)}{2\sqrt{d-c^2 dx^2}} - \frac{\sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx))}{2dx^2} - \frac{c^2 \sqrt{1-c^2 x^2}}{2dx^2}$$

[Out]  $-(b*c*\text{Sqrt}[1 - c^2*x^2])/(2*x*\text{Sqrt}[d - c^2*d*x^2]) - (\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(2*d*x^2) - (c^2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^{(I*\text{ArcSin}[c*x])}])/(\text{Sqrt}[d - c^2*d*x^2] + ((I/2)*b*c^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}])/(\text{Sqrt}[d - c^2*d*x^2] - ((I/2)*b*c^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}])/(\text{Sqrt}[d - c^2*d*x^2]))$

**Rubi [A]** time = 0.299153, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {4701, 4713, 4709, 4183, 2279, 2391, 30}

$$\frac{ibc^2 \sqrt{1-c^2 x^2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)}{2\sqrt{d-c^2 dx^2}} - \frac{ibc^2 \sqrt{1-c^2 x^2} \text{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right)}{2\sqrt{d-c^2 dx^2}} - \frac{\sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx))}{2dx^2} - \frac{c^2 \sqrt{1-c^2 x^2}}{2dx^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])/(x^3*\text{Sqrt}[d - c^2*d*x^2]), x]$

[Out]  $-(b*c*\text{Sqrt}[1 - c^2*x^2])/(2*x*\text{Sqrt}[d - c^2*d*x^2]) - (\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(2*d*x^2) - (c^2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^{(I*\text{ArcSin}[c*x])}])/(\text{Sqrt}[d - c^2*d*x^2] + ((I/2)*b*c^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}])/(\text{Sqrt}[d - c^2*d*x^2] - ((I/2)*b*c^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}])/(\text{Sqrt}[d - c^2*d*x^2]))$

### Rule 4701

$\text{Int}[(a + b*\text{ArcSin}[c*x])/(x^3*\text{Sqrt}[d - c^2*d*x^2]), x] := \text{Simp}[(f*x)^{(m+1)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n / (d*f*(m+1)), x] + (\text{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1)], \text{Int}[(f*x)^{(m+2)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n, x], x) - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}]/(f*(m+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m+1)}*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x) /;$  FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n,

0] && LtQ[m, -1] && IntegerQ[m]

### Rule 4713

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(f\*x)^m\*(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !GtQ[d, 0] && (IntegerQ[m] || EqQ[n, 1])

### Rule 4709

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Dist[1/(c^(m + 1)\*Sqrt[d]), Subst[Int[(a + b\*x)^n\*Sin[x]^m, x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^3 \sqrt{d - c^2 dx^2}} dx &= -\frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2dx^2} + \frac{1}{2}c^2 \int \frac{a + b \sin^{-1}(cx)}{x \sqrt{d - c^2 dx^2}} dx + \frac{(bc\sqrt{1 - c^2 x^2}) \int \frac{1}{x^2} dx}{2\sqrt{d - c^2 dx^2}} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2x\sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2dx^2} + \frac{(c^2\sqrt{1 - c^2 x^2}) \int \frac{a + b \sin^{-1}(cx)}{x\sqrt{1 - c^2 x^2}} dx}{2\sqrt{d - c^2 dx^2}} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2x\sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2dx^2} + \frac{(c^2\sqrt{1 - c^2 x^2}) \text{Subst} \left( \int (a + bx) \csc(x) dx, x, \sin^{-1}(cx) \right)}{2\sqrt{d - c^2 dx^2}} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2x\sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2dx^2} - \frac{c^2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tanh^{-1} \left( e^{i \sin^{-1}(cx)} \right)}{\sqrt{d - c^2 dx^2}} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2x\sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2dx^2} - \frac{c^2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tanh^{-1} \left( e^{i \sin^{-1}(cx)} \right)}{\sqrt{d - c^2 dx^2}} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2x\sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2dx^2} - \frac{c^2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tanh^{-1} \left( e^{i \sin^{-1}(cx)} \right)}{\sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 2.29856, size = 244, normalized size = 1.07

$$\frac{bc^2 d^2 (1 - c^2 x^2)^{3/2} (4i \text{PolyLog}(2, -e^{i \sin^{-1}(cx)}) - 4i \text{PolyLog}(2, e^{i \sin^{-1}(cx)}) + 4 \sin^{-1}(cx) \log(1 - e^{i \sin^{-1}(cx)}) - 4 \sin^{-1}(cx) \log(1 + e^{i \sin^{-1}(cx)}) - 2 \tan\left(\frac{1}{2} \sin^{-1}(cx)\right) - 2 \cot\left(\frac{1}{2} \sin^{-1}(cx)\right))}{(d - c^2 dx^2)^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^3\*Sqrt[d - c^2\*d\*x^2]),x]

[Out] ((-4\*a\*Sqrt[d - c^2\*d\*x^2])/x^2 + 4\*a\*c^2\*Sqrt[d]\*Log[x] - 4\*a\*c^2\*Sqrt[d]\*Log[d + Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]] + (b\*c^2\*d^2\*(1 - c^2\*x^2)^(3/2)\*(-2\*Cos[ArcSin[c\*x]/2] - ArcSin[c\*x]\*Csc[ArcSin[c\*x]/2]^2 + 4\*ArcSin[c\*x]\*Log[1 - E^(I\*ArcSin[c\*x])]) - 4\*ArcSin[c\*x]\*Log[1 + E^(I\*ArcSin[c\*x])]) + (4\*I)\*PolyLog[2, -E^(I\*ArcSin[c\*x])] - (4\*I)\*PolyLog[2, E^(I\*ArcSin[c\*x])] + ArcSin[c\*x]\*Sec[ArcSin[c\*x]/2]^2 - 2\*Tan[ArcSin[c\*x]/2]))/(d - c^2\*d\*x^2)^(3/2)/(8\*d)



**Maple [B]** time = 0.221, size = 461, normalized size = 2.

$$-\frac{a}{2dx^2}\sqrt{-c^2dx^2+d}-\frac{ac^2}{2}\ln\left(\frac{1}{x}\left(2d+2\sqrt{d}\sqrt{-c^2dx^2+d}\right)\right)\frac{1}{\sqrt{d}}-\frac{b\arcsin(cx)c^2}{2d(c^2x^2-1)}\sqrt{-d(c^2x^2-1)}+\frac{bc}{2(c^2x^2-1)dx}\sqrt{-$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^3/(-c^2\*d\*x^2+d)^(1/2),x)

[Out] 
$$-1/2*a/d/x^2*(-c^2*d*x^2+d)^{(1/2)}-1/2*a*c^2/d^{(1/2)}*\ln((2*d+2*d^{(1/2)}*(-c^2*d*x^2+d)^{(1/2)})/x)-1/2*b*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*\arcsin(c*x)*c^2+1/2*b*(-d*(c^2*x^2-1))^{(1/2)}/x/d/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c+1/2*b*(-d*(c^2*x^2-1))^{(1/2)}/x^2/d/(c^2*x^2-1)*\arcsin(c*x)+1/2*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*c^2*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-1/2*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*c^2*\arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})-1/2*I*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*c^2*\operatorname{polylog}(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})+1/2*I*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*c^2*\operatorname{polylog}(2,I*c*x+(-c^2*x^2+1)^{(1/2)})$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^3/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{\sqrt{-c^2dx^2+d}(b\arcsin(cx)+a)}{c^2dx^5-dx^3},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^3/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="fricas")

[Out] `integral(-sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)/(c^2*d*x^5 - d*x^3), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asin}(cx)}{x^3 \sqrt{-d}(cx - 1)(cx + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))/x**3/(-c**2*d*x**2+d)**(1/2),x)`

[Out] `Integral((a + b*asin(c*x))/(x**3*sqrt(-d*(c*x - 1)*(c*x + 1))), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsin}(cx) + a}{\sqrt{-c^2 dx^2 + d} x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x^3/(-c^2*d*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)/(sqrt(-c^2*d*x^2 + d)*x^3), x)`

$$3.118 \quad \int \frac{a+b \sin^{-1}(cx)}{x^4 \sqrt{d-c^2 dx^2}} dx$$

**Optimal.** Leaf size=147

$$\frac{2c^2 \sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx))}{3dx} - \frac{\sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx))}{3dx^3} - \frac{bc \sqrt{1-c^2 x^2}}{6x^2 \sqrt{d-c^2 dx^2}} + \frac{2bc^3 \sqrt{1-c^2 x^2} \log(x)}{3 \sqrt{d-c^2 dx^2}}$$

[Out]  $-(b*c*\text{Sqrt}[1 - c^2*x^2])/(6*x^2*\text{Sqrt}[d - c^2*d*x^2]) - (\text{Sqrt}[d - c^2*d*x^2] * (a + b*\text{ArcSin}[c*x]))/(3*d*x^3) - (2*c^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(3*d*x) + (2*b*c^3*\text{Sqrt}[1 - c^2*x^2]*\text{Log}[x])/(3*\text{Sqrt}[d - c^2*d*x^2])$

**Rubi [A]** time = 0.187793, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {4701, 4681, 29, 30}

$$\frac{2c^2 \sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx))}{3dx} - \frac{\sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx))}{3dx^3} - \frac{bc \sqrt{1-c^2 x^2}}{6x^2 \sqrt{d-c^2 dx^2}} + \frac{2bc^3 \sqrt{1-c^2 x^2} \log(x)}{3 \sqrt{d-c^2 dx^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])/(x^4*\text{Sqrt}[d - c^2*d*x^2]), x]$

[Out]  $-(b*c*\text{Sqrt}[1 - c^2*x^2])/(6*x^2*\text{Sqrt}[d - c^2*d*x^2]) - (\text{Sqrt}[d - c^2*d*x^2] * (a + b*\text{ArcSin}[c*x]))/(3*d*x^3) - (2*c^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(3*d*x) + (2*b*c^3*\text{Sqrt}[1 - c^2*x^2]*\text{Log}[x])/(3*\text{Sqrt}[d - c^2*d*x^2])$

#### Rule 4701

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((f*x)^m*(d + e*x^2)^p), x] := \text{Simp}[(f*x)^{m+1}*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n/(d*f*(m+1)), x] + (\text{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1)), \text{Int}[(f*x)^{m+2}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c^n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}/(f*(m+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{m+1}*(1 - c^2*x^2)^{p+1/2}*(a + b*\text{ArcSin}[c*x])^{n-1}], x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[m]$

#### Rule 4681

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((f*x)^m*(d + e*x^2)^p), x] := \text{Simp}[(f*x)^{m+1}*(d + e*x^2)^{p+1}*(a + b$

\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] & NeQ[m, -1]

### Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \frac{a + b \sin^{-1}(cx)}{x^4 \sqrt{d - c^2 dx^2}} dx &= -\frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3dx^3} + \frac{1}{3} (2c^2) \int \frac{a + b \sin^{-1}(cx)}{x^2 \sqrt{d - c^2 dx^2}} dx + \frac{(bc\sqrt{1 - c^2 x^2}) \int \frac{1}{x^3} dx}{3\sqrt{d - c^2 dx^2}} \\ &= -\frac{bc\sqrt{1 - c^2 x^2}}{6x^2 \sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3dx^3} - \frac{2c^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3dx} + \frac{(2bc^3 \sqrt{1 - c^2 x^2}) \log(x)}{3\sqrt{d - c^2 dx^2}} \\ &= -\frac{bc\sqrt{1 - c^2 x^2}}{6x^2 \sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3dx^3} - \frac{2c^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3dx} + \frac{2bc^3 \sqrt{1 - c^2 x^2} \log(x)}{3\sqrt{d - c^2 dx^2}} \end{aligned}$$

**Mathematica [A]** time = 0.203436, size = 152, normalized size = 1.03

$$\frac{\sqrt{d - c^2 dx^2} \left( a(-4c^4 x^4 + 2c^2 x^2 + 2) + bcx\sqrt{1 - c^2 x^2} (6c^2 x^2 + 1) + 2b(-2c^4 x^4 + c^2 x^2 + 1) \sin^{-1}(cx) \right)}{6dx^3 (c^2 x^2 - 1)} + \frac{2bc^3 \log(x) \sqrt{d - c^2 dx^2}}{3d\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^4\*Sqrt[d - c^2\*d\*x^2]), x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(1 + 6\*c^2\*x^2) + a\*(2 + 2\*c^2\*x^2 - 4\*c^4\*x^4) + 2\*b\*(1 + c^2\*x^2 - 2\*c^4\*x^4)\*ArcSin[c\*x]))/(6\*d\*x^3\*(-1 + c^2\*x^2)) + (2\*b\*c^3\*Sqrt[d - c^2\*d\*x^2]\*Log[x])/(3\*d\*Sqrt[1 - c^2\*x^2])

---

**Maple [C]** time = 0.237, size = 849, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\arcsin(c*x))/x^4/(-c^2*d*x^2+d)^{(1/2)}, x)$

[Out] 
$$\begin{aligned} & -1/3*a/d/x^3*(-c^2*d*x^2+d)^{(1/2)} - 2/3*a*c^2/d/x*(-c^2*d*x^2+d)^{(1/2)} - 2/3*I* \\ & b*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*\arcsin(c*x)*(-c^2*x^2+1) \\ & ^{(1/2)}*c^3-2/3*I*b*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*x^3*(-c \\ & ^2*x^2+1)*c^6+1/3*I*b*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*x*c^ \\ & 4-1/3*I*b*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*x*(-c^2*x^2+1)*c \\ & ^4-2*b*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*x^3*\arcsin(c*x)*c^6 \\ & -2*I*b*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*x^2*\arcsin(c*x)*(-c \\ & ^2*x^2+1)^{(1/2)}*c^5+4/3*I*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/d/(c^ \\ & 2*x^2-1)*\arcsin(c*x)*c^3-2/3*I*b*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^ \\ & 2-1)/d*x^5*c^8+1/3*b*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*x*\arcsin \\ & (c*x)*c^4+1/3*I*b*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*x^3*c \\ & ^6+1/2*b*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*c^3*(-c^2*x^2+1) \\ & ^{(1/2)}+4/3*b*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d/x*\arcsin(c*x)* \\ & c^2+1/6*b*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d/x^2*(-c^2*x^2+1) \\ & ^{(1/2)}*c+1/3*b*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d/x^3*\arcsin( \\ & c*x)-2/3*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*\ln((I*c* \\ & x+(-c^2*x^2+1)^{(1/2)})^2-1)*c^3 \end{aligned}$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b*\arcsin(c*x))/x^4/(-c^2*d*x^2+d)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

---

**Fricas [A]** time = 2.25134, size = 895, normalized size = 6.09

$$\left[ \frac{2(bc^5x^5 - bc^3x^3)\sqrt{d} \log\left(\frac{c^2dx^6 + c^2dx^2 - dx^4 - \sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1}(x^4 - 1)\sqrt{d-d}}{c^2x^4 - x^2}\right) - \sqrt{-c^2dx^2 + d}(bcx^3 - bcx)\sqrt{-c^2x^2 + 1} - 2(2ac^4x^4)}{6(c^2dx^5 - dx^3)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^4/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="fricas")

[Out] [1/6\*(2\*(b\*c^5\*x^5 - b\*c^3\*x^3)\*sqrt(d)\*log((c^2\*d\*x^6 + c^2\*d\*x^2 - d\*x^4 - sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*(x^4 - 1)\*sqrt(d) - d)/(c^2\*x^4 - x^2)) - sqrt(-c^2\*d\*x^2 + d)\*(b\*c\*x^3 - b\*c\*x)\*sqrt(-c^2\*x^2 + 1) - 2\*(2\*a\*c^4\*x^4 - a\*c^2\*x^2 + (2\*b\*c^4\*x^4 - b\*c^2\*x^2 - b)\*arcsin(c\*x) - a)\*sqrt(-c^2\*d\*x^2 + d))/(c^2\*d\*x^5 - d\*x^3), 1/6\*(4\*(b\*c^5\*x^5 - b\*c^3\*x^3)\*sqrt(-d)\*arctan(sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*(x^2 + 1)\*sqrt(-d)/(c^2\*d\*x^4 - (c^2 + 1)\*d\*x^2 + d)) - sqrt(-c^2\*d\*x^2 + d)\*(b\*c\*x^3 - b\*c\*x)\*sqrt(-c^2\*x^2 + 1) - 2\*(2\*a\*c^4\*x^4 - a\*c^2\*x^2 + (2\*b\*c^4\*x^4 - b\*c^2\*x^2 - b)\*arcsin(c\*x) - a)\*sqrt(-c^2\*d\*x^2 + d))/(c^2\*d\*x^5 - d\*x^3)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asin}(cx)}{x^4 \sqrt{-d}(cx - 1)(cx + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x\*\*4/(-c\*\*2\*d\*x\*\*2+d)\*\*(1/2),x)

[Out] Integral((a + b\*asin(c\*x))/(x\*\*4\*sqrt(-d\*(c\*x - 1)\*(c\*x + 1))), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsin}(cx) + a}{\sqrt{-c^2dx^2 + dx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^4/(-c^2*d*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/(sqrt(-c^2*d*x^2 + d)*x^4), x)
```

$$3.119 \quad \int \frac{x^5 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=221

$$-\frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{3c^6 d^3} + \frac{2\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{c^6 d^2} + \frac{a + b \sin^{-1}(cx)}{c^6 d \sqrt{d - c^2 dx^2}} - \frac{bx^3 \sqrt{d - c^2 dx^2}}{9c^3 d^2 \sqrt{1 - c^2 x^2}} - \frac{5bx \sqrt{d - c^2 dx^2}}{3c^5 d^2 \sqrt{1 - c^2 x^2}}$$

[Out]  $(-5*b*x*sqrt[d - c^2*d*x^2])/(3*c^5*d^2*sqrt[1 - c^2*x^2]) - (b*x^3*sqrt[d - c^2*d*x^2])/(9*c^3*d^2*sqrt[1 - c^2*x^2]) + (a + b*ArcSin[c*x])/(c^6*d*sqrt[d - c^2*d*x^2]) + (2*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(c^6*d^2) - ((d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x]))/(3*c^6*d^3) - (b*sqrt[d - c^2*d*x^2]*ArcTanh[c*x])/(c^6*d^2*sqrt[1 - c^2*x^2])$

**Rubi [A]** time = 0.291375, antiderivative size = 229, normalized size of antiderivative = 1.04, number of steps used = 8, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {4703, 4707, 4677, 8, 30, 302, 206}

$$\frac{4x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3c^4 d^2} + \frac{8\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3c^6 d^2} + \frac{x^4 (a + b \sin^{-1}(cx))}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{bx^3 \sqrt{1 - c^2 x^2}}{9c^3 d \sqrt{d - c^2 dx^2}} - \frac{5bx \sqrt{1 - c^2 x^2}}{3c^5 d \sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^5*(a + b*ArcSin[c*x]))/(d - c^2*d*x^2)^(3/2), x]$

[Out]  $(-5*b*x*sqrt[1 - c^2*x^2])/(3*c^5*d*sqrt[d - c^2*d*x^2]) - (b*x^3*sqrt[1 - c^2*x^2])/(9*c^3*d*sqrt[d - c^2*d*x^2]) + (x^4*(a + b*ArcSin[c*x]))/(c^2*d*sqrt[d - c^2*d*x^2]) + (8*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(3*c^6*d^2) + (4*x^2*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(3*c^4*d^2) - (b*sqrt[1 - c^2*x^2]*ArcTanh[c*x])/(c^6*d*sqrt[d - c^2*d*x^2])$

**Rule 4703**

$\text{Int}[(a + ArcSin[c*x])*(b*x)^n*((f*x)^m*(d + e*x^2)^p), x\_Symbol] \rightarrow \text{Simp}[(f*x)^m*(d + e*x^2)^{p+1}*(a + b*ArcSin[c*x])^n/(2*e*(p+1)), x] + (-\text{Dist}[(f^2*(m-1))/(2*e*(p+1)), \text{Int}[(f*x)^{m-2}*(d + e*x^2)^{p+1}*(a + b*ArcSin[c*x])^n, x], x] + \text{Dist}[(b*f*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}]/(2*c*(p+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{m-1}*(1 - c^2*x^2)^{p+1/2}*(a + b*ArcSin[c*x])^{n-1}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[$



$n, 0$  && LtQ[p, -1] && GtQ[m, 1]

### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_.)\*((f\_.)\*(x\_))^(m\_)]/Sqrt[(d\_ + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2) \* (a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rule 302

Int[(x\_)^(m\_)/((a\_) + (b\_.)\*(x\_)^(n\_)), x\_Symbol] := Int[PolynomialDivide[x^m, a + b\*x^n, x], x] /; FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && GtQ[m, 2\*n - 1]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{x^5 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{3/2}} dx &= \frac{x^4 (a + b \sin^{-1}(cx))}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{4 \int \frac{x^3 (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx}{c^2 d} - \frac{(b \sqrt{1 - c^2 x^2}) \int \frac{x^4}{1 - c^2 x^2} dx}{cd \sqrt{d - c^2 dx^2}} \\
&= \frac{x^4 (a + b \sin^{-1}(cx))}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{4x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3c^4 d^2} - \frac{8 \int \frac{x^{(a+b \sin^{-1}(cx))}}{\sqrt{d - c^2 dx^2}} dx}{3c^4 d} - \frac{(4b \sqrt{1 - c^2 x^2})}{3c^3 d \sqrt{d - c^2 dx^2}} \\
&= \frac{bx \sqrt{1 - c^2 x^2}}{c^5 d \sqrt{d - c^2 dx^2}} - \frac{bx^3 \sqrt{1 - c^2 x^2}}{9c^3 d \sqrt{d - c^2 dx^2}} + \frac{x^4 (a + b \sin^{-1}(cx))}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{8 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3c^6 d^2} + \\
&= \frac{5bx \sqrt{1 - c^2 x^2}}{3c^5 d \sqrt{d - c^2 dx^2}} - \frac{bx^3 \sqrt{1 - c^2 x^2}}{9c^3 d \sqrt{d - c^2 dx^2}} + \frac{x^4 (a + b \sin^{-1}(cx))}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{8 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3c^6 d^2}
\end{aligned}$$

**Mathematica [C]** time = 0.289312, size = 166, normalized size = 0.75

$$\frac{\sqrt{d - c^2 dx^2} \left( \sqrt{-c^2} \left( 3a (c^4 x^4 + 4c^2 x^2 - 8) + bcx \sqrt{1 - c^2 x^2} (c^2 x^2 + 15) + 3b (c^4 x^4 + 4c^2 x^2 - 8) \sin^{-1}(cx) \right) - 9ibc \sqrt{1 - c^2 x^2} \right)}{9c^6 \sqrt{-c^2} d^2 (c^2 x^2 - 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^(3/2), x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(Sqrt[-c^2]\*(b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(15 + c^2\*x^2) + 3\*a\*(-8 + 4\*c^2\*x^2 + c^4\*x^4) + 3\*b\*(-8 + 4\*c^2\*x^2 + c^4\*x^4)\*ArcSin[c\*x]) - (9\*I)\*b\*c\*Sqrt[1 - c^2\*x^2]\*EllipticF[I\*ArcSinh[Sqrt[-c^2]\*x], 1]))/(9\*c^6\*Sqrt[-c^2]\*d^2\*(-1 + c^2\*x^2))

**Maple [C]** time = 0.334, size = 423, normalized size = 1.9

$$-\frac{ax^4}{3c^2d} \frac{1}{\sqrt{-c^2 dx^2 + d}} - \frac{4ax^2}{3dc^4} \frac{1}{\sqrt{-c^2 dx^2 + d}} + \frac{8a}{3dc^6} \frac{1}{\sqrt{-c^2 dx^2 + d}} + \frac{bx^3}{9c^3 d^2 (c^2 x^2 - 1)} \sqrt{-d (c^2 x^2 - 1)} \sqrt{-c^2 x^2 + 1} + \frac{5}{3c^5 d^2} \left( \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2), x)

[Out] -1/3\*a\*x^4/c^2/d/(-c^2\*d\*x^2+d)^(1/2)-4/3\*a/c^4\*x^2/d/(-c^2\*d\*x^2+d)^(1/2)+8/3\*a/c^6/d/(-c^2\*d\*x^2+d)^(1/2)+1/9\*b\*(-d\*(c^2\*x^2-1))^(1/2)/c^3/d^2/(c^2\*

$$x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^3+5/3*b*(-d*(c^2*x^2-1))^{(1/2)}/c^5/d^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x-8/3*b*(-d*(c^2*x^2-1))^{(1/2)}/c^6/d^2/(c^2*x^2-1)*\arcsin(c*x)+1/3*b*(-d*(c^2*x^2-1))^{(1/2)}/c^2/d^2/(c^2*x^2-1)*\arcsin(c*x)*x^4+4/3*b*(-d*(c^2*x^2-1))^{(1/2)}/c^4/d^2/(c^2*x^2-1)*\arcsin(c*x)*x^2-b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^6/d^2/(c^2*x^2-1)*\ln(I*c*x+(-c^2*x^2+1)^{(1/2)}-I)+b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^6/d^2/(c^2*x^2-1)*\ln(I*c*x+(-c^2*x^2+1)^{(1/2)}+I)$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.22877, size = 942, normalized size = 4.26

$$\frac{9(bc^2x^2 - b)\sqrt{d} \log\left(-\frac{c^6dx^6+5c^4dx^4-5c^2dx^2+4(c^3x^3+cx)\sqrt{-c^2dx^2+d}\sqrt{-c^2x^2+1}\sqrt{d-d}}{c^6x^6-3c^4x^4+3c^2x^2-1}\right) + 4(bc^3x^3 + 15bcx)\sqrt{-c^2dx^2+d}\sqrt{-c^2x^2+1}}{36(c^8d^2x^2 - c^6d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="fricas")

[Out] [1/36\*(9\*(b\*c^2\*x^2 - b)\*sqrt(d)\*log(-(c^6\*d\*x^6 + 5\*c^4\*d\*x^4 - 5\*c^2\*d\*x^2 + 4\*(c^3\*x^3 + c\*x)\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*sqrt(d) - d)/(c^6\*x^6 - 3\*c^4\*x^4 + 3\*c^2\*x^2 - 1)) + 4\*(b\*c^3\*x^3 + 15\*b\*c\*x)\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1) + 12\*(a\*c^4\*x^4 + 4\*a\*c^2\*x^2 + (b\*c^4\*x^4 + 4\*b\*c^2\*x^2 - 8\*b)\*arcsin(c\*x) - 8\*a)\*sqrt(-c^2\*d\*x^2 + d))/(c^8\*d^2\*x^2 - c^6\*d^2), -1/18\*(9\*(b\*c^2\*x^2 - b)\*sqrt(-d)\*arctan(2\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*c\*sqrt(-d)\*x/(c^4\*d\*x^4 - d)) - 2\*(b\*c^3\*x^3 + 15\*b\*c\*x)\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1) - 6\*(a\*c^4\*x^4 + 4\*a\*c^2\*x^2 + (b\*c^4\*x^4 + 4\*b\*c^2\*x^2 - 8\*b)\*arcsin(c\*x) - 8\*a)\*sqrt(-c^2\*d\*x^2 + d))/(c^8\*d^2\*x^2 - c^6\*d^2)]

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^5 (a + b \operatorname{asin}(cx))}{(-d(cx-1)(cx+1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2),x)

[Out] Integral(x\*\*5\*(a + b\*asin(c\*x))/(-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)x^5}{(-c^2 dx^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^5/(-c^2\*d\*x^2 + d)^(3/2), x)

$$3.120 \quad \int \frac{x^4(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=214

$$\frac{3x\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{2c^4d^2} + \frac{x^3(a+b \sin^{-1}(cx))}{c^2d\sqrt{d-c^2dx^2}} - \frac{3\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^2}{4bc^5d\sqrt{d-c^2dx^2}} - \frac{bx^2\sqrt{1-c^2x^2}}{4c^3d\sqrt{d-c^2dx^2}} + \frac{b\sqrt{1-c^2x^2}}{2c^5d}$$

[Out]  $-(b*x^2*sqrt[1 - c^2*x^2])/(4*c^3*d*sqrt[d - c^2*d*x^2]) + (x^3*(a + b*ArcSin[c*x]))/(c^2*d*sqrt[d - c^2*d*x^2]) + (3*x*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(2*c^4*d^2) - (3*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2)/(4*b*c^5*d*sqrt[d - c^2*d*x^2]) + (b*sqrt[1 - c^2*x^2]*Log[1 - c^2*x^2])/(2*c^5*d*sqrt[d - c^2*d*x^2])$

**Rubi [A]** time = 0.2872, antiderivative size = 214, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {4703, 4707, 4643, 4641, 30, 266, 43}

$$\frac{3x\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))}{2c^4d^2} + \frac{x^3(a+b \sin^{-1}(cx))}{c^2d\sqrt{d-c^2dx^2}} - \frac{3\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^2}{4bc^5d\sqrt{d-c^2dx^2}} - \frac{bx^2\sqrt{1-c^2x^2}}{4c^3d\sqrt{d-c^2dx^2}} + \frac{b\sqrt{1-c^2x^2}}{2c^5d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^4*(a + b*ArcSin[c*x]))/(d - c^2*d*x^2)^(3/2), x]$

[Out]  $-(b*x^2*sqrt[1 - c^2*x^2])/(4*c^3*d*sqrt[d - c^2*d*x^2]) + (x^3*(a + b*ArcSin[c*x]))/(c^2*d*sqrt[d - c^2*d*x^2]) + (3*x*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(2*c^4*d^2) - (3*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2)/(4*b*c^5*d*sqrt[d - c^2*d*x^2]) + (b*sqrt[1 - c^2*x^2]*Log[1 - c^2*x^2])/(2*c^5*d*sqrt[d - c^2*d*x^2])$

### Rule 4703

$\text{Int}[(a + ArcSin[(c_*)*(x_*)])*(b_*)^(n_*)*((f_*)*(x_*)^(m_*)*((d_*) + (e_*)*(x_*)^2)^(p_)), x\_Symbol] := \text{Simp}[(f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + (-\text{Dist}[(f^2*(m - 1))/(2*e*(p + 1)), \text{Int}[(f*x)^(m - 2)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + \text{Dist}[(b*f*n*d*\text{IntPart}[p]*(d + e*x^2)^\text{FracPart}[p])/(2*c*(p + 1)*(1 - c^2*x^2)^\text{FracPart}[p]), \text{Int}[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^n - 1), x], x) /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[\dots]$

$n, 0]$  && LtQ[p, -1] && GtQ[m, 1]

### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_))/Sqrt[(d\_ + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rule 4643

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{x^4 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{3/2}} dx &= \frac{x^3 (a + b \sin^{-1}(cx))}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{3 \int \frac{x^2 (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx}{c^2 d} - \frac{(b \sqrt{1 - c^2 x^2}) \int \frac{x^3}{1 - c^2 x^2} dx}{cd \sqrt{d - c^2 dx^2}} \\
&= \frac{x^3 (a + b \sin^{-1}(cx))}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{3x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2c^4 d^2} - \frac{3 \int \frac{a + b \sin^{-1}(cx)}{\sqrt{d - c^2 dx^2}} dx}{2c^4 d} - \frac{(3b \sqrt{1 - c^2 x^2})}{2c^3 d \sqrt{d - c^2 dx^2}} \\
&= -\frac{3bx^2 \sqrt{1 - c^2 x^2}}{4c^3 d \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{3x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2c^4 d^2} - \frac{(3 \sqrt{1 - c^2 x^2})}{2c^4 d} \\
&= -\frac{bx^2 \sqrt{1 - c^2 x^2}}{4c^3 d \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{3x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2c^4 d^2} - \frac{3 \sqrt{1 - c^2 x^2}}{4bc^5 d}
\end{aligned}$$

**Mathematica [A]** time = 0.468047, size = 173, normalized size = 0.81

$$\frac{-4ac\sqrt{d}x(c^2x^2 - 3) + 12a\sqrt{d - c^2dx^2} \tan^{-1}\left(\frac{cx\sqrt{d - c^2dx^2}}{\sqrt{d}(c^2x^2 - 1)}\right) + b\sqrt{d}\left(\sqrt{1 - c^2x^2}(4 \log(1 - c^2x^2) - 6 \sin^{-1}(cx)^2 + 2 \sin(2 \sin^{-1}(cx)))\right)}{8c^5d^{3/2}\sqrt{d - c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^(3/2), x]

[Out] (-4\*a\*c\*Sqrt[d]\*x\*(-3 + c^2\*x^2) + 12\*a\*Sqrt[d - c^2\*d\*x^2]\*ArcTan[(c\*x\*Sqrt[d - c^2\*d\*x^2])/(Sqrt[d]\*(-1 + c^2\*x^2))] + b\*Sqrt[d]\*(8\*c\*x\*ArcSin[c\*x] + Sqrt[1 - c^2\*x^2]\*(-6\*ArcSin[c\*x]^2 + Cos[2\*ArcSin[c\*x]] + 4\*Log[1 - c^2\*x^2] + 2\*ArcSin[c\*x]\*Sin[2\*ArcSin[c\*x]])))/(8\*c^5\*d^(3/2)\*Sqrt[d - c^2\*d\*x^2])

**Maple [C]** time = 0.301, size = 436, normalized size = 2.

$$-\frac{ax^3}{2c^2d} \frac{1}{\sqrt{-c^2dx^2 + d}} + \frac{3ax}{2dc^4} \frac{1}{\sqrt{-c^2dx^2 + d}} - \frac{3a}{2dc^4} \arctan\left(x\sqrt{c^2d} \frac{1}{\sqrt{-c^2dx^2 + d}}\right) \frac{1}{\sqrt{c^2d}} + \frac{3b(\arcsin(cx))^2}{4d^2c^5(c^2x^2 - 1)} \sqrt{-d(c^2x^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2), x)

```
[Out] -1/2*a*x^3/c^2/d/(-c^2*d*x^2+d)^(1/2)+3/2*a/c^4*x/d/(-c^2*d*x^2+d)^(1/2)-3/
2*a/c^4/d/(c^2*d)^(1/2)*arctan((c^2*d)^(1/2)*x/(-c^2*d*x^2+d)^(1/2))+3/4*b*
(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/c^5/d^2/(c^2*x^2-1)*arcsin(c*x)^2
+1/2*b*(-d*(c^2*x^2-1))^(1/2)/c^2/d^2/(c^2*x^2-1)*arcsin(c*x)*x^3+1/4*b*(-d
*(c^2*x^2-1))^(1/2)/c^3/d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^2+I*b*(-c^2*x^
2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/c^5/d^2/(c^2*x^2-1)*arcsin(c*x)-3/2*b*(-d
*(c^2*x^2-1))^(1/2)/c^4/d^2/(c^2*x^2-1)*arcsin(c*x)*x-1/8*b*(-d*(c^2*x^2-1)
)^(1/2)/c^5/d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)-b*(-d*(c^2*x^2-1))^(1/2)*(-c
^2*x^2+1)^(1/2)/c^5/d^2/(c^2*x^2-1)*ln(1+(I*c*x+(-c^2*x^2+1)^(1/2))^2)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(bx^4 \arcsin(cx) + ax^4)\sqrt{-c^2dx^2 + d}}{c^4d^2x^4 - 2c^2d^2x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(3/2),x, algorithm="fricas")
```

```
[Out] integral((b*x^4*arcsin(c*x) + a*x^4)*sqrt(-c^2*d*x^2 + d)/(c^4*d^2*x^4 - 2*
c^2*d^2*x^2 + d^2), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4 (a + b \operatorname{asin}(cx))}{(-d(cx - 1)(cx + 1))^{\frac{3}{2}}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(a+b*asin(c*x))/(-c**2*d*x**2+d)**(3/2),x)`

[Out] `Integral(x**4*(a + b*asin(c*x))/(-d*(c*x - 1)*(c*x + 1))**(3/2), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^4}{(-c^2dx^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)*x^4/(-c^2*d*x^2 + d)^(3/2), x)`

$$3.121 \quad \int \frac{x^3(a+b\sin^{-1}(cx))}{(d-c^2dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=142

$$\frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{c^4d^2} + \frac{a+b\sin^{-1}(cx)}{c^4d\sqrt{d-c^2dx^2}} - \frac{bx\sqrt{d-c^2dx^2}}{c^3d^2\sqrt{1-c^2x^2}} - \frac{b\sqrt{d-c^2dx^2}\tanh^{-1}(cx)}{c^4d^2\sqrt{1-c^2x^2}}$$

[Out] -((b\*x\*Sqrt[d - c^2\*d\*x^2])/(c^3\*d^2\*Sqrt[1 - c^2\*x^2])) + (a + b\*ArcSin[c\*x])/(c^4\*d\*Sqrt[d - c^2\*d\*x^2]) + (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(c^4\*d^2) - (b\*Sqrt[d - c^2\*d\*x^2]\*ArcTanh[c\*x])/(c^4\*d^2\*Sqrt[1 - c^2\*x^2])

**Rubi [A]** time = 0.180346, antiderivative size = 146, normalized size of antiderivative = 1.03, number of steps used = 5, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {4703, 4677, 8, 321, 206}

$$\frac{2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{c^4d^2} + \frac{x^2(a+b\sin^{-1}(cx))}{c^2d\sqrt{d-c^2dx^2}} - \frac{bx\sqrt{1-c^2x^2}}{c^3d\sqrt{d-c^2dx^2}} - \frac{b\sqrt{1-c^2x^2}\tanh^{-1}(cx)}{c^4d\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^(3/2), x]

[Out] -((b\*x\*Sqrt[1 - c^2\*x^2])/(c^3\*d\*Sqrt[d - c^2\*d\*x^2])) + (x^2\*(a + b\*ArcSin[c\*x]))/(c^2\*d\*Sqrt[d - c^2\*d\*x^2]) + (2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(c^4\*d^2) - (b\*Sqrt[1 - c^2\*x^2]\*ArcTanh[c\*x])/(c^4\*d\*Sqrt[d - c^2\*d\*x^2])

### Rule 4703

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + (-Dist[(f^2\*(m - 1))/(2\*e\*(p + 1)), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*f\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && GtQ[m, 1]

Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 321

Int[((c\_.)\*(x\_.))^(m\_.)\*((a\_.) + (b\_.)\*(x\_.)^(n\_.))^(p\_.), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 206

Int[((a\_.) + (b\_.)\*(x\_.)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{x^3 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{3/2}} dx &= \frac{x^2 (a + b \sin^{-1}(cx))}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{2 \int \frac{x^{(a+b \sin^{-1}(cx))}}{\sqrt{d - c^2 dx^2}} dx}{c^2 d} - \frac{(b \sqrt{1 - c^2 x^2}) \int \frac{x^2}{1 - c^2 x^2} dx}{cd \sqrt{d - c^2 dx^2}} \\ &= \frac{bx \sqrt{1 - c^2 x^2}}{c^3 d \sqrt{d - c^2 dx^2}} + \frac{x^2 (a + b \sin^{-1}(cx))}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{c^4 d^2} - \frac{(b \sqrt{1 - c^2 x^2}) \int \frac{1}{1 - c^2 x^2} dx}{c^3 d \sqrt{d - c^2 dx^2}} \\ &= -\frac{bx \sqrt{1 - c^2 x^2}}{c^3 d \sqrt{d - c^2 dx^2}} + \frac{x^2 (a + b \sin^{-1}(cx))}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{c^4 d^2} - \frac{b \sqrt{1 - c^2 x^2} \tan^{-1} \left( \frac{cx}{\sqrt{1 - c^2 x^2}} \right)}{c^4 d \sqrt{d - c^2 dx^2}} \end{aligned}$$

**Mathematica [C]** time = 0.2074, size = 136, normalized size = 0.96

$$\frac{\sqrt{d - c^2 dx^2} \left( \sqrt{-c^2} \left( ac^2 x^2 - 2a + bcx \sqrt{1 - c^2 x^2} + b(c^2 x^2 - 2) \sin^{-1}(cx) \right) - ibc \sqrt{1 - c^2 x^2} \text{EllipticF} \left( i \sinh^{-1} \left( \sqrt{-c^2} x \right), 1 \right) \right)}{c^4 \sqrt{-c^2 d^2} (c^2 x^2 - 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^(3/2), x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(Sqrt[-c^2]\*(-2\*a + a\*c^2\*x^2 + b\*c\*x\*Sqrt[1 - c^2\*x^2] + b\*(-2 + c^2\*x^2)\*ArcSin[c\*x]) - I\*b\*c\*Sqrt[1 - c^2\*x^2]\*EllipticF[I\*ArcSinh[Sqrt[-c^2]\*x], 1]))/(c^4\*Sqrt[-c^2]\*d^2\*(-1 + c^2\*x^2))

**Maple [C]** time = 0.214, size = 306, normalized size = 2.2

$$-\frac{ax^2}{c^2 d} \frac{1}{\sqrt{-c^2 dx^2 + d}} + 2 \frac{a}{dc^4 \sqrt{-c^2 dx^2 + d}} + \frac{bx}{c^3 d^2 (c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} \sqrt{-c^2 x^2 + 1} + \frac{b \arcsin(cx) x^2}{c^2 d^2 (c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2), x)

[Out] -a\*x^2/c^2/d/(-c^2\*d\*x^2+d)^(1/2)+2\*a/d/c^4/(-c^2\*d\*x^2+d)^(1/2)+b\*(-d\*(c^2\*x^2-1))^(1/2)/c^3/d^2/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*x+b\*(-d\*(c^2\*x^2-1))^(1/2)/c^2/d^2/(c^2\*x^2-1)\*arcsin(c\*x)\*x^2-2\*b\*(-d\*(c^2\*x^2-1))^(1/2)/c^4/d^2/(c^2\*x^2-1)\*arcsin(c\*x)+b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c^4/d^2/(c^2\*x^2-1)\*ln(I\*c\*x+(-c^2\*x^2+1)^(1/2)+I)-b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c^4/d^2/(c^2\*x^2-1)\*ln(I\*c\*x+(-c^2\*x^2+1)^(1/2)-I)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.11859, size = 810, normalized size = 5.7

$$\left[ \frac{4 \sqrt{-c^2 dx^2 + d} \sqrt{-c^2 x^2 + 1} b c x + (b c^2 x^2 - b) \sqrt{d} \log \left( -\frac{c^6 dx^6 + 5 c^4 dx^4 - 5 c^2 dx^2 + 4 (c^3 x^3 + c x) \sqrt{-c^2 dx^2 + d} \sqrt{-c^2 x^2 + 1} \sqrt{d-d}}{c^6 x^6 - 3 c^4 x^4 + 3 c^2 x^2 - 1} \right) + 4 (a c^2 x^2 + \dots)}{4 (c^6 d^2 x^2 - c^4 d^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="fricas")

[Out] [1/4\*(4\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*b\*c\*x + (b\*c^2\*x^2 - b)\*sqrt(d)\*log(-(c^6\*d\*x^6 + 5\*c^4\*d\*x^4 - 5\*c^2\*d\*x^2 + 4\*(c^3\*x^3 + c\*x)\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*sqrt(d) - d)/(c^6\*x^6 - 3\*c^4\*x^4 + 3\*c^2\*x^2 - 1)) + 4\*(a\*c^2\*x^2 + (b\*c^2\*x^2 - 2\*b)\*arcsin(c\*x) - 2\*a)\*sqrt(-c^2\*d\*x^2 + d))/(c^6\*d^2\*x^2 - c^4\*d^2), 1/2\*(2\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*b\*c\*x - (b\*c^2\*x^2 - b)\*sqrt(-d)\*arctan(2\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*c\*sqrt(-d)\*x/(c^4\*d\*x^4 - d)) + 2\*(a\*c^2\*x^2 + (b\*c^2\*x^2 - 2\*b)\*arcsin(c\*x) - 2\*a)\*sqrt(-c^2\*d\*x^2 + d))/(c^6\*d^2\*x^2 - c^4\*d^2)]

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2),x)

[Out] Exception raised: TypeError

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^3}{(-c^2 dx^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)*x^3/(-c^2*d*x^2 + d)^(3/2), x)
```

$$3.122 \quad \int \frac{x^2(a+b\sin^{-1}(cx))}{(d-c^2dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=135

$$-\frac{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{2bc^3d\sqrt{d-c^2dx^2}} + \frac{x(a+b\sin^{-1}(cx))}{c^2d\sqrt{d-c^2dx^2}} + \frac{b\sqrt{1-c^2x^2}\log(1-c^2x^2)}{2c^3d\sqrt{d-c^2dx^2}}$$

[Out] (x\*(a + b\*ArcSin[c\*x]))/(c^2\*d\*Sqrt[d - c^2\*d\*x^2]) - (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(2\*b\*c^3\*d\*Sqrt[d - c^2\*d\*x^2]) + (b\*Sqrt[1 - c^2\*x^2]\*Log[1 - c^2\*x^2])/(2\*c^3\*d\*Sqrt[d - c^2\*d\*x^2])

**Rubi [A]** time = 0.159255, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {4703, 4643, 4641, 260}

$$-\frac{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{2bc^3d\sqrt{d-c^2dx^2}} + \frac{x(a+b\sin^{-1}(cx))}{c^2d\sqrt{d-c^2dx^2}} + \frac{b\sqrt{1-c^2x^2}\log(1-c^2x^2)}{2c^3d\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^(3/2), x]

[Out] (x\*(a + b\*ArcSin[c\*x]))/(c^2\*d\*Sqrt[d - c^2\*d\*x^2]) - (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(2\*b\*c^3\*d\*Sqrt[d - c^2\*d\*x^2]) + (b\*Sqrt[1 - c^2\*x^2]\*Log[1 - c^2\*x^2])/(2\*c^3\*d\*Sqrt[d - c^2\*d\*x^2])

#### Rule 4703

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + (-Dist[(f^2\*(m - 1))/(2\*e\*(p + 1)), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*f\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && GtQ[m, 1]

#### Rule 4643

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol]
:> Dist[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2], Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && !GtQ[d, 0]
```

### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

### Rule 260

```
Int[(x_)^(m_.)/((a_.) + (b_.)*(x_)^(n_.)), x_Symbol]
:> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^2 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{3/2}} dx &= \frac{x (a + b \sin^{-1}(cx))}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{\int \frac{a + b \sin^{-1}(cx)}{\sqrt{d - c^2 dx^2}} dx}{c^2 d} - \frac{(b \sqrt{1 - c^2 x^2}) \int \frac{x}{1 - c^2 x^2} dx}{cd \sqrt{d - c^2 dx^2}} \\ &= \frac{x (a + b \sin^{-1}(cx))}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{b \sqrt{1 - c^2 x^2} \log(1 - c^2 x^2)}{2c^3 d \sqrt{d - c^2 dx^2}} - \frac{\sqrt{1 - c^2 x^2} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} dx}{c^2 d \sqrt{d - c^2 dx^2}} \\ &= \frac{x (a + b \sin^{-1}(cx))}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{2bc^3 d \sqrt{d - c^2 dx^2}} + \frac{b \sqrt{1 - c^2 x^2} \log(1 - c^2 x^2)}{2c^3 d \sqrt{d - c^2 dx^2}} \end{aligned}$$

**Mathematica [A]** time = 0.196347, size = 160, normalized size = 1.19

$$-\frac{ax\sqrt{-d(c^2x^2-1)}}{c^2d^2(c^2x^2-1)} + \frac{a \tan^{-1}\left(\frac{cx\sqrt{-d(c^2x^2-1)}}{\sqrt{d}(c^2x^2-1)}\right)}{c^3d^{3/2}} + \frac{b\left(2cx \sin^{-1}(cx) - \sqrt{1-c^2x^2}\left(\sin^{-1}(cx)^2 - 2\log\left(\sqrt{1-c^2x^2}\right)\right)\right)}{2c^3d\sqrt{d(1-c^2x^2)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*(a + b*ArcSin[c*x]))/(d - c^2*d*x^2)^(3/2), x]
```

```
[Out] -((a*x*Sqrt[-(d*(-1 + c^2*x^2))])/(c^2*d^2*(-1 + c^2*x^2))) + (a*ArcTan[(c*x*Sqrt[-(d*(-1 + c^2*x^2))])/(Sqrt[d]*(-1 + c^2*x^2))])/(c^3*d^(3/2)) + (b*
```



$$\frac{(2cx \operatorname{ArcSin}[cx] - \operatorname{Sqrt}[1 - c^2x^2] (\operatorname{ArcSin}[cx]^2 - 2 \operatorname{Log}[\operatorname{Sqrt}[1 - c^2x^2]]))}{(2c^3d \operatorname{Sqrt}[d(1 - c^2x^2)])}$$

**Maple [C]** time = 0.164, size = 274, normalized size = 2.

$$\frac{ax}{c^2d} \frac{1}{\sqrt{-c^2dx^2+d}} - \frac{a}{c^2d} \arctan\left(x\sqrt{c^2d} \frac{1}{\sqrt{-c^2dx^2+d}}\right) \frac{1}{\sqrt{c^2d}} + \frac{b(\arcsin(cx))^2}{2d^2c^3(c^2x^2-1)} \sqrt{-d(c^2x^2-1)} \sqrt{-c^2x^2+1} + \frac{ib \arcsin(cx)}{d^2c^3(c^2x^2-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(3/2),x)`

[Out] `a*x/c^2/d/(-c^2*d*x^2+d)^(1/2)-a/c^2/d/(c^2*d)^(1/2)*arctan((c^2*d)^(1/2)*x/(-c^2*d*x^2+d)^(1/2))+1/2*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/d^2/c^3/(c^2*x^2-1)*arcsin(c*x)^2+I*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/d^2/c^3/(c^2*x^2-1)*arcsin(c*x)-b*(-d*(c^2*x^2-1))^(1/2)*arcsin(c*x)/d^2/c^2/(c^2*x^2-1)*x-b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/d^2/c^3/(c^2*x^2-1)*ln(1+(I*c*x+(-c^2*x^2+1)^(1/2))^2)`

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{-c^2dx^2+d}(bx^2 \arcsin(cx) + ax^2)}{c^4d^2x^4 - 2c^2d^2x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*d\*x^2 + d)\*(b\*x^2\*arcsin(c\*x) + a\*x^2)/(c^4\*d^2\*x^4 - 2\*c^2\*d^2\*x^2 + d^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 (a + b \operatorname{asin}(cx))}{(-d(cx-1)(cx+1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2),x)

[Out] Integral(x\*\*2\*(a + b\*asin(c\*x))/(-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)x^2}{(-c^2 dx^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^2/(-c^2\*d\*x^2 + d)^(3/2), x)

$$3.123 \quad \int \frac{x(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=73

$$\frac{a + b \sin^{-1}(cx)}{c^2d\sqrt{d - c^2dx^2}} - \frac{b\sqrt{1 - c^2x^2} \tanh^{-1}(cx)}{c^2d\sqrt{d - c^2dx^2}}$$

[Out] (a + b\*ArcSin[c\*x])/(c^2\*d\*Sqrt[d - c^2\*d\*x^2]) - (b\*Sqrt[1 - c^2\*x^2]\*ArcTanh[c\*x])/(c^2\*d\*Sqrt[d - c^2\*d\*x^2])

**Rubi [A]** time = 0.0702272, antiderivative size = 73, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.08$ , Rules used = {4677, 206}

$$\frac{a + b \sin^{-1}(cx)}{c^2d\sqrt{d - c^2dx^2}} - \frac{b\sqrt{1 - c^2x^2} \tanh^{-1}(cx)}{c^2d\sqrt{d - c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^(3/2), x]

[Out] (a + b\*ArcSin[c\*x])/(c^2\*d\*Sqrt[d - c^2\*d\*x^2]) - (b\*Sqrt[1 - c^2\*x^2]\*ArcTanh[c\*x])/(c^2\*d\*Sqrt[d - c^2\*d\*x^2])

#### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\int \frac{x(a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{3/2}} dx = \frac{a + b \sin^{-1}(cx)}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{(b \sqrt{1 - c^2 x^2}) \int \frac{1}{1 - c^2 x^2} dx}{cd \sqrt{d - c^2 dx^2}}$$

$$= \frac{a + b \sin^{-1}(cx)}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{b \sqrt{1 - c^2 x^2} \tanh^{-1}(cx)}{c^2 d \sqrt{d - c^2 dx^2}}$$

**Mathematica [A]** time = 0.0271635, size = 51, normalized size = 0.7

$$\frac{a - b \sqrt{1 - c^2 x^2} \tanh^{-1}(cx) + b \sin^{-1}(cx)}{c^2 d \sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^(3/2), x]

[Out] (a + b\*ArcSin[c\*x] - b\*Sqrt[1 - c^2\*x^2]\*ArcTanh[c\*x])/(c^2\*d\*Sqrt[d - c^2\*d\*x^2])

**Maple [C]** time = 0.095, size = 194, normalized size = 2.7

$$\frac{a}{c^2 d} \frac{1}{\sqrt{-c^2 dx^2 + d}} - \frac{b \arcsin(cx)}{c^2 d^2 (c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} + \frac{b}{c^2 d^2 (c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} \sqrt{-c^2 x^2 + 1} \ln\left( icx + \sqrt{-c^2 x^2 + 1} + i \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2), x)

[Out] a/c^2/d/(-c^2\*d\*x^2+d)^(1/2)-b\*(-d\*(c^2\*x^2-1))^(1/2)/c^2/d^2/(c^2\*x^2-1)\*arcsin(c\*x)+b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c^2/d^2/(c^2\*x^2-1)\*ln(I\*c\*x+(-c^2\*x^2+1)^(1/2)+I)-b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c^2/d^2/(c^2\*x^2-1)\*ln(I\*c\*x+(-c^2\*x^2+1)^(1/2)-I)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\frac{1}{2} \left( \sqrt{cx+1} \sqrt{-cx+1} c^3 d^2 \left( \frac{2x}{c^2 d^2} - \frac{\log(cx+1)}{c^3 d^2} + \frac{\log(cx-1)}{c^3 d^2} \right) + 2 \arctan \left( cx, \sqrt{cx+1} \sqrt{-cx+1} \right) \right) b}{\sqrt{cx+1} \sqrt{-cx+1} c^2 d^{\frac{3}{2}}} + \frac{a}{\sqrt{-c^2 dx^2 + dc^2 d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="maxima")

[Out] (sqrt(c\*x + 1)\*sqrt(-c\*x + 1)\*c^3\*d^2\*integrate(x^2/(c^4\*d^2\*x^4 - c^2\*d^2\*x^2 + (c^2\*d^2\*x^2 - d^2)\*e^(log(c\*x + 1) + log(-c\*x + 1))), x) + arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*b/(sqrt(c\*x + 1)\*sqrt(-c\*x + 1)\*c^2\*d^(3/2)) + a/(sqrt(-c^2\*d\*x^2 + d)\*c^2\*d)

**Fricas [A]** time = 2.11477, size = 595, normalized size = 8.15

$$\left[ \frac{(bc^2x^2 - b)\sqrt{d} \log \left( -\frac{c^6 dx^6 + 5c^4 dx^4 - 5c^2 dx^2 + 4(c^3 x^3 + cx)\sqrt{-c^2 dx^2 + d}\sqrt{-c^2 x^2 + 1}\sqrt{d-d}}{c^6 x^6 - 3c^4 x^4 + 3c^2 x^2 - 1} \right) - 4\sqrt{-c^2 dx^2 + d}(b \arcsin(cx) + a)}{4(c^4 d^2 x^2 - c^2 d^2)}, \dots \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="fricas")

[Out] [1/4\*((b\*c^2\*x^2 - b)\*sqrt(d)\*log(-(c^6\*d\*x^6 + 5\*c^4\*d\*x^4 - 5\*c^2\*d\*x^2 + 4\*(c^3\*x^3 + c\*x)\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*sqrt(d) - d)/(c^6\*x^6 - 3\*c^4\*x^4 + 3\*c^2\*x^2 - 1)) - 4\*sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a))/(c^4\*d^2\*x^2 - c^2\*d^2), -1/2\*((b\*c^2\*x^2 - b)\*sqrt(-d)\*arctan(2\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*c\*sqrt(-d)\*x/(c^4\*d\*x^4 - d)) + 2\*sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a))/(c^4\*d^2\*x^2 - c^2\*d^2)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x(a + b \operatorname{asin}(cx))}{(-d(cx-1)(cx+1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2),x)

[Out] Integral(x\*(a + b\*asin(c\*x))/(-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x}{(-c^2 dx^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x/(-c^2\*d\*x^2 + d)^(3/2), x)

$$3.124 \quad \int \frac{a+b \sin^{-1}(cx)}{(d-c^2 dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=80

$$\frac{x(a+b \sin^{-1}(cx))}{d\sqrt{d-c^2 dx^2}} + \frac{b\sqrt{1-c^2 x^2} \log(1-c^2 x^2)}{2cd\sqrt{d-c^2 dx^2}}$$

[Out] (x\*(a + b\*ArcSin[c\*x]))/(d\*Sqrt[d - c^2\*d\*x^2]) + (b\*Sqrt[1 - c^2\*x^2]\*Log[1 - c^2\*x^2])/(2\*c\*d\*Sqrt[d - c^2\*d\*x^2])

**Rubi [A]** time = 0.0363379, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {4653, 260}

$$\frac{x(a+b \sin^{-1}(cx))}{d\sqrt{d-c^2 dx^2}} + \frac{b\sqrt{1-c^2 x^2} \log(1-c^2 x^2)}{2cd\sqrt{d-c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(d - c^2\*d\*x^2)^(3/2), x]

[Out] (x\*(a + b\*ArcSin[c\*x]))/(d\*Sqrt[d - c^2\*d\*x^2]) + (b\*Sqrt[1 - c^2\*x^2]\*Log[1 - c^2\*x^2])/(2\*c\*d\*Sqrt[d - c^2\*d\*x^2])

#### Rule 4653

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/((d\_.) + (e\_.)\*(x\_)^2)^(3/2), x\_Symbol] :> Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n\*Sqrt[1 - c^2\*x^2])/(d\*Sqrt[d + e\*x^2]), Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(1 - c^2\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

#### Rule 260

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n\_.)), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

#### Rubi steps

$$\int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^{3/2}} dx = \frac{x(a + b \sin^{-1}(cx))}{d\sqrt{d - c^2 dx^2}} - \frac{(bc\sqrt{1 - c^2 x^2}) \int \frac{x}{1 - c^2 x^2} dx}{d\sqrt{d - c^2 dx^2}}$$

$$= \frac{x(a + b \sin^{-1}(cx))}{d\sqrt{d - c^2 dx^2}} + \frac{b\sqrt{1 - c^2 x^2} \log(1 - c^2 x^2)}{2cd\sqrt{d - c^2 dx^2}}$$

**Mathematica [A]** time = 0.202672, size = 77, normalized size = 0.96

$$-\frac{\sqrt{d - c^2 dx^2} (2acx + b\sqrt{1 - c^2 x^2} \log(c^2 x^2 - 1) + 2bcx \sin^{-1}(cx))}{2cd^2 (c^2 x^2 - 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/(d - c^2\*d\*x^2)^(3/2), x]

[Out] -(Sqrt[d - c^2\*d\*x^2]\*(2\*a\*c\*x + 2\*b\*c\*x\*ArcSin[c\*x] + b\*Sqrt[1 - c^2\*x^2]\*Log[-1 + c^2\*x^2]))/(2\*c\*d^2\*(-1 + c^2\*x^2))

**Maple [C]** time = 0.086, size = 177, normalized size = 2.2

$$\frac{ax}{d} \frac{1}{\sqrt{-c^2 dx^2 + d}} + \frac{ib \arcsin(cx)}{cd^2 (c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} \sqrt{-c^2 x^2 + 1} - \frac{b \arcsin(cx)x}{d^2 (c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} - \frac{b}{cd^2 (c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2), x)

[Out] a/d\*x/(-c^2\*d\*x^2+d)^(1/2)+I\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c/d^2/(c^2\*x^2-1)\*arcsin(c\*x)-b\*(-d\*(c^2\*x^2-1))^(1/2)\*arcsin(c\*x)/d^2/(c^2\*x^2-1)\*x-b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c/d^2/(c^2\*x^2-1)\*ln(1+(I\*c\*x+(-c^2\*x^2+1)^(1/2))^2)

**Maxima [A]** time = 1.7018, size = 93, normalized size = 1.16

$$-\frac{bc\sqrt{\frac{1}{c^4 d}} \log\left(x^2 - \frac{1}{c^2}\right)}{2d} + \frac{bx \arcsin(cx)}{\sqrt{-c^2 dx^2 + dd}} + \frac{ax}{\sqrt{-c^2 dx^2 + dd}}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(3/2),x, algorithm="maxima")`

[Out]  $-1/2*b*c*\sqrt{1/(c^4*d)}*\log(x^2 - 1/c^2)/d + b*x*\arcsin(c*x)/(\sqrt{-c^2*d*x^2 + d}*d) + a*x/(\sqrt{-c^2*d*x^2 + d}*d)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2 + d}(b \arcsin(cx) + a)}{c^4d^2x^4 - 2c^2d^2x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)/(c^4*d^2*x^4 - 2*c^2*d^2*x^2 + d^2), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \arcsin(cx)}{(-d(cx - 1)(cx + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))/(-c**2*d*x**2+d)**(3/2),x)`

[Out] `Integral((a + b*asin(c*x))/(-d*(c*x - 1)*(c*x + 1))**(3/2), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(-c^2dx^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/(-c^2*d*x^2 + d)^(3/2), x)
```

$$3.125 \quad \int \frac{a+b \sin^{-1}(cx)}{x(d-c^2 dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=220

$$\frac{ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)}{d\sqrt{d-c^2dx^2}} - \frac{ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)}{d\sqrt{d-c^2dx^2}} + \frac{a+b\sin^{-1}(cx)}{d\sqrt{d-c^2dx^2}} - \frac{2\sqrt{1-c^2x^2}\tanh^{-1}\left(e^{i\sin^{-1}(cx)}\right)}{d\sqrt{d-c^2dx^2}}$$

[Out] (a + b\*ArcSin[c\*x])/(d\*Sqrt[d - c^2\*d\*x^2]) - (2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*ArcTanh[E^(I\*ArcSin[c\*x])])/(d\*Sqrt[d - c^2\*d\*x^2]) - (b\*Sqrt[1 - c^2\*x^2]\*ArcTanh[c\*x])/(d\*Sqrt[d - c^2\*d\*x^2]) + (I\*b\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/(d\*Sqrt[d - c^2\*d\*x^2]) - (I\*b\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, E^(I\*ArcSin[c\*x])])/(d\*Sqrt[d - c^2\*d\*x^2])

**Rubi [A]** time = 0.311222, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {4705, 4713, 4709, 4183, 2279, 2391, 206}

$$\frac{ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)}{d\sqrt{d-c^2dx^2}} - \frac{ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)}{d\sqrt{d-c^2dx^2}} + \frac{a+b\sin^{-1}(cx)}{d\sqrt{d-c^2dx^2}} - \frac{2\sqrt{1-c^2x^2}\tanh^{-1}\left(e^{i\sin^{-1}(cx)}\right)}{d\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(x\*(d - c^2\*d\*x^2)^(3/2)), x]

[Out] (a + b\*ArcSin[c\*x])/(d\*Sqrt[d - c^2\*d\*x^2]) - (2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*ArcTanh[E^(I\*ArcSin[c\*x])])/(d\*Sqrt[d - c^2\*d\*x^2]) - (b\*Sqrt[1 - c^2\*x^2]\*ArcTanh[c\*x])/(d\*Sqrt[d - c^2\*d\*x^2]) + (I\*b\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/(d\*Sqrt[d - c^2\*d\*x^2]) - (I\*b\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, E^(I\*ArcSin[c\*x])])/(d\*Sqrt[d - c^2\*d\*x^2])

**Rule 4705**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := -Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*f\*(p + 1)), x] + (Dist[(m + 2\*p + 3)/(2\*d\*(p + 1)), Int[(f\*x)^m\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*f\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n,

```
0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1]
)
```

### Rule 4713

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_.)*((f_.)*(x_.))^m_)/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := Dist[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2], Int[
(f*x)^m*(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c,
d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && !GtQ[d, 0] && (Integ
erQ[m] || EqQ[n, 1])
```

### Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_.)*(x_)^m_)/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^m_], x_Symbol] := Simp[
(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^n_], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^n_)]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x(d - c^2 dx^2)^{3/2}} dx &= \frac{a + b \sin^{-1}(cx)}{d\sqrt{d - c^2 dx^2}} + \frac{\int \frac{a+b \sin^{-1}(cx)}{x\sqrt{d-c^2 dx^2}} dx}{d} - \frac{(bc\sqrt{1 - c^2 x^2}) \int \frac{1}{1-c^2 x^2} dx}{d\sqrt{d - c^2 dx^2}} \\
&= \frac{a + b \sin^{-1}(cx)}{d\sqrt{d - c^2 dx^2}} - \frac{b\sqrt{1 - c^2 x^2} \tanh^{-1}(cx)}{d\sqrt{d - c^2 dx^2}} + \frac{\sqrt{1 - c^2 x^2} \int \frac{a+b \sin^{-1}(cx)}{x\sqrt{1-c^2 x^2}} dx}{d\sqrt{d - c^2 dx^2}} \\
&= \frac{a + b \sin^{-1}(cx)}{d\sqrt{d - c^2 dx^2}} - \frac{b\sqrt{1 - c^2 x^2} \tanh^{-1}(cx)}{d\sqrt{d - c^2 dx^2}} + \frac{\sqrt{1 - c^2 x^2} \text{Subst}\left(\int (a + bx) \csc(x) dx, x, \sin^{-1}(cx)\right)}{d\sqrt{d - c^2 dx^2}} \\
&= \frac{a + b \sin^{-1}(cx)}{d\sqrt{d - c^2 dx^2}} - \frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{d\sqrt{d - c^2 dx^2}} - \frac{b\sqrt{1 - c^2 x^2} \tanh^{-1}(cx)}{d\sqrt{d - c^2 dx^2}} \\
&= \frac{a + b \sin^{-1}(cx)}{d\sqrt{d - c^2 dx^2}} - \frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{d\sqrt{d - c^2 dx^2}} - \frac{b\sqrt{1 - c^2 x^2} \tanh^{-1}(cx)}{d\sqrt{d - c^2 dx^2}} + \\
&= \frac{a + b \sin^{-1}(cx)}{d\sqrt{d - c^2 dx^2}} - \frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tanh^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{d\sqrt{d - c^2 dx^2}} - \frac{b\sqrt{1 - c^2 x^2} \tanh^{-1}(cx)}{d\sqrt{d - c^2 dx^2}} +
\end{aligned}$$

**Mathematica [A]** time = 0.997716, size = 300, normalized size = 1.36

$$\frac{bd(i\sqrt{1-c^2x^2}\text{PolyLog}(2,-e^{i\sin^{-1}(cx)})-i\sqrt{1-c^2x^2}\text{PolyLog}(2,e^{i\sin^{-1}(cx)})+\sqrt{1-c^2x^2}\sin^{-1}(cx)\log(1-e^{i\sin^{-1}(cx)})-\sqrt{1-c^2x^2}\sin^{-1}(cx)\log(1+e^{i\sin^{-1}(cx)})+\sqrt{1-c^2x^2})}{\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x\*(d - c^2\*d\*x^2)^(3/2)),x]

[Out] (-((a\*Sqrt[d - c^2\*d\*x^2])/(-1 + c^2\*x^2)) + a\*Sqrt[d]\*Log[x] - a\*Sqrt[d]\*Log[d + Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]] + (b\*d\*(ArcSin[c\*x] + Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 - E^(I\*ArcSin[c\*x])]) - Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 + E^(I\*ArcSin[c\*x])]) + Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] - Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]]) + I\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, -E^(I\*ArcSin[c\*x])] - I\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2])/d^2

**Maple [A]** time = 0.132, size = 344, normalized size = 1.6

$$\frac{a}{d\sqrt{-c^2dx^2+d}} - a \ln\left(\frac{1}{x}\left(2d + 2\sqrt{d}\sqrt{-c^2dx^2+d}\right)\right) d^{-\frac{3}{2}} - \frac{b \arcsin(cx)}{d^2(c^2x^2-1)}\sqrt{-d(c^2x^2-1)} - \frac{2ib}{d^2(c^2x^2-1)}\sqrt{-c^2x^2+1}\sqrt{-d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))/x/(-c^2*d*x^2+d)^(3/2),x)`

[Out] 
$$\frac{a}{d} \frac{1}{(-c^2 d x^2 + d)^{1/2}} - \frac{a}{d^{3/2}} \ln\left(\frac{2 d + 2 d^{1/2} (-c^2 d x^2 + d)^{1/2}}{x}\right) - b \frac{(-d(c^2 x^2 - 1))^{1/2}}{d^2 (c^2 x^2 - 1)} \arcsin(cx) - 2 I b \frac{(-c^2 x^2 + 1)^{1/2}}{d^2 (c^2 x^2 - 1)} \arctan\left(\frac{I c x + (-c^2 x^2 + 1)^{1/2}}{d}\right) - I b \frac{(-c^2 x^2 + 1)^{1/2}}{d^2 (c^2 x^2 - 1)} \operatorname{dilog}\left(\frac{I c x + (-c^2 x^2 + 1)^{1/2}}{d}\right) - I b \frac{(-c^2 x^2 + 1)^{1/2}}{d^2 (c^2 x^2 - 1)} \operatorname{dilog}\left(\frac{1 + I c x + (-c^2 x^2 + 1)^{1/2}}{d}\right) + b \frac{(-c^2 x^2 + 1)^{1/2}}{d^2 (c^2 x^2 - 1)} \arcsin(cx) \ln\left(\frac{1 + I c x + (-c^2 x^2 + 1)^{1/2}}{d}\right)$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x/(-c^2*d*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{-c^2 dx^2 + d}(b \arcsin(cx) + a)}{c^4 d^2 x^5 - 2 c^2 d^2 x^3 + d^2 x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x/(-c^2*d*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)/(c^4*d^2*x^5 - 2*c^2*d^2*x^3 + d^2*x), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asin}(cx)}{x(-d(cx - 1)(cx + 1))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x/(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2),x)

[Out] Integral((a + b\*asin(c\*x))/(x\*(-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(-c^2 dx^2 + d)^{\frac{3}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/((-c^2\*d\*x^2 + d)^(3/2)\*x), x)

$$3.126 \quad \int \frac{a+b \sin^{-1}(cx)}{x^2(d-c^2dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=150

$$\frac{2c^2x(a+b \sin^{-1}(cx))}{d\sqrt{d-c^2dx^2}} - \frac{a+b \sin^{-1}(cx)}{dx\sqrt{d-c^2dx^2}} + \frac{bc \log(x)\sqrt{d-c^2dx^2}}{d^2\sqrt{1-c^2x^2}} + \frac{bc\sqrt{d-c^2dx^2} \log(1-c^2x^2)}{2d^2\sqrt{1-c^2x^2}}$$

[Out] -((a + b\*ArcSin[c\*x])/(d\*x\*Sqrt[d - c^2\*d\*x^2])) + (2\*c^2\*x\*(a + b\*ArcSin[c\*x]))/(d\*Sqrt[d - c^2\*d\*x^2]) + (b\*c\*Sqrt[d - c^2\*d\*x^2]\*Log[x])/(d^2\*Sqrt[1 - c^2\*x^2]) + (b\*c\*Sqrt[d - c^2\*d\*x^2]\*Log[1 - c^2\*x^2])/(2\*d^2\*Sqrt[1 - c^2\*x^2])

**Rubi [A]** time = 0.155475, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {4701, 4653, 260, 266, 36, 29, 31}

$$\frac{2c^2x(a+b \sin^{-1}(cx))}{d\sqrt{d-c^2dx^2}} - \frac{a+b \sin^{-1}(cx)}{dx\sqrt{d-c^2dx^2}} + \frac{bc\sqrt{1-c^2x^2} \log(x)}{d\sqrt{d-c^2dx^2}} + \frac{bc\sqrt{1-c^2x^2} \log(1-c^2x^2)}{2d\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(x^2\*(d - c^2\*d\*x^2)^(3/2)), x]

[Out] -((a + b\*ArcSin[c\*x])/(d\*x\*Sqrt[d - c^2\*d\*x^2])) + (2\*c^2\*x\*(a + b\*ArcSin[c\*x]))/(d\*Sqrt[d - c^2\*d\*x^2]) + (b\*c\*Sqrt[1 - c^2\*x^2]\*Log[x])/(d\*Sqrt[d - c^2\*d\*x^2]) + (b\*c\*Sqrt[1 - c^2\*x^2]\*Log[1 - c^2\*x^2])/(2\*d\*Sqrt[d - c^2\*d\*x^2])

### Rule 4701

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^ (n\_.)\*((f\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] + (Dist[(c^2\*(m + 2\*p + 3))/(f^2\*(m + 1)), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]



Rule 4653

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2)^(3/2), x
_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(
b*c*n*Sqrt[1 - c^2*x^2])/(d*Sqrt[d + e*x^2]), Int[(x*(a + b*ArcSin[c*x])^(n
- 1))/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e,
0] && GtQ[n, 0]
```

Rule 260

```
Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveConten
t[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[b/(b*c
- a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 29

```
Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^2 (d - c^2 dx^2)^{3/2}} dx &= -\frac{a + b \sin^{-1}(cx)}{dx \sqrt{d - c^2 dx^2}} + (2c^2) \int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^{3/2}} dx + \frac{(bc \sqrt{1 - c^2 x^2}) \int \frac{1}{x(1 - c^2 x^2)} dx}{d \sqrt{d - c^2 dx^2}} \\
&= -\frac{a + b \sin^{-1}(cx)}{dx \sqrt{d - c^2 dx^2}} + \frac{2c^2 x (a + b \sin^{-1}(cx))}{d \sqrt{d - c^2 dx^2}} + \frac{(bc \sqrt{1 - c^2 x^2}) \text{Subst} \left( \int \frac{1}{x(1 - c^2 x)} dx, x, x^2 \right)}{2d \sqrt{d - c^2 dx^2}} - \frac{(2bc^3)}{2d \sqrt{d - c^2 dx^2}} \\
&= -\frac{a + b \sin^{-1}(cx)}{dx \sqrt{d - c^2 dx^2}} + \frac{2c^2 x (a + b \sin^{-1}(cx))}{d \sqrt{d - c^2 dx^2}} + \frac{bc \sqrt{1 - c^2 x^2} \log(1 - c^2 x^2)}{d \sqrt{d - c^2 dx^2}} + \frac{(bc \sqrt{1 - c^2 x^2}) \text{Subst} \left( \int \frac{1}{x(1 - c^2 x)} dx, x, x^2 \right)}{2d \sqrt{d - c^2 dx^2}} \\
&= -\frac{a + b \sin^{-1}(cx)}{dx \sqrt{d - c^2 dx^2}} + \frac{2c^2 x (a + b \sin^{-1}(cx))}{d \sqrt{d - c^2 dx^2}} + \frac{bc \sqrt{1 - c^2 x^2} \log(x)}{d \sqrt{d - c^2 dx^2}} + \frac{bc \sqrt{1 - c^2 x^2} \log(1 - c^2 x^2)}{2d \sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.227789, size = 117, normalized size = 0.78

$$\frac{\sqrt{d - c^2 dx^2} \left( 4ac^2 x^2 - 2a + bcx \sqrt{1 - c^2 x^2} \log(x^2) + bcx \sqrt{1 - c^2 x^2} \log(1 - c^2 x^2) + 2b(2c^2 x^2 - 1) \sin^{-1}(cx) \right)}{2d^2 x (c^2 x^2 - 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^2\*(d - c^2\*d\*x^2)^(3/2)),x]

[Out] -(Sqrt[d - c^2\*d\*x^2]\*(-2\*a + 4\*a\*c^2\*x^2 + 2\*b\*(-1 + 2\*c^2\*x^2)\*ArcSin[c\*x] + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*Log[x^2] + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*Log[1 - c^2\*x^2]))/(2\*d^2\*x\*(-1 + c^2\*x^2))

**Maple [C]** time = 0.147, size = 239, normalized size = 1.6

$$-\frac{a}{dx \sqrt{-c^2 dx^2 + d}} + 2 \frac{ac^2 x}{d \sqrt{-c^2 dx^2 + d}} + \frac{2ib \arcsin(cx) c}{d^2 (c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} \sqrt{-c^2 x^2 + 1} - 2 \frac{b \sqrt{-d(c^2 x^2 - 1)} \arcsin(cx) xc^2}{d^2 (c^2 x^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d)^(3/2),x)

[Out] -a/d/x/(-c^2\*d\*x^2+d)^(1/2)+2\*a\*c^2/d\*x/(-c^2\*d\*x^2+d)^(1/2)+2\*I\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/d^2/(c^2\*x^2-1)\*arcsin(c\*x)\*c-2\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/d^2/(c^2\*x^2-1)\*arcsin(c\*x)\*c

$$2*x^2-1)^{(1/2)}*\arcsin(c*x)/(c^2*x^2-1)/d^2*x*c^2+b*(-d*(c^2*x^2-1))^{(1/2)}*\arcsin(c*x)/(c^2*x^2-1)/d^2/x-b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/d^2/(c^2*x^2-1)*\ln((I*c*x+(-c^2*x^2+1)^{(1/2}))^4-1)*c$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2+d}(b\arcsin(cx)+a)}{c^4d^2x^6-2c^2d^2x^4+d^2x^2},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)/(c^4\*d^2\*x^6 - 2\*c^2\*d^2\*x^4 + d^2\*x^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asin}(cx)}{x^2 (-d(cx - 1)(cx + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2),x)

[Out] Integral((a + b\*asin(c\*x))/(x\*\*2\*(-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(-c^2 dx^2 + d)^{\frac{3}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/((-c^2\*d\*x^2 + d)^(3/2)\*x^2), x)

$$3.127 \quad \int \frac{a+b \sin^{-1}(cx)}{x^3(d-c^2dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=316

$$\frac{3ibc^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)}{2d\sqrt{d-c^2dx^2}} - \frac{3ibc^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)}{2d\sqrt{d-c^2dx^2}} + \frac{3c^2(a+b\sin^{-1}(cx))}{2d\sqrt{d-c^2dx^2}} - \frac{a+b\sin^{-1}(cx)}{2dx^2\sqrt{d-c^2dx^2}}$$

[Out]  $-(b*c*\text{Sqrt}[1 - c^2*x^2])/(2*d*x*\text{Sqrt}[d - c^2*d*x^2]) + (3*c^2*(a + b*\text{ArcSin}[c*x]))/(2*d*\text{Sqrt}[d - c^2*d*x^2]) - (a + b*\text{ArcSin}[c*x])/(2*d*x^2*\text{Sqrt}[d - c^2*d*x^2]) - (3*c^2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/(d*\text{Sqrt}[d - c^2*d*x^2]) - (b*c^2*\text{Sqrt}[1 - c^2*x^2]*\text{ArcTanh}[c*x])/(d*\text{Sqrt}[d - c^2*d*x^2]) + (((3*I)/2)*b*c^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/(d*\text{Sqrt}[d - c^2*d*x^2]) - (((3*I)/2)*b*c^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/(d*\text{Sqrt}[d - c^2*d*x^2])$

**Rubi [A]** time = 0.441389, antiderivative size = 316, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4701, 4705, 4713, 4709, 4183, 2279, 2391, 206, 325}

$$\frac{3ibc^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)}{2d\sqrt{d-c^2dx^2}} - \frac{3ibc^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)}{2d\sqrt{d-c^2dx^2}} + \frac{3c^2(a+b\sin^{-1}(cx))}{2d\sqrt{d-c^2dx^2}} - \frac{a+b\sin^{-1}(cx)}{2dx^2\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])/(x^3*(d - c^2*d*x^2)^(3/2)), x]$

[Out]  $-(b*c*\text{Sqrt}[1 - c^2*x^2])/(2*d*x*\text{Sqrt}[d - c^2*d*x^2]) + (3*c^2*(a + b*\text{ArcSin}[c*x]))/(2*d*\text{Sqrt}[d - c^2*d*x^2]) - (a + b*\text{ArcSin}[c*x])/(2*d*x^2*\text{Sqrt}[d - c^2*d*x^2]) - (3*c^2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/(d*\text{Sqrt}[d - c^2*d*x^2]) - (b*c^2*\text{Sqrt}[1 - c^2*x^2]*\text{ArcTanh}[c*x])/(d*\text{Sqrt}[d - c^2*d*x^2]) + (((3*I)/2)*b*c^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/(d*\text{Sqrt}[d - c^2*d*x^2]) - (((3*I)/2)*b*c^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/(d*\text{Sqrt}[d - c^2*d*x^2])$

### Rule 4701

$\text{Int}[(a + b*\text{ArcSin}[c*x])/(x^3*(d - c^2*d*x^2)^(3/2)), x] := \text{Simp}[(f*x)^(m+1)*(d + e*x^2)^(p+1)*(a + b*\text{ArcSin}[c*x])^n/(d*f*(m+1)), x] + (\text{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1))$

), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

#### Rule 4705

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*f\*(p + 1)), x] + (Dist[(m + 2\*p + 3)/(2\*d\*(p + 1)), Int[(f\*x)^m\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*f\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1])

#### Rule 4713

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)]/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(f\*x)^m\*(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !GtQ[d, 0] && (IntegerQ[m] || EqQ[n, 1])

#### Rule 4709

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*(x\_)^(m\_)]/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[1/(c^(m + 1)\*Sqrt[d]), Subst[Int[(a + b\*x)^n\*Sin[x]^m, x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

#### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

#### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x))

)<sup>n</sup>, x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 325

Int[((c\_.)\*(x\_)^(m\_))\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*c\*(m + 1)), x] - Dist[(b\*(m + n\*(p + 1) + 1))/(a\*c^n\*(m + 1)), Int[(c\*x)^(m + n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^3 (d - c^2 dx^2)^{3/2}} dx &= -\frac{a + b \sin^{-1}(cx)}{2dx^2 \sqrt{d - c^2 dx^2}} + \frac{1}{2} (3c^2) \int \frac{a + b \sin^{-1}(cx)}{x (d - c^2 dx^2)^{3/2}} dx + \frac{(bc\sqrt{1 - c^2 x^2}) \int \frac{1}{x^2(1 - c^2 x^2)} dx}{2d\sqrt{d - c^2 dx^2}} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2dx\sqrt{d - c^2 dx^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{2d\sqrt{d - c^2 dx^2}} - \frac{a + b \sin^{-1}(cx)}{2dx^2 \sqrt{d - c^2 dx^2}} + \frac{(3c^2) \int \frac{a + b \sin^{-1}(cx)}{x\sqrt{d - c^2 dx^2}} dx}{2d} + \frac{(bc^3\sqrt{1 - c^2 x^2})}{2d\sqrt{d - c^2 dx^2}} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2dx\sqrt{d - c^2 dx^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{2d\sqrt{d - c^2 dx^2}} - \frac{a + b \sin^{-1}(cx)}{2dx^2 \sqrt{d - c^2 dx^2}} - \frac{bc^2\sqrt{1 - c^2 x^2} \tanh^{-1}(cx)}{d\sqrt{d - c^2 dx^2}} + \frac{(3c^2) \int \frac{a + b \sin^{-1}(cx)}{x\sqrt{d - c^2 dx^2}} dx}{2d} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2dx\sqrt{d - c^2 dx^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{2d\sqrt{d - c^2 dx^2}} - \frac{a + b \sin^{-1}(cx)}{2dx^2 \sqrt{d - c^2 dx^2}} - \frac{bc^2\sqrt{1 - c^2 x^2} \tanh^{-1}(cx)}{d\sqrt{d - c^2 dx^2}} + \frac{(3c^2) \int \frac{a + b \sin^{-1}(cx)}{x\sqrt{d - c^2 dx^2}} dx}{2d} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2dx\sqrt{d - c^2 dx^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{2d\sqrt{d - c^2 dx^2}} - \frac{a + b \sin^{-1}(cx)}{2dx^2 \sqrt{d - c^2 dx^2}} - \frac{3c^2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tanh^{-1}(cx)}{d\sqrt{d - c^2 dx^2}} + \frac{(3c^2) \int \frac{a + b \sin^{-1}(cx)}{x\sqrt{d - c^2 dx^2}} dx}{2d} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2dx\sqrt{d - c^2 dx^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{2d\sqrt{d - c^2 dx^2}} - \frac{a + b \sin^{-1}(cx)}{2dx^2 \sqrt{d - c^2 dx^2}} - \frac{3c^2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tanh^{-1}(cx)}{d\sqrt{d - c^2 dx^2}} + \frac{(3c^2) \int \frac{a + b \sin^{-1}(cx)}{x\sqrt{d - c^2 dx^2}} dx}{2d} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2dx\sqrt{d - c^2 dx^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{2d\sqrt{d - c^2 dx^2}} - \frac{a + b \sin^{-1}(cx)}{2dx^2 \sqrt{d - c^2 dx^2}} - \frac{3c^2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tanh^{-1}(cx)}{d\sqrt{d - c^2 dx^2}} + \frac{(3c^2) \int \frac{a + b \sin^{-1}(cx)}{x\sqrt{d - c^2 dx^2}} dx}{2d}
\end{aligned}$$

**Mathematica [A]** time = 2.11962, size = 404, normalized size = 1.28

$$\frac{b\sqrt{d}(6icx \sin(2 \sin^{-1}(cx)) \text{PolyLog}(2, -e^{i \sin^{-1}(cx)}) - 6icx \sin(2 \sin^{-1}(cx)) \text{PolyLog}(2, e^{i \sin^{-1}(cx)})) + \sqrt{1 - c^2 x^2} (2(\log(\cos(\frac{1}{2} \sin^{-1}(cx)) - \sin(\frac{1}{2} \sin^{-1}(cx)))) - \log(\sin(\frac{1}{2} \sin^{-1}(cx))))}{d\sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^3\*(d - c^2\*d\*x^2)^(3/2)), x]

[Out] ((4\*a\*Sqrt[d]\*(-1 + 3\*c^2\*x^2))/(x^2\*Sqrt[d - c^2\*d\*x^2]) + 12\*a\*c^2\*Log[x] - 12\*a\*c^2\*Log[d + Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]] + (b\*Sqrt[d]\*(2\*ArcSin[c\*x] - 6\*ArcSin[c\*x]\*Cos[2\*ArcSin[c\*x]] - 3\*ArcSin[c\*x]\*Cos[3\*ArcSin[c\*x]])\*Log[1 - E^(I\*ArcSin[c\*x])] + 3\*ArcSin[c\*x]\*Cos[3\*ArcSin[c\*x]]\*Log[1 + E^(I\*ArcSin[c\*x])]) - 2\*Cos[3\*ArcSin[c\*x]]\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] + Sqrt[1 - c^2\*x^2]\*(3\*ArcSin[c\*x]\*(Log[1 - E^(I\*ArcSin[c\*x])]) - Log[1 + E^(I\*ArcSin[c\*x])]) + 2\*(Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] - Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) + 2\*Cos[3\*ArcSin[c\*x]]\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]] - 2\*Sin[2\*ArcSin[c\*x]] + (6\*I)\*c\*x\*P



olyLog[2, -E^(I\*ArcSin[c\*x])] \* Sin[2\*ArcSin[c\*x]] - (6\*I)\*c\*x\*PolyLog[2, E^(I\*ArcSin[c\*x])] \* Sin[2\*ArcSin[c\*x]]) / (x^2\*Sqrt[d - c^2\*d\*x^2]) / (8\*d^(3/2))

**Maple [A]** time = 0.23, size = 474, normalized size = 1.5

$$-\frac{a}{2dx^2} \frac{1}{\sqrt{-c^2dx^2+d}} + \frac{3ac^2}{2d} \frac{1}{\sqrt{-c^2dx^2+d}} - \frac{3ac^2}{2} \ln\left(\frac{1}{x} \left(2d + 2\sqrt{d}\sqrt{-c^2dx^2+d}\right)\right) d^{-\frac{3}{2}} - \frac{3b \arcsin(cx) c^2}{2d^2 (c^2x^2-1)} \sqrt{-d(c^2x^2-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^3/(-c^2\*d\*x^2+d)^(3/2), x)

[Out]  $-\frac{1}{2} \frac{a}{d} \frac{1}{x^2} \frac{1}{(-c^2*d*x^2+d)^{1/2}} + \frac{3}{2} \frac{a*c^2}{d} \frac{1}{(-c^2*d*x^2+d)^{1/2}} - \frac{3}{2} \frac{a*c^2}{d^{3/2}} \ln\left(\frac{2*d+2*d^{1/2}*(-c^2*d*x^2+d)^{1/2}}{x}\right) - \frac{3}{2} \frac{b*(-d*(c^2*x^2-1))^{1/2}}{d^2*(c^2*x^2-1)*\arcsin(cx)*c^2+1/2*b*(-d*(c^2*x^2-1))^{1/2}} \frac{1}{d^2*(c^2*x^2-1)/x*(-c^2*x^2+1)^{1/2}} + \frac{1}{2} \frac{b*(-d*(c^2*x^2-1))^{1/2}}{d^2*(c^2*x^2-1)/x^2*\arcsin(cx)+3/2*b*(-c^2*x^2+1)^{1/2}} \frac{1}{(-d*(c^2*x^2-1))^{1/2}} \frac{1}{(c^2*x^2-1)/d^2*c^2*\arcsin(cx)*\ln(1+I*c*x+(-c^2*x^2+1)^{1/2})} - \frac{2}{2} \frac{I*b*(-c^2*x^2+1)^{1/2}}{(d*(c^2*x^2-1))^{1/2}} \frac{1}{(c^2*x^2-1)/d^2*c^2*\arctan(I*c*x+(-c^2*x^2+1)^{1/2})} - \frac{3}{2} \frac{I*b*(-c^2*x^2+1)^{1/2}}{(c^2*x^2-1)/d^2*c^2} \frac{1}{\operatorname{dilog}(I*c*x+(-c^2*x^2+1)^{1/2})} - \frac{3}{2} \frac{I*b*(-c^2*x^2+1)^{1/2}}{(c^2*x^2-1)/d^2*c^2} \frac{1}{\operatorname{dilog}(1+I*c*x+(-c^2*x^2+1)^{1/2})}$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^3/(-c^2\*d\*x^2+d)^(3/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{-c^2dx^2+d}(b \arcsin(cx) + a)}{c^4d^2x^7 - 2c^2d^2x^5 + d^2x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^3/(-c^2*d*x^2+d)^(3/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)/(c^4*d^2*x^7 - 2*c^2*d^2*x^5 + d^2*x^3), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/x**3/(-c**2*d*x**2+d)**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(-c^2 dx^2 + d)^{\frac{3}{2}} x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^3/(-c^2*d*x^2+d)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/((-c^2*d*x^2 + d)^(3/2)*x^3), x)
```

$$3.128 \quad \int \frac{a+b \sin^{-1}(cx)}{x^4(d-c^2dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=238

$$\frac{8c^4x(a+b \sin^{-1}(cx))}{3d\sqrt{d-c^2dx^2}} - \frac{4c^2(a+b \sin^{-1}(cx))}{3dx\sqrt{d-c^2dx^2}} - \frac{a+b \sin^{-1}(cx)}{3dx^3\sqrt{d-c^2dx^2}} - \frac{bc\sqrt{d-c^2dx^2}}{6d^2x^2\sqrt{1-c^2x^2}} + \frac{5bc^3 \log(x)\sqrt{d-c^2dx^2}}{3d^2\sqrt{1-c^2x^2}} + \frac{bc^3\sqrt{d-c^2dx^2}}{2d^2\sqrt{1-c^2x^2}}$$

[Out]  $-(b*c*\text{Sqrt}[d - c^2*d*x^2])/(6*d^2*x^2*\text{Sqrt}[1 - c^2*x^2]) - (a + b*\text{ArcSin}[c*x])/(3*d*x^3*\text{Sqrt}[d - c^2*d*x^2]) - (4*c^2*(a + b*\text{ArcSin}[c*x]))/(3*d*x*\text{Sqrt}[d - c^2*d*x^2]) + (8*c^4*x*(a + b*\text{ArcSin}[c*x]))/(3*d*\text{Sqrt}[d - c^2*d*x^2]) + (5*b*c^3*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(3*d^2*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[1 - c^2*x^2])/(2*d^2*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.292013, antiderivative size = 238, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {4701, 4653, 260, 266, 36, 29, 31, 44}

$$\frac{8c^4x(a+b \sin^{-1}(cx))}{3d\sqrt{d-c^2dx^2}} - \frac{4c^2(a+b \sin^{-1}(cx))}{3dx\sqrt{d-c^2dx^2}} - \frac{a+b \sin^{-1}(cx)}{3dx^3\sqrt{d-c^2dx^2}} - \frac{bc\sqrt{1-c^2x^2}}{6dx^2\sqrt{d-c^2dx^2}} + \frac{5bc^3\sqrt{1-c^2x^2} \log(x)}{3d\sqrt{d-c^2dx^2}} + \frac{bc^3\sqrt{1-c^2x^2}}{2d^2\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])/(x^4*(d - c^2*d*x^2)^{(3/2)}), x]$

[Out]  $-(b*c*\text{Sqrt}[1 - c^2*x^2])/(6*d*x^2*\text{Sqrt}[d - c^2*d*x^2]) - (a + b*\text{ArcSin}[c*x])/(3*d*x^3*\text{Sqrt}[d - c^2*d*x^2]) - (4*c^2*(a + b*\text{ArcSin}[c*x]))/(3*d*x*\text{Sqrt}[d - c^2*d*x^2]) + (8*c^4*x*(a + b*\text{ArcSin}[c*x]))/(3*d*\text{Sqrt}[d - c^2*d*x^2]) + (5*b*c^3*\text{Sqrt}[1 - c^2*x^2]*\text{Log}[x])/(3*d*\text{Sqrt}[d - c^2*d*x^2]) + (b*c^3*\text{Sqrt}[1 - c^2*x^2]*\text{Log}[1 - c^2*x^2])/(2*d*\text{Sqrt}[d - c^2*d*x^2])$

### Rule 4701

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*(d + e*x^2)^p, x] := \text{Simp}[(f*x)^{m+1}*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n/(d*f*(m+1)), x] + (\text{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1)], \text{Int}[(f*x)^{m+2}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n, x]) - \text{Dist}[(b*c^n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}/(f*(m+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{m+1}*(1 - c^2*x^2)^{p+1/2}*(a + b*\text{ArcSin}[c*x])^{n-1}], x]) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n,$

0] && LtQ[m, -1] && IntegerQ[m]

### Rule 4653

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/((d\_) + (e\_.)\*(x\_)^2)^(3/2), x\_Symbol] := Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n\*Sqrt[1 - c^2\*x^2])/(d\*Sqrt[d + e\*x^2]), Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(1 - c^2\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

### Rule 260

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n)), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 36

Int[1/(((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x))), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/(a + b\*x), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0]

### Rule 29

Int[(x\_)^(-1), x\_Symbol] := Simp[Log[x], x]

### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rule 44

Int[((a\_) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^4 (d - c^2 dx^2)^{3/2}} dx &= -\frac{a + b \sin^{-1}(cx)}{3dx^3 \sqrt{d - c^2 dx^2}} + \frac{1}{3} (4c^2) \int \frac{a + b \sin^{-1}(cx)}{x^2 (d - c^2 dx^2)^{3/2}} dx + \frac{(bc\sqrt{1 - c^2 x^2}) \int \frac{1}{x^3(1 - c^2 x^2)} dx}{3d\sqrt{d - c^2 dx^2}} \\
&= -\frac{a + b \sin^{-1}(cx)}{3dx^3 \sqrt{d - c^2 dx^2}} - \frac{4c^2 (a + b \sin^{-1}(cx))}{3dx \sqrt{d - c^2 dx^2}} + \frac{1}{3} (8c^4) \int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^{3/2}} dx + \frac{(bc\sqrt{1 - c^2 x^2}) \text{Subst} \left( \int \frac{1}{x^3(1 - c^2 x^2)} dx \right)}{6d\sqrt{d - c^2 dx^2}} \\
&= -\frac{a + b \sin^{-1}(cx)}{3dx^3 \sqrt{d - c^2 dx^2}} - \frac{4c^2 (a + b \sin^{-1}(cx))}{3dx \sqrt{d - c^2 dx^2}} + \frac{8c^4 x (a + b \sin^{-1}(cx))}{3d\sqrt{d - c^2 dx^2}} + \frac{(bc\sqrt{1 - c^2 x^2}) \text{Subst} \left( \int \frac{1}{x^3(1 - c^2 x^2)} dx \right)}{6d\sqrt{d - c^2 dx^2}} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{6dx^2 \sqrt{d - c^2 dx^2}} - \frac{a + b \sin^{-1}(cx)}{3dx^3 \sqrt{d - c^2 dx^2}} - \frac{4c^2 (a + b \sin^{-1}(cx))}{3dx \sqrt{d - c^2 dx^2}} + \frac{8c^4 x (a + b \sin^{-1}(cx))}{3d\sqrt{d - c^2 dx^2}} + \frac{bc^3 \sqrt{1 - c^2 x^2}}{3d\sqrt{d - c^2 dx^2}} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{6dx^2 \sqrt{d - c^2 dx^2}} - \frac{a + b \sin^{-1}(cx)}{3dx^3 \sqrt{d - c^2 dx^2}} - \frac{4c^2 (a + b \sin^{-1}(cx))}{3dx \sqrt{d - c^2 dx^2}} + \frac{8c^4 x (a + b \sin^{-1}(cx))}{3d\sqrt{d - c^2 dx^2}} + \frac{5bc^3 \sqrt{1 - c^2 x^2}}{3d\sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.311926, size = 162, normalized size = 0.68

$$\frac{\sqrt{d - c^2 dx^2} \left( -16ac^4 x^4 + 8ac^2 x^2 + 2a + bcx\sqrt{1 - c^2 x^2} - 5bc^3 x^3 \sqrt{1 - c^2 x^2} \log(x^2) - 3bc^3 x^3 \sqrt{1 - c^2 x^2} \log(1 - c^2 x^2) + 2bc^3 \sqrt{1 - c^2 x^2} \right)}{6d^2 x^3 (c^2 x^2 - 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^4\*(d - c^2\*d\*x^2)^(3/2)), x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(2\*a + 8\*a\*c^2\*x^2 - 16\*a\*c^4\*x^4 + b\*c\*x\*Sqrt[1 - c^2\*x^2] + 2\*b\*(1 + 4\*c^2\*x^2 - 8\*c^4\*x^4)\*ArcSin[c\*x] - 5\*b\*c^3\*x^3\*Sqrt[1 - c^2\*x^2]\*Log[x^2] - 3\*b\*c^3\*x^3\*Sqrt[1 - c^2\*x^2]\*Log[1 - c^2\*x^2]))/(6\*d^2\*x^3\*(-1 + c^2\*x^2))

**Maple [C]** time = 0.25, size = 1045, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^4/(-c^2\*d\*x^2+d)^(3/2), x)

```
[Out] -1/3*a/d/x^3/(-c^2*d*x^2+d)^(1/2)-4/3*a*c^2/d/x/(-c^2*d*x^2+d)^(1/2)+8/3*a*
c^4/d*x/(-c^2*d*x^2+d)^(1/2)+4*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^4*x^4-7*c^2*
x^2-1)/d^2*x^3*c^6+16/3*I*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/d^2/(
c^2*x^2-1)*arcsin(c*x)*c^3-16*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^4*x^4-7*c^2*x
^2-1)/d^2*x^5*c^8+32/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^4*x^4-7*c^2*x^2-1)/d
^2*x^7*c^10+32/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^4*x^4-7*c^2*x^2-1)/d^2*x^5
*(-c^2*x^2+1)*c^8-4/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^4*x^4-7*c^2*x^2-1)/d^
2*x*(-c^2*x^2+1)*c^4-64/3*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^4*x^4-7*c^2*x^2-1)/
d^2*x^3*arcsin(c*x)*c^6-16/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^4*x^4-7*c^2*x^
2-1)/d^2*x^3*(-c^2*x^2+1)*c^6+4/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^4*x^4-7*c
^2*x^2-1)/d^2*x*c^4-64/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^4*x^4-7*c^2*x^2-1)
/d^2*x^2*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^5+8*b*(-d*(c^2*x^2-1))^(1/2)/(8*c
^4*x^4-7*c^2*x^2-1)/d^2*x*arcsin(c*x)*c^4-8/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(8
*c^4*x^4-7*c^2*x^2-1)/d^2*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^3+4/3*b*(-d*(c^2
*x^2-1))^(1/2)/(8*c^4*x^4-7*c^2*x^2-1)/d^2*c^3*(-c^2*x^2+1)^(1/2)+4*b*(-d*(
c^2*x^2-1))^(1/2)/(8*c^4*x^4-7*c^2*x^2-1)/d^2/x*arcsin(c*x)*c^2+1/6*b*(-d*(
c^2*x^2-1))^(1/2)/(8*c^4*x^4-7*c^2*x^2-1)/d^2/x^2*(-c^2*x^2+1)^(1/2)*c+1/3*
b*(-d*(c^2*x^2-1))^(1/2)/(8*c^4*x^4-7*c^2*x^2-1)/d^2/x^3*arcsin(c*x)-b*(-d*
(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/d^2/(c^2*x^2-1)*ln(1+(I*c*x+(-c^2*x^2
+1)^(1/2))^2)*c^3-5/3*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/d^2/(c^2*
x^2-1)*ln((I*c*x+(-c^2*x^2+1)^(1/2))^2-1)*c^3
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^4/(-c^2*d*x^2+d)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2+d}(b\arcsin(cx)+a)}{c^4d^2x^8-2c^2d^2x^6+d^2x^4},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^4/(-c^2*d*x^2+d)^(3/2),x, algorithm="fricas")
```

[Out] `integral(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)/(c^4*d^2*x^8 - 2*c^2*d^2*x^6 + d^2*x^4), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))/x**4/(-c**2*d*x**2+d)**(3/2), x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(-c^2 dx^2 + d)^{\frac{3}{2}} x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x^4/(-c^2*d*x^2+d)^(3/2), x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)/((-c^2*d*x^2 + d)^(3/2)*x^4), x)`

$$3.129 \quad \int \frac{x^6 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=293

$$\frac{5x^3 (a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}} - \frac{5x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2c^6 d^3} + \frac{5\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{4bc^7 d^2 \sqrt{d - c^2 dx^2}} + \frac{x^5 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} + \frac{bx^2}{4c^5 d^2}$$

[Out]  $-b/(6*c^7*d^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2*d*x^2]) + (b*x^2*\text{Sqrt}[1 - c^2*x^2])/(4*c^5*d^2*\text{Sqrt}[d - c^2*d*x^2]) + (x^5*(a + b*\text{ArcSin}[c*x]))/(3*c^2*d*(d - c^2*d*x^2)^{(3/2)}) - (5*x^3*(a + b*\text{ArcSin}[c*x]))/(3*c^4*d^2*\text{Sqrt}[d - c^2*d*x^2]) - (5*x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(2*c^6*d^3) + (5*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(4*b*c^7*d^2*\text{Sqrt}[d - c^2*d*x^2]) - (7*b*\text{Sqrt}[1 - c^2*x^2]*\text{Log}[1 - c^2*x^2])/(6*c^7*d^2*\text{Sqrt}[d - c^2*d*x^2])$

**Rubi [A]** time = 0.442504, antiderivative size = 293, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {4703, 4707, 4643, 4641, 30, 266, 43}

$$\frac{5x^3 (a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}} - \frac{5x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2c^6 d^3} + \frac{5\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{4bc^7 d^2 \sqrt{d - c^2 dx^2}} + \frac{x^5 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} + \frac{bx^2}{4c^5 d^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^6*(a + b*\text{ArcSin}[c*x]))/(d - c^2*d*x^2)^{(5/2)}, x]$

[Out]  $-b/(6*c^7*d^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2*d*x^2]) + (b*x^2*\text{Sqrt}[1 - c^2*x^2])/(4*c^5*d^2*\text{Sqrt}[d - c^2*d*x^2]) + (x^5*(a + b*\text{ArcSin}[c*x]))/(3*c^2*d*(d - c^2*d*x^2)^{(3/2)}) - (5*x^3*(a + b*\text{ArcSin}[c*x]))/(3*c^4*d^2*\text{Sqrt}[d - c^2*d*x^2]) - (5*x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(2*c^6*d^3) + (5*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(4*b*c^7*d^2*\text{Sqrt}[d - c^2*d*x^2]) - (7*b*\text{Sqrt}[1 - c^2*x^2]*\text{Log}[1 - c^2*x^2])/(6*c^7*d^2*\text{Sqrt}[d - c^2*d*x^2])$

**Rule 4703**

$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d_. + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] :> \text{Simp}[(f*(f*x)^{(m-1)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n)/(2*e*(p+1)), x] + (-\text{Dist}[(f^2*(m-1))/(2*e*(p+1)], \text{Int}[(f*x)^{(m-2)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n, x], x] + \text{Dist}[(f^2*(m-1))/(2*e*(p+1)), \text{Int}[(f*x)^{(m-2)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n, x], x]$



$(b*f*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(2*c*(p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]})$ , Int $[(f*x)^{(m - 1)}*(1 - c^2*x^2)^{(p + 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}$ , x], x) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && GtQ[m, 1]

### Rule 4707

Int $[(a + \text{ArcSin}[c*x])*(b*x)^{(n-1)}*(f*x)^{(m-1)}/\text{Sqrt}[d + (e*x)^2]$ , x\_Symbol] :> Simp $[(f*(f*x)^{(m-1)}*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n)/(e*m)$ , x] + (Dist $[(f^2*(m-1))/(c^2*m)$ , Int $[(f*x)^{(m-2)}*(a + b*\text{ArcSin}[c*x])^n]/\text{Sqrt}[d + e*x^2]$ , x], x] + Dist $[(b*f*n*\text{Sqrt}[1 - c^2*x^2])/(c*m*\text{Sqrt}[d + e*x^2])$ , Int $[(f*x)^{(m-1)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}$ , x], x) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rule 4643

Int $[(a + \text{ArcSin}[c*x])*(b*x)^{(n-1)}/\text{Sqrt}[d + (e*x)^2]$ , x\_Symbol] :> Dist $[\text{Sqrt}[1 - c^2*x^2]/\text{Sqrt}[d + e*x^2]$ , Int $[(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[1 - c^2*x^2]$ , x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

### Rule 4641

Int $[(a + \text{ArcSin}[c*x])*(b*x)^{(n-1)}/\text{Sqrt}[d + (e*x)^2]$ , x\_Symbol] :> Simp $[(a + b*\text{ArcSin}[c*x])^{(n+1)}/(b*c*\text{Sqrt}[d]*(n+1))$ , x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 30

Int $[(x)^{(m-1)}$ , x\_Symbol] :> Simp $[x^{(m+1)}/(m+1)$ , x] /; FreeQ[m, x] && NeQ[m, -1]

### Rule 266

Int $[(x)^{(m-1)}*(a + (b*x)^{(n-1)})^p$ , x\_Symbol] :> Dist $[1/n$ , Subst $[\text{Int}[x^{(\text{Simplify}[(m+1)/n - 1)}*(a + b*x)^p]$ , x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m+1)/n]]

### Rule 43

Int $[(a + (b*x)^m)*(c + (d*x)^n)$ , x\_Symbol] :> Int $[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n]$ , x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le

Q[7\*m + 4\*n + 4, 0] || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^6 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{5/2}} dx &= \frac{x^5 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{5 \int \frac{x^4 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{3/2}} dx}{3c^2 d} - \frac{(b\sqrt{1 - c^2 x^2}) \int \frac{x^5}{(1 - c^2 x^2)^2} dx}{3cd^2 \sqrt{d - c^2 dx^2}} \\
 &= \frac{x^5 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{5x^3 (a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}} + \frac{5 \int \frac{x^2 (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx}{c^4 d^2} + \frac{(5b\sqrt{1 - c^2 x^2}) \int \frac{x^3}{1 - c^2 x^2}}{3c^3 d^2 \sqrt{d - c^2 dx^2}} \\
 &= \frac{x^5 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{5x^3 (a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}} - \frac{5x\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2c^6 d^3} + \frac{5 \int \frac{a + b \sin^{-1}(cx)}{\sqrt{d - c^2 dx^2}}}{2c^6 d^2} \\
 &= -\frac{b}{6c^7 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{13bx^2 \sqrt{1 - c^2 x^2}}{12c^5 d^2 \sqrt{d - c^2 dx^2}} + \frac{x^5 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{5x^3 (a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}} \\
 &= -\frac{b}{6c^7 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{bx^2 \sqrt{1 - c^2 x^2}}{4c^5 d^2 \sqrt{d - c^2 dx^2}} + \frac{x^5 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{5x^3 (a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}}
 \end{aligned}$$

**Mathematica [A]** time = 0.634476, size = 253, normalized size = 0.86

$$\frac{\sqrt{d} \left( 4acx (3c^4 x^4 - 20c^2 x^2 + 15) + b (6c^4 x^4 - 9c^2 x^2 + 7) \sqrt{1 - c^2 x^2} + 28b (1 - c^2 x^2)^{3/2} \log(1 - c^2 x^2) \right) - 60a (c^2 x^2 - 1) \sqrt{d}}{24c^7 d^{5/2} (c^2 x^2 - 1) \sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^6\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^(5/2), x]

[Out] (4\*b\*c\*Sqrt[d]\*x\*(15 - 20\*c^2\*x^2 + 3\*c^4\*x^4)\*ArcSin[c\*x] - 30\*b\*Sqrt[d]\*(1 - c^2\*x^2)^(3/2)\*ArcSin[c\*x]^2 - 60\*a\*(-1 + c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2]\*ArcTan[(c\*x\*Sqrt[d - c^2\*d\*x^2])/(Sqrt[d]\*(-1 + c^2\*x^2))] + Sqrt[d]\*(4\*a\*c\*x\*(15 - 20\*c^2\*x^2 + 3\*c^4\*x^4) + b\*Sqrt[1 - c^2\*x^2]\*(7 - 9\*c^2\*x^2 + 6\*c^4\*x^4) + 28\*b\*(1 - c^2\*x^2)^(3/2)\*Log[1 - c^2\*x^2]))/(24\*c^7\*d^(5/2)\*(-1 + c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])

**Maple [C]** time = 0.403, size = 1716, normalized size = 5.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (x^6(a+b\arcsin(cx)))/(-c^2dx^2+d)^{(5/2)}, x$

[Out] 
$$\begin{aligned} & -5/2*a/c^6/d^2*x/(-c^2*d*x^2+d)^{(1/2)}+5/2*a/c^6/d^2/(c^2*d)^{(1/2)}*\arctan((c \\ & ^2*d)^{(1/2)}*x/(-c^2*d*x^2+d)^{(1/2)})-1/2*a*x^5/c^2/d/(-c^2*d*x^2+d)^{(3/2)}+5/ \\ & 6*a/c^4*x^3/d/(-c^2*d*x^2+d)^{(3/2)}-406*I*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(63*c \\ & ^8*x^8-237*c^6*x^6+334*c^4*x^4-209*c^2*x^2+49)/c^3*\arcsin(c*x)*(-c^2*x^2+1) \\ & ^{(1/2)}*x^4+1120/3*I*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(63*c^8*x^8-237*c^6*x^6+33 \\ & 4*c^4*x^4-209*c^2*x^2+49)/c^5*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*x^2+147*I*b*(- \\ & d*(c^2*x^2-1))^{(1/2)}/d^3/(63*c^8*x^8-237*c^6*x^6+334*c^4*x^4-209*c^2*x^2+49 \\ & )/c*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*x^6+91/6*I*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/ \\ & (63*c^8*x^8-237*c^6*x^6+334*c^4*x^4-209*c^2*x^2+49)/c^4*(-c^2*x^2+1)*x^3-7* \\ & I*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(63*c^8*x^8-237*c^6*x^6+334*c^4*x^4-209*c^2* \\ & x^2+49)/c^6*(-c^2*x^2+1)*x-343/3*I*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(63*c^8*x^8 \\ & -237*c^6*x^6+334*c^4*x^4-209*c^2*x^2+49)/c^7*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)} \\ & -14/3*I*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/c^7/d^3/(c^2*x^2-1)*\arcs \\ & \sin(c*x)-49/6*I*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(63*c^8*x^8-237*c^6*x^6+334*c^ \\ & 4*x^4-209*c^2*x^2+49)/c^2*(-c^2*x^2+1)*x^5-49/6*b*(-d*(c^2*x^2-1))^{(1/2)}/d^ \\ & 3/(63*c^8*x^8-237*c^6*x^6+334*c^4*x^4-209*c^2*x^2+49)/c^7*(-c^2*x^2+1)^{(1/2)} \\ & )+1/8*b*(-d*(c^2*x^2-1))^{(1/2)}/c^7/d^3/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}+147*b \\ & *(-d*(c^2*x^2-1))^{(1/2)}/d^3/(63*c^8*x^8-237*c^6*x^6+334*c^4*x^4-209*c^2*x^2 \\ & +49)*\arcsin(c*x)*x^7-49/6*I*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(63*c^8*x^8-237*c^ \\ & 6*x^6+334*c^4*x^4-209*c^2*x^2+49)*x^7+37/2*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(63 \\ & *c^8*x^8-237*c^6*x^6+334*c^4*x^4-209*c^2*x^2+49)/c^5*x^2*(-c^2*x^2+1)^{(1/2)} \\ & +7/3*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^7/d^3/(c^2*x^2-1)*\ln(1+( \\ & I*c*x+(-c^2*x^2+1)^{(1/2)})^2)+1009/3*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(63*c^8*x^ \\ & 8-237*c^6*x^6+334*c^4*x^4-209*c^2*x^2+49)/c^4*\arcsin(c*x)*x^3-98*b*(-d*(c^2 \\ & *x^2-1))^{(1/2)}/d^3/(63*c^8*x^8-237*c^6*x^6+334*c^4*x^4-209*c^2*x^2+49)/c^6* \\ & \arcsin(c*x)*x-1/2*b*(-d*(c^2*x^2-1))^{(1/2)}/c^4/d^3/(c^2*x^2-1)*\arcsin(c*x)* \\ & x^3+1/2*b*(-d*(c^2*x^2-1))^{(1/2)}/c^6/d^3/(c^2*x^2-1)*\arcsin(c*x)*x-385*b*(- \\ & d*(c^2*x^2-1))^{(1/2)}/d^3/(63*c^8*x^8-237*c^6*x^6+334*c^4*x^4-209*c^2*x^2+49 \\ & )/c^2*\arcsin(c*x)*x^5-21/2*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(63*c^8*x^8-237*c^6 \\ & *x^6+334*c^4*x^4-209*c^2*x^2+49)/c^3*(-c^2*x^2+1)^{(1/2)}*x^4-5/4*b*(-d*(c^2* \\ & x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^7/d^3/(c^2*x^2-1)*\arcsin(c*x)^2-1/4*b*(- \\ & d*(c^2*x^2-1))^{(1/2)}/c^5/d^3/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^2-133/6*I*b*(- \\ & d*(c^2*x^2-1))^{(1/2)}/d^3/(63*c^8*x^8-237*c^6*x^6+334*c^4*x^4-209*c^2*x^2+4 \\ & 9)/c^4*x^3+7*I*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(63*c^8*x^8-237*c^6*x^6+334*c^4 \\ & *x^4-209*c^2*x^2+49)/c^6*x+70/3*I*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(63*c^8*x^8- \end{aligned}$$

$237*c^6*x^6+334*c^4*x^4-209*c^2*x^2+49)/c^2*x^5$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(bx^6 \arcsin(cx) + ax^6)\sqrt{-c^2dx^2 + d}}{c^6d^3x^6 - 3c^4d^3x^4 + 3c^2d^3x^2 - d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(-(b\*x^6\*arcsin(c\*x) + a\*x^6)\*sqrt(-c^2\*d\*x^2 + d)/(c^6\*d^3\*x^6 - 3\*c^4\*d^3\*x^4 + 3\*c^2\*d^3\*x^2 - d^3), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*6\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^6}{(-c^2dx^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^6/(-c^2\*d\*x^2 + d)^(5/2), x)

$$3.130 \quad \int \frac{x^5 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=219

$$-\frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{c^6 d^3} - \frac{2(a + b \sin^{-1}(cx))}{c^6 d^2 \sqrt{d - c^2 dx^2}} + \frac{a + b \sin^{-1}(cx)}{3c^6 d (d - c^2 dx^2)^{3/2}} + \frac{bx \sqrt{d - c^2 dx^2}}{c^5 d^3 \sqrt{1 - c^2 x^2}} - \frac{bx \sqrt{d - c^2 dx^2}}{6c^5 d^3 (1 - c^2 x^2)^{3/2}} + \frac{11bx \sqrt{d - c^2 dx^2}}{6c^5 d^3 (1 - c^2 x^2)^{3/2}}$$

[Out]  $-(b*x*\text{Sqrt}[d - c^2*d*x^2])/(6*c^5*d^3*(1 - c^2*x^2)^{(3/2)}) + (b*x*\text{Sqrt}[d - c^2*d*x^2])/(c^5*d^3*\text{Sqrt}[1 - c^2*x^2]) + (a + b*\text{ArcSin}[c*x])/(3*c^6*d*(d - c^2*d*x^2)^{(3/2)}) - (2*(a + b*\text{ArcSin}[c*x]))/(c^6*d^2*\text{Sqrt}[d - c^2*d*x^2]) - (\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(c^6*d^3) + (11*b*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcTanh}[c*x])/(6*c^6*d^3*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.316104, antiderivative size = 234, normalized size of antiderivative = 1.07, number of steps used = 9, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4703, 4677, 8, 321, 206, 288}

$$-\frac{4x^2 (a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}} - \frac{8\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3c^6 d^3} + \frac{x^4 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{bx^3}{6c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{5bx \sqrt{d - c^2 dx^2}}{6c^5 d^2 \sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^5*(a + b*\text{ArcSin}[c*x]))/(d - c^2*d*x^2)^{(5/2)}, x]$

[Out]  $-(b*x^3)/(6*c^3*d^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2*d*x^2]) + (5*b*x*\text{Sqrt}[1 - c^2*x^2])/(6*c^5*d^2*\text{Sqrt}[d - c^2*d*x^2]) + (x^4*(a + b*\text{ArcSin}[c*x]))/(3*c^6*d*(d - c^2*d*x^2)^{(3/2)}) - (4*x^2*(a + b*\text{ArcSin}[c*x]))/(3*c^4*d^2*\text{Sqrt}[d - c^2*d*x^2]) - (8*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(3*c^6*d^3) + (11*b*\text{Sqrt}[1 - c^2*x^2]*\text{ArcTanh}[c*x])/(6*c^6*d^2*\text{Sqrt}[d - c^2*d*x^2])$

### Rule 4703

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*(d + e*x^2)^p, x] \rightarrow \text{Simp}[(f*(f*x)^{m-1}*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n)/(2*e*(p+1)), x] + (-\text{Dist}[(f^2*(m-1))/(2*e*(p+1)], \text{Int}[(f*x)^{m-2}*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n, x], x] + \text{Dist}[(b*f*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}]/(2*c*(p+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{m-1}*(1 - c^2*x^2)^{p+1/2}*(a + b*\text{ArcSin}[c*x])^n, x], x]$

- 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && GtQ[m, 1]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 321

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 288

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*n\*(p + 1)), x] - Dist[(c^n\*(m - n + 1))/(b\*n\*(p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !LtQ[(m + n\*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rubi steps

$$\begin{aligned}
\int \frac{x^5 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{5/2}} dx &= \frac{x^4 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{4 \int \frac{x^3 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{3/2}} dx}{3c^2 d} - \frac{(b\sqrt{1 - c^2 x^2}) \int \frac{x^4}{(1 - c^2 x^2)^2} dx}{3cd^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{bx^3}{6c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^4 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{4x^2 (a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}} + \frac{8 \int \frac{x (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx}{3c^4 d^2} \\
&= -\frac{bx^3}{6c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{11bx\sqrt{1 - c^2 x^2}}{6c^5 d^2 \sqrt{d - c^2 dx^2}} + \frac{x^4 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{4x^2 (a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{bx^3}{6c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{5bx\sqrt{1 - c^2 x^2}}{6c^5 d^2 \sqrt{d - c^2 dx^2}} + \frac{x^4 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{4x^2 (a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [C]** time = 0.307183, size = 169, normalized size = 0.77

$$\frac{\sqrt{d - c^2 dx^2} \left( \sqrt{-c^2} \left( 2a (3c^4 x^4 - 12c^2 x^2 + 8) + bcx\sqrt{1 - c^2 x^2} (6c^2 x^2 - 5) + 2b (3c^4 x^4 - 12c^2 x^2 + 8) \sin^{-1}(cx) \right) + 11bc (1 - c^2 x^2) \right)}{6c^4 (-c^2)^{3/2} d^3 (c^2 x^2 - 1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^(5/2), x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(Sqrt[-c^2]\*(b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-5 + 6\*c^2\*x^2) + 2\*a\*(8 - 12\*c^2\*x^2 + 3\*c^4\*x^4) + 2\*b\*(8 - 12\*c^2\*x^2 + 3\*c^4\*x^4)\*ArcSin[c\*x]) + (11\*I)\*b\*c\*(1 - c^2\*x^2)^(3/2)\*EllipticF[I\*ArcSinh[Sqrt[-c^2]\*x, 1]))/(6\*c^4\*(-c^2)^(3/2)\*d^3\*(-1 + c^2\*x^2)^2)

**Maple [C]** time = 0.316, size = 459, normalized size = 2.1

$$-\frac{ax^4}{c^2 d} (-c^2 dx^2 + d)^{-\frac{3}{2}} + 4 \frac{ax^2}{dc^4 (-c^2 dx^2 + d)^{3/2}} - \frac{8a}{3dc^6} (-c^2 dx^2 + d)^{-\frac{3}{2}} - \frac{b \arcsin(cx) x^2}{c^4 d^3 (c^2 x^2 - 1)} \sqrt{-d (c^2 x^2 - 1)} - \frac{bx}{c^5 d^3 (c^2 x^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(5/2), x)



```
[Out] -a*x^4/c^2/d/(-c^2*d*x^2+d)^(3/2)+4*a/c^4*x^2/d/(-c^2*d*x^2+d)^(3/2)-8/3*a/c^6/d/(-c^2*d*x^2+d)^(3/2)-b*(-d*(c^2*x^2-1))^(1/2)/c^4/d^3/(c^2*x^2-1)*arcsin(c*x)*x^2-b*(-d*(c^2*x^2-1))^(1/2)/c^5/d^3/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x+b*(-d*(c^2*x^2-1))^(1/2)/c^6/d^3/(c^2*x^2-1)*arcsin(c*x)+2*b*(-d*(c^2*x^2-1))^(1/2)/c^4/(c^2*x^2-1)^2/d^3*arcsin(c*x)*x^2-1/6*b*(-d*(c^2*x^2-1))^(1/2)/c^5/(c^2*x^2-1)^2/d^3*(-c^2*x^2+1)^(1/2)*x-5/3*b*(-d*(c^2*x^2-1))^(1/2)/c^6/(c^2*x^2-1)^2/d^3*arcsin(c*x)-11/6*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/c^6/d^3/(c^2*x^2-1)*ln(I*c*x+(-c^2*x^2+1)^(1/2)+I)+11/6*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/c^6/d^3/(c^2*x^2-1)*ln(I*c*x+(-c^2*x^2+1)^(1/2)-I)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 2.4244, size = 1045, normalized size = 4.77

$$\frac{11(bc^4x^4 - 2bc^2x^2 + b)\sqrt{d} \log\left(-\frac{c^6dx^6 + 5c^4dx^4 - 5c^2dx^2 - 4(c^3x^3 + cx)\sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1}\sqrt{d-d}}{c^6x^6 - 3c^4x^4 + 3c^2x^2 - 1}\right) - 4(6bc^3x^3 - 5bcx)\sqrt{-c^2dx^2 + d}}{24(c^{10}d^3x^4 - 2c^8d^3x^2 + c^6d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(5/2),x, algorithm="fricas")
```

```
[Out] [1/24*(11*(b*c^4*x^4 - 2*b*c^2*x^2 + b)*sqrt(d)*log(-c^6*d*x^6 + 5*c^4*d*x^4 - 5*c^2*d*x^2 - 4*(c^3*x^3 + c*x)*sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1)*sqrt(d) - d)/(c^6*x^6 - 3*c^4*x^4 + 3*c^2*x^2 - 1)) - 4*(6*b*c^3*x^3 - 5*b*c*x)*sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1) - 8*(3*a*c^4*x^4 - 12*a*c^2*x^2 + (3*b*c^4*x^4 - 12*b*c^2*x^2 + 8*b)*arcsin(c*x) + 8*a)*sqrt(-c^2*d*x^2 + d))/(c^10*d^3*x^4 - 2*c^8*d^3*x^2 + c^6*d^3), 1/12*(11*(b*c^4*x^4 - 2*b*c^2*x^2 + b)*sqrt(-d)*arctan(2*sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1)*sqrt(-d)*x/(c^4*d*x^4 - d)) - 2*(6*b*c^3*x^3 - 5*b*c*x)*sqrt(-c^2*d*x^2 + d)*
```

```
sqrt(-c^2*x^2 + 1) - 4*(3*a*c^4*x^4 - 12*a*c^2*x^2 + (3*b*c^4*x^4 - 12*b*c^
2*x^2 + 8*b)*arcsin(c*x) + 8*a)*sqrt(-c^2*d*x^2 + d)/(c^10*d^3*x^4 - 2*c^8
*d^3*x^2 + c^6*d^3)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5*(a+b*asin(c*x))/(-c**2*d*x**2+d)**(5/2), x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^5}{(-c^2dx^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(5/2), x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)*x^5/(-c^2*d*x^2 + d)^(5/2), x)
```

$$3.131 \quad \int \frac{x^4 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=212

$$-\frac{x(a + b \sin^{-1}(cx))}{c^4 d^2 \sqrt{d - c^2 dx^2}} + \frac{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{2bc^5 d^2 \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{b}{6c^5 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{2b\sqrt{1 - c^2 x^2}}{3c^5 d^2 \sqrt{d - c^2 dx^2}}$$

```
[Out] -b/(6*c^5*d^2*Sqrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) + (x^3*(a + b*ArcSin[c*x]))/(3*c^2*d*(d - c^2*d*x^2)^(3/2)) - (x*(a + b*ArcSin[c*x]))/(c^4*d^2*Sqrt[d - c^2*d*x^2]) + (Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2)/(2*b*c^5*d^2*Sqrt[d - c^2*d*x^2]) - (2*b*Sqrt[1 - c^2*x^2]*Log[1 - c^2*x^2])/(3*c^5*d^2*Sqrt[d - c^2*d*x^2])
```

**Rubi [A]** time = 0.30235, antiderivative size = 212, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4703, 4643, 4641, 260, 266, 43}

$$-\frac{x(a + b \sin^{-1}(cx))}{c^4 d^2 \sqrt{d - c^2 dx^2}} + \frac{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{2bc^5 d^2 \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{b}{6c^5 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{2b\sqrt{1 - c^2 x^2}}{3c^5 d^2 \sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

```
[In] Int[(x^4*(a + b*ArcSin[c*x]))/(d - c^2*d*x^2)^(5/2), x]
```

```
[Out] -b/(6*c^5*d^2*Sqrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) + (x^3*(a + b*ArcSin[c*x]))/(3*c^2*d*(d - c^2*d*x^2)^(3/2)) - (x*(a + b*ArcSin[c*x]))/(c^4*d^2*Sqrt[d - c^2*d*x^2]) + (Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2)/(2*b*c^5*d^2*Sqrt[d - c^2*d*x^2]) - (2*b*Sqrt[1 - c^2*x^2]*Log[1 - c^2*x^2])/(3*c^5*d^2*Sqrt[d - c^2*d*x^2])
```

### Rule 4703

```
Int[((a_) + ArcSin[(c_)*(x_)])*(b_)^(n_)*((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + (-Dist[(f^2*(m - 1))/(2*e*(p + 1)), Int[(f*x)^(m - 2)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*f*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^n
```

- 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && GtQ[m, 1]

### Rule 4643

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 260

Int[(x\_)^(m\_)/((a\_) + (b\_.)\*(x\_)^(n\_)), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{x^4 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{5/2}} dx &= \frac{x^3 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{\int \frac{x^2 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{3/2}} dx}{c^2 d} - \frac{(b\sqrt{1 - c^2 x^2}) \int \frac{x^3}{(1 - c^2 x^2)^2} dx}{3cd^2 \sqrt{d - c^2 dx^2}} \\
&= \frac{x^3 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{x (a + b \sin^{-1}(cx))}{c^4 d^2 \sqrt{d - c^2 dx^2}} + \frac{\int \frac{a + b \sin^{-1}(cx)}{\sqrt{d - c^2 dx^2}} dx}{c^4 d^2} + \frac{(b\sqrt{1 - c^2 x^2}) \int \frac{x}{1 - c^2 x^2} dx}{c^3 d^2 \sqrt{d - c^2 dx^2}} \\
&= \frac{x^3 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{x (a + b \sin^{-1}(cx))}{c^4 d^2 \sqrt{d - c^2 dx^2}} - \frac{b\sqrt{1 - c^2 x^2} \log(1 - c^2 x^2)}{2c^5 d^2 \sqrt{d - c^2 dx^2}} + \frac{\sqrt{1 - c^2 x^2} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} dx}{c^4 d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{b}{6c^5 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{x (a + b \sin^{-1}(cx))}{c^4 d^2 \sqrt{d - c^2 dx^2}} + \frac{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{2bc^5 d^2 \sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.423924, size = 213, normalized size = 1.

$$\frac{\sqrt{d} \left( -8ac^3 x^3 + 6acx + b\sqrt{1 - c^2 x^2} + 4b(1 - c^2 x^2)^{3/2} \log(1 - c^2 x^2) \right) - 6a(c^2 x^2 - 1) \sqrt{d - c^2 dx^2} \tan^{-1} \left( \frac{cx\sqrt{d - c^2 dx^2}}{\sqrt{d}(c^2 x^2 - 1)} \right) - 3b\sqrt{d - c^2 dx^2}}{6c^5 d^{5/2} (c^2 x^2 - 1) \sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^(5/2), x]

[Out] (-3\*b\*Sqrt[d]\*(1 - c^2\*x^2)^(3/2)\*ArcSin[c\*x]^2 - 6\*a\*(-1 + c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2]\*ArcTan[(c\*x\*Sqrt[d - c^2\*d\*x^2])/(Sqrt[d]\*(-1 + c^2\*x^2))] + Sqrt[d]\*(6\*a\*c\*x - 8\*a\*c^3\*x^3 + b\*Sqrt[1 - c^2\*x^2] + 4\*b\*(1 - c^2\*x^2)^(3/2)\*Log[1 - c^2\*x^2]) + 2\*b\*Sqrt[d]\*ArcSin[c\*x]\*Sin[3\*ArcSin[c\*x]])/(6\*c^5\*d^(5/2)\*(-1 + c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])

**Maple [C]** time = 0.277, size = 1510, normalized size = 7.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(5/2), x)

```
[Out] 1/3*a*x^3/c^2/d/(-c^2*d*x^2+d)^(3/2)-a/c^4/d^2*x/(-c^2*d*x^2+d)^(1/2)+a/c^4
/d^2/(c^2*d)^(1/2)*arctan((c^2*d)^(1/2)*x/(-c^2*d*x^2+d)^(1/2))-8/3*I*b*(-d
*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)*(
-c^2*x^2+1)*x^5-64/3*I*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+
118*c^4*x^4-71*c^2*x^2+16)/c^5*arcsin(c*x)*(-c^2*x^2+1)^(1/2)+22/3*I*b*(-d*
(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)*x^
5+32*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2
*x^2+16)*c^2*arcsin(c*x)*x^7-4*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*
c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c*(-c^2*x^2+1)^(1/2)*x^4+181/3*b*(-d*(c^
2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c^2*a
rcsin(c*x)*x^3+13/2*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118
*c^4*x^4-71*c^2*x^2+16)/c^3*x^2*(-c^2*x^2+1)^(1/2)-16*b*(-d*(c^2*x^2-1))^(1
/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c^4*arcsin(c*x)*x
+4/3*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/c^5/d^3/(c^2*x^2-1)*ln(1+(
I*c*x+(-c^2*x^2+1)^(1/2))^2)-8/3*I*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8
-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)*c^2*x^7+32*I*b*(-d*(c^2*x^2-1))^(1/2
)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)*c*arcsin(c*x)*(-c^2
*x^2+1)^(1/2)*x^6-8/3*I*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/c^5/d^3
/(c^2*x^2-1)*arcsin(c*x)-20/3*I*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87
*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c^2*x^3-1/2*b*(-d*(c^2*x^2-1))^(1/2)*(-
c^2*x^2+1)^(1/2)/c^5/d^3/(c^2*x^2-1)*arcsin(c*x)^2+220/3*I*b*(-d*(c^2*x^2-1
))^^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c^3*arcsin(c
*x)*(-c^2*x^2+1)^(1/2)*x^2-2*I*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*
c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c^4*(-c^2*x^2+1)*x-84*I*b*(-d*(c^2*x^2-1
))^^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c*arcsin(c*x
)*(-c^2*x^2+1)^(1/2)*x^4+2*I*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^
6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c^4*x-8/3*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24
*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c^5*(-c^2*x^2+1)^(1/2)-76*b*
(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16
)*arcsin(c*x)*x^5+14/3*I*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^
6+118*c^4*x^4-71*c^2*x^2+16)/c^2*(-c^2*x^2+1)*x^3
```

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(bx^4 \arcsin(cx) + ax^4)\sqrt{-c^2dx^2 + d}}{c^6d^3x^6 - 3c^4d^3x^4 + 3c^2d^3x^2 - d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(-(b\*x^4\*arcsin(c\*x) + a\*x^4)\*sqrt(-c^2\*d\*x^2 + d)/(c^6\*d^3\*x^6 - 3\*c^4\*d^3\*x^4 + 3\*c^2\*d^3\*x^2 - d^3), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4 (a + b \operatorname{asin}(cx))}{(-d(cx-1)(cx+1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Integral(x\*\*4\*(a + b\*asin(c\*x))/(-d\*(c\*x - 1)\*(c\*x + 1))\*\*(5/2), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^4}{(-c^2dx^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^4/(-c^2\*d\*x^2 + d)^(5/2), x)

$$3.132 \quad \int \frac{x^3 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=150

$$-\frac{a + b \sin^{-1}(cx)}{c^4 d^2 \sqrt{d - c^2 dx^2}} + \frac{a + b \sin^{-1}(cx)}{3c^4 d (d - c^2 dx^2)^{3/2}} - \frac{bx \sqrt{d - c^2 dx^2}}{6c^3 d^3 (1 - c^2 x^2)^{3/2}} + \frac{5b \sqrt{d - c^2 dx^2} \tanh^{-1}(cx)}{6c^4 d^3 \sqrt{1 - c^2 x^2}}$$

[Out]  $-(b*x*\text{Sqrt}[d - c^2*d*x^2])/(6*c^3*d^3*(1 - c^2*x^2)^{(3/2)}) + (a + b*\text{ArcSin}[c*x])/(3*c^4*d*(d - c^2*d*x^2)^{(3/2)}) - (a + b*\text{ArcSin}[c*x])/(c^4*d^2*\text{Sqrt}[d - c^2*d*x^2]) + (5*b*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcTanh}[c*x])/(6*c^4*d^3*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.197092, antiderivative size = 155, normalized size of antiderivative = 1.03, number of steps used = 5, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {4703, 4677, 206, 288}

$$-\frac{2(a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}} + \frac{x^2 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{bx}{6c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{5b \sqrt{1 - c^2 x^2} \tanh^{-1}(cx)}{6c^4 d^2 \sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^3*(a + b*\text{ArcSin}[c*x]))/(d - c^2*d*x^2)^{(5/2)}, x]$

[Out]  $-(b*x)/(6*c^3*d^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2*d*x^2]) + (x^2*(a + b*\text{ArcSin}[c*x]))/(3*c^2*d*(d - c^2*d*x^2)^{(3/2)}) - (2*(a + b*\text{ArcSin}[c*x]))/(3*c^4*d^2*\text{Sqrt}[d - c^2*d*x^2]) + (5*b*\text{Sqrt}[1 - c^2*x^2]*\text{ArcTanh}[c*x])/(6*c^4*d^2*\text{Sqrt}[d - c^2*d*x^2])$

### Rule 4703

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((f*x)^m*(d + e*x^2)^p), x\_Symbol] \rightarrow \text{Simp}[(f*x)^{m-1}*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n/(2*e*(p+1)), x] + (-\text{Dist}[(f^2*(m-1))/(2*e*(p+1)), \text{Int}[(f*x)^{m-2}*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n, x], x] + \text{Dist}[(b*f*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}]/(2*c*(p+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{m-1}*(1 - c^2*x^2)^{p+1/2}*(a + b*\text{ArcSin}[c*x])^{n-1}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{GtQ}[m, 1]$



Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 288

```
Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[(c^(n*(m - n + 1))/(b*n*(p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && ! LtQ[(m + n*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rubi steps

$$\int \frac{x^3 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{5/2}} dx = \frac{x^2 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{2 \int \frac{x^{(a+b \sin^{-1}(cx))}}{(d - c^2 dx^2)^{3/2}} dx}{3c^2 d} - \frac{(b\sqrt{1 - c^2 x^2}) \int \frac{x^2}{(1 - c^2 x^2)^2} dx}{3cd^2 \sqrt{d - c^2 dx^2}}$$

$$= -\frac{bx}{6c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^2 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{2(a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}} + \frac{(b\sqrt{1 - c^2 x^2})}{6c^3 d^2 \sqrt{d - c^2 dx^2}}$$

$$= -\frac{bx}{6c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^2 (a + b \sin^{-1}(cx))}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{2(a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}} + \frac{5b\sqrt{1 - c^2 x^2}}{6c^4 d^2 \sqrt{d - c^2 dx^2}}$$

**Mathematica [C]** time = 0.22869, size = 143, normalized size = 0.95

$$\frac{\sqrt{d - c^2 dx^2} \left( \sqrt{-c^2} \left( 6ac^2 x^2 - 4a - bcx \sqrt{1 - c^2 x^2} + 2b(3c^2 x^2 - 2) \sin^{-1}(cx) \right) - 5ibc(1 - c^2 x^2)^{3/2} \text{EllipticF} \left( i \sinh^{-1} \left( \sqrt{-c^2} \sqrt{d - c^2 dx^2} \right), \sqrt{-c^2} \right) \right)}{6c^4 \sqrt{-c^2} d^3 (c^2 x^2 - 1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^(5/2), x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(Sqrt[-c^2]\*(-4\*a + 6\*a\*c^2\*x^2 - b\*c\*x\*Sqrt[1 - c^2\*x^2] + 2\*b\*(-2 + 3\*c^2\*x^2)\*ArcSin[c\*x]) - (5\*I)\*b\*c\*(1 - c^2\*x^2)^(3/2)\*EllipticF[I\*ArcSinh[Sqrt[-c^2]\*x], 1]))/(6\*c^4\*Sqrt[-c^2]\*d^3\*(-1 + c^2\*x^2)^2)

**Maple [C]** time = 0.218, size = 307, normalized size = 2.1

$$\frac{ax^2}{c^2d}(-c^2dx^2 + d)^{-\frac{3}{2}} - \frac{2a}{3dc^4}(-c^2dx^2 + d)^{-\frac{3}{2}} + \frac{b \arcsin(cx)x^2}{d^3(c^2x^2 - 1)^2 c^2} \sqrt{-d(c^2x^2 - 1)} - \frac{bx}{6d^3(c^2x^2 - 1)^2 c^3} \sqrt{-d(c^2x^2 - 1)} \sqrt{-c^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(5/2), x)

[Out] a\*x^2/c^2/d/(-c^2\*d\*x^2+d)^(3/2)-2/3\*a/d/c^4/(-c^2\*d\*x^2+d)^(3/2)+b\*(-d\*(c^2\*x^2-1))^(1/2)/d^3/(c^2\*x^2-1)^2/c^2\*arcsin(c\*x)\*x^2-1/6\*b\*(-d\*(c^2\*x^2-1))^(1/2)/d^3/(c^2\*x^2-1)^2/c^3\*(-c^2\*x^2+1)^(1/2)\*x-2/3\*b\*(-d\*(c^2\*x^2-1))^(1/2)/d^3/(c^2\*x^2-1)^2/c^4\*arcsin(c\*x)-5/6\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c^4/d^3/(c^2\*x^2-1)\*ln(I\*c\*x+(-c^2\*x^2+1)^(1/2)+I)+5/6\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c^4/d^3/(c^2\*x^2-1)\*ln(I\*c\*x+(-c^2\*x^2+1)^(1/2)-I)

**Maxima [A]** time = 1.62098, size = 216, normalized size = 1.44

$$\frac{1}{12}bc \left( \frac{2x}{c^6d^2x^2 - c^4d^2} + \frac{5 \log(cx + 1)}{c^5d^2} - \frac{5 \log(cx - 1)}{c^5d^2} \right) + \frac{1}{3}b \left( \frac{3x^2}{(-c^2dx^2 + d)^{\frac{3}{2}}c^2d} - \frac{2}{(-c^2dx^2 + d)^{\frac{3}{2}}c^4d} \right) \arcsin(cx) + \frac{1}{3}a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(5/2), x, algorithm="maxima")

[Out] 1/12\*b\*c\*(2\*x/(c^6\*d^(5/2)\*x^2 - c^4\*d^(5/2)) + 5\*log(c\*x + 1)/(c^5\*d^(5/2)) - 5\*log(c\*x - 1)/(c^5\*d^(5/2))) + 1/3\*b\*(3\*x^2/((-c^2\*d\*x^2 + d)^(3/2)\*c^2\*d) - 2/((-c^2\*d\*x^2 + d)^(3/2)\*c^4\*d))\*arcsin(c\*x) + 1/3\*a\*(3\*x^2/((-c^2\*d\*x^2 + d)^(3/2)\*c^2\*d) - 2/((-c^2\*d\*x^2 + d)^(3/2)\*c^4\*d))

---

**Fricas [A]** time = 2.29991, size = 913, normalized size = 6.09

$$\left[ \frac{4\sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1}bcx - 5(bc^4x^4 - 2bc^2x^2 + b)\sqrt{d}\log\left(-\frac{c^6dx^6 + 5c^4dx^4 - 5c^2dx^2 - 4(c^3x^3 + cx)\sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1}\sqrt{d-d}}{c^6x^6 - 3c^4x^4 + 3c^2x^2 - 1}\right)}{24(c^8d^3x^4 - 2c^6d^3x^2 + c^4d^3)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] [-1/24\*(4\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*b\*c\*x - 5\*(b\*c^4\*x^4 - 2\*b\*c^2\*x^2 + b)\*sqrt(d)\*log(-(c^6\*d\*x^6 + 5\*c^4\*d\*x^4 - 5\*c^2\*d\*x^2 - 4\*(c^3\*x^3 + c\*x)\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*sqrt(d) - d)/(c^6\*x^6 - 3\*c^4\*x^4 + 3\*c^2\*x^2 - 1)) - 8\*(3\*a\*c^2\*x^2 + (3\*b\*c^2\*x^2 - 2\*b)\*arcsin(c\*x) - 2\*a)\*sqrt(-c^2\*d\*x^2 + d))/(c^8\*d^3\*x^4 - 2\*c^6\*d^3\*x^2 + c^4\*d^3), -1/12\*(2\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*b\*c\*x - 5\*(b\*c^4\*x^4 - 2\*b\*c^2\*x^2 + b)\*sqrt(-d)\*arctan(2\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1)\*c\*sqrt(-d)\*x/(c^4\*d\*x^4 - d)) - 4\*(3\*a\*c^2\*x^2 + (3\*b\*c^2\*x^2 - 2\*b)\*arcsin(c\*x) - 2\*a)\*sqrt(-c^2\*d\*x^2 + d))/(c^8\*d^3\*x^4 - 2\*c^6\*d^3\*x^2 + c^4\*d^3)]

---

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Exception raised: TypeError

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^3}{(-c^2dx^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)*x^3/(-c^2*d*x^2 + d)^(5/2), x)
```

$$3.133 \quad \int \frac{x^2(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=125

$$\frac{x^3(a+b \sin^{-1}(cx))}{3d(d-c^2dx^2)^{3/2}} - \frac{b}{6c^3d^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} - \frac{b\sqrt{1-c^2x^2}\log(1-c^2x^2)}{6c^3d^2\sqrt{d-c^2dx^2}}$$

[Out]  $-b/(6*c^3*d^2*sqrt[1 - c^2*x^2]*sqrt[d - c^2*d*x^2]) + (x^3*(a + b*ArcSin[c*x]))/(3*d*(d - c^2*d*x^2)^(3/2)) - (b*sqrt[1 - c^2*x^2]*Log[1 - c^2*x^2])/(6*c^3*d^2*sqrt[d - c^2*d*x^2])$

**Rubi [A]** time = 0.130668, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {4681, 266, 43}

$$\frac{x^3(a+b \sin^{-1}(cx))}{3d(d-c^2dx^2)^{3/2}} - \frac{b}{6c^3d^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} - \frac{b\sqrt{1-c^2x^2}\log(1-c^2x^2)}{6c^3d^2\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^2*(a + b*ArcSin[c*x]))/(d - c^2*d*x^2)^(5/2), x]$

[Out]  $-b/(6*c^3*d^2*sqrt[1 - c^2*x^2]*sqrt[d - c^2*d*x^2]) + (x^3*(a + b*ArcSin[c*x]))/(3*d*(d - c^2*d*x^2)^(3/2)) - (b*sqrt[1 - c^2*x^2]*Log[1 - c^2*x^2])/(6*c^3*d^2*sqrt[d - c^2*d*x^2])$

#### Rule 4681

$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x\_Symbol] \rightarrow \text{Simp}[(f*x)^(m+1)*(d+e*x^2)^(p+1)*(a+b*ArcSin[c*x])^n/(d*f*(m+1)), x] - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d+e*x^2)^{\text{FracPart}[p]})/(f*(m+1)*(1-c^2*x^2)^{\text{FracPart}[p]})], \text{Int}[(f*x)^(m+1)*(1-c^2*x^2)^(p+1/2)*(a+b*ArcSin[c*x])^(n-1), x], x] /;$  FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] && NeQ[m, -1]

#### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{x^2 (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{5/2}} dx &= \frac{x^3 (a + b \sin^{-1}(cx))}{3d (d - c^2 dx^2)^{3/2}} - \frac{(bc\sqrt{1 - c^2 x^2}) \int \frac{x^3}{(1 - c^2 x^2)^2} dx}{3d^2 \sqrt{d - c^2 dx^2}} \\ &= \frac{x^3 (a + b \sin^{-1}(cx))}{3d (d - c^2 dx^2)^{3/2}} - \frac{(bc\sqrt{1 - c^2 x^2}) \text{Subst}\left(\int \frac{x}{(1 - c^2 x)^2} dx, x, x^2\right)}{6d^2 \sqrt{d - c^2 dx^2}} \\ &= \frac{x^3 (a + b \sin^{-1}(cx))}{3d (d - c^2 dx^2)^{3/2}} - \frac{(bc\sqrt{1 - c^2 x^2}) \text{Subst}\left(\int \left(\frac{1}{c^2(-1 + c^2 x)^2} + \frac{1}{c^2(-1 - c^2 x)}\right) dx, x, x^2\right)}{6d^2 \sqrt{d - c^2 dx^2}} \\ &= -\frac{b}{6c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))}{3d (d - c^2 dx^2)^{3/2}} - \frac{b\sqrt{1 - c^2 x^2} \log(1 - c^2 x^2)}{6c^3 d^2 \sqrt{d - c^2 dx^2}} \end{aligned}$$

**Mathematica [A]** time = 0.193043, size = 103, normalized size = 0.82

$$\frac{\sqrt{d - c^2 dx^2} \left( 2ac^3 x^3 - b\sqrt{1 - c^2 x^2} - b(1 - c^2 x^2)^{3/2} \log(c^2 x^2 - 1) + 2bc^3 x^3 \sin^{-1}(cx) \right)}{6c^3 d^3 (c^2 x^2 - 1)^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*(a + b*ArcSin[c*x]))/(d - c^2*d*x^2)^(5/2), x]
```

```
[Out] (Sqrt[d - c^2*d*x^2]*(2*a*c^3*x^3 - b*Sqrt[1 - c^2*x^2] + 2*b*c^3*x^3*ArcSi
n[c*x] - b*(1 - c^2*x^2)^(3/2)*Log[-1 + c^2*x^2]))/(6*c^3*d^3*(-1 + c^2*x^2
```

)^2)

---

**Maple [C]** time = 0.204, size = 1219, normalized size = 9.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (x^2(a+b\arcsin(cx)))/(-c^2dx^2+d)^{(5/2)}, x$ 

[Out]  $\frac{1}{3} \frac{a}{c^2 d} \frac{x}{(-c^2 d x^2 + d)^{3/2}} - \frac{1}{3} \frac{a}{c^2 d} \frac{x}{(-c^2 d x^2 + d)^{1/2}} + I b$   
 $\frac{(-d(c^2 x^2 - 1))^{1/2}}{d^3 (3c^8 x^8 - 9c^6 x^6 + 10c^4 x^4 - 5c^2 x^2 + 1)} c^3 \arcsin(cx) (-c^2 x^2 + 1)^{1/2} x^6 + \frac{1}{6} I b \frac{(-d(c^2 x^2 - 1))^{1/2}}{d^3 (3c^8 x^8 - 9c^6 x^6 + 10c^4 x^4 - 5c^2 x^2 + 1)} (-c^2 x^2 + 1) x^3 - \frac{1}{3} I b \frac{(-d(c^2 x^2 - 1))^{1/2}}{d^3 (3c^8 x^8 - 9c^6 x^6 + 10c^4 x^4 - 5c^2 x^2 + 1)} c^3 \arcsin(cx) (-c^2 x^2 + 1)^{1/2} + b \frac{(-d(c^2 x^2 - 1))^{1/2}}{d^3 (3c^8 x^8 - 9c^6 x^6 + 10c^4 x^4 - 5c^2 x^2 + 1)} c^4 \arcsin(cx) x^7 - 2 I b \frac{(-d(c^2 x^2 - 1))^{1/2}}{d^3 (3c^8 x^8 - 9c^6 x^6 + 10c^4 x^4 - 5c^2 x^2 + 1)} c \arcsin(cx) (-c^2 x^2 + 1)^{1/2} x^4 - \frac{1}{2} b \frac{(-d(c^2 x^2 - 1))^{1/2}}{d^3 (3c^8 x^8 - 9c^6 x^6 + 10c^4 x^4 - 5c^2 x^2 + 1)} c^2 x^5 + \frac{4}{3} I b \frac{(-d(c^2 x^2 - 1))^{1/2}}{d^3 (3c^8 x^8 - 9c^6 x^6 + 10c^4 x^4 - 5c^2 x^2 + 1)} c \arcsin(cx) (-c^2 x^2 + 1)^{1/2} x^2 - b \frac{(-d(c^2 x^2 - 1))^{1/2}}{d^3 (3c^8 x^8 - 9c^6 x^6 + 10c^4 x^4 - 5c^2 x^2 + 1)} c^2 \arcsin(cx) x^5 - \frac{1}{6} I b \frac{(-d(c^2 x^2 - 1))^{1/2}}{d^3 (3c^8 x^8 - 9c^6 x^6 + 10c^4 x^4 - 5c^2 x^2 + 1)} c^2 (-c^2 x^2 + 1) x^5 + \frac{1}{2} b \frac{(-d(c^2 x^2 - 1))^{1/2}}{d^3 (3c^8 x^8 - 9c^6 x^6 + 10c^4 x^4 - 5c^2 x^2 + 1)} c (-c^2 x^2 + 1)^{1/2} x^2 - \frac{1}{6} I b \frac{(-d(c^2 x^2 - 1))^{1/2}}{d^3 (3c^8 x^8 - 9c^6 x^6 + 10c^4 x^4 - 5c^2 x^2 + 1)} c^4 x^7 + \frac{1}{3} b \frac{(-d(c^2 x^2 - 1))^{1/2}}{d^3 (3c^8 x^8 - 9c^6 x^6 + 10c^4 x^4 - 5c^2 x^2 + 1)} \arcsin(cx) x^3 - \frac{1}{6} b \frac{(-d(c^2 x^2 - 1))^{1/2}}{d^3 (3c^8 x^8 - 9c^6 x^6 + 10c^4 x^4 - 5c^2 x^2 + 1)} c^3 (-c^2 x^2 + 1)^{1/2} - \frac{2}{3} I b \frac{(-d(c^2 x^2 - 1))^{1/2}}{d^3 (3c^8 x^8 - 9c^6 x^6 + 10c^4 x^4 - 5c^2 x^2 + 1)} (-c^2 x^2 + 1)^{1/2} / c^3 d^3 / (c^2 x^2 - 1) \arcsin(cx) + \frac{1}{3} b \frac{(-d(c^2 x^2 - 1))^{1/2}}{d^3 (3c^8 x^8 - 9c^6 x^6 + 10c^4 x^4 - 5c^2 x^2 + 1)} (-c^2 x^2 + 1)^{1/2} / c^3 d^3 / (c^2 x^2 - 1) \ln(1 + (I c x + (-c^2 x^2 + 1)^{1/2}))^2$

---

**Maxima [A]** time = 1.67374, size = 207, normalized size = 1.66

$$\frac{1}{6} b c \left( \frac{1}{c^6 d^2 x^2 - c^4 d^2} - \frac{\log(cx+1)}{c^4 d^2} - \frac{\log(cx-1)}{c^4 d^2} \right) - \frac{1}{3} b \left( \frac{x}{\sqrt{-c^2 dx^2 + dc^2 d^2}} - \frac{x}{(-c^2 dx^2 + d)^{3/2} c^2 d} \right) \arcsin(cx) - \frac{1}{3} a \left( \frac{1}{\sqrt{-c^2 dx^2 + dc^2 d^2}} - \frac{x}{(-c^2 dx^2 + d)^{3/2} c^2 d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="maxima")

[Out] 1/6\*b\*c\*(1/(c^6\*d^(5/2)\*x^2 - c^4\*d^(5/2)) - log(c\*x + 1)/(c^4\*d^(5/2)) - log(c\*x - 1)/(c^4\*d^(5/2))) - 1/3\*b\*(x/(sqrt(-c^2\*d\*x^2 + d)\*c^2\*d^2) - x/((-c^2\*d\*x^2 + d)^(3/2)\*c^2\*d))\*arcsin(c\*x) - 1/3\*a\*(x/(sqrt(-c^2\*d\*x^2 + d)\*c^2\*d^2) - x/((-c^2\*d\*x^2 + d)^(3/2)\*c^2\*d))

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2 + d}(bx^2 \arcsin(cx) + ax^2)}{c^6d^3x^6 - 3c^4d^3x^4 + 3c^2d^3x^2 - d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*d\*x^2 + d)\*(b\*x^2\*arcsin(c\*x) + a\*x^2)/(c^6\*d^3\*x^6 - 3\*c^4\*d^3\*x^4 + 3\*c^2\*d^3\*x^2 - d^3), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 (a + b \arcsin(cx))}{(-d(cx - 1)(cx + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Integral(x\*\*2\*(a + b\*asin(c\*x))/(-d\*(c\*x - 1)\*(c\*x + 1))\*\*(5/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^2}{(-c^2dx^2 + d)^{\frac{5}{2}}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)*x^2/(-c^2*d*x^2 + d)^(5/2), x)
```

$$3.134 \quad \int \frac{x(a+b \sin^{-1}(cx))}{(d-c^2dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=119

$$\frac{a+b \sin^{-1}(cx)}{3c^2d(d-c^2dx^2)^{3/2}} - \frac{bx}{6cd^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} - \frac{b\sqrt{1-c^2x^2} \tanh^{-1}(cx)}{6c^2d^2\sqrt{d-c^2dx^2}}$$

[Out]  $-(b*x)/(6*c*d^2*sqrt[1 - c^2*x^2]*sqrt[d - c^2*d*x^2]) + (a + b*ArcSin[c*x])/(3*c^2*d*(d - c^2*d*x^2)^{(3/2)}) - (b*sqrt[1 - c^2*x^2]*ArcTanh[c*x])/(6*c^2*d^2*sqrt[d - c^2*d*x^2])$

**Rubi [A]** time = 0.080653, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$ , Rules used = {4677, 199, 206}

$$\frac{a+b \sin^{-1}(cx)}{3c^2d(d-c^2dx^2)^{3/2}} - \frac{bx}{6cd^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} - \frac{b\sqrt{1-c^2x^2} \tanh^{-1}(cx)}{6c^2d^2\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x*(a + b*ArcSin[c*x]))/(d - c^2*d*x^2)^{(5/2)}, x]$

[Out]  $-(b*x)/(6*c*d^2*sqrt[1 - c^2*x^2]*sqrt[d - c^2*d*x^2]) + (a + b*ArcSin[c*x])/(3*c^2*d*(d - c^2*d*x^2)^{(3/2)}) - (b*sqrt[1 - c^2*x^2]*ArcTanh[c*x])/(6*c^2*d^2*sqrt[d - c^2*d*x^2])$

#### Rule 4677

$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*(x_.)*((d_. + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^{(p + 1)}*(a + b*ArcSin[c*x])^n]/(2*e*(p + 1)), x] + \text{Dist}[(b*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(2*c*(p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(1 - c^2*x^2)^{(p + 1/2)}*(a + b*ArcSin[c*x])^{(n - 1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, p\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[p, -1]$

#### Rule 199

$\text{Int}[(a_. + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow -\text{Simp}[(x*(a + b*x^n)^{(p + 1)})/(a*n*(p + 1)), x] + \text{Dist}[(n*(p + 1) + 1)/(a*n*(p + 1)), \text{Int}[(a + b*x^n)^{(p + 1)}], x]$

(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p])

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int \frac{x(a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{5/2}} dx &= \frac{a + b \sin^{-1}(cx)}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{(b\sqrt{1 - c^2 x^2}) \int \frac{1}{(1 - c^2 x^2)^2} dx}{3cd^2 \sqrt{d - c^2 dx^2}} \\ &= -\frac{bx}{6cd^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{a + b \sin^{-1}(cx)}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{(b\sqrt{1 - c^2 x^2}) \int \frac{1}{1 - c^2 x^2} dx}{6cd^2 \sqrt{d - c^2 dx^2}} \\ &= -\frac{bx}{6cd^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{a + b \sin^{-1}(cx)}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{b\sqrt{1 - c^2 x^2} \tanh^{-1}(cx)}{6c^2 d^2 \sqrt{d - c^2 dx^2}} \end{aligned}$$

**Mathematica [A]** time = 0.0463611, size = 85, normalized size = 0.71

$$\frac{-2a + bcx\sqrt{1 - c^2 x^2} + b(1 - c^2 x^2)^{3/2} \tanh^{-1}(cx) - 2b \sin^{-1}(cx)}{6c^2 d^2 (c^2 x^2 - 1) \sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^(5/2), x]

[Out] (-2\*a + b\*c\*x\*Sqrt[1 - c^2\*x^2] - 2\*b\*ArcSin[c\*x] + b\*(1 - c^2\*x^2)^(3/2)\*ArcTanh[c\*x])/(6\*c^2\*d^2\*(-1 + c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])

**Maple [C]** time = 0.13, size = 259, normalized size = 2.2

$$\frac{a}{3c^2 d} (-c^2 dx^2 + d)^{-\frac{3}{2}} - \frac{bx}{6d^3 (c^4 x^4 - 2c^2 x^2 + 1)c} \sqrt{-d(c^2 x^2 - 1)} \sqrt{-c^2 x^2 + 1} + \frac{b \arcsin(cx)}{3d^3 (c^4 x^4 - 2c^2 x^2 + 1)c^2} \sqrt{-d(c^2 x^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x*(a+b*\arcsin(cx))/(-c^2*d*x^2+d)^{(5/2)},x)$

[Out]  $\frac{1}{3}a/c^2/d/(-c^2*d*x^2+d)^{(3/2)} - \frac{1}{6}b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^4*x^4 - 2*c^2*x^2+1)/c*(-c^2*x^2+1)^{(1/2)}*x + \frac{1}{3}b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^4*x^4 - 2*c^2*x^2+1)/c^2*\arcsin(cx) - \frac{1}{6}b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^2/d^3/(c^2*x^2-1)*\ln(I*c*x+(-c^2*x^2+1)^{(1/2)}-I) + \frac{1}{6}b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^2/d^3/(c^2*x^2-1)*\ln(I*c*x+(-c^2*x^2+1)^{(1/2)}+I)$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x*(a+b*\arcsin(cx))/(-c^2*d*x^2+d)^{(5/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

**Fricas [A]** time = 2.1984, size = 815, normalized size = 6.85

$$\left[ \frac{4\sqrt{-c^2dx^2+d}\sqrt{-c^2x^2+1}bcx - (bc^4x^4 - 2bc^2x^2 + b)\sqrt{d}\log\left(-\frac{c^6dx^6 + 5c^4dx^4 - 5c^2dx^2 + 4(c^3x^3 + cx)\sqrt{-c^2dx^2+d}\sqrt{-c^2x^2+1}\sqrt{d-d}}{c^6x^6 - 3c^4x^4 + 3c^2x^2 - 1}\right) - 8}{24(c^6d^3x^4 - 2c^4d^3x^2 + c^2d^3)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x*(a+b*\arcsin(cx))/(-c^2*d*x^2+d)^{(5/2)},x, \text{algorithm}="fricas")$

[Out]  $[-1/24*(4*\sqrt{-c^2*d*x^2+d}*\sqrt{-c^2*x^2+1}*b*c*x - (b*c^4*x^4 - 2*b*c^2*x^2 + b)*\sqrt{d}*\log(-c^6*d*x^6 + 5*c^4*d*x^4 - 5*c^2*d*x^2 + 4*(c^3*x^3 + c*x)*\sqrt{-c^2*d*x^2+d}*\sqrt{-c^2*x^2+1}*\sqrt{d-d})/(c^6*x^6 - 3*c^4*x^4 + 3*c^2*x^2 - 1)) - 8*\sqrt{-c^2*d*x^2+d}*(b*\arcsin(cx) + a))/(c^6*d^3*x^4 - 2*c^4*d^3*x^2 + c^2*d^3), -1/12*(2*\sqrt{-c^2*d*x^2+d}*\sqrt{-c^2*x^2+1}*b*c*x + (b*c^4*x^4 - 2*b*c^2*x^2 + b)*\sqrt{-d}*\arctan(2*\sqrt{-c^2*d*x^2+d}*\sqrt{-c^2*x^2+1})*c*\sqrt{-d})*x/(c^4*d*x^4 - d) - 4*\sqrt{-c^2*d*x^2+d}*\sqrt{-c^2*x^2+1}*\sqrt{d}*\log(-c^6*d*x^6 + 5*c^4*d*x^4 - 5*c^2*d*x^2 + 4*(c^3*x^3 + c*x)*\sqrt{-c^2*d*x^2+d}*\sqrt{-c^2*x^2+1}*\sqrt{d-d})/(c^6*x^6 - 3*c^4*x^4 + 3*c^2*x^2 - 1)]$

$$^2*d*x^2 + d)*(b*\arcsin(c*x) + a))/(c^6*d^3*x^4 - 2*c^4*d^3*x^2 + c^2*d^3)]$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x(a + b \arcsin(cx))}{(-d(cx - 1)(cx + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Integral(x\*(a + b\*asin(c\*x))/(-d\*(c\*x - 1)\*(c\*x + 1))\*\*(5/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x}{(-c^2 dx^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x/(-c^2\*d\*x^2 + d)^(5/2), x)

$$3.135 \quad \int \frac{a+b \sin^{-1}(cx)}{(d-c^2dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=154

$$\frac{2x(a+b \sin^{-1}(cx))}{3d^2\sqrt{d-c^2dx^2}} + \frac{x(a+b \sin^{-1}(cx))}{3d(d-c^2dx^2)^{3/2}} - \frac{b}{6cd^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} + \frac{b\sqrt{1-c^2x^2} \log(1-c^2x^2)}{3cd^2\sqrt{d-c^2dx^2}}$$

[Out] -b/(6\*c\*d^2\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2]) + (x\*(a + b\*ArcSin[c\*x])/(3\*d\*(d - c^2\*d\*x^2)^(3/2)) + (2\*x\*(a + b\*ArcSin[c\*x]))/(3\*d^2\*Sqrt[d - c^2\*d\*x^2])) + (b\*Sqrt[1 - c^2\*x^2]\*Log[1 - c^2\*x^2])/(3\*c\*d^2\*Sqrt[d - c^2\*d\*x^2])

**Rubi [A]** time = 0.078979, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {4655, 4653, 260, 261}

$$\frac{2x(a+b \sin^{-1}(cx))}{3d^2\sqrt{d-c^2dx^2}} + \frac{x(a+b \sin^{-1}(cx))}{3d(d-c^2dx^2)^{3/2}} - \frac{b}{6cd^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} + \frac{b\sqrt{1-c^2x^2} \log(1-c^2x^2)}{3cd^2\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(d - c^2\*d\*x^2)^(5/2), x]

[Out] -b/(6\*c\*d^2\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2]) + (x\*(a + b\*ArcSin[c\*x])/(3\*d\*(d - c^2\*d\*x^2)^(3/2)) + (2\*x\*(a + b\*ArcSin[c\*x]))/(3\*d^2\*Sqrt[d - c^2\*d\*x^2])) + (b\*Sqrt[1 - c^2\*x^2]\*Log[1 - c^2\*x^2])/(3\*c\*d^2\*Sqrt[d - c^2\*d\*x^2])

### Rule 4655

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_ Symbol] := -Simp[(x\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*(p + 1)), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 4653

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/((d\_.) + (e\_.)\*(x\_)^2)^(3/2), x\_Symbol] := Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n\*Sqrt[1 - c^2\*x^2])/(d\*Sqrt[d + e\*x^2]), Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(1 - c^2\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

Rule 260

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^{5/2}} dx &= \frac{x(a + b \sin^{-1}(cx))}{3d(d - c^2 dx^2)^{3/2}} + \frac{2 \int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^{3/2}} dx}{3d} - \frac{(bc\sqrt{1 - c^2 x^2}) \int \frac{x}{(1 - c^2 x^2)^2} dx}{3d^2 \sqrt{d - c^2 dx^2}} \\ &= -\frac{b}{6cd^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x(a + b \sin^{-1}(cx))}{3d(d - c^2 dx^2)^{3/2}} + \frac{2x(a + b \sin^{-1}(cx))}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{(2bc\sqrt{1 - c^2 x^2}) \int \frac{1}{1 - c^2 x^2} dx}{3d^2 \sqrt{d - c^2 dx^2}} \\ &= -\frac{b}{6cd^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x(a + b \sin^{-1}(cx))}{3d(d - c^2 dx^2)^{3/2}} + \frac{2x(a + b \sin^{-1}(cx))}{3d^2 \sqrt{d - c^2 dx^2}} + \frac{b\sqrt{1 - c^2 x^2} \log(1 - c^2 x^2)}{3cd^2 \sqrt{d - c^2 dx^2}} \end{aligned}$$

**Mathematica [A]** time = 0.238211, size = 113, normalized size = 0.73

$$\frac{\sqrt{d - c^2 dx^2} (4ac^3 x^3 - 6acx + b\sqrt{1 - c^2 x^2} - 2b(1 - c^2 x^2)^{3/2} \log(c^2 x^2 - 1) + 2bcx(2c^2 x^2 - 3) \sin^{-1}(cx))}{6cd^3 (c^2 x^2 - 1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/(d - c^2\*d\*x^2)^(5/2), x]

```
[Out] -(Sqrt[d - c^2*d*x^2]*(-6*a*c*x + 4*a*c^3*x^3 + b*Sqrt[1 - c^2*x^2] + 2*b*c
*x*(-3 + 2*c^2*x^2)*ArcSin[c*x] - 2*b*(1 - c^2*x^2)^(3/2)*Log[-1 + c^2*x^2]
))/ (6*c*d^3*(-1 + c^2*x^2)^2)
```

**Maple [C]** time = 0.125, size = 1071, normalized size = 7.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(5/2),x)
```

```
[Out] 1/3*a/d*x/(-c^2*d*x^2+d)^(3/2)+2/3*a/d^2*x/(-c^2*d*x^2+d)^(1/2)+2/3*I*b*(-d
*(c^2*x^2-1))^(1/2)/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)*c^6*x^7-5/3*I*b
*(-d*(c^2*x^2-1))^(1/2)/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)*c^2*(-c^2*x
^2+1)*x^3+2/3*I*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x
^2-4)*c^4*(-c^2*x^2+1)*x^5+I*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(3*c^6*x^6-10*c^4
*x^4+11*c^2*x^2-4)*(-c^2*x^2+1)*x+14/3*I*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(3*c^
6*x^6-10*c^4*x^4+11*c^2*x^2-4)*c*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*x^2-2*b*(-d
*(c^2*x^2-1))^(1/2)/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)*c^4*arcsin(c*x)
*x^5-I*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)*x-1
/2*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)*c*(-c^2
*x^2+1)^(1/2)*x^2+4/3*I*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/c/d^3/(
c^2*x^2-1)*arcsin(c*x)-7/3*I*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(3*c^6*x^6-10*c^4
*x^4+11*c^2*x^2-4)*c^4*x^5+17/3*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(3*c^6*x^6-10*
c^4*x^4+11*c^2*x^2-4)*c^2*arcsin(c*x)*x^3-8/3*I*b*(-d*(c^2*x^2-1))^(1/2)/d^
3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)/c*arcsin(c*x)*(-c^2*x^2+1)^(1/2)+2/3*
b*(-d*(c^2*x^2-1))^(1/2)/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)/c*(-c^2*x^
2+1)^(1/2)-2*I*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^
2-4)*c^3*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*x^4+8/3*I*b*(-d*(c^2*x^2-1))^(1/2)/
d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)*c^2*x^3-4*b*(-d*(c^2*x^2-1))^(1/2)/
d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)*arcsin(c*x)*x-2/3*b*(-d*(c^2*x^2-1)
)^(1/2)*(-c^2*x^2+1)^(1/2)/c/d^3/(c^2*x^2-1)*ln(1+(I*c*x+(-c^2*x^2+1)^(1/2)
)^2)
```

**Maxima [A]** time = 1.76874, size = 190, normalized size = 1.23

$$\frac{1}{6}bc \left( \frac{1}{c^4 d^{\frac{5}{2}} x^2 - c^2 d^{\frac{5}{2}}} + \frac{2 \log(cx+1)}{c^2 d^{\frac{5}{2}}} + \frac{2 \log(cx-1)}{c^2 d^{\frac{5}{2}}} \right) + \frac{1}{3}b \left( \frac{2x}{\sqrt{-c^2 dx^2 + dd^2}} + \frac{x}{(-c^2 dx^2 + d)^{\frac{3}{2}} d} \right) \arcsin(cx) + \frac{1}{3}a \left( \frac{1}{\sqrt{-c^2 dx^2 + dd^2}} \right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="maxima")

[Out] 1/6\*b\*c\*(1/(c^4\*d^(5/2)\*x^2 - c^2\*d^(5/2)) + 2\*log(c\*x + 1)/(c^2\*d^(5/2)) + 2\*log(c\*x - 1)/(c^2\*d^(5/2))) + 1/3\*b\*(2\*x/(sqrt(-c^2\*d\*x^2 + d)\*d^2) + x/((-c^2\*d\*x^2 + d)^(3/2)\*d))\*arcsin(c\*x) + 1/3\*a\*(2\*x/(sqrt(-c^2\*d\*x^2 + d)\*d^2) + x/((-c^2\*d\*x^2 + d)^(3/2)\*d))

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2 + d}(b \arcsin(cx) + a)}{c^6d^3x^6 - 3c^4d^3x^4 + 3c^2d^3x^2 - d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)/(c^6\*d^3\*x^6 - 3\*c^4\*d^3\*x^4 + 3\*c^2\*d^3\*x^2 - d^3), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \arcsin(cx)}{(-d(cx - 1)(cx + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Integral((a + b\*asin(c\*x))/(-d\*(c\*x - 1)\*(c\*x + 1))\*\*(5/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(-c^2dx^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/(-c^2*d*x^2 + d)^(5/2), x)
```

$$3.136 \quad \int \frac{a+b \sin^{-1}(cx)}{x(d-c^2dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=291

$$\frac{ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)}{d^2\sqrt{d-c^2dx^2}} - \frac{ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)}{d^2\sqrt{d-c^2dx^2}} + \frac{a+b\sin^{-1}(cx)}{d^2\sqrt{d-c^2dx^2}} - \frac{2\sqrt{1-c^2x^2}\tanh^{-1}\left(e^{i\sin^{-1}(cx)}\right)}{d^2\sqrt{d-c^2dx^2}}$$

[Out]  $-(b*c*x)/(6*d^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2*d*x^2]) + (a + b*\text{ArcSin}[c*x])/(3*d*(d - c^2*d*x^2)^{(3/2)}) + (a + b*\text{ArcSin}[c*x])/(d^2*\text{Sqrt}[d - c^2*d*x^2]) - (2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])* \text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/(d^2*\text{Sqrt}[d - c^2*d*x^2]) - (7*b*\text{Sqrt}[1 - c^2*x^2]*\text{ArcTanh}[c*x])/(6*d^2*\text{Sqrt}[d - c^2*d*x^2]) + (I*b*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/(d^2*\text{Sqrt}[d - c^2*d*x^2]) - (I*b*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/(d^2*\text{Sqrt}[d - c^2*d*x^2])$

**Rubi [A]** time = 0.436844, antiderivative size = 291, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {4705, 4713, 4709, 4183, 2279, 2391, 206, 199}

$$\frac{ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)}{d^2\sqrt{d-c^2dx^2}} - \frac{ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)}{d^2\sqrt{d-c^2dx^2}} + \frac{a+b\sin^{-1}(cx)}{d^2\sqrt{d-c^2dx^2}} - \frac{2\sqrt{1-c^2x^2}\tanh^{-1}\left(e^{i\sin^{-1}(cx)}\right)}{d^2\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])/(x*(d - c^2*d*x^2)^{(5/2)}), x]$

[Out]  $-(b*c*x)/(6*d^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2*d*x^2]) + (a + b*\text{ArcSin}[c*x])/(3*d*(d - c^2*d*x^2)^{(3/2)}) + (a + b*\text{ArcSin}[c*x])/(d^2*\text{Sqrt}[d - c^2*d*x^2]) - (2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])* \text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/(d^2*\text{Sqrt}[d - c^2*d*x^2]) - (7*b*\text{Sqrt}[1 - c^2*x^2]*\text{ArcTanh}[c*x])/(6*d^2*\text{Sqrt}[d - c^2*d*x^2]) + (I*b*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/(d^2*\text{Sqrt}[d - c^2*d*x^2]) - (I*b*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/(d^2*\text{Sqrt}[d - c^2*d*x^2])$

**Rule 4705**

$\text{Int}[(a + b*\text{ArcSin}[c*x])/(x*(d - c^2*d*x^2)^{(5/2)}), x]$   $\text{:= -Simp}[(f*x)^{(m+1)}*(d + e*x^2)^{(p+1)}*(a +$

```

b*ArcSin[c*x])^n)/(2*d*f*(p + 1)), x] + (Dist[(m + 2*p + 3)/(2*d*(p + 1)),
Int[(f*x)^m*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*c*n
*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*f*(p + 1)*(1 - c^2*x^2)^FracPart[
p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1]
)

```

### Rule 4713

```

Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_.)*((f_.)*(x_.))^m_)/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] := Dist[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2], Int[(
(f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c,
d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && !GtQ[d, 0] && (Integ
erQ[m] || EqQ[n, 1])

```

### Rule 4709

```

Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_.)*(x_)^m_)/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

```

### Rule 4183

```

Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^m_., x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]

```

### Rule 2279

```

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^n_.], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

### Rule 2391

```

Int[Log[(c_.)*((d_) + (e_.)*(x_)^n_.)]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

```

### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 199

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1
))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(
p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (Integer
Q[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denomin
ator[p + 1/n] < Denominator[p])
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x(d - c^2 dx^2)^{5/2}} dx &= \frac{a + b \sin^{-1}(cx)}{3d(d - c^2 dx^2)^{3/2}} + \frac{\int \frac{a + b \sin^{-1}(cx)}{x(d - c^2 dx^2)^{3/2}} dx}{d} - \frac{(bc\sqrt{1 - c^2 x^2}) \int \frac{1}{(1 - c^2 x^2)^2} dx}{3d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{bcx}{6d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{a + b \sin^{-1}(cx)}{3d(d - c^2 dx^2)^{3/2}} + \frac{a + b \sin^{-1}(cx)}{d^2 \sqrt{d - c^2 dx^2}} + \frac{\int \frac{a + b \sin^{-1}(cx)}{x \sqrt{d - c^2 dx^2}} dx}{d^2} - \frac{(bc\sqrt{1 - c^2 x^2}) \int \frac{1}{(1 - c^2 x^2)^2} dx}{6d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{bcx}{6d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{a + b \sin^{-1}(cx)}{3d(d - c^2 dx^2)^{3/2}} + \frac{a + b \sin^{-1}(cx)}{d^2 \sqrt{d - c^2 dx^2}} - \frac{7b\sqrt{1 - c^2 x^2} \tanh^{-1}(cx)}{6d^2 \sqrt{d - c^2 dx^2}} + \\
&= -\frac{bcx}{6d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{a + b \sin^{-1}(cx)}{3d(d - c^2 dx^2)^{3/2}} + \frac{a + b \sin^{-1}(cx)}{d^2 \sqrt{d - c^2 dx^2}} - \frac{7b\sqrt{1 - c^2 x^2} \tanh^{-1}(cx)}{6d^2 \sqrt{d - c^2 dx^2}} + \\
&= -\frac{bcx}{6d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{a + b \sin^{-1}(cx)}{3d(d - c^2 dx^2)^{3/2}} + \frac{a + b \sin^{-1}(cx)}{d^2 \sqrt{d - c^2 dx^2}} - \frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{bcx}{6d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{a + b \sin^{-1}(cx)}{3d(d - c^2 dx^2)^{3/2}} + \frac{a + b \sin^{-1}(cx)}{d^2 \sqrt{d - c^2 dx^2}} - \frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{bcx}{6d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{a + b \sin^{-1}(cx)}{3d(d - c^2 dx^2)^{3/2}} + \frac{a + b \sin^{-1}(cx)}{d^2 \sqrt{d - c^2 dx^2}} - \frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{d^2 \sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 2.00069, size = 456, normalized size = 1.57

$$b \left( 24i(1 - c^2x^2)^{3/2} \text{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) - 24i(1 - c^2x^2)^{3/2} \text{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) + 18\sqrt{1 - c^2x^2} \sin^{-1}(cx) \log \left( 1 - e \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x\*(d - c^2\*d\*x^2)^(5/2)), x]

[Out]  $-(a*(-4 + 3c^2x^2)*\text{Sqrt}[d - c^2dx^2])/(3d^3*(-1 + c^2x^2)^2) + (a*\text{Log}[x])/d^{5/2} - (a*\text{Log}[d + \text{Sqrt}[d]*\text{Sqrt}[d - c^2dx^2]])/d^{5/2} + (b*(20*\text{ArcSin}[c*x] + 12*\text{ArcSin}[c*x]*\text{Cos}[2*\text{ArcSin}[c*x]] + 18*\text{Sqrt}[1 - c^2x^2]*\text{ArcSin}[c*x]*\text{Log}[1 - E^{(I*\text{ArcSin}[c*x])}] + 6*\text{ArcSin}[c*x]*\text{Cos}[3*\text{ArcSin}[c*x]]*\text{Log}[1 - E^{(I*\text{ArcSin}[c*x])}] - 18*\text{Sqrt}[1 - c^2x^2]*\text{ArcSin}[c*x]*\text{Log}[1 + E^{(I*\text{ArcSin}[c*x])}] - 6*\text{ArcSin}[c*x]*\text{Cos}[3*\text{ArcSin}[c*x]]*\text{Log}[1 + E^{(I*\text{ArcSin}[c*x])}] + 21*\text{Sqrt}[1 - c^2x^2]*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2] - \text{Sin}[\text{ArcSin}[c*x]/2]] + 7*\text{Cos}[3*\text{ArcSin}[c*x]]*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2] - \text{Sin}[\text{ArcSin}[c*x]/2]] - 21*\text{Sqrt}[1 - c^2x^2]*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]] - 7*\text{Cos}[3*\text{ArcSin}[c*x]]*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]] + (24*I)*(1 - c^2x^2)^{3/2}*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}] - (24*I)*(1 - c^2x^2)^{3/2}*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}] - 2*\text{Sin}[2*\text{ArcSin}[c*x]]))/(24*d*(d - c^2*d*x^2)^{3/2})$

**Maple [A]** time = 0.154, size = 449, normalized size = 1.5

$$\frac{a}{3d} (-c^2dx^2 + d)^{-\frac{3}{2}} + \frac{a}{d^2} \frac{1}{\sqrt{-c^2dx^2 + d}} - a \ln \left( \frac{1}{x} \left( 2d + 2\sqrt{d}\sqrt{-c^2dx^2 + d} \right) \right) d^{-\frac{5}{2}} - \frac{b \arcsin(cx) x^2 c^2}{d^3 (c^2x^2 - 1)^2} \sqrt{-d(c^2x^2 - 1)} - \frac{1}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x/(-c^2\*d\*x^2+d)^(5/2), x)

[Out]  $1/3*a/d/(-c^2*d*x^2+d)^{3/2}+a/d^2/(-c^2*d*x^2+d)^{1/2}-a/d^{5/2}*\ln((2*d+2*d^{1/2}*(-c^2*d*x^2+d)^{1/2})/x)-b*(-d*(c^2*x^2-1))^{1/2}/d^3/(c^2*x^2-1)^2*\arcsin(c*x)*x^2*c^2-1/6*b*(-d*(c^2*x^2-1))^{1/2}/d^3/(c^2*x^2-1)^2*(-c^2*x^2+1)^{1/2}*x*c+4/3*b*(-d*(c^2*x^2-1))^{1/2}/d^3/(c^2*x^2-1)^2*\arcsin(c*x)-7/3*I*b*(-d*(c^2*x^2-1))^{1/2}*(-c^2*x^2+1)^{1/2}/d^3/(c^2*x^2-1)*\arctan(I*c*x+(-c^2*x^2+1)^{1/2})-I*b*(-d*(c^2*x^2-1))^{1/2}*(-c^2*x^2+1)^{1/2}/d^3/(c^2*x^2-1)*\text{dilog}(I*c*x+(-c^2*x^2+1)^{1/2})-I*b*(-d*(c^2*x^2-1))^{1/2}*(-c^2*x^2+1)^{1/2}/d^3/(c^2*x^2-1)*\text{dilog}(1+I*c*x+(-c^2*x^2+1)^{1/2})+b*(-d*(c^2*x^2-1))^{1/2}*(-c^2*x^2+1)^{1/2}/d^3/(c^2*x^2-1)*\arcsin(c*x)*\ln(1+I*c*x+(-$

$$c^2*x^2+1)^{(1/2)}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2+d}(b\arcsin(cx)+a)}{c^6d^3x^7-3c^4d^3x^5+3c^2d^3x^3-d^3x},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)/(c^6\*d^3\*x^7 - 3\*c^4\*d^3\*x^5 + 3\*c^2\*d^3\*x^3 - d^3\*x), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(-c^2 dx^2 + d)^{\frac{5}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x/(-c^2*d*x^2+d)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/((-c^2*d*x^2 + d)^(5/2)*x), x)
```



$$3.137 \quad \int \frac{a+b \sin^{-1}(cx)}{x^2(d-c^2dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=224

$$\frac{8c^2x(a+b \sin^{-1}(cx))}{3d^2\sqrt{d-c^2dx^2}} + \frac{4c^2x(a+b \sin^{-1}(cx))}{3d(d-c^2dx^2)^{3/2}} - \frac{a+b \sin^{-1}(cx)}{dx(d-c^2dx^2)^{3/2}} - \frac{bc\sqrt{d-c^2dx^2}}{6d^3(1-c^2x^2)^{3/2}} + \frac{bc \log(x)\sqrt{d-c^2dx^2}}{d^3\sqrt{1-c^2x^2}} + \frac{5bc\sqrt{d-c^2dx^2}}{d^3\sqrt{1-c^2x^2}}$$

[Out]  $-(b*c*\text{Sqrt}[d - c^2*d*x^2])/(6*d^3*(1 - c^2*x^2)^{(3/2)}) - (a + b*\text{ArcSin}[c*x])/(d*x*(d - c^2*d*x^2)^{(3/2)}) + (4*c^2*x*(a + b*\text{ArcSin}[c*x]))/(3*d*(d - c^2*d*x^2)^{(3/2)}) + (8*c^2*x*(a + b*\text{ArcSin}[c*x]))/(3*d^2*\text{Sqrt}[d - c^2*d*x^2]) + (b*c*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(d^3*\text{Sqrt}[1 - c^2*x^2]) + (5*b*c*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[1 - c^2*x^2])/(6*d^3*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.219503, antiderivative size = 224, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {4701, 4655, 4653, 260, 261, 266, 44}

$$\frac{8c^2x(a+b \sin^{-1}(cx))}{3d^2\sqrt{d-c^2dx^2}} + \frac{4c^2x(a+b \sin^{-1}(cx))}{3d(d-c^2dx^2)^{3/2}} - \frac{a+b \sin^{-1}(cx)}{dx(d-c^2dx^2)^{3/2}} - \frac{bc}{6d^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} + \frac{bc\sqrt{1-c^2x^2} \log(x)}{d^2\sqrt{d-c^2dx^2}} +$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])/(x^2*(d - c^2*d*x^2)^{(5/2)}), x]$

[Out]  $-(b*c)/(6*d^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2*d*x^2]) - (a + b*\text{ArcSin}[c*x])/(d*x*(d - c^2*d*x^2)^{(3/2)}) + (4*c^2*x*(a + b*\text{ArcSin}[c*x]))/(3*d*(d - c^2*d*x^2)^{(3/2)}) + (8*c^2*x*(a + b*\text{ArcSin}[c*x]))/(3*d^2*\text{Sqrt}[d - c^2*d*x^2]) + (b*c*\text{Sqrt}[1 - c^2*x^2]*\text{Log}[x])/(d^2*\text{Sqrt}[d - c^2*d*x^2]) + (5*b*c*\text{Sqrt}[1 - c^2*x^2]*\text{Log}[1 - c^2*x^2])/(6*d^2*\text{Sqrt}[d - c^2*d*x^2])$

### Rule 4701

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*(d + e*x^2)^p, x] := \text{Simp}[(f*x)^{m+1}*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n/(d*f*(m+1)), x] + (\text{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1)], \text{Int}[(f*x)^{m+2}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n, x], x) - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}/(f*(m+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{m+1}*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{n-1}, x], x) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n,$

0] && LtQ[m, -1] && IntegerQ[m]

#### Rule 4655

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(x\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*(p + 1)), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

#### Rule 4653

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/((d\_) + (e\_.)\*(x\_)^2)^(3/2), x\_Symbol] := Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n\*Sqrt[1 - c^2\*x^2])/(d\*Sqrt[d + e\*x^2]), Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(1 - c^2\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

#### Rule 260

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

#### Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 44

Int[((a\_) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_)^(n\_.)), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^2 (d - c^2 dx^2)^{5/2}} dx &= -\frac{a + b \sin^{-1}(cx)}{dx (d - c^2 dx^2)^{3/2}} + (4c^2) \int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^{5/2}} dx + \frac{(bc\sqrt{1 - c^2 x^2}) \int \frac{1}{x(1 - c^2 x^2)^2} dx}{d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{a + b \sin^{-1}(cx)}{dx (d - c^2 dx^2)^{3/2}} + \frac{4c^2 x (a + b \sin^{-1}(cx))}{3d (d - c^2 dx^2)^{3/2}} + \frac{(8c^2) \int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^{3/2}} dx}{3d} + \frac{(bc\sqrt{1 - c^2 x^2}) \text{Subst}}{2d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{2bc}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{a + b \sin^{-1}(cx)}{dx (d - c^2 dx^2)^{3/2}} + \frac{4c^2 x (a + b \sin^{-1}(cx))}{3d (d - c^2 dx^2)^{3/2}} + \frac{8c^2 x (a + b \sin^{-1}(cx))}{3d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{bc}{6d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{a + b \sin^{-1}(cx)}{dx (d - c^2 dx^2)^{3/2}} + \frac{4c^2 x (a + b \sin^{-1}(cx))}{3d (d - c^2 dx^2)^{3/2}} + \frac{8c^2 x (a + b \sin^{-1}(cx))}{3d^2 \sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.296587, size = 188, normalized size = 0.84

$$\frac{\sqrt{d - c^2 dx^2} \left( 16ac^4 x^4 - 24ac^2 x^2 + 6a + bcx\sqrt{1 - c^2 x^2} + 5bc^3 x^3 \sqrt{1 - c^2 x^2} \log(1 - c^2 x^2) - 3bcx(1 - c^2 x^2)^{3/2} \log(x^2) \right)}{6d^3 x (c^2 x^2 - 1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^2\*(d - c^2\*d\*x^2)^(5/2)), x]

[Out] -(Sqrt[d - c^2\*d\*x^2]\*(6\*a - 24\*a\*c^2\*x^2 + 16\*a\*c^4\*x^4 + b\*c\*x\*Sqrt[1 - c^2\*x^2] + 2\*b\*(3 - 12\*c^2\*x^2 + 8\*c^4\*x^4)\*ArcSin[c\*x] - 3\*b\*c\*x\*(1 - c^2\*x^2)^(3/2)\*Log[x^2] - 5\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*Log[1 - c^2\*x^2] + 5\*b\*c^3\*x^3\*Sqrt[1 - c^2\*x^2]\*Log[1 - c^2\*x^2]))/(6\*d^3\*x\*(-1 + c^2\*x^2)^2)

**Maple [C]** time = 0.204, size = 1346, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d)^(5/2), x)

```
[Out] -a/d/x/(-c^2*d*x^2+d)^(3/2)+4/3*a*c^2/d*x/(-c^2*d*x^2+d)^(3/2)+8/3*a*c^2/d^
2*x/(-c^2*d*x^2+d)^(1/2)-5/3*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/d^
3/(c^2*x^2-1)*ln(1+(I*c*x+(-c^2*x^2+1)^(1/2))^2)*c-44*b*(-d*(c^2*x^2-1))^(1
/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*x*arcsin(c*x)*c^2-64/3*I*b*(-d*
(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*x^4*arcsin(c*x)*
(-c^2*x^2+1)^(1/2)*c^5-80/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^
4+26*c^2*x^2-9)/d^3*x^5*(-c^2*x^2+1)*c^6-24*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c
^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*x^3*c^4+16/3*I*b*(-d*(c^2*x^2-1))^(1/2)
*(-c^2*x^2+1)^(1/2)/d^3/(c^2*x^2-1)*arcsin(c*x)*c+136/3*I*b*(-d*(c^2*x^2-1)
)^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*x^2*arcsin(c*x)*(-c^2*x^2+1
)^(1/2)*c^3+140/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x
^2-9)/d^3*x^5*c^6+4*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2
*x^2-9)/d^3*x*c^2+32/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c
^2*x^2-9)/d^3*x^9*c^10-64/3*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4
+26*c^2*x^2-9)/d^3*x^5*arcsin(c*x)*c^6-4/3*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*
x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*x^2*(-c^2*x^2+1)^(1/2)*c^3+56*b*(-d*(c^2*x
^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*x^3*arcsin(c*x)*c^4-b*
(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/d^3/(c^2*x^2-1)*ln((I*c*x+(-c^2*x
^2+1)^(1/2))^2-1)*c-4*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c
^2*x^2-9)/d^3*x*(-c^2*x^2+1)*c^2-24*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-2
5*c^4*x^4+26*c^2*x^2-9)/d^3*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c+32/3*I*b*(-d(
c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*x^7*(-c^2*x^2+1)*
c^8+9*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3/x*ar
csin(c*x)+3/2*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/
d^3*(-c^2*x^2+1)^(1/2)*c-112/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4
*x^4+26*c^2*x^2-9)/d^3*x^7*c^8+20*I*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*
c^4*x^4+26*c^2*x^2-9)/d^3*x^3*(-c^2*x^2+1)*c^4
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^2/(-c^2*d*x^2+d)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2+d}(b\arcsin(cx)+a)}{c^6d^3x^8-3c^4d^3x^6+3c^2d^3x^4-d^3x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)/(c^6\*d^3\*x^8 - 3\*c^4\*d^3\*x^6 + 3\*c^2\*d^3\*x^4 - d^3\*x^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b\arcsin(cx)+a}{(-c^2dx^2+d)^{\frac{5}{2}}x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/((-c^2\*d\*x^2 + d)^(5/2)\*x^2), x)

$$3.138 \quad \int \frac{a+b \sin^{-1}(cx)}{x^3(d-c^2dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=433

$$\frac{5ibc^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)}{2d^2\sqrt{d-c^2dx^2}} - \frac{5ibc^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)}{2d^2\sqrt{d-c^2dx^2}} + \frac{5c^2(a+b\sin^{-1}(cx))}{2d^2\sqrt{d-c^2dx^2}} - \frac{5c^2\sqrt{1-c^2x^2}}{2d^2\sqrt{d-c^2dx^2}}$$

```
[Out] (b*c)/(4*d^2*x*Sqrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) - (5*b*c^3*x)/(12*d^2
*Sqrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) - (3*b*c*Sqrt[1 - c^2*x^2])/(4*d^2*
x*Sqrt[d - c^2*d*x^2]) + (5*c^2*(a + b*ArcSin[c*x]))/(6*d*(d - c^2*d*x^2)^(
3/2)) - (a + b*ArcSin[c*x])/(2*d*x^2*(d - c^2*d*x^2)^(3/2)) + (5*c^2*(a + b
*ArcSin[c*x]))/(2*d^2*Sqrt[d - c^2*d*x^2]) - (5*c^2*Sqrt[1 - c^2*x^2]*(a +
b*ArcSin[c*x])*ArcTanh[E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2]) - (13*
b*c^2*Sqrt[1 - c^2*x^2]*ArcTanh[c*x])/(6*d^2*Sqrt[d - c^2*d*x^2]) + (((5*I)
/2)*b*c^2*Sqrt[1 - c^2*x^2]*PolyLog[2, -E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c
^2*d*x^2]) - (((5*I)/2)*b*c^2*Sqrt[1 - c^2*x^2]*PolyLog[2, E^(I*ArcSin[c*x]
)])/d^2*Sqrt[d - c^2*d*x^2])
```

**Rubi [A]** time = 0.582206, antiderivative size = 433, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 11, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.407$ , Rules used = {4701, 4705, 4713, 4709, 4183, 2279, 2391, 206, 199, 290, 325}

$$\frac{5ibc^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)}{2d^2\sqrt{d-c^2dx^2}} - \frac{5ibc^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)}{2d^2\sqrt{d-c^2dx^2}} + \frac{5c^2(a+b\sin^{-1}(cx))}{2d^2\sqrt{d-c^2dx^2}} - \frac{5c^2\sqrt{1-c^2x^2}}{2d^2\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])/(x^3*(d - c^2*d*x^2)^(5/2)), x]
```

```
[Out] (b*c)/(4*d^2*x*Sqrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) - (5*b*c^3*x)/(12*d^2
*Sqrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) - (3*b*c*Sqrt[1 - c^2*x^2])/(4*d^2*
x*Sqrt[d - c^2*d*x^2]) + (5*c^2*(a + b*ArcSin[c*x]))/(6*d*(d - c^2*d*x^2)^(
3/2)) - (a + b*ArcSin[c*x])/(2*d*x^2*(d - c^2*d*x^2)^(3/2)) + (5*c^2*(a + b
*ArcSin[c*x]))/(2*d^2*Sqrt[d - c^2*d*x^2]) - (5*c^2*Sqrt[1 - c^2*x^2]*(a +
b*ArcSin[c*x])*ArcTanh[E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2]) - (13*
b*c^2*Sqrt[1 - c^2*x^2]*ArcTanh[c*x])/(6*d^2*Sqrt[d - c^2*d*x^2]) + (((5*I)
/2)*b*c^2*Sqrt[1 - c^2*x^2]*PolyLog[2, -E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c
^2*d*x^2]) - (((5*I)/2)*b*c^2*Sqrt[1 - c^2*x^2]*PolyLog[2, E^(I*ArcSin[c*x]
)])/d^2*Sqrt[d - c^2*d*x^2])
```

)]/(d^2\*Sqrt[d - c^2\*d\*x^2])

### Rule 4701

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] + (Dist[(c^2\*(m + 2\*p + 3))/(f^2\*(m + 1)), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

### Rule 4705

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*f\*(p + 1)), x] + (Dist[(m + 2\*p + 3)/(2\*d\*(p + 1)), Int[(f\*x)^m\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*f\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1])

### Rule 4713

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(f\*x)^m\*(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !GtQ[d, 0] && (IntegerQ[m] || EqQ[n, 1])

### Rule 4709

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)^(m\_))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Dist[1/(c^(m + 1)\*Sqrt[d]), Subst[Int[(a + b\*x)^n\*Sin[x]^m, x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^

$(m - 1) \cdot \text{Log}[1 + E^{(I \cdot (e + f \cdot x))}], x, x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0]$

### Rule 2279

$\text{Int}[\text{Log}[(a_) + (b_) \cdot ((F_)^{((e_) \cdot ((c_) + (d_) \cdot (x_)))})^{(n_)}], x\_Symbol] \rightarrow \text{Dist}[1/(d \cdot e \cdot n \cdot \text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b \cdot x]/x, x], x, (F^{(e \cdot (c + d \cdot x))})^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x] \&\& \text{GtQ}[a, 0]$

### Rule 2391

$\text{Int}[\text{Log}[(c_) \cdot ((d_) + (e_) \cdot (x_)^{(n_)})]/(x_), x\_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c \cdot e \cdot x^n)]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x] \&\& \text{EqQ}[c \cdot d, 1]$

### Rule 206

$\text{Int}[(a_) + (b_) \cdot (x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{ArcTanh}[\text{Rt}[-b, 2] \cdot x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

### Rule 199

$\text{Int}[(a_) + (b_) \cdot (x_)^{(n_)}]^{(p_)}, x\_Symbol] \rightarrow -\text{Simp}[(x \cdot (a + b \cdot x^n)^{(p+1)})/(a \cdot n \cdot (p+1)), x] + \text{Dist}[(n \cdot (p+1) + 1)/(a \cdot n \cdot (p+1)), \text{Int}[(a + b \cdot x^n)^{(p+1)}, x], x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& (\text{IntegerQ}[2 \cdot p] \parallel (n == 2 \&\& \text{IntegerQ}[4 \cdot p]) \parallel (n == 2 \&\& \text{IntegerQ}[3 \cdot p]) \parallel \text{Denominator}[p + 1/n] < \text{Denominator}[p])$

### Rule 290

$\text{Int}[(c_) \cdot (x_)^{(m_)}] \cdot ((a_) + (b_) \cdot (x_)^{(n_)}]^{(p_)}, x\_Symbol] \rightarrow -\text{Simp}[(c \cdot x)^{(m+1)} \cdot (a + b \cdot x^n)^{(p+1)})/(a \cdot c \cdot n \cdot (p+1)), x] + \text{Dist}[(m + n \cdot (p+1) + 1)/(a \cdot n \cdot (p+1)), \text{Int}[(c \cdot x)^m \cdot (a + b \cdot x^n)^{(p+1)}, x], x] /; \text{FreeQ}\{a, b, c, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

### Rule 325

$\text{Int}[(c_) \cdot (x_)^{(m_)}] \cdot ((a_) + (b_) \cdot (x_)^{(n_)}]^{(p_)}, x\_Symbol] \rightarrow \text{Simp}[(c \cdot x)^{(m+1)} \cdot (a + b \cdot x^n)^{(p+1)})/(a \cdot c \cdot (m+1)), x] - \text{Dist}[(b \cdot (m + n \cdot (p+1) + 1))/(a \cdot c \cdot n \cdot (m+1)), \text{Int}[(c \cdot x)^{(m+n)} \cdot (a + b \cdot x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$



Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^3 (d - c^2 dx^2)^{5/2}} dx &= -\frac{a + b \sin^{-1}(cx)}{2dx^2 (d - c^2 dx^2)^{3/2}} + \frac{1}{2} (5c^2) \int \frac{a + b \sin^{-1}(cx)}{x (d - c^2 dx^2)^{5/2}} dx + \frac{(bc\sqrt{1 - c^2 x^2}) \int \frac{1}{x^2(1 - c^2 x^2)^2} dx}{2d^2 \sqrt{d - c^2 dx^2}} \\
&= \frac{bc}{4d^2 x \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{5c^2 (a + b \sin^{-1}(cx))}{6d (d - c^2 dx^2)^{3/2}} - \frac{a + b \sin^{-1}(cx)}{2dx^2 (d - c^2 dx^2)^{3/2}} + \frac{(5c^2) \int \frac{a + b \sin^{-1}(cx)}{x(d - c^2 dx^2)^{3/2}} dx}{2d} \\
&= \frac{bc}{4d^2 x \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{5bc^3 x}{12d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{3bc\sqrt{1 - c^2 x^2}}{4d^2 x \sqrt{d - c^2 dx^2}} + \frac{5c^2 (a + b \sin^{-1}(cx))}{6d (d - c^2 dx^2)^{3/2}} \\
&= \frac{bc}{4d^2 x \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{5bc^3 x}{12d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{3bc\sqrt{1 - c^2 x^2}}{4d^2 x \sqrt{d - c^2 dx^2}} + \frac{5c^2 (a + b \sin^{-1}(cx))}{6d (d - c^2 dx^2)^{3/2}} \\
&= \frac{bc}{4d^2 x \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{5bc^3 x}{12d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{3bc\sqrt{1 - c^2 x^2}}{4d^2 x \sqrt{d - c^2 dx^2}} + \frac{5c^2 (a + b \sin^{-1}(cx))}{6d (d - c^2 dx^2)^{3/2}} \\
&= \frac{bc}{4d^2 x \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{5bc^3 x}{12d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{3bc\sqrt{1 - c^2 x^2}}{4d^2 x \sqrt{d - c^2 dx^2}} + \frac{5c^2 (a + b \sin^{-1}(cx))}{6d (d - c^2 dx^2)^{3/2}} \\
&= \frac{bc}{4d^2 x \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{5bc^3 x}{12d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{3bc\sqrt{1 - c^2 x^2}}{4d^2 x \sqrt{d - c^2 dx^2}} + \frac{5c^2 (a + b \sin^{-1}(cx))}{6d (d - c^2 dx^2)^{3/2}} \\
&= \frac{bc}{4d^2 x \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{5bc^3 x}{12d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{3bc\sqrt{1 - c^2 x^2}}{4d^2 x \sqrt{d - c^2 dx^2}} + \frac{5c^2 (a + b \sin^{-1}(cx))}{6d (d - c^2 dx^2)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 7.48286, size = 537, normalized size = 1.24

$$bc^2 \sqrt{1 - c^2 x^2} \left( 60i \left( \text{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) - \text{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) \right) - \frac{2(\sin^{-1}(cx) - 1)}{cx - 1} + 52 \sin^{-1}(cx) + 60 \sin^{-1}(cx) \left( \log \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^3\*(d - c^2\*d\*x^2)^(5/2)), x]

```
[Out] Sqrt[-(d*(-1 + c^2*x^2))]*(-a/(2*d^3*x^2) + (a*c^2)/(3*d^3*(-1 + c^2*x^2)^2)
) - (2*a*c^2)/(d^3*(-1 + c^2*x^2)) + (5*a*c^2*Log[x])/(2*d^(5/2)) - (5*a*c
^2*Log[d + Sqrt[d]*Sqrt[-(d*(-1 + c^2*x^2))]])/(2*d^(5/2)) + (b*c^2*Sqrt[1
- c^2*x^2]*((-2*(-1 + ArcSin[c*x]))/(-1 + c*x) + 52*ArcSin[c*x] - 6*Cot[Arc
Sin[c*x]/2] - 3*ArcSin[c*x]*Csc[ArcSin[c*x]/2]^2 + 60*ArcSin[c*x]*(Log[1 -
E^(I*ArcSin[c*x])] - Log[1 + E^(I*ArcSin[c*x])]) + 52*Log[Cos[ArcSin[c*x]/2
] - Sin[ArcSin[c*x]/2]] - 52*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]] +
(60*I)*(PolyLog[2, -E^(I*ArcSin[c*x])] - PolyLog[2, E^(I*ArcSin[c*x])]) +
3*ArcSin[c*x]*Sec[ArcSin[c*x]/2]^2 + (4*ArcSin[c*x]*Sin[ArcSin[c*x]/2])/(Co
s[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^3 + (52*ArcSin[c*x]*Sin[ArcSin[c*x]/
2])/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]) - (4*ArcSin[c*x]*Sin[ArcSin[c
*x]/2])/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^3 + (2*(1 + ArcSin[c*x]))
/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^2 - (52*ArcSin[c*x]*Sin[ArcSin[c
*x]/2])/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]) - 6*Tan[ArcSin[c*x]/2]))/
(24*d^2*Sqrt[d*(1 - c^2*x^2)])
```

**Maple [A]** time = 0.279, size = 624, normalized size = 1.4

$$-\frac{a}{2dx^2}(-c^2dx^2 + d)^{-\frac{3}{2}} + \frac{5ac^2}{6d}(-c^2dx^2 + d)^{-\frac{3}{2}} + \frac{5ac^2}{2d^2} \frac{1}{\sqrt{-c^2dx^2 + d}} - \frac{5ac^2}{2} \ln\left(\frac{1}{x} \left(2d + 2\sqrt{d}\sqrt{-c^2dx^2 + d}\right)\right) d^{-\frac{5}{2}} - \frac{5}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))/x^3/(-c^2*d*x^2+d)^(5/2), x)
```

```
[Out] -1/2*a/d/x^2/(-c^2*d*x^2+d)^(3/2)+5/6*a*c^2/d/(-c^2*d*x^2+d)^(3/2)+5/2*a*c^
2/d^2/(-c^2*d*x^2+d)^(1/2)-5/2*a*c^2/d^(5/2)*ln((2*d+2*d^(1/2)*(-c^2*d*x^2+
d)^(1/2))/x)-5/2*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^4*x^4-2*c^2*x^2+1)*x^2*arc
sin(c*x)*c^4+1/3*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^4*x^4-2*c^2*x^2+1)*x*c^3*(
-c^2*x^2+1)^(1/2)+10/3*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^4*x^4-2*c^2*x^2+1)*a
rcsin(c*x)*c^2-1/2*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^4*x^4-2*c^2*x^2+1)/x*(-c
^2*x^2+1)^(1/2)*c-1/2*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^4*x^4-2*c^2*x^2+1)/x^
2*arcsin(c*x)+5/2*b*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-
1)*c^2*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-13/3*I*b*(-c^2*x^2+1)^(1/
2)*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)*c^2*arctan(I*c*x+(-c^2*x^2+1)^(1/
2))-5/2*I*b*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)*c^2*d
ilog(I*c*x+(-c^2*x^2+1)^(1/2))-5/2*I*b*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(
1/2)/d^3/(c^2*x^2-1)*c^2*dilog(1+I*c*x+(-c^2*x^2+1)^(1/2))
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^3/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2 + d}(b \arcsin(cx) + a)}{c^6d^3x^9 - 3c^4d^3x^7 + 3c^2d^3x^5 - d^3x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^3/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)/(c^6\*d^3\*x^9 - 3\*c^4\*d^3\*x^7 + 3\*c^2\*d^3\*x^5 - d^3\*x^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x\*\*3/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(-c^2dx^2 + d)^{\frac{5}{2}}x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^3/(-c^2*d*x^2+d)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/((-c^2*d*x^2 + d)^(5/2)*x^3), x)
```

$$3.139 \quad \int \frac{a+b \sin^{-1}(cx)}{x^4(d-c^2dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=310

$$\frac{16c^4x(a+b \sin^{-1}(cx))}{3d^2\sqrt{d-c^2dx^2}} + \frac{8c^4x(a+b \sin^{-1}(cx))}{3d(d-c^2dx^2)^{3/2}} - \frac{2c^2(a+b \sin^{-1}(cx))}{dx(d-c^2dx^2)^{3/2}} - \frac{a+b \sin^{-1}(cx)}{3dx^3(d-c^2dx^2)^{3/2}} - \frac{bc^3\sqrt{d-c^2dx^2}}{6d^3(1-c^2x^2)^{3/2}} - \frac{bc^3}{6d^3}$$

[Out]  $-(b*c^3*\text{Sqrt}[d - c^2*d*x^2])/(6*d^3*(1 - c^2*x^2)^{(3/2)}) - (b*c*\text{Sqrt}[d - c^2*d*x^2])/(6*d^3*x^2*\text{Sqrt}[1 - c^2*x^2]) - (a + b*\text{ArcSin}[c*x])/(3*d*x^3*(d - c^2*d*x^2)^{(3/2)}) - (2*c^2*(a + b*\text{ArcSin}[c*x]))/(d*x*(d - c^2*d*x^2)^{(3/2)}) + (8*c^4*x*(a + b*\text{ArcSin}[c*x]))/(3*d*(d - c^2*d*x^2)^{(3/2)}) + (16*c^4*x*(a + b*\text{ArcSin}[c*x]))/(3*d^2*\text{Sqrt}[d - c^2*d*x^2]) + (8*b*c^3*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[x])/(3*d^3*\text{Sqrt}[1 - c^2*x^2]) + (4*b*c^3*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[1 - c^2*x^2])/(3*d^3*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.387039, antiderivative size = 310, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {4701, 4655, 4653, 260, 261, 266, 44}

$$\frac{16c^4x(a+b \sin^{-1}(cx))}{3d^2\sqrt{d-c^2dx^2}} + \frac{8c^4x(a+b \sin^{-1}(cx))}{3d(d-c^2dx^2)^{3/2}} - \frac{2c^2(a+b \sin^{-1}(cx))}{dx(d-c^2dx^2)^{3/2}} - \frac{a+b \sin^{-1}(cx)}{3dx^3(d-c^2dx^2)^{3/2}} - \frac{bc^3}{6d^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])/(x^4*(d - c^2*d*x^2)^{(5/2)}), x]$

[Out]  $-(b*c^3)/(6*d^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2*d*x^2]) - (b*c*\text{Sqrt}[1 - c^2*x^2])/(6*d^2*x^2*\text{Sqrt}[d - c^2*d*x^2]) - (a + b*\text{ArcSin}[c*x])/(3*d*x^3*(d - c^2*d*x^2)^{(3/2)}) - (2*c^2*(a + b*\text{ArcSin}[c*x]))/(d*x*(d - c^2*d*x^2)^{(3/2)}) + (8*c^4*x*(a + b*\text{ArcSin}[c*x]))/(3*d*(d - c^2*d*x^2)^{(3/2)}) + (16*c^4*x*(a + b*\text{ArcSin}[c*x]))/(3*d^2*\text{Sqrt}[d - c^2*d*x^2]) + (8*b*c^3*\text{Sqrt}[1 - c^2*x^2]*\text{Log}[x])/(3*d^2*\text{Sqrt}[d - c^2*d*x^2]) + (4*b*c^3*\text{Sqrt}[1 - c^2*x^2]*\text{Log}[1 - c^2*x^2])/(3*d^2*\text{Sqrt}[d - c^2*d*x^2])$

**Rule 4701**

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + e*x^2)^n*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n/(d*f*(m + 1)), x] + (\text{Dist}[(c^2*(m + 2*p + 3))/(f^2*(m + 1))$

), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

#### Rule 4655

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(x\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*(p + 1)), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

#### Rule 4653

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)/((d\_) + (e\_)\*(x\_)^2)^(3/2), x\_Symbol] := Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n\*Sqrt[1 - c^2\*x^2])/(d\*Sqrt[d + e\*x^2]), Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(1 - c^2\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

#### Rule 260

Int[(x\_)^(m\_)/((a\_) + (b\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

#### Rule 261

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

#### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 44

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &

& NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{a + b \sin^{-1}(cx)}{x^4 (d - c^2 dx^2)^{5/2}} dx &= -\frac{a + b \sin^{-1}(cx)}{3dx^3 (d - c^2 dx^2)^{3/2}} + (2c^2) \int \frac{a + b \sin^{-1}(cx)}{x^2 (d - c^2 dx^2)^{5/2}} dx + \frac{(bc\sqrt{1 - c^2 x^2}) \int \frac{1}{x^3 (1 - c^2 x^2)^2} dx}{3d^2 \sqrt{d - c^2 dx^2}} \\
 &= -\frac{a + b \sin^{-1}(cx)}{3dx^3 (d - c^2 dx^2)^{3/2}} - \frac{2c^2 (a + b \sin^{-1}(cx))}{dx (d - c^2 dx^2)^{3/2}} + (8c^4) \int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^{5/2}} dx + \frac{(bc\sqrt{1 - c^2 x^2}) S}{6d} \\
 &= -\frac{a + b \sin^{-1}(cx)}{3dx^3 (d - c^2 dx^2)^{3/2}} - \frac{2c^2 (a + b \sin^{-1}(cx))}{dx (d - c^2 dx^2)^{3/2}} + \frac{8c^4 x (a + b \sin^{-1}(cx))}{3d (d - c^2 dx^2)^{3/2}} + \frac{(16c^4) \int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^{3/2}} dx}{3d} \\
 &= -\frac{7bc^3}{6d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{bc\sqrt{1 - c^2 x^2}}{6d^2 x^2 \sqrt{d - c^2 dx^2}} - \frac{a + b \sin^{-1}(cx)}{3dx^3 (d - c^2 dx^2)^{3/2}} - \frac{2c^2 (a + b \sin^{-1}(cx))}{dx (d - c^2 dx^2)^{3/2}} \\
 &= -\frac{bc^3}{6d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{bc\sqrt{1 - c^2 x^2}}{6d^2 x^2 \sqrt{d - c^2 dx^2}} - \frac{a + b \sin^{-1}(cx)}{3dx^3 (d - c^2 dx^2)^{3/2}} - \frac{2c^2 (a + b \sin^{-1}(cx))}{dx (d - c^2 dx^2)^{3/2}}
 \end{aligned}$$

**Mathematica [A]** time = 0.345004, size = 213, normalized size = 0.69

$$\frac{\sqrt{d - c^2 dx^2} \left( 32ac^6 x^6 - 48ac^4 x^4 + 12ac^2 x^2 + 2a + bcx\sqrt{1 - c^2 x^2} + 8bc^5 x^5 \sqrt{1 - c^2 x^2} \log(1 - c^2 x^2) - 8bc^3 x^3 (1 - c^2 x^2)^3 \right)}{6d^3 x^3 (c^2 x^2 - 1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^4\*(d - c^2\*d\*x^2)^(5/2)),x]

[Out] -(Sqrt[d - c^2\*d\*x^2]\*(2\*a + 12\*a\*c^2\*x^2 - 48\*a\*c^4\*x^4 + 32\*a\*c^6\*x^6 + b\*c\*x\*Sqrt[1 - c^2\*x^2] + 2\*b\*(1 + 6\*c^2\*x^2 - 24\*c^4\*x^4 + 16\*c^6\*x^6)\*ArcSin[c\*x] - 8\*b\*c^3\*x^3\*(1 - c^2\*x^2)^(3/2)\*Log[x^2] - 8\*b\*c^3\*x^3\*Sqrt[1 - c^2\*x^2]\*Log[1 - c^2\*x^2] + 8\*b\*c^5\*x^5\*Sqrt[1 - c^2\*x^2]\*Log[1 - c^2\*x^2]))/(6\*d^3\*x^3\*(-1 + c^2\*x^2)^2)

**Maple [C]** time = 0.261, size = 1875, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\arcsin(c*x))/x^4/(-c^2*d*x^2+d)^(5/2),x)$

[Out] 
$$2*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*c^3*(-c^2*x^2+1)^(1/2)+1/3*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3/x^3*\arcsin(c*x)+8/3*a*c^4/d*x/(-c^2*d*x^2+d)^(3/2)+16/3*a*c^4/d^2*x/(-c^2*d*x^2+d)^(1/2)-2*a*c^2/d/x/(-c^2*d*x^2+d)^(3/2)+6*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3/x*\arcsin(c*x)*c^2+1/6*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3/x^2*(-c^2*x^2+1)^(1/2)*c-8/3*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/d^3/(c^2*x^2-1)*\ln((I*c*x+(-c^2*x^2+1)^(1/2))^4-1)*c^3-64*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x^7*\arcsin(c*x)*c^10+160*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x^5*\arcsin(c*x)*c^8-344/3*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x^3*\arcsin(c*x)*c^6+8/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x*c^4-2*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x^2*c^5*(-c^2*x^2+1)^(1/2)+12*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x*\arcsin(c*x)*c^4+128/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x^11*c^14-448/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x^9*c^12+560/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x^7*c^10-280/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x^5*c^8+32/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x^3*c^6+80*I*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x^5*(-c^2*x^2+1)*c^8+32/3*I*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/d^3/(c^2*x^2-1)*\arcsin(c*x)*c^3-16/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*\arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^3-40/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x^3*(-c^2*x^2+1)*c^6-8/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x*(-c^2*x^2+1)*c^4+128/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x^9*(-c^2*x^2+1)*c^12-320/3*I*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x^7*(-c^2*x^2+1)*c^10-1/3*a/d/x^3/(-c^2*d*x^2+d)^(3/2)+128*I*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3*x^4*\arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^7-64*I*b*(-d*(c^2*x^2-1))^(1/2)/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*$$



$$c^2x^2-1)/d^3x^6\arcsin(cx)*(-c^2x^2+1)^{(1/2)}*c^9-176/3*I*b*(-d*(c^2x^2-1))^{(1/2)}/(12*c^8*x^8-36*c^6*x^6+35*c^4*x^4-10*c^2*x^2-1)/d^3x^2\arcsin(cx)*(-c^2x^2+1)^{(1/2)}*c^5$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^4/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2+d}(b\arcsin(cx)+a)}{c^6d^3x^{10}-3c^4d^3x^8+3c^2d^3x^6-d^3x^4},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^4/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)/(c^6\*d^3\*x^10 - 3\*c^4\*d^3\*x^8 + 3\*c^2\*d^3\*x^6 - d^3\*x^4), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x\*\*4/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(-c^2 dx^2 + d)^{\frac{5}{2}} x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^4/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/((-c^2\*d\*x^2 + d)^(5/2)\*x^4), x)

$$3.140 \quad \int \frac{\sin^{-1}(ax)}{(c-a^2cx^2)^{7/2}} dx$$

**Optimal.** Leaf size=210

$$-\frac{2}{15ac^3\sqrt{1-a^2x^2}\sqrt{c-a^2cx^2}} - \frac{1}{20ac^3(1-a^2x^2)^{3/2}\sqrt{c-a^2cx^2}} + \frac{4\sqrt{1-a^2x^2}\log(1-a^2x^2)}{15ac^3\sqrt{c-a^2cx^2}} + \frac{8x\sin^{-1}(ax)}{15c^3\sqrt{c-a^2cx^2}} + \frac{4xs}{15c^2(a^2cx^2)}$$

[Out]  $-1/(20*a*c^3*(1 - a^2*x^2)^{(3/2)}*Sqrt[c - a^2*c*x^2]) - 2/(15*a*c^3*Sqrt[1 - a^2*x^2]*Sqrt[c - a^2*c*x^2]) + (x*ArcSin[a*x])/(5*c*(c - a^2*c*x^2)^{(5/2})) + (4*x*ArcSin[a*x])/(15*c^2*(c - a^2*c*x^2)^{(3/2})) + (8*x*ArcSin[a*x])/(15*c^3*Sqrt[c - a^2*c*x^2]) + (4*Sqrt[1 - a^2*x^2]*Log[1 - a^2*x^2])/(15*a*c^3*Sqrt[c - a^2*c*x^2])$

**Rubi [A]** time = 0.115313, antiderivative size = 210, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4655, 4653, 260, 261}

$$-\frac{2}{15ac^3\sqrt{1-a^2x^2}\sqrt{c-a^2cx^2}} - \frac{1}{20ac^3(1-a^2x^2)^{3/2}\sqrt{c-a^2cx^2}} + \frac{4\sqrt{1-a^2x^2}\log(1-a^2x^2)}{15ac^3\sqrt{c-a^2cx^2}} + \frac{8x\sin^{-1}(ax)}{15c^3\sqrt{c-a^2cx^2}} + \frac{4xs}{15c^2(a^2cx^2)}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]/(c - a^2\*c\*x^2)^(7/2), x]

[Out]  $-1/(20*a*c^3*(1 - a^2*x^2)^{(3/2)}*Sqrt[c - a^2*c*x^2]) - 2/(15*a*c^3*Sqrt[1 - a^2*x^2]*Sqrt[c - a^2*c*x^2]) + (x*ArcSin[a*x])/(5*c*(c - a^2*c*x^2)^{(5/2})) + (4*x*ArcSin[a*x])/(15*c^2*(c - a^2*c*x^2)^{(3/2})) + (8*x*ArcSin[a*x])/(15*c^3*Sqrt[c - a^2*c*x^2]) + (4*Sqrt[1 - a^2*x^2]*Log[1 - a^2*x^2])/(15*a*c^3*Sqrt[c - a^2*c*x^2])$

### Rule 4655

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_ Symbol] :> -Simp[(x\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*(p + 1)), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0]

&& GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

### Rule 4653

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_]/((d\_) + (e\_.)\*(x\_)^2)^(3/2), x\_Symbol] := Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n\*Sqrt[1 - c^2\*x^2])/(d\*Sqrt[d + e\*x^2]), Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(1 - c^2\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

### Rule 260

Int[(x\_)^(m\_)/((a\_) + (b\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

### Rule 261

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

### Rubi steps

$$\begin{aligned} \int \frac{\sin^{-1}(ax)}{(c - a^2cx^2)^{7/2}} dx &= \frac{x \sin^{-1}(ax)}{5c(c - a^2cx^2)^{5/2}} + \frac{4 \int \frac{\sin^{-1}(ax)}{(c - a^2cx^2)^{5/2}} dx}{5c} - \frac{(a\sqrt{1 - a^2x^2}) \int \frac{x}{(1 - a^2x^2)^3} dx}{5c^3\sqrt{c - a^2cx^2}} \\ &= -\frac{1}{20ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)}{5c(c - a^2cx^2)^{5/2}} + \frac{4x \sin^{-1}(ax)}{15c^2(c - a^2cx^2)^{3/2}} + \frac{8 \int \frac{\sin^{-1}(ax)}{(c - a^2cx^2)^{3/2}} dx}{15c^2} - \frac{4}{15c^2} \\ &= -\frac{1}{20ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}} - \frac{2}{15ac^3\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)}{5c(c - a^2cx^2)^{5/2}} + \frac{4x \sin^{-1}(ax)}{15c^2(c - a^2cx^2)^{3/2}} \\ &= -\frac{1}{20ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}} - \frac{2}{15ac^3\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)}{5c(c - a^2cx^2)^{5/2}} + \frac{4x \sin^{-1}(ax)}{15c^2(c - a^2cx^2)^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.216464, size = 111, normalized size = 0.53

$$\frac{\sqrt{c - a^2cx^2} \left( \sqrt{1 - a^2x^2} \left( 8a^2x^2 + 16(a^2x^2 - 1)^2 \log(a^2x^2 - 1) - 11 \right) + 4ax(8a^4x^4 - 20a^2x^2 + 15) \sin^{-1}(ax) \right)}{60ac^4(a^2x^2 - 1)^3}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]/(c - a^2\*c\*x^2)^(7/2), x]

[Out]  $-(\text{Sqrt}[c - a^2*c*x^2]*(4*a*x*(15 - 20*a^2*x^2 + 8*a^4*x^4)*\text{ArcSin}[a*x] + \text{Sqrt}[1 - a^2*x^2]*(-11 + 8*a^2*x^2 + 16*(-1 + a^2*x^2)^2*\text{Log}[-1 + a^2*x^2]))) / (60*a*c^4*(-1 + a^2*x^2)^3)$

**Maple [C]** time = 0.217, size = 409, normalized size = 2.

$$\frac{\frac{16i}{15} \arcsin(ax)}{ac^4(a^2x^2-1)} \sqrt{-c(a^2x^2-1)} \sqrt{-a^2x^2+1} - \frac{1}{60c^4(40a^{10}x^{10} - 215x^8a^8 + 469a^6x^6 - 517a^4x^4 + 287a^2x^2 - 64)a} \sqrt{-c(a^2x^2-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)/(-a^2\*c\*x^2+c)^(7/2), x)

[Out]  $16/15*I*(-c*(a^2*x^2-1))^{(1/2)}*(-a^2*x^2+1)^{(1/2)}/a/c^4/(a^2*x^2-1)*\arcsin(a*x) - 1/60*(-c*(a^2*x^2-1))^{(1/2)}*(8*a^5*x^5-20*a^3*x^3+8*I*(-a^2*x^2+1)^{(1/2)}*x^4*a^4+15*a*x-16*I*(-a^2*x^2+1)^{(1/2)}*x^2*a^2+8*I*(-a^2*x^2+1)^{(1/2)}*(64*I*x^8*a^8+64*(-a^2*x^2+1)^{(1/2)}*x^7*a^7-280*I*x^6*a^6-248*(-a^2*x^2+1)^{(1/2)}*a^5*x^5+160*a^4*x^4*\arcsin(a*x)+456*I*x^4*a^4+340*a^3*x^3*(-a^2*x^2+1)^{(1/2)}-380*a^2*x^2*\arcsin(a*x)-328*I*a^2*x^2-165*a*x*(-a^2*x^2+1)^{(1/2)}+256*\arcsin(a*x)+88*I)/c^4/(40*a^{10}*x^{10}-215*a^8*x^8+469*a^6*x^6-517*a^4*x^4+287*a^2*x^2-64)/a-8/15*(-c*(a^2*x^2-1))^{(1/2)}*(-a^2*x^2+1)^{(1/2)}/a/c^4/(a^2*x^2-1)*\ln(1+(I*a*x+(-a^2*x^2+1)^{(1/2}))^2)$

**Maxima [A]** time = 1.70594, size = 209, normalized size = 1.

$$-\frac{1}{60}a \left( \frac{16\sqrt{\frac{1}{a^4c}} \log\left(x^2 - \frac{1}{a^2}\right)}{c^3} + \frac{3}{\left(a^6c^{\frac{5}{2}}x^4 - 2a^4c^{\frac{5}{2}}x^2 + a^2c^{\frac{5}{2}}\right)c} - \frac{8}{\left(a^4c^{\frac{3}{2}}x^2 - a^2c^{\frac{3}{2}}\right)c^2} \right) + \frac{1}{15} \left( \frac{8x}{\sqrt{-a^2cx^2 + cc^3}} + \frac{4x}{(-a^2cx^2 + cc^3)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/(-a^2\*c\*x^2+c)^(7/2), x, algorithm="maxima")

[Out]  $-1/60*a*(16*\text{sqrt}(1/(a^4*c))*\text{log}(x^2 - 1/a^2)/c^3 + 3/((a^6*c^{(5/2)}*x^4 - 2*a^4*c^{(5/2)}*x^2 + a^2*c^{(5/2)})*c) - 8/((a^4*c^{(3/2)}*x^2 - a^2*c^{(3/2)})*c^2)$

) + 1/15\*(8\*x/(sqrt(-a^2\*c\*x^2 + c)\*c^3) + 4\*x/((-a^2\*c\*x^2 + c)^(3/2)\*c^2) + 3\*x/((-a^2\*c\*x^2 + c)^(5/2)\*c))\*arcsin(a\*x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-a^2cx^2 + c} \arcsin(ax)}{a^8c^4x^8 - 4a^6c^4x^6 + 6a^4c^4x^4 - 4a^2c^4x^2 + c^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/(-a^2\*c\*x^2+c)^(7/2),x, algorithm="fricas")

[Out] integral(sqrt(-a^2\*c\*x^2 + c)\*arcsin(a\*x)/(a^8\*c^4\*x^8 - 4\*a^6\*c^4\*x^6 + 6\*a^4\*c^4\*x^4 - 4\*a^2\*c^4\*x^2 + c^4), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)/(-a\*\*2\*c\*x\*\*2+c)\*\*(7/2),x)

[Out] Timed out

**Giac [A]** time = 1.43052, size = 173, normalized size = 0.82

$$-\frac{1}{60} \sqrt{c} \left( \frac{16 \log(|a^2x^2 - 1|)}{ac^4} - \frac{24a^4x^4 - 56a^2x^2 + 35}{(a^2x^2 - 1)^2 ac^4} \right) - \frac{\sqrt{-a^2cx^2 + c} \left( 4 \left( \frac{2a^4x^2}{c} - \frac{5a^2}{c} \right) x^2 + \frac{15}{c} \right) x \arcsin(ax)}{15(a^2cx^2 - c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)/(-a^2\*c\*x^2+c)^(7/2),x, algorithm="giac")

[Out] -1/60\*sqrt(c)\*(16\*log(abs(a^2\*x^2 - 1))/(a\*c^4) - (24\*a^4\*x^4 - 56\*a^2\*x^2 + 35)/((a^2\*x^2 - 1)^2\*a\*c^4)) - 1/15\*sqrt(-a^2\*c\*x^2 + c)\*(4\*(2\*a^4\*x^2/c - 5\*a^2/c)\*x^2 + 15/c)\*x\*arcsin(a\*x)/(a^2\*c\*x^2 - c)^3

$$3.141 \quad \int \frac{(fx)^{3/2}(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} dx$$

**Optimal.** Leaf size=79

$$\frac{2(fx)^{5/2}\text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{4}, \frac{9}{4}, c^2x^2\right)(a+b\sin^{-1}(cx))}{5f} - \frac{4bc(fx)^{7/2}\text{HypergeometricPFQ}\left(\left\{1, \frac{7}{4}, \frac{7}{4}\right\}, \left\{\frac{9}{4}, \frac{11}{4}\right\}, c^2x^2\right)}{35f^2}$$

[Out] (2\*(f\*x)^(5/2)\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, 5/4, 9/4, c^2\*x^2])/(5\*f) - (4\*b\*c\*(f\*x)^(7/2)\*HypergeometricPFQ[{1, 7/4, 7/4}, {9/4, 11/4}, c^2\*x^2])/(35\*f^2)

**Rubi [A]** time = 0.102276, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.033$ , Rules used = {4711}

$$\frac{2(fx)^{5/2} {}_2F_1\left(\frac{1}{2}, \frac{5}{4}; \frac{9}{4}; c^2x^2\right)(a+b\sin^{-1}(cx))}{5f} - \frac{4bc(fx)^{7/2} {}_3F_2\left(1, \frac{7}{4}, \frac{7}{4}; \frac{9}{4}, \frac{11}{4}; c^2x^2\right)}{35f^2}$$

Antiderivative was successfully verified.

[In] Int[(((f\*x)^(3/2)\*(a + b\*ArcSin[c\*x])))/Sqrt[1 - c^2\*x^2], x]

[Out] (2\*(f\*x)^(5/2)\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, 5/4, 9/4, c^2\*x^2])/(5\*f) - (4\*b\*c\*(f\*x)^(7/2)\*HypergeometricPFQ[{1, 7/4, 7/4}, {9/4, 11/4}, c^2\*x^2])/(35\*f^2)

### Rule 4711

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))\*((f\_.)\*(x\_)^(m\_))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(((f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2\*x^2])/(Sqrt[d]\*f\*(m + 1)), x] - Simp[(b\*c\*(f\*x)^(m + 2)\*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2\*x^2])/(Sqrt[d]\*f^2\*(m + 1)\*(m + 2)), x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && !IntegerQ[m]

### Rubi steps

$$\int \frac{(fx)^{3/2} (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx = \frac{2(fx)^{5/2} (a + b \sin^{-1}(cx)) {}_2F_1\left(\frac{1}{2}, \frac{5}{4}; \frac{9}{4}; c^2x^2\right)}{5f} - \frac{4bc(fx)^{7/2} {}_3F_2\left(1, \frac{7}{4}, \frac{7}{4}; \frac{9}{4}, \frac{11}{4}; c^2x^2\right)}{35f^2}$$

**Mathematica [A]** time = 0.0511556, size = 68, normalized size = 0.86

$$\frac{2}{35}x(fx)^{3/2} \left( 7\text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{4}, \frac{9}{4}, c^2x^2\right) (a + b \sin^{-1}(cx)) - 2bcx\text{HypergeometricPFQ}\left(\left\{1, \frac{7}{4}, \frac{7}{4}\right\}, \left\{\frac{9}{4}, \frac{11}{4}\right\}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((f\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/Sqrt[1 - c^2\*x^2],x]

[Out] (2\*x\*(f\*x)^(3/2)\*(7\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, 5/4, 9/4, c^2\*x^2] - 2\*b\*c\*x\*HypergeometricPFQ[{1, 7/4, 7/4}, {9/4, 11/4}, c^2\*x^2]))/35

**Maple [F]** time = 0.247, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (fx)^{\frac{3}{2}} \frac{1}{\sqrt{-c^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f\*x)^(3/2)\*(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x)

[Out] int((f\*x)^(3/2)\*(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx)^{\frac{3}{2}} (b \arcsin(cx) + a)}{\sqrt{-c^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((f\*x)^(3/2)\*(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate((f\*x)^(3/2)\*(b\*arcsin(c\*x) + a)/sqrt(-c^2\*x^2 + 1), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2+1}(bfx \arcsin(cx) + afx)\sqrt{fx}}{c^2x^2-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)^(3/2)\*(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)\*(b\*f\*x\*arcsin(c\*x) + a\*f\*x)\*sqrt(f\*x)/(c^2\*x^2 - 1), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)\*\*(3/2)\*(a+b\*asin(c\*x))/(-c\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx)^{\frac{3}{2}}(b \arcsin(cx) + a)}{\sqrt{-c^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^(3/2)*(a+b*arcsin(c*x))/(-c^2*x^2+1)^(1/2),x, algorithm="gi  
ac")
```

```
[Out] integrate((f*x)^(3/2)*(b*arcsin(c*x) + a)/sqrt(-c^2*x^2 + 1), x)
```

$$3.142 \quad \int \frac{(fx)^{3/2}(a+b \sin^{-1}(cx))}{\sqrt{d-c^2dx^2}} dx$$

**Optimal.** Leaf size=137

$$\frac{2\sqrt{1-c^2x^2}(fx)^{5/2}\text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{4}, \frac{9}{4}, c^2x^2\right)(a+b \sin^{-1}(cx))}{5f\sqrt{d-c^2dx^2}} - \frac{4bc\sqrt{1-c^2x^2}(fx)^{7/2}\text{HypergeometricPFQ}}{35f^2\sqrt{d-c^2dx^2}}$$

[Out] (2\*(f\*x)^(5/2)\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, 5/4, 9/4, c^2\*x^2])/(5\*f\*Sqrt[d - c^2\*d\*x^2]) - (4\*b\*c\*(f\*x)^(7/2)\*Sqrt[1 - c^2\*x^2]\*HypergeometricPFQ[{1, 7/4, 7/4}, {9/4, 11/4}, c^2\*x^2])/(35\*f^2\*Sqrt[d - c^2\*d\*x^2])

**Rubi [A]** time = 0.216347, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {4713, 4711}

$$\frac{2\sqrt{1-c^2x^2}(fx)^{5/2} {}_2F_1\left(\frac{1}{2}, \frac{5}{4}; \frac{9}{4}; c^2x^2\right)(a+b \sin^{-1}(cx))}{5f\sqrt{d-c^2dx^2}} - \frac{4bc\sqrt{1-c^2x^2}(fx)^{7/2} {}_3F_2\left(1, \frac{7}{4}, \frac{7}{4}; \frac{9}{4}, \frac{11}{4}; c^2x^2\right)}{35f^2\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[((f\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/Sqrt[d - c^2\*d\*x^2], x]

[Out] (2\*(f\*x)^(5/2)\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, 5/4, 9/4, c^2\*x^2])/(5\*f\*Sqrt[d - c^2\*d\*x^2]) - (4\*b\*c\*(f\*x)^(7/2)\*Sqrt[1 - c^2\*x^2]\*HypergeometricPFQ[{1, 7/4, 7/4}, {9/4, 11/4}, c^2\*x^2])/(35\*f^2\*Sqrt[d - c^2\*d\*x^2])

### Rule 4713

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(f\*x)^m\*(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !GtQ[d, 0] && (IntegerQ[m] || EqQ[n, 1])

### Rule 4711

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))\*((f\_.)\*(x\_))^(m\_))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])\*Hypergeomet

```
ric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/(Sqrt[d]*f*(m + 1)), x] - Simp[
(b*c*(f*x)^(m + 2)*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 +
m/2}, c^2*x^2])/(Sqrt[d]*f^2*(m + 1)*(m + 2)), x] /; FreeQ[{a, b, c, d, e,
f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && !IntegerQ[m]
```

### Rubi steps

$$\int \frac{(fx)^{3/2} (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx = \frac{\sqrt{1 - c^2 x^2} \int \frac{(fx)^{3/2} (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} dx}{\sqrt{d - c^2 dx^2}}$$

$$= \frac{2(fx)^{5/2} \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) {}_2F_1\left(\frac{1}{2}, \frac{5}{4}; \frac{9}{4}; c^2 x^2\right)}{5f \sqrt{d - c^2 dx^2}} - \frac{4bc(fx)^{7/2} \sqrt{1 - c^2 x^2} {}_3F_2\left(1, \frac{7}{4}, \frac{7}{4}; \frac{9}{4}, \frac{11}{4}; c^2 x^2\right)}{35f^2 \sqrt{d - c^2 dx^2}}$$

**Mathematica [A]** time = 0.0419652, size = 97, normalized size = 0.71

$$\frac{2x\sqrt{1 - c^2 x^2} (fx)^{3/2} \left( 2bcx \operatorname{HypergeometricPFQ}\left(\left\{1, \frac{7}{4}, \frac{7}{4}\right\}, \left\{\frac{9}{4}, \frac{11}{4}\right\}, c^2 x^2\right) - 7 \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{4}, \frac{9}{4}, c^2 x^2\right) (a + b \operatorname{ArcSin}[cx]) \right)}{35\sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((f*x)^(3/2)*(a + b*ArcSin[c*x]))/Sqrt[d - c^2*d*x^2], x]
```

```
[Out] (-2*x*(f*x)^(3/2)*Sqrt[1 - c^2*x^2]*(-7*(a + b*ArcSin[c*x])*Hypergeometric2
F1[1/2, 5/4, 9/4, c^2*x^2] + 2*b*c*x*HypergeometricPFQ[{1, 7/4, 7/4}, {9/4,
11/4}, c^2*x^2]))/(35*Sqrt[d - c^2*d*x^2])
```

**Maple [F]** time = 0.529, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (fx)^{\frac{3}{2}} \frac{1}{\sqrt{-c^2 dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x)^(3/2)*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2), x)
```

```
[Out] int((f*x)^(3/2)*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2), x)
```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx)^{\frac{3}{2}} (b \arcsin(cx) + a)}{\sqrt{-c^2 dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)^(3/2)\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="maxima")

[Out] integrate((f\*x)^(3/2)\*(b\*arcsin(c\*x) + a)/sqrt(-c^2\*d\*x^2 + d), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2 dx^2 + d}(bfx \arcsin(cx) + afx)\sqrt{fx}}{c^2 dx^2 - d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)^(3/2)\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*d\*x^2 + d)\*(b\*f\*x\*arcsin(c\*x) + a\*f\*x)\*sqrt(f\*x)/(c^2\*d\*x^2 - d), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)\*\*(3/2)\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*(1/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx)^{\frac{3}{2}} (b \arcsin(cx) + a)}{\sqrt{-c^2 dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^(3/2)*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((f*x)^(3/2)*(b*arcsin(c*x) + a)/sqrt(-c^2*d*x^2 + d), x)
```

### 3.143 $\int x^m (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=315

$$\frac{3bcd^3(35m^3 + 455m^2 + 1813m + 2161)x^{m+2}\text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+2}{2}, \frac{m+4}{2}, c^2x^2\right)}{(m+1)(m+2)(m+3)^2(m+5)^2(m+7)^2} - \frac{3c^2d^3x^{m+3}(a + b \sin^{-1}(cx))}{m+3}$$

[Out] -((b\*c\*d^3\*(2271 + 1329\*m + 284\*m^2 + 27\*m^3 + m^4)\*x^(2 + m)\*Sqrt[1 - c^2\*x^2])/((3 + m)^2\*(5 + m)^2\*(7 + m)^2)) + (b\*c^3\*d^3\*(9 + m)\*(13 + 2\*m)\*x^(4 + m)\*Sqrt[1 - c^2\*x^2])/((5 + m)^2\*(7 + m)^2) - (b\*c^5\*d^3\*x^(6 + m)\*Sqrt[1 - c^2\*x^2])/((7 + m)^2 + (d^3\*x^(1 + m)\*(a + b\*ArcSin[c\*x]))/(1 + m) - (3\*c^2\*d^3\*x^(3 + m)\*(a + b\*ArcSin[c\*x]))/(3 + m) + (3\*c^4\*d^3\*x^(5 + m)\*(a + b\*ArcSin[c\*x]))/(5 + m) - (c^6\*d^3\*x^(7 + m)\*(a + b\*ArcSin[c\*x]))/(7 + m) - (3\*b\*c\*d^3\*(2161 + 1813\*m + 455\*m^2 + 35\*m^3)\*x^(2 + m)\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, c^2\*x^2])/((1 + m)\*(2 + m)\*(3 + m)^2\*(5 + m)^2\*(7 + m)^2)

**Rubi [A]** time = 2.16443, antiderivative size = 315, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.28$ , Rules used = {270, 4687, 12, 1809, 1267, 459, 364}

$$\frac{3c^2d^3x^{m+3}(a + b \sin^{-1}(cx))}{m+3} + \frac{3c^4d^3x^{m+5}(a + b \sin^{-1}(cx))}{m+5} - \frac{c^6d^3x^{m+7}(a + b \sin^{-1}(cx))}{m+7} + \frac{d^3x^{m+1}(a + b \sin^{-1}(cx))}{m+1}$$

Antiderivative was successfully verified.

[In] Int[x^m\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] -((b\*c\*d^3\*(2271 + 1329\*m + 284\*m^2 + 27\*m^3 + m^4)\*x^(2 + m)\*Sqrt[1 - c^2\*x^2])/((3 + m)^2\*(5 + m)^2\*(7 + m)^2)) + (b\*c^3\*d^3\*(9 + m)\*(13 + 2\*m)\*x^(4 + m)\*Sqrt[1 - c^2\*x^2])/((5 + m)^2\*(7 + m)^2) - (b\*c^5\*d^3\*x^(6 + m)\*Sqrt[1 - c^2\*x^2])/((7 + m)^2 + (d^3\*x^(1 + m)\*(a + b\*ArcSin[c\*x]))/(1 + m) - (3\*c^2\*d^3\*x^(3 + m)\*(a + b\*ArcSin[c\*x]))/(3 + m) + (3\*c^4\*d^3\*x^(5 + m)\*(a + b\*ArcSin[c\*x]))/(5 + m) - (c^6\*d^3\*x^(7 + m)\*(a + b\*ArcSin[c\*x]))/(7 + m) - (3\*b\*c\*d^3\*(2161 + 1813\*m + 455\*m^2 + 35\*m^3)\*x^(2 + m)\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, c^2\*x^2])/((1 + m)\*(2 + m)\*(3 + m)^2\*(5 + m)^2\*(7 + m)^2)

Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]
```

### Rule 4687

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 1809

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q - 1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m + q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

### Rule 1267

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(c^p*(f*x)^(m + 4*p - 1)*(d + e*x^2)^(q + 1))/(e*f^(4*p - 1)*(m + 4*p + 2*q + 1)), x] + Dist[1/(e*(m + 4*p + 2*q + 1)), Int[(f*x)^m*(d + e*x^2)^q*ExpandToSum[e*(m + 4*p + 2*q + 1)*((a + b*x^2 + c*x^4)^p - c^p*x^(4*p)) - d*c^p*(m + 4*p - 1)*x^(4*p - 2), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && !IntegerQ[q] && NeQ[m + 4*p + 2*q + 1, 0]
```

### Rule 459

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p + 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```



Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a^p\*(c\*x)^(m + 1)\*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b\*x^n)/a]])/(c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rubi steps

$$\begin{aligned}
 \int x^m (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx)) dx &= \frac{d^3 x^{1+m} (a + b \sin^{-1}(cx))}{1+m} - \frac{3c^2 d^3 x^{3+m} (a + b \sin^{-1}(cx))}{3+m} + \frac{3c^4 d^3 x^{5+m} (a + b \sin^{-1}(cx))}{5+m} \\
 &= \frac{d^3 x^{1+m} (a + b \sin^{-1}(cx))}{1+m} - \frac{3c^2 d^3 x^{3+m} (a + b \sin^{-1}(cx))}{3+m} + \frac{3c^4 d^3 x^{5+m} (a + b \sin^{-1}(cx))}{5+m} \\
 &= -\frac{bc^5 d^3 x^{6+m} \sqrt{1-c^2 x^2}}{(7+m)^2} + \frac{d^3 x^{1+m} (a + b \sin^{-1}(cx))}{1+m} - \frac{3c^2 d^3 x^{3+m} (a + b \sin^{-1}(cx))}{3+m} \\
 &= \frac{bc^3 d^3 (9+m)(13+2m)x^{4+m} \sqrt{1-c^2 x^2}}{(5+m)^2 (7+m)^2} - \frac{bc^5 d^3 x^{6+m} \sqrt{1-c^2 x^2}}{(7+m)^2} + \frac{d^3 x^{1+m} (a + b \sin^{-1}(cx))}{1+m} \\
 &= -\frac{bcd^3 (2271 + 1329m + 284m^2 + 27m^3 + m^4) x^{2+m} \sqrt{1-c^2 x^2}}{(3+m)^2 (5+m)^2 (7+m)^2} + \frac{bc^3 d^3 (9+m)}{(5+m)^2} \\
 &= -\frac{bcd^3 (2271 + 1329m + 284m^2 + 27m^3 + m^4) x^{2+m} \sqrt{1-c^2 x^2}}{(3+m)^2 (5+m)^2 (7+m)^2} + \frac{bc^3 d^3 (9+m)}{(5+m)^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.550445, size = 256, normalized size = 0.81

$$x^{m+1} \left( \frac{6d \left( \frac{4d^2 (bc(m+1)x \text{Hypergeometric2F1}\left(-\frac{1}{2}, \frac{m}{2}+1, \frac{m}{2}+2, c^2 x^2\right) + 2bcx \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m}{2}+1, \frac{m}{2}+2, c^2 x^2\right) + (m+2)(m(c^2 x^2-1) + c^2 x^2-3)(a+b \sin^{-1}(cx))\right)}{(m+1)(m+2)(m+3)} - \frac{bcd^2 x \text{Hypergeometric2F1}\left(-\frac{1}{2}, \frac{m}{2}+1, \frac{m}{2}+2, c^2 x^2\right)}{m+5} \right)}{m+5}$$

Antiderivative was successfully verified.

[In] Integrate[x^m\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]), x]

[Out] (x^(1 + m)\*((d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]) - (b\*c\*d^3\*x\*Hypergeometric2F1[-5/2, 1 + m/2, 2 + m/2, c^2\*x^2]))/(2 + m) + (6\*d\*((d - c^2\*d\*x^2)^2\*(

$$a + b \operatorname{ArcSin}[c*x] - (b*c*d^2*x \operatorname{Hypergeometric2F1}[-3/2, 1 + m/2, 2 + m/2, c^2*x^2]) / (2 + m) - (4*d^2*((2 + m)*(-3 + c^2*x^2 + m*(-1 + c^2*x^2)) * (a + b \operatorname{ArcSin}[c*x]) + b*c*(1 + m)*x \operatorname{Hypergeometric2F1}[-1/2, 1 + m/2, 2 + m/2, c^2*x^2] + 2*b*c*x \operatorname{Hypergeometric2F1}[1/2, 1 + m/2, 2 + m/2, c^2*x^2])) / ((1 + m)*(2 + m)*(3 + m))) / (5 + m) / (7 + m)$$

**Maple [F]** time = 8.282, size = 0, normalized size = 0.

$$\int x^m (-c^2 dx^2 + d)^3 (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m*(-c^2*d*x^2+d)^3*(a+b*arcsin(c*x)),x)`

[Out] `int(x^m*(-c^2*d*x^2+d)^3*(a+b*arcsin(c*x)),x)`

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(-c^2*d*x^2+d)^3*(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\left(ac^6d^3x^6 - 3ac^4d^3x^4 + 3ac^2d^3x^2 - ad^3 + (bc^6d^3x^6 - 3bc^4d^3x^4 + 3bc^2d^3x^2 - bd^3) \arcsin(cx)\right)x^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(-c^2*d*x^2+d)^3*(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral(-(a*c^6*d^3*x^6 - 3*a*c^4*d^3*x^4 + 3*a*c^2*d^3*x^2 - a*d^3 + (b*c^6*d^3*x^6 - 3*b*c^4*d^3*x^4 + 3*b*c^2*d^3*x^2 - b*d^3)*arcsin(c*x))*x^m, x`

)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x)),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -(c^2 dx^2 - d)^3 (b \arcsin(cx) + a) x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(-(c^2\*d\*x^2 - d)^3\*(b\*arcsin(c\*x) + a)\*x^m, x)

### 3.144 $\int x^m (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=217

$$\frac{bcd^2 (15m^2 + 100m + 149) x^{m+2} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+2}{2}, \frac{m+4}{2}, c^2 x^2\right)}{(m+1)(m+2)(m+3)^2(m+5)^2} - \frac{2c^2 d^2 x^{m+3} (a + b \sin^{-1}(cx))}{m+3} + \frac{c^4 d^2 x^{m+5} (a + b \sin^{-1}(cx))}{m+5}$$

[Out]  $-\left(\frac{b^2 c^2 d^2 (38 + 13m + m^2) x^{2+m} \sqrt{1 - c^2 x^2}}{(3+m)^2 (5+m)^2} + \frac{b^2 c^3 d^2 x^{4+m} \sqrt{1 - c^2 x^2}}{(5+m)^2} + \frac{d^2 x^{1+m} (a + b \text{ArcSin}[c x])}{(1+m)} - \frac{2c^2 d^2 x^{3+m} (a + b \text{ArcSin}[c x])}{(3+m)} + \frac{c^4 d^2 x^{5+m} (a + b \text{ArcSin}[c x])}{(5+m)} - \frac{b^2 c^2 d^2 (149 + 100m + 15m^2) x^{2+m} \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(2+m)}{2}, \frac{(4+m)}{2}, c^2 x^2\right]}{((1+m)(2+m)(3+m)^2(5+m)^2)}\right)$

**Rubi [A]** time = 0.30633, antiderivative size = 217, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$ , Rules used = {270, 4687, 12, 1267, 459, 364}

$$-\frac{2c^2 d^2 x^{m+3} (a + b \sin^{-1}(cx))}{m+3} + \frac{c^4 d^2 x^{m+5} (a + b \sin^{-1}(cx))}{m+5} + \frac{d^2 x^{m+1} (a + b \sin^{-1}(cx))}{m+1} - \frac{bcd^2 (15m^2 + 100m + 149) x^{m+2} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+2}{2}, \frac{m+4}{2}, c^2 x^2\right)}{(m+1)(m+2)(m+3)^2(m+5)^2}$$

Antiderivative was successfully verified.

[In] Int[x^m\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out]  $-\left(\frac{b^2 c^2 d^2 (38 + 13m + m^2) x^{2+m} \sqrt{1 - c^2 x^2}}{(3+m)^2 (5+m)^2} + \frac{b^2 c^3 d^2 x^{4+m} \sqrt{1 - c^2 x^2}}{(5+m)^2} + \frac{d^2 x^{1+m} (a + b \text{ArcSin}[c x])}{(1+m)} - \frac{2c^2 d^2 x^{3+m} (a + b \text{ArcSin}[c x])}{(3+m)} + \frac{c^4 d^2 x^{5+m} (a + b \text{ArcSin}[c x])}{(5+m)} - \frac{b^2 c^2 d^2 (149 + 100m + 15m^2) x^{2+m} \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(2+m)}{2}, \frac{(4+m)}{2}, c^2 x^2\right]}{((1+m)(2+m)(3+m)^2(5+m)^2)}\right)$

#### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_.), x\_Symbol] :> Int[Exp andIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

#### Rule 4687

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((f_.)*(x_)^(m_))*((d_) + (e_.)*(x_)
^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[
a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x
^2], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] &&
IGtQ[p, 0]
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 1267

```
Int[((f_.)*(x_)^(m_))*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(c^p*(f*x)^(m + 4*p - 1)*(d + e*x^2)^(
q + 1))/(e*f^(4*p - 1)*(m + 4*p + 2*q + 1)), x] + Dist[1/(e*(m + 4*p + 2*q
+ 1)), Int[(f*x)^m*(d + e*x^2)^q*ExpandToSum[e*(m + 4*p + 2*q + 1)*((a + b
*x^2 + c*x^4)^p - c^p*x^(4*p)) - d*c^p*(m + 4*p - 1)*x^(4*p - 2), x], x]
] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0]
] && !IntegerQ[q] && NeQ[m + 4*p + 2*q + 1, 0]
```

### Rule 459

```
Int[((e_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n
_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p
+ 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p
+ 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m,
n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

### Rule 364

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a
)]/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

### Rubi steps

$$\begin{aligned}
\int x^m (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx)) dx &= \frac{d^2 x^{1+m} (a + b \sin^{-1}(cx))}{1+m} - \frac{2c^2 d^2 x^{3+m} (a + b \sin^{-1}(cx))}{3+m} + \frac{c^4 d^2 x^{5+m} (a + b \sin^{-1}(cx))}{5+m} \\
&= \frac{d^2 x^{1+m} (a + b \sin^{-1}(cx))}{1+m} - \frac{2c^2 d^2 x^{3+m} (a + b \sin^{-1}(cx))}{3+m} + \frac{c^4 d^2 x^{5+m} (a + b \sin^{-1}(cx))}{5+m} \\
&= \frac{bc^3 d^2 x^{4+m} \sqrt{1-c^2 x^2}}{(5+m)^2} + \frac{d^2 x^{1+m} (a + b \sin^{-1}(cx))}{1+m} - \frac{2c^2 d^2 x^{3+m} (a + b \sin^{-1}(cx))}{3+m} \\
&= -\frac{bcd^2 (38 + 13m + m^2) x^{2+m} \sqrt{1-c^2 x^2}}{(3+m)^2 (5+m)^2} + \frac{bc^3 d^2 x^{4+m} \sqrt{1-c^2 x^2}}{(5+m)^2} + \frac{d^2 x^{1+m} (a + b \sin^{-1}(cx))}{1+m} \\
&= -\frac{bcd^2 (38 + 13m + m^2) x^{2+m} \sqrt{1-c^2 x^2}}{(3+m)^2 (5+m)^2} + \frac{bc^3 d^2 x^{4+m} \sqrt{1-c^2 x^2}}{(5+m)^2} + \frac{d^2 x^{1+m} (a + b \sin^{-1}(cx))}{1+m}
\end{aligned}$$

**Mathematica [A]** time = 0.015439, size = 187, normalized size = 0.86

$$x^{m+1} \left( -\frac{4d^2 (bc(m+1)x \text{Hypergeometric2F1}(-\frac{1}{2}, \frac{m}{2}+1, \frac{m}{2}+2, c^2 x^2) + 2bcx \text{Hypergeometric2F1}(\frac{1}{2}, \frac{m}{2}+1, \frac{m}{2}+2, c^2 x^2)) + (m+2)(m(c^2 x^2 - 1) + c^2 x^2 - 3)(a + b \sin^{-1}(cx))}{(m+1)(m+2)(m+3)} \right)$$


---

$m + 5$

Antiderivative was successfully verified.

[In] Integrate[x^m\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (x^(1+m)\*((d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x]) - (b\*c\*d^2\*x\*Hypergeometric2F1[-3/2, 1+m/2, 2+m/2, c^2\*x^2])/(2+m) - (4\*d^2\*((2+m)\*(-3+c^2\*x^2+m\*(-1+c^2\*x^2))\*(a+b\*ArcSin[c\*x]) + b\*c\*(1+m)\*x\*Hypergeometric2F1[-1/2, 1+m/2, 2+m/2, c^2\*x^2] + 2\*b\*c\*x\*Hypergeometric2F1[1/2, 1+m/2, 2+m/2, c^2\*x^2]))/((1+m)\*(2+m)\*(3+m)))/(5+m)

**Maple [F]** time = 5.034, size = 0, normalized size = 0.

$$\int x^m (-c^2 dx^2 + d)^2 (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^m*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x)),x)
```

```
[Out] int(x^m*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x)),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(ac^4d^2x^4 - 2ac^2d^2x^2 + ad^2 + (bc^4d^2x^4 - 2bc^2d^2x^2 + bd^2)\arcsin(cx)\right)x^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] integral((a*c^4*d^2*x^4 - 2*a*c^2*d^2*x^2 + a*d^2 + (b*c^4*d^2*x^4 - 2*b*c^2*d^2*x^2 + b*d^2)*arcsin(c*x))*x^m, x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**m*(-c**2*d*x**2+d)**2*(a+b*asin(c*x)),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (c^2 dx^2 - d)^2 (b \arcsin(cx) + a) x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate((c^2*d*x^2 - d)^2*(b*arcsin(c*x) + a)*x^m, x)
```



### 3.145 $\int x^m (d - c^2 dx^2) (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=129

$$\frac{bcd(3m+7)x^{m+2}\text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+2}{2}, \frac{m+4}{2}, c^2x^2\right)}{(m+1)(m+2)(m+3)^2} - \frac{c^2dx^{m+3}(a+b\sin^{-1}(cx))}{m+3} + \frac{dx^{m+1}(a+b\sin^{-1}(cx))}{m+1}$$

[Out] -((b\*c\*d\*x^(2+m)\*Sqrt[1-c^2\*x^2])/(3+m)^2) + (d\*x^(1+m)\*(a+b\*ArcSin[c\*x]))/(1+m) - (c^2\*d\*x^(3+m)\*(a+b\*ArcSin[c\*x]))/(3+m) - (b\*c\*d\*(7+3\*m)\*x^(2+m)\*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, c^2\*x^2])/((1+m)\*(2+m)\*(3+m)^2)

**Rubi [A]** time = 0.141078, antiderivative size = 129, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {14, 4687, 12, 459, 364}

$$\frac{c^2dx^{m+3}(a+b\sin^{-1}(cx))}{m+3} + \frac{dx^{m+1}(a+b\sin^{-1}(cx))}{m+1} - \frac{bcd(3m+7)x^{m+2}{}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; c^2x^2\right)}{(m+1)(m+2)(m+3)^2} - \frac{bcd\sqrt{1-c^2x^2}x^{m+2}}{(m+3)^2}$$

Antiderivative was successfully verified.

[In] Int[x^m\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] -((b\*c\*d\*x^(2+m)\*Sqrt[1-c^2\*x^2])/(3+m)^2) + (d\*x^(1+m)\*(a+b\*ArcSin[c\*x]))/(1+m) - (c^2\*d\*x^(3+m)\*(a+b\*ArcSin[c\*x]))/(3+m) - (b\*c\*d\*(7+3\*m)\*x^(2+m)\*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, c^2\*x^2])/((1+m)\*(2+m)\*(3+m)^2)

#### Rule 14

Int[(u\_)\*((c\_.)\*(x\_))^(m\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rule 4687

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] &&

IGtQ[p, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 459

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*(e\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(b\*e\*(m+n\*(p+1)+1)), x] - Dist[(a\*d\*(m+1) - b\*c\*(m+n\*(p+1)+1))/(b\*(m+n\*(p+1)+1)), Int[(e\*x)^m\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && NeQ[m+n\*(p+1)+1, 0]

### Rule 364

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b\*x^n)/a])/(c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILTQ[p, 0] || GtQ[a, 0])

### Rubi steps

$$\begin{aligned} \int x^m (d - c^2 dx^2) (a + b \sin^{-1}(cx)) dx &= \frac{dx^{1+m} (a + b \sin^{-1}(cx))}{1+m} - \frac{c^2 dx^{3+m} (a + b \sin^{-1}(cx))}{3+m} - (bc) \int \frac{dx^{1+m} \left( \frac{1}{1+m} - \frac{c^2 x^2}{3+m} \right)}{\sqrt{1-c^2 x^2}} \\ &= \frac{dx^{1+m} (a + b \sin^{-1}(cx))}{1+m} - \frac{c^2 dx^{3+m} (a + b \sin^{-1}(cx))}{3+m} - (bcd) \int \frac{x^{1+m} \left( \frac{1}{1+m} - \frac{c^2 x^2}{3+m} \right)}{\sqrt{1-c^2 x^2}} \\ &= -\frac{bcdx^{2+m} \sqrt{1-c^2 x^2}}{(3+m)^2} + \frac{dx^{1+m} (a + b \sin^{-1}(cx))}{1+m} - \frac{c^2 dx^{3+m} (a + b \sin^{-1}(cx))}{3+m} - \frac{bcdx^{1+m}}{3+m} \\ &= -\frac{bcdx^{2+m} \sqrt{1-c^2 x^2}}{(3+m)^2} + \frac{dx^{1+m} (a + b \sin^{-1}(cx))}{1+m} - \frac{c^2 dx^{3+m} (a + b \sin^{-1}(cx))}{3+m} - \frac{bcdx^{1+m}}{3+m} \end{aligned}$$

**Mathematica [A]** time = 0.0820227, size = 118, normalized size = 0.91

$$\frac{dx^{m+1} \left( bc(m+1)x \operatorname{Hypergeometric2F1} \left( -\frac{1}{2}, \frac{m}{2} + 1, \frac{m}{2} + 2, c^2 x^2 \right) + 2bcx \operatorname{Hypergeometric2F1} \left( \frac{1}{2}, \frac{m}{2} + 1, \frac{m}{2} + 2, c^2 x^2 \right) \right)}{(m+1)(m+2)(m+3)}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^m*(d - c^2*d*x^2)*(a + b*ArcSin[c*x]),x]
```

```
[Out] -(((d*x^(1 + m))*((2 + m)*(-3 + c^2*x^2 + m*(-1 + c^2*x^2))*(a + b*ArcSin[c*x]) + b*c*(1 + m)*x*Hypergeometric2F1[-1/2, 1 + m/2, 2 + m/2, c^2*x^2] + 2*b*c*x*Hypergeometric2F1[1/2, 1 + m/2, 2 + m/2, c^2*x^2]))/((1 + m)*(2 + m)*(3 + m)))
```

**Maple [F]** time = 2.898, size = 0, normalized size = 0.

$$\int x^m (-c^2 dx^2 + d) (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^m*(-c^2*d*x^2+d)*(a+b*arcsin(c*x)),x)
```

```
[Out] int(x^m*(-c^2*d*x^2+d)*(a+b*arcsin(c*x)),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*(-c^2*d*x^2+d)*(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(ac^2 dx^2 - ad + \left(bc^2 dx^2 - bd\right) \arcsin(cx)\right)x^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*(-c^2*d*x^2+d)*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

[Out] `integral(-(a*c^2*d*x^2 - a*d + (b*c^2*d*x^2 - b*d)*arcsin(c*x))*x^m, x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d \left( \int -ax^m dx + \int -bx^m \operatorname{asin}(cx) dx + \int ac^2x^2x^m dx + \int bc^2x^2x^m \operatorname{asin}(cx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*(-c**2*d*x**2+d)*(a+b*asin(c*x)),x)`

[Out] `-d*(Integral(-a*x**m, x) + Integral(-b*x**m*asin(c*x), x) + Integral(a*c**2*x**2*x**m, x) + Integral(b*c**2*x**2*x**m*asin(c*x), x))`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -(c^2dx^2 - d)(b \operatorname{arcsin}(cx) + a)x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(-c^2*d*x^2+d)*(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] `integrate(-(c^2*d*x^2 - d)*(b*arcsin(c*x) + a)*x^m, x)`

$$3.146 \quad \int \frac{x^m (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx$$

Optimal. Leaf size=27

$$\text{Unintegrable} \left( \frac{x^m (a + b \sin^{-1}(cx))}{d - c^2 dx^2}, x \right)$$

[Out] Unintegrable[(x^m\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2), x]

**Rubi [A]** time = 0.0644057, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx$$

Verification is Not applicable to the result.

[In] Int[(x^m\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2), x]

[Out] Defer[Int] [(x^m\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2), x]

Rubi steps

$$\int \frac{x^m (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx = \int \frac{x^m (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx$$

**Mathematica [A]** time = 3.92389, size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^m\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2), x]

[Out] Integrate[(x^m\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2), x]

---

**Maple [A]** time = 0.539, size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \arcsin(cx))}{-c^2 dx^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d),x)

[Out] int(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d),x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$- \int \frac{(b \arcsin(cx) + a)x^m}{c^2 dx^2 - d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d),x, algorithm="maxima")

[Out] -integrate((b\*arcsin(c\*x) + a)\*x^m/(c^2\*d\*x^2 - d), x)

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b \arcsin(cx) + a)x^m}{c^2 dx^2 - d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d),x, algorithm="fricas")

[Out] integral(-(b\*arcsin(c\*x) + a)\*x^m/(c^2\*d\*x^2 - d), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$-\frac{\int \frac{ax^m}{c^2 x^2 - 1} dx + \int \frac{bx^m \arcsin(cx)}{c^2 x^2 - 1} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d), x)

[Out] -(Integral(a\*x\*\*m/(c\*\*2\*x\*\*2 - 1), x) + Integral(b\*x\*\*m\*asin(c\*x)/(c\*\*2\*x\*\*2 - 1), x))/d

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \arcsin(cx) + a)x^m}{c^2 dx^2 - d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d), x, algorithm="giac")

[Out] integrate(-(b\*arcsin(c\*x) + a)\*x^m/(c^2\*d\*x^2 - d), x)

$$3.147 \quad \int \frac{x^m (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^2} dx$$

**Optimal.** Leaf size=116

$$\frac{(1-m)\text{Unintegrable}\left(\frac{x^m (a + b \sin^{-1}(cx))}{d - c^2 dx^2}, x\right)}{2d} - \frac{bcx^{m+2} \text{Hypergeometric2F1}\left(\frac{3}{2}, \frac{m+2}{2}, \frac{m+4}{2}, c^2 x^2\right)}{2d^2(m+2)} + \frac{x^{m+1} (a + b \sin^{-1}(cx))}{2d^2(1 - c^2 x^2)}$$

[Out]  $(x^{1+m} (a + b \text{ArcSin}[c*x])) / (2*d^2*(1 - c^2*x^2)) - (b*c*x^{2+m} * \text{Hypergeometric2F1}[3/2, (2+m)/2, (4+m)/2, c^2*x^2]) / (2*d^2*(2+m)) + ((1-m) * \text{Unintegrable}[(x^m*(a + b*\text{ArcSin}[c*x])) / (d - c^2*d*x^2), x]) / (2*d)$

**Rubi [A]** time = 0.155358, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^2} dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}[(x^m*(a + b*\text{ArcSin}[c*x])) / (d - c^2*d*x^2)^2, x]$

[Out]  $(x^{1+m} (a + b \text{ArcSin}[c*x])) / (2*d^2*(1 - c^2*x^2)) - (b*c*x^{2+m} * \text{Hypergeometric2F1}[3/2, (2+m)/2, (4+m)/2, c^2*x^2]) / (2*d^2*(2+m)) + ((1-m) * \text{Defer}[\text{Int}[(x^m*(a + b*\text{ArcSin}[c*x])) / (d - c^2*d*x^2), x]) / (2*d)$

Rubi steps

$$\begin{aligned} \int \frac{x^m (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^2} dx &= \frac{x^{1+m} (a + b \sin^{-1}(cx))}{2d^2(1 - c^2 x^2)} - \frac{(bc) \int \frac{x^{1+m}}{(1 - c^2 x^2)^{3/2}} dx}{2d^2} + \frac{(1-m) \int \frac{x^m (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx}{2d} \\ &= \frac{x^{1+m} (a + b \sin^{-1}(cx))}{2d^2(1 - c^2 x^2)} - \frac{bcx^{2+m} {}_2F_1\left(\frac{3}{2}, \frac{2+m}{2}; \frac{4+m}{2}; c^2 x^2\right)}{2d^2(2+m)} + \frac{(1-m) \int \frac{x^m (a + b \sin^{-1}(cx))}{d - c^2 dx^2} dx}{2d} \end{aligned}$$



**Mathematica [A]** time = 5.70051, size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^m\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^2,x]

[Out] Integrate[(x^m\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^2, x]

**Maple [A]** time = 0.54, size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \arcsin(cx))}{(-c^2 dx^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x)

[Out] int(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^m}{(c^2 dx^2 - d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x, algorithm="maxima")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^m/(c^2\*d\*x^2 - d)^2, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(b \arcsin(cx) + a)x^m}{c^4 d^2 x^4 - 2 c^2 d^2 x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b\*arcsin(c\*x) + a)\*x^m/(c^4\*d^2\*x^4 - 2\*c^2\*d^2\*x^2 + d^2), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{ax^m}{c^4x^4-2c^2x^2+1} dx + \int \frac{bx^m \operatorname{asin}(cx)}{c^4x^4-2c^2x^2+1} dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*2,x)

[Out] (Integral(a\*x\*\*m/(c\*\*4\*x\*\*4 - 2\*c\*\*2\*x\*\*2 + 1), x) + Integral(b\*x\*\*m\*asin(c\*x)/(c\*\*4\*x\*\*4 - 2\*c\*\*2\*x\*\*2 + 1), x))/d\*\*2

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)x^m}{(c^2dx^2 - d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^m/(c^2\*d\*x^2 - d)^2, x)

$$3.148 \quad \int \frac{x^m (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^3} dx$$

**Optimal.** Leaf size=207

$$\frac{(1-m)(3-m)\text{Unintegrable}\left(\frac{x^m(a+b\sin^{-1}(cx))}{d-c^2dx^2}, x\right)}{8d^2} - \frac{bc(3-m)x^{m+2}\text{Hypergeometric2F1}\left(\frac{3}{2}, \frac{m+2}{2}, \frac{m+4}{2}, c^2x^2\right)}{8d^3(m+2)} - \frac{bcx^{m+2}}{8d^3(m+2)}$$

[Out]  $(x^{(1+m)}(a + b\text{ArcSin}[c*x]))/(4*d^3*(1 - c^2*x^2)^2) + ((3 - m)*x^{(1+m)}(a + b\text{ArcSin}[c*x]))/(8*d^3*(1 - c^2*x^2)) - (b*c*(3 - m)*x^{(2+m)}*\text{Hypergeometric2F1}[3/2, (2 + m)/2, (4 + m)/2, c^2*x^2])/(8*d^3*(2 + m)) - (b*c*x^{(2+m)}*\text{Hypergeometric2F1}[5/2, (2 + m)/2, (4 + m)/2, c^2*x^2])/(4*d^3*(2 + m)) + ((1 - m)*(3 - m)*\text{Unintegrable}[(x^m*(a + b\text{ArcSin}[c*x]))/(d - c^2*d*x^2), x])/(8*d^2)$

**Rubi [A]** time = 0.248424, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^3} dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}[(x^m*(a + b\text{ArcSin}[c*x]))/(d - c^2*d*x^2)^3, x]$

[Out]  $(x^{(1+m)}(a + b\text{ArcSin}[c*x]))/(4*d^3*(1 - c^2*x^2)^2) + ((3 - m)*x^{(1+m)}(a + b\text{ArcSin}[c*x]))/(8*d^3*(1 - c^2*x^2)) - (b*c*(3 - m)*x^{(2+m)}*\text{Hypergeometric2F1}[3/2, (2 + m)/2, (4 + m)/2, c^2*x^2])/(8*d^3*(2 + m)) - (b*c*x^{(2+m)}*\text{Hypergeometric2F1}[5/2, (2 + m)/2, (4 + m)/2, c^2*x^2])/(4*d^3*(2 + m)) + ((1 - m)*(3 - m)*\text{Defer}[\text{Int}[(x^m*(a + b\text{ArcSin}[c*x]))/(d - c^2*d*x^2), x])/(8*d^2)$

Rubi steps

$$\begin{aligned}
\int \frac{x^m (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^3} dx &= \frac{x^{1+m} (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} - \frac{(bc) \int \frac{x^{1+m}}{(1-c^2 x^2)^{5/2}} dx}{4d^3} + \frac{(3-m) \int \frac{x^m (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^2} dx}{4d} \\
&= \frac{x^{1+m} (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} + \frac{(3-m)x^{1+m} (a + b \sin^{-1}(cx))}{8d^3 (1 - c^2 x^2)} - \frac{bcx^{2+m} {}_2F_1\left(\frac{5}{2}, \frac{2+m}{2}; \frac{4+m}{2}; c^2 x^2\right)}{4d^3(2+m)} \\
&= \frac{x^{1+m} (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)^2} + \frac{(3-m)x^{1+m} (a + b \sin^{-1}(cx))}{8d^3 (1 - c^2 x^2)} - \frac{bc(3-m)x^{2+m} {}_2F_1\left(\frac{3}{2}, \frac{2+m}{2}; \frac{4+m}{2}; c^2 x^2\right)}{8d^3(2+m)}
\end{aligned}$$

**Mathematica [A]** time = 6.1133, size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^m\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^3,x]

[Out] Integrate[(x^m\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^3, x]

**Maple [A]** time = 0.606, size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \arcsin(cx))}{(-c^2 dx^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^3,x)

[Out] int(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^3,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{(b \arcsin(cx) + a)x^m}{(c^2 dx^2 - d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^3,x, algorithm="maxima")

[Out] -integrate((b\*arcsin(c\*x) + a)\*x^m/(c^2\*d\*x^2 - d)^3, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b \arcsin(cx) + a)x^m}{c^6 d^3 x^6 - 3 c^4 d^3 x^4 + 3 c^2 d^3 x^2 - d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out] integral(-(b\*arcsin(c\*x) + a)\*x^m/(c^6\*d^3\*x^6 - 3\*c^4\*d^3\*x^4 + 3\*c^2\*d^3\*x^2 - d^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*3,x)

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \arcsin(cx) + a)x^m}{(c^2 dx^2 - d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^3,x, algorithm="giac")
```

```
[Out] integrate(-(b*arcsin(c*x) + a)*x^m/(c^2*d*x^2 - d)^3, x)
```

$$3.149 \quad \int x^m (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) dx$$

**Optimal.** Leaf size=635

$$\frac{15bcd^2x^{m+2}\sqrt{d-c^2dx^2}\text{HypergeometricPFQ}\left(\left\{1, \frac{m}{2}+1, \frac{m}{2}+1\right\}, \left\{\frac{m}{2}+\frac{3}{2}, \frac{m}{2}+2\right\}, c^2x^2\right)}{(m+1)(m+2)^2(m+4)(m+6)\sqrt{1-c^2x^2}} + \frac{15d^2x^{m+1}\sqrt{d-c^2dx^2}\text{Hyp}}{(m+6)}$$

[Out]  $(-15*b*c*d^2*x^{(2+m)}*Sqrt[d - c^2*d*x^2])/((2+m)^2*(4+m)*(6+m)*Sqrt[1 - c^2*x^2]) - (5*b*c*d^2*x^{(2+m)}*Sqrt[d - c^2*d*x^2])/((6+m)*(8+6*m+m^2)*Sqrt[1 - c^2*x^2]) - (b*c*d^2*x^{(2+m)}*Sqrt[d - c^2*d*x^2])/((12+8*m+m^2)*Sqrt[1 - c^2*x^2]) + (5*b*c^3*d^2*x^{(4+m)}*Sqrt[d - c^2*d*x^2])/((4+m)^2*(6+m)*Sqrt[1 - c^2*x^2]) + (2*b*c^3*d^2*x^{(4+m)}*Sqrt[d - c^2*d*x^2])/((4+m)*(6+m)*Sqrt[1 - c^2*x^2]) - (b*c^5*d^2*x^{(6+m)}*Sqrt[d - c^2*d*x^2])/((6+m)^2*Sqrt[1 - c^2*x^2]) + (15*d^2*x^{(1+m)}*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/((6+m)*(8+6*m+m^2)) + (5*d*x^{(1+m)}*(d - c^2*d*x^2)^{(3/2)}*(a + b*ArcSin[c*x]))/((4+m)*(6+m)) + (x^{(1+m)}*(d - c^2*d*x^2)^{(5/2)}*(a + b*ArcSin[c*x]))/(6+m) + (15*d^2*x^{(1+m)}*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2*x^2])/((6+m)*(8+14*m+7*m^2+m^3)*Sqrt[1 - c^2*x^2]) - (15*b*c*d^2*x^{(2+m)}*Sqrt[d - c^2*d*x^2]*HypergeometricPFQ[{1, 1+m/2, 1+m/2}, {3/2+m/2, 2+m/2}, c^2*x^2])/((1+m)*(2+m)^2*(4+m)*(6+m)*Sqrt[1 - c^2*x^2])$

**Rubi [A]** time = 0.558513, antiderivative size = 635, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4699, 4697, 4711, 30, 14, 270}

$$\frac{15bcd^2x^{m+2}\sqrt{d-c^2dx^2}{}_3F_2\left(1, \frac{m}{2}+1, \frac{m}{2}+1; \frac{m}{2}+\frac{3}{2}, \frac{m}{2}+2; c^2x^2\right)}{(m+1)(m+2)^2(m+4)(m+6)\sqrt{1-c^2x^2}} + \frac{15d^2x^{m+1}\sqrt{d-c^2dx^2}{}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; c^2x^2\right)(a + b \sin^{-1}(cx))}{(m+6)(m^3+7m^2+14m+8)\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^m\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]),x]

[Out]  $(-15*b*c*d^2*x^{(2+m)}*Sqrt[d - c^2*d*x^2])/((2+m)^2*(4+m)*(6+m)*Sqrt[1 - c^2*x^2]) - (5*b*c*d^2*x^{(2+m)}*Sqrt[d - c^2*d*x^2])/((6+m)*(8+6*m+m^2)*Sqrt[1 - c^2*x^2]) - (b*c*d^2*x^{(2+m)}*Sqrt[d - c^2*d*x^2])/((12+8*m+m^2)*Sqrt[1 - c^2*x^2]) + (5*b*c^3*d^2*x^{(4+m)}*Sqrt[d - c^2*d*x^2])/((4+m)^2*(6+m)*Sqrt[1 - c^2*x^2]) + (2*b*c^3*d^2*x^{(4+m)}*Sqrt[d -$

$$\begin{aligned} & c^2 d x^2) / ((4 + m)(6 + m) \sqrt{1 - c^2 x^2}) - (b c^5 d^2 x^{(6 + m)} \sqrt{d - c^2 d x^2}) / ((6 + m)^2 \sqrt{1 - c^2 x^2}) + (15 d^2 x^{(1 + m)} \sqrt{d - c^2 d x^2} (a + b \operatorname{ArcSin}[c x])) / ((6 + m)(8 + 6 m + m^2)) + (5 d x^{(1 + m)} (d - c^2 d x^2)^{(3/2)} (a + b \operatorname{ArcSin}[c x])) / ((4 + m)(6 + m)) + (x^{(1 + m)} (d - c^2 d x^2)^{(5/2)} (a + b \operatorname{ArcSin}[c x])) / (6 + m) + (15 d^2 x^{(1 + m)} \sqrt{d - c^2 d x^2} (a + b \operatorname{ArcSin}[c x]) \operatorname{Hypergeometric2F1}[1/2, (1 + m)/2, (3 + m)/2, c^2 x^2]) / ((6 + m)(8 + 14 m + 7 m^2 + m^3) \sqrt{1 - c^2 x^2}) - (15 b c d^2 x^{(2 + m)} \sqrt{d - c^2 d x^2} \operatorname{HypergeometricPFQ}[\{1, 1 + m/2, 1 + m/2\}, \{3/2 + m/2, 2 + m/2\}, c^2 x^2]) / ((1 + m)(2 + m)^2 (4 + m)(6 + m) \sqrt{1 - c^2 x^2}) \end{aligned}$$

### Rule 4699

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d*IntPart[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

### Rule 4697

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^m*(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

### Rule 4711

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*ArcSin[c*x])*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/(Sqrt[d]*f*(m + 1)), x] - Simp[(b*c*(f*x)^(m + 2)*HypergeometricPFQ[\{1, 1 + m/2, 1 + m/2\}, \{3/2 + m/2, 2 + m/2\}, c^2*x^2])/(Sqrt[d]*f^2*(m + 1)*(m + 2)), x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && !IntegerQ[m]
```

### Rule 30

```
Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]
```



Rule 14

Int[(u\_)\*((c\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]]

Rule 270

Int[((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
 \int x^m (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx)) dx &= \frac{x^{1+m} (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{6 + m} + \frac{(5d) \int x^m (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx}{6 + m} \\
 &= \frac{5dx^{1+m} (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{(4 + m)(6 + m)} + \frac{x^{1+m} (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))}{6 + m} \\
 &= -\frac{bcd^2 x^{2+m} \sqrt{d - c^2 dx^2}}{(12 + 8m + m^2) \sqrt{1 - c^2 x^2}} + \frac{2bc^3 d^2 x^{4+m} \sqrt{d - c^2 dx^2}}{(4 + m)(6 + m) \sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^{6+m} \sqrt{d - c^2 dx^2}}{(6 + m)^2 \sqrt{1 - c^2 x^2}} \\
 &= -\frac{15bcd^2 x^{2+m} \sqrt{d - c^2 dx^2}}{(2 + m)^2 (4 + m)(6 + m) \sqrt{1 - c^2 x^2}} - \frac{5bcd^2 x^{2+m} \sqrt{d - c^2 dx^2}}{(2 + m)(4 + m)(6 + m) \sqrt{1 - c^2 x^2}} - \frac{bc^5 d^2 x^{6+m} \sqrt{d - c^2 dx^2}}{(6 + m)^2 \sqrt{1 - c^2 x^2}}
 \end{aligned}$$

**Mathematica [A]** time = 1.31565, size = 338, normalized size = 0.53

$$\frac{d^2 x^{m+1} \sqrt{d - c^2 dx^2} \left( -5(m+6) \left( 3(m+4) \left( bcx \operatorname{HypergeometricPFQ} \left( \left\{ 1, \frac{m}{2} + 1, \frac{m}{2} + 1 \right\}, \left\{ \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + 2 \right\}, c^2 x^2 \right) \right) - (m+6) \right) \right)}{(2 + m)^2 (4 + m)(6 + m) \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^m\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d^2\*x^(1 + m)\*Sqrt[d - c^2\*d\*x^2]\*(-(b\*c\*(1 + m)\*(2 + m)\*(4 + m)\*x\*((4 + m)\*(6 + m) - 2\*c^2\*(2 + m)\*(6 + m)\*x^2 + c^4\*(2 + m)\*(4 + m)\*x^4)) + (1 + m)\*(2 + m)^2\*(4 + m)^2\*(6 + m)\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]) - 5\*(6

$$\begin{aligned}
& + m) * (b * c * (1 + m) * (2 + m) * x * (4 + m - c^2 * (2 + m) * x^2) - (1 + m) * (2 + m)^2 * \\
& (4 + m) * (1 - c^2 * x^2)^{(3/2)} * (a + b * \text{ArcSin}[c * x]) + 3 * (4 + m) * (b * c * (1 + m) * x \\
& - (1 + m) * (2 + m) * \text{Sqrt}[1 - c^2 * x^2]) * (a + b * \text{ArcSin}[c * x]) - (2 + m) * (a + b * \text{Ar} \\
& c \text{Sin}[c * x]) * \text{Hypergeometric2F1}[1/2, (1 + m)/2, (3 + m)/2, c^2 * x^2] + b * c * x * \text{Hy} \\
& \text{pergeometricPFQ}[\{1, 1 + m/2, 1 + m/2\}, \{3/2 + m/2, 2 + m/2\}, c^2 * x^2]) / ( \\
& (1 + m) * (2 + m)^2 * (4 + m)^2 * (6 + m)^2 * \text{Sqrt}[1 - c^2 * x^2])
\end{aligned}$$

**Maple [F]** time = 4.455, size = 0, normalized size = 0.

$$\int x^m (-c^2 dx^2 + d)^{5/2} (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x)

[Out] int(x^m\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{5/2} (b \arcsin(cx) + a) x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)\*x^m, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(ac^4 d^2 x^4 - 2ac^2 d^2 x^2 + ad^2 + (bc^4 d^2 x^4 - 2bc^2 d^2 x^2 + bd^2) \arcsin(cx)\right) \sqrt{-c^2 dx^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] `integral((a*c^4*d^2*x^4 - 2*a*c^2*d^2*x^2 + a*d^2 + (b*c^4*d^2*x^4 - 2*b*c^2*d^2*x^2 + b*d^2)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d)*x^m, x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*(-c**2*d*x**2+d)**(5/2)*(a+b*asin(c*x)),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a) x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] `integrate((-c^2*d*x^2 + d)^(5/2)*(b*arcsin(c*x) + a)*x^m, x)`

$$3.150 \quad \int x^m (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx$$

**Optimal.** Leaf size=399

$$\frac{3bcdx^{m+2}\sqrt{d-c^2dx^2}\text{HypergeometricPFQ}\left(\left\{1, \frac{m}{2}+1, \frac{m}{2}+1\right\}, \left\{\frac{m}{2}+\frac{3}{2}, \frac{m}{2}+2\right\}, c^2x^2\right)}{(m+1)(m+2)^2(m+4)\sqrt{1-c^2x^2}} + \frac{3dx^{m+1}\sqrt{d-c^2dx^2}\text{HypergeometricPFQ}\left(\left\{1, \frac{m+1}{2}, \frac{m+3}{2}\right\}, \left\{\frac{m+1}{2}, \frac{m+3}{2}\right\}, c^2x^2\right)}{(m^3+7m^2+14m+8)\sqrt{1-c^2x^2}}$$

[Out]  $(-3*b*c*d*x^{(2+m)*\text{Sqrt}[d-c^2*d*x^2]}/((2+m)^2*(4+m)*\text{Sqrt}[1-c^2*x^2]) - (b*c*d*x^{(2+m)*\text{Sqrt}[d-c^2*d*x^2]}/((8+6*m+m^2)*\text{Sqrt}[1-c^2*x^2])) + (b*c^3*d*x^{(4+m)*\text{Sqrt}[d-c^2*d*x^2]}/((4+m)^2*\text{Sqrt}[1-c^2*x^2])) + (3*d*x^{(1+m)*\text{Sqrt}[d-c^2*d*x^2]}*(a+b*\text{ArcSin}[c*x]))/(8+6*m+m^2) + (x^{(1+m)}*(d-c^2*d*x^2)^{(3/2)}*(a+b*\text{ArcSin}[c*x]))/(4+m) + (3*d*x^{(1+m)*\text{Sqrt}[d-c^2*d*x^2]}*(a+b*\text{ArcSin}[c*x])*\text{Hypergeometric2F1}[1/2, (1+m)/2, (3+m)/2, c^2*x^2])/((8+14*m+7*m^2+m^3)*\text{Sqrt}[1-c^2*x^2]) - (3*b*c*d*x^{(2+m)*\text{Sqrt}[d-c^2*d*x^2]}*\text{HypergeometricPFQ}[\{1, 1+m/2, 1+m/2\}, \{3/2+m/2, 2+m/2\}, c^2*x^2])/((1+m)*(2+m)^2*(4+m)*\text{Sqrt}[1-c^2*x^2])$

**Rubi [A]** time = 0.332184, antiderivative size = 399, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {4699, 4697, 4711, 30, 14}

$$\frac{3bcdx^{m+2}\sqrt{d-c^2dx^2}{}_3F_2\left(1, \frac{m}{2}+1, \frac{m}{2}+1; \frac{m}{2}+\frac{3}{2}, \frac{m}{2}+2; c^2x^2\right)}{(m+1)(m+2)^2(m+4)\sqrt{1-c^2x^2}} + \frac{3dx^{m+1}\sqrt{d-c^2dx^2}{}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; c^2x^2\right)}{(m^3+7m^2+14m+8)\sqrt{1-c^2x^2}} (a + b \sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In] Int[x^m\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]), x]

[Out]  $(-3*b*c*d*x^{(2+m)*\text{Sqrt}[d-c^2*d*x^2]}/((2+m)^2*(4+m)*\text{Sqrt}[1-c^2*x^2]) - (b*c*d*x^{(2+m)*\text{Sqrt}[d-c^2*d*x^2]}/((8+6*m+m^2)*\text{Sqrt}[1-c^2*x^2])) + (b*c^3*d*x^{(4+m)*\text{Sqrt}[d-c^2*d*x^2]}/((4+m)^2*\text{Sqrt}[1-c^2*x^2])) + (3*d*x^{(1+m)*\text{Sqrt}[d-c^2*d*x^2]}*(a+b*\text{ArcSin}[c*x]))/(8+6*m+m^2) + (x^{(1+m)}*(d-c^2*d*x^2)^{(3/2)}*(a+b*\text{ArcSin}[c*x]))/(4+m) + (3*d*x^{(1+m)*\text{Sqrt}[d-c^2*d*x^2]}*(a+b*\text{ArcSin}[c*x])*\text{Hypergeometric2F1}[1/2, (1+m)/2, (3+m)/2, c^2*x^2])/((8+14*m+7*m^2+m^3)*\text{Sqrt}[1-c^2*x^2]) - (3*b*c*d*x^{(2+m)*\text{Sqrt}[d-c^2*d*x^2]}*\text{HypergeometricPFQ}[\{1, 1+m/2, 1+m/2\}, \{3/2+m/2, 2+m/2\}, c^2*x^2])/((1+m)*(2+m)^2*(4+m)*\text{Sqrt}[1-c^2*x^2])$

Rule 4699

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

Rule 4697

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*Sqrt[(d_) +
(e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[((f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

Rule 4711

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_))/Sqrt[(d_) + (e_.)
)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*ArcSin[c*x])*Hypergeomet
ric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/(Sqrt[d]*f*(m + 1)), x] - Simp[
(b*c*(f*x)^(m + 2)*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 +
m/2}, c^2*x^2])/(Sqrt[d]*f^2*(m + 1)*(m + 2)), x] /; FreeQ[{a, b, c, d, e,
f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && !IntegerQ[m]
```

Rule 30

```
Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]
```

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_
+ (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Rubi steps

$$\begin{aligned} \int x^m (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) dx &= \frac{x^{1+m} (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{4 + m} + \frac{(3d) \int x^m \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{4 + m} \\ &= \frac{3dx^{1+m} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8 + 6m + m^2} + \frac{x^{1+m} (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{4 + m} \\ &= -\frac{3bcdx^{2+m} \sqrt{d - c^2 dx^2}}{(2 + m)^2(4 + m)\sqrt{1 - c^2 x^2}} - \frac{bcdx^{2+m} \sqrt{d - c^2 dx^2}}{(8 + 6m + m^2)\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^{4+m} \sqrt{d - c^2 dx^2}}{(4 + m)^2 \sqrt{1 - c^2 x^2}} \end{aligned}$$

**Mathematica [A]** time = 0.603898, size = 237, normalized size = 0.59

$$dx^{m+1} \sqrt{d - c^2 dx^2} \left( -\frac{3 \left( bcx \operatorname{HypergeometricPFQ} \left( \left\{ 1, \frac{m}{2} + 1, \frac{m}{2} + 1 \right\}, \left\{ \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + 2 \right\}, c^2 x^2 \right) - (m+2) \operatorname{Hypergeometric2F1} \left( \frac{1}{2}, \frac{m+1}{2}, \frac{m+3}{2}, c^2 x^2 \right) \right) (a + b \sin^{-1}(cx)) - (m+4) \int x^m \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) dx}{(m+1)(m+2)^2 \sqrt{1 - c^2 x^2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^m\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d\*x^(1 + m)\*Sqrt[d - c^2\*d\*x^2]\*(-(b\*c\*x\*(4 + m - c^2\*(2 + m)\*x^2))/((2 + m)\*(4 + m)\*Sqrt[1 - c^2\*x^2])) + (1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]) - (3\*(b\*c\*(1 + m)\*x - (1 + m)\*(2 + m)\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]) - (2 + m)\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2\*x^2] + b\*c\*x\*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2\*x^2]))/((1 + m)\*(2 + m)^2\*Sqrt[1 - c^2\*x^2]))/(4 + m)

**Maple [F]** time = 2.572, size = 0, normalized size = 0.

$$\int x^m (-c^2 dx^2 + d)^{\frac{3}{2}} (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x)

[Out] int(x^m\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x)

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a) x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)\*x^m, x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(ac^2 dx^2 - ad + (bc^2 dx^2 - bd) \arcsin(cx)\right) \sqrt{-c^2 dx^2 + d} x^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(-(a\*c^2\*d\*x^2 - a\*d + (b\*c^2\*d\*x^2 - b\*d)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)\*x^m, x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x)),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a) x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*(-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(3/2)*(b*arcsin(c*x) + a)*x^m, x)
```



### 3.151 $\int x^m \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=245

$$\frac{bcx^{m+2}\sqrt{d-c^2dx^2}\text{HypergeometricPFQ}\left(\left\{1, \frac{m}{2}+1, \frac{m}{2}+1\right\}, \left\{\frac{m}{2}+\frac{3}{2}, \frac{m}{2}+2\right\}, c^2x^2\right)}{(m+1)(m+2)^2\sqrt{1-c^2x^2}} + \frac{x^{m+1}\sqrt{d-c^2dx^2}\text{HypergeometricPFQ}\left(\left\{1, \frac{m+1}{2}, \frac{m+1}{2}\right\}, \left\{\frac{m+1}{2}+\frac{3}{2}, \frac{m+1}{2}+2\right\}, c^2x^2\right)}{(m^2+3m+2)\sqrt{1-c^2x^2}}$$

[Out]  $-\left(\frac{(b*c*x^{(2+m)}*Sqrt[d - c^2*d*x^2])}{((2+m)^2*Sqrt[1 - c^2*x^2])}\right) + (x^{(1+m)}*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(2+m) + (x^{(1+m)}*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2*x^2])/((2+3*m+m^2)*Sqrt[1 - c^2*x^2]) - (b*c*x^{(2+m)}*Sqrt[d - c^2*d*x^2])*HypergeometricPFQ[\{1, 1+m/2, 1+m/2\}, \{3/2+m/2, 2+m/2\}, c^2*x^2])/((1+m)*(2+m)^2*Sqrt[1 - c^2*x^2])$

**Rubi [A]** time = 0.202124, antiderivative size = 245, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {4697, 4711, 30}

$$\frac{bcx^{m+2}\sqrt{d-c^2dx^2}{}_3F_2\left(1, \frac{m}{2}+1, \frac{m}{2}+1; \frac{m}{2}+\frac{3}{2}, \frac{m}{2}+2; c^2x^2\right)}{(m+1)(m+2)^2\sqrt{1-c^2x^2}} + \frac{x^{m+1}\sqrt{d-c^2dx^2}{}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; c^2x^2\right)(a + b \sin^{-1}(cx))}{(m^2+3m+2)\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^m * \text{Sqrt}[d - c^2 * d * x^2] * (a + b * \text{ArcSin}[c * x]), x]$

[Out]  $-\left(\frac{(b*c*x^{(2+m)}*Sqrt[d - c^2*d*x^2])}{((2+m)^2*Sqrt[1 - c^2*x^2])}\right) + (x^{(1+m)}*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(2+m) + (x^{(1+m)}*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2*x^2])/((2+3*m+m^2)*Sqrt[1 - c^2*x^2]) - (b*c*x^{(2+m)}*Sqrt[d - c^2*d*x^2])*HypergeometricPFQ[\{1, 1+m/2, 1+m/2\}, \{3/2+m/2, 2+m/2\}, c^2*x^2])/((1+m)*(2+m)^2*Sqrt[1 - c^2*x^2])$

#### Rule 4697

$\text{Int}[(a + \text{ArcSin}[c * x]) * (b * x)^n * ((f * x)^m * \text{Sqrt}[d + e * x^2])^n, x\_Symbol] \rightarrow \text{Simp}[(f * x)^{m+1} * \text{Sqrt}[d + e * x^2] * (a + b * \text{ArcSin}[c * x])^n / (f * (m + 2)), x] + (\text{Dist}[\text{Sqrt}[d + e * x^2] / ((m + 2) * \text{Sqrt}[1 - c^2 * x^2]), \text{Int}[(f * x)^m * (a + b * \text{ArcSin}[c * x])^n / \text{Sqrt}[1 - c^2 * x^2], x], x] - \text{Dist}[(b * c * n * \text{Sqrt}[d + e * x^2]) / (f * (m + 2) * \text{Sqrt}[1 - c^2 * x^2]), \text{Int}[(f * x)^{m+1} * (a + \text{ArcSin}[c * x])^n / \text{Sqrt}[1 - c^2 * x^2], x], x])$

+ b\*ArcSin[c\*x])^(n - 1), x], x) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

### Rule 4711

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))\*((f\_.)\*(x\_.))^(m\_.)]/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2\*x^2])/(Sqrt[d]\*f\*(m + 1)), x] - Simp[(b\*c\*(f\*x)^(m + 2)\*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2\*x^2])/(Sqrt[d]\*f^2\*(m + 1)\*(m + 2)), x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && !IntegerQ[m]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rubi steps

$$\int x^m \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) dx = \frac{x^{1+m} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2 + m} + \frac{\sqrt{d - c^2 dx^2} \int \frac{x^m (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} dx}{(2 + m) \sqrt{1 - c^2 x^2}} - \frac{(bc \sqrt{d - c^2 dx^2})}{(2 + m) \sqrt{1 - c^2 x^2}}$$

$$= -\frac{bcx^{2+m} \sqrt{d - c^2 dx^2}}{(2 + m)^2 \sqrt{1 - c^2 x^2}} + \frac{x^{1+m} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2 + m} + \frac{x^{1+m} \sqrt{d - c^2 dx^2} (a - b \sin^{-1}(cx))}{(2 + m) \sqrt{1 - c^2 x^2}}$$

**Mathematica [A]** time = 0.0733063, size = 181, normalized size = 0.74

$$\frac{x^{m+1} \sqrt{d - c^2 dx^2} \left( -bcx \operatorname{HypergeometricPFQ} \left( \left\{ 1, \frac{m}{2} + 1, \frac{m}{2} + 1 \right\}, \left\{ \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + 2 \right\}, c^2 x^2 \right) + (m + 2) \operatorname{Hypergeometric2F1} \left( \frac{1}{2}, \frac{1 + m}{2}, \frac{3 + m}{2}, c^2 x^2 \right) \right)}{(m + 1)(m + 2)^2 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^m\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]),x]

[Out] (x^(1 + m)\*Sqrt[d - c^2\*d\*x^2]\*((1 + m)\*(-b\*c\*x) + a\*(2 + m)\*Sqrt[1 - c^2\*x^2] + b\*(2 + m)\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]) + (2 + m)\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2\*x^2] - b\*c\*x\*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2\*x^2])/((1 + m)\*(2 + m)^2\*Sqrt[1 - c^2\*x^2])

---

**Maple [F]** time = 1.957, size = 0, normalized size = 0.

$$\int x^m \sqrt{-c^2 dx^2 + d} (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x)`

[Out] `int(x^m*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x)`

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a) x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)*x^m, x)`

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a) x^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)*x^m, x)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x^m \sqrt{-d} (cx - 1)(cx + 1) (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(-c\*\*2\*d\*x\*\*2+d)\*\*(1/2)\*(a+b\*asin(c\*x)),x)

[Out] Integral(x\*\*m\*sqrt(-d\*(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2 dx^2 + d}(b \arcsin(cx) + a)x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)\*x^m, x)

$$3.152 \quad \int \frac{x^m (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx$$

**Optimal.** Leaf size=163

$$\frac{\sqrt{1 - c^2 x^2} x^{m+1} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+1}{2}, \frac{m+3}{2}, c^2 x^2\right) (a + b \sin^{-1}(cx))}{(m+1)\sqrt{d - c^2 dx^2}} - \frac{bc\sqrt{1 - c^2 x^2} x^{m+2} \text{HypergeometricPFQ}\left(\frac{1}{2}, \frac{m+1}{2}, \frac{m+3}{2}, c^2 x^2\right)}{(m^2 + 3m + 2)\sqrt{d - c^2 dx^2}}$$

[Out] (x^(1 + m)\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2\*x^2])/((1 + m)\*Sqrt[d - c^2\*d\*x^2]) - (b\*c\*x^(2 + m)\*Sqrt[1 - c^2\*x^2]\*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2\*x^2])/((2 + 3\*m + m^2)\*Sqrt[d - c^2\*d\*x^2])

**Rubi [A]** time = 0.196726, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {4713, 4711}

$$\frac{\sqrt{1 - c^2 x^2} x^{m+1} {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; c^2 x^2\right) (a + b \sin^{-1}(cx))}{(m+1)\sqrt{d - c^2 dx^2}} - \frac{bc\sqrt{1 - c^2 x^2} x^{m+2} {}_3F_2\left(1, \frac{m}{2} + 1, \frac{m}{2} + 1; \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + 2; c^2 x^2\right)}{(m^2 + 3m + 2)\sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^m\*(a + b\*ArcSin[c\*x]))/Sqrt[d - c^2\*d\*x^2], x]

[Out] (x^(1 + m)\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2\*x^2])/((1 + m)\*Sqrt[d - c^2\*d\*x^2]) - (b\*c\*x^(2 + m)\*Sqrt[1 - c^2\*x^2]\*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2\*x^2])/((2 + 3\*m + m^2)\*Sqrt[d - c^2\*d\*x^2])

### Rule 4713

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.)/Sqrt[(d\_. + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(f\*x)^m\*(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !GtQ[d, 0] && (IntegerQ[m] || EqQ[n, 1])

### Rule 4711

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.))/Sqrt[(d_.) + (e_.
)*(x_.)^2], x_Symbol] :> Simp[((f*x)^(m + 1)*(a + b*ArcSin[c*x])*Hypergeomet
ric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/(Sqrt[d]*f*(m + 1)), x] - Simp[
(b*c*(f*x)^(m + 2)*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 +
m/2}, c^2*x^2])/(Sqrt[d]*f^2*(m + 1)*(m + 2)), x] /; FreeQ[{a, b, c, d, e,
f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && !IntegerQ[m]
```

### Rubi steps

$$\int \frac{x^m (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx = \frac{\sqrt{1 - c^2 x^2} \int \frac{x^m (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} dx}{\sqrt{d - c^2 dx^2}}$$

$$= \frac{x^{1+m} \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) {}_2F_1\left(\frac{1}{2}, \frac{1+m}{2}; \frac{3+m}{2}; c^2 x^2\right)}{(1+m)\sqrt{d - c^2 dx^2}} - \frac{bcx^{2+m} \sqrt{1 - c^2 x^2} {}_3F_2\left(1, 1 + \frac{m}{2}, 1 + \frac{m}{2}; \frac{3+m}{2}, \frac{5+m}{2}; c^2 x^2\right)}{(2 + 3m + m^2)\sqrt{d - c^2 dx^2}}$$

**Mathematica [A]** time = 0.0630509, size = 129, normalized size = 0.79

$$\frac{\sqrt{1 - c^2 x^2} x^{m+1} \left( (m+2) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+1}{2}, \frac{m+3}{2}, c^2 x^2\right) (a + b \sin^{-1}(cx)) - bcx \text{HypergeometricPFQ}\left(\left\{1, \frac{m}{2}\right\}, \left\{\frac{3+m}{2}, \frac{5+m}{2}\right\}, c^2 x^2\right) \right)}{(m+1)(m+2)\sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^m*(a + b*ArcSin[c*x]))/Sqrt[d - c^2*d*x^2], x]
```

```
[Out] (x^(1 + m)*Sqrt[1 - c^2*x^2]*((2 + m)*(a + b*ArcSin[c*x])*Hypergeometric2F1
[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2] - b*c*x*HypergeometricPFQ[{1, 1 + m/2,
1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2*x^2]))/((1 + m)*(2 + m)*Sqrt[d - c^2*d
*x^2])
```

**Maple [F]** time = 0.905, size = 0, normalized size = 0.

$$\int x^m (a + b \arcsin(cx)) \frac{1}{\sqrt{-c^2 dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^m*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2), x)
```

[Out] `int(x^m*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2),x)`

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^m}{\sqrt{-c^2dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `integrate((b*arcsin(c*x) + a)*x^m/sqrt(-c^2*d*x^2 + d), x)`

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2 + d}(b \arcsin(cx) + a)x^m}{c^2dx^2 - d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)*x^m/(c^2*d*x^2 - d), x)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \arcsin(cx))}{\sqrt{-d(cx-1)(cx+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*(a+b*asin(c*x))/(-c**2*d*x**2+d)**(1/2),x)`

[Out] `Integral(x**m*(a + b*asin(c*x))/sqrt(-d*(c*x - 1)*(c*x + 1)), x)`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^m}{\sqrt{-c^2dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)*x^m/sqrt(-c^2*d*x^2 + d), x)
```



$$3.153 \quad \int \frac{x^m (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=272

$$\frac{bcm\sqrt{1-c^2x^2}x^{m+2}\text{HypergeometricPFQ}\left(\left\{1, \frac{m}{2}+1, \frac{m}{2}+1\right\}, \left\{\frac{m}{2}+\frac{3}{2}, \frac{m}{2}+2\right\}, c^2x^2\right)}{d(m^2+3m+2)\sqrt{d-c^2dx^2}} - \frac{m\sqrt{1-c^2x^2}x^{m+1}\text{Hypergeome}}{d(m$$

[Out] (x^(1+m)\*(a+b\*ArcSin[c\*x]))/(d\*Sqrt[d-c^2\*d\*x^2]) - (m\*x^(1+m)\*Sqrt[1-c^2\*x^2]\*(a+b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2\*x^2])/(d\*(1+m)\*Sqrt[d-c^2\*d\*x^2]) - (b\*c\*x^(2+m)\*Sqrt[1-c^2\*x^2])\*Hypergeometric2F1[1, (2+m)/2, (4+m)/2, c^2\*x^2])/(d\*(2+m)\*Sqrt[d-c^2\*d\*x^2]) + (b\*c\*m\*x^(2+m)\*Sqrt[1-c^2\*x^2])\*HypergeometricPFQ[{1, 1+m/2, 1+m/2}, {3/2+m/2, 2+m/2}, c^2\*x^2])/(d\*(2+3\*m+m^2)\*Sqrt[d-c^2\*d\*x^2])

**Rubi [A]** time = 0.314929, antiderivative size = 272, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {4705, 4713, 4711, 364}

$$\frac{bcm\sqrt{1-c^2x^2}x^{m+2} {}_3F_2\left(1, \frac{m}{2}+1, \frac{m}{2}+1; \frac{m}{2}+\frac{3}{2}, \frac{m}{2}+2; c^2x^2\right)}{d(m^2+3m+2)\sqrt{d-c^2dx^2}} - \frac{m\sqrt{1-c^2x^2}x^{m+1} {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; c^2x^2\right)(a+b\sin^{-1}(cx))}{d(m+1)\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^m\*(a+b\*ArcSin[c\*x]))/(d-c^2\*d\*x^2)^(3/2), x]

[Out] (x^(1+m)\*(a+b\*ArcSin[c\*x]))/(d\*Sqrt[d-c^2\*d\*x^2]) - (m\*x^(1+m)\*Sqrt[1-c^2\*x^2]\*(a+b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2\*x^2])/(d\*(1+m)\*Sqrt[d-c^2\*d\*x^2]) - (b\*c\*x^(2+m)\*Sqrt[1-c^2\*x^2])\*Hypergeometric2F1[1, (2+m)/2, (4+m)/2, c^2\*x^2])/(d\*(2+m)\*Sqrt[d-c^2\*d\*x^2]) + (b\*c\*m\*x^(2+m)\*Sqrt[1-c^2\*x^2])\*HypergeometricPFQ[{1, 1+m/2, 1+m/2}, {3/2+m/2, 2+m/2}, c^2\*x^2])/(d\*(2+3\*m+m^2)\*Sqrt[d-c^2\*d\*x^2])

**Rule 4705**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := -Simp[((f\*x)^(m+1)\*(d+e\*x^2)^(p+1)\*(a +

```

b*ArcSin[c*x])^n)/(2*d*f*(p + 1)), x] + (Dist[(m + 2*p + 3)/(2*d*(p + 1)),
Int[(f*x)^m*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*c*n
*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*f*(p + 1)*(1 - c^2*x^2)^FracPart[
p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1]
)

```

### Rule 4713

```

Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n)*((f_.)*(x_.))^m)/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] :> Dist[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2], Int[(
(f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c,
d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && !GtQ[d, 0] && (Integ
erQ[m] || EqQ[n, 1])

```

### Rule 4711

```

Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^m)/Sqrt[(d_ + (e_
.)*(x_)^2], x_Symbol] :> Simp[((f*x)^(m + 1)*(a + b*ArcSin[c*x])*Hypergeomet
ric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2])/(Sqrt[d]*f*(m + 1)), x] - Simp[
(b*c*(f*x)^(m + 2)*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 +
m/2}, c^2*x^2])/(Sqrt[d]*f^2*(m + 1)*(m + 2)), x] /; FreeQ[{a, b, c, d, e,
f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && !IntegerQ[m]

```

### Rule 364

```

Int[(((c_.)*(x_.))^m)*((a_) + (b_.)*(x_)^(n_))^p, x_Symbol] :> Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a
])]/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^m (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{3/2}} dx &= \frac{x^{1+m} (a + b \sin^{-1}(cx))}{d \sqrt{d - c^2 dx^2}} - \frac{m \int \frac{x^m (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx}{d} - \frac{(bc \sqrt{1 - c^2 x^2}) \int \frac{x^{1+m}}{1 - c^2 x^2} dx}{d \sqrt{d - c^2 dx^2}} \\
&= \frac{x^{1+m} (a + b \sin^{-1}(cx))}{d \sqrt{d - c^2 dx^2}} - \frac{bc x^{2+m} \sqrt{1 - c^2 x^2} {}_2F_1\left(1, \frac{2+m}{2}; \frac{4+m}{2}; c^2 x^2\right)}{d(2+m) \sqrt{d - c^2 dx^2}} - \frac{(m \sqrt{1 - c^2 x^2}) \int \frac{x^m (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx}{d \sqrt{d - c^2 dx^2}} \\
&= \frac{x^{1+m} (a + b \sin^{-1}(cx))}{d \sqrt{d - c^2 dx^2}} - \frac{m x^{1+m} \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) {}_2F_1\left(\frac{1}{2}, \frac{1+m}{2}; \frac{3+m}{2}; c^2 x^2\right)}{d(1+m) \sqrt{d - c^2 dx^2}} - \frac{bc x^{1+m} \sqrt{1 - c^2 x^2}}{d \sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.24728, size = 207, normalized size = 0.76

$$x^{m+1} \left( bc m x \sqrt{1 - c^2 x^2} \text{HypergeometricPFQ}\left(\left\{1, \frac{m}{2} + 1, \frac{m}{2} + 1\right\}, \left\{\frac{m}{2} + \frac{3}{2}, \frac{m}{2} + 2\right\}, c^2 x^2\right) - m(m+2) \sqrt{1 - c^2 x^2} \text{HypergeometricPFQ}\left(\left\{\frac{1}{2}, \frac{1+m}{2}\right\}, \left\{\frac{3+m}{2}\right\}, c^2 x^2\right) \right) / (d \sqrt{d - c^2 dx^2})$$

Antiderivative was successfully verified.

[In] Integrate[(x^m\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^(3/2), x]

[Out] (x^(1+m)\*(-(m\*(2+m)\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2\*x^2]) + (1+m)\*((2+m)\*(a + b\*ArcSin[c\*x]) - b\*c\*x\*Sqrt[1 - c^2\*x^2])\*Hypergeometric2F1[1, 1+m/2, 2+m/2, c^2\*x^2]) + b\*c\*m\*x\*Sqrt[1 - c^2\*x^2])\*HypergeometricPFQ[{1, 1+m/2, 1+m/2}, {3/2+m/2, 2+m/2}, c^2\*x^2))/(d\*(1+m)\*(2+m)\*Sqrt[d - c^2\*d\*x^2])

**Maple [F]** time = 0.575, size = 0, normalized size = 0.

$$\int x^m (a + b \arcsin(cx)) (-c^2 dx^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2), x)

[Out] int(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2), x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^m}{(-c^2dx^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^m/(-c^2\*d\*x^2 + d)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2 + d}(b \arcsin(cx) + a)x^m}{c^4d^2x^4 - 2c^2d^2x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)\*x^m/(c^4\*d^2\*x^4 - 2\*c^2\*d^2\*x^2 + d^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \arcsin(cx))}{(-d(cx - 1)(cx + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(a+b\*asin(c\*x))/(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2),x)

[Out] Integral(x\*\*m\*(a + b\*asin(c\*x))/(-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^m}{(-c^2dx^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^m/(-c^2\*d\*x^2 + d)^(3/2), x)

$$3.154 \quad \int \frac{x^m (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=408

$$\frac{bc(2-m)m\sqrt{1-c^2x^2}x^{m+2}\text{HypergeometricPFQ}\left(\left\{1, \frac{m}{2}+1, \frac{m}{2}+1\right\}, \left\{\frac{m}{2}+\frac{3}{2}, \frac{m}{2}+2\right\}, c^2x^2\right)}{3d^2(m^2+3m+2)\sqrt{d-c^2dx^2}} - \frac{(2-m)m\sqrt{1-c^2x^2}x^{m+1}F_2\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}, \frac{m+3}{2}; c^2x^2\right)}{3d^2(m+1)\sqrt{d-c^2dx^2}}$$

[Out] (x^(1+m)\*(a+b\*ArcSin[c\*x]))/(3\*d\*(d-c^2\*d\*x^2)^(3/2)) + ((2-m)\*x^(1+m)\*(a+b\*ArcSin[c\*x]))/(3\*d^2\*Sqrt[d-c^2\*d\*x^2]) - ((2-m)\*m\*x^(1+m)\*Sqrt[1-c^2\*x^2]\*(a+b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2\*x^2])/(3\*d^2\*(1+m)\*Sqrt[d-c^2\*d\*x^2]) - (b\*c\*(2-m)\*x^(2+m)\*Sqrt[1-c^2\*x^2]\*Hypergeometric2F1[1, (2+m)/2, (4+m)/2, c^2\*x^2])/(3\*d^2\*(2+m)\*Sqrt[d-c^2\*d\*x^2]) - (b\*c\*x^(2+m)\*Sqrt[1-c^2\*x^2]\*Hypergeometric2F1[2, (2+m)/2, (4+m)/2, c^2\*x^2])/(3\*d^2\*(2+m)\*Sqrt[d-c^2\*d\*x^2]) + (b\*c\*(2-m)\*m\*x^(2+m)\*Sqrt[1-c^2\*x^2]\*HypergeometricPFQ[{1, 1+m/2, 1+m/2}, {3/2+m/2, 2+m/2}, c^2\*x^2])/(3\*d^2\*(2+3\*m+m^2)\*Sqrt[d-c^2\*d\*x^2])

**Rubi [A]** time = 0.454834, antiderivative size = 408, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {4705, 4713, 4711, 364}

$$\frac{bc(2-m)m\sqrt{1-c^2x^2}x^{m+2}{}_3F_2\left(1, \frac{m}{2}+1, \frac{m}{2}+1; \frac{m}{2}+\frac{3}{2}, \frac{m}{2}+2; c^2x^2\right)}{3d^2(m^2+3m+2)\sqrt{d-c^2dx^2}} - \frac{(2-m)m\sqrt{1-c^2x^2}x^{m+1}{}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; c^2x^2\right)}{3d^2(m+1)\sqrt{d-c^2dx^2}} (a$$

Antiderivative was successfully verified.

[In] Int[(x^m\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^(5/2), x]

[Out] (x^(1+m)\*(a+b\*ArcSin[c\*x]))/(3\*d\*(d-c^2\*d\*x^2)^(3/2)) + ((2-m)\*x^(1+m)\*(a+b\*ArcSin[c\*x]))/(3\*d^2\*Sqrt[d-c^2\*d\*x^2]) - ((2-m)\*m\*x^(1+m)\*Sqrt[1-c^2\*x^2]\*(a+b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2\*x^2])/(3\*d^2\*(1+m)\*Sqrt[d-c^2\*d\*x^2]) - (b\*c\*(2-m)\*x^(2+m)\*Sqrt[1-c^2\*x^2]\*Hypergeometric2F1[1, (2+m)/2, (4+m)/2, c^2\*x^2])/(3\*d^2\*(2+m)\*Sqrt[d-c^2\*d\*x^2]) - (b\*c\*x^(2+m)\*Sqrt[1-c^2\*x^2]\*Hypergeometric2F1[2, (2+m)/2, (4+m)/2, c^2\*x^2])/(3\*d^2\*(2+m)\*Sqrt[d-c^2\*d\*x^2]) + (b\*c\*(2-m)\*m\*x^(2+m)\*Sqrt[1-c^2\*x^2]\*HypergeometricPFQ[{1, 1+m/2, 1+m/2}, {3/2+m/2, 2+m/2}, c^2\*x^2])/(3\*d^2\*(2+3\*m+m^2)\*Sqrt[d-c^2\*d\*x^2])

$^2) * \text{Sqrt}[d - c^2 * d * x^2])$

### Rule 4705

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_), x\_Symbol] := -Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*f\*(p + 1)), x] + (Dist[(m + 2\*p + 3)/(2\*d\*(p + 1)), Int[(f\*x)^(m\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p]]/(2\*f\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1])

### Rule 4713

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.))/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] := Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(f\*x)^(m\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !GtQ[d, 0] && (IntegerQ[m] || EqQ[n, 1])

### Rule 4711

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))\*((f\_.)\*(x\_.))^(m\_.))/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] := Simp[((f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2\*x^2])/(Sqrt[d]\*f\*(m + 1)), x] - Simp[(b\*c\*(f\*x)^(m + 2)\*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2\*x^2])/(Sqrt[d]\*f^2\*(m + 1)\*(m + 2)), x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && !IntegerQ[m]

### Rule 364

Int[((c\_.)\*(x\_.))^(m\_.)\*((a\_.) + (b\_.)\*(x\_.)^n)^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m + 1)\*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b\*x^n)/a])]/(c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{x^m (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{5/2}} dx &= \frac{x^{1+m} (a + b \sin^{-1}(cx))}{3d (d - c^2 dx^2)^{3/2}} + \frac{(2 - m) \int \frac{x^m (a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{3/2}} dx}{3d} - \frac{(bc \sqrt{1 - c^2 x^2}) \int \frac{x^{1+m}}{(1 - c^2 x^2)^2} dx}{3d^2 \sqrt{d - c^2 dx^2}} \\
&= \frac{x^{1+m} (a + b \sin^{-1}(cx))}{3d (d - c^2 dx^2)^{3/2}} + \frac{(2 - m)x^{1+m} (a + b \sin^{-1}(cx))}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bcx^{2+m} \sqrt{1 - c^2 x^2} {}_2F_1\left(2, \frac{2+m}{2}; \frac{4+m}{2}\right)}{3d^2 (2 + m) \sqrt{d - c^2 dx^2}} \\
&= \frac{x^{1+m} (a + b \sin^{-1}(cx))}{3d (d - c^2 dx^2)^{3/2}} + \frac{(2 - m)x^{1+m} (a + b \sin^{-1}(cx))}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bc(2 - m)x^{2+m} \sqrt{1 - c^2 x^2} {}_2F_1\left(1, \frac{2+m}{2}\right)}{3d^2 (2 + m) \sqrt{d - c^2 dx^2}} \\
&= \frac{x^{1+m} (a + b \sin^{-1}(cx))}{3d (d - c^2 dx^2)^{3/2}} + \frac{(2 - m)x^{1+m} (a + b \sin^{-1}(cx))}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{(2 - m)mx^{1+m} \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3d^2 (1 + m) \sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.380634, size = 279, normalized size = 0.68

$$x^{m+1} \left( (2 - m) (d - c^2 dx^2) \left( -m \sqrt{1 - c^2 x^2} \left( (m + 2) \text{Hypergeometric2F1} \left( \frac{1}{2}, \frac{m+1}{2}, \frac{m+3}{2}, c^2 x^2 \right) (a + b \sin^{-1}(cx)) - bcx \text{Hypergeometric2F1} \left( 2, \frac{2+m}{2}, \frac{4+m}{2}, c^2 x^2 \right) \right) \right) - bcx \text{Hypergeometric2F1} \left( 1, \frac{2+m}{2}, \frac{4+m}{2}, c^2 x^2 \right) \right) / (3d^2 (1 + m) \sqrt{d - c^2 dx^2})$$

Antiderivative was successfully verified.

[In] Integrate[(x^m\*(a + b\*ArcSin[c\*x]))/(d - c^2\*d\*x^2)^(5/2),x]

[Out] (x^(1 + m)\*(d\*(1 + m)\*(2 + m)\*(a + b\*ArcSin[c\*x]) - b\*c\*d\*(1 + m)\*x\*(1 - c^2\*x^2)^(3/2)\*Hypergeometric2F1[2, 1 + m/2, 2 + m/2, c^2\*x^2] + (2 - m)\*(d - c^2\*d\*x^2)\*((1 + m)\*(2 + m)\*(a + b\*ArcSin[c\*x]) - b\*c\*(1 + m)\*x\*Sqrt[1 - c^2\*x^2])\*Hypergeometric2F1[1, 1 + m/2, 2 + m/2, c^2\*x^2] - m\*Sqrt[1 - c^2\*x^2]\*((2 + m)\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2\*x^2] - b\*c\*x\*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2\*x^2])))/(3\*d^2\*(1 + m)\*(2 + m)\*(d - c^2\*d\*x^2)^(3/2))

**Maple [F]** time = 0.602, size = 0, normalized size = 0.

$$\int x^m (a + b \arcsin(cx)) (-c^2 dx^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(x^m*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(5/2),x)`

[Out] `int(x^m*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(5/2),x)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^m}{(-c^2dx^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(5/2),x, algorithm="maxima")`

[Out] `integrate((b*arcsin(c*x) + a)*x^m/(-c^2*d*x^2 + d)^(5/2), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2 + d}(b \arcsin(cx) + a)x^m}{c^6d^3x^6 - 3c^4d^3x^4 + 3c^2d^3x^2 - d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(a+b*arcsin(c*x))/(-c^2*d*x^2+d)^(5/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)*x^m/(c^6*d^3*x^6 - 3*c^4*d^3*x^4 + 3*c^2*d^3*x^2 - d^3), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*(a+b*asin(c*x))/(-c**2*d*x**2+d)**(5/2),x)`

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^m}{(-c^2dx^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^m/(-c^2\*d\*x^2 + d)^(5/2), x)

$$3.155 \quad \int \frac{x^m \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=100

$$\frac{x^{m+1} \sin^{-1}(ax) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+1}{2}, \frac{m+3}{2}, a^2x^2\right)}{m+1} - \frac{ax^{m+2} \operatorname{HypergeometricPFQ}\left(\left\{1, \frac{m}{2} + 1, \frac{m}{2} + 1\right\}, \left\{\frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}\right\}, a^2x^2\right)}{m^2 + 3m + 2}$$

[Out] (x^(1 + m)\*ArcSin[a\*x]\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, a^2\*x^2])/(1 + m) - (a\*x^(2 + m)\*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, a^2\*x^2])/(2 + 3\*m + m^2)

**Rubi [A]** time = 0.0699534, antiderivative size = 100, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {4711}

$$\frac{x^{m+1} \sin^{-1}(ax) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; a^2x^2\right)}{m+1} - \frac{ax^{m+2} {}_3F_2\left(1, \frac{m}{2} + 1, \frac{m}{2} + 1; \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + 2; a^2x^2\right)}{m^2 + 3m + 2}$$

Antiderivative was successfully verified.

[In] Int[(x^m\*ArcSin[a\*x])/Sqrt[1 - a^2\*x^2], x]

[Out] (x^(1 + m)\*ArcSin[a\*x]\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, a^2\*x^2])/(1 + m) - (a\*x^(2 + m)\*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, a^2\*x^2])/(2 + 3\*m + m^2)

### Rule 4711

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))\*((f\_.)\*(x\_))^(m\_))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2\*x^2])/(Sqrt[d]\*f\*(m + 1)), x] - Simp[(b\*c\*(f\*x)^(m + 2)\*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2\*x^2])/(Sqrt[d]\*f^2\*(m + 1)\*(m + 2)), x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && !IntegerQ[m]

### Rubi steps

$$\int \frac{x^m \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx = \frac{x^{1+m} \sin^{-1}(ax) {}_2F_1\left(\frac{1}{2}, \frac{1+m}{2}; \frac{3+m}{2}; a^2x^2\right)}{1+m} - \frac{ax^{2+m} {}_3F_2\left(1, 1 + \frac{m}{2}, 1 + \frac{m}{2}; \frac{3}{2} + \frac{m}{2}, 2 + \frac{m}{2}; a^2x^2\right)}{2+3m+m^2}$$

**Mathematica [A]** time = 0.036555, size = 95, normalized size = 0.95

$$\frac{x^{m+1} \left( (m+2) \sin^{-1}(ax) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+1}{2}, \frac{m+3}{2}, a^2x^2\right) - ax \text{HypergeometricPFQ}\left(\left\{1, \frac{m}{2} + 1, \frac{m}{2} + 1\right\}, \left\{\frac{m}{2} + \right.\right.\right.}{(m+1)(m+2)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^m\*ArcSin[a\*x])/Sqrt[1 - a^2\*x^2], x]

[Out] (x^(1+m)\*((2+m)\*ArcSin[a\*x]\*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, a^2\*x^2] - a\*x\*HypergeometricPFQ[{1, 1+m/2, 1+m/2}, {3/2+m/2, 2+m/2}, a^2\*x^2]))/((1+m)\*(2+m))

**Maple [F]** time = 0.513, size = 0, normalized size = 0.

$$\int x^m \arcsin(ax) \frac{1}{\sqrt{-a^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*arcsin(a\*x)/(-a^2\*x^2+1)^(1/2), x)

[Out] int(x^m\*arcsin(a\*x)/(-a^2\*x^2+1)^(1/2), x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m \arcsin(ax)}{\sqrt{-a^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arcsin(a\*x)/(-a^2\*x^2+1)^(1/2), x, algorithm="maxima")

[Out] integrate(x<sup>m</sup>\*arcsin(a\*x)/sqrt(-a<sup>2</sup>\*x<sup>2</sup> + 1), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2+1}x^m\arcsin(ax)}{a^2x^2-1},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>m</sup>\*arcsin(a\*x)/(-a<sup>2</sup>\*x<sup>2</sup>+1)<sup>(1/2)</sup>,x, algorithm="fricas")

[Out] integral(-sqrt(-a<sup>2</sup>\*x<sup>2</sup> + 1)\*x<sup>m</sup>\*arcsin(a\*x)/(a<sup>2</sup>\*x<sup>2</sup> - 1), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m \operatorname{asin}(ax)}{\sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*asin(a\*x)/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x\*\*m\*asin(a\*x)/sqrt(-(a\*x - 1)\*(a\*x + 1)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m \arcsin(ax)}{\sqrt{-a^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>m</sup>\*arcsin(a\*x)/(-a<sup>2</sup>\*x<sup>2</sup>+1)<sup>(1/2)</sup>,x, algorithm="giac")

[Out] integrate(x<sup>m</sup>\*arcsin(a\*x)/sqrt(-a<sup>2</sup>\*x<sup>2</sup> + 1), x)

### 3.156 $\int x^4 (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx$

**Optimal.** Leaf size=290

$$\frac{1}{7} dx^5 (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 + \frac{4bdx^4 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{175c} + \frac{16bdx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{525c^3} + \frac{2bd(1 - c^2 x^2)}{7}$$

[Out]  $(-304*b^2*d*x)/(3675*c^4) - (152*b^2*d*x^3)/(11025*c^2) - (38*b^2*d*x^5)/6125 + (2*b^2*c^2*d*x^7)/343 + (32*b*d*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(525*c^5) + (16*b*d*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(525*c^3) + (4*b*d*x^4*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(175*c) + (2*b*d*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/(21*c^5) - (4*b*d*(1 - c^2*x^2)^(5/2)*(a + b*ArcSin[c*x]))/(35*c^5) + (2*b*d*(1 - c^2*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(49*c^5) + (2*d*x^5*(a + b*ArcSin[c*x])^2)/35 + (d*x^5*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/7$

**Rubi [A]** time = 0.461145, antiderivative size = 290, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {4699, 4627, 4707, 4677, 8, 30, 266, 43, 4689, 12}

$$\frac{1}{7} dx^5 (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 + \frac{4bdx^4 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{175c} + \frac{16bdx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{525c^3} + \frac{2bd(1 - c^2 x^2)}{7}$$

Antiderivative was successfully verified.

[In] Int[x^4\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $(-304*b^2*d*x)/(3675*c^4) - (152*b^2*d*x^3)/(11025*c^2) - (38*b^2*d*x^5)/6125 + (2*b^2*c^2*d*x^7)/343 + (32*b*d*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(525*c^5) + (16*b*d*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(525*c^3) + (4*b*d*x^4*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(175*c) + (2*b*d*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/(21*c^5) - (4*b*d*(1 - c^2*x^2)^(5/2)*(a + b*ArcSin[c*x]))/(35*c^5) + (2*b*d*(1 - c^2*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(49*c^5) + (2*d*x^5*(a + b*ArcSin[c*x])^2)/35 + (d*x^5*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/7$

**Rule 4699**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_.))^ (m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^ (p\_.), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2\*p + 1)), x] + (Dist[(2\*d\*p)/(m + 2\*p + 1), Int[(f\*x)^

```
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
)] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

### Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_)*((d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

### Rule 4707

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_)*((f_.)*(x_.))^(m_)/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n]/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]
```

### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_)*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

### Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

### Rule 30

```
Int[(x_)^(m_.), x_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
```

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rule 4689

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[x^m\*(1 - c^2\*x^2)^p, x]}, Dist[d^p\*(a + b\*ArcSin[c\*x]), u, x] - Dist[b\*c\*d^p, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[p - 1/2] && (IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2\*p + 3)/2, 0]) && NeQ[p, -2^(-1)] && GtQ[d, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rubi steps

$$\begin{aligned} \int x^4 (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{7} dx^5 (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 + \frac{1}{7} (2d) \int x^4 (a + b \sin^{-1}(cx))^2 dx - \frac{1}{7} (2bcd) \int x^4 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) dx \\ &= \frac{2bd(1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{21c^5} - \frac{4bd(1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{35c^5} + \frac{2bd(1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{105c^5} \\ &= \frac{4bdx^4 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{175c} + \frac{2bd(1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{21c^5} - \frac{4bd(1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{105c^5} \\ &= -\frac{16b^2 dx}{735c^4} - \frac{8b^2 dx^3}{2205c^2} - \frac{38b^2 dx^5}{6125} + \frac{2}{343} b^2 c^2 dx^7 + \frac{16bdx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{525c^3} \\ &= -\frac{16b^2 dx}{735c^4} - \frac{152b^2 dx^3}{11025c^2} - \frac{38b^2 dx^5}{6125} + \frac{2}{343} b^2 c^2 dx^7 + \frac{32bd \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{525c^5} \\ &= -\frac{304b^2 dx}{3675c^4} - \frac{152b^2 dx^3}{11025c^2} - \frac{38b^2 dx^5}{6125} + \frac{2}{343} b^2 c^2 dx^7 + \frac{32bd \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{525c^5} \end{aligned}$$



**Mathematica [A]** time = 0.265399, size = 203, normalized size = 0.7

$$d \left( 11025a^2c^5x^5(5c^2x^2 - 7) + 210ab\sqrt{1 - c^2x^2}(75c^6x^6 - 57c^4x^4 - 76c^2x^2 - 152) + 210b \sin^{-1}(cx) \left( 105ac^5x^5(5c^2x^2 - 7) \right. \right.$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] -(d\*(11025\*a^2\*c^5\*x^5\*(-7 + 5\*c^2\*x^2) + 210\*a\*b\*Sqrt[1 - c^2\*x^2]\*(-152 - 76\*c^2\*x^2 - 57\*c^4\*x^4 + 75\*c^6\*x^6) + b^2\*(31920\*c\*x + 5320\*c^3\*x^3 + 2394\*c^5\*x^5 - 2250\*c^7\*x^7) + 210\*b\*(105\*a\*c^5\*x^5\*(-7 + 5\*c^2\*x^2) + b\*Sqrt[1 - c^2\*x^2]\*(-152 - 76\*c^2\*x^2 - 57\*c^4\*x^4 + 75\*c^6\*x^6))\*ArcSin[c\*x] + 11025\*b^2\*c^5\*x^5\*(-7 + 5\*c^2\*x^2)\*ArcSin[c\*x]^2))/(385875\*c^5)

**Maple [A]** time = 0.111, size = 276, normalized size = 1.

$$\frac{1}{c^5} \left( -da^2 \left( \frac{c^7x^7}{7} - \frac{c^5x^5}{5} \right) - db^2 \left( -\frac{(\arcsin(cx))^2 c^5x^5}{5} - \frac{2 \arcsin(cx) (3c^4x^4 + 4c^2x^2 + 8)}{75} \sqrt{-c^2x^2 + 1} + \frac{38c^5x^5}{6125} + \frac{152c^3x^3}{11025} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x)

[Out] 1/c^5\*(-d\*a^2\*(1/7\*c^7\*x^7-1/5\*c^5\*x^5)-d\*b^2\*(-1/5\*arcsin(c\*x)^2\*c^5\*x^5-2/75\*arcsin(c\*x)\*(3\*c^4\*x^4+4\*c^2\*x^2+8)\*(-c^2\*x^2+1)^(1/2)+38/6125\*c^5\*x^5+152/11025\*c^3\*x^3+304/3675\*c\*x+1/7\*arcsin(c\*x)^2\*c^7\*x^7+2/245\*arcsin(c\*x)\*(5\*c^6\*x^6+6\*c^4\*x^4+8\*c^2\*x^2+16)\*(-c^2\*x^2+1)^(1/2)-2/343\*c^7\*x^7)-2\*d\*a\*b\*(1/7\*arcsin(c\*x)\*c^7\*x^7-1/5\*arcsin(c\*x)\*c^5\*x^5+1/49\*c^6\*x^6\*(-c^2\*x^2+1)^(1/2)-19/1225\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-76/3675\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2))-152/3675\*(-c^2\*x^2+1)^(1/2))

**Maxima [A]** time = 1.68027, size = 612, normalized size = 2.11

$$-\frac{1}{7} b^2 c^2 dx^7 \arcsin(cx)^2 - \frac{1}{7} a^2 c^2 dx^7 + \frac{1}{5} b^2 dx^5 \arcsin(cx)^2 + \frac{1}{5} a^2 dx^5 - \frac{2}{245} \left( 35x^7 \arcsin(cx) + \left( \frac{5\sqrt{-c^2x^2+1}x^6}{c^2} + \frac{6}{c} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] 
$$-1/7*b^2*c^2*d*x^7*arcsin(c*x)^2 - 1/7*a^2*c^2*d*x^7 + 1/5*b^2*d*x^5*arcsin(c*x)^2 + 1/5*a^2*d*x^5 - 2/245*(35*x^7*arcsin(c*x) + (5*\sqrt{-c^2*x^2 + 1}) * x^6/c^2 + 6*\sqrt{-c^2*x^2 + 1}*x^4/c^4 + 8*\sqrt{-c^2*x^2 + 1}*x^2/c^6 + 16*\sqrt{-c^2*x^2 + 1}/c^8)*c)*a*b*c^2*d - 2/25725*(105*(5*\sqrt{-c^2*x^2 + 1}) * x^6/c^2 + 6*\sqrt{-c^2*x^2 + 1}*x^4/c^4 + 8*\sqrt{-c^2*x^2 + 1}*x^2/c^6 + 16*\sqrt{-c^2*x^2 + 1}/c^8)*c*arcsin(c*x) - (75*c^6*x^7 + 126*c^4*x^5 + 280*c^2*x^3 + 1680*x)/c^6)*b^2*c^2*d + 2/75*(15*x^5*arcsin(c*x) + (3*\sqrt{-c^2*x^2 + 1}) * x^4/c^2 + 4*\sqrt{-c^2*x^2 + 1}*x^2/c^4 + 8*\sqrt{-c^2*x^2 + 1}/c^6)*c)*a*b*d + 2/1125*(15*(3*\sqrt{-c^2*x^2 + 1}) * x^4/c^2 + 4*\sqrt{-c^2*x^2 + 1}*x^2/c^4 + 8*\sqrt{-c^2*x^2 + 1}/c^6)*c*arcsin(c*x) - (9*c^4*x^5 + 20*c^2*x^3 + 120*x)/c^4)*b^2*d$$

**Fricas [A]** time = 1.89549, size = 559, normalized size = 1.93

$$1125(49a^2 - 2b^2)c^7dx^7 - 63(1225a^2 - 38b^2)c^5dx^5 + 5320b^2c^3dx^3 + 31920b^2cdx + 11025(5b^2c^7dx^7 - 7b^2c^5dx^5) \arcsin(c*x)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] 
$$-1/385875*(1125*(49*a^2 - 2*b^2)*c^7*d*x^7 - 63*(1225*a^2 - 38*b^2)*c^5*d*x^5 + 5320*b^2*c^3*d*x^3 + 31920*b^2*c*d*x + 11025*(5*b^2*c^7*d*x^7 - 7*b^2*c^5*d*x^5)*arcsin(c*x)^2 + 22050*(5*a*b*c^7*d*x^7 - 7*a*b*c^5*d*x^5)*arcsin(c*x) + 210*(75*a*b*c^6*d*x^6 - 57*a*b*c^4*d*x^4 - 76*a*b*c^2*d*x^2 - 152*a*b*d + (75*b^2*c^6*d*x^6 - 57*b^2*c^4*d*x^4 - 76*b^2*c^2*d*x^2 - 152*b^2*d)*arcsin(c*x))*sqrt(-c^2*x^2 + 1))/c^5$$

**Sympy [A]** time = 17.71, size = 388, normalized size = 1.34

$$\left\{ \begin{array}{l} -\frac{a^2c^2dx^7}{5} + \frac{a^2dx^5}{5} - \frac{2abc^2dx^7 \operatorname{asin}(cx)}{7} - \frac{2abcdx^6\sqrt{-c^2x^2+1}}{49} + \frac{2abdx^5 \operatorname{asin}(cx)}{5} + \frac{38abdx^4\sqrt{-c^2x^2+1}}{1225c} + \frac{152abdx^2\sqrt{-c^2x^2+1}}{3675c^3} + \frac{304abd\sqrt{-c^2x^2+1}}{3675c^5} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(-c\*\*2\*d\*x\*\*2+d)\*(a+b\*asin(c\*x))\*\*2,x)

```
[Out] Piecewise((-a**2*c**2*d*x**7/7 + a**2*d*x**5/5 - 2*a*b*c**2*d*x**7*asin(c*x)
)/7 - 2*a*b*c*d*x**6*sqrt(-c**2*x**2 + 1)/49 + 2*a*b*d*x**5*asin(c*x)/5 + 3
8*a*b*d*x**4*sqrt(-c**2*x**2 + 1)/(1225*c) + 152*a*b*d*x**2*sqrt(-c**2*x**2
+ 1)/(3675*c**3) + 304*a*b*d*sqrt(-c**2*x**2 + 1)/(3675*c**5) - b**2*c**2*
d*x**7*asin(c*x)**2/7 + 2*b**2*c**2*d*x**7/343 - 2*b**2*c*d*x**6*sqrt(-c**2
*x**2 + 1)*asin(c*x)/49 + b**2*d*x**5*asin(c*x)**2/5 - 38*b**2*d*x**5/6125
+ 38*b**2*d*x**4*sqrt(-c**2*x**2 + 1)*asin(c*x)/(1225*c) - 152*b**2*d*x**3/
(11025*c**2) + 152*b**2*d*x**2*sqrt(-c**2*x**2 + 1)*asin(c*x)/(3675*c**3) -
304*b**2*d*x/(3675*c**4) + 304*b**2*d*sqrt(-c**2*x**2 + 1)*asin(c*x)/(3675
*c**5), Ne(c, 0)), (a**2*d*x**5/5, True))
```

**Giac [A]** time = 1.46853, size = 668, normalized size = 2.3

$$-\frac{1}{7}a^2c^2dx^7 + \frac{1}{5}a^2dx^5 - \frac{(c^2x^2 - 1)^3 b^2 dx \arcsin(cx)^2}{7c^4} - \frac{2(c^2x^2 - 1)^3 abdx \arcsin(cx)}{7c^4} - \frac{8(c^2x^2 - 1)^2 b^2 dx \arcsin(cx)^2}{35c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(-c^2*d*x^2+d)*(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] -1/7*a^2*c^2*d*x^7 + 1/5*a^2*d*x^5 - 1/7*(c^2*x^2 - 1)^3*b^2*d*x*arcsin(c*x)
)^2/c^4 - 2/7*(c^2*x^2 - 1)^3*a*b*d*x*arcsin(c*x)/c^4 - 8/35*(c^2*x^2 - 1)^
2*b^2*d*x*arcsin(c*x)^2/c^4 + 2/343*(c^2*x^2 - 1)^3*b^2*d*x/c^4 - 16/35*(c^
2*x^2 - 1)^2*a*b*d*x*arcsin(c*x)/c^4 - 1/35*(c^2*x^2 - 1)*b^2*d*x*arcsin(c*
*x)^2/c^4 - 2/49*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b^2*d*arcsin(c*x)/c^5 +
484/42875*(c^2*x^2 - 1)^2*b^2*d*x/c^4 - 2/35*(c^2*x^2 - 1)*a*b*d*x*arcsin(c
*x)/c^4 + 2/35*b^2*d*x*arcsin(c*x)^2/c^4 - 2/49*(c^2*x^2 - 1)^3*sqrt(-c^2*x
^2 + 1)*a*b*d/c^5 - 16/175*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b^2*d*arcsin(
c*x)/c^5 - 3358/385875*(c^2*x^2 - 1)*b^2*d*x/c^4 + 4/35*a*b*d*x*arcsin(c*x)
/c^4 - 16/175*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*a*b*d/c^5 + 2/105*(-c^2*x^
2 + 1)^(3/2)*b^2*d*arcsin(c*x)/c^5 - 37384/385875*b^2*d*x/c^4 + 2/105*(-c^2
*x^2 + 1)^(3/2)*a*b*d/c^5 + 4/35*sqrt(-c^2*x^2 + 1)*b^2*d*arcsin(c*x)/c^5 +
4/35*sqrt(-c^2*x^2 + 1)*a*b*d/c^5
```

$$3.157 \quad \int x^3 (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=202

$$-\frac{1}{18}bcdx^5\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx)) + \frac{1}{6}dx^4(1-c^2x^2)(a+b\sin^{-1}(cx))^2 + \frac{bdx^3\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{18c} + \frac{bdx\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{18c}$$

[Out]  $-(b^2d*x^2)/(24*c^2) - (b^2d*x^4)/72 + (b^2*c^2*d*x^6)/108 + (b*d*x*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(12*c^3) + (b*d*x^3*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(18*c) - (b*c*d*x^5*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/18 - (d*(a + b*\text{ArcSin}[c*x])^2)/(24*c^4) + (d*x^4*(a + b*\text{ArcSin}[c*x])^2)/12 + (d*x^4*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/6$

**Rubi [A]** time = 0.537396, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$ , Rules used = {4699, 4627, 4707, 4641, 30, 4697}

$$-\frac{1}{18}bcdx^5\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx)) + \frac{1}{6}dx^4(1-c^2x^2)(a+b\sin^{-1}(cx))^2 + \frac{bdx^3\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{18c} + \frac{bdx\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{18c}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^3*(d - c^2*d*x^2)*(a + b*\text{ArcSin}[c*x])^2, x]$

[Out]  $-(b^2d*x^2)/(24*c^2) - (b^2d*x^4)/72 + (b^2*c^2*d*x^6)/108 + (b*d*x*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(12*c^3) + (b*d*x^3*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(18*c) - (b*c*d*x^5*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/18 - (d*(a + b*\text{ArcSin}[c*x])^2)/(24*c^4) + (d*x^4*(a + b*\text{ArcSin}[c*x])^2)/12 + (d*x^4*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/6$

### Rule 4699

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + e*x^2)^n*(d + e*x^2)^m, x] \text{Symbol} \rightarrow \text{Simp}[(f*x)^{m+1}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n]/(f*(m + 2*p + 1)), x] + (\text{Dist}[(2*d*p)/(m + 2*p + 1), \text{Int}[(f*x)^m*(d + e*x^2)^{p-1}*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]})/(f*(m + 2*p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}], \text{Int}[(f*x)^{m+1}*(1 - c^2*x^2)^{p-1/2}*(a + b*\text{ArcSin}[c*x])^{n-1}, x], x]) /; \text{FreeQ}[{a, b, c, d, e, f, m}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[p, 0] \&\& !\text{LtQ}[m, -1] \&\& (\text{RationalQ}[m] || \text{EqQ}[n, 1])$

Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4707

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n]/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] :> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 30

```
Int[(x_)^(m_.), x_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]
```

Rule 4697

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*Sqrt[(d_) +
(e_.)*(x_)^2], x_Symbol] :> Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[(f*x)^m*(a + b*ArcSin[c*x])^n]/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int x^3 (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{6} dx^4 (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 + \frac{1}{3} d \int x^3 (a + b \sin^{-1}(cx))^2 dx - \frac{1}{3} (bcd) \int \\
&= -\frac{1}{18} bcdx^5 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) + \frac{1}{12} dx^4 (a + b \sin^{-1}(cx))^2 + \frac{1}{6} dx^4 (1 - c^2 x^2) \\
&= \frac{1}{108} b^2 c^2 dx^6 + \frac{bdx^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{18c} - \frac{1}{18} bcdx^5 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \\
&= -\frac{1}{72} b^2 dx^4 + \frac{1}{108} b^2 c^2 dx^6 + \frac{bdx \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{12c^3} + \frac{bdx^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{18c} \\
&= -\frac{b^2 dx^2}{24c^2} - \frac{1}{72} b^2 dx^4 + \frac{1}{108} b^2 c^2 dx^6 + \frac{bdx \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{12c^3} + \frac{bdx^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{18c}
\end{aligned}$$

**Mathematica [A]** time = 0.161663, size = 192, normalized size = 0.95

$$\frac{d \left( 9a^2 (4c^6 x^6 - 6c^4 x^4 + 1) + 6abcx \sqrt{1 - c^2 x^2} (2c^4 x^4 - 2c^2 x^2 - 3) + 6b \sin^{-1}(cx) \left( 3a (4c^6 x^6 - 6c^4 x^4 + 1) + bcx \sqrt{1 - c^2 x^2} \right) \right)}{216c^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] -(d\*(b^2\*c^2\*x^2\*(9 + 3\*c^2\*x^2 - 2\*c^4\*x^4) + 6\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-3 - 2\*c^2\*x^2 + 2\*c^4\*x^4) + 9\*a^2\*(1 - 6\*c^4\*x^4 + 4\*c^6\*x^6) + 6\*b\*(b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-3 - 2\*c^2\*x^2 + 2\*c^4\*x^4) + 3\*a\*(1 - 6\*c^4\*x^4 + 4\*c^6\*x^6))\*ArcSin[c\*x] + 9\*b^2\*(1 - 6\*c^4\*x^4 + 4\*c^6\*x^6)\*ArcSin[c\*x]^2))/(216\*c^4)

**Maple [A]** time = 0.044, size = 306, normalized size = 1.5

$$\frac{1}{c^4} \left( -da^2 \left( \frac{c^6 x^6}{6} - \frac{c^4 x^4}{4} \right) - db^2 \left( -\frac{(\arcsin(cx))^2 c^4 x^4}{4} + \frac{\arcsin(cx)}{16} \left( -2c^3 x^3 \sqrt{-c^2 x^2 + 1} - 3cx \sqrt{-c^2 x^2 + 1} + 3 \arcsin(cx) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x)

```
[Out] 1/c^4*(-d*a^2*(1/6*c^6*x^6-1/4*c^4*x^4)-d*b^2*(-1/4*arcsin(c*x)^2*c^4*x^4+1/16*arcsin(c*x)*(-2*c^3*x^3*(-c^2*x^2+1)^(1/2)-3*c*x*(-c^2*x^2+1)^(1/2)+3*arcsin(c*x))-1/24*arcsin(c*x)^2+1/72*c^4*x^4+1/24*c^2*x^2+1/6*arcsin(c*x)^2*c^6*x^6-1/144*arcsin(c*x)*(-8*c^5*x^5*(-c^2*x^2+1)^(1/2)-10*c^3*x^3*(-c^2*x^2+1)^(1/2)-15*c*x*(-c^2*x^2+1)^(1/2)+15*arcsin(c*x))-1/108*c^6*x^6)-2*d*a*b*(1/6*arcsin(c*x)*c^6*x^6-1/4*c^4*x^4*arcsin(c*x)+1/36*c^5*x^5*(-c^2*x^2+1)^(1/2)-1/36*c^3*x^3*(-c^2*x^2+1)^(1/2)-1/24*c*x*(-c^2*x^2+1)^(1/2)+1/24*arcsin(c*x)))
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{6}a^2c^2dx^6 + \frac{1}{4}a^2dx^4 - \frac{1}{144} \left( 48x^6 \arcsin(cx) + \left( \frac{8\sqrt{-c^2x^2+1}x^5}{c^2} + \frac{10\sqrt{-c^2x^2+1}x^3}{c^4} + \frac{15\sqrt{-c^2x^2+1}x}{c^6} - \frac{15 \arcsin(cx)}{\sqrt{c^2c^6}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(-c^2*d*x^2+d)*(a+b*arcsin(c*x))^2,x, algorithm="maxima")
```

```
[Out] -1/6*a^2*c^2*d*x^6 + 1/4*a^2*d*x^4 - 1/144*(48*x^6*arcsin(c*x) + (8*sqrt(-c^2*x^2 + 1)*x^5/c^2 + 10*sqrt(-c^2*x^2 + 1)*x^3/c^4 + 15*sqrt(-c^2*x^2 + 1)*x/c^6 - 15*arcsin(c^2*x/sqrt(c^2))/(sqrt(c^2)*c^6))*c)*a*b*c^2*d + 1/16*(8*x^4*arcsin(c*x) + (2*sqrt(-c^2*x^2 + 1)*x^3/c^2 + 3*sqrt(-c^2*x^2 + 1)*x/c^4 - 3*arcsin(c^2*x/sqrt(c^2))/(sqrt(c^2)*c^4))*c)*a*b*d - 1/12*(2*b^2*c^2*d*x^6 - 3*b^2*d*x^4)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2 - integrate(1/6*(2*b^2*c^3*d*x^6 - 3*b^2*c*d*x^4)*sqrt(c*x + 1)*sqrt(-c*x + 1)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))/(c^2*x^2 - 1), x)
```

**Fricas [A]** time = 1.90308, size = 470, normalized size = 2.33

$$\frac{2(18a^2 - b^2)c^6dx^6 - 3(18a^2 - b^2)c^4dx^4 + 9b^2c^2dx^2 + 9(4b^2c^6dx^6 - 6b^2c^4dx^4 + b^2d) \arcsin(cx)^2 + 18(4abc^6dx^6 -$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(-c^2*d*x^2+d)*(a+b*arcsin(c*x))^2,x, algorithm="fricas")
```

```
[Out] -1/216*(2*(18*a^2 - b^2)*c^6*d*x^6 - 3*(18*a^2 - b^2)*c^4*d*x^4 + 9*b^2*c^2*d*x^2 + 9*(4*b^2*c^6*d*x^6 - 6*b^2*c^4*d*x^4 + b^2*d)*arcsin(c*x)^2 + 18*(
```

$$4*a*b*c^6*d*x^6 - 6*a*b*c^4*d*x^4 + a*b*d)*\arcsin(c*x) + 6*(2*a*b*c^5*d*x^5 - 2*a*b*c^3*d*x^3 - 3*a*b*c*d*x + (2*b^2*c^5*d*x^5 - 2*b^2*c^3*d*x^3 - 3*b^2*c*d*x)*\arcsin(c*x))*\sqrt{-c^2*x^2 + 1})/c^4$$

**Sympy [A]** time = 12.1833, size = 332, normalized size = 1.64

$$\left\{ \begin{array}{l} -\frac{a^2c^2dx^6}{4} + \frac{a^2dx^4}{4} - \frac{abc^2dx^6 \arcsin(cx)}{3} - \frac{abcdx^5\sqrt{-c^2x^2+1}}{18} + \frac{abdx^4 \arcsin(cx)}{2} + \frac{abdx^3\sqrt{-c^2x^2+1}}{18c} + \frac{abdx\sqrt{-c^2x^2+1}}{12c^3} - \frac{abd \arcsin(cx)}{12c^4} - \frac{b^2c^2dx^6 \arcsin^2(cx)}{6} \\ \frac{a^2dx^4}{4} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-c\*\*2\*d\*x\*\*2+d)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Piecewise((-a\*\*2\*c\*\*2\*d\*x\*\*6/6 + a\*\*2\*d\*x\*\*4/4 - a\*b\*c\*\*2\*d\*x\*\*6\*asin(c\*x)/3 - a\*b\*c\*d\*x\*\*5\*sqrt(-c\*\*2\*x\*\*2 + 1)/18 + a\*b\*d\*x\*\*4\*asin(c\*x)/2 + a\*b\*d\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/(18\*c) + a\*b\*d\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)/(12\*c\*\*3) - a\*b\*d\*asin(c\*x)/(12\*c\*\*4) - b\*\*2\*c\*\*2\*d\*x\*\*6\*asin(c\*x)\*\*2/6 + b\*\*2\*c\*\*2\*d\*x\*\*6/108 - b\*\*2\*c\*d\*x\*\*5\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/18 + b\*\*2\*d\*x\*\*4\*asin(c\*x)\*\*2/4 - b\*\*2\*d\*x\*\*4/72 + b\*\*2\*d\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(18\*c) - b\*\*2\*d\*x\*\*2/(24\*c\*\*2) + b\*\*2\*d\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(12\*c\*\*3) - b\*\*2\*d\*asin(c\*x)\*\*2/(24\*c\*\*4), Ne(c, 0)), (a\*\*2\*d\*x\*\*4/4, True))

**Giac [B]** time = 1.37161, size = 535, normalized size = 2.65

$$\frac{(c^2x^2 - 1)^2 \sqrt{-c^2x^2 + 1} b^2 dx \arcsin(cx)}{18c^3} - \frac{(c^2x^2 - 1)^3 b^2 d \arcsin(cx)^2}{6c^4} - \frac{(c^2x^2 - 1)^2 \sqrt{-c^2x^2 + 1} abdx}{18c^3} + \frac{(-c^2x^2 + 1)^{\frac{3}{2}} b^2 d}{18c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] -1/18\*(c^2\*x^2 - 1)^2\*sqrt(-c^2\*x^2 + 1)\*b^2\*d\*x\*arcsin(c\*x)/c^3 - 1/6\*(c^2\*x^2 - 1)^3\*b^2\*d\*arcsin(c\*x)^2/c^4 - 1/18\*(c^2\*x^2 - 1)^2\*sqrt(-c^2\*x^2 + 1)\*a\*b\*d\*x/c^3 + 1/18\*(-c^2\*x^2 + 1)^(3/2)\*b^2\*d\*x\*arcsin(c\*x)/c^3 - 1/3\*(c^2\*x^2 - 1)^3\*a\*b\*d\*arcsin(c\*x)/c^4 - 1/4\*(c^2\*x^2 - 1)^2\*b^2\*d\*arcsin(c\*x)^2/c^4 + 1/18\*(-c^2\*x^2 + 1)^(3/2)\*a\*b\*d\*x/c^3 + 1/12\*sqrt(-c^2\*x^2 + 1)\*b^2\*d\*x\*arcsin(c\*x)/c^3 - 1/6\*(c^2\*x^2 - 1)^3\*a^2\*d/c^4 + 1/108\*(c^2\*x^2 - 1)^3\*b^2\*d/c^4 - 1/2\*(c^2\*x^2 - 1)^2\*a\*b\*d\*arcsin(c\*x)/c^4 + 1/12\*sqrt(-c^2\*x



$$\begin{aligned} &^2 + 1) * a * b * d * x / c^3 - 1/4 * (c^2 * x^2 - 1)^2 * a^2 * d / c^4 + 1/72 * (c^2 * x^2 - 1)^2 * \\ &b^2 * d / c^4 + 1/24 * b^2 * d * \arcsin(c * x)^2 / c^4 - 1/24 * (c^2 * x^2 - 1) * b^2 * d / c^4 + 1 \\ &/12 * a * b * d * \arcsin(c * x) / c^4 - 5/216 * b^2 * d / c^4 \end{aligned}$$

### 3.158 $\int x^2 (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx$

**Optimal.** Leaf size=211

$$\frac{1}{5} dx^3 (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 + \frac{4bdx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{45c} - \frac{2bd(1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{25c^3} + \frac{2bd(1 - c^2 x^2)}{25c^3}$$

[Out]  $(-52*b^2*d*x)/(225*c^2) - (26*b^2*d*x^3)/675 + (2*b^2*c^2*d*x^5)/125 + (8*b*d*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(45*c^3) + (4*b*d*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(45*c) + (2*b*d*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/(15*c^3) - (2*b*d*(1 - c^2*x^2)^(5/2)*(a + b*ArcSin[c*x]))/(25*c^3) + (2*d*x^3*(a + b*ArcSin[c*x])^2)/15 + (d*x^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/5$

**Rubi [A]** time = 0.33748, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 10, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {4699, 4627, 4707, 4677, 8, 30, 266, 43, 4689, 12}

$$\frac{1}{5} dx^3 (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 + \frac{4bdx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{45c} - \frac{2bd(1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{25c^3} + \frac{2bd(1 - c^2 x^2)}{25c^3}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $(-52*b^2*d*x)/(225*c^2) - (26*b^2*d*x^3)/675 + (2*b^2*c^2*d*x^5)/125 + (8*b*d*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(45*c^3) + (4*b*d*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(45*c) + (2*b*d*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/(15*c^3) - (2*b*d*(1 - c^2*x^2)^(5/2)*(a + b*ArcSin[c*x]))/(25*c^3) + (2*d*x^3*(a + b*ArcSin[c*x])^2)/15 + (d*x^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/5$

#### Rule 4699

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^n\_.\*((f\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2\*p + 1)), x] + (Dist[(2\*d\*p)/(m + 2\*p + 1), Int[(f\*x)^m\*(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] &&

GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

### Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((d\_.)\*(x\_.))^ (m\_.), x\_Symbol] :> Simp[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_.))^ (m\_.))/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[(f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n]/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*(x\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^ (p\_.), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 43

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

### Rule 4689

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_)
, x_Symbol] := With[{u = IntHide[x^m*(1 - c^2*x^2)^p, x]}, Dist[d^p*(a + b*
ArcSin[c*x]), u, x] - Dist[b*c*d^p, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^
2], x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && Intege
rQ[p - 1/2] && (IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2*p + 3)/2, 0]) && NeQ[p, -
2^(-1)] && GtQ[d, 0]
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rubi steps

$$\begin{aligned}
\int x^2 (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{5} dx^3 (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 + \frac{1}{5} (2d) \int x^2 (a + b \sin^{-1}(cx))^2 dx - \frac{1}{5} (2bcd) \int x^2 (a + b \sin^{-1}(cx)) dx \\
&= \frac{2bd (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{15c^3} - \frac{2bd (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{25c^3} + \frac{2}{15} dx^3 \\
&= \frac{4bdx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{45c} + \frac{2bd (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{15c^3} - \frac{2bd (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{25c^3} \\
&= -\frac{4b^2 dx}{75c^2} - \frac{26}{675} b^2 dx^3 + \frac{2}{125} b^2 c^2 dx^5 + \frac{8bd \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{45c^3} + \frac{4bdx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{45c} \\
&= -\frac{52b^2 dx}{225c^2} - \frac{26}{675} b^2 dx^3 + \frac{2}{125} b^2 c^2 dx^5 + \frac{8bd \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{45c^3} + \frac{4bdx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{45c}
\end{aligned}$$

**Mathematica [A]** time = 0.21888, size = 179, normalized size = 0.85

$$\frac{d \left( 225a^2c^3x^3(3c^2x^2 - 5) + 30ab\sqrt{1 - c^2x^2}(9c^4x^4 - 13c^2x^2 - 26) + 30b \sin^{-1}(cx) \left( 15ac^3x^3(3c^2x^2 - 5) + b\sqrt{1 - c^2x^2}(9c^4x^4 - 13c^2x^2 - 26) \right) \right)}{3375c^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $-(d*(225*a^2*c^3*x^3*(-5 + 3*c^2*x^2) + 30*a*b*\text{Sqrt}[1 - c^2*x^2]*(-26 - 13*c^2*x^2 + 9*c^4*x^4) + b^2*(780*c*x + 130*c^3*x^3 - 54*c^5*x^5) + 30*b*(15*a*c^3*x^3*(-5 + 3*c^2*x^2) + b*\text{Sqrt}[1 - c^2*x^2]*(-26 - 13*c^2*x^2 + 9*c^4*x^4)))*\text{ArcSin}[c*x] + 225*b^2*c^3*x^3*(-5 + 3*c^2*x^2)*\text{ArcSin}[c*x]^2)/(3375*c^3)$

**Maple [A]** time = 0.087, size = 280, normalized size = 1.3

$$\frac{1}{c^3} \left( -da^2 \left( \frac{c^5 x^5}{5} - \frac{c^3 x^3}{3} \right) - db^2 \left( \frac{(\arcsin(cx))^2 (c^2 x^2 - 3) cx}{3} + \frac{4cx}{15} - \frac{4 \arcsin(cx) \sqrt{-c^2 x^2 + 1}}{15} + \frac{2(c^2 x^2 - 1) \arcsin(cx)}{45} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x)

[Out]  $1/c^3*(-d*a^2*(1/5*c^5*x^5-1/3*c^3*x^3)-d*b^2*(1/3*\arcsin(c*x)^2*(c^2*x^2-3)*c*x+4/15*c*x-4/15*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}+2/45*\arcsin(c*x)*(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}-2/135*(c^2*x^2-3)*c*x+1/15*\arcsin(c*x)^2*(3*c^4*x^4-10*c^2*x^2+15)*c*x+2/25*\arcsin(c*x)*(c^2*x^2-1)^2*(-c^2*x^2+1)^{(1/2)}-2/375*(3*c^4*x^4-10*c^2*x^2+15)*c*x)-2*d*a*b*(1/5*\arcsin(c*x)*c^5*x^5-1/3*c^3*x^3*\arcsin(c*x)+1/25*c^4*x^4*(-c^2*x^2+1)^{(1/2)}-13/225*c^2*x^2*(-c^2*x^2+1)^{(1/2)}-26/225*(-c^2*x^2+1)^{(1/2))}$

**Maxima [A]** time = 1.65787, size = 478, normalized size = 2.27

$$-\frac{1}{5} b^2 c^2 dx^5 \arcsin(cx)^2 - \frac{1}{5} a^2 c^2 dx^5 + \frac{1}{3} b^2 dx^3 \arcsin(cx)^2 - \frac{2}{75} \left( 15 x^5 \arcsin(cx) + \left( \frac{3 \sqrt{-c^2 x^2 + 1} x^4}{c^2} + \frac{4 \sqrt{-c^2 x^2 + 1}}{c^4} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out]  $-1/5*b^2*c^2*d*x^5*\arcsin(c*x)^2 - 1/5*a^2*c^2*d*x^5 + 1/3*b^2*d*x^3*\arcsin(c*x)^2 - 2/75*(15*x^5*\arcsin(c*x) + (3*\text{sqrt}(-c^2*x^2 + 1)*x^4/c^2 + 4*\text{sqrt}(-c^2*x^2 + 1)*x^2/c^4 + 8*\text{sqrt}(-c^2*x^2 + 1)/c^6)*c)*a*b*c^2*d - 2/1125*(15*(3*\text{sqrt}(-c^2*x^2 + 1)*x^4/c^2 + 4*\text{sqrt}(-c^2*x^2 + 1)*x^2/c^4 + 8*\text{sqrt}(-c^2*x^2 + 1)/c^6)*c)$

$$2x^2 + 1)/c^6)*c*\arcsin(cx) - (9c^4x^5 + 20c^2x^3 + 120x)/c^4)*b^2*c^2*d + 1/3*a^2*d*x^3 + 2/9*(3x^3*\arcsin(cx) + c*(\sqrt{-c^2*x^2 + 1})*x^2/c^2 + 2*\sqrt{-c^2*x^2 + 1}/c^4))*a*b*d + 2/27*(3c*(\sqrt{-c^2*x^2 + 1})*x^2/c^2 + 2*\sqrt{-c^2*x^2 + 1}/c^4)*\arcsin(cx) - (c^2*x^3 + 6*x)/c^2)*b^2*d$$

**Fricas [A]** time = 1.79953, size = 456, normalized size = 2.16

$$\frac{27(25a^2 - 2b^2)c^5dx^5 - 5(225a^2 - 26b^2)c^3dx^3 + 780b^2cdx + 225(3b^2c^5dx^5 - 5b^2c^3dx^3)\arcsin(cx)^2 + 450(3abc^5dx^5 - 5abc^3dx^3)\arcsin(cx) + 30(9a^2b^2c^4dx^4 - 13a^2b^2c^2dx^2 - 26a^2b^2d + (9b^2c^4dx^4 - 13b^2c^2dx^2 - 26b^2d)\arcsin(cx))\sqrt{-c^2x^2 + 1}}{c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] -1/3375\*(27\*(25\*a^2 - 2\*b^2)\*c^5\*d\*x^5 - 5\*(225\*a^2 - 26\*b^2)\*c^3\*d\*x^3 + 780\*b^2\*c\*d\*x + 225\*(3\*b^2\*c^5\*d\*x^5 - 5\*b^2\*c^3\*d\*x^3)\*arcsin(c\*x)^2 + 450\*(3\*a\*b\*c^5\*d\*x^5 - 5\*a\*b\*c^3\*d\*x^3)\*arcsin(c\*x) + 30\*(9\*a\*b\*c^4\*d\*x^4 - 13\*a\*b\*c^2\*d\*x^2 - 26\*a\*b\*d + (9\*b^2\*c^4\*d\*x^4 - 13\*b^2\*c^2\*d\*x^2 - 26\*b^2\*d)\*arcsin(c\*x))\*sqrt(-c^2\*x^2 + 1))/c^3

**Sympy [A]** time = 6.33685, size = 313, normalized size = 1.48

$$\left\{ \begin{array}{l} -\frac{a^2c^2dx^5}{3} + \frac{a^2dx^3}{3} - \frac{2abc^2dx^5\arcsin(cx)}{5} - \frac{2abcdx^4\sqrt{-c^2x^2+1}}{25} + \frac{2abdx^3\arcsin(cx)}{3} + \frac{26abd^2x^2\sqrt{-c^2x^2+1}}{225c} + \frac{52abd\sqrt{-c^2x^2+1}}{225c^3} - \frac{b^2c^2dx^5\arcsin^2(cx)}{5} + \frac{2b^2c^2dx^3\arcsin^2(cx)}{5} \\ \frac{a^2dx^3}{3} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-c\*\*2\*d\*x\*\*2+d)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Piecewise((-a\*\*2\*c\*\*2\*d\*x\*\*5/5 + a\*\*2\*d\*x\*\*3/3 - 2\*a\*b\*c\*\*2\*d\*x\*\*5\*asin(c\*x))/5 - 2\*a\*b\*c\*d\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/25 + 2\*a\*b\*d\*x\*\*3\*asin(c\*x)/3 + 26\*a\*b\*d\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(225\*c) + 52\*a\*b\*d\*sqrt(-c\*\*2\*x\*\*2 + 1)/(225\*c\*\*3) - b\*\*2\*c\*\*2\*d\*x\*\*5\*asin(c\*x)\*\*2/5 + 2\*b\*\*2\*c\*\*2\*d\*x\*\*5/125 - 2\*b\*\*2\*c\*d\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/25 + b\*\*2\*d\*x\*\*3\*asin(c\*x)\*\*2/3 - 26\*b\*\*2\*d\*x\*\*3/675 + 26\*b\*\*2\*d\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(225\*c) - 52\*b\*\*2\*d\*x/(225\*c\*\*2) + 52\*b\*\*2\*d\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(225\*c\*\*3), Ne(c, 0)), (a\*\*2\*d\*x\*\*3/3, True))

---

**Giac [A]** time = 1.51352, size = 481, normalized size = 2.28

$$-\frac{1}{5}a^2c^2dx^5 + \frac{1}{3}a^2dx^3 - \frac{(c^2x^2 - 1)^2 b^2 dx \arcsin(cx)^2}{5c^2} - \frac{2(c^2x^2 - 1)^2 ab dx \arcsin(cx)}{5c^2} - \frac{(c^2x^2 - 1)b^2 dx \arcsin(cx)^2}{15c^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] 
$$-1/5*a^2*c^2*d*x^5 + 1/3*a^2*d*x^3 - 1/5*(c^2*x^2 - 1)^2*b^2*d*x*\arcsin(c*x)^2/c^2 - 2/5*(c^2*x^2 - 1)^2*a*b*d*x*\arcsin(c*x)/c^2 - 1/15*(c^2*x^2 - 1)*b^2*d*x*\arcsin(c*x)^2/c^2 + 2/125*(c^2*x^2 - 1)^2*b^2*d*x/c^2 - 2/15*(c^2*x^2 - 1)*a*b*d*x*\arcsin(c*x)/c^2 + 2/15*b^2*d*x*\arcsin(c*x)^2/c^2 - 2/25*(c^2*x^2 - 1)^2*\sqrt{-c^2*x^2 + 1}*b^2*d*\arcsin(c*x)/c^3 - 22/3375*(c^2*x^2 - 1)*b^2*d*x/c^2 + 4/15*a*b*d*x*\arcsin(c*x)/c^2 - 2/25*(c^2*x^2 - 1)^2*\sqrt{-c^2*x^2 + 1}*a*b*d/c^3 + 2/45*(-c^2*x^2 + 1)^{(3/2)}*b^2*d*\arcsin(c*x)/c^3 - 856/3375*b^2*d*x/c^2 + 2/45*(-c^2*x^2 + 1)^{(3/2)}*a*b*d/c^3 + 4/15*\sqrt{-c^2*x^2 + 1}*b^2*d*\arcsin(c*x)/c^3 + 4/15*\sqrt{-c^2*x^2 + 1}*a*b*d/c^3$$

### 3.159 $\int x (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx$

**Optimal.** Leaf size=138

$$\frac{bdx(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))}{8c} + \frac{3bdx\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{16c} - \frac{d(1-c^2x^2)^2(a+b\sin^{-1}(cx))^2}{4c^2} + \frac{3d(a+b\sin^{-1}(cx))^2}{32c^2}$$

[Out]  $(-5*b^2*d*x^2)/32 + (b^2*c^2*d*x^4)/32 + (3*b*d*x*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(16*c) + (b*d*x*(1 - c^2*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(8*c) + (3*d*(a + b*\text{ArcSin}[c*x])^2)/(32*c^2) - (d*(1 - c^2*x^2)^2*(a + b*\text{ArcSin}[c*x])^2)/(4*c^2)$

**Rubi [A]** time = 0.132724, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {4677, 4649, 4647, 4641, 30, 14}

$$\frac{bdx(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))}{8c} + \frac{3bdx\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{16c} - \frac{d(1-c^2x^2)^2(a+b\sin^{-1}(cx))^2}{4c^2} + \frac{3d(a+b\sin^{-1}(cx))^2}{32c^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x*(d - c^2*d*x^2)*(a + b*\text{ArcSin}[c*x])^2, x]$

[Out]  $(-5*b^2*d*x^2)/32 + (b^2*c^2*d*x^4)/32 + (3*b*d*x*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(16*c) + (b*d*x*(1 - c^2*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(8*c) + (3*d*(a + b*\text{ArcSin}[c*x])^2)/(32*c^2) - (d*(1 - c^2*x^2)^2*(a + b*\text{ArcSin}[c*x])^2)/(4*c^2)$

#### Rule 4677

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)]^{(n_.)}*(d_.) + (e_.)*(x_)^2]^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^{(p + 1)}*(a + b*\text{ArcSin}[c*x])^n]/(2*e*(p + 1)), x] + \text{Dist}[(b^n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]})/(2*c*(p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(1 - c^2*x^2)^{(p + 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, p\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[p, -1]$

#### Rule 4649

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)]^{(n_.)}*(d_.) + (e_.)*(x_)^2]^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[x*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n]/(2*p + 1), x] + (D$



```

Int[(2*d*p)/(2*p + 1), Int[(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x
] - Dist[(b*c*n*d*IntPart[p]*(d + e*x^2)^FracPart[p])/((2*p + 1)*(1 - c^2*x
^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0]

```

#### Rule 4647

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_)*Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] :> Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt
[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x
^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a
+ b*ArcSin[c*x])^(n - 1), x], x) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d
+ e, 0] && GtQ[n, 0]

```

#### Rule 4641

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] :> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

```

#### Rule 30

```

Int[(x_)^(m_.), x_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]

```

#### Rule 14

```

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
+ (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

```

#### Rubi steps

$$\begin{aligned}
\int x(d - c^2 dx^2)(a + b \sin^{-1}(cx))^2 dx &= -\frac{d(1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2}{4c^2} + \frac{(bd) \int (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) dx}{2c} \\
&= \frac{bdx(1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{8c} - \frac{d(1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2}{4c^2} - \frac{1}{8} (b^2 d) \int \sqrt{1 - c^2 x^2} dx \\
&= \frac{3bdx\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{16c} + \frac{bdx(1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{8c} - \frac{d(1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2}{4c^2} \\
&= -\frac{5}{32} b^2 dx^2 + \frac{1}{32} b^2 c^2 dx^4 + \frac{3bdx\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{16c} + \frac{bdx(1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{8c}
\end{aligned}$$

**Mathematica [A]** time = 0.288349, size = 157, normalized size = 1.14

$$\frac{d \left( cx \left( 8a^2 cx (c^2 x^2 - 2) + 2ab\sqrt{1 - c^2 x^2} (2c^2 x^2 - 5) + b^2 cx (5 - c^2 x^2) \right) + 2b \sin^{-1}(cx) \left( a (8c^4 x^4 - 16c^2 x^2 + 5) + bcx\sqrt{1 - c^2 x^2} \right) \right)}{32c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] -(d\*(c\*x\*(b^2\*c\*x\*(5 - c^2\*x^2) + 8\*a^2\*c\*x\*(-2 + c^2\*x^2) + 2\*a\*b\*Sqrt[1 - c^2\*x^2]\*(-5 + 2\*c^2\*x^2)) + 2\*b\*(b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-5 + 2\*c^2\*x^2) + a\*(5 - 16\*c^2\*x^2 + 8\*c^4\*x^4))\*ArcSin[c\*x] + b^2\*(5 - 16\*c^2\*x^2 + 8\*c^4\*x^4)\*ArcSin[c\*x]^2))/(32\*c^2)

**Maple [A]** time = 0.078, size = 206, normalized size = 1.5

$$\frac{1}{c^2} \left( -da^2 \left( \frac{c^4 x^4}{4} - \frac{c^2 x^2}{2} \right) - db^2 \left( \frac{(\arcsin(cx))^2 (c^2 x^2 - 1)^2}{4} - \frac{\arcsin(cx)}{16} \left( -2c^3 x^3 \sqrt{-c^2 x^2 + 1} + 5cx\sqrt{-c^2 x^2 + 1} + 3 \arcsin(cx) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x)

[Out] 1/c^2\*(-d\*a^2\*(1/4\*c^4\*x^4-1/2\*c^2\*x^2)-d\*b^2\*(1/4\*arcsin(c\*x)^2\*(c^2\*x^2-1)^2-1/16\*arcsin(c\*x)\*(-2\*c^3\*x^3\*(-c^2\*x^2+1)^(1/2)+5\*c\*x\*(-c^2\*x^2+1)^(1/2)+3\*arcsin(c\*x))+3/32\*arcsin(c\*x)^2-1/32\*(c^2\*x^2-1)^2+3/32\*c^2\*x^2-3/32)-2

$$*d*a*b*(1/4*c^4*x^4*\arcsin(c*x)-1/2*c^2*x^2*\arcsin(c*x)+1/16*c^3*x^3*(-c^2*x^2+1)^{(1/2)}-5/32*c*x*(-c^2*x^2+1)^{(1/2)}+5/32*\arcsin(c*x))$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4}a^2c^2dx^4 - \frac{1}{16}\left(8x^4\arcsin(cx) + \left(\frac{2\sqrt{-c^2x^2+1}x^3}{c^2} + \frac{3\sqrt{-c^2x^2+1}x}{c^4} - \frac{3\arcsin\left(\frac{c^2x}{\sqrt{c^2}}\right)}{\sqrt{c^2}c^4}\right)c\right)abc^2d + \frac{1}{2}a^2dx^2 + \frac{1}{2}\left(2x^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] -1/4\*a^2\*c^2\*d\*x^4 - 1/16\*(8\*x^4\*arcsin(c\*x) + (2\*sqrt(-c^2\*x^2 + 1)\*x^3/c^2 + 3\*sqrt(-c^2\*x^2 + 1)\*x/c^4 - 3\*arcsin(c^2\*x/sqrt(c^2))/(sqrt(c^2)\*c^4)) \*c)\*a\*b\*c^2\*d + 1/2\*a^2\*d\*x^2 + 1/2\*(2\*x^2\*arcsin(c\*x) + c\*(sqrt(-c^2\*x^2 + 1)\*x/c^2 - arcsin(c^2\*x/sqrt(c^2))/(sqrt(c^2)\*c^2))\*a\*b\*d - 1/4\*(b^2\*c^2\*d\*x^4 - 2\*b^2\*d\*x^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2 - integrate(1/2\*(b^2\*c^3\*d\*x^4 - 2\*b^2\*c\*d\*x^2)\*sqrt(c\*x + 1)\*sqrt(-c\*x + 1)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/(c^2\*x^2 - 1), x)

**Fricas [A]** time = 1.93991, size = 396, normalized size = 2.87

$$\frac{(8a^2 - b^2)c^4dx^4 - (16a^2 - 5b^2)c^2dx^2 + (8b^2c^4dx^4 - 16b^2c^2dx^2 + 5b^2d)\arcsin(cx)^2 + 2(8abc^4dx^4 - 16abc^2dx^2 + 5b^2d)}{32c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] -1/32\*((8\*a^2 - b^2)\*c^4\*d\*x^4 - (16\*a^2 - 5\*b^2)\*c^2\*d\*x^2 + (8\*b^2\*c^4\*d\*x^4 - 16\*b^2\*c^2\*d\*x^2 + 5\*b^2\*d)\*arcsin(c\*x)^2 + 2\*(8\*a\*b\*c^4\*d\*x^4 - 16\*a\*b\*c^2\*d\*x^2 + 5\*a\*b\*d)\*arcsin(c\*x) + 2\*(2\*a\*b\*c^3\*d\*x^3 - 5\*a\*b\*c\*d\*x + (2\*b^2\*c^3\*d\*x^3 - 5\*b^2\*c\*d\*x)\*arcsin(c\*x))\*sqrt(-c^2\*x^2 + 1))/c^2

**Sympy [A]** time = 4.00265, size = 269, normalized size = 1.95

$$\left\{ \begin{array}{l} -\frac{a^2 c^2 dx^4}{2} + \frac{a^2 dx^2}{2} - \frac{abc^2 dx^4 \operatorname{asin}(cx)}{2} - \frac{abcdx^3 \sqrt{-c^2 x^2 + 1}}{8} + abdx^2 \operatorname{asin}(cx) + \frac{5abdx \sqrt{-c^2 x^2 + 1}}{16c} - \frac{5abd \operatorname{asin}(cx)}{16c^2} - \frac{b^2 c^2 dx^4 \operatorname{asin}^2(cx)}{4} + \frac{b^2 c^2 dx^2 \operatorname{asin}^2(cx)}{32} \\ \frac{a^2 dx^2}{2} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c\*\*2\*d\*x\*\*2+d)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Piecewise((-a\*\*2\*c\*\*2\*d\*x\*\*4/4 + a\*\*2\*d\*x\*\*2/2 - a\*b\*c\*\*2\*d\*x\*\*4\*asin(c\*x)/2 - a\*b\*c\*d\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/8 + a\*b\*d\*x\*\*2\*asin(c\*x) + 5\*a\*b\*d\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)/(16\*c) - 5\*a\*b\*d\*asin(c\*x)/(16\*c\*\*2) - b\*\*2\*c\*\*2\*d\*x\*\*4\*asin(c\*x)\*\*2/4 + b\*\*2\*c\*\*2\*d\*x\*\*4/32 - b\*\*2\*c\*d\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/8 + b\*\*2\*d\*x\*\*2\*asin(c\*x)\*\*2/2 - 5\*b\*\*2\*d\*x\*\*2/32 + 5\*b\*\*2\*d\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(16\*c) - 5\*b\*\*2\*d\*asin(c\*x)\*\*2/(32\*c\*\*2), Ne(c, 0)), (a\*\*2\*d\*x\*\*2/2, True))

**Giac [A]** time = 1.45066, size = 321, normalized size = 2.33

$$\frac{(-c^2 x^2 + 1)^{\frac{3}{2}} b^2 dx \arcsin(cx)}{8c} - \frac{(c^2 x^2 - 1)^2 b^2 d \arcsin(cx)^2}{4c^2} + \frac{(-c^2 x^2 + 1)^{\frac{3}{2}} abdx}{8c} + \frac{3\sqrt{-c^2 x^2 + 1} b^2 dx \arcsin(cx)}{16c} - \frac{(c^2 x^2 - 1)^2 b^2 d \arcsin(cx)^2}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] 1/8\*(-c^2\*x^2 + 1)^(3/2)\*b^2\*d\*x\*arcsin(c\*x)/c - 1/4\*(c^2\*x^2 - 1)^2\*b^2\*d\*arcsin(c\*x)^2/c^2 + 1/8\*(-c^2\*x^2 + 1)^(3/2)\*a\*b\*d\*x/c + 3/16\*sqrt(-c^2\*x^2 + 1)\*b^2\*d\*x\*arcsin(c\*x)/c - 1/2\*(c^2\*x^2 - 1)^2\*a\*b\*d\*arcsin(c\*x)/c^2 + 3/16\*sqrt(-c^2\*x^2 + 1)\*a\*b\*d\*x/c - 1/4\*(c^2\*x^2 - 1)^2\*a^2\*d/c^2 + 1/32\*(c^2\*x^2 - 1)^2\*b^2\*d/c^2 + 3/32\*b^2\*d\*arcsin(c\*x)^2/c^2 - 3/32\*(c^2\*x^2 - 1)\*b^2\*d/c^2 + 3/16\*a\*b\*d\*arcsin(c\*x)/c^2 - 15/256\*b^2\*d/c^2

### 3.160 $\int (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx$

**Optimal.** Leaf size=128

$$\frac{1}{3} dx (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 + \frac{2bd(1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{9c} + \frac{4bd\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3c} + \frac{2}{3} dx (a + b \sin^{-1}(cx))$$

[Out]  $(-14*b^2*d*x)/9 + (2*b^2*c^2*d*x^3)/27 + (4*b*d*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(3*c) + (2*b*d*(1 - c^2*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(9*c) + (2*d*x*(a + b*\text{ArcSin}[c*x])^2)/3 + (d*x*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/3$

**Rubi [A]** time = 0.137281, antiderivative size = 128, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4649, 4619, 4677, 8}

$$\frac{1}{3} dx (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 + \frac{2bd(1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{9c} + \frac{4bd\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3c} + \frac{2}{3} dx (a + b \sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d - c^2*d*x^2)*(a + b*\text{ArcSin}[c*x])^2, x]$

[Out]  $(-14*b^2*d*x)/9 + (2*b^2*c^2*d*x^3)/27 + (4*b*d*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(3*c) + (2*b*d*(1 - c^2*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(9*c) + (2*d*x*(a + b*\text{ArcSin}[c*x])^2)/3 + (d*x*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/3$

#### Rule 4649

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + (d + e*x^2)^p)^n, x] \rightarrow \text{Simp}[(x*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n)/(2*p + 1), x] + (\text{Dist}[(2*d*p)/(2*p + 1), \text{Int}[(d + e*x^2)^{p-1}*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}]/((2*p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[x*(1 - c^2*x^2)^{p-1/2}*(a + b*\text{ArcSin}[c*x])^{n-1}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[p, 0]$

#### Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

### Rubi steps

$$\begin{aligned} \int (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{3} dx (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 + \frac{1}{3} (2d) \int (a + b \sin^{-1}(cx))^2 dx - \frac{1}{3} (2bcd) \int x^2 (a + b \sin^{-1}(cx))^2 dx \\ &= \frac{2bd(1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{9c} + \frac{2}{3} dx (a + b \sin^{-1}(cx))^2 + \frac{1}{3} dx (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 \\ &= -\frac{2}{9} b^2 dx + \frac{2}{27} b^2 c^2 dx^3 + \frac{4bd\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3c} + \frac{2bd(1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{9c} \\ &= -\frac{14}{9} b^2 dx + \frac{2}{27} b^2 c^2 dx^3 + \frac{4bd\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3c} + \frac{2bd(1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{9c} \end{aligned}$$

**Mathematica [A]** time = 0.203339, size = 137, normalized size = 1.07

$$\frac{d \left( 9a^2 cx (c^2 x^2 - 3) + 6ab \sqrt{1 - c^2 x^2} (c^2 x^2 - 7) + 6b \sin^{-1}(cx) \left( 3acx (c^2 x^2 - 3) + b \sqrt{1 - c^2 x^2} (c^2 x^2 - 7) \right) - 2b^2 cx (c^2 x^2 - 3) \right)}{27c}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d - c^2*d*x^2)*(a + b*ArcSin[c*x])^2,x]
```

```
[Out] -(d*(-2*b^2*c*x*(-21 + c^2*x^2) + 6*a*b*Sqrt[1 - c^2*x^2]*(-7 + c^2*x^2) + 9*a^2*c*x*(-3 + c^2*x^2) + 6*b*(b*Sqrt[1 - c^2*x^2]*(-7 + c^2*x^2) + 3*a*c
```

$$x*(-3 + c^2*x^2))*\text{ArcSin}[c*x] + 9*b^2*c*x*(-3 + c^2*x^2)*\text{ArcSin}[c*x]^2)/(27*c)$$

**Maple [A]** time = 0.033, size = 173, normalized size = 1.4

$$\frac{1}{c} \left( -da^2 \left( \frac{c^3 x^3}{3} - cx \right) - db^2 \left( \frac{(\arcsin(cx))^2 (c^2 x^2 - 3) cx}{3} + \frac{4cx}{3} - \frac{4 \arcsin(cx)}{3} \sqrt{-c^2 x^2 + 1} + \frac{2 (c^2 x^2 - 1) \arcsin(cx)}{9} \sqrt{-c^2 x^2 + 1} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*d*x^2+d)*(a+b*arcsin(c*x))^2,x)`

[Out] `1/c*(-d*a^2*(1/3*c^3*x^3-c*x)-d*b^2*(1/3*arcsin(c*x)^2*(c^2*x^2-3)*c*x+4/3*c*x-4/3*arcsin(c*x)*(-c^2*x^2+1)^(1/2)+2/9*arcsin(c*x)*(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)-2/27*(c^2*x^2-3)*c*x)-2*d*a*b*(1/3*c^3*x^3*arcsin(c*x)-c*x*arcsin(c*x)+1/9*c^2*x^2*(-c^2*x^2+1)^(1/2)-7/9*(-c^2*x^2+1)^(1/2))`

**Maxima [B]** time = 1.6771, size = 315, normalized size = 2.46

$$-\frac{1}{3} b^2 c^2 dx^3 \arcsin(cx)^2 - \frac{1}{3} a^2 c^2 dx^3 - \frac{2}{9} \left( 3x^3 \arcsin(cx) + c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2}{c^2} + \frac{2\sqrt{-c^2 x^2 + 1}}{c^4} \right) \right) abc^2 d - \frac{2}{27} \left( 3c \left( \frac{\sqrt{-c^2 x^2 + 1}}{c} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)*(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] `-1/3*b^2*c^2*d*x^3*arcsin(c*x)^2 - 1/3*a^2*c^2*d*x^3 - 2/9*(3*x^3*arcsin(c*x) + c*(sqrt(-c^2*x^2 + 1)*x^2/c^2 + 2*sqrt(-c^2*x^2 + 1)/c^4))*a*b*c^2*d - 2/27*(3*c*(sqrt(-c^2*x^2 + 1)*x^2/c^2 + 2*sqrt(-c^2*x^2 + 1)/c^4)*arcsin(c*x) - (c^2*x^3 + 6*x)/c^2)*b^2*c^2*d + b^2*d*x*arcsin(c*x)^2 - 2*b^2*d*(x - sqrt(-c^2*x^2 + 1)*arcsin(c*x)/c) + a^2*d*x + 2*(c*x*arcsin(c*x) + sqrt(-c^2*x^2 + 1))*a*b*d/c`

**Fricas [A]** time = 1.81685, size = 335, normalized size = 2.62

$$\frac{(9a^2 - 2b^2)c^3 dx^3 - 3(9a^2 - 14b^2)cdx + 9(b^2 c^3 dx^3 - 3b^2 cdx) \arcsin(cx)^2 + 18(abc^3 dx^3 - 3abcdx) \arcsin(cx) + 6}{27c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out]  $-1/27*((9*a^2 - 2*b^2)*c^3*d*x^3 - 3*(9*a^2 - 14*b^2)*c*d*x + 9*(b^2*c^3*d*x^3 - 3*b^2*c*d*x)*\arcsin(c*x)^2 + 18*(a*b*c^3*d*x^3 - 3*a*b*c*d*x)*\arcsin(c*x) + 6*(a*b*c^2*d*x^2 - 7*a*b*d + (b^2*c^2*d*x^2 - 7*b^2*d)*\arcsin(c*x))*\sqrt{-c^2*x^2 + 1})/c$

**Sympy [A]** time = 1.74528, size = 224, normalized size = 1.75

$$\begin{cases} -\frac{a^2c^2dx^3}{3} + a^2dx - \frac{2abc^2dx^3\arcsin(cx)}{3} - \frac{2abcdx^2\sqrt{-c^2x^2+1}}{9} + 2abdx\arcsin(cx) + \frac{14abd\sqrt{-c^2x^2+1}}{9c} - \frac{b^2c^2dx^3\arcsin^2(cx)}{3} + \frac{2b^2c^2dx^3}{27} - \frac{2b^2cdx^2}{27} \\ a^2dx \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Piecewise((-a\*\*2\*c\*\*2\*d\*x\*\*3/3 + a\*\*2\*d\*x - 2\*a\*b\*c\*\*2\*d\*x\*\*3\*asin(c\*x)/3 - 2\*a\*b\*c\*d\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/9 + 2\*a\*b\*d\*x\*asin(c\*x) + 14\*a\*b\*d\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c) - b\*\*2\*c\*\*2\*d\*x\*\*3\*asin(c\*x)\*\*2/3 + 2\*b\*\*2\*c\*\*2\*d\*x\*\*3/27 - 2\*b\*\*2\*c\*d\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/9 + b\*\*2\*d\*x\*asin(c\*x)\*\*2 - 14\*b\*\*2\*d\*x/9 + 14\*b\*\*2\*d\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(9\*c), Ne(c, 0)), (a\*\*2\*d\*x, True))

**Giac [A]** time = 1.45402, size = 265, normalized size = 2.07

$$-\frac{1}{3}a^2c^2dx^3 - \frac{1}{3}(c^2x^2 - 1)b^2dx\arcsin(cx)^2 - \frac{2}{3}(c^2x^2 - 1)abdx\arcsin(cx) + \frac{2}{3}b^2dx\arcsin(cx)^2 + \frac{2}{27}(c^2x^2 - 1)b^2dx + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out]  $-1/3*a^2*c^2*d*x^3 - 1/3*(c^2*x^2 - 1)*b^2*d*x*\arcsin(c*x)^2 - 2/3*(c^2*x^2 - 1)*a*b*d*x*\arcsin(c*x) + 2/3*b^2*d*x*\arcsin(c*x)^2 + 2/27*(c^2*x^2 - 1)*b^2*d*x + 4/3*a*b*d*x*\arcsin(c*x) + 2/9*(-c^2*x^2 + 1)^(3/2)*b^2*d*\arcsin(c*x)/c + a^2*d*x - 40/27*b^2*d*x + 2/9*(-c^2*x^2 + 1)^(3/2)*a*b*d/c + 4/3*sq$



$$\sqrt{-c^2x^2 + 1} \cdot b^2 \cdot d \cdot \arcsin(cx) / c + 4/3 \sqrt{-c^2x^2 + 1} \cdot a \cdot b \cdot d / c$$

$$3.161 \quad \int \frac{(d-c^2 dx^2)(a+b \sin^{-1}(cx))^2}{x} dx$$

**Optimal.** Leaf size=178

$$-ibd \operatorname{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx)) + \frac{1}{2} b^2 d \operatorname{PolyLog}\left(3, e^{2i \sin^{-1}(cx)}\right) + \frac{1}{2} d (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 - \frac{1}{2} bcdx$$

[Out] (b^2\*c^2\*d\*x^2)/4 - (b\*c\*d\*x\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/2 - (d\*(a + b\*ArcSin[c\*x])^2)/4 + (d\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/2 - ((I/3)\*d\*(a + b\*ArcSin[c\*x])^3)/b + d\*(a + b\*ArcSin[c\*x])^2\*Log[1 - E^((2\*I)\*ArcSin[c\*x])] - I\*b\*d\*(a + b\*ArcSin[c\*x])\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])] + (b^2\*d\*PolyLog[3, E^((2\*I)\*ArcSin[c\*x])])/2

**Rubi [A]** time = 0.238255, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {4699, 4625, 3717, 2190, 2531, 2282, 6589, 4647, 4641, 30}

$$-ibd \operatorname{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx)) + \frac{1}{2} b^2 d \operatorname{PolyLog}\left(3, e^{2i \sin^{-1}(cx)}\right) + \frac{1}{2} d (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 - \frac{1}{2} bcdx$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x])^2)/x,x]

[Out] (b^2\*c^2\*d\*x^2)/4 - (b\*c\*d\*x\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/2 - (d\*(a + b\*ArcSin[c\*x])^2)/4 + (d\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/2 - ((I/3)\*d\*(a + b\*ArcSin[c\*x])^3)/b + d\*(a + b\*ArcSin[c\*x])^2\*Log[1 - E^((2\*I)\*ArcSin[c\*x])] - I\*b\*d\*(a + b\*ArcSin[c\*x])\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])] + (b^2\*d\*PolyLog[3, E^((2\*I)\*ArcSin[c\*x])])/2

### Rule 4699

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)]^(n\_.)\*((f\_.)\*(x\_)]^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2\*p + 1)), x] + (Dist[(2\*d\*p)/(m + 2\*p + 1), Int[(f\*x)^m\*(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d\*IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1)/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m \* E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1) \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(n\_.)]\*((f\_.) + (g\_.)\*(x\_))^(m\_.), x\_Symbol] := -Simp[((f + g\*x)^m \* PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n])/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1) \* PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n]), x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\* (F\_) [v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_S

```

ymbol] := Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt
[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x
^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d
+ e, 0] && GtQ[n, 0]

```

### Rule 4641

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_/Sqrt[(d_.) + (e_.)*(x_.)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

```

### Rule 30

```

Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))^2}{x} dx &= \frac{1}{2}d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2 + d \int \frac{(a + b \sin^{-1}(cx))^2}{x} dx - (bcd) \int \sqrt{1 - c^2 x^2} \\
&= -\frac{1}{2}bcdx\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx)) + \frac{1}{2}d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2 + d \text{Subst} \left( \right. \\
&= \frac{1}{4}b^2c^2 dx^2 - \frac{1}{2}bcdx\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx)) - \frac{1}{4}d(a + b \sin^{-1}(cx))^2 + \frac{1}{2}d(1 - c^2 x^2) \\
&= \frac{1}{4}b^2c^2 dx^2 - \frac{1}{2}bcdx\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx)) - \frac{1}{4}d(a + b \sin^{-1}(cx))^2 + \frac{1}{2}d(1 - c^2 x^2) \\
&= \frac{1}{4}b^2c^2 dx^2 - \frac{1}{2}bcdx\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx)) - \frac{1}{4}d(a + b \sin^{-1}(cx))^2 + \frac{1}{2}d(1 - c^2 x^2) \\
&= \frac{1}{4}b^2c^2 dx^2 - \frac{1}{2}bcdx\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx)) - \frac{1}{4}d(a + b \sin^{-1}(cx))^2 + \frac{1}{2}d(1 - c^2 x^2) \\
&= \frac{1}{4}b^2c^2 dx^2 - \frac{1}{2}bcdx\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx)) - \frac{1}{4}d(a + b \sin^{-1}(cx))^2 + \frac{1}{2}d(1 - c^2 x^2)
\end{aligned}$$

**Mathematica [A]** time = 0.452689, size = 236, normalized size = 1.33

$$\frac{1}{2}d \left( -2iab \left( \sin^{-1}(cx)^2 + \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) \right) + \frac{1}{12}b^2 \left( 24i \sin^{-1}(cx) \text{PolyLog} \left( 2, e^{-2i \sin^{-1}(cx)} \right) + 12 \text{PolyLog} \left( 3, e^{-2i \sin^{-1}(cx)} \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x])^2)/x,x]

[Out] (d\*(-(a^2\*c^2\*x^2) - 2\*a\*b\*c^2\*x^2\*ArcSin[c\*x] + a\*b\*(-(c\*x\*Sqrt[1 - c^2\*x^2]) + ArcSin[c\*x])) + (b^2\*(-1 + 2\*ArcSin[c\*x]^2)\*Cos[2\*ArcSin[c\*x]])/4 + 4\*a\*b\*ArcSin[c\*x]\*Log[1 - E^((2\*I)\*ArcSin[c\*x])] + 2\*a^2\*Log[x] - (2\*I)\*a\*b\*(ArcSin[c\*x]^2 + PolyLog[2, E^((2\*I)\*ArcSin[c\*x])]) + (b^2\*((-I)\*Pi^3 + (8\*I)\*ArcSin[c\*x]^3 + 24\*ArcSin[c\*x]^2\*Log[1 - E^((-2\*I)\*ArcSin[c\*x])]) + (24\*I)\*ArcSin[c\*x]\*PolyLog[2, E^((-2\*I)\*ArcSin[c\*x])]) + 12\*PolyLog[3, E^((-2\*I)\*ArcSin[c\*x])])]/12 - (b^2\*ArcSin[c\*x]\*Sin[2\*ArcSin[c\*x]])/2)/2

**Maple [B]** time = 0.229, size = 459, normalized size = 2.6

$$-\frac{da^2c^2x^2}{2} + da^2 \ln(cx) - 2idb^2 \arcsin(cx) \operatorname{polylog}\left(2, -icx - \sqrt{-c^2x^2 + 1}\right) - \frac{db^2 \arcsin(cx) cx}{2} \sqrt{-c^2x^2 + 1} - \frac{db^2 (\arcsin(cx))^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2/x,x)

[Out] -1/2\*d\*a^2\*c^2\*x^2+d\*a^2\*ln(c\*x)-2\*I\*d\*b^2\*arcsin(c\*x)\*polylog(2,-I\*c\*x-(-c^2\*x^2+1)^(1/2))-1/2\*d\*b^2\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)\*c\*x-1/2\*d\*b^2\*arcsin(c\*x)^2\*c^2\*x^2+1/4\*d\*b^2\*arcsin(c\*x)^2+1/4\*b^2\*c^2\*d\*x^2-1/8\*d\*b^2+d\*b^2\*arcsin(c\*x)^2\*ln(1+I\*c\*x+(-c^2\*x^2+1)^(1/2))-1/3\*I\*d\*b^2\*arcsin(c\*x)^3+2\*d\*b^2\*polylog(3,-I\*c\*x-(-c^2\*x^2+1)^(1/2))+d\*b^2\*arcsin(c\*x)^2\*ln(1-I\*c\*x-(-c^2\*x^2+1)^(1/2))-2\*I\*d\*a\*b\*polylog(2,I\*c\*x+(-c^2\*x^2+1)^(1/2))+2\*d\*b^2\*polylog(3,I\*c\*x+(-c^2\*x^2+1)^(1/2))-2\*I\*d\*a\*b\*polylog(2,-I\*c\*x-(-c^2\*x^2+1)^(1/2))-1/2\*d\*a\*b\*(-c^2\*x^2+1)^(1/2)\*c\*x-d\*a\*b\*arcsin(c\*x)\*c^2\*x^2+1/2\*d\*a\*b\*arcsin(c\*x)+2\*d\*a\*b\*arcsin(c\*x)\*ln(1-I\*c\*x-(-c^2\*x^2+1)^(1/2))+2\*d\*a\*b\*arcsin(c\*x)\*ln(1+I\*c\*x+(-c^2\*x^2+1)^(1/2))-2\*I\*d\*b^2\*arcsin(c\*x)\*polylog(2,I\*c\*x+(-c^2\*x^2+1)^(1/2))-I\*d\*a\*b\*arcsin(c\*x)^2

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2} a^2 c^2 dx^2 + a^2 d \log(x) - \int \frac{(b^2 c^2 dx^2 - b^2 d) \arctan\left(cx, \sqrt{cx + 1} \sqrt{-cx + 1}\right)^2 + 2(abc^2 dx^2 - abd) \arctan\left(cx, \sqrt{cx + 1}\right)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2/x,x, algorithm="maxima")

[Out]  $-1/2*a^2*c^2*d*x^2 + a^2*d*\log(x) - \text{integrate}(((b^2*c^2*d*x^2 - b^2*d)*\arctan^2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})^2 + 2*(a*b*c^2*d*x^2 - a*b*d)*\arctan^2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}))/x, x)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{a^2c^2dx^2 - a^2d + (b^2c^2dx^2 - b^2d)\arcsin(cx)^2 + 2(abc^2dx^2 - abd)\arcsin(cx)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2/x,x, algorithm="fricas")

[Out]  $\text{integral}(-(a^2*c^2*d*x^2 - a^2*d + (b^2*c^2*d*x^2 - b^2*d)*\arcsin(c*x))^2 + 2*(a*b*c^2*d*x^2 - a*b*d)*\arcsin(c*x))/x, x)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d\left(\int -\frac{a^2}{x} dx + \int a^2c^2x dx + \int -\frac{b^2\arcsin^2(cx)}{x} dx + \int -\frac{2ab\arcsin(cx)}{x} dx + \int b^2c^2x\arcsin^2(cx) dx + \int 2abc^2x\arcsin(cx) dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*(a+b\*asin(c\*x))\*\*2/x,x)

[Out]  $-d*(\text{Integral}(-a**2/x, x) + \text{Integral}(a**2*c**2*x, x) + \text{Integral}(-b**2*asin(c*x)**2/x, x) + \text{Integral}(-2*a*b*asin(c*x)/x, x) + \text{Integral}(b**2*c**2*x*asin(c*x)**2, x) + \text{Integral}(2*a*b*c**2*x*asin(c*x), x))$

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(c^2dx^2 - d)(b\arcsin(cx) + a)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)*(a+b*arcsin(c*x))^2/x,x, algorithm="giac")
```

```
[Out] integrate(-(c^2*d*x^2 - d)*(b*arcsin(c*x) + a)^2/x, x)
```

$$3.162 \quad \int \frac{(d-c^2 dx^2)(a+b \sin^{-1}(cx))^2}{x^2} dx$$

**Optimal.** Leaf size=149

$$2ib^2cd \operatorname{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right) - 2ib^2cd \operatorname{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right) - 2bcd\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx)) - \frac{d(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{x}$$

[Out]  $2*b^2*c^2*d*x - 2*b*c*d*\operatorname{Sqrt}[1 - c^2*x^2]*(a + b*\operatorname{ArcSin}[c*x]) - 2*c^2*d*x*(a + b*\operatorname{ArcSin}[c*x])^2 - (d*(1 - c^2*x^2)*(a + b*\operatorname{ArcSin}[c*x])^2)/x - 4*b*c*d*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{ArcTanh}[E^{(I*\operatorname{ArcSin}[c*x])}] + (2*I)*b^2*c*d*\operatorname{PolyLog}[2, -E^{(I*\operatorname{ArcSin}[c*x])}] - (2*I)*b^2*c*d*\operatorname{PolyLog}[2, E^{(I*\operatorname{ArcSin}[c*x])}]$

**Rubi [A]** time = 0.297993, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.36$ , Rules used = {4695, 4619, 4677, 8, 4697, 4709, 4183, 2279, 2391}

$$2ib^2cd \operatorname{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right) - 2ib^2cd \operatorname{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right) - 2bcd\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx)) - \frac{d(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{x}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(d - c^2*d*x^2)*(a + b*\operatorname{ArcSin}[c*x])^2/x^2, x]$

[Out]  $2*b^2*c^2*d*x - 2*b*c*d*\operatorname{Sqrt}[1 - c^2*x^2]*(a + b*\operatorname{ArcSin}[c*x]) - 2*c^2*d*x*(a + b*\operatorname{ArcSin}[c*x])^2 - (d*(1 - c^2*x^2)*(a + b*\operatorname{ArcSin}[c*x])^2)/x - 4*b*c*d*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{ArcTanh}[E^{(I*\operatorname{ArcSin}[c*x])}] + (2*I)*b^2*c*d*\operatorname{PolyLog}[2, -E^{(I*\operatorname{ArcSin}[c*x])}] - (2*I)*b^2*c*d*\operatorname{PolyLog}[2, E^{(I*\operatorname{ArcSin}[c*x])}]$

### Rule 4695

$\operatorname{Int}[(a_.) + \operatorname{ArcSin}[(c_.)*(x_)]*(b_.)]^{(n_.)}*((f_.)*(x_))^{(m_)}*((d_.) + (e_.)*(x_)^2)^{(p_.)}, x\_Symbol] \rightarrow \operatorname{Simp}[(f*x)^{(m+1)}*(d + e*x^2)^p*(a + b*\operatorname{ArcSin}[c*x])^n/(f*(m+1)), x] + (-\operatorname{Dist}[(2*e*p)/(f^2*(m+1)), \operatorname{Int}[(f*x)^{(m+2)}*(d + e*x^2)^{(p-1)}*(a + b*\operatorname{ArcSin}[c*x])^n, x], x] - \operatorname{Dist}[(b*c*n*d*\operatorname{IntPart}[p]*(d + e*x^2)^{\operatorname{FracPart}[p]})/(f*(m+1)*(1 - c^2*x^2)^{\operatorname{FracPart}[p]}), \operatorname{Int}[(f*x)^{(m+1)}*(1 - c^2*x^2)^{(p-1/2)}*(a + b*\operatorname{ArcSin}[c*x])^{(n-1)}, x], x]) /;$   
 $\operatorname{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \operatorname{EqQ}[c^2*d + e, 0] \ \&\& \operatorname{GtQ}[n, 0] \ \&\& \operatorname{GtQ}[p, 0] \ \&\& \operatorname{LtQ}[m, -1]$

### Rule 4619



```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

### Rule 4697

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^m*(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

### Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned} \int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))^2}{x^2} dx &= -\frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{x} + (2bcd) \int \frac{\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{x} dx - (2c^2 d) \int \frac{1}{x} dx \\ &= 2bcd\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx)) - 2c^2 dx(a + b \sin^{-1}(cx))^2 - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{x} \\ &= -2b^2 c^2 dx - 2bcd\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx)) - 2c^2 dx(a + b \sin^{-1}(cx))^2 - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{x} \\ &= 2b^2 c^2 dx - 2bcd\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx)) - 2c^2 dx(a + b \sin^{-1}(cx))^2 - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{x} \\ &= 2b^2 c^2 dx - 2bcd\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx)) - 2c^2 dx(a + b \sin^{-1}(cx))^2 - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{x} \\ &= 2b^2 c^2 dx - 2bcd\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx)) - 2c^2 dx(a + b \sin^{-1}(cx))^2 - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{x} \end{aligned}$$

**Mathematica [A]** time = 0.410173, size = 203, normalized size = 1.36

$$d \left( -ib^2 \left( 2cx \operatorname{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) - 2cx \operatorname{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) \right) + i \sin^{-1}(cx) \left( \sin^{-1}(cx) + 2cx \left( \log \left( 1 + e^{i \sin^{-1}(cx)} \right) - \log \left( 1 - e^{i \sin^{-1}(cx)} \right) \right) \right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((d - c^2*d*x^2)*(a + b*ArcSin[c*x])^2)/x^2,x]
```

```
[Out] -((d*(a^2 + a^2*c^2*x^2 + 2*a*b*c*x*(Sqrt[1 - c^2*x^2] + c*x*ArcSin[c*x]) +
b^2*c*x*(2*Sqrt[1 - c^2*x^2]*ArcSin[c*x] + c*x*(-2 + ArcSin[c*x]^2)) + 2*a
*b*(ArcSin[c*x] + c*x*ArcTanh[Sqrt[1 - c^2*x^2]])) - I*b^2*(I*ArcSin[c*x]*(A
rcSin[c*x] + 2*c*x*(-Log[1 - E^(I*ArcSin[c*x]])) + Log[1 + E^(I*ArcSin[c*x])])
```

])) + 2\*c\*x\*PolyLog[2, -E^(I\*ArcSin[c\*x])] - 2\*c\*x\*PolyLog[2, E^(I\*ArcSin[c\*x])])])]/x

**Maple [A]** time = 0.221, size = 269, normalized size = 1.8

$$-da^2c^2x - \frac{da^2}{x} - 2cdb^2 \arcsin(cx) \sqrt{-c^2x^2 + 1} - db^2 (\arcsin(cx))^2 c^2x + 2b^2c^2dx - \frac{db^2 (\arcsin(cx))^2}{x} - 2cdb^2 \arcsin(cx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2/x^2,x)

[Out]  $-d*a^2*c^2*x - d*a^2/x - 2*c*d*b^2*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)} - d*b^2*\arcsin(c*x)^2*c^2*x + 2*b^2*c^2*d*x - d*b^2/x*\arcsin(c*x)^2 - 2*c*d*b^2*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)}) + 2*c*d*b^2*\arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)}) + 2*I*b^2*c*d*\text{polylog}(2, -I*c*x-(-c^2*x^2+1)^{(1/2)}) - 2*I*b^2*c*d*\text{polylog}(2, I*c*x+(-c^2*x^2+1)^{(1/2)}) - 2*d*a*b*c^2*x*\arcsin(c*x) - 2*d*a*b/x*\arcsin(c*x) - 2*c*d*a*b*(-c^2*x^2+1)^{(1/2)} - 2*c*d*a*b*\text{arctanh}(1/(-c^2*x^2+1)^{(1/2)})$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-b^2c^2dx \arcsin(cx)^2 + 2b^2c^2d \left( x - \frac{\sqrt{-c^2x^2 + 1} \arcsin(cx)}{c} \right) - a^2c^2dx - 2 \left( cx \arcsin(cx) + \sqrt{-c^2x^2 + 1} \right) abcd - 2 \left( c \log \left( \frac{\sqrt{-c^2x^2 + 1} \arcsin(cx)}{c} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2/x^2,x, algorithm="maxima")

[Out]  $-b^2*c^2*d*x*\arcsin(c*x)^2 + 2*b^2*c^2*d*(x - \sqrt{-c^2*x^2 + 1}*\arcsin(c*x))/c - a^2*c^2*d*x - 2*(c*x*\arcsin(c*x) + \sqrt{-c^2*x^2 + 1})*a*b*c*d - 2*(c*\log(2*\sqrt{-c^2*x^2 + 1}/\text{abs}(x) + 2/\text{abs}(x)) + \arcsin(c*x)/x)*a*b*d - (2*c*x*\text{integrate}(\sqrt{c*x + 1}*\sqrt{-c*x + 1}*\text{arctan2}(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}))/c^2*x^3 - x, x) + \text{arctan2}(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})^2*b^2*d/x - a^2*d/x$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{a^2c^2dx^2 - a^2d + (b^2c^2dx^2 - b^2d)\arcsin(cx)^2 + 2(abc^2dx^2 - abd)\arcsin(cx)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2/x^2,x, algorithm="fricas")

[Out] integral(-(a^2\*c^2\*d\*x^2 - a^2\*d + (b^2\*c^2\*d\*x^2 - b^2\*d)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^2\*d\*x^2 - a\*b\*d)\*arcsin(c\*x))/x^2, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d\left(\int a^2c^2 dx + \int -\frac{a^2}{x^2} dx + \int b^2c^2 \text{asin}^2(cx) dx + \int -\frac{b^2 \text{asin}^2(cx)}{x^2} dx + \int 2abc^2 \text{asin}(cx) dx + \int -\frac{2ab \text{asin}(cx)}{x^2} dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*(a+b\*asin(c\*x))\*\*2/x\*\*2,x)

[Out] -d\*(Integral(a\*\*2\*c\*\*2, x) + Integral(-a\*\*2/x\*\*2, x) + Integral(b\*\*2\*c\*\*2\*a sin(c\*x)\*\*2, x) + Integral(-b\*\*2\*asin(c\*x)\*\*2/x\*\*2, x) + Integral(2\*a\*b\*c\*\*2\*asin(c\*x), x) + Integral(-2\*a\*b\*asin(c\*x)/x\*\*2, x))

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(c^2dx^2 - d)(b \arcsin(cx) + a)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2/x^2,x, algorithm="giac")

[Out] integrate(-(c^2\*d\*x^2 - d)\*(b\*arcsin(c\*x) + a)^2/x^2, x)

$$3.163 \quad \int \frac{(d-c^2 dx^2)(a+b \sin^{-1}(cx))^2}{x^3} dx$$

**Optimal.** Leaf size=193

$$ibc^2 d \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx)) - \frac{1}{2} b^2 c^2 d \text{PolyLog}\left(3, e^{2i \sin^{-1}(cx)}\right) - \frac{d(1-c^2 x^2)(a+b \sin^{-1}(cx))^2}{2x^2} - \frac{bcd}{2}$$

```
[Out] -((b*c*d*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/x) - (c^2*d*(a + b*ArcSin[c*x])^2)/2 - (d*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(2*x^2) + ((I/3)*c^2*d*(a + b*ArcSin[c*x])^3)/b - c^2*d*(a + b*ArcSin[c*x])^2*Log[1 - E^((2*I)*ArcSin[c*x])] + b^2*c^2*d*Log[x] + I*b*c^2*d*(a + b*ArcSin[c*x])*PolyLog[2, E^((2*I)*ArcSin[c*x])] - (b^2*c^2*d*PolyLog[3, E^((2*I)*ArcSin[c*x])])/2
```

**Rubi [A]** time = 0.286697, antiderivative size = 193, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {4695, 4625, 3717, 2190, 2531, 2282, 6589, 4693, 29, 4641}

$$ibc^2 d \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx)) - \frac{1}{2} b^2 c^2 d \text{PolyLog}\left(3, e^{2i \sin^{-1}(cx)}\right) - \frac{d(1-c^2 x^2)(a+b \sin^{-1}(cx))^2}{2x^2} - \frac{bcd}{2}$$

Antiderivative was successfully verified.

```
[In] Int[((d - c^2*d*x^2)*(a + b*ArcSin[c*x])^2)/x^3, x]
```

```
[Out] -((b*c*d*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/x) - (c^2*d*(a + b*ArcSin[c*x])^2)/2 - (d*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(2*x^2) + ((I/3)*c^2*d*(a + b*ArcSin[c*x])^3)/b - c^2*d*(a + b*ArcSin[c*x])^2*Log[1 - E^((2*I)*ArcSin[c*x])] + b^2*c^2*d*Log[x] + I*b*c^2*d*(a + b*ArcSin[c*x])*PolyLog[2, E^((2*I)*ArcSin[c*x])] - (b^2*c^2*d*PolyLog[3, E^((2*I)*ArcSin[c*x])])/2
```

### Rule 4695

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*((f_.)*(x_.))^ (m_.)*((d_.) + (e_.)*(x_.)^2)^ (p_.), x_Symbol] :> Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(f*(m + 1)), x] + (-Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d*IntPart[p]*(d + e*x^2)^FracPart[p]]/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0] && LtQ[m, -1]
```

Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m \* E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1) \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(n\_.)]\*((f\_.) + (g\_.)\*(x\_))^(m\_.), x\_Symbol] := -Simp[((f + g\*x)^m \* PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)])/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1) \* PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

Rule 4693

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_)\*((f\_.)\*(x\_))^(m\_)\*Sqrt[(d\_) +

```
(e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/(f*(m + 1)), x] + (-Dist[(b*c*n*Sqrt[d + e*x^2])/(f*(m + 1)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1), x], x] + Dist[(c^2*Sqrt[d + e*x^2])/(f^2*(m + 1)*Sqrt[1 - c^2*x^2]), Int[((f*x)^(m + 2)*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && LtQ[m, -1]
```

### Rule 29

```
Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]
```

### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^n_/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))^2}{x^3} dx &= -\frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{2x^2} + (bcd) \int \frac{\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{x^2} dx - (c^2 d) \text{Subst} \\ &= -\frac{bcd\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{x} - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{2x^2} - (c^2 d) \text{Subst} \\ &= -\frac{bcd\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{x} - \frac{1}{2}c^2 d(a + b \sin^{-1}(cx))^2 - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{2x^2} \\ &= -\frac{bcd\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{x} - \frac{1}{2}c^2 d(a + b \sin^{-1}(cx))^2 - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{2x^2} \\ &= -\frac{bcd\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{x} - \frac{1}{2}c^2 d(a + b \sin^{-1}(cx))^2 - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{2x^2} \\ &= -\frac{bcd\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{x} - \frac{1}{2}c^2 d(a + b \sin^{-1}(cx))^2 - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{2x^2} \\ &= -\frac{bcd\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{x} - \frac{1}{2}c^2 d(a + b \sin^{-1}(cx))^2 - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{2x^2} \end{aligned}$$

**Mathematica [A]** time = 0.392648, size = 236, normalized size = 1.22

$$\frac{1}{2}d \left( 2iabc^2 \left( \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + \sin^{-1}(cx) \left( \sin^{-1}(cx) + 2i \log \left( 1 - e^{2i \sin^{-1}(cx)} \right) \right) \right) + \frac{1}{12}ib^2c^2 \left( -24 \sin^{-1}(cx) \text{PolyLog} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x])^2)/x^3,x]

[Out] (d\*(-(a^2/x^2) - (2\*a\*b\*(c\*x\*Sqrt[1 - c^2\*x^2] + ArcSin[c\*x]))/x^2 - 2\*a^2\*c^2\*Log[x] - (b^2\*(2\*c\*x\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + ArcSin[c\*x]^2 - 2\*c^2\*x^2\*Log[c\*x]))/x^2 + (2\*I)\*a\*b\*c^2\*(ArcSin[c\*x]\*(ArcSin[c\*x] + (2\*I)\*Log[1 - E^((2\*I)\*ArcSin[c\*x])]) + PolyLog[2, E^((2\*I)\*ArcSin[c\*x])]) + (I/12)\*b^2\*c^2\*(Pi^3 - 8\*ArcSin[c\*x]^3 + (24\*I)\*ArcSin[c\*x]^2\*Log[1 - E^((-2\*I)\*ArcSin[c\*x])]) - 24\*ArcSin[c\*x]\*PolyLog[2, E^((-2\*I)\*ArcSin[c\*x])]) + (12\*I)\*PolyLog[3, E^((-2\*I)\*ArcSin[c\*x])]))/2

**Maple [B]** time = 0.337, size = 564, normalized size = 2.9

$$-\frac{da^2}{2x^2} - c^2 da^2 \ln(cx) + ic^2 dab + 2ic^2 dab \operatorname{polylog}\left(2, -icx - \sqrt{-c^2x^2 + 1}\right) - \frac{dcb^2 \arcsin(cx)}{x} \sqrt{-c^2x^2 + 1} - \frac{db^2 (\arcsin(cx))}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2/x^3,x)

[Out] -1/2\*d\*a^2/x^2-c^2\*d\*a^2\*ln(c\*x)+I\*c^2\*d\*a\*b+2\*I\*c^2\*d\*a\*b\*polylog(2,-I\*c\*x-(-c^2\*x^2+1)^(1/2))-c\*d\*b^2\*arcsin(c\*x)/x\*(-c^2\*x^2+1)^(1/2)-1/2\*d\*b^2\*arcsin(c\*x)^2/x^2-c^2\*d\*b^2\*arcsin(c\*x)^2\*ln(1+I\*c\*x+(-c^2\*x^2+1)^(1/2))+2\*I\*c^2\*d\*b^2\*arcsin(c\*x)\*polylog(2,-I\*c\*x-(-c^2\*x^2+1)^(1/2))-2\*c^2\*d\*b^2\*polylog(3,-I\*c\*x-(-c^2\*x^2+1)^(1/2))-c^2\*d\*b^2\*arcsin(c\*x)^2\*ln(1-I\*c\*x-(-c^2\*x^2+1)^(1/2))+I\*c^2\*d\*b^2\*arcsin(c\*x)-2\*c^2\*d\*b^2\*polylog(3,I\*c\*x+(-c^2\*x^2+1)^(1/2))+c^2\*d\*b^2\*ln(I\*c\*x+(-c^2\*x^2+1)^(1/2)-1)+c^2\*d\*b^2\*ln(1+I\*c\*x+(-c^2\*x^2+1)^(1/2))-2\*c^2\*d\*b^2\*ln(I\*c\*x+(-c^2\*x^2+1)^(1/2))+I\*c^2\*d\*a\*b\*arcsin(c\*x)^2+2\*I\*c^2\*d\*a\*b\*polylog(2,I\*c\*x+(-c^2\*x^2+1)^(1/2))-c\*d\*a\*b/x\*(-c^2\*x^2+1)^(1/2)-d\*a\*b\*arcsin(c\*x)/x^2-2\*c^2\*d\*a\*b\*arcsin(c\*x)\*ln(1+I\*c\*x+(-c^2\*x^2+1)^(1/2))-2\*c^2\*d\*a\*b\*arcsin(c\*x)\*ln(1-I\*c\*x-(-c^2\*x^2+1)^(1/2))+1/3\*I\*c^2\*d\*b^2\*arcsin(c\*x)^3+2\*I\*c^2\*d\*b^2\*arcsin(c\*x)\*polylog(2,I\*c\*x+(-c^2\*x^2+1)^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-a^2c^2d \log(x) - abd \left( \frac{\sqrt{-c^2x^2 + 1}c}{x} + \frac{\arcsin(cx)}{x^2} \right) - \frac{a^2d}{2x^2} - \int \frac{2abc^2dx^2 \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + (b^2c^2dx^2 - b^2d)}{x^3}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2/x^3,x, algorithm="maxima")

[Out] -a^2\*c^2\*d\*log(x) - a\*b\*d\*(sqrt(-c^2\*x^2 + 1)\*c/x + arcsin(c\*x)/x^2) - 1/2\*a^2\*d/x^2 - integrate((2\*a\*b\*c^2\*d\*x^2\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + (b^2\*c^2\*d\*x^2 - b^2\*d)\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1))^2/x^3, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{a^2c^2dx^2 - a^2d + (b^2c^2dx^2 - b^2d)\arcsin(cx)^2 + 2(abc^2dx^2 - abd)\arcsin(cx)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2/x^3,x, algorithm="fricas")

[Out] integral(-(a^2\*c^2\*d\*x^2 - a^2\*d + (b^2\*c^2\*d\*x^2 - b^2\*d)\*arcsin(c\*x))^2 + 2\*(a\*b\*c^2\*d\*x^2 - a\*b\*d)\*arcsin(c\*x))/x^3, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d\left(\int -\frac{a^2}{x^3} dx + \int \frac{a^2c^2}{x} dx + \int -\frac{b^2\text{asin}^2(cx)}{x^3} dx + \int -\frac{2ab\text{asin}(cx)}{x^3} dx + \int \frac{b^2c^2\text{asin}^2(cx)}{x} dx + \int \frac{2abc^2\text{asin}(cx)}{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*(a+b\*asin(c\*x))\*\*2/x\*\*3,x)

[Out] -d\*(Integral(-a\*\*2/x\*\*3, x) + Integral(a\*\*2\*c\*\*2/x, x) + Integral(-b\*\*2\*asin(c\*x)\*\*2/x\*\*3, x) + Integral(-2\*a\*b\*asin(c\*x)/x\*\*3, x) + Integral(b\*\*2\*c\*\*2\*asin(c\*x)\*\*2/x, x) + Integral(2\*a\*b\*c\*\*2\*asin(c\*x)/x, x))

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(c^2dx^2 - d)(b\arcsin(cx) + a)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)*(a+b*arcsin(c*x))^2/x^3,x, algorithm="giac")
```

```
[Out] integrate(-(c^2*d*x^2 - d)*(b*arcsin(c*x) + a)^2/x^3, x)
```

$$3.164 \quad \int \frac{(d-c^2 dx^2)(a+b \sin^{-1}(cx))^2}{x^4} dx$$

**Optimal.** Leaf size=176

$$-\frac{5}{3}ib^2c^3d\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right) + \frac{5}{3}ib^2c^3d\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right) - \frac{bcd\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{3x^2} - \frac{d(1-c^2x^2)(a+b\sin^{-1}(cx))}{3x^3}$$

```
[Out] -(b^2*c^2*d)/(3*x) - (b*c*d*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(3*x^2)
+ (2*c^2*d*(a + b*ArcSin[c*x])^2)/(3*x) - (d*(1 - c^2*x^2)*(a + b*ArcSin[c*
x])^2)/(3*x^3) + (10*b*c^3*d*(a + b*ArcSin[c*x])*ArcTanh[E^(I*ArcSin[c*x])])
)/3 - ((5*I)/3)*b^2*c^3*d*PolyLog[2, -E^(I*ArcSin[c*x])] + ((5*I)/3)*b^2*c^
3*d*PolyLog[2, E^(I*ArcSin[c*x])]
```

**Rubi [A]** time = 0.376732, antiderivative size = 176, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.32$ , Rules used = {4695, 4627, 4709, 4183, 2279, 2391, 4693, 30}

$$-\frac{5}{3}ib^2c^3d\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right) + \frac{5}{3}ib^2c^3d\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right) - \frac{bcd\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{3x^2} - \frac{d(1-c^2x^2)(a+b\sin^{-1}(cx))}{3x^3}$$

Antiderivative was successfully verified.

```
[In] Int[((d - c^2*d*x^2)*(a + b*ArcSin[c*x])^2)/x^4, x]
```

```
[Out] -(b^2*c^2*d)/(3*x) - (b*c*d*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(3*x^2)
+ (2*c^2*d*(a + b*ArcSin[c*x])^2)/(3*x) - (d*(1 - c^2*x^2)*(a + b*ArcSin[c*
x])^2)/(3*x^3) + (10*b*c^3*d*(a + b*ArcSin[c*x])*ArcTanh[E^(I*ArcSin[c*x])])
)/3 - ((5*I)/3)*b^2*c^3*d*PolyLog[2, -E^(I*ArcSin[c*x])] + ((5*I)/3)*b^2*c^
3*d*PolyLog[2, E^(I*ArcSin[c*x])]
```

### Rule 4695

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*((f_.)*(x_.))^ (m_.)*((d_.) + (e_.
)*(x_.)^2)^ (p_.), x_Symbol] :> Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 1)), x] + (-Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m +
2)*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d*IntPar
t[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f
*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /;
FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0]
] && LtQ[m, -1]
```

Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 4709

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)^(m\_)]/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Dist[1/(c^(m + 1)\*Sqrt[d]), Subst[Int[(a + b\*x)^n\*Sin[x]^m, x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 4693

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 1)), x] + (-Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(f\*(m + 1)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] + Dist[(c^2\*Sqrt[d + e\*x^2])/(f^2\*(m + 1)\*Sqrt[1 - c^2\*x^2]), Int[((f\*x)^(m + 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1]

Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{(d - c^2 dx^2)(a + b \sin^{-1}(cx))^2}{x^4} dx &= -\frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{3x^3} + \frac{1}{3}(2bcd) \int \frac{\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{x^3} dx - \frac{1}{3} \\
 &= -\frac{bcd\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{3x^2} + \frac{2c^2 d(a + b \sin^{-1}(cx))^2}{3x} - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{3x^3} \\
 &= -\frac{b^2 c^2 d}{3x} - \frac{bcd\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{3x^2} + \frac{2c^2 d(a + b \sin^{-1}(cx))^2}{3x} - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{3x^3} \\
 &= -\frac{b^2 c^2 d}{3x} - \frac{bcd\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{3x^2} + \frac{2c^2 d(a + b \sin^{-1}(cx))^2}{3x} - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{3x^3} \\
 &= -\frac{b^2 c^2 d}{3x} - \frac{bcd\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{3x^2} + \frac{2c^2 d(a + b \sin^{-1}(cx))^2}{3x} - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{3x^3} \\
 &= -\frac{b^2 c^2 d}{3x} - \frac{bcd\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{3x^2} + \frac{2c^2 d(a + b \sin^{-1}(cx))^2}{3x} - \frac{d(1 - c^2 x^2)(a + b \sin^{-1}(cx))^2}{3x^3}
 \end{aligned}$$

**Mathematica [A]** time = 0.743432, size = 266, normalized size = 1.51

$$d \left( -5ib^2 c^3 x^3 \text{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) + 5ib^2 c^3 x^3 \text{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) + 3a^2 c^2 x^2 - a^2 - abcx\sqrt{1 - c^2 x^2} + 6abc^2 x^2 \sin^{-1}(cx) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x])^2)/x^4,x]

[Out] (d\*(-a^2 + 3\*a^2\*c^2\*x^2 - b^2\*c^2\*x^2 - a\*b\*c\*x\*Sqrt[1 - c^2\*x^2] - 2\*a\*b\*ArcSin[c\*x] + 6\*a\*b\*c^2\*x^2\*ArcSin[c\*x] - b^2\*c\*x\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] - b^2\*ArcSin[c\*x]^2 + 3\*b^2\*c^2\*x^2\*ArcSin[c\*x]^2 + 5\*a\*b\*c^3\*x^3\*ArcTanh[Sqrt[1 - c^2\*x^2]] - 5\*b^2\*c^3\*x^3\*ArcSin[c\*x]\*Log[1 - E^(I\*ArcSin[c\*x])] + 5\*b^2\*c^3\*x^3\*ArcSin[c\*x]\*Log[1 + E^(I\*ArcSin[c\*x])] - (5\*I)\*b^2\*c^3\*x^3\*PolyLog[2, -E^(I\*ArcSin[c\*x])] + (5\*I)\*b^2\*c^3\*x^3\*PolyLog[2, E^(I\*ArcSin[c\*x])]))/(3\*x^3)

**Maple [A]** time = 0.361, size = 291, normalized size = 1.7

$$\frac{c^2 da^2}{x} - \frac{da^2}{3x^3} + \frac{c^2 db^2 (\arcsin(cx))^2}{x} - \frac{dcb^2 \arcsin(cx) \sqrt{-c^2 x^2 + 1}}{3x^2} - \frac{db^2 (\arcsin(cx))^2}{3x^3} - \frac{c^2 db^2}{3x} + \frac{5dc^3 b^2 \arcsin(cx)}{3} \ln$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2/x^4,x)

[Out]  $c^2*d*a^2/x - 1/3*d*a^2/x^3 + c^2*d*b^2/x*arcsin(c*x)^2 - 1/3*c*d*b^2/x^2*arcsin(c*x)*(-c^2*x^2+1)^{(1/2)} - 1/3*d*b^2/x^3*arcsin(c*x)^2 - 1/3*b^2*c^2*d/x + 5/3*c^3*d*b^2*arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)}) - 5/3*I*b^2*c^3*d*polylog(2, -I*c*x-(-c^2*x^2+1)^{(1/2)}) - 5/3*c^3*d*b^2*arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)}) + 5/3*I*b^2*c^3*d*polylog(2, I*c*x+(-c^2*x^2+1)^{(1/2)}) + 2*c^2*d*a*b/x*arcsin(c*x) - 2/3*d*a*b*arcsin(c*x)/x^3 - 1/3*c*d*a*b/x^2*(-c^2*x^2+1)^{(1/2)} + 5/3*c^3*d*a*b*arctanh(1/(-c^2*x^2+1)^{(1/2)})$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$2 \left( c \log \left( \frac{2\sqrt{-c^2 x^2 + 1}}{|x|} + \frac{2}{|x|} \right) + \frac{\arcsin(cx)}{x} \right) abc^2 d - \frac{1}{3} \left( \left( c^2 \log \left( \frac{2\sqrt{-c^2 x^2 + 1}}{|x|} + \frac{2}{|x|} \right) + \frac{\sqrt{-c^2 x^2 + 1}}{x^2} \right) c + \frac{2 \arcsin(cx)}{x^3} \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2/x^4,x, algorithm="maxima")

[Out]  $2*(c*\log(2*\sqrt{-c^2*x^2 + 1}/\text{abs}(x) + 2/\text{abs}(x)) + \arcsin(c*x)/x)*a*b*c^2*d - 1/3*((c^2*\log(2*\sqrt{-c^2*x^2 + 1}/\text{abs}(x) + 2/\text{abs}(x)) + \sqrt{-c^2*x^2 + 1}/x^2)*c + 2*\arcsin(c*x)/x^3)*a*b*d + a^2*c^2*d/x - 1/3*a^2*d/x^3 + 1/3*(3*x^3*\text{integrate}(2/3*(3*b^2*c^3*d*x^2 - b^2*c*d)*\sqrt{c*x + 1}*\sqrt{-c*x + 1}*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1}))/(\text{c}^2*x^5 - x^3), x) + (3*b^2*c^2*d*x^2 - b^2*d)*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})^2/x^3$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{a^2 c^2 dx^2 - a^2 d + (b^2 c^2 dx^2 - b^2 d) \arcsin(cx)^2 + 2(abc^2 dx^2 - abd) \arcsin(cx)}{x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)*(a+b*arcsin(c*x))^2/x^4,x, algorithm="fricas")
```

```
[Out] integral(-(a^2*c^2*d*x^2 - a^2*d + (b^2*c^2*d*x^2 - b^2*d)*arcsin(c*x)^2 +
2*(a*b*c^2*d*x^2 - a*b*d)*arcsin(c*x))/x^4, x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d \left( \int -\frac{a^2}{x^4} dx + \int \frac{a^2 c^2}{x^2} dx + \int -\frac{b^2 \operatorname{asin}^2(cx)}{x^4} dx + \int -\frac{2ab \operatorname{asin}(cx)}{x^4} dx + \int \frac{b^2 c^2 \operatorname{asin}^2(cx)}{x^2} dx + \int \frac{2abc^2 \operatorname{asin}(cx)}{x^2} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c**2*d*x**2+d)*(a+b*asin(c*x))**2/x**4,x)
```

```
[Out] -d*(Integral(-a**2/x**4, x) + Integral(a**2*c**2/x**2, x) + Integral(-b**2*
asin(c*x)**2/x**4, x) + Integral(-2*a*b*asin(c*x)/x**4, x) + Integral(b**2*
c**2*asin(c*x)**2/x**2, x) + Integral(2*a*b*c**2*asin(c*x)/x**2, x))
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

sage<sub>0</sub>x

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)*(a+b*arcsin(c*x))^2/x^4,x, algorithm="giac")
```

```
[Out] sage0*x
```

### 3.165 $\int x^4 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx$

**Optimal.** Leaf size=395

$$\frac{1}{9}d^2x^5(1-c^2x^2)^2(a+b\sin^{-1}(cx))^2 + \frac{4}{63}d^2x^5(1-c^2x^2)(a+b\sin^{-1}(cx))^2 + \frac{16bd^2x^4\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{1575c} + \frac{64bd^2x^4\sqrt{1-c^2x^2}}{1575c}$$

[Out]  $(-4208*b^2*d^2*x)/(99225*c^4) - (2104*b^2*d^2*x^3)/(297675*c^2) - (526*b^2*d^2*x^5)/165375 + (212*b^2*c^2*d^2*x^7)/27783 - (2*b^2*c^4*d^2*x^9)/729 + (128*b*d^2*sqrt[1-c^2*x^2]*(a+b*ArcSin[c*x]))/(4725*c^5) + (64*b*d^2*x^2*sqrt[1-c^2*x^2]*(a+b*ArcSin[c*x]))/(4725*c^3) + (16*b*d^2*x^4*sqrt[1-c^2*x^2]*(a+b*ArcSin[c*x]))/(1575*c) + (8*b*d^2*(1-c^2*x^2)^(3/2)*(a+b*ArcSin[c*x]))/(189*c^5) - (2*b*d^2*(1-c^2*x^2)^(5/2)*(a+b*ArcSin[c*x]))/(315*c^5) - (20*b*d^2*(1-c^2*x^2)^(7/2)*(a+b*ArcSin[c*x]))/(441*c^5) + (2*b*d^2*(1-c^2*x^2)^(9/2)*(a+b*ArcSin[c*x]))/(81*c^5) + (8*d^2*x^5*(a+b*ArcSin[c*x])^2)/315 + (4*d^2*x^5*(1-c^2*x^2)*(a+b*ArcSin[c*x])^2)/63 + (d^2*x^5*(1-c^2*x^2)^2*(a+b*ArcSin[c*x])^2)/9$

**Rubi [A]** time = 0.724235, antiderivative size = 395, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 11, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.407$ , Rules used = {4699, 4627, 4707, 4677, 8, 30, 266, 43, 4689, 12, 1153}

$$\frac{1}{9}d^2x^5(1-c^2x^2)^2(a+b\sin^{-1}(cx))^2 + \frac{4}{63}d^2x^5(1-c^2x^2)(a+b\sin^{-1}(cx))^2 + \frac{16bd^2x^4\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{1575c} + \frac{64bd^2x^4\sqrt{1-c^2x^2}}{1575c}$$

Antiderivative was successfully verified.

[In] Int[x^4\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $(-4208*b^2*d^2*x)/(99225*c^4) - (2104*b^2*d^2*x^3)/(297675*c^2) - (526*b^2*d^2*x^5)/165375 + (212*b^2*c^2*d^2*x^7)/27783 - (2*b^2*c^4*d^2*x^9)/729 + (128*b*d^2*sqrt[1-c^2*x^2]*(a+b*ArcSin[c*x]))/(4725*c^5) + (64*b*d^2*x^2*sqrt[1-c^2*x^2]*(a+b*ArcSin[c*x]))/(4725*c^3) + (16*b*d^2*x^4*sqrt[1-c^2*x^2]*(a+b*ArcSin[c*x]))/(1575*c) + (8*b*d^2*(1-c^2*x^2)^(3/2)*(a+b*ArcSin[c*x]))/(189*c^5) - (2*b*d^2*(1-c^2*x^2)^(5/2)*(a+b*ArcSin[c*x]))/(315*c^5) - (20*b*d^2*(1-c^2*x^2)^(7/2)*(a+b*ArcSin[c*x]))/(441*c^5) + (2*b*d^2*(1-c^2*x^2)^(9/2)*(a+b*ArcSin[c*x]))/(81*c^5) + (8*d^2*x^5*(a+b*ArcSin[c*x])^2)/315 + (4*d^2*x^5*(1-c^2*x^2)*(a+b*ArcSin[c*x])^2)/63 + (d^2*x^5*(1-c^2*x^2)^2*(a+b*ArcSin[c*x])^2)/9$

Rule 4699



```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

### Rule 4627

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

```

### Rule 4707

```

Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/Sqrt[(d_.)
+ (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]

```

### Rule 4677

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)*((d_.) + (e_.)*(x_)^2)^(p_.)
, x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]

```

### Rule 8

```

Int[a_., x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

### Rule 30

```

Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]

```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 4689

```
Int[((a_) + ArcSin[(c_)*(x_)])*(b_)*(x_)^(m_)*((d_) + (e_)*(x_)^2)^(p_)
, x_Symbol] := With[{u = IntHide[x^m*(1 - c^2*x^2)^p, x]}, Dist[d^p*(a + b*
ArcSin[c*x]), u, x] - Dist[b*c*d^p, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^
2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && Intege
rQ[p - 1/2] && (IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2*p + 3)/2, 0]) && NeQ[p, -
2^(-1)] && GtQ[d, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1153

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_),
x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x],
x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e
+ a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]
```

Rubi steps

$$\begin{aligned}
\int x^4 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{9} d^2 x^5 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2 + \frac{1}{9} (4d) \int x^4 (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx \\
&= \frac{2bd^2 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{45c^5} - \frac{4bd^2 (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{63c^5} + \frac{2bd^2 (1 - c^2 x^2)^{9/2} (a + b \sin^{-1}(cx))}{81c^5} \\
&= \frac{8bd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{189c^5} - \frac{2bd^2 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{315c^5} + \frac{2bd^2 (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{4725c^5} \\
&= \frac{16bd^2 x^4 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{1575c} + \frac{8bd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{189c^5} - \frac{2bd^2 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{4725c^5} \\
&= -\frac{304b^2 d^2 x}{19845c^4} - \frac{152b^2 d^2 x^3}{59535c^2} - \frac{526b^2 d^2 x^5}{165375} + \frac{212b^2 c^2 d^2 x^7}{27783} - \frac{2}{729} b^2 c^4 d^2 x^9 + \frac{64bd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{1575c} \\
&= -\frac{304b^2 d^2 x}{19845c^4} - \frac{2104b^2 d^2 x^3}{297675c^2} - \frac{526b^2 d^2 x^5}{165375} + \frac{212b^2 c^2 d^2 x^7}{27783} - \frac{2}{729} b^2 c^4 d^2 x^9 + \frac{128bd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{1575c} \\
&= -\frac{4208b^2 d^2 x}{99225c^4} - \frac{2104b^2 d^2 x^3}{297675c^2} - \frac{526b^2 d^2 x^5}{165375} + \frac{212b^2 c^2 d^2 x^7}{27783} - \frac{2}{729} b^2 c^4 d^2 x^9 + \frac{128bd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{1575c}
\end{aligned}$$

**Mathematica [A]** time = 0.246725, size = 253, normalized size = 0.64

$$d^2 \left( 99225a^2 c^5 x^5 (35c^4 x^4 - 90c^2 x^2 + 63) + 630ab\sqrt{1 - c^2 x^2} (1225c^8 x^8 - 2650c^6 x^6 + 789c^4 x^4 + 1052c^2 x^2 + 2104) + 630b^2 \sqrt{1 - c^2 x^2} (315a^2 c^5 x^5 (63 - 90c^2 x^2 + 35c^4 x^4) + b \sqrt{1 - c^2 x^2} (2104 + 1052c^2 x^2 + 789c^4 x^4 - 2650c^6 x^6 + 1225c^8 x^8) - 2b^2 c x (662760 + 110460c^2 x^2 + 49707c^4 x^4 - 119250c^6 x^6 + 42875c^8 x^8) + 630b(315a^2 c^5 x^5 (63 - 90c^2 x^2 + 35c^4 x^4) + b \sqrt{1 - c^2 x^2} (2104 + 1052c^2 x^2 + 789c^4 x^4 - 2650c^6 x^6 + 1225c^8 x^8)) \operatorname{ArcSin}[cx] + 99225b^2 c^5 x^5 (63 - 90c^2 x^2 + 35c^4 x^4) \operatorname{ArcSin}[cx]^2) \right) / (31255875c^5)$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (d^2\*(99225\*a^2\*c^5\*x^5\*(63 - 90\*c^2\*x^2 + 35\*c^4\*x^4) + 630\*a\*b\*Sqrt[1 - c^2\*x^2]\*(2104 + 1052\*c^2\*x^2 + 789\*c^4\*x^4 - 2650\*c^6\*x^6 + 1225\*c^8\*x^8) - 2\*b^2\*c\*x\*(662760 + 110460\*c^2\*x^2 + 49707\*c^4\*x^4 - 119250\*c^6\*x^6 + 42875\*c^8\*x^8) + 630\*b\*(315\*a^2\*c^5\*x^5\*(63 - 90\*c^2\*x^2 + 35\*c^4\*x^4) + b\*Sqrt[1 - c^2\*x^2]\*(2104 + 1052\*c^2\*x^2 + 789\*c^4\*x^4 - 2650\*c^6\*x^6 + 1225\*c^8\*x^8))\*ArcSin[c\*x] + 99225\*b^2\*c^5\*x^5\*(63 - 90\*c^2\*x^2 + 35\*c^4\*x^4)\*ArcSin[c\*x]^2))/(31255875\*c^5)

**Maple [A]** time = 0.159, size = 531, normalized size = 1.3

$$\frac{1}{c^5} \left( d^2 a^2 \left( \frac{c^9 x^9}{9} - \frac{2c^7 x^7}{7} + \frac{c^5 x^5}{5} \right) + d^2 b^2 \left( \frac{(\arcsin(cx))^2 (3c^4 x^4 - 10c^2 x^2 + 15) cx}{15} - \frac{16cx}{315} + \frac{16 \arcsin(cx)}{315} \sqrt{-c^2 x^2 + 1} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^4*(-c^2*d*x^2+d)^2*(a+b*\arcsin(c*x))^2,x)$

[Out]  $\frac{1}{c^5}(d^2a^2(\frac{1}{9}c^9x^9-2/7c^7x^7+1/5c^5x^5)+d^2b^2(\frac{1}{15}\arcsin(cx)^2(3c^4x^4-10c^2x^2+15)*cx-16/315cx+16/315\arcsin(cx)*(-c^2x^2+1)^{(1/2)}+2/525\arcsin(cx)*(c^2x^2-1)^2*(-c^2x^2+1)^{(1/2)}-2/7875(3c^4x^4-10c^2x^2+15)*cx-8/945\arcsin(cx)*(c^2x^2-1)*(-c^2x^2+1)^{(1/2)}+8/835(c^2x^2-3)*cx+2/35\arcsin(cx)^2(5c^6x^6-21c^4x^4+35c^2x^2-35)*cx+20/441\arcsin(cx)*(c^2x^2-1)^3*(-c^2x^2+1)^{(1/2)}-4/3087(5c^6x^6-21c^4x^4+35c^2x^2-35)*cx+1/315\arcsin(cx)^2(35c^8x^8-180c^6x^6+378c^4x^4-420c^2x^2+315)*cx+2/81\arcsin(cx)*(c^2x^2-1)^4*(-c^2x^2+1)^{(1/2)}-2/25515(35c^8x^8-180c^6x^6+378c^4x^4-420c^2x^2+315)*cx)+2d^2ab(\frac{1}{9}\arcsin(cx)*c^9x^9-2/7\arcsin(cx)*c^7x^7+1/5\arcsin(cx)*c^5x^5+1/81c^8x^8*(-c^2x^2+1)^{(1/2)}-106/3969c^6x^6*(-c^2x^2+1)^{(1/2)}+263/33075c^4x^4*(-c^2x^2+1)^{(1/2)}+1052/99225c^2x^2*(-c^2x^2+1)^{(1/2)}+2104/99225*(-c^2x^2+1)^{(1/2)})$

**Maxima [B]** time = 1.76553, size = 1054, normalized size = 2.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^4*(-c^2*d*x^2+d)^2*(a+b*\arcsin(c*x))^2,x, \text{algorithm}="maxima")$

[Out]  $\frac{1}{9}b^2c^4d^2x^9\arcsin(cx)^2 + \frac{1}{9}a^2c^4d^2x^9 - \frac{2}{7}b^2c^2d^2x^7\arcsin(cx)^2 - \frac{2}{7}a^2c^2d^2x^7 + \frac{1}{5}b^2d^2x^5\arcsin(cx)^2 + \frac{2}{2835}(315x^9\arcsin(cx) + (35\sqrt{-c^2x^2+1})x^8/c^2 + 40\sqrt{-c^2x^2+1})x^6/c^4 + 48\sqrt{-c^2x^2+1})x^4/c^6 + 64\sqrt{-c^2x^2+1})x^2/c^8 + 128\sqrt{-c^2x^2+1}/c^{10})c)ab^2c^4d^2 + \frac{2}{893025}(315(35\sqrt{-c^2x^2+1})x^8/c^2 + 40\sqrt{-c^2x^2+1})x^6/c^4 + 48\sqrt{-c^2x^2+1})x^4/c^6 + 64\sqrt{-c^2x^2+1})x^2/c^8 + 128\sqrt{-c^2x^2+1}/c^{10})c*\arcsin(cx) - (1225c^8x^9 + 1800c^6x^7 + 3024c^4x^5 + 6720c^2x^3 + 40320x)/c^8)ab^2c^4d^2 + \frac{1}{5}a^2d^2x^5 - \frac{4}{245}(35x^7\arcsin(cx) + (5\sqrt{-c^2x^2+1})x^6/c^2 + 6\sqrt{-c^2x^2+1})x^4/c^4 + 8\sqrt{-c^2x^2+1})x^2/c^6 + 16\sqrt{-c^2x^2+1}/c^8)c)ab^2c^2d^2 - \frac{4}{25725}(105(5\sqrt{-c^2x^2+1})x^6/c^2 + 6\sqrt{-c^2x^2+1})x^4/c^4 + 8\sqrt{-c^2x^2+1})x^2/c^6 + 16\sqrt{-c^2x^2+1}/c^8)c*\arcsin(cx) - (75c^6x^7 + 126c^4x^5 + 280c^2x^3 + 1680x)/c^6)ab^2c^2d^2 + \frac{2}{75}(15x^5\arcsin(cx) + (3\sqrt{-c^2x^2+1})x^4/c^2 + 4\sqrt{-c^2x^2+1})x^2/c^4 + 8\sqrt{-c^2x^2+1}/c^6)c)ab^2d^2 + \frac{2}{1125}(15(3\sqrt{-c^2x^2+1})x^4/c$

$$\begin{aligned} &^2 + 4\sqrt{-c^2x^2 + 1}x^2/c^4 + 8\sqrt{-c^2x^2 + 1}/c^6)c*\arcsin(cx) \\ &- (9c^4x^5 + 20c^2x^3 + 120x)/c^4)b^2d^2 \end{aligned}$$

**Fricas [A]** time = 1.89997, size = 810, normalized size = 2.05

$$42875(81a^2 - 2b^2)c^9d^2x^9 - 2250(3969a^2 - 106b^2)c^7d^2x^7 + 189(33075a^2 - 526b^2)c^5d^2x^5 - 220920b^2c^3d^2x^3 - 1325$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] 1/31255875\*(42875\*(81\*a^2 - 2\*b^2)\*c^9\*d^2\*x^9 - 2250\*(3969\*a^2 - 106\*b^2)\*c^7\*d^2\*x^7 + 189\*(33075\*a^2 - 526\*b^2)\*c^5\*d^2\*x^5 - 220920\*b^2\*c^3\*d^2\*x^3 - 1325520\*b^2\*c\*d^2\*x + 99225\*(35\*b^2\*c^9\*d^2\*x^9 - 90\*b^2\*c^7\*d^2\*x^7 + 63\*b^2\*c^5\*d^2\*x^5)\*arcsin(c\*x)^2 + 198450\*(35\*a\*b\*c^9\*d^2\*x^9 - 90\*a\*b\*c^7\*d^2\*x^7 + 63\*a\*b\*c^5\*d^2\*x^5)\*arcsin(c\*x) + 630\*(1225\*a\*b\*c^8\*d^2\*x^8 - 2650\*a\*b\*c^6\*d^2\*x^6 + 789\*a\*b\*c^4\*d^2\*x^4 + 1052\*a\*b\*c^2\*d^2\*x^2 + 2104\*a\*b\*d^2 + (1225\*b^2\*c^8\*d^2\*x^8 - 2650\*b^2\*c^6\*d^2\*x^6 + 789\*b^2\*c^4\*d^2\*x^4 + 1052\*b^2\*c^2\*d^2\*x^2 + 2104\*b^2\*d^2)\*arcsin(c\*x))\*sqrt(-c^2\*x^2 + 1))/c^5

**Sympy [A]** time = 57.5583, size = 563, normalized size = 1.43

$$\left\{ \begin{array}{l} \frac{a^2c^4d^2x^9}{5} - \frac{2a^2c^2d^2x^7}{7} + \frac{a^2d^2x^5}{5} + \frac{2abc^4d^2x^9\operatorname{asin}(cx)}{9} + \frac{2abc^3d^2x^8\sqrt{-c^2x^2+1}}{81} - \frac{4abc^2d^2x^7\operatorname{asin}(cx)}{7} - \frac{212abcd^2x^6\sqrt{-c^2x^2+1}}{3969} + \frac{2abd^2x^5\operatorname{asin}(cx)}{5} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(-c\*\*2\*d\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Piecewise((a\*\*2\*c\*\*4\*d\*\*2\*x\*\*9/9 - 2\*a\*\*2\*c\*\*2\*d\*\*2\*x\*\*7/7 + a\*\*2\*d\*\*2\*x\*\*5/5 + 2\*a\*b\*c\*\*4\*d\*\*2\*x\*\*9\*asin(c\*x)/9 + 2\*a\*b\*c\*\*3\*d\*\*2\*x\*\*8\*sqrt(-c\*\*2\*x\*\*2 + 1)/81 - 4\*a\*b\*c\*\*2\*d\*\*2\*x\*\*7\*asin(c\*x)/7 - 212\*a\*b\*c\*d\*\*2\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)/3969 + 2\*a\*b\*d\*\*2\*x\*\*5\*asin(c\*x)/5 + 526\*a\*b\*d\*\*2\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(33075\*c) + 2104\*a\*b\*d\*\*2\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(99225\*c\*\*3) + 4208\*a\*b\*d\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(99225\*c\*\*5) + b\*\*2\*c\*\*4\*d\*\*2\*x\*\*9\*asin(c\*x)\*\*2/9 - 2\*b\*\*2\*c\*\*4\*d\*\*2\*x\*\*9/729 + 2\*b\*\*2\*c\*\*3\*d\*\*2\*x\*\*8\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/81 - 2\*b\*\*2\*c\*\*2\*d\*\*2\*x\*\*7\*asin(c\*x)\*\*2/7 + 212\*b\*\*2\*c\*\*2\*d\*\*2\*x\*\*7/27783 - 212\*b\*\*2\*c\*d\*\*2\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x

```
)/3969 + b**2*d**2*x**5*asin(c*x)**2/5 - 526*b**2*d**2*x**5/165375 + 526*b*
*2*d**2*x**4*sqrt(-c**2*x**2 + 1)*asin(c*x)/(33075*c) - 2104*b**2*d**2*x**3
/(297675*c**2) + 2104*b**2*d**2*x**2*sqrt(-c**2*x**2 + 1)*asin(c*x)/(99225*
c**3) - 4208*b**2*d**2*x/(99225*c**4) + 4208*b**2*d**2*sqrt(-c**2*x**2 + 1)
*asin(c*x)/(99225*c**5), Ne(c, 0)), (a**2*d**2*x**5/5, True))
```

**Giac [B]** time = 1.58319, size = 948, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] 1/9*a^2*c^4*d^2*x^9 - 2/7*a^2*c^2*d^2*x^7 + 1/5*a^2*d^2*x^5 + 1/9*(c^2*x^2
- 1)^4*b^2*d^2*x*arcsin(c*x)^2/c^4 + 2/9*(c^2*x^2 - 1)^4*a*b*d^2*x*arcsin(c
*x)/c^4 + 10/63*(c^2*x^2 - 1)^3*b^2*d^2*x*arcsin(c*x)^2/c^4 - 2/729*(c^2*x^
2 - 1)^4*b^2*d^2*x/c^4 + 20/63*(c^2*x^2 - 1)^3*a*b*d^2*x*arcsin(c*x)/c^4 +
1/105*(c^2*x^2 - 1)^2*b^2*d^2*x*arcsin(c*x)^2/c^4 + 2/81*(c^2*x^2 - 1)^4*sq
rt(-c^2*x^2 + 1)*b^2*d^2*arcsin(c*x)/c^5 - 836/250047*(c^2*x^2 - 1)^3*b^2*d
^2*x/c^4 + 2/105*(c^2*x^2 - 1)^2*a*b*d^2*x*arcsin(c*x)/c^4 - 4/315*(c^2*x^2
- 1)*b^2*d^2*x*arcsin(c*x)^2/c^4 + 2/81*(c^2*x^2 - 1)^4*sqrt(-c^2*x^2 + 1)
*a*b*d^2/c^5 + 20/441*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b^2*d^2*arcsin(c*x
)/c^5 + 33862/10418625*(c^2*x^2 - 1)^2*b^2*d^2*x/c^4 - 8/315*(c^2*x^2 - 1)*
a*b*d^2*x*arcsin(c*x)/c^4 + 8/315*b^2*d^2*x*arcsin(c*x)^2/c^4 + 20/441*(c^2
*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*a*b*d^2/c^5 + 2/525*(c^2*x^2 - 1)^2*sqrt(-c^
2*x^2 + 1)*b^2*d^2*arcsin(c*x)/c^5 - 47248/31255875*(c^2*x^2 - 1)*b^2*d^2*x
/c^4 + 16/315*a*b*d^2*x*arcsin(c*x)/c^4 + 2/525*(c^2*x^2 - 1)^2*sqrt(-c^2*x
^2 + 1)*a*b*d^2/c^5 + 8/945*(-c^2*x^2 + 1)^(3/2)*b^2*d^2*arcsin(c*x)/c^5 -
1493104/31255875*b^2*d^2*x/c^4 + 8/945*(-c^2*x^2 + 1)^(3/2)*a*b*d^2/c^5 + 1
6/315*sqrt(-c^2*x^2 + 1)*b^2*d^2*arcsin(c*x)/c^5 + 16/315*sqrt(-c^2*x^2 + 1)
*a*b*d^2/c^5
```

$$3.166 \quad \int x^3 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=302

$$-\frac{1}{32}bcd^2x^5(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx)) - \frac{25}{576}bcd^2x^5\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx)) + \frac{1}{8}d^2x^4(1-c^2x^2)^2(a+b\sin^{-1}(cx))$$

[Out]  $(-73*b^2*d^2*x^2)/(3072*c^2) - (73*b^2*d^2*x^4)/9216 + (43*b^2*c^2*d^2*x^6)/3456 - (b^2*c^4*d^2*x^8)/256 + (73*b*d^2*x*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(1536*c^3) + (73*b*d^2*x^3*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(2304*c) - (25*b*c*d^2*x^5*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/576 - (b*c*d^2*x^5*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x]))/32 - (73*d^2*(a + b*ArcSin[c*x])^2)/(3072*c^4) + (d^2*x^4*(a + b*ArcSin[c*x])^2)/24 + (d^2*x^4*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/12 + (d^2*x^4*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/8$

**Rubi [A]** time = 1.00818, antiderivative size = 302, normalized size of antiderivative = 1., number of steps used = 25, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {4699, 4627, 4707, 4641, 30, 4697, 14}

$$-\frac{1}{32}bcd^2x^5(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx)) - \frac{25}{576}bcd^2x^5\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx)) + \frac{1}{8}d^2x^4(1-c^2x^2)^2(a+b\sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In] Int[x^3\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $(-73*b^2*d^2*x^2)/(3072*c^2) - (73*b^2*d^2*x^4)/9216 + (43*b^2*c^2*d^2*x^6)/3456 - (b^2*c^4*d^2*x^8)/256 + (73*b*d^2*x*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(1536*c^3) + (73*b*d^2*x^3*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(2304*c) - (25*b*c*d^2*x^5*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/576 - (b*c*d^2*x^5*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x]))/32 - (73*d^2*(a + b*ArcSin[c*x])^2)/(3072*c^4) + (d^2*x^4*(a + b*ArcSin[c*x])^2)/24 + (d^2*x^4*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/12 + (d^2*x^4*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/8$

**Rule 4699**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2\*p + 1)), x] + (Dist[(2\*d\*p)/(m + 2\*p + 1), Int[(f\*x)^(m + 1)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n], x]

$m*(d + e*x^2)^{(p - 1)}*(a + b*\text{ArcSin}[c*x])^n, x] - \text{Dist}[(b*c*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(f*(m + 2*p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m + 1)}*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x] ] /;$ 
 $\text{FreeQ}\{a, b, c, d, e, f, m\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{!LtQ}[m, -1] \ \&\& \ (\text{RationalQ}[m] \ || \ \text{EqQ}[n, 1])$

### Rule 4627

$\text{Int}[(a + \text{ArcSin}[c*x])*(b)^{(n)}*((d)*(x))^m, x\_Symbol] \rightarrow \text{Simp}[(d*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^n/(d*(m + 1)), x] - \text{Dist}[(b*c*n)/(d*(m + 1)), \text{Int}[(d*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}/\text{Sqrt}[1 - c^2*x^2], x], x] /;$ 
 $\text{FreeQ}\{a, b, c, d, m\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{NeQ}[m, -1]$

### Rule 4707

$\text{Int}[(a + \text{ArcSin}[c*x])*(b)^{(n)}*((f)*(x))^m]/\text{Sqrt}[d + (e)*(x)^2], x\_Symbol] \rightarrow \text{Simp}[(f*(f*x)^{(m - 1)}*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n)/(e*m), x] + (\text{Dist}[(f^2*(m - 1))/(c^2*m), \text{Int}[(f*x)^{(m - 2)}*(a + b*\text{ArcSin}[c*x])^n]/\text{Sqrt}[d + e*x^2], x], x] + \text{Dist}[(b*f*n*\text{Sqrt}[1 - c^2*x^2])/(c*m*\text{Sqrt}[d + e*x^2]), \text{Int}[(f*x)^{(m - 1)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x]) /;$ 
 $\text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{IntegerQ}[m]$

### Rule 4641

$\text{Int}[(a + \text{ArcSin}[c*x])*(b)^{(n)}/\text{Sqrt}[d + (e)*(x)^2], x\_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcSin}[c*x])^{(n + 1)}/(b*c*\text{Sqrt}[d]*(n + 1)), x] /;$ 
 $\text{FreeQ}\{a, b, c, d, e, n\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ \text{NeQ}[n, -1]$

### Rule 30

$\text{Int}[(x)^m, x\_Symbol] \rightarrow \text{Simp}[x^{(m + 1)}/(m + 1), x] /;$ 
 $\text{FreeQ}[m, x] \ \&\& \ \text{NeQ}[m, -1]$

### Rule 4697

$\text{Int}[(a + \text{ArcSin}[c*x])*(b)^{(n)}*((f)*(x))^m*\text{Sqrt}[d + (e)*(x)^2], x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m + 1)}*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n/(f*(m + 2)), x] + (\text{Dist}[\text{Sqrt}[d + e*x^2]/((m + 2)*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(f*x)^m*(a + b*\text{ArcSin}[c*x])^n]/\text{Sqrt}[1 - c^2*x^2], x], x] - \text{Dist}[(b*c*n*\text{Sqrt}[d + e*x^2])/(f*(m + 2)*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(f*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x]) /;$ 
 $\text{FreeQ}\{a, b, c, d, e, f, m\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{!LtQ}[m, -1] \ \&\& \ (\text{RationalQ}[m] \ || \ \text{EqQ}[n, 1])$



Rule 14

Int[(u\_)\*((c\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rubi steps

$$\begin{aligned}
 \int x^3 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{8} d^2 x^4 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2 + \frac{1}{2} d \int x^3 (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 \\
 &= -\frac{1}{32} bcd^2 x^5 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) + \frac{1}{12} d^2 x^4 (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 \\
 &= -\frac{25}{576} bcd^2 x^5 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{1}{32} bcd^2 x^5 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) \\
 &= \frac{43b^2 c^2 d^2 x^6}{3456} - \frac{1}{256} b^2 c^4 d^2 x^8 + \frac{73bd^2 x^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{2304c} - \frac{25}{576} bcd^2 x^5 \sqrt{1 - c^2 x^2} \\
 &= -\frac{73b^2 d^2 x^4}{9216} + \frac{43b^2 c^2 d^2 x^6}{3456} - \frac{1}{256} b^2 c^4 d^2 x^8 + \frac{73bd^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{1536c^3} \\
 &= -\frac{73b^2 d^2 x^2}{3072c^2} - \frac{73b^2 d^2 x^4}{9216} + \frac{43b^2 c^2 d^2 x^6}{3456} - \frac{1}{256} b^2 c^4 d^2 x^8 + \frac{73bd^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{1536c^3}
 \end{aligned}$$

**Mathematica [A]** time = 0.238716, size = 239, normalized size = 0.79

$$d^2 \left( cx \left( 1152a^2 c^3 x^3 (3c^4 x^4 - 8c^2 x^2 + 6) + 6ab\sqrt{1 - c^2 x^2} (144c^6 x^6 - 344c^4 x^4 + 146c^2 x^2 + 219) - b^2 cx (108c^6 x^6 - 344c^4 x^4 + 146c^2 x^2 + 219) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (d^2\*(c\*x\*(1152\*a^2\*c^3\*x^3\*(6 - 8\*c^2\*x^2 + 3\*c^4\*x^4) - b^2\*c\*x\*(657 + 219\*c^2\*x^2 - 344\*c^4\*x^4 + 108\*c^6\*x^6) + 6\*a\*b\*Sqrt[1 - c^2\*x^2]\*(219 + 146\*c^2\*x^2 - 344\*c^4\*x^4 + 144\*c^6\*x^6)) + 6\*b\*(b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(219 + 146\*c^2\*x^2 - 344\*c^4\*x^4 + 144\*c^6\*x^6) + 3\*a\*(-73 + 768\*c^4\*x^4 - 1024\*c^6\*x^6 + 384\*c^8\*x^8))\*ArcSin[c\*x] + 9\*b^2\*(-73 + 768\*c^4\*x^4 - 1024\*c^6\*x^6 + 384\*c^8\*x^8)\*ArcSin[c\*x]^2)/(27648\*c^4)

**Maple [A]** time = 0.139, size = 424, normalized size = 1.4

$$\frac{1}{c^4} \left( d^2 a^2 \left( \frac{c^8 x^8}{8} - \frac{c^6 x^6}{3} + \frac{c^4 x^4}{4} \right) + d^2 b^2 \left( \frac{(\arcsin(cx))^2 (c^2 x^2 - 1)^3}{6} + \frac{\arcsin(cx)}{144} \left( 8 c^5 x^5 \sqrt{-c^2 x^2 + 1} - 26 c^3 x^3 \sqrt{-c^2 x^2 + 1} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2,x)`

[Out] `1/c^4*(d^2*a^2*(1/8*c^8*x^8-1/3*c^6*x^6+1/4*c^4*x^4)+d^2*b^2*(1/6*arcsin(c*x)^2*(c^2*x^2-1)^3+1/144*arcsin(c*x)*(8*c^5*x^5*(-c^2*x^2+1)^(1/2)-26*c^3*x^3*(-c^2*x^2+1)^(1/2)+33*c*x*(-c^2*x^2+1)^(1/2)+15*arcsin(c*x))-55/3072*arcsin(c*x)^2-11/3456*(c^2*x^2-1)^3+55/9216*(c^2*x^2-1)^2-55/3072*c^2*x^2+55/3072+1/8*arcsin(c*x)^2*(c^2*x^2-1)^4-1/1536*arcsin(c*x)*(-48*c^7*x^7*(-c^2*x^2+1)^(1/2)+200*c^5*x^5*(-c^2*x^2+1)^(1/2)-326*c^3*x^3*(-c^2*x^2+1)^(1/2)+279*c*x*(-c^2*x^2+1)^(1/2)+105*arcsin(c*x))-1/256*(c^2*x^2-1)^4)+2*d^2*a*b*(1/8*arcsin(c*x)*c^8*x^8-1/3*arcsin(c*x)*c^6*x^6+1/4*c^4*x^4*arcsin(c*x)+1/64*c^7*x^7*(-c^2*x^2+1)^(1/2)-43/1152*c^5*x^5*(-c^2*x^2+1)^(1/2)+73/4608*c^3*x^3*(-c^2*x^2+1)^(1/2)+73/3072*c*x*(-c^2*x^2+1)^(1/2)-73/3072*arcsin(c*x))`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{8} a^2 c^4 d^2 x^8 - \frac{1}{3} a^2 c^2 d^2 x^6 + \frac{1}{1536} \left( 384 x^8 \arcsin(cx) + \left( \frac{48 \sqrt{-c^2 x^2 + 1} x^7}{c^2} + \frac{56 \sqrt{-c^2 x^2 + 1} x^5}{c^4} + \frac{70 \sqrt{-c^2 x^2 + 1} x^3}{c^6} + \frac{105 \sqrt{-c^2 x^2 + 1} x}{c^8} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] `1/8*a^2*c^4*d^2*x^8 - 1/3*a^2*c^2*d^2*x^6 + 1/1536*(384*x^8*arcsin(c*x) + (48*sqrt(-c^2*x^2 + 1)*x^7/c^2 + 56*sqrt(-c^2*x^2 + 1)*x^5/c^4 + 70*sqrt(-c^2*x^2 + 1)*x^3/c^6 + 105*sqrt(-c^2*x^2 + 1)*x/c^8 - 105*arcsin(c^2*x/sqrt(c^2)))/(sqrt(c^2)*c^8))*c)*a*b*c^4*d^2 + 1/4*a^2*d^2*x^4 - 1/72*(48*x^6*arcsin(c*x) + (8*sqrt(-c^2*x^2 + 1)*x^5/c^2 + 10*sqrt(-c^2*x^2 + 1)*x^3/c^4 + 15*sqrt(-c^2*x^2 + 1)*x/c^6 - 15*arcsin(c^2*x/sqrt(c^2)))/(sqrt(c^2)*c^6))*c)*a*b*c^2*d^2 + 1/16*(8*x^4*arcsin(c*x) + (2*sqrt(-c^2*x^2 + 1)*x^3/c^2 + 3*sqrt(-c^2*x^2 + 1)*x/c^4 - 3*arcsin(c^2*x/sqrt(c^2)))/(sqrt(c^2)*c^4))*c)*a*b*d^2 + 1/24*(3*b^2*c^4*d^2*x^8 - 8*b^2*c^2*d^2*x^6 + 6*b^2*d^2*x^4)*arctan2`

```
(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2 + integrate(1/12*(3*b^2*c^5*d^2*x^8 -
8*b^2*c^3*d^2*x^6 + 6*b^2*c*d^2*x^4)*sqrt(c*x + 1)*sqrt(-c*x + 1)*arctan2(
c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))/(c^2*x^2 - 1), x)
```

**Fricas [A]** time = 1.88243, size = 729, normalized size = 2.41

$$108(32a^2 - b^2)c^8d^2x^8 - 8(1152a^2 - 43b^2)c^6d^2x^6 + 3(2304a^2 - 73b^2)c^4d^2x^4 - 657b^2c^2d^2x^2 + 9(384b^2c^8d^2x^8 - 1024b^2c^6d^2x^6 + 768b^2c^4d^2x^4 - 73b^2d^2) \arcsin(cx)^2 + 18(384ab^2c^8d^2x^8 - 1024a^2b^2c^6d^2x^6 + 768a^2b^2c^4d^2x^4 - 73a^2b^2d^2) \arcsin(cx) + 6(144a^2b^2c^7d^2x^7 - 344a^2b^2c^5d^2x^5 + 146a^2b^2c^3d^2x^3 + 219a^2b^2cd^2x) + (144b^2c^7d^2x^7 - 344b^2c^5d^2x^5 + 146b^2c^3d^2x^3 + 219b^2cd^2x) \arcsin(cx) \sqrt{-c^2x^2 + 1} / c^4$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2,x, algorithm="fricas")
```

```
[Out] 1/27648*(108*(32*a^2 - b^2)*c^8*d^2*x^8 - 8*(1152*a^2 - 43*b^2)*c^6*d^2*x^6
+ 3*(2304*a^2 - 73*b^2)*c^4*d^2*x^4 - 657*b^2*c^2*d^2*x^2 + 9*(384*b^2*c^8
*d^2*x^8 - 1024*b^2*c^6*d^2*x^6 + 768*b^2*c^4*d^2*x^4 - 73*b^2*d^2)*arcsin(
c*x)^2 + 18*(384*a*b*c^8*d^2*x^8 - 1024*a*b*c^6*d^2*x^6 + 768*a*b*c^4*d^2*x
^4 - 73*a*b*d^2)*arcsin(c*x) + 6*(144*a*b*c^7*d^2*x^7 - 344*a*b*c^5*d^2*x^5
+ 146*a*b*c^3*d^2*x^3 + 219*a*b*c*d^2*x + (144*b^2*c^7*d^2*x^7 - 344*b^2*c
^5*d^2*x^5 + 146*b^2*c^3*d^2*x^3 + 219*b^2*c*d^2*x)*arcsin(c*x))*sqrt(-c^2*
x^2 + 1))/c^4
```

**Sympy [A]** time = 38.1413, size = 515, normalized size = 1.71

$$\left\{ \frac{a^2c^4d^2x^8}{4} - \frac{a^2c^2d^2x^6}{3} + \frac{a^2d^2x^4}{4} + \frac{abc^4d^2x^8 \operatorname{asin}(cx)}{4} + \frac{abc^3d^2x^7\sqrt{-c^2x^2+1}}{32} - \frac{2abc^2d^2x^6 \operatorname{asin}(cx)}{3} - \frac{43abcd^2x^5\sqrt{-c^2x^2+1}}{576} + \frac{abd^2x^4 \operatorname{asin}(cx)}{2} + \frac{73a^2d^2x^4}{4} \right\}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(-c**2*d*x**2+d)**2*(a+b*asin(c*x))**2,x)
```

```
[Out] Piecewise((a**2*c**4*d**2*x**8/8 - a**2*c**2*d**2*x**6/3 + a**2*d**2*x**4/4
+ a*b*c**4*d**2*x**8*asin(c*x)/4 + a*b*c**3*d**2*x**7*sqrt(-c**2*x**2 + 1)
/32 - 2*a*b*c**2*d**2*x**6*asin(c*x)/3 - 43*a*b*c*d**2*x**5*sqrt(-c**2*x**2
+ 1)/576 + a*b*d**2*x**4*asin(c*x)/2 + 73*a*b*d**2*x**3*sqrt(-c**2*x**2 +
1)/(2304*c) + 73*a*b*d**2*x*sqrt(-c**2*x**2 + 1)/(1536*c**3) - 73*a*b*d**2*
asin(c*x)/(1536*c**4) + b**2*c**4*d**2*x**8*asin(c*x)**2/8 - b**2*c**4*d**2
*x**8/256 + b**2*c**3*d**2*x**7*sqrt(-c**2*x**2 + 1)*asin(c*x)/32 - b**2*c
**2*d**2*x**6*asin(c*x)**2/3 + 43*b**2*c**2*d**2*x**6/3456 - 43*b**2*c*d**2*
```

```
x**5*sqrt(-c**2*x**2 + 1)*asin(c*x)/576 + b**2*d**2*x**4*asin(c*x)**2/4 - 7
3*b**2*d**2*x**4/9216 + 73*b**2*d**2*x**3*sqrt(-c**2*x**2 + 1)*asin(c*x)/(2
304*c) - 73*b**2*d**2*x**2/(3072*c**2) + 73*b**2*d**2*x*sqrt(-c**2*x**2 + 1
)*asin(c*x)/(1536*c**3) - 73*b**2*d**2*asin(c*x)**2/(3072*c**4), Ne(c, 0)),
(a**2*d**2*x**4/4, True))
```

**Giac [A]** time = 1.57187, size = 711, normalized size = 2.35

$$\frac{(c^2x^2 - 1)^3 \sqrt{-c^2x^2 + 1} b^2 d^2 x \arcsin(cx)}{32c^3} + \frac{(c^2x^2 - 1)^4 b^2 d^2 \arcsin(cx)^2}{8c^4} + \frac{(c^2x^2 - 1)^3 \sqrt{-c^2x^2 + 1} a b d^2 x}{32c^3} + \frac{11(c^2x^2 - 1)^2 \sqrt{-c^2x^2 + 1} a b d^2 x}{32c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] 1/32*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b^2*d^2*x*arcsin(c*x)/c^3 + 1/8*(c^
2*x^2 - 1)^4*b^2*d^2*arcsin(c*x)^2/c^4 + 1/32*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2
+ 1)*a*b*d^2*x/c^3 + 11/576*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b^2*d^2*x*a
rcsin(c*x)/c^3 + 1/4*(c^2*x^2 - 1)^4*a*b*d^2*arcsin(c*x)/c^4 + 1/6*(c^2*x^2
- 1)^3*b^2*d^2*arcsin(c*x)^2/c^4 + 11/576*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 +
1)*a*b*d^2*x/c^3 + 55/2304*(-c^2*x^2 + 1)^(3/2)*b^2*d^2*x*arcsin(c*x)/c^3 +
1/8*(c^2*x^2 - 1)^4*a^2*d^2/c^4 - 1/256*(c^2*x^2 - 1)^4*b^2*d^2/c^4 + 1/3*
(c^2*x^2 - 1)^3*a*b*d^2*arcsin(c*x)/c^4 + 55/2304*(-c^2*x^2 + 1)^(3/2)*a*b*
d^2*x/c^3 + 55/1536*sqrt(-c^2*x^2 + 1)*b^2*d^2*x*arcsin(c*x)/c^3 + 1/6*(c^2
*x^2 - 1)^3*a^2*d^2/c^4 - 11/3456*(c^2*x^2 - 1)^3*b^2*d^2/c^4 + 55/1536*sq
rt(-c^2*x^2 + 1)*a*b*d^2*x/c^3 + 55/9216*(c^2*x^2 - 1)^2*b^2*d^2/c^4 + 55/30
72*b^2*d^2*arcsin(c*x)^2/c^4 - 55/3072*(c^2*x^2 - 1)*b^2*d^2/c^4 + 55/1536*
a*b*d^2*arcsin(c*x)/c^4 - 9835/884736*b^2*d^2/c^4
```

$$3.167 \quad \int x^2 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=310

$$\frac{1}{7}d^2x^3(1-c^2x^2)^2(a+b\sin^{-1}(cx))^2 + \frac{4}{35}d^2x^3(1-c^2x^2)(a+b\sin^{-1}(cx))^2 + \frac{16bd^2x^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{315c} - \frac{2bd^2x^2\sqrt{1-c^2x^2}}{315c}$$

[Out]  $(-1636*b^2*d^2*x)/(11025*c^2) - (818*b^2*d^2*x^3)/33075 + (136*b^2*c^2*d^2*x^5)/6125 - (2*b^2*c^4*d^2*x^7)/343 + (32*b*d^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(315*c^3) + (16*b*d^2*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(315*c) + (8*b*d^2*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/(105*c^3) + (2*b*d^2*(1 - c^2*x^2)^(5/2)*(a + b*ArcSin[c*x]))/(175*c^3) - (2*b*d^2*(1 - c^2*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(49*c^3) + (8*d^2*x^3*(a + b*ArcSin[c*x])^2)/105 + (4*d^2*x^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/35 + (d^2*x^3*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/7$

**Rubi [A]** time = 0.570934, antiderivative size = 310, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 11, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.407$ , Rules used = {4699, 4627, 4707, 4677, 8, 30, 266, 43, 4689, 12, 373}

$$\frac{1}{7}d^2x^3(1-c^2x^2)^2(a+b\sin^{-1}(cx))^2 + \frac{4}{35}d^2x^3(1-c^2x^2)(a+b\sin^{-1}(cx))^2 + \frac{16bd^2x^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{315c} - \frac{2bd^2x^2\sqrt{1-c^2x^2}}{315c}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $(-1636*b^2*d^2*x)/(11025*c^2) - (818*b^2*d^2*x^3)/33075 + (136*b^2*c^2*d^2*x^5)/6125 - (2*b^2*c^4*d^2*x^7)/343 + (32*b*d^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(315*c^3) + (16*b*d^2*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(315*c) + (8*b*d^2*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/(105*c^3) + (2*b*d^2*(1 - c^2*x^2)^(5/2)*(a + b*ArcSin[c*x]))/(175*c^3) - (2*b*d^2*(1 - c^2*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(49*c^3) + (8*d^2*x^3*(a + b*ArcSin[c*x])^2)/105 + (4*d^2*x^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/35 + (d^2*x^3*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/7$

**Rule 4699**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_.))^ (m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^ (p\_.), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2\*p + 1)), x] + (Dist[(2\*d\*p)/(m + 2\*p + 1), Int[(f\*x)^(m + 1)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n], x]

```
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
)] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^n.*(d_.)*(x_)^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4707

```
Int[(((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^n.*(f_.)*(x_)^(m_)]/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^n.*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 30

```
Int[(x_)^(m_.), x_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
```

, m, n, p], x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int  
 [ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n},  
 x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le  
 Q[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rule 4689

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.),  
 x\_Symbol] := With[{u = IntHide[x^m\*(1 - c^2\*x^2)^p, x]}, Dist[d^p\*(a + b\*  
 ArcSin[c\*x]), u, x] - Dist[b\*c\*d^p, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2],  
 x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && Intege  
 rQ[p - 1/2] && (IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2\*p + 3)/2, 0]) && NeQ[p, -  
 2^(-1)] && GtQ[d, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match  
 Q[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 373

Int[((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_.)\*((c\_.) + (d\_.)\*(x\_)^(n\_.))^(q\_.), x\_Symbol  
 ] := Int[ExpandIntegrand[(a + b\*x^n)^p\*(c + d\*x^n)^q, x], x] /; FreeQ[{a, b,  
 c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

### Rubi steps

$$\begin{aligned}
\int x^2 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{7} d^2 x^3 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2 + \frac{1}{7} (4d) \int x^2 (d - c^2 dx^2) (a + b \sin^{-1}(cx)) \\
&= \frac{2bd^2 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{35c^3} - \frac{2bd^2 (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{49c^3} + \frac{4}{35} \\
&= \frac{8bd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{105c^3} + \frac{2bd^2 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{175c^3} - \frac{2b}{35} \\
&= \frac{16bd^2 x^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{315c} + \frac{8bd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{105c^3} + \frac{2b}{35} \\
&= -\frac{172b^2 d^2 x}{3675c^2} - \frac{818b^2 d^2 x^3}{33075} + \frac{136b^2 c^2 d^2 x^5}{6125} - \frac{2}{343} b^2 c^4 d^2 x^7 + \frac{32bd^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{315c^3} \\
&= -\frac{1636b^2 d^2 x}{11025c^2} - \frac{818b^2 d^2 x^3}{33075} + \frac{136b^2 c^2 d^2 x^5}{6125} - \frac{2}{343} b^2 c^4 d^2 x^7 + \frac{32bd^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{315c}
\end{aligned}$$

**Mathematica [A]** time = 0.21692, size = 229, normalized size = 0.74

$$\frac{d^2 \left( 11025a^2 c^3 x^3 (15c^4 x^4 - 42c^2 x^2 + 35) + 210ab \sqrt{1 - c^2 x^2} (225c^6 x^6 - 612c^4 x^4 + 409c^2 x^2 + 818) + 210b \sin^{-1}(cx) (105ac^3 x^3 - 14315c^2 x^2 + 12852c^4 x^4 + 3375c^6 x^6) + 210b^2 c^4 x^7 + 11025b^2 c^3 x^3 (35 - 42c^2 x^2 + 15c^4 x^4) + b^2 c^4 d^2 x^7 + 11025b^2 c^3 x^3 (35 - 42c^2 x^2 + 15c^4 x^4) \operatorname{ArcSin}[cx] + 11025b^2 c^3 x^3 (35 - 42c^2 x^2 + 15c^4 x^4) \operatorname{ArcSin}[cx]^2 \right)}{(1157625c^3)}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (d^2\*(11025\*a^2\*c^3\*x^3\*(35 - 42\*c^2\*x^2 + 15\*c^4\*x^4) + 210\*a\*b\*Sqrt[1 - c^2\*x^2]\*(818 + 409\*c^2\*x^2 - 612\*c^4\*x^4 + 225\*c^6\*x^6) - 2\*b^2\*c\*x\*(85890 + 14315\*c^2\*x^2 - 12852\*c^4\*x^4 + 3375\*c^6\*x^6) + 210\*b\*(105\*a\*c^3\*x^3\*(35 - 42\*c^2\*x^2 + 15\*c^4\*x^4) + b\*Sqrt[1 - c^2\*x^2]\*(818 + 409\*c^2\*x^2 - 612\*c^4\*x^4 + 225\*c^6\*x^6))\*ArcSin[c\*x] + 11025\*b^2\*c^3\*x^3\*(35 - 42\*c^2\*x^2 + 15\*c^4\*x^4)\*ArcSin[c\*x]^2))/(1157625\*c^3)

**Maple [A]** time = 0.044, size = 400, normalized size = 1.3

$$\frac{1}{c^3} \left( d^2 a^2 \left( \frac{c^7 x^7}{7} - \frac{2c^5 x^5}{5} + \frac{c^3 x^3}{3} \right) + d^2 b^2 \left( \frac{(\arcsin(cx))^2 (3c^4 x^4 - 10c^2 x^2 + 15) cx}{15} - \frac{16cx}{105} + \frac{16 \arcsin(cx)}{105} \sqrt{-c^2 x^2 + 1} + \frac{16 \arcsin^3(cx)}{105} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] int(x^2\*(-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2,x)

[Out] 1/c^3\*(d^2\*a^2\*(1/7\*c^7\*x^7-2/5\*c^5\*x^5+1/3\*c^3\*x^3)+d^2\*b^2\*(1/15\*arcsin(c\*x)^2\*(3\*c^4\*x^4-10\*c^2\*x^2+15)\*c\*x-16/105\*c\*x+16/105\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)+2/175\*arcsin(c\*x)\*(c^2\*x^2-1)^2\*(-c^2\*x^2+1)^(1/2)-2/2625\*(3\*c^4\*x^4-10\*c^2\*x^2+15)\*c\*x-8/315\*arcsin(c\*x)\*(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)+8/945\*(c^2\*x^2-3)\*c\*x+1/35\*arcsin(c\*x)^2\*(5\*c^6\*x^6-21\*c^4\*x^4+35\*c^2\*x^2-35)\*c\*x+2/49\*arcsin(c\*x)\*(c^2\*x^2-1)^3\*(-c^2\*x^2+1)^(1/2)-2/1715\*(5\*c^6\*x^6-21\*c^4\*x^4+35\*c^2\*x^2-35)\*c\*x)+2\*d^2\*a\*b\*(1/7\*arcsin(c\*x)\*c^7\*x^7-2/5\*arcsin(c\*x)\*c^5\*x^5+1/3\*c^3\*x^3\*arcsin(c\*x)+1/49\*c^6\*x^6\*(-c^2\*x^2+1)^(1/2)-68/1225\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)+409/11025\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)+818/11025\*(-c^2\*x^2+1)^(1/2))

**Maxima [B]** time = 1.86786, size = 856, normalized size = 2.76

$$\frac{1}{7} b^2 c^4 d^2 x^7 \arcsin(cx)^2 + \frac{1}{7} a^2 c^4 d^2 x^7 - \frac{2}{5} b^2 c^2 d^2 x^5 \arcsin(cx)^2 - \frac{2}{5} a^2 c^2 d^2 x^5 + \frac{2}{245} \left( 35 x^7 \arcsin(cx) + \frac{5 \sqrt{-c^2 x^2 + 1}}{c^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] 1/7\*b^2\*c^4\*d^2\*x^7\*arcsin(c\*x)^2 + 1/7\*a^2\*c^4\*d^2\*x^7 - 2/5\*b^2\*c^2\*d^2\*x^5\*arcsin(c\*x)^2 - 2/5\*a^2\*c^2\*d^2\*x^5 + 2/245\*(35\*x^7\*arcsin(c\*x) + (5\*sqrt(-c^2\*x^2 + 1)\*x^6/c^2 + 6\*sqrt(-c^2\*x^2 + 1)\*x^4/c^4 + 8\*sqrt(-c^2\*x^2 + 1)\*x^2/c^6 + 16\*sqrt(-c^2\*x^2 + 1)/c^8)\*c)\*a\*b\*c^4\*d^2 + 2/25725\*(105\*(5\*sqrt(-c^2\*x^2 + 1)\*x^6/c^2 + 6\*sqrt(-c^2\*x^2 + 1)\*x^4/c^4 + 8\*sqrt(-c^2\*x^2 + 1)\*x^2/c^6 + 16\*sqrt(-c^2\*x^2 + 1)/c^8)\*c\*arcsin(c\*x) - (75\*c^6\*x^7 + 126\*c^4\*x^5 + 280\*c^2\*x^3 + 1680\*x)/c^6)\*b^2\*c^4\*d^2 + 1/3\*b^2\*d^2\*x^3\*arcsin(c\*x)^2 - 4/75\*(15\*x^5\*arcsin(c\*x) + (3\*sqrt(-c^2\*x^2 + 1)\*x^4/c^2 + 4\*sqrt(-c^2\*x^2 + 1)\*x^2/c^4 + 8\*sqrt(-c^2\*x^2 + 1)/c^6)\*c)\*a\*b\*c^2\*d^2 - 4/1125\*(15\*(3\*sqrt(-c^2\*x^2 + 1)\*x^4/c^2 + 4\*sqrt(-c^2\*x^2 + 1)\*x^2/c^4 + 8\*sqrt(-c^2\*x^2 + 1)/c^6)\*c\*arcsin(c\*x) - (9\*c^4\*x^5 + 20\*c^2\*x^3 + 120\*x)/c^4)\*b^2\*c^2\*d^2 + 1/3\*a^2\*d^2\*x^3 + 2/9\*(3\*x^3\*arcsin(c\*x) + c\*(sqrt(-c^2\*x^2 + 1)\*x^2/c^2 + 2\*sqrt(-c^2\*x^2 + 1)/c^4))\*a\*b\*d^2 + 2/27\*(3\*c\*(sqrt(-c^2\*x^2 + 1)\*x^2/c^2 + 2\*sqrt(-c^2\*x^2 + 1)/c^4)\*arcsin(c\*x) - (c^2\*x^3 + 6\*x)/c^2)\*b^2\*d^2

**Fricas [A]** time = 1.90088, size = 697, normalized size = 2.25

$$3375(49a^2 - 2b^2)c^7d^2x^7 - 378(1225a^2 - 68b^2)c^5d^2x^5 + 35(11025a^2 - 818b^2)c^3d^2x^3 - 171780b^2cd^2x + 11025(15b^2c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] 1/1157625\*(3375\*(49\*a^2 - 2\*b^2)\*c^7\*d^2\*x^7 - 378\*(1225\*a^2 - 68\*b^2)\*c^5\*d^2\*x^5 + 35\*(11025\*a^2 - 818\*b^2)\*c^3\*d^2\*x^3 - 171780\*b^2\*c\*d^2\*x + 11025\*(15\*b^2\*c^7\*d^2\*x^7 - 42\*b^2\*c^5\*d^2\*x^5 + 35\*b^2\*c^3\*d^2\*x^3)\*arcsin(c\*x)^2 + 22050\*(15\*a\*b\*c^7\*d^2\*x^7 - 42\*a\*b\*c^5\*d^2\*x^5 + 35\*a\*b\*c^3\*d^2\*x^3)\*arcsin(c\*x) + 210\*(225\*a\*b\*c^6\*d^2\*x^6 - 612\*a\*b\*c^4\*d^2\*x^4 + 409\*a\*b\*c^2\*d^2\*x^2 + 818\*a\*b\*d^2 + (225\*b^2\*c^6\*d^2\*x^6 - 612\*b^2\*c^4\*d^2\*x^4 + 409\*b^2\*c^2\*d^2\*x^2 + 818\*b^2\*d^2)\*arcsin(c\*x))\*sqrt(-c^2\*x^2 + 1))/c^3

**Sympy [A]** time = 19.8862, size = 483, normalized size = 1.56

$$\left\{ \frac{a^2c^4d^2x^7}{3} - \frac{2a^2c^2d^2x^5}{5} + \frac{a^2d^2x^3}{3} + \frac{2abc^4d^2x^7 \operatorname{asin}(cx)}{7} + \frac{2abc^3d^2x^6\sqrt{-c^2x^2+1}}{49} - \frac{4abc^2d^2x^5 \operatorname{asin}(cx)}{5} - \frac{136abcd^2x^4\sqrt{-c^2x^2+1}}{1225} + \frac{2abd^2x^3 \operatorname{asin}(cx)}{3} + \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-c\*\*2\*d\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Piecewise((a\*\*2\*c\*\*4\*d\*\*2\*x\*\*7/7 - 2\*a\*\*2\*c\*\*2\*d\*\*2\*x\*\*5/5 + a\*\*2\*d\*\*2\*x\*\*3/3 + 2\*a\*b\*c\*\*4\*d\*\*2\*x\*\*7\*asin(c\*x)/7 + 2\*a\*b\*c\*\*3\*d\*\*2\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)/49 - 4\*a\*b\*c\*\*2\*d\*\*2\*x\*\*5\*asin(c\*x)/5 - 136\*a\*b\*c\*d\*\*2\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/1225 + 2\*a\*b\*d\*\*2\*x\*\*3\*asin(c\*x)/3 + 818\*a\*b\*d\*\*2\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(11025\*c) + 1636\*a\*b\*d\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(11025\*c\*\*3) + b\*\*2\*c\*\*4\*d\*\*2\*x\*\*7\*asin(c\*x)\*\*2/7 - 2\*b\*\*2\*c\*\*4\*d\*\*2\*x\*\*7/343 + 2\*b\*\*2\*c\*\*3\*d\*\*2\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/49 - 2\*b\*\*2\*c\*\*2\*d\*\*2\*x\*\*5\*asin(c\*x)\*\*2/5 + 136\*b\*\*2\*c\*\*2\*d\*\*2\*x\*\*5/6125 - 136\*b\*\*2\*c\*d\*\*2\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/1225 + b\*\*2\*d\*\*2\*x\*\*3\*asin(c\*x)\*\*2/3 - 818\*b\*\*2\*d\*\*2\*x\*\*3/33075 + 818\*b\*\*2\*d\*\*2\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(11025\*c) - 1636\*b\*\*2\*d\*\*2\*x/(11025\*c\*\*2) + 1636\*b\*\*2\*d\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(11025\*c\*\*3), Ne(c, 0)), (a\*\*2\*d\*\*2\*x\*\*3/3, True))

**Giac [B]** time = 1.46981, size = 747, normalized size = 2.41

$$\frac{1}{7} a^2 c^4 d^2 x^7 - \frac{2}{5} a^2 c^2 d^2 x^5 + \frac{(c^2 x^2 - 1)^3 b^2 d^2 x \arcsin(cx)^2}{7 c^2} + \frac{1}{3} a^2 d^2 x^3 + \frac{2(c^2 x^2 - 1)^3 a b d^2 x \arcsin(cx)}{7 c^2} + \frac{(c^2 x^2 - 1)^2 b^2 d^2 x \arcsin(cx)}{35 c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] 1/7\*a^2\*c^4\*d^2\*x^7 - 2/5\*a^2\*c^2\*d^2\*x^5 + 1/7\*(c^2\*x^2 - 1)^3\*b^2\*d^2\*x\*a  
 rcsin(c\*x)^2/c^2 + 1/3\*a^2\*d^2\*x^3 + 2/7\*(c^2\*x^2 - 1)^3\*a\*b\*d^2\*x\*arcsin(c  
 \*x)/c^2 + 1/35\*(c^2\*x^2 - 1)^2\*b^2\*d^2\*x\*arcsin(c\*x)^2/c^2 - 2/343\*(c^2\*x^2  
 - 1)^3\*b^2\*d^2\*x/c^2 + 2/35\*(c^2\*x^2 - 1)^2\*a\*b\*d^2\*x\*arcsin(c\*x)/c^2 - 4/  
 105\*(c^2\*x^2 - 1)\*b^2\*d^2\*x\*arcsin(c\*x)^2/c^2 + 2/49\*(c^2\*x^2 - 1)^3\*sqrt(-  
 c^2\*x^2 + 1)\*b^2\*d^2\*arcsin(c\*x)/c^3 + 202/42875\*(c^2\*x^2 - 1)^2\*b^2\*d^2\*x/  
 c^2 - 8/105\*(c^2\*x^2 - 1)\*a\*b\*d^2\*x\*arcsin(c\*x)/c^2 + 8/105\*b^2\*d^2\*x\*arcsi  
 n(c\*x)^2/c^2 + 2/49\*(c^2\*x^2 - 1)^3\*sqrt(-c^2\*x^2 + 1)\*a\*b\*d^2/c^3 + 2/175\*  
 (c^2\*x^2 - 1)^2\*sqrt(-c^2\*x^2 + 1)\*b^2\*d^2\*arcsin(c\*x)/c^3 + 2528/1157625\*(  
 c^2\*x^2 - 1)\*b^2\*d^2\*x/c^2 + 16/105\*a\*b\*d^2\*x\*arcsin(c\*x)/c^2 + 2/175\*(c^2\*  
 x^2 - 1)^2\*sqrt(-c^2\*x^2 + 1)\*a\*b\*d^2/c^3 + 8/315\*(-c^2\*x^2 + 1)^(3/2)\*b^2\*  
 d^2\*arcsin(c\*x)/c^3 - 181456/1157625\*b^2\*d^2\*x/c^2 + 8/315\*(-c^2\*x^2 + 1)^(  
 3/2)\*a\*b\*d^2/c^3 + 16/105\*sqrt(-c^2\*x^2 + 1)\*b^2\*d^2\*arcsin(c\*x)/c^3 + 16/1  
 05\*sqrt(-c^2\*x^2 + 1)\*a\*b\*d^2/c^3

$$3.168 \quad \int x (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=209

$$\frac{bd^2x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))}{18c} + \frac{5bd^2x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))}{72c} + \frac{5bd^2x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{48c} - \frac{d^2(1-c^2x^2)^3}{(108c^2) + (5bd^2x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx)))/(48c) + (5bd^2x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx)))/(72c) + (bd^2x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx)))/(18c) + (5d^2(a+b\sin^{-1}(cx))^2)/(96c^2) - (d^2(1-c^2x^2)^3(a+b\sin^{-1}(cx))^2)/(6c^2)}$$

[Out] (-25\*b^2\*d^2\*x^2)/288 + (5\*b^2\*c^2\*d^2\*x^4)/288 + (b^2\*d^2\*(1 - c^2\*x^2)^3)/(108\*c^2) + (5\*b\*d^2\*x\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(48\*c) + (5\*b\*d^2\*x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(72\*c) + (b\*d^2\*x\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/(18\*c) + (5\*d^2\*(a + b\*ArcSin[c\*x])^2)/(96\*c^2) - (d^2\*(1 - c^2\*x^2)^3\*(a + b\*ArcSin[c\*x])^2)/(6\*c^2)

**Rubi [A]** time = 0.197679, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.28$ , Rules used = {4677, 4649, 4647, 4641, 30, 14, 261}

$$\frac{bd^2x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))}{18c} + \frac{5bd^2x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))}{72c} + \frac{5bd^2x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{48c} - \frac{d^2(1-c^2x^2)^3}{(108c^2) + (5bd^2x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx)))/(48c) + (5bd^2x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx)))/(72c) + (bd^2x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx)))/(18c) + (5d^2(a+b\sin^{-1}(cx))^2)/(96c^2) - (d^2(1-c^2x^2)^3(a+b\sin^{-1}(cx))^2)/(6c^2)}$$

Antiderivative was successfully verified.

[In] Int[x\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (-25\*b^2\*d^2\*x^2)/288 + (5\*b^2\*c^2\*d^2\*x^4)/288 + (b^2\*d^2\*(1 - c^2\*x^2)^3)/(108\*c^2) + (5\*b\*d^2\*x\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(48\*c) + (5\*b\*d^2\*x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(72\*c) + (b\*d^2\*x\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/(18\*c) + (5\*d^2\*(a + b\*ArcSin[c\*x])^2)/(96\*c^2) - (d^2\*(1 - c^2\*x^2)^3\*(a + b\*ArcSin[c\*x])^2)/(6\*c^2)

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d\*IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 4649

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:= Simp[(x*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(2*p + 1), x] + (Dist[(2*d*p)/(2*p + 1),
Int[(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/((2*p + 1)*(1 - c^2*x^2)^FracPart[p]),
Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0]
```

#### Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:= Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]),
Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]),
Int[x*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
```

#### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:= Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

#### Rule 30

```
Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]
```

#### Rule 14

```
Int[(u_)*((c_.)*(x_)^(m_.)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

#### Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

#### Rubi steps

$$\begin{aligned}
\int x(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx &= -\frac{d^2(1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))^2}{6c^2} + \frac{(bd^2) \int (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx)) dx}{3c} \\
&= \frac{bd^2 x (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{18c} - \frac{d^2(1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))^2}{6c^2} - \frac{1}{18} (b^2) \\
&= \frac{b^2 d^2 (1 - c^2 x^2)^3}{108c^2} + \frac{5bd^2 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{72c} + \frac{bd^2 x (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{18c} \\
&= \frac{b^2 d^2 (1 - c^2 x^2)^3}{108c^2} + \frac{5bd^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{48c} + \frac{5bd^2 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{72c} \\
&= -\frac{25}{288} b^2 d^2 x^2 + \frac{5}{288} b^2 c^2 d^2 x^4 + \frac{b^2 d^2 (1 - c^2 x^2)^3}{108c^2} + \frac{5bd^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{48c}
\end{aligned}$$

**Mathematica [A]** time = 0.285541, size = 209, normalized size = 1.

$$d^2 \left( cx \left( 144a^2 cx (c^4 x^4 - 3c^2 x^2 + 3) + 6ab \sqrt{1 - c^2 x^2} (8c^4 x^4 - 26c^2 x^2 + 33) + b^2 cx (-8c^4 x^4 + 39c^2 x^2 - 99) \right) \right) + 6b \sin^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (d^2\*(c\*x\*(b^2\*c\*x\*(-99 + 39\*c^2\*x^2 - 8\*c^4\*x^4) + 144\*a^2\*c\*x\*(3 - 3\*c^2\*x^2 + c^4\*x^4) + 6\*a\*b\*Sqrt[1 - c^2\*x^2]\*(33 - 26\*c^2\*x^2 + 8\*c^4\*x^4)) + 6\*b\*(b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(33 - 26\*c^2\*x^2 + 8\*c^4\*x^4) + 3\*a\*(-11 + 48\*c^2\*x^2 - 48\*c^4\*x^4 + 16\*c^6\*x^6))\*ArcSin[c\*x] + 9\*b^2\*(-11 + 48\*c^2\*x^2 - 48\*c^4\*x^4 + 16\*c^6\*x^6)\*ArcSin[c\*x]^2)/(864\*c^2)

**Maple [A]** time = 0.038, size = 283, normalized size = 1.4

$$\frac{1}{c^2} \left( d^2 a^2 \left( \frac{c^6 x^6}{6} - \frac{c^4 x^4}{2} + \frac{c^2 x^2}{2} \right) + d^2 b^2 \left( \frac{(\arcsin(cx))^2 (c^2 x^2 - 1)^3}{6} + \frac{\arcsin(cx)}{144} \left( 8c^5 x^5 \sqrt{-c^2 x^2 + 1} - 26c^3 x^3 \sqrt{-c^2 x^2 + 1} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2,x)

[Out]  $1/c^2*(d^2*a^2*(1/6*c^6*x^6-1/2*c^4*x^4+1/2*c^2*x^2)+d^2*b^2*(1/6*\arcsin(c*x)^2*(c^2*x^2-1)^3+1/144*\arcsin(c*x)*(8*c^5*x^5*(-c^2*x^2+1)^{(1/2)}-26*c^3*x^3*(-c^2*x^2+1)^{(1/2)}+33*c*x*(-c^2*x^2+1)^{(1/2)}+15*\arcsin(c*x))-5/96*\arcsin(c*x)^2-1/108*(c^2*x^2-1)^3+5/288*(c^2*x^2-1)^2-5/96*c^2*x^2+5/96)+2*d^2*a*b*(1/6*\arcsin(c*x)*c^6*x^6-1/2*c^4*x^4*\arcsin(c*x)+1/2*c^2*x^2*\arcsin(c*x)+1/36*c^5*x^5*(-c^2*x^2+1)^{(1/2)}-13/144*c^3*x^3*(-c^2*x^2+1)^{(1/2)}+11/96*c*x*(-c^2*x^2+1)^{(1/2)}-11/96*\arcsin(c*x)))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{6} a^2 c^4 d^2 x^6 - \frac{1}{2} a^2 c^2 d^2 x^4 + \frac{1}{144} \left( 48 x^6 \arcsin(cx) + \left( \frac{8 \sqrt{-c^2 x^2 + 1} x^5}{c^2} + \frac{10 \sqrt{-c^2 x^2 + 1} x^3}{c^4} + \frac{15 \sqrt{-c^2 x^2 + 1} x}{c^6} - \frac{15 \arcsin(cx)}{\sqrt{c^2 x^2 + 1}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out]  $1/6*a^2*c^4*d^2*x^6 - 1/2*a^2*c^2*d^2*x^4 + 1/144*(48*x^6*\arcsin(c*x) + (8*\sqrt{-c^2*x^2 + 1}*x^5/c^2 + 10*\sqrt{-c^2*x^2 + 1}*x^3/c^4 + 15*\sqrt{-c^2*x^2 + 1}*x/c^6 - 15*\arcsin(c^2*x/\sqrt{c^2}))/(\sqrt{c^2}*c^6))*c)*a*b*c^4*d^2 - 1/8*(8*x^4*\arcsin(c*x) + (2*\sqrt{-c^2*x^2 + 1}*x^3/c^2 + 3*\sqrt{-c^2*x^2 + 1}*x/c^4 - 3*\arcsin(c^2*x/\sqrt{c^2}))/(\sqrt{c^2}*c^4))*c)*a*b*c^2*d^2 + 1/2*a^2*d^2*x^2 + 1/2*(2*x^2*\arcsin(c*x) + c*(\sqrt{-c^2*x^2 + 1}*x/c^2 - \arcsin(c^2*x/\sqrt{c^2}))/(\sqrt{c^2}*c^2))*a*b*d^2 + 1/6*(b^2*c^4*d^2*x^6 - 3*b^2*c^2*d^2*x^4 + 3*b^2*d^2*x^2)*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})^2 + \int (1/3*(b^2*c^5*d^2*x^6 - 3*b^2*c^3*d^2*x^4 + 3*b^2*c*d^2*x^2)*\sqrt{c*x + 1}*\sqrt{-c*x + 1}*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1}))/c^2*x^2 - 1), x)$

**Fricas [A]** time = 1.80314, size = 609, normalized size = 2.91

$$8(18a^2 - b^2)c^6d^2x^6 - 3(144a^2 - 13b^2)c^4d^2x^4 + 9(48a^2 - 11b^2)c^2d^2x^2 + 9(16b^2c^6d^2x^6 - 48b^2c^4d^2x^4 + 48b^2c^2d^2x^2 - \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out]  $1/864*(8*(18*a^2 - b^2)*c^6*d^2*x^6 - 3*(144*a^2 - 13*b^2)*c^4*d^2*x^4 + 9*(48*a^2 - 11*b^2)*c^2*d^2*x^2 + 9*(16*b^2*c^6*d^2*x^6 - 48*b^2*c^4*d^2*x^4 + 48*b^2*c^2*d^2*x^2 - 11*b^2*d^2)*\arcsin(c*x)^2 + 18*(16*a*b*c^6*d^2*x^6 - 48*a*b*c^4*d^2*x^4 + 48*a*b*c^2*d^2*x^2 - 11*a*b*d^2)*\arcsin(c*x) + 6*(8*a*b*c^5*d^2*x^5 - 26*a*b*c^3*d^2*x^3 + 33*a*b*c*d^2*x + (8*b^2*c^5*d^2*x^5 - 26*b^2*c^3*d^2*x^3 + 33*b^2*c*d^2*x)*\arcsin(c*x))*\sqrt{-c^2*x^2 + 1})/c^2$

**Sympy [A]** time = 13.7133, size = 430, normalized size = 2.06

$$\left\{ \frac{a^2 c^4 d^2 x^6}{2} - \frac{a^2 c^2 d^2 x^4}{2} + \frac{a^2 d^2 x^2}{2} + \frac{abc^4 d^2 x^6 \arcsin(cx)}{3} + \frac{abc^3 d^2 x^5 \sqrt{-c^2 x^2 + 1}}{18} - abc^2 d^2 x^4 \arcsin(cx) - \frac{13abcd^2 x^3 \sqrt{-c^2 x^2 + 1}}{72} + abd^2 x^2 \arcsin(cx) \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c**2*d*x**2+d)**2*(a+b*asin(c*x))**2,x)`

[Out] `Piecewise((a**2*c**4*d**2*x**6/6 - a**2*c**2*d**2*x**4/2 + a**2*d**2*x**2/2 + a*b*c**4*d**2*x**6*asin(c*x)/3 + a*b*c**3*d**2*x**5*sqrt(-c**2*x**2 + 1)/18 - a*b*c**2*d**2*x**4*asin(c*x) - 13*a*b*c*d**2*x**3*sqrt(-c**2*x**2 + 1)/72 + a*b*d**2*x**2*asin(c*x) + 11*a*b*d**2*x*sqrt(-c**2*x**2 + 1)/(48*c) - 11*a*b*d**2*asin(c*x)/(48*c**2) + b**2*c**4*d**2*x**6*asin(c*x)**2/6 - b**2*c**4*d**2*x**6/108 + b**2*c**3*d**2*x**5*sqrt(-c**2*x**2 + 1)*asin(c*x)/18 - b**2*c**2*d**2*x**4*asin(c*x)**2/2 + 13*b**2*c**2*d**2*x**4/288 - 13*b**2*c*d**2*x**3*sqrt(-c**2*x**2 + 1)*asin(c*x)/72 + b**2*d**2*x**2*asin(c*x)**2/2 - 11*b**2*d**2*x**2/96 + 11*b**2*d**2*x*sqrt(-c**2*x**2 + 1)*asin(c*x)/(48*c) - 11*b**2*d**2*asin(c*x)**2/(96*c**2), Ne(c, 0)), (a**2*d**2*x**2/2, True))`

**Giac [A]** time = 1.48457, size = 482, normalized size = 2.31

$$\frac{(c^2 x^2 - 1)^2 \sqrt{-c^2 x^2 + 1} b^2 d^2 x \arcsin(cx)}{18c} + \frac{(c^2 x^2 - 1)^3 b^2 d^2 \arcsin(cx)^2}{6c^2} + \frac{(c^2 x^2 - 1)^2 \sqrt{-c^2 x^2 + 1} a b d^2 x}{18c} + \frac{5(-c^2 x^2 + 1)^{\frac{3}{2}}}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2,x, algorithm="giac")`

[Out]  $1/18*(c^2*x^2 - 1)^2*\sqrt{-c^2*x^2 + 1}*b^2*d^2*x*\arcsin(c*x)/c + 1/6*(c^2*x^2 - 1)^3*b^2*d^2*\arcsin(c*x)^2/c^2 + 1/18*(c^2*x^2 - 1)^2*\sqrt{-c^2*x^2 +$



$$\begin{aligned}
& 1) * a * b * d^2 * x / c + 5/72 * (-c^2 * x^2 + 1)^{(3/2)} * b^2 * d^2 * x * \arcsin(c * x) / c + 1/3 * ( \\
& c^2 * x^2 - 1)^3 * a * b * d^2 * \arcsin(c * x) / c^2 + 5/72 * (-c^2 * x^2 + 1)^{(3/2)} * a * b * d^2 * \\
& x / c + 5/48 * \sqrt{-c^2 * x^2 + 1} * b^2 * d^2 * x * \arcsin(c * x) / c + 1/6 * (c^2 * x^2 - 1)^3 \\
& * a^2 * d^2 / c^2 - 1/108 * (c^2 * x^2 - 1)^3 * b^2 * d^2 / c^2 + 5/48 * \sqrt{-c^2 * x^2 + 1} * \\
& a * b * d^2 * x / c + 5/288 * (c^2 * x^2 - 1)^2 * b^2 * d^2 / c^2 + 5/96 * b^2 * d^2 * \arcsin(c * x)^ \\
& 2 / c^2 - 5/96 * (c^2 * x^2 - 1) * b^2 * d^2 / c^2 + 5/48 * a * b * d^2 * \arcsin(c * x) / c^2 - 245 \\
& / 6912 * b^2 * d^2 / c^2
\end{aligned}$$

### 3.169 $\int (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx$

**Optimal.** Leaf size=219

$$\frac{1}{5}d^2x(1-c^2x^2)^2(a+b\sin^{-1}(cx))^2 + \frac{4}{15}d^2x(1-c^2x^2)(a+b\sin^{-1}(cx))^2 + \frac{2bd^2(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))}{25c} + \frac{8bd^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))}{45c}$$

[Out]  $(-298*b^2*d^2*x)/225 + (76*b^2*c^2*d^2*x^3)/675 - (2*b^2*c^4*d^2*x^5)/125 + (16*b*d^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(15*c) + (8*b*d^2*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x]))/(45*c) + (2*b*d^2*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x]))/(25*c) + (8*d^2*x*(a + b*ArcSin[c*x])^2)/15 + (4*d^2*x*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/15 + (d^2*x*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/5$

**Rubi [A]** time = 0.255607, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {4649, 4619, 4677, 8, 194}

$$\frac{1}{5}d^2x(1-c^2x^2)^2(a+b\sin^{-1}(cx))^2 + \frac{4}{15}d^2x(1-c^2x^2)(a+b\sin^{-1}(cx))^2 + \frac{2bd^2(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))}{25c} + \frac{8bd^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))}{45c}$$

Antiderivative was successfully verified.

[In] Int[(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $(-298*b^2*d^2*x)/225 + (76*b^2*c^2*d^2*x^3)/675 - (2*b^2*c^4*d^2*x^5)/125 + (16*b*d^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(15*c) + (8*b*d^2*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x]))/(45*c) + (2*b*d^2*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x]))/(25*c) + (8*d^2*x*(a + b*ArcSin[c*x])^2)/15 + (4*d^2*x*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/15 + (d^2*x*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/5$

#### Rule 4649

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^ (p\_.), x\_Symbol] :> Simp[(x\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(2\*p + 1), x] + (Dist[(2\*d\*p)/(2\*p + 1), Int[(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p]]/((2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^ (n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] &&

GtQ[p, 0]

### Rule 4619

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.), x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^ (p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 194

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rubi steps

$$\begin{aligned}
 \int (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{5} d^2 x (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2 + \frac{1}{5} (4d) \int (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx \\
 &= \frac{2bd^2 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{25c} + \frac{4}{15} d^2 x (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 + \frac{1}{5} d^2 \int (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx \\
 &= \frac{8bd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{45c} + \frac{2bd^2 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{25c} + \frac{8}{15} d^2 \int (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx \\
 &= -\frac{58}{225} b^2 d^2 x + \frac{76}{675} b^2 c^2 d^2 x^3 - \frac{2}{125} b^2 c^4 d^2 x^5 + \frac{16bd^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{15c} \\
 &= -\frac{298}{225} b^2 d^2 x + \frac{76}{675} b^2 c^2 d^2 x^3 - \frac{2}{125} b^2 c^4 d^2 x^5 + \frac{16bd^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{15c}
 \end{aligned}$$

**Mathematica [A]** time = 0.257989, size = 193, normalized size = 0.88

$$d^2 \left( 225a^2 cx (3c^4 x^4 - 10c^2 x^2 + 15) + 30ab \sqrt{1 - c^2 x^2} (9c^4 x^4 - 38c^2 x^2 + 149) + 30b \sin^{-1}(cx) \left( 15acx (3c^4 x^4 - 10c^2 x^2 + 15) \right. \right.$$

337

Antiderivative was successfully verified.

[In] Integrate[(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (d^2\*(225\*a^2\*c\*x\*(15 - 10\*c^2\*x^2 + 3\*c^4\*x^4) + 30\*a\*b\*Sqrt[1 - c^2\*x^2]\*(149 - 38\*c^2\*x^2 + 9\*c^4\*x^4) - 2\*b^2\*c\*x\*(2235 - 190\*c^2\*x^2 + 27\*c^4\*x^4) + 30\*b\*(15\*a\*c\*x\*(15 - 10\*c^2\*x^2 + 3\*c^4\*x^4) + b\*Sqrt[1 - c^2\*x^2]\*(149 - 38\*c^2\*x^2 + 9\*c^4\*x^4))\*ArcSin[c\*x] + 225\*b^2\*c\*x\*(15 - 10\*c^2\*x^2 + 3\*c^4\*x^4)\*ArcSin[c\*x]^2)/(3375\*c)

**Maple [A]** time = 0.037, size = 275, normalized size = 1.3

$$\frac{1}{c} \left( d^2 a^2 \left( \frac{c^5 x^5}{5} - \frac{2c^3 x^3}{3} + cx \right) + d^2 b^2 \left( \frac{(\arcsin(cx))^2 (3c^4 x^4 - 10c^2 x^2 + 15) cx}{15} - \frac{16cx}{15} + \frac{16 \arcsin(cx)}{15} \sqrt{-c^2 x^2 + 1} + \frac{2}{15} \arcsin(cx) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2,x)

[Out] 1/c\*(d^2\*a^2\*(1/5\*c^5\*x^5-2/3\*c^3\*x^3+cx)+d^2\*b^2\*(1/15\*arcsin(c\*x)^2\*(3\*c^4\*x^4-10\*c^2\*x^2+15)\*cx-16/15\*c\*x+16/15\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)+2/25\*arcsin(c\*x)\*(c^2\*x^2-1)^2\*(-c^2\*x^2+1)^(1/2)-2/375\*(3\*c^4\*x^4-10\*c^2\*x^2+15)\*cx-8/45\*arcsin(c\*x)\*(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)+8/135\*(c^2\*x^2-3)\*cx)+2\*d^2\*a\*b\*(1/5\*arcsin(c\*x)\*c^5\*x^5-2/3\*c^3\*x^3\*arcsin(c\*x)+c\*x\*arcsin(c\*x)+1/25\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-38/225\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)+149/225\*(-c^2\*x^2+1)^(1/2))

**Maxima [B]** time = 1.75827, size = 628, normalized size = 2.87

$$\frac{1}{5} b^2 c^4 d^2 x^5 \arcsin(cx)^2 + \frac{1}{5} a^2 c^4 d^2 x^5 - \frac{2}{3} b^2 c^2 d^2 x^3 \arcsin(cx)^2 + \frac{2}{75} \left( 15 x^5 \arcsin(cx) + \left( \frac{3 \sqrt{-c^2 x^2 + 1} x^4}{c^2} + \frac{4 \sqrt{-c^2 x^2 + 1}}{c^4} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out]  $\frac{1}{5}b^2c^4d^2x^5\arcsin(cx)^2 + \frac{1}{5}a^2c^4d^2x^5 - \frac{2}{3}b^2c^2d^2x^3\arcsin(cx)^2 + \frac{2}{75}(15x^5\arcsin(cx) + (3\sqrt{-c^2x^2+1})x^4/c^2 + 4\sqrt{-c^2x^2+1})x^2/c^4 + 8\sqrt{-c^2x^2+1}/c^6)c) * a * b * c^4d^2 + \frac{2}{1125}(15(3\sqrt{-c^2x^2+1})x^4/c^2 + 4\sqrt{-c^2x^2+1})x^2/c^4 + 8\sqrt{-c^2x^2+1}/c^6)c * \arcsin(cx) - (9c^4x^5 + 20c^2x^3 + 120x)/c^4 * b^2c^4d^2 - \frac{2}{3}a^2c^2d^2x^3 - \frac{4}{9}(3x^3\arcsin(cx) + c(\sqrt{-c^2x^2+1})x^2/c^2 + 2\sqrt{-c^2x^2+1}/c^4)) * a * b * c^2d^2 - \frac{4}{27}(3c(\sqrt{-c^2x^2+1})x^2/c^2 + 2\sqrt{-c^2x^2+1}/c^4)\arcsin(cx) - (c^2x^3 + 6x)/c^2 * b^2c^2d^2 + b^2d^2x\arcsin(cx)^2 - 2b^2d^2(x - \sqrt{-c^2x^2+1})\arcsin(cx)/c + a^2d^2x + 2(cx\arcsin(cx) + \sqrt{-c^2x^2+1}) * a * b * d^2/c$

**Fricas [A]** time = 1.87606, size = 560, normalized size = 2.56

$$\frac{27(25a^2 - 2b^2)c^5d^2x^5 - 10(225a^2 - 38b^2)c^3d^2x^3 + 15(225a^2 - 298b^2)cd^2x + 225(3b^2c^5d^2x^5 - 10b^2c^3d^2x^3 + 15b^2cd^2x)\arcsin(cx)^2}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out]  $\frac{1}{3375}(27(25a^2 - 2b^2)c^5d^2x^5 - 10(225a^2 - 38b^2)c^3d^2x^3 + 15(225a^2 - 298b^2)cd^2x + 225(3b^2c^5d^2x^5 - 10b^2c^3d^2x^3 + 15b^2cd^2x)\arcsin(cx)^2 + 450(3a^2b^2c^5d^2x^5 - 10a^2b^2c^3d^2x^3 + 15a^2b^2cd^2x)\arcsin(cx) + 30(9a^2b^2c^4d^2x^4 - 38a^2b^2c^2d^2x^2 + 149a^2b^2d^2 + (9b^2c^4d^2x^4 - 38b^2c^2d^2x^2 + 149b^2d^2)\arcsin(cx))\sqrt{-c^2x^2+1})/c$

**Sympy [A]** time = 7.15306, size = 389, normalized size = 1.78

$$\frac{\left\{ \begin{array}{l} \frac{a^2c^4d^2x^5}{5} - \frac{2a^2c^2d^2x^3}{3} + a^2d^2x + \frac{2abc^4d^2x^5 \operatorname{asin}(cx)}{5} + \frac{2abc^3d^2x^4\sqrt{-c^2x^2+1}}{25} - \frac{4abc^2d^2x^3 \operatorname{asin}(cx)}{3} - \frac{76abcd^2x^2\sqrt{-c^2x^2+1}}{225} + 2abd^2x \operatorname{asin}(cx) \\ a^2d^2x \end{array} \right.}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x))\*\*2,x)

```
[Out] Piecewise((a**2*c**4*d**2*x**5/5 - 2*a**2*c**2*d**2*x**3/3 + a**2*d**2*x +
2*a*b*c**4*d**2*x**5*asin(c*x)/5 + 2*a*b*c**3*d**2*x**4*sqrt(-c**2*x**2 + 1
)/25 - 4*a*b*c**2*d**2*x**3*asin(c*x)/3 - 76*a*b*c*d**2*x**2*sqrt(-c**2*x**
2 + 1)/225 + 2*a*b*d**2*x*asin(c*x) + 298*a*b*d**2*sqrt(-c**2*x**2 + 1)/(22
5*c) + b**2*c**4*d**2*x**5*asin(c*x)**2/5 - 2*b**2*c**4*d**2*x**5/125 + 2*b
**2*c**3*d**2*x**4*sqrt(-c**2*x**2 + 1)*asin(c*x)/25 - 2*b**2*c**2*d**2*x**
3*asin(c*x)**2/3 + 76*b**2*c**2*d**2*x**3/675 - 76*b**2*c*d**2*x**2*sqrt(-c
**2*x**2 + 1)*asin(c*x)/225 + b**2*d**2*x*asin(c*x)**2 - 298*b**2*d**2*x/22
5 + 298*b**2*d**2*sqrt(-c**2*x**2 + 1)*asin(c*x)/(225*c), Ne(c, 0)), (a**2*
d**2*x, True))
```

---

**Giac [A]** time = 1.44649, size = 505, normalized size = 2.31

$$\frac{1}{5}a^2c^4d^2x^5 - \frac{2}{3}a^2c^2d^2x^3 + \frac{1}{5}(c^2x^2 - 1)^2b^2d^2x \arcsin(cx)^2 + \frac{2}{5}(c^2x^2 - 1)^2abd^2x \arcsin(cx) - \frac{4}{15}(c^2x^2 - 1)b^2d^2x \arcsin$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] 1/5*a^2*c^4*d^2*x^5 - 2/3*a^2*c^2*d^2*x^3 + 1/5*(c^2*x^2 - 1)^2*b^2*d^2*x*a
rcsin(c*x)^2 + 2/5*(c^2*x^2 - 1)^2*a*b*d^2*x*arcsin(c*x) - 4/15*(c^2*x^2 -
1)*b^2*d^2*x*arcsin(c*x)^2 - 2/125*(c^2*x^2 - 1)^2*b^2*d^2*x - 8/15*(c^2*x^
2 - 1)*a*b*d^2*x*arcsin(c*x) + 8/15*b^2*d^2*x*arcsin(c*x)^2 + 2/25*(c^2*x^2
- 1)^2*sqrt(-c^2*x^2 + 1)*b^2*d^2*arcsin(c*x)/c + 272/3375*(c^2*x^2 - 1)*b
^2*d^2*x + 16/15*a*b*d^2*x*arcsin(c*x) + 2/25*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2
+ 1)*a*b*d^2/c + 8/45*(-c^2*x^2 + 1)^(3/2)*b^2*d^2*arcsin(c*x)/c + a^2*d^2
*x - 4144/3375*b^2*d^2*x + 8/45*(-c^2*x^2 + 1)^(3/2)*a*b*d^2/c + 16/15*sqrt
(-c^2*x^2 + 1)*b^2*d^2*arcsin(c*x)/c + 16/15*sqrt(-c^2*x^2 + 1)*a*b*d^2/c
```

$$3.170 \quad \int \frac{(d-c^2 dx^2)^2 (a+b \sin^{-1}(cx))^2}{x} dx$$

**Optimal.** Leaf size=271

$$-ibd^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx)) + \frac{1}{2} b^2 d^2 \text{PolyLog}\left(3, e^{2i \sin^{-1}(cx)}\right) - \frac{1}{8} bcd^2 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))$$

```
[Out] (13*b^2*c^2*d^2*x^2)/32 - (b^2*c^4*d^2*x^4)/32 - (11*b*c*d^2*x*Sqrt[1 - c^2
*x^2]*(a + b*ArcSin[c*x]))/16 - (b*c*d^2*x*(1 - c^2*x^2)^(3/2)*(a + b*ArcSi
n[c*x]))/8 - (11*d^2*(a + b*ArcSin[c*x])^2)/32 + (d^2*(1 - c^2*x^2)*(a + b*
ArcSin[c*x])^2)/2 + (d^2*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/4 - ((I/3)*
d^2*(a + b*ArcSin[c*x])^3)/b + d^2*(a + b*ArcSin[c*x])^2*Log[1 - E^((2*I)*A
rcSin[c*x])] - I*b*d^2*(a + b*ArcSin[c*x])*PolyLog[2, E^((2*I)*ArcSin[c*x])
] + (b^2*d^2*PolyLog[3, E^((2*I)*ArcSin[c*x])])/2
```

---

**Rubi [A]** time = 0.41496, antiderivative size = 271, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 12, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$ , Rules used = {4699, 4625, 3717, 2190, 2531, 2282, 6589, 4647, 4641, 30, 4649, 14}

$$-ibd^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx)) + \frac{1}{2} b^2 d^2 \text{PolyLog}\left(3, e^{2i \sin^{-1}(cx)}\right) - \frac{1}{8} bcd^2 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))$$

Antiderivative was successfully verified.

```
[In] Int[((d - c^2*d*x^2)^2*(a + b*ArcSin[c*x])^2)/x, x]
```

```
[Out] (13*b^2*c^2*d^2*x^2)/32 - (b^2*c^4*d^2*x^4)/32 - (11*b*c*d^2*x*Sqrt[1 - c^2
*x^2]*(a + b*ArcSin[c*x]))/16 - (b*c*d^2*x*(1 - c^2*x^2)^(3/2)*(a + b*ArcSi
n[c*x]))/8 - (11*d^2*(a + b*ArcSin[c*x])^2)/32 + (d^2*(1 - c^2*x^2)*(a + b*
ArcSin[c*x])^2)/2 + (d^2*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/4 - ((I/3)*
d^2*(a + b*ArcSin[c*x])^3)/b + d^2*(a + b*ArcSin[c*x])^2*Log[1 - E^((2*I)*A
rcSin[c*x])] - I*b*d^2*(a + b*ArcSin[c*x])*PolyLog[2, E^((2*I)*ArcSin[c*x])
] + (b^2*d^2*PolyLog[3, E^((2*I)*ArcSin[c*x])])/2
```

**Rule 4699**

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] :> Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d*IntPart
```

$[p]*(d + e*x^2)^{\text{FracPart}[p]}/(f*(m + 2*p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]})$ ,  
 $\text{Int}[(f*x)^{(m + 1)}*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x, x]$   
 $] /;$   $\text{FreeQ}\{a, b, c, d, e, f, m\}, x$  &&  $\text{EqQ}[c^2*d + e, 0]$  &&  $\text{GtQ}[n, 0]$  &&  
 $\text{GtQ}[p, 0]$  &&  $\text{!LtQ}[m, -1]$  &&  $(\text{RationalQ}[m] \mid \mid \text{EqQ}[n, 1])$

Rule 4625

$\text{Int}[(a + b*x) + \text{ArcSin}[c*x]*(b_*)^{(n_*)}/(x_*)]$ ,  $x\_Symbol$ ]  $:=$   $\text{Subst}[\text{Int}[(a + b*x)^n/\text{Tan}[x], x], x, \text{ArcSin}[c*x]] /;$   $\text{FreeQ}\{a, b, c\}, x$  &&  $\text{IGtQ}[n, 0]$

Rule 3717

$\text{Int}[(c + d*x)^{(m + 1)}*\text{tan}[(e + \text{Pi}*k + f*x)]]$ ,  $x\_Symbol$   
 $] :=$   $\text{Simp}[(I*(c + d*x)^{(m + 1)})/(d*(m + 1)), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m*$   
 $E^{(2*I*k*\text{Pi})}*E^{(2*I*(e + f*x))}/(1 + E^{(2*I*k*\text{Pi})}*E^{(2*I*(e + f*x))}), x],$   
 $x] /;$   $\text{FreeQ}\{c, d, e, f\}, x$  &&  $\text{IntegerQ}[4*k]$  &&  $\text{IGtQ}[m, 0]$

Rule 2190

$\text{Int}[(F^{(g + f*x)})^{(n)}*(c + d*x)^{(m)}]/((a + b*x)*(F^{(g + f*x)})^{(n)})]$ ,  $x\_Symbol$ ]  $:=$   $\text{Simp}[(c + d*x)^m*\text{Log}[1 + (b*(F^{(g + f*x)})^n)/a]]/(b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m - 1)}*\text{Log}[1 + (b*(F^{(g + f*x)})^n)/a]], x], x] /;$   $\text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x$  &&  $\text{IGtQ}[m, 0]$

Rule 2531

$\text{Int}[\text{Log}[1 + (e + f*x)*(F^{(c*(a + b*x))})^{(n)}]*(f + g*x)^{(m)}]$ ,  $x\_Symbol$ ]  $:=$   $-\text{Simp}[(f + g*x)^m*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x))})^n)]/(b*c*n*\text{Log}[F]), x] + \text{Dist}[(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^{(m - 1)}*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x))})^n)], x], x] /;$   $\text{FreeQ}\{F, a, b, c, e, f, g, n\}, x$  &&  $\text{GtQ}[m, 0]$

Rule 2282

$\text{Int}[u, x\_Symbol]$   $:=$   $\text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /;$   $\text{FunctionOfExponentialQ}[u, x]$  &&  $\text{!MatchQ}[u, (w_*)*(a_*)^{(v_*)^{(n_*)}}]$   $;/$   $\text{FreeQ}\{a, m, n\}, x$  &&  $\text{IntegerQ}[m*n]$  &&  $\text{!MatchQ}[u, E^{(c_*)*(a_*) + (b_*)*x}*(F_*)^{(v_*)} /;$   $\text{FreeQ}\{a, b, c\}, x$  &&  $\text{InverseFunctionQ}[F[x]]]$

Rule 6589

$\text{Int}[\text{PolyLog}[n, (c + d*x)^{(a + b*x)}]/((d + e*x)^p)]$ ,  $x\_Symbol$ ]  $:=$   $\text{Simp}[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /;$   $\text{FreeQ}\{a, b, c, d$



, e, n, p}, x] && EqQ[b\*d, a\*e]

#### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 4649

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[x\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n/(2\*p + 1), x] + (Dist[(2\*d\*p)/(2\*p + 1), Int[(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/((2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0]

#### Rule 14

Int[(u\_)\*((c\_.)\*(x\_)^(m\_.)), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

#### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2}{x} dx &= \frac{1}{4} d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2 + d \int \frac{(d - c^2 dx^2) (a + b \sin^{-1}(cx))^2}{x} dx - \frac{1}{2} (b \\
&= -\frac{1}{8} bcd^2 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) + \frac{1}{2} d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 + \frac{1}{4} d^2 \\
&= -\frac{11}{16} bcd^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{1}{8} bcd^2 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) + \frac{1}{4} d^2 \\
&= \frac{13}{32} b^2 c^2 d^2 x^2 - \frac{1}{32} b^2 c^4 d^2 x^4 - \frac{11}{16} bcd^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{1}{8} bcd^2 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) \\
&= \frac{13}{32} b^2 c^2 d^2 x^2 - \frac{1}{32} b^2 c^4 d^2 x^4 - \frac{11}{16} bcd^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{1}{8} bcd^2 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) \\
&= \frac{13}{32} b^2 c^2 d^2 x^2 - \frac{1}{32} b^2 c^4 d^2 x^4 - \frac{11}{16} bcd^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{1}{8} bcd^2 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) \\
&= \frac{13}{32} b^2 c^2 d^2 x^2 - \frac{1}{32} b^2 c^4 d^2 x^4 - \frac{11}{16} bcd^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{1}{8} bcd^2 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))
\end{aligned}$$

**Mathematica [A]** time = 0.478867, size = 353, normalized size = 1.3

$$\frac{1}{768} d^2 \left( -768iab \operatorname{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + 768ib^2 \sin^{-1}(cx) \operatorname{PolyLog} \left( 2, e^{-2i \sin^{-1}(cx)} \right) + 384b^2 \operatorname{PolyLog} \left( 3, e^{-2i \sin^{-1}(cx)} \right) + \right.$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/x,x]

[Out] (d^2\*((-32\*I)\*b^2\*Pi^3 - 768\*a^2\*c^2\*x^2 + 192\*a^2\*c^4\*x^4 - 624\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2] + 96\*a\*b\*c^3\*x^3\*Sqrt[1 - c^2\*x^2] + 624\*a\*b\*ArcSin[c\*x] - 1536\*a\*b\*c^2\*x^2\*ArcSin[c\*x] + 384\*a\*b\*c^4\*x^4\*ArcSin[c\*x] - (768\*I)\*a\*b\*ArcSin[c\*x]^2 + (256\*I)\*b^2\*ArcSin[c\*x]^3 - 144\*b^2\*Cos[2\*ArcSin[c\*x]] + 288\*b^2\*ArcSin[c\*x]^2\*Cos[2\*ArcSin[c\*x]] - 3\*b^2\*Cos[4\*ArcSin[c\*x]] + 24\*b^2\*ArcSin[c\*x]^2\*Cos[4\*ArcSin[c\*x]] + 768\*b^2\*ArcSin[c\*x]^2\*Log[1 - E^((-2\*I)\*ArcSin[c\*x])] + 1536\*a\*b\*ArcSin[c\*x]\*Log[1 - E^((2\*I)\*ArcSin[c\*x])] + 768\*a^2\*Log[c\*x] + (768\*I)\*b^2\*ArcSin[c\*x]\*PolyLog[2, E^((-2\*I)\*ArcSin[c\*x])] - (768\*I)\*a\*b\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])] + 384\*b^2\*PolyLog[3, E^((-2\*I)\*ArcSin[c\*x])] - 288\*b^2\*ArcSin[c\*x]\*Sin[2\*ArcSin[c\*x]] - 12\*b^2\*ArcSin[c\*x]\*Sin[4\*ArcSin[c\*x]]))/768

---

**Maple [B]** time = 0.307, size = 623, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2/x,x)`

[Out] 
$$-13/16*d^2*a*b*(-c^2*x^2+1)^{(1/2)}*c*x+1/8*d^2*b^2*arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^3*x^3-13/16*d^2*b^2*arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c*x+1/2*d^2*a*b*arcsin(c*x)*c^4*x^4-2*d^2*a*b*arcsin(c*x)*c^2*x^2+1/8*d^2*a*b*(-c^2*x^2+1)^{(1/2)}*c^3*x^3-49/256*d^2*b^2+13/32*b^2*c^2*d^2*x^2-1/32*b^2*c^4*d^2*x^4+1/4*d^2*a^2*c^4*x^4-d^2*a^2*c^2*x^2+13/16*d^2*a*b*arcsin(c*x)+d^2*b^2*arcsin(c*x)^2*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})+d^2*b^2*arcsin(c*x)^2*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-1/3*I*d^2*b^2*arcsin(c*x)^3+d^2*a^2*\ln(c*x)+13/32*d^2*b^2*arcsin(c*x)^2+2*d^2*b^2*polylog(3,I*c*x+(-c^2*x^2+1)^{(1/2)})+2*d^2*b^2*polylog(3,-I*c*x-(-c^2*x^2+1)^{(1/2)})+1/4*d^2*b^2*arcsin(c*x)^2*c^4*x^4-d^2*b^2*arcsin(c*x)^2*c^2*x^2+2*d^2*a*b*arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})+2*d^2*a*b*arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})-2*I*d^2*a*b*polylog(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})-2*I*d^2*a*b*polylog(2,I*c*x+(-c^2*x^2+1)^{(1/2)})-I*d^2*a*b*arcsin(c*x)^2-2*I*d^2*b^2*arcsin(c*x)*polylog(2,I*c*x+(-c^2*x^2+1)^{(1/2)})-2*I*d^2*b^2*arcsin(c*x)*polylog(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})$$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{4}a^2c^4d^2x^4 - a^2c^2d^2x^2 + a^2d^2\log(x) + \int \frac{(b^2c^4d^2x^4 - 2b^2c^2d^2x^2 + b^2d^2)\arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})^2 + 2(abc^4d^2x^4}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2/x,x, algorithm="maxima")`

[Out] 
$$1/4*a^2*c^4*d^2*x^4 - a^2*c^2*d^2*x^2 + a^2*d^2*\log(x) + \text{integrate}(((b^2*c^4*d^2*x^4 - 2*b^2*c^2*d^2*x^2 + b^2*d^2)*\arctan2(c*x, \text{sqrt}(c*x + 1))*\text{sqrt}(-c*x + 1))^2 + 2*(a*b*c^4*d^2*x^4 - 2*a*b*c^2*d^2*x^2 + a*b*d^2)*\arctan2(c*x, \text{sqrt}(c*x + 1))*\text{sqrt}(-c*x + 1)))/x, x)$$

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{a^2 c^4 d^2 x^4 - 2 a^2 c^2 d^2 x^2 + a^2 d^2 + (b^2 c^4 d^2 x^4 - 2 b^2 c^2 d^2 x^2 + b^2 d^2) \arcsin(cx)^2 + 2 (abc^4 d^2 x^4 - 2 abc^2 d^2 x^2 + abd^2)}{x} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2/x,x, algorithm="fricas")

[Out] integral((a^2\*c^4\*d^2\*x^4 - 2\*a^2\*c^2\*d^2\*x^2 + a^2\*d^2 + (b^2\*c^4\*d^2\*x^4 - 2\*b^2\*c^2\*d^2\*x^2 + b^2\*d^2)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^4\*d^2\*x^4 - 2\*a\*b\*c^2\*d^2\*x^2 + a\*b\*d^2)\*arcsin(c\*x))/x, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$d^2 \left( \int \frac{a^2}{x} dx + \int -2a^2c^2x dx + \int a^2c^4x^3 dx + \int \frac{b^2 \arcsin^2(cx)}{x} dx + \int \frac{2ab \arcsin(cx)}{x} dx + \int -2b^2c^2x \arcsin^2(cx) dx + \int \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x))\*\*2/x,x)

[Out] d\*\*2\*(Integral(a\*\*2/x, x) + Integral(-2\*a\*\*2\*c\*\*2\*x, x) + Integral(a\*\*2\*c\*\*4\*x\*\*3, x) + Integral(b\*\*2\*asin(c\*x)\*\*2/x, x) + Integral(2\*a\*b\*asin(c\*x)/x, x) + Integral(-2\*b\*\*2\*c\*\*2\*x\*asin(c\*x)\*\*2, x) + Integral(b\*\*2\*c\*\*4\*x\*\*3\*asin(c\*x)\*\*2, x) + Integral(-4\*a\*b\*c\*\*2\*x\*asin(c\*x), x) + Integral(2\*a\*b\*c\*\*4\*x\*\*3\*asin(c\*x), x))

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c^2 dx^2 - d)^2 (b \arcsin(cx) + a)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2/x,x, algorithm="giac")

[Out] integrate((c^2\*d\*x^2 - d)^2\*(b\*arcsin(c\*x) + a)^2/x, x)

$$3.171 \quad \int \frac{(d-c^2dx^2)^2(a+b\sin^{-1}(cx))^2}{x^2} dx$$

**Optimal.** Leaf size=249

$$2ib^2cd^2\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right) - 2ib^2cd^2\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right) - \frac{4}{3}c^2d^2x(1-c^2x^2)(a+b\sin^{-1}(cx))^2 - \frac{2}{9}bcd^2(1-c^2x^2)$$

```
[Out] (32*b^2*c^2*d^2*x)/9 - (2*b^2*c^4*d^2*x^3)/27 - (10*b*c*d^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/3 - (2*b*c*d^2*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/9 - (8*c^2*d^2*x*(a + b*ArcSin[c*x])^2)/3 - (4*c^2*d^2*x*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/3 - (d^2*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/x - 4*b*c*d^2*(a + b*ArcSin[c*x])*ArcTanh[E^(I*ArcSin[c*x])] + (2*I)*b^2*c*d^2*PolyLog[2, -E^(I*ArcSin[c*x])] - (2*I)*b^2*c*d^2*PolyLog[2, E^(I*ArcSin[c*x])]
```

**Rubi [A]** time = 0.493218, antiderivative size = 249, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 11, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.407$ , Rules used = {4695, 4649, 4619, 4677, 8, 4699, 4697, 4709, 4183, 2279, 2391}

$$2ib^2cd^2\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right) - 2ib^2cd^2\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right) - \frac{4}{3}c^2d^2x(1-c^2x^2)(a+b\sin^{-1}(cx))^2 - \frac{2}{9}bcd^2(1-c^2x^2)$$

Antiderivative was successfully verified.

```
[In] Int[((d - c^2*d*x^2)^2*(a + b*ArcSin[c*x])^2)/x^2,x]
```

```
[Out] (32*b^2*c^2*d^2*x)/9 - (2*b^2*c^4*d^2*x^3)/27 - (10*b*c*d^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/3 - (2*b*c*d^2*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/9 - (8*c^2*d^2*x*(a + b*ArcSin[c*x])^2)/3 - (4*c^2*d^2*x*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/3 - (d^2*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/x - 4*b*c*d^2*(a + b*ArcSin[c*x])*ArcTanh[E^(I*ArcSin[c*x])] + (2*I)*b^2*c*d^2*PolyLog[2, -E^(I*ArcSin[c*x])] - (2*I)*b^2*c*d^2*PolyLog[2, E^(I*ArcSin[c*x])]
```

### Rule 4695

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^ (n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(f*(m + 1)), x] + (-Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPar
```

$t[p]*(d + e*x^2)^{\text{FracPart}[p]}/(f*(m + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m + 1)}*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{GtQ}[p, 0]$   
 $] \ \&\& \ \text{LtQ}[m, -1]$

#### Rule 4649

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \ :> \ \text{Simp}[(x*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n)/(2*p + 1), x] + (\text{Dist}[(2*d*p)/(2*p + 1), \text{Int}[(d + e*x^2)^{(p - 1)}*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/((2*p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[x*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x]) /;$   
 $\text{FreeQ}\{a, b, c, d, e\}, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{GtQ}[p, 0]$

#### Rule 4619

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}, x\_Symbol] \ :> \ \text{Simp}[x*(a + b*\text{ArcSin}[c*x])^n, x] - \text{Dist}[b*c*n, \text{Int}[(x*(a + b*\text{ArcSin}[c*x])^{(n - 1)})/\text{Sqrt}[1 - c^2*x^2], x], x] /;$   
 $\text{FreeQ}\{a, b, c\}, x\} \ \&\& \ \text{GtQ}[n, 0]$

#### Rule 4677

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*(x_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \ :> \ \text{Simp}[(d + e*x^2)^{(p + 1)}*(a + b*\text{ArcSin}[c*x])^n)/(2*e*(p + 1)), x] + \text{Dist}[(b*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(2*c*(p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(1 - c^2*x^2)^{(p + 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, p\}, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{NeQ}[p, -1]$

#### Rule 8

$\text{Int}[a_., x\_Symbol] \ :> \ \text{Simp}[a*x, x] /;$   
 $\text{FreeQ}[a, x]$

#### Rule 4699

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \ :> \ \text{Simp}[(f*x)^{(m + 1)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n)/(f*(m + 2*p + 1)), x] + (\text{Dist}[(2*d*p)/(m + 2*p + 1), \text{Int}[(f*x)^m*(d + e*x^2)^{(p - 1)}*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(f*(m + 2*p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m + 1)}*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x]) /;$   
 $\text{FreeQ}\{a, b, c, d, e, f, m\}, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ !\text{LtQ}[m, -1] \ \&\& \ (\text{RationalQ}[m] \ || \ \text{EqQ}[n, 1])$

Rule 4697

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*((f_.)*(x_.))^ (m_.)*Sqrt[(d_.) +
(e_.)*(x_.)^2], x_Symbol] :> Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[((f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2)/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_)^(m_))/Sqrt[(d_.) + (e_.)*
(x_)^2], x_Symbol] :> Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^ (m_.), x_Symbol] :> Simp[(-
2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_.)))^ (n_.))], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2}{x^2} dx &= -\frac{d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2}{x} - (4c^2 d) \int (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx + \\
&= \frac{2}{3} bcd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) - \frac{4}{3} c^2 d^2 x (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 - \frac{d^2}{3} (1 - c^2 x^2)^{3/2} \\
&= -\frac{2}{3} b^2 c^2 d^2 x + \frac{2}{9} b^2 c^4 d^2 x^3 + 2bcd^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{2}{9} bcd^2 (1 - c^2 x^2)^{3/2} \\
&= -\frac{16}{9} b^2 c^2 d^2 x - \frac{2}{27} b^2 c^4 d^2 x^3 - \frac{10}{3} bcd^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{2}{9} bcd^2 (1 - c^2 x^2)^{3/2} \\
&= \frac{32}{9} b^2 c^2 d^2 x - \frac{2}{27} b^2 c^4 d^2 x^3 - \frac{10}{3} bcd^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{2}{9} bcd^2 (1 - c^2 x^2)^{3/2} \\
&= \frac{32}{9} b^2 c^2 d^2 x - \frac{2}{27} b^2 c^4 d^2 x^3 - \frac{10}{3} bcd^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{2}{9} bcd^2 (1 - c^2 x^2)^{3/2} \\
&= \frac{32}{9} b^2 c^2 d^2 x - \frac{2}{27} b^2 c^4 d^2 x^3 - \frac{10}{3} bcd^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{2}{9} bcd^2 (1 - c^2 x^2)^{3/2}
\end{aligned}$$

**Mathematica [A]** time = 1.03038, size = 322, normalized size = 1.29

$$\frac{1}{54} d^2 \left( 108 i b^2 c \operatorname{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) - 108 i b^2 c \operatorname{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) + 18 a^2 c^4 x^3 - 108 a^2 c^2 x - \frac{54 a^2}{x} + 12 abc \sqrt{1 - c^2 x^2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x]))^2/x^2,x]

[Out] (d^2\*((-54\*a^2)/x - 108\*a^2\*c^2\*x + 18\*a^2\*c^4\*x^3 + 12\*a\*b\*c\*Sqrt[1 - c^2\*x^2]\*(2 + c^2\*x^2) + 36\*a\*b\*c^4\*x^3\*ArcSin[c\*x] - 189\*b^2\*c\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] - 216\*a\*b\*c\*(Sqrt[1 - c^2\*x^2] + c\*x\*ArcSin[c\*x]) - 108\*b^2\*c^2\*x\*(-2 + ArcSin[c\*x]^2) + 2\*b^2\*c^2\*x\*(-2\*(6 + c^2\*x^2) + 9\*c^2\*x^2\*ArcSin[c\*x]^2) - (108\*a\*b\*(ArcSin[c\*x] + c\*x\*ArcTanh[Sqrt[1 - c^2\*x^2]])))/x - 3\*b^2\*c\*ArcSin[c\*x]\*Cos[3\*ArcSin[c\*x]] - (54\*b^2\*ArcSin[c\*x]\*(ArcSin[c\*x] + 2\*c\*x\*(-Log[1 - E^(I\*ArcSin[c\*x]]) + Log[1 + E^(I\*ArcSin[c\*x]])))/x + (108\*I)\*b^2\*c\*PolyLog[2, -E^(I\*ArcSin[c\*x])] - (108\*I)\*b^2\*c\*PolyLog[2, E^(I\*ArcSin[c\*x])])/54



**Maple [A]** time = 0.257, size = 417, normalized size = 1.7

$$\frac{d^2 a^2 c^4 x^3}{3} - 2 d^2 a^2 c^2 x - \frac{d^2 a^2}{x} - \frac{2 b^2 c^4 d^2 x^3}{27} + \frac{32 b^2 c^2 d^2 x}{9} + \frac{2 d^2 b^2 \arcsin(cx) c^3 x^2}{9} \sqrt{-c^2 x^2 + 1} + 2 i b^2 c d^2 \operatorname{polylog}\left(2, -i c x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2/x^2,x)`

[Out] `1/3*d^2*a^2*c^4*x^3-2*d^2*a^2*c^2*x-d^2*a^2/x-2/27*b^2*c^4*d^2*x^3+32/9*b^2*c^2*d^2*x+2/9*d^2*b^2*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^3*x^2+2*I*b^2*c*d^2*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2))-2*I*b^2*c*d^2*polylog(2,I*c*x+(-c^2*x^2+1)^(1/2))-d^2*b^2/x*arcsin(c*x)^2-2*c*d^2*b^2*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))+2*c*d^2*b^2*arcsin(c*x)*ln(1-I*c*x-(-c^2*x^2+1)^(1/2))+1/3*d^2*b^2*arcsin(c*x)^2*c^4*x^3-2*d^2*b^2*arcsin(c*x)^2*c^2*x-32/9*c*d^2*b^2*arcsin(c*x)*(-c^2*x^2+1)^(1/2)+2/3*d^2*a*b*c^4*x^3*arcsin(c*x)-4*d^2*a*b*c^2*x*arcsin(c*x)-2*d^2*a*b/x*arcsin(c*x)+2/9*d^2*a*b*c^3*x^2*(-c^2*x^2+1)^(1/2)-32/9*c*d^2*a*b*(-c^2*x^2+1)^(1/2)-2*c*d^2*a*b*arctanh(1/(-c^2*x^2+1)^(1/2))`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{3} a^2 c^4 d^2 x^3 + \frac{2}{9} \left( 3 x^3 \arcsin(cx) + c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2}{c^2} + \frac{2 \sqrt{-c^2 x^2 + 1}}{c^4} \right) \right) a b c^4 d^2 - 2 b^2 c^2 d^2 x \arcsin(cx)^2 + 4 b^2 c^2 d^2 \left( x - \sqrt{-c^2 x^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2/x^2,x, algorithm="maxima")`

[Out] `1/3*a^2*c^4*d^2*x^3 + 2/9*(3*x^3*arcsin(c*x) + c*(sqrt(-c^2*x^2 + 1)*x^2/c^2 + 2*sqrt(-c^2*x^2 + 1)/c^4))*a*b*c^4*d^2 - 2*b^2*c^2*d^2*x*arcsin(c*x)^2 + 4*b^2*c^2*d^2*(x - sqrt(-c^2*x^2 + 1)*arcsin(c*x)/c) - 2*a^2*c^2*d^2*x - 4*(c*x*arcsin(c*x) + sqrt(-c^2*x^2 + 1))*a*b*c*d^2 - 2*(c*log(2*sqrt(-c^2*x^2 + 1)/abs(x) + 2/abs(x)) + arcsin(c*x)/x)*a*b*d^2 - a^2*d^2/x + 1/3*((b^2*c^4*d^2*x^4 - 3*b^2*d^2)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2 + 3*x*integrate(2/3*(b^2*c^5*d^2*x^4 - 3*b^2*c*d^2)*sqrt(c*x + 1)*sqrt(-c*x + 1)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))/(c^2*x^3 - x), x))/x`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{a^2 c^4 d^2 x^4 - 2 a^2 c^2 d^2 x^2 + a^2 d^2 + (b^2 c^4 d^2 x^4 - 2 b^2 c^2 d^2 x^2 + b^2 d^2) \arcsin(cx)^2 + 2 (abc^4 d^2 x^4 - 2 abc^2 d^2 x^2 + abd^2)}{x^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2/x^2,x, algorithm="fricas")

[Out] integral((a^2\*c^4\*d^2\*x^4 - 2\*a^2\*c^2\*d^2\*x^2 + a^2\*d^2 + (b^2\*c^4\*d^2\*x^4 - 2\*b^2\*c^2\*d^2\*x^2 + b^2\*d^2)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^4\*d^2\*x^4 - 2\*a\*b\*c^2\*d^2\*x^2 + a\*b\*d^2)\*arcsin(c\*x))/x^2, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$d^2 \left( \int -2a^2c^2 dx + \int \frac{a^2}{x^2} dx + \int a^2c^4x^2 dx + \int -2b^2c^2 \operatorname{asin}^2(cx) dx + \int \frac{b^2 \operatorname{asin}^2(cx)}{x^2} dx + \int -4abc^2 \operatorname{asin}(cx) dx + \int \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x))\*\*2/x\*\*2,x)

[Out] d\*\*2\*(Integral(-2\*a\*\*2\*c\*\*2, x) + Integral(a\*\*2/x\*\*2, x) + Integral(a\*\*2\*c\*\*4\*x\*\*2, x) + Integral(-2\*b\*\*2\*c\*\*2\*asin(c\*x)\*\*2, x) + Integral(b\*\*2\*asin(c\*x)\*\*2/x\*\*2, x) + Integral(-4\*a\*b\*c\*\*2\*asin(c\*x), x) + Integral(2\*a\*b\*asin(c\*x)/x\*\*2, x) + Integral(b\*\*2\*c\*\*4\*x\*\*2\*asin(c\*x)\*\*2, x) + Integral(2\*a\*b\*c\*\*4\*x\*\*2\*asin(c\*x), x))

**Giac [F]** time = 0., size = 0, normalized size = 0.

sage<sub>0</sub>x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2/x^2,x, algorithm="giac")

[Out] sage0\*x

$$3.172 \quad \int \frac{(d-c^2 dx^2)^2 (a+b \sin^{-1}(cx))^2}{x^3} dx$$

**Optimal.** Leaf size=287

$$2ibc^2 d^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx)) - b^2 c^2 d^2 \text{PolyLog}\left(3, e^{2i \sin^{-1}(cx)}\right) - \frac{1}{2} bc^3 d^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))$$

```
[Out] -(b^2*c^4*d^2*x^2)/4 - (b*c^3*d^2*x*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/
2 - (b*c*d^2*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/x - (c^2*d^2*(a + b*ArcSin[c*x])^2)/4 - c^2*d^2*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2 - (d^2*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/(2*x^2) + (((2*I)/3)*c^2*d^2*(a + b*ArcSin[c*x])^3)/b - 2*c^2*d^2*(a + b*ArcSin[c*x])^2*Log[1 - E^((2*I)*ArcSin[c*x])] + b^2*c^2*d^2*Log[x] + (2*I)*b*c^2*d^2*(a + b*ArcSin[c*x])*PolyLog[2, E^((2*I)*ArcSin[c*x])] - b^2*c^2*d^2*PolyLog[3, E^((2*I)*ArcSin[c*x])]
```

---

**Rubi [A]** time = 0.474914, antiderivative size = 287, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 12, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$ , Rules used = {4695, 4699, 4625, 3717, 2190, 2531, 2282, 6589, 4647, 4641, 30, 14}

$$2ibc^2 d^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx)) - b^2 c^2 d^2 \text{PolyLog}\left(3, e^{2i \sin^{-1}(cx)}\right) - \frac{1}{2} bc^3 d^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))$$

Antiderivative was successfully verified.

```
[In] Int[((d - c^2*d*x^2)^2*(a + b*ArcSin[c*x])^2)/x^3,x]
```

```
[Out] -(b^2*c^4*d^2*x^2)/4 - (b*c^3*d^2*x*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/
2 - (b*c*d^2*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/x - (c^2*d^2*(a + b*ArcSin[c*x])^2)/4 - c^2*d^2*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2 - (d^2*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/(2*x^2) + (((2*I)/3)*c^2*d^2*(a + b*ArcSin[c*x])^3)/b - 2*c^2*d^2*(a + b*ArcSin[c*x])^2*Log[1 - E^((2*I)*ArcSin[c*x])] + b^2*c^2*d^2*Log[x] + (2*I)*b*c^2*d^2*(a + b*ArcSin[c*x])*PolyLog[2, E^((2*I)*ArcSin[c*x])] - b^2*c^2*d^2*PolyLog[3, E^((2*I)*ArcSin[c*x])]
```

### Rule 4695

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(f*(m + 1)), x] + (-Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPar
```

$t[p]*(d + e*x^2)^{\text{FracPart}[p]}/(f*(m + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m + 1)}*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[p, 0]$   
 $] \&\& \text{LtQ}[m, -1]$

### Rule 4699

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m + 1)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n]/(f*(m + 2*p + 1)), x] + (\text{Dist}[(2*d*p)/(m + 2*p + 1), \text{Int}[(f*x)^m*(d + e*x^2)^{(p - 1)}*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}/(f*(m + 2*p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m + 1)}*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x]) /;$   
 $\text{FreeQ}\{a, b, c, d, e, f, m\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[p, 0] \&\& \text{!LtQ}[m, -1] \&\& (\text{RationalQ}[m] \mid \mid \text{EqQ}[n, 1])$

### Rule 4625

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}/(x_), x\_Symbol] \rightarrow \text{Subst}[\text{Int}[(a + b*x)^n/\text{Tan}[x], x], x, \text{ArcSin}[c*x]] /;$   
 $\text{FreeQ}\{a, b, c\}, x\} \&\& \text{IGtQ}[n, 0]$

### Rule 3717

$\text{Int}[(c_.) + (d_.)*(x_.)]^{(m_.)}*\text{tan}[(e_.) + \text{Pi}*(k_.) + (f_.)*(x_.)], x\_Symbol] \rightarrow \text{Simp}[(I*(c + d*x)^{(m + 1)})/(d*(m + 1)), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m*\text{E}^{(2*I*k*Pi)}*\text{E}^{(2*I*(e + f*x))}/(1 + \text{E}^{(2*I*k*Pi)}*\text{E}^{(2*I*(e + f*x))}), x], x] /;$   
 $\text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{IntegerQ}[4*k] \&\& \text{IGtQ}[m, 0]$

### Rule 2190

$\text{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_.)))^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}}/((a_.) + (b_.)*((F_)^{((g_.)*((e_.) + (f_.)*(x_.)))^{(n_.)}}), x\_Symbol] \rightarrow \text{Simp}[(c + d*x)^m*\text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a]/(b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m - 1)}*\text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a], x], x] /;$   
 $\text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \&\& \text{IGtQ}[m, 0]$

### Rule 2531

$\text{Int}[\text{Log}[1 + (e_.)*((F_)^{((c_.)*((a_.) + (b_.)*(x_.)))^{(n_.)}}]^{(f_.) + (g_.)*(x_.)}^{(m_.)}, x\_Symbol] \rightarrow -\text{Simp}[(f + g*x)^m*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x))})^n)]/(b*c*n*\text{Log}[F]), x] + \text{Dist}[(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^{(m - 1)}*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x))})^n)], x], x] /;$   
 $\text{FreeQ}\{F, a, b, c, e, f, g, n\}, x\} \&\& \text{GtQ}[m, 0]$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*(a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] := Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 30

```
Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]
```

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2}{x^3} dx &= -\frac{d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2}{2x^2} - (2c^2 d) \int \frac{(d - c^2 dx^2) (a + b \sin^{-1}(cx))^2}{x} dx + \\
&= -\frac{bcd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{x} - c^2 d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 - \frac{d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2}{2x} \\
&= -\frac{1}{2} bc^3 d^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{bcd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{x} - c^2 d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 \\
&= -\frac{1}{4} b^2 c^4 d^2 x^2 - \frac{1}{2} bc^3 d^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{bcd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{x} \\
&= -\frac{1}{4} b^2 c^4 d^2 x^2 - \frac{1}{2} bc^3 d^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{bcd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{x} \\
&= -\frac{1}{4} b^2 c^4 d^2 x^2 - \frac{1}{2} bc^3 d^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{bcd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{x} \\
&= -\frac{1}{4} b^2 c^4 d^2 x^2 - \frac{1}{2} bc^3 d^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{bcd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{x} \\
&= -\frac{1}{4} b^2 c^4 d^2 x^2 - \frac{1}{2} bc^3 d^2 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{bcd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{x}
\end{aligned}$$

**Mathematica [A]** time = 0.881177, size = 343, normalized size = 1.2

$$\frac{1}{2} d^2 \left( 4iabc^2 \left( \sin^{-1}(cx)^2 + \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) \right) + \frac{1}{6} ib^2 c^2 \left( -24 \sin^{-1}(cx) \text{PolyLog} \left( 2, e^{-2i \sin^{-1}(cx)} \right) + 12i \text{PolyLog} \left( 3, e^{-2i \sin^{-1}(cx)} \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/x^3,x]

[Out] (d^2\*(-(a^2/x^2) + a^2\*c^4\*x^2 + a\*b\*c^2\*(c\*x\*Sqrt[1 - c^2\*x^2] - ArcSin[c\*x]) + 2\*a\*b\*c^4\*x^2\*ArcSin[c\*x] - (2\*a\*b\*(c\*x\*Sqrt[1 - c^2\*x^2] + ArcSin[c\*x]))/x^2 - (b^2\*c^2\*(-1 + 2\*ArcSin[c\*x]^2)\*Cos[2\*ArcSin[c\*x]])/4 - 8\*a\*b\*c^2\*ArcSin[c\*x]\*Log[1 - E^((2\*I)\*ArcSin[c\*x])] - 4\*a^2\*c^2\*Log[x] - (b^2\*(2\*c\*x\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + ArcSin[c\*x]^2 - 2\*c^2\*x^2\*Log[c\*x]))/x^2 + (4\*I)\*a\*b\*c^2\*(ArcSin[c\*x]^2 + PolyLog[2, E^((2\*I)\*ArcSin[c\*x])]) + (I/6)\*b^2\*c^2\*(Pi^3 - 8\*ArcSin[c\*x]^3 + (24\*I)\*ArcSin[c\*x]^2\*Log[1 - E^((-2\*I)\*ArcSin[c\*x])] - 24\*ArcSin[c\*x]\*PolyLog[2, E^((-2\*I)\*ArcSin[c\*x])] + (12\*I)\*PolyLog[3, E^((-2\*I)\*ArcSin[c\*x])]) + (b^2\*c^2\*ArcSin[c\*x]\*Sin[2\*ArcSin[c\*x]

]])/2))/2

**Maple [B]** time = 0.525, size = 767, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2/x^3,x)`

[Out]  $\frac{1}{8}d^2b^2c^2 - \frac{1}{2}d^2a^2/x^2 + c^2d^2b^2 \ln(Icx + (-c^2x^2+1)^{1/2}) - 1 + c^2d^2b^2 \ln(1+Icx + (-c^2x^2+1)^{1/2}) - 2c^2d^2b^2 \ln(Icx + (-c^2x^2+1)^{1/2}) - 2c^2d^2a^2 \ln(cx) - \frac{1}{4}c^2d^2b^2 \arcsin(cx)^2 - 4c^2d^2b^2 \text{polylog}(3, Icx + (-c^2x^2+1)^{1/2}) - 4c^2d^2b^2 \text{polylog}(3, -Icx - (-c^2x^2+1)^{1/2}) - \frac{1}{2}d^2b^2 \arcsin(cx)^2/x^2 + \frac{1}{2}c^4d^2a^2x^2 - \frac{1}{4}b^2c^4d^2x^2 + 2Ic^2d^2ab \arcsin(cx)^2 + 4Ic^2d^2ab \text{polylog}(2, -Icx - (-c^2x^2+1)^{1/2}) + 4Ic^2d^2ab \text{polylog}(2, Icx + (-c^2x^2+1)^{1/2}) + 4Ic^2d^2b^2 \arcsin(cx) \text{polylog}(2, -Icx - (-c^2x^2+1)^{1/2}) + 4Ic^2d^2b^2 \arcsin(cx) \text{polylog}(2, Icx + (-c^2x^2+1)^{1/2}) + \frac{1}{2}c^3d^2ab(-c^2x^2+1)^{1/2} * x + \frac{1}{2}c^3d^2b^2 \arcsin(cx) * (-c^2x^2+1)^{1/2} * x + c^4d^2ab \arcsin(cx) * x^2 - cd^2b^2 \arcsin(cx) / x * (-c^2x^2+1)^{1/2} - cd^2ab / x * (-c^2x^2+1)^{1/2} - 4c^2d^2ab \arcsin(cx) * \ln(1+Icx + (-c^2x^2+1)^{1/2}) - 4c^2d^2ab \arcsin(cx) * \ln(1-Icx - (-c^2x^2+1)^{1/2}) - d^2ab \arcsin(cx) / x^2 + Ic^2d^2ab + Ic^2d^2b^2 \arcsin(cx) - \frac{1}{2}c^2d^2ab \arcsin(cx) - 2c^2d^2b^2 \arcsin(cx)^2 * \ln(1-Icx - (-c^2x^2+1)^{1/2}) - 2c^2d^2b^2 \arcsin(cx)^2 * \ln(1+Icx + (-c^2x^2+1)^{1/2}) + \frac{1}{2}c^4d^2b^2 \arcsin(cx)^2 * x^2 + \frac{2}{3}Ic^2d^2b^2 \arcsin(cx)^3$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}a^2c^4d^2x^2 - 2a^2c^2d^2 \log(x) - abd^2 \left( \frac{\sqrt{-c^2x^2+1}c}{x} + \frac{\arcsin(cx)}{x^2} \right) - \frac{a^2d^2}{2x^2} + \int \frac{(b^2c^4d^2x^4 - 2b^2c^2d^2x^2 + b^2d^2) \arctan\left(\frac{\sqrt{-c^2x^2+1}c}{x} + \frac{\arcsin(cx)}{x^2}\right)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2/x^3,x, algorithm="maxima")`

[Out]  $\frac{1}{2}a^2c^4d^2x^2 - 2a^2c^2d^2 \log(x) - a*b*d^2*(\sqrt{-c^2x^2+1})*c/x + \arcsin(c*x)/x^2) - \frac{1}{2}a^2*d^2/x^2 + \text{integrate}(((b^2*c^4*d^2*x^4 - 2*b^2$

$$\frac{2c^2d^2x^2 + b^2d^2 \arctan2(cx, \sqrt{cx+1}\sqrt{-cx+1})^2 + 2(a^2c^4d^2x^4 - 2a^2b^2c^2d^2x^2) \arctan2(cx, \sqrt{cx+1}\sqrt{-cx+1})}{x^3}$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{a^2c^4d^2x^4 - 2a^2c^2d^2x^2 + a^2d^2 + (b^2c^4d^2x^4 - 2b^2c^2d^2x^2 + b^2d^2) \arcsin(cx)^2 + 2(abc^4d^2x^4 - 2abc^2d^2x^2 + abd^2)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2/x^3,x, algorithm="fricas")

[Out] integral((a^2\*c^4\*d^2\*x^4 - 2\*a^2\*c^2\*d^2\*x^2 + a^2\*d^2 + (b^2\*c^4\*d^2\*x^4 - 2\*b^2\*c^2\*d^2\*x^2 + b^2\*d^2)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^4\*d^2\*x^4 - 2\*a\*b\*c^2\*d^2\*x^2 + a\*b\*d^2)\*arcsin(c\*x))/x^3, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$d^2 \left( \int \frac{a^2}{x^3} dx + \int -\frac{2a^2c^2}{x} dx + \int a^2c^4x dx + \int \frac{b^2 \operatorname{asin}^2(cx)}{x^3} dx + \int \frac{2ab \operatorname{asin}(cx)}{x^3} dx + \int -\frac{2b^2c^2 \operatorname{asin}^2(cx)}{x} dx + \int b^2c^4 dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x))\*\*2/x\*\*3,x)

[Out] d\*\*2\*(Integral(a\*\*2/x\*\*3, x) + Integral(-2\*a\*\*2\*c\*\*2/x, x) + Integral(a\*\*2\*c\*\*4\*x, x) + Integral(b\*\*2\*asin(c\*x)\*\*2/x\*\*3, x) + Integral(2\*a\*b\*asin(c\*x)/x\*\*3, x) + Integral(-2\*b\*\*2\*c\*\*2\*asin(c\*x)\*\*2/x, x) + Integral(b\*\*2\*c\*\*4\*x\*asin(c\*x)\*\*2, x) + Integral(-4\*a\*b\*c\*\*2\*asin(c\*x)/x, x) + Integral(2\*a\*b\*c\*\*4\*x\*asin(c\*x), x))

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c^2dx^2 - d)^2 (b \arcsin(cx) + a)^2}{x^3} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2/x^3,x, algorithm="giac")
```

```
[Out] integrate((c^2*d*x^2 - d)^2*(b*arcsin(c*x) + a)^2/x^3, x)
```

$$3.173 \quad \int \frac{(d-c^2 dx^2)^2 (a+b \sin^{-1}(cx))^2}{x^4} dx$$

**Optimal.** Leaf size=268

$$-\frac{11}{3}ib^2c^3d^2\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right) + \frac{11}{3}ib^2c^3d^2\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right) + \frac{5}{3}bc^3d^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx)) + \frac{4c^2d^2}{3}(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))$$

[Out]  $-(b^2c^2d^2)/(3x) - 2b^2c^4d^2x + (5b^3c^3d^2\sqrt{1-c^2x^2}(a + b\text{ArcSin}[cx]))/3 - (b^2c^2d^2(1-c^2x^2)^{3/2}(a + b\text{ArcSin}[cx]))/(3x^2) + (8c^4d^2x(a + b\text{ArcSin}[cx])^2)/3 + (4c^2d^2(1-c^2x^2)(a + b\text{ArcSin}[cx])^2)/(3x) - (d^2(1-c^2x^2)^2(a + b\text{ArcSin}[cx])^2)/(3x^3) + (22b^3c^3d^2(a + b\text{ArcSin}[cx])\text{ArcTanh}[E^{(I\text{ArcSin}[cx])}])/3 - ((11I)/3)b^2c^3d^2\text{PolyLog}[2, -E^{(I\text{ArcSin}[cx])}] + ((11I)/3)b^2c^3d^2\text{PolyLog}[2, E^{(I\text{ArcSin}[cx])}]$

**Rubi [A]** time = 0.675485, antiderivative size = 268, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 10, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.37$ , Rules used = {4695, 4619, 4677, 8, 4697, 4709, 4183, 2279, 2391, 14}

$$-\frac{11}{3}ib^2c^3d^2\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right) + \frac{11}{3}ib^2c^3d^2\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right) + \frac{5}{3}bc^3d^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx)) + \frac{4c^2d^2}{3}(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/x^4, x]

[Out]  $-(b^2c^2d^2)/(3x) - 2b^2c^4d^2x + (5b^3c^3d^2\sqrt{1-c^2x^2}(a + b\text{ArcSin}[cx]))/3 - (b^2c^2d^2(1-c^2x^2)^{3/2}(a + b\text{ArcSin}[cx]))/(3x^2) + (8c^4d^2x(a + b\text{ArcSin}[cx])^2)/3 + (4c^2d^2(1-c^2x^2)(a + b\text{ArcSin}[cx])^2)/(3x) - (d^2(1-c^2x^2)^2(a + b\text{ArcSin}[cx])^2)/(3x^3) + (22b^3c^3d^2(a + b\text{ArcSin}[cx])\text{ArcTanh}[E^{(I\text{ArcSin}[cx])}])/3 - ((11I)/3)b^2c^3d^2\text{PolyLog}[2, -E^{(I\text{ArcSin}[cx])}] + ((11I)/3)b^2c^3d^2\text{PolyLog}[2, E^{(I\text{ArcSin}[cx])}]$

### Rule 4695

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 1)), x] + (-Dist[(2\*e\*p)/(f^2\*(m + 1)), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d\*IntPar

$t[p]*(d + e*x^2)^{\text{FracPart}[p]}/(f*(m + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m + 1)}*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{GtQ}[p, 0]$   
 $] \ \&\& \ \text{LtQ}[m, -1]$

### Rule 4619

$\text{Int}[(a + \text{ArcSin}[c*x])*(b)^{(n)}, x\_Symbol] \text{:>} \text{Simp}[x*(a + b*\text{ArcSin}[c*x])^n, x] - \text{Dist}[b*c^n, \text{Int}[(x*(a + b*\text{ArcSin}[c*x])^{(n - 1)})/\text{Sqrt}[1 - c^2*x^2], x], x] /;$   
 $\text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{GtQ}[n, 0]$

### Rule 4677

$\text{Int}[(a + \text{ArcSin}[c*x])*(b)^{(n)}*(x)*((d) + (e)*(x)^2)^{(p)}, x\_Symbol] \text{:>} \text{Simp}[(d + e*x^2)^{(p + 1)}*(a + b*\text{ArcSin}[c*x])^n]/(2*e*(p + 1)), x] + \text{Dist}[(b^n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(2*c*(p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(1 - c^2*x^2)^{(p + 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, p\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{NeQ}[p, -1]$

### Rule 8

$\text{Int}[a, x\_Symbol] \text{:>} \text{Simp}[a*x, x] /;$   
 $\text{FreeQ}[a, x]$

### Rule 4697

$\text{Int}[(a + \text{ArcSin}[c*x])*(b)^{(n)}*((f)*(x))^m*\text{Sqrt}[(d) + (e)*(x)^2], x\_Symbol] \text{:>} \text{Simp}[(f*x)^{(m + 1)}*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n]/(f*(m + 2)), x] + (\text{Dist}[\text{Sqrt}[d + e*x^2]/((m + 2)*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(f*x)^m*(a + b*\text{ArcSin}[c*x])^n]/\text{Sqrt}[1 - c^2*x^2], x], x] - \text{Dist}[(b*c^n*\text{Sqrt}[d + e*x^2])/(f*(m + 2)*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(f*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x]) /;$   
 $\text{FreeQ}\{a, b, c, d, e, f, m\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{!LtQ}[m, -1] \ \&\& \ (\text{RationalQ}[m] \ || \ \text{EqQ}[n, 1])$

### Rule 4709

$\text{Int}[(a + \text{ArcSin}[c*x])*(b)^{(n)}*(x)^m/\text{Sqrt}[(d) + (e)*(x)^2], x\_Symbol] \text{:>} \text{Dist}[1/(c^{(m + 1)}*\text{Sqrt}[d]), \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sin}[x]^m, x], x, \text{ArcSin}[c*x]], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$

### Rule 4183

$\text{Int}[\text{csc}[(e) + (f)*(x)]*((c) + (d)*(x))^m, x\_Symbol] \text{:>} \text{Simp}[(-2*(c + d*x)^m*\text{ArcTanh}[E^{(I*(e + f*x))}])/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d$

$x)^{(m-1)} \cdot \text{Log}[1 - E^{(I*(e + f*x))}], x, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)} \cdot \text{Log}[1 + E^{(I*(e + f*x))}], x, x)] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0]$

### Rule 2279

$\text{Int}[\text{Log}[(a_) + (b_.) * ((F_)^{((e_.) * ((c_.) + (d_.) * (x_)))})^{(n_.)}], x\_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x)})^n)], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x] \&\& \text{GtQ}[a, 0]$

### Rule 2391

$\text{Int}[\text{Log}[(c_.) * ((d_) + (e_.) * (x_)^{(n_.)})] / (x_), x\_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x] \&\& \text{EqQ}[c*d, 1]$

### Rule 14

$\text{Int}[(u_.) * ((c_.) * (x_))^{(m_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m * u, x], x] /; \text{FreeQ}\{c, m\}, x] \&\& \text{SumQ}[u] \&\& !\text{LinearQ}[u, x] \&\& !\text{MatchQ}[u, (a_ + (b_.) * (v_)] /; \text{FreeQ}\{a, b\}, x] \&\& \text{InverseFunctionQ}[v]$

### Rubi steps

$$\begin{aligned} \int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2}{x^4} dx &= -\frac{d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2}{3x^3} - \frac{1}{3} (4c^2 d) \int \frac{(d - c^2 dx^2) (a + b \sin^{-1}(cx))^2}{x^2} dx \\ &= -\frac{bcd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{3x^2} + \frac{4c^2 d^2 (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2}{3x} - \frac{d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2}{3x} \\ &= -\frac{11}{3} bc^3 d^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{bcd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{3x^2} + \frac{8}{3} c^4 d^2 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2 \\ &= -\frac{b^2 c^2 d^2}{3x} + \frac{10}{3} b^2 c^4 d^2 x + \frac{5}{3} bc^3 d^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{bcd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{3x^2} \\ &= -\frac{b^2 c^2 d^2}{3x} - 2b^2 c^4 d^2 x + \frac{5}{3} bc^3 d^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{bcd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{3x^2} \\ &= -\frac{b^2 c^2 d^2}{3x} - 2b^2 c^4 d^2 x + \frac{5}{3} bc^3 d^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{bcd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{3x^2} \\ &= -\frac{b^2 c^2 d^2}{3x} - 2b^2 c^4 d^2 x + \frac{5}{3} bc^3 d^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{bcd^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{3x^2} \end{aligned}$$

**Mathematica [A]** time = 0.82151, size = 374, normalized size = 1.4

$$d^2 \left( -11ib^2c^3x^3 \text{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) + 11ib^2c^3x^3 \text{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) + 3a^2c^4x^4 + 6a^2c^2x^2 - a^2 + 6abc^3x^3\sqrt{1-c^2x^2} \right)$$


---

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/x^4, x]

[Out] (d^2\*(-a^2 + 6\*a^2\*c^2\*x^2 - b^2\*c^2\*x^2 + 3\*a^2\*c^4\*x^4 - 6\*b^2\*c^4\*x^4 - a\*b\*c\*x\*Sqrt[1 - c^2\*x^2] + 6\*a\*b\*c^3\*x^3\*Sqrt[1 - c^2\*x^2] - 2\*a\*b\*ArcSin[c\*x] + 12\*a\*b\*c^2\*x^2\*ArcSin[c\*x] + 6\*a\*b\*c^4\*x^4\*ArcSin[c\*x] - b^2\*c\*x\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + 6\*b^2\*c^3\*x^3\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] - b^2\*ArcSin[c\*x]^2 + 6\*b^2\*c^2\*x^2\*ArcSin[c\*x]^2 + 3\*b^2\*c^4\*x^4\*ArcSin[c\*x]^2 + 11\*a\*b\*c^3\*x^3\*ArcTanh[Sqrt[1 - c^2\*x^2]] - 11\*b^2\*c^3\*x^3\*ArcSin[c\*x]\*Log[1 - E^(I\*ArcSin[c\*x])] + 11\*b^2\*c^3\*x^3\*ArcSin[c\*x]\*Log[1 + E^(I\*ArcSin[c\*x])] - (11\*I)\*b^2\*c^3\*x^3\*PolyLog[2, -E^(I\*ArcSin[c\*x])] + (11\*I)\*b^2\*c^3\*x^3\*PolyLog[2, E^(I\*ArcSin[c\*x])]))/(3\*x^3)

---

**Maple [A]** time = 0.421, size = 425, normalized size = 1.6

$$c^4d^2a^2x + 2 \frac{c^2d^2a^2}{x} - \frac{d^2a^2}{3x^3} + 2c^3d^2b^2 \arcsin(cx) \sqrt{-c^2x^2 + 1} + c^4d^2b^2 (\arcsin(cx))^2 x - 2b^2c^4d^2x + 2 \frac{c^2d^2b^2 (\arcsin(cx))}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2/x^4, x)

[Out] c^4\*d^2\*a^2\*x+2\*c^2\*d^2\*a^2/x-1/3\*d^2\*a^2/x^3+2\*c^3\*d^2\*b^2\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)+c^4\*d^2\*b^2\*arcsin(c\*x)^2\*x-2\*b^2\*c^4\*d^2\*x+2\*c^2\*d^2\*b^2/x\*arcsin(c\*x)^2-1/3\*c\*d^2\*b^2/x^2\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)-1/3\*d^2\*b^2/x^3\*arcsin(c\*x)^2-1/3\*b^2\*c^2\*d^2/x+11/3\*c^3\*d^2\*b^2\*arcsin(c\*x)\*ln(1+I\*c\*x+(-c^2\*x^2+1)^(1/2))-11/3\*I\*b^2\*c^3\*d^2\*polylog(2,-I\*c\*x+(-c^2\*x^2+1)^(1/2))-11/3\*c^3\*d^2\*b^2\*arcsin(c\*x)\*ln(1-I\*c\*x+(-c^2\*x^2+1)^(1/2))+11/3\*I\*b^2\*c^3\*d^2\*polylog(2,I\*c\*x+(-c^2\*x^2+1)^(1/2))+2\*c^4\*d^2\*a\*b\*x\*arcsin(c\*x)+4\*c^2\*d^2\*a\*b/x\*arcsin(c\*x)-2/3\*d^2\*a\*b\*arcsin(c\*x)/x^3+2\*c^3\*d^2\*a\*b\*(-c^2\*x^2+1)^(1/2)+11/3\*c^3\*d^2\*a\*b\*arctanh(1/(-c^2\*x^2+1)^(1/2))-1/3\*c\*d^2\*a\*b/x^2\*(-c^2\*x^2+1)^(1/2)

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$b^2c^4d^2x \arcsin(cx)^2 - 2b^2c^4d^2 \left( x - \frac{\sqrt{-c^2x^2+1} \arcsin(cx)}{c} \right) + a^2c^4d^2x + 2 \left( cx \arcsin(cx) + \sqrt{-c^2x^2+1} \right) abc^3d^2 + 4 \left( c \log \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2/x^4,x, algorithm="maxima")

[Out] b^2\*c^4\*d^2\*x\*arcsin(c\*x)^2 - 2\*b^2\*c^4\*d^2\*(x - sqrt(-c^2\*x^2 + 1)\*arcsin(c\*x)/c) + a^2\*c^4\*d^2\*x + 2\*(c\*x\*arcsin(c\*x) + sqrt(-c^2\*x^2 + 1))\*a\*b\*c^3\*d^2 + 4\*(c\*log(2\*sqrt(-c^2\*x^2 + 1)/abs(x) + 2/abs(x)) + arcsin(c\*x)/x)\*a\*b\*c^2\*d^2 - 1/3\*((c^2\*log(2\*sqrt(-c^2\*x^2 + 1)/abs(x) + 2/abs(x)) + sqrt(-c^2\*x^2 + 1)/x^2)\*c + 2\*arcsin(c\*x)/x^3)\*a\*b\*d^2 + 2\*a^2\*c^2\*d^2/x - 1/3\*a^2\*d^2/x^3 + 1/3\*(3\*x^3\*integrate(2/3\*(6\*b^2\*c^3\*d^2\*x^2 - b^2\*c\*d^2)\*sqrt(c\*x + 1)\*sqrt(-c\*x + 1)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/(c^2\*x^5 - x^3), x) + (6\*b^2\*c^2\*d^2\*x^2 - b^2\*d^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2)/x^3

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{a^2c^4d^2x^4 - 2a^2c^2d^2x^2 + a^2d^2 + (b^2c^4d^2x^4 - 2b^2c^2d^2x^2 + b^2d^2) \arcsin(cx)^2 + 2(abc^4d^2x^4 - 2abc^2d^2x^2 + abd^2)}{x^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2/x^4,x, algorithm="fricas")

[Out] integral((a^2\*c^4\*d^2\*x^4 - 2\*a^2\*c^2\*d^2\*x^2 + a^2\*d^2 + (b^2\*c^4\*d^2\*x^4 - 2\*b^2\*c^2\*d^2\*x^2 + b^2\*d^2)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^4\*d^2\*x^4 - 2\*a\*b\*c^2\*d^2\*x^2 + a\*b\*d^2)\*arcsin(c\*x))/x^4, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$d^2 \left( \int a^2c^4 dx + \int \frac{a^2}{x^4} dx + \int -\frac{2a^2c^2}{x^2} dx + \int b^2c^4 \arcsin^2(cx) dx + \int \frac{b^2 \arcsin^2(cx)}{x^4} dx + \int 2abc^4 \arcsin(cx) dx + \int \frac{2ab \arcsin^2(cx)}{x^4} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c**2*d*x**2+d)**2*(a+b*asin(c*x))**2/x**4,x)
```

```
[Out] d**2*(Integral(a**2*c**4, x) + Integral(a**2/x**4, x) + Integral(-2*a**2*c*
**2/x**2, x) + Integral(b**2*c**4*asin(c*x)**2, x) + Integral(b**2*asin(c*x)
**2/x**4, x) + Integral(2*a*b*c**4*asin(c*x), x) + Integral(2*a*b*asin(c*x)
/x**4, x) + Integral(-2*b**2*c**2*asin(c*x)**2/x**2, x) + Integral(-4*a*b*c
**2*asin(c*x)/x**2, x))
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

sage<sub>0</sub>x

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^2*(a+b*arcsin(c*x))^2/x^4,x, algorithm="giac")
```

```
[Out] sage0*x
```

$$3.174 \quad \int x^4 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=476

$$\frac{1}{11}d^3x^5(1-c^2x^2)^3(a+b\sin^{-1}(cx))^2 + \frac{2}{33}d^3x^5(1-c^2x^2)^2(a+b\sin^{-1}(cx))^2 + \frac{8}{231}d^3x^5(1-c^2x^2)(a+b\sin^{-1}(cx))^2 + \dots$$

[Out]  $(-100976*b^2*d^3*x)/(4002075*c^4) - (50488*b^2*d^3*x^3)/(12006225*c^2) - (12622*b^2*d^3*x^5)/6670125 + (9410*b^2*c^2*d^3*x^7)/1120581 - (182*b^2*c^4*d^3*x^9)/29403 + (2*b^2*c^6*d^3*x^11)/1331 + (256*b*d^3*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(17325*c^5) + (128*b*d^3*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(17325*c^3) + (32*b*d^3*x^4*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(5775*c) + (16*b*d^3*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/(693*c^5) - (4*b*d^3*(1 - c^2*x^2)^(5/2)*(a + b*ArcSin[c*x]))/(1155*c^5) + (2*b*d^3*(1 - c^2*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(1617*c^5) - (8*b*d^3*(1 - c^2*x^2)^(9/2)*(a + b*ArcSin[c*x]))/(297*c^5) + (2*b*d^3*(1 - c^2*x^2)^(11/2)*(a + b*ArcSin[c*x]))/(121*c^5) + (16*d^3*x^5*(a + b*ArcSin[c*x])^2)/1155 + (8*d^3*x^5*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/231 + (2*d^3*x^5*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/33 + (d^3*x^5*(1 - c^2*x^2)^3*(a + b*ArcSin[c*x])^2)/11$

**Rubi [A]** time = 1.01765, antiderivative size = 476, normalized size of antiderivative = 1., number of steps used = 21, number of rules used = 11, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.407$ , Rules used = {4699, 4627, 4707, 4677, 8, 30, 266, 43, 4689, 12, 1153}

$$\frac{1}{11}d^3x^5(1-c^2x^2)^3(a+b\sin^{-1}(cx))^2 + \frac{2}{33}d^3x^5(1-c^2x^2)^2(a+b\sin^{-1}(cx))^2 + \frac{8}{231}d^3x^5(1-c^2x^2)(a+b\sin^{-1}(cx))^2 + \dots$$

Antiderivative was successfully verified.

[In] Int[x^4\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $(-100976*b^2*d^3*x)/(4002075*c^4) - (50488*b^2*d^3*x^3)/(12006225*c^2) - (12622*b^2*d^3*x^5)/6670125 + (9410*b^2*c^2*d^3*x^7)/1120581 - (182*b^2*c^4*d^3*x^9)/29403 + (2*b^2*c^6*d^3*x^11)/1331 + (256*b*d^3*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(17325*c^5) + (128*b*d^3*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(17325*c^3) + (32*b*d^3*x^4*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(5775*c) + (16*b*d^3*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/(693*c^5) - (4*b*d^3*(1 - c^2*x^2)^(5/2)*(a + b*ArcSin[c*x]))/(1155*c^5) + (2*b*d^3*(1 - c^2*x^2)^(7/2)*(a + b*ArcSin[c*x]))/(1617*c^5) - (8*b*d^3*(1 - c^2*x^2)^(9/2)*(a + b*ArcSin[c*x]))/(297*c^5) + (2*b*d^3*(1 - c^2*x^2)^(11/2)*(a + b*ArcSin[c*x]))/(121*c^5) + (16*d^3*x^5*(a + b*ArcSin[c*x])^2)/1155 + (8*d^3*x^5*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/231 + (2*d^3*x^5*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/33 + (d^3*x^5*(1 - c^2*x^2)^3*(a + b*ArcSin[c*x])^2)/11$



$$\frac{b \operatorname{ArcSin}[c x]}{(121 c^5) + (16 d^3 x^5 (a + b \operatorname{ArcSin}[c x])^2) / 1155 + (8 d^3 x^5 (1 - c^2 x^2) (a + b \operatorname{ArcSin}[c x])^2) / 231 + (2 d^3 x^5 (1 - c^2 x^2)^2 (a + b \operatorname{ArcSin}[c x])^2) / 33 + (d^3 x^5 (1 - c^2 x^2)^3 (a + b \operatorname{ArcSin}[c x])^2) / 11}$$
Rule 4699

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4707

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)*(a + b*ArcSin[c*x])^n]/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

### Rule 30

`Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]`

### Rule 266

`Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]`

### Rule 43

`Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])`

### Rule 4689

`Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[x^m*(1 - c^2*x^2)^p, x]}, Dist[d^p*(a + b*ArcSin[c*x]), u, x] - Dist[b*c*d^p, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IntegerQ[p - 1/2] && (IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2*p + 3)/2, 0]) && NeQ[p, -2^(-1)] && GtQ[d, 0]`

### Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

### Rule 1153

`Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]`

### Rubi steps

$$\begin{aligned}
\int x^4 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{11} d^3 x^5 (1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))^2 + \frac{1}{11} (6d) \int x^4 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx \\
&= \frac{2bd^3 (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{77c^5} - \frac{4bd^3 (1 - c^2 x^2)^{9/2} (a + b \sin^{-1}(cx))}{99c^5} + \frac{2bd^3 (1 - c^2 x^2)^{11/2} (a + b \sin^{-1}(cx))}{121c^5} \\
&= \frac{4bd^3 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{165c^5} - \frac{2bd^3 (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{231c^5} + \frac{2bd^3 (1 - c^2 x^2)^{9/2} (a + b \sin^{-1}(cx))}{309c^5} \\
&= \frac{16bd^3 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{693c^5} - \frac{4bd^3 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{1155c^5} + \frac{2bd^3 (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{1575c^5} \\
&= -\frac{16b^2 d^3 x}{7623c^4} - \frac{8b^2 d^3 x^3}{22869c^2} - \frac{2b^2 d^3 x^5}{12705} + \frac{226b^2 c^2 d^3 x^7}{53361} - \frac{46b^2 c^4 d^3 x^9}{9801} + \frac{2b^2 c^6 d^3 x^{11}}{1331} \\
&= -\frac{8368b^2 d^3 x}{800415c^4} - \frac{4184b^2 d^3 x^3}{2401245c^2} - \frac{12622b^2 d^3 x^5}{6670125} + \frac{9410b^2 c^2 d^3 x^7}{1120581} - \frac{182b^2 c^4 d^3 x^9}{29403} \\
&= -\frac{8368b^2 d^3 x}{800415c^4} - \frac{50488b^2 d^3 x^3}{12006225c^2} - \frac{12622b^2 d^3 x^5}{6670125} + \frac{9410b^2 c^2 d^3 x^7}{1120581} - \frac{182b^2 c^4 d^3 x^9}{29403} \\
&= -\frac{100976b^2 d^3 x}{4002075c^4} - \frac{50488b^2 d^3 x^3}{12006225c^2} - \frac{12622b^2 d^3 x^5}{6670125} + \frac{9410b^2 c^2 d^3 x^7}{1120581} - \frac{182b^2 c^4 d^3 x^9}{29403}
\end{aligned}$$

**Mathematica [A]** time = 0.434573, size = 301, normalized size = 0.63

$$d^3 \left( 12006225a^2c^5x^5 (105c^6x^6 - 385c^4x^4 + 495c^2x^2 - 231) + 6930ab\sqrt{1 - c^2x^2} (33075c^{10}x^{10} - 111475c^8x^8 + 117625c^6x^6 - 111475c^4x^4 + 33075c^2x^2 - 231) + b^2(349881840c^9x^9 - 20837250c^7x^7 + 85835750c^5x^5 - 116448750c^3x^3 + 26241138c^5x^5 - 116448750c^7x^7 + 85835750c^9x^9 - 20837250c^11x^11) + 6930b^2(3465a^2c^5x^5(-231 + 495c^2x^2 - 385c^4x^4 + 105c^6x^6) + b\sqrt{1 - c^2x^2}(-50488 - 25244c^2x^2 - 18933c^4x^4 + 117625c^6x^6 - 111475c^8x^8 + 33075c^{10}x^{10}))\text{ArcSin}[cx] + 12006225b^2c^5x^5(-231 + 495c^2x^2 - 385c^4x^4 + 105c^6x^6)\text{ArcSin}[cx]^2 \right) / (13867189875c^5)$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2,x]

[Out] -(d^3\*(12006225\*a^2\*c^5\*x^5\*(-231 + 495\*c^2\*x^2 - 385\*c^4\*x^4 + 105\*c^6\*x^6) + 6930\*a\*b\*Sqrt[1 - c^2\*x^2]\*(-50488 - 25244\*c^2\*x^2 - 18933\*c^4\*x^4 + 117625\*c^6\*x^6 - 111475\*c^8\*x^8 + 33075\*c^10\*x^10) + b^2\*(349881840\*c\*x + 58313640\*c^3\*x^3 + 26241138\*c^5\*x^5 - 116448750\*c^7\*x^7 + 85835750\*c^9\*x^9 - 20837250\*c^11\*x^11) + 6930\*b\*(3465\*a\*c^5\*x^5\*(-231 + 495\*c^2\*x^2 - 385\*c^4\*x^4 + 105\*c^6\*x^6) + b\*Sqrt[1 - c^2\*x^2]\*(-50488 - 25244\*c^2\*x^2 - 18933\*c^4\*x^4 + 117625\*c^6\*x^6 - 111475\*c^8\*x^8 + 33075\*c^10\*x^10))\*ArcSin[c\*x] + 12006225\*b^2\*c^5\*x^5\*(-231 + 495\*c^2\*x^2 - 385\*c^4\*x^4 + 105\*c^6\*x^6)\*ArcSin[c\*x]^2))/(13867189875\*c^5)

---

**Maple [A]** time = 0.116, size = 672, normalized size = 1.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^4*(-c^2*d*x^2+d)^3*(a+b*\arcsin(c*x))^2,x)$

[Out]  $\frac{1}{c^5}(-d^3*a^2*(\frac{1}{11}*c^{11}*x^{11}-\frac{1}{3}*c^9*x^9+\frac{3}{7}*c^7*x^7-\frac{1}{5}*c^5*x^5)-d^3*b^2*(-\frac{32}{1155}*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}+\frac{2}{315}*\arcsin(c*x)^2*(35*c^8*x^8-180*c^6*x^6+378*c^4*x^4-420*c^2*x^2+315)*c*x-\frac{2}{56595}*(5*c^6*x^6-21*c^4*x^4+35*c^2*x^2-35)*c*x+\frac{16}{3465}*\arcsin(c*x)*(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}+\frac{8}{297}*\arcsin(c*x)*(c^2*x^2-1)^4*(-c^2*x^2+1)^{(1/2)}+\frac{32}{1155}*c*x-\frac{8}{93555}*(35*c^8*x^8-180*c^6*x^6+378*c^4*x^4-420*c^2*x^2+315)*c*x-\frac{16}{10395}*(c^2*x^2-3)*c*x+\frac{2}{121}*\arcsin(c*x)*(c^2*x^2-1)^5*(-c^2*x^2+1)^{(1/2)}-\frac{4}{1925}*\arcsin(c*x)*(c^2*x^2-1)^2*(-c^2*x^2+1)^{(1/2)}+\frac{2}{1617}*\arcsin(c*x)*(c^2*x^2-1)^3*(-c^2*x^2+1)^{(1/2)}+\frac{4}{28875}*(3*c^4*x^4-10*c^2*x^2+15)*c*x-\frac{2}{83853}*(63*c^{10}*x^{10}-385*c^8*x^8+990*c^6*x^6-1386*c^4*x^4+1155*c^2*x^2-693)*c*x+\frac{1}{35}*\arcsin(c*x)^2*(5*c^6*x^6-21*c^4*x^4+35*c^2*x^2-35)*c*x+\frac{1}{693}*\arcsin(c*x)^2*(63*c^{10}*x^{10}-385*c^8*x^8+990*c^6*x^6-1386*c^4*x^4+1155*c^2*x^2-693)*c*x)-2*d^3*a*b*(\frac{1}{11}*\arcsin(c*x)*c^{11}*x^{11}-\frac{1}{3}*\arcsin(c*x)*c^9*x^9+\frac{3}{7}*\arcsin(c*x)*c^7*x^7-\frac{1}{5}*\arcsin(c*x)*c^5*x^5+\frac{1}{121}*c^{10}*x^{10}*(-c^2*x^2+1)^{(1/2)}-\frac{91}{3267}*c^8*x^8*(-c^2*x^2+1)^{(1/2)}+\frac{4705}{160083}*c^6*x^6*(-c^2*x^2+1)^{(1/2)}-\frac{6311}{1334025}*c^4*x^4*(-c^2*x^2+1)^{(1/2)}-\frac{25244}{4002075}*c^2*x^2*(-c^2*x^2+1)^{(1/2)}-50488/4002075*(-c^2*x^2+1)^{(1/2))})$

---

**Maxima [B]** time = 1.94875, size = 1540, normalized size = 3.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^4*(-c^2*d*x^2+d)^3*(a+b*\arcsin(c*x))^2,x, \text{algorithm}="maxima")$

[Out]  $-\frac{1}{11}*b^2*c^6*d^3*x^{11}*\arcsin(c*x)^2 - \frac{1}{11}*a^2*c^6*d^3*x^{11} + \frac{1}{3}*b^2*c^4*d^3*x^9*\arcsin(c*x)^2 + \frac{1}{3}*a^2*c^4*d^3*x^9 - \frac{3}{7}*b^2*c^2*d^3*x^7*\arcsin(c*x)^2 - \frac{3}{7}*a^2*c^2*d^3*x^7 - \frac{2}{7623}*(693*x^{11}*\arcsin(c*x) + (63*\sqrt{-c^2*x^2+1})*x^{10}/c^2 + 70*\sqrt{-c^2*x^2+1})*x^8/c^4 + 80*\sqrt{-c^2*x^2+1})*x^6/c^6 + 96*\sqrt{-c^2*x^2+1})*x^4/c^8 + 128*\sqrt{-c^2*x^2+1})*x^2/c^{10} + 256*\sqrt{-c^2*x^2+1}/c^{12})*c)*a*b*c^6*d^3 - \frac{2}{26413695}*(3465*(63*\sqrt{-c^2*x^2+1})*x^{10}/c^2 + 70*\sqrt{-c^2*x^2+1})*x^8/c^4 + 80*\sqrt{-c^2*x^2+1})*x^6/c^6 + 96*\sqrt{-c^2*x^2+1})*x^4/c^8 + 128*\sqrt{-c^2*x^2+1})*x^2/c^{10} + 256*\sqrt{-c^2*x^2+1}/c^{12})*c)*a*b*c^6*d^3 - \frac{2}{26413695}*(3465*(63*\sqrt{-c^2*x^2+1})*x^{10}/c^2 + 70*\sqrt{-c^2*x^2+1})*x^8/c^4 + 80*\sqrt{-c^2*x^2+1})*x^6/c^6 + 96*\sqrt{-c^2*x^2+1})*x^4/c^8 + 128*\sqrt{-c^2*x^2+1})*x^2/c^{10} + 256*\sqrt{-c^2*x^2+1}/c^{12})*c)*a*b*c^6*d^3$

$$\begin{aligned}
& *x^2 + 1)x^{10}/c^2 + 70*\sqrt{-c^2*x^2 + 1}*x^8/c^4 + 80*\sqrt{-c^2*x^2 + 1}* \\
& x^6/c^6 + 96*\sqrt{-c^2*x^2 + 1}*x^4/c^8 + 128*\sqrt{-c^2*x^2 + 1}*x^2/c^{10} + \\
& 256*\sqrt{-c^2*x^2 + 1}/c^{12})*c*\arcsin(c*x) - (19845*c^{10}*x^{11} + 26950*c^8* \\
& x^9 + 39600*c^6*x^7 + 66528*c^4*x^5 + 147840*c^2*x^3 + 887040*x)/c^{10})*b^2* \\
& c^6*d^3 + 1/5*b^2*d^3*x^5*\arcsin(c*x)^2 + 2/945*(315*x^9*\arcsin(c*x) + (35* \\
& \sqrt{-c^2*x^2 + 1}*x^8/c^2 + 40*\sqrt{-c^2*x^2 + 1}*x^6/c^4 + 48*\sqrt{-c^2*x^2 \\
& ^2 + 1}*x^4/c^6 + 64*\sqrt{-c^2*x^2 + 1}*x^2/c^8 + 128*\sqrt{-c^2*x^2 + 1}/c^{10})* \\
& c)*a*b*c^4*d^3 + 2/297675*(315*(35*\sqrt{-c^2*x^2 + 1}*x^8/c^2 + 40*\sqrt{-c^2*x^2 \\
& ^2 + 1}*x^6/c^4 + 48*\sqrt{-c^2*x^2 + 1}*x^4/c^6 + 64*\sqrt{-c^2*x^2 + \\
& 1}*x^2/c^8 + 128*\sqrt{-c^2*x^2 + 1}/c^{10})*c*\arcsin(c*x) - (1225*c^8*x^9 + \\
& 1800*c^6*x^7 + 3024*c^4*x^5 + 6720*c^2*x^3 + 40320*x)/c^8)*b^2*c^4*d^3 + 1/ \\
& 5*a^2*d^3*x^5 - 6/245*(35*x^7*\arcsin(c*x) + (5*\sqrt{-c^2*x^2 + 1}*x^6/c^2 + \\
& 6*\sqrt{-c^2*x^2 + 1}*x^4/c^4 + 8*\sqrt{-c^2*x^2 + 1}*x^2/c^6 + 16*\sqrt{-c^2 \\
& *x^2 + 1}/c^8)*c)*a*b*c^2*d^3 - 2/8575*(105*(5*\sqrt{-c^2*x^2 + 1}*x^6/c^2 + \\
& 6*\sqrt{-c^2*x^2 + 1}*x^4/c^4 + 8*\sqrt{-c^2*x^2 + 1}*x^2/c^6 + 16*\sqrt{-c^2 \\
& *x^2 + 1}/c^8)*c*\arcsin(c*x) - (75*c^6*x^7 + 126*c^4*x^5 + 280*c^2*x^3 + 16 \\
& 80*x)/c^6)*b^2*c^2*d^3 + 2/75*(15*x^5*\arcsin(c*x) + (3*\sqrt{-c^2*x^2 + 1}*x \\
& ^4/c^2 + 4*\sqrt{-c^2*x^2 + 1}*x^2/c^4 + 8*\sqrt{-c^2*x^2 + 1}/c^6)*c)*a*b*d^3 \\
& + 2/1125*(15*(3*\sqrt{-c^2*x^2 + 1}*x^4/c^2 + 4*\sqrt{-c^2*x^2 + 1}*x^2/c^4 \\
& + 8*\sqrt{-c^2*x^2 + 1}/c^6)*c*\arcsin(c*x) - (9*c^4*x^5 + 20*c^2*x^3 + 120* \\
& x)/c^4)*b^2*d^3
\end{aligned}$$

**Fricas [A]** time = 1.98682, size = 1071, normalized size = 2.25

$$10418625 (121 a^2 - 2 b^2) c^{11} d^3 x^{11} - 471625 (9801 a^2 - 182 b^2) c^9 d^3 x^9 + 12375 (480249 a^2 - 9410 b^2) c^7 d^3 x^7 - 2079 (13$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] -1/13867189875\*(10418625\*(121\*a^2 - 2\*b^2)\*c^11\*d^3\*x^11 - 471625\*(9801\*a^2 - 182\*b^2)\*c^9\*d^3\*x^9 + 12375\*(480249\*a^2 - 9410\*b^2)\*c^7\*d^3\*x^7 - 2079\*(1334025\*a^2 - 12622\*b^2)\*c^5\*d^3\*x^5 + 58313640\*b^2\*c^3\*d^3\*x^3 + 349881840\*b^2\*c\*d^3\*x + 12006225\*(105\*b^2\*c^11\*d^3\*x^11 - 385\*b^2\*c^9\*d^3\*x^9 + 495\*b^2\*c^7\*d^3\*x^7 - 231\*b^2\*c^5\*d^3\*x^5)\*arcsin(c\*x)^2 + 24012450\*(105\*a\*b\*c^11\*d^3\*x^11 - 385\*a\*b\*c^9\*d^3\*x^9 + 495\*a\*b\*c^7\*d^3\*x^7 - 231\*a\*b\*c^5\*d^3\*x^5)\*arcsin(c\*x) + 6930\*(33075\*a\*b\*c^10\*d^3\*x^10 - 111475\*a\*b\*c^8\*d^3\*x^8 + 117625\*a\*b\*c^6\*d^3\*x^6 - 18933\*a\*b\*c^4\*d^3\*x^4 - 25244\*a\*b\*c^2\*d^3\*x^2 - 50488\*a\*b\*d^3 + (33075\*b^2\*c^10\*d^3\*x^10 - 111475\*b^2\*c^8\*d^3\*x^8 + 117625\*b^2\*c^6\*d^3\*x^6 - 18933\*b^2\*c^4\*d^3\*x^4 - 25244\*b^2\*c^2\*d^3\*x^2 - 50488\*b^2\*d^3)\*arcsin(c\*x))\*sqrt(-c^2\*x^2 + 1))/c^5

---

**Sympy [A]** time = 123.868, size = 702, normalized size = 1.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Piecewise((-a\*\*2\*c\*\*6\*d\*\*3\*x\*\*11/11 + a\*\*2\*c\*\*4\*d\*\*3\*x\*\*9/3 - 3\*a\*\*2\*c\*\*2\*d\*\*3\*x\*\*7/7 + a\*\*2\*d\*\*3\*x\*\*5/5 - 2\*a\*b\*c\*\*6\*d\*\*3\*x\*\*11\*asin(c\*x)/11 - 2\*a\*b\*c\*\*5\*d\*\*3\*x\*\*10\*sqrt(-c\*\*2\*x\*\*2 + 1)/121 + 2\*a\*b\*c\*\*4\*d\*\*3\*x\*\*9\*asin(c\*x)/3 + 182\*a\*b\*c\*\*3\*d\*\*3\*x\*\*8\*sqrt(-c\*\*2\*x\*\*2 + 1)/3267 - 6\*a\*b\*c\*\*2\*d\*\*3\*x\*\*7\*asin(c\*x)/7 - 9410\*a\*b\*c\*d\*\*3\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)/160083 + 2\*a\*b\*d\*\*3\*x\*\*5\*asin(c\*x)/5 + 12622\*a\*b\*d\*\*3\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(1334025\*c) + 50488\*a\*b\*d\*\*3\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(4002075\*c\*\*3) + 100976\*a\*b\*d\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/(4002075\*c\*\*5) - b\*\*2\*c\*\*6\*d\*\*3\*x\*\*11\*asin(c\*x)\*\*2/11 + 2\*b\*\*2\*c\*\*6\*d\*\*3\*x\*\*11/1331 - 2\*b\*\*2\*c\*\*5\*d\*\*3\*x\*\*10\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/121 + b\*\*2\*c\*\*4\*d\*\*3\*x\*\*9\*asin(c\*x)\*\*2/3 - 182\*b\*\*2\*c\*\*4\*d\*\*3\*x\*\*9/29403 + 182\*b\*\*2\*c\*\*3\*d\*\*3\*x\*\*8\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/3267 - 3\*b\*\*2\*c\*\*2\*d\*\*3\*x\*\*7\*asin(c\*x)\*\*2/7 + 9410\*b\*\*2\*c\*\*2\*d\*\*3\*x\*\*7/1120581 - 9410\*b\*\*2\*c\*d\*\*3\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/160083 + b\*\*2\*d\*\*3\*x\*\*5\*asin(c\*x)\*\*2/5 - 12622\*b\*\*2\*d\*\*3\*x\*\*5/6670125 + 12622\*b\*\*2\*d\*\*3\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(1334025\*c) - 50488\*b\*\*2\*d\*\*3\*x\*\*3/(12006225\*c\*\*2) + 50488\*b\*\*2\*d\*\*3\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(4002075\*c\*\*3) - 100976\*b\*\*2\*d\*\*3\*x/(4002075\*c\*\*4) + 100976\*b\*\*2\*d\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(4002075\*c\*\*5), Ne(c, 0)), (a\*\*2\*d\*\*3\*x\*\*5/5, True))

---

**Giac [B]** time = 1.44143, size = 1168, normalized size = 2.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] -1/11\*a^2\*c^6\*d^3\*x^11 + 1/3\*a^2\*c^4\*d^3\*x^9 - 3/7\*a^2\*c^2\*d^3\*x^7 + 1/5\*a^2\*d^3\*x^5 - 1/11\*(c^2\*x^2 - 1)^5\*b^2\*d^3\*x\*arcsin(c\*x)^2/c^4 - 2/11\*(c^2\*x^2 - 1)^5\*a\*b\*d^3\*x\*arcsin(c\*x)/c^4 - 4/33\*(c^2\*x^2 - 1)^4\*b^2\*d^3\*x\*arcsin(c\*x)^2/c^4 + 2/1331\*(c^2\*x^2 - 1)^5\*b^2\*d^3\*x/c^4 - 8/33\*(c^2\*x^2 - 1)^4\*a\*b\*d^3\*x\*arcsin(c\*x)/c^4 - 1/231\*(c^2\*x^2 - 1)^3\*b^2\*d^3\*x\*arcsin(c\*x)^2/c^4

$$\begin{aligned}
& - 2/121*(c^2*x^2 - 1)^5*\sqrt{-c^2*x^2 + 1}*b^2*d^3*\arcsin(c*x)/c^5 + 428/3 \\
& 23433*(c^2*x^2 - 1)^4*b^2*d^3*x/c^4 - 2/231*(c^2*x^2 - 1)^3*a*b*d^3*x*\arcsi \\
& n(c*x)/c^4 + 2/385*(c^2*x^2 - 1)^2*b^2*d^3*x*\arcsin(c*x)^2/c^4 - 2/121*(c^2 \\
& *x^2 - 1)^5*\sqrt{-c^2*x^2 + 1}*a*b*d^3/c^5 - 8/297*(c^2*x^2 - 1)^4*\sqrt{-c^ \\
& 2*x^2 + 1}*b^2*d^3*\arcsin(c*x)/c^5 - 148174/110937519*(c^2*x^2 - 1)^3*b^2*d \\
& ^3*x/c^4 + 4/385*(c^2*x^2 - 1)^2*a*b*d^3*x*\arcsin(c*x)/c^4 - 8/1155*(c^2*x^ \\
& 2 - 1)*b^2*d^3*x*\arcsin(c*x)^2/c^4 - 8/297*(c^2*x^2 - 1)^4*\sqrt{-c^2*x^2 + \\
& 1}*a*b*d^3/c^5 - 2/1617*(c^2*x^2 - 1)^3*\sqrt{-c^2*x^2 + 1}*b^2*d^3*\arcsin(c \\
& *x)/c^5 + 5487704/4622396625*(c^2*x^2 - 1)^2*b^2*d^3*x/c^4 - 16/1155*(c^2*x \\
& ^2 - 1)*a*b*d^3*x*\arcsin(c*x)/c^4 + 16/1155*b^2*d^3*x*\arcsin(c*x)^2/c^4 - 2 \\
& /1617*(c^2*x^2 - 1)^3*\sqrt{-c^2*x^2 + 1}*a*b*d^3/c^5 + 4/1925*(c^2*x^2 - 1) \\
& ^2*\sqrt{-c^2*x^2 + 1}*b^2*d^3*\arcsin(c*x)/c^5 - 606416/13867189875*(c^2*x^2 \\
& - 1)*b^2*d^3*x/c^4 + 32/1155*a*b*d^3*x*\arcsin(c*x)/c^4 + 4/1925*(c^2*x^2 - \\
& 1)^2*\sqrt{-c^2*x^2 + 1}*a*b*d^3/c^5 + 16/3465*(-c^2*x^2 + 1)^(3/2)*b^2*d^3 \\
& *\arcsin(c*x)/c^5 - 382986368/13867189875*b^2*d^3*x/c^4 + 16/3465*(-c^2*x^2 \\
& + 1)^(3/2)*a*b*d^3/c^5 + 32/1155*\sqrt{-c^2*x^2 + 1}*b^2*d^3*\arcsin(c*x)/c^5 \\
& + 32/1155*\sqrt{-c^2*x^2 + 1}*a*b*d^3/c^5
\end{aligned}$$

$$3.175 \quad \int x^3 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=384

$$-\frac{1}{50}bcd^3x^5(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx)) - \frac{1}{32}bcd^3x^5(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx)) - \frac{31}{960}bcd^3x^5\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))$$

[Out]  $(-79*b^2*d^3*x^2)/(5120*c^2) - (79*b^2*d^3*x^4)/15360 + (401*b^2*c^2*d^3*x^6)/28800 - (57*b^2*c^4*d^3*x^8)/6400 + (b^2*c^6*d^3*x^{10})/500 + (79*b*d^3*x*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(2560*c^3) + (79*b*d^3*x^3*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(3840*c) - (31*b*c*d^3*x^5*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/960 - (b*c*d^3*x^5*(1 - c^2*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/32 - (b*c*d^3*x^5*(1 - c^2*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x]))/50 - (79*d^3*(a + b*\text{ArcSin}[c*x])^2)/(5120*c^4) + (d^3*x^4*(a + b*\text{ArcSin}[c*x])^2)/40 + (d^3*x^4*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/20 + (3*d^3*x^4*(1 - c^2*x^2)^2*(a + b*\text{ArcSin}[c*x])^2)/40 + (d^3*x^4*(1 - c^2*x^2)^3*(a + b*\text{ArcSin}[c*x])^2)/10$

---

**Rubi [A]** time = 1.59388, antiderivative size = 384, normalized size of antiderivative = 1., number of steps used = 40, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4699, 4627, 4707, 4641, 30, 4697, 14, 266, 43}

$$-\frac{1}{50}bcd^3x^5(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx)) - \frac{1}{32}bcd^3x^5(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx)) - \frac{31}{960}bcd^3x^5\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In] Int[x^3\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $(-79*b^2*d^3*x^2)/(5120*c^2) - (79*b^2*d^3*x^4)/15360 + (401*b^2*c^2*d^3*x^6)/28800 - (57*b^2*c^4*d^3*x^8)/6400 + (b^2*c^6*d^3*x^{10})/500 + (79*b*d^3*x*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(2560*c^3) + (79*b*d^3*x^3*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(3840*c) - (31*b*c*d^3*x^5*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/960 - (b*c*d^3*x^5*(1 - c^2*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/32 - (b*c*d^3*x^5*(1 - c^2*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x]))/50 - (79*d^3*(a + b*\text{ArcSin}[c*x])^2)/(5120*c^4) + (d^3*x^4*(a + b*\text{ArcSin}[c*x])^2)/40 + (d^3*x^4*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/20 + (3*d^3*x^4*(1 - c^2*x^2)^2*(a + b*\text{ArcSin}[c*x])^2)/40 + (d^3*x^4*(1 - c^2*x^2)^3*(a + b*\text{ArcSin}[c*x])^2)/10$

Rule 4699



```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

### Rule 4627

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

```

### Rule 4707

```

Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/Sqrt[(d_.)
+ (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]

```

### Rule 4641

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

```

### Rule 30

```

Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]

```

### Rule 4697

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*Sqrt[(d_.) +
(e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[((f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq

```

$Q[c^2*d + e, 0] \ \&\& \ GtQ[n, 0] \ \&\& \ !LtQ[m, -1] \ \&\& \ (RationalQ[m] \ || \ EqQ[n, 1])$

### Rule 14

$Int[(u_)*((c_)*(x_))^{(m_)}, x\_Symbol] \ :> \ Int[ExpandIntegrand[(c*x)^m*u, x], x] \ /; \ FreeQ[\{c, m\}, x] \ \&\& \ SumQ[u] \ \&\& \ !LinearQ[u, x] \ \&\& \ !MatchQ[u, (a_ + (b_)*(v_)) \ /; \ FreeQ[\{a, b\}, x] \ \&\& \ InverseFunctionQ[v]]$

### Rule 266

$Int[(x_)^{(m_)*((a_ + (b_)*(x_)^{(n_))^{(p_)}), x\_Symbol] \ :> \ Dist[1/n, Subst[Int[x^{(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] \ /; \ FreeQ[\{a, b, m, n, p\}, x] \ \&\& \ IntegerQ[Simplify[(m + 1)/n]]$

### Rule 43

$Int[((a_.) + (b_)*(x_))^{(m_)*((c_.) + (d_)*(x_))^{(n_)}, x\_Symbol] \ :> \ Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] \ /; \ FreeQ[\{a, b, c, d, n\}, x] \ \&\& \ NeQ[b*c - a*d, 0] \ \&\& \ IGtQ[m, 0] \ \&\& \ ( !IntegerQ[n] \ || \ (EqQ[c, 0] \ \&\& \ LeQ[7*m + 4*n + 4, 0]) \ || \ LtQ[9*m + 5*(n + 1), 0] \ || \ GtQ[m + n + 2, 0])$

### Rubi steps

$$\begin{aligned}
 \int x^3 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{10} d^3 x^4 (1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))^2 + \frac{1}{5} (3d) \int x^3 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx \\
 &= -\frac{1}{50} bcd^3 x^5 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx)) + \frac{3}{40} d^3 x^4 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2 \\
 &= -\frac{1}{32} bcd^3 x^5 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) - \frac{1}{50} bcd^3 x^5 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx)) \\
 &= -\frac{31}{960} bcd^3 x^5 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{1}{32} bcd^3 x^5 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) \\
 &= \frac{401b^2c^2d^3x^6}{28800} - \frac{57b^2c^4d^3x^8}{6400} + \frac{1}{500} b^2c^6d^3x^{10} + \frac{79bd^3x^3\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{3840c} \\
 &= -\frac{79b^2d^3x^4}{15360} + \frac{401b^2c^2d^3x^6}{28800} - \frac{57b^2c^4d^3x^8}{6400} + \frac{1}{500} b^2c^6d^3x^{10} + \frac{79bd^3x\sqrt{1 - c^2x^2}}{256c} \\
 &= -\frac{79b^2d^3x^2}{5120c^2} - \frac{79b^2d^3x^4}{15360} + \frac{401b^2c^2d^3x^6}{28800} - \frac{57b^2c^4d^3x^8}{6400} + \frac{1}{500} b^2c^6d^3x^{10} + \frac{79bd^3x\sqrt{1 - c^2x^2}}{256c}
 \end{aligned}$$

**Mathematica [A]** time = 0.437581, size = 287, normalized size = 0.75

$$d^3 \left( cx \left( 28800a^2c^3x^3 \left( 4c^6x^6 - 15c^4x^4 + 20c^2x^2 - 10 \right) + 30ab\sqrt{1-c^2x^2} \left( 768c^8x^8 - 2736c^6x^6 + 3208c^4x^4 - 790c^2x^2 - 10 \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $-(d^3*(c*x*(28800*a^2*c^3*x^3*(-10 + 20*c^2*x^2 - 15*c^4*x^4 + 4*c^6*x^6) + 30*a*b*\text{Sqrt}[1 - c^2*x^2]*(-1185 - 790*c^2*x^2 + 3208*c^4*x^4 - 2736*c^6*x^6 + 768*c^8*x^8) + b^2*(17775*c*x + 5925*c^3*x^3 - 16040*c^5*x^5 + 10260*c^7*x^7 - 2304*c^9*x^9)) + 30*b*(b*c*x*\text{Sqrt}[1 - c^2*x^2]*(-1185 - 790*c^2*x^2 + 3208*c^4*x^4 - 2736*c^6*x^6 + 768*c^8*x^8) + 15*a*(79 - 1280*c^4*x^4 + 2560*c^6*x^6 - 1920*c^8*x^8 + 512*c^10*x^10))*\text{ArcSin}[c*x] + 225*b^2*(79 - 1280*c^4*x^4 + 2560*c^6*x^6 - 1920*c^8*x^8 + 512*c^10*x^10)*\text{ArcSin}[c*x]^2))/(1152000*c^4)$

**Maple [A]** time = 0.105, size = 519, normalized size = 1.4

$$\frac{1}{c^4} \left( -d^3 a^2 \left( \frac{c^{10} x^{10}}{10} - \frac{3c^8 x^8}{8} + \frac{c^6 x^6}{2} - \frac{c^4 x^4}{4} \right) - d^3 b^2 \left( \frac{(\arcsin(cx))^2 (c^2 x^2 - 1)^4}{8} - \frac{\arcsin(cx)}{1536} \left( -48c^7 x^7 \sqrt{-c^2 x^2 + 1} + 200c^5 x^5 \sqrt{-c^2 x^2 + 1} - 326c^3 x^3 \sqrt{-c^2 x^2 + 1} + 279c x \sqrt{-c^2 x^2 + 1} + 105 \arcsin(cx) \right) + \frac{49}{5120} \arcsin(cx)^2 - \frac{7}{6400} (c^2 x^2 - 1)^4 + \frac{49}{28800} (c^2 x^2 - 1)^3 - \frac{49}{15360} (c^2 x^2 - 1)^2 + \frac{49}{5120} (c^2 x^2 - 1) - \frac{49}{5120} \arcsin(cx)^2 (c^2 x^2 - 1)^5 + \frac{1}{6400} \arcsin(cx) (128c^9 x^9 \sqrt{-c^2 x^2 + 1} - 656c^7 x^7 \sqrt{-c^2 x^2 + 1} + 1368c^5 x^5 \sqrt{-c^2 x^2 + 1} - 1490c^3 x^3 \sqrt{-c^2 x^2 + 1} + 965c x \sqrt{-c^2 x^2 + 1} + 315 \arcsin(cx)) - \frac{1}{500} (c^2 x^2 - 1)^5 - 2d^3 a b \left( \frac{1}{10} \arcsin(cx) c^{10} x^{10} - \frac{3}{8} \arcsin(cx) c^8 x^8 + \frac{1}{2} \arcsin(cx) c^6 x^6 - \frac{1}{4} \arcsin(cx) c^4 x^4 + \frac{1}{100} c^9 x^9 \sqrt{-c^2 x^2 + 1} - \frac{57}{1600} c^7 x^7 \sqrt{-c^2 x^2 + 1} + \frac{401}{9600} c^5 x^5 \sqrt{-c^2 x^2 + 1} - \frac{79}{7680} c^3 x^3 \sqrt{-c^2 x^2 + 1} - \frac{79}{5120} c x \sqrt{-c^2 x^2 + 1} + \frac{79}{5120} \arcsin(cx) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2,x)

[Out]  $1/c^4*(-d^3*a^2*(1/10*c^10*x^10-3/8*c^8*x^8+1/2*c^6*x^6-1/4*c^4*x^4)-d^3*b^2*(1/8*\arcsin(c*x)^2*(c^2*x^2-1)^4-1/1536*\arcsin(c*x)*(-48*c^7*x^7*(-c^2*x^2+1)^(1/2)+200*c^5*x^5*(-c^2*x^2+1)^(1/2)-326*c^3*x^3*(-c^2*x^2+1)^(1/2)+279*c*x*(-c^2*x^2+1)^(1/2)+105*\arcsin(c*x))+49/5120*\arcsin(c*x)^2-7/6400*(c^2*x^2-1)^4+49/28800*(c^2*x^2-1)^3-49/15360*(c^2*x^2-1)^2+49/5120*c^2*x^2-49/5120+1/10*\arcsin(c*x)^2*(c^2*x^2-1)^5+1/6400*\arcsin(c*x)*(128*c^9*x^9*(-c^2*x^2+1)^(1/2)-656*c^7*x^7*(-c^2*x^2+1)^(1/2)+1368*c^5*x^5*(-c^2*x^2+1)^(1/2)-1490*c^3*x^3*(-c^2*x^2+1)^(1/2)+965*c*x*(-c^2*x^2+1)^(1/2)+315*\arcsin(c*x))-1/500*(c^2*x^2-1)^5)-2*d^3*a*b*(1/10*\arcsin(c*x)*c^10*x^10-3/8*\arcsin(c*x)*c^8*x^8+1/2*\arcsin(c*x)*c^6*x^6-1/4*c^4*x^4*\arcsin(c*x)+1/100*c^9*x^9*(-c^2*x^2+1)^(1/2)-57/1600*c^7*x^7*(-c^2*x^2+1)^(1/2)+401/9600*c^5*x^5*(-c^2*x^2+1)^(1/2)-79/7680*c^3*x^3*(-c^2*x^2+1)^(1/2)-79/5120*c*x*(-c^2*x^2+1)^(1/2)+79/5120*\arcsin(c*x)))$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] 
$$-1/10*a^2*c^6*d^3*x^{10} + 3/8*a^2*c^4*d^3*x^8 - 1/2*a^2*c^2*d^3*x^6 - 1/6400*(1280*x^{10}*arcsin(c*x) + (128*\sqrt{-c^2*x^2 + 1})*x^9/c^2 + 144*\sqrt{-c^2*x^2 + 1})*x^7/c^4 + 168*\sqrt{-c^2*x^2 + 1})*x^5/c^6 + 210*\sqrt{-c^2*x^2 + 1})*x^3/c^8 + 315*\sqrt{-c^2*x^2 + 1})*x/c^{10} - 315*arcsin(c^2*x/\sqrt{c^2})/(\sqrt{c^2}*c^{10}))*c)*a*b*c^6*d^3 + 1/512*(384*x^8*arcsin(c*x) + (48*\sqrt{-c^2*x^2 + 1})*x^7/c^2 + 56*\sqrt{-c^2*x^2 + 1})*x^5/c^4 + 70*\sqrt{-c^2*x^2 + 1})*x^3/c^6 + 105*\sqrt{-c^2*x^2 + 1})*x/c^8 - 105*arcsin(c^2*x/\sqrt{c^2})/(\sqrt{c^2}*c^8))*c)*a*b*c^4*d^3 + 1/4*a^2*d^3*x^4 - 1/48*(48*x^6*arcsin(c*x) + (8*\sqrt{-c^2*x^2 + 1})*x^5/c^2 + 10*\sqrt{-c^2*x^2 + 1})*x^3/c^4 + 15*\sqrt{-c^2*x^2 + 1})*x/c^6 - 15*arcsin(c^2*x/\sqrt{c^2})/(\sqrt{c^2}*c^6))*c)*a*b*c^2*d^3 + 1/16*(8*x^4*arcsin(c*x) + (2*\sqrt{-c^2*x^2 + 1})*x^3/c^2 + 3*\sqrt{-c^2*x^2 + 1})*x/c^4 - 3*arcsin(c^2*x/\sqrt{c^2})/(\sqrt{c^2}*c^4))*c)*a*b*d^3 - 1/40*(4*b^2*c^6*d^3*x^{10} - 15*b^2*c^4*d^3*x^8 + 20*b^2*c^2*d^3*x^6 - 10*b^2*d^3*x^4)*arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})^2 - integrate(1/20*(4*b^2*c^7*d^3*x^{10} - 15*b^2*c^5*d^3*x^8 + 20*b^2*c^3*d^3*x^6 - 10*b^2*c*d^3*x^4)*\sqrt{c*x + 1})*\sqrt{-c*x + 1})*arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})/(c^2*x^2 - 1), x)$$

---

**Fricas [A]** time = 2.02756, size = 938, normalized size = 2.44

$$2304(50a^2 - b^2)c^{10}d^3x^{10} - 540(800a^2 - 19b^2)c^8d^3x^8 + 40(14400a^2 - 401b^2)c^6d^3x^6 - 75(3840a^2 - 79b^2)c^4d^3x^4 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] 
$$-1/1152000*(2304*(50*a^2 - b^2)*c^{10}*d^3*x^{10} - 540*(800*a^2 - 19*b^2)*c^8*d^3*x^8 + 40*(14400*a^2 - 401*b^2)*c^6*d^3*x^6 - 75*(3840*a^2 - 79*b^2)*c^4*d^3*x^4 + 17775*b^2*c^2*d^3*x^2 + 225*(512*b^2*c^{10}*d^3*x^{10} - 1920*b^2*c^8*d^3*x^8 + 2560*b^2*c^6*d^3*x^6 - 1280*b^2*c^4*d^3*x^4 + 79*b^2*d^3)*arcsin(c*x)^2 + 450*(512*a*b*c^{10}*d^3*x^{10} - 1920*a*b*c^8*d^3*x^8 + 2560*a*b*c^6$$

$$\begin{aligned} & *d^3*x^6 - 1280*a*b*c^4*d^3*x^4 + 79*a*b*d^3)*\arcsin(c*x) + 30*(768*a*b*c^9 \\ & *d^3*x^9 - 2736*a*b*c^7*d^3*x^7 + 3208*a*b*c^5*d^3*x^5 - 790*a*b*c^3*d^3*x^ \\ & 3 - 1185*a*b*c*d^3*x + (768*b^2*c^9*d^3*x^9 - 2736*b^2*c^7*d^3*x^7 + 3208*b \\ & ^2*c^5*d^3*x^5 - 790*b^2*c^3*d^3*x^3 - 1185*b^2*c*d^3*x)*\arcsin(c*x))*\sqrt{ \\ & -c^2*x^2 + 1)}/c^4 \end{aligned}$$

**Sympy [A]** time = 95.649, size = 654, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Piecewise((-a\*\*2\*c\*\*6\*d\*\*3\*x\*\*10/10 + 3\*a\*\*2\*c\*\*4\*d\*\*3\*x\*\*8/8 - a\*\*2\*c\*\*2\*d  
\*\*3\*x\*\*6/2 + a\*\*2\*d\*\*3\*x\*\*4/4 - a\*b\*c\*\*6\*d\*\*3\*x\*\*10\*asin(c\*x)/5 - a\*b\*c\*\*5\*  
d\*\*3\*x\*\*9\*sqrt(-c\*\*2\*x\*\*2 + 1)/50 + 3\*a\*b\*c\*\*4\*d\*\*3\*x\*\*8\*asin(c\*x)/4 + 57\*a  
\*b\*c\*\*3\*d\*\*3\*x\*\*7\*sqrt(-c\*\*2\*x\*\*2 + 1)/800 - a\*b\*c\*\*2\*d\*\*3\*x\*\*6\*asin(c\*x) -  
401\*a\*b\*c\*d\*\*3\*x\*\*5\*sqrt(-c\*\*2\*x\*\*2 + 1)/4800 + a\*b\*d\*\*3\*x\*\*4\*asin(c\*x)/2  
+ 79\*a\*b\*d\*\*3\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/(3840\*c) + 79\*a\*b\*d\*\*3\*x\*sqrt(-c\*\*2  
\*x\*\*2 + 1)/(2560\*c\*\*3) - 79\*a\*b\*d\*\*3\*asin(c\*x)/(2560\*c\*\*4) - b\*\*2\*c\*\*6\*d\*\*3  
\*x\*\*10\*asin(c\*x)\*\*2/10 + b\*\*2\*c\*\*6\*d\*\*3\*x\*\*10/500 - b\*\*2\*c\*\*5\*d\*\*3\*x\*\*9\*sq  
rt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/50 + 3\*b\*\*2\*c\*\*4\*d\*\*3\*x\*\*8\*asin(c\*x)\*\*2/8 - 57\*  
b\*\*2\*c\*\*4\*d\*\*3\*x\*\*8/6400 + 57\*b\*\*2\*c\*\*3\*d\*\*3\*x\*\*7\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin  
(c\*x)/800 - b\*\*2\*c\*\*2\*d\*\*3\*x\*\*6\*asin(c\*x)\*\*2/2 + 401\*b\*\*2\*c\*\*2\*d\*\*3\*x\*\*6/28  
800 - 401\*b\*\*2\*c\*d\*\*3\*x\*\*5\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/4800 + b\*\*2\*d\*\*3\*  
x\*\*4\*asin(c\*x)\*\*2/4 - 79\*b\*\*2\*d\*\*3\*x\*\*4/15360 + 79\*b\*\*2\*d\*\*3\*x\*\*3\*sqrt(-c\*\*  
2\*x\*\*2 + 1)\*asin(c\*x)/(3840\*c) - 79\*b\*\*2\*d\*\*3\*x\*\*2/(5120\*c\*\*2) + 79\*b\*\*2\*d  
\*\*3\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(2560\*c\*\*3) - 79\*b\*\*2\*d\*\*3\*asin(c\*x)\*\*2  
/(5120\*c\*\*4), Ne(c, 0)), (a\*\*2\*d\*\*3\*x\*\*4/4, True))

**Giac [A]** time = 1.39333, size = 840, normalized size = 2.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

```
[Out] -1/50*(c^2*x^2 - 1)^4*sqrt(-c^2*x^2 + 1)*b^2*d^3*x*arcsin(c*x)/c^3 - 1/10*(
c^2*x^2 - 1)^5*b^2*d^3*arcsin(c*x)^2/c^4 - 1/50*(c^2*x^2 - 1)^4*sqrt(-c^2*x
^2 + 1)*a*b*d^3*x/c^3 - 7/800*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b^2*d^3*x*
arcsin(c*x)/c^3 - 1/5*(c^2*x^2 - 1)^5*a*b*d^3*arcsin(c*x)/c^4 - 1/8*(c^2*x^
2 - 1)^4*b^2*d^3*arcsin(c*x)^2/c^4 - 7/800*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 +
1)*a*b*d^3*x/c^3 + 49/4800*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b^2*d^3*x*arc
sin(c*x)/c^3 - 1/10*(c^2*x^2 - 1)^5*a^2*d^3/c^4 + 1/500*(c^2*x^2 - 1)^5*b^2
*d^3/c^4 - 1/4*(c^2*x^2 - 1)^4*a*b*d^3*arcsin(c*x)/c^4 + 49/4800*(c^2*x^2 -
1)^2*sqrt(-c^2*x^2 + 1)*a*b*d^3*x/c^3 + 49/3840*(-c^2*x^2 + 1)^(3/2)*b^2*d
^3*x*arcsin(c*x)/c^3 - 1/8*(c^2*x^2 - 1)^4*a^2*d^3/c^4 + 7/6400*(c^2*x^2 -
1)^4*b^2*d^3/c^4 + 49/3840*(-c^2*x^2 + 1)^(3/2)*a*b*d^3*x/c^3 + 49/2560*sqrt
(-c^2*x^2 + 1)*b^2*d^3*x*arcsin(c*x)/c^3 - 49/28800*(c^2*x^2 - 1)^3*b^2*d^
3/c^4 + 49/2560*sqrt(-c^2*x^2 + 1)*a*b*d^3*x/c^3 + 49/15360*(c^2*x^2 - 1)^2
*b^2*d^3/c^4 + 49/5120*b^2*d^3*arcsin(c*x)^2/c^4 - 49/5120*(c^2*x^2 - 1)*b^
2*d^3/c^4 + 49/2560*a*b*d^3*arcsin(c*x)/c^4 - 232981/36864000*b^2*d^3/c^4
```

$$3.176 \quad \int x^2 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=391

$$\frac{1}{9}d^3x^3(1-c^2x^2)^3(a+b\sin^{-1}(cx))^2 + \frac{2}{21}d^3x^3(1-c^2x^2)^2(a+b\sin^{-1}(cx))^2 + \frac{8}{105}d^3x^3(1-c^2x^2)(a+b\sin^{-1}(cx))^2 + \dots$$

[Out]  $(-10516*b^2*d^3*x)/(99225*c^2) - (5258*b^2*d^3*x^3)/297675 + (4198*b^2*c^2*d^3*x^5)/165375 - (374*b^2*c^4*d^3*x^7)/27783 + (2*b^2*c^6*d^3*x^9)/729 + (64*b*d^3*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(945*c^3) + (32*b*d^3*x^2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(945*c) + (16*b*d^3*(1 - c^2*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/(315*c^3) + (4*b*d^3*(1 - c^2*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x]))/(525*c^3) + (2*b*d^3*(1 - c^2*x^2)^(7/2)*(a + b*\text{ArcSin}[c*x]))/(441*c^3) - (2*b*d^3*(1 - c^2*x^2)^(9/2)*(a + b*\text{ArcSin}[c*x]))/(81*c^3) + (16*d^3*x^3*(a + b*\text{ArcSin}[c*x])^2)/315 + (8*d^3*x^3*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/105 + (2*d^3*x^3*(1 - c^2*x^2)^2*(a + b*\text{ArcSin}[c*x])^2)/21 + (d^3*x^3*(1 - c^2*x^2)^3*(a + b*\text{ArcSin}[c*x])^2)/9$

**Rubi [A]** time = 0.822623, antiderivative size = 391, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 11, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.407$ , Rules used = {4699, 4627, 4707, 4677, 8, 30, 266, 43, 4689, 12, 373}

$$\frac{1}{9}d^3x^3(1-c^2x^2)^3(a+b\sin^{-1}(cx))^2 + \frac{2}{21}d^3x^3(1-c^2x^2)^2(a+b\sin^{-1}(cx))^2 + \frac{8}{105}d^3x^3(1-c^2x^2)(a+b\sin^{-1}(cx))^2 + \dots$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2*(d - c^2*d*x^2)^3*(a + b*\text{ArcSin}[c*x])^2, x]$

[Out]  $(-10516*b^2*d^3*x)/(99225*c^2) - (5258*b^2*d^3*x^3)/297675 + (4198*b^2*c^2*d^3*x^5)/165375 - (374*b^2*c^4*d^3*x^7)/27783 + (2*b^2*c^6*d^3*x^9)/729 + (64*b*d^3*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(945*c^3) + (32*b*d^3*x^2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(945*c) + (16*b*d^3*(1 - c^2*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x]))/(315*c^3) + (4*b*d^3*(1 - c^2*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x]))/(525*c^3) + (2*b*d^3*(1 - c^2*x^2)^(7/2)*(a + b*\text{ArcSin}[c*x]))/(441*c^3) - (2*b*d^3*(1 - c^2*x^2)^(9/2)*(a + b*\text{ArcSin}[c*x]))/(81*c^3) + (16*d^3*x^3*(a + b*\text{ArcSin}[c*x])^2)/315 + (8*d^3*x^3*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/105 + (2*d^3*x^3*(1 - c^2*x^2)^2*(a + b*\text{ArcSin}[c*x])^2)/21 + (d^3*x^3*(1 - c^2*x^2)^3*(a + b*\text{ArcSin}[c*x])^2)/9$

Rule 4699

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

Rule 4627

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

```

Rule 4707

```

Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]

```

Rule 4677

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]

```

Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

Rule 30

```

Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]

```



Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 4689

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_)
, x_Symbol] := With[{u = IntHide[x^m*(1 - c^2*x^2)^p, x]}, Dist[d^p*(a + b*
ArcSin[c*x]), u, x] - Dist[b*c*d^p, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^
2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && Intege
rQ[p - 1/2] && (IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2*p + 3)/2, 0]) && NeQ[p, -
2^(-1)] && GtQ[d, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 373

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol
] := Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b
, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]
```

Rubi steps

$$\begin{aligned}
\int x^2 (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{9} d^3 x^3 (1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))^2 + \frac{1}{3} (2d) \int x^2 (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx \\
&= \frac{2bd^3 (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{63c^3} - \frac{2bd^3 (1 - c^2 x^2)^{9/2} (a + b \sin^{-1}(cx))}{81c^3} + \frac{2bd^3 (1 - c^2 x^2)^{11/2} (a + b \sin^{-1}(cx))}{105c^3} \\
&= \frac{4bd^3 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{105c^3} + \frac{2bd^3 (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{441c^3} - \frac{2bd^3 (1 - c^2 x^2)^{9/2} (a + b \sin^{-1}(cx))}{315c^3} \\
&= \frac{16bd^3 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{315c^3} + \frac{4bd^3 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{525c^3} + \frac{2bd^3 (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{1575c^3} \\
&= -\frac{4b^2 d^3 x}{567c^2} - \frac{2b^2 d^3 x^3}{1701} + \frac{2}{189} b^2 c^2 d^3 x^5 - \frac{38b^2 c^4 d^3 x^7}{3969} + \frac{2}{729} b^2 c^6 d^3 x^9 + \frac{32bd^3 x^2 \sqrt{1 - c^2 x^2}}{1575c^3} \\
&= -\frac{3796b^2 d^3 x}{99225c^2} - \frac{5258b^2 d^3 x^3}{297675} + \frac{4198b^2 c^2 d^3 x^5}{165375} - \frac{374b^2 c^4 d^3 x^7}{27783} + \frac{2}{729} b^2 c^6 d^3 x^9 + \frac{32bd^3 x^2 \sqrt{1 - c^2 x^2}}{1575c^3} \\
&= -\frac{10516b^2 d^3 x}{99225c^2} - \frac{5258b^2 d^3 x^3}{297675} + \frac{4198b^2 c^2 d^3 x^5}{165375} - \frac{374b^2 c^4 d^3 x^7}{27783} + \frac{2}{729} b^2 c^6 d^3 x^9 + \frac{32bd^3 x^2 \sqrt{1 - c^2 x^2}}{1575c^3}
\end{aligned}$$

**Mathematica [A]** time = 0.38232, size = 277, normalized size = 0.71

$$d^3 \left( 99225 a^2 c^3 x^3 (35 c^6 x^6 - 135 c^4 x^4 + 189 c^2 x^2 - 105) + 630 a b \sqrt{1 - c^2 x^2} (1225 c^8 x^8 - 4675 c^6 x^6 + 6297 c^4 x^4 - 2629 c^2 x^2 - 105) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $-(d^3*(99225*a^2*c^3*x^3*(-105 + 189*c^2*x^2 - 135*c^4*x^4 + 35*c^6*x^6) + 630*a*b*\text{Sqrt}[1 - c^2*x^2]*(-5258 - 2629*c^2*x^2 + 6297*c^4*x^4 - 4675*c^6*x^6 + 1225*c^8*x^8) + b^2*(3312540*c*x + 552090*c^3*x^3 - 793422*c^5*x^5 + 420750*c^7*x^7 - 85750*c^9*x^9) + 630*b*(315*a*c^3*x^3*(-105 + 189*c^2*x^2 - 135*c^4*x^4 + 35*c^6*x^6) + b*\text{Sqrt}[1 - c^2*x^2]*(-5258 - 2629*c^2*x^2 + 6297*c^4*x^4 - 4675*c^6*x^6 + 1225*c^8*x^8))*\text{ArcSin}[c*x] + 99225*b^2*c^3*x^3*(-105 + 189*c^2*x^2 - 135*c^4*x^4 + 35*c^6*x^6)*\text{ArcSin}[c*x]^2))/(31255875*c^3)$

**Maple [A]** time = 0.054, size = 525, normalized size = 1.3

$$\frac{1}{c^3} \left( -d^3 a^2 \left( \frac{c^9 x^9}{9} - \frac{3c^7 x^7}{7} + \frac{3c^5 x^5}{5} - \frac{c^3 x^3}{3} \right) - d^3 b^2 \left( \frac{(\arcsin(cx))^2 (5c^6 x^6 - 21c^4 x^4 + 35c^2 x^2 - 35) cx}{35} + \frac{32cx}{315} - \frac{32 \arcsin(cx)}{3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(-c^2*d*x^2+d)^3*(a+b*arcsin(c*x))^2,x)`

[Out]  $\frac{1}{c^3} \left( -d^3 a^2 \left( \frac{1}{9} c^9 x^9 - \frac{3}{7} c^7 x^7 + \frac{3}{5} c^5 x^5 - \frac{1}{3} c^3 x^3 \right) - d^3 b^2 \left( \frac{1}{35} \arcsin(c x)^2 (5 c^6 x^6 - 21 c^4 x^4 + 35 c^2 x^2 - 35) c x + \frac{32 c x}{315} - \frac{32 \arcsin(c x)}{3} \right) \right)$

**Maxima [B]** time = 1.82218, size = 1277, normalized size = 3.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(-c^2*d*x^2+d)^3*(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out]  $-1/9*b^2*c^6*d^3*x^9*\arcsin(c*x)^2 - 1/9*a^2*c^6*d^3*x^9 + 3/7*b^2*c^4*d^3*x^7*\arcsin(c*x)^2 + 3/7*a^2*c^4*d^3*x^7 - 3/5*b^2*c^2*d^3*x^5*\arcsin(c*x)^2 - 2/2835*(315*x^9*\arcsin(c*x) + (35*\sqrt{-c^2*x^2 + 1})*x^8/c^2 + 40*\sqrt{-c^2*x^2 + 1})*x^6/c^4 + 48*\sqrt{-c^2*x^2 + 1})*x^4/c^6 + 64*\sqrt{-c^2*x^2 + 1})*x^2/c^8 + 128*\sqrt{-c^2*x^2 + 1}/c^{10})*c)*a*b*c^6*d^3 - 2/893025*(315*(35*\sqrt{-c^2*x^2 + 1})*x^8/c^2 + 40*\sqrt{-c^2*x^2 + 1})*x^6/c^4 + 48*\sqrt{-c^2*x^2 + 1})*x^4/c^6 + 64*\sqrt{-c^2*x^2 + 1})*x^2/c^8 + 128*\sqrt{-c^2*x^2 + 1}/c^{10})*c*\arcsin(c*x) - (1225*c^8*x^9 + 1800*c^6*x^7 + 3024*c^4*x^5 + 6720*c^2*x^3 + 40320*x)/c^8)*b^2*c^6*d^3 - 3/5*a^2*c^2*d^3*x^5 + 6/245*(35*x^7*\arcsin(c*x) + (5*\sqrt{-c^2*x^2 + 1})*x^6/c^2 + 6*\sqrt{-c^2*x^2 + 1})*x^4/c^4 + 8*$

$$\begin{aligned} & \sqrt{-c^2x^2 + 1}x^2/c^6 + 16\sqrt{-c^2x^2 + 1}/c^8)c) * a * b * c^4 * d^3 + 2/ \\ & 8575 * (105 * (5 * \sqrt{-c^2x^2 + 1} * x^6/c^2 + 6 * \sqrt{-c^2x^2 + 1} * x^4/c^4 + 8 * \\ & \sqrt{-c^2x^2 + 1} * x^2/c^6 + 16 * \sqrt{-c^2x^2 + 1}/c^8) * c * \arcsin(cx) - (75 \\ & * c^6 * x^7 + 126 * c^4 * x^5 + 280 * c^2 * x^3 + 1680 * x) / c^6) * b^2 * c^4 * d^3 + 1/3 * b^2 * d \\ & ^3 * x^3 * \arcsin(cx)^2 - 2/25 * (15 * x^5 * \arcsin(cx) + (3 * \sqrt{-c^2x^2 + 1} * x^4 \\ & /c^2 + 4 * \sqrt{-c^2x^2 + 1} * x^2/c^4 + 8 * \sqrt{-c^2x^2 + 1}/c^6) * c) * a * b * c^2 * \\ & d^3 - 2/375 * (15 * (3 * \sqrt{-c^2x^2 + 1} * x^4/c^2 + 4 * \sqrt{-c^2x^2 + 1} * x^2/c^4 \\ & + 8 * \sqrt{-c^2x^2 + 1}/c^6) * c * \arcsin(cx) - (9 * c^4 * x^5 + 20 * c^2 * x^3 + 120 \\ & * x) / c^4) * b^2 * c^2 * d^3 + 1/3 * a^2 * d^3 * x^3 + 2/9 * (3 * x^3 * \arcsin(cx) + c * (\sqrt{-c^2x^2 + 1} * x^2/c^2 \\ & + 2 * \sqrt{-c^2x^2 + 1}/c^4)) * a * b * d^3 + 2/27 * (3 * c * (\sqrt{-c^2x^2 + 1} * x^2/c^2 + 2 * \sqrt{-c^2x^2 + 1}/c^4) * \arcsin(cx) - (c^2 * x^3 + \\ & 6 * x) / c^2) * b^2 * d^3 \end{aligned}$$

**Fricas [A]** time = 2.0016, size = 903, normalized size = 2.31

$$\frac{42875 (81 a^2 - 2 b^2) c^9 d^3 x^9 - 1125 (11907 a^2 - 374 b^2) c^7 d^3 x^7 + 189 (99225 a^2 - 4198 b^2) c^5 d^3 x^5 - 105 (99225 a^2 - 5258 b^2) c^3 d^3 x^3 + 3312540 b^2 c^2 d^3 x + 99225 (35 b^2 c^9 d^3 x^9 - 135 b^2 c^7 d^3 x^7 + 189 b^2 c^5 d^3 x^5 - 105 b^2 c^3 d^3 x^3) \arcsin(cx)^2 + 198450 (35 a b c^9 d^3 x^9 - 135 a b c^7 d^3 x^7 + 189 a b c^5 d^3 x^5 - 105 a b c^3 d^3 x^3) \arcsin(cx) + 630 (1225 a b c^8 d^3 x^8 - 4675 a b c^6 d^3 x^6 + 6297 a b c^4 d^3 x^4 - 2629 a b c^2 d^3 x^2 - 5258 a b d^3 + (1225 b^2 c^8 d^3 x^8 - 4675 b^2 c^6 d^3 x^6 + 6297 b^2 c^4 d^3 x^4 - 2629 b^2 c^2 d^3 x^2 - 5258 b^2 d^3) \arcsin(cx)) \sqrt{-c^2 x^2 + 1}}{c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] -1/31255875\*(42875\*(81\*a^2 - 2\*b^2)\*c^9\*d^3\*x^9 - 1125\*(11907\*a^2 - 374\*b^2)\*c^7\*d^3\*x^7 + 189\*(99225\*a^2 - 4198\*b^2)\*c^5\*d^3\*x^5 - 105\*(99225\*a^2 - 5258\*b^2)\*c^3\*d^3\*x^3 + 3312540\*b^2\*c^2\*d^3\*x + 99225\*(35\*b^2\*c^9\*d^3\*x^9 - 135\*b^2\*c^7\*d^3\*x^7 + 189\*b^2\*c^5\*d^3\*x^5 - 105\*b^2\*c^3\*d^3\*x^3)\*arcsin(c\*x)^2 + 198450\*(35\*a\*b\*c^9\*d^3\*x^9 - 135\*a\*b\*c^7\*d^3\*x^7 + 189\*a\*b\*c^5\*d^3\*x^5 - 105\*a\*b\*c^3\*d^3\*x^3)\*arcsin(c\*x) + 630\*(1225\*a\*b\*c^8\*d^3\*x^8 - 4675\*a\*b\*c^6\*d^3\*x^6 + 6297\*a\*b\*c^4\*d^3\*x^4 - 2629\*a\*b\*c^2\*d^3\*x^2 - 5258\*a\*b\*d^3 + (1225\*b^2\*c^8\*d^3\*x^8 - 4675\*b^2\*c^6\*d^3\*x^6 + 6297\*b^2\*c^4\*d^3\*x^4 - 2629\*b^2\*c^2\*d^3\*x^2 - 5258\*b^2\*d^3)\*arcsin(c\*x))\*sqrt(-c^2\*x^2 + 1)/c^3

**Sympy [A]** time = 55.6446, size = 626, normalized size = 1.6

$$\left\{ \begin{array}{l} -\frac{a^2 c^6 d^3 x^9}{3} + \frac{3 a^2 c^4 d^3 x^7}{7} - \frac{3 a^2 c^2 d^3 x^5}{5} + \frac{a^2 d^3 x^3}{3} - \frac{2 a b c^6 d^3 x^9 \operatorname{asin}(c x)}{9} - \frac{2 a b c^5 d^3 x^8 \sqrt{-c^2 x^2 + 1}}{81} + \frac{6 a b c^4 d^3 x^7 \operatorname{asin}(c x)}{7} + \frac{374 a b c^3 d^3 x^6 \sqrt{-c^2 x^2 + 1}}{3969} - \frac{6 a b c^2 d^3 x^5 \operatorname{asin}(c x)}{3} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Piecewise((-a\*\*2\*c\*\*6\*d\*\*3\*x\*\*9/9 + 3\*a\*\*2\*c\*\*4\*d\*\*3\*x\*\*7/7 - 3\*a\*\*2\*c\*\*2\*d\*\*3\*x\*\*5/5 + a\*\*2\*d\*\*3\*x\*\*3/3 - 2\*a\*b\*c\*\*6\*d\*\*3\*x\*\*9\*asin(c\*x)/9 - 2\*a\*b\*c\*\*5\*d\*\*3\*x\*\*8\*sqrt(-c\*\*2\*x\*\*2 + 1)/81 + 6\*a\*b\*c\*\*4\*d\*\*3\*x\*\*7\*asin(c\*x)/7 + 374\*a\*b\*c\*\*3\*d\*\*3\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)/3969 - 6\*a\*b\*c\*\*2\*d\*\*3\*x\*\*5\*asin(c\*x)/5 - 4198\*a\*b\*c\*d\*\*3\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/33075 + 2\*a\*b\*d\*\*3\*x\*\*3\*asin(c\*x)/3 + 5258\*a\*b\*d\*\*3\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(99225\*c) + 10516\*a\*b\*d\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/(99225\*c\*\*3) - b\*\*2\*c\*\*6\*d\*\*3\*x\*\*9\*asin(c\*x)\*\*2/9 + 2\*b\*\*2\*c\*\*6\*d\*\*3\*x\*\*9/729 - 2\*b\*\*2\*c\*\*5\*d\*\*3\*x\*\*8\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/81 + 3\*b\*\*2\*c\*\*4\*d\*\*3\*x\*\*7\*asin(c\*x)\*\*2/7 - 374\*b\*\*2\*c\*\*4\*d\*\*3\*x\*\*7/27783 + 374\*b\*\*2\*c\*\*3\*d\*\*3\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/3969 - 3\*b\*\*2\*c\*\*2\*d\*\*3\*x\*\*5\*asin(c\*x)\*\*2/5 + 4198\*b\*\*2\*c\*\*2\*d\*\*3\*x\*\*5/165375 - 4198\*b\*\*2\*c\*d\*\*3\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/33075 + b\*\*2\*d\*\*3\*x\*\*3\*asin(c\*x)\*\*2/3 - 5258\*b\*\*2\*d\*\*3\*x\*\*3/297675 + 5258\*b\*\*2\*d\*\*3\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(99225\*c) - 10516\*b\*\*2\*d\*\*3\*x/(99225\*c\*\*2) + 10516\*b\*\*2\*d\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(99225\*c\*\*3), Ne(c, 0)), (a\*\*2\*d\*\*3\*x\*\*3/3, True))

**Giac [B]** time = 1.41748, size = 967, normalized size = 2.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] 
$$-1/9*a^2*c^6*d^3*x^9 + 3/7*a^2*c^4*d^3*x^7 - 3/5*a^2*c^2*d^3*x^5 - 1/9*(c^2*x^2 - 1)^4*b^2*d^3*x*arcsin(c*x)^2/c^2 - 2/9*(c^2*x^2 - 1)^4*a*b*d^3*x*arcsin(c*x)/c^2 - 1/63*(c^2*x^2 - 1)^3*b^2*d^3*x*arcsin(c*x)^2/c^2 + 2/729*(c^2*x^2 - 1)^4*b^2*d^3*x/c^2 + 1/3*a^2*d^3*x^3 - 2/63*(c^2*x^2 - 1)^3*a*b*d^3*x*arcsin(c*x)/c^2 + 2/105*(c^2*x^2 - 1)^2*b^2*d^3*x*arcsin(c*x)^2/c^2 - 2/81*(c^2*x^2 - 1)^4*sqrt(-c^2*x^2 + 1)*b^2*d^3*arcsin(c*x)/c^3 - 622/250047*(c^2*x^2 - 1)^3*b^2*d^3*x/c^2 + 4/105*(c^2*x^2 - 1)^2*a*b*d^3*x*arcsin(c*x)/c^2 - 8/315*(c^2*x^2 - 1)*b^2*d^3*x*arcsin(c*x)^2/c^2 - 2/81*(c^2*x^2 - 1)^4*sqrt(-c^2*x^2 + 1)*a*b*d^3/c^3 - 2/441*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b^2*d^3*arcsin(c*x)/c^3 + 15224/10418625*(c^2*x^2 - 1)^2*b^2*d^3*x/c^2 - 16/315*(c^2*x^2 - 1)*a*b*d^3*x*arcsin(c*x)/c^2 + 16/315*b^2*d^3*x*arcsin(c*x)^2/c^2 - 2/441*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*a*b*d^3/c^3 + 4/525*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b^2*d^3*arcsin(c*x)/c^3 + 115504/31255875*(c^2*x^2 - 1)*b^2*d^3*x/c^2 + 32/315*a*b*d^3*x*arcsin(c*x)/c^2 + 4/525*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*a*b*d^3/c^3 + 16/945*(-c^2*x^2 + 1)^(3/2)*b^2$$

$$\begin{aligned} & *d^3*\arcsin(c*x)/c^3 - 3406208/31255875*b^2*d^3*x/c^2 + 16/945*(-c^2*x^2 + \\ & 1)^{(3/2)}*a*b*d^3/c^3 + 32/315*\sqrt{-c^2*x^2 + 1}*b^2*d^3*\arcsin(c*x)/c^3 + \\ & 32/315*\sqrt{-c^2*x^2 + 1}*a*b*d^3/c^3 \end{aligned}$$

$$3.177 \quad \int x (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=268

$$\frac{bd^3x(1-c^2x^2)^{7/2}(a+b\sin^{-1}(cx))}{32c} + \frac{7bd^3x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))}{192c} + \frac{35bd^3x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))}{768c} + \dots$$

[Out]  $(-175*b^2*d^3*x^2)/3072 + (35*b^2*c^2*d^3*x^4)/3072 + (7*b^2*d^3*(1 - c^2*x^2)^3)/(1152*c^2) + (b^2*d^3*(1 - c^2*x^2)^4)/(256*c^2) + (35*b*d^3*x*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(512*c) + (35*b*d^3*x*(1 - c^2*x^2)^{3/2}*(a + b*ArcSin[c*x]))/(768*c) + (7*b*d^3*x*(1 - c^2*x^2)^{5/2}*(a + b*ArcSin[c*x]))/(192*c) + (b*d^3*x*(1 - c^2*x^2)^{7/2}*(a + b*ArcSin[c*x]))/(32*c) + (35*d^3*(a + b*ArcSin[c*x])^2)/(1024*c^2) - (d^3*(1 - c^2*x^2)^4*(a + b*ArcSin[c*x])^2)/(8*c^2)$

**Rubi [A]** time = 0.246654, antiderivative size = 268, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.28$ , Rules used = {4677, 4649, 4647, 4641, 30, 14, 261}

$$\frac{bd^3x(1-c^2x^2)^{7/2}(a+b\sin^{-1}(cx))}{32c} + \frac{7bd^3x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))}{192c} + \frac{35bd^3x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))}{768c} + \dots$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x*(d - c^2*d*x^2)^3*(a + b*ArcSin[c*x])^2, x]$

[Out]  $(-175*b^2*d^3*x^2)/3072 + (35*b^2*c^2*d^3*x^4)/3072 + (7*b^2*d^3*(1 - c^2*x^2)^3)/(1152*c^2) + (b^2*d^3*(1 - c^2*x^2)^4)/(256*c^2) + (35*b*d^3*x*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(512*c) + (35*b*d^3*x*(1 - c^2*x^2)^{3/2}*(a + b*ArcSin[c*x]))/(768*c) + (7*b*d^3*x*(1 - c^2*x^2)^{5/2}*(a + b*ArcSin[c*x]))/(192*c) + (b*d^3*x*(1 - c^2*x^2)^{7/2}*(a + b*ArcSin[c*x]))/(32*c) + (35*d^3*(a + b*ArcSin[c*x])^2)/(1024*c^2) - (d^3*(1 - c^2*x^2)^4*(a + b*ArcSin[c*x])^2)/(8*c^2)$

#### Rule 4677

$\text{Int}[(a + \text{ArcSin}[c \cdot x]) \cdot (b \cdot x)^n \cdot (d + e \cdot x^2)^p, x] \rightarrow \text{Simp}[(d + e \cdot x^2)^{p+1} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n] / (2 \cdot e \cdot (p+1)), x] + \text{Dist}[(b \cdot n \cdot d^{\text{IntPart}[p]} \cdot (d + e \cdot x^2)^{\text{FracPart}[p]}] / (2 \cdot c \cdot (p+1) \cdot (1 - c^2 \cdot x^2)^{\text{FracPart}[p]}), \text{Int}[(1 - c^2 \cdot x^2)^{p+1/2} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n], x] /;$  FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n - 1, x], x]

, 0] && NeQ[p, -1]

#### Rule 4649

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(x\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(2\*p + 1), x] + (Dist[(2\*d\*p)/(2\*p + 1), Int[(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p]]/((2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0]

#### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 14

Int[(u\_)\*((c\_.)\*(x\_))^(m\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

#### Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]



Rubi steps

$$\begin{aligned}
\int x(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx &= -\frac{d^3(1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))^2}{8c^2} + \frac{(bd^3) \int (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx)) dx}{4c} \\
&= \frac{bd^3 x (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{32c} - \frac{d^3(1 - c^2 x^2)^4 (a + b \sin^{-1}(cx))^2}{8c^2} - \frac{1}{32} \left( \frac{bd^3 x (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{c} \right) \\
&= \frac{b^2 d^3 (1 - c^2 x^2)^4}{256c^2} + \frac{7bd^3 x (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{192c} + \frac{bd^3 x (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{32c} \\
&= \frac{7b^2 d^3 (1 - c^2 x^2)^3}{1152c^2} + \frac{b^2 d^3 (1 - c^2 x^2)^4}{256c^2} + \frac{35bd^3 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{768c} \\
&= \frac{7b^2 d^3 (1 - c^2 x^2)^3}{1152c^2} + \frac{b^2 d^3 (1 - c^2 x^2)^4}{256c^2} + \frac{35bd^3 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{512c} + \frac{bd^3 x (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{32c} \\
&= -\frac{175b^2 d^3 x^2}{3072} + \frac{35b^2 c^2 d^3 x^4}{3072} + \frac{7b^2 d^3 (1 - c^2 x^2)^3}{1152c^2} + \frac{b^2 d^3 (1 - c^2 x^2)^4}{256c^2} + \frac{35bd^3 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{512c} + \frac{bd^3 x (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{32c}
\end{aligned}$$

**Mathematica [A]** time = 0.336713, size = 257, normalized size = 0.96

$$d^3 \left( cx \left( 1152a^2 cx (c^6 x^6 - 4c^4 x^4 + 6c^2 x^2 - 4) + 6ab\sqrt{1 - c^2 x^2} (48c^6 x^6 - 200c^4 x^4 + 326c^2 x^2 - 279) + b^2 cx (-36c^6 x^6 + 200c^4 x^4 - 326c^2 x^2 + 279) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $-(d^3(c*x*(b^2*c*x*(837 - 489*c^2*x^2 + 200*c^4*x^4 - 36*c^6*x^6) + 1152*a^2*c*x*(-4 + 6*c^2*x^2 - 4*c^4*x^4 + c^6*x^6) + 6*a*b*\text{Sqrt}[1 - c^2*x^2]*(-279 + 326*c^2*x^2 - 200*c^4*x^4 + 48*c^6*x^6)) + 6*b*(b*c*x*\text{Sqrt}[1 - c^2*x^2]*(-279 + 326*c^2*x^2 - 200*c^4*x^4 + 48*c^6*x^6) + 3*a*(93 - 512*c^2*x^2 + 768*c^4*x^4 - 512*c^6*x^6 + 128*c^8*x^8))*\text{ArcSin}[c*x] + 9*b^2*(93 - 512*c^2*x^2 + 768*c^4*x^4 - 512*c^6*x^6 + 128*c^8*x^8))*\text{ArcSin}[c*x]^2)/(9216*c^2)$

**Maple [A]** time = 0.041, size = 358, normalized size = 1.3

$$\frac{1}{c^2} \left( -d^3 a^2 \left( \frac{c^8 x^8}{8} - \frac{c^6 x^6}{2} + \frac{3c^4 x^4}{4} - \frac{c^2 x^2}{2} \right) - d^3 b^2 \left( \frac{(\arcsin(cx))^2 (c^2 x^2 - 1)^4}{8} - \frac{\arcsin(cx)}{1536} \left( -48c^7 x^7 \sqrt{-c^2 x^2 + 1} + 200c^5 x^5 \sqrt{-c^2 x^2 + 1} - 200c^3 x^3 \sqrt{-c^2 x^2 + 1} + 200c x \sqrt{-c^2 x^2 + 1} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(-c^2*d*x^2+d)^3*(a+b*arcsin(c*x))^2,x)`

[Out]  $\frac{1}{c^2}(-d^3a^2(1/8c^8x^8-1/2c^6x^6+3/4c^4x^4-1/2c^2x^2)-d^3b^2(1/8\arcsin(cx)^2(c^2x^2-1)^4-1/1536\arcsin(cx)*(-48c^7x^7(-c^2x^2+1)^{(1/2)}+200c^5x^5(-c^2x^2+1)^{(1/2)}-326c^3x^3(-c^2x^2+1)^{(1/2)}+279cx*(-c^2x^2+1)^{(1/2)}+105\arcsin(cx))+35/1024\arcsin(cx)^2-1/256(c^2x^2-1)^4+7/1152(c^2x^2-1)^3-35/3072(c^2x^2-1)^2+35/1024c^2x^2-35/1024)-d^3a*b(1/8\arcsin(cx)*c^8x^8-1/2\arcsin(cx)*c^6x^6+3/4c^4x^4\arcsin(cx)-1/2c^2x^2\arcsin(cx)+1/64c^7x^7(-c^2x^2+1)^{(1/2)}-25/384c^5x^5(-c^2x^2+1)^{(1/2)}+163/1536c^3x^3(-c^2x^2+1)^{(1/2)}-93/1024cx*(-c^2x^2+1)^{(1/2)}+93/1024\arcsin(cx))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{8}a^2c^6d^3x^8 + \frac{1}{2}a^2c^4d^3x^6 - \frac{1}{1536} \left( 384x^8 \arcsin(cx) + \left( \frac{48\sqrt{-c^2x^2+1}x^7}{c^2} + \frac{56\sqrt{-c^2x^2+1}x^5}{c^4} + \frac{70\sqrt{-c^2x^2+1}x^3}{c^6} + \frac{105\sqrt{-c^2x^2+1}x}{c^8} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*d*x^2+d)^3*(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out]  $-1/8*a^2*c^6*d^3*x^8 + 1/2*a^2*c^4*d^3*x^6 - 1/1536*(384*x^8*\arcsin(c*x) + (48*\sqrt{-c^2*x^2+1}*x^7/c^2 + 56*\sqrt{-c^2*x^2+1}*x^5/c^4 + 70*\sqrt{-c^2*x^2+1}*x^3/c^6 + 105*\sqrt{-c^2*x^2+1}*x/c^8 - 105*\arcsin(c^2*x/\sqrt{c^2}))/(\sqrt{c^2}*c^8))*c)*a*b*c^6*d^3 - 3/4*a^2*c^2*d^3*x^4 + 1/48*(48*x^6*\arcsin(c*x) + (8*\sqrt{-c^2*x^2+1}*x^5/c^2 + 10*\sqrt{-c^2*x^2+1}*x^3/c^4 + 15*\sqrt{-c^2*x^2+1}*x/c^6 - 15*\arcsin(c^2*x/\sqrt{c^2}))/(\sqrt{c^2}*c^6))*c)*a*b*c^4*d^3 - 3/16*(8*x^4*\arcsin(c*x) + (2*\sqrt{-c^2*x^2+1}*x^3/c^2 + 3*\sqrt{-c^2*x^2+1}*x/c^4 - 3*\arcsin(c^2*x/\sqrt{c^2}))/(\sqrt{c^2}*c^4))*c)*a*b*c^2*d^3 + 1/2*a^2*d^3*x^2 + 1/2*(2*x^2*\arcsin(c*x) + c*(\sqrt{-c^2*x^2+1}*x/c^2 - \arcsin(c^2*x/\sqrt{c^2}))/(\sqrt{c^2}*c^2))*a*b*d^3 - 1/8*(b^2*c^6*d^3*x^8 - 4*b^2*c^4*d^3*x^6 + 6*b^2*c^2*d^3*x^4 - 4*b^2*d^3*x^2)*\arctan(2(c*x, \sqrt{c*x+1})*\sqrt{-c*x+1})^2 - \int(1/4*(b^2*c^7*d^3*x^8 - 4*b^2*c^5*d^3*x^6 + 6*b^2*c^3*d^3*x^4 - 4*b^2*c*d^3*x^2)*\sqrt{c*x+1}*\sqrt{-c*x+1})*\arctan(2(c*x, \sqrt{c*x+1})*\sqrt{-c*x+1})/(c^2*x^2-1), x)$

**Fricas [A]** time = 2.02357, size = 799, normalized size = 2.98

$$36(32a^2 - b^2)c^8d^3x^8 - 8(576a^2 - 25b^2)c^6d^3x^6 + 3(2304a^2 - 163b^2)c^4d^3x^4 - 9(512a^2 - 93b^2)c^2d^3x^2 + 9(128b^2c^8d^3x^8 - 512b^2c^6d^3x^6 + 768b^2c^4d^3x^4 - 512b^2c^2d^3x^2 + 93b^2d^3) \arcsin(cx)^2 + 18(128ab^2c^8d^3x^8 - 512ab^2c^6d^3x^6 + 768ab^2c^4d^3x^4 - 512ab^2c^2d^3x^2 + 93ab^2d^3) \arcsin(cx) + 6(48ab^2c^7d^3x^7 - 200ab^2c^5d^3x^5 + 326ab^2c^3d^3x^3 - 279ab^2c^2d^3x) \arcsin(cx) \sqrt{-c^2x^2 + 1} / c^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out]  $-1/9216*(36*(32*a^2 - b^2)*c^8*d^3*x^8 - 8*(576*a^2 - 25*b^2)*c^6*d^3*x^6 + 3*(2304*a^2 - 163*b^2)*c^4*d^3*x^4 - 9*(512*a^2 - 93*b^2)*c^2*d^3*x^2 + 9*(128*b^2*c^8*d^3*x^8 - 512*b^2*c^6*d^3*x^6 + 768*b^2*c^4*d^3*x^4 - 512*b^2*c^2*d^3*x^2 + 93*b^2*d^3)*\arcsin(c*x)^2 + 18*(128*a*b*c^8*d^3*x^8 - 512*a*b*c^6*d^3*x^6 + 768*a*b*c^4*d^3*x^4 - 512*a*b*c^2*d^3*x^2 + 93*a*b*d^3)*\arcsin(c*x) + 6*(48*a*b*c^7*d^3*x^7 - 200*a*b*c^5*d^3*x^5 + 326*a*b*c^3*d^3*x^3 - 279*a*b*c^2*d^3*x)*\arcsin(c*x)*\sqrt{-c^2*x^2 + 1})/c^2$

**Sympy [A]** time = 38.3857, size = 573, normalized size = 2.14

$$\left\{ \begin{array}{l} -\frac{a^2c^6d^3x^8}{2} + \frac{a^2c^4d^3x^6}{2} - \frac{3a^2c^2d^3x^4}{4} + \frac{a^2d^3x^2}{2} - \frac{abc^6d^3x^8 \arcsin(cx)}{4} - \frac{abc^5d^3x^7 \sqrt{-c^2x^2+1}}{32} + abc^4d^3x^6 \arcsin(cx) + \frac{25abc^3d^3x^5 \sqrt{-c^2x^2+1}}{192} - \frac{3a^2d^3x^8}{2} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Piecewise((-a\*\*2\*c\*\*6\*d\*\*3\*x\*\*8/8 + a\*\*2\*c\*\*4\*d\*\*3\*x\*\*6/2 - 3\*a\*\*2\*c\*\*2\*d\*\*3\*x\*\*4/4 + a\*\*2\*d\*\*3\*x\*\*2/2 - a\*b\*c\*\*6\*d\*\*3\*x\*\*8\*asin(c\*x)/4 - a\*b\*c\*\*5\*d\*\*3\*x\*\*7\*sqrt(-c\*\*2\*x\*\*2 + 1)/32 + a\*b\*c\*\*4\*d\*\*3\*x\*\*6\*asin(c\*x) + 25\*a\*b\*c\*\*3\*d\*\*3\*x\*\*5\*sqrt(-c\*\*2\*x\*\*2 + 1)/192 - 3\*a\*b\*c\*\*2\*d\*\*3\*x\*\*4\*asin(c\*x)/2 - 163\*a\*b\*c\*d\*\*3\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/768 + a\*b\*d\*\*3\*x\*\*2\*asin(c\*x) + 93\*a\*b\*d\*\*3\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)/(512\*c) - 93\*a\*b\*d\*\*3\*asin(c\*x)/(512\*c\*\*2) - b\*\*2\*c\*\*6\*d\*\*3\*x\*\*8\*asin(c\*x)\*\*2/8 + b\*\*2\*c\*\*6\*d\*\*3\*x\*\*8/256 - b\*\*2\*c\*\*5\*d\*\*3\*x\*\*7\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/32 + b\*\*2\*c\*\*4\*d\*\*3\*x\*\*6\*asin(c\*x)\*\*2/2 - 25\*b\*\*2\*c\*\*4\*d\*\*3\*x\*\*6/1152 + 25\*b\*\*2\*c\*\*3\*d\*\*3\*x\*\*5\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/192 - 3\*b\*\*2\*c\*\*2\*d\*\*3\*x\*\*4\*asin(c\*x)\*\*2/4 + 163\*b\*\*2\*c\*\*2\*d\*\*3\*x\*\*4/3072 - 163\*b\*\*2\*c\*d\*\*3\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/768 + b\*\*2\*d\*\*3\*x\*\*2\*asin(c\*x)\*\*2/2 - 93\*b\*\*2\*d\*\*3\*x\*\*2/1024 + 93\*b\*\*2\*d\*\*3\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(512\*c) - 93\*b\*\*2\*d\*\*3\*asin(c\*x)\*\*2/(1024\*c\*\*2))

, Ne(c, 0)), (a\*\*2\*d\*\*3\*x\*\*2/2, True))

**Giac [A]** time = 1.47056, size = 610, normalized size = 2.28

$$\frac{(c^2x^2 - 1)^3 \sqrt{-c^2x^2 + 1} b^2 d^3 x \arcsin(cx)}{32c} - \frac{(c^2x^2 - 1)^4 b^2 d^3 \arcsin(cx)^2}{8c^2} - \frac{(c^2x^2 - 1)^3 \sqrt{-c^2x^2 + 1} a b d^3 x}{32c} + \frac{7(c^2x^2 - 1)^2 \sqrt{-c^2x^2 + 1} a b d^3 x}{32c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] -1/32\*(c^2\*x^2 - 1)^3\*sqrt(-c^2\*x^2 + 1)\*b^2\*d^3\*x\*arcsin(c\*x)/c - 1/8\*(c^2\*x^2 - 1)^4\*b^2\*d^3\*arcsin(c\*x)^2/c^2 - 1/32\*(c^2\*x^2 - 1)^3\*sqrt(-c^2\*x^2 + 1)\*a\*b\*d^3\*x/c + 7/192\*(c^2\*x^2 - 1)^2\*sqrt(-c^2\*x^2 + 1)\*b^2\*d^3\*x\*arcsin(c\*x)/c - 1/4\*(c^2\*x^2 - 1)^4\*a\*b\*d^3\*arcsin(c\*x)/c^2 + 7/192\*(c^2\*x^2 - 1)^2\*sqrt(-c^2\*x^2 + 1)\*a\*b\*d^3\*x/c + 35/768\*(-c^2\*x^2 + 1)^(3/2)\*b^2\*d^3\*x\*arcsin(c\*x)/c - 1/8\*(c^2\*x^2 - 1)^4\*a^2\*d^3/c^2 + 1/256\*(c^2\*x^2 - 1)^4\*b^2\*d^3/c^2 + 35/768\*(-c^2\*x^2 + 1)^(3/2)\*a\*b\*d^3\*x/c + 35/512\*sqrt(-c^2\*x^2 + 1)\*b^2\*d^3\*x\*arcsin(c\*x)/c - 7/1152\*(c^2\*x^2 - 1)^3\*b^2\*d^3/c^2 + 35/512\*sqrt(-c^2\*x^2 + 1)\*a\*b\*d^3\*x/c + 35/3072\*(c^2\*x^2 - 1)^2\*b^2\*d^3/c^2 + 35/1024\*b^2\*d^3\*arcsin(c\*x)^2/c^2 - 35/1024\*(c^2\*x^2 - 1)\*b^2\*d^3/c^2 + 35/512\*a\*b\*d^3\*arcsin(c\*x)/c^2 - 7175/294912\*b^2\*d^3/c^2

$$3.178 \quad \int (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=298

$$\frac{1}{7}d^3x(1-c^2x^2)^3(a+b\sin^{-1}(cx))^2 + \frac{6}{35}d^3x(1-c^2x^2)^2(a+b\sin^{-1}(cx))^2 + \frac{8}{35}d^3x(1-c^2x^2)(a+b\sin^{-1}(cx))^2 + \frac{2bd^3}{7}$$

[Out] (-4322\*b^2\*d^3\*x)/3675 + (1514\*b^2\*c^2\*d^3\*x^3)/11025 - (234\*b^2\*c^4\*d^3\*x^5)/6125 + (2\*b^2\*c^6\*d^3\*x^7)/343 + (32\*b\*d^3\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(35\*c) + (16\*b\*d^3\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(105\*c) + (12\*b\*d^3\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/(175\*c) + (2\*b\*d^3\*(1 - c^2\*x^2)^(7/2)\*(a + b\*ArcSin[c\*x]))/(49\*c) + (16\*d^3\*x\*(a + b\*ArcSin[c\*x])^2)/35 + (8\*d^3\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/35 + (6\*d^3\*x\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/35 + (d^3\*x\*(1 - c^2\*x^2)^3\*(a + b\*ArcSin[c\*x])^2)/7

**Rubi [A]** time = 0.371581, antiderivative size = 298, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {4649, 4619, 4677, 8, 194}

$$\frac{1}{7}d^3x(1-c^2x^2)^3(a+b\sin^{-1}(cx))^2 + \frac{6}{35}d^3x(1-c^2x^2)^2(a+b\sin^{-1}(cx))^2 + \frac{8}{35}d^3x(1-c^2x^2)(a+b\sin^{-1}(cx))^2 + \frac{2bd^3}{7}$$

Antiderivative was successfully verified.

[In] Int[(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (-4322\*b^2\*d^3\*x)/3675 + (1514\*b^2\*c^2\*d^3\*x^3)/11025 - (234\*b^2\*c^4\*d^3\*x^5)/6125 + (2\*b^2\*c^6\*d^3\*x^7)/343 + (32\*b\*d^3\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(35\*c) + (16\*b\*d^3\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(105\*c) + (12\*b\*d^3\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/(175\*c) + (2\*b\*d^3\*(1 - c^2\*x^2)^(7/2)\*(a + b\*ArcSin[c\*x]))/(49\*c) + (16\*d^3\*x\*(a + b\*ArcSin[c\*x])^2)/35 + (8\*d^3\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/35 + (6\*d^3\*x\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/35 + (d^3\*x\*(1 - c^2\*x^2)^3\*(a + b\*ArcSin[c\*x])^2)/7

**Rule 4649**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[(x\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(2\*p + 1), x] + Dist[(2\*d\*p)/(2\*p + 1), Int[(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x

```
] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/((2*p + 1)*(1 - c^2*x
^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0]
```

### Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_], x_Symbol] := Simp[x*(a + b*Ar
cSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 -
c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/((2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

### Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

### Rule 194

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*
x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

### Rubi steps

$$\begin{aligned}
\int (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{7} d^3 x (1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))^2 + \frac{1}{7} (6d) \int (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx \\
&= \frac{2bd^3 (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{49c} + \frac{6}{35} d^3 x (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2 + \frac{1}{7} c d^3 x^3 (1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))^2 \\
&= \frac{12bd^3 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{175c} + \frac{2bd^3 (1 - c^2 x^2)^{7/2} (a + b \sin^{-1}(cx))}{49c} + \frac{8}{35} d^3 x^3 (1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))^2 \\
&= -\frac{2}{49} b^2 d^3 x + \frac{2}{49} b^2 c^2 d^3 x^3 - \frac{6}{245} b^2 c^4 d^3 x^5 + \frac{2}{343} b^2 c^6 d^3 x^7 + \frac{16bd^3 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))}{105c} \\
&= -\frac{962b^2 d^3 x}{3675} + \frac{1514b^2 c^2 d^3 x^3}{11025} - \frac{234b^2 c^4 d^3 x^5}{6125} + \frac{2}{343} b^2 c^6 d^3 x^7 + \frac{32bd^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{35c} \\
&= -\frac{4322b^2 d^3 x}{3675} + \frac{1514b^2 c^2 d^3 x^3}{11025} - \frac{234b^2 c^4 d^3 x^5}{6125} + \frac{2}{343} b^2 c^6 d^3 x^7 + \frac{32bd^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{35c}
\end{aligned}$$

**Mathematica [A]** time = 0.43053, size = 241, normalized size = 0.81

$$d^3 \left( 11025a^2 cx (5c^6 x^6 - 21c^4 x^4 + 35c^2 x^2 - 35) + 210ab \sqrt{1 - c^2 x^2} (75c^6 x^6 - 351c^4 x^4 + 757c^2 x^2 - 2161) + 210b \sin^{-1}(cx) (11025a^2 cx (5c^6 x^6 - 21c^4 x^4 + 35c^2 x^2 - 35) + 210ab \sqrt{1 - c^2 x^2} (75c^6 x^6 - 351c^4 x^4 + 757c^2 x^2 - 2161) + 210b \sin^{-1}(cx)) \right) / (385875c)$$

Antiderivative was successfully verified.

[In] Integrate[(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $-(d^3*(2*b^2*c*x*(226905 - 26495*c^2*x^2 + 7371*c^4*x^4 - 1125*c^6*x^6) + 1025*a^2*c*x*(-35 + 35*c^2*x^2 - 21*c^4*x^4 + 5*c^6*x^6) + 210*a*b*\text{Sqrt}[1 - c^2*x^2]*(-2161 + 757*c^2*x^2 - 351*c^4*x^4 + 75*c^6*x^6) + 210*b*(105*a*c*x*(-35 + 35*c^2*x^2 - 21*c^4*x^4 + 5*c^6*x^6) + b*\text{Sqrt}[1 - c^2*x^2]*(-2161 + 757*c^2*x^2 - 351*c^4*x^4 + 75*c^6*x^6))*\text{ArcSin}[c*x] + 11025*b^2*c*x*(-35 + 35*c^2*x^2 - 21*c^4*x^4 + 5*c^6*x^6)*\text{ArcSin}[c*x]^2))/(385875*c)$

**Maple [A]** time = 0.042, size = 384, normalized size = 1.3

$$\frac{1}{c} \left( -d^3 a^2 \left( \frac{c^7 x^7}{7} - \frac{3c^5 x^5}{5} + c^3 x^3 - cx \right) - d^3 b^2 \left( \frac{(\arcsin(cx))^2 (5c^6 x^6 - 21c^4 x^4 + 35c^2 x^2 - 35) cx}{35} + \frac{32cx}{35} - \frac{32 \arcsin(cx)}{35} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((-c^2dx^2+d)^3(a+b\arcsin(cx))^2,x)$

[Out]  $\frac{1}{c}(-d^3a^2(1/7c^7x^7-3/5c^5x^5+c^3x^3-cx)-d^3b^2(1/35\arcsin(cx))^2(5c^6x^6-21c^4x^4+35c^2x^2-35)cx+32/35cx-32/35\arcsin(cx)(-c^2x^2+1)^{1/2}+2/49\arcsin(cx)(c^2x^2-1)^3(-c^2x^2+1)^{1/2}-2/1715(5c^6x^6-21c^4x^4+35c^2x^2-35)cx-12/175\arcsin(cx)(c^2x^2-1)^2(-c^2x^2+1)^{1/2}+4/875(3c^4x^4-10c^2x^2+15)cx+16/105\arcsin(cx)(c^2x^2-1)(-c^2x^2+1)^{1/2}-16/315(c^2x^2-3)cx)-2d^3ab(1/7\arcsin(cx)c^7x^7-3/5\arcsin(cx)c^5x^5+c^3x^3\arcsin(cx)-cx\arcsin(cx)+1/49c^6x^6(-c^2x^2+1)^{1/2}-117/1225c^4x^4(-c^2x^2+1)^{1/2}+757/3675c^2x^2(-c^2x^2+1)^{1/2}-2161/3675(-c^2x^2+1)^{1/2}))$

**Maxima [B]** time = 1.70148, size = 984, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((-c^2dx^2+d)^3(a+b\arcsin(cx))^2,x, \text{algorithm}=\text{"maxima"})$

[Out]  $-1/7b^2c^6d^3x^7\arcsin(cx)^2 - 1/7a^2c^6d^3x^7 + 3/5b^2c^4d^3x^5\arcsin(cx)^2 + 3/5a^2c^4d^3x^5 - 2/245(35x^7\arcsin(cx) + (5\sqrt{-c^2x^2+1})x^6/c^2 + 6\sqrt{-c^2x^2+1})x^4/c^4 + 8\sqrt{-c^2x^2+1})x^2/c^6 + 16\sqrt{-c^2x^2+1}/c^8)c)ab^2c^6d^3 - 2/25725(105(5\sqrt{-c^2x^2+1})x^6/c^2 + 6\sqrt{-c^2x^2+1})x^4/c^4 + 8\sqrt{-c^2x^2+1})x^2/c^6 + 16\sqrt{-c^2x^2+1}/c^8)c\arcsin(cx) - (75c^6x^7 + 126c^4x^5 + 280c^2x^3 + 1680x)/c^6)b^2c^6d^3 - b^2c^2d^3x^3\arcsin(cx)^2 + 2/25(15x^5\arcsin(cx) + (3\sqrt{-c^2x^2+1})x^4/c^2 + 4\sqrt{-c^2x^2+1})x^2/c^4 + 8\sqrt{-c^2x^2+1}/c^6)c)ab^2c^4d^3 + 2/375(15(3\sqrt{-c^2x^2+1})x^4/c^2 + 4\sqrt{-c^2x^2+1})x^2/c^4 + 8\sqrt{-c^2x^2+1}/c^6)c\arcsin(cx) - (9c^4x^5 + 20c^2x^3 + 120x)/c^4)b^2c^4d^3 - a^2c^2d^3x^3 - 2/3(3x^3\arcsin(cx) + c(\sqrt{-c^2x^2+1})x^2/c^2 + 2\sqrt{-c^2x^2+1}/c^4))ab^2c^2d^3 - 2/9(3c(\sqrt{-c^2x^2+1})x^2/c^2 + 2\sqrt{-c^2x^2+1}/c^4)\arcsin(cx) - (c^2x^3 + 6x)/c^2)b^2c^2d^3 + b^2d^3x\arcsin(cx)^2 - 2b^2d^3(x - \sqrt{-c^2x^2+1})\arcsin(cx)/c + a^2d^3x + 2(cx\arcsin(cx) + \sqrt{-c^2x^2+1})ab^2d^3/c$



**Fricas [A]** time = 1.93143, size = 759, normalized size = 2.55

$$\frac{1125(49a^2 - 2b^2)c^7d^3x^7 - 189(1225a^2 - 78b^2)c^5d^3x^5 + 35(11025a^2 - 1514b^2)c^3d^3x^3 - 105(3675a^2 - 4322b^2)cd^3x}{c^2d^3x^2 + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/385875*(1125*(49*a^2 - 2*b^2)*c^7*d^3*x^7 - 189*(1225*a^2 - 78*b^2)*c^5* \\ & d^3*x^5 + 35*(11025*a^2 - 1514*b^2)*c^3*d^3*x^3 - 105*(3675*a^2 - 4322*b^2) \\ & *c*d^3*x + 11025*(5*b^2*c^7*d^3*x^7 - 21*b^2*c^5*d^3*x^5 + 35*b^2*c^3*d^3*x \\ & ^3 - 35*b^2*c*d^3*x)*arcsin(c*x)^2 + 22050*(5*a*b*c^7*d^3*x^7 - 21*a*b*c^5* \\ & d^3*x^5 + 35*a*b*c^3*d^3*x^3 - 35*a*b*c*d^3*x)*arcsin(c*x) + 210*(75*a*b*c^6* \\ & d^3*x^6 - 351*a*b*c^4*d^3*x^4 + 757*a*b*c^2*d^3*x^2 - 2161*a*b*d^3 + (75* \\ & b^2*c^6*d^3*x^6 - 351*b^2*c^4*d^3*x^4 + 757*b^2*c^2*d^3*x^2 - 2161*b^2*d^3) \\ & *arcsin(c*x))*sqrt(-c^2*x^2 + 1))/c \end{aligned}$$

**Sympy [A]** time = 21.1895, size = 524, normalized size = 1.76

$$\left\{ \begin{array}{l} -\frac{a^2c^6d^3x^7}{7} + \frac{3a^2c^4d^3x^5}{5} - a^2c^2d^3x^3 + a^2d^3x - \frac{2abc^6d^3x^7 \operatorname{asin}(cx)}{7} - \frac{2abc^5d^3x^6\sqrt{-c^2x^2+1}}{49} + \frac{6abc^4d^3x^5 \operatorname{asin}(cx)}{5} + \frac{234abc^3d^3x^4\sqrt{-c^2x^2+1}}{1225} - 2 \\ a^2d^3x \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x))\*\*2,x)

[Out] 
$$\begin{aligned} & \text{Piecewise}((-a**2*c**6*d**3*x**7/7 + 3*a**2*c**4*d**3*x**5/5 - a**2*c**2*d** \\ & 3*x**3 + a**2*d**3*x - 2*a*b*c**6*d**3*x**7*asin(c*x)/7 - 2*a*b*c**5*d**3*x \\ & **6*sqrt(-c**2*x**2 + 1)/49 + 6*a*b*c**4*d**3*x**5*asin(c*x)/5 + 234*a*b*c* \\ & *3*d**3*x**4*sqrt(-c**2*x**2 + 1)/1225 - 2*a*b*c**2*d**3*x**3*asin(c*x) - 1 \\ & 514*a*b*c*d**3*x**2*sqrt(-c**2*x**2 + 1)/3675 + 2*a*b*d**3*x*asin(c*x) + 43 \\ & 22*a*b*d**3*sqrt(-c**2*x**2 + 1)/(3675*c) - b**2*c**6*d**3*x**7*asin(c*x)** \\ & 2/7 + 2*b**2*c**6*d**3*x**7/343 - 2*b**2*c**5*d**3*x**6*sqrt(-c**2*x**2 + 1) \\ & )*asin(c*x)/49 + 3*b**2*c**4*d**3*x**5*asin(c*x)**2/5 - 234*b**2*c**4*d**3* \\ & x**5/6125 + 234*b**2*c**3*d**3*x**4*sqrt(-c**2*x**2 + 1)*asin(c*x)/1225 - b \\ & **2*c**2*d**3*x**3*asin(c*x)**2 + 1514*b**2*c**2*d**3*x**3/11025 - 1514*b** \\ & 2*c*d**3*x**2*sqrt(-c**2*x**2 + 1)*asin(c*x)/3675 + b**2*d**3*x*asin(c*x)** \\ & 2 - 4322*b**2*d**3*x/3675 + 4322*b**2*d**3*sqrt(-c**2*x**2 + 1)*asin(c*x)/( \\ & 3675*c), \text{Ne}(c, 0)), (a**2*d**3*x, \text{True})) \end{aligned}$$

**Giac [B]** time = 1.48575, size = 713, normalized size = 2.39

$$-\frac{1}{7}a^2c^6d^3x^7 + \frac{3}{5}a^2c^4d^3x^5 - \frac{1}{7}(c^2x^2 - 1)^3b^2d^3x \arcsin(cx)^2 - a^2c^2d^3x^3 - \frac{2}{7}(c^2x^2 - 1)^3abd^3x \arcsin(cx) + \frac{6}{35}(c^2x^2 - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] -1/7\*a^2\*c^6\*d^3\*x^7 + 3/5\*a^2\*c^4\*d^3\*x^5 - 1/7\*(c^2\*x^2 - 1)^3\*b^2\*d^3\*x\*arcsin(c\*x)^2 - a^2\*c^2\*d^3\*x^3 - 2/7\*(c^2\*x^2 - 1)^3\*a\*b\*d^3\*x\*arcsin(c\*x) + 6/35\*(c^2\*x^2 - 1)^2\*b^2\*d^3\*x\*arcsin(c\*x)^2 + 2/343\*(c^2\*x^2 - 1)^3\*b^2\*d^3\*x + 12/35\*(c^2\*x^2 - 1)^2\*a\*b\*d^3\*x\*arcsin(c\*x) - 8/35\*(c^2\*x^2 - 1)\*b^2\*d^3\*x\*arcsin(c\*x)^2 - 2/49\*(c^2\*x^2 - 1)^3\*sqrt(-c^2\*x^2 + 1)\*b^2\*d^3\*arcsin(c\*x)/c - 888/42875\*(c^2\*x^2 - 1)^2\*b^2\*d^3\*x - 16/35\*(c^2\*x^2 - 1)\*a\*b\*d^3\*x\*arcsin(c\*x) + 16/35\*b^2\*d^3\*x\*arcsin(c\*x)^2 - 2/49\*(c^2\*x^2 - 1)^3\*sqrt(-c^2\*x^2 + 1)\*a\*b\*d^3/c + 12/175\*(c^2\*x^2 - 1)^2\*sqrt(-c^2\*x^2 + 1)\*b^2\*d^3\*arcsin(c\*x)/c + 30256/385875\*(c^2\*x^2 - 1)\*b^2\*d^3\*x + 32/35\*a\*b\*d^3\*x\*arcsin(c\*x) + 12/175\*(c^2\*x^2 - 1)^2\*sqrt(-c^2\*x^2 + 1)\*a\*b\*d^3/c + 16/105\*(-c^2\*x^2 + 1)^(3/2)\*b^2\*d^3\*arcsin(c\*x)/c + a^2\*d^3\*x - 413312/385875\*b^2\*d^3\*x + 16/105\*(-c^2\*x^2 + 1)^(3/2)\*a\*b\*d^3/c + 32/35\*sqrt(-c^2\*x^2 + 1)\*b^2\*d^3\*arcsin(c\*x)/c + 32/35\*sqrt(-c^2\*x^2 + 1)\*a\*b\*d^3/c

$$3.179 \quad \int \frac{(d-c^2 dx^2)^3 (a+b \sin^{-1}(cx))^2}{x} dx$$

**Optimal.** Leaf size=354

$$-ibd^3 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx)) + \frac{1}{2} b^2 d^3 \text{PolyLog}\left(3, e^{2i \sin^{-1}(cx)}\right) - \frac{1}{18} bcd^3 x (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))$$

[Out] (71\*b^2\*c^2\*d^3\*x^2)/144 - (7\*b^2\*c^4\*d^3\*x^4)/144 - (b^2\*d^3\*(1 - c^2\*x^2)^3)/108 - (19\*b\*c\*d^3\*x\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/24 - (7\*b\*c\*d^3\*x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/36 - (b\*c\*d^3\*x\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/18 - (19\*d^3\*(a + b\*ArcSin[c\*x])^2)/48 + (d^3\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/2 + (d^3\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/4 + (d^3\*(1 - c^2\*x^2)^3\*(a + b\*ArcSin[c\*x])^2)/6 - ((I/3)\*d^3\*(a + b\*ArcSin[c\*x])^3)/b + d^3\*(a + b\*ArcSin[c\*x])^2\*Log[1 - E^((2\*I)\*ArcSin[c\*x])] - I\*b\*d^3\*(a + b\*ArcSin[c\*x])\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])] + (b^2\*d^3\*PolyLog[3, E^((2\*I)\*ArcSin[c\*x])])/2

**Rubi [A]** time = 0.658373, antiderivative size = 354, normalized size of antiderivative = 1., number of steps used = 26, number of rules used = 13, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.482$ , Rules used = {4699, 4625, 3717, 2190, 2531, 2282, 6589, 4647, 4641, 30, 4649, 14, 261}

$$-ibd^3 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx)) + \frac{1}{2} b^2 d^3 \text{PolyLog}\left(3, e^{2i \sin^{-1}(cx)}\right) - \frac{1}{18} bcd^3 x (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2)/x,x]

[Out] (71\*b^2\*c^2\*d^3\*x^2)/144 - (7\*b^2\*c^4\*d^3\*x^4)/144 - (b^2\*d^3\*(1 - c^2\*x^2)^3)/108 - (19\*b\*c\*d^3\*x\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/24 - (7\*b\*c\*d^3\*x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/36 - (b\*c\*d^3\*x\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/18 - (19\*d^3\*(a + b\*ArcSin[c\*x])^2)/48 + (d^3\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/2 + (d^3\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/4 + (d^3\*(1 - c^2\*x^2)^3\*(a + b\*ArcSin[c\*x])^2)/6 - ((I/3)\*d^3\*(a + b\*ArcSin[c\*x])^3)/b + d^3\*(a + b\*ArcSin[c\*x])^2\*Log[1 - E^((2\*I)\*ArcSin[c\*x])] - I\*b\*d^3\*(a + b\*ArcSin[c\*x])\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])] + (b^2\*d^3\*PolyLog[3, E^((2\*I)\*ArcSin[c\*x])])/2

**Rule 4699**

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)
)*(x_.)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

### Rule 4625

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[(a
+ b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

### Rule 3717

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_.)], x_Symbol
] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.))))^(n_.)]*((f_.) + (g_.)
*(x_.))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n]])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x))^n)], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_.))^(m_.) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:= Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:= Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x]
&& EqQ[c^2*d + e, 0] && GtQ[n, 0]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:= Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x]
&& EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 30

```
Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]
```

Rule 4649

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:= Simp[(x*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(2*p + 1), x] + (Dist[(2*d*p)/(2*p + 1), Int[(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/((2*p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x]
&& EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0]
```

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x]
&& SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)] /; FreeQ[{a, b}, x]
&& InverseFunctionQ[v]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
```

$\int (d - c^2 x^2)^3 (a + b \sin^{-1}(cx))^2 / x \, dx$ ; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2}{x} dx &= \frac{1}{6} d^3 (1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))^2 + d \int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2}{x} dx - \frac{1}{3} \int \frac{(d - c^2 dx^2) (a + b \sin^{-1}(cx))^2}{x} dx \\
 &= -\frac{1}{18} bcd^3 x (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx)) + \frac{1}{4} d^3 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2 + \frac{1}{6} d^3 (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 \\
 &= -\frac{1}{108} b^2 d^3 (1 - c^2 x^2)^3 - \frac{7}{36} bcd^3 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) - \frac{1}{18} bcd^3 x (1 - c^2 x^2) (a + b \sin^{-1}(cx)) \\
 &= -\frac{1}{108} b^2 d^3 (1 - c^2 x^2)^3 - \frac{19}{24} bcd^3 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{7}{36} bcd^3 x (1 - c^2 x^2) (a + b \sin^{-1}(cx)) \\
 &= \frac{71}{144} b^2 c^2 d^3 x^2 - \frac{7}{144} b^2 c^4 d^3 x^4 - \frac{1}{108} b^2 d^3 (1 - c^2 x^2)^3 - \frac{19}{24} bcd^3 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \\
 &= \frac{71}{144} b^2 c^2 d^3 x^2 - \frac{7}{144} b^2 c^4 d^3 x^4 - \frac{1}{108} b^2 d^3 (1 - c^2 x^2)^3 - \frac{19}{24} bcd^3 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \\
 &= \frac{71}{144} b^2 c^2 d^3 x^2 - \frac{7}{144} b^2 c^4 d^3 x^4 - \frac{1}{108} b^2 d^3 (1 - c^2 x^2)^3 - \frac{19}{24} bcd^3 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \\
 &= \frac{71}{144} b^2 c^2 d^3 x^2 - \frac{7}{144} b^2 c^4 d^3 x^4 - \frac{1}{108} b^2 d^3 (1 - c^2 x^2)^3 - \frac{19}{24} bcd^3 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \\
 &= \frac{71}{144} b^2 c^2 d^3 x^2 - \frac{7}{144} b^2 c^4 d^3 x^4 - \frac{1}{108} b^2 d^3 (1 - c^2 x^2)^3 - \frac{19}{24} bcd^3 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))
 \end{aligned}$$

**Mathematica [A]** time = 0.82619, size = 448, normalized size = 1.27

$$d^3 \left( -3456iab \operatorname{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + 3456ib^2 \sin^{-1}(cx) \operatorname{PolyLog} \left( 2, e^{-2i \sin^{-1}(cx)} \right) + 1728b^2 \operatorname{PolyLog} \left( 3, e^{-2i \sin^{-1}(cx)} \right) - 5 \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x]))^2/x,x]

[Out] (d^3\*((-144\*I)\*b^2\*Pi^3 - 5184\*a^2\*c^2\*x^2 + 2592\*a^2\*c^4\*x^4 - 576\*a^2\*c^6\*x^6 - 3600\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2] + 1056\*a\*b\*c^3\*x^3\*Sqrt[1 - c^2\*x^2] - 192\*a\*b\*c^5\*x^5\*Sqrt[1 - c^2\*x^2] + 3600\*a\*b\*ArcSin[c\*x] - 10368\*a\*b\*c^2\*

$$\begin{aligned}
& x^2 \operatorname{ArcSin}[c*x] + 5184*a*b*c^4*x^4 \operatorname{ArcSin}[c*x] - 1152*a*b*c^6*x^6 \operatorname{ArcSin}[c*x] \\
& - (3456*I)*a*b \operatorname{ArcSin}[c*x]^2 + (1152*I)*b^2 \operatorname{ArcSin}[c*x]^3 - 783*b^2 \operatorname{Cos}[2*\operatorname{ArcSin}[c*x]] \\
& + 1566*b^2 \operatorname{ArcSin}[c*x]^2 \operatorname{Cos}[2*\operatorname{ArcSin}[c*x]] - 27*b^2 \operatorname{Cos}[4*\operatorname{ArcSin}[c*x]] \\
& + 216*b^2 \operatorname{ArcSin}[c*x]^2 \operatorname{Cos}[4*\operatorname{ArcSin}[c*x]] - b^2 \operatorname{Cos}[6*\operatorname{ArcSin}[c*x]] \\
& + 18*b^2 \operatorname{ArcSin}[c*x]^2 \operatorname{Cos}[6*\operatorname{ArcSin}[c*x]] + 3456*b^2 \operatorname{ArcSin}[c*x]^2 \operatorname{Log}[1 - E^{((-2*I)*\operatorname{ArcSin}[c*x])}] \\
& + 6912*a*b \operatorname{ArcSin}[c*x] \operatorname{Log}[1 - E^{((2*I)*\operatorname{ArcSin}[c*x])}] + 3456*a^2 \operatorname{Log}[c*x] + (3456*I)*b^2 \operatorname{ArcSin}[c*x] \operatorname{PolyLog}[2, E^{((-2*I)*\operatorname{ArcSin}[c*x])}] \\
& - (3456*I)*a*b \operatorname{PolyLog}[2, E^{((2*I)*\operatorname{ArcSin}[c*x])}] + 1728*b^2 \operatorname{PolyLog}[3, E^{((-2*I)*\operatorname{ArcSin}[c*x])}] \\
& - 1566*b^2 \operatorname{ArcSin}[c*x] \operatorname{Sin}[2*\operatorname{ArcSin}[c*x]] - 108*b^2 \operatorname{ArcSin}[c*x] \operatorname{Sin}[4*\operatorname{ArcSin}[c*x]] \\
& - 6*b^2 \operatorname{ArcSin}[c*x] \operatorname{Sin}[6*\operatorname{ArcSin}[c*x]])/3456
\end{aligned}$$

**Maple [B]** time = 0.382, size = 743, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (-c^2*d*x^2+d)^3*(a+b*\arcsin(c*x))^2/x, x$

[Out] 
$$\begin{aligned}
& -811/3456*d^3*b^2+25/48*b^2*c^2*d^3*x^2-11/144*b^2*c^4*d^3*x^4-I*d^3*a*b*\arcsin(c*x)^2 \\
& -1/6*d^3*b^2*\arcsin(c*x)^2*c^6*x^6+3/4*d^3*b^2*\arcsin(c*x)^2*c^4*x^4 \\
& -3/2*d^3*b^2*\arcsin(c*x)^2*c^2*x^2-2*I*d^3*b^2*\arcsin(c*x)*\operatorname{polylog}(2, -I*c*x - (-c^2*x^2+1)^{(1/2)}) \\
& -2*I*d^3*b^2*\arcsin(c*x)*\operatorname{polylog}(2, I*c*x + (-c^2*x^2+1)^{(1/2)}) + 2*d^3*a*b*\arcsin(c*x) \\
& *\ln(1+I*c*x + (-c^2*x^2+1)^{(1/2)}) + 2*d^3*a*b*\arcsin(c*x) *\ln(1-I*c*x - (-c^2*x^2+1)^{(1/2)}) \\
& -2*I*d^3*a*b*\operatorname{polylog}(2, I*c*x + (-c^2*x^2+1)^{(1/2)}) -25/24*d^3*b^2*\arcsin(c*x) \\
& *(-c^2*x^2+1)^{(1/2)}*c*x - 1/18*d^3*a*b*(-c^2*x^2+1)^{(1/2)}*c^5*x^5 + 11/36*d^3*a*b \\
& *(-c^2*x^2+1)^{(1/2)}*c^3*x^3 - 25/24*d^3*a*b*(-c^2*x^2+1)^{(1/2)}*c*x - 1/3*d^3*a*b*\arcsin(c*x) \\
& *c^6*x^6 + 3/2*d^3*a*b*\arcsin(c*x)*c^4*x^4 - 3*d^3*a*b*\arcsin(c*x)*c^2*x^2 \\
& - 1/18*d^3*b^2*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^5*x^5 + 11/36*d^3*b^2*\arcsin(c*x) \\
& *(-c^2*x^2+1)^{(1/2)}*c^3*x^3 + d^3*a^2*\ln(c*x) + 25/48*d^3*b^2*\arcsin(c*x)^2 \\
& + 2*d^3*b^2*\operatorname{polylog}(3, -I*c*x - (-c^2*x^2+1)^{(1/2)}) + 2*d^3*b^2*\operatorname{polylog}(3, I*c*x + (-c^2*x^2+1)^{(1/2)}) \\
& + 25/24*d^3*a*b*\arcsin(c*x) + d^3*b^2*\arcsin(c*x)^2*\ln(1+I*c*x + (-c^2*x^2+1)^{(1/2)}) \\
& + d^3*b^2*\arcsin(c*x)^2*\ln(1-I*c*x - (-c^2*x^2+1)^{(1/2)}) - 1/3*I*d^3*b^2*\arcsin(c*x)^3 \\
& - 1/6*d^3*a^2*c^6*x^6 + 3/4*d^3*a^2*c^4*x^4 - 3/2*d^3*a^2*c^2*x^2 + 1/108*d^3*b^2*c^6*x^6
\end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{6}a^2c^6d^3x^6 + \frac{3}{4}a^2c^4d^3x^4 - \frac{3}{2}a^2c^2d^3x^2 + a^2d^3\log(x) - \int \frac{(b^2c^6d^3x^6 - 3b^2c^4d^3x^4 + 3b^2c^2d^3x^2 - b^2d^3)\arctan(cx, \sqrt{cx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2/x,x, algorithm="maxima")

[Out] -1/6\*a^2\*c^6\*d^3\*x^6 + 3/4\*a^2\*c^4\*d^3\*x^4 - 3/2\*a^2\*c^2\*d^3\*x^2 + a^2\*d^3\*log(x) - integrate(((b^2\*c^6\*d^3\*x^6 - 3\*b^2\*c^4\*d^3\*x^4 + 3\*b^2\*c^2\*d^3\*x^2 - b^2\*d^3)\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1))^2 + 2\*(a\*b\*c^6\*d^3\*x^6 - 3\*a\*b\*c^4\*d^3\*x^4 + 3\*a\*b\*c^2\*d^3\*x^2 - a\*b\*d^3)\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1))/x, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{a^2c^6d^3x^6 - 3a^2c^4d^3x^4 + 3a^2c^2d^3x^2 - a^2d^3 + (b^2c^6d^3x^6 - 3b^2c^4d^3x^4 + 3b^2c^2d^3x^2 - b^2d^3)\arcsin(cx)^2 + 2(ab$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2/x,x, algorithm="fricas")

[Out] integral(-(a^2\*c^6\*d^3\*x^6 - 3\*a^2\*c^4\*d^3\*x^4 + 3\*a^2\*c^2\*d^3\*x^2 - a^2\*d^3 + (b^2\*c^6\*d^3\*x^6 - 3\*b^2\*c^4\*d^3\*x^4 + 3\*b^2\*c^2\*d^3\*x^2 - b^2\*d^3)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^6\*d^3\*x^6 - 3\*a\*b\*c^4\*d^3\*x^4 + 3\*a\*b\*c^2\*d^3\*x^2 - a\*b\*d^3)\*arcsin(c\*x))/x, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d^3\left(\int -\frac{a^2}{x} dx + \int 3a^2c^2x dx + \int -3a^2c^4x^3 dx + \int a^2c^6x^5 dx + \int -\frac{b^2\text{asin}^2(cx)}{x} dx + \int -\frac{2ab\text{asin}(cx)}{x} dx + \int 3b^2c^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x))\*\*2/x,x)



```
[Out] -d**3*(Integral(-a**2/x, x) + Integral(3*a**2*c**2*x, x) + Integral(-3*a**2
*c**4*x**3, x) + Integral(a**2*c**6*x**5, x) + Integral(-b**2*asin(c*x)**2/
x, x) + Integral(-2*a*b*asin(c*x)/x, x) + Integral(3*b**2*c**2*x*asin(c*x)*
**2, x) + Integral(-3*b**2*c**4*x**3*asin(c*x)**2, x) + Integral(b**2*c**6*x
**5*asin(c*x)**2, x) + Integral(6*a*b*c**2*x*asin(c*x), x) + Integral(-6*a*
b*c**4*x**3*asin(c*x), x) + Integral(2*a*b*c**6*x**5*asin(c*x), x))
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(c^2 dx^2 - d)^3 (b \arcsin(cx) + a)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^3*(a+b*arcsin(c*x))^2/x,x, algorithm="giac")
```

```
[Out] integrate(-(c^2*d*x^2 - d)^3*(b*arcsin(c*x) + a)^2/x, x)
```

$$3.180 \quad \int \frac{(d-c^2 dx^2)^3 (a+b \sin^{-1}(cx))^2}{x^2} dx$$

**Optimal.** Leaf size=329

$$2ib^2cd^3 \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right) - 2ib^2cd^3 \text{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right) - \frac{6}{5}c^2d^3x(1-c^2x^2)^2(a+b \sin^{-1}(cx))^2 - \frac{8}{5}c^2d^3x(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))$$

[Out] (122\*b^2\*c^2\*d^3\*x)/25 - (14\*b^2\*c^4\*d^3\*x^3)/75 + (2\*b^2\*c^6\*d^3\*x^5)/125 - (22\*b\*c\*d^3\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/5 - (2\*b\*c\*d^3\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/5 - (2\*b\*c\*d^3\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/25 - (16\*c^2\*d^3\*x\*(a + b\*ArcSin[c\*x])^2)/5 - (8\*c^2\*d^3\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/5 - (6\*c^2\*d^3\*x\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/5 - (d^3\*(1 - c^2\*x^2)^3\*(a + b\*ArcSin[c\*x])^2)/x - 4\*b\*c\*d^3\*(a + b\*ArcSin[c\*x])\*ArcTanh[E^(I\*ArcSin[c\*x])] + (2\*I)\*b^2\*c\*d^3\*PolyLog[2, -E^(I\*ArcSin[c\*x])] - (2\*I)\*b^2\*c\*d^3\*PolyLog[2, E^(I\*ArcSin[c\*x])]

**Rubi [A]** time = 0.706098, antiderivative size = 329, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 12, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$ , Rules used = {4695, 4649, 4619, 4677, 8, 194, 4699, 4697, 4709, 4183, 2279, 2391}

$$2ib^2cd^3 \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right) - 2ib^2cd^3 \text{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right) - \frac{6}{5}c^2d^3x(1-c^2x^2)^2(a+b \sin^{-1}(cx))^2 - \frac{8}{5}c^2d^3x(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2)/x^2,x]

[Out] (122\*b^2\*c^2\*d^3\*x)/25 - (14\*b^2\*c^4\*d^3\*x^3)/75 + (2\*b^2\*c^6\*d^3\*x^5)/125 - (22\*b\*c\*d^3\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/5 - (2\*b\*c\*d^3\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/5 - (2\*b\*c\*d^3\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x]))/25 - (16\*c^2\*d^3\*x\*(a + b\*ArcSin[c\*x])^2)/5 - (8\*c^2\*d^3\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/5 - (6\*c^2\*d^3\*x\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/5 - (d^3\*(1 - c^2\*x^2)^3\*(a + b\*ArcSin[c\*x])^2)/x - 4\*b\*c\*d^3\*(a + b\*ArcSin[c\*x])\*ArcTanh[E^(I\*ArcSin[c\*x])] + (2\*I)\*b^2\*c\*d^3\*PolyLog[2, -E^(I\*ArcSin[c\*x])] - (2\*I)\*b^2\*c\*d^3\*PolyLog[2, E^(I\*ArcSin[c\*x])]

**Rule 4695**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^p\*(a + b\*ArcS

```
in[c*x])^n)/(f*(m + 1)), x] + (-Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m +
2)*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPar
t[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f
*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /;
FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0
] && LtQ[m, -1]
```

Rule 4649

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n]*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Simp[x*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n/(2*p + 1), x] + (D
ist[(2*d*p)/(2*p + 1), Int[(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x
] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/((2*p + 1)*(1 - c^2*x
^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0]
```

Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n], x_Symbol] := Simp[x*(a + b*Ar
cSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 -
c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n]*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 194

```
Int[((a_) + (b_.)*(x_)^n)^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*
x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4699

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n]*((f_.)*(x_))^(m_)*((d_) + (e_
.)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
```

```
in[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

### Rule 4697

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_)*((f_.)*(x_))^(m_)*Sqrt[(d_) +
(e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[((f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

### Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_)*(x_)^(m_)]/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^n_], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2}{x^2} dx &= -\frac{d^3 (1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))^2}{x} - (6c^2 d) \int (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx \\
&= \frac{2}{5} bcd^3 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx)) - \frac{6}{5} c^2 d^3 x (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2 - \frac{6}{5} c^2 d^3 x^3 (1 - c^2 x^2) (a + b \sin^{-1}(cx))^2 \\
&= \frac{2}{3} bcd^3 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) - \frac{2}{25} bcd^3 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx)) - \frac{2}{25} bcd^3 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) \\
&= -\frac{16}{15} b^2 c^2 d^3 x + \frac{22}{45} b^2 c^4 d^3 x^3 - \frac{2}{25} b^2 c^6 d^3 x^5 + 2bcd^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{2}{25} bcd^3 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) \\
&= -\frac{38}{25} b^2 c^2 d^3 x - \frac{14}{75} b^2 c^4 d^3 x^3 + \frac{2}{125} b^2 c^6 d^3 x^5 - \frac{22}{5} bcd^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{2}{25} bcd^3 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) \\
&= \frac{122}{25} b^2 c^2 d^3 x - \frac{14}{75} b^2 c^4 d^3 x^3 + \frac{2}{125} b^2 c^6 d^3 x^5 - \frac{22}{5} bcd^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{2}{25} bcd^3 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) \\
&= \frac{122}{25} b^2 c^2 d^3 x - \frac{14}{75} b^2 c^4 d^3 x^3 + \frac{2}{125} b^2 c^6 d^3 x^5 - \frac{22}{5} bcd^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{2}{25} bcd^3 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) \\
&= \frac{122}{25} b^2 c^2 d^3 x - \frac{14}{75} b^2 c^4 d^3 x^3 + \frac{2}{125} b^2 c^6 d^3 x^5 - \frac{22}{5} bcd^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{2}{25} bcd^3 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))
\end{aligned}$$

**Mathematica [A]** time = 1.25003, size = 483, normalized size = 1.47

$$\frac{1}{720} d^3 \left( 1440 i b^2 c \text{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) - 1440 i b^2 c \text{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) - 144 a^2 c^6 x^5 + 720 a^2 c^4 x^3 - 2160 a^2 c^2 x - \frac{720}{5} a^2 c^2 x \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2)/x^2,x]

[Out] (d^3\*((-720\*a^2)/x - 2160\*a^2\*c^2\*x + 3460\*b^2\*c^2\*x + 720\*a^2\*c^4\*x^3 - 144\*a^2\*c^6\*x^5 - (17568\*a\*b\*c\*Sqrt[1 - c^2\*x^2])/5 + (2016\*a\*b\*c^3\*x^2\*Sqrt[1 - c^2\*x^2])/5 - (288\*a\*b\*c^5\*x^4\*Sqrt[1 - c^2\*x^2])/5 - (1440\*a\*b\*ArcSin[c\*x])/x - 4320\*a\*b\*c^2\*x\*ArcSin[c\*x] + 1440\*a\*b\*c^4\*x^3\*ArcSin[c\*x] - 288\*a\*b\*c^6\*x^5\*ArcSin[c\*x] - 3420\*b^2\*c\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] - (720\*b^2\*ArcSin[c\*x]^2)/x - 1890\*b^2\*c^2\*x\*ArcSin[c\*x]^2 - 1440\*a\*b\*c\*ArcTanh[Sqrt[1 - c^2\*x^2]] + 80\*b^2\*c^2\*x\*Cos[2\*ArcSin[c\*x]] - 360\*b^2\*c^2\*x\*ArcSin[c\*x]^2\*Cos[2\*ArcSin[c\*x]] - 90\*b^2\*c\*ArcSin[c\*x]\*Cos[3\*ArcSin[c\*x]] - (18\*b^2\*c\*ArcSin[c\*x]\*Cos[5\*ArcSin[c\*x]])/5 + 1440\*b^2\*c\*ArcSin[c\*x]\*Log[1 - E^(I\*ArcSin[c\*x])] - 1440\*b^2\*c\*ArcSin[c\*x]\*Log[1 + E^(I\*ArcSin[c\*x])] + (1440\*I)\*b^2\*c\*PolyLog[2, -E^(I\*ArcSin[c\*x])] - (1440\*I)\*b^2\*c\*PolyLog[2, E^(I\*ArcS

$\text{in}[c*x]] - 10*b^2*c*\text{Sin}[3*\text{ArcSin}[c*x]] + 45*b^2*c*\text{ArcSin}[c*x]^2*\text{Sin}[3*\text{ArcSin}[c*x]] + (18*b^2*c*\text{Sin}[5*\text{ArcSin}[c*x]])/25 - 9*b^2*c*\text{ArcSin}[c*x]^2*\text{Sin}[5*\text{ArcSin}[c*x]])/720$

**Maple [A]** time = 0.336, size = 535, normalized size = 1.6

$$-2cd^3ab\text{Artanh}\left(\frac{1}{\sqrt{-c^2x^2+1}}\right) + 2ib^2cd^3\text{polylog}\left(2, -icx - \sqrt{-c^2x^2+1}\right) - 2ib^2cd^3\text{polylog}\left(2, icx + \sqrt{-c^2x^2+1}\right) + \frac{122}{75}cd^3b^2c^2x^3 - \frac{14}{75}cd^3b^2c^4x^3 + \frac{2}{125}cd^3b^2c^6x^5 - \frac{d^3a^2}{5}x - \frac{1}{5}d^3b^2*\text{arcsin}(cx)^2*c^6*x^5 + d^3b^2*\text{arcsin}(cx)^2*c^4*x^3 - 3*d^3b^2*\text{arcsin}(cx)^2*c^2*x - \frac{122}{25}cd^3a*b*(-c^2*x^2+1)^{(1/2)} - 2*c*d^3a*b*\text{arctanh}(1/(-c^2*x^2+1)^{(1/2)}) - \frac{122}{25}cd^3b^2*\text{arcsin}(cx)*(-c^2*x^2+1)^{(1/2)} + 2*c*d^3b^2*\text{arcsin}(cx)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)}) - 2*c*d^3b^2*\text{arcsin}(cx)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)}) - 2*d^3a*b/x*\text{arcsin}(cx) - \frac{2}{5}d^3a*b*\text{arcsin}(cx)*c^6*x^5 + \frac{14}{25}d^3b^2*\text{arcsin}(cx)*(-c^2*x^2+1)^{(1/2)}*c^3*x^2 + 2*d^3a*b*c^4*x^3*\text{arcsin}(cx) - 6*d^3a*b*c^2*x*\text{arcsin}(cx) - \frac{2}{25}d^3a*b*c^5*x^4*(-c^2*x^2+1)^{(1/2)} + \frac{14}{25}d^3a*b*c^3*x^2*(-c^2*x^2+1)^{(1/2)} - \frac{2}{25}d^3b^2*\text{arcsin}(cx)*(-c^2*x^2+1)^{(1/2)}*c^5*x^4 - \frac{1}{5}d^3a^2*c^6*x^5 + d^3a^2*c^4*x^3 - 3*d^3a^2*c^2*x - d^3b^2/x*\text{arcsin}(cx)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((-c^2*d*x^2+d)^3*(a+b*\text{arcsin}(c*x))^2/x^2, x)$

[Out]  $2*I*b^2*c*d^3*\text{polylog}(2, -I*c*x-(-c^2*x^2+1)^{(1/2)}) - 2*I*b^2*c*d^3*\text{polylog}(2, I*c*x+(-c^2*x^2+1)^{(1/2)}) + \frac{122}{25}b^2*c^2*d^3*x^3 - \frac{14}{75}b^2*c^4*d^3*x^3 + \frac{2}{125}b^2*c^6*d^3*x^5 - \frac{d^3a^2}{5}x - \frac{1}{5}d^3b^2*\text{arcsin}(c*x)^2*c^6*x^5 + d^3b^2*\text{arcsin}(c*x)^2*c^4*x^3 - 3*d^3b^2*\text{arcsin}(c*x)^2*c^2*x - \frac{122}{25}c*d^3*a*b*(-c^2*x^2+1)^{(1/2)} - 2*c*d^3*a*b*\text{arctanh}(1/(-c^2*x^2+1)^{(1/2)}) - \frac{122}{25}c*d^3*b^2*\text{arcsin}(c*x)*(-c^2*x^2+1)^{(1/2)} + 2*c*d^3*b^2*\text{arcsin}(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)}) - 2*c*d^3*b^2*\text{arcsin}(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)}) - 2*d^3*a*b/x*\text{arcsin}(c*x) - \frac{2}{5}d^3*a*b*\text{arcsin}(c*x)*c^6*x^5 + \frac{14}{25}d^3*b^2*\text{arcsin}(c*x)*(-c^2*x^2+1)^{(1/2)}*c^3*x^2 + 2*d^3*a*b*c^4*x^3*\text{arcsin}(c*x) - 6*d^3*a*b*c^2*x*\text{arcsin}(c*x) - \frac{2}{25}d^3*a*b*c^5*x^4*(-c^2*x^2+1)^{(1/2)} + \frac{14}{25}d^3*a*b*c^3*x^2*(-c^2*x^2+1)^{(1/2)} - \frac{2}{25}d^3*b^2*\text{arcsin}(c*x)*(-c^2*x^2+1)^{(1/2)}*c^5*x^4 - \frac{1}{5}d^3*a^2*c^6*x^5 + d^3*a^2*c^4*x^3 - 3*d^3*a^2*c^2*x - d^3*b^2/x*\text{arcsin}(c*x)^2$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{5}a^2c^6d^3x^5 - \frac{2}{75}\left(15x^5\text{arcsin}(cx) + \left(\frac{3\sqrt{-c^2x^2+1}x^4}{c^2} + \frac{4\sqrt{-c^2x^2+1}x^2}{c^4} + \frac{8\sqrt{-c^2x^2+1}}{c^6}\right)c\right)abc^6d^3 + a^2c^4d^3x^3 + \frac{2}{3}\left(3x^4/c^2 + 4*\text{sqrt}(-c^2*x^2+1)*x^2/c^4 + 8*\text{sqrt}(-c^2*x^2+1)/c^6\right)*a*b*c^6*d^3 + a^2*c^4*d^3*x^3 + \frac{2}{3}*(3*x^3*\text{arcsin}(c*x) + c*(\text{sqrt}(-c^2*x^2+1)*x^2/c^2 + 2*\text{sqrt}(-c^2*x^2+1)/c^4))*a*b*c^4*d^3 - 3*b^2*c^2*d^3*x*\text{arcsin}(c*x)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((-c^2*d*x^2+d)^3*(a+b*\text{arcsin}(c*x))^2/x^2, x, \text{algorithm}="maxima")$

[Out]  $-1/5*a^2*c^6*d^3*x^5 - 2/75*(15*x^5*\text{arcsin}(c*x) + (3*\text{sqrt}(-c^2*x^2+1)*x^4/c^2 + 4*\text{sqrt}(-c^2*x^2+1)*x^2/c^4 + 8*\text{sqrt}(-c^2*x^2+1)/c^6)*c)*a*b*c^6*d^3 + a^2*c^4*d^3*x^3 + 2/3*(3*x^3*\text{arcsin}(c*x) + c*(\text{sqrt}(-c^2*x^2+1)*x^2/c^2 + 2*\text{sqrt}(-c^2*x^2+1)/c^4))*a*b*c^4*d^3 - 3*b^2*c^2*d^3*x*\text{arcsin}(c*x)^2$

$$2 + 6*b^2*c^2*d^3*(x - \sqrt{-c^2*x^2 + 1}*\arcsin(c*x)/c) - 3*a^2*c^2*d^3*x - 6*(c*x*\arcsin(c*x) + \sqrt{-c^2*x^2 + 1})*a*b*c*d^3 - 2*(c*\log(2*\sqrt{-c^2*x^2 + 1}/\text{abs}(x) + 2/\text{abs}(x)) + \arcsin(c*x)/x)*a*b*d^3 - a^2*d^3/x - 1/5*((b^2*c^6*d^3*x^6 - 5*b^2*c^4*d^3*x^4 + 5*b^2*d^3)*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})^2 + 5*x*\integrate(2/5*(b^2*c^7*d^3*x^6 - 5*b^2*c^5*d^3*x^4 + 5*b^2*c*d^3)*\sqrt{c*x + 1}*\sqrt{-c*x + 1}*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1}))/((c^2*x^3 - x), x))/x$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a^2 c^6 d^3 x^6 - 3 a^2 c^4 d^3 x^4 + 3 a^2 c^2 d^3 x^2 - a^2 d^3 + (b^2 c^6 d^3 x^6 - 3 b^2 c^4 d^3 x^4 + 3 b^2 c^2 d^3 x^2 - b^2 d^3) \arcsin(cx)^2 + 2(a^2 c^6 d^3 x^6 - 3 a^2 c^4 d^3 x^4 + 3 a^2 c^2 d^3 x^2 - a^2 d^3) \arcsin(cx) + (b^2 c^6 d^3 x^6 - 3 b^2 c^4 d^3 x^4 + 3 b^2 c^2 d^3 x^2 - b^2 d^3) \arcsin^2(cx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2/x^2,x, algorithm="fricas")

[Out] integral(-(a^2\*c^6\*d^3\*x^6 - 3\*a^2\*c^4\*d^3\*x^4 + 3\*a^2\*c^2\*d^3\*x^2 - a^2\*d^3 + (b^2\*c^6\*d^3\*x^6 - 3\*b^2\*c^4\*d^3\*x^4 + 3\*b^2\*c^2\*d^3\*x^2 - b^2\*d^3)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^6\*d^3\*x^6 - 3\*a\*b\*c^4\*d^3\*x^4 + 3\*a\*b\*c^2\*d^3\*x^2 - a\*b\*d^3)\*arcsin(c\*x))/x^2, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d^3 \left( \int 3a^2c^2 dx + \int -\frac{a^2}{x^2} dx + \int -3a^2c^4x^2 dx + \int a^2c^6x^4 dx + \int 3b^2c^2 \operatorname{asin}^2(cx) dx + \int -\frac{b^2 \operatorname{asin}^2(cx)}{x^2} dx + \int 6ab \operatorname{asin}(cx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x))\*\*2/x\*\*2,x)

[Out] -d\*\*3\*(Integral(3\*a\*\*2\*c\*\*2, x) + Integral(-a\*\*2/x\*\*2, x) + Integral(-3\*a\*\*2\*c\*\*4\*x\*\*2, x) + Integral(a\*\*2\*c\*\*6\*x\*\*4, x) + Integral(3\*b\*\*2\*c\*\*2\*asin(c\*x)\*\*2, x) + Integral(-b\*\*2\*asin(c\*x)\*\*2/x\*\*2, x) + Integral(6\*a\*b\*c\*\*2\*asin(c\*x), x) + Integral(-2\*a\*b\*asin(c\*x)/x\*\*2, x) + Integral(-3\*b\*\*2\*c\*\*4\*x\*\*2\*asin(c\*x)\*\*2, x) + Integral(b\*\*2\*c\*\*6\*x\*\*4\*asin(c\*x)\*\*2, x) + Integral(-6\*a\*b\*c\*\*4\*x\*\*2\*asin(c\*x), x) + Integral(2\*a\*b\*c\*\*6\*x\*\*4\*asin(c\*x), x))

**Giac** [F] time = 0., size = 0, normalized size = 0.

sage<sub>0</sub>x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2/x^2,x, algorithm="giac")

[Out] sage0\*x



$$3.181 \quad \int \frac{(d-c^2 dx^2)^3 (a+b \sin^{-1}(cx))^2}{x^3} dx$$

**Optimal.** Leaf size=371

$$3ibc^2d^3 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) (a+b \sin^{-1}(cx)) - \frac{3}{2}b^2c^2d^3 \text{PolyLog}\left(3, e^{2i \sin^{-1}(cx)}\right) - \frac{7}{8}bc^3d^3x(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))$$

```
[Out] (-21*b^2*c^4*d^3*x^2)/32 + (b^2*c^6*d^3*x^4)/32 + (3*b*c^3*d^3*x*Sqrt[1 - c
^2*x^2]*(a + b*ArcSin[c*x]))/16 - (7*b*c^3*d^3*x*(1 - c^2*x^2)^(3/2)*(a + b
*ArcSin[c*x]))/8 - (b*c*d^3*(1 - c^2*x^2)^(5/2)*(a + b*ArcSin[c*x]))/x + (3
*c^2*d^3*(a + b*ArcSin[c*x])^2)/32 - (3*c^2*d^3*(1 - c^2*x^2)*(a + b*ArcSin
[c*x])^2)/2 - (3*c^2*d^3*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/4 - (d^3*(1
- c^2*x^2)^3*(a + b*ArcSin[c*x])^2)/(2*x^2) + (I*c^2*d^3*(a + b*ArcSin[c*x
])^3)/b - 3*c^2*d^3*(a + b*ArcSin[c*x])^2*Log[1 - E^((2*I)*ArcSin[c*x])] +
b^2*c^2*d^3*Log[x] + (3*I)*b*c^2*d^3*(a + b*ArcSin[c*x])*PolyLog[2, E^((2*I
)*ArcSin[c*x])] - (3*b^2*c^2*d^3*PolyLog[3, E^((2*I)*ArcSin[c*x])])/2
```

**Rubi [A]** time = 0.722516, antiderivative size = 371, normalized size of antiderivative = 1., number of steps used = 28, number of rules used = 15, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$ , Rules used = {4695, 4699, 4625, 3717, 2190, 2531, 2282, 6589, 4647, 4641, 30, 4649, 14, 266, 43}

$$3ibc^2d^3 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) (a+b \sin^{-1}(cx)) - \frac{3}{2}b^2c^2d^3 \text{PolyLog}\left(3, e^{2i \sin^{-1}(cx)}\right) - \frac{7}{8}bc^3d^3x(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))$$

Antiderivative was successfully verified.

```
[In] Int[((d - c^2*d*x^2)^3*(a + b*ArcSin[c*x])^2)/x^3,x]
```

```
[Out] (-21*b^2*c^4*d^3*x^2)/32 + (b^2*c^6*d^3*x^4)/32 + (3*b*c^3*d^3*x*Sqrt[1 - c
^2*x^2]*(a + b*ArcSin[c*x]))/16 - (7*b*c^3*d^3*x*(1 - c^2*x^2)^(3/2)*(a + b
*ArcSin[c*x]))/8 - (b*c*d^3*(1 - c^2*x^2)^(5/2)*(a + b*ArcSin[c*x]))/x + (3
*c^2*d^3*(a + b*ArcSin[c*x])^2)/32 - (3*c^2*d^3*(1 - c^2*x^2)*(a + b*ArcSin
[c*x])^2)/2 - (3*c^2*d^3*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/4 - (d^3*(1
- c^2*x^2)^3*(a + b*ArcSin[c*x])^2)/(2*x^2) + (I*c^2*d^3*(a + b*ArcSin[c*x
])^3)/b - 3*c^2*d^3*(a + b*ArcSin[c*x])^2*Log[1 - E^((2*I)*ArcSin[c*x])] +
b^2*c^2*d^3*Log[x] + (3*I)*b*c^2*d^3*(a + b*ArcSin[c*x])*PolyLog[2, E^((2*I
)*ArcSin[c*x])] - (3*b^2*c^2*d^3*PolyLog[3, E^((2*I)*ArcSin[c*x])])/2
```

**Rule 4695**

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)
)*(x_.)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 1)), x] + (-Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m +
2)*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPar
t[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f
*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /;
FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0
] && LtQ[m, -1]

```

### Rule 4699

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)
)*(x_.)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

### Rule 4625

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)/(x_), x_Symbol] := Subst[Int[(
a + b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

```

### Rule 3717

```

Int[((c_.) + (d_.)*(x_.))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_.)], x_Symbol
] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

```

### Rule 2190

```

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

### Rule 2531

```

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.))))^(n_.)]*((f_.) + (g_.)
*(x_.))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -

```

1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

### Rule 2282

Int[u\_, x\_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :=> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :=> Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :=> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :=> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rule 4649

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :=> Simp[(x\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(2\*p + 1), x] + (Dist[(2\*d\*p)/(2\*p + 1), Int[(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/((2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] &&

GtQ[p, 0]

#### Rule 14

```
Int[(u_)*((c_.)*(x_)^(m_.)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

#### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

#### Rule 43

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

#### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2}{x^3} dx &= -\frac{d^3 (1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))^2}{2x^2} - (3c^2 d) \int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2}{x} dx \\
&= -\frac{bcd^3 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{x} - \frac{3}{4} c^2 d^3 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2 - \frac{d^3}{4} (1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))^2 \\
&= -\frac{7}{8} bc^3 d^3 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) - \frac{bcd^3 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{x} \\
&= \frac{3}{16} bc^3 d^3 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{7}{8} bc^3 d^3 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) \\
&= -\frac{21}{32} b^2 c^4 d^3 x^2 + \frac{1}{32} b^2 c^6 d^3 x^4 + \frac{3}{16} bc^3 d^3 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{7}{8} bc^3 d^3 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) \\
&= -\frac{21}{32} b^2 c^4 d^3 x^2 + \frac{1}{32} b^2 c^6 d^3 x^4 + \frac{3}{16} bc^3 d^3 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{7}{8} bc^3 d^3 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) \\
&= -\frac{21}{32} b^2 c^4 d^3 x^2 + \frac{1}{32} b^2 c^6 d^3 x^4 + \frac{3}{16} bc^3 d^3 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{7}{8} bc^3 d^3 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) \\
&= -\frac{21}{32} b^2 c^4 d^3 x^2 + \frac{1}{32} b^2 c^6 d^3 x^4 + \frac{3}{16} bc^3 d^3 x \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{7}{8} bc^3 d^3 x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))
\end{aligned}$$

**Mathematica [A]** time = 1.38496, size = 494, normalized size = 1.33

$$\frac{1}{256} d^3 \left( 768 i a b c^2 \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) - 768 i b^2 c^2 \sin^{-1}(cx) \text{PolyLog} \left( 2, e^{-2i \sin^{-1}(cx)} \right) - 384 b^2 c^2 \text{PolyLog} \left( 3, e^{-2i \sin^{-1}(cx)} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2)/x^3,x]

[Out] (d^3\*((32\*I)\*b^2\*c^2\*Pi^3 - (128\*a^2)/x^2 + 384\*a^2\*c^4\*x^2 - 64\*a^2\*c^6\*x^4 - (256\*a\*b\*c\*Sqrt[1 - c^2\*x^2])/x + 336\*a\*b\*c^3\*x\*Sqrt[1 - c^2\*x^2] - 32\*a\*b\*c^5\*x^3\*Sqrt[1 - c^2\*x^2] - 336\*a\*b\*c^2\*ArcSin[c\*x] - (256\*a\*b\*ArcSin[c\*x])/x^2 + 768\*a\*b\*c^4\*x^2\*ArcSin[c\*x] - 128\*a\*b\*c^6\*x^4\*ArcSin[c\*x] - (256\*b^2\*c\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/x + (768\*I)\*a\*b\*c^2\*ArcSin[c\*x]^2 - (128\*b^2\*ArcSin[c\*x]^2)/x^2 - (256\*I)\*b^2\*c^2\*ArcSin[c\*x]^3 + 80\*b^2\*c^2\*Cos[2\*ArcSin[c\*x]] - 160\*b^2\*c^2\*ArcSin[c\*x]^2\*Cos[2\*ArcSin[c\*x]] + b^2\*c^2\*Co

$$\begin{aligned} & s[4*\text{ArcSin}[c*x]] - 8*b^2*c^2*\text{ArcSin}[c*x]^2*\text{Cos}[4*\text{ArcSin}[c*x]] - 768*b^2*c^2 \\ & * \text{ArcSin}[c*x]^2*\text{Log}[1 - E^{((-2*I)*\text{ArcSin}[c*x])}] - 1536*a*b*c^2*\text{ArcSin}[c*x]*\text{L} \\ & \text{og}[1 - E^{((2*I)*\text{ArcSin}[c*x])}] - 768*a^2*c^2*\text{Log}[x] + 256*b^2*c^2*\text{Log}[c*x] - \\ & (768*I)*b^2*c^2*\text{ArcSin}[c*x]*\text{PolyLog}[2, E^{((-2*I)*\text{ArcSin}[c*x])}] + (768*I)*a \\ & *b*c^2*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}] - 384*b^2*c^2*\text{PolyLog}[3, E^{((-2*I) \\ & *\text{ArcSin}[c*x])}] + 160*b^2*c^2*\text{ArcSin}[c*x]*\text{Sin}[2*\text{ArcSin}[c*x]] + 4*b^2*c^2*\text{Arc} \\ & \text{Sin}[c*x]*\text{Sin}[4*\text{ArcSin}[c*x]])/256 \end{aligned}$$

**Maple [B]** time = 0.682, size = 888, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((-c^2*d*x^2+d)^3*(a+b*\arcsin(c*x))^2/x^3,x)$

[Out] 
$$\begin{aligned} & 21/16*c^3*d^3*a*b*(-c^2*x^2+1)^{(1/2)}*x-1/2*c^6*d^3*a*b*\arcsin(c*x)*x^4+3*c^ \\ & 4*d^3*a*b*\arcsin(c*x)*x^2-c*d^3*b^2*\arcsin(c*x)/x*(-c^2*x^2+1)^{(1/2)}-c*d^3* \\ & a*b/x*(-c^2*x^2+1)^{(1/2)}-6*c^2*d^3*a*b*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)}) \\ & -6*c^2*d^3*a*b*\arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})+6*I*c^2*d^3 \\ & *a*b*\text{polylog}(2, I*c*x+(-c^2*x^2+1)^{(1/2)})+6*I*c^2*d^3*b^2*\arcsin(c*x)*\text{polylo} \\ & \text{g}(2, -I*c*x-(-c^2*x^2+1)^{(1/2)})+6*I*c^2*d^3*b^2*\arcsin(c*x)*\text{polylog}(2, I*c*x+ \\ & (-c^2*x^2+1)^{(1/2)})+6*I*c^2*d^3*a*b*\text{polylog}(2, -I*c*x-(-c^2*x^2+1)^{(1/2)})+3* \\ & I*c^2*d^3*a*b*\arcsin(c*x)^2-1/8*c^5*d^3*b^2*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}* \\ & x^3+21/16*c^3*d^3*b^2*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*x-1/8*c^5*d^3*a*b*(-c^ \\ & 2*x^2+1)^{(1/2)}*x^3+81/256*d^3*b^2*c^2-1/2*d^3*a^2/x^2-21/32*b^2*c^4*d^3*x^2 \\ & +1/32*b^2*c^6*d^3*x^4-1/4*c^6*d^3*a^2*x^4+3/2*c^4*d^3*a^2*x^2-3*c^2*d^3*a^2 \\ & *\ln(c*x)-21/32*c^2*d^3*b^2*\arcsin(c*x)^2-6*c^2*d^3*b^2*\text{polylog}(3, -I*c*x-(-c \\ & ^2*x^2+1)^{(1/2)})-6*c^2*d^3*b^2*\text{polylog}(3, I*c*x+(-c^2*x^2+1)^{(1/2)})-2*c^2*d^ \\ & 3*b^2*\ln(I*c*x+(-c^2*x^2+1)^{(1/2)})+c^2*d^3*b^2*\ln(I*c*x+(-c^2*x^2+1)^{(1/2)}- \\ & 1)+c^2*d^3*b^2*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-1/2*d^3*b^2*\arcsin(c*x)^2/x^2 \\ & +I*c^2*d^3*b^2*\arcsin(c*x)+I*c^2*d^3*b^2*\arcsin(c*x)^3-21/16*c^2*d^3*a*b*\ar \\ & \text{csin}(c*x)-3*c^2*d^3*b^2*\arcsin(c*x)^2*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-3*c^2* \\ & d^3*b^2*\arcsin(c*x)^2*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})-1/4*c^6*d^3*b^2*\arcsin \\ & (c*x)^2*x^4+3/2*c^4*d^3*b^2*\arcsin(c*x)^2*x^2+I*c^2*d^3*a*b-d^3*a*b*\arcsin \\ & (c*x)/x^2 \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4}a^2c^6d^3x^4 + \frac{3}{2}a^2c^4d^3x^2 - 3a^2c^2d^3 \log(x) - abd^3 \left( \frac{\sqrt{-c^2x^2+1}c}{x} + \frac{\arcsin(cx)}{x^2} \right) - \frac{a^2d^3}{2x^2} - \int \frac{(b^2c^6d^3x^6 - 3b^2c^4d^3x^4 + 3b^2c^2d^3x^2 - 3b^2d^3)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2/x^3,x, algorithm="maxima")

[Out] -1/4\*a^2\*c^6\*d^3\*x^4 + 3/2\*a^2\*c^4\*d^3\*x^2 - 3\*a^2\*c^2\*d^3\*log(x) - a\*b\*d^3\*(sqrt(-c^2\*x^2 + 1)\*c/x + arcsin(c\*x)/x^2) - 1/2\*a^2\*d^3/x^2 - integrate((b^2\*c^6\*d^3\*x^6 - 3\*b^2\*c^4\*d^3\*x^4 + 3\*b^2\*c^2\*d^3\*x^2 - b^2\*d^3)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2 + 2\*(a\*b\*c^6\*d^3\*x^6 - 3\*a\*b\*c^4\*d^3\*x^4 + 3\*a\*b\*c^2\*d^3\*x^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))/x^3, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{a^2c^6d^3x^6 - 3a^2c^4d^3x^4 + 3a^2c^2d^3x^2 - a^2d^3 + (b^2c^6d^3x^6 - 3b^2c^4d^3x^4 + 3b^2c^2d^3x^2 - b^2d^3)\arcsin(cx)^2 + 2(a}{x^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2/x^3,x, algorithm="fricas")

[Out] integral(-(a^2\*c^6\*d^3\*x^6 - 3\*a^2\*c^4\*d^3\*x^4 + 3\*a^2\*c^2\*d^3\*x^2 - a^2\*d^3 + (b^2\*c^6\*d^3\*x^6 - 3\*b^2\*c^4\*d^3\*x^4 + 3\*b^2\*c^2\*d^3\*x^2 - b^2\*d^3)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^6\*d^3\*x^6 - 3\*a\*b\*c^4\*d^3\*x^4 + 3\*a\*b\*c^2\*d^3\*x^2 - a\*b\*d^3)\*arcsin(c\*x))/x^3, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d^3\left(\int -\frac{a^2}{x^3} dx + \int \frac{3a^2c^2}{x} dx + \int -3a^2c^4x dx + \int a^2c^6x^3 dx + \int -\frac{b^2\text{asin}^2(cx)}{x^3} dx + \int -\frac{2ab\text{asin}(cx)}{x^3} dx + \int \frac{3b^2c^2}{x^3} dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x))\*\*2/x\*\*3,x)

[Out] -d\*\*3\*(Integral(-a\*\*2/x\*\*3, x) + Integral(3\*a\*\*2\*c\*\*2/x, x) + Integral(-3\*a\*\*2\*c\*\*4\*x, x) + Integral(a\*\*2\*c\*\*6\*x\*\*3, x) + Integral(-b\*\*2\*asin(c\*x)\*\*2/x\*\*3, x) + Integral(-2\*a\*b\*asin(c\*x)/x\*\*3, x) + Integral(3\*b\*\*2\*c\*\*2\*asin(c\*x)\*\*2/x, x) + Integral(-3\*b\*\*2\*c\*\*4\*x\*asin(c\*x)\*\*2, x) + Integral(b\*\*2\*c\*\*6\*x\*\*3\*asin(c\*x)\*\*2, x) + Integral(6\*a\*b\*c\*\*2\*asin(c\*x)/x, x) + Integral(-6

```
*a*b*c**4*x*asin(c*x), x) + Integral(2*a*b*c**6*x**3*asin(c*x), x))
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(c^2dx^2 - d)^3 (b \arcsin(cx) + a)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^3*(a+b*arcsin(c*x))^2/x^3,x, algorithm="giac")
```

```
[Out] integrate(-(c^2*d*x^2 - d)^3*(b*arcsin(c*x) + a)^2/x^3, x)
```



$$3.182 \quad \int \frac{(d-c^2 dx^2)^3 (a+b \sin^{-1}(cx))^2}{x^4} dx$$

**Optimal.** Leaf size=348

$$-\frac{17}{3}ib^2c^3d^3\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right) + \frac{17}{3}ib^2c^3d^3\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right) + \frac{8}{3}c^4d^3x(1-c^2x^2)(a+b\sin^{-1}(cx))^2 - \frac{1}{9}bc^3d^3$$

[Out]  $-(b^2c^2d^3)/(3x) - (50b^2c^4d^3x)/9 + (2b^2c^6d^3x^3)/27 + 5b^2c^3d^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx]) - (b^2c^3d^3(1-c^2x^2)^{3/2}(a+b\text{ArcSin}[cx]))/9 - (b^2c^3d^3(1-c^2x^2)^{5/2}(a+b\text{ArcSin}[cx]))/(3x^2) + (16c^4d^3x(a+b\text{ArcSin}[cx])^2)/3 + (8c^4d^3x(1-c^2x^2)(a+b\text{ArcSin}[cx])^2)/3 + (2c^2d^3(1-c^2x^2)^2(a+b\text{ArcSin}[cx])^2)/x - (d^3(1-c^2x^2)^3(a+b\text{ArcSin}[cx])^2)/(3x^3) + (34b^2c^3d^3(a+b\text{ArcSin}[cx])\text{ArcTanh}[E^{(I\text{ArcSin}[cx])}])/3 - ((17I)/3)b^2c^3d^3\text{PolyLog}[2, -E^{(I\text{ArcSin}[cx])}] + ((17I)/3)b^2c^3d^3\text{PolyLog}[2, E^{(I\text{ArcSin}[cx])}]$

**Rubi [A]** time = 0.981233, antiderivative size = 348, normalized size of antiderivative = 1., number of steps used = 31, number of rules used = 12, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$ , Rules used = {4695, 4649, 4619, 4677, 8, 4699, 4697, 4709, 4183, 2279, 2391, 270}

$$-\frac{17}{3}ib^2c^3d^3\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right) + \frac{17}{3}ib^2c^3d^3\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right) + \frac{8}{3}c^4d^3x(1-c^2x^2)(a+b\sin^{-1}(cx))^2 - \frac{1}{9}bc^3d^3$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2)/x^4, x]

[Out]  $-(b^2c^2d^3)/(3x) - (50b^2c^4d^3x)/9 + (2b^2c^6d^3x^3)/27 + 5b^2c^3d^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx]) - (b^2c^3d^3(1-c^2x^2)^{3/2}(a+b\text{ArcSin}[cx]))/9 - (b^2c^3d^3(1-c^2x^2)^{5/2}(a+b\text{ArcSin}[cx]))/(3x^2) + (16c^4d^3x(a+b\text{ArcSin}[cx])^2)/3 + (8c^4d^3x(1-c^2x^2)(a+b\text{ArcSin}[cx])^2)/3 + (2c^2d^3(1-c^2x^2)^2(a+b\text{ArcSin}[cx])^2)/x - (d^3(1-c^2x^2)^3(a+b\text{ArcSin}[cx])^2)/(3x^3) + (34b^2c^3d^3(a+b\text{ArcSin}[cx])\text{ArcTanh}[E^{(I\text{ArcSin}[cx])}])/3 - ((17I)/3)b^2c^3d^3\text{PolyLog}[2, -E^{(I\text{ArcSin}[cx])}] + ((17I)/3)b^2c^3d^3\text{PolyLog}[2, E^{(I\text{ArcSin}[cx])}]$

Rule 4695

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 1)), x] + (-Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m +
2)*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPar
t[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f
*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /;
FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0
] && LtQ[m, -1]

```

#### Rule 4649

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Simp[(x*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(2*p + 1), x] + (D
ist[(2*d*p)/(2*p + 1), Int[(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x
] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])]/((2*p + 1)*(1 - c^2*x
^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0]

```

#### Rule 4619

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.), x_Symbol] := Simp[x*(a + b*Ar
cSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 -
c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

```

#### Rule 4677

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]

```

#### Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

#### Rule 4699

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I

```

```
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

### Rule 4697

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*Sqrt[(d_.) +
(e_.)*(x_)^2], x_Symbol] :> Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[((f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2]/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

### Rule 4709

```
Int((((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.))/Sqrt[(d_.) + (e_.)*
(x_)^2], x_Symbol] :> Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> Simp[(-
2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_.)))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 270

```
Int[((c_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[Exp
andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&
```

IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2}{x^4} dx &= -\frac{d^3 (1 - c^2 x^2)^3 (a + b \sin^{-1}(cx))^2}{3x^3} - (2c^2 d) \int \frac{(d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2}{x^2} dx \\
&= -\frac{bcd^3 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{3x^2} + \frac{2c^2 d^3 (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2}{x} - \frac{d^3}{x} \\
&= -\frac{17}{9} bc^3 d^3 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx)) - \frac{bcd^3 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))}{3x^2} + \frac{d^3}{x} \\
&= -\frac{b^2 c^2 d^3}{3x} + \frac{11}{9} b^2 c^4 d^3 x - \frac{14}{27} b^2 c^6 d^3 x^3 - \frac{17}{3} bc^3 d^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{1}{9} bc^3 d^3 x \\
&= -\frac{b^2 c^2 d^3}{3x} + \frac{46}{9} b^2 c^4 d^3 x + \frac{2}{27} b^2 c^6 d^3 x^3 + 5bc^3 d^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{1}{9} bc^3 d^3 x \\
&= -\frac{b^2 c^2 d^3}{3x} - \frac{50}{9} b^2 c^4 d^3 x + \frac{2}{27} b^2 c^6 d^3 x^3 + 5bc^3 d^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{1}{9} bc^3 d^3 x \\
&= -\frac{b^2 c^2 d^3}{3x} - \frac{50}{9} b^2 c^4 d^3 x + \frac{2}{27} b^2 c^6 d^3 x^3 + 5bc^3 d^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{1}{9} bc^3 d^3 x \\
&= -\frac{b^2 c^2 d^3}{3x} - \frac{50}{9} b^2 c^4 d^3 x + \frac{2}{27} b^2 c^6 d^3 x^3 + 5bc^3 d^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) - \frac{1}{9} bc^3 d^3 x
\end{aligned}$$

**Mathematica [A]** time = 0.998796, size = 480, normalized size = 1.38

$$d^3 \left( 153ib^2c^3x^3 \text{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) - 153ib^2c^3x^3 \text{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) + 9a^2c^6x^6 - 81a^2c^4x^4 - 81a^2c^2x^2 + 9a^2 + 6 \right)$$


---

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2)/x^4,x]

```

[Out] -(d^3*(9*a^2 - 81*a^2*c^2*x^2 + 9*b^2*c^2*x^2 - 81*a^2*c^4*x^4 + 150*b^2*c^4*x^4 + 9*a^2*c^6*x^6 - 2*b^2*c^6*x^6 + 9*a*b*c*x*Sqrt[1 - c^2*x^2] - 150*a*b*c^3*x^3*Sqrt[1 - c^2*x^2] + 6*a*b*c^5*x^5*Sqrt[1 - c^2*x^2] + 18*a*b*ArcSin[c*x] - 162*a*b*c^2*x^2*ArcSin[c*x] - 162*a*b*c^4*x^4*ArcSin[c*x] + 18*a*b*c^6*x^6*ArcSin[c*x] + 9*b^2*c*x*Sqrt[1 - c^2*x^2]*ArcSin[c*x] - 150*b^2*c^3*x^3*Sqrt[1 - c^2*x^2]*ArcSin[c*x] + 6*b^2*c^5*x^5*Sqrt[1 - c^2*x^2]*Arc

```

$$\begin{aligned} & \text{Sin}[c*x] + 9*b^2*\text{ArcSin}[c*x]^2 - 81*b^2*c^2*x^2*\text{ArcSin}[c*x]^2 - 81*b^2*c^4* \\ & x^4*\text{ArcSin}[c*x]^2 + 9*b^2*c^6*x^6*\text{ArcSin}[c*x]^2 - 153*a*b*c^3*x^3*\text{ArcTanh}[\text{S} \\ & \text{qrt}[1 - c^2*x^2]] + 153*b^2*c^3*x^3*\text{ArcSin}[c*x]*\text{Log}[1 - \text{E}^{\text{I}*\text{ArcSin}[c*x]}] \\ & - 153*b^2*c^3*x^3*\text{ArcSin}[c*x]*\text{Log}[1 + \text{E}^{\text{I}*\text{ArcSin}[c*x]}] + (153*\text{I})*b^2*c^3* \\ & x^3*\text{PolyLog}[2, -\text{E}^{\text{I}*\text{ArcSin}[c*x]}] - (153*\text{I})*b^2*c^3*x^3*\text{PolyLog}[2, \text{E}^{\text{I}*\text{Ar} \\ & \text{cSin}[c*x]}] \end{aligned} \Big) / (27*x^3)$$

**Maple [A]** time = 0.526, size = 547, normalized size = 1.6

$$\frac{17c^3d^3ab}{3} \text{Artanh}\left(\frac{1}{\sqrt{-c^2x^2+1}}\right) - \frac{17i}{3}b^2c^3d^3 \text{polylog}\left(2, -icx - \sqrt{-c^2x^2+1}\right) + \frac{17i}{3}b^2c^3d^3 \text{polylog}\left(2, icx + \sqrt{-c^2x^2+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2/x^4,x)

[Out] 
$$\begin{aligned} & -17/3*I*b^2*c^3*d^3*\text{polylog}(2, -I*c*x - (-c^2*x^2+1)^{(1/2)}) + 17/3*I*b^2*c^3*d^3 \\ & * \text{polylog}(2, I*c*x + (-c^2*x^2+1)^{(1/2)}) + 6*c^2*d^3*a*b/x*\text{arcsin}(c*x) - 2/9*c^5*d^3 \\ & * b^2*\text{arcsin}(c*x)*(-c^2*x^2+1)^{(1/2)}*x^2 - 2/9*c^5*d^3*a*b*x^2*(-c^2*x^2+1)^{(1/2)} \\ & - 1/3*c*d^3*a*b/x^2*(-c^2*x^2+1)^{(1/2)} - 2/3*c^6*d^3*a*b*x^3*\text{arcsin}(c*x) + 6 \\ & * c^4*d^3*a*b*x*\text{arcsin}(c*x) - 1/3*c*d^3*b^2/x^2*\text{arcsin}(c*x)*(-c^2*x^2+1)^{(1/2)} \\ & - 1/3*b^2*c^2*d^3/x - 50/9*b^2*c^4*d^3*x + 2/27*b^2*c^6*d^3*x^3 - 1/3*d^3*a^2/x^3 + \\ & 3*c^2*d^3*b^2/x*\text{arcsin}(c*x)^2 - 1/3*c^6*d^3*b^2*\text{arcsin}(c*x)^2*x^3 + 50/9*c^3*d^3 \\ & * a*b*(-c^2*x^2+1)^{(1/2)} + 17/3*c^3*d^3*a*b*\text{arctanh}(1/(-c^2*x^2+1)^{(1/2)}) + 50/ \\ & 9*c^3*d^3*b^2*\text{arcsin}(c*x)*(-c^2*x^2+1)^{(1/2)} - 17/3*c^3*d^3*b^2*\text{arcsin}(c*x)* \\ & \ln(1 - I*c*x - (-c^2*x^2+1)^{(1/2)}) + 17/3*c^3*d^3*b^2*\text{arcsin}(c*x)*\ln(1 + I*c*x + (-c^2 \\ & *x^2+1)^{(1/2)}) + 3*c^4*d^3*b^2*\text{arcsin}(c*x)^2*x - 2/3*d^3*a*b*\text{arcsin}(c*x)/x^3 - 1/ \\ & 3*c^6*d^3*a^2*x^3 + 3*c^4*d^3*a^2*x + 3*c^2*d^3*a^2/x - 1/3*d^3*b^2/x^3*\text{arcsin}(c \\ & x)^2 \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{3}a^2c^6d^3x^3 - \frac{2}{9}\left(3x^3\text{arcsin}(cx) + c\left(\frac{\sqrt{-c^2x^2+1}x^2}{c^2} + \frac{2\sqrt{-c^2x^2+1}}{c^4}\right)\right)abc^6d^3 + 3b^2c^4d^3x\text{arcsin}(cx)^2 - 6b^2c^4d^3\left(x - \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2/x^4,x, algorithm="maxima")

```
[Out] -1/3*a^2*c^6*d^3*x^3 - 2/9*(3*x^3*arcsin(c*x) + c*(sqrt(-c^2*x^2 + 1)*x^2/c
^2 + 2*sqrt(-c^2*x^2 + 1)/c^4))*a*b*c^6*d^3 + 3*b^2*c^4*d^3*x*arcsin(c*x)^2
- 6*b^2*c^4*d^3*(x - sqrt(-c^2*x^2 + 1)*arcsin(c*x)/c) + 3*a^2*c^4*d^3*x +
6*(c*x*arcsin(c*x) + sqrt(-c^2*x^2 + 1))*a*b*c^3*d^3 + 6*(c*log(2*sqrt(-c^
2*x^2 + 1)/abs(x) + 2/abs(x)) + arcsin(c*x)/x)*a*b*c^2*d^3 - 1/3*((c^2*log(
2*sqrt(-c^2*x^2 + 1)/abs(x) + 2/abs(x)) + sqrt(-c^2*x^2 + 1)/x^2)*c + 2*arc
sin(c*x)/x^3)*a*b*d^3 + 3*a^2*c^2*d^3/x - 1/3*a^2*d^3/x^3 - 1/3*(3*x^3*inte
grate(2/3*(b^2*c^7*d^3*x^6 - 9*b^2*c^3*d^3*x^2 + b^2*c*d^3)*sqrt(c*x + 1)*s
qrt(-c*x + 1)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))/(c^2*x^5 - x^3), x
) + (b^2*c^6*d^3*x^6 - 9*b^2*c^2*d^3*x^2 + b^2*d^3)*arctan2(c*x, sqrt(c*x +
1)*sqrt(-c*x + 1))^2)/x^3
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{a^2 c^6 d^3 x^6 - 3 a^2 c^4 d^3 x^4 + 3 a^2 c^2 d^3 x^2 - a^2 d^3 + (b^2 c^6 d^3 x^6 - 3 b^2 c^4 d^3 x^4 + 3 b^2 c^2 d^3 x^2 - b^2 d^3) \arcsin(cx)^2 + 2(ab}{x^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^3*(a+b*arcsin(c*x))^2/x^4,x, algorithm="fricas")
```

```
[Out] integral(-(a^2*c^6*d^3*x^6 - 3*a^2*c^4*d^3*x^4 + 3*a^2*c^2*d^3*x^2 - a^2*d^
3 + (b^2*c^6*d^3*x^6 - 3*b^2*c^4*d^3*x^4 + 3*b^2*c^2*d^3*x^2 - b^2*d^3)*arc
sin(c*x)^2 + 2*(a*b*c^6*d^3*x^6 - 3*a*b*c^4*d^3*x^4 + 3*a*b*c^2*d^3*x^2 - a
*b*d^3)*arcsin(c*x))/x^4, x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d^3 \left( \int -3a^2c^4 dx + \int -\frac{a^2}{x^4} dx + \int \frac{3a^2c^2}{x^2} dx + \int a^2c^6x^2 dx + \int -3b^2c^4 \operatorname{asin}^2(cx) dx + \int -\frac{b^2 \operatorname{asin}^2(cx)}{x^4} dx + \int -6abc \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c**2*d*x**2+d)**3*(a+b*asin(c*x))**2/x**4,x)
```

```
[Out] -d**3*(Integral(-3*a**2*c**4, x) + Integral(-a**2/x**4, x) + Integral(3*a**
2*c**2/x**2, x) + Integral(a**2*c**6*x**2, x) + Integral(-3*b**2*c**4*asin(
c*x)**2, x) + Integral(-b**2*asin(c*x)**2/x**4, x) + Integral(-6*a*b*c**4*a
sin(c*x), x) + Integral(-2*a*b*asin(c*x)/x**4, x) + Integral(3*b**2*c**2*as
```

```
in(c*x)**2/x**2, x) + Integral(b**2*c**6*x**2*asin(c*x)**2, x) + Integral(6  
*a*b*c**2*asin(c*x)/x**2, x) + Integral(2*a*b*c**6*x**2*asin(c*x), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

sage<sub>0</sub>x

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^3*(a+b*arcsin(c*x))^2/x^4,x, algorithm="giac")
```

```
[Out] sage0*x
```

$$3.183 \quad \int \frac{x^4 (a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx$$

**Optimal.** Leaf size=297

$$\frac{2ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{c^5 d} - \frac{2ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{c^5 d} - \frac{2b^2 \operatorname{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)}{c^5 d}$$

[Out]  $(22*b^2*x)/(9*c^4*d) + (2*b^2*x^3)/(27*c^2*d) - (22*b*\operatorname{Sqrt}[1 - c^2*x^2]*(a + b*\operatorname{ArcSin}[c*x]))/(9*c^5*d) - (2*b*x^2*\operatorname{Sqrt}[1 - c^2*x^2]*(a + b*\operatorname{ArcSin}[c*x]))/(9*c^3*d) - (x*(a + b*\operatorname{ArcSin}[c*x])^2)/(c^4*d) - (x^3*(a + b*\operatorname{ArcSin}[c*x])^2)/(3*c^2*d) - ((2*I)*(a + b*\operatorname{ArcSin}[c*x])^2*\operatorname{ArcTan}[E^(I*\operatorname{ArcSin}[c*x])])/(c^5*d) + ((2*I)*b*(a + b*\operatorname{ArcSin}[c*x])*PolyLog[2, (-I)*E^(I*\operatorname{ArcSin}[c*x])])/(c^5*d) - ((2*I)*b*(a + b*\operatorname{ArcSin}[c*x])*PolyLog[2, I*E^(I*\operatorname{ArcSin}[c*x])])/(c^5*d) - (2*b^2*PolyLog[3, (-I)*E^(I*\operatorname{ArcSin}[c*x])])/(c^5*d) + (2*b^2*PolyLog[3, I*E^(I*\operatorname{ArcSin}[c*x])])/(c^5*d)$

**Rubi [A]** time = 0.549021, antiderivative size = 297, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 10, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.37$ , Rules used = {4715, 4657, 4181, 2531, 2282, 6589, 4677, 8, 4707, 30}

$$\frac{2ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{c^5 d} - \frac{2ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{c^5 d} - \frac{2b^2 \operatorname{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)}{c^5 d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(x^4*(a + b*\operatorname{ArcSin}[c*x])^2)/(d - c^2*d*x^2), x]$

[Out]  $(22*b^2*x)/(9*c^4*d) + (2*b^2*x^3)/(27*c^2*d) - (22*b*\operatorname{Sqrt}[1 - c^2*x^2]*(a + b*\operatorname{ArcSin}[c*x]))/(9*c^5*d) - (2*b*x^2*\operatorname{Sqrt}[1 - c^2*x^2]*(a + b*\operatorname{ArcSin}[c*x]))/(9*c^3*d) - (x*(a + b*\operatorname{ArcSin}[c*x])^2)/(c^4*d) - (x^3*(a + b*\operatorname{ArcSin}[c*x])^2)/(3*c^2*d) - ((2*I)*(a + b*\operatorname{ArcSin}[c*x])^2*\operatorname{ArcTan}[E^(I*\operatorname{ArcSin}[c*x])])/(c^5*d) + ((2*I)*b*(a + b*\operatorname{ArcSin}[c*x])*PolyLog[2, (-I)*E^(I*\operatorname{ArcSin}[c*x])])/(c^5*d) - ((2*I)*b*(a + b*\operatorname{ArcSin}[c*x])*PolyLog[2, I*E^(I*\operatorname{ArcSin}[c*x])])/(c^5*d) - (2*b^2*PolyLog[3, (-I)*E^(I*\operatorname{ArcSin}[c*x])])/(c^5*d) + (2*b^2*PolyLog[3, I*E^(I*\operatorname{ArcSin}[c*x])])/(c^5*d)$

### Rule 4715

$\operatorname{Int}[(a + \operatorname{ArcSin}(c*x))*b]^n * (f*x)^m * (d + e*x^2)^p, x\_Symbol] \rightarrow \operatorname{Simp}[(f*(f*x))^{m-1} * (d + e*x^2)^{p+1} * (a + \operatorname{ArcSin}(c*x))^n, x\_Symbol]$



$b \cdot \text{ArcSin}[c \cdot x]^n / (e \cdot (m + 2 \cdot p + 1)), x] + (\text{Dist}[(f^2 \cdot (m - 1)) / (c^2 \cdot (m + 2 \cdot p + 1)), \text{Int}[(f \cdot x)^{m-2} \cdot (d + e \cdot x^2)^p \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n, x], x] + \text{Dist}[(b \cdot f \cdot n \cdot d^{\text{IntPart}[p]} \cdot (d + e \cdot x^2)^{\text{FracPart}[p]} / (c \cdot (m + 2 \cdot p + 1) \cdot (1 - c^2 \cdot x^2)^{\text{FracPart}[p]}), \text{Int}[(f \cdot x)^{m-1} \cdot (1 - c^2 \cdot x^2)^{p+1/2} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^{n-1}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x] \&\& \text{EqQ}[c^2 \cdot d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[m, 1] \&\& \text{NeQ}[m + 2 \cdot p + 1, 0] \&\& \text{IntegerQ}[m]$

### Rule 4657

$\text{Int}[(a + \text{ArcSin}[c \cdot x] \cdot (b \cdot x))^n / ((d + (e \cdot x)^2), x_{\text{Symbol}}] \rightarrow \text{Dist}[1/(c \cdot d), \text{Subst}[\text{Int}[(a + b \cdot x)^n \cdot \text{Sec}[x], x], x, \text{ArcSin}[c \cdot x]], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[c^2 \cdot d + e, 0] \&\& \text{IGtQ}[n, 0]$

### Rule 4181

$\text{Int}[\text{csc}[(e + \text{Pi} \cdot (k + (f \cdot x))) \cdot ((c + (d \cdot x))^m), x_{\text{Symbol}}] \rightarrow \text{Simp}[(-2 \cdot (c + d \cdot x)^m \cdot \text{ArcTanh}[E^{(I \cdot k \cdot \text{Pi})} \cdot E^{(I \cdot (e + f \cdot x))}]) / f, x] + (-\text{Dist}[(d \cdot m) / f, \text{Int}[(c + d \cdot x)^{m-1} \cdot \text{Log}[1 - E^{(I \cdot k \cdot \text{Pi})} \cdot E^{(I \cdot (e + f \cdot x))}], x], x] + \text{Dist}[(d \cdot m) / f, \text{Int}[(c + d \cdot x)^{m-1} \cdot \text{Log}[1 + E^{(I \cdot k \cdot \text{Pi})} \cdot E^{(I \cdot (e + f \cdot x))}], x], x]) /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{IntegerQ}[2 \cdot k] \&\& \text{IGtQ}[m, 0]$

### Rule 2531

$\text{Int}[\text{Log}[1 + (e \cdot (F^{(c \cdot (a + b \cdot x))})^n) \cdot ((f + g \cdot x)^m), x_{\text{Symbol}}] \rightarrow -\text{Simp}[(f + g \cdot x)^m \cdot \text{PolyLog}[2, -(e \cdot (F^{(c \cdot (a + b \cdot x))})^n)] / (b \cdot c \cdot n \cdot \text{Log}[F]), x] + \text{Dist}[(g \cdot m) / (b \cdot c \cdot n \cdot \text{Log}[F]), \text{Int}[(f + g \cdot x)^{m-1} \cdot \text{PolyLog}[2, -(e \cdot (F^{(c \cdot (a + b \cdot x))})^n)], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x] \&\& \text{GtQ}[m, 0]$

### Rule 2282

$\text{Int}[u, x_{\text{Symbol}}] \rightarrow \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \&\& \text{!MatchQ}[u, (w \cdot (a \cdot v)^n)^m] /; \text{FreeQ}\{a, m, n\}, x] \&\& \text{IntegerQ}[m \cdot n] \&\& \text{!MatchQ}[u, E^{(c \cdot (a + b \cdot x))} \cdot (F[v])] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{InverseFunctionQ}[F[x]]$

### Rule 6589

$\text{Int}[\text{PolyLog}[n, (c \cdot (a + b \cdot x))^p] / ((d + (e \cdot x)), x_{\text{Symbol}}] \rightarrow \text{Simp}[\text{PolyLog}[n + 1, c \cdot (a + b \cdot x)^p] / (e \cdot p), x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x] \&\& \text{EqQ}[b \cdot d, a \cdot e]$

### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

### Rule 4707

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]
```

### Rule 30

```
Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4 (a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx &= -\frac{x^3 (a + b \sin^{-1}(cx))^2}{3c^2 d} + \frac{\int \frac{x^2 (a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx}{c^2} + \frac{(2b) \int \frac{x^3 (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} dx}{3cd} \\
&= -\frac{2bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c^3 d} - \frac{x (a + b \sin^{-1}(cx))^2}{c^4 d} - \frac{x^3 (a + b \sin^{-1}(cx))^2}{3c^2 d} + \frac{\int \frac{(a+b)}{d} dx}{c^4 d} \\
&= \frac{2b^2 x^3}{27c^2 d} - \frac{22b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c^5 d} - \frac{2bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c^3 d} - \frac{x (a + b \sin^{-1}(cx))^2}{c^4 d} \\
&= \frac{22b^2 x}{9c^4 d} + \frac{2b^2 x^3}{27c^2 d} - \frac{22b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c^5 d} - \frac{2bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c^3 d} - \frac{x (a + b \sin^{-1}(cx))^2}{c^4 d} \\
&= \frac{22b^2 x}{9c^4 d} + \frac{2b^2 x^3}{27c^2 d} - \frac{22b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c^5 d} - \frac{2bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c^3 d} - \frac{x (a + b \sin^{-1}(cx))^2}{c^4 d} \\
&= \frac{22b^2 x}{9c^4 d} + \frac{2b^2 x^3}{27c^2 d} - \frac{22b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c^5 d} - \frac{2bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c^3 d} - \frac{x (a + b \sin^{-1}(cx))^2}{c^4 d} \\
&= \frac{22b^2 x}{9c^4 d} + \frac{2b^2 x^3}{27c^2 d} - \frac{22b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c^5 d} - \frac{2bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c^3 d} - \frac{x (a + b \sin^{-1}(cx))^2}{c^4 d}
\end{aligned}$$

**Mathematica [A]** time = 0.824935, size = 508, normalized size = 1.71

$$-216ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx)) + 216ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx)) + 216b^2 \operatorname{PolyLog}\left(3, (-I)E^{(I \operatorname{ArcSin}[c*x])}\right) (a + b \sin^{-1}(cx))$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2), x]

[Out]  $-(108a^2cx - 270b^2cx + 36a^2c^3x^3 + 264ab\sqrt{1 - c^2x^2} + 24abc^2x^2\sqrt{1 - c^2x^2} + (108I)ab\pi\operatorname{ArcSin}[c*x] + 216abcx\operatorname{ArcSin}[c*x] + 72abc^3x^3\operatorname{ArcSin}[c*x] + 270b^2\sqrt{1 - c^2x^2}\operatorname{ArcSin}[c*x] + 135b^2cx\operatorname{ArcSin}[c*x]^2 - 6b^2\operatorname{ArcSin}[c*x]\operatorname{Cos}[3\operatorname{ArcSin}[c*x]] - 108ab\pi\operatorname{Log}[1 - Ie^{(I\operatorname{ArcSin}[c*x])}] - 216ab\operatorname{ArcSin}[c*x]\operatorname{Log}[1 - Ie^{(I\operatorname{ArcSin}[c*x])}] - 108b^2\operatorname{ArcSin}[c*x]^2\operatorname{Log}[1 - Ie^{(I\operatorname{ArcSin}[c*x])}] - 108ab\pi\operatorname{Log}[1 + Ie^{(I\operatorname{ArcSin}[c*x])}] + 216ab\operatorname{ArcSin}[c*x]\operatorname{Log}[1 + Ie^{(I\operatorname{ArcSin}[c*x])}] + 108b^2\operatorname{ArcSin}[c*x]^2\operatorname{Log}[1 + Ie^{(I\operatorname{ArcSin}[c*x])}] + 54a^2\operatorname{Log}[1 - cx] - 54a^2\operatorname{Log}[1 + cx] + 108ab\pi\operatorname{Log}[-\operatorname{Cos}[(\pi + 2\operatorname{ArcSin}[c*x])/4]] + 108ab\pi\operatorname{Log}[\operatorname{Sin}[(\pi + 2\operatorname{ArcSin}[c*x])/4]] - (216I)b*(a + b\operatorname{ArcSin}[c*x])\operatorname{PolyLog}[2, (-I)E^{(I\operatorname{ArcSin}[c*x])}] + (216I)b*(a + b\operatorname{ArcSin}[c*x])\operatorname{PolyLog}[2, Ie^{(I\operatorname{ArcSin}[c*x])}] + 216b^2\operatorname{PolyLog}[3, (-I)E^{(I\operatorname{ArcSin}[c*x])}]$

]]) - 216\*b^2\*PolyLog[3, I\*E^(I\*ArcSin[c\*x])] + 2\*b^2\*Sin[3\*ArcSin[c\*x]] - 9\*b^2\*ArcSin[c\*x]^2\*Sin[3\*ArcSin[c\*x]]/(108\*c^5\*d)

**Maple [F]** time = 0.418, size = 0, normalized size = 0.

$$\int \frac{x^4 (a + b \arcsin(cx))^2}{-c^2 dx^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d),x)

[Out] int(x^4\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{6} a^2 \left( \frac{2(c^2 x^3 + 3x)}{c^4 d} - \frac{3 \log(cx + 1)}{c^5 d} + \frac{3 \log(cx - 1)}{c^5 d} \right) + \frac{-2c^5 d \int \frac{6abc^4 x^4 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) - (3b^2 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}))}{c^5 d} dx}{c^5 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d),x, algorithm="maxima")

[Out] -1/6\*a^2\*(2\*(c^2\*x^3 + 3\*x)/(c^4\*d) - 3\*log(c\*x + 1)/(c^5\*d) + 3\*log(c\*x - 1)/(c^5\*d)) + 1/6\*(6\*c^5\*d\*integrate(-1/3\*(6\*a\*b\*c^4\*x^4\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) - (3\*b^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*log(c\*x + 1) - 3\*b^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*log(-c\*x + 1) - 2\*(b^2\*c^3\*x^3 + 3\*b^2\*c\*x)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))))\*sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/(c^6\*d\*x^2 - c^4\*d), x) + 3\*b^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2\*log(c\*x + 1) - 3\*b^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2\*log(-c\*x + 1) - 2\*(b^2\*c^3\*x^3 + 3\*b^2\*c\*x)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2)/(c^5\*d)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{b^2 x^4 \arcsin(cx)^2 + 2abx^4 \arcsin(cx) + a^2 x^4}{c^2 dx^2 - d}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d),x, algorithm="fricas")`

[Out] `integral(-(b^2*x^4*arcsin(c*x)^2 + 2*a*b*x^4*arcsin(c*x) + a^2*x^4)/(c^2*d*x^2 - d), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2 x^4}{c^2 x^2 - 1} dx + \int \frac{b^2 x^4 \operatorname{asin}^2(cx)}{c^2 x^2 - 1} dx + \int \frac{2abx^4 \operatorname{asin}(cx)}{c^2 x^2 - 1} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(a+b*asin(c*x))**2/(-c**2*d*x**2+d),x)`

[Out] `-(Integral(a**2*x**4/(c**2*x**2 - 1), x) + Integral(b**2*x**4*asin(c*x)**2/(c**2*x**2 - 1), x) + Integral(2*a*b*x**4*asin(c*x)/(c**2*x**2 - 1), x))/d`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \operatorname{arcsin}(cx) + a)^2 x^4}{c^2 dx^2 - d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d),x, algorithm="giac")`

[Out] `integrate(-(b*arcsin(c*x) + a)^2*x^4/(c^2*d*x^2 - d), x)`

$$3.184 \quad \int \frac{x^3 (a + b \sin^{-1}(cx))^2}{d - c^2 x^2} dx$$

**Optimal.** Leaf size=210

$$\frac{ib \operatorname{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{c^4 d} - \frac{b^2 \operatorname{PolyLog}\left(3, -e^{2i \sin^{-1}(cx)}\right)}{2c^4 d} - \frac{x^2 (a + b \sin^{-1}(cx))^2}{2c^2 d} - \frac{bx \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{2c^3 d}$$

[Out] (b^2\*x^2)/(4\*c^2\*d) - (b\*x\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(2\*c^3\*d) + (a + b\*ArcSin[c\*x])^2/(4\*c^4\*d) - (x^2\*(a + b\*ArcSin[c\*x])^2)/(2\*c^2\*d) + ((I/3)\*(a + b\*ArcSin[c\*x])^3)/(b\*c^4\*d) - ((a + b\*ArcSin[c\*x])^2\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(c^4\*d) + (I\*b\*(a + b\*ArcSin[c\*x])\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c^4\*d) - (b^2\*PolyLog[3, -E^((2\*I)\*ArcSin[c\*x])])/(2\*c^4\*d)

**Rubi [A]** time = 0.37787, antiderivative size = 210, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.37$ , Rules used = {4715, 4675, 3719, 2190, 2531, 2282, 6589, 4707, 4641, 30}

$$\frac{ib \operatorname{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{c^4 d} - \frac{b^2 \operatorname{PolyLog}\left(3, -e^{2i \sin^{-1}(cx)}\right)}{2c^4 d} - \frac{x^2 (a + b \sin^{-1}(cx))^2}{2c^2 d} - \frac{bx \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{2c^3 d}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2), x]

[Out] (b^2\*x^2)/(4\*c^2\*d) - (b\*x\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(2\*c^3\*d) + (a + b\*ArcSin[c\*x])^2/(4\*c^4\*d) - (x^2\*(a + b\*ArcSin[c\*x])^2)/(2\*c^2\*d) + ((I/3)\*(a + b\*ArcSin[c\*x])^3)/(b\*c^4\*d) - ((a + b\*ArcSin[c\*x])^2\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(c^4\*d) + (I\*b\*(a + b\*ArcSin[c\*x])\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c^4\*d) - (b^2\*PolyLog[3, -E^((2\*I)\*ArcSin[c\*x])])/(2\*c^4\*d)

### Rule 4715

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_.))^ (m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^ (p\_.), x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(e\*(m + 2\*p + 1)), x] + (Dist[(f^2\*(m - 1))/(c^2\*(m + 2\*p + 1)), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*f\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(c\*(m + 2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c

$x]^{(n-1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{NeQ}[m + 2*p + 1, 0] \ \&\& \ \text{IntegerQ}[m]$

#### Rule 4675

$\text{Int}[(((a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*(x_.))/((d_.) + (e_.)*(x_.)^2), x\_Symbol] \ :> -\text{Dist}[e^{(-1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Tan}[x], x], x, \text{ArcSin}[c*x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[n, 0]$

#### Rule 3719

$\text{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*\text{tan}[(e_.) + (f_.)*(x_.)], x\_Symbol] \ :> \text{Simp}[(I*(c + d*x)^{(m+1)})/(d*(m+1)), x] - \text{Dist}[2*I, \text{Int}[((c + d*x)^m*E^{(2*I*(e + f*x))})/(1 + E^{(2*I*(e + f*x))}), x], x] /; \text{FreeQ}\{c, d, e, f\}, x\} \ \&\& \ \text{IGtQ}[m, 0]$

#### Rule 2190

$\text{Int}[(((F_)^{((g_.)*((e_.) + (f_.)*(x_.)))})^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)})/((a_.) + (b_.)*((F_)^{((g_.)*((e_.) + (f_.)*(x_.)))})^{(n_.)}), x\_Symbol] \ :> \text{Simp}[(c + d*x)^m*\text{Log}[1 + (b*(F^{(g*(e + f*x)))})^n)/a]/(b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + (b*(F^{(g*(e + f*x)))})^n)/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \ \&\& \ \text{IGtQ}[m, 0]$

#### Rule 2531

$\text{Int}[\text{Log}[1 + (e_.)*((F_)^{((c_.)*((a_.) + (b_.)*(x_.)))})^{(n_.)}]*((f_.) + (g_.)*(x_.))^{(m_.)}, x\_Symbol] \ :> -\text{Simp}[(f + g*x)^m*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x)))})^n]/(b*c*n*\text{Log}[F]), x] + \text{Dist}[(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^{(m-1)}*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x)))})^n], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x\} \ \&\& \ \text{GtQ}[m, 0]$

#### Rule 2282

$\text{Int}[u_, x\_Symbol] \ :> \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \ \&\& \ !\text{MatchQ}[u, (w_)*((a_.)*(v_)^{(n_)})^{(m_)} /; \text{FreeQ}\{a, m, n\}, x\} \ \&\& \ \text{IntegerQ}[m*n] \ \&\& \ !\text{MatchQ}[u, E^{((c_.)*((a_.) + (b_.)*x))* (F_) [v_]} /; \text{FreeQ}\{a, b, c\}, x\} \ \&\& \ \text{InverseFunctionQ}[F[x]]]$

#### Rule 6589

$\text{Int}[\text{PolyLog}[n_, (c_.)*((a_.) + (b_.)*(x_.))^{(p_.)}]/((d_.) + (e_.)*(x_.)), x\_Symbol] \ :> \text{Simp}[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /; \text{FreeQ}\{a, b, c, d$

, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_.)\*((f\_.)\*(x\_))^(m\_)]/Sqrt[(d\_ + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rubi steps



$$\begin{aligned}
\int \frac{x^3 (a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx &= -\frac{x^2 (a + b \sin^{-1}(cx))^2}{2c^2 d} + \frac{\int \frac{x(a+b \sin^{-1}(cx))^2}{d-c^2 dx^2} dx}{c^2} + \frac{b \int \frac{x^2(a+b \sin^{-1}(cx))}{\sqrt{1-c^2 x^2}} dx}{cd} \\
&= -\frac{bx\sqrt{1-c^2 x^2} (a + b \sin^{-1}(cx))}{2c^3 d} - \frac{x^2 (a + b \sin^{-1}(cx))^2}{2c^2 d} + \frac{\text{Subst}(\int (a + bx)^2 \tan(x) dx, x)}{c^4 d} \\
&= \frac{b^2 x^2}{4c^2 d} - \frac{bx\sqrt{1-c^2 x^2} (a + b \sin^{-1}(cx))}{2c^3 d} + \frac{(a + b \sin^{-1}(cx))^2}{4c^4 d} - \frac{x^2 (a + b \sin^{-1}(cx))^2}{2c^2 d} + \frac{i(a}{4c^2 d} - \frac{bx\sqrt{1-c^2 x^2} (a + b \sin^{-1}(cx))}{2c^3 d} + \frac{(a + b \sin^{-1}(cx))^2}{4c^4 d} - \frac{x^2 (a + b \sin^{-1}(cx))^2}{2c^2 d} + \frac{i(a}{4c^2 d} - \frac{bx\sqrt{1-c^2 x^2} (a + b \sin^{-1}(cx))}{2c^3 d} + \frac{(a + b \sin^{-1}(cx))^2}{4c^4 d} - \frac{x^2 (a + b \sin^{-1}(cx))^2}{2c^2 d} + \frac{i(a}{4c^2 d} - \frac{bx\sqrt{1-c^2 x^2} (a + b \sin^{-1}(cx))}{2c^3 d} + \frac{(a + b \sin^{-1}(cx))^2}{4c^4 d} - \frac{x^2 (a + b \sin^{-1}(cx))^2}{2c^2 d} + \frac{i(a}{4c^2 d} - \frac{bx\sqrt{1-c^2 x^2} (a + b \sin^{-1}(cx))}{2c^3 d} + \frac{(a + b \sin^{-1}(cx))^2}{4c^4 d} - \frac{x^2 (a + b \sin^{-1}(cx))^2}{2c^2 d} + \frac{i(a
\end{aligned}$$

**Mathematica [B]** time = 0.397319, size = 441, normalized size = 2.1

$$-48iab \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) - 48iab \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) - 24ib^2 \sin^{-1}(cx) \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right) + 12b^2 \text{Po}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2), x]

[Out]  $-(12a^2c^2x^2 + 12abcx\sqrt{1-c^2x^2} - 12ab\text{ArcSin}[cx] + (48I)ab\pi\text{ArcSin}[cx] + 24abc^2x^2\text{ArcSin}[cx] - (24I)ab\text{ArcSin}[cx]^2 - (8I)b^2\text{ArcSin}[cx]^3 + 3b^2\text{Cos}[2\text{ArcSin}[cx]] - 6b^2\text{ArcSin}[cx]^2\text{Cos}[2\text{ArcSin}[cx]] + 96ab\pi\text{Log}[1 + E^{(-I)\text{ArcSin}[cx]}]) + 24ab\pi\text{Log}[1 - I E^{(I\text{ArcSin}[cx])}] + 48ab\text{ArcSin}[cx]\text{Log}[1 - I E^{(I\text{ArcSin}[cx])}] - 24ab\pi\text{Log}[1 + I E^{(I\text{ArcSin}[cx])}] + 48ab\text{ArcSin}[cx]\text{Log}[1 + I E^{(I\text{ArcSin}[cx])}] + 24b^2\text{ArcSin}[cx]^2\text{Log}[1 + E^{((2I)\text{ArcSin}[cx])}] + 12a^2\text{Log}[1 - c^2x^2] - 96ab\pi\text{Log}[\text{Cos}[\text{ArcSin}[cx]/2]] + 24ab\pi\text{Log}[-\text{Cos}[(\pi + 2\text{ArcSin}[cx])/4]] - 24ab\pi\text{Log}[\text{Sin}[(\pi + 2\text{ArcSin}[cx])/4]] - (48I)ab\text{PolyLog}[2, (-I)E^{(I\text{ArcSin}[cx])}] - (48I)ab\text{PolyLog}[2, I E^{(I\text{ArcSin}[cx])}] - (24I)b^2\text{ArcSin}[cx]\text{PolyLog}[2, -E^{((2I)\text{ArcSin}[cx])}] + 12b^2\text{PolyLog}[3, -E^{((2I)\text{ArcSin}[cx])}] + 6b^2\text{ArcSin}[cx]\text{Sin}[2$

\*ArcSin[c\*x]])/(24\*c^4\*d)

**Maple [A]** time = 0.243, size = 416, normalized size = 2.

$$\frac{a^2 x^2}{2 c^2 d} - \frac{a^2 \ln(cx-1)}{2 d c^4} - \frac{a^2 \ln(cx+1)}{2 d c^4} + \frac{\frac{i}{3} b^2 (\arcsin(cx))^3}{d c^4} - \frac{b^2 \arcsin(cx) x \sqrt{-c^2 x^2 + 1}}{2 d c^3} - \frac{b^2 (\arcsin(cx))^2 x^2}{2 c^2 d} + \frac{b^2 (\arcsin(cx)) x^2}{2 c^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d),x)

[Out] 
$$-1/2/c^2*a^2/d*x^2-1/2/c^4*a^2/d*\ln(c*x-1)-1/2/c^4*a^2/d*\ln(c*x+1)+1/3*I/c^4*b^2/d*\arcsin(c*x)^3-1/2/c^3*b^2/d*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*x-1/2/c^2*b^2/d*\arcsin(c*x)^2*x^2+1/4/c^4*b^2/d*\arcsin(c*x)^2+1/4*b^2*x^2/c^2/d-1/8/c^4*b^2/d-1/c^4*b^2/d*\arcsin(c*x)^2*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2}))^2)+I/c^4*a*b/d*\text{polylog}(2,-(I*c*x+(-c^2*x^2+1)^{(1/2}))^2)-1/2*b^2*\text{polylog}(3,-(I*c*x+(-c^2*x^2+1)^{(1/2}))^2)/c^4/d+I/c^4*a*b/d*\arcsin(c*x)^2-1/2/c^3*a*b/d*(-c^2*x^2+1)^{(1/2)}*x-1/c^2*a*b/d*\arcsin(c*x)*x^2+1/2/c^4*a*b/d*\arcsin(c*x)-2/c^4*a*b/d*\arcsin(c*x)*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2}))^2)+I/c^4*b^2/d*\arcsin(c*x)*\text{polylog}(2,-(I*c*x+(-c^2*x^2+1)^{(1/2}))^2)$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d),x, algorithm="maxima")

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b^2 x^3 \arcsin(cx)^2 + 2 a b x^3 \arcsin(cx) + a^2 x^3}{c^2 d x^2 - d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d),x, algorithm="fricas")

[Out] integral(-(b^2\*x^3\*arcsin(c\*x)^2 + 2\*a\*b\*x^3\*arcsin(c\*x) + a^2\*x^3)/(c^2\*d\*x^2 - d), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2 x^3}{c^2 x^2 - 1} dx + \int \frac{b^2 x^3 \operatorname{asin}^2(cx)}{c^2 x^2 - 1} dx + \int \frac{2abx^3 \operatorname{asin}(cx)}{c^2 x^2 - 1} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d),x)

[Out] -(Integral(a\*\*2\*x\*\*3/(c\*\*2\*x\*\*2 - 1), x) + Integral(b\*\*2\*x\*\*3\*asin(c\*x)\*\*2/(c\*\*2\*x\*\*2 - 1), x) + Integral(2\*a\*b\*x\*\*3\*asin(c\*x)/(c\*\*2\*x\*\*2 - 1), x))/d

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \operatorname{arcsin}(cx) + a)^2 x^3}{c^2 dx^2 - d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d),x, algorithm="giac")

[Out] integrate(-(b\*arcsin(c\*x) + a)^2\*x^3/(c^2\*d\*x^2 - d), x)

$$3.185 \quad \int \frac{x^2(a+b \sin^{-1}(cx))^2}{d-c^2dx^2} dx$$

**Optimal.** Leaf size=218

$$\frac{2ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{c^3d} - \frac{2ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{c^3d} - \frac{2b^2 \operatorname{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)}{c^3d}$$

[Out]  $(2*b^2*x)/(c^2*d) - (2*b*\sqrt{1 - c^2*x^2}*(a + b*\operatorname{ArcSin}[c*x]))/(c^3*d) - (x*(a + b*\operatorname{ArcSin}[c*x])^2)/(c^2*d) - ((2*I)*(a + b*\operatorname{ArcSin}[c*x])^2*\operatorname{ArcTan}[E^{(I*\operatorname{ArcSin}[c*x])}])/(c^3*d) + ((2*I)*b*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^3*d) - ((2*I)*b*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^3*d) - (2*b^2*\operatorname{PolyLog}[3, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^3*d) + (2*b^2*\operatorname{PolyLog}[3, I*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^3*d)$

**Rubi [A]** time = 0.286929, antiderivative size = 218, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {4715, 4657, 4181, 2531, 2282, 6589, 4677, 8}

$$\frac{2ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{c^3d} - \frac{2ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{c^3d} - \frac{2b^2 \operatorname{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)}{c^3d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(x^2*(a + b*\operatorname{ArcSin}[c*x])^2)/(d - c^2*d*x^2), x]$

[Out]  $(2*b^2*x)/(c^2*d) - (2*b*\sqrt{1 - c^2*x^2}*(a + b*\operatorname{ArcSin}[c*x]))/(c^3*d) - (x*(a + b*\operatorname{ArcSin}[c*x])^2)/(c^2*d) - ((2*I)*(a + b*\operatorname{ArcSin}[c*x])^2*\operatorname{ArcTan}[E^{(I*\operatorname{ArcSin}[c*x])}])/(c^3*d) + ((2*I)*b*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^3*d) - ((2*I)*b*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^3*d) - (2*b^2*\operatorname{PolyLog}[3, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^3*d) + (2*b^2*\operatorname{PolyLog}[3, I*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^3*d)$

### Rule 4715

$\operatorname{Int}[(a_.) + \operatorname{ArcSin}[c_.*x_]*b_.)^{n_.*((f_.*x_))^{m_}*((d_.) + (e_.*x_)^2)^{p_}], x\_Symbol] \rightarrow \operatorname{Simp}[(f*(f*x)^{m-1}*(d + e*x^2)^{p+1}*(a + b*\operatorname{ArcSin}[c*x])^n)/(e*(m + 2*p + 1)), x] + (\operatorname{Dist}[(f^2*(m-1))/(c^2*(m + 2*p + 1)), \operatorname{Int}[(f*x)^{m-2}*(d + e*x^2)^p*(a + b*\operatorname{ArcSin}[c*x])^n, x], x] + \operatorname{Dist}[(b*f*n*d*\operatorname{IntPart}[p]*(d + e*x^2)^{\operatorname{FracPart}[p]}]/(c*(m + 2*p + 1)*(1 - c^2*x^2)^{\operatorname{FracPart}[p]}), \operatorname{Int}[(f*x)^{m-1}*(1 - c^2*x^2)^{p+1/2}*(a + b*\operatorname{ArcSin}[c$

$\cdot x]^{(n-1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x\} \ \&\& \ \text{EqQ}[c^2 \cdot d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{NeQ}[m + 2 \cdot p + 1, 0] \ \&\& \ \text{IntegerQ}[m]$

### Rule 4657

$\text{Int}[(a + \text{ArcSin}[c \cdot x] \cdot b)^{(n)} / ((d + e \cdot x)^2), x_{\text{Symbol}}] \rightarrow \text{Dist}[1/(c \cdot d), \text{Subst}[\text{Int}[(a + b \cdot x)^n \cdot \text{Sec}[x], x], x, \text{ArcSin}[c \cdot x]], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \ \&\& \ \text{EqQ}[c^2 \cdot d + e, 0] \ \&\& \ \text{IGtQ}[n, 0]$

### Rule 4181

$\text{Int}[\text{csc}[(e + \text{Pi} \cdot k + f \cdot x) \cdot ((c + d \cdot x)^m)], x_{\text{Symbol}}] \rightarrow \text{Simp}[(-2 \cdot (c + d \cdot x)^m \cdot \text{ArcTanh}[E^{(I \cdot k \cdot \text{Pi})} \cdot E^{(I \cdot (e + f \cdot x))}]) / f, x] + (-\text{Dist}[(d \cdot m) / f, \text{Int}[(c + d \cdot x)^{(m-1)} \cdot \text{Log}[1 - E^{(I \cdot k \cdot \text{Pi})} \cdot E^{(I \cdot (e + f \cdot x))}], x], x] + \text{Dist}[(d \cdot m) / f, \text{Int}[(c + d \cdot x)^{(m-1)} \cdot \text{Log}[1 + E^{(I \cdot k \cdot \text{Pi})} \cdot E^{(I \cdot (e + f \cdot x))}], x], x]) /; \text{FreeQ}\{c, d, e, f\}, x\} \ \&\& \ \text{IntegerQ}[2 \cdot k] \ \&\& \ \text{IGtQ}[m, 0]$

### Rule 2531

$\text{Int}[\text{Log}[1 + (e \cdot (F^{(c \cdot (a + b \cdot x))})^n) \cdot ((f + g \cdot x)^m)], x_{\text{Symbol}}] \rightarrow -\text{Simp}[(f + g \cdot x)^m \cdot \text{PolyLog}[2, -(e \cdot (F^{(c \cdot (a + b \cdot x))})^n)] / (b \cdot c \cdot n \cdot \text{Log}[F]), x] + \text{Dist}[(g \cdot m) / (b \cdot c \cdot n \cdot \text{Log}[F]), \text{Int}[(f + g \cdot x)^{(m-1)} \cdot \text{PolyLog}[2, -(e \cdot (F^{(c \cdot (a + b \cdot x))})^n)], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x\} \ \&\& \ \text{GtQ}[m, 0]$

### Rule 2282

$\text{Int}[u, x_{\text{Symbol}}] \rightarrow \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \ \&\& \ \text{!MatchQ}[u, (w \cdot (a \cdot v)^n)^m] /; \text{FreeQ}\{a, m, n\}, x\} \ \&\& \ \text{IntegerQ}[m \cdot n] \ \&\& \ \text{!MatchQ}[u, E^{(c \cdot (a + b \cdot x))} \cdot (F[v])] /; \text{FreeQ}\{a, b, c\}, x\} \ \&\& \ \text{InverseFunctionQ}[F[x]]$

### Rule 6589

$\text{Int}[\text{PolyLog}[n, (c \cdot (a + b \cdot x))^p] / ((d + e \cdot x)), x_{\text{Symbol}}] \rightarrow \text{Simp}[\text{PolyLog}[n + 1, c \cdot (a + b \cdot x)^p] / (e \cdot p), x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x\} \ \&\& \ \text{EqQ}[b \cdot d, a \cdot e]$

### Rule 4677

$\text{Int}[(a + \text{ArcSin}[c \cdot x] \cdot b)^{(n)} \cdot x \cdot ((d + e \cdot x)^2)^{(p)}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(d + e \cdot x^2)^{(p+1)} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n / (2 \cdot e \cdot (p + 1)), x] + \text{Dist}[(b \cdot n \cdot d^{\text{IntPart}[p]} \cdot (d + e \cdot x^2)^{\text{FracPart}[p]}] / (2 \cdot c \cdot (p + 1) \cdot (1 - c^2 \cdot x^2)^{\text{FracPart}[p]}), \text{Int}[(1 - c^2 \cdot x^2)^{(p+1/2)} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n]$

- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^2 (a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx &= -\frac{x (a + b \sin^{-1}(cx))^2}{c^2 d} + \frac{\int \frac{(a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx}{c^2} + \frac{(2b) \int \frac{x(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} dx}{cd} \\
 &= -\frac{2b\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^3 d} - \frac{x (a + b \sin^{-1}(cx))^2}{c^2 d} + \frac{\text{Subst}(\int (a + bx)^2 \sec(x) dx, x, \sin^{-1}(cx))}{c^3 d} \\
 &= \frac{2b^2 x}{c^2 d} - \frac{2b\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^3 d} - \frac{x (a + b \sin^{-1}(cx))^2}{c^2 d} - \frac{2i (a + b \sin^{-1}(cx))^2 \tan^{-1}\left(\frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}}\right)}{c^3 d} \\
 &= \frac{2b^2 x}{c^2 d} - \frac{2b\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^3 d} - \frac{x (a + b \sin^{-1}(cx))^2}{c^2 d} - \frac{2i (a + b \sin^{-1}(cx))^2 \tan^{-1}\left(\frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}}\right)}{c^3 d} \\
 &= \frac{2b^2 x}{c^2 d} - \frac{2b\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^3 d} - \frac{x (a + b \sin^{-1}(cx))^2}{c^2 d} - \frac{2i (a + b \sin^{-1}(cx))^2 \tan^{-1}\left(\frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}}\right)}{c^3 d} \\
 &= \frac{2b^2 x}{c^2 d} - \frac{2b\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^3 d} - \frac{x (a + b \sin^{-1}(cx))^2}{c^2 d} - \frac{2i (a + b \sin^{-1}(cx))^2 \tan^{-1}\left(\frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}}\right)}{c^3 d}
 \end{aligned}$$

**Mathematica [A]** time = 0.303531, size = 317, normalized size = 1.45

$$\frac{-4ib \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx)) + 4ib \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx)) + 4b^2 \text{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{c^3 d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2), x]

[Out]  $-(2a^2cx - 4b^2cx + 4ab\sqrt{1 - c^2x^2} + 4abcx\text{ArcSin}[cx] + 4b^2\sqrt{1 - c^2x^2}\text{ArcSin}[cx] + 2b^2cx\text{ArcSin}[cx]^2 - 4ab\text{ArcSin}[cx]\text{Log}[1 - I\text{E}^{(I\text{ArcSin}[cx])}] - 2b^2\text{ArcSin}[cx]^2\text{Log}[1 - I\text{E}^{(I\text{ArcSin}[cx])}] + 4ab\text{ArcSin}[cx]\text{Log}[1 + I\text{E}^{(I\text{ArcSin}[cx])}] + 2b^2\text{ArcSin}[cx]^2\text{Log}[1 + I\text{E}^{(I\text{ArcSin}[cx])}] + a^2\text{Log}[1 - cx] - a^2\text{Log}[1 + cx] - (4I)b(a + b\text{ArcSin}[cx])\text{PolyLog}[2, (-I)\text{E}^{(I\text{ArcSin}[cx])}] + (4I)b$

$(a + b \operatorname{ArcSin}[c*x]) * \operatorname{PolyLog}[2, I * E^{(I * \operatorname{ArcSin}[c*x])}] + 4 * b^2 * \operatorname{PolyLog}[3, (-I) * E^{(I * \operatorname{ArcSin}[c*x])}] - 4 * b^2 * \operatorname{PolyLog}[3, I * E^{(I * \operatorname{ArcSin}[c*x])}]) / (2 * c^3 * d)$

**Maple [F]** time = 0.209, size = 0, normalized size = 0.

$$\int \frac{x^2 (a + b \arcsin(cx))^2}{-c^2 dx^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d),x)`

[Out] `int(x^2*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d),x)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2} a^2 \left( \frac{2x}{c^2 d} - \frac{\log(cx+1)}{c^3 d} + \frac{\log(cx-1)}{c^3 d} \right) - \frac{2b^2 cx \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)^2 + 2c^3 d \int \frac{2abc^2 x^2 \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)}{c^2 dx^2 - d} dx}{c^2 dx^2 - d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d),x, algorithm="maxima")`

[Out] `-1/2*a^2*(2*x/(c^2*d) - log(c*x + 1)/(c^3*d) + log(c*x - 1)/(c^3*d)) - 1/2*(2*b^2*c*x*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2 - 2*c^3*d*integrate(- (2*a*b*c^2*x^2*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + (2*b^2*c*x*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) - b^2*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))*log(c*x + 1) + b^2*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))*log(-c*x + 1))*sqrt(c*x + 1)*sqrt(-c*x + 1))/(c^4*d*x^2 - c^2*d), x) - b^2*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2*log(c*x + 1) + b^2*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2*log(-c*x + 1))/(c^3*d)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{b^2 x^2 \arcsin(cx)^2 + 2 abx^2 \arcsin(cx) + a^2 x^2}{c^2 dx^2 - d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d),x, algorithm="fricas")

[Out] integral(-(b^2\*x^2\*arcsin(c\*x)^2 + 2\*a\*b\*x^2\*arcsin(c\*x) + a^2\*x^2)/(c^2\*d\*x^2 - d), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2 x^2}{c^2 x^2 - 1} dx + \int \frac{b^2 x^2 \operatorname{asin}^2(cx)}{c^2 x^2 - 1} dx + \int \frac{2abx^2 \operatorname{asin}(cx)}{c^2 x^2 - 1} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d),x)

[Out] -(Integral(a\*\*2\*x\*\*2/(c\*\*2\*x\*\*2 - 1), x) + Integral(b\*\*2\*x\*\*2\*asin(c\*x)\*\*2/(c\*\*2\*x\*\*2 - 1), x) + Integral(2\*a\*b\*x\*\*2\*asin(c\*x)/(c\*\*2\*x\*\*2 - 1), x))/d

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)^2 x^2}{c^2 dx^2 - d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d),x, algorithm="giac")

[Out] integrate(-(b\*arcsin(c\*x) + a)^2\*x^2/(c^2\*d\*x^2 - d), x)



$$3.186 \quad \int \frac{x(a+b \sin^{-1}(cx))^2}{d-c^2dx^2} dx$$

**Optimal.** Leaf size=117

$$\frac{ib \operatorname{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{c^2 d} - \frac{b^2 \operatorname{PolyLog}\left(3, -e^{2i \sin^{-1}(cx)}\right)}{2c^2 d} + \frac{i(a + b \sin^{-1}(cx))^3}{3bc^2 d} - \frac{\log\left(1 + e^{2i \sin^{-1}(cx)}\right)}{c}$$

[Out] ((I/3)\*(a + b\*ArcSin[c\*x])^3)/(b\*c^2\*d) - ((a + b\*ArcSin[c\*x])^2\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(c^2\*d) + (I\*b\*(a + b\*ArcSin[c\*x])\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c^2\*d) - (b^2\*PolyLog[3, -E^((2\*I)\*ArcSin[c\*x])])/(2\*c^2\*d)

**Rubi [A]** time = 0.172138, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$ , Rules used = {4675, 3719, 2190, 2531, 2282, 6589}

$$\frac{ib \operatorname{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{c^2 d} - \frac{b^2 \operatorname{PolyLog}\left(3, -e^{2i \sin^{-1}(cx)}\right)}{2c^2 d} + \frac{i(a + b \sin^{-1}(cx))^3}{3bc^2 d} - \frac{\log\left(1 + e^{2i \sin^{-1}(cx)}\right)}{c}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2), x]

[Out] ((I/3)\*(a + b\*ArcSin[c\*x])^3)/(b\*c^2\*d) - ((a + b\*ArcSin[c\*x])^2\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(c^2\*d) + (I\*b\*(a + b\*ArcSin[c\*x])\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c^2\*d) - (b^2\*PolyLog[3, -E^((2\*I)\*ArcSin[c\*x])])/(2\*c^2\*d)

#### Rule 4675

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^n\_.\*(x\_)/((d\_.) + (e\_.)\*(x\_)^2), x\_Symbol] :> -Dist[e^(-1), Subst[Int[(a + b\*x)^n\*Tan[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

#### Rule 3719

Int[(((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ

[m, 0]

### Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_)*((F_)^((c_)*(a_) + (b_)*(x_)))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx &= \frac{\text{Subst}\left(\int (a + bx)^2 \tan(x) dx, x, \sin^{-1}(cx)\right)}{c^2 d} \\
&= \frac{i(a + b \sin^{-1}(cx))^3}{3bc^2 d} - \frac{(2i) \text{Subst}\left(\int \frac{e^{2ix}(a+bx)^2}{1+e^{2ix}} dx, x, \sin^{-1}(cx)\right)}{c^2 d} \\
&= \frac{i(a + b \sin^{-1}(cx))^3}{3bc^2 d} - \frac{(a + b \sin^{-1}(cx))^2 \log\left(1 + e^{2i \sin^{-1}(cx)}\right)}{c^2 d} + \frac{(2b) \text{Subst}\left(\int (a + bx) \log\left(1 + e^{2i \sin^{-1}(cx)}\right) dx, x, \sin^{-1}(cx)\right)}{c^2 d} \\
&= \frac{i(a + b \sin^{-1}(cx))^3}{3bc^2 d} - \frac{(a + b \sin^{-1}(cx))^2 \log\left(1 + e^{2i \sin^{-1}(cx)}\right)}{c^2 d} + \frac{ib(a + b \sin^{-1}(cx)) \text{Li}_2\left(-e^{2i \sin^{-1}(cx)}\right)}{c^2 d} \\
&= \frac{i(a + b \sin^{-1}(cx))^3}{3bc^2 d} - \frac{(a + b \sin^{-1}(cx))^2 \log\left(1 + e^{2i \sin^{-1}(cx)}\right)}{c^2 d} + \frac{ib(a + b \sin^{-1}(cx)) \text{Li}_2\left(-e^{2i \sin^{-1}(cx)}\right)}{c^2 d} \\
&= \frac{i(a + b \sin^{-1}(cx))^3}{3bc^2 d} - \frac{(a + b \sin^{-1}(cx))^2 \log\left(1 + e^{2i \sin^{-1}(cx)}\right)}{c^2 d} + \frac{ib(a + b \sin^{-1}(cx)) \text{Li}_2\left(-e^{2i \sin^{-1}(cx)}\right)}{c^2 d}
\end{aligned}$$

**Mathematica [A]** time = 0.0801326, size = 143, normalized size = 1.22

$$\frac{6ib \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx)) - 3b^2 \text{PolyLog}\left(3, -e^{2i \sin^{-1}(cx)}\right) - 3a^2 \log(1 - c^2 x^2) + 6iab \sin^{-1}(cx)^2 - 1}{6c^2 d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2), x]

[Out] ((6\*I)\*a\*b\*ArcSin[c\*x]^2 + (2\*I)\*b^2\*ArcSin[c\*x]^3 - 12\*a\*b\*ArcSin[c\*x]\*Log[1 + E^((2\*I)\*ArcSin[c\*x])]) - 6\*b^2\*ArcSin[c\*x]^2\*Log[1 + E^((2\*I)\*ArcSin[c\*x])] - 3\*a^2\*Log[1 - c^2\*x^2] + (6\*I)\*b\*(a + b\*ArcSin[c\*x])\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])] - 3\*b^2\*PolyLog[3, -E^((2\*I)\*ArcSin[c\*x])]/(6\*c^2\*d)

**Maple [A]** time = 0.063, size = 258, normalized size = 2.2

$$-\frac{a^2 \ln(cx - 1)}{2c^2 d} - \frac{a^2 \ln(cx + 1)}{2c^2 d} + \frac{\frac{i}{3} b^2 (\arcsin(cx))^3}{c^2 d} - \frac{b^2 (\arcsin(cx))^2}{c^2 d} \ln\left(1 + \left(icx + \sqrt{-c^2 x^2 + 1}\right)^2\right) + \frac{ib^2 \arcsin(cx)}{c^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d),x)`

[Out] 
$$-1/2/c^2*a^2/d*\ln(c*x-1)-1/2/c^2*a^2/d*\ln(c*x+1)+1/3*I/c^2*b^2/d*arcsin(c*x)^3-1/c^2*b^2/d*arcsin(c*x)^2*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)+I/c^2*b^2/d*arcsin(c*x)*polylog(2,-(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)-1/2*b^2*polylog(3,-(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)/c^2/d+I/c^2*a*b/d*arcsin(c*x)^2-2/c^2*a*b/d*arcsin(c*x)*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)+I/c^2*a*b/d*polylog(2,-(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d),x, algorithm="maxima")`

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b^2x \arcsin(cx)^2 + 2abx \arcsin(cx) + a^2x}{c^2dx^2 - d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d),x, algorithm="fricas")`

[Out] `integral(-(b^2*x*arcsin(c*x)^2 + 2*a*b*x*arcsin(c*x) + a^2*x)/(c^2*d*x^2 - d), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2x}{c^2x^2-1} dx + \int \frac{b^2x \operatorname{asin}^2(cx)}{c^2x^2-1} dx + \int \frac{2abx \operatorname{asin}(cx)}{c^2x^2-1} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*asin(c*x))**2/(-c**2*d*x**2+d),x)
```

```
[Out] -(Integral(a**2*x/(c**2*x**2 - 1), x) + Integral(b**2*x*asin(c*x)**2/(c**2*x**2 - 1), x) + Integral(2*a*b*x*asin(c*x)/(c**2*x**2 - 1), x))/d
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \arcsin(cx) + a)^2 x}{c^2 dx^2 - d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d),x, algorithm="giac")
```

```
[Out] integrate(-(b*arcsin(c*x) + a)^2*x/(c^2*d*x^2 - d), x)
```

$$3.187 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{d-c^2 dx^2} dx$$

**Optimal.** Leaf size=156

$$\frac{2ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) (a+b \sin^{-1}(cx))}{cd} - \frac{2ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) (a+b \sin^{-1}(cx))}{cd} - \frac{2b^2 \operatorname{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)}{cd}$$

[Out]  $((-2*I)*(a + b*\operatorname{ArcSin}[c*x])^2*\operatorname{ArcTan}[E^{(I*\operatorname{ArcSin}[c*x])}])/(c*d) + ((2*I)*b*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/(c*d) - ((2*I)*b*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x])}])/(c*d) - (2*b^2*\operatorname{PolyLog}[3, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/(c*d) + (2*b^2*\operatorname{PolyLog}[3, I*E^{(I*\operatorname{ArcSin}[c*x])}])/(c*d)$

**Rubi [A]** time = 0.127072, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {4657, 4181, 2531, 2282, 6589}

$$\frac{2ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) (a+b \sin^{-1}(cx))}{cd} - \frac{2ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) (a+b \sin^{-1}(cx))}{cd} - \frac{2b^2 \operatorname{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)}{cd}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b*\operatorname{ArcSin}[c*x])^2/(d - c^2*d*x^2), x]$

[Out]  $((-2*I)*(a + b*\operatorname{ArcSin}[c*x])^2*\operatorname{ArcTan}[E^{(I*\operatorname{ArcSin}[c*x])}])/(c*d) + ((2*I)*b*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/(c*d) - ((2*I)*b*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x])}])/(c*d) - (2*b^2*\operatorname{PolyLog}[3, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/(c*d) + (2*b^2*\operatorname{PolyLog}[3, I*E^{(I*\operatorname{ArcSin}[c*x])}])/(c*d)$

#### Rule 4657

$\operatorname{Int}[(a + b*\operatorname{ArcSin}[c*x])^2/(d - c^2*d*x^2), x] \rightarrow \operatorname{Dist}[1/(c*d), \operatorname{Subst}[\operatorname{Int}[(a + b*x)^n*\operatorname{Sec}[x], x], x, \operatorname{ArcSin}[c*x]], x] / ; \operatorname{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \operatorname{EqQ}[c^2*d + e, 0] \ \&\& \operatorname{IGtQ}[n, 0]$

#### Rule 4181

$\operatorname{Int}[\operatorname{csc}[(e + \operatorname{Pi}*k) + (f*x)]*(c + d*x)^m, x] \rightarrow \operatorname{Simp}[(-2*(c + d*x)^m*\operatorname{ArcTanh}[E^{(I*k*\operatorname{Pi})}*E^{(I*(e + f*x))}])/f, x] + (-\operatorname{Di}$

```
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))],
x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx &= \frac{\text{Subst}\left(\int (a + bx)^2 \sec(x) dx, x, \sin^{-1}(cx)\right)}{cd} \\
&= -\frac{2i(a + b \sin^{-1}(cx))^2 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{cd} - \frac{(2b) \text{Subst}\left(\int (a + bx) \log(1 - ie^{ix}) dx, x, \sin^{-1}(cx)\right)}{cd} \\
&= -\frac{2i(a + b \sin^{-1}(cx))^2 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{cd} + \frac{2ib(a + b \sin^{-1}(cx)) \text{Li}_2\left(-ie^{i \sin^{-1}(cx)}\right)}{cd} - \frac{2ib(a + b \sin^{-1}(cx))}{cd} \\
&= -\frac{2i(a + b \sin^{-1}(cx))^2 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{cd} + \frac{2ib(a + b \sin^{-1}(cx)) \text{Li}_2\left(-ie^{i \sin^{-1}(cx)}\right)}{cd} - \frac{2ib(a + b \sin^{-1}(cx))}{cd} \\
&= -\frac{2i(a + b \sin^{-1}(cx))^2 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{cd} + \frac{2ib(a + b \sin^{-1}(cx)) \text{Li}_2\left(-ie^{i \sin^{-1}(cx)}\right)}{cd} - \frac{2ib(a + b \sin^{-1}(cx))}{cd}
\end{aligned}$$

**Mathematica [A]** time = 0.509011, size = 207, normalized size = 1.33

$$4ib\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right)\left(a + b\sin^{-1}(cx)\right) - 4ib\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right)\left(a + b\sin^{-1}(cx)\right) - 4b^2\text{PolyLog}\left(3, -ie^{i\sin^{-1}(cx)}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(d - c^2\*d\*x^2), x]

[Out] ((-4\*I)\*b^2\*ArcSin[c\*x]^2\*ArcTan[E^(I\*ArcSin[c\*x])] + 4\*a\*b\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - 4\*a\*b\*ArcSin[c\*x]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] - a^2\*Log[1 - c\*x] + a^2\*Log[1 + c\*x] + (4\*I)\*b\*(a + b\*ArcSin[c\*x])\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] - (4\*I)\*b\*(a + b\*ArcSin[c\*x])\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])] - 4\*b^2\*PolyLog[3, (-I)\*E^(I\*ArcSin[c\*x])] + 4\*b^2\*PolyLog[3, I\*E^(I\*ArcSin[c\*x])])/(2\*c\*d)

**Maple [B]** time = 0.106, size = 404, normalized size = 2.6

$$-\frac{b^2(\arcsin(cx))^2}{dc} \ln\left(1 + i\left(icx + \sqrt{-c^2x^2 + 1}\right)\right) + \frac{2ib^2 \arcsin(cx)}{dc} \text{polylog}\left(2, -i\left(icx + \sqrt{-c^2x^2 + 1}\right)\right) - 2 \frac{b^2 \text{polylog}\left(3, -i\left(icx + \sqrt{-c^2x^2 + 1}\right)\right)}{dc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d), x)

[Out] -1/c/d\*b^2\*arcsin(c\*x)^2\*ln(1+I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))+2\*I/c/d\*b^2\*arcsin(c\*x)\*polylog(2,-I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))-2\*b^2\*polylog(3,-I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))/d/c+1/c/d\*b^2\*arcsin(c\*x)^2\*ln(1-I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))-2\*I/c/d\*b^2\*arcsin(c\*x)\*polylog(2,I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))+2\*b^2\*polylog(3,I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))/d/c-2/c\*a\*b/d\*arcsin(c\*x)\*ln(1+I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))+2\*I/c/d\*a\*b\*polylog(2,-I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))+2/c\*a\*b/d\*arcsin(c\*x)\*ln(1-I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))-2\*I/c/d\*a\*b\*polylog(2,I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))-2\*I/c/d\*a^2\*arctan(I\*c\*x+(-c^2\*x^2+1)^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}a^2\left(\frac{\log(cx+1)}{cd} - \frac{\log(cx-1)}{cd}\right) + \frac{b^2 \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)^2 \log(cx+1) - b^2 \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)^2 \log(cx-1)}{cd}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d),x, algorithm="maxima")

[Out] 1/2\*a^2\*(log(c\*x + 1)/(c\*d) - log(c\*x - 1)/(c\*d)) + 1/2\*(b^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2\*log(c\*x + 1) - b^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2\*log(-c\*x + 1) + 2\*c\*d\*integrate(-(2\*a\*b\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) - (b^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*log(c\*x + 1) - b^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*log(-c\*x + 1))\*sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/(c^2\*d\*x^2 - d), x))/(c\*d)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}{c^2 dx^2 - d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d),x, algorithm="fricas")

[Out] integral(-(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/(c^2\*d\*x^2 - d), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2}{c^2 x^2 - 1} dx + \int \frac{b^2 \arcsin^2(cx)}{c^2 x^2 - 1} dx + \int \frac{2ab \arcsin(cx)}{c^2 x^2 - 1} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d),x)

[Out] -(Integral(a\*\*2/(c\*\*2\*x\*\*2 - 1), x) + Integral(b\*\*2\*asin(c\*x)\*\*2/(c\*\*2\*x\*\*2 - 1), x) + Integral(2\*a\*b\*asin(c\*x)/(c\*\*2\*x\*\*2 - 1), x))/d

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \arcsin(cx) + a)^2}{c^2 dx^2 - d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(-c^2*d*x^2+d),x, algorithm="giac")
```

```
[Out] integrate(-(b*arcsin(c*x) + a)^2/(c^2*d*x^2 - d), x)
```

$$3.188 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x(d-c^2 dx^2)} dx$$

**Optimal.** Leaf size=131

$$\frac{ib \operatorname{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d} - \frac{ib \operatorname{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d} - \frac{b^2 \operatorname{PolyLog}\left(3, -e^{2i \sin^{-1}(cx)}\right)}{2d}$$

[Out]  $(-2*(a + b*\operatorname{ArcSin}[c*x])^2*\operatorname{ArcTanh}[E^{((2*I)*\operatorname{ArcSin}[c*x])}])/d + (I*b*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, -E^{((2*I)*\operatorname{ArcSin}[c*x])}])/d - (I*b*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, E^{((2*I)*\operatorname{ArcSin}[c*x])}])/d - (b^2*\operatorname{PolyLog}[3, -E^{((2*I)*\operatorname{ArcSin}[c*x])}])/(2*d) + (b^2*\operatorname{PolyLog}[3, E^{((2*I)*\operatorname{ArcSin}[c*x])}])/(2*d)$

**Rubi [A]** time = 0.196594, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4679, 4419, 4183, 2531, 2282, 6589}

$$\frac{ib \operatorname{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d} - \frac{ib \operatorname{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d} - \frac{b^2 \operatorname{PolyLog}\left(3, -e^{2i \sin^{-1}(cx)}\right)}{2d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b*\operatorname{ArcSin}[c*x])^2/(x*(d - c^2*d*x^2)), x]$

[Out]  $(-2*(a + b*\operatorname{ArcSin}[c*x])^2*\operatorname{ArcTanh}[E^{((2*I)*\operatorname{ArcSin}[c*x])}])/d + (I*b*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, -E^{((2*I)*\operatorname{ArcSin}[c*x])}])/d - (I*b*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, E^{((2*I)*\operatorname{ArcSin}[c*x])}])/d - (b^2*\operatorname{PolyLog}[3, -E^{((2*I)*\operatorname{ArcSin}[c*x])}])/(2*d) + (b^2*\operatorname{PolyLog}[3, E^{((2*I)*\operatorname{ArcSin}[c*x])}])/(2*d)$

#### Rule 4679

$\operatorname{Int}[(a + \operatorname{ArcSin}[c*x])^n/(x*(d + e*x^2)), x\_Symbol] \rightarrow \operatorname{Dist}[1/d, \operatorname{Subst}[\operatorname{Int}[(a + b*x)^n/(\operatorname{Cos}[x]*\operatorname{Sin}[x]), x], x, \operatorname{ArcSin}[c*x]], x] /;$   $\operatorname{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \operatorname{EqQ}[c^2*d + e, 0] \ \&\& \ \operatorname{IGtQ}[n, 0]$

#### Rule 4419

$\operatorname{Int}[\operatorname{Csc}[a + b*x]^n*((c + d*x)^m*\operatorname{Sec}[a + b*x]^m), x\_Symbol] \rightarrow \operatorname{Dist}[2^n, \operatorname{Int}[(c + d*x)^m*\operatorname{Csc}[2*a + 2*b*x]^n, x], x] /;$   $\operatorname{FreeQ}\{a, b, c, d, m\}, x \ \&\& \ \operatorname{IntegerQ}[n] \ \&\& \ \operatorname{RationalQ}[m]$

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))] * ((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/ (b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x(d - c^2 dx^2)} dx &= \frac{\text{Subst}\left(\int (a + bx)^2 \csc(x) \sec(x) dx, x, \sin^{-1}(cx)\right)}{d} \\
&= \frac{2 \text{Subst}\left(\int (a + bx)^2 \csc(2x) dx, x, \sin^{-1}(cx)\right)}{d} \\
&= -\frac{2(a + b \sin^{-1}(cx))^2 \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d} - \frac{(2b) \text{Subst}\left(\int (a + bx) \log(1 - e^{2ix}) dx, x, \sin^{-1}(cx)\right)}{d} \\
&= -\frac{2(a + b \sin^{-1}(cx))^2 \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d} + \frac{ib(a + b \sin^{-1}(cx)) \text{Li}_2\left(-e^{2i \sin^{-1}(cx)}\right)}{d} - \frac{ib(a + b \sin^{-1}(cx))}{d} \\
&= -\frac{2(a + b \sin^{-1}(cx))^2 \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d} + \frac{ib(a + b \sin^{-1}(cx)) \text{Li}_2\left(-e^{2i \sin^{-1}(cx)}\right)}{d} - \frac{ib(a + b \sin^{-1}(cx))}{d} \\
&= -\frac{2(a + b \sin^{-1}(cx))^2 \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d} + \frac{ib(a + b \sin^{-1}(cx)) \text{Li}_2\left(-e^{2i \sin^{-1}(cx)}\right)}{d} - \frac{ib(a + b \sin^{-1}(cx))}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.194788, size = 254, normalized size = 1.94

$$\frac{24ib \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx)) - 24iab \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + 24ib^2 \sin^{-1}(cx) \text{PolyLog}\left(2, e^{-2i \sin^{-1}(cx)}\right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x\*(d - c^2\*d\*x^2)),x]

[Out]  $\frac{((-I)*b^2*Pi^3 + (16*I)*b^2*ArcSin[c*x]^3 + 24*b^2*ArcSin[c*x]^2*Log[1 - E^{((-2*I)*ArcSin[c*x])}] + 48*a*b*ArcSin[c*x]*Log[1 - E^{((2*I)*ArcSin[c*x])}] - 48*a*b*ArcSin[c*x]*Log[1 + E^{((2*I)*ArcSin[c*x])}] - 24*b^2*ArcSin[c*x]^2*Log[1 + E^{((2*I)*ArcSin[c*x])}] + 24*a^2*Log[c*x] - 12*a^2*Log[1 - c^2*x^2] + (24*I)*b^2*ArcSin[c*x]*PolyLog[2, E^{((-2*I)*ArcSin[c*x])}] + (24*I)*b*(a + b*ArcSin[c*x])*PolyLog[2, -E^{((2*I)*ArcSin[c*x])}] - (24*I)*a*b*PolyLog[2, E^{((2*I)*ArcSin[c*x])}] + 12*b^2*PolyLog[3, E^{((-2*I)*ArcSin[c*x])}] - 12*b^2*PolyLog[3, -E^{((2*I)*ArcSin[c*x])}])}{(24*d)}$

**Maple [B]** time = 0.092, size = 529, normalized size = 4.

$$-\frac{a^2 \ln(cx - 1)}{2d} - \frac{a^2 \ln(cx + 1)}{2d} + \frac{a^2 \ln(cx)}{d} + \frac{b^2 (\arcsin(cx))^2}{d} \ln\left(1 + icx + \sqrt{-c^2 x^2 + 1}\right) - \frac{2ib^2 \arcsin(cx)}{d} \text{polylog}\left(2, \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))^2/x/(-c^2*d*x^2+d),x)`

[Out]  $-1/2*a^2/d*\ln(c*x-1)-1/2*a^2/d*\ln(c*x+1)+a^2/d*\ln(c*x)+b^2/d*arcsin(c*x)^2*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-2*I*b^2/d*arcsin(c*x)*polylog(2,-I*c*x+(-c^2*x^2+1)^{(1/2)})+2*b^2/d*polylog(3,-I*c*x+(-c^2*x^2+1)^{(1/2)})+b^2/d*arcsin(c*x)^2*\ln(1-I*c*x+(-c^2*x^2+1)^{(1/2)})-2*I*b^2/d*arcsin(c*x)*polylog(2,I*c*x+(-c^2*x^2+1)^{(1/2)})+2*b^2/d*polylog(3,I*c*x+(-c^2*x^2+1)^{(1/2)})-b^2/d*arcsin(c*x)^2*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)-2*I*a*b/d*polylog(2,I*c*x+(-c^2*x^2+1)^{(1/2)})-1/2*b^2*polylog(3,-(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)/d+2*a*b/d*arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})+I*b^2/d*arcsin(c*x)*polylog(2,-(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)+2*a*b/d*arcsin(c*x)*\ln(1-I*c*x+(-c^2*x^2+1)^{(1/2)})+I*a*b/d*polylog(2,-(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)-2*a*b/d*arcsin(c*x)*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)-2*I*a*b/d*polylog(2,-I*c*x+(-c^2*x^2+1)^{(1/2)})$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2}a^2\left(\frac{\log(cx+1)}{d} + \frac{\log(cx-1)}{d} - \frac{2\log(x)}{d}\right) - \int \frac{b^2 \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)^2 + 2ab \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx-1}\right)}{c^2dx^3 - dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^2/x/(-c^2*d*x^2+d),x, algorithm="maxima")`

[Out]  $-1/2*a^2*(\log(c*x + 1)/d + \log(c*x - 1)/d - 2*\log(x)/d) - integrate((b^2*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2 + 2*a*b*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)))/(c^2*d*x^3 - d*x), x)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}{c^2dx^3 - dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^2/x/(-c^2*d*x^2+d),x, algorithm="fricas")`

[Out] `integral(-(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)/(c^2*d*x^3 - d*x), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2}{c^2x^3-x} dx + \int \frac{b^2 \operatorname{asin}^2(cx)}{c^2x^3-x} dx + \int \frac{2ab \operatorname{asin}(cx)}{c^2x^3-x} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))^2/x/(-c**2*d*x**2+d), x)`

[Out] `-(Integral(a**2/(c**2*x**3 - x), x) + Integral(b**2*asin(c*x)**2/(c**2*x**3 - x), x) + Integral(2*a*b*asin(c*x)/(c**2*x**3 - x), x))/d`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \operatorname{arcsin}(cx) + a)^2}{(c^2dx^2 - d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^2/x/(-c^2*d*x^2+d), x, algorithm="giac")`

[Out] `integrate(-(b*arcsin(c*x) + a)^2/((c^2*d*x^2 - d)*x), x)`

$$3.189 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^2(d-c^2dx^2)} dx$$

**Optimal.** Leaf size=238

$$\frac{2ibc \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d} - \frac{2ibc \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d} + \frac{2ib^2c \operatorname{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d}$$

[Out] -((a + b\*ArcSin[c\*x])^2/(d\*x)) - ((2\*I)\*c\*(a + b\*ArcSin[c\*x])^2\*ArcTan[E^(I\*ArcSin[c\*x])])/d - (4\*b\*c\*(a + b\*ArcSin[c\*x])\*ArcTanh[E^(I\*ArcSin[c\*x])])/d + ((2\*I)\*b^2\*c\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/d + ((2\*I)\*b\*c\*(a + b\*ArcSin[c\*x])\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/d - ((2\*I)\*b\*c\*(a + b\*ArcSin[c\*x])\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/d - ((2\*I)\*b^2\*c\*PolyLog[2, E^(I\*ArcSin[c\*x])])/d - (2\*b^2\*c\*PolyLog[3, (-I)\*E^(I\*ArcSin[c\*x])])/d + (2\*b^2\*c\*PolyLog[3, I\*E^(I\*ArcSin[c\*x])])/d

**Rubi [A]** time = 0.347538, antiderivative size = 238, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 10, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.37$ , Rules used = {4701, 4657, 4181, 2531, 2282, 6589, 4709, 4183, 2279, 2391}

$$\frac{2ibc \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d} - \frac{2ibc \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d} + \frac{2ib^2c \operatorname{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/(x^2\*(d - c^2\*d\*x^2)), x]

[Out] -((a + b\*ArcSin[c\*x])^2/(d\*x)) - ((2\*I)\*c\*(a + b\*ArcSin[c\*x])^2\*ArcTan[E^(I\*ArcSin[c\*x])])/d - (4\*b\*c\*(a + b\*ArcSin[c\*x])\*ArcTanh[E^(I\*ArcSin[c\*x])])/d + ((2\*I)\*b^2\*c\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/d + ((2\*I)\*b\*c\*(a + b\*ArcSin[c\*x])\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/d - ((2\*I)\*b\*c\*(a + b\*ArcSin[c\*x])\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/d - ((2\*I)\*b^2\*c\*PolyLog[2, E^(I\*ArcSin[c\*x])])/d - (2\*b^2\*c\*PolyLog[3, (-I)\*E^(I\*ArcSin[c\*x])])/d + (2\*b^2\*c\*PolyLog[3, I\*E^(I\*ArcSin[c\*x])])/d

### Rule 4701

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^n\_.\*((f\_.)\*(x\_))^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] + (Dist[(c^2\*(m + 2\*p + 3))/(f^2\*(m + 1))



), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

### Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_]/((d\_.) + (e\_.)\*(x\_)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

### Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^n\_]\*((f\_.) + (g\_.)\*(x\_))^(m\_.), x\_Symbol] := -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n])/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

### Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\* (F\_) [v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_.)*(x_)^(m_.)/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Simp[(-
2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_.))))^n_.], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^2 (d - c^2 dx^2)} dx &= -\frac{(a + b \sin^{-1}(cx))^2}{dx} + c^2 \int \frac{(a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx + \frac{(2bc) \int \frac{a + b \sin^{-1}(cx)}{x \sqrt{1 - c^2 x^2}} dx}{d} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dx} + \frac{c \operatorname{Subst}\left(\int (a + bx)^2 \sec(x) dx, x, \sin^{-1}(cx)\right)}{d} + \frac{(2bc) \operatorname{Subst}\left(\int (a + bx) dx, x, \sin^{-1}(cx)\right)}{d} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dx} - \frac{2ic(a + b \sin^{-1}(cx))^2 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{d} - \frac{4bc(a + b \sin^{-1}(cx)) \tanh^{-1}(cx)}{d} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dx} - \frac{2ic(a + b \sin^{-1}(cx))^2 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{d} - \frac{4bc(a + b \sin^{-1}(cx)) \tanh^{-1}(cx)}{d} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dx} - \frac{2ic(a + b \sin^{-1}(cx))^2 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{d} - \frac{4bc(a + b \sin^{-1}(cx)) \tanh^{-1}(cx)}{d} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dx} - \frac{2ic(a + b \sin^{-1}(cx))^2 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{d} - \frac{4bc(a + b \sin^{-1}(cx)) \tanh^{-1}(cx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.714095, size = 391, normalized size = 1.64

$$4abc \left( -i \operatorname{PolyLog} \left( 2, -ie^{i \sin^{-1}(cx)} \right) + i \operatorname{PolyLog} \left( 2, ie^{i \sin^{-1}(cx)} \right) + \frac{\sin^{-1}(cx)}{cx} + \sin^{-1}(cx) \left( -\log \left( 1 - ie^{i \sin^{-1}(cx)} \right) \right) \right) + \sin^{-1}(cx)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^2\*(d - c^2\*d\*x^2)), x]

[Out]  $-\left(\frac{2a^2}{x} + a^2c \operatorname{Log}[1 - cx] - a^2c \operatorname{Log}[1 + cx] + 4ab^2c \left( \operatorname{ArcSin}[cx] \operatorname{Log}[1 - E^{i \operatorname{ArcSin}[cx]}] + \operatorname{ArcSin}[cx] \operatorname{Log}[1 + E^{i \operatorname{ArcSin}[cx]}] + \operatorname{Log}[\operatorname{Cos}[\operatorname{ArcSin}[cx]/2]] - \operatorname{Log}[\operatorname{Sin}[\operatorname{ArcSin}[cx]/2]] - I \operatorname{PolyLog}[2, (-I)E^{i \operatorname{ArcSin}[cx]}] + I \operatorname{PolyLog}[2, IE^{i \operatorname{ArcSin}[cx]}] \right) + 2b^2c \left( \operatorname{ArcSin}[cx]^2/(cx) - 2 \operatorname{ArcSin}[cx] \operatorname{Log}[1 - E^{i \operatorname{ArcSin}[cx]}] - \operatorname{ArcSin}[cx]^2 \operatorname{Log}[1 - E^{i \operatorname{ArcSin}[cx]}] + \operatorname{ArcSin}[cx]^2 \operatorname{Log}[1 + E^{i \operatorname{ArcSin}[cx]}] + 2 \operatorname{ArcSin}[cx] \operatorname{Log}[1 + E^{i \operatorname{ArcSin}[cx]}] - (2I) \operatorname{PolyLog}[2, -E^{i \operatorname{ArcSin}[cx]}] - (2I) \operatorname{ArcSin}[cx] \operatorname{PolyLog}[2, (-I)E^{i \operatorname{ArcSin}[cx]}] + (2I) \operatorname{ArcSin}[cx] \operatorname{PolyLog}[2, IE^{i \operatorname{ArcSin}[cx]}] + (2I) \operatorname{PolyLog}[2, E^{i \operatorname{ArcSin}[cx]}] + 2 \operatorname{PolyLog}[3, (-I)E^{i \operatorname{ArcSin}[cx]}] - 2 \operatorname{PolyLog}[3, IE^{i \operatorname{ArcSin}[cx]}] \right) \right) / (2d)$

**Maple [A]** time = 0.21, size = 575, normalized size = 2.4

$$-\frac{ca^2 \ln(cx-1)}{2d} + \frac{ca^2 \ln(cx+1)}{2d} - \frac{a^2}{dx} - \frac{b^2 (\arcsin(cx))^2}{dx} - \frac{2icab}{d} \operatorname{dilog} \left( 1 - i \left( icx + \sqrt{-c^2x^2 + 1} \right) \right) - 2 \frac{cb^2 \arcsin(cx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/x^2/(-c^2\*d\*x^2+d), x)

[Out]  $-1/2ca^2/d \ln(cx-1) + 1/2ca^2/d \ln(cx+1) - a^2/dx - b^2/dx \arcsin(cx)^2 - 2Icab/d \operatorname{dilog}(1 - I(Icx + (-c^2x^2+1)^{1/2})) - 2cb^2/d \arcsin(cx) \ln(1 + I(Icx + (-c^2x^2+1)^{1/2})) + 2Icb^2/d \operatorname{dilog}(I(Icx + (-c^2x^2+1)^{1/2})) - c/d * b^2 \arcsin(cx)^2 \ln(1 + I(Icx + (-c^2x^2+1)^{1/2})) - 2Ic/d * b^2 \arcsin(cx) * \operatorname{polylog}(2, I(Icx + (-c^2x^2+1)^{1/2})) - 2b^2c * \operatorname{polylog}(3, -I(Icx + (-c^2x^2+1)^{1/2})) / d + c/d * b^2 \arcsin(cx)^2 \ln(1 - I(Icx + (-c^2x^2+1)^{1/2})) + 2Icb^2/d \operatorname{dilog}(1 + I(Icx + (-c^2x^2+1)^{1/2})) + 2b^2c * \operatorname{polylog}(3, I(Icx + (-c^2x^2+1)^{1/2})) / d - 2a^2/d \arcsin(cx) / x + 2ca^2/d \arcsin(cx) \ln(1 - I(Icx + (-c^2x^2+1)^{1/2})) - 2ca^2/d \arcsin(cx) \ln(1 + I(Icx + (-c^2x^2+1)^{1/2})) + 2ca^2/d \ln(Icx + (-c^2x^2+1)^{1/2}) - 1 - 2ca^2/d \ln(1 + I(Icx + (-c^2x^2+1)^{1/2})) + 2Icab/d \operatorname{dilog}(1 + I(Icx + (-c^2x^2+1)^{1/2})) + 2Ic/d * b^2$

$2*\arcsin(c*x)*\text{polylog}(2,-I*(I*c*x+(-c^2*x^2+1)^(1/2)))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} a^2 \left( \frac{c \log(cx+1)}{d} - \frac{c \log(cx-1)}{d} - \frac{2}{dx} \right) + \frac{b^2 cx \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)^2 \log(cx+1) - b^2 cx \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^2/(-c^2\*d\*x^2+d),x, algorithm="maxima")

[Out]  $\frac{1}{2} a^2 \left( \frac{c \log(cx+1)}{d} - \frac{c \log(cx-1)}{d} - \frac{2}{d*x} \right) + \frac{1}{2} (b^2 c x \arctan^2(cx, \sqrt{cx+1}\sqrt{-cx+1}) \log(cx+1) - b^2 c x \arctan^2(cx, \sqrt{cx+1}\sqrt{-cx+1}) \log(-cx+1) - 2 b^2 \arctan^2(cx, \sqrt{cx+1}\sqrt{-cx+1})^2 + 2 d x \int \frac{-(2 a b \arctan^2(cx, \sqrt{cx+1}\sqrt{-cx+1}) - (b^2 c^2 x^2 \arctan^2(cx, \sqrt{cx+1}\sqrt{-cx+1})) \log(cx+1) - b^2 c^2 x^2 \arctan^2(cx, \sqrt{cx+1}\sqrt{-cx+1})) \log(-cx+1) - 2 b^2 c x \arctan^2(cx, \sqrt{cx+1}\sqrt{-cx+1})}{c^2 d x^4 - d x^2} dx}{d x}$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b^2 \arcsin(cx)^2 + 2 ab \arcsin(cx) + a^2}{c^2 dx^4 - dx^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^2/(-c^2\*d\*x^2+d),x, algorithm="fricas")

[Out]  $\text{integral}\left(-\frac{b^2 \arcsin(cx)^2 + 2 a b \arcsin(cx) + a^2}{c^2 d x^4 - d x^2}, x\right)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2}{c^2 x^4 - x^2} dx + \int \frac{b^2 \arcsin^2(cx)}{c^2 x^4 - x^2} dx + \int \frac{2 ab \arcsin(cx)}{c^2 x^4 - x^2} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))**2/x**2/(-c**2*d*x**2+d),x)
```

```
[Out] -(Integral(a**2/(c**2*x**4 - x**2), x) + Integral(b**2*asin(c*x)**2/(c**2*x**4 - x**2), x) + Integral(2*a*b*asin(c*x)/(c**2*x**4 - x**2), x))/d
```

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/x^2/(-c^2*d*x^2+d),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.190 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^3(d-c^2dx^2)} dx$$

**Optimal.** Leaf size=210

$$\frac{ibc^2 \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d} - \frac{ibc^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d} - \frac{b^2 c^2 \text{PolyLog}\left(3, -e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{2d}$$

[Out]  $-\left(\frac{b c \sqrt{1-c^2 x^2} (a+b \text{ArcSin}[c x])}{d x} - (a+b \text{ArcSin}[c x])^2 / (2 d x^2) - (2 c^2 (a+b \text{ArcSin}[c x])^2 \text{ArcTanh}[E^{((2 I) \text{ArcSin}[c x])}] / d + (b^2 c^2 \text{Log}[x]) / d + (I b c^2 (a+b \text{ArcSin}[c x]) \text{PolyLog}[2, -E^{((2 I) \text{ArcSin}[c x])}] / d - (I b c^2 (a+b \text{ArcSin}[c x]) \text{PolyLog}[2, E^{((2 I) \text{ArcSin}[c x])}] / d - (b^2 c^2 \text{PolyLog}[3, -E^{((2 I) \text{ArcSin}[c x])}] / (2 d) + (b^2 c^2 \text{PolyLog}[3, E^{((2 I) \text{ArcSin}[c x])}] / (2 d))\right)$

**Rubi [A]** time = 0.382664, antiderivative size = 210, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4701, 4679, 4419, 4183, 2531, 2282, 6589, 4681, 29}

$$\frac{ibc^2 \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d} - \frac{ibc^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d} - \frac{b^2 c^2 \text{PolyLog}\left(3, -e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a+b \text{ArcSin}[c x])^2 / (x^3 (d-c^2 d x^2)), x]$

[Out]  $-\left(\frac{b c \sqrt{1-c^2 x^2} (a+b \text{ArcSin}[c x])}{d x} - (a+b \text{ArcSin}[c x])^2 / (2 d x^2) - (2 c^2 (a+b \text{ArcSin}[c x])^2 \text{ArcTanh}[E^{((2 I) \text{ArcSin}[c x])}] / d + (b^2 c^2 \text{Log}[x]) / d + (I b c^2 (a+b \text{ArcSin}[c x]) \text{PolyLog}[2, -E^{((2 I) \text{ArcSin}[c x])}] / d - (I b c^2 (a+b \text{ArcSin}[c x]) \text{PolyLog}[2, E^{((2 I) \text{ArcSin}[c x])}] / d - (b^2 c^2 \text{PolyLog}[3, -E^{((2 I) \text{ArcSin}[c x])}] / (2 d) + (b^2 c^2 \text{PolyLog}[3, E^{((2 I) \text{ArcSin}[c x])}] / (2 d))\right)$

### Rule 4701

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)(x_.)](b_.)]^{(n_.)}((f_.)(x_.))^{(m_.)}((d_.) + (e_.)(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(f x)^{(m+1)}(d+e x^2)^{(p+1)}(a+b \text{ArcSin}[c x])^n / (d f (m+1)), x] + (\text{Dist}[(c^2(m+2)p+3)] / (f^2(m+1)), \text{Int}[(f x)^{(m+2)}(d+e x^2)^p (a+b \text{ArcSin}[c x])^n, x], x] - \text{Dist}[(b c n d \text{IntPart}[p] (d+e x^2)^{\text{FracPart}[p]}] / (f (m+1) (1-c^2 x^2)^{\text{FracPart}[p]}])$

[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

### Rule 4679

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/((x\_)\*((d\_.) + (e\_.)\*(x\_)^2)), x\_Symbol] := Dist[1/d, Subst[Int[(a + b\*x)^n/(Cos[x]\*Sin[x]), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4419

Int[Csc[(a\_.) + (b\_.)\*(x\_)]^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sec[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Dist[2^n, Int[(c + d\*x)^m\*Csc[2\*a + 2\*b\*x]^n, x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]

### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(n\_.)]\*((f\_.) + (g\_.)\*(x\_))^(m\_.), x\_Symbol] := -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n])/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

### Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\* (F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d

, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 4681

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] && NeQ[m, -1]

### Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sin^{-1}(cx))^2}{x^3 (d - c^2 dx^2)} dx &= -\frac{(a + b \sin^{-1}(cx))^2}{2dx^2} + c^2 \int \frac{(a + b \sin^{-1}(cx))^2}{x (d - c^2 dx^2)} dx + \frac{(bc) \int \frac{a + b \sin^{-1}(cx)}{x^2 \sqrt{1 - c^2 x^2}} dx}{d} \\
 &= -\frac{bc \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{dx} - \frac{(a + b \sin^{-1}(cx))^2}{2dx^2} + \frac{c^2 \text{Subst} \left( \int (a + bx)^2 \csc(x) \sec(x) dx, \right)}{d} \\
 &= -\frac{bc \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{dx} - \frac{(a + b \sin^{-1}(cx))^2}{2dx^2} + \frac{b^2 c^2 \log(x)}{d} + \frac{(2c^2) \text{Subst} \left( \int (a + bx)^2 \csc(x) \sec(x) dx, \right)}{d} \\
 &= -\frac{bc \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{dx} - \frac{(a + b \sin^{-1}(cx))^2}{2dx^2} - \frac{2c^2 (a + b \sin^{-1}(cx))^2 \tanh^{-1} \left( e^{2i \sin^{-1}(cx)} \right)}{d} \\
 &= -\frac{bc \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{dx} - \frac{(a + b \sin^{-1}(cx))^2}{2dx^2} - \frac{2c^2 (a + b \sin^{-1}(cx))^2 \tanh^{-1} \left( e^{2i \sin^{-1}(cx)} \right)}{d} \\
 &= -\frac{bc \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{dx} - \frac{(a + b \sin^{-1}(cx))^2}{2dx^2} - \frac{2c^2 (a + b \sin^{-1}(cx))^2 \tanh^{-1} \left( e^{2i \sin^{-1}(cx)} \right)}{d} \\
 &= -\frac{bc \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{dx} - \frac{(a + b \sin^{-1}(cx))^2}{2dx^2} - \frac{2c^2 (a + b \sin^{-1}(cx))^2 \tanh^{-1} \left( e^{2i \sin^{-1}(cx)} \right)}{d}
 \end{aligned}$$

**Mathematica [A]** time = 1.19558, size = 353, normalized size = 1.68

$$2abc^2 \left( -i \text{PolyLog} \left( 2, -e^{2i \sin^{-1}(cx)} \right) + i \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + \frac{\sqrt{1 - c^2 x^2}}{cx} + \frac{\sin^{-1}(cx)}{c^2 x^2} - 2 \sin^{-1}(cx) \log \left( 1 - e^{2i \sin^{-1}(cx)} \right) + \dots \right)$$



Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^3\*(d - c^2\*d\*x^2)),x]

[Out]  $-(a^2/x^2 - 2*a^2*c^2*\text{Log}[x] + a^2*c^2*\text{Log}[1 - c^2*x^2] + 2*a*b*c^2*(\text{Sqrt}[1 - c^2*x^2]/(c*x) + \text{ArcSin}[c*x]/(c^2*x^2) - 2*\text{ArcSin}[c*x]*\text{Log}[1 - E^{((2*I)*\text{ArcSin}[c*x])}] + 2*\text{ArcSin}[c*x]*\text{Log}[1 + E^{((2*I)*\text{ArcSin}[c*x])}] - I*\text{PolyLog}[2, -E^{((2*I)*\text{ArcSin}[c*x])}] + I*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}] + 2*b^2*c^2*((I/24)*\text{Pi}^3 + (\text{Sqrt}[1 - c^2*x^2]*\text{ArcSin}[c*x])/(c*x) + \text{ArcSin}[c*x]^2/(2*c^2*x^2) - ((2*I)/3)*\text{ArcSin}[c*x]^3 - \text{ArcSin}[c*x]^2*\text{Log}[1 - E^{((-2*I)*\text{ArcSin}[c*x])}] + \text{ArcSin}[c*x]^2*\text{Log}[1 + E^{((2*I)*\text{ArcSin}[c*x])}] - \text{Log}[c*x] - I*\text{ArcSin}[c*x]*\text{PolyLog}[2, E^{((-2*I)*\text{ArcSin}[c*x])}] - I*\text{ArcSin}[c*x]*\text{PolyLog}[2, -E^{((2*I)*\text{ArcSin}[c*x])}] - \text{PolyLog}[3, E^{((-2*I)*\text{ArcSin}[c*x])}]/2 + \text{PolyLog}[3, -E^{((2*I)*\text{ArcSin}[c*x])}]/2))/(2*d)$

---

**Maple [B]** time = 0.262, size = 793, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/x^3/(-c^2\*d\*x^2+d),x)

[Out]  $2*c^2*a*b/d*\text{arcsin}(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})+I*c^2*b^2/d*\text{arcsin}(c*x)*\text{polylog}(2,-(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)-c*a*b/d/x*(-c^2*x^2+1)^{(1/2)}+2*c^2*a*b/d*\text{arcsin}(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})-c*b^2/d*\text{arcsin}(c*x)/x*(-c^2*x^2+1)^{(1/2)}-2*I*c^2*b^2/d*\text{arcsin}(c*x)*\text{polylog}(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})-2*I*c^2*a*b/d*\text{polylog}(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})-2*I*c^2*a*b/d*\text{polylog}(2,I*c*x+(-c^2*x^2+1)^{(1/2)})-2*I*c^2*a*b/d*\text{polylog}(2,-I*c*x+(-c^2*x^2+1)^{(1/2)})-2*c^2*a*b/d*\text{arcsin}(c*x)*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)+I*c^2*a*b/d*\text{polylog}(2,-(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)+c^2*a^2/d*\ln(c*x)+2*c^2*b^2/d*\text{polylog}(3,-I*c*x-(-c^2*x^2+1)^{(1/2)})+2*c^2*b^2/d*\text{polylog}(3,I*c*x+(-c^2*x^2+1)^{(1/2)})-1/2*c^2*a^2/d*\ln(c*x+1)+c^2*b^2/d*\ln(I*c*x+(-c^2*x^2+1)^{(1/2)})-1)+c^2*b^2/d*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-2*c^2*b^2/d*\ln(I*c*x+(-c^2*x^2+1)^{(1/2)})-1/2*c^2*a^2/d*\ln(c*x-1)-1/2*b^2/d*\text{arcsin}(c*x)^2/x^2-1/2*a^2/d/x^2+c^2*b^2/d*\text{arcsin}(c*x)^2*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})+c^2*b^2/d*\text{arcsin}(c*x)^2*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})-c^2*b^2/d*\text{arcsin}(c*x)^2*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)+I*c^2*b^2/d*\text{arcsin}(c*x)-1/2*b^2*c^2*\text{polylog}(3,-(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)/d+I*c^2*a*b/d-a*b/d*\text{arcsin}(c*x)/x^2$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2} \left( \frac{c^2 \log(cx+1)}{d} + \frac{c^2 \log(cx-1)}{d} - \frac{2c^2 \log(x)}{d} + \frac{1}{dx^2} \right) a^2 - \int \frac{b^2 \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)^2 + 2ab \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)}{c^2 dx^5 - dx^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^3/(-c^2\*d\*x^2+d),x, algorithm="maxima")

[Out] -1/2\*(c^2\*log(c\*x + 1)/d + c^2\*log(c\*x - 1)/d - 2\*c^2\*log(x)/d + 1/(d\*x^2))  
\*a^2 - integrate((b^2\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1))^2 + 2\*a\*b\*  
arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1))/(c^2\*d\*x^5 - d\*x^3), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}{c^2 dx^5 - dx^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^3/(-c^2\*d\*x^2+d),x, algorithm="fricas")

[Out] integral(-(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/(c^2\*d\*x^5 - d\*x^3), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2}{c^2 x^5 - x^3} dx + \int \frac{b^2 \operatorname{asin}^2(cx)}{c^2 x^5 - x^3} dx + \int \frac{2ab \operatorname{asin}(cx)}{c^2 x^5 - x^3} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x\*\*3/(-c\*\*2\*d\*x\*\*2+d),x)

[Out] -(Integral(a\*\*2/(c\*\*2\*x\*\*5 - x\*\*3), x) + Integral(b\*\*2\*asin(c\*x)\*\*2/(c\*\*2\*x\*\*5 - x\*\*3), x) + Integral(2\*a\*b\*asin(c\*x)/(c\*\*2\*x\*\*5 - x\*\*3), x))/d

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \arcsin(cx) + a)^2}{(c^2 dx^2 - d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/x^3/(-c^2*d*x^2+d),x, algorithm="giac")
```

```
[Out] integrate(-(b*arcsin(c*x) + a)^2/((c^2*d*x^2 - d)*x^3), x)
```

$$3.191 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^4(d-c^2dx^2)} dx$$

**Optimal.** Leaf size=333

$$\frac{2ibc^3 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d} - \frac{2ibc^3 \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d} + \frac{7ib^2c^3 \text{PolyLog}\left(2, -\right)}{3d}$$

[Out]  $-(b^2c^2)/(3dx) - (bc\sqrt{1-c^2x^2}(a+b\text{ArcSin}[c*x]))/(3dx^2) - (a+b\text{ArcSin}[c*x])^2/(3dx^3) - (c^2(a+b\text{ArcSin}[c*x])^2)/(dx) - ((2*I)*c^3(a+b\text{ArcSin}[c*x])^2\text{ArcTan}[E^{(I*\text{ArcSin}[c*x])}])/d - (14*b*c^3(a+b\text{ArcSin}[c*x])*\text{ArcTanh}[E^{(I*\text{ArcSin}[c*x])}])/(3d) + (((7*I)/3)*b^2*c^3*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}])/d + ((2*I)*b*c^3(a+b\text{ArcSin}[c*x])*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[c*x])}])/d - ((2*I)*b*c^3(a+b\text{ArcSin}[c*x])*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}])/d - (((7*I)/3)*b^2*c^3*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}])/d - (2*b^2*c^3*\text{PolyLog}[3, (-I)*E^{(I*\text{ArcSin}[c*x])}])/d + (2*b^2*c^3*\text{PolyLog}[3, I*E^{(I*\text{ArcSin}[c*x])}])/d$

**Rubi [A]** time = 0.654227, antiderivative size = 333, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 11, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.407$ , Rules used = {4701, 4657, 4181, 2531, 2282, 6589, 4709, 4183, 2279, 2391, 30}

$$\frac{2ibc^3 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d} - \frac{2ibc^3 \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d} + \frac{7ib^2c^3 \text{PolyLog}\left(2, -\right)}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a+b\text{ArcSin}[c*x])^2/(x^4(d-c^2dx^2)),x]$

[Out]  $-(b^2c^2)/(3dx) - (bc\sqrt{1-c^2x^2}(a+b\text{ArcSin}[c*x]))/(3dx^2) - (a+b\text{ArcSin}[c*x])^2/(3dx^3) - (c^2(a+b\text{ArcSin}[c*x])^2)/(dx) - ((2*I)*c^3(a+b\text{ArcSin}[c*x])^2\text{ArcTan}[E^{(I*\text{ArcSin}[c*x])}])/d - (14*b*c^3(a+b\text{ArcSin}[c*x])*\text{ArcTanh}[E^{(I*\text{ArcSin}[c*x])}])/(3d) + (((7*I)/3)*b^2*c^3*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}])/d + ((2*I)*b*c^3(a+b\text{ArcSin}[c*x])*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[c*x])}])/d - ((2*I)*b*c^3(a+b\text{ArcSin}[c*x])*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}])/d - (((7*I)/3)*b^2*c^3*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}])/d - (2*b^2*c^3*\text{PolyLog}[3, (-I)*E^{(I*\text{ArcSin}[c*x])}])/d + (2*b^2*c^3*\text{PolyLog}[3, I*E^{(I*\text{ArcSin}[c*x])}])/d$

**Rule 4701**

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)
)*(x_)^2)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b
*ArcSin[c*x])^n)/(d*f*(m + 1)), x] + (Dist[(c^2*(m + 2*p + 3))/(f^2*(m + 1)
), Int[(f*x)^(m + 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*
c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart
[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[m, -1] && IntegerQ[m]

```

### Rule 4657

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_)^2), x_Symbol]
:= Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /;
FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]

```

### Rule 4181

```

Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol]
:= Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Dist
[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

```

### Rule 2531

```

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]), x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]

```

### Rule 2282

```

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

```

### Rule 6589

```

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.))]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]

```

Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_.)*(x_)^(m_)]/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 30

```
Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^4 (d - c^2 dx^2)} dx &= -\frac{(a + b \sin^{-1}(cx))^2}{3dx^3} + c^2 \int \frac{(a + b \sin^{-1}(cx))^2}{x^2 (d - c^2 dx^2)} dx + \frac{(2bc) \int \frac{a+b \sin^{-1}(cx)}{x^3 \sqrt{1-c^2 x^2}} dx}{3d} \\
&= -\frac{bc\sqrt{1-c^2 x^2} (a + b \sin^{-1}(cx))}{3dx^2} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3} - \frac{c^2 (a + b \sin^{-1}(cx))^2}{dx} + c^4 \int \frac{(a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx \\
&= -\frac{b^2 c^2}{3dx} - \frac{bc\sqrt{1-c^2 x^2} (a + b \sin^{-1}(cx))}{3dx^2} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3} - \frac{c^2 (a + b \sin^{-1}(cx))^2}{dx} + \frac{2ic^3 (a + b \sin^{-1}(cx))}{3d} \\
&= -\frac{b^2 c^2}{3dx} - \frac{bc\sqrt{1-c^2 x^2} (a + b \sin^{-1}(cx))}{3dx^2} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3} - \frac{c^2 (a + b \sin^{-1}(cx))^2}{dx} - \frac{2ic^3 (a + b \sin^{-1}(cx))}{3d} \\
&= -\frac{b^2 c^2}{3dx} - \frac{bc\sqrt{1-c^2 x^2} (a + b \sin^{-1}(cx))}{3dx^2} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3} - \frac{c^2 (a + b \sin^{-1}(cx))^2}{dx} - \frac{2ic^3 (a + b \sin^{-1}(cx))}{3d} \\
&= -\frac{b^2 c^2}{3dx} - \frac{bc\sqrt{1-c^2 x^2} (a + b \sin^{-1}(cx))}{3dx^2} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3} - \frac{c^2 (a + b \sin^{-1}(cx))^2}{dx} - \frac{2ic^3 (a + b \sin^{-1}(cx))}{3d} \\
&= -\frac{b^2 c^2}{3dx} - \frac{bc\sqrt{1-c^2 x^2} (a + b \sin^{-1}(cx))}{3dx^2} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3} - \frac{c^2 (a + b \sin^{-1}(cx))^2}{dx} - \frac{2ic^3 (a + b \sin^{-1}(cx))}{3d}
\end{aligned}$$

**Mathematica [B]** time = 7.8188, size = 849, normalized size = 2.55

$$-\frac{a^2 \log(1 - cx)c^3}{2d} + \frac{a^2 \log(cx + 1)c^3}{2d} - \frac{b^2 \left( \frac{1}{2} cx \sin^{-1}(cx)^2 \csc^4 \left( \frac{1}{2} \sin^{-1}(cx) \right) + 2 \sin^{-1}(cx) \csc^2 \left( \frac{1}{2} \sin^{-1}(cx) \right) + \frac{8 \sin^{-1}(cx)}{d} \right)}{2d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^4\*(d - c^2\*d\*x^2)),x]

[Out]  $-a^2/(3*d*x^3) - (a^2*c^2)/(d*x) - (a^2*c^3*Log[1 - c*x])/(2*d) + (a^2*c^3*Log[1 + c*x])/(2*d) - (2*a*b*(-(c^2*(-(ArcSin[c*x]/x) - c*ArcTanh[Sqrt[1 - c^2*x^2]])) + (c*x*Sqrt[1 - c^2*x^2] + 2*ArcSin[c*x] + c^3*x^3*ArcTanh[Sqrt[1 - c^2*x^2]])/(6*x^3) + (c^4*(((3*I)/2)*Pi*ArcSin[c*x])/c - ((I/2)*ArcSin[c*x]^2)/c + (2*Pi*Log[1 + E^((-I)*ArcSin[c*x])])/c - (Pi*Log[1 + I*E^(I*ArcSin[c*x])])/c + (2*ArcSin[c*x]*Log[1 + I*E^(I*ArcSin[c*x])])/c - (2*Pi*Log[Cos[ArcSin[c*x]/2]])/c + (Pi*Log[-Cos[(Pi + 2*ArcSin[c*x])/4]])/c - ((2*I)*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/c)/2 - (c^4*(((I/2)*Pi*ArcSin[c*x])/c - ((I/2)*ArcSin[c*x]^2)/c + (2*Pi*Log[1 + E^((-I)*ArcSin[c*x])])/c + (Pi*Log[1 - I*E^(I*ArcSin[c*x])])/c + (2*ArcSin[c*x]*Log[1 - I*E^(I*ArcSin[c*x])])/c - (2*Pi*Log[Cos[ArcSin[c*x]/2]])/c - (Pi*Log[Sin[(Pi + 2*ArcSin[c*x])$

```

/4]])/c - ((2*I)*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c))/2))/d - (b^2*c^3*(4*
Cot[ArcSin[c*x]/2] + 14*ArcSin[c*x]^2*Cot[ArcSin[c*x]/2] + 2*ArcSin[c*x]*Csc
[ArcSin[c*x]/2]^2 + (c*x*ArcSin[c*x]^2*Csc[ArcSin[c*x]/2]^4)/2 - 56*ArcSin[
c*x]*Log[1 - E^(I*ArcSin[c*x])] - 24*ArcSin[c*x]^2*Log[1 - I*E^(I*ArcSin[c*
x])] + 24*ArcSin[c*x]^2*Log[1 + I*E^(I*ArcSin[c*x])] + 56*ArcSin[c*x]*Log[1
+ E^(I*ArcSin[c*x])] - (56*I)*PolyLog[2, -E^(I*ArcSin[c*x])] - (48*I)*ArcS
in[c*x]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] + (48*I)*ArcSin[c*x]*PolyLog[2,
I*E^(I*ArcSin[c*x])] + (56*I)*PolyLog[2, E^(I*ArcSin[c*x])] + 48*PolyLog[3,
(-I)*E^(I*ArcSin[c*x])] - 48*PolyLog[3, I*E^(I*ArcSin[c*x])] - 2*ArcSin[c*
x]*Sec[ArcSin[c*x]/2]^2 + (8*ArcSin[c*x]^2*Sin[ArcSin[c*x]/2]^4)/(c^3*x^3)
+ 4*Tan[ArcSin[c*x]/2] + 14*ArcSin[c*x]^2*Tan[ArcSin[c*x]/2]))/(24*d)

```

**Maple [A]** time = 0.312, size = 725, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/x^4/(-c^2*d*x^2+d),x)
```

```

[Out] -1/3*b^2*c^2/d/x-1/3*a^2/d/x^3-c^2*a^2/d/x-1/2*c^3*a^2/d*ln(c*x-1)+1/2*c^3*
a^2/d*ln(c*x+1)-1/3*b^2/d/x^3*arcsin(c*x)^2+7/3*c^3*a*b/d*ln(I*c*x+(-c^2*x^
2+1)^(1/2))-1-2*b^2*c^3*polylog(3,-I*(I*c*x+(-c^2*x^2+1)^(1/2)))/d+2*b^2*c^
3*polylog(3,I*(I*c*x+(-c^2*x^2+1)^(1/2)))/d-7/3*c^3*a*b/d*ln(1+I*c*x+(-c^2*
x^2+1)^(1/2))-7/3*c^3*b^2/d*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-c^3/
d*b^2*arcsin(c*x)^2*ln(1+I*(I*c*x+(-c^2*x^2+1)^(1/2)))+c^3/d*b^2*arcsin(c*x
)^2*ln(1-I*(I*c*x+(-c^2*x^2+1)^(1/2)))-c^2*b^2/d/x*arcsin(c*x)^2-2/3*a*b/d*
arcsin(c*x)/x^3+7/3*I*c^3*b^2/d*dilog(I*c*x+(-c^2*x^2+1)^(1/2))+7/3*I*c^3*b
^2/d*dilog(1+I*c*x+(-c^2*x^2+1)^(1/2))-1/3*c*a*b/d/x^2*(-c^2*x^2+1)^(1/2)-2
*c^3*a*b/d*arcsin(c*x)*ln(1+I*(I*c*x+(-c^2*x^2+1)^(1/2)))+2*c^3*a*b/d*arcsi
n(c*x)*ln(1-I*(I*c*x+(-c^2*x^2+1)^(1/2)))-2*c^2*a*b/d*arcsin(c*x)/x-1/3*c*b
^2/d/x^2*arcsin(c*x)*(-c^2*x^2+1)^(1/2)+2*I*c^3*a*b/d*dilog(1+I*(I*c*x+(-c^
2*x^2+1)^(1/2)))-2*I*c^3*a*b/d*dilog(1-I*(I*c*x+(-c^2*x^2+1)^(1/2)))-2*I*c^
3/d*b^2*arcsin(c*x)*polylog(2,I*(I*c*x+(-c^2*x^2+1)^(1/2)))+2*I*c^3/d*b^2*a
rcsin(c*x)*polylog(2,-I*(I*c*x+(-c^2*x^2+1)^(1/2)))

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{6} \left( \frac{3c^3 \log(cx+1)}{d} - \frac{3c^3 \log(cx-1)}{d} - \frac{2(3c^2x^2+1)}{dx^3} \right) a^2 + \frac{3b^2c^3x^3 \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)^2 \log(cx+1) - 3b^2c^3}{d}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d),x, algorithm="maxima")

[Out]  $\frac{1}{6}*(3*c^3*\log(c*x + 1)/d - 3*c^3*\log(c*x - 1)/d - 2*(3*c^2*x^2 + 1)/(d*x^3)) * a^2 + \frac{1}{6}*(3*b^2*c^3*x^3*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})^2 * \log(c*x + 1) - 3*b^2*c^3*x^3*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})^2 * \log(-c*x + 1) + 6*d*x^3*\int (-1/3*(6*a*b*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) - (3*b^2*c^4*x^4*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})*\log(c*x + 1) - 3*b^2*c^4*x^4*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})*\log(-c*x + 1) - 2*(3*b^2*c^3*x^3 + b^2*c*x)*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})) * \sqrt{c*x + 1} * \sqrt{-c*x + 1}) / (c^2*d*x^6 - d*x^4), x) - 2*(3*b^2*c^2*x^2 + b^2)*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})^2 / (d*x^3)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\int \left( -\frac{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}{c^2 dx^6 - dx^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d),x, algorithm="fricas")

[Out] integral(-(b^2\*arcsin(c\*x))^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/(c^2\*d\*x^6 - d\*x^4), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2}{c^2 x^6 - x^4} dx + \int \frac{b^2 \operatorname{asin}^2(cx)}{c^2 x^6 - x^4} dx + \int \frac{2ab \operatorname{asin}(cx)}{c^2 x^6 - x^4} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x\*\*4/(-c\*\*2\*d\*x\*\*2+d),x)

[Out] -(Integral(a\*\*2/(c\*\*2\*x\*\*6 - x\*\*4), x) + Integral(b\*\*2\*asin(c\*x)\*\*2/(c\*\*2\*x\*\*6 - x\*\*4), x) + Integral(2\*a\*b\*asin(c\*x)/(c\*\*2\*x\*\*6 - x\*\*4), x))/d

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \arcsin(cx) + a)^2}{(c^2 dx^2 - d)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/x^4/(-c^2*d*x^2+d),x, algorithm="giac")
```

```
[Out] integrate(-(b*arcsin(c*x) + a)^2/((c^2*d*x^2 - d)*x^4), x)
```

$$3.192 \quad \int \frac{x^4 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^2} dx$$

**Optimal.** Leaf size=300

$$\frac{3ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{c^5 d^2} + \frac{3ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{c^5 d^2} + \frac{3b^2 \operatorname{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{c^5 d^2}$$

[Out]  $(-2*b^2*x)/(c^4*d^2) - (b*(a + b*\operatorname{ArcSin}[c*x]))/(c^5*d^2*\sqrt{1 - c^2*x^2})$   
 $+ (2*b*\sqrt{1 - c^2*x^2}*(a + b*\operatorname{ArcSin}[c*x]))/(c^5*d^2) + (3*x*(a + b*\operatorname{ArcSin}[c*x])^2)/(2*c^4*d^2)$   
 $+ (x^3*(a + b*\operatorname{ArcSin}[c*x])^2)/(2*c^2*d^2*(1 - c^2*x^2)) + ((3*I)*(a + b*\operatorname{ArcSin}[c*x])^2*\operatorname{ArcTan}[E^{(I*\operatorname{ArcSin}[c*x])}])/(c^5*d^2)$   
 $+ (b^2*\operatorname{ArcTanh}[c*x])/(c^5*d^2) - ((3*I)*b*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^5*d^2)$   
 $+ ((3*I)*b*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^5*d^2)$   
 $+ (3*b^2*\operatorname{PolyLog}[3, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^5*d^2) - (3*b^2*\operatorname{PolyLog}[3, I*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^5*d^2)$

**Rubi [A]** time = 0.525494, antiderivative size = 300, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 14, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.518$ , Rules used = {4703, 4715, 4657, 4181, 2531, 2282, 6589, 4677, 8, 266, 43, 4689, 388, 208}

$$\frac{3ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{c^5 d^2} + \frac{3ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{c^5 d^2} + \frac{3b^2 \operatorname{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{c^5 d^2}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(x^4*(a + b*\operatorname{ArcSin}[c*x])^2)/(d - c^2*d*x^2)^2, x]$

[Out]  $(-2*b^2*x)/(c^4*d^2) - (b*(a + b*\operatorname{ArcSin}[c*x]))/(c^5*d^2*\sqrt{1 - c^2*x^2})$   
 $+ (2*b*\sqrt{1 - c^2*x^2}*(a + b*\operatorname{ArcSin}[c*x]))/(c^5*d^2) + (3*x*(a + b*\operatorname{ArcSin}[c*x])^2)/(2*c^4*d^2)$   
 $+ (x^3*(a + b*\operatorname{ArcSin}[c*x])^2)/(2*c^2*d^2*(1 - c^2*x^2)) + ((3*I)*(a + b*\operatorname{ArcSin}[c*x])^2*\operatorname{ArcTan}[E^{(I*\operatorname{ArcSin}[c*x])}])/(c^5*d^2)$   
 $+ (b^2*\operatorname{ArcTanh}[c*x])/(c^5*d^2) - ((3*I)*b*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^5*d^2)$   
 $+ ((3*I)*b*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^5*d^2)$   
 $+ (3*b^2*\operatorname{PolyLog}[3, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^5*d^2) - (3*b^2*\operatorname{PolyLog}[3, I*E^{(I*\operatorname{ArcSin}[c*x])}])/(c^5*d^2)$

**Rule 4703**

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)
)*(x_)^2)^(p_), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*(a +
b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + (-Dist[(f^2*(m - 1))/(2*e*(p + 1)),
Int[(f*x)^(m - 2)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[
(b*f*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^Fra
cPart[p]), Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[
n, 0] && LtQ[p, -1] && GtQ[m, 1]

```

### Rule 4715

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)
)*(x_)^2)^(p_), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*(a +
b*ArcSin[c*x])^n)/(e*(m + 2*p + 1)), x] + (Dist[(f^2*(m - 1))/(c^2*(m + 2*
p + 1)), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] + Di
st[(b*f*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(c*(m + 2*p + 1)*(1 - c^2*x
^2)^FracPart[p]), Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[
c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e,
0] && GtQ[n, 0] && GtQ[m, 1] && NeQ[m + 2*p + 1, 0] && IntegerQ[m]

```

### Rule 4657

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)/((d_) + (e_.)*(x_)^2), x_Symbol]
:= Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /;
FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]

```

### Rule 4181

```

Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:= Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

```

### Rule 2531

```

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]

```

### Rule 2282

```

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]

```

```
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*(F_)[v_]] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4677

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))^(n_)*(x_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

### Rule 4689

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))*(x_)^(m_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[x^m*(1 - c^2*x^2)^p, x]}, Dist[d^p*(a + b*ArcSin[c*x]), u, x] - Dist[b*c*d^p, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IntegerQ[p - 1/2] && (IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2*p + 3)/2, 0]) && NeQ[p, -
```

$2^{(-1)}$  && GtQ[d, 0]

### Rule 388

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*x\*(a + b\*x^n)^(p + 1))/(b\*(n\*(p + 1) + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(b\*(n\*(p + 1) + 1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{x^4 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^2} dx &= \frac{x^3 (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} - \frac{b \int \frac{x^3 (a + b \sin^{-1}(cx))}{(1 - c^2 x^2)^{3/2}} dx}{cd^2} - \frac{3 \int \frac{x^2 (a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx}{2c^2 d} \\ &= -\frac{b (a + b \sin^{-1}(cx))}{c^5 d^2 \sqrt{1 - c^2 x^2}} - \frac{b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^5 d^2} + \frac{3x (a + b \sin^{-1}(cx))^2}{2c^4 d^2} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} \\ &= \frac{b^2 x}{c^4 d^2} - \frac{b (a + b \sin^{-1}(cx))}{c^5 d^2 \sqrt{1 - c^2 x^2}} + \frac{2b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^5 d^2} + \frac{3x (a + b \sin^{-1}(cx))^2}{2c^4 d^2} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} \\ &= -\frac{2b^2 x}{c^4 d^2} - \frac{b (a + b \sin^{-1}(cx))}{c^5 d^2 \sqrt{1 - c^2 x^2}} + \frac{2b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^5 d^2} + \frac{3x (a + b \sin^{-1}(cx))^2}{2c^4 d^2} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} \\ &= -\frac{2b^2 x}{c^4 d^2} - \frac{b (a + b \sin^{-1}(cx))}{c^5 d^2 \sqrt{1 - c^2 x^2}} + \frac{2b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^5 d^2} + \frac{3x (a + b \sin^{-1}(cx))^2}{2c^4 d^2} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} \\ &= -\frac{2b^2 x}{c^4 d^2} - \frac{b (a + b \sin^{-1}(cx))}{c^5 d^2 \sqrt{1 - c^2 x^2}} + \frac{2b \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^5 d^2} + \frac{3x (a + b \sin^{-1}(cx))^2}{2c^4 d^2} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} \end{aligned}$$

**Mathematica [B]** time = 3.10413, size = 614, normalized size = 2.05

$$-12ib\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right)\left(a + b\sin^{-1}(cx)\right) + 12ib\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right)\left(a + b\sin^{-1}(cx)\right) + 12b^2\text{PolyLog}\left(3, -i\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^2, x]

[Out]  $(4a^2cx + (8b^2c^3x^3)/(1 - c^2x^2) + 8ab\sqrt{1 - c^2x^2} + (2ab\sqrt{1 - c^2x^2})/(-1 + cx) - (2ab\sqrt{1 - c^2x^2})/(1 + cx) - (2a^2cx)/(-1 + c^2x^2) + (8b^2cx)/(-1 + c^2x^2) + (6I)ab\pi\text{ArcSin}[cx] + 8abcx\text{ArcSin}[cx] - (2ab\text{ArcSin}[cx])/(-1 + cx) - (2ab\text{ArcSin}[cx])/(1 + cx) + (2b^2\text{ArcSin}[cx])/\sqrt{1 - c^2x^2} - (6b^2c^2x^2\text{ArcSin}[cx])/\sqrt{1 - c^2x^2} + 2b^2\sqrt{1 - c^2x^2}\text{ArcSin}[cx] + (6b^2cx\text{ArcSin}[cx]^2)/(1 - c^2x^2) + (4b^2c^3x^3\text{ArcSin}[cx]^2)/(-1 + c^2x^2) + (12I)b^2\text{ArcSin}[cx]^2\text{ArcTan}[E^{(I\text{ArcSin}[cx])}] + 4b^2\text{ArcTanh}[cx] - 6ab\pi\text{Log}[1 - I E^{(I\text{ArcSin}[cx])}] - 12ab\text{ArcSin}[cx]\text{Log}[1 - I E^{(I\text{ArcSin}[cx])}] - 6ab\pi\text{Log}[1 + I E^{(I\text{ArcSin}[cx])}] + 12ab\text{ArcSin}[cx]\text{Log}[1 + I E^{(I\text{ArcSin}[cx])}] + 3a^2\text{Log}[1 - cx] - 3a^2\text{Log}[1 + cx] + 6ab\pi\text{Log}[-\text{Cos}[(\pi + 2\text{ArcSin}[cx])/4]] + 6ab\pi\text{Log}[\text{Sin}[(\pi + 2\text{ArcSin}[cx])/4]] - (12I)b(a + b\text{ArcSin}[cx])\text{PolyLog}[2, (-I)E^{(I\text{ArcSin}[cx])}] + (12I)b(a + b\text{ArcSin}[cx])\text{PolyLog}[2, I E^{(I\text{ArcSin}[cx])}] + 12b^2\text{PolyLog}[3, (-I)E^{(I\text{ArcSin}[cx])}] - 12b^2\text{PolyLog}[3, I E^{(I\text{ArcSin}[cx])}])/(4c^5d^2)$

**Maple [B]** time = 0.409, size = 705, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^2, x)

[Out]  $2/c^5ab/d^2(-c^2x^2+1)^{(1/2)}+2/c^5b^2/d^2\arcsin(cx)*(-c^2x^2+1)^{(1/2)}+3/2/c^5b^2/d^2\arcsin(cx)^2*\ln(1+I*(I*cx+(-c^2x^2+1)^{(1/2)}))-3/2/c^5b^2/d^2\arcsin(cx)^2*\ln(1-I*(I*cx+(-c^2x^2+1)^{(1/2)}))-2I/c^5b^2/d^2\arctan(I*cx+(-c^2x^2+1)^{(1/2)})+1/c^4b^2/d^2\arcsin(cx)^2*x-2b^2*x/c^4/d^2-1/c^4ab/d^2/(c^2x^2-1)*\arcsin(cx)*x-1/4/c^5a^2/d^2/(cx-1)+3/4/c^5a^2/d^2*\ln(cx-1)-3/4/c^5a^2/d^2*\ln(cx+1)-1/4/c^5a^2/d^2/(cx+1)+1/c^4a^2/d^2*x+3b^2*polylog(3, -I*(I*cx+(-c^2x^2+1)^{(1/2)}))/c^5/d^2-3b^2*polylog(3, I*(I*cx+(-c^2x^2+1)^{(1/2)}))/c^5/d^2$

```
og(3,I*(I*c*x+(-c^2*x^2+1)^(1/2)))/c^5/d^2+1/c^5*a*b/d^2/(c^2*x^2-1)*(-c^2*
x^2+1)^(1/2)+2/c^4*a*b/d^2*arcsin(c*x)*x-1/2/c^4*b^2/d^2/(c^2*x^2-1)*arcsin
(c*x)^2*x-3*I/c^5*b^2/d^2*arcsin(c*x)*polylog(2,-I*(I*c*x+(-c^2*x^2+1)^(1/2
)))+3*I/c^5*b^2/d^2*arcsin(c*x)*polylog(2,I*(I*c*x+(-c^2*x^2+1)^(1/2)))
-3*I/c^5*a*b/d^2*dilog(1+I*(I*c*x+(-c^2*x^2+1)^(1/2)))+3*I/c^5*a*b/d^2*dilog(1-
I*(I*c*x+(-c^2*x^2+1)^(1/2)))+3/c^5*a*b/d^2*arcsin(c*x)*ln(1+I*(I*c*x+(-c^2
*x^2+1)^(1/2)))-3/c^5*a*b/d^2*arcsin(c*x)*ln(1-I*(I*c*x+(-c^2*x^2+1)^(1/2)
))+1/c^5*b^2/d^2/(c^2*x^2-1)*arcsin(c*x)*(-c^2*x^2+1)^(1/2)
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4}a^2\left(\frac{2x}{c^6d^2x^2-c^4d^2}-\frac{4x}{c^4d^2}+\frac{3\log(cx+1)}{c^5d^2}-\frac{3\log(cx-1)}{c^5d^2}\right)-\frac{3(b^2c^2x^2-b^2)\arctan\left(cx,\sqrt{cx+1}\sqrt{-cx+1}\right)^2\log(cx)}{c^5d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^2,x, algorithm="maxima")
```

```
[Out] -1/4*a^2*(2*x/(c^6*d^2*x^2 - c^4*d^2) - 4*x/(c^4*d^2) + 3*log(c*x + 1)/(c^5
*d^2) - 3*log(c*x - 1)/(c^5*d^2)) - 1/4*(3*(b^2*c^2*x^2 - b^2)*arctan2(c*x,
sqrt(c*x + 1)*sqrt(-c*x + 1))^2*log(c*x + 1) - 3*(b^2*c^2*x^2 - b^2)*arcta
n2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2*log(-c*x + 1) - 2*(2*b^2*c^3*x^3 -
3*b^2*c*x)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2 + 4*(c^7*d^2*x^2 -
c^5*d^2)*integrate(-1/2*(4*a*b*c^4*x^4*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x
+ 1)) - (3*(b^2*c^2*x^2 - b^2)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))*
log(c*x + 1) - 3*(b^2*c^2*x^2 - b^2)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x +
1))*log(-c*x + 1) - 2*(2*b^2*c^3*x^3 - 3*b^2*c*x)*arctan2(c*x, sqrt(c*x +
1)*sqrt(-c*x + 1)))*sqrt(c*x + 1)*sqrt(-c*x + 1))/(c^8*d^2*x^4 - 2*c^6*d^2*
x^2 + c^4*d^2), x)/(c^7*d^2*x^2 - c^5*d^2)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b^2x^4 \arcsin(cx)^2 + 2abx^4 \arcsin(cx) + a^2x^4}{c^4d^2x^4 - 2c^2d^2x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^2,x, algorithm="fricas")
```



[Out] `integral((b^2*x^4*arcsin(c*x)^2 + 2*a*b*x^4*arcsin(c*x) + a^2*x^4)/(c^4*d^2*x^4 - 2*c^2*d^2*x^2 + d^2), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2 x^4}{c^4 x^4 - 2c^2 x^2 + 1} dx + \int \frac{b^2 x^4 \operatorname{asin}^2(cx)}{c^4 x^4 - 2c^2 x^2 + 1} dx + \int \frac{2abx^4 \operatorname{asin}(cx)}{c^4 x^4 - 2c^2 x^2 + 1} dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(a+b*asin(c*x))**2/(-c**2*d*x**2+d)**2,x)`

[Out] `(Integral(a**2*x**4/(c**4*x**4 - 2*c**2*x**2 + 1), x) + Integral(b**2*x**4*asin(c*x)**2/(c**4*x**4 - 2*c**2*x**2 + 1), x) + Integral(2*a*b*x**4*asin(c*x)/(c**4*x**4 - 2*c**2*x**2 + 1), x))/d**2`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)^2 x^4}{(c^2 dx^2 - d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^2,x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)^2*x^4/(c^2*d*x^2 - d)^2, x)`

$$3.193 \quad \int \frac{x^3 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^2} dx$$

**Optimal.** Leaf size=227

$$-\frac{ib\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)(a + b\sin^{-1}(cx))}{c^4 d^2} + \frac{b^2\text{PolyLog}\left(3, -e^{2i\sin^{-1}(cx)}\right)}{2c^4 d^2} + \frac{x^2 (a + b\sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} - \frac{bx (a + b\sin^{-1}(cx))}{c^3 d^2 \sqrt{1 - c^2 x^2}}$$

[Out]  $-\left(\frac{b*x*(a + b*\text{ArcSin}[c*x])}{c^3*d^2*\text{Sqrt}[1 - c^2*x^2]}\right) + (a + b*\text{ArcSin}[c*x])^2/(2*c^4*d^2) + (x^2*(a + b*\text{ArcSin}[c*x])^2)/(2*c^2*d^2*(1 - c^2*x^2)) - ((I/3)*(a + b*\text{ArcSin}[c*x])^3)/(b*c^4*d^2) + ((a + b*\text{ArcSin}[c*x])^2*\text{Log}[1 + E^((2*I)*\text{ArcSin}[c*x])])/(c^4*d^2) - (b^2*\text{Log}[1 - c^2*x^2])/(2*c^4*d^2) - (I*b*(a + b*\text{ArcSin}[c*x])*\text{PolyLog}[2, -E^((2*I)*\text{ArcSin}[c*x])])/(c^4*d^2) + (b^2*\text{PolyLog}[3, -E^((2*I)*\text{ArcSin}[c*x])])/(2*c^4*d^2)$

**Rubi [A]** time = 0.394962, antiderivative size = 227, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4703, 4675, 3719, 2190, 2531, 2282, 6589, 4641, 260}

$$-\frac{ib\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)(a + b\sin^{-1}(cx))}{c^4 d^2} + \frac{b^2\text{PolyLog}\left(3, -e^{2i\sin^{-1}(cx)}\right)}{2c^4 d^2} + \frac{x^2 (a + b\sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} - \frac{bx (a + b\sin^{-1}(cx))}{c^3 d^2 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^3*(a + b*\text{ArcSin}[c*x])^2)/(d - c^2*d*x^2)^2, x]$

[Out]  $-\left(\frac{b*x*(a + b*\text{ArcSin}[c*x])}{c^3*d^2*\text{Sqrt}[1 - c^2*x^2]}\right) + (a + b*\text{ArcSin}[c*x])^2/(2*c^4*d^2) + (x^2*(a + b*\text{ArcSin}[c*x])^2)/(2*c^2*d^2*(1 - c^2*x^2)) - ((I/3)*(a + b*\text{ArcSin}[c*x])^3)/(b*c^4*d^2) + ((a + b*\text{ArcSin}[c*x])^2*\text{Log}[1 + E^((2*I)*\text{ArcSin}[c*x])])/(c^4*d^2) - (b^2*\text{Log}[1 - c^2*x^2])/(2*c^4*d^2) - (I*b*(a + b*\text{ArcSin}[c*x])*\text{PolyLog}[2, -E^((2*I)*\text{ArcSin}[c*x])])/(c^4*d^2) + (b^2*\text{PolyLog}[3, -E^((2*I)*\text{ArcSin}[c*x])])/(2*c^4*d^2)$

**Rule 4703**

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)^{(n_.)}*((f_.)*(x_))^{(m_)}*((d_.) + (e_.)*(x_)^2)^{(p_)}], x\_Symbol] \rightarrow \text{Simp}[(f*(f*x)^{(m-1)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n)/(2*e*(p+1)), x] + (-\text{Dist}[(f^2*(m-1))/(2*e*(p+1)], \text{Int}[(f*x)^{(m-2)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n, x], x] + \text{Dist}[(f^2*(m-1))/(2*e*(p+1)], \text{Int}[(f*x)^{(m-2)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n, x], x]$

```
(b*f*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && GtQ[m, 1]
```

### Rule 4675

```
Int[(((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)/((d_) + (e_.)*(x_)^2), x_Symbol] :> -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 3719

```
Int[(((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/ (b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 260

Int[(x\_)^(m\_.)/((a\_.) + (b\_.)\*(x\_)^(n\_.)), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^3 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^2} dx &= \frac{x^2 (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} - \frac{b \int \frac{x^2 (a + b \sin^{-1}(cx))}{(1 - c^2 x^2)^{3/2}} dx}{cd^2} - \frac{\int \frac{x (a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx}{c^2 d} \\
 &= -\frac{bx (a + b \sin^{-1}(cx))}{c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{x^2 (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} - \frac{\text{Subst} \left( \int (a + bx)^2 \tan(x) dx, x, \sin^{-1}(cx) \right)}{c^4 d^2} \\
 &= -\frac{bx (a + b \sin^{-1}(cx))}{c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{2c^4 d^2} + \frac{x^2 (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} - \frac{i (a + b \sin^{-1}(cx))^3}{3bc^4 d^2} \\
 &= -\frac{bx (a + b \sin^{-1}(cx))}{c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{2c^4 d^2} + \frac{x^2 (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} - \frac{i (a + b \sin^{-1}(cx))^3}{3bc^4 d^2} \\
 &= -\frac{bx (a + b \sin^{-1}(cx))}{c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{2c^4 d^2} + \frac{x^2 (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} - \frac{i (a + b \sin^{-1}(cx))^3}{3bc^4 d^2} \\
 &= -\frac{bx (a + b \sin^{-1}(cx))}{c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{2c^4 d^2} + \frac{x^2 (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} - \frac{i (a + b \sin^{-1}(cx))^3}{3bc^4 d^2} \\
 &= -\frac{bx (a + b \sin^{-1}(cx))}{c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{2c^4 d^2} + \frac{x^2 (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} - \frac{i (a + b \sin^{-1}(cx))^3}{3bc^4 d^2}
 \end{aligned}$$

**Mathematica [B]** time = 1.05886, size = 502, normalized size = 2.21

$$-12iab\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right) - 12iab\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right) - 6ib^2\sin^{-1}(cx)\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right) + 3b^2\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^2, x]

[Out] ((3\*a\*b\*Sqrt[1 - c^2\*x^2])/(-1 + c\*x) + (3\*a\*b\*Sqrt[1 - c^2\*x^2])/(1 + c\*x) - (3\*a^2)/(-1 + c^2\*x^2) + (12\*I)\*a\*b\*Pi\*ArcSin[c\*x] - (3\*a\*b\*ArcSin[c\*x])/(-1 + c\*x) + (3\*a\*b\*ArcSin[c\*x])/(1 + c\*x) - (6\*b^2\*c\*x\*ArcSin[c\*x])/Sqrt[1 - c^2\*x^2] - (6\*I)\*a\*b\*ArcSin[c\*x]^2 + (3\*b^2\*ArcSin[c\*x]^2)/(1 - c^2\*x^2) - (2\*I)\*b^2\*ArcSin[c\*x]^3 + 24\*a\*b\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])] + 6\*a\*b\*Pi\*Log[1 - I\*E^(I\*ArcSin[c\*x])] + 12\*a\*b\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - 6\*a\*b\*Pi\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 12\*a\*b\*ArcSin[c\*x]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 6\*b^2\*ArcSin[c\*x]^2\*Log[1 + E^((2\*I)\*ArcSin[c\*x])] + 3\*a^2\*Log[1 - c^2\*x^2] - 3\*b^2\*Log[1 - c^2\*x^2] - 24\*a\*b\*Pi\*Log[Cos[ArcSin[c\*x]/2]] + 6\*a\*b\*Pi\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]] - 6\*a\*b\*Pi\*Log[Sin[(Pi + 2\*ArcSin[c\*x])/4]] - (12\*I)\*a\*b\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] - (12\*I)\*a\*b\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])] - (6\*I)\*b^2\*ArcSin[c\*x]\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])] + 3\*b^2\*PolyLog[3, -E^((2\*I)\*ArcSin[c\*x])])/(6\*c^4\*d^2)

**Maple [B]** time = 0.327, size = 585, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^2, x)

[Out] -1/4/c^4\*a^2/d^2/(c\*x-1)+1/2/c^4\*a^2/d^2\*ln(c\*x-1)+1/4/c^4\*a^2/d^2/(c\*x+1)+1/2/c^4\*a^2/d^2\*ln(c\*x+1)-I/c^4\*a\*b/d^2\*polylog(2, -(I\*c\*x+(-c^2\*x^2+1)^(1/2)))^2)-I/c^2\*a\*b/d^2/(c^2\*x^2-1)\*x^2+1/c^3\*b^2/d^2\*arcsin(c\*x)/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*x-1/2/c^4\*b^2/d^2\*arcsin(c\*x)^2/(c^2\*x^2-1)-I/c^4\*a\*b/d^2\*arcsin(c\*x)^2+1/c^4\*b^2/d^2\*arcsin(c\*x)^2\*ln(1+(I\*c\*x+(-c^2\*x^2+1)^(1/2)))^2)+I/c^4\*b^2/d^2\*arcsin(c\*x)/(c^2\*x^2-1)+1/2\*b^2\*polylog(3, -(I\*c\*x+(-c^2\*x^2+1)^(1/2)))^2)/c^4/d^2-1/c^4\*b^2/d^2\*ln(1+(I\*c\*x+(-c^2\*x^2+1)^(1/2)))^2)+2/c^4\*b^2/d^2\*ln(I\*c\*x+(-c^2\*x^2+1)^(1/2))-1/3\*I/c^4\*b^2/d^2\*arcsin(c\*x)^3+I/c^4\*a\*b/d^2/(c^2\*x^2-1)+1/c^3\*a\*b/d^2/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*x-1/c^4

```
*a*b/d^2*arcsin(c*x)/(c^2*x^2-1)-I/c^2*b^2/d^2*arcsin(c*x)/(c^2*x^2-1)*x^2+
2/c^4*a*b/d^2*arcsin(c*x)*ln(1+(I*c*x+(-c^2*x^2+1)^(1/2))^2)-I/c^4*b^2/d^2*
arcsin(c*x)*polylog(2,-(I*c*x+(-c^2*x^2+1)^(1/2))^2)
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^2,x, algorithm="maxima")
```

```
[Out] Timed out
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b^2x^3 \arcsin(cx)^2 + 2abx^3 \arcsin(cx) + a^2x^3}{c^4d^2x^4 - 2c^2d^2x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^2,x, algorithm="fricas")
```

```
[Out] integral((b^2*x^3*arcsin(c*x)^2 + 2*a*b*x^3*arcsin(c*x) + a^2*x^3)/(c^4*d^2
*x^4 - 2*c^2*d^2*x^2 + d^2), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2x^3}{c^4x^4-2c^2x^2+1} dx + \int \frac{b^2x^3 \arcsin^2(cx)}{c^4x^4-2c^2x^2+1} dx + \int \frac{2abx^3 \arcsin(cx)}{c^4x^4-2c^2x^2+1} dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a+b*asin(c*x))**2/(-c**2*d*x**2+d)**2,x)
```

```
[Out] (Integral(a**2*x**3/(c**4*x**4 - 2*c**2*x**2 + 1), x) + Integral(b**2*x**3*
asin(c*x)**2/(c**4*x**4 - 2*c**2*x**2 + 1), x) + Integral(2*a*b*x**3*asin(c
```

$*x)/(c^{**4}*x^{**4} - 2*c^{**2}*x^{**2} + 1), x)/d^{**2}$

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^3}{(c^2 dx^2 - d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2\*x^3/(c^2\*d\*x^2 - d)^2, x)

$$3.194 \quad \int \frac{x^2(a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^2} dx$$

**Optimal.** Leaf size=233

$$\frac{ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{c^3 d^2} + \frac{ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{c^3 d^2} + \frac{b^2 \operatorname{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)}{c^3 d^2}$$

[Out]  $-\left(\frac{b(a+b \operatorname{ArcSin}[c x])}{c^3 d^2 \sqrt{1-c^2 x^2}}\right) + (x(a+b \operatorname{ArcSin}[c x])^2)/(2c^2 d^2(1-c^2 x^2)) + (I(a+b \operatorname{ArcSin}[c x])^2 \operatorname{ArcTan}[E^{(I \operatorname{ArcSin}[c x])}])/(c^3 d^2) + (b^2 \operatorname{ArcTanh}[c x])/(c^3 d^2) - (I b(a+b \operatorname{ArcSin}[c x]) \operatorname{PolyLog}[2, (-I) E^{(I \operatorname{ArcSin}[c x])}])/(c^3 d^2) + (I b(a+b \operatorname{ArcSin}[c x]) \operatorname{PolyLog}[2, I E^{(I \operatorname{ArcSin}[c x])}])/(c^3 d^2) + (b^2 \operatorname{PolyLog}[3, (-I) E^{(I \operatorname{ArcSin}[c x])}])/(c^3 d^2) - (b^2 \operatorname{PolyLog}[3, I E^{(I \operatorname{ArcSin}[c x])}])/(c^3 d^2)$

**Rubi [A]** time = 0.29931, antiderivative size = 233, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {4703, 4657, 4181, 2531, 2282, 6589, 4677, 206}

$$\frac{ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{c^3 d^2} + \frac{ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{c^3 d^2} + \frac{b^2 \operatorname{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)}{c^3 d^2}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(x^2(a+b \operatorname{ArcSin}[c x])^2)/(d-c^2 d x^2)^2, x]$

[Out]  $-\left(\frac{b(a+b \operatorname{ArcSin}[c x])}{c^3 d^2 \sqrt{1-c^2 x^2}}\right) + (x(a+b \operatorname{ArcSin}[c x])^2)/(2c^2 d^2(1-c^2 x^2)) + (I(a+b \operatorname{ArcSin}[c x])^2 \operatorname{ArcTan}[E^{(I \operatorname{ArcSin}[c x])}])/(c^3 d^2) + (b^2 \operatorname{ArcTanh}[c x])/(c^3 d^2) - (I b(a+b \operatorname{ArcSin}[c x]) \operatorname{PolyLog}[2, (-I) E^{(I \operatorname{ArcSin}[c x])}])/(c^3 d^2) + (I b(a+b \operatorname{ArcSin}[c x]) \operatorname{PolyLog}[2, I E^{(I \operatorname{ArcSin}[c x])}])/(c^3 d^2) + (b^2 \operatorname{PolyLog}[3, (-I) E^{(I \operatorname{ArcSin}[c x])}])/(c^3 d^2) - (b^2 \operatorname{PolyLog}[3, I E^{(I \operatorname{ArcSin}[c x])}])/(c^3 d^2)$

**Rule 4703**

$\operatorname{Int}[(a + \operatorname{ArcSin}[c x])^n (d + e x^2)^p, x] \rightarrow \operatorname{Simp}[(f(x)^{m-1} (d + e x^2)^{p+1} (a + b \operatorname{ArcSin}[c x])^n)/(2 e (p+1)), x] + (-\operatorname{Dist}[f^2(x)^{m-1}/(2 e (p+1)), \operatorname{Int}[f(x)^{m-2} (d + e x^2)^{p+1} (a + b \operatorname{ArcSin}[c x])^n, x]] + \operatorname{Dist}[\operatorname{Int}[f(x)^{m-2} (d + e x^2)^{p+1} (a + b \operatorname{ArcSin}[c x])^n, x], x]$



```
(b*f*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && GtQ[m, 1]
```

### Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)/((d_.) + (e_.)*(x_)^2), x_Symbol] := Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
```

1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{x^2 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^2} dx &= \frac{x (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} - \frac{b \int \frac{x^{a+b \sin^{-1}(cx)}}{(1-c^2 x^2)^{3/2}} dx}{cd^2} - \frac{\int \frac{(a+b \sin^{-1}(cx))^2}{d-c^2 dx^2} dx}{2c^2 d} \\
 &= -\frac{b (a + b \sin^{-1}(cx))}{c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{x (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} - \frac{\text{Subst}\left(\int (a + bx)^2 \sec(x) dx, x, \sin^{-1}(cx)\right)}{2c^3 d^2} + \dots \\
 &= -\frac{b (a + b \sin^{-1}(cx))}{c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{x (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} + \frac{i (a + b \sin^{-1}(cx))^2 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{c^3 d^2} + \frac{b^2 \text{ta}}{c^3 d^2} \\
 &= -\frac{b (a + b \sin^{-1}(cx))}{c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{x (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} + \frac{i (a + b \sin^{-1}(cx))^2 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{c^3 d^2} + \frac{b^2 \text{ta}}{c^3 d^2} \\
 &= -\frac{b (a + b \sin^{-1}(cx))}{c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{x (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} + \frac{i (a + b \sin^{-1}(cx))^2 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{c^3 d^2} + \frac{b^2 \text{ta}}{c^3 d^2} \\
 &= -\frac{b (a + b \sin^{-1}(cx))}{c^3 d^2 \sqrt{1 - c^2 x^2}} + \frac{x (a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} + \frac{i (a + b \sin^{-1}(cx))^2 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{c^3 d^2} + \frac{b^2 \text{ta}}{c^3 d^2}
 \end{aligned}$$

**Mathematica [A]** time = 2.63084, size = 383, normalized size = 1.64

$$4iab \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) - 4iab \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) - 4b^2 \left(-i \sin^{-1}(cx) \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) + i \sin^{-1}(cx) \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^2,x]

[Out] 
$$-\left(\frac{2a^2cx}{-1 + c^2x^2} + \frac{(2b^2\text{ArcSin}[cx](-2\sqrt{1 - c^2x^2}) + cx\text{ArcSin}[cx])}{-1 + c^2x^2} + \frac{(2ab(1 - 2\sqrt{1 - c^2x^2}) + \text{Cos}[2\text{ArcSin}[cx]] + \text{ArcSin}[cx](2cx - \text{Log}[1 - I\text{E}^{\text{ArcSin}[cx]}]) + \text{Log}[1 + I\text{E}^{\text{ArcSin}[cx]}]) + \text{Cos}[2\text{ArcSin}[cx]](-\text{Log}[1 - I\text{E}^{\text{ArcSin}[cx]}]) + \text{Log}[1 + I\text{E}^{\text{ArcSin}[cx]}])}{-1 + c^2x^2} - a^2\text{Log}[1 - cx] + a^2\text{Log}[1 + cx] + (4I)ab\text{PolyLog}[2, (-I)\text{E}^{\text{ArcSin}[cx]}] - (4I)ab\text{PolyLog}[2, I\text{E}^{\text{ArcSin}[cx]}] - 4b^2(\text{ArcSin}[cx]^2\text{ArcTan}[E^{\text{ArcSin}[cx]}]) + \text{ArcTanh}[cx] - I\text{ArcSin}[cx]\text{PolyLog}[2, (-I)\text{E}^{\text{ArcSin}[cx]}] + I\text{ArcSin}[cx]\text{PolyLog}[2, I\text{E}^{\text{ArcSin}[cx]}] + \text{PolyLog}[3, (-I)\text{E}^{\text{ArcSin}[cx]}] - \text{PolyLog}[3, I\text{E}^{\text{ArcSin}[cx]}])}{4c^3d^2}\right)$$

**Maple [B]** time = 0.267, size = 599, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^2,x)

[Out] 
$$-1/4/c^3a^2/d^2/(cx-1)+1/4/c^3a^2/d^2*\ln(cx-1)-1/4/c^3a^2/d^2/(cx+1)-1/4/c^3a^2/d^2*\ln(cx+1)-1/2/c^2b^2/d^2/(c^2x^2-1)*\arcsin(cx)^2*x+1/c^3*b^2/d^2/(c^2x^2-1)*\arcsin(cx)*(-c^2x^2+1)^{(1/2)}+1/2/c^3b^2/d^2*\arcsin(cx)^2*\ln(1+I*(I*cx+(-c^2x^2+1)^{(1/2)}))+I/c^3ab/d^2*\text{dilog}(1-I*(I*cx+(-c^2x^2+1)^{(1/2)}))+b^2*\text{polylog}(3,-I*(I*cx+(-c^2x^2+1)^{(1/2)}))/c^3/d^2-1/2/c^3b^2/d^2*\arcsin(cx)^2*\ln(1-I*(I*cx+(-c^2x^2+1)^{(1/2)}))+I/c^3b^2/d^2*\arcsin(cx)*\text{polylog}(2,I*(I*cx+(-c^2x^2+1)^{(1/2)}))-b^2*\text{polylog}(3,I*(I*cx+(-c^2x^2+1)^{(1/2)}))/c^3/d^2-I/c^3b^2/d^2*\arcsin(cx)*\text{polylog}(2,-I*(I*cx+(-c^2x^2+1)^{(1/2)}))-1/c^2ab/d^2/(c^2x^2-1)*\arcsin(cx)*x+1/c^3ab/d^2/(c^2x^2-1)*(-c^2x^2+1)^{(1/2)}+1/c^3ab/d^2*\arcsin(cx)*\ln(1+I*(I*cx+(-c^2x^2+1)^{(1/2)}))-1/c^3ab/d^2*\arcsin(cx)*\ln(1-I*(I*cx+(-c^2x^2+1)^{(1/2)}))-2I/c^3b^2/d^2*\arctan(I*cx+(-c^2x^2+1)^{(1/2)})-I/c^3ab/d^2*\text{dilog}(1+I*(I*cx+(-c^2x^2+1)^{(1/2)}))$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4}a^2\left(\frac{2x}{c^4d^2x^2 - c^2d^2} + \frac{\log(cx + 1)}{c^3d^2} - \frac{\log(cx - 1)}{c^3d^2}\right) - \frac{2b^2cx \arctan\left(cx, \sqrt{cx + 1}\sqrt{-cx + 1}\right)^2 + (b^2c^2x^2 - b^2) \arctan\left(cx, \sqrt{cx + 1}\sqrt{-cx + 1}\right)}{c^3d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^2,x, algorithm="maxima")

[Out] 
$$-1/4*a^2*(2*x/(c^4*d^2*x^2 - c^2*d^2) + \log(c*x + 1)/(c^3*d^2) - \log(c*x - 1)/(c^3*d^2)) - 1/4*(2*b^2*c*x*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})^2 + (b^2*c^2*x^2 - b^2)*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})^2*\log(c*x + 1) - (b^2*c^2*x^2 - b^2)*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})^2*\log(-c*x + 1) + 4*(c^5*d^2*x^2 - c^3*d^2)*\int (-1/2*(4*a*b*c^2*x^2*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) - (2*b^2*c*x*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + (b^2*c^2*x^2 - b^2)*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})*\log(c*x + 1) - (b^2*c^2*x^2 - b^2)*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})*\log(-c*x + 1))*\sqrt{c*x + 1}*\sqrt{-c*x + 1})/(c^6*d^2*x^4 - 2*c^4*d^2*x^2 + c^2*d^2), x)/(c^5*d^2*x^2 - c^3*d^2)$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b^2x^2 \arcsin(cx)^2 + 2abx^2 \arcsin(cx) + a^2x^2}{c^4d^2x^4 - 2c^2d^2x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b^2\*x^2\*arcsin(c\*x))^2 + 2\*a\*b\*x^2\*arcsin(c\*x) + a^2\*x^2)/(c^4\*d^2\*x^4 - 2\*c^2\*d^2\*x^2 + d^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2x^2}{c^4x^4-2c^2x^2+1} dx + \int \frac{b^2x^2 \arcsin^2(cx)}{c^4x^4-2c^2x^2+1} dx + \int \frac{2abx^2 \arcsin(cx)}{c^4x^4-2c^2x^2+1} dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*2,x)

[Out] (Integral(a\*\*2\*x\*\*2/(c\*\*4\*x\*\*4 - 2\*c\*\*2\*x\*\*2 + 1), x) + Integral(b\*\*2\*x\*\*2\*asin(c\*x)\*\*2/(c\*\*4\*x\*\*4 - 2\*c\*\*2\*x\*\*2 + 1), x) + Integral(2\*a\*b\*x\*\*2\*asin(c

$*x)/(c^{**4}*x^{**4} - 2*c^{**2}*x^{**2} + 1), x)/d^{**2}$

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^2}{(c^2 dx^2 - d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2\*x^2/(c^2\*d\*x^2 - d)^2, x)

$$3.195 \quad \int \frac{x(a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^2} dx$$

**Optimal.** Leaf size=89

$$-\frac{bx(a+b \sin^{-1}(cx))}{cd^2\sqrt{1-c^2x^2}} + \frac{(a+b \sin^{-1}(cx))^2}{2c^2d^2(1-c^2x^2)} - \frac{b^2 \log(1-c^2x^2)}{2c^2d^2}$$

[Out] -((b\*x\*(a + b\*ArcSin[c\*x]))/(c\*d^2\*Sqrt[1 - c^2\*x^2])) + (a + b\*ArcSin[c\*x])^2/(2\*c^2\*d^2\*(1 - c^2\*x^2)) - (b^2\*Log[1 - c^2\*x^2])/(2\*c^2\*d^2)

**Rubi [A]** time = 0.0985197, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$ , Rules used = {4677, 4651, 260}

$$-\frac{bx(a+b \sin^{-1}(cx))}{cd^2\sqrt{1-c^2x^2}} + \frac{(a+b \sin^{-1}(cx))^2}{2c^2d^2(1-c^2x^2)} - \frac{b^2 \log(1-c^2x^2)}{2c^2d^2}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^2,x]

[Out] -((b\*x\*(a + b\*ArcSin[c\*x]))/(c\*d^2\*Sqrt[1 - c^2\*x^2])) + (a + b\*ArcSin[c\*x])^2/(2\*c^2\*d^2\*(1 - c^2\*x^2)) - (b^2\*Log[1 - c^2\*x^2])/(2\*c^2\*d^2)

#### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rule 4651

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/((d\_) + (e\_.)\*(x\_)^2)^(3/2), x\_Symbol] :> Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n)/Sqrt[d], Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(d + e\*x^2), x], x] /;

FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]

### Rule 260

Int[(x\_)^(m\_)/((a\_) + (b\_)\*(x\_)^(n\_)), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

### Rubi steps

$$\begin{aligned} \int \frac{x(a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^2} dx &= \frac{(a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} - \frac{b \int \frac{a + b \sin^{-1}(cx)}{(1 - c^2 x^2)^{3/2}} dx}{cd^2} \\ &= -\frac{bx(a + b \sin^{-1}(cx))}{cd^2 \sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} + \frac{b^2 \int \frac{x}{1 - c^2 x^2} dx}{d^2} \\ &= -\frac{bx(a + b \sin^{-1}(cx))}{cd^2 \sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{2c^2 d^2 (1 - c^2 x^2)} - \frac{b^2 \log(1 - c^2 x^2)}{2c^2 d^2} \end{aligned}$$

**Mathematica [A]** time = 0.189782, size = 75, normalized size = 0.84

$$-\frac{\frac{2bcx(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{c^2 x^2 - 1} + b^2 \log(1 - c^2 x^2)}{2c^2 d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^2,x]

[Out] -((2\*b\*c\*x\*(a + b\*ArcSin[c\*x]))/Sqrt[1 - c^2\*x^2] + (a + b\*ArcSin[c\*x])^2/(-1 + c^2\*x^2) + b^2\*Log[1 - c^2\*x^2])/(2\*c^2\*d^2)

**Maple [B]** time = 0.03, size = 205, normalized size = 2.3

$$-\frac{a^2}{2c^2 d^2 (c^2 x^2 - 1)} - \frac{b^2 (\arcsin(cx))^2}{2c^2 d^2 (c^2 x^2 - 1)} + \frac{b^2 \arcsin(cx)x}{cd^2 (c^2 x^2 - 1)} \sqrt{-c^2 x^2 + 1} - \frac{b^2 \ln(-c^2 x^2 + 1)}{2c^2 d^2} - \frac{ab \arcsin(cx)}{c^2 d^2 (c^2 x^2 - 1)} + \frac{ab}{2c^2 d^2 (cx)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^2,x)`

[Out] 
$$-1/2/c^2*a^2/d^2/(c^2*x^2-1)-1/2/c^2*b^2/d^2*arcsin(c*x)^2/(c^2*x^2-1)+1/c*b^2/d^2*arcsin(c*x)/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x-1/2*b^2*\ln(-c^2*x^2+1)/c^2/d^2-1/c^2*a*b/d^2/(c^2*x^2-1)*arcsin(c*x)+1/2/c^2*a*b/d^2/(c*x-1)*(-c*x-1)^{-2-2*c*x+2}^{(1/2)}+1/2/c^2*a*b/d^2/(c*x+1)*(-c*x+1)^{-2+2*c*x+2}^{(1/2)}$$

**Maxima [B]** time = 1.67815, size = 495, normalized size = 5.56

$$\frac{1}{2} \left( \frac{\left( \frac{\sqrt{-c^2x^2+1}c^2d^2}{c^6d^4+\sqrt{c^6d^4}c^4d^2x} - \frac{\sqrt{-c^2x^2+1}c^2d^2}{c^6d^4-\sqrt{c^6d^4}c^4d^2x} \right) c^5d^2}{\sqrt{c^6d^4}} - \frac{2 \arcsin(cx)}{c^4d^2x^2 - c^2d^2} \right) ab - \frac{1}{2} \left( \frac{c^6d^2 \left( \frac{\log(cx+1)}{c^5d^2} + \frac{\log(cx-1)}{c^5d^2} \right)}{\sqrt{c^6d^4}} - \frac{\left( \frac{\sqrt{-c^2x^2+1}c^2d^2}{c^6d^4+\sqrt{c^6d^4}c^4d^2x} - \frac{\sqrt{-c^2x^2+1}c^2d^2}{c^6d^4-\sqrt{c^6d^4}c^4d^2x} \right)}{\sqrt{c^6d^4}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^2,x, algorithm="maxima")`

[Out] 
$$1/2*((\sqrt{-c^2*x^2 + 1}*c^2*d^2/(c^6*d^4 + \sqrt{c^6*d^4}*c^4*d^2*x) - \sqrt{-c^2*x^2 + 1}*c^2*d^2/(c^6*d^4 - \sqrt{c^6*d^4}*c^4*d^2*x))*c^5*d^2/\sqrt{c^6*d^4} - 2*arcsin(c*x)/(c^4*d^2*x^2 - c^2*d^2))*a*b - 1/2*(c^6*d^2*(\log(c*x + 1)/(c^5*d^2) + \log(c*x - 1)/(c^5*d^2))/\sqrt{c^6*d^4} - (\sqrt{-c^2*x^2 + 1}*c^2*d^2/(c^6*d^4 + \sqrt{c^6*d^4}*c^4*d^2*x) - \sqrt{-c^2*x^2 + 1}*c^2*d^2/(c^6*d^4 - \sqrt{c^6*d^4}*c^4*d^2*x))*c^5*d^2*arcsin(c*x)/\sqrt{c^6*d^4})*b^2 - 1/2*b^2*arcsin(c*x)^2/(c^4*d^2*x^2 - c^2*d^2) - 1/2*a^2/(c^4*d^2*x^2 - c^2*d^2)$$

**Fricas [A]** time = 2.65029, size = 230, normalized size = 2.58

$$\frac{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2 + (b^2c^2x^2 - b^2) \log(c^2x^2 - 1) - 2(b^2cx \arcsin(cx) + abcx) \sqrt{-c^2x^2 + 1}}{2(c^4d^2x^2 - c^2d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^2,x, algorithm="fricas")`

[Out] 
$$-1/2*(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2 + (b^2*c^2*x^2 - b^2)*\log(c^2*x^2 - 1) - 2*(b^2*c*x*arcsin(c*x) + a*b*c*x)*\sqrt{-c^2*x^2 + 1})/(c^4*d^2*x^2 - c^2*d^2)$$



$$d^2x^2 - c^2d^2)$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2x}{c^4x^4-2c^2x^2+1} dx + \int \frac{b^2x \operatorname{asin}^2(cx)}{c^4x^4-2c^2x^2+1} dx + \int \frac{2abx \operatorname{asin}(cx)}{c^4x^4-2c^2x^2+1} dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*2,x)

[Out] (Integral(a\*\*2\*x/(c\*\*4\*x\*\*4 - 2\*c\*\*2\*x\*\*2 + 1), x) + Integral(b\*\*2\*x\*asin(c\*x)\*\*2/(c\*\*4\*x\*\*4 - 2\*c\*\*2\*x\*\*2 + 1), x) + Integral(2\*a\*b\*x\*asin(c\*x)/(c\*\*4\*x\*\*4 - 2\*c\*\*2\*x\*\*2 + 1), x))/d\*\*2

**Giac [B]** time = 1.55962, size = 275, normalized size = 3.09

$$-\frac{b^2x^2 \operatorname{arcsin}(cx)^2}{2(c^2x^2-1)d^2} - \frac{abx^2 \operatorname{arcsin}(cx)}{(c^2x^2-1)d^2} - \frac{a^2x^2}{2(c^2x^2-1)d^2} - \frac{b^2x \operatorname{arcsin}(cx)}{\sqrt{-c^2x^2+1}cd^2} + \frac{b^2 \operatorname{arcsin}(cx)^2}{2c^2d^2} - \frac{abx}{\sqrt{-c^2x^2+1}cd^2} + \frac{ab \operatorname{arcsin}(cx)}{c^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^2,x, algorithm="giac")

[Out] -1/2\*b^2\*x^2\*arcsin(c\*x)^2/((c^2\*x^2 - 1)\*d^2) - a\*b\*x^2\*arcsin(c\*x)/((c^2\*x^2 - 1)\*d^2) - 1/2\*a^2\*x^2/((c^2\*x^2 - 1)\*d^2) - b^2\*x\*arcsin(c\*x)/(sqrt(-c^2\*x^2 + 1)\*c\*d^2) + 1/2\*b^2\*arcsin(c\*x)^2/(c^2\*d^2) - a\*b\*x/(sqrt(-c^2\*x^2 + 1)\*c\*d^2) + a\*b\*arcsin(c\*x)/(c^2\*d^2) - b^2\*log(2)/(c^2\*d^2) - 1/2\*b^2\*log(abs(-c^2\*x^2 + 1))/(c^2\*d^2) + 1/2\*a^2/(c^2\*d^2)

$$3.196 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{(d-c^2 dx^2)^2} dx$$

**Optimal.** Leaf size=230

$$\frac{ibPolyLog\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{cd^2} - \frac{ibPolyLog\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{cd^2} - \frac{b^2 PolyLog\left(3, -ie^{i \sin^{-1}(cx)}\right)}{cd^2}$$

[Out]  $-\left(\frac{b(a + b \operatorname{ArcSin}[c x])}{c d^2 \sqrt{1 - c^2 x^2}}\right) + (x(a + b \operatorname{ArcSin}[c x])^2)/(2 d^2 (1 - c^2 x^2)) - (I(a + b \operatorname{ArcSin}[c x])^2 \operatorname{ArcTan}[E^{(I \operatorname{ArcSin}[c x])}])/(c d^2) + (b^2 \operatorname{ArcTanh}[c x])/(c d^2) + (I b(a + b \operatorname{ArcSin}[c x]) \operatorname{PolyLog}[2, (-I) E^{(I \operatorname{ArcSin}[c x])}])/(c d^2) - (I b(a + b \operatorname{ArcSin}[c x]) \operatorname{PolyLog}[2, I E^{(I \operatorname{ArcSin}[c x])}])/(c d^2) - (b^2 \operatorname{PolyLog}[3, (-I) E^{(I \operatorname{ArcSin}[c x])}])/(c d^2) + (b^2 \operatorname{PolyLog}[3, I E^{(I \operatorname{ArcSin}[c x])}])/(c d^2)$

**Rubi [A]** time = 0.236044, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4655, 4657, 4181, 2531, 2282, 6589, 4677, 206}

$$\frac{ibPolyLog\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{cd^2} - \frac{ibPolyLog\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{cd^2} - \frac{b^2 PolyLog\left(3, -ie^{i \sin^{-1}(cx)}\right)}{cd^2}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b \operatorname{ArcSin}[c x])^2 / (d - c^2 d x^2)^2, x]$

[Out]  $-\left(\frac{b(a + b \operatorname{ArcSin}[c x])}{c d^2 \sqrt{1 - c^2 x^2}}\right) + (x(a + b \operatorname{ArcSin}[c x])^2)/(2 d^2 (1 - c^2 x^2)) - (I(a + b \operatorname{ArcSin}[c x])^2 \operatorname{ArcTan}[E^{(I \operatorname{ArcSin}[c x])}])/(c d^2) + (b^2 \operatorname{ArcTanh}[c x])/(c d^2) + (I b(a + b \operatorname{ArcSin}[c x]) \operatorname{PolyLog}[2, (-I) E^{(I \operatorname{ArcSin}[c x])}])/(c d^2) - (I b(a + b \operatorname{ArcSin}[c x]) \operatorname{PolyLog}[2, I E^{(I \operatorname{ArcSin}[c x])}])/(c d^2) - (b^2 \operatorname{PolyLog}[3, (-I) E^{(I \operatorname{ArcSin}[c x])}])/(c d^2) + (b^2 \operatorname{PolyLog}[3, I E^{(I \operatorname{ArcSin}[c x])}])/(c d^2)$

### Rule 4655

$\operatorname{Int}[(a + \operatorname{ArcSin}[c x])^n (d + e x^2)^p, x]$   
 $\operatorname{Int}[(a + \operatorname{ArcSin}[c x])^n (d + e x^2)^p, x] := -\operatorname{Simp}[(x(d + e x^2)^{p+1} (a + b \operatorname{ArcSin}[c x])^n) / (2 d (p+1)), x] + (\operatorname{Dist}[(2 p + 3) / (2 d (p+1)), \operatorname{Int}[(d + e x^2)^{p+1} (a + b \operatorname{ArcSin}[c x])^n, x], x] + \operatorname{Dist}[(b c^n d \operatorname{IntPart}[p] (d + e x^2)^{\operatorname{FracPart}[p]}] / (2 (p$

+ 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

### Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/((d\_.) + (e\_.)\*(x\_)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

### Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(n\_.)]\*((f\_.) + (g\_.)\*(x\_)^(m\_.), x\_Symbol] := -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)])/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

### Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_)^v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p]]/(2\*c\*(p + 1)\*(1

- c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^2} dx &= \frac{x(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} - \frac{(bc) \int \frac{x(a + b \sin^{-1}(cx))}{(1 - c^2 x^2)^{3/2}} dx}{d^2} + \frac{\int \frac{(a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx}{2d} \\
 &= -\frac{b(a + b \sin^{-1}(cx))}{cd^2 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} + \frac{b^2 \int \frac{1}{1 - c^2 x^2} dx}{d^2} + \frac{\text{Subst}\left(\int (a + bx)^2 \sec(x) dx, x, \frac{a + b \sin^{-1}(cx)}{c}\right)}{2cd^2} \\
 &= -\frac{b(a + b \sin^{-1}(cx))}{cd^2 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} - \frac{i(a + b \sin^{-1}(cx))^2 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{cd^2} + \frac{b^2 \tanh^{-1}\left(\frac{a + b \sin^{-1}(cx)}{c}\right)}{cd} \\
 &= -\frac{b(a + b \sin^{-1}(cx))}{cd^2 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} - \frac{i(a + b \sin^{-1}(cx))^2 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{cd^2} + \frac{b^2 \tanh^{-1}\left(\frac{a + b \sin^{-1}(cx)}{c}\right)}{cd} \\
 &= -\frac{b(a + b \sin^{-1}(cx))}{cd^2 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} - \frac{i(a + b \sin^{-1}(cx))^2 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{cd^2} + \frac{b^2 \tanh^{-1}\left(\frac{a + b \sin^{-1}(cx)}{c}\right)}{cd} \\
 &= -\frac{b(a + b \sin^{-1}(cx))}{cd^2 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} - \frac{i(a + b \sin^{-1}(cx))^2 \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{cd^2} + \frac{b^2 \tanh^{-1}\left(\frac{a + b \sin^{-1}(cx)}{c}\right)}{cd}
 \end{aligned}$$

**Mathematica [A]** time = 2.60353, size = 359, normalized size = 1.56

$$\frac{2ab \left( 2i \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) - 2i \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) + \frac{2\left(c^2 x^2 + \sqrt{1 - c^2 x^2} + \sin^{-1}(cx)\right) \left( (c^2 x^2 - 1) \log\left(1 - ie^{i \sin^{-1}(cx)}\right) + (1 - c^2 x^2) \log\left(1 + ie^{i \sin^{-1}(cx)}\right) - cx - 1\right)}{c^2 x^2 - 1} \right)}{c} + \frac{4b^2 \left( i \sin^{-1}\left(\frac{a + b \sin^{-1}(cx)}{c}\right) \right)}{cd}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(d - c^2\*d\*x^2)^2,x]

[Out] ((-2\*a^2\*x)/(-1 + c^2\*x^2) - (a^2\*Log[1 - c\*x])/c + (a^2\*Log[1 + c\*x])/c + (2\*a\*b\*((2\*(-1 + c^2\*x^2 + Sqrt[1 - c^2\*x^2] + ArcSin[c\*x]\*(-(c\*x) + (-1 + c^2\*x^2)\*Log[1 - I\*E^(I\*ArcSin[c\*x]))] + (1 - c^2\*x^2)\*Log[1 + I\*E^(I\*ArcSin[c\*x]))])))/(-1 + c^2\*x^2) + (2\*I)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] - (2\*I)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/c + (4\*b^2\*(-(ArcSin[c\*x]/Sqrt[1 - c^2\*x^2]) + (c\*x\*ArcSin[c\*x]^2)/(2 - 2\*c^2\*x^2) - I\*ArcSin[c\*x]^2\*ArcTan[E^(I\*ArcSin[c\*x])] + ArcTanh[c\*x] + I\*ArcSin[c\*x]\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] - I\*ArcSin[c\*x]\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])] - PolyLog[3, (-I)\*E^(I\*ArcSin[c\*x])] + PolyLog[3, I\*E^(I\*ArcSin[c\*x])])))/c)/(4\*d^2)

**Maple [B]** time = 0.15, size = 593, normalized size = 2.6

$$-\frac{a^2}{4cd^2(cx-1)} - \frac{a^2 \ln(cx-1)}{4cd^2} - \frac{a^2}{4cd^2(cx+1)} + \frac{a^2 \ln(cx+1)}{4cd^2} - \frac{b^2 (\arcsin(cx))^2 x}{2d^2(c^2x^2-1)} + \frac{b^2 \arcsin(cx)}{cd^2(c^2x^2-1)} \sqrt{-c^2x^2+1} - \frac{b^2}{cd^2(c^2x^2-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^2,x)

[Out] -1/4/c\*a^2/d^2/(c\*x-1)-1/4/c\*a^2/d^2\*ln(c\*x-1)-1/4/c\*a^2/d^2/(c\*x+1)+1/4/c\*a^2/d^2\*ln(c\*x+1)-1/2\*b^2/d^2/(c^2\*x^2-1)\*arcsin(c\*x)^2\*x+1/c\*b^2/d^2/(c^2\*x^2-1)\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)-1/2/c\*b^2/d^2\*arcsin(c\*x)^2\*ln(1+I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))+I/c\*a\*b/d^2\*dilog(1+I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))-b^2\*polylog(3,-I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))/c/d^2+1/2/c\*b^2/d^2\*arcsin(c\*x)^2\*ln(1-I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))-2\*I/c\*b^2/d^2\*arctan(I\*c\*x+(-c^2\*x^2+1)^(1/2))+b^2\*polylog(3,I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))/c/d^2-I/c\*a\*b/d^2\*dilog(1-I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))-a\*b/d^2/(c^2\*x^2-1)\*arcsin(c\*x)\*x+1/c\*a\*b/d^2/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)-1/c\*a\*b/d^2\*arcsin(c\*x)\*ln(1+I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))+1/c\*a\*b/d^2\*arcsin(c\*x)\*ln(1-I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))+I/c\*b^2/d^2\*arcsin(c\*x)\*polylog(2,-I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))-I/c\*b^2/d^2\*arcsin(c\*x)\*polylog(2,I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4}a^2\left(\frac{2x}{c^2d^2x^2-d^2}-\frac{\log(cx+1)}{cd^2}+\frac{\log(cx-1)}{cd^2}\right)-\frac{2b^2cx \arctan\left(cx,\sqrt{cx+1}\sqrt{-cx+1}\right)^2-(b^2c^2x^2-b^2)\arctan\left(cx,\sqrt{cx+1}\sqrt{-cx+1}\right)}{cd^2(c^2x^2-d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^2,x, algorithm="maxima")

[Out] 
$$-1/4*a^2*(2*x/(c^2*d^2*x^2 - d^2) - \log(c*x + 1)/(c*d^2) + \log(c*x - 1)/(c*d^2)) - 1/4*(2*b^2*c*x*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})^2 - (b^2*c^2*x^2 - b^2)*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})^2*\log(c*x + 1) + (b^2*c^2*x^2 - b^2)*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})^2*\log(-c*x + 1) - 4*(c^3*d^2*x^2 - c*d^2)*\int(1/2*(4*a*b*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1}) - (2*b^2*c*x*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1}) - (b^2*c^2*x^2 - b^2)*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})*\log(c*x + 1) + (b^2*c^2*x^2 - b^2)*\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1})*\log(-c*x + 1))*\sqrt{c*x + 1}*\sqrt{-c*x + 1})/(c^4*d^2*x^4 - 2*c^2*d^2*x^2 + d^2), x)/(c^3*d^2*x^2 - c*d^2)$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\int \left( \frac{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}{c^4 d^2 x^4 - 2c^2 d^2 x^2 + d^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/(c^4\*d^2\*x^4 - 2\*c^2\*d^2\*x^2 + d^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(c^2 dx^2 - d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^2,x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2/(c^2*d*x^2 - d)^2, x)
```

$$3.197 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x(d-c^2 dx^2)^2} dx$$

**Optimal.** Leaf size=211

$$\frac{ib \operatorname{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{d^2} - \frac{ib \operatorname{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{d^2} - \frac{b^2 \operatorname{PolyLog}\left(3, -e^{2i \sin^{-1}(cx)}\right)}{2d^2}$$

[Out]  $-\left(\frac{b c x (a + b \operatorname{ArcSin}[c x])}{d^2 \sqrt{1 - c^2 x^2}}\right) + (a + b \operatorname{ArcSin}[c x])^2 / (2 d^2 (1 - c^2 x^2)) - (2 (a + b \operatorname{ArcSin}[c x])^2 \operatorname{ArcTanh}\left[E^{(2 I) \operatorname{ArcSin}[c x]}\right]) / d^2 - (b^2 \operatorname{Log}[1 - c^2 x^2]) / (2 d^2) + (I b (a + b \operatorname{ArcSin}[c x]) \operatorname{PolyLog}[2, -E^{(2 I) \operatorname{ArcSin}[c x]}]) / d^2 - (I b (a + b \operatorname{ArcSin}[c x]) \operatorname{PolyLog}[2, E^{(2 I) \operatorname{ArcSin}[c x]}]) / d^2 - (b^2 \operatorname{PolyLog}[3, -E^{(2 I) \operatorname{ArcSin}[c x]}]) / (2 d^2) + (b^2 \operatorname{PolyLog}[3, E^{(2 I) \operatorname{ArcSin}[c x]}]) / (2 d^2)$

**Rubi [A]** time = 0.365164, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4705, 4679, 4419, 4183, 2531, 2282, 6589, 4651, 260}

$$\frac{ib \operatorname{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{d^2} - \frac{ib \operatorname{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{d^2} - \frac{b^2 \operatorname{PolyLog}\left(3, -e^{2i \sin^{-1}(cx)}\right)}{2d^2}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b \operatorname{ArcSin}[c x])^2 / (x (d - c^2 d x^2)^2), x]$

[Out]  $-\left(\frac{b c x (a + b \operatorname{ArcSin}[c x])}{d^2 \sqrt{1 - c^2 x^2}}\right) + (a + b \operatorname{ArcSin}[c x])^2 / (2 d^2 (1 - c^2 x^2)) - (2 (a + b \operatorname{ArcSin}[c x])^2 \operatorname{ArcTanh}\left[E^{(2 I) \operatorname{ArcSin}[c x]}\right]) / d^2 - (b^2 \operatorname{Log}[1 - c^2 x^2]) / (2 d^2) + (I b (a + b \operatorname{ArcSin}[c x]) \operatorname{PolyLog}[2, -E^{(2 I) \operatorname{ArcSin}[c x]}]) / d^2 - (I b (a + b \operatorname{ArcSin}[c x]) \operatorname{PolyLog}[2, E^{(2 I) \operatorname{ArcSin}[c x]}]) / d^2 - (b^2 \operatorname{PolyLog}[3, -E^{(2 I) \operatorname{ArcSin}[c x]}]) / (2 d^2) + (b^2 \operatorname{PolyLog}[3, E^{(2 I) \operatorname{ArcSin}[c x]}]) / (2 d^2)$

**Rule 4705**

$\operatorname{Int}[(a + b \operatorname{ArcSin}[c x])^n (d + e x^2)^p, x] \rightarrow -\operatorname{Simp}[(f x)^{m+1} (d + e x^2)^{p+1} (a + b \operatorname{ArcSin}[c x])^n] / (2 d f (p+1)), x] + (\operatorname{Dist}[(m+2p+3) / (2 d (p+1)), \operatorname{Int}[(f x)^m (d + e x^2)^{p+1} (a + b \operatorname{ArcSin}[c x])^n, x], x] + \operatorname{Dist}[(b c n$



```
*d^IntPart[p]*(d + e*x^2)^FracPart[p]]/(2*f*(p + 1)*(1 - c^2*x^2)^FracPart[
p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1),
x], x) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1]
)
```

### Rule 4679

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_/((x_.)*((d_.) + (e_.)*(x_)^2)),
x_Symbol] := Dist[1/d, Subst[Int[(a + b*x)^n/(Cos[x]*Sin[x]), x], x, ArcSin
[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 4419

```
Int[Csc[(a_.) + (b_.)*(x_.)]^n_*((c_.) + (d_.)*(x_.))^m_*Sec[(a_.) + (b
_.)*(x_.)]^n_, x_Symbol] := Dist[2^n, Int[(c + d*x)^m*Csc[2*a + 2*b*x]^n,
x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^m_, x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.)))^n_)]*((f_.) + (g_.)
*(x_.))^m_, x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^n_)^m_] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 4651

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/((d\_.) + (e\_.)\*(x\_)^2)^(3/2), x\_Symbol] :> Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n)/Sqrt[d], Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(d + e\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]

### Rule 260

Int[(x\_)^(m\_.)/((a\_.) + (b\_.)\*(x\_)^(n\_.)), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sin^{-1}(cx))^2}{x(d - c^2 dx^2)^2} dx &= \frac{(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} - \frac{(bc) \int \frac{a + b \sin^{-1}(cx)}{(1 - c^2 x^2)^{3/2}} dx}{d^2} + \frac{\int \frac{(a + b \sin^{-1}(cx))^2}{x(d - c^2 dx^2)} dx}{d} \\
 &= -\frac{bcx(a + b \sin^{-1}(cx))}{d^2 \sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} + \frac{\text{Subst}\left(\int (a + bx)^2 \csc(x) \sec(x) dx, x, \sin^{-1}(cx)\right)}{d^2} \\
 &= -\frac{bcx(a + b \sin^{-1}(cx))}{d^2 \sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} - \frac{b^2 \log(1 - c^2 x^2)}{2d^2} + \frac{2 \text{Subst}\left(\int (a + bx)^2 \csc(2x) dx, x, \sin^{-1}(cx)\right)}{d^2} \\
 &= -\frac{bcx(a + b \sin^{-1}(cx))}{d^2 \sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} - \frac{2(a + b \sin^{-1}(cx))^2 \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d^2} - \frac{b^2 \log(1 - c^2 x^2)}{2d^2} \\
 &= -\frac{bcx(a + b \sin^{-1}(cx))}{d^2 \sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} - \frac{2(a + b \sin^{-1}(cx))^2 \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d^2} - \frac{b^2 \log(1 - c^2 x^2)}{2d^2} \\
 &= -\frac{bcx(a + b \sin^{-1}(cx))}{d^2 \sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} - \frac{2(a + b \sin^{-1}(cx))^2 \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d^2} - \frac{b^2 \log(1 - c^2 x^2)}{2d^2} \\
 &= -\frac{bcx(a + b \sin^{-1}(cx))}{d^2 \sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} - \frac{2(a + b \sin^{-1}(cx))^2 \tanh^{-1}\left(e^{2i \sin^{-1}(cx)}\right)}{d^2} - \frac{b^2 \log(1 - c^2 x^2)}{2d^2}
 \end{aligned}$$

**Mathematica [A]** time = 1.27137, size = 365, normalized size = 1.73

$$2ab \left( i \operatorname{PolyLog} \left( 2, -e^{2i \sin^{-1}(cx)} \right) - i \operatorname{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) - \frac{cx}{\sqrt{1-c^2x^2}} + \frac{\sin^{-1}(cx)}{1-c^2x^2} + 2 \sin^{-1}(cx) \log \left( 1 - e^{2i \sin^{-1}(cx)} \right) - 2 \sin^{-1}(cx) \log \left( 1 + e^{2i \sin^{-1}(cx)} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x\*(d - c^2\*d\*x^2)^2), x]

[Out]  $(a^2/(1 - c^2x^2) + 2a^2 \operatorname{Log}[cx] - a^2 \operatorname{Log}[1 - c^2x^2] + 2ab * (-((cx) / \operatorname{Sqrt}[1 - c^2x^2]) + \operatorname{ArcSin}[cx] / (1 - c^2x^2) + 2 \operatorname{ArcSin}[cx] * \operatorname{Log}[1 - E^{(2I) \operatorname{ArcSin}[cx]}]) - 2 \operatorname{ArcSin}[cx] * \operatorname{Log}[1 + E^{(2I) \operatorname{ArcSin}[cx]}]) + I \operatorname{PolyLog}[2, -E^{(2I) \operatorname{ArcSin}[cx]}]) - I \operatorname{PolyLog}[2, E^{(2I) \operatorname{ArcSin}[cx]}]) + 2b^2 * ((-I/24) * \pi^3 - (cx * \operatorname{ArcSin}[cx]) / \operatorname{Sqrt}[1 - c^2x^2] + \operatorname{ArcSin}[cx]^2 / (2 - 2c^2x^2) + ((2I)/3) * \operatorname{ArcSin}[cx]^3 + \operatorname{ArcSin}[cx]^2 * \operatorname{Log}[1 - E^{(-2I) \operatorname{ArcSin}[cx]}]) - \operatorname{ArcSin}[cx]^2 * \operatorname{Log}[1 + E^{(2I) \operatorname{ArcSin}[cx]}]) - \operatorname{Log}[1 - c^2x^2] / 2 + I \operatorname{ArcSin}[cx] * \operatorname{PolyLog}[2, E^{(-2I) \operatorname{ArcSin}[cx]}]) + I \operatorname{ArcSin}[cx] * \operatorname{PolyLog}[2, -E^{(2I) \operatorname{ArcSin}[cx]}]) + \operatorname{PolyLog}[3, E^{(-2I) \operatorname{ArcSin}[cx]}]) / 2 - \operatorname{PolyLog}[3, -E^{(2I) \operatorname{ArcSin}[cx]}]) / 2)) / (2d^2)$

**Maple [B]** time = 0.244, size = 829, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/x/(-c^2\*d\*x^2+d)^2,x)

[Out]  $-1/2 * a^2 / d^2 * \ln(cx+1) - 1/4 * a^2 / d^2 / (cx-1) + 1/4 * a^2 / d^2 / (cx+1) + 2 * b^2 / d^2 * \operatorname{polylog}(3, -I * cx - (-c^2 * x^2 + 1)^{1/2}) + 2 * b^2 / d^2 * \operatorname{polylog}(3, I * cx + (-c^2 * x^2 + 1)^{1/2}) + a^2 / d^2 * \ln(cx) - b^2 / d^2 * \ln(1 + (I * cx + (-c^2 * x^2 + 1)^{1/2})^2) + 2 * b^2 / d^2 * \ln(I * cx + (-c^2 * x^2 + 1)^{1/2}) - 1/2 * a^2 / d^2 * \ln(cx-1) - 1/2 * b^2 * \operatorname{polylog}(3, -(I * cx + (-c^2 * x^2 + 1)^{1/2})^2) / d^2 + I * b^2 / d^2 * \operatorname{arcsin}(cx) * \operatorname{polylog}(2, -(I * cx + (-c^2 * x^2 + 1)^{1/2})^2) - 2 * I * b^2 / d^2 * \operatorname{arcsin}(cx) * \operatorname{polylog}(2, -I * cx - (-c^2 * x^2 + 1)^{1/2}) - 1/2 * b^2 / d^2 * \operatorname{arcsin}(cx)^2 / (c^2 * x^2 - 1) - b^2 / d^2 * \operatorname{arcsin}(cx)^2 * \ln(1 + (I * cx + (-c^2 * x^2 + 1)^{1/2})^2) + b^2 / d^2 * \operatorname{arcsin}(cx)^2 * \ln(1 + I * cx + (-c^2 * x^2 + 1)^{1/2}) + b^2 / d^2 * \operatorname{arcsin}(cx)^2 * \ln(1 - I * cx - (-c^2 * x^2 + 1)^{1/2}) + a * b / d^2 / (c^2 * x^2 - 1) * (-c^2 * x^2 + 1)^{1/2} * cx + b^2 / d^2 * \operatorname{arcsin}(cx) / (c^2 * x^2 - 1) * (-c^2 * x^2 + 1)^{1/2} * cx - I * b^2 / d^2 * \operatorname{arcsin}(cx) / (c^2 * x^2 - 1) * c^2 * x^2 - I * a * b / d^2 / (c^2 * x^2 - 1) * c^2 * x^2 - 2 * I * b^2 / d^2 * \operatorname{arcsin}(cx) * \operatorname{polylog}(2, I * cx + (-c^2 * x^2 + 1)^{1/2}) + 2 * a * b / d^2 * \operatorname{arcsin}(cx) * \ln(1 + I * cx + (-c^2 * x^2 + 1)^{1/2}) + 2 * a * b / d^2 * \operatorname{arcsin}(cx) * \ln(1 - I * cx - (-c^2 * x^2 + 1)^{1/2})$

$*x^{2+1})^{(1/2)}+I*a*b/d^2*\text{polylog}(2,-(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)-2*I*a*b/d^2*\text{polylog}(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})-2*I*a*b/d^2*\text{polylog}(2,I*c*x+(-c^2*x^2+1)^{(1/2)})-a*b/d^2*\arcsin(c*x)/(c^2*x^2-1)+I*a*b/d^2/(c^2*x^2-1)-2*a*b/d^2*\arcsin(c*x)*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)+I*b^2/d^2*\arcsin(c*x)/(c^2*x^2-1)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2}a^2\left(\frac{1}{c^2d^2x^2-d^2}+\frac{\log(cx+1)}{d^2}+\frac{\log(cx-1)}{d^2}-\frac{2\log(x)}{d^2}\right)+\int\frac{b^2\arctan\left(cx,\sqrt{cx+1}\sqrt{-cx+1}\right)^2+2ab\arctan\left(cx,\sqrt{cx+1}\sqrt{-cx+1}\right)}{c^4d^2x^5-2c^2d^2x^3+d^2x}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(-c^2\*d\*x^2+d)^2,x, algorithm="maxima")

[Out] -1/2\*a^2\*(1/(c^2\*d^2\*x^2 - d^2) + log(c\*x + 1)/d^2 + log(c\*x - 1)/d^2 - 2\*log(x)/d^2) + integrate((b^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2 + 2\*a\*b\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))/(c^4\*d^2\*x^5 - 2\*c^2\*d^2\*x^3 + d^2\*x), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b^2\arcsin(cx)^2+2ab\arcsin(cx)+a^2}{c^4d^2x^5-2c^2d^2x^3+d^2x},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(-c^2\*d\*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/(c^4\*d^2\*x^5 - 2\*c^2\*d^2\*x^3 + d^2\*x), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int\frac{a^2}{c^4x^5-2c^2x^3+x}dx+\int\frac{b^2\text{asin}^2(cx)}{c^4x^5-2c^2x^3+x}dx+\int\frac{2ab\text{asin}(cx)}{c^4x^5-2c^2x^3+x}dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x/(-c\*\*2\*d\*x\*\*2+d)\*\*2,x)

[Out] (Integral(a\*\*2/(c\*\*4\*x\*\*5 - 2\*c\*\*2\*x\*\*3 + x), x) + Integral(b\*\*2\*asin(c\*x)\*  
\*2/(c\*\*4\*x\*\*5 - 2\*c\*\*2\*x\*\*3 + x), x) + Integral(2\*a\*b\*asin(c\*x)/(c\*\*4\*x\*\*5  
- 2\*c\*\*2\*x\*\*3 + x), x))/d\*\*2

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(c^2 dx^2 - d)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(-c^2\*d\*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/((c^2\*d\*x^2 - d)^2\*x), x)

$$3.198 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^2(d-c^2dx^2)^2} dx$$

**Optimal.** Leaf size=324

$$\frac{3ibc \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^2} - \frac{3ibc \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^2} + \frac{2ib^2c \operatorname{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)}{d^2}$$

[Out]  $-\left(\frac{b*c*(a + b*\operatorname{ArcSin}[c*x])}{d^2*\sqrt{1 - c^2*x^2}}\right) - (a + b*\operatorname{ArcSin}[c*x])^2/(d^2*x*(1 - c^2*x^2)) + (3*c^2*x*(a + b*\operatorname{ArcSin}[c*x])^2)/(2*d^2*(1 - c^2*x^2)) - ((3*I)*c*(a + b*\operatorname{ArcSin}[c*x])^2*\operatorname{ArcTan}[E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 - (4*b*c*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{ArcTanh}[E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 + (b^2*c*\operatorname{ArcTanh}[c*x])/d^2 + ((2*I)*b^2*c*\operatorname{PolyLog}[2, -E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 + ((3*I)*b*c*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 - ((3*I)*b*c*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 - ((2*I)*b^2*c*\operatorname{PolyLog}[2, E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 - (3*b^2*c*\operatorname{PolyLog}[3, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 + (3*b^2*c*\operatorname{PolyLog}[3, I*E^{(I*\operatorname{ArcSin}[c*x])}])/d^2$

**Rubi [A]** time = 0.563271, antiderivative size = 324, normalized size of antiderivative = 1., number of steps used = 20, number of rules used = 14, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.518$ , Rules used = {4701, 4655, 4657, 4181, 2531, 2282, 6589, 4677, 206, 4705, 4709, 4183, 2279, 2391}

$$\frac{3ibc \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^2} - \frac{3ibc \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^2} + \frac{2ib^2c \operatorname{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)}{d^2}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b*\operatorname{ArcSin}[c*x])^2/(x^2*(d - c^2*d*x^2)^2), x]$

[Out]  $-\left(\frac{b*c*(a + b*\operatorname{ArcSin}[c*x])}{d^2*\sqrt{1 - c^2*x^2}}\right) - (a + b*\operatorname{ArcSin}[c*x])^2/(d^2*x*(1 - c^2*x^2)) + (3*c^2*x*(a + b*\operatorname{ArcSin}[c*x])^2)/(2*d^2*(1 - c^2*x^2)) - ((3*I)*c*(a + b*\operatorname{ArcSin}[c*x])^2*\operatorname{ArcTan}[E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 - (4*b*c*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{ArcTanh}[E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 + (b^2*c*\operatorname{ArcTanh}[c*x])/d^2 + ((2*I)*b^2*c*\operatorname{PolyLog}[2, -E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 + ((3*I)*b*c*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 - ((3*I)*b*c*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{PolyLog}[2, I*E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 - ((2*I)*b^2*c*\operatorname{PolyLog}[2, E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 - (3*b^2*c*\operatorname{PolyLog}[3, (-I)*E^{(I*\operatorname{ArcSin}[c*x])}])/d^2 + (3*b^2*c*\operatorname{PolyLog}[3, I*E^{(I*\operatorname{ArcSin}[c*x])}])/d^2$

$$2 + (3*b^2*c*PolyLog[3, I*E^(I*ArcSin[c*x])])/d^2$$

### Rule 4701

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] + (Dist[(c^2\*(m + 2\*p + 3))/(f^2\*(m + 1)), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

### Rule 4655

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := -Simp[(x\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*(p + 1)), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

### Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/((d\_.) + (e\_.)\*(x\_.)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_.))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

### Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_.)))^(n\_.))]\*((f\_.) + (g\_.)\*(x\_.))^(m\_.), x\_Symbol] := -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n])/ (b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 4705

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*d*f*(p + 1)), x] + (Dist[(m + 2*p + 3)/(2*d*(p + 1)), Int[(f*x)^m*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*f*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1])
```

Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_))/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
```



$[x]^m, x, \text{ArcSin}[c*x], x] /;$  FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_.))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_.) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_.))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^2(d - c^2 dx^2)^2} dx &= -\frac{(a + b \sin^{-1}(cx))^2}{d^2 x(1 - c^2 x^2)} + (3c^2) \int \frac{(a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^2} dx + \frac{(2bc) \int \frac{a + b \sin^{-1}(cx)}{x(1 - c^2 x^2)^{3/2}} dx}{d^2} \\
&= \frac{2bc(a + b \sin^{-1}(cx))}{d^2 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{d^2 x(1 - c^2 x^2)} + \frac{3c^2 x(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} + \frac{(2bc) \int \frac{a + b \sin^{-1}(cx)}{x \sqrt{1 - c^2 x^2}} dx}{d^2} \\
&= -\frac{bc(a + b \sin^{-1}(cx))}{d^2 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{d^2 x(1 - c^2 x^2)} + \frac{3c^2 x(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} - \frac{2b^2 c \tanh^{-1}(cx)}{d^2} + \frac{(3c^2 a^2 + 6abc \sin^{-1}(cx) + 3b^2 \sin^{-2}(cx)) \operatorname{arctanh}(cx)}{d^2} \\
&= -\frac{bc(a + b \sin^{-1}(cx))}{d^2 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{d^2 x(1 - c^2 x^2)} + \frac{3c^2 x(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} - \frac{3ic(a + b \sin^{-1}(cx))^2 \operatorname{arctanh}(cx)}{d^2} \\
&= -\frac{bc(a + b \sin^{-1}(cx))}{d^2 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{d^2 x(1 - c^2 x^2)} + \frac{3c^2 x(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} - \frac{3ic(a + b \sin^{-1}(cx))^2 \operatorname{arctanh}(cx)}{d^2} \\
&= -\frac{bc(a + b \sin^{-1}(cx))}{d^2 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{d^2 x(1 - c^2 x^2)} + \frac{3c^2 x(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} - \frac{3ic(a + b \sin^{-1}(cx))^2 \operatorname{arctanh}(cx)}{d^2} \\
&= -\frac{bc(a + b \sin^{-1}(cx))}{d^2 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{d^2 x(1 - c^2 x^2)} + \frac{3c^2 x(a + b \sin^{-1}(cx))^2}{2d^2(1 - c^2 x^2)} - \frac{3ic(a + b \sin^{-1}(cx))^2 \operatorname{arctanh}(cx)}{d^2}
\end{aligned}$$

**Mathematica [B]** time = 9.5698, size = 1059, normalized size = 3.27

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^2\*(d - c^2\*d\*x^2)^2), x]

[Out]  $-(a^2/(d^2*x)) - (a^2*c^2*x)/(2*d^2*(-1 + c^2*x^2)) - (3*a^2*c*Log[1 - c*x])/(4*d^2) + (3*a^2*c*Log[1 + c*x])/(4*d^2) + (a*b*c*(-2*ArcSin[c*x]*Cot[ArcSin[c*x]/2] + 6*ArcSin[c*x]*Log[1 - I*E^(I*ArcSin[c*x])]) - 6*ArcSin[c*x]*Log[1 + I*E^(I*ArcSin[c*x])]) - 4*Log[Cos[ArcSin[c*x]/2]] + 4*Log[Sin[ArcSin[c*x]/2]] + (6*I)*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] - (6*I)*PolyLog[2, I*E^(I*ArcSin[c*x])] + ArcSin[c*x]/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^2 - (2*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]) - ArcSin[c*x]/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^2 + (2*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]) - 2*ArcSin[c*x]*Tan[ArcSin[c*x]/2]$

$$\begin{aligned} & ))/(2*d^2) + (b^2*c*(-4*ArcSin[c*x] - 2*ArcSin[c*x]^2*Cot[ArcSin[c*x]/2] + \\ & 8*ArcSin[c*x]*Log[1 - E^(I*ArcSin[c*x])] + 6*ArcSin[c*x]^2*Log[1 - I*E^(I*ArcSin[c*x])] + 6*Pi*ArcSin[c*x]*Log[((-1)^(1/4)*(1 - I*E^(I*ArcSin[c*x])))/ \\ & (2*E^((I/2)*ArcSin[c*x]))] - 6*ArcSin[c*x]^2*Log[1 + I*E^(I*ArcSin[c*x])] - \\ & 6*ArcSin[c*x]^2*Log[((1/2 + I/2)*(-I + E^(I*ArcSin[c*x])))/E^((I/2)*ArcSin \\ & [c*x])] + 6*Pi*ArcSin[c*x]*Log[-((-1)^(1/4)*(-I + E^(I*ArcSin[c*x])))/(2*E^ \\ & ((I/2)*ArcSin[c*x]))] - 8*ArcSin[c*x]*Log[1 + E^(I*ArcSin[c*x])] + 6*ArcSin \\ & [c*x]^2*Log[((1 + I) + (1 - I)*E^(I*ArcSin[c*x]))/(2*E^((I/2)*ArcSin[c*x])) \\ & ] - 6*Pi*ArcSin[c*x]*Log[-Cos[(Pi + 2*ArcSin[c*x])/4]] - 4*Log[Cos[ArcSin[c \\ & *x]/2] - Sin[ArcSin[c*x]/2]] + 6*ArcSin[c*x]^2*Log[Cos[ArcSin[c*x]/2] - Sin \\ & [ArcSin[c*x]/2]] + 4*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]] - 6*ArcSi \\ & n[c*x]^2*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]] - 6*Pi*ArcSin[c*x]*Lo \\ & g[Sin[(Pi + 2*ArcSin[c*x])/4]] + (8*I)*PolyLog[2, -E^(I*ArcSin[c*x])] + (12 \\ & *I)*ArcSin[c*x]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] - (12*I)*ArcSin[c*x]*Pol \\ & yLog[2, I*E^(I*ArcSin[c*x])] - (8*I)*PolyLog[2, E^(I*ArcSin[c*x])] - 12*Pol \\ & yLog[3, (-I)*E^(I*ArcSin[c*x])] + 12*PolyLog[3, I*E^(I*ArcSin[c*x])] + ArcS \\ & in[c*x]^2/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^2 - (4*ArcSin[c*x]*Sin[ \\ & ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]) - ArcSin[c*x]^2/( \\ & Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^2 + (4*ArcSin[c*x]*Sin[ArcSin[c*x] \\ & /2])/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]) - 2*ArcSin[c*x]^2*Tan[ArcSin \\ & [c*x]/2]))/(4*d^2) \end{aligned}$$

**Maple [B]** time = 0.301, size = 778, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (a+b*\arcsin(c*x))^2/x^2/(-c^2*d*x^2+d)^2, x$

[Out] 
$$\begin{aligned} & -2*c*a*b/d^2*\ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-3/2*c*b^2/d^2*\arcsin(c*x)^2*\ln( \\ & 1+I*(I*c*x+(-c^2*x^2+1)^(1/2)))+3/2*c*b^2/d^2*\arcsin(c*x)^2*\ln(1-I*(I*c*x+ \\ & (-c^2*x^2+1)^(1/2)))-2*c*b^2/d^2*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^(1/2))+ \\ & b^2/d^2/(c^2*x^2-1)/x*\arcsin(c*x)^2+2*I*c*b^2/d^2*\operatorname{dilog}(1+I*c*x+(-c^2*x^2+1) \\ & )^(1/2))-2*I*c*b^2/d^2*\arctan(I*c*x+(-c^2*x^2+1)^(1/2))-a^2/d^2/x+2*c*a*b/d \\ & ^2*\ln(I*c*x+(-c^2*x^2+1)^(1/2))-1)-3*b^2*c*polylog(3,-I*(I*c*x+(-c^2*x^2+1)^( \\ & 1/2)))/d^2+3*b^2*c*polylog(3,I*(I*c*x+(-c^2*x^2+1)^(1/2)))/d^2+2*I*c*b^2/d \\ & ^2*\operatorname{dilog}(I*c*x+(-c^2*x^2+1)^(1/2))-1/4*c*a^2/d^2/(c*x+1)-1/4*c*a^2/d^2/(c*x \\ & -1)-3/4*c*a^2/d^2*\ln(c*x-1)+3/4*c*a^2/d^2*\ln(c*x+1)+c*a*b/d^2/(c^2*x^2-1)*( \\ & (-c^2*x^2+1)^(1/2)-3*c*a*b/d^2*\arcsin(c*x)*\ln(1+I*(I*c*x+(-c^2*x^2+1)^(1/2)) \\ & )-3/2*b^2/d^2/(c^2*x^2-1)*\arcsin(c*x)^2*c^2*x+2*a*b/d^2/(c^2*x^2-1)/x*\arcsi \\ & n(c*x)-3*I*c*a*b/d^2*\operatorname{dilog}(1-I*(I*c*x+(-c^2*x^2+1)^(1/2)))+3*I*c*b^2/d^2*ar \end{aligned}$$

$$\begin{aligned}
 & c \sin(cx) \operatorname{polylog}(2, -I*(I*cx + (-c^2x^2 + 1)^{1/2})) - 3I*cb^2/d^2 \arcsin(cx) \\
 & \operatorname{polylog}(2, I*(I*cx + (-c^2x^2 + 1)^{1/2})) + 3I*ca*b/d^2 \operatorname{dilog}(1 + I*(I*cx + (-c^2x^2 + 1)^{1/2})) \\
 & + 3c*a*b/d^2 \arcsin(cx) * \ln(1 - I*(I*cx + (-c^2x^2 + 1)^{1/2})) + cb^2/d^2 / (c^2x^2 - 1) \arcsin(cx) * (-c^2x^2 + 1)^{1/2} \\
 & - 3a*b/d^2 / (c^2x^2 - 1) \arcsin(cx) * c^2x
 \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4} a^2 \left( \frac{2(3c^2x^2 - 2)}{c^2d^2x^3 - d^2x} - \frac{3c \log(cx + 1)}{d^2} + \frac{3c \log(cx - 1)}{d^2} \right) + \frac{3(b^2c^3x^3 - b^2cx) \arctan(cx, \sqrt{cx + 1}\sqrt{-cx + 1})^2 \log(cx + 1)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(cx))^2/x^2/(-c^2\*d\*x^2+d)^2,x, algorithm="maxima")

[Out] 
$$\begin{aligned}
 & -1/4*a^2*(2*(3*c^2*x^2 - 2)/(c^2*d^2*x^3 - d^2*x) - 3*c*\log(cx + 1)/d^2 + \\
 & 3*c*\log(cx - 1)/d^2) + 1/4*(3*(b^2*c^3*x^3 - b^2*c*x)*\arctan2(cx, \sqrt{cx + 1}*\sqrt{-cx + 1})^2*\log(cx + 1) - \\
 & 3*(b^2*c^3*x^3 - b^2*c*x)*\arctan2(cx, \sqrt{cx + 1}*\sqrt{-cx + 1})^2*\log(-cx + 1) - 2*(3*b^2*c^2*x^2 - 2*b^2) \\
 & *\arctan2(cx, \sqrt{cx + 1}*\sqrt{-cx + 1})^2 + 4*(c^2*d^2*x^3 - d^2*x)*\operatorname{integrate}(1/2*(4*a*b*\arctan2(cx, \sqrt{cx + 1}*\sqrt{-cx + 1}) + \\
 & (3*(b^2*c^4*x^4 - b^2*c^2*x^2)*\arctan2(cx, \sqrt{cx + 1}*\sqrt{-cx + 1})*\log(cx + 1) - 3*(b^2*c^4*x^4 - \\
 & b^2*c^2*x^2)*\arctan2(cx, \sqrt{cx + 1}*\sqrt{-cx + 1})*\log(-cx + 1) - 2*(3*b^2*c^3*x^3 - 2*b^2*c*x)*\arctan2(cx, \sqrt{cx + 1}*\sqrt{-cx + 1})* \\
 & \sqrt{cx + 1}*\sqrt{-cx + 1})/(c^4*d^2*x^6 - 2*c^2*d^2*x^4 + d^2*x^2), x)/(c^2*d^2*x^3 - d^2*x)
 \end{aligned}$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}{c^4d^2x^6 - 2c^2d^2x^4 + d^2x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(cx))^2/x^2/(-c^2\*d\*x^2+d)^2,x, algorithm="fricas")

[Out] 
$$\operatorname{integral}((b^2*\arcsin(cx))^2 + 2*a*b*\arcsin(cx) + a^2)/(c^4*d^2*x^6 - 2*c^2*d^2*x^4 + d^2*x^2), x)$$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2}{c^4x^6-2c^2x^4+x^2} dx + \int \frac{b^2 \operatorname{asin}^2(cx)}{c^4x^6-2c^2x^4+x^2} dx + \int \frac{2ab \operatorname{asin}(cx)}{c^4x^6-2c^2x^4+x^2} dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))**2/x**2/(-c**2*d*x**2+d)**2,x)`

[Out] `(Integral(a**2/(c**4*x**6 - 2*c**2*x**4 + x**2), x) + Integral(b**2*asin(c*x)**2/(c**4*x**6 - 2*c**2*x**4 + x**2), x) + Integral(2*a*b*asin(c*x)/(c**4*x**6 - 2*c**2*x**4 + x**2), x))/d**2`

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))**2/x**2/(-c**2*d*x**2+d)**2,x, algorithm="giac")`

[Out] Exception raised: AttributeError

$$3.199 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^3(d-c^2dx^2)^2} dx$$

**Optimal.** Leaf size=270

$$\frac{2ibc^2 \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^2} - \frac{2ibc^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^2} - \frac{b^2c^2 \text{PolyLog}\left(3, -e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^2}$$

[Out]  $-\left(\frac{b*c*(a + b*\text{ArcSin}[c*x])}{d^2*x*\text{Sqrt}[1 - c^2*x^2]}\right) + (c^2*(a + b*\text{ArcSin}[c*x])^2)/(d^2*(1 - c^2*x^2)) - (a + b*\text{ArcSin}[c*x])^2/(2*d^2*x^2*(1 - c^2*x^2)) - (4*c^2*(a + b*\text{ArcSin}[c*x])^2*\text{ArcTanh}[E^{((2*I)*\text{ArcSin}[c*x])}])/d^2 + (b^2*c^2*\text{Log}[x])/d^2 - (b^2*c^2*\text{Log}[1 - c^2*x^2])/(2*d^2) + ((2*I)*b*c^2*(a + b*\text{ArcSin}[c*x])* \text{PolyLog}[2, -E^{((2*I)*\text{ArcSin}[c*x])}])/d^2 - ((2*I)*b*c^2*(a + b*\text{ArcSin}[c*x])* \text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}])/d^2 - (b^2*c^2*\text{PolyLog}[3, -E^{((2*I)*\text{ArcSin}[c*x])}])/d^2 + (b^2*c^2*\text{PolyLog}[3, E^{((2*I)*\text{ArcSin}[c*x])}])/d^2$

**Rubi [A]** time = 0.550665, antiderivative size = 270, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 15, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$ , Rules used = {4701, 4705, 4679, 4419, 4183, 2531, 2282, 6589, 4651, 260, 271, 191, 4689, 446, 72}

$$\frac{2ibc^2 \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^2} - \frac{2ibc^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^2} - \frac{b^2c^2 \text{PolyLog}\left(3, -e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])^2/(x^3*(d - c^2*d*x^2)^2), x]$

[Out]  $-\left(\frac{b*c*(a + b*\text{ArcSin}[c*x])}{d^2*x*\text{Sqrt}[1 - c^2*x^2]}\right) + (c^2*(a + b*\text{ArcSin}[c*x])^2)/(d^2*(1 - c^2*x^2)) - (a + b*\text{ArcSin}[c*x])^2/(2*d^2*x^2*(1 - c^2*x^2)) - (4*c^2*(a + b*\text{ArcSin}[c*x])^2*\text{ArcTanh}[E^{((2*I)*\text{ArcSin}[c*x])}])/d^2 + (b^2*c^2*\text{Log}[x])/d^2 - (b^2*c^2*\text{Log}[1 - c^2*x^2])/(2*d^2) + ((2*I)*b*c^2*(a + b*\text{ArcSin}[c*x])* \text{PolyLog}[2, -E^{((2*I)*\text{ArcSin}[c*x])}])/d^2 - ((2*I)*b*c^2*(a + b*\text{ArcSin}[c*x])* \text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}])/d^2 - (b^2*c^2*\text{PolyLog}[3, -E^{((2*I)*\text{ArcSin}[c*x])}])/d^2 + (b^2*c^2*\text{PolyLog}[3, E^{((2*I)*\text{ArcSin}[c*x])}])/d^2$

Rule 4701

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*((f_.)*(x_.))^ (m_.)*((d_.) + (e_.
)*(x_)^2)^ (p_), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b
*ArcSin[c*x])^n)/(d*f*(m + 1)), x] + (Dist[(c^2*(m + 2*p + 3))/(f^2*(m + 1)
), Int[(f*x)^(m + 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart
[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[m, -1] && IntegerQ[m]

```

#### Rule 4705

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*((f_.)*(x_.))^ (m_.)*((d_.) + (e_.
)*(x_)^2)^ (p_), x_Symbol] := -Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a +
b*ArcSin[c*x])^n)/(2*d*f*(p + 1)), x] + (Dist[(m + 2*p + 3)/(2*d*(p + 1)),
Int[(f*x)^m*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*c*n
*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*f*(p + 1)*(1 - c^2*x^2)^FracPart[
p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1]
)

```

#### Rule 4679

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)/((x_.)*((d_.) + (e_.)*(x_)^2)),
x_Symbol] := Dist[1/d, Subst[Int[(a + b*x)^n/(Cos[x]*Sin[x]), x], ArcSin
[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]

```

#### Rule 4419

```

Int[Csc[(a_.) + (b_.)*(x_.)]^ (n_.)*((c_.) + (d_.)*(x_.))^ (m_.)*Sec[(a_.) + (b
_.)*(x_.)]^ (n_.), x_Symbol] := Dist[2^n, Int[(c + d*x)^m*Csc[2*a + 2*b*x]^n,
x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]

```

#### Rule 4183

```

Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^ (m_.), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]

```

#### Rule 2531

```

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.)))^ (n_.)]*(f_.) + (g_.)
*(x_.))^ (m_.), x_Symbol] := -Simp[(f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x

```

)))^n)]/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

### Rule 2282

Int[u\_, x\_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :=> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 4651

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/((d\_) + (e\_.)\*(x\_)^2)^(3/2), x\_Symbol] :=> Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n)/Sqrt[d], Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(d + e\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]

### Rule 260

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n\_)), x\_Symbol] :=> Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

### Rule 271

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :=> Simp[(x^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*(m + 1)), x] - Dist[(b\*(m + n\*(p + 1) + 1))/(a\*(m + 1)), Int[x^(m + n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :=> Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

### Rule 4689



```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(p_)
, x_Symbol] :> With[{u = IntHide[x^m*(1 - c^2*x^2)^p, x]}, Dist[d^p*(a + b*
ArcSin[c*x]), u, x] - Dist[b*c*d^p, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^
2], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IntegerQ[p - 1/2] && (IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2*p + 3)/2, 0]) && NeQ[p, -2^(-1)] && GtQ[d, 0]
```

### Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.
), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 72

```
Int[((e_.) + (f_.)*(x_))^(p_.)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))),
x_Symbol] :> Int[ExpandIntegrand[(e + f*x)^p/((a + b*x)*(c + d*x)), x], x]
/; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^3 (d - c^2 dx^2)^2} dx &= -\frac{(a + b \sin^{-1}(cx))^2}{2d^2 x^2 (1 - c^2 x^2)} + (2c^2) \int \frac{(a + b \sin^{-1}(cx))^2}{x (d - c^2 dx^2)^2} dx + \frac{(bc) \int \frac{a + b \sin^{-1}(cx)}{x^2 (1 - c^2 x^2)^{3/2}} dx}{d^2} \\
&= -\frac{bc (a + b \sin^{-1}(cx))}{d^2 x \sqrt{1 - c^2 x^2}} + \frac{2bc^3 x (a + b \sin^{-1}(cx))}{d^2 \sqrt{1 - c^2 x^2}} + \frac{c^2 (a + b \sin^{-1}(cx))^2}{d^2 (1 - c^2 x^2)} - \frac{(a + b \sin^{-1}(cx))^2}{2d^2 x^2 (1 - c^2 x^2)} \\
&= -\frac{bc (a + b \sin^{-1}(cx))}{d^2 x \sqrt{1 - c^2 x^2}} + \frac{c^2 (a + b \sin^{-1}(cx))^2}{d^2 (1 - c^2 x^2)} - \frac{(a + b \sin^{-1}(cx))^2}{2d^2 x^2 (1 - c^2 x^2)} + \frac{(2c^2) \text{Subst} \left( \int (a + bx)^2 \right)}{d^2} \\
&= -\frac{bc (a + b \sin^{-1}(cx))}{d^2 x \sqrt{1 - c^2 x^2}} + \frac{c^2 (a + b \sin^{-1}(cx))^2}{d^2 (1 - c^2 x^2)} - \frac{(a + b \sin^{-1}(cx))^2}{2d^2 x^2 (1 - c^2 x^2)} - \frac{b^2 c^2 \log(1 - c^2 x^2)}{d^2} + \frac{(4c^2) \text{Subst} \left( \int (a + bx)^2 \right)}{d^2} \\
&= -\frac{bc (a + b \sin^{-1}(cx))}{d^2 x \sqrt{1 - c^2 x^2}} + \frac{c^2 (a + b \sin^{-1}(cx))^2}{d^2 (1 - c^2 x^2)} - \frac{(a + b \sin^{-1}(cx))^2}{2d^2 x^2 (1 - c^2 x^2)} - \frac{4c^2 (a + b \sin^{-1}(cx))^2 \tan^{-1} \left( \frac{cx}{\sqrt{1 - c^2 x^2}} \right)}{d^2} \\
&= -\frac{bc (a + b \sin^{-1}(cx))}{d^2 x \sqrt{1 - c^2 x^2}} + \frac{c^2 (a + b \sin^{-1}(cx))^2}{d^2 (1 - c^2 x^2)} - \frac{(a + b \sin^{-1}(cx))^2}{2d^2 x^2 (1 - c^2 x^2)} - \frac{4c^2 (a + b \sin^{-1}(cx))^2 \tan^{-1} \left( \frac{cx}{\sqrt{1 - c^2 x^2}} \right)}{d^2} \\
&= -\frac{bc (a + b \sin^{-1}(cx))}{d^2 x \sqrt{1 - c^2 x^2}} + \frac{c^2 (a + b \sin^{-1}(cx))^2}{d^2 (1 - c^2 x^2)} - \frac{(a + b \sin^{-1}(cx))^2}{2d^2 x^2 (1 - c^2 x^2)} - \frac{4c^2 (a + b \sin^{-1}(cx))^2 \tan^{-1} \left( \frac{cx}{\sqrt{1 - c^2 x^2}} \right)}{d^2} \\
&= -\frac{bc (a + b \sin^{-1}(cx))}{d^2 x \sqrt{1 - c^2 x^2}} + \frac{c^2 (a + b \sin^{-1}(cx))^2}{d^2 (1 - c^2 x^2)} - \frac{(a + b \sin^{-1}(cx))^2}{2d^2 x^2 (1 - c^2 x^2)} - \frac{4c^2 (a + b \sin^{-1}(cx))^2 \tan^{-1} \left( \frac{cx}{\sqrt{1 - c^2 x^2}} \right)}{d^2}
\end{aligned}$$

**Mathematica [A]** time = 1.55839, size = 430, normalized size = 1.59

$$2ab \left( 2c^2 \left( i \left( \text{PolyLog} \left( 2, -e^{2i \sin^{-1}(cx)} \right) - \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) \right) + 2 \sin^{-1}(cx) \left( \log \left( 1 - e^{2i \sin^{-1}(cx)} \right) - \log \left( 1 + e^{2i \sin^{-1}(cx)} \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^3\*(d - c^2\*d\*x^2)^2), x]

[Out]  $-(a^2/x^2) + (a^2*c^2)/(1 - c^2*x^2) + 4*a^2*c^2*Log[x] - 2*a^2*c^2*Log[1 - c^2*x^2] + 2*a*b*(-((c^3*x)/Sqrt[1 - c^2*x^2]) - (c*Sqrt[1 - c^2*x^2]))/x - ArcSin[c*x]/x^2 + (c^2*ArcSin[c*x])/(1 - c^2*x^2) + 2*c^2*(2*ArcSin[c*x]*$

```
(Log[1 - E^((2*I)*ArcSin[c*x])] - Log[1 + E^((2*I)*ArcSin[c*x])]) + I*(Poly
Log[2, -E^((2*I)*ArcSin[c*x])] - PolyLog[2, E^((2*I)*ArcSin[c*x])])) + b^2
*c^2*((-2*c*x*ArcSin[c*x])/Sqrt[1 - c^2*x^2] - (2*Sqrt[1 - c^2*x^2]*ArcSin[
c*x])/(c*x) - ArcSin[c*x]^2/(c^2*x^2) + ArcSin[c*x]^2/(1 - c^2*x^2) + 4*Arc
Sin[c*x]^2*(Log[1 - E^((2*I)*ArcSin[c*x])] - Log[1 + E^((2*I)*ArcSin[c*x])])
) + 2*Log[(c*x)/Sqrt[1 - c^2*x^2]] + (4*I)*ArcSin[c*x]*(PolyLog[2, -E^((2*I
)*ArcSin[c*x])] - PolyLog[2, E^((2*I)*ArcSin[c*x])]) + 2*(-PolyLog[3, -E^((
2*I)*ArcSin[c*x])] + PolyLog[3, E^((2*I)*ArcSin[c*x])]))/(2*d^2)
```

**Maple [B]** time = 0.246, size = 903, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/x^3/(-c^2*d*x^2+d)^2,x)
```

```
[Out] -1/2*a^2/d^2/x^2-4*I*c^2*a*b/d^2*polylog(2,I*c*x+(-c^2*x^2+1)^(1/2))+2*I*c^
2*a*b/d^2*polylog(2,-(I*c*x+(-c^2*x^2+1)^(1/2))^2)-4*I*c^2*b^2/d^2*arcsin(c
*x)*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2))-4*I*c^2*b^2/d^2*arcsin(c*x)*polylo
g(2,I*c*x+(-c^2*x^2+1)^(1/2))+2*I*c^2*b^2/d^2*arcsin(c*x)*polylog(2,-(I*c*x
+(-c^2*x^2+1)^(1/2))^2)-4*I*c^2*a*b/d^2*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2)
)+4*c^2*a*b/d^2*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-2*c^2*a*b/d^2*ar
csin(c*x)/(c^2*x^2-1)-4*c^2*a*b/d^2*arcsin(c*x)*ln(1+(I*c*x+(-c^2*x^2+1)^(1
/2))^2)+4*c^2*a*b/d^2*arcsin(c*x)*ln(1-I*c*x-(-c^2*x^2+1)^(1/2))+a*b/d^2/(c
^2*x^2-1)/x^2*arcsin(c*x)-1/4*c^2*a^2/d^2/(c*x-1)+4*c^2*b^2/d^2*polylog(3,I
*c*x+(-c^2*x^2+1)^(1/2))+2*c^2*a^2/d^2*ln(c*x)+c^2*b^2/d^2*ln(I*c*x+(-c^2*x
^2+1)^(1/2)-1)+c^2*b^2/d^2*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-c^2*b^2/d^2*ln(1+
(I*c*x+(-c^2*x^2+1)^(1/2))^2)-c^2*a^2/d^2*ln(c*x-1)-c^2*a^2/d^2*ln(c*x+1)+4
*c^2*b^2/d^2*polylog(3,-I*c*x-(-c^2*x^2+1)^(1/2))+1/4*c^2*a^2/d^2/(c*x+1)+1
/2*b^2/d^2/(c^2*x^2-1)/x^2*arcsin(c*x)^2-b^2*c^2*polylog(3,-(I*c*x+(-c^2*x^
2+1)^(1/2))^2)/d^2+2*c^2*b^2/d^2*arcsin(c*x)^2*ln(1+I*c*x+(-c^2*x^2+1)^(1/2
))-c^2*b^2/d^2*arcsin(c*x)^2/(c^2*x^2-1)-2*c^2*b^2/d^2*arcsin(c*x)^2*ln(1+(
I*c*x+(-c^2*x^2+1)^(1/2))^2)+2*c^2*b^2/d^2*arcsin(c*x)^2*ln(1-I*c*x-(-c^2*x
^2+1)^(1/2))+c*b^2/d^2/(c^2*x^2-1)/x*arcsin(c*x)*(-c^2*x^2+1)^(1/2)+c*a*b/d
^2/x/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2}a^2\left(\frac{2c^2\log(cx+1)}{d^2} + \frac{2c^2\log(cx-1)}{d^2} - \frac{4c^2\log(x)}{d^2} + \frac{2c^2x^2-1}{c^2d^2x^4-d^2x^2}\right) + \int \frac{b^2\arctan\left(cx,\sqrt{cx+1}\sqrt{-cx+1}\right)^2 + 2a}{c^4d^2x^7 - 2c^2d^2x^5 + d^2x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^3/(-c^2\*d\*x^2+d)^2,x, algorithm="maxima")

[Out]  $-1/2*a^2*(2*c^2*\log(c*x + 1)/d^2 + 2*c^2*\log(c*x - 1)/d^2 - 4*c^2*\log(x)/d^2 + (2*c^2*x^2 - 1)/(c^2*d^2*x^4 - d^2*x^2)) + \text{integrate}((b^2*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})^2 + 2*a*b*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}))/ (c^4*d^2*x^7 - 2*c^2*d^2*x^5 + d^2*x^3), x)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}{c^4 d^2 x^7 - 2c^2 d^2 x^5 + d^2 x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^3/(-c^2\*d\*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/(c^4\*d^2\*x^7 - 2\*c^2\*d^2\*x^5 + d^2\*x^3), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2}{c^4 x^7 - 2c^2 x^5 + x^3} dx + \int \frac{b^2 \arcsin^2(cx)}{c^4 x^7 - 2c^2 x^5 + x^3} dx + \int \frac{2ab \arcsin(cx)}{c^4 x^7 - 2c^2 x^5 + x^3} dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x\*\*3/(-c\*\*2\*d\*x\*\*2+d)\*\*2,x)

[Out] (Integral(a\*\*2/(c\*\*4\*x\*\*7 - 2\*c\*\*2\*x\*\*5 + x\*\*3), x) + Integral(b\*\*2\*asin(c\*x)\*\*2/(c\*\*4\*x\*\*7 - 2\*c\*\*2\*x\*\*5 + x\*\*3), x) + Integral(2\*a\*b\*asin(c\*x)/(c\*\*4\*x\*\*7 - 2\*c\*\*2\*x\*\*5 + x\*\*3), x))/d\*\*2

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(c^2 dx^2 - d)^2 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/x^3/(-c^2*d*x^2+d)^2,x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2/((c^2*d*x^2 - d)^2*x^3), x)
```

$$3.200 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^4(d-c^2dx^2)^2} dx$$

**Optimal.** Leaf size=439

$$\frac{5ibc^3 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^2} - \frac{5ibc^3 \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^2} + \frac{13ib^2c^3 \text{PolyLog}\left(2, \dots\right)}{3d^2}$$

```
[Out] -(b^2*c^2)/(3*d^2*x) - (2*b*c^3*(a + b*ArcSin[c*x]))/(3*d^2*Sqrt[1 - c^2*x^2]) - (b*c*(a + b*ArcSin[c*x]))/(3*d^2*x^2*Sqrt[1 - c^2*x^2]) - (a + b*ArcSin[c*x])^2/(3*d^2*x^3*(1 - c^2*x^2)) - (5*c^2*(a + b*ArcSin[c*x])^2)/(3*d^2*x*(1 - c^2*x^2)) + (5*c^4*x*(a + b*ArcSin[c*x])^2)/(2*d^2*(1 - c^2*x^2)) - ((5*I)*c^3*(a + b*ArcSin[c*x])^2*ArcTan[E^(I*ArcSin[c*x])])/d^2 - (26*b*c^3*(a + b*ArcSin[c*x])*ArcTanh[E^(I*ArcSin[c*x])])/(3*d^2) + (b^2*c^3*ArcTanh[c*x])/d^2 + (((13*I)/3)*b^2*c^3*PolyLog[2, -E^(I*ArcSin[c*x])])/d^2 + ((5*I)*b*c^3*(a + b*ArcSin[c*x])*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/d^2 - ((5*I)*b*c^3*(a + b*ArcSin[c*x])*PolyLog[2, I*E^(I*ArcSin[c*x])])/d^2 - (((13*I)/3)*b^2*c^3*PolyLog[2, E^(I*ArcSin[c*x])])/d^2 - (5*b^2*c^3*PolyLog[3, (-I)*E^(I*ArcSin[c*x])])/d^2 + (5*b^2*c^3*PolyLog[3, I*E^(I*ArcSin[c*x])])/d^2
```

**Rubi [A]** time = 0.949499, antiderivative size = 439, normalized size of antiderivative = 1., number of steps used = 32, number of rules used = 15, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$ , Rules used = {4701, 4655, 4657, 4181, 2531, 2282, 6589, 4677, 206, 4705, 4709, 4183, 2279, 2391, 325}

$$\frac{5ibc^3 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^2} - \frac{5ibc^3 \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^2} + \frac{13ib^2c^3 \text{PolyLog}\left(2, \dots\right)}{3d^2}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])^2/(x^4*(d - c^2*d*x^2)^2), x]
```

```
[Out] -(b^2*c^2)/(3*d^2*x) - (2*b*c^3*(a + b*ArcSin[c*x]))/(3*d^2*Sqrt[1 - c^2*x^2]) - (b*c*(a + b*ArcSin[c*x]))/(3*d^2*x^2*Sqrt[1 - c^2*x^2]) - (a + b*ArcSin[c*x])^2/(3*d^2*x^3*(1 - c^2*x^2)) - (5*c^2*(a + b*ArcSin[c*x])^2)/(3*d^2*x*(1 - c^2*x^2)) + (5*c^4*x*(a + b*ArcSin[c*x])^2)/(2*d^2*(1 - c^2*x^2)) - ((5*I)*c^3*(a + b*ArcSin[c*x])^2*ArcTan[E^(I*ArcSin[c*x])])/d^2 - (26*b*c^3*(a + b*ArcSin[c*x])*ArcTanh[E^(I*ArcSin[c*x])])/(3*d^2) + (b^2*c^3*ArcTan
```

$$\begin{aligned} & h[c*x])/d^2 + (((13*I)/3)*b^2*c^3*PolyLog[2, -E^(I*ArcSin[c*x])])/d^2 + ((5 \\ & *I)*b*c^3*(a + b*ArcSin[c*x])*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/d^2 - ((5 \\ & *I)*b*c^3*(a + b*ArcSin[c*x])*PolyLog[2, I*E^(I*ArcSin[c*x])])/d^2 - (((13* \\ & I)/3)*b^2*c^3*PolyLog[2, E^(I*ArcSin[c*x])])/d^2 - (5*b^2*c^3*PolyLog[3, (- \\ & I)*E^(I*ArcSin[c*x])])/d^2 + (5*b^2*c^3*PolyLog[3, I*E^(I*ArcSin[c*x])])/d^ \\ & 2 \end{aligned}$$

### Rule 4701

$$\begin{aligned} & \text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^n*(d_. + (e_. \\ & )*(x_.)^2)^p, x\_Symbol] \text{ :> } \text{Simp}[(f*x)^(m+1)*(d + e*x^2)^(p+1)*(a + b \\ & *ArcSin[c*x])^n/(d*f*(m+1)), x] + (\text{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1) \\ & ), \text{Int}[(f*x)^(m+2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] - \text{Dist}[(b* \\ & c^n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]}/(f*(m+1)*(1 - c^2*x^2)^{\text{FracPart} \\ & [p]}), \text{Int}[(f*x)^(m+1)*(1 - c^2*x^2)^(p+1/2)*(a + b*ArcSin[c*x])^(n-1) \\ & ], x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, \\ & 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[m] \end{aligned}$$

### Rule 4655

$$\begin{aligned} & \text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^n*(d_. + (e_.)*(x_.)^2)^p, x\_ \\ & Symbol] \text{ :> } -\text{Simp}[(x*(d + e*x^2)^(p+1)*(a + b*ArcSin[c*x])^n)/(2*d*(p+1) \\ & ), x] + (\text{Dist}[(2*p+3)/(2*d*(p+1)), \text{Int}[(d + e*x^2)^(p+1)*(a + b*ArcSi \\ & n[c*x])^n, x], x] + \text{Dist}[(b*c^n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]}/(2*(p \\ & + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[x*(1 - c^2*x^2)^(p+1/2)*(a + b*ArcS \\ & in[c*x])^(n-1), x], x]) /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \\ & \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{NeQ}[p, -3/2] \end{aligned}$$

### Rule 4657

$$\begin{aligned} & \text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^n/(d_. + (e_.)*(x_.)^2), x\_Symbo \\ & l] \text{ :> } \text{Dist}[1/(c*d), \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sec}[x], x], x, \text{ArcSin}[c*x]], x] / \\ & ; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[n, 0] \end{aligned}$$

### Rule 4181

$$\begin{aligned} & \text{Int}[\text{csc}[(e_. + \text{Pi}*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^m, x\_Symbol \\ & ] \text{ :> } \text{Simp}[(-2*(c + d*x)^m*\text{ArcTanh}[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Di \\ & st[(d*m)/f, \text{Int}[(c + d*x)^(m-1)*\text{Log}[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], \\ & x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^(m-1)*\text{Log}[1 + E^(I*k*Pi)*E^(I*(e + f*x)) \\ & ], x], x]) /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{IntegerQ}[2*k] \&\& \text{IGtQ}[m, 0] \end{aligned}$$

### Rule 2531

$$\text{Int}[\text{Log}[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_.)))]^n*(f_.) + (g_.)]$$

```

*(x_)^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

```

### Rule 2282

```

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

```

### Rule 6589

```

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

```

### Rule 4677

```

Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

```

### Rule 206

```

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

```

### Rule 4705

```

Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_)^(m_))*((d_) + (e_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*d*f*(p + 1)), x] + (Dist[(m + 2*p + 3)/(2*d*(p + 1)), Int[(f*x)^m*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*f*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1])

```



)

Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_.)*(x_)^(m_)]/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] :> Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(-
2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 325

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[((c*
x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1)
+ 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a,
b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p,
x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^4 (d - c^2 dx^2)^2} dx &= -\frac{(a + b \sin^{-1}(cx))^2}{3d^2 x^3 (1 - c^2 x^2)} + \frac{1}{3} (5c^2) \int \frac{(a + b \sin^{-1}(cx))^2}{x^2 (d - c^2 dx^2)^2} dx + \frac{(2bc) \int \frac{a + b \sin^{-1}(cx)}{x^3 (1 - c^2 x^2)^{3/2}} dx}{3d^2} \\
&= -\frac{bc (a + b \sin^{-1}(cx))}{3d^2 x^2 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3d^2 x^3 (1 - c^2 x^2)} - \frac{5c^2 (a + b \sin^{-1}(cx))^2}{3d^2 x (1 - c^2 x^2)} + (5c^4) \int \frac{(a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^2} dx \\
&= -\frac{b^2 c^2}{3d^2 x} + \frac{13bc^3 (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^2 x^2 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3d^2 x^3 (1 - c^2 x^2)} - \frac{5c^2 (a + b \sin^{-1}(cx))^2}{3d^2 x (1 - c^2 x^2)} \\
&= -\frac{b^2 c^2}{3d^2 x} - \frac{2bc^3 (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^2 x^2 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3d^2 x^3 (1 - c^2 x^2)} - \frac{5c^2 (a + b \sin^{-1}(cx))^2}{3d^2 x (1 - c^2 x^2)} \\
&= -\frac{b^2 c^2}{3d^2 x} - \frac{2bc^3 (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^2 x^2 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3d^2 x^3 (1 - c^2 x^2)} - \frac{5c^2 (a + b \sin^{-1}(cx))^2}{3d^2 x (1 - c^2 x^2)} \\
&= -\frac{b^2 c^2}{3d^2 x} - \frac{2bc^3 (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^2 x^2 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3d^2 x^3 (1 - c^2 x^2)} - \frac{5c^2 (a + b \sin^{-1}(cx))^2}{3d^2 x (1 - c^2 x^2)} \\
&= -\frac{b^2 c^2}{3d^2 x} - \frac{2bc^3 (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^2 x^2 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3d^2 x^3 (1 - c^2 x^2)} - \frac{5c^2 (a + b \sin^{-1}(cx))^2}{3d^2 x (1 - c^2 x^2)}
\end{aligned}$$

**Mathematica [B]** time = 12.9268, size = 1514, normalized size = 3.45

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^4\*(d - c^2\*d\*x^2)^2), x]

[Out]  $-\frac{a^2}{3d^2 x^3} - \frac{(2a^2 c^2)/(d^2 x) - (a^2 c^4 x)/(2d^2 (-1 + c^2 x^2)) - (5a^2 c^3 \text{Log}[1 - cx])/(4d^2) + (5a^2 c^3 \text{Log}[1 + cx])/(4d^2) + (2ab((c^3(\text{Sqrt}[1 - c^2 x^2] - \text{ArcSin}[cx]))/(4(-1 + cx)) - (c^4(\text{Sqrt}[1 - c^2 x^2] + \text{ArcSin}[cx]))/(4(c + c^2 x)) + 2c^2(-(\text{ArcSin}[cx]/x) - c \text{ArcTanh}[\text{Sqrt}[1 - c^2 x^2]])) - (cx \text{Sqrt}[1 - c^2 x^2] + 2 \text{ArcSin}[cx] + c^3 x$

$$\begin{aligned}
& ^3\text{ArcTanh}[\text{Sqrt}[1 - c^2x^2]]/(6x^3) - (5c^4(((3I)/2)\text{Pi}\text{ArcSin}[c*x]) \\
& /c - ((I/2)\text{ArcSin}[c*x]^2)/c + (2\text{Pi}\text{Log}[1 + E^{(-I)\text{ArcSin}[c*x]})])/c - (\text{Pi} \\
& * \text{Log}[1 + I\text{E}^{(I\text{ArcSin}[c*x])}])/c + (2\text{ArcSin}[c*x]*\text{Log}[1 + I\text{E}^{(I\text{ArcSin}[c*x] \\
& ])])/c - (2\text{Pi}\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2]])/c + (\text{Pi}\text{Log}[-\text{Cos}[(\text{Pi} + 2\text{ArcSin}[c*x] \\
& ])/4]])/c - ((2I)\text{PolyLog}[2, (-I)\text{E}^{(I\text{ArcSin}[c*x])}])/c)/4 + (5c^4(((I/ \\
& 2)\text{Pi}\text{ArcSin}[c*x])/c - ((I/2)\text{ArcSin}[c*x]^2)/c + (2\text{Pi}\text{Log}[1 + E^{(-I)\text{ArcS} \\
& in}[c*x]])/c + (\text{Pi}\text{Log}[1 - I\text{E}^{(I\text{ArcSin}[c*x])}])/c + (2\text{ArcSin}[c*x]*\text{Log}[1 - \\
& I\text{E}^{(I\text{ArcSin}[c*x])}])/c - (2\text{Pi}\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2]])/c - (\text{Pi}\text{Log}[\text{Sin}[( \\
& \text{Pi} + 2\text{ArcSin}[c*x])/4]])/c - ((2I)\text{PolyLog}[2, I\text{E}^{(I\text{ArcSin}[c*x])}])/c)/4) \\
& )/d^2 + (b^2c^3((5\text{ArcSin}[c*x]^3)/6 + ((-2\text{Cos}[\text{ArcSin}[c*x]/2] - 13\text{ArcSin} \\
& [c*x]^2*\text{Cos}[\text{ArcSin}[c*x]/2])*\text{Csc}[\text{ArcSin}[c*x]/2])/12 - (\text{ArcSin}[c*x]*\text{Csc}[\text{ArcSi} \\
& n}[c*x]/2]^2)/12 - (\text{ArcSin}[c*x]^2*\text{Cot}[\text{ArcSin}[c*x]/2]*\text{Csc}[\text{ArcSin}[c*x]/2]^2)/2 \\
& 4 + (26*((I/8)\text{ArcSin}[c*x]^2 - (\text{ArcSin}[c*x]*\text{Log}[1 + E^{(I\text{ArcSin}[c*x])}])/2 + \\
& (I/2)\text{PolyLog}[2, -E^{(I\text{ArcSin}[c*x])}]))/3 + (26*((\text{ArcSin}[c*x]*\text{Log}[1 - E^{(I\text{A} \\
& rcSin}[c*x])])/2 - (I/2)*(\text{ArcSin}[c*x]^2/4 + \text{PolyLog}[2, E^{(I\text{ArcSin}[c*x])}])) \\
& )/3 + (-6\text{ArcSin}[c*x] - 5\text{ArcSin}[c*x]^3 + 15\text{ArcSin}[c*x]^2*\text{Log}[1 - I\text{E}^{(I\text{A} \\
& rcSin}[c*x])]) + 15\text{Pi}\text{ArcSin}[c*x]*\text{Log}[((-1)^{(1/4)}*(1 - I\text{E}^{(I\text{ArcSin}[c*x])}) \\
& )/(2\text{E}^{((I/2)\text{ArcSin}[c*x])})] - 15\text{ArcSin}[c*x]^2*\text{Log}[1 + I\text{E}^{(I\text{ArcSin}[c*x])}] \\
& - 15\text{ArcSin}[c*x]^2*\text{Log}[((1/2 + I/2)*(-I + E^{(I\text{ArcSin}[c*x])})]/E^{((I/2)\text{Arc} \\
& Sin}[c*x])]) + 15\text{Pi}\text{ArcSin}[c*x]*\text{Log}[(-(-1)^{(1/4)}*(-I + E^{(I\text{ArcSin}[c*x])})]/( \\
& 2\text{E}^{((I/2)\text{ArcSin}[c*x])})] + 15\text{ArcSin}[c*x]^2*\text{Log}[((1 + I) + (1 - I)\text{E}^{(I\text{Ar} \\
& cSin}[c*x])]/(2\text{E}^{((I/2)\text{ArcSin}[c*x])})] - 15\text{Pi}\text{ArcSin}[c*x]*\text{Log}[-\text{Cos}[(\text{Pi} + 2 \\
& * \text{ArcSin}[c*x])/4]] - 6*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2] - \text{Sin}[\text{ArcSin}[c*x]/2]] + 15\text{Arc} \\
& Sin}[c*x]^2*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2] - \text{Sin}[\text{ArcSin}[c*x]/2]] + 6*\text{Log}[\text{Cos}[\text{ArcSin}[ \\
& c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]] - 15\text{ArcSin}[c*x]^2*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2] + \text{S} \\
& in}[\text{ArcSin}[c*x]/2]] - 15\text{Pi}\text{ArcSin}[c*x]*\text{Log}[\text{Sin}[(\text{Pi} + 2\text{ArcSin}[c*x])/4]] + ( \\
& 30I)\text{ArcSin}[c*x]*\text{PolyLog}[2, (-I)\text{E}^{(I\text{ArcSin}[c*x])}] - (30I)\text{ArcSin}[c*x]*\text{P} \\
& olyLog[2, I\text{E}^{(I\text{ArcSin}[c*x])}] - 30*\text{PolyLog}[3, (-I)\text{E}^{(I\text{ArcSin}[c*x])}] + 30 \\
& * \text{PolyLog}[3, I\text{E}^{(I\text{ArcSin}[c*x])}])/6 + (\text{ArcSin}[c*x]*\text{Sec}[\text{ArcSin}[c*x]/2]^2)/12 \\
& + \text{ArcSin}[c*x]^2/(4*(\text{Cos}[\text{ArcSin}[c*x]/2] - \text{Sin}[\text{ArcSin}[c*x]/2])^2) - (\text{ArcSin}[ \\
& c*x]*\text{Sin}[\text{ArcSin}[c*x]/2])/(\text{Cos}[\text{ArcSin}[c*x]/2] - \text{Sin}[\text{ArcSin}[c*x]/2]) - \text{ArcSin} \\
& [c*x]^2/(4*(\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2])^2) + (\text{ArcSin}[c*x]*\text{Sin}[ \\
& \text{ArcSin}[c*x]/2])/(\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]) + (\text{Sec}[\text{ArcSin}[c*x] \\
& ]/2)*(-2*\text{Sin}[\text{ArcSin}[c*x]/2] - 13\text{ArcSin}[c*x]^2*\text{Sin}[\text{ArcSin}[c*x]/2]))/12 - (\text{A} \\
& rcSin}[c*x]^2*\text{Sec}[\text{ArcSin}[c*x]/2]^2*\text{Tan}[\text{ArcSin}[c*x]/2])/24)/d^2
\end{aligned}$$


---

**Maple [B]** time = 0.382, size = 1019, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d)^2,x)

```
[Out] -1/3*c^4*b^2/d^2*x/(c^2*x^2-1)+5/3*c^2*b^2/d^2/(c^2*x^2-1)/x*arcsin(c*x)^2-
5/2*c^4*b^2/d^2/(c^2*x^2-1)*arcsin(c*x)^2*x+2/3*a*b/d^2/x^3/(c^2*x^2-1)*arc
sin(c*x)+5*I*c^3*b^2/d^2*arcsin(c*x)*polylog(2,-I*(I*c*x+(-c^2*x^2+1)^(1/2)
))-5*I*c^3*b^2/d^2*arcsin(c*x)*polylog(2,I*(I*c*x+(-c^2*x^2+1)^(1/2)))-5*I*
c^3*a*b/d^2*dilog(1-I*(I*c*x+(-c^2*x^2+1)^(1/2)))+5*I*c^3*a*b/d^2*dilog(1+I
*(I*c*x+(-c^2*x^2+1)^(1/2)))-5/4*c^3*a^2/d^2*ln(c*x-1)+5/4*c^3*a^2/d^2*ln(c
*x+1)+2/3*c^3*a*b/d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)-5*c^3*a*b/d^2*arcsin(c
*x)*ln(1+I*(I*c*x+(-c^2*x^2+1)^(1/2)))+5*c^3*a*b/d^2*arcsin(c*x)*ln(1-I*(I*
c*x+(-c^2*x^2+1)^(1/2)))+2/3*c^3*b^2/d^2/(c^2*x^2-1)*arcsin(c*x)*(-c^2*x^2+
1)^(1/2)-1/3*a^2/d^2/x^3+1/3*c^2*b^2/d^2/x/(c^2*x^2-1)+1/3*b^2/d^2/x^3/(c^2
*x^2-1)*arcsin(c*x)^2+13/3*c^3*a*b/d^2*ln(I*c*x+(-c^2*x^2+1)^(1/2)-1)-13/3*
c^3*a*b/d^2*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-5/2*c^3*b^2/d^2*arcsin(c*x)^2*ln
(1+I*(I*c*x+(-c^2*x^2+1)^(1/2)))+5/2*c^3*b^2/d^2*arcsin(c*x)^2*ln(1-I*(I*c*
x+(-c^2*x^2+1)^(1/2)))-13/3*c^3*b^2/d^2*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)
^(1/2))-2*I*c^3*b^2/d^2*arctan(I*c*x+(-c^2*x^2+1)^(1/2))+13/3*I*c^3*b^2/d^2
*dilog(I*c*x+(-c^2*x^2+1)^(1/2))+13/3*I*c^3*b^2/d^2*dilog(1+I*c*x+(-c^2*x^2
+1)^(1/2))+1/3*c*b^2/d^2/x^2/(c^2*x^2-1)*arcsin(c*x)*(-c^2*x^2+1)^(1/2)+1/3
*c*a*b/d^2/x^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)-5*c^4*a*b/d^2/(c^2*x^2-1)*arc
sin(c*x)*x+10/3*c^2*a*b/d^2/(c^2*x^2-1)/x*arcsin(c*x)-5*b^2*c^3*polylog(3,-
I*(I*c*x+(-c^2*x^2+1)^(1/2)))/d^2+5*b^2*c^3*polylog(3,I*(I*c*x+(-c^2*x^2+1)
^(1/2)))/d^2-1/4*c^3*a^2/d^2/(c*x+1)-2*c^2*a^2/d^2/x-1/4*c^3*a^2/d^2/(c*x-1
)
```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{12} \left( \frac{15c^3 \log(cx+1)}{d^2} - \frac{15c^3 \log(cx-1)}{d^2} - \frac{2(15c^4x^4 - 10c^2x^2 - 2)}{c^2d^2x^5 - d^2x^3} \right) a^2 + \frac{15(b^2c^5x^5 - b^2c^3x^3) \arctan(cx, \sqrt{cx+1}\sqrt{-cx})}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/x^4/(-c^2*d*x^2+d)^2,x, algorithm="maxima")
```

```
[Out] 1/12*(15*c^3*log(c*x + 1)/d^2 - 15*c^3*log(c*x - 1)/d^2 - 2*(15*c^4*x^4 - 1
0*c^2*x^2 - 2)/(c^2*d^2*x^5 - d^2*x^3))*a^2 + 1/12*(15*(b^2*c^5*x^5 - b^2*c
^3*x^3)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2*log(c*x + 1) - 15*(b^2
*c^5*x^5 - b^2*c^3*x^3)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))^2*log(-c
*x + 1) - 2*(15*b^2*c^4*x^4 - 10*b^2*c^2*x^2 - 2*b^2)*arctan2(c*x, sqrt(c*x
+ 1)*sqrt(-c*x + 1))^2 + 12*(c^2*d^2*x^5 - d^2*x^3)*integrate(1/6*(12*a*b*
arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + (15*(b^2*c^6*x^6 - b^2*c^4*x^4
)*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))*log(c*x + 1) - 15*(b^2*c^6*x^6
```

$$- b^2 c^4 x^4 \operatorname{arctan2}(c x, \sqrt{c x + 1} \sqrt{-c x + 1}) \log(-c x + 1) - 2(15 b^2 c^5 x^5 - 10 b^2 c^3 x^3 - 2 b^2 c x) \operatorname{arctan2}(c x, \sqrt{c x + 1} \sqrt{-c x + 1}) \sqrt{c x + 1} \sqrt{-c x + 1} / (c^4 d^2 x^8 - 2 c^2 d^2 x^6 + d^2 x^4), x) / (c^2 d^2 x^5 - d^2 x^3)$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}{c^4 d^2 x^8 - 2c^2 d^2 x^6 + d^2 x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/(c^4\*d^2\*x^8 - 2\*c^2\*d^2\*x^6 + d^2\*x^4), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2}{c^4 x^8 - 2c^2 x^6 + x^4} dx + \int \frac{b^2 \operatorname{asin}^2(cx)}{c^4 x^8 - 2c^2 x^6 + x^4} dx + \int \frac{2ab \operatorname{asin}(cx)}{c^4 x^8 - 2c^2 x^6 + x^4} dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x\*\*4/(-c\*\*2\*d\*x\*\*2+d)\*\*2,x)

[Out] (Integral(a\*\*2/(c\*\*4\*x\*\*8 - 2\*c\*\*2\*x\*\*6 + x\*\*4), x) + Integral(b\*\*2\*asin(c\*x)\*\*2/(c\*\*4\*x\*\*8 - 2\*c\*\*2\*x\*\*6 + x\*\*4), x) + Integral(2\*a\*b\*asin(c\*x)/(c\*\*4\*x\*\*8 - 2\*c\*\*2\*x\*\*6 + x\*\*4), x))/d\*\*2

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d)^2,x, algorithm="giac")

[Out] Timed out

$$3.201 \quad \int \frac{x^4 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^3} dx$$

**Optimal.** Leaf size=343

$$\frac{3ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{4c^5 d^3} - \frac{3ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{4c^5 d^3} - \frac{3b^2 \operatorname{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)}{4c^5 d^3}$$

```
[Out] (b^2*x)/(12*c^4*d^3*(1 - c^2*x^2)) - (b*(a + b*ArcSin[c*x]))/(6*c^5*d^3*(1 - c^2*x^2)^(3/2)) + (5*b*(a + b*ArcSin[c*x]))/(4*c^5*d^3*Sqrt[1 - c^2*x^2]) + (x^3*(a + b*ArcSin[c*x])^2)/(4*c^2*d^3*(1 - c^2*x^2)^2) - (3*x*(a + b*ArcSin[c*x])^2)/(8*c^4*d^3*(1 - c^2*x^2)) - (((3*I)/4)*(a + b*ArcSin[c*x])^2*ArcTan[E^(I*ArcSin[c*x])])/(c^5*d^3) - (7*b^2*ArcTanh[c*x])/(6*c^5*d^3) + (((3*I)/4)*b*(a + b*ArcSin[c*x])*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c^5*d^3) - (((3*I)/4)*b*(a + b*ArcSin[c*x])*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c^5*d^3) - (3*b^2*PolyLog[3, (-I)*E^(I*ArcSin[c*x])])/(4*c^5*d^3) + (3*b^2*PolyLog[3, I*E^(I*ArcSin[c*x])])/(4*c^5*d^3)
```

**Rubi [A]** time = 0.536364, antiderivative size = 343, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.482$ , Rules used = {4703, 4657, 4181, 2531, 2282, 6589, 4677, 206, 266, 43, 4689, 12, 385}

$$\frac{3ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{4c^5 d^3} - \frac{3ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) (a + b \sin^{-1}(cx))}{4c^5 d^3} - \frac{3b^2 \operatorname{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)}{4c^5 d^3}$$

Antiderivative was successfully verified.

```
[In] Int[(x^4*(a + b*ArcSin[c*x])^2)/(d - c^2*d*x^2)^3,x]
```

```
[Out] (b^2*x)/(12*c^4*d^3*(1 - c^2*x^2)) - (b*(a + b*ArcSin[c*x]))/(6*c^5*d^3*(1 - c^2*x^2)^(3/2)) + (5*b*(a + b*ArcSin[c*x]))/(4*c^5*d^3*Sqrt[1 - c^2*x^2]) + (x^3*(a + b*ArcSin[c*x])^2)/(4*c^2*d^3*(1 - c^2*x^2)^2) - (3*x*(a + b*ArcSin[c*x])^2)/(8*c^4*d^3*(1 - c^2*x^2)) - (((3*I)/4)*(a + b*ArcSin[c*x])^2*ArcTan[E^(I*ArcSin[c*x])])/(c^5*d^3) - (7*b^2*ArcTanh[c*x])/(6*c^5*d^3) + (((3*I)/4)*b*(a + b*ArcSin[c*x])*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c^5*d^3) - (((3*I)/4)*b*(a + b*ArcSin[c*x])*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c^5*d^3) - (3*b^2*PolyLog[3, (-I)*E^(I*ArcSin[c*x])])/(4*c^5*d^3) + (3*b^2*PolyLog[3, I*E^(I*ArcSin[c*x])])/(4*c^5*d^3)
```

Rule 4703

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)
*(x_)^2)^(p_), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*(a +
b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + (-Dist[(f^2*(m - 1))/(2*e*(p + 1)),
Int[(f*x)^(m - 2)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[
(b*f*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^Fra
cPart[p]), Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[
n, 0] && LtQ[p, -1] && GtQ[m, 1]
```

Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_)^2), x_Symbo
l] := Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol
] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
```



, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rule 4689

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[x^m\*(1 - c^2\*x^2)^p, x]}, Dist[d^p\*(a + b\*ArcSin[c\*x]), u, x] - Dist[b\*c\*d^p, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[p - 1/2] && (IGtQ[(m + 1)/2, 0] || ILtQ[(m + 2\*p + 3)/2, 0]) && NeQ[p, -2^(-1)] && GtQ[d, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^3} dx &= \frac{x^3 (a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{b \int \frac{x^3 (a + b \sin^{-1}(cx))}{(1 - c^2 x^2)^{5/2}} dx}{2cd^3} - \frac{3 \int \frac{x^2 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^2} dx}{4c^2 d} \\
&= -\frac{b (a + b \sin^{-1}(cx))}{6c^5 d^3 (1 - c^2 x^2)^{3/2}} + \frac{b (a + b \sin^{-1}(cx))}{2c^5 d^3 \sqrt{1 - c^2 x^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{3x (a + b \sin^{-1}(cx))^2}{8c^4 d^3 (1 - c^2 x^2)} \\
&= -\frac{b (a + b \sin^{-1}(cx))}{6c^5 d^3 (1 - c^2 x^2)^{3/2}} + \frac{5b (a + b \sin^{-1}(cx))}{4c^5 d^3 \sqrt{1 - c^2 x^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{3x (a + b \sin^{-1}(cx))^2}{8c^4 d^3 (1 - c^2 x^2)} \\
&= \frac{b^2 x}{12c^4 d^3 (1 - c^2 x^2)} - \frac{b (a + b \sin^{-1}(cx))}{6c^5 d^3 (1 - c^2 x^2)^{3/2}} + \frac{5b (a + b \sin^{-1}(cx))}{4c^5 d^3 \sqrt{1 - c^2 x^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{3x (a + b \sin^{-1}(cx))^2}{8c^4 d^3 (1 - c^2 x^2)} \\
&= \frac{b^2 x}{12c^4 d^3 (1 - c^2 x^2)} - \frac{b (a + b \sin^{-1}(cx))}{6c^5 d^3 (1 - c^2 x^2)^{3/2}} + \frac{5b (a + b \sin^{-1}(cx))}{4c^5 d^3 \sqrt{1 - c^2 x^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{3x (a + b \sin^{-1}(cx))^2}{8c^4 d^3 (1 - c^2 x^2)} \\
&= \frac{b^2 x}{12c^4 d^3 (1 - c^2 x^2)} - \frac{b (a + b \sin^{-1}(cx))}{6c^5 d^3 (1 - c^2 x^2)^{3/2}} + \frac{5b (a + b \sin^{-1}(cx))}{4c^5 d^3 \sqrt{1 - c^2 x^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{3x (a + b \sin^{-1}(cx))^2}{8c^4 d^3 (1 - c^2 x^2)} \\
&= \frac{b^2 x}{12c^4 d^3 (1 - c^2 x^2)} - \frac{b (a + b \sin^{-1}(cx))}{6c^5 d^3 (1 - c^2 x^2)^{3/2}} + \frac{5b (a + b \sin^{-1}(cx))}{4c^5 d^3 \sqrt{1 - c^2 x^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{3x (a + b \sin^{-1}(cx))^2}{8c^4 d^3 (1 - c^2 x^2)}
\end{aligned}$$

**Mathematica [A]** time = 6.37722, size = 667, normalized size = 1.94

$$18ab \left( 4i \operatorname{PolyLog} \left( 2, -ie^{i \sin^{-1}(cx)} \right) + i \sin^{-1}(cx)^2 + \sin^{-1}(cx) \left( -4 \log \left( 1 + ie^{i \sin^{-1}(cx)} \right) - 3i\pi \right) + 2\pi \left( -2 \log \left( 1 + e^{-i \sin^{-1}(cx)} \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^3,x]

[Out] 
$$\begin{aligned} & ((24*a^2*c*x)/(-1 + c^2*x^2)^2 + (60*a^2*c*x)/(-1 + c^2*x^2) - (60*a*b*(\text{Sqrt}[1 - c^2*x^2] - \text{ArcSin}[c*x]))/(-1 + c*x) + (60*a*b*(\text{Sqrt}[1 - c^2*x^2] + \text{ArcSin}[c*x]))/(1 + c*x) + (4*a*b*((-2 + c*x)*\text{Sqrt}[1 - c^2*x^2] + 3*\text{ArcSin}[c*x]))/(-1 + c*x)^2 - (4*a*b*((2 + c*x)*\text{Sqrt}[1 - c^2*x^2] + 3*\text{ArcSin}[c*x]))/(1 + c*x)^2 - 18*a^2*\text{Log}[1 - c*x] + 18*a^2*\text{Log}[1 + c*x] + 18*a*b*(I*\text{ArcSin}[c*x]^2 + \text{ArcSin}[c*x]*((-3*I)*\text{Pi} - 4*\text{Log}[1 + I*E^(I*\text{ArcSin}[c*x])])) + 2*\text{Pi}*(-2*\text{Log}[1 + E^((-I)*\text{ArcSin}[c*x])] + \text{Log}[1 + I*E^(I*\text{ArcSin}[c*x])] + 2*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2]] - \text{Log}[-\text{Cos}[(\text{Pi} + 2*\text{ArcSin}[c*x])/4]]) + (4*I)*\text{PolyLog}[2, (-I)*E^(I*\text{ArcSin}[c*x])] + 18*a*b*((-I)*\text{ArcSin}[c*x]^2 + \text{ArcSin}[c*x]*(I*\text{Pi} + 4*\text{Log}[1 - I*E^(I*\text{ArcSin}[c*x])])) + 2*\text{Pi}*(2*\text{Log}[1 + E^((-I)*\text{ArcSin}[c*x])] + \text{Log}[1 - I*E^(I*\text{ArcSin}[c*x])] - 2*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2]] - \text{Log}[\text{Sin}[(\text{Pi} + 2*\text{ArcSin}[c*x])/4]]) - (4*I)*\text{PolyLog}[2, I*E^(I*\text{ArcSin}[c*x])] + 8*b^2*((-9*I)*\text{ArcSin}[c*x]^2*\text{ArcTan}[E^(I*\text{ArcSin}[c*x])] - 14*\text{ArcTanh}[c*x] + (9*I)*\text{ArcSin}[c*x]*\text{PolyLog}[2, (-I)*E^(I*\text{ArcSin}[c*x])] - (9*I)*\text{ArcSin}[c*x]*\text{PolyLog}[2, I*E^(I*\text{ArcSin}[c*x])]) - 9*\text{PolyLog}[3, (-I)*E^(I*\text{ArcSin}[c*x])] + 9*\text{PolyLog}[3, I*E^(I*\text{ArcSin}[c*x])]) + (b^2*(\text{ArcSin}[c*x]*(74*\text{Sqrt}[1 - c^2*x^2] + 30*\text{Cos}[3*\text{ArcSin}[c*x]]) + 3*\text{ArcSin}[c*x]^2*(3*c*x - 5*\text{Sin}[3*\text{ArcSin}[c*x]]) + 2*(c*x + \text{Sin}[3*\text{ArcSin}[c*x]])))/(-1 + c^2*x^2)^2)/(96*c^5*d^3) \end{aligned}$$

---

**Maple [B]** time = 0.547, size = 903, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x)

[Out] 
$$\begin{aligned} & 13/12/c^5*a*b/d^3/(c^4*x^4-2*c^2*x^2+1)*(-c^2*x^2+1)^{(1/2)}-3/4/c^5*a*b/d^3* \\ & \arcsin(c*x)*\ln(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+3/4/c^5*a*b/d^3*\arcsin(c*x)* \\ & \ln(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+13/12/c^5*b^2/d^3/(c^4*x^4-2*c^2*x^2+1)* \\ & \arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}+3/4*I/c^5*a*b/d^3*\text{dilog}(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))-3/4*I/c^5*a*b/d^3*\text{dilog}(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+3/4*I/c^5*b^2/d^3*\arcsin(c*x)*\text{polylog}(2,-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))-3/4*I/c^5*b^2/d^3*\arcsin(c*x)*\text{polylog}(2,I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+5/8/c^2*b^2/d^3/(c^4*x^4-2*c^2*x^2+1)*\arcsin(c*x)^2*x^3-3/8/c^4*b^2/d^3/(c^4*x^4-2*c^2*x^2+1)*\arcsin(c*x)^2*x-3/4*b^2*\text{polylog}(3,-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))/c^5/d^3+3/4*b^2*\text{polylog}(3,I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))/c^5/d^3-5/4/c^3*a*b/d^3/(c^4*x^4-2*c^2*x^2+1)*x^2*(-c^2*x^2+1)^{(1/2)}-3/4/c^4*a*b/d^3/(c^4*x^4-2*c^2*x \end{aligned}$$

$$\begin{aligned} & ^2+1) \arcsin(cx) * x^{-5/4} / c^3 b^2 / d^3 / (c^4 x^4 - 2c^2 x^2 + 1) \arcsin(cx) * (-c^2 \\ & * x^2 + 1)^{1/2} * x^{2+5/4} / c^2 a b / d^3 / (c^4 x^4 - 2c^2 x^2 + 1) \arcsin(cx) * x^{3+3/8} \\ & / c^5 b^2 / d^3 \arcsin(cx)^2 \ln(1 - I * (I * cx + (-c^2 x^2 + 1)^{1/2})) + 7/3 * I / c^5 b^2 \\ & / d^3 \arctan(I * cx + (-c^2 x^2 + 1)^{1/2}) + 1/12 / c^4 b^2 / d^3 / (c^4 x^4 - 2c^2 x^2 + 1 \\ & ) * x^{-1/12} / c^2 b^2 / d^3 / (c^4 x^4 - 2c^2 x^2 + 1) * x^{-3-3/8} / c^5 b^2 / d^3 \arcsin(cx) ^2 \\ & * \ln(1 + I * (I * cx + (-c^2 x^2 + 1)^{1/2})) + 1/16 / c^5 a^2 / d^3 / (cx - 1)^2 + 5/16 / c^5 a^2 \\ & / d^3 / (cx - 1) - 1/16 / c^5 a^2 / d^3 / (cx + 1)^2 + 5/16 / c^5 a^2 / d^3 / (cx + 1) - 3/16 / c^5 a^2 \\ & / d^3 * \ln(cx - 1) + 3/16 / c^5 a^2 / d^3 * \ln(cx + 1) \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{16} a^2 \left( \frac{2(5c^2 x^3 - 3x)}{c^8 d^3 x^4 - 2c^6 d^3 x^2 + c^4 d^3} + \frac{3 \log(cx + 1)}{c^5 d^3} - \frac{3 \log(cx - 1)}{c^5 d^3} \right) + \frac{3(b^2 c^4 x^4 - 2b^2 c^2 x^2 + b^2) \arctan\left(cx, \sqrt{cx + 1} \sqrt{-cx}\right)}{c^5 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(a+b\*arcsin(cx))^2/(-c^2\*d\*x^2+d)^3,x, algorithm="maxima")

[Out] 1/16\*a^2\*(2\*(5\*c^2\*x^3 - 3\*x)/(c^8\*d^3\*x^4 - 2\*c^6\*d^3\*x^2 + c^4\*d^3) + 3\*log(cx + 1)/(c^5\*d^3) - 3\*log(cx - 1)/(c^5\*d^3)) + 1/16\*(3\*(b^2\*c^4\*x^4 - 2\*b^2\*c^2\*x^2 + b^2)\*arctan2(cx, sqrt(cx + 1)\*sqrt(-cx + 1))^2\*log(cx + 1) - 3\*(b^2\*c^4\*x^4 - 2\*b^2\*c^2\*x^2 + b^2)\*arctan2(cx, sqrt(cx + 1)\*sqrt(-cx + 1))^2\*log(-cx + 1) + 2\*(5\*b^2\*c^3\*x^3 - 3\*b^2\*c\*x)\*arctan2(cx, sqrt(cx + 1)\*sqrt(-cx + 1))^2 + 16\*(c^9\*d^3\*x^4 - 2\*c^7\*d^3\*x^2 + c^5\*d^3)\*integrate(-1/8\*(16\*a\*b\*c^4\*x^4\*arctan2(cx, sqrt(cx + 1)\*sqrt(-cx + 1)) - (3\*(b^2\*c^4\*x^4 - 2\*b^2\*c^2\*x^2 + b^2)\*arctan2(cx, sqrt(cx + 1)\*sqrt(-cx + 1))\*log(cx + 1) - 3\*(b^2\*c^4\*x^4 - 2\*b^2\*c^2\*x^2 + b^2)\*arctan2(cx, sqrt(cx + 1)\*sqrt(-cx + 1))\*log(-cx + 1) + 2\*(5\*b^2\*c^3\*x^3 - 3\*b^2\*c\*x)\*arctan2(cx, sqrt(cx + 1)\*sqrt(-cx + 1)))\*sqrt(cx + 1)\*sqrt(-cx + 1))/(c^10\*d^3\*x^6 - 3\*c^8\*d^3\*x^4 + 3\*c^6\*d^3\*x^2 - c^4\*d^3), x)/(c^9\*d^3\*x^4 - 2\*c^7\*d^3\*x^2 + c^5\*d^3)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{b^2 x^4 \arcsin(cx)^2 + 2 a b x^4 \arcsin(cx) + a^2 x^4}{c^6 d^3 x^6 - 3 c^4 d^3 x^4 + 3 c^2 d^3 x^2 - d^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out] integral(-(b^2\*x^4\*arcsin(c\*x)^2 + 2\*a\*b\*x^4\*arcsin(c\*x) + a^2\*x^4)/(c^6\*d^3\*x^6 - 3\*c^4\*d^3\*x^4 + 3\*c^2\*d^3\*x^2 - d^3), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2 x^4}{c^6 x^6 - 3c^4 x^4 + 3c^2 x^2 - 1} dx + \int \frac{b^2 x^4 \operatorname{asin}^2(cx)}{c^6 x^6 - 3c^4 x^4 + 3c^2 x^2 - 1} dx + \int \frac{2abx^4 \operatorname{asin}(cx)}{c^6 x^6 - 3c^4 x^4 + 3c^2 x^2 - 1} dx}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*3,x)

[Out] -(Integral(a\*\*2\*x\*\*4/(c\*\*6\*x\*\*6 - 3\*c\*\*4\*x\*\*4 + 3\*c\*\*2\*x\*\*2 - 1), x) + Integral(b\*\*2\*x\*\*4\*asin(c\*x)\*\*2/(c\*\*6\*x\*\*6 - 3\*c\*\*4\*x\*\*4 + 3\*c\*\*2\*x\*\*2 - 1), x) + Integral(2\*a\*b\*x\*\*4\*asin(c\*x)/(c\*\*6\*x\*\*6 - 3\*c\*\*4\*x\*\*4 + 3\*c\*\*2\*x\*\*2 - 1), x))/d\*\*3

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x, algorithm="giac")

[Out] Timed out

$$3.202 \quad \int \frac{x^3 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^3} dx$$

**Optimal.** Leaf size=172

$$\frac{x^4 (a + b \sin^{-1}(cx))^2}{4d^3 (1 - c^2 x^2)^2} - \frac{bx^3 (a + b \sin^{-1}(cx))}{6cd^3 (1 - c^2 x^2)^{3/2}} + \frac{bx (a + b \sin^{-1}(cx))}{2c^3 d^3 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{4c^4 d^3} + \frac{b^2}{12c^4 d^3 (1 - c^2 x^2)} + \frac{b^2 \log(1 - c^2 x^2)}{3c^4}$$

[Out]  $b^2/(12*c^4*d^3*(1 - c^2*x^2)) - (b*x^3*(a + b*ArcSin[c*x]))/(6*c*d^3*(1 - c^2*x^2)^(3/2)) + (b*x*(a + b*ArcSin[c*x]))/(2*c^3*d^3*sqrt[1 - c^2*x^2]) - (a + b*ArcSin[c*x])^2/(4*c^4*d^3) + (x^4*(a + b*ArcSin[c*x])^2)/(4*d^3*(1 - c^2*x^2)^2) + (b^2*Log[1 - c^2*x^2])/(3*c^4*d^3)$

**Rubi [A]** time = 0.33432, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4681, 4703, 4641, 260, 266, 43}

$$\frac{x^4 (a + b \sin^{-1}(cx))^2}{4d^3 (1 - c^2 x^2)^2} - \frac{bx^3 (a + b \sin^{-1}(cx))}{6cd^3 (1 - c^2 x^2)^{3/2}} + \frac{bx (a + b \sin^{-1}(cx))}{2c^3 d^3 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{4c^4 d^3} + \frac{b^2}{12c^4 d^3 (1 - c^2 x^2)} + \frac{b^2 \log(1 - c^2 x^2)}{3c^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^3,x]

[Out]  $b^2/(12*c^4*d^3*(1 - c^2*x^2)) - (b*x^3*(a + b*ArcSin[c*x]))/(6*c*d^3*(1 - c^2*x^2)^(3/2)) + (b*x*(a + b*ArcSin[c*x]))/(2*c^3*d^3*sqrt[1 - c^2*x^2]) - (a + b*ArcSin[c*x])^2/(4*c^4*d^3) + (x^4*(a + b*ArcSin[c*x])^2)/(4*d^3*(1 - c^2*x^2)^2) + (b^2*Log[1 - c^2*x^2])/(3*c^4*d^3)$

**Rule 4681**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] && NeQ[m, -1]

Rule 4703

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_), x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + (-Dist[(f^2\*(m - 1))/(2\*e\*(p + 1)), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*f\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && GtQ[m, 1]

Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 260

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n\_.)), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 43

Int[((a\_.) + (b\_.)\*(x\_.))^(m\_.)\*((c\_.) + (d\_.)\*(x\_.))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^3} dx &= \frac{x^4 (a + b \sin^{-1}(cx))^2}{4d^3 (1 - c^2 x^2)^2} - \frac{(bc) \int \frac{x^4 (a + b \sin^{-1}(cx))}{(1 - c^2 x^2)^{5/2}} dx}{2d^3} \\
&= -\frac{bx^3 (a + b \sin^{-1}(cx))}{6cd^3 (1 - c^2 x^2)^{3/2}} + \frac{x^4 (a + b \sin^{-1}(cx))^2}{4d^3 (1 - c^2 x^2)^2} + \frac{b^2 \int \frac{x^3}{(1 - c^2 x^2)^2} dx}{6d^3} + \frac{b \int \frac{x^2 (a + b \sin^{-1}(cx))}{(1 - c^2 x^2)^{3/2}} dx}{2cd^3} \\
&= -\frac{bx^3 (a + b \sin^{-1}(cx))}{6cd^3 (1 - c^2 x^2)^{3/2}} + \frac{bx (a + b \sin^{-1}(cx))}{2c^3 d^3 \sqrt{1 - c^2 x^2}} + \frac{x^4 (a + b \sin^{-1}(cx))^2}{4d^3 (1 - c^2 x^2)^2} + \frac{b^2 \text{Subst} \left( \int \frac{x}{(1 - c^2 x)} \right)}{12d^3} \\
&= -\frac{bx^3 (a + b \sin^{-1}(cx))}{6cd^3 (1 - c^2 x^2)^{3/2}} + \frac{bx (a + b \sin^{-1}(cx))}{2c^3 d^3 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{4c^4 d^3} + \frac{x^4 (a + b \sin^{-1}(cx))^2}{4d^3 (1 - c^2 x^2)^2} \\
&= \frac{b^2}{12c^4 d^3 (1 - c^2 x^2)} - \frac{bx^3 (a + b \sin^{-1}(cx))}{6cd^3 (1 - c^2 x^2)^{3/2}} + \frac{bx (a + b \sin^{-1}(cx))}{2c^3 d^3 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{4c^4 d^3} + \frac{x^4}{4d^3 (1 - c^2 x^2)^2}
\end{aligned}$$

**Mathematica [A]** time = 0.186361, size = 192, normalized size = 1.12

$$\frac{6a^2 c^2 x^2 - 3a^2 - 8abc^3 x^3 \sqrt{1 - c^2 x^2} + 6abcx \sqrt{1 - c^2 x^2} + 2b \sin^{-1}(cx) \left( a(6c^2 x^2 - 3) + bcx \sqrt{1 - c^2 x^2} (3 - 4c^2 x^2) \right) - b^2 c^2 x^2}{12c^4 d^3 (c^2 x^2 - 1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^3,x]

[Out] (-3\*a^2 + b^2 + 6\*a^2\*c^2\*x^2 - b^2\*c^2\*x^2 + 6\*a\*b\*c\*x\*sqrt[1 - c^2\*x^2] - 8\*a\*b\*c^3\*x^3\*sqrt[1 - c^2\*x^2] + 2\*b\*(b\*c\*x\*(3 - 4\*c^2\*x^2)\*sqrt[1 - c^2\*x^2] + a\*(-3 + 6\*c^2\*x^2))\*ArcSin[c\*x] + 3\*b^2\*(-1 + 2\*c^2\*x^2)\*ArcSin[c\*x]^2 + 4\*b^2\*(-1 + c^2\*x^2)^2\*Log[1 - c^2\*x^2])/(12\*c^4\*d^3\*(-1 + c^2\*x^2)^2)

**Maple [B]** time = 0.353, size = 472, normalized size = 2.7

$$\frac{a^2}{16c^4 d^3 (cx - 1)^2} + \frac{3a^2}{16c^4 d^3 (cx - 1)} + \frac{a^2}{16c^4 d^3 (cx + 1)^2} - \frac{3a^2}{16c^4 d^3 (cx + 1)} + \frac{b^2 (\arcsin(cx))^2}{4c^4 d^3 (c^2 x^2 - 1)^2} - \frac{b^2 \arcsin(cx) x}{6c^3 d^3 (c^2 x^2 - 1)^2} \sqrt{-c^2 x^2}$$



Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^3(a+b\arcsin(cx))^2/(-c^2dx^2+d)^3, x)$

[Out]  $\frac{1}{16} \frac{a^2}{c^4 d^3} (cx-1)^2 + \frac{3}{16} \frac{a^2}{c^4 d^3} (cx-1) + \frac{1}{16} \frac{a^2}{c^4 d^3} (cx+1)^2 - \frac{3}{16} \frac{a^2}{c^4 d^3} (cx+1) + \frac{1}{4} \frac{b^2}{c^4 d^3} \arcsin(cx)^2 / (c^2 x^2 - 1)^2 - \frac{1}{6} \frac{b^2}{c^3 d^3} \arcsin(cx) (-c^2 x^2 + 1)^{1/2} / (c^2 x^2 - 1)^2 x - \frac{1}{12} \frac{b^2}{c^4 d^3} \frac{1}{(c^2 x^2 - 1)^2} - \frac{2}{3} \frac{b^2}{c^3 d^3} \frac{1}{(c^2 x^2 - 1)^2} (-c^2 x^2 + 1)^{1/2} / (c^2 x^2 - 1) \arcsin(cx) x + \frac{1}{3} \frac{b^2}{c^4 d^3} \ln(-c^2 x^2 + 1) / c^4 d^3 + \frac{1}{2} \frac{b^2}{c^4 d^3} \arcsin(cx)^2 / (c^2 x^2 - 1) + \frac{1}{8} \frac{a b}{c^4 d^3} \arcsin(cx) / (cx-1)^2 + \frac{3}{8} \frac{a b}{c^4 d^3} \arcsin(cx) / (cx-1) + \frac{1}{8} \frac{a b}{c^4 d^3} \arcsin(cx) / (cx+1)^2 - \frac{3}{8} \frac{a b}{c^4 d^3} \arcsin(cx) / (cx+1) - \frac{1}{3} \frac{a b}{c^4 d^3} \frac{1}{(cx-1)^2} (-c^2 x^2 + 1)^{1/2} - \frac{1}{3} \frac{a b}{c^4 d^3} \frac{1}{(cx+1)^2} (-c^2 x^2 + 1)^{1/2} - \frac{1}{24} \frac{a b}{c^4 d^3} \frac{1}{(cx-1)^2} (-c^2 x^2 + 1)^{1/2} + \frac{1}{24} \frac{a b}{c^4 d^3} \frac{1}{(cx+1)^2} (-c^2 x^2 + 1)^{1/2}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(2c^2x^2 - 1)a^2}{4(c^8d^3x^4 - 2c^6d^3x^2 + c^4d^3)} + \frac{(2b^2c^2x^2 - b^2) \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})^2 - 2(c^8d^3x^4 - 2c^6d^3x^2 + c^4d^3) \int \frac{4abc^3x^3}{4(c^8d^3x^4 - 2c^6d^3x^2 + c^4d^3)} dx}{4(c^8d^3x^4 - 2c^6d^3x^2 + c^4d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^3(a+b\arcsin(cx))^2/(-c^2dx^2+d)^3, x, \text{algorithm}="maxima")$

[Out]  $\frac{1}{4} \frac{(2c^2x^2 - 1)a^2}{(c^8d^3x^4 - 2c^6d^3x^2 + c^4d^3)} + \frac{1}{4} \frac{((2b^2c^2x^2 - b^2) \arctan2(cx, \sqrt{cx+1})\sqrt{-cx+1})^2 + 4(c^8d^3x^4 - 2c^6d^3x^2 + c^4d^3) \int (-1/2(4ab^3cx^3 \arctan2(cx, \sqrt{cx+1})\sqrt{-cx+1}) - (2b^2c^2x^2 - b^2) \sqrt{cx+1} \sqrt{-cx+1}) \arctan2(cx, \sqrt{cx+1})\sqrt{-cx+1})}{(c^9d^3x^6 - 3c^7d^3x^4 + 3c^5d^3x^2 - c^3d^3), x)} / (c^8d^3x^4 - 2c^6d^3x^2 + c^4d^3)$

**Fricas [A]** time = 2.65076, size = 421, normalized size = 2.45

$$\frac{(6a^2 - b^2)c^2x^2 + 3(2b^2c^2x^2 - b^2) \arcsin(cx)^2 - 3a^2 + b^2 + 6(2abc^2x^2 - ab) \arcsin(cx) + 4(b^2c^4x^4 - 2b^2c^2x^2 + b^2)}{12(c^8d^3x^4 - 2c^6d^3x^2 + c^4d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out] 1/12\*((6\*a^2 - b^2)\*c^2\*x^2 + 3\*(2\*b^2\*c^2\*x^2 - b^2)\*arcsin(c\*x)^2 - 3\*a^2 + b^2 + 6\*(2\*a\*b\*c^2\*x^2 - a\*b)\*arcsin(c\*x) + 4\*(b^2\*c^4\*x^4 - 2\*b^2\*c^2\*x^2 + b^2)\*log(c^2\*x^2 - 1) - 2\*(4\*a\*b\*c^3\*x^3 - 3\*a\*b\*c\*x + (4\*b^2\*c^3\*x^3 - 3\*b^2\*c\*x)\*arcsin(c\*x))\*sqrt(-c^2\*x^2 + 1))/(c^8\*d^3\*x^4 - 2\*c^6\*d^3\*x^2 + c^4\*d^3)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2 x^3}{c^6 x^6 - 3c^4 x^4 + 3c^2 x^2 - 1} dx + \int \frac{b^2 x^3 \operatorname{asin}^2(cx)}{c^6 x^6 - 3c^4 x^4 + 3c^2 x^2 - 1} dx + \int \frac{2abx^3 \operatorname{asin}(cx)}{c^6 x^6 - 3c^4 x^4 + 3c^2 x^2 - 1} dx}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*3,x)

[Out] -(Integral(a\*\*2\*x\*\*3/(c\*\*6\*x\*\*6 - 3\*c\*\*4\*x\*\*4 + 3\*c\*\*2\*x\*\*2 - 1), x) + Integral(b\*\*2\*x\*\*3\*asin(c\*x)\*\*2/(c\*\*6\*x\*\*6 - 3\*c\*\*4\*x\*\*4 + 3\*c\*\*2\*x\*\*2 - 1), x) + Integral(2\*a\*b\*x\*\*3\*asin(c\*x)/(c\*\*6\*x\*\*6 - 3\*c\*\*4\*x\*\*4 + 3\*c\*\*2\*x\*\*2 - 1), x))/d\*\*3

**Giac [B]** time = 2.13606, size = 429, normalized size = 2.49

$$\frac{b^2 x^4 \operatorname{arcsin}(cx)^2}{4(c^2 x^2 - 1)^2 d^3} + \frac{abx^4 \operatorname{arcsin}(cx)}{2(c^2 x^2 - 1)^2 d^3} + \frac{a^2 x^4}{4(c^2 x^2 - 1)^2 d^3} + \frac{b^2 x^3 \operatorname{arcsin}(cx)}{6(c^2 x^2 - 1)\sqrt{-c^2 x^2 + 1}cd^3} + \frac{abx^3}{6(c^2 x^2 - 1)\sqrt{-c^2 x^2 + 1}cd^3} - \frac{1}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x, algorithm="giac")

[Out] 1/4\*b^2\*x^4\*arcsin(c\*x)^2/((c^2\*x^2 - 1)^2\*d^3) + 1/2\*a\*b\*x^4\*arcsin(c\*x)/((c^2\*x^2 - 1)^2\*d^3) + 1/4\*a^2\*x^4/((c^2\*x^2 - 1)^2\*d^3) + 1/6\*b^2\*x^3\*arcsin(c\*x)/((c^2\*x^2 - 1)\*sqrt(-c^2\*x^2 + 1)\*c\*d^3) + 1/6\*a\*b\*x^3/((c^2\*x^2 - 1)\*sqrt(-c^2\*x^2 + 1)\*c\*d^3) - 1/12\*b^2\*x^2/((c^2\*x^2 - 1)\*c^2\*d^3) + 1/2\*b^2\*x\*arcsin(c\*x)/(sqrt(-c^2\*x^2 + 1)\*c^3\*d^3) - 1/4\*b^2\*arcsin(c\*x)^2/(c^4\*d^3) + 1/2\*a\*b\*x/(sqrt(-c^2\*x^2 + 1)\*c^3\*d^3) - 1/2\*a\*b\*arcsin(c\*x)/(c^4\*d^3) + 2/3\*b^2\*log(2)/(c^4\*d^3) + 1/3\*b^2\*log(abs(-c^2\*x^2 + 1))/(c^4\*d^3) -

$$\frac{1}{4}a^2/(c^4d^3) + \frac{1}{12}b^2/(c^4d^3)$$

$$3.203 \quad \int \frac{x^2(a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^3} dx$$

**Optimal.** Leaf size=341

$$\frac{ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4c^3d^3} + \frac{ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4c^3d^3} + \frac{b^2 \operatorname{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4c^3d^3}$$

[Out] (b^2\*x)/(12\*c^2\*d^3\*(1 - c^2\*x^2)) - (b\*(a + b\*ArcSin[c\*x]))/(6\*c^3\*d^3\*(1 - c^2\*x^2)^(3/2)) + (b\*(a + b\*ArcSin[c\*x]))/(4\*c^3\*d^3\*sqrt[1 - c^2\*x^2]) + (x\*(a + b\*ArcSin[c\*x])^2)/(4\*c^2\*d^3\*(1 - c^2\*x^2)^2) - (x\*(a + b\*ArcSin[c\*x])^2)/(8\*c^2\*d^3\*(1 - c^2\*x^2)) + ((I/4)\*(a + b\*ArcSin[c\*x])^2\*ArcTan[E^(I\*ArcSin[c\*x])])/(c^3\*d^3) - (b^2\*ArcTanh[c\*x])/(6\*c^3\*d^3) - ((I/4)\*b\*(a + b\*ArcSin[c\*x])\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/(c^3\*d^3) + ((I/4)\*b\*(a + b\*ArcSin[c\*x])\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c^3\*d^3) + (b^2\*PolyLog[3, (-I)\*E^(I\*ArcSin[c\*x])])/(4\*c^3\*d^3) - (b^2\*PolyLog[3, I\*E^(I\*ArcSin[c\*x])])/(4\*c^3\*d^3)

**Rubi [A]** time = 0.421745, antiderivative size = 341, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 10, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.37$ , Rules used = {4703, 4655, 4657, 4181, 2531, 2282, 6589, 4677, 206, 199}

$$\frac{ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4c^3d^3} + \frac{ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4c^3d^3} + \frac{b^2 \operatorname{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4c^3d^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^3, x]

[Out] (b^2\*x)/(12\*c^2\*d^3\*(1 - c^2\*x^2)) - (b\*(a + b\*ArcSin[c\*x]))/(6\*c^3\*d^3\*(1 - c^2\*x^2)^(3/2)) + (b\*(a + b\*ArcSin[c\*x]))/(4\*c^3\*d^3\*sqrt[1 - c^2\*x^2]) + (x\*(a + b\*ArcSin[c\*x])^2)/(4\*c^2\*d^3\*(1 - c^2\*x^2)^2) - (x\*(a + b\*ArcSin[c\*x])^2)/(8\*c^2\*d^3\*(1 - c^2\*x^2)) + ((I/4)\*(a + b\*ArcSin[c\*x])^2\*ArcTan[E^(I\*ArcSin[c\*x])])/(c^3\*d^3) - (b^2\*ArcTanh[c\*x])/(6\*c^3\*d^3) - ((I/4)\*b\*(a + b\*ArcSin[c\*x])\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/(c^3\*d^3) + ((I/4)\*b\*(a + b\*ArcSin[c\*x])\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c^3\*d^3) + (b^2\*PolyLog[3, (-I)\*E^(I\*ArcSin[c\*x])])/(4\*c^3\*d^3) - (b^2\*PolyLog[3, I\*E^(I\*ArcSin[c\*x])])/(4\*c^3\*d^3)

Rule 4703

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_), x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + (-Dist[(f^2\*(m - 1))/(2\*e\*(p + 1)), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*f\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && GtQ[m, 1]

Rule 4655

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_), x\_Symbol] := -Simp[(x\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*(p + 1)), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/((d\_.) + (e\_.)\*(x\_.)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_.))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^(c\_.)\*((a\_.) + (b\_.)\*(x\_.)))^(n\_.)]\*((f\_.) + (g\_.)\*(x\_.))^(m\_.), x\_Symbol] := -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n])/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d*IntPart[p]*(d + e*x^2)^FracPart[p]]/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rule 199

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^3} dx &= \frac{x (a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{b \int \frac{x(a+b \sin^{-1}(cx))}{(1-c^2 x^2)^{5/2}} dx}{2cd^3} - \frac{\int \frac{(a+b \sin^{-1}(cx))^2}{(d-c^2 dx^2)^2} dx}{4c^2 d} \\
&= -\frac{b(a + b \sin^{-1}(cx))}{6c^3 d^3 (1 - c^2 x^2)^{3/2}} + \frac{x(a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{x(a + b \sin^{-1}(cx))^2}{8c^2 d^3 (1 - c^2 x^2)} + \frac{b^2 \int \frac{1}{(1-c^2 x^2)^2} dx}{6c^2 d^3} + \dots \\
&= \frac{b^2 x}{12c^2 d^3 (1 - c^2 x^2)} - \frac{b(a + b \sin^{-1}(cx))}{6c^3 d^3 (1 - c^2 x^2)^{3/2}} + \frac{b(a + b \sin^{-1}(cx))}{4c^3 d^3 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{x(a + b \sin^{-1}(cx))^2}{8c^2 d^3 (1 - c^2 x^2)} \\
&= \frac{b^2 x}{12c^2 d^3 (1 - c^2 x^2)} - \frac{b(a + b \sin^{-1}(cx))}{6c^3 d^3 (1 - c^2 x^2)^{3/2}} + \frac{b(a + b \sin^{-1}(cx))}{4c^3 d^3 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{x(a + b \sin^{-1}(cx))^2}{8c^2 d^3 (1 - c^2 x^2)} \\
&= \frac{b^2 x}{12c^2 d^3 (1 - c^2 x^2)} - \frac{b(a + b \sin^{-1}(cx))}{6c^3 d^3 (1 - c^2 x^2)^{3/2}} + \frac{b(a + b \sin^{-1}(cx))}{4c^3 d^3 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{x(a + b \sin^{-1}(cx))^2}{8c^2 d^3 (1 - c^2 x^2)} \\
&= \frac{b^2 x}{12c^2 d^3 (1 - c^2 x^2)} - \frac{b(a + b \sin^{-1}(cx))}{6c^3 d^3 (1 - c^2 x^2)^{3/2}} + \frac{b(a + b \sin^{-1}(cx))}{4c^3 d^3 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{x(a + b \sin^{-1}(cx))^2}{8c^2 d^3 (1 - c^2 x^2)}
\end{aligned}$$

**Mathematica [A]** time = 4.37925, size = 446, normalized size = 1.31

$$-12iab \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) + 12iab \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) + 4b^2 \left(-3i \sin^{-1}(cx) \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) + 3i \sin^{-1}(cx) \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^3,x]

[Out] ((12\*a^2\*c\*x)/(-1 + c^2\*x^2)^2 + (6\*a^2\*c\*x)/(-1 + c^2\*x^2) + (a\*b\*(-3 + Sqrt[1 - c^2\*x^2] - 4\*Cos[2\*ArcSin[c\*x]] + 3\*Cos[3\*ArcSin[c\*x]] - Cos[4\*ArcSin[c\*x]] + 12\*ArcSin[c\*x]\*(c\*x + c^3\*x^3 - (-1 + c^2\*x^2)^2\*Log[1 - I\*E^(I\*ArcSin[c\*x]])] + (-1 + c^2\*x^2)^2\*Log[1 + I\*E^(I\*ArcSin[c\*x])])))/(-1 + c^2\*x^2)^2 + 3\*a^2\*Log[1 - c\*x] - 3\*a^2\*Log[1 + c\*x] - (12\*I)\*a\*b\*PolyLog[2, (-I

$$\begin{aligned} & ) * E^{(I * \text{ArcSin}[c * x])}] + (12 * I) * a * b * \text{PolyLog}[2, I * E^{(I * \text{ArcSin}[c * x])}] + 4 * b^2 * ( \\ & (3 * I) * \text{ArcSin}[c * x]^2 * \text{ArcTan}[E^{(I * \text{ArcSin}[c * x])}] - 2 * \text{ArcTanh}[c * x] - (3 * I) * \text{ArcS} \\ & \text{in}[c * x] * \text{PolyLog}[2, (-I) * E^{(I * \text{ArcSin}[c * x])}] + (3 * I) * \text{ArcSin}[c * x] * \text{PolyLog}[2, I \\ & * E^{(I * \text{ArcSin}[c * x])}] + 3 * \text{PolyLog}[3, (-I) * E^{(I * \text{ArcSin}[c * x])}] - 3 * \text{PolyLog}[3, I \\ & * E^{(I * \text{ArcSin}[c * x])}] + (b^2 * (2 * \text{ArcSin}[c * x] * (\text{Sqrt}[1 - c^2 * x^2] + 3 * \text{Cos}[3 * \text{Arc} \\ & \text{Sin}[c * x]]) - 3 * \text{ArcSin}[c * x]^2 * (-7 * c * x + \text{Sin}[3 * \text{ArcSin}[c * x]]) + 2 * (c * x + \text{Sin}[3 \\ & * \text{ArcSin}[c * x]])))/(2 * (-1 + c^2 * x^2)^2))/(48 * c^3 * d^3) \end{aligned}$$

**Maple [B]** time = 0.437, size = 894, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2 * (a + b * \arcsin(cx))^2 / (-c^2 * dx^2 + d)^3, x)$

[Out] 
$$\begin{aligned} & 1/4 * I / c^3 * b^2 / d^3 * \arcsin(cx) * \text{polylog}(2, I * (I * cx + (-c^2 * x^2 + 1)^{(1/2)})) - 1/4 * I \\ & / c^3 * a * b / d^3 * \text{dilog}(1 + I * (I * cx + (-c^2 * x^2 + 1)^{(1/2)})) + 1/4 * I / c^3 * a * b / d^3 * \text{dilog}( \\ & 1 - I * (I * cx + (-c^2 * x^2 + 1)^{(1/2)})) - 1/8 * I / c^3 * b^2 / d^3 * \arcsin(cx)^2 * \ln(1 - I * (I * cx \\ & + (-c^2 * x^2 + 1)^{(1/2)})) + 1/3 * I / c^3 * b^2 / d^3 * \arctan(I * cx + (-c^2 * x^2 + 1)^{(1/2)}) + 1/ \\ & 8 * c^2 * b^2 / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) * \arcsin(cx)^2 * x + 1/12 * c^3 * b^2 / d^3 / (c^4 * x \\ & ^4 - 2 * c^2 * x^2 + 1) * \arcsin(cx) * (-c^2 * x^2 + 1)^{(1/2)} + 1/12 * c^3 * a * b / d^3 / (c^4 * x^4 - 2 * \\ & c^2 * x^2 + 1) * (-c^2 * x^2 + 1)^{(1/2)} + 1/4 * c^3 * a * b / d^3 * \arcsin(cx) * \ln(1 + I * (I * cx + (-c \\ & ^2 * x^2 + 1)^{(1/2)})) - 1/4 * c^3 * a * b / d^3 * \arcsin(cx) * \ln(1 - I * (I * cx + (-c^2 * x^2 + 1)^{(1 \\ & / 2)})) + 1/4 * a * b / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) * \arcsin(cx) * x^3 - 1/4 * I / c^3 * b^2 / d^3 * a \\ & \arcsin(cx) * \text{polylog}(2, -I * (I * cx + (-c^2 * x^2 + 1)^{(1/2)})) + 1/12 * c^2 * b^2 / d^3 / (c^4 * x \\ & ^4 - 2 * c^2 * x^2 + 1) * x + 1/16 * c^3 * a^2 / d^3 / (cx - 1)^2 + 1/16 * c^3 * a^2 / d^3 / (cx - 1) - 1/16 / \\ & c^3 * a^2 / d^3 / (cx + 1)^2 + 1/16 * c^3 * a^2 / d^3 / (cx + 1) + 1/16 * c^3 * a^2 / d^3 * \ln(cx - 1) - 1 \\ & / 16 * c^3 * a^2 / d^3 * \ln(cx + 1) - 1/12 * b^2 / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) * x^3 + 1/8 * b^2 / d^ \\ & 3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) * \arcsin(cx)^2 * x^3 + 1/8 * c^3 * b^2 / d^3 * \arcsin(cx)^2 * \ln( \\ & 1 + I * (I * cx + (-c^2 * x^2 + 1)^{(1/2)})) + 1/4 * b^2 * \text{polylog}(3, -I * (I * cx + (-c^2 * x^2 + 1)^{(1 \\ & / 2)})) / c^3 / d^3 - 1/4 * b^2 * \text{polylog}(3, I * (I * cx + (-c^2 * x^2 + 1)^{(1/2)})) / c^3 / d^3 - 1/4 * c \\ & * b^2 / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) * \arcsin(cx) * (-c^2 * x^2 + 1)^{(1/2)} * x^2 - 1/4 * c * a * b \\ & / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) * x^2 * (-c^2 * x^2 + 1)^{(1/2)} + 1/4 * c^2 * a * b / d^3 / (c^4 * x^4 - \\ & 2 * c^2 * x^2 + 1) * \arcsin(cx) * x \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{16} a^2 \left( \frac{2(c^2 x^3 + x)}{c^6 d^3 x^4 - 2c^4 d^3 x^2 + c^2 d^3} - \frac{\log(cx + 1)}{c^3 d^3} + \frac{\log(cx - 1)}{c^3 d^3} \right) - \frac{(b^2 c^4 x^4 - 2b^2 c^2 x^2 + b^2) \arctan(cx, \sqrt{cx + 1} \sqrt{-cx + 1})^2}{c^3 d^3}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x, algorithm="maxima")

[Out] 1/16\*a^2\*(2\*(c^2\*x^3 + x)/(c^6\*d^3\*x^4 - 2\*c^4\*d^3\*x^2 + c^2\*d^3) - log(c\*x + 1)/(c^3\*d^3) + log(c\*x - 1)/(c^3\*d^3)) - 1/16\*((b^2\*c^4\*x^4 - 2\*b^2\*c^2\*x^2 + b^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2\*log(c\*x + 1) - (b^2\*c^4\*x^4 - 2\*b^2\*c^2\*x^2 + b^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2\*log(-c\*x + 1) - 2\*(b^2\*c^3\*x^3 + b^2\*c\*x)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2 + 16\*(c^7\*d^3\*x^4 - 2\*c^5\*d^3\*x^2 + c^3\*d^3)\*integrate(1/8\*(16\*a\*b\*c^2\*x^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + ((b^2\*c^4\*x^4 - 2\*b^2\*c^2\*x^2 + b^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*log(c\*x + 1) - (b^2\*c^4\*x^4 - 2\*b^2\*c^2\*x^2 + b^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*log(-c\*x + 1) - 2\*(b^2\*c^3\*x^3 + b^2\*c\*x)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/(c^8\*d^3\*x^6 - 3\*c^6\*d^3\*x^4 + 3\*c^4\*d^3\*x^2 - c^2\*d^3), x))/(c^7\*d^3\*x^4 - 2\*c^5\*d^3\*x^2 + c^3\*d^3)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b^2x^2 \arcsin(cx)^2 + 2abx^2 \arcsin(cx) + a^2x^2}{c^6d^3x^6 - 3c^4d^3x^4 + 3c^2d^3x^2 - d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out] integral(-(b^2\*x^2\*arcsin(c\*x))^2 + 2\*a\*b\*x^2\*arcsin(c\*x) + a^2\*x^2)/(c^6\*d^3\*x^6 - 3\*c^4\*d^3\*x^4 + 3\*c^2\*d^3\*x^2 - d^3), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2x^2}{c^6x^6-3c^4x^4+3c^2x^2-1} dx + \int \frac{b^2x^2 \operatorname{asin}^2(cx)}{c^6x^6-3c^4x^4+3c^2x^2-1} dx + \int \frac{2abx^2 \operatorname{asin}(cx)}{c^6x^6-3c^4x^4+3c^2x^2-1} dx}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*3,x)

```
[Out] -(Integral(a**2*x**2/(c**6*x**6 - 3*c**4*x**4 + 3*c**2*x**2 - 1), x) + Integral(b**2*x**2*asin(c*x)**2/(c**6*x**6 - 3*c**4*x**4 + 3*c**2*x**2 - 1), x) + Integral(2*a*b*x**2*asin(c*x)/(c**6*x**6 - 3*c**4*x**4 + 3*c**2*x**2 - 1), x))/d**3
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \arcsin(cx) + a)^2 x^2}{(c^2 dx^2 - d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^3,x, algorithm="giac")
```

```
[Out] integrate(-(b*arcsin(c*x) + a)^2*x^2/(c^2*d*x^2 - d)^3, x)
```

$$3.204 \quad \int \frac{x(a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^3} dx$$

**Optimal.** Leaf size=150

$$\frac{bx(a+b \sin^{-1}(cx))}{3cd^3\sqrt{1-c^2x^2}} - \frac{bx(a+b \sin^{-1}(cx))}{6cd^3(1-c^2x^2)^{3/2}} + \frac{(a+b \sin^{-1}(cx))^2}{4c^2d^3(1-c^2x^2)^2} + \frac{b^2}{12c^2d^3(1-c^2x^2)} - \frac{b^2 \log(1-c^2x^2)}{6c^2d^3}$$

[Out]  $b^2/(12*c^2*d^3*(1 - c^2*x^2)) - (b*x*(a + b*ArcSin[c*x]))/(6*c*d^3*(1 - c^2*x^2)^{(3/2)}) - (b*x*(a + b*ArcSin[c*x]))/(3*c*d^3*sqrt[1 - c^2*x^2]) + (a + b*ArcSin[c*x])^2/(4*c^2*d^3*(1 - c^2*x^2)^2) - (b^2*Log[1 - c^2*x^2])/(6*c^2*d^3)$

**Rubi [A]** time = 0.137028, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4677, 4655, 4651, 260, 261}

$$\frac{bx(a+b \sin^{-1}(cx))}{3cd^3\sqrt{1-c^2x^2}} - \frac{bx(a+b \sin^{-1}(cx))}{6cd^3(1-c^2x^2)^{3/2}} + \frac{(a+b \sin^{-1}(cx))^2}{4c^2d^3(1-c^2x^2)^2} + \frac{b^2}{12c^2d^3(1-c^2x^2)} - \frac{b^2 \log(1-c^2x^2)}{6c^2d^3}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^3,x]

[Out]  $b^2/(12*c^2*d^3*(1 - c^2*x^2)) - (b*x*(a + b*ArcSin[c*x]))/(6*c*d^3*(1 - c^2*x^2)^{(3/2)}) - (b*x*(a + b*ArcSin[c*x]))/(3*c*d^3*sqrt[1 - c^2*x^2]) + (a + b*ArcSin[c*x])^2/(4*c^2*d^3*(1 - c^2*x^2)^2) - (b^2*Log[1 - c^2*x^2])/(6*c^2*d^3)$

#### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rule 4655

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_.)^2)^(p_), x_
_Symbol] := -Simp[(x*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*d*(p + 1)
), x] + (Dist[(2*p + 3)/(2*d*(p + 1)), Int[(d + e*x^2)^(p + 1)*(a + b*ArcSi
n[c*x])^n, x], x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*(p
+ 1)*(1 - c^2*x^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcS
in[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0]
&& GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

```

### Rule 4651

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_.)^2)^(3/2), x
_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(
b*c*n)/Sqrt[d], Int[(x*(a + b*ArcSin[c*x])^(n - 1))/(d + e*x^2), x], x] /;
FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]

```

### Rule 260

```

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveConten
t[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

```

### Rule 261

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]

```

### Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^3} dx &= \frac{(a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{b \int \frac{a + b \sin^{-1}(cx)}{(1 - c^2 x^2)^{5/2}} dx}{2cd^3} \\
&= -\frac{bx(a + b \sin^{-1}(cx))}{6cd^3 (1 - c^2 x^2)^{3/2}} + \frac{(a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} + \frac{b^2 \int \frac{x}{(1 - c^2 x^2)^2} dx}{6d^3} - \frac{b \int \frac{a + b \sin^{-1}(cx)}{(1 - c^2 x^2)^{3/2}} dx}{3cd^3} \\
&= \frac{b^2}{12c^2 d^3 (1 - c^2 x^2)} - \frac{bx(a + b \sin^{-1}(cx))}{6cd^3 (1 - c^2 x^2)^{3/2}} - \frac{bx(a + b \sin^{-1}(cx))}{3cd^3 \sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} + \frac{b^2 \int}{\dots} \\
&= \frac{b^2}{12c^2 d^3 (1 - c^2 x^2)} - \frac{bx(a + b \sin^{-1}(cx))}{6cd^3 (1 - c^2 x^2)^{3/2}} - \frac{bx(a + b \sin^{-1}(cx))}{3cd^3 \sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{4c^2 d^3 (1 - c^2 x^2)^2} - \frac{b^2 \log}{\dots}
\end{aligned}$$

**Mathematica [A]** time = 0.197349, size = 162, normalized size = 1.08

$$\frac{3a^2 + 4abc^3x^3\sqrt{1-c^2x^2} - 6abcx\sqrt{1-c^2x^2} + 2b\sin^{-1}(cx)\left(3a + bcx\sqrt{1-c^2x^2}(2c^2x^2 - 3)\right) - b^2c^2x^2 - 2b^2(c^2x^2 - 1)^2 \log}{12c^2d^3(c^2x^2 - 1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^3,x]

[Out] (3\*a^2 + b^2 - b^2\*c^2\*x^2 - 6\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2] + 4\*a\*b\*c^3\*x^3\*Sqrt[1 - c^2\*x^2] + 2\*b\*(3\*a + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-3 + 2\*c^2\*x^2))\*ArcSin[c\*x] + 3\*b^2\*ArcSin[c\*x]^2 - 2\*b^2\*(-1 + c^2\*x^2)^2\*Log[1 - c^2\*x^2])/(12\*c^2\*d^3\*(-1 + c^2\*x^2)^2)

**Maple [B]** time = 0.036, size = 335, normalized size = 2.2

$$\frac{a^2}{4c^2d^3(c^2x^2 - 1)^2} + \frac{b^2(\arcsin(cx))^2}{4c^2d^3(c^2x^2 - 1)^2} - \frac{b^2\arcsin(cx)x}{6cd^3(c^2x^2 - 1)^2}\sqrt{-c^2x^2 + 1} - \frac{b^2}{12c^2d^3(c^2x^2 - 1)} + \frac{b^2\arcsin(cx)x}{3cd^3(c^2x^2 - 1)}\sqrt{-c^2x^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x)

[Out] 1/4/c^2\*a^2/d^3/(c^2\*x^2-1)^2+1/4/c^2\*b^2/d^3\*arcsin(c\*x)^2/(c^2\*x^2-1)^2-1/6/c\*b^2/d^3\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)/(c^2\*x^2-1)^2\*x-1/12/c^2\*b^2/d^3/(c^2\*x^2-1)+1/3/c\*b^2/d^3\*(-c^2\*x^2+1)^(1/2)/(c^2\*x^2-1)\*arcsin(c\*x)\*x-1/6\*b^2\*ln(-c^2\*x^2+1)/c^2/d^3+1/2/c^2\*a\*b/d^3/(c^2\*x^2-1)^2\*arcsin(c\*x)+1/6/c^2\*a\*b/d^3/(c\*x-1)\*(-(c\*x-1)^2-2\*c\*x+2)^(1/2)+1/6/c^2\*a\*b/d^3/(c\*x+1)\*(-(c\*x+1)^2+2\*c\*x+2)^(1/2)-1/24/c^2\*a\*b/d^3/(c\*x-1)^2\*(-(c\*x-1)^2-2\*c\*x+2)^(1/2)+1/24/c^2\*a\*b/d^3/(c\*x+1)^2\*(-(c\*x+1)^2+2\*c\*x+2)^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{a^2}{4(c^6d^3x^4 - 2c^4d^3x^2 + c^2d^3)} + \frac{b^2 \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)^2 - 2(c^6d^3x^4 - 2c^4d^3x^2 + c^2d^3) \int \frac{4abcx \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)}{c^7}}{4(c^6d^3x^4 - 2c^4d^3x^2 + c^2d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x, algorithm="maxima")

[Out]  $\frac{1}{4}a^2/(c^6d^3x^4 - 2c^4d^3x^2 + c^2d^3) + \frac{1}{4}(b^2\arctan2(c*x, \sqrt{c*x + 1})\sqrt{-c*x + 1})^2 + 4(c^6d^3x^4 - 2c^4d^3x^2 + c^2d^3)\int \text{tegrate}(-1/2(4a*b*c*x*\arctan2(c*x, \sqrt{c*x + 1})\sqrt{-c*x + 1}) - \sqrt{c*x + 1})\sqrt{-c*x + 1}*b^2\arctan2(c*x, \sqrt{c*x + 1})\sqrt{-c*x + 1}))/(c^7*d^3*x^6 - 3*c^5*d^3*x^4 + 3*c^3*d^3*x^2 - c*d^3), x)/(c^6*d^3*x^4 - 2*c^4*d^3*x^2 + c^2*d^3)$

**Fricas [A]** time = 2.71602, size = 360, normalized size = 2.4

$$\frac{b^2c^2x^2 - 3b^2 \arcsin(cx)^2 - 6ab \arcsin(cx) - 3a^2 - b^2 + 2(b^2c^4x^4 - 2b^2c^2x^2 + b^2) \log(c^2x^2 - 1) - 2(2abc^3x^3 - 3abc)}{12(c^6d^3x^4 - 2c^4d^3x^2 + c^2d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out]  $-1/12(b^2*c^2*x^2 - 3*b^2*\arcsin(c*x)^2 - 6*a*b*\arcsin(c*x) - 3*a^2 - b^2 + 2*(b^2*c^4*x^4 - 2*b^2*c^2*x^2 + b^2)*\log(c^2*x^2 - 1) - 2*(2*a*b*c^3*x^3 - 3*a*b*c*x + (2*b^2*c^3*x^3 - 3*b^2*c*x)*\arcsin(c*x))\sqrt{-c^2*x^2 + 1})/(c^6*d^3*x^4 - 2*c^4*d^3*x^2 + c^2*d^3)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2x}{c^6x^6-3c^4x^4+3c^2x^2-1} dx + \int \frac{b^2x \operatorname{asin}^2(cx)}{c^6x^6-3c^4x^4+3c^2x^2-1} dx + \int \frac{2abx \operatorname{asin}(cx)}{c^6x^6-3c^4x^4+3c^2x^2-1} dx}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*asin(c\*x))^2/(-c\*\*2\*d\*x\*\*2+d)\*\*3,x)

[Out]  $-(\text{Integral}(a**2*x/(c**6*x**6 - 3*c**4*x**4 + 3*c**2*x**2 - 1), x) + \text{Integral}(b**2*x*asin(c*x)**2/(c**6*x**6 - 3*c**4*x**4 + 3*c**2*x**2 - 1), x) + \text{Integral}(2*a*b*x*asin(c*x)/(c**6*x**6 - 3*c**4*x**4 + 3*c**2*x**2 - 1), x))/d**3$

**Giac [B]** time = 1.46452, size = 533, normalized size = 3.55

$$\frac{b^2 c^2 x^4 \arcsin(cx)^2}{4(c^2 x^2 - 1)^2 d^3} + \frac{abc^2 x^4 \arcsin(cx)}{2(c^2 x^2 - 1)^2 d^3} + \frac{a^2 c^2 x^4}{4(c^2 x^2 - 1)^2 d^3} + \frac{b^2 c x^3 \arcsin(cx)}{6(c^2 x^2 - 1)\sqrt{-c^2 x^2 + 1} d^3} - \frac{b^2 x^2 \arcsin(cx)^2}{2(c^2 x^2 - 1) d^3} + \frac{1}{6(c^2 x^2 - 1) d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x, algorithm="giac")

[Out]  $\frac{1}{4} b^2 c^2 x^4 \arcsin(c x)^2 / ((c^2 x^2 - 1)^2 d^3) + \frac{1}{2} a b c^2 x^4 \arcsin(c x) / ((c^2 x^2 - 1)^2 d^3) + \frac{1}{4} a^2 c^2 x^4 / ((c^2 x^2 - 1)^2 d^3) + \frac{1}{6} b^2 c x^3 \arcsin(c x) / ((c^2 x^2 - 1) \sqrt{-c^2 x^2 + 1} d^3) - \frac{1}{2} b^2 x^2 \arcsin(c x)^2 / ((c^2 x^2 - 1) d^3) + \frac{1}{6} a b c x^3 / ((c^2 x^2 - 1) \sqrt{-c^2 x^2 + 1} d^3) - a b x^2 \arcsin(c x) / ((c^2 x^2 - 1) d^3) - \frac{1}{2} a^2 x^2 / ((c^2 x^2 - 1) d^3) - \frac{1}{12} b^2 x^2 / ((c^2 x^2 - 1) d^3) - \frac{1}{2} b^2 x \arcsin(c x) / (\sqrt{-c^2 x^2 + 1} c d^3) + \frac{1}{4} b^2 \arcsin(c x)^2 / (c^2 d^3) - \frac{1}{2} a b x / (\sqrt{-c^2 x^2 + 1} c d^3) + \frac{1}{2} a b \arcsin(c x) / (c^2 d^3) - \frac{1}{3} b^2 \log(2) / (c^2 d^3) - \frac{1}{6} b^2 \log(\text{abs}(-c^2 x^2 + 1)) / (c^2 d^3) + \frac{1}{4} a^2 / (c^2 d^3) + \frac{1}{12} b^2 / (c^2 d^3)$

$$3.205 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{(d-c^2 dx^2)^3} dx$$

**Optimal.** Leaf size=332

$$\frac{3ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4cd^3} - \frac{3ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4cd^3} - \frac{3b^2 \operatorname{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)}{4cd^3}$$

```
[Out] (b^2*x)/(12*d^3*(1 - c^2*x^2)) - (b*(a + b*ArcSin[c*x]))/(6*c*d^3*(1 - c^2*x^2)^(3/2)) - (3*b*(a + b*ArcSin[c*x]))/(4*c*d^3*Sqrt[1 - c^2*x^2]) + (x*(a + b*ArcSin[c*x])^2)/(4*d^3*(1 - c^2*x^2)^2) + (3*x*(a + b*ArcSin[c*x])^2)/(8*d^3*(1 - c^2*x^2)) - (((3*I)/4)*(a + b*ArcSin[c*x])^2*ArcTan[E^(I*ArcSin[c*x])])/(c*d^3) + (5*b^2*ArcTanh[c*x])/(6*c*d^3) + (((3*I)/4)*b*(a + b*ArcSin[c*x])*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c*d^3) - (((3*I)/4)*b*(a + b*ArcSin[c*x])*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c*d^3) - (3*b^2*PolyLog[3, (-I)*E^(I*ArcSin[c*x])])/(4*c*d^3) + (3*b^2*PolyLog[3, I*E^(I*ArcSin[c*x])])/(4*c*d^3)
```

**Rubi [A]** time = 0.350826, antiderivative size = 332, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 9, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4655, 4657, 4181, 2531, 2282, 6589, 4677, 206, 199}

$$\frac{3ib \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4cd^3} - \frac{3ib \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4cd^3} - \frac{3b^2 \operatorname{PolyLog}\left(3, -ie^{i \sin^{-1}(cx)}\right)}{4cd^3}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])^2/(d - c^2*d*x^2)^3, x]
```

```
[Out] (b^2*x)/(12*d^3*(1 - c^2*x^2)) - (b*(a + b*ArcSin[c*x]))/(6*c*d^3*(1 - c^2*x^2)^(3/2)) - (3*b*(a + b*ArcSin[c*x]))/(4*c*d^3*Sqrt[1 - c^2*x^2]) + (x*(a + b*ArcSin[c*x])^2)/(4*d^3*(1 - c^2*x^2)^2) + (3*x*(a + b*ArcSin[c*x])^2)/(8*d^3*(1 - c^2*x^2)) - (((3*I)/4)*(a + b*ArcSin[c*x])^2*ArcTan[E^(I*ArcSin[c*x])])/(c*d^3) + (5*b^2*ArcTanh[c*x])/(6*c*d^3) + (((3*I)/4)*b*(a + b*ArcSin[c*x])*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c*d^3) - (((3*I)/4)*b*(a + b*ArcSin[c*x])*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c*d^3) - (3*b^2*PolyLog[3, (-I)*E^(I*ArcSin[c*x])])/(4*c*d^3) + (3*b^2*PolyLog[3, I*E^(I*ArcSin[c*x])])/(4*c*d^3)
```



Rule 4655

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_), x_
Symbol] := -Simp[(x*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*d*(p + 1)
), x] + (Dist[(2*p + 3)/(2*d*(p + 1)), Int[(d + e*x^2)^(p + 1)*(a + b*ArcSi
n[c*x])^n, x], x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*(p
+ 1)*(1 - c^2*x^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcS
in[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0]
&& GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2), x_Symbol
] := Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol
] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
))))^n])]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
```

, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rule 199

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^3} dx &= \frac{x(a + b \sin^{-1}(cx))^2}{4d^3(1 - c^2 x^2)^2} - \frac{(bc) \int \frac{x(a + b \sin^{-1}(cx))}{(1 - c^2 x^2)^{5/2}} dx}{2d^3} + \frac{3 \int \frac{(a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^2} dx}{4d} \\
&= -\frac{b(a + b \sin^{-1}(cx))}{6cd^3(1 - c^2 x^2)^{3/2}} + \frac{x(a + b \sin^{-1}(cx))^2}{4d^3(1 - c^2 x^2)^2} + \frac{3x(a + b \sin^{-1}(cx))^2}{8d^3(1 - c^2 x^2)} + \frac{b^2 \int \frac{1}{(1 - c^2 x^2)^2} dx}{6d^3} - \dots \\
&= \frac{b^2 x}{12d^3(1 - c^2 x^2)} - \frac{b(a + b \sin^{-1}(cx))}{6cd^3(1 - c^2 x^2)^{3/2}} - \frac{3b(a + b \sin^{-1}(cx))}{4cd^3 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{4d^3(1 - c^2 x^2)^2} + \frac{3x(a + b \sin^{-1}(cx))^2}{8d^3(1 - c^2 x^2)} \\
&= \frac{b^2 x}{12d^3(1 - c^2 x^2)} - \frac{b(a + b \sin^{-1}(cx))}{6cd^3(1 - c^2 x^2)^{3/2}} - \frac{3b(a + b \sin^{-1}(cx))}{4cd^3 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{4d^3(1 - c^2 x^2)^2} + \frac{3x(a + b \sin^{-1}(cx))^2}{8d^3(1 - c^2 x^2)} \\
&= \frac{b^2 x}{12d^3(1 - c^2 x^2)} - \frac{b(a + b \sin^{-1}(cx))}{6cd^3(1 - c^2 x^2)^{3/2}} - \frac{3b(a + b \sin^{-1}(cx))}{4cd^3 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{4d^3(1 - c^2 x^2)^2} + \frac{3x(a + b \sin^{-1}(cx))^2}{8d^3(1 - c^2 x^2)} \\
&= \frac{b^2 x}{12d^3(1 - c^2 x^2)} - \frac{b(a + b \sin^{-1}(cx))}{6cd^3(1 - c^2 x^2)^{3/2}} - \frac{3b(a + b \sin^{-1}(cx))}{4cd^3 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{4d^3(1 - c^2 x^2)^2} + \frac{3x(a + b \sin^{-1}(cx))^2}{8d^3(1 - c^2 x^2)} \\
&= \frac{b^2 x}{12d^3(1 - c^2 x^2)} - \frac{b(a + b \sin^{-1}(cx))}{6cd^3(1 - c^2 x^2)^{3/2}} - \frac{3b(a + b \sin^{-1}(cx))}{4cd^3 \sqrt{1 - c^2 x^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{4d^3(1 - c^2 x^2)^2} + \frac{3x(a + b \sin^{-1}(cx))^2}{8d^3(1 - c^2 x^2)}
\end{aligned}$$

**Mathematica [A]** time = 5.80358, size = 556, normalized size = 1.67

$$\frac{ab(-72i(c^2 x^2 - 1)^2 \text{PolyLog}\left(2, i^i \sin^{-1}(cx)\right) - 70\sqrt{1 - c^2 x^2} + 40 \cos(2 \sin^{-1}(cx)) - 18 \cos(3 \sin^{-1}(cx)) + 10 \cos(4 \sin^{-1}(cx)) + 3 \sin^{-1}(cx)(22cx + 6 \sin(3 \sin^{-1}(cx))) + 9}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(d - c^2\*d\*x^2)^3,x]

[Out] ((24\*a^2\*x)/(-1 + c^2\*x^2)^2 - (36\*a^2\*x)/(-1 + c^2\*x^2) - (18\*a^2\*Log[1 - c\*x])/c + (18\*a^2\*Log[1 + c\*x])/c + ((72\*I)\*a\*b\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/c - (4\*b^2\*((2\*c\*x)/(-1 + c^2\*x^2) + (4\*ArcSin[c\*x])/(1 - c^2\*x^2)^(3/2) + (18\*ArcSin[c\*x])/Sqrt[1 - c^2\*x^2] - (6\*c\*x\*ArcSin[c\*x]^2)/(-1 + c

$$\begin{aligned} & ^2*x^2)^2 + (9*c*x*ArcSin[c*x]^2)/(-1 + c^2*x^2) + (18*I)*ArcSin[c*x]^2*Arc \\ & Tan[E^(I*ArcSin[c*x])] - 20*ArcTanh[c*x] - (18*I)*ArcSin[c*x]*PolyLog[2, (- \\ & I)*E^(I*ArcSin[c*x])] + (18*I)*ArcSin[c*x]*PolyLog[2, I*E^(I*ArcSin[c*x])] \\ & + 18*PolyLog[3, (-I)*E^(I*ArcSin[c*x])] - 18*PolyLog[3, I*E^(I*ArcSin[c*x]) \\ & ]))/c + (a*b*(30 - 70*sqrt[1 - c^2*x^2] + 40*cos[2*ArcSin[c*x]] - 18*cos[3* \\ & ArcSin[c*x]] + 10*cos[4*ArcSin[c*x]] - (72*I)*(-1 + c^2*x^2)^2*PolyLog[2, I \\ & *E^(I*ArcSin[c*x])] + 3*ArcSin[c*x]*(22*c*x + 9*Log[1 - I*E^(I*ArcSin[c*x]) \\ & ] + 12*cos[2*ArcSin[c*x]]*(Log[1 - I*E^(I*ArcSin[c*x])]) - Log[1 + I*E^(I*Ar \\ & cSin[c*x])]) + 3*cos[4*ArcSin[c*x]]*(Log[1 - I*E^(I*ArcSin[c*x])]) - Log[1 + \\ & I*E^(I*ArcSin[c*x])]) - 9*Log[1 + I*E^(I*ArcSin[c*x])] + 6*sin[3*ArcSin[c* \\ & x]]))/((c*(-1 + c^2*x^2)^2))/(96*d^3) \end{aligned}$$

**Maple [B]** time = 0.233, size = 890, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x)

[Out]  $\frac{1}{16} \frac{a^2}{d^3} \frac{1}{(cx-1)^2} - \frac{3}{16} \frac{a^2}{d^3} \frac{1}{(cx-1)} - \frac{1}{16} \frac{a^2}{d^3} \frac{1}{(cx+1)^2} - \frac{3}{16} \frac{a^2}{d^3} \frac{1}{(cx+1)} + \frac{3}{16} \frac{a^2}{d^3} \ln(cx-1) + \frac{3}{16} \frac{a^2}{d^3} \ln(cx+1) + \frac{1}{12} \frac{b^2}{d^3} \frac{1}{(c^4x^4-2c^2x^2+1)} x - \frac{3}{8} \frac{b^2}{d^3} \arcsin(cx)^2 \ln(1+I(Icx+(-c^2x^2+1)^{1/2})) + \frac{3}{8} \frac{b^2}{d^3} \arcsin(cx)^2 \ln(1-I(Icx+(-c^2x^2+1)^{1/2})) + \frac{5}{8} \frac{b^2}{d^3} \frac{1}{(c^4x^4-2c^2x^2+1)} \arcsin(cx)^2 x - \frac{5}{3} \frac{I}{c} \frac{b^2}{d^3} \arctan(Icx+(-c^2x^2+1)^{1/2}) - \frac{1}{12} \frac{c^2 b^2}{d^3} \frac{1}{(c^4x^4-2c^2x^2+1)} x^3 - \frac{3}{4} \frac{b^2}{d^3} \text{polylog}(3, -I(Icx+(-c^2x^2+1)^{1/2}))/c/d^3 + \frac{3}{4} \frac{b^2}{d^3} \text{polylog}(3, I(Icx+(-c^2x^2+1)^{1/2}))/c/d^3 + \frac{3}{4} \frac{c b^2}{d^3} \frac{1}{(c^4x^4-2c^2x^2+1)} \arcsin(cx) * (-c^2x^2+1)^{1/2} x^2 - \frac{3}{4} \frac{c^2 a b}{d^3} \frac{1}{(c^4x^4-2c^2x^2+1)} \arcsin(cx) * x^3 + \frac{3}{4} \frac{c a b}{d^3} \frac{1}{(c^4x^4-2c^2x^2+1)} x^2 * (-c^2x^2+1)^{1/2} - \frac{3}{4} \frac{I}{c} \frac{a b}{d^3} \text{dilog}(1-I(Icx+(-c^2x^2+1)^{1/2})) + \frac{3}{4} \frac{I}{c} \frac{b^2}{d^3} \arcsin(cx) * \text{polylog}(2, -I(Icx+(-c^2x^2+1)^{1/2})) - \frac{3}{4} \frac{I}{c} \frac{b^2}{d^3} \arcsin(cx) * \text{polylog}(2, I(Icx+(-c^2x^2+1)^{1/2})) + \frac{3}{4} \frac{I}{c} \frac{a b}{d^3} \text{dilog}(1+I(Icx+(-c^2x^2+1)^{1/2})) + \frac{5}{4} \frac{a b}{d^3} \frac{1}{(c^4x^4-2c^2x^2+1)} \arcsin(cx) * x - \frac{11}{12} \frac{b^2}{d^3} \frac{1}{(c^4x^4-2c^2x^2+1)} \arcsin(cx) * (-c^2x^2+1)^{1/2} - \frac{11}{12} \frac{c a b}{d^3} \frac{1}{(c^4x^4-2c^2x^2+1)} * (-c^2x^2+1)^{1/2} - \frac{3}{4} \frac{c a b}{d^3} \arcsin(cx) * \ln(1+I(Icx+(-c^2x^2+1)^{1/2})) + \frac{3}{4} \frac{c a b}{d^3} \arcsin(cx) * \ln(1-I(Icx+(-c^2x^2+1)^{1/2})) - \frac{3}{8} \frac{c^2 b^2}{d^3} \frac{1}{(c^4x^4-2c^2x^2+1)} \arcsin(cx)^2 x^3$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{16} a^2 \left( \frac{2(3c^2x^3 - 5x)}{c^4d^3x^4 - 2c^2d^3x^2 + d^3} - \frac{3 \log(cx + 1)}{cd^3} + \frac{3 \log(cx - 1)}{cd^3} \right) + \frac{3(b^2c^4x^4 - 2b^2c^2x^2 + b^2) \arctan\left(cx, \sqrt{cx + 1}\sqrt{-cx + 1}\right)}{c^6d^3x^6 - 3c^4d^3x^4 + 3c^2d^3x^2 - d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x, algorithm="maxima")

[Out] -1/16\*a^2\*(2\*(3\*c^2\*x^3 - 5\*x)/(c^4\*d^3\*x^4 - 2\*c^2\*d^3\*x^2 + d^3) - 3\*log(c\*x + 1)/(c\*d^3) + 3\*log(c\*x - 1)/(c\*d^3)) + 1/16\*(3\*(b^2\*c^4\*x^4 - 2\*b^2\*c^2\*x^2 + b^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2\*log(c\*x + 1) - 3\*(b^2\*c^4\*x^4 - 2\*b^2\*c^2\*x^2 + b^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2\*log(-c\*x + 1) - 2\*(3\*b^2\*c^3\*x^3 - 5\*b^2\*c\*x)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2 + 16\*(c^5\*d^3\*x^4 - 2\*c^3\*d^3\*x^2 + c\*d^3)\*integrate(-1/8\*(16\*a\*b\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) - (3\*(b^2\*c^4\*x^4 - 2\*b^2\*c^2\*x^2 + b^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*log(c\*x + 1) - 3\*(b^2\*c^4\*x^4 - 2\*b^2\*c^2\*x^2 + b^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*log(-c\*x + 1) - 2\*(3\*b^2\*c^3\*x^3 - 5\*b^2\*c\*x)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))\*sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/(c^6\*d^3\*x^6 - 3\*c^4\*d^3\*x^4 + 3\*c^2\*d^3\*x^2 - d^3), x))/(c^5\*d^3\*x^4 - 2\*c^3\*d^3\*x^2 + c\*d^3)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}{c^6d^3x^6 - 3c^4d^3x^4 + 3c^2d^3x^2 - d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out] integral(-(b^2\*arcsin(c\*x))^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/(c^6\*d^3\*x^6 - 3\*c^4\*d^3\*x^4 + 3\*c^2\*d^3\*x^2 - d^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(c^2 dx^2 - d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x, algorithm="giac")

[Out] integrate(-(b\*arcsin(c\*x) + a)^2/(c^2\*d\*x^2 - d)^3, x)

$$3.206 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x(d-c^2dx^2)^3} dx$$

**Optimal.** Leaf size=296

$$\frac{ibPolyLog\left(2, -e^{2i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{d^3} - \frac{ibPolyLog\left(2, e^{2i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{d^3} - \frac{b^2PolyLog\left(3, -e^{2i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{2d^3}$$

[Out]  $b^2/(12*d^3*(1 - c^2*x^2)) - (b*c*x*(a + b*ArcSin[c*x]))/(6*d^3*(1 - c^2*x^2)^{(3/2)}) - (4*b*c*x*(a + b*ArcSin[c*x]))/(3*d^3*sqrt[1 - c^2*x^2]) + (a + b*ArcSin[c*x])^2/(4*d^3*(1 - c^2*x^2)^2) + (a + b*ArcSin[c*x])^2/(2*d^3*(1 - c^2*x^2)) - (2*(a + b*ArcSin[c*x])^2*ArcTanh[E^((2*I)*ArcSin[c*x])])/d^3 - (2*b^2*Log[1 - c^2*x^2])/(3*d^3) + (I*b*(a + b*ArcSin[c*x])*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/d^3 - (I*b*(a + b*ArcSin[c*x])*PolyLog[2, E^((2*I)*ArcSin[c*x])])/d^3 - (b^2*PolyLog[3, -E^((2*I)*ArcSin[c*x])])/(2*d^3) + (b^2*PolyLog[3, E^((2*I)*ArcSin[c*x])])/(2*d^3)$

**Rubi [A]** time = 0.49134, antiderivative size = 296, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 11, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.407$ , Rules used = {4705, 4679, 4419, 4183, 2531, 2282, 6589, 4651, 260, 4655, 261}

$$\frac{ibPolyLog\left(2, -e^{2i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{d^3} - \frac{ibPolyLog\left(2, e^{2i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{d^3} - \frac{b^2PolyLog\left(3, -e^{2i \sin^{-1}(cx)}\right)(a + b \sin^{-1}(cx))}{2d^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/(x\*(d - c^2\*d\*x^2)^3), x]

[Out]  $b^2/(12*d^3*(1 - c^2*x^2)) - (b*c*x*(a + b*ArcSin[c*x]))/(6*d^3*(1 - c^2*x^2)^{(3/2)}) - (4*b*c*x*(a + b*ArcSin[c*x]))/(3*d^3*sqrt[1 - c^2*x^2]) + (a + b*ArcSin[c*x])^2/(4*d^3*(1 - c^2*x^2)^2) + (a + b*ArcSin[c*x])^2/(2*d^3*(1 - c^2*x^2)) - (2*(a + b*ArcSin[c*x])^2*ArcTanh[E^((2*I)*ArcSin[c*x])])/d^3 - (2*b^2*Log[1 - c^2*x^2])/(3*d^3) + (I*b*(a + b*ArcSin[c*x])*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/d^3 - (I*b*(a + b*ArcSin[c*x])*PolyLog[2, E^((2*I)*ArcSin[c*x])])/d^3 - (b^2*PolyLog[3, -E^((2*I)*ArcSin[c*x])])/(2*d^3) + (b^2*PolyLog[3, E^((2*I)*ArcSin[c*x])])/(2*d^3)$

Rule 4705

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.
)*(x_)^2)^(p_), x_Symbol] := -Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a +
b*ArcSin[c*x])^n)/(2*d*f*(p + 1)), x] + (Dist[(m + 2*p + 3)/(2*d*(p + 1)),
Int[(f*x)^m*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*c*n
*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*f*(p + 1)*(1 - c^2*x^2)^FracPart[
p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1]
)

```

### Rule 4679

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((x_)*((d_.) + (e_.)*(x_)^2)),
x_Symbol] := Dist[1/d, Subst[Int[(a + b*x)^n/(Cos[x]*Sin[x]), x], x, ArcSin
[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]

```

### Rule 4419

```

Int[Csc[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Dist[2^n, Int[(c + d*x)^m*Csc[2*a + 2*b*x]^n,
x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]

```

### Rule 4183

```

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]

```

### Rule 2531

```

Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))]^(n_.)*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]

```

### Rule 2282

```

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_.))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*

```



(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 4651

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/((d\_.) + (e\_.)\*(x\_)^2)^(3/2), x\_Symbol] :> Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n)/Sqrt[d], Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(d + e\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]

### Rule 260

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n\_)), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

### Rule 4655

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(x\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*(p + 1)), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d\*IntPart[p]\*(d + e\*x^2)^FracPart[p]]/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

### Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x(d - c^2 dx^2)^3} dx &= \frac{(a + b \sin^{-1}(cx))^2}{4d^3(1 - c^2 x^2)^2} - \frac{(bc) \int \frac{a + b \sin^{-1}(cx)}{(1 - c^2 x^2)^{5/2}} dx}{2d^3} + \frac{\int \frac{(a + b \sin^{-1}(cx))^2}{x(d - c^2 dx^2)^2} dx}{d} \\
&= -\frac{bcx(a + b \sin^{-1}(cx))}{6d^3(1 - c^2 x^2)^{3/2}} + \frac{(a + b \sin^{-1}(cx))^2}{4d^3(1 - c^2 x^2)^2} + \frac{(a + b \sin^{-1}(cx))^2}{2d^3(1 - c^2 x^2)} - \frac{(bc) \int \frac{a + b \sin^{-1}(cx)}{(1 - c^2 x^2)^{3/2}} dx}{3d^3} - \frac{(bc) \int \frac{a + b \sin^{-1}(cx)}{(1 - c^2 x^2)^{5/2}} dx}{2d^3} \\
&= \frac{b^2}{12d^3(1 - c^2 x^2)} - \frac{bcx(a + b \sin^{-1}(cx))}{6d^3(1 - c^2 x^2)^{3/2}} - \frac{4bcx(a + b \sin^{-1}(cx))}{3d^3\sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{4d^3(1 - c^2 x^2)^2} + \frac{(a + b \sin^{-1}(cx))^2}{2d^3(1 - c^2 x^2)} \\
&= \frac{b^2}{12d^3(1 - c^2 x^2)} - \frac{bcx(a + b \sin^{-1}(cx))}{6d^3(1 - c^2 x^2)^{3/2}} - \frac{4bcx(a + b \sin^{-1}(cx))}{3d^3\sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{4d^3(1 - c^2 x^2)^2} + \frac{(a + b \sin^{-1}(cx))^2}{2d^3(1 - c^2 x^2)} \\
&= \frac{b^2}{12d^3(1 - c^2 x^2)} - \frac{bcx(a + b \sin^{-1}(cx))}{6d^3(1 - c^2 x^2)^{3/2}} - \frac{4bcx(a + b \sin^{-1}(cx))}{3d^3\sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{4d^3(1 - c^2 x^2)^2} + \frac{(a + b \sin^{-1}(cx))^2}{2d^3(1 - c^2 x^2)} \\
&= \frac{b^2}{12d^3(1 - c^2 x^2)} - \frac{bcx(a + b \sin^{-1}(cx))}{6d^3(1 - c^2 x^2)^{3/2}} - \frac{4bcx(a + b \sin^{-1}(cx))}{3d^3\sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{4d^3(1 - c^2 x^2)^2} + \frac{(a + b \sin^{-1}(cx))^2}{2d^3(1 - c^2 x^2)} \\
&= \frac{b^2}{12d^3(1 - c^2 x^2)} - \frac{bcx(a + b \sin^{-1}(cx))}{6d^3(1 - c^2 x^2)^{3/2}} - \frac{4bcx(a + b \sin^{-1}(cx))}{3d^3\sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{4d^3(1 - c^2 x^2)^2} + \frac{(a + b \sin^{-1}(cx))^2}{2d^3(1 - c^2 x^2)} \\
&= \frac{b^2}{12d^3(1 - c^2 x^2)} - \frac{bcx(a + b \sin^{-1}(cx))}{6d^3(1 - c^2 x^2)^{3/2}} - \frac{4bcx(a + b \sin^{-1}(cx))}{3d^3\sqrt{1 - c^2 x^2}} + \frac{(a + b \sin^{-1}(cx))^2}{4d^3(1 - c^2 x^2)^2} + \frac{(a + b \sin^{-1}(cx))^2}{2d^3(1 - c^2 x^2)}
\end{aligned}$$

**Mathematica [A]** time = 3.68108, size = 459, normalized size = 1.55

$$4ab \left( -6i \operatorname{PolyLog} \left( 2, -e^{2i \sin^{-1}(cx)} \right) + 6i \operatorname{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + \frac{8cx}{\sqrt{1 - c^2 x^2}} + \frac{cx}{(1 - c^2 x^2)^{3/2}} + \frac{6 \sin^{-1}(cx)}{c^2 x^2 - 1} - \frac{3 \sin^{-1}(cx)}{(c^2 x^2 - 1)^2} - 12 \sin^{-1}(cx) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x\*(d - c^2\*d\*x^2)^3), x]

[Out] -((-6\*a^2)/(-1 + c^2\*x^2)^2 + (12\*a^2)/(-1 + c^2\*x^2) - 24\*a^2\*Log[c\*x] + 12\*a^2\*Log[1 - c^2\*x^2] + 4\*a\*b\*((c\*x)/(1 - c^2\*x^2)^(3/2) + (8\*c\*x)/Sqrt[1

$$\begin{aligned}
& -c^2x^2] - (3\text{ArcSin}[c*x])/(-1 + c^2x^2)^2 + (6\text{ArcSin}[c*x])/(-1 + c^2x^2)^2 - 12\text{ArcSin}[c*x]*\text{Log}[1 - E^((2*I)*\text{ArcSin}[c*x])] + 12\text{ArcSin}[c*x]*\text{Log}[1 \\
& + E^((2*I)*\text{ArcSin}[c*x])] - (6*I)*\text{PolyLog}[2, -E^((2*I)*\text{ArcSin}[c*x])] + (6*I) \\
& * \text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])] + b^2*(I*\text{Pi}^3 + 2/(-1 + c^2x^2) + (4*c \\
& *x*\text{ArcSin}[c*x])/(1 - c^2x^2)^{3/2} + (32*c*x*\text{ArcSin}[c*x])/ \text{Sqrt}[1 - c^2x^2 \\
& ] - (6*\text{ArcSin}[c*x]^2)/(-1 + c^2x^2)^2 + (12*\text{ArcSin}[c*x]^2)/(-1 + c^2x^2)^2 \\
& - (16*I)*\text{ArcSin}[c*x]^3 - 24*\text{ArcSin}[c*x]^2*\text{Log}[1 - E^((-2*I)*\text{ArcSin}[c*x])] + \\
& 24*\text{ArcSin}[c*x]^2*\text{Log}[1 + E^((2*I)*\text{ArcSin}[c*x])] + 16*\text{Log}[1 - c^2x^2] - (2 \\
& 4*I)*\text{ArcSin}[c*x]*\text{PolyLog}[2, E^((-2*I)*\text{ArcSin}[c*x])] - (24*I)*\text{ArcSin}[c*x]*\text{Po \\
& lyLog}[2, -E^((2*I)*\text{ArcSin}[c*x])] - 12*\text{PolyLog}[3, E^((-2*I)*\text{ArcSin}[c*x])] + \\
& 12*\text{PolyLog}[3, -E^((2*I)*\text{ArcSin}[c*x])])]/(24*d^3)
\end{aligned}$$

**Maple [B]** time = 0.31, size = 1224, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\arcsin(c*x))^2/x/(-c^2*d*x^2+d)^3,x)$

[Out] 
$$\begin{aligned}
& -1/2*b^2*\text{polylog}(3, -(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)/d^3-1/2*b^2/d^3/(c^4*x^4- \\
& 2*c^2*x^2+1)*\arcsin(c*x)^2*c^2*x^2-3/2*b^2/d^3/(c^4*x^4-2*c^2*x^2+1)*\arcsin \\
& (c*x)*(-c^2*x^2+1)^{(1/2)}*c*x-4/3*I*b^2/d^3/(c^4*x^4-2*c^2*x^2+1)*\arcsin(c*x \\
& )*c^4*x^4+4/3*b^2/d^3/(c^4*x^4-2*c^2*x^2+1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}* \\
& c^3*x^3+4/3*a*b/d^3/(c^4*x^4-2*c^2*x^2+1)*c^3*x^3*(-c^2*x^2+1)^{(1/2)}-a*b/d^ \\
& 3/(c^4*x^4-2*c^2*x^2+1)*\arcsin(c*x)*c^2*x^2-3/2*a*b/d^3/(c^4*x^4-2*c^2*x^2+ \\
& 1)*c*x*(-c^2*x^2+1)^{(1/2)}-4/3*I*a*b/d^3/(c^4*x^4-2*c^2*x^2+1)*c^4*x^4+8/3*I \\
& *a*b/d^3/(c^4*x^4-2*c^2*x^2+1)*c^2*x^2+8/3*I*b^2/d^3/(c^4*x^4-2*c^2*x^2+1)* \\
& \arcsin(c*x)*c^2*x^2-2*I*b^2/d^3*\arcsin(c*x)*\text{polylog}(2, -I*c*x-(-c^2*x^2+1)^{(1/2)}) \\
& -2*I*b^2/d^3*\arcsin(c*x)*\text{polylog}(2, I*c*x+(-c^2*x^2+1)^{(1/2)})-1/12*b^2/d^ \\
& 3/(c^4*x^4-2*c^2*x^2+1)*c^2*x^2+3/2*a*b/d^3/(c^4*x^4-2*c^2*x^2+1)*\arcsin( \\
& c*x)+2*a*b/d^3*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})+2*a*b/d^3*\arcsin( \\
& c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})-2*a*b/d^3*\arcsin(c*x)*\ln(1+(I*c*x+(-c^2 \\
& *x^2+1)^{(1/2)})^2)+I*a*b/d^3*\text{polylog}(2, -(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)-4/3*I* \\
& a*b/d^3/(c^4*x^4-2*c^2*x^2+1)-2*I*a*b/d^3*\text{polylog}(2, -I*c*x-(-c^2*x^2+1)^{(1/ \\
& 2)})-2*I*a*b/d^3*\text{polylog}(2, I*c*x+(-c^2*x^2+1)^{(1/2)})+I*b^2/d^3*\arcsin(c*x)*\text{p \\
& olylog}(2, -(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)-4/3*I*b^2/d^3/(c^4*x^4-2*c^2*x^2+1) \\
& *\arcsin(c*x)+3/4*b^2/d^3/(c^4*x^4-2*c^2*x^2+1)*\arcsin(c*x)^2+b^2/d^3*\arcsin \\
& (c*x)^2*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})+b^2/d^3*\arcsin(c*x)^2*\ln(1-I*c*x-(-c \\
& ^2*x^2+1)^{(1/2)})-b^2/d^3*\arcsin(c*x)^2*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)+1 \\
& /12*b^2/d^3/(c^4*x^4-2*c^2*x^2+1)+1/16*a^2/d^3/(c*x-1)^2-5/16*a^2/d^3/(c*x- \\
& 1)+1/16*a^2/d^3/(c*x+1)^2+5/16*a^2/d^3/(c*x+1)-1/2*a^2/d^3*\ln(c*x-1)-1/2*a^
\end{aligned}$$

$$\frac{2}{d^3} \ln(cx+1) - \frac{4}{3} \frac{b^2}{d^3} \ln(1 + (Icx + (-c^2x^2+1)^{1/2})^2) + \frac{8}{3} \frac{b^2}{d^3} \ln(Icx + (-c^2x^2+1)^{1/2}) + 2 \frac{b^2}{d^3} \text{polylog}(3, -Icx - (-c^2x^2+1)^{1/2}) + 2 \frac{b^2}{d^3} \text{polylog}(3, Icx + (-c^2x^2+1)^{1/2}) + a^2/d^3 \ln(cx)$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4} a^2 \left( \frac{2c^2x^2 - 3}{c^4d^3x^4 - 2c^2d^3x^2 + d^3} + \frac{2 \log(cx+1)}{d^3} + \frac{2 \log(cx-1)}{d^3} - \frac{4 \log(x)}{d^3} \right) - \int \frac{b^2 \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)^2 + 2}{c^6d^3x^7 - 3c^4d^3x^5 + 3c^2d^3x^3 - d^3x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(-c^2\*d\*x^2+d)^3,x, algorithm="maxima")

[Out] -1/4\*a^2\*((2\*c^2\*x^2 - 3)/(c^4\*d^3\*x^4 - 2\*c^2\*d^3\*x^2 + d^3) + 2\*log(c\*x + 1)/d^3 + 2\*log(c\*x - 1)/d^3 - 4\*log(x)/d^3) - integrate((b^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2 + 2\*a\*b\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))/(c^6\*d^3\*x^7 - 3\*c^4\*d^3\*x^5 + 3\*c^2\*d^3\*x^3 - d^3\*x), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}{c^6d^3x^7 - 3c^4d^3x^5 + 3c^2d^3x^3 - d^3x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out] integral(-(b^2\*arcsin(c\*x))^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/(c^6\*d^3\*x^7 - 3\*c^4\*d^3\*x^5 + 3\*c^2\*d^3\*x^3 - d^3\*x), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x/(-c\*\*2\*d\*x\*\*2+d)\*\*3,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \arcsin(cx) + a)^2}{(c^2 dx^2 - d)^3 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(-c^2\*d\*x^2+d)^3,x, algorithm="giac")

[Out] integrate(-(b\*arcsin(c\*x) + a)^2/((c^2\*d\*x^2 - d)^3\*x), x)

$$3.207 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^2(d-c^2dx^2)^3} dx$$

**Optimal.** Leaf size=429

$$\frac{15ibc \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4d^3} - \frac{15ibc \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4d^3} + \frac{2ib^2c \operatorname{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^3}$$

```
[Out] (b^2*c^2*x)/(12*d^3*(1 - c^2*x^2)) - (b*c*(a + b*ArcSin[c*x]))/(6*d^3*(1 - c^2*x^2)^(3/2)) - (7*b*c*(a + b*ArcSin[c*x]))/(4*d^3*Sqrt[1 - c^2*x^2]) - (a + b*ArcSin[c*x])^2/(d^3*x*(1 - c^2*x^2)^2) + (5*c^2*x*(a + b*ArcSin[c*x])^2)/(4*d^3*(1 - c^2*x^2)^2) + (15*c^2*x*(a + b*ArcSin[c*x])^2)/(8*d^3*(1 - c^2*x^2)) - (((15*I)/4)*c*(a + b*ArcSin[c*x])^2*ArcTan[E^(I*ArcSin[c*x])])/d^3 - (4*b*c*(a + b*ArcSin[c*x])*ArcTanh[E^(I*ArcSin[c*x])])/d^3 + (11*b^2*c*ArcTanh[c*x])/(6*d^3) + ((2*I)*b^2*c*PolyLog[2, -E^(I*ArcSin[c*x])])/d^3 + (((15*I)/4)*b*c*(a + b*ArcSin[c*x])*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/d^3 - (((15*I)/4)*b*c*(a + b*ArcSin[c*x])*PolyLog[2, I*E^(I*ArcSin[c*x])])/d^3 - ((2*I)*b^2*c*PolyLog[2, E^(I*ArcSin[c*x])])/d^3 - (15*b^2*c*PolyLog[3, (-I)*E^(I*ArcSin[c*x])])/d^3 + (15*b^2*c*PolyLog[3, I*E^(I*ArcSin[c*x])])/d^3
```

**Rubi [A]** time = 0.759348, antiderivative size = 429, normalized size of antiderivative = 1., number of steps used = 27, number of rules used = 15, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$ , Rules used = {4701, 4655, 4657, 4181, 2531, 2282, 6589, 4677, 206, 199, 4705, 4709, 4183, 2279, 2391}

$$\frac{15ibc \operatorname{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4d^3} - \frac{15ibc \operatorname{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4d^3} + \frac{2ib^2c \operatorname{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^3}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])^2/(x^2*(d - c^2*d*x^2)^3), x]
```

```
[Out] (b^2*c^2*x)/(12*d^3*(1 - c^2*x^2)) - (b*c*(a + b*ArcSin[c*x]))/(6*d^3*(1 - c^2*x^2)^(3/2)) - (7*b*c*(a + b*ArcSin[c*x]))/(4*d^3*Sqrt[1 - c^2*x^2]) - (a + b*ArcSin[c*x])^2/(d^3*x*(1 - c^2*x^2)^2) + (5*c^2*x*(a + b*ArcSin[c*x])^2)/(4*d^3*(1 - c^2*x^2)^2) + (15*c^2*x*(a + b*ArcSin[c*x])^2)/(8*d^3*(1 - c^2*x^2)) - (((15*I)/4)*c*(a + b*ArcSin[c*x])^2*ArcTan[E^(I*ArcSin[c*x])])/d^3 - (4*b*c*(a + b*ArcSin[c*x])*ArcTanh[E^(I*ArcSin[c*x])])/d^3 + (11*b^2*c*ArcTanh[c*x])/(6*d^3) + ((2*I)*b^2*c*PolyLog[2, -E^(I*ArcSin[c*x])])/d^3 + (((15*I)/4)*b*c*(a + b*ArcSin[c*x])*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/d^3 - (((15*I)/4)*b*c*(a + b*ArcSin[c*x])*PolyLog[2, I*E^(I*ArcSin[c*x])])/d^3 - ((2*I)*b^2*c*PolyLog[2, E^(I*ArcSin[c*x])])/d^3 - (15*b^2*c*PolyLog[3, (-I)*E^(I*ArcSin[c*x])])/d^3 + (15*b^2*c*PolyLog[3, I*E^(I*ArcSin[c*x])])/d^3
```

$$d^3 - (4bc(a + b\text{ArcSin}[cx])\text{ArcTanh}[E^{(I\text{ArcSin}[cx])}])/d^3 + (11b^2c\text{ArcTanh}[cx])/(6d^3) + ((2I)b^2c\text{PolyLog}[2, -E^{(I\text{ArcSin}[cx])}])/d^3 + (((15I)/4)bc(a + b\text{ArcSin}[cx])\text{PolyLog}[2, (-I)E^{(I\text{ArcSin}[cx])}])/d^3 - (((15I)/4)bc(a + b\text{ArcSin}[cx])\text{PolyLog}[2, IE^{(I\text{ArcSin}[cx])}])/d^3 - ((2I)b^2c\text{PolyLog}[2, E^{(I\text{ArcSin}[cx])}])/d^3 - (15b^2c\text{PolyLog}[3, (-I)E^{(I\text{ArcSin}[cx])}])/(4d^3) + (15b^2c\text{PolyLog}[3, IE^{(I\text{ArcSin}[cx])}])/(4d^3)$$

### Rule 4701

$$\text{Int}[(a_.) + \text{ArcSin}[c_.(x_)]*(b_.)^{(n_.)}((f_.)*(x_))^{(m_.)}((d_.) + (e_.)*(x_)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n/(d*f*(m+1)), x] + (\text{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1)), \text{Int}[(f*x)^{(m+2)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]}]/(f*(m+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m+1)}*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[m]$$

### Rule 4655

$$\text{Int}[(a_.) + \text{ArcSin}[c_.(x_)]*(b_.)^{(n_.)}((d_.) + (e_.)*(x_)^2)^{(p_.)}, x\_Symbol] \rightarrow -\text{Simp}[x*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n/(2*d*(p+1)), x] + (\text{Dist}[(2*p+3)/(2*d*(p+1)), \text{Int}[(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n, x], x] + \text{Dist}[(b*c*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]}]/(2*(p+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[x*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{NeQ}[p, -3/2]$$

### Rule 4657

$$\text{Int}[(a_.) + \text{ArcSin}[c_.(x_)]*(b_.)^{(n_.)}/((d_.) + (e_.)*(x_)^2), x\_Symbol] \rightarrow \text{Dist}[1/(c*d), \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sec}[x], x], x, \text{ArcSin}[c*x]], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[n, 0]$$

### Rule 4181

$$\text{Int}[\text{csc}[(e_.) + \text{Pi}*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[(-2*(c + d*x)^m*\text{ArcTanh}[E^{(I*k*Pi)}*E^{(I*(e + f*x))}])/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 - E^{(I*k*Pi)}*E^{(I*(e + f*x))}], x], x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + E^{(I*k*Pi)}*E^{(I*(e + f*x))}], x], x]) /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{IntegerQ}[2*k] \&\& \text{IGtQ}[m, 0]$$

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :=> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_
.), x_Symbol] :=> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 199

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :=> -Simp[(x*(a + b*x^n)^(p + 1
))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(
p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (Integer
Q[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denomin
ator[p + 1/n] < Denominator[p])
```

### Rule 4705



```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] := -Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a +
b*ArcSin[c*x])^n)/(2*d*f*(p + 1)), x] + (Dist[(m + 2*p + 3)/(2*d*(p + 1)),
Int[(f*x)^m*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*c*n
*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*f*(p + 1)*(1 - c^2*x^2)^FracPart[
p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1]
)

```

### Rule 4709

```

Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

```

### Rule 4183

```

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]

```

### Rule 2279

```

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

### Rule 2391

```

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^2 (d - c^2 dx^2)^3} dx &= -\frac{(a + b \sin^{-1}(cx))^2}{d^3 x (1 - c^2 x^2)^2} + (5c^2) \int \frac{(a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^3} dx + \frac{(2bc) \int \frac{a + b \sin^{-1}(cx)}{x(1 - c^2 x^2)^{5/2}} dx}{d^3} \\
&= \frac{2bc (a + b \sin^{-1}(cx))}{3d^3 (1 - c^2 x^2)^{3/2}} - \frac{(a + b \sin^{-1}(cx))^2}{d^3 x (1 - c^2 x^2)^2} + \frac{5c^2 x (a + b \sin^{-1}(cx))^2}{4d^3 (1 - c^2 x^2)^2} + \frac{(2bc) \int \frac{a + b \sin^{-1}(cx)}{x(1 - c^2 x^2)^{3/2}} dx}{d^3} \\
&= -\frac{b^2 c^2 x}{3d^3 (1 - c^2 x^2)} - \frac{bc (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} + \frac{2bc (a + b \sin^{-1}(cx))}{d^3 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{d^3 x (1 - c^2 x^2)^2} + \frac{5c^2 x (a + b \sin^{-1}(cx))^2}{4d^3} \\
&= \frac{b^2 c^2 x}{12d^3 (1 - c^2 x^2)} - \frac{bc (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{7bc (a + b \sin^{-1}(cx))}{4d^3 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{d^3 x (1 - c^2 x^2)^2} + \frac{5c^2 x (a + b \sin^{-1}(cx))^2}{4d^3} \\
&= \frac{b^2 c^2 x}{12d^3 (1 - c^2 x^2)} - \frac{bc (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{7bc (a + b \sin^{-1}(cx))}{4d^3 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{d^3 x (1 - c^2 x^2)^2} + \frac{5c^2 x (a + b \sin^{-1}(cx))^2}{4d^3} \\
&= \frac{b^2 c^2 x}{12d^3 (1 - c^2 x^2)} - \frac{bc (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{7bc (a + b \sin^{-1}(cx))}{4d^3 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{d^3 x (1 - c^2 x^2)^2} + \frac{5c^2 x (a + b \sin^{-1}(cx))^2}{4d^3} \\
&= \frac{b^2 c^2 x}{12d^3 (1 - c^2 x^2)} - \frac{bc (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{7bc (a + b \sin^{-1}(cx))}{4d^3 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{d^3 x (1 - c^2 x^2)^2} + \frac{5c^2 x (a + b \sin^{-1}(cx))^2}{4d^3} \\
&= \frac{b^2 c^2 x}{12d^3 (1 - c^2 x^2)} - \frac{bc (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{7bc (a + b \sin^{-1}(cx))}{4d^3 \sqrt{1 - c^2 x^2}} - \frac{(a + b \sin^{-1}(cx))^2}{d^3 x (1 - c^2 x^2)^2} + \frac{5c^2 x (a + b \sin^{-1}(cx))^2}{4d^3}
\end{aligned}$$

**Mathematica [B]** time = 11.5663, size = 1351, normalized size = 3.15

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^2\*(d - c^2\*d\*x^2)^3), x]

[Out]  $-(a^2/(d^3*x)) + (a^2*c^2*x)/(4*d^3*(-1 + c^2*x^2)^2) - (7*a^2*c^2*x)/(8*d^3*(-1 + c^2*x^2)) - (15*a^2*c*\text{Log}[1 - c*x])/(16*d^3) + (15*a^2*c*\text{Log}[1 + c*x])/(16*d^3) - (b^2*c*((-2*I)*\text{PolyLog}[2, -E^{(I*ArcSin[c*x])}] + (44*ArcSin[c*x] + 15*ArcSin[c*x]^3 - 45*ArcSin[c*x]^2*\text{Log}[1 - I*E^{(I*ArcSin[c*x])}] - 45$

```

*Pi*ArcSin[c*x]*Log[((-1)^(1/4)*(1 - I*E^(I*ArcSin[c*x])))/(2*E^((I/2)*ArcSin[c*x]))] + 45*ArcSin[c*x]^2*Log[1 + I*E^(I*ArcSin[c*x])] + 45*ArcSin[c*x]^2*Log[(((1/2 + I/2)*(-I + E^(I*ArcSin[c*x])))/E^((I/2)*ArcSin[c*x]))] - 45*Pi*ArcSin[c*x]*Log[-((-1)^(1/4)*(-I + E^(I*ArcSin[c*x])))/(2*E^((I/2)*ArcSin[c*x]))] - 45*ArcSin[c*x]^2*Log[(((1 + I) + (1 - I)*E^(I*ArcSin[c*x])))/(2*E^((I/2)*ArcSin[c*x]))] + 45*Pi*ArcSin[c*x]*Log[-Cos[(Pi + 2*ArcSin[c*x])/4]] + 44*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]] - 45*ArcSin[c*x]^2*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]] - 44*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]] + 45*ArcSin[c*x]^2*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]] + 45*Pi*ArcSin[c*x]*Log[Sin[(Pi + 2*ArcSin[c*x])/4]] - (90*I)*ArcSin[c*x]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] + (90*I)*ArcSin[c*x]*PolyLog[2, I*E^(I*ArcSin[c*x])] + 90*PolyLog[3, (-I)*E^(I*ArcSin[c*x])] - 90*PolyLog[3, I*E^(I*ArcSin[c*x])]/24 - (4 + 88*c*x*ArcSin[c*x] - 54*ArcSin[c*x]^2 + 30*c*x*ArcSin[c*x]^3 - 240*ArcSin[c*x]^2*Cos[2*ArcSin[c*x]] - 4*Cos[4*ArcSin[c*x]] - 90*ArcSin[c*x]^2*Cos[4*ArcSin[c*x]] + 96*c*x*ArcSin[c*x]*Log[1 - E^(I*ArcSin[c*x])] - 96*c*x*ArcSin[c*x]*Log[1 + E^(I*ArcSin[c*x])] - (768*I)*c*x*(1 - c^2*x^2)^2*PolyLog[2, E^(I*ArcSin[c*x])] - 200*ArcSin[c*x]*Sin[2*ArcSin[c*x]] + 132*ArcSin[c*x]*Sin[3*ArcSin[c*x]] + 45*ArcSin[c*x]^3*Sin[3*ArcSin[c*x]] + 144*ArcSin[c*x]*Log[1 - E^(I*ArcSin[c*x])]*Sin[3*ArcSin[c*x]] - 144*ArcSin[c*x]*Log[1 + E^(I*ArcSin[c*x])]*Sin[3*ArcSin[c*x]] - 84*ArcSin[c*x]*Sin[4*ArcSin[c*x]] + 44*ArcSin[c*x]*Sin[5*ArcSin[c*x]] + 15*ArcSin[c*x]^3*Sin[5*ArcSin[c*x]] + 48*ArcSin[c*x]*Log[1 - E^(I*ArcSin[c*x])]*Sin[5*ArcSin[c*x]] - 48*ArcSin[c*x]*Log[1 + E^(I*ArcSin[c*x])]*Sin[5*ArcSin[c*x]])/(384*c*x*(1 - c^2*x^2)^2))/d^3 - (a*b*c*(24*ArcSin[c*x]*Cot[ArcSin[c*x]/2] - 90*ArcSin[c*x]*(Log[1 - I*E^(I*ArcSin[c*x])] - Log[1 + I*E^(I*ArcSin[c*x])]) + 48*Log[Cos[ArcSin[c*x]/2]] - 48*Log[Sin[ArcSin[c*x]/2]] - (90*I)*(PolyLog[2, (-I)*E^(I*ArcSin[c*x])] - PolyLog[2, I*E^(I*ArcSin[c*x])]) - (3*ArcSin[c*x])/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^4 - (-1 + 21*ArcSin[c*x])/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^2 + (2*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^3 + (44*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]) + (3*ArcSin[c*x])/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^4 - (2*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^3 + (1 + 21*ArcSin[c*x])/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^2 - (44*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]) + 24*ArcSin[c*x]*Tan[ArcSin[c*x]/2]))/(24*d^3)

```

---

**Maple [B]** time = 0.392, size = 1093, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/x^2/(-c^2*d*x^2+d)^3,x)
```

```
[Out] -15/4*I*c*b^2/d^3*arcsin(c*x)*polylog(2,I*(I*c*x+(-c^2*x^2+1)^(1/2)))+15/4*
I*c*a*b/d^3*dilog(1+I*(I*c*x+(-c^2*x^2+1)^(1/2)))-15/4*I*c*a*b/d^3*dilog(1-
I*(I*c*x+(-c^2*x^2+1)^(1/2)))+25/8*b^2/d^3/(c^4*x^4-2*c^2*x^2+1)*arcsin(c*x
)^2*c^2*x-15/8*b^2/d^3/(c^4*x^4-2*c^2*x^2+1)*arcsin(c*x)^2*c^4*x^3-23/12*c*
b^2/d^3/(c^4*x^4-2*c^2*x^2+1)*arcsin(c*x)*(-c^2*x^2+1)^(1/2)-23/12*c*a*b/d^
3/(c^4*x^4-2*c^2*x^2+1)*(-c^2*x^2+1)^(1/2)-15/4*c*a*b/d^3*arcsin(c*x)*ln(1+
I*(I*c*x+(-c^2*x^2+1)^(1/2)))+15/4*c*a*b/d^3*arcsin(c*x)*ln(1-I*(I*c*x+(-c^
2*x^2+1)^(1/2)))-2*a*b/d^3/(c^4*x^4-2*c^2*x^2+1)/x*arcsin(c*x)+15/4*I*c*b^2
/d^3*arcsin(c*x)*polylog(2,-I*(I*c*x+(-c^2*x^2+1)^(1/2)))+1/12*b^2/d^3/(c^4
*x^4-2*c^2*x^2+1)*c^2*x-1/12*b^2/d^3/(c^4*x^4-2*c^2*x^2+1)*c^4*x^3+2*c*a*b/
d^3*ln(I*c*x+(-c^2*x^2+1)^(1/2))-b^2/d^3/(c^4*x^4-2*c^2*x^2+1)/x*arcsin(c
*x)^2-2*c*a*b/d^3*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-2*c*b^2/d^3*arcsin(c*x)*ln
(1+I*c*x+(-c^2*x^2+1)^(1/2))-15/8*c*b^2/d^3*arcsin(c*x)^2*ln(1+I*(I*c*x+(-c
^2*x^2+1)^(1/2)))+15/8*c*b^2/d^3*arcsin(c*x)^2*ln(1-I*(I*c*x+(-c^2*x^2+1)^(
1/2)))+2*I*c*b^2/d^3*dilog(I*c*x+(-c^2*x^2+1)^(1/2))+2*I*c*b^2/d^3*dilog(1+
I*c*x+(-c^2*x^2+1)^(1/2))-11/3*I*c*b^2/d^3*arctan(I*c*x+(-c^2*x^2+1)^(1/2))
+1/16*c*a^2/d^3/(c*x-1)^2-7/16*c*a^2/d^3/(c*x-1)-1/16*c*a^2/d^3/(c*x+1)^2-7
/16*c*a^2/d^3/(c*x+1)-15/16*c*a^2/d^3*ln(c*x-1)+15/16*c*a^2/d^3*ln(c*x+1)+7
/4*b^2/d^3/(c^4*x^4-2*c^2*x^2+1)*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^3*x^2-15/
4*a*b/d^3/(c^4*x^4-2*c^2*x^2+1)*arcsin(c*x)*c^4*x^3+7/4*a*b/d^3/(c^4*x^4-2*
c^2*x^2+1)*c^3*x^2*(-c^2*x^2+1)^(1/2)+25/4*a*b/d^3/(c^4*x^4-2*c^2*x^2+1)*ar
csin(c*x)*c^2*x-a^2/d^3/x-15/4*b^2*c*polylog(3,-I*(I*c*x+(-c^2*x^2+1)^(1/2)
))/d^3+15/4*b^2*c*polylog(3,I*(I*c*x+(-c^2*x^2+1)^(1/2)))/d^3
```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{16}a^2\left(\frac{2(15c^4x^4 - 25c^2x^2 + 8)}{c^4d^3x^5 - 2c^2d^3x^3 + d^3x} - \frac{15c \log(cx + 1)}{d^3} + \frac{15c \log(cx - 1)}{d^3}\right) + \frac{15(b^2c^5x^5 - 2b^2c^3x^3 + b^2cx) \arctan(cx, \sqrt{cx})}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/x^2/(-c^2*d*x^2+d)^3,x, algorithm="maxima")
```

```
[Out] -1/16*a^2*(2*(15*c^4*x^4 - 25*c^2*x^2 + 8)/(c^4*d^3*x^5 - 2*c^2*d^3*x^3 + d
^3*x) - 15*c*log(c*x + 1)/d^3 + 15*c*log(c*x - 1)/d^3) + 1/16*(15*(b^2*c^5*
x^5 - 2*b^2*c^3*x^3 + b^2*c*x)*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1))^2
*log(c*x + 1) - 15*(b^2*c^5*x^5 - 2*b^2*c^3*x^3 + b^2*c*x)*arctan2(c*x, sqr
t(c*x + 1))*sqrt(-c*x + 1))^2*log(-c*x + 1) - 2*(15*b^2*c^4*x^4 - 25*b^2*c^2
*x^2 + 8*b^2)*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1))^2 + 16*(c^4*d^3*x^
5 - 2*c^2*d^3*x^3 + d^3*x)*integrate(-1/8*(16*a*b*arctan2(c*x, sqrt(c*x + 1
```

)\*sqrt(-c\*x + 1)) - (15\*(b^2\*c^6\*x^6 - 2\*b^2\*c^4\*x^4 + b^2\*c^2\*x^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*log(c\*x + 1) - 15\*(b^2\*c^6\*x^6 - 2\*b^2\*c^4\*x^4 + b^2\*c^2\*x^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*log(-c\*x + 1) - 2\*(15\*b^2\*c^5\*x^5 - 25\*b^2\*c^3\*x^3 + 8\*b^2\*c\*x)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))\*sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/(c^6\*d^3\*x^8 - 3\*c^4\*d^3\*x^6 + 3\*c^2\*d^3\*x^4 - d^3\*x^2), x))/(c^4\*d^3\*x^5 - 2\*c^2\*d^3\*x^3 + d^3\*x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}{c^6 d^3 x^8 - 3c^4 d^3 x^6 + 3c^2 d^3 x^4 - d^3 x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^2/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out] integral(-(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/(c^6\*d^3\*x^8 - 3\*c^4\*d^3\*x^6 + 3\*c^2\*d^3\*x^4 - d^3\*x^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*3,x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^2/(-c^2\*d\*x^2+d)^3,x, algorithm="giac")

[Out] Timed out

$$3.208 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^3(d-c^2dx^2)^3} dx$$

**Optimal.** Leaf size=403

$$\frac{3ibc^2 \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^3} - \frac{3ibc^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^3} - \frac{3b^2c^2 \text{PolyLog}\left(3, -E^{\left((2I) \text{ArcSin}[c*x]\right)}\right)}{2d^3}$$

```
[Out] (b^2*c^2)/(12*d^3*(1 - c^2*x^2)) - (b*c*(a + b*ArcSin[c*x]))/(d^3*x*(1 - c^2*x^2)^(3/2)) + (5*b*c^3*x*(a + b*ArcSin[c*x]))/(6*d^3*(1 - c^2*x^2)^(3/2)) - (4*b*c^3*x*(a + b*ArcSin[c*x]))/(3*d^3*Sqrt[1 - c^2*x^2]) + (3*c^2*(a + b*ArcSin[c*x])^2)/(4*d^3*(1 - c^2*x^2)^2) - (a + b*ArcSin[c*x])^2/(2*d^3*x^2*(1 - c^2*x^2)^2) + (3*c^2*(a + b*ArcSin[c*x])^2)/(2*d^3*(1 - c^2*x^2)) - (6*c^2*(a + b*ArcSin[c*x])^2*ArcTanh[E^((2*I)*ArcSin[c*x])])/d^3 + (b^2*c^2*Log[x])/d^3 - (7*b^2*c^2*Log[1 - c^2*x^2])/(6*d^3) + ((3*I)*b*c^2*(a + b*ArcSin[c*x])*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/d^3 - ((3*I)*b*c^2*(a + b*ArcSin[c*x])*PolyLog[2, E^((2*I)*ArcSin[c*x])])/d^3 - (3*b^2*c^2*PolyLog[3, -E^((2*I)*ArcSin[c*x])])/d^3 + (3*b^2*c^2*PolyLog[3, E^((2*I)*ArcSin[c*x])])/d^3
```

**Rubi [A]** time = 0.784098, antiderivative size = 403, normalized size of antiderivative = 1., number of steps used = 23, number of rules used = 19, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.704$ , Rules used = {4701, 4705, 4679, 4419, 4183, 2531, 2282, 6589, 4651, 260, 4655, 261, 271, 192, 191, 4689, 12, 1251, 893}

$$\frac{3ibc^2 \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^3} - \frac{3ibc^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{d^3} - \frac{3b^2c^2 \text{PolyLog}\left(3, -E^{\left((2I) \text{ArcSin}[c*x]\right)}\right)}{2d^3}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])^2/(x^3*(d - c^2*d*x^2)^3), x]
```

```
[Out] (b^2*c^2)/(12*d^3*(1 - c^2*x^2)) - (b*c*(a + b*ArcSin[c*x]))/(d^3*x*(1 - c^2*x^2)^(3/2)) + (5*b*c^3*x*(a + b*ArcSin[c*x]))/(6*d^3*(1 - c^2*x^2)^(3/2)) - (4*b*c^3*x*(a + b*ArcSin[c*x]))/(3*d^3*Sqrt[1 - c^2*x^2]) + (3*c^2*(a + b*ArcSin[c*x])^2)/(4*d^3*(1 - c^2*x^2)^2) - (a + b*ArcSin[c*x])^2/(2*d^3*x^2*(1 - c^2*x^2)^2) + (3*c^2*(a + b*ArcSin[c*x])^2)/(2*d^3*(1 - c^2*x^2)) - (6*c^2*(a + b*ArcSin[c*x])^2*ArcTanh[E^((2*I)*ArcSin[c*x])])/d^3 + (b^2*c^2
```

$$\frac{\text{Log}[x]}{d^3} - \frac{(7*b^2*c^2*\text{Log}[1 - c^2*x^2])}{(6*d^3)} + \frac{((3*I)*b*c^2*(a + b*ArcSin[c*x])*PolyLog[2, -E^{((2*I)*ArcSin[c*x])}])}{d^3} - \frac{((3*I)*b*c^2*(a + b*ArcSin[c*x])*PolyLog[2, E^{((2*I)*ArcSin[c*x])}])}{d^3} - \frac{(3*b^2*c^2*PolyLog[3, -E^{((2*I)*ArcSin[c*x])}])}{(2*d^3)} + \frac{(3*b^2*c^2*PolyLog[3, E^{((2*I)*ArcSin[c*x])}])}{(2*d^3)}$$

### Rule 4701

$$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{\text{n}_.}*((f_.)*(x_.))^{\text{m}_.}*((d_.) + (e_.)*(x_.)^2)^{\text{p}_.}, x\_Symbol] \rightarrow \text{Simp}[(f*x)^{\text{m}+1}*(d + e*x^2)^{\text{p}+1}*(a + b*ArcSin[c*x])^{\text{n}}/(d*f*(\text{m}+1)), x] + (\text{Dist}[(c^2*(\text{m}+2*p+3))/(f^2*(\text{m}+1)), \text{Int}[(f*x)^{\text{m}+2}*(d + e*x^2)^{\text{p}}*(a + b*ArcSin[c*x])^{\text{n}}, x], x] - \text{Dist}[(b*c*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(f*(\text{m}+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{\text{m}+1}*(1 - c^2*x^2)^{\text{p}+1/2}*(a + b*ArcSin[c*x])^{\text{n}-1}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[m]$$

### Rule 4705

$$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{\text{n}_.}*((f_.)*(x_.))^{\text{m}_.}*((d_.) + (e_.)*(x_.)^2)^{\text{p}_.}, x\_Symbol] \rightarrow -\text{Simp}[(f*x)^{\text{m}+1}*(d + e*x^2)^{\text{p}+1}*(a + b*ArcSin[c*x])^{\text{n}}/(2*d*f*(\text{p}+1)), x] + (\text{Dist}[(\text{m}+2*p+3)/(2*d*(\text{p}+1)), \text{Int}[(f*x)^{\text{m}}*(d + e*x^2)^{\text{p}+1}*(a + b*ArcSin[c*x])^{\text{n}}, x], x] + \text{Dist}[(b*c*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(2*f*(\text{p}+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{\text{m}+1}*(1 - c^2*x^2)^{\text{p}+1/2}*(a + b*ArcSin[c*x])^{\text{n}-1}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& !\text{GtQ}[m, 1] \&\& (\text{IntegerQ}[m] || \text{IntegerQ}[p] || \text{EqQ}[n, 1])$$

### Rule 4679

$$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{\text{n}_.}/((x_.)*((d_.) + (e_.)*(x_.)^2)), x\_Symbol] \rightarrow \text{Dist}[1/d, \text{Subst}[\text{Int}[(a + b*x)^{\text{n}}/(\text{Cos}[x]*\text{Sin}[x]), x], x, \text{ArcSin}[c*x]], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[n, 0]$$

### Rule 4419

$$\text{Int}[\text{Csc}[(a_.) + (b_.)*(x_.)]^{\text{n}_.}*((c_.) + (d_.)*(x_.))^{\text{m}_.}*\text{Sec}[(a_.) + (b_.)*(x_.)]^{\text{n}_.}, x\_Symbol] \rightarrow \text{Dist}[2^{\text{n}}, \text{Int}[(c + d*x)^{\text{m}}*\text{Csc}[2*a + 2*b*x]^{\text{n}}, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \&\& \text{IntegerQ}[n] \&\& \text{RationalQ}[m]$$

### Rule 4183

$$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^{\text{m}_.}, x\_Symbol] \rightarrow \text{Simp}[(-2*(c + d*x)^{\text{m}}*\text{ArcTanh}[E^{(I*(e + f*x))}])/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d$$



```
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*(f_.) + (g_.)*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4651

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2)^(3/2), x_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(b*c*n)/Sqrt[d], Int[(x*(a + b*ArcSin[c*x])^(n - 1))/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]
```

### Rule 260

```
Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

### Rule 4655

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := -Simp[(x*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*d*(p + 1)), x] + (Dist[(2*p + 3)/(2*d*(p + 1)), Int[(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p]]/(2*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcS
```

$\text{in}[c*x]^{(n-1)}, x], x] /;$  FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0]  
&& GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

### Rule 261

$\text{Int}[(x_)^{(m_*)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x\_Symbol] :> \text{Simp}[(a + b*x^n)^{(p+1)}/(b*n*(p+1)), x] /;$  FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

### Rule 271

$\text{Int}[(x_)^{(m_*)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x\_Symbol] :> \text{Simp}[(x^{(m+1)}*(a + b*x^n)^{(p+1)})/(a*(m+1)), x] - \text{Dist}[(b*(m+n*(p+1)+1))/(a*(m+1)), \text{Int}[x^{(m+n)}*(a + b*x^n)^p, x], x] /;$  FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m+1)/n + p + 1], 0] && NeQ[m, -1]

### Rule 192

$\text{Int}[(a_) + (b_)*(x_)^{(n_)})^{(p_)}, x\_Symbol] :> -\text{Simp}[(x*(a + b*x^n)^{(p+1)})/(a*n*(p+1)), x] + \text{Dist}[(n*(p+1)+1)/(a*n*(p+1)), \text{Int}[(a + b*x^n)^{(p+1)}, x], x] /;$  FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

### Rule 191

$\text{Int}[(a_) + (b_)*(x_)^{(n_)})^{(p_)}, x\_Symbol] :> \text{Simp}[(x*(a + b*x^n)^{(p+1)})/a, x] /;$  FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

### Rule 4689

$\text{Int}[(a_.) + \text{ArcSin}[c_*(x_)]*(b_.)*(x_)^{(m_*)}*((d_) + (e_.)*(x_)^2)^{(p_)}, x\_Symbol] :> \text{With}\{u = \text{IntHide}[x^m*(1 - c^2*x^2)^p, x]\}, \text{Dist}[d^p*(a + b*\text{ArcSin}[c*x]), u, x] - \text{Dist}[b*c*d^p, \text{Int}[\text{SimplifyIntegrand}[u/\text{Sqrt}[1 - c^2*x^2], x], x], x] /;$  FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[p - 1/2] && (IGtQ[(m+1)/2, 0] || ILtQ[(m+2\*p+3)/2, 0]) && NeQ[p, -2^(-1)] && GtQ[d, 0]

### Rule 12

$\text{Int}[(a_)*(u_), x\_Symbol] :> \text{Dist}[a, \text{Int}[u, x], x] /;$  FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

### Rule 893

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegersQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^3 (d - c^2 dx^2)^3} dx &= -\frac{(a + b \sin^{-1}(cx))^2}{2d^3 x^2 (1 - c^2 x^2)^2} + (3c^2) \int \frac{(a + b \sin^{-1}(cx))^2}{x (d - c^2 dx^2)^3} dx + \frac{(bc) \int \frac{a + b \sin^{-1}(cx)}{x^2 (1 - c^2 x^2)^{5/2}} dx}{d^3} \\
&= -\frac{bc (a + b \sin^{-1}(cx))}{d^3 x (1 - c^2 x^2)^{3/2}} + \frac{4bc^3 x (a + b \sin^{-1}(cx))}{3d^3 (1 - c^2 x^2)^{3/2}} + \frac{8bc^3 x (a + b \sin^{-1}(cx))}{3d^3 \sqrt{1 - c^2 x^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)} \\
&= -\frac{bc (a + b \sin^{-1}(cx))}{d^3 x (1 - c^2 x^2)^{3/2}} + \frac{5bc^3 x (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} + \frac{8bc^3 x (a + b \sin^{-1}(cx))}{3d^3 \sqrt{1 - c^2 x^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)} \\
&= \frac{b^2 c^2}{4d^3 (1 - c^2 x^2)} - \frac{bc (a + b \sin^{-1}(cx))}{d^3 x (1 - c^2 x^2)^{3/2}} + \frac{5bc^3 x (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{4bc^3 x (a + b \sin^{-1}(cx))}{3d^3 \sqrt{1 - c^2 x^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)} \\
&= \frac{b^2 c^2}{4d^3 (1 - c^2 x^2)} - \frac{bc (a + b \sin^{-1}(cx))}{d^3 x (1 - c^2 x^2)^{3/2}} + \frac{5bc^3 x (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{4bc^3 x (a + b \sin^{-1}(cx))}{3d^3 \sqrt{1 - c^2 x^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)} \\
&= \frac{b^2 c^2}{12d^3 (1 - c^2 x^2)} - \frac{bc (a + b \sin^{-1}(cx))}{d^3 x (1 - c^2 x^2)^{3/2}} + \frac{5bc^3 x (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{4bc^3 x (a + b \sin^{-1}(cx))}{3d^3 \sqrt{1 - c^2 x^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)} \\
&= \frac{b^2 c^2}{12d^3 (1 - c^2 x^2)} - \frac{bc (a + b \sin^{-1}(cx))}{d^3 x (1 - c^2 x^2)^{3/2}} + \frac{5bc^3 x (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{4bc^3 x (a + b \sin^{-1}(cx))}{3d^3 \sqrt{1 - c^2 x^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)} \\
&= \frac{b^2 c^2}{12d^3 (1 - c^2 x^2)} - \frac{bc (a + b \sin^{-1}(cx))}{d^3 x (1 - c^2 x^2)^{3/2}} + \frac{5bc^3 x (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{4bc^3 x (a + b \sin^{-1}(cx))}{3d^3 \sqrt{1 - c^2 x^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)} \\
&= \frac{b^2 c^2}{12d^3 (1 - c^2 x^2)} - \frac{bc (a + b \sin^{-1}(cx))}{d^3 x (1 - c^2 x^2)^{3/2}} + \frac{5bc^3 x (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{4bc^3 x (a + b \sin^{-1}(cx))}{3d^3 \sqrt{1 - c^2 x^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))}{4d^3 (1 - c^2 x^2)}
\end{aligned}$$

**Mathematica [A]** time = 6.61326, size = 569, normalized size = 1.41

$$2abc^2 \left( -18i \operatorname{PolyLog} \left( 2, -e^{2i \sin^{-1}(cx)} \right) + 18i \operatorname{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + \frac{14cx}{\sqrt{1-c^2x^2}} + \frac{cx}{(1-c^2x^2)^{3/2}} + \frac{6\sqrt{1-c^2x^2}}{cx} + \frac{12 \sin^{-1}(cx)}{c^2 x^2 - 1} - \frac{3 \sin^{-1}(cx)}{(c^2 x^2 - 1)^2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^3\*(d - c^2\*d\*x^2)^3),x]

[Out]  $-\left(\frac{6a^2}{x^2} - \frac{3a^2c^2}{(-1 + c^2x^2)^2} + \frac{12a^2c^2}{(-1 + c^2x^2)} - 36a^2c^2\text{Log}[x] + 18a^2c^2\text{Log}[1 - c^2x^2] + 2ab^2c^2\left(\frac{cx}{(1 - c^2x^2)^{3/2}} + \frac{14cx}{\text{Sqrt}[1 - c^2x^2]} + \frac{6\text{Sqrt}[1 - c^2x^2]}{cx} + \frac{6\text{ArcSin}[cx]}{c^2x^2} - \frac{3\text{ArcSin}[cx]}{(-1 + c^2x^2)^2} + \frac{12\text{ArcSin}[cx]}{(-1 + c^2x^2)} - 36\text{ArcSin}[cx]\text{Log}[1 - E^{(2I)\text{ArcSin}[cx]}]\right) + 36\text{ArcSin}[cx]\text{Log}[1 + E^{(2I)\text{ArcSin}[cx]}] - (18I)\text{PolyLog}[2, -E^{(2I)\text{ArcSin}[cx]}] + (18I)\text{PolyLog}[2, E^{(2I)\text{ArcSin}[cx]}] + 12b^2c^2\left(-3I\right)\text{ArcSin}[cx]\text{PolyLog}[2, E^{(-2I)\text{ArcSin}[cx]}] - (3I)\text{ArcSin}[cx]\text{PolyLog}[2, -E^{(2I)\text{ArcSin}[cx]}] + \left(\frac{3I}{2}\right)\text{Pi}^3 + \frac{2}{(-1 + c^2x^2)} + \frac{4cx\text{ArcSin}[cx]}{(1 - c^2x^2)^{3/2}} + \frac{56cx\text{ArcSin}[cx]}{\text{Sqrt}[1 - c^2x^2]} + \frac{24\text{Sqrt}[1 - c^2x^2]\text{ArcSin}[cx]}{cx} + \frac{12\text{ArcSin}[cx]^2}{c^2x^2} - \frac{6\text{ArcSin}[cx]^2}{(-1 + c^2x^2)^2} + \frac{24\text{ArcSin}[cx]^2}{(-1 + c^2x^2)} - \frac{48I\text{ArcSin}[cx]^3}{72\text{ArcSin}[cx]^2\text{Log}[1 - E^{(-2I)\text{ArcSin}[cx]}] + 72\text{ArcSin}[cx]^2\text{Log}[1 + E^{(2I)\text{ArcSin}[cx]}] - 24\text{Log}[cx] + 28\text{Log}[1 - c^2x^2] - 36\text{PolyLog}[3, E^{(-2I)\text{ArcSin}[cx]}] + 36\text{PolyLog}[3, -E^{(2I)\text{ArcSin}[cx]}]\right)/24)/(12d^3)$

**Maple [B]** time = 0.396, size = 1547, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/x^3/(-c^2\*d\*x^2+d)^3,x)

[Out]  $-\frac{1}{12}c^4b^2/d^3/(c^4x^4-2c^2x^2+1)x^2+\frac{1}{12}c^2b^2/d^3/(c^4x^4-2c^2x^2+1)+\frac{1}{16}c^2a^2/d^3/(cx-1)^2-\frac{9}{16}c^2a^2/d^3/(cx-1)+\frac{1}{16}c^2a^2/d^3/(cx+1)^2+\frac{9}{16}c^2a^2/d^3/(cx+1)-\frac{3}{2}c^2a^2/d^3\ln(cx-1)-\frac{3}{2}c^2a^2/d^3\ln(cx+1)-\frac{7}{3}c^2b^2/d^3\ln(1+(Icx+(-c^2x^2+1)^{1/2}))^2+\frac{8}{3}c^2b^2/d^3\ln(Icx+(-c^2x^2+1)^{1/2})+6c^2b^2/d^3\text{polylog}(3,-Icx+(-c^2x^2+1)^{1/2})+6c^2b^2/d^3\text{polylog}(3,Icx+(-c^2x^2+1)^{1/2})+3c^2a^2/d^3\ln(cx)+c^2b^2/d^3\ln(Icx+(-c^2x^2+1)^{1/2}-1)+c^2b^2/d^3\ln(1+Icx+(-c^2x^2+1)^{1/2})-1/2a^2/d^3/x^2-3/2b^2c^2\text{polylog}(3,-(Icx+(-c^2x^2+1)^{1/2}))^2/d^3+3Ic^2b^2/d^3\text{arcsin}(cx)\text{polylog}(2,-(Icx+(-c^2x^2+1)^{1/2}))^2-4/3Ic^2b^2/d^3/(c^4x^4-2c^2x^2+1)\text{arcsin}(cx)-6Ic^2ab/d^3\text{polylog}(2,Icx+(-c^2x^2+1)^{1/2})-4/3Ic^2ab/d^3/(c^4x^4-2c^2x^2+1)-6Ic^2b^2/d^3\text{arcsin}(cx)\text{polylog}(2,-Icx+(-c^2x^2+1)^{1/2})-6Ic^2b^2/d^3\text{arcsin}(cx)\text{polylog}(2,Icx+(-c^2x^2+1)^{1/2})+6c^2ab/d^3\text{arcsin}(cx)\ln(1+Icx+(-c^2x^2+1)^{1/2})+6c^2ab/d^3\text{arcsin}(cx)\ln(1-Icx+(-c^2x^2+1)^{1/2})-6c^2ab/d^3\text{arcsin}(cx)\ln(1+(Icx+(-c^2x^2+1)^{1/2}))$

$$\begin{aligned} & 1/2))^{-2} - a*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)/x^2*\arcsin(c*x) + 3*I*c^2*a*b/d^3*\text{poly} \\ & \log(2, -(I*c*x + (-c^2*x^2 + 1)^{(1/2)})^{-2}) - 6*I*c^2*a*b/d^3*\text{polylog}(2, -I*c*x - (-c^2 \\ & *x^2 + 1)^{(1/2)}) - 3/2*c^4*b^2/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)*\arcsin(c*x)^2*x^2 + 9/2* \\ & c^2*a*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)*\arcsin(c*x) - c*b^2/d^3/(c^4*x^4 - 2*c^2*x^2 + \\ & 1)/x*\arcsin(c*x)*(-c^2*x^2 + 1)^{(1/2)} - c*a*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)/x*(-c^2 \\ & *x^2 + 1)^{(1/2)} - 1/2*c^3*b^2/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)*\arcsin(c*x)*(-c^2*x^2 + 1 \\ & )^{(1/2)}*x + 4/3*c^5*b^2/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)*\arcsin(c*x)*(-c^2*x^2 + 1)^{(1 \\ & /2)}*x^3 + 4/3*c^5*a*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)*x^3*(-c^2*x^2 + 1)^{(1/2)} - 3*c^4* \\ & a*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)*\arcsin(c*x)*x^2 - 1/2*c^3*a*b/d^3/(c^4*x^4 - 2*c^2 \\ & *x^2 + 1)*x*(-c^2*x^2 + 1)^{(1/2)} - 4/3*I*c^6*b^2/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)*\arcsi \\ & n(c*x)*x^4 - 4/3*I*c^6*a*b/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)*x^4 + 8/3*I*c^4*a*b/d^3/(c \\ & ^4*x^4 - 2*c^2*x^2 + 1)*x^2 + 8/3*I*c^4*b^2/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)*\arcsin(c*x) \\ & *x^2 + 3*c^2*b^2/d^3*\arcsin(c*x)^2*\ln(1 - I*c*x - (-c^2*x^2 + 1)^{(1/2)}) - 3*c^2*b^2/d \\ & ^3*\arcsin(c*x)^2*\ln(1 + (I*c*x + (-c^2*x^2 + 1)^{(1/2)})^{-2}) - 1/2*b^2/d^3/(c^4*x^4 - 2* \\ & c^2*x^2 + 1)/x^2*\arcsin(c*x)^2 + 9/4*c^2*b^2/d^3/(c^4*x^4 - 2*c^2*x^2 + 1)*\arcsin(c \\ & *x)^2 + 3*c^2*b^2/d^3*\arcsin(c*x)^2*\ln(1 + I*c*x + (-c^2*x^2 + 1)^{(1/2)}) \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4}a^2\left(\frac{6c^4x^4 - 9c^2x^2 + 2}{c^4d^3x^6 - 2c^2d^3x^4 + d^3x^2} + \frac{6c^2\log(cx + 1)}{d^3} + \frac{6c^2\log(cx - 1)}{d^3} - \frac{12c^2\log(x)}{d^3}\right) - \int \frac{b^2 \arctan\left(cx, \sqrt{cx + 1}\sqrt{-cx}\right)}{c^6d^3x^9 - 3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^3/(-c^2\*d\*x^2+d)^3,x, algorithm="maxima")

[Out] -1/4\*a^2\*((6\*c^4\*x^4 - 9\*c^2\*x^2 + 2)/(c^4\*d^3\*x^6 - 2\*c^2\*d^3\*x^4 + d^3\*x^2) + 6\*c^2\*log(c\*x + 1)/d^3 + 6\*c^2\*log(c\*x - 1)/d^3 - 12\*c^2\*log(x)/d^3) - integrate((b^2\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1))^2 + 2\*a\*b\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1))/(c^6\*d^3\*x^9 - 3\*c^4\*d^3\*x^7 + 3\*c^2\*d^3\*x^5 - d^3\*x^3), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}{c^6d^3x^9 - 3c^4d^3x^7 + 3c^2d^3x^5 - d^3x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^3/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out]  $\text{integral}(-(b^2 \arcsin(cx))^2 + 2ab \arcsin(cx) + a^2)/(c^6 d^3 x^9 - 3c^4 d^3 x^7 + 3c^2 d^3 x^5 - d^3 x^3), x)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b \arcsin(cx))^2/x^3/(-c^2 d x^2+d)^3, x)$

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \arcsin(cx) + a)^2}{(c^2 dx^2 - d)^3 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b \arcsin(cx))^2/x^3/(-c^2 d x^2+d)^3, x, \text{algorithm}="giac")$

[Out]  $\text{integrate}(-(b \arcsin(cx) + a)^2/((c^2 d x^2 - d)^3 x^3), x)$

$$3.209 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^4(d-c^2dx^2)^3} dx$$

**Optimal.** Leaf size=572

$$\frac{35ibc^3 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4d^3} - \frac{35ibc^3 \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4d^3} + \frac{19ib^2c^3 \text{PolyLog}\left(3, -I\right)(a+b \sin^{-1}(cx))}{3d^3}$$

[Out]  $-(b^2c^2)/(2d^3x) + (b^2c^2)/(6d^3x(1-c^2x^2)) - (b^2c^4x)/(12d^3(1-c^2x^2)) + (bc^3(a+b\text{ArcSin}[cx]))/(6d^3(1-c^2x^2)^{3/2}) - (bc(a+b\text{ArcSin}[cx]))/(3d^3x^2(1-c^2x^2)^{3/2}) - (29b^2c^3(a+b\text{ArcSin}[cx]))/(12d^3\text{Sqrt}[1-c^2x^2]) - (a+b\text{ArcSin}[cx])^2/(3d^3x^3(1-c^2x^2)^2) - (7c^2(a+b\text{ArcSin}[cx])^2)/(3d^3x(1-c^2x^2)^2) + (35c^4x(a+b\text{ArcSin}[cx])^2)/(12d^3(1-c^2x^2)^2) + (35c^4x^2(a+b\text{ArcSin}[cx])^2)/(8d^3(1-c^2x^2)) - (((35I)/4)c^3(a+b\text{ArcSin}[cx])^2\text{ArcTan}[E^{(I\text{ArcSin}[cx])}])/d^3 - (38b^2c^3(a+b\text{ArcSin}[cx])\text{ArcTanh}[E^{(I\text{ArcSin}[cx])}])/d^3 + (17b^2c^3\text{ArcTanh}[cx])/d^3 + (((19I)/3)b^2c^3\text{PolyLog}[2, -E^{(I\text{ArcSin}[cx])}])/d^3 + (((35I)/4)b^2c^3(a+b\text{ArcSin}[cx])\text{PolyLog}[2, (-I)E^{(I\text{ArcSin}[cx])}])/d^3 - (((35I)/4)b^2c^3(a+b\text{ArcSin}[cx])\text{PolyLog}[2, I E^{(I\text{ArcSin}[cx])}])/d^3 - (((19I)/3)b^2c^3\text{PolyLog}[2, E^{(I\text{ArcSin}[cx])}])/d^3 - (35b^2c^3\text{PolyLog}[3, (-I)E^{(I\text{ArcSin}[cx])}])/d^3 + (35b^2c^3\text{PolyLog}[3, I E^{(I\text{ArcSin}[cx])}])/d^3$

**Rubi [A]** time = 1.32127, antiderivative size = 572, normalized size of antiderivative = 1., number of steps used = 43, number of rules used = 17, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.63$ , Rules used = {4701, 4655, 4657, 4181, 2531, 2282, 6589, 4677, 206, 199, 4705, 4709, 4183, 2279, 2391, 290, 325}

$$\frac{35ibc^3 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4d^3} - \frac{35ibc^3 \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)(a+b \sin^{-1}(cx))}{4d^3} + \frac{19ib^2c^3 \text{PolyLog}\left(3, -I\right)(a+b \sin^{-1}(cx))}{3d^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/(x^4\*(d - c^2\*d\*x^2)^3), x]

[Out]  $-(b^2c^2)/(2d^3x) + (b^2c^2)/(6d^3x(1-c^2x^2)) - (b^2c^4x)/(12d^3(1-c^2x^2)) + (bc^3(a+b\text{ArcSin}[cx]))/(6d^3(1-c^2x^2)^{3/2}) - (bc(a+b\text{ArcSin}[cx]))/(3d^3x^2(1-c^2x^2)^{3/2}) - (29b^2c^3(a+b\text{ArcSin}[cx]))/(12d^3\text{Sqrt}[1-c^2x^2]) - (a+b\text{ArcSin}[cx])^2/(3d^3x^3(1-c^2x^2)^2) - (7c^2(a+b\text{ArcSin}[cx])^2)/(3d^3x(1-c^2x^2)^2) + (35c^4x(a+b\text{ArcSin}[cx])^2)/(12d^3(1-c^2x^2)^2) + (35c^4x^2(a+b\text{ArcSin}[cx])^2)/(8d^3(1-c^2x^2)) - (((35I)/4)c^3(a+b\text{ArcSin}[cx])^2\text{ArcTan}[E^{(I\text{ArcSin}[cx])}])/d^3 - (38b^2c^3(a+b\text{ArcSin}[cx])\text{ArcTanh}[E^{(I\text{ArcSin}[cx])}])/d^3 + (17b^2c^3\text{ArcTanh}[cx])/d^3 + (((19I)/3)b^2c^3\text{PolyLog}[2, -E^{(I\text{ArcSin}[cx])}])/d^3 + (((35I)/4)b^2c^3(a+b\text{ArcSin}[cx])\text{PolyLog}[2, (-I)E^{(I\text{ArcSin}[cx])}])/d^3 - (((35I)/4)b^2c^3(a+b\text{ArcSin}[cx])\text{PolyLog}[2, I E^{(I\text{ArcSin}[cx])}])/d^3 - (((19I)/3)b^2c^3\text{PolyLog}[2, E^{(I\text{ArcSin}[cx])}])/d^3 - (35b^2c^3\text{PolyLog}[3, (-I)E^{(I\text{ArcSin}[cx])}])/d^3 + (35b^2c^3\text{PolyLog}[3, I E^{(I\text{ArcSin}[cx])}])/d^3$



) - (b\*c\*(a + b\*ArcSin[c\*x]))/(3\*d^3\*x^2\*(1 - c^2\*x^2)^(3/2)) - (29\*b\*c^3\*(a + b\*ArcSin[c\*x]))/(12\*d^3\*Sqrt[1 - c^2\*x^2]) - (a + b\*ArcSin[c\*x])^2/(3\*d^3\*x^3\*(1 - c^2\*x^2)^2) - (7\*c^2\*(a + b\*ArcSin[c\*x])^2)/(3\*d^3\*x\*(1 - c^2\*x^2)^2) + (35\*c^4\*x\*(a + b\*ArcSin[c\*x])^2)/(12\*d^3\*(1 - c^2\*x^2)^2) + (35\*c^4\*x\*(a + b\*ArcSin[c\*x])^2)/(8\*d^3\*(1 - c^2\*x^2)) - (((35\*I)/4)\*c^3\*(a + b\*ArcSin[c\*x])^2\*ArcTan[E^(I\*ArcSin[c\*x])])/d^3 - (38\*b\*c^3\*(a + b\*ArcSin[c\*x])\*ArcTanh[E^(I\*ArcSin[c\*x])])/(3\*d^3) + (17\*b^2\*c^3\*ArcTanh[c\*x])/(6\*d^3) + (((19\*I)/3)\*b^2\*c^3\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/d^3 + (((35\*I)/4)\*b\*c^3\*(a + b\*ArcSin[c\*x])\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/d^3 - (((35\*I)/4)\*b\*c^3\*(a + b\*ArcSin[c\*x])\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/d^3 - (((19\*I)/3)\*b^2\*c^3\*PolyLog[2, E^(I\*ArcSin[c\*x])])/d^3 - (35\*b^2\*c^3\*PolyLog[3, (-I)\*E^(I\*ArcSin[c\*x])])/(4\*d^3) + (35\*b^2\*c^3\*PolyLog[3, I\*E^(I\*ArcSin[c\*x])])/(4\*d^3)

### Rule 4701

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] + (Dist[(c^2\*(m + 2\*p + 3))/(f^2\*(m + 1)), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

### Rule 4655

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(x\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*(p + 1)), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

### Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)/((d\_) + (e\_.)\*(x\_)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))])/f, x] + (-Di

```
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p]]/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 199

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1
))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p_)
```

$(p + 1), x], x] /; \text{FreeQ}\{a, b\}, x \} \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& (\text{IntegerQ}[2*p] \mid\mid (n == 2 \&\& \text{IntegerQ}[4*p]) \mid\mid (n == 2 \&\& \text{IntegerQ}[3*p]) \mid\mid \text{Denominator}[p + 1/n] < \text{Denominator}[p])$

### Rule 4705

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + (f*x)^m*(d + e*x^2)^{p+1})^{n-1}, x\_Symbol] := -\text{Simp}[(f*x)^{m+1}*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n / (2*d*f*(p + 1)), x] + (\text{Dist}[(m + 2*p + 3) / (2*d*(p + 1)), \text{Int}[(f*x)^m*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n, x], x] + \text{Dist}[(b*c*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]} / (2*f*(p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{m+1}*(1 - c^2*x^2)^{p+1/2}*(a + b*\text{ArcSin}[c*x])^{n-1}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x \} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& !\text{GtQ}[m, 1] \&\& (\text{IntegerQ}[m] \mid\mid \text{IntegerQ}[p] \mid\mid \text{EqQ}[n, 1])$

### Rule 4709

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + (f*x)^m*(d + e*x^2)^{p+1})^{n-1} / \text{Sqrt}[d + e*x^2], x\_Symbol] := \text{Dist}[1 / (c^{m+1}*\text{Sqrt}[d]), \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sin}[x]^m, x], x, \text{ArcSin}[c*x]], x] /; \text{FreeQ}\{a, b, c, d, e\}, x \} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[d, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m]$

### Rule 4183

$\text{Int}[\text{csc}[e + (f*x)*(c + d*x)^m], x\_Symbol] := \text{Simp}[-2*(c + d*x)^m*\text{ArcTanh}[E^{I*(e + f*x)}] / f, x] + (-\text{Dist}[(d*m) / f, \text{Int}[(c + d*x)^{m-1}*\text{Log}[1 - E^{I*(e + f*x)}], x], x] + \text{Dist}[(d*m) / f, \text{Int}[(c + d*x)^{m-1}*\text{Log}[1 + E^{I*(e + f*x)}], x], x]) /; \text{FreeQ}\{c, d, e, f\}, x \} \&\& \text{IGtQ}[m, 0]$

### Rule 2279

$\text{Int}[\text{Log}[a + (b + (F)^{(e + (c + d*x)^n})^n)], x\_Symbol] := \text{Dist}[1 / (d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x] / x, x], x, (F^{e*(c + d*x)})^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x \} \&\& \text{GtQ}[a, 0]$

### Rule 2391

$\text{Int}[\text{Log}[c*(d + e*x^n)] / (x), x\_Symbol] := -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)] / n, x] /; \text{FreeQ}\{c, d, e, n\}, x \} \&\& \text{EqQ}[c*d, 1]$

### Rule 290

```
Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> -Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*n*(p + 1)), x] + Dist[(m + n*(p + 1) + 1)/(a*n*(p + 1)), Int[(c*x)^m*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, m}, x] && IGtQ[n, 0] && LtQ[p, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 325

```
Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^4 (d - c^2 dx^2)^3} dx &= -\frac{(a + b \sin^{-1}(cx))^2}{3d^3 x^3 (1 - c^2 x^2)^2} + \frac{1}{3} (7c^2) \int \frac{(a + b \sin^{-1}(cx))^2}{x^2 (d - c^2 dx^2)^3} dx + \frac{(2bc) \int \frac{a + b \sin^{-1}(cx)}{x^3 (1 - c^2 x^2)^{5/2}} dx}{3d^3} \\
&= -\frac{bc (a + b \sin^{-1}(cx))}{3d^3 x^2 (1 - c^2 x^2)^{3/2}} - \frac{(a + b \sin^{-1}(cx))^2}{3d^3 x^3 (1 - c^2 x^2)^2} - \frac{7c^2 (a + b \sin^{-1}(cx))^2}{3d^3 x (1 - c^2 x^2)^2} + \frac{1}{3} (35c^4) \int \frac{(a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{5/2}} dx \\
&= \frac{b^2 c^2}{6d^3 x (1 - c^2 x^2)} + \frac{19bc^3 (a + b \sin^{-1}(cx))}{9d^3 (1 - c^2 x^2)^{3/2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^3 x^2 (1 - c^2 x^2)^{3/2}} - \frac{(a + b \sin^{-1}(cx))^2}{3d^3 x^3 (1 - c^2 x^2)^2} - \frac{7c^2 (a + b \sin^{-1}(cx))^2}{3d^3 x (1 - c^2 x^2)^2} \\
&= -\frac{b^2 c^2}{2d^3 x} + \frac{b^2 c^2}{6d^3 x (1 - c^2 x^2)} - \frac{19b^2 c^4 x}{18d^3 (1 - c^2 x^2)} + \frac{bc^3 (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^3 x^2 (1 - c^2 x^2)^{3/2}} + \frac{bc^3 (a + b \sin^{-1}(cx))^2}{3d^3 x^3 (1 - c^2 x^2)^2} \\
&= -\frac{b^2 c^2}{2d^3 x} + \frac{b^2 c^2}{6d^3 x (1 - c^2 x^2)} - \frac{b^2 c^4 x}{12d^3 (1 - c^2 x^2)} + \frac{bc^3 (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^3 x^2 (1 - c^2 x^2)^{3/2}} + \frac{bc^3 (a + b \sin^{-1}(cx))^2}{3d^3 x^3 (1 - c^2 x^2)^2} \\
&= -\frac{b^2 c^2}{2d^3 x} + \frac{b^2 c^2}{6d^3 x (1 - c^2 x^2)} - \frac{b^2 c^4 x}{12d^3 (1 - c^2 x^2)} + \frac{bc^3 (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^3 x^2 (1 - c^2 x^2)^{3/2}} + \frac{bc^3 (a + b \sin^{-1}(cx))^2}{3d^3 x^3 (1 - c^2 x^2)^2} \\
&= -\frac{b^2 c^2}{2d^3 x} + \frac{b^2 c^2}{6d^3 x (1 - c^2 x^2)} - \frac{b^2 c^4 x}{12d^3 (1 - c^2 x^2)} + \frac{bc^3 (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^3 x^2 (1 - c^2 x^2)^{3/2}} + \frac{bc^3 (a + b \sin^{-1}(cx))^2}{3d^3 x^3 (1 - c^2 x^2)^2} \\
&= -\frac{b^2 c^2}{2d^3 x} + \frac{b^2 c^2}{6d^3 x (1 - c^2 x^2)} - \frac{b^2 c^4 x}{12d^3 (1 - c^2 x^2)} + \frac{bc^3 (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^3 x^2 (1 - c^2 x^2)^{3/2}} + \frac{bc^3 (a + b \sin^{-1}(cx))^2}{3d^3 x^3 (1 - c^2 x^2)^2}
\end{aligned}$$

**Mathematica [B]** time = 12.0335, size = 1657, normalized size = 2.9

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^4\*(d - c^2\*d\*x^2)^3), x]

```

[Out] -a^2/(3*d^3*x^3) - (3*a^2*c^2)/(d^3*x) + (a^2*c^4*x)/(4*d^3*(-1 + c^2*x^2)^
2) - (11*a^2*c^4*x)/(8*d^3*(-1 + c^2*x^2)) - (35*a^2*c^3*Log[1 - c*x])/(16*
d^3) + (35*a^2*c^3*Log[1 + c*x])/(16*d^3) - (2*a*b*((c^3*((2 - c*x)*Sqrt[1
- c^2*x^2] - 3*ArcSin[c*x])))/(48*(-1 + c*x)^2) - (11*c^3*(Sqrt[1 - c^2*x^2]
- ArcSin[c*x]))/(16*(-1 + c*x)) + (11*c^4*(Sqrt[1 - c^2*x^2] + ArcSin[c*x]
))/(16*(c + c^2*x)) + (c^3*((2 + c*x)*Sqrt[1 - c^2*x^2] + 3*ArcSin[c*x]))/(
48*(1 + c*x)^2) - 3*c^2*(-(ArcSin[c*x]/x) - c*ArcTanh[Sqrt[1 - c^2*x^2]]) +
(c*x*Sqrt[1 - c^2*x^2] + 2*ArcSin[c*x] + c^3*x^3*ArcTanh[Sqrt[1 - c^2*x^2]
])/ (6*x^3) + (35*c^4*(((3*I)/2)*Pi*ArcSin[c*x])/c - ((I/2)*ArcSin[c*x]^2)/
c + (2*Pi*Log[1 + E^((-I)*ArcSin[c*x])])/c - (Pi*Log[1 + I*E^(I*ArcSin[c*x]
)])/c + (2*ArcSin[c*x]*Log[1 + I*E^(I*ArcSin[c*x])])/c - (2*Pi*Log[Cos[ArcS
in[c*x]/2]])/c + (Pi*Log[-Cos[(Pi + 2*ArcSin[c*x])/4]])/c - ((2*I)*PolyLog[
2, (-I)*E^(I*ArcSin[c*x])]/c)/16 - (35*c^4*(((I/2)*Pi*ArcSin[c*x])/c - ((
I/2)*ArcSin[c*x]^2)/c + (2*Pi*Log[1 + E^((-I)*ArcSin[c*x])])/c + (Pi*Log[1
- I*E^(I*ArcSin[c*x])])/c + (2*ArcSin[c*x]*Log[1 - I*E^(I*ArcSin[c*x])])/c
- (2*Pi*Log[Cos[ArcSin[c*x]/2]])/c - (Pi*Log[Sin[(Pi + 2*ArcSin[c*x])/4]])/
c - ((2*I)*PolyLog[2, I*E^(I*ArcSin[c*x])]/c)/16)/d^3 - (b^2*c^3*(((19*
I)/3)*PolyLog[2, -E^(I*ArcSin[c*x])] + ((19*I)/3)*PolyLog[2, E^(I*ArcSin[c*
x])]) + (68*ArcSin[c*x] + 35*ArcSin[c*x]^3 - 105*ArcSin[c*x]^2*Log[1 - I*E^(
I*ArcSin[c*x])] - 105*Pi*ArcSin[c*x]*Log[(-1)^(1/4)*(1 - I*E^(I*ArcSin[c*x]
)])/ (2*E^((I/2)*ArcSin[c*x])) + 105*ArcSin[c*x]^2*Log[1 + I*E^(I*ArcSin[c*
x])] + 105*ArcSin[c*x]^2*Log[((1/2 + I/2)*(-I + E^(I*ArcSin[c*x])))/E^((I/
2)*ArcSin[c*x])] - 105*Pi*ArcSin[c*x]*Log[-((-1)^(1/4)*(-I + E^(I*ArcSin[c*
x])))/(2*E^((I/2)*ArcSin[c*x]))] - 105*ArcSin[c*x]^2*Log[((1 + I) + (1 - I)
*E^(I*ArcSin[c*x]))/(2*E^((I/2)*ArcSin[c*x]))] + 105*Pi*ArcSin[c*x]*Log[-Co
s[(Pi + 2*ArcSin[c*x])/4]] + 68*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]
] - 105*ArcSin[c*x]^2*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]] - 68*Log
[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]] + 105*ArcSin[c*x]^2*Log[Cos[ArcSi
n[c*x]/2] + Sin[ArcSin[c*x]/2]] + 105*Pi*ArcSin[c*x]*Log[Sin[(Pi + 2*ArcSin
[c*x])/4]] - (210*I)*ArcSin[c*x]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] + (210*
I)*ArcSin[c*x]*PolyLog[2, I*E^(I*ArcSin[c*x])] + 210*PolyLog[3, (-I)*E^(I*A
rcSin[c*x])] - 210*PolyLog[3, I*E^(I*ArcSin[c*x])]/24 + (24 - 204*c*x*ArcS
in[c*x] + 204*ArcSin[c*x]^2 - 105*c*x*ArcSin[c*x]^3 + (20 + 658*ArcSin[c*x]
^2)*Cos[2*ArcSin[c*x]] - 4*(6 + 35*ArcSin[c*x]^2)*Cos[4*ArcSin[c*x]] - 20*C
os[6*ArcSin[c*x]] - 210*ArcSin[c*x]^2*Cos[6*ArcSin[c*x]] - 456*c*x*ArcSin[c
*x]*Log[1 - E^(I*ArcSin[c*x])] + 456*c*x*ArcSin[c*x]*Log[1 + E^(I*ArcSin[c*
x])] + 540*ArcSin[c*x]*Sin[2*ArcSin[c*x]] - 204*ArcSin[c*x]*Sin[3*ArcSin[c*
x]] - 105*ArcSin[c*x]^3*Sin[3*ArcSin[c*x]] - 456*ArcSin[c*x]*Log[1 - E^(I*A
rcSin[c*x])]*Sin[3*ArcSin[c*x]] + 456*ArcSin[c*x]*Log[1 + E^(I*ArcSin[c*x]
)]*Sin[3*ArcSin[c*x]] + 32*ArcSin[c*x]*Sin[4*ArcSin[c*x]] + 68*ArcSin[c*x]*S
in[5*ArcSin[c*x]] + 35*ArcSin[c*x]^3*Sin[5*ArcSin[c*x]] + 152*ArcSin[c*x]*L
og[1 - E^(I*ArcSin[c*x])]*Sin[5*ArcSin[c*x]] - 152*ArcSin[c*x]*Log[1 + E^(I
*ArcSin[c*x])]*Sin[5*ArcSin[c*x]] - 116*ArcSin[c*x]*Sin[6*ArcSin[c*x]] + 68
*ArcSin[c*x]*Sin[7*ArcSin[c*x]] + 35*ArcSin[c*x]^3*Sin[7*ArcSin[c*x]] + 152
*ArcSin[c*x]*Log[1 - E^(I*ArcSin[c*x])]*Sin[7*ArcSin[c*x]] - 152*ArcSin[c*x

```

] \*Log[1 + E^(I \*ArcSin[c\*x])] \*Sin[7 \*ArcSin[c\*x]] / ((1536 \*c^3 \*x^3 \* (1 - c^2 \*x^2)^2)) / d^3

**Maple [B]** time = 0.494, size = 1352, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d)^3,x)

[Out] 
$$\begin{aligned} & -35/4 * I * c^3 * a * b / d^3 * \text{dilog}(1 - I * (I * c * x + (-c^2 * x^2 + 1)^{1/2})) + 35/4 * I * c^3 * b^2 / d^3 * \\ & 3 * \arcsin(c * x) * \text{polylog}(2, -I * (I * c * x + (-c^2 * x^2 + 1)^{1/2})) - 35/4 * I * c^3 * b^2 / d^3 * a * \\ & \arcsin(c * x) * \text{polylog}(2, I * (I * c * x + (-c^2 * x^2 + 1)^{1/2})) + 35/4 * I * c^3 * a * b / d^3 * \text{dilog} \\ & (1 + I * (I * c * x + (-c^2 * x^2 + 1)^{1/2})) - 7/3 * c^2 * b^2 / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) / x * \arcsin(c * x) \\ & ^2 - 35/8 * c^6 * b^2 / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) * \arcsin(c * x) ^2 * x^3 + 175/24 * c^4 * b^2 / d^3 / \\ & (c^4 * x^4 - 2 * c^2 * x^2 + 1) * \arcsin(c * x) ^2 * x - 9/4 * c^3 * b^2 / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) * \\ & \arcsin(c * x) * (-c^2 * x^2 + 1)^{1/2} - 9/4 * c^3 * a * b / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) * (-c^2 * x^2 + 1)^{1/2} \\ & - 35/4 * c^3 * a * b / d^3 * \arcsin(c * x) * \ln(1 + I * (I * c * x + (-c^2 * x^2 + 1)^{1/2})) + 35/4 * c^3 * a * b / d^3 * \\ & \arcsin(c * x) * \ln(1 - I * (I * c * x + (-c^2 * x^2 + 1)^{1/2})) - 2/3 * a * b / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) / x^3 * \\ & \arcsin(c * x) - 1/3 * c * a * b / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) / x^2 * (-c^2 * x^2 + 1)^{1/2} - 1/3 * c * b^2 / d^3 / \\ & (c^4 * x^4 - 2 * c^2 * x^2 + 1) / x^2 * \arcsin(c * x) * (-c^2 * x^2 + 1)^{1/2} - 1/3 * a^2 / d^3 / x^3 - 35/16 * c^3 * a^2 / d^3 * \\ & \ln(c * x - 1) + 35/16 * c^3 * a^2 / d^3 * \ln(c * x + 1) + 1/16 * c^3 * a^2 / d^3 / (c * x - 1)^2 - 11/16 * c^3 * a^2 / d^3 / \\ & (c * x - 1) - 1/16 * c^3 * a^2 / d^3 / (c * x + 1)^2 - 11/16 * c^3 * a^2 / d^3 / (c * x + 1) - 3 * c^2 * a^2 / d^3 / x - \\ & 35/4 * b^2 * c^3 * \text{polylog}(3, -I * (I * c * x + (-c^2 * x^2 + 1)^{1/2})) / d^3 + 35/4 * b^2 * c^3 * \text{polylog}(3, I * \\ & (I * c * x + (-c^2 * x^2 + 1)^{1/2})) / d^3 + 19/3 * I * c^3 * b^2 / d^3 * \text{dilog}(1 + I * c * x + (-c^2 * x^2 + 1)^{1/2}) \\ & - 17/3 * I * c^3 * b^2 / d^3 * \arctan(I * c * x + (-c^2 * x^2 + 1)^{1/2}) + 19/3 * I * c^3 * b^2 / d^3 * \text{dilog}(I * c * x + \\ & (-c^2 * x^2 + 1)^{1/2}) - 1/3 * c^2 * b^2 / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) / x + 3/4 * c^4 * b^2 / d^3 / (c^4 * x^4 - \\ & 2 * c^2 * x^2 + 1) * x - 5/12 * c^6 * b^2 / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) * x^3 - 1/3 * b^2 / d^3 / (c^4 * x^4 - \\ & 2 * c^2 * x^2 + 1) / x^3 * \arcsin(c * x) ^2 - 19/3 * c^3 * b^2 / d^3 * \arcsin(c * x) * \ln(1 + I * c * x + (-c^2 * x^2 + 1)^{1/2}) \\ & - 35/8 * c^3 * b^2 / d^3 * \arcsin(c * x) ^2 * \ln(1 + I * (I * c * x + (-c^2 * x^2 + 1)^{1/2})) + 35/8 * c^3 * b^2 / d^3 * \\ & \arcsin(c * x) ^2 * \ln(1 - I * (I * c * x + (-c^2 * x^2 + 1)^{1/2})) + 19/3 * c^3 * a * b / d^3 * \ln(I * c * x + (-c^2 * x^2 + 1)^{1/2}) \\ & - 19/3 * c^3 * a * b / d^3 * \ln(1 + I * c * x + (-c^2 * x^2 + 1)^{1/2}) - 14/3 * c^2 * a * b / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) / x * \\ & \arcsin(c * x) + 29/12 * c^5 * b^2 / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) * \arcsin(c * x) * (-c^2 * x^2 + 1)^{1/2} * x^2 - \\ & 35/4 * c^6 * a * b / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) * \arcsin(c * x) * x^3 + 29/12 * c^5 * a * b / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) * x^2 * \\ & (-c^2 * x^2 + 1)^{1/2} + 175/12 * c^4 * a * b / d^3 / (c^4 * x^4 - 2 * c^2 * x^2 + 1) * \arcsin(c * x) * x \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{48} a^2 \left( \frac{105 c^3 \log(cx+1)}{d^3} - \frac{105 c^3 \log(cx-1)}{d^3} - \frac{2(105 c^6 x^6 - 175 c^4 x^4 + 56 c^2 x^2 + 8)}{c^4 d^3 x^7 - 2 c^2 d^3 x^5 + d^3 x^3} \right) + \frac{105 (b^2 c^7 x^7 - 2 b^2 c^5 x^5 + b^2 c^3 x^3)}{c^4 d^3 x^7 - 2 c^2 d^3 x^5 + d^3 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d)^3,x, algorithm="maxima")

[Out] 1/48\*a^2\*(105\*c^3\*log(c\*x + 1)/d^3 - 105\*c^3\*log(c\*x - 1)/d^3 - 2\*(105\*c^6\*x^6 - 175\*c^4\*x^4 + 56\*c^2\*x^2 + 8)/(c^4\*d^3\*x^7 - 2\*c^2\*d^3\*x^5 + d^3\*x^3) + 1/48\*(105\*(b^2\*c^7\*x^7 - 2\*b^2\*c^5\*x^5 + b^2\*c^3\*x^3)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2\*log(c\*x + 1) - 105\*(b^2\*c^7\*x^7 - 2\*b^2\*c^5\*x^5 + b^2\*c^3\*x^3)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2\*log(-c\*x + 1) - 2\*(105\*b^2\*c^6\*x^6 - 175\*b^2\*c^4\*x^4 + 56\*b^2\*c^2\*x^2 + 8\*b^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2 + 48\*(c^4\*d^3\*x^7 - 2\*c^2\*d^3\*x^5 + d^3\*x^3)\*integrate(-1/24\*(48\*a\*b\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) - (105\*(b^2\*c^8\*x^8 - 2\*b^2\*c^6\*x^6 + b^2\*c^4\*x^4)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*log(c\*x + 1) - 105\*(b^2\*c^8\*x^8 - 2\*b^2\*c^6\*x^6 + b^2\*c^4\*x^4)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*log(-c\*x + 1) - 2\*(105\*b^2\*c^7\*x^7 - 175\*b^2\*c^5\*x^5 + 56\*b^2\*c^3\*x^3 + 8\*b^2\*c\*x)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))\*sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/(c^6\*d^3\*x^10 - 3\*c^4\*d^3\*x^8 + 3\*c^2\*d^3\*x^6 - d^3\*x^4), x))/(c^4\*d^3\*x^7 - 2\*c^2\*d^3\*x^5 + d^3\*x^3)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}{c^6 d^3 x^{10} - 3c^4 d^3 x^8 + 3c^2 d^3 x^6 - d^3 x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out] integral(-(b^2\*arcsin(c\*x))^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/(c^6\*d^3\*x^10 - 3\*c^4\*d^3\*x^8 + 3\*c^2\*d^3\*x^6 - d^3\*x^4), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))**2/x**4/(-c**2*d*x**2+d)**3,x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/x^4/(-c^2*d*x^2+d)^3,x, algorithm="giac")
```

```
[Out] Timed out
```

### 3.210 $\int x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 dx$

**Optimal.** Leaf size=374

$$\frac{4abx\sqrt{d-c^2dx^2}}{15c^3\sqrt{1-c^2x^2}} - \frac{2bcx^5\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{25\sqrt{1-c^2x^2}} + \frac{1}{5}x^4\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2 + \frac{2bx^3\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{45c\sqrt{1-c^2x^2}}$$

[Out] (52\*b^2\*Sqrt[d - c^2\*d\*x^2])/(225\*c^4) + (4\*a\*b\*x\*Sqrt[d - c^2\*d\*x^2])/(15\*c^3\*Sqrt[1 - c^2\*x^2]) + (26\*b^2\*(1 - c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])/(675\*c^4) - (2\*b^2\*(1 - c^2\*x^2)^2\*Sqrt[d - c^2\*d\*x^2])/(125\*c^4) + (4\*b^2\*x\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/(15\*c^3\*Sqrt[1 - c^2\*x^2]) + (2\*b\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(45\*c\*Sqrt[1 - c^2\*x^2]) - (2\*b\*c\*x^5\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(25\*Sqrt[1 - c^2\*x^2]) - (2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(15\*c^4) - (x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(15\*c^2) + (x^4\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/5

**Rubi [A]** time = 0.470417, antiderivative size = 374, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 8, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$ , Rules used = {4697, 4707, 4677, 4619, 261, 4627, 266, 43}

$$\frac{4abx\sqrt{d-c^2dx^2}}{15c^3\sqrt{1-c^2x^2}} - \frac{2bcx^5\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{25\sqrt{1-c^2x^2}} + \frac{1}{5}x^4\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2 + \frac{2bx^3\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{45c\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (52\*b^2\*Sqrt[d - c^2\*d\*x^2])/(225\*c^4) + (4\*a\*b\*x\*Sqrt[d - c^2\*d\*x^2])/(15\*c^3\*Sqrt[1 - c^2\*x^2]) + (26\*b^2\*(1 - c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])/(675\*c^4) - (2\*b^2\*(1 - c^2\*x^2)^2\*Sqrt[d - c^2\*d\*x^2])/(125\*c^4) + (4\*b^2\*x\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/(15\*c^3\*Sqrt[1 - c^2\*x^2]) + (2\*b\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(45\*c\*Sqrt[1 - c^2\*x^2]) - (2\*b\*c\*x^5\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(25\*Sqrt[1 - c^2\*x^2]) - (2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(15\*c^4) - (x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(15\*c^2) + (x^4\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/5

Rule 4697

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*Sqrt[(d_ +
(e_.)*(x_)^2], x_Symbol] :> Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[((f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

#### Rule 4707

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)/Sqrt[(d_ +
(e_.)*(x_)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]

```

#### Rule 4677

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_ + (e_.)*(x_)^2)^(p_
.), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]

```

#### Rule 4619

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] :> Simp[x*(a + b*Ar
cSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 -
c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

```

#### Rule 261

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]

```

#### Rule 4627

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2

```

\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[  
Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b  
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 43

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := Int  
[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n},  
x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le  
Q[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rubi steps

$$\begin{aligned}
 \int x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{5} x^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 + \frac{\sqrt{d - c^2 dx^2} \int \frac{x^3 (a + b \sin^{-1}(cx))^2 dx}{\sqrt{1 - c^2 x^2}}}{5 \sqrt{1 - c^2 x^2}} - \frac{(2bc \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)))^2}{25 \sqrt{1 - c^2 x^2}} \\
 &= -\frac{2bcx^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{25 \sqrt{1 - c^2 x^2}} - \frac{x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{15c^2} + \frac{1}{5} x^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 \\
 &= \frac{2bx^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{45c \sqrt{1 - c^2 x^2}} - \frac{2bcx^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{25 \sqrt{1 - c^2 x^2}} - \frac{2\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{25 \sqrt{1 - c^2 x^2}} \\
 &= \frac{4abx \sqrt{d - c^2 dx^2}}{15c^3 \sqrt{1 - c^2 x^2}} + \frac{2bx^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{45c \sqrt{1 - c^2 x^2}} - \frac{2bcx^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{25 \sqrt{1 - c^2 x^2}} \\
 &= -\frac{2b^2 \sqrt{d - c^2 dx^2}}{25c^4} + \frac{4abx \sqrt{d - c^2 dx^2}}{15c^3 \sqrt{1 - c^2 x^2}} + \frac{4b^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{75c^4} - \frac{2b^2 (1 - c^2 x^2)}{15c^4} \\
 &= \frac{52b^2 \sqrt{d - c^2 dx^2}}{225c^4} + \frac{4abx \sqrt{d - c^2 dx^2}}{15c^3 \sqrt{1 - c^2 x^2}} + \frac{26b^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{675c^4} - \frac{2b^2 (1 - c^2 x^2)}{15c^4}
 \end{aligned}$$

**Mathematica [A]** time = 0.283039, size = 242, normalized size = 0.65

$$\sqrt{d - c^2 dx^2} \left( 225a^2 \sqrt{1 - c^2 x^2} (3c^4 x^4 - c^2 x^2 - 2) - 30abcx (9c^4 x^4 - 5c^2 x^2 - 30) - 30b \sin^{-1}(cx) \left( 15a \sqrt{1 - c^2 x^2} (-3c^4 x^4 + \dots) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(225\*a^2\*Sqrt[1 - c^2\*x^2]\*(-2 - c^2\*x^2 + 3\*c^4\*x^4) - 30\*a\*b\*c\*x\*(-30 - 5\*c^2\*x^2 + 9\*c^4\*x^4) - 2\*b^2\*Sqrt[1 - c^2\*x^2]\*(-428 + 11\*c^2\*x^2 + 27\*c^4\*x^4) - 30\*b\*(15\*a\*Sqrt[1 - c^2\*x^2]\*(2 + c^2\*x^2 - 3\*c^4\*x^4) + b\*c\*x\*(-30 - 5\*c^2\*x^2 + 9\*c^4\*x^4))\*ArcSin[c\*x] + 225\*b^2\*Sqrt[1 - c^2\*x^2]\*(-2 - c^2\*x^2 + 3\*c^4\*x^4)\*ArcSin[c\*x]^2))/(3375\*c^4\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.428, size = 1238, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x)

[Out] a^2\*(-1/5\*x^2\*(-c^2\*d\*x^2+d)^(3/2)/c^2/d-2/15/d/c^4\*(-c^2\*d\*x^2+d)^(3/2))+b^2\*(1/4000\*(-d\*(c^2\*x^2-1))^(1/2)\*(16\*c^6\*x^6-28\*c^4\*x^4-16\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5+13\*c^2\*x^2+20\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3-5\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(10\*I\*arcsin(c\*x)+25\*arcsin(c\*x)^2-2)/c^4/(c^2\*x^2-1)+1/864\*(-d\*(c^2\*x^2-1))^(1/2)\*(4\*c^4\*x^4-5\*c^2\*x^2-4\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+3\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c+1)\*(6\*I\*arcsin(c\*x)+9\*arcsin(c\*x)^2-2)/c^4/(c^2\*x^2-1)-1/16\*(-d\*(c^2\*x^2-1))^(1/2)\*(c^2\*x^2-I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(arcsin(c\*x)^2-2+2\*I\*arcsin(c\*x))/c^4/(c^2\*x^2-1)-1/16\*(-d\*(c^2\*x^2-1))^(1/2)\*(I\*(-c^2\*x^2+1)^(1/2)\*x\*c+c^2\*x^2-1)\*(arcsin(c\*x)^2-2-2\*I\*arcsin(c\*x))/c^4/(c^2\*x^2-1)+1/864\*(-d\*(c^2\*x^2-1))^(1/2)\*(4\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+4\*c^4\*x^4-3\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-5\*c^2\*x^2+1)\*(-6\*I\*arcsin(c\*x)+9\*arcsin(c\*x)^2-2)/c^4/(c^2\*x^2-1)+1/4000\*(-d\*(c^2\*x^2-1))^(1/2)\*(16\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5+16\*c^6\*x^6-20\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3-28\*c^4\*x^4+5\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c+13\*c^2\*x^2-1)\*(-10\*I\*arcsin(c\*x)+25\*arcsin(c\*x)^2-2)/c^4/(c^2\*x^2-1)+2\*a\*b\*(1/800\*(-d\*(c^2\*x^2-1))^(1/2)\*(16\*c^6\*x^6-28\*c^4\*x^4-16\*I\*(-c^2\*x^2+1)^(1/2)\*x^5\*c^5+13\*c^2\*x^2+20\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3-5\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(I+5\*arcsin(c\*x))/c^4/(c^2\*x^2-1)+1/288\*(-d\*(c^2\*x^2-1))^(1/2)\*(4\*c^4\*x^4-5\*c^2\*x^2-4\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+3\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c+1)\*(I+3\*arcsin(c\*x))/c^4/(c^2\*x^2-1)-1/16\*(-d\*(c^2\*x^2-1))^(1/2)\*(c^2\*x^2-I\*(-c^2\*x^2+1)^(1/2)\*x\*c-1)\*(arcsin(c\*x)+I)/c^4/(c^2\*x^2-1)-1/16\*(-d\*(c^2\*x^2-1))^(1/2)\*(I\*(-c^2\*x^2+1)^(1/2)\*x\*c+c^2\*x^2-1)\*(arcsin(c\*x)-I)/c^4/(c^2\*x^2-1)+1/288\*(-d\*(c^2\*x^2-1))^(1/2)\*(4\*I\*(-c^2\*x^2+1)^(1/2)\*x^3\*c^3+4\*c^4\*x^4-3\*I\*(-c^2\*x^2+1)^(1/2)\*x\*c-5\*c^2\*x^2+1)\*(-I+3\*arcsin(c

$x)/c^4/(c^2*x^2-1)+1/800*(-d*(c^2*x^2-1))^{(1/2)}*(16*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5+16*c^6*x^6-20*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3-28*c^4*x^4+5*I*(-c^2*x^2+1)^{(1/2)}*x*c+13*c^2*x^2-1)*(-I+5*\arcsin(c*x))/c^4/(c^2*x^2-1)$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.67149, size = 610, normalized size = 1.63

$30(9abc^5x^5 - 5abc^3x^3 - 30abcx + (9b^2c^5x^5 - 5b^2c^3x^3 - 30b^2cx)\arcsin(cx))\sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1} + (27(25a^2 - 2$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out]  $1/3375*(30*(9*a*b*c^5*x^5 - 5*a*b*c^3*x^3 - 30*a*b*c*x + (9*b^2*c^5*x^5 - 5*b^2*c^3*x^3 - 30*b^2*c*x)*\arcsin(c*x))*\sqrt{-c^2*d*x^2 + d}*\sqrt{-c^2*x^2 + 1} + (27*(25*a^2 - 2*b^2)*c^6*x^6 - 4*(225*a^2 - 8*b^2)*c^4*x^4 - (225*a^2 - 878*b^2)*c^2*x^2 + 225*(3*b^2*c^6*x^6 - 4*b^2*c^4*x^4 - b^2*c^2*x^2 + 2*b^2)*\arcsin(c*x)^2 + 450*a^2 - 856*b^2 + 450*(3*a*b*c^6*x^6 - 4*a*b*c^4*x^4 - a*b*c^2*x^2 + 2*a*b)*\arcsin(c*x))*\sqrt{-c^2*d*x^2 + d})/(c^6*x^2 - c^4)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x^3 \sqrt{-d(cx-1)(cx+1)} (a + b \operatorname{asin}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(-c**2*d*x**2+d)**(1/2)*(a+b*asin(c*x))**2,x)
```

```
[Out] Integral(x**3*sqrt(-d*(c*x - 1)*(c*x + 1))*(a + b*asin(c*x))**2, x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a)^2 x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^2*x^3, x)
```

### 3.211 $\int x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 dx$

**Optimal.** Leaf size=303

$$-\frac{bcx^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8\sqrt{1 - c^2 x^2}} + \frac{1}{4} x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 + \frac{bx^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8c\sqrt{1 - c^2 x^2}} - \frac{x \sqrt{d - c^2 dx^2}}{8c\sqrt{1 - c^2 x^2}}$$

[Out] (b^2\*x\*Sqrt[d - c^2\*d\*x^2])/(64\*c^2) - (b^2\*x^3\*Sqrt[d - c^2\*d\*x^2])/32 - (b^2\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/(64\*c^3\*Sqrt[1 - c^2\*x^2]) + (b\*x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(8\*c\*Sqrt[1 - c^2\*x^2]) - (b\*c\*x^4\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(8\*Sqrt[1 - c^2\*x^2]) - (x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(8\*c^2) + (x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/4 + (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(24\*b\*c^3\*Sqrt[1 - c^2\*x^2])

**Rubi [A]** time = 0.384435, antiderivative size = 303, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {4697, 4707, 4641, 4627, 321, 216}

$$-\frac{bcx^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8\sqrt{1 - c^2 x^2}} + \frac{1}{4} x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 + \frac{bx^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8c\sqrt{1 - c^2 x^2}} - \frac{x \sqrt{d - c^2 dx^2}}{8c\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (b^2\*x\*Sqrt[d - c^2\*d\*x^2])/(64\*c^2) - (b^2\*x^3\*Sqrt[d - c^2\*d\*x^2])/32 - (b^2\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/(64\*c^3\*Sqrt[1 - c^2\*x^2]) + (b\*x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(8\*c\*Sqrt[1 - c^2\*x^2]) - (b\*c\*x^4\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(8\*Sqrt[1 - c^2\*x^2]) - (x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(8\*c^2) + (x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/4 + (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(24\*b\*c^3\*Sqrt[1 - c^2\*x^2])

#### Rule 4697

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.)\*((f\_.)\*(x\_.))^m\_.\*Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2)), x] + (Dist[Sqrt[d + e\*x^2]/((m + 2)\*Sqrt[1 - c^2\*x^2]), Int[((f\*x)^m\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x] - Dist[



$(b*c*n*\text{Sqrt}[d + e*x^2])/(f*(m + 2)*\text{Sqrt}[1 - c^2*x^2])$ ,  $\text{Int}[(f*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x]$ ,  $x$ ) /;  $\text{FreeQ}\{a, b, c, d, e, f, m\}, x$  &&  $\text{EqQ}[c^2*d + e, 0]$  &&  $\text{GtQ}[n, 0]$  &&  $\text{!LtQ}[m, -1]$  &&  $(\text{RationalQ}[m] \mid \mid \text{EqQ}[n, 1])$

### Rule 4707

$\text{Int}[(((a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*((f_.)*(x_.))^{(m_.)})/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] :> \text{Simp}[(f*(f*x)^{(m - 1)}*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n)/(e*m), x] + (\text{Dist}[(f^2*(m - 1))/(c^2*m), \text{Int}[(f*x)^{(m - 2)}*(a + b*\text{ArcSin}[c*x])^n]/\text{Sqrt}[d + e*x^2], x], x] + \text{Dist}[(b*f*n*\text{Sqrt}[1 - c^2*x^2])/(c*m*\text{Sqrt}[d + e*x^2]), \text{Int}[(f*x)^{(m - 1)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x]) /;  $\text{FreeQ}\{a, b, c, d, e, f\}, x$  &&  $\text{EqQ}[c^2*d + e, 0]$  &&  $\text{GtQ}[n, 0]$  &&  $\text{GtQ}[m, 1]$  &&  $\text{IntegerQ}[m]$$

### Rule 4641

$\text{Int}[((a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] :> \text{Simp}[(a + b*\text{ArcSin}[c*x])^{(n + 1)}/(b*c*\text{Sqrt}[d]*(n + 1)), x] /;  $\text{FreeQ}\{a, b, c, d, e, n\}, x$  &&  $\text{EqQ}[c^2*d + e, 0]$  &&  $\text{GtQ}[d, 0]$  &&  $\text{NeQ}[n, -1]$$

### Rule 4627

$\text{Int}[((a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*((d_.)*(x_.))^{(m_.)}, x\_Symbol] :> \text{Simp}[(d*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^n/(d*(m + 1)), x] - \text{Dist}[(b*c*n)/(d*(m + 1)), \text{Int}[(d*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}/\text{Sqrt}[1 - c^2*x^2], x], x] /;  $\text{FreeQ}\{a, b, c, d, m\}, x$  &&  $\text{IGtQ}[n, 0]$  &&  $\text{NeQ}[m, -1]$$

### Rule 321

$\text{Int}[((c_.)*(x_.))^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x\_Symbol] :> \text{Simp}[(c^{(n - 1)}*(c*x)^{(m - n + 1)}*(a + b*x^n)^{(p + 1)})/(b*(m + n*p + 1)), x] - \text{Dist}[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), \text{Int}[(c*x)^{(m - n)}*(a + b*x^n)^p, x], x] /;  $\text{FreeQ}\{a, b, c, p\}, x$  &&  $\text{IGtQ}[n, 0]$  &&  $\text{GtQ}[m, n - 1]$  &&  $\text{NeQ}[m + n*p + 1, 0]$  &&  $\text{IntBinomialQ}[a, b, c, n, m, p, x]$$

### Rule 216

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*(x_.)^2], x\_Symbol] :> \text{Simp}[\text{ArcSin}[\text{Rt}[-b, 2]*x]/\text{Sqrt}[a]/\text{Rt}[-b, 2], x] /;  $\text{FreeQ}\{a, b\}, x$  &&  $\text{GtQ}[a, 0]$  &&  $\text{NegQ}[b]$$

### Rubi steps

$$\begin{aligned}
\int x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{4} x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 + \frac{\sqrt{d - c^2 dx^2} \int \frac{x^2 (a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2 x^2}} dx}{4\sqrt{1 - c^2 x^2}} - \frac{(bc\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)))^2}{8\sqrt{1 - c^2 x^2}} \\
&= -\frac{bcx^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8\sqrt{1 - c^2 x^2}} - \frac{x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{8c^2} + \frac{1}{4} x^3 \sqrt{d - c^2 dx^2} \\
&= -\frac{1}{32} b^2 x^3 \sqrt{d - c^2 dx^2} + \frac{bx^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8c\sqrt{1 - c^2 x^2}} - \frac{bcx^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8\sqrt{1 - c^2 x^2}} \\
&= \frac{b^2 x \sqrt{d - c^2 dx^2}}{64c^2} - \frac{1}{32} b^2 x^3 \sqrt{d - c^2 dx^2} + \frac{bx^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8c\sqrt{1 - c^2 x^2}} - \frac{bcx^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8\sqrt{1 - c^2 x^2}} \\
&= \frac{b^2 x \sqrt{d - c^2 dx^2}}{64c^2} - \frac{1}{32} b^2 x^3 \sqrt{d - c^2 dx^2} - \frac{b^2 \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{64c^3 \sqrt{1 - c^2 x^2}} + \frac{bx^2 \sqrt{d - c^2 dx^2}}{8c\sqrt{1 - c^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.320611, size = 246, normalized size = 0.81

$$\frac{\sqrt{d - c^2 dx^2} \left( -3b \sin^{-1}(cx) \left( -8a^2 + 16abcx (1 - 2c^2 x^2) \sqrt{1 - c^2 x^2} + b^2 (8c^4 x^4 - 8c^2 x^2 + 1) \right) + 24a^2 bcx \sqrt{1 - c^2 x^2} (2c^2 x^2 - 1) \right)}{192b^2 c^3 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (sqrt[d - c^2\*d\*x^2]\*(8\*a^3 + 3\*b^3\*c\*x\*(1 - 2\*c^2\*x^2)\*sqrt[1 - c^2\*x^2] - 24\*a\*b^2\*c^2\*x^2\*(-1 + c^2\*x^2) + 24\*a^2\*b\*c\*x\*sqrt[1 - c^2\*x^2]\*(-1 + 2\*c^2\*x^2) - 3\*b\*(-8\*a^2 + 16\*a\*b\*c\*x\*(1 - 2\*c^2\*x^2)\*sqrt[1 - c^2\*x^2] + b^2\*(1 - 8\*c^2\*x^2 + 8\*c^4\*x^4))\*ArcSin[c\*x] + 24\*b^2\*(a + b\*c\*x\*sqrt[1 - c^2\*x^2]\*(-1 + 2\*c^2\*x^2))\*ArcSin[c\*x]^2 + 8\*b^3\*ArcSin[c\*x]^3)/(192\*b\*c^3\*sqrt[1 - c^2\*x^2])

**Maple [B]** time = 0.331, size = 812, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2*(-c^2*d*x^2+d)^{(1/2)}*(a+b*\arcsin(c*x))^2,x)$

[Out] 
$$\begin{aligned} & -1/4*a^2*x*(-c^2*d*x^2+d)^{(3/2)}/c^2/d+1/8*a^2/c^2*x*(-c^2*d*x^2+d)^{(1/2)}+1/ \\ & 8*a^2/c^2*d/(c^2*d)^{(1/2)}*\arctan((c^2*d)^{(1/2)}*x/(-c^2*d*x^2+d)^{(1/2)})+1/64 \\ & *b^2*(-d*(c^2*x^2-1))^{(1/2)}/c^3/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}- \\ & 1/32*b^2*(-d*(c^2*x^2-1))^{(1/2)}*c^2/(c^2*x^2-1)*x^5+3/64*b^2*(-d*(c^2*x^2-1 \\ & ))^{(1/2)}/(c^2*x^2-1)*x^3-1/64*b^2*(-d*(c^2*x^2-1))^{(1/2)}/c^2/(c^2*x^2-1)*x+ \\ & 1/4*b^2*(-d*(c^2*x^2-1))^{(1/2)}*c^2/(c^2*x^2-1)*\arcsin(c*x)^2*x^5-3/8*b^2*(- \\ & d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)*\arcsin(c*x)^2*x^3+1/8*b^2*(-d*(c^2*x^2-1)) \\ & ^{(1/2)}/c^2/(c^2*x^2-1)*\arcsin(c*x)^2*x-1/24*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^ \\ & 2*x^2+1)^{(1/2)}/c^3/(c^2*x^2-1)*\arcsin(c*x)^3+1/8*b^2*(-d*(c^2*x^2-1))^{(1/2)} \\ & *c/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*x^4-1/8*b^2*(-d*(c^2*x^2-1))^{( \\ & 1/2)}/c/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*x^2+1/8*a*b*(-d*(c^2*x^2 \\ & -1))^{(1/2)}*c/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^4-1/8*a*b*(-d*(c^2*x^2-1))^{(1 \\ & /2)}/c/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^2+1/2*a*b*(-d*(c^2*x^2-1))^{(1/2)}*c^2 \\ & / (c^2*x^2-1)*\arcsin(c*x)*x^5-3/4*a*b*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)*\ar \\ & \sin(c*x)*x^3+1/4*a*b*(-d*(c^2*x^2-1))^{(1/2)}/c^2/(c^2*x^2-1)*\arcsin(c*x)*x+1 \\ & /64*a*b*(-d*(c^2*x^2-1))^{(1/2)}/c^3/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}-1/8*a*b*(- \\ & d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^3/(c^2*x^2-1)*\arcsin(c*x)^2 \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^2*(-c^2*d*x^2+d)^{(1/2)}*(a+b*\arcsin(c*x))^2,x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(b^2x^2 \arcsin(cx)^2 + 2abx^2 \arcsin(cx) + a^2x^2\right)\sqrt{-c^2dx^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^2*(-c^2*d*x^2+d)^{(1/2)}*(a+b*\arcsin(c*x))^2,x, \text{algorithm}=\text{"fricas"})$

[Out] `integral((b^2*x^2*arcsin(c*x)^2 + 2*a*b*x^2*arcsin(c*x) + a^2*x^2)*sqrt(-c^2*d*x^2 + d), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x^2 \sqrt{-d(cx-1)(cx+1)} (a + b \operatorname{asin}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(-c**2*d*x**2+d)**(1/2)*(a+b*asin(c*x))**2,x)`

[Out] `Integral(x**2*sqrt(-d*(c*x - 1)*(c*x + 1))*(a + b*asin(c*x))**2, x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2 dx^2 + d} (b \operatorname{arcsin}(cx) + a)^2 x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^2,x, algorithm="giac")`

[Out] `integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^2*x^2, x)`

### 3.212 $\int x\sqrt{d - c^2dx^2} (a + b \sin^{-1}(cx))^2 dx$

**Optimal.** Leaf size=188

$$-\frac{2bcx^3\sqrt{d - c^2dx^2} (a + b \sin^{-1}(cx))}{9\sqrt{1 - c^2x^2}} + \frac{2bx\sqrt{d - c^2dx^2} (a + b \sin^{-1}(cx))}{3c\sqrt{1 - c^2x^2}} - \frac{(d - c^2dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{3c^2d} + \frac{2b^2(1 - c^2x^2)\sqrt{d - c^2dx^2}}{9c^2}$$

[Out]  $(4*b^2*sqrt[d - c^2*d*x^2])/(9*c^2) + (2*b^2*(1 - c^2*x^2)*sqrt[d - c^2*d*x^2])/(27*c^2) + (2*b*x*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(3*c*sqrt[1 - c^2*x^2]) - (2*b*c*x^3*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(9*sqrt[1 - c^2*x^2]) - ((d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x])^2)/(3*c^2*d)$

**Rubi [A]** time = 0.159379, antiderivative size = 188, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {4677, 4645, 444, 43}

$$-\frac{2bcx^3\sqrt{d - c^2dx^2} (a + b \sin^{-1}(cx))}{9\sqrt{1 - c^2x^2}} + \frac{2bx\sqrt{d - c^2dx^2} (a + b \sin^{-1}(cx))}{3c\sqrt{1 - c^2x^2}} - \frac{(d - c^2dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{3c^2d} + \frac{2b^2(1 - c^2x^2)\sqrt{d - c^2dx^2}}{9c^2}$$

Antiderivative was successfully verified.

[In] Int[x\*sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $(4*b^2*sqrt[d - c^2*d*x^2])/(9*c^2) + (2*b^2*(1 - c^2*x^2)*sqrt[d - c^2*d*x^2])/(27*c^2) + (2*b*x*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(3*c*sqrt[1 - c^2*x^2]) - (2*b*c*x^3*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(9*sqrt[1 - c^2*x^2]) - ((d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x])^2)/(3*c^2*d)$

#### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rule 4645

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> With[{u = IntHide[(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] -

Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

### Rule 444

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n + 1, 0]

### Rule 43

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rubi steps

$$\begin{aligned} \int x\sqrt{d-c^2dx^2} (a+b\sin^{-1}(cx))^2 dx &= -\frac{(d-c^2dx^2)^{3/2} (a+b\sin^{-1}(cx))^2}{3c^2d} + \frac{(2b\sqrt{d-c^2dx^2}) \int (1-c^2x^2) (a+b\sin^{-1}(cx)) dx}{3c\sqrt{1-c^2x^2}} \\ &= \frac{2bx\sqrt{d-c^2dx^2} (a+b\sin^{-1}(cx))}{3c\sqrt{1-c^2x^2}} - \frac{2bcx^3\sqrt{d-c^2dx^2} (a+b\sin^{-1}(cx))}{9\sqrt{1-c^2x^2}} - \frac{(d-c^2dx^2)^{3/2} (a+b\sin^{-1}(cx))^2}{3c^2d} \\ &= \frac{2bx\sqrt{d-c^2dx^2} (a+b\sin^{-1}(cx))}{3c\sqrt{1-c^2x^2}} - \frac{2bcx^3\sqrt{d-c^2dx^2} (a+b\sin^{-1}(cx))}{9\sqrt{1-c^2x^2}} - \frac{(d-c^2dx^2)^{3/2} (a+b\sin^{-1}(cx))^2}{3c^2d} \\ &= \frac{2bx\sqrt{d-c^2dx^2} (a+b\sin^{-1}(cx))}{3c\sqrt{1-c^2x^2}} - \frac{2bcx^3\sqrt{d-c^2dx^2} (a+b\sin^{-1}(cx))}{9\sqrt{1-c^2x^2}} - \frac{(d-c^2dx^2)^{3/2} (a+b\sin^{-1}(cx))^2}{3c^2d} \\ &= \frac{4b^2\sqrt{d-c^2dx^2}}{9c^2} + \frac{2b^2(1-c^2x^2)\sqrt{d-c^2dx^2}}{27c^2} + \frac{2bx\sqrt{d-c^2dx^2} (a+b\sin^{-1}(cx))}{3c\sqrt{1-c^2x^2}} \end{aligned}$$

**Mathematica [A]** time = 0.259402, size = 120, normalized size = 0.64

$$\frac{\sqrt{d-c^2dx^2} \left( (c^2x^2-1) (a+b\sin^{-1}(cx))^2 - \frac{2b(3acx(c^2x^2-3)+b\sqrt{1-c^2x^2}(c^2x^2-7)+3bcx(c^2x^2-3)\sin^{-1}(cx))}{9\sqrt{1-c^2x^2}} \right)}{3c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*((-1 + c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2 - (2\*b\*(b\*Sqrt[1 - c^2\*x^2]\*(-7 + c^2\*x^2) + 3\*a\*c\*x\*(-3 + c^2\*x^2) + 3\*b\*c\*x\*(-3 + c^2\*x^2)\*ArcSin[c\*x]))/(9\*Sqrt[1 - c^2\*x^2])))/(3\*c^2)

**Maple [C]** time = 0.226, size = 700, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x)

[Out] 
$$\begin{aligned} & -1/3*a^2/c^2/d*(-c^2*d*x^2+d)^{(3/2)}+b^2*(1/216*(-d*(c^2*x^2-1))^{(1/2)}*(4*c^4*x^4-5*c^2*x^2-4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+3*I*(-c^2*x^2+1)^{(1/2)}*x*c+1) \\ & *(6*I*arcsin(c*x)+9*arcsin(c*x)^2-2)/c^2/(c^2*x^2-1)-1/8*(-d*(c^2*x^2-1))^{(1/2)}*(c^2*x^2-I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(arcsin(c*x)^2-2+2*I*arcsin(c*x) \\ & )/c^2/(c^2*x^2-1)-1/8*(-d*(c^2*x^2-1))^{(1/2)}*(I*(-c^2*x^2+1)^{(1/2)}*x*c+c^2*x^2-1)*(arcsin(c*x)^2-2+2*I*arcsin(c*x))/c^2/(c^2*x^2-1)+1/216*(-d*(c^2*x^2-1))^{(1/2)}*(4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+4*c^4*x^4-3*I*(-c^2*x^2+1)^{(1/2)} \\ & *x*c-5*c^2*x^2+1)*(-6*I*arcsin(c*x)+9*arcsin(c*x)^2-2)/c^2/(c^2*x^2-1))+2*a*b*(1/72*(-d*(c^2*x^2-1))^{(1/2)}*(4*c^4*x^4-5*c^2*x^2-4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+3*I*(-c^2*x^2+1)^{(1/2)}*x*c+1)*(I+3*arcsin(c*x))/c^2/(c^2*x^2-1)-1/8*(-d*(c^2*x^2-1))^{(1/2)}*(c^2*x^2-I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(arcsin(c*x)+I)/c^2/(c^2*x^2-1)-1/8*(-d*(c^2*x^2-1))^{(1/2)}*(I*(-c^2*x^2+1)^{(1/2)}*x*c+c^2*x^2-1)*(arcsin(c*x)-I)/c^2/(c^2*x^2-1)+1/72*(-d*(c^2*x^2-1))^{(1/2)}*(4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+4*c^4*x^4-3*I*(-c^2*x^2+1)^{(1/2)}*x*c-5*c^2*x^2+1)*(-I+3*arcsin(c*x))/c^2/(c^2*x^2-1)) \end{aligned}$$

**Maxima [A]** time = 1.68768, size = 254, normalized size = 1.35

$$-\frac{2}{27}b^2\left(\frac{\sqrt{-c^2x^2+1}d^{\frac{3}{2}}x^2-\frac{7\sqrt{-c^2x^2+1}d^{\frac{3}{2}}}{c^2}}{d}+\frac{3\left(c^2d^{\frac{3}{2}}x^3-3d^{\frac{3}{2}}x\right)\arcsin(cx)}{cd}\right)-\frac{\left(-c^2dx^2+d\right)^{\frac{3}{2}}b^2\arcsin(cx)^2}{3c^2d}-\frac{2\left(-c^2dx^2\right)}{3c^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] 
$$-2/27*b^2*((\sqrt{-c^2*x^2 + 1})*d^{(3/2)}*x^2 - 7*\sqrt{-c^2*x^2 + 1}*d^{(3/2)}/c^{(2)})/d + 3*(c^2*d^{(3/2)}*x^3 - 3*d^{(3/2)}*x)*\arcsin(c*x)/(c*d) - 1/3*(-c^2*d*x^2 + d)^{(3/2)}*b^2*\arcsin(c*x)^2/(c^2*d) - 2/3*(-c^2*d*x^2 + d)^{(3/2)}*a*b*\arcsin(c*x)/(c^2*d) - 2/9*(c^2*d^{(3/2)}*x^3 - 3*d^{(3/2)}*x)*a*b/(c*d) - 1/3*(-c^2*d*x^2 + d)^{(3/2)}*a^2/(c^2*d)$$

**Fricas [A]** time = 2.49072, size = 450, normalized size = 2.39

$$\frac{6(abc^3x^3 - 3abcx + (b^2c^3x^3 - 3b^2cx)\arcsin(cx))\sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1} + ((9a^2 - 2b^2)c^4x^4 - 2(9a^2 - 8b^2)c^2x^2 + 9c^4x^2 - c^2)}{27(c^4x^2 - c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] 
$$1/27*(6*(a*b*c^3*x^3 - 3*a*b*c*x + (b^2*c^3*x^3 - 3*b^2*c*x)*\arcsin(c*x))*\sqrt{-c^2*d*x^2 + d}*\sqrt{-c^2*x^2 + 1} + ((9*a^2 - 2*b^2)*c^4*x^4 - 2*(9*a^2 - 8*b^2)*c^2*x^2 + 9*(b^2*c^4*x^4 - 2*b^2*c^2*x^2 + b^2)*\arcsin(c*x)^2 + 9*a^2 - 14*b^2 + 18*(a*b*c^4*x^4 - 2*a*b*c^2*x^2 + a*b)*\arcsin(c*x))*\sqrt{-c^2*d*x^2 + d})/(c^4*x^2 - c^2)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c\*\*2\*d\*x\*\*2+d)\*\*(1/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2dx^2 + d}(b \arcsin(cx) + a)^2x dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^2*x, x)
```

### 3.213 $\int \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 dx$

**Optimal.** Leaf size=192

$$\frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^3}{6bc\sqrt{1 - c^2 x^2}} + \frac{1}{2} x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 - \frac{bcx^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2 x^2}} - \frac{1}{4} b^2 x \sqrt{d - c^2 dx^2}$$

[Out]  $-(b^2*x*\text{Sqrt}[d - c^2*d*x^2])/4 + (b^2*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcSin}[c*x])/(4*c*\text{Sqrt}[1 - c^2*x^2]) - (b*c*x^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(2*\text{Sqrt}[1 - c^2*x^2]) + (x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/2 + (\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^3)/(6*b*c*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.114679, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {4647, 4641, 4627, 321, 216}

$$\frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^3}{6bc\sqrt{1 - c^2 x^2}} + \frac{1}{2} x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 - \frac{bcx^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2 x^2}} - \frac{1}{4} b^2 x \sqrt{d - c^2 dx^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2, x]$

[Out]  $-(b^2*x*\text{Sqrt}[d - c^2*d*x^2])/4 + (b^2*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcSin}[c*x])/(4*c*\text{Sqrt}[1 - c^2*x^2]) - (b*c*x^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(2*\text{Sqrt}[1 - c^2*x^2]) + (x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/2 + (\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^3)/(6*b*c*\text{Sqrt}[1 - c^2*x^2])$

#### Rule 4647

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)]^{(n_.)}*\text{Sqrt}[(d_.) + (e_.)*(x_)^2], x\_Symbol] \rightarrow \text{Simp}[(x*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n)/2, x] + (\text{Dist}[\text{Sqrt}[d + e*x^2]/(2*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[1 - c^2*x^2], x], x] - \text{Dist}[(b*c*n*\text{Sqrt}[d + e*x^2])/(2*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[x*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0]$

#### Rule 4641

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)]^{(n_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_)^2], x\_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcSin}[c*x])^{(n + 1)}/(b*c*\text{Sqrt}[d]*(n + 1)), x] /; \text{Fre}$

$eQ[\{a, b, c, d, e, n\}, x] \&\& EqQ[c^2*d + e, 0] \&\& GtQ[d, 0] \&\& NeQ[n, -1]$

### Rule 4627

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((d*x)^m), x\_Symbol] \rightarrow \text{Simp}[(d*x)^{m+1}*(a + b*\text{ArcSin}[c*x])^n/(d*(m+1)), x] - \text{Dist}[(b*c*n)/(d*(m+1)), \text{Int}[(d*x)^{m+1}*(a + b*\text{ArcSin}[c*x])^{n-1}]/\text{Sqrt}[1 - c^2*x^2], x], x] /;$   $\text{FreeQ}[\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[m, -1]$

### Rule 321

$\text{Int}[(c*x)^m*((a + (b*x)^n)^p), x\_Symbol] \rightarrow \text{Simp}[(c^{n-1}*(c*x)^{m-n+1}*(a + b*x^n)^{p+1})/(b*(m+n*p+1)), x] - \text{Dist}[(a*c^n*(m-n+1))/(b*(m+n*p+1)), \text{Int}[(c*x)^{m-n}*(a + b*x^n)^p, x], x] /;$   $\text{FreeQ}[\{a, b, c, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{GtQ}[m, n-1] \&\& \text{NeQ}[m+n*p+1, 0] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

### Rule 216

$\text{Int}[1/\text{Sqrt}[(a + (b*x)^2)], x\_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[\text{Rt}[-b, 2]*x]/\text{Sqrt}[a]/\text{Rt}[-b, 2], x] /;$   $\text{FreeQ}[\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{NegQ}[b]$

### Rubi steps

$$\begin{aligned} \int \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{2} x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 + \frac{\sqrt{d - c^2 dx^2} \int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2 x^2}} dx}{2\sqrt{1 - c^2 x^2}} - \frac{(bc\sqrt{d - c^2 dx^2})}{2\sqrt{1 - c^2 x^2}} \\ &= -\frac{bcx^2\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2 x^2}} + \frac{1}{2} x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 + \frac{\sqrt{d - c^2 dx^2}}{2\sqrt{1 - c^2 x^2}} \\ &= -\frac{1}{4} b^2 x \sqrt{d - c^2 dx^2} - \frac{bcx^2\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2 x^2}} + \frac{1}{2} x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 \\ &= -\frac{1}{4} b^2 x \sqrt{d - c^2 dx^2} + \frac{b^2\sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{4c\sqrt{1 - c^2 x^2}} - \frac{bcx^2\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2 x^2}} \end{aligned}$$

**Mathematica [A]** time = 0.214474, size = 128, normalized size = 0.67

$$\frac{1}{6} \sqrt{d - c^2 dx^2} \left( \frac{(a + b \sin^{-1}(cx))^3}{bc\sqrt{1 - c^2 x^2}} - \frac{3b \left( cx(2acx + b\sqrt{1 - c^2 x^2}) + b(2c^2 x^2 - 1) \sin^{-1}(cx) \right)}{2c\sqrt{1 - c^2 x^2}} + 3x(a + b \sin^{-1}(cx))^2 \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(3\*x\*(a + b\*ArcSin[c\*x])^2 + (a + b\*ArcSin[c\*x])^3/(b\*c\*Sqrt[1 - c^2\*x^2]) - (3\*b\*(c\*x\*(2\*a\*c\*x + b\*Sqrt[1 - c^2\*x^2]) + b\*(-1 + 2\*c^2\*x^2)\*ArcSin[c\*x]))/(2\*c\*Sqrt[1 - c^2\*x^2])))/6

**Maple [B]** time = 0.169, size = 564, normalized size = 2.9

$$\frac{xa^2}{2}\sqrt{-c^2dx^2+d} + \frac{a^2d}{2}\arctan\left(x\sqrt{c^2d}\frac{1}{\sqrt{-c^2dx^2+d}}\right)\frac{1}{\sqrt{c^2d}} - \frac{b^2(\arcsin(cx))^3}{6c(c^2x^2-1)}\sqrt{-d(c^2x^2-1)}\sqrt{-c^2x^2+1} + \frac{b^2c^2(\arcsin(cx))^3}{2c^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x)

[Out] 1/2\*x\*(-c^2\*d\*x^2+d)^(1/2)\*a^2+1/2\*a^2\*d/(c^2\*d)^(1/2)\*arctan((c^2\*d)^(1/2)\*x/(-c^2\*d\*x^2+d)^(1/2))-1/6\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c/(c^2\*x^2-1)\*arcsin(c\*x)^3+1/2\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)\*c^2/(c^2\*x^2-1)\*arcsin(c\*x)^2\*x^3-1/2\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/(c^2\*x^2-1)\*arcsin(c\*x)^2\*x-1/4\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)\*c^2/(c^2\*x^2-1)\*x^3+1/4\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/(c^2\*x^2-1)\*x-1/4\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/c/(c^2\*x^2-1)\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)+1/2\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)\*c/(c^2\*x^2-1)\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)\*x^2-1/2\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c/(c^2\*x^2-1)\*arcsin(c\*x)^2+a\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*c^2/(c^2\*x^2-1)\*arcsin(c\*x)\*x^3+1/2\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*c/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*x^2-a\*b\*(-d\*(c^2\*x^2-1))^(1/2)/(c^2\*x^2-1)\*arcsin(c\*x)\*x-1/4\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)/c/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{-c^2dx^2 + d}(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*d\*x^2 + d)\*(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-d(cx-1)(cx+1)}(a+b\text{asin}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(1/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(sqrt(-d\*(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))\*\*2, x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2dx^2 + d}(b \arcsin(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)^2, x)

$$3.214 \quad \int \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{x} dx$$

**Optimal.** Leaf size=378

$$\frac{2ib\sqrt{d-c^2dx^2}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} - \frac{2ib\sqrt{d-c^2dx^2}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} - 2b^2$$

[Out]  $-2*b^2*\text{Sqrt}[d - c^2*d*x^2] - (2*a*b*c*x*\text{Sqrt}[d - c^2*d*x^2])/ \text{Sqrt}[1 - c^2*x^2] - (2*b^2*c*x*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcSin}[c*x])/ \text{Sqrt}[1 - c^2*x^2] + \text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2 - (2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2*\text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] + ((2*I)*b*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])* \text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] - ((2*I)*b*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])* \text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] - (2*b^2*\text{Sqrt}[d - c^2*d*x^2]* \text{PolyLog}[3, -E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] + (2*b^2*\text{Sqrt}[d - c^2*d*x^2]* \text{PolyLog}[3, E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2]$

**Rubi [A]** time = 0.348865, antiderivative size = 378, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$ , Rules used = {4697, 4709, 4183, 2531, 2282, 6589, 4619, 261}

$$\frac{2ib\sqrt{d-c^2dx^2}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} - \frac{2ib\sqrt{d-c^2dx^2}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} - 2b^2$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/x, x]$

[Out]  $-2*b^2*\text{Sqrt}[d - c^2*d*x^2] - (2*a*b*c*x*\text{Sqrt}[d - c^2*d*x^2])/ \text{Sqrt}[1 - c^2*x^2] - (2*b^2*c*x*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcSin}[c*x])/ \text{Sqrt}[1 - c^2*x^2] + \text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2 - (2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2*\text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] + ((2*I)*b*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])* \text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] - ((2*I)*b*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])* \text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] - (2*b^2*\text{Sqrt}[d - c^2*d*x^2]* \text{PolyLog}[3, -E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] + (2*b^2*\text{Sqrt}[d - c^2*d*x^2]* \text{PolyLog}[3, E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2]$

**Rule 4697**

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*Sqrt[(d_) +
(e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[((f*x)^(m*(a + b*ArcSin[c*x]))^n)/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2)/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

### Rule 4709

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_)/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
)))^n])]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]), x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_ /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4619

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.), x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{x} dx &= \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 + \frac{\sqrt{d - c^2 dx^2} \int \frac{(a + b \sin^{-1}(cx))^2}{x \sqrt{1 - c^2 x^2}} dx}{\sqrt{1 - c^2 x^2}} - \frac{(2bc \sqrt{d - c^2 dx^2})}{\sqrt{1 - c^2 x^2}} \\
 &= -\frac{2abcx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 + \frac{\sqrt{d - c^2 dx^2} \text{Subst}\left(\int (a + b \sin^{-1}(cx))^2 dx, cx, \frac{x}{\sqrt{1 - c^2 x^2}}\right)}{\sqrt{1 - c^2 x^2}} \\
 &= -\frac{2abcx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{2b^2 cx \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} + \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 \\
 &= -2b^2 \sqrt{d - c^2 dx^2} - \frac{2abcx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{2b^2 cx \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} + \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 \\
 &= -2b^2 \sqrt{d - c^2 dx^2} - \frac{2abcx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{2b^2 cx \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} + \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 \\
 &= -2b^2 \sqrt{d - c^2 dx^2} - \frac{2abcx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{2b^2 cx \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} + \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2
 \end{aligned}$$

**Mathematica [A]** time = 1.1164, size = 391, normalized size = 1.03

$$\frac{2ab\sqrt{d - c^2 dx^2} \left( i \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right) - i \text{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right) + \sqrt{1 - c^2 x^2} \sin^{-1}(cx) - cx + \sin^{-1}(cx) \log\left(1 - e^{i \sin^{-1}(cx)}\right) \right)}{\sqrt{1 - c^2 x^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/x,x]



```
[Out] a^2*Sqrt[d - c^2*d*x^2] + a^2*Sqrt[d]*Log[c*x] - a^2*Sqrt[d]*Log[d + Sqrt[d]
]*Sqrt[d - c^2*d*x^2]] + (2*a*b*Sqrt[d - c^2*d*x^2]*(-(c*x) + Sqrt[1 - c^2*
x^2]*ArcSin[c*x] + ArcSin[c*x]*Log[1 - E^(I*ArcSin[c*x])]) - ArcSin[c*x]*Log
[1 + E^(I*ArcSin[c*x])]) + I*PolyLog[2, -E^(I*ArcSin[c*x])] - I*PolyLog[2, E
^(I*ArcSin[c*x])])]/Sqrt[1 - c^2*x^2] + (b^2*Sqrt[d - c^2*d*x^2]*(-2*Sqrt[1
- c^2*x^2] - 2*c*x*ArcSin[c*x] + Sqrt[1 - c^2*x^2]*ArcSin[c*x]^2 + ArcSin[
c*x]^2*Log[1 - E^(I*ArcSin[c*x])]) - ArcSin[c*x]^2*Log[1 + E^(I*ArcSin[c*x])
]) + (2*I)*ArcSin[c*x]*PolyLog[2, -E^(I*ArcSin[c*x])] - (2*I)*ArcSin[c*x]*Po
lyLog[2, E^(I*ArcSin[c*x])] - 2*PolyLog[3, -E^(I*ArcSin[c*x])] + 2*PolyLog[
3, E^(I*ArcSin[c*x])])]/Sqrt[1 - c^2*x^2]
```

**Maple [B]** time = 0.274, size = 1017, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^2/x,x)
```

```
[Out] -d^(1/2)*ln((2*d+2*d^(1/2)*(-c^2*d*x^2+d)^(1/2))/x)*a^2+(-c^2*d*x^2+d)^(1/2
)*a^2+b^2*(-d*(c^2*x^2-1))^(1/2)/(c^2*x^2-1)*arcsin(c*x)^2*x^2*c^2+2*b^2*(-
d*(c^2*x^2-1))^(1/2)/(c^2*x^2-1)*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*x*c-2*b^2*(
-d*(c^2*x^2-1))^(1/2)/(c^2*x^2-1)*c^2*x^2-b^2*(-d*(c^2*x^2-1))^(1/2)/(c^2*x
^2-1)*arcsin(c*x)^2+2*b^2*(-d*(c^2*x^2-1))^(1/2)/(c^2*x^2-1)+b^2*(-d*(c^2*x
^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*arcsin(c*x)^2*ln(1+I*c*x+(-c^2*
x^2+1)^(1/2))-b^2*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*arc
sin(c*x)^2*ln(1-I*c*x-(-c^2*x^2+1)^(1/2))+2*I*b^2*(-d*(c^2*x^2-1))^(1/2)*(-
c^2*x^2+1)^(1/2)/(c^2*x^2-1)*arcsin(c*x)*polylog(2,I*c*x+(-c^2*x^2+1)^(1/2)
)-2*I*b^2*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*arcsin(c*x)
*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2))+2*b^2*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^
2+1)^(1/2)/(c^2*x^2-1)*polylog(3,-I*c*x-(-c^2*x^2+1)^(1/2))-2*b^2*(-d*(c^2*
x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*polylog(3,I*c*x+(-c^2*x^2+1)^(
1/2))+2*a*b*(-d*(c^2*x^2-1))^(1/2)/(c^2*x^2-1)*arcsin(c*x)*x^2*c^2+2*a*b*(-
d*(c^2*x^2-1))^(1/2)/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x*c-2*a*b*(-d*(c^2*x^2-
1))^(1/2)/(c^2*x^2-1)*arcsin(c*x)+2*a*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)
^(1/2)/(c^2*x^2-1)*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-2*a*b*(-d*(c^
2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*arcsin(c*x)*ln(1-I*c*x-(-c^2
*x^2+1)^(1/2))-2*I*a*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1
)*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2))+2*I*a*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2
*x^2+1)^(1/2)/(c^2*x^2-1)*polylog(2,I*c*x+(-c^2*x^2+1)^(1/2))
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/x,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2+d}(b^2\arcsin(cx)^2+2ab\arcsin(cx)+a^2)}{x},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/x,x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*d\*x^2 + d)\*(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/x, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-d(cx-1)(cx+1)}(a+b\text{asin}(cx))^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(1/2)\*(a+b\*asin(c\*x))\*\*2/x,x)

[Out] Integral(sqrt(-d\*(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))\*\*2/x, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2dx^2+d}(b\arcsin(cx)+a)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^2/x,x, algorithm="giac")
```

```
[Out] integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^2/x, x)
```

$$3.215 \quad \int \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{x^2} dx$$

**Optimal.** Leaf size=227

$$\frac{ib^2c\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{\sqrt{1-c^2x^2}} - \frac{c\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^3}{3b\sqrt{1-c^2x^2}} - \frac{ic\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} - \frac{\sqrt{d-c^2dx^2}}{\sqrt{1-c^2x^2}}$$

[Out] -((Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/x) - (I\*c\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/Sqrt[1 - c^2\*x^2] - (c\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*Sqrt[1 - c^2\*x^2]) + (2\*b\*c\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])\*Log[1 - E^((2\*I)\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] - (I\*b^2\*c\*Sqrt[d - c^2\*d\*x^2]\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2]

**Rubi [A]** time = 0.319508, antiderivative size = 227, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {4693, 4625, 3717, 2190, 2279, 2391, 4641}

$$\frac{ib^2c\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{\sqrt{1-c^2x^2}} - \frac{c\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^3}{3b\sqrt{1-c^2x^2}} - \frac{ic\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} - \frac{\sqrt{d-c^2dx^2}}{\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/x^2, x]

[Out] -((Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/x) - (I\*c\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/Sqrt[1 - c^2\*x^2] - (c\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*Sqrt[1 - c^2\*x^2]) + (2\*b\*c\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])\*Log[1 - E^((2\*I)\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] - (I\*b^2\*c\*Sqrt[d - c^2\*d\*x^2]\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2]

**Rule 4693**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 1)), x] + (-Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(f\*(m + 1)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] + Dist[(c^2\*Sqrt[d + e\*x^2])/(f^2\*(m + 1)\*Sqrt[1 - c^2\*x^2]), Int[((f\*x)^(m + 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1]

Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1)/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{x^2} dx &= -\frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{x} + \frac{(2bc\sqrt{d-c^2dx^2}) \int \frac{a+b\sin^{-1}(cx)}{x} dx}{\sqrt{1-c^2x^2}} - \frac{(c^2\sqrt{d-c^2dx^2})^2}{3b\sqrt{1-c^2x^2}} \\
&= -\frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{x} - \frac{c\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^3}{3b\sqrt{1-c^2x^2}} + \frac{(2bc\sqrt{d-c^2dx^2})^2}{3b\sqrt{1-c^2x^2}} \\
&= -\frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{x} - \frac{ic\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} - \frac{c\sqrt{d-c^2dx^2}}{3b\sqrt{1-c^2x^2}} \\
&= -\frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{x} - \frac{ic\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} - \frac{c\sqrt{d-c^2dx^2}}{3b\sqrt{1-c^2x^2}} \\
&= -\frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{x} - \frac{ic\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} - \frac{c\sqrt{d-c^2dx^2}}{3b\sqrt{1-c^2x^2}} \\
&= -\frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{x} - \frac{ic\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} - \frac{c\sqrt{d-c^2dx^2}}{3b\sqrt{1-c^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.977293, size = 257, normalized size = 1.13

$$\frac{b^2c\sqrt{d-c^2dx^2} \left( 3i \operatorname{PolyLog} \left( 2, e^{2i\sin^{-1}(cx)} \right) + \sin^{-1}(cx) \left( \left( \frac{3\sqrt{1-c^2x^2}}{cx} + 3i \right) \sin^{-1}(cx) + \sin^{-1}(cx)^2 - 6 \log \left( 1 - e^{2i\sin^{-1}(cx)} \right) \right) \right)}{3\sqrt{1-c^2x^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/x^2,x]

[Out]  $-\left(\frac{a^2\sqrt{d-c^2dx^2}}{x}\right) + \frac{a^2c\sqrt{d-c^2dx^2}\operatorname{ArcTan}\left[\frac{c*x*\sqrt{d-c^2dx^2}}{\sqrt{d}*(-1+c^2*x^2)}\right] - (a*b*\sqrt{d-c^2dx^2}*(2*\sqrt{1-c^2*x^2})*\operatorname{ArcSin}[c*x] + c*x*\operatorname{ArcSin}[c*x]^2 - 2*c*x*\operatorname{Log}[c*x])}{(x*\sqrt{1-c^2*x^2})} - (b^2*c*\sqrt{d-c^2dx^2}*(\operatorname{ArcSin}[c*x]*((3*I + (3*\sqrt{1-c^2*x^2}))/c*x))*\operatorname{ArcSin}[c*x] + \operatorname{ArcSin}[c*x]^2 - 6*\operatorname{Log}[1 - E^{((2*I)*\operatorname{ArcSin}[c*x])}]) + (3*I)*\operatorname{PolyLog}[2, E^{((2*I)*\operatorname{ArcSin}[c*x])}])}{(3*\sqrt{1-c^2*x^2})}$

**Maple [B]** time = 0.27, size = 762, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((-c^2*d*x^2+d)^{(1/2)}*(a+b*\arcsin(c*x))^2/x^2,x)$

[Out]  $-a^2/d/x*(-c^2*d*x^2+d)^{(3/2)}-a^2*c^2*x*(-c^2*d*x^2+d)^{(1/2)}-a^2*c^2*d/(c^2*d)^{(1/2)}*\arctan((c^2*d)^{(1/2)}*x/(-c^2*d*x^2+d)^{(1/2)})+1/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*\arcsin(c*x)^3*c+2*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*c*\text{polylog}(2,I*c*x+(-c^2*x^2+1)^{(1/2)})-b^2*(-d*(c^2*x^2-1))^{(1/2)}*\arcsin(c*x)^2/(c^2*x^2-1)*x*c^2+b^2*(-d*(c^2*x^2-1))^{(1/2)}*\arcsin(c*x)^2/(c^2*x^2-1)/x-2*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*c*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-2*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*c*\arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})+I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*\arcsin(c*x)^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c+2*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*c*\text{polylog}(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})+a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*\arcsin(c*x)^2*c+2*I*a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*\arcsin(c*x)*c-2*a*b*(-d*(c^2*x^2-1))^{(1/2)}*\arcsin(c*x)/(c^2*x^2-1)*x*c^2+2*a*b*(-d*(c^2*x^2-1))^{(1/2)}*\arcsin(c*x)/(c^2*x^2-1)/x-2*a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*\ln((I*c*x+(-c^2*x^2+1)^{(1/2)})^2-1)*c$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((-c^2*d*x^2+d)^{(1/2)}*(a+b*\arcsin(c*x))^2/x^2,x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2+d}(b^2\arcsin(cx)^2+2ab\arcsin(cx)+a^2)}{x^2},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^2/x^2,x, algorithm="fricas")
```

```
[Out] integral(sqrt(-c^2*d*x^2 + d)*(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)/x^2, x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-d(cx-1)(cx+1)}(a+b\operatorname{asin}(cx))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c**2*d*x**2+d)**(1/2)*(a+b*asin(c*x))**2/x**2,x)
```

```
[Out] Integral(sqrt(-d*(c*x - 1)*(c*x + 1))*(a + b*asin(c*x))**2/x**2, x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2dx^2 + d}(b \operatorname{arcsin}(cx) + a)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^2/x^2,x, algorithm="giac")
```

```
[Out] integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^2/x^2, x)
```



$$3.216 \quad \int \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{x^3} dx$$

**Optimal.** Leaf size=398

$$\frac{ibc^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} + \frac{ibc^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}}$$

[Out] -((b\*c\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(x\*Sqrt[1 - c^2\*x^2])) - (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(2\*x^2) + (c^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2\*ArcTanh[E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] - (b^2\*c^2\*Sqrt[d - c^2\*d\*x^2]\*ArcTanh[Sqrt[1 - c^2\*x^2]])/Sqrt[1 - c^2\*x^2] - (I\*b\*c^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] + (I\*b\*c^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] + (b^2\*c^2\*Sqrt[d - c^2\*d\*x^2])\*PolyLog[3, -E^(I\*ArcSin[c\*x])]/Sqrt[1 - c^2\*x^2] - (b^2\*c^2\*Sqrt[d - c^2\*d\*x^2])\*PolyLog[3, E^(I\*ArcSin[c\*x])]/Sqrt[1 - c^2\*x^2]

**Rubi [A]** time = 0.38195, antiderivative size = 398, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.345$ , Rules used = {4693, 4627, 266, 63, 208, 4709, 4183, 2531, 2282, 6589}

$$\frac{ibc^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} + \frac{ibc^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/x^3,x]

[Out] -((b\*c\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(x\*Sqrt[1 - c^2\*x^2])) - (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(2\*x^2) + (c^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2\*ArcTanh[E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] - (b^2\*c^2\*Sqrt[d - c^2\*d\*x^2]\*ArcTanh[Sqrt[1 - c^2\*x^2]])/Sqrt[1 - c^2\*x^2] - (I\*b\*c^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] + (I\*b\*c^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] + (b^2\*c^2\*Sqrt[d - c^2\*d\*x^2])\*PolyLog[3, -E^(I\*ArcSin[c\*x])]/Sqrt[1 - c^2\*x^2] - (b^2\*c^2\*Sqrt[d - c^2\*d\*x^2])\*PolyLog[3, E^(I\*ArcSin[c\*x])]/Sqrt[1 - c^2\*x^2]

**Rule 4693**

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_)*Sqrt[(d_) +
(e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 1)), x] + (-Dist[(b*c*n*Sqrt[d + e*x^2])/(f*(m + 1)*Sqr
t[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1), x], x] + Di
st[(c^2*Sqrt[d + e*x^2])/(f^2*(m + 1)*Sqrt[1 - c^2*x^2]), Int[((f*x)^(m + 2
)*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c, d, e
, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && LtQ[m, -1]
```

### Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 4709

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_)/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
```

```
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{x^3} dx &= -\frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2x^2} + \frac{(bc\sqrt{d - c^2 dx^2}) \int \frac{a + b \sin^{-1}(cx)}{x^2} dx}{\sqrt{1 - c^2 x^2}} - \frac{(c^2 \sqrt{d - c^2 dx^2})}{2} \\
&= -\frac{bc\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x\sqrt{1 - c^2 x^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2x^2} - \frac{(c^2 \sqrt{d - c^2 dx^2})}{2} \\
&= -\frac{bc\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x\sqrt{1 - c^2 x^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2x^2} + \frac{c^2 \sqrt{d - c^2 dx^2}}{2} \\
&= -\frac{bc\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x\sqrt{1 - c^2 x^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2x^2} + \frac{c^2 \sqrt{d - c^2 dx^2}}{2} \\
&= -\frac{bc\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x\sqrt{1 - c^2 x^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2x^2} + \frac{c^2 \sqrt{d - c^2 dx^2}}{2} \\
&= -\frac{bc\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x\sqrt{1 - c^2 x^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2x^2} + \frac{c^2 \sqrt{d - c^2 dx^2}}{2}
\end{aligned}$$

**Mathematica [A]** time = 5.06273, size = 480, normalized size = 1.21

$$\frac{1}{8} \left( \frac{2abc^2 d \sqrt{1 - c^2 x^2} \left( -4i \operatorname{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) + 4i \operatorname{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) - 4 \sin^{-1}(cx) \log \left( 1 - e^{i \sin^{-1}(cx)} \right) + 4 \sin^{-1}(cx) \log \left( 1 + e^{i \sin^{-1}(cx)} \right) \right)}{\sqrt{1 - c^2 x^2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/x^3,x]

[Out] ((-4\*a^2\*Sqrt[d - c^2\*d\*x^2])/x^2 - 4\*a^2\*c^2\*Sqrt[d]\*Log[x] + 4\*a^2\*c^2\*Sqrt[d]\*Log[d + Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]] + (2\*a\*b\*c^2\*d\*Sqrt[1 - c^2\*x^2]\*(-2\*Cot[ArcSin[c\*x]/2] - ArcSin[c\*x]\*Csc[ArcSin[c\*x]/2]^2 - 4\*ArcSin[c\*x]\*Log[1 - E^(I\*ArcSin[c\*x])] + 4\*ArcSin[c\*x]\*Log[1 + E^(I\*ArcSin[c\*x])] - (4\*I)\*PolyLog[2, -E^(I\*ArcSin[c\*x])] + (4\*I)\*PolyLog[2, E^(I\*ArcSin[c\*x])] + ArcSin[c\*x]\*Sec[ArcSin[c\*x]/2]^2 - 2\*Tan[ArcSin[c\*x]/2]))/Sqrt[d - c^2\*d\*x^2] + (b^2\*c^2\*d\*Sqrt[1 - c^2\*x^2]\*(-4\*ArcSin[c\*x]\*Cot[ArcSin[c\*x]/2] - ArcSin[c\*x]^2\*Csc[ArcSin[c\*x]/2]^2 - 4\*ArcSin[c\*x]^2\*Log[1 - E^(I\*ArcSin[c\*x])] + 4\*ArcSin[c\*x]^2\*Log[1 + E^(I\*ArcSin[c\*x])] + 8\*Log[Tan[ArcSin[c\*x]/2]] - (8\*I)\*ArcSin[c\*x]\*PolyLog[2, -E^(I\*ArcSin[c\*x])] + (8\*I)\*ArcSin[c\*x]\*PolyLog[2, E^(I\*ArcSin[c\*x])] + 8\*PolyLog[3, -E^(I\*ArcSin[c\*x])] - 8\*PolyLog[3, E

$$\frac{\sqrt{c^2 d x^2 + d} \operatorname{ArcSin}[c x] + \operatorname{ArcSin}[c x]^2 \operatorname{Sec}[\operatorname{ArcSin}[c x]/2]^2 - 4 \operatorname{ArcSin}[c x] \operatorname{Tan}[\operatorname{ArcSin}[c x]/2]}{\sqrt{d - c^2 d x^2}}/8$$

**Maple [B]** time = 0.342, size = 1082, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int ((-c^2 d x^2 + d)^{1/2} (a + b \operatorname{arcsin}(c x))^2 / x^3, x)$

[Out] 
$$\begin{aligned} & -1/2 a^2/d/x^2 * (-c^2 d x^2 + d)^{3/2} + 1/2 a^2 d^{1/2} * \ln((2 d + 2 d^{1/2} (-c^2 d x^2 + d)^{1/2})/x) * c^2 - 1/2 a^2 * (-c^2 d x^2 + d)^{1/2} * c^2 - 1/2 b^2 \operatorname{arcsin}(c x) \\ & ^2 * (-d * (c^2 x^2 - 1))^{1/2} / (c^2 x^2 - 1) * c^2 + b^2 \operatorname{arcsin}(c x) * (-d * (c^2 x^2 - 1))^{1/2} / x / (c^2 x^2 - 1) * (-c^2 x^2 + 1)^{1/2} * c + 1/2 b^2 \operatorname{arcsin}(c x)^2 * (-d * (c^2 x^2 - 1))^{1/2} / x^2 / (c^2 x^2 - 1) - 1/2 b^2 * (-d * (c^2 x^2 - 1))^{1/2} * (-c^2 x^2 + 1)^{1/2} \\ & * c^2 / (c^2 x^2 - 1) * \operatorname{arcsin}(c x)^2 * \ln(1 + I * c x + (-c^2 x^2 + 1)^{1/2}) + 1/2 b^2 * (-d * (c^2 x^2 - 1))^{1/2} * (-c^2 x^2 + 1)^{1/2} * c^2 / (c^2 x^2 - 1) * \operatorname{arcsin}(c x)^2 * \ln(1 - I * c x - (-c^2 x^2 + 1)^{1/2}) + I b^2 * (-d * (c^2 x^2 - 1))^{1/2} * (-c^2 x^2 + 1)^{1/2} * c^2 \\ & / (c^2 x^2 - 1) * \operatorname{arcsin}(c x) * \operatorname{polylog}(2, -I * c x - (-c^2 x^2 + 1)^{1/2}) - 2 I a b * (-d * (c^2 x^2 - 1))^{1/2} * (-c^2 x^2 + 1)^{1/2} * c^2 / (2 c^2 x^2 - 2) * \operatorname{polylog}(2, I * c x + (-c^2 x^2 + 1)^{1/2}) - b^2 * (-d * (c^2 x^2 - 1))^{1/2} * (-c^2 x^2 + 1)^{1/2} * c^2 / (c^2 x^2 - 1) \\ & * \operatorname{polylog}(3, -I * c x - (-c^2 x^2 + 1)^{1/2}) + b^2 * (-d * (c^2 x^2 - 1))^{1/2} * (-c^2 x^2 + 1)^{1/2} * c^2 / (c^2 x^2 - 1) * \operatorname{polylog}(3, I * c x + (-c^2 x^2 + 1)^{1/2}) + 2 b^2 * (-d * (c^2 x^2 - 1))^{1/2} * (-c^2 x^2 + 1)^{1/2} * c^2 / (c^2 x^2 - 1) * \operatorname{arctanh}(I * c x + (-c^2 x^2 - 1) \\ & ^{1/2}) - a b * (-d * (c^2 x^2 - 1))^{1/2} / (c^2 x^2 - 1) * \operatorname{arcsin}(c x) * c^2 + a b * (-d * (c^2 x^2 - 1))^{1/2} / x / (c^2 x^2 - 1) * (-c^2 x^2 + 1)^{1/2} * c + a b \operatorname{arcsin}(c x) * (-d * (c^2 x^2 - 1))^{1/2} / x^2 / (c^2 x^2 - 1) - 2 a b * (-d * (c^2 x^2 - 1))^{1/2} * (-c^2 x^2 + 1)^{1/2} * c^2 / (2 c^2 x^2 - 2) * \operatorname{arcsin}(c x) * \ln(1 + I * c x + (-c^2 x^2 + 1)^{1/2}) + 2 a b * (-d * (c^2 x^2 - 1))^{1/2} * (-c^2 x^2 + 1)^{1/2} * c^2 / (2 c^2 x^2 - 2) * \operatorname{arcsin}(c x) * \ln(1 - I * c x - (-c^2 x^2 + 1)^{1/2}) - I b^2 * (-d * (c^2 x^2 - 1))^{1/2} * (-c^2 x^2 + 1)^{1/2} * c^2 / (c^2 x^2 - 1) * \operatorname{arcsin}(c x) * \operatorname{polylog}(2, I * c x + (-c^2 x^2 + 1)^{1/2}) + 2 I a b * (-d * (c^2 x^2 - 1))^{1/2} * (-c^2 x^2 + 1)^{1/2} * c^2 / (2 c^2 x^2 - 2) * \operatorname{polylog}(2, -I * c x - (-c^2 x^2 + 1)^{1/2}) \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/x^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2 + d}(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/x^3,x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*d\*x^2 + d)\*(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/x^3, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-d(cx-1)(cx+1)}(a+b\text{asin}(cx))^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(1/2)\*(a+b\*asin(c\*x))\*\*2/x\*\*3,x)

[Out] Integral(sqrt(-d\*(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))\*\*2/x\*\*3, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2dx^2 + d}(b \arcsin(cx) + a)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^2/x^3,x, algorithm="giac")
```

```
[Out] integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^2/x^3, x)
```

$$3.217 \quad \int \frac{\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{x^4} dx$$

**Optimal.** Leaf size=314

$$\frac{ib^2c^3\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{3\sqrt{1-c^2x^2}} + \frac{ic^3\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{3\sqrt{1-c^2x^2}} - \frac{bc\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{3x^2}$$

[Out]  $-(b^2c^2\sqrt{d-c^2dx^2})/(3x) - (b^2c^3\sqrt{d-c^2dx^2}\text{ArcSin}[cx])/(3\sqrt{1-c^2x^2}) - (bc\sqrt{d-c^2dx^2}\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx]))/(3x^2) + ((I/3)c^3\sqrt{d-c^2dx^2}(a+b\text{ArcSin}[cx])^2)/\sqrt{1-c^2x^2} - ((d-c^2dx^2)^{(3/2)}(a+b\text{ArcSin}[cx])^2)/(3dx^3) - (2bc^3\sqrt{d-c^2dx^2}(a+b\text{ArcSin}[cx])\text{Log}[1-E^{((2I)\text{ArcSin}[cx])}])]/(3\sqrt{1-c^2x^2}) + ((I/3)b^2c^3\sqrt{d-c^2dx^2}\text{PolyLog}[2, E^{((2I)\text{ArcSin}[cx])}])/\sqrt{1-c^2x^2}$

**Rubi [A]** time = 0.271609, antiderivative size = 314, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.31$ , Rules used = {4681, 4685, 277, 216, 4625, 3717, 2190, 2279, 2391}

$$\frac{ib^2c^3\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{3\sqrt{1-c^2x^2}} + \frac{ic^3\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{3\sqrt{1-c^2x^2}} - \frac{bc\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{3x^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\sqrt{d-c^2dx^2}(a+b\text{ArcSin}[cx]))^2/x^4, x]$

[Out]  $-(b^2c^2\sqrt{d-c^2dx^2})/(3x) - (b^2c^3\sqrt{d-c^2dx^2}\text{ArcSin}[cx])/(3\sqrt{1-c^2x^2}) - (bc\sqrt{d-c^2dx^2}\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx]))/(3x^2) + ((I/3)c^3\sqrt{d-c^2dx^2}(a+b\text{ArcSin}[cx])^2)/\sqrt{1-c^2x^2} - ((d-c^2dx^2)^{(3/2)}(a+b\text{ArcSin}[cx])^2)/(3dx^3) - (2bc^3\sqrt{d-c^2dx^2}(a+b\text{ArcSin}[cx])\text{Log}[1-E^{((2I)\text{ArcSin}[cx])}])]/(3\sqrt{1-c^2x^2}) + ((I/3)b^2c^3\sqrt{d-c^2dx^2}\text{PolyLog}[2, E^{((2I)\text{ArcSin}[cx])}])/\sqrt{1-c^2x^2}$

**Rule 4681**

$\text{Int}[(a_+ + \text{ArcSin}[c_+x_+])^{n_+}(f_+x_+)^{m_+}(d_+ + e_+x_+)^{p_+}, x\_Symbol] \rightarrow \text{Simp}[(f_+x_+)^{m_+}(d_+ + e_+x_+)^{p_+}(a_+ + \text{ArcSin}[c_+x_+])^{n_+}/(d_+f_+(m_+1)), x] - \text{Dist}[(b_+c_+n_+d_+\text{IntPart}[p_+](d_+ + e_+x_+)^{p_+})F$



```
racPart[p]]/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c
^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d,
e, f, m, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && EqQ[m + 2*p + 3, 0] &
& NeQ[m, -1]
```

### Rule 4685

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.
^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcSin[c*x
]))/(f*(m + 1)), x] + (-Dist[(b*c*d^p)/(f*(m + 1)), Int[(f*x)^(m + 1)*(1 -
c^2*x^2)^(p - 1/2), x], x] - Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m + 2)*
(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x]), x], x]) /; FreeQ[{a, b, c, d, e, f
}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0] && ILtQ[(m + 1)/2, 0]
```

### Rule 277

```
Int[((c_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.)^(n_.))^(p_.), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^p)/(c*(m + 1)), x] - Dist[(b*n*p)/(c^n*(m + 1)), In
t[(c*x)^(m + n)*(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[
n, 0] && GtQ[p, 0] && LtQ[m, -1] && !ILtQ[(m + n*p + n + 1)/n, 0] && IntBi
nomialQ[a, b, c, n, m, p, x]
```

### Rule 216

```
Int[1/Sqrt[(a_.) + (b_.)*(x_.)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rule 4625

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[(a
+ b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

### Rule 3717

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_.)], x_Symbol
] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
```

)^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_)\*((F\_)^((e\_)\*((c\_) + (d\_)\*(x\_))))^(n\_)], x\_Symbol]  
 := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{x^4} dx &= -\frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{3dx^3} + \frac{(2bc\sqrt{d - c^2 dx^2}) \int \frac{(1 - c^2 x^2)^{(a + b \sin^{-1}(cx))}}{x^3} dx}{3\sqrt{1 - c^2 x^2}} \\
 &= -\frac{bc\sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3x^2} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{3dx^3} + \left( \frac{b^2 c^2 \sqrt{d - c^2 dx^2}}{3x} - \frac{bc\sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3x^2} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{3dx^3} \right) \\
 &= -\frac{b^2 c^2 \sqrt{d - c^2 dx^2}}{3x} - \frac{bc\sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3x^2} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{3dx^3} \\
 &= -\frac{b^2 c^2 \sqrt{d - c^2 dx^2}}{3x} - \frac{b^2 c^3 \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{3\sqrt{1 - c^2 x^2}} - \frac{bc\sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3x^2} \\
 &= -\frac{b^2 c^2 \sqrt{d - c^2 dx^2}}{3x} - \frac{b^2 c^3 \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{3\sqrt{1 - c^2 x^2}} - \frac{bc\sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3x^2} \\
 &= -\frac{b^2 c^2 \sqrt{d - c^2 dx^2}}{3x} - \frac{b^2 c^3 \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{3\sqrt{1 - c^2 x^2}} - \frac{bc\sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3x^2} \\
 &= -\frac{b^2 c^2 \sqrt{d - c^2 dx^2}}{3x} - \frac{b^2 c^3 \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{3\sqrt{1 - c^2 x^2}} - \frac{bc\sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3x^2}
 \end{aligned}$$

**Mathematica [A]** time = 1.18935, size = 248, normalized size = 0.79

$$\sqrt{d - c^2 dx^2} \left( 2ib^2 c^3 x^3 \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) - 2 \left( a^2 (1 - c^2 x^2) \right)^{3/2} + 2abc^3 x^3 \log(cx) + abcx + b^2 c^2 x^2 \sqrt{1 - c^2 x^2} \right) - b \sin^{-1}(cx)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/x^4,x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(2\*b^2\*(I\*c^3\*x^3 - Sqrt[1 - c^2\*x^2] + c^2\*x^2\*Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x]^2 - b\*ArcSin[c\*x]\*(2\*b\*c\*x + 3\*a\*Sqrt[1 - c^2\*x^2] + a\*Cos[3\*ArcSin[c\*x]]) + 4\*b\*c^3\*x^3\*Log[1 - E^((2\*I)\*ArcSin[c\*x])]) - 2\*(a\*b\*c\*x + b^2\*c^2\*x^2\*Sqrt[1 - c^2\*x^2] + a^2\*(1 - c^2\*x^2)^(3/2) + 2\*a\*b\*c^3\*x^3\*Log[c\*x]) + (2\*I)\*b^2\*c^3\*x^3\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])])/(6\*x^3\*Sqrt[1 - c^2\*x^2])

**Maple [B]** time = 0.361, size = 3017, normalized size = 9.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/x^4,x)

[Out] 
$$\frac{2}{3} I b^2 (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) x^3 / (c^2 x^2 - 1) \arcsin(c x) c^6 - 1/3 I b^2 (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) x^5 / (c^2 x^2 - 1) \arcsin(c x) c^8 + 1/3 I b^2 (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) / (c^2 x^2 - 1) \arcsin(c x)^2 (-c^2 x^2 + 1)^{1/2} c^3 - 1/3 I b^2 (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) x / (c^2 x^2 - 1) \arcsin(c x) c^4 + I b^2 (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) x^2 / (c^2 x^2 - 1) (-c^2 x^2 + 1)^{1/2} c^5 + b^2 (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) x^2 / (c^2 x^2 - 1) \arcsin(c x) (-c^2 x^2 + 1)^{1/2} c^5 + 2 a b (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) x^5 / (c^2 x^2 - 1) \arcsin(c x) c^8 - 1/3 I a b (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) x^5 / (c^2 x^2 - 1) c^8 + 2/3 I a b (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) x^3 / (c^2 x^2 - 1) c^6 - 1/3 I a b (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) x / (c^2 x^2 - 1) c^4 + 1/3 b^2 (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) / x^2 / (c^2 x^2 - 1) \arcsin(c x) (-c^2 x^2 + 1)^{1/2} c^6 + a b (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) x^3 / (c^2 x^2 - 1) \arcsin(c x) c^6 + a b (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) x^2 / (c^2 x^2 - 1) (-c^2 x^2 + 1)^{1/2} c^5 + 20/3 a b (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) x / (c^2 x^2 - 1) \arcsin(c x) c^4 - 10/3 a b (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) / x / (c^2 x^2 - 1) \arcsin(c x) c^2 + 1/3 a b (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) / x^2 / (c^2 x^2 - 1) (-c^2 x^2 + 1)^{1/2} c^7 - 4 I a b (-d(c^2 x^2 - 1))^{1/2} (-c^2 x^2 + 1)^{1/2} \arcsin(c x) c^3 / (3 c^2 x^2 - 3) - 5/3 b^2 (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 - 3 c^2 x^2 + 1) / x / (c^2 x^2 - 1) \arcsin(c x)^2 c^2 - 1/3 I b^2 (-d(c^2 x^2 - 1))^{1/2} / (3 c^4 x^4 -$$

$$\begin{aligned}
& 3c^2x^2+1)/(c^2x^2-1)*(-c^2x^2+1)^{(1/2)}*c^3-2I*b^2*(-d*(c^2x^2-1))^{(1/2)}*(-c^2x^2+1)^{(1/2)}*c^3/(3c^2x^2-3)*\arcsin(cx)^2-2I*b^2*(-d*(c^2x^2-1))^{(1/2)}*(-c^2x^2+1)^{(1/2)}*c^3/(3c^2x^2-3)*\arcsin(cx)*\ln(1+I*cx+(-c^2x^2+1)^{(1/2)})-2I*b^2*(-d*(c^2x^2-1))^{(1/2)}*(-c^2x^2+1)^{(1/2)}*c^3/(3c^2x^2-3)*\arcsin(cx)*\ln(1-I*cx-(-c^2x^2+1)^{(1/2)})-b^2*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)/(c^2x^2-1)*\arcsin(cx)*(-c^2x^2+1)^{(1/2)}*c^3+b^2*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)*x^5/(c^2x^2-1)*\arcsin(cx)^2*c^8-3b^2*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)*x^3/(c^2x^2-1)*\arcsin(cx)^2*c^6+10/3*b^2*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)*x/(c^2x^2-1)*\arcsin(cx)^2*c^4-a*b*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)/(c^2x^2-1)*(-c^2x^2+1)^{(1/2)}*c^3+2/3*a*b*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)/x^3/(c^2x^2-1)*\arcsin(cx)+2/3*a*b*(-d*(c^2x^2-1))^{(1/2)}*(-c^2x^2+1)^{(1/2)}/(c^2x^2-1)*\ln((I*cx+(-c^2x^2+1)^{(1/2)})^2-1)*c^3+1/3*I*b^2*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)*x/(c^2x^2-1)*\arcsin(cx)*(-c^2x^2+1)*c^4-2/3*b^2*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)*x^5/(c^2x^2-1)*c^8+5/3*b^2*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)*x^3/(c^2x^2-1)*c^6-4/3*b^2*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)*x/(c^2x^2-1)*c^4+1/3*b^2*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)/x/(c^2x^2-1)*c^2+1/3*b^2*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)/x^3/(c^2x^2-1)*\arcsin(cx)^2+2I*a*b*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)*x^4/(c^2x^2-1)*\arcsin(cx)*(-c^2x^2+1)^{(1/2)}*c^7-2I*a*b*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)*x^2/(c^2x^2-1)*\arcsin(cx)*(-c^2x^2+1)^{(1/2)}*c^5-1/3I*a*b*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)*x^3/(c^2x^2-1)*(-c^2x^2+1)*c^6+1/3I*a*b*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)*x/(c^2x^2-1)*(-c^2x^2+1)*c^4+2/3I*a*b*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)/(c^2x^2-1)*\arcsin(cx)*(-c^2x^2+1)^{(1/2)}*c^3+I*b^2*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)*x^4/(c^2x^2-1)*\arcsin(cx)^2*(-c^2x^2+1)^{(1/2)}*c^7-1/3I*b^2*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)*x^3/(c^2x^2-1)*\arcsin(cx)*(-c^2x^2+1)*c^6-I*b^2*(-d*(c^2x^2-1))^{(1/2)}/(3c^4x^4-3c^2x^2+1)*x^2/(c^2x^2-1)*\arcsin(cx)^2*(-c^2x^2+1)^{(1/2)}*c^5-1/3*a^2/d/x^3*(-c^2*d*x^2+d)^{(3/2)}
\end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(cx))^2/x^4,x, algorithm="maxima

")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2 + d}(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/x^4,x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*d\*x^2 + d)\*(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/x^4, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-d(cx-1)(cx+1)}(a+b\text{asin}(cx))^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(1/2)\*(a+b\*asin(c\*x))\*\*2/x\*\*4,x)

[Out] Integral(sqrt(-d\*(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))\*\*2/x\*\*4, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2dx^2 + d}(b \arcsin(cx) + a)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/x^4,x, algorithm="giac")

```
[Out] integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^2/x^4, x)
```

$$3.218 \quad \int x^3 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=503

$$\frac{4abdx\sqrt{d-c^2dx^2}}{35c^3\sqrt{1-c^2x^2}} + \frac{2bc^3dx^7\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{49\sqrt{1-c^2x^2}} - \frac{16bcdx^5\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{175\sqrt{1-c^2x^2}} + \frac{1}{7}x^4(d-c^2dx^2)^{3/2}$$

```
[Out] (304*b^2*d*Sqrt[d - c^2*d*x^2])/(3675*c^4) + (4*a*b*d*x*Sqrt[d - c^2*d*x^2])/(35*c^3*Sqrt[1 - c^2*x^2]) + (152*b^2*d*(1 - c^2*x^2)*Sqrt[d - c^2*d*x^2])/(11025*c^4) + (38*b^2*d*(1 - c^2*x^2)^2*Sqrt[d - c^2*d*x^2])/(6125*c^4) - (2*b^2*d*(1 - c^2*x^2)^3*Sqrt[d - c^2*d*x^2])/(343*c^4) + (4*b^2*d*x*Sqrt[d - c^2*d*x^2]*ArcSin[c*x])/(35*c^3*Sqrt[1 - c^2*x^2]) + (2*b*d*x^3*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(105*c*Sqrt[1 - c^2*x^2]) - (16*b*c*d*x^5*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(175*Sqrt[1 - c^2*x^2]) + (2*b*c^3*d*x^7*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(49*Sqrt[1 - c^2*x^2]) - (2*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/(35*c^4) - (d*x^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/(35*c^2) + (3*d*x^4*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/35 + (x^4*(d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x])^2)/7
```

**Rubi [A]** time = 0.779804, antiderivative size = 503, normalized size of antiderivative = 1., number of steps used = 20, number of rules used = 14, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.483$ , Rules used = {4699, 4697, 4707, 4677, 4619, 261, 4627, 266, 43, 14, 4687, 12, 446, 77}

$$\frac{4abdx\sqrt{d-c^2dx^2}}{35c^3\sqrt{1-c^2x^2}} + \frac{2bc^3dx^7\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{49\sqrt{1-c^2x^2}} - \frac{16bcdx^5\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{175\sqrt{1-c^2x^2}} + \frac{1}{7}x^4(d-c^2dx^2)^{3/2}$$

Antiderivative was successfully verified.

```
[In] Int[x^3*(d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x])^2,x]
```

```
[Out] (304*b^2*d*Sqrt[d - c^2*d*x^2])/(3675*c^4) + (4*a*b*d*x*Sqrt[d - c^2*d*x^2])/(35*c^3*Sqrt[1 - c^2*x^2]) + (152*b^2*d*(1 - c^2*x^2)*Sqrt[d - c^2*d*x^2])/(11025*c^4) + (38*b^2*d*(1 - c^2*x^2)^2*Sqrt[d - c^2*d*x^2])/(6125*c^4) - (2*b^2*d*(1 - c^2*x^2)^3*Sqrt[d - c^2*d*x^2])/(343*c^4) + (4*b^2*d*x*Sqrt[d - c^2*d*x^2]*ArcSin[c*x])/(35*c^3*Sqrt[1 - c^2*x^2]) + (2*b*d*x^3*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(105*c*Sqrt[1 - c^2*x^2]) - (16*b*c*d*x^5*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(175*Sqrt[1 - c^2*x^2]) + (2*b*c^3*d*x^7*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(49*Sqrt[1 - c^2*x^2]) - (2*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/(35*c^4) - (d*x^2*Sqrt[d - c
```

$$\begin{aligned} &^2*d*x^2)*(a + b*\text{ArcSin}[c*x])^2)/(35*c^2) + (3*d*x^4*\text{Sqrt}[d - c^2*d*x^2]*(a \\ &+ b*\text{ArcSin}[c*x])^2)/35 + (x^4*(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x])^2) \\ &/7 \end{aligned}$$
Rule 4699

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcSin
in[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p]]/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

Rule 4697

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*Sqrt[(d_) +
(e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcSin
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[(f*x)^m*(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

Rule 4707

```
Int((((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p]]/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```



Rule 4619

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_.))^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 43

Int[((a\_.) + (b\_.)\*(x\_.))^(m\_.)\*((c\_.) + (d\_.)\*(x\_.))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 14

Int[(u)\*((c\_.)\*(x\_.))^(m\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_) + (b\_.)\*(v\_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

Rule 4687

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))\*((f\_.)\*(x\_.))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] &&

IGtQ[p, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 446

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] :=> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 77

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :=> Int[ExpandIntegrand[(a + b\*x)\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9\*p + 5\*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

### Rubi steps

$$\begin{aligned}
\int x^3 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{7} x^4 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 + \frac{1}{7} (3d) \int x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) dx \\
&= -\frac{2bcdx^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{35\sqrt{1 - c^2 x^2}} + \frac{2bc^3 dx^7 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{49\sqrt{1 - c^2 x^2}} \\
&= -\frac{16bcdx^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{175\sqrt{1 - c^2 x^2}} + \frac{2bc^3 dx^7 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{49\sqrt{1 - c^2 x^2}} \\
&= \frac{2bdx^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{105c\sqrt{1 - c^2 x^2}} - \frac{16bcdx^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{175\sqrt{1 - c^2 x^2}} \\
&= \frac{4abdx \sqrt{d - c^2 dx^2}}{35c^3 \sqrt{1 - c^2 x^2}} + \frac{2bdx^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{105c\sqrt{1 - c^2 x^2}} - \frac{16bcdx^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{175\sqrt{1 - c^2 x^2}} \\
&= -\frac{62b^2 d \sqrt{d - c^2 dx^2}}{1225c^4} + \frac{4abdx \sqrt{d - c^2 dx^2}}{35c^3 \sqrt{1 - c^2 x^2}} + \frac{74b^2 d (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{3675c^4} + \frac{304b^2 d \sqrt{d - c^2 dx^2}}{3675c^4} \\
&= \frac{304b^2 d \sqrt{d - c^2 dx^2}}{3675c^4} + \frac{4abdx \sqrt{d - c^2 dx^2}}{35c^3 \sqrt{1 - c^2 x^2}} + \frac{152b^2 d (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{11025c^4} + \dots
\end{aligned}$$

**Mathematica [A]** time = 0.304257, size = 244, normalized size = 0.49

$$d\sqrt{d - c^2 dx^2} \left( -11025a^2 (5c^2 x^2 + 2) (1 - c^2 x^2)^{5/2} + 210abcx (75c^6 x^6 - 168c^4 x^4 + 35c^2 x^2 + 210) + 210b \sin^{-1}(cx) (bcx (210 + 35c^2 x^2 - 168c^4 x^4 + 75c^6 x^6) + 2b^2 \sqrt{1 - c^2 x^2} (18692 - 1679c^2 x^2 - 2178c^4 x^4 + 1125c^6 x^6) + 210b (1 - c^2 x^2)^{5/2} (2 + 5c^2 x^2) + b^2 c x (210 + 35c^2 x^2 - 168c^4 x^4 + 75c^6 x^6)) \text{ArcSin}[cx] - 11025b^2 (1 - c^2 x^2)^{5/2} (2 + 5c^2 x^2) \text{ArcSin}[cx]^2 \right) / (385875c^4 \sqrt{1 - c^2 x^2})$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (d\*Sqrt[d - c^2\*d\*x^2]\*(-11025\*a^2\*(1 - c^2\*x^2)^(5/2)\*(2 + 5\*c^2\*x^2) + 210\*a\*b\*c\*x\*(210 + 35\*c^2\*x^2 - 168\*c^4\*x^4 + 75\*c^6\*x^6) + 2\*b^2\*Sqrt[1 - c^2\*x^2]\*(18692 - 1679\*c^2\*x^2 - 2178\*c^4\*x^4 + 1125\*c^6\*x^6) + 210\*b\*(1 - c^2\*x^2)^(5/2)\*(2 + 5\*c^2\*x^2) + b\*c\*x\*(210 + 35\*c^2\*x^2 - 168\*c^4\*x^4 + 75\*c^6\*x^6))\*ArcSin[c\*x] - 11025\*b^2\*(1 - c^2\*x^2)^(5/2)\*(2 + 5\*c^2\*x^2)\*ArcSin[c\*x]^2)/(385875\*c^4\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.497, size = 1882, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^3(-c^2dx^2+d)^{(3/2)}(a+b\arcsin(cx))^2,x)$

[Out]  $a^2(-1/7x^2(-c^2dx^2+d)^{(5/2)}/c^2/d-2/35/d/c^4(-c^2dx^2+d)^{(5/2)})+b^2(-1/43904(-d(c^2x^2-1))^{(1/2)}(64c^8x^8-144c^6x^6-64I(-c^2x^2+1)^{(1/2)}x^7c^7+104c^4x^4+112I(-c^2x^2+1)^{(1/2)}x^5c^5-25c^2x^2-56I(-c^2x^2+1)^{(1/2)}x^3c^3+7I(-c^2x^2+1)^{(1/2)}x*c+1)(14I\arcsin(cx)+49\arcsin(cx)^2-2)*d/c^4/(c^2x^2-1)+1/16000(-d(c^2x^2-1))^{(1/2)}(16c^6x^6-28c^4x^4-16I(-c^2x^2+1)^{(1/2)}x^5c^5+13c^2x^2+20I(-c^2x^2+1)^{(1/2)}x^3c^3-5I(-c^2x^2+1)^{(1/2)}x*c-1)(10I\arcsin(cx)+25\arcsin(cx)^2-2)*d/c^4/(c^2x^2-1)+1/1152(-d(c^2x^2-1))^{(1/2)}(4c^4x^4-5c^2x^2-4I(-c^2x^2+1)^{(1/2)}x^3c^3+3I(-c^2x^2+1)^{(1/2)}x*c+1)(6I\arcsin(cx)+9\arcsin(cx)^2-2)*d/c^4/(c^2x^2-1)-3/128(-d(c^2x^2-1))^{(1/2)}(c^2x^2-I(-c^2x^2+1)^{(1/2)}x*c-1)(\arcsin(cx)^2-2+2I\arcsin(cx))*d/c^4/(c^2x^2-1)-3/128(-d(c^2x^2-1))^{(1/2)}(I(-c^2x^2+1)^{(1/2)}x*c+c^2x^2-1)(\arcsin(cx)^2-2-2I\arcsin(cx))*d/c^4/(c^2x^2-1)+1/1152(-d(c^2x^2-1))^{(1/2)}(4I(-c^2x^2+1)^{(1/2)}x^3c^3+4c^4x^4-3I(-c^2x^2+1)^{(1/2)}x*c-5c^2x^2+1)(-6I\arcsin(cx)+9\arcsin(cx)^2-2)*d/c^4/(c^2x^2-1)+1/16000(-d(c^2x^2-1))^{(1/2)}(16I(-c^2x^2+1)^{(1/2)}x^5c^5+16c^6x^6-20I(-c^2x^2+1)^{(1/2)}x^3c^3-28c^4x^4+5I(-c^2x^2+1)^{(1/2)}x*c+13c^2x^2-1)(-10I\arcsin(cx)+25\arcsin(cx)^2-2)*d/c^4/(c^2x^2-1)-1/43904(-d(c^2x^2-1))^{(1/2)}(64I(-c^2x^2+1)^{(1/2)}x^7c^7+64c^8x^8-112I(-c^2x^2+1)^{(1/2)}x^5c^5-144c^6x^6+56I(-c^2x^2+1)^{(1/2)}x^3c^3+104c^4x^4-7I(-c^2x^2+1)^{(1/2)}x*c-25c^2x^2+1)(-14I\arcsin(cx)+49\arcsin(cx)^2-2)*d/c^4/(c^2x^2-1)+2a*b*(-1/6272(-d(c^2x^2-1))^{(1/2)}(64c^8x^8-144c^6x^6-64I(-c^2x^2+1)^{(1/2)}x^7c^7+104c^4x^4+112I(-c^2x^2+1)^{(1/2)}x^5c^5-25c^2x^2-56I(-c^2x^2+1)^{(1/2)}x^3c^3+7I(-c^2x^2+1)^{(1/2)}x*c+1)(I+7\arcsin(cx))*d/c^4/(c^2x^2-1)+1/3200(-d(c^2x^2-1))^{(1/2)}(16c^6x^6-28c^4x^4-16I(-c^2x^2+1)^{(1/2)}x^5c^5+13c^2x^2+20I(-c^2x^2+1)^{(1/2)}x^3c^3-5I(-c^2x^2+1)^{(1/2)}x*c-1)(I+5\arcsin(cx))*d/c^4/(c^2x^2-1)+1/384(-d(c^2x^2-1))^{(1/2)}(4c^4x^4-5c^2x^2-4I(-c^2x^2+1)^{(1/2)}x^3c^3+3I(-c^2x^2+1)^{(1/2)}x*c+1)(I+3\arcsin(cx))*d/c^4/(c^2x^2-1)-3/128(-d(c^2x^2-1))^{(1/2)}(c^2x^2-I(-c^2x^2+1)^{(1/2)}x*c-1)(\arcsin(cx)+I)*d/c^4/(c^2x^2-1)-3/128(-d(c^2x^2-1))^{(1/2)}(I(-c^2x^2+1)^{(1/2)}x*c+c^2x^2-1)(\arcsin(cx)-I)*d/c^4/(c^2x^2-1)+1/384(-d(c^2x^2-1))^{(1/2)}(4I(-c^2x^2+1)^{(1/2)}x^3c^3+4c^4x^4-3I(-c^2x^2+1)^{(1/2)}x*c-5c^2x^2+1)(-I+3\arcsin(cx))*d/c^4/(c^2x^2-1)+1/3200(-d(c^2x^2-1))^{(1/2)}(16I(-c^2x^2+1)^{(1/2)}x^5c^5+16c^6x^6-20I(-c^2x^2+1)^{(1/2)}x^3c^3-28c^4x^4+5I(-c^2x^2+1)^{(1/2)}x*c+13c^2x^2-1)($

$$-I+5*\arcsin(c*x))*d/c^4/(c^2*x^2-1)-1/6272*(-d*(c^2*x^2-1))^(1/2)*(64*I*(-c^2*x^2+1)^(1/2)*x^7*c^7+64*c^8*x^8-112*I*(-c^2*x^2+1)^(1/2)*x^5*c^5-144*c^6*x^6+56*I*(-c^2*x^2+1)^(1/2)*x^3*c^3+104*c^4*x^4-7*I*(-c^2*x^2+1)^(1/2)*x*c^2-25*c^2*x^2+1)*(-I+7*\arcsin(c*x))*d/c^4/(c^2*x^2-1))$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.7937, size = 853, normalized size = 1.7

$$210 \left( 75 abc^7 dx^7 - 168 abc^5 dx^5 + 35 abc^3 dx^3 + 210 abcdx + (75 b^2 c^7 dx^7 - 168 b^2 c^5 dx^5 + 35 b^2 c^3 dx^3 + 210 b^2 c dx) \arcsin(c*x) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] 
$$-1/385875*(210*(75*a*b*c^7*d*x^7 - 168*a*b*c^5*d*x^5 + 35*a*b*c^3*d*x^3 + 210*a*b*c*d*x + (75*b^2*c^7*d*x^7 - 168*b^2*c^5*d*x^5 + 35*b^2*c^3*d*x^3 + 210*b^2*c*d*x)*\arcsin(c*x))*\sqrt{-c^2*d*x^2 + d}*\sqrt{-c^2*x^2 + 1} + (1125*(49*a^2 - 2*b^2)*c^8*d*x^8 - 9*(15925*a^2 - 734*b^2)*c^6*d*x^6 + (99225*a^2 - 998*b^2)*c^4*d*x^4 + (11025*a^2 - 40742*b^2)*c^2*d*x^2 + 11025*(5*b^2*c^8*d*x^8 - 13*b^2*c^6*d*x^6 + 9*b^2*c^4*d*x^4 + b^2*c^2*d*x^2 - 2*b^2*d)*\arcsin(c*x)^2 - 2*(11025*a^2 - 18692*b^2)*d + 22050*(5*a*b*c^8*d*x^8 - 13*a*b*c^6*d*x^6 + 9*a*b*c^4*d*x^4 + a*b*c^2*d*x^2 - 2*a*b*d)*\arcsin(c*x))*\sqrt{-c^2*d*x^2 + d})/(c^6*x^2 - c^4)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^2 x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^2\*x^3, x)

$$3.219 \quad \int x^2 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=421

$$\frac{bc^3 dx^6 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{18\sqrt{1 - c^2 x^2}} - \frac{7bcdx^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{48\sqrt{1 - c^2 x^2}} + \frac{1}{6} x^3 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 + \frac{1}{8} d$$

[Out]  $(-7*b^2*d*x*sqrt[d - c^2*d*x^2])/(1152*c^2) - (43*b^2*d*x^3*sqrt[d - c^2*d*x^2])/1728 + (b^2*c^2*d*x^5*sqrt[d - c^2*d*x^2])/108 + (7*b^2*d*sqrt[d - c^2*d*x^2]*ArcSin[c*x])/(1152*c^3*sqrt[1 - c^2*x^2]) + (b*d*x^2*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(16*c*sqrt[1 - c^2*x^2]) - (7*b*c*d*x^4*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(48*sqrt[1 - c^2*x^2]) + (b*c^3*d*x^6*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(18*sqrt[1 - c^2*x^2]) - (d*x*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/(16*c^2) + (d*x^3*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/8 + (x^3*(d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x])^2)/6 + (d*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^3)/(48*b*c^3*sqrt[1 - c^2*x^2])$

**Rubi [A]** time = 0.709541, antiderivative size = 421, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 11, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.379$ , Rules used = {4699, 4697, 4707, 4641, 4627, 321, 216, 14, 4687, 12, 459}

$$\frac{bc^3 dx^6 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{18\sqrt{1 - c^2 x^2}} - \frac{7bcdx^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{48\sqrt{1 - c^2 x^2}} + \frac{1}{6} x^3 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 + \frac{1}{8} d$$

Antiderivative was successfully verified.

[In] Int[x^2\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $(-7*b^2*d*x*sqrt[d - c^2*d*x^2])/(1152*c^2) - (43*b^2*d*x^3*sqrt[d - c^2*d*x^2])/1728 + (b^2*c^2*d*x^5*sqrt[d - c^2*d*x^2])/108 + (7*b^2*d*sqrt[d - c^2*d*x^2]*ArcSin[c*x])/(1152*c^3*sqrt[1 - c^2*x^2]) + (b*d*x^2*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(16*c*sqrt[1 - c^2*x^2]) - (7*b*c*d*x^4*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(48*sqrt[1 - c^2*x^2]) + (b*c^3*d*x^6*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(18*sqrt[1 - c^2*x^2]) - (d*x*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/(16*c^2) + (d*x^3*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/8 + (x^3*(d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x])^2)/6 + (d*sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^3)/(48*b*c^3*sqrt[1 - c^2*x^2])$

Rule 4699

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

Rule 4697

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*Sqrt[(d_.) +
(e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[(f*x)^m*(a + b*ArcSin[c*x])^n]/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

Rule 4707

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.))/Sqrt[(d_.)
+ (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n]/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 321



```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
+ (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

### Rule 4687

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)*(x_)
^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[
a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x
^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] &&
IGtQ[p, 0]
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_.)*(v_)] /; FreeQ[b, x]
```

### Rule 459

```
Int[((e_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n
_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p
+ 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p
+ 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m,
n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

### Rubi steps

$$\begin{aligned}
\int x^2 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{6} x^3 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 + \frac{1}{2} d \int x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 dx \\
&= -\frac{bcdx^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{12\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^6 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{18\sqrt{1 - c^2 x^2}} + \dots \\
&= -\frac{7bcdx^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{48\sqrt{1 - c^2 x^2}} + \frac{bc^3 dx^6 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{18\sqrt{1 - c^2 x^2}} + \dots \\
&= -\frac{1}{64} b^2 dx^3 \sqrt{d - c^2 dx^2} + \frac{1}{108} b^2 c^2 dx^5 \sqrt{d - c^2 dx^2} + \frac{bdx^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{16c\sqrt{1 - c^2 x^2}} + \dots \\
&= \frac{b^2 dx \sqrt{d - c^2 dx^2}}{128c^2} - \frac{43b^2 dx^3 \sqrt{d - c^2 dx^2}}{1728} + \frac{1}{108} b^2 c^2 dx^5 \sqrt{d - c^2 dx^2} + \frac{bdx^2 \sqrt{d - c^2 dx^2}}{12c} + \dots \\
&= -\frac{7b^2 dx \sqrt{d - c^2 dx^2}}{1152c^2} - \frac{43b^2 dx^3 \sqrt{d - c^2 dx^2}}{1728} + \frac{1}{108} b^2 c^2 dx^5 \sqrt{d - c^2 dx^2} - \frac{b^2 d \sqrt{d - c^2 dx^2}}{12c} + \dots \\
&= -\frac{7b^2 dx \sqrt{d - c^2 dx^2}}{1152c^2} - \frac{43b^2 dx^3 \sqrt{d - c^2 dx^2}}{1728} + \frac{1}{108} b^2 c^2 dx^5 \sqrt{d - c^2 dx^2} + \frac{7b^2 d \sqrt{d - c^2 dx^2}}{1152c} + \dots
\end{aligned}$$

**Mathematica [A]** time = 0.312958, size = 297, normalized size = 0.71

$$\frac{d\sqrt{d - c^2 dx^2} \left( 3b \sin^{-1}(cx) \left( 72a^2 - 48abcx\sqrt{1 - c^2 x^2} (8c^4 x^4 - 14c^2 x^2 + 3) + b^2 (64c^6 x^6 - 168c^4 x^4 + 72c^2 x^2 + 7) \right) - 72a^2 b \right)}{1152c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (d\*Sqrt[d - c^2\*d\*x^2]\*(72\*a^3 + 24\*a\*b^2\*c^2\*x^2\*(9 - 21\*c^2\*x^2 + 8\*c^4\*x^4) - 72\*a^2\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(3 - 14\*c^2\*x^2 + 8\*c^4\*x^4) + b^3\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-21 - 86\*c^2\*x^2 + 32\*c^4\*x^4) + 3\*b\*(72\*a^2 - 48\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(3 - 14\*c^2\*x^2 + 8\*c^4\*x^4) + b^2\*(7 + 72\*c^2\*x^2 - 168\*c^4\*x^4 + 64\*c^6\*x^6))\*ArcSin[c\*x] + 72\*b^2\*(3\*a + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-3 + 14\*c^2\*x^2 - 8\*c^4\*x^4))\*ArcSin[c\*x]^2 + 72\*b^3\*ArcSin[c\*x]^3))/(3456\*b\*c^3\*Sqrt[1 - c^2\*x^2])

**Maple [B]** time = 0.48, size = 1075, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2*(-c^2*d*x^2+d)^{(3/2)}*(a+b*\arcsin(c*x))^2,x)$

[Out] 
$$\begin{aligned} & -1/18*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d*c^3/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*x^6-1/16*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d/c/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^2+7/48*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d*c/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*x^4-1/16*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/c/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*x^2-1/18*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d*c^3/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^6+7/48*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d*c/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^4+1/8*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d/c^2/(c^2*x^2-1)*\arcsin(c*x)*x-1/16*a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^3/(c^2*x^2-1)*\arcsin(c*x)^2*d-1/3*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d*c^4/(c^2*x^2-1)*\arcsin(c*x)*x^7+11/12*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d*c^2/(c^2*x^2-1)*\arcsin(c*x)*x^5-17/24*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(c^2*x^2-1)*\arcsin(c*x)*x^3-7/1152*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d/c^3/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}-1/48*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^3/(c^2*x^2-1)*\arcsin(c*x)^3*d-1/6*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d*c^4/(c^2*x^2-1)*\arcsin(c*x)^2*x^7+11/24*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d*c^2/(c^2*x^2-1)*\arcsin(c*x)^2*x^5+1/16*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/c^2/(c^2*x^2-1)*\arcsin(c*x)^2*x-7/1152*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/c^3/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}-17/48*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/(c^2*x^2-1)*\arcsin(c*x)^2*x^3+1/108*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d*c^4/(c^2*x^2-1)*x^7-59/1728*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d*c^2/(c^2*x^2-1)*x^5+7/1152*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/c^2/(c^2*x^2-1)*x-1/6*a^2*x*(-c^2*d*x^2+d)^{(5/2)}/c^2/d+1/24*a^2/c^2*x*(-c^2*d*x^2+d)^{(3/2)}+1/16*a^2/c^2*d*x*(-c^2*d*x^2+d)^{(1/2)}+1/16*a^2/c^2*d^2/(c^2*d)^{(1/2)}*\arctan((c^2*d)^{(1/2)}*x/(-c^2*d*x^2+d)^{(1/2)})+65/3456*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/(c^2*x^2-1)*x^3 \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^2*(-c^2*d*x^2+d)^{(3/2)}*(a+b*\arcsin(c*x))^2,x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral $\left(-\left(a^2c^2dx^4 - a^2dx^2 + \left(b^2c^2dx^4 - b^2dx^2\right)\arcsin(cx)\right)^2 + 2\left(abc^2dx^4 - abdx^2\right)\arcsin(cx)\right)\sqrt{-c^2dx^2 + d}, x$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(-(a^2\*c^2\*d\*x^4 - a^2\*d\*x^2 + (b^2\*c^2\*d\*x^4 - b^2\*d\*x^2)\*arcsin(c\*x))^2 + 2\*(a\*b\*c^2\*d\*x^4 - a\*b\*d\*x^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2dx^2 + d)^{\frac{3}{2}}(b \arcsin(cx) + a)^2x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^2\*x^2, x)

$$3.220 \quad \int x \left( d - c^2 dx^2 \right)^{3/2} \left( a + b \sin^{-1}(cx) \right)^2 dx$$

**Optimal.** Leaf size=279

$$\frac{2bc^3 dx^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{25\sqrt{1 - c^2 x^2}} - \frac{4bcdx^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15\sqrt{1 - c^2 x^2}} + \frac{2bdx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{5c\sqrt{1 - c^2 x^2}} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{5c^2 d}$$

[Out] (16\*b^2\*d\*Sqrt[d - c^2\*d\*x^2])/(75\*c^2) + (8\*b^2\*d\*(1 - c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])/(225\*c^2) + (2\*b^2\*d\*(1 - c^2\*x^2)^2\*Sqrt[d - c^2\*d\*x^2])/(125\*c^2) + (2\*b\*d\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(5\*c\*Sqrt[1 - c^2\*x^2]) - (4\*b\*c\*d\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(15\*Sqrt[1 - c^2\*x^2]) + (2\*b\*c^3\*d\*x^5\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(25\*Sqrt[1 - c^2\*x^2]) - ((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(5\*c^2\*d)

**Rubi [A]** time = 0.228064, antiderivative size = 279, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4677, 194, 4645, 12, 1247, 698}

$$\frac{2bc^3 dx^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{25\sqrt{1 - c^2 x^2}} - \frac{4bcdx^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15\sqrt{1 - c^2 x^2}} + \frac{2bdx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{5c\sqrt{1 - c^2 x^2}} - \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{5c^2 d}$$

Antiderivative was successfully verified.

[In] Int[x\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (16\*b^2\*d\*Sqrt[d - c^2\*d\*x^2])/(75\*c^2) + (8\*b^2\*d\*(1 - c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])/(225\*c^2) + (2\*b^2\*d\*(1 - c^2\*x^2)^2\*Sqrt[d - c^2\*d\*x^2])/(125\*c^2) + (2\*b\*d\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(5\*c\*Sqrt[1 - c^2\*x^2]) - (4\*b\*c\*d\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(15\*Sqrt[1 - c^2\*x^2]) + (2\*b\*c^3\*d\*x^5\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(25\*Sqrt[1 - c^2\*x^2]) - ((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(5\*c^2\*d)

#### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 194

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4645

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1247

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

Rule 698

```
Int[((d_.) + (e_.)*(x_)^m)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))
```

Rubi steps

$$\begin{aligned}
\int x(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx &= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2}{5c^2 d} + \frac{(2bd\sqrt{d - c^2 dx^2}) \int (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))^2 dx}{5c\sqrt{1 - c^2 x^2}} \\
&= \frac{2bdx\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{5c\sqrt{1 - c^2 x^2}} - \frac{4bcdx^3\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15\sqrt{1 - c^2 x^2}} + \frac{2b^2 d x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{125\sqrt{1 - c^2 x^2}} \\
&= \frac{2bdx\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{5c\sqrt{1 - c^2 x^2}} - \frac{4bcdx^3\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15\sqrt{1 - c^2 x^2}} + \frac{2b^2 d x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{125\sqrt{1 - c^2 x^2}} \\
&= \frac{2bdx\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{5c\sqrt{1 - c^2 x^2}} - \frac{4bcdx^3\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15\sqrt{1 - c^2 x^2}} + \frac{2b^2 d x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{125\sqrt{1 - c^2 x^2}} \\
&= \frac{2bdx\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{5c\sqrt{1 - c^2 x^2}} - \frac{4bcdx^3\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15\sqrt{1 - c^2 x^2}} + \frac{2b^2 d x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{125\sqrt{1 - c^2 x^2}} \\
&= \frac{16b^2 d \sqrt{d - c^2 dx^2}}{75c^2} + \frac{8b^2 d (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{225c^2} + \frac{2b^2 d (1 - c^2 x^2)^2 \sqrt{d - c^2 dx^2}}{125c^2}
\end{aligned}$$

**Mathematica [A]** time = 0.179759, size = 159, normalized size = 0.57

$$\frac{2bd\sqrt{d - c^2 dx^2} \left( 15acx(3c^4 x^4 - 10c^2 x^2 + 15) + b\sqrt{1 - c^2 x^2}(9c^4 x^4 - 38c^2 x^2 + 149) + 15bcx(3c^4 x^4 - 10c^2 x^2 + 15) \sin^{-1}(cx) \right)}{1125c^2 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] -((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(5\*c^2\*d) + (2\*b\*d\*Sqrt[d - c^2\*d\*x^2]\*(15\*a\*c\*x\*(15 - 10\*c^2\*x^2 + 3\*c^4\*x^4) + b\*Sqrt[1 - c^2\*x^2]\*(149 - 38\*c^2\*x^2 + 9\*c^4\*x^4) + 15\*b\*c\*x\*(15 - 10\*c^2\*x^2 + 3\*c^4\*x^4)\*ArcSin[c\*x]))/(1125\*c^2\*Sqrt[1 - c^2\*x^2])

**Maple [C]** time = 0.306, size = 1224, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x))^2,x)`

[Out] 
$$-1/5*a^2/c^2/d*(-c^2*d*x^2+d)^{(5/2)}+b^2*(-1/4000*(-d*(c^2*x^2-1))^{(1/2)}*(16*c^6*x^6-28*c^4*x^4-16*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5+13*c^2*x^2+20*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3-5*I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(10*I*arcsin(c*x)+25*arcsin(c*x)^2-2)*d/c^2/(c^2*x^2-1)+1/288*(-d*(c^2*x^2-1))^{(1/2)}*(4*c^4*x^4-5*c^2*x^2-4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+3*I*(-c^2*x^2+1)^{(1/2)}*x*c+1)*(6*I*arcsin(c*x)+9*arcsin(c*x)^2-2)*d/c^2/(c^2*x^2-1)-1/16*(-d*(c^2*x^2-1))^{(1/2)}*(c^2*x^2-I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(arcsin(c*x)^2-2+2*I*arcsin(c*x))*d/c^2/(c^2*x^2-1)-1/16*(-d*(c^2*x^2-1))^{(1/2)}*(I*(-c^2*x^2+1)^{(1/2)}*x*c+c^2*x^2-1)*(arcsin(c*x)^2-2-2*I*arcsin(c*x))*d/c^2/(c^2*x^2-1)+1/288*(-d*(c^2*x^2-1))^{(1/2)}*(4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+4*c^4*x^4-3*I*(-c^2*x^2+1)^{(1/2)}*x*c-5*c^2*x^2+1)*(-6*I*arcsin(c*x)+9*arcsin(c*x)^2-2)*d/c^2/(c^2*x^2-1)-1/4000*(-d*(c^2*x^2-1))^{(1/2)}*(16*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5+16*c^6*x^6-20*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3-28*c^4*x^4+5*I*(-c^2*x^2+1)^{(1/2)}*x*c+13*c^2*x^2-1)*(-10*I*arcsin(c*x)+25*arcsin(c*x)^2-2)*d/c^2/(c^2*x^2-1)+2*a*b*(-1/800*(-d*(c^2*x^2-1))^{(1/2)}*(16*c^6*x^6-28*c^4*x^4-16*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5+13*c^2*x^2+20*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3-5*I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(I+5*arcsin(c*x))*d/c^2/(c^2*x^2-1)+1/96*(-d*(c^2*x^2-1))^{(1/2)}*(4*c^4*x^4-5*c^2*x^2-4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+3*I*(-c^2*x^2+1)^{(1/2)}*x*c+1)*(I+3*arcsin(c*x))*d/c^2/(c^2*x^2-1)-1/16*(-d*(c^2*x^2-1))^{(1/2)}*(c^2*x^2-I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(arcsin(c*x)+I)*d/c^2/(c^2*x^2-1)-1/16*(-d*(c^2*x^2-1))^{(1/2)}*(I*(-c^2*x^2+1)^{(1/2)}*x*c+c^2*x^2-1)*(arcsin(c*x)-I)*d/c^2/(c^2*x^2-1)+1/96*(-d*(c^2*x^2-1))^{(1/2)}*(4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+4*c^4*x^4-3*I*(-c^2*x^2+1)^{(1/2)}*x*c-5*c^2*x^2+1)*(-I+3*arcsin(c*x))*d/c^2/(c^2*x^2-1)-1/800*(-d*(c^2*x^2-1))^{(1/2)}*(16*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5+16*c^6*x^6-20*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3-28*c^4*x^4+5*I*(-c^2*x^2+1)^{(1/2)}*x*c+13*c^2*x^2-1)*(-I+5*arcsin(c*x))*d/c^2/(c^2*x^2-1))$$

**Maxima [A]** time = 1.67837, size = 319, normalized size = 1.14

$$-\frac{(-c^2dx^2+d)^{\frac{5}{2}}b^2\arcsin(cx)^2}{5c^2d} + \frac{2}{1125}b^2\left(\frac{9\sqrt{-c^2x^2+1}c^2d^{\frac{5}{2}}x^4-38\sqrt{-c^2x^2+1}d^{\frac{5}{2}}x^2+\frac{149\sqrt{-c^2x^2+1}d^{\frac{5}{2}}}{c^2}}{d} + \frac{15(3c^4d^{\frac{5}{2}}x^5-1)}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] 
$$-1/5*(-c^2*d*x^2+d)^{(5/2)}*b^2*arcsin(c*x)^2/(c^2*d)+2/1125*b^2*((9*sqrt(-c^2*x^2+1)*c^2*d^{(5/2)}*x^4-38*sqrt(-c^2*x^2+1)*d^{(5/2)}*x^2+149*sq$$



$$\text{rt}(-c^2x^2 + 1)d^{(5/2)}/c^2/d + 15*(3c^4d^{(5/2)}x^5 - 10c^2d^{(5/2)}x^3 + 15d^{(5/2)}x)*\arcsin(cx)/(c*d) - 2/5*(-c^2d*x^2 + d)^{(5/2)}*a*b*\arcsin(cx)/(c^2*d) - 1/5*(-c^2d*x^2 + d)^{(5/2)}*a^2/(c^2*d) + 2/75*(3c^4d^{(5/2)}x^5 - 10c^2d^{(5/2)}x^3 + 15d^{(5/2)}x)*a*b/(c*d)$$

**Fricas [A]** time = 2.95549, size = 657, normalized size = 2.35

$$30(3abc^5dx^5 - 10abc^3dx^3 + 15abcdx + (3b^2c^5dx^5 - 10b^2c^3dx^3 + 15b^2cdx)\arcsin(cx))\sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1} + (\dots)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] 
$$-1/1125*(30*(3*a*b*c^5*d*x^5 - 10*a*b*c^3*d*x^3 + 15*a*b*c*d*x + (3*b^2*c^5*d*x^5 - 10*b^2*c^3*d*x^3 + 15*b^2*c*d*x)*\arcsin(c*x))*\sqrt{-c^2*d*x^2 + d}*\sqrt{-c^2*x^2 + 1} + (9*(25*a^2 - 2*b^2)*c^6*d*x^6 - (675*a^2 - 94*b^2)*c^4*d*x^4 + (675*a^2 - 374*b^2)*c^2*d*x^2 + 225*(b^2*c^6*d*x^6 - 3*b^2*c^4*d*x^4 + 3*b^2*c^2*d*x^2 - b^2*d)*\arcsin(c*x)^2 - (225*a^2 - 298*b^2)*d + 450*(a*b*c^6*d*x^6 - 3*a*b*c^4*d*x^4 + 3*a*b*c^2*d*x^2 - a*b*d)*\arcsin(c*x))*\sqrt{-c^2*d*x^2 + d})/(c^4*x^2 - c^2)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2dx^2 + d)^{\frac{3}{2}}(b \arcsin(cx) + a)^2x dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(3/2)*(b*arcsin(c*x) + a)^2*x, x)
```

### 3.221 $\int (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx$

**Optimal.** Leaf size=305

$$\frac{bc^3 dx^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8\sqrt{1 - c^2 x^2}} - \frac{5bcdx^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8\sqrt{1 - c^2 x^2}} + \frac{1}{4} x (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 + \frac{3}{8} dx$$

[Out]  $(-17*b^2*d*x*\text{Sqrt}[d - c^2*d*x^2])/64 + (b^2*c^2*d*x^3*\text{Sqrt}[d - c^2*d*x^2])/32 + (17*b^2*d*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcSin}[c*x])/(64*c*\text{Sqrt}[1 - c^2*x^2]) - (5*b*c*d*x^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(8*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*d*x^4*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(8*\text{Sqrt}[1 - c^2*x^2]) + (3*d*x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/8 + (x*(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x])^2)/4 + (d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^3)/(8*b*c*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.239648, antiderivative size = 307, normalized size of antiderivative = 1.01, number of steps used = 10, number of rules used = 8, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {4649, 4647, 4641, 4627, 321, 216, 4677, 195}

$$\frac{d\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^3}{8bc\sqrt{1 - c^2 x^2}} + \frac{1}{4} x (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 + \frac{3}{8} dx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 + \frac{bd(1 - c^2 x^2)}{8}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x])^2, x]$

[Out]  $(-15*b^2*d*x*\text{Sqrt}[d - c^2*d*x^2])/64 - (b^2*d*x*(1 - c^2*x^2)*\text{Sqrt}[d - c^2*d*x^2])/32 + (9*b^2*d*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcSin}[c*x])/(64*c*\text{Sqrt}[1 - c^2*x^2]) - (3*b*c*d*x^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(8*\text{Sqrt}[1 - c^2*x^2]) + (b*d*(1 - c^2*x^2)^(3/2)*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(8*c) + (3*d*x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/8 + (x*(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x])^2)/4 + (d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^3)/(8*b*c*\text{Sqrt}[1 - c^2*x^2])$

#### Rule 4649

$\text{Int}[(a_. + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x\_Symbol] \rightarrow \text{Simp}[(x*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n)/(2*p + 1), x] + \text{Dist}[(2*d*p)/(2*p + 1), \text{Int}[(d + e*x^2)^(p - 1)*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}]/((2*p + 1)*(1 - c^2*x^2)), \text{Int}[(d + e*x^2)^(p - 1)*(a + b*\text{ArcSin}[c*x])^n, x], x]$

$\wedge 2)^{\text{FracPart}[p]}$ ), Int[x\*(1 - c<sup>2</sup>\*x<sup>2</sup>)<sup>(p - 1/2)</sup>\*(a + b\*ArcSin[c\*x])<sup>(n - 1)</sup>, x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c<sup>2</sup>\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0]

### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))<sup>(n\_.)</sup>\*Sqrt[(d\_) + (e\_.)\*(x\_)<sup>2</sup>], x\_Symbol] := Simp[(x\*Sqrt[d + e\*x<sup>2</sup>]\*(a + b\*ArcSin[c\*x])<sup>n</sup>)/2, x] + (Dist[Sqrt[d + e\*x<sup>2</sup>]/(2\*Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>]), Int[(a + b\*ArcSin[c\*x])<sup>n</sup>/Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x<sup>2</sup>])/(2\*Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>]), Int[x\*(a + b\*ArcSin[c\*x])<sup>(n - 1)</sup>, x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c<sup>2</sup>\*d + e, 0] && GtQ[n, 0]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))<sup>(n\_.)</sup>/Sqrt[(d\_) + (e\_.)\*(x\_)<sup>2</sup>], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])<sup>(n + 1)</sup>/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c<sup>2</sup>\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))<sup>(n\_.)</sup>\*((d\_.)\*(x\_)<sup>(m\_.)</sup>), x\_Symbol] := Simp[((d\*x)<sup>(m + 1)</sup>\*(a + b\*ArcSin[c\*x])<sup>n</sup>/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)<sup>(m + 1)</sup>\*(a + b\*ArcSin[c\*x])<sup>(n - 1)</sup>/Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 321

Int[((c\_.)\*(x\_)<sup>(m\_.)</sup>\*((a\_) + (b\_.)\*(x\_)<sup>(n\_.)</sup>)<sup>(p\_.)</sup>, x\_Symbol] := Simp[(c<sup>(n - 1)</sup>\*(c\*x)<sup>(m - n + 1)</sup>\*(a + b\*x<sup>n</sup>)<sup>(p + 1)</sup>/(b\*(m + n\*p + 1)), x] - Dist[(a\*c<sup>n</sup>\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)<sup>(m - n)</sup>\*(a + b\*x<sup>n</sup>)<sup>p</sup>, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)<sup>2</sup>], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))<sup>(n\_.)</sup>\*(x\_)\*((d\_) + (e\_.)\*(x\_)<sup>2</sup>)<sup>(p\_.)</sup>, x\_Symbol] := Simp[(d + e\*x<sup>2</sup>)<sup>(p + 1)</sup>\*(a + b\*ArcSin[c\*x])<sup>n</sup>/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d\*IntPart[p]\*(d + e\*x<sup>2</sup>)<sup>FracPart[p]</sup>)/(2\*c\*(p + 1)\*(1 - c<sup>2</sup>\*x<sup>2</sup>)<sup>FracPart[p]</sup>), Int[(1 - c<sup>2</sup>\*x<sup>2</sup>)<sup>(p + 1/2)</sup>\*(a + b\*ArcSin[c\*x])<sup>n</sup>

- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 195

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rubi steps

$$\begin{aligned}
 \int (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{4} x (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 + \frac{1}{4} (3d) \int \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 dx \\
 &= \frac{bd(1 - c^2 x^2)^{3/2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8c} + \frac{3}{8} dx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) \\
 &= -\frac{1}{32} b^2 dx (1 - c^2 x^2) \sqrt{d - c^2 dx^2} - \frac{3bcdx^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8\sqrt{1 - c^2 x^2}} + \frac{bd(1 - c^2 x^2)^{3/2} \sqrt{d - c^2 dx^2}}{8c} \\
 &= -\frac{15}{64} b^2 dx \sqrt{d - c^2 dx^2} - \frac{1}{32} b^2 dx (1 - c^2 x^2) \sqrt{d - c^2 dx^2} - \frac{3bcdx^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8\sqrt{1 - c^2 x^2}} \\
 &= -\frac{15}{64} b^2 dx \sqrt{d - c^2 dx^2} - \frac{1}{32} b^2 dx (1 - c^2 x^2) \sqrt{d - c^2 dx^2} + \frac{9b^2 d \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{64c\sqrt{1 - c^2 x^2}}
 \end{aligned}$$

**Mathematica [A]** time = 1.11664, size = 329, normalized size = 1.08

$$d\sqrt{d - c^2 dx^2} \left( -64a^2 c^3 x^3 \sqrt{1 - c^2 x^2} + 160a^2 cx \sqrt{1 - c^2 x^2} + 64ab \cos(2 \sin^{-1}(cx)) + 4ab \cos(4 \sin^{-1}(cx)) - 32b^2 \sin(2 \sin^{-1}(cx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (32\*b^2\*d\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x]^3 - 96\*a^2\*d^(3/2)\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d - c^2\*d\*x^2])/(Sqrt[d]\*(-1 + c^2\*x^2))] + 8\*b\*d\*Sqrt

$$\begin{aligned} & [d - c^2 d x^2] \text{ArcSin}[c x]^2 (12 a + 8 b \text{Sin}[2 \text{ArcSin}[c x]] + b \text{Sin}[4 \text{ArcSin}[c x]]) \\ & + d \text{Sqrt}[d - c^2 d x^2] (160 a^2 c x \text{Sqrt}[1 - c^2 x^2] - 64 a^2 c^3 x^3 \text{Sqrt}[1 - c^2 x^2] \\ & + 64 a b \text{Cos}[2 \text{ArcSin}[c x]] + 4 a b \text{Cos}[4 \text{ArcSin}[c x]] - 32 b^2 \text{Sin}[2 \text{ArcSin}[c x]] \\ & - b^2 \text{Sin}[4 \text{ArcSin}[c x]]) + 4 b d \text{Sqrt}[d - c^2 d x^2] \text{ArcSin}[c x] \\ & (16 b \text{Cos}[2 \text{ArcSin}[c x]] + b \text{Cos}[4 \text{ArcSin}[c x]] + 4 a (8 \text{Sin}[2 \text{ArcSin}[c x]] \\ & + \text{Sin}[4 \text{ArcSin}[c x]])) / (256 c \text{Sqrt}[1 - c^2 x^2]) \end{aligned}$$

**Maple [B]** time = 0.243, size = 820, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((-c^2 d x^2 + d)^{(3/2)} (a + b \arcsin(c x))^2, x)$

[Out]  $\frac{1}{4} x (-c^2 d x^2 + d)^{(3/2)} a^2 + \frac{3}{8} a^2 d x (-c^2 d x^2 + d)^{(1/2)} + \frac{3}{8} a^2 d^2 / (c^2 d)^{(1/2)} \arctan((c^2 d)^{(1/2)} x / (-c^2 d x^2 + d)^{(1/2)}) - \frac{17}{64} b^2 (-d (c^2 x^2 - 1))^{(1/2)} d / c / (c^2 x^2 - 1) \arcsin(c x) (-c^2 x^2 + 1)^{(1/2)} - \frac{1}{8} b^2 (-d (c^2 x^2 - 1))^{(1/2)} d c^3 / (c^2 x^2 - 1) \arcsin(c x) (-c^2 x^2 + 1)^{(1/2)} x^4 + \frac{5}{8} b^2 (-d (c^2 x^2 - 1))^{(1/2)} d c / (c^2 x^2 - 1) \arcsin(c x) (-c^2 x^2 + 1)^{(1/2)} x^2 - \frac{1}{8} b^2 (-d (c^2 x^2 - 1))^{(1/2)} (-c^2 x^2 + 1)^{(1/2)} / (c^2 x^2 - 1) \arcsin(c x)^3 d + \frac{1}{32} b^2 (-d (c^2 x^2 - 1))^{(1/2)} d c^4 / (c^2 x^2 - 1) x^5 - \frac{19}{64} b^2 (-d (c^2 x^2 - 1))^{(1/2)} d c^2 / (c^2 x^2 - 1) x^3 + \frac{17}{64} b^2 (-d (c^2 x^2 - 1))^{(1/2)} d / (c^2 x^2 - 1) x - \frac{1}{4} b^2 (-d (c^2 x^2 - 1))^{(1/2)} d c^4 / (c^2 x^2 - 1) \arcsin(c x)^2 x^5 + \frac{7}{8} b^2 (-d (c^2 x^2 - 1))^{(1/2)} d c^2 / (c^2 x^2 - 1) \arcsin(c x)^2 x^3 - \frac{5}{8} b^2 (-d (c^2 x^2 - 1))^{(1/2)} d / (c^2 x^2 - 1) \arcsin(c x)^2 x - \frac{1}{8} a b (-d (c^2 x^2 - 1))^{(1/2)} d c^3 / (c^2 x^2 - 1) (-c^2 x^2 + 1)^{(1/2)} x^4 + \frac{5}{8} a b (-d (c^2 x^2 - 1))^{(1/2)} d c / (c^2 x^2 - 1) (-c^2 x^2 + 1)^{(1/2)} x^2 - \frac{1}{2} a b (-d (c^2 x^2 - 1))^{(1/2)} d c^4 / (c^2 x^2 - 1) \arcsin(c x) x^5 + \frac{7}{4} a b (-d (c^2 x^2 - 1))^{(1/2)} d c^2 / (c^2 x^2 - 1) \arcsin(c x) x^3 - \frac{17}{64} a b (-d (c^2 x^2 - 1))^{(1/2)} d / c / (c^2 x^2 - 1) (-c^2 x^2 + 1)^{(1/2)} - \frac{5}{4} a b (-d (c^2 x^2 - 1))^{(1/2)} d / (c^2 x^2 - 1) \arcsin(c x) x^3 - \frac{3}{8} a b (-d (c^2 x^2 - 1))^{(1/2)} (-c^2 x^2 + 1)^{(1/2)} / c / (c^2 x^2 - 1) \arcsin(c x)^2 d$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral(- (a^2\*c^2\*d\*x^2 - a^2\*d + (b^2\*c^2\*d\*x^2 - b^2\*d) arcsin(cx))^2 + 2(abc^2\*d\*x^2 - abd) arcsin(cx) sqrt(-c^2\*d\*x^2 + d), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(- (a^2\*c^2\*d\*x^2 - a^2\*d + (b^2\*c^2\*d\*x^2 - b^2\*d) arcsin(c\*x))^2 + 2\*(a\*b\*c^2\*d\*x^2 - a\*b\*d) arcsin(c\*x) \* sqrt(-c^2\*d\*x^2 + d), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (-d(cx-1)(cx+1))^{\frac{3}{2}} (a+b\operatorname{asin}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral((-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2)\*(a + b\*asin(c\*x))\*\*2, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2*d*x^2 + d)^{\frac{3}{2}} (b \operatorname{arcsin}(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^2, x)

$$3.222 \quad \int \frac{(d-c^2dx^2)^{3/2}(a+b\sin^{-1}(cx))^2}{x} dx$$

**Optimal.** Leaf size=545

$$\frac{2ibd\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} - \frac{2ibd\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} - 2$$

[Out] (-22\*b^2\*d\*Sqrt[d - c^2\*d\*x^2])/9 - (2\*a\*b\*c\*d\*x\*Sqrt[d - c^2\*d\*x^2])/Sqrt[1 - c^2\*x^2] - (2\*b^2\*d\*(1 - c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])/27 - (2\*b^2\*c\*d\*x\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/Sqrt[1 - c^2\*x^2] - (2\*b\*c\*d\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(3\*Sqrt[1 - c^2\*x^2]) + (2\*b\*c^3\*d\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(9\*Sqrt[1 - c^2\*x^2]) + d\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2 + ((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/3 - (2\*d\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2\*ArcTanh[E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] + ((2\*I)\*b\*d\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] - ((2\*I)\*b\*d\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] - (2\*b^2\*d\*Sqrt[d - c^2\*d\*x^2]\*PolyLog[3, -E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] + (2\*b^2\*d\*Sqrt[d - c^2\*d\*x^2]\*PolyLog[3, E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2]

**Rubi [A]** time = 0.603579, antiderivative size = 545, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 12, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.414$ , Rules used = {4699, 4697, 4709, 4183, 2531, 2282, 6589, 4619, 261, 4645, 444, 43}

$$\frac{2ibd\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} - \frac{2ibd\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} - 2$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/x, x]

[Out] (-22\*b^2\*d\*Sqrt[d - c^2\*d\*x^2])/9 - (2\*a\*b\*c\*d\*x\*Sqrt[d - c^2\*d\*x^2])/Sqrt[1 - c^2\*x^2] - (2\*b^2\*d\*(1 - c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])/27 - (2\*b^2\*c\*d\*x\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/Sqrt[1 - c^2\*x^2] - (2\*b\*c\*d\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(3\*Sqrt[1 - c^2\*x^2]) + (2\*b\*c^3\*d\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(9\*Sqrt[1 - c^2\*x^2]) + d\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2 + ((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/3 - (2\*d\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2\*ArcTanh[E^(I\*ArcSin[c



```
*x]]))/Sqrt[1 - c^2*x^2] + ((2*I)*b*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x
])*PolyLog[2, -E^(I*ArcSin[c*x])))/Sqrt[1 - c^2*x^2] - ((2*I)*b*d*Sqrt[d -
c^2*d*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, E^(I*ArcSin[c*x])))/Sqrt[1 - c^2*
x^2] - (2*b^2*d*Sqrt[d - c^2*d*x^2]*PolyLog[3, -E^(I*ArcSin[c*x])))/Sqrt[1
- c^2*x^2] + (2*b^2*d*Sqrt[d - c^2*d*x^2]*PolyLog[3, E^(I*ArcSin[c*x])))/Sq
rt[1 - c^2*x^2]
```

### Rule 4699

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] :> Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p]]/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

### Rule 4697

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_)*Sqrt[(d_) +
(e_.)*(x_)^2], x_Symbol] :> Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[((f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

### Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] :> Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :> Simp[(-
2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)
^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*Arc
cSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 -
c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

### Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

### Rule 4645

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbo
l] := With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] -
Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[
{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

### Rule 444

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.
), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x
] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n +
```

1, 0]

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{x} dx &= \frac{1}{3} (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 + d \int \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{x} dx - \\
&= -\frac{2bcdx\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3\sqrt{1 - c^2 x^2}} + \frac{2bc^3 dx^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{9\sqrt{1 - c^2 x^2}} + \\
&= -\frac{2abcdx\sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{2bcdx\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3\sqrt{1 - c^2 x^2}} + \frac{2bc^3 dx^3 \sqrt{d - c^2 dx^2}}{9\sqrt{1 - c^2 x^2}} + \\
&= -\frac{2abcdx\sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{2b^2 cdx\sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} - \frac{2bcdx\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3\sqrt{1 - c^2 x^2}} + \\
&= -\frac{22}{9} b^2 d \sqrt{d - c^2 dx^2} - \frac{2abcdx\sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{2}{27} b^2 d (1 - c^2 x^2) \sqrt{d - c^2 dx^2} - \frac{2b^2}{9} \\
&= -\frac{22}{9} b^2 d \sqrt{d - c^2 dx^2} - \frac{2abcdx\sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{2}{27} b^2 d (1 - c^2 x^2) \sqrt{d - c^2 dx^2} - \frac{2b^2}{9} \\
&= -\frac{22}{9} b^2 d \sqrt{d - c^2 dx^2} - \frac{2abcdx\sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{2}{27} b^2 d (1 - c^2 x^2) \sqrt{d - c^2 dx^2} - \frac{2b^2}{9}
\end{aligned}$$

**Mathematica [A]** time = 2.48199, size = 576, normalized size = 1.06

$$\frac{2abd\sqrt{d - c^2 dx^2} \left( i \operatorname{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) - i \operatorname{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) + \sqrt{1 - c^2 x^2} \sin^{-1}(cx) - cx + \sin^{-1}(cx) \log \left( 1 - e^{i \sin^{-1}(cx)} \right) \right)}{\sqrt{1 - c^2 x^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/x,x]

[Out]  $-(a^2*d*(-4 + c^2*x^2)*\sqrt{d - c^2*d*x^2})/3 + a^2*d^{3/2}*\log[c*x] - a^2*d^{3/2}*\log[d + \sqrt{d}*\sqrt{d - c^2*d*x^2}] + (2*a*b*d*\sqrt{d - c^2*d*x^2}*(-(c*x) + \sqrt{1 - c^2*x^2}*\text{ArcSin}[c*x] + \text{ArcSin}[c*x]*\log[1 - E^{(I*\text{ArcSin}[c*x])}] - \text{ArcSin}[c*x]*\log[1 + E^{(I*\text{ArcSin}[c*x])}] + I*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}] - I*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}])))/\sqrt{1 - c^2*x^2} - (b^2*d*\sqrt{d - c^2*d*x^2}*(2*\sqrt{1 - c^2*x^2} + 2*c*x*\text{ArcSin}[c*x] - \sqrt{1 - c^2*x^2})*\text{ArcSin}[c*x]^2 - \text{ArcSin}[c*x]^2*(\log[1 - E^{(I*\text{ArcSin}[c*x])}] - \log[1 + E^{(I*\text{ArcSin}[c*x])}])) - (2*I)*\text{ArcSin}[c*x]*(\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}] - \text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}]) + 2*(\text{PolyLog}[3, -E^{(I*\text{ArcSin}[c*x])}] - \text{PolyLog}[3, E^{(I*\text{ArcSin}[c*x])}])))/\sqrt{1 - c^2*x^2} - (a*b*d*\sqrt{d - c^2*d*x^2}*(9*c*x - 3*\text{ArcSin}[c*x]*(3*\sqrt{1 - c^2*x^2} + \cos[3*\text{ArcSin}[c*x]]) + \sin[3*\text{ArcSin}[c*x]]))/ (18*\sqrt{1 - c^2*x^2}) + (b^2*d*\sqrt{d - c^2*d*x^2}*(27*\sqrt{1 - c^2*x^2}*(-2 + \text{ArcSin}[c*x]^2) + (-2 + 9*\text{ArcSin}[c*x]^2)*\cos[3*\text{ArcSin}[c*x]] - 6*\text{ArcSin}[c*x]*(9*c*x + \sin[3*\text{ArcSin}[c*x]])))/ (108*\sqrt{1 - c^2*x^2})$

**Maple [B]** time = 0.322, size = 1276, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/x,x)

[Out]  $b^2*(-d*(c^2*x^2-1))^{1/2}*(-c^2*x^2+1)^{1/2}/(c^2*x^2-1)*d*\arcsin(c*x)^2*\ln(1+I*c*x+(-c^2*x^2+1)^{1/2})-b^2*(-d*(c^2*x^2-1))^{1/2}*(-c^2*x^2+1)^{1/2}/(c^2*x^2-1)*d*\arcsin(c*x)^2*\ln(1-I*c*x-(-c^2*x^2+1)^{1/2})-1/3*b^2*(-d*(c^2*x^2-1))^{1/2}*d/(c^2*x^2-1)*\arcsin(c*x)^2*x^4*c^4+5/3*b^2*(-d*(c^2*x^2-1))^{1/2}*d/(c^2*x^2-1)*\arcsin(c*x)^2*x^2*c^2+2*I*a*b*(-d*(c^2*x^2-1))^{1/2}*(-c^2*x^2+1)^{1/2}/(c^2*x^2-1)*d*\text{polylog}(2,I*c*x+(-c^2*x^2+1)^{1/2})-2/9*a*b*(-d*(c^2*x^2-1))^{1/2}*d/(c^2*x^2-1)*(-c^2*x^2+1)^{1/2}*x^3*c^3+8/3*a*b*(-d*(c^2*x^2-1))^{1/2}*d/(c^2*x^2-1)*(-c^2*x^2+1)^{1/2}*x*c-2*I*b^2*(-d*(c^2*x^2-1))^{1/2}*(-c^2*x^2+1)^{1/2}/(c^2*x^2-1)*d*\arcsin(c*x)*\text{polylog}(2,-I*c*x-(-c^2*x^2+1)^{1/2})+2*a*b*(-d*(c^2*x^2-1))^{1/2}*(-c^2*x^2+1)^{1/2}/(c^2*x^2-1)*d*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{1/2})-2*a*b*(-d*(c^2*x^2-1))^{1/2}*(-c^2*x^2+1)^{1/2}/(c^2*x^2-1)*d*\arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{1/2})-2/9*b^2*(-d*(c^2*x^2-1))^{1/2}*d/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{1/2}*x^3*c^3+2*I*b^2*(-d*(c^2*x^2-1))^{1/2}*(-c^2*x^2+1)^{1/2}/(c^2*x^2-1)*d*\arcsin(c*x)*\text{polylog}(2,I*c*x+(-c^2*x^2+1)^{1/2})+8/3*b^2*(-d*(c^2*x^2-1))^{1/2}*d/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{1/2}*x*c-2/3*a*b*(-d*(c^2*x^2-1))^{1/2}*d/(c^2*x^2-1)*\arcsin(c*x)*x^4*c^4+10/3*a*b*(-d*(c^2*x^2-1))^{1/2}*$

$$\begin{aligned} & \frac{1}{2} * d / (c^2 * x^2 - 1) * \arcsin(cx) * x^2 * c^2 - 2 * I * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * (-c^2 * x^2 + 1)^{(1/2)} / (c^2 * x^2 - 1) * d * \text{polylog}(2, -I * c * x - (-c^2 * x^2 + 1)^{(1/2)}) - a^2 * d^{(3/2)} \\ & * \ln((2 * d + 2 * d^{(1/2)} * (-c^2 * d * x^2 + d)^{(1/2)}) / x) + a^2 * (-c^2 * d * x^2 + d)^{(1/2)} * d + 68 / \\ & 27 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} * d / (c^2 * x^2 - 1) + 1 / 3 * (-c^2 * d * x^2 + d)^{(3/2)} * a^2 + 2 / \\ & 27 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} * d / (c^2 * x^2 - 1) * c^4 * x^4 - 70 / 27 * b^2 * (-d * (c^2 * x^2 - \\ & 1))^{(1/2)} * d / (c^2 * x^2 - 1) * c^2 * x^2 + 2 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (-c^2 * x^2 + 1)^{(1/2)} \\ & / (c^2 * x^2 - 1) * d * \text{polylog}(3, -I * c * x - (-c^2 * x^2 + 1)^{(1/2)}) - 2 * b^2 * (-d * (c^2 * x^2 - \\ & 1))^{(1/2)} * (-c^2 * x^2 + 1)^{(1/2)} / (c^2 * x^2 - 1) * d * \text{polylog}(3, I * c * x + (-c^2 * x^2 + 1)^{(1/2)}) \\ & - 8 / 3 * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * d / (c^2 * x^2 - 1) * \arcsin(cx) - 4 / 3 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} * d / (c^2 * x^2 - 1) * \arcsin(cx)^2 \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/x,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{(a^2 c^2 dx^2 - a^2 d + (b^2 c^2 dx^2 - b^2 d) \arcsin(cx))^2 + 2(abc^2 dx^2 - abd) \arcsin(cx) \sqrt{-c^2 dx^2 + d}}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/x,x, algorithm="fricas")

[Out] integral(-(a^2\*c^2\*d\*x^2 - a^2\*d + (b^2\*c^2\*d\*x^2 - b^2\*d)\*arcsin(c\*x))^2 + 2\*(a\*b\*c^2\*d\*x^2 - a\*b\*d)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)/x, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2/x,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/x,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^2/x, x)

$$3.223 \quad \int \frac{(d-c^2 dx^2)^{3/2} (a+b \sin^{-1}(cx))^2}{x^2} dx$$

**Optimal.** Leaf size=424

$$-\frac{ib^2 cd \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)}{\sqrt{1-c^2 x^2}} + \frac{3bc^3 dx^2 \sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx))}{2\sqrt{1-c^2 x^2}} - \frac{3}{2} c^2 dx \sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx))$$

[Out] (b^2\*c^2\*d\*x\*Sqrt[d - c^2\*d\*x^2])/4 - (5\*b^2\*c\*d\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/(4\*Sqrt[1 - c^2\*x^2]) + (3\*b\*c^3\*d\*x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(2\*Sqrt[1 - c^2\*x^2]) + b\*c\*d\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]) - (3\*c^2\*d\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/2 - (I\*c\*d\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/Sqrt[1 - c^2\*x^2] - ((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/x - (c\*d\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(2\*b\*Sqrt[1 - c^2\*x^2]) + (2\*b\*c\*d\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])\*Log[1 - E^((2\*I)\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] - (I\*b^2\*c\*d\*Sqrt[d - c^2\*d\*x^2]\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2]

**Rubi [A]** time = 0.404278, antiderivative size = 424, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 13, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.448$ , Rules used = {4695, 4647, 4641, 4627, 321, 216, 4683, 4625, 3717, 2190, 2279, 2391, 195}

$$-\frac{ib^2 cd \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)}{\sqrt{1-c^2 x^2}} + \frac{3bc^3 dx^2 \sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx))}{2\sqrt{1-c^2 x^2}} - \frac{3}{2} c^2 dx \sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/x^2, x]

[Out] (b^2\*c^2\*d\*x\*Sqrt[d - c^2\*d\*x^2])/4 - (5\*b^2\*c\*d\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/(4\*Sqrt[1 - c^2\*x^2]) + (3\*b\*c^3\*d\*x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(2\*Sqrt[1 - c^2\*x^2]) + b\*c\*d\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]) - (3\*c^2\*d\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/2 - (I\*c\*d\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/Sqrt[1 - c^2\*x^2] - ((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/x - (c\*d\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(2\*b\*Sqrt[1 - c^2\*x^2]) + (2\*b\*c\*d\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])\*Log[1 - E^((2\*I)\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] - (I\*b^2\*c\*d\*Sqrt[d - c^2\*d\*x^2]\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2]

$[1 - c^2x^2]$

### Rule 4695

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 1)), x] + (-Dist[(2\*e\*p)/(f^2\*(m + 1)), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /;

FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0] && LtQ[m, -1]

### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /;

FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /;

FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /;

FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 321

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /;

FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216



Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 4683

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_)]/(x\_), x\_Symbol] := Simp[((d + e\*x^2)^p\*(a + b\*ArcSin[c\*x]))/(2\*p), x] + (Dist[d, Int[((d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x]))/x, x], x] - Dist[(b\*c\*d^p)/(2\*p), Int[(1 - c^2\*x^2)^(p - 1/2), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

### Rule 4625

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)]/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

### Rule 3717

Int[((c\_) + (d\_)\*(x\_))^(m\_)\*tan[(e\_) + Pi\*(k\_) + (f\_)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m \* E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

### Rule 2190

Int[((F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_)]/((a\_) + (b\_)\*((F\_)^((g\_)\*((e\_) + (f\_)\*(x\_))))^(n\_)), x\_Symbol] := Simp[((c + d\*x)^m \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n \* Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n \* Log[F]), Int[(c + d\*x)^(m - 1) \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_)\*((F\_)^((e\_)\*((c\_) + (d\_)\*(x\_))))^(n\_)], x\_Symbol] := Dist[1/(d\*e\*n \* Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p
+ 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; Free
Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] &&
IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n],
Denominator[p]])
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{x^2} dx &= -\frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{x} - (3c^2 d) \int \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 dx \\
&= bcd\sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{3}{2} c^2 dx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 \\
&= -\frac{1}{2} b^2 c^2 dx \sqrt{d - c^2 dx^2} + \frac{3bc^3 dx^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2 x^2}} + bcd\sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} \\
&= \frac{1}{4} b^2 c^2 dx \sqrt{d - c^2 dx^2} - \frac{b^2 cd \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{2\sqrt{1 - c^2 x^2}} + \frac{3bc^3 dx^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2 x^2}} \\
&= \frac{1}{4} b^2 c^2 dx \sqrt{d - c^2 dx^2} - \frac{5b^2 cd \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{4\sqrt{1 - c^2 x^2}} + \frac{3bc^3 dx^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2 x^2}} \\
&= \frac{1}{4} b^2 c^2 dx \sqrt{d - c^2 dx^2} - \frac{5b^2 cd \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{4\sqrt{1 - c^2 x^2}} + \frac{3bc^3 dx^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2 x^2}} \\
&= \frac{1}{4} b^2 c^2 dx \sqrt{d - c^2 dx^2} - \frac{5b^2 cd \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{4\sqrt{1 - c^2 x^2}} + \frac{3bc^3 dx^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 2.41895, size = 396, normalized size = 0.93

$$-8b^2 d \sqrt{d - c^2 dx^2} \left( 3icx \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + \sin^{-1}(cx) \left( 3\sqrt{1 - c^2 x^2} \sin^{-1}(cx) + cx \left( \sin^{-1}(cx) + 3i \right) \sin^{-1}(cx) - 6cx \log \left( \frac{1 + i \sin^{-1}(cx)}{1 - i \sin^{-1}(cx)} \right) \right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x])^2)/x^2,x]
```

```
[Out] (-12*a^2*d*Sqrt[1 - c^2*x^2]*(2 + c^2*x^2)*Sqrt[d - c^2*d*x^2] + 36*a^2*c*d
^(3/2)*x*Sqrt[1 - c^2*x^2]*ArcTan[(c*x*Sqrt[d - c^2*d*x^2])/(Sqrt[d]*(-1 +
```

$$\begin{aligned} & c^2 x^2)) - 24 a b d \sqrt{d - c^2 d x^2} (2 \sqrt{1 - c^2 x^2} \operatorname{ArcSin}[c x] \\ & + c x \operatorname{ArcSin}[c x]^2 - 2 c x \operatorname{Log}[c x]) - 8 b^2 d \sqrt{d - c^2 d x^2} (\operatorname{ArcSin}[c x] \\ & (3 \sqrt{1 - c^2 x^2} \operatorname{ArcSin}[c x] + c x \operatorname{ArcSin}[c x] (3 I + \operatorname{ArcSin}[c x]) \\ & ) - 6 c x \operatorname{Log}[1 - E^{((2 I) \operatorname{ArcSin}[c x])}] + (3 I) c x \operatorname{PolyLog}[2, E^{((2 I) \operatorname{ArcSin}[c x])}] \\ & ) - b^2 c d x \sqrt{d - c^2 d x^2} (4 \operatorname{ArcSin}[c x]^3 + 6 \operatorname{ArcSin}[c x] \\ & * x \operatorname{Cos}[2 \operatorname{ArcSin}[c x]] + (-3 + 6 \operatorname{ArcSin}[c x]^2) \operatorname{Sin}[2 \operatorname{ArcSin}[c x]]) - 6 a b \\ & * c d x \sqrt{d - c^2 d x^2} (\operatorname{Cos}[2 \operatorname{ArcSin}[c x]] + 2 \operatorname{ArcSin}[c x] (\operatorname{ArcSin}[c x] \\ & + \operatorname{Sin}[2 \operatorname{ArcSin}[c x]])) / (24 x \sqrt{1 - c^2 x^2}) \end{aligned}$$

**Maple [B]** time = 0.324, size = 1148, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}((-c^2 d x^2 + d)^{(3/2)} (a + b \operatorname{arcsin}(c x))^2 / x^2, x)$

[Out] 
$$\begin{aligned} & 3/2 a b (-d (c^2 x^2 - 1))^{(1/2)} (-c^2 x^2 + 1)^{(1/2)} / (c^2 x^2 - 1) \operatorname{arcsin}(c x)^2 \\ & * d c - 1/2 a b (-d (c^2 x^2 - 1))^{(1/2)} d c^3 / (c^2 x^2 - 1) (-c^2 x^2 + 1)^{(1/2)} x^2 \\ & - a b (-d (c^2 x^2 - 1))^{(1/2)} d c^4 / (c^2 x^2 - 1) \operatorname{arcsin}(c x) x^3 - a b (-d (c^2 \\ & * x^2 - 1))^{(1/2)} d c^2 / (c^2 x^2 - 1) \operatorname{arcsin}(c x) x^2 + a b (-d (c^2 x^2 - 1))^{(1/2)} \\ & * (-c^2 x^2 + 1)^{(1/2)} / (c^2 x^2 - 1) \ln((I c x + (-c^2 x^2 + 1)^{(1/2)})^2 - 1) d c + 2 I \\ & b^2 (-d (c^2 x^2 - 1))^{(1/2)} d c / (c^2 x^2 - 1) (-c^2 x^2 + 1)^{(1/2)} \operatorname{polylog}(2, I c \\ & * x + (-c^2 x^2 + 1)^{(1/2)}) + 2 I b^2 (-d (c^2 x^2 - 1))^{(1/2)} d c / (c^2 x^2 - 1) (-c^2 \\ & * x^2 + 1)^{(1/2)} \operatorname{polylog}(2, -I c x - (-c^2 x^2 + 1)^{(1/2)}) - 2 b^2 (-d (c^2 x^2 - 1))^{(1/2)} \\ & * d c / (c^2 x^2 - 1) (-c^2 x^2 + 1)^{(1/2)} \operatorname{arcsin}(c x) \ln(1 + I c x + (-c^2 x^2 + 1)^{(1/2)}) \\ & - 2 b^2 (-d (c^2 x^2 - 1))^{(1/2)} d c / (c^2 x^2 - 1) (-c^2 x^2 + 1)^{(1/2)} \operatorname{arcsin}(c x) \\ & \ln(1 - I c x - (-c^2 x^2 + 1)^{(1/2)}) - 1/2 b^2 (-d (c^2 x^2 - 1))^{(1/2)} d c^3 / (c^2 x^2 - 1) \\ & \operatorname{arcsin}(c x) * (-c^2 x^2 + 1)^{(1/2)} x^2 + I b^2 (-d (c^2 x^2 - 1))^{(1/2)} d c / (c^2 x^2 - 1) \\ & \operatorname{arcsin}(c x)^2 * (-c^2 x^2 + 1)^{(1/2)} - 3/2 a^2 c^2 d x (-c^2 d x^2 + d)^{(1/2)} - 3/2 a^2 c^2 d^2 / (c^2 d)^{(1/2)} \\ & \operatorname{arctan}((c^2 d)^{(1/2)} x / (-c^2 d x^2 + d)^{(1/2)}) + 2 I a b (-c^2 x^2 + 1)^{(1/2)} (-d (c^2 x^2 - 1))^{(1/2)} / (c^2 x^2 - 1) \\ & * \operatorname{arcsin}(c x) d c + b^2 (-d (c^2 x^2 - 1))^{(1/2)} \operatorname{arcsin}(c x)^2 d / (c^2 x^2 - 1) / x + 1/4 \\ & b^2 (-d (c^2 x^2 - 1))^{(1/2)} d c^4 / (c^2 x^2 - 1) x^3 - 1/4 b^2 (-d (c^2 x^2 - 1))^{(1/2)} d c^2 / (c^2 x^2 - 1) \\ & x - a^2 c^2 x x (-c^2 d x^2 + d)^{(3/2)} - a^2 d / d x (-c^2 d x^2 + d)^{(5/2)} + 1/2 b^2 (-d (c^2 x^2 - 1))^{(1/2)} \\ & * (-c^2 x^2 + 1)^{(1/2)} / (c^2 x^2 - 1) \operatorname{arcsin}(c x)^3 d c + 1/4 b^2 (-d (c^2 x^2 - 1))^{(1/2)} d c / (c^2 x^2 - 1) \\ & \operatorname{arcsin}(c x) * (-c^2 x^2 + 1)^{(1/2)} - 1/2 b^2 (-d (c^2 x^2 - 1))^{(1/2)} d c^4 / (c^2 x^2 - 1) \operatorname{arcsin}(c x)^2 \\ & x^3 - 1/2 b^2 (-d (c^2 x^2 - 1))^{(1/2)} d c^2 / (c^2 x^2 - 1) \operatorname{arcsin}(c x)^2 * x + 1/4 a b (-d (c^2 x^2 - 1))^{(1/2)} \\ & d c / (c^2 x^2 - 1) (-c^2 x^2 + 1)^{(1/2)} + 2 a b (-d (c^2 x^2 - 1))^{(1/2)} \operatorname{arcsin}(c x) d / (c^2 x^2 - 1) / x \end{aligned}$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/x^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{(a^2c^2dx^2 - a^2d + (b^2c^2dx^2 - b^2d) \arcsin(cx))^2 + 2(abc^2dx^2 - abd) \arcsin(cx) \sqrt{-c^2dx^2 + d}}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/x^2,x, algorithm="fricas")

[Out] integral(-(a^2\*c^2\*d\*x^2 - a^2\*d + (b^2\*c^2\*d\*x^2 - b^2\*d)\*arcsin(c\*x))^2 + 2\*(a\*b\*c^2\*d\*x^2 - a\*b\*d)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)/x^2, x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-d(cx - 1)(cx + 1))^{\frac{3}{2}} (a + b \operatorname{asin}(cx))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2/x\*\*2,x)

[Out] Integral((-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2)\*(a + b\*asin(c\*x))\*\*2/x\*\*2, x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x))^2/x^2,x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(3/2)*(b*arcsin(c*x) + a)^2/x^2, x)
```

$$3.224 \quad \int \frac{(d-c^2 dx^2)^{3/2} (a+b \sin^{-1}(cx))^2}{x^3} dx$$

**Optimal.** Leaf size=590

$$-\frac{3ibc^2 d \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right) (a+b \sin^{-1}(cx))}{\sqrt{1-c^2 x^2}} + \frac{3ibc^2 d \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right) (a+b \sin^{-1}(cx))}{\sqrt{1-c^2 x^2}}$$

[Out]  $2*b^2*c^2*d*\text{Sqrt}[d - c^2*d*x^2] + (3*a*b*c^3*d*x*\text{Sqrt}[d - c^2*d*x^2])/ \text{Sqrt}[1 - c^2*x^2] + (3*b^2*c^3*d*x*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcSin}[c*x])/ \text{Sqrt}[1 - c^2*x^2] - (b*c*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(x*\text{Sqrt}[1 - c^2*x^2]) - (b*c^3*d*x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/ \text{Sqrt}[1 - c^2*x^2] - (3*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/2 - ((d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x])^2)/(2*x^2) + (3*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2*\text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] - (b^2*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/ \text{Sqrt}[1 - c^2*x^2] - ((3*I)*b*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])* \text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] + ((3*I)*b*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])* \text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] + (3*b^2*c^2*d*\text{Sqrt}[d - c^2*d*x^2]* \text{PolyLog}[3, -E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] - (3*b^2*c^2*d*\text{Sqrt}[d - c^2*d*x^2]* \text{PolyLog}[3, E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2]$

**Rubi [A]** time = 0.612378, antiderivative size = 590, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 15, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.517$ , Rules used = {4695, 4697, 4709, 4183, 2531, 2282, 6589, 4619, 261, 14, 4687, 446, 80, 63, 208}

$$-\frac{3ibc^2 d \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right) (a+b \sin^{-1}(cx))}{\sqrt{1-c^2 x^2}} + \frac{3ibc^2 d \sqrt{d-c^2 dx^2} \text{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right) (a+b \sin^{-1}(cx))}{\sqrt{1-c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/x^3, x]

[Out]  $2*b^2*c^2*d*\text{Sqrt}[d - c^2*d*x^2] + (3*a*b*c^3*d*x*\text{Sqrt}[d - c^2*d*x^2])/ \text{Sqrt}[1 - c^2*x^2] + (3*b^2*c^3*d*x*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcSin}[c*x])/ \text{Sqrt}[1 - c^2*x^2] - (b*c*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(x*\text{Sqrt}[1 - c^2*x^2]) - (b*c^3*d*x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/ \text{Sqrt}[1 - c^2*x^2] - (3*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/2 - ((d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x])^2)/(2*x^2) + (3*c^2*d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*$

$$\begin{aligned} & \text{ArcSin}[c*x]^2 * \text{ArcTanh}[E^{(I*\text{ArcSin}[c*x])}] / \text{Sqrt}[1 - c^2*x^2] - (b^2*c^2*d * \text{Sqrt}[d - c^2*d*x^2] * \text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]]) / \text{Sqrt}[1 - c^2*x^2] - ((3*I)*b \\ & * c^2*d * \text{Sqrt}[d - c^2*d*x^2] * (a + b*\text{ArcSin}[c*x]) * \text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}]) / \text{Sqrt}[1 - c^2*x^2] + ((3*I)*b*c^2*d * \text{Sqrt}[d - c^2*d*x^2] * (a + b*\text{ArcSin}[c*x]) * \text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}]) / \text{Sqrt}[1 - c^2*x^2] + (3*b^2*c^2*d * \text{Sqrt}[d - c^2*d*x^2] * \text{PolyLog}[3, -E^{(I*\text{ArcSin}[c*x])}]) / \text{Sqrt}[1 - c^2*x^2] - (3*b^2*c^2*d * \text{Sqrt}[d - c^2*d*x^2] * \text{PolyLog}[3, E^{(I*\text{ArcSin}[c*x])}]) / \text{Sqrt}[1 - c^2*x^2] \end{aligned}$$
Rule 4695

$$\begin{aligned} & \text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.) \\ & *(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n / (f*(m+1)), x] + (-\text{Dist}[(2*e*p)/(f^2*(m+1)), \text{Int}[(f*x)^{(m+2)}*(d + e*x^2)^{(p-1)}*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]} / (f*(m+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m+1)}*(1 - c^2*x^2)^{(p-1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x]) /; \\ & \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[p, 0] \\ & ] \&\& \text{LtQ}[m, -1] \end{aligned}$$
Rule 4697

$$\begin{aligned} & \text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*((f_.)*(x_.))^{(m_.)}*\text{Sqrt}[(d_.) + \\ & (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n / (f*(m+2)), x] + (\text{Dist}[\text{Sqrt}[d + e*x^2] / ((m+2)*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(f*x)^m*(a + b*\text{ArcSin}[c*x])^n / \text{Sqrt}[1 - c^2*x^2], x], x] - \text{Dist}[(b*c*n*\text{Sqrt}[d + e*x^2]) / (f*(m+2)*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(f*x)^{(m+1)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x]) /; \\ & \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{!LtQ}[m, -1] \&\& (\text{RationalQ}[m] \mid \mid \text{EqQ}[n, 1]) \end{aligned}$$
Rule 4709

$$\begin{aligned} & \text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)} / \text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Dist}[1/(c^{(m+1)}*\text{Sqrt}[d]), \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sin}[x]^m, x], x, \text{ArcSin}[c*x]], x] /; \\ & \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[d, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m] \end{aligned}$$
Rule 4183

$$\begin{aligned} & \text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[( -2*(c + d*x)^m * \text{ArcTanh}[E^{(I*(e + f*x))}] / f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)} * \text{Log}[1 - E^{(I*(e + f*x))}], x], x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)} * \text{Log}[1 + E^{(I*(e + f*x))}], x], x]) /; \\ & \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0] \end{aligned}$$

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_)^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.), x_Symbol] := Simp[x*(a + b*Ar
cSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 -
c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

Rule 14

```
Int[(u_)*((c_.)*(x_)^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
+ (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Rule 4687

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*((f_.)*(x_)^(m_)*((d_) + (e_.)*(x_)
^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[
a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x
```



$^2], x], x], x]] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[p, 0]$

### Rule 446

$\text{Int}[(x_)^{(m_)} * ((a_) + (b_)*(x_)^{(n_)})^{(p_)} * ((c_) + (d_)*(x_)^{(n_)})^{(q_)}, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p * (c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p, q\}, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 80

$\text{Int}[(a_ + (b_)*(x_)) * ((c_ + (d_)*(x_))^{(n_)}) * ((e_ + (f_)*(x_))^{(p_)}), x\_Symbol] \rightarrow \text{Simp}[(b*(c + d*x)^{(n + 1)} * (e + f*x)^{(p + 1)}) / (d*f*(n + p + 2)), x] + \text{Dist}[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1))) / (d*f*(n + p + 2)), \text{Int}[(c + d*x)^n * (e + f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n, p\}, x\} \ \&\& \ \text{NeQ}[n + p + 2, 0]$

### Rule 63

$\text{Int}[(a_ + (b_)*(x_))^{(m_)} * ((c_ + (d_)*(x_))^{(n_)}), x\_Symbol] \rightarrow \text{With}[p = \text{Denominator}[m], \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)} * (c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

### Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] * \text{ArcTanh}[x / \text{Rt}[-(a/b), 2]]) / a, x] /; \text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{NegQ}[a/b]$

### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{x^3} dx &= -\frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{2x^2} - \frac{1}{2} (3c^2 d) \int \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{x} dx \\
&= -\frac{bcd\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x\sqrt{1 - c^2 x^2}} - \frac{bc^3 dx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} - \frac{3}{2} c^2 d \int \frac{\sqrt{d - c^2 dx^2}}{x} dx \\
&= \frac{3abc^3 dx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{bcd\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x\sqrt{1 - c^2 x^2}} - \frac{bc^3 dx \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} \\
&= -b^2 c^2 d \sqrt{d - c^2 dx^2} + \frac{3abc^3 dx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \frac{3b^2 c^3 dx \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} - \frac{bcd}{\sqrt{1 - c^2 x^2}} \\
&= 2b^2 c^2 d \sqrt{d - c^2 dx^2} + \frac{3abc^3 dx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \frac{3b^2 c^3 dx \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} - \frac{bcd}{\sqrt{1 - c^2 x^2}} \\
&= 2b^2 c^2 d \sqrt{d - c^2 dx^2} + \frac{3abc^3 dx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \frac{3b^2 c^3 dx \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} - \frac{bcd}{\sqrt{1 - c^2 x^2}} \\
&= 2b^2 c^2 d \sqrt{d - c^2 dx^2} + \frac{3abc^3 dx \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \frac{3b^2 c^3 dx \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} - \frac{bcd}{\sqrt{1 - c^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 7.05624, size = 854, normalized size = 1.45

$$-\frac{3}{2} a^2 d^{3/2} \log(x) c^2 + \frac{3}{2} a^2 d^{3/2} \log\left(d + \sqrt{-d(c^2 x^2 - 1)} \sqrt{d}\right) c^2 - 2abd \sqrt{d(1 - c^2 x^2)} \left( -\frac{cx}{\sqrt{1 - c^2 x^2}} + \sin^{-1}(cx) + \frac{\sin^{-1}(cx)}{1 - c^2 x^2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/x^3,x]

[Out]  $(-(a^2 c^2 d) - (a^2 d)/(2x^2)) \sqrt{-(d(-1 + c^2 x^2))} - (3a^2 c^2 d^{3/2} \log(x))/2 + (3a^2 c^2 d^{3/2} \log[d + \sqrt{d} \sqrt{-(d(-1 + c^2 x^2))}])/2 - 2a b c^2 d \sqrt{d(1 - c^2 x^2)} * (-((c x)/\sqrt{1 - c^2 x^2}) + \text{ArcSin}[c x] + (\text{ArcSin}[c x] * (\log[1 - E^{(I \text{ArcSin}[c x])}] - \log[1 + E^{(I \text{ArcSin}[c x])}]))/\sqrt{1 - c^2 x^2} + (I * (\text{PolyLog}[2, -E^{(I \text{ArcSin}[c x])}] - \text{PolyLog}[2, E^{(I \text{ArcSin}[c x])}]))/\sqrt{1 - c^2 x^2}) - b^2 c^2 d \sqrt{d(1 - c^2 x^2)} * (-2 - (2c x \text{ArcSin}[c x])/\sqrt{1 - c^2 x^2} + \text{ArcSin}[c x]^2 + (\text{ArcSin}[c x]^2 * (\log[1 - E^{(I \text{ArcSin}[c x])}] - \log[1 + E^{(I \text{ArcSin}[c x])}]))/\sqrt{1 - c^2 x^2})$

$$\begin{aligned}
& x^2] + ((2*I)*\text{ArcSin}[c*x]*(\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}] - \text{PolyLog}[2, E^{(I* \\
& *\text{ArcSin}[c*x])}]))/\text{Sqrt}[1 - c^2*x^2] + (2*(-\text{PolyLog}[3, -E^{(I*\text{ArcSin}[c*x])}] + \\
& \text{PolyLog}[3, E^{(I*\text{ArcSin}[c*x])}]))/\text{Sqrt}[1 - c^2*x^2] + (a*b*c^2*d^2*\text{Sqrt}[1 - \\
& c^2*x^2]*(-2*\text{Cot}[\text{ArcSin}[c*x]/2] - \text{ArcSin}[c*x]*\text{Csc}[\text{ArcSin}[c*x]/2]^2 - 4*\text{ArcS} \\
& \text{in}[c*x]*\text{Log}[1 - E^{(I*\text{ArcSin}[c*x])}] + 4*\text{ArcSin}[c*x]*\text{Log}[1 + E^{(I*\text{ArcSin}[c*x] \\
& )}] - (4*I)*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}] + (4*I)*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c* \\
& x])}] + \text{ArcSin}[c*x]*\text{Sec}[\text{ArcSin}[c*x]/2]^2 - 2*\text{Tan}[\text{ArcSin}[c*x]/2]))/(4*\text{Sqrt}[d* \\
& (1 - c^2*x^2)]) + (b^2*c^2*d^2*\text{Sqrt}[1 - c^2*x^2]*(-4*\text{ArcSin}[c*x]*\text{Cot}[\text{ArcSin} \\
& [c*x]/2] - \text{ArcSin}[c*x]^2*\text{Csc}[\text{ArcSin}[c*x]/2]^2 - 4*\text{ArcSin}[c*x]^2*\text{Log}[1 - E^{( \\
& I*\text{ArcSin}[c*x])}] + 4*\text{ArcSin}[c*x]^2*\text{Log}[1 + E^{(I*\text{ArcSin}[c*x])}] + 8*\text{Log}[\text{Tan}[\text{Ar} \\
& \text{cSin}[c*x]/2]] - (8*I)*\text{ArcSin}[c*x]*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}] + (8*I)*\text{Ar} \\
& \text{cSin}[c*x]*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}] + 8*\text{PolyLog}[3, -E^{(I*\text{ArcSin}[c*x])}] \\
& - 8*\text{PolyLog}[3, E^{(I*\text{ArcSin}[c*x])}] + \text{ArcSin}[c*x]^2*\text{Sec}[\text{ArcSin}[c*x]/2]^2 - 4* \\
& \text{ArcSin}[c*x]*\text{Tan}[\text{ArcSin}[c*x]/2]))/(8*\text{Sqrt}[d*(1 - c^2*x^2)])
\end{aligned}$$

**Maple [B]** time = 0.398, size = 1372, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((-c^2*d*x^2+d)^{(3/2)}*(a+b*\arcsin(c*x))^2/x^3,x)$

[Out] 
$$\begin{aligned}
& -2*a*b*(-d*(c^2*x^2-1))^{(1/2)}*c^4*d/(c^2*x^2-1)*\arcsin(c*x)*x^2+a*b*d*(-d*( \\
& c^2*x^2-1))^{(1/2)}/x/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^{-2}*a*b*(-d*(c^2*x^2-1)) \\
& ^{(1/2)}*c^3*d/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^{-2}*b^2*(-d*(c^2*x^2-1))^{(1/2)}* \\
& c^3*d/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*x+b^2*d*\arcsin(c*x)*(-d*(c \\
& ^2*x^2-1))^{(1/2)}/x/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^{-3/2}*b^2*(-d*(c^2*x^2-1) \\
& )^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*c^2*d/(c^2*x^2-1)*\arcsin(c*x)^2*\ln(1+I*c*x+(-c^2 \\
& *x^2+1)^{(1/2)})+3/2*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*c^2*d/(c^2 \\
& *x^2-1)*\arcsin(c*x)^2*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})-1/2*a^2/d/x^2*(-c^2*d* \\
& x^2+d)^{(5/2)}+3/2*a^2*c^2*d^{(3/2)}*\ln((2*d+2*d^{(1/2)}*(-c^2*d*x^2+d)^{(1/2)})/x) \\
& -3/2*a^2*c^2*(-c^2*d*x^2+d)^{(1/2)}*d^{-2}*b^2*(-d*(c^2*x^2-1))^{(1/2)}*c^2*d/(c^2 \\
& *x^2-1)+2*b^2*(-d*(c^2*x^2-1))^{(1/2)}*c^4*d/(c^2*x^2-1)*x^2+1/2*b^2*(-d*(c^2 \\
& *x^2-1))^{(1/2)}*c^2*d/(c^2*x^2-1)*\arcsin(c*x)^2+1/2*b^2*d*\arcsin(c*x)^2*(-d* \\
& (c^2*x^2-1))^{(1/2)}/x^2/(c^2*x^2-1)-6*I*a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2 \\
& +1)^{(1/2)}*c^2*d/(2*c^2*x^2-2)*\text{polylog}(2,I*c*x+(-c^2*x^2+1)^{(1/2)})+3*I*b^2*( \\
& -d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*c^2*d/(c^2*x^2-1)*\arcsin(c*x)*\text{poly} \\
& \text{log}(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})-3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1 \\
& )^{(1/2)}*c^2*d/(c^2*x^2-1)*\arcsin(c*x)*\text{polylog}(2,I*c*x+(-c^2*x^2+1)^{(1/2)})-6 \\
& *a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*c^2*d/(2*c^2*x^2-2)*\arcsin(c \\
& *x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})+6*a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1
\end{aligned}$$

$$\begin{aligned} &)^{(1/2)} * c^2 * d / (2 * c^2 * x^2 - 2) * \arcsin(cx) * \ln(1 - I * c * x - (-c^2 * x^2 + 1)^{(1/2)}) + 6 * I * \\ &a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * (-c^2 * x^2 + 1)^{(1/2)} * c^2 * d / (2 * c^2 * x^2 - 2) * \text{polylog}(2 \\ &, -I * c * x - (-c^2 * x^2 + 1)^{(1/2)}) - 1/2 * a^2 * c^2 * (-c^2 * d * x^2 + d)^{(3/2)} + 2 * b^2 * (-d * (c^2 \\ &* x^2 - 1))^{(1/2)} * (-c^2 * x^2 + 1)^{(1/2)} * c^2 * d / (c^2 * x^2 - 1) * \text{arctanh}(I * c * x + (-c^2 * x^2 \\ &+ 1)^{(1/2)}) - 3 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (-c^2 * x^2 + 1)^{(1/2)} * c^2 * d / (c^2 * x^2 - 1 \\ &)* \text{polylog}(3, -I * c * x - (-c^2 * x^2 + 1)^{(1/2)}) + 3 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} * (-c^2 * x \\ &^2 + 1)^{(1/2)} * c^2 * d / (c^2 * x^2 - 1) * \text{polylog}(3, I * c * x + (-c^2 * x^2 + 1)^{(1/2)}) - b^2 * (-d * ( \\ &c^2 * x^2 - 1))^{(1/2)} * c^4 * d / (c^2 * x^2 - 1) * \arcsin(cx)^2 * x^2 + a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} \\ &)* c^2 * d / (c^2 * x^2 - 1) * \arcsin(cx) + a * b * d * \arcsin(cx) * (-d * (c^2 * x^2 - 1))^{(1/2)} \\ &)/ x^2 / (c^2 * x^2 - 1) \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/x^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{(a^2 c^2 dx^2 - a^2 d + (b^2 c^2 dx^2 - b^2 d) \arcsin(cx))^2 + 2(abc^2 dx^2 - abd) \arcsin(cx) \sqrt{-c^2 dx^2 + d}}{x^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/x^3,x, algorithm="fricas")

[Out] integral(-(a^2\*c^2\*d\*x^2 - a^2\*d + (b^2\*c^2\*d\*x^2 - b^2\*d)\*arcsin(c\*x))^2 + 2\*(a\*b\*c^2\*d\*x^2 - a\*b\*d)\*arcsin(c\*x)\*sqrt(-c^2\*d\*x^2 + d)/x^3, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-d(cx-1)(cx+1))^{\frac{3}{2}}(a+b\text{asin}(cx))^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2/x\*\*3,x)

[Out] Integral((-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2)\*(a + b\*asin(c\*x))\*\*2/x\*\*3, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/x^3,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^2/x^3, x)

$$3.225 \quad \int \frac{(d-c^2 dx^2)^{3/2} (a+b \sin^{-1}(cx))^2}{x^4} dx$$

**Optimal.** Leaf size=400

$$\frac{4ib^2c^3d\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{3\sqrt{1-c^2x^2}} + \frac{c^3d\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^3}{3b\sqrt{1-c^2x^2}} + \frac{4ic^3d\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{3\sqrt{1-c^2x^2}} + \dots$$

[Out]  $-(b^2c^2d\sqrt{d-c^2dx^2})/(3x) - (b^2c^3d\sqrt{d-c^2dx^2})\text{ArcSin}[c*x]/(3\sqrt{1-c^2x^2}) - (b*c*d\sqrt{1-c^2x^2})\sqrt{d-c^2dx^2}*(a+b\text{ArcSin}[c*x])/(3x^2) + (c^2d\sqrt{d-c^2dx^2}*(a+b\text{ArcSin}[c*x])^2)/x + (((4*I)/3)*c^3d\sqrt{d-c^2dx^2}*(a+b\text{ArcSin}[c*x])^2)/\text{Sqrt}[1-c^2x^2] - ((d-c^2dx^2)^{(3/2)}*(a+b\text{ArcSin}[c*x])^2)/(3x^3) + (c^3d\sqrt{d-c^2dx^2}*(a+b\text{ArcSin}[c*x])^3)/(3b\sqrt{1-c^2x^2}) - (8*b*c^3d\sqrt{d-c^2dx^2}*(a+b\text{ArcSin}[c*x])*\text{Log}[1-E^{((2*I)*\text{ArcSin}[c*x])}])/(3\sqrt{1-c^2x^2}) + (((4*I)/3)*b^2c^3d\sqrt{d-c^2dx^2}*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}])/\text{Sqrt}[1-c^2x^2]$

**Rubi [A]** time = 0.554877, antiderivative size = 400, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 11, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.379$ , Rules used = {4695, 4693, 4625, 3717, 2190, 2279, 2391, 4641, 4685, 277, 216}

$$\frac{4ib^2c^3d\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{3\sqrt{1-c^2x^2}} + \frac{c^3d\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^3}{3b\sqrt{1-c^2x^2}} + \frac{4ic^3d\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{3\sqrt{1-c^2x^2}} + \dots$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d-c^2dx^2)^{(3/2)}*(a+b\text{ArcSin}[c*x])^2/x^4, x]$

[Out]  $-(b^2c^2d\sqrt{d-c^2dx^2})/(3x) - (b^2c^3d\sqrt{d-c^2dx^2})\text{ArcSin}[c*x]/(3\sqrt{1-c^2x^2}) - (b*c*d\sqrt{1-c^2x^2})\sqrt{d-c^2dx^2}*(a+b\text{ArcSin}[c*x])/(3x^2) + (c^2d\sqrt{d-c^2dx^2}*(a+b\text{ArcSin}[c*x])^2)/x + (((4*I)/3)*c^3d\sqrt{d-c^2dx^2}*(a+b\text{ArcSin}[c*x])^2)/\text{Sqrt}[1-c^2x^2] - ((d-c^2dx^2)^{(3/2)}*(a+b\text{ArcSin}[c*x])^2)/(3x^3) + (c^3d\sqrt{d-c^2dx^2}*(a+b\text{ArcSin}[c*x])^3)/(3b\sqrt{1-c^2x^2}) - (8*b*c^3d\sqrt{d-c^2dx^2}*(a+b\text{ArcSin}[c*x])*\text{Log}[1-E^{((2*I)*\text{ArcSin}[c*x])}])/(3\sqrt{1-c^2x^2}) + (((4*I)/3)*b^2c^3d\sqrt{d-c^2dx^2}*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}])/\text{Sqrt}[1-c^2x^2]$

**Rule 4695**

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 1)), x] + (-Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m +
2)*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPar
t[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f
*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /;
FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0
] && LtQ[m, -1]

```

### Rule 4693

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*Sqrt[(d_) +
(e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 1)), x] + (-Dist[(b*c*n*Sqrt[d + e*x^2])/(f*(m + 1)*Sqr
t[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1), x], x] + Di
st[(c^2*Sqrt[d + e*x^2])/(f^2*(m + 1)*Sqrt[1 - c^2*x^2]), Int[((f*x)^(m + 2
)*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x]) /; FreeQ[{a, b, c, d, e
, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && LtQ[m, -1]

```

### Rule 4625

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[(a
+ b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

```

### Rule 3717

```

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

```

### Rule 2190

```

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x
)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

### Rule 2279

```

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 4685

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*((f\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x]))/(f\*(m + 1)), x] + (-Dist[(b\*c\*d^p)/(f\*(m + 1)), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p - 1/2), x], x] - Dist[(2\*e\*p)/(f^2\*(m + 1)), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0] && ILtQ[(m + 1)/2, 0]

Rule 277

Int[((c\_.)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_.), x\_Symbol] := Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^p)/(c\*(m + 1)), x] - Dist[(b\*n\*p)/(c^n\*(m + 1)), Int[(c\*x)^(m + n)\*(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m, -1] && !ILtQ[(m + n\*p + n + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rubi steps



$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{x^4} dx &= -\frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{3x^3} - (c^2 d) \int \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{x^2} dx \\
&= -\frac{bcd\sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3x^2} + \frac{c^2 d \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x} \\
&= -\frac{b^2 c^2 d \sqrt{d - c^2 dx^2}}{3x} - \frac{bcd\sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3x^2} + \frac{c^2 d \sqrt{d - c^2 dx^2}}{x} \\
&= -\frac{b^2 c^2 d \sqrt{d - c^2 dx^2}}{3x} - \frac{b^2 c^3 d \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{3\sqrt{1 - c^2 x^2}} - \frac{bcd\sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3x^2} \\
&= -\frac{b^2 c^2 d \sqrt{d - c^2 dx^2}}{3x} - \frac{b^2 c^3 d \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{3\sqrt{1 - c^2 x^2}} - \frac{bcd\sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3x^2} \\
&= -\frac{b^2 c^2 d \sqrt{d - c^2 dx^2}}{3x} - \frac{b^2 c^3 d \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{3\sqrt{1 - c^2 x^2}} - \frac{bcd\sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3x^2} \\
&= -\frac{b^2 c^2 d \sqrt{d - c^2 dx^2}}{3x} - \frac{b^2 c^3 d \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{3\sqrt{1 - c^2 x^2}} - \frac{bcd\sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3x^2}
\end{aligned}$$

**Mathematica [A]** time = 1.82012, size = 493, normalized size = 1.23

$$4ib^2c^3dx^3\sqrt{d - c^2dx^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right) - 3a^2c^3d^{3/2}x^3\sqrt{1 - c^2x^2}\tan^{-1}\left(\frac{cx\sqrt{d - c^2dx^2}}{\sqrt{d}(c^2x^2 - 1)}\right) + 4a^2c^2dx^2\sqrt{1 - c^2x^2}\sqrt{d - c^2dx^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/x^4,x]

[Out]  $(-(a*b*c*d*x*\text{Sqrt}[d - c^2*d*x^2]) - a^2*d*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2*d*x^2] + 4*a^2*c^2*d*x^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2*d*x^2] - b^2*c^2*d*x^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2*d*x^2] + b*d*\text{Sqrt}[d - c^2*d*x^2]*(3*a*c^3*x^3 + b*((4*I)*c^3*x^3 - \text{Sqrt}[1 - c^2*x^2] + 4*c^2*x^2*\text{Sqrt}[1 - c^2*x^2]))* \text{ArcSin}[c*x]^2 + b^2*c^3*d*x^3*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcSin}[c*x]^3 - 3*a^2*c^3*d^{(3/2)}*x^3*\text{Sqrt}[1 - c^2*x^2]*\text{ArcTan}[(c*x*\text{Sqrt}[d - c^2*d*x^2])]/(\text{Sqrt}[d]*(-1 + c^2*x^2))) - b*d*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcSin}[c*x]*(b*c*x + 2*a*(1 - 4*c^2*x^2)*\text{Sqrt}[1 - c^2*x^2] + 8*b*c^3*x^3*\text{Log}[1 - E^((2*I)*\text{ArcSin}[c*x])]) - 8*a*b*c^3*d*x^3*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[c*x] + (4*I)*b^2*c^3*d*x^3*\text{Sqrt}[d - c$

$$^2*d*x^2]*PolyLog[2, E^((2*I)*ArcSin[c*x])]/(3*x^3*sqrt[1 - c^2*x^2])$$

**Maple [B]** time = 0.388, size = 3281, normalized size = 8.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((-c^2*d*x^2+d)^{(3/2)}*(a+b*\arcsin(c*x))^2/x^4, x)$

[Out] 
$$\begin{aligned} & -1/3*a^2/d/x^3*(-c^2*d*x^2+d)^{(5/2)}+2/3*a^2*c^4*x*(-c^2*d*x^2+d)^{(3/2)}+8*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)*x^2/(c^2*x^2-1)*\arcsin(c*x) \\ & *(c^2*x^2+1)^{(1/2)}*c^5+4/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)/(c^2*x^2-1)*\arcsin(c*x)^2*(-c^2*x^2+1)^{(1/2)}*c^3-8*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)*x^4/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^7+20/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)*x^3/(c^2*x^2-1)*\arcsin(c*x)*c^6+64*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)*x^5/(c^2*x^2-1)*\arcsin(c*x)*c^8-104*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)*x^3/(c^2*x^2-1)*\arcsin(c*x)*c^6+8*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)*x^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^5+146/3*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)*x/(c^2*x^2-1)*\arcsin(c*x)*c^4-28/3*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)/x/(c^2*x^2-1)*\arcsin(c*x)*c^2+3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)*x^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^5-4/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)*x/(c^2*x^2-1)*\arcsin(c*x)*c^4-16/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)*x^5/(c^2*x^2-1)*\arcsin(c*x)*c^8-a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*\arcsin(c*x)^2*d*c^3-3*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^3+2/3*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)/x^3/(c^2*x^2-1)*\arcsin(c*x)+8/3*a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*\ln((I*c*x+(-c^2*x^2+1)^{(1/2)})^2-1)*d*c^3-8*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*d*c^3/(3*c^2*x^2-3)*polylog(2, -I*c*x-(-c^2*x^2+1)^{(1/2)})+73/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)*x/(c^2*x^2-1)*\arcsin(c*x)^2*c^4-14/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)/x/(c^2*x^2-1)*\arcsin(c*x)^2*c^2-8*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*d*c^3/(3*c^2*x^2-3)*polylog(2, I*c*x+(-c^2*x^2+1)^{(1/2)})-1/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/(24*c^4*x^4-9*c^2*x^2+1)/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^3-8*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*d*c^3/(3*c^2*x^2-3)*\arcsin(c*x)^2+8*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*d*c^3/(3*c^2*x^2-3)*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})+8*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}*d*c^3/(3*c^2*x^2-3)*\arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})+4/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d/(24 \end{aligned}$$

$$\begin{aligned}
& *c^4*x^4-9*c^2*x^2+1)*x^3/(c^2*x^2-1)*(-c^2*x^2+1)*c^6-3*b^2*(-d*(c^2*x^2-1) \\
& ))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)} \\
& *c^3+32*b^2*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)*x^5/(c^2*x^2-1)*\arcsin(c*x)^2*c^8-52*b^2*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)*x^3/(c^2*x^2-1)*\arcsin(c*x)^2*c^6-20/3*b^2*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)*x^5/(c^2*x^2-1)*c^8+29/3*b^2*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)*x^3/(c^2*x^2-1)*c^6-10/3*b^2*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)*x/(c^2*x^2-1)*c^4+1/3*b^2*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)/x/(c^2*x^2-1)*c^2+1/3*b^2*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)/x^3/(c^2*x^2-1)*\arcsin(c*x)^2-1/3*b^2*(-d*(c^2*x^2-1))^{(1/2)*(-c^2*x^2+1)^{(1/2)/(c^2*x^2-1)*\arcsin(c*x)^3*d*c^3-16/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)*x^3/(c^2*x^2-1)*(-c^2*x^2+1)*c^6+4/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)*x/(c^2*x^2-1)*(-c^2*x^2+1)*c^4+8/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)*c^3+32*I*b^2*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)*x^4/(c^2*x^2-1)*\arcsin(c*x)^2*(-c^2*x^2+1)^{(1/2)*c^7-16/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)*x^3/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)*c^6-12*I*b^2*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)*x^2/(c^2*x^2-1)*\arcsin(c*x)^2*(-c^2*x^2+1)^{(1/2)*c^5+4/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)*x/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)*c^4+2/3*a^2*c^2/d/x*(-c^2*d*x^2+d)^{(5/2)+64*I*a*b*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)*x^4/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)*c^7-24*I*a*b*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)*x^2/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)*c^5+1/3*a*b*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)/x^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)*c-16*I*a*b*(-d*(c^2*x^2-1))^{(1/2)*(-c^2*x^2+1)^{(1/2)*\arcsin(c*x)*d*c^3/(3*c^2*x^2-3)-16/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)*x^5/(c^2*x^2-1)*c^8+20/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)*x^3/(c^2*x^2-1)*c^6-4/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)*x/(c^2*x^2-1)*c^4+1/3*b^2*(-d*(c^2*x^2-1))^{(1/2)*d/(24*c^4*x^4-9*c^2*x^2+1)/x^2/(c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)*c+a^2*c^4*d*x*(-c^2*d*x^2+d)^{(1/2)+a^2*c^4*d^2/(c^2*d)^{(1/2)*\arctan((c^2*d)^{(1/2)*x/(-c^2*d*x^2+d)^{(1/2))}
\end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/x^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{(a^2c^2dx^2 - a^2d + (b^2c^2dx^2 - b^2d) \arcsin(cx))^2 + 2(abc^2dx^2 - abd) \arcsin(cx) \sqrt{-c^2dx^2 + d}}{x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/x^4,x, algorithm="fricas")

[Out] integral(-(a^2\*c^2\*d\*x^2 - a^2\*d + (b^2\*c^2\*d\*x^2 - b^2\*d)\*arcsin(c\*x))^2 + 2\*(a\*b\*c^2\*d\*x^2 - a\*b\*d)\*arcsin(c\*x)\*sqrt(-c^2\*d\*x^2 + d)/x^4, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-d(cx-1)(cx+1))^{\frac{3}{2}}(a+b\text{asin}(cx))^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2/x\*\*4,x)

[Out] Integral((-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2)\*(a + b\*asin(c\*x))\*\*2/x\*\*4, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2dx^2 + d)^{\frac{3}{2}}(b \arcsin(cx) + a)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/x^4,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^2/x^4, x)

$$3.226 \quad \int x^3 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=651

$$\frac{4abd^2x\sqrt{d-c^2dx^2}}{63c^3\sqrt{1-c^2x^2}} - \frac{2bc^5d^2x^9\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{81\sqrt{1-c^2x^2}} + \frac{38bc^3d^2x^7\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{441\sqrt{1-c^2x^2}} - \frac{2bcd^2x^5\sqrt{d-c^2dx^2}}{21}$$

```
[Out] (160*b^2*d^2*Sqrt[d - c^2*d*x^2])/(3969*c^4) + (4*a*b*d^2*x*Sqrt[d - c^2*d*x^2])/(63*c^3*Sqrt[1 - c^2*x^2]) + (80*b^2*d^2*(1 - c^2*x^2)*Sqrt[d - c^2*d*x^2])/(11907*c^4) + (4*b^2*d^2*(1 - c^2*x^2)^2*Sqrt[d - c^2*d*x^2])/(1323*c^4) + (50*b^2*d^2*(1 - c^2*x^2)^3*Sqrt[d - c^2*d*x^2])/(27783*c^4) - (2*b^2*d^2*(1 - c^2*x^2)^4*Sqrt[d - c^2*d*x^2])/(729*c^4) + (4*b^2*d^2*x*Sqrt[d - c^2*d*x^2]*ArcSin[c*x])/(63*c^3*Sqrt[1 - c^2*x^2]) + (2*b*d^2*x^3*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(189*c*Sqrt[1 - c^2*x^2]) - (2*b*c*d^2*x^5*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(21*Sqrt[1 - c^2*x^2]) + (38*b*c^3*d^2*x^7*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(441*Sqrt[1 - c^2*x^2]) - (2*b*c^5*d^2*x^9*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(81*Sqrt[1 - c^2*x^2]) - (2*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/(63*c^4) - (d^2*x^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/(63*c^2) + (d^2*x^4*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/21 + (5*d*x^4*(d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x])^2)/63 + (x^4*(d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x])^2)/9
```

**Rubi [A]** time = 1.24553, antiderivative size = 651, normalized size of antiderivative = 1., number of steps used = 27, number of rules used = 18, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.621$ , Rules used = {4699, 4697, 4707, 4677, 4619, 261, 4627, 266, 43, 14, 4687, 12, 446, 77, 270, 1251, 897, 1153}

$$\frac{4abd^2x\sqrt{d-c^2dx^2}}{63c^3\sqrt{1-c^2x^2}} - \frac{2bc^5d^2x^9\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{81\sqrt{1-c^2x^2}} + \frac{38bc^3d^2x^7\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{441\sqrt{1-c^2x^2}} - \frac{2bcd^2x^5\sqrt{d-c^2dx^2}}{21}$$

Antiderivative was successfully verified.

[In] Int[x^3\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2,x]

```
[Out] (160*b^2*d^2*Sqrt[d - c^2*d*x^2])/(3969*c^4) + (4*a*b*d^2*x*Sqrt[d - c^2*d*x^2])/(63*c^3*Sqrt[1 - c^2*x^2]) + (80*b^2*d^2*(1 - c^2*x^2)*Sqrt[d - c^2*d*x^2])/(11907*c^4) + (4*b^2*d^2*(1 - c^2*x^2)^2*Sqrt[d - c^2*d*x^2])/(1323*c^4) + (50*b^2*d^2*(1 - c^2*x^2)^3*Sqrt[d - c^2*d*x^2])/(27783*c^4) - (2*b^2*d^2*(1 - c^2*x^2)^4*Sqrt[d - c^2*d*x^2])/(729*c^4) + (4*b^2*d^2*x*Sqrt[d
```

$$\begin{aligned}
& - c^2 d x^2 \operatorname{ArcSin}[c x] / (63 c^3 \sqrt{1 - c^2 x^2}) + (2 b d^2 x^3 \sqrt{d - c^2 d x^2} * (a + b \operatorname{ArcSin}[c x])) / (189 c \sqrt{1 - c^2 x^2}) - (2 b c d^2 x^5 \sqrt{d - c^2 d x^2} * (a + b \operatorname{ArcSin}[c x])) / (21 \sqrt{1 - c^2 x^2}) + (38 b c^3 d^2 x^7 \sqrt{d - c^2 d x^2} * (a + b \operatorname{ArcSin}[c x])) / (441 \sqrt{1 - c^2 x^2}) \\
& - (2 b c^5 d^2 x^9 \sqrt{d - c^2 d x^2} * (a + b \operatorname{ArcSin}[c x])) / (81 \sqrt{1 - c^2 x^2}) - (2 d^2 \sqrt{d - c^2 d x^2} * (a + b \operatorname{ArcSin}[c x])^2) / (63 c^4) - (d^2 x^2 \sqrt{d - c^2 d x^2} * (a + b \operatorname{ArcSin}[c x])^2) / (63 c^2) + (d^2 x^4 \sqrt{d - c^2 d x^2} * (a + b \operatorname{ArcSin}[c x])^2) / 21 + (5 d x^4 (d - c^2 d x^2)^{(3/2)} * (a + b \operatorname{ArcSin}[c x])^2) / 63 + (x^4 (d - c^2 d x^2)^{(5/2)} * (a + b \operatorname{ArcSin}[c x])^2) / 9
\end{aligned}$$

### Rule 4699

```

Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d*IntPart[p]*(d + e*x^2)^FracPart[p]]/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

### Rule 4697

```

Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_)*Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^m*(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

### Rule 4707

```

Int[(((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_)]/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)*(a + b*ArcSin[c*x])^n/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

```

### Rule 4677

```

Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_

```

`.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]`

#### Rule 4619

`Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]`

#### Rule 261

`Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]`

#### Rule 4627

`Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n*((d_.)*(x_.))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]`

#### Rule 266

`Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]`

#### Rule 43

`Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])`

#### Rule 14

`Int[(u_)*((c_.)*(x_.))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]`

Rule 4687

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_)*((d_) + (e_.)*(x_)
^2)^(p_.), x_Symbol] :=> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[
a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x
^2], x], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] &&
IGtQ[p, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 446

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.
), x_Symbol] :=> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 77

```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_
.), x_Symbol] :=> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0]
&& ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p +
5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b,
c, d, e, f])))
```

Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :=> Int[Exp
andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&
IGtQ[p, 0]
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_
)^4)^(p_.), x_Symbol] :=> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rule 897

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
```



+ (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

### Rule 1153

Int[((d\_) + (e\_.)\*(x\_)^2)^(q\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

### Rubi steps

$$\begin{aligned}
 \int x^3 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{9} x^4 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 + \frac{1}{9} (5d) \int x^3 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx \\
 &= -\frac{2bcd^2 x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{45\sqrt{1 - c^2 x^2}} + \frac{4bc^3 d^2 x^7 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{63\sqrt{1 - c^2 x^2}} \\
 &= -\frac{8bcd^2 x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{105\sqrt{1 - c^2 x^2}} + \frac{38bc^3 d^2 x^7 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{441\sqrt{1 - c^2 x^2}} \\
 &= -\frac{2bcd^2 x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{21\sqrt{1 - c^2 x^2}} + \frac{38bc^3 d^2 x^7 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{441\sqrt{1 - c^2 x^2}} \\
 &= \frac{2bd^2 x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{189c\sqrt{1 - c^2 x^2}} - \frac{2bcd^2 x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{21\sqrt{1 - c^2 x^2}} \\
 &= \frac{4abd^2 x \sqrt{d - c^2 dx^2}}{63c^3 \sqrt{1 - c^2 x^2}} + \frac{2bd^2 x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{189c\sqrt{1 - c^2 x^2}} - \frac{2bcd^2 x^5 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{21\sqrt{1 - c^2 x^2}} \\
 &= -\frac{134b^2 d^2 \sqrt{d - c^2 dx^2}}{3969c^4} + \frac{4abd^2 x \sqrt{d - c^2 dx^2}}{63c^3 \sqrt{1 - c^2 x^2}} + \frac{122b^2 d^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{11907c^4} \\
 &= \frac{160b^2 d^2 \sqrt{d - c^2 dx^2}}{3969c^4} + \frac{4abd^2 x \sqrt{d - c^2 dx^2}}{63c^3 \sqrt{1 - c^2 x^2}} + \frac{80b^2 d^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{11907c^4} + \dots
 \end{aligned}$$

**Mathematica [A]** time = 0.41703, size = 270, normalized size = 0.41

$$d^2 \sqrt{d - c^2 dx^2} \left( 3969a^2 (7c^2 x^2 + 2) (1 - c^2 x^2)^{7/2} + 126abcx (49c^8 x^8 - 171c^6 x^6 + 189c^4 x^4 - 21c^2 x^2 - 126) + 126b \sin^{-1}(c$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $-(d^2 \sqrt{d - c^2 dx^2}) (3969a^2 (1 - c^2 x^2)^{7/2} (2 + 7c^2 x^2) + 126ab \sqrt{d - c^2 dx^2} (-126 - 21c^2 x^2 + 189c^4 x^4 - 171c^6 x^6 + 49c^8 x^8) + 2b^2 \sqrt{1 - c^2 x^2} (-6140 + 899c^2 x^2 + 1005c^4 x^4 - 1147c^6 x^6 + 343c^8 x^8) + 126b(63a(1 - c^2 x^2)^{7/2} (2 + 7c^2 x^2) + b \sqrt{d - c^2 dx^2} (-126 - 21c^2 x^2 + 189c^4 x^4 - 171c^6 x^6 + 49c^8 x^8)) \operatorname{ArcSin}[cx] + 3969b^2 (1 - c^2 x^2)^{7/2} (2 + 7c^2 x^2) \operatorname{ArcSin}[cx]^2) / (250047c^4 \sqrt{1 - c^2 x^2})$

**Maple [C]** time = 0.518, size = 2146, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x)

[Out]  $a^2(-1/9x^2(-c^2dx^2+d)^{7/2}/c^2/d-2/63/d/c^4(-c^2dx^2+d)^{7/2})+b^2(1/373248(-d(c^2x^2-1))^{1/2}(256c^{10}x^{10}-704c^8x^8-256I(-c^2x^2+1)^{1/2}x^9c^9+688c^6x^6+576I(-c^2x^2+1)^{1/2}x^7c^7-280c^4x^4-432I(-c^2x^2+1)^{1/2}x^5c^5+41c^2x^2+120I(-c^2x^2+1)^{1/2}x^3c^3-9I(-c^2x^2+1)^{1/2}xc-1)(18I\arcsin(cx)+81\arcsin(cx)^2-2)d^2/c^4/(c^2x^2-1)-3/175616(-d(c^2x^2-1))^{1/2}(64c^8x^8-144c^6x^6-64I(-c^2x^2+1)^{1/2}x^7c^7+104c^4x^4+112I(-c^2x^2+1)^{1/2}x^5c^5-25c^2x^2-56I(-c^2x^2+1)^{1/2}x^3c^3+7I(-c^2x^2+1)^{1/2}xc+1)(14I\arcsin(cx)+49\arcsin(cx)^2-2)d^2/c^4/(c^2x^2-1)+1/1728(-d(c^2x^2-1))^{1/2}(4c^4x^4-5c^2x^2-4I(-c^2x^2+1)^{1/2}x^3c^3+3I(-c^2x^2+1)^{1/2}xc+1)(6I\arcsin(cx)+9\arcsin(cx)^2-2)d^2/c^4/(c^2x^2-1)-3/256(-d(c^2x^2-1))^{1/2}(c^2x^2-I(-c^2x^2+1)^{1/2}xc-1)(\arcsin(cx)^2-2+2I\arcsin(cx))d^2/c^4/(c^2x^2-1)-3/256(-d(c^2x^2-1))^{1/2}(I(-c^2x^2+1)^{1/2}xc+c^2x^2-1)(\arcsin(cx)^2-2-2I\arcsin(cx))d^2/c^4/(c^2x^2-1)+1/1728(-d(c^2x^2-1))^{1/2}(4I(-c^2x^2+1)^{1/2}x^3c^3+4c^4x^4-3I(-c^2x^2+1)^{1/2}xc-5c^2x^2+1)(-6I\arcsin(cx)+9\arcsin(cx)^2-2)d^2/c^4/(c^2x^2-1)$

$$\begin{aligned} & \sin(c*x)^2-2)*d^2/c^4/(c^2*x^2-1)-3/175616*(-d*(c^2*x^2-1))^{(1/2)}*(64*I*(-c \\ & ^2*x^2+1)^{(1/2)}*x^7*c^7+64*c^8*x^8-112*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5-144*c^6 \\ & *x^6+56*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+104*c^4*x^4-7*I*(-c^2*x^2+1)^{(1/2)}*x*c \\ & -25*c^2*x^2+1)*(-14*I*\arcsin(c*x)+49*\arcsin(c*x)^2-2)*d^2/c^4/(c^2*x^2-1)+1 \\ & /373248*(-d*(c^2*x^2-1))^{(1/2)}*(256*I*(-c^2*x^2+1)^{(1/2)}*x^9*c^9+256*c^10*x \\ & ^10-576*I*(-c^2*x^2+1)^{(1/2)}*x^7*c^7-704*c^8*x^8+432*I*(-c^2*x^2+1)^{(1/2)}*x \\ & ^5*c^5+688*c^6*x^6-120*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3-280*c^4*x^4+9*I*(-c^2*x \\ & ^2+1)^{(1/2)}*x*c+41*c^2*x^2-1)*(-18*I*\arcsin(c*x)+81*\arcsin(c*x)^2-2)*d^2/c^ \\ & 4/(c^2*x^2-1))+2*a*b*(1/41472*(-d*(c^2*x^2-1))^{(1/2)}*(256*c^10*x^10-704*c^8 \\ & *x^8-256*I*(-c^2*x^2+1)^{(1/2)}*x^9*c^9+688*c^6*x^6+576*I*(-c^2*x^2+1)^{(1/2)}* \\ & x^7*c^7-280*c^4*x^4-432*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5+41*c^2*x^2+120*I*(-c^2 \\ & *x^2+1)^{(1/2)}*x^3*c^3-9*I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(I+9*\arcsin(c*x))*d^2/c \\ & ^4/(c^2*x^2-1)-3/25088*(-d*(c^2*x^2-1))^{(1/2)}*(64*c^8*x^8-144*c^6*x^6-64*I* \\ & (-c^2*x^2+1)^{(1/2)}*x^7*c^7+104*c^4*x^4+112*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5-25* \\ & c^2*x^2-56*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+7*I*(-c^2*x^2+1)^{(1/2)}*x*c+1)*(I+7* \\ & \arcsin(c*x))*d^2/c^4/(c^2*x^2-1)+1/576*(-d*(c^2*x^2-1))^{(1/2)}*(4*c^4*x^4-5* \\ & c^2*x^2-4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+3*I*(-c^2*x^2+1)^{(1/2)}*x*c+1)*(I+3*a \\ & rcsin(c*x))*d^2/c^4/(c^2*x^2-1)-3/256*(-d*(c^2*x^2-1))^{(1/2)}*(c^2*x^2-I*(-c \\ & ^2*x^2+1)^{(1/2)}*x*c-1)*(arcsin(c*x)+I)*d^2/c^4/(c^2*x^2-1)-3/256*(-d*(c^2*x \\ & ^2-1))^{(1/2)}*(I*(-c^2*x^2+1)^{(1/2)}*x*c+c^2*x^2-1)*(arcsin(c*x)-I)*d^2/c^4/( \\ & c^2*x^2-1)+1/576*(-d*(c^2*x^2-1))^{(1/2)}*(4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+4*c \\ & ^4*x^4-3*I*(-c^2*x^2+1)^{(1/2)}*x*c-5*c^2*x^2+1)*(-I+3*\arcsin(c*x))*d^2/c^4/( \\ & c^2*x^2-1)-3/25088*(-d*(c^2*x^2-1))^{(1/2)}*(64*I*(-c^2*x^2+1)^{(1/2)}*x^7*c^7+ \\ & 64*c^8*x^8-112*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5-144*c^6*x^6+56*I*(-c^2*x^2+1)^{( \\ & 1/2)}*x^3*c^3+104*c^4*x^4-7*I*(-c^2*x^2+1)^{(1/2)}*x*c-25*c^2*x^2+1)*(-I+7*arc \\ & sin(c*x))*d^2/c^4/(c^2*x^2-1)+1/41472*(-d*(c^2*x^2-1))^{(1/2)}*(256*I*(-c^2*x \\ & ^2+1)^{(1/2)}*x^9*c^9+256*c^10*x^10-576*I*(-c^2*x^2+1)^{(1/2)}*x^7*c^7-704*c^8* \\ & x^8+432*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5+688*c^6*x^6-120*I*(-c^2*x^2+1)^{(1/2)}*x \\ & ^3*c^3-280*c^4*x^4+9*I*(-c^2*x^2+1)^{(1/2)}*x*c+41*c^2*x^2-1)*(-I+9*\arcsin(c* \\ & x))*d^2/c^4/(c^2*x^2-1)) \end{aligned}$$


---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [A]** time = 2.46841, size = 1088, normalized size = 1.67

$$126(49abc^9d^2x^9 - 171abc^7d^2x^7 + 189abc^5d^2x^5 - 21abc^3d^2x^3 - 126abcd^2x + (49b^2c^9d^2x^9 - 171b^2c^7d^2x^7 + 189b^2c^5d^2x^5 - 21b^2c^3d^2x^3 - 126b^2cd^2x) \arcsin(cx)) \sqrt{-c^2dx^2 + d} \sqrt{-c^2x^2 + 1} + (343(81a^2 - 2b^2)c^{10}d^2x^{10} - 2(51597a^2 - 1490b^2)c^8d^2x^8 + 2(67473a^2 - 2152b^2)c^6d^2x^6 - 4(15876a^2 - 53b^2)c^4d^2x^4 - (3969a^2 - 14078b^2)c^2d^2x^2 + 2(3969a^2 - 6140b^2)d^2 + 3969(7b^2c^{10}d^2x^{10} - 26b^2c^8d^2x^8 + 34b^2c^6d^2x^6 - 16b^2c^4d^2x^4 - b^2c^2d^2x^2 + 2b^2d^2) \arcsin(cx))^2 + 7938(7abc^{10}d^2x^{10} - 26abc^8d^2x^8 + 34abc^6d^2x^6 - 16abc^4d^2x^4 - abc^2d^2x^2 + 2abd^2) \arcsin(cx)) \sqrt{-c^2dx^2 + d} / (c^6x^2 - c^4)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] 1/250047\*(126\*(49\*a\*b\*c^9\*d^2\*x^9 - 171\*a\*b\*c^7\*d^2\*x^7 + 189\*a\*b\*c^5\*d^2\*x^5 - 21\*a\*b\*c^3\*d^2\*x^3 - 126\*a\*b\*c\*d^2\*x + (49\*b^2\*c^9\*d^2\*x^9 - 171\*b^2\*c^7\*d^2\*x^7 + 189\*b^2\*c^5\*d^2\*x^5 - 21\*b^2\*c^3\*d^2\*x^3 - 126\*b^2\*c\*d^2\*x) \* arcsin(c\*x)) \* sqrt(-c^2\*d\*x^2 + d) \* sqrt(-c^2\*x^2 + 1) + (343\*(81\*a^2 - 2\*b^2) \* c^10\*d^2\*x^10 - 2\*(51597\*a^2 - 1490\*b^2) \* c^8\*d^2\*x^8 + 2\*(67473\*a^2 - 2152\*b^2) \* c^6\*d^2\*x^6 - 4\*(15876\*a^2 - 53\*b^2) \* c^4\*d^2\*x^4 - (3969\*a^2 - 14078\*b^2) \* c^2\*d^2\*x^2 + 2\*(3969\*a^2 - 6140\*b^2) \* d^2 + 3969\*(7\*b^2\*c^10\*d^2\*x^10 - 26\*b^2\*c^8\*d^2\*x^8 + 34\*b^2\*c^6\*d^2\*x^6 - 16\*b^2\*c^4\*d^2\*x^4 - b^2\*c^2\*d^2\*x^2 + 2\*b^2\*d^2) \* arcsin(c\*x))^2 + 7938\*(7\*a\*b\*c^10\*d^2\*x^10 - 26\*a\*b\*c^8\*d^2\*x^8 + 34\*a\*b\*c^6\*d^2\*x^6 - 16\*a\*b\*c^4\*d^2\*x^4 - a\*b\*c^2\*d^2\*x^2 + 2\*a\*b\*d^2) \* arcsin(c\*x)) \* sqrt(-c^2\*d\*x^2 + d) / (c^6\*x^2 - c^4)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^2 x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(5/2)*(b*arcsin(c*x) + a)^2*x^3, x)
```

$$3.227 \quad \int x^2 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=556

$$\frac{bc^5 d^2 x^8 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{32\sqrt{1 - c^2 x^2}} + \frac{17bc^3 d^2 x^6 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{144\sqrt{1 - c^2 x^2}} - \frac{59bcd^2 x^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{384\sqrt{1 - c^2 x^2}}$$

[Out] (-359\*b^2\*d^2\*x\*Sqrt[d - c^2\*d\*x^2])/(36864\*c^2) - (1079\*b^2\*d^2\*x^3\*Sqrt[d - c^2\*d\*x^2])/55296 + (209\*b^2\*c^2\*d^2\*x^5\*Sqrt[d - c^2\*d\*x^2])/13824 - (b^2\*c^4\*d^2\*x^7\*Sqrt[d - c^2\*d\*x^2])/256 + (359\*b^2\*d^2\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/(36864\*c^3\*Sqrt[1 - c^2\*x^2]) + (5\*b\*d^2\*x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(128\*c\*Sqrt[1 - c^2\*x^2]) - (59\*b\*c\*d^2\*x^4\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(384\*Sqrt[1 - c^2\*x^2]) + (17\*b\*c^3\*d^2\*x^6\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(144\*Sqrt[1 - c^2\*x^2]) - (b\*c^5\*d^2\*x^8\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(32\*Sqrt[1 - c^2\*x^2]) - (5\*d^2\*x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(128\*c^2) + (5\*d^2\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/64 + (5\*d\*x^3\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/48 + (x^3\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/8 + (5\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(384\*b\*c^3\*Sqrt[1 - c^2\*x^2])

**Rubi [A]** time = 1.10658, antiderivative size = 556, normalized size of antiderivative = 1., number of steps used = 25, number of rules used = 14, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.483$ , Rules used = {4699, 4697, 4707, 4641, 4627, 321, 216, 14, 4687, 12, 459, 266, 43, 1267}

$$\frac{bc^5 d^2 x^8 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{32\sqrt{1 - c^2 x^2}} + \frac{17bc^3 d^2 x^6 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{144\sqrt{1 - c^2 x^2}} - \frac{59bcd^2 x^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{384\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (-359\*b^2\*d^2\*x\*Sqrt[d - c^2\*d\*x^2])/(36864\*c^2) - (1079\*b^2\*d^2\*x^3\*Sqrt[d - c^2\*d\*x^2])/55296 + (209\*b^2\*c^2\*d^2\*x^5\*Sqrt[d - c^2\*d\*x^2])/13824 - (b^2\*c^4\*d^2\*x^7\*Sqrt[d - c^2\*d\*x^2])/256 + (359\*b^2\*d^2\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/(36864\*c^3\*Sqrt[1 - c^2\*x^2]) + (5\*b\*d^2\*x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(128\*c\*Sqrt[1 - c^2\*x^2]) - (59\*b\*c\*d^2\*x^4\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(384\*Sqrt[1 - c^2\*x^2]) + (17\*b\*c^3\*d^2\*x^6\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(144\*Sqrt[1 - c^2\*x^2]) - (b\*c^5\*d^2\*x^8\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(32\*Sqrt[1 - c^2\*x^2]) - (5\*d^2\*x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(128\*c^2) + (5\*d^2\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/64 + (5\*d\*x^3\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/48 + (x^3\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/8 + (5\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(384\*b\*c^3\*Sqrt[1 - c^2\*x^2])

$$5*d^2*x^8*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])/(32*\text{Sqrt}[1 - c^2*x^2]) - (5*d^2*x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(128*c^2) + (5*d^2*x^3*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/64 + (5*d*x^3*(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x])^2)/48 + (x^3*(d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x])^2)/8 + (5*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^3)/(384*b*c^3*\text{Sqrt}[1 - c^2*x^2])$$

### Rule 4699

$$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n/(f*(m+2*p+1)), x] + (\text{Dist}[(2*d*p)/(m+2*p+1), \text{Int}[(f*x)^m*(d + e*x^2)^{(p-1)}*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}]/(f*(m+2*p+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m+1)}*(1 - c^2*x^2)^{(p-1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[p, 0] \&\& \text{!LtQ}[m, -1] \&\& (\text{RationalQ}[m] \mid\mid \text{EqQ}[n, 1])$$

### Rule 4697

$$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*((f_.)*(x_.))^{(m_.)}*\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n/(f*(m+2)), x] + (\text{Dist}[\text{Sqrt}[d + e*x^2]/((m+2)*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(f*x)^m*(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[1 - c^2*x^2], x], x] - \text{Dist}[(b*c*n*\text{Sqrt}[d + e*x^2])/(f*(m+2)*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(f*x)^{(m+1)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{!LtQ}[m, -1] \&\& (\text{RationalQ}[m] \mid\mid \text{EqQ}[n, 1])$$

### Rule 4707

$$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*((f_.)*(x_.))^{(m_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Simp}[(f*(f*x)^{(m-1)}*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n)/(e*m), x] + (\text{Dist}[(f^2*(m-1))/(c^2*m), \text{Int}[(f*x)^{(m-2)}*(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[d + e*x^2], x], x] + \text{Dist}[(b*f*n*\text{Sqrt}[1 - c^2*x^2])/(c*m*\text{Sqrt}[d + e*x^2]), \text{Int}[(f*x)^{(m-1)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[m, 1] \&\& \text{IntegerQ}[m]$$

### Rule 4641

$$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcSin}[c*x])^{(n+1)}/(b*c*\text{Sqrt}[d]*(n+1)), x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[d, 0] \&\& \text{NeQ}[n, -1]$$

Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 321

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
+ (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Rule 4687

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)
^2)^(p_.), x_Symbol] :> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[
a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x
^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] &&
IGtQ[p, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_.)*(v_)] /; FreeQ[b, x]
```

Rule 459

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n
_)), x_Symbol] :> Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p
+ 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p
+ 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m,
```



$n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[m + n*(p + 1) + 1, 0]$

### Rule 266

$\text{Int}[(x_)^{(m_.)}*((a_) + (b_.)*(x_)^{(n_.)})^{(p_.)}, x\_Symbol] \text{:> Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p, x}], x, x^n], x] \text{/; FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 43

$\text{Int}[(a_.) + (b_.)*(x_)^{(m_.)}*((c_.) + (d_.)*(x_)^{(n_.)}), x\_Symbol] \text{:> Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] \text{/; FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& (!\text{IntegerQ}[n] \text{||} (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) \text{||} \text{LtQ}[9*m + 5*(n + 1), 0] \text{||} \text{GtQ}[m + n + 2, 0])$

### Rule 1267

$\text{Int}[(f_.)*(x_)^{(m_.)}*((d_) + (e_.)*(x_)^2)^{(q_.)}*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(p_.)}, x\_Symbol] \text{:> Simp}[(c^p*(f*x)^{(m + 4*p - 1)}*(d + e*x^2)^{(q + 1)})/(e*f^{(4*p - 1)}*(m + 4*p + 2*q + 1)), x] + \text{Dist}[1/(e*(m + 4*p + 2*q + 1)), \text{Int}[(f*x)^m*(d + e*x^2)^q*\text{ExpandToSum}[e*(m + 4*p + 2*q + 1)*((a + b*x^2 + c*x^4)^p - c^p*x^{(4*p)}) - d*c^p*(m + 4*p - 1)*x^{(4*p - 2)}, x], x] \text{/; FreeQ}[\{a, b, c, d, e, f, m, q\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{IGtQ}[p, 0] \&\& !\text{IntegerQ}[q] \&\& \text{NeQ}[m + 4*p + 2*q + 1, 0]$

### Rubi steps

$$\begin{aligned}
\int x^2 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{8} x^3 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 + \frac{1}{8} (5d) \int x^2 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx \\
&= -\frac{bcd^2 x^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{16\sqrt{1 - c^2 x^2}} + \frac{bc^3 d^2 x^6 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{12\sqrt{1 - c^2 x^2}} \\
&= -\frac{11bcd^2 x^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{96\sqrt{1 - c^2 x^2}} + \frac{17bc^3 d^2 x^6 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{144\sqrt{1 - c^2 x^2}} \\
&= -\frac{1}{256} b^2 c^4 d^2 x^7 \sqrt{d - c^2 dx^2} - \frac{59bcd^2 x^4 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{384\sqrt{1 - c^2 x^2}} + \frac{17bc^3 d^2 x^6 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{256\sqrt{1 - c^2 x^2}} \\
&= -\frac{5}{512} b^2 d^2 x^3 \sqrt{d - c^2 dx^2} + \frac{209b^2 c^2 d^2 x^5 \sqrt{d - c^2 dx^2}}{13824} - \frac{1}{256} b^2 c^4 d^2 x^7 \sqrt{d - c^2 dx^2} \\
&= \frac{5b^2 d^2 x \sqrt{d - c^2 dx^2}}{1024c^2} - \frac{1079b^2 d^2 x^3 \sqrt{d - c^2 dx^2}}{55296} + \frac{209b^2 c^2 d^2 x^5 \sqrt{d - c^2 dx^2}}{13824} - \frac{1}{256} b^2 c^4 d^2 x^7 \sqrt{d - c^2 dx^2} \\
&= -\frac{359b^2 d^2 x \sqrt{d - c^2 dx^2}}{36864c^2} - \frac{1079b^2 d^2 x^3 \sqrt{d - c^2 dx^2}}{55296} + \frac{209b^2 c^2 d^2 x^5 \sqrt{d - c^2 dx^2}}{13824} - \frac{1}{256} b^2 c^4 d^2 x^7 \sqrt{d - c^2 dx^2} \\
&= -\frac{359b^2 d^2 x \sqrt{d - c^2 dx^2}}{36864c^2} - \frac{1079b^2 d^2 x^3 \sqrt{d - c^2 dx^2}}{55296} + \frac{209b^2 c^2 d^2 x^5 \sqrt{d - c^2 dx^2}}{13824} - \frac{1}{256} b^2 c^4 d^2 x^7 \sqrt{d - c^2 dx^2}
\end{aligned}$$

**Mathematica [A]** time = 0.463001, size = 348, normalized size = 0.63

$$d^2 \sqrt{d - c^2 dx^2} \left( 3b \sin^{-1}(cx) \left( 1440a^2 + 192abcx\sqrt{1 - c^2 x^2} (48c^6 x^6 - 136c^4 x^4 + 118c^2 x^2 - 15) + b^2 (-1152c^8 x^8 + 4352c^6 x^6) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (d^2\*Sqrt[d - c^2\*d\*x^2]\*(1440\*a^3 - 96\*a\*b^2\*c^2\*x^2\*(-45 + 177\*c^2\*x^2 - 136\*c^4\*x^4 + 36\*c^6\*x^6) + 288\*a^2\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-15 + 118\*c^2\*x^2 - 136\*c^4\*x^4 + 48\*c^6\*x^6) - b^3\*c\*x\*Sqrt[1 - c^2\*x^2]\*(1077 + 2158\*c^2\*x^2 - 1672\*c^4\*x^4 + 432\*c^6\*x^6) + 3\*b\*(1440\*a^2 + 192\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-15 + 118\*c^2\*x^2 - 136\*c^4\*x^4 + 48\*c^6\*x^6) + b^2\*(359 + 1440\*c^2\*x^2 - 5664\*c^4\*x^4 + 4352\*c^6\*x^6 - 1152\*c^8\*x^8))\*ArcSin[c\*x] + 288\*b^2

$$\frac{(15a + b^2c^2\sqrt{1 - c^2x^2})(-15 + 118c^2x^2 - 136c^4x^4 + 48c^6x^6) \operatorname{ArcSin}[cx]^2 + 1440b^3 \operatorname{ArcSin}[cx]^3}{(110592b^2c^3\sqrt{1 - c^2x^2})}$$

**Maple [B]** time = 0.571, size = 1375, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (x^2(-c^2dx^2+d)^{5/2}(a+b\arcsin(cx))^2, x)$

[Out] 
$$\begin{aligned} & -1/8a^2x(-c^2dx^2+d)^{7/2}/c^2/d+5/192a^2/c^2d^2x(-c^2dx^2+d)^{3/2} \\ & +5/128a^2/c^2d^2x(-c^2dx^2+d)^{1/2}+1/48a^2/c^2x(-c^2dx^2+d)^{5/2} \\ & -5/128b^2(-d(c^2x^2-1))^{1/2}d^2/c/(c^2x^2-1)\arcsin(cx)*(-c^2x^2+1)^{1/2} \\ & *x^2+59/384a*b*(-d(c^2x^2-1))^{1/2}d^2*c/(c^2x^2-1)*(-c^2x^2+1)^{1/2} \\ & *x^4-5/128a*b*(-d(c^2x^2-1))^{1/2}d^2/c/(c^2x^2-1)*(-c^2x^2+1)^{1/2} \\ & *x^2+1/4a*b*(-d(c^2x^2-1))^{1/2}d^2*c^6/(c^2x^2-1)\arcsin(cx) \\ & *x^9-23/24a*b*(-d(c^2x^2-1))^{1/2}d^2*c^4/(c^2x^2-1)\arcsin(cx)*x^7+ \\ & 127/96a*b*(-d(c^2x^2-1))^{1/2}d^2*c^2/(c^2x^2-1)\arcsin(cx)*x^5+5/64a \\ & *b*(-d(c^2x^2-1))^{1/2}d^2/c^2/(c^2x^2-1)\arcsin(cx)*x-5/128a*b*(-d \\ & (c^2x^2-1))^{1/2}*(-c^2x^2+1)^{1/2}/c^3/(c^2x^2-1)\arcsin(cx)^2*d^2+1/3 \\ & 2a*b*(-d(c^2x^2-1))^{1/2}d^2*c^5/(c^2x^2-1)*(-c^2x^2+1)^{1/2}*x^8-17/ \\ & 144a*b*(-d(c^2x^2-1))^{1/2}d^2*c^3/(c^2x^2-1)*(-c^2x^2+1)^{1/2}*x^6+1 \\ & /32b^2*(-d(c^2x^2-1))^{1/2}d^2*c^5/(c^2x^2-1)\arcsin(cx)*(-c^2x^2+1) \\ & ^{1/2}*x^8-17/144b^2*(-d(c^2x^2-1))^{1/2}d^2*c^3/(c^2x^2-1)\arcsin(cx) \\ & *(-c^2x^2+1)^{1/2}*x^6+59/384b^2*(-d(c^2x^2-1))^{1/2}d^2*c/(c^2x^2-1) \\ & )\arcsin(cx)*(-c^2x^2+1)^{1/2}*x^4+1081/110592b^2*(-d(c^2x^2-1))^{1/2} \\ & *d^2/(c^2x^2-1)*x^3+5/128a^2/c^2d^3/(c^2d)^{1/2}\arctan((c^2d)^{1/2}*x \\ & /(-c^2dx^2+d)^{1/2})-359/36864b^2*(-d(c^2x^2-1))^{1/2}d^2/c^3/(c^2x^2-1) \\ & )\arcsin(cx)*(-c^2x^2+1)^{1/2}-5/384b^2*(-d(c^2x^2-1))^{1/2}*(-c^2x^2+1) \\ & ^{1/2}/c^3/(c^2x^2-1)\arcsin(cx)^3*d^2+1/8b^2*(-d(c^2x^2-1))^{1/2} \\ & )d^2*c^6/(c^2x^2-1)\arcsin(cx)^2*x^9-23/48b^2*(-d(c^2x^2-1))^{1/2}d \\ & ^2*c^4/(c^2x^2-1)\arcsin(cx)^2*x^7-133/192a*b*(-d(c^2x^2-1))^{1/2}d^2 \\ & /(c^2x^2-1)\arcsin(cx)*x^3-359/36864a*b*(-d(c^2x^2-1))^{1/2}d^2/c^3/( \\ & c^2x^2-1)*(-c^2x^2+1)^{1/2}+127/192b^2*(-d(c^2x^2-1))^{1/2}d^2*c^2/(c \\ & ^2x^2-1)\arcsin(cx)^2*x^5+5/128b^2*(-d(c^2x^2-1))^{1/2}d^2/c^2/(c^2x \\ & ^2-1)\arcsin(cx)^2*x-133/384b^2*(-d(c^2x^2-1))^{1/2}d^2/(c^2x^2-1)*ar \\ & csin(cx)^2*x^3-1/256b^2*(-d(c^2x^2-1))^{1/2}d^2*c^6/(c^2x^2-1)*x^9+26 \\ & 3/13824b^2*(-d(c^2x^2-1))^{1/2}d^2*c^4/(c^2x^2-1)*x^7-1915/55296b^2*( \\ & -d(c^2x^2-1))^{1/2}d^2*c^2/(c^2x^2-1)*x^5+359/36864b^2*(-d(c^2x^2-1) \\ & )^{1/2}d^2/c^2/(c^2x^2-1)*x \end{aligned}$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral((a^2\*c^4\*d^2\*x^6 - 2\*a^2\*c^2\*d^2\*x^4 + a^2\*d^2\*x^2 + (b^2\*c^4\*d^2\*x^6 - 2\*b^2\*c^2\*d^2\*x^4 + b^2\*d^2\*x^2)arcsin(cx))^2 + 2(abc^4\*d^2\*x^6 - 2\*abc^2\*d^2\*x^4 +

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((a^2\*c^4\*d^2\*x^6 - 2\*a^2\*c^2\*d^2\*x^4 + a^2\*d^2\*x^2 + (b^2\*c^4\*d^2\*x^6 - 2\*b^2\*c^2\*d^2\*x^4 + b^2\*d^2\*x^2)\*arcsin(c\*x))^2 + 2\*(a\*b\*c^4\*d^2\*x^6 - 2\*a\*b\*c^2\*d^2\*x^4 + a\*b\*d^2\*x^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^2 x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)^2\*x^2, x)

$$3.228 \quad \int x \left( d - c^2 dx^2 \right)^{5/2} \left( a + b \sin^{-1}(cx) \right)^2 dx$$

**Optimal.** Leaf size=382

$$\frac{2bc^5d^2x^7\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{49\sqrt{1-c^2x^2}} + \frac{6bc^3d^2x^5\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{35\sqrt{1-c^2x^2}} - \frac{2bcd^2x^3\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{7\sqrt{1-c^2x^2}}$$

[Out] (32\*b^2\*d^2\*Sqrt[d - c^2\*d\*x^2])/(245\*c^2) + (16\*b^2\*d^2\*(1 - c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])/(735\*c^2) + (12\*b^2\*d^2\*(1 - c^2\*x^2)^2\*Sqrt[d - c^2\*d\*x^2])/(1225\*c^2) + (2\*b^2\*d^2\*(1 - c^2\*x^2)^3\*Sqrt[d - c^2\*d\*x^2])/(343\*c^2) + (2\*b\*d^2\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(7\*c\*Sqrt[1 - c^2\*x^2]) - (2\*b\*c\*d^2\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(7\*Sqrt[1 - c^2\*x^2]) + (6\*b\*c^3\*d^2\*x^5\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(35\*Sqrt[1 - c^2\*x^2]) - (2\*b\*c^5\*d^2\*x^7\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(49\*Sqrt[1 - c^2\*x^2]) - ((d - c^2\*d\*x^2)^(7/2)\*(a + b\*ArcSin[c\*x])^2)/(7\*c^2\*d)

**Rubi [A]** time = 0.292748, antiderivative size = 382, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4677, 194, 4645, 12, 1799, 1850}

$$\frac{2bc^5d^2x^7\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{49\sqrt{1-c^2x^2}} + \frac{6bc^3d^2x^5\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{35\sqrt{1-c^2x^2}} - \frac{2bcd^2x^3\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{7\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (32\*b^2\*d^2\*Sqrt[d - c^2\*d\*x^2])/(245\*c^2) + (16\*b^2\*d^2\*(1 - c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])/(735\*c^2) + (12\*b^2\*d^2\*(1 - c^2\*x^2)^2\*Sqrt[d - c^2\*d\*x^2])/(1225\*c^2) + (2\*b^2\*d^2\*(1 - c^2\*x^2)^3\*Sqrt[d - c^2\*d\*x^2])/(343\*c^2) + (2\*b\*d^2\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(7\*c\*Sqrt[1 - c^2\*x^2]) - (2\*b\*c\*d^2\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(7\*Sqrt[1 - c^2\*x^2]) + (6\*b\*c^3\*d^2\*x^5\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(35\*Sqrt[1 - c^2\*x^2]) - (2\*b\*c^5\*d^2\*x^7\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(49\*Sqrt[1 - c^2\*x^2]) - ((d - c^2\*d\*x^2)^(7/2)\*(a + b\*ArcSin[c\*x])^2)/(7\*c^2\*d)

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rule 194

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

### Rule 4645

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 1799

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x)^p, x], x, x^2], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]
```

### Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

### Rubi steps

$$\begin{aligned}
\int x(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 dx &= -\frac{(d - c^2 dx^2)^{7/2} (a + b \sin^{-1}(cx))^2}{7c^2 d} + \frac{(2bd^2 \sqrt{d - c^2 dx^2}) \int (1 - c^2 x^2)^3 (a + b \sin^{-1}(cx)) dx}{7c \sqrt{1 - c^2 x^2}} \\
&= \frac{2bd^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{7c \sqrt{1 - c^2 x^2}} - \frac{2bcd^2 x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{7 \sqrt{1 - c^2 x^2}} + \dots \\
&= \frac{2bd^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{7c \sqrt{1 - c^2 x^2}} - \frac{2bcd^2 x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{7 \sqrt{1 - c^2 x^2}} + \dots \\
&= \frac{2bd^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{7c \sqrt{1 - c^2 x^2}} - \frac{2bcd^2 x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{7 \sqrt{1 - c^2 x^2}} + \dots \\
&= \frac{2bd^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{7c \sqrt{1 - c^2 x^2}} - \frac{2bcd^2 x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{7 \sqrt{1 - c^2 x^2}} + \dots \\
&= \frac{32b^2 d^2 \sqrt{d - c^2 dx^2}}{245c^2} + \frac{16b^2 d^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{735c^2} + \frac{12b^2 d^2 (1 - c^2 x^2)^2 \sqrt{d - c^2 dx^2}}{1225c^2}
\end{aligned}$$

**Mathematica [A]** time = 0.324334, size = 216, normalized size = 0.57

$$\frac{d^2 \sqrt{d - c^2 dx^2} \left( 3675a^2 (1 - c^2 x^2)^{7/2} + 210abcx (5c^6 x^6 - 21c^4 x^4 + 35c^2 x^2 - 35) + 210b \sin^{-1}(cx) \left( 35a (1 - c^2 x^2)^{7/2} + bcx \right) \right)}{25725c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $-(d^2 \sqrt{d - c^2 dx^2}) * (3675a^2 (1 - c^2 x^2)^{7/2} + 210abcx (-35 + 35c^2 x^2 - 21c^4 x^4 + 5c^6 x^6) + 2b^2 \sqrt{1 - c^2 x^2} (-2161 + 757c^2 x^2 - 351c^4 x^4 + 75c^6 x^6) + 210b (35a (1 - c^2 x^2)^{7/2} + bcx (-35 + 35c^2 x^2 - 21c^4 x^4 + 5c^6 x^6)) \operatorname{ArcSin}[cx] + 3675b^2 (1 - c^2 x^2)^{7/2} \operatorname{ArcSin}[cx]^2) / (25725c^2 \sqrt{1 - c^2 x^2})$

**Maple [C]** time = 0.402, size = 1888, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



[In]  $\text{int}(x*(-c^2*d*x^2+d)^{(5/2)}*(a+b*\arcsin(c*x))^2,x)$

[Out] 
$$\begin{aligned} & -1/7*a^2/c^2/d*(-c^2*d*x^2+d)^{(7/2)}+b^2*(1/43904*(-d*(c^2*x^2-1))^{(1/2)}*(64 \\ & *c^8*x^8-144*c^6*x^6-64*I*(-c^2*x^2+1)^{(1/2)}*x^7*c^7+104*c^4*x^4+112*I*(-c^2 \\ & *x^2+1)^{(1/2)}*x^5*c^5-25*c^2*x^2-56*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+7*I*(-c^2 \\ & *x^2+1)^{(1/2)}*x*c+1)*(14*I*\arcsin(c*x)+49*\arcsin(c*x)^2-2)*d^2/c^2/(c^2*x^2 \\ & -1)-1/3200*(-d*(c^2*x^2-1))^{(1/2)}*(16*c^6*x^6-28*c^4*x^4-16*I*(-c^2*x^2+1)^{(1/2)} \\ & *x^5*c^5+13*c^2*x^2+20*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3-5*I*(-c^2*x^2+1)^{(1/2)} \\ & *x*c-1)*(10*I*\arcsin(c*x)+25*\arcsin(c*x)^2-2)*d^2/c^2/(c^2*x^2-1)+1/384 \\ & *(-d*(c^2*x^2-1))^{(1/2)}*(4*c^4*x^4-5*c^2*x^2-4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3 \\ & +3*I*(-c^2*x^2+1)^{(1/2)}*x*c+1)*(6*I*\arcsin(c*x)+9*\arcsin(c*x)^2-2)*d^2/c^2/ \\ & (c^2*x^2-1)-5/128*(-d*(c^2*x^2-1))^{(1/2)}*(c^2*x^2-I*(-c^2*x^2+1)^{(1/2)}*x*c- \\ & 1)*(arcsin(c*x)^2-2+2*I*\arcsin(c*x))*d^2/c^2/(c^2*x^2-1)-5/128*(-d*(c^2*x^2 \\ & -1))^{(1/2)}*(I*(-c^2*x^2+1)^{(1/2)}*x*c+c^2*x^2-1)*(arcsin(c*x)^2-2+2*I*\arcsin \\ & (c*x))*d^2/c^2/(c^2*x^2-1)+1/384*(-d*(c^2*x^2-1))^{(1/2)}*(4*I*(-c^2*x^2+1)^{(1/2)} \\ & *x^3*c^3+4*c^4*x^4-3*I*(-c^2*x^2+1)^{(1/2)}*x*c-5*c^2*x^2+1)*(-6*I*\arcsin \\ & (c*x)+9*\arcsin(c*x)^2-2)*d^2/c^2/(c^2*x^2-1)-1/3200*(-d*(c^2*x^2-1))^{(1/2)}* \\ & (16*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5+16*c^6*x^6-20*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3 \\ & -28*c^4*x^4+5*I*(-c^2*x^2+1)^{(1/2)}*x*c+13*c^2*x^2-1)*(-10*I*\arcsin(c*x)+25* \\ & \arcsin(c*x)^2-2)*d^2/c^2/(c^2*x^2-1)+1/43904*(-d*(c^2*x^2-1))^{(1/2)}*(64*I*( \\ & -c^2*x^2+1)^{(1/2)}*x^7*c^7+64*c^8*x^8-112*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5-144*c \\ & ^6*x^6+56*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+104*c^4*x^4-7*I*(-c^2*x^2+1)^{(1/2)}*x \\ & *c-25*c^2*x^2+1)*(-14*I*\arcsin(c*x)+49*\arcsin(c*x)^2-2)*d^2/c^2/(c^2*x^2-1) \\ & )+2*a*b*(1/6272*(-d*(c^2*x^2-1))^{(1/2)}*(64*c^8*x^8-144*c^6*x^6-64*I*(-c^2*x \\ & ^2+1)^{(1/2)}*x^7*c^7+104*c^4*x^4+112*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5-25*c^2*x^2 \\ & -56*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+7*I*(-c^2*x^2+1)^{(1/2)}*x*c+1)*(I+7*\arcsin( \\ & c*x))*d^2/c^2/(c^2*x^2-1)-1/640*(-d*(c^2*x^2-1))^{(1/2)}*(16*c^6*x^6-28*c^4*x \\ & ^4-16*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5+13*c^2*x^2+20*I*(-c^2*x^2+1)^{(1/2)}*x^3*c \\ & ^3-5*I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(I+5*\arcsin(c*x))*d^2/c^2/(c^2*x^2-1)+1/12 \\ & 8*(-d*(c^2*x^2-1))^{(1/2)}*(4*c^4*x^4-5*c^2*x^2-4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^ \\ & 3+3*I*(-c^2*x^2+1)^{(1/2)}*x*c+1)*(I+3*\arcsin(c*x))*d^2/c^2/(c^2*x^2-1)-5/128 \\ & *(-d*(c^2*x^2-1))^{(1/2)}*(c^2*x^2-I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(arcsin(c*x)+I \\ & )*d^2/c^2/(c^2*x^2-1)-5/128*(-d*(c^2*x^2-1))^{(1/2)}*(I*(-c^2*x^2+1)^{(1/2)}*x* \\ & c+c^2*x^2-1)*(arcsin(c*x)-I)*d^2/c^2/(c^2*x^2-1)+1/128*(-d*(c^2*x^2-1))^{(1/ \\ & 2)}*(4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+4*c^4*x^4-3*I*(-c^2*x^2+1)^{(1/2)}*x*c-5*c \\ & ^2*x^2+1)*(-I+3*\arcsin(c*x))*d^2/c^2/(c^2*x^2-1)-1/640*(-d*(c^2*x^2-1))^{(1/ \\ & 2)}*(16*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5+16*c^6*x^6-20*I*(-c^2*x^2+1)^{(1/2)}*x^3* \\ & c^3-28*c^4*x^4+5*I*(-c^2*x^2+1)^{(1/2)}*x*c+13*c^2*x^2-1)*(-I+5*\arcsin(c*x))* \\ & d^2/c^2/(c^2*x^2-1)+1/6272*(-d*(c^2*x^2-1))^{(1/2)}*(64*I*(-c^2*x^2+1)^{(1/2)}* \\ & x^7*c^7+64*c^8*x^8-112*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5-144*c^6*x^6+56*I*(-c^2* \\ & x^2+1)^{(1/2)}*x^3*c^3+104*c^4*x^4-7*I*(-c^2*x^2+1)^{(1/2)}*x*c-25*c^2*x^2+1)*(- \\ & I+7*\arcsin(c*x))*d^2/c^2/(c^2*x^2-1)) \end{aligned}$$

**Maxima [A]** time = 1.6254, size = 379, normalized size = 0.99

$$\frac{(-c^2 dx^2 + d)^{\frac{7}{2}} b^2 \arcsin(cx)^2}{7c^2 d} - \frac{2(-c^2 dx^2 + d)^{\frac{7}{2}} ab \arcsin(cx)}{7c^2 d} - \frac{2}{25725} b^2 \left( \frac{75 \sqrt{-c^2 x^2 + 1} c^4 d^{\frac{7}{2}} x^6 - 351 \sqrt{-c^2 x^2 + 1} c^2 d^{\frac{7}{2}} x^4 + 757 \sqrt{-c^2 x^2 + 1} c^2 d^{\frac{7}{2}} x^2 - 2161 \sqrt{-c^2 x^2 + 1} d^{\frac{7}{2}} / c^2}{d} + 105(5c^6 d^{\frac{7}{2}} x^7 - 21c^4 d^{\frac{7}{2}} x^5 + 35c^2 d^{\frac{7}{2}} x^3 - 35d^{\frac{7}{2}} x) \arcsin(cx) / (c*d) - 1/7(-c^2 d x^2 + d)^{\frac{7}{2}} a^2 / (c^2 d) - 2/245(5c^6 d^{\frac{7}{2}} x^7 - 21c^4 d^{\frac{7}{2}} x^5 + 35c^2 d^{\frac{7}{2}} x^3 - 35d^{\frac{7}{2}} x) a*b / (c*d) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] -1/7\*(-c^2\*d\*x^2 + d)^(7/2)\*b^2\*arcsin(c\*x)^2/(c^2\*d) - 2/7\*(-c^2\*d\*x^2 + d)^(7/2)\*a\*b\*arcsin(c\*x)/(c^2\*d) - 2/25725\*b^2\*((75\*sqrt(-c^2\*x^2 + 1)\*c^4\*d^(7/2)\*x^6 - 351\*sqrt(-c^2\*x^2 + 1)\*c^2\*d^(7/2)\*x^4 + 757\*sqrt(-c^2\*x^2 + 1)\*d^(7/2)\*x^2 - 2161\*sqrt(-c^2\*x^2 + 1)\*d^(7/2)/c^2)/d + 105\*(5\*c^6\*d^(7/2)\*x^7 - 21\*c^4\*d^(7/2)\*x^5 + 35\*c^2\*d^(7/2)\*x^3 - 35\*d^(7/2)\*x)\*arcsin(c\*x)/(c\*d) - 1/7\*(-c^2\*d\*x^2 + d)^(7/2)\*a^2/(c^2\*d) - 2/245\*(5\*c^6\*d^(7/2)\*x^7 - 21\*c^4\*d^(7/2)\*x^5 + 35\*c^2\*d^(7/2)\*x^3 - 35\*d^(7/2)\*x)\*a\*b/(c\*d)

**Fricas [A]** time = 1.97908, size = 888, normalized size = 2.32

$$\frac{210(5abc^7d^2x^7 - 21abc^5d^2x^5 + 35abc^3d^2x^3 - 35abcd^2x + (5b^2c^7d^2x^7 - 21b^2c^5d^2x^5 + 35b^2c^3d^2x^3 - 35b^2cd^2x) \arcsin(c*x)) \sqrt{-c^2dx^2 + d} \sqrt{-c^2x^2 + 1}}{25725}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] 1/25725\*(210\*(5\*a\*b\*c^7\*d^2\*x^7 - 21\*a\*b\*c^5\*d^2\*x^5 + 35\*a\*b\*c^3\*d^2\*x^3 - 35\*a\*b\*c\*d^2\*x + (5\*b^2\*c^7\*d^2\*x^7 - 21\*b^2\*c^5\*d^2\*x^5 + 35\*b^2\*c^3\*d^2\*x^3 - 35\*b^2\*c\*d^2\*x)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)\*sqrt(-c^2\*x^2 + 1) + (75\*(49\*a^2 - 2\*b^2)\*c^8\*d^2\*x^8 - 12\*(1225\*a^2 - 71\*b^2)\*c^6\*d^2\*x^6 + 2\*(11025\*a^2 - 1108\*b^2)\*c^4\*d^2\*x^4 - 4\*(3675\*a^2 - 1459\*b^2)\*c^2\*d^2\*x^2 + (3675\*a^2 - 4322\*b^2)\*d^2 + 3675\*(b^2\*c^8\*d^2\*x^8 - 4\*b^2\*c^6\*d^2\*x^6 + 6\*b^2\*c^4\*d^2\*x^4 - 4\*b^2\*c^2\*d^2\*x^2 + b^2\*d^2)\*arcsin(c\*x)^2 + 7350\*(a\*b\*c^8\*d^2\*x^8 - 4\*a\*b\*c^6\*d^2\*x^6 + 6\*a\*b\*c^4\*d^2\*x^4 - 4\*a\*b\*c^2\*d^2\*x^2 + a\*b\*d^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d))/(c^4\*x^2 - c^2)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^2 x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)^2\*x, x)

$$3.229 \quad \int (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=438

$$\frac{5d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^3}{48bc \sqrt{1 - c^2 x^2}} + \frac{5}{16} d^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 + \frac{bd^2 (1 - c^2 x^2)^{5/2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{18c}$$

[Out] (-245\*b^2\*d^2\*x\*Sqrt[d - c^2\*d\*x^2])/1152 - (65\*b^2\*d^2\*x\*(1 - c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])/1728 - (b^2\*d^2\*x\*(1 - c^2\*x^2)^2\*Sqrt[d - c^2\*d\*x^2])/108 + (115\*b^2\*d^2\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/(1152\*c\*Sqrt[1 - c^2\*x^2]) - (5\*b\*c\*d^2\*x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(16\*Sqrt[1 - c^2\*x^2]) + (5\*b\*d^2\*(1 - c^2\*x^2)^(3/2)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(48\*c) + (b\*d^2\*(1 - c^2\*x^2)^(5/2)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(18\*c) + (5\*d^2\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/16 + (5\*d\*x\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/24 + (x\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/6 + (5\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(48\*b\*c\*Sqrt[1 - c^2\*x^2])

**Rubi [A]** time = 0.387097, antiderivative size = 438, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 8, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {4649, 4647, 4641, 4627, 321, 216, 4677, 195}

$$\frac{5d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^3}{48bc \sqrt{1 - c^2 x^2}} + \frac{5}{16} d^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 + \frac{bd^2 (1 - c^2 x^2)^{5/2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{18c}$$

Antiderivative was successfully verified.

[In] Int[(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (-245\*b^2\*d^2\*x\*Sqrt[d - c^2\*d\*x^2])/1152 - (65\*b^2\*d^2\*x\*(1 - c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])/1728 - (b^2\*d^2\*x\*(1 - c^2\*x^2)^2\*Sqrt[d - c^2\*d\*x^2])/108 + (115\*b^2\*d^2\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/(1152\*c\*Sqrt[1 - c^2\*x^2]) - (5\*b\*c\*d^2\*x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(16\*Sqrt[1 - c^2\*x^2]) + (5\*b\*d^2\*(1 - c^2\*x^2)^(3/2)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(48\*c) + (b\*d^2\*(1 - c^2\*x^2)^(5/2)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(18\*c) + (5\*d^2\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/16 + (5\*d\*x\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/24 + (x\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/6 + (5\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(48\*b\*c\*Sqrt[1 - c^2\*x^2])

Rule 4649

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[(x\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(2\*p + 1), x] + (Dist[(2\*d\*p)/(2\*p + 1), Int[(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p]]/((2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0]

Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 321

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p])) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]]
```

Rubi steps

$$\begin{aligned}
\int (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 dx &= \frac{1}{6} x (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 + \frac{1}{6} (5d) \int (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx \\
&= \frac{bd^2 (1 - c^2 x^2)^{5/2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{18c} + \frac{5}{24} dx (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 \\
&= -\frac{1}{108} b^2 d^2 x (1 - c^2 x^2)^2 \sqrt{d - c^2 dx^2} + \frac{5bd^2 (1 - c^2 x^2)^{3/2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{48c} \\
&= -\frac{65b^2 d^2 x (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{1728} - \frac{1}{108} b^2 d^2 x (1 - c^2 x^2)^2 \sqrt{d - c^2 dx^2} - \frac{5bcd^2 x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{1152} \\
&= -\frac{245b^2 d^2 x \sqrt{d - c^2 dx^2}}{1152} - \frac{65b^2 d^2 x (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{1728} - \frac{1}{108} b^2 d^2 x (1 - c^2 x^2)^2 \sqrt{d - c^2 dx^2} \\
&= -\frac{245b^2 d^2 x \sqrt{d - c^2 dx^2}}{1152} - \frac{65b^2 d^2 x (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{1728} - \frac{1}{108} b^2 d^2 x (1 - c^2 x^2)^2 \sqrt{d - c^2 dx^2}
\end{aligned}$$

**Mathematica [A]** time = 1.81753, size = 407, normalized size = 0.93

$$d^2 \left( \sqrt{d - c^2 dx^2} \left( 2304a^2 c^5 x^5 \sqrt{1 - c^2 x^2} - 7488a^2 c^3 x^3 \sqrt{1 - c^2 x^2} + 9504a^2 cx \sqrt{1 - c^2 x^2} + 3240ab \cos(2 \sin^{-1}(cx)) + 324ab \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (d^2\*(1440\*b^2\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x]^3 - 4320\*a^2\*Sqrt[d]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d - c^2\*d\*x^2])/(Sqrt[d]\*(-1 + c^2\*x^2))] + 12\*b\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x]\*(270\*b\*Cos[2\*ArcSin[c\*x]] + 27\*b\*Cos[4\*ArcSin[c\*x]] + 2\*b\*Cos[6\*ArcSin[c\*x]] + 540\*a\*Sin[2\*ArcSin[c\*x]] + 108\*a\*Sin[4\*ArcSin[c\*x]] + 12\*a\*Sin[6\*ArcSin[c\*x]]) + 72\*b\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x]^2\*(60\*a + 45\*b\*Sin[2\*ArcSin[c\*x]] + 9\*b\*Sin[4\*ArcSin[c\*x]] + b\*Sin[6\*ArcSin[c\*x]]) + Sqrt[d - c^2\*d\*x^2]\*(9504\*a^2\*c\*x\*Sqrt[1 - c^2\*x^2] - 7488\*a^2\*c^3\*x^3\*Sqrt[1 - c^2\*x^2] + 2304\*a^2\*c^5\*x^5\*Sqrt[1 - c^2\*x^2] + 3240\*a\*b\*Cos[2\*ArcSin[c\*x]] + 324\*a\*b\*Cos[4\*ArcSin[c\*x]] + 24\*a\*b\*Cos[6\*ArcSin[c\*x]]) - 1620\*b^2\*Sin[2\*ArcSin[c\*x]] - 81\*b^2\*Sin[4\*ArcSin[c\*x]] - 4\*b^2\*Sin[6\*ArcSin[c\*x]]))/(13824\*c\*Sqrt[1 - c^2\*x^2])

**Maple [B]** time = 0.326, size = 1107, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x)

[Out] 1/6\*x\*(-c^2\*d\*x^2+d)^(5/2)\*a^2+1/6\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c^6/(c^2\*x^2-1)\*arcsin(c\*x)^2\*x^7-17/24\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c^4/(c^2\*x^2-1)\*arcsin(c\*x)^2\*x^5+59/48\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c^2/(c^2\*x^2-1)\*arcsin(c\*x)^2\*x^3-5/48\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c/(c^2\*x^2-1)\*arcsin(c\*x)^3\*d^2-299/1152\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2/c/(c^2\*x^2-1)\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)-299/1152\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2/c/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)-11/8\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2/(c^2\*x^2-1)\*arcsin(c\*x)\*x+1/18\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c^5/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*x^6-13/48\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c^3/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*x^4+11/16\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c/(c^2\*x^2-1)\*(-c^2\*x^2+1)^(1/2)\*x^2-5/16\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c/(c^2\*x^2-1)\*arcsin(c\*x)^2\*d^2+1/3\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c^6/(c^2\*x^2-1)\*arcsin(c\*x)\*x^7-17/12\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c^4/(c^2\*x^2-1)\*arcsin(c\*x)\*x^5+59/24\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c^2/(c^2\*x^2-1)\*arcsin(c\*x)\*x^3-13/48\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c^3/(c^2\*x^2-1)\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)\*x^4+11/16\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c/(c^2\*x^2-1)\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)\*x^2+1/18\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)\*d^2\*c^5/(c^2\*x^2-1)\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)\*x^6+5/24\*a^2\*d\*x\*(-c^2\*d\*x^2+d)^(3/2)

$$2)+5/16*a^2*d^2*x*(-c^2*d*x^2+d)^{(1/2)}+5/16*a^2*d^3/(c^2*d)^{(1/2)}*\arctan((c^2*d)^{(1/2)}*x/(-c^2*d*x^2+d)^{(1/2)})+299/1152*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(c^2*x^2-1)*x-11/16*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(c^2*x^2-1)*\arcsin(c*x)^2*x-1/108*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2*c^6/(c^2*x^2-1)*x^7+113/1728*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2*c^4/(c^2*x^2-1)*x^5-1091/3456*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2*c^2/(c^2*x^2-1)*x^3$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(a^2c^4d^2x^4 - 2a^2c^2d^2x^2 + a^2d^2 + \left(b^2c^4d^2x^4 - 2b^2c^2d^2x^2 + b^2d^2\right)\arcsin(cx)\right)^2 + 2\left(abc^4d^2x^4 - 2abc^2d^2x^2 + abd^2\right)\arcsin(cx)\right), x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((a^2\*c^4\*d^2\*x^4 - 2\*a^2\*c^2\*d^2\*x^2 + a^2\*d^2 + (b^2\*c^4\*d^2\*x^4 - 2\*b^2\*c^2\*d^2\*x^2 + b^2\*d^2)\*arcsin(c\*x))^2 + 2\*(a\*b\*c^4\*d^2\*x^4 - 2\*a\*b\*c^2\*d^2\*x^2 + a\*b\*d^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))\*\*2,x)



[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))^2,x, algorithm="giac")`

[Out] `integrate((-c^2*d*x^2 + d)^(5/2)*(b*arcsin(c*x) + a)^2, x)`

$$3.230 \quad \int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))^2}{x} dx$$

**Optimal.** Leaf size=687

$$\frac{2ibd^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} - \frac{2ibd^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}}$$

```
[Out] (-598*b^2*d^2*Sqrt[d - c^2*d*x^2])/225 - (2*a*b*c*d^2*x*Sqrt[d - c^2*d*x^2])/Sqrt[1 - c^2*x^2] - (74*b^2*d^2*(1 - c^2*x^2)*Sqrt[d - c^2*d*x^2])/675 - (2*b^2*d^2*(1 - c^2*x^2)^2*Sqrt[d - c^2*d*x^2])/125 - (2*b^2*c*d^2*x*Sqrt[d - c^2*d*x^2]*ArcSin[c*x])/Sqrt[1 - c^2*x^2] - (16*b*c*d^2*x*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(15*Sqrt[1 - c^2*x^2]) + (22*b*c^3*d^2*x^3*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(45*Sqrt[1 - c^2*x^2]) - (2*b*c^5*d^2*x^5*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/(25*Sqrt[1 - c^2*x^2]) + d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2 + (d*(d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x])^2)/3 + ((d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x])^2)/5 - (2*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2*ArcTanh[E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] + ((2*I)*b*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, -E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] - ((2*I)*b*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] - (2*b^2*d^2*Sqrt[d - c^2*d*x^2]*PolyLog[3, -E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] + (2*b^2*d^2*Sqrt[d - c^2*d*x^2]*PolyLog[3, E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2]
```

**Rubi [A]** time = 0.885807, antiderivative size = 687, normalized size of antiderivative = 1., number of steps used = 23, number of rules used = 16, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.552$ , Rules used = {4699, 4697, 4709, 4183, 2531, 2282, 6589, 4619, 261, 4645, 444, 43, 194, 12, 1247, 698}

$$\frac{2ibd^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} - \frac{2ibd^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

```
[In] Int[((d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x])^2)/x,x]
```

```
[Out] (-598*b^2*d^2*Sqrt[d - c^2*d*x^2])/225 - (2*a*b*c*d^2*x*Sqrt[d - c^2*d*x^2])/Sqrt[1 - c^2*x^2] - (74*b^2*d^2*(1 - c^2*x^2)*Sqrt[d - c^2*d*x^2])/675 - (2*b^2*d^2*(1 - c^2*x^2)^2*Sqrt[d - c^2*d*x^2])/125 - (2*b^2*c*d^2*x*Sqrt[d
```

$$\begin{aligned}
& - c^2 d x^2 \operatorname{ArcSin}[c x] / \sqrt{1 - c^2 x^2} - (16 b c d^2 x \sqrt{d - c^2 d x^2} (a + b \operatorname{ArcSin}[c x])) / (15 \sqrt{1 - c^2 x^2}) + (22 b c^3 d^2 x^3 \sqrt{d - c^2 d x^2} (a + b \operatorname{ArcSin}[c x])) / (45 \sqrt{1 - c^2 x^2}) - (2 b c^5 d^2 x^5 \sqrt{d - c^2 d x^2} (a + b \operatorname{ArcSin}[c x])) / (25 \sqrt{1 - c^2 x^2}) + d^2 \sqrt{d - c^2 d x^2} (a + b \operatorname{ArcSin}[c x])^2 + (d (d - c^2 d x^2)^{3/2} (a + b \operatorname{ArcSin}[c x])^2) / 3 + ((d - c^2 d x^2)^{5/2} (a + b \operatorname{ArcSin}[c x])^2) / 5 - (2 d^2 \sqrt{d - c^2 d x^2} (a + b \operatorname{ArcSin}[c x])^2 \operatorname{ArcTanh}[E^{(I \operatorname{ArcSin}[c x])}]) / \sqrt{1 - c^2 x^2} + ((2 I) b d^2 \sqrt{d - c^2 d x^2} (a + b \operatorname{ArcSin}[c x]) \operatorname{PolyLog}[2, -E^{(I \operatorname{ArcSin}[c x])}]) / \sqrt{1 - c^2 x^2} - ((2 I) b d^2 \sqrt{d - c^2 d x^2} (a + b \operatorname{ArcSin}[c x]) \operatorname{PolyLog}[2, E^{(I \operatorname{ArcSin}[c x])}]) / \sqrt{1 - c^2 x^2} - (2 b^2 d^2 \sqrt{d - c^2 d x^2} \operatorname{PolyLog}[3, -E^{(I \operatorname{ArcSin}[c x])}]) / \sqrt{1 - c^2 x^2} + (2 b^2 d^2 \sqrt{d - c^2 d x^2} \operatorname{PolyLog}[3, E^{(I \operatorname{ArcSin}[c x])}]) / \sqrt{1 - c^2 x^2}
\end{aligned}$$

### Rule 4699

```

Int[((a_.) + ArcSin[(c_.)(x_)]*(b_.))^(n_.)*((f_.)(x_))^(m_.)*((d_) + (e_.)(x_)^2)^(p_.), x_Symbol] :> Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

### Rule 4697

```

Int[((a_.) + ArcSin[(c_.)(x_)]*(b_.))^(n_.)*((f_.)(x_))^(m_.)*Sqrt[(d_) + (e_.)(x_)^2], x_Symbol] :> Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^m*(a + b*ArcSin[c*x])^n]/Sqrt[1 - c^2*x^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

### Rule 4709

```

Int[(((a_.) + ArcSin[(c_.)(x_)]*(b_.))^(n_.)(x_)^(m_))/Sqrt[(d_) + (e_.)(x_)^2], x_Symbol] :> Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

```

### Rule 4183

```

Int[csc[(e_.) + (f_.)(x_)]*((c_.) + (d_.)(x_))^(m_.), x_Symbol] :> Simp[(

```

$-2*(c + d*x)^m * \text{ArcTanh}[E^{(I*(e + f*x))}]/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)} * \text{Log}[1 - E^{(I*(e + f*x))}], x], x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)} * \text{Log}[1 + E^{(I*(e + f*x))}], x], x]) /;$  FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2531

$\text{Int}[\text{Log}[1 + (e_*) * ((F_)^{((c_*) * ((a_*) + (b_*) * (x_)))})^{(n_*)} * ((f_*) + (g_*) * (x_))^{(m_*)}], x\_Symbol] := -\text{Simp}[(f + g*x)^m * \text{PolyLog}[2, -(e * (F^{(c*(a + b*x)))^n})] / (b*c*n * \text{Log}[F]), x] + \text{Dist}[(g*m) / (b*c*n * \text{Log}[F]), \text{Int}[(f + g*x)^{(m-1)} * \text{PolyLog}[2, -(e * (F^{(c*(a + b*x)))^n})], x], x] /;$  FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

### Rule 2282

$\text{Int}[u, x\_Symbol] := \text{With}[\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /;$  FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^{((c\_)\*((a\_\*) + (b\_\*) \* x)) \* (F\_)[v\_]} /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

### Rule 6589

$\text{Int}[\text{PolyLog}[n, (c_*) * ((a_*) + (b_*) * (x_))^{(p_*)}] / ((d_*) + (e_*) * (x_)), x\_Symbol] := \text{Simp}[\text{PolyLog}[n + 1, c * (a + b*x)^p] / (e*p), x] /;$  FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 4619

$\text{Int}[(a_*) + \text{ArcSin}[(c_*) * (x_)] * (b_*)^{(n_*)}, x\_Symbol] := \text{Simp}[x * (a + b * \text{ArcSin}[c*x])^n, x] - \text{Dist}[b*c*n, \text{Int}[(x * (a + b * \text{ArcSin}[c*x])^{(n-1)}) / \text{Sqrt}[1 - c^2*x^2], x], x] /;$  FreeQ[{a, b, c}, x] && GtQ[n, 0]

### Rule 261

$\text{Int}[(x_*)^{(m_*)} * ((a_*) + (b_*) * (x_*)^{(n_*)})^{(p_*)}, x\_Symbol] := \text{Simp}[(a + b*x^n)^{(p+1)} / (b*n*(p+1)), x] /;$  FreeQ[{a, b, m, n, p}, x] && EqQ[m, n-1] && NeQ[p, -1]

### Rule 4645

$\text{Int}[(a_*) + \text{ArcSin}[(c_*) * (x_)] * (b_*) * ((d_*) + (e_*) * (x_*)^2)^{(p_*)}, x\_Symbol] := \text{With}[\{u = \text{IntHide}[(d + e*x^2)^p, x]\}, \text{Dist}[a + b * \text{ArcSin}[c*x], u, x] - \text{Dist}[b*c, \text{Int}[\text{SimplifyIntegrand}[u/\text{Sqrt}[1 - c^2*x^2], x], x], x] /;$  FreeQ[

{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

#### Rule 444

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n + 1, 0]

#### Rule 43

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rule 194

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 1247

Int[(x\_)\*((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Dist[1/2, Subst[Int[(d + e\*x)^q\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]

#### Rule 698

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

#### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2}{x} dx &= \frac{1}{5} (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 + d \int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{x} dx - \\
&= -\frac{2bcd^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{5\sqrt{1 - c^2 x^2}} + \frac{4bc^3 d^2 x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15\sqrt{1 - c^2 x^2}} - \\
&= -\frac{16bcd^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15\sqrt{1 - c^2 x^2}} + \frac{22bc^3 d^2 x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{45\sqrt{1 - c^2 x^2}} - \\
&= -\frac{2abcd^2 x \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{16bcd^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15\sqrt{1 - c^2 x^2}} + \frac{22bc^3 d^2 x^3 \sqrt{d - c^2 dx^2}}{45\sqrt{1 - c^2 x^2}} - \\
&= -\frac{2abcd^2 x \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{2b^2 cd^2 x \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} - \frac{16bcd^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{15\sqrt{1 - c^2 x^2}} - \\
&= -\frac{598}{225} b^2 d^2 \sqrt{d - c^2 dx^2} - \frac{2abcd^2 x \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{74}{675} b^2 d^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2} - \\
&= -\frac{598}{225} b^2 d^2 \sqrt{d - c^2 dx^2} - \frac{2abcd^2 x \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{74}{675} b^2 d^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2} - \\
&= -\frac{598}{225} b^2 d^2 \sqrt{d - c^2 dx^2} - \frac{2abcd^2 x \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{74}{675} b^2 d^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2} -
\end{aligned}$$

**Mathematica [A]** time = 4.53179, size = 775, normalized size = 1.13

$$d^2 \left( -108000ab \sqrt{d - c^2 dx^2} \left( -i \left( \text{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) - \text{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) \right) - \sqrt{1 - c^2 x^2} \sin^{-1}(cx) + cx - \sin^{-1}(cx) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/x,x]

[Out] (d^2\*(3600\*a^2\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2]\*(23 - 11\*c^2\*x^2 + 3\*c^4\*x^4) + 54000\*a^2\*Sqrt[d]\*Sqrt[1 - c^2\*x^2]\*Log[c\*x] - 54000\*a^2\*Sqrt[d]\*Sqrt[1 - c^2\*x^2]\*Log[d + Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]] - 108000\*a\*b\*Sqrt[d - c^2\*d\*x^2]\*(c\*x - Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] - ArcSin[c\*x]\*(Log[1 - E^(I\*ArcSin[c\*x])]) - Log[1 + E^(I\*ArcSin[c\*x])]) - I\*(PolyLog[2, -E^(I\*ArcSin

$$\begin{aligned}
& [c*x]] - \text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])})] - 54000*b^2*\text{Sqrt}[d - c^2*d*x^2]*( \\
& 2*\text{Sqrt}[1 - c^2*x^2] + 2*c*x*\text{ArcSin}[c*x] - \text{Sqrt}[1 - c^2*x^2]*\text{ArcSin}[c*x]^2 - \\
& \text{ArcSin}[c*x]^2*(\text{Log}[1 - E^{(I*\text{ArcSin}[c*x])})] - \text{Log}[1 + E^{(I*\text{ArcSin}[c*x])})] - \\
& (2*I)*\text{ArcSin}[c*x]*(\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])})] - \text{PolyLog}[2, E^{(I*\text{ArcSin}[ \\
& c*x])})] + 2*(\text{PolyLog}[3, -E^{(I*\text{ArcSin}[c*x])})] - \text{PolyLog}[3, E^{(I*\text{ArcSin}[c*x])})] \\
& )) - 6000*a*b*\text{Sqrt}[d - c^2*d*x^2]*(9*c*x - 3*\text{ArcSin}[c*x]*(3*\text{Sqrt}[1 - c^2*x^ \\
& 2] + \text{Cos}[3*\text{ArcSin}[c*x]]) + \text{Sin}[3*\text{ArcSin}[c*x]]) + 1000*b^2*\text{Sqrt}[d - c^2*d*x^ \\
& 2]*(27*\text{Sqrt}[1 - c^2*x^2]*(-2 + \text{ArcSin}[c*x]^2) + (-2 + 9*\text{ArcSin}[c*x]^2)*\text{Cos}[ \\
& 3*\text{ArcSin}[c*x]] - 6*\text{ArcSin}[c*x]*(9*c*x + \text{Sin}[3*\text{ArcSin}[c*x]))) + 30*a*b*\text{Sqrt}[ \\
& d - c^2*d*x^2]*(450*c*x - 15*\text{ArcSin}[c*x]*(30*\text{Sqrt}[1 - c^2*x^2] + 5*\text{Cos}[3*\text{Ar \\
& cSin}[c*x]] - 3*\text{Cos}[5*\text{ArcSin}[c*x]]) + 25*\text{Sin}[3*\text{ArcSin}[c*x]] - 9*\text{Sin}[5*\text{ArcSin} \\
& [c*x]]) - b^2*\text{Sqrt}[d - c^2*d*x^2]*(6750*\text{Sqrt}[1 - c^2*x^2]*(-2 + \text{ArcSin}[c*x] \\
& ^2) + 125*(-2 + 9*\text{ArcSin}[c*x]^2)*\text{Cos}[3*\text{ArcSin}[c*x]] - 27*(-2 + 25*\text{ArcSin}[c* \\
& x]^2)*\text{Cos}[5*\text{ArcSin}[c*x]] + 30*\text{ArcSin}[c*x]*(-25*\text{Sin}[3*\text{ArcSin}[c*x]] + 9*(-50* \\
& c*x + \text{Sin}[5*\text{ArcSin}[c*x]])))))/(54000*\text{Sqrt}[1 - c^2*x^2])
\end{aligned}$$

**Maple [B]** time = 0.415, size = 1574, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((-c^2*d*x^2+d)^{(5/2)}*(a+b*\arcsin(c*x))^2/x, x)$

[Out] 
$$\begin{aligned}
& -2*a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*d^2*\arcsin(c*x) \\
& )*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})+2/5*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(c^2*x^ \\
& 2-1)*\arcsin(c*x)*x^6*c^6-28/15*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(c^2*x^2-1)*a \\
& rcsin(c*x)*x^4*c^4+68/15*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(c^2*x^2-1)*\arcsin( \\
& c*x)*x^2*c^2+2/25*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^{( \\
& 1/2)}*x^5*c^5+2/25*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(c^2*x^2-1)*\arcsin(c*x)*(- \\
& c^2*x^2+1)^{(1/2)}*x^5*c^5-22/45*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(c^2*x^2-1)*a \\
& rcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+46/15*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/ \\
& (c^2*x^2-1)*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*x*c-2*I*b^2*(-d*(c^2*x^2-1))^{(1/ \\
& 2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*d^2*\arcsin(c*x)*\text{polylog}(2, -I*c*x-(-c^2*x^ \\
& 2+1)^{(1/2)})+2*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*d \\
& ^2*\arcsin(c*x)*\text{polylog}(2, I*c*x+(-c^2*x^2+1)^{(1/2)})+2*I*a*b*(-d*(c^2*x^2-1)) \\
& ^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*d^2*\text{polylog}(2, I*c*x+(-c^2*x^2+1)^{(1/2} \\
& ))-22/45*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^3* \\
& c^3+46/15*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x*c \\
& +2*a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*d^2*\arcsin(c*x) \\
& )*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-2*I*a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1) \\
& )^{(1/2)}/(c^2*x^2-1)*d^2*\text{polylog}(2, -I*c*x-(-c^2*x^2+1)^{(1/2)})-46/15*a*b*(-d*
\end{aligned}$$

$$\begin{aligned} & (c^2x^2-1)^{(1/2)}*d^2/(c^2x^2-1)*\arcsin(cx)-2/125*b^2*(-d*(c^2x^2-1))^{(1/2)}*d^2/(c^2x^2-1)*c^6*x^6+532/3375*b^2*(-d*(c^2x^2-1))^{(1/2)}*d^2/(c^2x^2-1)*c^4*x^4-9872/3375*b^2*(-d*(c^2x^2-1))^{(1/2)}*d^2/(c^2x^2-1)*c^2*x^2+ \\ & 2*b^2*(-d*(c^2x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*d^2*\text{polylog}(3,-I*c*x-(-c^2*x^2+1)^{(1/2)})-2*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*d^2*\text{polylog}(3,I*c*x+(-c^2*x^2+1)^{(1/2)})-23/15*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(c^2*x^2-1)*\arcsin(cx)^2+1/5*(-c^2*d*x^2+d)^{(5/2)}*a^2+1/3*a^2*d*(-c^2*d*x^2+d)^{(3/2)}-a^2*d^{(5/2)}*\ln((2*d+2*d^{(1/2)}*(-c^2*d*x^2+d)^{(1/2)})/x)+a^2*(-c^2*d*x^2+d)^{(1/2)}*d^2+9394/3375*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(c^2*x^2-1)+1/5*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(c^2*x^2-1)*\arcsin(cx)^2*x^6*c^6-14/15*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(c^2*x^2-1)*\arcsin(cx)^2*x^4*c^4+34/15*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(c^2*x^2-1)*\arcsin(cx)^2*x^2*c^2+b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*d^2*\arcsin(cx)^2*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*d^2*\arcsin(cx)^2*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)}) \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2/x,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(a^2c^4d^2x^4 - 2a^2c^2d^2x^2 + a^2d^2 + (b^2c^4d^2x^4 - 2b^2c^2d^2x^2 + b^2d^2) \arcsin(cx)^2 + 2(abc^4d^2x^4 - 2abc^2d^2x^2 + abd^2))}{x} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2/x,x, algorithm="fricas")

[Out] integral((a^2\*c^4\*d^2\*x^4 - 2\*a^2\*c^2\*d^2\*x^2 + a^2\*d^2 + (b^2\*c^4\*d^2\*x^4 - 2\*b^2\*c^2\*d^2\*x^2 + b^2\*d^2)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^4\*d^2\*x^4 - 2\*a\*b\*c^2\*d^2\*x^2 + a\*b\*d^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)/x, x)



---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))\*\*2/x,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2/x,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)^2/x, x)

$$3.231 \quad \int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))^2}{x^2} dx$$

**Optimal.** Leaf size=561

$$-\frac{ib^2cd^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{\sqrt{1-c^2x^2}} + \frac{15bc^3d^2x^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{8\sqrt{1-c^2x^2}} - \frac{15}{8}c^2d^2x\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))$$

[Out] (31\*b^2\*c^2\*d^2\*x\*Sqrt[d - c^2\*d\*x^2])/64 + (b^2\*c^2\*d^2\*x\*(1 - c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])/32 - (89\*b^2\*c\*d^2\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/(64\*Sqrt[1 - c^2\*x^2]) + (15\*b\*c^3\*d^2\*x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(8\*Sqrt[1 - c^2\*x^2]) + b\*c\*d^2\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]) - (b\*c\*d^2\*(1 - c^2\*x^2)^(3/2)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/8 - (15\*c^2\*d^2\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/8 - (I\*c\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/Sqrt[1 - c^2\*x^2] - (5\*c^2\*d\*x\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/4 - ((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/x - (5\*c\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(8\*b\*Sqrt[1 - c^2\*x^2]) + (2\*b\*c\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])\*Log[1 - E^((2\*I)\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] - (I\*b^2\*c\*d^2\*Sqrt[d - c^2\*d\*x^2]\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2]

**Rubi [A]** time = 0.602778, antiderivative size = 561, normalized size of antiderivative = 1., number of steps used = 23, number of rules used = 15, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.517$ , Rules used = {4695, 4649, 4647, 4641, 4627, 321, 216, 4677, 195, 4683, 4625, 3717, 2190, 2279, 2391}

$$-\frac{ib^2cd^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{\sqrt{1-c^2x^2}} + \frac{15bc^3d^2x^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{8\sqrt{1-c^2x^2}} - \frac{15}{8}c^2d^2x\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/x^2, x]

[Out] (31\*b^2\*c^2\*d^2\*x\*Sqrt[d - c^2\*d\*x^2])/64 + (b^2\*c^2\*d^2\*x\*(1 - c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])/32 - (89\*b^2\*c\*d^2\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/(64\*Sqrt[1 - c^2\*x^2]) + (15\*b\*c^3\*d^2\*x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(8\*Sqrt[1 - c^2\*x^2]) + b\*c\*d^2\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]) - (b\*c\*d^2\*(1 - c^2\*x^2)^(3/2)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/8 - (15\*c^2\*d^2\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/8 - (I\*c\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/Sqrt[1 - c^2\*x^2] - (5\*c^2\*d\*x\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/4 - ((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/x - (5\*c\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(8\*b\*Sqrt[1 - c^2\*x^2]) + (2\*b\*c\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])\*Log[1 - E^((2\*I)\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] - (I\*b^2\*c\*d^2\*Sqrt[d - c^2\*d\*x^2]\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2]

$$\begin{aligned} & 2)/8 - (I*c*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/Sqrt[1 - c^2*x^2] \\ & ] - (5*c^2*d*x*(d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x])^2)/4 - ((d - c^2*d \\ & *x^2)^(5/2)*(a + b*ArcSin[c*x])^2)/x - (5*c*d^2*Sqrt[d - c^2*d*x^2]*(a + b* \\ & ArcSin[c*x])^3)/(8*b*Sqrt[1 - c^2*x^2]) + (2*b*c*d^2*Sqrt[d - c^2*d*x^2]*(a \\ & + b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] - (I*b^ \\ & 2*c*d^2*Sqrt[d - c^2*d*x^2]*PolyLog[2, E^((2*I)*ArcSin[c*x])])/Sqrt[1 - c^2 \\ & *x^2] \end{aligned}$$
Rule 4695

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_)^(m_.)*((d_) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 1)), x] + (-Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m +
2)*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPar
t[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f
*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /;
FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0
] && LtQ[m, -1]
```

Rule 4649

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Simp[(x*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(2*p + 1), x] + (D
ist[(2*d*p)/(2*p + 1), Int[(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x
] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/((2*p + 1)*(1 - c^2*x
^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0]
```

Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt
[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x
^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d
+ e, 0] && GtQ[n, 0]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 321

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d\*IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 4683

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.)/(x\_), x\_Symbol] := Simp[((d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])/(2\*p), x] + (Dist[d, Int[((d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x]))/x, x], x] - Dist[(b\*c\*d^p)/(2\*p), Int[(1 - c^2\*x^2)^(p - 1/2), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m \* E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

Rule 2190

Int[(((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^n\_)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^n\_), x\_Symbol] := Simp[((c + d\*x)^m \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1) \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^(e\_.)\*((c\_.) + (d\_.)\*(x\_)))^n\_], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^n\_)]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2}{x^2} dx &= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2}{x} - (5c^2 d) \int (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 \\
&= \frac{1}{2} bcd^2 (1 - c^2 x^2)^{3/2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) - \frac{5}{4} c^2 dx (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx)) \\
&= -\frac{1}{8} b^2 c^2 d^2 x (1 - c^2 x^2) \sqrt{d - c^2 dx^2} + bcd^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) \\
&= -\frac{11}{16} b^2 c^2 d^2 x \sqrt{d - c^2 dx^2} + \frac{1}{32} b^2 c^2 d^2 x (1 - c^2 x^2) \sqrt{d - c^2 dx^2} + \frac{15bc^3 d^2 x^2 \sqrt{d - c^2 dx^2}}{8\sqrt{1 - c^2 x^2}} \\
&= \frac{31}{64} b^2 c^2 d^2 x \sqrt{d - c^2 dx^2} + \frac{1}{32} b^2 c^2 d^2 x (1 - c^2 x^2) \sqrt{d - c^2 dx^2} - \frac{11b^2 cd^2 \sqrt{d - c^2 dx^2}}{16\sqrt{1 - c^2 x^2}} \\
&= \frac{31}{64} b^2 c^2 d^2 x \sqrt{d - c^2 dx^2} + \frac{1}{32} b^2 c^2 d^2 x (1 - c^2 x^2) \sqrt{d - c^2 dx^2} - \frac{89b^2 cd^2 \sqrt{d - c^2 dx^2}}{64\sqrt{1 - c^2 x^2}} \\
&= \frac{31}{64} b^2 c^2 d^2 x \sqrt{d - c^2 dx^2} + \frac{1}{32} b^2 c^2 d^2 x (1 - c^2 x^2) \sqrt{d - c^2 dx^2} - \frac{89b^2 cd^2 \sqrt{d - c^2 dx^2}}{64\sqrt{1 - c^2 x^2}} \\
&= \frac{31}{64} b^2 c^2 d^2 x \sqrt{d - c^2 dx^2} + \frac{1}{32} b^2 c^2 d^2 x (1 - c^2 x^2) \sqrt{d - c^2 dx^2} - \frac{89b^2 cd^2 \sqrt{d - c^2 dx^2}}{64\sqrt{1 - c^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 2.07899, size = 586, normalized size = 1.04

$$d^2 \left( -256ib^2 cx \sqrt{d - c^2 dx^2} \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + 64a^2 c^4 x^4 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} - 288a^2 c^2 x^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} - 2 \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/x^2,x]

[Out] (d^2\*(-256\*a^2\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2] - 288\*a^2\*c^2\*x^2\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2] + 64\*a^2\*c^4\*x^4\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2] - 160\*b^2\*c\*x\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x]^3 + 480\*a^2\*c\*Sqrt[d]\*x\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d - c^2\*d\*x^2])/(Sqrt[d]\*(-1 + c^2\*x^2))]) - 128\*a\*b\*c\*x\*Sqrt[d - c^2\*d\*x^2]\*Cos[2\*ArcSin[c\*x]] - 4\*a\*b\*c\*x

```
*Sqrt[d - c^2*d*x^2]*Cos[4*ArcSin[c*x]] + 512*a*b*c*x*Sqrt[d - c^2*d*x^2]*Log[c*x] - (256*I)*b^2*c*x*Sqrt[d - c^2*d*x^2]*PolyLog[2, E^((2*I)*ArcSin[c*x])] + 64*b^2*c*x*Sqrt[d - c^2*d*x^2]*Sin[2*ArcSin[c*x]] + b^2*c*x*Sqrt[d - c^2*d*x^2]*Sin[4*ArcSin[c*x]] - 4*b*Sqrt[d - c^2*d*x^2]*ArcSin[c*x]*(128*a*Sqrt[1 - c^2*x^2] + 32*b*c*x*Cos[2*ArcSin[c*x]] + b*c*x*Cos[4*ArcSin[c*x]] - 128*b*c*x*Log[1 - E^((2*I)*ArcSin[c*x])]) + 64*a*c*x*Sin[2*ArcSin[c*x]] + 4*a*c*x*Sin[4*ArcSin[c*x]] - 8*b*Sqrt[d - c^2*d*x^2]*ArcSin[c*x]^2*(60*a*c*x + (32*I)*b*c*x + 32*b*Sqrt[1 - c^2*x^2] + 16*b*c*x*Sin[2*ArcSin[c*x]] + b*c*x*Sin[4*ArcSin[c*x]]))/(256*x*Sqrt[1 - c^2*x^2])
```

**Maple [B]** time = 0.411, size = 1446, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))^2/x^2,x)
```

```
[Out] 2*I*a*b*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/(c^2*x^2-1)*arcsin(c*x)*c*d^2-a^2/d/x*(-c^2*d*x^2+d)^(7/2)-a^2*c^2*x*(-c^2*d*x^2+d)^(5/2)+1/8*b^2*(-d*(c^2*x^2-1))^(1/2)*c^5*d^2/(c^2*x^2-1)*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*x^4-9/8*b^2*(-d*(c^2*x^2-1))^(1/2)*c^3*d^2/(c^2*x^2-1)*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*x^2-2*b^2*(-d*(c^2*x^2-1))^(1/2)*c*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-2*b^2*(-d*(c^2*x^2-1))^(1/2)*c*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*arcsin(c*x)*ln(1-I*c*x-(-c^2*x^2+1)^(1/2))+I*b^2*(-d*(c^2*x^2-1))^(1/2)*c*d^2/(c^2*x^2-1)*arcsin(c*x)^2*(-c^2*x^2+1)^(1/2)+2*I*b^2*(-d*(c^2*x^2-1))^(1/2)*c*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2))+2*I*b^2*(-d*(c^2*x^2-1))^(1/2)*c*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*polylog(2,I*c*x+(-c^2*x^2+1)^(1/2))+1/2*a*b*(-d*(c^2*x^2-1))^(1/2)*c^6*d^2/(c^2*x^2-1)*arcsin(c*x)*x^5-11/4*a*b*(-d*(c^2*x^2-1))^(1/2)*c^4*d^2/(c^2*x^2-1)*arcsin(c*x)*x^3+1/4*a*b*(-d*(c^2*x^2-1))^(1/2)*c^2*d^2/(c^2*x^2-1)*arcsin(c*x)*x+15/8*a*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*arcsin(c*x)^2*c*d^2+1/8*a*b*(-d*(c^2*x^2-1))^(1/2)*c^5*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^4-9/8*a*b*(-d*(c^2*x^2-1))^(1/2)*c^3*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^2-2*a*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/(c^2*x^2-1)*ln((I*c*x+(-c^2*x^2+1)^(1/2))^2-1)*c*d^2-15/8*a^2*c^2*d^3/(c^2*d)^(1/2)*arctan((c^2*d)^(1/2)*x/(-c^2*d*x^2+d)^(1/2))+b^2*(-d*(c^2*x^2-1))^(1/2)*arcsin(c*x)^2*d^2/(c^2*x^2-1)/x-1/32*b^2*(-d*(c^2*x^2-1))^(1/2)*c^6*d^2/(c^2*x^2-1)*x^5+35/64*b^2*(-d*(c^2*x^2-1))^(1/2)*c^4*d^2/(c^2*x^2-1)*x^3-33/64*b^2*(-d*(c^2*x^2-1))^(1/2)*c^2*d^2/(c^2*x^2-1)*x+33/64*a*b*(-d*(c^2*x^2-1))^(1/2)*c*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)+2*a*b*(-d*(c^2*x^2-1))^(1/2)*arcsin(c*x)*d^2/(c^2*x^2-1)/x+1/4*b^2*(-d*(c^2*
```

$$\begin{aligned} & x^2-1)^{(1/2)} * c^6 * d^2 / (c^2 * x^2-1) * \arcsin(cx)^2 * x^5 - 11/8 * b^2 * (-d * (c^2 * x^2-1))^{(1/2)} * c^4 * d^2 / (c^2 * x^2-1) * \arcsin(cx)^2 * x^3 + 1/8 * b^2 * (-d * (c^2 * x^2-1))^{(1/2)} * c^2 * d^2 / (c^2 * x^2-1) * \arcsin(cx)^2 * x + 5/8 * b^2 * (-d * (c^2 * x^2-1))^{(1/2)} * (-c^2 * x^2+1)^{(1/2)} / (c^2 * x^2-1) * \arcsin(cx)^3 * c * d^2 + 33/64 * b^2 * (-d * (c^2 * x^2-1))^{(1/2)} * c * d^2 / (c^2 * x^2-1) * \arcsin(cx) * (-c^2 * x^2+1)^{(1/2)} - 15/8 * a^2 * c^2 * d^2 * x * (-c^2 * d * x^2+d)^{(1/2)} - 5/4 * a^2 * c^2 * d * x * (-c^2 * d * x^2+d)^{(3/2)} \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2/x^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(a^2 c^4 d^2 x^4 - 2 a^2 c^2 d^2 x^2 + a^2 d^2 + (b^2 c^4 d^2 x^4 - 2 b^2 c^2 d^2 x^2 + b^2 d^2) \arcsin(cx))^2 + 2 (abc^4 d^2 x^4 - 2 abc^2 d^2 x^2 + abd^2)}{x^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2/x^2,x, algorithm="fricas")

[Out] integral((a^2\*c^4\*d^2\*x^4 - 2\*a^2\*c^2\*d^2\*x^2 + a^2\*d^2 + (b^2\*c^4\*d^2\*x^4 - 2\*b^2\*c^2\*d^2\*x^2 + b^2\*d^2)\*arcsin(c\*x))^2 + 2\*(a\*b\*c^4\*d^2\*x^4 - 2\*a\*b\*c^2\*d^2\*x^2 + a\*b\*d^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)/x^2, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((-c**2*d*x**2+d)**(5/2)*(a+b*asin(c*x))**2/x**2,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))^2/x^2,x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(5/2)*(b*arcsin(c*x) + a)^2/x^2, x)
```

$$3.232 \quad \int \frac{(d-c^2dx^2)^{5/2} (a+b \sin^{-1}(cx))^2}{x^3} dx$$

**Optimal.** Leaf size=740

$$\frac{5ibc^2d^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} + \frac{5ibc^2d^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}}$$

[Out] (40\*b^2\*c^2\*d^2\*Sqrt[d - c^2\*d\*x^2])/9 + (5\*a\*b\*c^3\*d^2\*x\*Sqrt[d - c^2\*d\*x^2])/Sqrt[1 - c^2\*x^2] + (2\*b^2\*c^2\*d^2\*(1 - c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])/27 + (5\*b^2\*c^3\*d^2\*x\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/Sqrt[1 - c^2\*x^2] - (b\*c\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(x\*Sqrt[1 - c^2\*x^2]) - (b\*c^3\*d^2\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(3\*Sqrt[1 - c^2\*x^2]) - (2\*b\*c^5\*d^2\*x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x]))/(9\*Sqrt[1 - c^2\*x^2]) - (5\*c^2\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/2 - (5\*c^2\*d\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/6 - ((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(2\*x^2) + (5\*c^2\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2\*ArcTanh[E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] - (b^2\*c^2\*d^2\*Sqrt[d - c^2\*d\*x^2]\*ArcTanh[Sqrt[1 - c^2\*x^2]])/Sqrt[1 - c^2\*x^2] - ((5\*I)\*b\*c^2\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] + ((5\*I)\*b\*c^2\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] + (5\*b^2\*c^2\*d^2\*Sqrt[d - c^2\*d\*x^2]\*PolyLog[3, -E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] - (5\*b^2\*c^2\*d^2\*Sqrt[d - c^2\*d\*x^2]\*PolyLog[3, E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2]

**Rubi [A]** time = 0.955058, antiderivative size = 740, normalized size of antiderivative = 1., number of steps used = 25, number of rules used = 20, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.69, Rules used = {4695, 4699, 4697, 4709, 4183, 2531, 2282, 6589, 4619, 261, 4645, 444, 43, 270, 4687, 12, 1251, 897, 1153, 208}

$$\frac{5ibc^2d^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} + \frac{5ibc^2d^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/x^3, x]

[Out] (40\*b^2\*c^2\*d^2\*Sqrt[d - c^2\*d\*x^2])/9 + (5\*a\*b\*c^3\*d^2\*x\*Sqrt[d - c^2\*d\*x^2])/Sqrt[1 - c^2\*x^2] + (2\*b^2\*c^2\*d^2\*(1 - c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2])/27 + (5\*b^2\*c^3\*d^2\*x\*Sqrt[d - c^2\*d\*x^2]\*ArcSin[c\*x])/Sqrt[1 - c^2\*x^2] - (

$$\begin{aligned}
& b*c*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])/(x*\text{Sqrt}[1 - c^2*x^2]) - (b \\
& *c^3*d^2*x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])/(3*\text{Sqrt}[1 - c^2*x^2]) - \\
& (2*b*c^5*d^2*x^3*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])/(9*\text{Sqrt}[1 - c^2* \\
& x^2]) - (5*c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/2 - (5*c^2*d* \\
& (d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x])^2)/6 - ((d - c^2*d*x^2)^(5/2)*(a \\
& + b*\text{ArcSin}[c*x])^2)/(2*x^2) + (5*c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[ \\
& c*x])^2*\text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] - (b^2*c^2*d^2*\text{Sqrt}[d \\
& - c^2*d*x^2]*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/ \text{Sqrt}[1 - c^2*x^2] - ((5*I)*b*c^2* \\
& d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])* \text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])]) \\
& / \text{Sqrt}[1 - c^2*x^2] + ((5*I)*b*c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x \\
& ])* \text{PolyLog}[2, E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] + (5*b^2*c^2*d^2*\text{Sqrt}[d \\
& - c^2*d*x^2]* \text{PolyLog}[3, -E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2] - (5*b^2*c^ \\
& 2*d^2*\text{Sqrt}[d - c^2*d*x^2]* \text{PolyLog}[3, E^(I*\text{ArcSin}[c*x])])/ \text{Sqrt}[1 - c^2*x^2]
\end{aligned}$$

### Rule 4695

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] :> Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 1)), x] + (-Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m +
2)*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPar
t[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f
*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /;
FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0
] && LtQ[m, -1]

```

### Rule 4699

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] :> Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 2*p + 1)), x] + (Dist[(2*d*p)/(m + 2*p + 1), Int[(f*x)^(
m*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart
[p]*(d + e*x^2)^FracPart[p])/(f*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), I
nt[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x
]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

### Rule 4697

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_)*Sqrt[(d_) +
(e_.)*(x_)^2], x_Symbol] :> Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[((f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

Rule 4709

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)^(m_)]/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.), x_Symbol] := Simp[x*(a + b*Ar
cSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 -
c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rule 4645

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

Rule 444

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]
```

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]
```

Rule 4687

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :=> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rule 897

```
Int[((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_)^(n_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :=> With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e + a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[n, p] && FractionQ[m]
```

Rule 1153

```
Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :=> Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2}{x^3} dx &= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2}{2x^2} - \frac{1}{2} (5c^2 d) \int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))}{x} dx \\
&= -\frac{bcd^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x \sqrt{1 - c^2 x^2}} - \frac{2bc^3 d^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2 x^2}} + \dots \\
&= -\frac{bcd^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x \sqrt{1 - c^2 x^2}} - \frac{bc^3 d^2 x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3 \sqrt{1 - c^2 x^2}} - \dots \\
&= \frac{5abc^3 d^2 x \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} - \frac{bcd^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x \sqrt{1 - c^2 x^2}} - \frac{bc^3 d^2 x \sqrt{d - c^2 dx^2}}{3 \sqrt{1 - c^2 x^2}} - \dots \\
&= \frac{5abc^3 d^2 x \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \frac{5b^2 c^3 d^2 x \sqrt{d - c^2 dx^2} \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} - \frac{bcd^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{x \sqrt{1 - c^2 x^2}} \\
&= \frac{55}{9} b^2 c^2 d^2 \sqrt{d - c^2 dx^2} + \frac{5abc^3 d^2 x \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \frac{5}{27} b^2 c^2 d^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2} \\
&= \frac{40}{9} b^2 c^2 d^2 \sqrt{d - c^2 dx^2} + \frac{5abc^3 d^2 x \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \frac{2}{27} b^2 c^2 d^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2} \\
&= \frac{40}{9} b^2 c^2 d^2 \sqrt{d - c^2 dx^2} + \frac{5abc^3 d^2 x \sqrt{d - c^2 dx^2}}{\sqrt{1 - c^2 x^2}} + \frac{2}{27} b^2 c^2 d^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2}
\end{aligned}$$

**Mathematica [A]** time = 7.19269, size = 1073, normalized size = 1.45

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/x^3,x]

[Out] Sqrt[-(d\*(-1 + c^2\*x^2))]\*((-7\*a^2\*c^2\*d^2)/3 - (a^2\*d^2)/(2\*x^2) + (a^2\*c^4\*d^2\*x^2)/3 - (5\*a^2\*c^2\*d^(5/2)\*Log[x])/2 + (5\*a^2\*c^2\*d^(5/2)\*Log[d + Sqrt[d]\*Sqrt[-(d\*(-1 + c^2\*x^2))]])/2 - 4\*a\*b\*c^2\*d^2\*Sqrt[d\*(1 - c^2\*x^2)]\*(-((c\*x)/Sqrt[1 - c^2\*x^2]) + ArcSin[c\*x] + (ArcSin[c\*x]\*(Log[1 - E^(I\*ArcS

```

in[c*x]]) - Log[1 + E^(I*ArcSin[c*x])]/Sqrt[1 - c^2*x^2] + (I*(PolyLog[2,
-E^(I*ArcSin[c*x]) - PolyLog[2, E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2]) -
2*b^2*c^2*d^2*Sqrt[d*(1 - c^2*x^2)]*(-2 - (2*c*x*ArcSin[c*x])/Sqrt[1 - c^2
*x^2] + ArcSin[c*x]^2 + (ArcSin[c*x]^2*(Log[1 - E^(I*ArcSin[c*x])]) - Log[1
+ E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] + ((2*I)*ArcSin[c*x]*(PolyLog[2, -
E^(I*ArcSin[c*x]) - PolyLog[2, E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] + (2
*(-PolyLog[3, -E^(I*ArcSin[c*x])]) + PolyLog[3, E^(I*ArcSin[c*x])])/Sqrt[1
- c^2*x^2]) - (a*b*c^2*d^2*Sqrt[d*(1 - c^2*x^2)]*(-9*c*x + 9*Sqrt[1 - c^2*x
^2]*ArcSin[c*x] + 3*ArcSin[c*x]*Cos[3*ArcSin[c*x]] - Sin[3*ArcSin[c*x]]))/(
18*Sqrt[1 - c^2*x^2]) - (b^2*c^2*d^2*Sqrt[d*(1 - c^2*x^2)]*(27*Sqrt[1 - c^2
*x^2]*(-2 + ArcSin[c*x]^2) + (-2 + 9*ArcSin[c*x]^2)*Cos[3*ArcSin[c*x]] - 6*
ArcSin[c*x]*(9*c*x + Sin[3*ArcSin[c*x]])))/(108*Sqrt[1 - c^2*x^2]) + (a*b*c
^2*d^3*Sqrt[1 - c^2*x^2]*(-2*Cot[ArcSin[c*x]/2] - ArcSin[c*x]*Csc[ArcSin[c*
x]/2]^2 - 4*ArcSin[c*x]*Log[1 - E^(I*ArcSin[c*x])] + 4*ArcSin[c*x]*Log[1 +
E^(I*ArcSin[c*x])] - (4*I)*PolyLog[2, -E^(I*ArcSin[c*x])] + (4*I)*PolyLog[2
, E^(I*ArcSin[c*x])] + ArcSin[c*x]*Sec[ArcSin[c*x]/2]^2 - 2*Tan[ArcSin[c*x]
/2]))/(4*Sqrt[d*(1 - c^2*x^2)]) + (b^2*c^2*d^3*Sqrt[1 - c^2*x^2]*(-4*ArcSin
[c*x]*Cot[ArcSin[c*x]/2] - ArcSin[c*x]^2*Csc[ArcSin[c*x]/2]^2 - 4*ArcSin[c*
x]^2*Log[1 - E^(I*ArcSin[c*x])] + 4*ArcSin[c*x]^2*Log[1 + E^(I*ArcSin[c*x]
)] + 8*Log[Tan[ArcSin[c*x]/2]] - (8*I)*ArcSin[c*x]*PolyLog[2, -E^(I*ArcSin[c
*x])] + (8*I)*ArcSin[c*x]*PolyLog[2, E^(I*ArcSin[c*x])] + 8*PolyLog[3, -E^(
I*ArcSin[c*x])] - 8*PolyLog[3, E^(I*ArcSin[c*x])] + ArcSin[c*x]^2*Sec[ArcSi
n[c*x]/2]^2 - 4*ArcSin[c*x]*Tan[ArcSin[c*x]/2]))/(8*Sqrt[d*(1 - c^2*x^2)])

```

**Maple [B]** time = 0.481, size = 1674, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))^2/x^3,x)
```

```

[Out] -14/3*b^2*(-d*(c^2*x^2-1))^(1/2)*c^3*d^2/(c^2*x^2-1)*arcsin(c*x)*(-c^2*x^2+
1)^(1/2)*x+b^2*d^2*arcsin(c*x)*(-d*(c^2*x^2-1))^(1/2)/x/(c^2*x^2-1)*(-c^2*x
^2+1)^(1/2)*c+2/9*b^2*(-d*(c^2*x^2-1))^(1/2)*c^5*d^2/(c^2*x^2-1)*arcsin(c*x
)*(-c^2*x^2+1)^(1/2)*x^3+2/9*a*b*(-d*(c^2*x^2-1))^(1/2)*c^5*d^2/(c^2*x^2-1
)*(-c^2*x^2+1)^(1/2)*x^3-14/3*a*b*(-d*(c^2*x^2-1))^(1/2)*c^3*d^2/(c^2*x^2-1
)*(-c^2*x^2+1)^(1/2)*x+2/3*a*b*(-d*(c^2*x^2-1))^(1/2)*c^6*d^2/(c^2*x^2-1)*ar
csin(c*x)*x^4-16/3*a*b*(-d*(c^2*x^2-1))^(1/2)*c^4*d^2/(c^2*x^2-1)*arcsin(c*
x)*x^2+a*b*d^2*(-d*(c^2*x^2-1))^(1/2)/x/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*c-5/
2*b^2*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)*c^2*d^2/(c^2*x^2-1)*arcsin(
c*x)^2*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))+5/2*b^2*(-d*(c^2*x^2-1))^(1/2)*(-c^2*

```



$$\begin{aligned}
& x^{2+1} \wedge (1/2) * c^2 * d^2 / (c^2 * x^2 - 1) * \arcsin(cx) \wedge 2 * \ln(1 - I * cx - (-c^2 * x^2 + 1) \wedge (1/2)) \\
& + a * b * d^2 * \arcsin(cx) * (-d * (c^2 * x^2 - 1)) \wedge (1/2) / x^2 / (c^2 * x^2 - 1) + 11/3 * a * b * (-d * \\
& (c^2 * x^2 - 1)) \wedge (1/2) * c^2 * d^2 / (c^2 * x^2 - 1) * \arcsin(cx) + 2 * b^2 * (-d * (c^2 * x^2 - 1)) \wedge (1/2) \\
& * (-c^2 * x^2 + 1) \wedge (1/2) * c^2 * d^2 / (c^2 * x^2 - 1) * \operatorname{arctanh}(I * cx + (-c^2 * x^2 + 1) \wedge (1/2)) \\
& - 5 * b^2 * (-d * (c^2 * x^2 - 1)) \wedge (1/2) * (-c^2 * x^2 + 1) \wedge (1/2) * c^2 * d^2 / (c^2 * x^2 - 1) * \operatorname{poly} \\
& \log(3, -I * cx - (-c^2 * x^2 + 1) \wedge (1/2)) - 1/2 * a^2 / d / x^2 * (-c^2 * d * x^2 + d) \wedge (7/2) - 5/6 * a^2 \\
& * c^2 * d * (-c^2 * d * x^2 + d) \wedge (3/2) + 5/2 * a^2 * c^2 * d \wedge (5/2) * \ln((2 * d + 2 * d \wedge (1/2) * (-c^2 * d * x \\
& ^2 + d) \wedge (1/2)) / x) - 5/2 * a^2 * c^2 * (-c^2 * d * x^2 + d) \wedge (1/2) * d^2 - 122/27 * b^2 * (-d * (c^2 * x^ \\
& 2 - 1)) \wedge (1/2) * c^2 * d^2 / (c^2 * x^2 - 1) - 10 * a * b * (-d * (c^2 * x^2 - 1)) \wedge (1/2) * (-c^2 * x^2 + 1) \wedge \\
& (1/2) * c^2 * d^2 / (2 * c^2 * x^2 - 2) * \arcsin(cx) * \ln(1 + I * cx + (-c^2 * x^2 + 1) \wedge (1/2)) + 10 * a \\
& * b * (-d * (c^2 * x^2 - 1)) \wedge (1/2) * (-c^2 * x^2 + 1) \wedge (1/2) * c^2 * d^2 / (2 * c^2 * x^2 - 2) * \arcsin(c \\
& * x) * \ln(1 - I * cx - (-c^2 * x^2 + 1) \wedge (1/2)) + 5 * I * b^2 * (-d * (c^2 * x^2 - 1)) \wedge (1/2) * (-c^2 * x^2 \\
& + 1) \wedge (1/2) * c^2 * d^2 / (c^2 * x^2 - 1) * \arcsin(cx) * \operatorname{polylog}(2, -I * cx - (-c^2 * x^2 + 1) \wedge (1/2)) \\
& - 5 * I * b^2 * (-d * (c^2 * x^2 - 1)) \wedge (1/2) * (-c^2 * x^2 + 1) \wedge (1/2) * c^2 * d^2 / (c^2 * x^2 - 1) * a \\
& \operatorname{rcsin}(cx) * \operatorname{polylog}(2, I * cx + (-c^2 * x^2 + 1) \wedge (1/2)) + 10 * I * a * b * (-d * (c^2 * x^2 - 1)) \wedge (1 \\
& / 2) * (-c^2 * x^2 + 1) \wedge (1/2) * c^2 * d^2 / (2 * c^2 * x^2 - 2) * \operatorname{polylog}(2, -I * cx - (-c^2 * x^2 + 1) \wedge \\
& (1/2)) - 10 * I * a * b * (-d * (c^2 * x^2 - 1)) \wedge (1/2) * (-c^2 * x^2 + 1) \wedge (1/2) * c^2 * d^2 / (2 * c^2 * x^ \\
& 2 - 2) * \operatorname{polylog}(2, I * cx + (-c^2 * x^2 + 1) \wedge (1/2)) - 1/2 * a^2 * c^2 * (-c^2 * d * x^2 + d) \wedge (5/2) + 5 \\
& * b^2 * (-d * (c^2 * x^2 - 1)) \wedge (1/2) * (-c^2 * x^2 + 1) \wedge (1/2) * c^2 * d^2 / (c^2 * x^2 - 1) * \operatorname{polylog}( \\
& 3, I * cx + (-c^2 * x^2 + 1) \wedge (1/2)) + 1/3 * b^2 * (-d * (c^2 * x^2 - 1)) \wedge (1/2) * c^6 * d^2 / (c^2 * x^2 \\
& - 1) * \arcsin(cx) \wedge 2 * x^4 - 8/3 * b^2 * (-d * (c^2 * x^2 - 1)) \wedge (1/2) * c^4 * d^2 / (c^2 * x^2 - 1) * \operatorname{ar} \\
& \operatorname{csin}(cx) \wedge 2 * x^2 - 2/27 * b^2 * (-d * (c^2 * x^2 - 1)) \wedge (1/2) * c^6 * d^2 / (c^2 * x^2 - 1) * x^4 + 124 \\
& / 27 * b^2 * (-d * (c^2 * x^2 - 1)) \wedge (1/2) * c^4 * d^2 / (c^2 * x^2 - 1) * x^2 + 11/6 * b^2 * (-d * (c^2 * x^ \\
& 2 - 1)) \wedge (1/2) * c^2 * d^2 / (c^2 * x^2 - 1) * \arcsin(cx) \wedge 2 + 1/2 * b^2 * d^2 * \arcsin(cx) \wedge 2 * (-d \\
& * (c^2 * x^2 - 1)) \wedge (1/2) / x^2 / (c^2 * x^2 - 1)
\end{aligned}$$


---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(cx))^2/x^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left( \frac{(a^2 c^4 d^2 x^4 - 2 a^2 c^2 d^2 x^2 + a^2 d^2 + (b^2 c^4 d^2 x^4 - 2 b^2 c^2 d^2 x^2 + b^2 d^2) \arcsin(cx)^2 + 2 (abc^4 d^2 x^4 - 2 abc^2 d^2 x^2 + ab)}{x^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))^2/x^3,x, algorithm="fricas")
```

```
[Out] integral((a^2*c^4*d^2*x^4 - 2*a^2*c^2*d^2*x^2 + a^2*d^2 + (b^2*c^4*d^2*x^4 - 2*b^2*c^2*d^2*x^2 + b^2*d^2)*arcsin(c*x)^2 + 2*(a*b*c^4*d^2*x^4 - 2*a*b*c^2*d^2*x^2 + a*b*d^2)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d)/x^3, x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c**2*d*x**2+d)**(5/2)*(a+b*asin(c*x))**2/x**3,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))^2/x^3,x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(5/2)*(b*arcsin(c*x) + a)^2/x^3, x)
```

$$3.233 \quad \int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))^2}{x^4} dx$$

**Optimal.** Leaf size=591

$$\frac{7ib^2c^3d^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{3\sqrt{1-c^2x^2}} - \frac{5bc^5d^2x^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{2\sqrt{1-c^2x^2}} + \frac{5}{2}c^4d^2x\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))$$

[Out]  $(-7*b^2*c^4*d^2*x*\text{Sqrt}[d - c^2*d*x^2])/12 - (b^2*c^2*d^2*(1 - c^2*x^2)*\text{Sqrt}[d - c^2*d*x^2])/(3*x) + (23*b^2*c^3*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcSin}[c*x])/(12*\text{Sqrt}[1 - c^2*x^2]) - (5*b*c^5*d^2*x^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(2*\text{Sqrt}[1 - c^2*x^2]) - (7*b*c^3*d^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/3 - (b*c*d^2*(1 - c^2*x^2)^(3/2)*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(3*x^2) + (5*c^4*d^2*x*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/2 + (((7*I)/3)*c^3*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/\text{Sqrt}[1 - c^2*x^2] + (5*c^2*d*(d - c^2*d*x^2)^(3/2)*(a + b*\text{ArcSin}[c*x])^2)/(3*x) - ((d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x])^2)/(3*x^3) + (5*c^3*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^3)/(6*b*\text{Sqrt}[1 - c^2*x^2]) - (14*b*c^3*d^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])*Log[1 - E^((2*I)*ArcSin[c*x])])/(3*\text{Sqrt}[1 - c^2*x^2]) + (((7*I)/3)*b^2*c^3*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, E^((2*I)*ArcSin[c*x])])/\text{Sqrt}[1 - c^2*x^2]$

**Rubi [A]** time = 0.883494, antiderivative size = 591, normalized size of antiderivative = 1., number of steps used = 27, number of rules used = 15, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.517$ , Rules used = {4695, 4647, 4641, 4627, 321, 216, 4683, 4625, 3717, 2190, 2279, 2391, 195, 4685, 277}

$$\frac{7ib^2c^3d^2\sqrt{d-c^2dx^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{3\sqrt{1-c^2x^2}} - \frac{5bc^5d^2x^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))}{2\sqrt{1-c^2x^2}} + \frac{5}{2}c^4d^2x\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{(d - c^2*d*x^2)^(5/2)*(a + b*\text{ArcSin}[c*x])^2}{x^4}, x]$

[Out]  $(-7*b^2*c^4*d^2*x*\text{Sqrt}[d - c^2*d*x^2])/12 - (b^2*c^2*d^2*(1 - c^2*x^2)*\text{Sqrt}[d - c^2*d*x^2])/(3*x) + (23*b^2*c^3*d^2*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcSin}[c*x])/(12*\text{Sqrt}[1 - c^2*x^2]) - (5*b*c^5*d^2*x^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(2*\text{Sqrt}[1 - c^2*x^2]) - (7*b*c^3*d^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/3 - (b*c*d^2*(1 - c^2*x^2)^(3/2)*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/(3*x^2) + (5*c^4*d^2*x*\text{Sqrt}[d - c^2*d*x^2]*(a +$

$$b \operatorname{ArcSin}[c x]^2 / 2 + ((7 I) / 3) c^3 d^2 \operatorname{Sqrt}[d - c^2 d x^2] (a + b \operatorname{ArcSin}[c x])^2 / \operatorname{Sqrt}[1 - c^2 x^2] + (5 c^2 d (d - c^2 d x^2)^{3/2} (a + b \operatorname{ArcSin}[c x])^2) / (3 x) - ((d - c^2 d x^2)^{5/2} (a + b \operatorname{ArcSin}[c x])^2) / (3 x^3) + (5 c^3 d^2 \operatorname{Sqrt}[d - c^2 d x^2] (a + b \operatorname{ArcSin}[c x])^3) / (6 b \operatorname{Sqrt}[1 - c^2 x^2]) - (14 b c^3 d^2 \operatorname{Sqrt}[d - c^2 d x^2] (a + b \operatorname{ArcSin}[c x]) \operatorname{Log}[1 - E^{((2 I) \operatorname{ArcSin}[c x])}]) / (3 \operatorname{Sqrt}[1 - c^2 x^2]) + ((7 I) / 3) b^2 c^3 d^2 \operatorname{Sqrt}[d - c^2 d x^2] \operatorname{PolyLog}[2, E^{((2 I) \operatorname{ArcSin}[c x])}] / \operatorname{Sqrt}[1 - c^2 x^2]$$
Rule 4695

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcS
in[c*x])^n)/(f*(m + 1)), x] + (-Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m +
2)*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPar
t[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f
*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /;
FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0
] && LtQ[m, -1]
```

Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*Sqrt[(d_.) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt
[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x
^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d
+ e, 0] && GtQ[n, 0]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 321

```
Int[((c_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
```

$(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), \text{Int}[(c*x)^{(m - n)}*(a + b*x^n)^p, x], x] /;$  FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x\_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /;$  FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 4683

$\text{Int}[(((a_) + \text{ArcSin}[(c_)*(x_)]*(b_))*((d_) + (e_)*(x_)^2)^{(p_)})/(x_), x\_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])]/(2*p), x] + (\text{Dist}[d, \text{Int}[(d + e*x^2)^{(p - 1)}*(a + b*\text{ArcSin}[c*x])/x, x], x] - \text{Dist}[(b*c*d^p)/(2*p), \text{Int}[(1 - c^2*x^2)^{(p - 1/2)}, x], x]) /;$  FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

### Rule 4625

$\text{Int}[((a_) + \text{ArcSin}[(c_)*(x_)]*(b_))^{(n_)}/(x_), x\_Symbol] \rightarrow \text{Subst}[\text{Int}[(a + b*x)^n/\text{Tan}[x], x], x, \text{ArcSin}[c*x]] /;$  FreeQ[{a, b, c}, x] && IGtQ[n, 0]

### Rule 3717

$\text{Int}[((c_) + (d_)*(x_))^{(m_)}*\text{tan}[(e_) + \text{Pi}*(k_) + (f_)*(x_)], x\_Symbol] \rightarrow \text{Simp}[(I*(c + d*x)^{(m + 1)})/(d*(m + 1)), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m*\text{E}^{(2*I*k*Pi)}*\text{E}^{(2*I*(e + f*x))}/(1 + \text{E}^{(2*I*k*Pi)}*\text{E}^{(2*I*(e + f*x))}), x], x] /;$  FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

### Rule 2190

$\text{Int}[(((F_)^{((g_)*((e_) + (f_)*(x_)))})^{(n_)}*((c_) + (d_)*(x_))^{(m_)})/((a_) + (b_)*((F_)^{((g_)*((e_) + (f_)*(x_)))})^{(n_)}), x\_Symbol] \rightarrow \text{Simp}[(c + d*x)^m*\text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a]/(b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m - 1)}*\text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a], x], x] /;$  FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

$\text{Int}[\text{Log}[(a_) + (b_)*((F_)^{((e_)*((c_) + (d_)*(x_)))})^{(n_)}], x\_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /;$  FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])
```

### Rule 4685

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*((f_.)*(x_)^(m_))*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^p*(a + b*ArcSin[c*x]))/(f*(m + 1)), x] + (-Dist[(b*c*d^p)/(f*(m + 1)), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2), x], x] - Dist[(2*e*p)/(f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0] && ILtQ[(m + 1)/2, 0]
```

### Rule 277

```
Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^p)/(c*(m + 1)), x] - Dist[(b*n*p)/(c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m, -1] && !ILtQ[(m + n*p + n + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2}{x^4} dx &= -\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3x^3} - \frac{1}{3} (5c^2 d) \int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{x^2} dx \\
&= -\frac{bcd^2 (1 - c^2 x^2)^{3/2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3x^2} + \frac{5c^2 d (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2}{3x} \\
&= -\frac{b^2 c^2 d^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{3x} - \frac{7}{3} bc^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx)) \\
&= \frac{2}{3} b^2 c^4 d^2 x \sqrt{d - c^2 dx^2} - \frac{b^2 c^2 d^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{3x} - \frac{5bc^5 d^2 x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2 x^2}} \\
&= -\frac{7}{12} b^2 c^4 d^2 x \sqrt{d - c^2 dx^2} - \frac{b^2 c^2 d^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{3x} + \frac{2b^2 c^3 d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3\sqrt{1 - c^2 x^2}} \\
&= -\frac{7}{12} b^2 c^4 d^2 x \sqrt{d - c^2 dx^2} - \frac{b^2 c^2 d^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{3x} + \frac{23b^2 c^3 d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{12\sqrt{1 - c^2 x^2}} \\
&= -\frac{7}{12} b^2 c^4 d^2 x \sqrt{d - c^2 dx^2} - \frac{b^2 c^2 d^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{3x} + \frac{23b^2 c^3 d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{12\sqrt{1 - c^2 x^2}} \\
&= -\frac{7}{12} b^2 c^4 d^2 x \sqrt{d - c^2 dx^2} - \frac{b^2 c^2 d^2 (1 - c^2 x^2) \sqrt{d - c^2 dx^2}}{3x} + \frac{23b^2 c^3 d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{12\sqrt{1 - c^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 3.56288, size = 690, normalized size = 1.17

$$d^2 \left( 28ib^2 c^3 x^3 \sqrt{d - c^2 dx^2} \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + 6a^2 c^4 x^4 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} + 28a^2 c^2 x^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2} - 4a^2 \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/x^4,x]

[Out] (d^2\*(-4\*a\*b\*c\*x\*Sqrt[d - c^2\*d\*x^2] + 3\*a\*b\*c^3\*x^3\*Sqrt[d - c^2\*d\*x^2] - 6\*a\*b\*c^5\*x^5\*Sqrt[d - c^2\*d\*x^2] - 4\*a^2\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2] + 28\*a^2\*c^2\*x^2\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2] - 4\*b^2\*c^2\*x^2\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2] + 6\*a^2\*c^4\*x^4\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2] - 3\*b^2\*c^4\*x^4\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2] + 1

$$0*b^2*c^3*x^3*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcSin}[c*x]^3 - 30*a^2*c^3*\text{Sqrt}[d]*x^3*\text{Sqrt}[1 - c^2*x^2]*\text{ArcTan}[(c*x*\text{Sqrt}[d - c^2*d*x^2])/(\text{Sqrt}[d]*(-1 + c^2*x^2))] - 56*a*b*c^3*x^3*\text{Sqrt}[d - c^2*d*x^2]*\text{Log}[c*x] + (28*I)*b^2*c^3*x^3*\text{Sqrt}[d - c^2*d*x^2]*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])] + b*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcSin}[c*x]*(-4*b*c*x - 6*a*\text{Sqrt}[1 - c^2*x^2] + 48*a*c^2*x^2*\text{Sqrt}[1 - c^2*x^2] + 3*b*c^3*x^3*\text{Cos}[2*\text{ArcSin}[c*x]] - 2*a*\text{Cos}[3*\text{ArcSin}[c*x]] - 56*b*c^3*x^3*\text{Log}[1 - E^((2*I)*\text{ArcSin}[c*x])] + 6*a*c^3*x^3*\text{Sin}[2*\text{ArcSin}[c*x]]) + b*\text{Sqrt}[d - c^2*d*x^2]*\text{ArcSin}[c*x]^2*(30*a*c^3*x^3 + 4*b*((7*I)*c^3*x^3 - \text{Sqrt}[1 - c^2*x^2] + 7*c^2*x^2*\text{Sqrt}[1 - c^2*x^2]) + 3*b*c^3*x^3*\text{Sin}[2*\text{ArcSin}[c*x]])))/(12*x^3*\text{Sqrt}[1 - c^2*x^2])$$

**Maple [B]** time = 0.465, size = 3855, normalized size = 6.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((-c^2*d*x^2+d)^{(5/2)}*(a+b*\text{arcsin}(c*x))^{2/3}/x^4, x)$

[Out]  $\frac{4}{3}a^2c^2/d/x*(-c^2*d*x^2+d)^{(7/2)}+5/3a^2c^4*d*x*(-c^2*d*x^2+d)^{(3/2)}+5/2a^2c^4*d^3/(c^2*d)^{(1/2)}*\text{arctan}((c^2*d)^{(1/2)}*x/(-c^2*d*x^2+d)^{(1/2)})+147*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(63*c^4*x^4-15*c^2*x^2+1)*x^4/(c^2*x^2-1)*\text{arcsin}(c*x)^2*(-c^2*x^2+1)^{(1/2)}*c^7-49/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(63*c^4*x^4-15*c^2*x^2+1)*x^3/(c^2*x^2-1)*\text{arcsin}(c*x)*(-c^2*x^2+1)*c^6-35*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(63*c^4*x^4-15*c^2*x^2+1)*x^2/(c^2*x^2-1)*\text{arcsin}(c*x)^2*(-c^2*x^2+1)^{(1/2)}*c^5+7/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(63*c^4*x^4-15*c^2*x^2+1)*x/(c^2*x^2-1)*\text{arcsin}(c*x)*(-c^2*x^2+1)*c^4-1/4*a*b*(-d*(c^2*x^2-1))^{(1/2)}*c^3*d^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}-1/4*b^2*(-d*(c^2*x^2-1))^{(1/2)}*c^3*d^2/(c^2*x^2-1)*\text{arcsin}(c*x)*(-c^2*x^2+1)^{(1/2)}+1/2*b^2*(-d*(c^2*x^2-1))^{(1/2)}*c^6*d^2/(c^2*x^2-1)*\text{arcsin}(c*x)^2*x^3-1/2*b^2*(-d*(c^2*x^2-1))^{(1/2)}*c^4*d^2/(c^2*x^2-1)*\text{arcsin}(c*x)^2*x-56/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(63*c^4*x^4-15*c^2*x^2+1)*x^5/(c^2*x^2-1)*c^8+71/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(63*c^4*x^4-15*c^2*x^2+1)*x^3/(c^2*x^2-1)*c^6-16/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(63*c^4*x^4-15*c^2*x^2+1)*x/(c^2*x^2-1)*c^4+1/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(63*c^4*x^4-15*c^2*x^2+1)/x/(c^2*x^2-1)*c^2+1/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(63*c^4*x^4-15*c^2*x^2+1)/x^3/(c^2*x^2-1)*\text{arcsin}(c*x)^2-5/6*b^2*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*\text{arcsin}(c*x)^3*c^3*d^2+2/3*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(63*c^4*x^4-15*c^2*x^2+1)/x^3/(c^2*x^2-1)*\text{arcsin}(c*x)+14/3*a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)*\ln((I*c*x+(-c^2*x^2+1)^{(1/2)})^2-1)*c^3*d^2-5*a*b*(-d*(c^2*x^2-1))^{(1/2)}*d^2/(63*c^4*x^4-15*c^2*x^2+1)/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*c^3+a*b*(-d*(c^2*x^2-1))^{(1/2)}*c^6*d^2/(c^2*x^2-1)*\text{arcsin}(c$



$$\begin{aligned}
& *x) *x^3 - a *b * (-d * (c^2 * x^2 - 1))^{(1/2)} * c^4 * d^2 / (c^2 * x^2 - 1) * \arcsin(c * x) * x + 14 * b^2 \\
& * (-c^2 * x^2 + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} * c^3 * d^2 / (3 * c^2 * x^2 - 3) * \arcsin(c * x) \\
& * \ln(1 - I * c * x - (-c^2 * x^2 + 1)^{(1/2)}) + 1/2 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} * c^5 * d^2 / (c^2 \\
& * x^2 - 1) * \arcsin(c * x) * (-c^2 * x^2 + 1)^{(1/2)} * x^2 + 7/3 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} * \\
& d^2 / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) * x^3 / (c^2 * x^2 - 1) * (-c^2 * x^2 + 1) * c^6 - 1/3 * I * b^2 * (- \\
& d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) / (c^2 * x^2 - 1) * (-c^2 * x^2 + 1) \\
& ^{(1/2)} * c^3 - 14 * I * b^2 * (-c^2 * x^2 + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} * c^3 * d^2 / (3 * c^2 \\
& * x^2 - 3) * \arcsin(c * x)^2 - 14 * I * b^2 * (-c^2 * x^2 + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} * c \\
& ^3 * d^2 / (3 * c^2 * x^2 - 3) * \operatorname{polylog}(2, -I * c * x - (-c^2 * x^2 + 1)^{(1/2)}) - 14 * I * b^2 * (-c^2 * x^2 \\
& + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} * c^3 * d^2 / (3 * c^2 * x^2 - 3) * \operatorname{polylog}(2, I * c * x + (-c \\
& ^2 * x^2 + 1)^{(1/2)}) + 1/2 * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * c^5 * d^2 / (c^2 * x^2 - 1) * (-c^2 * x \\
& ^2 + 1)^{(1/2)} * x^2 - 5/2 * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * (-c^2 * x^2 + 1)^{(1/2)} / (c^2 * x^2 - \\
& 1) * \arcsin(c * x)^2 * c^3 * d^2 - 5 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 \\
& * x^2 + 1) / (c^2 * x^2 - 1) * \arcsin(c * x) * (-c^2 * x^2 + 1)^{(1/2)} * c^3 - 23/3 * b^2 * (-d * (c^2 * x \\
& ^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) / x / (c^2 * x^2 - 1) * \arcsin(c * x)^2 * c^2 + \\
& 147 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) * x^5 / (c^2 * x^2 - 1) \\
& ) * \arcsin(c * x)^2 * c^8 - 203 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * x \\
& ^2 + 1) * x^3 / (c^2 * x^2 - 1) * \arcsin(c * x)^2 * c^6 + 190/3 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} * d^2 \\
& / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) * x / (c^2 * x^2 - 1) * \arcsin(c * x)^2 * c^4 + 14 * b^2 * (-c^2 * x^2 \\
& + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} * c^3 * d^2 / (3 * c^2 * x^2 - 3) * \arcsin(c * x) * \ln(1 + I * \\
& c * x + (-c^2 * x^2 + 1)^{(1/2)}) - 49/3 * I * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 1 \\
& 5 * c^2 * x^2 + 1) * x^3 / (c^2 * x^2 - 1) * (-c^2 * x^2 + 1) * c^6 + 7/3 * I * a * b * (-d * (c^2 * x^2 - 1))^{(1 \\
& /2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) * x / (c^2 * x^2 - 1) * (-c^2 * x^2 + 1) * c^4 + 14/3 * I * a * b \\
& * (-d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) / (c^2 * x^2 - 1) * \arcsin(c * \\
& x) * (-c^2 * x^2 + 1)^{(1/2)} * c^3 + 294 * I * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - \\
& 15 * c^2 * x^2 + 1) * x^4 / (c^2 * x^2 - 1) * \arcsin(c * x) * (-c^2 * x^2 + 1)^{(1/2)} * c^7 - 70 * I * a * b * (- \\
& d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) * x^2 / (c^2 * x^2 - 1) * \arcsin( \\
& c * x) * (-c^2 * x^2 + 1)^{(1/2)} * c^5 + 5/2 * a^2 * c^4 * d^2 * x * (-c^2 * d * x^2 + d)^{(1/2)} - 1/3 * a^2 / \\
& d / x^3 * (-c^2 * d * x^2 + d)^{(7/2)} + 4/3 * a^2 * c^4 * x * (-c^2 * d * x^2 + d)^{(5/2)} + 294 * a * b * (-d * ( \\
& c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) * x^5 / (c^2 * x^2 - 1) * \arcsin(c * x) \\
& * c^8 - 406 * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) * x^3 / (c^2 * \\
& x^2 - 1) * \arcsin(c * x) * c^6 + 21 * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 \\
& * x^2 + 1) * x^2 / (c^2 * x^2 - 1) * (-c^2 * x^2 + 1)^{(1/2)} * c^5 + 380/3 * a * b * (-d * (c^2 * x^2 - 1))^{( \\
& 1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) * x / (c^2 * x^2 - 1) * \arcsin(c * x) * c^4 - 46/3 * a * b * ( \\
& -d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) / x / (c^2 * x^2 - 1) * \arcsin(c * \\
& x) * c^2 + 1/3 * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) / x^2 / (c^2 \\
& * x^2 - 1) * (-c^2 * x^2 + 1)^{(1/2)} * c + 21 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 \\
& - 15 * c^2 * x^2 + 1) * x^2 / (c^2 * x^2 - 1) * \arcsin(c * x) * (-c^2 * x^2 + 1)^{(1/2)} * c^5 - 7/3 * I * b^2 \\
& * (-d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) * x / (c^2 * x^2 - 1) * \arcsin( \\
& c * x) * c^4 + 7/3 * I * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) / (c^2 \\
& * x^2 - 1) * \arcsin(c * x)^2 * (-c^2 * x^2 + 1)^{(1/2)} * c^3 - 49/3 * I * b^2 * (-d * (c^2 * x^2 - 1))^{( \\
& 1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) * x^5 / (c^2 * x^2 - 1) * \arcsin(c * x) * c^8 - 21 * I * b^2 \\
& * (-d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * x^2 + 1) * x^4 / (c^2 * x^2 - 1) * (-c^2 \\
& * x^2 + 1)^{(1/2)} * c^7 + 56/3 * I * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (63 * c^4 * x^4 - 15 * c^2 * \\
& x^2 + 1) * x^3 / (c^2 * x^2 - 1) * \arcsin(c * x) * c^6 + 5 * I * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} * d^2 / (
\end{aligned}$$

$$63c^4x^4 - 15c^2x^2 + 1)x^2 / (c^2x^2 - 1) * (-c^2x^2 + 1)^{(1/2)} * c^5 + 1/3b^2 * (-d * (c^2x^2 - 1))^{(1/2)} * d^2 / (63c^4x^4 - 15c^2x^2 + 1) / x^2 / (c^2x^2 - 1) * \arcsin(cx) * (-c^2x^2 + 1)^{(1/2)} * c - 28I * a * b * (-c^2x^2 + 1)^{(1/2)} * (-d * (c^2x^2 - 1))^{(1/2)} * \arcsin(cx) * c^3 * d^2 / (3c^2x^2 - 3) - 49/3I * a * b * (-d * (c^2x^2 - 1))^{(1/2)} * d^2 / (63c^4x^4 - 15c^2x^2 + 1) * x^5 / (c^2x^2 - 1) * c^8 + 56/3I * a * b * (-d * (c^2x^2 - 1))^{(1/2)} * d^2 / (63c^4x^4 - 15c^2x^2 + 1) * x^3 / (c^2x^2 - 1) * c^6 - 7/3I * a * b * (-d * (c^2x^2 - 1))^{(1/2)} * d^2 / (63c^4x^4 - 15c^2x^2 + 1) * x / (c^2x^2 - 1) * c^4 - 1/4b^2 * (-d * (c^2x^2 - 1))^{(1/2)} * c^6 * d^2 / (c^2x^2 - 1) * x^3 + 1/4b^2 * (-d * (c^2x^2 - 1))^{(1/2)} * c^4 * d^2 / (c^2x^2 - 1) * x$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2/x^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(a^2c^4d^2x^4 - 2a^2c^2d^2x^2 + a^2d^2 + (b^2c^4d^2x^4 - 2b^2c^2d^2x^2 + b^2d^2) \arcsin(cx))^2 + 2(abc^4d^2x^4 - 2abc^2d^2x^2 + abd^2)}{x^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2/x^4,x, algorithm="fricas")

[Out] integral((a^2\*c^4\*d^2\*x^4 - 2\*a^2\*c^2\*d^2\*x^2 + a^2\*d^2 + (b^2\*c^4\*d^2\*x^4 - 2\*b^2\*c^2\*d^2\*x^2 + b^2\*d^2)\*arcsin(c\*x))^2 + 2\*(a\*b\*c^4\*d^2\*x^4 - 2\*a\*b\*c^2\*d^2\*x^2 + a\*b\*d^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)/x^4, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))\*\*2/x\*\*4,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2/x^4,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)^2/x^4, x)

$$3.234 \quad \int \frac{x^5 (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx$$

**Optimal.** Leaf size=400

$$\frac{16abx\sqrt{1-c^2x^2}}{15c^5\sqrt{d-c^2dx^2}} + \frac{2bx^5\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{25c\sqrt{d-c^2dx^2}} - \frac{x^4\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{5c^2d} + \frac{8bx^3\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{45c^3\sqrt{d-c^2dx^2}}$$

[Out] (16\*a\*b\*x\*Sqrt[1 - c^2\*x^2])/(15\*c^5\*Sqrt[d - c^2\*d\*x^2]) + (298\*b^2\*(1 - c^2\*x^2))/(225\*c^6\*Sqrt[d - c^2\*d\*x^2]) - (76\*b^2\*(1 - c^2\*x^2)^2)/(675\*c^6\*Sqrt[d - c^2\*d\*x^2]) + (2\*b^2\*(1 - c^2\*x^2)^3)/(125\*c^6\*Sqrt[d - c^2\*d\*x^2]) + (16\*b^2\*x\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(15\*c^5\*Sqrt[d - c^2\*d\*x^2]) + (8\*b\*x^3\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(45\*c^3\*Sqrt[d - c^2\*d\*x^2]) + (2\*b\*x^5\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(25\*c\*Sqrt[d - c^2\*d\*x^2]) - (8\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(15\*c^6\*d) - (4\*x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(15\*c^4\*d) - (x^4\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(5\*c^2\*d)

**Rubi [A]** time = 0.583019, antiderivative size = 400, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {4707, 4677, 4619, 261, 4627, 266, 43}

$$\frac{16abx\sqrt{1-c^2x^2}}{15c^5\sqrt{d-c^2dx^2}} + \frac{2bx^5\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{25c\sqrt{d-c^2dx^2}} - \frac{x^4\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{5c^2d} + \frac{8bx^3\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{45c^3\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^5\*(a + b\*ArcSin[c\*x])^2)/Sqrt[d - c^2\*d\*x^2], x]

[Out] (16\*a\*b\*x\*Sqrt[1 - c^2\*x^2])/(15\*c^5\*Sqrt[d - c^2\*d\*x^2]) + (298\*b^2\*(1 - c^2\*x^2))/(225\*c^6\*Sqrt[d - c^2\*d\*x^2]) - (76\*b^2\*(1 - c^2\*x^2)^2)/(675\*c^6\*Sqrt[d - c^2\*d\*x^2]) + (2\*b^2\*(1 - c^2\*x^2)^3)/(125\*c^6\*Sqrt[d - c^2\*d\*x^2]) + (16\*b^2\*x\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(15\*c^5\*Sqrt[d - c^2\*d\*x^2]) + (8\*b\*x^3\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(45\*c^3\*Sqrt[d - c^2\*d\*x^2]) + (2\*b\*x^5\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(25\*c\*Sqrt[d - c^2\*d\*x^2]) - (8\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(15\*c^6\*d) - (4\*x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(15\*c^4\*d) - (x^4\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(5\*c^2\*d)

**Rule 4707**

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)]/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[(f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n]/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]

```

### Rule 4677

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]

```

### Rule 4619

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*Ar
cSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 -
c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

```

### Rule 261

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]

```

### Rule 4627

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

```

### Rule 266

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

```

### Rule 43



$$(-8 + 4*c^2*x^2 + c^4*x^4 + 3*c^6*x^6)*\text{ArcSin}[c*x]^2/(3375*c^6*\text{Sqrt}[d - c^2*d*x^2])$$

**Maple [C]** time = 0.597, size = 1304, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^5*(a+b*\text{arcsin}(c*x))^2/(-c^2*d*x^2+d)^{(1/2)}, x)$

[Out]  $a^2*(-1/5*x^4/c^2/d*(-c^2*d*x^2+d)^{(1/2)}+4/5/c^2*(-1/3*x^2/c^2/d*(-c^2*d*x^2+d)^{(1/2)}-2/3/d/c^4*(-c^2*d*x^2+d)^{(1/2)}))+b^2*(-1/4000*(-d*(c^2*x^2-1))^{(1/2)}*(16*c^6*x^6-28*c^4*x^4-16*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5+13*c^2*x^2+20*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3-5*I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(10*I*\text{arcsin}(c*x)+25*\text{arcsin}(c*x)^2-2)/c^6/d/(c^2*x^2-1)-5/864*(-d*(c^2*x^2-1))^{(1/2)}*(4*c^4*x^4-5*c^2*x^2-4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+3*I*(-c^2*x^2+1)^{(1/2)}*x*c+1)*(6*I*\text{arcsin}(c*x)+9*\text{arcsin}(c*x)^2-2)/c^6/d/(c^2*x^2-1)-5/16*(-d*(c^2*x^2-1))^{(1/2)}*(c^2*x^2-I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(\text{arcsin}(c*x)^2-2+2*I*\text{arcsin}(c*x))/c^6/d/(c^2*x^2-1)-5/16*(-d*(c^2*x^2-1))^{(1/2)}*(I*(-c^2*x^2+1)^{(1/2)}*x*c+c^2*x^2-1)*(\text{arcsin}(c*x)^2-2+2*I*\text{arcsin}(c*x))/c^6/d/(c^2*x^2-1)-5/864*(-d*(c^2*x^2-1))^{(1/2)}*(4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+4*c^4*x^4-3*I*(-c^2*x^2+1)^{(1/2)}*x*c-5*c^2*x^2+1)*(-6*I*\text{arcsin}(c*x)+9*\text{arcsin}(c*x)^2-2)/c^6/d/(c^2*x^2-1)-1/4000*(-d*(c^2*x^2-1))^{(1/2)}*(16*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5+16*c^6*x^6-20*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3-28*c^4*x^4+5*I*(-c^2*x^2+1)^{(1/2)}*x*c+13*c^2*x^2-1)*(-10*I*\text{arcsin}(c*x)+25*\text{arcsin}(c*x)^2-2)/c^6/d/(c^2*x^2-1))+2*a*b*(-1/800*(-d*(c^2*x^2-1))^{(1/2)}*(16*c^6*x^6-28*c^4*x^4-16*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5+13*c^2*x^2+20*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3-5*I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(I+5*\text{arcsin}(c*x))/c^6/d/(c^2*x^2-1)-5/288*(-d*(c^2*x^2-1))^{(1/2)}*(4*c^4*x^4-5*c^2*x^2-4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+3*I*(-c^2*x^2+1)^{(1/2)}*x*c+1)*(I+3*\text{arcsin}(c*x))/c^6/d/(c^2*x^2-1)-5/16*(-d*(c^2*x^2-1))^{(1/2)}*(c^2*x^2-I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(\text{arcsin}(c*x)+I)/c^6/d/(c^2*x^2-1)-5/16*(-d*(c^2*x^2-1))^{(1/2)}*(I*(-c^2*x^2+1)^{(1/2)}*x*c+c^2*x^2-1)*(\text{arcsin}(c*x)-I)/c^6/d/(c^2*x^2-1)-5/288*(-d*(c^2*x^2-1))^{(1/2)}*(4*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3+4*c^4*x^4-3*I*(-c^2*x^2+1)^{(1/2)}*x*c-5*c^2*x^2+1)*(-I+3*\text{arcsin}(c*x))/c^6/d/(c^2*x^2-1)-1/800*(-d*(c^2*x^2-1))^{(1/2)}*(16*I*(-c^2*x^2+1)^{(1/2)}*x^5*c^5+16*c^6*x^6-20*I*(-c^2*x^2+1)^{(1/2)}*x^3*c^3-28*c^4*x^4+5*I*(-c^2*x^2+1)^{(1/2)}*x*c+13*c^2*x^2-1)*(-I+5*\text{arcsin}(c*x))/c^6/d/(c^2*x^2-1))$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 2.00462, size = 628, normalized size = 1.57

$$30 \left( 9 abc^5 x^5 + 20 abc^3 x^3 + 120 abc x + \left( 9 b^2 c^5 x^5 + 20 b^2 c^3 x^3 + 120 b^2 c x \right) \arcsin(cx) \right) \sqrt{-c^2 dx^2 + d} \sqrt{-c^2 x^2 + 1} + \left( 27 \left( 25 a^2 - 2 b^2 \right) c^6 x^6 + \left( 225 a^2 - 218 b^2 \right) c^4 x^4 + 4 \left( 225 a^2 - 968 b^2 \right) c^2 x^2 + 225 \left( 3 b^2 c^6 x^6 + b^2 c^4 x^4 + 4 b^2 c^2 x^2 - 8 b^2 \right) \arcsin(c x)^2 - 1800 a^2 + 4144 b^2 + 450 \left( 3 a b c^6 x^6 + a b c^4 x^4 + 4 a b c^2 x^2 - 8 a b \right) \arcsin(c x) \right) \sqrt{-c^2 dx^2 + d} / (c^8 d x^2 - c^6 d)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(1/2),x, algorithm="fricas")
```

```
[Out] -1/3375*(30*(9*a*b*c^5*x^5 + 20*a*b*c^3*x^3 + 120*a*b*c*x + (9*b^2*c^5*x^5 + 20*b^2*c^3*x^3 + 120*b^2*c*x)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1) + (27*(25*a^2 - 2*b^2)*c^6*x^6 + (225*a^2 - 218*b^2)*c^4*x^4 + 4*(225*a^2 - 968*b^2)*c^2*x^2 + 225*(3*b^2*c^6*x^6 + b^2*c^4*x^4 + 4*b^2*c^2*x^2 - 8*b^2)*arcsin(c*x)^2 - 1800*a^2 + 4144*b^2 + 450*(3*a*b*c^6*x^6 + a*b*c^4*x^4 + 4*a*b*c^2*x^2 - 8*a*b)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d))/(c^8*d*x^2 - c^6*d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5*(a+b*asin(c*x))**2/(-c**2*d*x**2+d)**(1/2),x)
```

```
[Out] Timed out
```



---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^5}{\sqrt{-c^2 dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2*x^5/sqrt(-c^2*d*x^2 + d), x)
```

$$3.235 \quad \int \frac{x^4 (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx$$

**Optimal.** Leaf size=337

$$\frac{bx^4 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{8c \sqrt{d - c^2 dx^2}} - \frac{x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{4c^2 d} + \frac{3bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{8c^3 \sqrt{d - c^2 dx^2}} - \frac{3x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8c^4}$$

[Out] (15\*b^2\*x\*(1 - c^2\*x^2))/(64\*c^4\*Sqrt[d - c^2\*d\*x^2]) + (b^2\*x^3\*(1 - c^2\*x^2))/(32\*c^2\*Sqrt[d - c^2\*d\*x^2]) - (15\*b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(64\*c^5\*Sqrt[d - c^2\*d\*x^2]) + (3\*b\*x^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(8\*c^3\*Sqrt[d - c^2\*d\*x^2]) + (b\*x^4\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(8\*c\*Sqrt[d - c^2\*d\*x^2]) - (3\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(8\*c^4\*d) - (x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(4\*c^2\*d) + (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(8\*b\*c^5\*Sqrt[d - c^2\*d\*x^2])

**Rubi [A]** time = 0.484204, antiderivative size = 337, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {4707, 4643, 4641, 4627, 321, 216}

$$\frac{bx^4 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{8c \sqrt{d - c^2 dx^2}} - \frac{x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{4c^2 d} + \frac{3bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{8c^3 \sqrt{d - c^2 dx^2}} - \frac{3x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{8c^4}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(a + b\*ArcSin[c\*x])^2)/Sqrt[d - c^2\*d\*x^2], x]

[Out] (15\*b^2\*x\*(1 - c^2\*x^2))/(64\*c^4\*Sqrt[d - c^2\*d\*x^2]) + (b^2\*x^3\*(1 - c^2\*x^2))/(32\*c^2\*Sqrt[d - c^2\*d\*x^2]) - (15\*b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(64\*c^5\*Sqrt[d - c^2\*d\*x^2]) + (3\*b\*x^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(8\*c^3\*Sqrt[d - c^2\*d\*x^2]) + (b\*x^4\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(8\*c\*Sqrt[d - c^2\*d\*x^2]) - (3\*x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(8\*c^4\*d) - (x^3\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(4\*c^2\*d) + (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(8\*b\*c^5\*Sqrt[d - c^2\*d\*x^2])

**Rule 4707**

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.)\*((f\_.)\*(x\_.))^m\_)/Sqrt[(d\_. + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)

$(a + b \operatorname{ArcSin}[c x])^n / \sqrt{d + e x^2}, x, x] + \operatorname{Dist}[(b f^n \sqrt{1 - c^2 x^2}) / (c^m \sqrt{d + e x^2}), \operatorname{Int}[(f x)^{m-1} (a + b \operatorname{ArcSin}[c x])^{n-1}, x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2 d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rule 4643

$\operatorname{Int}[(a + \operatorname{ArcSin}[c x])^n / \sqrt{d + e x^2}, x, \text{Symbol}] \rightarrow \operatorname{Dist}[\sqrt{1 - c^2 x^2} / \sqrt{d + e x^2}, \operatorname{Int}[(a + b \operatorname{ArcSin}[c x])^n / \sqrt{1 - c^2 x^2}, x], x] /;$  FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2 d + e, 0] && !GtQ[d, 0]

### Rule 4641

$\operatorname{Int}[(a + \operatorname{ArcSin}[c x])^n / \sqrt{d + e x^2}, x, \text{Symbol}] \rightarrow \operatorname{Simp}[(a + b \operatorname{ArcSin}[c x])^{n+1} / (b c \sqrt{d} (n+1)), x] /;$  FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2 d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 4627

$\operatorname{Int}[(a + \operatorname{ArcSin}[c x])^n (d x)^m, x, \text{Symbol}] \rightarrow \operatorname{Simp}[(d x)^{m+1} (a + b \operatorname{ArcSin}[c x])^n / (d (m+1)), x] - \operatorname{Dist}[(b c^n) / (d (m+1)), \operatorname{Int}[(d x)^{m+1} (a + b \operatorname{ArcSin}[c x])^{n-1} / \sqrt{1 - c^2 x^2}, x], x] /;$  FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 321

$\operatorname{Int}[(c x)^m (a + b x^n)^p, x, \text{Symbol}] \rightarrow \operatorname{Simp}[(c^{n-1} (c x)^{m-n+1} (a + b x^n)^{p+1}) / (b (m + n p + 1)), x] - \operatorname{Dist}[(a c^n (m - n + 1)) / (b (m + n p + 1)), \operatorname{Int}[(c x)^{m-n} (a + b x^n)^p, x], x] /;$  FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

$\operatorname{Int}[1 / \sqrt{a + b x^2}, x, \text{Symbol}] \rightarrow \operatorname{Simp}[\operatorname{ArcSin}[\operatorname{Rt}[-b, 2] x] / \sqrt{a}] / \operatorname{Rt}[-b, 2], x] /;$  FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned}
\int \frac{x^4 (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx &= -\frac{x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{4c^2 d} + \frac{3 \int \frac{x^2 (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx}{4c^2} + \frac{(b \sqrt{1 - c^2 x^2}) \int x^3 (a + b \sin^{-1}(cx))^2}{2c \sqrt{d - c^2 dx^2}} \\
&= \frac{bx^4 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{8c \sqrt{d - c^2 dx^2}} - \frac{3x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{8c^4 d} - \frac{x^3 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{4c^2 d} \\
&= \frac{b^2 x^3 (1 - c^2 x^2)}{32c^2 \sqrt{d - c^2 dx^2}} + \frac{3bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{8c^3 \sqrt{d - c^2 dx^2}} + \frac{bx^4 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{8c \sqrt{d - c^2 dx^2}} - \frac{3x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{8c^4 d} \\
&= \frac{15b^2 x (1 - c^2 x^2)}{64c^4 \sqrt{d - c^2 dx^2}} + \frac{b^2 x^3 (1 - c^2 x^2)}{32c^2 \sqrt{d - c^2 dx^2}} + \frac{3bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{8c^3 \sqrt{d - c^2 dx^2}} + \frac{bx^4 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{8c \sqrt{d - c^2 dx^2}} - \frac{3x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{8c^4 d} \\
&= \frac{15b^2 x (1 - c^2 x^2)}{64c^4 \sqrt{d - c^2 dx^2}} + \frac{b^2 x^3 (1 - c^2 x^2)}{32c^2 \sqrt{d - c^2 dx^2}} - \frac{15b^2 \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{64c^5 \sqrt{d - c^2 dx^2}} + \frac{3bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{8c^3 \sqrt{d - c^2 dx^2}} - \frac{3x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{8c^4 d}
\end{aligned}$$

**Mathematica [A]** time = 1.3866, size = 283, normalized size = 0.84

$$32a^2 c \sqrt{dx} (c^2 x^2 - 1) (2c^2 x^2 + 3) - 96a^2 \sqrt{d - c^2 dx^2} \tan^{-1} \left( \frac{cx \sqrt{d - c^2 dx^2}}{\sqrt{d}(c^2 x^2 - 1)} \right) - 4ab \sqrt{d} \sqrt{1 - c^2 x^2} (-4 \sin^{-1}(cx) (6 \sin^{-1}(cx) - 8 \sin^{-1}(cx)))$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(a + b\*ArcSin[c\*x])^2)/Sqrt[d - c^2\*d\*x^2], x]

[Out] (32\*a^2\*c\*Sqrt[d]\*x\*(-1 + c^2\*x^2)\*(3 + 2\*c^2\*x^2) - 96\*a^2\*Sqrt[d - c^2\*d\*x^2]\*ArcTan[(c\*x\*Sqrt[d - c^2\*d\*x^2])/(Sqrt[d]\*(-1 + c^2\*x^2))] + b^2\*Sqrt[d]\*Sqrt[1 - c^2\*x^2]\*(32\*ArcSin[c\*x]^3 + 4\*ArcSin[c\*x]\*(-16\*Cos[2\*ArcSin[c\*x]] + Cos[4\*ArcSin[c\*x]]) + 32\*Sin[2\*ArcSin[c\*x]] - Sin[4\*ArcSin[c\*x]] + 8\*ArcSin[c\*x]^2\*(-8\*Sin[2\*ArcSin[c\*x]] + Sin[4\*ArcSin[c\*x]])) - 4\*a\*b\*Sqrt[d]\*Sqrt[1 - c^2\*x^2]\*(16\*Cos[2\*ArcSin[c\*x]] - Cos[4\*ArcSin[c\*x]] - 4\*ArcSin[c\*x]\*(6\*ArcSin[c\*x] - 8\*Sin[2\*ArcSin[c\*x]] + Sin[4\*ArcSin[c\*x]])))/(256\*c^5\*Sqrt[d]\*Sqrt[d - c^2\*d\*x^2])

**Maple [B]** time = 0.476, size = 871, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^4*(a+b*\arcsin(cx))^2/(-c^2*d*x^2+d)^{(1/2)}, x)$

[Out] 
$$\begin{aligned} & -1/4*a^2*x^3/c^2/d*(-c^2*d*x^2+d)^{(1/2)}-3/8*a^2/c^4*x/d*(-c^2*d*x^2+d)^{(1/2)} \\ & +3/8*a^2/c^4/(c^2*d)^{(1/2)}*\arctan((c^2*d)^{(1/2)}*x/(-c^2*d*x^2+d)^{(1/2)})-1/ \\ & 8*b^2*(-d*(c^2*x^2-1))^{(1/2)}/c/d/(c^2*x^2-1)*\arcsin(cx)*(-c^2*x^2+1)^{(1/2)} \\ & *x^4-3/8*b^2*(-d*(c^2*x^2-1))^{(1/2)}/c^3/d/(c^2*x^2-1)*\arcsin(cx)*(-c^2*x^2 \\ & +1)^{(1/2)}*x^2+15/64*b^2*(-d*(c^2*x^2-1))^{(1/2)}/c^5/d/(c^2*x^2-1)*\arcsin(cx) \\ & )*(-c^2*x^2+1)^{(1/2)}-1/4*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*\arcsin(c*x) \\ & ^2*x^5-1/8*b^2*(-d*(c^2*x^2-1))^{(1/2)}/c^2/d/(c^2*x^2-1)*\arcsin(cx)^2*x^3 \\ & +3/8*b^2*(-d*(c^2*x^2-1))^{(1/2)}/c^4/d/(c^2*x^2-1)*\arcsin(cx)^2*x-1/8*b^2*( \\ & -d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^5/d/(c^2*x^2-1)*\arcsin(cx)^3+1/ \\ & 32*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*x^5+13/64*b^2*(-d*(c^2*x^2-1))^{(1/2)}/ \\ & c^2/d/(c^2*x^2-1)*x^3-15/64*b^2*(-d*(c^2*x^2-1))^{(1/2)}/c^4/d/(c^2*x^2 \\ & -1)*x-3/8*a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c^5/d/(c^2*x^2-1)*a \\ & rcsin(cx)^2-1/2*a*b*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*\arcsin(cx)*x^5-1 \\ & /4*a*b*(-d*(c^2*x^2-1))^{(1/2)}/c^2/d/(c^2*x^2-1)*\arcsin(cx)*x^3+3/4*a*b*(-d \\ & *(c^2*x^2-1))^{(1/2)}/c^4/d/(c^2*x^2-1)*\arcsin(cx)*x+15/64*a*b*(-d*(c^2*x^2- \\ & 1))^{(1/2)}/c^5/d/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}-1/8*a*b*(-d*(c^2*x^2-1))^{(1/ \\ & 2)}/c/d/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^4-3/8*a*b*(-d*(c^2*x^2-1))^{(1/2)}/c^ \\ & 3/d/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}*x^2 \end{aligned}$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^4*(a+b*\arcsin(cx))^2/(-c^2*d*x^2+d)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2x^4 \arcsin(cx)^2 + 2abx^4 \arcsin(cx) + a^2x^4)\sqrt{-c^2dx^2 + d}}{c^2dx^2 - d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="fricas")

[Out] integral(-(b^2\*x^4\*arcsin(c\*x)^2 + 2\*a\*b\*x^4\*arcsin(c\*x) + a^2\*x^4)\*sqrt(-c^2\*d\*x^2 + d)/(c^2\*d\*x^2 - d), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4 (a + b \operatorname{asin}(cx))^2}{\sqrt{-d}(cx-1)(cx+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*(1/2),x)

[Out] Integral(x\*\*4\*(a + b\*asin(c\*x))\*\*2/sqrt(-d\*(c\*x - 1)\*(c\*x + 1)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)^2 x^4}{\sqrt{-c^2 dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2\*x^4/sqrt(-c^2\*d\*x^2 + d), x)

$$3.236 \quad \int \frac{x^3 (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx$$

**Optimal.** Leaf size=277

$$\frac{4abx\sqrt{1-c^2x^2}}{3c^3\sqrt{d-c^2dx^2}} + \frac{2bx^3\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{9c\sqrt{d-c^2dx^2}} - \frac{x^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{3c^2d} - \frac{2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{3c^4d}$$

[Out] (4\*a\*b\*x\*Sqrt[1 - c^2\*x^2])/(3\*c^3\*Sqrt[d - c^2\*d\*x^2]) + (14\*b^2\*(1 - c^2\*x^2))/(9\*c^4\*Sqrt[d - c^2\*d\*x^2]) - (2\*b^2\*(1 - c^2\*x^2)^2)/(27\*c^4\*Sqrt[d - c^2\*d\*x^2]) + (4\*b^2\*x\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(3\*c^3\*Sqrt[d - c^2\*d\*x^2]) + (2\*b\*x^3\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(9\*c\*Sqrt[d - c^2\*d\*x^2]) - (2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(3\*c^4\*d) - (x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(3\*c^2\*d)

**Rubi [A]** time = 0.329423, antiderivative size = 277, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {4707, 4677, 4619, 261, 4627, 266, 43}

$$\frac{4abx\sqrt{1-c^2x^2}}{3c^3\sqrt{d-c^2dx^2}} + \frac{2bx^3\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{9c\sqrt{d-c^2dx^2}} - \frac{x^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{3c^2d} - \frac{2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{3c^4d}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(a + b\*ArcSin[c\*x])^2)/Sqrt[d - c^2\*d\*x^2], x]

[Out] (4\*a\*b\*x\*Sqrt[1 - c^2\*x^2])/(3\*c^3\*Sqrt[d - c^2\*d\*x^2]) + (14\*b^2\*(1 - c^2\*x^2))/(9\*c^4\*Sqrt[d - c^2\*d\*x^2]) - (2\*b^2\*(1 - c^2\*x^2)^2)/(27\*c^4\*Sqrt[d - c^2\*d\*x^2]) + (4\*b^2\*x\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(3\*c^3\*Sqrt[d - c^2\*d\*x^2]) + (2\*b\*x^3\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(9\*c\*Sqrt[d - c^2\*d\*x^2]) - (2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(3\*c^4\*d) - (x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(3\*c^2\*d)

**Rule 4707**

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^n\_.\*((f\_.)\*(x\_))^(m\_)]/Sqrt[(d\_ + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1),

$x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[m, 1] \&\& \text{IntegerQ}[m]$

### Rule 4677

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*(x_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^{(p + 1)}*(a + b*\text{ArcSin}[c*x])^n / (2*e*(p + 1)), x] + \text{Dist}[(b*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]} / (2*c*(p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(1 - c^2*x^2)^{(p + 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, p\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[p, -1]$

### Rule 4619

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[x*(a + b*\text{ArcSin}[c*x])^n, x] - \text{Dist}[b*c*n, \text{Int}[(x*(a + b*\text{ArcSin}[c*x])^{(n - 1)})/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{GtQ}[n, 0]$

### Rule 261

$\text{Int}[(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(a + b*x^n)^{(p + 1)} / (b*n*(p + 1)), x] /; \text{FreeQ}\{a, b, m, n, p\}, x\} \&\& \text{EqQ}[m, n - 1] \&\& \text{NeQ}[p, -1]$

### Rule 4627

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*((d_.)*(x_.))^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[(d*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^n / (d*(m + 1)), x] - \text{Dist}[(b*c*n) / (d*(m + 1)), \text{Int}[(d*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)})/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[m, -1]$

### Rule 266

$\text{Int}[(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)}*(a + b*x)^p, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x\} \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 43

$\text{Int}[(a_.) + (b_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& (!\text{IntegerQ}[n] || (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) || \text{LtQ}[9*m + 5*(n + 1), 0] || \text{GtQ}[m + n + 2, 0])$



Rubi steps

$$\begin{aligned}
\int \frac{x^3 (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx &= -\frac{x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{3c^2 d} + \frac{2 \int \frac{x(a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx}{3c^2} + \frac{(2b\sqrt{1 - c^2 x^2}) \int x^2 (a + b \sin^{-1}(cx))^2}{3c\sqrt{d - c^2 dx^2}} \\
&= \frac{2bx^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c\sqrt{d - c^2 dx^2}} - \frac{2\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{3c^4 d} - \frac{x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{3c^2 d} \\
&= \frac{4abx\sqrt{1 - c^2 x^2}}{3c^3 \sqrt{d - c^2 dx^2}} + \frac{2bx^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c\sqrt{d - c^2 dx^2}} - \frac{2\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{3c^4 d} - \frac{x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{3c^2 d} \\
&= \frac{4abx\sqrt{1 - c^2 x^2}}{3c^3 \sqrt{d - c^2 dx^2}} + \frac{4b^2 x \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{3c^3 \sqrt{d - c^2 dx^2}} + \frac{2bx^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c\sqrt{d - c^2 dx^2}} - \frac{2\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{3c^4 d} \\
&= \frac{4abx\sqrt{1 - c^2 x^2}}{3c^3 \sqrt{d - c^2 dx^2}} + \frac{14b^2 (1 - c^2 x^2)}{9c^4 \sqrt{d - c^2 dx^2}} - \frac{2b^2 (1 - c^2 x^2)^2}{27c^4 \sqrt{d - c^2 dx^2}} + \frac{4b^2 x \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{3c^3 \sqrt{d - c^2 dx^2}} + \frac{2bx^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c\sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.123847, size = 176, normalized size = 0.64

$$\frac{9a^2 (c^4 x^4 + c^2 x^2 - 2) + 6abcx\sqrt{1 - c^2 x^2} (c^2 x^2 + 6) + 6b \sin^{-1}(cx) \left( 3a (c^4 x^4 + c^2 x^2 - 2) + bcx\sqrt{1 - c^2 x^2} (c^2 x^2 + 6) \right) - 2b^2 (1 - c^2 x^2)^2}{27c^4 \sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(a + b\*ArcSin[c\*x])^2)/Sqrt[d - c^2\*d\*x^2], x]

[Out] (6\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(6 + c^2\*x^2) + 9\*a^2\*(-2 + c^2\*x^2 + c^4\*x^4) - 2\*b^2\*(-20 + 19\*c^2\*x^2 + c^4\*x^4) + 6\*b\*(b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(6 + c^2\*x^2) + 3\*a\*(-2 + c^2\*x^2 + c^4\*x^4))\*ArcSin[c\*x] + 9\*b^2\*(-2 + c^2\*x^2 + c^4\*x^4)\*ArcSin[c\*x]^2)/(27\*c^4\*Sqrt[d - c^2\*d\*x^2])

**Maple [C]** time = 0.394, size = 750, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^3(a+b\arcsin(cx))^2/(-c^2dx^2+d)^{(1/2)}, x)$

[Out]  $a^2*(-1/3*x^2/c^2/d*(-c^2*d*x^2+d)^{(1/2)}-2/3/d/c^4*(-c^2*d*x^2+d)^{(1/2)})+b^2*(-1/216*(-d*(c^2*x^2-1))^{(1/2)}*(4*c^4*x^4-5*c^2*x^2-4*I*(-c^2*x^2+1)^{(1/2)})*x^3*c^3+3*I*(-c^2*x^2+1)^{(1/2)}*x*c+1)*(6*I*\arcsin(cx)+9*\arcsin(cx)^2-2)/c^4/d/(c^2*x^2-1)-3/8*(-d*(c^2*x^2-1))^{(1/2)}*(c^2*x^2-I*(-c^2*x^2+1)^{(1/2)})*x*c-1)*(\arcsin(cx)^2-2+2*I*\arcsin(cx))/c^4/d/(c^2*x^2-1)-3/8*(-d*(c^2*x^2-1))^{(1/2)}*(I*(-c^2*x^2+1)^{(1/2)}*x*c+c^2*x^2-1)*(\arcsin(cx)^2-2+2*I*\arcsin(cx))/c^4/d/(c^2*x^2-1)-1/216*(-d*(c^2*x^2-1))^{(1/2)}*(4*I*(-c^2*x^2+1)^{(1/2)})*x^3*c^3+4*c^4*x^4-3*I*(-c^2*x^2+1)^{(1/2)}*x*c-5*c^2*x^2+1)*(-6*I*\arcsin(cx)+9*\arcsin(cx)^2-2)/c^4/d/(c^2*x^2-1)+2*a*b*(-1/72*(-d*(c^2*x^2-1))^{(1/2)}*(4*c^4*x^4-5*c^2*x^2-4*I*(-c^2*x^2+1)^{(1/2)})*x^3*c^3+3*I*(-c^2*x^2+1)^{(1/2)}*x*c+1)*(I+3*\arcsin(cx))/c^4/d/(c^2*x^2-1)-3/8*(-d*(c^2*x^2-1))^{(1/2)}*(c^2*x^2-I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(\arcsin(cx)+I)/c^4/d/(c^2*x^2-1)-3/8*(-d*(c^2*x^2-1))^{(1/2)}*(I*(-c^2*x^2+1)^{(1/2)}*x*c+c^2*x^2-1)*(\arcsin(cx)-I)/c^4/d/(c^2*x^2-1)-1/72*(-d*(c^2*x^2-1))^{(1/2)}*(4*I*(-c^2*x^2+1)^{(1/2)})*x^3*c^3+4*c^4*x^4-3*I*(-c^2*x^2+1)^{(1/2)}*x*c-5*c^2*x^2+1)*(-I+3*\arcsin(cx))/c^4/d/(c^2*x^2-1))$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^3(a+b\arcsin(cx))^2/(-c^2dx^2+d)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.01907, size = 456, normalized size = 1.65

$$\frac{6(abc^3x^3 + 6abcx + (b^2c^3x^3 + 6b^2cx)\arcsin(cx))\sqrt{-c^2dx^2 + d}\sqrt{-c^2x^2 + 1} + ((9a^2 - 2b^2)c^4x^4 + (9a^2 - 38b^2)c^2x^2 + 27(c^6dx^2 - c^2d))}{27(c^6dx^2 - c^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^3(a+b\arcsin(cx))^2/(-c^2dx^2+d)^{(1/2)}, x, \text{algorithm}="fricas")$

```
[Out] -1/27*(6*(a*b*c^3*x^3 + 6*a*b*c*x + (b^2*c^3*x^3 + 6*b^2*c*x)*arcsin(c*x))*
sqrt(-c^2*d*x^2 + d)*sqrt(-c^2*x^2 + 1) + ((9*a^2 - 2*b^2)*c^4*x^4 + (9*a^2
- 38*b^2)*c^2*x^2 + 9*(b^2*c^4*x^4 + b^2*c^2*x^2 - 2*b^2)*arcsin(c*x)^2 -
18*a^2 + 40*b^2 + 18*(a*b*c^4*x^4 + a*b*c^2*x^2 - 2*a*b)*arcsin(c*x))*sqrt(
-c^2*d*x^2 + d))/(c^6*d*x^2 - c^4*d)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 (a + b \operatorname{asin}(cx))^2}{\sqrt{-d}(cx - 1)(cx + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a+b*asin(c*x))**2/(-c**2*d*x**2+d)**(1/2), x)
```

```
[Out] Integral(x**3*(a + b*asin(c*x))**2/sqrt(-d*(c*x - 1)*(c*x + 1)), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)^2 x^3}{\sqrt{-c^2 dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(1/2), x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2*x^3/sqrt(-c^2*d*x^2 + d), x)
```

$$3.237 \quad \int \frac{x^2(a+b \sin^{-1}(cx))^2}{\sqrt{d-c^2dx^2}} dx$$

**Optimal.** Leaf size=206

$$\frac{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^3}{6bc^3\sqrt{d-c^2dx^2}} - \frac{x\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))^2}{2c^2d} + \frac{bx^2\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))}{2c\sqrt{d-c^2dx^2}} + \frac{b^2x\sqrt{d-c^2dx^2}}{4c^2d} - \frac{b^2\sqrt{d-c^2dx^2}}{4c^2d}$$

[Out] (b^2\*x\*Sqrt[d - c^2\*d\*x^2])/(4\*c^2\*d) - (b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(4\*c^3\*Sqrt[d - c^2\*d\*x^2]) + (b\*x^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(2\*c\*Sqrt[d - c^2\*d\*x^2]) - (x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(2\*c^2\*d) + (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(6\*b\*c^3\*Sqrt[d - c^2\*d\*x^2])

**Rubi [A]** time = 0.268924, antiderivative size = 213, normalized size of antiderivative = 1.03, number of steps used = 6, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.207, Rules used = {4707, 4643, 4641, 4627, 321, 216}

$$\frac{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^3}{6bc^3\sqrt{d-c^2dx^2}} - \frac{x\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))^2}{2c^2d} + \frac{bx^2\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))}{2c\sqrt{d-c^2dx^2}} + \frac{b^2x(1-c^2x^2)}{4c^2\sqrt{d-c^2dx^2}} - \frac{b^2\sqrt{d-c^2dx^2}}{4c^2d}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(a + b\*ArcSin[c\*x])^2)/Sqrt[d - c^2\*d\*x^2], x]

[Out] (b^2\*x\*(1 - c^2\*x^2))/(4\*c^2\*Sqrt[d - c^2\*d\*x^2]) - (b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(4\*c^3\*Sqrt[d - c^2\*d\*x^2]) + (b\*x^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(2\*c\*Sqrt[d - c^2\*d\*x^2]) - (x\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(2\*c^2\*d) + (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(6\*b\*c^3\*Sqrt[d - c^2\*d\*x^2])

**Rule 4707**

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.)\*((f\_.)\*(x\_.))^m\_)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f^n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rule 4643

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Dist[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2], Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && !GtQ[d, 0]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_*((d_.)*(x_.))^m_, x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 321

```
Int[((c_.)*(x_.))^m_*((a_) + (b_.)*(x_)^n_)^p_, x_Symbol]
:> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol]
:> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx &= -\frac{x\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2c^2 d} + \frac{\int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx}{2c^2} + \frac{(b\sqrt{1 - c^2 x^2}) \int x (a + b \sin^{-1}(cx))}{c\sqrt{d - c^2 dx^2}} \\
&= \frac{bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{2c\sqrt{d - c^2 dx^2}} - \frac{x\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2c^2 d} - \frac{(b^2 \sqrt{1 - c^2 x^2}) \int \frac{x^2}{\sqrt{1 - c^2 x^2}}}{2\sqrt{d - c^2 dx^2}} \\
&= \frac{b^2 x (1 - c^2 x^2)}{4c^2 \sqrt{d - c^2 dx^2}} + \frac{bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{2c\sqrt{d - c^2 dx^2}} - \frac{x\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2c^2 d} + \frac{\sqrt{1 - c^2 x^2}}{2} \\
&= \frac{b^2 x (1 - c^2 x^2)}{4c^2 \sqrt{d - c^2 dx^2}} - \frac{b^2 \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{4c^3 \sqrt{d - c^2 dx^2}} + \frac{bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{2c\sqrt{d - c^2 dx^2}} - \frac{x\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2c^2 d}
\end{aligned}$$

**Mathematica [A]** time = 1.18478, size = 210, normalized size = 1.02

$$\frac{12a^2 c dx (c^2 x^2 - 1) - 12a^2 \sqrt{d} \sqrt{d - c^2 dx^2} \tan^{-1}\left(\frac{cx\sqrt{d - c^2 dx^2}}{\sqrt{d}(c^2 x^2 - 1)}\right) - 6abd\sqrt{1 - c^2 x^2} (-2 \sin^{-1}(cx)^2 + 2 \sin(2 \sin^{-1}(cx)) \sin^{-1}(cx))}{24c^3 d \sqrt{d}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(a + b\*ArcSin[c\*x])^2)/Sqrt[d - c^2\*d\*x^2], x]

[Out] (12\*a^2\*c\*d\*x\*(-1 + c^2\*x^2) - 12\*a^2\*Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]\*ArcTan[(c\*x\*Sqrt[d - c^2\*d\*x^2])/(Sqrt[d]\*(-1 + c^2\*x^2))] - 6\*a\*b\*d\*Sqrt[1 - c^2\*x^2]\*(-2\*ArcSin[c\*x]^2 + Cos[2\*ArcSin[c\*x]] + 2\*ArcSin[c\*x]\*Sin[2\*ArcSin[c\*x]]) + b^2\*d\*Sqrt[1 - c^2\*x^2]\*(4\*ArcSin[c\*x]^3 - 6\*ArcSin[c\*x]\*Cos[2\*ArcSin[c\*x]] + (3 - 6\*ArcSin[c\*x]^2)\*Sin[2\*ArcSin[c\*x]])/(24\*c^3\*d\*Sqrt[d - c^2\*d\*x^2])

**Maple [B]** time = 0.271, size = 612, normalized size = 3.

$$-\frac{a^2 x}{2c^2 d} \sqrt{-c^2 dx^2 + d} + \frac{a^2}{2c^2} \arctan\left(x\sqrt{c^2 d} \frac{1}{\sqrt{-c^2 dx^2 + d}}\right) \frac{1}{\sqrt{c^2 d}} - \frac{b^2 (\arcsin(cx))^2 x^3}{2d(c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} + \frac{b^2 (\arcsin(cx))^2}{2c^2 d(c^2 x^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(1/2), x)

```
[Out] -1/2*a^2*x/c^2/d*(-c^2*d*x^2+d)^(1/2)+1/2*a^2/c^2/(c^2*d)^(1/2)*arctan((c^2*d)^(1/2)*x/(-c^2*d*x^2+d)^(1/2))-1/2*b^2*(-d*(c^2*x^2-1))^(1/2)/d/(c^2*x^2-1)*arcsin(c*x)^2*x^3+1/2*b^2*(-d*(c^2*x^2-1))^(1/2)/c^2/d/(c^2*x^2-1)*arcsin(c*x)^2*x-1/2*b^2*(-d*(c^2*x^2-1))^(1/2)/c/d/(c^2*x^2-1)*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*x^2+1/4*b^2*(-d*(c^2*x^2-1))^(1/2)/d/(c^2*x^2-1)*x^3-1/4*b^2*(-d*(c^2*x^2-1))^(1/2)/c^2/d/(c^2*x^2-1)*x-1/6*b^2*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/c^3/d/(c^2*x^2-1)*arcsin(c*x)^3+1/4*b^2*(-d*(c^2*x^2-1))^(1/2)/c^3/d/(c^2*x^2-1)*arcsin(c*x)*(-c^2*x^2+1)^(1/2)-1/2*a*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/c^3/d/(c^2*x^2-1)*arcsin(c*x)^2-a*b*(-d*(c^2*x^2-1))^(1/2)/d/(c^2*x^2-1)*arcsin(c*x)*x^3-1/2*a*b*(-d*(c^2*x^2-1))^(1/2)/c/d/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^2+a*b*(-d*(c^2*x^2-1))^(1/2)/c^2/d/(c^2*x^2-1)*arcsin(c*x)*x+1/4*a*b*(-d*(c^2*x^2-1))^(1/2)/c^3/d/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2x^2 \arcsin(cx)^2 + 2abx^2 \arcsin(cx) + a^2x^2)\sqrt{-c^2dx^2 + d}}{c^2dx^2 - d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(1/2),x, algorithm="fricas")
```

```
[Out] integral(-(b^2*x^2*arcsin(c*x)^2 + 2*a*b*x^2*arcsin(c*x) + a^2*x^2)*sqrt(-c^2*d*x^2 + d)/(c^2*d*x^2 - d), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 (a + b \operatorname{asin}(cx))^2}{\sqrt{-d}(cx-1)(cx+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*(1/2),x)

[Out] Integral(x\*\*2\*(a + b\*asin(c\*x))\*\*2/sqrt(-d\*(c\*x - 1)\*(c\*x + 1)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)^2 x^2}{\sqrt{-c^2 dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2\*x^2/sqrt(-c^2\*d\*x^2 + d), x)



$$3.238 \quad \int \frac{x(a+b \sin^{-1}(cx))^2}{\sqrt{d-c^2dx^2}} dx$$

**Optimal.** Leaf size=146

$$\frac{2abx\sqrt{1-c^2x^2}}{c\sqrt{d-c^2dx^2}} - \frac{\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))^2}{c^2d} + \frac{2b^2(1-c^2x^2)}{c^2\sqrt{d-c^2dx^2}} + \frac{2b^2x\sqrt{1-c^2x^2} \sin^{-1}(cx)}{c\sqrt{d-c^2dx^2}}$$

[Out] (2\*a\*b\*x\*Sqrt[1 - c^2\*x^2])/(c\*Sqrt[d - c^2\*d\*x^2]) + (2\*b^2\*(1 - c^2\*x^2))/(c^2\*Sqrt[d - c^2\*d\*x^2]) + (2\*b^2\*x\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(c\*Sqrt[d - c^2\*d\*x^2]) - (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(c^2\*d)

**Rubi [A]** time = 0.1215, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {4677, 4619, 261}

$$\frac{2abx\sqrt{1-c^2x^2}}{c\sqrt{d-c^2dx^2}} - \frac{\sqrt{d-c^2dx^2}(a+b \sin^{-1}(cx))^2}{c^2d} + \frac{2b^2(1-c^2x^2)}{c^2\sqrt{d-c^2dx^2}} + \frac{2b^2x\sqrt{1-c^2x^2} \sin^{-1}(cx)}{c\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a + b\*ArcSin[c\*x])^2)/Sqrt[d - c^2\*d\*x^2], x]

[Out] (2\*a\*b\*x\*Sqrt[1 - c^2\*x^2])/(c\*Sqrt[d - c^2\*d\*x^2]) + (2\*b^2\*(1 - c^2\*x^2))/(c^2\*Sqrt[d - c^2\*d\*x^2]) + (2\*b^2\*x\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(c\*Sqrt[d - c^2\*d\*x^2]) - (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(c^2\*d)

#### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rule 4619

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.), x\_Symbol] :> Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 -

$c^2*x^2], x], x] /; FreeQ[\{a, b, c\}, x] \&\& GtQ[n, 0]$

### Rule 261

$Int[(x_)^{(m_.)*((a_) + (b_.)*(x_)^{(n_.)})^{(p_.)}, x\_Symbol] :> Simp[(a + b*x^n)^{(p + 1)/(b*n*(p + 1))}, x] /; FreeQ[\{a, b, m, n, p\}, x] \&\& EqQ[m, n - 1] \&\& NeQ[p, -1]$

### Rubi steps

$$\begin{aligned} \int \frac{x(a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx &= -\frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{c^2 d} + \frac{(2b\sqrt{1 - c^2 x^2}) \int (a + b \sin^{-1}(cx)) dx}{c\sqrt{d - c^2 dx^2}} \\ &= \frac{2abx\sqrt{1 - c^2 x^2}}{c\sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{c^2 d} + \frac{(2b^2\sqrt{1 - c^2 x^2}) \int \sin^{-1}(cx) dx}{c\sqrt{d - c^2 dx^2}} \\ &= \frac{2abx\sqrt{1 - c^2 x^2}}{c\sqrt{d - c^2 dx^2}} + \frac{2b^2 x \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{c\sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{c^2 d} - \frac{(2b^2\sqrt{1 - c^2 x^2})}{\sqrt{d - c^2 dx^2}} \\ &= \frac{2abx\sqrt{1 - c^2 x^2}}{c\sqrt{d - c^2 dx^2}} + \frac{2b^2(1 - c^2 x^2)}{c^2\sqrt{d - c^2 dx^2}} + \frac{2b^2 x \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{c\sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{c^2 d} \end{aligned}$$

**Mathematica [A]** time = 0.0856313, size = 86, normalized size = 0.59

$$\frac{(c^2 x^2 - 1)(a + b \sin^{-1}(cx))^2 + 2b\sqrt{1 - c^2 x^2}(acx + b\sqrt{1 - c^2 x^2} + bcx \sin^{-1}(cx))}{c^2\sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(a + b\*ArcSin[c\*x])^2)/Sqrt[d - c^2\*d\*x^2], x]

[Out] ((-1 + c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2 + 2\*b\*Sqrt[1 - c^2\*x^2]\*(a\*c\*x + b\*Sqrt[1 - c^2\*x^2] + b\*c\*x\*ArcSin[c\*x]))/(c^2\*Sqrt[d - c^2\*d\*x^2])

**Maple [C]** time = 0.142, size = 316, normalized size = 2.2

$$-\frac{a^2}{c^2 d} \sqrt{-c^2 dx^2 + d} + b^2 \left( -\frac{(\arcsin(cx))^2 - 2 + 2i \arcsin(cx)}{2c^2 d (c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} (c^2 x^2 - i\sqrt{-c^2 x^2 + 1}xc - 1) - \frac{(\arcsin(cx))^2}{2c^2 d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x*(a+b*\arcsin(cx))^2/(-c^2*d*x^2+d)^{(1/2)}, x)$

[Out]  $-a^2/c^2/d*(-c^2*d*x^2+d)^{(1/2)}+b^2*(-1/2*(-d*(c^2*x^2-1))^{(1/2)}*(c^2*x^2-I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(arcsin(cx))^2-2*I*arcsin(cx))/c^2/d/(c^2*x^2-1)-1/2*(-d*(c^2*x^2-1))^{(1/2)}*(I*(-c^2*x^2+1)^{(1/2)}*x*c+c^2*x^2-1)*(arcsin(cx))^2-2*I*arcsin(cx))/c^2/d/(c^2*x^2-1)+2*a*b*(-1/2*(-d*(c^2*x^2-1))^{(1/2)}*(c^2*x^2-I*(-c^2*x^2+1)^{(1/2)}*x*c-1)*(arcsin(cx)+I)/c^2/d/(c^2*x^2-1)-1/2*(-d*(c^2*x^2-1))^{(1/2)}*(I*(-c^2*x^2+1)^{(1/2)}*x*c+c^2*x^2-1)*(arcsin(cx)-I)/c^2/d/(c^2*x^2-1))$

**Maxima [A]** time = 1.5907, size = 176, normalized size = 1.21

$$2b^2\left(\frac{x \arcsin(cx)}{c\sqrt{d}} + \frac{\sqrt{-c^2x^2+1}}{c^2\sqrt{d}}\right) + \frac{2abx}{c\sqrt{d}} - \frac{\sqrt{-c^2dx^2+db^2} \arcsin(cx)^2}{c^2d} - \frac{2\sqrt{-c^2dx^2+dab} \arcsin(cx)}{c^2d} - \frac{\sqrt{-c^2dx^2+d}}{c^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x*(a+b*\arcsin(cx))^2/(-c^2*d*x^2+d)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out]  $2*b^2*(x*\arcsin(cx)/(c*\text{sqrt}(d)) + \text{sqrt}(-c^2*x^2 + 1)/(c^2*\text{sqrt}(d))) + 2*a*b*x/(c*\text{sqrt}(d)) - \text{sqrt}(-c^2*d*x^2 + d)*b^2*\arcsin(cx)^2/(c^2*d) - 2*\text{sqrt}(-c^2*d*x^2 + d)*a*b*\arcsin(cx)/(c^2*d) - \text{sqrt}(-c^2*d*x^2 + d)*a^2/(c^2*d)$

**Fricas [A]** time = 1.86209, size = 312, normalized size = 2.14

$$\frac{2\sqrt{-c^2dx^2+d}(b^2cx \arcsin(cx) + abcx)\sqrt{-c^2x^2+1} + ((a^2 - 2b^2)c^2x^2 + (b^2c^2x^2 - b^2) \arcsin(cx)^2 - a^2 + 2b^2 + 2(abx \arcsin(cx) - a^2x))\sqrt{-c^2dx^2+d}}{c^4dx^2 - c^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x*(a+b*\arcsin(cx))^2/(-c^2*d*x^2+d)^{(1/2)}, x, \text{algorithm}="fricas")$

[Out]  $-(2*\text{sqrt}(-c^2*d*x^2 + d)*(b^2*c*x*\arcsin(cx) + a*b*c*x)*\text{sqrt}(-c^2*x^2 + 1) + ((a^2 - 2*b^2)*c^2*x^2 + (b^2*c^2*x^2 - b^2)*\arcsin(cx)^2 - a^2 + 2*b^2 + 2*(a*b*c^2*x^2 - a*b)*\arcsin(cx))*\text{sqrt}(-c^2*d*x^2 + d))/(c^4*d*x^2 - c^2*d)$

---

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*asin(c*x))**2/(-c**2*d*x**2+d)**(1/2),x)`

[Out] Exception raised: TypeError

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x}{\sqrt{-c^2 dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)^2*x/sqrt(-c^2*d*x^2 + d), x)`

$$3.239 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{d-c^2x^2}} dx$$

**Optimal.** Leaf size=49

$$\frac{\sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))^3}{3bc\sqrt{d-c^2x^2}}$$

[Out] (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c\*Sqrt[d - c^2\*d\*x^2])

**Rubi [A]** time = 0.0911194, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$ , Rules used = {4643, 4641}

$$\frac{\sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))^3}{3bc\sqrt{d-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/Sqrt[d - c^2\*d\*x^2], x]

[Out] (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c\*Sqrt[d - c^2\*d\*x^2])

#### Rule 4643

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx = \frac{\sqrt{1 - c^2 x^2} \int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2 x^2}} dx}{\sqrt{d - c^2 dx^2}}$$

$$= \frac{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^3}{3bc\sqrt{d - c^2 dx^2}}$$

**Mathematica [A]** time = 0.167558, size = 64, normalized size = 1.31

$$\frac{\sqrt{1 - c^2 x^2} \sin^{-1}(cx) (3a^2 + 3ab \sin^{-1}(cx) + b^2 \sin^{-1}(cx)^2)}{3c\sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/Sqrt[d - c^2\*d\*x^2], x]

[Out] (Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*(3\*a^2 + 3\*a\*b\*ArcSin[c\*x] + b^2\*ArcSin[c\*x]^2))/(3\*c\*Sqrt[d - c^2\*d\*x^2])

**Maple [B]** time = 0.053, size = 143, normalized size = 2.9

$$a^2 \arctan\left(x\sqrt{c^2 d} \frac{1}{\sqrt{-c^2 dx^2 + d}}\right) \frac{1}{\sqrt{c^2 d}} - \frac{b^2 (\arcsin(cx))^3}{3dc(c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} \sqrt{-c^2 x^2 + 1} - \frac{ab (\arcsin(cx))^2}{dc(c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(1/2), x)

[Out] a^2/(c^2\*d)^(1/2)\*arctan((c^2\*d)^(1/2)\*x/(-c^2\*d\*x^2+d)^(1/2))-1/3\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c/d/(c^2\*x^2-1)\*arcsin(c\*x)^3-a\*b\*(-d\*(c^2\*x^2-1))^(1/2)\*(-c^2\*x^2+1)^(1/2)/c/d/(c^2\*x^2-1)\*arcsin(c\*x)^2

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2+d}(b^2\arcsin(cx)^2+2ab\arcsin(cx)+a^2)}{c^2dx^2-d},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(1/2),x, algorithm="fricas")
```

```
[Out] integral(-sqrt(-c^2*d*x^2+d)*(b^2*arcsin(c*x)^2+2*a*b*arcsin(c*x)+a^2)/(c^2*d*x^2-d),x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a+b\arcsin(cx))^2}{\sqrt{-d}(cx-1)(cx+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))**2/(-c**2*d*x**2+d)**(1/2),x)
```

```
[Out] Integral((a + b*asin(c*x))**2/sqrt(-d*(c*x - 1)*(c*x + 1)), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b\arcsin(cx)+a)^2}{\sqrt{-c^2dx^2+d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2/sqrt(-c^2*d*x^2 + d), x)
```



$$3.240 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x\sqrt{d-c^2dx^2}} dx$$

**Optimal.** Leaf size=257

$$\frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{d-c^2dx^2}} - \frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{d-c^2dx^2}} - \frac{2b^2\sqrt{1-c^2x^2}\text{PolyLog}\left(3, -E^{(I*\text{ArcSin}[c*x])}\right)}{\sqrt{d-c^2dx^2}}$$

[Out] (-2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2\*ArcTanh[E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] + ((2\*I)\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] - ((2\*I)\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] - (2\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[3, -E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] + (2\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[3, E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2]

**Rubi [A]** time = 0.340697, antiderivative size = 257, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {4713, 4709, 4183, 2531, 2282, 6589}

$$\frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{d-c^2dx^2}} - \frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{d-c^2dx^2}} - \frac{2b^2\sqrt{1-c^2x^2}\text{PolyLog}\left(3, -E^{(I*\text{ArcSin}[c*x])}\right)}{\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/(x\*Sqrt[d - c^2\*d\*x^2]), x]

[Out] (-2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2\*ArcTanh[E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] + ((2\*I)\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] - ((2\*I)\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] - (2\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[3, -E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] + (2\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[3, E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2]

### Rule 4713

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^n\_.\*((f\_.)\*(x\_))^(m\_)]/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(f\*x)^m\*(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !GtQ[d, 0] && (Integ

erQ[m] || EqQ[n, 1])

### Rule 4709

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_)\*(x\_)^(m\_)]/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Dist[1/(c^(m + 1)\*Sqrt[d]), Subst[Int[(a + b\*x)^n\*Sin[x]^m, x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^n\_]]\*(f\_.) + (g\_.)\*(x\_)^(m\_.), x\_Symbol] := -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n])/ (b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

### Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x\sqrt{d - c^2 dx^2}} dx &= \frac{\sqrt{1 - c^2 x^2} \int \frac{(a + b \sin^{-1}(cx))^2}{x\sqrt{1 - c^2 x^2}} dx}{\sqrt{d - c^2 dx^2}} \\
&= \frac{\sqrt{1 - c^2 x^2} \operatorname{Subst}\left(\int (a + bx)^2 \operatorname{csc}(x) dx, x, \sin^{-1}(cx)\right)}{\sqrt{d - c^2 dx^2}} \\
&= -\frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2 \tanh^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{\sqrt{d - c^2 dx^2}} - \frac{(2b\sqrt{1 - c^2 x^2}) \operatorname{Subst}\left(\int (a + bx) \log(1 - e^{i \sin^{-1}(cx)}) dx, x, \sin^{-1}(cx)\right)}{\sqrt{d - c^2 dx^2}} \\
&= -\frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2 \tanh^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{\sqrt{d - c^2 dx^2}} + \frac{2ib\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \operatorname{Li}_2\left(-e^{i \sin^{-1}(cx)}\right)}{\sqrt{d - c^2 dx^2}} \\
&= -\frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2 \tanh^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{\sqrt{d - c^2 dx^2}} + \frac{2ib\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \operatorname{Li}_2\left(-e^{i \sin^{-1}(cx)}\right)}{\sqrt{d - c^2 dx^2}} \\
&= -\frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2 \tanh^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{\sqrt{d - c^2 dx^2}} + \frac{2ib\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \operatorname{Li}_2\left(-e^{i \sin^{-1}(cx)}\right)}{\sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.613659, size = 301, normalized size = 1.17

$$\frac{2ab\sqrt{1 - c^2 x^2} \left( i \operatorname{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right) - i \operatorname{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right) + \sin^{-1}(cx) \left( \log\left(1 - e^{i \sin^{-1}(cx)}\right) - \log\left(1 + e^{i \sin^{-1}(cx)}\right) \right) \right)}{\sqrt{d - c^2 dx^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x\*Sqrt[d - c^2\*d\*x^2]),x]

[Out] (a^2\*Log[c\*x])/Sqrt[d] - (a^2\*Log[d + Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]])/Sqrt[d] + (2\*a\*b\*Sqrt[1 - c^2\*x^2]\*(ArcSin[c\*x]\*(Log[1 - E^(I\*ArcSin[c\*x])]) - Log[1 + E^(I\*ArcSin[c\*x])]) + I\*PolyLog[2, -E^(I\*ArcSin[c\*x])] - I\*PolyLog[2, E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] + (b^2\*Sqrt[1 - c^2\*x^2]\*(ArcSin[c\*x]^2\*Log[1 - E^(I\*ArcSin[c\*x])] - ArcSin[c\*x]^2\*Log[1 + E^(I\*ArcSin[c\*x])]) + (2\*I)\*ArcSin[c\*x]\*PolyLog[2, -E^(I\*ArcSin[c\*x])] - (2\*I)\*ArcSin[c\*x]\*PolyLog[2, E^(I\*ArcSin[c\*x])] - 2\*PolyLog[3, -E^(I\*ArcSin[c\*x])] + 2\*PolyLog[3, E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2]

**Maple [A]** time = 0.152, size = 387, normalized size = 1.5

$$-a^2 \ln\left(\frac{1}{x} \left(2d + 2\sqrt{d}\sqrt{-c^2dx^2 + d}\right)\right) \frac{1}{\sqrt{d}} + \frac{b^2}{d(c^2x^2 - 1)} \sqrt{-c^2x^2 + 1} \sqrt{-d(c^2x^2 - 1)} \left((\arcsin(cx))^2 \ln\left(1 + icx + \sqrt{-c^2x^2 + d}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/x/(-c^2\*d\*x^2+d)^(1/2), x)

[Out]  $-a^2/d^{(1/2)}*\ln((2*d+2*d^{(1/2)}*(-c^2*d*x^2+d)^{(1/2)})/x)+b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}*(\arcsin(c*x))^2*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-\arcsin(c*x)^2*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})-2*I*\arcsin(c*x)*\text{polylog}(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})+2*I*\arcsin(c*x)*\text{polylog}(2,I*c*x+(-c^2*x^2+1)^{(1/2)})+2*\text{polylog}(3,-I*c*x-(-c^2*x^2+1)^{(1/2)})-2*\text{polylog}(3,I*c*x+(-c^2*x^2+1)^{(1/2)})/d/(c^2*x^2-1)-2*I*a*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}*(I*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-I*\arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})+\text{polylog}(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})-\text{polylog}(2,I*c*x+(-c^2*x^2+1)^{(1/2)}))/d/(c^2*x^2-1)$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(-c^2\*d\*x^2+d)^(1/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2 + d}(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)}{c^2dx^3 - dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(-c^2\*d\*x^2+d)^(1/2), x, algorithm="fricas")

```
[Out] integral(-sqrt(-c^2*d*x^2 + d)*(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)
)/(c^2*d*x^3 - d*x), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asin}(cx))^2}{x \sqrt{-d}(cx - 1)(cx + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))**2/x/(-c**2*d*x**2+d)**(1/2),x)
```

```
[Out] Integral((a + b*asin(c*x))**2/(x*sqrt(-d*(c*x - 1)*(c*x + 1))), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)^2}{\sqrt{-c^2 dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/x/(-c^2*d*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2/(sqrt(-c^2*d*x^2 + d)*x), x)
```

$$3.241 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^2 \sqrt{d-c^2 dx^2}} dx$$

**Optimal.** Leaf size=183

$$\frac{ib^2 c \sqrt{1-c^2 x^2} \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)}{\sqrt{d-c^2 dx^2}} - \frac{\sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx))^2}{dx} - \frac{ic \sqrt{1-c^2 x^2} (a+b \sin^{-1}(cx))^2}{\sqrt{d-c^2 dx^2}} + \frac{2bc \sqrt{1-c^2 x^2}}{\sqrt{d-c^2 dx^2}}$$

[Out]  $((-I)*c*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^2)/\text{Sqrt}[d - c^2*d*x^2] - (\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(d*x) + (2*b*c*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])* \text{Log}[1 - E^((2*I)*\text{ArcSin}[c*x])])/\text{Sqrt}[d - c^2*d*x^2] - (I*b^2*c*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])])/\text{Sqrt}[d - c^2*d*x^2]$

**Rubi [A]** time = 0.220229, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {4681, 4625, 3717, 2190, 2279, 2391}

$$\frac{ib^2 c \sqrt{1-c^2 x^2} \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)}{\sqrt{d-c^2 dx^2}} - \frac{\sqrt{d-c^2 dx^2} (a+b \sin^{-1}(cx))^2}{dx} - \frac{ic \sqrt{1-c^2 x^2} (a+b \sin^{-1}(cx))^2}{\sqrt{d-c^2 dx^2}} + \frac{2bc \sqrt{1-c^2 x^2}}{\sqrt{d-c^2 dx^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])^2/(x^2*\text{Sqrt}[d - c^2*d*x^2]), x]$

[Out]  $((-I)*c*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^2)/\text{Sqrt}[d - c^2*d*x^2] - (\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(d*x) + (2*b*c*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])* \text{Log}[1 - E^((2*I)*\text{ArcSin}[c*x])])/\text{Sqrt}[d - c^2*d*x^2] - (I*b^2*c*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])])/\text{Sqrt}[d - c^2*d*x^2]$

**Rule 4681**

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)]^{(n_.)}*((f_.)*(x_))^{(m_)}*((d_.) + (e_.)*(x_)^2)^{(p_)}, x\_Symbol] \rightarrow \text{Simp}[(f*x)^{(m+1)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n]/(d*f*(m+1)), x] - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]})/(f*(m+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m+1)}*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, p\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{EqQ}[m + 2*p + 3, 0] \&$

& NeQ[m, -1]

### Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

### Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m \* E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

### Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^n\_)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^n\_), x\_Symbol] := Simp[((c + d\*x)^m \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1) \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^n\_], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^n\_)]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^2 \sqrt{d - c^2 dx^2}} dx &= -\frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{dx} + \frac{(2bc\sqrt{1 - c^2 x^2}) \int \frac{a + b \sin^{-1}(cx)}{x} dx}{\sqrt{d - c^2 dx^2}} \\
&= -\frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{dx} + \frac{(2bc\sqrt{1 - c^2 x^2}) \text{Subst}(\int (a + bx) \cot(x) dx, x, \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} \\
&= -\frac{ic\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{dx} - \frac{(4ibc\sqrt{1 - c^2 x^2}) \text{Subst}(\int (a + bx) \cot(x) dx, x, \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} \\
&= -\frac{ic\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{dx} + \frac{2bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} \\
&= -\frac{ic\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{dx} + \frac{2bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} \\
&= -\frac{ic\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{dx} + \frac{2bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.385098, size = 159, normalized size = 0.87

$$\frac{\sqrt{1 - c^2 x^2} \left( ib^2 cx \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + a \left( a\sqrt{1 - c^2 x^2} - 2bcx \log(cx) \right) + 2b \sin^{-1}(cx) \left( a\sqrt{1 - c^2 x^2} - bcx \log \left( 1 - e^{2i \sin^{-1}(cx)} \right) \right) \right)}{x\sqrt{d - c^2 dx^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^2\*Sqrt[d - c^2\*d\*x^2]), x]

[Out] -((Sqrt[1 - c^2\*x^2]\*(b^2\*(I\*c\*x + Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x]^2 + 2\*b\*ArcSin[c\*x]\*(a\*Sqrt[1 - c^2\*x^2] - b\*c\*x\*Log[1 - E^((2\*I)\*ArcSin[c\*x])])) + a\*(a\*Sqrt[1 - c^2\*x^2] - 2\*b\*c\*x\*Log[c\*x]) + I\*b^2\*c\*x\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])]))/(x\*Sqrt[d - c^2\*d\*x^2]))

**Maple [B]** time = 0.209, size = 638, normalized size = 3.5

$$-\frac{a^2}{dx} \sqrt{-c^2 dx^2 + d} + \frac{ib^2 (\arcsin(cx))^2 c}{d(c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} \sqrt{-c^2 x^2 + 1} - \frac{b^2 (\arcsin(cx))^2 xc^2}{d(c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} + \frac{b^2 (\arcsin(cx))}{xd(c^2 x^2 - 1)}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))^2/x^2/(-c^2*d*x^2+d)^(1/2),x)`

[Out] 
$$-a^2/d/x*(-c^2*d*x^2+d)^{(1/2)}+I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*arcsin(c*x)^2/(c^2*x^2-1)/d*(-c^2*x^2+1)^{(1/2)}*c-b^2*(-d*(c^2*x^2-1))^{(1/2)}*arcsin(c*x)^2/(c^2*x^2-1)*x/d*c^2+b^2*(-d*(c^2*x^2-1))^{(1/2)}*arcsin(c*x)^2/(c^2*x^2-1)/x/d-2*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*c*arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-2*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*c*arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})+2*I*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*c*polylog(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})+2*I*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*c*polylog(2,I*c*x+(-c^2*x^2+1)^{(1/2)})+2*I*a*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*arcsin(c*x)*c-2*a*b*(-d*(c^2*x^2-1))^{(1/2)}*arcsin(c*x)/(c^2*x^2-1)*x/d*c^2+2*a*b*(-d*(c^2*x^2-1))^{(1/2)}*arcsin(c*x)/(c^2*x^2-1)/x/d-2*a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/d/(c^2*x^2-1)*\ln((I*c*x+(-c^2*x^2+1)^{(1/2)})^2-1)*c$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^2/x^2/(-c^2*d*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{\sqrt{-c^2 dx^2 + d} (b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)}{c^2 dx^4 - dx^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^2/x^2/(-c^2*d*x^2+d)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-c^2*d*x^2 + d)*(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)/(c^2*d*x^4 - d*x^2), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asin}(cx))^2}{x^2 \sqrt{-d}(cx - 1)(cx + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))^2/x**2/(-c**2*d*x**2+d)**(1/2),x)`

[Out] `Integral((a + b*asin(c*x))^2/(x**2*sqrt(-d*(c*x - 1)*(c*x + 1))), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)^2}{\sqrt{-c^2 dx^2 + dx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^2/x^2/(-c^2*d*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)^2/(sqrt(-c^2*d*x^2 + d)*x^2), x)`

$$3.242 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^3 \sqrt{d-c^2 dx^2}} dx$$

**Optimal.** Leaf size=402

$$\frac{ibc^2 \sqrt{1-c^2 x^2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right) (a+b \sin^{-1}(cx))}{\sqrt{d-c^2 dx^2}} - \frac{ibc^2 \sqrt{1-c^2 x^2} \text{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right) (a+b \sin^{-1}(cx))}{\sqrt{d-c^2 dx^2}} - \frac{b^2 c}{\sqrt{d-c^2 dx^2}}$$

[Out] -((b\*c\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(x\*Sqrt[d - c^2\*d\*x^2])) - (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(2\*d\*x^2) - (c^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2\*ArcTanh[E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] - (b^2\*c^2\*Sqrt[1 - c^2\*x^2]\*ArcTanh[Sqrt[1 - c^2\*x^2]])/Sqrt[d - c^2\*d\*x^2] + (I\*b\*c^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] - (I\*b\*c^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] - (b^2\*c^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[3, -E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] + (b^2\*c^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[3, E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2]

**Rubi [A]** time = 0.518702, antiderivative size = 402, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 11, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.379$ , Rules used = {4701, 4713, 4709, 4183, 2531, 2282, 6589, 4627, 266, 63, 208}

$$\frac{ibc^2 \sqrt{1-c^2 x^2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right) (a+b \sin^{-1}(cx))}{\sqrt{d-c^2 dx^2}} - \frac{ibc^2 \sqrt{1-c^2 x^2} \text{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right) (a+b \sin^{-1}(cx))}{\sqrt{d-c^2 dx^2}} - \frac{b^2 c}{\sqrt{d-c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/(x^3\*Sqrt[d - c^2\*d\*x^2]),x]

[Out] -((b\*c\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(x\*Sqrt[d - c^2\*d\*x^2])) - (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(2\*d\*x^2) - (c^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2\*ArcTanh[E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] - (b^2\*c^2\*Sqrt[1 - c^2\*x^2]\*ArcTanh[Sqrt[1 - c^2\*x^2]])/Sqrt[d - c^2\*d\*x^2] + (I\*b\*c^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] - (I\*b\*c^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] - (b^2\*c^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[3, -E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2] + (b^2\*c^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[3, E^(I\*ArcSin[c\*x])])/Sqrt[d - c^2\*d\*x^2]

**Rule 4701**

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)
)*(x_)^2)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b
*ArcSin[c*x])^n)/(d*f*(m + 1)), x] + (Dist[(c^2*(m + 2*p + 3))/(f^2*(m + 1)
), Int[(f*x)^(m + 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*
c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart
[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[m, -1] && IntegerQ[m]

```

### Rule 4713

```

Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := Dist[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2], Int[(
(f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c,
d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && !GtQ[d, 0] && (Integ
erQ[m] || EqQ[n, 1])

```

### Rule 4709

```

Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

```

### Rule 4183

```

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]

```

### Rule 2531

```

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]

```

### Rule 2282

```

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[

```

{a, m, n}, x] && IntegerQ[m\*n]] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*  
(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^3 \sqrt{d - c^2 dx^2}} dx &= -\frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2 dx^2} + \frac{1}{2} c^2 \int \frac{(a + b \sin^{-1}(cx))^2}{x \sqrt{d - c^2 dx^2}} dx + \frac{(bc \sqrt{1 - c^2 x^2}) \int \frac{a + b \sin^{-1}(cx)}{x^2}}{\sqrt{d - c^2 dx^2}} \\
&= -\frac{bc \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{x \sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2 dx^2} + \frac{(c^2 \sqrt{1 - c^2 x^2}) \int \frac{(a + b \sin^{-1}(cx))}{x \sqrt{1 - c^2 x^2}}}{2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{bc \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{x \sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2 dx^2} + \frac{(c^2 \sqrt{1 - c^2 x^2}) \text{Subst}(\int (a + b \sin^{-1}(cx)) dx)}{2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{bc \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{x \sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2 dx^2} - \frac{c^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} \\
&= -\frac{bc \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{x \sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2 dx^2} - \frac{c^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} \\
&= -\frac{bc \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{x \sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2 dx^2} - \frac{c^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} \\
&= -\frac{bc \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{x \sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2 dx^2} - \frac{c^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 5.418, size = 487, normalized size = 1.21

$$\frac{2abc^2 d^2 (1 - c^2 x^2)^{3/2} \left( 4i \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right) - 4i \text{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right) + 4 \sin^{-1}(cx) \log\left(1 - e^{i \sin^{-1}(cx)}\right) - 4 \sin^{-1}(cx) \log\left(1 + e^{i \sin^{-1}(cx)}\right) - 2 \tan\left(\frac{1}{2} \sin^{-1}(cx)\right) - 2 \right)}{(d - c^2 dx^2)^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^3\*Sqrt[d - c^2\*d\*x^2]),x]

[Out] ((-4\*a^2\*Sqrt[d - c^2\*d\*x^2])/x^2 + 4\*a^2\*c^2\*Sqrt[d]\*Log[x] - 4\*a^2\*c^2\*Sqrt[d]\*Log[d + Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]] + (2\*a\*b\*c^2\*d^2\*(1 - c^2\*x^2)^(3/2)\*(-2\*Cot[ArcSin[c\*x]/2] - ArcSin[c\*x]\*Csc[ArcSin[c\*x]/2]^2 + 4\*ArcSin[c\*x]\*Log[1 - E^(I\*ArcSin[c\*x])] - 4\*ArcSin[c\*x]\*Log[1 + E^(I\*ArcSin[c\*x])] + (4\*I)\*PolyLog[2, -E^(I\*ArcSin[c\*x])] - (4\*I)\*PolyLog[2, E^(I\*ArcSin[c\*x])] + ArcSin[c\*x]\*Sec[ArcSin[c\*x]/2]^2 - 2\*Tan[ArcSin[c\*x]/2]))/(d - c^2\*d\*x^2)^(3/2) + (b^2\*c^2\*d^2\*(1 - c^2\*x^2)^(3/2)\*(-4\*ArcSin[c\*x]\*Cot[ArcSin[c\*x]/2] - ArcSin[c\*x]^2\*Csc[ArcSin[c\*x]/2]^2 + 4\*ArcSin[c\*x]^2\*Log[1 - E^(I\*ArcSin[c\*x])]))/(d - c^2\*d\*x^2)^(3/2)

```
in[c*x]]) - 4*ArcSin[c*x]^2*Log[1 + E^(I*ArcSin[c*x])] + 8*Log[Tan[ArcSin[c
*x]/2]] + (8*I)*ArcSin[c*x]*PolyLog[2, -E^(I*ArcSin[c*x])] - (8*I)*ArcSin[c
*x]*PolyLog[2, E^(I*ArcSin[c*x])] - 8*PolyLog[3, -E^(I*ArcSin[c*x])] + 8*Po
lyLog[3, E^(I*ArcSin[c*x])] + ArcSin[c*x]^2*Sec[ArcSin[c*x]/2]^2 - 4*ArcSin
[c*x]*Tan[ArcSin[c*x]/2))/(d - c^2*d*x^2)^(3/2))/(8*d)
```

**Maple [B]** time = 0.322, size = 1107, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/x^3/(-c^2*d*x^2+d)^(1/2),x)
```

```
[Out] -1/2*a^2/d/x^2*(-c^2*d*x^2+d)^(1/2)-1/2*a^2*c^2/d^(1/2)*ln((2*d+2*d^(1/2))*(-
-c^2*d*x^2+d)^(1/2))/x)-1/2*b^2*arcsin(c*x)^2*(-d*(c^2*x^2-1))^(1/2)/d/(c^2
*x^2-1)*c^2+b^2*arcsin(c*x)*(-d*(c^2*x^2-1))^(1/2)/x/d/(c^2*x^2-1)*(-c^2*x^
2+1)^(1/2)*c+1/2*b^2*arcsin(c*x)^2*(-d*(c^2*x^2-1))^(1/2)/x^2/d/(c^2*x^2-1)
+1/2*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d/(c^2*x^2-1)*c^2*arcsin
(c*x)^2*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-1/2*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*
x^2-1))^(1/2)/d/(c^2*x^2-1)*c^2*arcsin(c*x)^2*ln(1-I*c*x-(-c^2*x^2+1)^(1/2)
)+I*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d/(c^2*x^2-1)*c^2*arcsin(
c*x)*polylog(2,I*c*x+(-c^2*x^2+1)^(1/2))+I*a*b*(-c^2*x^2+1)^(1/2)*(-d*(c^2*
x^2-1))^(1/2)/d/(c^2*x^2-1)*c^2*polylog(2,I*c*x+(-c^2*x^2+1)^(1/2))+b^2*(-c
^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d/(c^2*x^2-1)*c^2*polylog(3,-I*c*x-(
-c^2*x^2+1)^(1/2))-b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d/(c^2*x^2
-1)*c^2*polylog(3,I*c*x+(-c^2*x^2+1)^(1/2))+2*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c
^2*x^2-1))^(1/2)/d/(c^2*x^2-1)*c^2*arctanh(I*c*x+(-c^2*x^2+1)^(1/2))-a*b*(-
d*(c^2*x^2-1))^(1/2)/d/(c^2*x^2-1)*arcsin(c*x)*c^2+a*b*(-d*(c^2*x^2-1))^(1/
2)/x/d/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*c+a*b*arcsin(c*x)*(-d*(c^2*x^2-1))^(1
/2)/x^2/d/(c^2*x^2-1)+a*b*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d/(c^2*
x^2-1)*c^2*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-a*b*(-c^2*x^2+1)^(1/2)
)*(-d*(c^2*x^2-1))^(1/2)/d/(c^2*x^2-1)*c^2*arcsin(c*x)*ln(1-I*c*x-(-c^2*x^2
+1)^(1/2))-I*a*b*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d/(c^2*x^2-1)*c^
2*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2))-I*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^
2-1))^(1/2)/d/(c^2*x^2-1)*c^2*arcsin(c*x)*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/
2))
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/x^3/(-c^2*d*x^2+d)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2+d}\left(b^2\arcsin(cx)^2+2ab\arcsin(cx)+a^2\right)}{c^2dx^5-dx^3},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/x^3/(-c^2*d*x^2+d)^(1/2),x, algorithm="fricas")
```

```
[Out] integral(-sqrt(-c^2*d*x^2+d)*(b^2*arcsin(c*x)^2+2*a*b*arcsin(c*x)+a^2)/(c^2*d*x^5-d*x^3),x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a+b\arcsin(cx))^2}{x^3\sqrt{-d}(cx-1)(cx+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))^2/x**3/(-c**2*d*x**2+d)**(1/2),x)
```

```
[Out] Integral((a + b*asin(c*x))^2/(x**3*sqrt(-d*(c*x - 1)*(c*x + 1))), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b\arcsin(cx)+a)^2}{\sqrt{-c^2dx^2+dx^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((a+b*arcsin(c*x))^2/x^3/(-c^2*d*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2/(sqrt(-c^2*d*x^2 + d)*x^3), x)
```

$$3.243 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^4 \sqrt{d-c^2 dx^2}} dx$$

**Optimal.** Leaf size=319

$$\frac{2ib^2c^3\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{3\sqrt{d-c^2dx^2}} - \frac{2ic^3\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{3\sqrt{d-c^2dx^2}} - \frac{2c^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{3dx} - \frac{bc\sqrt{1-c^2x^2}}{3}$$

[Out]  $-(b^2c^2(1-c^2x^2))/(3x\sqrt{d-c^2dx^2}) - (bc\sqrt{1-c^2x^2}(a+b\text{ArcSin}[c*x]))/(3x^2\sqrt{d-c^2dx^2}) - (((2*I)/3)*c^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[c*x])^2)/\sqrt{d-c^2dx^2} - (\sqrt{d-c^2dx^2}(a+b\text{ArcSin}[c*x])^2)/(3d*x^3) - (2c^2\sqrt{d-c^2dx^2}(a+b\text{ArcSin}[c*x])^2)/(3d*x) + (4b*c^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[c*x])*\text{Log}[1-E^{((2*I)*\text{ArcSin}[c*x])}])/(3\sqrt{d-c^2dx^2}) - (((2*I)/3)*b^2c^3\sqrt{1-c^2x^2}*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}])/\sqrt{d-c^2dx^2}$

**Rubi [A]** time = 0.390316, antiderivative size = 319, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.31$ , Rules used = {4701, 4681, 4625, 3717, 2190, 2279, 2391, 4627, 264}

$$\frac{2ib^2c^3\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{3\sqrt{d-c^2dx^2}} - \frac{2ic^3\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{3\sqrt{d-c^2dx^2}} - \frac{2c^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{3dx} - \frac{bc\sqrt{1-c^2x^2}}{3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])^2/(x^4*\sqrt{d - c^2*d*x^2}), x]$

[Out]  $-(b^2c^2(1-c^2x^2))/(3x\sqrt{d-c^2dx^2}) - (bc\sqrt{1-c^2x^2}(a+b\text{ArcSin}[c*x]))/(3x^2\sqrt{d-c^2dx^2}) - (((2*I)/3)*c^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[c*x])^2)/\sqrt{d-c^2dx^2} - (\sqrt{d-c^2dx^2}(a+b\text{ArcSin}[c*x])^2)/(3d*x^3) - (2c^2\sqrt{d-c^2dx^2}(a+b\text{ArcSin}[c*x])^2)/(3d*x) + (4b*c^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[c*x])*\text{Log}[1-E^{((2*I)*\text{ArcSin}[c*x])}])/(3\sqrt{d-c^2dx^2}) - (((2*I)/3)*b^2c^3\sqrt{1-c^2x^2}*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}])/\sqrt{d-c^2dx^2}$

**Rule 4701**

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + \text{ArcSin}[c*x])^n*(d + e*x^2)^p, x\_Symbol] :> \text{Simp}[(f*x)^{m+1}*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n]/(d*f*(m+1)), x] + (\text{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1))$

), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

### Rule 4681

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_)\*((f\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] && NeQ[m, -1]

### Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

### Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m \* E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

### Rule 2190

Int[((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^n\_)\*((c\_.) + (d\_.)\*(x\_))^(m\_)/((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^n\_), x\_Symbol] := Simp[((c + d\*x)^m \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1) \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^n\_], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^(n\_.)\*((d\_.)\*(x\_)^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 264

Int[((c\_.)\*(x\_)^(m\_.))\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_.), x\_Symbol] := Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sin^{-1}(cx))^2}{x^4 \sqrt{d - c^2 dx^2}} dx &= -\frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{3dx^3} + \frac{1}{3} (2c^2) \int \frac{(a + b \sin^{-1}(cx))^2}{x^2 \sqrt{d - c^2 dx^2}} dx + \frac{(2bc\sqrt{1 - c^2 x^2}) \int \frac{a + b \sin^{-1}(cx)}{x^3}}{3\sqrt{d - c^2 dx^2}} \\
 &= -\frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3x^2 \sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{3dx^3} - \frac{2c^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3dx} \\
 &= -\frac{b^2 c^2 (1 - c^2 x^2)}{3x \sqrt{d - c^2 dx^2}} - \frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3x^2 \sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{3dx^3} - \frac{2c^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3dx} \\
 &= -\frac{b^2 c^2 (1 - c^2 x^2)}{3x \sqrt{d - c^2 dx^2}} - \frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3x^2 \sqrt{d - c^2 dx^2}} - \frac{2ic^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{3\sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{3\sqrt{d - c^2 dx^2}} \\
 &= -\frac{b^2 c^2 (1 - c^2 x^2)}{3x \sqrt{d - c^2 dx^2}} - \frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3x^2 \sqrt{d - c^2 dx^2}} - \frac{2ic^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{3\sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{3\sqrt{d - c^2 dx^2}} \\
 &= -\frac{b^2 c^2 (1 - c^2 x^2)}{3x \sqrt{d - c^2 dx^2}} - \frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3x^2 \sqrt{d - c^2 dx^2}} - \frac{2ic^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{3\sqrt{d - c^2 dx^2}} - \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{3\sqrt{d - c^2 dx^2}}
 \end{aligned}$$

**Mathematica [A]** time = 0.671191, size = 269, normalized size = 0.84

$$\sqrt{1-c^2x^2} \left( 2ib^2c^3x^3 \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + 2a^2c^2x^2\sqrt{1-c^2x^2} + a^2\sqrt{1-c^2x^2} - 4abc^3x^3 \log(cx) - b \sin^{-1}(cx) \right) (-2av$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^4\*Sqrt[d - c^2\*d\*x^2]), x]

[Out] -(Sqrt[1 - c^2\*x^2]\*(a\*b\*c\*x + a^2\*Sqrt[1 - c^2\*x^2] + 2\*a^2\*c^2\*x^2\*Sqrt[1 - c^2\*x^2] + b^2\*c^2\*x^2\*Sqrt[1 - c^2\*x^2] + b^2\*((2\*I)\*c^3\*x^3 + Sqrt[1 - c^2\*x^2] + 2\*c^2\*x^2\*Sqrt[1 - c^2\*x^2]))\*ArcSin[c\*x]^2 - b\*ArcSin[c\*x]\*(-(b\*c\*x) - 2\*a\*Sqrt[1 - c^2\*x^2]\*(1 + 2\*c^2\*x^2) + 4\*b\*c^3\*x^3\*Log[1 - E^((2\*I)\*ArcSin[c\*x])]) - 4\*a\*b\*c^3\*x^3\*Log[c\*x] + (2\*I)\*b^2\*c^3\*x^3\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])]))/(3\*x^3\*Sqrt[d - c^2\*d\*x^2])

**Maple [B]** time = 0.336, size = 2320, normalized size = 7.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d)^(1/2), x)

[Out] -4/3\*I\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x^4-2\*c^2\*x^2-1)/d\*x^3\*arcsin(c\*x) \*(-c^2\*x^2+1)\*c^6-2\*I\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x^4-2\*c^2\*x^2-1)/d\*x^2\*arcsin(c\*x)^2\*(-c^2\*x^2+1)^(1/2)\*c^5+a\*b\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x^4-2\*c^2\*x^2-1)/d\*c^3\*(-c^2\*x^2+1)^(1/2)+2/3\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x^4-2\*c^2\*x^2-1)/d/x^3\*arcsin(c\*x)-4\*I\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x^4-2\*c^2\*x^2-1)/d\*x^2\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)\*c^5+2/3\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x^4-2\*c^2\*x^2-1)/d\*x\*arcsin(c\*x)\*c^4+8/3\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x^4-2\*c^2\*x^2-1)/d/x\*arcsin(c\*x)\*c^2-4/3\*a\*b\*(-c^2\*x^2+1)^(1/2)\*(-d\*(c^2\*x^2-1))^(1/2)/d/(c^2\*x^2-1)\*ln((I\*c\*x+(-c^2\*x^2+1)^(1/2))^2-1)\*c^3-4/3\*I\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x^4-2\*c^2\*x^2-1)/d\*x^5\*c^8+2/3\*I\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x^4-2\*c^2\*x^2-1)/d\*x^3\*c^6-4\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x^4-2\*c^2\*x^2-1)/d\*x^3\*arcsin(c\*x)\*c^6-2/3\*I\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x^4-2\*c^2\*x^2-1)/d\*arcsin(c\*x)^2\*(-c^2\*x^2+1)^(1/2)\*c^3-4/3\*I\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x^4-2\*c^2\*x^2-1)/d\*x^5\*arcsin(c\*x)\*c^8+2/3\*I\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x^4-2\*c^2\*x^2-1)/d\*x^3\*arcsin(c\*x)\*c^6-I\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x^4-2\*c^2\*x^2-1)/d\*x^2\*(-c^2\*x^2+1)^(1/2)\*c^5+2/3\*I\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/(3\*c^4\*x

$$\begin{aligned}
& ^4-2*c^2*x^2-1)/d*x*arcsin(c*x)*c^4+4/3*I*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x \\
& ^2-1))^{(1/2)}/d/(c^2*x^2-1)*c^3*arcsin(c*x)^2+4/3*I*b^2*(-c^2*x^2+1)^{(1/2)}*( \\
& -d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*c^3*polylog(2,-I*c*x-(-c^2*x^2+1)^{(1/2)} \\
& )+4/3*I*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*c^3*pol \\
& ylog(2,I*c*x+(-c^2*x^2+1)^{(1/2)})-4/3*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1) \\
& )^{(1/2)}/d/(c^2*x^2-1)*c^3*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-4/3*b^ \\
& 2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*c^3*arcsin(c*x)*l \\
& n(1-I*c*x-(-c^2*x^2+1)^{(1/2)})+1/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c \\
& ^2*x^2-1)/d/x^2*arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c+2/3*I*a*b*(-d*(c^2*x^2-1)) \\
& ^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*x*c^4+1/3*a*b*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^ \\
& 4*x^4-2*c^2*x^2-1)/d/x^2*(-c^2*x^2+1)^{(1/2)}*c-2/3*b^2*(-d*(c^2*x^2-1))^{(1/2} \\
& )/(3*c^4*x^4-2*c^2*x^2-1)/d*x^3*(-c^2*x^2+1)*c^6-2*b^2*(-d*(c^2*x^2-1))^{(1/ \\
& 2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*x^3*arcsin(c*x)^2*c^6+1/3*b^2*(-d*(c^2*x^2-1)) \\
& ^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*x*arcsin(c*x)^2*c^4+4/3*b^2*(-d*(c^2*x^2-1) \\
& )^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*x*arcsin(c*x)^2*c^2+b^2*(-d*(c^2*x^2-1)) \\
& ^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^3-1/3*I*b \\
& ^2*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*(-c^2*x^2+1)^{(1/2)}*c^3- \\
& 1/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*x^3*c^6+2/3*b^2*(- \\
& d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*x*c^4+1/3*b^2*(-d*(c^2*x^2-1) \\
& )^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d/x*c^2+1/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}/(3* \\
& c^4*x^4-2*c^2*x^2-1)/d/x^3*arcsin(c*x)^2-2/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/( \\
& 3*c^4*x^4-2*c^2*x^2-1)/d*x*arcsin(c*x)*(-c^2*x^2+1)*c^4+8/3*I*a*b*(-c^2*x^2 \\
& +1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d/(c^2*x^2-1)*arcsin(c*x)*c^3-4/3*I*a*b*(- \\
& d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*x^3*(-c^2*x^2+1)*c^6-2/3*I*a \\
& *b*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*x*(-c^2*x^2+1)*c^4-4/3* \\
& I*a*b*(-d*(c^2*x^2-1))^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*arcsin(c*x)*(-c^2*x^ \\
& 2+1)^{(1/2)}*c^3-2/3*a^2*c^2/d/x*(-c^2*d*x^2+d)^{(1/2)}-2/3*b^2*(-d*(c^2*x^2-1) \\
& )^{(1/2)}/(3*c^4*x^4-2*c^2*x^2-1)/d*x^5*c^8-1/3*a^2/d/x^3*(-c^2*d*x^2+d)^{(1/2} \\
& )
\end{aligned}$$


---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2+d}(b^2\arcsin(cx)^2+2ab\arcsin(cx)+a^2)}{c^2dx^6-dx^4},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*d\*x^2+d)\*(b^2\*arcsin(c\*x)^2+2\*a\*b\*arcsin(c\*x)+a^2)/(c^2\*d\*x^6-d\*x^4),x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a+b\arcsin(cx))^2}{x^4\sqrt{-d}(cx-1)(cx+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x\*\*4/(-c\*\*2\*d\*x\*\*2+d)\*\*(1/2),x)

[Out] Integral((a + b\*asin(c\*x))\*\*2/(x\*\*4\*sqrt(-d\*(c\*x - 1)\*(c\*x + 1))), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b\arcsin(cx)+a)^2}{\sqrt{-c^2dx^2+dx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x)+a)^2/(sqrt(-c^2\*d\*x^2+d)\*x^4),x)

$$3.244 \quad \int \frac{x^5 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=549

$$-\frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2,-ie^{i\sin^{-1}(cx)}\right)}{c^6d\sqrt{d-c^2dx^2}} + \frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2,ie^{i\sin^{-1}(cx)}\right)}{c^6d\sqrt{d-c^2dx^2}} + \frac{4x^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{3c^4d^2} +$$

```
[Out] (-16*a*b*x*Sqrt[1 - c^2*x^2])/(3*c^5*d*Sqrt[d - c^2*d*x^2]) - (32*b^2*(1 - c^2*x^2))/(9*c^6*d*Sqrt[d - c^2*d*x^2]) + (2*b^2*(1 - c^2*x^2)^2)/(27*c^6*d*Sqrt[d - c^2*d*x^2]) - (16*b^2*x*Sqrt[1 - c^2*x^2]*ArcSin[c*x])/(3*c^5*d*Sqrt[d - c^2*d*x^2]) + (2*b*x*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(c^5*d*Sqrt[d - c^2*d*x^2]) - (2*b*x^3*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(9*c^3*d*Sqrt[d - c^2*d*x^2]) + (x^4*(a + b*ArcSin[c*x])^2)/(c^2*d*Sqrt[d - c^2*d*x^2]) + (8*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/(3*c^6*d^2) + (4*x^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/(3*c^4*d^2) + ((4*I)*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c^6*d*Sqrt[d - c^2*d*x^2]) - ((2*I)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c^6*d*Sqrt[d - c^2*d*x^2]) + ((2*I)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c^6*d*Sqrt[d - c^2*d*x^2])
```

**Rubi [A]** time = 0.7414, antiderivative size = 549, normalized size of antiderivative = 1., number of steps used = 22, number of rules used = 13, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.448$ , Rules used = {4703, 4707, 4677, 4619, 261, 4627, 266, 43, 4715, 4657, 4181, 2279, 2391}

$$-\frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2,-ie^{i\sin^{-1}(cx)}\right)}{c^6d\sqrt{d-c^2dx^2}} + \frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2,ie^{i\sin^{-1}(cx)}\right)}{c^6d\sqrt{d-c^2dx^2}} + \frac{4x^2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{3c^4d^2} +$$

Antiderivative was successfully verified.

```
[In] Int[(x^5*(a + b*ArcSin[c*x])^2)/(d - c^2*d*x^2)^(3/2), x]
```

```
[Out] (-16*a*b*x*Sqrt[1 - c^2*x^2])/(3*c^5*d*Sqrt[d - c^2*d*x^2]) - (32*b^2*(1 - c^2*x^2))/(9*c^6*d*Sqrt[d - c^2*d*x^2]) + (2*b^2*(1 - c^2*x^2)^2)/(27*c^6*d*Sqrt[d - c^2*d*x^2]) - (16*b^2*x*Sqrt[1 - c^2*x^2]*ArcSin[c*x])/(3*c^5*d*Sqrt[d - c^2*d*x^2]) + (2*b*x*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(c^5*d*Sqrt[d - c^2*d*x^2]) - (2*b*x^3*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(9*c^3*d*Sqrt[d - c^2*d*x^2]) + (x^4*(a + b*ArcSin[c*x])^2)/(c^2*d*Sqrt[d - c^2*d*x^2])
```



$$*d*x^2]) + (8*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(3*c^6*d^2) + (4*x^2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(3*c^4*d^2) + ((4*I)*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])* \text{ArcTan}[E^{(I*\text{ArcSin}[c*x])}])/(c^6*d*\text{Sqrt}[d - c^2*d*x^2]) - ((2*I)*b^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[c*x])}])/(c^6*d*\text{Sqrt}[d - c^2*d*x^2]) + ((2*I)*b^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, I *E^{(I*\text{ArcSin}[c*x])}])/(c^6*d*\text{Sqrt}[d - c^2*d*x^2])$$

### Rule 4703

$$\text{Int}[\{(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)\}^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(f*(f*x)^{(m-1)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n)/(2*e*(p+1)), x] + (-\text{Dist}[(f^2*(m-1))/(2*e*(p+1)), \text{Int}[(f*x)^{(m-2)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n, x], x] + \text{Dist}[(b*f*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(2*c*(p+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m-1)}*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{GtQ}[m, 1]$$

### Rule 4707

$$\text{Int}[\{(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)\}^{(n_.)}*((f_.)*(x_.))^{(m_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Simp}[(f*(f*x)^{(m-1)}*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n)/(e*m), x] + (\text{Dist}[(f^2*(m-1))/(c^2*m), \text{Int}[(f*x)^{(m-2)}*(a + b*\text{ArcSin}[c*x])^n]/\text{Sqrt}[d + e*x^2], x], x] + \text{Dist}[(b*f*n*\text{Sqrt}[1 - c^2*x^2])/(c*m*\text{Sqrt}[d + e*x^2]), \text{Int}[(f*x)^{(m-1)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[m, 1] \&\& \text{IntegerQ}[m]$$

### Rule 4677

$$\text{Int}[\{(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)\}^{(n_.)}*(x_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n)/(2*e*(p+1)), x] + \text{Dist}[(b*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(2*c*(p+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, p\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[p, -1]$$

### Rule 4619

$$\text{Int}[\{(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)\}^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[x*(a + b*\text{ArcSin}[c*x])^n, x] - \text{Dist}[b*c*n, \text{Int}[(x*(a + b*\text{ArcSin}[c*x])^{(n-1)})/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{GtQ}[n, 0]$$

### Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

### Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

### Rule 4715

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(e*(m + 2*p + 1)), x] + (Dist[(f^2*(m - 1))/(c^2*(m + 2*p + 1)), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*f*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(c*(m + 2*p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && NeQ[m + 2*p + 1, 0] && IntegerQ[m]
```

### Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2), x_Symbol] := Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Di
```

st[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x],  
 x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))  
 ], x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_)))^(n\_.)], x\_Symbol]  
 := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x))  
 )^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2  
 , -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^5 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx &= \frac{x^4 (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{4 \int \frac{x^3 (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx}{c^2 d} - \frac{(2b \sqrt{1 - c^2 x^2}) \int \frac{x^4 (a + b \sin^{-1}(cx))}{1 - c^2 x^2} dx}{cd \sqrt{d - c^2 dx^2}} \\
 &= \frac{2bx^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3c^3 d \sqrt{d - c^2 dx^2}} + \frac{x^4 (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{4x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))}{3c^4 d^2} \\
 &= \frac{2bx \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^5 d \sqrt{d - c^2 dx^2}} - \frac{2bx^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c^3 d \sqrt{d - c^2 dx^2}} + \frac{x^4 (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} \\
 &= -\frac{16abx \sqrt{1 - c^2 x^2}}{3c^5 d \sqrt{d - c^2 dx^2}} + \frac{2b^2 (1 - c^2 x^2)}{c^6 d \sqrt{d - c^2 dx^2}} + \frac{2bx \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^5 d \sqrt{d - c^2 dx^2}} - \frac{2bx^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c^3 d \sqrt{d - c^2 dx^2}} \\
 &= -\frac{16abx \sqrt{1 - c^2 x^2}}{3c^5 d \sqrt{d - c^2 dx^2}} + \frac{8b^2 (1 - c^2 x^2)}{3c^6 d \sqrt{d - c^2 dx^2}} - \frac{2b^2 (1 - c^2 x^2)^2}{9c^6 d \sqrt{d - c^2 dx^2}} - \frac{16b^2 x \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{3c^5 d \sqrt{d - c^2 dx^2}} + \frac{2bx^4 (a + b \sin^{-1}(cx))^2}{3c^2 d \sqrt{d - c^2 dx^2}} \\
 &= -\frac{16abx \sqrt{1 - c^2 x^2}}{3c^5 d \sqrt{d - c^2 dx^2}} - \frac{32b^2 (1 - c^2 x^2)}{9c^6 d \sqrt{d - c^2 dx^2}} + \frac{2b^2 (1 - c^2 x^2)^2}{27c^6 d \sqrt{d - c^2 dx^2}} - \frac{16b^2 x \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{3c^5 d \sqrt{d - c^2 dx^2}} + \frac{2bx^4 (a + b \sin^{-1}(cx))^2}{3c^2 d \sqrt{d - c^2 dx^2}} \\
 &= -\frac{16abx \sqrt{1 - c^2 x^2}}{3c^5 d \sqrt{d - c^2 dx^2}} - \frac{32b^2 (1 - c^2 x^2)}{9c^6 d \sqrt{d - c^2 dx^2}} + \frac{2b^2 (1 - c^2 x^2)^2}{27c^6 d \sqrt{d - c^2 dx^2}} - \frac{16b^2 x \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{3c^5 d \sqrt{d - c^2 dx^2}} + \frac{2bx^4 (a + b \sin^{-1}(cx))^2}{3c^2 d \sqrt{d - c^2 dx^2}}
 \end{aligned}$$

**Mathematica [A]** time = 0.681572, size = 453, normalized size = 0.83

$$-432ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right) + 432ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right) - 72a^2c^4x^4 - 288a^2c^2x^2 + 576a^2$$


---

Antiderivative was successfully verified.

[In] Integrate[(x^5\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(3/2), x]

[Out] (576\*a^2 - 378\*b^2 - 288\*a^2\*c^2\*x^2 - 72\*a^2\*c^4\*x^4 + 810\*a\*b\*ArcSin[c\*x] + 405\*b^2\*ArcSin[c\*x]^2 - 376\*b^2\*Cos[2\*ArcSin[c\*x]] + 360\*a\*b\*ArcSin[c\*x]\*Cos[2\*ArcSin[c\*x]] + 180\*b^2\*ArcSin[c\*x]^2\*Cos[2\*ArcSin[c\*x]] + 2\*b^2\*Cos[4\*ArcSin[c\*x]] - 18\*a\*b\*ArcSin[c\*x]\*Cos[4\*ArcSin[c\*x]] - 9\*b^2\*ArcSin[c\*x]^2\*Cos[4\*ArcSin[c\*x]] - 432\*b^2\*sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] + 432\*b^2\*sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 432\*a\*b\*sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] - 432\*a\*b\*sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]] - (432\*I)\*b^2\*sqrt[1 - c^2\*x^2]\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] + (432\*I)\*b^2\*sqrt[1 - c^2\*x^2]\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])] - 372\*a\*b\*Sin[2\*ArcSin[c\*x]] - 372\*b^2\*ArcSin[c\*x]\*Sin[2\*ArcSin[c\*x]] + 6\*a\*b\*Sin[4\*ArcSin[c\*x]] + 6\*b^2\*ArcSin[c\*x]\*Sin[4\*ArcSin[c\*x]])/(216\*c^6\*d\*sqrt[d - c^2\*d\*x^2])

---

**Maple [B]** time = 0.546, size = 1089, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(3/2), x)

[Out] -1/3\*a^2\*x^4/c^2/d/(-c^2\*d\*x^2+d)^(1/2)-4/3\*a^2/c^4\*x^2/d/(-c^2\*d\*x^2+d)^(1/2)+8/3\*a^2/c^6/d/(-c^2\*d\*x^2+d)^(1/2)+2/9\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/c^3/d^2/(c^2\*x^2-1)\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)\*x^3+10/3\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/c^5/d^2/(c^2\*x^2-1)\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2)\*x-8/3\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/c^6/d^2/(c^2\*x^2-1)\*arcsin(c\*x)^2-2/27\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/c^2/d^2/(c^2\*x^2-1)\*x^4-92/27\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/c^4/d^2/(c^2\*x^2-1)\*x^2+94/27\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/c^6/d^2/(c^2\*x^2-1)+1/3\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/c^2/d^2/(c^2\*x^2-1)\*arcsin(c\*x)^2\*x^4+4/3\*b^2\*(-d\*(c^2\*x^2-1))^(1/2)/c^4/d^2/(c^2\*x^2-1)\*arcsin(c\*x)^2\*x^2-2\*I\*b^2\*(-c^2\*x^2+1)^(1/2)\*(-d\*(c^2\*x^2-1))^(1/2)/c^6/d^2/(c^2\*x^2-1)\*dilog(1-I\*(I\*c\*x+(-c^2\*x^2

```

+1)^(1/2)))+2*I*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/c^6/d^2/(c^2*
x^2-1)*dilog(1+I*(I*c*x+(-c^2*x^2+1)^(1/2)))-2*b^2*(-c^2*x^2+1)^(1/2)*(-d*(
c^2*x^2-1))^(1/2)/c^6/d^2/(c^2*x^2-1)*arcsin(c*x)*ln(1+I*(I*c*x+(-c^2*x^2+1
)^(1/2)))+2*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/c^6/d^2/(c^2*x^2-
1)*arcsin(c*x)*ln(1-I*(I*c*x+(-c^2*x^2+1)^(1/2)))+2/3*a*b*(-d*(c^2*x^2-1))^(
1/2)/c^2/d^2/(c^2*x^2-1)*arcsin(c*x)*x^4+8/3*a*b*(-d*(c^2*x^2-1))^(1/2)/c^
4/d^2/(c^2*x^2-1)*arcsin(c*x)*x^2+2*a*b*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))
^(1/2)/c^6/d^2/(c^2*x^2-1)*ln(I*c*x+(-c^2*x^2+1)^(1/2)+I)-16/3*a*b*(-d*(c^2
*x^2-1))^(1/2)/c^6/d^2/(c^2*x^2-1)*arcsin(c*x)-2*a*b*(-c^2*x^2+1)^(1/2)*(-d
*(c^2*x^2-1))^(1/2)/c^6/d^2/(c^2*x^2-1)*ln(I*c*x+(-c^2*x^2+1)^(1/2)-I)+2/9*
a*b*(-d*(c^2*x^2-1))^(1/2)/c^3/d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^3+10/3*
a*b*(-d*(c^2*x^2-1))^(1/2)/c^5/d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x

```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(3/2),x, algorithm="maxima
")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(b^2x^5 \arcsin(cx))^2 + 2abx^5 \arcsin(cx) + a^2x^5}{c^4d^2x^4 - 2c^2d^2x^2 + d^2} \sqrt{-c^2dx^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(3/2),x, algorithm="fricas
")
```

```
[Out] integral((b^2*x^5*arcsin(c*x)^2 + 2*a*b*x^5*arcsin(c*x) + a^2*x^5)*sqrt(-c^
2*d*x^2 + d)/(c^4*d^2*x^4 - 2*c^2*d^2*x^2 + d^2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^5}{(-c^2 dx^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2\*x^5/(-c^2\*d\*x^2 + d)^(3/2), x)

$$3.245 \quad \int \frac{x^4 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=424

$$\frac{ib^2 \sqrt{1 - c^2 x^2} \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{c^5 d \sqrt{d - c^2 dx^2}} + \frac{3x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2c^4 d^2} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{2c^3 d \sqrt{d - c^2 dx^2}}$$

[Out]  $-(b^2 x (1 - c^2 x^2)) / (4 c^4 d \sqrt{d - c^2 d x^2}) + (b^2 \sqrt{1 - c^2 x^2} \text{ArcSin}[c x]) / (4 c^5 d \sqrt{d - c^2 d x^2}) - (b x^2 \sqrt{1 - c^2 x^2} (a + b \text{ArcSin}[c x])) / (2 c^3 d \sqrt{d - c^2 d x^2}) + (x^3 (a + b \text{ArcSin}[c x])^2) / (c^2 d \sqrt{d - c^2 d x^2}) - (I \sqrt{1 - c^2 x^2} (a + b \text{ArcSin}[c x])^2) / (c^5 d \sqrt{d - c^2 d x^2}) + (3 x \sqrt{d - c^2 d x^2} (a + b \text{ArcSin}[c x])^2) / (2 c^4 d^2) - (\sqrt{1 - c^2 x^2} (a + b \text{ArcSin}[c x])^3) / (2 b c^5 d \sqrt{d - c^2 d x^2}) + (2 b \sqrt{1 - c^2 x^2} (a + b \text{ArcSin}[c x]) \text{Log}[1 + E^{(2 I) \text{ArcSin}[c x]}]) / (c^5 d \sqrt{d - c^2 d x^2}) - (I b^2 \sqrt{1 - c^2 x^2} \text{PolyLog}[2, -E^{(2 I) \text{ArcSin}[c x]}]) / (c^5 d \sqrt{d - c^2 d x^2})$

**Rubi [A]** time = 0.642708, antiderivative size = 424, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 13, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.448$ , Rules used = {4703, 4707, 4643, 4641, 4627, 321, 216, 4715, 4675, 3719, 2190, 2279, 2391}

$$\frac{ib^2 \sqrt{1 - c^2 x^2} \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{c^5 d \sqrt{d - c^2 dx^2}} + \frac{3x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2c^4 d^2} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{2c^3 d \sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^4 (a + b \text{ArcSin}[c x])^2) / (d - c^2 d x^2)^{(3/2)}, x]$

[Out]  $-(b^2 x (1 - c^2 x^2)) / (4 c^4 d \sqrt{d - c^2 d x^2}) + (b^2 \sqrt{1 - c^2 x^2} \text{ArcSin}[c x]) / (4 c^5 d \sqrt{d - c^2 d x^2}) - (b x^2 \sqrt{1 - c^2 x^2} (a + b \text{ArcSin}[c x])) / (2 c^3 d \sqrt{d - c^2 d x^2}) + (x^3 (a + b \text{ArcSin}[c x])^2) / (c^2 d \sqrt{d - c^2 d x^2}) - (I \sqrt{1 - c^2 x^2} (a + b \text{ArcSin}[c x])^2) / (c^5 d \sqrt{d - c^2 d x^2}) + (3 x \sqrt{d - c^2 d x^2} (a + b \text{ArcSin}[c x])^2) / (2 c^4 d^2) - (\sqrt{1 - c^2 x^2} (a + b \text{ArcSin}[c x])^3) / (2 b c^5 d \sqrt{d - c^2 d x^2}) + (2 b \sqrt{1 - c^2 x^2} (a + b \text{ArcSin}[c x]) \text{Log}[1 + E^{(2 I) \text{ArcSin}[c x]}]) / (c^5 d \sqrt{d - c^2 d x^2}) - (I b^2 \sqrt{1 - c^2 x^2} \text{PolyLog}[2, -E^{(2 I) \text{ArcSin}[c x]}]) / (c^5 d \sqrt{d - c^2 d x^2})$

Rule 4703

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)
)*(x_)^2)^(p_), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*(a +
b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + (-Dist[(f^2*(m - 1))/(2*e*(p + 1)),
Int[(f*x)^(m - 2)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[
(b*f*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^Fra
cPart[p]), Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[
n, 0] && LtQ[p, -1] && GtQ[m, 1]
```

Rule 4707

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]
```

Rule 4643

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Dist[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2], Int[(a + b*ArcSin[c*x])^n
/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e
, 0] && !GtQ[d, 0]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 321

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
```



$(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), \text{Int}[(c*x)^{(m - n)}*(a + b*x^n)^p, x], x] /;$  FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x\_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[\text{Rt}[-b, 2]*x]/\text{Sqrt}[a]/\text{Rt}[-b, 2], x] /;$  FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 4715

$\text{Int}[(a_) + \text{ArcSin}(c_*(x_))* (b_)]^{(n_)} * ((f_)*(x_))^{(m_)} * ((d_) + (e_)*(x_)^2)^{(p_)}, x\_Symbol] \rightarrow \text{Simp}[(f*(f*x)^{(m - 1)}*(d + e*x^2)^{(p + 1)}*(a + b*\text{ArcSin}[c*x])^n)/(e*(m + 2*p + 1)), x] + (\text{Dist}[(f^2*(m - 1))/(c^2*(m + 2*p + 1)), \text{Int}[(f*x)^{(m - 2)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n, x], x] + \text{Dist}[(b*f*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(c*(m + 2*p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m - 1)}*(1 - c^2*x^2)^{(p + 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x]) /;$  FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && NeQ[m + 2\*p + 1, 0] && IntegerQ[m]

### Rule 4675

$\text{Int}[(a_) + \text{ArcSin}(c_*(x_))* (b_)]^{(n_)} * (x_)/((d_) + (e_)*(x_)^2), x\_Symbol] \rightarrow -\text{Dist}[e^{-1}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Tan}[x], x], x, \text{ArcSin}[c*x]], x] /;$  FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 3719

$\text{Int}[(c_) + (d_)*(x_)]^{(m_)} * \text{tan}[(e_) + (f_)*(x_)], x\_Symbol] \rightarrow \text{Simp}[(I*(c + d*x)^{(m + 1)})/(d*(m + 1)), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m * E^{(2*I*(e + f*x))}/(1 + E^{(2*I*(e + f*x))}), x], x] /;$  FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2190

$\text{Int}[(F_)^{(g_)*((e_) + (f_)*(x_))}]^{(n_)} * ((c_) + (d_)*(x_)]^{(m_)} / ((a_) + (b_)*((F_)^{(g_)*((e_) + (f_)*(x_))})^{(n_)}), x\_Symbol] \rightarrow \text{Simp}[(c + d*x)^m * \text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a] / (b*f*g*n * \text{Log}[F]), x] - \text{Dist}[(d*m) / (b*f*g*n * \text{Log}[F]), \text{Int}[(c + d*x)^{(m - 1)} * \text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a], x], x] /;$  FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

$\text{Int}[\text{Log}[(a_) + (b_)*((F_)^{(e_)*((c_) + (d_)*(x_))})^{(n_)}], x\_Symbol] \rightarrow \text{Dist}[1/(d*e*n * \text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})]$

)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^4 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx &= \frac{x^3 (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{3 \int \frac{x^2 (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx}{c^2 d} - \frac{(2b \sqrt{1 - c^2 x^2}) \int \frac{x^3 (a + b \sin^{-1}(cx))}{1 - c^2 x^2} dx}{cd \sqrt{d - c^2 dx^2}} \\
 &= \frac{bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^3 d \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{3x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{2c^4 d^2} \\
 &= \frac{b^2 x (1 - c^2 x^2)}{2c^4 d \sqrt{d - c^2 dx^2}} - \frac{bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{2c^3 d \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{3x \sqrt{d - c^2 dx^2}}{2} \\
 &= \frac{b^2 x (1 - c^2 x^2)}{4c^4 d \sqrt{d - c^2 dx^2}} - \frac{b^2 \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{2c^5 d \sqrt{d - c^2 dx^2}} - \frac{bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{2c^3 d \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} \\
 &= \frac{b^2 x (1 - c^2 x^2)}{4c^4 d \sqrt{d - c^2 dx^2}} + \frac{b^2 \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{4c^5 d \sqrt{d - c^2 dx^2}} - \frac{bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{2c^3 d \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} \\
 &= \frac{b^2 x (1 - c^2 x^2)}{4c^4 d \sqrt{d - c^2 dx^2}} + \frac{b^2 \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{4c^5 d \sqrt{d - c^2 dx^2}} - \frac{bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{2c^3 d \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} \\
 &= \frac{b^2 x (1 - c^2 x^2)}{4c^4 d \sqrt{d - c^2 dx^2}} + \frac{b^2 \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{4c^5 d \sqrt{d - c^2 dx^2}} - \frac{bx^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{2c^3 d \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}}
 \end{aligned}$$

**Mathematica [A]** time = 2.18484, size = 312, normalized size = 0.74

$$b^2 \sqrt{d} \left( -8i \sqrt{1 - c^2 x^2} \text{PolyLog} \left( 2, -e^{2i \sin^{-1}(cx)} \right) + \sqrt{1 - c^2 x^2} \left( -4 \sin^{-1}(cx)^3 + 2 \left( \sin \left( 2 \sin^{-1}(cx) \right) - 4i \right) \sin^{-1}(cx)^2 - \sin \left( 2 \sin^{-1}(cx) \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(3/2), x]

```
[Out] (-4*a^2*c*Sqrt[d]*x*(-3 + c^2*x^2) + 12*a^2*Sqrt[d - c^2*d*x^2]*ArcTan[(c*x
*Sqrt[d - c^2*d*x^2])/(Sqrt[d]*(-1 + c^2*x^2))] + 2*a*b*Sqrt[d]*(8*c*x*ArcS
in[c*x] + Sqrt[1 - c^2*x^2]*(-6*ArcSin[c*x]^2 + Cos[2*ArcSin[c*x]] + 4*Log[
1 - c^2*x^2] + 2*ArcSin[c*x]*Sin[2*ArcSin[c*x]])) + b^2*Sqrt[d]*(8*c*x*ArcS
in[c*x]^2 - (8*I)*Sqrt[1 - c^2*x^2]*PolyLog[2, -E^((2*I)*ArcSin[c*x])] + Sq
rt[1 - c^2*x^2]*(-4*ArcSin[c*x]^3 + 2*ArcSin[c*x]*(Cos[2*ArcSin[c*x]] + 8*L
og[1 + E^((2*I)*ArcSin[c*x])]) - Sin[2*ArcSin[c*x]] + 2*ArcSin[c*x]^2*(-4*I
+ Sin[2*ArcSin[c*x]]))))/(8*c^5*d^(3/2)*Sqrt[d - c^2*d*x^2])
```

**Maple [B]** time = 0.546, size = 976, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(3/2),x)
```

```
[Out] -1/2*a^2*x^3/c^2/d/(-c^2*d*x^2+d)^(1/2)+3/2*a^2/c^4*x/d/(-c^2*d*x^2+d)^(1/2)
)-3/2*a^2/c^4/d/(c^2*d)^(1/2)*arctan((c^2*d)^(1/2)*x/(-c^2*d*x^2+d)^(1/2))-
2*b^2*(-d*(c^2*x^2-1))^(1/2)/c^5/d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*arcsin(
c*x)*ln(1+(I*c*x+(-c^2*x^2+1)^(1/2))^2)+1/2*b^2*(-d*(c^2*x^2-1))^(1/2)/c^3/
d^2/(c^2*x^2-1)*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*x^2-1/4*b^2*(-d*(c^2*x^2-1))
^(1/2)/c^5/d^2/(c^2*x^2-1)*arcsin(c*x)*(-c^2*x^2+1)^(1/2)+2*I*a*b*(-c^2*x^2
+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/c^5/d^2/(c^2*x^2-1)*arcsin(c*x)+I*b^2*(-d*
(c^2*x^2-1))^(1/2)/c^5/d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*polylog(2,-(I*c*x
+(-c^2*x^2+1)^(1/2))^2)+1/2*b^2*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/c
^5/d^2/(c^2*x^2-1)*arcsin(c*x)^3-1/4*b^2*(-d*(c^2*x^2-1))^(1/2)/c^2/d^2/(c^
2*x^2-1)*x^3+1/4*b^2*(-d*(c^2*x^2-1))^(1/2)/c^4/d^2/(c^2*x^2-1)*x+1/2*b^2*(
-d*(c^2*x^2-1))^(1/2)/c^2/d^2/(c^2*x^2-1)*arcsin(c*x)^2*x^3-3/2*b^2*(-d*(c^
2*x^2-1))^(1/2)/c^4/d^2/(c^2*x^2-1)*arcsin(c*x)^2*x+3/2*a*b*(-d*(c^2*x^2-1)
)^(1/2)*(-c^2*x^2+1)^(1/2)/c^5/d^2/(c^2*x^2-1)*arcsin(c*x)^2+1/2*a*b*(-d*(c
^2*x^2-1))^(1/2)/c^3/d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x^2+a*b*(-d*(c^2*x^
2-1))^(1/2)/c^2/d^2/(c^2*x^2-1)*arcsin(c*x)*x^3-1/4*a*b*(-d*(c^2*x^2-1))^(1
/2)/c^5/d^2/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)+I*b^2*(-d*(c^2*x^2-1))^(1/2)/c^5
/d^2/(c^2*x^2-1)*arcsin(c*x)^2*(-c^2*x^2+1)^(1/2)-3*a*b*(-d*(c^2*x^2-1))^(1
/2)/c^4/d^2/(c^2*x^2-1)*arcsin(c*x)*x-2*a*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^
2+1)^(1/2)/c^5/d^2/(c^2*x^2-1)*ln(1+(I*c*x+(-c^2*x^2+1)^(1/2))^2)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(b^2x^4 \arcsin(cx)^2 + 2abx^4 \arcsin(cx) + a^2x^4)\sqrt{-c^2dx^2 + d}}{c^4d^2x^4 - 2c^2d^2x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(3/2),x, algorithm="fricas")
```

```
[Out] integral((b^2*x^4*arcsin(c*x)^2 + 2*a*b*x^4*arcsin(c*x) + a^2*x^4)*sqrt(-c^2*d*x^2 + d)/(c^4*d^2*x^4 - 2*c^2*d^2*x^2 + d^2), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4 (a + b \arcsin(cx))^2}{(-d(cx-1)(cx+1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(a+b*asin(c*x))**2/(-c**2*d*x**2+d)**(3/2),x)
```

```
[Out] Integral(x**4*(a + b*asin(c*x))**2/(-d*(c*x - 1)*(c*x + 1))**(3/2), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^4}{(-c^2 dx^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2*x^4/(-c^2*d*x^2 + d)^(3/2), x)
```

$$3.246 \quad \int \frac{x^3 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=412

$$-\frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right)}{c^4d\sqrt{d-c^2dx^2}} + \frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right)}{c^4d\sqrt{d-c^2dx^2}} + \frac{2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{c^4d^2} - \frac{4}{c^2}$$

[Out]  $(-4*a*b*x*\text{Sqrt}[1 - c^2*x^2])/(c^3*d*\text{Sqrt}[d - c^2*d*x^2]) - (2*b^2*(1 - c^2*x^2))/(c^4*d*\text{Sqrt}[d - c^2*d*x^2]) - (4*b^2*x*\text{Sqrt}[1 - c^2*x^2]*\text{ArcSin}[c*x])/(c^3*d*\text{Sqrt}[d - c^2*d*x^2]) + (2*b*x*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(c^3*d*\text{Sqrt}[d - c^2*d*x^2]) + (x^2*(a + b*\text{ArcSin}[c*x])^2)/(c^2*d*\text{Sqrt}[d - c^2*d*x^2]) + (2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(c^4*d^2) + ((4*I)*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTan}[E^(I*\text{ArcSin}[c*x])])/(c^4*d*\text{Sqrt}[d - c^2*d*x^2]) - ((2*I)*b^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, (-I)*E^(I*\text{ArcSin}[c*x])])/(c^4*d*\text{Sqrt}[d - c^2*d*x^2]) + ((2*I)*b^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, I*E^(I*\text{ArcSin}[c*x])])/(c^4*d*\text{Sqrt}[d - c^2*d*x^2])$

**Rubi [A]** time = 0.454065, antiderivative size = 412, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.31$ , Rules used = {4703, 4677, 4619, 261, 4715, 4657, 4181, 2279, 2391}

$$-\frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right)}{c^4d\sqrt{d-c^2dx^2}} + \frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right)}{c^4d\sqrt{d-c^2dx^2}} + \frac{2\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^2}{c^4d^2} - \frac{4}{c^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^3*(a + b*\text{ArcSin}[c*x])^2)/(d - c^2*d*x^2)^(3/2), x]$

[Out]  $(-4*a*b*x*\text{Sqrt}[1 - c^2*x^2])/(c^3*d*\text{Sqrt}[d - c^2*d*x^2]) - (2*b^2*(1 - c^2*x^2))/(c^4*d*\text{Sqrt}[d - c^2*d*x^2]) - (4*b^2*x*\text{Sqrt}[1 - c^2*x^2]*\text{ArcSin}[c*x])/(c^3*d*\text{Sqrt}[d - c^2*d*x^2]) + (2*b*x*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(c^3*d*\text{Sqrt}[d - c^2*d*x^2]) + (x^2*(a + b*\text{ArcSin}[c*x])^2)/(c^2*d*\text{Sqrt}[d - c^2*d*x^2]) + (2*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(c^4*d^2) + ((4*I)*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])*\text{ArcTan}[E^(I*\text{ArcSin}[c*x])])/(c^4*d*\text{Sqrt}[d - c^2*d*x^2]) - ((2*I)*b^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, (-I)*E^(I*\text{ArcSin}[c*x])])/(c^4*d*\text{Sqrt}[d - c^2*d*x^2]) + ((2*I)*b^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, I*E^(I*\text{ArcSin}[c*x])])/(c^4*d*\text{Sqrt}[d - c^2*d*x^2])$

Rule 4703

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_), x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + (-Dist[(f^2\*(m - 1))/(2\*e\*(p + 1)), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*f\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && GtQ[m, 1]

Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 4619

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 4715

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_), x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(e\*(m + 2\*p + 1)), x] + (Dist[(f^2\*(m - 1))/(c^2\*(m + 2\*p + 1)), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*f\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(c\*(m + 2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && NeQ[m + 2\*p + 1, 0] && IntegerQ[m]

Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2), x_Symbol]
:= Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:= Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps



$$\begin{aligned}
\int \frac{x^3 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx &= \frac{x^2 (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{2 \int \frac{x^{(a+b \sin^{-1}(cx))^2}}{\sqrt{d - c^2 dx^2}} dx}{c^2 d} - \frac{(2b \sqrt{1 - c^2 x^2}) \int \frac{x^{(a+b \sin^{-1}(cx))}}{1 - c^2 x^2} dx}{cd \sqrt{d - c^2 dx^2}} \\
&= \frac{2bx \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^3 d \sqrt{d - c^2 dx^2}} + \frac{x^2 (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2}{c^4 d^2} \\
&= -\frac{4abx \sqrt{1 - c^2 x^2}}{c^3 d \sqrt{d - c^2 dx^2}} + \frac{2b^2 (1 - c^2 x^2)}{c^4 d \sqrt{d - c^2 dx^2}} + \frac{2bx \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^3 d \sqrt{d - c^2 dx^2}} + \frac{x^2 (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} \\
&= -\frac{4abx \sqrt{1 - c^2 x^2}}{c^3 d \sqrt{d - c^2 dx^2}} + \frac{2b^2 (1 - c^2 x^2)}{c^4 d \sqrt{d - c^2 dx^2}} - \frac{4b^2 x \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{c^3 d \sqrt{d - c^2 dx^2}} + \frac{2bx \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^3 d \sqrt{d - c^2 dx^2}} \\
&= -\frac{4abx \sqrt{1 - c^2 x^2}}{c^3 d \sqrt{d - c^2 dx^2}} - \frac{2b^2 (1 - c^2 x^2)}{c^4 d \sqrt{d - c^2 dx^2}} - \frac{4b^2 x \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{c^3 d \sqrt{d - c^2 dx^2}} + \frac{2bx \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^3 d \sqrt{d - c^2 dx^2}} \\
&= -\frac{4abx \sqrt{1 - c^2 x^2}}{c^3 d \sqrt{d - c^2 dx^2}} - \frac{2b^2 (1 - c^2 x^2)}{c^4 d \sqrt{d - c^2 dx^2}} - \frac{4b^2 x \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{c^3 d \sqrt{d - c^2 dx^2}} + \frac{2bx \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^3 d \sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.534469, size = 369, normalized size = 0.9

$$-\frac{4ib^2 \sqrt{1 - c^2 x^2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) + 4ib^2 \sqrt{1 - c^2 x^2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) - 2a^2 c^2 x^2 + 4a^2 + 4ab \sqrt{1 - c^2 x^2} \log\left(\frac{1 - \sqrt{1 - c^2 x^2}}{1 + \sqrt{1 - c^2 x^2}}\right)}{(d - c^2 dx^2)^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(3/2),x]

[Out] (4\*a^2 - 2\*b^2 - 2\*a^2\*c^2\*x^2 + 6\*a\*b\*ArcSin[c\*x] + 3\*b^2\*ArcSin[c\*x]^2 - 2\*b^2\*Cos[2\*ArcSin[c\*x]] + 2\*a\*b\*ArcSin[c\*x]\*Cos[2\*ArcSin[c\*x]] + b^2\*ArcSin[c\*x]^2\*Cos[2\*ArcSin[c\*x]] - 4\*b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] + 4\*b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 4\*a\*b\*Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] - 4\*a\*b\*Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]] - (4\*I)\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] + (4\*I)\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])] - 2\*a\*b\*Sin[2\*ArcSin[c\*x]] - 2\*b^2\*ArcSin[c\*x]\*Sin[2\*ArcSin[c\*x]])/(2\*c^4\*d\*Sqrt[d - c^2\*d\*x^2])

**Maple [B]** time = 0.346, size = 830, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^3(a+b\arcsin(cx))^2/(-c^2dx^2+d)^{(3/2)}, x)$

[Out] 
$$\begin{aligned} & -a^2x^2/c^2/d/(-c^2dx^2+d)^{(1/2)}+2a^2/d/c^4/(-c^2dx^2+d)^{(1/2)}+2b^2* \\ & (-d*(c^2x^2-1))^{(1/2)}/c^3/d^2/(c^2x^2-1)*\arcsin(cx)*(-c^2x^2+1)^{(1/2)}*x \\ & +b^2*(-d*(c^2x^2-1))^{(1/2)}/c^2/d^2/(c^2x^2-1)*\arcsin(cx)^2*x^2-2b^2*(-d \\ & *(c^2x^2-1))^{(1/2)}/c^2/d^2/(c^2x^2-1)*x^2-2b^2*(-d*(c^2x^2-1))^{(1/2)}/c^4 \\ & /d^2/(c^2x^2-1)*\arcsin(cx)^2+2b^2*(-d*(c^2x^2-1))^{(1/2)}/c^4/d^2/(c^2x^2-1) \\ & -2*I*b^2*(-c^2x^2+1)^{(1/2)}*(-d*(c^2x^2-1))^{(1/2)}/c^4/d^2/(c^2x^2-1) \\ & *dilog(1-I*(I*cx+(-c^2x^2+1)^{(1/2)}))+2*I*b^2*(-c^2x^2+1)^{(1/2)}*(-d*(c^2x^2-1))^{(1/2)}/c^4/d^2/(c^2x^2-1) \\ & *dilog(1+I*(I*cx+(-c^2x^2+1)^{(1/2)}))-2*b^2*(-c^2x^2+1)^{(1/2)}*(-d*(c^2x^2-1))^{(1/2)}/c^4/d^2/(c^2x^2-1) \\ & *\arcsin(cx) \\ & *\ln(1+I*(I*cx+(-c^2x^2+1)^{(1/2)}))+2b^2*(-c^2x^2+1)^{(1/2)}*(-d*(c^2x^2-1))^{(1/2)}/c^4/d^2/(c^2x^2-1) \\ & *\arcsin(cx) \\ & *\ln(1-I*(I*cx+(-c^2x^2+1)^{(1/2)}))+2a*b*(-d*(c^2x^2-1))^{(1/2)}/c^3/d^2/(c^2x^2-1)*(-c^2x^2+1)^{(1/2)}*x+2a \\ & *b*(-d*(c^2x^2-1))^{(1/2)}/c^2/d^2/(c^2x^2-1)*\arcsin(cx)*x^2-4a*b*(-d*(c^2x^2-1))^{(1/2)}/c^4/d^2/(c^2x^2-1) \\ & *\arcsin(cx)+2a*b*(-c^2x^2+1)^{(1/2)}*(-d*(c^2x^2-1))^{(1/2)}/c^4/d^2/(c^2x^2-1) \\ & *\ln(I*cx+(-c^2x^2+1)^{(1/2)}+I)-2a*b*(-c^2x^2+1)^{(1/2)}*(-d*(c^2x^2-1))^{(1/2)}/c^4/d^2/(c^2x^2-1) \\ & *\ln(I*cx+(-c^2x^2+1)^{(1/2)}-I) \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^3(a+b\arcsin(cx))^2/(-c^2dx^2+d)^{(3/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral  $\left( \frac{(b^2x^3 \arcsin(cx))^2 + 2abx^3 \arcsin(cx) + a^2x^3 \sqrt{-c^2dx^2 + d}}{c^4d^2x^4 - 2c^2d^2x^2 + d^2}, x \right)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(3/2),x, algorithm="fricas")
```

```
[Out] integral((b^2*x^3*arcsin(c*x)^2 + 2*a*b*x^3*arcsin(c*x) + a^2*x^3)*sqrt(-c^2*d*x^2 + d)/(c^4*d^2*x^4 - 2*c^2*d^2*x^2 + d^2), x)
```

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a+b*asin(c*x))**2/(-c**2*d*x**2+d)**(3/2),x)
```

```
[Out] Exception raised: TypeError
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^3}{(-c^2 dx^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2*x^3/(-c^2*d*x^2 + d)^(3/2), x)
```

$$3.247 \quad \int \frac{x^2 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=250

$$\frac{ib^2 \sqrt{1 - c^2 x^2} \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{c^3 d \sqrt{d - c^2 dx^2}} - \frac{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^3}{3bc^3 d \sqrt{d - c^2 dx^2}} + \frac{x (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{i \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^3 d \sqrt{d - c^2 dx^2}}$$

```
[Out] (x*(a + b*ArcSin[c*x])^2)/(c^2*d*Sqrt[d - c^2*d*x^2]) - (I*Sqrt[1 - c^2*x^2]
)*(a + b*ArcSin[c*x])^2/(c^3*d*Sqrt[d - c^2*d*x^2]) - (Sqrt[1 - c^2*x^2]*
(a + b*ArcSin[c*x])^3)/(3*b*c^3*d*Sqrt[d - c^2*d*x^2]) + (2*b*Sqrt[1 - c^2*x
^2]*(a + b*ArcSin[c*x])*Log[1 + E^((2*I)*ArcSin[c*x])])/(c^3*d*Sqrt[d - c^2
*d*x^2]) - (I*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(c^
3*d*Sqrt[d - c^2*d*x^2])
```

**Rubi [A]** time = 0.357123, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$ , Rules used = {4703, 4643, 4641, 4675, 3719, 2190, 2279, 2391}

$$\frac{ib^2 \sqrt{1 - c^2 x^2} \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{c^3 d \sqrt{d - c^2 dx^2}} - \frac{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^3}{3bc^3 d \sqrt{d - c^2 dx^2}} + \frac{x (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{i \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c^3 d \sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

```
[In] Int[(x^2*(a + b*ArcSin[c*x])^2)/(d - c^2*d*x^2)^(3/2), x]
```

```
[Out] (x*(a + b*ArcSin[c*x])^2)/(c^2*d*Sqrt[d - c^2*d*x^2]) - (I*Sqrt[1 - c^2*x^2]
)*(a + b*ArcSin[c*x])^2/(c^3*d*Sqrt[d - c^2*d*x^2]) - (Sqrt[1 - c^2*x^2]*
(a + b*ArcSin[c*x])^3)/(3*b*c^3*d*Sqrt[d - c^2*d*x^2]) + (2*b*Sqrt[1 - c^2*x
^2]*(a + b*ArcSin[c*x])*Log[1 + E^((2*I)*ArcSin[c*x])])/(c^3*d*Sqrt[d - c^2
*d*x^2]) - (I*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(c^
3*d*Sqrt[d - c^2*d*x^2])
```

**Rule 4703**

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^ (n_.)*((f_.)*(x_)^ (m_.))*((d_.) + (e_.
)*(x_)^2)^ (p_.), x_Symbol] :> Simp[(f*(f*x)^ (m - 1)*(d + e*x^2)^ (p + 1)*(a
+ b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + (-Dist[(f^2*(m - 1))/(2*e*(p + 1)),
Int[(f*x)^ (m - 2)*(d + e*x^2)^ (p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[
```

$(b*f*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(2*c*(p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]})$ ,  $\text{Int}[(f*x)^{(m - 1)}*(1 - c^2*x^2)^{(p + 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{GtQ}[m, 1]$

### Rule 4643

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + (d + e*x^2)^{1/2})^{(n)} / \text{Sqrt}[d + e*x^2], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[1 - c^2*x^2] / \text{Sqrt}[d + e*x^2], \text{Int}[(a + b*\text{ArcSin}[c*x])^{(n)} / \text{Sqrt}[1 - c^2*x^2], x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, n\}, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{!GtQ}[d, 0]$

### Rule 4641

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + (d + e*x^2)^{1/2})^{(n)} / \text{Sqrt}[d + e*x^2], x\_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcSin}[c*x])^{(n + 1)} / (b*c*\text{Sqrt}[d]*(n + 1)), x] /;$   $\text{FreeQ}\{a, b, c, d, e, n\}, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ \text{NeQ}[n, -1]$

### Rule 4675

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + (d + e*x^2)^{1/2})^{(n)}*(x) / ((d + e*x^2)^{1/2}), x\_Symbol] \rightarrow -\text{Dist}[e^{-1}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Tan}[x], x], x, \text{ArcSin}[c*x]], x] /;$   $\text{FreeQ}\{a, b, c, d, e\}, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[n, 0]$

### Rule 3719

$\text{Int}[(c + d*x)^{(m)}*\text{tan}[e + f*x], x\_Symbol] \rightarrow \text{Simp}[(I*(c + d*x)^{(m + 1)}) / (d*(m + 1)), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m*\text{E}^{(2*I*(e + f*x))} / (1 + \text{E}^{(2*I*(e + f*x))}), x], x] /;$   $\text{FreeQ}\{c, d, e, f\}, x\} \ \&\& \ \text{IGtQ}[m, 0]$

### Rule 2190

$\text{Int}[(F + (g + (e + f*x)^2)^{1/2})^{(n)}*(c + d*x)^{(m)} / ((a + b*(F + (g + (e + f*x)^2)^{1/2}))^{(n)}), x\_Symbol] \rightarrow \text{Simp}[(c + d*x)^m*\text{Log}[1 + (b*(F + (g + (e + f*x)^2)^{1/2})^n)/a] / (b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m) / (b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m - 1)}*\text{Log}[1 + (b*(F + (g + (e + f*x)^2)^{1/2})^n)/a], x], x] /;$   $\text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \ \&\& \ \text{IGtQ}[m, 0]$

### Rule 2279

$\text{Int}[\text{Log}[a + b*(F + (e + (c + d*x)^2)^{1/2})^{(n)}], x\_Symbol] \rightarrow \text{Dist}[1 / (d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x] / x, x], x, (F + e*(c + d*x))^n], x] /;$   $\text{FreeQ}\{F, a, b, c, d, e, n\}, x\} \ \&\& \ \text{GtQ}[a, 0]$

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] :-Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rubi steps

$$\begin{aligned}
 \int \frac{x^2 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx &= \frac{x (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{\int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx}{c^2 d} - \frac{(2b\sqrt{1 - c^2 x^2}) \int \frac{x(a + b \sin^{-1}(cx))}{1 - c^2 x^2} dx}{cd \sqrt{d - c^2 dx^2}} \\
 &= \frac{x (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{(2b\sqrt{1 - c^2 x^2}) \text{Subst}(\int (a + bx) \tan(x) dx, x, \sin^{-1}(cx))}{c^3 d \sqrt{d - c^2 dx^2}} - \frac{\sqrt{1 - c^2 x^2}}{c^2} \\
 &= \frac{x (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{i\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{c^3 d \sqrt{d - c^2 dx^2}} - \frac{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^3}{3bc^3 d \sqrt{d - c^2 dx^2}} + \frac{(4ib)}{c^2} \\
 &= \frac{x (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{i\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{c^3 d \sqrt{d - c^2 dx^2}} - \frac{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^3}{3bc^3 d \sqrt{d - c^2 dx^2}} + \frac{2b\sqrt{1 - c^2 x^2}}{c^2} \\
 &= \frac{x (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{i\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{c^3 d \sqrt{d - c^2 dx^2}} - \frac{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^3}{3bc^3 d \sqrt{d - c^2 dx^2}} + \frac{2b\sqrt{1 - c^2 x^2}}{c^2} \\
 &= \frac{x (a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{i\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{c^3 d \sqrt{d - c^2 dx^2}} - \frac{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^3}{3bc^3 d \sqrt{d - c^2 dx^2}} + \frac{2b\sqrt{1 - c^2 x^2}}{c^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.567592, size = 295, normalized size = 1.18

$$\frac{b^2 \left( \sin^{-1}(cx) \left( -\sqrt{1 - c^2 x^2} (\sin^{-1}(cx) + 3i) \sin^{-1}(cx) + 6\sqrt{1 - c^2 x^2} \log(1 + e^{2i \sin^{-1}(cx)}) + 3cx \sin^{-1}(cx) \right) - 3i\sqrt{1 - c^2 x^2} \text{Pol} \right)}{3c^3 d \sqrt{d(1 - c^2 x^2)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(3/2), x]

[Out] -((a^2\*x\*Sqrt[-(d\*(-1 + c^2\*x^2))])/(c^2\*d^2\*(-1 + c^2\*x^2))) + (a^2\*ArcTan[(c\*x\*Sqrt[-(d\*(-1 + c^2\*x^2))])/(Sqrt[d]\*(-1 + c^2\*x^2))])/(c^3\*d^(3/2)) + (a\*b\*(2\*c\*x\*ArcSin[c\*x] - Sqrt[1 - c^2\*x^2]\*(ArcSin[c\*x]^2 - 2\*Log[Sqrt[1 - c^2\*x^2]])))/(c^3\*d\*Sqrt[d\*(1 - c^2\*x^2)]) + (b^2\*(ArcSin[c\*x]\*(3\*c\*x\*Arc

```
Sin[c*x] - Sqrt[1 - c^2*x^2]*ArcSin[c*x]*(3*I + ArcSin[c*x]) + 6*Sqrt[1 - c
^2*x^2]*Log[1 + E^((2*I)*ArcSin[c*x])] - (3*I)*Sqrt[1 - c^2*x^2]*PolyLog[2
, -E^((2*I)*ArcSin[c*x])]/(3*c^3*d*Sqrt[d*(1 - c^2*x^2)])
```

**Maple [B]** time = 0.237, size = 581, normalized size = 2.3

$$\frac{a^2 x}{c^2 d} \frac{1}{\sqrt{-c^2 d x^2 + d}} - \frac{a^2}{c^2 d} \arctan\left(x \sqrt{c^2 d} \frac{1}{\sqrt{-c^2 d x^2 + d}}\right) \frac{1}{\sqrt{c^2 d}} + \frac{b^2 (\arcsin(cx))^3}{3 c^3 d^2 (c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} \sqrt{-c^2 x^2 + 1} + \frac{i b^2 (\arcsin(cx))^3}{c^3 d^2 (c^2 x^2 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(3/2),x)
```

```
[Out] a^2*x/c^2/d/(-c^2*d*x^2+d)^(1/2)-a^2/c^2/d/(c^2*d)^(1/2)*arctan((c^2*d)^(1/2)*x/(-c^2*d*x^2+d)^(1/2))+1/3*b^2*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/d^2/c^3/(c^2*x^2-1)*arcsin(c*x)^3+I*b^2*(-d*(c^2*x^2-1))^(1/2)*arcsin(c*x)^2/d^2/c^3/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)-b^2*(-d*(c^2*x^2-1))^(1/2)*arcsin(c*x)^2/d^2/c^2/(c^2*x^2-1)*x-2*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^2/c^3/(c^2*x^2-1)*arcsin(c*x)*ln(1+(I*c*x+(-c^2*x^2+1)^(1/2))^2)+I*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^2/c^3/(c^2*x^2-1)*polylog(2,-(I*c*x+(-c^2*x^2+1)^(1/2))^2)+a*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/d^2/c^3/(c^2*x^2-1)*arcsin(c*x)^2+2*I*a*b*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^2/c^3/(c^2*x^2-1)*arcsin(c*x)-2*a*b*(-d*(c^2*x^2-1))^(1/2)*arcsin(c*x)/d^2/c^2/(c^2*x^2-1)*x-2*a*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/d^2/c^3/(c^2*x^2-1)*ln(1+(I*c*x+(-c^2*x^2+1)^(1/2))^2)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(b^2x^2 \arcsin(cx))^2 + 2abx^2 \arcsin(cx) + a^2x^2}{c^4d^2x^4 - 2c^2d^2x^2 + d^2} \sqrt{-c^2dx^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="fricas")

[Out] integral((b^2\*x^2\*arcsin(c\*x)^2 + 2\*a\*b\*x^2\*arcsin(c\*x) + a^2\*x^2)\*sqrt(-c^2\*d\*x^2 + d)/(c^4\*d^2\*x^4 - 2\*c^2\*d^2\*x^2 + d^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 (a + b \arcsin(cx))^2}{(-d(cx-1)(cx+1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2),x)

[Out] Integral(x\*\*2\*(a + b\*asin(c\*x))\*\*2/(-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^2}{(-c^2 dx^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2\*x^2/(-c^2\*d\*x^2 + d)^(3/2), x)



$$3.248 \quad \int \frac{x(a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=208

$$\frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right)}{c^2d\sqrt{d-c^2dx^2}} + \frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right)}{c^2d\sqrt{d-c^2dx^2}} + \frac{(a+b\sin^{-1}(cx))^2}{c^2d\sqrt{d-c^2dx^2}} + \frac{4ib\sqrt{1-c^2x^2}}{c^2d\sqrt{d-c^2dx^2}}$$

[Out] (a + b\*ArcSin[c\*x])^2/(c^2\*d\*Sqrt[d - c^2\*d\*x^2]) + ((4\*I)\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/(c^2\*d\*Sqrt[d - c^2\*d\*x^2]) - ((2\*I)\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/(c^2\*d\*Sqrt[d - c^2\*d\*x^2]) + ((2\*I)\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c^2\*d\*Sqrt[d - c^2\*d\*x^2])

**Rubi [A]** time = 0.185548, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {4677, 4657, 4181, 2279, 2391}

$$\frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right)}{c^2d\sqrt{d-c^2dx^2}} + \frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right)}{c^2d\sqrt{d-c^2dx^2}} + \frac{(a+b\sin^{-1}(cx))^2}{c^2d\sqrt{d-c^2dx^2}} + \frac{4ib\sqrt{1-c^2x^2}}{c^2d\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(3/2), x]

[Out] (a + b\*ArcSin[c\*x])^2/(c^2\*d\*Sqrt[d - c^2\*d\*x^2]) + ((4\*I)\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/(c^2\*d\*Sqrt[d - c^2\*d\*x^2]) - ((2\*I)\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/(c^2\*d\*Sqrt[d - c^2\*d\*x^2]) + ((2\*I)\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c^2\*d\*Sqrt[d - c^2\*d\*x^2])

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.\*(x\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2), x_Symbol]
:> Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist
[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{x(a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx &= \frac{(a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{(2b\sqrt{1 - c^2 x^2}) \int \frac{a + b \sin^{-1}(cx)}{1 - c^2 x^2} dx}{cd \sqrt{d - c^2 dx^2}} \\ &= \frac{(a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{(2b\sqrt{1 - c^2 x^2}) \text{Subst}\left(\int (a + bx) \sec(x) dx, x, \sin^{-1}(cx)\right)}{c^2 d \sqrt{d - c^2 dx^2}} \\ &= \frac{(a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{4ib\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{(2b^2\sqrt{1 - c^2 x^2}) \text{Subst}\left(\int \frac{1}{1 - u^2} du, u, \sin^{-1}(cx)\right)}{c^2 d \sqrt{d - c^2 dx^2}} \\ &= \frac{(a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{4ib\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{(2ib^2\sqrt{1 - c^2 x^2}) \text{Subst}\left(\int \frac{1}{1 - u^2} du, u, \sin^{-1}(cx)\right)}{c^2 d \sqrt{d - c^2 dx^2}} \\ &= \frac{(a + b \sin^{-1}(cx))^2}{c^2 d \sqrt{d - c^2 dx^2}} + \frac{4ib\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{c^2 d \sqrt{d - c^2 dx^2}} - \frac{2ib^2\sqrt{1 - c^2 x^2} \text{Li}_2\left(-\frac{1 + \sin^{-1}(cx)}{1 - \sin^{-1}(cx)}\right)}{c^2 d \sqrt{d - c^2 dx^2}} \end{aligned}$$

**Mathematica [A]** time = 0.541635, size = 276, normalized size = 1.33

$$-2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2,-ie^{i\sin^{-1}(cx)}\right)+2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2,ie^{i\sin^{-1}(cx)}\right)+a^2+2ab\sqrt{1-c^2x^2}\log\left(\cos\left(\frac{1}{2}\sin^{-1}(cx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(3/2),x]

[Out] (a^2 + 2\*a\*b\*ArcSin[c\*x] + b^2\*ArcSin[c\*x]^2 - 2\*b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] + 2\*b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 2\*a\*b\*Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] - 2\*a\*b\*Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]] - (2\*I)\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] + (2\*I)\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c^2\*d\*Sqrt[d - c^2\*d\*x^2])

**Maple [B]** time = 0.133, size = 540, normalized size = 2.6

$$\frac{a^2}{c^2d}\frac{1}{\sqrt{-c^2dx^2+d}}-\frac{b^2(\arcsin(cx))^2}{d^2c^2(c^2x^2-1)}\sqrt{-d(c^2x^2-1)}+\frac{2ib^2}{d^2c^2(c^2x^2-1)}\sqrt{-c^2x^2+1}\sqrt{-d(c^2x^2-1)}\text{dilog}\left(1+i\left(icx+\sqrt{-c^2dx^2+d}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(3/2),x)

[Out] a^2/c^2/d/(-c^2\*d\*x^2+d)^(1/2)-b^2\*(-d\*(c^2\*x^2-1))^(1/2)/c^2/d^2/(c^2\*x^2-1)\*arcsin(c\*x)^2+2\*I\*b^2\*(-c^2\*x^2+1)^(1/2)\*(-d\*(c^2\*x^2-1))^(1/2)/c^2/d^2/(c^2\*x^2-1)\*dilog(1+I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))-2\*I\*b^2\*(-c^2\*x^2+1)^(1/2)\*(-d\*(c^2\*x^2-1))^(1/2)/c^2/d^2/(c^2\*x^2-1)\*dilog(1-I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))-2\*b^2\*(-c^2\*x^2+1)^(1/2)\*(-d\*(c^2\*x^2-1))^(1/2)/c^2/d^2/(c^2\*x^2-1)\*arcsin(c\*x)\*ln(1+I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))+2\*b^2\*(-c^2\*x^2+1)^(1/2)\*(-d\*(c^2\*x^2-1))^(1/2)/c^2/d^2/(c^2\*x^2-1)\*arcsin(c\*x)\*ln(1-I\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))-2\*a\*b\*(-d\*(c^2\*x^2-1))^(1/2)/c^2/d^2/(c^2\*x^2-1)\*arcsin(c\*x)+2\*a\*b\*(-c^2\*x^2+1)^(1/2)\*(-d\*(c^2\*x^2-1))^(1/2)/c^2/d^2/(c^2\*x^2-1)\*ln(I\*c\*x+(-c^2\*x^2+1)^(1/2)+I)-2\*a\*b\*(-c^2\*x^2+1)^(1/2)\*(-d\*(c^2\*x^2-1))^(1/2)/c^2/d^2/(c^2\*x^2-1)\*ln(I\*c\*x+(-c^2\*x^2+1)^(1/2))-I

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\sqrt{d} \int \frac{\left(b^2 x \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)^2 + 2 abx \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)\right) \sqrt{cx+1}\sqrt{-cx+1}}{c^4 d^2 x^4 - 2 c^2 d^2 x^2 + d^2} dx + \frac{a^2}{\sqrt{-c^2 dx^2 + d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="maxima")

[Out] sqrt(d)\*integrate((b^2\*x\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2 + 2\*a\*b\*x\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))\*sqrt(c\*x + 1)\*sqrt(-c\*x + 1)/(c^4\*d^2\*x^4 - 2\*c^2\*d^2\*x^2 + d^2), x) + a^2/(sqrt(-c^2\*d\*x^2 + d)\*c^2\*d)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2 dx^2 + d}\left(b^2 x \arcsin(cx)^2 + 2 abx \arcsin(cx) + a^2 x\right)}{c^4 d^2 x^4 - 2 c^2 d^2 x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*d\*x^2 + d)\*(b^2\*x\*arcsin(c\*x)^2 + 2\*a\*b\*x\*arcsin(c\*x) + a^2\*x)/(c^4\*d^2\*x^4 - 2\*c^2\*d^2\*x^2 + d^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x(a + b \operatorname{asin}(cx))^2}{(-d(cx - 1)(cx + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*asin(c\*x))^2/(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2),x)

[Out] Integral(x\*(a + b\*asin(c\*x))^2/(-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x}{(-c^2 dx^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2\*x/(-c^2\*d\*x^2 + d)^(3/2), x)

$$3.249 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{(d-c^2dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=195

$$-\frac{ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{cd\sqrt{d-c^2dx^2}} + \frac{x(a+b\sin^{-1}(cx))^2}{d\sqrt{d-c^2dx^2}} - \frac{i\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{cd\sqrt{d-c^2dx^2}} + \frac{2b\sqrt{1-c^2x^2}\log\left(1+e^{2i\sin^{-1}(cx)}\right)}{cd\sqrt{d-c^2dx^2}}$$

```
[Out] (x*(a + b*ArcSin[c*x])^2)/(d*Sqrt[d - c^2*d*x^2]) - (I*Sqrt[1 - c^2*x^2]*(a
+ b*ArcSin[c*x])^2)/(c*d*Sqrt[d - c^2*d*x^2]) + (2*b*Sqrt[1 - c^2*x^2]*(a
+ b*ArcSin[c*x])*Log[1 + E^((2*I)*ArcSin[c*x])])/(c*d*Sqrt[d - c^2*d*x^2])
- (I*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(c*d*Sqrt[d
- c^2*d*x^2])
```

**Rubi [A]** time = 0.161089, antiderivative size = 195, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$ , Rules used = {4653, 4675, 3719, 2190, 2279, 2391}

$$-\frac{ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{cd\sqrt{d-c^2dx^2}} + \frac{x(a+b\sin^{-1}(cx))^2}{d\sqrt{d-c^2dx^2}} - \frac{i\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{cd\sqrt{d-c^2dx^2}} + \frac{2b\sqrt{1-c^2x^2}\log\left(1+e^{2i\sin^{-1}(cx)}\right)}{cd\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])^2/(d - c^2*d*x^2)^(3/2), x]
```

```
[Out] (x*(a + b*ArcSin[c*x])^2)/(d*Sqrt[d - c^2*d*x^2]) - (I*Sqrt[1 - c^2*x^2]*(a
+ b*ArcSin[c*x])^2)/(c*d*Sqrt[d - c^2*d*x^2]) + (2*b*Sqrt[1 - c^2*x^2]*(a
+ b*ArcSin[c*x])*Log[1 + E^((2*I)*ArcSin[c*x])])/(c*d*Sqrt[d - c^2*d*x^2])
- (I*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(c*d*Sqrt[d
- c^2*d*x^2])
```

**Rule 4653**

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^n_/((d_.) + (e_.)*(x_)^2)^(3/2), x
_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(
b*c*n*Sqrt[1 - c^2*x^2])/(d*Sqrt[d + e*x^2]), Int[(x*(a + b*ArcSin[c*x])^(n
- 1))/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e,
0] && GtQ[n, 0]
```

Rule 4675

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_))/((d_) + (e_.)*(x_)^2),
x_Symbol] := -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x]
], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx &= \frac{x(a + b \sin^{-1}(cx))^2}{d\sqrt{d - c^2 dx^2}} - \frac{(2bc\sqrt{1 - c^2 x^2}) \int \frac{x^{(a+b \sin^{-1}(cx))}}{1 - c^2 x^2} dx}{d\sqrt{d - c^2 dx^2}} \\
&= \frac{x(a + b \sin^{-1}(cx))^2}{d\sqrt{d - c^2 dx^2}} - \frac{(2b\sqrt{1 - c^2 x^2}) \text{Subst}\left(\int (a + bx) \tan(x) dx, x, \sin^{-1}(cx)\right)}{cd\sqrt{d - c^2 dx^2}} \\
&= \frac{x(a + b \sin^{-1}(cx))^2}{d\sqrt{d - c^2 dx^2}} - \frac{i\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{cd\sqrt{d - c^2 dx^2}} + \frac{(4ib\sqrt{1 - c^2 x^2}) \text{Subst}\left(\int \frac{e^{2ix}(a+bx)}{1+e^{2ix}} dx, x, \sin^{-1}(cx)\right)}{cd\sqrt{d - c^2 dx^2}} \\
&= \frac{x(a + b \sin^{-1}(cx))^2}{d\sqrt{d - c^2 dx^2}} - \frac{i\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{cd\sqrt{d - c^2 dx^2}} + \frac{2b\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \log(1 + e^{2ix})}{cd\sqrt{d - c^2 dx^2}} \\
&= \frac{x(a + b \sin^{-1}(cx))^2}{d\sqrt{d - c^2 dx^2}} - \frac{i\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{cd\sqrt{d - c^2 dx^2}} + \frac{2b\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \log(1 + e^{2i \sin^{-1}(cx)})}{cd\sqrt{d - c^2 dx^2}} \\
&= \frac{x(a + b \sin^{-1}(cx))^2}{d\sqrt{d - c^2 dx^2}} - \frac{i\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{cd\sqrt{d - c^2 dx^2}} + \frac{2b\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \log(1 + e^{2i \sin^{-1}(cx)})}{cd\sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.501894, size = 165, normalized size = 0.85

$$\frac{-ib^2\sqrt{1 - c^2 x^2} \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right) + a\left(acx + b\sqrt{1 - c^2 x^2} \log(1 - c^2 x^2)\right) + 2b \sin^{-1}(cx) \left(acx + b\sqrt{1 - c^2 x^2} \log(1 + e^{2i \sin^{-1}(cx)})\right)}{cd\sqrt{d - c^2 dx^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(d - c^2\*d\*x^2)^(3/2), x]

[Out] (b^2\*(c\*x - I\*Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x]^2 + 2\*b\*ArcSin[c\*x]\*(a\*c\*x + b\*Sqrt[1 - c^2\*x^2]\*Log[1 + E^((2\*I)\*ArcSin[c\*x])]) + a\*(a\*c\*x + b\*Sqrt[1 - c^2\*x^2]\*Log[1 - c^2\*x^2]) - I\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c\*d\*Sqrt[d - c^2\*d\*x^2])

**Maple [B]** time = 0.119, size = 425, normalized size = 2.2

$$\frac{a^2 x}{d} \frac{1}{\sqrt{-c^2 dx^2 + d}} + \frac{ib^2 (\arcsin(cx))^2}{d^2 c (c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} \sqrt{-c^2 x^2 + 1} - \frac{b^2 (\arcsin(cx))^2 x}{d^2 (c^2 x^2 - 1)} \sqrt{-d(c^2 x^2 - 1)} - 2 \frac{b^2 \sqrt{-c^2 x^2 + 1}}{d}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(3/2),x)`

[Out] 
$$\begin{aligned} & a^2/d*x/(-c^2*d*x^2+d)^{(1/2)}+I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*arcsin(c*x)^2/c/d \\ & ^2/(c^2*x^2-1)*(-c^2*x^2+1)^{(1/2)}-b^2*(-d*(c^2*x^2-1))^{(1/2)}*arcsin(c*x)^2/ \\ & d^2/(c^2*x^2-1)*x-2*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/c/d^2/(c^ \\ & ^2*x^2-1)*arcsin(c*x)*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)+I*b^2*(-c^2*x^2+1)^ \\ & (1/2)*(-d*(c^2*x^2-1))^{(1/2)}/c/d^2/(c^2*x^2-1)*polylog(2,-(I*c*x+(-c^2*x^2+ \\ & 1)^{(1/2)})^2)+2*I*a*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/c/d^2/(c^2*x \\ & ^2-1)*arcsin(c*x)-2*a*b*(-d*(c^2*x^2-1))^{(1/2)}*arcsin(c*x)/d^2/(c^2*x^2-1)* \\ & x-2*a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/c/d^2/(c^2*x^2-1)*\ln(1+(I \\ & *c*x+(-c^2*x^2+1)^{(1/2)})^2) \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2+d}(b^2\arcsin(cx)^2+2ab\arcsin(cx)+a^2)}{c^4d^2x^4-2c^2d^2x^2+d^2},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] 
$$\text{integral}(\text{sqrt}(-c^2*d*x^2+d)*(b^2*arcsin(c*x)^2+2*a*b*arcsin(c*x)+a^2)/(c^4*d^2*x^4-2*c^2*d^2*x^2+d^2),x)$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asin}(cx))^2}{(-d(cx - 1)(cx + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2),x)

[Out] Integral((a + b\*asin(c\*x))\*\*2/(-d\*(c\*x - 1)\*(c\*x + 1))\*\*3/2, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)^2}{(-c^2 dx^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/(-c^2\*d\*x^2 + d)^(3/2), x)

$$3.250 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x(d-c^2 dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=467

$$\frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d\sqrt{d-c^2dx^2}} - \frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d\sqrt{d-c^2dx^2}} - \frac{2ib^2}{d\sqrt{d-c^2dx^2}}$$

```
[Out] (a + b*ArcSin[c*x])^2/(d*Sqrt[d - c^2*d*x^2]) + ((4*I)*b*Sqrt[1 - c^2*x^2]*
(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2]) - (2
*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2*ArcTanh[E^(I*ArcSin[c*x])])/(d*Sqr
t[d - c^2*d*x^2]) + ((2*I)*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyLog[
2, -E^(I*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2]) - ((2*I)*b^2*Sqrt[1 - c^2*x
^2]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2]) + ((2*I)*b^
2*Sqrt[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2]
) - ((2*I)*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, E^(I*ArcSin[c
*x])])/(d*Sqrt[d - c^2*d*x^2]) - (2*b^2*Sqrt[1 - c^2*x^2]*PolyLog[3, -E^(I*
ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2]) + (2*b^2*Sqrt[1 - c^2*x^2]*PolyLog[3
, E^(I*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2])
```

**Rubi [A]** time = 0.573021, antiderivative size = 467, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 11, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.379$ , Rules used = {4705, 4713, 4709, 4183, 2531, 2282, 6589, 4657, 4181, 2279, 2391}

$$\frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d\sqrt{d-c^2dx^2}} - \frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d\sqrt{d-c^2dx^2}} - \frac{2ib^2}{d\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])^2/(x*(d - c^2*d*x^2)^(3/2)), x]
```

```
[Out] (a + b*ArcSin[c*x])^2/(d*Sqrt[d - c^2*d*x^2]) + ((4*I)*b*Sqrt[1 - c^2*x^2]*
(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2]) - (2
*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2*ArcTanh[E^(I*ArcSin[c*x])])/(d*Sqr
t[d - c^2*d*x^2]) + ((2*I)*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyLog[
2, -E^(I*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2]) - ((2*I)*b^2*Sqrt[1 - c^2*x
^2]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2]) + ((2*I)*b^
2*Sqrt[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2]
) - ((2*I)*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, E^(I*ArcSin[c
```

$$\frac{*(x)]])/(d*\text{Sqrt}[d - c^2*d*x^2]) - (2*b^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[3, -E^{(I*\text{ArcSin}[c*x])}])/(d*\text{Sqrt}[d - c^2*d*x^2]) + (2*b^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[3, E^{(I*\text{ArcSin}[c*x])}])/(d*\text{Sqrt}[d - c^2*d*x^2])$$

### Rule 4705

$$\text{Int}[\left((a_{.}) + \text{ArcSin}[c_{.}*(x_{.})]*(b_{.})\right)^{(n_{.})}*((f_{.})*(x_{.}))^{(m_{.})}*((d_{.}) + (e_{.})*(x_{.})^2)^{(p_{.})}, x\_Symbol] \rightarrow -\text{Simp}[\left((f*x)^{(m+1)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n\right)/(2*d*f*(p+1)), x] + \text{Dist}[\left((m + 2*p + 3)/(2*d*(p+1))\right), \text{Int}[(f*x)^m*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n, x], x] + \text{Dist}[(b*c*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(2*f*(p+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m+1)}*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& !\text{GtQ}[m, 1] \&\& (\text{IntegerQ}[m] || \text{IntegerQ}[p] || \text{EqQ}[n, 1])$$

### Rule 4713

$$\text{Int}[\left((a_{.}) + \text{ArcSin}[c_{.}*(x_{.})]*(b_{.})\right)^{(n_{.})}*((f_{.})*(x_{.}))^{(m_{.})}/\text{Sqrt}[(d_{.}) + (e_{.})*(x_{.})^2], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[1 - c^2*x^2]/\text{Sqrt}[d + e*x^2], \text{Int}[(f*x)^m*(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& !\text{GtQ}[d, 0] \&\& (\text{IntegerQ}[m] || \text{EqQ}[n, 1])$$

### Rule 4709

$$\text{Int}[\left((a_{.}) + \text{ArcSin}[c_{.}*(x_{.})]*(b_{.})\right)^{(n_{.})}*(x_{.})^{(m_{.})}/\text{Sqrt}[(d_{.}) + (e_{.})*(x_{.})^2], x\_Symbol] \rightarrow \text{Dist}[1/(c^{(m+1)}*\text{Sqrt}[d]), \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sin}[x]^m, x], x, \text{ArcSin}[c*x]], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[d, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m]$$

### Rule 4183

$$\text{Int}[\text{csc}[(e_{.}) + (f_{.})*(x_{.})]*((c_{.}) + (d_{.})*(x_{.}))^{(m_{.})}, x\_Symbol] \rightarrow \text{Simp}[\left(-2*(c + d*x)^m*\text{ArcTanh}[E^{(I*(e + f*x))}]\right)/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 - E^{(I*(e + f*x))}], x], x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + E^{(I*(e + f*x))}], x], x]) /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0]$$

### Rule 2531

$$\text{Int}[\text{Log}[1 + (e_{.})*((F_{.})^{((c_{.})*((a_{.}) + (b_{.})*(x_{.})))})^{(n_{.})}]*((f_{.}) + (g_{.})*(x_{.}))^{(m_{.})}, x\_Symbol] \rightarrow -\text{Simp}[\left((f + g*x)^m*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x))})^n)\right)]/(b*c*n*\text{Log}[F]), x] + \text{Dist}[(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^{(m-1)}*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x))})^n)], x], x] /; \text{FreeQ}[\{F, a, b, c, e, f$$

, g, n}, x] && GtQ[m, 0]

### Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_)\*((a\_) + (b\_)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

### Rule 6589

Int[PolyLog[n\_, (c\_)\*((a\_) + (b\_)\*(x\_))^(p\_)]/((d\_) + (e\_)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rule 4657

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)/((d\_) + (e\_)\*(x\_)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4181

Int[csc[(e\_) + Pi\*(k\_) + (f\_)\*(x\_)]\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_)\*((F\_)^(e\_)\*((c\_) + (d\_)\*(x\_)))^(n\_)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_))^(n\_)]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x(d - c^2 dx^2)^{3/2}} dx &= \frac{(a + b \sin^{-1}(cx))^2}{d\sqrt{d - c^2 dx^2}} + \frac{\int \frac{(a + b \sin^{-1}(cx))^2}{x\sqrt{d - c^2 dx^2}} dx}{d} - \frac{(2bc\sqrt{1 - c^2 x^2}) \int \frac{a + b \sin^{-1}(cx)}{1 - c^2 x^2} dx}{d\sqrt{d - c^2 dx^2}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{d\sqrt{d - c^2 dx^2}} + \frac{\sqrt{1 - c^2 x^2} \int \frac{(a + b \sin^{-1}(cx))^2}{x\sqrt{1 - c^2 x^2}} dx}{d\sqrt{d - c^2 dx^2}} - \frac{(2b\sqrt{1 - c^2 x^2}) \text{Subst}(\int (a + bx) \sec(x) dx)}{d\sqrt{d - c^2 dx^2}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{d\sqrt{d - c^2 dx^2}} + \frac{4ib\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tan^{-1}(e^{i \sin^{-1}(cx)})}{d\sqrt{d - c^2 dx^2}} + \frac{\sqrt{1 - c^2 x^2} \text{Subst}(\int (a + bx) \sec(x) dx)}{d\sqrt{d - c^2 dx^2}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{d\sqrt{d - c^2 dx^2}} + \frac{4ib\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tan^{-1}(e^{i \sin^{-1}(cx)})}{d\sqrt{d - c^2 dx^2}} - \frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{d\sqrt{d - c^2 dx^2}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{d\sqrt{d - c^2 dx^2}} + \frac{4ib\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tan^{-1}(e^{i \sin^{-1}(cx)})}{d\sqrt{d - c^2 dx^2}} - \frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{d\sqrt{d - c^2 dx^2}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{d\sqrt{d - c^2 dx^2}} + \frac{4ib\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tan^{-1}(e^{i \sin^{-1}(cx)})}{d\sqrt{d - c^2 dx^2}} - \frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{d\sqrt{d - c^2 dx^2}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{d\sqrt{d - c^2 dx^2}} + \frac{4ib\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \tan^{-1}(e^{i \sin^{-1}(cx)})}{d\sqrt{d - c^2 dx^2}} - \frac{2\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{d\sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 1.94327, size = 667, normalized size = 1.43

$$\frac{2abd \left( i\sqrt{1 - c^2 x^2} \text{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) - i\sqrt{1 - c^2 x^2} \text{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) + \sqrt{1 - c^2 x^2} \sin^{-1}(cx) \log \left( 1 - e^{i \sin^{-1}(cx)} \right) \right)}{d\sqrt{d - c^2 dx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x\*(d - c^2\*d\*x^2)^(3/2)), x]

[Out] (a^2\*d + a^2\*Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]\*Log[c\*x] - a^2\*Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]\*Log[d + Sqrt[d]\*Sqrt[d - c^2\*d\*x^2]] + 2\*a\*b\*d\*(ArcSin[c\*x] + Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 - E^(I\*ArcSin[c\*x])] - Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 + E^(I\*ArcSin[c\*x])] + Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] - Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]] + I\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, -E^(I\*ArcSin[c\*x])] - I\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, E^(I\*ArcSin[c\*x])]) + b^2\*d\*(ArcSin[c\*x]^2 + Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]^2\*Log[1 - E^(I\*ArcSin[c\*x])] - 2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] + 2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c

```
*x]*Log[1 + I*E^(I*ArcSin[c*x])] - Sqrt[1 - c^2*x^2]*ArcSin[c*x]^2*Log[1 +
E^(I*ArcSin[c*x])] + (2*I)*Sqrt[1 - c^2*x^2]*ArcSin[c*x]*PolyLog[2, -E^(I*Ar
cSin[c*x])] - (2*I)*Sqrt[1 - c^2*x^2]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] +
(2*I)*Sqrt[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])] - (2*I)*Sqrt[1 - c
^2*x^2]*ArcSin[c*x]*PolyLog[2, E^(I*ArcSin[c*x])] - 2*Sqrt[1 - c^2*x^2]*Pol
yLog[3, -E^(I*ArcSin[c*x])] + 2*Sqrt[1 - c^2*x^2]*PolyLog[3, E^(I*ArcSin[c*
x])])]/(d^2*Sqrt[d - c^2*d*x^2])
```

**Maple [B]** time = 0.244, size = 1096, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/x/(-c^2*d*x^2+d)^(3/2), x)
```

```
[Out] a^2/d/(-c^2*d*x^2+d)^(1/2)-a^2/d^(3/2)*ln((2*d+2*d^(1/2)*(-c^2*d*x^2+d)^(1/
2))/x)-b^2*(-d*(c^2*x^2-1))^(1/2)/d^2/(c^2*x^2-1)*arcsin(c*x)^2+b^2*(-c^2*x
^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^2/(c^2*x^2-1)*arcsin(c*x)^2*ln(1+I*c*x
+(-c^2*x^2+1)^(1/2))-b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^2/(c^2
*x^2-1)*arcsin(c*x)^2*ln(1-I*c*x-(-c^2*x^2+1)^(1/2))-2*b^2*(-c^2*x^2+1)^(1/
2)*(-d*(c^2*x^2-1))^(1/2)/d^2/(c^2*x^2-1)*arcsin(c*x)*ln(1+I*(I*c*x+(-c^2*x
^2+1)^(1/2)))+2*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^2/(c^2*x^2-
1)*arcsin(c*x)*ln(1-I*(I*c*x+(-c^2*x^2+1)^(1/2)))+2*b^2*(-c^2*x^2+1)^(1/2)*
(-d*(c^2*x^2-1))^(1/2)/d^2/(c^2*x^2-1)*polylog(3,-I*c*x-(-c^2*x^2+1)^(1/2))
-2*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^2/(c^2*x^2-1)*polylog(3,
I*c*x+(-c^2*x^2+1)^(1/2))+2*I*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)
/d^2/(c^2*x^2-1)*arcsin(c*x)*polylog(2,I*c*x+(-c^2*x^2+1)^(1/2))+2*I*b^2*(-
c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^2/(c^2*x^2-1)*dilog(1+I*(I*c*x+(-
c^2*x^2+1)^(1/2)))-2*I*a*b*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^2/(c
^2*x^2-1)*dilog(1+I*c*x+(-c^2*x^2+1)^(1/2))-4*I*a*b*(-c^2*x^2+1)^(1/2)*(-d*
(c^2*x^2-1))^(1/2)/d^2/(c^2*x^2-1)*arctan(I*c*x+(-c^2*x^2+1)^(1/2))-2*a*b*(
-d*(c^2*x^2-1))^(1/2)/d^2/(c^2*x^2-1)*arcsin(c*x)-2*I*b^2*(-c^2*x^2+1)^(1/2)
)*(-d*(c^2*x^2-1))^(1/2)/d^2/(c^2*x^2-1)*dilog(1-I*(I*c*x+(-c^2*x^2+1)^(1/2)
))-2*I*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^2/(c^2*x^2-1)*arcsi
n(c*x)*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2))-2*I*a*b*(-c^2*x^2+1)^(1/2)*(-d*
(c^2*x^2-1))^(1/2)/d^2/(c^2*x^2-1)*dilog(I*c*x+(-c^2*x^2+1)^(1/2))+2*a*b*(-
c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^2/(c^2*x^2-1)*arcsin(c*x)*ln(1+I*
c*x+(-c^2*x^2+1)^(1/2))
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2+d}(b^2\arcsin(cx)^2+2ab\arcsin(cx)+a^2)}{c^4d^2x^5-2c^2d^2x^3+d^2x},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*d\*x^2+d)\*(b^2\*arcsin(c\*x)^2+2\*a\*b\*arcsin(c\*x)+a^2)/(c^4\*d^2\*x^5-2\*c^2\*d^2\*x^3+d^2\*x),x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a+b\operatorname{asin}(cx))^2}{x(-d(cx-1)(cx+1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))^2/x/(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2),x)

[Out] Integral((a + b\*asin(c\*x))^2/(x\*(-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b\arcsin(cx)+a)^2}{(-c^2dx^2+d)^{\frac{3}{2}}x} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/x/(-c^2*d*x^2+d)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2/((-c^2*d*x^2 + d)^(3/2)*x), x)
```

$$3.251 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^2(d-c^2dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=333

$$-\frac{ib^2c\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{d\sqrt{d-c^2dx^2}} - \frac{ib^2c\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{d\sqrt{d-c^2dx^2}} + \frac{2c^2x(a+b\sin^{-1}(cx))^2}{d\sqrt{d-c^2dx^2}} - \frac{2ic\sqrt{1-c^2x^2}}{d\sqrt{d-c^2dx^2}}$$

```
[Out] -((a + b*ArcSin[c*x])^2/(d*x*Sqrt[d - c^2*d*x^2])) + (2*c^2*x*(a + b*ArcSin[c*x])^2)/(d*Sqrt[d - c^2*d*x^2]) - ((2*I)*c*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2)/(d*Sqrt[d - c^2*d*x^2]) - (4*b*c*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*ArcTanh[E^((2*I)*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2]) + (4*b*c*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*Log[1 + E^((2*I)*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2]) - (I*b^2*c*Sqrt[1 - c^2*x^2]*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2]) - (I*b^2*c*Sqrt[1 - c^2*x^2]*PolyLog[2, E^((2*I)*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2])
```

**Rubi [A]** time = 0.437249, antiderivative size = 333, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 10, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.345$ , Rules used = {4701, 4653, 4675, 3719, 2190, 2279, 2391, 4679, 4419, 4183}

$$-\frac{ib^2c\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{d\sqrt{d-c^2dx^2}} - \frac{ib^2c\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{d\sqrt{d-c^2dx^2}} + \frac{2c^2x(a+b\sin^{-1}(cx))^2}{d\sqrt{d-c^2dx^2}} - \frac{2ic\sqrt{1-c^2x^2}}{d\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])^2/(x^2*(d - c^2*d*x^2)^(3/2)), x]
```

```
[Out] -((a + b*ArcSin[c*x])^2/(d*x*Sqrt[d - c^2*d*x^2])) + (2*c^2*x*(a + b*ArcSin[c*x])^2)/(d*Sqrt[d - c^2*d*x^2]) - ((2*I)*c*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2)/(d*Sqrt[d - c^2*d*x^2]) - (4*b*c*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*ArcTanh[E^((2*I)*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2]) + (4*b*c*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*Log[1 + E^((2*I)*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2]) - (I*b^2*c*Sqrt[1 - c^2*x^2]*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2]) - (I*b^2*c*Sqrt[1 - c^2*x^2]*PolyLog[2, E^((2*I)*ArcSin[c*x])])/(d*Sqrt[d - c^2*d*x^2])
```

**Rule 4701**

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)
)*(x_)^2)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b
*ArcSin[c*x])^n)/(d*f*(m + 1)), x] + (Dist[(c^2*(m + 2*p + 3))/(f^2*(m + 1)
), Int[(f*x)^(m + 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*
c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart
[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[m, -1] && IntegerQ[m]

```

### Rule 4653

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_)^2)^(3/2), x
_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(
b*c*n*Sqrt[1 - c^2*x^2])/(d*Sqrt[d + e*x^2]), Int[(x*(a + b*ArcSin[c*x])^(n
- 1))/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e,
0] && GtQ[n, 0]

```

### Rule 4675

```

Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_))/((d_.) + (e_.)*(x_)^2),
x_Symbol] := -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x]
], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]

```

### Rule 3719

```

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]

```

### Rule 2190

```

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

### Rule 2279

```

Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4679

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)/((x_)*((d_) + (e_.)*(x_)^2)), x_Symbol] := Dist[1/d, Subst[Int[(a + b*x)^n/(Cos[x]*Sin[x]), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 4419

```
Int[Csc[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Dist[2^n, Int[(c + d*x)^m*Csc[2*a + 2*b*x]^n, x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^2 (d - c^2 dx^2)^{3/2}} dx &= -\frac{(a + b \sin^{-1}(cx))^2}{dx \sqrt{d - c^2 dx^2}} + (2c^2) \int \frac{(a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx + \frac{(2bc\sqrt{1 - c^2 x^2}) \int \frac{a + b \sin^{-1}(cx)}{x(1 - c^2 x^2)} dx}{d \sqrt{d - c^2 dx^2}} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dx \sqrt{d - c^2 dx^2}} + \frac{2c^2 x (a + b \sin^{-1}(cx))^2}{d \sqrt{d - c^2 dx^2}} + \frac{(2bc\sqrt{1 - c^2 x^2}) \text{Subst} \left( \int (a + bx) \csc(x) dx \right)}{d \sqrt{d - c^2 dx^2}} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dx \sqrt{d - c^2 dx^2}} + \frac{2c^2 x (a + b \sin^{-1}(cx))^2}{d \sqrt{d - c^2 dx^2}} + \frac{(4bc\sqrt{1 - c^2 x^2}) \text{Subst} \left( \int (a + bx) \csc(2x) dx \right)}{d \sqrt{d - c^2 dx^2}} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dx \sqrt{d - c^2 dx^2}} + \frac{2c^2 x (a + b \sin^{-1}(cx))^2}{d \sqrt{d - c^2 dx^2}} - \frac{2ic\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{d \sqrt{d - c^2 dx^2}} - \frac{4bc\sqrt{1 - c^2 x^2}}{d \sqrt{d - c^2 dx^2}} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dx \sqrt{d - c^2 dx^2}} + \frac{2c^2 x (a + b \sin^{-1}(cx))^2}{d \sqrt{d - c^2 dx^2}} - \frac{2ic\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{d \sqrt{d - c^2 dx^2}} - \frac{4bc\sqrt{1 - c^2 x^2}}{d \sqrt{d - c^2 dx^2}} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dx \sqrt{d - c^2 dx^2}} + \frac{2c^2 x (a + b \sin^{-1}(cx))^2}{d \sqrt{d - c^2 dx^2}} - \frac{2ic\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{d \sqrt{d - c^2 dx^2}} - \frac{4bc\sqrt{1 - c^2 x^2}}{d \sqrt{d - c^2 dx^2}} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dx \sqrt{d - c^2 dx^2}} + \frac{2c^2 x (a + b \sin^{-1}(cx))^2}{d \sqrt{d - c^2 dx^2}} - \frac{2ic\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{d \sqrt{d - c^2 dx^2}} - \frac{4bc\sqrt{1 - c^2 x^2}}{d \sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.703594, size = 322, normalized size = 0.97

$$-ib^2 cx \sqrt{1 - c^2 x^2} \text{PolyLog} \left( 2, -e^{2i \sin^{-1}(cx)} \right) - ib^2 cx \sqrt{1 - c^2 x^2} \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + 2a^2 c^2 x^2 - a^2 + 2abcx \sqrt{1 - c^2 x^2} \ln \left( \frac{1 - \sqrt{1 - c^2 x^2}}{1 + \sqrt{1 - c^2 x^2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^2\*(d - c^2\*d\*x^2)^(3/2)),x]

[Out]  $(-a^2 + 2a^2 c^2 x^2 - 2a b \text{ArcSin}[c x] + 4a b c^2 x^2 \text{ArcSin}[c x] - b^2 \text{ArcSin}[c x]^2 + 2b^2 c^2 x^2 \text{ArcSin}[c x]^2 - (2I) b^2 c x \sqrt{1 - c^2 x^2} \text{ArcSin}[c x] \text{Log}[1 - E^{(2I) \text{ArcSin}[c x]}] + 2b^2 c x \sqrt{1 - c^2 x^2} \text{ArcSin}[c x] \text{Log}[1 + E^{(2I) \text{ArcSin}[c x]}] + 2a b c x \sqrt{1 - c^2 x^2} \text{Log}[c x] + a b c x \sqrt{1 - c^2 x^2} \text{Log}[1 - c^2 x^2] - I b^2 c x \sqrt{1 - c^2 x^2} \text{PolyLog}[2, -E^{(2I) \text{ArcSin}[c x]}] - I b^2 c x \sqrt{1 - c^2 x^2} \text{PolyLog}[2, E^{(2I) \text{ArcSin}[c x]}]) / (d x \sqrt{d - c^2 d x^2})$

---

**Maple [B]** time = 0.207, size = 807, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\arcsin(c*x))^2/x^2/(-c^2*d*x^2+d)^{(3/2)}, x)$

[Out] 
$$-a^2/d/x/(-c^2*d*x^2+d)^{(1/2)}+2*a^2*c^2/d*x/(-c^2*d*x^2+d)^{(1/2)}+2*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}*\arcsin(c*x)^2/(c^2*x^2-1)/d^2*(-c^2*x^2+1)^{(1/2)}*c-2*b^2*(-d*(c^2*x^2-1))^{(1/2)}*\arcsin(c*x)^2/(c^2*x^2-1)/d^2*x*c^2+b^2*(-d*(c^2*x^2-1))^{(1/2)}*\arcsin(c*x)^2/(c^2*x^2-1)/d^2/x-2*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-2*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c*\arcsin(c*x)*\ln(1+(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)-2*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c*\arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})+2*I*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c*\text{polylog}(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})+I*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c*\text{polylog}(2,-(I*c*x+(-c^2*x^2+1)^{(1/2)})^2)+2*I*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c*\text{polylog}(2,I*c*x+(-c^2*x^2+1)^{(1/2)})+4*I*a*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*\arcsin(c*x)*c-4*a*b*(-d*(c^2*x^2-1))^{(1/2)}*\arcsin(c*x)/(c^2*x^2-1)/d^2*x*c^2+2*a*b*(-d*(c^2*x^2-1))^{(1/2)}*\arcsin(c*x)/(c^2*x^2-1)/d^2/x-2*a*b*(-d*(c^2*x^2-1))^{(1/2)}*(-c^2*x^2+1)^{(1/2)}/(c^2*x^2-1)/d^2*\ln((I*c*x+(-c^2*x^2+1)^{(1/2)})^4-1)*c$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b*\arcsin(c*x))^2/x^2/(-c^2*d*x^2+d)^{(3/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2+d}(b^2\arcsin(cx)^2+2ab\arcsin(cx)+a^2)}{c^4d^2x^6-2c^2d^2x^4+d^2x^2},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^2/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*d\*x^2+d)\*(b^2\*arcsin(c\*x)^2+2\*a\*b\*arcsin(c\*x)+a^2)/(c^4\*d^2\*x^6-2\*c^2\*d^2\*x^4+d^2\*x^2),x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a+b\arcsin(cx))^2}{x^2(-d(cx-1)(cx+1))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2),x)

[Out] Integral((a + b\*asin(c\*x))\*\*2/(x\*\*2\*(-d\*(c\*x - 1)\*(c\*x + 1))\*\*(3/2)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b\arcsin(cx)+a)^2}{(-c^2dx^2+d)^{3/2}x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^2/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x)+a)^2/((-c^2\*d\*x^2+d)^(3/2)\*x^2),x)

$$3.252 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^3(d-c^2dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=634

$$\frac{3ibc^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d\sqrt{d-c^2dx^2}} - \frac{3ibc^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d\sqrt{d-c^2dx^2}} - 2i$$

[Out]  $-\left(\frac{b*c*\text{Sqrt}[1-c^2*x^2]*(a+b*\text{ArcSin}[c*x])}{d*x*\text{Sqrt}[d-c^2*d*x^2]}\right) + \left(\frac{3*c^2*(a+b*\text{ArcSin}[c*x])^2}{2*d*\text{Sqrt}[d-c^2*d*x^2]} - \frac{(a+b*\text{ArcSin}[c*x])^2}{2*d*x^2*\text{Sqrt}[d-c^2*d*x^2]} + \frac{(4*I)*b*c^2*\text{Sqrt}[1-c^2*x^2]*(a+b*\text{ArcSin}[c*x])*\text{ArcTan}[E^{(I*\text{ArcSin}[c*x])}]}{d*\text{Sqrt}[d-c^2*d*x^2]} - \frac{3*c^2*\text{Sqrt}[1-c^2*x^2]*(a+b*\text{ArcSin}[c*x])^2*\text{ArcTanh}[E^{(I*\text{ArcSin}[c*x])}]}{d*\text{Sqrt}[d-c^2*d*x^2]} - \frac{b^2*c^2*\text{Sqrt}[1-c^2*x^2]*\text{ArcTanh}[\text{Sqrt}[1-c^2*x^2]]}{d*\text{Sqrt}[d-c^2*d*x^2]} + \frac{(3*I)*b*c^2*\text{Sqrt}[1-c^2*x^2]*(a+b*\text{ArcSin}[c*x])*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}]}{d*\text{Sqrt}[d-c^2*d*x^2]} - \frac{(2*I)*b^2*c^2*\text{Sqrt}[1-c^2*x^2]*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[c*x])}]}{d*\text{Sqrt}[d-c^2*d*x^2]} + \frac{(2*I)*b^2*c^2*\text{Sqrt}[1-c^2*x^2]*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}]}{d*\text{Sqrt}[d-c^2*d*x^2]} - \frac{(3*I)*b*c^2*\text{Sqrt}[1-c^2*x^2]*(a+b*\text{ArcSin}[c*x])*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}]}{d*\text{Sqrt}[d-c^2*d*x^2]} - \frac{3*b^2*c^2*\text{Sqrt}[1-c^2*x^2]*\text{PolyLog}[3, -E^{(I*\text{ArcSin}[c*x])}]}{d*\text{Sqrt}[d-c^2*d*x^2]} + \frac{3*b^2*c^2*\text{Sqrt}[1-c^2*x^2]*\text{PolyLog}[3, E^{(I*\text{ArcSin}[c*x])}]}{d*\text{Sqrt}[d-c^2*d*x^2]}\right)$

**Rubi [A]** time = 0.927775, antiderivative size = 634, normalized size of antiderivative = 1., number of steps used = 27, number of rules used = 15, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.517$ , Rules used = {4701, 4705, 4713, 4709, 4183, 2531, 2282, 6589, 4657, 4181, 2279, 2391, 266, 63, 208}

$$\frac{3ibc^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d\sqrt{d-c^2dx^2}} - \frac{3ibc^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d\sqrt{d-c^2dx^2}} - 2i$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/(x^3\*(d - c^2\*d\*x^2)^(3/2)), x]

[Out]  $-\left(\frac{b*c*\text{Sqrt}[1-c^2*x^2]*(a+b*\text{ArcSin}[c*x])}{d*x*\text{Sqrt}[d-c^2*d*x^2]}\right) + \left(\frac{3*c^2*(a+b*\text{ArcSin}[c*x])^2}{2*d*\text{Sqrt}[d-c^2*d*x^2]} - \frac{(a+b*\text{ArcSin}[c*x])^2}{2*d*x^2*\text{Sqrt}[d-c^2*d*x^2]} + \frac{(4*I)*b*c^2*\text{Sqrt}[1-c^2*x^2]*(a+b*\text{ArcSin}[c*x])*\text{ArcTan}[E^{(I*\text{ArcSin}[c*x])}]}{d*\text{Sqrt}[d-c^2*d*x^2]} - \frac{3*c^2*\text{Sqrt}[1-c^2*x^2]*(a+b*\text{ArcSin}[c*x])^2*\text{ArcTanh}[E^{(I*\text{ArcSin}[c*x])}]}{d*\text{Sqrt}[d-c^2*d*x^2]} - \frac{b^2*c^2*\text{Sqrt}[1-c^2*x^2]*\text{ArcTanh}[\text{Sqrt}[1-c^2*x^2]]}{d*\text{Sqrt}[d-c^2*d*x^2]} + \frac{(3*I)*b*c^2*\text{Sqrt}[1-c^2*x^2]*(a+b*\text{ArcSin}[c*x])*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[c*x])}]}{d*\text{Sqrt}[d-c^2*d*x^2]} - \frac{(2*I)*b^2*c^2*\text{Sqrt}[1-c^2*x^2]*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[c*x])}]}{d*\text{Sqrt}[d-c^2*d*x^2]} + \frac{(2*I)*b^2*c^2*\text{Sqrt}[1-c^2*x^2]*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}]}{d*\text{Sqrt}[d-c^2*d*x^2]} - \frac{(3*I)*b*c^2*\text{Sqrt}[1-c^2*x^2]*(a+b*\text{ArcSin}[c*x])*\text{PolyLog}[2, E^{(I*\text{ArcSin}[c*x])}]}{d*\text{Sqrt}[d-c^2*d*x^2]} - \frac{3*b^2*c^2*\text{Sqrt}[1-c^2*x^2]*\text{PolyLog}[3, -E^{(I*\text{ArcSin}[c*x])}]}{d*\text{Sqrt}[d-c^2*d*x^2]} + \frac{3*b^2*c^2*\text{Sqrt}[1-c^2*x^2]*\text{PolyLog}[3, E^{(I*\text{ArcSin}[c*x])}]}{d*\text{Sqrt}[d-c^2*d*x^2]}\right)$



```

rt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2*ArcTanh[E^(I*ArcSin[c*x])]/(d*Sqrt[d
- c^2*d*x^2]) - (b^2*c^2*Sqrt[1 - c^2*x^2]*ArcTanh[Sqrt[1 - c^2*x^2]])/(d*
Sqrt[d - c^2*d*x^2]) + ((3*I)*b*c^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*P
olyLog[2, -E^(I*ArcSin[c*x])]/(d*Sqrt[d - c^2*d*x^2]) - ((2*I)*b^2*c^2*Sqr
t[1 - c^2*x^2]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])]/(d*Sqrt[d - c^2*d*x^2])
+ ((2*I)*b^2*c^2*Sqrt[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])]/(d*Sqrt
[d - c^2*d*x^2]) - ((3*I)*b*c^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyL
og[2, E^(I*ArcSin[c*x])]/(d*Sqrt[d - c^2*d*x^2]) - (3*b^2*c^2*Sqrt[1 - c^2
*x^2]*PolyLog[3, -E^(I*ArcSin[c*x])]/(d*Sqrt[d - c^2*d*x^2]) + (3*b^2*c^2*
Sqrt[1 - c^2*x^2]*PolyLog[3, E^(I*ArcSin[c*x])]/(d*Sqrt[d - c^2*d*x^2])

```

### Rule 4701

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_)*((f_.)*(x_.))^m_)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b
*ArcSin[c*x])^n)/(d*f*(m + 1)), x] + (Dist[(c^2*(m + 2*p + 3))/(f^2*(m + 1)
), Int[(f*x)^(m + 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*
c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart
[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[m, -1] && IntegerQ[m]

```

### Rule 4705

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_)*((f_.)*(x_.))^m_)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] := -Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a +
b*ArcSin[c*x])^n)/(2*d*f*(p + 1)), x] + (Dist[(m + 2*p + 3)/(2*d*(p + 1)),
Int[(f*x)^m*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*c*n
*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*f*(p + 1)*(1 - c^2*x^2)^FracPart[
p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1]
)

```

### Rule 4713

```

Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_)*((f_.)*(x_.))^m_)/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := Dist[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2], Int[[(
f*x)^m*(a + b*ArcSin[c*x])^n]/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c,
d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && !GtQ[d, 0] && (Integ
erQ[m] || EqQ[n, 1])

```

### Rule 4709

```

Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_)*(x_)^m_)/Sqrt[(d_) + (e_.)*

```

```
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
))))^n])/((b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2), x_Symbo
l] := Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol
] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
```

$x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)} * \text{Log}[1 + E^{(I*k*Pi)*E^{(I*(e + f*x))}]], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{IntegerQ}[2*k] \ \&\& \ \text{IGtQ}[m, 0]$

### Rule 2279

$\text{Int}[\text{Log}[(a_) + (b_)*((F_)^{((e_)*((c_) + (d_)*(x_)))})^{(n_)}], x\_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /; \text{FreeQ}[\{F, a, b, c, d, e, n\}, x] \ \&\& \ \text{GtQ}[a, 0]$

### Rule 2391

$\text{Int}[\text{Log}[(c_)*((d_) + (e_)*(x_)^{(n_)})]/(x_), x\_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}[\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c*d, 1]$

### Rule 266

$\text{Int}[(x_)^{(m_)*((a_) + (b_)*(x_)^{(n_)})^{(p_)}], x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 63

$\text{Int}[(a_ + (b_)*(x_))^{(m_)*((c_ + (d_)*(x_))^{(n_)}], x\_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n}, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

### Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}], x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^3 (d - c^2 dx^2)^{3/2}} dx &= -\frac{(a + b \sin^{-1}(cx))^2}{2dx^2 \sqrt{d - c^2 dx^2}} + \frac{1}{2} (3c^2) \int \frac{(a + b \sin^{-1}(cx))^2}{x (d - c^2 dx^2)^{3/2}} dx + \frac{(bc\sqrt{1 - c^2 x^2}) \int \frac{a + b \sin^{-1}(cx)}{x^2(1 - c^2 x^2)} dx}{d\sqrt{d - c^2 dx^2}} \\
&= -\frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{dx\sqrt{d - c^2 dx^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))^2}{2d\sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{2dx^2 \sqrt{d - c^2 dx^2}} + \frac{(3c^2) \int \frac{(a + b \sin^{-1}(cx))}{x\sqrt{d - c^2 dx^2}} dx}{2d} \\
&= -\frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{dx\sqrt{d - c^2 dx^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))^2}{2d\sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{2dx^2 \sqrt{d - c^2 dx^2}} + \frac{(3c^2 \sqrt{1 - c^2 x^2}) \int \frac{(a + b \sin^{-1}(cx))}{x\sqrt{d - c^2 dx^2}} dx}{2d} \\
&= -\frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{dx\sqrt{d - c^2 dx^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))^2}{2d\sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{2dx^2 \sqrt{d - c^2 dx^2}} + \frac{4ibc^2 \sqrt{1 - c^2 x^2}}{2d} \\
&= -\frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{dx\sqrt{d - c^2 dx^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))^2}{2d\sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{2dx^2 \sqrt{d - c^2 dx^2}} + \frac{4ibc^2 \sqrt{1 - c^2 x^2}}{2d} \\
&= -\frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{dx\sqrt{d - c^2 dx^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))^2}{2d\sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{2dx^2 \sqrt{d - c^2 dx^2}} + \frac{4ibc^2 \sqrt{1 - c^2 x^2}}{2d} \\
&= -\frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{dx\sqrt{d - c^2 dx^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))^2}{2d\sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{2dx^2 \sqrt{d - c^2 dx^2}} + \frac{4ibc^2 \sqrt{1 - c^2 x^2}}{2d} \\
&= -\frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{dx\sqrt{d - c^2 dx^2}} + \frac{3c^2 (a + b \sin^{-1}(cx))^2}{2d\sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{2dx^2 \sqrt{d - c^2 dx^2}} + \frac{4ibc^2 \sqrt{1 - c^2 x^2}}{2d}
\end{aligned}$$

**Mathematica [A]** time = 8.16105, size = 844, normalized size = 1.33

$$\frac{3a^2 \log(x)c^2}{2d^{3/2}} - \frac{3a^2 \log\left(d + \sqrt{-d(c^2 x^2 - 1)}\sqrt{d}\right)c^2}{2d^{3/2}} + \frac{b^2 \sqrt{1 - c^2 x^2} \left(-\csc^2\left(\frac{1}{2} \sin^{-1}(cx)\right) \sin^{-1}(cx)^2 + \sec^2\left(\frac{1}{2} \sin^{-1}(cx)\right) \sin^{-1}(cx)\right)}{2d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^3\*(d - c^2\*d\*x^2)^(3/2)),x]

[Out] Sqrt[-(d\*(-1 + c^2\*x^2))]\*(-a^2/(2\*d^2\*x^2) - (a^2\*c^2)/(d^2\*(-1 + c^2\*x^2))) + (3\*a^2\*c^2\*Log[x])/(2\*d^(3/2)) - (3\*a^2\*c^2\*Log[d + Sqrt[d]\*Sqrt[-(d\*(-1 + c^2\*x^2))]])/(2\*d^(3/2)) + (a\*b\*c\*((6\*I)\*PolyLog[2, -E^(I\*ArcSin[c\*x])])

$$\begin{aligned}
& ]*\sin[2*\arcsin[cx]] - (6*I)*\text{PolyLog}[2, E^{(I*\arcsin[cx])}]*\sin[2*\arcsin[cx]] \\
& ] - (-2*\arcsin[cx] + 6*\arcsin[cx]*\cos[2*\arcsin[cx]] + 3*\arcsin[cx]*\cos \\
& [3*\arcsin[cx]]*\log[1 - E^{(I*\arcsin[cx])}] - 3*\arcsin[cx]*\cos[3*\arcsin[cx] \\
& ]*\log[1 + E^{(I*\arcsin[cx])}] + 2*\cos[3*\arcsin[cx]]*\log[\cos[\arcsin[cx]/2] \\
& - \sin[\arcsin[cx]/2]] - 2*\cos[3*\arcsin[cx]]*\log[\cos[\arcsin[cx]/2] + \sin[ \\
& \arcsin[cx]/2]] + \sqrt{1 - c^2*x^2}*(-3*\arcsin[cx]*\log[1 - E^{(I*\arcsin[cx] \\
& ])] + 3*\arcsin[cx]*\log[1 + E^{(I*\arcsin[cx])}] - 2*\log[\cos[\arcsin[cx]/2] - \\
& \sin[\arcsin[cx]/2]] + 2*\log[\cos[\arcsin[cx]/2] + \sin[\arcsin[cx]/2]]) + 2* \\
& \sin[2*\arcsin[cx]]/(cx))/(4*d*x*\sqrt{d*(1 - c^2*x^2)}) + (b^2*c^2*\sqrt{1 \\
& - c^2*x^2}*(8*\arcsin[cx]^2 - 4*\arcsin[cx]*\cot[\arcsin[cx]/2] - \arcsin[cx] \\
& ^2*\csc[\arcsin[cx]/2]^2 + 8*\log[\tan[\arcsin[cx]/2]] - 16*(\arcsin[cx]*(\log \\
& [1 - I*E^{(I*\arcsin[cx])}] - \log[1 + I*E^{(I*\arcsin[cx])}]) + I*(\text{PolyLog}[2, \\
& (-I)*E^{(I*\arcsin[cx])}] - \text{PolyLog}[2, I*E^{(I*\arcsin[cx])}])) + 12*(\arcsin[cx] \\
& ^2*(\log[1 - E^{(I*\arcsin[cx])}] - \log[1 + E^{(I*\arcsin[cx])}]) + (2*I)*\arcsin \\
& [cx]*(\text{PolyLog}[2, -E^{(I*\arcsin[cx])}] - \text{PolyLog}[2, E^{(I*\arcsin[cx])}]) + \\
& 2*(-\text{PolyLog}[3, -E^{(I*\arcsin[cx])}] + \text{PolyLog}[3, E^{(I*\arcsin[cx])}])) + \arcsin \\
& [cx]^2*\sec[\arcsin[cx]/2]^2 + (8*\arcsin[cx]^2*\sin[\arcsin[cx]/2])/( \cos[ \\
& \arcsin[cx]/2] - \sin[\arcsin[cx]/2]) - (8*\arcsin[cx]^2*\sin[\arcsin[cx]/2]) \\
& /(\cos[\arcsin[cx]/2] + \sin[\arcsin[cx]/2]) - 4*\arcsin[cx]*\tan[\arcsin[cx]/ \\
& 2])/(8*d*\sqrt{d*(1 - c^2*x^2)})
\end{aligned}$$

**Maple [B]** time = 0.383, size = 1490, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int ((a+b*\arcsin(cx))^2/x^3/(-c^2*d*x^2+d)^{(3/2)}, x)$

[Out] 
$$\begin{aligned}
& -3/2*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^2/(c^2*x^2-1)*\arcsin(cx)^2*c^2+a*b*(-d*( \\
& c^2*x^2-1))^{(1/2)}/d^2/(c^2*x^2-1)/x*(-c^2*x^2+1)^{(1/2)}*c-3/2*b^2*(-c^2*x^2+ \\
& 1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c^2*\arcsin(cx)^2*\ln(1-I*c \\
& x-(-c^2*x^2+1)^{(1/2)})-2*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2* \\
& x^2-1)/d^2*c^2*\arcsin(cx)*\ln(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+2*b^2*(-c^2*x \\
& ^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c^2*\arcsin(cx)*\ln(1-I*( \\
& I*c*x+(-c^2*x^2+1)^{(1/2)}))+2*I*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2) \\
& )/(c^2*x^2-1)/d^2*c^2*\text{dilog}(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+b^2*(-d*(c^2*x^ \\
& 2-1))^{(1/2)}/d^2/(c^2*x^2-1)/x*\arcsin(cx)*(-c^2*x^2+1)^{(1/2)}*c+3/2*b^2*(-c^ \\
& 2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c^2*\arcsin(cx)^2*\ln( \\
& 1+I*c*x+(-c^2*x^2+1)^{(1/2)})-2*I*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/ \\
& 2)}/(c^2*x^2-1)/d^2*c^2*\text{dilog}(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+1/2*b^2*(-d*(c \\
& ^2*x^2-1))^{(1/2)}/d^2/(c^2*x^2-1)/x^2*\arcsin(cx)^2-3*I*a*b*(-c^2*x^2+1)^{(1/
\end{aligned}$$

$$\begin{aligned}
& 2)*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c^2*dilog(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-3*I*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c^2* \\
& \arcsin(c*x)*polylog(2,-I*c*x+(-c^2*x^2+1)^{(1/2)})+3*I*b^2*(-c^2*x^2+1)^{(1/2)} \\
& *(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c^2*\arcsin(c*x)*polylog(2,I*c*x+(-c^2*x^2+1)^{(1/2)})+3*a*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1) \\
& )/d^2*c^2*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-4*I*a*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c^2*\arctan(I*c*x+(-c^2*x^2+1)^{(1/2)})-3*I*a*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c^2 \\
& *dilog(I*c*x+(-c^2*x^2+1)^{(1/2)})-1/2*a^2/d/x^2/(-c^2*d*x^2+d)^{(1/2)}+3/2*a^2 \\
& *c^2/d/(-c^2*d*x^2+d)^{(1/2)}-3/2*a^2*c^2/d^{(3/2)}*\ln((2*d+2*d^{(1/2)}*(-c^2*d*x^2+d)^{(1/2)})/x)+b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d \\
& ^2*c^2*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})+3*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c^2*polylog(3,-I*c*x+(-c^2*x^2+1)^{(1/2)})-3*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c^2*polylog(3,I*c*x+(-c^2*x^2+1)^{(1/2)})-b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/(c^2*x^2-1)/d^2*c^2*\ln(I*c*x+(-c^2*x^2+1)^{(1/2)})-1-3*a*b*(-d*(c^2*x^2-1))^{(1/2)}/d^2/(c^2*x^2-1)*\arcsin(c*x)*c^2+a*b*(-d*(c^2*x^2-1))^{(1/2)}/d^2/(c^2*x^2-1)/x^2*\arcsin(c*x)
\end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^3/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2+d}(b^2\arcsin(cx)^2+2ab\arcsin(cx)+a^2)}{c^4d^2x^7-2c^2d^2x^5+d^2x^3},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^3/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="fricas")

[Out]  $\text{integral}(\sqrt{-c^2 d x^2 + d} (b^2 \arcsin(cx)^2 + 2 a b \arcsin(cx) + a^2) / (c^4 d^2 x^7 - 2 c^2 d^2 x^5 + d^2 x^3), x)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^2}{x^3 (-d(cx - 1)(cx + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))**2/x**3/(-c**2*d*x**2+d)**(3/2),x)`

[Out] `Integral((a + b*asin(c*x))**2/(x**3*(-d*(c*x - 1)*(c*x + 1))**(3/2)), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(-c^2 dx^2 + d)^{\frac{3}{2}} x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^2/x^3/(-c^2*d*x^2+d)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)^2/((-c^2*d*x^2 + d)^(3/2)*x^3), x)`

$$3.253 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^4(d-c^2dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=483

$$\frac{ib^2c^3\sqrt{1-c^2x^2}\text{PolyLog}\left(2,-e^{2i\sin^{-1}(cx)}\right)}{d\sqrt{d-c^2dx^2}} - \frac{5ib^2c^3\sqrt{1-c^2x^2}\text{PolyLog}\left(2,e^{2i\sin^{-1}(cx)}\right)}{3d\sqrt{d-c^2dx^2}} + \frac{8c^4x(a+b\sin^{-1}(cx))^2}{3d\sqrt{d-c^2dx^2}} - \frac{8ic^3\sqrt{1-c^2x^2}}{3d\sqrt{d-c^2dx^2}}$$

[Out]  $-(b^2c^2(1-c^2x^2))/(3dx\sqrt{d-c^2dx^2}) - (bc\sqrt{1-c^2x^2})(a+b\text{ArcSin}[cx])/(3d^2x^2\sqrt{d-c^2dx^2}) - (a+b\text{ArcSin}[cx])^2/(3d^3x^3\sqrt{d-c^2dx^2}) - (4c^2(a+b\text{ArcSin}[cx])^2)/(3d^2x\sqrt{d-c^2dx^2}) + (8c^4x(a+b\text{ArcSin}[cx])^2)/(3d\sqrt{d-c^2dx^2}) - (((8I)/3)c^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx])^2)/(d\sqrt{d-c^2dx^2}) - (20bc^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx])\text{ArcTanh}[E^{((2I)\text{ArcSin}[cx])}])/(3d\sqrt{d-c^2dx^2}) + (16bc^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx])\text{Log}[1+E^{((2I)\text{ArcSin}[cx])}])/(3d\sqrt{d-c^2dx^2}) - (Ib^2c^3\sqrt{1-c^2x^2}\text{PolyLog}[2,-E^{((2I)\text{ArcSin}[cx])}])/(d\sqrt{d-c^2dx^2}) - (((5I)/3)b^2c^3\sqrt{1-c^2x^2}\text{PolyLog}[2,E^{((2I)\text{ArcSin}[cx])}])/(d\sqrt{d-c^2dx^2})$

**Rubi [A]** time = 0.804111, antiderivative size = 483, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 11, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.379$ , Rules used = {4701, 4653, 4675, 3719, 2190, 2279, 2391, 4679, 4419, 4183, 264}

$$\frac{ib^2c^3\sqrt{1-c^2x^2}\text{PolyLog}\left(2,-e^{2i\sin^{-1}(cx)}\right)}{d\sqrt{d-c^2dx^2}} - \frac{5ib^2c^3\sqrt{1-c^2x^2}\text{PolyLog}\left(2,e^{2i\sin^{-1}(cx)}\right)}{3d\sqrt{d-c^2dx^2}} + \frac{8c^4x(a+b\sin^{-1}(cx))^2}{3d\sqrt{d-c^2dx^2}} - \frac{8ic^3\sqrt{1-c^2x^2}}{3d\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/(x^4\*(d - c^2\*d\*x^2)^(3/2)),x]

[Out]  $-(b^2c^2(1-c^2x^2))/(3dx\sqrt{d-c^2dx^2}) - (bc\sqrt{1-c^2x^2})(a+b\text{ArcSin}[cx])/(3d^2x^2\sqrt{d-c^2dx^2}) - (a+b\text{ArcSin}[cx])^2/(3d^3x^3\sqrt{d-c^2dx^2}) - (4c^2(a+b\text{ArcSin}[cx])^2)/(3d^2x\sqrt{d-c^2dx^2}) + (8c^4x(a+b\text{ArcSin}[cx])^2)/(3d\sqrt{d-c^2dx^2}) - (((8I)/3)c^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx])^2)/(d\sqrt{d-c^2dx^2}) - (20bc^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx])\text{ArcTanh}[E^{((2I)\text{ArcSin}[cx])}])/(3d\sqrt{d-c^2dx^2}) + (16bc^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx])\text{Log}[1+E^{((2I)\text{ArcSin}[cx])}])/(3d\sqrt{d-c^2dx^2})$



$$- (I*b^2*c^3*sqrt[1 - c^2*x^2]*PolyLog[2, -E^{((2*I)*ArcSin[c*x])}])/(d*sqrt[d - c^2*d*x^2]) - (((5*I)/3)*b^2*c^3*sqrt[1 - c^2*x^2]*PolyLog[2, E^{((2*I)*ArcSin[c*x])}])/(d*sqrt[d - c^2*d*x^2])$$
Rule 4701

$$\text{Int}[\left((a_{.}) + \text{ArcSin}[(c_{.})*(x_{.})]*(b_{.})\right)^{(n_{.})}*((f_{.})*(x_{.}))^{(m_{.})}*((d_{.}) + (e_{.})*(x_{.})^2)^{(p_{.})}, x\_Symbol] \rightarrow \text{Simp}[\left((f*x)^{(m+1)}*(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n\right)/(d*f*(m+1)), x] + (\text{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1)), \text{Int}[(f*x)^{(m+2)}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c^n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(f*(m+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m+1)}*(1 - c^2*x^2)^{(p+1/2)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[m]$$
Rule 4653

$$\text{Int}[\left((a_{.}) + \text{ArcSin}[(c_{.})*(x_{.})]*(b_{.})\right)^{(n_{.})}/((d_{.}) + (e_{.})*(x_{.})^2)^{(3/2)}, x\_Symbol] \rightarrow \text{Simp}[(x*(a + b*\text{ArcSin}[c*x])^n)/(d*sqrt[d + e*x^2]), x] - \text{Dist}[(b*c^n*sqrt[1 - c^2*x^2])/(d*sqrt[d + e*x^2]), \text{Int}[(x*(a + b*\text{ArcSin}[c*x])^{(n-1)})/(1 - c^2*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0]$$
Rule 4675

$$\text{Int}[\left((a_{.}) + \text{ArcSin}[(c_{.})*(x_{.})]*(b_{.})\right)^{(n_{.})}*(x_{.})/((d_{.}) + (e_{.})*(x_{.})^2), x\_Symbol] \rightarrow -\text{Dist}[e^{-1}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Tan}[x], x], x, \text{ArcSin}[c*x]], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[n, 0]$$
Rule 3719

$$\text{Int}[\left((c_{.}) + (d_{.})*(x_{.})\right)^{(m_{.})}*\text{tan}[(e_{.}) + (f_{.})*(x_{.})], x\_Symbol] \rightarrow \text{Simp}[(I*(c + d*x)^{(m+1)})/(d*(m+1)), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m*E^{(2*I*(e + f*x))}/(1 + E^{(2*I*(e + f*x))}), x], x] /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{IGtQ}[m, 0]$$
Rule 2190

$$\text{Int}[\left((F_{.})^{\left((g_{.})*((e_{.}) + (f_{.})*(x_{.}))\right)}\right)^{(n_{.})}*((c_{.}) + (d_{.})*(x_{.}))^{(m_{.})}/((a_{.}) + (b_{.})*((F_{.})^{\left((g_{.})*((e_{.}) + (f_{.})*(x_{.}))\right)}\right)^{(n_{.})}), x\_Symbol] \rightarrow \text{Simp}[\left((c + d*x)^m*\text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a]\right)/(b*f*g^n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g^n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \&\& \text{IGtQ}[m, 0]$$

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4679

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))^(n_)/((x_)*((d_) + (e_)*(x_)^2)),
x_Symbol] := Dist[1/d, Subst[Int[(a + b*x)^n/(Cos[x]*Sin[x]), x], x, ArcSin
[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 4419

```
Int[Csc[(a_) + (b_)*(x_)]^(n_)*((c_) + (d_)*(x_))^(m_)*Sec[(a_) + (b
_)*(x_)]^(n_), x_Symbol] := Dist[2^n, Int[(c + d*x)^m*Csc[2*a + 2*b*x]^n,
x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]
```

Rule 4183

```
Int[csc[(e_) + (f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 264

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^4 (d - c^2 dx^2)^{3/2}} dx &= -\frac{(a + b \sin^{-1}(cx))^2}{3dx^3 \sqrt{d - c^2 dx^2}} + \frac{1}{3} (4c^2) \int \frac{(a + b \sin^{-1}(cx))^2}{x^2 (d - c^2 dx^2)^{3/2}} dx + \frac{(2bc\sqrt{1 - c^2 x^2}) \int \frac{a + b \sin^{-1}(cx)}{x^3(1 - c^2 x^2)} dx}{3d\sqrt{d - c^2 dx^2}} \\
&= -\frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3dx^2 \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3 \sqrt{d - c^2 dx^2}} - \frac{4c^2 (a + b \sin^{-1}(cx))^2}{3dx \sqrt{d - c^2 dx^2}} + \frac{1}{3} (8c^4) \int \frac{(a + b \sin^{-1}(cx))^2}{x^2 (d - c^2 dx^2)^{3/2}} dx \\
&= -\frac{b^2 c^2 (1 - c^2 x^2)}{3dx \sqrt{d - c^2 dx^2}} - \frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3dx^2 \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3 \sqrt{d - c^2 dx^2}} - \frac{4c^2 (a + b \sin^{-1}(cx))^2}{3dx \sqrt{d - c^2 dx^2}} \\
&= -\frac{b^2 c^2 (1 - c^2 x^2)}{3dx \sqrt{d - c^2 dx^2}} - \frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3dx^2 \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3 \sqrt{d - c^2 dx^2}} - \frac{4c^2 (a + b \sin^{-1}(cx))^2}{3dx \sqrt{d - c^2 dx^2}} \\
&= -\frac{b^2 c^2 (1 - c^2 x^2)}{3dx \sqrt{d - c^2 dx^2}} - \frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3dx^2 \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3 \sqrt{d - c^2 dx^2}} - \frac{4c^2 (a + b \sin^{-1}(cx))^2}{3dx \sqrt{d - c^2 dx^2}} \\
&= -\frac{b^2 c^2 (1 - c^2 x^2)}{3dx \sqrt{d - c^2 dx^2}} - \frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3dx^2 \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3 \sqrt{d - c^2 dx^2}} - \frac{4c^2 (a + b \sin^{-1}(cx))^2}{3dx \sqrt{d - c^2 dx^2}} \\
&= -\frac{b^2 c^2 (1 - c^2 x^2)}{3dx \sqrt{d - c^2 dx^2}} - \frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3dx^2 \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3 \sqrt{d - c^2 dx^2}} - \frac{4c^2 (a + b \sin^{-1}(cx))^2}{3dx \sqrt{d - c^2 dx^2}} \\
&= -\frac{b^2 c^2 (1 - c^2 x^2)}{3dx \sqrt{d - c^2 dx^2}} - \frac{bc\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3dx^2 \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3 \sqrt{d - c^2 dx^2}} - \frac{4c^2 (a + b \sin^{-1}(cx))^2}{3dx \sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.852669, size = 462, normalized size = 0.96

$$-3ib^2c^3x^3\sqrt{1 - c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right) - 5ib^2c^3x^3\sqrt{1 - c^2x^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right) + 8a^2c^4x^4 - 4a^2c^2x^2 - a^2 - c^2$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^4\*(d - c^2\*d\*x^2)^(3/2)), x]

[Out] (-a^2 - 4\*a^2\*c^2\*x^2 - b^2\*c^2\*x^2 + 8\*a^2\*c^4\*x^4 + b^2\*c^4\*x^4 - a\*b\*c\*x\*Sqrt[1 - c^2\*x^2] - 2\*a\*b\*ArcSin[c\*x] - 8\*a\*b\*c^2\*x^2\*ArcSin[c\*x] + 16\*a\*b\*c^4\*x^4\*ArcSin[c\*x] - b^2\*c\*x\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] - b^2\*ArcSin[c\*x]^2 - 4\*b^2\*c^2\*x^2\*ArcSin[c\*x]^2 + 8\*b^2\*c^4\*x^4\*ArcSin[c\*x]^2 - (8\*I)\*b^2\*c^3\*x^3\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]^2 + 10\*b^2\*c^3\*x^3\*Sqrt[1 - c^2\*x^2]

$$2] * \text{ArcSin}[c*x] * \text{Log}[1 - E^{((2*I)*\text{ArcSin}[c*x])}] + 6*b^2*c^3*x^3*\text{Sqrt}[1 - c^2*x^2] * \text{ArcSin}[c*x] * \text{Log}[1 + E^{((2*I)*\text{ArcSin}[c*x])}] + 10*a*b*c^3*x^3*\text{Sqrt}[1 - c^2*x^2] * \text{Log}[c*x] + 3*a*b*c^3*x^3*\text{Sqrt}[1 - c^2*x^2] * \text{Log}[1 - c^2*x^2] - (3*I) * b^2*c^3*x^3*\text{Sqrt}[1 - c^2*x^2] * \text{PolyLog}[2, -E^{((2*I)*\text{ArcSin}[c*x])}] - (5*I) * b^2*c^3*x^3*\text{Sqrt}[1 - c^2*x^2] * \text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}]) / (3*d*x^3*\text{Sqrt}[d - c^2*d*x^2])$$

**Maple [B]** time = 0.372, size = 2845, normalized size = 5.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\arcsin(c*x))^2/x^4/(-c^2*d*x^2+d)^{(3/2)}, x)$

[Out] 
$$\begin{aligned} & -32/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2*x^3*\arcsin(c*x) * (-c^2*x^2+1)*c^6+64/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2*x^5*\arcsin(c*x) * (-c^2*x^2+1)*c^8-64/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/ \\ & (8*c^4*x^4-7*c^2*x^2-1)/d^2*x^2*\arcsin(c*x)^2*(-c^2*x^2+1)^{(1/2)}*c^5-8/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2*x*\arcsin(c*x) * (-c^2*x^2+1)*c^4+64/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2*x^5 * (-c^2*x^2+1)*c^8-32/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2*x^3 * (-c^2*x^2+1)*c^6-8/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2*x * (-c^2*x^2+1)*c^4-16/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2*\arcsin(c*x) * (-c^2*x^2+1)^{(1/2)}*c^3+32/3*I*a*b * (-c^2*x^2+1)^{(1/2)} * (-d*(c^2*x^2-1))^{(1/2)}/d^2/(c^2*x^2-1)*\arcsin(c*x)*c^3-1/3*a^2/d/x^3/(-c^2*d*x^2+d)^{(1/2)}+8/3*a*b*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2 * (-c^2*x^2+1)^{(1/2)}*c^3+2/3*a*b*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2/x^3*\arcsin(c*x)-8/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2*x^3 * (-c^2*x^2+1)*c^6+32/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2*x^5 * (-c^2*x^2+1)*c^8+8/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2*\arcsin(c*x) * (-c^2*x^2+1)^{(1/2)}*c^3+8*b^2*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2*x*\arcsin(c*x)^2*c^4+4*b^2*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2/x*\arcsin(c*x)^2*c^2-64/3*b^2 * (-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2*x^3*\arcsin(c*x)^2*c^6-1/3 * I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2 * (-c^2*x^2+1)^{(1/2)}*c^3-128/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2*x^2*\arcsin(c*x) * (-c^2*x^2+1)^{(1/2)}*c^5-4/3*a^2*c^2/d/x/(-c^2*d*x^2+d)^{(1/2)}+16*a*b * (-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2*x*\arcsin(c*x)*c^4+8*a*b * (-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2/x*\arcsin(c*x)*c^2+1/3 * a*b*(-d*(c^2*x^2-1))^{(1/2)}/(8*c^4*x^4-7*c^2*x^2-1)/d^2/x^2 * (-c^2*x^2+1)^{(1/2)}*c^2-2*a*b*(-d*(c^2*x^2-1))^{(1/2)} * (-c^2*x^2+1)^{(1/2)}/d^2/(c^2*x^2-1)*\ln(1+($$

$$\begin{aligned}
& I * c * x + (-c^2 * x^2 + 1)^{(1/2)}^2 * c^3 - 10/3 * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} * (-c^2 * x^2 + 1)^{(1/2)} / d^2 / (c^2 * x^2 - 1) * \ln((I * c * x + (-c^2 * x^2 + 1)^{(1/2)})^2 - 1) * c^3 + 64/3 * I * a * b * \\
& (-d * (c^2 * x^2 - 1))^{(1/2)} / (8 * c^4 * x^4 - 7 * c^2 * x^2 - 1) / d^2 * x^7 * c^{10} - 32 * I * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} / (8 * c^4 * x^4 - 7 * c^2 * x^2 - 1) / d^2 * x^5 * c^8 + 8 * I * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} / (8 * c^4 * x^4 - 7 * c^2 * x^2 - 1) / d^2 * x^3 * \arcsin(c * x) * c^6 - 8/3 * I * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} / (8 * c^4 * x^4 - 7 * c^2 * x^2 - 1) / d^2 * x^2 * (-c^2 * x^2 + 1)^{(1/2)} * c^5 + 8/3 * I * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} / (8 * c^4 * x^4 - 7 * c^2 * x^2 - 1) / d^2 * x * \arcsin(c * x) * c^4 + 16/3 * I * b^2 * (-c^2 * x^2 + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} / d^2 / (c^2 * x^2 - 1) * c^3 * \arcsin(c * x)^2 + 10/3 * I * b^2 * (-c^2 * x^2 + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} / d^2 / (c^2 * x^2 - 1) * c^3 * \operatorname{polylog}(2, -I * c * x - (-c^2 * x^2 + 1)^{(1/2)}) + 10/3 * I * b^2 * (-c^2 * x^2 + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} / d^2 / (c^2 * x^2 - 1) * c^3 * \operatorname{polylog}(2, I * c * x + (-c^2 * x^2 + 1)^{(1/2)}) - 32 * I * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} / (8 * c^4 * x^4 - 7 * c^2 * x^2 - 1) / d^2 * x^5 * \arcsin(c * x) * c^8 - 8/3 * I * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} / (8 * c^4 * x^4 - 7 * c^2 * x^2 - 1) / d^2 * \arcsin(c * x)^2 * (-c^2 * x^2 + 1)^{(1/2)} * c^3 + 64/3 * I * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} / (8 * c^4 * x^4 - 7 * c^2 * x^2 - 1) / d^2 * x^7 * \arcsin(c * x) * c^{10} + 1/3 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} / (8 * c^4 * x^4 - 7 * c^2 * x^2 - 1) / d^2 / x^2 * \arcsin(c * x) * (-c^2 * x^2 + 1)^{(1/2)} * c + I * b^2 * (-c^2 * x^2 + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} / d^2 / (c^2 * x^2 - 1) * c^3 * \operatorname{polylog}(2, -(I * c * x + (-c^2 * x^2 + 1)^{(1/2)})^2) + 8 * I * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} / (8 * c^4 * x^4 - 7 * c^2 * x^2 - 1) / d^2 * x^3 * c^6 + 8/3 * I * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} / (8 * c^4 * x^4 - 7 * c^2 * x^2 - 1) / d^2 * x * c^4 - 128/3 * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} / (8 * c^4 * x^4 - 7 * c^2 * x^2 - 1) / d^2 * x^3 * \arcsin(c * x) * c^6 - 2 * b^2 * (-c^2 * x^2 + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} / d^2 / (c^2 * x^2 - 1) * c^3 * \arcsin(c * x) * \ln(1 + (I * c * x + (-c^2 * x^2 + 1)^{(1/2)})^2) - 10/3 * b^2 * (-c^2 * x^2 + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} / d^2 / (c^2 * x^2 - 1) * c^3 * \arcsin(c * x) * \ln(1 - I * c * x - (-c^2 * x^2 + 1)^{(1/2)}) - 10/3 * b^2 * (-c^2 * x^2 + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} / d^2 / (c^2 * x^2 - 1) * c^3 * \arcsin(c * x) * \ln(1 + I * c * x + (-c^2 * x^2 + 1)^{(1/2)}) - 40/3 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} / (8 * c^4 * x^4 - 7 * c^2 * x^2 - 1) / d^2 * x^5 * c^8 + 7/3 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} / (8 * c^4 * x^4 - 7 * c^2 * x^2 - 1) / d^2 * x * c^4 + 1/3 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} / (8 * c^4 * x^4 - 7 * c^2 * x^2 - 1) / d^2 / x^3 * \arcsin(c * x)^2 + 32/3 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} / (8 * c^4 * x^4 - 7 * c^2 * x^2 - 1) / d^2 * x^7 * c^{10} + 8/3 * a^2 * c^4 / d * x / (-c^2 * d * x^2 + d)^{(1/2)}
\end{aligned}$$


---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2dx^2 + d}(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)}{c^4d^2x^8 - 2c^2d^2x^6 + d^2x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*d\*x^2 + d)\*(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/(c^4\*d^2\*x^8 - 2\*c^2\*d^2\*x^6 + d^2\*x^4), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x\*\*4/(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(-c^2dx^2 + d)^{\frac{3}{2}}x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/((-c^2\*d\*x^2 + d)^(3/2)\*x^4), x)

$$3.254 \quad \int \frac{x^5 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=546

$$\frac{11ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right)}{3c^6d^2\sqrt{d-c^2dx^2}} - \frac{11ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right)}{3c^6d^2\sqrt{d-c^2dx^2}} + \frac{16abx\sqrt{1-c^2x^2}}{3c^5d^2\sqrt{d-c^2dx^2}} - \frac{bx^3(a+b\sin^{-1}(cx))}{3c^3d^2\sqrt{1-c^2x^2}}$$

```
[Out] b^2/(3*c^6*d^2*Sqrt[d - c^2*d*x^2]) + (16*a*b*x*Sqrt[1 - c^2*x^2])/(3*c^5*d^2*Sqrt[d - c^2*d*x^2]) + (2*b^2*(1 - c^2*x^2))/(c^6*d^2*Sqrt[d - c^2*d*x^2]) + (16*b^2*x*Sqrt[1 - c^2*x^2]*ArcSin[c*x])/(3*c^5*d^2*Sqrt[d - c^2*d*x^2]) - (b*x^3*(a + b*ArcSin[c*x]))/(3*c^3*d^2*Sqrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) - (11*b*x*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(3*c^5*d^2*Sqrt[d - c^2*d*x^2]) + (x^4*(a + b*ArcSin[c*x])^2)/(3*c^2*d*(d - c^2*d*x^2)^(3/2)) - (4*x^2*(a + b*ArcSin[c*x])^2)/(3*c^4*d^2*Sqrt[d - c^2*d*x^2]) - (8*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/(3*c^6*d^3) - (((22*I)/3)*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c^6*d^2*Sqrt[d - c^2*d*x^2]) + (((11*I)/3)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c^6*d^2*Sqrt[d - c^2*d*x^2]) - (((11*I)/3)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c^6*d^2*Sqrt[d - c^2*d*x^2])
```

**Rubi [A]** time = 0.864716, antiderivative size = 546, normalized size of antiderivative = 1., number of steps used = 26, number of rules used = 11, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.379$ , Rules used = {4703, 4677, 4619, 261, 4715, 4657, 4181, 2279, 2391, 266, 43}

$$\frac{11ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right)}{3c^6d^2\sqrt{d-c^2dx^2}} - \frac{11ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right)}{3c^6d^2\sqrt{d-c^2dx^2}} + \frac{16abx\sqrt{1-c^2x^2}}{3c^5d^2\sqrt{d-c^2dx^2}} - \frac{bx^3(a+b\sin^{-1}(cx))}{3c^3d^2\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

```
[In] Int[(x^5*(a + b*ArcSin[c*x])^2)/(d - c^2*d*x^2)^(5/2), x]
```

```
[Out] b^2/(3*c^6*d^2*Sqrt[d - c^2*d*x^2]) + (16*a*b*x*Sqrt[1 - c^2*x^2])/(3*c^5*d^2*Sqrt[d - c^2*d*x^2]) + (2*b^2*(1 - c^2*x^2))/(c^6*d^2*Sqrt[d - c^2*d*x^2]) + (16*b^2*x*Sqrt[1 - c^2*x^2]*ArcSin[c*x])/(3*c^5*d^2*Sqrt[d - c^2*d*x^2]) - (b*x^3*(a + b*ArcSin[c*x]))/(3*c^3*d^2*Sqrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) - (11*b*x*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(3*c^5*d^2*Sqrt[d - c^2*d*x^2]) + (x^4*(a + b*ArcSin[c*x])^2)/(3*c^2*d*(d - c^2*d*x^2)^(3/2))
```

$$- (4*x^2*(a + b*ArcSin[c*x])^2)/(3*c^4*d^2*Sqrt[d - c^2*d*x^2]) - (8*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/(3*c^6*d^3) - (((22*I)/3)*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c^6*d^2*Sqrt[d - c^2*d*x^2]) + (((11*I)/3)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c^6*d^2*Sqrt[d - c^2*d*x^2]) - (((11*I)/3)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c^6*d^2*Sqrt[d - c^2*d*x^2])$$

### Rule 4703

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)*(x_)^2)^(p_), x_Symbol] :> Simp[(f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + (-Dist[(f^2*(m - 1))/(2*e*(p + 1)), Int[(f*x)^(m - 2)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*f*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && GtQ[m, 1]
```

### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.), x_Symbol] :> Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

### Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

### Rule 4715

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.)*(x_)^2)^(p_), x_Symbol] :> Simp[(f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(e*(m + 2*p + 1)), x] + (Dist[(f^2*(m - 1))/(c^2*(m + 2*p + 1)), Int[(f*x)^(m - 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] + Di
```



```
st[(b*f*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(c*(m + 2*p + 1)*(1 - c^2*x
^2)^FracPart[p]), Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c
*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e,
0] && GtQ[n, 0] && GtQ[m, 1] && NeQ[m + 2*p + 1, 0] && IntegerQ[m]
```

### Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)/((d_.) + (e_.)*(x_)^2), x_Symbol
] :=> Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol
] :=> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:=> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :=> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^ (p_), x_Symbol] :=> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :=> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^5 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}} dx &= \frac{x^4 (a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{4 \int \frac{x^3 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx}{3c^2 d} - \frac{(2b\sqrt{1 - c^2 x^2}) \int \frac{x^4 (a + b \sin^{-1}(cx))}{(1 - c^2 x^2)^2} dx}{3cd^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{bx^3 (a + b \sin^{-1}(cx))}{3c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^4 (a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{4x^2 (a + b \sin^{-1}(cx))^2}{3c^4 d^2 \sqrt{d - c^2 dx^2}} + \frac{8 \int \frac{x(a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx}{3c^4} \\
&= -\frac{bx^3 (a + b \sin^{-1}(cx))}{3c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{11bx\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3c^5 d^2 \sqrt{d - c^2 dx^2}} + \frac{x^4 (a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{4x^2 (a + b \sin^{-1}(cx))^2}{3c^4 d^2 \sqrt{d - c^2 dx^2}} \\
&= \frac{16abx\sqrt{1 - c^2 x^2}}{3c^5 d^2 \sqrt{d - c^2 dx^2}} - \frac{11b^2 (1 - c^2 x^2)}{3c^6 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx^3 (a + b \sin^{-1}(cx))}{3c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{11bx\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3c^5 d^2 \sqrt{d - c^2 dx^2}} \\
&= \frac{b^2}{3c^6 d^2 \sqrt{d - c^2 dx^2}} + \frac{16abx\sqrt{1 - c^2 x^2}}{3c^5 d^2 \sqrt{d - c^2 dx^2}} - \frac{10b^2 (1 - c^2 x^2)}{3c^6 d^2 \sqrt{d - c^2 dx^2}} + \frac{16b^2 x \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{3c^5 d^2 \sqrt{d - c^2 dx^2}} - \frac{4x^2 (a + b \sin^{-1}(cx))^2}{3c^4 d^2 \sqrt{d - c^2 dx^2}} \\
&= \frac{b^2}{3c^6 d^2 \sqrt{d - c^2 dx^2}} + \frac{16abx\sqrt{1 - c^2 x^2}}{3c^5 d^2 \sqrt{d - c^2 dx^2}} + \frac{2b^2 (1 - c^2 x^2)}{c^6 d^2 \sqrt{d - c^2 dx^2}} + \frac{16b^2 x \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{3c^5 d^2 \sqrt{d - c^2 dx^2}} - \frac{4x^2 (a + b \sin^{-1}(cx))^2}{3c^4 d^2 \sqrt{d - c^2 dx^2}} \\
&= \frac{b^2}{3c^6 d^2 \sqrt{d - c^2 dx^2}} + \frac{16abx\sqrt{1 - c^2 x^2}}{3c^5 d^2 \sqrt{d - c^2 dx^2}} + \frac{2b^2 (1 - c^2 x^2)}{c^6 d^2 \sqrt{d - c^2 dx^2}} + \frac{16b^2 x \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{3c^5 d^2 \sqrt{d - c^2 dx^2}} - \frac{4x^2 (a + b \sin^{-1}(cx))^2}{3c^4 d^2 \sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 1.54207, size = 594, normalized size = 1.09

$$\frac{\sqrt{d - c^2 dx^2} \left( 88ib^2 (1 - c^2 x^2)^{3/2} \text{PolyLog} \left( 2, -ie^{i \sin^{-1}(cx)} \right) - 88ib^2 (1 - c^2 x^2)^{3/2} \text{PolyLog} \left( 2, ie^{i \sin^{-1}(cx)} \right) - 24a^2 c^4 x^4 + 96a^2 c^4 x^4 \right)}{3c^6 d^2 \sqrt{d - c^2 dx^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^5\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(5/2),x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(-64\*a^2 + 22\*b^2 + 96\*a^2\*c^2\*x^2 - 24\*a^2\*c^4\*x^4 - 50\*a\*b\*ArcSin[c\*x] - 25\*b^2\*ArcSin[c\*x]^2 + 28\*b^2\*Cos[2\*ArcSin[c\*x]] - 72\*a\*b\*ArcSin[c\*x]\*Cos[2\*ArcSin[c\*x]] - 36\*b^2\*ArcSin[c\*x]^2\*Cos[2\*ArcSin[c\*x]] + 6\*b^2\*Cos[4\*ArcSin[c\*x]] - 6\*a\*b\*ArcSin[c\*x]\*Cos[4\*ArcSin[c\*x]] - 3\*b^2

```

*ArcSin[c*x]^2*Cos[4*ArcSin[c*x]] + 66*b^2*Sqrt[1 - c^2*x^2]*ArcSin[c*x]*Lo
g[1 - I*E^(I*ArcSin[c*x])] + 22*b^2*ArcSin[c*x]*Cos[3*ArcSin[c*x]]*Log[1 -
I*E^(I*ArcSin[c*x])] - 66*b^2*Sqrt[1 - c^2*x^2]*ArcSin[c*x]*Log[1 + I*E^(I*
ArcSin[c*x])] - 22*b^2*ArcSin[c*x]*Cos[3*ArcSin[c*x]]*Log[1 + I*E^(I*ArcSin
[c*x])] - 66*a*b*Sqrt[1 - c^2*x^2]*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]
/2]] - 22*a*b*Cos[3*ArcSin[c*x]]*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2
]] + 66*a*b*Sqrt[1 - c^2*x^2]*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]]
+ 22*a*b*Cos[3*ArcSin[c*x]]*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]] +
(88*I)*b^2*(1 - c^2*x^2)^(3/2)*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] - (88*I)*
b^2*(1 - c^2*x^2)^(3/2)*PolyLog[2, I*E^(I*ArcSin[c*x])] + 8*a*b*Sin[2*ArcSi
n[c*x]] + 8*b^2*ArcSin[c*x]*Sin[2*ArcSin[c*x]] + 6*a*b*Sin[4*ArcSin[c*x]] +
6*b^2*ArcSin[c*x]*Sin[4*ArcSin[c*x]])/(24*c^6*d^3*(-1 + c^2*x^2)^2)

```

**Maple [B]** time = 0.523, size = 1201, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^5*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(5/2), x)
```

```

[Out] -10/3*a*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)^2/c^6*arcsin(c*x)-2*a*b*(-
d*(c^2*x^2-1))^(1/2)/c^5/d^3/(c^2*x^2-1)*(-c^2*x^2+1)^(1/2)*x-2*a*b*(-d*(c^
2*x^2-1))^(1/2)/c^4/d^3/(c^2*x^2-1)*arcsin(c*x)*x^2+4*a*b*(-d*(c^2*x^2-1))^(
1/2)/d^3/(c^2*x^2-1)^2/c^4*arcsin(c*x)*x^2-1/3*a*b*(-d*(c^2*x^2-1))^(1/2)/
d^3/(c^2*x^2-1)^2/c^5*(-c^2*x^2+1)^(1/2)*x-11/3*a*b*(-c^2*x^2+1)^(1/2)*(-d*
(c^2*x^2-1))^(1/2)/c^6/d^3/(c^2*x^2-1)*ln(I*c*x+(-c^2*x^2+1)^(1/2)+I)+11/3*
a*b*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/c^6/d^3/(c^2*x^2-1)*ln(I*c*x+
(-c^2*x^2+1)^(1/2)-I)-2*b^2*(-d*(c^2*x^2-1))^(1/2)/c^6/d^3/(c^2*x^2-1)+11/3
*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/c^6/d^3/(c^2*x^2-1)*arcsin(c
*x)*ln(1+I*(I*c*x+(-c^2*x^2+1)^(1/2)))-11/3*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2
*x^2-1))^(1/2)/c^6/d^3/(c^2*x^2-1)*arcsin(c*x)*ln(1-I*(I*c*x+(-c^2*x^2+1)^(
1/2)))-11/3*I*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/c^6/d^3/(c^2*x^
2-1)*dilog(1+I*(I*c*x+(-c^2*x^2+1)^(1/2)))+11/3*I*b^2*(-c^2*x^2+1)^(1/2)*(-
d*(c^2*x^2-1))^(1/2)/c^6/d^3/(c^2*x^2-1)*dilog(1-I*(I*c*x+(-c^2*x^2+1)^(1/2
))) -2*b^2*(-d*(c^2*x^2-1))^(1/2)/c^5/d^3/(c^2*x^2-1)*arcsin(c*x)*(-c^2*x^2+
1)^(1/2)*x-1/3*b^2*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)^2/c^5*arcsin(c*x)
*(-c^2*x^2+1)^(1/2)*x+2*b^2*(-d*(c^2*x^2-1))^(1/2)/c^4/d^3/(c^2*x^2-1)*x^2+
b^2*(-d*(c^2*x^2-1))^(1/2)/c^6/d^3/(c^2*x^2-1)*arcsin(c*x)^2-1/3*b^2*(-d*(c
^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)^2/c^4*x^2-5/3*b^2*(-d*(c^2*x^2-1))^(1/2)/d
^3/(c^2*x^2-1)^2/c^6*arcsin(c*x)^2-8/3*a^2/c^6/d/(-c^2*d*x^2+d)^(3/2)+1/3*b
^2*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)^2/c^6-a^2*x^4/c^2/d/(-c^2*d*x^2+d

```

$$\begin{aligned} &)^{(3/2)} + 4a^2/c^4x^2/d/(-c^2dx^2+d)^{(3/2)} + 2b^2*(-d*(c^2x^2-1))^{(1/2)}/d \\ &^{3/(c^2x^2-1)^2/c^4\arcsin(cx)^2x^2-b^2*(-d*(c^2x^2-1))^{(1/2)}/c^4/d^3/( \\ &c^2x^2-1)*\arcsin(cx)^2x^2+2*ab*(-d*(c^2x^2-1))^{(1/2)}/c^6/d^3/(c^2x^2- \\ &1)*\arcsin(cx) \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2x^5\arcsin(cx)^2 + 2abx^5\arcsin(cx) + a^2x^5)\sqrt{-c^2dx^2 + d}}{c^6d^3x^6 - 3c^4d^3x^4 + 3c^2d^3x^2 - d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(5/2),x, algorithm="fricas")
```

```
[Out] integral(-(b^2*x^5*arcsin(c*x)^2 + 2*a*b*x^5*arcsin(c*x) + a^2*x^5)*sqrt(-c^2*d*x^2 + d)/(c^6*d^3*x^6 - 3*c^4*d^3*x^4 + 3*c^2*d^3*x^2 - d^3), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5*(a+b*asin(c*x))**2/(-c**2*d*x**2+d)**(5/2),x)
```

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^5}{(-c^2 dx^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2\*x^5/(-c^2\*d\*x^2 + d)^(5/2), x)

$$3.255 \quad \int \frac{x^4 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=421

$$\frac{4ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{3c^5d^2\sqrt{d-c^2dx^2}} - \frac{bx^2(a+b\sin^{-1}(cx))}{3c^3d^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} - \frac{x(a+b\sin^{-1}(cx))^2}{c^4d^2\sqrt{d-c^2dx^2}} + \frac{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{3bc^5d^2\sqrt{d-c^2dx^2}}$$

[Out] (b^2\*x)/(3\*c^4\*d^2\*Sqrt[d - c^2\*d\*x^2]) - (b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/ (3\*c^5\*d^2\*Sqrt[d - c^2\*d\*x^2]) - (b\*x^2\*(a + b\*ArcSin[c\*x]))/(3\*c^3\*d^2\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2]) + (x^3\*(a + b\*ArcSin[c\*x])^2)/(3\*c^2\*d\*(d - c^2\*d\*x^2)^(3/2)) - (x\*(a + b\*ArcSin[c\*x])^2)/(c^4\*d^2\*Sqrt[d - c^2\*d\*x^2]) + (((4\*I)/3)\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(c^5\*d^2\*Sqrt[d - c^2\*d\*x^2]) + (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c^5\*d^2\*Sqrt[d - c^2\*d\*x^2]) - (8\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(3\*c^5\*d^2\*Sqrt[d - c^2\*d\*x^2]) + (((4\*I)/3)\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c^5\*d^2\*Sqrt[d - c^2\*d\*x^2])

**Rubi [A]** time = 0.725995, antiderivative size = 421, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 10, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.345$ , Rules used = {4703, 4643, 4641, 4675, 3719, 2190, 2279, 2391, 288, 216}

$$\frac{4ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{3c^5d^2\sqrt{d-c^2dx^2}} - \frac{bx^2(a+b\sin^{-1}(cx))}{3c^3d^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} - \frac{x(a+b\sin^{-1}(cx))^2}{c^4d^2\sqrt{d-c^2dx^2}} + \frac{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{3bc^5d^2\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(5/2), x]

[Out] (b^2\*x)/(3\*c^4\*d^2\*Sqrt[d - c^2\*d\*x^2]) - (b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/ (3\*c^5\*d^2\*Sqrt[d - c^2\*d\*x^2]) - (b\*x^2\*(a + b\*ArcSin[c\*x]))/(3\*c^3\*d^2\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2]) + (x^3\*(a + b\*ArcSin[c\*x])^2)/(3\*c^2\*d\*(d - c^2\*d\*x^2)^(3/2)) - (x\*(a + b\*ArcSin[c\*x])^2)/(c^4\*d^2\*Sqrt[d - c^2\*d\*x^2]) + (((4\*I)/3)\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(c^5\*d^2\*Sqrt[d - c^2\*d\*x^2]) + (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c^5\*d^2\*Sqrt[d - c^2\*d\*x^2]) - (8\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(3\*c^5\*d^2\*Sqrt[d - c^2\*d\*x^2]) + (((4\*I)/3)\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c^5\*d^2\*Sqrt[d - c^2\*d\*x^2])

rt[1 - c^2\*x^2]\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])]/(c^5\*d^2\*Sqrt[d - c^2\*d\*x^2])

### Rule 4703

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + (-Dist[(f^2\*(m - 1))/(2\*e\*(p + 1)), Int[(f\*x)^(m - 2)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*f\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && GtQ[m, 1]

### Rule 4643

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 4675

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)/((d\_) + (e\_.)\*(x\_)^2), x\_Symbol] :> -Dist[e^(-1), Subst[Int[(a + b\*x)^n\*Tan[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 3719

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] :> Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Di

```
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 288

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^
(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[(c^
n*(m - n + 1))/(b*n*(p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^(p + 1), x], x]
/; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !I
LtQ[(m + n*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rubi steps



$$\begin{aligned}
\int \frac{x^4 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}} dx &= \frac{x^3 (a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{\int \frac{x^2 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx}{c^2 d} - \frac{(2b\sqrt{1 - c^2 x^2}) \int \frac{x^3 (a + b \sin^{-1}(cx))}{(1 - c^2 x^2)^2} dx}{3cd^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{bx^2 (a + b \sin^{-1}(cx))}{3c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{x (a + b \sin^{-1}(cx))^2}{c^4 d^2 \sqrt{d - c^2 dx^2}} + \frac{\int \frac{(a + b \sin^{-1}(cx))}{\sqrt{d - c^2 dx^2}} dx}{c^4 d^2} \\
&= \frac{b^2 x}{3c^4 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx^2 (a + b \sin^{-1}(cx))}{3c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{x (a + b \sin^{-1}(cx))^2}{c^4 d^2 \sqrt{d - c^2 dx^2}} \\
&= \frac{b^2 x}{3c^4 d^2 \sqrt{d - c^2 dx^2}} - \frac{b^2 \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{3c^5 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx^2 (a + b \sin^{-1}(cx))}{3c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} \\
&= \frac{b^2 x}{3c^4 d^2 \sqrt{d - c^2 dx^2}} - \frac{b^2 \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{3c^5 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx^2 (a + b \sin^{-1}(cx))}{3c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} \\
&= \frac{b^2 x}{3c^4 d^2 \sqrt{d - c^2 dx^2}} - \frac{b^2 \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{3c^5 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx^2 (a + b \sin^{-1}(cx))}{3c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 1.48498, size = 374, normalized size = 0.89

$$b^2 \sqrt{d} \left( 4i (1 - c^2 x^2)^{3/2} \text{PolyLog} \left( 2, -e^{2i \sin^{-1}(cx)} \right) - c^3 x^3 + 4c^3 x^3 \sin^{-1}(cx)^2 + (1 - c^2 x^2)^{3/2} \sin^{-1}(cx)^3 + 4i (1 - c^2 x^2)^{3/2} \sin^{-1}(cx) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(5/2),x]

[Out] (a^2\*c\*Sqrt[d]\*x\*(-3 + 4\*c^2\*x^2) + 3\*a^2\*(-1 + c^2\*x^2)\*Sqrt[d - c^2\*d\*x^2]\*ArcTan[(c\*x\*Sqrt[d - c^2\*d\*x^2])/(Sqrt[d]\*(-1 + c^2\*x^2))] + b^2\*Sqrt[d]\*(c\*x - c^3\*x^3 - Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] - 3\*c\*x\*ArcSin[c\*x]^2 + 4\*c^3\*x^3\*ArcSin[c\*x]^2 + (4\*I)\*(1 - c^2\*x^2)^(3/2)\*ArcSin[c\*x]^2 + (1 - c^2\*x^2)^(3/2)\*ArcSin[c\*x]^3 - 8\*(1 - c^2\*x^2)^(3/2)\*ArcSin[c\*x]\*Log[1 + E^((2\*I)

```
*ArcSin[c*x]]) + (4*I)*(1 - c^2*x^2)^(3/2)*PolyLog[2, -E^((2*I)*ArcSin[c*x])]) - a*b*Sqrt[d]*(Sqrt[1 - c^2*x^2] + (1 - c^2*x^2)^(3/2)*(-3*ArcSin[c*x]^2 + 4*Log[1 - c^2*x^2]) + 2*ArcSin[c*x]*Sin[3*ArcSin[c*x]])/(3*c^5*d^(5/2)*(1 - c^2*x^2)*Sqrt[d - c^2*d*x^2])
```

**Maple [B]** time = 0.556, size = 3907, normalized size = 9.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(5/2), x)
```

```
[Out] -a^2/c^4/d^2*x/(-c^2*d*x^2+d)^(1/2)+1/3*a^2*x^3/c^2/d/(-c^2*d*x^2+d)^(3/2)+17*b^2*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)*x^5+13*b^2*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c^3*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*x^2+64*I*a*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)*c*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*x^6-168*I*a*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*x^4-40/3*I*b^2*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c^2*arcsin(c*x)*x^3-55/3*I*b^2*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c^3*x^2*(-c^2*x^2+1)^(1/2)-64/3*I*b^2*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c^5*arcsin(c*x)^2*(-c^2*x^2+1)^(1/2)-16/3*I*b^2*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)*c^2*arcsin(c*x)*x^7+8/3*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/c^5/d^3/(c^2*x^2-1)*arcsin(c*x)*ln(1+(I*c*x+(-c^2*x^2+1)^(1/2))^2)-8*b^2*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*x^4+21*I*b^2*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c*(-c^2*x^2+1)^(1/2)*x^4+362/3*a*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c^2*arcsin(c*x)*x^3+13*a*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c^3*x^2*(-c^2*x^2+1)^(1/2)-32*a*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c^4*arcsin(c*x)*x+8/3*a*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/c^5/d^3/(c^2*x^2-1)*ln(1+(I*c*x+(-c^2*x^2+1)^(1/2))^2)-a*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/c^5/d^3/(c^2*x^2-1)*arcsin(c*x)^2-16/3*I*a*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)*c^2*x^7-40/3*I*a*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c^2*x^3+4*I*a*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-87*c^6*x^6+118*c^4*x^4-71*c^2*x^2+16)/c^4*x-16/3*I*a*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(24*c^8*x^8-
```

$$\begin{aligned}
& 87c^6x^6+118c^4x^4-71c^2x^2+16)*(-c^2x^2+1)*x^5+64a*b*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)*c^2*\arcsin(c*x)*x^7-8a*b*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c*(-c^2x^2+1)^{(1/2)}*x^4+4I*b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c^4*\arcsin(c*x)*x-8/3*I*b^2*(-c^2x^2+1)^{(1/2)}*(-d*(c^2x^2-1))^{(1/2)}/c^5/d^3/(c^2x^2-1)*\arcsin(c*x)^2-4/3*I*b^2*(-c^2x^2+1)^{(1/2)}*(-d*(c^2x^2-1))^{(1/2)}/c^5/d^3/(c^2x^2-1)*\operatorname{polylog}(2,-(I*c*x+(-c^2x^2+1)^{(1/2)})^2)-16/3*I*b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)*\arcsin(c*x)*(-c^2x^2+1)*x^5-8I*b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)*c*(-c^2x^2+1)^{(1/2)}*x^6+220/3*I*b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c^3*\arcsin(c*x)^2*(-c^2x^2+1)^{(1/2)}*x^2-4I*b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c^4*\arcsin(c*x)*(-c^2x^2+1)*x+32I*b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)*c*\arcsin(c*x)^2*(-c^2x^2+1)^{(1/2)}*x^6+28/3I*a*b*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c^2*(-c^2x^2+1)*x^3-4I*a*b*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c^4*(-c^2x^2+1)*x-128/3I*a*b*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c^5*\arcsin(c*x)*(-c^2x^2+1)^{(1/2)}-16/3I*a*b*(-c^2x^2+1)^{(1/2)}*(-d*(c^2x^2-1))^{(1/2)}/c^5/d^3/(c^2x^2-1)*\arcsin(c*x)-84I*b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c*\arcsin(c*x)^2*(-c^2x^2+1)^{(1/2)}*x^4+28/3I*b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c^2*\arcsin(c*x)*(-c^2x^2+1)*x^3+440/3I*a*b*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c^3*\arcsin(c*x)*(-c^2x^2+1)^{(1/2)}*x^2+4b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c^4*x+4/3b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)*(-c^2x^2+1)*x^5-76b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)*\arcsin(c*x)^2*x^5-20/3b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)*c^2*x^7-43/3b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c^2*x^3+a^2/c^4/d^2/(c^2*d)^{(1/2)}*\arctan((c^2*d)^{(1/2)}*x/(-c^2*d*x^2+d)^{(1/2)})-8/3b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c^2*(-c^2x^2+1)*x^3+4/3b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c^4*(-c^2x^2+1)*x-16/3b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c^5*\arcsin(c*x)*(-c^2x^2+1)^{(1/2)}+32b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)*c^2*\arcsin(c*x)^2*x^7+181/3b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c^2*\arcsin(c*x)^2*x^3-16b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c^4*a*\arcsin(c*x)^2*x-1/3b^2*(-d*(c^2x^2-1))^{(1/2)}*(-c^2x^2+1)^{(1/2)}/c^5/d^3/(c^2x^2-1)*\arcsin(c*x)^3+16/3I*b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)/c^5*(-c^2x^2+1)^{(1/2)}+44/3I*b^2*(-d*
\end{aligned}$$

$$\frac{(c^2x^2-1)^{1/2}}{d^3(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)} \arcsin(cx) x^5 - \frac{16}{3} a b \frac{(c^2x^2-1)^{1/2}}{d^3(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)} / c^5 (-c^2x^2+1)^{1/2} - \frac{152}{3} a b \frac{(c^2x^2-1)^{1/2}}{d^3(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)} \arcsin(cx) x^5 + \frac{4}{3} I a b \frac{(c^2x^2-1)^{1/2}}{d^3(24c^8x^8-87c^6x^6+118c^4x^4-71c^2x^2+16)} x^5$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{(b^2x^4 \arcsin(cx))^2 + 2abx^4 \arcsin(cx) + a^2x^4}{c^6d^3x^6 - 3c^4d^3x^4 + 3c^2d^3x^2 - d^3} \sqrt{-c^2dx^2 + d}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(5/2),x, algorithm="fricas")
```

```
[Out] integral(-(b^2*x^4*arcsin(c*x)^2 + 2*a*b*x^4*arcsin(c*x) + a^2*x^4)*sqrt(-c^2*d*x^2 + d)/(c^6*d^3*x^6 - 3*c^4*d^3*x^4 + 3*c^2*d^3*x^2 - d^3), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(a+b*asin(c*x))**2/(-c**2*d*x**2+d)**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^4}{(-c^2 dx^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2*x^4/(-c^2*d*x^2 + d)^(5/2), x)
```

$$3.256 \quad \int \frac{x^3 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=332

$$\frac{5ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right)}{3c^4d^2\sqrt{d-c^2dx^2}} - \frac{5ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right)}{3c^4d^2\sqrt{d-c^2dx^2}} - \frac{bx(a+b\sin^{-1}(cx))}{3c^3d^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} - \frac{2(a+b\sin^{-1}(cx))}{3c^4d^2}$$

[Out]  $b^2/(3c^4d^2\text{Sqrt}[d - c^2d*x^2]) - (b*x*(a + b*\text{ArcSin}[c*x]))/(3c^3d^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2d*x^2]) + (x^2*(a + b*\text{ArcSin}[c*x])^2)/(3c^2*d*(d - c^2d*x^2)^{(3/2)}) - (2*(a + b*\text{ArcSin}[c*x])^2)/(3c^4d^2*\text{Sqrt}[d - c^2d*x^2]) - (((10*I)/3)*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])* \text{ArcTan}[E^(I*\text{ArcSin}[c*x])])/(c^4d^2*\text{Sqrt}[d - c^2d*x^2]) + (((5*I)/3)*b^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, (-I)*E^(I*\text{ArcSin}[c*x])])/(c^4d^2*\text{Sqrt}[d - c^2d*x^2]) - (((5*I)/3)*b^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, I*E^(I*\text{ArcSin}[c*x])])/(c^4d^2*\text{Sqrt}[d - c^2d*x^2])$

**Rubi [A]** time = 0.489147, antiderivative size = 332, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {4703, 4677, 4657, 4181, 2279, 2391, 261}

$$\frac{5ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right)}{3c^4d^2\sqrt{d-c^2dx^2}} - \frac{5ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right)}{3c^4d^2\sqrt{d-c^2dx^2}} - \frac{bx(a+b\sin^{-1}(cx))}{3c^3d^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} - \frac{2(a+b\sin^{-1}(cx))}{3c^4d^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^3*(a + b*\text{ArcSin}[c*x])^2)/(d - c^2d*x^2)^{(5/2)}, x]$

[Out]  $b^2/(3c^4d^2*\text{Sqrt}[d - c^2d*x^2]) - (b*x*(a + b*\text{ArcSin}[c*x]))/(3c^3d^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2d*x^2]) + (x^2*(a + b*\text{ArcSin}[c*x])^2)/(3c^2*d*(d - c^2d*x^2)^{(3/2)}) - (2*(a + b*\text{ArcSin}[c*x])^2)/(3c^4d^2*\text{Sqrt}[d - c^2d*x^2]) - (((10*I)/3)*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])* \text{ArcTan}[E^(I*\text{ArcSin}[c*x])])/(c^4d^2*\text{Sqrt}[d - c^2d*x^2]) + (((5*I)/3)*b^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, (-I)*E^(I*\text{ArcSin}[c*x])])/(c^4d^2*\text{Sqrt}[d - c^2d*x^2]) - (((5*I)/3)*b^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, I*E^(I*\text{ArcSin}[c*x])])/(c^4d^2*\text{Sqrt}[d - c^2d*x^2])$

**Rule 4703**

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*(a +
b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + (-Dist[(f^2*(m - 1))/(2*e*(p + 1)),
Int[(f*x)^(m - 2)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[
(b*f*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^Fra
cPart[p]), Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[
n, 0] && LtQ[p, -1] && GtQ[m, 1]

```

#### Rule 4677

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]

```

#### Rule 4657

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2), x_Symbo
l] := Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]

```

#### Rule 4181

```

Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol
] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

```

#### Rule 2279

```

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

#### Rule 2391

```

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

```

#### Rule 261

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}} dx &= \frac{x^2 (a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{2 \int \frac{x^{(a+b \sin^{-1}(cx))^2}}{(d - c^2 dx^2)^{3/2}} dx}{3c^2 d} - \frac{(2b\sqrt{1 - c^2 x^2}) \int \frac{x^{(a+b \sin^{-1}(cx))}}{(1 - c^2 x^2)^2} dx}{3cd^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{bx (a + b \sin^{-1}(cx))}{3c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^2 (a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{2 (a + b \sin^{-1}(cx))^2}{3c^4 d^2 \sqrt{d - c^2 dx^2}} + \frac{(b\sqrt{1 - c^2 x^2})}{3c^3 d^2 \sqrt{d - c^2 dx^2}} \\
&= \frac{b^2}{3c^4 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx (a + b \sin^{-1}(cx))}{3c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^2 (a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{2 (a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}} \\
&= \frac{b^2}{3c^4 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx (a + b \sin^{-1}(cx))}{3c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^2 (a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{2 (a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}} \\
&= \frac{b^2}{3c^4 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx (a + b \sin^{-1}(cx))}{3c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^2 (a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{2 (a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}} \\
&= \frac{b^2}{3c^4 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx (a + b \sin^{-1}(cx))}{3c^3 d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^2 (a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{2 (a + b \sin^{-1}(cx))}{3c^4 d^2 \sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.833875, size = 511, normalized size = 1.54

$$-20ib^2 (1 - c^2 x^2)^{3/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) + 20ib^2 (1 - c^2 x^2)^{3/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) - 12a^2 c^2 x^2 + 8a^2 + 15ab\sqrt{1 - c^2 x^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^3*(a + b*ArcSin[c*x])^2)/(d - c^2*d*x^2)^(5/2), x]
```

```
[Out] (8*a^2 - 2*b^2 - 12*a^2*c^2*x^2 + 4*a*b*ArcSin[c*x] + 2*b^2*ArcSin[c*x]^2 - 2*b^2*Cos[2*ArcSin[c*x]] + 12*a*b*ArcSin[c*x]*Cos[2*ArcSin[c*x]] + 6*b^2*ArcSin[c*x]^2*Cos[2*ArcSin[c*x]] - 15*b^2*Sqrt[1 - c^2*x^2]*ArcSin[c*x]*Log[
```



$$\begin{aligned}
& 1 - I * E^{(I * \text{ArcSin}[c * x])}] - 5 * b^2 * \text{ArcSin}[c * x] * \text{Cos}[3 * \text{ArcSin}[c * x]] * \text{Log}[1 - I * E^{(I * \text{ArcSin}[c * x])}] \\
& + 15 * b^2 * \text{Sqrt}[1 - c^2 * x^2] * \text{ArcSin}[c * x] * \text{Log}[1 + I * E^{(I * \text{ArcSin}[c * x])}] + 5 * b^2 * \text{ArcSin}[c * x] * \text{Cos}[3 * \text{ArcSin}[c * x]] * \text{Log}[1 + I * E^{(I * \text{ArcSin}[c * x])}] \\
& + 15 * a * b * \text{Sqrt}[1 - c^2 * x^2] * \text{Log}[\text{Cos}[\text{ArcSin}[c * x] / 2] - \text{Sin}[\text{ArcSin}[c * x] / 2]] + 5 * a * b * \text{Cos}[3 * \text{ArcSin}[c * x]] * \text{Log}[\text{Cos}[\text{ArcSin}[c * x] / 2] - \text{Sin}[\text{ArcSin}[c * x] / 2]] - \\
& 15 * a * b * \text{Sqrt}[1 - c^2 * x^2] * \text{Log}[\text{Cos}[\text{ArcSin}[c * x] / 2] + \text{Sin}[\text{ArcSin}[c * x] / 2]] - 5 * a * b * \text{Cos}[3 * \text{ArcSin}[c * x]] * \text{Log}[\text{Cos}[\text{ArcSin}[c * x] / 2] + \text{Sin}[\text{ArcSin}[c * x] / 2]] - (20 * I) \\
& * b^2 * (1 - c^2 * x^2)^{(3/2)} * \text{PolyLog}[2, (-I) * E^{(I * \text{ArcSin}[c * x])}] + (20 * I) * b^2 * (1 - c^2 * x^2)^{(3/2)} * \text{PolyLog}[2, I * E^{(I * \text{ArcSin}[c * x])}] + 2 * a * b * \text{Sin}[2 * \text{ArcSin}[c * x]] \\
& + 2 * b^2 * \text{ArcSin}[c * x] * \text{Sin}[2 * \text{ArcSin}[c * x]] / (12 * c^4 * d^2 * (-1 + c^2 * x^2) * \text{Sqrt}[d - c^2 * d * x^2])
\end{aligned}$$

**Maple [B]** time = 0.283, size = 829, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (x^3 * (a + b * \arcsin(cx))^2 / (-c^2 * dx^2 + d)^{(5/2)}, x)$

[Out]  $a^2 * x^2 / c^2 / d / (-c^2 * dx^2 + d)^{(3/2)} - 2/3 * a^2 / d / c^4 / (-c^2 * dx^2 + d)^{(3/2)} + b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} / d^3 / (c^2 * x^2 - 1)^2 / c^2 * \arcsin(cx)^2 * x^2 - 1/3 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} / d^3 / (c^2 * x^2 - 1)^2 / c^3 * \arcsin(cx) * (-c^2 * x^2 + 1)^{(1/2)} * x - 1/3 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} / d^3 / (c^2 * x^2 - 1)^2 / c^2 * x^2 - 2/3 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} / d^3 / (c^2 * x^2 - 1)^2 / c^4 * \arcsin(cx)^2 + 1/3 * b^2 * (-d * (c^2 * x^2 - 1))^{(1/2)} / d^3 / (c^2 * x^2 - 1)^2 / c^4 - 5/3 * I * b^2 * (-c^2 * x^2 + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} / c^4 / d^3 / (c^2 * x^2 - 1) * \text{dilog}(1 + I * (I * cx + (-c^2 * x^2 + 1)^{(1/2)})) + 5/3 * I * b^2 * (-c^2 * x^2 + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} / c^4 / d^3 / (c^2 * x^2 - 1) * \text{dilog}(1 - I * (I * cx + (-c^2 * x^2 + 1)^{(1/2)})) + 5/3 * b^2 * (-c^2 * x^2 + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} / c^4 / d^3 / (c^2 * x^2 - 1) * \arcsin(cx) * \ln(1 + I * (I * cx + (-c^2 * x^2 + 1)^{(1/2)})) - 5/3 * b^2 * (-c^2 * x^2 + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} / c^4 / d^3 / (c^2 * x^2 - 1) * \arcsin(cx) * \ln(1 - I * (I * cx + (-c^2 * x^2 + 1)^{(1/2)})) + 2 * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} / d^3 / (c^2 * x^2 - 1)^2 / c^2 * \arcsin(cx) * x^2 - 1/3 * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} / d^3 / (c^2 * x^2 - 1)^2 / c^3 * (-c^2 * x^2 + 1)^{(1/2)} * x - 4/3 * a * b * (-d * (c^2 * x^2 - 1))^{(1/2)} / d^3 / (c^2 * x^2 - 1)^2 / c^4 * \arcsin(cx) - 5/3 * a * b * (-c^2 * x^2 + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} / c^4 / d^3 / (c^2 * x^2 - 1) * \ln(I * cx + (-c^2 * x^2 + 1)^{(1/2)} + I) + 5/3 * a * b * (-c^2 * x^2 + 1)^{(1/2)} * (-d * (c^2 * x^2 - 1))^{(1/2)} / c^4 / d^3 / (c^2 * x^2 - 1) * \ln(I * cx + (-c^2 * x^2 + 1)^{(1/2)} - I)$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(5/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2x^3 \arcsin(cx)^2 + 2abx^3 \arcsin(cx) + a^2x^3)\sqrt{-c^2dx^2 + d}}{c^6d^3x^6 - 3c^4d^3x^4 + 3c^2d^3x^2 - d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(5/2),x, algorithm="fricas")
```

```
[Out] integral(-(b^2*x^3*arcsin(c*x)^2 + 2*a*b*x^3*arcsin(c*x) + a^2*x^3)*sqrt(-c^2*d*x^2 + d)/(c^6*d^3*x^6 - 3*c^4*d^3*x^4 + 3*c^2*d^3*x^2 - d^3), x)
```

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a+b*asin(c*x))**2/(-c**2*d*x**2+d)**(5/2),x)
```

```
[Out] Exception raised: TypeError
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^3}{(-c^2 dx^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2*x^3/(-c^2*d*x^2 + d)^(5/2), x)
```

$$3.257 \quad \int \frac{x^2 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=332

$$\frac{ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{3c^3d^2\sqrt{d-c^2dx^2}} - \frac{bx^2(a+b\sin^{-1}(cx))}{3cd^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} + \frac{i\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{3c^3d^2\sqrt{d-c^2dx^2}} - \frac{2b\sqrt{1-c^2x^2}\log\left(1 - e^{2i\sin^{-1}(cx)}\right)}{3c^3d^2\sqrt{d-c^2dx^2}}$$

```
[Out] (b^2*x)/(3*c^2*d^2*Sqrt[d - c^2*d*x^2]) - (b^2*Sqrt[1 - c^2*x^2]*ArcSin[c*x
])/ (3*c^3*d^2*Sqrt[d - c^2*d*x^2]) - (b*x^2*(a + b*ArcSin[c*x]))/(3*c*d^2*S
qrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) + (x^3*(a + b*ArcSin[c*x])^2)/(3*d*(d
- c^2*d*x^2)^(3/2)) + ((I/3)*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2)/(c^3
*d^2*Sqrt[d - c^2*d*x^2]) - (2*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*Log[
1 + E^((2*I)*ArcSin[c*x])])/(3*c^3*d^2*Sqrt[d - c^2*d*x^2]) + ((I/3)*b^2*Sq
rt[1 - c^2*x^2]*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(c^3*d^2*Sqrt[d - c^2*d
*x^2])
```

**Rubi [A]** time = 0.352305, antiderivative size = 332, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.31$ , Rules used = {4681, 4703, 4675, 3719, 2190, 2279, 2391, 288, 216}

$$\frac{ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{3c^3d^2\sqrt{d-c^2dx^2}} - \frac{bx^2(a+b\sin^{-1}(cx))}{3cd^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} + \frac{i\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{3c^3d^2\sqrt{d-c^2dx^2}} - \frac{2b\sqrt{1-c^2x^2}\log\left(1 - e^{2i\sin^{-1}(cx)}\right)}{3c^3d^2\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

```
[In] Int[(x^2*(a + b*ArcSin[c*x])^2)/(d - c^2*d*x^2)^(5/2), x]
```

```
[Out] (b^2*x)/(3*c^2*d^2*Sqrt[d - c^2*d*x^2]) - (b^2*Sqrt[1 - c^2*x^2]*ArcSin[c*x
])/ (3*c^3*d^2*Sqrt[d - c^2*d*x^2]) - (b*x^2*(a + b*ArcSin[c*x]))/(3*c*d^2*S
qrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) + (x^3*(a + b*ArcSin[c*x])^2)/(3*d*(d
- c^2*d*x^2)^(3/2)) + ((I/3)*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2)/(c^3
*d^2*Sqrt[d - c^2*d*x^2]) - (2*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*Log[
1 + E^((2*I)*ArcSin[c*x])])/(3*c^3*d^2*Sqrt[d - c^2*d*x^2]) + ((I/3)*b^2*Sq
rt[1 - c^2*x^2]*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(c^3*d^2*Sqrt[d - c^2*d
*x^2])
```

**Rule 4681**

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b
*ArcSin[c*x])^n)/(d*f*(m + 1)), x] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c
^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d,
e, f, m, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && EqQ[m + 2*p + 3, 0] &
& NeQ[m, -1]

```

### Rule 4703

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*(a +
b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + (-Dist[(f^2*(m - 1))/(2*e*(p + 1)),
Int[(f*x)^(m - 2)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[
(b*f*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[
n, 0] && LtQ[p, -1] && GtQ[m, 1]

```

### Rule 4675

```

Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.))/((d_) + (e_.)*(x_)^2),
x_Symbol] := -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x]
], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]

```

### Rule 3719

```

Int[((c_.) + (d_.)*(x_.))^(m_.)*tan[(e_.) + (f_.)*(x_.)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]

```

### Rule 2190

```

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

### Rule 2279

```

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_.))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))

```

)<sup>n</sup>], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 288

Int[((c\_.)\*(x\_)^(m\_.))\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*n\*(p + 1)), x] - Dist[(c^n\*(m - n + 1))/(b\*n\*(p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}} dx &= \frac{x^3 (a + b \sin^{-1}(cx))^2}{3d (d - c^2 dx^2)^{3/2}} - \frac{(2bc\sqrt{1 - c^2 x^2}) \int \frac{x^3 (a + b \sin^{-1}(cx))}{(1 - c^2 x^2)^2} dx}{3d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{bx^2 (a + b \sin^{-1}(cx))}{3cd^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{3d (d - c^2 dx^2)^{3/2}} + \frac{(b^2 \sqrt{1 - c^2 x^2}) \int \frac{x^2}{(1 - c^2 x^2)^{3/2}} dx}{3d^2 \sqrt{d - c^2 dx^2}} + \frac{(2b\sqrt{1 - c^2 x^2}) \int \frac{x}{1 - c^2 x^2} dx}{3d^2 \sqrt{d - c^2 dx^2}} \\
&= \frac{b^2 x}{3c^2 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx^2 (a + b \sin^{-1}(cx))}{3cd^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{3d (d - c^2 dx^2)^{3/2}} + \frac{(2b\sqrt{1 - c^2 x^2}) \int \frac{x}{1 - c^2 x^2} dx}{3d^2 \sqrt{d - c^2 dx^2}} \\
&= \frac{b^2 x}{3c^2 d^2 \sqrt{d - c^2 dx^2}} - \frac{b^2 \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{3c^3 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx^2 (a + b \sin^{-1}(cx))}{3cd^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{3d (d - c^2 dx^2)^{3/2}} \\
&= \frac{b^2 x}{3c^2 d^2 \sqrt{d - c^2 dx^2}} - \frac{b^2 \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{3c^3 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx^2 (a + b \sin^{-1}(cx))}{3cd^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{3d (d - c^2 dx^2)^{3/2}} \\
&= \frac{b^2 x}{3c^2 d^2 \sqrt{d - c^2 dx^2}} - \frac{b^2 \sqrt{1 - c^2 x^2} \sin^{-1}(cx)}{3c^3 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx^2 (a + b \sin^{-1}(cx))}{3cd^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x^3 (a + b \sin^{-1}(cx))^2}{3d (d - c^2 dx^2)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.802718, size = 303, normalized size = 0.91

$$-ib^2 (1 - c^2 x^2)^{3/2} \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right) - a^2 c^3 x^3 + ab\sqrt{1 - c^2 x^2} - abc^2 x^2 \sqrt{1 - c^2 x^2} \log(1 - c^2 x^2) + ab\sqrt{1 - c^2 x^2} \log\left(\frac{1 - c^2 x^2}{1 - c^2 x^2}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(5/2), x]

[Out]  $(-b^2 c x - a^2 c^3 x^3 + b^2 c^3 x^3 + a b \sqrt{1 - c^2 x^2} + I b^2 (I c^3 x^3 - \sqrt{1 - c^2 x^2} + c^2 x^2 \sqrt{1 - c^2 x^2})) \text{ArcSin}[c x]^2 + b \text{ArcSin}[c x] (-2 a c^3 x^3 + b \sqrt{1 - c^2 x^2} + 2 b (1 - c^2 x^2)^{3/2}) \text{Log}[1 + E^{((2 I) \text{ArcSin}[c x])}] + a b \sqrt{1 - c^2 x^2} \text{Log}[1 - c^2 x^2] - a b c^2 x^2 \sqrt{1 - c^2 x^2} \text{Log}[1 - c^2 x^2] - I b^2 (1 - c^2 x^2)^{3/2} \text{PolyLog}[2, -E^{((2 I) \text{ArcSin}[c x])}]) / (3 c^3 d^2 (-1 + c^2 x^2) \sqrt{d - c^2 d x^2})$

\*x^2))

---

**Maple [B]** time = 0.303, size = 3277, normalized size = 9.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2*(a+b*\arcsin(cx))^2/(-c^2*d*x^2+d)^{(5/2)}, x)$

[Out] 
$$\begin{aligned} & -4/3*I*a*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/c^3/d^3/(c^2*x^2-1)*\arcsin(cx) \\ & +I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c^3*\arcsin(cx)^2*(-c^2*x^2+1)^{(1/2)}*x^6-2*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c*\arcsin(cx)^2*(-c^2*x^2+1)^{(1/2)}*x^4+4/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)/c*\arcsin(cx)^2*(-c^2*x^2+1)^{(1/2)}*x^2-1/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c^2*\arcsin(cx)*(-c^2*x^2+1)*x^5-1/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c^2*(-c^2*x^2+1)*x^5-1/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*x^3+1/3*a^2/c^2/d*x/(-c^2*d*x^2+d)^{(3/2)}-1/3*a^2/c^2/d^2*x/(-c^2*d*x^2+d)^{(1/2)}+2*I*a*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c^3*\arcsin(cx)*(-c^2*x^2+1)^{(1/2)}*x^6-4*I*a*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c*\arcsin(cx)*(-c^2*x^2+1)^{(1/2)}*x^4+8/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)/c*\arcsin(cx)*(-c^2*x^2+1)^{(1/2)}*x^2+1/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*(-c^2*x^2+1)*x^3-1/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c^4*\arcsin(cx)*x^7-2/3*I*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/c^3/d^3/(c^2*x^2-1)*\arcsin(cx)^2-1/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)/c^3*\arcsin(cx)^2*(-c^2*x^2+1)^{(1/2)}+1/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*\arcsin(cx)*(-c^2*x^2+1)*x^3-4/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)/c*x^2*(-c^2*x^2+1)^{(1/2)}+2*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c*(-c^2*x^2+1)^{(1/2)}*x^4+2/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c^2*\arcsin(cx)*x^5-I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c^3*(-c^2*x^2+1)^{(1/2)}*x^6-1/3*I*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/c^3/d^3/(c^2*x^2-1)*\text{polylog}(2, -(I*c*x+(-c^2*x^2+1)^{(1/2}))^2)-b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c*\arcsin(cx)*(-c^2*x^2+1)^{(1/2)}*x^4+b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c*\arcsin(cx)*(-c^2*x^2+1)^{(1/2)}*x^4+b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c*\arcsin(cx)*(-c^2*x^2+1)^{(1/2)}*x^4 \end{aligned}$$



$$\begin{aligned}
& 4-5c^2x^2+1)/c\arcsin(cx)*(-c^2x^2+1)^{(1/2)}x^2+2/3b^2(-c^2x^2+1)^{(1/2)} \\
& (-d*(c^2x^2-1))^{(1/2)}/c^3/d^3/(c^2x^2-1)*\arcsin(cx)*\ln(1+(I*cx+(-c^2x^2+1)^{(1/2)})^2)+2*a*b*(-d*(c^2x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10 \\
& *c^4*x^4-5*c^2*x^2+1)*c^4*\arcsin(cx)*x^7-a*b*(-d*(c^2x^2-1))^{(1/2)}/d^3/(3 \\
& *c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c*(-c^2x^2+1)^{(1/2)}x^4-2*a*b*(- \\
& -d*(c^2x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c^2* \\
& \arcsin(cx)*x^5+a*b*(-d*(c^2x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4* \\
& x^4-5*c^2*x^2+1)/c*(-c^2x^2+1)^{(1/2)}x^2+2/3*a*b*(-d*(c^2x^2-1))^{(1/2)}*(- \\
& c^2x^2+1)^{(1/2)}/c^3/d^3/(c^2x^2-1)*\ln(1+(I*cx+(-c^2x^2+1)^{(1/2)})^2)-1/3 \\
& *I*a*b*(-d*(c^2x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2 \\
& +1)*c^4*x^7+2/3*I*a*b*(-d*(c^2x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^ \\
& 4*x^4-5*c^2*x^2+1)*c^2*x^5-2/3*I*a*b*(-d*(c^2x^2-1))^{(1/2)}/d^3/(3*c^8*x^8- \\
& 9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)/c^3*\arcsin(cx)*(-c^2x^2+1)^{(1/2)}+b^2*(- \\
& -d*(c^2x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c^2*x \\
& ^5+1/3*b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2 \\
& *x^2+1)*\arcsin(cx)^2*x^3-2/3*b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c \\
& ^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c^4*x^7-2/3*b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/( \\
& 3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*(-c^2x^2+1)*x^3+1/3*b^2*(-d*(c \\
& ^2x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)/c^2*(-c^2 \\
& *x^2+1)*x-1/3*b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^ \\
& 4-5*c^2*x^2+1)/c^3*\arcsin(cx)*(-c^2x^2+1)^{(1/2)}+1/3*b^2*(-d*(c^2x^2-1))^{( \\
& 1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)*c^2*(-c^2x^2+1)*x^5 \\
& +b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1 \\
& )*c^4*\arcsin(cx)^2*x^7-b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6 \\
& +10*c^4*x^4-5*c^2*x^2+1)*c^2*\arcsin(cx)^2*x^5+1/3*I*b^2*(-d*(c^2x^2-1))^{( \\
& 1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)/c^3*(-c^2x^2+1)^{(1/2) \\
& )-1/3*I*b^2*(-d*(c^2x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^ \\
& 2*x^2+1)*\arcsin(cx)*x^3+2/3*a*b*(-d*(c^2x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^ \\
& 6*x^6+10*c^4*x^4-5*c^2*x^2+1)*\arcsin(cx)*x^3-1/3*a*b*(-d*(c^2x^2-1))^{(1/2) \\
& )/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x^2+1)/c^3*(-c^2x^2+1)^{(1/2)}-1 \\
& /3*I*a*b*(-d*(c^2x^2-1))^{(1/2)}/d^3/(3*c^8*x^8-9*c^6*x^6+10*c^4*x^4-5*c^2*x \\
& ^2+1)*x^3
\end{aligned}$$


---

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(cx))^2/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2x^2 \arcsin(cx)^2 + 2abx^2 \arcsin(cx) + a^2x^2)\sqrt{-c^2dx^2 + d}}{c^6d^3x^6 - 3c^4d^3x^4 + 3c^2d^3x^2 - d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(-(b^2\*x^2\*arcsin(c\*x)^2 + 2\*a\*b\*x^2\*arcsin(c\*x) + a^2\*x^2)\*sqrt(-c^2\*d\*x^2 + d)/(c^6\*d^3\*x^6 - 3\*c^4\*d^3\*x^4 + 3\*c^2\*d^3\*x^2 - d^3), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 (a + b \arcsin(cx))^2}{(-d(cx - 1)(cx + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Integral(x\*\*2\*(a + b\*asin(c\*x))\*\*2/(-d\*(c\*x - 1)\*(c\*x + 1))\*\*5/2, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^2}{(-c^2 dx^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2\*x^2/(-c^2\*d\*x^2 + d)^(5/2), x)

$$3.258 \quad \int \frac{x(a+b \sin^{-1}(cx))^2}{(d-c^2 dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=294

$$\frac{ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right)}{3c^2d^2\sqrt{d-c^2dx^2}} + \frac{ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right)}{3c^2d^2\sqrt{d-c^2dx^2}} - \frac{bx(a+b\sin^{-1}(cx))}{3cd^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} + \frac{2ib\sqrt{1-c^2x^2}}{3cd^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}}$$

[Out]  $b^2/(3*c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]) - (b*x*(a + b*\text{ArcSin}[c*x]))/(3*c*d^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2*d*x^2]) + (a + b*\text{ArcSin}[c*x])^2/(3*c^2*d*(d - c^2*d*x^2)^{(3/2)}) + (((2*I)/3)*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])* \text{ArcTan}[E^{(I*\text{ArcSin}[c*x])}])/(c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]) - ((I/3)*b^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[c*x])}])/(c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]) + ((I/3)*b^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}])/(c^2*d^2*\text{Sqrt}[d - c^2*d*x^2])$

**Rubi [A]** time = 0.217861, antiderivative size = 294, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {4677, 4655, 4657, 4181, 2279, 2391, 261}

$$\frac{ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right)}{3c^2d^2\sqrt{d-c^2dx^2}} + \frac{ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right)}{3c^2d^2\sqrt{d-c^2dx^2}} - \frac{bx(a+b\sin^{-1}(cx))}{3cd^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} + \frac{2ib\sqrt{1-c^2x^2}}{3cd^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x*(a + b*\text{ArcSin}[c*x])^2)/(d - c^2*d*x^2)^{(5/2)}, x]$

[Out]  $b^2/(3*c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]) - (b*x*(a + b*\text{ArcSin}[c*x]))/(3*c*d^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[d - c^2*d*x^2]) + (a + b*\text{ArcSin}[c*x])^2/(3*c^2*d*(d - c^2*d*x^2)^{(3/2)}) + (((2*I)/3)*b*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])* \text{ArcTan}[E^{(I*\text{ArcSin}[c*x])}])/(c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]) - ((I/3)*b^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[c*x])}])/(c^2*d^2*\text{Sqrt}[d - c^2*d*x^2]) + ((I/3)*b^2*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}])/(c^2*d^2*\text{Sqrt}[d - c^2*d*x^2])$

**Rule 4677**

$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*(x_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^{(p + 1)}*(a + b*\text{ArcSin}[c*x])^n]/(2*e*(p + 1))$

1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rule 4655

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(x\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*(p + 1)), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

#### Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/((d\_) + (e\_.)\*(x\_)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

#### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

#### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

#### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

#### Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^ (p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&

NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}} dx &= \frac{(a + b \sin^{-1}(cx))^2}{3cd^2(d - c^2 dx^2)^{3/2}} - \frac{(2b\sqrt{1 - c^2 x^2}) \int \frac{a + b \sin^{-1}(cx)}{(1 - c^2 x^2)^2} dx}{3cd^2\sqrt{d - c^2 dx^2}} \\
&= -\frac{bx(a + b \sin^{-1}(cx))}{3cd^2\sqrt{1 - c^2 x^2}\sqrt{d - c^2 dx^2}} + \frac{(a + b \sin^{-1}(cx))^2}{3cd^2(d - c^2 dx^2)^{3/2}} + \frac{(b^2\sqrt{1 - c^2 x^2}) \int \frac{x}{(1 - c^2 x^2)^{3/2}} dx}{3d^2\sqrt{d - c^2 dx^2}} - \frac{(b\sqrt{1 - c^2 x^2}) \int \frac{1}{(1 - c^2 x^2)^2} dx}{3cd^2\sqrt{d - c^2 dx^2}} \\
&= \frac{b^2}{3c^2 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx(a + b \sin^{-1}(cx))}{3cd^2\sqrt{1 - c^2 x^2}\sqrt{d - c^2 dx^2}} + \frac{(a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} - \frac{(b\sqrt{1 - c^2 x^2}) \int \frac{1}{(1 - c^2 x^2)^2} dx}{3cd^2\sqrt{d - c^2 dx^2}} \\
&= \frac{b^2}{3c^2 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx(a + b \sin^{-1}(cx))}{3cd^2\sqrt{1 - c^2 x^2}\sqrt{d - c^2 dx^2}} + \frac{(a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} + \frac{2ib\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{3cd^2\sqrt{d - c^2 dx^2}} \\
&= \frac{b^2}{3c^2 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx(a + b \sin^{-1}(cx))}{3cd^2\sqrt{1 - c^2 x^2}\sqrt{d - c^2 dx^2}} + \frac{(a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} + \frac{2ib\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{3cd^2\sqrt{d - c^2 dx^2}} \\
&= \frac{b^2}{3c^2 d^2 \sqrt{d - c^2 dx^2}} - \frac{bx(a + b \sin^{-1}(cx))}{3cd^2\sqrt{1 - c^2 x^2}\sqrt{d - c^2 dx^2}} + \frac{(a + b \sin^{-1}(cx))^2}{3c^2 d (d - c^2 dx^2)^{3/2}} + \frac{2ib\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))}{3cd^2\sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 1.17683, size = 461, normalized size = 1.57

$$\frac{b^2 \left( -4i(1 - c^2 x^2)^{3/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) + 4i(1 - c^2 x^2)^{3/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) - 3\sqrt{1 - c^2 x^2} \sin^{-1}(cx) \log\left(1 - \dots\right) \right)}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(5/2), x]

[Out] (a^2\*sqrt[-(d\*(-1 + c^2\*x^2))]/(3\*c^2\*d^3\*(-1 + c^2\*x^2)^2) + (a\*b\*(8\*ArcSin[c\*x] + 3\*sqrt[1 - c^2\*x^2]\*(Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]) - Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) + Cos[3\*ArcSin[c\*x]]\*(Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]) - Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) - 2\*Sin[2\*ArcSin[c\*x]]))/(12\*c^2\*d\*(d\*(1 - c^2\*x^2))^(3/2)) +

$$\frac{(b^2(2 + 4\text{ArcSin}[c*x]^2 + 2\text{Cos}[2\text{ArcSin}[c*x]] - 3\text{Sqrt}[1 - c^2*x^2]*\text{ArcSin}[c*x]*\text{Log}[1 - I*E^{(I*\text{ArcSin}[c*x])}] - \text{ArcSin}[c*x]*\text{Cos}[3*\text{ArcSin}[c*x]]*\text{Log}[1 - I*E^{(I*\text{ArcSin}[c*x])}] + 3\text{Sqrt}[1 - c^2*x^2]*\text{ArcSin}[c*x]*\text{Log}[1 + I*E^{(I*\text{ArcSin}[c*x])}] + \text{ArcSin}[c*x]*\text{Cos}[3*\text{ArcSin}[c*x]]*\text{Log}[1 + I*E^{(I*\text{ArcSin}[c*x])}] - (4*I)*(1 - c^2*x^2)^{(3/2)}*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[c*x])}] + (4*I)*(1 - c^2*x^2)^{(3/2)}*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}] - 2*\text{ArcSin}[c*x]*\text{Sin}[2*\text{ArcSin}[c*x]]))/(12*c^2*d*(d*(1 - c^2*x^2))^{(3/2)})}$$

**Maple [B]** time = 0.187, size = 762, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(5/2),x)

[Out]  $\frac{1}{3} \frac{a^2}{c^2 d} (-c^2 d x^2 + d)^{3/2} - \frac{1}{3} b^2 (-d(c^2 x^2 - 1))^{1/2} / d^3 (c^4 x^4 - 2c^2 x^2 + 1) / c \arcsin(c x) (-c^2 x^2 + 1)^{1/2} x - \frac{1}{3} b^2 (-d(c^2 x^2 - 1))^{1/2} / d^3 (c^4 x^4 - 2c^2 x^2 + 1) x^2 + \frac{1}{3} b^2 (-d(c^2 x^2 - 1))^{1/2} / d^3 (c^4 x^4 - 2c^2 x^2 + 1) / c^2 \arcsin(c x)^2 + \frac{1}{3} b^2 (-d(c^2 x^2 - 1))^{1/2} / d^3 (c^4 x^4 - 2c^2 x^2 + 1) / c^2 + \frac{1}{3} I b^2 (-c^2 x^2 + 1)^{1/2} (-d(c^2 x^2 - 1))^{1/2} / c^2 d^3 (c^2 x^2 - 1) \text{dilog}(1 + I(I c x + (-c^2 x^2 + 1)^{1/2})) - \frac{1}{3} I b^2 (-c^2 x^2 + 1)^{1/2} (-d(c^2 x^2 - 1))^{1/2} / c^2 d^3 (c^2 x^2 - 1) \text{dilog}(1 - I(I c x + (-c^2 x^2 + 1)^{1/2})) - \frac{1}{3} b^2 (-c^2 x^2 + 1)^{1/2} (-d(c^2 x^2 - 1))^{1/2} / c^2 d^3 (c^2 x^2 - 1) \arcsin(c x) \ln(1 + I(I c x + (-c^2 x^2 + 1)^{1/2})) + \frac{1}{3} b^2 (-c^2 x^2 + 1)^{1/2} (-d(c^2 x^2 - 1))^{1/2} / c^2 d^3 (c^2 x^2 - 1) \arcsin(c x) \ln(1 - I(I c x + (-c^2 x^2 + 1)^{1/2})) - \frac{1}{3} a b (-d(c^2 x^2 - 1))^{1/2} / d^3 (c^4 x^4 - 2c^2 x^2 + 1) / c (-c^2 x^2 + 1)^{1/2} x + \frac{2}{3} a b (-d(c^2 x^2 - 1))^{1/2} / d^3 (c^4 x^4 - 2c^2 x^2 + 1) / c^2 \arcsin(c x) - \frac{1}{3} a b (-c^2 x^2 + 1)^{1/2} (-d(c^2 x^2 - 1))^{1/2} / c^2 d^3 (c^2 x^2 - 1) \ln(I c x + (-c^2 x^2 + 1)^{1/2}) - I + \frac{1}{3} a b (-c^2 x^2 + 1)^{1/2} (-d(c^2 x^2 - 1))^{1/2} / c^2 d^3 (c^2 x^2 - 1) \ln(I c x + (-c^2 x^2 + 1)^{1/2}) + I$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\sqrt{d} \int \frac{\left(b^2 x \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)^2 + 2 abx \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)\right) \sqrt{cx+1}\sqrt{-cx+1}}{c^6 d^3 x^6 - 3 c^4 d^3 x^4 + 3 c^2 d^3 x^2 - d^3} dx + \frac{a^2}{3(-c^2 dx^2 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="maxima")

[Out] -sqrt(d)\*integrate((b^2\*x\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1))^2 + 2\*a\*b\*x\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1))/(c^6\*d^3\*x^6 - 3\*c^4\*d^3\*x^4 + 3\*c^2\*d^3\*x^2 - d^3), x) + 1/3\*a^2/((-c^2\*d\*x^2 + d)^(3/2)\*c^2\*d)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2+d}\left(b^2x\arcsin(cx)^2+2abx\arcsin(cx)+a^2x\right)}{c^6d^3x^6-3c^4d^3x^4+3c^2d^3x^2-d^3},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*d\*x^2 + d)\*(b^2\*x\*arcsin(c\*x)^2 + 2\*a\*b\*x\*arcsin(c\*x) + a^2\*x)/(c^6\*d^3\*x^6 - 3\*c^4\*d^3\*x^4 + 3\*c^2\*d^3\*x^2 - d^3), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x(a+b\arcsin(cx))^2}{(-d(cx-1)(cx+1))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Integral(x\*(a + b\*asin(c\*x))\*\*2/(-d\*(c\*x - 1)\*(c\*x + 1))\*\*(5/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b\arcsin(cx)+a)^2x}{(-c^2dx^2+d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2*x/(-c^2*d*x^2 + d)^(5/2), x)
```



$$3.259 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{(d-c^2 dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=311

$$\frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{3cd^2\sqrt{d-c^2dx^2}} - \frac{b(a+b\sin^{-1}(cx))}{3cd^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} + \frac{2x(a+b\sin^{-1}(cx))^2}{3d^2\sqrt{d-c^2dx^2}} - \frac{2i\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{3cd^2\sqrt{d-c^2dx^2}}$$

[Out] (b^2\*x)/(3\*d^2\*Sqrt[d - c^2\*d\*x^2]) - (b\*(a + b\*ArcSin[c\*x]))/(3\*c\*d^2\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2]) + (x\*(a + b\*ArcSin[c\*x])^2)/(3\*d\*(d - c^2\*d\*x^2)^(3/2)) + (2\*x\*(a + b\*ArcSin[c\*x])^2)/(3\*d^2\*Sqrt[d - c^2\*d\*x^2]) - (((2\*I)/3)\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(c\*d^2\*Sqrt[d - c^2\*d\*x^2]) + (4\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(3\*c\*d^2\*Sqrt[d - c^2\*d\*x^2]) - (((2\*I)/3)\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c\*d^2\*Sqrt[d - c^2\*d\*x^2])

**Rubi [A]** time = 0.276325, antiderivative size = 311, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.346$ , Rules used = {4655, 4653, 4675, 3719, 2190, 2279, 2391, 4677, 191}

$$\frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{3cd^2\sqrt{d-c^2dx^2}} - \frac{b(a+b\sin^{-1}(cx))}{3cd^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} + \frac{2x(a+b\sin^{-1}(cx))^2}{3d^2\sqrt{d-c^2dx^2}} - \frac{2i\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{3cd^2\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/(d - c^2\*d\*x^2)^(5/2), x]

[Out] (b^2\*x)/(3\*d^2\*Sqrt[d - c^2\*d\*x^2]) - (b\*(a + b\*ArcSin[c\*x]))/(3\*c\*d^2\*Sqrt[1 - c^2\*x^2]\*Sqrt[d - c^2\*d\*x^2]) + (x\*(a + b\*ArcSin[c\*x])^2)/(3\*d\*(d - c^2\*d\*x^2)^(3/2)) + (2\*x\*(a + b\*ArcSin[c\*x])^2)/(3\*d^2\*Sqrt[d - c^2\*d\*x^2]) - (((2\*I)/3)\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(c\*d^2\*Sqrt[d - c^2\*d\*x^2]) + (4\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(3\*c\*d^2\*Sqrt[d - c^2\*d\*x^2]) - (((2\*I)/3)\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c\*d^2\*Sqrt[d - c^2\*d\*x^2])

**Rule 4655**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^((n\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_ Symbol] :> -Simp[(x\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*(p + 1))

), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

### Rule 4653

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^(n\_.)/((d\_.) + (e\_.)\*(x\_)^2)^(3/2), x\_Symbol] := Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n\*Sqrt[1 - c^2\*x^2])/(d\*Sqrt[d + e\*x^2]), Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(1 - c^2\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

### Rule 4675

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^(n\_.)\*(x\_))/((d\_.) + (e\_.)\*(x\_)^2), x\_Symbol] := -Dist[e^(-1), Subst[Int[(a + b\*x)^n\*Tan[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 3719

Int[((c\_.) + (d\_.)\*(x\_)^(m\_.))\*tan[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_)^(m\_.)))/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_.) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 191

Int[((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}} dx &= \frac{x(a + b \sin^{-1}(cx))^2}{3d(d - c^2 dx^2)^{3/2}} + \frac{2 \int \frac{(a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx}{3d} - \frac{(2bc\sqrt{1 - c^2 x^2}) \int \frac{x(a + b \sin^{-1}(cx))}{(1 - c^2 x^2)^2} dx}{3d^2 \sqrt{d - c^2 dx^2}} \\
 &= -\frac{b(a + b \sin^{-1}(cx))}{3cd^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{3d(d - c^2 dx^2)^{3/2}} + \frac{2x(a + b \sin^{-1}(cx))^2}{3d^2 \sqrt{d - c^2 dx^2}} + \frac{(b^2 \sqrt{1 - c^2 x^2})}{3d^2 \sqrt{d}} \\
 &= \frac{b^2 x}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{b(a + b \sin^{-1}(cx))}{3cd^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{3d(d - c^2 dx^2)^{3/2}} + \frac{2x(a + b \sin^{-1}(cx))^2}{3d^2 \sqrt{d - c^2 dx^2}} \\
 &= \frac{b^2 x}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{b(a + b \sin^{-1}(cx))}{3cd^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{3d(d - c^2 dx^2)^{3/2}} + \frac{2x(a + b \sin^{-1}(cx))^2}{3d^2 \sqrt{d - c^2 dx^2}} \\
 &= \frac{b^2 x}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{b(a + b \sin^{-1}(cx))}{3cd^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{3d(d - c^2 dx^2)^{3/2}} + \frac{2x(a + b \sin^{-1}(cx))^2}{3d^2 \sqrt{d - c^2 dx^2}} \\
 &= \frac{b^2 x}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{b(a + b \sin^{-1}(cx))}{3cd^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{3d(d - c^2 dx^2)^{3/2}} + \frac{2x(a + b \sin^{-1}(cx))^2}{3d^2 \sqrt{d - c^2 dx^2}} \\
 &= \frac{b^2 x}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{b(a + b \sin^{-1}(cx))}{3cd^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{x(a + b \sin^{-1}(cx))^2}{3d(d - c^2 dx^2)^{3/2}} + \frac{2x(a + b \sin^{-1}(cx))^2}{3d^2 \sqrt{d - c^2 dx^2}}
 \end{aligned}$$

**Mathematica [A]** time = 0.992385, size = 320, normalized size = 1.03

$$2ib^2(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right) + 2a^2c^3x^3 - 3a^2cx + ab\sqrt{1-c^2x^2} + 2abc^2x^2\sqrt{1-c^2x^2} \log(1-c^2x^2) - 2ab\sqrt{1-c^2x^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(d - c^2\*d\*x^2)^(5/2), x]

[Out] 
$$\frac{(-3a^2cx - b^2cx + 2a^2c^3x^3 + b^2c^3x^3 + a*b*\text{Sqrt}[1 - c^2x^2] + b^2*(-3cx + 2c^3x^3 + (2I)*\text{Sqrt}[1 - c^2x^2] - (2I)*c^2x^2*\text{Sqrt}[1 - c^2x^2])* \text{ArcSin}[c*x]^2 + b*\text{ArcSin}[c*x]*(-6a*c*x + 4a*c^3x^3 + b*\text{Sqrt}[1 - c^2x^2] - 4b*(1 - c^2x^2)^{(3/2)}*\text{Log}[1 + E^{((2I)*\text{ArcSin}[c*x])}]) - 2a*b*\text{Sqrt}[1 - c^2x^2]*\text{Log}[1 - c^2x^2] + 2a*b*c^2x^2*\text{Sqrt}[1 - c^2x^2]*\text{Log}[1 - c^2x^2] + (2I)*b^2*(1 - c^2x^2)^{(3/2)}*\text{PolyLog}[2, -E^{((2I)*\text{ArcSin}[c*x])}])}{(3c*d^2*(-1 + c^2x^2)*\text{Sqrt}[d - c^2d*x^2])}$$

**Maple [B]** time = 0.205, size = 2896, normalized size = 9.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(5/2), x)

[Out] 
$$\begin{aligned} & -10/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)* \\ & c^2*arcsin(c*x)*(-c^2*x^2+1)*x^3+14/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)* \\ & c*arcsin(c*x)^2*(-c^2*x^2+1)^{(1/2)}*x^2-2*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)* \\ & c^3*arcsin(c*x)^2*(-c^2*x^2+1)^{(1/2)}*x^4+2/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)* \\ & (-c^2*x^2+1)*x-4*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)* \\ & arcsin(c*x)^2*x+2/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)* \\ & c^6*x^7-3*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)* \\ & c^4*x^5+13/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)* \\ & c^2*x^3+16/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)* \\ & c^2*arcsin(c*x)*x^3-14/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)* \\ & c^4*arcsin(c*x)*x^5-I*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)* \\ & c^3*(-c^2*x^2+1)^{(1/2)}*x^4-b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4)* \\ & c*arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*x^2-4/3*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/c/d^3/(c^2*x^2-1)*arcs \end{aligned}$$

$$\begin{aligned}
& \ln(cx) * \ln(1 + (I*cx + (-c^2*x^2+1)^{(1/2)})^2) - 4/3*a*b*(-d*(c^2*x^2-1))^{(1/2)} * \\
& (-c^2*x^2+1)^{(1/2)} / c/d^3/(c^2*x^2-1) * \ln(1 + (I*cx + (-c^2*x^2+1)^{(1/2)})^2) + 4/3* \\
& I*a*b*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4) * c^6*x^ \\
& 7-14/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4) \\
& * c^4*x^5+16/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2 \\
& *x^2-4) * c^2*x^3+2*I*a*b*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x^4+11 \\
& *c^2*x^2-4) * (-c^2*x^2+1)*x+34/3*a*b*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-1 \\
& 0*c^4*x^4+11*c^2*x^2-4) * c^2*arcsin(cx)*x^3-4*a*b*(-d*(c^2*x^2-1))^{(1/2)} / d^ \\
& 3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4) * c^4*arcsin(cx)*x^5-a*b*(-d*(c^2*x^2- \\
& 1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4) * c*(-c^2*x^2+1)^{(1/2)} *x^2+ \\
& 2*I*b^2*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4) * arcs \\
& in(cx) * (-c^2*x^2+1)*x+4/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c \\
& ^4*x^4+11*c^2*x^2-4) * c^6*arcsin(cx)*x^7+2/3*I*b^2*(-c^2*x^2+1)^{(1/2)} * (-d*( \\
& c^2*x^2-1))^{(1/2)} / c/d^3/(c^2*x^2-1) * polylog(2, -(I*cx + (-c^2*x^2+1)^{(1/2)})^2 \\
& ) - 8/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4) / \\
& c*arcsin(cx)^2 * (-c^2*x^2+1)^{(1/2)} + 4/3*I*b^2*(-c^2*x^2+1)^{(1/2)} * (-d*(c^2*x^ \\
& 2-1))^{(1/2)} / c/d^3/(c^2*x^2-1) * arcsin(cx)^2 + 7/3*I*b^2*(-d*(c^2*x^2-1))^{(1/2)} \\
& ) / d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4) * c*x^2 * (-c^2*x^2+1)^{(1/2)} + 8/3*I*a* \\
& b*(-c^2*x^2+1)^{(1/2)} * (-d*(c^2*x^2-1))^{(1/2)} / c/d^3/(c^2*x^2-1) * arcsin(cx) + 4 \\
& /3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4) * c^4 \\
& * (-c^2*x^2+1)*x^5-10/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x \\
& ^4+11*c^2*x^2-4) * c^2 * (-c^2*x^2+1)*x^3-16/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)} / d^3 \\
& / (3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4) / c*arcsin(cx) * (-c^2*x^2+1)^{(1/2)} + 4/3*I \\
& *b^2*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4) * c^4*arc \\
& sin(cx) * (-c^2*x^2+1)*x^5-2*b^2*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^ \\
& 4*x^4+11*c^2*x^2-4) *x+28/3*I*a*b*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c \\
& ^4*x^4+11*c^2*x^2-4) * c*arcsin(cx) * (-c^2*x^2+1)^{(1/2)} *x^2-4*I*a*b*(-d*(c^2* \\
& x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4) * c^3*arcsin(cx) * (-c^2 \\
& *x^2+1)^{(1/2)} *x^4+1/3*a^2/d*x/(-c^2*d*x^2+d)^{(3/2)} + 2/3*a^2/d^2*x/(-c^2*d*x^ \\
& 2+d)^{(1/2)} + 4/3*a*b*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2* \\
& x^2-4) / c * (-c^2*x^2+1)^{(1/2)} - 8*a*b*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10* \\
& c^4*x^4+11*c^2*x^2-4) * arcsin(cx)*x-2*I*a*b*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c \\
& ^6*x^6-10*c^4*x^4+11*c^2*x^2-4) *x+2/3*b^2*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6 \\
& *x^6-10*c^4*x^4+11*c^2*x^2-4) * c^4 * (-c^2*x^2+1)*x^5+4/3*b^2*(-d*(c^2*x^2-1)) \\
& ^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4) / c*arcsin(cx) * (-c^2*x^2+1)^{( \\
& 1/2)} - 4/3*b^2*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4) \\
& * c^2 * (-c^2*x^2+1)*x^3-2*b^2*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x^ \\
& 4+11*c^2*x^2-4) * c^4*arcsin(cx)^2*x^5+17/3*b^2*(-d*(c^2*x^2-1))^{(1/2)} / d^3/( \\
& 3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4) * c^2*arcsin(cx)^2*x^3-2*I*b^2*(-d*(c^2*x \\
& ^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4) * arcsin(cx)*x-4/3*I*b^ \\
& 2*(-d*(c^2*x^2-1))^{(1/2)} / d^3/(3*c^6*x^6-10*c^4*x^4+11*c^2*x^2-4) / c * (-c^2*x^ \\
& 2+1)^{(1/2)}
\end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2+d}(b^2\arcsin(cx)^2+2ab\arcsin(cx)+a^2)}{c^6d^3x^6-3c^4d^3x^4+3c^2d^3x^2-d^3},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*d\*x^2+d)\*(b^2\*arcsin(c\*x)^2+2\*a\*b\*arcsin(c\*x)+a^2)/(c^6\*d^3\*x^6-3\*c^4\*d^3\*x^4+3\*c^2\*d^3\*x^2-d^3),x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a+b\arcsin(cx))^2}{(-d(cx-1)(cx+1))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Integral((a + b\*asin(c\*x))\*\*2/(-d\*(c\*x - 1)\*(c\*x + 1))\*\*(5/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b\arcsin(cx)+a)^2}{(-c^2dx^2+d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2/(-c^2*d*x^2 + d)^(5/2), x)
```

$$3.260 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x(d-c^2 dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=577

$$\frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d^2\sqrt{d-c^2dx^2}} - \frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d^2\sqrt{d-c^2dx^2}} - \frac{7ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(3,-e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d^2\sqrt{d-c^2dx^2}}$$

```
[Out] b^2/(3*d^2*Sqrt[d - c^2*d*x^2]) - (b*c*x*(a + b*ArcSin[c*x]))/(3*d^2*Sqrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) + (a + b*ArcSin[c*x])^2/(3*d*(d - c^2*d*x^2)^(3/2)) + (a + b*ArcSin[c*x])^2/(d^2*Sqrt[d - c^2*d*x^2]) + (((14*I)/3)*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2]) - (2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2*ArcTanh[E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2]) + ((2*I)*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, -E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2]) - (((7*I)/3)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2]) + (((7*I)/3)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2]) - ((2*I)*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2]) - (2*b^2*Sqrt[1 - c^2*x^2]*PolyLog[3, -E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2]) + (2*b^2*Sqrt[1 - c^2*x^2]*PolyLog[3, E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2])
```

**Rubi [A]** time = 0.860139, antiderivative size = 577, normalized size of antiderivative = 1., number of steps used = 25, number of rules used = 13, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.448$ , Rules used = {4705, 4713, 4709, 4183, 2531, 2282, 6589, 4657, 4181, 2279, 2391, 4655, 261}

$$\frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d^2\sqrt{d-c^2dx^2}} - \frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d^2\sqrt{d-c^2dx^2}} - \frac{7ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(3,-e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d^2\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])^2/(x*(d - c^2*d*x^2)^(5/2)), x]
```

```
[Out] b^2/(3*d^2*Sqrt[d - c^2*d*x^2]) - (b*c*x*(a + b*ArcSin[c*x]))/(3*d^2*Sqrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) + (a + b*ArcSin[c*x])^2/(3*d*(d - c^2*d*x^2)^(3/2)) + (a + b*ArcSin[c*x])^2/(d^2*Sqrt[d - c^2*d*x^2]) + (((14*I)/3)*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2]) - (2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2*ArcTanh[E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2]) + ((2*I)*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, -E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2]) - (((7*I)/3)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2]) + (((7*I)/3)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2]) - ((2*I)*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2]) - (2*b^2*Sqrt[1 - c^2*x^2]*PolyLog[3, -E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2]) + (2*b^2*Sqrt[1 - c^2*x^2]*PolyLog[3, E^(I*ArcSin[c*x])])/(d^2*Sqrt[d - c^2*d*x^2])
```



$$\begin{aligned}
& [d - c^2 d x^2] - (2 \sqrt{1 - c^2 x^2} (a + b \operatorname{ArcSin}[c x])^2 \operatorname{ArcTanh}[E^{(I \operatorname{ArcSin}[c x])}]) / (d^2 \sqrt{d - c^2 d x^2}) + ((2 I) b \sqrt{1 - c^2 x^2} (a + \\
& b \operatorname{ArcSin}[c x]) \operatorname{PolyLog}[2, -E^{(I \operatorname{ArcSin}[c x])}]) / (d^2 \sqrt{d - c^2 d x^2}) - \\
& (((7 I) / 3) b^2 \sqrt{1 - c^2 x^2} \operatorname{PolyLog}[2, (-I) E^{(I \operatorname{ArcSin}[c x])}]) / (d^2 \sqrt{d - c^2 d x^2}) + (((7 I) / 3) b^2 \sqrt{1 - c^2 x^2} \operatorname{PolyLog}[2, I E^{(I \operatorname{ArcSin}[c x])}]) / (d^2 \sqrt{d - c^2 d x^2}) - \\
& ((2 I) b \sqrt{1 - c^2 x^2} (a + b \operatorname{ArcSin}[c x]) \operatorname{PolyLog}[2, E^{(I \operatorname{ArcSin}[c x])}]) / (d^2 \sqrt{d - c^2 d x^2}) - (2 \\
& b^2 \sqrt{1 - c^2 x^2} \operatorname{PolyLog}[3, -E^{(I \operatorname{ArcSin}[c x])}]) / (d^2 \sqrt{d - c^2 d x^2}) + (2 b^2 \sqrt{1 - c^2 x^2} \operatorname{PolyLog}[3, E^{(I \operatorname{ArcSin}[c x])}]) / (d^2 \sqrt{d - c^2 d x^2})
\end{aligned}$$

### Rule 4705

$$\begin{aligned}
& \operatorname{Int}[(a + \operatorname{ArcSin}[c x])^n (f x)^m (d + e x^2)^p, x] := -\operatorname{Simp}[(f x)^{m+1} (d + e x^2)^{p+1} (a + \\
& b \operatorname{ArcSin}[c x])^n / (2 d f (p + 1)), x] + (\operatorname{Dist}[(m + 2 p + 3) / (2 d (p + 1)), \\
& \operatorname{Int}[(f x)^m (d + e x^2)^{p+1} (a + b \operatorname{ArcSin}[c x])^n, x], x] + \operatorname{Dist}[(b c^n \\
& d^{\operatorname{IntPart}[p]} (d + e x^2)^{\operatorname{FracPart}[p]}] / (2 f (p + 1) (1 - c^2 x^2)^{\operatorname{FracPart}[p]}], \\
& \operatorname{Int}[(f x)^{m+1} (1 - c^2 x^2)^{p+1/2} (a + b \operatorname{ArcSin}[c x])^{n-1}, \\
& x], x]) /; \operatorname{FreeQ}\{a, b, c, d, e, f, m\}, x \} \&\& \operatorname{EqQ}[c^2 d + e, 0] \&\& \operatorname{GtQ}[n, \\
& 0] \&\& \operatorname{LtQ}[p, -1] \&\& \operatorname{!GtQ}[m, 1] \&\& (\operatorname{IntegerQ}[m] \mid \mid \operatorname{IntegerQ}[p] \mid \mid \operatorname{EqQ}[n, 1] \\
& )
\end{aligned}$$

### Rule 4713

$$\begin{aligned}
& \operatorname{Int}[(a + \operatorname{ArcSin}[c x])^n (f x)^m / \sqrt{d + e x^2}, x] := \operatorname{Dist}[\sqrt{1 - c^2 x^2} / \sqrt{d + e x^2}, \operatorname{Int}[(f x)^m (a + \\
& b \operatorname{ArcSin}[c x])^n / \sqrt{1 - c^2 x^2}, x], x] /; \operatorname{FreeQ}\{a, b, c, \\
& d, e, f, m\}, x \} \&\& \operatorname{EqQ}[c^2 d + e, 0] \&\& \operatorname{GtQ}[n, 0] \&\& \operatorname{!GtQ}[d, 0] \&\& (\operatorname{IntegerQ}[m] \mid \mid \operatorname{EqQ}[n, 1])
\end{aligned}$$

### Rule 4709

$$\begin{aligned}
& \operatorname{Int}[(a + \operatorname{ArcSin}[c x])^n (f x)^m / \sqrt{d + e x^2}, x] := \operatorname{Dist}[1 / (c^{m+1} \sqrt{d}), \operatorname{Subst}[\operatorname{Int}[(a + b x)^n \operatorname{Sin} \\
& [x]^m, x], x, \operatorname{ArcSin}[c x]], x] /; \operatorname{FreeQ}\{a, b, c, d, e\}, x \} \&\& \operatorname{EqQ}[c^2 d + \\
& e, 0] \&\& \operatorname{GtQ}[d, 0] \&\& \operatorname{IGtQ}[n, 0] \&\& \operatorname{IntegerQ}[m]
\end{aligned}$$

### Rule 4183

$$\begin{aligned}
& \operatorname{Int}[\operatorname{csc}[e + (f x)] (c + d x)^m, x] := \operatorname{Simp}[( \\
& -2 (c + d x)^m \operatorname{ArcTanh}[E^{(I (e + f x))}] / f, x] + (-\operatorname{Dist}[(d m) / f, \operatorname{Int}[(c + d \\
& x)^{m-1} \operatorname{Log}[1 - E^{(I (e + f x))}], x], x] + \operatorname{Dist}[(d m) / f, \operatorname{Int}[(c + d x)^{ \\
& m-1} \operatorname{Log}[1 + E^{(I (e + f x))}], x], x]) /; \operatorname{FreeQ}\{c, d, e, f\}, x \} \&\& \operatorname{IGtQ}
\end{aligned}$$

[m, 0]

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*(a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)/((d_.) + (e_.)*(x_)^2), x_Symbo
l] := Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol
] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x]
, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x)
)], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 4655

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(x\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*(p + 1)), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x(d - c^2 dx^2)^{5/2}} dx &= \frac{(a + b \sin^{-1}(cx))^2}{3d(d - c^2 dx^2)^{3/2}} + \frac{\int \frac{(a + b \sin^{-1}(cx))^2}{x(d - c^2 dx^2)^{3/2}} dx}{d} - \frac{(2bc\sqrt{1 - c^2 x^2}) \int \frac{a + b \sin^{-1}(cx)}{(1 - c^2 x^2)^2} dx}{3d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{bcx(a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{(a + b \sin^{-1}(cx))^2}{3d(d - c^2 dx^2)^{3/2}} + \frac{(a + b \sin^{-1}(cx))^2}{d^2 \sqrt{d - c^2 dx^2}} + \frac{\int \frac{(a + b \sin^{-1}(cx))^2}{x \sqrt{d - c^2 dx^2}} dx}{d^2} - \dots \\
&= \frac{b^2}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bcx(a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{(a + b \sin^{-1}(cx))^2}{3d(d - c^2 dx^2)^{3/2}} + \frac{(a + b \sin^{-1}(cx))^2}{d^2 \sqrt{d - c^2 dx^2}} + \frac{\sqrt{1 - c^2 x^2}}{d^2} - \dots \\
&= \frac{b^2}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bcx(a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{(a + b \sin^{-1}(cx))^2}{3d(d - c^2 dx^2)^{3/2}} + \frac{(a + b \sin^{-1}(cx))^2}{d^2 \sqrt{d - c^2 dx^2}} + \frac{14ibv}{d^2} - \dots \\
&= \frac{b^2}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bcx(a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{(a + b \sin^{-1}(cx))^2}{3d(d - c^2 dx^2)^{3/2}} + \frac{(a + b \sin^{-1}(cx))^2}{d^2 \sqrt{d - c^2 dx^2}} + \frac{14ibv}{d^2} - \dots \\
&= \frac{b^2}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bcx(a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{(a + b \sin^{-1}(cx))^2}{3d(d - c^2 dx^2)^{3/2}} + \frac{(a + b \sin^{-1}(cx))^2}{d^2 \sqrt{d - c^2 dx^2}} + \frac{14ibv}{d^2} - \dots \\
&= \frac{b^2}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bcx(a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{(a + b \sin^{-1}(cx))^2}{3d(d - c^2 dx^2)^{3/2}} + \frac{(a + b \sin^{-1}(cx))^2}{d^2 \sqrt{d - c^2 dx^2}} + \frac{14ibv}{d^2} - \dots \\
&= \frac{b^2}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bcx(a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{(a + b \sin^{-1}(cx))^2}{3d(d - c^2 dx^2)^{3/2}} + \frac{(a + b \sin^{-1}(cx))^2}{d^2 \sqrt{d - c^2 dx^2}} + \frac{14ibv}{d^2} - \dots
\end{aligned}$$

**Mathematica [A]** time = 8.64443, size = 935, normalized size = 1.62

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcSin[c*x])^2/(x*(d - c^2*d*x^2)^(5/2)), x]
```

```
[Out] Sqrt[-(d*(-1 + c^2*x^2))]*(a^2/(3*d^3*(-1 + c^2*x^2)^2) - a^2/(d^3*(-1 + c^2*x^2))) + (a^2*Log[c*x])/d^(5/2) - (a^2*Log[d + Sqrt[d]*Sqrt[-(d*(-1 + c^2*x^2))]])/d^(5/2) + (b^2*(1 - c^2*x^2)^(3/2)*(4 - ((-2 + ArcSin[c*x])*ArcSin[c*x])/(-1 + c*x) + 14*ArcSin[c*x]^2 + 12*ArcSin[c*x]^2*(Log[1 - E^(I*ArcS
```

```

in[c*x]]) - Log[1 + E^(I*ArcSin[c*x])] - 28*(ArcSin[c*x]*(Log[1 - I*E^(I*ArcSin[c*x]]) - Log[1 + I*E^(I*ArcSin[c*x]])] + I*(PolyLog[2, (-I)*E^(I*ArcSin[c*x]]) - PolyLog[2, I*E^(I*ArcSin[c*x]])]) + (24*I)*ArcSin[c*x]*(PolyLog[2, -E^(I*ArcSin[c*x])] - PolyLog[2, E^(I*ArcSin[c*x])]) + 24*(-PolyLog[3, -E^(I*ArcSin[c*x])] + PolyLog[3, E^(I*ArcSin[c*x])]) + (2*ArcSin[c*x]^2*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^3 + (2*(2 + 7*ArcSin[c*x]^2)*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]) - (2*ArcSin[c*x]^2*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^3 + (ArcSin[c*x]*(2 + ArcSin[c*x]))/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^2 - (2*(2 + 7*ArcSin[c*x]^2)*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])/(12*d*(d*(1 - c^2*x^2))^(3/2)) + (a*b*(20*ArcSin[c*x] + 12*ArcSin[c*x]*Cos[2*ArcSin[c*x]] + 18*Sqrt[1 - c^2*x^2]*ArcSin[c*x]*Log[1 - E^(I*ArcSin[c*x])] + 6*ArcSin[c*x]*Cos[3*ArcSin[c*x]]*Log[1 - E^(I*ArcSin[c*x])] - 18*Sqrt[1 - c^2*x^2]*ArcSin[c*x]*Log[1 + E^(I*ArcSin[c*x])] - 6*ArcSin[c*x]*Cos[3*ArcSin[c*x]]*Log[1 + E^(I*ArcSin[c*x])] + 21*Sqrt[1 - c^2*x^2]*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]] + 7*Cos[3*ArcSin[c*x]]*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]] - 21*Sqrt[1 - c^2*x^2]*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]] - 7*Cos[3*ArcSin[c*x]]*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]] + (24*I)*(1 - c^2*x^2)^(3/2)*PolyLog[2, -E^(I*ArcSin[c*x])] - (24*I)*(1 - c^2*x^2)^(3/2)*PolyLog[2, E^(I*ArcSin[c*x])] - 2*Sin[2*ArcSin[c*x]])/(12*d*(d*(1 - c^2*x^2))^(3/2))

```

**Maple [B]** time = 0.319, size = 1373, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/x/(-c^2*d*x^2+d)^(5/2),x)
```

```

[Out] 1/3*a^2/d/(-c^2*d*x^2+d)^(3/2)+a^2/d^2/(-c^2*d*x^2+d)^(1/2)-a^2/d^(5/2)*ln((2*d+2*d^(1/2)*(-c^2*d*x^2+d)^(1/2))/x)-7/3*I*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)*dilog(1-I*(I*c*x+(-c^2*x^2+1)^(1/2)))-b^2*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)^2*arcsin(c*x)^2*x^2*c^2+b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)*arcsin(c*x)^2*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)*arcsin(c*x)^2*ln(1-I*c*x-(-c^2*x^2+1)^(1/2))-7/3*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)*arcsin(c*x)*ln(1+I*(I*c*x+(-c^2*x^2+1)^(1/2)))+7/3*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)*arcsin(c*x)*ln(1-I*(I*c*x+(-c^2*x^2+1)^(1/2)))+7/3*I*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)*dilog(1+I*(I*c*x+(-c^2*x^2+1)^(1/2)))-2*I*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)*

```

```

arcsin(c*x)*polylog(2,-I*c*x-(-c^2*x^2+1)^(1/2))+2*I*b^2*(-c^2*x^2+1)^(1/2)
*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)*arcsin(c*x)*polylog(2,I*c*x+(-c^2*x
^2+1)^(1/2))-14/3*I*a*b*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x
^2-1)*arctan(I*c*x+(-c^2*x^2+1)^(1/2))-2*I*a*b*(-c^2*x^2+1)^(1/2)*(-d*(c^2
*x^2-1))^(1/2)/d^3/(c^2*x^2-1)*dilog(I*c*x+(-c^2*x^2+1)^(1/2))-2*I*a*b*(-c^
2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)*dilog(1+I*c*x+(-c^2*x
^2+1)^(1/2))-2*a*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)^2*arcsin(c*x)*x^2
*c^2-1/3*a*b*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)^2*(-c^2*x^2+1)^(1/2)*x*
c+2*a*b*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)*arcsin(c*
x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-1/3*b^2*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x
^2-1)^2*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*x*c+4/3*b^2*(-d*(c^2*x^2-1))^(1/2)/d
^3/(c^2*x^2-1)^2*arcsin(c*x)^2-1/3*b^2*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-
1)^2*c^2*x^2+2*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1
)*polylog(3,-I*c*x-(-c^2*x^2+1)^(1/2))-2*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^
2-1))^(1/2)/d^3/(c^2*x^2-1)*polylog(3,I*c*x+(-c^2*x^2+1)^(1/2))+8/3*a*b*(-d
*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)^2*arcsin(c*x)+1/3*b^2*(-d*(c^2*x^2-1))^(
1/2)/d^3/(c^2*x^2-1)^2

```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2+d}(b^2\arcsin(cx)^2+2ab\arcsin(cx)+a^2)}{c^6d^3x^7-3c^4d^3x^5+3c^2d^3x^3-d^3x},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*d\*x^2+d)\*(b^2\*arcsin(c\*x)^2+2\*a\*b\*arcsin(c\*x)+a^2)/(c^6\*d^3\*x^7-3\*c^4\*d^3\*x^5+3\*c^2\*d^3\*x^3-d^3\*x),x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(-c^2 dx^2 + d)^{\frac{5}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/((-c^2\*d\*x^2 + d)^(5/2)\*x), x)

$$3.261 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^2(d-c^2dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=452

$$-\frac{5ib^2c\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{3d^2\sqrt{d-c^2dx^2}} - \frac{ib^2c\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{d^2\sqrt{d-c^2dx^2}} - \frac{bc(a+b\sin^{-1}(cx))}{3d^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} + \frac{8c^2x}{3d}$$

```
[Out] (b^2*c^2*x)/(3*d^2*Sqrt[d - c^2*d*x^2]) - (b*c*(a + b*ArcSin[c*x]))/(3*d^2*
Sqrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) - (a + b*ArcSin[c*x])^2/(d*x*(d - c^
2*d*x^2)^(3/2)) + (4*c^2*x*(a + b*ArcSin[c*x])^2)/(3*d*(d - c^2*d*x^2)^(3/2
)) + (8*c^2*x*(a + b*ArcSin[c*x])^2)/(3*d^2*Sqrt[d - c^2*d*x^2]) - (((8*I)/
3)*c*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2)/(d^2*Sqrt[d - c^2*d*x^2]) - (
4*b*c*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*ArcTanh[E^((2*I)*ArcSin[c*x])])
/(d^2*Sqrt[d - c^2*d*x^2]) + (16*b*c*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*
Log[1 + E^((2*I)*ArcSin[c*x])])/(3*d^2*Sqrt[d - c^2*d*x^2]) - (((5*I)/3)*b^
2*c*Sqrt[1 - c^2*x^2]*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(d^2*Sqrt[d - c^2
*d*x^2]) - (I*b^2*c*Sqrt[1 - c^2*x^2]*PolyLog[2, E^((2*I)*ArcSin[c*x])])/(d
^2*Sqrt[d - c^2*d*x^2])
```

**Rubi [A]** time = 0.616969, antiderivative size = 452, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 14, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.483$ , Rules used = {4701, 4655, 4653, 4675, 3719, 2190, 2279, 2391, 4677, 191, 4705, 4679, 4419, 4183}

$$-\frac{5ib^2c\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{3d^2\sqrt{d-c^2dx^2}} - \frac{ib^2c\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{d^2\sqrt{d-c^2dx^2}} - \frac{bc(a+b\sin^{-1}(cx))}{3d^2\sqrt{1-c^2x^2}\sqrt{d-c^2dx^2}} + \frac{8c^2x}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])^2/(x^2*(d - c^2*d*x^2)^(5/2)), x]
```

```
[Out] (b^2*c^2*x)/(3*d^2*Sqrt[d - c^2*d*x^2]) - (b*c*(a + b*ArcSin[c*x]))/(3*d^2*
Sqrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) - (a + b*ArcSin[c*x])^2/(d*x*(d - c^
2*d*x^2)^(3/2)) + (4*c^2*x*(a + b*ArcSin[c*x])^2)/(3*d*(d - c^2*d*x^2)^(3/2
)) + (8*c^2*x*(a + b*ArcSin[c*x])^2)/(3*d^2*Sqrt[d - c^2*d*x^2]) - (((8*I)/
3)*c*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2)/(d^2*Sqrt[d - c^2*d*x^2]) - (
4*b*c*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*ArcTanh[E^((2*I)*ArcSin[c*x])])
/(d^2*Sqrt[d - c^2*d*x^2]) + (16*b*c*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*
Log[1 + E^((2*I)*ArcSin[c*x])])/(3*d^2*Sqrt[d - c^2*d*x^2]) - (((5*I)/3)*b^
2*c*Sqrt[1 - c^2*x^2]*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(d^2*Sqrt[d - c^2
*d*x^2]) - (I*b^2*c*Sqrt[1 - c^2*x^2]*PolyLog[2, E^((2*I)*ArcSin[c*x])])/(d
^2*Sqrt[d - c^2*d*x^2])
```



$$\frac{1}{(d^2 \sqrt{d - c^2 d x^2})} + \frac{(16 b^2 c \sqrt{1 - c^2 x^2} (a + b \operatorname{ArcSin}[c x]) \operatorname{Log}[1 + E^{(2I) \operatorname{ArcSin}[c x]}])}{(3 d^2 \sqrt{d - c^2 d x^2})} - \frac{((5I)/3) b^2 c \sqrt{1 - c^2 x^2} \operatorname{PolyLog}[2, -E^{(2I) \operatorname{ArcSin}[c x]}]}{(d^2 \sqrt{d - c^2 d x^2})} - \frac{(I b^2 c \sqrt{1 - c^2 x^2} \operatorname{PolyLog}[2, E^{(2I) \operatorname{ArcSin}[c x]}])}{(d^2 \sqrt{d - c^2 d x^2})}$$
Rule 4701

$$\operatorname{Int}[(a + \operatorname{ArcSin}[c x])^n (d + e x^2)^p, x] \rightarrow \operatorname{Simp}[(f x)^{m+1} (d + e x^2)^{p+1} (a + b \operatorname{ArcSin}[c x])^n / (d f (m+1)), x] + (\operatorname{Dist}[(c^2 (m+2p+3)) / (f^2 (m+1)), \operatorname{Int}[(f x)^{m+2} (d + e x^2)^p (a + b \operatorname{ArcSin}[c x])^n, x], x] - \operatorname{Dist}[(b c^n d \operatorname{IntPart}[p] (d + e x^2)^{\operatorname{FracPart}[p]}] / (f (m+1) (1 - c^2 x^2)^{\operatorname{FracPart}[p]}), \operatorname{Int}[(f x)^{m+1} (1 - c^2 x^2)^{p+1/2} (a + b \operatorname{ArcSin}[c x])^{n-1}, x], x]) /;$$

FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2 d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

Rule 4655

$$\operatorname{Int}[(a + \operatorname{ArcSin}[c x])^n (d + e x^2)^p, x] \rightarrow -\operatorname{Simp}[x (d + e x^2)^{p+1} (a + b \operatorname{ArcSin}[c x])^n / (2 d (p+1)), x] + (\operatorname{Dist}[(2p+3) / (2 d (p+1)), \operatorname{Int}[(d + e x^2)^{p+1} (a + b \operatorname{ArcSin}[c x])^n, x], x] + \operatorname{Dist}[(b c^n d \operatorname{IntPart}[p] (d + e x^2)^{\operatorname{FracPart}[p]}] / (2 (p+1) (1 - c^2 x^2)^{\operatorname{FracPart}[p]}), \operatorname{Int}[x (1 - c^2 x^2)^{p+1/2} (a + b \operatorname{ArcSin}[c x])^{n-1}, x], x]) /;$$

FreeQ[{a, b, c, d, e}, x] && EqQ[c^2 d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 4653

$$\operatorname{Int}[(a + \operatorname{ArcSin}[c x])^n / (d + e x^2)^{3/2}, x] \rightarrow \operatorname{Simp}[x (a + b \operatorname{ArcSin}[c x])^n / (d \sqrt{d + e x^2}), x] - \operatorname{Dist}[(b c^n \sqrt{1 - c^2 x^2}) / (d \sqrt{d + e x^2}), \operatorname{Int}[(x (a + b \operatorname{ArcSin}[c x])^{n-1}) / (1 - c^2 x^2), x], x] /;$$

FreeQ[{a, b, c, d, e}, x] && EqQ[c^2 d + e, 0] && GtQ[n, 0]

Rule 4675

$$\operatorname{Int}[(a + \operatorname{ArcSin}[c x])^n (d + e x^2)^{-1}, x] \rightarrow -\operatorname{Dist}[e^{-1}, \operatorname{Subst}[\operatorname{Int}[(a + b x)^n \operatorname{Tan}[x], x], x, \operatorname{ArcSin}[c x]], x] /;$$

FreeQ[{a, b, c, d, e}, x] && EqQ[c^2 d + e, 0] && IGtQ[n, 0]

Rule 3719

$$\operatorname{Int}[(c + d x)^m \tan[(e + f x)], x] \rightarrow \operatorname{Simp}[(I (c + d x)^{m+1}) / (d (m+1)), x] - \operatorname{Dist}[2I, \operatorname{Int}[(c + d x)^m E^{(2I)(e + f x)}], x]$$

+ f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2190

Int[(((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_))/((a\_) + (b\_)\*((F\_)^(g\_)\*((e\_) + (f\_)\*(x\_)))^(n\_)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_)\*((F\_)^(e\_)\*((c\_) + (d\_)\*(x\_)))^(n\_)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 4677

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*(x\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d\*IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 191

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

### Rule 4705

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((f\_)\*(x\_))^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*f\*(p + 1)), x] + (Dist[(m + 2\*p + 3)/(2\*d\*(p + 1)), Int[(f\*x)^m\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d\*IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*f\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n,

0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1])  
 )

### Rule 4679

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/((x\_)\*((d\_) + (e\_.)\*(x\_)^2)),  
 x\_Symbol] :> Dist[1/d, Subst[Int[(a + b\*x)^n/(Cos[x]\*Sin[x]), x], x, ArcSin  
 [c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4419

Int[Csc[(a\_.) + (b\_.)\*(x\_)]^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sec[(a\_.) + (b  
 \_.)\*(x\_)]^(n\_.), x\_Symbol] :> Dist[2^n, Int[(c + d\*x)^m\*Csc[2\*a + 2\*b\*x]^n,  
 x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]

### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[(  
 -2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d  
 \*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(  
 m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x)) /; FreeQ[{c, d, e, f}, x] && IGtQ  
 [m, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^2 (d - c^2 dx^2)^{5/2}} dx &= -\frac{(a + b \sin^{-1}(cx))^2}{dx (d - c^2 dx^2)^{3/2}} + (4c^2) \int \frac{(a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}} dx + \frac{(2bc\sqrt{1 - c^2 x^2}) \int \frac{a + b \sin^{-1}(cx)}{x(1 - c^2 x^2)^2} dx}{d^2 \sqrt{d - c^2 dx^2}} \\
&= \frac{bc (a + b \sin^{-1}(cx))}{d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{dx (d - c^2 dx^2)^{3/2}} + \frac{4c^2 x (a + b \sin^{-1}(cx))^2}{3d (d - c^2 dx^2)^{3/2}} + \frac{(8c^2) \int \frac{a + b \sin^{-1}(cx)}{(d - c^2 dx^2)^{3/2}} dx}{3d} \\
&= -\frac{b^2 c^2 x}{d^2 \sqrt{d - c^2 dx^2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{dx (d - c^2 dx^2)^{3/2}} + \frac{4c^2 x (a + b \sin^{-1}(cx))^2}{3d (d - c^2 dx^2)^{3/2}} + \dots \\
&= \frac{b^2 c^2 x}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{dx (d - c^2 dx^2)^{3/2}} + \frac{4c^2 x (a + b \sin^{-1}(cx))^2}{3d (d - c^2 dx^2)^{3/2}} + \dots \\
&= \frac{b^2 c^2 x}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{dx (d - c^2 dx^2)^{3/2}} + \frac{4c^2 x (a + b \sin^{-1}(cx))^2}{3d (d - c^2 dx^2)^{3/2}} + \dots \\
&= \frac{b^2 c^2 x}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{dx (d - c^2 dx^2)^{3/2}} + \frac{4c^2 x (a + b \sin^{-1}(cx))^2}{3d (d - c^2 dx^2)^{3/2}} + \dots \\
&= \frac{b^2 c^2 x}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{dx (d - c^2 dx^2)^{3/2}} + \frac{4c^2 x (a + b \sin^{-1}(cx))^2}{3d (d - c^2 dx^2)^{3/2}} + \dots \\
&= \frac{b^2 c^2 x}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bc (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{dx (d - c^2 dx^2)^{3/2}} + \frac{4c^2 x (a + b \sin^{-1}(cx))^2}{3d (d - c^2 dx^2)^{3/2}} + \dots
\end{aligned}$$

**Mathematica [A]** time = 2.58508, size = 352, normalized size = 0.78

$$c \left( -b^2 (1 - c^2 x^2)^{3/2} \left( -5i \text{PolyLog} \left( 2, -e^{2i \sin^{-1}(cx)} \right) - 3i \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) \right) + \frac{cx}{\sqrt{1 - c^2 x^2}} - \frac{3\sqrt{1 - c^2 x^2} \sin^{-1}(cx)^2}{cx} + \frac{5cx \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^2\*(d - c^2\*d\*x^2)^(5/2)), x]

[Out] -(c\*((a^2\*(3 - 12\*c^2\*x^2 + 8\*c^4\*x^4))/(c\*x) + (2\*a\*b\*(3 - 12\*c^2\*x^2 + 8\*c^4\*x^4)\*ArcSin[c\*x])/(c\*x) + a\*b\*Sqrt[1 - c^2\*x^2]\*(1 + 6\*(-1 + c^2\*x^2)\*L

```

og[c*x] + 5*(-1 + c^2*x^2)*Log[1 - c^2*x^2] - b^2*(1 - c^2*x^2)^(3/2)*((c*
x)/Sqrt[1 - c^2*x^2] + ArcSin[c*x]/(-1 + c^2*x^2) - (8*I)*ArcSin[c*x]^2 + (
c*x*ArcSin[c*x]^2)/(1 - c^2*x^2)^(3/2) + (5*c*x*ArcSin[c*x]^2)/Sqrt[1 - c^2
*x^2] - (3*Sqrt[1 - c^2*x^2]*ArcSin[c*x]^2)/(c*x) + 6*ArcSin[c*x]*Log[1 - E
^((2*I)*ArcSin[c*x])] + 10*ArcSin[c*x]*Log[1 + E^((2*I)*ArcSin[c*x])] - (5*
I)*PolyLog[2, -E^((2*I)*ArcSin[c*x])] - (3*I)*PolyLog[2, E^((2*I)*ArcSin[c*
x])]])))/(3*d*(d - c^2*d*x^2)^(3/2))

```

**Maple [B]** time = 0.316, size = 3777, normalized size = 8.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/x^2/(-c^2*d*x^2+d)^(5/2), x)
```

```

[Out] 136/3*I*b^2*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*
x^2*arcsin(c*x)^2*(-c^2*x^2+1)^(1/2)*c^3+56*b^2*(-d*(c^2*x^2-1))^(1/2)/(8*c
^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*x^3*arcsin(c*x)^2*c^4-44*b^2*(-d*(c^2*x
^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*x*arcsin(c*x)^2*c^2+3*
b^2*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*arcsin(c
*x)*(-c^2*x^2+1)^(1/2)*c-88/3*b^2*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*
x^4+26*c^2*x^2-9)/d^3*x^5*(-c^2*x^2+1)*c^6+32/3*b^2*(-d*(c^2*x^2-1))^(1/2)/
(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*x^7*(-c^2*x^2+1)*c^8-8*b^2*(-d*(c^2
*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*x*(-c^2*x^2+1)*c^2+8
0/3*b^2*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*x^3*
(-c^2*x^2+1)*c^4-3*I*b^2*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^
2*x^2-9)/d^3*(-c^2*x^2+1)^(1/2)*c+18*a*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-
25*c^4*x^4+26*c^2*x^2-9)/d^3/x*arcsin(c*x)+3*a*b*(-d*(c^2*x^2-1))^(1/2)/(8*
c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*(-c^2*x^2+1)^(1/2)*c-128/3*I*a*b*(-d*(
c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*x^4*arcsin(c*x)*(-
c^2*x^2+1)^(1/2)*c^5+272/3*I*a*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*
x^4+26*c^2*x^2-9)/d^3*x^2*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^3+8*I*a*b*(-d*(c
^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*x*c^2-128/3*a*b*(-
d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*x^5*arcsin(c*x
)*c^6+112*a*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^
3*x^3*arcsin(c*x)*c^4-8/3*a*b*(-d*(c^2*x^2-1))^(1/2)/(8*c^6*x^6-25*c^4*x^4+
26*c^2*x^2-9)/d^3*x^2*(-c^2*x^2+1)^(1/2)*c^3-88*a*b*(-d*(c^2*x^2-1))^(1/2)/
(8*c^6*x^6-25*c^4*x^4+26*c^2*x^2-9)/d^3*x*arcsin(c*x)*c^2-2*a*b*(-d*(c^2*x^
2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/d^3/(c^2*x^2-1)*ln((I*c*x+(-c^2*x^2+1)^(1/2)
)^2-1)*c-10/3*a*b*(-d*(c^2*x^2-1))^(1/2)*(-c^2*x^2+1)^(1/2)/d^3/(c^2*x^2-1)
*ln(1+(I*c*x+(-c^2*x^2+1)^(1/2))^2)*c+64/3*I*a*b*(-d*(c^2*x^2-1))^(1/2)/(8*

```

$$\begin{aligned}
& c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^9 c^{10} - 224 / 3 I a b (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^7 c^8 + 280 / 3 I a b (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^5 c^6 - 48 I a b (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^3 c^4 - 8 / 3 I b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^4 (-c^2 x^2 + 1)^{1/2} c^5 - 48 I b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^3 \arcsin(c x) c^4 - 24 I b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 \arcsin(c x)^2 (-c^2 x^2 + 1)^{1/2} c - 224 / 3 I b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^7 \arcsin(c x) c^8 + 17 / 3 I b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^2 (-c^2 x^2 + 1)^{1/2} c^3 + 8 I b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x \arcsin(c x) c^2 + 16 / 3 I b^2 (-c^2 x^2 + 1)^{1/2} (-d(c^2 x^2 - 1))^{1/2} / d^3 / (c^2 x^2 - 1) c \arcsin(c x)^2 + 2 I b^2 (-c^2 x^2 + 1)^{1/2} (-d(c^2 x^2 - 1))^{1/2} / d^3 / (c^2 x^2 - 1) c \operatorname{polylog}(2, -I c x - (-c^2 x^2 + 1)^{1/2}) + 5 / 3 I b^2 (-c^2 x^2 + 1)^{1/2} (-d(c^2 x^2 - 1))^{1/2} / d^3 / (c^2 x^2 - 1) c \operatorname{polylog}(2, -I c x + (-c^2 x^2 + 1)^{1/2}) + 2 I b^2 (-c^2 x^2 + 1)^{1/2} (-d(c^2 x^2 - 1))^{1/2} / d^3 / (c^2 x^2 - 1) c \operatorname{polylog}(2, I c x + (-c^2 x^2 + 1)^{1/2}) + 64 / 3 I b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^9 \arcsin(c x) c^{10} + 280 / 3 I b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^5 \arcsin(c x) c^6 - 2 b^2 (-c^2 x^2 + 1)^{1/2} (-d(c^2 x^2 - 1))^{1/2} / d^3 / (c^2 x^2 - 1) c \arcsin(c x) \ln(1 + I c x + (-c^2 x^2 + 1)^{1/2}) - 8 / 3 b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^2 \arcsin(c x) (-c^2 x^2 + 1)^{1/2} c^3 - 10 / 3 b^2 (-c^2 x^2 + 1)^{1/2} (-d(c^2 x^2 - 1))^{1/2} / d^3 / (c^2 x^2 - 1) c \arcsin(c x) \ln(1 + (I c x + (-c^2 x^2 + 1)^{1/2}))^2 - 2 b^2 (-c^2 x^2 + 1)^{1/2} (-d(c^2 x^2 - 1))^{1/2} / d^3 / (c^2 x^2 - 1) c \arcsin(c x) \ln(1 - I c x - (-c^2 x^2 + 1)^{1/2}) - a^2 / d / x / (-c^2 d x^2 + d)^{3/2} + 32 / 3 b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^9 c^{10} - 40 b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^7 c^8 + 160 / 3 b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^5 c^6 - 29 b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^3 c^4 + 5 b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x c^2 + 9 b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 / x \arcsin(c x)^2 + 4 / 3 a^2 c^2 / d x / (-c^2 d x^2 + d)^{3/2} - 8 I b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x \arcsin(c x) (-c^2 x^2 + 1) c^2 + 40 I a b (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^3 (-c^2 x^2 + 1) c^4 - 8 I a b (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x (-c^2 x^2 + 1) c^2 + 32 / 3 I a b (-c^2 x^2 + 1)^{1/2} (-d(c^2 x^2 - 1))^{1/2} / d^3 / (c^2 x^2 - 1) \arcsin(c x) c - 48 I a b (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 \arcsin(c x) (-c^2 x^2 + 1)^{1/2} c + 64 / 3 I a b (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^7 (-c^2 x^2 + 1) c^8 - 160 / 3 I a b (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^5 (-c^2 x^2 + 1) c^6 + 40 I b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^3 \arcsin(c x) (-c^2 x^2 + 1) c^4 - 64 / 3 I b^2 (-d(c^2 x^2 - 1))^{1/2} / (8 c^6 x^6 - 25 c^4 x^4 + 26 c^2 x^2 - 9) / d^3 x^4 \arcsin(c x)^2 (-c^2 x^2 + 1)^{1/2} c^5 - 160 / 3 I b^2 (-d(c^2 x^2 - 1))^{1/2} /
\end{aligned}$$

$$\frac{2)}{(8c^6x^6-25c^4x^4+26c^2x^2-9)/d^3x^5\arcsin(cx)*(-c^2x^2+1)*c^6+64/3I*b^2*(-d*(c^2x^2-1))^{(1/2)}/(8c^6x^6-25c^4x^4+26c^2x^2-9)/d^3x^7\arcsin(cx)*(-c^2x^2+1)*c^8-64/3*b^2*(-d*(c^2x^2-1))^{(1/2)}/(8c^6x^6-25c^4x^4+26c^2x^2-9)/d^3x^5\arcsin(cx)^2*c^6+8/3*a^2*c^2/d^2*x/(-c^2*d*x^2+d)^{(1/2)}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^2/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2+d}(b^2\arcsin(cx)^2+2ab\arcsin(cx)+a^2)}{c^6d^3x^8-3c^4d^3x^6+3c^2d^3x^4-d^3x^2},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^2/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*d\*x^2+d)\*(b^2\*arcsin(c\*x)^2+2\*a\*b\*arcsin(c\*x)+a^2)/(c^6\*d^3\*x^8-3\*c^4\*d^3\*x^6+3\*c^2\*d^3\*x^4-d^3\*x^2),x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(-c^2 dx^2 + d)^{\frac{5}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^2/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/((-c^2\*d\*x^2 + d)^(5/2)\*x^2), x)



$$3.262 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^3(d-c^2dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=752

$$\frac{5ibc^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d^2\sqrt{d-c^2dx^2}} - \frac{5ibc^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d^2\sqrt{d-c^2dx^2}} - 1$$

```
[Out] (b^2*c^2)/(3*d^2*Sqrt[d - c^2*d*x^2]) - (b*c*(a + b*ArcSin[c*x]))/(d^2*x*Sqrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) + (2*b*c^3*x*(a + b*ArcSin[c*x]))/(3*d^2*Sqrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) + (5*c^2*(a + b*ArcSin[c*x])^2)/(6*d*(d - c^2*d*x^2)^(3/2)) - (a + b*ArcSin[c*x])^2/(2*d*x^2*(d - c^2*d*x^2)^(3/2)) + (5*c^2*(a + b*ArcSin[c*x])^2)/(2*d^2*Sqrt[d - c^2*d*x^2]) + (((26*I)/3)*b*c^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/ (d^2*Sqrt[d - c^2*d*x^2]) - (5*c^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2*ArcTanh[E^(I*ArcSin[c*x])])/ (d^2*Sqrt[d - c^2*d*x^2]) - (b^2*c^2*Sqrt[1 - c^2*x^2]*ArcTanh[Sqrt[1 - c^2*x^2]])/ (d^2*Sqrt[d - c^2*d*x^2]) + ((5*I)*b*c^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, -E^(I*ArcSin[c*x])])/ (d^2*Sqrt[d - c^2*d*x^2]) - (((13*I)/3)*b^2*c^2*Sqrt[1 - c^2*x^2]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/ (d^2*Sqrt[d - c^2*d*x^2]) + (((13*I)/3)*b^2*c^2*Sqrt[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])])/ (d^2*Sqrt[d - c^2*d*x^2]) - ((5*I)*b*c^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, E^(I*ArcSin[c*x])])/ (d^2*Sqrt[d - c^2*d*x^2]) - (5*b^2*c^2*Sqrt[1 - c^2*x^2]*PolyLog[3, -E^(I*ArcSin[c*x])])/ (d^2*Sqrt[d - c^2*d*x^2]) + (5*b^2*c^2*Sqrt[1 - c^2*x^2]*PolyLog[3, E^(I*ArcSin[c*x])])/ (d^2*Sqrt[d - c^2*d*x^2])
```

**Rubi [A]** time = 1.25643, antiderivative size = 752, normalized size of antiderivative = 1., number of steps used = 39, number of rules used = 18, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.621$ , Rules used = {4701, 4705, 4713, 4709, 4183, 2531, 2282, 6589, 4657, 4181, 2279, 2391, 4655, 261, 266, 51, 63, 208}

$$\frac{5ibc^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d^2\sqrt{d-c^2dx^2}} - \frac{5ibc^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{d^2\sqrt{d-c^2dx^2}} - 1$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])^2/(x^3*(d - c^2*d*x^2)^(5/2)), x]
```

```
[Out] (b^2*c^2)/(3*d^2*Sqrt[d - c^2*d*x^2]) - (b*c*(a + b*ArcSin[c*x]))/(d^2*x*Sq
rt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) + (2*b*c^3*x*(a + b*ArcSin[c*x]))/(3*d
^2*Sqrt[1 - c^2*x^2]*Sqrt[d - c^2*d*x^2]) + (5*c^2*(a + b*ArcSin[c*x])^2)/(
6*d*(d - c^2*d*x^2)^(3/2)) - (a + b*ArcSin[c*x])^2/(2*d*x^2*(d - c^2*d*x^2)
^(3/2)) + (5*c^2*(a + b*ArcSin[c*x])^2)/(2*d^2*Sqrt[d - c^2*d*x^2]) + (((26
*I)/3)*b*c^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x]
)])/ (d^2*Sqrt[d - c^2*d*x^2]) - (5*c^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]
)^2*ArcTanh[E^(I*ArcSin[c*x])])/ (d^2*Sqrt[d - c^2*d*x^2]) - (b^2*c^2*Sqrt[1
 - c^2*x^2]*ArcTanh[Sqrt[1 - c^2*x^2]])/(d^2*Sqrt[d - c^2*d*x^2]) + ((5*I)*b
*c^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, -E^(I*ArcSin[c*x])])/
(d^2*Sqrt[d - c^2*d*x^2]) - (((13*I)/3)*b^2*c^2*Sqrt[1 - c^2*x^2]*PolyLog[2
, (-I)*E^(I*ArcSin[c*x])])/ (d^2*Sqrt[d - c^2*d*x^2]) + (((13*I)/3)*b^2*c^2*
Sqrt[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])])/ (d^2*Sqrt[d - c^2*d*x^2]
) - ((5*I)*b*c^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, E^(I*ArcS
in[c*x])])/ (d^2*Sqrt[d - c^2*d*x^2]) - (5*b^2*c^2*Sqrt[1 - c^2*x^2]*PolyLog
[3, -E^(I*ArcSin[c*x])])/ (d^2*Sqrt[d - c^2*d*x^2]) + (5*b^2*c^2*Sqrt[1 - c^
2*x^2]*PolyLog[3, E^(I*ArcSin[c*x])])/ (d^2*Sqrt[d - c^2*d*x^2])
```

### Rule 4701

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] :> Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b
*ArcSin[c*x])^n)/(d*f*(m + 1)), x] + (Dist[(c^2*(m + 2*p + 3))/(f^2*(m + 1)
), Int[(f*x)^(m + 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*
c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart
[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[m, -1] && IntegerQ[m]
```

### Rule 4705

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] :> -Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a +
b*ArcSin[c*x])^n)/(2*d*f*(p + 1)), x] + (Dist[(m + 2*p + 3)/(2*d*(p + 1)),
Int[(f*x)^m*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*c*n
*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*f*(p + 1)*(1 - c^2*x^2)^FracPart[
p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1]
)
```

### Rule 4713

```
Int[(((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] :> Dist[Sqrt[1 - c^2*x^2]/Sqrt[d + e*x^2], Int[(
```

```
(f*x)^m*(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c,
d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && !GtQ[d, 0] && (Integ
erQ[m] || EqQ[n, 1])
```

### Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^n*(x_)^m)/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^m), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^n)]*((f_.) + (g_.)
*(x_)^m), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^n)^m] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^p]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n/((d_) + (e_.)*(x_)^2), x_Symbol]
:= Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
```

; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_.))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_.))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 4655

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(x\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*(p + 1)), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

### Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 51

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]

```

### Rule 63

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

### Rule 208

```

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^3 (d - c^2 dx^2)^{5/2}} dx &= -\frac{(a + b \sin^{-1}(cx))^2}{2dx^2 (d - c^2 dx^2)^{3/2}} + \frac{1}{2} (5c^2) \int \frac{(a + b \sin^{-1}(cx))^2}{x (d - c^2 dx^2)^{5/2}} dx + \frac{(bc\sqrt{1 - c^2 x^2}) \int \frac{a + b \sin^{-1}(cx)}{x^2 (1 - c^2 x^2)^2} dx}{d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{bc (a + b \sin^{-1}(cx))}{d^2 x \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{5c^2 (a + b \sin^{-1}(cx))^2}{6d (d - c^2 dx^2)^{3/2}} - \frac{(a + b \sin^{-1}(cx))^2}{2dx^2 (d - c^2 dx^2)^{3/2}} + \frac{(5c^2) \int \frac{a + b \sin^{-1}(cx)}{x (d - c^2 dx^2)^{5/2}} dx}{2d} \\
&= -\frac{bc (a + b \sin^{-1}(cx))}{d^2 x \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{2bc^3 x (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{5c^2 (a + b \sin^{-1}(cx))^2}{6d (d - c^2 dx^2)^{3/2}} - \frac{(a + b \sin^{-1}(cx))^2}{2dx^2 (d - c^2 dx^2)^{3/2}} \\
&= \frac{b^2 c^2}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bc (a + b \sin^{-1}(cx))}{d^2 x \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{2bc^3 x (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{5c^2 (a + b \sin^{-1}(cx))^2}{6d (d - c^2 dx^2)^{3/2}} \\
&= \frac{b^2 c^2}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bc (a + b \sin^{-1}(cx))}{d^2 x \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{2bc^3 x (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{5c^2 (a + b \sin^{-1}(cx))^2}{6d (d - c^2 dx^2)^{3/2}} \\
&= \frac{b^2 c^2}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bc (a + b \sin^{-1}(cx))}{d^2 x \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{2bc^3 x (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{5c^2 (a + b \sin^{-1}(cx))^2}{6d (d - c^2 dx^2)^{3/2}} \\
&= \frac{b^2 c^2}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bc (a + b \sin^{-1}(cx))}{d^2 x \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{2bc^3 x (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{5c^2 (a + b \sin^{-1}(cx))^2}{6d (d - c^2 dx^2)^{3/2}} \\
&= \frac{b^2 c^2}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bc (a + b \sin^{-1}(cx))}{d^2 x \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{2bc^3 x (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} + \frac{5c^2 (a + b \sin^{-1}(cx))^2}{6d (d - c^2 dx^2)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 10.64, size = 1090, normalized size = 1.45

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^3\*(d - c^2\*d\*x^2)^(5/2)), x]

```
[Out] Sqrt[-(d*(-1 + c^2*x^2))]*(-a^2/(2*d^3*x^2) + (a^2*c^2)/(3*d^3*(-1 + c^2*x^2)^2) - (2*a^2*c^2)/(d^3*(-1 + c^2*x^2))) + (5*a^2*c^2*Log[x])/(2*d^(5/2)) - (5*a^2*c^2*Log[d + Sqrt[d]*Sqrt[-(d*(-1 + c^2*x^2))]])/(2*d^(5/2)) + (a*b*c^2*Sqrt[1 - c^2*x^2]*((-2*(-1 + ArcSin[c*x])))/(-1 + c*x) + 52*ArcSin[c*x] - 6*Cot[ArcSin[c*x]/2] - 3*ArcSin[c*x]*Csc[ArcSin[c*x]/2]^2 + 60*ArcSin[c*x]*(Log[1 - E^(I*ArcSin[c*x])] - Log[1 + E^(I*ArcSin[c*x])]) + 52*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]] - 52*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]] + (60*I)*(PolyLog[2, -E^(I*ArcSin[c*x])] - PolyLog[2, E^(I*ArcSin[c*x])]) + 3*ArcSin[c*x]*Sec[ArcSin[c*x]/2]^2 + (4*ArcSin[c*x]*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^3 + (52*ArcSin[c*x]*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]) - (4*ArcSin[c*x]*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^3 + (2*(1 + ArcSin[c*x]))/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^2 - (52*ArcSin[c*x]*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]) - 6*Tan[ArcSin[c*x]/2))/(12*d^2*Sqrt[d*(1 - c^2*x^2)]) + (b^2*c^2*Sqrt[1 - c^2*x^2]*(8 - (2*(-2 + ArcSin[c*x])*ArcSin[c*x]))/(-1 + c*x) + 52*ArcSin[c*x]^2 - 12*ArcSin[c*x]*Cot[ArcSin[c*x]/2] - 3*ArcSin[c*x]^2*Csc[ArcSin[c*x]/2]^2 + 24*Log[Tan[ArcSin[c*x]/2]] - 104*(ArcSin[c*x]*(Log[1 - I*E^(I*ArcSin[c*x])] - Log[1 + I*E^(I*ArcSin[c*x])]) + I*(PolyLog[2, (-I)*E^(I*ArcSin[c*x])] - PolyLog[2, I*E^(I*ArcSin[c*x])])) + 60*(ArcSin[c*x]^2*(Log[1 - E^(I*ArcSin[c*x])] - Log[1 + E^(I*ArcSin[c*x])]) + (2*I)*ArcSin[c*x]*(PolyLog[2, -E^(I*ArcSin[c*x])] - PolyLog[2, E^(I*ArcSin[c*x])])) + 2*(-PolyLog[3, -E^(I*ArcSin[c*x])] + PolyLog[3, E^(I*ArcSin[c*x])])) + 3*ArcSin[c*x]^2*Sec[ArcSin[c*x]/2]^2 + (4*ArcSin[c*x]^2*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^3 + (4*(2 + 13*ArcSin[c*x]^2)*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]) - (4*ArcSin[c*x]^2*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^3 + (2*ArcSin[c*x]*(2 + ArcSin[c*x]))/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^2 - (4*(2 + 13*ArcSin[c*x]^2)*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]) - 12*ArcSin[c*x]*Tan[ArcSin[c*x]/2))/(24*d^2*Sqrt[d*(1 - c^2*x^2)])]
```

---

**Maple [B]** time = 0.468, size = 1876, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/x^3/(-c^2*d*x^2+d)^(5/2), x)
```

```
[Out] -5/2*b^2*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^4*x^4-2*c^2*x^2+1)*x^2*arcsin(c*x)^2*c^4+b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/d^3/(c^2*x^2-1)*c^2*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))+5*b^2*(-c^2*x^2+1)^(1/2)*(-d*(c^2*x^2-1))^(1/2)/
```

$$\begin{aligned}
& d^3/(c^2x^2-1)*c^2*\text{polylog}(3,-I*c*x-(-c^2*x^2+1)^{(1/2)})-5*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^2*x^2-1)*c^2*\text{polylog}(3,I*c*x+(-c^2*x^2+1)^{(1/2)})-b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^2*x^2-1)*c^2*\ln(I*c*x+(-c^2*x^2+1)^{(1/2)})+20/3*a*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^4*x^4-2*c^2*x^2+1)*\arcsin(c*x)*c^2-a*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^4*x^4-2*c^2*x^2+1)/x^2*\arcsin(c*x)+5*a*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^2*x^2-1)*c^2*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-26/3*I*a*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^2*x^2-1)*c^2*\arctan(I*c*x+(-c^2*x^2+1)^{(1/2)})-5*I*a*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^2*x^2-1)*c^2*\text{dilog}(I*c*x+(-c^2*x^2+1)^{(1/2)})-5*I*a*b*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^2*x^2-1)*c^2*\text{dilog}(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-5*I*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^2*x^2-1)*c^2*\arcsin(c*x)*\text{polylog}(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})+5*I*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^2*x^2-1)*c^2*\arcsin(c*x)*\text{polylog}(2,I*c*x+(-c^2*x^2+1)^{(1/2)})-1/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^4*x^4-2*c^2*x^2+1)*x^2*c^4+10/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^4*x^4-2*c^2*x^2+1)*\arcsin(c*x)^2*c^2-1/2*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^4*x^4-2*c^2*x^2+1)/x^2*\arcsin(c*x)^2+1/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^4*x^4-2*c^2*x^2+1)*c^2+5/2*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^2*x^2-1)*c^2*\arcsin(c*x)^2*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-5/2*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^2*x^2-1)*c^2*\arcsin(c*x)^2*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})-13/3*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^2*x^2-1)*c^2*\arcsin(c*x)*\ln(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+13/3*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^2*x^2-1)*c^2*\arcsin(c*x)*\ln(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))+13/3*I*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^2*x^2-1)*c^2*\text{dilog}(1+I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))-13/3*I*b^2*(-c^2*x^2+1)^{(1/2)}*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^2*x^2-1)*c^2*\text{dilog}(1-I*(I*c*x+(-c^2*x^2+1)^{(1/2)}))-5*a*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^4*x^4-2*c^2*x^2+1)*x^2*\arcsin(c*x)*c^4+2/3*a*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^4*x^4-2*c^2*x^2+1)*x*(-c^2*x^2+1)^{(1/2)}*c^3-a*b*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^4*x^4-2*c^2*x^2+1)/x*(-c^2*x^2+1)^{(1/2)}*c+2/3*b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^4*x^4-2*c^2*x^2+1)*x*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^3-b^2*(-d*(c^2*x^2-1))^{(1/2)}/d^3/(c^4*x^4-2*c^2*x^2+1)/x*\arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c+5/6*a^2*c^2/d/(-c^2*d*x^2+d)^{(3/2)}+5/2*a^2*c^2/d^2/(-c^2*d*x^2+d)^{(1/2)}-5/2*a^2*c^2/d^(5/2)*\ln((2*d+2*d^(1/2))*(-c^2*d*x^2+d)^{(1/2)})/x-1/2*a^2/d/x^2/(-c^2*d*x^2+d)^{(3/2)}
\end{aligned}$$


---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^3/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="maxima



")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2 + d}(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)}{c^6d^3x^9 - 3c^4d^3x^7 + 3c^2d^3x^5 - d^3x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^3/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*d\*x^2 + d)\*(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/(c^6\*d^3\*x^9 - 3\*c^4\*d^3\*x^7 + 3\*c^2\*d^3\*x^5 - d^3\*x^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x\*\*3/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(-c^2dx^2 + d)^{\frac{5}{2}}x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^3/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="giac")

```
[Out] integrate((b*arcsin(c*x) + a)^2/((-c^2*d*x^2 + d)^(5/2)*x^3), x)
```

$$3.263 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^4(d-c^2dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=538

$$\frac{8ib^2c^3\sqrt{1-c^2x^2}\text{PolyLog}\left(2,-e^{2i\sin^{-1}(cx)}\right)}{3d^2\sqrt{d-c^2dx^2}} - \frac{8ib^2c^3\sqrt{1-c^2x^2}\text{PolyLog}\left(2,e^{2i\sin^{-1}(cx)}\right)}{3d^2\sqrt{d-c^2dx^2}} + \frac{16c^4x(a+b\sin^{-1}(cx))^2}{3d^2\sqrt{d-c^2dx^2}} - \frac{16c^4x^3(a+b\sin^{-1}(cx))}{3d^2\sqrt{d-c^2dx^2}}$$

[Out]  $-(b^2c^2)/(3d^2x\sqrt{d-c^2dx^2}) + (2b^2c^4x)/(3d^2\sqrt{d-c^2dx^2}) - (bc(a+b\text{ArcSin}[cx]))/(3d^2x^2\sqrt{1-c^2x^2})\sqrt{d-c^2dx^2} - (a+b\text{ArcSin}[cx])^2/(3dx^3(d-c^2dx^2)^{3/2}) - (2c^2(a+b\text{ArcSin}[cx])^2)/(dx(d-c^2dx^2)^{3/2}) + (8c^4x(a+b\text{ArcSin}[cx])^2)/(3d(d-c^2dx^2)^{3/2}) + (16c^4x(a+b\text{ArcSin}[cx])^2)/(3d^2\sqrt{d-c^2dx^2}) - (((16I)/3)c^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx])^2)/(d^2\sqrt{d-c^2dx^2}) - (32bc^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx])\text{ArcTanh}[E^((2I)\text{ArcSin}[cx])])/(3d^2\sqrt{d-c^2dx^2}) + (32bc^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx])\text{Log}[1+E^((2I)\text{ArcSin}[cx])])/(3d^2\sqrt{d-c^2dx^2}) - (((8I)/3)b^2c^3\sqrt{1-c^2x^2}\text{PolyLog}[2,-E^((2I)\text{ArcSin}[cx])])/(d^2\sqrt{d-c^2dx^2}) - (((8I)/3)b^2c^3\sqrt{1-c^2x^2}\text{PolyLog}[2,E^((2I)\text{ArcSin}[cx])])/(d^2\sqrt{d-c^2dx^2})$

**Rubi [A]** time = 1.05303, antiderivative size = 538, normalized size of antiderivative = 1., number of steps used = 32, number of rules used = 15, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.517$ , Rules used = {4701, 4655, 4653, 4675, 3719, 2190, 2279, 2391, 4677, 191, 4705, 4679, 4419, 4183, 271}

$$\frac{8ib^2c^3\sqrt{1-c^2x^2}\text{PolyLog}\left(2,-e^{2i\sin^{-1}(cx)}\right)}{3d^2\sqrt{d-c^2dx^2}} - \frac{8ib^2c^3\sqrt{1-c^2x^2}\text{PolyLog}\left(2,e^{2i\sin^{-1}(cx)}\right)}{3d^2\sqrt{d-c^2dx^2}} + \frac{16c^4x(a+b\sin^{-1}(cx))^2}{3d^2\sqrt{d-c^2dx^2}} - \frac{16c^4x^3(a+b\sin^{-1}(cx))}{3d^2\sqrt{d-c^2dx^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a+b\text{ArcSin}[cx])^2/(x^4(d-c^2dx^2)^{5/2}),x]$

[Out]  $-(b^2c^2)/(3d^2x\sqrt{d-c^2dx^2}) + (2b^2c^4x)/(3d^2\sqrt{d-c^2dx^2}) - (bc(a+b\text{ArcSin}[cx]))/(3d^2x^2\sqrt{1-c^2x^2})\sqrt{d-c^2dx^2} - (a+b\text{ArcSin}[cx])^2/(3dx^3(d-c^2dx^2)^{3/2}) - (2c^2(a+b\text{ArcSin}[cx])^2)/(dx(d-c^2dx^2)^{3/2}) + (8c^4x(a+b\text{ArcSin}[cx])^2)/(3d(d-c^2dx^2)^{3/2}) + (16c^4x(a+b\text{ArcSin}[cx])^2)/(3d^2\sqrt{d-c^2dx^2}) - (((16I)/3)c^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx])^2)/(d^2\sqrt{d-c^2dx^2}) - (32bc^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx])\text{ArcTanh}[E^((2I)\text{ArcSin}[cx])])/(3d^2\sqrt{d-c^2dx^2}) + (32bc^3\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx])\text{Log}[1+E^((2I)\text{ArcSin}[cx])])/(3d^2\sqrt{d-c^2dx^2}) - (((8I)/3)b^2c^3\sqrt{1-c^2x^2}\text{PolyLog}[2,-E^((2I)\text{ArcSin}[cx])])/(d^2\sqrt{d-c^2dx^2}) - (((8I)/3)b^2c^3\sqrt{1-c^2x^2}\text{PolyLog}[2,E^((2I)\text{ArcSin}[cx])])/(d^2\sqrt{d-c^2dx^2})$

$$\begin{aligned} & \text{Sin}[c*x]^2)/(3*d*(d - c^2*d*x^2)^{(3/2)}) + (16*c^4*x*(a + b*\text{ArcSin}[c*x])^2) \\ & / (3*d^2*\text{Sqrt}[d - c^2*d*x^2]) - (((16*I)/3)*c^3*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{Arc} \\ & \text{Sin}[c*x])^2)/(d^2*\text{Sqrt}[d - c^2*d*x^2]) - (32*b*c^3*\text{Sqrt}[1 - c^2*x^2]*(a + b \\ & * \text{ArcSin}[c*x])*\text{ArcTanh}[E^{((2*I)*\text{ArcSin}[c*x])}])/(3*d^2*\text{Sqrt}[d - c^2*d*x^2]) + \\ & (32*b*c^3*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 + E^{((2*I)*\text{ArcSin}[c* \\ & x])}])/(3*d^2*\text{Sqrt}[d - c^2*d*x^2]) - (((8*I)/3)*b^2*c^3*\text{Sqrt}[1 - c^2*x^2]*\text{Po} \\ & \text{lyLog}[2, -E^{((2*I)*\text{ArcSin}[c*x])}])/(d^2*\text{Sqrt}[d - c^2*d*x^2]) - (((8*I)/3)*b^ \\ & 2*c^3*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}])/(d^2*\text{Sqrt}[d - c^ \\ & 2*d*x^2]) \end{aligned}$$

### Rule 4701

$$\begin{aligned} & \text{Int}(((a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{\{n_.\}}*((f_.)*(x_.))^{\{m_.\}}*((d_.) + (e_. \\ & )*(x_.)^2)^{\{p_.\}}, x\_Symbol] \text{ :> } \text{Simp}(((f*x)^{\{m+1\}}*(d + e*x^2)^{\{p+1\}}*(a + b \\ & * \text{ArcSin}[c*x])^{\{n\}})/(d*f*\{m+1\}), x] + (\text{Dist}[(c^2*(m + 2*p + 3))/(f^2*(m + 1) \\ & ), \text{Int}[(f*x)^{\{m+2\}}*(d + e*x^2)^{\{p\}}*(a + b*\text{ArcSin}[c*x])^{\{n\}}, x], x] - \text{Dist}[(b* \\ & c*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]}]/(f*(m + 1)*(1 - c^2*x^2)^{\text{FracPart} \\ & [p]}), \text{Int}[(f*x)^{\{m+1\}}*(1 - c^2*x^2)^{\{p+1/2\}}*(a + b*\text{ArcSin}[c*x])^{\{n-1\}} \\ & , x], x]) /; \text{FreeQ}[\{a, b, c, d, e, f, p\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, \\ & 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[m] \end{aligned}$$

### Rule 4655

$$\begin{aligned} & \text{Int}(((a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{\{n_.\}}*((d_.) + (e_.)*(x_.)^2)^{\{p_.\}}, x\_ \\ & \text{Symbol}] \text{ :> } -\text{Simp}[(x*(d + e*x^2)^{\{p+1\}}*(a + b*\text{ArcSin}[c*x])^{\{n\}})/(2*d*\{p+1\} \\ & ), x] + (\text{Dist}[(2*p + 3)/(2*d*\{p+1\}), \text{Int}[(d + e*x^2)^{\{p+1\}}*(a + b*\text{ArcSi} \\ & n[c*x])^{\{n\}}, x], x] + \text{Dist}[(b*c*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]}]/(2*(p \\ & + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[x*(1 - c^2*x^2)^{\{p+1/2\}}*(a + b*\text{ArcS} \\ & in[c*x])^{\{n-1\}}, x], x]) /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \\ & \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{NeQ}[p, -3/2] \end{aligned}$$

### Rule 4653

$$\begin{aligned} & \text{Int}(((a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{\{n_.\}}/((d_.) + (e_.)*(x_.)^2)^{(3/2)}, x\_ \\ & \text{Symbol}] \text{ :> } \text{Simp}[(x*(a + b*\text{ArcSin}[c*x])^{\{n\}})/(d*\text{Sqrt}[d + e*x^2]), x] - \text{Dist}[( \\ & b*c*n*\text{Sqrt}[1 - c^2*x^2])/(d*\text{Sqrt}[d + e*x^2]), \text{Int}[(x*(a + b*\text{ArcSin}[c*x])^{\{n \\ & - 1\}})/(1 - c^2*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[c^2*d + e, \\ & 0] \&\& \text{GtQ}[n, 0] \end{aligned}$$

### Rule 4675

$$\begin{aligned} & \text{Int}((((a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{\{n_.\}}*(x_.))/((d_.) + (e_.)*(x_.)^2), \\ & x\_Symbol] \text{ :> } -\text{Dist}[e^{-1}, \text{Subst}[\text{Int}[(a + b*x)^{\{n\}}*\text{Tan}[x], x], x, \text{ArcSin}[c*x] \\ & ], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[n, 0] \end{aligned}$$

Rule 3719

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 4705

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := -Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*f\*(p + 1)), x] + (Dist[(m + 2\*p + 3)/(2\*d\*(p + 1)),

```
Int[(f*x)^m*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x] + Dist[(b*c*n
*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*f*(p + 1)*(1 - c^2*x^2)^FracPart[
p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1),
x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n,
0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1]
)
```

### Rule 4679

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_/((x_)*((d_.) + (e_.)*(x_)^2)),
x_Symbol] := Dist[1/d, Subst[Int[(a + b*x)^n/(Cos[x]*Sin[x]), x], x, ArcSin
[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 4419

```
Int[Csc[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Dist[2^n, Int[(c + d*x)^m*Csc[2*a + 2*b*x]^n,
x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 271

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x^(m + 1)*(
a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m +
1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^4 (d - c^2 dx^2)^{5/2}} dx &= -\frac{(a + b \sin^{-1}(cx))^2}{3dx^3 (d - c^2 dx^2)^{3/2}} + (2c^2) \int \frac{(a + b \sin^{-1}(cx))^2}{x^2 (d - c^2 dx^2)^{5/2}} dx + \frac{(2bc\sqrt{1 - c^2 x^2}) \int \frac{a + b \sin^{-1}(cx)}{x^3(1 - c^2 x^2)^2} dx}{3d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{bc(a + b \sin^{-1}(cx))}{3d^2 x^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3 (d - c^2 dx^2)^{3/2}} - \frac{2c^2 (a + b \sin^{-1}(cx))^2}{dx (d - c^2 dx^2)^{3/2}} + (8c^4) \int \frac{(a + b \sin^{-1}(cx))}{(d - c^2 dx^2)^{3/2}} dx \\
&= -\frac{b^2 c^2}{3d^2 x \sqrt{d - c^2 dx^2}} + \frac{8bc^3 (a + b \sin^{-1}(cx))}{3d^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{bc(a + b \sin^{-1}(cx))}{3d^2 x^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3 (d - c^2 dx^2)^{3/2}} \\
&= -\frac{b^2 c^2}{3d^2 x \sqrt{d - c^2 dx^2}} - \frac{2b^2 c^4 x}{d^2 \sqrt{d - c^2 dx^2}} - \frac{bc(a + b \sin^{-1}(cx))}{3d^2 x^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3 (d - c^2 dx^2)^{3/2}} - \frac{2c^4 (a + b \sin^{-1}(cx))}{d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{b^2 c^2}{3d^2 x \sqrt{d - c^2 dx^2}} + \frac{2b^2 c^4 x}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bc(a + b \sin^{-1}(cx))}{3d^2 x^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3 (d - c^2 dx^2)^{3/2}} - \frac{2c^4 (a + b \sin^{-1}(cx))}{d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{b^2 c^2}{3d^2 x \sqrt{d - c^2 dx^2}} + \frac{2b^2 c^4 x}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bc(a + b \sin^{-1}(cx))}{3d^2 x^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3 (d - c^2 dx^2)^{3/2}} - \frac{2c^4 (a + b \sin^{-1}(cx))}{d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{b^2 c^2}{3d^2 x \sqrt{d - c^2 dx^2}} + \frac{2b^2 c^4 x}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bc(a + b \sin^{-1}(cx))}{3d^2 x^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3 (d - c^2 dx^2)^{3/2}} - \frac{2c^4 (a + b \sin^{-1}(cx))}{d^2 \sqrt{d - c^2 dx^2}} \\
&= -\frac{b^2 c^2}{3d^2 x \sqrt{d - c^2 dx^2}} + \frac{2b^2 c^4 x}{3d^2 \sqrt{d - c^2 dx^2}} - \frac{bc(a + b \sin^{-1}(cx))}{3d^2 x^2 \sqrt{1 - c^2 x^2} \sqrt{d - c^2 dx^2}} - \frac{(a + b \sin^{-1}(cx))^2}{3dx^3 (d - c^2 dx^2)^{3/2}} - \frac{2c^4 (a + b \sin^{-1}(cx))}{d^2 \sqrt{d - c^2 dx^2}}
\end{aligned}$$

**Mathematica [A]** time = 3.58719, size = 441, normalized size = 0.82

$$b^2 c^3 (1 - c^2 x^2)^{3/2} \left( -8i \text{PolyLog} \left( 2, -e^{2i \sin^{-1}(cx)} \right) - 8i \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) - \frac{\sqrt{1 - c^2 x^2}}{cx} + \frac{cx}{\sqrt{1 - c^2 x^2}} - \frac{8\sqrt{1 - c^2 x^2} \sin^{-1}(cx)^2}{cx} - \frac{2c^4 (a + b \sin^{-1}(cx))}{d^2 \sqrt{d - c^2 dx^2}} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcSin[c*x])^2/(x^4*(d - c^2*d*x^2)^(5/2)),x]
```

```
[Out] (-((a^2*(1 + 6*c^2*x^2 - 24*c^4*x^4 + 16*c^6*x^6))/x^3) - (a*b*(2*(1 + 6*c^2*x^2 - 24*c^4*x^4 + 16*c^6*x^6)*ArcSin[c*x] + c*x*Sqrt[1 - c^2*x^2]*(1 + 16*c^2*x^2*(-1 + c^2*x^2)*Log[c*x] + 8*c^2*x^2*(-1 + c^2*x^2)*Log[1 - c^2*x^2]))) / x^3 + b^2*c^3*(1 - c^2*x^2)^(3/2)*((c*x)/Sqrt[1 - c^2*x^2] - Sqrt[1 - c^2*x^2]/(c*x) - ArcSin[c*x]/(c^2*x^2) + ArcSin[c*x]/(-1 + c^2*x^2) - (16*I)*ArcSin[c*x]^2 + (c*x*ArcSin[c*x]^2)/(1 - c^2*x^2)^(3/2) + (8*c*x*ArcSin[c*x]^2)/Sqrt[1 - c^2*x^2] - (Sqrt[1 - c^2*x^2]*ArcSin[c*x]^2)/(c^3*x^3) - (8*Sqrt[1 - c^2*x^2]*ArcSin[c*x]^2)/(c*x) + 16*ArcSin[c*x]*Log[1 - E^((2*I)*ArcSin[c*x])] + 16*ArcSin[c*x]*Log[1 + E^((2*I)*ArcSin[c*x])] - (8*I)*PolyLog[2, -E^((2*I)*ArcSin[c*x])] - (8*I)*PolyLog[2, E^((2*I)*ArcSin[c*x])]) / (3*d*(d - c^2*d*x^2)^(3/2))
```

**Maple [B]** time = 0.381, size = 5229, normalized size = 9.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/x^4/(-c^2*d*x^2+d)^(5/2),x)
```

```
[Out] result too large to display
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/x^4/(-c^2*d*x^2+d)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```



**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2dx^2+d}(b^2\arcsin(cx)^2+2ab\arcsin(cx)+a^2)}{c^6d^3x^{10}-3c^4d^3x^8+3c^2d^3x^6-d^3x^4},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*d\*x^2+d)\*(b^2\*arcsin(c\*x)^2+2\*a\*b\*arcsin(c\*x)+a^2)/(c^6\*d^3\*x^10-3\*c^4\*d^3\*x^8+3\*c^2\*d^3\*x^6-d^3\*x^4),x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x\*\*4/(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b\arcsin(cx)+a)^2}{(-c^2dx^2+d)^{\frac{5}{2}}x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^4/(-c^2\*d\*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x)+a)^2/((-c^2\*d\*x^2+d)^(5/2)\*x^4),x)

$$3.264 \quad \int \frac{x^4 \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=157

$$\frac{x^3\sqrt{1-a^2x^2}}{32a^2} + \frac{15x\sqrt{1-a^2x^2}}{64a^4} - \frac{x^3\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{4a^2} + \frac{3x^2\sin^{-1}(ax)}{8a^3} - \frac{3x\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{8a^4} + \frac{\sin^{-1}(ax)^3}{8a^5} - \frac{15\sin^{-1}(ax)}{64a^4}$$

[Out] (15\*x\*Sqrt[1 - a^2\*x^2])/(64\*a^4) + (x^3\*Sqrt[1 - a^2\*x^2])/(32\*a^2) - (15\*ArcSin[a\*x])/(64\*a^5) + (3\*x^2\*ArcSin[a\*x])/(8\*a^3) + (x^4\*ArcSin[a\*x])/(8\*a) - (3\*x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/(8\*a^4) - (x^3\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/(4\*a^2) + ArcSin[a\*x]^3/(8\*a^5)

**Rubi [A]** time = 0.270624, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {4707, 4641, 4627, 321, 216}

$$\frac{x^3\sqrt{1-a^2x^2}}{32a^2} + \frac{15x\sqrt{1-a^2x^2}}{64a^4} - \frac{x^3\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{4a^2} + \frac{3x^2\sin^{-1}(ax)}{8a^3} - \frac{3x\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{8a^4} + \frac{\sin^{-1}(ax)^3}{8a^5} - \frac{15\sin^{-1}(ax)}{64a^4}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*ArcSin[a\*x]^2)/Sqrt[1 - a^2\*x^2],x]

[Out] (15\*x\*Sqrt[1 - a^2\*x^2])/(64\*a^4) + (x^3\*Sqrt[1 - a^2\*x^2])/(32\*a^2) - (15\*ArcSin[a\*x])/(64\*a^5) + (3\*x^2\*ArcSin[a\*x])/(8\*a^3) + (x^4\*ArcSin[a\*x])/(8\*a) - (3\*x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/(8\*a^4) - (x^3\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/(4\*a^2) + ArcSin[a\*x]^3/(8\*a^5)

### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.)\*((f\_.)\*(x\_.))^m\_)/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_)/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; Fre

$eQ[\{a, b, c, d, e, n\}, x] \&\& EqQ[c^2*d + e, 0] \&\& GtQ[d, 0] \&\& NeQ[n, -1]$

### Rule 4627

$\text{Int}[\{(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)\}^{(n_.)}*((d_.)*(x_.))^{(m_.)}, x\_Symbol] \\ \rightarrow \text{Simp}[\{(d*x)^{(m+1)}*(a + b*\text{ArcSin}[c*x])^{(n)}\}/(d*(m+1)), x] - \text{Dist}[(b*c*n) \\ / (d*(m+1)), \text{Int}[\{(d*x)^{(m+1)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}\}/\text{Sqrt}[1 - c^2 \\ *x^2], x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[m, -1]$

### Rule 321

$\text{Int}[\{(c_.)*(x_.)\}^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(c^{(n-1)} \\ *(c*x)^{(m-n+1)}*(a + b*x^n)^{(p+1)})/(b*(m+n*p+1)), x] - \text{Dist}[(a*c^{(n*(m-n+1))} \\ / (b*(m+n*p+1)), \text{Int}[(c*x)^{(m-n)}*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{GtQ}[m, n-1] \&\& \text{NeQ}[m+n*p \\ + 1, 0] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

### Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^2], x\_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqr} \\ t[a]]/\text{Rt}[-b, 2], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{NegQ}[b]$

### Rubi steps

$$\begin{aligned} \int \frac{x^4 \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx &= -\frac{x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{4a^2} + \frac{3 \int \frac{x^2 \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx}{4a^2} + \frac{\int x^3 \sin^{-1}(ax) dx}{2a} \\ &= \frac{x^4 \sin^{-1}(ax)}{8a} - \frac{3x \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{8a^4} - \frac{x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{4a^2} - \frac{1}{8} \int \frac{x^4}{\sqrt{1-a^2x^2}} dx + \frac{3 \int \frac{\sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx}{8} \\ &= \frac{x^3 \sqrt{1-a^2x^2}}{32a^2} + \frac{3x^2 \sin^{-1}(ax)}{8a^3} + \frac{x^4 \sin^{-1}(ax)}{8a} - \frac{3x \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{8a^4} - \frac{x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{4a^2} \\ &= \frac{15x \sqrt{1-a^2x^2}}{64a^4} + \frac{x^3 \sqrt{1-a^2x^2}}{32a^2} + \frac{3x^2 \sin^{-1}(ax)}{8a^3} + \frac{x^4 \sin^{-1}(ax)}{8a} - \frac{3x \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{8a^4} - \frac{x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{4a^2} \\ &= \frac{15x \sqrt{1-a^2x^2}}{64a^4} + \frac{x^3 \sqrt{1-a^2x^2}}{32a^2} - \frac{15 \sin^{-1}(ax)}{64a^5} + \frac{3x^2 \sin^{-1}(ax)}{8a^3} + \frac{x^4 \sin^{-1}(ax)}{8a} - \frac{3x \sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{8a^4} \end{aligned}$$

**Mathematica [A]** time = 0.0516752, size = 100, normalized size = 0.64

$$\frac{ax \sqrt{1-a^2x^2} (2a^2x^2 + 15) - 8ax \sqrt{1-a^2x^2} (2a^2x^2 + 3) \sin^{-1}(ax)^2 + (8a^4x^4 + 24a^2x^2 - 15) \sin^{-1}(ax) + 8 \sin^{-1}(ax)^3}{64a^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*ArcSin[a\*x]^2)/Sqrt[1 - a^2\*x^2],x]

[Out] (a\*x\*Sqrt[1 - a^2\*x^2]\*(15 + 2\*a^2\*x^2) + (-15 + 24\*a^2\*x^2 + 8\*a^4\*x^4)\*ArcSin[a\*x] - 8\*a\*x\*Sqrt[1 - a^2\*x^2]\*(3 + 2\*a^2\*x^2)\*ArcSin[a\*x]^2 + 8\*ArcSin[a\*x]^3)/(64\*a^5)

**Maple [A]** time = 0.063, size = 129, normalized size = 0.8

$$\frac{1}{64a^5} \left( -16 (\arcsin(ax))^2 \sqrt{-a^2x^2 + 1} x^3 a^3 + 8 a^4 x^4 \arcsin(ax) + 2 a^3 x^3 \sqrt{-a^2x^2 + 1} - 24 (\arcsin(ax))^2 \sqrt{-a^2x^2 + 1} x a + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*arcsin(a\*x)^2/(-a^2\*x^2+1)^(1/2),x)

[Out] 1/64\*(-16\*arcsin(a\*x)^2\*(-a^2\*x^2+1)^(1/2)\*x^3\*a^3+8\*a^4\*x^4\*arcsin(a\*x)+2\*a^3\*x^3\*(-a^2\*x^2+1)^(1/2)-24\*arcsin(a\*x)^2\*(-a^2\*x^2+1)^(1/2)\*x\*a+24\*a^2\*x^2\*arcsin(a\*x)+8\*arcsin(a\*x)^3+15\*a\*x\*(-a^2\*x^2+1)^(1/2)-15\*arcsin(a\*x))/a^5

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4 \arcsin(ax)^2}{\sqrt{-a^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arcsin(a\*x)^2/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(x^4\*arcsin(a\*x)^2/sqrt(-a^2\*x^2 + 1), x)

**Fricas [A]** time = 1.7379, size = 205, normalized size = 1.31

$$\frac{8 \arcsin(ax)^3 + (8a^4x^4 + 24a^2x^2 - 15) \arcsin(ax) + (2a^3x^3 - 8(2a^3x^3 + 3ax) \arcsin(ax)^2 + 15ax) \sqrt{-a^2x^2 + 1}}{64a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arcsin(a\*x)^2/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] 1/64\*(8\*arcsin(a\*x)^3 + (8\*a^4\*x^4 + 24\*a^2\*x^2 - 15)\*arcsin(a\*x) + (2\*a^3\*x^3 - 8\*(2\*a^3\*x^3 + 3\*a\*x)\*arcsin(a\*x)^2 + 15\*a\*x)\*sqrt(-a^2\*x^2 + 1))/a^5

**Sympy [A]** time = 4.83173, size = 146, normalized size = 0.93

$$\left\{ \begin{array}{l} \frac{x^4 \operatorname{asin}(ax)}{8a} - \frac{x^3 \sqrt{-a^2x^2+1} \operatorname{asin}^2(ax)}{4a^2} + \frac{x^3 \sqrt{-a^2x^2+1}}{32a^2} + \frac{3x^2 \operatorname{asin}(ax)}{8a^3} - \frac{3x \sqrt{-a^2x^2+1} \operatorname{asin}^2(ax)}{8a^4} + \frac{15x \sqrt{-a^2x^2+1}}{64a^4} + \frac{\operatorname{asin}^3(ax)}{8a^5} - \frac{15 \operatorname{asin}(ax)}{64a^5} \\ 0 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*asin(a\*x)\*\*2/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Piecewise((x\*\*4\*asin(a\*x)/(8\*a) - x\*\*3\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/(4\*a\*\*2) + x\*\*3\*sqrt(-a\*\*2\*x\*\*2 + 1)/(32\*a\*\*2) + 3\*x\*\*2\*asin(a\*x)/(8\*a\*\*3) - 3\*x\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/(8\*a\*\*4) + 15\*x\*sqrt(-a\*\*2\*x\*\*2 + 1)/(64\*a\*\*4) + asin(a\*x)\*\*3/(8\*a\*\*5) - 15\*asin(a\*x)/(64\*a\*\*5), Ne(a, 0)), (0, True))

**Giac [A]** time = 1.2664, size = 193, normalized size = 1.23

$$\frac{(-a^2x^2 + 1)^{\frac{3}{2}} x \operatorname{arcsin}(ax)^2}{4a^4} - \frac{5\sqrt{-a^2x^2+1}x \operatorname{arcsin}(ax)^2}{8a^4} - \frac{(-a^2x^2 + 1)^{\frac{3}{2}} x}{32a^4} + \frac{(a^2x^2 - 1)^2 \operatorname{arcsin}(ax)}{8a^5} + \frac{\operatorname{arcsin}(ax)^3}{8a^5} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*arcsin(a\*x)^2/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] 1/4\*(-a^2\*x^2 + 1)^(3/2)\*x\*arcsin(a\*x)^2/a^4 - 5/8\*sqrt(-a^2\*x^2 + 1)\*x\*arcsin(a\*x)^2/a^4 - 1/32\*(-a^2\*x^2 + 1)^(3/2)\*x/a^4 + 1/8\*(a^2\*x^2 - 1)^2\*arcsin(a\*x)/a^5 + 1/8\*arcsin(a\*x)^3/a^5 + 17/64\*sqrt(-a^2\*x^2 + 1)\*x/a^4 + 5/8\*(a^2\*x^2 - 1)\*arcsin(a\*x)/a^5 + 17/64\*arcsin(a\*x)/a^5

$$3.265 \quad \int \frac{x^3 \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=126

$$-\frac{2(1-a^2x^2)^{3/2}}{27a^4} + \frac{14\sqrt{1-a^2x^2}}{9a^4} - \frac{x^2\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{3a^2} - \frac{2\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{3a^4} + \frac{4x\sin^{-1}(ax)}{3a^3} + \frac{2x^3\sin^{-1}(ax)}{9a}$$

[Out] (14\*Sqrt[1 - a^2\*x^2])/(9\*a^4) - (2\*(1 - a^2\*x^2)^(3/2))/(27\*a^4) + (4\*x\*ArcSin[a\*x])/(3\*a^3) + (2\*x^3\*ArcSin[a\*x])/(9\*a) - (2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/(3\*a^4) - (x^2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/(3\*a^2)

**Rubi [A]** time = 0.202162, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$ , Rules used = {4707, 4677, 4619, 261, 4627, 266, 43}

$$-\frac{2(1-a^2x^2)^{3/2}}{27a^4} + \frac{14\sqrt{1-a^2x^2}}{9a^4} - \frac{x^2\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{3a^2} - \frac{2\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{3a^4} + \frac{4x\sin^{-1}(ax)}{3a^3} + \frac{2x^3\sin^{-1}(ax)}{9a}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*ArcSin[a\*x]^2)/Sqrt[1 - a^2\*x^2], x]

[Out] (14\*Sqrt[1 - a^2\*x^2])/(9\*a^4) - (2\*(1 - a^2\*x^2)^(3/2))/(27\*a^4) + (4\*x\*ArcSin[a\*x])/(3\*a^3) + (2\*x^3\*ArcSin[a\*x])/(9\*a) - (2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/(3\*a^4) - (x^2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/(3\*a^2)

#### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_))/Sqrt[(d\_ + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

#### Rule 4677

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)\*((d\_ + (e\_.)\*(x\_)^2)^(p\_.)), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p +

1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 4619

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n], x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

### Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

### Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n]\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx &= -\frac{x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{3a^2} + \frac{2 \int \frac{x \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx}{3a^2} + \frac{2 \int x^2 \sin^{-1}(ax) dx}{3a} \\
&= \frac{2x^3 \sin^{-1}(ax)}{9a} - \frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{3a^4} - \frac{x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{3a^2} - \frac{2}{9} \int \frac{x^3}{\sqrt{1-a^2x^2}} dx + \frac{4 \int \sin^{-1}(ax) dx}{3a} \\
&= \frac{4x \sin^{-1}(ax)}{3a^3} + \frac{2x^3 \sin^{-1}(ax)}{9a} - \frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{3a^4} - \frac{x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{3a^2} - \frac{1}{9} \text{Subst} \left( \int \frac{x^3}{\sqrt{1-a^2x^2}} dx \right) \\
&= \frac{4\sqrt{1-a^2x^2}}{3a^4} + \frac{4x \sin^{-1}(ax)}{3a^3} + \frac{2x^3 \sin^{-1}(ax)}{9a} - \frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{3a^4} - \frac{x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{3a^2} \\
&= \frac{14\sqrt{1-a^2x^2}}{9a^4} - \frac{2(1-a^2x^2)^{3/2}}{27a^4} + \frac{4x \sin^{-1}(ax)}{3a^3} + \frac{2x^3 \sin^{-1}(ax)}{9a} - \frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{3a^4} - \frac{x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{3a^2}
\end{aligned}$$

**Mathematica [A]** time = 0.0453418, size = 81, normalized size = 0.64

$$\frac{2\sqrt{1-a^2x^2}(a^2x^2+20) - 9\sqrt{1-a^2x^2}(a^2x^2+2)\sin^{-1}(ax)^2 + 6ax(a^2x^2+6)\sin^{-1}(ax)}{27a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*ArcSin[a\*x]^2)/Sqrt[1 - a^2\*x^2], x]

[Out] (2\*Sqrt[1 - a^2\*x^2]\*(20 + a^2\*x^2) + 6\*a\*x\*(6 + a^2\*x^2)\*ArcSin[a\*x] - 9\*Sqrt[1 - a^2\*x^2]\*(2 + a^2\*x^2)\*ArcSin[a\*x]^2)/(27\*a^4)

**Maple [A]** time = 0.055, size = 127, normalized size = 1.

$$-\frac{1}{27a^4(a^2x^2-1)} \left( 9a^4x^4(\arcsin(ax))^2 + 9(\arcsin(ax))^2x^2a^2 + 6\arcsin(ax)\sqrt{-a^2x^2+1}x^3a^3 - 2a^4x^4 - 38a^2x^2 - 18 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*arcsin(a\*x)^2/(-a^2\*x^2+1)^(1/2), x)

[Out] -1/27/a^4\*(9\*a^4\*x^4\*arcsin(a\*x)^2+9\*arcsin(a\*x)^2\*x^2\*a^2+6\*arcsin(a\*x)\*(-a^2\*x^2+1)^(1/2)\*x^3\*a^3-2\*a^4\*x^4-38\*a^2\*x^2-18\*arcsin(a\*x)^2+36\*arcsin(a\*x)\*(-a^2\*x^2+1)^(1/2)\*x\*a+40)\*(-a^2\*x^2+1)^(1/2)/(a^2\*x^2-1)



---

**Maxima [A]** time = 1.551, size = 142, normalized size = 1.13

$$-\frac{1}{3} \left( \frac{\sqrt{-a^2x^2 + 1}x^2}{a^2} + \frac{2\sqrt{-a^2x^2 + 1}}{a^4} \right) \arcsin(ax)^2 + \frac{2 \left( \sqrt{-a^2x^2 + 1}x^2 + \frac{20\sqrt{-a^2x^2 + 1}}{a^2} \right)}{27a^2} + \frac{2(a^2x^3 + 6x) \arcsin(ax)}{9a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arcsin(a\*x)^2/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] -1/3\*(sqrt(-a^2\*x^2 + 1)\*x^2/a^2 + 2\*sqrt(-a^2\*x^2 + 1)/a^4)\*arcsin(a\*x)^2 + 2/27\*(sqrt(-a^2\*x^2 + 1)\*x^2 + 20\*sqrt(-a^2\*x^2 + 1)/a^2)/a^2 + 2/9\*(a^2\*x^3 + 6\*x)\*arcsin(a\*x)/a^3

---

**Fricas [A]** time = 1.78503, size = 154, normalized size = 1.22

$$\frac{6(a^3x^3 + 6ax) \arcsin(ax) + (2a^2x^2 - 9(a^2x^2 + 2) \arcsin(ax)^2 + 40)\sqrt{-a^2x^2 + 1}}{27a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arcsin(a\*x)^2/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] 1/27\*(6\*(a^3\*x^3 + 6\*a\*x)\*arcsin(a\*x) + (2\*a^2\*x^2 - 9\*(a^2\*x^2 + 2)\*arcsin(a\*x)^2 + 40)\*sqrt(-a^2\*x^2 + 1))/a^4

---

**Sympy [A]** time = 2.70067, size = 121, normalized size = 0.96

$$\begin{cases} \frac{2x^3 \operatorname{asin}(ax)}{9a} - \frac{x^2\sqrt{-a^2x^2+1} \operatorname{asin}^2(ax)}{3a^2} + \frac{2x^2\sqrt{-a^2x^2+1}}{27a^2} + \frac{4x \operatorname{asin}(ax)}{3a^3} - \frac{2\sqrt{-a^2x^2+1} \operatorname{asin}^2(ax)}{3a^4} + \frac{40\sqrt{-a^2x^2+1}}{27a^4} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*asin(a\*x)\*\*2/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Piecewise((2\*x\*\*3\*asin(a\*x)/(9\*a) - x\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/(3\*a\*\*2) + 2\*x\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1)/(27\*a\*\*2) + 4\*x\*asin(a\*x)/(3\*a\*\*3) -

```
2*sqrt(-a**2*x**2 + 1)*asin(a*x)**2/(3*a**4) + 40*sqrt(-a**2*x**2 + 1)/(27
*a**4), Ne(a, 0)), (0, True))
```

**Giac [A]** time = 1.227, size = 138, normalized size = 1.1

$$\frac{\left((-a^2x^2 + 1)^{\frac{3}{2}} - 3\sqrt{-a^2x^2 + 1}\right)\arcsin(ax)^2}{3a^4} + \frac{2\left(3(a^2x^2 - 1)x\arcsin(ax) + 21x\arcsin(ax) - \frac{(-a^2x^2 + 1)^{\frac{3}{2}}}{a} + \frac{21\sqrt{-a^2x^2 + 1}}{a}\right)}{27a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*arcsin(a*x)^2/(-a^2*x^2+1)^(1/2),x, algorithm="giac")
```

```
[Out] 1/3*((-a^2*x^2 + 1)^(3/2) - 3*sqrt(-a^2*x^2 + 1))*arcsin(a*x)^2/a^4 + 2/27*
(3*(a^2*x^2 - 1)*x*arcsin(a*x) + 21*x*arcsin(a*x) - (-a^2*x^2 + 1)^(3/2)/a
+ 21*sqrt(-a^2*x^2 + 1)/a)/a^3
```

$$3.266 \quad \int \frac{x^2 \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=89

$$\frac{x\sqrt{1-a^2x^2}}{4a^2} - \frac{x\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{2a^2} + \frac{\sin^{-1}(ax)^3}{6a^3} - \frac{\sin^{-1}(ax)}{4a^3} + \frac{x^2\sin^{-1}(ax)}{2a}$$

[Out] (x\*Sqrt[1 - a^2\*x^2])/(4\*a^2) - ArcSin[a\*x]/(4\*a^3) + (x^2\*ArcSin[a\*x])/(2\*a) - (x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/(2\*a^2) + ArcSin[a\*x]^3/(6\*a^3)

**Rubi [A]** time = 0.137485, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {4707, 4641, 4627, 321, 216}

$$\frac{x\sqrt{1-a^2x^2}}{4a^2} - \frac{x\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{2a^2} + \frac{\sin^{-1}(ax)^3}{6a^3} - \frac{\sin^{-1}(ax)}{4a^3} + \frac{x^2\sin^{-1}(ax)}{2a}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*ArcSin[a\*x]^2)/Sqrt[1 - a^2\*x^2], x]

[Out] (x\*Sqrt[1 - a^2\*x^2])/(4\*a^2) - ArcSin[a\*x]/(4\*a^3) + (x^2\*ArcSin[a\*x])/(2\*a) - (x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/(2\*a^2) + ArcSin[a\*x]^3/(6\*a^3)

#### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_.)\*((f\_.)\*(x\_))^(m\_)]/Sqrt[(d\_ + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_]/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

### Rule 321

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^2 \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx &= -\frac{x\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2a^2} + \frac{\int \frac{\sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx}{2a^2} + \frac{\int x \sin^{-1}(ax) dx}{a} \\ &= \frac{x^2 \sin^{-1}(ax)}{2a} - \frac{x\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2a^2} + \frac{\sin^{-1}(ax)^3}{6a^3} - \frac{1}{2} \int \frac{x^2}{\sqrt{1-a^2x^2}} dx \\ &= \frac{x\sqrt{1-a^2x^2}}{4a^2} + \frac{x^2 \sin^{-1}(ax)}{2a} - \frac{x\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2a^2} + \frac{\sin^{-1}(ax)^3}{6a^3} - \frac{\int \frac{1}{\sqrt{1-a^2x^2}} dx}{4a^2} \\ &= \frac{x\sqrt{1-a^2x^2}}{4a^2} - \frac{\sin^{-1}(ax)}{4a^3} + \frac{x^2 \sin^{-1}(ax)}{2a} - \frac{x\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{2a^2} + \frac{\sin^{-1}(ax)^3}{6a^3} \end{aligned}$$

**Mathematica [A]** time = 0.024274, size = 73, normalized size = 0.82

$$\frac{3ax\sqrt{1-a^2x^2} - 6ax\sqrt{1-a^2x^2} \sin^{-1}(ax)^2 + (6a^2x^2 - 3) \sin^{-1}(ax) + 2 \sin^{-1}(ax)^3}{12a^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*ArcSin[a*x]^2)/Sqrt[1 - a^2*x^2], x]
```

[Out]  $(3ax\sqrt{1-a^2x^2} + (-3 + 6a^2x^2)\text{ArcSin}[ax] - 6ax\sqrt{1-a^2x^2})\text{ArcSin}[ax]^2 + 2\text{ArcSin}[ax]^3)/(12a^3)$

**Maple [A]** time = 0.062, size = 71, normalized size = 0.8

$$\frac{1}{12a^3} \left( -6 (\arcsin(ax))^2 \sqrt{-a^2x^2+1}xa + 6a^2x^2 \arcsin(ax) + 2 (\arcsin(ax))^3 + 3ax\sqrt{-a^2x^2+1} - 3 \arcsin(ax) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*arcsin(a*x)^2/(-a^2*x^2+1)^(1/2),x)`

[Out]  $1/12*(-6*\arcsin(a*x)^2*(-a^2*x^2+1)^(1/2)*x*a+6*a^2*x^2*\arcsin(a*x)+2*\arcsin(a*x)^3+3*a*x*(-a^2*x^2+1)^(1/2)-3*\arcsin(a*x))/a^3$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \arcsin(ax)^2}{\sqrt{-a^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arcsin(a*x)^2/(-a^2*x^2+1)^(1/2),x, algorithm="maxima")`

[Out] `integrate(x^2*arcsin(a*x)^2/sqrt(-a^2*x^2 + 1), x)`

**Fricas [A]** time = 1.73193, size = 150, normalized size = 1.69

$$\frac{2 \arcsin(ax)^3 + 3(2a^2x^2 - 1)\arcsin(ax) - 3\sqrt{-a^2x^2+1}(2ax \arcsin(ax)^2 - ax)}{12a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arcsin(a*x)^2/(-a^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out]  $1/12*(2*\arcsin(a*x)^3 + 3*(2*a^2*x^2 - 1)*\arcsin(a*x) - 3*\sqrt{-a^2*x^2 + 1}*(2*a*x*\arcsin(a*x)^2 - a*x))/a^3$

---

**Sympy [A]** time = 1.50168, size = 78, normalized size = 0.88

$$\begin{cases} \frac{x^2 \operatorname{asin}(ax)}{2a} - \frac{x\sqrt{-a^2x^2+1} \operatorname{asin}^2(ax)}{2a^2} + \frac{x\sqrt{-a^2x^2+1}}{4a^2} + \frac{\operatorname{asin}^3(ax)}{6a^3} - \frac{\operatorname{asin}(ax)}{4a^3} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*asin(a\*x)\*\*2/(-a\*\*2\*x\*\*2+1)\*\*(1/2), x)

[Out] Piecewise((x\*\*2\*asin(a\*x)/(2\*a) - x\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/(2\*a\*\*2) + x\*sqrt(-a\*\*2\*x\*\*2 + 1)/(4\*a\*\*2) + asin(a\*x)\*\*3/(6\*a\*\*3) - asin(a\*x)/(4\*a\*\*3), Ne(a, 0)), (0, True))

---

**Giac [A]** time = 1.24809, size = 109, normalized size = 1.22

$$-\frac{\sqrt{-a^2x^2+1}x \operatorname{arcsin}(ax)^2}{2a^2} + \frac{\operatorname{arcsin}(ax)^3}{6a^3} + \frac{\sqrt{-a^2x^2+1}x}{4a^2} + \frac{(a^2x^2-1) \operatorname{arcsin}(ax)}{2a^3} + \frac{\operatorname{arcsin}(ax)}{4a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arcsin(a\*x)^2/(-a^2\*x^2+1)^(1/2), x, algorithm="giac")

[Out] -1/2\*sqrt(-a^2\*x^2 + 1)\*x\*arcsin(a\*x)^2/a^2 + 1/6\*arcsin(a\*x)^3/a^3 + 1/4\*sqrt(-a^2\*x^2 + 1)\*x/a^2 + 1/2\*(a^2\*x^2 - 1)\*arcsin(a\*x)/a^3 + 1/4\*arcsin(a\*x)/a^3

$$3.267 \quad \int \frac{x \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=55

$$\frac{2\sqrt{1-a^2x^2}}{a^2} - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{a^2} + \frac{2x \sin^{-1}(ax)}{a}$$

[Out] (2\*Sqrt[1 - a^2\*x^2])/a^2 + (2\*x\*ArcSin[a\*x])/a - (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/a^2

**Rubi [A]** time = 0.0719107, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {4677, 4619, 261}

$$\frac{2\sqrt{1-a^2x^2}}{a^2} - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{a^2} + \frac{2x \sin^{-1}(ax)}{a}$$

Antiderivative was successfully verified.

[In] Int[(x\*ArcSin[a\*x]^2)/Sqrt[1 - a^2\*x^2],x]

[Out] (2\*Sqrt[1 - a^2\*x^2])/a^2 + (2\*x\*ArcSin[a\*x])/a - (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/a^2

#### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

#### Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] :> Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

#### Rule 261

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{x \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx &= -\frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{a^2} + \frac{2 \int \sin^{-1}(ax) dx}{a} \\ &= \frac{2x \sin^{-1}(ax)}{a} - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{a^2} - 2 \int \frac{x}{\sqrt{1-a^2x^2}} dx \\ &= \frac{2\sqrt{1-a^2x^2}}{a^2} + \frac{2x \sin^{-1}(ax)}{a} - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{a^2} \end{aligned}$$

**Mathematica [A]** time = 0.0127663, size = 51, normalized size = 0.93

$$\frac{2\sqrt{1-a^2x^2} - \sqrt{1-a^2x^2} \sin^{-1}(ax)^2 + 2ax \sin^{-1}(ax)}{a^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x*ArcSin[a*x]^2)/Sqrt[1 - a^2*x^2], x]
```

```
[Out] (2*Sqrt[1 - a^2*x^2] + 2*a*x*ArcSin[a*x] - Sqrt[1 - a^2*x^2]*ArcSin[a*x]^2)/a^2
```

**Maple [A]** time = 0.044, size = 80, normalized size = 1.5

$$-\frac{1}{a^2(a^2x^2 - 1)} \sqrt{-a^2x^2 + 1} \left( (\arcsin(ax))^2 x^2 a^2 - (\arcsin(ax))^2 + 2 \arcsin(ax) \sqrt{-a^2x^2 + 1} x a - 2 a^2 x^2 + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*arcsin(a*x)^2/(-a^2*x^2+1)^(1/2), x)
```

```
[Out] -1/a^2*(-a^2*x^2+1)^(1/2)/(a^2*x^2-1)*(arcsin(a*x)^2*x^2*a^2-arcsin(a*x)^2+2*arcsin(a*x)*(-a^2*x^2+1)^(1/2)*x*a-2*a^2*x^2+2)
```



---

**Maxima [A]** time = 1.49674, size = 66, normalized size = 1.2

$$-\frac{\sqrt{-a^2x^2+1}\arcsin(ax)^2}{a^2} + \frac{2\left(ax\arcsin(ax) + \sqrt{-a^2x^2+1}\right)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arcsin(a*x)^2/(-a^2*x^2+1)^(1/2),x, algorithm="maxima")`

[Out] `-sqrt(-a^2*x^2 + 1)*arcsin(a*x)^2/a^2 + 2*(a*x*arcsin(a*x) + sqrt(-a^2*x^2 + 1))/a^2`

---

**Fricas [A]** time = 1.6864, size = 89, normalized size = 1.62

$$\frac{2ax\arcsin(ax) - \sqrt{-a^2x^2+1}(\arcsin(ax)^2 - 2)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arcsin(a*x)^2/(-a^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out] `(2*a*x*arcsin(a*x) - sqrt(-a^2*x^2 + 1)*(arcsin(a*x)^2 - 2))/a^2`

---

**Sympy [A]** time = 0.87482, size = 49, normalized size = 0.89

$$\begin{cases} \frac{2x\operatorname{asin}(ax)}{a} - \frac{\sqrt{-a^2x^2+1}\operatorname{asin}^2(ax)}{a^2} + \frac{2\sqrt{-a^2x^2+1}}{a^2} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*asin(a*x)**2/(-a**2*x**2+1)**(1/2),x)`

[Out] `Piecewise((2*x*asin(a*x)/a - sqrt(-a**2*x**2 + 1)*asin(a*x)**2/a**2 + 2*sqrt(-a**2*x**2 + 1)/a**2, Ne(a, 0)), (0, True))`

---

**Giac [A]** time = 1.27632, size = 66, normalized size = 1.2

$$-\frac{\sqrt{-a^2x^2 + 1} \arcsin(ax)^2}{a^2} + \frac{2 \left( ax \arcsin(ax) + \sqrt{-a^2x^2 + 1} \right)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arcsin(a\*x)^2/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] -sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)^2/a^2 + 2\*(a\*x\*arcsin(a\*x) + sqrt(-a^2\*x^2 + 1))/a^2

$$3.268 \quad \int \frac{\sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=13

$$\frac{\sin^{-1}(ax)^3}{3a}$$

[Out] ArcSin[a\*x]^3/(3\*a)

**Rubi [A]** time = 0.0338384, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {4641}

$$\frac{\sin^{-1}(ax)^3}{3a}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^2/Sqrt[1 - a^2\*x^2], x]

[Out] ArcSin[a\*x]^3/(3\*a)

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{\sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx = \frac{\sin^{-1}(ax)^3}{3a}$$

**Mathematica [A]** time = 0.0038623, size = 13, normalized size = 1.

$$\frac{\sin^{-1}(ax)^3}{3a}$$

Antiderivative was successfully verified.

```
[In] Integrate[ArcSin[a*x]^2/Sqrt[1 - a^2*x^2],x]
```

```
[Out] ArcSin[a*x]^3/(3*a)
```

---

**Maple [A]** time = 0.003, size = 12, normalized size = 0.9

$$\frac{(\arcsin(ax))^3}{3a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(arcsin(a*x)^2/(-a^2*x^2+1)^(1/2),x)
```

```
[Out] 1/3*arcsin(a*x)^3/a
```

---

**Maxima [A]** time = 1.51888, size = 15, normalized size = 1.15

$$\frac{\arcsin(ax)^3}{3a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^2/(-a^2*x^2+1)^(1/2),x, algorithm="maxima")
```

```
[Out] 1/3*arcsin(a*x)^3/a
```

---

**Fricas [A]** time = 1.62441, size = 28, normalized size = 2.15

$$\frac{\arcsin(ax)^3}{3a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^2/(-a^2*x^2+1)^(1/2),x, algorithm="fricas")
```

[Out]  $1/3*\arcsin(ax)^3/a$

**Sympy [A]** time = 0.474915, size = 10, normalized size = 0.77

$$\begin{cases} \frac{\arcsin^3(ax)}{3a} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**2/(-a**2*x**2+1)**(1/2), x)`

[Out] `Piecewise((asin(a*x)**3/(3*a), Ne(a, 0)), (0, True))`

**Giac [A]** time = 1.25424, size = 15, normalized size = 1.15

$$\frac{\arcsin(ax)^3}{3a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^2/(-a^2*x^2+1)^(1/2), x, algorithm="giac")`

[Out]  $1/3*\arcsin(ax)^3/a$

$$3.269 \quad \int \frac{\sin^{-1}(ax)^2}{x\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=92

$$2i \sin^{-1}(ax) \text{PolyLog}\left(2, -e^{i \sin^{-1}(ax)}\right) - 2i \sin^{-1}(ax) \text{PolyLog}\left(2, e^{i \sin^{-1}(ax)}\right) - 2 \text{PolyLog}\left(3, -e^{i \sin^{-1}(ax)}\right) + 2 \text{PolyLog}\left(3, e^{i \sin^{-1}(ax)}\right)$$

[Out] -2\*ArcSin[a\*x]^2\*ArcTanh[E^(I\*ArcSin[a\*x])] + (2\*I)\*ArcSin[a\*x]\*PolyLog[2, -E^(I\*ArcSin[a\*x])] - (2\*I)\*ArcSin[a\*x]\*PolyLog[2, E^(I\*ArcSin[a\*x])] - 2\*PolyLog[3, -E^(I\*ArcSin[a\*x])] + 2\*PolyLog[3, E^(I\*ArcSin[a\*x])]

**Rubi [A]** time = 0.142958, antiderivative size = 92, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {4709, 4183, 2531, 2282, 6589}

$$2i \sin^{-1}(ax) \text{PolyLog}\left(2, -e^{i \sin^{-1}(ax)}\right) - 2i \sin^{-1}(ax) \text{PolyLog}\left(2, e^{i \sin^{-1}(ax)}\right) - 2 \text{PolyLog}\left(3, -e^{i \sin^{-1}(ax)}\right) + 2 \text{PolyLog}\left(3, e^{i \sin^{-1}(ax)}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^2/(x\*Sqrt[1 - a^2\*x^2]),x]

[Out] -2\*ArcSin[a\*x]^2\*ArcTanh[E^(I\*ArcSin[a\*x])] + (2\*I)\*ArcSin[a\*x]\*PolyLog[2, -E^(I\*ArcSin[a\*x])] - (2\*I)\*ArcSin[a\*x]\*PolyLog[2, E^(I\*ArcSin[a\*x])] - 2\*PolyLog[3, -E^(I\*ArcSin[a\*x])] + 2\*PolyLog[3, E^(I\*ArcSin[a\*x])]

#### Rule 4709

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.)\*(x\_)^m\_)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[1/(c^(m + 1)\*Sqrt[d]), Subst[Int[(a + b\*x)^n\*Sin[x]^m, x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

#### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_.))^m\_., x\_Symbol] :> Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*(f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int \frac{\sin^{-1}(ax)^2}{x\sqrt{1-a^2x^2}} dx &= \text{Subst} \left( \int x^2 \csc(x) dx, x, \sin^{-1}(ax) \right) \\ &= -2 \sin^{-1}(ax)^2 \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) - 2 \text{Subst} \left( \int x \log(1 - e^{ix}) dx, x, \sin^{-1}(ax) \right) + 2 \text{Subst} \left( \int x \log(1 + e^{ix}) dx, x, \sin^{-1}(ax) \right) \\ &= -2 \sin^{-1}(ax)^2 \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) + 2i \sin^{-1}(ax) \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right) - 2i \sin^{-1}(ax) \text{Li}_2 \left( e^{i \sin^{-1}(ax)} \right) - 2i \sin^{-1}(ax) \text{Li}_2 \left( -e^{-i \sin^{-1}(ax)} \right) + 2i \sin^{-1}(ax) \text{Li}_2 \left( e^{-i \sin^{-1}(ax)} \right) \\ &= -2 \sin^{-1}(ax)^2 \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) + 2i \sin^{-1}(ax) \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right) - 2i \sin^{-1}(ax) \text{Li}_2 \left( e^{i \sin^{-1}(ax)} \right) - 2i \sin^{-1}(ax) \text{Li}_2 \left( -e^{-i \sin^{-1}(ax)} \right) + 2i \sin^{-1}(ax) \text{Li}_2 \left( e^{-i \sin^{-1}(ax)} \right) \\ &= -2 \sin^{-1}(ax)^2 \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) + 2i \sin^{-1}(ax) \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right) - 2i \sin^{-1}(ax) \text{Li}_2 \left( e^{i \sin^{-1}(ax)} \right) - 2i \sin^{-1}(ax) \text{Li}_2 \left( -e^{-i \sin^{-1}(ax)} \right) + 2i \sin^{-1}(ax) \text{Li}_2 \left( e^{-i \sin^{-1}(ax)} \right) \end{aligned}$$

**Mathematica [A]** time = 0.10266, size = 116, normalized size = 1.26

$$2i \sin^{-1}(ax) \text{PolyLog} \left( 2, -e^{i \sin^{-1}(ax)} \right) - 2i \sin^{-1}(ax) \text{PolyLog} \left( 2, e^{i \sin^{-1}(ax)} \right) - 2 \text{PolyLog} \left( 3, -e^{i \sin^{-1}(ax)} \right) + 2 \text{PolyLog} \left( 3, e^{i \sin^{-1}(ax)} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[ArcSin[a*x]^2/(x*Sqrt[1 - a^2*x^2]), x]
```

```
[Out] ArcSin[a*x]^2*Log[1 - E^(I*ArcSin[a*x])] - ArcSin[a*x]^2*Log[1 + E^(I*ArcSin[a*x])] + (2*I)*ArcSin[a*x]*PolyLog[2, -E^(I*ArcSin[a*x])] - (2*I)*ArcSin[a*x]*PolyLog[2, E^(I*ArcSin[a*x])] - 2*PolyLog[3, -E^(I*ArcSin[a*x])] + 2*PolyLog[3, E^(I*ArcSin[a*x])]
```

**Maple [A]** time = 0.06, size = 161, normalized size = 1.8

$$-(\arcsin(ax))^2 \ln\left(1 + iax + \sqrt{-a^2x^2 + 1}\right) + 2i \arcsin(ax) \operatorname{polylog}\left(2, -iax - \sqrt{-a^2x^2 + 1}\right) - 2 \operatorname{polylog}\left(3, -iax - \sqrt{-a^2x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(arcsin(a*x)^2/x/(-a^2*x^2+1)^(1/2),x)
```

```
[Out] -arcsin(a*x)^2*ln(1+I*a*x+(-a^2*x^2+1)^(1/2))+2*I*arcsin(a*x)*polylog(2,-I*a*x-(-a^2*x^2+1)^(1/2))-2*polylog(3,-I*a*x-(-a^2*x^2+1)^(1/2))+arcsin(a*x)^2*ln(1-I*a*x-(-a^2*x^2+1)^(1/2))-2*I*arcsin(a*x)*polylog(2,I*a*x+(-a^2*x^2+1)^(1/2))+2*polylog(3,I*a*x+(-a^2*x^2+1)^(1/2))
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^2}{\sqrt{-a^2x^2 + 1}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^2/x/(-a^2*x^2+1)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(arcsin(a*x)^2/(sqrt(-a^2*x^2 + 1)*x), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{\sqrt{-a^2x^2 + 1} \arcsin(ax)^2}{a^2x^3 - x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(arcsin(a\*x)^2/x/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)^2/(a^2\*x^3 - x), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{asin}^2(ax)}{x\sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*2/x/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(asin(a\*x)\*\*2/(x\*sqrt(-(a\*x - 1)\*(a\*x + 1))), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arcsin}(ax)^2}{\sqrt{-a^2x^2 + 1}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/x/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^2/(sqrt(-a^2\*x^2 + 1)\*x), x)

$$3.270 \quad \int \frac{\sin^{-1}(ax)^2}{x^2 \sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=76

$$-ia \operatorname{PolyLog}\left(2, e^{2i \sin^{-1}(ax)}\right) - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{x} - ia \sin^{-1}(ax)^2 + 2a \sin^{-1}(ax) \log\left(1 - e^{2i \sin^{-1}(ax)}\right)$$

[Out] (-I)\*a\*ArcSin[a\*x]^2 - (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/x + 2\*a\*ArcSin[a\*x]\*Log[1 - E^((2\*I)\*ArcSin[a\*x])] - I\*a\*PolyLog[2, E^((2\*I)\*ArcSin[a\*x])]

**Rubi [A]** time = 0.14353, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4681, 4625, 3717, 2190, 2279, 2391}

$$-ia \operatorname{PolyLog}\left(2, e^{2i \sin^{-1}(ax)}\right) - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^2}{x} - ia \sin^{-1}(ax)^2 + 2a \sin^{-1}(ax) \log\left(1 - e^{2i \sin^{-1}(ax)}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^2/(x^2\*Sqrt[1 - a^2\*x^2]),x]

[Out] (-I)\*a\*ArcSin[a\*x]^2 - (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/x + 2\*a\*ArcSin[a\*x]\*Log[1 - E^((2\*I)\*ArcSin[a\*x])] - I\*a\*PolyLog[2, E^((2\*I)\*ArcSin[a\*x])]

#### Rule 4681

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] && NeQ[m, -1]

#### Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/(x\_), x\_Symbol] :> Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

#### Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^(m)*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol]
:> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x))))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol]
:> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^2}{x^2\sqrt{1-a^2x^2}} dx &= -\frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{x} + (2a) \int \frac{\sin^{-1}(ax)}{x} dx \\
&= -\frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{x} + (2a) \text{Subst}\left(\int x \cot(x) dx, x, \sin^{-1}(ax)\right) \\
&= -ia \sin^{-1}(ax)^2 - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{x} - (4ia) \text{Subst}\left(\int \frac{e^{2ix}x}{1-e^{2ix}} dx, x, \sin^{-1}(ax)\right) \\
&= -ia \sin^{-1}(ax)^2 - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{x} + 2a \sin^{-1}(ax) \log\left(1 - e^{2i\sin^{-1}(ax)}\right) - (2a) \text{Subst}\left(\int \log(1 - e^{2ix}) dx, x, \sin^{-1}(ax)\right) \\
&= -ia \sin^{-1}(ax)^2 - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{x} + 2a \sin^{-1}(ax) \log\left(1 - e^{2i\sin^{-1}(ax)}\right) + (ia) \text{Subst}\left(\int \frac{\log(1 - e^{2ix})}{x} dx, x, \sin^{-1}(ax)\right) \\
&= -ia \sin^{-1}(ax)^2 - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{x} + 2a \sin^{-1}(ax) \log\left(1 - e^{2i\sin^{-1}(ax)}\right) - ia \text{Li}_2\left(e^{2i\sin^{-1}(ax)}\right)
\end{aligned}$$

**Mathematica [A]** time = 0.260923, size = 72, normalized size = 0.95

$$\sin^{-1}(ax) \left( 2a \log \left( 1 - e^{2i \sin^{-1}(ax)} \right) - \frac{\left( \sqrt{1 - a^2 x^2} + iax \right) \sin^{-1}(ax)}{x} \right) - ia \text{PolyLog} \left( 2, e^{2i \sin^{-1}(ax)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^2/(x^2\*Sqrt[1 - a^2\*x^2]),x]

[Out] ArcSin[a\*x]\*(-(((I\*a\*x + Sqrt[1 - a^2\*x^2])\*ArcSin[a\*x])/x) + 2\*a\*Log[1 - E^((2\*I)\*ArcSin[a\*x])]) - I\*a\*PolyLog[2, E^((2\*I)\*ArcSin[a\*x])]

**Maple [A]** time = 0.107, size = 148, normalized size = 2.

$$\frac{(\arcsin(ax))^2}{x} \left( iax - \sqrt{-a^2 x^2 + 1} \right) + 2a \arcsin(ax) \ln \left( 1 + iax + \sqrt{-a^2 x^2 + 1} \right) + 2a \arcsin(ax) \ln \left( 1 - iax - \sqrt{-a^2 x^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^2/x^2/(-a^2\*x^2+1)^(1/2),x)

[Out] (I\*a\*x-(-a^2\*x^2+1)^(1/2))/x\*arcsin(a\*x)^2+2\*a\*arcsin(a\*x)\*ln(1+I\*a\*x+(-a^2\*x^2+1)^(1/2))+2\*a\*arcsin(a\*x)\*ln(1-I\*a\*x-(-a^2\*x^2+1)^(1/2))-2\*I\*arcsin(a\*x)^2\*a-2\*I\*polylog(2,-I\*a\*x-(-a^2\*x^2+1)^(1/2))\*a-2\*I\*a\*polylog(2,I\*a\*x+(-a^2\*x^2+1)^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\sqrt{ax+1}\sqrt{-ax+1} \arctan(ax, \sqrt{ax+1}\sqrt{-ax+1})^2 - 2ax \int \frac{\arctan(ax, \sqrt{ax+1}\sqrt{-ax+1})}{x} dx}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/x^2/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] -(sqrt(a\*x + 1)\*sqrt(-a\*x + 1)\*arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))^2 - 2\*a\*x\*integrate(arctan2(a\*x, sqrt(a\*x + 1)\*sqrt(-a\*x + 1))/x, x))/x

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2+1}\arcsin(ax)^2}{a^2x^4-x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/x^2/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)^2/(a^2\*x^4 - x^2), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{asin}^2(ax)}{x^2\sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*2/x\*\*2/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(asin(a\*x)\*\*2/(x\*\*2\*sqrt(-(a\*x - 1)\*(a\*x + 1))), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^2}{\sqrt{-a^2x^2+1}x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/x^2/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^2/(sqrt(-a^2\*x^2 + 1)\*x^2), x)

$$3.271 \quad \int \frac{\sin^{-1}(ax)^2}{x^3 \sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=163

$$ia^2 \sin^{-1}(ax) \text{PolyLog}\left(2, -e^{i \sin^{-1}(ax)}\right) - ia^2 \sin^{-1}(ax) \text{PolyLog}\left(2, e^{i \sin^{-1}(ax)}\right) - a^2 \text{PolyLog}\left(3, -e^{i \sin^{-1}(ax)}\right) + a^2 \text{PolyLog}\left(3, e^{i \sin^{-1}(ax)}\right)$$

```
[Out] -((a*ArcSin[a*x])/x) - (Sqrt[1 - a^2*x^2]*ArcSin[a*x]^2)/(2*x^2) - a^2*ArcSin[a*x]^2*ArcTanh[E^(I*ArcSin[a*x])] - a^2*ArcTanh[Sqrt[1 - a^2*x^2]] + I*a^2*ArcSin[a*x]*PolyLog[2, -E^(I*ArcSin[a*x])] - I*a^2*ArcSin[a*x]*PolyLog[2, E^(I*ArcSin[a*x])] - a^2*PolyLog[3, -E^(I*ArcSin[a*x])] + a^2*PolyLog[3, E^(I*ArcSin[a*x])]
```

**Rubi [A]** time = 0.254875, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {4701, 4709, 4183, 2531, 2282, 6589, 4627, 266, 63, 208}

$$ia^2 \sin^{-1}(ax) \text{PolyLog}\left(2, -e^{i \sin^{-1}(ax)}\right) - ia^2 \sin^{-1}(ax) \text{PolyLog}\left(2, e^{i \sin^{-1}(ax)}\right) - a^2 \text{PolyLog}\left(3, -e^{i \sin^{-1}(ax)}\right) + a^2 \text{PolyLog}\left(3, e^{i \sin^{-1}(ax)}\right)$$

Antiderivative was successfully verified.

```
[In] Int[ArcSin[a*x]^2/(x^3*Sqrt[1 - a^2*x^2]),x]
```

```
[Out] -((a*ArcSin[a*x])/x) - (Sqrt[1 - a^2*x^2]*ArcSin[a*x]^2)/(2*x^2) - a^2*ArcSin[a*x]^2*ArcTanh[E^(I*ArcSin[a*x])] - a^2*ArcTanh[Sqrt[1 - a^2*x^2]] + I*a^2*ArcSin[a*x]*PolyLog[2, -E^(I*ArcSin[a*x])] - I*a^2*ArcSin[a*x]*PolyLog[2, E^(I*ArcSin[a*x])] - a^2*PolyLog[3, -E^(I*ArcSin[a*x])] + a^2*PolyLog[3, E^(I*ArcSin[a*x])]
```

### Rule 4701

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_), x_Symbol] :> Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(d*f*(m + 1)), x] + (Dist[(c^2*(m + 2*p + 3))/(f^2*(m + 1)], Int[(f*x)^(m + 2)*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]
```

Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_.)*(x_)^(m_)]/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-
2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
))))^n])/ (b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^2}{x^3\sqrt{1-a^2x^2}} dx &= -\frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{2x^2} + a \int \frac{\sin^{-1}(ax)}{x^2} dx + \frac{1}{2}a^2 \int \frac{\sin^{-1}(ax)^2}{x\sqrt{1-a^2x^2}} dx \\
&= -\frac{a\sin^{-1}(ax)}{x} - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{2x^2} + \frac{1}{2}a^2 \text{Subst}\left(\int x^2 \csc(x) dx, x, \sin^{-1}(ax)\right) + a^2 \int \frac{1}{x\sqrt{1-a^2x^2}} dx \\
&= -\frac{a\sin^{-1}(ax)}{x} - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{2x^2} - a^2 \sin^{-1}(ax)^2 \tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right) + \frac{1}{2}a^2 \text{Subst}\left(\int \frac{1}{x\sqrt{1-a^2x^2}} dx, x, \sin^{-1}(ax)\right) \\
&= -\frac{a\sin^{-1}(ax)}{x} - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{2x^2} - a^2 \sin^{-1}(ax)^2 \tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right) + ia^2 \sin^{-1}(ax) \text{Li}_2\left(-e^{i\sin^{-1}(ax)}\right) \\
&= -\frac{a\sin^{-1}(ax)}{x} - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{2x^2} - a^2 \sin^{-1}(ax)^2 \tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right) - a^2 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right) + \frac{1}{2}a^2 \text{Subst}\left(\int \frac{1}{x\sqrt{1-a^2x^2}} dx, x, \sin^{-1}(ax)\right) \\
&= -\frac{a\sin^{-1}(ax)}{x} - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{2x^2} - a^2 \sin^{-1}(ax)^2 \tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right) - a^2 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right) + \frac{1}{2}a^2 \text{Subst}\left(\int \frac{1}{x\sqrt{1-a^2x^2}} dx, x, \sin^{-1}(ax)\right)
\end{aligned}$$

**Mathematica [A]** time = 1.33626, size = 194, normalized size = 1.19

$$\frac{1}{8}a^2 \left( 8i \sin^{-1}(ax) \left( \text{PolyLog}\left(2, -e^{i\sin^{-1}(ax)}\right) - \text{PolyLog}\left(2, e^{i\sin^{-1}(ax)}\right) \right) + 8 \left( \text{PolyLog}\left(3, e^{i\sin^{-1}(ax)}\right) - \text{PolyLog}\left(3, -e^{i\sin^{-1}(ax)}\right) \right) \right)$$

Warning: Unable to verify antiderivative.



[In] Integrate[ArcSin[a\*x]^2/(x^3\*Sqrt[1 - a^2\*x^2]),x]

[Out] (a^2\*(-4\*ArcSin[a\*x]\*Cot[ArcSin[a\*x]/2] - ArcSin[a\*x]^2\*Csc[ArcSin[a\*x]/2]^2 + 4\*ArcSin[a\*x]^2\*(Log[1 - E^(I\*ArcSin[a\*x])] - Log[1 + E^(I\*ArcSin[a\*x])]) + 8\*Log[Tan[ArcSin[a\*x]/2]] + (8\*I)\*ArcSin[a\*x]\*(PolyLog[2, -E^(I\*ArcSin[a\*x])] - PolyLog[2, E^(I\*ArcSin[a\*x])]) + 8\*(-PolyLog[3, -E^(I\*ArcSin[a\*x])] + PolyLog[3, E^(I\*ArcSin[a\*x])]) + ArcSin[a\*x]^2\*Sec[ArcSin[a\*x]/2]^2 - 4\*ArcSin[a\*x]\*Tan[ArcSin[a\*x]/2]))/8

**Maple [A]** time = 0.155, size = 269, normalized size = 1.7

$$-\frac{\arcsin(ax)}{(2a^2x^2 - 2)x^2} \sqrt{-a^2x^2 + 1} \left( a^2x^2 \arcsin(ax) - 2ax\sqrt{-a^2x^2 + 1} - \arcsin(ax) \right) + ia^2 \arcsin(ax) \operatorname{polylog}\left(2, -iax - \sqrt{-a^2x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^2/x^3/(-a^2\*x^2+1)^(1/2),x)

[Out] -1/2\*(-a^2\*x^2+1)^(1/2)/(a^2\*x^2-1)/x^2\*arcsin(a\*x)\*(a^2\*x^2\*arcsin(a\*x)-2\*a\*x\*(-a^2\*x^2+1)^(1/2)-arcsin(a\*x))+I\*a^2\*arcsin(a\*x)\*polylog(2,-I\*a\*x-(-a^2\*x^2+1)^(1/2))-I\*a^2\*arcsin(a\*x)\*polylog(2,I\*a\*x+(-a^2\*x^2+1)^(1/2))-1/2\*a\*arcsin(a\*x)^2\*ln(1+I\*a\*x+(-a^2\*x^2+1)^(1/2))\*a^2+1/2\*arcsin(a\*x)^2\*ln(1-I\*a\*x-(-a^2\*x^2+1)^(1/2))\*a^2-a^2\*polylog(3,-I\*a\*x-(-a^2\*x^2+1)^(1/2))+a^2\*polylog(3,I\*a\*x+(-a^2\*x^2+1)^(1/2))-2\*arctanh(I\*a\*x+(-a^2\*x^2+1)^(1/2))\*a^2

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^2}{\sqrt{-a^2x^2 + 1}x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/x^3/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(arcsin(a\*x)^2/(sqrt(-a^2\*x^2 + 1)\*x^3), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2+1}\arcsin(ax)^2}{a^2x^5-x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/x^3/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)^2/(a^2\*x^5 - x^3), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{asin}^2(ax)}{x^3\sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*2/x\*\*3/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(asin(a\*x)\*\*2/(x\*\*3\*sqrt(-(a\*x - 1)\*(a\*x + 1))), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^2}{\sqrt{-a^2x^2+1}x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/x^3/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^2/(sqrt(-a^2\*x^2 + 1)\*x^3), x)

$$3.272 \quad \int \frac{\sin^{-1}(ax)^2}{\sqrt{c-a^2cx^2}} dx$$

Optimal. Leaf size=42

$$\frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{3a\sqrt{c-a^2cx^2}}$$

[Out] (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^3)/(3\*a\*Sqrt[c - a^2\*c\*x^2])

**Rubi [A]** time = 0.0678907, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {4643, 4641}

$$\frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{3a\sqrt{c-a^2cx^2}}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^2/Sqrt[c - a^2\*c\*x^2], x]

[Out] (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^3)/(3\*a\*Sqrt[c - a^2\*c\*x^2])

#### Rule 4643

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_./Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_./Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{\sin^{-1}(ax)^2}{\sqrt{c - a^2cx^2}} dx = \frac{\sqrt{1 - a^2x^2} \int \frac{\sin^{-1}(ax)^2}{\sqrt{1 - a^2x^2}} dx}{\sqrt{c - a^2cx^2}}$$

$$= \frac{\sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{3a\sqrt{c - a^2cx^2}}$$

**Mathematica [A]** time = 0.0540907, size = 42, normalized size = 1.

$$\frac{\sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{3a\sqrt{c - a^2cx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^2/Sqrt[c - a^2\*c\*x^2],x]

[Out] (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^3)/(3\*a\*Sqrt[c - a^2\*c\*x^2])

**Maple [A]** time = 0.039, size = 52, normalized size = 1.2

$$-\frac{(\arcsin(ax))^3}{3ca(a^2x^2 - 1)} \sqrt{-c(a^2x^2 - 1)} \sqrt{-a^2x^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^2/(-a^2\*c\*x^2+c)^(1/2),x)

[Out] -1/3\*(-c\*(a^2\*x^2-1))^(1/2)\*(-a^2\*x^2+1)^(1/2)/a/c/(a^2\*x^2-1)\*arcsin(a\*x)^3

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^2/(-a^2*c*x^2+c)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2cx^2+c}\arcsin(ax)^2}{a^2cx^2-c},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^2/(-a^2*c*x^2+c)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-a^2*c*x^2+c)*arcsin(a*x)^2/(a^2*c*x^2-c),x)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{asin}^2(ax)}{\sqrt{-c(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**2/(-a**2*c*x**2+c)**(1/2),x)`

[Out] `Integral(asin(a*x)**2/sqrt(-c*(a*x-1)*(a*x+1)),x)`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^2}{\sqrt{-a^2cx^2+c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^2/(-a^2*c*x^2+c)^(1/2),x, algorithm="giac")`

[Out] `integrate(arcsin(a*x)^2/sqrt(-a^2*c*x^2+c),x)`

$$3.273 \quad \int \frac{\sin^{-1}(ax)^2}{(c-a^2cx^2)^{3/2}} dx$$

**Optimal.** Leaf size=179

$$-\frac{i\sqrt{1-a^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(ax)}\right)}{ac\sqrt{c-a^2cx^2}} + \frac{x\sin^{-1}(ax)^2}{c\sqrt{c-a^2cx^2}} - \frac{i\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{ac\sqrt{c-a^2cx^2}} + \frac{2\sqrt{1-a^2x^2}\sin^{-1}(ax)\log\left(1+e^{2i\sin^{-1}(ax)}\right)}{ac\sqrt{c-a^2cx^2}}$$

[Out] (x\*ArcSin[a\*x]^2)/(c\*Sqrt[c - a^2\*c\*x^2]) - (I\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/(a\*c\*Sqrt[c - a^2\*c\*x^2]) + (2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]\*Log[1 + E^((2\*I)\*ArcSin[a\*x])])/(a\*c\*Sqrt[c - a^2\*c\*x^2]) - (I\*Sqrt[1 - a^2\*x^2]\*PolyLog[2, -E^((2\*I)\*ArcSin[a\*x])])/(a\*c\*Sqrt[c - a^2\*c\*x^2])

**Rubi [A]** time = 0.128756, antiderivative size = 179, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {4653, 4675, 3719, 2190, 2279, 2391}

$$-\frac{i\sqrt{1-a^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(ax)}\right)}{ac\sqrt{c-a^2cx^2}} + \frac{x\sin^{-1}(ax)^2}{c\sqrt{c-a^2cx^2}} - \frac{i\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{ac\sqrt{c-a^2cx^2}} + \frac{2\sqrt{1-a^2x^2}\sin^{-1}(ax)\log\left(1+e^{2i\sin^{-1}(ax)}\right)}{ac\sqrt{c-a^2cx^2}}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^2/(c - a^2\*c\*x^2)^(3/2), x]

[Out] (x\*ArcSin[a\*x]^2)/(c\*Sqrt[c - a^2\*c\*x^2]) - (I\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2)/(a\*c\*Sqrt[c - a^2\*c\*x^2]) + (2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]\*Log[1 + E^((2\*I)\*ArcSin[a\*x])])/(a\*c\*Sqrt[c - a^2\*c\*x^2]) - (I\*Sqrt[1 - a^2\*x^2]\*PolyLog[2, -E^((2\*I)\*ArcSin[a\*x])])/(a\*c\*Sqrt[c - a^2\*c\*x^2])

#### Rule 4653

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/((d\_.) + (e\_.)\*(x\_.)^2)^(3/2), x\_Symbol] :> Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n\*Sqrt[1 - c^2\*x^2])/(d\*Sqrt[d + e\*x^2]), Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(1 - c^2\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

#### Rule 4675

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_.)*(x_)/((d_) + (e_.)*(x_)^2),
x_Symbol] :> -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x]
], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 3719

```
Int[(((c_.) + (d_.)*(x_))^m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^n_.)*((c_.) + (d_.)*(x_))^m_.)/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^n_.), x_Symbol] :> Simp
[(c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^n_.], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^n_.)]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^2}{(c - a^2cx^2)^{3/2}} dx &= \frac{x \sin^{-1}(ax)^2}{c\sqrt{c - a^2cx^2}} - \frac{(2a\sqrt{1 - a^2x^2}) \int \frac{x \sin^{-1}(ax)}{1 - a^2x^2} dx}{c\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)^2}{c\sqrt{c - a^2cx^2}} - \frac{(2\sqrt{1 - a^2x^2}) \text{Subst} \left( \int x \tan(x) dx, x, \sin^{-1}(ax) \right)}{ac\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)^2}{c\sqrt{c - a^2cx^2}} - \frac{i\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{ac\sqrt{c - a^2cx^2}} + \frac{(4i\sqrt{1 - a^2x^2}) \text{Subst} \left( \int \frac{e^{2ix}}{1 + e^{2ix}} dx, x, \sin^{-1}(ax) \right)}{ac\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)^2}{c\sqrt{c - a^2cx^2}} - \frac{i\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{ac\sqrt{c - a^2cx^2}} + \frac{2\sqrt{1 - a^2x^2} \sin^{-1}(ax) \log \left( 1 + e^{2i \sin^{-1}(ax)} \right)}{ac\sqrt{c - a^2cx^2}} - \frac{(2\sqrt{1 - a^2x^2})}{ac\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)^2}{c\sqrt{c - a^2cx^2}} - \frac{i\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{ac\sqrt{c - a^2cx^2}} + \frac{2\sqrt{1 - a^2x^2} \sin^{-1}(ax) \log \left( 1 + e^{2i \sin^{-1}(ax)} \right)}{ac\sqrt{c - a^2cx^2}} + \frac{(i\sqrt{1 - a^2x^2})}{ac\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)^2}{c\sqrt{c - a^2cx^2}} - \frac{i\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{ac\sqrt{c - a^2cx^2}} + \frac{2\sqrt{1 - a^2x^2} \sin^{-1}(ax) \log \left( 1 + e^{2i \sin^{-1}(ax)} \right)}{ac\sqrt{c - a^2cx^2}} - \frac{i\sqrt{1 - a^2x^2} \text{Li}}{ac\sqrt{c - a^2cx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.221492, size = 108, normalized size = 0.6

$$\frac{\sin^{-1}(ax) \left( ax \sin^{-1}(ax) + \sqrt{1 - a^2x^2} \left( 2 \log \left( 1 + e^{2i \sin^{-1}(ax)} \right) - i \sin^{-1}(ax) \right) \right) - i\sqrt{1 - a^2x^2} \text{PolyLog} \left( 2, -e^{2i \sin^{-1}(ax)} \right)}{ac\sqrt{c(1 - a^2x^2)}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^2/(c - a^2\*c\*x^2)^(3/2), x]

[Out] (ArcSin[a\*x]\*(a\*x\*ArcSin[a\*x] + Sqrt[1 - a^2\*x^2]\*((-I)\*ArcSin[a\*x] + 2\*Log[1 + E^((2\*I)\*ArcSin[a\*x])])) - I\*Sqrt[1 - a^2\*x^2]\*PolyLog[2, -E^((2\*I)\*ArcSin[a\*x])])/(a\*c\*Sqrt[c\*(1 - a^2\*x^2)])

**Maple [A]** time = 0.102, size = 169, normalized size = 0.9

$$-\frac{(\arcsin(ax))^2}{ac^2(a^2x^2 - 1)} \sqrt{-c(a^2x^2 - 1)} \left( i\sqrt{-a^2x^2 + 1} + ax \right) + \frac{i}{ac^2(a^2x^2 - 1)} \sqrt{-a^2x^2 + 1} \sqrt{-c(a^2x^2 - 1)} \left( 2i \arcsin(ax) \ln \left( 1 + \left( i\sqrt{-a^2x^2 + 1} + ax \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(arcsin(a*x)^2/(-a^2*c*x^2+c)^(3/2),x)`

[Out]  $-(c*(a^2*x^2-1))^{1/2}*(I*(-a^2*x^2+1)^{1/2}+a*x)*arcsin(a*x)^2/c^2/a/(a^2*x^2-1)+I*(-a^2*x^2+1)^{1/2}*(-c*(a^2*x^2-1))^{1/2}/c^2/a/(a^2*x^2-1)*(2*I*arcsin(a*x)*\ln(1+(I*a*x+(-a^2*x^2+1)^{1/2}))^2)+2*arcsin(a*x)^2+polylog(2,-(I*a*x+(-a^2*x^2+1)^{1/2}))^2)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^2}{(-a^2cx^2 + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^2/(-a^2*c*x^2+c)^(3/2),x, algorithm="maxima")`

[Out] `integrate(arcsin(a*x)^2/(-a^2*c*x^2 + c)^(3/2), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-a^2cx^2 + c} \arcsin(ax)^2}{a^4c^2x^4 - 2a^2c^2x^2 + c^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^2/(-a^2*c*x^2+c)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(-a^2*c*x^2 + c)*arcsin(a*x)^2/(a^4*c^2*x^4 - 2*a^2*c^2*x^2 + c^2), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin^2(ax)}{(-c(ax-1)(ax+1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*2/(-a\*\*2\*c\*x\*\*2+c)\*\*(3/2),x)

[Out] Integral(asin(a\*x)\*\*2/(-c\*(a\*x - 1)\*(a\*x + 1))\*\* (3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^2}{(-a^2cx^2 + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/(-a^2\*c\*x^2+c)^(3/2),x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^2/(-a^2\*c\*x^2 + c)^(3/2), x)

$$3.274 \quad \int \frac{\sin^{-1}(ax)^2}{(c-a^2cx^2)^{5/2}} dx$$

**Optimal.** Leaf size=283

$$\frac{2i\sqrt{1-a^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(ax)}\right)}{3ac^2\sqrt{c-a^2cx^2}} + \frac{x}{3c^2\sqrt{c-a^2cx^2}} + \frac{2x\sin^{-1}(ax)^2}{3c^2\sqrt{c-a^2cx^2}} - \frac{2i\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{3ac^2\sqrt{c-a^2cx^2}} - \frac{\sin^{-1}(ax)^2}{3ac^2\sqrt{1-a^2x^2}}$$

```
[Out] x/(3*c^2*Sqrt[c - a^2*c*x^2]) - ArcSin[a*x]/(3*a*c^2*Sqrt[1 - a^2*x^2]*Sqrt
[c - a^2*c*x^2]) + (x*ArcSin[a*x]^2)/(3*c*(c - a^2*c*x^2)^(3/2)) + (2*x*Arc
Sin[a*x]^2)/(3*c^2*Sqrt[c - a^2*c*x^2]) - (((2*I)/3)*Sqrt[1 - a^2*x^2]*ArcS
in[a*x]^2)/(a*c^2*Sqrt[c - a^2*c*x^2]) + (4*Sqrt[1 - a^2*x^2]*ArcSin[a*x]*L
og[1 + E^((2*I)*ArcSin[a*x])])/(3*a*c^2*Sqrt[c - a^2*c*x^2]) - (((2*I)/3)*S
qrt[1 - a^2*x^2]*PolyLog[2, -E^((2*I)*ArcSin[a*x])])/(a*c^2*Sqrt[c - a^2*c*
x^2])
```

**Rubi [A]** time = 0.216651, antiderivative size = 283, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$ , Rules used = {4655, 4653, 4675, 3719, 2190, 2279, 2391, 4677, 191}

$$\frac{2i\sqrt{1-a^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(ax)}\right)}{3ac^2\sqrt{c-a^2cx^2}} + \frac{x}{3c^2\sqrt{c-a^2cx^2}} + \frac{2x\sin^{-1}(ax)^2}{3c^2\sqrt{c-a^2cx^2}} - \frac{2i\sqrt{1-a^2x^2}\sin^{-1}(ax)^2}{3ac^2\sqrt{c-a^2cx^2}} - \frac{\sin^{-1}(ax)^2}{3ac^2\sqrt{1-a^2x^2}}$$

Antiderivative was successfully verified.

```
[In] Int[ArcSin[a*x]^2/(c - a^2*c*x^2)^(5/2), x]
```

```
[Out] x/(3*c^2*Sqrt[c - a^2*c*x^2]) - ArcSin[a*x]/(3*a*c^2*Sqrt[1 - a^2*x^2]*Sqrt
[c - a^2*c*x^2]) + (x*ArcSin[a*x]^2)/(3*c*(c - a^2*c*x^2)^(3/2)) + (2*x*Arc
Sin[a*x]^2)/(3*c^2*Sqrt[c - a^2*c*x^2]) - (((2*I)/3)*Sqrt[1 - a^2*x^2]*ArcS
in[a*x]^2)/(a*c^2*Sqrt[c - a^2*c*x^2]) + (4*Sqrt[1 - a^2*x^2]*ArcSin[a*x]*L
og[1 + E^((2*I)*ArcSin[a*x])])/(3*a*c^2*Sqrt[c - a^2*c*x^2]) - (((2*I)/3)*S
qrt[1 - a^2*x^2]*PolyLog[2, -E^((2*I)*ArcSin[a*x])])/(a*c^2*Sqrt[c - a^2*c*
x^2])
```

**Rule 4655**

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_
Symbol] :> -Simp[(x*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*d*(p + 1)
```

), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

### Rule 4653

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/((d\_.) + (e\_.)\*(x\_)^2)^(3/2), x\_Symbol] := Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n\*Sqrt[1 - c^2\*x^2])/(d\*Sqrt[d + e\*x^2]), Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(1 - c^2\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

### Rule 4675

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)/((d\_.) + (e\_.)\*(x\_)^2), x\_Symbol] := -Dist[e^(-1), Subst[Int[(a + b\*x)^n\*Tan[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 3719

Int[((c\_.) + (d\_.)\*(x\_)^m)\*tan[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_)^m))/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_.) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^n)]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 191

Int[((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sin^{-1}(ax)^2}{(c - a^2cx^2)^{5/2}} dx &= \frac{x \sin^{-1}(ax)^2}{3c(c - a^2cx^2)^{3/2}} + \frac{2 \int \frac{\sin^{-1}(ax)^2}{(c - a^2cx^2)^{3/2}} dx}{3c} - \frac{(2a\sqrt{1 - a^2x^2}) \int \frac{x \sin^{-1}(ax)}{(1 - a^2x^2)^2} dx}{3c^2\sqrt{c - a^2cx^2}} \\
 &= -\frac{\sin^{-1}(ax)}{3ac^2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)^2}{3c(c - a^2cx^2)^{3/2}} + \frac{2x \sin^{-1}(ax)^2}{3c^2\sqrt{c - a^2cx^2}} + \frac{\sqrt{1 - a^2x^2} \int \frac{1}{(1 - a^2x^2)^{3/2}} dx}{3c^2\sqrt{c - a^2cx^2}} - \dots \\
 &= \frac{x}{3c^2\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)}{3ac^2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)^2}{3c(c - a^2cx^2)^{3/2}} + \frac{2x \sin^{-1}(ax)^2}{3c^2\sqrt{c - a^2cx^2}} - \frac{(4\sqrt{1 - a^2x^2})}{3ac^2\sqrt{c - a^2cx^2}} \\
 &= \frac{x}{3c^2\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)}{3ac^2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)^2}{3c(c - a^2cx^2)^{3/2}} + \frac{2x \sin^{-1}(ax)^2}{3c^2\sqrt{c - a^2cx^2}} - \frac{2i\sqrt{1 - a^2x^2}}{3ac^2\sqrt{c - a^2cx^2}} \\
 &= \frac{x}{3c^2\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)}{3ac^2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)^2}{3c(c - a^2cx^2)^{3/2}} + \frac{2x \sin^{-1}(ax)^2}{3c^2\sqrt{c - a^2cx^2}} - \frac{2i\sqrt{1 - a^2x^2}}{3ac^2\sqrt{c - a^2cx^2}} \\
 &= \frac{x}{3c^2\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)}{3ac^2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)^2}{3c(c - a^2cx^2)^{3/2}} + \frac{2x \sin^{-1}(ax)^2}{3c^2\sqrt{c - a^2cx^2}} - \frac{2i\sqrt{1 - a^2x^2}}{3ac^2\sqrt{c - a^2cx^2}} \\
 &= \frac{x}{3c^2\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)}{3ac^2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)^2}{3c(c - a^2cx^2)^{3/2}} + \frac{2x \sin^{-1}(ax)^2}{3c^2\sqrt{c - a^2cx^2}} - \frac{2i\sqrt{1 - a^2x^2}}{3ac^2\sqrt{c - a^2cx^2}}
 \end{aligned}$$

**Mathematica [A]** time = 0.586031, size = 149, normalized size = 0.53

$$\frac{-2i\sqrt{1-a^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(ax)}\right) + \left(ax\left(\frac{1}{1-a^2x^2} + 2\right) - 2i\sqrt{1-a^2x^2}\right)\sin^{-1}(ax)^2 + \frac{\sin^{-1}(ax)\left(-1+(4-4a^2x^2)\log\left(1+e^{2i\sin^{-1}(ax)}\right)\right)}{\sqrt{1-a^2x^2}}}{3ac^2\sqrt{c-a^2cx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^2/(c - a^2\*c\*x^2)^(5/2), x]

[Out] (a\*x + ((-2\*I)\*Sqrt[1 - a^2\*x^2] + a\*x\*(2 + (1 - a^2\*x^2)^(-1)))\*ArcSin[a\*x]^2 + (ArcSin[a\*x]\*(-1 + (4 - 4\*a^2\*x^2)\*Log[1 + E^((2\*I)\*ArcSin[a\*x])])))/Sqrt[1 - a^2\*x^2] - (2\*I)\*Sqrt[1 - a^2\*x^2]\*PolyLog[2, -E^((2\*I)\*ArcSin[a\*x])])/(3\*a\*c^2\*Sqrt[c - a^2\*c\*x^2])

**Maple [A]** time = 0.167, size = 365, normalized size = 1.3

$$\frac{1}{3c^3(3a^6x^6 - 10a^4x^4 + 11a^2x^2 - 4)a}\sqrt{-c(a^2x^2 - 1)}\left(2i\sqrt{-a^2x^2 + 1}x^2a^2 + 2a^3x^3 - 2i\sqrt{-a^2x^2 + 1} - 3ax\right)\left(-2i\arcsin\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^2/(-a^2\*c\*x^2+c)^(5/2), x)

[Out] -1/3\*(-c\*(a^2\*x^2-1))^(1/2)\*(2\*I\*(-a^2\*x^2+1)^(1/2)\*x^2\*a^2+2\*a^3\*x^3-2\*I\*(-a^2\*x^2+1)^(1/2)-3\*a\*x)\*(-2\*I\*arcsin(a\*x)\*x^4\*a^4-2\*arcsin(a\*x)\*(-a^2\*x^2+1)^(1/2)\*x^3\*a^3+I\*(-a^2\*x^2+1)^(1/2)\*x^3\*a^3-a^4\*x^4+3\*arcsin(a\*x)^2\*x^2\*a^2+4\*I\*arcsin(a\*x)\*x^2\*a^2+3\*arcsin(a\*x)\*(-a^2\*x^2+1)^(1/2)\*x\*a-I\*(-a^2\*x^2+1)^(1/2)\*x\*a+3\*a^2\*x^2-4\*arcsin(a\*x)^2-2\*I\*arcsin(a\*x)-2)/c^3/(3\*a^6\*x^6-10\*a^4\*x^4+11\*a^2\*x^2-4)/a+2/3\*I\*(-a^2\*x^2+1)^(1/2)\*(-c\*(a^2\*x^2-1))^(1/2)\*(2\*I\*arcsin(a\*x)\*ln(1+(I\*a\*x+(-a^2\*x^2+1)^(1/2))^2)+2\*arcsin(a\*x)^2+polylog(2, -(I\*a\*x+(-a^2\*x^2+1)^(1/2))^2))/a/c^3/(a^2\*x^2-1)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^2}{(-a^2cx^2 + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/(-a^2\*c\*x^2+c)^(5/2),x, algorithm="maxima")

[Out] integrate(arcsin(a\*x)^2/(-a^2\*c\*x^2 + c)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2cx^2 + c} \arcsin(ax)^2}{a^6c^3x^6 - 3a^4c^3x^4 + 3a^2c^3x^2 - c^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/(-a^2\*c\*x^2+c)^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*c\*x^2 + c)\*arcsin(a\*x)^2/(a^6\*c^3\*x^6 - 3\*a^4\*c^3\*x^4 + 3\*a^2\*c^3\*x^2 - c^3), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin^2(ax)}{(-c(ax-1)(ax+1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*2/(-a\*\*2\*c\*x\*\*2+c)\*\*(5/2),x)

[Out] Integral(asin(a\*x)\*\*2/(-c\*(a\*x - 1)\*(a\*x + 1))\*\*(5/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^2}{(-a^2cx^2 + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^2/(-a^2*c*x^2+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate(arcsin(a*x)^2/(-a^2*c*x^2 + c)^(5/2), x)
```



$$3.275 \quad \int \frac{\sin^{-1}(ax)^2}{(c-a^2cx^2)^{7/2}} dx$$

**Optimal.** Leaf size=390

$$\frac{8i\sqrt{1-a^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(ax)}\right)}{15ac^3\sqrt{c-a^2cx^2}} + \frac{x}{3c^3\sqrt{c-a^2cx^2}} + \frac{x}{30c^3(1-a^2x^2)\sqrt{c-a^2cx^2}} + \frac{8x\sin^{-1}(ax)^2}{15c^3\sqrt{c-a^2cx^2}} - \frac{8i\sqrt{1-a^2x^2}}{15ac^3\sqrt{c-a^2cx^2}}$$

```
[Out] x/(3*c^3*Sqrt[c - a^2*c*x^2]) + x/(30*c^3*(1 - a^2*x^2)*Sqrt[c - a^2*c*x^2]) - ArcSin[a*x]/(10*a*c^3*(1 - a^2*x^2)^(3/2)*Sqrt[c - a^2*c*x^2]) - (4*ArcSin[a*x])/(15*a*c^3*Sqrt[1 - a^2*x^2]*Sqrt[c - a^2*c*x^2]) + (x*ArcSin[a*x]^2)/(5*c*(c - a^2*c*x^2)^(5/2)) + (4*x*ArcSin[a*x]^2)/(15*c^2*(c - a^2*c*x^2)^(3/2)) + (8*x*ArcSin[a*x]^2)/(15*c^3*Sqrt[c - a^2*c*x^2]) - (((8*I)/15)*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^2)/(a*c^3*Sqrt[c - a^2*c*x^2]) + (16*Sqrt[1 - a^2*x^2]*ArcSin[a*x]*Log[1 + E^((2*I)*ArcSin[a*x])])/(15*a*c^3*Sqrt[c - a^2*c*x^2]) - (((8*I)/15)*Sqrt[1 - a^2*x^2]*PolyLog[2, -E^((2*I)*ArcSin[a*x])])/(a*c^3*Sqrt[c - a^2*c*x^2])
```

**Rubi [A]** time = 0.328618, antiderivative size = 390, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.454$ , Rules used = {4655, 4653, 4675, 3719, 2190, 2279, 2391, 4677, 191, 192}

$$\frac{8i\sqrt{1-a^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(ax)}\right)}{15ac^3\sqrt{c-a^2cx^2}} + \frac{x}{3c^3\sqrt{c-a^2cx^2}} + \frac{x}{30c^3(1-a^2x^2)\sqrt{c-a^2cx^2}} + \frac{8x\sin^{-1}(ax)^2}{15c^3\sqrt{c-a^2cx^2}} - \frac{8i\sqrt{1-a^2x^2}}{15ac^3\sqrt{c-a^2cx^2}}$$

Antiderivative was successfully verified.

```
[In] Int[ArcSin[a*x]^2/(c - a^2*c*x^2)^(7/2), x]
```

```
[Out] x/(3*c^3*Sqrt[c - a^2*c*x^2]) + x/(30*c^3*(1 - a^2*x^2)*Sqrt[c - a^2*c*x^2]) - ArcSin[a*x]/(10*a*c^3*(1 - a^2*x^2)^(3/2)*Sqrt[c - a^2*c*x^2]) - (4*ArcSin[a*x])/(15*a*c^3*Sqrt[1 - a^2*x^2]*Sqrt[c - a^2*c*x^2]) + (x*ArcSin[a*x]^2)/(5*c*(c - a^2*c*x^2)^(5/2)) + (4*x*ArcSin[a*x]^2)/(15*c^2*(c - a^2*c*x^2)^(3/2)) + (8*x*ArcSin[a*x]^2)/(15*c^3*Sqrt[c - a^2*c*x^2]) - (((8*I)/15)*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^2)/(a*c^3*Sqrt[c - a^2*c*x^2]) + (16*Sqrt[1 - a^2*x^2]*ArcSin[a*x]*Log[1 + E^((2*I)*ArcSin[a*x])])/(15*a*c^3*Sqrt[c - a^2*c*x^2]) - (((8*I)/15)*Sqrt[1 - a^2*x^2]*PolyLog[2, -E^((2*I)*ArcSin[a*x])])/(a*c^3*Sqrt[c - a^2*c*x^2])
```

Rule 4655

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_), x_
_Symbol] := -Simp[(x*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*d*(p + 1)
), x] + (Dist[(2*p + 3)/(2*d*(p + 1)), Int[(d + e*x^2)^(p + 1)*(a + b*ArcSi
n[c*x])^n, x], x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*(p
+ 1)*(1 - c^2*x^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcS
in[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0]
&& GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

Rule 4653

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2)^(3/2), x
_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(
b*c*n*Sqrt[1 - c^2*x^2])/(d*Sqrt[d + e*x^2]), Int[(x*(a + b*ArcSin[c*x])^(n
- 1))/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e,
0] && GtQ[n, 0]
```

Rule 4675

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_))/((d_) + (e_.)*(x_)^2),
x_Symbol] := -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x]
], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] :> -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^2}{(c - a^2cx^2)^{7/2}} dx &= \frac{x \sin^{-1}(ax)^2}{5c(c - a^2cx^2)^{5/2}} + \frac{4 \int \frac{\sin^{-1}(ax)^2}{(c - a^2cx^2)^{5/2}} dx}{5c} - \frac{(2a\sqrt{1 - a^2x^2}) \int \frac{x \sin^{-1}(ax)}{(1 - a^2x^2)^3} dx}{5c^3\sqrt{c - a^2cx^2}} \\
&= -\frac{\sin^{-1}(ax)}{10ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)^2}{5c(c - a^2cx^2)^{5/2}} + \frac{4x \sin^{-1}(ax)^2}{15c^2(c - a^2cx^2)^{3/2}} + \frac{8 \int \frac{\sin^{-1}(ax)^2}{(c - a^2cx^2)^{3/2}} dx}{15c^2} + \dots \\
&= \frac{x}{30c^3(1 - a^2x^2)\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)}{10ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}} - \frac{4 \sin^{-1}(ax)}{15ac^3\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{xs}{5c} \\
&= \frac{x}{3c^3\sqrt{c - a^2cx^2}} + \frac{x}{30c^3(1 - a^2x^2)\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)}{10ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}} - \frac{4 \sin^{-1}(ax)}{15ac^3\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} \\
&= \frac{x}{3c^3\sqrt{c - a^2cx^2}} + \frac{x}{30c^3(1 - a^2x^2)\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)}{10ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}} - \frac{4 \sin^{-1}(ax)}{15ac^3\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} \\
&= \frac{x}{3c^3\sqrt{c - a^2cx^2}} + \frac{x}{30c^3(1 - a^2x^2)\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)}{10ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}} - \frac{4 \sin^{-1}(ax)}{15ac^3\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} \\
&= \frac{x}{3c^3\sqrt{c - a^2cx^2}} + \frac{x}{30c^3(1 - a^2x^2)\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)}{10ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}} - \frac{4 \sin^{-1}(ax)}{15ac^3\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} \\
&= \frac{x}{3c^3\sqrt{c - a^2cx^2}} + \frac{x}{30c^3(1 - a^2x^2)\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)}{10ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}} - \frac{4 \sin^{-1}(ax)}{15ac^3\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.809866, size = 234, normalized size = 0.6

$$\frac{\sqrt{1 - a^2x^2} \left( -16i \operatorname{PolyLog} \left( 2, -e^{2i \sin^{-1}(ax)} \right) + \frac{a^3 x^3}{(1 - a^2x^2)^{3/2}} + \frac{11ax}{\sqrt{1 - a^2x^2}} + \frac{16ax \sin^{-1}(ax)^2}{\sqrt{1 - a^2x^2}} + \frac{8 \sin^{-1}(ax) \left( \frac{ax \sin^{-1}(ax)}{\sqrt{1 - a^2x^2}} - 1 \right)}{1 - a^2x^2} + \frac{3 \sin^{-1}(ax) \left( \frac{2ax \sin^{-1}(ax)}{\sqrt{1 - a^2x^2}} - 1 \right)}{(1 - a^2x^2)^2} \right)}{30ac^3 \sqrt{c(1 - a^2x^2)}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^2/(c - a^2\*c\*x^2)^(7/2), x]

```
[Out] (Sqrt[1 - a^2*x^2]*((a^3*x^3)/(1 - a^2*x^2)^(3/2) + (11*a*x)/Sqrt[1 - a^2*x^2] - (16*I)*ArcSin[a*x]^2 + (16*a*x*ArcSin[a*x]^2)/Sqrt[1 - a^2*x^2] + (8*ArcSin[a*x]*(-1 + (a*x*ArcSin[a*x])/Sqrt[1 - a^2*x^2]))/(1 - a^2*x^2) + (3*ArcSin[a*x]*(-1 + (2*a*x*ArcSin[a*x])/Sqrt[1 - a^2*x^2]))/(1 - a^2*x^2)^2 + 32*ArcSin[a*x]*Log[1 + E^((2*I)*ArcSin[a*x])] - (16*I)*PolyLog[2, -E^((2*I)*ArcSin[a*x])]))/(30*a*c^3*Sqrt[c*(1 - a^2*x^2)])
```

**Maple [A]** time = 0.207, size = 556, normalized size = 1.4

$$\frac{1}{30c^4(40a^{10}x^{10} - 215x^8a^8 + 469x^6a^6 - 517a^4x^4 + 287a^2x^2 - 64)} a \sqrt{-c(a^2x^2 - 1)} \left( 8a^5x^5 - 20a^3x^3 + 8i\sqrt{-a^2x^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(arcsin(a*x)^2/(-a^2*c*x^2+c)^(7/2),x)
```

```
[Out] -1/30*(-c*(a^2*x^2-1))^(1/2)*(8*a^5*x^5-20*a^3*x^3+8*I*(-a^2*x^2+1)^(1/2)*x^4*a^4+15*a*x-16*I*(-a^2*x^2+1)^(1/2)*x^2*a^2+8*I*(-a^2*x^2+1)^(1/2))*(126*I*(-a^2*x^2+1)^(1/2)*x^5*a^5+64*arcsin(a*x)*(-a^2*x^2+1)^(1/2)*x^7*a^7-32*I*(-a^2*x^2+1)^(1/2)*x^7*a^7+32*x^8*a^8+456*I*arcsin(a*x)*x^4*a^4-248*arcsin(a*x)*(-a^2*x^2+1)^(1/2)*x^5*a^5+62*I*(-a^2*x^2+1)^(1/2)*x*a-142*x^6*a^6+80*a^4*x^4*arcsin(a*x)^2+64*I*arcsin(a*x)*x^8*a^8+340*arcsin(a*x)*(-a^2*x^2+1)^(1/2)*x^3*a^3-156*I*(-a^2*x^2+1)^(1/2)*x^3*a^3+265*a^4*x^4-190*arcsin(a*x)^2*x^2*a^2-280*I*arcsin(a*x)*x^6*a^6-165*arcsin(a*x)*(-a^2*x^2+1)^(1/2)*x*a-328*I*arcsin(a*x)*x^2*a^2-235*a^2*x^2+128*arcsin(a*x)^2+88*I*arcsin(a*x)+80)/c^4/(40*a^10*x^10-215*a^8*x^8+469*a^6*x^6-517*a^4*x^4+287*a^2*x^2-64)/a+8/15*I*(-a^2*x^2+1)^(1/2)*(-c*(a^2*x^2-1))^(1/2)*(2*I*arcsin(a*x)*ln(1+(I*a*x+(-a^2*x^2+1)^(1/2))^2)+2*arcsin(a*x)^2+polylog(2,-(I*a*x+(-a^2*x^2+1)^(1/2))^2))/a/c^4/(a^2*x^2-1)
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^2}{(-a^2cx^2 + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^2/(-a^2*c*x^2+c)^(7/2),x, algorithm="maxima")
```

[Out] integrate(arcsin(a\*x)^2/(-a^2\*c\*x^2 + c)^(7/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-a^2cx^2 + c} \arcsin(ax)^2}{a^8c^4x^8 - 4a^6c^4x^6 + 6a^4c^4x^4 - 4a^2c^4x^2 + c^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/(-a^2\*c\*x^2+c)^(7/2),x, algorithm="fricas")

[Out] integral(sqrt(-a^2\*c\*x^2 + c)\*arcsin(a\*x)^2/(a^8\*c^4\*x^8 - 4\*a^6\*c^4\*x^6 + 6\*a^4\*c^4\*x^4 - 4\*a^2\*c^4\*x^2 + c^4), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*2/(-a\*\*2\*c\*x\*\*2+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^2}{(-a^2cx^2 + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^2/(-a^2\*c\*x^2+c)^(7/2),x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^2/(-a^2\*c\*x^2 + c)^(7/2), x)

$$3.276 \quad \int x^m (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=1312

result too large to display

```
[Out] (2*b^2*c^2*d^3*x^(3 + m))/((3 + m)*(7 + m)^2) + (30*b^2*c^2*d^3*x^(3 + m))/
((3 + m)^2*(5 + m)*(7 + m)^2) + (36*b^2*c^2*d^3*x^(3 + m))/((3 + m)^2*(5 +
m)^2*(7 + m)) + (12*b^2*c^2*d^3*x^(3 + m))/((3 + m)*(5 + m)^2*(7 + m)) + (4
8*b^2*c^2*d^3*x^(3 + m))/((3 + m)^3*(5 + m)*(7 + m)) + (10*b^2*c^2*d^3*x^(3
+ m))/((7 + m)^2*(15 + 8*m + m^2)) - (10*b^2*c^4*d^3*x^(5 + m))/((5 + m)^2
*(7 + m)^2) - (4*b^2*c^4*d^3*x^(5 + m))/((5 + m)*(7 + m)^2) - (12*b^2*c^4*d
^3*x^(5 + m))/((5 + m)^3*(7 + m)) + (2*b^2*c^6*d^3*x^(7 + m))/(7 + m)^3 - (
36*b*c*d^3*x^(2 + m)*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/((3 + m)*(5 + m
)^2*(7 + m)) - (48*b*c*d^3*x^(2 + m)*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))
/((3 + m)^2*(5 + m)*(7 + m)) - (30*b*c*d^3*x^(2 + m)*Sqrt[1 - c^2*x^2]*(a +
b*ArcSin[c*x]))/((7 + m)^2*(15 + 8*m + m^2)) - (10*b*c*d^3*x^(2 + m)*(1 -
c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/((5 + m)*(7 + m)^2) - (12*b*c*d^3*x^(2
+ m)*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/((5 + m)^2*(7 + m)) - (2*b*c*
d^3*x^(2 + m)*(1 - c^2*x^2)^(5/2)*(a + b*ArcSin[c*x]))/(7 + m)^2 + (48*d^3*
x^(1 + m)*(a + b*ArcSin[c*x])^2)/((5 + m)*(7 + m)*(3 + 4*m + m^2)) + (24*d^
3*x^(1 + m)*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/((7 + m)*(15 + 8*m + m^2))
+ (6*d^3*x^(1 + m)*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/((5 + m)*(7 + m)
) + (d^3*x^(1 + m)*(1 - c^2*x^2)^3*(a + b*ArcSin[c*x])^2)/(7 + m) - (48*b*c
*d^3*x^(2 + m)*(a + b*ArcSin[c*x])*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m
)/2, c^2*x^2])/((2 + m)*(3 + m)^2*(5 + m)*(7 + m)) - (30*b*c*d^3*x^(2 + m)*
(a + b*ArcSin[c*x])*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, c^2*x^2])/
((5 + m)*(7 + m)^2*(6 + 5*m + m^2)) - (36*b*c*d^3*x^(2 + m)*(a + b*ArcSin[c
*x])*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, c^2*x^2])/((5 + m)^2*(7 +
m)*(6 + 5*m + m^2)) - (96*b*c*d^3*x^(2 + m)*(a + b*ArcSin[c*x])*Hypergeome
tric2F1[1/2, (2 + m)/2, (4 + m)/2, c^2*x^2])/((5 + m)*(7 + m)*(6 + 11*m + 6
*m^2 + m^3)) + (30*b^2*c^2*d^3*x^(3 + m)*HypergeometricPFQ[{1, 3/2 + m/2, 3
/2 + m/2}, {2 + m/2, 5/2 + m/2}, c^2*x^2])/((2 + m)*(3 + m)^2*(5 + m)*(7 +
m)^2) + (36*b^2*c^2*d^3*x^(3 + m)*HypergeometricPFQ[{1, 3/2 + m/2, 3/2 + m/
2}, {2 + m/2, 5/2 + m/2}, c^2*x^2])/((2 + m)*(3 + m)^2*(5 + m)^2*(7 + m)) +
(48*b^2*c^2*d^3*x^(3 + m)*HypergeometricPFQ[{1, 3/2 + m/2, 3/2 + m/2}, {2
+ m/2, 5/2 + m/2}, c^2*x^2])/((2 + m)*(3 + m)^3*(5 + m)*(7 + m)) + (96*b^2*
c^2*d^3*x^(3 + m)*HypergeometricPFQ[{1, 3/2 + m/2, 3/2 + m/2}, {2 + m/2, 5/
2 + m/2}, c^2*x^2])/((3 + m)^2*(5 + m)*(7 + m)*(2 + 3*m + m^2))
```

---

**Rubi [F]** time = 0.0826601, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$

Rules used = {}

$$\int x^m (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx$$

Verification is Not applicable to the result.

[In] Int[x^m\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2,x]

[Out] Defer[Int][x^m\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2, x]

Rubi steps

$$\int x^m (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx = \int x^m (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx$$

**Mathematica [F]** time = 3.46781, size = 0, normalized size = 0.

$$\int x^m (d - c^2 dx^2)^3 (a + b \sin^{-1}(cx))^2 dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2,x]

[Out] Integrate[x^m\*(d - c^2\*d\*x^2)^3\*(a + b\*ArcSin[c\*x])^2, x]

**Maple [F]** time = 14.642, size = 0, normalized size = 0.

$$\int x^m (-c^2 dx^2 + d)^3 (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^m\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2,x)



**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral(-(a^2\*c^6\*d^3\*x^6 - 3\*a^2\*c^4\*d^3\*x^4 + 3\*a^2\*c^2\*d^3\*x^2 - a^2\*d^3 + (b^2\*c^6\*d^3\*x^6 - 3\*b^2\*c^4\*d^3\*x^4 + 3\*b^2\*c^2\*d^3\*x^2 - b^2\*d^3)arcsin(cx))^2 + 2(

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)^3\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(-(a^2\*c^6\*d^3\*x^6 - 3\*a^2\*c^4\*d^3\*x^4 + 3\*a^2\*c^2\*d^3\*x^2 - a^2\*d^3 + (b^2\*c^6\*d^3\*x^6 - 3\*b^2\*c^4\*d^3\*x^4 + 3\*b^2\*c^2\*d^3\*x^2 - b^2\*d^3)\*arcsin(c\*x))^2 + 2\*(a\*b\*c^6\*d^3\*x^6 - 3\*a\*b\*c^4\*d^3\*x^4 + 3\*a\*b\*c^2\*d^3\*x^2 - a\*b\*d^3)\*arcsin(c\*x))\*x^m, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(-c\*\*2\*d\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -(c^2 dx^2 - d)^3 (b \arcsin(cx) + a)^2 x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*(-c^2*d*x^2+d)^3*(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate(-(c^2*d*x^2 - d)^3*(b*arcsin(c*x) + a)^2*x^m, x)
```

$$3.277 \quad \int x^m (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=756

$$\frac{16b^2c^2d^2x^{m+3}\text{HypergeometricPFQ}\left(\left\{1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}\right\}, \left\{\frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}\right\}, c^2x^2\right)}{(m+3)^2(m+5)(m^2+3m+2)} + \frac{8b^2c^2d^2x^{m+3}\text{HypergeometricPFQ}\left(\left\{1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}\right\}, \left\{\frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}\right\}, c^2x^2\right)}{(m+2)}$$

[Out] (6\*b^2\*c^2\*d^2\*x^(3+m))/((3+m)^2\*(5+m)^2) + (2\*b^2\*c^2\*d^2\*x^(3+m))/((3+m)\*(5+m)^2) + (8\*b^2\*c^2\*d^2\*x^(3+m))/((3+m)^3\*(5+m)) - (2\*b^2\*c^4\*d^2\*x^(5+m))/(5+m)^3 - (6\*b\*c\*d^2\*x^(2+m)\*Sqrt[1-c^2\*x^2]\*(a+b\*ArcSin[c\*x]))/((3+m)\*(5+m)^2) - (8\*b\*c\*d^2\*x^(2+m)\*Sqrt[1-c^2\*x^2]\*(a+b\*ArcSin[c\*x]))/((3+m)^2\*(5+m)) - (2\*b\*c\*d^2\*x^(2+m)\*(1-c^2\*x^2)^(3/2)\*(a+b\*ArcSin[c\*x]))/(5+m)^2 + (8\*d^2\*x^(1+m)\*(a+b\*ArcSin[c\*x])^2)/((5+m)\*(3+4\*m+m^2)) + (4\*d^2\*x^(1+m)\*(1-c^2\*x^2)\*(a+b\*ArcSin[c\*x])^2)/(15+8\*m+m^2) + (d^2\*x^(1+m)\*(1-c^2\*x^2)^2\*(a+b\*ArcSin[c\*x])^2)/(5+m) - (8\*b\*c\*d^2\*x^(2+m)\*(a+b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, c^2\*x^2])/((2+m)\*(3+m)^2\*(5+m)) - (6\*b\*c\*d^2\*x^(2+m)\*(a+b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, c^2\*x^2])/((5+m)^2\*(6+5\*m+m^2)) - (16\*b\*c\*d^2\*x^(2+m)\*(a+b\*ArcSin[c\*x])\*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, c^2\*x^2])/((5+m)\*(6+11\*m+6\*m^2+m^3)) + (6\*b^2\*c^2\*d^2\*x^(3+m)\*HypergeometricPFQ[{1, 3/2+m/2, 3/2+m/2}, {2+m/2, 5/2+m/2}, c^2\*x^2])/((2+m)\*(3+m)^2\*(5+m)^2) + (8\*b^2\*c^2\*d^2\*x^(3+m)\*HypergeometricPFQ[{1, 3/2+m/2, 3/2+m/2}, {2+m/2, 5/2+m/2}, c^2\*x^2])/((2+m)\*(3+m)^3\*(5+m)) + (16\*b^2\*c^2\*d^2\*x^(3+m)\*HypergeometricPFQ[{1, 3/2+m/2, 3/2+m/2}, {2+m/2, 5/2+m/2}, c^2\*x^2])/((3+m)^2\*(5+m)\*(2+3\*m+m^2))

**Rubi [F]** time = 0.0806745, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int x^m (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx$$

Verification is Not applicable to the result.

[In] Int[x^m\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2,x]

[Out] Defer[Int][x^m\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2, x]

Rubi steps

$$\int x^m (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx = \int x^m (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx$$

**Mathematica [F]** time = 0.142369, size = 0, normalized size = 0.

$$\int x^m (d - c^2 dx^2)^2 (a + b \sin^{-1}(cx))^2 dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2,x]

[Out] Integrate[x^m\*(d - c^2\*d\*x^2)^2\*(a + b\*ArcSin[c\*x])^2, x]

**Maple [F]** time = 7.016, size = 0, normalized size = 0.

$$\int x^m (-c^2 dx^2 + d)^2 (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^m\*(-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral(( $a^2c^4d^2x^4 - 2a^2c^2d^2x^2 + a^2d^2 + (b^2c^4d^2x^4 - 2b^2c^2d^2x^2 + b^2d^2)$  arcsin(cx)<sup>2</sup> + 2( $abc^4d^2x^4 - 2abc^2d^2x^2 + ab$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>m</sup>\*(-c<sup>2</sup>\*d\*x<sup>2</sup>+d)<sup>2</sup>\*(a+b\*arcsin(c\*x))<sup>2</sup>,x, algorithm="fricas")

[Out] integral((a<sup>2</sup>\*c<sup>4</sup>\*d<sup>2</sup>\*x<sup>4</sup> - 2\*a<sup>2</sup>\*c<sup>2</sup>\*d<sup>2</sup>\*x<sup>2</sup> + a<sup>2</sup>\*d<sup>2</sup> + (b<sup>2</sup>\*c<sup>4</sup>\*d<sup>2</sup>\*x<sup>4</sup> - 2\*b<sup>2</sup>\*c<sup>2</sup>\*d<sup>2</sup>\*x<sup>2</sup> + b<sup>2</sup>\*d<sup>2</sup>)\*arcsin(c\*x)<sup>2</sup> + 2\*(a\*b\*c<sup>4</sup>\*d<sup>2</sup>\*x<sup>4</sup> - 2\*a\*b\*c<sup>2</sup>\*d<sup>2</sup>\*x<sup>2</sup> + a\*b\*d<sup>2</sup>)\*arcsin(c\*x))\*x<sup>m</sup>, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(-c\*\*2\*d\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (c^2 dx^2 - d)^2 (b \arcsin(cx) + a)^2 x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>m</sup>\*(-c<sup>2</sup>\*d\*x<sup>2</sup>+d)<sup>2</sup>\*(a+b\*arcsin(c\*x))<sup>2</sup>,x, algorithm="giac")

[Out] integrate((c<sup>2</sup>\*d\*x<sup>2</sup> - d)<sup>2</sup>\*(b\*arcsin(c\*x) + a)<sup>2</sup>\*x<sup>m</sup>, x)

$$3.278 \quad \int x^m (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=371

$$\frac{4b^2c^2dx^{m+3}\text{HypergeometricPFQ}\left(\left\{1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}\right\}, \left\{\frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}\right\}, c^2x^2\right)}{(m+3)^2(m^2+3m+2)} + \frac{2b^2c^2dx^{m+3}\text{HypergeometricPFQ}\left(\left\{1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}\right\}, \left\{\frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}\right\}, c^2x^2\right)}{(m+2)}$$

[Out]  $(2*b^2*c^2*d*x^(3+m))/(3+m)^3 - (2*b*c*d*x^(2+m)*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(3+m)^2 + (2*d*x^(1+m)*(a + b*\text{ArcSin}[c*x])^2)/(3+4*m+m^2) + (d*x^(1+m)*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/(3+m) - (2*b*c*d*x^(2+m)*(a + b*\text{ArcSin}[c*x])*\text{Hypergeometric2F1}[1/2, (2+m)/2, (4+m)/2, c^2*x^2])/((2+m)*(3+m)^2) - (4*b*c*d*x^(2+m)*(a + b*\text{ArcSin}[c*x])*\text{Hypergeometric2F1}[1/2, (2+m)/2, (4+m)/2, c^2*x^2])/((6+11*m+6*m^2+m^3) + (2*b^2*c^2*d*x^(3+m)*\text{HypergeometricPFQ}[\{1, 3/2+m/2, 3/2+m/2\}, \{2+m/2, 5/2+m/2\}, c^2*x^2])/((2+m)*(3+m)^3) + (4*b^2*c^2*d*x^(3+m)*\text{HypergeometricPFQ}[\{1, 3/2+m/2, 3/2+m/2\}, \{2+m/2, 5/2+m/2\}, c^2*x^2])/((3+m)^2*(2+3*m+m^2))$

**Rubi [F]** time = 0.0489392, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int x^m (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx$$

Verification is Not applicable to the result.

[In] Int[x^m\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] Defer[Int][x^m\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x])^2, x]

Rubi steps

$$\int x^m (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx = \int x^m (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx$$

**Mathematica [F]** time = 0.0924532, size = 0, normalized size = 0.

$$\int x^m (d - c^2 dx^2) (a + b \sin^{-1}(cx))^2 dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] Integrate[x^m\*(d - c^2\*d\*x^2)\*(a + b\*ArcSin[c\*x])^2, x]

**Maple [F]** time = 2.915, size = 0, normalized size = 0.

$$\int x^m (-c^2 dx^2 + d) (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^m\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(a^2 c^2 dx^2 - a^2 d + \left(b^2 c^2 dx^2 - b^2 d\right) \arcsin(cx)\right)^2 + 2\left(abc^2 dx^2 - abd\right) \arcsin(cx)\right) x^m, x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(-(a^2\*c^2\*d\*x^2 - a^2\*d + (b^2\*c^2\*d\*x^2 - b^2\*d)\*arcsin(c\*x))^2 + 2\*(a\*b\*c^2\*d\*x^2 - a\*b\*d)\*arcsin(c\*x))\*x^m, x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d \left( \int -a^2 x^m dx + \int -b^2 x^m \operatorname{asin}^2(cx) dx + \int -2abx^m \operatorname{asin}(cx) dx + \int a^2 c^2 x^2 x^m dx + \int b^2 c^2 x^2 x^m \operatorname{asin}^2(cx) dx + \int 2abcx^2 x^m \operatorname{asin}(cx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(-c\*\*2\*d\*x\*\*2+d)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] -d\*(Integral(-a\*\*2\*x\*\*m, x) + Integral(-b\*\*2\*x\*\*m\*asin(c\*x)\*\*2, x) + Integral(-2\*a\*b\*x\*\*m\*asin(c\*x), x) + Integral(a\*\*2\*c\*\*2\*x\*\*2\*x\*\*m, x) + Integral(b\*\*2\*c\*\*2\*x\*\*2\*x\*\*m\*asin(c\*x)\*\*2, x) + Integral(2\*a\*b\*c\*\*2\*x\*\*2\*x\*\*m\*asin(c\*x), x))

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -(c^2 dx^2 - d)(b \operatorname{arcsin}(cx) + a)^2 x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(-(c^2\*d\*x^2 - d)\*(b\*arcsin(c\*x) + a)^2\*x^m, x)



$$3.279 \quad \int \frac{x^m (a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx$$

Optimal. Leaf size=29

$$\text{Unintegrable} \left( \frac{x^m (a + b \sin^{-1}(cx))^2}{d - c^2 dx^2}, x \right)$$

[Out] Unintegrable[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2), x]

**Rubi [A]** time = 0.0906326, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m (a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx$$

Verification is Not applicable to the result.

[In] Int[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2), x]

[Out] Defer[Int] [(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2), x]

Rubi steps

$$\int \frac{x^m (a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx = \int \frac{x^m (a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx$$

**Mathematica [A]** time = 6.46626, size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2), x]

[Out] Integrate[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2), x]

**Maple [A]** time = 0.463, size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \arcsin(cx))^2}{-c^2 dx^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d), x)

[Out] int(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d), x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$- \int \frac{(b \arcsin(cx) + a)^2 x^m}{c^2 dx^2 - d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d), x, algorithm="maxima")

[Out] -integrate((b\*arcsin(c\*x) + a)^2\*x^m/(c^2\*d\*x^2 - d), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)x^m}{c^2 dx^2 - d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d), x, algorithm="fricas")

[Out] integral(-(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*x^m/(c^2\*d\*x^2 - d), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2 x^m}{c^2 x^2 - 1} dx + \int \frac{b^2 x^m \operatorname{asin}^2(cx)}{c^2 x^2 - 1} dx + \int \frac{2abx^m \operatorname{asin}(cx)}{c^2 x^2 - 1} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d),x)

[Out] -(Integral(a\*\*2\*x\*\*m/(c\*\*2\*x\*\*2 - 1), x) + Integral(b\*\*2\*x\*\*m\*asin(c\*x)\*\*2/(c\*\*2\*x\*\*2 - 1), x) + Integral(2\*a\*b\*x\*\*m\*asin(c\*x)/(c\*\*2\*x\*\*2 - 1), x))/d

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \operatorname{arcsin}(cx) + a)^2 x^m}{c^2 dx^2 - d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d),x, algorithm="giac")

[Out] integrate(-(b\*arcsin(c\*x) + a)^2\*x^m/(c^2\*d\*x^2 - d), x)

$$3.280 \quad \int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^2} dx$$

**Optimal.** Leaf size=279

$$\frac{b^2 c^2 (m+1) x^{m+3} \text{HypergeometricPFQ}\left(\left\{1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}\right\}, \left\{\frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}\right\}, c^2 x^2\right)}{d^2 (m^2 + 5m + 6)} + \frac{bc(m+1)x^{m+2} \text{HypergeometricPFQ}\left(\left\{1, \frac{m}{2} + \frac{3}{2}\right\}, \left\{\frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}\right\}, c^2 x^2\right)}{d^2 (m^2 + 5m + 6)}$$

[Out]  $-\left(\frac{b c x^{2+m} (a + b \text{ArcSin}[c x])}{d^2 \sqrt{1 - c^2 x^2}}\right) + x^{1+m} \frac{(a + b \text{ArcSin}[c x])^2}{2 d^2 (1 - c^2 x^2)} + \frac{b c (1+m) x^{2+m} (a + b \text{ArcSin}[c x]) \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, c^2 x^2\right]}{d^2 (2+m)} + \frac{b^2 c^2 x^{3+m} \text{Hypergeometric2F1}\left[1, \frac{3+m}{2}, \frac{5+m}{2}, c^2 x^2\right]}{d^2 (3+m)} - \frac{b^2 c^2 (1+m) x^{3+m} \text{HypergeometricPFQ}\left[\left\{1, \frac{3}{2} + \frac{m}{2}, \frac{3}{2} + \frac{m}{2}\right\}, \left\{2 + \frac{m}{2}, \frac{5}{2} + \frac{m}{2}\right\}, c^2 x^2\right]}{d^2 (6 + 5m + m^2)} + \frac{((1-m) \text{Unintegrable}\left[\frac{x^m (a + b \text{ArcSin}[c x])^2}{(d - c^2 d x^2)}, x\right])}{(2d)}$

**Rubi [A]** time = 0.408235, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^2} dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}\left[\frac{x^m (a + b \text{ArcSin}[c x])^2}{(d - c^2 d x^2)^2}, x\right]$

[Out]  $-\left(\frac{b c x^{2+m} (a + b \text{ArcSin}[c x])}{d^2 \sqrt{1 - c^2 x^2}}\right) + x^{1+m} \frac{(a + b \text{ArcSin}[c x])^2}{2 d^2 (1 - c^2 x^2)} + \frac{b c (1+m) x^{2+m} (a + b \text{ArcSin}[c x]) \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, c^2 x^2\right]}{d^2 (2+m)} + \frac{b^2 c^2 x^{3+m} \text{Hypergeometric2F1}\left[1, \frac{3+m}{2}, \frac{5+m}{2}, c^2 x^2\right]}{d^2 (3+m)} - \frac{b^2 c^2 (1+m) x^{3+m} \text{HypergeometricPFQ}\left[\left\{1, \frac{3}{2} + \frac{m}{2}, \frac{3}{2} + \frac{m}{2}\right\}, \left\{2 + \frac{m}{2}, \frac{5}{2} + \frac{m}{2}\right\}, c^2 x^2\right]}{d^2 (6 + 5m + m^2)} + \frac{((1-m) \text{Defer}\left[\text{Int}\left[\frac{x^m (a + b \text{ArcSin}[c x])^2}{(d - c^2 d x^2)}, x\right]\right])}{(2d)}$

Rubi steps

$$\begin{aligned}
\int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^2} dx &= \frac{x^{1+m} (a + b \sin^{-1}(cx))^2}{2d^2 (1 - c^2 x^2)} - \frac{(bc) \int \frac{x^{1+m} (a + b \sin^{-1}(cx))}{(1 - c^2 x^2)^{3/2}} dx}{d^2} + \frac{(1 - m) \int \frac{x^m (a + b \sin^{-1}(cx))^2}{d - c^2 dx^2} dx}{2d} \\
&= -\frac{bcx^{2+m} (a + b \sin^{-1}(cx))}{d^2 \sqrt{1 - c^2 x^2}} + \frac{x^{1+m} (a + b \sin^{-1}(cx))^2}{2d^2 (1 - c^2 x^2)} + \frac{(b^2 c^2) \int \frac{x^{2+m}}{1 - c^2 x^2} dx}{d^2} + \frac{(1 - m) \int \frac{x^m}{d - c^2 dx^2} dx}{2d} \\
&= -\frac{bcx^{2+m} (a + b \sin^{-1}(cx))}{d^2 \sqrt{1 - c^2 x^2}} + \frac{x^{1+m} (a + b \sin^{-1}(cx))^2}{2d^2 (1 - c^2 x^2)} + \frac{bc(1 + m)x^{2+m} (a + b \sin^{-1}(cx))}{d^2 (2 + m)}
\end{aligned}$$

**Mathematica [A]** time = 7.95983, size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^2,x]

[Out] Integrate[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^2, x]

**Maple [A]** time = 0.526, size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \arcsin(cx))^2}{(-c^2 dx^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^2,x)

[Out] int(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^m}{(c^2 dx^2 - d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^2,x, algorithm="maxima")

[Out] integrate((b\*arcsin(c\*x) + a)^2\*x^m/(c^2\*d\*x^2 - d)^2, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)x^m}{c^4 d^2 x^4 - 2c^2 d^2 x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*x^m/(c^4\*d^2\*x^4 - 2\*c^2\*d^2\*x^2 + d^2), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{a^2 x^m}{c^4 x^4 - 2c^2 x^2 + 1} dx + \int \frac{b^2 x^m \arcsin^2(cx)}{c^4 x^4 - 2c^2 x^2 + 1} dx + \int \frac{2ab x^m \arcsin(cx)}{c^4 x^4 - 2c^2 x^2 + 1} dx}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*d\*x\*\*2+d)\*\*2,x)

[Out] (Integral(a\*\*2\*x\*\*m/(c\*\*4\*x\*\*4 - 2\*c\*\*2\*x\*\*2 + 1), x) + Integral(b\*\*2\*x\*\*m\*asin(c\*x)\*\*2/(c\*\*4\*x\*\*4 - 2\*c\*\*2\*x\*\*2 + 1), x) + Integral(2\*a\*b\*x\*\*m\*asin(c\*x)/(c\*\*4\*x\*\*4 - 2\*c\*\*2\*x\*\*2 + 1), x))/d\*\*2

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^m}{(c^2 dx^2 - d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2\*x^m/(c^2\*d\*x^2 - d)^2, x)

$$3.281 \quad \int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^3} dx$$

**Optimal.** Leaf size=668

$$\frac{b^2 c^2 (1 - m)(m + 1) x^{m+3} \text{HypergeometricPFQ}\left(\left\{1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}\right\}, \left\{\frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}\right\}, c^2 x^2\right)}{6d^3 (m^2 + 5m + 6)} - \frac{b^2 c^2 (3 - m)(m + 1) x^{m+3} \text{HypergeometricPFQ}\left(\left\{1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}\right\}, \left\{\frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}\right\}, c^2 x^2\right)}{6d^3 (m^2 + 5m + 6)}$$

[Out]  $-(b*c*x^{(2+m)}*(a+b*\text{ArcSin}[c*x]))/(6*d^3*(1-c^2*x^2)^{(3/2)}) - (b*c*(1-m)*x^{(2+m)}*(a+b*\text{ArcSin}[c*x]))/(6*d^3*\text{Sqrt}[1-c^2*x^2]) - (b*c*(3-m)*x^{(2+m)}*(a+b*\text{ArcSin}[c*x]))/(4*d^3*\text{Sqrt}[1-c^2*x^2]) + (x^{(1+m)}*(a+b*\text{ArcSin}[c*x])^2)/(4*d^3*(1-c^2*x^2)^2) + ((3-m)*x^{(1+m)}*(a+b*\text{ArcSin}[c*x])^2)/(8*d^3*(1-c^2*x^2)) + (b*c*(1-m)*(1+m)*x^{(2+m)}*(a+b*\text{ArcSin}[c*x])*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, c^2*x^2])/(6*d^3*(2+m)) + (b*c*(3-m)*(1+m)*x^{(2+m)}*(a+b*\text{ArcSin}[c*x])*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, c^2*x^2])/(4*d^3*(2+m)) + (b^2*c^2*(1-m)*x^{(3+m)}*Hypergeometric2F1[1, (3+m)/2, (5+m)/2, c^2*x^2])/(6*d^3*(3+m)) + (b^2*c^2*(3-m)*x^{(3+m)}*Hypergeometric2F1[1, (3+m)/2, (5+m)/2, c^2*x^2])/(4*d^3*(3+m)) + (b^2*c^2*x^{(3+m)}*Hypergeometric2F1[2, (3+m)/2, (5+m)/2, c^2*x^2])/(6*d^3*(3+m)) - (b^2*c^2*(1-m)*(1+m)*x^{(3+m)}*HypergeometricPFQ[{1, 3/2+m/2, 3/2+m/2}, {2+m/2, 5/2+m/2}, c^2*x^2])/(6*d^3*(6+5*m+m^2)) - (b^2*c^2*(3-m)*(1+m)*x^{(3+m)}*HypergeometricPFQ[{1, 3/2+m/2, 3/2+m/2}, {2+m/2, 5/2+m/2}, c^2*x^2])/(4*d^3*(6+5*m+m^2)) + ((1-m)*(3-m)*Unintegrable[(x^m*(a+b*\text{ArcSin}[c*x])^2)/(d-c^2*d*x^2), x])/(8*d^2)$

**Rubi [A]** time = 0.91303, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^3} dx$$

Verification is Not applicable to the result.

[In] Int[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^3,x]

[Out]  $-(b*c*x^{(2+m)}*(a+b*\text{ArcSin}[c*x]))/(6*d^3*(1-c^2*x^2)^{(3/2)}) - (b*c*(1-m)*x^{(2+m)}*(a+b*\text{ArcSin}[c*x]))/(6*d^3*\text{Sqrt}[1-c^2*x^2]) - (b*c*(3-m)*x^{(2+m)}*(a+b*\text{ArcSin}[c*x]))/(4*d^3*\text{Sqrt}[1-c^2*x^2]) + (x^{(1+m)}*(a+b*\text{ArcSin}[c*x])^2)/(4*d^3*(1-c^2*x^2)^2) + ((3-m)*x^{(1+m)}*(a+b*\text{ArcSin}[c*x])^2)/(8*d^3*(1-c^2*x^2)) + (b*c*(1-m)*(1+m)*x^{(2+m)}*(a+b*\text{ArcSin}[c*x])*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, c^2*x^2])/(6*d^3*(2+m)) + (b*c*(3-m)*(1+m)*x^{(2+m)}*(a+b*\text{ArcSin}[c*x])*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, c^2*x^2])/(4*d^3*(2+m)) + (b^2*c^2*(1-m)*x^{(3+m)}*Hypergeometric2F1[1, (3+m)/2, (5+m)/2, c^2*x^2])/(6*d^3*(3+m)) + (b^2*c^2*(3-m)*x^{(3+m)}*Hypergeometric2F1[1, (3+m)/2, (5+m)/2, c^2*x^2])/(4*d^3*(3+m)) + (b^2*c^2*x^{(3+m)}*Hypergeometric2F1[2, (3+m)/2, (5+m)/2, c^2*x^2])/(6*d^3*(3+m)) - (b^2*c^2*(1-m)*(1+m)*x^{(3+m)}*HypergeometricPFQ[{1, 3/2+m/2, 3/2+m/2}, {2+m/2, 5/2+m/2}, c^2*x^2])/(6*d^3*(6+5*m+m^2)) - (b^2*c^2*(3-m)*(1+m)*x^{(3+m)}*HypergeometricPFQ[{1, 3/2+m/2, 3/2+m/2}, {2+m/2, 5/2+m/2}, c^2*x^2])/(4*d^3*(6+5*m+m^2)) + ((1-m)*(3-m)*Unintegrable[(x^m*(a+b*\text{ArcSin}[c*x])^2)/(d-c^2*d*x^2), x])/(8*d^2)$



$$\begin{aligned} & ) * x^{(2 + m)} * (a + b * \text{ArcSin}[c * x]) / (4 * d^3 * \text{Sqrt}[1 - c^2 * x^2]) + (x^{(1 + m)} * (a \\ & + b * \text{ArcSin}[c * x])^2) / (4 * d^3 * (1 - c^2 * x^2)^2) + ((3 - m) * x^{(1 + m)} * (a + b * \text{Arc} \\ & \text{Sin}[c * x])^2) / (8 * d^3 * (1 - c^2 * x^2)) + (b * c * (1 - m) * (1 + m) * x^{(2 + m)} * (a + b * \\ & \text{ArcSin}[c * x]) * \text{Hypergeometric2F1}[1/2, (2 + m)/2, (4 + m)/2, c^2 * x^2]) / (6 * d^3 * \\ & (2 + m)) + (b * c * (3 - m) * (1 + m) * x^{(2 + m)} * (a + b * \text{ArcSin}[c * x]) * \text{Hypergeometri} \\ & \text{c2F1}[1/2, (2 + m)/2, (4 + m)/2, c^2 * x^2]) / (4 * d^3 * (2 + m)) + (b^2 * c^2 * (1 - m) \\ & ) * x^{(3 + m)} * \text{Hypergeometric2F1}[1, (3 + m)/2, (5 + m)/2, c^2 * x^2]) / (6 * d^3 * (3 \\ & + m)) + (b^2 * c^2 * (3 - m) * x^{(3 + m)} * \text{Hypergeometric2F1}[1, (3 + m)/2, (5 + m)/ \\ & 2, c^2 * x^2]) / (4 * d^3 * (3 + m)) + (b^2 * c^2 * x^{(3 + m)} * \text{Hypergeometric2F1}[2, (3 + \\ & m)/2, (5 + m)/2, c^2 * x^2]) / (6 * d^3 * (3 + m)) - (b^2 * c^2 * (1 - m) * (1 + m) * x^{(3 \\ & + m)} * \text{HypergeometricPFQ}[\{1, 3/2 + m/2, 3/2 + m/2\}, \{2 + m/2, 5/2 + m/2\}, c^ \\ & 2 * x^2]) / (6 * d^3 * (6 + 5 * m + m^2)) - (b^2 * c^2 * (3 - m) * (1 + m) * x^{(3 + m)} * \text{Hyperg} \\ & \text{eometricPFQ}[\{1, 3/2 + m/2, 3/2 + m/2\}, \{2 + m/2, 5/2 + m/2\}, c^2 * x^2]) / (4 * d \\ & ^3 * (6 + 5 * m + m^2)) + ((1 - m) * (3 - m) * \text{Defer}[\text{Int}][x^m * (a + b * \text{ArcSin}[c * x])^ \\ & 2]) / (d - c^2 * d * x^2), x]) / (8 * d^2) \end{aligned}$$

### Rubi steps

$$\begin{aligned} \int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^3} dx &= \frac{x^{1+m} (a + b \sin^{-1}(cx))^2}{4d^3 (1 - c^2 x^2)^2} - \frac{(bc) \int \frac{x^{1+m} (a + b \sin^{-1}(cx))}{(1 - c^2 x^2)^{5/2}} dx}{2d^3} + \frac{(3 - m) \int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^2} dx}{4d} \\ &= -\frac{bcx^{2+m} (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} + \frac{x^{1+m} (a + b \sin^{-1}(cx))^2}{4d^3 (1 - c^2 x^2)^2} + \frac{(3 - m)x^{1+m} (a + b \sin^{-1}(cx))^2}{8d^3 (1 - c^2 x^2)} + \\ &= -\frac{bcx^{2+m} (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{bc(1 - m)x^{2+m} (a + b \sin^{-1}(cx))}{6d^3 \sqrt{1 - c^2 x^2}} - \frac{bc(3 - m)x^{2+m} (a + b \sin^{-1}(cx))}{4d^3 \sqrt{1 - c^2 x^2}} \\ &= -\frac{bcx^{2+m} (a + b \sin^{-1}(cx))}{6d^3 (1 - c^2 x^2)^{3/2}} - \frac{bc(1 - m)x^{2+m} (a + b \sin^{-1}(cx))}{6d^3 \sqrt{1 - c^2 x^2}} - \frac{bc(3 - m)x^{2+m} (a + b \sin^{-1}(cx))}{4d^3 \sqrt{1 - c^2 x^2}} \end{aligned}$$

**Mathematica [A]** time = 9.12492, size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^3,x]

[Out] Integrate[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^3, x]

**Maple [A]** time = 0.605, size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \arcsin(cx))^2}{(-c^2 dx^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x)

[Out] int(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$- \int \frac{(b \arcsin(cx) + a)^2 x^m}{(c^2 dx^2 - d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x, algorithm="maxima")

[Out] -integrate((b\*arcsin(c\*x) + a)^2\*x^m/(c^2\*d\*x^2 - d)^3, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)x^m}{c^6 d^3 x^6 - 3c^4 d^3 x^4 + 3c^2 d^3 x^2 - d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^3,x, algorithm="fricas")

[Out]  $\text{integral}(-(b^2 \arcsin(cx))^2 + 2ab \arcsin(cx) + a^2)x^m / (c^6 d^3 x^6 - 3c^4 d^3 x^4 + 3c^2 d^3 x^2 - d^3), x)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^{**m}*(a+b*\text{asin}(c*x))^{**2}/(-c^{**2}*d*x^{**2}+d)^{**3}, x)$

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(b \arcsin(cx) + a)^2 x^m}{(c^2 dx^2 - d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^m*(a+b*\text{arcsin}(c*x))^2/(-c^2*d*x^2+d)^3, x, \text{algorithm}="giac")$

[Out]  $\text{integrate}(-(b*\text{arcsin}(c*x) + a)^2*x^m/(c^2*d*x^2 - d)^3, x)$

$$3.282 \quad \int x^m (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=957

$$\frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 x^{m+1}}{m + 6} + \frac{5d (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 x^{m+1}}{(m + 4)(m + 6)} + \frac{15d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 x^m}{(m + 6)(m^2 + 6m + 8)}$$

```
[Out] (10*b^2*c^2*d^2*x^(3 + m)*Sqrt[d - c^2*d*x^2])/((4 + m)^3*(6 + m)) + (2*b^2*c^2*d^2*(52 + 15*m + m^2)*x^(3 + m)*Sqrt[d - c^2*d*x^2])/((4 + m)^2*(6 + m)^3) - (2*b^2*c^4*d^2*x^(5 + m)*Sqrt[d - c^2*d*x^2])/((6 + m)^3) - (30*b*c*d^2*x^(2 + m)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/((2 + m)^2*(4 + m)*(6 + m)*Sqrt[1 - c^2*x^2]) - (10*b*c*d^2*x^(2 + m)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/((6 + m)*(8 + 6*m + m^2)*Sqrt[1 - c^2*x^2]) - (2*b*c*d^2*x^(2 + m)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/((12 + 8*m + m^2)*Sqrt[1 - c^2*x^2]) + (10*b*c^3*d^2*x^(4 + m)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/((4 + m)^2*(6 + m)*Sqrt[1 - c^2*x^2]) + (4*b*c^3*d^2*x^(4 + m)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/((4 + m)*(6 + m)*Sqrt[1 - c^2*x^2]) - (2*b*c^5*d^2*x^(6 + m)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/((6 + m)^2*Sqrt[1 - c^2*x^2]) + (15*d^2*x^(1 + m)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/((6 + m)*(8 + 6*m + m^2)) + (5*d*x^(1 + m)*(d - c^2*d*x^2)^(3/2)*(a + b*ArcSin[c*x])^2)/((4 + m)*(6 + m)) + (x^(1 + m)*(d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x])^2)/(6 + m) + (30*b^2*c^2*d^2*x^(3 + m)*Sqrt[d - c^2*d*x^2]*Hypergeometric2F1[1/2, (3 + m)/2, (5 + m)/2, c^2*x^2])/((2 + m)^2*(3 + m)*(4 + m)*(6 + m)*Sqrt[1 - c^2*x^2]) + (10*b^2*c^2*d^2*(10 + 3*m)*x^(3 + m)*Sqrt[d - c^2*d*x^2]*Hypergeometric2F1[1/2, (3 + m)/2, (5 + m)/2, c^2*x^2])/((2 + m)*(3 + m)*(4 + m)^3*(6 + m)*Sqrt[1 - c^2*x^2]) + (2*b^2*c^2*d^2*(264 + 130*m + 15*m^2)*x^(3 + m)*Sqrt[d - c^2*d*x^2]*Hypergeometric2F1[1/2, (3 + m)/2, (5 + m)/2, c^2*x^2])/((2 + m)*(3 + m)*(4 + m)^2*(6 + m)^3*Sqrt[1 - c^2*x^2]) + (15*d^3*Unintegrable[(x^m*(a + b*ArcSin[c*x])^2)/Sqrt[d - c^2*d*x^2], x])/((6 + m)*(8 + 6*m + m^2))
```

**Rubi [A]** time = 0.157333, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int x^m (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 dx$$

Verification is Not applicable to the result.

[In] Int[x^m\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] Defer[Int][x^m\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2, x]

### Rubi steps

$$\int x^m (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 dx = \int x^m (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 dx$$

**Mathematica [A]** time = 4.44079, size = 0, normalized size = 0.

$$\int x^m (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^2 dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] Integrate[x^m\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2, x]

**Maple [A]** time = 7.355, size = 0, normalized size = 0.

$$\int x^m (-c^2 dx^2 + d)^{5/2} (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^m\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{5/2} (b \arcsin(cx) + a)^2 x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)^2\*x^m, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

integral((a^2\*c^4\*d^2\*x^4 - 2\*a^2\*c^2\*d^2\*x^2 + a^2\*d^2 + (b^2\*c^4\*d^2\*x^4 - 2\*b^2\*c^2\*d^2\*x^2 + b^2\*d^2) arcsin(cx))^2 + 2\*(abc^4\*d^2\*x^4 - 2\*abc^2\*d^2\*x^2 + abd^2

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((a^2\*c^4\*d^2\*x^4 - 2\*a^2\*c^2\*d^2\*x^2 + a^2\*d^2 + (b^2\*c^4\*d^2\*x^4 - 2\*b^2\*c^2\*d^2\*x^2 + b^2\*d^2)\*arcsin(c\*x))^2 + 2\*(a\*b\*c^4\*d^2\*x^4 - 2\*a\*b\*c^2\*d^2\*x^2 + a\*b\*d^2)\*arcsin(c\*x))\*sqrt(-c^2\*d\*x^2 + d)\*x^m, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^2 x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

```
[Out] integrate((-c^2*d*x^2 + d)^(5/2)*(b*arcsin(c*x) + a)^2*x^m, x)
```

$$3.283 \quad \int x^m (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=499

$$\frac{3d^2 \text{Unintegrable}\left(\frac{x^m (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}}, x\right)}{m^2 + 6m + 8} + \frac{2b^2 c^2 d (3m + 10) x^{m+3} \sqrt{d - c^2 dx^2} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+3}{2}, \frac{m+5}{2}, c^2 x^2\right)}{(m+2)(m+3)(m+4)^3 \sqrt{1 - c^2 x^2}} + \dots$$

[Out]  $(2*b^2*c^2*d*x^{(3+m)}*\text{Sqrt}[d - c^2*d*x^2])/(4+m)^3 - (6*b*c*d*x^{(2+m)}*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/((2+m)^2*(4+m)*\text{Sqrt}[1 - c^2*x^2]) - (2*b*c*d*x^{(2+m)}*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/((8+6*m+m^2)*\text{Sqrt}[1 - c^2*x^2]) + (2*b*c^3*d*x^{(4+m)}*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x]))/((4+m)^2*\text{Sqrt}[1 - c^2*x^2]) + (3*d*x^{(1+m)}*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(8+6*m+m^2) + (x^{(1+m)}*(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x])^2)/(4+m) + (6*b^2*c^2*d*x^{(3+m)}*\text{Sqrt}[d - c^2*d*x^2]*\text{Hypergeometric2F1}[1/2, (3+m)/2, (5+m)/2, c^2*x^2])/((2+m)^2*(3+m)*(4+m)*\text{Sqrt}[1 - c^2*x^2]) + (2*b^2*c^2*d*(10+3*m)*x^{(3+m)}*\text{Sqrt}[d - c^2*d*x^2]*\text{Hypergeometric2F1}[1/2, (3+m)/2, (5+m)/2, c^2*x^2])/((2+m)*(3+m)*(4+m)^3*\text{Sqrt}[1 - c^2*x^2]) + (3*d^2*\text{Unintegrable}[(x^m*(a + b*\text{ArcSin}[c*x])^2)/\text{Sqrt}[d - c^2*d*x^2], x])/(8+6*m+m^2)$

**Rubi [A]** time = 0.152028, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int x^m (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}[x^m*(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x])^2, x]$

[Out]  $\text{Defer}[\text{Int}][x^m*(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x])^2, x]$

Rubi steps

$$\int x^m (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx = \int x^m (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx$$



**Mathematica [A]** time = 0.153677, size = 0, normalized size = 0.

$$\int x^m (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] Integrate[x^m\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2, x]

**Maple [A]** time = 3.022, size = 0, normalized size = 0.

$$\int x^m (-c^2 dx^2 + d)^{3/2} (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^m\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{3/2} (b \arcsin(cx) + a)^2 x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^2\*x^m, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(a^2 c^2 dx^2 - a^2 d + \left(b^2 c^2 dx^2 - b^2 d\right) \arcsin(cx)\right)^2 + 2\left(abc^2 dx^2 - abd\right) \arcsin(cx)\right) \sqrt{-c^2 dx^2 + d} dx, x$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*(-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x))^2,x, algorithm="fricas")
```

```
[Out] integral(-(a^2*c^2*d*x^2 - a^2*d + (b^2*c^2*d*x^2 - b^2*d)*arcsin(c*x)^2 + 2*(a*b*c^2*d*x^2 - a*b*d)*arcsin(c*x))*sqrt(-c^2*d*x^2 + d)*x^m, x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**m*(-c**2*d*x**2+d)**(3/2)*(a+b*asin(c*x))**2,x)
```

```
[Out] Timed out
```

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^2 x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*(-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(3/2)*(b*arcsin(c*x) + a)^2*x^m, x)
```

$$3.284 \quad \int x^m \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=203

$$\frac{d\text{Unintegrable}\left(\frac{x^m(a+b\sin^{-1}(cx))^2}{\sqrt{d-c^2dx^2}}, x\right)}{m+2} + \frac{2b^2c^2x^{m+3}\sqrt{d-c^2dx^2}\text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+3}{2}, \frac{m+5}{2}, c^2x^2\right)}{(m+2)^2(m+3)\sqrt{1-c^2x^2}} + \frac{x^{m+1}\sqrt{d-c^2}}{m+2}$$

[Out]  $(-2*b*c*x^{(2+m)}*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x]))/((2+m)^2*Sqrt[1 - c^2*x^2]) + (x^{(1+m)}*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^2)/(2+m) + (2*b^2*c^2*x^{(3+m)}*Sqrt[d - c^2*d*x^2]*Hypergeometric2F1[1/2, (3+m)/2, (5+m)/2, c^2*x^2])/((2+m)^2*(3+m)*Sqrt[1 - c^2*x^2]) + (d*Unintegrable[(x^m*(a + b*ArcSin[c*x])^2)/Sqrt[d - c^2*d*x^2], x])/(2+m)$

**Rubi [A]** time = 0.138672, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int x^m \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 dx$$

Verification is Not applicable to the result.

[In] Int[x^m\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2, x]

[Out] Defer[Int][x^m\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2, x]

Rubi steps

$$\int x^m \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 dx = \int x^m \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 dx$$

**Mathematica [A]** time = 0.1013, size = 0, normalized size = 0.

$$\int x^m \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^2 dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m\*sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] Integrate[x^m\*sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^2, x]

**Maple [A]** time = 1.239, size = 0, normalized size = 0.

$$\int x^m \sqrt{-c^2 dx^2 + d} (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^m\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a)^2 x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] integrate(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)^2\*x^m, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{-c^2 dx^2 + d}(b^2 \arcsin(cx)^2 + 2 ab \arcsin(cx) + a^2)x^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] `integral(sqrt(-c^2*d*x^2 + d)*(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*x^m, x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*(-c**2*d*x**2+d)**(1/2)*(a+b*asin(c*x))**2,x)`

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a)^2 x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^2,x, algorithm="giac")`

[Out] `integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^2*x^m, x)`

$$3.285 \quad \int \frac{x^m (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx$$

**Optimal.** Leaf size=31

$$\text{Unintegrable} \left( \frac{x^m (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}}, x \right)$$

[Out] Unintegrable[(x^m\*(a + b\*ArcSin[c\*x])^2)/Sqrt[d - c^2\*d\*x^2], x]

**Rubi [A]** time = 0.150755, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^m\*(a + b\*ArcSin[c\*x])^2)/Sqrt[d - c^2\*d\*x^2], x]

[Out] Defer[Int] [(x^m\*(a + b\*ArcSin[c\*x])^2)/Sqrt[d - c^2\*d\*x^2], x]

Rubi steps

$$\int \frac{x^m (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx = \int \frac{x^m (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx$$

**Mathematica [A]** time = 3.13121, size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \sin^{-1}(cx))^2}{\sqrt{d - c^2 dx^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^m\*(a + b\*ArcSin[c\*x])^2)/Sqrt[d - c^2\*d\*x^2], x]

[Out] Integrate[(x^m\*(a + b\*ArcSin[c\*x])^2)/Sqrt[d - c^2\*d\*x^2], x]

**Maple [A]** time = 0.637, size = 0, normalized size = 0.

$$\int x^m (a + b \arcsin(cx))^2 \frac{1}{\sqrt{-c^2 dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(1/2),x)

[Out] int(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(1/2),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^m}{\sqrt{-c^2 dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="maxima")

[Out] integrate((b\*arcsin(c\*x) + a)^2\*x^m/sqrt(-c^2\*d\*x^2 + d), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2 dx^2 + d}(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)x^m}{c^2 dx^2 - d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(1/2),x, algorithm="fricas")

[Out] `integral(-sqrt(-c^2*d*x^2 + d)*(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*x^m/(c^2*d*x^2 - d), x)`

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \operatorname{asin}(cx))^2}{\sqrt{-d}(cx-1)(cx+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*(a+b*asin(c*x))**2/(-c**2*d*x**2+d)**(1/2),x)`

[Out] `Integral(x**m*(a + b*asin(c*x))**2/sqrt(-d*(c*x - 1)*(c*x + 1)), x)`

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)^2 x^m}{\sqrt{-c^2 dx^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)^2*x^m/sqrt(-c^2*d*x^2 + d), x)`



$$3.286 \quad \int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx$$

**Optimal.** Leaf size=31

$$\text{Unintegrable} \left( \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}}, x \right)$$

[Out] Unintegrable[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(3/2), x]

**Rubi [A]** time = 0.165947, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(3/2), x]

[Out] Defer[Int] [(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(3/2), x]

Rubi steps

$$\int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx = \int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx$$

**Mathematica [A]** time = 4.27016, size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(3/2), x]

[Out] Integrate[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(3/2), x]

**Maple [A]** time = 0.595, size = 0, normalized size = 0.

$$\int x^m (a + b \arcsin(cx))^2 (-c^2 dx^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(3/2), x)

[Out] int(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(3/2), x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^m}{(-c^2 dx^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(3/2), x, algorithm="maxima")

[Out] integrate((b\*arcsin(c\*x) + a)^2\*x^m/(-c^2\*d\*x^2 + d)^(3/2), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2 dx^2 + d}(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)x^m}{c^4 d^2 x^4 - 2c^2 d^2 x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(3/2), x, algorithm="fricas")

[Out] `integral(sqrt(-c^2*d*x^2 + d)*(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*x^m/(c^4*d^2*x^4 - 2*c^2*d^2*x^2 + d^2), x)`

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \operatorname{asin}(cx))^2}{(-d(cx - 1)(cx + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*(a+b*asin(c*x))**2/(-c**2*d*x**2+d)**(3/2),x)`

[Out] `Integral(x**m*(a + b*asin(c*x))**2/(-d*(c*x - 1)*(c*x + 1))**(3/2), x)`

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)^2 x^m}{(-c^2 dx^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(3/2),x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)^2*x^m/(-c^2*d*x^2 + d)^(3/2), x)`

$$3.287 \quad \int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}} dx$$

**Optimal.** Leaf size=31

$$\text{Unintegrable} \left( \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}}, x \right)$$

[Out] Unintegrable[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(5/2), x]

**Rubi [A]** time = 0.166003, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(5/2), x]

[Out] Defer[Int] [(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(5/2), x]

Rubi steps

$$\int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}} dx = \int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}} dx$$

**Mathematica [A]** time = 4.31902, size = 0, normalized size = 0.

$$\int \frac{x^m (a + b \sin^{-1}(cx))^2}{(d - c^2 dx^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(5/2), x]

[Out] Integrate[(x^m\*(a + b\*ArcSin[c\*x])^2)/(d - c^2\*d\*x^2)^(5/2), x]

**Maple [A]** time = 0.622, size = 0, normalized size = 0.

$$\int x^m (a + b \arcsin(cx))^2 (-c^2 dx^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(5/2), x)

[Out] int(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(5/2), x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^m}{(-c^2 dx^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(5/2), x, algorithm="maxima")

[Out] integrate((b\*arcsin(c\*x) + a)^2\*x^m/(-c^2\*d\*x^2 + d)^(5/2), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2 dx^2 + d}(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)x^m}{c^6 d^3 x^6 - 3c^4 d^3 x^4 + 3c^2 d^3 x^2 - d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(a+b\*arcsin(c\*x))^2/(-c^2\*d\*x^2+d)^(5/2), x, algorithm="fricas")

[Out] `integral(-sqrt(-c^2*d*x^2 + d)*(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*x^m/(c^6*d^3*x^6 - 3*c^4*d^3*x^4 + 3*c^2*d^3*x^2 - d^3), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*(a+b*asin(c*x))**2/(-c**2*d*x**2+d)**(5/2), x)`

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^m}{(-c^2 dx^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(a+b*arcsin(c*x))^2/(-c^2*d*x^2+d)^(5/2), x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)^2*x^m/(-c^2*d*x^2 + d)^(5/2), x)`

$$3.288 \quad \int \frac{x^m \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx$$

Optimal. Leaf size=26

$$\text{Unintegrable}\left(\frac{x^m \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}}, x\right)$$

[Out] Unintegrable[(x^m\*ArcSin[a\*x]^2)/Sqrt[1 - a^2\*x^2], x]

**Rubi [A]** time = 0.0953553, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^m\*ArcSin[a\*x]^2)/Sqrt[1 - a^2\*x^2], x]

[Out] Defer[Int] [(x^m\*ArcSin[a\*x]^2)/Sqrt[1 - a^2\*x^2], x]

Rubi steps

$$\int \frac{x^m \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx = \int \frac{x^m \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx$$

**Mathematica [A]** time = 0.862275, size = 0, normalized size = 0.

$$\int \frac{x^m \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^m\*ArcSin[a\*x]^2)/Sqrt[1 - a^2\*x^2], x]

[Out] Integrate[(x^m\*ArcSin[a\*x]^2)/Sqrt[1 - a^2\*x^2], x]

**Maple [A]** time = 0.497, size = 0, normalized size = 0.

$$\int x^m (\arcsin(ax))^2 \frac{1}{\sqrt{-a^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*arcsin(a\*x)^2/(-a^2\*x^2+1)^(1/2),x)

[Out] int(x^m\*arcsin(a\*x)^2/(-a^2\*x^2+1)^(1/2),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m \arcsin(ax)^2}{\sqrt{-a^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arcsin(a\*x)^2/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(x^m\*arcsin(a\*x)^2/sqrt(-a^2\*x^2 + 1), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2 + 1}x^m \arcsin(ax)^2}{a^2x^2 - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arcsin(a\*x)^2/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)\*x^m\*arcsin(a\*x)^2/(a^2\*x^2 - 1), x)



**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m \operatorname{asin}^2(ax)}{\sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*asin(a*x)**2/(-a**2*x**2+1)**(1/2),x)`

[Out] `Integral(x**m*asin(a*x)**2/sqrt(-(a*x - 1)*(a*x + 1)), x)`

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m \arcsin(ax)^2}{\sqrt{-a^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*arcsin(a*x)^2/(-a^2*x^2+1)^(1/2),x, algorithm="giac")`

[Out] `integrate(x^m*arcsin(a*x)^2/sqrt(-a^2*x^2 + 1), x)`

### 3.289 $\int (c - a^2cx^2)^3 \sin^{-1}(ax)^3 dx$

**Optimal.** Leaf size=370

$$-\frac{6c^3(1-a^2x^2)^{7/2}}{2401a} - \frac{2664c^3(1-a^2x^2)^{5/2}}{214375a} - \frac{30256c^3(1-a^2x^2)^{3/2}}{385875a} - \frac{413312c^3\sqrt{1-a^2x^2}}{128625a} + \frac{6}{343}a^6c^3x^7\sin^{-1}(ax) - \frac{702a^4}{7}$$

[Out]  $(-413312*c^3*\text{Sqrt}[1 - a^2*x^2])/(128625*a) - (30256*c^3*(1 - a^2*x^2)^{(3/2)})/(385875*a) - (2664*c^3*(1 - a^2*x^2)^{(5/2)})/(214375*a) - (6*c^3*(1 - a^2*x^2)^{(7/2)})/(2401*a) - (4322*c^3*x*\text{ArcSin}[a*x])/1225 + (1514*a^2*c^3*x^3*\text{ArcSin}[a*x])/3675 - (702*a^4*c^3*x^5*\text{ArcSin}[a*x])/6125 + (6*a^6*c^3*x^7*\text{ArcSin}[a*x])/343 + (48*c^3*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^2)/(35*a) + (8*c^3*(1 - a^2*x^2)^{(3/2)}*\text{ArcSin}[a*x]^2)/(35*a) + (18*c^3*(1 - a^2*x^2)^{(5/2)}*\text{ArcSin}[a*x]^2)/(175*a) + (3*c^3*(1 - a^2*x^2)^{(7/2)}*\text{ArcSin}[a*x]^2)/(49*a) + (16*c^3*x*\text{ArcSin}[a*x]^3)/35 + (8*c^3*x*(1 - a^2*x^2)*\text{ArcSin}[a*x]^3)/35 + (6*c^3*x*(1 - a^2*x^2)^2*\text{ArcSin}[a*x]^3)/35 + (c^3*x*(1 - a^2*x^2)^3*\text{ArcSin}[a*x]^3)/7$

**Rubi [A]** time = 0.699905, antiderivative size = 370, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 13, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.65$ , Rules used = {4649, 4619, 4677, 261, 4645, 444, 43, 194, 12, 1247, 698, 1799, 1850}

$$-\frac{6c^3(1-a^2x^2)^{7/2}}{2401a} - \frac{2664c^3(1-a^2x^2)^{5/2}}{214375a} - \frac{30256c^3(1-a^2x^2)^{3/2}}{385875a} - \frac{413312c^3\sqrt{1-a^2x^2}}{128625a} + \frac{6}{343}a^6c^3x^7\sin^{-1}(ax) - \frac{702a^4}{7}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(c - a^2*c*x^2)^3*\text{ArcSin}[a*x]^3, x]$

[Out]  $(-413312*c^3*\text{Sqrt}[1 - a^2*x^2])/(128625*a) - (30256*c^3*(1 - a^2*x^2)^{(3/2)})/(385875*a) - (2664*c^3*(1 - a^2*x^2)^{(5/2)})/(214375*a) - (6*c^3*(1 - a^2*x^2)^{(7/2)})/(2401*a) - (4322*c^3*x*\text{ArcSin}[a*x])/1225 + (1514*a^2*c^3*x^3*\text{ArcSin}[a*x])/3675 - (702*a^4*c^3*x^5*\text{ArcSin}[a*x])/6125 + (6*a^6*c^3*x^7*\text{ArcSin}[a*x])/343 + (48*c^3*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^2)/(35*a) + (8*c^3*(1 - a^2*x^2)^{(3/2)}*\text{ArcSin}[a*x]^2)/(35*a) + (18*c^3*(1 - a^2*x^2)^{(5/2)}*\text{ArcSin}[a*x]^2)/(175*a) + (3*c^3*(1 - a^2*x^2)^{(7/2)}*\text{ArcSin}[a*x]^2)/(49*a) + (16*c^3*x*\text{ArcSin}[a*x]^3)/35 + (8*c^3*x*(1 - a^2*x^2)*\text{ArcSin}[a*x]^3)/35 + (6*c^3*x*(1 - a^2*x^2)^2*\text{ArcSin}[a*x]^3)/35 + (c^3*x*(1 - a^2*x^2)^3*\text{ArcSin}[a*x]^3)/7$

Rule 4649

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Simp[(x*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(2*p + 1), x] + (D
ist[(2*d*p)/(2*p + 1), Int[(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x
] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/((2*p + 1)*(1 - c^2*x
^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0]
```

#### Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*Ar
cSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 -
c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

#### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/((2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

#### Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

#### Rule 4645

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbo
l] := With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] -
Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[
{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

#### Rule 444

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_
.), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x
] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n +
1, 0]
```

#### Rule 43

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

### Rule 194

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*
x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 1247

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(
p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

### Rule 698

```
Int[((d_.) + (e_.)*(x_)^(m_.))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_
Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; F
reeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a
*e^2, 0] && NeQ[2*c*d - b*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0]
&& IntegerQ[m]))
```

### Rule 1799

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Dist[1/2, Su
bst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x)^p, x], x, x^2], x] /;
FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]
```

### Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand
[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p
, 0] || EqQ[n, 1])
```

### Rubi steps

$$\begin{aligned}
\int (c - a^2cx^2)^3 \sin^{-1}(ax)^3 dx &= \frac{1}{7}c^3x(1 - a^2x^2)^3 \sin^{-1}(ax)^3 + \frac{1}{7}(6c) \int (c - a^2cx^2)^2 \sin^{-1}(ax)^3 dx - \frac{1}{7}(3ac^3) \int x(1 - a^2cx^2)^2 \sin^{-1}(ax)^3 dx \\
&= \frac{3c^3(1 - a^2x^2)^{7/2} \sin^{-1}(ax)^2}{49a} + \frac{6}{35}c^3x(1 - a^2x^2)^2 \sin^{-1}(ax)^3 + \frac{1}{7}c^3x(1 - a^2x^2)^3 \sin^{-1}(ax)^4 \\
&= -\frac{6}{49}c^3x \sin^{-1}(ax) + \frac{6}{49}a^2c^3x^3 \sin^{-1}(ax) - \frac{18}{245}a^4c^3x^5 \sin^{-1}(ax) + \frac{6}{343}a^6c^3x^7 \sin^{-1}(ax) \\
&= -\frac{402c^3x \sin^{-1}(ax)}{1225} + \frac{318a^2c^3x^3 \sin^{-1}(ax)}{1225} - \frac{702a^4c^3x^5 \sin^{-1}(ax)}{6125} + \frac{6}{343}a^6c^3x^7 \sin^{-1}(ax) \\
&= -\frac{962c^3x \sin^{-1}(ax)}{1225} + \frac{1514a^2c^3x^3 \sin^{-1}(ax)}{3675} - \frac{702a^4c^3x^5 \sin^{-1}(ax)}{6125} + \frac{6}{343}a^6c^3x^7 \sin^{-1}(ax) \\
&= -\frac{4322c^3x \sin^{-1}(ax)}{1225} + \frac{1514a^2c^3x^3 \sin^{-1}(ax)}{3675} - \frac{702a^4c^3x^5 \sin^{-1}(ax)}{6125} + \frac{6}{343}a^6c^3x^7 \sin^{-1}(ax) \\
&= -\frac{960c^3\sqrt{1 - a^2x^2}}{343a} - \frac{16c^3(1 - a^2x^2)^{3/2}}{1715a} - \frac{36c^3(1 - a^2x^2)^{5/2}}{8575a} - \frac{6c^3(1 - a^2x^2)^{7/2}}{2401a} - \frac{4322c^3x \sin^{-1}(ax)}{1225} \\
&= -\frac{413312c^3\sqrt{1 - a^2x^2}}{128625a} - \frac{30256c^3(1 - a^2x^2)^{3/2}}{385875a} - \frac{2664c^3(1 - a^2x^2)^{5/2}}{214375a} - \frac{6c^3(1 - a^2x^2)^{7/2}}{2401a} - \frac{4322c^3x \sin^{-1}(ax)}{1225}
\end{aligned}$$

**Mathematica [A]** time = 0.322504, size = 171, normalized size = 0.46

$$\frac{c^3 \left( 2\sqrt{1 - a^2x^2} (16875a^6x^6 - 134541a^4x^4 + 747937a^2x^2 - 22329151) - 385875ax (5a^6x^6 - 21a^4x^4 + 35a^2x^2 - 35) \sin^{-1}(ax) \right)}{128625a}$$

Antiderivative was successfully verified.

[In] Integrate[(c - a^2\*c\*x^2)^3\*ArcSin[a\*x]^3,x]

[Out] (c^3\*(2\*Sqrt[1 - a^2\*x^2]\*(-22329151 + 747937\*a^2\*x^2 - 134541\*a^4\*x^4 + 16875\*a^6\*x^6) + 210\*a\*x\*(-226905 + 26495\*a^2\*x^2 - 7371\*a^4\*x^4 + 1125\*a^6\*x^6)\*ArcSin[a\*x] - 11025\*Sqrt[1 - a^2\*x^2]\*(-2161 + 757\*a^2\*x^2 - 351\*a^4\*x^4 + 75\*a^6\*x^6)\*ArcSin[a\*x]^2 - 385875\*a\*x\*(-35 + 35\*a^2\*x^2 - 21\*a^4\*x^4 + 5\*a^6\*x^6)\*ArcSin[a\*x]^3))/(13505625\*a)

**Maple [A]** time = 0.078, size = 278, normalized size = 0.8

$$-\frac{c^3}{13505625 a} \left( 1929375 (\arcsin(ax))^3 a^7 x^7 + 826875 (\arcsin(ax))^2 \sqrt{-a^2 x^2 + 1} a^6 x^6 - 8103375 (\arcsin(ax))^3 a^5 x^5 - 23 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)^3\*arcsin(a\*x)^3,x)

[Out] -1/13505625/a\*c^3\*(1929375\*arcsin(a\*x)^3\*a^7\*x^7+826875\*arcsin(a\*x)^2\*(-a^2\*x^2+1)^(1/2)\*a^6\*x^6-8103375\*arcsin(a\*x)^3\*a^5\*x^5-236250\*arcsin(a\*x)\*a^7\*x^7-3869775\*arcsin(a\*x)^2\*(-a^2\*x^2+1)^(1/2)\*a^4\*x^4-33750\*a^6\*x^6\*(-a^2\*x^2+1)^(1/2)+13505625\*arcsin(a\*x)^3\*a^3\*x^3+1547910\*a^5\*x^5\*arcsin(a\*x)+8345925\*arcsin(a\*x)^2\*(-a^2\*x^2+1)^(1/2)\*a^2\*x^2+269082\*a^4\*x^4\*(-a^2\*x^2+1)^(1/2)-13505625\*a\*x\*arcsin(a\*x)^3-5563950\*a^3\*x^3\*arcsin(a\*x)-23825025\*arcsin(a\*x)^2\*(-a^2\*x^2+1)^(1/2)-1495874\*a^2\*x^2\*(-a^2\*x^2+1)^(1/2)+47650050\*a\*x\*arcsin(a\*x)+44658302\*(-a^2\*x^2+1)^(1/2))

**Maxima [A]** time = 1.56688, size = 383, normalized size = 1.04

$$-\frac{1}{1225} \left( 75 \sqrt{-a^2 x^2 + 1} a^4 c^3 x^6 - 351 \sqrt{-a^2 x^2 + 1} a^2 c^3 x^4 + 757 \sqrt{-a^2 x^2 + 1} c^3 x^2 - \frac{2161 \sqrt{-a^2 x^2 + 1} c^3}{a^2} \right) a \arcsin(ax)^2 - \frac{1}{35}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^3\*arcsin(a\*x)^3,x, algorithm="maxima")

[Out] -1/1225\*(75\*sqrt(-a^2\*x^2 + 1)\*a^4\*c^3\*x^6 - 351\*sqrt(-a^2\*x^2 + 1)\*a^2\*c^3\*x^4 + 757\*sqrt(-a^2\*x^2 + 1)\*c^3\*x^2 - 2161\*sqrt(-a^2\*x^2 + 1)\*c^3/a^2)\*a\*arcsin(a\*x)^2 - 1/35\*(5\*a^6\*c^3\*x^7 - 21\*a^4\*c^3\*x^5 + 35\*a^2\*c^3\*x^3 - 35\*c^3\*x)\*arcsin(a\*x)^3 + 2/13505625\*(16875\*sqrt(-a^2\*x^2 + 1)\*a^4\*c^3\*x^6 - 134541\*sqrt(-a^2\*x^2 + 1)\*a^2\*c^3\*x^4 + 747937\*sqrt(-a^2\*x^2 + 1)\*c^3\*x^2 - 22329151\*sqrt(-a^2\*x^2 + 1)\*c^3/a^2 + 105\*(1125\*a^6\*c^3\*x^7 - 7371\*a^4\*c^3\*x^5 + 26495\*a^2\*c^3\*x^3 - 226905\*c^3\*x)\*arcsin(a\*x)/a)\*a

**Fricas [A]** time = 1.79716, size = 512, normalized size = 1.38

$$385875 (5 a^7 c^3 x^7 - 21 a^5 c^3 x^5 + 35 a^3 c^3 x^3 - 35 a c^3 x) \arcsin(ax)^3 - 210 (1125 a^7 c^3 x^7 - 7371 a^5 c^3 x^5 + 26495 a^3 c^3 x^3 - 22$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^3\*arcsin(a\*x)^3,x, algorithm="fricas")

[Out] 
$$\frac{-1/13505625*(385875*(5*a^7*c^3*x^7 - 21*a^5*c^3*x^5 + 35*a^3*c^3*x^3 - 35*a*c^3*x)*arcsin(a*x)^3 - 210*(1125*a^7*c^3*x^7 - 7371*a^5*c^3*x^5 + 26495*a^3*c^3*x^3 - 226905*a*c^3*x)*arcsin(a*x) - (33750*a^6*c^3*x^6 - 269082*a^4*c^3*x^4 + 1495874*a^2*c^3*x^2 - 44658302*c^3 - 11025*(75*a^6*c^3*x^6 - 351*a^4*c^3*x^4 + 757*a^2*c^3*x^2 - 2161*c^3)*arcsin(a*x)^2)*sqrt(-a^2*x^2 + 1))}{a}$$

**Sympy [A]** time = 25.7385, size = 355, normalized size = 0.96

$$\left\{ \begin{array}{l} -\frac{a^6 c^3 x^7 \operatorname{asin}^3(ax)}{7} + \frac{6 a^6 c^3 x^7 \operatorname{asin}(ax)}{343} - \frac{3 a^5 c^3 x^6 \sqrt{-a^2 x^2 + 1} \operatorname{asin}^2(ax)}{49} + \frac{6 a^5 c^3 x^6 \sqrt{-a^2 x^2 + 1}}{2401} + \frac{3 a^4 c^3 x^5 \operatorname{asin}^3(ax)}{5} - \frac{702 a^4 c^3 x^5 \operatorname{asin}(ax)}{6125} + \frac{351 a^3 c^3}{0} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*3\*asin(a\*x)\*\*3,x)

[Out] Piecewise((-a\*\*6\*c\*\*3\*x\*\*7\*asin(a\*x)\*\*3/7 + 6\*a\*\*6\*c\*\*3\*x\*\*7\*asin(a\*x)/343 - 3\*a\*\*5\*c\*\*3\*x\*\*6\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/49 + 6\*a\*\*5\*c\*\*3\*x\*\*6\*sqrt(-a\*\*2\*x\*\*2 + 1)/2401 + 3\*a\*\*4\*c\*\*3\*x\*\*5\*asin(a\*x)\*\*3/5 - 702\*a\*\*4\*c\*\*3\*x\*\*5\*asin(a\*x)/6125 + 351\*a\*\*3\*c\*\*3\*x\*\*4\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/1225 - 29898\*a\*\*3\*c\*\*3\*x\*\*4\*sqrt(-a\*\*2\*x\*\*2 + 1)/1500625 - a\*\*2\*c\*\*3\*x\*\*3\*asin(a\*x)\*\*3 + 1514\*a\*\*2\*c\*\*3\*x\*\*3\*asin(a\*x)/3675 - 757\*a\*c\*\*3\*x\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/1225 + 1495874\*a\*c\*\*3\*x\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1)/13505625 + c\*\*3\*x\*asin(a\*x)\*\*3 - 4322\*c\*\*3\*x\*asin(a\*x)/1225 + 2161\*c\*\*3\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/(1225\*a) - 44658302\*c\*\*3\*sqrt(-a\*\*2\*x\*\*2 + 1)/(13505625\*a), Ne(a, 0)), (0, True))

**Giac [A]** time = 1.45968, size = 512, normalized size = 1.38

$$-\frac{1}{7} (a^2 x^2 - 1)^3 c^3 x \arcsin(ax)^3 + \frac{6}{35} (a^2 x^2 - 1)^2 c^3 x \arcsin(ax)^3 + \frac{6}{343} (a^2 x^2 - 1)^3 c^3 x \arcsin(ax) - \frac{8}{35} (a^2 x^2 - 1) c^3 x \arcsin(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^3\*arcsin(a\*x)^3,x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/7*(a^2*x^2 - 1)^3*c^3*x*arcsin(a*x)^3 + 6/35*(a^2*x^2 - 1)^2*c^3*x*arcsin(a*x)^3 + 6/343*(a^2*x^2 - 1)^3*c^3*x*arcsin(a*x) - 8/35*(a^2*x^2 - 1)*c^3*x*arcsin(a*x)^3 - 3/49*(a^2*x^2 - 1)^3*\sqrt{-a^2*x^2 + 1}*c^3*arcsin(a*x)^2/a - 2664/42875*(a^2*x^2 - 1)^2*c^3*x*arcsin(a*x) + 16/35*c^3*x*arcsin(a*x)^3 + 18/175*(a^2*x^2 - 1)^2*\sqrt{-a^2*x^2 + 1}*c^3*arcsin(a*x)^2/a + 30256/128625*(a^2*x^2 - 1)*c^3*x*arcsin(a*x) + 6/2401*(a^2*x^2 - 1)^3*\sqrt{-a^2*x^2 + 1}*c^3/a + 8/35*(-a^2*x^2 + 1)^{(3/2)}*c^3*arcsin(a*x)^2/a - 413312/128625*c^3*x*arcsin(a*x) - 2664/214375*(a^2*x^2 - 1)^2*\sqrt{-a^2*x^2 + 1}*c^3/a + 48/35*\sqrt{-a^2*x^2 + 1}*c^3*arcsin(a*x)^2/a - 30256/385875*(-a^2*x^2 + 1)^{(3/2)}*c^3/a - 413312/128625*\sqrt{-a^2*x^2 + 1}*c^3/a \end{aligned}$$



### 3.290 $\int (c - a^2cx^2)^2 \sin^{-1}(ax)^3 dx$

**Optimal.** Leaf size=273

$$\frac{6c^2(1-a^2x^2)^{5/2}}{625a} - \frac{272c^2(1-a^2x^2)^{3/2}}{3375a} - \frac{4144c^2\sqrt{1-a^2x^2}}{1125a} - \frac{6}{125}a^4c^2x^5\sin^{-1}(ax) + \frac{76}{225}a^2c^2x^3\sin^{-1}(ax) + \frac{1}{5}c^2x(1 -$$

[Out]  $(-4144*c^2*sqrt[1 - a^2*x^2])/(1125*a) - (272*c^2*(1 - a^2*x^2)^(3/2))/(3375*a) - (6*c^2*(1 - a^2*x^2)^(5/2))/(625*a) - (298*c^2*x*ArcSin[a*x])/75 + (76*a^2*c^2*x^3*ArcSin[a*x])/225 - (6*a^4*c^2*x^5*ArcSin[a*x])/125 + (8*c^2*sqrt[1 - a^2*x^2]*ArcSin[a*x]^2)/(5*a) + (4*c^2*(1 - a^2*x^2)^(3/2)*ArcSin[a*x]^2)/(15*a) + (3*c^2*(1 - a^2*x^2)^(5/2)*ArcSin[a*x]^2)/(25*a) + (8*c^2*x*ArcSin[a*x]^3)/15 + (4*c^2*x*(1 - a^2*x^2)*ArcSin[a*x]^3)/15 + (c^2*x*(1 - a^2*x^2)^2*ArcSin[a*x]^3)/5$

**Rubi [A]** time = 0.40738, antiderivative size = 273, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 11, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.55$ , Rules used = {4649, 4619, 4677, 261, 4645, 444, 43, 194, 12, 1247, 698}

$$\frac{6c^2(1-a^2x^2)^{5/2}}{625a} - \frac{272c^2(1-a^2x^2)^{3/2}}{3375a} - \frac{4144c^2\sqrt{1-a^2x^2}}{1125a} - \frac{6}{125}a^4c^2x^5\sin^{-1}(ax) + \frac{76}{225}a^2c^2x^3\sin^{-1}(ax) + \frac{1}{5}c^2x(1 -$$

Antiderivative was successfully verified.

[In] Int[(c - a^2\*c\*x^2)^2\*ArcSin[a\*x]^3,x]

[Out]  $(-4144*c^2*sqrt[1 - a^2*x^2])/(1125*a) - (272*c^2*(1 - a^2*x^2)^(3/2))/(3375*a) - (6*c^2*(1 - a^2*x^2)^(5/2))/(625*a) - (298*c^2*x*ArcSin[a*x])/75 + (76*a^2*c^2*x^3*ArcSin[a*x])/225 - (6*a^4*c^2*x^5*ArcSin[a*x])/125 + (8*c^2*sqrt[1 - a^2*x^2]*ArcSin[a*x]^2)/(5*a) + (4*c^2*(1 - a^2*x^2)^(3/2)*ArcSin[a*x]^2)/(15*a) + (3*c^2*(1 - a^2*x^2)^(5/2)*ArcSin[a*x]^2)/(25*a) + (8*c^2*x*ArcSin[a*x]^3)/15 + (4*c^2*x*(1 - a^2*x^2)*ArcSin[a*x]^3)/15 + (c^2*x*(1 - a^2*x^2)^2*ArcSin[a*x]^3)/5$

#### Rule 4649

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := Simp[(x\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(2\*p + 1), x] + Dist[(2\*d\*p)/(2\*p + 1), Int[(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d\*IntPart[p]\*(d + e\*x^2)^FracPart[p])/((2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1)

, x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0]

### Rule 4619

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n, x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

### Rule 4645

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

### Rule 444

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n + 1, 0]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 194

$\text{Int}[(a + (b \cdot x)^n)^p, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b \cdot x^n)^p, x], x] /;$  FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 12

$\text{Int}[a \cdot (u), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /;$  FreeQ[a, x] && !MatchQ[u, (b \cdot v) /; FreeQ[b, x]]

Rule 1247

$\text{Int}[(x) \cdot ((d) + (e \cdot x)^2)^q \cdot ((a) + (b \cdot x)^2 + (c \cdot x)^4)^p, x\_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + e \cdot x)^q \cdot (a + b \cdot x + c \cdot x^2)^p, x], x, x^2], x] /;$  FreeQ[{a, b, c, d, e, p, q}, x]

Rule 698

$\text{Int}[(d + (e \cdot x)^m) \cdot (a + (b \cdot x) + (c \cdot x)^2)^p, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e \cdot x)^m \cdot (a + b \cdot x + c \cdot x^2)^p, x], x] /;$  FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4 \cdot a \cdot c, 0] && NeQ[c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2, 0] && NeQ[2 \cdot c \cdot d - b \cdot e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rubi steps

$$\begin{aligned}
\int (c - a^2cx^2)^2 \sin^{-1}(ax)^3 dx &= \frac{1}{5}c^2x(1 - a^2x^2)^2 \sin^{-1}(ax)^3 + \frac{1}{5}(4c) \int (c - a^2cx^2) \sin^{-1}(ax)^3 dx - \frac{1}{5}(3ac^2) \int x(1 - a^2x^2) \sin^{-1}(ax)^3 dx \\
&= \frac{3c^2(1 - a^2x^2)^{5/2} \sin^{-1}(ax)^2}{25a} + \frac{4}{15}c^2x(1 - a^2x^2) \sin^{-1}(ax)^3 + \frac{1}{5}c^2x(1 - a^2x^2)^2 \sin^{-1}(ax)^3 \\
&= -\frac{6}{25}c^2x \sin^{-1}(ax) + \frac{4}{25}a^2c^2x^3 \sin^{-1}(ax) - \frac{6}{125}a^4c^2x^5 \sin^{-1}(ax) + \frac{4c^2(1 - a^2x^2)^{3/2} \sin^{-1}(ax)}{15a} \\
&= -\frac{58}{75}c^2x \sin^{-1}(ax) + \frac{76}{225}a^2c^2x^3 \sin^{-1}(ax) - \frac{6}{125}a^4c^2x^5 \sin^{-1}(ax) + \frac{8c^2\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{5a} \\
&= -\frac{298}{75}c^2x \sin^{-1}(ax) + \frac{76}{225}a^2c^2x^3 \sin^{-1}(ax) - \frac{6}{125}a^4c^2x^5 \sin^{-1}(ax) + \frac{8c^2\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{5a} \\
&= -\frac{16c^2\sqrt{1 - a^2x^2}}{5a} - \frac{298}{75}c^2x \sin^{-1}(ax) + \frac{76}{225}a^2c^2x^3 \sin^{-1}(ax) - \frac{6}{125}a^4c^2x^5 \sin^{-1}(ax) + \frac{8c^2\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{5a} \\
&= -\frac{4144c^2\sqrt{1 - a^2x^2}}{1125a} - \frac{272c^2(1 - a^2x^2)^{3/2}}{3375a} - \frac{6c^2(1 - a^2x^2)^{5/2}}{625a} - \frac{298}{75}c^2x \sin^{-1}(ax) + \frac{76}{225}a^2c^2x^3 \sin^{-1}(ax)
\end{aligned}$$

**Mathematica [A]** time = 0.215761, size = 139, normalized size = 0.51

$$\frac{c^2 \left( -2\sqrt{1 - a^2x^2} (81a^4x^4 - 842a^2x^2 + 31841) + 1125ax (3a^4x^4 - 10a^2x^2 + 15) \sin^{-1}(ax)^3 + 225\sqrt{1 - a^2x^2} (9a^4x^4 - 38a^2x^2 + 15) \sin^{-1}(ax)^2 + 1125a^3x^3 \sin^{-1}(ax) \right)}{16875a}$$

Antiderivative was successfully verified.

[In] Integrate[(c - a^2\*c\*x^2)^2\*ArcSin[a\*x]^3,x]

[Out] (c^2\*(-2\*Sqrt[1 - a^2\*x^2]\*(31841 - 842\*a^2\*x^2 + 81\*a^4\*x^4) - 30\*a\*x\*(2235 - 190\*a^2\*x^2 + 27\*a^4\*x^4)\*ArcSin[a\*x] + 225\*Sqrt[1 - a^2\*x^2]\*(149 - 38\*a^2\*x^2 + 9\*a^4\*x^4)\*ArcSin[a\*x]^2 + 1125\*a\*x\*(15 - 10\*a^2\*x^2 + 3\*a^4\*x^4)\*ArcSin[a\*x]^3))/(16875\*a)

**Maple [A]** time = 0.052, size = 206, normalized size = 0.8

$$\frac{c^2}{16875a} \left( 3375 (\arcsin(ax))^3 a^5 x^5 + 2025 (\arcsin(ax))^2 \sqrt{-a^2x^2 + 1} a^4 x^4 - 11250 (\arcsin(ax))^3 a^3 x^3 - 810 a^5 x^5 \arcsin(ax) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)^2\*arcsin(a\*x)^3,x)

[Out] 1/16875/a\*c^2\*(3375\*arcsin(a\*x)^3\*a^5\*x^5+2025\*arcsin(a\*x)^2\*(-a^2\*x^2+1)^(1/2)\*a^4\*x^4-11250\*arcsin(a\*x)^3\*a^3\*x^3-810\*a^5\*x^5\*arcsin(a\*x)-8550\*arcsin(a\*x)^2\*(-a^2\*x^2+1)^(1/2)\*a^2\*x^2-162\*a^4\*x^4\*(-a^2\*x^2+1)^(1/2)+16875\*a\*x\*arcsin(a\*x)^3+5700\*a^3\*x^3\*arcsin(a\*x)+33525\*arcsin(a\*x)^2\*(-a^2\*x^2+1)^(1/2)+1684\*a^2\*x^2\*(-a^2\*x^2+1)^(1/2)-67050\*a\*x\*arcsin(a\*x)-63682\*(-a^2\*x^2+1)^(1/2))

**Maxima [A]** time = 1.57211, size = 292, normalized size = 1.07

$$\frac{1}{75} \left( 9 \sqrt{-a^2x^2 + 1} a^2 c^2 x^4 - 38 \sqrt{-a^2x^2 + 1} c^2 x^2 + \frac{149 \sqrt{-a^2x^2 + 1} c^2}{a^2} \right) a \arcsin(ax)^2 + \frac{1}{15} (3 a^4 c^2 x^5 - 10 a^2 c^2 x^3 + 15 c^2 x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^2\*arcsin(a\*x)^3,x, algorithm="maxima")

[Out] 1/75\*(9\*sqrt(-a^2\*x^2 + 1)\*a^2\*c^2\*x^4 - 38\*sqrt(-a^2\*x^2 + 1)\*c^2\*x^2 + 149\*sqrt(-a^2\*x^2 + 1)\*c^2/a^2)\*a\*arcsin(a\*x)^2 + 1/15\*(3\*a^4\*c^2\*x^5 - 10\*a^2\*c^2\*x^3 + 15\*c^2\*x)\*arcsin(a\*x)^3 - 2/16875\*(81\*sqrt(-a^2\*x^2 + 1)\*a^2\*c^2\*x^4 - 842\*sqrt(-a^2\*x^2 + 1)\*c^2\*x^2 + 15\*(27\*a^4\*c^2\*x^5 - 190\*a^2\*c^2\*x^3 + 2235\*c^2\*x)\*arcsin(a\*x)/a + 31841\*sqrt(-a^2\*x^2 + 1)\*c^2/a^2)\*a

**Fricas [A]** time = 1.71337, size = 375, normalized size = 1.37

$$\frac{1125 (3 a^5 c^2 x^5 - 10 a^3 c^2 x^3 + 15 a c^2 x) \arcsin(ax)^3 - 30 (27 a^5 c^2 x^5 - 190 a^3 c^2 x^3 + 2235 a c^2 x) \arcsin(ax) - (162 a^4 c^2 x^4 - 1684 a^2 c^2 x^2 - 225 (9 a^4 c^2 x^4 - 38 a^2 c^2 x^2 + 149 c^2) \arcsin(a x)^2 + 63682 c^2) \sqrt{-a^2 x^2 + 1}}{16875 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^2\*arcsin(a\*x)^3,x, algorithm="fricas")

[Out] 1/16875\*(1125\*(3\*a^5\*c^2\*x^5 - 10\*a^3\*c^2\*x^3 + 15\*a\*c^2\*x)\*arcsin(a\*x)^3 - 30\*(27\*a^5\*c^2\*x^5 - 190\*a^3\*c^2\*x^3 + 2235\*a\*c^2\*x)\*arcsin(a\*x) - (162\*a^4\*c^2\*x^4 - 1684\*a^2\*c^2\*x^2 - 225\*(9\*a^4\*c^2\*x^4 - 38\*a^2\*c^2\*x^2 + 149\*c^2)\*arcsin(a\*x)^2 + 63682\*c^2)\*sqrt(-a^2\*x^2 + 1))/a

---

**Sympy [A]** time = 8.79385, size = 262, normalized size = 0.96

$$\left\{ \begin{array}{l} \frac{a^4 c^2 x^5 \operatorname{asin}^3(ax)}{5} - \frac{6a^4 c^2 x^5 \operatorname{asin}(ax)}{125} + \frac{3a^3 c^2 x^4 \sqrt{-a^2 x^2 + 1} \operatorname{asin}^2(ax)}{25} - \frac{6a^3 c^2 x^4 \sqrt{-a^2 x^2 + 1}}{625} - \frac{2a^2 c^2 x^3 \operatorname{asin}^3(ax)}{3} + \frac{76a^2 c^2 x^3 \operatorname{asin}(ax)}{225} - \frac{38ac^2 x^2 \sqrt{-a^2 x^2 + 1}}{7} \\ 0 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*2\*asin(a\*x)\*\*3,x)

[Out] Piecewise((a\*\*4\*c\*\*2\*x\*\*5\*asin(a\*x)\*\*3/5 - 6\*a\*\*4\*c\*\*2\*x\*\*5\*asin(a\*x)/125 + 3\*a\*\*3\*c\*\*2\*x\*\*4\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/25 - 6\*a\*\*3\*c\*\*2\*x\*\*4\*sqrt(-a\*\*2\*x\*\*2 + 1)/625 - 2\*a\*\*2\*c\*\*2\*x\*\*3\*asin(a\*x)\*\*3/3 + 76\*a\*\*2\*c\*\*2\*x\*\*3\*asin(a\*x)/225 - 38\*a\*c\*\*2\*x\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/75 + 16\*84\*a\*c\*\*2\*x\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1)/16875 + c\*\*2\*x\*asin(a\*x)\*\*3 - 298\*c\*\*2\*x\*asin(a\*x)/75 + 149\*c\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/(75\*a) - 63682\*c\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1)/(16875\*a), Ne(a, 0)), (0, True))

---

**Giac [A]** time = 1.44186, size = 360, normalized size = 1.32

$$\frac{1}{5} (a^2 x^2 - 1)^2 c^2 x \arcsin(ax)^3 - \frac{4}{15} (a^2 x^2 - 1) c^2 x \arcsin(ax)^3 - \frac{6}{125} (a^2 x^2 - 1)^2 c^2 x \arcsin(ax) + \frac{8}{15} c^2 x \arcsin(ax)^3 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^2\*arcsin(a\*x)^3,x, algorithm="giac")

[Out] 1/5\*(a^2\*x^2 - 1)^2\*c^2\*x\*arcsin(a\*x)^3 - 4/15\*(a^2\*x^2 - 1)\*c^2\*x\*arcsin(a\*x)^3 - 6/125\*(a^2\*x^2 - 1)^2\*c^2\*x\*arcsin(a\*x) + 8/15\*c^2\*x\*arcsin(a\*x)^3 + 3/25\*(a^2\*x^2 - 1)^2\*sqrt(-a^2\*x^2 + 1)\*c^2\*arcsin(a\*x)^2/a + 272/1125\*(a^2\*x^2 - 1)\*c^2\*x\*arcsin(a\*x) + 4/15\*(-a^2\*x^2 + 1)^(3/2)\*c^2\*arcsin(a\*x)^2/a - 4144/1125\*c^2\*x\*arcsin(a\*x) - 6/625\*(a^2\*x^2 - 1)^2\*sqrt(-a^2\*x^2 + 1)\*c^2/a + 8/5\*sqrt(-a^2\*x^2 + 1)\*c^2\*arcsin(a\*x)^2/a - 272/3375\*(-a^2\*x^2 + 1)^(3/2)\*c^2/a - 4144/1125\*sqrt(-a^2\*x^2 + 1)\*c^2/a

### 3.291 $\int (c - a^2cx^2) \sin^{-1}(ax)^3 dx$

**Optimal.** Leaf size=158

$$-\frac{2c(1-a^2x^2)^{3/2}}{27a} - \frac{40c\sqrt{1-a^2x^2}}{9a} + \frac{2}{9}a^2cx^3 \sin^{-1}(ax) + \frac{1}{3}cx(1-a^2x^2) \sin^{-1}(ax)^3 + \frac{c(1-a^2x^2)^{3/2} \sin^{-1}(ax)^2}{3a} + \frac{2c\sqrt{1-a^2x^2}}{27a}$$

[Out]  $(-40*c*\text{Sqrt}[1 - a^2*x^2])/(9*a) - (2*c*(1 - a^2*x^2)^{(3/2)})/(27*a) - (14*c*x*\text{ArcSin}[a*x])/3 + (2*a^2*c*x^3*\text{ArcSin}[a*x])/9 + (2*c*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^2)/a + (c*(1 - a^2*x^2)^{(3/2)}*\text{ArcSin}[a*x]^2)/(3*a) + (2*c*x*\text{ArcSin}[a*x]^3)/3 + (c*x*(1 - a^2*x^2)*\text{ArcSin}[a*x]^3)/3$

**Rubi [A]** time = 0.210908, antiderivative size = 158, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$ , Rules used = {4649, 4619, 4677, 261, 4645, 444, 43}

$$-\frac{2c(1-a^2x^2)^{3/2}}{27a} - \frac{40c\sqrt{1-a^2x^2}}{9a} + \frac{2}{9}a^2cx^3 \sin^{-1}(ax) + \frac{1}{3}cx(1-a^2x^2) \sin^{-1}(ax)^3 + \frac{c(1-a^2x^2)^{3/2} \sin^{-1}(ax)^2}{3a} + \frac{2c\sqrt{1-a^2x^2}}{27a}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(c - a^2*c*x^2)*\text{ArcSin}[a*x]^3, x]$

[Out]  $(-40*c*\text{Sqrt}[1 - a^2*x^2])/(9*a) - (2*c*(1 - a^2*x^2)^{(3/2)})/(27*a) - (14*c*x*\text{ArcSin}[a*x])/3 + (2*a^2*c*x^3*\text{ArcSin}[a*x])/9 + (2*c*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^2)/a + (c*(1 - a^2*x^2)^{(3/2)}*\text{ArcSin}[a*x]^2)/(3*a) + (2*c*x*\text{ArcSin}[a*x]^3)/3 + (c*x*(1 - a^2*x^2)*\text{ArcSin}[a*x]^3)/3$

#### Rule 4649

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + (d + e*x^2)^p)^n, x]$   
 $\text{Int}[(a + \text{ArcSin}[c*x])*(b + (d + e*x^2)^p)^n, x] := \text{Simp}[x*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n/(2*p + 1), x] + \text{Dist}[(2*d*p)/(2*p + 1), \text{Int}[(d + e*x^2)^{p-1}*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}]/((2*p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[x*(1 - c^2*x^2)^{p-1/2}*(a + b*\text{ArcSin}[c*x])^n, x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{GtQ}[p, 0]$

#### Rule 4619

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + (d + e*x^2)^p)^n, x]$   
 $\text{Int}[(a + \text{ArcSin}[c*x])*(b + (d + e*x^2)^p)^n, x] := \text{Simp}[x*(a + b*\text{ArcSin}[c*x])^n, x] - \text{Dist}[b*c*n, \text{Int}[(x*(a + b*\text{ArcSin}[c*x])^n)/\text{Sqrt}[1 -$

$c^2x^2], x], x] /;$  FreeQ[{a, b, c}, x] && GtQ[n, 0]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

### Rule 4645

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

### Rule 444

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n + 1, 0]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rubi steps



$$\begin{aligned}
\int (c - a^2cx^2) \sin^{-1}(ax)^3 dx &= \frac{1}{3}cx(1 - a^2x^2) \sin^{-1}(ax)^3 + \frac{1}{3}(2c) \int \sin^{-1}(ax)^3 dx - (ac) \int x\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2 dx \\
&= \frac{c(1 - a^2x^2)^{3/2} \sin^{-1}(ax)^2}{3a} + \frac{2}{3}cx \sin^{-1}(ax)^3 + \frac{1}{3}cx(1 - a^2x^2) \sin^{-1}(ax)^3 - \frac{1}{3}(2c) \int (1 - a^2x^2) \sin^{-1}(ax)^2 dx \\
&= -\frac{2}{3}cx \sin^{-1}(ax) + \frac{2}{9}a^2cx^3 \sin^{-1}(ax) + \frac{2c\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{a} + \frac{c(1 - a^2x^2)^{3/2} \sin^{-1}(ax)}{3a} \\
&= -\frac{14}{3}cx \sin^{-1}(ax) + \frac{2}{9}a^2cx^3 \sin^{-1}(ax) + \frac{2c\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{a} + \frac{c(1 - a^2x^2)^{3/2} \sin^{-1}(ax)}{3a} \\
&= -\frac{4c\sqrt{1 - a^2x^2}}{a} - \frac{14}{3}cx \sin^{-1}(ax) + \frac{2}{9}a^2cx^3 \sin^{-1}(ax) + \frac{2c\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{a} + \frac{c(1 - a^2x^2)^{3/2} \sin^{-1}(ax)}{3a} \\
&= -\frac{40c\sqrt{1 - a^2x^2}}{9a} - \frac{2c(1 - a^2x^2)^{3/2}}{27a} - \frac{14}{3}cx \sin^{-1}(ax) + \frac{2}{9}a^2cx^3 \sin^{-1}(ax) + \frac{2c\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2}{a}
\end{aligned}$$

**Mathematica [A]** time = 0.0896877, size = 101, normalized size = 0.64

$$\frac{c(2\sqrt{1 - a^2x^2}(a^2x^2 - 61) - 9ax(a^2x^2 - 3) \sin^{-1}(ax)^3 - 9\sqrt{1 - a^2x^2}(a^2x^2 - 7) \sin^{-1}(ax)^2 + 6ax(a^2x^2 - 21) \sin^{-1}(ax))}{27a}$$

Antiderivative was successfully verified.

[In] Integrate[(c - a^2\*c\*x^2)\*ArcSin[a\*x]^3,x]

[Out] (c\*(2\*Sqrt[1 - a^2\*x^2]\*(-61 + a^2\*x^2) + 6\*a\*x\*(-21 + a^2\*x^2)\*ArcSin[a\*x] - 9\*Sqrt[1 - a^2\*x^2]\*(-7 + a^2\*x^2)\*ArcSin[a\*x]^2 - 9\*a\*x\*(-3 + a^2\*x^2)\*ArcSin[a\*x]^3))/(27\*a)

**Maple [A]** time = 0.041, size = 132, normalized size = 0.8

$$-\frac{c}{27a} \left( 9 (\arcsin(ax))^3 a^3 x^3 + 9 (\arcsin(ax))^2 \sqrt{-a^2x^2 + 1} a^2 x^2 - 27 ax (\arcsin(ax))^3 - 6 a^3 x^3 \arcsin(ax) - 63 (\arcsin(ax))^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)\*arcsin(a\*x)^3,x)

[Out]  $-1/27/a*c*(9*\arcsin(a*x)^3*a^3*x^3+9*\arcsin(a*x)^2*(-a^2*x^2+1)^{(1/2)}*a^2*x^2-27*a*x*\arcsin(a*x)^3-6*a^3*x^3*\arcsin(a*x)-63*\arcsin(a*x)^2*(-a^2*x^2+1)^{(1/2)}-2*a^2*x^2*(-a^2*x^2+1)^{(1/2)}+126*a*x*\arcsin(a*x)+122*(-a^2*x^2+1)^{(1/2)})$

**Maxima [A]** time = 1.58552, size = 173, normalized size = 1.09

$$-\frac{1}{3} \left( \sqrt{-a^2x^2 + 1}cx^2 - \frac{7\sqrt{-a^2x^2 + 1}c}{a^2} \right) a \arcsin(ax)^2 - \frac{1}{3} (a^2cx^3 - 3cx) \arcsin(ax)^3 + \frac{2}{27} \left( \sqrt{-a^2x^2 + 1}cx^2 + \frac{3(a^2cx^3 - 2cx)}{a^2} \right) a \arcsin(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a^2*c*x^2+c)*arcsin(a*x)^3,x, algorithm="maxima")`

[Out]  $-1/3*(\sqrt{-a^2*x^2 + 1}*c*x^2 - 7*\sqrt{-a^2*x^2 + 1}*c/a^2)*a*\arcsin(a*x)^2 - 1/3*(a^2*c*x^3 - 3*c*x)*\arcsin(a*x)^3 + 2/27*(\sqrt{-a^2*x^2 + 1}*c*x^2 + 3*(a^2*c*x^3 - 21*c*x)*\arcsin(a*x)/a - 61*\sqrt{-a^2*x^2 + 1}*c/a^2)*a$

**Fricas [A]** time = 1.61613, size = 225, normalized size = 1.42

$$\frac{9(a^3cx^3 - 3acx) \arcsin(ax)^3 - 6(a^3cx^3 - 21acx) \arcsin(ax) - (2a^2cx^2 - 9(a^2cx^2 - 7c) \arcsin(ax)^2 - 122c) \sqrt{-a^2x^2 + 1}}{27a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a^2*c*x^2+c)*arcsin(a*x)^3,x, algorithm="fricas")`

[Out]  $-1/27*(9*(a^3*c*x^3 - 3*a*c*x)*\arcsin(a*x)^3 - 6*(a^3*c*x^3 - 21*a*c*x)*\arcsin(a*x) - (2*a^2*c*x^2 - 9*(a^2*c*x^2 - 7*c)*\arcsin(a*x)^2 - 122*c)*\sqrt{-a^2*x^2 + 1})/a$

**Sympy [A]** time = 2.45054, size = 150, normalized size = 0.95

$$\left\{ \begin{array}{l} -\frac{a^2cx^3 \operatorname{asin}^3(ax)}{3} + \frac{2a^2cx^3 \operatorname{asin}(ax)}{9} - \frac{acx^2\sqrt{-a^2x^2+1} \operatorname{asin}^2(ax)}{3} + \frac{2acx^2\sqrt{-a^2x^2+1}}{27} + cx \operatorname{asin}^3(ax) - \frac{14cx \operatorname{asin}(ax)}{3} + \frac{7c\sqrt{-a^2x^2+1} \operatorname{asin}^2(ax)}{3a} \\ 0 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*asin(a\*x)\*\*3,x)

[Out] Piecewise((-a\*\*2\*c\*x\*\*3\*asin(a\*x)\*\*3/3 + 2\*a\*\*2\*c\*x\*\*3\*asin(a\*x)/9 - a\*c\*x\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/3 + 2\*a\*c\*x\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1)/27 + c\*x\*asin(a\*x)\*\*3 - 14\*c\*x\*asin(a\*x)/3 + 7\*c\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*2/(3\*a) - 122\*c\*sqrt(-a\*\*2\*x\*\*2 + 1)/(27\*a), Ne(a, 0)), (0, True))

**Giac [A]** time = 1.38332, size = 188, normalized size = 1.19

$$-\frac{1}{3}(a^2x^2 - 1)cx \arcsin(ax)^3 + \frac{2}{3}cx \arcsin(ax)^3 + \frac{2}{9}(a^2x^2 - 1)cx \arcsin(ax) + \frac{(-a^2x^2 + 1)^{\frac{3}{2}}c \arcsin(ax)^2}{3a} - \frac{40}{9}cx \arcsin(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)\*arcsin(a\*x)^3,x, algorithm="giac")

[Out] -1/3\*(a^2\*x^2 - 1)\*c\*x\*arcsin(a\*x)^3 + 2/3\*c\*x\*arcsin(a\*x)^3 + 2/9\*(a^2\*x^2 - 1)\*c\*x\*arcsin(a\*x) + 1/3\*(-a^2\*x^2 + 1)^(3/2)\*c\*arcsin(a\*x)^2/a - 40/9\*c\*x\*arcsin(a\*x) + 2\*sqrt(-a^2\*x^2 + 1)\*c\*arcsin(a\*x)^2/a - 2/27\*(-a^2\*x^2 + 1)^(3/2)\*c/a - 40/9\*sqrt(-a^2\*x^2 + 1)\*c/a

$$3.292 \quad \int \frac{\sin^{-1}(ax)^3}{c-a^2cx^2} dx$$

**Optimal.** Leaf size=200

$$\frac{3i \sin^{-1}(ax)^2 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(ax)}\right)}{ac} - \frac{3i \sin^{-1}(ax)^2 \text{PolyLog}\left(2, ie^{i \sin^{-1}(ax)}\right)}{ac} - \frac{6 \sin^{-1}(ax) \text{PolyLog}\left(3, -ie^{i \sin^{-1}(ax)}\right)}{ac} +$$

[Out]  $((-2*I)*\text{ArcSin}[a*x]^3*\text{ArcTan}[E^{(I*\text{ArcSin}[a*x])}])/(a*c) + ((3*I)*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c) - ((3*I)*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c) - (6*\text{ArcSin}[a*x]*\text{PolyLog}[3, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c) + (6*\text{ArcSin}[a*x]*\text{PolyLog}[3, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c) - ((6*I)*\text{PolyLog}[4, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c) + ((6*I)*\text{PolyLog}[4, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c)$

**Rubi [A]** time = 0.13375, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {4657, 4181, 2531, 6609, 2282, 6589}

$$\frac{3i \sin^{-1}(ax)^2 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(ax)}\right)}{ac} - \frac{3i \sin^{-1}(ax)^2 \text{PolyLog}\left(2, ie^{i \sin^{-1}(ax)}\right)}{ac} - \frac{6 \sin^{-1}(ax) \text{PolyLog}\left(3, -ie^{i \sin^{-1}(ax)}\right)}{ac} +$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^3/(c - a^2\*c\*x^2), x]

[Out]  $((-2*I)*\text{ArcSin}[a*x]^3*\text{ArcTan}[E^{(I*\text{ArcSin}[a*x])}])/(a*c) + ((3*I)*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c) - ((3*I)*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c) - (6*\text{ArcSin}[a*x]*\text{PolyLog}[3, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c) + (6*\text{ArcSin}[a*x]*\text{PolyLog}[3, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c) - ((6*I)*\text{PolyLog}[4, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c) + ((6*I)*\text{PolyLog}[4, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c)$

### Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/((d\_.) + (e\_.)\*(x\_)^2), x\_Symbol] :> Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] / ; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol]
:> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

### Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol]
:> Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol]
:> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^3}{c - a^2cx^2} dx &= \frac{\text{Subst}\left(\int x^3 \sec(x) dx, x, \sin^{-1}(ax)\right)}{ac} \\
&= -\frac{2i \sin^{-1}(ax)^3 \tan^{-1}\left(e^{i \sin^{-1}(ax)}\right)}{ac} - \frac{3 \text{Subst}\left(\int x^2 \log(1 - ie^{ix}) dx, x, \sin^{-1}(ax)\right)}{ac} + \frac{3 \text{Subst}\left(\int x^2 \log(1 + ie^{ix}) dx, x, \sin^{-1}(ax)\right)}{ac} \\
&= -\frac{2i \sin^{-1}(ax)^3 \tan^{-1}\left(e^{i \sin^{-1}(ax)}\right)}{ac} + \frac{3i \sin^{-1}(ax)^2 \text{Li}_2\left(-ie^{i \sin^{-1}(ax)}\right)}{ac} - \frac{3i \sin^{-1}(ax)^2 \text{Li}_2\left(ie^{i \sin^{-1}(ax)}\right)}{ac} \\
&= -\frac{2i \sin^{-1}(ax)^3 \tan^{-1}\left(e^{i \sin^{-1}(ax)}\right)}{ac} + \frac{3i \sin^{-1}(ax)^2 \text{Li}_2\left(-ie^{i \sin^{-1}(ax)}\right)}{ac} - \frac{3i \sin^{-1}(ax)^2 \text{Li}_2\left(ie^{i \sin^{-1}(ax)}\right)}{ac} \\
&= -\frac{2i \sin^{-1}(ax)^3 \tan^{-1}\left(e^{i \sin^{-1}(ax)}\right)}{ac} + \frac{3i \sin^{-1}(ax)^2 \text{Li}_2\left(-ie^{i \sin^{-1}(ax)}\right)}{ac} - \frac{3i \sin^{-1}(ax)^2 \text{Li}_2\left(ie^{i \sin^{-1}(ax)}\right)}{ac} \\
&= -\frac{2i \sin^{-1}(ax)^3 \tan^{-1}\left(e^{i \sin^{-1}(ax)}\right)}{ac} + \frac{3i \sin^{-1}(ax)^2 \text{Li}_2\left(-ie^{i \sin^{-1}(ax)}\right)}{ac} - \frac{3i \sin^{-1}(ax)^2 \text{Li}_2\left(ie^{i \sin^{-1}(ax)}\right)}{ac}
\end{aligned}$$

**Mathematica [A]** time = 0.181513, size = 162, normalized size = 0.81

$$i\left(-3 \sin^{-1}(ax)^2 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(ax)}\right) + 3 \sin^{-1}(ax)^2 \text{PolyLog}\left(2, ie^{i \sin^{-1}(ax)}\right) - 6i \sin^{-1}(ax) \text{PolyLog}\left(3, -ie^{i \sin^{-1}(ax)}\right) + 6i \sin^{-1}(ax) \text{PolyLog}\left(3, ie^{i \sin^{-1}(ax)}\right)\right) / (ac)$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^3/(c - a^2\*c\*x^2), x]

[Out] ((-I)\*(2\*ArcSin[a\*x]^3\*ArcTan[E^(I\*ArcSin[a\*x])]) - 3\*ArcSin[a\*x]^2\*PolyLog[2, (-I)\*E^(I\*ArcSin[a\*x])] + 3\*ArcSin[a\*x]^2\*PolyLog[2, I\*E^(I\*ArcSin[a\*x])]) - (6\*I)\*ArcSin[a\*x]\*PolyLog[3, (-I)\*E^(I\*ArcSin[a\*x])] + (6\*I)\*ArcSin[a\*x]\*PolyLog[3, I\*E^(I\*ArcSin[a\*x])] + 6\*PolyLog[4, (-I)\*E^(I\*ArcSin[a\*x])] - 6\*PolyLog[4, I\*E^(I\*ArcSin[a\*x])])/(a\*c)

**Maple [F]** time = 0.1, size = 0, normalized size = 0.

$$\int \frac{(\arcsin(ax))^3}{-a^2cx^2 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arcsin(a*x)^3/(-a^2*c*x^2+c),x)`

[Out] `int(arcsin(a*x)^3/(-a^2*c*x^2+c),x)`

**Maxima [A]** time = 2.24713, size = 49, normalized size = 0.24

$$\frac{1}{2} \left( \frac{\log(ax+1)}{ac} - \frac{\log(ax-1)}{ac} \right) \arcsin(ax)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^3/(-a^2*c*x^2+c),x, algorithm="maxima")`

[Out] `1/2*(log(a*x + 1)/(a*c) - log(a*x - 1)/(a*c))*arcsin(a*x)^3`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{\arcsin(ax)^3}{a^2cx^2 - c}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^3/(-a^2*c*x^2+c),x, algorithm="fricas")`

[Out] `integral(-arcsin(a*x)^3/(a^2*c*x^2 - c), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{\int \frac{\text{asin}^3(ax)}{a^2x^2-1} dx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**3/(-a**2*c*x**2+c),x)`

[Out] `-Integral(asin(a*x)**3/(a**2*x**2 - 1), x)/c`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{\arcsin(ax)^3}{a^2cx^2 - c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2+c),x, algorithm="giac")

[Out] integrate(-arcsin(a\*x)^3/(a^2\*c\*x^2 - c), x)



$$3.293 \quad \int \frac{\sin^{-1}(ax)^3}{(c-a^2cx^2)^2} dx$$

**Optimal.** Leaf size=337

$$\frac{3i \sin^{-1}(ax)^2 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(ax)}\right)}{2ac^2} - \frac{3i \sin^{-1}(ax)^2 \text{PolyLog}\left(2, ie^{i \sin^{-1}(ax)}\right)}{2ac^2} - \frac{3 \sin^{-1}(ax) \text{PolyLog}\left(3, -ie^{i \sin^{-1}(ax)}\right)}{ac^2}$$

[Out]  $(-3 \text{ArcSin}[a*x]^2)/(2*a*c^2*\text{Sqrt}[1 - a^2*x^2]) + (x*\text{ArcSin}[a*x]^3)/(2*c^2*(1 - a^2*x^2)) - ((6*I)*\text{ArcSin}[a*x]*\text{ArcTan}[E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) - (I*\text{ArcSin}[a*x]^3*\text{ArcTan}[E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) + ((3*I)*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) + (((3*I)/2)*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) - ((3*I)*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) - (((3*I)/2)*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) - (3*\text{ArcSin}[a*x]*\text{PolyLog}[3, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) + (3*\text{ArcSin}[a*x]*\text{PolyLog}[3, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) - ((3*I)*\text{PolyLog}[4, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) + ((3*I)*\text{PolyLog}[4, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c^2)$

**Rubi [A]** time = 0.296223, antiderivative size = 337, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 10, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {4655, 4657, 4181, 2531, 6609, 2282, 6589, 4677, 2279, 2391}

$$\frac{3i \sin^{-1}(ax)^2 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(ax)}\right)}{2ac^2} - \frac{3i \sin^{-1}(ax)^2 \text{PolyLog}\left(2, ie^{i \sin^{-1}(ax)}\right)}{2ac^2} - \frac{3 \sin^{-1}(ax) \text{PolyLog}\left(3, -ie^{i \sin^{-1}(ax)}\right)}{ac^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{ArcSin}[a*x]^3/(c - a^2*c*x^2)^2, x]$

[Out]  $(-3 \text{ArcSin}[a*x]^2)/(2*a*c^2*\text{Sqrt}[1 - a^2*x^2]) + (x*\text{ArcSin}[a*x]^3)/(2*c^2*(1 - a^2*x^2)) - ((6*I)*\text{ArcSin}[a*x]*\text{ArcTan}[E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) - (I*\text{ArcSin}[a*x]^3*\text{ArcTan}[E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) + ((3*I)*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) + (((3*I)/2)*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) - ((3*I)*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) - (((3*I)/2)*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) - (3*\text{ArcSin}[a*x]*\text{PolyLog}[3, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) + (3*\text{ArcSin}[a*x]*\text{PolyLog}[3, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) - ((3*I)*\text{PolyLog}[4, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c^2) + ((3*I)*\text{PolyLog}[4, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c^2)$

Rule 4655

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_), x_
Symbol] := -Simp[(x*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*d*(p + 1)
), x] + (Dist[(2*p + 3)/(2*d*(p + 1)), Int[(d + e*x^2)^(p + 1)*(a + b*ArcSi
n[c*x])^n, x], x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*(p
+ 1)*(1 - c^2*x^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcS
in[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0]
&& GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2), x_Symbol]
:= Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /;
FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_)^(m_.), x_Symbol]
:= Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]), x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_)^(m_.))*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)
*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_.))^(m_.) /; FreeQ[
```

```
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.),
x_Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x]
+ Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]),
Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x]
&& EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x]
/; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x]
/; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^3}{(c - a^2cx^2)^2} dx &= \frac{x \sin^{-1}(ax)^3}{2c^2(1 - a^2x^2)} - \frac{(3a) \int \frac{x \sin^{-1}(ax)^2}{(1 - a^2x^2)^{3/2}} dx}{2c^2} + \frac{\int \frac{\sin^{-1}(ax)^3}{c - a^2cx^2} dx}{2c} \\
&= -\frac{3 \sin^{-1}(ax)^2}{2ac^2 \sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)^3}{2c^2(1 - a^2x^2)} + \frac{3 \int \frac{\sin^{-1}(ax)}{1 - a^2x^2} dx}{c^2} + \frac{\text{Subst} \left( \int x^3 \sec(x) dx, x, \sin^{-1}(ax) \right)}{2ac^2} \\
&= -\frac{3 \sin^{-1}(ax)^2}{2ac^2 \sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)^3}{2c^2(1 - a^2x^2)} - \frac{i \sin^{-1}(ax)^3 \tan^{-1} \left( e^{i \sin^{-1}(ax)} \right)}{ac^2} - \frac{3 \text{Subst} \left( \int x^2 \log(1 - ie^{ix}) dx \right)}{2ac^2} \\
&= -\frac{3 \sin^{-1}(ax)^2}{2ac^2 \sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)^3}{2c^2(1 - a^2x^2)} - \frac{6i \sin^{-1}(ax) \tan^{-1} \left( e^{i \sin^{-1}(ax)} \right)}{ac^2} - \frac{i \sin^{-1}(ax)^3 \tan^{-1} \left( e^{i \sin^{-1}(ax)} \right)}{ac^2} \\
&= -\frac{3 \sin^{-1}(ax)^2}{2ac^2 \sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)^3}{2c^2(1 - a^2x^2)} - \frac{6i \sin^{-1}(ax) \tan^{-1} \left( e^{i \sin^{-1}(ax)} \right)}{ac^2} - \frac{i \sin^{-1}(ax)^3 \tan^{-1} \left( e^{i \sin^{-1}(ax)} \right)}{ac^2} \\
&= -\frac{3 \sin^{-1}(ax)^2}{2ac^2 \sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)^3}{2c^2(1 - a^2x^2)} - \frac{6i \sin^{-1}(ax) \tan^{-1} \left( e^{i \sin^{-1}(ax)} \right)}{ac^2} - \frac{i \sin^{-1}(ax)^3 \tan^{-1} \left( e^{i \sin^{-1}(ax)} \right)}{ac^2} \\
&= -\frac{3 \sin^{-1}(ax)^2}{2ac^2 \sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)^3}{2c^2(1 - a^2x^2)} - \frac{6i \sin^{-1}(ax) \tan^{-1} \left( e^{i \sin^{-1}(ax)} \right)}{ac^2} - \frac{i \sin^{-1}(ax)^3 \tan^{-1} \left( e^{i \sin^{-1}(ax)} \right)}{ac^2}
\end{aligned}$$

**Mathematica [A]** time = 0.403695, size = 234, normalized size = 0.69

$$-6 \sin^{-1}(ax) \text{PolyLog} \left( 3, -ie^{i \sin^{-1}(ax)} \right) + 6 \sin^{-1}(ax) \text{PolyLog} \left( 3, ie^{i \sin^{-1}(ax)} \right) + 3i \left( \sin^{-1}(ax)^2 + 2 \right) \text{PolyLog} \left( 2, -ie^{i \sin^{-1}(ax)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^3/(c - a^2\*c\*x^2)^2,x]

[Out] ((-3\*ArcSin[a\*x]^2)/Sqrt[1 - a^2\*x^2] + (a\*x\*ArcSin[a\*x]^3)/(1 - a^2\*x^2) - (12\*I)\*ArcSin[a\*x]\*ArcTan[E^(I\*ArcSin[a\*x])]) - (2\*I)\*ArcSin[a\*x]^3\*ArcTan[E^(I\*ArcSin[a\*x])] + (3\*I)\*(2 + ArcSin[a\*x]^2)\*PolyLog[2, (-I)\*E^(I\*ArcSin[a\*x])] - (3\*I)\*(2 + ArcSin[a\*x]^2)\*PolyLog[2, I\*E^(I\*ArcSin[a\*x])] - 6\*ArcSin[a\*x]\*PolyLog[3, (-I)\*E^(I\*ArcSin[a\*x])] + 6\*ArcSin[a\*x]\*PolyLog[3, I\*E^(I\*ArcSin[a\*x])] - (6\*I)\*PolyLog[4, (-I)\*E^(I\*ArcSin[a\*x])] + (6\*I)\*PolyLog[4, I\*E^(I\*ArcSin[a\*x])])/(2\*a\*c^2)

---

**Maple [A]** time = 0.149, size = 486, normalized size = 1.4

$$-\frac{x(\arcsin(ax))^3}{(2a^2x^2-2)c^2} + \frac{3(\arcsin(ax))^2}{2a(a^2x^2-1)c^2} \sqrt{-a^2x^2+1} - \frac{(\arcsin(ax))^3}{2ac^2} \ln\left(1+i\left(iax+\sqrt{-a^2x^2+1}\right)\right) + \frac{\frac{3i}{2}(\arcsin(ax))^2}{ac^2} \text{polylog}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^2,x)

[Out] 
$$-1/2/(a^2*x^2-1)*\arcsin(a*x)^3/c^2*x+3/2/a/(a^2*x^2-1)*\arcsin(a*x)^2/c^2*(-a^2*x^2+1)^{(1/2)}-1/2/a/c^2*\arcsin(a*x)^3*\ln(1+I*(I*a*x+(-a^2*x^2+1)^{(1/2)}))$$

$$+3/2*I*\arcsin(a*x)^2*\text{polylog}(2,-I*(I*a*x+(-a^2*x^2+1)^{(1/2)}))/a/c^2-3*\arcsin(a*x)*\text{polylog}(3,-I*(I*a*x+(-a^2*x^2+1)^{(1/2)}))/a/c^2-3*I*\text{polylog}(4,-I*(I*a*x+(-a^2*x^2+1)^{(1/2)}))/a/c^2+1/2/a/c^2*\arcsin(a*x)^3*\ln(1-I*(I*a*x+(-a^2*x^2+1)^{(1/2)}))-3/2*I*\arcsin(a*x)^2*\text{polylog}(2,I*(I*a*x+(-a^2*x^2+1)^{(1/2)}))/a/c^2+3*\arcsin(a*x)*\text{polylog}(3,I*(I*a*x+(-a^2*x^2+1)^{(1/2)}))/a/c^2+3*I*\text{polylog}(4,I*(I*a*x+(-a^2*x^2+1)^{(1/2)}))/a/c^2-3/a/c^2*\arcsin(a*x)*\ln(1+I*(I*a*x+(-a^2*x^2+1)^{(1/2)}))+3/a/c^2*\arcsin(a*x)*\ln(1-I*(I*a*x+(-a^2*x^2+1)^{(1/2)}))+3*I/a/c^2*\text{dilog}(1+I*(I*a*x+(-a^2*x^2+1)^{(1/2)}))-3*I/a/c^2*\text{dilog}(1-I*(I*a*x+(-a^2*x^2+1)^{(1/2)}))$$

---

**Maxima [A]** time = 2.65373, size = 77, normalized size = 0.23

$$-\frac{1}{4} \left( \frac{2x}{a^2c^2x^2 - c^2} - \frac{\log(ax+1)}{ac^2} + \frac{\log(ax-1)}{ac^2} \right) \arcsin(ax)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^2,x, algorithm="maxima")

[Out] 
$$-1/4*(2*x/(a^2*c^2*x^2 - c^2) - \log(ax + 1)/(a*c^2) + \log(ax - 1)/(a*c^2)) * \arcsin(a*x)^3$$

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{\arcsin(ax)^3}{a^4c^2x^4 - 2a^2c^2x^2 + c^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^2,x, algorithm="fricas")

[Out] integral(arcsin(a\*x)^3/(a^4\*c^2\*x^4 - 2\*a^2\*c^2\*x^2 + c^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{asin}^3(ax)}{a^4x^4 - 2a^2x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*3/(-a\*\*2\*c\*x\*\*2+c)\*\*2,x)

[Out] Integral(asin(a\*x)\*\*3/(a\*\*4\*x\*\*4 - 2\*a\*\*2\*x\*\*2 + 1), x)/c\*\*2

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arcsin}(ax)^3}{(a^2cx^2 - c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^2,x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^3/(a^2\*c\*x^2 - c)^2, x)

$$3.294 \quad \int \frac{\sin^{-1}(ax)^3}{(c-a^2cx^2)^3} dx$$

**Optimal.** Leaf size=455

$$\frac{9i \sin^{-1}(ax)^2 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(ax)}\right)}{8ac^3} - \frac{9i \sin^{-1}(ax)^2 \text{PolyLog}\left(2, ie^{i \sin^{-1}(ax)}\right)}{8ac^3} - \frac{9 \sin^{-1}(ax) \text{PolyLog}\left(3, -ie^{i \sin^{-1}(ax)}\right)}{4ac^3}$$

[Out]  $-1/(4*a*c^3*\text{Sqrt}[1 - a^2*x^2]) + (x*\text{ArcSin}[a*x])/(4*c^3*(1 - a^2*x^2)) - \text{ArcSin}[a*x]^2/(4*a*c^3*(1 - a^2*x^2)^{(3/2)}) - (9*\text{ArcSin}[a*x]^2)/(8*a*c^3*\text{Sqrt}[1 - a^2*x^2]) + (x*\text{ArcSin}[a*x]^3)/(4*c^3*(1 - a^2*x^2)^2) + (3*x*\text{ArcSin}[a*x]^3)/(8*c^3*(1 - a^2*x^2)) - ((5*I)*\text{ArcSin}[a*x]*\text{ArcTan}[E^{(I*\text{ArcSin}[a*x])}])/(a*c^3) - (((3*I)/4)*\text{ArcSin}[a*x]^3*\text{ArcTan}[E^{(I*\text{ArcSin}[a*x])}])/(a*c^3) + (((5*I)/2)*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c^3) + (((9*I)/8)*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c^3) - (((5*I)/2)*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c^3) - (((9*I)/8)*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c^3) - (9*\text{ArcSin}[a*x]*\text{PolyLog}[3, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(4*a*c^3) + (9*\text{ArcSin}[a*x]*\text{PolyLog}[3, I*E^{(I*\text{ArcSin}[a*x])}])/(4*a*c^3) - (((9*I)/4)*\text{PolyLog}[4, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c^3) + (((9*I)/4)*\text{PolyLog}[4, I*E^{(I*\text{ArcSin}[a*x])}])/(a*c^3)$

**Rubi [A]** time = 0.507124, antiderivative size = 455, normalized size of antiderivative = 1., number of steps used = 28, number of rules used = 11, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.55$ , Rules used = {4655, 4657, 4181, 2531, 6609, 2282, 6589, 4677, 2279, 2391, 261}

$$\frac{9i \sin^{-1}(ax)^2 \text{PolyLog}\left(2, -ie^{i \sin^{-1}(ax)}\right)}{8ac^3} - \frac{9i \sin^{-1}(ax)^2 \text{PolyLog}\left(2, ie^{i \sin^{-1}(ax)}\right)}{8ac^3} - \frac{9 \sin^{-1}(ax) \text{PolyLog}\left(3, -ie^{i \sin^{-1}(ax)}\right)}{4ac^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{ArcSin}[a*x]^3/(c - a^2*c*x^2)^3, x]$

[Out]  $-1/(4*a*c^3*\text{Sqrt}[1 - a^2*x^2]) + (x*\text{ArcSin}[a*x])/(4*c^3*(1 - a^2*x^2)) - \text{ArcSin}[a*x]^2/(4*a*c^3*(1 - a^2*x^2)^{(3/2)}) - (9*\text{ArcSin}[a*x]^2)/(8*a*c^3*\text{Sqrt}[1 - a^2*x^2]) + (x*\text{ArcSin}[a*x]^3)/(4*c^3*(1 - a^2*x^2)^2) + (3*x*\text{ArcSin}[a*x]^3)/(8*c^3*(1 - a^2*x^2)) - ((5*I)*\text{ArcSin}[a*x]*\text{ArcTan}[E^{(I*\text{ArcSin}[a*x])}])/(a*c^3) - (((3*I)/4)*\text{ArcSin}[a*x]^3*\text{ArcTan}[E^{(I*\text{ArcSin}[a*x])}])/(a*c^3) + (((5*I)/2)*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c^3) + (((9*I)/8)*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, (-I)*E^{(I*\text{ArcSin}[a*x])}])/(a*c^3) - (((5*I)/2)*\text{PolyLog}[2, I*$

$$\begin{aligned} & E^{\left(I \operatorname{ArcSin}[a x]\right)} / \left(a c^3\right) - \left(\left(9 I\right) / 8\right) \operatorname{ArcSin}[a x]^2 \operatorname{PolyLog}\left[2, I E^{\left(I \operatorname{ArcSin}[a x]\right)}\right] / \left(a c^3\right) - \left(9 \operatorname{ArcSin}[a x] \operatorname{PolyLog}\left[3, \left(-I\right) E^{\left(I \operatorname{ArcSin}[a x]\right)}\right]\right) / \left(4 a c^3\right) + \left(9 \operatorname{ArcSin}[a x] \operatorname{PolyLog}\left[3, I E^{\left(I \operatorname{ArcSin}[a x]\right)}\right]\right) / \left(4 a c^3\right) - \left(\left(9 I\right) / 4\right) \operatorname{PolyLog}\left[4, \left(-I\right) E^{\left(I \operatorname{ArcSin}[a x]\right)}\right] / \left(a c^3\right) + \left(\left(9 I\right) / 4\right) \operatorname{PolyLog}\left[4, I E^{\left(I \operatorname{ArcSin}[a x]\right)}\right] / \left(a c^3\right) \end{aligned}$$

### Rule 4655

$$\begin{aligned} & \operatorname{Int}\left[\left(a_{.}\right) + \operatorname{ArcSin}\left[\left(c_{.}\right)\left(x_{.}\right)\right]\left(b_{.}\right)^{\left(n_{.}\right)}\left(\left(d_{.}\right) + \left(e_{.}\right)\left(x_{.}\right)^2\right)^{\left(p_{.}\right)}, x_{\text{Symbol}}\right] \\ & \rightarrow -\operatorname{Simp}\left[\left(x\left(d + e x^2\right)^{\left(p + 1\right)}\left(a + b \operatorname{ArcSin}\left[c x\right]\right)^n\right) / \left(2 d^*\left(p + 1\right)\right), x\right] \\ & + \left(\operatorname{Dist}\left[\left(2 p + 3\right) / \left(2 d^*\left(p + 1\right)\right), \operatorname{Int}\left[\left(d + e x^2\right)^{\left(p + 1\right)}\left(a + b \operatorname{ArcSin}\left[c x\right]\right)^n, x\right], x\right] \right. \\ & + \operatorname{Dist}\left[\left(b c^n d^{\operatorname{IntPart}[p]}\left(d + e x^2\right)^{\operatorname{FracPart}[p]}\right) / \left(2^*\left(p + 1\right)\left(1 - c^2 x^2\right)^{\operatorname{FracPart}[p]}\right), \operatorname{Int}\left[x\left(1 - c^2 x^2\right)^{\left(p + 1 / 2\right)}\left(a + b \operatorname{ArcSin}\left[c x\right]\right)^{\left(n - 1\right)}, x\right], x\right] \right) / ; \\ & \operatorname{FreeQ}\left[\{a, b, c, d, e\}, x\right] \&\& \operatorname{EqQ}\left[c^2 d + e, 0\right] \&\& \operatorname{GtQ}\left[n, 0\right] \&\& \operatorname{LtQ}\left[p, -1\right] \&\& \operatorname{NeQ}\left[p, -3 / 2\right] \end{aligned}$$

### Rule 4657

$$\begin{aligned} & \operatorname{Int}\left[\left(a_{.}\right) + \operatorname{ArcSin}\left[\left(c_{.}\right)\left(x_{.}\right)\right]\left(b_{.}\right)^{\left(n_{.}\right)} / \left(\left(d_{.}\right) + \left(e_{.}\right)\left(x_{.}\right)^2\right), x_{\text{Symbol}}\right] \\ & \rightarrow \operatorname{Dist}\left[1 / \left(c d\right), \operatorname{Subst}\left[\operatorname{Int}\left[\left(a + b x\right)^n \operatorname{Sec}[x], x\right], x, \operatorname{ArcSin}\left[c x\right]\right], x\right] / ; \\ & \operatorname{FreeQ}\left[\{a, b, c, d, e\}, x\right] \&\& \operatorname{EqQ}\left[c^2 d + e, 0\right] \&\& \operatorname{IGtQ}\left[n, 0\right] \end{aligned}$$

### Rule 4181

$$\begin{aligned} & \operatorname{Int}\left[\operatorname{csc}\left[\left(e_{.}\right) + \operatorname{Pi}\left(k_{.}\right) + \left(f_{.}\right)\left(x_{.}\right)\right]\left(\left(c_{.}\right) + \left(d_{.}\right)\left(x_{.}\right)\right)^{\left(m_{.}\right)}, x_{\text{Symbol}}\right] \\ & \rightarrow \operatorname{Simp}\left[\left(-2^*\left(c + d x\right)^m \operatorname{ArcTanh}\left[E^{\left(I k \operatorname{Pi}\right)} E^{\left(I\left(e + f x\right)\right)}\right]\right) / f, x\right] + \left(-\operatorname{Dist}\left[\left(d^m\right) / f, \operatorname{Int}\left[\left(c + d x\right)^{\left(m - 1\right)} \operatorname{Log}\left[1 - E^{\left(I k \operatorname{Pi}\right)} E^{\left(I\left(e + f x\right)\right)}\right], x\right], x\right] \right. \\ & + \left.\operatorname{Dist}\left[\left(d^m\right) / f, \operatorname{Int}\left[\left(c + d x\right)^{\left(m - 1\right)} \operatorname{Log}\left[1 + E^{\left(I k \operatorname{Pi}\right)} E^{\left(I\left(e + f x\right)\right)}\right], x\right], x\right]\right) / ; \\ & \operatorname{FreeQ}\left[\{c, d, e, f\}, x\right] \&\& \operatorname{IntegerQ}\left[2 k\right] \&\& \operatorname{IGtQ}\left[m, 0\right] \end{aligned}$$

### Rule 2531

$$\begin{aligned} & \operatorname{Int}\left[\operatorname{Log}\left[1 + \left(e_{.}\right)\left(\left(F_{.}\right)^{\left(\left(c_{.}\right)\left(\left(a_{.}\right) + \left(b_{.}\right)\left(x_{.}\right)\right)\right)^{\left(n_{.}\right)}\right]\right]\left(\left(f_{.}\right) + \left(g_{.}\right)\left(x_{.}\right)\right)^{\left(m_{.}\right)}, x_{\text{Symbol}}\right] \\ & \rightarrow -\operatorname{Simp}\left[\left(\left(f + g x\right)^m \operatorname{PolyLog}\left[2, -\left(e\left(F^{\left(c\left(a + b x\right)\right)}\right)^n\right)\right] / \left(b c^n \operatorname{Log}[F]\right), x\right] \right. \\ & + \left.\operatorname{Dist}\left[\left(g^m\right) / \left(b c^n \operatorname{Log}[F]\right), \operatorname{Int}\left[\left(f + g x\right)^{\left(m - 1\right)} \operatorname{PolyLog}\left[2, -\left(e\left(F^{\left(c\left(a + b x\right)\right)}\right)^n\right)\right], x\right], x\right] / ; \\ & \operatorname{FreeQ}\left[\{F, a, b, c, e, f, g, n\}, x\right] \&\& \operatorname{GtQ}\left[m, 0\right] \end{aligned}$$

### Rule 6609

$$\begin{aligned} & \operatorname{Int}\left[\left(\left(e_{.}\right) + \left(f_{.}\right)\left(x_{.}\right)\right)^{\left(m_{.}\right)} \operatorname{PolyLog}\left[n_{.}, \left(d_{.}\right)\left(\left(F_{.}\right)^{\left(\left(c_{.}\right)\left(\left(a_{.}\right) + \left(b_{.}\right)\left(x_{.}\right)\right)\right)^{\left(p_{.}\right)}\right], x_{\text{Symbol}}\right] \\ & \rightarrow \operatorname{Simp}\left[\left(\left(e + f x\right)^m \operatorname{PolyLog}\left[n + 1, d\left(F^{\left(c\left(a + b x\right)\right)}\right)^p\right]\right) / \left(b c^p \operatorname{Log}[F]\right), x\right] - \operatorname{Dist}\left[\left(f^m\right) / \left(b c^p \operatorname{Log}[F]\right), \operatorname{Int}\left[\left(e + f x\right)^{\left(m - 1\right)} \operatorname{PolyLog}\left[n + 1, d\left(F^{\left(c\left(a + b x\right)\right)}\right)^p\right], x\right], x\right] / ; \\ & \operatorname{FreeQ}\left[\{F, a, b, c, \right. \end{aligned}$$



d, e, f, n, p}, x] && GtQ[m, 0]

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*(a_) + (b_)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4677

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))^(n_)*(x_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 261

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^3}{(c - a^2cx^2)^3} dx &= \frac{x \sin^{-1}(ax)^3}{4c^3(1 - a^2x^2)^2} - \frac{(3a) \int \frac{x \sin^{-1}(ax)^2}{(1 - a^2x^2)^{5/2}} dx}{4c^3} + \frac{3 \int \frac{\sin^{-1}(ax)^3}{(c - a^2cx^2)^2} dx}{4c} \\
&= -\frac{\sin^{-1}(ax)^2}{4ac^3(1 - a^2x^2)^{3/2}} + \frac{x \sin^{-1}(ax)^3}{4c^3(1 - a^2x^2)^2} + \frac{3x \sin^{-1}(ax)^3}{8c^3(1 - a^2x^2)} + \frac{\int \frac{\sin^{-1}(ax)}{(1 - a^2x^2)^2} dx}{2c^3} - \frac{(9a) \int \frac{x \sin^{-1}(ax)^2}{(1 - a^2x^2)^{3/2}} dx}{8c^3} + \dots \\
&= \frac{x \sin^{-1}(ax)}{4c^3(1 - a^2x^2)} - \frac{\sin^{-1}(ax)^2}{4ac^3(1 - a^2x^2)^{3/2}} - \frac{9 \sin^{-1}(ax)^2}{8ac^3\sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)^3}{4c^3(1 - a^2x^2)^2} + \frac{3x \sin^{-1}(ax)^3}{8c^3(1 - a^2x^2)} + \frac{\int \frac{\sin^{-1}(ax)}{1 - a^2x^2} dx}{4c^3} \\
&= -\frac{1}{4ac^3\sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)}{4c^3(1 - a^2x^2)} - \frac{\sin^{-1}(ax)^2}{4ac^3(1 - a^2x^2)^{3/2}} - \frac{9 \sin^{-1}(ax)^2}{8ac^3\sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)^3}{4c^3(1 - a^2x^2)^2} + \frac{3x \sin^{-1}(ax)^3}{8c^3(1 - a^2x^2)} \\
&= -\frac{1}{4ac^3\sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)}{4c^3(1 - a^2x^2)} - \frac{\sin^{-1}(ax)^2}{4ac^3(1 - a^2x^2)^{3/2}} - \frac{9 \sin^{-1}(ax)^2}{8ac^3\sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)^3}{4c^3(1 - a^2x^2)^2} + \frac{3x \sin^{-1}(ax)^3}{8c^3(1 - a^2x^2)} \\
&= -\frac{1}{4ac^3\sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)}{4c^3(1 - a^2x^2)} - \frac{\sin^{-1}(ax)^2}{4ac^3(1 - a^2x^2)^{3/2}} - \frac{9 \sin^{-1}(ax)^2}{8ac^3\sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)^3}{4c^3(1 - a^2x^2)^2} + \frac{3x \sin^{-1}(ax)^3}{8c^3(1 - a^2x^2)} \\
&= -\frac{1}{4ac^3\sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)}{4c^3(1 - a^2x^2)} - \frac{\sin^{-1}(ax)^2}{4ac^3(1 - a^2x^2)^{3/2}} - \frac{9 \sin^{-1}(ax)^2}{8ac^3\sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)^3}{4c^3(1 - a^2x^2)^2} + \frac{3x \sin^{-1}(ax)^3}{8c^3(1 - a^2x^2)} \\
&= -\frac{1}{4ac^3\sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)}{4c^3(1 - a^2x^2)} - \frac{\sin^{-1}(ax)^2}{4ac^3(1 - a^2x^2)^{3/2}} - \frac{9 \sin^{-1}(ax)^2}{8ac^3\sqrt{1 - a^2x^2}} + \frac{x \sin^{-1}(ax)^3}{4c^3(1 - a^2x^2)^2} + \frac{3x \sin^{-1}(ax)^3}{8c^3(1 - a^2x^2)}
\end{aligned}$$

**Mathematica [B]** time = 12.4414, size = 1544, normalized size = 3.39

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[ArcSin[a\*x]^3/(c - a^2\*c\*x^2)^3,x]

[Out] -(((1 + 5\*ArcSin[a\*x]^2)/4 - (5\*(ArcSin[a\*x]\*(Log[1 - I\*E^(I\*ArcSin[a\*x]]) - Log[1 + I\*E^(I\*ArcSin[a\*x]]) + I\*(PolyLog[2, (-I)\*E^(I\*ArcSin[a\*x]]) - PolyLog[2, I\*E^(I\*ArcSin[a\*x]])])))/2 - (3\*((Pi^3\*Log[Cot[(Pi/2 - ArcSin[a\*x])/2])))/8 + (3\*Pi^2\*((Pi/2 - ArcSin[a\*x])\*(Log[1 - E^(I\*(Pi/2 - ArcSin[a\*x])

```

)] - Log[1 + E^(I*(Pi/2 - ArcSin[a*x]))] + I*(PolyLog[2, -E^(I*(Pi/2 - Arc
Sin[a*x]))] - PolyLog[2, E^(I*(Pi/2 - ArcSin[a*x]))])/4 - (3*Pi*((Pi/2 -
ArcSin[a*x])^2*(Log[1 - E^(I*(Pi/2 - ArcSin[a*x]))] - Log[1 + E^(I*(Pi/2 -
ArcSin[a*x]))] + (2*I)*(Pi/2 - ArcSin[a*x])*(PolyLog[2, -E^(I*(Pi/2 - ArcS
in[a*x]))] - PolyLog[2, E^(I*(Pi/2 - ArcSin[a*x]))] + 2*(-PolyLog[3, -E^(I
*(Pi/2 - ArcSin[a*x]))] + PolyLog[3, E^(I*(Pi/2 - ArcSin[a*x]))])/2 + 8*(
(I/64)*(Pi/2 - ArcSin[a*x])^4 + (I/4)*(Pi/2 + (-Pi/2 + ArcSin[a*x])/2)^4 -
((Pi/2 - ArcSin[a*x])^3*Log[1 + E^(I*(Pi/2 - ArcSin[a*x]))])/8 - (Pi^3*(I*(
Pi/2 + (-Pi/2 + ArcSin[a*x])/2) - Log[1 + E^((2*I)*(Pi/2 + (-Pi/2 + ArcSin[
a*x])/2))])/8 - (Pi/2 + (-Pi/2 + ArcSin[a*x])/2)^3*Log[1 + E^((2*I)*(Pi/2
+ (-Pi/2 + ArcSin[a*x])/2))] + ((3*I)/8)*(Pi/2 - ArcSin[a*x])^2*PolyLog[2,
-E^(I*(Pi/2 - ArcSin[a*x]))] + (3*Pi^2*((I/2)*(Pi/2 + (-Pi/2 + ArcSin[a*x]
)/2)^2 - (Pi/2 + (-Pi/2 + ArcSin[a*x])/2)*Log[1 + E^((2*I)*(Pi/2 + (-Pi/2 +
ArcSin[a*x])/2))] + (I/2)*PolyLog[2, -E^((2*I)*(Pi/2 + (-Pi/2 + ArcSin[a*x]
)/2))])/4 + ((3*I)/2)*(Pi/2 + (-Pi/2 + ArcSin[a*x])/2)^2*PolyLog[2, -E^((2
*I)*(Pi/2 + (-Pi/2 + ArcSin[a*x])/2))] - (3*(Pi/2 - ArcSin[a*x])*PolyLog[3,
-E^(I*(Pi/2 - ArcSin[a*x]))])/4 - (3*Pi*((I/3)*(Pi/2 + (-Pi/2 + ArcSin[a*x]
)/2)^3 - (Pi/2 + (-Pi/2 + ArcSin[a*x])/2)^2*Log[1 + E^((2*I)*(Pi/2 + (-Pi/
2 + ArcSin[a*x])/2))] + I*(Pi/2 + (-Pi/2 + ArcSin[a*x])/2)*PolyLog[2, -E^((
2*I)*(Pi/2 + (-Pi/2 + ArcSin[a*x])/2))] - PolyLog[3, -E^((2*I)*(Pi/2 + (-Pi
/2 + ArcSin[a*x])/2)]/2))/2 - (3*(Pi/2 + (-Pi/2 + ArcSin[a*x])/2)*PolyLog[
3, -E^((2*I)*(Pi/2 + (-Pi/2 + ArcSin[a*x])/2))])/2 - ((3*I)/4)*PolyLog[4, -
E^(I*(Pi/2 - ArcSin[a*x]))] - ((3*I)/4)*PolyLog[4, -E^((2*I)*(Pi/2 + (-Pi/2
+ ArcSin[a*x])/2))])/8 - ArcSin[a*x]^3/(16*(Cos[ArcSin[a*x]/2] - Sin[Arc
Sin[a*x]/2])^4) - (2*ArcSin[a*x] - ArcSin[a*x]^2 + 3*ArcSin[a*x]^3)/(16*(Co
s[ArcSin[a*x]/2] - Sin[ArcSin[a*x]/2])^2) + (ArcSin[a*x]^2*Sin[ArcSin[a*x]/
2])/(8*(Cos[ArcSin[a*x]/2] - Sin[ArcSin[a*x]/2])^3) + ArcSin[a*x]^3/(16*(Co
s[ArcSin[a*x]/2] + Sin[ArcSin[a*x]/2])^4) - (ArcSin[a*x]^2*Sin[ArcSin[a*x]/
2])/(8*(Cos[ArcSin[a*x]/2] + Sin[ArcSin[a*x]/2])^3) - (-2*ArcSin[a*x] - Arc
Sin[a*x]^2 - 3*ArcSin[a*x]^3)/(16*(Cos[ArcSin[a*x]/2] + Sin[ArcSin[a*x]/2])
^2) - (-Sin[ArcSin[a*x]/2] - 5*ArcSin[a*x]^2*Sin[ArcSin[a*x]/2])/(4*(Cos[Ar
cSin[a*x]/2] - Sin[ArcSin[a*x]/2])) - (Sin[ArcSin[a*x]/2] + 5*ArcSin[a*x]^2
*Sin[ArcSin[a*x]/2])/(4*(Cos[ArcSin[a*x]/2] + Sin[ArcSin[a*x]/2]))/(a*c^3)
)

```

---

**Maple [A]** time = 0.224, size = 726, normalized size = 1.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^3,x)

```
[Out] -3/8*a^2/(a^4*x^4-2*a^2*x^2+1)/c^3*arcsin(a*x)^3*x^3+9/8*a/(a^4*x^4-2*a^2*x^2+1)/c^3*arcsin(a*x)^2*(-a^2*x^2+1)^(1/2)*x^2-1/4*a^2/(a^4*x^4-2*a^2*x^2+1)/c^3*arcsin(a*x)*x^3+1/4*a/(a^4*x^4-2*a^2*x^2+1)/c^3*x^2*(-a^2*x^2+1)^(1/2)+5/8/(a^4*x^4-2*a^2*x^2+1)/c^3*arcsin(a*x)^3*x-11/8/a/(a^4*x^4-2*a^2*x^2+1)/c^3*arcsin(a*x)^2*(-a^2*x^2+1)^(1/2)+1/4/(a^4*x^4-2*a^2*x^2+1)/c^3*arcsin(a*x)*x-1/4/a/(a^4*x^4-2*a^2*x^2+1)/c^3*(-a^2*x^2+1)^(1/2)-3/8/a/c^3*arcsin(a*x)^3*ln(1+I*(I*a*x+(-a^2*x^2+1)^(1/2)))+5/2*I/a/c^3*dilog(1+I*(I*a*x+(-a^2*x^2+1)^(1/2)))-9/4*arcsin(a*x)*polylog(3,-I*(I*a*x+(-a^2*x^2+1)^(1/2)))/a/c^3+9/4*I*polylog(4,I*(I*a*x+(-a^2*x^2+1)^(1/2)))/a/c^3+3/8/a/c^3*arcsin(a*x)^3*ln(1-I*(I*a*x+(-a^2*x^2+1)^(1/2)))-5/2*I/a/c^3*dilog(1-I*(I*a*x+(-a^2*x^2+1)^(1/2)))+9/4*arcsin(a*x)*polylog(3,I*(I*a*x+(-a^2*x^2+1)^(1/2)))/a/c^3-9/4*I*polylog(4,-I*(I*a*x+(-a^2*x^2+1)^(1/2)))/a/c^3-5/2/a/c^3*arcsin(a*x)*ln(1+I*(I*a*x+(-a^2*x^2+1)^(1/2)))+5/2/a/c^3*arcsin(a*x)*ln(1-I*(I*a*x+(-a^2*x^2+1)^(1/2)))+9/8*I*arcsin(a*x)^2*polylog(2,-I*(I*a*x+(-a^2*x^2+1)^(1/2)))/a/c^3-9/8*I*arcsin(a*x)^2*polylog(2,I*(I*a*x+(-a^2*x^2+1)^(1/2)))/a/c^3
```

**Maxima [A]** time = 3.31889, size = 105, normalized size = 0.23

$$-\frac{1}{16} \left( \frac{2(3a^2x^3 - 5x)}{a^4c^3x^4 - 2a^2c^3x^2 + c^3} - \frac{3 \log(ax + 1)}{ac^3} + \frac{3 \log(ax - 1)}{ac^3} \right) \arcsin(ax)^3$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^3/(-a^2*c*x^2+c)^3,x, algorithm="maxima")
```

```
[Out] -1/16*(2*(3*a^2*x^3 - 5*x)/(a^4*c^3*x^4 - 2*a^2*c^3*x^2 + c^3) - 3*log(a*x + 1)/(a*c^3) + 3*log(a*x - 1)/(a*c^3))*arcsin(a*x)^3
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{\arcsin(ax)^3}{a^6c^3x^6 - 3a^4c^3x^4 + 3a^2c^3x^2 - c^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^3/(-a^2*c*x^2+c)^3,x, algorithm="fricas")
```

[Out] `integral(-arcsin(a*x)^3/(a^6*c^3*x^6 - 3*a^4*c^3*x^4 + 3*a^2*c^3*x^2 - c^3), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{asin}^3(ax)}{a^6x^6 - 3a^4x^4 + 3a^2x^2 - 1} dx$$

$$\frac{\int \frac{\operatorname{asin}^3(ax)}{a^6x^6 - 3a^4x^4 + 3a^2x^2 - 1} dx}{c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**3/(-a**2*c*x**2+c)**3,x)`

[Out] `-Integral(asin(a*x)**3/(a**6*x**6 - 3*a**4*x**4 + 3*a**2*x**2 - 1), x)/c**3`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{\operatorname{arcsin}(ax)^3}{(a^2cx^2 - c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^3/(-a^2*c*x^2+c)^3,x, algorithm="giac")`

[Out] `integrate(-arcsin(a*x)^3/(a^2*c*x^2 - c)^3, x)`

### 3.295 $\int (c - a^2cx^2)^{5/2} \sin^{-1}(ax)^3 dx$

**Optimal.** Leaf size=533

$$-\frac{65a^3c^2x^4\sqrt{c-a^2cx^2}}{2304\sqrt{1-a^2x^2}} + \frac{865ac^2x^2\sqrt{c-a^2cx^2}}{2304\sqrt{1-a^2x^2}} - \frac{c^2(1-a^2x^2)^{5/2}\sqrt{c-a^2cx^2}}{216a} - \frac{15ac^2x^2\sqrt{c-a^2cx^2}\sin^{-1}(ax)^2}{32\sqrt{1-a^2x^2}} + \frac{5}{16}c^2x\sqrt{c-a^2cx^2}$$

[Out] (865\*a\*c^2\*x^2\*Sqrt[c - a^2\*c\*x^2])/(2304\*Sqrt[1 - a^2\*x^2]) - (65\*a^3\*c^2\*x^4\*Sqrt[c - a^2\*c\*x^2])/(2304\*Sqrt[1 - a^2\*x^2]) - (c^2\*(1 - a^2\*x^2)^(5/2)\*Sqrt[c - a^2\*c\*x^2])/(216\*a) - (245\*c^2\*x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x])/384 - (65\*c^2\*x\*(1 - a^2\*x^2)\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x])/576 - (c^2\*x\*(1 - a^2\*x^2)^2\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x])/36 + (115\*c^2\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(768\*a\*Sqrt[1 - a^2\*x^2]) - (15\*a\*c^2\*x^2\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(32\*Sqrt[1 - a^2\*x^2]) + (5\*c^2\*(1 - a^2\*x^2)^(3/2)\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(32\*a) + (c^2\*(1 - a^2\*x^2)^(5/2)\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(12\*a) + (5\*c^2\*x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^3)/16 + (5\*c\*x\*(c - a^2\*c\*x^2)^(3/2)\*ArcSin[a\*x]^3)/24 + (x\*(c - a^2\*c\*x^2)^(5/2)\*ArcSin[a\*x]^3)/6 + (5\*c^2\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^4)/(64\*a\*Sqrt[1 - a^2\*x^2])

**Rubi [A]** time = 0.547163, antiderivative size = 533, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 9, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$ , Rules used = {4649, 4647, 4641, 4627, 4707, 30, 4677, 14, 261}

$$-\frac{65a^3c^2x^4\sqrt{c-a^2cx^2}}{2304\sqrt{1-a^2x^2}} + \frac{865ac^2x^2\sqrt{c-a^2cx^2}}{2304\sqrt{1-a^2x^2}} - \frac{c^2(1-a^2x^2)^{5/2}\sqrt{c-a^2cx^2}}{216a} - \frac{15ac^2x^2\sqrt{c-a^2cx^2}\sin^{-1}(ax)^2}{32\sqrt{1-a^2x^2}} + \frac{5}{16}c^2x\sqrt{c-a^2cx^2}$$

Antiderivative was successfully verified.

[In] Int[(c - a^2\*c\*x^2)^(5/2)\*ArcSin[a\*x]^3,x]

[Out] (865\*a\*c^2\*x^2\*Sqrt[c - a^2\*c\*x^2])/(2304\*Sqrt[1 - a^2\*x^2]) - (65\*a^3\*c^2\*x^4\*Sqrt[c - a^2\*c\*x^2])/(2304\*Sqrt[1 - a^2\*x^2]) - (c^2\*(1 - a^2\*x^2)^(5/2)\*Sqrt[c - a^2\*c\*x^2])/(216\*a) - (245\*c^2\*x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x])/384 - (65\*c^2\*x\*(1 - a^2\*x^2)\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x])/576 - (c^2\*x\*(1 - a^2\*x^2)^2\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x])/36 + (115\*c^2\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(768\*a\*Sqrt[1 - a^2\*x^2]) - (15\*a\*c^2\*x^2\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(32\*Sqrt[1 - a^2\*x^2]) + (5\*c^2\*(1 - a^2\*x^2)^(3/2)\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(32\*a) + (c^2\*(1 - a^2\*x^2)^(5/2)\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(12\*a) + (5\*c^2\*x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^3)/16 + (5\*c\*x\*(c - a^2\*c\*x^2)^(3/2)\*ArcSin[a\*x]^3)/24 + (x\*(c - a^2\*c\*x^2)^(5/2)\*ArcSin[a\*x]^3)/6 + (5\*c^2\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^4)/(64\*a\*Sqrt[1 - a^2\*x^2])

$$\frac{\sin[ax]^3}{16} + \frac{(5cx(c - a^2cx^2)^{3/2} \arcsin[ax]^3)}{24} + \frac{(x(c - a^2cx^2)^{5/2} \arcsin[ax]^3)}{6} + \frac{(5c^2 \sqrt{c - a^2cx^2} \arcsin[ax]^4)}{(64a \sqrt{1 - a^2x^2})}$$
Rule 4649

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[(x*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(2*p + 1), x] + (Dist[(2*d*p)/(2*p + 1),
Int[(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/((2*p + 1)*(1 - c^2*x^2)^FracPart[p]),
Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0]
```

Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]),
Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/((2*Sqrt[1 - c^2*x^2]),
Int[x*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)),
Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4707

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m),
Int[((f*x)^(m - 2)*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*x^2])/
(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
```

&& GtQ[m, 1] && IntegerQ[m]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 14

Int[(u\_)\*((c\_.)\*(x\_))^(m\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_) + (b\_.)\*(v\_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

### Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

### Rubi steps



$$\begin{aligned}
\int (c - a^2cx^2)^{5/2} \sin^{-1}(ax)^3 dx &= \frac{1}{6}x(c - a^2cx^2)^{5/2} \sin^{-1}(ax)^3 + \frac{1}{6}(5c) \int (c - a^2cx^2)^{3/2} \sin^{-1}(ax)^3 dx - \frac{(ac^2\sqrt{c - a^2cx^2})}{6} \int (c - a^2cx^2)^{1/2} \sin^{-1}(ax)^3 dx \\
&= \frac{c^2(1 - a^2x^2)^{5/2} \sqrt{c - a^2cx^2} \sin^{-1}(ax)^2}{12a} + \frac{5}{24}cx(c - a^2cx^2)^{3/2} \sin^{-1}(ax)^3 + \frac{1}{6}x(c - a^2cx^2)^{5/2} \sin^{-1}(ax)^3 \\
&= -\frac{1}{36}c^2x(1 - a^2x^2)^2 \sqrt{c - a^2cx^2} \sin^{-1}(ax) + \frac{5c^2(1 - a^2x^2)^{3/2} \sqrt{c - a^2cx^2} \sin^{-1}(ax)^2}{32a} + \frac{5c^2x(1 - a^2x^2)^{3/2} \sqrt{c - a^2cx^2} \sin^{-1}(ax)^3}{32a} \\
&= -\frac{c^2(1 - a^2x^2)^{5/2} \sqrt{c - a^2cx^2}}{216a} - \frac{65}{576}c^2x(1 - a^2x^2) \sqrt{c - a^2cx^2} \sin^{-1}(ax) - \frac{1}{36}c^2x(1 - a^2x^2)^2 \sqrt{c - a^2cx^2} \sin^{-1}(ax)^2 \\
&= -\frac{c^2(1 - a^2x^2)^{5/2} \sqrt{c - a^2cx^2}}{216a} - \frac{245}{384}c^2x\sqrt{c - a^2cx^2} \sin^{-1}(ax) - \frac{65}{576}c^2x(1 - a^2x^2) \sqrt{c - a^2cx^2} \sin^{-1}(ax)^2 \\
&= \frac{865ac^2x^2\sqrt{c - a^2cx^2}}{2304\sqrt{1 - a^2x^2}} - \frac{65a^3c^2x^4\sqrt{c - a^2cx^2}}{2304\sqrt{1 - a^2x^2}} - \frac{c^2(1 - a^2x^2)^{5/2} \sqrt{c - a^2cx^2}}{216a} - \frac{245}{384}c^2x\sqrt{c - a^2cx^2} \sin^{-1}(ax)
\end{aligned}$$

**Mathematica [A]** time = 0.800163, size = 179, normalized size = 0.34

$$c^2\sqrt{c - a^2cx^2} \left( 4320 \sin^{-1}(ax)^4 + 288 \left( 45 \sin \left( 2 \sin^{-1}(ax) \right) + 9 \sin \left( 4 \sin^{-1}(ax) \right) + \sin \left( 6 \sin^{-1}(ax) \right) \right) \sin^{-1}(ax)^3 - 12 \left( 16 \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c - a^2\*c\*x^2)^(5/2)\*ArcSin[a\*x]^3,x]

[Out] (c^2\*Sqrt[c - a^2\*c\*x^2]\*(4320\*ArcSin[a\*x]^4 - 9720\*Cos[2\*ArcSin[a\*x]] - 243\*Cos[4\*ArcSin[a\*x]] - 8\*Cos[6\*ArcSin[a\*x]] + 72\*ArcSin[a\*x]^2\*(270\*Cos[2\*ArcSin[a\*x]] + 27\*Cos[4\*ArcSin[a\*x]] + 2\*Cos[6\*ArcSin[a\*x]])) + 288\*ArcSin[a\*x]^3\*(45\*Sin[2\*ArcSin[a\*x]] + 9\*Sin[4\*ArcSin[a\*x]] + Sin[6\*ArcSin[a\*x]]) - 12\*ArcSin[a\*x]\*(1620\*Sin[2\*ArcSin[a\*x]] + 81\*Sin[4\*ArcSin[a\*x]] + 4\*Sin[6\*ArcSin[a\*x]]))/ (55296\*a\*Sqrt[1 - a^2\*x^2])

**Maple [C]** time = 0.247, size = 875, normalized size = 1.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((-a^2*c*x^2+c)^{(5/2)}*\arcsin(ax)^3,x)$

[Out] 
$$\begin{aligned} & -5/64*(-c*(a^2*x^2-1))^{(1/2)}*(-a^2*x^2+1)^{(1/2)}/a/(a^2*x^2-1)*\arcsin(ax)^4 \\ & *c^2+1/13824*(-c*(a^2*x^2-1))^{(1/2)}*(-32*I*(-a^2*x^2+1)^{(1/2)}*x^6*a^6+32*x^7 \\ & *a^7+48*I*(-a^2*x^2+1)^{(1/2)}*x^4*a^4-64*a^5*x^5-18*I*(-a^2*x^2+1)^{(1/2)}*x^2 \\ & *a^2+38*a^3*x^3+I*(-a^2*x^2+1)^{(1/2)}-6*a*x)*(18*I*\arcsin(ax)^2+36*\arcsin(ax) \\ & ^3-I-6*\arcsin(ax))*c^2/a/(a^2*x^2-1)-3/4096*(-c*(a^2*x^2-1))^{(1/2)}*(-8 \\ & *I*(-a^2*x^2+1)^{(1/2)}*x^4*a^4+8*a^5*x^5+8*I*(-a^2*x^2+1)^{(1/2)}*x^2*a^2-12*a \\ & ^3*x^3-I*(-a^2*x^2+1)^{(1/2)}+4*a*x)*(24*I*\arcsin(ax)^2+32*\arcsin(ax)^3-3*I \\ & -12*\arcsin(ax))*c^2/a/(a^2*x^2-1)+15/512*(-c*(a^2*x^2-1))^{(1/2)}*(-2*I*(-a^2 \\ & *x^2+1)^{(1/2)}*x^2*a^2+2*a^3*x^3+I*(-a^2*x^2+1)^{(1/2)}-2*a*x)*(6*I*\arcsin(ax) \\ & ^2+4*\arcsin(ax)^3-3*I-6*\arcsin(ax))*c^2/a/(a^2*x^2-1)+15/512*(-c*(a^2*x^2 \\ & ^2-1))^{(1/2)}*(2*I*(-a^2*x^2+1)^{(1/2)}*x^2*a^2+2*a^3*x^3-I*(-a^2*x^2+1)^{(1/2)} \\ & -2*a*x)*(-6*I*\arcsin(ax)^2+4*\arcsin(ax)^3+3*I-6*\arcsin(ax))*c^2/a/(a^2*x^2 \\ & ^2-1)-3/4096*(-c*(a^2*x^2-1))^{(1/2)}*(8*I*(-a^2*x^2+1)^{(1/2)}*x^4*a^4+8*a^5*x \\ & ^5-8*I*(-a^2*x^2+1)^{(1/2)}*x^2*a^2-12*a^3*x^3+I*(-a^2*x^2+1)^{(1/2)}+4*a*x)*(- \\ & 24*I*\arcsin(ax)^2+32*\arcsin(ax)^3+3*I-12*\arcsin(ax))*c^2/a/(a^2*x^2-1)+1 \\ & /13824*(-c*(a^2*x^2-1))^{(1/2)}*(32*I*(-a^2*x^2+1)^{(1/2)}*x^6*a^6+32*x^7*a^7-4 \\ & 8*I*(-a^2*x^2+1)^{(1/2)}*x^4*a^4-64*a^5*x^5+18*I*(-a^2*x^2+1)^{(1/2)}*x^2*a^2+3 \\ & 8*a^3*x^3-I*(-a^2*x^2+1)^{(1/2)}-6*a*x)*(-18*I*\arcsin(ax)^2+36*\arcsin(ax)^3 \\ & +I-6*\arcsin(ax))*c^2/a/(a^2*x^2-1) \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((-a^2*c*x^2+c)^{(5/2)}*\arcsin(ax)^3,x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(a^4c^2x^4 - 2a^2c^2x^2 + c^2\right)\sqrt{-a^2cx^2 + c}\arcsin(ax)^3, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(5/2)\*arcsin(a\*x)^3,x, algorithm="fricas")

[Out] integral((a^4\*c^2\*x^4 - 2\*a^2\*c^2\*x^2 + c^2)\*sqrt(-a^2\*c\*x^2 + c)\*arcsin(a\*x)^3, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*(5/2)\*asin(a\*x)\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{\frac{5}{2}} \arcsin(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(5/2)\*arcsin(a\*x)^3,x, algorithm="giac")

[Out] integrate((-a^2\*c\*x^2 + c)^(5/2)\*arcsin(a\*x)^3, x)

### 3.296 $\int (c - a^2cx^2)^{3/2} \sin^{-1}(ax)^3 dx$

**Optimal.** Leaf size=365

$$-\frac{3a^3cx^4\sqrt{c-a^2cx^2}}{128\sqrt{1-a^2x^2}} + \frac{51acx^2\sqrt{c-a^2cx^2}}{128\sqrt{1-a^2x^2}} - \frac{9acx^2\sqrt{c-a^2cx^2}\sin^{-1}(ax)^2}{16\sqrt{1-a^2x^2}} + \frac{1}{4}x(c-a^2cx^2)^{3/2}\sin^{-1}(ax)^3 + \frac{3}{8}cx\sqrt{c-a^2cx^2}$$

[Out] (51\*a\*c\*x^2\*Sqrt[c - a^2\*c\*x^2])/(128\*Sqrt[1 - a^2\*x^2]) - (3\*a^3\*c\*x^4\*Sqrt[c - a^2\*c\*x^2])/(128\*Sqrt[1 - a^2\*x^2]) - (45\*c\*x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x])/64 - (3\*c\*x\*(1 - a^2\*x^2)\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x])/32 + (27\*c\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(128\*a\*Sqrt[1 - a^2\*x^2]) - (9\*a\*c\*x^2\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(16\*Sqrt[1 - a^2\*x^2]) + (3\*c\*(1 - a^2\*x^2)^(3/2)\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(16\*a) + (3\*c\*x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^3)/8 + (x\*(c - a^2\*c\*x^2)^(3/2)\*ArcSin[a\*x]^3)/4 + (3\*c\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^4)/(32\*a\*Sqrt[1 - a^2\*x^2])

**Rubi [A]** time = 0.322146, antiderivative size = 365, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 8, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {4649, 4647, 4641, 4627, 4707, 30, 4677, 14}

$$-\frac{3a^3cx^4\sqrt{c-a^2cx^2}}{128\sqrt{1-a^2x^2}} + \frac{51acx^2\sqrt{c-a^2cx^2}}{128\sqrt{1-a^2x^2}} - \frac{9acx^2\sqrt{c-a^2cx^2}\sin^{-1}(ax)^2}{16\sqrt{1-a^2x^2}} + \frac{1}{4}x(c-a^2cx^2)^{3/2}\sin^{-1}(ax)^3 + \frac{3}{8}cx\sqrt{c-a^2cx^2}$$

Antiderivative was successfully verified.

[In] Int[(c - a^2\*c\*x^2)^(3/2)\*ArcSin[a\*x]^3,x]

[Out] (51\*a\*c\*x^2\*Sqrt[c - a^2\*c\*x^2])/(128\*Sqrt[1 - a^2\*x^2]) - (3\*a^3\*c\*x^4\*Sqrt[c - a^2\*c\*x^2])/(128\*Sqrt[1 - a^2\*x^2]) - (45\*c\*x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x])/64 - (3\*c\*x\*(1 - a^2\*x^2)\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x])/32 + (27\*c\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(128\*a\*Sqrt[1 - a^2\*x^2]) - (9\*a\*c\*x^2\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(16\*Sqrt[1 - a^2\*x^2]) + (3\*c\*(1 - a^2\*x^2)^(3/2)\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(16\*a) + (3\*c\*x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^3)/8 + (x\*(c - a^2\*c\*x^2)^(3/2)\*ArcSin[a\*x]^3)/4 + (3\*c\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^4)/(32\*a\*Sqrt[1 - a^2\*x^2])

**Rule 4649**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Simp[(x\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(2\*p + 1), x] + (D

ist[(2\*d\*p)/(2\*p + 1), Int[(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x] - Dist[(b\*c\*n\*d\*IntPart[p]\*(d + e\*x^2)^FracPart[p])/((2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0]

#### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((d\_.)\*(x\_.))^ (m\_.), x\_Symbol] :> Simp[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

#### Rule 4707

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_.))^ (m\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[(f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n]/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

#### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

#### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

### Rubi steps

$$\begin{aligned} \int (c - a^2cx^2)^{3/2} \sin^{-1}(ax)^3 dx &= \frac{1}{4}x(c - a^2cx^2)^{3/2} \sin^{-1}(ax)^3 + \frac{1}{4}(3c) \int \sqrt{c - a^2cx^2} \sin^{-1}(ax)^3 dx - \frac{(3ac\sqrt{c - a^2cx^2}) \int x \sqrt{c - a^2cx^2} \sin^{-1}(ax)^3 dx}{4\sqrt{1 - a^2x^2}} \\ &= \frac{3c(1 - a^2x^2)^{3/2} \sqrt{c - a^2cx^2} \sin^{-1}(ax)^2}{16a} + \frac{3}{8}cx\sqrt{c - a^2cx^2} \sin^{-1}(ax)^3 + \frac{1}{4}x(c - a^2cx^2)^{3/2} \sin^{-1}(ax)^3 \\ &= -\frac{3}{32}cx(1 - a^2x^2) \sqrt{c - a^2cx^2} \sin^{-1}(ax) - \frac{9acx^2\sqrt{c - a^2cx^2} \sin^{-1}(ax)^2}{16\sqrt{1 - a^2x^2}} + \frac{3c(1 - a^2x^2)^{3/2} \sin^{-1}(ax)^3}{16\sqrt{1 - a^2x^2}} \\ &= -\frac{45}{64}cx\sqrt{c - a^2cx^2} \sin^{-1}(ax) - \frac{3}{32}cx(1 - a^2x^2) \sqrt{c - a^2cx^2} \sin^{-1}(ax) - \frac{9acx^2\sqrt{c - a^2cx^2} \sin^{-1}(ax)^2}{16\sqrt{1 - a^2x^2}} \\ &= \frac{51acx^2\sqrt{c - a^2cx^2}}{128\sqrt{1 - a^2x^2}} - \frac{3a^3cx^4\sqrt{c - a^2cx^2}}{128\sqrt{1 - a^2x^2}} - \frac{45}{64}cx\sqrt{c - a^2cx^2} \sin^{-1}(ax) - \frac{3}{32}cx(1 - a^2x^2) \sqrt{c - a^2cx^2} \sin^{-1}(ax) \end{aligned}$$

**Mathematica [A]** time = 0.313282, size = 138, normalized size = 0.38

$$\frac{c\sqrt{c - a^2cx^2} (96 \sin^{-1}(ax)^4 + 32 (8 \sin(2 \sin^{-1}(ax)) + \sin(4 \sin^{-1}(ax))) \sin^{-1}(ax)^3 - 12 (32 \sin(2 \sin^{-1}(ax)) + \sin(4 \sin^{-1}(ax))) \sin^{-1}(ax)^2 + 12 \sin(2 \sin^{-1}(ax)) \sin^{-1}(ax) + \sin(4 \sin^{-1}(ax)))}{1024a^4}$$

1024a

Antiderivative was successfully verified.

```
[In] Integrate[(c - a^2*c*x^2)^(3/2)*ArcSin[a*x]^3,x]
```

```
[Out] (c*Sqrt[c - a^2*c*x^2]*(96*ArcSin[a*x]^4 + 24*ArcSin[a*x]^2*(16*Cos[2*ArcSin[a*x]] + Cos[4*ArcSin[a*x]]) + Cos[4*ArcSin[a*x]]) - 3*(64*Cos[2*ArcSin[a*x]] + Cos[4*ArcSin[a*x]]))
```

]]) + 32\*ArcSin[a\*x]^3\*(8\*Sin[2\*ArcSin[a\*x]] + Sin[4\*ArcSin[a\*x]]) - 12\*ArcSin[a\*x]\*(32\*Sin[2\*ArcSin[a\*x]] + Sin[4\*ArcSin[a\*x]])/(1024\*a\*Sqrt[1 - a^2\*x^2])

**Maple [C]** time = 0.161, size = 533, normalized size = 1.5

$$\frac{3 (\arcsin(ax))^4 c \sqrt{-c(a^2x^2-1)} \sqrt{-a^2x^2+1} - \frac{(24i(\arcsin(ax))^2 + 32(\arcsin(ax))^3 - 3i - 12\arcsin(ax))c}{2048a(a^2x^2-1)} \sqrt{-c(a^2x^2-1)}}{32a(a^2x^2-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)^(3/2)\*arcsin(a\*x)^3,x)

[Out] -3/32\*(-c\*(a^2\*x^2-1))^(1/2)\*(-a^2\*x^2+1)^(1/2)/a/(a^2\*x^2-1)\*arcsin(a\*x)^4\*c-1/2048\*(-c\*(a^2\*x^2-1))^(1/2)\*(-8\*I\*(-a^2\*x^2+1)^(1/2)\*x^4\*a^4+8\*a^5\*x^5+8\*I\*(-a^2\*x^2+1)^(1/2)\*x^2\*a^2-12\*a^3\*x^3-I\*(-a^2\*x^2+1)^(1/2)+4\*a\*x)\*(24\*I\*arcsin(a\*x)^2+32\*arcsin(a\*x)^3-3\*I-12\*arcsin(a\*x))\*c/a/(a^2\*x^2-1)+1/32\*(-c\*(a^2\*x^2-1))^(1/2)\*(-2\*I\*(-a^2\*x^2+1)^(1/2)\*x^2\*a^2+2\*a^3\*x^3+I\*(-a^2\*x^2+1)^(1/2)-2\*a\*x)\*(6\*I\*arcsin(a\*x)^2+4\*arcsin(a\*x)^3-3\*I-6\*arcsin(a\*x))\*c/a/(a^2\*x^2-1)+1/32\*(-c\*(a^2\*x^2-1))^(1/2)\*(2\*I\*(-a^2\*x^2+1)^(1/2)\*x^2\*a^2+2\*a^3\*x^3-I\*(-a^2\*x^2+1)^(1/2)-2\*a\*x)\*(-6\*I\*arcsin(a\*x)^2+4\*arcsin(a\*x)^3+3\*I-6\*arcsin(a\*x))\*c/a/(a^2\*x^2-1)-1/2048\*(-c\*(a^2\*x^2-1))^(1/2)\*(8\*I\*(-a^2\*x^2+1)^(1/2)\*x^4\*a^4+8\*a^5\*x^5-8\*I\*(-a^2\*x^2+1)^(1/2)\*x^2\*a^2-12\*a^3\*x^3+I\*(-a^2\*x^2+1)^(1/2)+4\*a\*x)\*(-24\*I\*arcsin(a\*x)^2+32\*arcsin(a\*x)^3+3\*I-12\*arcsin(a\*x))\*c/a/(a^2\*x^2-1)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(3/2)\*arcsin(a\*x)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(a^2cx^2 - c\right)\sqrt{-a^2cx^2 + c}\arcsin(ax)^3, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(3/2)\*arcsin(a\*x)^3,x, algorithm="fricas")

[Out] integral(-(a^2\*c\*x^2 - c)\*sqrt(-a^2\*c\*x^2 + c)\*arcsin(a\*x)^3, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*(3/2)\*asin(a\*x)\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \left(-a^2cx^2 + c\right)^{\frac{3}{2}} \arcsin(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(3/2)\*arcsin(a\*x)^3,x, algorithm="giac")

[Out] integrate((-a^2\*c\*x^2 + c)^(3/2)\*arcsin(a\*x)^3, x)



### 3.297 $\int \sqrt{c - a^2cx^2} \sin^{-1}(ax)^3 dx$

**Optimal.** Leaf size=215

$$\frac{3ax^2\sqrt{c - a^2cx^2}}{8\sqrt{1 - a^2x^2}} + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^4}{8a\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^3 - \frac{3ax^2\sqrt{c - a^2cx^2} \sin^{-1}(ax)^2}{4\sqrt{1 - a^2x^2}} + \frac{3\sqrt{c - a^2cx^2} \sin^{-1}(ax)}{8a\sqrt{1 - a^2x^2}}$$

[Out] (3\*a\*x^2\*Sqrt[c - a^2\*c\*x^2])/(8\*Sqrt[1 - a^2\*x^2]) - (3\*x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x])/4 + (3\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(8\*a\*Sqrt[1 - a^2\*x^2]) - (3\*a\*x^2\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(4\*Sqrt[1 - a^2\*x^2]) + (x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^3)/2 + (Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^4)/(8\*a\*Sqrt[1 - a^2\*x^2])

**Rubi [A]** time = 0.164842, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$ , Rules used = {4647, 4641, 4627, 4707, 30}

$$\frac{3ax^2\sqrt{c - a^2cx^2}}{8\sqrt{1 - a^2x^2}} + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^4}{8a\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^3 - \frac{3ax^2\sqrt{c - a^2cx^2} \sin^{-1}(ax)^2}{4\sqrt{1 - a^2x^2}} + \frac{3\sqrt{c - a^2cx^2} \sin^{-1}(ax)}{8a\sqrt{1 - a^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^3,x]

[Out] (3\*a\*x^2\*Sqrt[c - a^2\*c\*x^2])/(8\*Sqrt[1 - a^2\*x^2]) - (3\*x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x])/4 + (3\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(8\*a\*Sqrt[1 - a^2\*x^2]) - (3\*a\*x^2\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^2)/(4\*Sqrt[1 - a^2\*x^2]) + (x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^3)/2 + (Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^4)/(8\*a\*Sqrt[1 - a^2\*x^2])

#### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_.))^(m\_.), x\_Symbol] :> Simp[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 4707

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[(f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n]/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int \sqrt{c - a^2cx^2} \sin^{-1}(ax)^3 dx &= \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^3 + \frac{\sqrt{c - a^2cx^2} \int \frac{\sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx}{2\sqrt{1 - a^2x^2}} - \frac{\left(3a\sqrt{c - a^2cx^2}\right) \int x \sin^{-1}(ax)^2 dx}{2\sqrt{1 - a^2x^2}} \\
 &= -\frac{3ax^2\sqrt{c - a^2cx^2} \sin^{-1}(ax)^2}{4\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^3 + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^4}{8a\sqrt{1 - a^2x^2}} + \frac{\left(3a^2\sqrt{c - a^2cx^2}\right) \int x \sin^{-1}(ax) dx}{2\sqrt{1 - a^2x^2}} \\
 &= -\frac{3}{4}x\sqrt{c - a^2cx^2} \sin^{-1}(ax) - \frac{3ax^2\sqrt{c - a^2cx^2} \sin^{-1}(ax)^2}{4\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^3 + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^4}{8a\sqrt{1 - a^2x^2}} \\
 &= \frac{3ax^2\sqrt{c - a^2cx^2}}{8\sqrt{1 - a^2x^2}} - \frac{3}{4}x\sqrt{c - a^2cx^2} \sin^{-1}(ax) + \frac{3\sqrt{c - a^2cx^2} \sin^{-1}(ax)^2}{8a\sqrt{1 - a^2x^2}} - \frac{3ax^2\sqrt{c - a^2cx^2} \sin^{-1}(ax)^3}{4\sqrt{1 - a^2x^2}} + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^4}{8a\sqrt{1 - a^2x^2}}
 \end{aligned}$$

**Mathematica [A]** time = 0.0573778, size = 114, normalized size = 0.53

$$\frac{\sqrt{c - a^2cx^2} \left( 3a^2x^2 + 4ax\sqrt{1 - a^2x^2} \sin^{-1}(ax)^3 + (3 - 6a^2x^2) \sin^{-1}(ax)^2 - 6ax\sqrt{1 - a^2x^2} \sin^{-1}(ax) + \sin^{-1}(ax)^4 \right)}{8a\sqrt{1 - a^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^3,x]

[Out] (Sqrt[c - a^2\*c\*x^2]\*(3\*a^2\*x^2 - 6\*a\*x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x] + (3 - 6\*a^2\*x^2)\*ArcSin[a\*x]^2 + 4\*a\*x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^3 + ArcSin[a\*x]^4))/(8\*a\*Sqrt[1 - a^2\*x^2])

**Maple [C]** time = 0.139, size = 260, normalized size = 1.2

$$-\frac{(\arcsin(ax))^4}{8a(a^2x^2-1)}\sqrt{-c(a^2x^2-1)}\sqrt{-a^2x^2+1} + \frac{6i(\arcsin(ax))^2 + 4(\arcsin(ax))^3 - 3i - 6\arcsin(ax)}{32a(a^2x^2-1)}\sqrt{-c(a^2x^2-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)^(1/2)\*arcsin(a\*x)^3,x)

[Out] -1/8\*(-c\*(a^2\*x^2-1))^(1/2)\*(-a^2\*x^2+1)^(1/2)/a/(a^2\*x^2-1)\*arcsin(a\*x)^4+1/32\*(-c\*(a^2\*x^2-1))^(1/2)\*(-2\*I\*(-a^2\*x^2+1)^(1/2)\*x^2\*a^2+2\*a^3\*x^3+I\*(-a^2\*x^2+1)^(1/2)-2\*a\*x)\*(6\*I\*arcsin(a\*x)^2+4\*arcsin(a\*x)^3-3\*I-6\*arcsin(a\*x))/a/(a^2\*x^2-1)+1/32\*(-c\*(a^2\*x^2-1))^(1/2)\*(2\*I\*(-a^2\*x^2+1)^(1/2)\*x^2\*a^2+2\*a^3\*x^3-I\*(-a^2\*x^2+1)^(1/2)-2\*a\*x)\*(-6\*I\*arcsin(a\*x)^2+4\*arcsin(a\*x)^3+3\*I-6\*arcsin(a\*x))/a/(a^2\*x^2-1)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(1/2)\*arcsin(a\*x)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{-a^2cx^2 + c} \arcsin(ax)^3, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(1/2)\*arcsin(a\*x)^3,x, algorithm="fricas")

[Out] integral(sqrt(-a^2\*c\*x^2 + c)\*arcsin(a\*x)^3, x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c(ax-1)(ax+1)} \arcsin^3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*(1/2)\*asin(a\*x)\*\*3,x)

[Out] Integral(sqrt(-c\*(a\*x - 1)\*(a\*x + 1))\*asin(a\*x)\*\*3, x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-a^2cx^2 + c} \arcsin(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(1/2)\*arcsin(a\*x)^3,x, algorithm="giac")

[Out] integrate(sqrt(-a^2\*c\*x^2 + c)\*arcsin(a\*x)^3, x)

$$3.298 \quad \int \frac{\sin^{-1}(ax)^3}{\sqrt{c-a^2cx^2}} dx$$

**Optimal.** Leaf size=42

$$\frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^4}{4a\sqrt{c-a^2cx^2}}$$

[Out] (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^4)/(4\*a\*Sqrt[c - a^2\*c\*x^2])

**Rubi [A]** time = 0.0687473, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {4643, 4641}

$$\frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^4}{4a\sqrt{c-a^2cx^2}}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^3/Sqrt[c - a^2\*c\*x^2], x]

[Out] (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^4)/(4\*a\*Sqrt[c - a^2\*c\*x^2])

#### Rule 4643

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{\sin^{-1}(ax)^3}{\sqrt{c - a^2cx^2}} dx = \frac{\sqrt{1 - a^2x^2} \int \frac{\sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} dx}{\sqrt{c - a^2cx^2}}$$

$$= \frac{\sqrt{1 - a^2x^2} \sin^{-1}(ax)^4}{4a\sqrt{c - a^2cx^2}}$$

**Mathematica [A]** time = 0.0434918, size = 42, normalized size = 1.

$$\frac{\sqrt{1 - a^2x^2} \sin^{-1}(ax)^4}{4a\sqrt{c - a^2cx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^3/Sqrt[c - a^2\*c\*x^2],x]

[Out] (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^4)/(4\*a\*Sqrt[c - a^2\*c\*x^2])

**Maple [A]** time = 0.03, size = 52, normalized size = 1.2

$$-\frac{(\arcsin(ax))^4}{4ca(a^2x^2 - 1)} \sqrt{-c(a^2x^2 - 1)} \sqrt{-a^2x^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^(1/2),x)

[Out] -1/4\*(-c\*(a^2\*x^2-1))^(1/2)\*(-a^2\*x^2+1)^(1/2)/a/c/(a^2\*x^2-1)\*arcsin(a\*x)^4

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2cx^2+c}\arcsin(ax)^3}{a^2cx^2-c},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*c\*x^2 + c)\*arcsin(a\*x)^3/(a^2\*c\*x^2 - c), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{asin}^3(ax)}{\sqrt{-c(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*3/(-a\*\*2\*c\*x\*\*2+c)\*\*(1/2),x)

[Out] Integral(asin(a\*x)\*\*3/sqrt(-c\*(a\*x - 1)\*(a\*x + 1)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^3}{\sqrt{-a^2cx^2+c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^(1/2),x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^3/sqrt(-a^2\*c\*x^2 + c), x)

$$3.299 \quad \int \frac{\sin^{-1}(ax)^3}{(c-a^2cx^2)^{3/2}} dx$$

**Optimal.** Leaf size=238

$$\frac{3i\sqrt{1-a^2x^2}\sin^{-1}(ax)\text{PolyLog}\left(2,-e^{2i\sin^{-1}(ax)}\right)}{ac\sqrt{c-a^2cx^2}} + \frac{3\sqrt{1-a^2x^2}\text{PolyLog}\left(3,-e^{2i\sin^{-1}(ax)}\right)}{2ac\sqrt{c-a^2cx^2}} + \frac{x\sin^{-1}(ax)^3}{c\sqrt{c-a^2cx^2}} - \frac{i\sqrt{1-a^2x^2}\sin^{-1}(ax)}{ac\sqrt{c-a^2cx^2}}$$

[Out] (x\*ArcSin[a\*x]^3)/(c\*Sqrt[c - a^2\*c\*x^2]) - (I\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^3)/(a\*c\*Sqrt[c - a^2\*c\*x^2]) + (3\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2\*Log[1 + E^((2\*I)\*ArcSin[a\*x])])/(a\*c\*Sqrt[c - a^2\*c\*x^2]) - ((3\*I)\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]\*PolyLog[2, -E^((2\*I)\*ArcSin[a\*x])])/(a\*c\*Sqrt[c - a^2\*c\*x^2]) + (3\*Sqrt[1 - a^2\*x^2]\*PolyLog[3, -E^((2\*I)\*ArcSin[a\*x])])/(2\*a\*c\*Sqrt[c - a^2\*c\*x^2])

**Rubi [A]** time = 0.174875, antiderivative size = 238, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$ , Rules used = {4653, 4675, 3719, 2190, 2531, 2282, 6589}

$$\frac{3i\sqrt{1-a^2x^2}\sin^{-1}(ax)\text{PolyLog}\left(2,-e^{2i\sin^{-1}(ax)}\right)}{ac\sqrt{c-a^2cx^2}} + \frac{3\sqrt{1-a^2x^2}\text{PolyLog}\left(3,-e^{2i\sin^{-1}(ax)}\right)}{2ac\sqrt{c-a^2cx^2}} + \frac{x\sin^{-1}(ax)^3}{c\sqrt{c-a^2cx^2}} - \frac{i\sqrt{1-a^2x^2}\sin^{-1}(ax)}{ac\sqrt{c-a^2cx^2}}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^3/(c - a^2\*c\*x^2)^(3/2), x]

[Out] (x\*ArcSin[a\*x]^3)/(c\*Sqrt[c - a^2\*c\*x^2]) - (I\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^3)/(a\*c\*Sqrt[c - a^2\*c\*x^2]) + (3\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^2\*Log[1 + E^((2\*I)\*ArcSin[a\*x])])/(a\*c\*Sqrt[c - a^2\*c\*x^2]) - ((3\*I)\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]\*PolyLog[2, -E^((2\*I)\*ArcSin[a\*x])])/(a\*c\*Sqrt[c - a^2\*c\*x^2]) + (3\*Sqrt[1 - a^2\*x^2]\*PolyLog[3, -E^((2\*I)\*ArcSin[a\*x])])/(2\*a\*c\*Sqrt[c - a^2\*c\*x^2])

**Rule 4653**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.]/((d\_.) + (e\_.)\*(x\_.)^2)^(3/2), x  
\_Symbol] :> Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n\*Sqrt[1 - c^2\*x^2])/(d\*Sqrt[d + e\*x^2]), Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(1 - c^2\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e,



0] && GtQ[n, 0]

### Rule 4675

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_))/((d\_) + (e\_.)\*(x\_)^2), x\_Symbol] :> -Dist[e^(-1), Subst[Int[(a + b\*x)^n\*Tan[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 3719

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] :> Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x))))^n]/a)/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x))))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(n\_.)]\*(f\_.) + (g\_.)\*(x\_)^(m\_.), x\_Symbol] :> -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n]/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

### Rule 2282

Int[u\_, x\_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_) [v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^3}{(c - a^2cx^2)^{3/2}} dx &= \frac{x \sin^{-1}(ax)^3}{c\sqrt{c - a^2cx^2}} - \frac{(3a\sqrt{1 - a^2x^2}) \int \frac{x \sin^{-1}(ax)^2}{1 - a^2x^2} dx}{c\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)^3}{c\sqrt{c - a^2cx^2}} - \frac{(3\sqrt{1 - a^2x^2}) \text{Subst} \left( \int x^2 \tan(x) dx, x, \sin^{-1}(ax) \right)}{ac\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)^3}{c\sqrt{c - a^2cx^2}} - \frac{i\sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{ac\sqrt{c - a^2cx^2}} + \frac{(6i\sqrt{1 - a^2x^2}) \text{Subst} \left( \int \frac{e^{2ix} x^2}{1 + e^{2ix}} dx, x, \sin^{-1}(ax) \right)}{ac\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)^3}{c\sqrt{c - a^2cx^2}} - \frac{i\sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{ac\sqrt{c - a^2cx^2}} + \frac{3\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2 \log \left( 1 + e^{2i \sin^{-1}(ax)} \right)}{ac\sqrt{c - a^2cx^2}} - \frac{(6\sqrt{1 - a^2x^2})}{ac\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)^3}{c\sqrt{c - a^2cx^2}} - \frac{i\sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{ac\sqrt{c - a^2cx^2}} + \frac{3\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2 \log \left( 1 + e^{2i \sin^{-1}(ax)} \right)}{ac\sqrt{c - a^2cx^2}} - \frac{3i\sqrt{1 - a^2x^2}}{ac\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)^3}{c\sqrt{c - a^2cx^2}} - \frac{i\sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{ac\sqrt{c - a^2cx^2}} + \frac{3\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2 \log \left( 1 + e^{2i \sin^{-1}(ax)} \right)}{ac\sqrt{c - a^2cx^2}} - \frac{3i\sqrt{1 - a^2x^2}}{ac\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)^3}{c\sqrt{c - a^2cx^2}} - \frac{i\sqrt{1 - a^2x^2} \sin^{-1}(ax)^3}{ac\sqrt{c - a^2cx^2}} + \frac{3\sqrt{1 - a^2x^2} \sin^{-1}(ax)^2 \log \left( 1 + e^{2i \sin^{-1}(ax)} \right)}{ac\sqrt{c - a^2cx^2}} - \frac{3i\sqrt{1 - a^2x^2}}{ac\sqrt{c - a^2cx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.251727, size = 157, normalized size = 0.66

$$\frac{-6i\sqrt{1 - a^2x^2} \sin^{-1}(ax) \text{PolyLog} \left( 2, -e^{2i \sin^{-1}(ax)} \right) + 3\sqrt{1 - a^2x^2} \text{PolyLog} \left( 3, -e^{2i \sin^{-1}(ax)} \right) + 2 \sin^{-1}(ax)^2 \left( (ax - i\sqrt{1 - a^2x^2}) \right)}{2ac\sqrt{c - a^2cx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^3/(c - a^2\*c\*x^2)^(3/2), x]

[Out] (2\*ArcSin[a\*x]^2\*((a\*x - I\*Sqrt[1 - a^2\*x^2])\*ArcSin[a\*x] + 3\*Sqrt[1 - a^2\*x^2]\*Log[1 + E^((2\*I)\*ArcSin[a\*x])]) - (6\*I)\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]\*PolyLog[2, -E^((2\*I)\*ArcSin[a\*x])] + 3\*Sqrt[1 - a^2\*x^2]\*PolyLog[3, -E^((2\*I)\*ArcSin[a\*x])])/(2\*a\*c\*Sqrt[c - a^2\*c\*x^2])

**Maple [A]** time = 0.101, size = 203, normalized size = 0.9

$$-\frac{(\arcsin(ax))^3}{c^2 a (a^2 x^2 - 1)} \sqrt{-c(a^2 x^2 - 1)} \left( i \sqrt{-a^2 x^2 + 1} + ax \right) + \frac{1}{2 c^2 a (a^2 x^2 - 1)} \sqrt{-a^2 x^2 + 1} \sqrt{-c(a^2 x^2 - 1)} \left( 4 i (\arcsin(ax))^3 + 6 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^(3/2),x)

[Out]  $-( -c*(a^2*x^2-1) )^{(1/2)} * ( I*(-a^2*x^2+1)^{(1/2)} + a*x ) * \arcsin(a*x)^3 / a/c^2 / (a^2*x^2-1) + 1/2 * (-a^2*x^2+1)^{(1/2)} * (-c*(a^2*x^2-1))^{(1/2)} * ( 4*I*\arcsin(a*x)^3 + 6*I*\arcsin(a*x)*\text{polylog}(2, -(I*a*x+(-a^2*x^2+1)^{(1/2}))^2) - 6*\arcsin(a*x)^2*\ln(1+(I*a*x+(-a^2*x^2+1)^{(1/2}))^2) - 3*\text{polylog}(3, -(I*a*x+(-a^2*x^2+1)^{(1/2}))^2) ) / a/c^2 / (a^2*x^2-1)$

**Maxima [A]** time = 4.00156, size = 76, normalized size = 0.32

$$-\frac{3 a \sqrt{\frac{1}{a^4 c}} \arcsin(ax)^2 \log\left(x^2 - \frac{1}{a^2}\right)}{2 c} + \frac{x \arcsin(ax)^3}{\sqrt{-a^2 c x^2 + c c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^(3/2),x, algorithm="maxima")

[Out]  $-3/2*a*\text{sqrt}(1/(a^4*c))*\arcsin(a*x)^2*\log(x^2 - 1/a^2)/c + x*\arcsin(a*x)^3/(\text{sqrt}(-a^2*c*x^2 + c)*c)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-a^2 c x^2 + c} \arcsin(ax)^3}{a^4 c^2 x^4 - 2 a^2 c^2 x^2 + c^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^(3/2),x, algorithm="fricas")

[Out]  $\text{integral}(\text{sqrt}(-a^2*c*x^2 + c)*\arcsin(a*x)^3/(a^4*c^2*x^4 - 2*a^2*c^2*x^2 + c^2), x)$

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{asin}^3(ax)}{(-c(ax-1)(ax+1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*3/(-a\*\*2\*c\*x\*\*2+c)\*\*(3/2),x)

[Out] Integral(asin(a\*x)\*\*3/(-c\*(a\*x - 1)\*(a\*x + 1))\*\* (3/2), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^3}{(-a^2cx^2+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^(3/2),x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2 + c)^(3/2), x)

$$3.300 \quad \int \frac{\sin^{-1}(ax)^3}{(c-a^2cx^2)^{5/2}} dx$$

**Optimal.** Leaf size=388

$$\frac{2i\sqrt{1-a^2x^2}\sin^{-1}(ax)\text{PolyLog}\left(2,-e^{2i\sin^{-1}(ax)}\right)}{ac^2\sqrt{c-a^2cx^2}} + \frac{\sqrt{1-a^2x^2}\text{PolyLog}\left(3,-e^{2i\sin^{-1}(ax)}\right)}{ac^2\sqrt{c-a^2cx^2}} + \frac{\sqrt{1-a^2x^2}\log(1-a^2x^2)}{2ac^2\sqrt{c-a^2cx^2}} +$$

```
[Out] (x*ArcSin[a*x])/(c^2*Sqrt[c - a^2*c*x^2]) - ArcSin[a*x]^2/(2*a*c^2*Sqrt[1 - a^2*x^2]*Sqrt[c - a^2*c*x^2]) + (x*ArcSin[a*x]^3)/(3*c*(c - a^2*c*x^2)^(3/2)) + (2*x*ArcSin[a*x]^3)/(3*c^2*Sqrt[c - a^2*c*x^2]) - (((2*I)/3)*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^3)/(a*c^2*Sqrt[c - a^2*c*x^2]) + (2*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^2*Log[1 + E^((2*I)*ArcSin[a*x])])/(a*c^2*Sqrt[c - a^2*c*x^2]) + (Sqrt[1 - a^2*x^2]*Log[1 - a^2*x^2])/(2*a*c^2*Sqrt[c - a^2*c*x^2]) - ((2*I)*Sqrt[1 - a^2*x^2]*ArcSin[a*x]*PolyLog[2, -E^((2*I)*ArcSin[a*x])])/(a*c^2*Sqrt[c - a^2*c*x^2]) + (Sqrt[1 - a^2*x^2]*PolyLog[3, -E^((2*I)*ArcSin[a*x])])/(a*c^2*Sqrt[c - a^2*c*x^2])
```

**Rubi [A]** time = 0.305563, antiderivative size = 388, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {4655, 4653, 4675, 3719, 2190, 2531, 2282, 6589, 4677, 4651, 260}

$$\frac{2i\sqrt{1-a^2x^2}\sin^{-1}(ax)\text{PolyLog}\left(2,-e^{2i\sin^{-1}(ax)}\right)}{ac^2\sqrt{c-a^2cx^2}} + \frac{\sqrt{1-a^2x^2}\text{PolyLog}\left(3,-e^{2i\sin^{-1}(ax)}\right)}{ac^2\sqrt{c-a^2cx^2}} + \frac{\sqrt{1-a^2x^2}\log(1-a^2x^2)}{2ac^2\sqrt{c-a^2cx^2}} +$$

Antiderivative was successfully verified.

```
[In] Int[ArcSin[a*x]^3/(c - a^2*c*x^2)^(5/2),x]
```

```
[Out] (x*ArcSin[a*x])/(c^2*Sqrt[c - a^2*c*x^2]) - ArcSin[a*x]^2/(2*a*c^2*Sqrt[1 - a^2*x^2]*Sqrt[c - a^2*c*x^2]) + (x*ArcSin[a*x]^3)/(3*c*(c - a^2*c*x^2)^(3/2)) + (2*x*ArcSin[a*x]^3)/(3*c^2*Sqrt[c - a^2*c*x^2]) - (((2*I)/3)*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^3)/(a*c^2*Sqrt[c - a^2*c*x^2]) + (2*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^2*Log[1 + E^((2*I)*ArcSin[a*x])])/(a*c^2*Sqrt[c - a^2*c*x^2]) + (Sqrt[1 - a^2*x^2]*Log[1 - a^2*x^2])/(2*a*c^2*Sqrt[c - a^2*c*x^2]) - ((2*I)*Sqrt[1 - a^2*x^2]*ArcSin[a*x]*PolyLog[2, -E^((2*I)*ArcSin[a*x])])/(a*c^2*Sqrt[c - a^2*c*x^2]) + (Sqrt[1 - a^2*x^2]*PolyLog[3, -E^((2*I)*ArcSin[a*x])])/(a*c^2*Sqrt[c - a^2*c*x^2])
```

Rule 4655

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_), x_
_Symbol] := -Simp[(x*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*d*(p + 1)
), x] + (Dist[(2*p + 3)/(2*d*(p + 1)), Int[(d + e*x^2)^(p + 1)*(a + b*ArcSi
n[c*x])^n, x], x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*(p
+ 1)*(1 - c^2*x^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSi
in[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0]
&& GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

Rule 4653

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2)^(3/2), x
_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(
b*c*n*Sqrt[1 - c^2*x^2])/(d*Sqrt[d + e*x^2]), Int[(x*(a + b*ArcSin[c*x])^(n
- 1))/(1 - c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e,
0] && GtQ[n, 0]
```

Rule 4675

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_))/((d_) + (e_.)*(x_)^2),
x_Symbol] := -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x]
], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))]^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f
```

, g, n}, x] && GtQ[m, 0]

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*(a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rule 4651

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2)^(3/2), x_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(b*c*n)/Sqrt[d], Int[(x*(a + b*ArcSin[c*x])^(n - 1))/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]
```

### Rule 260

```
Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^3}{(c - a^2cx^2)^{5/2}} dx &= \frac{x \sin^{-1}(ax)^3}{3c(c - a^2cx^2)^{3/2}} + \frac{2 \int \frac{\sin^{-1}(ax)^3}{(c - a^2cx^2)^{3/2}} dx}{3c} - \frac{(a\sqrt{1 - a^2x^2}) \int \frac{x \sin^{-1}(ax)^2}{(1 - a^2x^2)^2} dx}{c^2\sqrt{c - a^2cx^2}} \\
&= -\frac{\sin^{-1}(ax)^2}{2ac^2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)^3}{3c(c - a^2cx^2)^{3/2}} + \frac{2x \sin^{-1}(ax)^3}{3c^2\sqrt{c - a^2cx^2}} + \frac{\sqrt{1 - a^2x^2} \int \frac{\sin^{-1}(ax)}{(1 - a^2x^2)^{3/2}} dx}{c^2\sqrt{c - a^2cx^2}} - \frac{(2\sqrt{1 - a^2x^2}) \sin^{-1}(ax)}{3ac^2\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)}{c^2\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)^2}{2ac^2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)^3}{3c(c - a^2cx^2)^{3/2}} + \frac{2x \sin^{-1}(ax)^3}{3c^2\sqrt{c - a^2cx^2}} - \frac{(2\sqrt{1 - a^2x^2}) \sin^{-1}(ax)}{3ac^2\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)}{c^2\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)^2}{2ac^2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)^3}{3c(c - a^2cx^2)^{3/2}} + \frac{2x \sin^{-1}(ax)^3}{3c^2\sqrt{c - a^2cx^2}} - \frac{2i\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{3ac^2\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)}{c^2\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)^2}{2ac^2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)^3}{3c(c - a^2cx^2)^{3/2}} + \frac{2x \sin^{-1}(ax)^3}{3c^2\sqrt{c - a^2cx^2}} - \frac{2i\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{3ac^2\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)}{c^2\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)^2}{2ac^2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)^3}{3c(c - a^2cx^2)^{3/2}} + \frac{2x \sin^{-1}(ax)^3}{3c^2\sqrt{c - a^2cx^2}} - \frac{2i\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{3ac^2\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)}{c^2\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)^2}{2ac^2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)^3}{3c(c - a^2cx^2)^{3/2}} + \frac{2x \sin^{-1}(ax)^3}{3c^2\sqrt{c - a^2cx^2}} - \frac{2i\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{3ac^2\sqrt{c - a^2cx^2}} \\
&= \frac{x \sin^{-1}(ax)}{c^2\sqrt{c - a^2cx^2}} - \frac{\sin^{-1}(ax)^2}{2ac^2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)^3}{3c(c - a^2cx^2)^{3/2}} + \frac{2x \sin^{-1}(ax)^3}{3c^2\sqrt{c - a^2cx^2}} - \frac{2i\sqrt{1 - a^2x^2} \sin^{-1}(ax)}{3ac^2\sqrt{c - a^2cx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.558723, size = 211, normalized size = 0.54

$$\frac{(1 - a^2x^2)^{3/2} \left( -12i \sin^{-1}(ax) \text{PolyLog} \left( 2, -e^{2i \sin^{-1}(ax)} \right) + 6 \text{PolyLog} \left( 3, -e^{2i \sin^{-1}(ax)} \right) + 3 \log(1 - a^2x^2) + \frac{4ax \sin^{-1}(ax)^3}{\sqrt{1 - a^2x^2}} + 2 \right)}{6ac(c - a^2cx^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^3/(c - a^2\*c\*x^2)^(5/2), x]

[Out] ((1 - a^2\*x^2)^(3/2)\*((6\*a\*x\*ArcSin[a\*x])/Sqrt[1 - a^2\*x^2] + (3\*ArcSin[a\*x]^2)/(-1 + a^2\*x^2) - (4\*I)\*ArcSin[a\*x]^3 + (2\*a\*x\*ArcSin[a\*x]^3)/(1 - a^2\*



$$x^2)^{(3/2)} + (4*a*x*ArcSin[a*x]^3)/Sqrt[1 - a^2*x^2] + 12*ArcSin[a*x]^2*Log[1 + E^((2*I)*ArcSin[a*x])] + 3*Log[1 - a^2*x^2] - (12*I)*ArcSin[a*x]*PolyLog[2, -E^((2*I)*ArcSin[a*x])] + 6*PolyLog[3, -E^((2*I)*ArcSin[a*x])])/(6*a*c*(c - a^2*c*x^2)^{(3/2)})$$

**Maple [A]** time = 0.207, size = 661, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^(5/2),x)

[Out] 
$$-1/6*(-c*(a^2*x^2-1))^{(1/2)}*(2*I*(-a^2*x^2+1)^{(1/2)}*x^2*a^2+2*a^3*x^3-2*I*(-a^2*x^2+1)^{(1/2)}-3*a*x)*arcsin(a*x)*(-6*I*arcsin(a*x)*x^4*a^4-6*arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}*x^3*a^3+6*I*(-a^2*x^2+1)^{(1/2)}*x^3*a^3-6*a^4*x^4+6*arcsin(a*x)^2*x^2*a^2+12*I*arcsin(a*x)*x^2*a^2+9*arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}*x*a-6*I*(-a^2*x^2+1)^{(1/2)}*x*a+18*a^2*x^2-8*arcsin(a*x)^2-6*I*arcsin(a*x)-12)/c^3/(3*a^6*x^6-10*a^4*x^4+11*a^2*x^2-4)/a-(-c*(a^2*x^2-1))^{(1/2)}*(-a^2*x^2+1)^{(1/2)}/a/c^3/(a^2*x^2-1)*ln(1+(I*a*x+(-a^2*x^2+1)^{(1/2}))^2)+2*(-c*(a^2*x^2-1))^{(1/2)}*(-a^2*x^2+1)^{(1/2)}/a/c^3/(a^2*x^2-1)*ln(I*a*x+(-a^2*x^2+1)^{(1/2}))^2+4/3*I*(-a^2*x^2+1)^{(1/2)}*(-c*(a^2*x^2-1))^{(1/2)}/a/c^3/(a^2*x^2-1)*arcsin(a*x)^3-2*(-c*(a^2*x^2-1))^{(1/2)}*(-a^2*x^2+1)^{(1/2)}/a/c^3/(a^2*x^2-1)*arcsin(a*x)^2*ln(1+(I*a*x+(-a^2*x^2+1)^{(1/2}))^2)+2*I*(-a^2*x^2+1)^{(1/2)}*(-c*(a^2*x^2-1))^{(1/2)}/a/c^3/(a^2*x^2-1)*arcsin(a*x)*polylog(2,-(I*a*x+(-a^2*x^2+1)^{(1/2}))^2)-(-c*(a^2*x^2-1))^{(1/2)}*(-a^2*x^2+1)^{(1/2)}/a/c^3/(a^2*x^2-1)*polylog(3,-(I*a*x+(-a^2*x^2+1)^{(1/2}))^2)$$

**Maxima [A]** time = 2.70521, size = 143, normalized size = 0.37

$$\frac{1}{2}a\left(\frac{1}{a^4c^{\frac{5}{2}}x^2 - a^2c^{\frac{5}{2}}} + \frac{2\log(ax+1)}{a^2c^{\frac{5}{2}}} + \frac{2\log(ax-1)}{a^2c^{\frac{5}{2}}}\right)\arcsin(ax)^2 + \frac{1}{3}\left(\frac{2x}{\sqrt{-a^2cx^2+cc^2}} + \frac{x}{(-a^2cx^2+c)^{\frac{3}{2}}c}\right)\arcsin(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^(5/2),x, algorithm="maxima")

[Out] 
$$1/2*a*(1/(a^4*c^{(5/2)}*x^2 - a^2*c^{(5/2)}) + 2*log(a*x + 1)/(a^2*c^{(5/2)}) + 2*log(a*x - 1)/(a^2*c^{(5/2)}))*arcsin(a*x)^2 + 1/3*(2*x/(sqrt(-a^2*c*x^2 + c)$$

$*c^2) + x/((-a^2*c*x^2 + c)^{(3/2)*c})*\arcsin(a*x)^3$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2cx^2 + c} \arcsin(ax)^3}{a^6c^3x^6 - 3a^4c^3x^4 + 3a^2c^3x^2 - c^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*c\*x^2 + c)\*arcsin(a\*x)^3/(a^6\*c^3\*x^6 - 3\*a^4\*c^3\*x^4 + 3\*a^2\*c^3\*x^2 - c^3), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin^3(ax)}{(-c(ax-1)(ax+1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*3/(-a\*\*2\*c\*x\*\*2+c)\*\*(5/2),x)

[Out] Integral(asin(a\*x)\*\*3/(-c\*(a\*x - 1)\*(a\*x + 1))\*\*(5/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^3}{(-a^2cx^2 + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^(5/2),x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2 + c)^(5/2), x)

$$3.301 \quad \int \frac{\sin^{-1}(ax)^3}{(c-a^2cx^2)^{7/2}} dx$$

**Optimal.** Leaf size=547

$$\frac{8i\sqrt{1-a^2x^2}\sin^{-1}(ax)\text{PolyLog}\left(2,-e^{2i\sin^{-1}(ax)}\right)}{5ac^3\sqrt{c-a^2cx^2}} + \frac{4\sqrt{1-a^2x^2}\text{PolyLog}\left(3,-e^{2i\sin^{-1}(ax)}\right)}{5ac^3\sqrt{c-a^2cx^2}} - \frac{1}{20ac^3\sqrt{1-a^2x^2}\sqrt{c-a^2cx^2}}$$

[Out]  $-1/(20*a*c^3*\text{Sqrt}[1 - a^2*x^2]*\text{Sqrt}[c - a^2*c*x^2]) + (x*\text{ArcSin}[a*x])/(c^3*\text{Sqrt}[c - a^2*c*x^2]) + (x*\text{ArcSin}[a*x])/(10*c^3*(1 - a^2*x^2)*\text{Sqrt}[c - a^2*c*x^2]) - (3*\text{ArcSin}[a*x]^2)/(20*a*c^3*(1 - a^2*x^2)^{(3/2)}*\text{Sqrt}[c - a^2*c*x^2]) - (2*\text{ArcSin}[a*x]^2)/(5*a*c^3*\text{Sqrt}[1 - a^2*x^2]*\text{Sqrt}[c - a^2*c*x^2]) + (x*\text{ArcSin}[a*x]^3)/(5*c*(c - a^2*c*x^2)^{(5/2)}) + (4*x*\text{ArcSin}[a*x]^3)/(15*c^2*(c - a^2*c*x^2)^{(3/2)}) + (8*x*\text{ArcSin}[a*x]^3)/(15*c^3*\text{Sqrt}[c - a^2*c*x^2]) - (((8*I)/15)*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(a*c^3*\text{Sqrt}[c - a^2*c*x^2]) + (8*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^2*\text{Log}[1 + E^((2*I)*\text{ArcSin}[a*x])])/(5*a*c^3*\text{Sqrt}[c - a^2*c*x^2]) + (\text{Sqrt}[1 - a^2*x^2]*\text{Log}[1 - a^2*x^2])/(2*a*c^3*\text{Sqrt}[c - a^2*c*x^2]) - (((8*I)/5)*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]*\text{PolyLog}[2, -E^((2*I)*\text{ArcSin}[a*x])])/(a*c^3*\text{Sqrt}[c - a^2*c*x^2]) + (4*\text{Sqrt}[1 - a^2*x^2]*\text{PolyLog}[3, -E^((2*I)*\text{ArcSin}[a*x])])/(5*a*c^3*\text{Sqrt}[c - a^2*c*x^2])$

**Rubi [A]** time = 0.48107, antiderivative size = 547, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 12, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.546$ , Rules used = {4655, 4653, 4675, 3719, 2190, 2531, 2282, 6589, 4677, 4651, 260, 261}

$$\frac{8i\sqrt{1-a^2x^2}\sin^{-1}(ax)\text{PolyLog}\left(2,-e^{2i\sin^{-1}(ax)}\right)}{5ac^3\sqrt{c-a^2cx^2}} + \frac{4\sqrt{1-a^2x^2}\text{PolyLog}\left(3,-e^{2i\sin^{-1}(ax)}\right)}{5ac^3\sqrt{c-a^2cx^2}} - \frac{1}{20ac^3\sqrt{1-a^2x^2}\sqrt{c-a^2cx^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{ArcSin}[a*x]^3/(c - a^2*c*x^2)^{(7/2)}, x]$

[Out]  $-1/(20*a*c^3*\text{Sqrt}[1 - a^2*x^2]*\text{Sqrt}[c - a^2*c*x^2]) + (x*\text{ArcSin}[a*x])/(c^3*\text{Sqrt}[c - a^2*c*x^2]) + (x*\text{ArcSin}[a*x])/(10*c^3*(1 - a^2*x^2)*\text{Sqrt}[c - a^2*c*x^2]) - (3*\text{ArcSin}[a*x]^2)/(20*a*c^3*(1 - a^2*x^2)^{(3/2)}*\text{Sqrt}[c - a^2*c*x^2]) - (2*\text{ArcSin}[a*x]^2)/(5*a*c^3*\text{Sqrt}[1 - a^2*x^2]*\text{Sqrt}[c - a^2*c*x^2]) + (x*\text{ArcSin}[a*x]^3)/(5*c*(c - a^2*c*x^2)^{(5/2)}) + (4*x*\text{ArcSin}[a*x]^3)/(15*c^2*(c - a^2*c*x^2)^{(3/2)}) + (8*x*\text{ArcSin}[a*x]^3)/(15*c^3*\text{Sqrt}[c - a^2*c*x^2]) - (((8*I)/15)*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(a*c^3*\text{Sqrt}[c - a^2*c*x^2]) +$

$$\frac{(8\sqrt{1 - a^2x^2} \operatorname{ArcSin}[ax]^2 \operatorname{Log}[1 + E^{(2I)\operatorname{ArcSin}[ax]}]) / (5a^3c^3 \sqrt{c - a^2cx^2}) + (\sqrt{1 - a^2x^2} \operatorname{Log}[1 - a^2x^2]) / (2a^3c^3 \sqrt{c - a^2cx^2}) - (((8I)/5) \sqrt{1 - a^2x^2} \operatorname{ArcSin}[ax] \operatorname{PolyLog}[2, -E^{(2I)\operatorname{ArcSin}[ax]}]) / (a^3c^3 \sqrt{c - a^2cx^2}) + (4\sqrt{1 - a^2x^2} \operatorname{PolyLog}[3, -E^{(2I)\operatorname{ArcSin}[ax]}]) / (5a^3c^3 \sqrt{c - a^2cx^2})$$

### Rule 4655

$$\operatorname{Int}[(a_.) + \operatorname{ArcSin}[(c_.)x](b_.)^{(n_.)}((d_.) + (e_.)x^2)^{(p_.)}, x\_Symbol] \rightarrow -\operatorname{Simp}[(x(d + ex^2)^{(p+1})(a + b\operatorname{ArcSin}[cx])^n) / (2d(p+1)), x] + (\operatorname{Dist}[(2p+3)/(2d(p+1)), \operatorname{Int}[(d + ex^2)^{(p+1})(a + b\operatorname{ArcSin}[cx])^n, x], x] + \operatorname{Dist}[(b^n d^{\operatorname{IntPart}[p]}(d + ex^2)^{\operatorname{FracPart}[p]}) / (2(p+1)(1 - c^2x^2)^{\operatorname{FracPart}[p]}), \operatorname{Int}[x(1 - c^2x^2)^{(p+1/2)}(a + b\operatorname{ArcSin}[cx])^{(n-1)}, x], x]) /; \operatorname{FreeQ}\{a, b, c, d, e\}, x \&\& \operatorname{EqQ}[c^2d + e, 0] \&\& \operatorname{GtQ}[n, 0] \&\& \operatorname{LtQ}[p, -1] \&\& \operatorname{NeQ}[p, -3/2]$$

### Rule 4653

$$\operatorname{Int}[(a_.) + \operatorname{ArcSin}[(c_.)x](b_.)^{(n_.)} / ((d_.) + (e_.)x^2)^{(3/2)}, x\_Symbol] \rightarrow \operatorname{Simp}[(x(a + b\operatorname{ArcSin}[cx])^n) / (d\sqrt{d + ex^2}), x] - \operatorname{Dist}[(b^n \sqrt{1 - c^2x^2}) / (d\sqrt{d + ex^2}), \operatorname{Int}[(x(a + b\operatorname{ArcSin}[cx])^{(n-1)}) / (1 - c^2x^2), x], x] /; \operatorname{FreeQ}\{a, b, c, d, e\}, x \&\& \operatorname{EqQ}[c^2d + e, 0] \&\& \operatorname{GtQ}[n, 0]$$

### Rule 4675

$$\operatorname{Int}[(a_.) + \operatorname{ArcSin}[(c_.)x](b_.)^{(n_.)}x / ((d_.) + (e_.)x^2), x\_Symbol] \rightarrow -\operatorname{Dist}[e^{-1}, \operatorname{Subst}[\operatorname{Int}[(a + bx)^n \operatorname{Tan}[x], x], x, \operatorname{ArcSin}[cx]], x] /; \operatorname{FreeQ}\{a, b, c, d, e\}, x \&\& \operatorname{EqQ}[c^2d + e, 0] \&\& \operatorname{IGtQ}[n, 0]$$

### Rule 3719

$$\operatorname{Int}[(c_.) + (d_.)x^{(m_.)} \operatorname{tan}[(e_.) + (f_.)x], x\_Symbol] \rightarrow \operatorname{Simp}[(I(c + dx)^{(m+1)}) / (d(m+1)), x] - \operatorname{Dist}[2I, \operatorname{Int}[(c + dx)^m E^{(2I(e + fx))}) / (1 + E^{(2I(e + fx))}), x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x \&\& \operatorname{IGtQ}[m, 0]$$

### Rule 2190

$$\operatorname{Int}[(F_.)^{(g_.)((e_.) + (f_.)x)}^{(n_.)}((c_.) + (d_.)x^{(m_.)}) / ((a_.) + (b_.)x^{(g_.)((e_.) + (f_.)x)}^{(n_.)}), x\_Symbol] \rightarrow \operatorname{Simp}[(c + dx)^m \operatorname{Log}[1 + (b(F^{(g(e + fx)))})^n] / a] / (b^m g^n \operatorname{Log}[F]), x] - \operatorname{Dist}[(d^m) / (b^m g^n \operatorname{Log}[F]), \operatorname{Int}[(c + dx)^{(m-1)} \operatorname{Log}[1 + (b(F^{(g(e + fx)))})^n] / a], x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x \&\& \operatorname{IGtQ}[m, 0]$$

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*(f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

Rule 4651

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_)^2)^(3/2), x
_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(
b*c*n)/Sqrt[d], Int[(x*(a + b*ArcSin[c*x])^(n - 1))/(d + e*x^2), x], x] /;
FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]
```

Rule 260

```
Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveConten
t[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 261

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{\sin^{-1}(ax)^3}{(c - a^2cx^2)^{7/2}} dx &= \frac{x \sin^{-1}(ax)^3}{5c(c - a^2cx^2)^{5/2}} + \frac{4 \int \frac{\sin^{-1}(ax)^3}{(c - a^2cx^2)^{5/2}} dx}{5c} - \frac{\left(3a\sqrt{1 - a^2x^2}\right) \int \frac{x \sin^{-1}(ax)^2}{(1 - a^2x^2)^3} dx}{5c^3\sqrt{c - a^2cx^2}} \\
 &= -\frac{3 \sin^{-1}(ax)^2}{20ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)^3}{5c(c - a^2cx^2)^{5/2}} + \frac{4x \sin^{-1}(ax)^3}{15c^2(c - a^2cx^2)^{3/2}} + \frac{8 \int \frac{\sin^{-1}(ax)^3}{(c - a^2cx^2)^{3/2}} dx}{15c^2} + \dots \\
 &= \frac{x \sin^{-1}(ax)}{10c^3(1 - a^2x^2)\sqrt{c - a^2cx^2}} - \frac{3 \sin^{-1}(ax)^2}{20ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}} - \frac{2 \sin^{-1}(ax)^2}{5ac^3\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)}{5c(c - a^2cx^2)^{5/2}} \\
 &= -\frac{1}{20ac^3\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)}{c^3\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)}{10c^3(1 - a^2x^2)\sqrt{c - a^2cx^2}} - \frac{3 \sin^{-1}(ax)}{20ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}} \\
 &= -\frac{1}{20ac^3\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)}{c^3\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)}{10c^3(1 - a^2x^2)\sqrt{c - a^2cx^2}} - \frac{3 \sin^{-1}(ax)}{20ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}} \\
 &= -\frac{1}{20ac^3\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)}{c^3\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)}{10c^3(1 - a^2x^2)\sqrt{c - a^2cx^2}} - \frac{3 \sin^{-1}(ax)}{20ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}} \\
 &= -\frac{1}{20ac^3\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)}{c^3\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)}{10c^3(1 - a^2x^2)\sqrt{c - a^2cx^2}} - \frac{3 \sin^{-1}(ax)}{20ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}} \\
 &= -\frac{1}{20ac^3\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)}{c^3\sqrt{c - a^2cx^2}} + \frac{x \sin^{-1}(ax)}{10c^3(1 - a^2x^2)\sqrt{c - a^2cx^2}} - \frac{3 \sin^{-1}(ax)}{20ac^3(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}}
 \end{aligned}$$

**Mathematica [A]** time = 0.726761, size = 319, normalized size = 0.58

$$-96i\sqrt{1-a^2x^2}\sin^{-1}(ax)\text{PolyLog}\left(2,-e^{2i\sin^{-1}(ax)}\right)+48\sqrt{1-a^2x^2}\text{PolyLog}\left(3,-e^{2i\sin^{-1}(ax)}\right)-\frac{3}{\sqrt{1-a^2x^2}}+30\sqrt{1-a^2x^2}\log$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^3/(c - a^2\*c\*x^2)^(7/2), x]

[Out] 
$$\begin{aligned} & (-3/\text{Sqrt}[1 - a^2*x^2] + 60*a*x*\text{ArcSin}[a*x] + (6*a*x*\text{ArcSin}[a*x]))/(1 - a^2*x^2) \\ & - (9*\text{ArcSin}[a*x]^2)/(1 - a^2*x^2)^{(3/2)} - (24*\text{ArcSin}[a*x]^2)/\text{Sqrt}[1 - a^2*x^2] \\ & + 32*a*x*\text{ArcSin}[a*x]^3 + (16*a*x*\text{ArcSin}[a*x]^3)/(1 - a^2*x^2) - (32*I)*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3 \\ & + (12*a*x*\text{ArcSin}[a*x]^3)/(-1 + a^2*x^2)^2 + 96*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^2*\text{Log}[1 + E^((2*I)*\text{ArcSin}[a*x])] \\ & + 30*\text{Sqrt}[1 - a^2*x^2]*\text{Log}[1 - a^2*x^2] - (96*I)*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]*\text{PolyLog}[2, -E^((2*I)*\text{ArcSin}[a*x])] \\ & + 48*\text{Sqrt}[1 - a^2*x^2]*\text{PolyLog}[3, -E^((2*I)*\text{ArcSin}[a*x])])/(60*a*c^3*\text{Sqrt}[c - a^2*c*x^2]) \end{aligned}$$

**Maple [A]** time = 0.283, size = 1017, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^(7/2), x)

[Out] 
$$\begin{aligned} & -1/60*(-c*(a^2*x^2-1))^{(1/2)}*(8*a^5*x^5-20*a^3*x^3+8*I*(-a^2*x^2+1)^{(1/2)}*x^4*a^4+15*a*x-16*I*(-a^2*x^2+1)^{(1/2)}*x^2*a^2+8*I*(-a^2*x^2+1)^{(1/2)}*(1590*a^4*x^4*\arcsin(a*x)-1410*a^2*x^2*\arcsin(a*x)+105*a^3*x^3*(-a^2*x^2+1)^{(1/2)}-45*a*x*(-a^2*x^2+1)^{(1/2)}+160*a^4*x^4*\arcsin(a*x)^3+24*I*x^8*a^8+24*(-a^2*x^2+1)^{(1/2)}*x^7*a^7-84*(-a^2*x^2+1)^{(1/2)}*a^5*x^5+24*I+256*\arcsin(a*x)^3+480*\arcsin(a*x)+756*I*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}*x^5*a^5+264*I*\arcsin(a*x)^2+1020*\arcsin(a*x)^2*(-a^2*x^2+1)^{(1/2)}*x^3*a^3-495*\arcsin(a*x)^2*(-a^2*x^2+1)^{(1/2)}*x*a-936*I*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}*x^3*a^3+372*I*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}*x*a-192*I*\arcsin(a*x)*(-a^2*x^2+1)^{(1/2)}*x^7*a^7-96*I*x^6*a^6+144*I*x^4*a^4-96*I*a^2*x^2-380*\arcsin(a*x)^3*x^2*a^2+192*\arcsin(a*x)*x^8*a^8-852*\arcsin(a*x)*x^6*a^6+192*\arcsin(a*x)^2*(-a^2*x^2+1)^{(1/2)}*x^7*a^7-744*\arcsin(a*x)^2*(-a^2*x^2+1)^{(1/2)}*x^5*a^5+192*I*\arcsin(a*x)^2*x^8*a^8-840*I*\arcsin(a*x)^2*x^6*a^6+1368*I*\arcsin(a*x)^2*x^4*a^4-984*I*\arcsin(a*x)^2*x^2*a^2)/c^4/(40*a^10*x^10-215*a^8*x^8+469*a^6*x^6-517*a^4*x^4+287* \end{aligned}$$

$$\frac{a^2 x^2 - 64}{a} \frac{(-c(a^2 x^2 - 1))^{1/2} (-a^2 x^2 + 1)^{1/2}}{a/c^4 (a^2 x^2 - 1)} \ln(1 + (I a x + (-a^2 x^2 + 1)^{1/2})^2) + 2 \frac{(-c(a^2 x^2 - 1))^{1/2} (-a^2 x^2 + 1)^{1/2}}{a/c^4 (a^2 x^2 - 1)} \ln(I a x + (-a^2 x^2 + 1)^{1/2}) + \frac{16}{15} I \frac{(-a^2 x^2 + 1)^{1/2}}{a/c^4 (a^2 x^2 - 1)} \arcsin(ax)^3 - \frac{8}{5} \frac{(-c(a^2 x^2 - 1))^{1/2} (-a^2 x^2 + 1)^{1/2}}{a/c^4 (a^2 x^2 - 1)} \arcsin(ax)^2 \ln(1 + (I a x + (-a^2 x^2 + 1)^{1/2})^2) + \frac{8}{5} I \frac{(-a^2 x^2 + 1)^{1/2} (-c(a^2 x^2 - 1))^{1/2}}{a/c^4 (a^2 x^2 - 1)} \arcsin(ax) \operatorname{polylog}(2, -(I a x + (-a^2 x^2 + 1)^{1/2})^2) - \frac{4}{5} \frac{(-c(a^2 x^2 - 1))^{1/2} (-a^2 x^2 + 1)^{1/2}}{a/c^4 (a^2 x^2 - 1)} \operatorname{polylog}(3, -(I a x + (-a^2 x^2 + 1)^{1/2})^2)$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^3}{(-a^2 cx^2 + c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^(7/2),x, algorithm="maxima")

[Out] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2 + c)^(7/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{-a^2 cx^2 + c} \arcsin(ax)^3}{a^8 c^4 x^8 - 4 a^6 c^4 x^6 + 6 a^4 c^4 x^4 - 4 a^2 c^4 x^2 + c^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^(7/2),x, algorithm="fricas")

[Out] integral(sqrt(-a^2\*c\*x^2 + c)\*arcsin(a\*x)^3/(a^8\*c^4\*x^8 - 4\*a^6\*c^4\*x^6 + 6\*a^4\*c^4\*x^4 - 4\*a^2\*c^4\*x^2 + c^4), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*3/(-a\*\*2\*c\*x\*\*2+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^3}{(-a^2cx^2 + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2+c)^(7/2),x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^3/(-a^2\*c\*x^2 + c)^(7/2), x)

$$3.302 \quad \int \frac{x^m \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=26

$$\text{Unintegrable}\left(\frac{x^m \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}}, x\right)$$

[Out] Unintegrable[(x^m\*ArcSin[a\*x]^3)/Sqrt[1 - a^2\*x^2], x]

**Rubi [A]** time = 0.0831826, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^m\*ArcSin[a\*x]^3)/Sqrt[1 - a^2\*x^2], x]

[Out] Defer[Int][(x^m\*ArcSin[a\*x]^3)/Sqrt[1 - a^2\*x^2], x]

Rubi steps

$$\int \frac{x^m \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx = \int \frac{x^m \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx$$

**Mathematica [A]** time = 0.86079, size = 0, normalized size = 0.

$$\int \frac{x^m \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^m\*ArcSin[a\*x]^3)/Sqrt[1 - a^2\*x^2], x]

[Out] Integrate[(x^m\*ArcSin[a\*x]^3)/Sqrt[1 - a^2\*x^2], x]

**Maple [A]** time = 0.485, size = 0, normalized size = 0.

$$\int x^m (\arcsin(ax))^3 \frac{1}{\sqrt{-a^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x)

[Out] int(x^m\*arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m \arcsin(ax)^3}{\sqrt{-a^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(x^m\*arcsin(a\*x)^3/sqrt(-a^2\*x^2 + 1), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2 + 1}x^m \arcsin(ax)^3}{a^2x^2 - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)\*x^m\*arcsin(a\*x)^3/(a^2\*x^2 - 1), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m \operatorname{asin}^3(ax)}{\sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*asin(a\*x)\*\*3/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x\*\*m\*asin(a\*x)\*\*3/sqrt(-(a\*x - 1)\*(a\*x + 1)), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m \arcsin(ax)^3}{\sqrt{-a^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(x^m\*arcsin(a\*x)^3/sqrt(-a^2\*x^2 + 1), x)

$$3.303 \quad \int \frac{x^4 \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=191

$$-\frac{45x^2}{128a^3} - \frac{x^3\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{4a^2} + \frac{3x^3\sqrt{1-a^2x^2}\sin^{-1}(ax)}{32a^2} + \frac{9x^2\sin^{-1}(ax)^2}{16a^3} - \frac{3x\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{8a^4} + \frac{45x\sqrt{1-a^2x^2}}{64a^4}$$

```
[Out] (-45*x^2)/(128*a^3) - (3*x^4)/(128*a) + (45*x*Sqrt[1 - a^2*x^2]*ArcSin[a*x])/(64*a^4) + (3*x^3*Sqrt[1 - a^2*x^2]*ArcSin[a*x])/(32*a^2) - (45*ArcSin[a*x]^2)/(128*a^5) + (9*x^2*ArcSin[a*x]^2)/(16*a^3) + (3*x^4*ArcSin[a*x]^2)/(16*a) - (3*x*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^3)/(8*a^4) - (x^3*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^3)/(4*a^2) + (3*ArcSin[a*x]^4)/(32*a^5)
```

**Rubi [A]** time = 0.46789, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {4707, 4641, 4627, 30}

$$-\frac{45x^2}{128a^3} - \frac{x^3\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{4a^2} + \frac{3x^3\sqrt{1-a^2x^2}\sin^{-1}(ax)}{32a^2} + \frac{9x^2\sin^{-1}(ax)^2}{16a^3} - \frac{3x\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{8a^4} + \frac{45x\sqrt{1-a^2x^2}}{64a^4}$$

Antiderivative was successfully verified.

```
[In] Int[(x^4*ArcSin[a*x]^3)/Sqrt[1 - a^2*x^2], x]
```

```
[Out] (-45*x^2)/(128*a^3) - (3*x^4)/(128*a) + (45*x*Sqrt[1 - a^2*x^2]*ArcSin[a*x])/(64*a^4) + (3*x^3*Sqrt[1 - a^2*x^2]*ArcSin[a*x])/(32*a^2) - (45*ArcSin[a*x]^2)/(128*a^5) + (9*x^2*ArcSin[a*x]^2)/(16*a^3) + (3*x^4*ArcSin[a*x]^2)/(16*a) - (3*x*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^3)/(8*a^4) - (x^3*Sqrt[1 - a^2*x^2]*ArcSin[a*x]^3)/(4*a^2) + (3*ArcSin[a*x]^4)/(32*a^5)
```

### Rule 4707

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_.)*((f_.)*(x_))^(m_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]
```

### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x]
&& EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

### Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*((d_.)*(x_.))^ (m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

### Rule 30

```
Int[(x_)^(m_.), x_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^4 \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx &= -\frac{x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{4a^2} + \frac{3 \int \frac{x^2 \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx}{4a^2} + \frac{3 \int x^3 \sin^{-1}(ax)^2 dx}{4a} \\ &= \frac{3x^4 \sin^{-1}(ax)^2}{16a} - \frac{3x \sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{8a^4} - \frac{x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{4a^2} - \frac{3}{8} \int \frac{x^4 \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx + \frac{3}{8} \int \frac{x^3 \sin^{-1}(ax)^2}{\sqrt{1-a^2x^2}} dx \\ &= \frac{3x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)}{32a^2} + \frac{9x^2 \sin^{-1}(ax)^2}{16a^3} + \frac{3x^4 \sin^{-1}(ax)^2}{16a} - \frac{3x \sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{8a^4} - \frac{x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{4a^2} \\ &= -\frac{3x^4}{128a} + \frac{45x \sqrt{1-a^2x^2} \sin^{-1}(ax)}{64a^4} + \frac{3x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)}{32a^2} + \frac{9x^2 \sin^{-1}(ax)^2}{16a^3} + \frac{3x^4 \sin^{-1}(ax)^2}{16a} \\ &= -\frac{45x^2}{128a^3} - \frac{3x^4}{128a} + \frac{45x \sqrt{1-a^2x^2} \sin^{-1}(ax)}{64a^4} + \frac{3x^3 \sqrt{1-a^2x^2} \sin^{-1}(ax)}{32a^2} - \frac{45 \sin^{-1}(ax)^2}{128a^5} + \frac{9x^2 \sin^{-1}(ax)^2}{16a^3} \end{aligned}$$

**Mathematica [A]** time = 0.0623523, size = 125, normalized size = 0.65

$$\frac{-3a^2x^2(a^2x^2 + 15) - 16ax\sqrt{1-a^2x^2}(2a^2x^2 + 3)\sin^{-1}(ax)^3 + 3(8a^4x^4 + 24a^2x^2 - 15)\sin^{-1}(ax)^2 + 6ax\sqrt{1-a^2x^2}(2a^2x^2 + 15)}{128a^5}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^4*ArcSin[a*x]^3)/Sqrt[1 - a^2*x^2], x]
```

[Out]  $(-3a^2x^2(15 + a^2x^2) + 6ax\sqrt{1 - a^2x^2}(15 + 2a^2x^2)\text{ArcSin}[ax] + 3(-15 + 24a^2x^2 + 8a^4x^4)\text{ArcSin}[ax]^2 - 16ax\sqrt{1 - a^2x^2}(3 + 2a^2x^2)\text{ArcSin}[ax]^3 + 12\text{ArcSin}[ax]^4)/(128a^5)$

**Maple [A]** time = 0.068, size = 159, normalized size = 0.8

$$\frac{1}{128a^5} \left( -32 (\arcsin(ax))^3 \sqrt{-a^2x^2 + 1} x^3 a^3 + 24 a^4 x^4 (\arcsin(ax))^2 + 12 \arcsin(ax) \sqrt{-a^2x^2 + 1} x^3 a^3 - 3 a^4 x^4 - 48 (\arcsin(ax))^4 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^4 \arcsin(ax)^3 / (-a^2x^2 + 1)^{(1/2)}, x)$

[Out]  $1/128 * (-32 \arcsin(ax)^3 (-a^2x^2 + 1)^{(1/2)} x^3 a^3 + 24 a^4 x^4 \arcsin(ax)^2 + 12 \arcsin(ax) (-a^2x^2 + 1)^{(1/2)} x^3 a^3 - 3 a^4 x^4 - 48 \arcsin(ax)^4 (-a^2x^2 + 1)^{(1/2)} x a + 72 \arcsin(ax)^2 x^2 a^2 + 12 \arcsin(ax)^4 + 90 \arcsin(ax) (-a^2x^2 + 1)^{(1/2)} x a - 45 a^2 x^2 - 45 \arcsin(ax)^2) / a^5$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4 \arcsin(ax)^3}{\sqrt{-a^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^4 \arcsin(ax)^3 / (-a^2x^2 + 1)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out]  $\text{integrate}(x^4 \arcsin(ax)^3 / \text{sqrt}(-a^2x^2 + 1), x)$

**Fricas [A]** time = 1.67244, size = 273, normalized size = 1.43

$$\frac{3a^4x^4 + 45a^2x^2 - 12 \arcsin(ax)^4 - 3(8a^4x^4 + 24a^2x^2 - 15) \arcsin(ax)^2 + 2\sqrt{-a^2x^2 + 1}(8(2a^3x^3 + 3ax) \arcsin(ax) - 12 \arcsin(ax)^3)}{128a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^4 \arcsin(ax)^3 / (-a^2x^2 + 1)^{(1/2)}, x, \text{algorithm}="fricas")$

[Out] 
$$-1/128*(3*a^4*x^4 + 45*a^2*x^2 - 12*\arcsin(ax))^4 - 3*(8*a^4*x^4 + 24*a^2*x^2 - 15)*\arcsin(ax)^2 + 2*\sqrt{-a^2*x^2 + 1}*(8*(2*a^3*x^3 + 3*a*x)*\arcsin(ax)^3 - 3*(2*a^3*x^3 + 15*a*x)*\arcsin(ax)))/a^5$$

**Sympy [A]** time = 8.6755, size = 185, normalized size = 0.97

$$\left\{ \begin{array}{l} \frac{3x^4 \operatorname{asin}^2(ax)}{16a} - \frac{3x^4}{128a} - \frac{x^3 \sqrt{-a^2x^2+1} \operatorname{asin}^3(ax)}{4a^2} + \frac{3x^3 \sqrt{-a^2x^2+1} \operatorname{asin}(ax)}{32a^2} + \frac{9x^2 \operatorname{asin}^2(ax)}{16a^3} - \frac{45x^2}{128a^3} - \frac{3x \sqrt{-a^2x^2+1} \operatorname{asin}^3(ax)}{8a^4} + \frac{45x \sqrt{-a^2x^2+1} \operatorname{asin}(ax)}{64a^4} \\ 0 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*asin(a*x)**3/(-a**2*x**2+1)**(1/2), x)`

[Out] `Piecewise((3*x**4*asin(a*x)**2/(16*a) - 3*x**4/(128*a) - x**3*sqrt(-a**2*x**2 + 1)*asin(a*x)**3/(4*a**2) + 3*x**3*sqrt(-a**2*x**2 + 1)*asin(a*x)/(32*a**2) + 9*x**2*asin(a*x)**2/(16*a**3) - 45*x**2/(128*a**3) - 3*x*sqrt(-a**2*x**2 + 1)*asin(a*x)**3/(8*a**4) + 45*x*sqrt(-a**2*x**2 + 1)*asin(a*x)/(64*a**4) + 3*asin(a*x)**4/(32*a**5) - 45*asin(a*x)**2/(128*a**5), Ne(a, 0)), (0, True))`

**Giac [A]** time = 1.4601, size = 259, normalized size = 1.36

$$\frac{(-a^2x^2 + 1)^{\frac{3}{2}} x \arcsin(ax)^3}{4a^4} - \frac{5\sqrt{-a^2x^2 + 1} x \arcsin(ax)^3}{8a^4} - \frac{3(-a^2x^2 + 1)^{\frac{3}{2}} x \arcsin(ax)}{32a^4} + \frac{3(a^2x^2 - 1)^2 \arcsin(ax)^2}{16a^5} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arcsin(a*x)^3/(-a^2*x^2+1)^(1/2), x, algorithm="giac")`

[Out] 
$$1/4*(-a^2*x^2 + 1)^{(3/2)}*x*\arcsin(a*x)^3/a^4 - 5/8*\sqrt{-a^2*x^2 + 1}*x*\arcsin(a*x)^3/a^4 - 3/32*(-a^2*x^2 + 1)^{(3/2)}*x*\arcsin(a*x)/a^4 + 3/16*(a^2*x^2 - 1)^2*\arcsin(a*x)^2/a^5 + 3/32*\arcsin(a*x)^4/a^5 + 51/64*\sqrt{-a^2*x^2 + 1}*x*\arcsin(a*x)/a^4 + 15/16*(a^2*x^2 - 1)*\arcsin(a*x)^2/a^5 - 3/128*(a^2*x^2 - 1)^2/a^5 + 51/128*\arcsin(a*x)^2/a^5 - 51/128*(a^2*x^2 - 1)/a^5 - 195/1024/a^5$$



$$3.304 \quad \int \frac{x^3 \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=157

$$-\frac{x^2\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{3a^2} + \frac{2x^2\sqrt{1-a^2x^2}\sin^{-1}(ax)}{9a^2} - \frac{2\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{3a^4} + \frac{40\sqrt{1-a^2x^2}\sin^{-1}(ax)}{9a^4} - \frac{40x}{9a^3} + \frac{2x\sin^{-1}(ax)}{a^2}$$

[Out]  $(-40*x)/(9*a^3) - (2*x^3)/(27*a) + (40*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(9*a^4) + (2*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(9*a^2) + (2*x*\text{ArcSin}[a*x]^2)/a^3 + (x^3*\text{ArcSin}[a*x]^2)/(3*a) - (2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(3*a^4) - (x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(3*a^2)$

**Rubi [A]** time = 0.320715, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4707, 4677, 4619, 8, 4627, 30}

$$-\frac{x^2\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{3a^2} + \frac{2x^2\sqrt{1-a^2x^2}\sin^{-1}(ax)}{9a^2} - \frac{2\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{3a^4} + \frac{40\sqrt{1-a^2x^2}\sin^{-1}(ax)}{9a^4} - \frac{40x}{9a^3} + \frac{2x\sin^{-1}(ax)}{a^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^3*\text{ArcSin}[a*x]^3)/\text{Sqrt}[1 - a^2*x^2], x]$

[Out]  $(-40*x)/(9*a^3) - (2*x^3)/(27*a) + (40*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(9*a^4) + (2*x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(9*a^2) + (2*x*\text{ArcSin}[a*x]^2)/a^3 + (x^3*\text{ArcSin}[a*x]^2)/(3*a) - (2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(3*a^4) - (x^2*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(3*a^2)$

#### Rule 4707

$\text{Int}[((a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*((f_.)*(x_.))^{(m_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] :> \text{Simp}[(f*(f*x)^{(m-1)}*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n)/(e*m), x] + (\text{Dist}[(f^2*(m-1))/(c^2*m), \text{Int}[(f*x)^{(m-2)}*(a + b*\text{ArcSin}[c*x])^n]/\text{Sqrt}[d + e*x^2], x], x] + \text{Dist}[(b*f*n*\text{Sqrt}[1 - c^2*x^2])/(c*m*\text{Sqrt}[d + e*x^2]), \text{Int}[(f*x)^{(m-1)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[m, 1] \&\& \text{IntegerQ}[m]$

#### Rule 4677

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*(x_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] :> \text{Simp}[(d + e*x^2)^{(p+1)}*(a + b*\text{ArcSin}[c*x])^n]/(2*e*(p + 1))$

1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 4619

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.), x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^3 \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx &= -\frac{x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{3a^2} + \frac{2 \int \frac{x \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx}{3a^2} + \frac{\int x^2 \sin^{-1}(ax)^2 dx}{a} \\
 &= \frac{x^3 \sin^{-1}(ax)^2}{3a} - \frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{3a^4} - \frac{x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{3a^2} - \frac{2}{3} \int \frac{x^3 \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx + \frac{2 \int \sin^{-1}(ax)^2 dx}{3} \\
 &= \frac{2x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)}{9a^2} + \frac{2x \sin^{-1}(ax)^2}{a^3} + \frac{x^3 \sin^{-1}(ax)^2}{3a} - \frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{3a^4} - \frac{x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{3a^2} \\
 &= -\frac{2x^3}{27a} + \frac{40\sqrt{1-a^2x^2} \sin^{-1}(ax)}{9a^4} + \frac{2x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)}{9a^2} + \frac{2x \sin^{-1}(ax)^2}{a^3} + \frac{x^3 \sin^{-1}(ax)^2}{3a} - \frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{3a^4} \\
 &= -\frac{40x}{9a^3} - \frac{2x^3}{27a} + \frac{40\sqrt{1-a^2x^2} \sin^{-1}(ax)}{9a^4} + \frac{2x^2\sqrt{1-a^2x^2} \sin^{-1}(ax)}{9a^2} + \frac{2x \sin^{-1}(ax)^2}{a^3} + \frac{x^3 \sin^{-1}(ax)^2}{3a}
 \end{aligned}$$

**Mathematica [A]** time = 0.0518458, size = 100, normalized size = 0.64

$$\frac{-2ax(a^2x^2 + 60) - 9\sqrt{1 - a^2x^2}(a^2x^2 + 2)\sin^{-1}(ax)^3 + 9ax(a^2x^2 + 6)\sin^{-1}(ax)^2 + 6\sqrt{1 - a^2x^2}(a^2x^2 + 20)\sin^{-1}(ax)}{27a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*ArcSin[a\*x]^3)/Sqrt[1 - a^2\*x^2], x]

[Out] (-2\*a\*x\*(60 + a^2\*x^2) + 6\*Sqrt[1 - a^2\*x^2]\*(20 + a^2\*x^2)\*ArcSin[a\*x] + 9\*a\*x\*(6 + a^2\*x^2)\*ArcSin[a\*x]^2 - 9\*Sqrt[1 - a^2\*x^2]\*(2 + a^2\*x^2)\*ArcSin[a\*x]^3)/(27\*a^4)

**Maple [A]** time = 0.056, size = 180, normalized size = 1.2

$$-\frac{1}{27a^4(a^2x^2 - 1)} \left( 9a^4x^4(\arcsin(ax))^3 + 9(\arcsin(ax))^3x^2a^2 + 9(\arcsin(ax))^2\sqrt{-a^2x^2 + 1}x^3a^3 - 6a^4x^4\arcsin(ax) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2), x)

[Out] -1/27/a^4\*(9\*a^4\*x^4\*arcsin(a\*x)^3+9\*arcsin(a\*x)^3\*x^2\*a^2+9\*arcsin(a\*x)^2\*(-a^2\*x^2+1)^(1/2)\*x^3\*a^3-6\*a^4\*x^4\*arcsin(a\*x)-114\*a^2\*x^2\*arcsin(a\*x)-2\*a^3\*x^3\*(-a^2\*x^2+1)^(1/2)-18\*arcsin(a\*x)^3+54\*arcsin(a\*x)^2\*(-a^2\*x^2+1)^(1/2)\*x\*a+120\*arcsin(a\*x)-120\*a\*x\*(-a^2\*x^2+1)^(1/2))\*(-a^2\*x^2+1)^(1/2)/(a^2\*x^2-1)

**Maxima [A]** time = 1.61041, size = 177, normalized size = 1.13

$$-\frac{1}{3} \left( \frac{\sqrt{-a^2x^2 + 1}x^2}{a^2} + \frac{2\sqrt{-a^2x^2 + 1}}{a^4} \right) \arcsin(ax)^3 + \frac{2}{27} a \left( \frac{3 \left( \sqrt{-a^2x^2 + 1}x^2 + \frac{20\sqrt{-a^2x^2 + 1}}{a^2} \right) \arcsin(ax)}{a^3} - \frac{a^2x^3 + 60x}{a^4} \right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2), x, algorithm="maxima")

[Out]  $-1/3*(\sqrt{-a^2*x^2 + 1})*x^2/a^2 + 2*\sqrt{-a^2*x^2 + 1}/a^4*\arcsin(ax)^3 + 2/27*a*(3*(\sqrt{-a^2*x^2 + 1})*x^2 + 20*\sqrt{-a^2*x^2 + 1}/a^2)*\arcsin(ax)/a^3 - (a^2*x^3 + 60*x)/a^4 + 1/3*(a^2*x^3 + 6*x)*\arcsin(ax)^2/a^3$

**Fricas [A]** time = 1.69654, size = 209, normalized size = 1.33

$$\frac{2a^3x^3 - 9(a^3x^3 + 6ax)\arcsin(ax)^2 + 120ax + 3\sqrt{-a^2x^2 + 1}(3(a^2x^2 + 2)\arcsin(ax)^3 - 2(a^2x^2 + 20)\arcsin(ax))}{27a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arcsin(a*x)^3/(-a^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out]  $-1/27*(2*a^3*x^3 - 9*(a^3*x^3 + 6*a*x)*\arcsin(a*x)^2 + 120*a*x + 3*\sqrt{-a^2*x^2 + 1}*(3*(a^2*x^2 + 2)*\arcsin(a*x)^3 - 2*(a^2*x^2 + 20)*\arcsin(a*x)))/a^4$

**Sympy [A]** time = 4.78095, size = 148, normalized size = 0.94

$$\left\{ \begin{array}{l} \frac{x^3 \operatorname{asin}^2(ax)}{3a} - \frac{2x^3}{27a} - \frac{x^2\sqrt{-a^2x^2+1}\operatorname{asin}^3(ax)}{3a^2} + \frac{2x^2\sqrt{-a^2x^2+1}\operatorname{asin}(ax)}{9a^2} + \frac{2x\operatorname{asin}^2(ax)}{a^3} - \frac{40x}{9a^3} - \frac{2\sqrt{-a^2x^2+1}\operatorname{asin}^3(ax)}{3a^4} + \frac{40\sqrt{-a^2x^2+1}\operatorname{asin}(ax)}{9a^4} \\ 0 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*asin(a*x)**3/(-a**2*x**2+1)**(1/2),x)`

[Out] `Piecewise((x**3*asin(a*x)**2/(3*a) - 2*x**3/(27*a) - x**2*sqrt(-a**2*x**2 + 1)*asin(a*x)**3/(3*a**2) + 2*x**2*sqrt(-a**2*x**2 + 1)*asin(a*x)/(9*a**2) + 2*x*asin(a*x)**2/a**3 - 40*x/(9*a**3) - 2*sqrt(-a**2*x**2 + 1)*asin(a*x)**3/(3*a**4) + 40*sqrt(-a**2*x**2 + 1)*asin(a*x)/(9*a**4), Ne(a, 0)), (0, True))`

**Giac [A]** time = 1.47098, size = 174, normalized size = 1.11

$$\frac{\left((-a^2x^2 + 1)^{\frac{3}{2}} - 3\sqrt{-a^2x^2 + 1}\right)\arcsin(ax)^3}{3a^4} + \frac{9(a^2x^2 - 1)x\arcsin(ax)^2 + 63x\arcsin(ax)^2 - 2(a^2x^2 - 1)x - \frac{6(-a^2x^2 + 1)}{27a^3}}{27a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*arcsin(a*x)^3/(-a^2*x^2+1)^(1/2),x, algorithm="giac")
```

```
[Out] 1/3*((-a^2*x^2 + 1)^(3/2) - 3*sqrt(-a^2*x^2 + 1))*arcsin(a*x)^3/a^4 + 1/27*  
(9*(a^2*x^2 - 1)*x*arcsin(a*x)^2 + 63*x*arcsin(a*x)^2 - 2*(a^2*x^2 - 1)*x -  
6*(-a^2*x^2 + 1)^(3/2)*arcsin(a*x)/a - 122*x + 126*sqrt(-a^2*x^2 + 1)*arcs  
in(a*x)/a)/a^3
```

$$3.305 \quad \int \frac{x^2 \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=107

$$-\frac{x\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{2a^2} + \frac{3x\sqrt{1-a^2x^2}\sin^{-1}(ax)}{4a^2} + \frac{\sin^{-1}(ax)^4}{8a^3} - \frac{3\sin^{-1}(ax)^2}{8a^3} - \frac{3x^2}{8a} + \frac{3x^2\sin^{-1}(ax)^2}{4a}$$

[Out]  $(-3*x^2)/(8*a) + (3*x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(4*a^2) - (3*\text{ArcSin}[a*x]^2)/(8*a^3) + (3*x^2*\text{ArcSin}[a*x]^2)/(4*a) - (x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(2*a^2) + \text{ArcSin}[a*x]^4/(8*a^3)$

**Rubi [A]** time = 0.20718, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {4707, 4641, 4627, 30}

$$-\frac{x\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{2a^2} + \frac{3x\sqrt{1-a^2x^2}\sin^{-1}(ax)}{4a^2} + \frac{\sin^{-1}(ax)^4}{8a^3} - \frac{3\sin^{-1}(ax)^2}{8a^3} - \frac{3x^2}{8a} + \frac{3x^2\sin^{-1}(ax)^2}{4a}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^2*\text{ArcSin}[a*x]^3)/\text{Sqrt}[1 - a^2*x^2], x]$

[Out]  $(-3*x^2)/(8*a) + (3*x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/(4*a^2) - (3*\text{ArcSin}[a*x]^2)/(8*a^3) + (3*x^2*\text{ArcSin}[a*x]^2)/(4*a) - (x*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(2*a^2) + \text{ArcSin}[a*x]^4/(8*a^3)$

#### Rule 4707

$\text{Int}[((a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^n*((f_.)*(x_.))^m]/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] :> \text{Simp}[(f*(f*x)^(m-1)*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n)/(e*m), x] + (\text{Dist}[(f^2*(m-1))/(c^2*m), \text{Int}[(f*x)^(m-2)*(a + b*\text{ArcSin}[c*x])^n]/\text{Sqrt}[d + e*x^2], x], x) + \text{Dist}[(b*f*n*\text{Sqrt}[1 - c^2*x^2])/(c*m*\text{Sqrt}[d + e*x^2]), \text{Int}[(f*x)^(m-1)*(a + b*\text{ArcSin}[c*x])^(n-1), x], x) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[m, 1] \&\& \text{IntegerQ}[m]$

#### Rule 4641

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^n/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] :> \text{Simp}[(a + b*\text{ArcSin}[c*x])^(n+1)/(b*c*\text{Sqrt}[d]*(n+1)), x] /; \text{Fre}$

$eQ[\{a, b, c, d, e, n\}, x] \&\& EqQ[c^2*d + e, 0] \&\& GtQ[d, 0] \&\& NeQ[n, -1]$

### Rule 4627

$Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x\_Symbol]$   
 $:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n)$   
 $)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2$   
 $*x^2], x], x] /;$   $FreeQ[\{a, b, c, d, m\}, x] \&\& IGtQ[n, 0] \&\& NeQ[m, -1]$

### Rule 30

$Int[(x_)^(m_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /;$   $FreeQ[m, x] \&\& NeQ[m, -1]$

### Rubi steps

$$\begin{aligned} \int \frac{x^2 \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx &= -\frac{x\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{2a^2} + \frac{\int \frac{\sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx}{2a^2} + \frac{3 \int x \sin^{-1}(ax)^2 dx}{2a} \\ &= \frac{3x^2 \sin^{-1}(ax)^2}{4a} - \frac{x\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{2a^2} + \frac{\sin^{-1}(ax)^4}{8a^3} - \frac{3}{2} \int \frac{x^2 \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx \\ &= \frac{3x\sqrt{1-a^2x^2} \sin^{-1}(ax)}{4a^2} + \frac{3x^2 \sin^{-1}(ax)^2}{4a} - \frac{x\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{2a^2} + \frac{\sin^{-1}(ax)^4}{8a^3} - \frac{3}{4a^2} \int \frac{\sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx \\ &= -\frac{3x^2}{8a} + \frac{3x\sqrt{1-a^2x^2} \sin^{-1}(ax)}{4a^2} - \frac{3 \sin^{-1}(ax)^2}{8a^3} + \frac{3x^2 \sin^{-1}(ax)^2}{4a} - \frac{x\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{2a^2} + \frac{\sin^{-1}(ax)^4}{8a^3} \end{aligned}$$

**Mathematica [A]** time = 0.030338, size = 85, normalized size = 0.79

$$\frac{-3a^2x^2 - 4ax\sqrt{1-a^2x^2} \sin^{-1}(ax)^3 + (6a^2x^2 - 3) \sin^{-1}(ax)^2 + 6ax\sqrt{1-a^2x^2} \sin^{-1}(ax) + \sin^{-1}(ax)^4}{8a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*ArcSin[a\*x]^3)/Sqrt[1 - a^2\*x^2], x]

[Out] (-3\*a^2\*x^2 + 6\*a\*x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x] + (-3 + 6\*a^2\*x^2)\*ArcSin[a\*x]^2 - 4\*a\*x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^3 + ArcSin[a\*x]^4)/(8\*a^3)

**Maple [A]** time = 0.066, size = 85, normalized size = 0.8

$$\frac{1}{8a^3} \left( -4 (\arcsin(ax))^3 \sqrt{-a^2x^2 + 1}xa + 6 (\arcsin(ax))^2 x^2a^2 + (\arcsin(ax))^4 + 6 \arcsin(ax) \sqrt{-a^2x^2 + 1}xa - 3a^2x^2 - 3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x)

[Out] 1/8\*(-4\*arcsin(a\*x)^3\*(-a^2\*x^2+1)^(1/2)\*x\*a+6\*arcsin(a\*x)^2\*x^2\*a^2+arcsin(a\*x)^4+6\*arcsin(a\*x)\*(-a^2\*x^2+1)^(1/2)\*x\*a-3\*a^2\*x^2-3\*arcsin(a\*x)^2)/a^3

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \arcsin(ax)^3}{\sqrt{-a^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(x^2\*arcsin(a\*x)^3/sqrt(-a^2\*x^2 + 1), x)

**Fricas [A]** time = 1.64896, size = 185, normalized size = 1.73

$$\frac{3a^2x^2 - \arcsin(ax)^4 - 3(2a^2x^2 - 1)\arcsin(ax)^2 + 2(2ax\arcsin(ax)^3 - 3ax\arcsin(ax))\sqrt{-a^2x^2 + 1}}{8a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] -1/8\*(3\*a^2\*x^2 - arcsin(a\*x)^4 - 3\*(2\*a^2\*x^2 - 1)\*arcsin(a\*x)^2 + 2\*(2\*a\*x\*arcsin(a\*x)^3 - 3\*a\*x\*arcsin(a\*x))\*sqrt(-a^2\*x^2 + 1))/a^3



**Sympy [A]** time = 2.78782, size = 100, normalized size = 0.93

$$\begin{cases} \frac{3x^2 \operatorname{asin}^2(ax)}{4a} - \frac{3x^2}{8a} - \frac{x\sqrt{-a^2x^2+1} \operatorname{asin}^3(ax)}{2a^2} + \frac{3x\sqrt{-a^2x^2+1} \operatorname{asin}(ax)}{4a^2} + \frac{\operatorname{asin}^4(ax)}{8a^3} - \frac{3 \operatorname{asin}^2(ax)}{8a^3} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*asin(a\*x)\*\*3/(-a\*\*2\*x\*\*2+1)\*\*(1/2), x)

[Out] Piecewise((3\*x\*\*2\*asin(a\*x)\*\*2/(4\*a) - 3\*x\*\*2/(8\*a) - x\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*3/(2\*a\*\*2) + 3\*x\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)/(4\*a\*\*2) + asin(a\*x)\*\*4/(8\*a\*\*3) - 3\*asin(a\*x)\*\*2/(8\*a\*\*3), Ne(a, 0)), (0, True))

**Giac [A]** time = 1.43573, size = 146, normalized size = 1.36

$$-\frac{\sqrt{-a^2x^2+1}x \arcsin(ax)^3}{2a^2} + \frac{\arcsin(ax)^4}{8a^3} + \frac{3\sqrt{-a^2x^2+1}x \arcsin(ax)}{4a^2} + \frac{3(a^2x^2-1) \arcsin(ax)^2}{4a^3} + \frac{3 \arcsin(ax)^2}{8a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2), x, algorithm="giac")

[Out] -1/2\*sqrt(-a^2\*x^2 + 1)\*x\*arcsin(a\*x)^3/a^2 + 1/8\*arcsin(a\*x)^4/a^3 + 3/4\*sqrt(-a^2\*x^2 + 1)\*x\*arcsin(a\*x)/a^2 + 3/4\*(a^2\*x^2 - 1)\*arcsin(a\*x)^2/a^3 + 3/8\*arcsin(a\*x)^2/a^3 - 3/8\*(a^2\*x^2 - 1)/a^3 - 3/16/a^3

$$3.306 \quad \int \frac{x \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=67

$$-\frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{a^2} + \frac{6\sqrt{1-a^2x^2} \sin^{-1}(ax)}{a^2} - \frac{6x}{a} + \frac{3x \sin^{-1}(ax)^2}{a}$$

[Out]  $(-6*x)/a + (6*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/a^2 + (3*x*\text{ArcSin}[a*x]^2)/a - (\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/a^2$

**Rubi [A]** time = 0.105192, antiderivative size = 67, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {4677, 4619, 8}

$$-\frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{a^2} + \frac{6\sqrt{1-a^2x^2} \sin^{-1}(ax)}{a^2} - \frac{6x}{a} + \frac{3x \sin^{-1}(ax)^2}{a}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x*\text{ArcSin}[a*x]^3)/\text{Sqrt}[1 - a^2*x^2], x]$

[Out]  $(-6*x)/a + (6*\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x])/a^2 + (3*x*\text{ArcSin}[a*x]^2)/a - (\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/a^2$

#### Rule 4677

$\text{Int}[(a_. + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*(x_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^{(p + 1)}*(a + b*\text{ArcSin}[c*x])^n]/(2*e*(p + 1)), x] + \text{Dist}[(b*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/(2*c*(p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(1 - c^2*x^2)^{(p + 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, p\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[p, -1]$

#### Rule 4619

$\text{Int}[(a_. + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[x*(a + b*\text{ArcSin}[c*x])^n, x] - \text{Dist}[b*c*n, \text{Int}[(x*(a + b*\text{ArcSin}[c*x])^{(n - 1)})/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{GtQ}[n, 0]$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{x \sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx &= -\frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{a^2} + \frac{3 \int \sin^{-1}(ax)^2 dx}{a} \\
 &= \frac{3x \sin^{-1}(ax)^2}{a} - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{a^2} - 6 \int \frac{x \sin^{-1}(ax)}{\sqrt{1-a^2x^2}} dx \\
 &= \frac{6\sqrt{1-a^2x^2} \sin^{-1}(ax)}{a^2} + \frac{3x \sin^{-1}(ax)^2}{a} - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{a^2} - \frac{6 \int 1 dx}{a} \\
 &= -\frac{6x}{a} + \frac{6\sqrt{1-a^2x^2} \sin^{-1}(ax)}{a^2} + \frac{3x \sin^{-1}(ax)^2}{a} - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{a^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.0167272, size = 61, normalized size = 0.91

$$\frac{-\sqrt{1-a^2x^2} \sin^{-1}(ax)^3 + 6\sqrt{1-a^2x^2} \sin^{-1}(ax) - 6ax + 3ax \sin^{-1}(ax)^2}{a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*ArcSin[a\*x]^3)/Sqrt[1 - a^2\*x^2], x]

[Out] (-6\*a\*x + 6\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x] + 3\*a\*x\*ArcSin[a\*x]^2 - Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^3)/a^2

**Maple [A]** time = 0.046, size = 107, normalized size = 1.6

$$-\frac{1}{a^2(a^2x^2-1)}\sqrt{-a^2x^2+1}\left((\arcsin(ax))^3x^2a^2-(\arcsin(ax))^3+3(\arcsin(ax))^2\sqrt{-a^2x^2+1}xa-6a^2x^2\arcsin(ax)+\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2), x)

[Out] -1/a^2\*(-a^2\*x^2+1)^(1/2)/(a^2\*x^2-1)\*(arcsin(a\*x)^3\*x^2\*a^2-arcsin(a\*x)^3+3\*arcsin(a\*x)^2\*(-a^2\*x^2+1)^(1/2)\*x\*a-6\*a^2\*x^2\*arcsin(a\*x)+6\*arcsin(a\*x)-6\*a\*x\*(-a^2\*x^2+1)^(1/2))

---

**Maxima [A]** time = 1.51214, size = 86, normalized size = 1.28

$$\frac{3x \arcsin(ax)^2}{a} - \frac{\sqrt{-a^2x^2+1} \arcsin(ax)^3}{a^2} - \frac{6 \left( x - \frac{\sqrt{-a^2x^2+1} \arcsin(ax)}{a} \right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] 3\*x\*arcsin(a\*x)^2/a - sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)^3/a^2 - 6\*(x - sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)/a)/a

---

**Fricas [A]** time = 1.9285, size = 119, normalized size = 1.78

$$\frac{3ax \arcsin(ax)^2 - 6ax - \sqrt{-a^2x^2+1}(\arcsin(ax)^3 - 6 \arcsin(ax))}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] (3\*a\*x\*arcsin(a\*x)^2 - 6\*a\*x - sqrt(-a^2\*x^2 + 1)\*(arcsin(a\*x)^3 - 6\*arcsin(a\*x)))/a^2

---

**Sympy [A]** time = 1.41598, size = 61, normalized size = 0.91

$$\begin{cases} \frac{3x \operatorname{asin}^2(ax)}{a} - \frac{6x}{a} - \frac{\sqrt{-a^2x^2+1} \operatorname{asin}^3(ax)}{a^2} + \frac{6\sqrt{-a^2x^2+1} \operatorname{asin}(ax)}{a^2} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*asin(a\*x)\*\*3/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Piecewise(((3\*x\*asin(a\*x)\*\*2/a - 6\*x/a - sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)\*\*3/a\*\*2 + 6\*sqrt(-a\*\*2\*x\*\*2 + 1)\*asin(a\*x)/a\*\*2, Ne(a, 0)), (0, True))

---

**Giac [A]** time = 1.41462, size = 84, normalized size = 1.25

$$-\frac{\sqrt{-a^2x^2+1}\arcsin(ax)^3}{a^2} + \frac{3\left(x\arcsin(ax)^2 - 2x + \frac{2\sqrt{-a^2x^2+1}\arcsin(ax)}{a}\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] -sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)^3/a^2 + 3\*(x\*arcsin(a\*x)^2 - 2\*x + 2\*sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)/a)/a

$$3.307 \quad \int \frac{\sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=13

$$\frac{\sin^{-1}(ax)^4}{4a}$$

[Out] ArcSin[a\*x]^4/(4\*a)

**Rubi [A]** time = 0.0295044, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {4641}

$$\frac{\sin^{-1}(ax)^4}{4a}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^3/Sqrt[1 - a^2\*x^2],x]

[Out] ArcSin[a\*x]^4/(4\*a)

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{\sin^{-1}(ax)^3}{\sqrt{1-a^2x^2}} dx = \frac{\sin^{-1}(ax)^4}{4a}$$

**Mathematica [A]** time = 0.0039839, size = 13, normalized size = 1.

$$\frac{\sin^{-1}(ax)^4}{4a}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^3/Sqrt[1 - a^2\*x^2],x]

[Out] ArcSin[a\*x]^4/(4\*a)

**Maple [A]** time = 0.005, size = 12, normalized size = 0.9

$$\frac{(\arcsin(ax))^4}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x)

[Out] 1/4\*arcsin(a\*x)^4/a

**Maxima [A]** time = 1.47312, size = 15, normalized size = 1.15

$$\frac{\arcsin(ax)^4}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] 1/4\*arcsin(a\*x)^4/a

**Fricas [A]** time = 1.8194, size = 28, normalized size = 2.15

$$\frac{\arcsin(ax)^4}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out]  $\frac{1}{4} \arcsin(ax)^4/a$

---

**Sympy [A]** time = 0.8623, size = 10, normalized size = 0.77

$$\begin{cases} \frac{\arcsin^4(ax)}{4a} & \text{for } a \neq 0 \\ 0 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**3/(-a**2*x**2+1)**(1/2),x)`

[Out] `Piecewise((asin(a*x)**4/(4*a), Ne(a, 0)), (0, True))`

---

**Giac [A]** time = 1.38032, size = 15, normalized size = 1.15

$$\frac{\arcsin(ax)^4}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^3/(-a^2*x^2+1)^(1/2),x, algorithm="giac")`

[Out]  $\frac{1}{4} \arcsin(ax)^4/a$



$$3.308 \quad \int \frac{\sin^{-1}(ax)^3}{x\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=138

$$3i \sin^{-1}(ax)^2 \text{PolyLog}\left(2, -e^{i \sin^{-1}(ax)}\right) - 3i \sin^{-1}(ax)^2 \text{PolyLog}\left(2, e^{i \sin^{-1}(ax)}\right) - 6 \sin^{-1}(ax) \text{PolyLog}\left(3, -e^{i \sin^{-1}(ax)}\right) + 6 \sin^{-1}(ax) \text{PolyLog}\left(3, e^{i \sin^{-1}(ax)}\right)$$

```
[Out] -2*ArcSin[a*x]^3*ArcTanh[E^(I*ArcSin[a*x])] + (3*I)*ArcSin[a*x]^2*PolyLog[2, -E^(I*ArcSin[a*x])] - (3*I)*ArcSin[a*x]^2*PolyLog[2, E^(I*ArcSin[a*x])] - 6*ArcSin[a*x]*PolyLog[3, -E^(I*ArcSin[a*x])] + 6*ArcSin[a*x]*PolyLog[3, E^(I*ArcSin[a*x])] - (6*I)*PolyLog[4, -E^(I*ArcSin[a*x])] + (6*I)*PolyLog[4, E^(I*ArcSin[a*x])]
```

**Rubi [A]** time = 0.160109, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4709, 4183, 2531, 6609, 2282, 6589}

$$3i \sin^{-1}(ax)^2 \text{PolyLog}\left(2, -e^{i \sin^{-1}(ax)}\right) - 3i \sin^{-1}(ax)^2 \text{PolyLog}\left(2, e^{i \sin^{-1}(ax)}\right) - 6 \sin^{-1}(ax) \text{PolyLog}\left(3, -e^{i \sin^{-1}(ax)}\right) + 6 \sin^{-1}(ax) \text{PolyLog}\left(3, e^{i \sin^{-1}(ax)}\right)$$

Antiderivative was successfully verified.

```
[In] Int[ArcSin[a*x]^3/(x*Sqrt[1 - a^2*x^2]),x]
```

```
[Out] -2*ArcSin[a*x]^3*ArcTanh[E^(I*ArcSin[a*x])] + (3*I)*ArcSin[a*x]^2*PolyLog[2, -E^(I*ArcSin[a*x])] - (3*I)*ArcSin[a*x]^2*PolyLog[2, E^(I*ArcSin[a*x])] - 6*ArcSin[a*x]*PolyLog[3, -E^(I*ArcSin[a*x])] + 6*ArcSin[a*x]*PolyLog[3, E^(I*ArcSin[a*x])] - (6*I)*PolyLog[4, -E^(I*ArcSin[a*x])] + (6*I)*PolyLog[4, E^(I*ArcSin[a*x])]
```

#### Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_)]/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

#### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x]
```

$(m - 1) \cdot \text{Log}[1 + E^{(I \cdot (e + f \cdot x))}], x, x] /;$  FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(n\_.)]\*((f\_.) + (g\_.)\*(x\_))^(m\_.), x\_Symbol] := -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)])/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

### Rule 6609

Int[((e\_.) + (f\_.)\*(x\_))^(m\_.)\*PolyLog[n\_, (d\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^(p\_.)], x\_Symbol] := Simp[((e + f\*x)^m\*PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p]]/(b\*c\*p\*Log[F]), x] - Dist[(f\*m)/(b\*c\*p\*Log[F]), Int[(e + f\*x)^(m - 1)\*PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

### Rule 2282

Int[u\_, x\_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\*(F\_)[v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

### Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

### Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^3}{x\sqrt{1-a^2x^2}} dx &= \text{Subst} \left( \int x^3 \csc(x) dx, x, \sin^{-1}(ax) \right) \\
&= -2 \sin^{-1}(ax)^3 \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) - 3 \text{Subst} \left( \int x^2 \log(1 - e^{ix}) dx, x, \sin^{-1}(ax) \right) + 3 \text{Subst} \left( \int x^2 \log(1 + e^{ix}) dx, x, \sin^{-1}(ax) \right) \\
&= -2 \sin^{-1}(ax)^3 \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) + 3i \sin^{-1}(ax)^2 \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right) - 3i \sin^{-1}(ax)^2 \text{Li}_2 \left( e^{i \sin^{-1}(ax)} \right) - 3 \text{Subst} \left( \int x \log(1 - e^{ix}) dx, x, \sin^{-1}(ax) \right) + 3 \text{Subst} \left( \int x \log(1 + e^{ix}) dx, x, \sin^{-1}(ax) \right) \\
&= -2 \sin^{-1}(ax)^3 \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) + 3i \sin^{-1}(ax)^2 \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right) - 3i \sin^{-1}(ax)^2 \text{Li}_2 \left( e^{i \sin^{-1}(ax)} \right) - 3 \sin^{-1}(ax) \log(1 - e^{i \sin^{-1}(ax)}) + 3 \sin^{-1}(ax) \log(1 + e^{i \sin^{-1}(ax)}) \\
&= -2 \sin^{-1}(ax)^3 \tanh^{-1} \left( e^{i \sin^{-1}(ax)} \right) + 3i \sin^{-1}(ax)^2 \text{Li}_2 \left( -e^{i \sin^{-1}(ax)} \right) - 3i \sin^{-1}(ax)^2 \text{Li}_2 \left( e^{i \sin^{-1}(ax)} \right) - 3 \sin^{-1}(ax) \log(1 - e^{i \sin^{-1}(ax)}) + 3 \sin^{-1}(ax) \log(1 + e^{i \sin^{-1}(ax)})
\end{aligned}$$

**Mathematica [A]** time = 0.14999, size = 180, normalized size = 1.3

$$-\frac{1}{8}i \left( -24 \sin^{-1}(ax)^2 \text{PolyLog} \left( 2, e^{-i \sin^{-1}(ax)} \right) - 24 \sin^{-1}(ax)^2 \text{PolyLog} \left( 2, -e^{i \sin^{-1}(ax)} \right) + 48i \sin^{-1}(ax) \text{PolyLog} \left( 3, e^{-i \sin^{-1}(ax)} \right) - 48i \sin^{-1}(ax) \text{PolyLog} \left( 3, -e^{i \sin^{-1}(ax)} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcSin[a\*x]^3/(x\*Sqrt[1 - a^2\*x^2]), x]

[Out]  $(-I/8) * (\text{Pi}^4 - 2 * \text{ArcSin}[a*x]^4 + (8*I) * \text{ArcSin}[a*x]^3 * \text{Log}[1 - E^{\wedge}((-I) * \text{ArcSin}[a*x])] - (8*I) * \text{ArcSin}[a*x]^3 * \text{Log}[1 + E^{\wedge}(I * \text{ArcSin}[a*x])] - 24 * \text{ArcSin}[a*x]^2 * \text{PolyLog}[2, E^{\wedge}((-I) * \text{ArcSin}[a*x])] - 24 * \text{ArcSin}[a*x]^2 * \text{PolyLog}[2, -E^{\wedge}(I * \text{ArcSin}[a*x])] + (48*I) * \text{ArcSin}[a*x] * \text{PolyLog}[3, E^{\wedge}((-I) * \text{ArcSin}[a*x])] - (48*I) * \text{ArcSin}[a*x] * \text{PolyLog}[3, -E^{\wedge}(I * \text{ArcSin}[a*x])] + 48 * \text{PolyLog}[4, E^{\wedge}((-I) * \text{ArcSin}[a*x])] + 48 * \text{PolyLog}[4, -E^{\wedge}(I * \text{ArcSin}[a*x])])$

**Maple [A]** time = 0.066, size = 221, normalized size = 1.6

$$(\arcsin(ax))^3 \ln \left( 1 - iax - \sqrt{-a^2x^2 + 1} \right) - (\arcsin(ax))^3 \ln \left( 1 + iax + \sqrt{-a^2x^2 + 1} \right) + 6 \arcsin(ax) \text{polylog} \left( 3, iax + \sqrt{-a^2x^2 + 1} \right) - 6 \arcsin(ax) \text{polylog} \left( 3, -iax + \sqrt{-a^2x^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^3/x/(-a^2\*x^2+1)^(1/2), x)

[Out]  $\arcsin(a*x)^3 * \ln(1 - I*a*x - (-a^2*x^2 + 1)^{(1/2)}) - \arcsin(a*x)^3 * \ln(1 + I*a*x + (-a^2*x^2 + 1)^{(1/2)}) + 6 * \arcsin(a*x) * \text{polylog}(3, I*a*x + (-a^2*x^2 + 1)^{(1/2)}) - 6 * \arcsin(a*x) * \text{polylog}(3, -I*a*x + (-a^2*x^2 + 1)^{(1/2)})$

```
*x)*polylog(3,-I*a*x-(-a^2*x^2+1)^(1/2))-3*I*arcsin(a*x)^2*polylog(2,I*a*x+
(-a^2*x^2+1)^(1/2))+3*I*arcsin(a*x)^2*polylog(2,-I*a*x-(-a^2*x^2+1)^(1/2))-
6*I*polylog(4,-I*a*x-(-a^2*x^2+1)^(1/2))+6*I*polylog(4,I*a*x+(-a^2*x^2+1)^(
1/2))
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^3}{\sqrt{-a^2x^2+1}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^3/x/(-a^2*x^2+1)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(arcsin(a*x)^3/(sqrt(-a^2*x^2 + 1)*x), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2+1}\arcsin(ax)^3}{a^2x^3-x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^3/x/(-a^2*x^2+1)^(1/2),x, algorithm="fricas")
```

```
[Out] integral(-sqrt(-a^2*x^2 + 1)*arcsin(a*x)^3/(a^2*x^3 - x), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{asin}^3(ax)}{x\sqrt{(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(asin(a*x)**3/x/(-a**2*x**2+1)**(1/2),x)
```

```
[Out] Integral(asin(a*x)**3/(x*sqrt(-(a*x - 1)*(a*x + 1))), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^3}{\sqrt{-a^2x^2 + 1}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^3/x/(-a^2*x^2+1)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(arcsin(a*x)^3/(sqrt(-a^2*x^2 + 1)*x), x)
```

$$3.309 \quad \int \frac{\sin^{-1}(ax)^3}{x^2 \sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=99

$$-3ia \sin^{-1}(ax) \text{PolyLog}\left(2, e^{2i \sin^{-1}(ax)}\right) + \frac{3}{2}a \text{PolyLog}\left(3, e^{2i \sin^{-1}(ax)}\right) - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{x} - ia \sin^{-1}(ax)^3 + 3a \sin^{-1}(ax)$$

[Out] (-I)\*a\*ArcSin[a\*x]^3 - (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^3)/x + 3\*a\*ArcSin[a\*x]^2\*Log[1 - E^((2\*I)\*ArcSin[a\*x])] - (3\*I)\*a\*ArcSin[a\*x]\*PolyLog[2, E^((2\*I)\*ArcSin[a\*x])] + (3\*a\*PolyLog[3, E^((2\*I)\*ArcSin[a\*x])])/2

**Rubi [A]** time = 0.181608, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$ , Rules used = {4681, 4625, 3717, 2190, 2531, 2282, 6589}

$$-3ia \sin^{-1}(ax) \text{PolyLog}\left(2, e^{2i \sin^{-1}(ax)}\right) + \frac{3}{2}a \text{PolyLog}\left(3, e^{2i \sin^{-1}(ax)}\right) - \frac{\sqrt{1-a^2x^2} \sin^{-1}(ax)^3}{x} - ia \sin^{-1}(ax)^3 + 3a \sin^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^3/(x^2\*Sqrt[1 - a^2\*x^2]),x]

[Out] (-I)\*a\*ArcSin[a\*x]^3 - (Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^3)/x + 3\*a\*ArcSin[a\*x]^2\*Log[1 - E^((2\*I)\*ArcSin[a\*x])] - (3\*I)\*a\*ArcSin[a\*x]\*PolyLog[2, E^((2\*I)\*ArcSin[a\*x])] + (3\*a\*PolyLog[3, E^((2\*I)\*ArcSin[a\*x])])/2

#### Rule 4681

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] && NeQ[m, -1]

#### Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/(x\_), x\_Symbol] :> Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^(m)*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol]
:> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol]
:> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol]
:> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin^{-1}(ax)^3}{x^2\sqrt{1-a^2x^2}} dx &= -\frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{x} + (3a) \int \frac{\sin^{-1}(ax)^2}{x} dx \\
&= -\frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{x} + (3a) \text{Subst} \left( \int x^2 \cot(x) dx, x, \sin^{-1}(ax) \right) \\
&= -ia \sin^{-1}(ax)^3 - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{x} - (6ia) \text{Subst} \left( \int \frac{e^{2ix}x^2}{1-e^{2ix}} dx, x, \sin^{-1}(ax) \right) \\
&= -ia \sin^{-1}(ax)^3 - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{x} + 3a \sin^{-1}(ax)^2 \log(1-e^{2i\sin^{-1}(ax)}) - (6a) \text{Subst} \left( \int x \log(x) dx, x, \sin^{-1}(ax) \right) \\
&= -ia \sin^{-1}(ax)^3 - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{x} + 3a \sin^{-1}(ax)^2 \log(1-e^{2i\sin^{-1}(ax)}) - 3ia \sin^{-1}(ax) \text{Li}_2(e^{2i\sin^{-1}(ax)}) \\
&= -ia \sin^{-1}(ax)^3 - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{x} + 3a \sin^{-1}(ax)^2 \log(1-e^{2i\sin^{-1}(ax)}) - 3ia \sin^{-1}(ax) \text{Li}_2(e^{2i\sin^{-1}(ax)}) \\
&= -ia \sin^{-1}(ax)^3 - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{x} + 3a \sin^{-1}(ax)^2 \log(1-e^{2i\sin^{-1}(ax)}) - 3ia \sin^{-1}(ax) \text{Li}_2(e^{2i\sin^{-1}(ax)})
\end{aligned}$$

**Mathematica [A]** time = 0.209354, size = 108, normalized size = 1.09

$$\frac{1}{8}a \left( 24i \sin^{-1}(ax) \text{PolyLog} \left( 2, e^{-2i \sin^{-1}(ax)} \right) + 12 \text{PolyLog} \left( 3, e^{-2i \sin^{-1}(ax)} \right) - \frac{8\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{ax} + 8i \sin^{-1}(ax)^3 + 24 \sin^{-1}(ax) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcSin[a\*x]^3/(x^2\*Sqrt[1 - a^2\*x^2]),x]

[Out] (a\*((-I)\*Pi^3 + (8\*I)\*ArcSin[a\*x]^3 - (8\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^3)/(a\*x) + 24\*ArcSin[a\*x]^2\*Log[1 - E^((-2\*I)\*ArcSin[a\*x])] + (24\*I)\*ArcSin[a\*x]\*PolyLog[2, E^((-2\*I)\*ArcSin[a\*x])] + 12\*PolyLog[3, E^((-2\*I)\*ArcSin[a\*x])])/8

**Maple [A]** time = 0.105, size = 208, normalized size = 2.1

$$\frac{(\arcsin(ax))^3}{x} \left( iax - \sqrt{-a^2x^2 + 1} \right) - 2i(\arcsin(ax))^3 a - 6ia \arcsin(ax) \text{polylog} \left( 2, iax + \sqrt{-a^2x^2 + 1} \right) - 6ia \arcsin(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^3/x^2/(-a^2\*x^2+1)^(1/2),x)



[Out]  $(I*a*x - (-a^2*x^2+1)^{(1/2)})*\arcsin(a*x)^3/x - 2*I*\arcsin(a*x)^3*a - 6*I*a*\arcsin(a*x)*\operatorname{polylog}(2, I*a*x + (-a^2*x^2+1)^{(1/2)}) - 6*I*\arcsin(a*x)*\operatorname{polylog}(2, -I*a*x - (-a^2*x^2+1)^{(1/2)}) + a + 3*a*\arcsin(a*x)^2*\ln(1 - I*a*x - (-a^2*x^2+1)^{(1/2)}) + 3*a*\arcsin(a*x)^2*\ln(1 + I*a*x + (-a^2*x^2+1)^{(1/2)}) + 6*a*\operatorname{polylog}(3, I*a*x + (-a^2*x^2+1)^{(1/2)}) + 6*a*\operatorname{polylog}(3, -I*a*x - (-a^2*x^2+1)^{(1/2)})$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{3}{8} \left( x^2 \arctan(ax, \sqrt{ax+1}\sqrt{-ax+1})^2 + 8 \int \frac{\sqrt{ax+1}\sqrt{-ax+1} a^2 \arctan(ax, \sqrt{ax+1}\sqrt{-ax+1}) + 3(a^2x^3 - x) \arctan(ax, \sqrt{ax+1}\sqrt{-ax+1})^2}{4(a^2x^2 - 1)} dx \right) a^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^3/x^2/(-a^2*x^2+1)^(1/2), x, algorithm="maxima")`

[Out]  $(3*a^3*x*\operatorname{integrate}(x*\arctan^2(a*x, \sqrt{a*x+1}*\sqrt{-a*x+1})^2, x) - \sqrt{a*x+1}*\sqrt{-a*x+1}*\arctan^2(a*x, \sqrt{a*x+1}*\sqrt{-a*x+1})^3)/x$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left( -\frac{\sqrt{-a^2x^2+1} \arcsin(ax)^3}{a^2x^4 - x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^3/x^2/(-a^2*x^2+1)^(1/2), x, algorithm="fricas")`

[Out] `integral(-sqrt(-a^2*x^2 + 1)*arcsin(a*x)^3/(a^2*x^4 - x^2), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{asin}^3(ax)}{x^2\sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(asin(a*x)**3/x**2/(-a**2*x**2+1)**(1/2),x)
```

```
[Out] Integral(asin(a*x)**3/(x**2*sqrt(-(a*x - 1)*(a*x + 1))), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^3}{\sqrt{-a^2x^2 + 1x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^3/x^2/(-a^2*x^2+1)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(arcsin(a*x)^3/(sqrt(-a^2*x^2 + 1)*x^2), x)
```

$$3.310 \quad \int \frac{\sin^{-1}(ax)^3}{x^3 \sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=264

$$\frac{3}{2}ia^2 \sin^{-1}(ax)^2 \text{PolyLog}\left(2, -e^{i \sin^{-1}(ax)}\right) - \frac{3}{2}ia^2 \sin^{-1}(ax)^2 \text{PolyLog}\left(2, e^{i \sin^{-1}(ax)}\right) - 3a^2 \sin^{-1}(ax) \text{PolyLog}\left(3, -e^{i \sin^{-1}(ax)}\right)$$

[Out]  $(-3*a*\text{ArcSin}[a*x]^2)/(2*x) - (\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(2*x^2) - 6*a^2*\text{ArcSin}[a*x]*\text{ArcTanh}[E^{(I*\text{ArcSin}[a*x])}] - a^2*\text{ArcSin}[a*x]^3*\text{ArcTanh}[E^{(I*\text{ArcSin}[a*x])}] + (3*I)*a^2*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[a*x])}] + ((3*I)/2)*a^2*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[a*x])}] - (3*I)*a^2*\text{PolyLog}[2, E^{(I*\text{ArcSin}[a*x])}] - ((3*I)/2)*a^2*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, E^{(I*\text{ArcSin}[a*x])}] - 3*a^2*\text{ArcSin}[a*x]*\text{PolyLog}[3, -E^{(I*\text{ArcSin}[a*x])}] + 3*a^2*\text{ArcSin}[a*x]*\text{PolyLog}[3, E^{(I*\text{ArcSin}[a*x])}] - (3*I)*a^2*\text{PolyLog}[4, -E^{(I*\text{ArcSin}[a*x])}] + (3*I)*a^2*\text{PolyLog}[4, E^{(I*\text{ArcSin}[a*x])}]$

---

**Rubi [A]** time = 0.357254, antiderivative size = 264, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 10, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {4701, 4709, 4183, 2531, 6609, 2282, 6589, 4627, 2279, 2391}

$$\frac{3}{2}ia^2 \sin^{-1}(ax)^2 \text{PolyLog}\left(2, -e^{i \sin^{-1}(ax)}\right) - \frac{3}{2}ia^2 \sin^{-1}(ax)^2 \text{PolyLog}\left(2, e^{i \sin^{-1}(ax)}\right) - 3a^2 \sin^{-1}(ax) \text{PolyLog}\left(3, -e^{i \sin^{-1}(ax)}\right)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{ArcSin}[a*x]^3/(x^3*\text{Sqrt}[1 - a^2*x^2]), x]$

[Out]  $(-3*a*\text{ArcSin}[a*x]^2)/(2*x) - (\text{Sqrt}[1 - a^2*x^2]*\text{ArcSin}[a*x]^3)/(2*x^2) - 6*a^2*\text{ArcSin}[a*x]*\text{ArcTanh}[E^{(I*\text{ArcSin}[a*x])}] - a^2*\text{ArcSin}[a*x]^3*\text{ArcTanh}[E^{(I*\text{ArcSin}[a*x])}] + (3*I)*a^2*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[a*x])}] + ((3*I)/2)*a^2*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, -E^{(I*\text{ArcSin}[a*x])}] - (3*I)*a^2*\text{PolyLog}[2, E^{(I*\text{ArcSin}[a*x])}] - ((3*I)/2)*a^2*\text{ArcSin}[a*x]^2*\text{PolyLog}[2, E^{(I*\text{ArcSin}[a*x])}] - 3*a^2*\text{ArcSin}[a*x]*\text{PolyLog}[3, -E^{(I*\text{ArcSin}[a*x])}] + 3*a^2*\text{ArcSin}[a*x]*\text{PolyLog}[3, E^{(I*\text{ArcSin}[a*x])}] - (3*I)*a^2*\text{PolyLog}[4, -E^{(I*\text{ArcSin}[a*x])}] + (3*I)*a^2*\text{PolyLog}[4, E^{(I*\text{ArcSin}[a*x])}]$

### Rule 4701

$\text{Int}[(a_. + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^n*(f_.*(x_.))^m*(d_. + (e_.)*(x_.)^2)^p, x\_Symbol] := \text{Simp}[(f*x)^{m+1}*(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])^n/(d*f*(m+1)), x] + (\text{Dist}[(c^2*(m+2*p+3))/(f^2*(m+1))$

), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

### Rule 4709

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.\*(x\_)^(m\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[1/(c^(m + 1)\*Sqrt[d]), Subst[Int[(a + b\*x)^n\*Sin[x]^m, x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]

### Rule 4183

Int[csc[(e\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_.))^(m\_.), x\_Symbol] :> Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2531

Int[Log[1 + (e\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^n\_.]\*((f\_.) + (g\_.)\*(x\_)^(m\_.), x\_Symbol] :> -Simp[((f + g\*x)^m\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n]])/(b\*c\*n\*Log[F]), x] + Dist[(g\*m)/(b\*c\*n\*Log[F]), Int[(f + g\*x)^(m - 1)\*PolyLog[2, -(e\*(F^(c\*(a + b\*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

### Rule 6609

Int[((e\_.) + (f\_.)\*(x\_)^(m\_.))\*PolyLog[n\_, (d\_.)\*((F\_)^((c\_.)\*((a\_.) + (b\_.)\*(x\_))))^p\_.], x\_Symbol] :> Simp[((e + f\*x)^m\*PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p])/(b\*c\*p\*Log[F]), x] - Dist[(f\*m)/(b\*c\*p\*Log[F]), Int[(e + f\*x)^(m - 1)\*PolyLog[n + 1, d\*(F^(c\*(a + b\*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

### Rule 2282

Int[u\_, x\_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w\_)\*((a\_.)\*(v\_)^(n\_))^(m\_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m\*n] && !MatchQ[u, E^((c\_.)\*((a\_.) + (b\_.)\*x))\* (F\_) [v\_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n\_, (c\_.)\*((a\_.) + (b\_.)\*(x\_))^(p\_.)]/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := Simp[PolyLog[n + 1, c\*(a + b\*x)^p]/(e\*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b\*d, a\*e]

Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rubi steps

$$\begin{aligned}
 \int \frac{\sin^{-1}(ax)^3}{x^3\sqrt{1-a^2x^2}} dx &= -\frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{2x^2} + \frac{1}{2}(3a) \int \frac{\sin^{-1}(ax)^2}{x^2} dx + \frac{1}{2}a^2 \int \frac{\sin^{-1}(ax)^3}{x\sqrt{1-a^2x^2}} dx \\
 &= -\frac{3a\sin^{-1}(ax)^2}{2x} - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{2x^2} + \frac{1}{2}a^2 \text{Subst}\left(\int x^3 \csc(x) dx, x, \sin^{-1}(ax)\right) + (3a^2) \int \frac{\sin^{-1}(ax)^3}{x\sqrt{1-a^2x^2}} dx \\
 &= -\frac{3a\sin^{-1}(ax)^2}{2x} - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{2x^2} - a^2\sin^{-1}(ax)^3 \tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right) - \frac{1}{2}(3a^2) \text{Subst}\left(\int x^3 \csc(x) dx, x, \sin^{-1}(ax)\right) \\
 &= -\frac{3a\sin^{-1}(ax)^2}{2x} - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{2x^2} - 6a^2\sin^{-1}(ax) \tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right) - a^2\sin^{-1}(ax)^3 \tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right) \\
 &= -\frac{3a\sin^{-1}(ax)^2}{2x} - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{2x^2} - 6a^2\sin^{-1}(ax) \tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right) - a^2\sin^{-1}(ax)^3 \tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right) \\
 &= -\frac{3a\sin^{-1}(ax)^2}{2x} - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{2x^2} - 6a^2\sin^{-1}(ax) \tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right) - a^2\sin^{-1}(ax)^3 \tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right) \\
 &= -\frac{3a\sin^{-1}(ax)^2}{2x} - \frac{\sqrt{1-a^2x^2}\sin^{-1}(ax)^3}{2x^2} - 6a^2\sin^{-1}(ax) \tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right) - a^2\sin^{-1}(ax)^3 \tanh^{-1}\left(e^{i\sin^{-1}(ax)}\right)
 \end{aligned}$$

**Mathematica [A]** time = 4.43164, size = 317, normalized size = 1.2

$$\frac{1}{16}a^2 \left( 24i \sin^{-1}(ax)^2 \text{PolyLog} \left( 2, e^{-i \sin^{-1}(ax)} \right) + 48 \sin^{-1}(ax) \text{PolyLog} \left( 3, e^{-i \sin^{-1}(ax)} \right) - 48 \sin^{-1}(ax) \text{PolyLog} \left( 3, -e^{i \sin^{-1}(ax)} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcSin[a\*x]^3/(x^3\*Sqrt[1 - a^2\*x^2]),x]

[Out] (a^2\*((-I)\*Pi^4 + (2\*I)\*ArcSin[a\*x]^4 - 12\*ArcSin[a\*x]^2\*Cot[ArcSin[a\*x]/2] - 2\*ArcSin[a\*x]^3\*Csc[ArcSin[a\*x]/2]^2 + 8\*ArcSin[a\*x]^3\*Log[1 - E^((-I)\*ArcSin[a\*x])] + 48\*ArcSin[a\*x]\*Log[1 - E^(I\*ArcSin[a\*x])] - 48\*ArcSin[a\*x]\*Log[1 + E^(I\*ArcSin[a\*x])] - 8\*ArcSin[a\*x]^3\*Log[1 + E^(I\*ArcSin[a\*x])] + (2\*4\*I)\*ArcSin[a\*x]^2\*PolyLog[2, E^((-I)\*ArcSin[a\*x])] + (24\*I)\*(2 + ArcSin[a\*x]^2)\*PolyLog[2, -E^(I\*ArcSin[a\*x])] - (48\*I)\*PolyLog[2, E^(I\*ArcSin[a\*x])] + 48\*ArcSin[a\*x]\*PolyLog[3, E^((-I)\*ArcSin[a\*x])] - 48\*ArcSin[a\*x]\*PolyLog[3, -E^(I\*ArcSin[a\*x])] - (48\*I)\*PolyLog[4, E^((-I)\*ArcSin[a\*x])] - (48\*I)\*PolyLog[4, -E^(I\*ArcSin[a\*x])] + 2\*ArcSin[a\*x]^3\*Sec[ArcSin[a\*x]/2]^2 - 12\*ArcSin[a\*x]^2\*Tan[ArcSin[a\*x]/2]))/16

**Maple [A]** time = 0.167, size = 428, normalized size = 1.6

$$-\frac{(\arcsin(ax))^2}{(2a^2x^2 - 2)x^2} \sqrt{-a^2x^2 + 1} \left( a^2x^2 \arcsin(ax) - 3ax\sqrt{-a^2x^2 + 1} - \arcsin(ax) \right) - \frac{(\arcsin(ax))^3 a^2}{2} \ln \left( 1 + iax + \sqrt{-a^2x^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^3/x^3/(-a^2\*x^2+1)^(1/2),x)

[Out] -1/2\*(-a^2\*x^2+1)^(1/2)/(a^2\*x^2-1)/x^2\*arcsin(a\*x)^2\*(a^2\*x^2\*arcsin(a\*x)-3\*a\*x\*(-a^2\*x^2+1)^(1/2)-arcsin(a\*x))-1/2\*arcsin(a\*x)^3\*ln(1+I\*a\*x+(-a^2\*x^2+1)^(1/2))\*a^2+1/2\*arcsin(a\*x)^3\*ln(1-I\*a\*x-(-a^2\*x^2+1)^(1/2))\*a^2-3\*arcsin(a\*x)\*ln(1+I\*a\*x+(-a^2\*x^2+1)^(1/2))\*a^2-3\*a^2\*arcsin(a\*x)\*polylog(3,-I\*a\*x-(-a^2\*x^2+1)^(1/2))+3\*arcsin(a\*x)\*ln(1-I\*a\*x-(-a^2\*x^2+1)^(1/2))\*a^2+3\*a^2\*arcsin(a\*x)\*polylog(3,I\*a\*x+(-a^2\*x^2+1)^(1/2))+3/2\*I\*a^2\*arcsin(a\*x)^2\*polylog(2,-I\*a\*x-(-a^2\*x^2+1)^(1/2))-3/2\*I\*a^2\*arcsin(a\*x)^2\*polylog(2,I\*a\*x+(-a^2\*x^2+1)^(1/2))+3\*I\*a^2\*polylog(2,-I\*a\*x-(-a^2\*x^2+1)^(1/2))-3\*I\*a^2\*polylog(4,-I\*a\*x-(-a^2\*x^2+1)^(1/2))-3\*I\*a^2\*polylog(2,I\*a\*x+(-a^2\*x^2+1)^(1/2))+3\*I\*a^2\*polylog(4,I\*a\*x+(-a^2\*x^2+1)^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^3}{\sqrt{-a^2x^2 + 1}x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/x^3/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(arcsin(a\*x)^3/(sqrt(-a^2\*x^2 + 1)\*x^3), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2 + 1} \arcsin(ax)^3}{a^2x^5 - x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^3/x^3/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)^3/(a^2\*x^5 - x^3), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{asin}^3(ax)}{x^3\sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*3/x\*\*3/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(asin(a\*x)\*\*3/(x\*\*3\*sqrt(-(a\*x - 1)\*(a\*x + 1))), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^3}{\sqrt{-a^2x^2 + 1}x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(a*x)^3/x^3/(-a^2*x^2+1)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(arcsin(a*x)^3/(sqrt(-a^2*x^2 + 1)*x^3), x)
```



$$3.311 \quad \int \frac{(c - a^2 cx^2)^3}{\sin^{-1}(ax)} dx$$

**Optimal.** Leaf size=67

$$\frac{35c^3 \text{CosIntegral}(\sin^{-1}(ax))}{64a} + \frac{21c^3 \text{CosIntegral}(3 \sin^{-1}(ax))}{64a} + \frac{7c^3 \text{CosIntegral}(5 \sin^{-1}(ax))}{64a} + \frac{c^3 \text{CosIntegral}(7 \sin^{-1}(ax))}{64a}$$

[Out] (35\*c^3\*CosIntegral[ArcSin[a\*x]])/(64\*a) + (21\*c^3\*CosIntegral[3\*ArcSin[a\*x]])/(64\*a) + (7\*c^3\*CosIntegral[5\*ArcSin[a\*x]])/(64\*a) + (c^3\*CosIntegral[7\*ArcSin[a\*x]])/(64\*a)

**Rubi [A]** time = 0.105305, antiderivative size = 67, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$ , Rules used = {4661, 3312, 3302}

$$\frac{35c^3 \text{CosIntegral}(\sin^{-1}(ax))}{64a} + \frac{21c^3 \text{CosIntegral}(3 \sin^{-1}(ax))}{64a} + \frac{7c^3 \text{CosIntegral}(5 \sin^{-1}(ax))}{64a} + \frac{c^3 \text{CosIntegral}(7 \sin^{-1}(ax))}{64a}$$

Antiderivative was successfully verified.

[In] Int[(c - a^2\*c\*x^2)^3/ArcSin[a\*x], x]

[Out] (35\*c^3\*CosIntegral[ArcSin[a\*x]])/(64\*a) + (21\*c^3\*CosIntegral[3\*ArcSin[a\*x]])/(64\*a) + (7\*c^3\*CosIntegral[5\*ArcSin[a\*x]])/(64\*a) + (c^3\*CosIntegral[7\*ArcSin[a\*x]])/(64\*a)

#### Rule 4661

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := Dist[d^p/c, Subst[Int[(a + b\*x)^n\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p, 0] && (IntegerQ[p] || GtQ[d, 0])

#### Rule 3312

Int[((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

#### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{(c - a^2 cx^2)^3}{\sin^{-1}(ax)} dx &= \frac{c^3 \text{Subst}\left(\int \frac{\cos^7(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a} \\ &= \frac{c^3 \text{Subst}\left(\int \left(\frac{35 \cos(x)}{64x} + \frac{21 \cos(3x)}{64x} + \frac{7 \cos(5x)}{64x} + \frac{\cos(7x)}{64x}\right) dx, x, \sin^{-1}(ax)\right)}{a} \\ &= \frac{c^3 \text{Subst}\left(\int \frac{\cos(7x)}{x} dx, x, \sin^{-1}(ax)\right)}{64a} + \frac{(7c^3) \text{Subst}\left(\int \frac{\cos(5x)}{x} dx, x, \sin^{-1}(ax)\right)}{64a} + \frac{(21c^3) \text{Subst}\left(\int \frac{\cos(3x)}{x} dx, x, \sin^{-1}(ax)\right)}{64a} \\ &= \frac{35c^3 \text{Ci}\left(\sin^{-1}(ax)\right)}{64a} + \frac{21c^3 \text{Ci}\left(3 \sin^{-1}(ax)\right)}{64a} + \frac{7c^3 \text{Ci}\left(5 \sin^{-1}(ax)\right)}{64a} + \frac{c^3 \text{Ci}\left(7 \sin^{-1}(ax)\right)}{64a} \end{aligned}$$

**Mathematica [A]** time = 0.116208, size = 43, normalized size = 0.64

$$\frac{c^3 \left( 35 \text{CosIntegral}\left(\sin^{-1}(ax)\right) + 21 \text{CosIntegral}\left(3 \sin^{-1}(ax)\right) + 7 \text{CosIntegral}\left(5 \sin^{-1}(ax)\right) + \text{CosIntegral}\left(7 \sin^{-1}(ax)\right) \right)}{64a}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c - a^2*c*x^2)^3/ArcSin[a*x], x]
```

```
[Out] (c^3*(35*CosIntegral[ArcSin[a*x]] + 21*CosIntegral[3*ArcSin[a*x]] + 7*CosIntegral[5*ArcSin[a*x]] + CosIntegral[7*ArcSin[a*x]]))/(64*a)
```

**Maple [A]** time = 0.044, size = 42, normalized size = 0.6

$$\frac{c^3 (35 \text{Ci}(\arcsin(ax)) + 21 \text{Ci}(3 \arcsin(ax)) + 7 \text{Ci}(5 \arcsin(ax)) + \text{Ci}(7 \arcsin(ax)))}{64a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-a^2*c*x^2+c)^3/arcsin(a*x), x)
```

[Out]  $1/64/a*c^3*(35*Ci(\arcsin(a*x))+21*Ci(3*\arcsin(a*x))+7*Ci(5*\arcsin(a*x))+Ci(7*\arcsin(a*x)))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{(a^2cx^2 - c)^3}{\arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a^2*c*x^2+c)^3/arcsin(a*x),x, algorithm="maxima")`

[Out] `-integrate((a^2*c*x^2 - c)^3/arcsin(a*x), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{a^6c^3x^6 - 3a^4c^3x^4 + 3a^2c^3x^2 - c^3}{\arcsin(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a^2*c*x^2+c)^3/arcsin(a*x),x, algorithm="fricas")`

[Out] `integral(-(a^6*c^3*x^6 - 3*a^4*c^3*x^4 + 3*a^2*c^3*x^2 - c^3)/arcsin(a*x), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-c^3 \left( \int \frac{3a^2x^2}{\text{asin}(ax)} dx + \int -\frac{3a^4x^4}{\text{asin}(ax)} dx + \int \frac{a^6x^6}{\text{asin}(ax)} dx + \int -\frac{1}{\text{asin}(ax)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a**2*c*x**2+c)**3/asin(a*x),x)`

[Out] `-c**3*(Integral(3*a**2*x**2/asin(a*x), x) + Integral(-3*a**4*x**4/asin(a*x), x) + Integral(a**6*x**6/asin(a*x), x) + Integral(-1/asin(a*x), x))`

---

**Giac [A]** time = 1.40599, size = 80, normalized size = 1.19

$$\frac{c^3 \operatorname{Ci}(7 \arcsin(ax))}{64a} + \frac{7c^3 \operatorname{Ci}(5 \arcsin(ax))}{64a} + \frac{21c^3 \operatorname{Ci}(3 \arcsin(ax))}{64a} + \frac{35c^3 \operatorname{Ci}(\arcsin(ax))}{64a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^3/arcsin(a\*x),x, algorithm="giac")

[Out] 1/64\*c^3\*cos\_integral(7\*arcsin(a\*x))/a + 7/64\*c^3\*cos\_integral(5\*arcsin(a\*x))/a + 21/64\*c^3\*cos\_integral(3\*arcsin(a\*x))/a + 35/64\*c^3\*cos\_integral(arcsin(a\*x))/a

$$3.312 \quad \int \frac{(c - a^2 cx^2)^2}{\sin^{-1}(ax)} dx$$

**Optimal.** Leaf size=50

$$\frac{5c^2 \text{CosIntegral}(\sin^{-1}(ax))}{8a} + \frac{5c^2 \text{CosIntegral}(3 \sin^{-1}(ax))}{16a} + \frac{c^2 \text{CosIntegral}(5 \sin^{-1}(ax))}{16a}$$

[Out] (5\*c^2\*CosIntegral[ArcSin[a\*x]])/(8\*a) + (5\*c^2\*CosIntegral[3\*ArcSin[a\*x]])/(16\*a) + (c^2\*CosIntegral[5\*ArcSin[a\*x]])/(16\*a)

**Rubi [A]** time = 0.0901502, antiderivative size = 50, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$ , Rules used = {4661, 3312, 3302}

$$\frac{5c^2 \text{CosIntegral}(\sin^{-1}(ax))}{8a} + \frac{5c^2 \text{CosIntegral}(3 \sin^{-1}(ax))}{16a} + \frac{c^2 \text{CosIntegral}(5 \sin^{-1}(ax))}{16a}$$

Antiderivative was successfully verified.

[In] Int[(c - a^2\*c\*x^2)^2/ArcSin[a\*x],x]

[Out] (5\*c^2\*CosIntegral[ArcSin[a\*x]])/(8\*a) + (5\*c^2\*CosIntegral[3\*ArcSin[a\*x]])/(16\*a) + (c^2\*CosIntegral[5\*ArcSin[a\*x]])/(16\*a)

### Rule 4661

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^ (p\_.), x\_Symbol] := Dist[d^p/c, Subst[Int[(a + b\*x)^n\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rule 3312

Int[((c\_.) + (d\_.)\*(x\_.))^ (m\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^ (n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) -

$c*f, 0]$

### Rubi steps

$$\begin{aligned}
 \int \frac{(c - a^2 c x^2)^2}{\sin^{-1}(ax)} dx &= \frac{c^2 \operatorname{Subst}\left(\int \frac{\cos^5(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a} \\
 &= \frac{c^2 \operatorname{Subst}\left(\int \left(\frac{5 \cos(x)}{8x} + \frac{5 \cos(3x)}{16x} + \frac{\cos(5x)}{16x}\right) dx, x, \sin^{-1}(ax)\right)}{a} \\
 &= \frac{c^2 \operatorname{Subst}\left(\int \frac{\cos(5x)}{x} dx, x, \sin^{-1}(ax)\right)}{16a} + \frac{(5c^2) \operatorname{Subst}\left(\int \frac{\cos(3x)}{x} dx, x, \sin^{-1}(ax)\right)}{16a} + \frac{(5c^2) \operatorname{Subst}\left(\int \frac{\cos(x)}{x} dx, x, \sin^{-1}(ax)\right)}{8a} \\
 &= \frac{5c^2 \operatorname{Ci}\left(\sin^{-1}(ax)\right)}{8a} + \frac{5c^2 \operatorname{Ci}\left(3 \sin^{-1}(ax)\right)}{16a} + \frac{c^2 \operatorname{Ci}\left(5 \sin^{-1}(ax)\right)}{16a}
 \end{aligned}$$

**Mathematica [A]** time = 0.0779352, size = 34, normalized size = 0.68

$$\frac{c^2 \left(10 \operatorname{CosIntegral}\left(\sin^{-1}(ax)\right) + 5 \operatorname{CosIntegral}\left(3 \sin^{-1}(ax)\right) + \operatorname{CosIntegral}\left(5 \sin^{-1}(ax)\right)\right)}{16a}$$

Antiderivative was successfully verified.

[In] Integrate[(c - a^2\*c\*x^2)^2/ArcSin[a\*x],x]

[Out] (c^2\*(10\*CosIntegral[ArcSin[a\*x]] + 5\*CosIntegral[3\*ArcSin[a\*x]] + CosIntegral[5\*ArcSin[a\*x]]))/(16\*a)

**Maple [A]** time = 0.028, size = 33, normalized size = 0.7

$$\frac{c^2 (10 \operatorname{Ci}(\arcsin(ax)) + 5 \operatorname{Ci}(3 \arcsin(ax)) + \operatorname{Ci}(5 \arcsin(ax)))}{16a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)^2/arcsin(a\*x),x)

[Out] 1/16/a\*c^2\*(10\*Ci(arcsin(a\*x))+5\*Ci(3\*arcsin(a\*x))+Ci(5\*arcsin(a\*x)))

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a^2cx^2 - c)^2}{\arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^2/arcsin(a\*x),x, algorithm="maxima")

[Out] integrate((a^2\*c\*x^2 - c)^2/arcsin(a\*x), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{a^4c^2x^4 - 2a^2c^2x^2 + c^2}{\arcsin(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^2/arcsin(a\*x),x, algorithm="fricas")

[Out] integral((a^4\*c^2\*x^4 - 2\*a^2\*c^2\*x^2 + c^2)/arcsin(a\*x), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$c^2 \left( \int -\frac{2a^2x^2}{\text{asin}(ax)} dx + \int \frac{a^4x^4}{\text{asin}(ax)} dx + \int \frac{1}{\text{asin}(ax)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*2/asin(a\*x),x)

[Out] c\*\*2\*(Integral(-2\*a\*\*2\*x\*\*2/asin(a\*x), x) + Integral(a\*\*4\*x\*\*4/asin(a\*x), x) + Integral(1/asin(a\*x), x))

---

**Giac [A]** time = 1.3557, size = 59, normalized size = 1.18

$$\frac{c^2 \operatorname{Ci}(5 \arcsin(ax))}{16a} + \frac{5c^2 \operatorname{Ci}(3 \arcsin(ax))}{16a} + \frac{5c^2 \operatorname{Ci}(\arcsin(ax))}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^2/arcsin(a\*x),x, algorithm="giac")

[Out] 1/16\*c^2\*cos\_integral(5\*arcsin(a\*x))/a + 5/16\*c^2\*cos\_integral(3\*arcsin(a\*x))/a + 5/8\*c^2\*cos\_integral(arcsin(a\*x))/a



$$3.313 \quad \int \frac{c - a^2 cx^2}{\sin^{-1}(ax)} dx$$

**Optimal.** Leaf size=29

$$\frac{3c \operatorname{CosIntegral}(\sin^{-1}(ax))}{4a} + \frac{c \operatorname{CosIntegral}(3 \sin^{-1}(ax))}{4a}$$

[Out] (3\*c\*CosIntegral[ArcSin[a\*x]])/(4\*a) + (c\*CosIntegral[3\*ArcSin[a\*x]])/(4\*a)

**Rubi [A]** time = 0.0639881, antiderivative size = 29, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {4661, 3312, 3302}

$$\frac{3c \operatorname{CosIntegral}(\sin^{-1}(ax))}{4a} + \frac{c \operatorname{CosIntegral}(3 \sin^{-1}(ax))}{4a}$$

Antiderivative was successfully verified.

[In] Int[(c - a^2\*c\*x^2)/ArcSin[a\*x],x]

[Out] (3\*c\*CosIntegral[ArcSin[a\*x]])/(4\*a) + (c\*CosIntegral[3\*ArcSin[a\*x]])/(4\*a)

#### Rule 4661

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c, Subst[Int[(a + b\*x)^n\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p, 0] && (IntegerQ[p] || GtQ[d, 0])

#### Rule 3312

Int[((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

#### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rubi steps

$$\begin{aligned}
\int \frac{c - a^2 cx^2}{\sin^{-1}(ax)} dx &= \frac{c \operatorname{Subst}\left(\int \frac{\cos^3(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a} \\
&= \frac{c \operatorname{Subst}\left(\int \left(\frac{3 \cos(x)}{4x} + \frac{\cos(3x)}{4x}\right) dx, x, \sin^{-1}(ax)\right)}{a} \\
&= \frac{c \operatorname{Subst}\left(\int \frac{\cos(3x)}{x} dx, x, \sin^{-1}(ax)\right)}{4a} + \frac{(3c) \operatorname{Subst}\left(\int \frac{\cos(x)}{x} dx, x, \sin^{-1}(ax)\right)}{4a} \\
&= \frac{3c \operatorname{Ci}\left(\sin^{-1}(ax)\right)}{4a} + \frac{c \operatorname{Ci}\left(3 \sin^{-1}(ax)\right)}{4a}
\end{aligned}$$

**Mathematica [A]** time = 0.0188957, size = 23, normalized size = 0.79

$$\frac{c \left(3 \operatorname{CosIntegral}\left(\sin^{-1}(ax)\right) + \operatorname{CosIntegral}\left(3 \sin^{-1}(ax)\right)\right)}{4a}$$

Antiderivative was successfully verified.

[In] Integrate[(c - a^2\*c\*x^2)/ArcSin[a\*x],x]

[Out] (c\*(3\*CosIntegral[ArcSin[a\*x]] + CosIntegral[3\*ArcSin[a\*x]]))/(4\*a)

**Maple [A]** time = 0.028, size = 22, normalized size = 0.8

$$\frac{c \left(3 \operatorname{Ci}\left(\arcsin(ax)\right) + \operatorname{Ci}\left(3 \arcsin(ax)\right)\right)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)/arcsin(a\*x),x)

[Out] 1/4/a\*c\*(3\*Ci(arcsin(a\*x))+Ci(3\*arcsin(a\*x)))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{a^2 cx^2 - c}{\arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a^2*c*x^2+c)/arcsin(a*x),x, algorithm="maxima")`

[Out] `-integrate((a^2*c*x^2 - c)/arcsin(a*x), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{a^2cx^2 - c}{\arcsin(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a^2*c*x^2+c)/arcsin(a*x),x, algorithm="fricas")`

[Out] `integral(-(a^2*c*x^2 - c)/arcsin(a*x), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-c\left(\int \frac{a^2x^2}{\text{asin}(ax)} dx + \int -\frac{1}{\text{asin}(ax)} dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a**2*c*x**2+c)/asin(a*x),x)`

[Out] `-c*(Integral(a**2*x**2/asin(a*x), x) + Integral(-1/asin(a*x), x))`

**Giac [A]** time = 1.32514, size = 34, normalized size = 1.17

$$\frac{c \operatorname{Ci}(3 \arcsin(ax))}{4a} + \frac{3c \operatorname{Ci}(\arcsin(ax))}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a^2*c*x^2+c)/arcsin(a*x),x, algorithm="giac")`

[Out] `1/4*c*cos_integral(3*arcsin(a*x))/a + 3/4*c*cos_integral(arcsin(a*x))/a`

$$3.314 \quad \int \frac{1}{(c-a^2cx^2)\sin^{-1}(ax)} dx$$

**Optimal.** Leaf size=22

$$\text{Unintegrable}\left(\frac{1}{(c-a^2cx^2)\sin^{-1}(ax)}, x\right)$$

[Out] Unintegrable[1/((c - a^2\*c\*x^2)\*ArcSin[a\*x]), x]

**Rubi [A]** time = 0.0241084, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(c-a^2cx^2)\sin^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c - a^2\*c\*x^2)\*ArcSin[a\*x]), x]

[Out] Defer[Int][1/((c - a^2\*c\*x^2)\*ArcSin[a\*x]), x]

Rubi steps

$$\int \frac{1}{(c-a^2cx^2)\sin^{-1}(ax)} dx = \int \frac{1}{(c-a^2cx^2)\sin^{-1}(ax)} dx$$

**Mathematica [A]** time = 2.53318, size = 0, normalized size = 0.

$$\int \frac{1}{(c-a^2cx^2)\sin^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c - a^2\*c\*x^2)\*ArcSin[a\*x]), x]

[Out] Integrate[1/((c - a^2\*c\*x^2)\*ArcSin[a\*x]), x]

---

**Maple [A]** time = 0.099, size = 0, normalized size = 0.

$$\int \frac{1}{(-a^2cx^2 + c) \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-a^2\*c\*x^2+c)/arcsin(a\*x),x)

[Out] int(1/(-a^2\*c\*x^2+c)/arcsin(a\*x),x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{1}{(a^2cx^2 - c) \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)/arcsin(a\*x),x, algorithm="maxima")

[Out] -integrate(1/((a^2\*c\*x^2 - c)\*arcsin(a\*x)), x)

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{1}{(a^2cx^2 - c) \arcsin(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)/arcsin(a\*x),x, algorithm="fricas")

[Out] integral(-1/((a^2\*c\*x^2 - c)\*arcsin(a\*x)), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{a^2 x^2 \operatorname{asin}(ax) - \operatorname{asin}(ax)} dx$$


---


$$c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a\*\*2\*c\*x\*\*2+c)/asin(a\*x),x)

[Out] -Integral(1/(a\*\*2\*x\*\*2\*asin(a\*x) - asin(a\*x)), x)/c

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{1}{(a^2 c x^2 - c) \operatorname{arcsin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)/arcsin(a\*x),x, algorithm="giac")

[Out] integrate(-1/((a^2\*c\*x^2 - c)\*arcsin(a\*x)), x)

$$3.315 \quad \int \frac{1}{(c - a^2 cx^2)^2 \sin^{-1}(ax)} dx$$

**Optimal.** Leaf size=22

$$\text{Unintegrable}\left(\frac{1}{(c - a^2 cx^2)^2 \sin^{-1}(ax)}, x\right)$$

[Out] Unintegrable[1/((c - a^2\*c\*x^2)^2\*ArcSin[a\*x]), x]

**Rubi [A]** time = 0.0236022, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(c - a^2 cx^2)^2 \sin^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c - a^2\*c\*x^2)^2\*ArcSin[a\*x]), x]

[Out] Defer[Int][1/((c - a^2\*c\*x^2)^2\*ArcSin[a\*x]), x]

Rubi steps

$$\int \frac{1}{(c - a^2 cx^2)^2 \sin^{-1}(ax)} dx = \int \frac{1}{(c - a^2 cx^2)^2 \sin^{-1}(ax)} dx$$

**Mathematica [A]** time = 7.68028, size = 0, normalized size = 0.

$$\int \frac{1}{(c - a^2 cx^2)^2 \sin^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c - a^2\*c\*x^2)^2\*ArcSin[a\*x]), x]

[Out] Integrate[1/((c - a^2\*c\*x^2)^2\*ArcSin[a\*x]), x]

**Maple [A]** time = 0.259, size = 0, normalized size = 0.

$$\int \frac{1}{(-a^2cx^2 + c)^2 \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-a^2\*c\*x^2+c)^2/arcsin(a\*x),x)

[Out] int(1/(-a^2\*c\*x^2+c)^2/arcsin(a\*x),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a^2cx^2 - c)^2 \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^2/arcsin(a\*x),x, algorithm="maxima")

[Out] integrate(1/((a^2\*c\*x^2 - c)^2\*arcsin(a\*x)), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{(a^4c^2x^4 - 2a^2c^2x^2 + c^2) \arcsin(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^2/arcsin(a\*x),x, algorithm="fricas")

[Out] integral(1/((a^4\*c^2\*x^4 - 2\*a^2\*c^2\*x^2 + c^2)\*arcsin(a\*x)), x)



**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\frac{a^4 x^4 \arcsin(ax) - 2a^2 x^2 \arcsin(ax) + \arcsin(ax)}{c^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a\*\*2\*c\*x\*\*2+c)\*\*2/asin(a\*x), x)

[Out] Integral(1/(a\*\*4\*x\*\*4\*asin(a\*x) - 2\*a\*\*2\*x\*\*2\*asin(a\*x) + asin(a\*x)), x)/c\*\*2

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a^2 c x^2 - c)^2 \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^2/arcsin(a\*x), x, algorithm="giac")

[Out] integrate(1/((a^2\*c\*x^2 - c)^2\*arcsin(a\*x)), x)

$$3.316 \quad \int \frac{x^4 \sqrt{1-c^2x^2}}{a+b \sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=206

$$\frac{\cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2(a+b \sin^{-1}(cx))}{b}\right)}{32bc^5} - \frac{\cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left(\frac{4(a+b \sin^{-1}(cx))}{b}\right)}{16bc^5} + \frac{\cos\left(\frac{6a}{b}\right) \text{CosIntegral}\left(\frac{6(a+b \sin^{-1}(cx))}{b}\right)}{32bc^5}$$

[Out]  $-(\text{Cos}[(2*a)/b]*\text{CosIntegral}[(2*(a + b*\text{ArcSin}[c*x]))/b])/(32*b*c^5) - (\text{Cos}[(4*a)/b]*\text{CosIntegral}[(4*(a + b*\text{ArcSin}[c*x]))/b])/(16*b*c^5) + (\text{Cos}[(6*a)/b]*\text{CosIntegral}[(6*(a + b*\text{ArcSin}[c*x]))/b])/(32*b*c^5) + \text{Log}[a + b*\text{ArcSin}[c*x]]/(16*b*c^5) - (\text{Sin}[(2*a)/b]*\text{SinIntegral}[(2*(a + b*\text{ArcSin}[c*x]))/b])/(32*b*c^5) - (\text{Sin}[(4*a)/b]*\text{SinIntegral}[(4*(a + b*\text{ArcSin}[c*x]))/b])/(16*b*c^5) + (\text{Sin}[(6*a)/b]*\text{SinIntegral}[(6*(a + b*\text{ArcSin}[c*x]))/b])/(32*b*c^5)$

**Rubi [A]** time = 0.460128, antiderivative size = 206, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 5, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$ , Rules used = {4723, 4406, 3303, 3299, 3302}

$$\frac{\cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{32bc^5} - \frac{\cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left(\frac{4a}{b} + 4 \sin^{-1}(cx)\right)}{16bc^5} + \frac{\cos\left(\frac{6a}{b}\right) \text{CosIntegral}\left(\frac{6a}{b} + 6 \sin^{-1}(cx)\right)}{32bc^5}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^4*\text{Sqrt}[1 - c^2*x^2])/(a + b*\text{ArcSin}[c*x]),x]$

[Out]  $-(\text{Cos}[(2*a)/b]*\text{CosIntegral}[(2*a)/b + 2*\text{ArcSin}[c*x]])/(32*b*c^5) - (\text{Cos}[(4*a)/b]*\text{CosIntegral}[(4*a)/b + 4*\text{ArcSin}[c*x]])/(16*b*c^5) + (\text{Cos}[(6*a)/b]*\text{CosIntegral}[(6*a)/b + 6*\text{ArcSin}[c*x]])/(32*b*c^5) + \text{Log}[a + b*\text{ArcSin}[c*x]]/(16*b*c^5) - (\text{Sin}[(2*a)/b]*\text{SinIntegral}[(2*a)/b + 2*\text{ArcSin}[c*x]])/(32*b*c^5) - (\text{Sin}[(4*a)/b]*\text{SinIntegral}[(4*a)/b + 4*\text{ArcSin}[c*x]])/(16*b*c^5) + (\text{Sin}[(6*a)/b]*\text{SinIntegral}[(6*a)/b + 6*\text{ArcSin}[c*x]])/(32*b*c^5)$

### Rule 4723

$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.)*((d_. + (e_.)*(x_.)^2)^(p_.), x\_Symbol] \rightarrow \text{Dist}[d^p/c^{(m+1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sin}[x]^m*\text{Cos}[x]^{(2*p+1)}, x], x, \text{ArcSin}[c*x]], x] /;$  FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^(n)\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{x^4 \sqrt{1 - c^2 x^2}}{a + b \sin^{-1}(cx)} dx &= \frac{\text{Subst} \left( \int \frac{\cos^2(x) \sin^4(x)}{a + bx} dx, x, \sin^{-1}(cx) \right)}{c^5} \\
 &= \frac{\text{Subst} \left( \int \left( \frac{1}{16(a+bx)} - \frac{\cos(2x)}{32(a+bx)} - \frac{\cos(4x)}{16(a+bx)} + \frac{\cos(6x)}{32(a+bx)} \right) dx, x, \sin^{-1}(cx) \right)}{c^5} \\
 &= \frac{\log(a + b \sin^{-1}(cx))}{16bc^5} - \frac{\text{Subst} \left( \int \frac{\cos(2x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{32c^5} + \frac{\text{Subst} \left( \int \frac{\cos(6x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{32c^5} \\
 &= \frac{\log(a + b \sin^{-1}(cx))}{16bc^5} - \frac{\cos\left(\frac{2a}{b}\right) \text{Subst} \left( \int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{32c^5} - \frac{\cos\left(\frac{4a}{b}\right) \text{Subst} \left( \int \frac{\cos\left(\frac{4a}{b} + 4x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{32c^5} \\
 &= -\frac{\cos\left(\frac{2a}{b}\right) \text{Ci}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{32bc^5} - \frac{\cos\left(\frac{4a}{b}\right) \text{Ci}\left(\frac{4a}{b} + 4 \sin^{-1}(cx)\right)}{16bc^5} + \frac{\cos\left(\frac{6a}{b}\right) \text{Ci}\left(\frac{6a}{b} + 6 \sin^{-1}(cx)\right)}{32bc^5}
 \end{aligned}$$

**Mathematica [A]** time = 0.42325, size = 152, normalized size = 0.74

$$\cos\left(\frac{2a}{b}\right)\text{CosIntegral}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + 2\cos\left(\frac{4a}{b}\right)\text{CosIntegral}\left(4\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) - \cos\left(\frac{6a}{b}\right)\text{CosIntegral}\left(6\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)$$


---

Antiderivative was successfully verified.

[In] Integrate[(x^4\*sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x]),x]

[Out] -(Cos[(2\*a)/b]\*CosIntegral[2\*(a/b + ArcSin[c\*x])] + 2\*Cos[(4\*a)/b]\*CosIntegral[4\*(a/b + ArcSin[c\*x])] - Cos[(6\*a)/b]\*CosIntegral[6\*(a/b + ArcSin[c\*x])] - 2\*Log[a + b\*ArcSin[c\*x]] + Sin[(2\*a)/b]\*SinIntegral[2\*(a/b + ArcSin[c\*x])] + 2\*Sin[(4\*a)/b]\*SinIntegral[4\*(a/b + ArcSin[c\*x])] - Sin[(6\*a)/b]\*SinIntegral[6\*(a/b + ArcSin[c\*x])])/(32\*b\*c^5)

---

**Maple [A]** time = 0.057, size = 193, normalized size = 0.9

$$-\frac{1}{32c^5b}\text{Si}\left(2\arcsin(cx) + 2\frac{a}{b}\right)\sin\left(2\frac{a}{b}\right) - \frac{1}{32c^5b}\text{Ci}\left(2\arcsin(cx) + 2\frac{a}{b}\right)\cos\left(2\frac{a}{b}\right) + \frac{1}{32c^5b}\text{Si}\left(6\arcsin(cx) + 6\frac{a}{b}\right)\sin\left(6\frac{a}{b}\right) - \frac{1}{32c^5b}\text{Ci}\left(6\arcsin(cx) + 6\frac{a}{b}\right)\cos\left(6\frac{a}{b}\right) + \frac{1}{16c^5b}\text{Si}\left(4\arcsin(cx) + 4\frac{a}{b}\right)\sin\left(4\frac{a}{b}\right) - \frac{1}{16c^5b}\text{Ci}\left(4\arcsin(cx) + 4\frac{a}{b}\right)\cos\left(4\frac{a}{b}\right) + \frac{1}{16}\ln(a+b\arcsin(cx))/b/c^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x)

[Out] -1/32/c^5/b\*Si(2\*arcsin(c\*x)+2\*a/b)\*sin(2\*a/b)-1/32/c^5/b\*Ci(2\*arcsin(c\*x)+2\*a/b)\*cos(2\*a/b)+1/32/c^5/b\*Si(6\*arcsin(c\*x)+6\*a/b)\*sin(6\*a/b)+1/32/c^5/b\*Ci(6\*arcsin(c\*x)+6\*a/b)\*cos(6\*a/b)-1/16/c^5/b\*Si(4\*arcsin(c\*x)+4\*a/b)\*sin(4\*a/b)-1/16/c^5/b\*Ci(4\*arcsin(c\*x)+4\*a/b)\*cos(4\*a/b)+1/16\*ln(a+b\*arcsin(c\*x))/b/c^5

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2 + 1}x^4}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(sqrt(-c^2\*x^2 + 1)\*x^4/(b\*arcsin(c\*x) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2 + 1}x^4}{b \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)\*x^4/(b\*arcsin(c\*x) + a), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4 \sqrt{-(cx-1)(cx+1)}}{a + b \arcsin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(-c\*\*2\*x\*\*2+1)\*\*(1/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(x\*\*4\*sqrt(-(c\*x - 1)\*(c\*x + 1))/(a + b\*asin(c\*x)), x)

**Giac [B]** time = 1.48889, size = 637, normalized size = 3.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] cos(a/b)^6\*cos\_integral(6\*a/b + 6\*arcsin(c\*x))/(b\*c^5) + cos(a/b)^5\*sin(a/b)\*sin\_integral(6\*a/b + 6\*arcsin(c\*x))/(b\*c^5) - 3/2\*cos(a/b)^4\*cos\_integral(6\*a/b + 6\*arcsin(c\*x))/(b\*c^5) - 1/2\*cos(a/b)^4\*cos\_integral(4\*a/b + 4\*arcsin(c\*x))/(b\*c^5) - cos(a/b)^3\*sin(a/b)\*sin\_integral(6\*a/b + 6\*arcsin(c\*x))/(b\*c^5) - 1/2\*cos(a/b)^3\*sin(a/b)\*sin\_integral(4\*a/b + 4\*arcsin(c\*x))/(b\*c

$$\begin{aligned}
& ^5) + 9/16*\cos(a/b)^2*\cos\_integral(6*a/b + 6*\arcsin(c*x))/(b*c^5) + 1/2*\cos \\
& (a/b)^2*\cos\_integral(4*a/b + 4*\arcsin(c*x))/(b*c^5) - 1/16*\cos(a/b)^2*\cos\_i \\
& ntegral(2*a/b + 2*\arcsin(c*x))/(b*c^5) + 3/16*\cos(a/b)*\sin(a/b)*\sin\_integra \\
& l(6*a/b + 6*\arcsin(c*x))/(b*c^5) + 1/4*\cos(a/b)*\sin(a/b)*\sin\_integral(4*a/b \\
& + 4*\arcsin(c*x))/(b*c^5) - 1/16*\cos(a/b)*\sin(a/b)*\sin\_integral(2*a/b + 2*a \\
& rcsin(c*x))/(b*c^5) - 1/32*\cos\_integral(6*a/b + 6*\arcsin(c*x))/(b*c^5) - 1/ \\
& 16*\cos\_integral(4*a/b + 4*\arcsin(c*x))/(b*c^5) + 1/32*\cos\_integral(2*a/b + \\
& 2*\arcsin(c*x))/(b*c^5) + 1/16*\log(b*\arcsin(c*x) + a)/(b*c^5)
\end{aligned}$$

$$3.317 \quad \int \frac{x^3 \sqrt{1-c^2x^2}}{a+b \sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=183

$$\frac{\sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{8bc^4} - \frac{\sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3(a+b \sin^{-1}(cx))}{b}\right)}{16bc^4} + \frac{\sin\left(\frac{5a}{b}\right) \operatorname{CosIntegral}\left(\frac{5(a+b \sin^{-1}(cx))}{b}\right)}{16bc^4}$$

[Out]  $-(\operatorname{CosIntegral}[(a + b \operatorname{ArcSin}[c*x])/b] * \operatorname{Sin}[a/b]) / (8*b*c^4) - (\operatorname{CosIntegral}[(3*(a + b \operatorname{ArcSin}[c*x])/b] * \operatorname{Sin}[(3*a)/b]) / (16*b*c^4) + (\operatorname{CosIntegral}[(5*(a + b \operatorname{ArcSin}[c*x])/b] * \operatorname{Sin}[(5*a)/b]) / (16*b*c^4) + (\operatorname{Cos}[a/b] * \operatorname{SinIntegral}[(a + b \operatorname{ArcSin}[c*x])/b]) / (8*b*c^4) + (\operatorname{Cos}[(3*a)/b] * \operatorname{SinIntegral}[(3*(a + b \operatorname{ArcSin}[c*x])/b]) / (16*b*c^4) - (\operatorname{Cos}[(5*a)/b] * \operatorname{SinIntegral}[(5*(a + b \operatorname{ArcSin}[c*x])/b]) / (16*b*c^4)$

**Rubi [A]** time = 0.430418, antiderivative size = 179, normalized size of antiderivative = 0.98, number of steps used = 12, number of rules used = 5, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$ , Rules used = {4723, 4406, 3303, 3299, 3302}

$$\frac{\sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{8bc^4} - \frac{\sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{16bc^4} + \frac{\sin\left(\frac{5a}{b}\right) \operatorname{CosIntegral}\left(\frac{5a}{b} + 5 \sin^{-1}(cx)\right)}{16bc^4}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(x^3 \sqrt{1 - c^2 x^2}) / (a + b \operatorname{ArcSin}[c*x]), x]$

[Out]  $-(\operatorname{CosIntegral}[a/b + \operatorname{ArcSin}[c*x]] * \operatorname{Sin}[a/b]) / (8*b*c^4) - (\operatorname{CosIntegral}[(3*a)/b + 3*\operatorname{ArcSin}[c*x]] * \operatorname{Sin}[(3*a)/b]) / (16*b*c^4) + (\operatorname{CosIntegral}[(5*a)/b + 5*\operatorname{ArcSin}[c*x]] * \operatorname{Sin}[(5*a)/b]) / (16*b*c^4) + (\operatorname{Cos}[a/b] * \operatorname{SinIntegral}[a/b + \operatorname{ArcSin}[c*x]]) / (8*b*c^4) + (\operatorname{Cos}[(3*a)/b] * \operatorname{SinIntegral}[(3*a)/b + 3*\operatorname{ArcSin}[c*x]]) / (16*b*c^4) - (\operatorname{Cos}[(5*a)/b] * \operatorname{SinIntegral}[(5*a)/b + 5*\operatorname{ArcSin}[c*x]]) / (16*b*c^4)$

**Rule 4723**

$\operatorname{Int}[(a_. + \operatorname{ArcSin}(c_. * (x_.)) * (b_.))^{(n_.)} * (x_.)^{(m_.)} * ((d_. + (e_.) * (x_.)^2)^{(p_.)}, x\_Symbol] :> \operatorname{Dist}[d^{p/c^{m+1}}, \operatorname{Subst}[\operatorname{Int}[(a + b*x)^n * \operatorname{Sin}[x]^m * \operatorname{Cos}[x]^{(2*p+1)}, x], x, \operatorname{ArcSin}[c*x]], x] /;$   $\operatorname{FreeQ}\{a, b, c, d, e, n\}, x\} \&\& \operatorname{EqQ}[c^2*d + e, 0] \&\& \operatorname{IntegerQ}[2*p] \&\& \operatorname{GtQ}[p, -1] \&\& \operatorname{IGtQ}[m, 0] \&\& (\operatorname{IntegerQ}[p] \mid \mid \operatorname{GtQ}[d, 0])$

Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^(n)\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{x^3 \sqrt{1-c^2x^2}}{a+b \sin^{-1}(cx)} dx &= \frac{\text{Subst}\left(\int \frac{\cos^2(x) \sin^3(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c^4} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{\sin(x)}{8(a+bx)} + \frac{\sin(3x)}{16(a+bx)} - \frac{\sin(5x)}{16(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{c^4} \\
 &= \frac{\text{Subst}\left(\int \frac{\sin(3x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16c^4} - \frac{\text{Subst}\left(\int \frac{\sin(5x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16c^4} + \frac{\text{Subst}\left(\int \frac{\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8c^4} \\
 &= \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8c^4} + \frac{\cos\left(\frac{3a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{3a}{b}+3x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16c^4} - \frac{\cos\left(\frac{5a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{5a}{b}+5x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16c^4} \\
 &= -\frac{\text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right) \sin\left(\frac{a}{b}\right)}{8bc^4} - \frac{\text{Ci}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right) \sin\left(\frac{3a}{b}\right)}{16bc^4} + \frac{\text{Ci}\left(\frac{5a}{b} + 5 \sin^{-1}(cx)\right) \sin\left(\frac{5a}{b}\right)}{16bc^4} + \dots
 \end{aligned}$$



**Mathematica [A]** time = 0.323091, size = 135, normalized size = 0.74

$$\frac{-2 \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) - \sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \sin\left(\frac{5a}{b}\right) \operatorname{CosIntegral}\left(5\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)}{16bc^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*Sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x]),x]

[Out] (-2\*CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b] - CosIntegral[3\*(a/b + ArcSin[c\*x])]\*Sin[(3\*a)/b] + CosIntegral[5\*(a/b + ArcSin[c\*x])]\*Sin[(5\*a)/b] + 2\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] + Cos[(3\*a)/b]\*SinIntegral[3\*(a/b + ArcSin[c\*x])] - Cos[(5\*a)/b]\*SinIntegral[5\*(a/b + ArcSin[c\*x])])/(16\*b\*c^4)

**Maple [A]** time = 0.048, size = 138, normalized size = 0.8

$$-\frac{1}{16c^4b} \left( \operatorname{Si}\left(5 \arcsin(cx) + 5\frac{a}{b}\right) \cos\left(5\frac{a}{b}\right) - \operatorname{Ci}\left(5 \arcsin(cx) + 5\frac{a}{b}\right) \sin\left(5\frac{a}{b}\right) + 2 \operatorname{Ci}\left(\arcsin(cx) + \frac{a}{b}\right) \sin\left(\frac{a}{b}\right) - 2 \operatorname{Si}\left(\arcsin(cx) + \frac{a}{b}\right) \cos\left(\frac{a}{b}\right) + \operatorname{Si}\left(3 \arcsin(cx) + 3\frac{a}{b}\right) \cos\left(3\frac{a}{b}\right) + \operatorname{Ci}\left(3 \arcsin(cx) + 3\frac{a}{b}\right) \sin\left(3\frac{a}{b}\right) \right) / b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x)

[Out] -1/16/c^4\*(Si(5\*arcsin(c\*x)+5\*a/b)\*cos(5\*a/b)-Ci(5\*arcsin(c\*x)+5\*a/b)\*sin(5\*a/b)+2\*Ci(arcsin(c\*x)+a/b)\*sin(a/b)-2\*Si(arcsin(c\*x)+a/b)\*cos(a/b)-Si(3\*arcsin(c\*x)+3\*a/b)\*cos(3\*a/b)+Ci(3\*arcsin(c\*x)+3\*a/b)\*sin(3\*a/b))/b

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2 + 1}x^3}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(sqrt(-c^2\*x^2 + 1)\*x^3/(b\*arcsin(c\*x) + a), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2+1}x^3}{b\arcsin(cx)+a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)\*x^3/(b\*arcsin(c\*x) + a), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 \sqrt{-(cx-1)(cx+1)}}{a+b\sin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-c\*\*2\*x\*\*2+1)\*\*(1/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(x\*\*3\*sqrt(-(c\*x - 1)\*(c\*x + 1))/(a + b\*asin(c\*x)), x)

---

**Giac [B]** time = 1.37447, size = 486, normalized size = 2.66

$$\frac{\cos\left(\frac{a}{b}\right)^4 \text{Ci}\left(\frac{5a}{b} + 5 \arcsin(cx)\right) \sin\left(\frac{a}{b}\right)}{bc^4} - \frac{\cos\left(\frac{a}{b}\right)^5 \text{Si}\left(\frac{5a}{b} + 5 \arcsin(cx)\right)}{bc^4} - \frac{3 \cos\left(\frac{a}{b}\right)^2 \text{Ci}\left(\frac{5a}{b} + 5 \arcsin(cx)\right) \sin\left(\frac{a}{b}\right)}{4bc^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] cos(a/b)^4\*cos\_integral(5\*a/b + 5\*arcsin(c\*x))\*sin(a/b)/(b\*c^4) - cos(a/b)^5\*sin\_integral(5\*a/b + 5\*arcsin(c\*x))/(b\*c^4) - 3/4\*cos(a/b)^2\*cos\_integral(5\*a/b + 5\*arcsin(c\*x))\*sin(a/b)/(b\*c^4) - 1/4\*cos(a/b)^2\*cos\_integral(3\*a/b + 3\*arcsin(c\*x))\*sin(a/b)/(b\*c^4) + 5/4\*cos(a/b)^3\*sin\_integral(5\*a/b + 5\*arcsin(c\*x))/(b\*c^4) + 1/4\*cos(a/b)^3\*sin\_integral(3\*a/b + 3\*arcsin(c\*x))/(b\*c^4) + 1/16\*cos\_integral(5\*a/b + 5\*arcsin(c\*x))\*sin(a/b)/(b\*c^4) + 1/16\*

$$\begin{aligned} & \cos\_integral(3*a/b + 3*arcsin(c*x))*sin(a/b)/(b*c^4) - 1/8*\cos\_integral(a/b \\ & + arcsin(c*x))*sin(a/b)/(b*c^4) - 5/16*\cos(a/b)*sin\_integral(5*a/b + 5*arc \\ & sin(c*x))/(b*c^4) - 3/16*\cos(a/b)*sin\_integral(3*a/b + 3*arcsin(c*x))/(b*c^ \\ & 4) + 1/8*\cos(a/b)*sin\_integral(a/b + arcsin(c*x))/(b*c^4) \end{aligned}$$

$$3.318 \quad \int \frac{x^2 \sqrt{1-c^2x^2}}{a+b \sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=82

$$-\frac{\cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left(\frac{4(a+b \sin^{-1}(cx))}{b}\right)}{8bc^3} - \frac{\sin\left(\frac{4a}{b}\right) \text{Si}\left(\frac{4(a+b \sin^{-1}(cx))}{b}\right)}{8bc^3} + \frac{\log(a+b \sin^{-1}(cx))}{8bc^3}$$

[Out]  $-(\text{Cos}[(4*a)/b]*\text{CosIntegral}[(4*(a + b*\text{ArcSin}[c*x]))/b])/(8*b*c^3) + \text{Log}[a + b*\text{ArcSin}[c*x]]/(8*b*c^3) - (\text{Sin}[(4*a)/b]*\text{SinIntegral}[(4*(a + b*\text{ArcSin}[c*x]))/b])/(8*b*c^3)$

**Rubi [A]** time = 0.250688, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$ , Rules used = {4723, 4406, 3303, 3299, 3302}

$$-\frac{\cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left(\frac{4a}{b} + 4 \sin^{-1}(cx)\right)}{8bc^3} - \frac{\sin\left(\frac{4a}{b}\right) \text{Si}\left(\frac{4a}{b} + 4 \sin^{-1}(cx)\right)}{8bc^3} + \frac{\log(a+b \sin^{-1}(cx))}{8bc^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^2*\text{Sqrt}[1 - c^2*x^2])/(a + b*\text{ArcSin}[c*x]),x]$

[Out]  $-(\text{Cos}[(4*a)/b]*\text{CosIntegral}[(4*a)/b + 4*\text{ArcSin}[c*x]])/(8*b*c^3) + \text{Log}[a + b*\text{ArcSin}[c*x]]/(8*b*c^3) - (\text{Sin}[(4*a)/b]*\text{SinIntegral}[(4*a)/b + 4*\text{ArcSin}[c*x]])/(8*b*c^3)$

#### Rule 4723

$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] :> \text{Dist}[d^p/c^{(m+1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sin}[x]^m*\text{Cos}[x]^{(2*p+1)}, x], x, \text{ArcSin}[c*x]], x] /;$  FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

#### Rule 4406

$\text{Int}[\text{Cos}[(a_.) + (b_.)*(x_.)]^{(p_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}*\text{Sin}[(a_.) + (b_.)*(x_.)]^{(n_.)}, x\_Symbol] :> \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[a + b*x]^n*\text{Cos}[a + b*x]^p, x], x] /;$  FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG

tQ[p, 0]

### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{x^2 \sqrt{1-c^2x^2}}{a+b\sin^{-1}(cx)} dx &= \frac{\text{Subst}\left(\int \frac{\cos^2(x)\sin^2(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c^3} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{1}{8(a+bx)} - \frac{\cos(4x)}{8(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{c^3} \\
 &= \frac{\log(a+b\sin^{-1}(cx))}{8bc^3} - \frac{\text{Subst}\left(\int \frac{\cos(4x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8c^3} \\
 &= \frac{\log(a+b\sin^{-1}(cx))}{8bc^3} - \frac{\cos\left(\frac{4a}{b}\right)\text{Subst}\left(\int \frac{\cos\left(\frac{4a}{b}+4x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8c^3} - \frac{\sin\left(\frac{4a}{b}\right)\text{Subst}\left(\int \frac{\sin\left(\frac{4a}{b}+4x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8c^3} \\
 &= -\frac{\cos\left(\frac{4a}{b}\right)\text{Ci}\left(\frac{4a}{b}+4\sin^{-1}(cx)\right)}{8bc^3} + \frac{\log(a+b\sin^{-1}(cx))}{8bc^3} - \frac{\sin\left(\frac{4a}{b}\right)\text{Si}\left(\frac{4a}{b}+4\sin^{-1}(cx)\right)}{8bc^3}
 \end{aligned}$$

**Mathematica [A]** time = 0.181625, size = 66, normalized size = 0.8

$$\frac{\cos\left(\frac{4a}{b}\right)\text{CosIntegral}\left(4\left(\frac{a}{b}+\sin^{-1}(cx)\right)\right) + \sin\left(\frac{4a}{b}\right)\text{Si}\left(4\left(\frac{a}{b}+\sin^{-1}(cx)\right)\right) - \log\left(8\left(a+b\sin^{-1}(cx)\right)\right)}{8bc^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*Sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x]),x]

[Out] -(Cos[(4\*a)/b]\*CosIntegral[4\*(a/b + ArcSin[c\*x])] - Log[8\*(a + b\*ArcSin[c\*x]])] + Sin[(4\*a)/b]\*SinIntegral[4\*(a/b + ArcSin[c\*x])]/(8\*b\*c^3)

**Maple [A]** time = 0.046, size = 77, normalized size = 0.9

$$-\frac{1}{8c^3b} \operatorname{Si}\left(4 \arcsin(cx) + 4 \frac{a}{b}\right) \sin\left(4 \frac{a}{b}\right) - \frac{1}{8c^3b} \operatorname{Ci}\left(4 \arcsin(cx) + 4 \frac{a}{b}\right) \cos\left(4 \frac{a}{b}\right) + \frac{\ln(a + b \arcsin(cx))}{8c^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x)

[Out] -1/8/c^3/b\*Si(4\*arcsin(c\*x)+4\*a/b)\*sin(4\*a/b)-1/8/c^3/b\*Ci(4\*arcsin(c\*x)+4\*a/b)\*cos(4\*a/b)+1/8\*ln(a+b\*arcsin(c\*x))/b/c^3

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2 + 1}x^2}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(sqrt(-c^2\*x^2 + 1)\*x^2/(b\*arcsin(c\*x) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\sqrt{-c^2x^2 + 1}x^2}{b \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)\*x^2/(b\*arcsin(c\*x) + a), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \sqrt{-(cx-1)(cx+1)}}{a + b \operatorname{asin}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-c\*\*2\*x\*\*2+1)\*\*(1/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(x\*\*2\*sqrt(-(c\*x - 1)\*(c\*x + 1))/(a + b\*asin(c\*x)), x)

**Giac [B]** time = 1.37644, size = 228, normalized size = 2.78

$$\frac{\cos\left(\frac{a}{b}\right)^4 \operatorname{Ci}\left(\frac{4a}{b} + 4 \operatorname{arcsin}(cx)\right)}{bc^3} - \frac{\cos\left(\frac{a}{b}\right)^3 \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{4a}{b} + 4 \operatorname{arcsin}(cx)\right)}{bc^3} + \frac{\cos\left(\frac{a}{b}\right)^2 \operatorname{Ci}\left(\frac{4a}{b} + 4 \operatorname{arcsin}(cx)\right)}{bc^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] -cos(a/b)^4\*cos\_integral(4\*a/b + 4\*arcsin(c\*x))/(b\*c^3) - cos(a/b)^3\*sin(a/b)\*sin\_integral(4\*a/b + 4\*arcsin(c\*x))/(b\*c^3) + cos(a/b)^2\*cos\_integral(4\*a/b + 4\*arcsin(c\*x))/(b\*c^3) + 1/2\*cos(a/b)\*sin(a/b)\*sin\_integral(4\*a/b + 4\*arcsin(c\*x))/(b\*c^3) - 1/8\*cos\_integral(4\*a/b + 4\*arcsin(c\*x))/(b\*c^3) + 1/8\*log(b\*arcsin(c\*x) + a)/(b\*c^3)

$$3.319 \quad \int \frac{x\sqrt{1-c^2x^2}}{a+b\sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=121

$$\frac{\sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{4bc^2} - \frac{\sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{4bc^2} + \frac{\cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{4bc^2} + \frac{\cos\left(\frac{3a}{b}\right) \operatorname{Si}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{4bc^2}$$

[Out] -(CosIntegral[(a + b\*ArcSin[c\*x])/b]\*Sin[a/b])/(4\*b\*c^2) - (CosIntegral[(3\*(a + b\*ArcSin[c\*x])/b)\*Sin[(3\*a)/b])/(4\*b\*c^2) + (Cos[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(4\*b\*c^2) + (Cos[(3\*a)/b]\*SinIntegral[(3\*(a + b\*ArcSin[c\*x])/b])/(4\*b\*c^2)

**Rubi [A]** time = 0.26212, antiderivative size = 117, normalized size of antiderivative = 0.97, number of steps used = 9, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {4723, 4406, 3303, 3299, 3302}

$$\frac{\sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4bc^2} - \frac{\sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{4bc^2} + \frac{\cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4bc^2} + \frac{\cos\left(\frac{3a}{b}\right) \operatorname{Si}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{4bc^2}$$

Antiderivative was successfully verified.

[In] Int[(x\*Sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x]),x]

[Out] -(CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b])/(4\*b\*c^2) - (CosIntegral[(3\*a)/b + 3\*ArcSin[c\*x]]\*Sin[(3\*a)/b])/(4\*b\*c^2) + (Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(4\*b\*c^2) + (Cos[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(4\*b\*c^2)

### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^(n\_.)\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]]



$]^n \cos[a + b*x]^p, x] /;$  FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] :> Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

### Rubi steps

$$\begin{aligned} \int \frac{x\sqrt{1-c^2x^2}}{a+b\sin^{-1}(cx)} dx &= \frac{\text{Subst}\left(\int \frac{\cos^2(x)\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c^2} \\ &= \frac{\text{Subst}\left(\int \left(\frac{\sin(x)}{4(a+bx)} + \frac{\sin(3x)}{4(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{c^2} \\ &= \frac{\text{Subst}\left(\int \frac{\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4c^2} + \frac{\text{Subst}\left(\int \frac{\sin(3x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4c^2} \\ &= \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4c^2} + \frac{\cos\left(\frac{3a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{3a}{b}+3x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4c^2} \\ &= -\frac{\text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right) \sin\left(\frac{a}{b}\right)}{4bc^2} - \frac{\text{Ci}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right) \sin\left(\frac{3a}{b}\right)}{4bc^2} + \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4bc^2} + \dots \end{aligned}$$

**Mathematica [A]** time = 0.206777, size = 91, normalized size = 0.75

$$\frac{\sin\left(\frac{a}{b}\right) \left(-\text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) - \sin\left(\frac{3a}{b}\right) \text{CosIntegral}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right) + \cos\left(\frac{3a}{b}\right) \text{Si}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{4bc^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x*Sqrt[1 - c^2*x^2])/(a + b*ArcSin[c*x]),x]
```

```
[Out] (-(CosIntegral[a/b + ArcSin[c*x]]*Sin[a/b]) - CosIntegral[3*(a/b + ArcSin[c*x]])*Sin[(3*a)/b] + Cos[a/b]*SinIntegral[a/b + ArcSin[c*x]] + Cos[(3*a)/b]*SinIntegral[3*(a/b + ArcSin[c*x])])/(4*b*c^2)
```

**Maple [A]** time = 0.041, size = 92, normalized size = 0.8

$$\frac{1}{4c^2b} \left( \text{Si} \left( 3 \arcsin(cx) + 3 \frac{a}{b} \right) \cos \left( 3 \frac{a}{b} \right) - \text{Ci} \left( 3 \arcsin(cx) + 3 \frac{a}{b} \right) \sin \left( 3 \frac{a}{b} \right) + \text{Si} \left( \arcsin(cx) + \frac{a}{b} \right) \cos \left( \frac{a}{b} \right) - \text{Ci} \left( \arcsin(cx) + \frac{a}{b} \right) \sin \left( \frac{a}{b} \right) \right) / b$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(-c^2*x^2+1)^(1/2)/(a+b*arcsin(c*x)),x)
```

```
[Out] 1/4/c^2*(Si(3*arcsin(c*x)+3*a/b)*cos(3*a/b)-Ci(3*arcsin(c*x)+3*a/b)*sin(3*a/b)+Si(arcsin(c*x)+a/b)*cos(a/b)-Ci(arcsin(c*x)+a/b)*sin(a/b))/b
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2 + 1}x}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(-c^2*x^2+1)^(1/2)/(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] integrate(sqrt(-c^2*x^2 + 1)*x/(b*arcsin(c*x) + a), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{\sqrt{-c^2x^2 + 1}x}{b \arcsin(cx) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)\*x/(b\*arcsin(c\*x) + a), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x\sqrt{-(cx-1)(cx+1)}}{a+b\operatorname{asin}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c\*\*2\*x\*\*2+1)\*\*(1/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(x\*sqrt(-(c\*x - 1)\*(c\*x + 1))/(a + b\*asin(c\*x)), x)

**Giac [A]** time = 1.39985, size = 232, normalized size = 1.92

$$\frac{\cos\left(\frac{a}{b}\right)^2 \operatorname{Ci}\left(\frac{3a}{b} + 3 \operatorname{arcsin}(cx)\right) \sin\left(\frac{a}{b}\right)}{bc^2} + \frac{\cos\left(\frac{a}{b}\right)^3 \operatorname{Si}\left(\frac{3a}{b} + 3 \operatorname{arcsin}(cx)\right)}{bc^2} + \frac{\operatorname{Ci}\left(\frac{3a}{b} + 3 \operatorname{arcsin}(cx)\right) \sin\left(\frac{a}{b}\right)}{4bc^2} - \frac{\operatorname{Ci}\left(\frac{3a}{b} + 3 \operatorname{arcsin}(cx)\right) \cos\left(\frac{a}{b}\right)}{4bc^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] -cos(a/b)^2\*cos\_integral(3\*a/b + 3\*arcsin(c\*x))\*sin(a/b)/(b\*c^2) + cos(a/b)^3\*sin\_integral(3\*a/b + 3\*arcsin(c\*x))/(b\*c^2) + 1/4\*cos\_integral(3\*a/b + 3\*arcsin(c\*x))\*sin(a/b)/(b\*c^2) - 1/4\*cos\_integral(a/b + arcsin(c\*x))\*sin(a/b)/(b\*c^2) - 3/4\*cos(a/b)\*sin\_integral(3\*a/b + 3\*arcsin(c\*x))/(b\*c^2) + 1/4\*cos(a/b)\*sin\_integral(a/b + arcsin(c\*x))/(b\*c^2)

$$3.320 \quad \int \frac{\sqrt{1-c^2x^2}}{a+b \sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=82

$$\frac{\cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2(a+b \sin^{-1}(cx))}{b}\right)}{2bc} + \frac{\sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2(a+b \sin^{-1}(cx))}{b}\right)}{2bc} + \frac{\log(a+b \sin^{-1}(cx))}{2bc}$$

[Out] (Cos[(2\*a)/b]\*CosIntegral[(2\*(a + b\*ArcSin[c\*x]))/b])/(2\*b\*c) + Log[a + b\*ArcSin[c\*x]]/(2\*b\*c) + (Sin[(2\*a)/b]\*SinIntegral[(2\*(a + b\*ArcSin[c\*x]))/b])/(2\*b\*c)

**Rubi [A]** time = 0.166245, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4661, 3312, 3303, 3299, 3302}

$$\frac{\cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{2bc} + \frac{\sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{2bc} + \frac{\log(a+b \sin^{-1}(cx))}{2bc}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - c^2\*x^2]/(a + b\*ArcSin[c\*x]),x]

[Out] (Cos[(2\*a)/b]\*CosIntegral[(2\*a)/b + 2\*ArcSin[c\*x]])/(2\*b\*c) + Log[a + b\*ArcSin[c\*x]]/(2\*b\*c) + (Sin[(2\*a)/b]\*SinIntegral[(2\*a)/b + 2\*ArcSin[c\*x]])/(2\*b\*c)

### Rule 4661

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c, Subst[Int[(a + b\*x)^n\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rule 3312

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{1-c^2x^2}}{a+b\sin^{-1}(cx)} dx &= \frac{\text{Subst}\left(\int \frac{\cos^2(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c} \\
&= \frac{\text{Subst}\left(\int \left(\frac{1}{2(a+bx)} + \frac{\cos(2x)}{2(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{c} \\
&= \frac{\log(a+b\sin^{-1}(cx))}{2bc} + \frac{\text{Subst}\left(\int \frac{\cos(2x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2c} \\
&= \frac{\log(a+b\sin^{-1}(cx))}{2bc} + \frac{\cos\left(\frac{2a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2c} + \frac{\sin\left(\frac{2a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2c} \\
&= \frac{\cos\left(\frac{2a}{b}\right) \text{Ci}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{2bc} + \frac{\log(a+b\sin^{-1}(cx))}{2bc} + \frac{\sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{2bc}
\end{aligned}$$

**Mathematica [A]** time = 0.151783, size = 62, normalized size = 0.76

$$\frac{\cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \sin\left(\frac{2a}{b}\right) \text{Si}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \log(a+b\sin^{-1}(cx))}{2bc}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - c^2\*x^2]/(a + b\*ArcSin[c\*x]),x]

[Out] (Cos[(2\*a)/b]\*CosIntegral[2\*(a/b + ArcSin[c\*x])] + Log[a + b\*ArcSin[c\*x]] + Sin[(2\*a)/b]\*SinIntegral[2\*(a/b + ArcSin[c\*x])])/(2\*b\*c)

**Maple [A]** time = 0.041, size = 77, normalized size = 0.9

$$\frac{1}{2bc} \text{Si}\left(2 \arcsin(cx) + 2 \frac{a}{b}\right) \sin\left(2 \frac{a}{b}\right) + \frac{1}{2bc} \text{Ci}\left(2 \arcsin(cx) + 2 \frac{a}{b}\right) \cos\left(2 \frac{a}{b}\right) + \frac{\ln(a + b \arcsin(cx))}{2bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x)

[Out] 1/2/c/b\*Si(2\*arcsin(c\*x)+2\*a/b)\*sin(2\*a/b)+1/2/c/b\*Ci(2\*arcsin(c\*x)+2\*a/b)\*cos(2\*a/b)+1/2\*ln(a+b\*arcsin(c\*x))/b/c

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2 + 1}}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(sqrt(-c^2\*x^2 + 1)/(b\*arcsin(c\*x) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2 + 1}}{b \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] `integral(sqrt(-c^2*x^2 + 1)/(b*arcsin(c*x) + a), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-(cx-1)(cx+1)}}{a + b \arcsin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c**2*x**2+1)**(1/2)/(a+b*asin(c*x)),x)`

[Out] `Integral(sqrt(-(c*x - 1)*(c*x + 1))/(a + b*asin(c*x)), x)`

**Giac [A]** time = 1.42194, size = 138, normalized size = 1.68

$$\frac{\cos\left(\frac{a}{b}\right)^2 \operatorname{Ci}\left(\frac{2a}{b} + 2 \arcsin(cx)\right)}{bc} + \frac{\cos\left(\frac{a}{b}\right) \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{2a}{b} + 2 \arcsin(cx)\right)}{bc} - \frac{\operatorname{Ci}\left(\frac{2a}{b} + 2 \arcsin(cx)\right)}{2bc} + \frac{\log(b \arcsin(cx))}{2bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(1/2)/(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] `cos(a/b)^2*cos_integral(2*a/b + 2*arcsin(c*x))/(b*c) + cos(a/b)*sin(a/b)*sin_integral(2*a/b + 2*arcsin(c*x))/(b*c) - 1/2*cos_integral(2*a/b + 2*arcsin(c*x))/(b*c) + 1/2*log(b*arcsin(c*x) + a)/(b*c)`

$$3.321 \quad \int \frac{\sqrt{1-c^2x^2}}{x(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=78

$$\text{Unintegrable}\left(\frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}, x\right) + \frac{\sin\left(\frac{a}{b}\right)\text{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b} - \frac{\cos\left(\frac{a}{b}\right)\text{Si}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b}$$

[Out] (CosIntegral[(a + b\*ArcSin[c\*x])/b]\*Sin[a/b])/b - (Cos[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/b + Unintegrable[1/(x\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.398859, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{1-c^2x^2}}{x(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[1 - c^2\*x^2]/(x\*(a + b\*ArcSin[c\*x])), x]

[Out] (CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b])/b - (Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/b + Defer[Int][1/(x\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

Rubi steps



$$\begin{aligned}
\int \frac{\sqrt{1-c^2x^2}}{x(a+b\sin^{-1}(cx))} dx &= \int \left( \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} - \frac{c^2x}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} \right) dx \\
&= - \left( c^2 \int \frac{x}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx \right) + \int \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx \\
&= \int \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx - \text{Subst} \left( \int \frac{\sin(x)}{a+bx} dx, x, \sin^{-1}(cx) \right) \\
&= - \left( \cos\left(\frac{a}{b}\right) \text{Subst} \left( \int \frac{\sin\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right) \right) + \sin\left(\frac{a}{b}\right) \text{Subst} \left( \int \frac{\cos\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right) \\
&= \frac{\text{Ci}\left(\frac{a}{b}+\sin^{-1}(cx)\right) \sin\left(\frac{a}{b}\right)}{b} - \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b}+\sin^{-1}(cx)\right)}{b} + \int \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx
\end{aligned}$$

**Mathematica [A]** time = 2.86417, size = 0, normalized size = 0.

$$\int \frac{\sqrt{1-c^2x^2}}{x(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[1 - c^2\*x^2]/(x\*(a + b\*ArcSin[c\*x])),x]

[Out] Integrate[Sqrt[1 - c^2\*x^2]/(x\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 0.267, size = 0, normalized size = 0.

$$\int \frac{1}{x(a+b\arcsin(cx))} \sqrt{-c^2x^2+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(1/2)/x/(a+b\*arcsin(c\*x)),x)

[Out] int((-c^2\*x^2+1)^(1/2)/x/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2 + 1}}{(b \arcsin(cx) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(sqrt(-c^2\*x^2 + 1)/((b\*arcsin(c\*x) + a)\*x), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2 + 1}}{bx \arcsin(cx) + ax}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)/(b\*x\*arcsin(c\*x) + a\*x), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-(cx - 1)(cx + 1)}}{x(a + b \arcsin(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(1/2)/x/(a+b\*asin(c\*x)),x)

[Out] Integral(sqrt(-(c\*x - 1)\*(c\*x + 1))/(x\*(a + b\*asin(c\*x))), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2 + 1}}{(b \arcsin(cx) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*x^2+1)^(1/2)/x/(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate(sqrt(-c^2*x^2 + 1)/((b*arcsin(c*x) + a)*x), x)
```

$$3.322 \quad \int \frac{\sqrt{1-c^2x^2}}{x^2(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=46

$$\text{Unintegrable}\left(\frac{1}{x^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}, x\right) - \frac{c \log(a+b\sin^{-1}(cx))}{b}$$

[Out] -((c\*Log[a + b\*ArcSin[c\*x]])/b) + Unintegrable[1/(x^2\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.297701, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{1-c^2x^2}}{x^2(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[1 - c^2\*x^2]/(x^2\*(a + b\*ArcSin[c\*x])), x]

[Out] -((c\*Log[a + b\*ArcSin[c\*x]])/b) + Defer[Int][1/(x^2\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{1-c^2x^2}}{x^2(a+b\sin^{-1}(cx))} dx &= \int \left( -\frac{c^2}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} + \frac{1}{x^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} \right) dx \\ &= -\left( c^2 \int \frac{1}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx \right) + \int \frac{1}{x^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx \\ &= -\frac{c \log(a+b\sin^{-1}(cx))}{b} + \int \frac{1}{x^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx \end{aligned}$$

**Mathematica [A]** time = 0.859009, size = 0, normalized size = 0.

$$\int \frac{\sqrt{1 - c^2 x^2}}{x^2 (a + b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[1 - c^2\*x^2]/(x^2\*(a + b\*ArcSin[c\*x])),x]

[Out] Integrate[Sqrt[1 - c^2\*x^2]/(x^2\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 0.317, size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (a + b \arcsin(cx))} \sqrt{-c^2 x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(1/2)/x^2/(a+b\*arcsin(c\*x)),x)

[Out] int((-c^2\*x^2+1)^(1/2)/x^2/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2 x^2 + 1}}{(b \arcsin(cx) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x^2/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(sqrt(-c^2\*x^2 + 1)/((b\*arcsin(c\*x) + a)\*x^2), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2 x^2 + 1}}{b x^2 \arcsin(cx) + a x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x^2/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)/(b\*x^2\*arcsin(c\*x) + a\*x^2), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-(cx-1)(cx+1)}}{x^2(a+b\operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(1/2)/x\*\*2/(a+b\*asin(c\*x)),x)

[Out] Integral(sqrt(-(c\*x - 1)\*(c\*x + 1))/(x\*\*2\*(a + b\*asin(c\*x))), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2+1}}{(b\operatorname{arcsin}(cx)+a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x^2/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*x^2 + 1)/((b\*arcsin(c\*x) + a)\*x^2), x)

$$3.323 \quad \int \frac{\sqrt{1-c^2x^2}}{x^3(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable}\left(\frac{\sqrt{1-c^2x^2}}{x^3(a+b\sin^{-1}(cx))}, x\right)$$

[Out] Unintegrable[Sqrt[1 - c^2\*x^2]/(x^3\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.120526, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{1-c^2x^2}}{x^3(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[1 - c^2\*x^2]/(x^3\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][Sqrt[1 - c^2\*x^2]/(x^3\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{\sqrt{1-c^2x^2}}{x^3(a+b\sin^{-1}(cx))} dx = \int \frac{\sqrt{1-c^2x^2}}{x^3(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 5.28264, size = 0, normalized size = 0.

$$\int \frac{\sqrt{1-c^2x^2}}{x^3(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[1 - c^2\*x^2]/(x^3\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[Sqrt[1 - c^2\*x^2]/(x^3\*(a + b\*ArcSin[c\*x])), x]

---

**Maple [A]** time = 2.18, size = 0, normalized size = 0.

$$\int \frac{1}{x^3 (a + b \arcsin(cx)) \sqrt{-c^2 x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(1/2)/x^3/(a+b\*arcsin(c\*x)),x)

[Out] int((-c^2\*x^2+1)^(1/2)/x^3/(a+b\*arcsin(c\*x)),x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2 x^2 + 1}}{(b \arcsin(cx) + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x^3/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(sqrt(-c^2\*x^2 + 1)/((b\*arcsin(c\*x) + a)\*x^3), x)

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2 x^2 + 1}}{b x^3 \arcsin(cx) + a x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x^3/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)/(b\*x^3\*arcsin(c\*x) + a\*x^3), x)

---



**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-(cx-1)(cx+1)}}{x^3(a+b\operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(1/2)/x\*\*3/(a+b\*asin(c\*x)),x)

[Out] Integral(sqrt(-(c\*x - 1)\*(c\*x + 1))/(x\*\*3\*(a + b\*asin(c\*x))), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2+1}}{(b\operatorname{arcsin}(cx)+a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x^3/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*x^2 + 1)/((b\*arcsin(c\*x) + a)\*x^3), x)

$$3.324 \quad \int \frac{\sqrt{1-c^2x^2}}{x^4(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable}\left(\frac{\sqrt{1-c^2x^2}}{x^4(a+b\sin^{-1}(cx))}, x\right)$$

[Out] Unintegrable[Sqrt[1 - c^2\*x^2]/(x^4\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.119873, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{1-c^2x^2}}{x^4(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[1 - c^2\*x^2]/(x^4\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][Sqrt[1 - c^2\*x^2]/(x^4\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{\sqrt{1-c^2x^2}}{x^4(a+b\sin^{-1}(cx))} dx = \int \frac{\sqrt{1-c^2x^2}}{x^4(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 0.749699, size = 0, normalized size = 0.

$$\int \frac{\sqrt{1-c^2x^2}}{x^4(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[1 - c^2\*x^2]/(x^4\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[Sqrt[1 - c^2\*x^2]/(x^4\*(a + b\*ArcSin[c\*x])), x]

---

**Maple [A]** time = 3.641, size = 0, normalized size = 0.

$$\int \frac{1}{x^4 (a + b \arcsin(cx))} \sqrt{-c^2 x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(1/2)/x^4/(a+b\*arcsin(c\*x)),x)

[Out] int((-c^2\*x^2+1)^(1/2)/x^4/(a+b\*arcsin(c\*x)),x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2 x^2 + 1}}{(b \arcsin(cx) + a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x^4/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(sqrt(-c^2\*x^2 + 1)/((b\*arcsin(c\*x) + a)\*x^4), x)

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2 x^2 + 1}}{b x^4 \arcsin(cx) + a x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x^4/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)/(b\*x^4\*arcsin(c\*x) + a\*x^4), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-(cx-1)(cx+1)}}{x^4(a+b\operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(1/2)/x\*\*4/(a+b\*asin(c\*x)),x)

[Out] Integral(sqrt(-(c\*x - 1)\*(c\*x + 1))/(x\*\*4\*(a + b\*asin(c\*x))), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2+1}}{(b\operatorname{arcsin}(cx)+a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x^4/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*x^2 + 1)/((b\*arcsin(c\*x) + a)\*x^4), x)

$$3.325 \quad \int \frac{x^3(1-c^2x^2)^{3/2}}{a+b\sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=245

$$\frac{3 \sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{64bc^4} - \frac{3 \sin\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{64bc^4} + \frac{\sin\left(\frac{5a}{b}\right) \text{CosIntegral}\left(\frac{5(a+b\sin^{-1}(cx))}{b}\right)}{64bc^4}$$

[Out] (-3\*CosIntegral[(a + b\*ArcSin[c\*x])/b]\*Sin[a/b])/(64\*b\*c^4) - (3\*CosIntegral[(3\*(a + b\*ArcSin[c\*x]))/b]\*Sin[(3\*a)/b])/(64\*b\*c^4) + (CosIntegral[(5\*(a + b\*ArcSin[c\*x]))/b]\*Sin[(5\*a)/b])/(64\*b\*c^4) + (CosIntegral[(7\*(a + b\*ArcSin[c\*x]))/b]\*Sin[(7\*a)/b])/(64\*b\*c^4) + (3\*Cos[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(64\*b\*c^4) + (3\*Cos[(3\*a)/b]\*SinIntegral[(3\*(a + b\*ArcSin[c\*x]))/b])/(64\*b\*c^4) - (Cos[(5\*a)/b]\*SinIntegral[(5\*(a + b\*ArcSin[c\*x]))/b])/(64\*b\*c^4) - (Cos[(7\*a)/b]\*SinIntegral[(7\*(a + b\*ArcSin[c\*x]))/b])/(64\*b\*c^4)

**Rubi [A]** time = 0.499066, antiderivative size = 241, normalized size of antiderivative = 0.98, number of steps used = 15, number of rules used = 5, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$ , Rules used = {4723, 4406, 3303, 3299, 3302}

$$\frac{3 \sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{64bc^4} - \frac{3 \sin\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{64bc^4} + \frac{\sin\left(\frac{5a}{b}\right) \text{CosIntegral}\left(\frac{5a}{b} + 5 \sin^{-1}(cx)\right)}{64bc^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x]),x]

[Out] (-3\*CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b])/(64\*b\*c^4) - (3\*CosIntegral[(3\*a)/b + 3\*ArcSin[c\*x]]\*Sin[(3\*a)/b])/(64\*b\*c^4) + (CosIntegral[(5\*a)/b + 5\*ArcSin[c\*x]]\*Sin[(5\*a)/b])/(64\*b\*c^4) + (CosIntegral[(7\*a)/b + 7\*ArcSin[c\*x]]\*Sin[(7\*a)/b])/(64\*b\*c^4) + (3\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(64\*b\*c^4) + (3\*Cos[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(64\*b\*c^4) - (Cos[(5\*a)/b]\*SinIntegral[(5\*a)/b + 5\*ArcSin[c\*x]])/(64\*b\*c^4) - (Cos[(7\*a)/b]\*SinIntegral[(7\*a)/b + 7\*ArcSin[c\*x]])/(64\*b\*c^4)

**Rule 4723**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*C

```
os[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
  EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])
```

#### Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

#### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
  NeQ[d*e - c*f, 0]
```

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

#### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{x^3 (1 - c^2 x^2)^{3/2}}{a + b \sin^{-1}(cx)} dx &= \frac{\text{Subst} \left( \int \frac{\cos^4(x) \sin^3(x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{c^4} \\
&= \frac{\text{Subst} \left( \int \left( \frac{3 \sin(x)}{64(a+bx)} + \frac{3 \sin(3x)}{64(a+bx)} - \frac{\sin(5x)}{64(a+bx)} - \frac{\sin(7x)}{64(a+bx)} \right) dx, x, \sin^{-1}(cx) \right)}{c^4} \\
&= -\frac{\text{Subst} \left( \int \frac{\sin(5x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{64c^4} - \frac{\text{Subst} \left( \int \frac{\sin(7x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{64c^4} + \frac{3 \text{Subst} \left( \int \frac{\sin(x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{64c^4} \\
&= \frac{\left( 3 \cos \left( \frac{a}{b} \right) \right) \text{Subst} \left( \int \frac{\sin \left( \frac{a}{b} + x \right)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{64c^4} + \frac{\left( 3 \cos \left( \frac{3a}{b} \right) \right) \text{Subst} \left( \int \frac{\sin \left( \frac{3a}{b} + 3x \right)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{64c^4} \\
&= -\frac{3 \text{Ci} \left( \frac{a}{b} + \sin^{-1}(cx) \right) \sin \left( \frac{a}{b} \right)}{64bc^4} - \frac{3 \text{Ci} \left( \frac{3a}{b} + 3 \sin^{-1}(cx) \right) \sin \left( \frac{3a}{b} \right)}{64bc^4} + \frac{\text{Ci} \left( \frac{5a}{b} + 5 \sin^{-1}(cx) \right) \sin \left( \frac{5a}{b} \right)}{64bc^4}
\end{aligned}$$

**Mathematica [A]** time = 0.752081, size = 179, normalized size = 0.73

$$-3 \sin \left( \frac{a}{b} \right) \text{CosIntegral} \left( \frac{a}{b} + \sin^{-1}(cx) \right) - 3 \sin \left( \frac{3a}{b} \right) \text{CosIntegral} \left( 3 \left( \frac{a}{b} + \sin^{-1}(cx) \right) \right) + \sin \left( \frac{5a}{b} \right) \text{CosIntegral} \left( 5 \left( \frac{a}{b} + \sin^{-1}(cx) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x]),x]

[Out] (-3\*CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b] - 3\*CosIntegral[3\*(a/b + ArcSin[c\*x]]\*Sin[(3\*a)/b] + CosIntegral[5\*(a/b + ArcSin[c\*x]]\*Sin[(5\*a)/b] + CosIntegral[7\*(a/b + ArcSin[c\*x]]\*Sin[(7\*a)/b] + 3\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] + 3\*Cos[(3\*a)/b]\*SinIntegral[3\*(a/b + ArcSin[c\*x])] - Cos[(5\*a)/b]\*SinIntegral[5\*(a/b + ArcSin[c\*x])] - Cos[(7\*a)/b]\*SinIntegral[7\*(a/b + ArcSin[c\*x])])/(64\*b\*c^4)

**Maple [A]** time = 0.053, size = 184, normalized size = 0.8

$$\frac{1}{64c^4b} \left( 3 \text{Si} \left( 3 \arcsin(cx) + 3 \frac{a}{b} \right) \cos \left( 3 \frac{a}{b} \right) + \text{Ci} \left( 7 \arcsin(cx) + 7 \frac{a}{b} \right) \sin \left( 7 \frac{a}{b} \right) - 3 \text{Ci} \left( 3 \arcsin(cx) + 3 \frac{a}{b} \right) \sin \left( 3 \frac{a}{b} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x)),x)`

[Out]  $\frac{1}{64c^4} (3\text{Si}(3\arcsin(cx)+3a/b)\cos(3a/b) + \text{Ci}(7\arcsin(cx)+7a/b)\sin(7a/b) - 3\text{Ci}(3\arcsin(cx)+3a/b)\sin(3a/b) - \text{Si}(5\arcsin(cx)+5a/b)\cos(5a/b) + \text{Ci}(5\arcsin(cx)+5a/b)\sin(5a/b) + 3\text{Si}(\arcsin(cx)+a/b)\cos(a/b) - 3\text{Ci}(\arcsin(cx)+a/b)\sin(a/b) - \text{Si}(7\arcsin(cx)+7a/b)\cos(7a/b)) / b$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}} x^3}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `integrate((-c^2*x^2 + 1)^(3/2)*x^3/(b*arcsin(c*x) + a), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(c^2x^5 - x^3)\sqrt{-c^2x^2 + 1}}{b \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral(-(c^2*x^5 - x^3)*sqrt(-c^2*x^2 + 1)/(b*arcsin(c*x) + a), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 (-cx - 1)(cx + 1)^{\frac{3}{2}}}{a + b \arcsin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(x\*\*3\*(-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(x\*\*3\*(-(c\*x - 1)\*(c\*x + 1))\*\*(3/2)/(a + b\*asin(c\*x)), x)

**Giac [B]** time = 1.39014, size = 829, normalized size = 3.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out]  $\cos(a/b)^6 \cos\_integral(7a/b + 7\arcsin(cx)) \sin(a/b) / (b^4 c^4) - \cos(a/b)^7 \sin\_integral(7a/b + 7\arcsin(cx)) / (b^4 c^4) - 5/4 \cos(a/b)^4 \cos\_integral(7a/b + 7\arcsin(cx)) \sin(a/b) / (b^4 c^4) + 1/4 \cos(a/b)^4 \cos\_integral(5a/b + 5\arcsin(cx)) \sin(a/b) / (b^4 c^4) + 7/4 \cos(a/b)^5 \sin\_integral(7a/b + 7\arcsin(cx)) / (b^4 c^4) - 1/4 \cos(a/b)^5 \sin\_integral(5a/b + 5\arcsin(cx)) / (b^4 c^4) + 3/8 \cos(a/b)^2 \cos\_integral(7a/b + 7\arcsin(cx)) \sin(a/b) / (b^4 c^4) - 3/16 \cos(a/b)^2 \cos\_integral(5a/b + 5\arcsin(cx)) \sin(a/b) / (b^4 c^4) - 3/16 \cos(a/b)^2 \cos\_integral(3a/b + 3\arcsin(cx)) \sin(a/b) / (b^4 c^4) - 7/8 \cos(a/b)^3 \sin\_integral(7a/b + 7\arcsin(cx)) / (b^4 c^4) + 5/16 \cos(a/b)^3 \sin\_integral(5a/b + 5\arcsin(cx)) / (b^4 c^4) + 3/16 \cos(a/b)^3 \sin\_integral(3a/b + 3\arcsin(cx)) / (b^4 c^4) - 1/64 \cos\_integral(7a/b + 7\arcsin(cx)) \sin(a/b) / (b^4 c^4) + 1/64 \cos\_integral(5a/b + 5\arcsin(cx)) \sin(a/b) / (b^4 c^4) + 3/64 \cos\_integral(3a/b + 3\arcsin(cx)) \sin(a/b) / (b^4 c^4) - 3/64 \cos\_integral(a/b + \arcsin(cx)) \sin(a/b) / (b^4 c^4) + 7/64 \cos(a/b) \sin\_integral(7a/b + 7\arcsin(cx)) / (b^4 c^4) - 5/64 \cos(a/b) \sin\_integral(5a/b + 5\arcsin(cx)) / (b^4 c^4) - 9/64 \cos(a/b) \sin\_integral(3a/b + 3\arcsin(cx)) / (b^4 c^4) + 3/64 \cos(a/b) \sin\_integral(a/b + \arcsin(cx)) / (b^4 c^4)$

$$3.326 \quad \int \frac{x^2(1-c^2x^2)^{3/2}}{a+b\sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=206

$$\frac{\cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{32bc^3} - \frac{\cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left(\frac{4(a+b\sin^{-1}(cx))}{b}\right)}{16bc^3} - \frac{\cos\left(\frac{6a}{b}\right) \text{CosIntegral}\left(\frac{6(a+b\sin^{-1}(cx))}{b}\right)}{32bc^3}$$

[Out] (Cos[(2\*a)/b]\*CosIntegral[(2\*(a + b\*ArcSin[c\*x]))/b])/(32\*b\*c^3) - (Cos[(4\*a)/b]\*CosIntegral[(4\*(a + b\*ArcSin[c\*x]))/b])/(16\*b\*c^3) - (Cos[(6\*a)/b]\*CosIntegral[(6\*(a + b\*ArcSin[c\*x]))/b])/(32\*b\*c^3) + Log[a + b\*ArcSin[c\*x]]/(16\*b\*c^3) + (Sin[(2\*a)/b]\*SinIntegral[(2\*(a + b\*ArcSin[c\*x]))/b])/(32\*b\*c^3) - (Sin[(4\*a)/b]\*SinIntegral[(4\*(a + b\*ArcSin[c\*x]))/b])/(16\*b\*c^3) - (Sin[(6\*a)/b]\*SinIntegral[(6\*(a + b\*ArcSin[c\*x]))/b])/(32\*b\*c^3)

**Rubi [A]** time = 0.423249, antiderivative size = 206, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 5, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$ , Rules used = {4723, 4406, 3303, 3299, 3302}

$$\frac{\cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{32bc^3} - \frac{\cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left(\frac{4a}{b} + 4\sin^{-1}(cx)\right)}{16bc^3} - \frac{\cos\left(\frac{6a}{b}\right) \text{CosIntegral}\left(\frac{6a}{b} + 6\sin^{-1}(cx)\right)}{32bc^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x]),x]

[Out] (Cos[(2\*a)/b]\*CosIntegral[(2\*a)/b + 2\*ArcSin[c\*x]])/(32\*b\*c^3) - (Cos[(4\*a)/b]\*CosIntegral[(4\*a)/b + 4\*ArcSin[c\*x]])/(16\*b\*c^3) - (Cos[(6\*a)/b]\*CosIntegral[(6\*a)/b + 6\*ArcSin[c\*x]])/(32\*b\*c^3) + Log[a + b\*ArcSin[c\*x]]/(16\*b\*c^3) + (Sin[(2\*a)/b]\*SinIntegral[(2\*a)/b + 2\*ArcSin[c\*x]])/(32\*b\*c^3) - (Sin[(4\*a)/b]\*SinIntegral[(4\*a)/b + 4\*ArcSin[c\*x]])/(16\*b\*c^3) - (Sin[(6\*a)/b]\*SinIntegral[(6\*a)/b + 6\*ArcSin[c\*x]])/(32\*b\*c^3)

### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer

Q[p] || GtQ[d, 0])

#### Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

#### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

#### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (1 - c^2 x^2)^{3/2}}{a + b \sin^{-1}(cx)} dx &= \frac{\text{Subst} \left( \int \frac{\cos^4(x) \sin^2(x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{c^3} \\
&= \frac{\text{Subst} \left( \int \left( \frac{1}{16(a+bx)} + \frac{\cos(2x)}{32(a+bx)} - \frac{\cos(4x)}{16(a+bx)} - \frac{\cos(6x)}{32(a+bx)} \right) dx, x, \sin^{-1}(cx) \right)}{c^3} \\
&= \frac{\log(a + b \sin^{-1}(cx))}{16bc^3} + \frac{\text{Subst} \left( \int \frac{\cos(2x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{32c^3} - \frac{\text{Subst} \left( \int \frac{\cos(6x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{32c^3} - \dots \\
&= \frac{\log(a + b \sin^{-1}(cx))}{16bc^3} + \frac{\cos\left(\frac{2a}{b}\right) \text{Subst} \left( \int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{32c^3} - \frac{\cos\left(\frac{4a}{b}\right) \text{Subst} \left( \int \frac{\cos\left(\frac{4a}{b} + 4x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{16c^3} \\
&= \frac{\cos\left(\frac{2a}{b}\right) \text{Ci}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{32bc^3} - \frac{\cos\left(\frac{4a}{b}\right) \text{Ci}\left(\frac{4a}{b} + 4 \sin^{-1}(cx)\right)}{16bc^3} - \frac{\cos\left(\frac{6a}{b}\right) \text{Ci}\left(\frac{6a}{b} + 6 \sin^{-1}(cx)\right)}{32bc^3} - \dots
\end{aligned}$$

**Mathematica [A]** time = 0.595416, size = 165, normalized size = 0.8

$$-\cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + 2\cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left(4\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \cos\left(\frac{6a}{b}\right) \text{CosIntegral}\left(6\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) - \dots$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x]),x]

[Out] -(-(Cos[(2\*a)/b]\*CosIntegral[2\*(a/b + ArcSin[c\*x])]) + 2\*Cos[(4\*a)/b]\*CosIntegral[4\*(a/b + ArcSin[c\*x])]) + Cos[(6\*a)/b]\*CosIntegral[6\*(a/b + ArcSin[c\*x])]) + 2\*Log[a + b\*ArcSin[c\*x]] - 4\*Log[8\*(a + b\*ArcSin[c\*x])] - Sin[(2\*a)/b]\*SinIntegral[2\*(a/b + ArcSin[c\*x])] + 2\*Sin[(4\*a)/b]\*SinIntegral[4\*(a/b + ArcSin[c\*x])] + Sin[(6\*a)/b]\*SinIntegral[6\*(a/b + ArcSin[c\*x])])/(32\*b\*c^3)

**Maple [A]** time = 0.05, size = 193, normalized size = 0.9

$$-\frac{1}{16bc^3} \text{Si}\left(4 \arcsin(cx) + 4\frac{a}{b}\right) \sin\left(4\frac{a}{b}\right) - \frac{1}{16bc^3} \text{Ci}\left(4 \arcsin(cx) + 4\frac{a}{b}\right) \cos\left(4\frac{a}{b}\right) + \frac{1}{32bc^3} \text{Si}\left(2 \arcsin(cx) + 2\frac{a}{b}\right) \sin\left(2\frac{a}{b}\right) - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x)),x)`

[Out] 
$$-1/16/c^3/b*Si(4*arcsin(c*x)+4*a/b)*sin(4*a/b)-1/16/c^3/b*Ci(4*arcsin(c*x)+4*a/b)*cos(4*a/b)+1/32/c^3/b*Si(2*arcsin(c*x)+2*a/b)*sin(2*a/b)+1/32/c^3/b*Ci(2*arcsin(c*x)+2*a/b)*cos(2*a/b)-1/32/c^3/b*Si(6*arcsin(c*x)+6*a/b)*sin(6*a/b)-1/32/c^3/b*Ci(6*arcsin(c*x)+6*a/b)*cos(6*a/b)+1/16*\ln(a+b*arcsin(c*x))/b/c^3$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}x^2}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `integrate((-c^2*x^2 + 1)^(3/2)*x^2/(b*arcsin(c*x) + a), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(c^2x^4 - x^2)\sqrt{-c^2x^2 + 1}}{b \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral(-(c^2*x^4 - x^2)*sqrt(-c^2*x^2 + 1)/(b*arcsin(c*x) + a), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 (-cx - 1)(cx + 1)^{\frac{3}{2}}}{a + b \arcsin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(x\*\*2\*(-(c\*x - 1)\*(c\*x + 1))\*\*(3/2)/(a + b\*asin(c\*x)), x)

**Giac [B]** time = 1.37152, size = 639, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] 
$$-\cos(a/b)^6 \cos\_integral(6a/b + 6\arcsin(cx))/(b^3c^3) - \cos(a/b)^5 \sin(a/b) \sin\_integral(6a/b + 6\arcsin(cx))/(b^3c^3) + 3/2 \cos(a/b)^4 \cos\_integral(6a/b + 6\arcsin(cx))/(b^3c^3) - 1/2 \cos(a/b)^4 \cos\_integral(4a/b + 4\arcsin(cx))/(b^3c^3) + \cos(a/b)^3 \sin(a/b) \sin\_integral(6a/b + 6\arcsin(cx))/(b^3c^3) - 1/2 \cos(a/b)^3 \sin(a/b) \sin\_integral(4a/b + 4\arcsin(cx))/(b^3c^3) - 9/16 \cos(a/b)^2 \cos\_integral(6a/b + 6\arcsin(cx))/(b^3c^3) + 1/2 \cos(a/b)^2 \cos\_integral(4a/b + 4\arcsin(cx))/(b^3c^3) + 1/16 \cos(a/b)^2 \cos\_integral(2a/b + 2\arcsin(cx))/(b^3c^3) - 3/16 \cos(a/b) \sin(a/b) \sin\_integral(6a/b + 6\arcsin(cx))/(b^3c^3) + 1/4 \cos(a/b) \sin(a/b) \sin\_integral(4a/b + 4\arcsin(cx))/(b^3c^3) + 1/16 \cos(a/b) \sin(a/b) \sin\_integral(2a/b + 2\arcsin(cx))/(b^3c^3) + 1/32 \cos\_integral(6a/b + 6\arcsin(cx))/(b^3c^3) - 1/16 \cos\_integral(4a/b + 4\arcsin(cx))/(b^3c^3) - 1/32 \cos\_integral(2a/b + 2\arcsin(cx))/(b^3c^3) + 1/16 \log(b\arcsin(cx) + a)/(b^3c^3)$$

$$3.327 \quad \int \frac{x(1-c^2x^2)^{3/2}}{a+b \sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=183

$$\frac{\sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{8bc^2} - \frac{3 \sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3(a+b \sin^{-1}(cx))}{b}\right)}{16bc^2} - \frac{\sin\left(\frac{5a}{b}\right) \operatorname{CosIntegral}\left(\frac{5(a+b \sin^{-1}(cx))}{b}\right)}{16bc^2}$$

[Out]  $-(\operatorname{CosIntegral}[(a + b \operatorname{ArcSin}[c*x])/b] * \operatorname{Sin}[a/b]) / (8*b*c^2) - (3*\operatorname{CosIntegral}[(3*(a + b \operatorname{ArcSin}[c*x]))/b] * \operatorname{Sin}[(3*a)/b]) / (16*b*c^2) - (\operatorname{CosIntegral}[(5*(a + b \operatorname{ArcSin}[c*x]))/b] * \operatorname{Sin}[(5*a)/b]) / (16*b*c^2) + (\operatorname{Cos}[a/b] * \operatorname{SinIntegral}[(a + b \operatorname{ArcSin}[c*x])/b]) / (8*b*c^2) + (3*\operatorname{Cos}[(3*a)/b] * \operatorname{SinIntegral}[(3*(a + b \operatorname{ArcSin}[c*x]))/b]) / (16*b*c^2) + (\operatorname{Cos}[(5*a)/b] * \operatorname{SinIntegral}[(5*(a + b \operatorname{ArcSin}[c*x]))/b]) / (16*b*c^2)$

**Rubi [A]** time = 0.344317, antiderivative size = 179, normalized size of antiderivative = 0.98, number of steps used = 12, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {4723, 4406, 3303, 3299, 3302}

$$\frac{\sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{8bc^2} - \frac{3 \sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{16bc^2} - \frac{\sin\left(\frac{5a}{b}\right) \operatorname{CosIntegral}\left(\frac{5a}{b} + 5 \sin^{-1}(cx)\right)}{16bc^2}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(x*(1 - c^2*x^2)^{(3/2)})/(a + b*\operatorname{ArcSin}[c*x]), x]$

[Out]  $-(\operatorname{CosIntegral}[a/b + \operatorname{ArcSin}[c*x]] * \operatorname{Sin}[a/b]) / (8*b*c^2) - (3*\operatorname{CosIntegral}[(3*a)/b + 3*\operatorname{ArcSin}[c*x]] * \operatorname{Sin}[(3*a)/b]) / (16*b*c^2) - (\operatorname{CosIntegral}[(5*a)/b + 5*\operatorname{ArcSin}[c*x]] * \operatorname{Sin}[(5*a)/b]) / (16*b*c^2) + (\operatorname{Cos}[a/b] * \operatorname{SinIntegral}[a/b + \operatorname{ArcSin}[c*x]]) / (8*b*c^2) + (3*\operatorname{Cos}[(3*a)/b] * \operatorname{SinIntegral}[(3*a)/b + 3*\operatorname{ArcSin}[c*x]]) / (16*b*c^2) + (\operatorname{Cos}[(5*a)/b] * \operatorname{SinIntegral}[(5*a)/b + 5*\operatorname{ArcSin}[c*x]]) / (16*b*c^2)$

### Rule 4723

$\operatorname{Int}[(a_. + \operatorname{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}*((d_. + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \operatorname{Dist}[d^p/c^{(m+1)}, \operatorname{Subst}[\operatorname{Int}[(a + b*x)^n*\operatorname{Sin}[x]^m*\operatorname{Cos}[x]^{(2*p+1)}, x], x, \operatorname{ArcSin}[c*x]], x] /;$   $\operatorname{FreeQ}\{a, b, c, d, e, n\}, x$  &&  $\operatorname{EqQ}[c^2*d + e, 0]$  &&  $\operatorname{IntegerQ}[2*p]$  &&  $\operatorname{GtQ}[p, -1]$  &&  $\operatorname{IGtQ}[m, 0]$  &&  $(\operatorname{IntegerQ}[p] \parallel \operatorname{GtQ}[d, 0])$

Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^(n)\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{x(1-c^2x^2)^{3/2}}{a+b\sin^{-1}(cx)} dx &= \frac{\text{Subst}\left(\int \frac{\cos^4(x)\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c^2} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{\sin(x)}{8(a+bx)} + \frac{3\sin(3x)}{16(a+bx)} + \frac{\sin(5x)}{16(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{c^2} \\
 &= \frac{\text{Subst}\left(\int \frac{\sin(5x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16c^2} + \frac{\text{Subst}\left(\int \frac{\sin(3x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8c^2} + \frac{3\text{Subst}\left(\int \frac{\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16c^2} \\
 &= \frac{\cos\left(\frac{a}{b}\right)\text{Subst}\left(\int \frac{\sin\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8c^2} + \frac{\left(3\cos\left(\frac{3a}{b}\right)\right)\text{Subst}\left(\int \frac{\sin\left(\frac{3a}{b}+3x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16c^2} + \\
 &= -\frac{\text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)\sin\left(\frac{a}{b}\right)}{8bc^2} - \frac{3\text{Ci}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)\sin\left(\frac{3a}{b}\right)}{16bc^2} - \frac{\text{Ci}\left(\frac{5a}{b} + 5\sin^{-1}(cx)\right)\sin\left(\frac{5a}{b}\right)}{16bc^2} +
 \end{aligned}$$



**Mathematica [A]** time = 0.494237, size = 136, normalized size = 0.74

$$\frac{-2 \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) - 3 \sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) - \sin\left(\frac{5a}{b}\right) \operatorname{CosIntegral}\left(5\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)}{16bc^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x]),x]

[Out] (-2\*CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b] - 3\*CosIntegral[3\*(a/b + ArcSin[c\*x]]\*Sin[(3\*a)/b] - CosIntegral[5\*(a/b + ArcSin[c\*x]]\*Sin[(5\*a)/b] + 2\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] + 3\*Cos[(3\*a)/b]\*SinIntegral[3\*(a/b + ArcSin[c\*x])] + Cos[(5\*a)/b]\*SinIntegral[5\*(a/b + ArcSin[c\*x])])/(16\*b\*c^2)

**Maple [A]** time = 0.046, size = 139, normalized size = 0.8

$$\frac{1}{16c^2b} \left( 3 \operatorname{Si} \left( 3 \arcsin(cx) + 3 \frac{a}{b} \right) \cos \left( 3 \frac{a}{b} \right) - 3 \operatorname{Ci} \left( 3 \arcsin(cx) + 3 \frac{a}{b} \right) \sin \left( 3 \frac{a}{b} \right) + 2 \operatorname{Si} \left( \arcsin(cx) + \frac{a}{b} \right) \cos \left( \frac{a}{b} \right) - 2 \operatorname{Ci} \left( \arcsin(cx) + \frac{a}{b} \right) \sin \left( \frac{a}{b} \right) + \operatorname{Si} \left( 5 \arcsin(cx) + 5 \frac{a}{b} \right) \cos \left( 5 \frac{a}{b} \right) - \operatorname{Ci} \left( 5 \arcsin(cx) + 5 \frac{a}{b} \right) \sin \left( 5 \frac{a}{b} \right) \right) / b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x)

[Out] 1/16/c^2\*(3\*Si(3\*arcsin(c\*x)+3\*a/b)\*cos(3\*a/b)-3\*Ci(3\*arcsin(c\*x)+3\*a/b)\*sin(3\*a/b)+2\*Si(arcsin(c\*x)+a/b)\*cos(a/b)-2\*Ci(arcsin(c\*x)+a/b)\*sin(a/b)+Si(5\*arcsin(c\*x)+5\*a/b)\*cos(5\*a/b)-Ci(5\*arcsin(c\*x)+5\*a/b)\*sin(5\*a/b))/b

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}x}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate((-c^2\*x^2 + 1)^(3/2)\*x/(b\*arcsin(c\*x) + a), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(c^2x^3 - x)\sqrt{-c^2x^2 + 1}}{b \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(-(c^2\*x^3 - x)\*sqrt(-c^2\*x^2 + 1)/(b\*arcsin(c\*x) + a), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x(-cx - 1)(cx + 1)^{\frac{3}{2}}}{a + b \arcsin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(x\*(-(c\*x - 1)\*(c\*x + 1))\*\*(3/2)/(a + b\*asin(c\*x)), x)

---

**Giac [B]** time = 1.42302, size = 486, normalized size = 2.66

$$-\frac{\cos\left(\frac{a}{b}\right)^4 \text{Ci}\left(\frac{5a}{b} + 5 \arcsin(cx)\right) \sin\left(\frac{a}{b}\right)}{bc^2} + \frac{\cos\left(\frac{a}{b}\right)^5 \text{Si}\left(\frac{5a}{b} + 5 \arcsin(cx)\right)}{bc^2} + \frac{3 \cos\left(\frac{a}{b}\right)^2 \text{Ci}\left(\frac{5a}{b} + 5 \arcsin(cx)\right) \sin\left(\frac{a}{b}\right)}{4bc^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] -cos(a/b)^4\*cos\_integral(5\*a/b + 5\*arcsin(c\*x))\*sin(a/b)/(b\*c^2) + cos(a/b)^5\*sin\_integral(5\*a/b + 5\*arcsin(c\*x))/(b\*c^2) + 3/4\*cos(a/b)^2\*cos\_integral(5\*a/b + 5\*arcsin(c\*x))\*sin(a/b)/(b\*c^2) - 3/4\*cos(a/b)^2\*cos\_integral(3\*a/b + 3\*arcsin(c\*x))\*sin(a/b)/(b\*c^2) - 5/4\*cos(a/b)^3\*sin\_integral(5\*a/b + 5\*arcsin(c\*x))/(b\*c^2) + 3/4\*cos(a/b)^3\*sin\_integral(3\*a/b + 3\*arcsin(c\*x))

$$\begin{aligned} &/(b*c^2) - 1/16*\cos\_integral(5*a/b + 5*\arcsin(c*x))*\sin(a/b)/(b*c^2) + 3/16 \\ &*\cos\_integral(3*a/b + 3*\arcsin(c*x))*\sin(a/b)/(b*c^2) - 1/8*\cos\_integral(a/ \\ &b + \arcsin(c*x))*\sin(a/b)/(b*c^2) + 5/16*\cos(a/b)*\sin\_integral(5*a/b + 5*ar \\ &csin(c*x))/(b*c^2) - 9/16*\cos(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b*c \\ &^2) + 1/8*\cos(a/b)*\sin\_integral(a/b + \arcsin(c*x))/(b*c^2) \end{aligned}$$

$$3.328 \quad \int \frac{(1-c^2x^2)^{3/2}}{a+b \sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=144

$$\frac{\cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2(a+b \sin^{-1}(cx))}{b}\right)}{2bc} + \frac{\cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left(\frac{4(a+b \sin^{-1}(cx))}{b}\right)}{8bc} + \frac{\sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2(a+b \sin^{-1}(cx))}{b}\right)}{2bc} + \frac{\sin\left(\frac{4a}{b}\right) \text{Si}\left(\frac{4(a+b \sin^{-1}(cx))}{b}\right)}{8bc}$$

[Out] (Cos[(2\*a)/b]\*CosIntegral[(2\*(a + b\*ArcSin[c\*x]))/b])/(2\*b\*c) + (Cos[(4\*a)/b]\*CosIntegral[(4\*(a + b\*ArcSin[c\*x]))/b])/(8\*b\*c) + (3\*Log[a + b\*ArcSin[c\*x]])/(8\*b\*c) + (Sin[(2\*a)/b]\*SinIntegral[(2\*(a + b\*ArcSin[c\*x]))/b])/(2\*b\*c) + (Sin[(4\*a)/b]\*SinIntegral[(4\*(a + b\*ArcSin[c\*x]))/b])/(8\*b\*c)

**Rubi [A]** time = 0.242156, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4661, 3312, 3303, 3299, 3302}

$$\frac{\cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{2bc} + \frac{\cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left(\frac{4a}{b} + 4 \sin^{-1}(cx)\right)}{8bc} + \frac{\sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{2bc} + \frac{\sin\left(\frac{4a}{b}\right) \text{Si}\left(\frac{4a}{b} + 4 \sin^{-1}(cx)\right)}{8bc}$$

Antiderivative was successfully verified.

[In] Int[(1 - c^2\*x^2)^(3/2)/(a + b\*ArcSin[c\*x]),x]

[Out] (Cos[(2\*a)/b]\*CosIntegral[(2\*a)/b + 2\*ArcSin[c\*x]])/(2\*b\*c) + (Cos[(4\*a)/b]\*CosIntegral[(4\*a)/b + 4\*ArcSin[c\*x]])/(8\*b\*c) + (3\*Log[a + b\*ArcSin[c\*x]])/(8\*b\*c) + (Sin[(2\*a)/b]\*SinIntegral[(2\*a)/b + 2\*ArcSin[c\*x]])/(2\*b\*c) + (Sin[(4\*a)/b]\*SinIntegral[(4\*a)/b + 4\*ArcSin[c\*x]])/(8\*b\*c)

### Rule 4661

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c, Subst[Int[(a + b\*x)^n\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rule 3312

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f,

, m], x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

### Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] :> Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/((c\_.) + (d\_.)\*(x\_.)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{(1 - c^2 x^2)^{3/2}}{a + b \sin^{-1}(cx)} dx &= \frac{\text{Subst}\left(\int \frac{\cos^4(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{3}{8(a+bx)} + \frac{\cos(2x)}{2(a+bx)} + \frac{\cos(4x)}{8(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{c} \\
 &= \frac{3 \log(a + b \sin^{-1}(cx))}{8bc} + \frac{\text{Subst}\left(\int \frac{\cos(4x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8c} + \frac{\text{Subst}\left(\int \frac{\cos(2x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2c} \\
 &= \frac{3 \log(a + b \sin^{-1}(cx))}{8bc} + \frac{\cos\left(\frac{2a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2c} + \frac{\cos\left(\frac{4a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{4a}{b} + 4x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2c} \\
 &= \frac{\cos\left(\frac{2a}{b}\right) \text{Ci}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{2bc} + \frac{\cos\left(\frac{4a}{b}\right) \text{Ci}\left(\frac{4a}{b} + 4 \sin^{-1}(cx)\right)}{8bc} + \frac{3 \log(a + b \sin^{-1}(cx))}{8bc} + \frac{\sin^{-1}(cx)}{8bc}
 \end{aligned}$$

**Mathematica [A]** time = 0.323578, size = 121, normalized size = 0.84

$$\frac{4 \cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left(4\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + 4 \sin\left(\frac{2a}{b}\right) \text{Si}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)}{8bc}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(1 - c^2\*x^2)^(3/2)/(a + b\*ArcSin[c\*x]),x]

[Out] (4\*Cos[(2\*a)/b]\*CosIntegral[2\*(a/b + ArcSin[c\*x])] + Cos[(4\*a)/b]\*CosIntegral[4\*(a/b + ArcSin[c\*x])] + 4\*Log[a + b\*ArcSin[c\*x]] - Log[8\*(a + b\*ArcSin[c\*x])] + 4\*Sin[(2\*a)/b]\*SinIntegral[2\*(a/b + ArcSin[c\*x])] + Sin[(4\*a)/b]\*SinIntegral[4\*(a/b + ArcSin[c\*x])])/(8\*b\*c)

**Maple [A]** time = 0.043, size = 135, normalized size = 0.9

$$\frac{1}{8cb} \text{Si}\left(4 \arcsin(cx) + 4 \frac{a}{b}\right) \sin\left(4 \frac{a}{b}\right) + \frac{1}{8cb} \text{Ci}\left(4 \arcsin(cx) + 4 \frac{a}{b}\right) \cos\left(4 \frac{a}{b}\right) + \frac{1}{2cb} \text{Si}\left(2 \arcsin(cx) + 2 \frac{a}{b}\right) \sin\left(2 \frac{a}{b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x)

[Out] 1/8/c/b\*Si(4\*arcsin(c\*x)+4\*a/b)\*sin(4\*a/b)+1/8/c/b\*Ci(4\*arcsin(c\*x)+4\*a/b)\*cos(4\*a/b)+1/2/c/b\*Si(2\*arcsin(c\*x)+2\*a/b)\*sin(2\*a/b)+1/2/c/b\*Ci(2\*arcsin(c\*x)+2\*a/b)\*cos(2\*a/b)+3/8\*ln(a+b\*arcsin(c\*x))/b/c

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate((-c^2\*x^2 + 1)^(3/2)/(b\*arcsin(c\*x) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{b \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral((-c^2*x^2 + 1)^(3/2)/(b*arcsin(c*x) + a), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cx-1)(cx+1)^{\frac{3}{2}}}{a+b\operatorname{asin}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c**2*x**2+1)**(3/2)/(a+b*asin(c*x)),x)`

[Out] `Integral((-c*x - 1)*(c*x + 1)**(3/2)/(a + b*asin(c*x)), x)`

**Giac [A]** time = 1.40511, size = 340, normalized size = 2.36

$$\frac{\cos\left(\frac{a}{b}\right)^4 \operatorname{Ci}\left(\frac{4a}{b} + 4 \operatorname{arcsin}(cx)\right)}{bc} + \frac{\cos\left(\frac{a}{b}\right)^3 \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{4a}{b} + 4 \operatorname{arcsin}(cx)\right)}{bc} - \frac{\cos\left(\frac{a}{b}\right)^2 \operatorname{Ci}\left(\frac{4a}{b} + 4 \operatorname{arcsin}(cx)\right)}{bc} + \frac{\cos\left(\frac{a}{b}\right)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] `cos(a/b)^4*cos_integral(4*a/b + 4*arcsin(c*x))/(b*c) + cos(a/b)^3*sin(a/b)*sin_integral(4*a/b + 4*arcsin(c*x))/(b*c) - cos(a/b)^2*cos_integral(4*a/b + 4*arcsin(c*x))/(b*c) + cos(a/b)^2*cos_integral(2*a/b + 2*arcsin(c*x))/(b*c) - 1/2*cos(a/b)*sin(a/b)*sin_integral(4*a/b + 4*arcsin(c*x))/(b*c) + cos(a/b)*sin(a/b)*sin_integral(2*a/b + 2*arcsin(c*x))/(b*c) + 1/8*cos_integral(4*a/b + 4*arcsin(c*x))/(b*c) - 1/2*cos_integral(2*a/b + 2*arcsin(c*x))/(b*c) + 3/8*log(b*arcsin(c*x) + a)/(b*c)`

$$3.329 \quad \int \frac{(1-c^2x^2)^{3/2}}{x(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=139

$$\text{Unintegrable}\left(\frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}, x\right) + \frac{5\sin\left(\frac{a}{b}\right)\text{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{4b} + \frac{\sin\left(\frac{3a}{b}\right)\text{CosIntegral}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{4b}$$

[Out] (5\*CosIntegral[(a + b\*ArcSin[c\*x])/b]\*Sin[a/b])/(4\*b) + (CosIntegral[(3\*(a + b\*ArcSin[c\*x])/b)\*Sin[(3\*a)/b])/(4\*b) - (5\*Cos[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(4\*b) - (Cos[(3\*a)/b]\*SinIntegral[(3\*(a + b\*ArcSin[c\*x])/b])/(4\*b) + Unintegrable[1/(x\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.752415, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(1-c^2x^2)^{3/2}}{x(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[(1 - c^2\*x^2)^(3/2)/(x\*(a + b\*ArcSin[c\*x])),x]

[Out] (5\*CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b])/(4\*b) + (CosIntegral[(3\*a)/b + 3\*ArcSin[c\*x]]\*Sin[(3\*a)/b])/(4\*b) - (5\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(4\*b) - (Cos[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(4\*b) + D efer[Int][1/(x\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

Rubi steps



$$\begin{aligned}
\int \frac{(1-c^2x^2)^{3/2}}{x(a+b\sin^{-1}(cx))} dx &= \int \left( \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} - \frac{2c^2x}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} + \frac{c^4x^3}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} \right) dx \\
&= -\left( (2c^2) \int \frac{x}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx \right) + c^4 \int \frac{x^3}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx + \int \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx \\
&= -\left( 2 \operatorname{Subst} \left( \int \frac{\sin(x)}{a+bx} dx, x, \sin^{-1}(cx) \right) \right) + \int \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx + \operatorname{Subst} \left( \int \frac{1}{x\sqrt{1-c^2x^2}} dx, x, \sin^{-1}(cx) \right) \\
&= -\left( \left( 2 \cos\left(\frac{a}{b}\right) \right) \operatorname{Subst} \left( \int \frac{\sin\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right) \right) + \left( 2 \sin\left(\frac{a}{b}\right) \right) \operatorname{Subst} \left( \int \frac{\cos\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right) \\
&= \frac{2\operatorname{Ci}\left(\frac{a}{b}+\sin^{-1}(cx)\right)\sin\left(\frac{a}{b}\right)}{b} - \frac{2\cos\left(\frac{a}{b}\right)\operatorname{Si}\left(\frac{a}{b}+\sin^{-1}(cx)\right)}{b} - \frac{1}{4} \operatorname{Subst} \left( \int \frac{\sin(3x)}{a+bx} dx, x, \sin^{-1}(cx) \right) \\
&= \frac{2\operatorname{Ci}\left(\frac{a}{b}+\sin^{-1}(cx)\right)\sin\left(\frac{a}{b}\right)}{b} - \frac{2\cos\left(\frac{a}{b}\right)\operatorname{Si}\left(\frac{a}{b}+\sin^{-1}(cx)\right)}{b} + \frac{1}{4} \left( 3 \cos\left(\frac{a}{b}\right) \right) \operatorname{Subst} \left( \int \frac{\sin(x)}{a+bx} dx, x, \sin^{-1}(cx) \right) \\
&= \frac{5\operatorname{Ci}\left(\frac{a}{b}+\sin^{-1}(cx)\right)\sin\left(\frac{a}{b}\right)}{4b} + \frac{\operatorname{Ci}\left(\frac{3a}{b}+3\sin^{-1}(cx)\right)\sin\left(\frac{3a}{b}\right)}{4b} - \frac{5\cos\left(\frac{a}{b}\right)\operatorname{Si}\left(\frac{a}{b}+\sin^{-1}(cx)\right)}{4b}
\end{aligned}$$

**Mathematica [A]** time = 2.91594, size = 0, normalized size = 0.

$$\int \frac{(1-c^2x^2)^{3/2}}{x(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 - c^2\*x^2)^(3/2)/(x\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[(1 - c^2\*x^2)^(3/2)/(x\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 0.268, size = 0, normalized size = 0.

$$\int \frac{1}{x(a+b\arcsin(cx))} (-c^2x^2+1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*x^2+1)^(3/2)/x/(a+b*arcsin(c*x)),x)`

[Out] `int((-c^2*x^2+1)^(3/2)/x/(a+b*arcsin(c*x)),x)`

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{(b \arcsin(cx) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(3/2)/x/(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `integrate((-c^2*x^2 + 1)^(3/2)/((b*arcsin(c*x) + a)*x), x)`

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{bx \arcsin(cx) + ax}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(3/2)/x/(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral((-c^2*x^2 + 1)^(3/2)/(b*x*arcsin(c*x) + a*x), x)`

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{-(cx - 1)(cx + 1)^{\frac{3}{2}}}{x(a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c**2*x**2+1)**(3/2)/x/(a+b*asin(c*x)),x)`

[Out] Integral((-c\*x - 1)\*(c\*x + 1)\*\*(3/2)/(x\*(a + b\*asin(c\*x))), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{(b \arcsin(cx) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/x/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate((-c^2\*x^2 + 1)^(3/2)/((b\*arcsin(c\*x) + a)\*x), x)

$$3.330 \quad \int \frac{(1-c^2x^2)^{3/2}}{x^2(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=106

$$\text{Unintegrable}\left(\frac{1}{x^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}, x\right) - \frac{c \cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{2b} - \frac{c \sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{2b}$$

[Out]  $-(c*\text{Cos}[(2*a)/b]*\text{CosIntegral}[(2*(a + b*\text{ArcSin}[c*x]))/b])/(2*b) - (3*c*\text{Log}[a + b*\text{ArcSin}[c*x]])/(2*b) - (c*\text{Sin}[(2*a)/b]*\text{SinIntegral}[(2*(a + b*\text{ArcSin}[c*x]))/b])/(2*b) + \text{Unintegrable}[1/(x^2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])), x]$

---

**Rubi [A]** time = 0.576431, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(1-c^2x^2)^{3/2}}{x^2(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}[(1 - c^2*x^2)^(3/2)/(x^2*(a + b*\text{ArcSin}[c*x])), x]$

[Out]  $-(c*\text{Cos}[(2*a)/b]*\text{CosIntegral}[(2*a)/b + 2*\text{ArcSin}[c*x]])/(2*b) - (3*c*\text{Log}[a + b*\text{ArcSin}[c*x]])/(2*b) - (c*\text{Sin}[(2*a)/b]*\text{SinIntegral}[(2*a)/b + 2*\text{ArcSin}[c*x]])/(2*b) + \text{Defer}[\text{Int}[1/(x^2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])), x]$

Rubi steps

$$\begin{aligned}
\int \frac{(1-c^2x^2)^{3/2}}{x^2(a+b\sin^{-1}(cx))} dx &= \int \left( -\frac{2c^2}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} + \frac{1}{x^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} + \frac{c^4x^2}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} \right) dx \\
&= -\left( (2c^2) \int \frac{1}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx \right) + c^4 \int \frac{x^2}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx + \int \frac{1}{x^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx \\
&= -\frac{2c \log(a+b\sin^{-1}(cx))}{b} + c \operatorname{Subst} \left( \int \frac{\sin^2(x)}{a+bx} dx, x, \sin^{-1}(cx) \right) + \int \frac{1}{x^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx \\
&= -\frac{2c \log(a+b\sin^{-1}(cx))}{b} + c \operatorname{Subst} \left( \int \left( \frac{1}{2(a+bx)} - \frac{\cos(2x)}{2(a+bx)} \right) dx, x, \sin^{-1}(cx) \right) + \int \frac{1}{x^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx \\
&= -\frac{3c \log(a+b\sin^{-1}(cx))}{2b} - \frac{1}{2} c \operatorname{Subst} \left( \int \frac{\cos(2x)}{a+bx} dx, x, \sin^{-1}(cx) \right) + \int \frac{1}{x^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx \\
&= -\frac{3c \log(a+b\sin^{-1}(cx))}{2b} - \frac{1}{2} \left( c \cos\left(\frac{2a}{b}\right) \right) \operatorname{Subst} \left( \int \frac{\cos\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right) - \frac{1}{2} \left( c \cos\left(\frac{2a}{b}\right) \right) \operatorname{Ci}\left(\frac{2a}{b}+2\sin^{-1}(cx)\right) \\
&= -\frac{c \cos\left(\frac{2a}{b}\right) \operatorname{Ci}\left(\frac{2a}{b}+2\sin^{-1}(cx)\right)}{2b} - \frac{3c \log(a+b\sin^{-1}(cx))}{2b} - \frac{c \sin\left(\frac{2a}{b}\right) \operatorname{Si}\left(\frac{2a}{b}+2\sin^{-1}(cx)\right)}{2b}
\end{aligned}$$

**Mathematica [A]** time = 1.15088, size = 0, normalized size = 0.

$$\int \frac{(1-c^2x^2)^{3/2}}{x^2(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 - c^2\*x^2)^(3/2)/(x^2\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[(1 - c^2\*x^2)^(3/2)/(x^2\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 0.273, size = 0, normalized size = 0.

$$\int \frac{1}{x^2(a+b\arcsin(cx))} (-c^2x^2+1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*x^2+1)^(3/2)/x^2/(a+b*arcsin(c*x)),x)`

[Out] `int((-c^2*x^2+1)^(3/2)/x^2/(a+b*arcsin(c*x)),x)`

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{(b \arcsin(cx) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(3/2)/x^2/(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `integrate((-c^2*x^2 + 1)^(3/2)/((b*arcsin(c*x) + a)*x^2), x)`

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{bx^2 \arcsin(cx) + ax^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(3/2)/x^2/(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral((-c^2*x^2 + 1)^(3/2)/(b*x^2*arcsin(c*x) + a*x^2), x)`

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{-(cx - 1)(cx + 1)^{\frac{3}{2}}}{x^2(a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c**2*x**2+1)**(3/2)/x**2/(a+b*asin(c*x)),x)`

[Out] Integral((-c\*x - 1)\*(c\*x + 1)\*\*(3/2)/(x\*\*2\*(a + b\*asin(c\*x))), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{(b \arcsin(cx) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/x^2/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate((-c^2\*x^2 + 1)^(3/2)/((b\*arcsin(c\*x) + a)\*x^2), x)

$$3.331 \quad \int \frac{(1-c^2x^2)^{3/2}}{x^3(a+b\sin^{-1}(cx))} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable} \left( \frac{(1-c^2x^2)^{3/2}}{x^3(a+b\sin^{-1}(cx))}, x \right)$$

[Out] Unintegrable[(1 - c^2\*x^2)^(3/2)/(x^3\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.13897, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(1-c^2x^2)^{3/2}}{x^3(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[(1 - c^2\*x^2)^(3/2)/(x^3\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int] [(1 - c^2\*x^2)^(3/2)/(x^3\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{(1-c^2x^2)^{3/2}}{x^3(a+b\sin^{-1}(cx))} dx = \int \frac{(1-c^2x^2)^{3/2}}{x^3(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 5.20636, size = 0, normalized size = 0.

$$\int \frac{(1-c^2x^2)^{3/2}}{x^3(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.



[In] Integrate[(1 - c^2\*x^2)^(3/2)/(x^3\*(a + b\*ArcSin[c\*x])),x]

[Out] Integrate[(1 - c^2\*x^2)^(3/2)/(x^3\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 2.187, size = 0, normalized size = 0.

$$\int \frac{1}{x^3 (a + b \arcsin(cx))} (-c^2x^2 + 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(3/2)/x^3/(a+b\*arcsin(c\*x)),x)

[Out] int((-c^2\*x^2+1)^(3/2)/x^3/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{(b \arcsin(cx) + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/x^3/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate((-c^2\*x^2 + 1)^(3/2)/((b\*arcsin(c\*x) + a)\*x^3), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{bx^3 \arcsin(cx) + ax^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/x^3/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] `integral((-c^2*x^2 + 1)^(3/2)/(b*x^3*arcsin(c*x) + a*x^3), x)`

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cx - 1)(cx + 1)^{\frac{3}{2}}}{x^3(a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c**2*x**2+1)**(3/2)/x**3/(a+b*asin(c*x)),x)`

[Out] `Integral((-c*x - 1)*(c*x + 1)**(3/2)/(x**3*(a + b*asin(c*x))), x)`

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{(b \operatorname{arcsin}(cx) + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(3/2)/x^3/(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] `integrate((-c^2*x^2 + 1)^(3/2)/((b*arcsin(c*x) + a)*x^3), x)`

$$3.332 \quad \int \frac{(1-c^2x^2)^{3/2}}{x^4(a+b\sin^{-1}(cx))} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable}\left(\frac{(1-c^2x^2)^{3/2}}{x^4(a+b\sin^{-1}(cx))}, x\right)$$

[Out] Unintegrable[(1 - c^2\*x^2)^(3/2)/(x^4\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.139874, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(1-c^2x^2)^{3/2}}{x^4(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[(1 - c^2\*x^2)^(3/2)/(x^4\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int] [(1 - c^2\*x^2)^(3/2)/(x^4\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{(1-c^2x^2)^{3/2}}{x^4(a+b\sin^{-1}(cx))} dx = \int \frac{(1-c^2x^2)^{3/2}}{x^4(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 0.758061, size = 0, normalized size = 0.

$$\int \frac{(1-c^2x^2)^{3/2}}{x^4(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 - c^2\*x^2)^(3/2)/(x^4\*(a + b\*ArcSin[c\*x])),x]

[Out] Integrate[(1 - c^2\*x^2)^(3/2)/(x^4\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 3.401, size = 0, normalized size = 0.

$$\int \frac{1}{x^4 (a + b \arcsin(cx))} (-c^2x^2 + 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(3/2)/x^4/(a+b\*arcsin(c\*x)),x)

[Out] int((-c^2\*x^2+1)^(3/2)/x^4/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{(b \arcsin(cx) + a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/x^4/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate((-c^2\*x^2 + 1)^(3/2)/((b\*arcsin(c\*x) + a)\*x^4), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{bx^4 \arcsin(cx) + ax^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/x^4/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] `integral((-c^2*x^2 + 1)^(3/2)/(b*x^4*arcsin(c*x) + a*x^4), x)`

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cx - 1)(cx + 1)^{\frac{3}{2}}}{x^4(a + b \arcsin(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c**2*x**2+1)**(3/2)/x**4/(a+b*asin(c*x)),x)`

[Out] `Integral((-c*x - 1)*(c*x + 1)**(3/2)/(x**4*(a + b*asin(c*x))), x)`

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{(b \arcsin(cx) + a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(3/2)/x^4/(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] `integrate((-c^2*x^2 + 1)^(3/2)/((b*arcsin(c*x) + a)*x^4), x)`

$$3.333 \quad \int \frac{x^3(1-c^2x^2)^{5/2}}{a+b\sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=245

$$\frac{3 \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{128bc^4} - \frac{\sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{32bc^4} + \frac{3 \sin\left(\frac{7a}{b}\right) \operatorname{CosIntegral}\left(\frac{7(a+b\sin^{-1}(cx))}{b}\right)}{256bc^4}$$

[Out] (-3\*CosIntegral[(a + b\*ArcSin[c\*x])/b]\*Sin[a/b])/(128\*b\*c^4) - (CosIntegral[(3\*(a + b\*ArcSin[c\*x])/b)\*Sin[(3\*a)/b])/(32\*b\*c^4) + (3\*CosIntegral[(7\*(a + b\*ArcSin[c\*x])/b)\*Sin[(7\*a)/b])/(256\*b\*c^4) + (CosIntegral[(9\*(a + b\*ArcSin[c\*x])/b)\*Sin[(9\*a)/b])/(256\*b\*c^4) + (3\*Cos[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(128\*b\*c^4) + (Cos[(3\*a)/b]\*SinIntegral[(3\*(a + b\*ArcSin[c\*x])/b])/(32\*b\*c^4) - (3\*Cos[(7\*a)/b]\*SinIntegral[(7\*(a + b\*ArcSin[c\*x])/b])/(256\*b\*c^4) - (Cos[(9\*a)/b]\*SinIntegral[(9\*(a + b\*ArcSin[c\*x])/b])/(256\*b\*c^4)

**Rubi [A]** time = 0.511682, antiderivative size = 241, normalized size of antiderivative = 0.98, number of steps used = 15, number of rules used = 5, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$ , Rules used = {4723, 4406, 3303, 3299, 3302}

$$\frac{3 \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{128bc^4} - \frac{\sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{32bc^4} + \frac{3 \sin\left(\frac{7a}{b}\right) \operatorname{CosIntegral}\left(\frac{7a}{b} + 7 \sin^{-1}(cx)\right)}{256bc^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x]),x]

[Out] (-3\*CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b])/(128\*b\*c^4) - (CosIntegral[(3\*a)/b + 3\*ArcSin[c\*x]]\*Sin[(3\*a)/b])/(32\*b\*c^4) + (3\*CosIntegral[(7\*a)/b + 7\*ArcSin[c\*x]]\*Sin[(7\*a)/b])/(256\*b\*c^4) + (CosIntegral[(9\*a)/b + 9\*ArcSin[c\*x]]\*Sin[(9\*a)/b])/(256\*b\*c^4) + (3\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(128\*b\*c^4) + (Cos[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(32\*b\*c^4) - (3\*Cos[(7\*a)/b]\*SinIntegral[(7\*a)/b + 7\*ArcSin[c\*x]])/(256\*b\*c^4) - (Cos[(9\*a)/b]\*SinIntegral[(9\*a)/b + 9\*ArcSin[c\*x]])/(256\*b\*c^4)

**Rule 4723**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^(n\_.)\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*C

```
os[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
  EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])
```

#### Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

#### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
  NeQ[d*e - c*f, 0]
```

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

#### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{x^3 (1 - c^2 x^2)^{5/2}}{a + b \sin^{-1}(cx)} dx &= \frac{\text{Subst} \left( \int \frac{\cos^6(x) \sin^3(x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{c^4} \\
&= \frac{\text{Subst} \left( \int \left( \frac{3 \sin(x)}{128(a+bx)} + \frac{\sin(3x)}{32(a+bx)} - \frac{3 \sin(7x)}{256(a+bx)} - \frac{\sin(9x)}{256(a+bx)} \right) dx, x, \sin^{-1}(cx) \right)}{c^4} \\
&= -\frac{\text{Subst} \left( \int \frac{\sin(9x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{256c^4} - \frac{3 \text{Subst} \left( \int \frac{\sin(7x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{256c^4} + \frac{3 \text{Subst} \left( \int \frac{\sin(x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{128c^4} \\
&= \frac{\left( 3 \cos \left( \frac{a}{b} \right) \right) \text{Subst} \left( \int \frac{\sin \left( \frac{a}{b} + x \right)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{128c^4} + \frac{\cos \left( \frac{3a}{b} \right) \text{Subst} \left( \int \frac{\sin \left( \frac{3a}{b} + 3x \right)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{32c^4} \\
&= -\frac{3 \text{Ci} \left( \frac{a}{b} + \sin^{-1}(cx) \right) \sin \left( \frac{a}{b} \right)}{128bc^4} - \frac{\text{Ci} \left( \frac{3a}{b} + 3 \sin^{-1}(cx) \right) \sin \left( \frac{3a}{b} \right)}{32bc^4} + \frac{3 \text{Ci} \left( \frac{7a}{b} + 7 \sin^{-1}(cx) \right) \sin \left( \frac{7a}{b} \right)}{256bc^4}
\end{aligned}$$

**Mathematica [A]** time = 1.13601, size = 180, normalized size = 0.73

$$-6 \sin \left( \frac{a}{b} \right) \text{CosIntegral} \left( \frac{a}{b} + \sin^{-1}(cx) \right) - 8 \sin \left( \frac{3a}{b} \right) \text{CosIntegral} \left( 3 \left( \frac{a}{b} + \sin^{-1}(cx) \right) \right) + 3 \sin \left( \frac{7a}{b} \right) \text{CosIntegral} \left( 7 \left( \frac{a}{b} + \sin^{-1}(cx) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x]),x]

[Out] (-6\*CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b] - 8\*CosIntegral[3\*(a/b + ArcSin[c\*x]]\*Sin[(3\*a)/b] + 3\*CosIntegral[7\*(a/b + ArcSin[c\*x]]\*Sin[(7\*a)/b] + CosIntegral[9\*(a/b + ArcSin[c\*x]]\*Sin[(9\*a)/b] + 6\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] + 8\*Cos[(3\*a)/b]\*SinIntegral[3\*(a/b + ArcSin[c\*x])] - 3\*Cos[(7\*a)/b]\*SinIntegral[7\*(a/b + ArcSin[c\*x])] - Cos[(9\*a)/b]\*SinIntegral[9\*(a/b + ArcSin[c\*x])])/(256\*b\*c^4)

**Maple [A]** time = 0.054, size = 185, normalized size = 0.8

$$-\frac{1}{256c^4b} \left( 3 \text{Si} \left( 7 \arcsin(cx) + 7 \frac{a}{b} \right) \cos \left( 7 \frac{a}{b} \right) - 3 \text{Ci} \left( 7 \arcsin(cx) + 7 \frac{a}{b} \right) \sin \left( 7 \frac{a}{b} \right) - \text{Ci} \left( 9 \arcsin(cx) + 9 \frac{a}{b} \right) \sin \left( 9 \frac{a}{b} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(x^3*(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x)),x)`

[Out] 
$$-1/256/c^4*(3*Si(7*arcsin(c*x)+7*a/b)*cos(7*a/b)-3*Ci(7*arcsin(c*x)+7*a/b)*sin(7*a/b)-Ci(9*arcsin(c*x)+9*a/b)*sin(9*a/b)-8*Si(3*arcsin(c*x)+3*a/b)*cos(3*a/b)+8*Ci(3*arcsin(c*x)+3*a/b)*sin(3*a/b)+6*Ci(arcsin(c*x)+a/b)*sin(a/b)+Si(9*arcsin(c*x)+9*a/b)*cos(9*a/b)-6*Si(arcsin(c*x)+a/b)*cos(a/b))/b$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}x^3}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `integrate((-c^2*x^2 + 1)^(5/2)*x^3/(b*arcsin(c*x) + a), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(c^4x^7 - 2c^2x^5 + x^3)\sqrt{-c^2x^2 + 1}}{b \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral((c^4*x^7 - 2*c^2*x^5 + x^3)*sqrt(-c^2*x^2 + 1)/(b*arcsin(c*x) + a), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x)),x)

[Out] Timed out

**Giac [B]** time = 1.45036, size = 1007, normalized size = 4.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out]  $\cos(a/b)^8 \cos\_integral(9a/b + 9\arcsin(cx)) \sin(a/b)/(b^4 c^4) - \cos(a/b)^9 \sin\_integral(9a/b + 9\arcsin(cx))/(b^4 c^4) - 7/4 \cos(a/b)^6 \cos\_integral(9a/b + 9\arcsin(cx)) \sin(a/b)/(b^4 c^4) + 3/4 \cos(a/b)^6 \cos\_integral(7a/b + 7\arcsin(cx)) \sin(a/b)/(b^4 c^4) + 9/4 \cos(a/b)^7 \sin\_integral(9a/b + 9\arcsin(cx))/(b^4 c^4) - 3/4 \cos(a/b)^7 \sin\_integral(7a/b + 7\arcsin(cx))/(b^4 c^4) + 15/16 \cos(a/b)^4 \cos\_integral(9a/b + 9\arcsin(cx)) \sin(a/b)/(b^4 c^4) - 15/16 \cos(a/b)^4 \cos\_integral(7a/b + 7\arcsin(cx)) \sin(a/b)/(b^4 c^4) - 27/16 \cos(a/b)^5 \sin\_integral(9a/b + 9\arcsin(cx))/(b^4 c^4) + 21/16 \cos(a/b)^5 \sin\_integral(7a/b + 7\arcsin(cx))/(b^4 c^4) - 5/32 \cos(a/b)^2 \cos\_integral(9a/b + 9\arcsin(cx)) \sin(a/b)/(b^4 c^4) + 9/32 \cos(a/b)^2 \cos\_integral(7a/b + 7\arcsin(cx)) \sin(a/b)/(b^4 c^4) - 1/8 \cos(a/b)^2 \cos\_integral(3a/b + 3\arcsin(cx)) \sin(a/b)/(b^4 c^4) + 15/32 \cos(a/b)^3 \sin\_integral(9a/b + 9\arcsin(cx))/(b^4 c^4) - 21/32 \cos(a/b)^3 \sin\_integral(7a/b + 7\arcsin(cx))/(b^4 c^4) + 1/8 \cos(a/b)^3 \sin\_integral(3a/b + 3\arcsin(cx))/(b^4 c^4) + 1/256 \cos\_integral(9a/b + 9\arcsin(cx)) \sin(a/b)/(b^4 c^4) - 3/256 \cos\_integral(7a/b + 7\arcsin(cx)) \sin(a/b)/(b^4 c^4) + 1/32 \cos\_integral(3a/b + 3\arcsin(cx)) \sin(a/b)/(b^4 c^4) - 3/128 \cos\_integral(a/b + \arcsin(cx)) \sin(a/b)/(b^4 c^4) - 9/256 \cos(a/b) \sin\_integral(9a/b + 9\arcsin(cx))/(b^4 c^4) + 21/256 \cos(a/b) \sin\_integral(7a/b + 7\arcsin(cx))/(b^4 c^4) - 3/32 \cos(a/b) \sin\_integral(3a/b + 3\arcsin(cx))/(b^4 c^4) + 3/128 \cos(a/b) \sin\_integral(a/b + \arcsin(cx))/(b^4 c^4)$

$$3.334 \quad \int \frac{x^2(1-c^2x^2)^{5/2}}{a+b\sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=268

$$\frac{\cos\left(\frac{2a}{b}\right)\text{CosIntegral}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{32bc^3} - \frac{\cos\left(\frac{4a}{b}\right)\text{CosIntegral}\left(\frac{4(a+b\sin^{-1}(cx))}{b}\right)}{32bc^3} - \frac{\cos\left(\frac{6a}{b}\right)\text{CosIntegral}\left(\frac{6(a+b\sin^{-1}(cx))}{b}\right)}{32bc^3}$$

```
[Out] (Cos[(2*a)/b]*CosIntegral[(2*(a + b*ArcSin[c*x]))/b])/(32*b*c^3) - (Cos[(4*a)/b]*CosIntegral[(4*(a + b*ArcSin[c*x]))/b])/(32*b*c^3) - (Cos[(6*a)/b]*CosIntegral[(6*(a + b*ArcSin[c*x]))/b])/(32*b*c^3) - (Cos[(8*a)/b]*CosIntegral[(8*(a + b*ArcSin[c*x]))/b])/(128*b*c^3) + (5*Log[a + b*ArcSin[c*x]])/(128*b*c^3) + (Sin[(2*a)/b]*SinIntegral[(2*(a + b*ArcSin[c*x]))/b])/(32*b*c^3) - (Sin[(4*a)/b]*SinIntegral[(4*(a + b*ArcSin[c*x]))/b])/(32*b*c^3) - (Sin[(6*a)/b]*SinIntegral[(6*(a + b*ArcSin[c*x]))/b])/(32*b*c^3) - (Sin[(8*a)/b]*SinIntegral[(8*(a + b*ArcSin[c*x]))/b])/(128*b*c^3)
```

**Rubi [A]** time = 0.529588, antiderivative size = 268, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 5, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$ , Rules used = {4723, 4406, 3303, 3299, 3302}

$$\frac{\cos\left(\frac{2a}{b}\right)\text{CosIntegral}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{32bc^3} - \frac{\cos\left(\frac{4a}{b}\right)\text{CosIntegral}\left(\frac{4a}{b} + 4\sin^{-1}(cx)\right)}{32bc^3} - \frac{\cos\left(\frac{6a}{b}\right)\text{CosIntegral}\left(\frac{6a}{b} + 6\sin^{-1}(cx)\right)}{32bc^3}$$

Antiderivative was successfully verified.

```
[In] Int[(x^2*(1 - c^2*x^2)^(5/2))/(a + b*ArcSin[c*x]),x]
```

```
[Out] (Cos[(2*a)/b]*CosIntegral[(2*a)/b + 2*ArcSin[c*x]])/(32*b*c^3) - (Cos[(4*a)/b]*CosIntegral[(4*a)/b + 4*ArcSin[c*x]])/(32*b*c^3) - (Cos[(6*a)/b]*CosIntegral[(6*a)/b + 6*ArcSin[c*x]])/(32*b*c^3) - (Cos[(8*a)/b]*CosIntegral[(8*a)/b + 8*ArcSin[c*x]])/(128*b*c^3) + (5*Log[a + b*ArcSin[c*x]])/(128*b*c^3) + (Sin[(2*a)/b]*SinIntegral[(2*a)/b + 2*ArcSin[c*x]])/(32*b*c^3) - (Sin[(4*a)/b]*SinIntegral[(4*a)/b + 4*ArcSin[c*x]])/(32*b*c^3) - (Sin[(6*a)/b]*SinIntegral[(6*a)/b + 6*ArcSin[c*x]])/(32*b*c^3) - (Sin[(8*a)/b]*SinIntegral[(8*a)/b + 8*ArcSin[c*x]])/(128*b*c^3)
```

**Rule 4723**

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*C
```

```
os[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
  EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])
```

#### Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

#### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
  NeQ[d*e - c*f, 0]
```

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

#### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (1 - c^2 x^2)^{5/2}}{a + b \sin^{-1}(cx)} dx &= \frac{\text{Subst} \left( \int \frac{\cos^6(x) \sin^2(x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{c^3} \\
&= \frac{\text{Subst} \left( \int \left( \frac{5}{128(a+bx)} + \frac{\cos(2x)}{32(a+bx)} - \frac{\cos(4x)}{32(a+bx)} - \frac{\cos(6x)}{32(a+bx)} - \frac{\cos(8x)}{128(a+bx)} \right) dx, x, \sin^{-1}(cx) \right)}{c^3} \\
&= \frac{5 \log(a + b \sin^{-1}(cx))}{128bc^3} - \frac{\text{Subst} \left( \int \frac{\cos(8x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{128c^3} + \frac{\text{Subst} \left( \int \frac{\cos(2x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{32c^3} \\
&= \frac{5 \log(a + b \sin^{-1}(cx))}{128bc^3} + \frac{\cos\left(\frac{2a}{b}\right) \text{Subst} \left( \int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{32c^3} - \frac{\cos\left(\frac{4a}{b}\right) \text{Subst} \left( \int \frac{\cos\left(\frac{4a}{b} + 4x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{32c^3} \\
&= \frac{\cos\left(\frac{2a}{b}\right) \text{Ci}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{32bc^3} - \frac{\cos\left(\frac{4a}{b}\right) \text{Ci}\left(\frac{4a}{b} + 4 \sin^{-1}(cx)\right)}{32bc^3} - \frac{\cos\left(\frac{6a}{b}\right) \text{Ci}\left(\frac{6a}{b} + 6 \sin^{-1}(cx)\right)}{32bc^3}
\end{aligned}$$

**Mathematica [A]** time = 1.03006, size = 209, normalized size = 0.78

$$\frac{-4 \cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + 4 \cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left(4\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + 4 \cos\left(\frac{6a}{b}\right) \text{CosIntegral}\left(6\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)}{32bc^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x]),x]

[Out]  $-( -4 \cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left[2\left(\frac{a}{b} + \text{ArcSin}[c*x]\right)\right] + 4 \cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left[4\left(\frac{a}{b} + \text{ArcSin}[c*x]\right)\right] + 4 \cos\left(\frac{6a}{b}\right) \text{CosIntegral}\left[6\left(\frac{a}{b} + \text{ArcSin}[c*x]\right)\right] + \cos\left(\frac{8a}{b}\right) \text{CosIntegral}\left[8\left(\frac{a}{b} + \text{ArcSin}[c*x]\right)\right] + 11 \log[a + b \text{ArcSin}[c*x]] - 16 \log[8(a + b \text{ArcSin}[c*x])] - 4 \sin\left(\frac{2a}{b}\right) \text{SinIntegral}\left[2\left(\frac{a}{b} + \text{ArcSin}[c*x]\right)\right] + 4 \sin\left(\frac{4a}{b}\right) \text{SinIntegral}\left[4\left(\frac{a}{b} + \text{ArcSin}[c*x]\right)\right] + 4 \sin\left(\frac{6a}{b}\right) \text{SinIntegral}\left[6\left(\frac{a}{b} + \text{ArcSin}[c*x]\right)\right] + \sin\left(\frac{8a}{b}\right) \text{SinIntegral}\left[8\left(\frac{a}{b} + \text{ArcSin}[c*x]\right)\right] ) / (128 * b * c^3)$

**Maple [A]** time = 0.055, size = 251, normalized size = 0.9

$$-\frac{1}{32bc^3} \text{Si}\left(6 \arcsin(cx) + 6 \frac{a}{b}\right) \sin\left(6 \frac{a}{b}\right) - \frac{1}{32bc^3} \text{Ci}\left(6 \arcsin(cx) + 6 \frac{a}{b}\right) \cos\left(6 \frac{a}{b}\right) - \frac{1}{32bc^3} \text{Si}\left(4 \arcsin(cx) + 4 \frac{a}{b}\right) \sin\left(4 \frac{a}{b}\right) - \frac{1}{32bc^3} \text{Ci}\left(4 \arcsin(cx) + 4 \frac{a}{b}\right) \cos\left(4 \frac{a}{b}\right) - \frac{1}{32bc^3} \text{Si}\left(2 \arcsin(cx) + 2 \frac{a}{b}\right) \sin\left(2 \frac{a}{b}\right) - \frac{1}{32bc^3} \text{Ci}\left(2 \arcsin(cx) + 2 \frac{a}{b}\right) \cos\left(2 \frac{a}{b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x)),x)`

[Out]  $-1/32/c^3/b*Si(6*arcsin(c*x)+6*a/b)*sin(6*a/b)-1/32/c^3/b*Ci(6*arcsin(c*x)+6*a/b)*cos(6*a/b)-1/32/c^3/b*Si(4*arcsin(c*x)+4*a/b)*sin(4*a/b)-1/32/c^3/b*Ci(4*arcsin(c*x)+4*a/b)*cos(4*a/b)+1/32/c^3/b*Si(2*arcsin(c*x)+2*a/b)*sin(2*a/b)-1/128/c^3/b*Si(8*arcsin(c*x)+8*a/b)*sin(8*a/b)-1/128/c^3/b*Ci(8*arcsin(c*x)+8*a/b)*cos(8*a/b)+1/32/c^3/b*Ci(2*arcsin(c*x)+2*a/b)*cos(2*a/b)+5/128*\ln(a+b*arcsin(c*x))/b/c^3$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}x^2}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `integrate((-c^2*x^2 + 1)^(5/2)*x^2/(b*arcsin(c*x) + a), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(c^4x^6 - 2c^2x^4 + x^2)\sqrt{-c^2x^2 + 1}}{b \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral((c^4*x^6 - 2*c^2*x^4 + x^2)*sqrt(-c^2*x^2 + 1)/(b*arcsin(c*x) + a), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x)),x)

[Out] Timed out

**Giac [B]** time = 1.39237, size = 1022, normalized size = 3.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -\cos(a/b)^8 \cos\_integral(8*a/b + 8*arcsin(c*x))/(b*c^3) - \cos(a/b)^7 \sin(a/b) \\ & \sin\_integral(8*a/b + 8*arcsin(c*x))/(b*c^3) + 2*\cos(a/b)^6 \cos\_integral(8*a/b + 8*arcsin(c*x))/(b*c^3) \\ & - \cos(a/b)^6 \cos\_integral(6*a/b + 6*arcsin(c*x))/(b*c^3) + 3/2*\cos(a/b)^5 \sin(a/b) \sin\_integral(8*a/b + 8*arcsin(c*x))/(b*c^3) \\ & - \cos(a/b)^5 \sin(a/b) \sin\_integral(6*a/b + 6*arcsin(c*x))/(b*c^3) - 5/4*\cos(a/b)^4 \cos\_integral(8*a/b + 8*arcsin(c*x))/(b*c^3) \\ & + 3/2*\cos(a/b)^4 \cos\_integral(6*a/b + 6*arcsin(c*x))/(b*c^3) - 1/4*\cos(a/b)^4 \cos\_integral(4*a/b + 4*arcsin(c*x))/(b*c^3) \\ & - 5/8*\cos(a/b)^3 \sin(a/b) \sin\_integral(8*a/b + 8*arcsin(c*x))/(b*c^3) + \cos(a/b)^3 \sin(a/b) \sin\_integral(6*a/b + 6*arcsin(c*x))/(b*c^3) \\ & - 1/4*\cos(a/b)^3 \sin(a/b) \sin\_integral(4*a/b + 4*arcsin(c*x))/(b*c^3) + 1/4*\cos(a/b)^2 \cos\_integral(8*a/b + 8*arcsin(c*x))/(b*c^3) \\ & - 9/16*\cos(a/b)^2 \cos\_integral(6*a/b + 6*arcsin(c*x))/(b*c^3) + 1/4*\cos(a/b)^2 \cos\_integral(4*a/b + 4*arcsin(c*x))/(b*c^3) \\ & + 1/16*\cos(a/b)^2 \cos\_integral(2*a/b + 2*arcsin(c*x))/(b*c^3) + 1/16*\cos(a/b) \sin(a/b) \sin\_integral(8*a/b + 8*arcsin(c*x))/(b*c^3) \\ & - 3/16*\cos(a/b) \sin(a/b) \sin\_integral(6*a/b + 6*arcsin(c*x))/(b*c^3) + 1/8*\cos(a/b) \sin(a/b) \sin\_integral(4*a/b + 4*arcsin(c*x))/(b*c^3) \\ & + 1/16*\cos(a/b) \sin(a/b) \sin\_integral(2*a/b + 2*arcsin(c*x))/(b*c^3) - 1/128*\cos\_integral(8*a/b + 8*arcsin(c*x))/(b*c^3) \\ & + 1/32*\cos\_integral(6*a/b + 6*arcsin(c*x))/(b*c^3) - 1/32*\cos\_integral(4*a/b + 4*arcsin(c*x))/(b*c^3) \\ & - 1/32*\cos\_integral(2*a/b + 2*arcsin(c*x))/(b*c^3) + 5/128*\log(b*arcsin(c*x) + a)/(b*c^3) \end{aligned}$$

$$3.335 \quad \int \frac{x(1-c^2x^2)^{5/2}}{a+b \sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=245

$$\frac{5 \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{64bc^2} - \frac{9 \sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3(a+b \sin^{-1}(cx))}{b}\right)}{64bc^2} - \frac{5 \sin\left(\frac{5a}{b}\right) \operatorname{CosIntegral}\left(\frac{5(a+b \sin^{-1}(cx))}{b}\right)}{64bc^2}$$

[Out] (-5\*CosIntegral[(a + b\*ArcSin[c\*x])/b]\*Sin[a/b])/(64\*b\*c^2) - (9\*CosIntegral[(3\*(a + b\*ArcSin[c\*x]))/b]\*Sin[(3\*a)/b])/(64\*b\*c^2) - (5\*CosIntegral[(5\*(a + b\*ArcSin[c\*x]))/b]\*Sin[(5\*a)/b])/(64\*b\*c^2) - (CosIntegral[(7\*(a + b\*ArcSin[c\*x]))/b]\*Sin[(7\*a)/b])/(64\*b\*c^2) + (5\*Cos[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(64\*b\*c^2) + (9\*Cos[(3\*a)/b]\*SinIntegral[(3\*(a + b\*ArcSin[c\*x]))/b])/(64\*b\*c^2) + (5\*Cos[(5\*a)/b]\*SinIntegral[(5\*(a + b\*ArcSin[c\*x]))/b])/(64\*b\*c^2) + (Cos[(7\*a)/b]\*SinIntegral[(7\*(a + b\*ArcSin[c\*x]))/b])/(64\*b\*c^2)

**Rubi [A]** time = 0.447002, antiderivative size = 241, normalized size of antiderivative = 0.98, number of steps used = 15, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {4723, 4406, 3303, 3299, 3302}

$$\frac{5 \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{64bc^2} - \frac{9 \sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{64bc^2} - \frac{5 \sin\left(\frac{5a}{b}\right) \operatorname{CosIntegral}\left(\frac{5a}{b} + 5 \sin^{-1}(cx)\right)}{64bc^2}$$

Antiderivative was successfully verified.

[In] Int[(x\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x]),x]

[Out] (-5\*CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b])/(64\*b\*c^2) - (9\*CosIntegral[(3\*a)/b + 3\*ArcSin[c\*x]]\*Sin[(3\*a)/b])/(64\*b\*c^2) - (5\*CosIntegral[(5\*a)/b + 5\*ArcSin[c\*x]]\*Sin[(5\*a)/b])/(64\*b\*c^2) - (CosIntegral[(7\*a)/b + 7\*ArcSin[c\*x]]\*Sin[(7\*a)/b])/(64\*b\*c^2) + (5\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(64\*b\*c^2) + (9\*Cos[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(64\*b\*c^2) + (5\*Cos[(5\*a)/b]\*SinIntegral[(5\*a)/b + 5\*ArcSin[c\*x]])/(64\*b\*c^2) + (Cos[(7\*a)/b]\*SinIntegral[(7\*a)/b + 7\*ArcSin[c\*x]])/(64\*b\*c^2)

**Rule 4723**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^(n\_.)\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*c



```
os[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])
```

#### Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

#### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

#### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{x(1-c^2x^2)^{5/2}}{a+b\sin^{-1}(cx)} dx &= \frac{\text{Subst}\left(\int \frac{\cos^6(x)\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c^2} \\
&= \frac{\text{Subst}\left(\int \left(\frac{5\sin(x)}{64(a+bx)} + \frac{9\sin(3x)}{64(a+bx)} + \frac{5\sin(5x)}{64(a+bx)} + \frac{\sin(7x)}{64(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{c^2} \\
&= \frac{\text{Subst}\left(\int \frac{\sin(7x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{64c^2} + \frac{5\text{Subst}\left(\int \frac{\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{64c^2} + \frac{5\text{Subst}\left(\int \frac{\sin(5x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{64c^2} \\
&= \frac{\left(5\cos\left(\frac{a}{b}\right)\right)\text{Subst}\left(\int \frac{\sin\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{64c^2} + \frac{\left(9\cos\left(\frac{3a}{b}\right)\right)\text{Subst}\left(\int \frac{\sin\left(\frac{3a}{b}+3x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{64c^2} \\
&= -\frac{5\text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)\sin\left(\frac{a}{b}\right)}{64bc^2} - \frac{9\text{Ci}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)\sin\left(\frac{3a}{b}\right)}{64bc^2} - \frac{5\text{Ci}\left(\frac{5a}{b} + 5\sin^{-1}(cx)\right)\sin\left(\frac{5a}{b}\right)}{64bc^2}
\end{aligned}$$

**Mathematica [A]** time = 0.914393, size = 180, normalized size = 0.73

$$\frac{-5\sin\left(\frac{a}{b}\right)\text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) - 9\sin\left(\frac{3a}{b}\right)\text{CosIntegral}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) - 5\sin\left(\frac{5a}{b}\right)\text{CosIntegral}\left(5\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)}{64bc^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x]),x]

[Out] (-5\*CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b] - 9\*CosIntegral[3\*(a/b + ArcSin[c\*x]]\*Sin[(3\*a)/b] - 5\*CosIntegral[5\*(a/b + ArcSin[c\*x]]\*Sin[(5\*a)/b] - CosIntegral[7\*(a/b + ArcSin[c\*x]]\*Sin[(7\*a)/b] + 5\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] + 9\*Cos[(3\*a)/b]\*SinIntegral[3\*(a/b + ArcSin[c\*x])] + 5\*Cos[(5\*a)/b]\*SinIntegral[5\*(a/b + ArcSin[c\*x])] + Cos[(7\*a)/b]\*SinIntegral[7\*(a/b + ArcSin[c\*x])])/(64\*b\*c^2)

**Maple [A]** time = 0.048, size = 185, normalized size = 0.8

$$\frac{1}{64c^2b} \left( 9\text{Si}\left(3\arcsin(cx) + 3\frac{a}{b}\right)\cos\left(3\frac{a}{b}\right) - 9\text{Ci}\left(3\arcsin(cx) + 3\frac{a}{b}\right)\sin\left(3\frac{a}{b}\right) + 5\text{Si}\left(\arcsin(cx) + \frac{a}{b}\right)\cos\left(\frac{a}{b}\right) - 5\text{Ci}\left(\arcsin(cx) + \frac{a}{b}\right)\sin\left(\frac{a}{b}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x)),x)`

[Out]  $\frac{1}{64c^2} (9\text{Si}(3\arcsin(cx)+3a/b)\cos(3a/b) - 9\text{Ci}(3\arcsin(cx)+3a/b)\sin(3a/b) + 5\text{Si}(\arcsin(cx)+a/b)\cos(a/b) - 5\text{Ci}(\arcsin(cx)+a/b)\sin(a/b) + \text{Si}(7\arcsin(cx)+7a/b)\cos(7a/b) - \text{Ci}(7\arcsin(cx)+7a/b)\sin(7a/b) + 5\text{Si}(5\arcsin(cx)+5a/b)\cos(5a/b) - 5\text{Ci}(5\arcsin(cx)+5a/b)\sin(5a/b)) / b$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}x}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `integrate((-c^2*x^2 + 1)^(5/2)*x/(b*arcsin(c*x) + a), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(c^4x^5 - 2c^2x^3 + x)\sqrt{-c^2x^2 + 1}}{b \arcsin(cx) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral((c^4*x^5 - 2*c^2*x^3 + x)*sqrt(-c^2*x^2 + 1)/(b*arcsin(c*x) + a), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x)),x)

[Out] Timed out

**Giac [B]** time = 1.4237, size = 829, normalized size = 3.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -\cos(a/b)^6 \cos\_integral(7a/b + 7\arcsin(cx)) \sin(a/b) / (b^2 c^2) + \cos(a/b) \\ & ^7 \sin\_integral(7a/b + 7\arcsin(cx)) / (b^2 c^2) + 5/4 \cos(a/b)^4 \cos\_integral \\ & 1(7a/b + 7\arcsin(cx)) \sin(a/b) / (b^2 c^2) - 5/4 \cos(a/b)^4 \cos\_integral(5a \\ & /b + 5\arcsin(cx)) \sin(a/b) / (b^2 c^2) - 7/4 \cos(a/b)^5 \sin\_integral(7a/b + \\ & 7\arcsin(cx)) / (b^2 c^2) + 5/4 \cos(a/b)^5 \sin\_integral(5a/b + 5\arcsin(cx)) \\ & / (b^2 c^2) - 3/8 \cos(a/b)^2 \cos\_integral(7a/b + 7\arcsin(cx)) \sin(a/b) / (b^2 c \\ & ^2) + 15/16 \cos(a/b)^2 \cos\_integral(5a/b + 5\arcsin(cx)) \sin(a/b) / (b^2 c^2) \\ & - 9/16 \cos(a/b)^2 \cos\_integral(3a/b + 3\arcsin(cx)) \sin(a/b) / (b^2 c^2) + 7 \\ & /8 \cos(a/b)^3 \sin\_integral(7a/b + 7\arcsin(cx)) / (b^2 c^2) - 25/16 \cos(a/b)^ \\ & 3 \sin\_integral(5a/b + 5\arcsin(cx)) / (b^2 c^2) + 9/16 \cos(a/b)^3 \sin\_integra \\ & 1(3a/b + 3\arcsin(cx)) / (b^2 c^2) + 1/64 \cos\_integral(7a/b + 7\arcsin(cx)) \\ & \sin(a/b) / (b^2 c^2) - 5/64 \cos\_integral(5a/b + 5\arcsin(cx)) \sin(a/b) / (b^2 c^ \\ & 2) + 9/64 \cos\_integral(3a/b + 3\arcsin(cx)) \sin(a/b) / (b^2 c^2) - 5/64 \cos\_i \\ & ntegral(a/b + \arcsin(cx)) \sin(a/b) / (b^2 c^2) - 7/64 \cos(a/b) \sin\_integral(7* \\ & a/b + 7\arcsin(cx)) / (b^2 c^2) + 25/64 \cos(a/b) \sin\_integral(5a/b + 5\arcsin \\ & (cx)) / (b^2 c^2) - 27/64 \cos(a/b) \sin\_integral(3a/b + 3\arcsin(cx)) / (b^2 c^2) \\ & + 5/64 \cos(a/b) \sin\_integral(a/b + \arcsin(cx)) / (b^2 c^2) \end{aligned}$$

$$3.336 \quad \int \frac{(1-c^2x^2)^{5/2}}{a+b \sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=206

$$\frac{15 \cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2(a+b \sin^{-1}(cx))}{b}\right)}{32bc} + \frac{3 \cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left(\frac{4(a+b \sin^{-1}(cx))}{b}\right)}{16bc} + \frac{\cos\left(\frac{6a}{b}\right) \text{CosIntegral}\left(\frac{6(a+b \sin^{-1}(cx))}{b}\right)}{32bc}$$

[Out] (15\*Cos[(2\*a)/b]\*CosIntegral[(2\*(a + b\*ArcSin[c\*x]))/b])/(32\*b\*c) + (3\*Cos[(4\*a)/b]\*CosIntegral[(4\*(a + b\*ArcSin[c\*x]))/b])/(16\*b\*c) + (Cos[(6\*a)/b]\*CosIntegral[(6\*(a + b\*ArcSin[c\*x]))/b])/(32\*b\*c) + (5\*Log[a + b\*ArcSin[c\*x]])/(16\*b\*c) + (15\*Sin[(2\*a)/b]\*SinIntegral[(2\*(a + b\*ArcSin[c\*x]))/b])/(32\*b\*c) + (3\*Sin[(4\*a)/b]\*SinIntegral[(4\*(a + b\*ArcSin[c\*x]))/b])/(16\*b\*c) + (Sin[(6\*a)/b]\*SinIntegral[(6\*(a + b\*ArcSin[c\*x]))/b])/(32\*b\*c)

**Rubi [A]** time = 0.320551, antiderivative size = 206, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4661, 3312, 3303, 3299, 3302}

$$\frac{15 \cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{32bc} + \frac{3 \cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left(\frac{4a}{b} + 4 \sin^{-1}(cx)\right)}{16bc} + \frac{\cos\left(\frac{6a}{b}\right) \text{CosIntegral}\left(\frac{6a}{b}\right)}{32bc}$$

Antiderivative was successfully verified.

[In] Int[(1 - c^2\*x^2)^(5/2)/(a + b\*ArcSin[c\*x]),x]

[Out] (15\*Cos[(2\*a)/b]\*CosIntegral[(2\*a)/b + 2\*ArcSin[c\*x]])/(32\*b\*c) + (3\*Cos[(4\*a)/b]\*CosIntegral[(4\*a)/b + 4\*ArcSin[c\*x]])/(16\*b\*c) + (Cos[(6\*a)/b]\*CosIntegral[(6\*a)/b + 6\*ArcSin[c\*x]])/(32\*b\*c) + (5\*Log[a + b\*ArcSin[c\*x]])/(16\*b\*c) + (15\*Sin[(2\*a)/b]\*SinIntegral[(2\*a)/b + 2\*ArcSin[c\*x]])/(32\*b\*c) + (3\*Sin[(4\*a)/b]\*SinIntegral[(4\*a)/b + 4\*ArcSin[c\*x]])/(16\*b\*c) + (Sin[(6\*a)/b]\*SinIntegral[(6\*a)/b + 6\*ArcSin[c\*x]])/(32\*b\*c)

### Rule 4661

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c, Subst[Int[(a + b\*x)^n\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p, 0] && (IntegerQ[p] || GtQ[d, 0])

Rule 3312

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(1 - c^2 x^2)^{5/2}}{a + b \sin^{-1}(cx)} dx &= \frac{\text{Subst}\left(\int \frac{\cos^6(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{5}{16(a+bx)} + \frac{15 \cos(2x)}{32(a+bx)} + \frac{3 \cos(4x)}{16(a+bx)} + \frac{\cos(6x)}{32(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{c} \\
 &= \frac{5 \log(a + b \sin^{-1}(cx))}{16bc} + \frac{\text{Subst}\left(\int \frac{\cos(6x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{32c} + \frac{3 \text{Subst}\left(\int \frac{\cos(4x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16c} \\
 &= \frac{5 \log(a + b \sin^{-1}(cx))}{16bc} + \frac{\left(15 \cos\left(\frac{2a}{b}\right)\right) \text{Subst}\left(\int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{32c} + \frac{\left(3 \cos\left(\frac{4a}{b}\right)\right) \text{Subst}\left(\int \frac{\cos\left(\frac{4a}{b} + 4x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16c} \\
 &= \frac{15 \cos\left(\frac{2a}{b}\right) \text{Ci}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{32bc} + \frac{3 \cos\left(\frac{4a}{b}\right) \text{Ci}\left(\frac{4a}{b} + 4 \sin^{-1}(cx)\right)}{16bc} + \frac{\cos\left(\frac{6a}{b}\right) \text{Ci}\left(\frac{6a}{b} + 6 \sin^{-1}(cx)\right)}{32bc}
 \end{aligned}$$

**Mathematica [A]** time = 0.682498, size = 165, normalized size = 0.8

$$15 \cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + 6 \cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left(4\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \cos\left(\frac{6a}{b}\right) \text{CosIntegral}\left(6\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)$$


---

Antiderivative was successfully verified.

[In] Integrate[(1 - c^2\*x^2)^(5/2)/(a + b\*ArcSin[c\*x]),x]

[Out] (15\*Cos[(2\*a)/b]\*CosIntegral[2\*(a/b + ArcSin[c\*x])] + 6\*Cos[(4\*a)/b]\*CosIntegral[4\*(a/b + ArcSin[c\*x])] + Cos[(6\*a)/b]\*CosIntegral[6\*(a/b + ArcSin[c\*x])]) + 18\*Log[a + b\*ArcSin[c\*x]] - 8\*Log[8\*(a + b\*ArcSin[c\*x])] + 15\*Sin[(2\*a)/b]\*SinIntegral[2\*(a/b + ArcSin[c\*x])] + 6\*Sin[(4\*a)/b]\*SinIntegral[4\*(a/b + ArcSin[c\*x])] + Sin[(6\*a)/b]\*SinIntegral[6\*(a/b + ArcSin[c\*x])])/(32\*b\*c)

---

**Maple [A]** time = 0.044, size = 193, normalized size = 0.9

$$\frac{15}{32cb} \text{Si}\left(2 \arcsin(cx) + 2\frac{a}{b}\right) \sin\left(2\frac{a}{b}\right) + \frac{15}{32cb} \text{Ci}\left(2 \arcsin(cx) + 2\frac{a}{b}\right) \cos\left(2\frac{a}{b}\right) + \frac{1}{32cb} \text{Si}\left(6 \arcsin(cx) + 6\frac{a}{b}\right) \sin\left(6\frac{a}{b}\right) + \frac{1}{32cb} \text{Ci}\left(6 \arcsin(cx) + 6\frac{a}{b}\right) \cos\left(6\frac{a}{b}\right) + \frac{3}{16cb} \text{Si}\left(4 \arcsin(cx) + 4\frac{a}{b}\right) \sin\left(4\frac{a}{b}\right) + \frac{3}{16cb} \text{Ci}\left(4 \arcsin(cx) + 4\frac{a}{b}\right) \cos\left(4\frac{a}{b}\right) + \frac{5}{16} \ln(a + b \arcsin(cx)) / b/c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x)

[Out] 15/32/c/b\*Si(2\*arcsin(c\*x)+2\*a/b)\*sin(2\*a/b)+15/32/c/b\*Ci(2\*arcsin(c\*x)+2\*a/b)\*cos(2\*a/b)+1/32/c/b\*Si(6\*arcsin(c\*x)+6\*a/b)\*sin(6\*a/b)+1/32/c/b\*Ci(6\*arcsin(c\*x)+6\*a/b)\*cos(6\*a/b)+3/16/c/b\*Si(4\*arcsin(c\*x)+4\*a/b)\*sin(4\*a/b)+3/16/c/b\*Ci(4\*arcsin(c\*x)+4\*a/b)\*cos(4\*a/b)+5/16\*ln(a+b\*arcsin(c\*x))/b/c

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate((-c^2\*x^2 + 1)^(5/2)/(b\*arcsin(c\*x) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(c^4x^4 - 2c^2x^2 + 1)\sqrt{-c^2x^2 + 1}}{b \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral((c^4\*x^4 - 2\*c^2\*x^2 + 1)\*sqrt(-c^2\*x^2 + 1)/(b\*arcsin(c\*x) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x)),x)

[Out] Timed out

**Giac [B]** time = 1.41033, size = 637, normalized size = 3.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] cos(a/b)^6\*cos\_integral(6\*a/b + 6\*arcsin(c\*x))/(b\*c) + cos(a/b)^5\*sin(a/b)\*sin\_integral(6\*a/b + 6\*arcsin(c\*x))/(b\*c) - 3/2\*cos(a/b)^4\*cos\_integral(6\*a/b + 6\*arcsin(c\*x))/(b\*c) + 3/2\*cos(a/b)^4\*cos\_integral(4\*a/b + 4\*arcsin(c\*x))/(b\*c) - cos(a/b)^3\*sin(a/b)\*sin\_integral(6\*a/b + 6\*arcsin(c\*x))/(b\*c) +



$$\begin{aligned}
& \frac{3}{2} \cos(a/b)^3 \sin(a/b) \operatorname{Si}(4a/b + 4\arcsin(cx)) / (b*c) + \frac{9}{16} \cos(a/b)^2 \operatorname{Ci}(6a/b + 6\arcsin(cx)) / (b*c) - \frac{3}{2} \cos(a/b)^2 \operatorname{Si}(4a/b + 4\arcsin(cx)) / (b*c) \\
& + \frac{15}{16} \cos(a/b)^2 \operatorname{Ci}(2a/b + 2\arcsin(cx)) / (b*c) + \frac{3}{16} \cos(a/b) \sin(a/b) \operatorname{Si}(6a/b + 6\arcsin(cx)) / (b*c) - \frac{3}{4} \cos(a/b) \sin(a/b) \operatorname{Si}(4a/b + 4\arcsin(cx)) / (b*c) \\
& + \frac{15}{16} \cos(a/b) \sin(a/b) \operatorname{Si}(2a/b + 2\arcsin(cx)) / (b*c) - \frac{1}{32} \operatorname{Ci}(6a/b + 6\arcsin(cx)) / (b*c) + \frac{3}{16} \operatorname{Ci}(4a/b + 4\arcsin(cx)) / (b*c) - \frac{15}{32} \operatorname{Ci}(2a/b + 2\arcsin(cx)) / (b*c) + \frac{5}{16} \log(b\arcsin(cx) + a) / (b*c)
\end{aligned}$$

$$3.337 \quad \int \frac{(1-c^2x^2)^{5/2}}{x(a+b\sin^{-1}(cx))} dx$$

Optimal. Leaf size=195

$$\text{Unintegrable} \left( \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}, x \right) + \frac{11 \sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{8b} + \frac{7 \sin\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{16b}$$

```
[Out] (11*CosIntegral[(a + b*ArcSin[c*x])/b]*Sin[a/b])/(8*b) + (7*CosIntegral[(3*(a + b*ArcSin[c*x])/b)*Sin[(3*a)/b])/(16*b) + (CosIntegral[(5*(a + b*ArcSin[c*x])/b]*Sin[(5*a)/b])/(16*b) - (11*Cos[a/b]*SinIntegral[(a + b*ArcSin[c*x])/b])/(8*b) - (7*Cos[(3*a)/b]*SinIntegral[(3*(a + b*ArcSin[c*x])/b])/(16*b) - (Cos[(5*a)/b]*SinIntegral[(5*(a + b*ArcSin[c*x])/b])/(16*b) + Unintegrable[1/(x*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])), x]
```

---

**Rubi [A]** time = 1.14507, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(1-c^2x^2)^{5/2}}{x(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

```
[In] Int[(1 - c^2*x^2)^(5/2)/(x*(a + b*ArcSin[c*x])),x]
```

```
[Out] (11*CosIntegral[a/b + ArcSin[c*x]]*Sin[a/b])/(8*b) + (7*CosIntegral[(3*a)/b + 3*ArcSin[c*x]]*Sin[(3*a)/b])/(16*b) + (CosIntegral[(5*a)/b + 5*ArcSin[c*x]]*Sin[(5*a)/b])/(16*b) - (11*Cos[a/b]*SinIntegral[a/b + ArcSin[c*x]])/(8*b) - (7*Cos[(3*a)/b]*SinIntegral[(3*a)/b + 3*ArcSin[c*x]])/(16*b) - (Cos[(5*a)/b]*SinIntegral[(5*a)/b + 5*ArcSin[c*x]])/(16*b) + Defer[Int][1/(x*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])), x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(1-c^2x^2)^{5/2}}{x(a+b\sin^{-1}(cx))} dx &= \int \left( \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} - \frac{3c^2x}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} + \frac{3c^4x^3}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} \right) dx \\
&= -\left( (3c^2) \int \frac{x}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx \right) + (3c^4) \int \frac{x^3}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx - c^6 \int \frac{x^5}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx \\
&= -\left( 3 \operatorname{Subst} \left( \int \frac{\sin(x)}{a+bx} dx, x, \sin^{-1}(cx) \right) \right) + 3 \operatorname{Subst} \left( \int \frac{\sin^3(x)}{a+bx} dx, x, \sin^{-1}(cx) \right) + \int \frac{x^5}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx \\
&= 3 \operatorname{Subst} \left( \int \left( \frac{3\sin(x)}{4(a+bx)} - \frac{\sin(3x)}{4(a+bx)} \right) dx, x, \sin^{-1}(cx) \right) - \left( 3 \cos\left(\frac{a}{b}\right) \right) \operatorname{Subst} \left( \int \frac{\sin\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right) \\
&= \frac{3\operatorname{Ci}\left(\frac{a}{b}+\sin^{-1}(cx)\right)\sin\left(\frac{a}{b}\right)}{b} - \frac{3\cos\left(\frac{a}{b}\right)\operatorname{Si}\left(\frac{a}{b}+\sin^{-1}(cx)\right)}{b} - \frac{1}{16} \operatorname{Subst} \left( \int \frac{\sin(5x)}{a+bx} dx, x, \sin^{-1}(cx) \right) \\
&= \frac{3\operatorname{Ci}\left(\frac{a}{b}+\sin^{-1}(cx)\right)\sin\left(\frac{a}{b}\right)}{b} - \frac{3\cos\left(\frac{a}{b}\right)\operatorname{Si}\left(\frac{a}{b}+\sin^{-1}(cx)\right)}{b} - \frac{1}{8} \left( 5 \cos\left(\frac{a}{b}\right) \right) \operatorname{Subst} \left( \int \frac{\sin\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right) \\
&= \frac{11\operatorname{Ci}\left(\frac{a}{b}+\sin^{-1}(cx)\right)\sin\left(\frac{a}{b}\right)}{8b} + \frac{7\operatorname{Ci}\left(\frac{3a}{b}+3\sin^{-1}(cx)\right)\sin\left(\frac{3a}{b}\right)}{16b} + \frac{\operatorname{Ci}\left(\frac{5a}{b}+5\sin^{-1}(cx)\right)\sin\left(\frac{5a}{b}\right)}{16b}
\end{aligned}$$

**Mathematica [A]** time = 2.93012, size = 0, normalized size = 0.

$$\int \frac{(1-c^2x^2)^{5/2}}{x(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 - c^2\*x^2)^(5/2)/(x\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[(1 - c^2\*x^2)^(5/2)/(x\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 0.323, size = 0, normalized size = 0.

$$\int \frac{1}{x(a+b\arcsin(cx))} (-c^2x^2+1)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*x^2+1)^(5/2)/x/(a+b*arcsin(c*x)),x)`

[Out] `int((-c^2*x^2+1)^(5/2)/x/(a+b*arcsin(c*x)),x)`

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}}{(b \arcsin(cx) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(5/2)/x/(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `integrate((-c^2*x^2 + 1)^(5/2)/((b*arcsin(c*x) + a)*x), x)`

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(c^4x^4 - 2c^2x^2 + 1)\sqrt{-c^2x^2 + 1}}{bx \arcsin(cx) + ax}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(5/2)/x/(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral((c^4*x^4 - 2*c^2*x^2 + 1)*sqrt(-c^2*x^2 + 1)/(b*x*arcsin(c*x) + a*x), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c**2*x**2+1)**(5/2)/x/(a+b*asin(c*x)),x)`

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}}{(b \arcsin(cx) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/x/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate((-c^2\*x^2 + 1)^(5/2)/((b\*arcsin(c\*x) + a)\*x), x)

$$3.338 \quad \int \frac{(1-c^2x^2)^{5/2}}{x^2(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=160

$$\text{Unintegrable} \left( \frac{1}{x^2 \sqrt{1-c^2x^2} (a+b\sin^{-1}(cx))}, x \right) - \frac{c \cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{b} - \frac{c \cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left(\frac{4(a+b\sin^{-1}(cx))}{b}\right)}{8b}$$

```
[Out] -((c*Cos[(2*a)/b]*CosIntegral[(2*(a + b*ArcSin[c*x]))/b])/b) - (c*Cos[(4*a)/b]*CosIntegral[(4*(a + b*ArcSin[c*x]))/b])/(8*b) - (15*c*Log[a + b*ArcSin[c*x]])/(8*b) - (c*Sin[(2*a)/b]*SinIntegral[(2*(a + b*ArcSin[c*x]))/b])/b - (c*Sin[(4*a)/b]*SinIntegral[(4*(a + b*ArcSin[c*x]))/b])/(8*b) + Unintegrable[1/(x^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])), x]
```

**Rubi [A]** time = 0.932534, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(1-c^2x^2)^{5/2}}{x^2(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

```
[In] Int[(1 - c^2*x^2)^(5/2)/(x^2*(a + b*ArcSin[c*x])),x]
```

```
[Out] -((c*Cos[(2*a)/b]*CosIntegral[(2*a)/b + 2*ArcSin[c*x]])/b) - (c*Cos[(4*a)/b]*CosIntegral[(4*a)/b + 4*ArcSin[c*x]])/(8*b) - (15*c*Log[a + b*ArcSin[c*x]])/(8*b) - (c*Sin[(2*a)/b]*SinIntegral[(2*a)/b + 2*ArcSin[c*x]])/b - (c*Sin[(4*a)/b]*SinIntegral[(4*a)/b + 4*ArcSin[c*x]])/(8*b) + Defer[Int][1/(x^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])), x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(1-c^2x^2)^{5/2}}{x^2(a+b\sin^{-1}(cx))} dx &= \int \left( -\frac{3c^2}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} + \frac{1}{x^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} + \frac{3c^4x^2}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} \right) dx \\
&= -\left( (3c^2) \int \frac{1}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx \right) + (3c^4) \int \frac{x^2}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx - c^6 \\
&= -\frac{3c \log(a+b\sin^{-1}(cx))}{b} - c \operatorname{Subst} \left( \int \frac{\sin^4(x)}{a+bx} dx, x, \sin^{-1}(cx) \right) + (3c) \operatorname{Subst} \left( \int \frac{\sin^2(x)}{a+bx} dx, x, \sin^{-1}(cx) \right) \\
&= -\frac{3c \log(a+b\sin^{-1}(cx))}{b} - c \operatorname{Subst} \left( \int \left( \frac{3}{8(a+bx)} - \frac{\cos(2x)}{2(a+bx)} + \frac{\cos(4x)}{8(a+bx)} \right) dx, x, \sin^{-1}(cx) \right) \\
&= -\frac{15c \log(a+b\sin^{-1}(cx))}{8b} - \frac{1}{8}c \operatorname{Subst} \left( \int \frac{\cos(4x)}{a+bx} dx, x, \sin^{-1}(cx) \right) + \frac{1}{2}c \operatorname{Subst} \left( \int \frac{\cos(2x)}{a+bx} dx, x, \sin^{-1}(cx) \right) \\
&= -\frac{15c \log(a+b\sin^{-1}(cx))}{8b} + \frac{1}{2} \left( c \cos\left(\frac{2a}{b}\right) \right) \operatorname{Subst} \left( \int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right) - \frac{1}{2} \\
&= -\frac{c \cos\left(\frac{2a}{b}\right) \operatorname{Ci}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{b} - \frac{c \cos\left(\frac{4a}{b}\right) \operatorname{Ci}\left(\frac{4a}{b} + 4\sin^{-1}(cx)\right)}{8b} - \frac{15c \log(a+b\sin^{-1}(cx))}{8b}
\end{aligned}$$

**Mathematica [A]** time = 1.06526, size = 0, normalized size = 0.

$$\int \frac{(1-c^2x^2)^{5/2}}{x^2(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 - c^2\*x^2)^(5/2)/(x^2\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[(1 - c^2\*x^2)^(5/2)/(x^2\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 0.335, size = 0, normalized size = 0.

$$\int \frac{1}{x^2(a+b\arcsin(cx))} (-c^2x^2+1)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*x^2+1)^(5/2)/x^2/(a+b*arcsin(c*x)),x)`

[Out] `int((-c^2*x^2+1)^(5/2)/x^2/(a+b*arcsin(c*x)),x)`

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}}{(b \arcsin(cx) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(5/2)/x^2/(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `integrate((-c^2*x^2 + 1)^(5/2)/((b*arcsin(c*x) + a)*x^2), x)`

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(c^4x^4 - 2c^2x^2 + 1)\sqrt{-c^2x^2 + 1}}{bx^2 \arcsin(cx) + ax^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(5/2)/x^2/(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral((c^4*x^4 - 2*c^2*x^2 + 1)*sqrt(-c^2*x^2 + 1)/(b*x^2*arcsin(c*x) + a*x^2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c**2*x**2+1)**(5/2)/x**2/(a+b*asin(c*x)),x)`



[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}}{(b \arcsin(cx) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/x^2/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate((-c^2\*x^2 + 1)^(5/2)/((b\*arcsin(c\*x) + a)\*x^2), x)

$$3.339 \quad \int \frac{(1-c^2x^2)^{5/2}}{x^3(a+b\sin^{-1}(cx))} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable} \left( \frac{(1-c^2x^2)^{5/2}}{x^3(a+b\sin^{-1}(cx))}, x \right)$$

[Out] Unintegrable[(1 - c^2\*x^2)^(5/2)/(x^3\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.142638, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(1-c^2x^2)^{5/2}}{x^3(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[(1 - c^2\*x^2)^(5/2)/(x^3\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int] [(1 - c^2\*x^2)^(5/2)/(x^3\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{(1-c^2x^2)^{5/2}}{x^3(a+b\sin^{-1}(cx))} dx = \int \frac{(1-c^2x^2)^{5/2}}{x^3(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 5.2262, size = 0, normalized size = 0.

$$\int \frac{(1-c^2x^2)^{5/2}}{x^3(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 - c^2\*x^2)^(5/2)/(x^3\*(a + b\*ArcSin[c\*x])),x]

[Out] Integrate[(1 - c^2\*x^2)^(5/2)/(x^3\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 2.24, size = 0, normalized size = 0.

$$\int \frac{1}{x^3 (a + b \arcsin(cx))} (-c^2x^2 + 1)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(5/2)/x^3/(a+b\*arcsin(c\*x)),x)

[Out] int((-c^2\*x^2+1)^(5/2)/x^3/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}}{(b \arcsin(cx) + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/x^3/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate((-c^2\*x^2 + 1)^(5/2)/((b\*arcsin(c\*x) + a)\*x^3), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(c^4x^4 - 2c^2x^2 + 1)\sqrt{-c^2x^2 + 1}}{bx^3 \arcsin(cx) + ax^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/x^3/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] `integral((c^4*x^4 - 2*c^2*x^2 + 1)*sqrt(-c^2*x^2 + 1)/(b*x^3*arcsin(c*x) + a*x^3), x)`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c**2*x**2+1)**(5/2)/x**3/(a+b*asin(c*x)), x)`

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}}{(b \arcsin(cx) + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(5/2)/x^3/(a+b*arcsin(c*x)), x, algorithm="giac")`

[Out] `integrate((-c^2*x^2 + 1)^(5/2)/((b*arcsin(c*x) + a)*x^3), x)`

$$3.340 \quad \int \frac{(1-c^2x^2)^{5/2}}{x^4(a+b\sin^{-1}(cx))} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable} \left( \frac{(1-c^2x^2)^{5/2}}{x^4(a+b\sin^{-1}(cx))}, x \right)$$

[Out] Unintegrable[(1 - c^2\*x^2)^(5/2)/(x^4\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.144791, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(1-c^2x^2)^{5/2}}{x^4(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[(1 - c^2\*x^2)^(5/2)/(x^4\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int] [(1 - c^2\*x^2)^(5/2)/(x^4\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{(1-c^2x^2)^{5/2}}{x^4(a+b\sin^{-1}(cx))} dx = \int \frac{(1-c^2x^2)^{5/2}}{x^4(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 0.848321, size = 0, normalized size = 0.

$$\int \frac{(1-c^2x^2)^{5/2}}{x^4(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 - c^2\*x^2)^(5/2)/(x^4\*(a + b\*ArcSin[c\*x])),x]

[Out] Integrate[(1 - c^2\*x^2)^(5/2)/(x^4\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 3.553, size = 0, normalized size = 0.

$$\int \frac{1}{x^4 (a + b \arcsin(cx))} (-c^2x^2 + 1)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(5/2)/x^4/(a+b\*arcsin(c\*x)),x)

[Out] int((-c^2\*x^2+1)^(5/2)/x^4/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}}{(b \arcsin(cx) + a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/x^4/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate((-c^2\*x^2 + 1)^(5/2)/((b\*arcsin(c\*x) + a)\*x^4), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(c^4x^4 - 2c^2x^2 + 1)\sqrt{-c^2x^2 + 1}}{bx^4 \arcsin(cx) + ax^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/x^4/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] `integral((c^4*x^4 - 2*c^2*x^2 + 1)*sqrt(-c^2*x^2 + 1)/(b*x^4*arcsin(c*x) + a*x^4), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c**2*x**2+1)**(5/2)/x**4/(a+b*asin(c*x)), x)`

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}}{(b \arcsin(cx) + a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(5/2)/x^4/(a+b*arcsin(c*x)), x, algorithm="giac")`

[Out] `integrate((-c^2*x^2 + 1)^(5/2)/((b*arcsin(c*x) + a)*x^4), x)`

$$3.341 \quad \int \frac{x^4}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

**Optimal.** Leaf size=41

$$-\frac{\text{CosIntegral}(2 \sin^{-1}(ax))}{2a^5} + \frac{\text{CosIntegral}(4 \sin^{-1}(ax))}{8a^5} + \frac{3 \log(\sin^{-1}(ax))}{8a^5}$$

[Out] -CosIntegral[2\*ArcSin[a\*x]]/(2\*a^5) + CosIntegral[4\*ArcSin[a\*x]]/(8\*a^5) + (3\*Log[ArcSin[a\*x]])/(8\*a^5)

**Rubi [A]** time = 0.158949, antiderivative size = 41, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {4723, 3312, 3302}

$$-\frac{\text{CosIntegral}(2 \sin^{-1}(ax))}{2a^5} + \frac{\text{CosIntegral}(4 \sin^{-1}(ax))}{8a^5} + \frac{3 \log(\sin^{-1}(ax))}{8a^5}$$

Antiderivative was successfully verified.

[In] Int[x^4/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]),x]

[Out] -CosIntegral[2\*ArcSin[a\*x]]/(2\*a^5) + CosIntegral[4\*ArcSin[a\*x]]/(8\*a^5) + (3\*Log[ArcSin[a\*x]])/(8\*a^5)

#### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

#### Rule 3312

Int[((c\_.) + (d\_.)\*(x\_)^(m\_))\*sin[(e\_.) + (f\_.)\*(x\_)^(n\_)], x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

#### Rule 3302



```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^4}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx &= \frac{\text{Subst}\left(\int \frac{\sin^4(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^5} \\ &= \frac{\text{Subst}\left(\int \left(\frac{3}{8x} - \frac{\cos(2x)}{2x} + \frac{\cos(4x)}{8x}\right) dx, x, \sin^{-1}(ax)\right)}{a^5} \\ &= \frac{3 \log(\sin^{-1}(ax))}{8a^5} + \frac{\text{Subst}\left(\int \frac{\cos(4x)}{x} dx, x, \sin^{-1}(ax)\right)}{8a^5} - \frac{\text{Subst}\left(\int \frac{\cos(2x)}{x} dx, x, \sin^{-1}(ax)\right)}{2a^5} \\ &= -\frac{\text{Ci}(2 \sin^{-1}(ax))}{2a^5} + \frac{\text{Ci}(4 \sin^{-1}(ax))}{8a^5} + \frac{3 \log(\sin^{-1}(ax))}{8a^5} \end{aligned}$$

**Mathematica [A]** time = 0.0718342, size = 31, normalized size = 0.76

$$\frac{-4\text{CosIntegral}(2 \sin^{-1}(ax)) + \text{CosIntegral}(4 \sin^{-1}(ax)) + 3 \log(\sin^{-1}(ax))}{8a^5}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^4/(Sqrt[1 - a^2*x^2]*ArcSin[a*x]), x]
```

```
[Out] (-4*CosIntegral[2*ArcSin[a*x]] + CosIntegral[4*ArcSin[a*x]] + 3*Log[ArcSin[
a*x]])/(8*a^5)
```

**Maple [A]** time = 0.055, size = 36, normalized size = 0.9

$$-\frac{\text{Ci}(2 \arcsin(ax))}{2a^5} + \frac{\text{Ci}(4 \arcsin(ax))}{8a^5} + \frac{3 \ln(\arcsin(ax))}{8a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4/arcsin(a*x)/(-a^2*x^2+1)^(1/2), x)
```

[Out]  $-1/2*Ci(2*\arcsin(ax))/a^5+1/8*Ci(4*\arcsin(ax))/a^5+3/8*\ln(\arcsin(ax))/a^5$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4}{\sqrt{-a^2x^2+1} \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="maxima")`

[Out] `integrate(x^4/(sqrt(-a^2*x^2 + 1)*arcsin(a*x)), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2+1}x^4}{(a^2x^2-1)\arcsin(ax)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-a^2*x^2 + 1)*x^4/((a^2*x^2 - 1)*arcsin(a*x)), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4}{\sqrt{-(ax-1)(ax+1)} \operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4/asin(a*x)/(-a**2*x**2+1)**(1/2),x)`

[Out] `Integral(x**4/(sqrt(-(a*x - 1)*(a*x + 1))*asin(a*x)), x)`

---

**Giac [A]** time = 1.31518, size = 47, normalized size = 1.15

$$\frac{\text{Ci}(4 \arcsin(ax))}{8a^5} - \frac{\text{Ci}(2 \arcsin(ax))}{2a^5} + \frac{3 \log(\arcsin(ax))}{8a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] 1/8\*cos\_integral(4\*arcsin(a\*x))/a^5 - 1/2\*cos\_integral(2\*arcsin(a\*x))/a^5 + 3/8\*log(arcsin(a\*x))/a^5

$$3.342 \quad \int \frac{x^3}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

**Optimal.** Leaf size=27

$$\frac{3\text{Si}(\sin^{-1}(ax))}{4a^4} - \frac{\text{Si}(3\sin^{-1}(ax))}{4a^4}$$

[Out] (3\*SinIntegral[ArcSin[a\*x]])/(4\*a^4) - SinIntegral[3\*ArcSin[a\*x]]/(4\*a^4)

**Rubi [A]** time = 0.145394, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {4723, 3312, 3299}

$$\frac{3\text{Si}(\sin^{-1}(ax))}{4a^4} - \frac{\text{Si}(3\sin^{-1}(ax))}{4a^4}$$

Antiderivative was successfully verified.

[In] Int[x^3/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]),x]

[Out] (3\*SinIntegral[ArcSin[a\*x]])/(4\*a^4) - SinIntegral[3\*ArcSin[a\*x]]/(4\*a^4)

#### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

#### Rule 3312

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

#### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx &= \frac{\text{Subst}\left(\int \frac{\sin^3(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^4} \\
&= \frac{\text{Subst}\left(\int \left(\frac{3\sin(x)}{4x} - \frac{\sin(3x)}{4x}\right) dx, x, \sin^{-1}(ax)\right)}{a^4} \\
&= -\frac{\text{Subst}\left(\int \frac{\sin(3x)}{x} dx, x, \sin^{-1}(ax)\right)}{4a^4} + \frac{3 \text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \sin^{-1}(ax)\right)}{4a^4} \\
&= \frac{3\text{Si}\left(\sin^{-1}(ax)\right)}{4a^4} - \frac{\text{Si}\left(3\sin^{-1}(ax)\right)}{4a^4}
\end{aligned}$$

**Mathematica [A]** time = 0.0604065, size = 24, normalized size = 0.89

$$\frac{3\text{Si}\left(\sin^{-1}(ax)\right) - \text{Si}\left(3\sin^{-1}(ax)\right)}{4a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]),x]

[Out] (3\*SinIntegral[ArcSin[a\*x]] - SinIntegral[3\*ArcSin[a\*x]])/(4\*a^4)

**Maple [A]** time = 0.049, size = 21, normalized size = 0.8

$$-\frac{\text{Si}(3 \arcsin(ax)) - 3 \text{Si}(\arcsin(ax))}{4a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x)

[Out] -1/4\*(Si(3\*arcsin(a\*x))-3\*Si(arcsin(a\*x)))/a^4

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{\sqrt{-a^2x^2 + 1} \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(x^3/(sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2 + 1}x^3}{(a^2x^2 - 1) \arcsin(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)\*x^3/((a^2\*x^2 - 1)\*arcsin(a\*x)), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{\sqrt{-(ax - 1)(ax + 1)} \operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/asin(a\*x)/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x\*\*3/(sqrt(-(a\*x - 1)\*(a\*x + 1))\*asin(a\*x)), x)

---

**Giac [A]** time = 1.35669, size = 31, normalized size = 1.15

$$-\frac{\operatorname{Si}(3 \arcsin(ax))}{4a^4} + \frac{3 \operatorname{Si}(\arcsin(ax))}{4a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="giac")
```

```
[Out] -1/4*sin_integral(3*arcsin(a*x))/a^4 + 3/4*sin_integral(arcsin(a*x))/a^4
```

$$3.343 \quad \int \frac{x^2}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

**Optimal.** Leaf size=27

$$\frac{\log(\sin^{-1}(ax))}{2a^3} - \frac{\text{CosIntegral}(2 \sin^{-1}(ax))}{2a^3}$$

[Out] -CosIntegral[2\*ArcSin[a\*x]]/(2\*a^3) + Log[ArcSin[a\*x]]/(2\*a^3)

**Rubi [A]** time = 0.136286, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {4723, 3312, 3302}

$$\frac{\log(\sin^{-1}(ax))}{2a^3} - \frac{\text{CosIntegral}(2 \sin^{-1}(ax))}{2a^3}$$

Antiderivative was successfully verified.

[In] Int[x^2/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]),x]

[Out] -CosIntegral[2\*ArcSin[a\*x]]/(2\*a^3) + Log[ArcSin[a\*x]]/(2\*a^3)

#### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

#### Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

#### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
```



c\*f, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx &= \frac{\text{Subst}\left(\int \frac{\sin^2(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^3} \\
&= \frac{\text{Subst}\left(\int \left(\frac{1}{2x} - \frac{\cos(2x)}{2x}\right) dx, x, \sin^{-1}(ax)\right)}{a^3} \\
&= \frac{\log(\sin^{-1}(ax))}{2a^3} - \frac{\text{Subst}\left(\int \frac{\cos(2x)}{x} dx, x, \sin^{-1}(ax)\right)}{2a^3} \\
&= -\frac{\text{Ci}(2 \sin^{-1}(ax))}{2a^3} + \frac{\log(\sin^{-1}(ax))}{2a^3}
\end{aligned}$$

**Mathematica [A]** time = 0.0580178, size = 22, normalized size = 0.81

$$\frac{\log(\sin^{-1}(ax)) - \text{CosIntegral}(2 \sin^{-1}(ax))}{2a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]), x]

[Out] (-CosIntegral[2\*ArcSin[a\*x]] + Log[ArcSin[a\*x]])/(2\*a^3)

**Maple [A]** time = 0.043, size = 24, normalized size = 0.9

$$-\frac{\text{Ci}(2 \arcsin(ax))}{2a^3} + \frac{\ln(\arcsin(ax))}{2a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2), x)

[Out] -1/2\*Ci(2\*arcsin(a\*x))/a^3+1/2\*ln(arcsin(a\*x))/a^3

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{\sqrt{-a^2x^2 + 1} \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(x^2/(sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2 + 1}x^2}{(a^2x^2 - 1) \arcsin(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)\*x^2/((a^2\*x^2 - 1)\*arcsin(a\*x)), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{\sqrt{-(ax - 1)(ax + 1)} \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/asin(a\*x)/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x\*\*2/(sqrt(-(a\*x - 1)\*(a\*x + 1))\*asin(a\*x)), x)

---

**Giac [A]** time = 1.31468, size = 31, normalized size = 1.15

$$-\frac{\text{Ci}(2 \arcsin(ax))}{2a^3} + \frac{\log(\arcsin(ax))}{2a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="giac")
```

```
[Out] -1/2*cos_integral(2*arcsin(a*x))/a^3 + 1/2*log(arcsin(a*x))/a^3
```

$$3.344 \quad \int \frac{x^2}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

**Optimal.** Leaf size=27

$$\frac{\log(\sin^{-1}(ax))}{2a^3} - \frac{\text{CosIntegral}(2 \sin^{-1}(ax))}{2a^3}$$

[Out] -CosIntegral[2\*ArcSin[a\*x]]/(2\*a^3) + Log[ArcSin[a\*x]]/(2\*a^3)

**Rubi [A]** time = 0.134613, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {4723, 3312, 3302}

$$\frac{\log(\sin^{-1}(ax))}{2a^3} - \frac{\text{CosIntegral}(2 \sin^{-1}(ax))}{2a^3}$$

Antiderivative was successfully verified.

[In] Int[x^2/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]),x]

[Out] -CosIntegral[2\*ArcSin[a\*x]]/(2\*a^3) + Log[ArcSin[a\*x]]/(2\*a^3)

#### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

#### Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

#### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
```

c\*f, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx &= \frac{\text{Subst}\left(\int \frac{\sin^2(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^3} \\
&= \frac{\text{Subst}\left(\int \left(\frac{1}{2x} - \frac{\cos(2x)}{2x}\right) dx, x, \sin^{-1}(ax)\right)}{a^3} \\
&= \frac{\log(\sin^{-1}(ax))}{2a^3} - \frac{\text{Subst}\left(\int \frac{\cos(2x)}{x} dx, x, \sin^{-1}(ax)\right)}{2a^3} \\
&= -\frac{\text{Ci}(2 \sin^{-1}(ax))}{2a^3} + \frac{\log(\sin^{-1}(ax))}{2a^3}
\end{aligned}$$

**Mathematica [A]** time = 0.0135606, size = 22, normalized size = 0.81

$$\frac{\log(\sin^{-1}(ax)) - \text{CosIntegral}(2 \sin^{-1}(ax))}{2a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]), x]

[Out] (-CosIntegral[2\*ArcSin[a\*x]] + Log[ArcSin[a\*x]])/(2\*a^3)

**Maple [A]** time = 0., size = 24, normalized size = 0.9

$$-\frac{\text{Ci}(2 \arcsin(ax))}{2a^3} + \frac{\ln(\arcsin(ax))}{2a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2), x)

[Out] -1/2\*Ci(2\*arcsin(a\*x))/a^3+1/2\*ln(arcsin(a\*x))/a^3

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{\sqrt{-a^2x^2 + 1} \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(x^2/(sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2 + 1}x^2}{(a^2x^2 - 1) \arcsin(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)\*x^2/((a^2\*x^2 - 1)\*arcsin(a\*x)), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{\sqrt{-(ax - 1)(ax + 1)} \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/asin(a\*x)/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x\*\*2/(sqrt(-(a\*x - 1)\*(a\*x + 1))\*asin(a\*x)), x)

---

**Giac [A]** time = 1.31592, size = 31, normalized size = 1.15

$$-\frac{\text{Ci}(2 \arcsin(ax))}{2a^3} + \frac{\log(\arcsin(ax))}{2a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="giac")
```

```
[Out] -1/2*cos_integral(2*arcsin(a*x))/a^3 + 1/2*log(arcsin(a*x))/a^3
```

$$3.345 \quad \int \frac{x}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

**Optimal.** Leaf size=9

$$\frac{\text{Si}(\sin^{-1}(ax))}{a^2}$$

[Out] SinIntegral[ArcSin[a\*x]]/a^2

**Rubi [A]** time = 0.0750753, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {4723, 3299}

$$\frac{\text{Si}(\sin^{-1}(ax))}{a^2}$$

Antiderivative was successfully verified.

[In] Int[x/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]),x]

[Out] SinIntegral[ArcSin[a\*x]]/a^2

#### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

#### Rubi steps



$$\int \frac{x}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx = \frac{\text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a^2}$$

$$= \frac{\text{Si}\left(\sin^{-1}(ax)\right)}{a^2}$$

**Mathematica [A]** time = 0.0482187, size = 9, normalized size = 1.

$$\frac{\text{Si}\left(\sin^{-1}(ax)\right)}{a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]),x]

[Out] SinIntegral[ArcSin[a\*x]]/a^2

**Maple [A]** time = 0.037, size = 10, normalized size = 1.1

$$\frac{\text{Si}(\arcsin(ax))}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x)

[Out] Si(arcsin(a\*x))/a^2

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{\sqrt{-a^2x^2+1} \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(x/(sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2 + 1}x}{(a^2x^2 - 1)\arcsin(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)\*x/((a^2\*x^2 - 1)\*arcsin(a\*x)), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{\sqrt{-(ax-1)(ax+1)} \operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/asin(a\*x)/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x/(sqrt(-(a\*x - 1)\*(a\*x + 1))\*asin(a\*x)), x)

---

**Giac [A]** time = 1.37371, size = 12, normalized size = 1.33

$$\frac{\operatorname{Si}(\arcsin(ax))}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] sin\_integral(arcsin(a\*x))/a^2

$$3.346 \quad \int \frac{1}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

Optimal. Leaf size=9

$$\frac{\log(\sin^{-1}(ax))}{a}$$

[Out] Log[ArcSin[a\*x]]/a

**Rubi [A]** time = 0.032975, antiderivative size = 9, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {4639}

$$\frac{\log(\sin^{-1}(ax))}{a}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]),x]

[Out] Log[ArcSin[a\*x]]/a

#### Rule 4639

Int[1/(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))\*Sqrt[(d\_.) + (e\_.)\*(x\_.)^2]), x\_Symbol] :> Simp[Log[a + b\*ArcSin[c\*x]]/(b\*c\*Sqrt[d]), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0]

#### Rubi steps

$$\int \frac{1}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx = \frac{\log(\sin^{-1}(ax))}{a}$$

**Mathematica [A]** time = 0.0185966, size = 9, normalized size = 1.

$$\frac{\log(\sin^{-1}(ax))}{a}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]),x]

[Out] Log[ArcSin[a\*x]]/a

**Maple [A]** time = 0.003, size = 10, normalized size = 1.1

$$\frac{\ln(\arcsin(ax))}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x)

[Out] ln(arcsin(a\*x))/a

**Maxima [A]** time = 1.87578, size = 12, normalized size = 1.33

$$\frac{\log(\arcsin(ax))}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] log(arcsin(a\*x))/a

**Fricas [A]** time = 1.85105, size = 28, normalized size = 3.11

$$\frac{\log(-\arcsin(ax))}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out]  $\log(-\arcsin(ax))/a$

**Sympy [A]** time = 0.496362, size = 7, normalized size = 0.78

$$\frac{\log(\operatorname{asin}(ax))}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/asin(a*x)/(-a**2*x**2+1)**(1/2),x)`

[Out]  $\log(\operatorname{asin}(ax))/a$

**Giac [A]** time = 1.2914, size = 14, normalized size = 1.56

$$\frac{\log(|\arcsin(ax)|)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="giac")`

[Out]  $\log(\operatorname{abs}(\arcsin(ax)))/a$

$$3.347 \quad \int \frac{1}{x\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

**Optimal.** Leaf size=26

$$\text{Unintegrable}\left(\frac{1}{x\sqrt{1-a^2x^2} \sin^{-1}(ax)}, x\right)$$

[Out] Unintegrable[1/(x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]), x]

**Rubi [A]** time = 0.0888625, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{x\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]),x]

[Out] Defer[Int][1/(x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]), x]

Rubi steps

$$\int \frac{1}{x\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx = \int \frac{1}{x\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

**Mathematica [A]** time = 1.18066, size = 0, normalized size = 0.

$$\int \frac{1}{x\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]),x]

[Out] Integrate[1/(x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]), x]

---

**Maple [A]** time = 0.092, size = 0, normalized size = 0.

$$\int \frac{1}{x \arcsin(ax)} \frac{1}{\sqrt{-a^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x)

[Out] int(1/x/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-a^2x^2+1}x \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-a^2\*x^2 + 1)\*x\*arcsin(a\*x)), x)

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2+1}}{(a^2x^3-x) \arcsin(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)/((a^2\*x^3 - x)\*arcsin(a\*x)), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x\sqrt{-(ax-1)(ax+1)} \operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/asin(a\*x)/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(1/(x\*sqrt(-(a\*x - 1)\*(a\*x + 1))\*asin(a\*x)), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-a^2x^2 + 1}x \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-a^2\*x^2 + 1)\*x\*arcsin(a\*x)), x)



$$3.348 \quad \int \frac{1}{x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

Optimal. Leaf size=26

$$\text{Unintegrable}\left(\frac{1}{x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)}, x\right)$$

[Out] Unintegrable[1/(x^2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]), x]

**Rubi [A]** time = 0.0923622, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]), x]

[Out] Defer[Int][1/(x^2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]), x]

Rubi steps

$$\int \frac{1}{x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)} dx = \int \frac{1}{x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

**Mathematica [A]** time = 0.107585, size = 0, normalized size = 0.

$$\int \frac{1}{x^2 \sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]), x]

[Out] Integrate[1/(x^2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]), x]

---

**Maple [A]** time = 0.134, size = 0, normalized size = 0.

$$\int \frac{1}{x^2 \arcsin(ax)} \frac{1}{\sqrt{-a^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x)

[Out] int(1/x^2/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-a^2x^2+1}x^2 \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-a^2\*x^2 + 1)\*x^2\*arcsin(a\*x)), x)

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2+1}}{(a^2x^4-x^2)\arcsin(ax)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)/((a^2\*x^4 - x^2)\*arcsin(a\*x)), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^2\sqrt{-(ax-1)(ax+1)}\operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/asin(a*x)/(-a**2*x**2+1)**(1/2),x)`

[Out] `Integral(1/(x**2*sqrt(-(a*x - 1)*(a*x + 1))*asin(a*x)), x)`

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-a^2x^2 + 1}x^2 \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="giac")`

[Out] `integrate(1/(sqrt(-a^2*x^2 + 1)*x^2*arcsin(a*x)), x)`

$$3.349 \quad \int \frac{x^5}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=183

$$-\frac{5 \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{8bc^6} + \frac{5 \sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{16bc^6} - \frac{\sin\left(\frac{5a}{b}\right) \operatorname{CosIntegral}\left(\frac{5(a+b\sin^{-1}(cx))}{b}\right)}{16bc^6}$$

[Out] (-5\*CosIntegral[(a + b\*ArcSin[c\*x])/b]\*Sin[a/b])/(8\*b\*c^6) + (5\*CosIntegral[(3\*(a + b\*ArcSin[c\*x])/b)\*Sin[(3\*a)/b])/(16\*b\*c^6) - (CosIntegral[(5\*(a + b\*ArcSin[c\*x])/b)\*Sin[(5\*a)/b])/(16\*b\*c^6) + (5\*Cos[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(8\*b\*c^6) - (5\*Cos[(3\*a)/b]\*SinIntegral[(3\*(a + b\*ArcSin[c\*x])/b])/(16\*b\*c^6) + (Cos[(5\*a)/b]\*SinIntegral[(5\*(a + b\*ArcSin[c\*x])/b])/(16\*b\*c^6)

**Rubi [A]** time = 0.37279, antiderivative size = 179, normalized size of antiderivative = 0.98, number of steps used = 12, number of rules used = 5, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$ , Rules used = {4723, 3312, 3303, 3299, 3302}

$$-\frac{5 \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{8bc^6} + \frac{5 \sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{16bc^6} - \frac{\sin\left(\frac{5a}{b}\right) \operatorname{CosIntegral}\left(\frac{5a}{b} + 5 \sin^{-1}(cx)\right)}{16bc^6}$$

Antiderivative was successfully verified.

[In] Int[x^5/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])),x]

[Out] (-5\*CosIntegral[a/b + ArcSin[c\*x]\*Sin[a/b])/(8\*b\*c^6) + (5\*CosIntegral[(3\*a)/b + 3\*ArcSin[c\*x]\*Sin[(3\*a)/b])/(16\*b\*c^6) - (CosIntegral[(5\*a)/b + 5\*ArcSin[c\*x]\*Sin[(5\*a)/b])/(16\*b\*c^6) + (5\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(8\*b\*c^6) - (5\*Cos[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(16\*b\*c^6) + (Cos[(5\*a)/b]\*SinIntegral[(5\*a)/b + 5\*ArcSin[c\*x]])/(16\*b\*c^6)

### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^(n\_.)\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

Rule 3312

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{x^5}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx &= \frac{\text{Subst}\left(\int \frac{\sin^5(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c^6} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{5\sin(x)}{8(a+bx)} - \frac{5\sin(3x)}{16(a+bx)} + \frac{\sin(5x)}{16(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{c^6} \\
 &= \frac{\text{Subst}\left(\int \frac{\sin(5x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16c^6} - \frac{5\text{Subst}\left(\int \frac{\sin(3x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16c^6} + \frac{5\text{Subst}\left(\int \frac{\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16c^6} \\
 &= \frac{\left(5\cos\left(\frac{a}{b}\right)\right)\text{Subst}\left(\int \frac{\sin\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8c^6} - \frac{\left(5\cos\left(\frac{3a}{b}\right)\right)\text{Subst}\left(\int \frac{\sin\left(\frac{3a}{b}+3x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16c^6} \\
 &= -\frac{5\text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)\sin\left(\frac{a}{b}\right)}{8bc^6} + \frac{5\text{Ci}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)\sin\left(\frac{3a}{b}\right)}{16bc^6} - \frac{\text{Ci}\left(\frac{5a}{b} + 5\sin^{-1}(cx)\right)\sin\left(\frac{5a}{b}\right)}{16bc^6}
 \end{aligned}$$

**Mathematica [A]** time = 0.319395, size = 136, normalized size = 0.74

$$\frac{10 \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) - 5 \sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \sin\left(\frac{5a}{b}\right) \operatorname{CosIntegral}\left(5\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)}{16bc^6}$$

Antiderivative was successfully verified.

[In] Integrate[x^5/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])),x]

[Out] -(10\*CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b] - 5\*CosIntegral[3\*(a/b + ArcSin[c\*x]]\*Sin[(3\*a)/b] + CosIntegral[5\*(a/b + ArcSin[c\*x]]\*Sin[(5\*a)/b] - 10\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] + 5\*Cos[(3\*a)/b]\*SinIntegral[3\*(a/b + ArcSin[c\*x])] - Cos[(5\*a)/b]\*SinIntegral[5\*(a/b + ArcSin[c\*x])])/(16\*b\*c^6)

**Maple [A]** time = 0.048, size = 139, normalized size = 0.8

$$\frac{1}{16c^6b} \left( \operatorname{Si}\left(5 \arcsin(cx) + 5 \frac{a}{b}\right) \cos\left(5 \frac{a}{b}\right) - \operatorname{Ci}\left(5 \arcsin(cx) + 5 \frac{a}{b}\right) \sin\left(5 \frac{a}{b}\right) - 5 \operatorname{Si}\left(3 \arcsin(cx) + 3 \frac{a}{b}\right) \cos\left(3 \frac{a}{b}\right) + 5 \operatorname{Ci}\left(3 \arcsin(cx) + 3 \frac{a}{b}\right) \sin\left(3 \frac{a}{b}\right) - 10 \operatorname{Si}\left(\arcsin(cx) + \frac{a}{b}\right) \cos\left(\frac{a}{b}\right) + 10 \operatorname{Ci}\left(\arcsin(cx) + \frac{a}{b}\right) \sin\left(\frac{a}{b}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x)

[Out] 1/16/c^6\*(Si(5\*arcsin(c\*x)+5\*a/b)\*cos(5\*a/b)-Ci(5\*arcsin(c\*x)+5\*a/b)\*sin(5\*a/b)-5\*Si(3\*arcsin(c\*x)+3\*a/b)\*cos(3\*a/b)+5\*Ci(3\*arcsin(c\*x)+3\*a/b)\*sin(3\*a/b)+10\*Si(arcsin(c\*x)+a/b)\*cos(a/b)-10\*Ci(arcsin(c\*x)+a/b)\*sin(a/b))/b

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^5}{\sqrt{-c^2x^2 + 1}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(x^5/(sqrt(-c^2\*x^2 + 1)\*(b\*arcsin(c\*x) + a)), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2+1}x^5}{ac^2x^2+(bc^2x^2-b)\arcsin(cx)-a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5/(a+b*arcsin(c*x))/(-c^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-c^2*x^2 + 1)*x^5/(a*c^2*x^2 + (b*c^2*x^2 - b)*arcsin(c*x) - a), x)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^5}{\sqrt{-(cx-1)(cx+1)}(a+b\operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5/(a+b*asin(c*x))/(-c**2*x**2+1)**(1/2),x)`

[Out] `Integral(x**5/(sqrt(-(c*x - 1)*(c*x + 1))*(a + b*asin(c*x))), x)`

---

**Giac [B]** time = 1.43218, size = 486, normalized size = 2.66

$$-\frac{\cos\left(\frac{a}{b}\right)^4 \operatorname{Ci}\left(\frac{5a}{b} + 5 \arcsin(cx)\right) \sin\left(\frac{a}{b}\right)}{bc^6} + \frac{\cos\left(\frac{a}{b}\right)^5 \operatorname{Si}\left(\frac{5a}{b} + 5 \arcsin(cx)\right)}{bc^6} + \frac{3 \cos\left(\frac{a}{b}\right)^2 \operatorname{Ci}\left(\frac{5a}{b} + 5 \arcsin(cx)\right) \sin\left(\frac{a}{b}\right)}{4bc^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5/(a+b*arcsin(c*x))/(-c^2*x^2+1)^(1/2),x, algorithm="giac")`

[Out] `-cos(a/b)^4*cos_integral(5*a/b + 5*arcsin(c*x))*sin(a/b)/(b*c^6) + cos(a/b)^5*sin_integral(5*a/b + 5*arcsin(c*x))/(b*c^6) + 3/4*cos(a/b)^2*cos_integral(5*a/b + 5*arcsin(c*x))*sin(a/b)/(b*c^6) + 5/4*cos(a/b)^2*cos_integral(3*a/b + 3*arcsin(c*x))*sin(a/b)/(b*c^6) - 5/4*cos(a/b)^3*sin_integral(5*a/b +`

$$\begin{aligned} & 5*\arcsin(c*x)/(b*c^6) - 5/4*\cos(a/b)^3*\sin\_integral(3*a/b + 3*\arcsin(c*x)) \\ & / (b*c^6) - 1/16*\cos\_integral(5*a/b + 5*\arcsin(c*x))*\sin(a/b)/(b*c^6) - 5/16 \\ & * \cos\_integral(3*a/b + 3*\arcsin(c*x))*\sin(a/b)/(b*c^6) - 5/8*\cos\_integral(a/ \\ & b + \arcsin(c*x))*\sin(a/b)/(b*c^6) + 5/16*\cos(a/b)*\sin\_integral(5*a/b + 5*ar \\ & csin(c*x))/(b*c^6) + 15/16*\cos(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b* \\ & c^6) + 5/8*\cos(a/b)*\sin\_integral(a/b + \arcsin(c*x))/(b*c^6) \end{aligned}$$



$$3.350 \quad \int \frac{x^4}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=144

$$-\frac{\cos\left(\frac{2a}{b}\right)\text{CosIntegral}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{2bc^5} + \frac{\cos\left(\frac{4a}{b}\right)\text{CosIntegral}\left(\frac{4(a+b\sin^{-1}(cx))}{b}\right)}{8bc^5} - \frac{\sin\left(\frac{2a}{b}\right)\text{Si}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{2bc^5} + \frac{\sin\left(\frac{4a}{b}\right)\text{Si}\left(\frac{4(a+b\sin^{-1}(cx))}{b}\right)}{8bc^5}$$

[Out]  $-(\text{Cos}[(2*a)/b]*\text{CosIntegral}[(2*(a + b*\text{ArcSin}[c*x]))/b])/(2*b*c^5) + (\text{Cos}[(4*a)/b]*\text{CosIntegral}[(4*(a + b*\text{ArcSin}[c*x]))/b])/(8*b*c^5) + (3*\text{Log}[a + b*\text{ArcSin}[c*x]])/(8*b*c^5) - (\text{Sin}[(2*a)/b]*\text{SinIntegral}[(2*(a + b*\text{ArcSin}[c*x]))/b])/(2*b*c^5) + (\text{Sin}[(4*a)/b]*\text{SinIntegral}[(4*(a + b*\text{ArcSin}[c*x]))/b])/(8*b*c^5)$

**Rubi [A]** time = 0.330929, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$ , Rules used = {4723, 3312, 3303, 3299, 3302}

$$-\frac{\cos\left(\frac{2a}{b}\right)\text{CosIntegral}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{2bc^5} + \frac{\cos\left(\frac{4a}{b}\right)\text{CosIntegral}\left(\frac{4a}{b} + 4\sin^{-1}(cx)\right)}{8bc^5} - \frac{\sin\left(\frac{2a}{b}\right)\text{Si}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{2bc^5} + \frac{\sin\left(\frac{4a}{b}\right)\text{Si}\left(\frac{4a}{b} + 4\sin^{-1}(cx)\right)}{8bc^5}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^4/(\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])),x]$

[Out]  $-(\text{Cos}[(2*a)/b]*\text{CosIntegral}[(2*a)/b + 2*\text{ArcSin}[c*x]])/(2*b*c^5) + (\text{Cos}[(4*a)/b]*\text{CosIntegral}[(4*a)/b + 4*\text{ArcSin}[c*x]])/(8*b*c^5) + (3*\text{Log}[a + b*\text{ArcSin}[c*x]])/(8*b*c^5) - (\text{Sin}[(2*a)/b]*\text{SinIntegral}[(2*a)/b + 2*\text{ArcSin}[c*x]])/(2*b*c^5) + (\text{Sin}[(4*a)/b]*\text{SinIntegral}[(4*a)/b + 4*\text{ArcSin}[c*x]])/(8*b*c^5)$

### Rule 4723

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*(d + e*x)^m, x] := \text{Dist}[d^p/c^{m+1}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sin}[x]^m*\text{Cos}[x]^{2*p+1}, x], x, \text{ArcSin}[c*x]], x] /;$  FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^4}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx &= \frac{\text{Subst}\left(\int \frac{\sin^4(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c^5} \\ &= \frac{\text{Subst}\left(\int \left(\frac{3}{8(a+bx)} - \frac{\cos(2x)}{2(a+bx)} + \frac{\cos(4x)}{8(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{c^5} \\ &= \frac{3 \log(a+b\sin^{-1}(cx))}{8bc^5} + \frac{\text{Subst}\left(\int \frac{\cos(4x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8c^5} - \frac{\text{Subst}\left(\int \frac{\cos(2x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2c^5} \\ &= \frac{3 \log(a+b\sin^{-1}(cx))}{8bc^5} - \frac{\cos\left(\frac{2a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2c^5} + \frac{\cos\left(\frac{4a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{4a}{b}+4x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8c^5} \\ &= -\frac{\cos\left(\frac{2a}{b}\right) \text{Ci}\left(\frac{2a}{b}+2\sin^{-1}(cx)\right)}{2bc^5} + \frac{\cos\left(\frac{4a}{b}\right) \text{Ci}\left(\frac{4a}{b}+4\sin^{-1}(cx)\right)}{8bc^5} + \frac{3 \log(a+b\sin^{-1}(cx))}{8bc^5} \end{aligned}$$

**Mathematica [A]** time = 0.235287, size = 108, normalized size = 0.75

$$\frac{-4 \cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \cos\left(\frac{4a}{b}\right) \text{CosIntegral}\left(4\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) - 4 \sin\left(\frac{2a}{b}\right) \text{Si}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)}{8bc^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

[Out] (-4\*Cos[(2\*a)/b]\*CosIntegral[2\*(a/b + ArcSin[c\*x])] + Cos[(4\*a)/b]\*CosIntegral[4\*(a/b + ArcSin[c\*x])] + 3\*Log[a + b\*ArcSin[c\*x]] - 4\*Sin[(2\*a)/b]\*SinIntegral[2\*(a/b + ArcSin[c\*x])] + Sin[(4\*a)/b]\*SinIntegral[4\*(a/b + ArcSin[c\*x])])/(8\*b\*c^5)

**Maple [A]** time = 0.046, size = 135, normalized size = 0.9

$$\frac{1}{8c^5b} \text{Si}\left(4 \arcsin(cx) + 4\frac{a}{b}\right) \sin\left(4\frac{a}{b}\right) + \frac{1}{8c^5b} \text{Ci}\left(4 \arcsin(cx) + 4\frac{a}{b}\right) \cos\left(4\frac{a}{b}\right) - \frac{1}{2c^5b} \text{Si}\left(2 \arcsin(cx) + 2\frac{a}{b}\right) \sin\left(2\frac{a}{b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2), x)

[Out] 1/8/c^5/b\*Si(4\*arcsin(c\*x)+4\*a/b)\*sin(4\*a/b)+1/8/c^5/b\*Ci(4\*arcsin(c\*x)+4\*a/b)\*cos(4\*a/b)-1/2/c^5/b\*Si(2\*arcsin(c\*x)+2\*a/b)\*sin(2\*a/b)-1/2/c^5/b\*Ci(2\*arcsin(c\*x)+2\*a/b)\*cos(2\*a/b)+3/8\*ln(a+b\*arcsin(c\*x))/b/c^5

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4}{\sqrt{-c^2x^2 + 1}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2), x, algorithm="maxima")

[Out] integrate(x^4/(sqrt(-c^2\*x^2 + 1)\*(b\*arcsin(c\*x) + a)), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2+1}x^4}{ac^2x^2+(bc^2x^2-b)\arcsin(cx)-a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)\*x^4/(a\*c^2\*x^2 + (b\*c^2\*x^2 - b)\*arcsin(c\*x) - a), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4}{\sqrt{-(cx-1)(cx+1)}(a+b\sin(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/(a+b\*asin(c\*x))/(-c\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x\*\*4/(sqrt(-(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))), x)

---

**Giac [A]** time = 1.3879, size = 343, normalized size = 2.38

$$\frac{\cos\left(\frac{a}{b}\right)^4 \text{Ci}\left(\frac{4a}{b} + 4 \arcsin(cx)\right)}{bc^5} + \frac{\cos\left(\frac{a}{b}\right)^3 \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{4a}{b} + 4 \arcsin(cx)\right)}{bc^5} - \frac{\cos\left(\frac{a}{b}\right)^2 \text{Ci}\left(\frac{4a}{b} + 4 \arcsin(cx)\right)}{bc^5} - \frac{\cos\left(\frac{a}{b}\right)}{bc^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] cos(a/b)^4\*cos\_integral(4\*a/b + 4\*arcsin(c\*x))/(b\*c^5) + cos(a/b)^3\*sin(a/b)\*sin\_integral(4\*a/b + 4\*arcsin(c\*x))/(b\*c^5) - cos(a/b)^2\*cos\_integral(4\*a/b + 4\*arcsin(c\*x))/(b\*c^5) - cos(a/b)^2\*cos\_integral(2\*a/b + 2\*arcsin(c\*x))/(b\*c^5) - 1/2\*cos(a/b)\*sin(a/b)\*sin\_integral(4\*a/b + 4\*arcsin(c\*x))/(b\*c^5)

$$5) - \cos(a/b) \sin(a/b) \sin\_integral(2*a/b + 2*\arcsin(c*x))/(b*c^5) + 1/8*\cos\_integral(4*a/b + 4*\arcsin(c*x))/(b*c^5) + 1/2*\cos\_integral(2*a/b + 2*\arcsin(c*x))/(b*c^5) + 3/8*\log(b*\arcsin(c*x) + a)/(b*c^5)$$

$$3.351 \quad \int \frac{x^3}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=121

$$-\frac{3 \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{4bc^4} + \frac{\sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{4bc^4} + \frac{3 \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{4bc^4} - \frac{\cos\left(\frac{3a}{b}\right) \operatorname{Si}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{4bc^4}$$

[Out] (-3\*CosIntegral[(a + b\*ArcSin[c\*x])/b]\*Sin[a/b])/(4\*b\*c^4) + (CosIntegral[(3\*(a + b\*ArcSin[c\*x]))/b]\*Sin[(3\*a)/b])/(4\*b\*c^4) + (3\*Cos[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(4\*b\*c^4) - (Cos[(3\*a)/b]\*SinIntegral[(3\*(a + b\*ArcSin[c\*x]))/b])/(4\*b\*c^4)

**Rubi [A]** time = 0.309733, antiderivative size = 117, normalized size of antiderivative = 0.97, number of steps used = 9, number of rules used = 5, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$ , Rules used = {4723, 3312, 3303, 3299, 3302}

$$-\frac{3 \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4bc^4} + \frac{\sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{4bc^4} + \frac{3 \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4bc^4} - \frac{\cos\left(\frac{3a}{b}\right) \operatorname{Si}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{4bc^4}$$

Antiderivative was successfully verified.

[In] Int[x^3/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])),x]

[Out] (-3\*CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b])/(4\*b\*c^4) + (CosIntegral[(3\*a)/b + 3\*ArcSin[c\*x]]\*Sin[(3\*a)/b])/(4\*b\*c^4) + (3\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(4\*b\*c^4) - (Cos[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(4\*b\*c^4)

### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^ (n\_.)\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rule 3312

Int[((c\_.) + (d\_.)\*(x\_)^(m\_))\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f,

, m], x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{x^3}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx &= \frac{\text{Subst}\left(\int \frac{\sin^3(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c^4} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{3\sin(x)}{4(a+bx)} - \frac{\sin(3x)}{4(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{c^4} \\
 &= -\frac{\text{Subst}\left(\int \frac{\sin(3x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4c^4} + \frac{3\text{Subst}\left(\int \frac{\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4c^4} \\
 &= \frac{\left(3\cos\left(\frac{a}{b}\right)\right)\text{Subst}\left(\int \frac{\sin\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4c^4} - \frac{\cos\left(\frac{3a}{b}\right)\text{Subst}\left(\int \frac{\sin\left(\frac{3a}{b}+3x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4c^4} \\
 &= -\frac{3\text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)\sin\left(\frac{a}{b}\right)}{4bc^4} + \frac{\text{Ci}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)\sin\left(\frac{3a}{b}\right)}{4bc^4} + \frac{3\cos\left(\frac{a}{b}\right)\text{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4bc^4} - \frac{3\cos\left(\frac{3a}{b}\right)\text{Si}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{4bc^4}
 \end{aligned}$$

**Mathematica [A]** time = 0.195662, size = 92, normalized size = 0.76

$$\frac{3\sin\left(\frac{a}{b}\right)\text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) - \sin\left(\frac{3a}{b}\right)\text{CosIntegral}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) - 3\cos\left(\frac{a}{b}\right)\text{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right) + \cos\left(\frac{3a}{b}\right)\text{Si}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{4bc^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])),x]

[Out]  $-(3*\text{CosIntegral}[a/b + \text{ArcSin}[c*x]]*\text{Sin}[a/b] - \text{CosIntegral}[3*(a/b + \text{ArcSin}[c*x]])*\text{Sin}[(3*a)/b] - 3*\text{Cos}[a/b]*\text{SinIntegral}[a/b + \text{ArcSin}[c*x]] + \text{Cos}[(3*a)/b]*\text{SinIntegral}[3*(a/b + \text{ArcSin}[c*x])])/(4*b*c^4)$

**Maple [A]** time = 0.043, size = 93, normalized size = 0.8

$$-\frac{1}{4c^4b} \left( \text{Si} \left( 3 \arcsin(cx) + 3 \frac{a}{b} \right) \cos \left( 3 \frac{a}{b} \right) - \text{Ci} \left( 3 \arcsin(cx) + 3 \frac{a}{b} \right) \sin \left( 3 \frac{a}{b} \right) - 3 \text{Si} \left( \arcsin(cx) + \frac{a}{b} \right) \cos \left( \frac{a}{b} \right) + 3 \text{Ci} \left( \arcsin(cx) + \frac{a}{b} \right) \sin \left( \frac{a}{b} \right) \right) / b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x)

[Out]  $-1/4/c^4*(\text{Si}(3*\arcsin(c*x)+3*a/b)*\cos(3*a/b)-\text{Ci}(3*\arcsin(c*x)+3*a/b)*\sin(3*a/b)-3*\text{Si}(\arcsin(c*x)+a/b)*\cos(a/b)+3*\text{Ci}(\arcsin(c*x)+a/b)*\sin(a/b))/b$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{\sqrt{-c^2x^2 + 1}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(x^3/(sqrt(-c^2\*x^2 + 1)\*(b\*arcsin(c\*x) + a)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{\sqrt{-c^2x^2 + 1}x^3}{ac^2x^2 + (bc^2x^2 - b) \arcsin(cx) - a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(x^3/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)\*x^3/(a\*c^2\*x^2 + (b\*c^2\*x^2 - b)\*arcsin(c\*x) - a), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{\sqrt{-(cx-1)(cx+1)}(a+b\operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/(a+b\*asin(c\*x))/(-c\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x\*\*3/(sqrt(-(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))), x)

**Giac [A]** time = 1.41057, size = 232, normalized size = 1.92

$$\frac{\cos\left(\frac{a}{b}\right)^2 \operatorname{Ci}\left(\frac{3a}{b} + 3 \arcsin(cx)\right) \sin\left(\frac{a}{b}\right)}{bc^4} - \frac{\cos\left(\frac{a}{b}\right)^3 \operatorname{Si}\left(\frac{3a}{b} + 3 \arcsin(cx)\right)}{bc^4} - \frac{\operatorname{Ci}\left(\frac{3a}{b} + 3 \arcsin(cx)\right) \sin\left(\frac{a}{b}\right)}{4bc^4} - \frac{3 \operatorname{Ci}\left(\frac{a}{b}\right)}{4bc^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] cos(a/b)^2\*cos\_integral(3\*a/b + 3\*arcsin(c\*x))\*sin(a/b)/(b\*c^4) - cos(a/b)^3\*sin\_integral(3\*a/b + 3\*arcsin(c\*x))/(b\*c^4) - 1/4\*cos\_integral(3\*a/b + 3\*arcsin(c\*x))\*sin(a/b)/(b\*c^4) - 3/4\*cos\_integral(a/b + arcsin(c\*x))\*sin(a/b)/(b\*c^4) + 3/4\*cos(a/b)\*sin\_integral(3\*a/b + 3\*arcsin(c\*x))/(b\*c^4) + 3/4\*cos(a/b)\*sin\_integral(a/b + arcsin(c\*x))/(b\*c^4)

$$3.352 \quad \int \frac{x^2}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=82

$$-\frac{\cos\left(\frac{2a}{b}\right)\text{CosIntegral}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{2bc^3} - \frac{\sin\left(\frac{2a}{b}\right)\text{Si}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{2bc^3} + \frac{\log(a+b\sin^{-1}(cx))}{2bc^3}$$

[Out]  $-(\text{Cos}[(2*a)/b]*\text{CosIntegral}[(2*(a + b*\text{ArcSin}[c*x]))/b])/(2*b*c^3) + \text{Log}[a + b*\text{ArcSin}[c*x]]/(2*b*c^3) - (\text{Sin}[(2*a)/b]*\text{SinIntegral}[(2*(a + b*\text{ArcSin}[c*x]))/b])/(2*b*c^3)$

**Rubi [A]** time = 0.250137, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$ , Rules used = {4723, 3312, 3303, 3299, 3302}

$$-\frac{\cos\left(\frac{2a}{b}\right)\text{CosIntegral}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{2bc^3} - \frac{\sin\left(\frac{2a}{b}\right)\text{Si}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{2bc^3} + \frac{\log(a+b\sin^{-1}(cx))}{2bc^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2/(\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])),x]$

[Out]  $-(\text{Cos}[(2*a)/b]*\text{CosIntegral}[(2*a)/b + 2*\text{ArcSin}[c*x]])/(2*b*c^3) + \text{Log}[a + b*\text{ArcSin}[c*x]]/(2*b*c^3) - (\text{Sin}[(2*a)/b]*\text{SinIntegral}[(2*a)/b + 2*\text{ArcSin}[c*x]])/(2*b*c^3)$

### Rule 4723

$\text{Int}[(a + \text{ArcSin}(c*x))*b^n*x^m*((d + e*x)^2)^p, x\_Symbol] \rightarrow \text{Dist}[d^p/c^{m+1}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sin}[x]^m*\text{Cos}[x]^{2p+1}, x], x, \text{ArcSin}[c*x]], x] /;$  FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rule 3312

$\text{Int}[(c + d*x)^m*\sin[(e + f*x)^n], x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[e + f*x]^n, x], x] /;$  FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx &= \frac{\text{Subst}\left(\int \frac{\sin^2(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c^3} \\
&= \frac{\text{Subst}\left(\int \left(\frac{1}{2(a+bx)} - \frac{\cos(2x)}{2(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{c^3} \\
&= \frac{\log(a+b\sin^{-1}(cx))}{2bc^3} - \frac{\text{Subst}\left(\int \frac{\cos(2x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2c^3} \\
&= \frac{\log(a+b\sin^{-1}(cx))}{2bc^3} - \frac{\cos\left(\frac{2a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2c^3} - \frac{\sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b}+2\sin^{-1}(cx)\right)}{2bc^3} \\
&= -\frac{\cos\left(\frac{2a}{b}\right) \text{Ci}\left(\frac{2a}{b}+2\sin^{-1}(cx)\right)}{2bc^3} + \frac{\log(a+b\sin^{-1}(cx))}{2bc^3} - \frac{\sin\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b}+2\sin^{-1}(cx)\right)}{2bc^3}
\end{aligned}$$

**Mathematica [A]** time = 0.157963, size = 64, normalized size = 0.78

$$\frac{\cos\left(\frac{2a}{b}\right) \text{CosIntegral}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \sin\left(\frac{2a}{b}\right) \text{Si}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) - \log(a+b\sin^{-1}(cx))}{2bc^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])),x]

[Out]  $-(\cos\left(\frac{2a}{b}\right)\text{CosIntegral}\left[2\left(\frac{a}{b} + \text{ArcSin}[c*x]\right)\right] - \text{Log}[a + b\text{ArcSin}[c*x]] + \sin\left(\frac{2a}{b}\right)\text{SinIntegral}\left[2\left(\frac{a}{b} + \text{ArcSin}[c*x]\right)\right])/(2*b*c^3)$

**Maple [A]** time = 0.043, size = 77, normalized size = 0.9

$$-\frac{1}{2c^3b}\text{Si}\left(2\arcsin(cx) + 2\frac{a}{b}\right)\sin\left(2\frac{a}{b}\right) - \frac{1}{2c^3b}\text{Ci}\left(2\arcsin(cx) + 2\frac{a}{b}\right)\cos\left(2\frac{a}{b}\right) + \frac{\ln(a + b\arcsin(cx))}{2c^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x)

[Out]  $-1/2/c^3/b*\text{Si}(2*\arcsin(c*x)+2*a/b)*\sin(2*a/b)-1/2/c^3/b*\text{Ci}(2*\arcsin(c*x)+2*a/b)*\cos(2*a/b)+1/2*\ln(a+b*\arcsin(c*x))/b/c^3$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{\sqrt{-c^2x^2 + 1}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(x^2/(sqrt(-c^2\*x^2 + 1)\*(b\*arcsin(c\*x) + a)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2 + 1}x^2}{ac^2x^2 + (bc^2x^2 - b)\arcsin(cx) - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] `integral(-sqrt(-c^2*x^2 + 1)*x^2/(a*c^2*x^2 + (b*c^2*x^2 - b)*arcsin(c*x) - a), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{\sqrt{-(cx-1)(cx+1)}(a+b\operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(a+b*asin(c*x))/(-c**2*x**2+1)**(1/2), x)`

[Out] `Integral(x**2/(sqrt(-(c*x - 1)*(c*x + 1))*(a + b*asin(c*x))), x)`

**Giac [A]** time = 1.31683, size = 140, normalized size = 1.71

$$-\frac{\cos\left(\frac{a}{b}\right)^2 \operatorname{Ci}\left(\frac{2a}{b} + 2 \operatorname{arcsin}(cx)\right)}{bc^3} - \frac{\cos\left(\frac{a}{b}\right) \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{2a}{b} + 2 \operatorname{arcsin}(cx)\right)}{bc^3} + \frac{\operatorname{Ci}\left(\frac{2a}{b} + 2 \operatorname{arcsin}(cx)\right)}{2bc^3} + \frac{\log(b \operatorname{arcsin}(cx))}{2bc^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+b*arcsin(c*x))/(-c^2*x^2+1)^(1/2), x, algorithm="giac")`

[Out] `-cos(a/b)^2*cos_integral(2*a/b + 2*arcsin(c*x))/(b*c^3) - cos(a/b)*sin(a/b)*sin_integral(2*a/b + 2*arcsin(c*x))/(b*c^3) + 1/2*cos_integral(2*a/b + 2*arcsin(c*x))/(b*c^3) + 1/2*log(b*arcsin(c*x) + a)/(b*c^3)`

$$3.353 \quad \int \frac{x}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=54

$$\frac{\cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{bc^2} - \frac{\sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{bc^2}$$

[Out] -((CosIntegral[(a + b\*ArcSin[c\*x])/b]\*Sin[a/b])/(b\*c^2)) + (Cos[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(b\*c^2)

**Rubi [A]** time = 0.153913, antiderivative size = 50, normalized size of antiderivative = 0.93, number of steps used = 4, number of rules used = 4, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {4723, 3303, 3299, 3302}

$$\frac{\cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{bc^2} - \frac{\sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{bc^2}$$

Antiderivative was successfully verified.

[In] Int[x/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])),x]

[Out] -((CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b])/(b\*c^2)) + (Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(b\*c^2)

#### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^ (n_.)*(x_)^ (m_.)*((d_) + (e_.)*(x_)^2)^ (p_.), x_Symbol]
:> Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x]^(2*p + 1), x], x, ArcSin[c*x]], x]
/; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

#### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x]
/; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{x}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx &= \frac{\text{Subst}\left(\int \frac{\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c^2} \\ &= \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c^2} - \frac{\sin\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{c^2} \\ &= -\frac{\text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right) \sin\left(\frac{a}{b}\right)}{bc^2} + \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{bc^2} \end{aligned}$$

**Mathematica [A]** time = 0.104999, size = 45, normalized size = 0.83

$$\frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right) - \sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{bc^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x/(Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])), x]
```

```
[Out] (-(CosIntegral[a/b + ArcSin[c*x]]*Sin[a/b]) + Cos[a/b]*SinIntegral[a/b + Ar
cSin[c*x]])/(b*c^2)
```

**Maple [A]** time = 0.039, size = 46, normalized size = 0.9

$$\frac{1}{c^2b} \left( \text{Si}\left(\arcsin(cx) + \frac{a}{b}\right) \cos\left(\frac{a}{b}\right) - \text{Ci}\left(\arcsin(cx) + \frac{a}{b}\right) \sin\left(\frac{a}{b}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(a+b*arcsin(c*x))/(-c^2*x^2+1)^(1/2),x)`

[Out] `1/c^2*(Si(arcsin(c*x)+a/b)*cos(a/b)-Ci(arcsin(c*x)+a/b)*sin(a/b))/b`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{\sqrt{-c^2x^2+1}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsin(c*x))/(-c^2*x^2+1)^(1/2),x, algorithm="maxima")`

[Out] `integrate(x/(sqrt(-c^2*x^2 + 1)*(b*arcsin(c*x) + a)), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2+1}x}{ac^2x^2 + (bc^2x^2 - b) \arcsin(cx) - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*arcsin(c*x))/(-c^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-c^2*x^2 + 1)*x/(a*c^2*x^2 + (b*c^2*x^2 - b)*arcsin(c*x) - a), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{\sqrt{-(cx-1)(cx+1)}(a+b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(a+b*asin(c*x))/(-c**2*x**2+1)**(1/2),x)`



[Out] Integral(x/(sqrt(-(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))), x)

---

**Giac [A]** time = 1.42552, size = 68, normalized size = 1.26

$$-\frac{\text{Ci}\left(\frac{a}{b} + \arcsin(cx)\right) \sin\left(\frac{a}{b}\right)}{bc^2} + \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \arcsin(cx)\right)}{bc^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] -cos\_integral(a/b + arcsin(c\*x))\*sin(a/b)/(b\*c^2) + cos(a/b)\*sin\_integral(a/b + arcsin(c\*x))/(b\*c^2)

$$3.354 \quad \int \frac{1}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=16

$$\frac{\log(a+b\sin^{-1}(cx))}{bc}$$

[Out] Log[a + b\*ArcSin[c\*x]]/(b\*c)

**Rubi [A]** time = 0.0480692, antiderivative size = 16, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.04$ , Rules used = {4639}

$$\frac{\log(a+b\sin^{-1}(cx))}{bc}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])),x]

[Out] Log[a + b\*ArcSin[c\*x]]/(b\*c)

#### Rule 4639

Int[1/(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))\*Sqrt[(d\_) + (e\_.)\*(x\_)^2]), x\_Symbol] :> Simp[Log[a + b\*ArcSin[c\*x]]/(b\*c\*Sqrt[d]), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0]

#### Rubi steps

$$\int \frac{1}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx = \frac{\log(a+b\sin^{-1}(cx))}{bc}$$

**Mathematica [A]** time = 0.047529, size = 16, normalized size = 1.

$$\frac{\log(a+b\sin^{-1}(cx))}{bc}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])),x]

[Out] Log[a + b\*ArcSin[c\*x]]/(b\*c)

**Maple [A]** time = 0.006, size = 17, normalized size = 1.1

$$\frac{\ln(a + b \arcsin(cx))}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x)

[Out] ln(a+b\*arcsin(c\*x))/b/c

**Maxima [A]** time = 1.50592, size = 22, normalized size = 1.38

$$\frac{\log(b \arcsin(cx) + a)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] log(b\*arcsin(c\*x) + a)/(b\*c)

**Fricas [A]** time = 1.93635, size = 42, normalized size = 2.62

$$\frac{\log(-b \arcsin(cx) - a)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out]  $\log(-b \arcsin(cx) - a)/(bc)$

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*asin(c*x))/(-c**2*x**2+1)**(1/2),x)`

[Out] Exception raised: TypeError

**Giac [C]** time = 1.3367, size = 43, normalized size = 2.69

$$\frac{\log\left(b^2 \Im(\arcsin(cx))^2 + (b \Re(\arcsin(cx)) + a)^2\right)}{2bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsin(c*x))/(-c^2*x^2+1)^(1/2),x, algorithm="giac")`

[Out]  $1/2 \cdot \log(b^2 \operatorname{imag\_part}(\arcsin(cx))^2 + (b \operatorname{real\_part}(\arcsin(cx)) + a)^2)/(bc)$

$$3.355 \quad \int \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable}\left(\frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}, x\right)$$

[Out] Unintegrable[1/(x\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.124329, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][1/(x\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx = \int \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 2.65123, size = 0, normalized size = 0.

$$\int \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[1/(x\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

---

**Maple [A]** time = 0.117, size = 0, normalized size = 0.

$$\int \frac{1}{x(a + b \arcsin(cx))} \frac{1}{\sqrt{-c^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x)

[Out] int(1/x/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-c^2x^2 + 1}(b \arcsin(cx) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-c^2\*x^2 + 1)\*(b\*arcsin(c\*x) + a)\*x), x)

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2 + 1}}{ac^2x^3 - ax + (bc^2x^3 - bx) \arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)/(a\*c^2\*x^3 - a\*x + (b\*c^2\*x^3 - b\*x)\*arcsin(c\*x)), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x\sqrt{-(cx-1)(cx+1)}(a+b\operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b\*asin(c\*x))/(-c\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(1/(x\*sqrt(-(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-c^2x^2+1}(b\operatorname{arcsin}(cx)+a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-c^2\*x^2 + 1)\*(b\*arcsin(c\*x) + a)\*x), x)

$$3.356 \quad \int \frac{1}{x^2 \sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{1}{x^2 \sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))}, x \right)$$

[Out] Unintegrable[1/(x^2\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.12777, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{x^2 \sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])),x]

[Out] Defer[Int][1/(x^2\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{x^2 \sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))} dx = \int \frac{1}{x^2 \sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 0.068679, size = 0, normalized size = 0.

$$\int \frac{1}{x^2 \sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])),x]



[Out] Integrate[1/(x^2\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 0.085, size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (a + b \arcsin(cx)) \sqrt{-c^2 x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2), x)

[Out] int(1/x^2/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2), x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-c^2 x^2 + 1} (b \arcsin(cx) + a) x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2), x, algorithm="maxima")

[Out] integrate(1/(sqrt(-c^2\*x^2 + 1)\*(b\*arcsin(c\*x) + a)\*x^2), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2 x^2 + 1}}{ac^2 x^4 - ax^2 + (bc^2 x^4 - bx^2) \arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)/(a\*c^2\*x^4 - a\*x^2 + (b\*c^2\*x^4 - b\*x^2)\*arcsin(c\*x)), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^2 \sqrt{-(cx-1)(cx+1)} (a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*2/(a+b\*asin(c\*x))/(-c\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(1/(x\*\*2\*sqrt(-(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-c^2x^2 + 1} (b \arcsin(cx) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b\*arcsin(c\*x))/(-c^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-c^2\*x^2 + 1)\*(b\*arcsin(c\*x) + a)\*x^2), x)

$$3.357 \quad \int \frac{x^2}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable}\left(\frac{x^2}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))}, x\right)$$

[Out] Unintegrable[x^2/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.142157, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^2}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[x^2/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][x^2/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{x^2}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx = \int \frac{x^2}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 3.71424, size = 0, normalized size = 0.

$$\int \frac{x^2}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^2/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[x^2/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 0.281, size = 0, normalized size = 0.

$$\int \frac{x^2}{a + b \arcsin(cx)} (-c^2x^2 + 1)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{(-c^2x^2 + 1)^{\frac{3}{2}}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(x^2/((-c^2\*x^2 + 1)^(3/2)\*(b\*arcsin(c\*x) + a)), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2 + 1}x^2}{ac^4x^4 - 2ac^2x^2 + (bc^4x^4 - 2bc^2x^2 + b)\arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)\*x^2/(a\*c^4\*x^4 - 2\*a\*c^2\*x^2 + (b\*c^4\*x^4 - 2\*b\*c^2\*x^2 + b)\*arcsin(c\*x) + a), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{(- (cx - 1)(cx + 1))^{\frac{3}{2}} (a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(x\*\*2/((-c\*x - 1)\*(c\*x + 1))\*\*(3/2)\*(a + b\*asin(c\*x))), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{(-c^2x^2 + 1)^{\frac{3}{2}} (b \operatorname{arcsin}(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(x^2/((-c^2\*x^2 + 1)^(3/2)\*(b\*arcsin(c\*x) + a)), x)

$$3.358 \quad \int \frac{x}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=28

$$\text{Unintegrable} \left( \frac{x}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))}, x \right)$$

[Out] Unintegrable[x/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.100776, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[x/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])),x]

[Out] Defer[Int][x/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{x}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))} dx = \int \frac{x}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 9.68256, size = 0, normalized size = 0.

$$\int \frac{x}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[x/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])),x]

[Out] Integrate[x/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 0.202, size = 0, normalized size = 0.

$$\int \frac{x}{a + b \arcsin(cx)} (-c^2x^2 + 1)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(-c^2x^2 + 1)^{\frac{3}{2}}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(x/((-c^2\*x^2 + 1)^(3/2)\*(b\*arcsin(c\*x) + a)), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2 + 1}x}{ac^4x^4 - 2ac^2x^2 + (bc^4x^4 - 2bc^2x^2 + b)\arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)\*x/(a\*c^4\*x^4 - 2\*a\*c^2\*x^2 + (b\*c^4\*x^4 - 2\*b\*c^2\*x^2 + b)\*arcsin(c\*x) + a), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(- (cx - 1) (cx + 1))^{\frac{3}{2}} (a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(x/((-c\*x - 1)\*(c\*x + 1))\*\*(3/2)\*(a + b\*asin(c\*x))), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(-c^2x^2 + 1)^{\frac{3}{2}} (b \operatorname{arcsin}(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(x/((-c^2\*x^2 + 1)^(3/2)\*(b\*arcsin(c\*x) + a)), x)



$$3.359 \quad \int \frac{1}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=27

$$\text{Unintegrable}\left(\frac{1}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))}, x\right)$$

[Out] Unintegrable[1/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.0469016, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][1/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx = \int \frac{1}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 0.0938126, size = 0, normalized size = 0.

$$\int \frac{1}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[1/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 0.142, size = 0, normalized size = 0.

$$\int \frac{1}{a + b \arcsin(cx)} (-c^2x^2 + 1)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(1/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c^2x^2 + 1)^{\frac{3}{2}}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(1/((-c^2\*x^2 + 1)^(3/2)\*(b\*arcsin(c\*x) + a)), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2 + 1}}{ac^4x^4 - 2ac^2x^2 + (bc^4x^4 - 2bc^2x^2 + b) \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)/(a\*c^4\*x^4 - 2\*a\*c^2\*x^2 + (b\*c^4\*x^4 - 2\*b\*c^2\*x^2 + b)\*arcsin(c\*x) + a), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(- (cx - 1)(cx + 1))^{\frac{3}{2}} (a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(1/((-c\*x - 1)\*(c\*x + 1))\*\*(3/2)\*(a + b\*asin(c\*x))), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c^2x^2 + 1)^{\frac{3}{2}} (b \operatorname{arcsin}(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(1/((-c^2\*x^2 + 1)^(3/2)\*(b\*arcsin(c\*x) + a)), x)

$$3.360 \quad \int \frac{1}{x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable}\left(\frac{1}{x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))}, x\right)$$

[Out] Unintegrable[1/(x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.133831, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][1/(x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx = \int \frac{1}{x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 2.55949, size = 0, normalized size = 0.

$$\int \frac{1}{x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[1/(x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 1.931, size = 0, normalized size = 0.

$$\int \frac{1}{x(a + b \arcsin(cx))} (-c^2x^2 + 1)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(1/x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c^2x^2 + 1)^{\frac{3}{2}}(b \arcsin(cx) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(1/((-c^2\*x^2 + 1)^(3/2)\*(b\*arcsin(c\*x) + a)\*x), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2 + 1}}{ac^4x^5 - 2ac^2x^3 + ax + (bc^4x^5 - 2bc^2x^3 + bx) \arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)/(a\*c^4\*x^5 - 2\*a\*c^2\*x^3 + a\*x + (b\*c^4\*x^5 - 2\*b\*c^2\*x^3 + b\*x)\*arcsin(c\*x)), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x(-cx-1)(cx+1)^{\frac{3}{2}}(a+b\operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(1/(x\*(-(c\*x - 1)\*(c\*x + 1))\*\*(3/2)\*(a + b\*asin(c\*x))), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c^2x^2+1)^{\frac{3}{2}}(b\operatorname{arcsin}(cx)+a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(1/((-c^2\*x^2 + 1)^(3/2)\*(b\*arcsin(c\*x) + a)\*x), x)

$$3.361 \quad \int \frac{1}{x^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable}\left(\frac{1}{x^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))}, x\right)$$

[Out] Unintegrable[1/(x^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.136276, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{x^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][1/(x^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{x^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx = \int \frac{1}{x^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 1.8818, size = 0, normalized size = 0.

$$\int \frac{1}{x^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[1/(x^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 0.385, size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (a + b \arcsin(cx)) (-c^2 x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(1/x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c^2 x^2 + 1)^{\frac{3}{2}} (b \arcsin(cx) + a) x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(1/((-c^2\*x^2 + 1)^(3/2)\*(b\*arcsin(c\*x) + a)\*x^2), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2 x^2 + 1}}{ac^4 x^6 - 2ac^2 x^4 + ax^2 + (bc^4 x^6 - 2bc^2 x^4 + bx^2) \arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)/(a\*c^4\*x^6 - 2\*a\*c^2\*x^4 + a\*x^2 + (b\*c^4\*x^6 - 2\*b\*c^2\*x^4 + b\*x^2)\*arcsin(c\*x)), x)



---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (- (cx - 1) (cx + 1))^{\frac{3}{2}} (a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(-c**2*x**2+1)**(3/2)/(a+b*asin(c*x)),x)`

[Out] `Integral(1/(x**2*(-(c*x - 1)*(c*x + 1))**(3/2)*(a + b*asin(c*x))), x)`

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c^2x^2 + 1)^{\frac{3}{2}} (b \operatorname{arcsin}(cx) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] `integrate(1/((-c^2*x^2 + 1)^(3/2)*(b*arcsin(c*x) + a)*x^2), x)`

$$3.362 \quad \int \frac{x^2}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{x^2}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))}, x \right)$$

[Out] Unintegrable[x^2/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.139793, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^2}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[x^2/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])),x]

[Out] Defer[Int][x^2/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{x^2}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))} dx = \int \frac{x^2}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 4.27619, size = 0, normalized size = 0.

$$\int \frac{x^2}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^2/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])),x]

[Out] Integrate[x^2/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 1.955, size = 0, normalized size = 0.

$$\int \frac{x^2}{a + b \arcsin(cx)} (-c^2x^2 + 1)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{(-c^2x^2 + 1)^{\frac{5}{2}}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(x^2/((-c^2\*x^2 + 1)^(5/2)\*(b\*arcsin(c\*x) + a)), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2 + 1}x^2}{ac^6x^6 - 3ac^4x^4 + 3ac^2x^2 + (bc^6x^6 - 3bc^4x^4 + 3bc^2x^2 - b)\arcsin(cx) - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)\*x^2/(a\*c^6\*x^6 - 3\*a\*c^4\*x^4 + 3\*a\*c^2\*x^2 + (b\*c^6\*x^6 - 3\*b\*c^4\*x^4 + 3\*b\*c^2\*x^2 - b)\*arcsin(c\*x) - a), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{(- (cx - 1) (cx + 1))^{\frac{5}{2}} (a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(x\*\*2/((-c\*x - 1)\*(c\*x + 1))\*\*(5/2)\*(a + b\*asin(c\*x))), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{(-c^2x^2 + 1)^{\frac{5}{2}} (b \operatorname{arcsin}(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(x^2/((-c^2\*x^2 + 1)^(5/2)\*(b\*arcsin(c\*x) + a)), x)

$$3.363 \quad \int \frac{x}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=28

$$\text{Unintegrable}\left(\frac{x}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))}, x\right)$$

[Out] Unintegrable[x/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.0918417, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[x/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int] [x/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{x}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx = \int \frac{x}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 24.0426, size = 0, normalized size = 0.

$$\int \frac{x}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[x/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[x/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 1.76, size = 0, normalized size = 0.

$$\int \frac{x}{a + b \arcsin(cx)} (-c^2x^2 + 1)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(-c^2x^2 + 1)^{\frac{5}{2}}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(x/((-c^2\*x^2 + 1)^(5/2)\*(b\*arcsin(c\*x) + a)), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2 + 1}x}{ac^6x^6 - 3ac^4x^4 + 3ac^2x^2 + (bc^6x^6 - 3bc^4x^4 + 3bc^2x^2 - b)\arcsin(cx) - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)\*x/(a\*c^6\*x^6 - 3\*a\*c^4\*x^4 + 3\*a\*c^2\*x^2 + (b\*c^6\*x^6 - 3\*b\*c^4\*x^4 + 3\*b\*c^2\*x^2 - b)\*arcsin(c\*x) - a), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(- (cx - 1)(cx + 1))^{\frac{5}{2}} (a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(x/((-c\*x - 1)\*(c\*x + 1))\*\*(5/2)\*(a + b\*asin(c\*x))), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(-c^2x^2 + 1)^{\frac{5}{2}} (b \operatorname{arcsin}(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(x/((-c^2\*x^2 + 1)^(5/2)\*(b\*arcsin(c\*x) + a)), x)

$$3.364 \quad \int \frac{1}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=27

$$\text{Unintegrable}\left(\frac{1}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))}, x\right)$$

[Out] Unintegrable[1/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.0470863, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][1/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx = \int \frac{1}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 0.101746, size = 0, normalized size = 0.

$$\int \frac{1}{(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]



[Out] Integrate[1/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 1.447, size = 0, normalized size = 0.

$$\int \frac{1}{a + b \arcsin(cx)} (-c^2x^2 + 1)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(1/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c^2x^2 + 1)^{\frac{5}{2}}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(1/((-c^2\*x^2 + 1)^(5/2)\*(b\*arcsin(c\*x) + a)), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2 + 1}}{ac^6x^6 - 3ac^4x^4 + 3ac^2x^2 + (bc^6x^6 - 3bc^4x^4 + 3bc^2x^2 - b) \arcsin(cx) - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)/(a\*c^6\*x^6 - 3\*a\*c^4\*x^4 + 3\*a\*c^2\*x^2 + (b\*c^6\*x^6 - 3\*b\*c^4\*x^4 + 3\*b\*c^2\*x^2 - b)\*arcsin(c\*x) - a), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(- (cx - 1) (cx + 1))^{\frac{5}{2}} (a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(1/((- (c\*x - 1) (c\*x + 1))\*\* (5/2) \* (a + b\*asin(c\*x))), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c^2x^2 + 1)^{\frac{5}{2}} (b \operatorname{arcsin}(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(1/((-c^2\*x^2 + 1)^(5/2)\*(b\*arcsin(c\*x) + a)), x)

$$3.365 \quad \int \frac{1}{x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{1}{x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))}, x \right)$$

[Out] Unintegrable[1/(x\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.135257, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][1/(x\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx = \int \frac{1}{x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 5.63947, size = 0, normalized size = 0.

$$\int \frac{1}{x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[1/(x\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 4.153, size = 0, normalized size = 0.

$$\int \frac{1}{x(a + b \arcsin(cx))} (-c^2x^2 + 1)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(1/x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c^2x^2 + 1)^{\frac{5}{2}}(b \arcsin(cx) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(1/((-c^2\*x^2 + 1)^(5/2)\*(b\*arcsin(c\*x) + a)\*x), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2 + 1}}{ac^6x^7 - 3ac^4x^5 + 3ac^2x^3 - ax + (bc^6x^7 - 3bc^4x^5 + 3bc^2x^3 - bx) \arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)/(a\*c^6\*x^7 - 3\*a\*c^4\*x^5 + 3\*a\*c^2\*x^3 - a\*x + (b\*c^6\*x^7 - 3\*b\*c^4\*x^5 + 3\*b\*c^2\*x^3 - b\*x)\*arcsin(c\*x)), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x(-cx-1)(cx+1)^{\frac{5}{2}}(a+b\operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(-c**2*x**2+1)**(5/2)/(a+b*asin(c*x)),x)`

[Out] `Integral(1/(x*(-(c*x - 1)*(c*x + 1))**(5/2)*(a + b*asin(c*x))), x)`

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c^2x^2+1)^{\frac{5}{2}}(b\operatorname{arcsin}(cx)+a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] `integrate(1/((-c^2*x^2 + 1)^(5/2)*(b*arcsin(c*x) + a)*x), x)`

$$3.366 \quad \int \frac{1}{x^2(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable}\left(\frac{1}{x^2(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))}, x\right)$$

[Out] Unintegrable[1/(x^2\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.136025, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{x^2(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][1/(x^2\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{x^2(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx = \int \frac{1}{x^2(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 5.74451, size = 0, normalized size = 0.

$$\int \frac{1}{x^2(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[1/(x^2\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 4.325, size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (a + b \arcsin(cx)) (-c^2x^2 + 1)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(1/x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c^2x^2 + 1)^{\frac{5}{2}} (b \arcsin(cx) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(1/((-c^2\*x^2 + 1)^(5/2)\*(b\*arcsin(c\*x) + a)\*x^2), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2 + 1}}{ac^6x^8 - 3ac^4x^6 + 3ac^2x^4 - ax^2 + (bc^6x^8 - 3bc^4x^6 + 3bc^2x^4 - bx^2)\arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)/(a\*c^6\*x^8 - 3\*a\*c^4\*x^6 + 3\*a\*c^2\*x^4 - a\*x^2 + (b\*c^6\*x^8 - 3\*b\*c^4\*x^6 + 3\*b\*c^2\*x^4 - b\*x^2)\*arcsin(c\*x)), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (- (cx - 1) (cx + 1))^{\frac{5}{2}} (a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*2/(-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(1/(x\*\*2\*(-(c\*x - 1)\*(c\*x + 1))\*\*(5/2)\*(a + b\*asin(c\*x))), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c^2x^2 + 1)^{\frac{5}{2}} (b \operatorname{arcsin}(cx) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(1/((-c^2\*x^2 + 1)^(5/2)\*(b\*arcsin(c\*x) + a)\*x^2), x)



$$3.367 \quad \int \frac{x^m (1 - c^2 x^2)^{5/2}}{a + b \sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{(1 - c^2 x^2)^{5/2} x^m}{a + b \sin^{-1}(cx)}, x \right)$$

[Out] Unintegrable[(x^m\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x]), x]

**Rubi [A]** time = 0.127981, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m (1 - c^2 x^2)^{5/2}}{a + b \sin^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Int[(x^m\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x]), x]

[Out] Defer[Int] [(x^m\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x]), x]

Rubi steps

$$\int \frac{x^m (1 - c^2 x^2)^{5/2}}{a + b \sin^{-1}(cx)} dx = \int \frac{x^m (1 - c^2 x^2)^{5/2}}{a + b \sin^{-1}(cx)} dx$$

**Mathematica [A]** time = 0.904023, size = 0, normalized size = 0.

$$\int \frac{x^m (1 - c^2 x^2)^{5/2}}{a + b \sin^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^m\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x]), x]

[Out] Integrate[(x^m\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x]), x]

**Maple [A]** time = 0.967, size = 0, normalized size = 0.

$$\int \frac{x^m}{a + b \arcsin(cx)} (-c^2x^2 + 1)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(x^m\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}} x^m}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate((-c^2\*x^2 + 1)^(5/2)\*x^m/(b\*arcsin(c\*x) + a), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(c^4x^4 - 2c^2x^2 + 1)\sqrt{-c^2x^2 + 1}x^m}{b \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral((c^4\*x^4 - 2\*c^2\*x^2 + 1)\*sqrt(-c^2\*x^2 + 1)\*x^m/(b\*arcsin(c\*x) + a), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x)),x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}} x^m}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate((-c^2\*x^2 + 1)^(5/2)\*x^m/(b\*arcsin(c\*x) + a), x)

$$3.368 \quad \int \frac{x^m (1-c^2x^2)^{3/2}}{a+b \sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{(1-c^2x^2)^{3/2} x^m}{a+b \sin^{-1}(cx)}, x \right)$$

[Out] Unintegrable[(x^m\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x]), x]

**Rubi [A]** time = 0.126817, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m (1-c^2x^2)^{3/2}}{a+b \sin^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Int[(x^m\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x]),x]

[Out] Defer[Int] [(x^m\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x]), x]

Rubi steps

$$\int \frac{x^m (1-c^2x^2)^{3/2}}{a+b \sin^{-1}(cx)} dx = \int \frac{x^m (1-c^2x^2)^{3/2}}{a+b \sin^{-1}(cx)} dx$$

**Mathematica [A]** time = 0.483877, size = 0, normalized size = 0.

$$\int \frac{x^m (1-c^2x^2)^{3/2}}{a+b \sin^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^m\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x]),x]

[Out] Integrate[(x^m\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x]), x]

**Maple [A]** time = 0.854, size = 0, normalized size = 0.

$$\int \frac{x^m}{a + b \arcsin(cx)} (-c^2x^2 + 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(x^m\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}} x^m}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate((-c^2\*x^2 + 1)^(3/2)\*x^m/(b\*arcsin(c\*x) + a), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(c^2x^2 - 1)\sqrt{-c^2x^2 + 1}x^m}{b \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(-(c^2\*x^2 - 1)\*sqrt(-c^2\*x^2 + 1)\*x^m/(b\*arcsin(c\*x) + a), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m (-cx - 1)(cx + 1)^{\frac{3}{2}}}{a + b \operatorname{asin}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(x\*\*m\*(-(c\*x - 1)\*(c\*x + 1))\*\*(3/2)/(a + b\*asin(c\*x)), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}x^m}{b \operatorname{arcsin}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate((-c^2\*x^2 + 1)^(3/2)\*x^m/(b\*arcsin(c\*x) + a), x)

$$3.369 \quad \int \frac{x^m \sqrt{1-c^2x^2}}{a+b \sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{\sqrt{1-c^2x^2}x^m}{a+b \sin^{-1}(cx)}, x \right)$$

[Out] Unintegrable[(x^m\*Sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x]), x]

**Rubi [A]** time = 0.113326, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m \sqrt{1-c^2x^2}}{a+b \sin^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Int[(x^m\*Sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x]), x]

[Out] Defer[Int] [(x^m\*Sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x]), x]

Rubi steps

$$\int \frac{x^m \sqrt{1-c^2x^2}}{a+b \sin^{-1}(cx)} dx = \int \frac{x^m \sqrt{1-c^2x^2}}{a+b \sin^{-1}(cx)} dx$$

**Mathematica [A]** time = 0.0654036, size = 0, normalized size = 0.

$$\int \frac{x^m \sqrt{1-c^2x^2}}{a+b \sin^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^m\*Sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x]), x]

[Out] Integrate[(x^m\*sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x]), x]

**Maple [A]** time = 0.664, size = 0, normalized size = 0.

$$\int \frac{x^m}{a + b \arcsin(cx)} \sqrt{-c^2x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(x^m\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2 + 1}x^m}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(sqrt(-c^2\*x^2 + 1)\*x^m/(b\*arcsin(c\*x) + a), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2 + 1}x^m}{b \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)\*x^m/(b\*arcsin(c\*x) + a), x)



**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m \sqrt{-(cx-1)(cx+1)}}{a + b \operatorname{asin}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*(-c**2*x**2+1)**(1/2)/(a+b*asin(c*x)),x)`

[Out] `Integral(x**m*sqrt(-(c*x - 1)*(c*x + 1))/(a + b*asin(c*x)), x)`

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2 + 1}x^m}{b \operatorname{arcsin}(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(-c^2*x^2+1)^(1/2)/(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] `integrate(sqrt(-c^2*x^2 + 1)*x^m/(b*arcsin(c*x) + a), x)`

$$3.370 \quad \int \frac{x^m}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable}\left(\frac{x^m}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}, x\right)$$

[Out] Unintegrable[x^m/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.119974, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[x^m/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][x^m/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{x^m}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx = \int \frac{x^m}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 0.562313, size = 0, normalized size = 0.

$$\int \frac{x^m}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[x^m/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 0.2, size = 0, normalized size = 0.

$$\int \frac{x^m}{a + b \arcsin(cx)} \frac{1}{\sqrt{-c^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m/(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)), x)

[Out] int(x^m/(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)), x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m}{\sqrt{-c^2x^2 + 1}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)), x, algorithm="maxima")

[Out] integrate(x^m/(sqrt(-c^2\*x^2 + 1)\*(b\*arcsin(c\*x) + a)), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2 + 1}x^m}{ac^2x^2 + (bc^2x^2 - b)\arcsin(cx) - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)), x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)\*x^m/(a\*c^2\*x^2 + (b\*c^2\*x^2 - b)\*arcsin(c\*x) - a), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m}{\sqrt{-(cx-1)(cx+1)}(a+b\operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m/(-c\*\*2\*x\*\*2+1)\*\*(1/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(x\*\*m/(sqrt(-(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m}{\sqrt{-c^2x^2+1}(b\operatorname{arcsin}(cx)+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(x^m/(sqrt(-c^2\*x^2 + 1)\*(b\*arcsin(c\*x) + a)), x)

$$3.371 \quad \int \frac{x^m}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{x^m}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))}, x \right)$$

[Out] Unintegrable[x^m/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.139677, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[x^m/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][x^m/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{x^m}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))} dx = \int \frac{x^m}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 1.06465, size = 0, normalized size = 0.

$$\int \frac{x^m}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[x^m/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 0.435, size = 0, normalized size = 0.

$$\int \frac{x^m}{a + b \arcsin(cx)} (-c^2x^2 + 1)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(x^m/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m}{(-c^2x^2 + 1)^{\frac{3}{2}}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(x^m/((-c^2\*x^2 + 1)^(3/2)\*(b\*arcsin(c\*x) + a)), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2 + 1}x^m}{ac^4x^4 - 2ac^2x^2 + (bc^4x^4 - 2bc^2x^2 + b)\arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)\*x^m/(a\*c^4\*x^4 - 2\*a\*c^2\*x^2 + (b\*c^4\*x^4 - 2\*b\*c^2\*x^2 + b)\*arcsin(c\*x) + a), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m}{(- (cx - 1)(cx + 1))^{\frac{3}{2}} (a + b \operatorname{asin}(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m/(-c**2*x**2+1)**(3/2)/(a+b*asin(c*x)),x)`

[Out] `Integral(x**m/((-c*x - 1)*(c*x + 1))**(3/2)*(a + b*asin(c*x))), x)`

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m}{(-c^2x^2 + 1)^{\frac{3}{2}} (b \operatorname{arcsin}(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m/(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out] `integrate(x^m/((-c^2*x^2 + 1)^(3/2)*(b*arcsin(c*x) + a)), x)`

$$3.372 \quad \int \frac{x^m}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{x^m}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))}, x \right)$$

[Out] Unintegrable[x^m/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.132232, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[x^m/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])),x]

[Out] Defer[Int][x^m/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{x^m}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))} dx = \int \frac{x^m}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 1.61503, size = 0, normalized size = 0.

$$\int \frac{x^m}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])),x]



[Out] Integrate[x^m/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 0.551, size = 0, normalized size = 0.

$$\int \frac{x^m}{a + b \arcsin(cx)} (-c^2x^2 + 1)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(x^m/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m}{(-c^2x^2 + 1)^{\frac{5}{2}}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(x^m/((-c^2\*x^2 + 1)^(5/2)\*(b\*arcsin(c\*x) + a)), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2 + 1}x^m}{ac^6x^6 - 3ac^4x^4 + 3ac^2x^2 + (bc^6x^6 - 3bc^4x^4 + 3bc^2x^2 - b)\arcsin(cx) - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)\*x^m/(a\*c^6\*x^6 - 3\*a\*c^4\*x^4 + 3\*a\*c^2\*x^2 + (b\*c^6\*x^6 - 3\*b\*c^4\*x^4 + 3\*b\*c^2\*x^2 - b)\*arcsin(c\*x) - a), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m/(-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x)),x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m}{(-c^2x^2 + 1)^{\frac{5}{2}}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(x^m/((-c^2\*x^2 + 1)^(5/2)\*(b\*arcsin(c\*x) + a)), x)

$$3.373 \quad \int \frac{x^m}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

**Optimal.** Leaf size=26

$$\text{Unintegrable}\left(\frac{x^m}{\sqrt{1-a^2x^2} \sin^{-1}(ax)}, x\right)$$

[Out] Unintegrable[x^m/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]), x]

**Rubi [A]** time = 0.0897566, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Int[x^m/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]), x]

[Out] Defer[Int][x^m/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]), x]

Rubi steps

$$\int \frac{x^m}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx = \int \frac{x^m}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

**Mathematica [A]** time = 0.384027, size = 0, normalized size = 0.

$$\int \frac{x^m}{\sqrt{1-a^2x^2} \sin^{-1}(ax)} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]), x]

[Out] Integrate[x^m/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]), x]

---

**Maple [A]** time = 0.2, size = 0, normalized size = 0.

$$\int \frac{x^m}{\arcsin(ax)} \frac{1}{\sqrt{-a^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x)

[Out] int(x^m/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m}{\sqrt{-a^2x^2+1} \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(x^m/(sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)), x)

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2+1}x^m}{(a^2x^2-1)\arcsin(ax)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/arcsin(a\*x)/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)\*x^m/((a^2\*x^2 - 1)\*arcsin(a\*x)), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m}{\sqrt{-(ax-1)(ax+1)} \operatorname{asin}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m/asin(a*x)/(-a**2*x**2+1)**(1/2),x)`

[Out] `Integral(x**m/(sqrt(-(a*x - 1)*(a*x + 1))*asin(a*x)), x)`

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m}{\sqrt{-a^2x^2 + 1} \arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m/arcsin(a*x)/(-a^2*x^2+1)^(1/2),x, algorithm="giac")`

[Out] `integrate(x^m/(sqrt(-a^2*x^2 + 1)*arcsin(a*x)), x)`

$$3.374 \quad \int \frac{(c - a^2 cx^2)^3}{\sin^{-1}(ax)^2} dx$$

**Optimal.** Leaf size=95

$$\frac{c^3(1 - a^2x^2)^{7/2}}{a \sin^{-1}(ax)} - \frac{35c^3 \text{Si}(\sin^{-1}(ax))}{64a} - \frac{63c^3 \text{Si}(3 \sin^{-1}(ax))}{64a} - \frac{35c^3 \text{Si}(5 \sin^{-1}(ax))}{64a} - \frac{7c^3 \text{Si}(7 \sin^{-1}(ax))}{64a}$$

[Out] -((c^3\*(1 - a^2\*x^2)^(7/2))/(a\*ArcSin[a\*x])) - (35\*c^3\*SinIntegral[ArcSin[a\*x]])/(64\*a) - (63\*c^3\*SinIntegral[3\*ArcSin[a\*x]])/(64\*a) - (35\*c^3\*SinIntegral[5\*ArcSin[a\*x]])/(64\*a) - (7\*c^3\*SinIntegral[7\*ArcSin[a\*x]])/(64\*a)

**Rubi [A]** time = 0.17414, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 4, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4659, 4723, 4406, 3299}

$$\frac{c^3(1 - a^2x^2)^{7/2}}{a \sin^{-1}(ax)} - \frac{35c^3 \text{Si}(\sin^{-1}(ax))}{64a} - \frac{63c^3 \text{Si}(3 \sin^{-1}(ax))}{64a} - \frac{35c^3 \text{Si}(5 \sin^{-1}(ax))}{64a} - \frac{7c^3 \text{Si}(7 \sin^{-1}(ax))}{64a}$$

Antiderivative was successfully verified.

[In] Int[(c - a^2\*c\*x^2)^3/ArcSin[a\*x]^2,x]

[Out] -((c^3\*(1 - a^2\*x^2)^(7/2))/(a\*ArcSin[a\*x])) - (35\*c^3\*SinIntegral[ArcSin[a\*x]])/(64\*a) - (63\*c^3\*SinIntegral[3\*ArcSin[a\*x]])/(64\*a) - (35\*c^3\*SinIntegral[5\*ArcSin[a\*x]])/(64\*a) - (7\*c^3\*SinIntegral[7\*ArcSin[a\*x]])/(64\*a)

#### Rule 4659

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(Sqrt[1 - c^2\*x^2]\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[(c\*(2\*p + 1)\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(b\*(n + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

#### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*C

```
os[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])
```

**Rule 4406**

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

**Rule 3299**

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

**Rubi steps**

$$\begin{aligned}
\int \frac{(c - a^2cx^2)^3}{\sin^{-1}(ax)^2} dx &= -\frac{c^3(1 - a^2x^2)^{7/2}}{a \sin^{-1}(ax)} - (7ac^3) \int \frac{x(1 - a^2x^2)^{5/2}}{\sin^{-1}(ax)} dx \\
&= -\frac{c^3(1 - a^2x^2)^{7/2}}{a \sin^{-1}(ax)} - \frac{(7c^3) \text{Subst}\left(\int \frac{\cos^6(x) \sin(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a} \\
&= -\frac{c^3(1 - a^2x^2)^{7/2}}{a \sin^{-1}(ax)} - \frac{(7c^3) \text{Subst}\left(\int \left(\frac{5 \sin(x)}{64x} + \frac{9 \sin(3x)}{64x} + \frac{5 \sin(5x)}{64x} + \frac{\sin(7x)}{64x}\right) dx, x, \sin^{-1}(ax)\right)}{a} \\
&= -\frac{c^3(1 - a^2x^2)^{7/2}}{a \sin^{-1}(ax)} - \frac{(7c^3) \text{Subst}\left(\int \frac{\sin(7x)}{x} dx, x, \sin^{-1}(ax)\right)}{64a} - \frac{(35c^3) \text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \sin^{-1}(ax)\right)}{64a} \\
&= -\frac{c^3(1 - a^2x^2)^{7/2}}{a \sin^{-1}(ax)} - \frac{35c^3 \text{Si}(\sin^{-1}(ax))}{64a} - \frac{63c^3 \text{Si}(3 \sin^{-1}(ax))}{64a} - \frac{35c^3 \text{Si}(5 \sin^{-1}(ax))}{64a} - \frac{7c^3 \text{Si}(7 \sin^{-1}(ax))}{64a}
\end{aligned}$$

**Mathematica [A]** time = 0.58046, size = 83, normalized size = 0.87

$$\frac{c^3 \left( 64(1 - a^2x^2)^{7/2} + 35 \sin^{-1}(ax) \text{Si}(\sin^{-1}(ax)) + 63 \sin^{-1}(ax) \text{Si}(3 \sin^{-1}(ax)) + 35 \sin^{-1}(ax) \text{Si}(5 \sin^{-1}(ax)) + 7 \sin^{-1}(ax) \text{Si}(7 \sin^{-1}(ax)) \right)}{64a \sin^{-1}(ax)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c - a^2*c*x^2)^3/ArcSin[a*x]^2,x]
```

[Out]  $-(c^3*(64*(1 - a^2*x^2)^{(7/2)} + 35*\text{ArcSin}[a*x]*\text{SinIntegral}[\text{ArcSin}[a*x]] + 63*\text{ArcSin}[a*x]*\text{SinIntegral}[3*\text{ArcSin}[a*x]] + 35*\text{ArcSin}[a*x]*\text{SinIntegral}[5*\text{ArcSin}[a*x]] + 7*\text{ArcSin}[a*x]*\text{SinIntegral}[7*\text{ArcSin}[a*x]]))/((64*a*\text{ArcSin}[a*x])$

**Maple [A]** time = 0.05, size = 105, normalized size = 1.1

$$-\frac{c^3}{64 a \arcsin(ax)} \left( 35 \text{Si}(\arcsin(ax)) \arcsin(ax) + 63 \text{Si}(3 \arcsin(ax)) \arcsin(ax) + 35 \text{Si}(5 \arcsin(ax)) \arcsin(ax) + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-a^2*c*x^2+c)^3/arcsin(a*x)^2,x)`

[Out]  $-1/64/a*c^3*(35*\text{Si}(\arcsin(a*x))*\arcsin(a*x)+63*\text{Si}(3*\arcsin(a*x))*\arcsin(a*x)+35*\text{Si}(5*\arcsin(a*x))*\arcsin(a*x)+7*\text{Si}(7*\arcsin(a*x))*\arcsin(a*x)+\cos(7*\arcsin(a*x))+21*\cos(3*\arcsin(a*x))+7*\cos(5*\arcsin(a*x))+35*(-a^2*x^2+1)^{(1/2)})/\arcsin(a*x)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{7 a \arctan(ax, \sqrt{ax+1}\sqrt{-ax+1}) \int \frac{(a^5 c^3 x^5 - 2 a^3 c^3 x^3 + a c^3 x) \sqrt{ax+1} \sqrt{-ax+1}}{\arctan(ax, \sqrt{ax+1}\sqrt{-ax+1})} dx - (a^6 c^3 x^6 - 3 a^4 c^3 x^4 + 3 a^2 c^3 x^2 - c^3) \sqrt{ax+1} \sqrt{-ax+1}}{a \arctan(ax, \sqrt{ax+1}\sqrt{-ax+1})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a^2*c*x^2+c)^3/arcsin(a*x)^2,x, algorithm="maxima")`

[Out]  $-(a*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1}))*\text{integrate}(7*(a^5*c^3*x^5 - 2*a^3*c^3*x^3 + a*c^3*x)*\sqrt{a*x + 1}*\sqrt{-a*x + 1}/\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1}), x) - (a^6*c^3*x^6 - 3*a^4*c^3*x^4 + 3*a^2*c^3*x^2 - c^3)*\sqrt{a*x + 1}*\sqrt{-a*x + 1})/(a*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1}))$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{a^6 c^3 x^6 - 3 a^4 c^3 x^4 + 3 a^2 c^3 x^2 - c^3}{\arcsin(ax)^2}, x\right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^3/arcsin(a\*x)^2,x, algorithm="fricas")

[Out] integral(-(a^6\*c^3\*x^6 - 3\*a^4\*c^3\*x^4 + 3\*a^2\*c^3\*x^2 - c^3)/arcsin(a\*x)^2, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-c^3 \left( \int \frac{3a^2x^2}{\operatorname{asin}^2(ax)} dx + \int -\frac{3a^4x^4}{\operatorname{asin}^2(ax)} dx + \int \frac{a^6x^6}{\operatorname{asin}^2(ax)} dx + \int -\frac{1}{\operatorname{asin}^2(ax)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*3/asin(a\*x)\*\*2,x)

[Out] -c\*\*3\*(Integral(3\*a\*\*2\*x\*\*2/asin(a\*x)\*\*2, x) + Integral(-3\*a\*\*4\*x\*\*4/asin(a\*x)\*\*2, x) + Integral(a\*\*6\*x\*\*6/asin(a\*x)\*\*2, x) + Integral(-1/asin(a\*x)\*\*2, x))

**Giac [A]** time = 1.40312, size = 128, normalized size = 1.35

$$\frac{(a^2x^2 - 1)^3 \sqrt{-a^2x^2 + 1} c^3}{a \operatorname{arcsin}(ax)} - \frac{7c^3 \operatorname{Si}(7 \operatorname{arcsin}(ax))}{64a} - \frac{35c^3 \operatorname{Si}(5 \operatorname{arcsin}(ax))}{64a} - \frac{63c^3 \operatorname{Si}(3 \operatorname{arcsin}(ax))}{64a} - \frac{35c^3 \operatorname{Si}(\operatorname{arcsin}(ax))}{64a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^3/arcsin(a\*x)^2,x, algorithm="giac")

[Out] (a^2\*x^2 - 1)^3\*sqrt(-a^2\*x^2 + 1)\*c^3/(a\*arcsin(a\*x)) - 7/64\*c^3\*sin\_integral(7\*arcsin(a\*x))/a - 35/64\*c^3\*sin\_integral(5\*arcsin(a\*x))/a - 63/64\*c^3\*sin\_integral(3\*arcsin(a\*x))/a - 35/64\*c^3\*sin\_integral(arcsin(a\*x))/a

$$3.375 \quad \int \frac{(c - a^2 cx^2)^2}{\sin^{-1}(ax)^2} dx$$

**Optimal.** Leaf size=78

$$-\frac{c^2(1 - a^2x^2)^{5/2}}{a \sin^{-1}(ax)} - \frac{5c^2 \text{Si}(\sin^{-1}(ax))}{8a} - \frac{15c^2 \text{Si}(3 \sin^{-1}(ax))}{16a} - \frac{5c^2 \text{Si}(5 \sin^{-1}(ax))}{16a}$$

[Out] -((c^2\*(1 - a^2\*x^2)^(5/2))/(a\*ArcSin[a\*x])) - (5\*c^2\*SinIntegral[ArcSin[a\*x]])/(8\*a) - (15\*c^2\*SinIntegral[3\*ArcSin[a\*x]])/(16\*a) - (5\*c^2\*SinIntegral[5\*ArcSin[a\*x]])/(16\*a)

**Rubi [A]** time = 0.161396, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4659, 4723, 4406, 3299}

$$-\frac{c^2(1 - a^2x^2)^{5/2}}{a \sin^{-1}(ax)} - \frac{5c^2 \text{Si}(\sin^{-1}(ax))}{8a} - \frac{15c^2 \text{Si}(3 \sin^{-1}(ax))}{16a} - \frac{5c^2 \text{Si}(5 \sin^{-1}(ax))}{16a}$$

Antiderivative was successfully verified.

[In] Int[(c - a^2\*c\*x^2)^2/ArcSin[a\*x]^2,x]

[Out] -((c^2\*(1 - a^2\*x^2)^(5/2))/(a\*ArcSin[a\*x])) - (5\*c^2\*SinIntegral[ArcSin[a\*x]])/(8\*a) - (15\*c^2\*SinIntegral[3\*ArcSin[a\*x]])/(16\*a) - (5\*c^2\*SinIntegral[5\*ArcSin[a\*x]])/(16\*a)

#### Rule 4659

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(Sqrt[1 - c^2\*x^2]\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[(c\*(2\*p + 1)\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(b\*(n + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

#### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*C

```
os[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])
```

### Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(c - a^2cx^2)^2}{\sin^{-1}(ax)^2} dx &= -\frac{c^2(1 - a^2x^2)^{5/2}}{a \sin^{-1}(ax)} - (5ac^2) \int \frac{x(1 - a^2x^2)^{3/2}}{\sin^{-1}(ax)} dx \\
&= -\frac{c^2(1 - a^2x^2)^{5/2}}{a \sin^{-1}(ax)} - \frac{(5c^2) \operatorname{Subst}\left(\int \frac{\cos^4(x) \sin(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a} \\
&= -\frac{c^2(1 - a^2x^2)^{5/2}}{a \sin^{-1}(ax)} - \frac{(5c^2) \operatorname{Subst}\left(\int \left(\frac{\sin(x)}{8x} + \frac{3 \sin(3x)}{16x} + \frac{\sin(5x)}{16x}\right) dx, x, \sin^{-1}(ax)\right)}{a} \\
&= -\frac{c^2(1 - a^2x^2)^{5/2}}{a \sin^{-1}(ax)} - \frac{(5c^2) \operatorname{Subst}\left(\int \frac{\sin(5x)}{x} dx, x, \sin^{-1}(ax)\right)}{16a} - \frac{(5c^2) \operatorname{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \sin^{-1}(ax)\right)}{8a} \\
&= -\frac{c^2(1 - a^2x^2)^{5/2}}{a \sin^{-1}(ax)} - \frac{5c^2 \operatorname{Si}\left(\sin^{-1}(ax)\right)}{8a} - \frac{15c^2 \operatorname{Si}\left(3 \sin^{-1}(ax)\right)}{16a} - \frac{5c^2 \operatorname{Si}\left(5 \sin^{-1}(ax)\right)}{16a}
\end{aligned}$$

**Mathematica [A]** time = 0.487281, size = 70, normalized size = 0.9

$$\frac{c^2 \left( 16(1 - a^2x^2)^{5/2} + 10 \sin^{-1}(ax) \operatorname{Si}\left(\sin^{-1}(ax)\right) + 15 \sin^{-1}(ax) \operatorname{Si}\left(3 \sin^{-1}(ax)\right) + 5 \sin^{-1}(ax) \operatorname{Si}\left(5 \sin^{-1}(ax)\right) \right)}{16a \sin^{-1}(ax)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c - a^2*c*x^2)^2/ArcSin[a*x]^2,x]
```

[Out]  $-(c^2(16(1 - a^2x^2)^{5/2} + 10\text{ArcSin}[ax]*\text{SinIntegral}[\text{ArcSin}[ax]] + 15\text{ArcSin}[ax]*\text{SinIntegral}[3\text{ArcSin}[ax]] + 5\text{ArcSin}[ax]*\text{SinIntegral}[5\text{ArcSin}[ax]]))/(16a\text{ArcSin}[ax])$

**Maple [A]** time = 0.034, size = 83, normalized size = 1.1

$$-\frac{c^2}{16a \arcsin(ax)} \left( 10 \text{Si}(\arcsin(ax)) \arcsin(ax) + 15 \text{Si}(3 \arcsin(ax)) \arcsin(ax) + 5 \text{Si}(5 \arcsin(ax)) \arcsin(ax) + 10 \cos(3 \arcsin(ax)) + 5 \cos(5 \arcsin(ax)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-a^2*c*x^2+c)^2/arcsin(a*x)^2,x)`

[Out]  $-1/16/a*c^2*(10*\text{Si}(\arcsin(a*x))*\arcsin(a*x)+15*\text{Si}(3*\arcsin(a*x))*\arcsin(a*x)+5*\text{Si}(5*\arcsin(a*x))*\arcsin(a*x)+10*\cos(3*\arcsin(a*x))+5*\cos(5*\arcsin(a*x)))/\arcsin(a*x)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{5a \arctan(ax, \sqrt{ax+1}\sqrt{-ax+1}) \int \frac{(a^3c^2x^3-ac^2x)\sqrt{ax+1}\sqrt{-ax+1}}{\arctan(ax, \sqrt{ax+1}\sqrt{-ax+1})} dx - (a^4c^2x^4 - 2a^2c^2x^2 + c^2)\sqrt{ax+1}\sqrt{-ax+1}}{a \arctan(ax, \sqrt{ax+1}\sqrt{-ax+1})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a^2*c*x^2+c)^2/arcsin(a*x)^2,x, algorithm="maxima")`

[Out]  $(a*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1}))*\text{integrate}(5*(a^3*c^2*x^3 - a*c^2*x)*\sqrt{a*x + 1}*\sqrt{-a*x + 1}/\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1}), x) - (a^4*c^2*x^4 - 2*a^2*c^2*x^2 + c^2)*\sqrt{a*x + 1}*\sqrt{-a*x + 1})/(a*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1}))$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{a^4c^2x^4 - 2a^2c^2x^2 + c^2}{\arcsin(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^2/arcsin(a\*x)^2,x, algorithm="fricas")

[Out] integral((a^4\*c^2\*x^4 - 2\*a^2\*c^2\*x^2 + c^2)/arcsin(a\*x)^2, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$c^2 \left( \int -\frac{2a^2x^2}{\operatorname{asin}^2(ax)} dx + \int \frac{a^4x^4}{\operatorname{asin}^2(ax)} dx + \int \frac{1}{\operatorname{asin}^2(ax)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*2/asin(a\*x)\*\*2,x)

[Out] c\*\*2\*(Integral(-2\*a\*\*2\*x\*\*2/asin(a\*x)\*\*2, x) + Integral(a\*\*4\*x\*\*4/asin(a\*x)\*\*2, x) + Integral(asin(a\*x)\*\*(-2), x))

**Giac [A]** time = 1.43958, size = 109, normalized size = 1.4

$$\frac{(a^2x^2 - 1)^2 \sqrt{-a^2x^2 + 1} c^2}{a \operatorname{arcsin}(ax)} - \frac{5c^2 \operatorname{Si}(5 \operatorname{arcsin}(ax))}{16a} - \frac{15c^2 \operatorname{Si}(3 \operatorname{arcsin}(ax))}{16a} - \frac{5c^2 \operatorname{Si}(\operatorname{arcsin}(ax))}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^2/arcsin(a\*x)^2,x, algorithm="giac")

[Out] -(a^2\*x^2 - 1)^2\*sqrt(-a^2\*x^2 + 1)\*c^2/(a\*arcsin(a\*x)) - 5/16\*c^2\*sin\_integral(5\*arcsin(a\*x))/a - 15/16\*c^2\*sin\_integral(3\*arcsin(a\*x))/a - 5/8\*c^2\*sin\_integral(arcsin(a\*x))/a

$$3.376 \quad \int \frac{c - a^2 cx^2}{\sin^{-1}(ax)^2} dx$$

**Optimal.** Leaf size=55

$$\frac{c(1 - a^2 x^2)^{3/2}}{a \sin^{-1}(ax)} - \frac{3c \operatorname{Si}(\sin^{-1}(ax))}{4a} - \frac{3c \operatorname{Si}(3 \sin^{-1}(ax))}{4a}$$

[Out] -((c\*(1 - a^2\*x^2)^(3/2))/(a\*ArcSin[a\*x])) - (3\*c\*SinIntegral[ArcSin[a\*x]])/(4\*a) - (3\*c\*SinIntegral[3\*ArcSin[a\*x]])/(4\*a)

**Rubi [A]** time = 0.117651, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {4659, 4723, 4406, 3299}

$$\frac{c(1 - a^2 x^2)^{3/2}}{a \sin^{-1}(ax)} - \frac{3c \operatorname{Si}(\sin^{-1}(ax))}{4a} - \frac{3c \operatorname{Si}(3 \sin^{-1}(ax))}{4a}$$

Antiderivative was successfully verified.

[In] Int[(c - a^2\*c\*x^2)/ArcSin[a\*x]^2,x]

[Out] -((c\*(1 - a^2\*x^2)^(3/2))/(a\*ArcSin[a\*x])) - (3\*c\*SinIntegral[ArcSin[a\*x]])/(4\*a) - (3\*c\*SinIntegral[3\*ArcSin[a\*x]])/(4\*a)

#### Rule 4659

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[(Sqrt[1 - c^2\*x^2]\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[(c\*(2\*p + 1)\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(b\*(n + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

#### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer

Q[p] || GtQ[d, 0])

### Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^(n)\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{c - a^2 cx^2}{\sin^{-1}(ax)^2} dx &= -\frac{c(1 - a^2 x^2)^{3/2}}{a \sin^{-1}(ax)} - (3ac) \int \frac{x\sqrt{1 - a^2 x^2}}{\sin^{-1}(ax)} dx \\
 &= -\frac{c(1 - a^2 x^2)^{3/2}}{a \sin^{-1}(ax)} - \frac{(3c) \text{Subst}\left(\int \frac{\cos^2(x) \sin(x)}{x} dx, x, \sin^{-1}(ax)\right)}{a} \\
 &= -\frac{c(1 - a^2 x^2)^{3/2}}{a \sin^{-1}(ax)} - \frac{(3c) \text{Subst}\left(\int \left(\frac{\sin(x)}{4x} + \frac{\sin(3x)}{4x}\right) dx, x, \sin^{-1}(ax)\right)}{a} \\
 &= -\frac{c(1 - a^2 x^2)^{3/2}}{a \sin^{-1}(ax)} - \frac{(3c) \text{Subst}\left(\int \frac{\sin(x)}{x} dx, x, \sin^{-1}(ax)\right)}{4a} - \frac{(3c) \text{Subst}\left(\int \frac{\sin(3x)}{x} dx, x, \sin^{-1}(ax)\right)}{4a} \\
 &= -\frac{c(1 - a^2 x^2)^{3/2}}{a \sin^{-1}(ax)} - \frac{3c \text{Si}\left(\sin^{-1}(ax)\right)}{4a} - \frac{3c \text{Si}\left(3 \sin^{-1}(ax)\right)}{4a}
 \end{aligned}$$

**Mathematica [A]** time = 0.222179, size = 55, normalized size = 1.

$$-\frac{c\left(4(1 - a^2 x^2)^{3/2} + 3 \sin^{-1}(ax) \text{Si}\left(\sin^{-1}(ax)\right) + 3 \sin^{-1}(ax) \text{Si}\left(3 \sin^{-1}(ax)\right)\right)}{4a \sin^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Integrate[(c - a^2\*c\*x^2)/ArcSin[a\*x]^2,x]

[Out]  $-(c*(4*(1 - a^2*x^2)^{(3/2)} + 3*ArcSin[a*x]*SinIntegral[ArcSin[a*x]] + 3*ArcSin[a*x]*SinIntegral[3*ArcSin[a*x]]))/(4*a*ArcSin[a*x])$

**Maple [A]** time = 0.032, size = 59, normalized size = 1.1

$$-\frac{c}{4a \arcsin(ax)} \left( 3 \operatorname{Si}(\arcsin(ax)) \arcsin(ax) + 3 \operatorname{Si}(3 \arcsin(ax)) \arcsin(ax) + 3 \sqrt{-a^2x^2 + 1} + \cos(3 \arcsin(ax)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-a^2*c*x^2+c)/arcsin(a*x)^2,x)`

[Out]  $-1/4/a*c*(3*Si(\arcsin(a*x))*\arcsin(a*x)+3*Si(3*\arcsin(a*x))*\arcsin(a*x)+3*(-a^2*x^2+1)^{(1/2)}+\cos(3*\arcsin(a*x)))/\arcsin(a*x)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{3a^2c \arctan(ax, \sqrt{ax+1}\sqrt{-ax+1}) \int \frac{\sqrt{ax+1}\sqrt{-ax+1}x}{\arctan(ax, \sqrt{ax+1}\sqrt{-ax+1})} dx - (a^2cx^2 - c)\sqrt{ax+1}\sqrt{-ax+1}}{a \arctan(ax, \sqrt{ax+1}\sqrt{-ax+1})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a^2*c*x^2+c)/arcsin(a*x)^2,x, algorithm="maxima")`

[Out]  $-(3*a^2*c*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1})*\int(\sqrt{a*x + 1})*\sqrt{-a*x + 1}*x/\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1}), x) - (a^2*c*x^2 - c)*\sqrt{a*x + 1}*\sqrt{-a*x + 1}/(a*\arctan2(a*x, \sqrt{a*x + 1}*\sqrt{-a*x + 1}))$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{a^2cx^2 - c}{\arcsin(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((-a^2\*c\*x^2+c)/arcsin(a\*x)^2,x, algorithm="fricas")

[Out] integral(-(a^2\*c\*x^2 - c)/arcsin(a\*x)^2, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-c \left( \int \frac{a^2 x^2}{\operatorname{asin}^2(ax)} dx + \int -\frac{1}{\operatorname{asin}^2(ax)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)/asin(a\*x)\*\*2,x)

[Out] -c\*(Integral(a\*\*2\*x\*\*2/asin(a\*x)\*\*2, x) + Integral(-1/asin(a\*x)\*\*2, x))

**Giac [A]** time = 1.38418, size = 66, normalized size = 1.2

$$-\frac{3c \operatorname{Si}(3 \operatorname{arcsin}(ax))}{4a} - \frac{3c \operatorname{Si}(\operatorname{arcsin}(ax))}{4a} - \frac{(-a^2x^2 + 1)^{\frac{3}{2}}c}{a \operatorname{arcsin}(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)/arcsin(a\*x)^2,x, algorithm="giac")

[Out] -3/4\*c\*sin\_integral(3\*arcsin(a\*x))/a - 3/4\*c\*sin\_integral(arcsin(a\*x))/a - (-a^2\*x^2 + 1)^(3/2)\*c/(a\*arcsin(a\*x))

$$3.377 \quad \int \frac{1}{(c - a^2 cx^2) \sin^{-1}(ax)^2} dx$$

**Optimal.** Leaf size=58

$$\frac{a \text{Unintegrable}\left(\frac{x}{(1-a^2x^2)^{3/2} \sin^{-1}(ax)}, x\right)}{c} - \frac{1}{ac\sqrt{1-a^2x^2} \sin^{-1}(ax)}$$

[Out] -(1/(a\*c\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])) + (a\*Unintegrable[x/((1 - a^2\*x^2)^(3/2)\*ArcSin[a\*x]), x])/c

**Rubi [A]** time = 0.0956909, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(c - a^2 cx^2) \sin^{-1}(ax)^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c - a^2\*c\*x^2)\*ArcSin[a\*x]^2),x]

[Out] -(1/(a\*c\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])) + (a\*Defer[Int][x/((1 - a^2\*x^2)^(3/2)\*ArcSin[a\*x]), x])/c

Rubi steps

$$\int \frac{1}{(c - a^2 cx^2) \sin^{-1}(ax)^2} dx = -\frac{1}{ac\sqrt{1-a^2x^2} \sin^{-1}(ax)} + \frac{a \int \frac{x}{(1-a^2x^2)^{3/2} \sin^{-1}(ax)} dx}{c}$$

**Mathematica [A]** time = 3.76265, size = 0, normalized size = 0.

$$\int \frac{1}{(c - a^2 cx^2) \sin^{-1}(ax)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c - a^2\*c\*x^2)\*ArcSin[a\*x]^2),x]

[Out] Integrate[1/((c - a^2\*c\*x^2)\*ArcSin[a\*x]^2), x]

---

**Maple [A]** time = 0.102, size = 0, normalized size = 0.

$$\int \frac{1}{(-a^2cx^2 + c)(\arcsin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-a^2\*c\*x^2+c)/arcsin(a\*x)^2,x)

[Out] int(1/(-a^2\*c\*x^2+c)/arcsin(a\*x)^2,x)

---

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)/arcsin(a\*x)^2,x, algorithm="maxima")

[Out] Timed out

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{1}{(a^2cx^2 - c)\arcsin(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)/arcsin(a\*x)^2,x, algorithm="fricas")

[Out] integral(-1/((a^2\*c\*x^2 - c)\*arcsin(a\*x)^2), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\frac{a^2 x^2 \operatorname{asin}^2(ax) - \operatorname{asin}^2(ax)}{c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a\*\*2\*c\*x\*\*2+c)/asin(a\*x)\*\*2,x)

[Out] -Integral(1/(a\*\*2\*x\*\*2\*asin(a\*x)\*\*2 - asin(a\*x)\*\*2), x)/c

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{1}{(a^2 c x^2 - c) \operatorname{arcsin}(ax)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)/arcsin(a\*x)^2,x, algorithm="giac")

[Out] integrate(-1/((a^2\*c\*x^2 - c)\*arcsin(a\*x)^2), x)

$$3.378 \quad \int \frac{1}{(c - a^2 cx^2)^2 \sin^{-1}(ax)^2} dx$$

**Optimal.** Leaf size=59

$$\frac{3a \text{Unintegrable}\left(\frac{x}{(1-a^2x^2)^{5/2} \sin^{-1}(ax)}, x\right)}{c^2} - \frac{1}{ac^2 (1-a^2x^2)^{3/2} \sin^{-1}(ax)}$$

[Out]  $-(1/(a*c^2*(1 - a^2*x^2)^(3/2)*ArcSin[a*x])) + (3*a*Unintegrable[x/((1 - a^2*x^2)^(5/2)*ArcSin[a*x]), x])/c^2$

**Rubi [A]** time = 0.0974797, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(c - a^2 cx^2)^2 \sin^{-1}(ax)^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c - a^2\*c\*x^2)^2\*ArcSin[a\*x]^2),x]

[Out]  $-(1/(a*c^2*(1 - a^2*x^2)^(3/2)*ArcSin[a*x])) + (3*a*Defer[Int][x/((1 - a^2*x^2)^(5/2)*ArcSin[a*x]), x])/c^2$

Rubi steps

$$\int \frac{1}{(c - a^2 cx^2)^2 \sin^{-1}(ax)^2} dx = -\frac{1}{ac^2 (1 - a^2 x^2)^{3/2} \sin^{-1}(ax)} + \frac{(3a) \int \frac{x}{(1-a^2x^2)^{5/2} \sin^{-1}(ax)} dx}{c^2}$$

**Mathematica [A]** time = 14.5328, size = 0, normalized size = 0.

$$\int \frac{1}{(c - a^2 cx^2)^2 \sin^{-1}(ax)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c - a^2\*c\*x^2)^2\*ArcSin[a\*x]^2), x]

[Out] Integrate[1/((c - a^2\*c\*x^2)^2\*ArcSin[a\*x]^2), x]

**Maple [A]** time = 0.289, size = 0, normalized size = 0.

$$\int \frac{1}{(-a^2cx^2 + c)^2 (\arcsin(ax))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-a^2\*c\*x^2+c)^2/arcsin(a\*x)^2,x)

[Out] int(1/(-a^2\*c\*x^2+c)^2/arcsin(a\*x)^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^2/arcsin(a\*x)^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{(a^4c^2x^4 - 2a^2c^2x^2 + c^2) \arcsin(ax)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^2/arcsin(a\*x)^2,x, algorithm="fricas")

[Out] `integral(1/((a^4*c^2*x^4 - 2*a^2*c^2*x^2 + c^2)*arcsin(a*x)^2), x)`

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\frac{a^4 x^4 \operatorname{asin}^2(ax) - 2a^2 x^2 \operatorname{asin}^2(ax) + \operatorname{asin}^2(ax)}{c^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a**2*c*x**2+c)**2/asin(a*x)**2,x)`

[Out] `Integral(1/(a**4*x**4*asin(a*x)**2 - 2*a**2*x**2*asin(a*x)**2 + asin(a*x)**2), x)/c**2`

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a^2 c x^2 - c)^2 \operatorname{arcsin}(a x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a^2*c*x^2+c)^2/arcsin(a*x)^2,x, algorithm="giac")`

[Out] `integrate(1/((a^2*c*x^2 - c)^2*arcsin(a*x)^2), x)`

$$3.379 \quad \int \left( \frac{1}{(1-x^2) \sin^{-1}(x)^2} - \frac{x}{(1-x^2)^{3/2} \sin^{-1}(x)} \right) dx$$

**Optimal.** Leaf size=17

$$-\frac{1}{\sqrt{1-x^2} \sin^{-1}(x)}$$

[Out] -(1/(Sqrt[1 - x^2]\*ArcSin[x]))

**Rubi [A]** time = 0.12504, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.03$ , Rules used = {4659}

$$-\frac{1}{\sqrt{1-x^2} \sin^{-1}(x)}$$

Antiderivative was successfully verified.

[In] Int[1/((1 - x^2)\*ArcSin[x]^2) - x/((1 - x^2)^(3/2)\*ArcSin[x]), x]

[Out] -(1/(Sqrt[1 - x^2]\*ArcSin[x]))

### Rule 4659

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*((d_) + (e_.)*(x_)^2)^(p_.), x_
Symbol] := Simp[(Sqrt[1 - c^2*x^2]*(d + e*x^2)^p*(a + b*ArcSin[c*x])^(n + 1))
)/(b*c*(n + 1)), x] + Dist[(c*(2*p + 1)*d^IntPart[p]*(d + e*x^2)^FracPart[
p])/(b*(n + 1)*(1 - c^2*x^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p - 1/2)*(a
+ b*ArcSin[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^
2*d + e, 0] && LtQ[n, -1]
```

### Rubi steps

$$\int \left( \frac{1}{(1-x^2) \sin^{-1}(x)^2} - \frac{x}{(1-x^2)^{3/2} \sin^{-1}(x)} \right) dx = \int \frac{1}{(1-x^2) \sin^{-1}(x)^2} dx - \int \frac{x}{(1-x^2)^{3/2} \sin^{-1}(x)} dx$$

$$= -\frac{1}{\sqrt{1-x^2} \sin^{-1}(x)}$$



**Mathematica [A]** time = 0.150456, size = 17, normalized size = 1.

$$-\frac{1}{\sqrt{1-x^2} \sin^{-1}(x)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((1 - x^2)\*ArcSin[x]^2) - x/((1 - x^2)^(3/2)\*ArcSin[x]),x]

[Out] -(1/(Sqrt[1 - x^2]\*ArcSin[x]))

**Maple [F]** time = 1.068, size = 0, normalized size = 0.

$$\int \frac{1}{(\arcsin(x))^2 (-x^2 + 1)} - \frac{x}{\arcsin(x)} (-x^2 + 1)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-x^2+1)/arcsin(x)^2-x/(-x^2+1)^(3/2)/arcsin(x),x)

[Out] int(1/(-x^2+1)/arcsin(x)^2-x/(-x^2+1)^(3/2)/arcsin(x),x)

**Maxima [B]** time = 3.10865, size = 50, normalized size = 2.94

$$\frac{\sqrt{x+1}\sqrt{-x+1}}{(x^2-1) \arctan(x, \sqrt{x+1}\sqrt{-x+1})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-x^2+1)/arcsin(x)^2-x/(-x^2+1)^(3/2)/arcsin(x),x, algorithm="maxima")

[Out] sqrt(x + 1)\*sqrt(-x + 1)/((x^2 - 1)\*arctan2(x, sqrt(x + 1)\*sqrt(-x + 1)))

**Fricas [A]** time = 1.67678, size = 51, normalized size = 3.

$$\frac{\sqrt{-x^2+1}}{(x^2-1) \arcsin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-x^2+1)/arcsin(x)^2-x/(-x^2+1)^(3/2)/arcsin(x),x, algorithm="fricas")

[Out] sqrt(-x^2 + 1)/((x^2 - 1)\*arcsin(x))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(x-1)(x+1) \left( x \operatorname{asin}(x) - \sqrt{1-x^2} \right)}{(-x-1)(x+1)^{\frac{5}{2}} \operatorname{asin}^2(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-x\*\*2+1)/asin(x)\*\*2-x/(-x\*\*2+1)\*\*(3/2)/asin(x),x)

[Out] Integral((x - 1)\*(x + 1)\*(x\*asin(x) - sqrt(1 - x\*\*2))/((-x - 1)\*(x + 1))\*\*  
(5/2)\*asin(x)\*\*2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{x}{(-x^2+1)^{\frac{3}{2}} \operatorname{arcsin}(x)} - \frac{1}{(x^2-1) \operatorname{arcsin}(x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-x^2+1)/arcsin(x)^2-x/(-x^2+1)^(3/2)/arcsin(x),x, algorithm="giac")

[Out] integrate(-x/((-x^2 + 1)^(3/2)\*arcsin(x)) - 1/((x^2 - 1)\*arcsin(x)^2), x)

$$3.380 \quad \int \frac{x^m \sqrt{1-c^2x^2}}{(a+b \sin^{-1}(cx))^2} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable} \left( \frac{\sqrt{1-c^2x^2}x^m}{(a+b \sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[(x^m\*sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x])^2, x]

**Rubi [A]** time = 0.113687, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m \sqrt{1-c^2x^2}}{(a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(x^m\*sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x])^2,x]

[Out] Defer[Int] [(x^m\*sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x])^2, x]

Rubi steps

$$\int \frac{x^m \sqrt{1-c^2x^2}}{(a+b \sin^{-1}(cx))^2} dx = \int \frac{x^m \sqrt{1-c^2x^2}}{(a+b \sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 0.502592, size = 0, normalized size = 0.

$$\int \frac{x^m \sqrt{1-c^2x^2}}{(a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^m\*sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x])^2,x]

[Out] Integrate[(x^m\*sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x])^2, x]

**Maple [A]** time = 0.668, size = 0, normalized size = 0.

$$\int \frac{x^m}{(a + b \arcsin(cx))^2} \sqrt{-c^2x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^m\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2 + 1}x^m}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)\*x^m/(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m \sqrt{-(cx-1)(cx+1)}}{(a+b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(-c\*\*2\*x\*\*2+1)\*\*(1/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(x\*\*m\*sqrt(-(c\*x - 1)\*(c\*x + 1))/(a + b\*asin(c\*x))\*\*2, x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2 + 1}x^m}{(b \operatorname{arcsin}(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*x^2 + 1)\*x^m/(b\*arcsin(c\*x) + a)^2, x)

$$3.381 \quad \int \frac{x^3 \sqrt{1-c^2x^2}}{(a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=214

$$\frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{8b^2c^4} + \frac{3 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3(a+b \sin^{-1}(cx))}{b}\right)}{16b^2c^4} - \frac{5 \cos\left(\frac{5a}{b}\right) \text{CosIntegral}\left(\frac{5(a+b \sin^{-1}(cx))}{b}\right)}{16b^2c^4}$$

[Out]  $-\left(\frac{x^3(1-c^2x^2)}{b^2c^4} + \frac{3 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3(a+b \sin^{-1}(cx))}{b}\right)}{16b^2c^4} - \frac{5 \cos\left(\frac{5a}{b}\right) \text{CosIntegral}\left(\frac{5(a+b \sin^{-1}(cx))}{b}\right)}{16b^2c^4}\right) + \frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{8b^2c^4} + \frac{3 \sin\left(\frac{3a}{b}\right) \text{SinIntegral}\left(\frac{3(a+b \sin^{-1}(cx))}{b}\right)}{16b^2c^4} - \frac{5 \sin\left(\frac{5a}{b}\right) \text{SinIntegral}\left(\frac{5(a+b \sin^{-1}(cx))}{b}\right)}{16b^2c^4}$

**Rubi [A]** time = 0.633116, antiderivative size = 210, normalized size of antiderivative = 0.98, number of steps used = 22, number of rules used = 6, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {4721, 4635, 4406, 3303, 3299, 3302}

$$\frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{8b^2c^4} + \frac{3 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{16b^2c^4} - \frac{5 \cos\left(\frac{5a}{b}\right) \text{CosIntegral}\left(\frac{5a}{b} + 5 \sin^{-1}(cx)\right)}{16b^2c^4}$$

Antiderivative was successfully verified.

[In]  $\text{Int}\left[\frac{x^3 \sqrt{1-c^2x^2}}{(a+b \text{ArcSin}[cx])^2}, x\right]$

[Out]  $-\left(\frac{x^3(1-c^2x^2)}{b^2c^4} + \frac{3 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \text{ArcSin}[cx]\right)}{16b^2c^4} - \frac{5 \cos\left(\frac{5a}{b}\right) \text{CosIntegral}\left(\frac{5a}{b} + 5 \text{ArcSin}[cx]\right)}{16b^2c^4}\right) + \frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left[\frac{a}{b} + \text{ArcSin}[cx]\right]}{8b^2c^4} + \frac{3 \sin\left(\frac{3a}{b}\right) \text{SinIntegral}\left[\frac{3a}{b} + 3 \text{ArcSin}[cx]\right]}{16b^2c^4} - \frac{5 \sin\left(\frac{5a}{b}\right) \text{SinIntegral}\left[\frac{5a}{b} + 5 \text{ArcSin}[cx]\right]}{16b^2c^4}$

**Rule 4721**

$\text{Int}\left[\left((a_{\cdot}) + \text{ArcSin}\left[(c_{\cdot})(x_{\cdot})\right]\right)(b_{\cdot})^{(n_{\cdot})} \left((f_{\cdot})(x_{\cdot})\right)^{(m_{\cdot})} \left((d_{\cdot}) + (e_{\cdot})(x_{\cdot})^2\right)^{(p_{\cdot})}, x_{\text{Symbol}}\right] \rightarrow \text{Simp}\left[\left((f_{\cdot}x)^m \sqrt{1-c^2x^2} (d+ex^2)^p (a+b \text{ArcSin}[cx])^{n+1}\right) / (b^2c^4), x\right] + (-\text{Dist}\left[(f_{\cdot}m d \text{IntPart}[p] \cdot\right.$

$(d + e*x^2)^{\text{FracPart}[p]} / (b*c*(n + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m - 1)}*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n + 1)}, x], x] + \text{Dist}[(c*(m + 2*p + 1)*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]} / (b*f*(n + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m + 1)}*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n + 1)}, x], x)] /;$ 
 FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1] && IGtQ[m, -3] && IGtQ[2\*p, 0]

### Rule 4635

$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \rightarrow \text{Dist}[1/c^{(m + 1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sin}[x]^m*\text{Cos}[x], x], x, \text{ArcSin}[c*x]], x] /;$ 
 FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

### Rule 4406

$\text{Int}[\text{Cos}[a_. + (b_.)*(x_.)]^{(p_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}*\text{Sin}[a_. + (b_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[a + b*x]^n*\text{Cos}[a + b*x]^p, x], x] /;$ 
 FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rule 3303

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)] / ((c_.) + (d_.)*(x_.)), x\_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x] / (c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x] / (c + d*x), x], x] /;$ 
 FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

### Rule 3299

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)] / ((c_.) + (d_.)*(x_.)), x\_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /;$ 
 FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

### Rule 3302

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)] / ((c_.) + (d_.)*(x_.)), x\_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /;$ 
 FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - \text{Pi}/2) - c\*f, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 \sqrt{1-c^2x^2}}{(a+b\sin^{-1}(cx))^2} dx &= -\frac{x^3(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} + \frac{3 \int \frac{x^2}{a+b\sin^{-1}(cx)} dx}{bc} - \frac{(5c) \int \frac{x^4}{a+b\sin^{-1}(cx)} dx}{b} \\
&= -\frac{x^3(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} + \frac{3 \text{Subst}\left(\int \frac{\cos(x)\sin^2(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^4} - \frac{5 \text{Subst}\left(\int \frac{\cos(x)\sin^4(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^4} \\
&= -\frac{x^3(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} + \frac{3 \text{Subst}\left(\int \left(\frac{\cos(x)}{4(a+bx)} - \frac{\cos(3x)}{4(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc^4} - \frac{5 \text{Subst}\left(\int \left(\frac{\cos(x)}{8(a+bx)} - \frac{\cos(3x)}{8(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc^4} \\
&= -\frac{x^3(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} - \frac{5 \text{Subst}\left(\int \frac{\cos(5x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16bc^4} - \frac{5 \text{Subst}\left(\int \frac{\cos(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8bc^4} \\
&= -\frac{x^3(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} - \frac{(5 \cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \frac{\cos\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8bc^4} + \frac{(3 \cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \frac{\cos\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8bc^4} \\
&= -\frac{x^3(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} + \frac{\cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{8b^2c^4} + \frac{3 \cos\left(\frac{3a}{b}\right) \text{Ci}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{16b^2c^4} - \frac{5 \cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{8b^2c^4}
\end{aligned}$$

**Mathematica [A]** time = 0.543693, size = 175, normalized size = 0.82

$$\frac{16bc^5x^5}{a+b\sin^{-1}(cx)} - \frac{16bc^3x^3}{a+b\sin^{-1}(cx)} + 2 \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) + 3 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) - 5 \cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x])^2,x]

[Out] ((-16\*b\*c^3\*x^3)/(a + b\*ArcSin[c\*x]) + (16\*b\*c^5\*x^5)/(a + b\*ArcSin[c\*x]) + 2\*cos[a/b]\*CosIntegral[a/b + ArcSin[c\*x]] + 3\*cos[(3\*a)/b]\*CosIntegral[3\*(a/b + ArcSin[c\*x])] - 5\*cos[(5\*a)/b]\*CosIntegral[5\*(a/b + ArcSin[c\*x])] + 2\*sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] + 3\*sin[(3\*a)/b]\*SinIntegral[3\*(a/b + ArcSin[c\*x])] - 5\*sin[(5\*a)/b]\*SinIntegral[5\*(a/b + ArcSin[c\*x])])/(16\*b^2\*c^4)

**Maple [A]** time = 0.056, size = 340, normalized size = 1.6

$$-\frac{1}{16c^4(a+b\arcsin(cx))b^2} \left( 5 \arcsin(cx) \sin\left(5\frac{a}{b}\right) \text{Si}\left(5 \arcsin(cx) + 5\frac{a}{b}\right) b + 5 \arcsin(cx) \text{Ci}\left(5 \arcsin(cx) + 5\frac{a}{b}\right) c \right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(-c^2*x^2+1)^(1/2)/(a+b*arcsin(c*x))^2,x)`

[Out] 
$$\frac{-1/16/c^4*(5*\arcsin(c*x)*\sin(5*a/b)*\text{Si}(5*\arcsin(c*x)+5*a/b)*b+5*\arcsin(c*x)*\text{Ci}(5*\arcsin(c*x)+5*a/b)*\cos(5*a/b)*b-2*\arcsin(c*x)*\text{Si}(\arcsin(c*x)+a/b)*\sin(a/b)*b-2*\arcsin(c*x)*\text{Ci}(\arcsin(c*x)+a/b)*\cos(a/b)*b-3*\arcsin(c*x)*\text{Si}(3*\arcsin(c*x)+3*a/b)*\sin(3*a/b)*b-3*\arcsin(c*x)*\text{Ci}(3*\arcsin(c*x)+3*a/b)*\cos(3*a/b)*b+5*\sin(5*a/b)*\text{Si}(5*\arcsin(c*x)+5*a/b)*a+5*\text{Ci}(5*\arcsin(c*x)+5*a/b)*\cos(5*a/b)*a-2*\text{Si}(\arcsin(c*x)+a/b)*\sin(a/b)*a-2*\text{Ci}(\arcsin(c*x)+a/b)*\cos(a/b)*a-3*\text{Si}(3*\arcsin(c*x)+3*a/b)*\sin(3*a/b)*a-3*\text{Ci}(3*\arcsin(c*x)+3*a/b)*\cos(3*a/b)*a+2*x*b*c-\sin(5*\arcsin(c*x))*b+\sin(3*\arcsin(c*x))*b}{(a+b*\arcsin(c*x))/b^2}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{c^2x^5 - x^3 - \frac{(b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc) \left( 5c^2 \int \frac{x^4}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a} dx - 3 \int \frac{x^2}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a} dx \right)}{bc}}{b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-c^2*x^2+1)^(1/2)/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] 
$$\frac{(c^2*x^5 - x^3 - (b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})) + a*b*c}{\integrate((5*c^2*x^4 - 3*x^2)/(b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c, x)}/(b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c}$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\int \left( \frac{\sqrt{-c^2x^2 + 1}x^3}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-c^2*x^2+1)^(1/2)/(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out] integral(sqrt(-c^2\*x^2 + 1)\*x^3/(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 \sqrt{-(cx-1)(cx+1)}}{(a+b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-c\*\*2\*x\*\*2+1)\*\*(1/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(x\*\*3\*sqrt(-(c\*x - 1)\*(c\*x + 1))/(a + b\*asin(c\*x))\*\*2, x)

**Giac [B]** time = 1.70335, size = 1686, normalized size = 7.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] 
$$\begin{aligned} & -5*b*\operatorname{arcsin}(c*x)*\cos(a/b)^5*\cos\_integral(5*a/b + 5*\operatorname{arcsin}(c*x))/(b^3*c^4*\operatorname{arcsin}(c*x) + a*b^2*c^4) - 5*b*\operatorname{arcsin}(c*x)*\cos(a/b)^4*\sin(a/b)*\sin\_integral(5*a/b + 5*\operatorname{arcsin}(c*x))/(b^3*c^4*\operatorname{arcsin}(c*x) + a*b^2*c^4) - 5*a*\cos(a/b)^5*\cos\_integral(5*a/b + 5*\operatorname{arcsin}(c*x))/(b^3*c^4*\operatorname{arcsin}(c*x) + a*b^2*c^4) - 5*a*\cos(a/b)^4*\sin(a/b)*\sin\_integral(5*a/b + 5*\operatorname{arcsin}(c*x))/(b^3*c^4*\operatorname{arcsin}(c*x) + a*b^2*c^4) + 25/4*b*\operatorname{arcsin}(c*x)*\cos(a/b)^3*\cos\_integral(5*a/b + 5*\operatorname{arcsin}(c*x))/(b^3*c^4*\operatorname{arcsin}(c*x) + a*b^2*c^4) + 3/4*b*\operatorname{arcsin}(c*x)*\cos(a/b)^3*\cos\_integral(3*a/b + 3*\operatorname{arcsin}(c*x))/(b^3*c^4*\operatorname{arcsin}(c*x) + a*b^2*c^4) + 15/4*b*\operatorname{arcsin}(c*x)*\cos(a/b)^2*\sin(a/b)*\sin\_integral(5*a/b + 5*\operatorname{arcsin}(c*x))/(b^3*c^4*\operatorname{arcsin}(c*x) + a*b^2*c^4) + 3/4*b*\operatorname{arcsin}(c*x)*\cos(a/b)^2*\sin(a/b)*\sin\_integral(3*a/b + 3*\operatorname{arcsin}(c*x))/(b^3*c^4*\operatorname{arcsin}(c*x) + a*b^2*c^4) + (c^2*x^2 - 1)^2*b*c*x/(b^3*c^4*\operatorname{arcsin}(c*x) + a*b^2*c^4) + 25/4*a*\cos(a/b)^3*\cos\_integral(5*a/b + 5*\operatorname{arcsin}(c*x))/(b^3*c^4*\operatorname{arcsin}(c*x) + a*b^2*c^4) + 3/4*a*\cos(a/b)^3*\cos\_integral(3*a/b + 3*\operatorname{arcsin}(c*x))/(b^3*c^4*\operatorname{arcsin}(c*x) + a*b^2*c^4) + 15/4*a*\cos(a/b)^2*\sin(a/b)*\sin\_integral(5*a/b + 5*\operatorname{arcsin}(c*x))/(b^3*c^4*\operatorname{arcsin}(c*x) + a*b^2*c^4) + 3/4*a*\cos(a/b)^2*\sin(a/b)*\sin\_integral(3*a/b + 3*\operatorname{arcsin}(c*x))/(b^3*c^4*\operatorname{arcsin}(c*x) + a*b^2*c^4) + (c^2*x^2 - 1)*b*c*x/(b^3*c^4*\operatorname{arcsin}(c*x) + a*b^2*c^4) \end{aligned}$$

$$\begin{aligned}
&^4 \arcsin(cx) + a^2 b^2 c^4 - \frac{25}{16} b \arcsin(cx) \cos(a/b) \cos\_integral(5a/b + 5 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a^2 b^2 c^4) - \frac{9}{16} b \arcsin(cx) \cos(a/b) \cos\_integral(3a/b + 3 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a^2 b^2 c^4) + \frac{1}{8} b \arcsin(cx) \cos(a/b) \cos\_integral(a/b + \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a^2 b^2 c^4) - \frac{5}{16} b \arcsin(cx) \sin(a/b) \sin\_integral(5a/b + 5 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a^2 b^2 c^4) - \frac{3}{16} b \arcsin(cx) \sin(a/b) \sin\_integral(3a/b + 3 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a^2 b^2 c^4) + \frac{1}{8} b \arcsin(cx) \sin(a/b) \sin\_integral(a/b + \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a^2 b^2 c^4) - \frac{25}{16} a \cos(a/b) \cos\_integral(5a/b + 5 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a^2 b^2 c^4) - \frac{9}{16} a \cos(a/b) \cos\_integral(3a/b + 3 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a^2 b^2 c^4) + \frac{1}{8} a \cos(a/b) \cos\_integral(a/b + \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a^2 b^2 c^4) - \frac{5}{16} a \sin(a/b) \sin\_integral(5a/b + 5 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a^2 b^2 c^4) - \frac{3}{16} a \sin(a/b) \sin\_integral(3a/b + 3 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a^2 b^2 c^4) + \frac{1}{8} a \sin(a/b) \sin\_integral(a/b + \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a^2 b^2 c^4)
\end{aligned}$$

$$3.382 \quad \int \frac{x^2 \sqrt{1-c^2x^2}}{(a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=94

$$-\frac{\sin\left(\frac{4a}{b}\right) \text{CosIntegral}\left(\frac{4(a+b \sin^{-1}(cx))}{b}\right)}{2b^2c^3} + \frac{\cos\left(\frac{4a}{b}\right) \text{Si}\left(\frac{4(a+b \sin^{-1}(cx))}{b}\right)}{2b^2c^3} - \frac{x^2(1-c^2x^2)}{bc(a+b \sin^{-1}(cx))}$$

[Out] -((x^2\*(1 - c^2\*x^2))/(b\*c\*(a + b\*ArcSin[c\*x]))) - (CosIntegral[(4\*(a + b\*ArcSin[c\*x]))/b]\*Sin[(4\*a)/b])/(2\*b^2\*c^3) + (Cos[(4\*a)/b]\*SinIntegral[(4\*(a + b\*ArcSin[c\*x]))/b])/(2\*b^2\*c^3)

**Rubi [A]** time = 0.468122, antiderivative size = 94, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 7, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4721, 4635, 4406, 12, 3303, 3299, 3302}

$$-\frac{\sin\left(\frac{4a}{b}\right) \text{CosIntegral}\left(\frac{4a}{b} + 4 \sin^{-1}(cx)\right)}{2b^2c^3} + \frac{\cos\left(\frac{4a}{b}\right) \text{Si}\left(\frac{4a}{b} + 4 \sin^{-1}(cx)\right)}{2b^2c^3} - \frac{x^2(1-c^2x^2)}{bc(a+b \sin^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*Sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x])^2,x]

[Out] -((x^2\*(1 - c^2\*x^2))/(b\*c\*(a + b\*ArcSin[c\*x]))) - (CosIntegral[(4\*a)/b + 4\*ArcSin[c\*x]]\*Sin[(4\*a)/b])/(2\*b^2\*c^3) + (Cos[(4\*a)/b]\*SinIntegral[(4\*a)/b + 4\*ArcSin[c\*x]])/(2\*b^2\*c^3)

**Rule 4721**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^ (n\_.)\*((f\_.)\*(x\_)^ (m\_.))\*((d\_.) + (e\_.)\*(x\_)^2)^ (p\_.), x\_Symbol] :> Simp[((f\*x)^m\*Sqrt[1 - c^2\*x^2]\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + (-Dist[(f\*m\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(b\*c\*(n + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] + Dist[(c\*(m + 2\*p + 1)\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(b\*f\*(n + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1] && IGtQ[m, -3] && IGtQ[2\*p, 0]

Rule 4635

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := Dist[1
/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x], x], x, ArcSin[c*x]], x]
/; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_.)]^(p_.)*((c_.) + (d_.)*(x_.))^(m_.)*Sin[(a_.) + (b
_.)*(x_.)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

Rule 12

```
Int[(a_.)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_.)*(v_)] /; FreeQ[b, x]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 \sqrt{1-c^2x^2}}{(a+b\sin^{-1}(cx))^2} dx &= -\frac{x^2(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} + \frac{2\int \frac{x}{a+b\sin^{-1}(cx)} dx}{bc} - \frac{(4c)\int \frac{x^3}{a+b\sin^{-1}(cx)} dx}{b} \\
&= -\frac{x^2(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} + \frac{2\text{Subst}\left(\int \frac{\cos(x)\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^3} - \frac{4\text{Subst}\left(\int \frac{\cos(x)\sin^3(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^3} \\
&= -\frac{x^2(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} + \frac{2\text{Subst}\left(\int \frac{\sin(2x)}{2(a+bx)} dx, x, \sin^{-1}(cx)\right)}{bc^3} - \frac{4\text{Subst}\left(\int \left(\frac{\sin(2x)}{4(a+bx)} - \frac{\sin(4x)}{8(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc^3} \\
&= -\frac{x^2(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} + \frac{\text{Subst}\left(\int \frac{\sin(4x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2bc^3} \\
&= -\frac{x^2(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} + \frac{\cos\left(\frac{4a}{b}\right)\text{Subst}\left(\int \frac{\sin\left(\frac{4a}{b}+4x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2bc^3} - \frac{\sin\left(\frac{4a}{b}\right)\text{Subst}\left(\int \frac{\cos\left(\frac{4a}{b}+4x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2bc^3} \\
&= -\frac{x^2(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} - \frac{\text{Ci}\left(\frac{4a}{b}+4\sin^{-1}(cx)\right)\sin\left(\frac{4a}{b}\right)}{2b^2c^3} + \frac{\cos\left(\frac{4a}{b}\right)\text{Si}\left(\frac{4a}{b}+4\sin^{-1}(cx)\right)}{2b^2c^3}
\end{aligned}$$

**Mathematica [A]** time = 0.322192, size = 82, normalized size = 0.87

$$\frac{\frac{2bc^2x^2(c^2x^2-1)}{a+b\sin^{-1}(cx)} - \sin\left(\frac{4a}{b}\right)\text{CosIntegral}\left(4\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \cos\left(\frac{4a}{b}\right)\text{Si}\left(4\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)}{2b^2c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x])^2,x]

[Out] ((2\*b\*c^2\*x^2\*(-1 + c^2\*x^2))/(a + b\*ArcSin[c\*x]) - CosIntegral[4\*(a/b + ArcSin[c\*x])]\*Sin[(4\*a)/b] + Cos[(4\*a)/b]\*SinIntegral[4\*(a/b + ArcSin[c\*x])])/(2\*b^2\*c^3)

**Maple [A]** time = 0.046, size = 136, normalized size = 1.5

$$\frac{1}{8c^3(a+b\arcsin(cx))b^2} \left( 4\arcsin(cx)\text{Si}\left(4\arcsin(cx) + 4\frac{a}{b}\right)\cos\left(4\frac{a}{b}\right)b - 4\arcsin(cx)\text{Ci}\left(4\arcsin(cx) + 4\frac{a}{b}\right)\sin\left(4\frac{a}{b}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(-c^2*x^2+1)^(1/2)/(a+b*arcsin(c*x))^2,x)`

[Out]  $\frac{1}{8c^3} (4\arcsin(cx) \operatorname{Si}(4\arcsin(cx) + 4a/b) \cos(4a/b) b - 4\arcsin(cx) \operatorname{Ci}(4\arcsin(cx) + 4a/b) \sin(4a/b) b + 4\operatorname{Si}(4\arcsin(cx) + 4a/b) \cos(4a/b) a - 4\operatorname{Ci}(4\arcsin(cx) + 4a/b) \sin(4a/b) a + \cos(4\arcsin(cx)) b - b) / (a + b\arcsin(cx))^2$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{c^2x^4 - x^2 - 2(b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc) \int \frac{2c^2x^3 - x}{b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc} dx}{b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(-c^2*x^2+1)^(1/2)/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out]  $(c^2x^4 - x^2 - (b^2c \arctan2(cx, \sqrt{cx+1}) \sqrt{-cx+1}) + a*b*c) * \int (2*(2*c^2*x^3 - x) / (b^2*c \arctan2(cx, \sqrt{cx+1}) \sqrt{-cx+1}) + a*b*c, x) / (b^2*c \arctan2(cx, \sqrt{cx+1}) \sqrt{-cx+1}) + a*b*c$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left( \frac{\sqrt{-c^2x^2 + 1}x^2}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(-c^2*x^2+1)^(1/2)/(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out]  $\operatorname{integral}(\sqrt{-c^2x^2 + 1}x^2 / (b^2\arcsin(cx)^2 + 2a*b\arcsin(cx) + a^2), x)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \sqrt{-(cx-1)(cx+1)}}{(a+b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-c\*\*2\*x\*\*2+1)\*\*(1/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(x\*\*2\*sqrt(-(c\*x - 1)\*(c\*x + 1))/(a + b\*asin(c\*x))\*\*2, x)

**Giac [B]** time = 1.52963, size = 760, normalized size = 8.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] 
$$\begin{aligned} & -4*b*\arcsin(c*x)*\cos(a/b)^3*\cos\_integral(4*a/b + 4*\arcsin(c*x))*\sin(a/b)/(b \\ & ^3*c^3*\arcsin(c*x) + a*b^2*c^3) + 4*b*\arcsin(c*x)*\cos(a/b)^4*\sin\_integral(4 \\ & *a/b + 4*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) - 4*a*\cos(a/b)^3*co \\ & s\_integral(4*a/b + 4*\arcsin(c*x))*\sin(a/b)/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3 \\ & ) + 4*a*\cos(a/b)^4*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) \\ & + a*b^2*c^3) + 2*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(4*a/b + 4*\arcsin(c*x) \\ & )*\sin(a/b)/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) - 4*b*\arcsin(c*x)*\cos(a/b)^2*s \\ & in\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) + 2*a* \\ & \cos(a/b)*\cos\_integral(4*a/b + 4*\arcsin(c*x))*\sin(a/b)/(b^3*c^3*\arcsin(c*x) \\ & + a*b^2*c^3) - 4*a*\cos(a/b)^2*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c^3* \\ & \arcsin(c*x) + a*b^2*c^3) + (c^2*x^2 - 1)^2*b/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) \\ & + 1/2*b*\arcsin(c*x)*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c^3*\arcsin \\ & (c*x) + a*b^2*c^3) + (c^2*x^2 - 1)*b/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) + 1/ \\ & 2*a*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) \end{aligned}$$



$$3.383 \quad \int \frac{x\sqrt{1-c^2x^2}}{(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=150

$$\frac{\cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{4b^2c^2} + \frac{3\cos\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{4b^2c^2} + \frac{\sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{4b^2c^2} + \frac{3\sin\left(\frac{3a}{b}\right) \operatorname{Si}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{4b^2c^2}$$

[Out]  $-\left(\frac{x(1-c^2x^2)}{b(c(a+b\operatorname{ArcSin}[cx]))}\right) + \frac{\cos[a/b] \operatorname{CosIntegral}[a+b\operatorname{ArcSin}[cx]]}{4b^2c^2} + \frac{3\cos[(3a)/b] \operatorname{CosIntegral}[(3(a+b\operatorname{ArcSin}[cx]))]}{4b^2c^2} + \frac{\sin[a/b] \operatorname{SinIntegral}[a+b\operatorname{ArcSin}[cx]]}{4b^2c^2} + \frac{3\sin[(3a)/b] \operatorname{SinIntegral}[(3(a+b\operatorname{ArcSin}[cx]))]}{4b^2c^2}$

**Rubi [A]** time = 0.370196, antiderivative size = 198, normalized size of antiderivative = 1.32, number of steps used = 14, number of rules used = 7, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$ , Rules used = {4721, 4623, 3303, 3299, 3302, 4635, 4406}

$$\frac{3\cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4b^2c^2} + \frac{3\cos\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{4b^2c^2} + \frac{\cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b^2c^2}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}\left[\frac{x\sqrt{1-c^2x^2}}{(a+b\operatorname{ArcSin}[cx])^2}, x\right]$

[Out]  $-\left(\frac{x(1-c^2x^2)}{b(c(a+b\operatorname{ArcSin}[cx]))}\right) - \frac{3\cos[a/b] \operatorname{CosIntegral}[a/b + \operatorname{ArcSin}[cx]]}{4b^2c^2} + \frac{3\cos[(3a)/b] \operatorname{CosIntegral}[(3a)/b + 3\operatorname{ArcSin}[cx]]}{4b^2c^2} + \frac{\cos[a/b] \operatorname{CosIntegral}[a/b + \operatorname{ArcSin}[cx]]}{b^2c^2} - \frac{3\sin[a/b] \operatorname{SinIntegral}[a/b + \operatorname{ArcSin}[cx]]}{4b^2c^2} + \frac{3\sin[(3a)/b] \operatorname{SinIntegral}[(3a)/b + 3\operatorname{ArcSin}[cx]]}{4b^2c^2} + \frac{\sin[a/b] \operatorname{SinIntegral}[a/b + \operatorname{ArcSin}[cx]]}{b^2c^2}$

### Rule 4721

$\operatorname{Int}\left[\left((a_.) + \operatorname{ArcSin}[c_.](x_.)\right)(b_.)^{(n_.)}\left((f_.)(x_.)\right)^{(m_.)}\left((d_.) + (e_.)(x_.)^2\right)^{(p_.)}, x\_Symbol\right] \rightarrow \operatorname{Simp}\left[\left((f*x)^m \sqrt{1-c^2x^2} (d+e*x^2)^p (a+b\operatorname{ArcSin}[c*x])^{n+1}\right)/(b*c*(n+1)), x\right] + (-\operatorname{Dist}[(f*m*d \operatorname{IntPart}[p](d+e*x^2)^{\operatorname{FracPart}[p]})/(b*c*(n+1)*(1-c^2x^2)^{\operatorname{FracPart}[p]}], \operatorname{Int}[(f*x)^{(m-1)}(1-c^2x^2)^{(p-1/2)}(a+b\operatorname{ArcSin}[c*x])^{n+1}], x] + \operatorname{Dist}$

```
[(c*(m + 2*p + 1)*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(b*f*(n + 1)*(1 - c
^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcS
in[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e,
0] && LtQ[n, -1] && IGtQ[m, -3] && IGtQ[2*p, 0]
```

### Rule 4623

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_], x_Symbol] := Dist[1/(b*c), Sub
st[Int[x^n*Cos[a/b - x/b], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c,
n}, x]
```

### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

### Rule 4635

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_*(x_)^m_], x_Symbol] := Dist[1
/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x], x], x, ArcSin[c*x]], x]
/; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

### Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^m_*Sin[(a_.) + (b
_.)*(x_)]^n_], x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x\sqrt{1-c^2x^2}}{(a+b\sin^{-1}(cx))^2} dx &= -\frac{x(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} + \frac{\int \frac{1}{a+b\sin^{-1}(cx)} dx}{bc} - \frac{(3c) \int \frac{x^2}{a+b\sin^{-1}(cx)} dx}{b} \\
&= -\frac{x(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} + \frac{\text{Subst}\left(\int \frac{\cos\left(\frac{a}{b}-\frac{x}{b}\right)}{x} dx, x, a+b\sin^{-1}(cx)\right)}{b^2c^2} - \frac{3 \text{Subst}\left(\int \frac{\cos(x)\sin^2(x)}{a+bx} dx, x, a+b\sin^{-1}(cx)\right)}{bc^2} \\
&= -\frac{x(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} - \frac{3 \text{Subst}\left(\int \left(\frac{\cos(x)}{4(a+bx)} - \frac{\cos(3x)}{4(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc^2} + \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\cos(x)}{a+bx} dx, x, a+b\sin^{-1}(cx)\right)}{bc^2} \\
&= -\frac{x(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} + \frac{\cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b^2c^2} + \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b^2c^2} - \frac{3 \text{Subst}\left(\int \frac{\cos(x)}{a+bx} dx, x, a+b\sin^{-1}(cx)\right)}{bc^2} \\
&= -\frac{x(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} + \frac{\cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b^2c^2} + \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b^2c^2} - \frac{(3 \cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \frac{\cos(x)}{a+bx} dx, x, a+b\sin^{-1}(cx)\right)}{bc^2} \\
&= -\frac{x(1-c^2x^2)}{bc(a+b\sin^{-1}(cx))} - \frac{3 \cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4b^2c^2} + \frac{3 \cos\left(\frac{3a}{b}\right) \text{Ci}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{4b^2c^2} + \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{b^2c^2} - \frac{3 \sin\left(\frac{3a}{b}\right) \text{Si}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{4b^2c^2}
\end{aligned}$$

**Mathematica [A]** time = 0.282707, size = 125, normalized size = 0.83

$$\frac{\frac{4bc^3x^3}{a+b\sin^{-1}(cx)} + \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) + 3 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right) - 3 \sin\left(\frac{3a}{b}\right) \text{Si}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)}{4b^2c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x])^2,x]

[Out] ((-4\*b\*c\*x)/(a + b\*ArcSin[c\*x]) + (4\*b\*c^3\*x^3)/(a + b\*ArcSin[c\*x]) + Cos[a/b]\*CosIntegral[a/b + ArcSin[c\*x]] + 3\*Cos[(3\*a)/b]\*CosIntegral[3\*(a/b + ArcSin[c\*x])] + Sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] + 3\*Sin[(3\*a)/b]\*SinIntegral[3\*(a/b + ArcSin[c\*x])])/(4\*b^2\*c^2)

**Maple [A]** time = 0.049, size = 223, normalized size = 1.5

$$\frac{1}{4c^2(a+b\arcsin(cx))b^2} \left( 3 \arcsin(cx) \text{Si}\left(3 \arcsin(cx) + 3\frac{a}{b}\right) \sin\left(3\frac{a}{b}\right) b + 3 \arcsin(cx) \text{Ci}\left(3 \arcsin(cx) + 3\frac{a}{b}\right) \cos\left(3\frac{a}{b}\right) b \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(-c^2*x^2+1)^(1/2)/(a+b*arcsin(c*x))^2,x)`

[Out]  $\frac{1}{4c^2} \left( 3 \arcsin(cx) \operatorname{Si}(3 \arcsin(cx) + 3a/b) \sin(3a/b) + 3 \arcsin(cx) \operatorname{Ci}(3 \arcsin(cx) + 3a/b) \cos(3a/b) + \arcsin(cx) \operatorname{Si}(\arcsin(cx) + a/b) \sin(a/b) + \arcsin(cx) \operatorname{Ci}(\arcsin(cx) + a/b) \cos(a/b) + 3 \operatorname{Si}(3 \arcsin(cx) + 3a/b) \sin(3a/b) + a + 3 \operatorname{Ci}(3 \arcsin(cx) + 3a/b) \cos(3a/b) + a \operatorname{Si}(\arcsin(cx) + a/b) \sin(a/b) + a \operatorname{Ci}(\arcsin(cx) + a/b) \cos(a/b) - xbc - \sin(3 \arcsin(cx)) \right) / (a + b \arcsin(cx))^2$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{c^2 x^3 - x - \frac{(b^2 c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc) \left( 3c^2 \int \frac{x^2}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a} dx - \int \frac{1}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a} dx \right)}{bc}}{b^2 c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*x^2+1)^(1/2)/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out]  $(c^2 x^3 - (b^2 c \arctan^2(cx, \sqrt{cx+1}) \sqrt{-cx+1}) + a b c) \operatorname{integrate}((3c^2 x^2 - 1) / (b^2 c \arctan^2(cx, \sqrt{cx+1}) \sqrt{-cx+1}) + a b c, x) - x / (b^2 c \arctan^2(cx, \sqrt{cx+1}) \sqrt{-cx+1}) + a b c$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left( \frac{\sqrt{-c^2 x^2 + 1} x}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*x^2+1)^(1/2)/(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out]  $\operatorname{integral}(\sqrt{-c^2 x^2 + 1} x / (b^2 \arcsin(cx)^2 + 2 a b \arcsin(cx) + a^2), x)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x\sqrt{-(cx-1)(cx+1)}}{(a+b\operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c\*\*2\*x\*\*2+1)\*\*(1/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(x\*sqrt(-(c\*x - 1)\*(c\*x + 1))/(a + b\*asin(c\*x))\*\*2, x)

**Giac [B]** time = 1.51697, size = 821, normalized size = 5.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out]  $3*b*\arcsin(c*x)*\cos(a/b)^3*\cos\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 3*b*\arcsin(c*x)*\cos(a/b)^2*\sin(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 3*a*\cos(a/b)^3*\cos\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 3*a*\cos(a/b)^2*\sin(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + (c^2*x^2 - 1)*b*c*x/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 9/4*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 1/4*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(a/b + \arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 3/4*b*\arcsin(c*x)*\sin(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 1/4*b*\arcsin(c*x)*\sin(a/b)*\sin\_integral(a/b + \arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 9/4*a*\cos(a/b)*\cos\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 1/4*a*\cos(a/b)*\cos\_integral(a/b + \arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 3/4*a*\sin(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 1/4*a*\sin(a/b)*\sin\_integral(a/b + \arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2)$

$$3.384 \quad \int \frac{\sqrt{1-c^2x^2}}{(a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=86

$$\frac{\sin\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2(a+b \sin^{-1}(cx))}{b}\right)}{b^2c} - \frac{\cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2(a+b \sin^{-1}(cx))}{b}\right)}{b^2c} - \frac{1-c^2x^2}{bc(a+b \sin^{-1}(cx))}$$

[Out] -((1 - c^2\*x^2)/(b\*c\*(a + b\*ArcSin[c\*x]))) + (CosIntegral[(2\*(a + b\*ArcSin[c\*x]))/b]\*Sin[(2\*a)/b])/(b^2\*c) - (Cos[(2\*a)/b]\*SinIntegral[(2\*(a + b\*ArcSin[c\*x]))/b])/(b^2\*c)

**Rubi [A]** time = 0.162483, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.28$ , Rules used = {4659, 4635, 4406, 12, 3303, 3299, 3302}

$$\frac{\sin\left(\frac{2a}{b}\right) \text{CosIntegral}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{b^2c} - \frac{\cos\left(\frac{2a}{b}\right) \text{Si}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{b^2c} - \frac{1-c^2x^2}{bc(a+b \sin^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - c^2\*x^2]/(a + b\*ArcSin[c\*x])^2,x]

[Out] -((1 - c^2\*x^2)/(b\*c\*(a + b\*ArcSin[c\*x]))) + (CosIntegral[(2\*a)/b + 2\*ArcSin[c\*x]]\*Sin[(2\*a)/b])/(b^2\*c) - (Cos[(2\*a)/b]\*SinIntegral[(2\*a)/b + 2\*ArcSin[c\*x]])/(b^2\*c)

#### Rule 4659

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^ (p\_.), x\_Symbol] :> Simp[(Sqrt[1 - c^2\*x^2]\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[(c\*(2\*p + 1)\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(b\*(n + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

#### Rule 4635

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x], x], x, ArcSin[c\*x]], x]

;/; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

### Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^n\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{1-c^2x^2}}{(a+b\sin^{-1}(cx))^2} dx &= -\frac{1-c^2x^2}{bc(a+b\sin^{-1}(cx))} - \frac{(2c) \int \frac{x}{a+b\sin^{-1}(cx)} dx}{b} \\
&= -\frac{1-c^2x^2}{bc(a+b\sin^{-1}(cx))} - \frac{2 \operatorname{Subst}\left(\int \frac{\cos(x)\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{1-c^2x^2}{bc(a+b\sin^{-1}(cx))} - \frac{2 \operatorname{Subst}\left(\int \frac{\sin(2x)}{2(a+bx)} dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{1-c^2x^2}{bc(a+b\sin^{-1}(cx))} - \frac{\operatorname{Subst}\left(\int \frac{\sin(2x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{1-c^2x^2}{bc(a+b\sin^{-1}(cx))} - \frac{\cos\left(\frac{2a}{b}\right) \operatorname{Subst}\left(\int \frac{\sin\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc} + \frac{\sin\left(\frac{2a}{b}\right) \operatorname{Subst}\left(\int \frac{\cos\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{1-c^2x^2}{bc(a+b\sin^{-1}(cx))} + \frac{\operatorname{Ci}\left(\frac{2a}{b}+2\sin^{-1}(cx)\right) \sin\left(\frac{2a}{b}\right)}{b^2c} - \frac{\cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(\frac{2a}{b}+2\sin^{-1}(cx)\right)}{b^2c}
\end{aligned}$$

**Mathematica [A]** time = 0.198103, size = 72, normalized size = 0.84

$$\frac{\frac{b(c^2x^2-1)}{a+b\sin^{-1}(cx)} + \sin\left(\frac{2a}{b}\right) \operatorname{CosIntegral}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) - \cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)}{b^2c}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - c^2\*x^2]/(a + b\*ArcSin[c\*x])^2,x]

[Out] ((b\*(-1 + c^2\*x^2))/(a + b\*ArcSin[c\*x]) + CosIntegral[2\*(a/b + ArcSin[c\*x])]\*Sin[(2\*a)/b] - Cos[(2\*a)/b]\*SinIntegral[2\*(a/b + ArcSin[c\*x])])/b^2\*c

**Maple [A]** time = 0.046, size = 134, normalized size = 1.6

$$-\frac{1}{2b^2c(a+b\arcsin(cx))} \left( 2\arcsin(cx) \operatorname{Si}\left(2\arcsin(cx) + 2\frac{a}{b}\right) \cos\left(2\frac{a}{b}\right) b - 2\arcsin(cx) \operatorname{Ci}\left(2\arcsin(cx) + 2\frac{a}{b}\right) \sin\left(2\frac{a}{b}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((-c^2*x^2+1)^(1/2)/(a+b*arcsin(c*x))^2,x)`

[Out] 
$$-1/2/c*(2*\arcsin(c*x)*\text{Si}(2*\arcsin(c*x)+2*a/b)*\cos(2*a/b)*b-2*\arcsin(c*x)*\text{Ci}(2*\arcsin(c*x)+2*a/b)*\sin(2*a/b)*b+2*\text{Si}(2*\arcsin(c*x)+2*a/b)*\cos(2*a/b)*a-2*\text{Ci}(2*\arcsin(c*x)+2*a/b)*\sin(2*a/b)*a+\cos(2*\arcsin(c*x))*b+b)/b^2/(a+b*\arcsin(c*x))$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{c^2x^2 - \frac{2(b^2c^2 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc^2) \int \frac{x}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a} dx}{b} - 1}{b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(1/2)/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] 
$$(c^2*x^2 - 2*(b^2*c^2*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c^2) * \int (x / (b^2*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b), x) - 1) / (b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c)$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2+1}}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(1/2)/(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out] `integral(sqrt(-c^2*x^2 + 1)/(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-(cx-1)(cx+1)}}{(a+b \arcsin(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(1/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(sqrt(-(c\*x - 1)\*(c\*x + 1))/(a + b\*asin(c\*x))\*\*2, x)

**Giac [B]** time = 1.55515, size = 392, normalized size = 4.56

$$\frac{2b \arcsin(cx) \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{2a}{b} + 2 \arcsin(cx)\right) \sin\left(\frac{a}{b}\right)}{b^3c \arcsin(cx) + ab^2c} - \frac{2b \arcsin(cx) \cos\left(\frac{a}{b}\right)^2 \operatorname{Si}\left(\frac{2a}{b} + 2 \arcsin(cx)\right)}{b^3c \arcsin(cx) + ab^2c} + \frac{2a \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{2a}{b} + 2 \arcsin(cx)\right)}{b^3c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] 2\*b\*arcsin(c\*x)\*cos(a/b)\*cos\_integral(2\*a/b + 2\*arcsin(c\*x))\*sin(a/b)/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c) - 2\*b\*arcsin(c\*x)\*cos(a/b)^2\*sin\_integral(2\*a/b + 2\*arcsin(c\*x))/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c) + 2\*a\*cos(a/b)\*cos\_integral(2\*a/b + 2\*arcsin(c\*x))\*sin(a/b)/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c) - 2\*a\*cos(a/b)^2\*sin\_integral(2\*a/b + 2\*arcsin(c\*x))/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c) + b\*arcsin(c\*x)\*sin\_integral(2\*a/b + 2\*arcsin(c\*x))/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c) + (c^2\*x^2 - 1)\*b/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c) + a\*sin\_integral(2\*a/b + 2\*arcsin(c\*x))/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c)

$$3.385 \quad \int \frac{\sqrt{1-c^2x^2}}{x(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=104

$$\frac{\text{Unintegrable}\left(\frac{1}{x^2(a+b\sin^{-1}(cx))}, x\right)}{bc} - \frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b^2} - \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b^2} - \frac{1-c^2x^2}{bcx(a+b\sin^{-1}(cx))}$$

[Out] -((1 - c^2\*x^2)/(b\*c\*x\*(a + b\*ArcSin[c\*x]))) - (Cos[a/b]\*CosIntegral[(a + b\*ArcSin[c\*x])/b])/b^2 - (Sin[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/b^2 - Unintegrable[1/(x^2\*(a + b\*ArcSin[c\*x])), x]/(b\*c)

**Rubi [A]** time = 0.203671, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{1-c^2x^2}}{x(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[1 - c^2\*x^2]/(x\*(a + b\*ArcSin[c\*x])^2), x]

[Out] -((1 - c^2\*x^2)/(b\*c\*x\*(a + b\*ArcSin[c\*x]))) - (Cos[a/b]\*CosIntegral[(a + b\*ArcSin[c\*x])/b])/b^2 - (Sin[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/b^2 - Defer[Int][1/(x^2\*(a + b\*ArcSin[c\*x])), x]/(b\*c)

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{1-c^2x^2}}{x(a+b\sin^{-1}(cx))^2} dx &= -\frac{1-c^2x^2}{bcx(a+b\sin^{-1}(cx))} - \frac{\int \frac{1}{x^2(a+b\sin^{-1}(cx))} dx}{bc} - \frac{c \int \frac{1}{a+b\sin^{-1}(cx)} dx}{b} \\
&= -\frac{1-c^2x^2}{bcx(a+b\sin^{-1}(cx))} - \frac{\text{Subst}\left(\int \frac{\cos\left(\frac{a}{b}-\frac{x}{b}\right)}{x} dx, x, a+b\sin^{-1}(cx)\right)}{b^2} - \frac{\int \frac{1}{x^2(a+b\sin^{-1}(cx))} dx}{bc} \\
&= -\frac{1-c^2x^2}{bcx(a+b\sin^{-1}(cx))} - \frac{\int \frac{1}{x^2(a+b\sin^{-1}(cx))} dx}{bc} - \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{x}{b}\right)}{x} dx, x, a+b\sin^{-1}(cx)\right)}{b^2} \\
&= -\frac{1-c^2x^2}{bcx(a+b\sin^{-1}(cx))} - \frac{\cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b^2} - \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b^2} - \frac{\int \frac{1}{x^2(a+b\sin^{-1}(cx))} dx}{bc}
\end{aligned}$$

**Mathematica [A]** time = 10.226, size = 0, normalized size = 0.

$$\int \frac{\sqrt{1-c^2x^2}}{x(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[1 - c^2\*x^2]/(x\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[Sqrt[1 - c^2\*x^2]/(x\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.532, size = 0, normalized size = 0.

$$\int \frac{1}{x(a+b\arcsin(cx))^2} \sqrt{-c^2x^2+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(1/2)/x/(a+b\*arcsin(c\*x))^2,x)

[Out] int((-c^2\*x^2+1)^(1/2)/x/(a+b\*arcsin(c\*x))^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$c^2x^2 - \frac{(b^2cx \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abcx) \left( c^2 \int \frac{x^2}{bx^2 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + ax^2} dx + \int \frac{1}{(b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a)x^2} dx \right)}{bc} - 1$$

$$\frac{b^2cx \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abcx}{b^2cx \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abcx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] (c^2\*x^2 - (b^2\*c\*x\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x)\*i  
ntegrate((c^2\*x^2 + 1)/(b^2\*c\*x^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))  
) + a\*b\*c\*x^2), x) - 1)/(b^2\*c\*x\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))  
+ a\*b\*c\*x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{\sqrt{-c^2x^2 + 1}}{b^2x \arcsin(cx)^2 + 2abx \arcsin(cx) + a^2x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)/(b^2\*x\*arcsin(c\*x)^2 + 2\*a\*b\*x\*arcsin(c\*x) + a^  
2\*x), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-(cx-1)(cx+1)}}{x(a+b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(1/2)/x/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(sqrt(-(c\*x - 1)\*(c\*x + 1))/(x\*(a + b\*asin(c\*x))\*\*2), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2 + 1}}{(b \arcsin(cx) + a)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*x^2+1)^(1/2)/x/(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate(sqrt(-c^2*x^2 + 1)/((b*arcsin(c*x) + a)^2*x), x)
```

$$3.386 \quad \int \frac{\sqrt{1-c^2x^2}}{x^2(a+b\sin^{-1}(cx))^2} dx$$

Optimal. Leaf size=56

$$-\frac{2\text{Unintegrable}\left(\frac{1}{x^3(a+b\sin^{-1}(cx))}, x\right)}{bc} - \frac{1-c^2x^2}{bcx^2(a+b\sin^{-1}(cx))}$$

[Out] -((1 - c^2\*x^2)/(b\*c\*x^2\*(a + b\*ArcSin[c\*x]))) - (2\*Unintegrable[1/(x^3\*(a + b\*ArcSin[c\*x])), x])/(b\*c)

**Rubi [A]** time = 0.149065, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{1-c^2x^2}}{x^2(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[1 - c^2\*x^2]/(x^2\*(a + b\*ArcSin[c\*x])^2), x]

[Out] -((1 - c^2\*x^2)/(b\*c\*x^2\*(a + b\*ArcSin[c\*x]))) - (2\*Defer[Int][1/(x^3\*(a + b\*ArcSin[c\*x])), x])/(b\*c)

Rubi steps

$$\int \frac{\sqrt{1-c^2x^2}}{x^2(a+b\sin^{-1}(cx))^2} dx = -\frac{1-c^2x^2}{bcx^2(a+b\sin^{-1}(cx))} - \frac{2\int \frac{1}{x^3(a+b\sin^{-1}(cx))} dx}{bc}$$

**Mathematica [A]** time = 2.32268, size = 0, normalized size = 0.

$$\int \frac{\sqrt{1-c^2x^2}}{x^2(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[1 - c^2\*x^2]/(x^2\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[Sqrt[1 - c^2\*x^2]/(x^2\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.43, size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (a + b \arcsin(cx))^2} \sqrt{-c^2x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(1/2)/x^2/(a+b\*arcsin(c\*x))^2,x)

[Out] int((-c^2\*x^2+1)^(1/2)/x^2/(a+b\*arcsin(c\*x))^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\frac{c^2x^2 - \frac{2(b^2cx^2 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abcx^2) \int \frac{1}{(b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a)x^3} dx}{bc} - 1}{b^2cx^2 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abcx^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x^2/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] (c^2\*x^2 - 2\*(b^2\*c\*x^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^2)\*integrate(1/(b^2\*c\*x^3\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^3), x) - 1)/(b^2\*c\*x^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^2)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{\sqrt{-c^2x^2 + 1}}{b^2x^2 \arcsin(cx)^2 + 2abx^2 \arcsin(cx) + a^2x^2}, x \right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x^2/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)/(b^2\*x^2\*arcsin(c\*x)^2 + 2\*a\*b\*x^2\*arcsin(c\*x) + a^2\*x^2), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-(cx-1)(cx+1)}}{x^2 (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(1/2)/x\*\*2/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(sqrt(-(c\*x - 1)\*(c\*x + 1))/(x\*\*2\*(a + b\*asin(c\*x))\*\*2), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2 + 1}}{(b \operatorname{arcsin}(cx) + a)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x^2/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*x^2 + 1)/((b\*arcsin(c\*x) + a)^2\*x^2), x)

$$3.387 \quad \int \frac{\sqrt{1-c^2x^2}}{x^3(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{\sqrt{1-c^2x^2}}{x^3(a+b\sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[Sqrt[1 - c^2\*x^2]/(x^3\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.121498, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{1-c^2x^2}}{x^3(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[1 - c^2\*x^2]/(x^3\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][Sqrt[1 - c^2\*x^2]/(x^3\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{\sqrt{1-c^2x^2}}{x^3(a+b\sin^{-1}(cx))^2} dx = \int \frac{\sqrt{1-c^2x^2}}{x^3(a+b\sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 15.6112, size = 0, normalized size = 0.

$$\int \frac{\sqrt{1-c^2x^2}}{x^3(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[1 - c^2\*x^2]/(x^3\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[Sqrt[1 - c^2\*x^2]/(x^3\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 3.499, size = 0, normalized size = 0.

$$\int \frac{1}{x^3 (a + b \arcsin(cx))^2} \sqrt{-c^2 x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(1/2)/x^3/(a+b\*arcsin(c\*x))^2,x)

[Out] int((-c^2\*x^2+1)^(1/2)/x^3/(a+b\*arcsin(c\*x))^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$c^2 x^2 + \frac{(b^2 c x^3 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc x^3) \left( c^2 \int \frac{x^2}{b x^4 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a x^4} dx - 3 \int \frac{1}{b x^4 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a x^4} dx \right)}{bc} - 1$$

$$\frac{b^2 c x^3 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc x^3}{b^2 c x^3 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x^3/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] (c^2\*x^2 + (b^2\*c\*x^3\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^3)\*integrate((c^2\*x^2 - 3)/(b^2\*c\*x^4\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^4), x) - 1)/(b^2\*c\*x^3\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^3)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{\sqrt{-c^2 x^2 + 1}}{b^2 x^3 \arcsin(cx)^2 + 2 ab x^3 \arcsin(cx) + a^2 x^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*x^2+1)^(1/2)/x^3/(a+b*arcsin(c*x))^2,x, algorithm="fricas")
```

```
[Out] integral(sqrt(-c^2*x^2 + 1)/(b^2*x^3*arcsin(c*x)^2 + 2*a*b*x^3*arcsin(c*x)
+ a^2*x^3), x)
```

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-(cx-1)(cx+1)}}{x^3 (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c**2*x**2+1)**(1/2)/x**3/(a+b*asin(c*x))**2,x)
```

```
[Out] Integral(sqrt(-(c*x - 1)*(c*x + 1))/(x**3*(a + b*asin(c*x))**2), x)
```

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2+1}}{(b \operatorname{arcsin}(cx) + a)^2 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*x^2+1)^(1/2)/x^3/(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate(sqrt(-c^2*x^2 + 1)/((b*arcsin(c*x) + a)^2*x^3), x)
```

$$3.388 \quad \int \frac{\sqrt{1-c^2x^2}}{x^4(a+b\sin^{-1}(cx))^2} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable} \left( \frac{\sqrt{1-c^2x^2}}{x^4(a+b\sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[Sqrt[1 - c^2\*x^2]/(x^4\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.120872, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{1-c^2x^2}}{x^4(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[1 - c^2\*x^2]/(x^4\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][Sqrt[1 - c^2\*x^2]/(x^4\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{\sqrt{1-c^2x^2}}{x^4(a+b\sin^{-1}(cx))^2} dx = \int \frac{\sqrt{1-c^2x^2}}{x^4(a+b\sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 3.44463, size = 0, normalized size = 0.

$$\int \frac{\sqrt{1-c^2x^2}}{x^4(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[1 - c^2\*x^2]/(x^4\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[Sqrt[1 - c^2\*x^2]/(x^4\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 5.385, size = 0, normalized size = 0.

$$\int \frac{1}{x^4 (a + b \arcsin(cx))^2} \sqrt{-c^2 x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(1/2)/x^4/(a+b\*arcsin(c\*x))^2,x)

[Out] int((-c^2\*x^2+1)^(1/2)/x^4/(a+b\*arcsin(c\*x))^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\frac{c^2 x^2 + 2 \left( b^2 c x^4 \arctan \left( c x, \sqrt{c x + 1} \sqrt{-c x + 1} \right) + a b c x^4 \right) \int \frac{c^2 x^2 - 2}{b^2 c x^5 \arctan \left( c x, \sqrt{c x + 1} \sqrt{-c x + 1} \right) + a b c x^5} dx - 1}{b^2 c x^4 \arctan \left( c x, \sqrt{c x + 1} \sqrt{-c x + 1} \right) + a b c x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x^4/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] (c^2\*x^2 + (b^2\*c\*x^4\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^4)\*integrate(2\*(c^2\*x^2 - 2)/(b^2\*c\*x^5\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^5), x) - 1)/(b^2\*c\*x^4\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^4)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{\sqrt{-c^2 x^2 + 1}}{b^2 x^4 \arcsin(cx)^2 + 2 a b x^4 \arcsin(cx) + a^2 x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x^4/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)/(b^2\*x^4\*arcsin(c\*x)^2 + 2\*a\*b\*x^4\*arcsin(c\*x) + a^2\*x^4), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-(cx-1)(cx+1)}}{x^4 (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(1/2)/x\*\*4/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(sqrt(-(c\*x - 1)\*(c\*x + 1))/(x\*\*4\*(a + b\*asin(c\*x))\*\*2), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2x^2+1}}{(b \operatorname{arcsin}(cx) + a)^2 x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(1/2)/x^4/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*x^2 + 1)/((b\*arcsin(c\*x) + a)^2\*x^4), x)

$$3.389 \quad \int \frac{x^m (1-c^2x^2)^{3/2}}{(a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{(1-c^2x^2)^{3/2} x^m}{(a+b \sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[(x^m\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x])^2, x]

**Rubi [A]** time = 0.134823, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m (1-c^2x^2)^{3/2}}{(a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(x^m\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x])^2,x]

[Out] Defer[Int] [(x^m\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x])^2, x]

Rubi steps

$$\int \frac{x^m (1-c^2x^2)^{3/2}}{(a+b \sin^{-1}(cx))^2} dx = \int \frac{x^m (1-c^2x^2)^{3/2}}{(a+b \sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 0.536446, size = 0, normalized size = 0.

$$\int \frac{x^m (1-c^2x^2)^{3/2}}{(a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.



[In] Integrate[(x^m\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x])^2,x]

[Out] Integrate[(x^m\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x])^2, x]

**Maple [A]** time = 0.869, size = 0, normalized size = 0.

$$\int \frac{x^m}{(a + b \arcsin(cx))^2} (-c^2x^2 + 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^m\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(c^2x^2 - 1)\sqrt{-c^2x^2 + 1}x^m}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(-(c^2\*x^2 - 1)\*sqrt(-c^2\*x^2 + 1)\*x^m/(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}x^m}{(b \arcsin(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((-c^2\*x^2 + 1)^(3/2)\*x^m/(b\*arcsin(c\*x) + a)^2, x)

$$3.390 \quad \int \frac{x^3(1-c^2x^2)^{3/2}}{(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=278

$$\frac{3 \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{64b^2c^4} + \frac{9 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{64b^2c^4} - \frac{5 \cos\left(\frac{5a}{b}\right) \text{CosIntegral}\left(\frac{5(a+b\sin^{-1}(cx))}{b}\right)}{64b^2c^4}$$

[Out] -((x^3\*(1 - c^2\*x^2)^2)/(b\*c\*(a + b\*ArcSin[c\*x]))) + (3\*Cos[a/b]\*CosIntegral[(a + b\*ArcSin[c\*x])/b])/(64\*b^2\*c^4) + (9\*Cos[(3\*a)/b]\*CosIntegral[(3\*(a + b\*ArcSin[c\*x]))/b])/(64\*b^2\*c^4) - (5\*Cos[(5\*a)/b]\*CosIntegral[(5\*(a + b\*ArcSin[c\*x]))/b])/(64\*b^2\*c^4) - (7\*Cos[(7\*a)/b]\*CosIntegral[(7\*(a + b\*ArcSin[c\*x]))/b])/(64\*b^2\*c^4) + (3\*Sin[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(64\*b^2\*c^4) + (9\*Sin[(3\*a)/b]\*SinIntegral[(3\*(a + b\*ArcSin[c\*x]))/b])/(64\*b^2\*c^4) - (5\*Sin[(5\*a)/b]\*SinIntegral[(5\*(a + b\*ArcSin[c\*x]))/b])/(64\*b^2\*c^4) - (7\*Sin[(7\*a)/b]\*SinIntegral[(7\*(a + b\*ArcSin[c\*x]))/b])/(64\*b^2\*c^4)

**Rubi [A]** time = 0.889903, antiderivative size = 274, normalized size of antiderivative = 0.99, number of steps used = 28, number of rules used = 6, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {4721, 4723, 4406, 3303, 3299, 3302}

$$\frac{3 \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{64b^2c^4} + \frac{9 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{64b^2c^4} - \frac{5 \cos\left(\frac{5a}{b}\right) \text{CosIntegral}\left(\frac{5a}{b} + 5\sin^{-1}(cx)\right)}{64b^2c^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x])^2,x]

[Out] -((x^3\*(1 - c^2\*x^2)^2)/(b\*c\*(a + b\*ArcSin[c\*x]))) + (3\*Cos[a/b]\*CosIntegral[a/b + ArcSin[c\*x]])/(64\*b^2\*c^4) + (9\*Cos[(3\*a)/b]\*CosIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(64\*b^2\*c^4) - (5\*Cos[(5\*a)/b]\*CosIntegral[(5\*a)/b + 5\*ArcSin[c\*x]])/(64\*b^2\*c^4) - (7\*Cos[(7\*a)/b]\*CosIntegral[(7\*a)/b + 7\*ArcSin[c\*x]])/(64\*b^2\*c^4) + (3\*Sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(64\*b^2\*c^4) + (9\*Sin[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(64\*b^2\*c^4) - (5\*Sin[(5\*a)/b]\*SinIntegral[(5\*a)/b + 5\*ArcSin[c\*x]])/(64\*b^2\*c^4) - (7\*Sin[(7\*a)/b]\*SinIntegral[(7\*a)/b + 7\*ArcSin[c\*x]])/(64\*b^2\*c^4)

Rule 4721

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^m*Sqrt[1 - c^2*x^2]*(d + e*x^2)^p
*(a + b*ArcSin[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(f*m*d^IntPart[p]*
(d + e*x^2)^FracPart[p])/(b*c*(n + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)
^(m - 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n + 1), x], x] + Dist
[(c*(m + 2*p + 1)*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(b*f*(n + 1)*(1 - c
^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcS
in[c*x])^(n + 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e,
0] && LtQ[n, -1] && IGtQ[m, -3] && IGtQ[2*p, 0]
```

Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Co
s[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])
```

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (1 - c^2 x^2)^{3/2}}{(a + b \sin^{-1}(cx))^2} dx &= -\frac{x^3 (1 - c^2 x^2)^2}{bc (a + b \sin^{-1}(cx))} + \frac{3 \int \frac{x^2 (1 - c^2 x^2)}{a + b \sin^{-1}(cx)} dx}{bc} - \frac{(7c) \int \frac{x^4 (1 - c^2 x^2)}{a + b \sin^{-1}(cx)} dx}{b} \\
&= -\frac{x^3 (1 - c^2 x^2)^2}{bc (a + b \sin^{-1}(cx))} + \frac{3 \text{Subst} \left( \int \frac{\cos^3(x) \sin^2(x)}{a + bx} dx, x, \sin^{-1}(cx) \right)}{bc^4} - \frac{7 \text{Subst} \left( \int \frac{\cos^3(x) \sin^4(x)}{a + bx} dx, x, \sin^{-1}(cx) \right)}{bc^4} \\
&= -\frac{x^3 (1 - c^2 x^2)^2}{bc (a + b \sin^{-1}(cx))} + \frac{3 \text{Subst} \left( \int \left( \frac{\cos(x)}{8(a + bx)} - \frac{\cos(3x)}{16(a + bx)} - \frac{\cos(5x)}{16(a + bx)} \right) dx, x, \sin^{-1}(cx) \right)}{bc^4} - \frac{7 \text{Subst} \left( \int \frac{\cos^3(x) \sin^4(x)}{a + bx} dx, x, \sin^{-1}(cx) \right)}{bc^4} \\
&= -\frac{x^3 (1 - c^2 x^2)^2}{bc (a + b \sin^{-1}(cx))} + \frac{7 \text{Subst} \left( \int \frac{\cos(5x)}{a + bx} dx, x, \sin^{-1}(cx) \right)}{64bc^4} - \frac{7 \text{Subst} \left( \int \frac{\cos(7x)}{a + bx} dx, x, \sin^{-1}(cx) \right)}{64bc^4} \\
&= -\frac{x^3 (1 - c^2 x^2)^2}{bc (a + b \sin^{-1}(cx))} - \frac{(21 \cos(\frac{a}{b})) \text{Subst} \left( \int \frac{\cos(\frac{a}{b} + x)}{a + bx} dx, x, \sin^{-1}(cx) \right)}{64bc^4} + \frac{(3 \cos(\frac{a}{b})) \text{Subst} \left( \int \frac{\cos(\frac{a}{b} + x)}{a + bx} dx, x, \sin^{-1}(cx) \right)}{64bc^4} \\
&= -\frac{x^3 (1 - c^2 x^2)^2}{bc (a + b \sin^{-1}(cx))} + \frac{3 \cos(\frac{a}{b}) \text{Ci} \left( \frac{a}{b} + \sin^{-1}(cx) \right)}{64b^2c^4} + \frac{9 \cos(\frac{3a}{b}) \text{Ci} \left( \frac{3a}{b} + 3 \sin^{-1}(cx) \right)}{64b^2c^4} - \frac{5 \cos(\frac{5a}{b}) \text{Ci} \left( \frac{5a}{b} + 5 \sin^{-1}(cx) \right)}{64b^2c^4} - \frac{7 \cos(\frac{7a}{b}) \text{Ci} \left( \frac{7a}{b} + 7 \sin^{-1}(cx) \right)}{64b^2c^4}
\end{aligned}$$

**Mathematica [A]** time = 1.05366, size = 399, normalized size = 1.44

$$-3 \cos\left(\frac{a}{b}\right) (a + b \sin^{-1}(cx)) \text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) - 9 \cos\left(\frac{3a}{b}\right) (a + b \sin^{-1}(cx)) \text{CosIntegral}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) - 5 \cos\left(\frac{5a}{b}\right) (a + b \sin^{-1}(cx)) \text{CosIntegral}\left(5\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) - 7 \cos\left(\frac{7a}{b}\right) (a + b \sin^{-1}(cx)) \text{CosIntegral}\left(7\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x])^2,x]

[Out] -(64\*b\*c^3\*x^3 - 128\*b\*c^5\*x^5 + 64\*b\*c^7\*x^7 - 3\*(a + b\*ArcSin[c\*x])\*Cos[a/b]\*CosIntegral[a/b + ArcSin[c\*x]] - 9\*(a + b\*ArcSin[c\*x])\*Cos[(3\*a)/b]\*CosIntegral[3\*(a/b + ArcSin[c\*x])] + 5\*a\*Cos[(5\*a)/b]\*CosIntegral[5\*(a/b + ArcSin[c\*x])] + 5\*b\*ArcSin[c\*x]\*Cos[(5\*a)/b]\*CosIntegral[5\*(a/b + ArcSin[c\*x])] + 7\*a\*Cos[(7\*a)/b]\*CosIntegral[7\*(a/b + ArcSin[c\*x])] + 7\*b\*ArcSin[c\*x]\*Cos[(7\*a)/b]\*CosIntegral[7\*(a/b + ArcSin[c\*x])] - 3\*a\*Sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] - 3\*b\*ArcSin[c\*x]\*Sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] - 9\*a\*Sin[(3\*a)/b]\*SinIntegral[3\*(a/b + ArcSin[c\*x])] - 9\*b\*ArcSin[c\*x]\*Si

```
n[(3*a)/b]*SinIntegral[3*(a/b + ArcSin[c*x])] + 5*a*Sin[(5*a)/b]*SinIntegral[5*(a/b + ArcSin[c*x])] + 5*b*ArcSin[c*x]*Sin[(5*a)/b]*SinIntegral[5*(a/b + ArcSin[c*x])] + 7*a*Sin[(7*a)/b]*SinIntegral[7*(a/b + ArcSin[c*x])] + 7*b*ArcSin[c*x]*Sin[(7*a)/b]*SinIntegral[7*(a/b + ArcSin[c*x])]/(64*b^2*c^4*(a + b*ArcSin[c*x]))
```

**Maple [A]** time = 0.061, size = 455, normalized size = 1.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x))^2,x)
```

```
[Out] -1/64/c^4*(5*arcsin(c*x)*sin(5*a/b)*Si(5*arcsin(c*x)+5*a/b)*b+5*arcsin(c*x)*Ci(5*arcsin(c*x)+5*a/b)*cos(5*a/b)*b-3*arcsin(c*x)*Si(arcsin(c*x)+a/b)*sin(a/b)*b-3*arcsin(c*x)*Ci(arcsin(c*x)+a/b)*cos(a/b)*b+7*arcsin(c*x)*Si(7*arcsin(c*x)+7*a/b)*sin(7*a/b)*b+7*arcsin(c*x)*Ci(7*arcsin(c*x)+7*a/b)*cos(7*a/b)*b-9*arcsin(c*x)*Si(3*arcsin(c*x)+3*a/b)*sin(3*a/b)*b-9*arcsin(c*x)*Ci(3*arcsin(c*x)+3*a/b)*cos(3*a/b)*b+5*sin(5*a/b)*Si(5*arcsin(c*x)+5*a/b)*a+5*Ci(5*arcsin(c*x)+5*a/b)*cos(5*a/b)*a-3*Si(arcsin(c*x)+a/b)*sin(a/b)*a-3*Ci(arcsin(c*x)+a/b)*cos(a/b)*a+7*Si(7*arcsin(c*x)+7*a/b)*sin(7*a/b)*a+7*Ci(7*arcsin(c*x)+7*a/b)*cos(7*a/b)*a-9*Si(3*arcsin(c*x)+3*a/b)*sin(3*a/b)*a-9*Ci(3*arcsin(c*x)+3*a/b)*cos(3*a/b)*a+3*x*b*c-sin(5*arcsin(c*x))*b-sin(7*arcsin(c*x))*b+3*sin(3*arcsin(c*x))*b)/(a+b*arcsin(c*x))/b^2
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{c^4 x^7 - 2c^2 x^5 + x^3 - \left( 7c^4 \int \frac{x^6}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})+a} dx - 10c^2 \int \frac{x^4}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})+a} dx + 3 \int \frac{x^2}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})+a} dx \right)}{b^2 c \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x))^2,x, algorithm="maxima")
```

```
[Out] -(c^4*x^7 - 2*c^2*x^5 + x^3 - (b^2*c*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)) + a*b*c)*integrate((7*c^4*x^6 - 10*c^2*x^4 + 3*x^2)/(b^2*c*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)) + a*b*c, x)/(b^2*c*arctan2(c*x, sqrt(c*x
```

+ 1)\*sqrt(-c\*x + 1)) + a\*b\*c)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(c^2x^5 - x^3)\sqrt{-c^2x^2 + 1}}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(-(c^2\*x^5 - x^3)\*sqrt(-c^2\*x^2 + 1)/(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.74399, size = 2788, normalized size = 10.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] -7\*b\*arcsin(c\*x)\*cos(a/b)^7\*cos\_integral(7\*a/b + 7\*arcsin(c\*x))/(b^3\*c^4\*arcsin(c\*x) + a\*b^2\*c^4) - 7\*b\*arcsin(c\*x)\*cos(a/b)^6\*sin(a/b)\*sin\_integral(7\*a/b + 7\*arcsin(c\*x))/(b^3\*c^4\*arcsin(c\*x) + a\*b^2\*c^4) - 7\*a\*cos(a/b)^7\*cos\_integral(7\*a/b + 7\*arcsin(c\*x))/(b^3\*c^4\*arcsin(c\*x) + a\*b^2\*c^4) - 7\*a\*c

$$\begin{aligned}
& \cos(a/b)^6 \sin(a/b) \sin\_integral(7*a/b + 7*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) \\
& + a*b^2*c^4) + 49/4*b*\arcsin(c*x)*\cos(a/b)^5*\cos\_integral(7*a/b + 7*\arcsin \\
& (c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) - 5/4*b*\arcsin(c*x)*\cos(a/b)^5*\cos \\
& \_integral(5*a/b + 5*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 35/4*b \\
& *\arcsin(c*x)*\cos(a/b)^4*\sin(a/b)*\sin\_integral(7*a/b + 7*\arcsin(c*x)) / (b^3*c \\
& ^4*\arcsin(c*x) + a*b^2*c^4) - 5/4*b*\arcsin(c*x)*\cos(a/b)^4*\sin(a/b)*\sin\_int \\
& egral(5*a/b + 5*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 49/4*a*\cos \\
& (a/b)^5*\cos\_integral(7*a/b + 7*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^ \\
& 4) - 5/4*a*\cos(a/b)^5*\cos\_integral(5*a/b + 5*\arcsin(c*x)) / (b^3*c^4*\arcsin(c \\
& *x) + a*b^2*c^4) + 35/4*a*\cos(a/b)^4*\sin(a/b)*\sin\_integral(7*a/b + 7*\arcsin \\
& (c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) - 5/4*a*\cos(a/b)^4*\sin(a/b)*\sin\_in \\
& tegral(5*a/b + 5*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) - (c^2*x^2 \\
& - 1)^3*b*c*x / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) - 49/8*b*\arcsin(c*x)*\cos(a/b) \\
& ^3*\cos\_integral(7*a/b + 7*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + \\
& 25/16*b*\arcsin(c*x)*\cos(a/b)^3*\cos\_integral(5*a/b + 5*\arcsin(c*x)) / (b^3*c^ \\
& 4*\arcsin(c*x) + a*b^2*c^4) + 9/16*b*\arcsin(c*x)*\cos(a/b)^3*\cos\_integral(3*a \\
& /b + 3*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) - 21/8*b*\arcsin(c*x)* \\
& \cos(a/b)^2*\sin(a/b)*\sin\_integral(7*a/b + 7*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x \\
& ) + a*b^2*c^4) + 15/16*b*\arcsin(c*x)*\cos(a/b)^2*\sin(a/b)*\sin\_integral(5*a/b \\
& + 5*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 9/16*b*\arcsin(c*x)*co \\
& s(a/b)^2*\sin(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) \\
& + a*b^2*c^4) - (c^2*x^2 - 1)^2*b*c*x / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) - 49 \\
& /8*a*\cos(a/b)^3*\cos\_integral(7*a/b + 7*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + \\
& a*b^2*c^4) + 25/16*a*\cos(a/b)^3*\cos\_integral(5*a/b + 5*\arcsin(c*x)) / (b^3*c^ \\
& 4*\arcsin(c*x) + a*b^2*c^4) + 9/16*a*\cos(a/b)^3*\cos\_integral(3*a/b + 3*\arcsi \\
& n(c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) - 21/8*a*\cos(a/b)^2*\sin(a/b)*\sin\_ \\
& integral(7*a/b + 7*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 15/16*a \\
& *\cos(a/b)^2*\sin(a/b)*\sin\_integral(5*a/b + 5*\arcsin(c*x)) / (b^3*c^4*\arcsin(c* \\
& x) + a*b^2*c^4) + 9/16*a*\cos(a/b)^2*\sin(a/b)*\sin\_integral(3*a/b + 3*\arcsin( \\
& c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 49/64*b*\arcsin(c*x)*\cos(a/b)*\cos\_ \\
& integral(7*a/b + 7*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) - 25/64*b \\
& *\arcsin(c*x)*\cos(a/b)*\cos\_integral(5*a/b + 5*\arcsin(c*x)) / (b^3*c^4*\arcsin(c \\
& *x) + a*b^2*c^4) - 27/64*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(3*a/b + 3*\arcsi \\
& n(c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 3/64*b*\arcsin(c*x)*\cos(a/b)*co \\
& s\_integral(a/b + \arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 7/64*b*ar \\
& csin(c*x)*\sin(a/b)*\sin\_integral(7*a/b + 7*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) \\
& + a*b^2*c^4) - 5/64*b*\arcsin(c*x)*\sin(a/b)*\sin\_integral(5*a/b + 5*\arcsin(c \\
& *x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) - 9/64*b*\arcsin(c*x)*\sin(a/b)*\sin\_in \\
& tegral(3*a/b + 3*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 3/64*b*ar \\
& csin(c*x)*\sin(a/b)*\sin\_integral(a/b + \arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + a \\
& *b^2*c^4) + 49/64*a*\cos(a/b)*\cos\_integral(7*a/b + 7*\arcsin(c*x)) / (b^3*c^4*a \\
& rcsin(c*x) + a*b^2*c^4) - 25/64*a*\cos(a/b)*\cos\_integral(5*a/b + 5*\arcsin(c* \\
& x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) - 27/64*a*\cos(a/b)*\cos\_integral(3*a/b \\
& + 3*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 3/64*a*\cos(a/b)*\cos\_i \\
& ntegral(a/b + \arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 7/64*a*\sin(a
\end{aligned}$$



$$\begin{aligned} & /b) * \sin\_integral(7*a/b + 7*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) - \\ & 5/64*a*\sin(a/b)*\sin\_integral(5*a/b + 5*\arcsin(c*x)) / (b^3*c^4*\arcsin(c*x) + \\ & a*b^2*c^4) - 9/64*a*\sin(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x)) / (b^3*c^4* \\ & \arcsin(c*x) + a*b^2*c^4) + 3/64*a*\sin(a/b)*\sin\_integral(a/b + \arcsin(c*x)) / \\ & (b^3*c^4*\arcsin(c*x) + a*b^2*c^4) \end{aligned}$$

$$3.391 \quad \int \frac{x^2(1-c^2x^2)^{3/2}}{(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=220

$$\frac{\sin\left(\frac{2a}{b}\right)\text{CosIntegral}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{16b^2c^3} - \frac{\sin\left(\frac{4a}{b}\right)\text{CosIntegral}\left(\frac{4(a+b\sin^{-1}(cx))}{b}\right)}{4b^2c^3} - \frac{3\sin\left(\frac{6a}{b}\right)\text{CosIntegral}\left(\frac{6(a+b\sin^{-1}(cx))}{b}\right)}{16b^2c^3}$$

[Out]  $-\left(\frac{x^2(1-c^2x^2)^2}{b*c*(a+b*\text{ArcSin}[c*x])}\right) + \left(\frac{\text{CosIntegral}[(2*(a+b*\text{ArcSin}[c*x]))/b]*\text{Sin}[(2*a)/b]}{(16*b^2*c^3)} - \left(\frac{\text{CosIntegral}[(4*(a+b*\text{ArcSin}[c*x]))/b]*\text{Sin}[(4*a)/b]}{(4*b^2*c^3)} - \left(\frac{3*\text{CosIntegral}[(6*(a+b*\text{ArcSin}[c*x]))/b]*\text{Sin}[(6*a)/b]}{(16*b^2*c^3)} - \left(\frac{\text{Cos}[(2*a)/b]*\text{SinIntegral}[(2*(a+b*\text{ArcSin}[c*x]))/b]}{(16*b^2*c^3)} + \left(\frac{\text{Cos}[(4*a)/b]*\text{SinIntegral}[(4*(a+b*\text{ArcSin}[c*x]))/b]}{(4*b^2*c^3)} + \left(\frac{3*\text{Cos}[(6*a)/b]*\text{SinIntegral}[(6*(a+b*\text{ArcSin}[c*x]))/b]}{(16*b^2*c^3)}\right)\right)\right)\right)$

**Rubi [A]** time = 0.636239, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 6, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {4721, 4723, 4406, 3303, 3299, 3302}

$$\frac{\sin\left(\frac{2a}{b}\right)\text{CosIntegral}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{16b^2c^3} - \frac{\sin\left(\frac{4a}{b}\right)\text{CosIntegral}\left(\frac{4a}{b} + 4\sin^{-1}(cx)\right)}{4b^2c^3} - \frac{3\sin\left(\frac{6a}{b}\right)\text{CosIntegral}\left(\frac{6a}{b} + 6\sin^{-1}(cx)\right)}{16b^2c^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^2*(1-c^2*x^2)^(3/2))/(a+b*\text{ArcSin}[c*x])^2, x]$

[Out]  $-\left(\frac{x^2(1-c^2x^2)^2}{b*c*(a+b*\text{ArcSin}[c*x])}\right) + \left(\frac{\text{CosIntegral}[(2*a)/b + 2*\text{ArcSin}[c*x]]*\text{Sin}[(2*a)/b]}{(16*b^2*c^3)} - \left(\frac{\text{CosIntegral}[(4*a)/b + 4*\text{ArcSin}[c*x]]*\text{Sin}[(4*a)/b]}{(4*b^2*c^3)} - \left(\frac{3*\text{CosIntegral}[(6*a)/b + 6*\text{ArcSin}[c*x]]*\text{Sin}[(6*a)/b]}{(16*b^2*c^3)} - \left(\frac{\text{Cos}[(2*a)/b]*\text{SinIntegral}[(2*a)/b + 2*\text{ArcSin}[c*x]]}{(16*b^2*c^3)} + \left(\frac{\text{Cos}[(4*a)/b]*\text{SinIntegral}[(4*a)/b + 4*\text{ArcSin}[c*x]]}{(4*b^2*c^3)} + \left(\frac{3*\text{Cos}[(6*a)/b]*\text{SinIntegral}[(6*a)/b + 6*\text{ArcSin}[c*x]]}{(16*b^2*c^3)}\right)\right)\right)\right)$

**Rule 4721**

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((f*x)^m*(d + e*x^2)^p)*(x^2)^q, x\_Symbol] \rightarrow \text{Simp}[(f*x)^m*\text{Sqrt}[1 - c^2*x^2]*(d + e*x^2)^p$

```

*(a + b*ArcSin[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(f*m*d^IntPart[p]*
(d + e*x^2)^FracPart[p])/(b*c*(n + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)
^(m - 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n + 1), x], x] + Dist
[(c*(m + 2*p + 1)*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(b*f*(n + 1)*(1 - c
^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcS
in[c*x])^(n + 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e,
0] && LtQ[n, -1] && IGtQ[m, -3] && IGtQ[2*p, 0]

```

### Rule 4723

```

Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] :> Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*C
os[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])

```

### Rule 4406

```

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]

```

### Rule 3303

```

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]

```

### Rule 3299

```

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

```

### Rule 3302

```

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2(1-c^2x^2)^{3/2}}{(a+b\sin^{-1}(cx))^2} dx &= -\frac{x^2(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} + \frac{2\int \frac{x(1-c^2x^2)}{a+b\sin^{-1}(cx)} dx}{bc} - \frac{(6c)\int \frac{x^3(1-c^2x^2)}{a+b\sin^{-1}(cx)} dx}{b} \\
&= -\frac{x^2(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} + \frac{2\text{Subst}\left(\int \frac{\cos^3(x)\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^3} - \frac{6\text{Subst}\left(\int \frac{\cos^3(x)\sin^3(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^3} \\
&= -\frac{x^2(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} + \frac{2\text{Subst}\left(\int \left(\frac{\sin(2x)}{4(a+bx)} + \frac{\sin(4x)}{8(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc^3} - \frac{6\text{Subst}\left(\int \left(\frac{3\sin(2x)}{32(a+bx)} + \frac{3\sin(4x)}{64(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc^3} \\
&= -\frac{x^2(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} + \frac{3\text{Subst}\left(\int \frac{\sin(6x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16bc^3} + \frac{\text{Subst}\left(\int \frac{\sin(4x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4bc^3} \\
&= -\frac{x^2(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} + \frac{\cos\left(\frac{2a}{b}\right)\text{Subst}\left(\int \frac{\sin\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2bc^3} - \frac{\left(9\cos\left(\frac{2a}{b}\right)\right)\text{Subst}\left(\int \frac{\sin\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2bc^3} \\
&= -\frac{x^2(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} + \frac{\text{Ci}\left(\frac{2a}{b}+2\sin^{-1}(cx)\right)\sin\left(\frac{2a}{b}\right)}{16b^2c^3} - \frac{\text{Ci}\left(\frac{4a}{b}+4\sin^{-1}(cx)\right)\sin\left(\frac{4a}{b}\right)}{4b^2c^3} - \frac{3\text{Ci}\left(\frac{6a}{b}+6\sin^{-1}(cx)\right)\sin\left(\frac{6a}{b}\right)}{16b^2c^3}
\end{aligned}$$

**Mathematica [A]** time = 0.808738, size = 306, normalized size = 1.39

$$-\sin\left(\frac{2a}{b}\right)(a+b\sin^{-1}(cx))\text{CosIntegral}\left(2\left(\frac{a}{b}+\sin^{-1}(cx)\right)\right)+4\sin\left(\frac{4a}{b}\right)(a+b\sin^{-1}(cx))\text{CosIntegral}\left(4\left(\frac{a}{b}+\sin^{-1}(cx)\right)\right)-3\sin\left(\frac{6a}{b}\right)(a+b\sin^{-1}(cx))\text{CosIntegral}\left(6\left(\frac{a}{b}+\sin^{-1}(cx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x])^2,x]

[Out] 
$$-(16*b*c^2*x^2 - 32*b*c^4*x^4 + 16*b*c^6*x^6 - (a + b*\text{ArcSin}[c*x])*\text{CosIntegral}[2*(a/b + \text{ArcSin}[c*x])]*\text{Sin}[(2*a)/b] + 4*(a + b*\text{ArcSin}[c*x])*\text{CosIntegral}[4*(a/b + \text{ArcSin}[c*x])]*\text{Sin}[(4*a)/b] + 3*a*\text{CosIntegral}[6*(a/b + \text{ArcSin}[c*x])]*\text{Sin}[(6*a)/b] + 3*b*\text{ArcSin}[c*x]*\text{CosIntegral}[6*(a/b + \text{ArcSin}[c*x])]*\text{Sin}[(6*a)/b] + a*\text{Cos}[(2*a)/b]*\text{SinIntegral}[2*(a/b + \text{ArcSin}[c*x])] + b*\text{ArcSin}[c*x]*\text{Cos}[(2*a)/b]*\text{SinIntegral}[2*(a/b + \text{ArcSin}[c*x])] - 4*a*\text{Cos}[(4*a)/b]*\text{SinIntegral}[4*(a/b + \text{ArcSin}[c*x])] - 4*b*\text{ArcSin}[c*x]*\text{Cos}[(4*a)/b]*\text{SinIntegral}[4*(a/b + \text{ArcSin}[c*x])] - 3*a*\text{Cos}[(6*a)/b]*\text{SinIntegral}[6*(a/b + \text{ArcSin}[c*x])] - 3*b*\text{ArcSin}[c*x]*\text{Cos}[(6*a)/b]*\text{SinIntegral}[6*(a/b + \text{ArcSin}[c*x])])/(16*b^2*c^3*(a + b*\text{ArcSin}[c*x]))$$

---

**Maple [A]** time = 0.058, size = 364, normalized size = 1.7

$$\frac{1}{32c^3(a+b\arcsin(cx))b^2} \left( 8\arcsin(cx)\operatorname{Si}\left(4\arcsin(cx)+4\frac{a}{b}\right)\cos\left(4\frac{a}{b}\right)b - 8\arcsin(cx)\operatorname{Ci}\left(4\arcsin(cx)+4\frac{a}{b}\right)s\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x))^2,x)`

[Out] `1/32/c^3*(8*arcsin(c*x)*Si(4*arcsin(c*x)+4*a/b)*cos(4*a/b)*b-8*arcsin(c*x)*Ci(4*arcsin(c*x)+4*a/b)*sin(4*a/b)*b-2*arcsin(c*x)*Si(2*arcsin(c*x)+2*a/b)*cos(2*a/b)*b+2*arcsin(c*x)*Ci(2*arcsin(c*x)+2*a/b)*sin(2*a/b)*b+6*arcsin(c*x)*Si(6*arcsin(c*x)+6*a/b)*cos(6*a/b)*b-6*arcsin(c*x)*Ci(6*arcsin(c*x)+6*a/b)*sin(6*a/b)*b+8*Si(4*arcsin(c*x)+4*a/b)*cos(4*a/b)*a-8*Ci(4*arcsin(c*x)+4*a/b)*sin(4*a/b)*a-2*Si(2*arcsin(c*x)+2*a/b)*cos(2*a/b)*a+2*Ci(2*arcsin(c*x)+2*a/b)*sin(2*a/b)*a+6*Si(6*arcsin(c*x)+6*a/b)*cos(6*a/b)*a-6*Ci(6*arcsin(c*x)+6*a/b)*sin(6*a/b)*a+2*cos(4*arcsin(c*x))*b-cos(2*arcsin(c*x))*b+cos(6*arcsin(c*x))*b-2*b)/(a+b*arcsin(c*x))/b^2`

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{c^4x^6 - 2c^2x^4 + x^2 - 2\left(b^2c \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abc\right) \int \frac{3c^4x^5 - 4c^2x^3 + x}{b^2c \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abc} dx}{b^2c \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] `-(c^4*x^6 - 2*c^2*x^4 + x^2 - (b^2*c*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)) + a*b*c)*integrate(2*(3*c^4*x^5 - 4*c^2*x^3 + x)/(b^2*c*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)) + a*b*c, x)/(b^2*c*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)) + a*b*c)`

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{(c^2x^4 - x^2)\sqrt{-c^2x^2 + 1}}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x))^2,x, algorithm="fricas")
```

```
[Out] integral(-(c^2*x^4 - x^2)*sqrt(-c^2*x^2 + 1)/(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 (-cx - 1)(cx + 1)^{\frac{3}{2}}}{(a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(-c**2*x**2+1)**(3/2)/(a+b*asin(c*x))**2,x)
```

```
[Out] Integral(x**2*(-c*x - 1)*(c*x + 1)**(3/2)/(a + b*asin(c*x))**2, x)
```

**Giac [B]** time = 1.70175, size = 2097, normalized size = 9.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] -6*b*arcsin(c*x)*cos(a/b)^5*cos_integral(6*a/b + 6*arcsin(c*x))*sin(a/b)/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) + 6*b*arcsin(c*x)*cos(a/b)^6*sin_integral(6*a/b + 6*arcsin(c*x))/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) - 6*a*cos(a/b)^5*cos_integral(6*a/b + 6*arcsin(c*x))*sin(a/b)/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) + 6*a*cos(a/b)^6*sin_integral(6*a/b + 6*arcsin(c*x))/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) + 6*b*arcsin(c*x)*cos(a/b)^3*cos_integral(6*a/b + 6*arcsin(c*x))*sin(a/b)/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) - 2*b*arcsin(c*x)*cos(a/b)^3*cos_integral(4*a/b + 4*arcsin(c*x))*sin(a/b)/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) - 9*b*arcsin(c*x)*cos(a/b)^4*sin_integral(6*a/b + 6*arcsin(c*x))/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) + 2*b*arcsin(c*x)*cos(a/b)^4*sin_integral(4*a/b + 4*arcsin(c*x))/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) + 6*a*cos(a/b)^3*cos_integral(6*a/b + 6*arcsin(c*x))*sin(a/b)/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) - 2*a*cos(a/b)^3*cos_integral(4*a/b + 4*arcsin(c*x))*sin(a/b)/(b^3*c^3*arcsi
```

$$\begin{aligned}
& n(cx) + a^2b^2c^3 - 9a^2\cos(a/b)^4 \operatorname{Si}(6a/b + 6\arcsin(cx)) / (b^3c^3\arcsin(cx) + a^2b^2c^3) + 2a^2\cos(a/b)^4 \operatorname{Si}(4a/b + 4\arcsin(cx)) / (b^3c^3\arcsin(cx) + a^2b^2c^3) - 9/8b^2\arcsin(cx)\cos(a/b)\operatorname{Ci}(6a/b + 6\arcsin(cx))\sin(a/b) / (b^3c^3\arcsin(cx) + a^2b^2c^3) + b^2\arcsin(cx)\cos(a/b)\operatorname{Ci}(4a/b + 4\arcsin(cx))\sin(a/b) / (b^3c^3\arcsin(cx) + a^2b^2c^3) + 1/8b^2\arcsin(cx)\cos(a/b)\operatorname{Ci}(2a/b + 2\arcsin(cx))\sin(a/b) / (b^3c^3\arcsin(cx) + a^2b^2c^3) + 27/8b^2\arcsin(cx)\cos(a/b)^2 \operatorname{Si}(6a/b + 6\arcsin(cx)) / (b^3c^3\arcsin(cx) + a^2b^2c^3) - 2b^2\arcsin(cx)\cos(a/b)^2 \operatorname{Si}(4a/b + 4\arcsin(cx)) / (b^3c^3\arcsin(cx) + a^2b^2c^3) - 1/8b^2\arcsin(cx)\cos(a/b)^2 \operatorname{Si}(2a/b + 2\arcsin(cx)) / (b^3c^3\arcsin(cx) + a^2b^2c^3) - (c^2x^2 - 1)^3b / (b^3c^3\arcsin(cx) + a^2b^2c^3) - 9/8a^2\cos(a/b)\operatorname{Ci}(6a/b + 6\arcsin(cx))\sin(a/b) / (b^3c^3\arcsin(cx) + a^2b^2c^3) + a^2\cos(a/b)\operatorname{Ci}(4a/b + 4\arcsin(cx))\sin(a/b) / (b^3c^3\arcsin(cx) + a^2b^2c^3) + 1/8a^2\cos(a/b)\operatorname{Ci}(2a/b + 2\arcsin(cx))\sin(a/b) / (b^3c^3\arcsin(cx) + a^2b^2c^3) + 27/8a^2\cos(a/b)^2 \operatorname{Si}(6a/b + 6\arcsin(cx)) / (b^3c^3\arcsin(cx) + a^2b^2c^3) - 2a^2\cos(a/b)^2 \operatorname{Si}(4a/b + 4\arcsin(cx)) / (b^3c^3\arcsin(cx) + a^2b^2c^3) - 1/8a^2\cos(a/b)^2 \operatorname{Si}(2a/b + 2\arcsin(cx)) / (b^3c^3\arcsin(cx) + a^2b^2c^3) - (c^2x^2 - 1)^2b / (b^3c^3\arcsin(cx) + a^2b^2c^3) - 3/16b^2\arcsin(cx)\operatorname{Si}(6a/b + 6\arcsin(cx)) / (b^3c^3\arcsin(cx) + a^2b^2c^3) + 1/4b^2\arcsin(cx)\operatorname{Si}(4a/b + 4\arcsin(cx)) / (b^3c^3\arcsin(cx) + a^2b^2c^3) + 1/16b^2\arcsin(cx)\operatorname{Si}(2a/b + 2\arcsin(cx)) / (b^3c^3\arcsin(cx) + a^2b^2c^3) - 3/16a^2\operatorname{Si}(6a/b + 6\arcsin(cx)) / (b^3c^3\arcsin(cx) + a^2b^2c^3) + 1/4a^2\operatorname{Si}(4a/b + 4\arcsin(cx)) / (b^3c^3\arcsin(cx) + a^2b^2c^3) + 1/16a^2\operatorname{Si}(2a/b + 2\arcsin(cx)) / (b^3c^3\arcsin(cx) + a^2b^2c^3)
\end{aligned}$$

$$3.392 \quad \int \frac{x(1-c^2x^2)^{3/2}}{(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=214

$$\frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{8b^2c^2} + \frac{9\cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{16b^2c^2} + \frac{5\cos\left(\frac{5a}{b}\right) \text{CosIntegral}\left(\frac{5(a+b\sin^{-1}(cx))}{b}\right)}{16b^2c^2}$$

[Out]  $-\left(\frac{x(1-c^2x^2)^{3/2}}{b c (a+b \text{ArcSin}[c x])}\right) + \left(\frac{\cos[a/b] \text{CosIntegral}[a+b \text{ArcSin}[c x]]}{8 b^2 c^2} + \frac{9 \cos[3 a / b] \text{CosIntegral}[3(a+b \text{ArcSin}[c x])]}{16 b^2 c^2} + \frac{5 \cos[5 a / b] \text{CosIntegral}[5(a+b \text{ArcSin}[c x])]}{16 b^2 c^2} + \frac{\sin[a/b] \text{SinIntegral}[a+b \text{ArcSin}[c x]]}{8 b^2 c^2} + \frac{9 \sin[3 a / b] \text{SinIntegral}[3(a+b \text{ArcSin}[c x])]}{16 b^2 c^2} + \frac{5 \sin[5 a / b] \text{SinIntegral}[5(a+b \text{ArcSin}[c x])]}{16 b^2 c^2}\right)$

**Rubi [A]** time = 0.666335, antiderivative size = 210, normalized size of antiderivative = 0.98, number of steps used = 22, number of rules used = 8, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {4721, 4661, 3312, 3303, 3299, 3302, 4723, 4406}

$$\frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{8b^2c^2} + \frac{9\cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{16b^2c^2} + \frac{5\cos\left(\frac{5a}{b}\right) \text{CosIntegral}\left(\frac{5a}{b} + 5\sin^{-1}(cx)\right)}{16b^2c^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x(1-c^2x^2)^{3/2})/(a+b\text{ArcSin}[cx])^2, x]$

[Out]  $-\left(\frac{x(1-c^2x^2)^{3/2}}{b c (a+b \text{ArcSin}[c x])}\right) + \left(\frac{\cos[a/b] \text{CosIntegral}[a/b + \text{ArcSin}[c x]]}{8 b^2 c^2} + \frac{9 \cos[3 a / b] \text{CosIntegral}[3 a / b + 3 \text{ArcSin}[c x]]}{16 b^2 c^2} + \frac{5 \cos[5 a / b] \text{CosIntegral}[5 a / b + 5 \text{ArcSin}[c x]]}{16 b^2 c^2} + \frac{\sin[a/b] \text{SinIntegral}[a/b + \text{ArcSin}[c x]]}{8 b^2 c^2} + \frac{9 \sin[3 a / b] \text{SinIntegral}[3 a / b + 3 \text{ArcSin}[c x]]}{16 b^2 c^2} + \frac{5 \sin[5 a / b] \text{SinIntegral}[5 a / b + 5 \text{ArcSin}[c x]]}{16 b^2 c^2}\right)$

**Rule 4721**

$\text{Int}[(a_. + \text{ArcSin}[c_.](x_.)](b_.)^{(n_.)}((f_.)(x_.))^{(m_.)}((d_. + (e_.)(x_.)^2)^{(p_.)}, x\_Symbol] :> \text{Simp}[(f x)^m \text{Sqrt}[1 - c^2 x^2] (d + e x^2)^p$



```

*(a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1)), x] + (-Dist[(f*m*d^IntPart[p]*
(d + e*x^2)^FracPart[p])/(b*c*(n + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)
^(m - 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n + 1), x], x] + Dist
[(c*(m + 2*p + 1)*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(b*f*(n + 1)*(1 - c
^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcS
in[c*x])^(n + 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e,
0] && LtQ[n, -1] && IGtQ[m, -3] && IGtQ[2*p, 0]

```

### Rule 4661

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] :=> Dist[d^p/c, Subst[Int[(a + b*x)^n*Cos[x]^(2*p + 1), x], x, ArcS
in[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IGtQ[2
*p, 0] && (IntegerQ[p] || GtQ[d, 0])

```

### Rule 3312

```

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] :=> In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

```

### Rule 3303

```

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :=> Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]

```

### Rule 3299

```

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :=> Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

```

### Rule 3302

```

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :=> Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]

```

### Rule 4723

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] :=> Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*C
os[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer

```

Q[p] || GtQ[d, 0])

### Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^(n)\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{x(1-c^2x^2)^{3/2}}{(a+b\sin^{-1}(cx))^2} dx &= -\frac{x(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} + \frac{\int \frac{1-c^2x^2}{a+b\sin^{-1}(cx)} dx}{bc} - \frac{(5c) \int \frac{x^2(1-c^2x^2)}{a+b\sin^{-1}(cx)} dx}{b} \\
 &= -\frac{x(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} + \frac{\text{Subst}\left(\int \frac{\cos^3(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^2} - \frac{5 \text{Subst}\left(\int \frac{\cos^3(x)\sin^2(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^2} \\
 &= -\frac{x(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} + \frac{\text{Subst}\left(\int \left(\frac{3\cos(x)}{4(a+bx)} + \frac{\cos(3x)}{4(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc^2} - \frac{5 \text{Subst}\left(\int \left(\frac{\cos(x)}{8(a+bx)} - \frac{3\cos^3(x)\sin^2(x)}{8(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc^2} \\
 &= -\frac{x(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} + \frac{\text{Subst}\left(\int \frac{\cos(3x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4bc^2} + \frac{5 \text{Subst}\left(\int \frac{\cos(3x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16bc^2} \\
 &= -\frac{x(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} - \frac{(5\cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \frac{\cos\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8bc^2} + \frac{(3\cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \frac{\cos\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8bc^2} \\
 &= -\frac{x(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} + \frac{\cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{8b^2c^2} + \frac{9\cos\left(\frac{3a}{b}\right) \text{Ci}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{16b^2c^2} + \frac{5\cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{8b^2c^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.516958, size = 295, normalized size = 1.38

$$\frac{2\cos\left(\frac{a}{b}\right)(a+b\sin^{-1}(cx))\text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) + 9\cos\left(\frac{3a}{b}\right)(a+b\sin^{-1}(cx))\text{CosIntegral}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + 5\cos\left(\frac{a}{b}\right)\text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{8b^2c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(1 - c^2\*x^2)^(3/2))/(a + b\*ArcSin[c\*x])^2, x]

```
[Out] (-16*b*c*x + 32*b*c^3*x^3 - 16*b*c^5*x^5 + 2*(a + b*ArcSin[c*x])*Cos[a/b]*CosIntegral[a/b + ArcSin[c*x]] + 9*(a + b*ArcSin[c*x])*Cos[(3*a)/b]*CosIntegral[3*(a/b + ArcSin[c*x])] + 5*a*cos[(5*a)/b]*CosIntegral[5*(a/b + ArcSin[c*x])] + 5*b*ArcSin[c*x]*Cos[(5*a)/b]*CosIntegral[5*(a/b + ArcSin[c*x])] + 2*a*Sin[a/b]*SinIntegral[a/b + ArcSin[c*x]] + 2*b*ArcSin[c*x]*Sin[a/b]*SinIntegral[a/b + ArcSin[c*x]] + 9*a*Sin[(3*a)/b]*SinIntegral[3*(a/b + ArcSin[c*x])] + 9*b*ArcSin[c*x]*Sin[(3*a)/b]*SinIntegral[3*(a/b + ArcSin[c*x])] + 5*a*Sin[(5*a)/b]*SinIntegral[5*(a/b + ArcSin[c*x])] + 5*b*ArcSin[c*x]*Sin[(5*a)/b]*SinIntegral[5*(a/b + ArcSin[c*x])])/(16*b^2*c^2*(a + b*ArcSin[c*x]))
```

**Maple [A]** time = 0.051, size = 341, normalized size = 1.6

$$\frac{1}{16c^2(a + b \arcsin(cx))b^2} \left( 9 \arcsin(cx) \operatorname{Si} \left( 3 \arcsin(cx) + 3 \frac{a}{b} \right) \sin \left( 3 \frac{a}{b} \right) b + 9 \arcsin(cx) \operatorname{Ci} \left( 3 \arcsin(cx) + 3 \frac{a}{b} \right) c \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x))^2,x)
```

```
[Out] 1/16/c^2*(9*arcsin(c*x)*Si(3*arcsin(c*x)+3*a/b)*sin(3*a/b)*b+9*arcsin(c*x)*Ci(3*arcsin(c*x)+3*a/b)*cos(3*a/b)*b+2*arcsin(c*x)*Si(arcsin(c*x)+a/b)*sin(a/b)*b+2*arcsin(c*x)*Ci(arcsin(c*x)+a/b)*cos(a/b)*b+5*arcsin(c*x)*sin(5*a/b)*Si(5*arcsin(c*x)+5*a/b)*b+5*arcsin(c*x)*Ci(5*arcsin(c*x)+5*a/b)*cos(5*a/b)*b+9*Si(3*arcsin(c*x)+3*a/b)*sin(3*a/b)*a+9*Ci(3*arcsin(c*x)+3*a/b)*cos(3*a/b)*a+2*Si(arcsin(c*x)+a/b)*sin(a/b)*a+2*Ci(arcsin(c*x)+a/b)*cos(a/b)*a+5*sin(5*a/b)*Si(5*arcsin(c*x)+5*a/b)*a+5*Ci(5*arcsin(c*x)+5*a/b)*cos(5*a/b)*a-2*x*b*c-3*sin(3*arcsin(c*x))*b-sin(5*arcsin(c*x))*b)/(a+b*arcsin(c*x))/b^2
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{c^4x^5 - 2c^2x^3 + x - \left( 5c^4 \int \frac{x^4}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})+a} dx - 6c^2 \int \frac{x^2}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})+a} dx + \int \frac{1}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})+a} dx \right) (b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc)}{b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x))^2,x, algorithm="maxima")
```

```
[Out] -(c^4*x^5 - 2*c^2*x^3 - (b^2*c*arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1)) + a*b*c)*integrate((5*c^4*x^4 - 6*c^2*x^2 + 1)/(b^2*c*arctan2(c*x, sqrt(c*x
```

+ 1)\*sqrt(-c\*x + 1)) + a\*b\*c), x) + x)/(b^2\*c\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(c^2x^3 - x)\sqrt{-c^2x^2 + 1}}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(-(c^2\*x^3 - x)\*sqrt(-c^2\*x^2 + 1)/(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x(-cx - 1)(cx + 1)^{\frac{3}{2}}}{(a + b \arcsin(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(x\*(-(c\*x - 1)\*(c\*x + 1))\*\*(3/2)/(a + b\*asin(c\*x))\*\*2, x)

**Giac [B]** time = 1.70941, size = 1640, normalized size = 7.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] 5\*b\*arcsin(c\*x)\*cos(a/b)^5\*cos\_integral(5\*a/b + 5\*arcsin(c\*x))/(b^3\*c^2\*arcsin(c\*x) + a\*b^2\*c^2) + 5\*b\*arcsin(c\*x)\*cos(a/b)^4\*sin(a/b)\*sin\_integral(5\*

$$\begin{aligned}
& a/b + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 5*a*\cos(a/b)^5*\cos \\
& \_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 5*a*\cos \\
& (a/b)^4*\sin(a/b)*\sin\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) \\
& + a*b^2*c^2) - 25/4*b*\arcsin(c*x)*\cos(a/b)^3*\cos\_integral(5*a/b + 5*\arcsin(c \\
& *x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 9/4*b*\arcsin(c*x)*\cos(a/b)^3*\cos \\
& \_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 15/4*b* \\
& \arcsin(c*x)*\cos(a/b)^2*\sin(a/b)*\sin\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^ \\
& 2*\arcsin(c*x) + a*b^2*c^2) + 9/4*b*\arcsin(c*x)*\cos(a/b)^2*\sin(a/b)*\sin\_inte \\
& gral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - (c^2*x^2 - \\
& 1)^2*b*c*x/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 25/4*a*\cos(a/b)^3*\cos\_integr \\
& al(5*a/b + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 9/4*a*\cos(a/b \\
& )^3*\cos\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - \\
& 15/4*a*\cos(a/b)^2*\sin(a/b)*\sin\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^2*\ar \\
& csin(c*x) + a*b^2*c^2) + 9/4*a*\cos(a/b)^2*\sin(a/b)*\sin\_integral(3*a/b + 3*a \\
& rcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 25/16*b*\arcsin(c*x)*\cos(a/b \\
& )*\cos\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 2 \\
& 7/16*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\ar \\
& csin(c*x) + a*b^2*c^2) + 1/8*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(a/b + arcs \\
& in(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 5/16*b*\arcsin(c*x)*\sin(a/b)*si \\
& n\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 9/16* \\
& b*\arcsin(c*x)*\sin(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin( \\
& c*x) + a*b^2*c^2) + 1/8*b*\arcsin(c*x)*\sin(a/b)*\sin\_integral(a/b + arcsin(c* \\
& x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 25/16*a*\cos(a/b)*\cos\_integral(5*a/b \\
& + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 27/16*a*\cos(a/b)*\cos \\
& \_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 1/8*a*c \\
& os(a/b)*\cos\_integral(a/b + arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + \\
& 5/16*a*\sin(a/b)*\sin\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + \\
& a*b^2*c^2) - 9/16*a*\sin(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2* \\
& arcsin(c*x) + a*b^2*c^2) + 1/8*a*\sin(a/b)*\sin\_integral(a/b + arcsin(c*x))/( \\
& b^3*c^2*\arcsin(c*x) + a*b^2*c^2)
\end{aligned}$$

$$3.393 \quad \int \frac{(1-c^2x^2)^{3/2}}{(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=150

$$\frac{\sin\left(\frac{2a}{b}\right) \operatorname{CosIntegral}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{b^2c} + \frac{\sin\left(\frac{4a}{b}\right) \operatorname{CosIntegral}\left(\frac{4(a+b\sin^{-1}(cx))}{b}\right)}{2b^2c} - \frac{\cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{b^2c} - \frac{\cos\left(\frac{4a}{b}\right) \operatorname{Si}\left(\frac{4(a+b\sin^{-1}(cx))}{b}\right)}{2b^2c}$$

[Out] -((1 - c^2\*x^2)^2/(b\*c\*(a + b\*ArcSin[c\*x]))) + (CosIntegral[(2\*(a + b\*ArcSin[c\*x]))/b]\*Sin[(2\*a)/b])/(b^2\*c) + (CosIntegral[(4\*(a + b\*ArcSin[c\*x]))/b]\*Sin[(4\*a)/b])/(2\*b^2\*c) - (Cos[(2\*a)/b]\*SinIntegral[(2\*(a + b\*ArcSin[c\*x]))/b])/(b^2\*c) - (Cos[(4\*a)/b]\*SinIntegral[(4\*(a + b\*ArcSin[c\*x]))/b])/(2\*b^2\*c)

**Rubi [A]** time = 0.272936, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$ , Rules used = {4659, 4723, 4406, 3303, 3299, 3302}

$$\frac{\sin\left(\frac{2a}{b}\right) \operatorname{CosIntegral}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{b^2c} + \frac{\sin\left(\frac{4a}{b}\right) \operatorname{CosIntegral}\left(\frac{4a}{b} + 4\sin^{-1}(cx)\right)}{2b^2c} - \frac{\cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{b^2c} - \frac{\cos\left(\frac{4a}{b}\right) \operatorname{Si}\left(\frac{4a}{b} + 4\sin^{-1}(cx)\right)}{2b^2c}$$

Antiderivative was successfully verified.

[In] Int[(1 - c^2\*x^2)^(3/2)/(a + b\*ArcSin[c\*x])^2,x]

[Out] -((1 - c^2\*x^2)^2/(b\*c\*(a + b\*ArcSin[c\*x]))) + (CosIntegral[(2\*a)/b + 2\*ArcSin[c\*x]]\*Sin[(2\*a)/b])/(b^2\*c) + (CosIntegral[(4\*a)/b + 4\*ArcSin[c\*x]]\*Sin[(4\*a)/b])/(2\*b^2\*c) - (Cos[(2\*a)/b]\*SinIntegral[(2\*a)/b + 2\*ArcSin[c\*x]])/(b^2\*c) - (Cos[(4\*a)/b]\*SinIntegral[(4\*a)/b + 4\*ArcSin[c\*x]])/(2\*b^2\*c)

### Rule 4659

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_]\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_ Symbol] :> Simp[(Sqrt[1 - c^2\*x^2]\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[(c\*(2\*p + 1)\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(b\*(n + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*C
os[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])
```

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(1-c^2x^2)^{3/2}}{(a+b\sin^{-1}(cx))^2} dx &= -\frac{(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} - \frac{(4c) \int \frac{x(1-c^2x^2)}{a+b\sin^{-1}(cx)} dx}{b} \\
&= -\frac{(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} - \frac{4 \operatorname{Subst}\left(\int \frac{\cos^3(x)\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} - \frac{4 \operatorname{Subst}\left(\int \left(\frac{\sin(2x)}{4(a+bx)} + \frac{\sin(4x)}{8(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} - \frac{\operatorname{Subst}\left(\int \frac{\sin(4x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2bc} - \frac{\operatorname{Subst}\left(\int \frac{\sin(2x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} - \frac{\cos\left(\frac{2a}{b}\right) \operatorname{Subst}\left(\int \frac{\sin\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc} - \frac{\cos\left(\frac{4a}{b}\right) \operatorname{Subst}\left(\int \frac{\sin\left(\frac{4a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{(1-c^2x^2)^2}{bc(a+b\sin^{-1}(cx))} + \frac{\operatorname{Ci}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right) \sin\left(\frac{2a}{b}\right)}{b^2c} + \frac{\operatorname{Ci}\left(\frac{4a}{b} + 4\sin^{-1}(cx)\right) \sin\left(\frac{4a}{b}\right)}{2b^2c} - \frac{\cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)}{2b^2c} - \frac{\cos\left(\frac{4a}{b}\right) \operatorname{Si}\left(4\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)}{2b^2c}
\end{aligned}$$

**Mathematica [A]** time = 0.623514, size = 122, normalized size = 0.81

$$\frac{-\frac{2b(c^2x^2-1)^2}{a+b\sin^{-1}(cx)} + 2\sin\left(\frac{2a}{b}\right) \operatorname{CosIntegral}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \sin\left(\frac{4a}{b}\right) \operatorname{CosIntegral}\left(4\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) - 2\cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) - 2\cos\left(\frac{4a}{b}\right) \operatorname{Si}\left(4\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)}{2b^2c}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - c^2\*x^2)^(3/2)/(a + b\*ArcSin[c\*x])^2,x]

[Out] ((-2\*b\*(-1 + c^2\*x^2)^2)/(a + b\*ArcSin[c\*x]) + 2\*CosIntegral[2\*(a/b + ArcSin[c\*x])] \* Sin[(2\*a)/b] + CosIntegral[4\*(a/b + ArcSin[c\*x])] \* Sin[(4\*a)/b] - 2 \* Cos[(2\*a)/b] \* SinIntegral[2\*(a/b + ArcSin[c\*x])] - Cos[(4\*a)/b] \* SinIntegral[4\*(a/b + ArcSin[c\*x])]) / (2\*b^2\*c)

**Maple [A]** time = 0.048, size = 250, normalized size = 1.7

$$-\frac{1}{8c(a+b\arcsin(cx))b^2} \left( 4\arcsin(cx) \operatorname{Si}\left(4\arcsin(cx) + 4\frac{a}{b}\right) \cos\left(4\frac{a}{b}\right) b - 4\arcsin(cx) \operatorname{Ci}\left(4\arcsin(cx) + 4\frac{a}{b}\right) \sin\left(4\frac{a}{b}\right) b \right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x))^2,x)`

[Out] 
$$-1/8/c*(4*\arcsin(c*x)*\text{Si}(4*\arcsin(c*x)+4*a/b)*\cos(4*a/b)*b-4*\arcsin(c*x)*\text{Ci}(4*\arcsin(c*x)+4*a/b)*\sin(4*a/b)*b+8*\arcsin(c*x)*\text{Si}(2*\arcsin(c*x)+2*a/b)*\cos(2*a/b)*b-8*\arcsin(c*x)*\text{Ci}(2*\arcsin(c*x)+2*a/b)*\sin(2*a/b)*b+4*\text{Si}(4*\arcsin(c*x)+4*a/b)*\cos(4*a/b)*a-4*\text{Ci}(4*\arcsin(c*x)+4*a/b)*\sin(4*a/b)*a+8*\text{Si}(2*\arcsin(c*x)+2*a/b)*\cos(2*a/b)*a-8*\text{Ci}(2*\arcsin(c*x)+2*a/b)*\sin(2*a/b)*a+\cos(4*\arcsin(c*x))*b+4*\cos(2*\arcsin(c*x))*b+3*b)/(a+b*\arcsin(c*x))/b^2$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{c^4x^4 - 2c^2x^2 - 4\left(b^2c \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abc\right) \int \frac{c^3x^3 - cx}{b^2 \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + ab} dx + 1}{b^2c \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] 
$$-(c^4*x^4 - 2*c^2*x^2 - (b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c)*\text{integrate}(4*(c^3*x^3 - c*x)/(b^2*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b), x) + 1)/(b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c)$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out] `integral((-c^2*x^2 + 1)^(3/2)/(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2), x)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cx - 1)(cx + 1)^{\frac{3}{2}}}{(a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral((-c\*x - 1)\*(c\*x + 1)\*\*(3/2)/(a + b\*asin(c\*x))\*\*2, x)

---

**Giac [B]** time = 1.6512, size = 1008, normalized size = 6.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out]  $4*b*\arcsin(c*x)*\cos(a/b)^3*\cos\_integral(4*a/b + 4*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) - 4*b*\arcsin(c*x)*\cos(a/b)^4*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) + 4*a*\cos(a/b)^3*\cos\_integral(4*a/b + 4*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) - 4*a*\cos(a/b)^4*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) - 2*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(4*a/b + 4*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) + 2*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(2*a/b + 2*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) + 4*b*\arcsin(c*x)*\cos(a/b)^2*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) - 2*b*\arcsin(c*x)*\cos(a/b)^2*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) - 2*a*\cos(a/b)*\cos\_integral(4*a/b + 4*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) + 2*a*\cos(a/b)*\cos\_integral(2*a/b + 2*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) + 4*a*\cos(a/b)^2*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) - 2*a*\cos(a/b)^2*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) - (c^2*x^2 - 1)^2*b/(b^3*c*\arcsin(c*x) + a*b^2*c) - 1/2*b*\arcsin(c*x)*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) + b*\arcsin(c*x)*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) - 1/2*a*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) + a*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c)$

$$3.394 \quad \int \frac{(1-c^2x^2)^{3/2}}{x(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=176

$$\frac{\text{Unintegrable}\left(\frac{1-c^2x^2}{x^2(a+b\sin^{-1}(cx))}, x\right)}{bc} - \frac{9\cos\left(\frac{a}{b}\right)\text{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{4b^2} - \frac{3\cos\left(\frac{3a}{b}\right)\text{CosIntegral}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{4b^2}$$

[Out]  $-\left(\frac{(1-c^2x^2)^2}{b^2cx(a+b\text{ArcSin}[cx])}\right) - \frac{9\cos[a/b]\text{CosIntegral}[(a+b\text{ArcSin}[cx])/b]}{4b^2} - \frac{3\cos[(3a)/b]\text{CosIntegral}[(3(a+b\text{ArcSin}[cx]))/b]}{4b^2} - \frac{9\sin[a/b]\text{SinIntegral}[(a+b\text{ArcSin}[cx])/b]}{4b^2} - \frac{3\sin[(3a)/b]\text{SinIntegral}[(3(a+b\text{ArcSin}[cx]))/b]}{4b^2} - \text{Unintegrable}[(1-c^2x^2)/(x^2(a+b\text{ArcSin}[cx])), x]/(bc)$

**Rubi [A]** time = 0.403718, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(1-c^2x^2)^{3/2}}{x(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}[(1-c^2x^2)^{3/2}/(x(a+b\text{ArcSin}[cx])^2), x]$

[Out]  $-\left(\frac{(1-c^2x^2)^2}{b^2cx(a+b\text{ArcSin}[cx])}\right) - \frac{9\cos[a/b]\text{CosIntegral}[a/b+\text{ArcSin}[cx]]}{4b^2} - \frac{3\cos[(3a)/b]\text{CosIntegral}[(3a)/b+3\text{ArcSin}[cx]]}{4b^2} - \frac{9\sin[a/b]\text{SinIntegral}[a/b+\text{ArcSin}[cx]]}{4b^2} - \frac{3\sin[(3a)/b]\text{SinIntegral}[(3a)/b+3\text{ArcSin}[cx]]}{4b^2} - \text{Defer}[\text{Int}[(1-c^2x^2)/(x^2(a+b\text{ArcSin}[cx])), x]/(bc)]$

Rubi steps

$$\begin{aligned}
\int \frac{(1-c^2x^2)^{3/2}}{x(a+b\sin^{-1}(cx))^2} dx &= -\frac{(1-c^2x^2)^2}{bcx(a+b\sin^{-1}(cx))} - \frac{\int \frac{1-c^2x^2}{x^2(a+b\sin^{-1}(cx))} dx}{bc} - \frac{(3c) \int \frac{1-c^2x^2}{a+b\sin^{-1}(cx)} dx}{b} \\
&= -\frac{(1-c^2x^2)^2}{bcx(a+b\sin^{-1}(cx))} - \frac{3 \operatorname{Subst}\left(\int \frac{\cos^3(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{b} - \frac{\int \frac{1-c^2x^2}{x^2(a+b\sin^{-1}(cx))} dx}{bc} \\
&= -\frac{(1-c^2x^2)^2}{bcx(a+b\sin^{-1}(cx))} - \frac{3 \operatorname{Subst}\left(\int \left(\frac{3\cos(x)}{4(a+bx)} + \frac{\cos(3x)}{4(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{b} - \frac{\int \frac{1-c^2x^2}{x^2(a+b\sin^{-1}(cx))} dx}{bc} \\
&= -\frac{(1-c^2x^2)^2}{bcx(a+b\sin^{-1}(cx))} - \frac{3 \operatorname{Subst}\left(\int \frac{\cos(3x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4b} - \frac{9 \operatorname{Subst}\left(\int \frac{\cos(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4b} \\
&= -\frac{(1-c^2x^2)^2}{bcx(a+b\sin^{-1}(cx))} - \frac{\int \frac{1-c^2x^2}{x^2(a+b\sin^{-1}(cx))} dx}{bc} - \frac{(9\cos\left(\frac{a}{b}\right)) \operatorname{Subst}\left(\int \frac{\cos\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4b} \\
&= -\frac{(1-c^2x^2)^2}{bcx(a+b\sin^{-1}(cx))} - \frac{9\cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4b^2} - \frac{3\cos\left(\frac{3a}{b}\right) \operatorname{Ci}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{4b^2} - \frac{9}{4b^2}
\end{aligned}$$

**Mathematica [A]** time = 10.3348, size = 0, normalized size = 0.

$$\int \frac{(1-c^2x^2)^{3/2}}{x(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 - c^2\*x^2)^(3/2)/(x\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[(1 - c^2\*x^2)^(3/2)/(x\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.343, size = 0, normalized size = 0.

$$\int \frac{1}{x(a+b\arcsin(cx))^2} (-c^2x^2+1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*x^2+1)^(3/2)/x/(a+b*arcsin(c*x))^2,x)`

[Out] `int((-c^2*x^2+1)^(3/2)/x/(a+b*arcsin(c*x))^2,x)`

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\frac{c^4 x^4 - 2 c^2 x^2 - \frac{(b^2 c x \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc x) \left( 3 c^4 \int \frac{x^4}{b x^2 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a x^2} dx - 2 c^2 \int \frac{x^2}{b x^2 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a x^2} dx - \int \frac{1}{b x^2 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a x^2} dx \right)}{b^2 c x \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc x}}{b^2 c x \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(3/2)/x/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] `-(c^4*x^4 - 2*c^2*x^2 - (b^2*c*x*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + a*b*c*x)*integrate((3*c^4*x^4 - 2*c^2*x^2 - 1)/(b^2*c*x^2*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + a*b*c*x^2), x) + 1)/(b^2*c*x*arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1)) + a*b*c*x)`

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(-c^2 x^2 + 1)^{\frac{3}{2}}}{b^2 x \arcsin(cx)^2 + 2 abx \arcsin(cx) + a^2 x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(3/2)/x/(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out] `integral((-c^2*x^2 + 1)^(3/2)/(b^2*x*arcsin(c*x)^2 + 2*a*b*x*arcsin(c*x) + a^2*x), x)`

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(- (cx - 1) (cx + 1))^{\frac{3}{2}}}{x (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(3/2)/x/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral((-c\*x - 1)\*(c\*x + 1)\*\*(3/2)/(x\*(a + b\*asin(c\*x))\*\*2), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{(b \arcsin(cx) + a)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/x/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((-c^2\*x^2 + 1)^(3/2)/((b\*arcsin(c\*x) + a)^2\*x), x)

$$3.395 \quad \int \frac{(1-c^2x^2)^{3/2}}{x^2(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=100

$$\frac{2\text{Unintegrable}\left(\frac{1-c^2x^2}{x^3(a+b\sin^{-1}(cx))}, x\right)}{bc} - \frac{2c\text{Unintegrable}\left(\frac{1-c^2x^2}{x(a+b\sin^{-1}(cx))}, x\right)}{b} - \frac{(1-c^2x^2)^2}{bcx^2(a+b\sin^{-1}(cx))}$$

[Out] -(((1 - c^2\*x^2)^2/(b\*c\*x^2\*(a + b\*ArcSin[c\*x]))) - (2\*Unintegrable[(1 - c^2\*x^2)/(x^3\*(a + b\*ArcSin[c\*x])), x])/(b\*c) - (2\*c\*Unintegrable[(1 - c^2\*x^2)/(x\*(a + b\*ArcSin[c\*x])), x])/b

**Rubi [A]** time = 0.24623, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(1-c^2x^2)^{3/2}}{x^2(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(1 - c^2\*x^2)^(3/2)/(x^2\*(a + b\*ArcSin[c\*x])^2), x]

[Out] -(((1 - c^2\*x^2)^2/(b\*c\*x^2\*(a + b\*ArcSin[c\*x]))) - (2\*Defer[Int][(1 - c^2\*x^2)/(x^3\*(a + b\*ArcSin[c\*x])), x])/(b\*c) - (2\*c\*Defer[Int][(1 - c^2\*x^2)/(x\*(a + b\*ArcSin[c\*x])), x])/b

Rubi steps

$$\int \frac{(1-c^2x^2)^{3/2}}{x^2(a+b\sin^{-1}(cx))^2} dx = -\frac{(1-c^2x^2)^2}{bcx^2(a+b\sin^{-1}(cx))} - \frac{2\int \frac{1-c^2x^2}{x^3(a+b\sin^{-1}(cx))} dx}{bc} - \frac{(2c)\int \frac{1-c^2x^2}{x(a+b\sin^{-1}(cx))} dx}{b}$$

**Mathematica [A]** time = 4.34198, size = 0, normalized size = 0.

$$\int \frac{(1-c^2x^2)^{3/2}}{x^2(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 - c^2\*x^2)^(3/2)/(x^2\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[(1 - c^2\*x^2)^(3/2)/(x^2\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.341, size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (a + b \arcsin(cx))^2} (-c^2 x^2 + 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(3/2)/x^2/(a+b\*arcsin(c\*x))^2,x)

[Out] int((-c^2\*x^2+1)^(3/2)/x^2/(a+b\*arcsin(c\*x))^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\frac{c^4 x^4 - 2c^2 x^2 - 2(b^2 c x^2 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc x^2) \int \frac{c^4 x^4 - 1}{b^2 c x^3 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc x^3} dx + 1}{b^2 c x^2 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/x^2/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] -(c^4\*x^4 - 2\*c^2\*x^2 - (b^2\*c\*x^2\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c\*x^2)\*integrate(2\*(c^4\*x^4 - 1)/(b^2\*c\*x^3\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c\*x^3, x) + 1)/(b^2\*c\*x^2\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c\*x^2)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(-c^2 x^2 + 1)^{\frac{3}{2}}}{b^2 x^2 \arcsin(cx)^2 + 2 ab x^2 \arcsin(cx) + a^2 x^2}, x \right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/x^2/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((-c^2\*x^2 + 1)^(3/2)/(b^2\*x^2\*arcsin(c\*x)^2 + 2\*a\*b\*x^2\*arcsin(c\*x) + a^2\*x^2), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cx - 1)(cx + 1)^{\frac{3}{2}}}{x^2 (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(3/2)/x\*\*2/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral((-c\*x - 1)\*(c\*x + 1)\*\*(3/2)/(x\*\*2\*(a + b\*asin(c\*x))\*\*2), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{(b \operatorname{arcsin}(cx) + a)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/x^2/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((-c^2\*x^2 + 1)^(3/2)/((b\*arcsin(c\*x) + a)^2\*x^2), x)

$$3.396 \quad \int \frac{(1-c^2x^2)^{3/2}}{x^3(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{(1-c^2x^2)^{3/2}}{x^3(a+b\sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[(1 - c^2\*x^2)^(3/2)/(x^3\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.140476, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(1-c^2x^2)^{3/2}}{x^3(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(1 - c^2\*x^2)^(3/2)/(x^3\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int] [(1 - c^2\*x^2)^(3/2)/(x^3\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{(1-c^2x^2)^{3/2}}{x^3(a+b\sin^{-1}(cx))^2} dx = \int \frac{(1-c^2x^2)^{3/2}}{x^3(a+b\sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 15.9246, size = 0, normalized size = 0.

$$\int \frac{(1-c^2x^2)^{3/2}}{x^3(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 - c^2\*x^2)^(3/2)/(x^3\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[(1 - c^2\*x^2)^(3/2)/(x^3\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.921, size = 0, normalized size = 0.

$$\int \frac{1}{x^3 (a + b \arcsin(cx))^2} (-c^2 x^2 + 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(3/2)/x^3/(a+b\*arcsin(c\*x))^2,x)

[Out] int((-c^2\*x^2+1)^(3/2)/x^3/(a+b\*arcsin(c\*x))^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\frac{c^4 x^4 - 2 c^2 x^2 - \frac{(b^2 c x^3 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc x^3) \left( c^4 \int \frac{x^4}{bx^4 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + ax^4} dx + 2c^2 \int \frac{x^2}{bx^4 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + ax^4} dx - 3 \int \frac{1}{bx^4 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + ax^4} dx \right)}{bc}}{b^2 c x^3 \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abc x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/x^3/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] -(c^4\*x^4 - 2\*c^2\*x^2 - (b^2\*c\*x^3\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^3)\*integrate((c^4\*x^4 + 2\*c^2\*x^2 - 3)/(b^2\*c\*x^4\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^4), x) + 1)/(b^2\*c\*x^3\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^3)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(-c^2 x^2 + 1)^{\frac{3}{2}}}{b^2 x^3 \arcsin(cx)^2 + 2 ab x^3 \arcsin(cx) + a^2 x^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/x^3/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((-c^2\*x^2 + 1)^(3/2)/(b^2\*x^3\*arcsin(c\*x)^2 + 2\*a\*b\*x^3\*arcsin(c\*x) + a^2\*x^3), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cx - 1)(cx + 1)^{\frac{3}{2}}}{x^3 (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(3/2)/x\*\*3/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral((-c\*x - 1)\*(c\*x + 1)\*\*(3/2)/(x\*\*3\*(a + b\*asin(c\*x))\*\*2), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{(b \operatorname{arcsin}(cx) + a)^2 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/x^3/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((-c^2\*x^2 + 1)^(3/2)/((b\*arcsin(c\*x) + a)^2\*x^3), x)

$$3.397 \quad \int \frac{(1-c^2x^2)^{3/2}}{x^4(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=68

$$-\frac{4\text{Unintegrable}\left(\frac{1-c^2x^2}{x^5(a+b\sin^{-1}(cx))}, x\right)}{bc} - \frac{(1-c^2x^2)^2}{bcx^4(a+b\sin^{-1}(cx))}$$

[Out] -((1 - c^2\*x^2)^2/(b\*c\*x^4\*(a + b\*ArcSin[c\*x]))) - (4\*Unintegrable[(1 - c^2\*x^2)/(x^5\*(a + b\*ArcSin[c\*x])), x])/(b\*c)

**Rubi [A]** time = 0.197467, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(1-c^2x^2)^{3/2}}{x^4(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(1 - c^2\*x^2)^(3/2)/(x^4\*(a + b\*ArcSin[c\*x])^2), x]

[Out] -((1 - c^2\*x^2)^2/(b\*c\*x^4\*(a + b\*ArcSin[c\*x]))) - (4\*Defer[Int] [(1 - c^2\*x^2)/(x^5\*(a + b\*ArcSin[c\*x])), x])/(b\*c)

Rubi steps

$$\int \frac{(1-c^2x^2)^{3/2}}{x^4(a+b\sin^{-1}(cx))^2} dx = -\frac{(1-c^2x^2)^2}{bcx^4(a+b\sin^{-1}(cx))} - \frac{4 \int \frac{1-c^2x^2}{x^5(a+b\sin^{-1}(cx))} dx}{bc}$$

**Mathematica [A]** time = 2.62552, size = 0, normalized size = 0.

$$\int \frac{(1-c^2x^2)^{3/2}}{x^4(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 - c^2\*x^2)^(3/2)/(x^4\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[(1 - c^2\*x^2)^(3/2)/(x^4\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 4.744, size = 0, normalized size = 0.

$$\int \frac{1}{x^4 (a + b \arcsin(cx))^2} (-c^2 x^2 + 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(3/2)/x^4/(a+b\*arcsin(c\*x))^2,x)

[Out] int((-c^2\*x^2+1)^(3/2)/x^4/(a+b\*arcsin(c\*x))^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\frac{c^4 x^4 - 2 c^2 x^2 - 4 (b^2 c x^4 \arctan(cx, \sqrt{cx+1} \sqrt{-cx+1}) + abc x^4) \int \frac{c^2 x^2 - 1}{b^2 c x^5 \arctan(cx, \sqrt{cx+1} \sqrt{-cx+1}) + abc x^5} dx + 1}{b^2 c x^4 \arctan(cx, \sqrt{cx+1} \sqrt{-cx+1}) + abc x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/x^4/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] -(c^4\*x^4 - 2\*c^2\*x^2 - (b^2\*c\*x^4\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c\*x^4)\*integrate(4\*(c^2\*x^2 - 1)/(b^2\*c\*x^5\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c\*x^5), x) + 1)/(b^2\*c\*x^4\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c\*x^4)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(-c^2 x^2 + 1)^{\frac{3}{2}}}{b^2 x^4 \arcsin(cx)^2 + 2 ab x^4 \arcsin(cx) + a^2 x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/x^4/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((-c^2\*x^2 + 1)^(3/2)/(b^2\*x^4\*arcsin(c\*x)^2 + 2\*a\*b\*x^4\*arcsin(c\*x) + a^2\*x^4), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(3/2)/x\*\*4/(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{3}{2}}}{(b \arcsin(cx) + a)^2 x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(3/2)/x^4/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((-c^2\*x^2 + 1)^(3/2)/((b\*arcsin(c\*x) + a)^2\*x^4), x)

$$3.398 \quad \int \frac{x^m (1 - c^2 x^2)^{5/2}}{(a + b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{(1 - c^2 x^2)^{5/2} x^m}{(a + b \sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[(x^m\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x])^2, x]

**Rubi [A]** time = 0.136872, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m (1 - c^2 x^2)^{5/2}}{(a + b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(x^m\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x])^2,x]

[Out] Defer[Int] [(x^m\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x])^2, x]

Rubi steps

$$\int \frac{x^m (1 - c^2 x^2)^{5/2}}{(a + b \sin^{-1}(cx))^2} dx = \int \frac{x^m (1 - c^2 x^2)^{5/2}}{(a + b \sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 0.562187, size = 0, normalized size = 0.

$$\int \frac{x^m (1 - c^2 x^2)^{5/2}}{(a + b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.



[In] Integrate[(x^m\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x])^2,x]

[Out] Integrate[(x^m\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x])^2, x]

**Maple [A]** time = 0.935, size = 0, normalized size = 0.

$$\int \frac{x^m}{(a + b \arcsin(cx))^2} (-c^2x^2 + 1)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^m\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(c^4x^4 - 2c^2x^2 + 1)\sqrt{-c^2x^2 + 1}x^m}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((c^4\*x^4 - 2\*c^2\*x^2 + 1)\*sqrt(-c^2\*x^2 + 1)\*x^m/(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*(-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}x^m}{(b \arcsin(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((-c^2\*x^2 + 1)^(5/2)\*x^m/(b\*arcsin(c\*x) + a)^2, x)

$$3.399 \quad \int \frac{x^3(1-c^2x^2)^{5/2}}{(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=278

$$\frac{3 \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{128b^2c^4} + \frac{3 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{32b^2c^4} - \frac{21 \cos\left(\frac{7a}{b}\right) \text{CosIntegral}\left(\frac{7(a+b\sin^{-1}(cx))}{b}\right)}{256b^2c^4}$$

[Out] -((x^3\*(1 - c^2\*x^2)^3)/(b\*c\*(a + b\*ArcSin[c\*x]))) + (3\*Cos[a/b]\*CosIntegral[a/b + ArcSin[c\*x]])/(128\*b^2\*c^4) + (3\*Cos[(3\*a)/b]\*CosIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(32\*b^2\*c^4) - (21\*Cos[(7\*a)/b]\*CosIntegral[(7\*a)/b + 7\*ArcSin[c\*x]])/(256\*b^2\*c^4) - (9\*Cos[(9\*a)/b]\*CosIntegral[(9\*a)/b + 9\*ArcSin[c\*x]])/(256\*b^2\*c^4) + (3\*Sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(128\*b^2\*c^4) + (3\*Sin[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(32\*b^2\*c^4) - (21\*Sin[(7\*a)/b]\*SinIntegral[(7\*a)/b + 7\*ArcSin[c\*x]])/(256\*b^2\*c^4) - (9\*Sin[(9\*a)/b]\*SinIntegral[(9\*a)/b + 9\*ArcSin[c\*x]])/(256\*b^2\*c^4)

**Rubi [A]** time = 1.15499, antiderivative size = 274, normalized size of antiderivative = 0.99, number of steps used = 34, number of rules used = 6, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {4721, 4723, 4406, 3303, 3299, 3302}

$$\frac{3 \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{128b^2c^4} + \frac{3 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{32b^2c^4} - \frac{21 \cos\left(\frac{7a}{b}\right) \text{CosIntegral}\left(\frac{7a}{b} + 7 \sin^{-1}(cx)\right)}{256b^2c^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x])^2,x]

[Out] -((x^3\*(1 - c^2\*x^2)^3)/(b\*c\*(a + b\*ArcSin[c\*x]))) + (3\*Cos[a/b]\*CosIntegral[a/b + ArcSin[c\*x]])/(128\*b^2\*c^4) + (3\*Cos[(3\*a)/b]\*CosIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(32\*b^2\*c^4) - (21\*Cos[(7\*a)/b]\*CosIntegral[(7\*a)/b + 7\*ArcSin[c\*x]])/(256\*b^2\*c^4) - (9\*Cos[(9\*a)/b]\*CosIntegral[(9\*a)/b + 9\*ArcSin[c\*x]])/(256\*b^2\*c^4) + (3\*Sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(128\*b^2\*c^4) + (3\*Sin[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(32\*b^2\*c^4) - (21\*Sin[(7\*a)/b]\*SinIntegral[(7\*a)/b + 7\*ArcSin[c\*x]])/(256\*b^2\*c^4) - (9\*Sin[(9\*a)/b]\*SinIntegral[(9\*a)/b + 9\*ArcSin[c\*x]])/(256\*b^2\*c^4)

Rule 4721

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^m*Sqrt[1 - c^2*x^2]*(d + e*x^2)^p
*(a + b*ArcSin[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(f*m*d^IntPart[p]*
(d + e*x^2)^FracPart[p])/(b*c*(n + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)
^(m - 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n + 1), x], x] + Dist
[(c*(m + 2*p + 1)*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(b*f*(n + 1)*(1 - c
^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcS
in[c*x])^(n + 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e,
0] && LtQ[n, -1] && IGtQ[m, -3] && IGtQ[2*p, 0]
```

Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Co
s[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])
```

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (1 - c^2 x^2)^{5/2}}{(a + b \sin^{-1}(cx))^2} dx &= -\frac{x^3 (1 - c^2 x^2)^3}{bc (a + b \sin^{-1}(cx))} + \frac{3 \int \frac{x^2 (1 - c^2 x^2)^2}{a + b \sin^{-1}(cx)} dx}{bc} - \frac{(9c) \int \frac{x^4 (1 - c^2 x^2)^2}{a + b \sin^{-1}(cx)} dx}{b} \\
&= -\frac{x^3 (1 - c^2 x^2)^3}{bc (a + b \sin^{-1}(cx))} + \frac{3 \operatorname{Subst}\left(\int \frac{\cos^5(x) \sin^2(x)}{a + bx} dx, x, \sin^{-1}(cx)\right)}{bc^4} - \frac{9 \operatorname{Subst}\left(\int \frac{\cos^5(x) \sin^4(x)}{a + bx} dx, x, \sin^{-1}(cx)\right)}{bc^4} \\
&= -\frac{x^3 (1 - c^2 x^2)^3}{bc (a + b \sin^{-1}(cx))} + \frac{3 \operatorname{Subst}\left(\int \left(\frac{5 \cos(x)}{64(a + bx)} - \frac{\cos(3x)}{64(a + bx)} - \frac{3 \cos(5x)}{64(a + bx)} - \frac{\cos(7x)}{64(a + bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc^4} \\
&= -\frac{x^3 (1 - c^2 x^2)^3}{bc (a + b \sin^{-1}(cx))} - \frac{9 \operatorname{Subst}\left(\int \frac{\cos(7x)}{a + bx} dx, x, \sin^{-1}(cx)\right)}{256bc^4} - \frac{9 \operatorname{Subst}\left(\int \frac{\cos(9x)}{a + bx} dx, x, \sin^{-1}(cx)\right)}{256bc^4} \\
&= -\frac{x^3 (1 - c^2 x^2)^3}{bc (a + b \sin^{-1}(cx))} - \frac{(27 \cos\left(\frac{a}{b}\right)) \operatorname{Subst}\left(\int \frac{\cos\left(\frac{a}{b} + x\right)}{a + bx} dx, x, \sin^{-1}(cx)\right)}{128bc^4} + \frac{(15 \cos\left(\frac{a}{b}\right)) \operatorname{Subst}\left(\int \frac{\cos\left(\frac{a}{b} + x\right)}{a + bx} dx, x, \sin^{-1}(cx)\right)}{128bc^4} \\
&= -\frac{x^3 (1 - c^2 x^2)^3}{bc (a + b \sin^{-1}(cx))} + \frac{3 \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{128b^2c^4} + \frac{3 \cos\left(\frac{3a}{b}\right) \operatorname{Ci}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{32b^2c^4} - \frac{2 \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{128b^2c^4}
\end{aligned}$$

**Mathematica [A]** time = 1.50773, size = 408, normalized size = 1.47

$$-\frac{6 \cos\left(\frac{a}{b}\right) (a + b \sin^{-1}(cx)) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) - 24 \cos\left(\frac{3a}{b}\right) (a + b \sin^{-1}(cx)) \operatorname{CosIntegral}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)}{128b^2c^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x])^2,x]

[Out]  $-(256*b*c^3*x^3 - 768*b*c^5*x^5 + 768*b*c^7*x^7 - 256*b*c^9*x^9 - 6*(a + b*\operatorname{ArcSin}[c*x])*\operatorname{Cos}[a/b]*\operatorname{CosIntegral}[a/b + \operatorname{ArcSin}[c*x]] - 24*(a + b*\operatorname{ArcSin}[c*x])*\operatorname{Cos}[(3*a)/b]*\operatorname{CosIntegral}[3*(a/b + \operatorname{ArcSin}[c*x])] + 21*a*\operatorname{Cos}[(7*a)/b]*\operatorname{CosIntegral}[7*(a/b + \operatorname{ArcSin}[c*x])] + 21*b*\operatorname{ArcSin}[c*x]*\operatorname{Cos}[(7*a)/b]*\operatorname{CosIntegral}[7*(a/b + \operatorname{ArcSin}[c*x])] + 9*a*\operatorname{Cos}[(9*a)/b]*\operatorname{CosIntegral}[9*(a/b + \operatorname{ArcSin}[c*x])] + 9*b*\operatorname{ArcSin}[c*x]*\operatorname{Cos}[(9*a)/b]*\operatorname{CosIntegral}[9*(a/b + \operatorname{ArcSin}[c*x])] - 6*a*\operatorname{Sin}[a/b]*\operatorname{SinIntegral}[a/b + \operatorname{ArcSin}[c*x]] - 6*b*\operatorname{ArcSin}[c*x]*\operatorname{Sin}[a/b]*\operatorname{SinIntegral}[a/b + \operatorname{ArcSin}[c*x]] - 24*a*\operatorname{Sin}[(3*a)/b]*\operatorname{SinIntegral}[3*(a/b + \operatorname{ArcSin}[c*x])])$

] - 24\*b\*ArcSin[c\*x]\*Sin[(3\*a)/b]\*SinIntegral[3\*(a/b + ArcSin[c\*x])] + 21\*a\*Sin[(7\*a)/b]\*SinIntegral[7\*(a/b + ArcSin[c\*x])] + 21\*b\*ArcSin[c\*x]\*Sin[(7\*a)/b]\*SinIntegral[7\*(a/b + ArcSin[c\*x])] + 9\*a\*Sin[(9\*a)/b]\*SinIntegral[9\*(a/b + ArcSin[c\*x])] + 9\*b\*ArcSin[c\*x]\*Sin[(9\*a)/b]\*SinIntegral[9\*(a/b + ArcSin[c\*x])])/(256\*b^2\*c^4\*(a + b\*ArcSin[c\*x]))

**Maple [A]** time = 0.06, size = 455, normalized size = 1.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] -1/256/c^4\*(21\*arcsin(c\*x)\*Ci(7\*arcsin(c\*x)+7\*a/b)\*cos(7\*a/b)\*b-6\*arcsin(c\*x)\*Ci(arcsin(c\*x)+a/b)\*cos(a/b)\*b+9\*arcsin(c\*x)\*Si(9\*arcsin(c\*x)+9\*a/b)\*sin(9\*a/b)\*b+9\*arcsin(c\*x)\*Ci(9\*arcsin(c\*x)+9\*a/b)\*cos(9\*a/b)\*b-24\*arcsin(c\*x)\*Si(3\*arcsin(c\*x)+3\*a/b)\*sin(3\*a/b)\*b-24\*arcsin(c\*x)\*Ci(3\*arcsin(c\*x)+3\*a/b)\*cos(3\*a/b)\*b+21\*arcsin(c\*x)\*Si(7\*arcsin(c\*x)+7\*a/b)\*sin(7\*a/b)\*b-6\*arcsin(c\*x)\*Si(arcsin(c\*x)+a/b)\*sin(a/b)\*b+21\*Ci(7\*arcsin(c\*x)+7\*a/b)\*cos(7\*a/b)\*a-6\*Ci(arcsin(c\*x)+a/b)\*cos(a/b)\*a+9\*Si(9\*arcsin(c\*x)+9\*a/b)\*sin(9\*a/b)\*a+9\*Ci(9\*arcsin(c\*x)+9\*a/b)\*cos(9\*a/b)\*a-24\*Si(3\*arcsin(c\*x)+3\*a/b)\*sin(3\*a/b)\*a-24\*Ci(3\*arcsin(c\*x)+3\*a/b)\*cos(3\*a/b)\*a+21\*Si(7\*arcsin(c\*x)+7\*a/b)\*sin(7\*a/b)\*a-6\*Si(arcsin(c\*x)+a/b)\*sin(a/b)\*a+6\*x\*b\*c-sin(9\*arcsin(c\*x))\*b+8\*sin(3\*arcsin(c\*x))\*b-3\*sin(7\*arcsin(c\*x))\*b)/(a+b\*arcsin(c\*x))/b^2

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{c^6x^9 - 3c^4x^7 + 3c^2x^5 - x^3 - 3(b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc) \int \frac{3c^6x^8 - 7c^4x^6 + 5c^2x^4 - x^2}{b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc} dx}{b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] (c^6\*x^9 - 3\*c^4\*x^7 + 3\*c^2\*x^5 - x^3 - (b^2\*c\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c)\*integrate(3\*(3\*c^6\*x^8 - 7\*c^4\*x^6 + 5\*c^2\*x^4 - x^2)/(b^2\*c\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c), x)/(b^2\*c\*

$\arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1}) + a*b*c$

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(c^4x^7 - 2c^2x^5 + x^3)\sqrt{-c^2x^2 + 1}}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out] `integral((c^4*x^7 - 2*c^2*x^5 + x^3)*sqrt(-c^2*x^2 + 1)/(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2), x)`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(-c**2*x**2+1)**(5/2)/(a+b*asin(c*x))**2,x)`

[Out] Timed out

---

**Giac [B]** time = 1.7738, size = 3347, normalized size = 12.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x))^2,x, algorithm="giac")`

[Out] `-9*b*arcsin(c*x)*cos(a/b)^9*cos_integral(9*a/b + 9*arcsin(c*x))/(b^3*c^4*arcsin(c*x) + a*b^2*c^4) - 9*b*arcsin(c*x)*cos(a/b)^8*sin(a/b)*sin_integral(9*a/b + 9*arcsin(c*x))/(b^3*c^4*arcsin(c*x) + a*b^2*c^4) - 9*a*cos(a/b)^9*cos_integral(9*a/b + 9*arcsin(c*x))/(b^3*c^4*arcsin(c*x) + a*b^2*c^4) - 9*a*c`

$$\begin{aligned}
& \cos(a/b)^8 \sin(a/b) \sin\_integral(9a/b + 9 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) \\
& + a b^2 c^4) + 81/4 b \arcsin(cx) \cos(a/b)^7 \cos\_integral(9a/b + 9 \arcsin \\
& (cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) - 21/4 b \arcsin(cx) \cos(a/b)^7 \cos \\
& s\_integral(7a/b + 7 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + 63/4 b \\
& \arcsin(cx) \cos(a/b)^6 \sin(a/b) \sin\_integral(9a/b + 9 \arcsin(cx)) / (b^3 c^4 \\
& \arcsin(cx) + a b^2 c^4) - 21/4 b \arcsin(cx) \cos(a/b)^6 \sin(a/b) \sin\_i \\
& ntegral(7a/b + 7 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + 81/4 a c \\
& \cos(a/b)^7 \cos\_integral(9a/b + 9 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 * \\
& c^4) - 21/4 a \cos(a/b)^7 \cos\_integral(7a/b + 7 \arcsin(cx)) / (b^3 c^4 \arcsi \\
& n(cx) + a b^2 c^4) + 63/4 a \cos(a/b)^6 \sin(a/b) \sin\_integral(9a/b + 9 \arcsin \\
& (cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) - 21/4 a \cos(a/b)^6 \sin(a/b) \sin \\
& n\_integral(7a/b + 7 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) - 243/1 \\
& 6 b \arcsin(cx) \cos(a/b)^5 \cos\_integral(9a/b + 9 \arcsin(cx)) / (b^3 c^4 \arcsin \\
& (cx) + a b^2 c^4) + 147/16 b \arcsin(cx) \cos(a/b)^5 \cos\_integral(7a/b \\
& + 7 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) - 135/16 b \arcsin(cx) * c \\
& \cos(a/b)^4 \sin(a/b) \sin\_integral(9a/b + 9 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) \\
& + a b^2 c^4) + 105/16 b \arcsin(cx) \cos(a/b)^4 \sin(a/b) \sin\_integral(7a/b \\
& + 7 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + (c^2 x^2 - 1)^4 b c x \\
& / (b^3 c^4 \arcsin(cx) + a b^2 c^4) - 243/16 a \cos(a/b)^5 \cos\_integral(9a/b \\
& + 9 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + 147/16 a \cos(a/b)^5 c \\
& \cos\_integral(7a/b + 7 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) - 135/ \\
& 16 a \cos(a/b)^4 \sin(a/b) \sin\_integral(9a/b + 9 \arcsin(cx)) / (b^3 c^4 \arcsi \\
& n(cx) + a b^2 c^4) + 105/16 a \cos(a/b)^4 \sin(a/b) \sin\_integral(7a/b + 7 a \\
& rcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + (c^2 x^2 - 1)^3 b c x / (b^3 c^4 \\
& \arcsin(cx) + a b^2 c^4) + 135/32 b \arcsin(cx) \cos(a/b)^3 \cos\_integral \\
& (9a/b + 9 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) - 147/32 b \arcsin \\
& (cx) \cos(a/b)^3 \cos\_integral(7a/b + 7 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + \\
& a b^2 c^4) + 3/8 b \arcsin(cx) \cos(a/b)^3 \cos\_integral(3a/b + 3 \arcsin(c \\
& x)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + 45/32 b \arcsin(cx) \cos(a/b)^2 \sin \\
& (a/b) \sin\_integral(9a/b + 9 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) \\
& - 63/32 b \arcsin(cx) \cos(a/b)^2 \sin(a/b) \sin\_integral(7a/b + 7 \arcsin(cx) \\
& )) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + 3/8 b \arcsin(cx) \cos(a/b)^2 \sin(a/b) \\
& \sin\_integral(3a/b + 3 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + 1 \\
& 35/32 a \cos(a/b)^3 \cos\_integral(9a/b + 9 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) \\
& + a b^2 c^4) - 147/32 a \cos(a/b)^3 \cos\_integral(7a/b + 7 \arcsin(cx)) / (b^ \\
& 3 c^4 \arcsin(cx) + a b^2 c^4) + 3/8 a \cos(a/b)^3 \cos\_integral(3a/b + 3 \ar \\
& csin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + 45/32 a \cos(a/b)^2 \sin(a/b) * \\
& \sin\_integral(9a/b + 9 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) - 63/ \\
& 32 a \cos(a/b)^2 \sin(a/b) \sin\_integral(7a/b + 7 \arcsin(cx)) / (b^3 c^4 \arcsi \\
& n(cx) + a b^2 c^4) + 3/8 a \cos(a/b)^2 \sin(a/b) \sin\_integral(3a/b + 3 \arcsin \\
& (cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) - 81/256 b \arcsin(cx) \cos(a/b) * \\
& \cos\_integral(9a/b + 9 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + 147 \\
& /256 b \arcsin(cx) \cos(a/b) \cos\_integral(7a/b + 7 \arcsin(cx)) / (b^3 c^4 \ar \\
& csin(cx) + a b^2 c^4) - 9/32 b \arcsin(cx) \cos(a/b) \cos\_integral(3a/b + 3 \\
& \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + 3/128 b \arcsin(cx) \cos(a
\end{aligned}$$



$$\begin{aligned}
& /b) \cdot \cos\_integral(a/b + \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) - 9/2 \\
& 56 b \arcsin(cx) \sin(a/b) \sin\_integral(9a/b + 9 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + 21/256 b \arcsin(cx) \sin(a/b) \sin\_integral(7a/b + 7 \\
& \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) - 3/32 b \arcsin(cx) \sin(a/b) \sin\_integral(3a/b + 3 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + \\
& 3/128 b \arcsin(cx) \sin(a/b) \sin\_integral(a/b + \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) - 81/256 a \cos(a/b) \cos\_integral(9a/b + 9 \arcsin(cx)) \\
& / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + 147/256 a \cos(a/b) \cos\_integral(7a/b + 7 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) - 9/32 a \cos(a/b) \cos\_in \\
& tegral(3a/b + 3 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + 3/128 a \cos(a/b) \cos\_integral(a/b + \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) - \\
& 9/256 a \sin(a/b) \sin\_integral(9a/b + 9 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + 21/256 a \sin(a/b) \sin\_integral(7a/b + 7 \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) - 3/32 a \sin(a/b) \sin\_integral(3a/b + 3 \arcsin \\
& (cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4) + 3/128 a \sin(a/b) \sin\_integral(a/b + \arcsin(cx)) / (b^3 c^4 \arcsin(cx) + a b^2 c^4)
\end{aligned}$$

$$3.400 \quad \int \frac{x^2(1-c^2x^2)^{5/2}}{(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=282

$$\frac{\sin\left(\frac{2a}{b}\right) \operatorname{CosIntegral}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{16b^2c^3} - \frac{\sin\left(\frac{4a}{b}\right) \operatorname{CosIntegral}\left(\frac{4(a+b\sin^{-1}(cx))}{b}\right)}{8b^2c^3} - \frac{3\sin\left(\frac{6a}{b}\right) \operatorname{CosIntegral}\left(\frac{6(a+b\sin^{-1}(cx))}{b}\right)}{16b^2c^3}$$

[Out]  $-\left(\frac{x^2(1-c^2x^2)^3}{b^2c(a+b\operatorname{ArcSin}[cx])}\right) + \left(\frac{\operatorname{CosIntegral}[(2(a+b\operatorname{ArcSin}[cx]))/b] \sin[(2a)/b]}{16b^2c^3} - \frac{\operatorname{CosIntegral}[(4(a+b\operatorname{ArcSin}[cx]))/b] \sin[(4a)/b]}{8b^2c^3} - \frac{3\operatorname{CosIntegral}[(6(a+b\operatorname{ArcSin}[cx]))/b] \sin[(6a)/b]}{16b^2c^3} - \frac{\operatorname{CosIntegral}[(8(a+b\operatorname{ArcSin}[cx]))/b] \sin[(8a)/b]}{16b^2c^3} - \frac{\operatorname{Cos}[(2a)/b] \operatorname{SinIntegral}[(2(a+b\operatorname{ArcSin}[cx]))/b]}{16b^2c^3} + \frac{\operatorname{Cos}[(4a)/b] \operatorname{SinIntegral}[(4(a+b\operatorname{ArcSin}[cx]))/b]}{8b^2c^3} + \frac{3\operatorname{Cos}[(6a)/b] \operatorname{SinIntegral}[(6(a+b\operatorname{ArcSin}[cx]))/b]}{16b^2c^3} + \frac{\operatorname{Cos}[(8a)/b] \operatorname{SinIntegral}[(8(a+b\operatorname{ArcSin}[cx]))/b]}{16b^2c^3}\right)$

**Rubi [A]** time = 0.933367, antiderivative size = 282, normalized size of antiderivative = 1., number of steps used = 28, number of rules used = 6, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {4721, 4723, 4406, 3303, 3299, 3302}

$$\frac{\sin\left(\frac{2a}{b}\right) \operatorname{CosIntegral}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{16b^2c^3} - \frac{\sin\left(\frac{4a}{b}\right) \operatorname{CosIntegral}\left(\frac{4a}{b} + 4\sin^{-1}(cx)\right)}{8b^2c^3} - \frac{3\sin\left(\frac{6a}{b}\right) \operatorname{CosIntegral}\left(\frac{6a}{b} + 6\sin^{-1}(cx)\right)}{16b^2c^3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(x^2(1-c^2x^2)^{(5/2)})/(a+b\operatorname{ArcSin}[cx])^2, x]$

[Out]  $-\left(\frac{x^2(1-c^2x^2)^3}{b^2c(a+b\operatorname{ArcSin}[cx])}\right) + \left(\frac{\operatorname{CosIntegral}[(2a)/b + 2\operatorname{ArcSin}[cx]] \sin[(2a)/b]}{16b^2c^3} - \frac{\operatorname{CosIntegral}[(4a)/b + 4\operatorname{ArcSin}[cx]] \sin[(4a)/b]}{8b^2c^3} - \frac{3\operatorname{CosIntegral}[(6a)/b + 6\operatorname{ArcSin}[cx]] \sin[(6a)/b]}{16b^2c^3} - \frac{\operatorname{CosIntegral}[(8a)/b + 8\operatorname{ArcSin}[cx]] \sin[(8a)/b]}{16b^2c^3} - \frac{\operatorname{Cos}[(2a)/b] \operatorname{SinIntegral}[(2a)/b + 2\operatorname{ArcSin}[cx]]}{16b^2c^3} + \frac{\operatorname{Cos}[(4a)/b] \operatorname{SinIntegral}[(4a)/b + 4\operatorname{ArcSin}[cx]]}{8b^2c^3} + \frac{3\operatorname{Cos}[(6a)/b] \operatorname{SinIntegral}[(6a)/b + 6\operatorname{ArcSin}[cx]]}{16b^2c^3} + \frac{\operatorname{Cos}[(8a)/b] \operatorname{SinIntegral}[(8a)/b + 8\operatorname{ArcSin}[cx]]}{16b^2c^3}\right)$

Rule 4721

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)
)*(x_)^2^(p_.), x_Symbol] := Simp[((f*x)^m*Sqrt[1 - c^2*x^2]*(d + e*x^2)^p
*(a + b*ArcSin[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(f*m*d^IntPart[p]*
(d + e*x^2)^FracPart[p])/(b*c*(n + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)
^(m - 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n + 1), x], x] + Dist
[(c*(m + 2*p + 1)*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(b*f*(n + 1)*(1 - c
^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcS
in[c*x])^(n + 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e,
0] && LtQ[n, -1] && IGtQ[m, -3] && IGtQ[2*p, 0]
```

Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^
2)^(p_.), x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*C
os[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])
```

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_.)]^(p_.)*((c_.) + (d_.)*(x_.))^(m_.)*Sin[(a_.) + (b
_.)*(x_.)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(1-c^2x^2)^{5/2}}{(a+b\sin^{-1}(cx))^2} dx &= -\frac{x^2(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} + \frac{2\int \frac{x(1-c^2x^2)^2}{a+b\sin^{-1}(cx)} dx}{bc} - \frac{(8c)\int \frac{x^3(1-c^2x^2)^2}{a+b\sin^{-1}(cx)} dx}{b} \\
&= -\frac{x^2(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} + \frac{2\text{Subst}\left(\int \frac{\cos^5(x)\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^3} - \frac{8\text{Subst}\left(\int \frac{\cos^5(x)\sin^3(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^3} \\
&= -\frac{x^2(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} + \frac{2\text{Subst}\left(\int \left(\frac{5\sin(2x)}{32(a+bx)} + \frac{\sin(4x)}{8(a+bx)} + \frac{\sin(6x)}{32(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc^3} - \frac{8\text{Subst}\left(\int \frac{\cos^5(x)\sin^3(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^3} \\
&= -\frac{x^2(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} + \frac{\text{Subst}\left(\int \frac{\sin(6x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16bc^3} + \frac{\text{Subst}\left(\int \frac{\sin(8x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16bc^3} \\
&= -\frac{x^2(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} + \frac{\left(5\cos\left(\frac{2a}{b}\right)\right)\text{Subst}\left(\int \frac{\sin\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16bc^3} - \frac{\left(3\cos\left(\frac{2a}{b}\right)\right)\text{Subst}\left(\int \frac{\sin\left(\frac{2a}{b}+4x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16bc^3} \\
&= -\frac{x^2(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} + \frac{\text{Ci}\left(\frac{2a}{b}+2\sin^{-1}(cx)\right)\sin\left(\frac{2a}{b}\right)}{16b^2c^3} - \frac{\text{Ci}\left(\frac{4a}{b}+4\sin^{-1}(cx)\right)\sin\left(\frac{4a}{b}\right)}{8b^2c^3} - \frac{3\text{Ci}\left(\frac{2a}{b}+4\sin^{-1}(cx)\right)\sin\left(\frac{2a}{b}\right)}{16b^2c^3}
\end{aligned}$$

**Mathematica [A]** time = 1.08187, size = 414, normalized size = 1.47

$$\frac{\sin\left(\frac{2a}{b}\right)(a+b\sin^{-1}(cx))\text{CosIntegral}\left(2\left(\frac{a}{b}+\sin^{-1}(cx)\right)\right) - 2\sin\left(\frac{4a}{b}\right)(a+b\sin^{-1}(cx))\text{CosIntegral}\left(4\left(\frac{a}{b}+\sin^{-1}(cx)\right)\right)}{16b^2c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x])^2,x]

[Out] (-16\*b\*c^2\*x^2 + 48\*b\*c^4\*x^4 - 48\*b\*c^6\*x^6 + 16\*b\*c^8\*x^8 + (a + b\*ArcSin[c\*x])\*CosIntegral[2\*(a/b + ArcSin[c\*x])]\*Sin[(2\*a)/b] - 2\*(a + b\*ArcSin[c\*x])\*CosIntegral[4\*(a/b + ArcSin[c\*x])]\*Sin[(4\*a)/b] - 3\*a\*CosIntegral[6\*(a/b + ArcSin[c\*x])]\*Sin[(6\*a)/b] - 3\*b\*ArcSin[c\*x]\*CosIntegral[6\*(a/b + ArcSin[c\*x])]\*Sin[(6\*a)/b] - a\*CosIntegral[8\*(a/b + ArcSin[c\*x])]\*Sin[(8\*a)/b] - b\*ArcSin[c\*x]\*CosIntegral[8\*(a/b + ArcSin[c\*x])]\*Sin[(8\*a)/b] - a\*Cos[(2\*a)/b]\*SinIntegral[2\*(a/b + ArcSin[c\*x])] - b\*ArcSin[c\*x]\*Cos[(2\*a)/b]\*SinIntegral[2\*(a/b + ArcSin[c\*x])] + 2\*a\*Cos[(4\*a)/b]\*SinIntegral[4\*(a/b + ArcSin[c\*x])])/(16\*b^2\*c^3)

$$\begin{aligned} & [c*x]] + 2*b*\text{ArcSin}[c*x]*\text{Cos}[(4*a)/b]*\text{SinIntegral}[4*(a/b + \text{ArcSin}[c*x])] + \\ & 3*a*\text{Cos}[(6*a)/b]*\text{SinIntegral}[6*(a/b + \text{ArcSin}[c*x])] + 3*b*\text{ArcSin}[c*x]*\text{Cos}[(6*a)/b]* \\ & \text{SinIntegral}[6*(a/b + \text{ArcSin}[c*x])] + a*\text{Cos}[(8*a)/b]*\text{SinIntegral}[8*(a/b + \text{ArcSin}[c*x])] + \\ & b*\text{ArcSin}[c*x]*\text{Cos}[(8*a)/b]*\text{SinIntegral}[8*(a/b + \text{ArcSin}[c*x])]) / (16*b^2*c^3*(a + b*\text{ArcSin}[c*x])) \end{aligned}$$

**Maple [A]** time = 0.061, size = 478, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2*(-c^2*x^2+1)^{(5/2)}/(a+b*\text{arcsin}(c*x))^2,x)$

[Out]  $\frac{1}{128c^3} (16\text{arcsin}(cx) \text{Si}(4\text{arcsin}(cx)+4a/b) \cos(4a/b) b - 16\text{arcsin}(cx) \text{Ci}(4\text{arcsin}(cx)+4a/b) \sin(4a/b) b + 8\text{arcsin}(cx) \text{Si}(8\text{arcsin}(cx)+8a/b) \cos(8a/b) b - 8\text{arcsin}(cx) \text{Ci}(8\text{arcsin}(cx)+8a/b) \sin(8a/b) b - 8\text{arcsin}(cx) \text{Si}(2\text{arcsin}(cx)+2a/b) \cos(2a/b) b + 8\text{arcsin}(cx) \text{Ci}(2\text{arcsin}(cx)+2a/b) \sin(2a/b) b + 24\text{arcsin}(cx) \text{Si}(6\text{arcsin}(cx)+6a/b) \cos(6a/b) b - 24\text{arcsin}(cx) \text{Ci}(6\text{arcsin}(cx)+6a/b) \sin(6a/b) b + 16\text{Si}(4\text{arcsin}(cx)+4a/b) \cos(4a/b) a - 16\text{Ci}(4\text{arcsin}(cx)+4a/b) \sin(4a/b) a + 8\text{Si}(8\text{arcsin}(cx)+8a/b) \cos(8a/b) a - 8\text{Ci}(8\text{arcsin}(cx)+8a/b) \sin(8a/b) a - 8\text{Si}(2\text{arcsin}(cx)+2a/b) \cos(2a/b) a + 8\text{Ci}(2\text{arcsin}(cx)+2a/b) \sin(2a/b) a + 24\text{Si}(6\text{arcsin}(cx)+6a/b) \cos(6a/b) a - 24\text{Ci}(6\text{arcsin}(cx)+6a/b) \sin(6a/b) a + 4\cos(4\text{arcsin}(cx)) b + \cos(8\text{arcsin}(cx)) b - 4\cos(2\text{arcsin}(cx)) b + 4\cos(6\text{arcsin}(cx)) b - 5b) / (a+b*\text{arcsin}(c*x)) / b^2$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{c^6x^8 - 3c^4x^6 + 3c^2x^4 - x^2 - 2(b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc) \int \frac{4c^6x^7 - 9c^4x^5 + 6c^2x^3 - x}{b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc} dx}{b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^2*(-c^2*x^2+1)^{(5/2)}/(a+b*\text{arcsin}(c*x))^2,x, \text{algorithm}="maxima")$

[Out]  $(c^6*x^8 - 3*c^4*x^6 + 3*c^2*x^4 - x^2 - (b^2*c*\text{arctan2}(c*x, \text{sqrt}(c*x + 1))*\text{sqrt}(-c*x + 1)) + a*b*c)*\text{integrate}(2*(4*c^6*x^7 - 9*c^4*x^5 + 6*c^2*x^3 - x$

)/(b^2\*c\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c), x))/(b^2\*c\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(c^4x^6 - 2c^2x^4 + x^2)\sqrt{-c^2x^2 + 1}}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((c^4\*x^6 - 2\*c^2\*x^4 + x^2)\*sqrt(-c^2\*x^2 + 1)/(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.8185, size = 3322, normalized size = 11.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] -8\*b\*arcsin(c\*x)\*cos(a/b)^7\*cos\_integral(8\*a/b + 8\*arcsin(c\*x))\*sin(a/b)/(b^3\*c^3\*arcsin(c\*x) + a\*b^2\*c^3) + 8\*b\*arcsin(c\*x)\*cos(a/b)^8\*sin\_integral(8\*a/b + 8\*arcsin(c\*x))/(b^3\*c^3\*arcsin(c\*x) + a\*b^2\*c^3) - 8\*a\*cos(a/b)^7\*co

$$\begin{aligned}
& s\_integral(8*a/b + 8*arcsin(c*x))*sin(a/b)/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) \\
& ) + 8*a*cos(a/b)^8*s\_integral(8*a/b + 8*arcsin(c*x))/(b^3*c^3*arcsin(c*x) \\
& + a*b^2*c^3) + 12*b*arcsin(c*x)*cos(a/b)^5*cos\_integral(8*a/b + 8*arcsin(c \\
& *x))*sin(a/b)/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) - 6*b*arcsin(c*x)*cos(a/b)^ \\
& 5*cos\_integral(6*a/b + 6*arcsin(c*x))*sin(a/b)/(b^3*c^3*arcsin(c*x) + a*b^2 \\
& *c^3) - 16*b*arcsin(c*x)*cos(a/b)^6*s\_integral(8*a/b + 8*arcsin(c*x))/(b^ \\
& 3*c^3*arcsin(c*x) + a*b^2*c^3) + 6*b*arcsin(c*x)*cos(a/b)^6*s\_integral(6* \\
& a/b + 6*arcsin(c*x))/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) + 12*a*cos(a/b)^5*co \\
& s\_integral(8*a/b + 8*arcsin(c*x))*sin(a/b)/(b^3*c^3*arcsin(c*x) + a*b^2*c^3 \\
& ) - 6*a*cos(a/b)^5*cos\_integral(6*a/b + 6*arcsin(c*x))*sin(a/b)/(b^3*c^3*ar \\
& csin(c*x) + a*b^2*c^3) - 16*a*cos(a/b)^6*s\_integral(8*a/b + 8*arcsin(c*x) \\
& )/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) + 6*a*cos(a/b)^6*s\_integral(6*a/b + 6 \\
& *arcsin(c*x))/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) - 5*b*arcsin(c*x)*cos(a/b)^ \\
& 3*cos\_integral(8*a/b + 8*arcsin(c*x))*sin(a/b)/(b^3*c^3*arcsin(c*x) + a*b^2 \\
& *c^3) + 6*b*arcsin(c*x)*cos(a/b)^3*cos\_integral(6*a/b + 6*arcsin(c*x))*sin( \\
& a/b)/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) - b*arcsin(c*x)*cos(a/b)^3*cos\_integ \\
& ral(4*a/b + 4*arcsin(c*x))*sin(a/b)/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) + 10* \\
& b*arcsin(c*x)*cos(a/b)^4*s\_integral(8*a/b + 8*arcsin(c*x))/(b^3*c^3*arcsi \\
& n(c*x) + a*b^2*c^3) - 9*b*arcsin(c*x)*cos(a/b)^4*s\_integral(6*a/b + 6*arc \\
& sin(c*x))/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) + b*arcsin(c*x)*cos(a/b)^4*s\_in \\
& tegral(4*a/b + 4*arcsin(c*x))/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) - 5*a*cos \\
& (a/b)^3*cos\_integral(8*a/b + 8*arcsin(c*x))*sin(a/b)/(b^3*c^3*arcsin(c*x) + \\
& a*b^2*c^3) + 6*a*cos(a/b)^3*cos\_integral(6*a/b + 6*arcsin(c*x))*sin(a/b)/( \\
& b^3*c^3*arcsin(c*x) + a*b^2*c^3) - a*cos(a/b)^3*cos\_integral(4*a/b + 4*arcs \\
& in(c*x))*sin(a/b)/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) + 10*a*cos(a/b)^4*s\_in \\
& tegral(8*a/b + 8*arcsin(c*x))/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) - 9*a*cos( \\
& a/b)^4*s\_integral(6*a/b + 6*arcsin(c*x))/(b^3*c^3*arcsin(c*x) + a*b^2*c^3 \\
& ) + a*cos(a/b)^4*s\_integral(4*a/b + 4*arcsin(c*x))/(b^3*c^3*arcsin(c*x) + \\
& a*b^2*c^3) + (c^2*x^2 - 1)^4*b/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) + 1/2*b*a \\
& rcsin(c*x)*cos(a/b)*cos\_integral(8*a/b + 8*arcsin(c*x))*sin(a/b)/(b^3*c^3*a \\
& rcsin(c*x) + a*b^2*c^3) - 9/8*b*arcsin(c*x)*cos(a/b)*cos\_integral(6*a/b + 6 \\
& *arcsin(c*x))*sin(a/b)/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) + 1/2*b*arcsin(c*x \\
& )*cos(a/b)*cos\_integral(4*a/b + 4*arcsin(c*x))*sin(a/b)/(b^3*c^3*arcsin(c*x \\
& ) + a*b^2*c^3) + 1/8*b*arcsin(c*x)*cos(a/b)*cos\_integral(2*a/b + 2*arcsin(c \\
& *x))*sin(a/b)/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) - 2*b*arcsin(c*x)*cos(a/b)^ \\
& 2*s\_integral(8*a/b + 8*arcsin(c*x))/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) + 2 \\
& 7/8*b*arcsin(c*x)*cos(a/b)^2*s\_integral(6*a/b + 6*arcsin(c*x))/(b^3*c^3*a \\
& rcsin(c*x) + a*b^2*c^3) - b*arcsin(c*x)*cos(a/b)^2*s\_integral(4*a/b + 4*a \\
& rcsin(c*x))/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) - 1/8*b*arcsin(c*x)*cos(a/b)^ \\
& 2*s\_integral(2*a/b + 2*arcsin(c*x))/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) + ( \\
& c^2*x^2 - 1)^3*b/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) + 1/2*a*cos(a/b)*cos\_int \\
& egral(8*a/b + 8*arcsin(c*x))*sin(a/b)/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) - 9 \\
& /8*a*cos(a/b)*cos\_integral(6*a/b + 6*arcsin(c*x))*sin(a/b)/(b^3*c^3*arcsin( \\
& c*x) + a*b^2*c^3) + 1/2*a*cos(a/b)*cos\_integral(4*a/b + 4*arcsin(c*x))*sin( \\
& a/b)/(b^3*c^3*arcsin(c*x) + a*b^2*c^3) + 1/8*a*cos(a/b)*cos\_integral(2*a/b
\end{aligned}$$

$$\begin{aligned}
& + 2*\arcsin(c*x))*\sin(a/b)/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) - 2*a*\cos(a/b)^2*\sin\_integral(8*a/b + 8*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) + 2 \\
& 7/8*a*\cos(a/b)^2*\sin\_integral(6*a/b + 6*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) - a*\cos(a/b)^2*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) - 1/8*a*\cos(a/b)^2*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) + 1/16*b*\arcsin(c*x)*\sin\_integral(8*a/b + 8*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) - 3/16*b*\arcsin(c*x)*\sin\_integral(6*a/b + 6*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) + 1/8*b*\arcsin(c*x)*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) + 1/16*b*\arcsin(c*x)*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) + 1/16*a*\sin\_integral(8*a/b + 8*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) - 3/16*a*\sin\_integral(6*a/b + 6*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) + 1/8*a*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) + 1/16*a*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3)
\end{aligned}$$



$$3.401 \quad \int \frac{x(1-c^2x^2)^{5/2}}{(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=276

$$\frac{5 \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{64b^2c^2} + \frac{27 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{64b^2c^2} + \frac{25 \cos\left(\frac{5a}{b}\right) \text{CosIntegral}\left(\frac{5(a+b\sin^{-1}(cx))}{b}\right)}{64b^2c^2}$$

[Out]  $-\left(\frac{x(1-c^2x^2)^3}{b c (a+b \text{ArcSin}[c x])}\right) + \frac{5 \cos[a/b] \text{CosIntegral}[a/b + \text{ArcSin}[c x]]}{64 b^2 c^2} + \frac{27 \cos[(3 a)/b] \text{CosIntegral}[(3 a)/b + 3 \text{ArcSin}[c x]]}{64 b^2 c^2} + \frac{25 \cos[(5 a)/b] \text{CosIntegral}[(5 a)/b + 5 \text{ArcSin}[c x]]}{64 b^2 c^2} + \frac{7 \cos[(7 a)/b] \text{CosIntegral}[(7 a)/b + 7 \text{ArcSin}[c x]]}{64 b^2 c^2} + \frac{5 \sin[a/b] \text{SinIntegral}[a/b + \text{ArcSin}[c x]]}{64 b^2 c^2} + \frac{27 \sin[(3 a)/b] \text{SinIntegral}[(3 a)/b + 3 \text{ArcSin}[c x]]}{64 b^2 c^2} + \frac{25 \sin[(5 a)/b] \text{SinIntegral}[(5 a)/b + 5 \text{ArcSin}[c x]]}{64 b^2 c^2} + \frac{7 \sin[(7 a)/b] \text{SinIntegral}[(7 a)/b + 7 \text{ArcSin}[c x]]}{64 b^2 c^2}$

**Rubi [A]** time = 0.872172, antiderivative size = 272, normalized size of antiderivative = 0.99, number of steps used = 28, number of rules used = 8, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {4721, 4661, 3312, 3303, 3299, 3302, 4723, 4406}

$$\frac{5 \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{64b^2c^2} + \frac{27 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{64b^2c^2} + \frac{25 \cos\left(\frac{5a}{b}\right) \text{CosIntegral}\left(\frac{5a}{b} + 5 \sin^{-1}(cx)\right)}{64b^2c^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x(1-c^2x^2)^{5/2})/(a+b\text{ArcSin}[cx])^2, x]$

[Out]  $-\left(\frac{x(1-c^2x^2)^3}{b c (a+b \text{ArcSin}[c x])}\right) + \frac{5 \cos[a/b] \text{CosIntegral}[a/b + \text{ArcSin}[c x]]}{64 b^2 c^2} + \frac{27 \cos[(3 a)/b] \text{CosIntegral}[(3 a)/b + 3 \text{ArcSin}[c x]]}{64 b^2 c^2} + \frac{25 \cos[(5 a)/b] \text{CosIntegral}[(5 a)/b + 5 \text{ArcSin}[c x]]}{64 b^2 c^2} + \frac{7 \cos[(7 a)/b] \text{CosIntegral}[(7 a)/b + 7 \text{ArcSin}[c x]]}{64 b^2 c^2} + \frac{5 \sin[a/b] \text{SinIntegral}[a/b + \text{ArcSin}[c x]]}{64 b^2 c^2} + \frac{27 \sin[(3 a)/b] \text{SinIntegral}[(3 a)/b + 3 \text{ArcSin}[c x]]}{64 b^2 c^2} + \frac{25 \sin[(5 a)/b] \text{SinIntegral}[(5 a)/b + 5 \text{ArcSin}[c x]]}{64 b^2 c^2} + \frac{7 \sin[(7 a)/b] \text{SinIntegral}[(7 a)/b + 7 \text{ArcSin}[c x]]}{64 b^2 c^2}$

Rule 4721

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^m*Sqrt[1 - c^2*x^2]*(d + e*x^2)^p
*(a + b*ArcSin[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(f*m*d^IntPart[p]*
(d + e*x^2)^FracPart[p])/(b*c*(n + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)
^(m - 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n + 1), x], x] + Dist
[(c*(m + 2*p + 1)*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(b*f*(n + 1)*(1 - c
^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcS
in[c*x])^(n + 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e,
0] && LtQ[n, -1] && IGtQ[m, -3] && IGtQ[2*p, 0]
```

Rule 4661

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Dist[d^p/c, Subst[Int[(a + b*x)^n*Cos[x]^(2*p + 1), x], x, ArcS
in[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IGtQ[2
*p, 0] && (IntegerQ[p] || GtQ[d, 0])
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] :> Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*C
os[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])
```

### Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_.)]^(p_.)*((c_.) + (d_.)*(x_.))^(m_.)*Sin[(a_.) + (b
_.)*(x_.)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x(1-c^2x^2)^{5/2}}{(a+b\sin^{-1}(cx))^2} dx &= -\frac{x(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} + \frac{\int \frac{(1-c^2x^2)^2}{a+b\sin^{-1}(cx)} dx}{bc} - \frac{(7c) \int \frac{x^2(1-c^2x^2)^2}{a+b\sin^{-1}(cx)} dx}{b} \\
&= -\frac{x(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} + \frac{\text{Subst}\left(\int \frac{\cos^5(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^2} - \frac{7 \text{Subst}\left(\int \frac{\cos^5(x)\sin^2(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^2} \\
&= -\frac{x(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} + \frac{\text{Subst}\left(\int \left(\frac{5\cos(x)}{8(a+bx)} + \frac{5\cos(3x)}{16(a+bx)} + \frac{\cos(5x)}{16(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc^2} - \frac{7 \text{Subst}\left(\int \frac{\cos^5(x)\sin^2(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^2} \\
&= -\frac{x(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} + \frac{\text{Subst}\left(\int \frac{\cos(5x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16bc^2} + \frac{7 \text{Subst}\left(\int \frac{\cos(3x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{64bc^2} \\
&= -\frac{x(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} - \frac{(35\cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \frac{\cos\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{64bc^2} + \frac{(5\cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \frac{\cos\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{64bc^2} \\
&= -\frac{x(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} + \frac{5\cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{64b^2c^2} + \frac{27\cos\left(\frac{3a}{b}\right) \text{Ci}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{64b^2c^2} + \dots
\end{aligned}$$

**Mathematica [A]** time = 0.9453, size = 404, normalized size = 1.46

---


$$5\cos\left(\frac{a}{b}\right)(a+b\sin^{-1}(cx))\text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) + 27\cos\left(\frac{3a}{b}\right)(a+b\sin^{-1}(cx))\text{CosIntegral}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \dots$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(1 - c^2\*x^2)^(5/2))/(a + b\*ArcSin[c\*x])^2,x]

[Out] 
$$\begin{aligned} & (-64*b*c*x + 192*b*c^3*x^3 - 192*b*c^5*x^5 + 64*b*c^7*x^7 + 5*(a + b*ArcSin \\ & [c*x])*Cos[a/b]*CosIntegral[a/b + ArcSin[c*x]] + 27*(a + b*ArcSin[c*x])*Cos \\ & [(3*a)/b]*CosIntegral[3*(a/b + ArcSin[c*x])] + 25*a*Cos[(5*a)/b]*CosIntegra \\ & l[5*(a/b + ArcSin[c*x])] + 25*b*ArcSin[c*x]*Cos[(5*a)/b]*CosIntegral[5*(a/b \\ & + ArcSin[c*x])] + 7*a*Cos[(7*a)/b]*CosIntegral[7*(a/b + ArcSin[c*x])] + 7* \\ & b*ArcSin[c*x]*Cos[(7*a)/b]*CosIntegral[7*(a/b + ArcSin[c*x])] + 5*a*Sin[a/b \\ & ]*SinIntegral[a/b + ArcSin[c*x]] + 5*b*ArcSin[c*x]*Sin[a/b]*SinIntegral[a/b \\ & + ArcSin[c*x]] + 27*a*Sin[(3*a)/b]*SinIntegral[3*(a/b + ArcSin[c*x])] + 27 \\ & *b*ArcSin[c*x]*Sin[(3*a)/b]*SinIntegral[3*(a/b + ArcSin[c*x])] + 25*a*Sin[( \\ & 5*a)/b]*SinIntegral[5*(a/b + ArcSin[c*x])] + 25*b*ArcSin[c*x]*Sin[(5*a)/b]* \\ & SinIntegral[5*(a/b + ArcSin[c*x])] + 7*a*Sin[(7*a)/b]*SinIntegral[7*(a/b + \\ & ArcSin[c*x])] + 7*b*ArcSin[c*x]*Sin[(7*a)/b]*SinIntegral[7*(a/b + ArcSin[c* \\ & x])])]/(64*b^2*c^2*(a + b*ArcSin[c*x])) \end{aligned}$$

**Maple [A]** time = 0.057, size = 455, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] 
$$\begin{aligned} & 1/64/c^2*(27*arcsin(c*x)*Si(3*arcsin(c*x)+3*a/b)*sin(3*a/b)*b+27*arcsin(c*x) \\ & )*Ci(3*arcsin(c*x)+3*a/b)*cos(3*a/b)*b+5*arcsin(c*x)*Si(arcsin(c*x)+a/b)*si \\ & n(a/b)*b+5*arcsin(c*x)*Ci(arcsin(c*x)+a/b)*cos(a/b)*b+7*arcsin(c*x)*Si(7*ar \\ & csin(c*x)+7*a/b)*sin(7*a/b)*b+7*arcsin(c*x)*Ci(7*arcsin(c*x)+7*a/b)*cos(7*a \\ & /b)*b+25*arcsin(c*x)*sin(5*a/b)*Si(5*arcsin(c*x)+5*a/b)*b+25*arcsin(c*x)*Ci \\ & (5*arcsin(c*x)+5*a/b)*cos(5*a/b)*b+27*Si(3*arcsin(c*x)+3*a/b)*sin(3*a/b)*a+ \\ & 27*Ci(3*arcsin(c*x)+3*a/b)*cos(3*a/b)*a+5*Si(arcsin(c*x)+a/b)*sin(a/b)*a+5* \\ & Ci(arcsin(c*x)+a/b)*cos(a/b)*a+7*Si(7*arcsin(c*x)+7*a/b)*sin(7*a/b)*a+7*Ci( \\ & 7*arcsin(c*x)+7*a/b)*cos(7*a/b)*a+25*sin(5*a/b)*Si(5*arcsin(c*x)+5*a/b)*a+2 \\ & 5*Ci(5*arcsin(c*x)+5*a/b)*cos(5*a/b)*a-5*x*b*c-9*sin(3*arcsin(c*x))*b-sin(7 \\ & *arcsin(c*x))*b-5*sin(5*arcsin(c*x))*b)/(a+b*arcsin(c*x))/b^2 \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{c^6 x^7 - 3c^4 x^5 + 3c^2 x^3 - x - \frac{\left(7c^6 \int \frac{x^6}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})+a} dx - 15c^4 \int \frac{x^4}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})+a} dx + 9c^2 \int \frac{x^2}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})+a} dx - \int \frac{1}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})+a} dx\right)}{b^2 c \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] (c^6\*x^7 - 3\*c^4\*x^5 + 3\*c^2\*x^3 - (b^2\*c\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c)\*integrate((7\*c^6\*x^6 - 15\*c^4\*x^4 + 9\*c^2\*x^2 - 1)/(b^2\*c\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c), x) - x)/(b^2\*c\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(c^4 x^5 - 2c^2 x^3 + x)\sqrt{-c^2 x^2 + 1}}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((c^4\*x^5 - 2\*c^2\*x^3 + x)\*sqrt(-c^2\*x^2 + 1)/(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.72422, size = 2735, normalized size = 9.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] 
$$7*b*\arcsin(c*x)*\cos(a/b)^7*\cos\_integral(7*a/b + 7*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 7*b*\arcsin(c*x)*\cos(a/b)^6*\sin(a/b)*\sin\_integral(7*a/b + 7*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 7*a*\cos(a/b)^7*\cos\_integral(7*a/b + 7*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 7*a*\cos(a/b)^6*\sin(a/b)*\sin\_integral(7*a/b + 7*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 49/4*b*\arcsin(c*x)*\cos(a/b)^5*\cos\_integral(7*a/b + 7*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 25/4*b*\arcsin(c*x)*\cos(a/b)^5*\cos\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 35/4*b*\arcsin(c*x)*\cos(a/b)^4*\sin(a/b)*\sin\_integral(7*a/b + 7*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 25/4*b*\arcsin(c*x)*\cos(a/b)^4*\sin(a/b)*\sin\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 49/4*a*\cos(a/b)^5*\cos\_integral(7*a/b + 7*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 25/4*a*\cos(a/b)^5*\cos\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 35/4*a*\cos(a/b)^4*\sin(a/b)*\sin\_integral(7*a/b + 7*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 25/4*a*\cos(a/b)^4*\sin(a/b)*\sin\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + (c^2*x^2 - 1)^3*b*c*x/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 49/8*b*\arcsin(c*x)*\cos(a/b)^3*\cos\_integral(7*a/b + 7*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 125/16*b*\arcsin(c*x)*\cos(a/b)^3*\cos\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 27/16*b*\arcsin(c*x)*\cos(a/b)^3*\cos\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 21/8*b*\arcsin(c*x)*\cos(a/b)^2*\sin(a/b)*\sin\_integral(7*a/b + 7*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 75/16*b*\arcsin(c*x)*\cos(a/b)^2*\sin(a/b)*\sin\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 27/16*b*\arcsin(c*x)*\cos(a/b)^2*\sin(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 49/8*a*\cos(a/b)^3*\cos\_integral(7*a/b + 7*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 125/16*a*\cos(a/b)^3*\cos\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 27/16*a*\cos(a/b)^3*\cos\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 21/8*a*\cos(a/b)^2*\sin(a/b)*\sin\_integral(7*a/b + 7*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 75/16*a*\cos(a/b)^2*\sin(a/b)*\sin\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 27/16*a*\cos(a/b)^2*\sin(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) - 49/64*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(7*a/b + 7*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2) + 125/64*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^2*\arcsin(c*x) + a*b^2*c^2)$$

$$\begin{aligned}
& \sin(cx) / (b^3 c^2 \arcsin(cx) + a b^2 c^2) - 81/64 b \arcsin(cx) \cos(a/b) * \\
& \cos\_integral(3a/b + 3 \arcsin(cx)) / (b^3 c^2 \arcsin(cx) + a b^2 c^2) + 5/6 \\
& 4 b \arcsin(cx) \cos(a/b) \cos\_integral(a/b + \arcsin(cx)) / (b^3 c^2 \arcsin(cx) \\
& + a b^2 c^2) - 7/64 b \arcsin(cx) \sin(a/b) \sin\_integral(7a/b + 7 \arcsin \\
& (cx)) / (b^3 c^2 \arcsin(cx) + a b^2 c^2) + 25/64 b \arcsin(cx) \sin(a/b) \sin \\
& \_integral(5a/b + 5 \arcsin(cx)) / (b^3 c^2 \arcsin(cx) + a b^2 c^2) - 27/64 * \\
& b \arcsin(cx) \sin(a/b) \sin\_integral(3a/b + 3 \arcsin(cx)) / (b^3 c^2 \arcsin( \\
& cx) + a b^2 c^2) + 5/64 b \arcsin(cx) \sin(a/b) \sin\_integral(a/b + \arcsin(c \\
& *x)) / (b^3 c^2 \arcsin(cx) + a b^2 c^2) - 49/64 a \cos(a/b) \cos\_integral(7a/ \\
& b + 7 \arcsin(cx)) / (b^3 c^2 \arcsin(cx) + a b^2 c^2) + 125/64 a \cos(a/b) * co \\
& s\_integral(5a/b + 5 \arcsin(cx)) / (b^3 c^2 \arcsin(cx) + a b^2 c^2) - 81/64 \\
& * a \cos(a/b) \cos\_integral(3a/b + 3 \arcsin(cx)) / (b^3 c^2 \arcsin(cx) + a b^ \\
& 2 c^2) + 5/64 a \cos(a/b) \cos\_integral(a/b + \arcsin(cx)) / (b^3 c^2 \arcsin(cx) \\
& + a b^2 c^2) - 7/64 a \sin(a/b) \sin\_integral(7a/b + 7 \arcsin(cx)) / (b^3 * \\
& c^2 \arcsin(cx) + a b^2 c^2) + 25/64 a \sin(a/b) \sin\_integral(5a/b + 5 \arcs \\
& in(cx)) / (b^3 c^2 \arcsin(cx) + a b^2 c^2) - 27/64 a \sin(a/b) \sin\_integral( \\
& 3a/b + 3 \arcsin(cx)) / (b^3 c^2 \arcsin(cx) + a b^2 c^2) + 5/64 a \sin(a/b) * \\
& \sin\_integral(a/b + \arcsin(cx)) / (b^3 c^2 \arcsin(cx) + a b^2 c^2)
\end{aligned}$$

$$3.402 \quad \int \frac{(1-c^2x^2)^{5/2}}{(a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=217

$$\frac{15 \sin\left(\frac{2a}{b}\right) \operatorname{CosIntegral}\left(\frac{2(a+b \sin^{-1}(cx))}{b}\right)}{16b^2c} + \frac{3 \sin\left(\frac{4a}{b}\right) \operatorname{CosIntegral}\left(\frac{4(a+b \sin^{-1}(cx))}{b}\right)}{4b^2c} + \frac{3 \sin\left(\frac{6a}{b}\right) \operatorname{CosIntegral}\left(\frac{6(a+b \sin^{-1}(cx))}{b}\right)}{16b^2c}$$

[Out] -((1 - c^2\*x^2)^3/(b\*c\*(a + b\*ArcSin[c\*x]))) + (15\*CosIntegral[(2\*(a + b\*ArcSin[c\*x]))/b]\*Sin[(2\*a)/b])/(16\*b^2\*c) + (3\*CosIntegral[(4\*(a + b\*ArcSin[c\*x]))/b]\*Sin[(4\*a)/b])/(4\*b^2\*c) + (3\*CosIntegral[(6\*(a + b\*ArcSin[c\*x]))/b]\*Sin[(6\*a)/b])/(16\*b^2\*c) - (15\*Cos[(2\*a)/b]\*SinIntegral[(2\*(a + b\*ArcSin[c\*x]))/b])/(16\*b^2\*c) - (3\*Cos[(4\*a)/b]\*SinIntegral[(4\*(a + b\*ArcSin[c\*x]))/b])/(4\*b^2\*c) - (3\*Cos[(6\*a)/b]\*SinIntegral[(6\*(a + b\*ArcSin[c\*x]))/b])/(16\*b^2\*c)

**Rubi [A]** time = 0.399717, antiderivative size = 217, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$ , Rules used = {4659, 4723, 4406, 3303, 3299, 3302}

$$\frac{15 \sin\left(\frac{2a}{b}\right) \operatorname{CosIntegral}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right)}{16b^2c} + \frac{3 \sin\left(\frac{4a}{b}\right) \operatorname{CosIntegral}\left(\frac{4a}{b} + 4 \sin^{-1}(cx)\right)}{4b^2c} + \frac{3 \sin\left(\frac{6a}{b}\right) \operatorname{CosIntegral}\left(\frac{6a}{b} + 6 \sin^{-1}(cx)\right)}{16b^2c}$$

Antiderivative was successfully verified.

[In] Int[(1 - c^2\*x^2)^(5/2)/(a + b\*ArcSin[c\*x])^2,x]

[Out] -((1 - c^2\*x^2)^3/(b\*c\*(a + b\*ArcSin[c\*x]))) + (15\*CosIntegral[(2\*a)/b + 2\*ArcSin[c\*x]]\*Sin[(2\*a)/b])/(16\*b^2\*c) + (3\*CosIntegral[(4\*a)/b + 4\*ArcSin[c\*x]]\*Sin[(4\*a)/b])/(4\*b^2\*c) + (3\*CosIntegral[(6\*a)/b + 6\*ArcSin[c\*x]]\*Sin[(6\*a)/b])/(16\*b^2\*c) - (15\*Cos[(2\*a)/b]\*SinIntegral[(2\*a)/b + 2\*ArcSin[c\*x]])/(16\*b^2\*c) - (3\*Cos[(4\*a)/b]\*SinIntegral[(4\*a)/b + 4\*ArcSin[c\*x]])/(4\*b^2\*c) - (3\*Cos[(6\*a)/b]\*SinIntegral[(6\*a)/b + 6\*ArcSin[c\*x]])/(16\*b^2\*c)

**Rule 4659**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_ Symbol] := Simp[(Sqrt[1 - c^2\*x^2]\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^(n + 1



$$\frac{1}{(b*c*(n + 1))} \int \frac{d^{IntPart[p]} (d + e*x^2)^{FracPart[p]}}{(b*(n + 1)*(1 - c^2*x^2)^{FracPart[p]}} \int [x*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*ArcSin[c*x])^{(n + 1)}, x], x] /;$$

$$FreeQ[\{a, b, c, d, e, p\}, x] \ \&\& \ EqQ[c^2*d + e, 0] \ \&\& \ LtQ[n, -1]$$

### Rule 4723

$$\int ((a_{.}) + ArcSin[(c_{.})*(x_{.})]*(b_{.}))^{(n_{.})}*(x_{.})^{(m_{.})}*((d_{.}) + (e_{.})*(x_{.})^2)^{(p_{.})}, x\_Symbol] \rightarrow Dist[d^p/c^{(m + 1)}, Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x]^{(2*p + 1)}, x], x, ArcSin[c*x]], x] /;$$

$$FreeQ[\{a, b, c, d, e, n\}, x] \ \&\& \ EqQ[c^2*d + e, 0] \ \&\& \ IntegerQ[2*p] \ \&\& \ GtQ[p, -1] \ \&\& \ IGtQ[m, 0] \ \&\& \ (IntegerQ[p] \ || \ GtQ[d, 0])$$

### Rule 4406

$$\int [Cos[(a_{.}) + (b_{.})*(x_{.})]^{(p_{.})}*((c_{.}) + (d_{.})*(x_{.}))^{(m_{.})}*Sin[(a_{.}) + (b_{.})*(x_{.})]^{(n_{.})}, x\_Symbol] \rightarrow \int [ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^{n*Cos[a + b*x]^p}, x], x] /;$$

$$FreeQ[\{a, b, c, d, m\}, x] \ \&\& \ IGtQ[n, 0] \ \&\& \ IGtQ[p, 0]$$

### Rule 3303

$$\int [\sin[(e_{.}) + (f_{.})*(x_{.})]/((c_{.}) + (d_{.})*(x_{.})), x\_Symbol] \rightarrow Dist[Cos[(d*e - c*f)/d], \int [Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], \int [Cos[(c*f)/d + f*x]/(c + d*x), x], x] /;$$

$$FreeQ[\{c, d, e, f\}, x] \ \&\& \ NeQ[d*e - c*f, 0]$$

### Rule 3299

$$\int [\sin[(e_{.}) + (f_{.})*(x_{.})]/((c_{.}) + (d_{.})*(x_{.})), x\_Symbol] \rightarrow Simp[SinIntegral[e + f*x]/d, x] /;$$

$$FreeQ[\{c, d, e, f\}, x] \ \&\& \ EqQ[d*e - c*f, 0]$$

### Rule 3302

$$\int [\sin[(e_{.}) + (f_{.})*(x_{.})]/((c_{.}) + (d_{.})*(x_{.})), x\_Symbol] \rightarrow Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /;$$

$$FreeQ[\{c, d, e, f\}, x] \ \&\& \ EqQ[d*(e - Pi/2) - c*f, 0]$$

### Rubi steps

$$\begin{aligned}
\int \frac{(1-c^2x^2)^{5/2}}{(a+b\sin^{-1}(cx))^2} dx &= -\frac{(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} - \frac{(6c) \int \frac{x(1-c^2x^2)^2}{a+b\sin^{-1}(cx)} dx}{b} \\
&= -\frac{(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} - \frac{6 \operatorname{Subst}\left(\int \frac{\cos^5(x)\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} - \frac{6 \operatorname{Subst}\left(\int \left(\frac{5\sin(2x)}{32(a+bx)} + \frac{\sin(4x)}{8(a+bx)} + \frac{\sin(6x)}{32(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} - \frac{3 \operatorname{Subst}\left(\int \frac{\sin(6x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16bc} - \frac{3 \operatorname{Subst}\left(\int \frac{\sin(4x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4bc} \\
&= -\frac{(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} - \frac{\left(15 \cos\left(\frac{2a}{b}\right)\right) \operatorname{Subst}\left(\int \frac{\sin\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16bc} - \frac{\left(3 \cos\left(\frac{4a}{b}\right)\right) \operatorname{Subst}\left(\int \frac{\sin\left(\frac{4a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16bc} \\
&= -\frac{(1-c^2x^2)^3}{bc(a+b\sin^{-1}(cx))} + \frac{15 \operatorname{Ci}\left(\frac{2a}{b} + 2 \sin^{-1}(cx)\right) \sin\left(\frac{2a}{b}\right)}{16b^2c} + \frac{3 \operatorname{Ci}\left(\frac{4a}{b} + 4 \sin^{-1}(cx)\right) \sin\left(\frac{4a}{b}\right)}{4b^2c} + \dots
\end{aligned}$$

**Mathematica [A]** time = 0.82457, size = 311, normalized size = 1.43

$$-15 \sin\left(\frac{2a}{b}\right) (a+b\sin^{-1}(cx)) \operatorname{CosIntegral}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) - 12 \sin\left(\frac{4a}{b}\right) (a+b\sin^{-1}(cx)) \operatorname{CosIntegral}\left(4\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - c^2\*x^2)^(5/2)/(a + b\*ArcSin[c\*x])^2,x]

[Out] -(16\*b - 48\*b\*c^2\*x^2 + 48\*b\*c^4\*x^4 - 16\*b\*c^6\*x^6 - 15\*(a + b\*ArcSin[c\*x]) \*CosIntegral[2\*(a/b + ArcSin[c\*x])]\*Sin[(2\*a)/b] - 12\*(a + b\*ArcSin[c\*x]) \*CosIntegral[4\*(a/b + ArcSin[c\*x])]\*Sin[(4\*a)/b] - 3\*a\*CosIntegral[6\*(a/b + ArcSin[c\*x])]\*Sin[(6\*a)/b] - 3\*b\*ArcSin[c\*x]\*CosIntegral[6\*(a/b + ArcSin[c\*x])]\*Sin[(6\*a)/b] + 15\*a\*Cos[(2\*a)/b]\*SinIntegral[2\*(a/b + ArcSin[c\*x])] + 15\*b\*ArcSin[c\*x]\*Cos[(2\*a)/b]\*SinIntegral[2\*(a/b + ArcSin[c\*x])] + 12\*a\*Cos[(4\*a)/b]\*SinIntegral[4\*(a/b + ArcSin[c\*x])] + 12\*b\*ArcSin[c\*x]\*Cos[(4\*a)/b]\*SinIntegral[4\*(a/b + ArcSin[c\*x])] + 3\*a\*Cos[(6\*a)/b]\*SinIntegral[6\*(a/b + ArcSin[c\*x])] + 3\*b\*ArcSin[c\*x]\*Cos[(6\*a)/b]\*SinIntegral[6\*(a/b + ArcSin[c\*x])])

$c*x]]))/(16*b^2*c*(a + b*ArcSin[c*x]))$

**Maple [A]** time = 0.054, size = 364, normalized size = 1.7

$$-\frac{1}{32c(a+b\arcsin(cx))b^2}\left(6\arcsin(cx)\operatorname{Si}\left(6\arcsin(cx)+6\frac{a}{b}\right)\cos\left(6\frac{a}{b}\right)b-6\arcsin(cx)\operatorname{Ci}\left(6\arcsin(cx)+6\frac{a}{b}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x))^2,x)`

[Out] 
$$-1/32/c*(6*\arcsin(c*x)*\operatorname{Si}(6*\arcsin(c*x)+6*a/b)*\cos(6*a/b)*b-6*\arcsin(c*x)*\operatorname{Ci}(6*\arcsin(c*x)+6*a/b)*\sin(6*a/b)*b+24*\arcsin(c*x)*\operatorname{Si}(4*\arcsin(c*x)+4*a/b)*\cos(4*a/b)*b-24*\arcsin(c*x)*\operatorname{Ci}(4*\arcsin(c*x)+4*a/b)*\sin(4*a/b)*b+30*\arcsin(c*x)*\operatorname{Si}(2*\arcsin(c*x)+2*a/b)*\cos(2*a/b)*b-30*\arcsin(c*x)*\operatorname{Ci}(2*\arcsin(c*x)+2*a/b)*\sin(2*a/b)*b+6*\operatorname{Si}(6*\arcsin(c*x)+6*a/b)*\cos(6*a/b)*a-6*\operatorname{Ci}(6*\arcsin(c*x)+6*a/b)*\sin(6*a/b)*a+24*\operatorname{Si}(4*\arcsin(c*x)+4*a/b)*\cos(4*a/b)*a-24*\operatorname{Ci}(4*\arcsin(c*x)+4*a/b)*\sin(4*a/b)*a+30*\operatorname{Si}(2*\arcsin(c*x)+2*a/b)*\cos(2*a/b)*a-30*\operatorname{Ci}(2*\arcsin(c*x)+2*a/b)*\sin(2*a/b)*a+\cos(6*\arcsin(c*x))*b+6*\cos(4*\arcsin(c*x))*b+15*\cos(2*\arcsin(c*x))*b+10*b)/(a+b*\arcsin(c*x))/b^2$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{c^6x^6 - 3c^4x^4 + 3c^2x^2 - 6\left(b^2c \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abc\right) \int \frac{c^5x^5 - 2c^3x^3 + cx}{b^2 \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abc} dx - 1}{b^2c \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] 
$$(c^6*x^6 - 3*c^4*x^4 + 3*c^2*x^2 - (b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c)*\operatorname{integrate}(6*(c^5*x^5 - 2*c^3*x^3 + c*x)/(b^2*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b), x) - 1)/(b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(c^4 x^4 - 2c^2 x^2 + 1) \sqrt{-c^2 x^2 + 1}}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((c^4\*x^4 - 2\*c^2\*x^2 + 1)\*sqrt(-c^2\*x^2 + 1)/(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.59521, size = 1882, normalized size = 8.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out]  $6*b*\arcsin(c*x)*\cos(a/b)^5*\cos\_integral(6*a/b + 6*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) - 6*b*\arcsin(c*x)*\cos(a/b)^6*\sin\_integral(6*a/b + 6*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) + 6*a*\cos(a/b)^5*\cos\_integral(6*a/b + 6*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) - 6*a*\cos(a/b)^6*\sin\_integral(6*a/b + 6*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) - 6*b*\arcsin(c*x)*\cos(a/b)^3*\cos\_integral(6*a/b + 6*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) + 6*b*\arcsin(c*x)*\cos(a/b)^3*\cos\_integral(4*a/b + 4*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) + 9*b*\arcsin(c*x)*\cos(a/b)^5*\sin\_integral(6*a/b + 6*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) - 9*b*\arcsin(c*x)*\cos(a/b)^6*\sin\_integral(6*a/b + 6*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c)$

$$\begin{aligned}
& s(a/b)^4 \sin\_integral(6*a/b + 6*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) \\
& - 6*b*\arcsin(c*x)*\cos(a/b)^4 \sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) - 6*a*\cos(a/b)^3*\cos\_integral(6*a/b + 6*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) + 6*a*\cos(a/b)^3*\cos\_integral(4*a/b + 4*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) + 9*a*\cos(a/b)^4*\sin\_integral(6*a/b + 6*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) - 6*a*\cos(a/b)^4*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) + 9/8*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(6*a/b + 6*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) - 3*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(4*a/b + 4*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) + 15/8*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(2*a/b + 2*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) - 27/8*b*\arcsin(c*x)*\cos(a/b)^2*\sin\_integral(6*a/b + 6*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) + 6*b*\arcsin(c*x)*\cos(a/b)^2*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) - 15/8*b*\arcsin(c*x)*\cos(a/b)^2*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) + (c^2*x^2 - 1)^3*b/(b^3*c*\arcsin(c*x) + a*b^2*c) + 9/8*a*\cos(a/b)*\cos\_integral(6*a/b + 6*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) - 3*a*\cos(a/b)*\cos\_integral(4*a/b + 4*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) + 15/8*a*\cos(a/b)*\cos\_integral(2*a/b + 2*\arcsin(c*x))*\sin(a/b)/(b^3*c*\arcsin(c*x) + a*b^2*c) - 27/8*a*\cos(a/b)^2*\sin\_integral(6*a/b + 6*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) + 6*a*\cos(a/b)^2*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) - 15/8*a*\cos(a/b)^2*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) + 3/16*b*\arcsin(c*x)*\sin\_integral(6*a/b + 6*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) - 3/4*b*\arcsin(c*x)*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) + 15/16*b*\arcsin(c*x)*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) + 3/16*a*\sin\_integral(6*a/b + 6*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) - 3/4*a*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c) + 15/16*a*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c*\arcsin(c*x) + a*b^2*c)
\end{aligned}$$

$$3.403 \quad \int \frac{(1-c^2x^2)^{5/2}}{x(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=234

$$\frac{\text{Unintegrable}\left(\frac{(1-c^2x^2)^2}{x^2(a+b\sin^{-1}(cx))}, x\right)}{bc} - \frac{25 \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{8b^2} - \frac{25 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{16b^2}$$

[Out] -((1 - c^2\*x^2)^3/(b\*c\*x\*(a + b\*ArcSin[c\*x]))) - (25\*Cos[a/b]\*CosIntegral[(a + b\*ArcSin[c\*x])/b])/(8\*b^2) - (25\*Cos[(3\*a)/b]\*CosIntegral[(3\*(a + b\*ArcSin[c\*x]))/b])/(16\*b^2) - (5\*Cos[(5\*a)/b]\*CosIntegral[(5\*(a + b\*ArcSin[c\*x]))/b])/(16\*b^2) - (25\*Sin[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(8\*b^2) - (25\*Sin[(3\*a)/b]\*SinIntegral[(3\*(a + b\*ArcSin[c\*x]))/b])/(16\*b^2) - (5\*Sin[(5\*a)/b]\*SinIntegral[(5\*(a + b\*ArcSin[c\*x]))/b])/(16\*b^2) - Unintegrable[(1 - c^2\*x^2)^2/(x^2\*(a + b\*ArcSin[c\*x])), x]/(b\*c)

**Rubi [A]** time = 0.53435, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(1-c^2x^2)^{5/2}}{x(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(1 - c^2\*x^2)^(5/2)/(x\*(a + b\*ArcSin[c\*x])^2), x]

[Out] -((1 - c^2\*x^2)^3/(b\*c\*x\*(a + b\*ArcSin[c\*x]))) - (25\*Cos[a/b]\*CosIntegral[a/b + ArcSin[c\*x]])/(8\*b^2) - (25\*Cos[(3\*a)/b]\*CosIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(16\*b^2) - (5\*Cos[(5\*a)/b]\*CosIntegral[(5\*a)/b + 5\*ArcSin[c\*x]])/(16\*b^2) - (25\*Sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(8\*b^2) - (25\*Sin[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(16\*b^2) - (5\*Sin[(5\*a)/b]\*SinIntegral[(5\*a)/b + 5\*ArcSin[c\*x]])/(16\*b^2) - Defer[Int][(1 - c^2\*x^2)^2/(x^2\*(a + b\*ArcSin[c\*x])), x]/(b\*c)

Rubi steps

$$\begin{aligned}
\int \frac{(1-c^2x^2)^{5/2}}{x(a+b\sin^{-1}(cx))^2} dx &= -\frac{(1-c^2x^2)^3}{bcx(a+b\sin^{-1}(cx))} - \frac{\int \frac{(1-c^2x^2)^2}{x^2(a+b\sin^{-1}(cx))} dx}{bc} - \frac{(5c) \int \frac{(1-c^2x^2)^2}{a+b\sin^{-1}(cx)} dx}{b} \\
&= -\frac{(1-c^2x^2)^3}{bcx(a+b\sin^{-1}(cx))} - \frac{5 \operatorname{Subst}\left(\int \frac{\cos^5(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{b} - \frac{\int \frac{(1-c^2x^2)^2}{x^2(a+b\sin^{-1}(cx))} dx}{bc} \\
&= -\frac{(1-c^2x^2)^3}{bcx(a+b\sin^{-1}(cx))} - \frac{5 \operatorname{Subst}\left(\int \left(\frac{5\cos(x)}{8(a+bx)} + \frac{5\cos(3x)}{16(a+bx)} + \frac{\cos(5x)}{16(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{b} - \frac{\int \frac{(1-c^2x^2)^2}{x^2(a+b\sin^{-1}(cx))} dx}{bc} \\
&= -\frac{(1-c^2x^2)^3}{bcx(a+b\sin^{-1}(cx))} - \frac{5 \operatorname{Subst}\left(\int \frac{\cos(5x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16b} - \frac{25 \operatorname{Subst}\left(\int \frac{\cos(3x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16b} - \frac{\int \frac{(1-c^2x^2)^2}{x^2(a+b\sin^{-1}(cx))} dx}{bc} \\
&= -\frac{(1-c^2x^2)^3}{bcx(a+b\sin^{-1}(cx))} - \frac{\int \frac{(1-c^2x^2)^2}{x^2(a+b\sin^{-1}(cx))} dx}{bc} - \frac{(25\cos\left(\frac{a}{b}\right)) \operatorname{Subst}\left(\int \frac{\cos\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8b} \\
&= -\frac{(1-c^2x^2)^3}{bcx(a+b\sin^{-1}(cx))} - \frac{25\cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{8b^2} - \frac{25\cos\left(\frac{3a}{b}\right) \operatorname{Ci}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{16b^2} - \frac{\int \frac{(1-c^2x^2)^2}{x^2(a+b\sin^{-1}(cx))} dx}{bc}
\end{aligned}$$

**Mathematica [A]** time = 12.7212, size = 0, normalized size = 0.

$$\int \frac{(1-c^2x^2)^{5/2}}{x(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 - c^2\*x^2)^(5/2)/(x\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[(1 - c^2\*x^2)^(5/2)/(x\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.424, size = 0, normalized size = 0.

$$\int \frac{1}{x(a+b\arcsin(cx))^2} (-c^2x^2+1)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*x^2+1)^(5/2)/x/(a+b*arcsin(c*x))^2,x)`

[Out] `int((-c^2*x^2+1)^(5/2)/x/(a+b*arcsin(c*x))^2,x)`

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(5/2)/x/(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(c^4x^4 - 2c^2x^2 + 1)\sqrt{-c^2x^2 + 1}}{b^2x \arcsin(cx)^2 + 2abx \arcsin(cx) + a^2x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*x^2+1)^(5/2)/x/(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

[Out] `integral((c^4*x^4 - 2*c^2*x^2 + 1)*sqrt(-c^2*x^2 + 1)/(b^2*x*arcsin(c*x)^2 + 2*a*b*x*arcsin(c*x) + a^2*x), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c**2*x**2+1)**(5/2)/x/(a+b*asin(c*x))**2,x)`



[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}}{(b \arcsin(cx) + a)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/x/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((-c^2\*x^2 + 1)^(5/2)/((b\*arcsin(c\*x) + a)^2\*x), x)

$$3.404 \quad \int \frac{(1-c^2x^2)^{5/2}}{x^2(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=104

$$-\frac{2\text{Unintegrable}\left(\frac{(1-c^2x^2)^2}{x^3(a+b\sin^{-1}(cx))}, x\right)}{bc} - \frac{4c\text{Unintegrable}\left(\frac{(1-c^2x^2)^2}{x(a+b\sin^{-1}(cx))}, x\right)}{b} - \frac{(1-c^2x^2)^3}{bcx^2(a+b\sin^{-1}(cx))}$$

[Out] -((1 - c^2\*x^2)^3/(b\*c\*x^2\*(a + b\*ArcSin[c\*x]))) - (2\*Unintegrable[(1 - c^2\*x^2)^2/(x^3\*(a + b\*ArcSin[c\*x])), x])/(b\*c) - (4\*c\*Unintegrable[(1 - c^2\*x^2)^2/(x\*(a + b\*ArcSin[c\*x])), x])/b

**Rubi [A]** time = 0.311626, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(1-c^2x^2)^{5/2}}{x^2(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(1 - c^2\*x^2)^(5/2)/(x^2\*(a + b\*ArcSin[c\*x])^2), x]

[Out] -((1 - c^2\*x^2)^3/(b\*c\*x^2\*(a + b\*ArcSin[c\*x]))) - (2\*Defer[Int][(1 - c^2\*x^2)^2/(x^3\*(a + b\*ArcSin[c\*x])), x])/(b\*c) - (4\*c\*Defer[Int][(1 - c^2\*x^2)^2/(x\*(a + b\*ArcSin[c\*x])), x])/b

Rubi steps

$$\int \frac{(1-c^2x^2)^{5/2}}{x^2(a+b\sin^{-1}(cx))^2} dx = -\frac{(1-c^2x^2)^3}{bcx^2(a+b\sin^{-1}(cx))} - \frac{2\int \frac{(1-c^2x^2)^2}{x^3(a+b\sin^{-1}(cx))} dx}{bc} - \frac{(4c)\int \frac{(1-c^2x^2)^2}{x(a+b\sin^{-1}(cx))} dx}{b}$$

**Mathematica [A]** time = 3.43973, size = 0, normalized size = 0.

$$\int \frac{(1 - c^2 x^2)^{5/2}}{x^2 (a + b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 - c^2\*x^2)^(5/2)/(x^2\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[(1 - c^2\*x^2)^(5/2)/(x^2\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.443, size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (a + b \arcsin(cx))^2} (-c^2 x^2 + 1)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(5/2)/x^2/(a+b\*arcsin(c\*x))^2,x)

[Out] int((-c^2\*x^2+1)^(5/2)/x^2/(a+b\*arcsin(c\*x))^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\frac{c^6 x^6 - 3c^4 x^4 + 3c^2 x^2 - 2 \left( b^2 c x^2 \arctan \left( cx, \sqrt{cx+1} \sqrt{-cx+1} \right) + abc x^2 \right) \int \frac{2c^6 x^6 - 3c^4 x^4 + 1}{b^2 c x^3 \arctan \left( cx, \sqrt{cx+1} \sqrt{-cx+1} \right) + abc x^3} dx - 1}{b^2 c x^2 \arctan \left( cx, \sqrt{cx+1} \sqrt{-cx+1} \right) + abc x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/x^2/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] (c^6\*x^6 - 3\*c^4\*x^4 + 3\*c^2\*x^2 - (b^2\*c\*x^2\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c\*x^2)\*integrate(2\*(2\*c^6\*x^6 - 3\*c^4\*x^4 + 1)/(b^2\*c\*x^3\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c\*x^3), x) - 1)/(b^2\*c\*x^2\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c\*x^2)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(c^4x^4 - 2c^2x^2 + 1)\sqrt{-c^2x^2 + 1}}{b^2x^2 \arcsin(cx)^2 + 2abx^2 \arcsin(cx) + a^2x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/x^2/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((c^4\*x^4 - 2\*c^2\*x^2 + 1)\*sqrt(-c^2\*x^2 + 1)/(b^2\*x^2\*arcsin(c\*x)^2 + 2\*a\*b\*x^2\*arcsin(c\*x) + a^2\*x^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(5/2)/x\*\*2/(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}}{(b \arcsin(cx) + a)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/x^2/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((-c^2\*x^2 + 1)^(5/2)/((b\*arcsin(c\*x) + a)^2\*x^2), x)

$$3.405 \quad \int \frac{(1-c^2x^2)^{5/2}}{x^3(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{(1-c^2x^2)^{5/2}}{x^3(a+b\sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[(1 - c^2\*x^2)^(5/2)/(x^3\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.139929, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(1-c^2x^2)^{5/2}}{x^3(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(1 - c^2\*x^2)^(5/2)/(x^3\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int] [(1 - c^2\*x^2)^(5/2)/(x^3\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{(1-c^2x^2)^{5/2}}{x^3(a+b\sin^{-1}(cx))^2} dx = \int \frac{(1-c^2x^2)^{5/2}}{x^3(a+b\sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 15.979, size = 0, normalized size = 0.

$$\int \frac{(1-c^2x^2)^{5/2}}{x^3(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 - c^2\*x^2)^(5/2)/(x^3\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[(1 - c^2\*x^2)^(5/2)/(x^3\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 3.508, size = 0, normalized size = 0.

$$\int \frac{1}{x^3 (a + b \arcsin(cx))^2} (-c^2x^2 + 1)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(5/2)/x^3/(a+b\*arcsin(c\*x))^2,x)

[Out] int((-c^2\*x^2+1)^(5/2)/x^3/(a+b\*arcsin(c\*x))^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\frac{c^6x^6 - 3c^4x^4 + 3c^2x^2 - 3(b^2cx^3 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abcx^3) \int \frac{c^6x^6 - c^4x^4 - c^2x^2 + 1}{b^2cx^4 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abcx^4} dx - 1}{b^2cx^3 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abcx^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/x^3/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] (c^6\*x^6 - 3\*c^4\*x^4 + 3\*c^2\*x^2 - (b^2\*c\*x^3\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^3)\*integrate(3\*(c^6\*x^6 - c^4\*x^4 - c^2\*x^2 + 1)/(b^2\*c\*x^4\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^4), x) - 1)/(b^2\*c\*x^3\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^3)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(c^4x^4 - 2c^2x^2 + 1)\sqrt{-c^2x^2 + 1}}{b^2x^3 \arcsin(cx)^2 + 2abx^3 \arcsin(cx) + a^2x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/x^3/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((c^4\*x^4 - 2\*c^2\*x^2 + 1)\*sqrt(-c^2\*x^2 + 1)/(b^2\*x^3\*arcsin(c\*x)^2 + 2\*a\*b\*x^3\*arcsin(c\*x) + a^2\*x^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(5/2)/x\*\*3/(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}}{(b \arcsin(cx) + a)^2 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/x^3/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((-c^2\*x^2 + 1)^(5/2)/((b\*arcsin(c\*x) + a)^2\*x^3), x)

$$3.406 \quad \int \frac{(1-c^2x^2)^{5/2}}{x^4(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{(1-c^2x^2)^{5/2}}{x^4(a+b\sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[(1 - c^2\*x^2)^(5/2)/(x^4\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.138433, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(1-c^2x^2)^{5/2}}{x^4(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(1 - c^2\*x^2)^(5/2)/(x^4\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int] [(1 - c^2\*x^2)^(5/2)/(x^4\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{(1-c^2x^2)^{5/2}}{x^4(a+b\sin^{-1}(cx))^2} dx = \int \frac{(1-c^2x^2)^{5/2}}{x^4(a+b\sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 3.14644, size = 0, normalized size = 0.

$$\int \frac{(1-c^2x^2)^{5/2}}{x^4(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.



[In] Integrate[(1 - c^2\*x^2)^(5/2)/(x^4\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[(1 - c^2\*x^2)^(5/2)/(x^4\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 5.251, size = 0, normalized size = 0.

$$\int \frac{1}{x^4 (a + b \arcsin(cx))^2} (-c^2x^2 + 1)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*x^2+1)^(5/2)/x^4/(a+b\*arcsin(c\*x))^2,x)

[Out] int((-c^2\*x^2+1)^(5/2)/x^4/(a+b\*arcsin(c\*x))^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\frac{c^6x^6 - 3c^4x^4 + 3c^2x^2 - 2\left(b^2cx^4 \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abcx^4\right) \int \frac{c^6x^6 - 3c^2x^2 + 2}{b^2cx^5 \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abcx^5} dx - 1}{b^2cx^4 \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abcx^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/x^4/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] (c^6\*x^6 - 3\*c^4\*x^4 + 3\*c^2\*x^2 - (b^2\*c\*x^4\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c\*x^4)\*integrate(2\*(c^6\*x^6 - 3\*c^2\*x^2 + 2)/(b^2\*c\*x^5\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c\*x^5), x) - 1)/(b^2\*c\*x^4\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c\*x^4)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(c^4x^4 - 2c^2x^2 + 1)\sqrt{-c^2x^2 + 1}}{b^2x^4 \arcsin(cx)^2 + 2abx^4 \arcsin(cx) + a^2x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/x^4/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((c^4\*x^4 - 2\*c^2\*x^2 + 1)\*sqrt(-c^2\*x^2 + 1)/(b^2\*x^4\*arcsin(c\*x)^2 + 2\*a\*b\*x^4\*arcsin(c\*x) + a^2\*x^4), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*x\*\*2+1)\*\*(5/2)/x\*\*4/(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2x^2 + 1)^{\frac{5}{2}}}{(b \arcsin(cx) + a)^2 x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*x^2+1)^(5/2)/x^4/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((-c^2\*x^2 + 1)^(5/2)/((b\*arcsin(c\*x) + a)^2\*x^4), x)

$$3.407 \quad \int \frac{x^m}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=48

$$\frac{m \text{Unintegrable}\left(\frac{x^{m-1}}{a+b\sin^{-1}(cx)}, x\right)}{bc} - \frac{x^m}{bc(a+b\sin^{-1}(cx))}$$

[Out]  $-(x^m/(b*c*(a + b*ArcSin[c*x]))) + (m*Unintegrable[x^{(-1 + m)/(a + b*ArcSin[c*x]), x}]/(b*c)$

**Rubi [A]** time = 0.1625, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}[x^m/(\text{Sqrt}[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2), x]$

[Out]  $-(x^m/(b*c*(a + b*ArcSin[c*x]))) + (m*Defer[\text{Int}][x^{(-1 + m)/(a + b*ArcSin[c*x]), x}]/(b*c)$

Rubi steps

$$\int \frac{x^m}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx = -\frac{x^m}{bc(a+b\sin^{-1}(cx))} + \frac{m \int \frac{x^{-1+m}}{a+b\sin^{-1}(cx)} dx}{bc}$$

**Mathematica [A]** time = 0.596942, size = 0, normalized size = 0.

$$\int \frac{x^m}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[x^m/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.233, size = 0, normalized size = 0.

$$\int \frac{x^m}{(a + b \arcsin(cx))^2 \sqrt{-c^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2), x)

[Out] int(x^m/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2), x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$-x^m + \frac{(b^2cm \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abcm) \int \frac{x^m}{(b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a)x} dx}{bc}$$

$$\frac{b^2c \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abc}{b^2c \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2), x, algorithm="maxima")

[Out] ((b^2\*c\*m\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*m)\*integrate(x^m/(b^2\*c\*x\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x), x) - x^m)/(b^2\*c\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2 + 1}x^m}{a^2c^2x^2 + (b^2c^2x^2 - b^2)\arcsin(cx)^2 - a^2 + 2(abc^2x^2 - ab)\arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>m</sup>/(a+b\*arcsin(c\*x))<sup>2</sup>/(-c<sup>2</sup>\*x<sup>2</sup>+1)<sup>(1/2)</sup>,x, algorithm="fricas")

[Out] integral(-sqrt(-c<sup>2</sup>\*x<sup>2</sup> + 1)\*x<sup>m</sup>/(a<sup>2</sup>\*c<sup>2</sup>\*x<sup>2</sup> + (b<sup>2</sup>\*c<sup>2</sup>\*x<sup>2</sup> - b<sup>2</sup>)\*arcsin(c\*x)<sup>2</sup> - a<sup>2</sup> + 2\*(a\*b\*c<sup>2</sup>\*x<sup>2</sup> - a\*b)\*arcsin(c\*x)), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m}{\sqrt{-(cx-1)(cx+1)}(a+b\operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m/(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x\*\*m/(sqrt(-(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))\*\*2), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m}{\sqrt{-c^2x^2+1}(b\operatorname{arcsin}(cx)+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>m</sup>/(a+b\*arcsin(c\*x))<sup>2</sup>/(-c<sup>2</sup>\*x<sup>2</sup>+1)<sup>(1/2)</sup>,x, algorithm="giac")

[Out] integrate(x<sup>m</sup>/(sqrt(-c<sup>2</sup>\*x<sup>2</sup> + 1)\*(b\*arcsin(c\*x) + a)<sup>2</sup>), x)

$$3.408 \quad \int \frac{x^5}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=204

$$\frac{5 \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{8b^2c^6} - \frac{15 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{16b^2c^6} + \frac{5 \cos\left(\frac{5a}{b}\right) \text{CosIntegral}\left(\frac{5(a+b\sin^{-1}(cx))}{b}\right)}{16b^2c^6}$$

[Out]  $-(x^5/(b*c*(a + b*ArcSin[c*x]))) + (5*Cos[a/b]*CosIntegral[(a + b*ArcSin[c*x])/b])/(8*b^2*c^6) - (15*Cos[(3*a)/b]*CosIntegral[(3*(a + b*ArcSin[c*x]))/b])/(16*b^2*c^6) + (5*Cos[(5*a)/b]*CosIntegral[(5*(a + b*ArcSin[c*x]))/b])/(16*b^2*c^6) + (5*Sin[a/b]*SinIntegral[(a + b*ArcSin[c*x])/b])/(8*b^2*c^6) - (15*Sin[(3*a)/b]*SinIntegral[(3*(a + b*ArcSin[c*x]))/b])/(16*b^2*c^6) + (5*Sin[(5*a)/b]*SinIntegral[(5*(a + b*ArcSin[c*x]))/b])/(16*b^2*c^6)$

**Rubi [A]** time = 0.440519, antiderivative size = 200, normalized size of antiderivative = 0.98, number of steps used = 13, number of rules used = 6, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {4719, 4635, 4406, 3303, 3299, 3302}

$$\frac{5 \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{8b^2c^6} - \frac{15 \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3\sin^{-1}(cx)\right)}{16b^2c^6} + \frac{5 \cos\left(\frac{5a}{b}\right) \text{CosIntegral}\left(\frac{5a}{b} + 5\sin^{-1}(cx)\right)}{16b^2c^6}$$

Antiderivative was successfully verified.

[In] Int[x^5/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

[Out]  $-(x^5/(b*c*(a + b*ArcSin[c*x]))) + (5*Cos[a/b]*CosIntegral[a/b + ArcSin[c*x]])/(8*b^2*c^6) - (15*Cos[(3*a)/b]*CosIntegral[(3*a)/b + 3*ArcSin[c*x]])/(16*b^2*c^6) + (5*Cos[(5*a)/b]*CosIntegral[(5*a)/b + 5*ArcSin[c*x]])/(16*b^2*c^6) + (5*Sin[a/b]*SinIntegral[a/b + ArcSin[c*x]])/(8*b^2*c^6) - (15*Sin[(3*a)/b]*SinIntegral[(3*a)/b + 3*ArcSin[c*x]])/(16*b^2*c^6) + (5*Sin[(5*a)/b]*SinIntegral[(5*a)/b + 5*ArcSin[c*x]])/(16*b^2*c^6)$

### Rule 4719

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n)\*((f\_.)\*(x\_))^m/Sqrt[(d\_ + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^m\*(a + b\*ArcSin[c\*x])^(n + 1))/(b\*c\*Sqrt[d]\*(n + 1)), x] - Dist[(f\*m)/(b\*c\*Sqrt[d]\*(n + 1)), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] &

& EqQ[c^2\*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]

### Rule 4635

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

### Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^n\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{x^5}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx &= -\frac{x^5}{bc(a+b\sin^{-1}(cx))} + \frac{5 \int \frac{x^4}{a+b\sin^{-1}(cx)} dx}{bc} \\
&= -\frac{x^5}{bc(a+b\sin^{-1}(cx))} + \frac{5 \operatorname{Subst}\left(\int \frac{\cos(x)\sin^4(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^6} \\
&= -\frac{x^5}{bc(a+b\sin^{-1}(cx))} + \frac{5 \operatorname{Subst}\left(\int \left(\frac{\cos(x)}{8(a+bx)} - \frac{3\cos(3x)}{16(a+bx)} + \frac{\cos(5x)}{16(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc^6} \\
&= -\frac{x^5}{bc(a+b\sin^{-1}(cx))} + \frac{5 \operatorname{Subst}\left(\int \frac{\cos(5x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{16bc^6} + \frac{5 \operatorname{Subst}\left(\int \frac{\cos(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{8bc^6} \\
&= -\frac{x^5}{bc(a+b\sin^{-1}(cx))} + \frac{(5 \cos\left(\frac{a}{b}\right) \operatorname{Subst}\left(\int \frac{\cos\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right))}{8bc^6} - \frac{(15 \cos\left(\frac{3a}{b}\right) \operatorname{Subst}\left(\int \frac{\cos\left(\frac{3a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right))}{16b^2c^6} \\
&= -\frac{x^5}{bc(a+b\sin^{-1}(cx))} + \frac{5 \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{8b^2c^6} - \frac{15 \cos\left(\frac{3a}{b}\right) \operatorname{Ci}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{16b^2c^6}
\end{aligned}$$

**Mathematica [A]** time = 0.344645, size = 157, normalized size = 0.77

$$\frac{5 \left( 2 \cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) - 3 \cos\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \cos\left(\frac{5a}{b}\right) \operatorname{CosIntegral}\left(5\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) \right)}{16b^2c^6}$$

Antiderivative was successfully verified.

[In] Integrate[x^5/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

[Out]  $-\frac{x^5}{bc(a+b\sin^{-1}(cx))} + \frac{5(2\cos[a/b]\operatorname{CosIntegral}[a/b + \operatorname{ArcSin}[cx]] - 3\cos[(3a)/b]\operatorname{CosIntegral}[3(a/b + \operatorname{ArcSin}[cx])] + \cos[(5a)/b]\operatorname{CosIntegral}[5(a/b + \operatorname{ArcSin}[cx])] + 2\sin[a/b]\operatorname{SinIntegral}[a/b + \operatorname{ArcSin}[cx]] - 3\sin[(3a)/b]\operatorname{SinIntegral}[3(a/b + \operatorname{ArcSin}[cx])] + \sin[(5a)/b]\operatorname{SinIntegral}[5(a/b + \operatorname{ArcSin}[cx])])}{16b^2c^6}$

**Maple [A]** time = 0.054, size = 341, normalized size = 1.7

$$\frac{1}{16c^6(a+b\arcsin(cx))b^2} \left( 5 \arcsin(cx) \operatorname{Ci}\left(5 \arcsin(cx) + 5 \frac{a}{b}\right) \cos\left(5 \frac{a}{b}\right) b - 15 \arcsin(cx) \operatorname{Si}\left(3 \arcsin(cx) + 3 \frac{a}{b}\right) \sin\left(3 \frac{a}{b}\right) b \right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5/(a+b*arcsin(c*x))^2/(-c^2*x^2+1)^(1/2),x)`

[Out] 
$$\frac{1}{16c^6} \left( 5 \arcsin(cx) \operatorname{Ci}(5 \arcsin(cx) + 5a/b) \cos(5a/b) b - 15 \arcsin(cx) \operatorname{Si}(3 \arcsin(cx) + 3a/b) \sin(3a/b) b - 15 \arcsin(cx) \operatorname{Ci}(3 \arcsin(cx) + 3a/b) \cos(3a/b) b + 10 \arcsin(cx) \operatorname{Si}(\arcsin(cx) + a/b) \sin(a/b) b + 10 \arcsin(cx) \operatorname{Ci}(\arcsin(cx) + a/b) \cos(a/b) b + 5 \arcsin(cx) \sin(5a/b) \operatorname{Si}(5 \arcsin(cx) + 5a/b) b + 5 \operatorname{Ci}(5 \arcsin(cx) + 5a/b) \cos(5a/b) a - 15 \operatorname{Si}(3 \arcsin(cx) + 3a/b) \sin(3a/b) a - 15 \operatorname{Ci}(3 \arcsin(cx) + 3a/b) \cos(3a/b) a + 10 \operatorname{Si}(\arcsin(cx) + a/b) \sin(a/b) a + 10 \operatorname{Ci}(\arcsin(cx) + a/b) \cos(a/b) a + 5 \sin(5a/b) \operatorname{Si}(5 \arcsin(cx) + 5a/b) a - 10 x b c + 5 \sin(3 \arcsin(cx)) b - \sin(5 \arcsin(cx)) b \right) / (a + b \arcsin(cx)) / b^2$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$x^5 - \frac{5(b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc) \int \frac{x^4}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a} dx}{bc}$$

$$\frac{b^2c \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + abc}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5/(a+b*arcsin(c*x))^2/(-c^2*x^2+1)^(1/2),x, algorithm="maxima")`

[Out] 
$$-\frac{(x^5 - 5(b^2c \arctan2(cx, \sqrt{cx+1})\sqrt{-cx+1}) + a*b*c) \operatorname{integrate}(x^4/(b^2c \arctan2(cx, \sqrt{cx+1})\sqrt{-cx+1}) + a*b*c), x)}{b^2c \arctan2(cx, \sqrt{cx+1})\sqrt{-cx+1} + a*b*c}$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{\sqrt{-c^2x^2+1}x^5}{a^2c^2x^2 + (b^2c^2x^2 - b^2) \arcsin(cx)^2 - a^2 + 2(abc^2x^2 - ab) \arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5/(a+b*arcsin(c*x))^2/(-c^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out]  $\int (-\sqrt{-c^2x^2 + 1})x^5/(a^2c^2x^2 + (b^2c^2x^2 - b^2)\arcsin(cx)^2 - a^2 + 2(a*b*c^2x^2 - a*b)\arcsin(cx)) dx$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^5}{\sqrt{-(cx-1)(cx+1)}(a+b\operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5/(a+b*asin(c*x))**2/(-c**2*x**2+1)**(1/2),x)`

[Out] `Integral(x**5/(sqrt(-(c*x - 1)*(c*x + 1))*(a + b*asin(c*x))**2), x)`

**Giac [B]** time = 1.64913, size = 1725, normalized size = 8.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5/(a+b*arcsin(c*x))^2/(-c^2*x^2+1)^(1/2),x, algorithm="giac")`

[Out]  $5*b*\arcsin(c*x)*\cos(a/b)^5*\cos\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^6*\arcsin(c*x) + a*b^2*c^6) + 5*b*\arcsin(c*x)*\cos(a/b)^4*\sin(a/b)*\sin\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^6*\arcsin(c*x) + a*b^2*c^6) + 5*a*\cos(a/b)^5*\cos\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^6*\arcsin(c*x) + a*b^2*c^6) + 5*a*\cos(a/b)^4*\sin(a/b)*\sin\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^6*\arcsin(c*x) + a*b^2*c^6) - 25/4*b*\arcsin(c*x)*\cos(a/b)^3*\cos\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^6*\arcsin(c*x) + a*b^2*c^6) - 15/4*b*\arcsin(c*x)*\cos(a/b)^3*\cos\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^6*\arcsin(c*x) + a*b^2*c^6) - 15/4*b*\arcsin(c*x)*\cos(a/b)^2*\sin(a/b)*\sin\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^6*\arcsin(c*x) + a*b^2*c^6) - 15/4*b*\arcsin(c*x)*\cos(a/b)^2*\sin(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^6*\arcsin(c*x) + a*b^2*c^6) - (c^2*x^2 - 1)^2*b*c*x/(b^3*c^6*\arcsin(c*x) + a*b^2*c^6) - 25/4*a*\cos(a/b)^3*\cos\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^6*\arcsin(c*x) + a*b^2*c^6) - 15/4*a*\cos(a/b)^3*\cos\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^6*\arcsin(c*x) + a*b^2*c^6) - 15/4*a*\cos(a/b)^2*\sin(a/b)*\sin\_integral(5*a/b + 5*\arcsin(c*x))/(b^3*c^6*\arcsin(c*x) + a*b^2*c^6) - 15/4*a*\cos(a/b)^2*\sin(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^6*\arcsin(c*x) + a*b^2*c^6) - 2*(c^2*x^2 - 1)*b*c*x/($

$$\begin{aligned}
& b^3 c^6 \arcsin(cx) + a b^2 c^6 + 25/16 b \arcsin(cx) \cos(a/b) \cos_{\text{integral}}(5a/b + 5 \arcsin(cx)) / (b^3 c^6 \arcsin(cx) + a b^2 c^6) \\
& + 45/16 b \arcsin(cx) \cos(a/b) \cos_{\text{integral}}(3a/b + 3 \arcsin(cx)) / (b^3 c^6 \arcsin(cx) + a b^2 c^6) \\
& + 5/8 b \arcsin(cx) \cos(a/b) \cos_{\text{integral}}(a/b + \arcsin(cx)) / (b^3 c^6 \arcsin(cx) + a b^2 c^6) \\
& + 5/16 b \arcsin(cx) \sin(a/b) \sin_{\text{integral}}(5a/b + 5 \arcsin(cx)) / (b^3 c^6 \arcsin(cx) + a b^2 c^6) \\
& + 15/16 b \arcsin(cx) \sin(a/b) \sin_{\text{integral}}(3a/b + 3 \arcsin(cx)) / (b^3 c^6 \arcsin(cx) + a b^2 c^6) \\
& + 5/8 b \arcsin(cx) \sin(a/b) \sin_{\text{integral}}(a/b + \arcsin(cx)) / (b^3 c^6 \arcsin(cx) + a b^2 c^6) \\
& - b c x / (b^3 c^6 \arcsin(cx) + a b^2 c^6) + 25/16 a \cos(a/b) \cos_{\text{integral}}(5a/b + 5 \arcsin(cx)) / (b^3 c^6 \arcsin(cx) + a b^2 c^6) \\
& + 45/16 a \cos(a/b) \cos_{\text{integral}}(3a/b + 3 \arcsin(cx)) / (b^3 c^6 \arcsin(cx) + a b^2 c^6) \\
& + 5/8 a \cos(a/b) \cos_{\text{integral}}(a/b + \arcsin(cx)) / (b^3 c^6 \arcsin(cx) + a b^2 c^6) \\
& + 5/16 a \sin(a/b) \sin_{\text{integral}}(5a/b + 5 \arcsin(cx)) / (b^3 c^6 \arcsin(cx) + a b^2 c^6) \\
& + 15/16 a \sin(a/b) \sin_{\text{integral}}(3a/b + 3 \arcsin(cx)) / (b^3 c^6 \arcsin(cx) + a b^2 c^6) \\
& + 5/8 a \sin(a/b) \sin_{\text{integral}}(a/b + \arcsin(cx)) / (b^3 c^6 \arcsin(cx) + a b^2 c^6)
\end{aligned}$$

$$3.409 \quad \int \frac{x^4}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=141

$$-\frac{\sin\left(\frac{2a}{b}\right)\text{CosIntegral}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{b^2c^5} + \frac{\sin\left(\frac{4a}{b}\right)\text{CosIntegral}\left(\frac{4(a+b\sin^{-1}(cx))}{b}\right)}{2b^2c^5} + \frac{\cos\left(\frac{2a}{b}\right)\text{Si}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{b^2c^5} - \frac{\cos\left(\frac{4a}{b}\right)\text{Si}\left(\frac{4(a+b\sin^{-1}(cx))}{b}\right)}{2b^2c^5}$$

[Out]  $-(x^4/(b*c*(a + b*ArcSin[c*x]))) - (\text{CosIntegral}[(2*(a + b*ArcSin[c*x]))/b]*\text{Sin}[(2*a)/b])/(b^2*c^5) + (\text{CosIntegral}[(4*(a + b*ArcSin[c*x]))/b]*\text{Sin}[(4*a)/b])/(2*b^2*c^5) + (\text{Cos}[(2*a)/b]*\text{SinIntegral}[(2*(a + b*ArcSin[c*x]))/b])/(b^2*c^5) - (\text{Cos}[(4*a)/b]*\text{SinIntegral}[(4*(a + b*ArcSin[c*x]))/b])/(2*b^2*c^5)$

**Rubi [A]** time = 0.3586, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {4719, 4635, 4406, 3303, 3299, 3302}

$$-\frac{\sin\left(\frac{2a}{b}\right)\text{CosIntegral}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{b^2c^5} + \frac{\sin\left(\frac{4a}{b}\right)\text{CosIntegral}\left(\frac{4a}{b} + 4\sin^{-1}(cx)\right)}{2b^2c^5} + \frac{\cos\left(\frac{2a}{b}\right)\text{Si}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{b^2c^5} - \frac{\cos\left(\frac{4a}{b}\right)\text{Si}\left(\frac{4a}{b} + 4\sin^{-1}(cx)\right)}{2b^2c^5}$$

Antiderivative was successfully verified.

[In] Int[x^4/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

[Out]  $-(x^4/(b*c*(a + b*ArcSin[c*x]))) - (\text{CosIntegral}[(2*a)/b + 2*ArcSin[c*x]]*\text{Sin}[(2*a)/b])/(b^2*c^5) + (\text{CosIntegral}[(4*a)/b + 4*ArcSin[c*x]]*\text{Sin}[(4*a)/b])/(2*b^2*c^5) + (\text{Cos}[(2*a)/b]*\text{SinIntegral}[(2*a)/b + 2*ArcSin[c*x]])/(b^2*c^5) - (\text{Cos}[(4*a)/b]*\text{SinIntegral}[(4*a)/b + 4*ArcSin[c*x]])/(2*b^2*c^5)$

#### Rule 4719

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n)\*((f\_.)\*(x\_.))^m)/Sqrt[(d\_. + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[((f\*x)^m\*(a + b\*ArcSin[c\*x])^(n + 1))/(b\*c\*Sqrt[d]\*(n + 1)), x] - Dist[(f\*m)/(b\*c\*Sqrt[d]\*(n + 1)), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] & & EqQ[c^2\*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]

#### Rule 4635

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_*(x_)^m_., x_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x], x], x, ArcSin[c*x]], x]
/; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

### Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^m_.*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx &= -\frac{x^4}{bc(a+b\sin^{-1}(cx))} + \frac{4 \int \frac{x^3}{a+b\sin^{-1}(cx)} dx}{bc} \\
&= -\frac{x^4}{bc(a+b\sin^{-1}(cx))} + \frac{4 \operatorname{Subst}\left(\int \frac{\cos(x)\sin^3(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^5} \\
&= -\frac{x^4}{bc(a+b\sin^{-1}(cx))} + \frac{4 \operatorname{Subst}\left(\int \left(\frac{\sin(2x)}{4(a+bx)} - \frac{\sin(4x)}{8(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc^5} \\
&= -\frac{x^4}{bc(a+b\sin^{-1}(cx))} - \frac{\operatorname{Subst}\left(\int \frac{\sin(4x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{2bc^5} + \frac{\operatorname{Subst}\left(\int \frac{\sin(2x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^5} \\
&= -\frac{x^4}{bc(a+b\sin^{-1}(cx))} + \frac{\cos\left(\frac{2a}{b}\right) \operatorname{Subst}\left(\int \frac{\sin\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^5} - \frac{\cos\left(\frac{4a}{b}\right) \operatorname{Subst}\left(\int \frac{\sin\left(\frac{4a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^5} \\
&= -\frac{x^4}{bc(a+b\sin^{-1}(cx))} - \frac{\operatorname{Ci}\left(\frac{2a}{b}+2\sin^{-1}(cx)\right) \sin\left(\frac{2a}{b}\right)}{b^2c^5} + \frac{\operatorname{Ci}\left(\frac{4a}{b}+4\sin^{-1}(cx)\right) \sin\left(\frac{4a}{b}\right)}{2b^2c^5}
\end{aligned}$$

**Mathematica [A]** time = 0.300736, size = 117, normalized size = 0.83

$$\frac{-\frac{2bc^4x^4}{a+b\sin^{-1}(cx)} - 2\sin\left(\frac{2a}{b}\right)\operatorname{CosIntegral}\left(2\left(\frac{a}{b}+\sin^{-1}(cx)\right)\right) + \sin\left(\frac{4a}{b}\right)\operatorname{CosIntegral}\left(4\left(\frac{a}{b}+\sin^{-1}(cx)\right)\right) + 2\cos\left(\frac{2a}{b}\right)\operatorname{Si}\left(2\left(\frac{a}{b}+\sin^{-1}(cx)\right)\right) - \cos\left(\frac{4a}{b}\right)\operatorname{Si}\left(4\left(\frac{a}{b}+\sin^{-1}(cx)\right)\right)}{2b^2c^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

[Out]  $\left(\frac{-2bc^4x^4}{a+b\operatorname{ArcSin}[cx]} - 2\operatorname{CosIntegral}\left[2\left(\frac{a}{b}+\operatorname{ArcSin}[cx]\right)\right]\right)\operatorname{Sin}\left[\frac{2a}{b}\right] + \operatorname{CosIntegral}\left[4\left(\frac{a}{b}+\operatorname{ArcSin}[cx]\right)\right]\operatorname{Sin}\left[\frac{4a}{b}\right] + 2\operatorname{Cos}\left[\frac{2a}{b}\right]\operatorname{Si}\left[2\left(\frac{a}{b}+\operatorname{ArcSin}[cx]\right)\right] - \operatorname{Cos}\left[\frac{4a}{b}\right]\operatorname{Si}\left[4\left(\frac{a}{b}+\operatorname{ArcSin}[cx]\right)\right]\right)/(2b^2c^5)$

**Maple [A]** time = 0.05, size = 250, normalized size = 1.8

$$-\frac{1}{8b^2c^5(a+b\arcsin(cx))}\left(4\arcsin(cx)\operatorname{Si}\left(4\arcsin(cx)+4\frac{a}{b}\right)\cos\left(4\frac{a}{b}\right)b-4\arcsin(cx)\operatorname{Ci}\left(4\arcsin(cx)+4\frac{a}{b}\right)\sin\left(4\frac{a}{b}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4/(a+b*arcsin(c*x))^2/(-c^2*x^2+1)^(1/2),x)`

[Out] 
$$-1/8/c^5*(4*\arcsin(c*x)*\text{Si}(4*\arcsin(c*x)+4*a/b)*\cos(4*a/b)*b-4*\arcsin(c*x)*\text{Ci}(4*\arcsin(c*x)+4*a/b)*\sin(4*a/b)*b-8*\arcsin(c*x)*\text{Si}(2*\arcsin(c*x)+2*a/b)*\cos(2*a/b)*b+8*\arcsin(c*x)*\text{Ci}(2*\arcsin(c*x)+2*a/b)*\sin(2*a/b)*b+4*\text{Si}(4*\arcsin(c*x)+4*a/b)*\cos(4*a/b)*a-4*\text{Ci}(4*\arcsin(c*x)+4*a/b)*\sin(4*a/b)*a-8*\text{Si}(2*\arcsin(c*x)+2*a/b)*\cos(2*a/b)*a+8*\text{Ci}(2*\arcsin(c*x)+2*a/b)*\sin(2*a/b)*a+\cos(4*\arcsin(c*x))*b-4*\cos(2*\arcsin(c*x))*b+3*b)/b^2/(a+b*\arcsin(c*x))$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$x^4 - \frac{4(b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc) \int \frac{x^3}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a} dx}{\frac{bc}{b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/(a+b*arcsin(c*x))^2/(-c^2*x^2+1)^(1/2),x, algorithm="maxima")`

[Out] 
$$-(x^4 - 4*(b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c)*\text{integrate}(x^3/(b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c), x)/(b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2 + 1}x^4}{a^2c^2x^2 + (b^2c^2x^2 - b^2)\arcsin(cx)^2 - a^2 + 2(abc^2x^2 - ab)\arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/(a+b*arcsin(c*x))^2/(-c^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out] 
$$\text{integral}(-\sqrt{-c^2*x^2 + 1}*x^4/(a^2*c^2*x^2 + (b^2*c^2*x^2 - b^2)*\arcsin(c*x)^2 - a^2 + 2*(a*b*c^2*x^2 - a*b)*\arcsin(c*x)), x)$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4}{\sqrt{-(cx-1)(cx+1)}(a+b\sin(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x\*\*4/(sqrt(-(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))\*\*2), x)

**Giac [B]** time = 1.56872, size = 1183, normalized size = 8.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out]  $4*b*\arcsin(c*x)*\cos(a/b)^3*\cos\_integral(4*a/b + 4*\arcsin(c*x))*\sin(a/b)/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) - 4*b*\arcsin(c*x)*\cos(a/b)^4*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) + 4*a*\cos(a/b)^3*\cos\_integral(4*a/b + 4*\arcsin(c*x))*\sin(a/b)/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) - 4*a*\cos(a/b)^4*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) - 2*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(4*a/b + 4*\arcsin(c*x))*\sin(a/b)/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) - 2*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(2*a/b + 2*\arcsin(c*x))*\sin(a/b)/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) + 4*b*\arcsin(c*x)*\cos(a/b)^2*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) + 2*b*\arcsin(c*x)*\cos(a/b)^2*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) - 2*a*\cos(a/b)*\cos\_integral(4*a/b + 4*\arcsin(c*x))*\sin(a/b)/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) - 2*a*\cos(a/b)*\cos\_integral(2*a/b + 2*\arcsin(c*x))*\sin(a/b)/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) + 4*a*\cos(a/b)^2*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) + 2*a*\cos(a/b)^2*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) - (c^2*x^2 - 1)^2*b/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) - 1/2*b*\arcsin(c*x)*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) - b*\arcsin(c*x)*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) - 2*(c^2*x^2 - 1)*b/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) - 1/2*a*\sin\_integral(4*a/b + 4*\arcsin(c*x))/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) - a*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5) - b/(b^3*c^5*\arcsin(c*x) + a*b^2*c^5)$



$$3.410 \quad \int \frac{x^3}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=142

$$\frac{3 \cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{4b^2c^4} - \frac{3 \cos\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{4b^2c^4} + \frac{3 \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{4b^2c^4} - \frac{3 \sin\left(\frac{3a}{b}\right) \operatorname{Si}\left(\frac{3(a+b\sin^{-1}(cx))}{b}\right)}{4b^2c^4}$$

[Out]  $-(x^3/(b*c*(a + b*ArcSin[c*x]))) + (3*Cos[a/b]*CosIntegral[(a + b*ArcSin[c*x])/b])/(4*b^2*c^4) - (3*Cos[(3*a)/b]*CosIntegral[(3*(a + b*ArcSin[c*x]))/b])/(4*b^2*c^4) + (3*Sin[a/b]*SinIntegral[(a + b*ArcSin[c*x])/b])/(4*b^2*c^4) - (3*Sin[(3*a)/b]*SinIntegral[(3*(a + b*ArcSin[c*x]))/b])/(4*b^2*c^4)$

**Rubi [A]** time = 0.340451, antiderivative size = 138, normalized size of antiderivative = 0.97, number of steps used = 10, number of rules used = 6, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {4719, 4635, 4406, 3303, 3299, 3302}

$$\frac{3 \cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4b^2c^4} - \frac{3 \cos\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{4b^2c^4} + \frac{3 \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4b^2c^4} - \frac{3 \sin\left(\frac{3a}{b}\right) \operatorname{Si}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{4b^2c^4}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x^3/(\operatorname{Sqrt}[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2), x]$

[Out]  $-(x^3/(b*c*(a + b*ArcSin[c*x]))) + (3*Cos[a/b]*CosIntegral[a/b + ArcSin[c*x]])/(4*b^2*c^4) - (3*Cos[(3*a)/b]*CosIntegral[(3*a)/b + 3*ArcSin[c*x]])/(4*b^2*c^4) + (3*Sin[a/b]*SinIntegral[a/b + ArcSin[c*x]])/(4*b^2*c^4) - (3*Sin[(3*a)/b]*SinIntegral[(3*a)/b + 3*ArcSin[c*x]])/(4*b^2*c^4)$

#### Rule 4719

$\operatorname{Int}[((a_.) + \operatorname{ArcSin}[(c_.)*(x_.)]*(b_.))^n*((f_.)*(x_.))^m/\operatorname{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \operatorname{Simp}[(f*x)^m*(a + b*ArcSin[c*x])^{n+1}/(b*c*\operatorname{Sqrt}[d]*(n+1)), x] - \operatorname{Dist}[(f*m)/(b*c*\operatorname{Sqrt}[d]*(n+1)), \operatorname{Int}[(f*x)^{m-1}*(a + b*ArcSin[c*x])^{n+1}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, m\}, x] \& \& \operatorname{EqQ}[c^2*d + e, 0] \& \& \operatorname{LtQ}[n, -1] \& \& \operatorname{GtQ}[d, 0]$

#### Rule 4635

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] :> Dist[1
/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x], x], x, ArcSin[c*x]], x]
/; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

#### Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

#### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

#### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{x^3}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx &= -\frac{x^3}{bc(a+b\sin^{-1}(cx))} + \frac{3 \int \frac{x^2}{a+b\sin^{-1}(cx)} dx}{bc} \\
&= -\frac{x^3}{bc(a+b\sin^{-1}(cx))} + \frac{3 \operatorname{Subst}\left(\int \frac{\cos(x)\sin^2(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^4} \\
&= -\frac{x^3}{bc(a+b\sin^{-1}(cx))} + \frac{3 \operatorname{Subst}\left(\int \left(\frac{\cos(x)}{4(a+bx)} - \frac{\cos(3x)}{4(a+bx)}\right) dx, x, \sin^{-1}(cx)\right)}{bc^4} \\
&= -\frac{x^3}{bc(a+b\sin^{-1}(cx))} + \frac{3 \operatorname{Subst}\left(\int \frac{\cos(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4bc^4} - \frac{3 \operatorname{Subst}\left(\int \frac{\cos(3x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4bc^4} \\
&= -\frac{x^3}{bc(a+b\sin^{-1}(cx))} + \frac{(3 \cos\left(\frac{a}{b}\right)) \operatorname{Subst}\left(\int \frac{\cos\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4bc^4} - \frac{(3 \cos\left(\frac{3a}{b}\right)) \operatorname{Subst}\left(\int \frac{\cos\left(\frac{3a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{4bc^4} \\
&= -\frac{x^3}{bc(a+b\sin^{-1}(cx))} + \frac{3 \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4b^2c^4} - \frac{3 \cos\left(\frac{3a}{b}\right) \operatorname{Ci}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{4b^2c^4}
\end{aligned}$$

**Mathematica [A]** time = 0.268754, size = 113, normalized size = 0.8

$$\frac{3 \left( \cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) - \cos\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right) - \sin\left(\frac{3a}{b}\right) \operatorname{Si}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) \right)}{4b^2c^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

[Out]  $-(x^3/(b*c*(a + b*ArcSin[c*x]))) + (3*(Cos[a/b]*CosIntegral[a/b + ArcSin[c*x]] - Cos[(3*a)/b]*CosIntegral[3*(a/b + ArcSin[c*x])] + Sin[a/b]*SinIntegral[a/b + ArcSin[c*x]] - Sin[(3*a)/b]*SinIntegral[3*(a/b + ArcSin[c*x])]))/(4*b^2*c^4)$

**Maple [A]** time = 0.046, size = 227, normalized size = 1.6

$$-\frac{1}{4c^4(a+b\arcsin(cx))b^2} \left( 3 \arcsin(cx) \operatorname{Si}\left(3 \arcsin(cx) + 3\frac{a}{b}\right) \sin\left(3\frac{a}{b}\right) b + 3 \arcsin(cx) \operatorname{Ci}\left(3 \arcsin(cx) + 3\frac{a}{b}\right) c \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/(a+b*arcsin(c*x))^2/(-c^2*x^2+1)^(1/2),x)`

[Out] 
$$-1/4/c^4*(3*arcsin(c*x)*Si(3*arcsin(c*x)+3*a/b)*sin(3*a/b)*b+3*arcsin(c*x)*Ci(3*arcsin(c*x)+3*a/b)*cos(3*a/b)*b-3*arcsin(c*x)*Si(arcsin(c*x)+a/b)*sin(a/b)*b-3*arcsin(c*x)*Ci(arcsin(c*x)+a/b)*cos(a/b)*b+3*Si(3*arcsin(c*x)+3*a/b)*sin(3*a/b)*a+3*Ci(3*arcsin(c*x)+3*a/b)*cos(3*a/b)*a-3*Si(arcsin(c*x)+a/b)*sin(a/b)*a-3*Ci(arcsin(c*x)+a/b)*cos(a/b)*a+3*x*b*c-sin(3*arcsin(c*x))*b)/(a+b*arcsin(c*x))/b^2$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$x^3 - \frac{3(b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc) \int \frac{x^2}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a} dx}{b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/(a+b*arcsin(c*x))^2/(-c^2*x^2+1)^(1/2),x, algorithm="maxima")`

[Out] 
$$-(x^3 - 3*(b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c)*integrate(x^2/(b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c), x)/(b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2+1}x^3}{a^2c^2x^2 + (b^2c^2x^2 - b^2)\arcsin(cx)^2 - a^2 + 2(abc^2x^2 - ab)\arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/(a+b*arcsin(c*x))^2/(-c^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out] 
$$\text{integral}(-\sqrt{-c^2*x^2 + 1}*x^3/(a^2*c^2*x^2 + (b^2*c^2*x^2 - b^2)*\arcsin(c*x)^2 - a^2 + 2*(a*b*c^2*x^2 - a*b)*\arcsin(c*x)), x)$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{\sqrt{-(cx-1)(cx+1)}(a+b\sin(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x\*\*3/(sqrt(-(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))\*\*2), x)

**Giac [B]** time = 1.55248, size = 859, normalized size = 6.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -3*b*\arcsin(c*x)*\cos(a/b)^3*\cos\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^4*\arcsin(c*x) + a*b^2*c^4) - 3*b*\arcsin(c*x)*\cos(a/b)^2*\sin(a/b)*\sin\_integral(3 \\ & *a/b + 3*\arcsin(c*x))/(b^3*c^4*\arcsin(c*x) + a*b^2*c^4) - 3*a*\cos(a/b)^3*\cos\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^4*\arcsin(c*x) + a*b^2*c^4) - 3*a*c \\ & \cos(a/b)^2*\sin(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^4*\arcsin(c*x) + a*b^2*c^4) - (c^2*x^2 - 1)*b*c*x/(b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 9/4 \\ & *b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 3/4*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(a/b + \arcsin(c \\ & *x))/(b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 3/4*b*\arcsin(c*x)*\sin(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 3/4*b*\arcsin \\ & (c*x)*\sin(a/b)*\sin\_integral(a/b + \arcsin(c*x))/(b^3*c^4*\arcsin(c*x) + a*b^2*c^4) - b*c*x/(b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 9/4*a*\cos(a/b)*\cos\_inte \\ & gral(3*a/b + 3*\arcsin(c*x))/(b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 3/4*a*\cos(a/b)*\cos\_integral(a/b + \arcsin(c*x))/(b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 3/4 \\ & *a*\sin(a/b)*\sin\_integral(3*a/b + 3*\arcsin(c*x))/(b^3*c^4*\arcsin(c*x) + a*b^2*c^4) + 3/4*a*\sin(a/b)*\sin\_integral(a/b + \arcsin(c*x))/(b^3*c^4*\arcsin(c*x) \\ & ) + a*b^2*c^4 \end{aligned}$$

$$3.411 \quad \int \frac{x^2}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=79

$$-\frac{\sin\left(\frac{2a}{b}\right)\text{CosIntegral}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{b^2c^3} + \frac{\cos\left(\frac{2a}{b}\right)\text{Si}\left(\frac{2(a+b\sin^{-1}(cx))}{b}\right)}{b^2c^3} - \frac{x^2}{bc(a+b\sin^{-1}(cx))}$$

[Out]  $-(x^2/(b*c*(a + b*ArcSin[c*x]))) - (\text{CosIntegral}[(2*(a + b*ArcSin[c*x]))/b]*\text{Sin}[(2*a)/b])/(b^2*c^3) + (\text{Cos}[(2*a)/b]*\text{SinIntegral}[(2*(a + b*ArcSin[c*x]))/b])/(b^2*c^3)$

**Rubi [A]** time = 0.244308, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4719, 4635, 4406, 12, 3303, 3299, 3302}

$$-\frac{\sin\left(\frac{2a}{b}\right)\text{CosIntegral}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{b^2c^3} + \frac{\cos\left(\frac{2a}{b}\right)\text{Si}\left(\frac{2a}{b} + 2\sin^{-1}(cx)\right)}{b^2c^3} - \frac{x^2}{bc(a+b\sin^{-1}(cx))}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2/(\text{Sqrt}[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2), x]$

[Out]  $-(x^2/(b*c*(a + b*ArcSin[c*x]))) - (\text{CosIntegral}[(2*a)/b + 2*ArcSin[c*x]]*\text{Sin}[(2*a)/b])/(b^2*c^3) + (\text{Cos}[(2*a)/b]*\text{SinIntegral}[(2*a)/b + 2*ArcSin[c*x]])/(b^2*c^3)$

#### Rule 4719

$\text{Int}[((a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*((f_.)*(x_.))^{(m_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Simp}[(f*x)^m*(a + b*ArcSin[c*x])^{(n+1)}/(b*c*\text{Sqrt}[d]*(n+1)), x] - \text{Dist}[(f*m)/(b*c*\text{Sqrt}[d]*(n+1)), \text{Int}[(f*x)^{(m-1)}*(a + b*ArcSin[c*x])^{(n+1)}, x], x] /;$  FreeQ[{a, b, c, d, e, f, m}, x] & & EqQ[c^2\*d + e, 0] && LtQ[n, -1] && GtQ[d, 0]

#### Rule 4635

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}, x\_Symbol] \rightarrow \text{Dist}[1/c^{(m+1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Sin}[x]^m*\text{Cos}[x], x], x, \text{ArcSin}[c*x]], x]$

;/; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

### Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^n\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx &= -\frac{x^2}{bc(a+b\sin^{-1}(cx))} + \frac{2 \int \frac{x}{a+b\sin^{-1}(cx)} dx}{bc} \\
&= -\frac{x^2}{bc(a+b\sin^{-1}(cx))} + \frac{2 \operatorname{Subst}\left(\int \frac{\cos(x)\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^3} \\
&= -\frac{x^2}{bc(a+b\sin^{-1}(cx))} + \frac{2 \operatorname{Subst}\left(\int \frac{\sin(2x)}{2(a+bx)} dx, x, \sin^{-1}(cx)\right)}{bc^3} \\
&= -\frac{x^2}{bc(a+b\sin^{-1}(cx))} + \frac{\operatorname{Subst}\left(\int \frac{\sin(2x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^3} \\
&= -\frac{x^2}{bc(a+b\sin^{-1}(cx))} + \frac{\cos\left(\frac{2a}{b}\right) \operatorname{Subst}\left(\int \frac{\sin\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^3} - \frac{\sin\left(\frac{2a}{b}\right) \operatorname{Subst}\left(\int \frac{\cos\left(\frac{2a}{b}+2x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc^3} \\
&= -\frac{x^2}{bc(a+b\sin^{-1}(cx))} - \frac{\operatorname{Ci}\left(\frac{2a}{b}+2\sin^{-1}(cx)\right) \sin\left(\frac{2a}{b}\right)}{b^2c^3} + \frac{\cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(\frac{2a}{b}+2\sin^{-1}(cx)\right)}{b^2c^3}
\end{aligned}$$

**Mathematica [A]** time = 0.156889, size = 70, normalized size = 0.89

$$\frac{-\frac{bc^2x^2}{a+b\sin^{-1}(cx)} - \sin\left(\frac{2a}{b}\right) \operatorname{CosIntegral}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \cos\left(\frac{2a}{b}\right) \operatorname{Si}\left(2\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)}{b^2c^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

[Out] (-((b\*c^2\*x^2)/(a + b\*ArcSin[c\*x])) - CosIntegral[2\*(a/b + ArcSin[c\*x])]\*Sin[(2\*a)/b] + Cos[(2\*a)/b]\*SinIntegral[2\*(a/b + ArcSin[c\*x])])/(b^2\*c^3)

**Maple [A]** time = 0.047, size = 136, normalized size = 1.7

$$\frac{1}{2b^2c^3(a+b\arcsin(cx))} \left( 2\arcsin(cx) \operatorname{Si}\left(2\arcsin(cx) + 2\frac{a}{b}\right) \cos\left(2\frac{a}{b}\right) b - 2\arcsin(cx) \operatorname{Ci}\left(2\arcsin(cx) + 2\frac{a}{b}\right) \sin\left(2\frac{a}{b}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(x^2/(a+b*arcsin(c*x))^2/(-c^2*x^2+1)^(1/2),x)`

[Out]  $\frac{1}{2c^3} (2\arcsin(cx) \operatorname{Si}(2\arcsin(cx) + 2a/b) \cos(2a/b) b - 2\arcsin(cx) \operatorname{Ci}(2\arcsin(cx) + 2a/b) \sin(2a/b) b + 2\operatorname{Si}(2\arcsin(cx) + 2a/b) \cos(2a/b) a - 2\operatorname{Ci}(2\arcsin(cx) + 2a/b) \sin(2a/b) a + \cos(2\arcsin(cx)) b - b) / b^2 / (a + b \arcsin(cx))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$x^2 - \frac{2(b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc) \int \frac{x}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a} dx}{bc}$$

$$- \frac{b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+b*arcsin(c*x))^2/(-c^2*x^2+1)^(1/2),x, algorithm="maxima")`

[Out]  $-(x^2 - 2*(b^2*c*\arctan2(cx, \sqrt{cx+1})*\sqrt{-cx+1}) + a*b*c)*\int \frac{x}{b^2*c*\arctan2(cx, \sqrt{cx+1})*\sqrt{-cx+1} + a*b*c} dx / (b^2*c*\arctan2(cx, \sqrt{cx+1})*\sqrt{-cx+1} + a*b*c)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\int \left( -\frac{\sqrt{-c^2x^2 + 1}x^2}{a^2c^2x^2 + (b^2c^2x^2 - b^2) \arcsin(cx)^2 - a^2 + 2(abc^2x^2 - ab) \arcsin(cx)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+b*arcsin(c*x))^2/(-c^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out]  $\int (-\sqrt{-c^2x^2 + 1}x^2 / (a^2c^2x^2 + (b^2c^2x^2 - b^2) \arcsin(cx)^2 - a^2 + 2(a*b*c^2x^2 - a*b) \arcsin(cx))), x$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{\sqrt{-(cx-1)(cx+1)}(a+b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(a+b\*asin(c\*x))\*\*2/(-c\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x\*\*2/(sqrt(-(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))\*\*2), x)

**Giac [B]** time = 1.48108, size = 467, normalized size = 5.91

$$-\frac{2b \arcsin(cx) \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{2a}{b} + 2 \arcsin(cx)\right) \sin\left(\frac{a}{b}\right)}{b^3 c^3 \arcsin(cx) + ab^2 c^3} + \frac{2b \arcsin(cx) \cos\left(\frac{a}{b}\right)^2 \operatorname{Si}\left(\frac{2a}{b} + 2 \arcsin(cx)\right)}{b^3 c^3 \arcsin(cx) + ab^2 c^3} - \frac{2a \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{2a}{b} + 2 \arcsin(cx)\right)}{b^3 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -2*b*\arcsin(c*x)*\cos(a/b)*\cos\_integral(2*a/b + 2*\arcsin(c*x))*\sin(a/b)/(b^3 \\ & *c^3*\arcsin(c*x) + a*b^2*c^3) + 2*b*\arcsin(c*x)*\cos(a/b)^2*\sin\_integral(2*a \\ & /b + 2*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) - 2*a*\cos(a/b)*\cos\_in \\ & tegral(2*a/b + 2*\arcsin(c*x))*\sin(a/b)/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) + \\ & 2*a*\cos(a/b)^2*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a \\ & *b^2*c^3) - b*\arcsin(c*x)*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c^3*\arcs \\ & in(c*x) + a*b^2*c^3) - (c^2*x^2 - 1)*b/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) - \\ & a*\sin\_integral(2*a/b + 2*\arcsin(c*x))/(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) - b \\ & /(b^3*c^3*\arcsin(c*x) + a*b^2*c^3) \end{aligned}$$

$$3.412 \quad \int \frac{x}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=72

$$\frac{\cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b^2c^2} + \frac{\sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b^2c^2} - \frac{x}{bc(a+b\sin^{-1}(cx))}$$

[Out]  $-(x/(b*c*(a + b*ArcSin[c*x]))) + (\operatorname{Cos}[a/b]*\operatorname{CosIntegral}[(a + b*ArcSin[c*x])/b])/ (b^2*c^2) + (\operatorname{Sin}[a/b]*\operatorname{SinIntegral}[(a + b*ArcSin[c*x])/b])/ (b^2*c^2)$

**Rubi [A]** time = 0.149846, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {4719, 4623, 3303, 3299, 3302}

$$\frac{\cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b^2c^2} + \frac{\sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b^2c^2} - \frac{x}{bc(a+b\sin^{-1}(cx))}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[x/(\operatorname{Sqrt}[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2), x]$

[Out]  $-(x/(b*c*(a + b*ArcSin[c*x]))) + (\operatorname{Cos}[a/b]*\operatorname{CosIntegral}[(a + b*ArcSin[c*x])/b])/ (b^2*c^2) + (\operatorname{Sin}[a/b]*\operatorname{SinIntegral}[(a + b*ArcSin[c*x])/b])/ (b^2*c^2)$

#### Rule 4719

$\operatorname{Int}[(((a_.) + \operatorname{ArcSin}[(c_.)*(x_)]*(b_.))^n)*((f_.)*(x_))^{m_.})/\operatorname{Sqrt}[(d_.) + (e_.)*(x_)^2], x\_Symbol] \rightarrow \operatorname{Simp}[(f*x)^m*(a + b*ArcSin[c*x])^{n+1})/(b*c*\operatorname{Sqrt}[d]*(n+1)), x] - \operatorname{Dist}[(f*m)/(b*c*\operatorname{Sqrt}[d]*(n+1)), \operatorname{Int}[(f*x)^{m-1}*(a + b*ArcSin[c*x])^{n+1}, x], x] /;$   $\operatorname{FreeQ}\{a, b, c, d, e, f, m\}, x\} \& \& \operatorname{EqQ}[c^2*d + e, 0] \&\& \operatorname{LtQ}[n, -1] \&\& \operatorname{GtQ}[d, 0]$

#### Rule 4623

$\operatorname{Int}[(a_.) + \operatorname{ArcSin}[(c_.)*(x_)]*(b_.))^n, x\_Symbol] \rightarrow \operatorname{Dist}[1/(b*c), \operatorname{Subst}[\operatorname{Int}[x^n*\operatorname{Cos}[a/b - x/b], x], x, a + b*ArcSin[c*x]], x] /;$   $\operatorname{FreeQ}\{a, b, c, n\}, x]$

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx &= -\frac{x}{bc(a+b\sin^{-1}(cx))} + \frac{\int \frac{1}{a+b\sin^{-1}(cx)} dx}{bc} \\ &= -\frac{x}{bc(a+b\sin^{-1}(cx))} + \frac{\text{Subst}\left(\int \frac{\cos\left(\frac{a-x}{b}\right)}{x} dx, x, a+b\sin^{-1}(cx)\right)}{b^2c^2} \\ &= -\frac{x}{bc(a+b\sin^{-1}(cx))} + \frac{\cos\left(\frac{a}{b}\right)\text{Subst}\left(\int \frac{\cos\left(\frac{x}{b}\right)}{x} dx, x, a+b\sin^{-1}(cx)\right)}{b^2c^2} + \frac{\sin\left(\frac{a}{b}\right)\text{Si}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b^2c^2} \\ &= -\frac{x}{bc(a+b\sin^{-1}(cx))} + \frac{\cos\left(\frac{a}{b}\right)\text{Ci}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b^2c^2} + \frac{\sin\left(\frac{a}{b}\right)\text{Si}\left(\frac{a+b\sin^{-1}(cx)}{b}\right)}{b^2c^2} \end{aligned}$$

**Mathematica [A]** time = 0.106928, size = 59, normalized size = 0.82

$$\frac{\cos\left(\frac{a}{b}\right)\text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) + \sin\left(\frac{a}{b}\right)\text{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right) - \frac{bcx}{a+b\sin^{-1}(cx)}}{b^2c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2),x]

[Out]  $-\left(\frac{b*c*x}{a + b*ArcSin[c*x]}\right) + Cos[a/b]*CosIntegral[a/b + ArcSin[c*x]] + Sin[a/b]*SinIntegral[a/b + ArcSin[c*x]]/(b^2*c^2)$

**Maple [A]** time = 0.042, size = 108, normalized size = 1.5

$$\frac{1}{c^2(a + b \arcsin(cx))b^2} \left( \arcsin(cx) \operatorname{Si}\left(\arcsin(cx) + \frac{a}{b}\right) \sin\left(\frac{a}{b}\right)b + \arcsin(cx) \operatorname{Ci}\left(\arcsin(cx) + \frac{a}{b}\right) \cos\left(\frac{a}{b}\right)b + \operatorname{Si}\left(\arcsin(cx) + \frac{a}{b}\right) \cos\left(\frac{a}{b}\right)b + \operatorname{Ci}\left(\arcsin(cx) + \frac{a}{b}\right) \sin\left(\frac{a}{b}\right)b \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2),x)

[Out]  $1/c^2*(\arcsin(c*x)*\operatorname{Si}(\arcsin(c*x)+a/b)*\sin(a/b)*b+\arcsin(c*x)*\operatorname{Ci}(\arcsin(c*x)+a/b)*\cos(a/b)*b+\operatorname{Si}(\arcsin(c*x)+a/b)*\sin(a/b)*a+\operatorname{Ci}(\arcsin(c*x)+a/b)*\cos(a/b)*a-x*b*c)/(a+b*\arcsin(c*x))/b^2$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-x + \frac{\frac{(b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})+abc) \int \frac{1}{b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})+a} dx}{bc}}{b^2c \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out]  $((b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c)*\operatorname{integrate}(1/(b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c), x) - x)/(b^2*c*\arctan2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1}) + a*b*c)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{\sqrt{-c^2x^2 + 1}x}{a^2c^2x^2 + (b^2c^2x^2 - b^2)\arcsin(cx)^2 - a^2 + 2(abc^2x^2 - ab)\arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)\*x/(a^2\*c^2\*x^2 + (b^2\*c^2\*x^2 - b^2)\*arcsin(c\*x)^2 - a^2 + 2\*(a\*b\*c^2\*x^2 - a\*b)\*arcsin(c\*x)), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{\sqrt{-(cx-1)(cx+1)}(a+b\operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*asin(c\*x))^2/(-c\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x/(sqrt(-(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))^2), x)

**Giac [B]** time = 1.47322, size = 270, normalized size = 3.75

$$\frac{b \arcsin(cx) \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \arcsin(cx)\right)}{b^3 c^2 \arcsin(cx) + ab^2 c^2} + \frac{b \arcsin(cx) \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \arcsin(cx)\right)}{b^3 c^2 \arcsin(cx) + ab^2 c^2} - \frac{bcx}{b^3 c^2 \arcsin(cx) + ab^2 c^2} + \frac{a \cos\left(\frac{a}{b}\right)}{b^3 c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] b\*arcsin(c\*x)\*cos(a/b)\*cos\_integral(a/b + arcsin(c\*x))/(b^3\*c^2\*arcsin(c\*x) + a\*b^2\*c^2) + b\*arcsin(c\*x)\*sin(a/b)\*sin\_integral(a/b + arcsin(c\*x))/(b^3\*c^2\*arcsin(c\*x) + a\*b^2\*c^2) - b\*c\*x/(b^3\*c^2\*arcsin(c\*x) + a\*b^2\*c^2) + a\*cos(a/b)\*cos\_integral(a/b + arcsin(c\*x))/(b^3\*c^2\*arcsin(c\*x) + a\*b^2\*c^2) + a\*sin(a/b)\*sin\_integral(a/b + arcsin(c\*x))/(b^3\*c^2\*arcsin(c\*x) + a\*b^2\*c^2)

$$3.413 \quad \int \frac{1}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=18

$$-\frac{1}{bc(a+b\sin^{-1}(cx))}$$

[Out] -(1/(b\*c\*(a + b\*ArcSin[c\*x])))

**Rubi [A]** time = 0.0437099, antiderivative size = 18, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.04$ , Rules used = {4641}

$$-\frac{1}{bc(a+b\sin^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

[Out] -(1/(b\*c\*(a + b\*ArcSin[c\*x])))

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{1}{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx = -\frac{1}{bc(a+b\sin^{-1}(cx))}$$

**Mathematica [A]** time = 0.007966, size = 18, normalized size = 1.

$$-\frac{1}{bc(a+b\sin^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2),x]

[Out] -(1/(b\*c\*(a + b\*ArcSin[c\*x])))

**Maple [A]** time = 0.006, size = 19, normalized size = 1.1

$$-\frac{1}{bc(a + b \arcsin(cx))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2),x)

[Out] -1/b/c/(a+b\*arcsin(c\*x))

**Maxima [A]** time = 1.49348, size = 24, normalized size = 1.33

$$-\frac{1}{(b \arcsin(cx) + a)bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] -1/((b\*arcsin(c\*x) + a)\*b\*c)

**Fricas [A]** time = 2.26342, size = 43, normalized size = 2.39

$$-\frac{1}{b^2c \arcsin(cx) + abc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2),x, algorithm="fricas")



[Out]  $-1/(b^2*c*\arcsin(c*x) + a*b*c)$

---

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*asin(c*x))**2/(-c**2*x**2+1)**(1/2),x)`

[Out] Exception raised: TypeError

---

**Giac [A]** time = 1.1342, size = 24, normalized size = 1.33

$$\frac{1}{(b \arcsin(cx) + a)bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsin(c*x))^2/(-c^2*x^2+1)^(1/2),x, algorithm="giac")`

[Out]  $-1/((b*\arcsin(c*x) + a)*b*c)$

$$3.414 \quad \int \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=46

$$\frac{\text{Unintegrable}\left(\frac{1}{x^2(a+b\sin^{-1}(cx))}, x\right)}{bc} - \frac{1}{bcx(a+b\sin^{-1}(cx))}$$

[Out] -(1/(b\*c\*x\*(a + b\*ArcSin[c\*x]))) - Unintegrable[1/(x^2\*(a + b\*ArcSin[c\*x])), x]/(b\*c)

**Rubi [A]** time = 0.152327, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

[Out] -(1/(b\*c\*x\*(a + b\*ArcSin[c\*x]))) - Defer[Int][1/(x^2\*(a + b\*ArcSin[c\*x])), x]/(b\*c)

Rubi steps

$$\int \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx = -\frac{1}{bcx(a+b\sin^{-1}(cx))} - \frac{\int \frac{1}{x^2(a+b\sin^{-1}(cx))} dx}{bc}$$

**Mathematica [A]** time = 7.2923, size = 0, normalized size = 0.

$$\int \frac{1}{x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[1/(x\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.13, size = 0, normalized size = 0.

$$\int \frac{1}{x (a + b \arcsin(cx))^2} \frac{1}{\sqrt{-c^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2), x)

[Out] int(1/x/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2), x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$-\frac{\frac{(b^2cx \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abcx) \int \frac{1}{(b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a)x^2} dx}{bc} + 1}{b^2cx \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abcx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2), x, algorithm="maxima")

[Out] -((b^2\*c\*x\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c\*x)\*integrate(1/(b^2\*c\*x^2\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c\*x^2), x) + 1)/(b^2\*c\*x\*arctan2(c\*x, sqrt(c\*x + 1))\*sqrt(-c\*x + 1)) + a\*b\*c\*x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2 + 1}}{a^2c^2x^3 - a^2x + (b^2c^2x^3 - b^2x) \arcsin(cx)^2 + 2(abc^2x^3 - abx) \arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)/(a^2\*c^2\*x^3 - a^2\*x + (b^2\*c^2\*x^3 - b^2\*x)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^2\*x^3 - a\*b\*x)\*arcsin(c\*x)), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x\sqrt{(cx-1)(cx+1)}(a+b\operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b\*asin(c\*x))^2/(-c\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(1/(x\*sqrt(-(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))^2), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-c^2x^2+1}(b\operatorname{arcsin}(cx)+a)^2x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-c^2\*x^2 + 1)\*(b\*arcsin(c\*x) + a)^2\*x), x)

$$3.415 \quad \int \frac{1}{x^2 \sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=46

$$-\frac{2\text{Unintegrable}\left(\frac{1}{x^3(a+b \sin^{-1}(cx))}, x\right)}{bc} - \frac{1}{bcx^2(a+b \sin^{-1}(cx))}$$

[Out] -(1/(b\*c\*x^2\*(a + b\*ArcSin[c\*x]))) - (2\*Unintegrable[1/(x^3\*(a + b\*ArcSin[c\*x])), x])/(b\*c)

**Rubi [A]** time = 0.1493, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{x^2 \sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

[Out] -(1/(b\*c\*x^2\*(a + b\*ArcSin[c\*x]))) - (2\*Defer[Int][1/(x^3\*(a + b\*ArcSin[c\*x])), x])/(b\*c)

Rubi steps

$$\int \frac{1}{x^2 \sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))^2} dx = -\frac{1}{bcx^2(a+b \sin^{-1}(cx))} - \frac{2 \int \frac{1}{x^3(a+b \sin^{-1}(cx))} dx}{bc}$$

**Mathematica [A]** time = 1.28753, size = 0, normalized size = 0.

$$\int \frac{1}{x^2 \sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2),x]

[Out] Integrate[1/(x^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.093, size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (a + b \arcsin(cx))^2 \sqrt{-c^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2),x)

[Out] int(1/x^2/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\frac{2(b^2cx^2 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abcx^2) \int \frac{1}{(b \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + a)x^3} dx}{bc} + 1$$

$$-\frac{bc}{b^2cx^2 \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + abcx^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b\*arcsin(c\*x))^2/(-c^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] -(2\*(b^2\*c\*x^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^2)\*integrate(1/(b^2\*c\*x^3\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^3), x) + 1)/(b^2\*c\*x^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)) + a\*b\*c\*x^2)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2 + 1}}{a^2c^2x^4 - a^2x^2 + (b^2c^2x^4 - b^2x^2) \arcsin(cx)^2 + 2(abc^2x^4 - abx^2) \arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/(a+b*arcsin(c*x))^2/(-c^2*x^2+1)^(1/2),x, algorithm="fricas")
```

```
[Out] integral(-sqrt(-c^2*x^2 + 1)/(a^2*c^2*x^4 - a^2*x^2 + (b^2*c^2*x^4 - b^2*x^2)*arcsin(c*x)^2 + 2*(a*b*c^2*x^4 - a*b*x^2)*arcsin(c*x)), x)
```

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^2 \sqrt{-(cx-1)(cx+1)} (a+b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**2/(a+b*asin(c*x))**2/(-c**2*x**2+1)**(1/2),x)
```

```
[Out] Integral(1/(x**2*sqrt(-(c*x - 1)*(c*x + 1))*(a + b*asin(c*x))**2), x)
```

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-c^2x^2+1}(b \operatorname{arcsin}(cx) + a)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/(a+b*arcsin(c*x))^2/(-c^2*x^2+1)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(1/(sqrt(-c^2*x^2 + 1)*(b*arcsin(c*x) + a)^2*x^2), x)
```

$$3.416 \quad \int \frac{x^m}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{x^m}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[x^m/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.136483, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[x^m/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][x^m/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{x^m}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx = \int \frac{x^m}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 1.11673, size = 0, normalized size = 0.

$$\int \frac{x^m}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]



[Out] Integrate[x^m/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.448, size = 0, normalized size = 0.

$$\int \frac{x^m}{(a + b \arcsin(cx))^2 (-c^2x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^m/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2 + 1}x^m}{(a^2c^4x^4 - 2a^2c^2x^2 + (b^2c^4x^4 - 2b^2c^2x^2 + b^2)\arcsin(cx)^2 + a^2 + 2(abc^4x^4 - 2abc^2x^2 + ab)\arcsin(cx))', x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)\*x^m/(a^2\*c^4\*x^4 - 2\*a^2\*c^2\*x^2 + (b^2\*c^4\*x^4 - 2\*b^2\*c^2\*x^2 + b^2)\*arcsin(c\*x)^2 + a^2 + 2\*(a\*b\*c^4\*x^4 - 2\*a\*b\*c^2\*x^2 + a\*b)\*arcsin(c\*x)), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m/(-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m}{(-c^2x^2 + 1)^{\frac{3}{2}}(b \arcsin(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(x^m/((-c^2\*x^2 + 1)^(3/2)\*(b\*arcsin(c\*x) + a)^2), x)

$$3.417 \quad \int \frac{x^3}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable}\left(\frac{x^3}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2}, x\right)$$

[Out] Unintegrable[x^3/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.140723, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^3}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[x^3/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][x^3/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{x^3}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx = \int \frac{x^3}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 59.0095, size = 0, normalized size = 0.

$$\int \frac{x^3}{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^3/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[x^3/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.482, size = 0, normalized size = 0.

$$\int \frac{x^3}{(a + b \arcsin(cx))^2} (-c^2x^2 + 1)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^3/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2 + 1}x^3}{(a^2c^4x^4 - 2a^2c^2x^2 + (b^2c^4x^4 - 2b^2c^2x^2 + b^2) \arcsin(cx)^2 + a^2 + 2(abc^4x^4 - 2abc^2x^2 + ab) \arcsin(cx))}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)\*x^3/(a^2\*c^4\*x^4 - 2\*a^2\*c^2\*x^2 + (b^2\*c^4\*x^4 - 2\*b^2\*c^2\*x^2 + b^2)\*arcsin(c\*x)^2 + a^2 + 2\*(a\*b\*c^4\*x^4 - 2\*a\*b\*c^2\*x^2 + a\*b)\*arcsin(c\*x)), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{(-cx - 1)(cx + 1)^{\frac{3}{2}} (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/(-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(x\*\*3/((-c\*x - 1)\*(c\*x + 1))\*\*(3/2)\*(a + b\*asin(c\*x))\*\*2), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{(-c^2x^2 + 1)^{\frac{3}{2}} (b \operatorname{arcsin}(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(x^3/((-c^2\*x^2 + 1)^(3/2)\*(b\*arcsin(c\*x) + a)^2), x)

$$3.418 \quad \int \frac{x^2}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=68

$$\frac{2\text{Unintegrable}\left(\frac{x}{(1-c^2x^2)^2(a+b \sin^{-1}(cx))}, x\right)}{bc} - \frac{x^2}{bc(1-c^2x^2)(a+b \sin^{-1}(cx))}$$

[Out]  $-(x^2/(b*c*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))) + (2*Unintegrable[x/((1 - c^2*x^2)^2*(a + b*ArcSin[c*x])), x])/(b*c)$

**Rubi [A]** time = 0.201254, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^2}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}[x^2/((1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x])^2), x]$

[Out]  $-(x^2/(b*c*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))) + (2*Defer[Int][x/((1 - c^2*x^2)^2*(a + b*ArcSin[c*x])), x])/(b*c)$

Rubi steps

$$\int \frac{x^2}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx = -\frac{x^2}{bc(1-c^2x^2)(a+b \sin^{-1}(cx))} + \frac{2 \int \frac{x}{(1-c^2x^2)^2(a+b \sin^{-1}(cx))} dx}{bc}$$

**Mathematica [A]** time = 7.81968, size = 0, normalized size = 0.

$$\int \frac{x^2}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^2/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[x^2/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.327, size = 0, normalized size = 0.

$$\int \frac{x^2}{(a + b \arcsin(cx))^2} (-c^2x^2 + 1)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2 + 1}x^2}{a^2c^4x^4 - 2a^2c^2x^2 + (b^2c^4x^4 - 2b^2c^2x^2 + b^2)\arcsin(cx)^2 + a^2 + 2(abc^4x^4 - 2abc^2x^2 + ab)\arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

```
[Out] integral(sqrt(-c^2*x^2 + 1)*x^2/(a^2*c^4*x^4 - 2*a^2*c^2*x^2 + (b^2*c^4*x^4
- 2*b^2*c^2*x^2 + b^2)*arcsin(c*x)^2 + a^2 + 2*(a*b*c^4*x^4 - 2*a*b*c^2*x^
2 + a*b)*arcsin(c*x)), x)
```

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{(- (cx - 1)(cx + 1))^{\frac{3}{2}} (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(-c**2*x**2+1)**(3/2)/(a+b*asin(c*x))**2,x)
```

```
[Out] Integral(x**2/((- (c*x - 1)(c*x + 1))** (3/2) * (a + b*asin(c*x))**2), x)
```

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{(-c^2x^2 + 1)^{\frac{3}{2}} (b \operatorname{arcsin}(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate(x^2/((-c^2*x^2 + 1)^(3/2)*(b*arcsin(c*x) + a)^2), x)
```



$$3.419 \quad \int \frac{x}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=28

$$\text{Unintegrable} \left( \frac{x}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[x/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.0929563, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[x/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int] [x/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{x}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx = \int \frac{x}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 58.2373, size = 0, normalized size = 0.

$$\int \frac{x}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[x/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[x/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.223, size = 0, normalized size = 0.

$$\int \frac{x}{(a + b \arcsin(cx))^2} (-c^2x^2 + 1)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2 + 1}x}{(a^2c^4x^4 - 2a^2c^2x^2 + (b^2c^4x^4 - 2b^2c^2x^2 + b^2) \arcsin(cx)^2 + a^2 + 2(abc^4x^4 - 2abc^2x^2 + ab) \arcsin(cx))}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)\*x/(a^2\*c^4\*x^4 - 2\*a^2\*c^2\*x^2 + (b^2\*c^4\*x^4 - 2\*b^2\*c^2\*x^2 + b^2)\*arcsin(c\*x)^2 + a^2 + 2\*(a\*b\*c^4\*x^4 - 2\*a\*b\*c^2\*x^2 + a\*b)\*arcsin(c\*x)), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(- (cx - 1)(cx + 1))^{\frac{3}{2}} (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(x/((-c\*x - 1)\*(c\*x + 1))\*\*(3/2)\*(a + b\*asin(c\*x))\*\*2), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(-c^2x^2 + 1)^{\frac{3}{2}} (b \operatorname{arcsin}(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(x/((-c^2\*x^2 + 1)^(3/2)\*(b\*arcsin(c\*x) + a)^2), x)

$$3.420 \quad \int \frac{1}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=63

$$\frac{2c \text{Unintegrable}\left(\frac{x}{(1-c^2x^2)^2 (a+b \sin^{-1}(cx))}, x\right)}{b} - \frac{1}{bc(1-c^2x^2)(a+b \sin^{-1}(cx))}$$

[Out] -(1/(b\*c\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))) + (2\*c\*Unintegrable[x/((1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])), x])/b

**Rubi [A]** time = 0.107705, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] -(1/(b\*c\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))) + (2\*c\*Defer[Int][x/((1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])), x])/b

Rubi steps

$$\int \frac{1}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx = -\frac{1}{bc(1-c^2x^2)(a+b \sin^{-1}(cx))} + \frac{(2c) \int \frac{x}{(1-c^2x^2)^2 (a+b \sin^{-1}(cx))} dx}{b}$$

**Mathematica [A]** time = 2.56931, size = 0, normalized size = 0.

$$\int \frac{1}{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[1/((1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.194, size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \arcsin(cx))^2} (-c^2x^2 + 1)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(1/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2x^2 + 1}}{a^2c^4x^4 - 2a^2c^2x^2 + (b^2c^4x^4 - 2b^2c^2x^2 + b^2) \arcsin(cx)^2 + a^2 + 2(abc^4x^4 - 2abc^2x^2 + ab) \arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] `integral(sqrt(-c^2*x^2 + 1)/(a^2*c^4*x^4 - 2*a^2*c^2*x^2 + (b^2*c^4*x^4 - 2*b^2*c^2*x^2 + b^2)*arcsin(c*x)^2 + a^2 + 2*(a*b*c^4*x^4 - 2*a*b*c^2*x^2 + a*b)*arcsin(c*x)), x)`

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-(cx - 1)(cx + 1))^{\frac{3}{2}} (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-c**2*x**2+1)**(3/2)/(a+b*asin(c*x))**2,x)`

[Out] `Integral(1/((-c*x - 1)*(c*x + 1))**(3/2)*(a + b*asin(c*x))**2), x)`

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c^2x^2 + 1)^{\frac{3}{2}} (b \operatorname{arcsin}(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-c^2*x^2+1)^(3/2)/(a+b*arcsin(c*x))^2,x, algorithm="giac")`

[Out] `integrate(1/((-c^2*x^2 + 1)^(3/2)*(b*arcsin(c*x) + a)^2), x)`

$$3.421 \quad \int \frac{1}{x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable}\left(\frac{1}{x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2}, x\right)$$

[Out] Unintegrable[1/(x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.131511, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][1/(x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{1}{x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx = \int \frac{1}{x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 46.9071, size = 0, normalized size = 0.

$$\int \frac{1}{x(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[1/(x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 2.224, size = 0, normalized size = 0.

$$\int \frac{1}{x(a + b \arcsin(cx))^2} (-c^2x^2 + 1)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(1/x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{\sqrt{-c^2x^2 + 1}}{a^2c^4x^5 - 2a^2c^2x^3 + a^2x + (b^2c^4x^5 - 2b^2c^2x^3 + b^2x) \arcsin(cx)^2 + 2(abc^4x^5 - 2abc^2x^3 + abx) \arcsin(cx)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)/(a^2\*c^4\*x^5 - 2\*a^2\*c^2\*x^3 + a^2\*x + (b^2\*c^4\*x^5 - 2\*b^2\*c^2\*x^3 + b^2\*x)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^4\*x^5 - 2\*a\*b\*c^2\*x^3 + a\*b\*x)\*arcsin(c\*x)), x)



---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x(-cx-1)(cx+1)^{\frac{3}{2}}(a+b\operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(1/(x\*(-(c\*x - 1)\*(c\*x + 1))\*\*(3/2)\*(a + b\*asin(c\*x))\*\*2), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c^2x^2+1)^{\frac{3}{2}}(b\operatorname{arcsin}(cx)+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(1/((-c^2\*x^2 + 1)^(3/2)\*(b\*arcsin(c\*x) + a)^2\*x), x)

$$3.422 \quad \int \frac{1}{x^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{1}{x^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[1/(x^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.132117, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{x^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][1/(x^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{1}{x^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx = \int \frac{1}{x^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 31.4241, size = 0, normalized size = 0.

$$\int \frac{1}{x^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[1/(x^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.642, size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (a + b \arcsin(cx))^2} (-c^2 x^2 + 1)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(1/x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\frac{2 \left( abc^3 x^4 - abc x^2 + (b^2 c^3 x^4 - b^2 c x^2) \arctan \left( cx, \sqrt{cx+1} \sqrt{-cx+1} \right) \right) \int \frac{2c^2 x^2 - 1}{abc^5 x^7 - 2abc^3 x^5 + abc x^3 + (b^2 c^5 x^7 - 2b^2 c^3 x^5 + b^2 c x^3) \arctan(cx, \sqrt{cx+1} \sqrt{-cx+1})} dx}{abc^3 x^4 - abc x^2 + (b^2 c^3 x^4 - b^2 c x^2) \arctan \left( cx, \sqrt{cx+1} \sqrt{-cx+1} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] ((a\*b\*c^3\*x^4 - a\*b\*c\*x^2 + (b^2\*c^3\*x^4 - b^2\*c\*x^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))\*integrate(2\*(2\*c^2\*x^2 - 1)/(a\*b\*c^5\*x^7 - 2\*a\*b\*c^3\*x^5 + a\*b\*c\*x^3 + (b^2\*c^5\*x^7 - 2\*b^2\*c^3\*x^5 + b^2\*c\*x^3)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))), x) + 1)/(a\*b\*c^3\*x^4 - a\*b\*c\*x^2 + (b^2\*c^3\*x^4 - b^2\*c\*x^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{\sqrt{-c^2 x^2 + 1}}{a^2 c^4 x^6 - 2 a^2 c^2 x^4 + a^2 x^2 + (b^2 c^4 x^6 - 2 b^2 c^2 x^4 + b^2 x^2) \arcsin(cx)^2 + 2 (abc^4 x^6 - 2 abc^2 x^4 + abx^2) \arcsin(cx)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*x^2 + 1)/(a^2\*c^4\*x^6 - 2\*a^2\*c^2\*x^4 + a^2\*x^2 + (b^2\*c^4\*x^6 - 2\*b^2\*c^2\*x^4 + b^2\*x^2)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^4\*x^6 - 2\*a\*b\*c^2\*x^4 + a\*b\*x^2)\*arcsin(c\*x)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*2/(-c\*\*2\*x\*\*2+1)\*\*(3/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c^2x^2 + 1)^{\frac{3}{2}}(b \arcsin(cx) + a)^2x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(-c^2\*x^2+1)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(1/((-c^2\*x^2 + 1)^(3/2)\*(b\*arcsin(c\*x) + a)^2\*x^2), x)

$$3.423 \quad \int \frac{x^m}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{x^m}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[x^m/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.133107, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[x^m/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][x^m/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{x^m}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx = \int \frac{x^m}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 1.63056, size = 0, normalized size = 0.

$$\int \frac{x^m}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[x^m/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.564, size = 0, normalized size = 0.

$$\int \frac{x^m}{(a + b \arcsin(cx))^2} (-c^2x^2 + 1)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^m/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{\sqrt{-c^2x^2 + 1}x^m}{a^2c^6x^6 - 3a^2c^4x^4 + 3a^2c^2x^2 + (b^2c^6x^6 - 3b^2c^4x^4 + 3b^2c^2x^2 - b^2)\arcsin(cx)^2 - a^2 + 2(abc^6x^6 - 3abc^4x^4 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)\*x^m/(a^2\*c^6\*x^6 - 3\*a^2\*c^4\*x^4 + 3\*a^2\*c^2\*x^2 + (b^2\*c^6\*x^6 - 3\*b^2\*c^4\*x^4 + 3\*b^2\*c^2\*x^2 - b^2)\*arcsin(c\*x)^2 - a^2 + 2\*(a\*b\*c^6\*x^6 - 3\*a\*b\*c^4\*x^4 + 3\*a\*b\*c^2\*x^2 - a\*b)\*arcsin(c\*x)), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m/(-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m}{(-c^2x^2 + 1)^{\frac{5}{2}}(b \arcsin(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(x^m/((-c^2\*x^2 + 1)^(5/2)\*(b\*arcsin(c\*x) + a)^2), x)

$$3.424 \quad \int \frac{x^3}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{x^3}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[x^3/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.134232, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^3}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[x^3/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][x^3/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{x^3}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx = \int \frac{x^3}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 100.053, size = 0, normalized size = 0.

$$\int \frac{x^3}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^3/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]



[Out] Integrate[x^3/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 3.177, size = 0, normalized size = 0.

$$\int \frac{x^3}{(a + b \arcsin(cx))^2} (-c^2x^2 + 1)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^3/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2 + 1}x^3}{a^2c^6x^6 - 3a^2c^4x^4 + 3a^2c^2x^2 + (b^2c^6x^6 - 3b^2c^4x^4 + 3b^2c^2x^2 - b^2)\arcsin(cx)^2 - a^2 + 2(abc^6x^6 - 3abc^4x^4 - 2 + 2(a*b*c^6*x^6 - 3*a*b*c^4*x^4 + 3*a*b*c^2*x^2 - a*b)*\arcsin(c*x))}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)\*x^3/(a^2\*c^6\*x^6 - 3\*a^2\*c^4\*x^4 + 3\*a^2\*c^2\*x^2 + (b^2\*c^6\*x^6 - 3\*b^2\*c^4\*x^4 + 3\*b^2\*c^2\*x^2 - b^2)\*arcsin(c\*x)^2 - a^2 + 2\*(a\*b\*c^6\*x^6 - 3\*a\*b\*c^4\*x^4 + 3\*a\*b\*c^2\*x^2 - a\*b)\*arcsin(c\*x)), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{(-cx - 1)(cx + 1)^{\frac{5}{2}} (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3/(-c**2*x**2+1)**(5/2)/(a+b*asin(c*x))**2,x)
```

```
[Out] Integral(x**3/((-c*x - 1)*(c*x + 1))**(5/2)*(a + b*asin(c*x))**2), x)
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.425 \quad \int \frac{x^2}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable} \left( \frac{x^2}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[x^2/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.136184, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^2}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[x^2/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][x^2/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{x^2}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx = \int \frac{x^2}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 11.3901, size = 0, normalized size = 0.

$$\int \frac{x^2}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^2/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[x^2/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 2.841, size = 0, normalized size = 0.

$$\int \frac{x^2}{(a + b \arcsin(cx))^2} (-c^2x^2 + 1)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\frac{x^2 + 2 \left( abc^5x^4 - 2abc^3x^2 + abc + (b^2c^5x^4 - 2b^2c^3x^2 + b^2c) \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) \right) \int \frac{dx}{abc^7x^6 - 3abc^5x^4 + 3abc^3x^2 - abc + (b^2c^5x^4 - 2b^2c^3x^2 + b^2c) \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)}}{abc^5x^4 - 2abc^3x^2 + abc + (b^2c^5x^4 - 2b^2c^3x^2 + b^2c) \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] -(x^2 + (a\*b\*c^5\*x^4 - 2\*a\*b\*c^3\*x^2 + a\*b\*c + (b^2\*c^5\*x^4 - 2\*b^2\*c^3\*x^2 + b^2\*c)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))\*integrate(2\*(c^2\*x^3 + x)/(a\*b\*c^7\*x^6 - 3\*a\*b\*c^5\*x^4 + 3\*a\*b\*c^3\*x^2 - a\*b\*c + (b^2\*c^7\*x^6 - 3\*b^2\*c^5\*x^4 + 3\*b^2\*c^3\*x^2 - b^2\*c)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))), x))/(a\*b\*c^5\*x^4 - 2\*a\*b\*c^3\*x^2 + a\*b\*c + (b^2\*c^5\*x^4 - 2\*b^2\*c^3\*x^2 + b^2\*c)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{\sqrt{-c^2x^2 + 1}x^2}{a^2c^6x^6 - 3a^2c^4x^4 + 3a^2c^2x^2 + (b^2c^6x^6 - 3b^2c^4x^4 + 3b^2c^2x^2 - b^2) \arcsin(cx)^2 - a^2 + 2(abc^6x^6 - 3abc^4x^4 + \dots)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)\*x^2/(a^2\*c^6\*x^6 - 3\*a^2\*c^4\*x^4 + 3\*a^2\*c^2\*x^2 + (b^2\*c^6\*x^6 - 3\*b^2\*c^4\*x^4 + 3\*b^2\*c^2\*x^2 - b^2)\*arcsin(c\*x)^2 - a^2 + 2\*(a\*b\*c^6\*x^6 - 3\*a\*b\*c^4\*x^4 + 3\*a\*b\*c^2\*x^2 - a\*b)\*arcsin(c\*x)), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{(-cx - 1)(cx + 1)^{\frac{5}{2}}(a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(x\*\*2/((-c\*x - 1)\*(c\*x + 1))\*\*(5/2)\*(a + b\*asin(c\*x))\*\*2), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{(-c^2x^2 + 1)^{\frac{5}{2}}(b \operatorname{arcsin}(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(x^2/((-c^2\*x^2 + 1)^(5/2)\*(b\*arcsin(c\*x) + a)^2), x)

$$3.426 \quad \int \frac{x}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=28

$$\text{Unintegrable} \left( \frac{x}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[x/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.0935245, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[x/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][x/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{x}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx = \int \frac{x}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 103.175, size = 0, normalized size = 0.

$$\int \frac{x}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[x/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[x/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 2.423, size = 0, normalized size = 0.

$$\int \frac{x}{(a + b \arcsin(cx))^2} (-c^2x^2 + 1)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2+1}x}{a^2c^6x^6 - 3a^2c^4x^4 + 3a^2c^2x^2 + (b^2c^6x^6 - 3b^2c^4x^4 + 3b^2c^2x^2 - b^2)\arcsin(cx)^2 - a^2 + 2(abc^6x^6 - 3abc^4x^4 - 3abc^2x^2 + ab^3)\arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)\*x/(a^2\*c^6\*x^6 - 3\*a^2\*c^4\*x^4 + 3\*a^2\*c^2\*x^2 + (b^2\*c^6\*x^6 - 3\*b^2\*c^4\*x^4 + 3\*b^2\*c^2\*x^2 - b^2)\*arcsin(c\*x)^2 - a^2 + 2\*(a\*b\*c^6\*x^6 - 3\*a\*b\*c^4\*x^4 + 3\*a\*b\*c^2\*x^2 - a\*b)\*arcsin(c\*x)), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(- (cx - 1)(cx + 1))^{\frac{5}{2}} (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(-c**2*x**2+1)**(5/2)/(a+b*asin(c*x))**2,x)
```

```
[Out] Integral(x/((-c*x - 1)*(c*x + 1))**(5/2)*(a + b*asin(c*x))**2), x)
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] Timed out
```



$$3.427 \quad \int \frac{1}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=63

$$\frac{4c \text{Unintegrable}\left(\frac{x}{(1-c^2x^2)^3 (a+b \sin^{-1}(cx))}, x\right)}{b} - \frac{1}{bc (1-c^2x^2)^2 (a+b \sin^{-1}(cx))}$$

[Out]  $-(1/(b*c*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))) + (4*c*Unintegrable[x/((1 - c^2*x^2)^3*(a + b*ArcSin[c*x])), x])/b$

**Rubi [A]** time = 0.109742, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}[1/((1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])^2), x]$

[Out]  $-(1/(b*c*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))) + (4*c*Defer[Int][x/((1 - c^2*x^2)^3*(a + b*ArcSin[c*x])), x])/b$

Rubi steps

$$\int \frac{1}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx = -\frac{1}{bc (1-c^2x^2)^2 (a+b \sin^{-1}(cx))} + \frac{(4c) \int \frac{x}{(1-c^2x^2)^3 (a+b \sin^{-1}(cx))} dx}{b}$$

**Mathematica [A]** time = 4.01419, size = 0, normalized size = 0.

$$\int \frac{1}{(1-c^2x^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[1/((1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.462, size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \arcsin(cx))^2} (-c^2x^2 + 1)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(1/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{\sqrt{-c^2x^2 + 1}}{a^2c^6x^6 - 3a^2c^4x^4 + 3a^2c^2x^2 + (b^2c^6x^6 - 3b^2c^4x^4 + 3b^2c^2x^2 - b^2) \arcsin(cx)^2 - a^2 + 2(abc^6x^6 - 3abc^4x^4 + } \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

```
[Out] integral(-sqrt(-c^2*x^2 + 1)/(a^2*c^6*x^6 - 3*a^2*c^4*x^4 + 3*a^2*c^2*x^2 +
(b^2*c^6*x^6 - 3*b^2*c^4*x^4 + 3*b^2*c^2*x^2 - b^2)*arcsin(c*x)^2 - a^2 +
2*(a*b*c^6*x^6 - 3*a*b*c^4*x^4 + 3*a*b*c^2*x^2 - a*b)*arcsin(c*x)), x)
```

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(- (cx - 1)(cx + 1))^{\frac{5}{2}} (a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-c**2*x**2+1)**(5/2)/(a+b*asin(c*x))**2,x)
```

```
[Out] Integral(1/((- (c*x - 1)(c*x + 1))** (5/2) * (a + b*asin(c*x))**2), x)
```

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c^2x^2 + 1)^{\frac{5}{2}} (b \operatorname{arcsin}(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate(1/((-c^2*x^2 + 1)^(5/2)*(b*arcsin(c*x) + a)^2), x)
```

$$3.428 \quad \int \frac{1}{x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable}\left(\frac{1}{x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2}, x\right)$$

[Out] Unintegrable[1/(x\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.131477, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][1/(x\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{1}{x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx = \int \frac{1}{x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 77.6403, size = 0, normalized size = 0.

$$\int \frac{1}{x(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[1/(x\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 6.138, size = 0, normalized size = 0.

$$\int \frac{1}{x (a + b \arcsin(cx))^2} (-c^2x^2 + 1)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(1/x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-c^2x^2 + 1}}{a^2c^6x^7 - 3a^2c^4x^5 + 3a^2c^2x^3 - a^2x + (b^2c^6x^7 - 3b^2c^4x^5 + 3b^2c^2x^3 - b^2x) \arcsin(cx)^2} + 2(abc^6x^7 - 3abc^4x^5 - abc^2x^3 - abx) \arcsin(cx), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(-sqrt(-c^2\*x^2 + 1)/(a^2\*c^6\*x^7 - 3\*a^2\*c^4\*x^5 + 3\*a^2\*c^2\*x^3 - a^2\*x + (b^2\*c^6\*x^7 - 3\*b^2\*c^4\*x^5 + 3\*b^2\*c^2\*x^3 - b^2\*x)\*arcsin(c\*x))^2 + 2\*(a\*b\*c^6\*x^7 - 3\*a\*b\*c^4\*x^5 + 3\*a\*b\*c^2\*x^3 - a\*b\*x)\*arcsin(c\*x)), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-c\*\*2\*x\*\*2+1)\*\*(5/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] Timed out

$$3.429 \quad \int \frac{1}{x^2(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=30

$$\text{Unintegrable}\left(\frac{1}{x^2(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2}, x\right)$$

[Out] Unintegrable[1/(x^2\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.131632, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{x^2(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][1/(x^2\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{1}{x^2(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx = \int \frac{1}{x^2(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 23.6725, size = 0, normalized size = 0.

$$\int \frac{1}{x^2(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[1/(x^2\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 6.249, size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (a + b \arcsin(cx))^2} (-c^2 x^2 + 1)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(1/x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\frac{2 \left( abc^5 x^6 - 2 abc^3 x^4 + abc x^2 + \left( b^2 c^5 x^6 - 2 b^2 c^3 x^4 + b^2 c x^2 \right) \arctan \left( cx, \sqrt{cx + 1} \sqrt{-cx + 1} \right) \right) \int \frac{1}{abc^7 x^9 - 3 abc^5 x^7 + 3 abc^3 x^5 - abc x^3} dx}{abc^5 x^6 - 2 abc^3 x^4 + abc x^2 + \left( b^2 c^5 x^6 - 2 b^2 c^3 x^4 + b^2 c x^2 \right) \arctan \left( cx, \sqrt{cx + 1} \sqrt{-cx + 1} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(-c^2\*x^2+1)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] -((a\*b\*c^5\*x^6 - 2\*a\*b\*c^3\*x^4 + a\*b\*c\*x^2 + (b^2\*c^5\*x^6 - 2\*b^2\*c^3\*x^4 + b^2\*c\*x^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))\*integrate(2\*(3\*c^2\*x^2 - 1)/(a\*b\*c^7\*x^9 - 3\*a\*b\*c^5\*x^7 + 3\*a\*b\*c^3\*x^5 - a\*b\*c\*x^3 + (b^2\*c^7\*x^9 - 3\*b^2\*c^5\*x^7 + 3\*b^2\*c^3\*x^5 - b^2\*c\*x^3)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))), x) + 1)/(a\*b\*c^5\*x^6 - 2\*a\*b\*c^3\*x^4 + a\*b\*c\*x^2 + (b^2\*c^5\*x^6 - 2\*b^2\*c^3\*x^4 + b^2\*c\*x^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{\sqrt{-c^2 x^2 + 1}}{a^2 c^6 x^8 - 3 a^2 c^4 x^6 + 3 a^2 c^2 x^4 - a^2 x^2 + (b^2 c^6 x^8 - 3 b^2 c^4 x^6 + 3 b^2 c^2 x^4 - b^2 x^2) \arcsin(cx)^2} + 2 (abc^6 x^8 - 3 abc^4 x^6 + 3 abc^2 x^4 - abc x^2) \arcsin(cx), x \right)$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x))^2,x, algorithm="fricas")
```

```
[Out] integral(-sqrt(-c^2*x^2 + 1)/(a^2*c^6*x^8 - 3*a^2*c^4*x^6 + 3*a^2*c^2*x^4 - a^2*x^2 + (b^2*c^6*x^8 - 3*b^2*c^4*x^6 + 3*b^2*c^2*x^4 - b^2*x^2)*arcsin(c*x)^2 + 2*(a*b*c^6*x^8 - 3*a*b*c^4*x^6 + 3*a*b*c^2*x^4 - a*b*x^2)*arcsin(c*x)), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**2/(-c**2*x**2+1)**(5/2)/(a+b*asin(c*x))**2,x)
```

```
[Out] Timed out
```

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/(-c^2*x^2+1)^(5/2)/(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.430 \quad \int \frac{1}{\sqrt{1-a^2x^2} \sin^{-1}(ax)^3} dx$$

Optimal. Leaf size=13

$$-\frac{1}{2a \sin^{-1}(ax)^2}$$

[Out] -1/(2\*a\*ArcSin[a\*x]^2)

**Rubi [A]** time = 0.0309994, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {4641}

$$-\frac{1}{2a \sin^{-1}(ax)^2}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^3),x]

[Out] -1/(2\*a\*ArcSin[a\*x]^2)

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{1}{\sqrt{1-a^2x^2} \sin^{-1}(ax)^3} dx = -\frac{1}{2a \sin^{-1}(ax)^2}$$

**Mathematica [A]** time = 0.0052446, size = 13, normalized size = 1.

$$-\frac{1}{2a \sin^{-1}(ax)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^3),x]

[Out] -1/(2\*a\*ArcSin[a\*x]^2)

---

**Maple [A]** time = 0.01, size = 12, normalized size = 0.9

$$-\frac{1}{2a(\arcsin(ax))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x)

[Out] -1/2/a/arcsin(a\*x)^2

---

**Maxima [A]** time = 1.43998, size = 15, normalized size = 1.15

$$-\frac{1}{2a\arcsin(ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] -1/2/(a\*arcsin(a\*x)^2)

---

**Fricas [A]** time = 2.0407, size = 32, normalized size = 2.46

$$-\frac{1}{2a\arcsin(ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] -1/2/(a\*arcsin(a\*x)^2)

---

**Sympy [A]** time = 1.15787, size = 12, normalized size = 0.92

$$-\frac{1}{2a \operatorname{asin}^2(ax)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/asin(a\*x)\*\*3/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] -1/(2\*a\*asin(a\*x)\*\*2)

---

**Giac [A]** time = 1.43421, size = 15, normalized size = 1.15

$$-\frac{1}{2a \arcsin(ax)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/arcsin(a\*x)^3/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] -1/2/(a\*arcsin(a\*x)^2)

$$3.431 \quad \int \frac{x^3(d-c^2dx^2)}{(a+b\sin^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=251

$$\frac{\sqrt{3\pi}d \cos\left(\frac{6a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{3}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{8b^{3/2}c^4} + \frac{3\sqrt{\pi}d \cos\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{\pi}\sqrt{b}}\right)}{8b^{3/2}c^4} + \frac{3\sqrt{\pi}d \sin\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{8b^{3/2}c^4}$$

[Out]  $(-2*d*x^3*(1 - c^2*x^2)^{(3/2)})/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (d*\text{Sqrt}[3*\text{Pi}] * \text{Cos}[(6*a)/b] * \text{FresnelC}[(2*\text{Sqrt}[3/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(8*b^{(3/2)}*c^4) + (3*d*\text{Sqrt}[\text{Pi}] * \text{Cos}[(2*a)/b] * \text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])])/(8*b^{(3/2)}*c^4) + (3*d*\text{Sqrt}[\text{Pi}] * \text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])]) * \text{Sin}[(2*a)/b])/(8*b^{(3/2)}*c^4) - (d*\text{Sqrt}[3*\text{Pi}] * \text{FresnelS}[(2*\text{Sqrt}[3/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]] * \text{Sin}[(6*a)/b])/(8*b^{(3/2)}*c^4)$

**Rubi [A]** time = 1.44441, antiderivative size = 251, normalized size of antiderivative = 1., number of steps used = 27, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {4721, 4723, 4406, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{3\pi}d \cos\left(\frac{6a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{3}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{8b^{3/2}c^4} + \frac{3\sqrt{\pi}d \cos\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{\pi}\sqrt{b}}\right)}{8b^{3/2}c^4} + \frac{3\sqrt{\pi}d \sin\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{8b^{3/2}c^4}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^3*(d - c^2*d*x^2))/(a + b*\text{ArcSin}[c*x])^{(3/2)}, x]$

[Out]  $(-2*d*x^3*(1 - c^2*x^2)^{(3/2)})/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (d*\text{Sqrt}[3*\text{Pi}] * \text{Cos}[(6*a)/b] * \text{FresnelC}[(2*\text{Sqrt}[3/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(8*b^{(3/2)}*c^4) + (3*d*\text{Sqrt}[\text{Pi}] * \text{Cos}[(2*a)/b] * \text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])])/(8*b^{(3/2)}*c^4) + (3*d*\text{Sqrt}[\text{Pi}] * \text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])]) * \text{Sin}[(2*a)/b])/(8*b^{(3/2)}*c^4) - (d*\text{Sqrt}[3*\text{Pi}] * \text{FresnelS}[(2*\text{Sqrt}[3/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]] * \text{Sin}[(6*a)/b])/(8*b^{(3/2)}*c^4)$

Rule 4721

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((f\*x)^m\*Sqrt[1 - c^2\*x^2]\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + (-Dist[(f\*m\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(b\*c\*(n + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] + Dist[(c\*(m + 2\*p + 1)\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(b\*f\*(n + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1] && IGtQ[m, -3] && IGtQ[2\*p, 0]

### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_.)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_.)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^n\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rule 3306

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/Sqrt[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/Sqrt[c + d\*x], x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/Sqrt[c + d\*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d\*e - c\*f, 0]

### Rule 3305

Int[sin[(e\_.) + (f\_.)\*(x\_.)]/Sqrt[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Dist[2/d, Subst[Int[Sin[(f\*x^2)/d], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

### Rule 3351

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_.))^2], x\_Symbol] := Simp[(Sqrt[Pi/2]\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)])/(f\*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

### Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d
, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

### Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 (d - c^2 dx^2)}{(a + b \sin^{-1}(cx))^{3/2}} dx &= -\frac{2dx^3 (1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(6d) \int \frac{x^2 \sqrt{1 - c^2 x^2}}{\sqrt{a + b \sin^{-1}(cx)}} dx}{bc} - \frac{(12cd) \int \frac{x^4 \sqrt{1 - c^2 x^2}}{\sqrt{a + b \sin^{-1}(cx)}} dx}{b} \\
&= -\frac{2dx^3 (1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(6d) \text{Subst}\left(\int \frac{\cos^2(x) \sin^2(x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{bc^4} - \frac{(12d) \text{Subst}\left(\int \frac{\cos^2(x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{bc^4} \\
&= -\frac{2dx^3 (1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(6d) \text{Subst}\left(\int \left(\frac{1}{8\sqrt{a + bx}} - \frac{\cos(4x)}{8\sqrt{a + bx}}\right) dx, x, \sin^{-1}(cx)\right)}{bc^4} - \frac{(12d) \text{Subst}\left(\int \frac{\cos^2(x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{bc^4} \\
&= -\frac{2dx^3 (1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(3d) \text{Subst}\left(\int \frac{\cos(2x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{8bc^4} - \frac{(3d) \text{Subst}\left(\int \frac{\cos(6x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{8bc^4} \\
&= -\frac{2dx^3 (1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{\left(3d \cos\left(\frac{2a}{b}\right)\right) \text{Subst}\left(\int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{8bc^4} - \frac{\left(3d \cos\left(\frac{6a}{b}\right)\right) \text{Subst}\left(\int \frac{\cos\left(\frac{6a}{b} + 2x\right)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{8bc^4} \\
&= -\frac{2dx^3 (1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{\left(3d \cos\left(\frac{2a}{b}\right)\right) \text{Subst}\left(\int \cos\left(\frac{2x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{4b^2 c^4} - \frac{\left(3d \cos\left(\frac{6a}{b}\right)\right) \text{Subst}\left(\int \cos\left(\frac{6x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{4b^2 c^4} \\
&= -\frac{2dx^3 (1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{d\sqrt{3\pi} \cos\left(\frac{6a}{b}\right) C\left(\frac{2\sqrt{\frac{3}{\pi}} \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{8b^{3/2} c^4} + \frac{3d\sqrt{\pi} \cos\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b\sqrt{\pi}}}\right)}{8b^{3/2} c^4}
\end{aligned}$$

**Mathematica [C]** time = 1.4099, size = 287, normalized size = 1.14

$$ide^{-\frac{6ia}{b}} \left( 3\sqrt{2}e^{\frac{4ia}{b}} \sqrt{-\frac{i(a+b\sin^{-1}(cx))}{b}} \Gamma\left(\frac{1}{2}, -\frac{2i(a+b\sin^{-1}(cx))}{b}\right) - 3\sqrt{2}e^{\frac{8ia}{b}} \sqrt{\frac{i(a+b\sin^{-1}(cx))}{b}} \Gamma\left(\frac{1}{2}, \frac{2i(a+b\sin^{-1}(cx))}{b}\right) \right) - \dots$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3\*(d - c^2\*d\*x^2))/(a + b\*ArcSin[c\*x])^(3/2), x]

[Out] ((-I/32)\*d\*(3\*Sqrt[2]\*E^(((4\*I)\*a)/b)\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((-2\*I)\*(a + b\*ArcSin[c\*x]))/b] - 3\*Sqrt[2]\*E^(((8\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((2\*I)\*(a + b\*ArcSin[c\*x]))/b] - Sqrt[6]\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((-6\*I)\*(a + b\*ArcSin[c\*x]))/b] + Sqrt[6]\*E^(((12\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((6\*I)\*(a + b\*ArcSin[c\*x]))/b] - (6\*I)\*E^(((6\*I)\*a)/b)\*Sin[2\*ArcSin[c\*x]] + (2\*I)\*E^(((6\*I)\*a)/b)\*Sin[6\*ArcSin[c\*x]])/(b\*c^4\*E^(((6\*I)\*a)/b)\*Sqrt[a + b\*ArcSin[c\*x]])

**Maple [A]** time = 0.097, size = 287, normalized size = 1.1

$$-\frac{d}{16bc^4} \left( 2\sqrt{3}\sqrt{a + b\arcsin(cx)} \cos\left(6\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{2}\sqrt{6}\sqrt{a + b\arcsin(cx)}}{\sqrt{\pi}\sqrt{b^{-1}b}}\right) \sqrt{\pi}\sqrt{b^{-1}} + 2\sqrt{3}\sqrt{a + b\arcsin(cx)} \sin\left(\dots\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(-c^2\*d\*x^2+d)/(a+b\*arcsin(c\*x))^(3/2), x)

[Out] -1/16/c^4\*d/b\*(2\*3^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)\*cos(6\*a/b)\*FresnelC(2^(1/2)/Pi^(1/2)\*6^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*Pi^(1/2)\*(1/b)^(1/2)+2\*3^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)\*sin(6\*a/b)\*FresnelS(2^(1/2)/Pi^(1/2)\*6^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*Pi^(1/2)\*(1/b)^(1/2)-6\*(1/b)^(1/2)\*Pi^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)\*cos(2\*a/b)\*FresnelC(2/Pi^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)-6\*(1/b)^(1/2)\*Pi^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)\*sin(2\*a/b)\*FresnelS(2/Pi^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)+3\*sin(2\*(a+b\*arcsin(c\*x))/b-2\*a/b)-sin(6\*(a+b\*arcsin(c\*x))/b-6\*a/b))/(a+b\*arcsin(c\*x))^(1/2)



**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{(c^2 dx^2 - d)x^3}{(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="maxima")

[Out] -integrate((c^2\*d\*x^2 - d)\*x^3/(b\*arcsin(c\*x) + a)^(3/2), x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d \left( \int -\frac{x^3}{a\sqrt{a+b\operatorname{asin}(cx)} + b\sqrt{a+b\operatorname{asin}(cx)}\operatorname{asin}(cx)} dx + \int \frac{c^2 x^5}{a\sqrt{a+b\operatorname{asin}(cx)} + b\sqrt{a+b\operatorname{asin}(cx)}\operatorname{asin}(cx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-c\*\*2\*d\*x\*\*2+d)/(a+b\*asin(c\*x))\*\*(3/2),x)

[Out] -d\*(Integral(-x\*\*3/(a\*sqrt(a + b\*asin(c\*x)) + b\*sqrt(a + b\*asin(c\*x))\*asin(c\*x)), x) + Integral(c\*\*2\*x\*\*5/(a\*sqrt(a + b\*asin(c\*x)) + b\*sqrt(a + b\*asin(c\*x))\*asin(c\*x)), x))

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(c^2 dx^2 - d)x^3}{(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(-c^2*d*x^2+d)/(a+b*arcsin(c*x))^(3/2),x, algorithm="giac")
```

```
[Out] integrate(-(c^2*d*x^2 - d)*x^3/(b*arcsin(c*x) + a)^(3/2), x)
```

$$3.432 \quad \int \frac{x^2(d-c^2dx^2)}{(a+b\sin^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=591

$$\frac{\sqrt{2\pi}d \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3} + \frac{5\sqrt{\frac{\pi}{2}}d \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{2b^{3/2}c^3} - \frac{\sqrt{\frac{2\pi}{3}}d \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3}$$

[Out]  $(-2*d*x^2*(1 - c^2*x^2)^{(3/2)})/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (5*d*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(2*b^{(3/2)}*c^3) + (d*\text{Sqrt}[2*\text{Pi}]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c^3) - (5*d*\text{Sqrt}[\text{Pi}/6]*\text{Cos}[(3*a)/b]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(4*b^{(3/2)}*c^3) + (d*\text{Sqrt}[(2*\text{Pi})/3]*\text{Cos}[(3*a)/b]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c^3) + (d*\text{Sqrt}[(5*\text{Pi})/2]*\text{Cos}[(5*a)/b]*\text{FresnelS}[(\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(4*b^{(3/2)}*c^3) + (5*d*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(2*b^{(3/2)}*c^3) - (d*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(b^{(3/2)}*c^3) + (5*d*\text{Sqrt}[\text{Pi}/6]*\text{FresnelC}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(3*a)/b])/(4*b^{(3/2)}*c^3) - (d*\text{Sqrt}[(2*\text{Pi})/3]*\text{FresnelC}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(3*a)/b])/(b^{(3/2)}*c^3) - (d*\text{Sqrt}[(5*\text{Pi})/2]*\text{FresnelC}[(\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(5*a)/b])/(4*b^{(3/2)}*c^3)$

**Rubi [A]** time = 1.66822, antiderivative size = 591, normalized size of antiderivative = 1., number of steps used = 32, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {4721, 4723, 4406, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{2\pi}d \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3} + \frac{5\sqrt{\frac{\pi}{2}}d \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{2b^{3/2}c^3} - \frac{\sqrt{\frac{2\pi}{3}}d \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^2*(d - c^2*d*x^2))/(a + b*\text{ArcSin}[c*x])^{(3/2)}, x]$

[Out]  $(-2*d*x^2*(1 - c^2*x^2)^{(3/2)})/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (5*d*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(2*b^{(3/2)}*c^3)$

$$\begin{aligned} & \frac{3}{2}c^3) + (d\sqrt{2\pi}\cos[a/b]\text{FresnelS}[(\sqrt{2/\pi})\sqrt{a + b\text{ArcSin}[c*x]})/\sqrt{b}])/(b^{(3/2)}c^3) - (5d\sqrt{\pi/6}\cos[(3a)/b]\text{FresnelS}[(\sqrt{6/\pi})\sqrt{a + b\text{ArcSin}[c*x]})/\sqrt{b}])/(4b^{(3/2)}c^3) + (d\sqrt{(2\pi)/3}\cos[(3a)/b]\text{FresnelS}[(\sqrt{6/\pi})\sqrt{a + b\text{ArcSin}[c*x]})/\sqrt{b}])/(b^{(3/2)}c^3) + (d\sqrt{(5\pi)/2}\cos[(5a)/b]\text{FresnelS}[(\sqrt{10/\pi})\sqrt{a + b\text{ArcSin}[c*x]})/\sqrt{b}])/(4b^{(3/2)}c^3) + (5d\sqrt{\pi/2}\text{FresnelC}[(\sqrt{2/\pi})\sqrt{a + b\text{ArcSin}[c*x]})/\sqrt{b}]\sin[a/b])/(2b^{(3/2)}c^3) - (d\sqrt{2\pi}\text{FresnelC}[(\sqrt{2/\pi})\sqrt{a + b\text{ArcSin}[c*x]})/\sqrt{b}]\sin[a/b])/(b^{(3/2)}c^3) + (5d\sqrt{\pi/6}\text{FresnelC}[(\sqrt{6/\pi})\sqrt{a + b\text{ArcSin}[c*x]})/\sqrt{b}]\sin[(3a)/b])/(4b^{(3/2)}c^3) - (d\sqrt{(2\pi)/3}\text{FresnelC}[(\sqrt{6/\pi})\sqrt{a + b\text{ArcSin}[c*x]})/\sqrt{b}]\sin[(3a)/b])/(b^{(3/2)}c^3) - (d\sqrt{(5\pi)/2}\text{FresnelC}[(\sqrt{10/\pi})\sqrt{a + b\text{ArcSin}[c*x]})/\sqrt{b}]\sin[(5a)/b])/(4b^{(3/2)}c^3) \end{aligned}$$

### Rule 4721

$$\begin{aligned} & \text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \text{ :> } \text{Simp}[(f*x)^m*\sqrt{1 - c^2*x^2}*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^{(n + 1)})/(b*c*(n + 1)), x] + (-\text{Dist}[(f*m*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]})/(b*c*(n + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m - 1)}*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n + 1)}, x], x] + \text{Dist}[(c*(m + 2*p + 1)*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]})/(b*f*(n + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(f*x)^{(m + 1)}*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n + 1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{LtQ}[n, -1] \&\& \text{IGtQ}[m, -3] \&\& \text{IGtQ}[2*p, 0] \end{aligned}$$

### Rule 4723

$$\begin{aligned} & \text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \text{ :> } \text{Dist}[d^p/c^{(m + 1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\sin[x]^m*\cos[x]^{(2*p + 1)}, x], x, \text{ArcSin}[c*x]], x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IntegerQ}[2*p] \&\& \text{GtQ}[p, -1] \&\& \text{IGtQ}[m, 0] \&\& (\text{IntegerQ}[p] \text{ || } \text{GtQ}[d, 0]) \end{aligned}$$

### Rule 4406

$$\begin{aligned} & \text{Int}[\cos[(a_.) + (b_.)*(x_.)]^{(p_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}*\sin[(a_.) + (b_.)*(x_.)]^{(n_.)}, x\_Symbol] \text{ :> } \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \sin[a + b*x]^{(n)*\cos[a + b*x]^p}, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0] \end{aligned}$$

### Rule 3306

$$\begin{aligned} & \text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\sqrt{(c_.) + (d_.)*(x_.)}, x\_Symbol] \text{ :> } \text{Dist}[\cos[(d*e - c*f)/d], \text{Int}[\sin[(c*f)/d + f*x]/\sqrt{c + d*x}, x], x] + \text{Dist}[\sin[(d \end{aligned}$$

$*e - c*f)/d$ ,  $\text{Int}[\text{Cos}[(c*f)/d + f*x]/\text{Sqrt}[c + d*x], x], x] /;$   $\text{FreeQ}\{c, d, e, f\}, x]$  &&  $\text{ComplexFreeQ}[f]$  &&  $\text{NeQ}[d*e - c*f, 0]$

### Rule 3305

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] :> \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /;$   $\text{FreeQ}\{c, d, e, f\}, x]$  &&  $\text{ComplexFreeQ}[f]$  &&  $\text{EqQ}[d*e - c*f, 0]$

### Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] :> \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /;$   $\text{FreeQ}\{d, e, f\}, x]$

### Rule 3304

$\text{Int}[\text{sin}[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] :> \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /;$   $\text{FreeQ}\{c, d, e, f\}, x]$  &&  $\text{ComplexFreeQ}[f]$  &&  $\text{EqQ}[d*e - c*f, 0]$

### Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] :> \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /;$   $\text{FreeQ}\{d, e, f\}, x]$

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (d - c^2 dx^2)}{(a + b \sin^{-1}(cx))^{3/2}} dx &= -\frac{2dx^2 (1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(4d) \int \frac{x\sqrt{1-c^2x^2}}{\sqrt{a+b\sin^{-1}(cx)}} dx}{bc} - \frac{(10cd) \int \frac{x^3\sqrt{1-c^2x^2}}{\sqrt{a+b\sin^{-1}(cx)}} dx}{b} \\
&= -\frac{2dx^2 (1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(4d) \text{Subst} \left( \int \frac{\cos^2(x)\sin(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{bc^3} - \frac{(10d) \text{Subst} \left( \int \frac{\cos^2(x)\sin(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{bc^3} \\
&= -\frac{2dx^2 (1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(4d) \text{Subst} \left( \int \left( \frac{\sin(x)}{4\sqrt{a+bx}} + \frac{\sin(3x)}{4\sqrt{a+bx}} \right) dx, x, \sin^{-1}(cx) \right)}{bc^3} - \frac{(10d) \text{Subst} \left( \int \frac{\cos^2(x)\sin(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{bc^3} \\
&= -\frac{2dx^2 (1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(5d) \text{Subst} \left( \int \frac{\sin(3x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{8bc^3} + \frac{(5d) \text{Subst} \left( \int \frac{\sin(5x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{8bc^3} \\
&= -\frac{2dx^2 (1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(d \cos(\frac{a}{b})) \text{Subst} \left( \int \frac{\sin(\frac{a}{b}+x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{bc^3} - \frac{(5d \cos(\frac{a}{b})) \text{Subst} \left( \int \frac{\sin(5x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{8bc^3} \\
&= -\frac{2dx^2 (1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(2d \cos(\frac{a}{b})) \text{Subst} \left( \int \sin\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)} \right)}{b^2c^3} - \frac{(5d \cos(\frac{a}{b})) \text{Subst} \left( \int \frac{\sin(5x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{8bc^3} \\
&= -\frac{2dx^2 (1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{5d\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{2b^{3/2}c^3} + \frac{d\sqrt{2\pi} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3}
\end{aligned}$$

**Mathematica [C]** time = 1.54075, size = 514, normalized size = 0.87

$$de^{-\frac{5i(a+b\sin^{-1}(cx))}{b}} \left( 2e^{\frac{4ia}{b}+5i\sin^{-1}(cx)} \sqrt{-\frac{i(a+b\sin^{-1}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, -\frac{i(a+b\sin^{-1}(cx))}{b}\right) + 2e^{\frac{6ia}{b}+5i\sin^{-1}(cx)} \sqrt{\frac{i(a+b\sin^{-1}(cx))}{b}} \text{Gamma}\left(\frac{3}{2}, -\frac{i(a+b\sin^{-1}(cx))}{b}\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2\*(d - c^2\*d\*x^2))/(a + b\*ArcSin[c\*x])^(3/2), x]

[Out] (d\*(E^(((5\*I)\*a)/b) + E^(((5\*I)\*a)/b + (2\*I)\*ArcSin[c\*x]) - 2\*E^(((5\*I)\*a)/b + (4\*I)\*ArcSin[c\*x]) - 2\*E^(((5\*I)\*a)/b + (6\*I)\*ArcSin[c\*x]) + E^(((5\*I)\*a)/b + (8\*I)\*ArcSin[c\*x]))/b^2 + (5\*d\*cos(a/b)\*Sqrt[2]\*Gamma[1/2, -i\*(a+b\*ArcSin[c\*x])/b])/b^2 + (5\*d\*cos(a/b)\*Sqrt[2]\*Gamma[3/2, -i\*(a+b\*ArcSin[c\*x])/b])/b^2

$a)/b + (8*I)*\text{ArcSin}[c*x] + E^{\left(\frac{(5*I)*(a + 2*b*\text{ArcSin}[c*x])}{b}\right)} + 2*E^{\left(\frac{(4*I)*a}{b} + (5*I)*\text{ArcSin}[c*x]\right)}*\text{Sqrt}\left[\frac{((-I)*(a + b*\text{ArcSin}[c*x]))}{b}\right]*\text{Gamma}\left[\frac{1}{2}, \frac{((-I)*(a + b*\text{ArcSin}[c*x]))}{b}\right] + 2*E^{\left(\frac{(6*I)*a}{b} + (5*I)*\text{ArcSin}[c*x]\right)}*\text{Sqrt}\left[\frac{(I*(a + b*\text{ArcSin}[c*x]))}{b}\right]*\text{Gamma}\left[\frac{1}{2}, \frac{(I*(a + b*\text{ArcSin}[c*x]))}{b}\right] - \text{Sqrt}[3]*E^{\left(\frac{(2*I)*a}{b} + (5*I)*\text{ArcSin}[c*x]\right)}*\text{Sqrt}\left[\frac{((-I)*(a + b*\text{ArcSin}[c*x]))}{b}\right]*\text{Gamma}\left[\frac{1}{2}, \frac{((-3*I)*(a + b*\text{ArcSin}[c*x]))}{b}\right] - \text{Sqrt}[3]*E^{\left(\frac{(8*I)*a}{b} + (5*I)*\text{ArcSin}[c*x]\right)}*\text{Sqrt}\left[\frac{(I*(a + b*\text{ArcSin}[c*x]))}{b}\right]*\text{Gamma}\left[\frac{1}{2}, \frac{((3*I)*(a + b*\text{ArcSin}[c*x]))}{b}\right] - \text{Sqrt}[5]*E^{\left(\frac{(5*I)*a}{b} + (5*I)*\text{ArcSin}[c*x]\right)}*\text{Sqrt}\left[\frac{((-I)*(a + b*\text{ArcSin}[c*x]))}{b}\right]*\text{Gamma}\left[\frac{1}{2}, \frac{((-5*I)*(a + b*\text{ArcSin}[c*x]))}{b}\right] - \text{Sqrt}[5]*E^{\left(\frac{(5*I)*(2*a + b*\text{ArcSin}[c*x])}{b}\right)}*\text{Sqrt}\left[\frac{(I*(a + b*\text{ArcSin}[c*x]))}{b}\right]*\text{Gamma}\left[\frac{1}{2}, \frac{((5*I)*(a + b*\text{ArcSin}[c*x]))}{b}\right]\right)/(16*b*c^3*E^{\left(\frac{(5*I)*(a + b*\text{ArcSin}[c*x])}{b}\right)}*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]$

**Maple [A]** time = 0.106, size = 441, normalized size = 0.8

$$\frac{d}{8bc^3} \left( \sqrt{3}\sqrt{b^{-1}}\sqrt{\pi}\sqrt{2}\sqrt{a + b \arcsin(cx)} \cos\left(3\frac{a}{b}\right) \text{FresnelS}\left(\frac{\sqrt{2}\sqrt{3}}{\sqrt{\pi b}}\sqrt{a + b \arcsin(cx)}\frac{1}{\sqrt{b^{-1}}}\right) - \sqrt{3}\sqrt{b^{-1}}\sqrt{\pi}\sqrt{2}\sqrt{a + b \arcsin(cx)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2*(-c^2*d*x^2+d)/(a+b*\arcsin(c*x))^{(3/2)}, x)$

[Out]  $\frac{1}{8}*c^{-3}*d/b*(3^{(1/2)}*(1/b)^{(1/2)}*\text{Pi}^{(1/2)}*2^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}*\cos(3*a/b)*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*3^{(1/2)}/(1/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b)-3^{(1/2)}*(1/b)^{(1/2)}*\text{Pi}^{(1/2)}*2^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}*\sin(3*a/b)*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*3^{(1/2)}/(1/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b)-(1/b)^{(1/2)}*\text{Pi}^{(1/2)}*2^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}*5^{(1/2)}*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*5^{(1/2)}/(1/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b)*\sin(5*a/b)+(1/b)^{(1/2)}*\text{Pi}^{(1/2)}*2^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}*5^{(1/2)}*\cos(5*a/b)*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*5^{(1/2)}/(1/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b)-2*(1/b)^{(1/2)}*\text{Pi}^{(1/2)}*2^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}*\cos(a/b)*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}/(1/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b)+2*(1/b)^{(1/2)}*\text{Pi}^{(1/2)}*2^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}*\sin(a/b)*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}/(1/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b)-2*\cos((a+b*\arcsin(c*x))/b-a/b)+\cos(3*(a+b*\arcsin(c*x))/b-3*a/b)+\cos(5*(a+b*\arcsin(c*x))/b-5*a/b))/(a+b*\arcsin(c*x))^{(1/2)}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{(c^2 dx^2 - d)x^2}{(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(-c^2*d*x^2+d)/(a+b*arcsin(c*x))^(3/2),x, algorithm="maxima")
```

```
[Out] -integrate((c^2*d*x^2 - d)*x^2/(b*arcsin(c*x) + a)^(3/2), x)
```

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(-c^2*d*x^2+d)/(a+b*arcsin(c*x))^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: UnboundLocalError
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d \left( \int -\frac{x^2}{a\sqrt{a+b\operatorname{asin}(cx)}+b\sqrt{a+b\operatorname{asin}(cx)}\operatorname{asin}(cx)} dx + \int \frac{c^2x^4}{a\sqrt{a+b\operatorname{asin}(cx)}+b\sqrt{a+b\operatorname{asin}(cx)}\operatorname{asin}(cx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(-c**2*d*x**2+d)/(a+b*asin(c*x))**(3/2),x)
```

```
[Out] -d*(Integral(-x**2/(a*sqrt(a + b*asin(c*x)) + b*sqrt(a + b*asin(c*x))*asin(c*x)), x) + Integral(c**2*x**4/(a*sqrt(a + b*asin(c*x)) + b*sqrt(a + b*asin(c*x))*asin(c*x)), x))
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(c^2dx^2 - d)x^2}{(b \operatorname{arcsin}(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(x^2*(-c^2*d*x^2+d)/(a+b*arcsin(c*x))^(3/2),x, algorithm="giac")
```

```
[Out] integrate(-(c^2*d*x^2 - d)*x^2/(b*arcsin(c*x) + a)^(3/2), x)
```

$$3.433 \quad \int \frac{x(d-c^2 dx^2)}{(a+b \sin^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=241

$$\frac{\sqrt{\frac{\pi}{2}} d \cos\left(\frac{4a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2} c^2} + \frac{\sqrt{\pi} d \cos\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{\pi} \sqrt{b}}\right)}{b^{3/2} c^2} + \frac{\sqrt{\pi} d \sin\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{b^{3/2} c^2}$$

```
[Out] (-2*d*x*(1 - c^2*x^2)^(3/2))/(b*c*Sqrt[a + b*ArcSin[c*x]]) + (d*Sqrt[Pi/2]*
Cos[(4*a)/b]*FresnelC[(2*Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]])/(b^(
3/2)*c^2) + (d*Sqrt[Pi]*Cos[(2*a)/b]*FresnelC[(2*Sqrt[a + b*ArcSin[c*x]])/(
Sqrt[b]*Sqrt[Pi])])/(b^(3/2)*c^2) + (d*Sqrt[Pi]*FresnelS[(2*Sqrt[a + b*ArcS
in[c*x]])/(Sqrt[b]*Sqrt[Pi])]*Sin[(2*a)/b])/(b^(3/2)*c^2) + (d*Sqrt[Pi/2]*F
resnelS[(2*Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]]*Sin[(4*a)/b])/(b^(3
/2)*c^2)
```

**Rubi [A]** time = 0.786533, antiderivative size = 241, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 10, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {4721, 4661, 3312, 3306, 3305, 3351, 3304, 3352, 4723, 4406}

$$\frac{\sqrt{\frac{\pi}{2}} d \cos\left(\frac{4a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2} c^2} + \frac{\sqrt{\pi} d \cos\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{\pi} \sqrt{b}}\right)}{b^{3/2} c^2} + \frac{\sqrt{\pi} d \sin\left(\frac{2a}{b}\right) S\left(\frac{2\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b} \sqrt{\pi}}\right)}{b^{3/2} c^2}$$

Antiderivative was successfully verified.

```
[In] Int[(x*(d - c^2*d*x^2))/(a + b*ArcSin[c*x])^(3/2),x]
```

```
[Out] (-2*d*x*(1 - c^2*x^2)^(3/2))/(b*c*Sqrt[a + b*ArcSin[c*x]]) + (d*Sqrt[Pi/2]*
Cos[(4*a)/b]*FresnelC[(2*Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]])/(b^(
3/2)*c^2) + (d*Sqrt[Pi]*Cos[(2*a)/b]*FresnelC[(2*Sqrt[a + b*ArcSin[c*x]])/(
Sqrt[b]*Sqrt[Pi])])/(b^(3/2)*c^2) + (d*Sqrt[Pi]*FresnelS[(2*Sqrt[a + b*ArcS
in[c*x]])/(Sqrt[b]*Sqrt[Pi])]*Sin[(2*a)/b])/(b^(3/2)*c^2) + (d*Sqrt[Pi/2]*F
resnelS[(2*Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]]*Sin[(4*a)/b])/(b^(3
/2)*c^2)
```

Rule 4721

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^m*Sqrt[1 - c^2*x^2]*(d + e*x^2)^p
*(a + b*ArcSin[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(f*m*d^IntPart[p]*
(d + e*x^2)^FracPart[p])/(b*c*(n + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)
^(m - 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n + 1), x], x] + Dist
[(c*(m + 2*p + 1)*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(b*f*(n + 1)*(1 - c
^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcS
in[c*x])^(n + 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e,
0] && LtQ[n, -1] && IGtQ[m, -3] && IGtQ[2*p, 0]

```

### Rule 4661

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Dist[d^p/c, Subst[Int[(a + b*x)^n*Cos[x]^(2*p + 1), x], x, ArcS
in[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IGtQ[2
*p, 0] && (IntegerQ[p] || GtQ[d, 0])

```

### Rule 3312

```

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

```

### Rule 3306

```

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

```

### Rule 3305

```

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

```

### Rule 3351

```

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

```

### Rule 3304

```

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d

```

, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

### Rule 3352

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)])/(f\*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))<sup>(n\_.)</sup>(x\_)<sup>(m\_.)</sup>((d\_) + (e\_.)\*(x\_)<sup>2</sup>)<sup>(p\_.)</sup>, x\_Symbol] := Dist[d<sup>p</sup>/c<sup>(m + 1)</sup>, Subst[Int[(a + b\*x)<sup>n</sup>\*Sin[x]<sup>m</sup>\*Cos[x]<sup>(2\*p + 1)</sup>, x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c<sup>2</sup>\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_)]<sup>(p\_.)</sup>((c\_.) + (d\_.)\*(x\_))<sup>(m\_.)</sup>\*Sin[(a\_.) + (b\_.)\*(x\_)]<sup>(n\_.)</sup>, x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)<sup>m</sup>, Sin[a + b\*x]<sup>n</sup>\*Cos[a + b\*x]<sup>p</sup>, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{x(d - c^2 dx^2)}{(a + b \sin^{-1}(cx))^{3/2}} dx &= -\frac{2dx(1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(2d) \int \frac{\sqrt{1-c^2 x^2}}{\sqrt{a+b \sin^{-1}(cx)}} dx}{bc} - \frac{(8cd) \int \frac{x^2 \sqrt{1-c^2 x^2}}{\sqrt{a+b \sin^{-1}(cx)}} dx}{b} \\
&= -\frac{2dx(1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(2d) \text{Subst}\left(\int \frac{\cos^2(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{bc^2} - \frac{(8d) \text{Subst}\left(\int \frac{\cos^2(x) \sin^2(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{bc^2} \\
&= -\frac{2dx(1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(2d) \text{Subst}\left(\int \left(\frac{1}{2\sqrt{a+bx}} + \frac{\cos(2x)}{2\sqrt{a+bx}}\right) dx, x, \sin^{-1}(cx)\right)}{bc^2} - \frac{(8d) \text{Subst}\left(\int \frac{\cos^2(x) \sin^2(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{bc^2} \\
&= -\frac{2dx(1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{d \text{Subst}\left(\int \frac{\cos(2x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{bc^2} + \frac{d \text{Subst}\left(\int \frac{\cos(4x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{bc^2} \\
&= -\frac{2dx(1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{\left(d \cos\left(\frac{2a}{b}\right)\right) \text{Subst}\left(\int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{bc^2} + \frac{\left(d \cos\left(\frac{4a}{b}\right)\right) \text{Subst}\left(\int \frac{\cos\left(\frac{4a}{b} + 4x\right)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{bc^2} \\
&= -\frac{2dx(1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{\left(2d \cos\left(\frac{2a}{b}\right)\right) \text{Subst}\left(\int \cos\left(\frac{2x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{b^2 c^2} + \frac{\left(2d \cos\left(\frac{4a}{b}\right)\right) \text{Subst}\left(\int \cos\left(\frac{4x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{b^2 c^2} \\
&= -\frac{2dx(1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{d\sqrt{\frac{\pi}{2}} \cos\left(\frac{4a}{b}\right) C\left(\frac{2\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2} c^2} + \frac{d\sqrt{\pi} \cos\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{b^{3/2} c^2}
\end{aligned}$$

**Mathematica [C]** time = 2.22426, size = 375, normalized size = 1.56

$$d \frac{\left( ie^{-\frac{4ia}{b}} \left( \sqrt{2e^{\frac{2ia}{b}}} \sqrt{-\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, -\frac{2i(a+b \sin^{-1}(cx))}{b}\right) - \sqrt{2e^{\frac{6ia}{b}}} \sqrt{\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, \frac{2i(a+b \sin^{-1}(cx))}{b}\right) \right) - \sqrt{-\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, -\frac{4i(a+b \sin^{-1}(cx))}{b}\right) \right)}{b\sqrt{a+b \sin^{-1}(cx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x\*(d - c^2\*d\*x^2))/(a + b\*ArcSin[c\*x])^(3/2), x]

```
[Out] (d*(8*(b^(-1))^(3/2)*Sqrt[Pi]*Cos[(2*a)/b]*FresnelC[(2*Sqrt[b^(-1)]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[Pi]] + 8*(b^(-1))^(3/2)*Sqrt[Pi]*FresnelS[(2*Sqrt[b^(-1)]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[Pi]]*Sin[(2*a)/b] + (I*(Sqrt[2]*E^(((2*I)*a)/b)*Sqrt[((-I)*(a + b*ArcSin[c*x]))/b]*Gamma[1/2, ((-2*I)*(a + b*ArcSin[c*x]))/b] - Sqrt[2]*E^(((6*I)*a)/b)*Sqrt[(I*(a + b*ArcSin[c*x]))/b]*Gamma[1/2, ((2*I)*(a + b*ArcSin[c*x]))/b] - Sqrt[((-I)*(a + b*ArcSin[c*x]))/b]*Gamma[1/2, ((-4*I)*(a + b*ArcSin[c*x]))/b] + E^(((8*I)*a)/b)*Sqrt[(I*(a + b*ArcSin[c*x]))/b]*Gamma[1/2, ((4*I)*(a + b*ArcSin[c*x]))/b] + (2*I)*E^(((4*I)*a)/b)*Sin[2*ArcSin[c*x]] + I*E^(((4*I)*a)/b)*Sin[4*ArcSin[c*x]]))/(b*E^(((4*I)*a)/b)*Sqrt[a + b*ArcSin[c*x]]))/(4*c^2)
```

**Maple [A]** time = 0.079, size = 283, normalized size = 1.2

$$\frac{d}{4bc^2} \left( 2\sqrt{2}\sqrt{a+b\arcsin(cx)} \cos\left(4\frac{a}{b}\right) \text{FresnelC}\left(2\frac{\sqrt{2}\sqrt{a+b\arcsin(cx)}}{\sqrt{\pi}\sqrt{b^{-1}b}}\right) \sqrt{\pi}\sqrt{b^{-1}} + 2\sqrt{2}\sqrt{a+b\arcsin(cx)} \sin\left(4\frac{a}{b}\right) \text{FresnelS}\left(2\frac{\sqrt{2}\sqrt{a+b\arcsin(cx)}}{\sqrt{\pi}\sqrt{b^{-1}b}}\right) \sqrt{\pi}\sqrt{b^{-1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(-c^2*d*x^2+d)/(a+b*arcsin(c*x))^(3/2),x)
```

```
[Out] 1/4/c^2*d/b*(2*2^(1/2)*(a+b*arcsin(c*x))^(1/2)*cos(4*a/b)*FresnelC(2*2^(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*Pi^(1/2)*(1/b)^(1/2)+2*2^(1/2)*(a+b*arcsin(c*x))^(1/2)*sin(4*a/b)*FresnelS(2*2^(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*Pi^(1/2)*(1/b)^(1/2)+4*(1/b)^(1/2)*Pi^(1/2)*(a+b*arcsin(c*x))^(1/2)*cos(2*a/b)*FresnelC(2/Pi^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)+4*(1/b)^(1/2)*Pi^(1/2)*(a+b*arcsin(c*x))^(1/2)*sin(2*a/b)*FresnelS(2/Pi^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)-sin(4*(a+b*arcsin(c*x))/b-4*a/b)-2*sin(2*(a+b*arcsin(c*x))/b-2*a/b))/(a+b*arcsin(c*x))^(1/2)
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{(c^2 dx^2 - d)x}{(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(-c^2*d*x^2+d)/(a+b*arcsin(c*x))^(3/2),x, algorithm="maxima")
```

[Out] `-integrate((c^2*d*x^2 - d)*x/(b*arcsin(c*x) + a)^(3/2), x)`

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*d*x^2+d)/(a+b*arcsin(c*x))^(3/2),x, algorithm="fricas")`

[Out] Exception raised: UnboundLocalError

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d \left( \int -\frac{x}{a\sqrt{a+b\sin(cx)}+b\sqrt{a+b\sin(cx)}\sin(cx)} dx + \int \frac{c^2x^3}{a\sqrt{a+b\sin(cx)}+b\sqrt{a+b\sin(cx)}\sin(cx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c**2*d*x**2+d)/(a+b*asin(c*x))**(3/2),x)`

[Out] `-d*(Integral(-x/(a*sqrt(a + b*asin(c*x)) + b*sqrt(a + b*asin(c*x))*asin(c*x)), x) + Integral(c**2*x**3/(a*sqrt(a + b*asin(c*x)) + b*sqrt(a + b*asin(c*x))*asin(c*x)), x))`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{(c^2dx^2 - d)x}{(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*d*x^2+d)/(a+b*arcsin(c*x))^(3/2),x, algorithm="giac")`

[Out] `integrate(-(c^2*d*x^2 - d)*x/(b*arcsin(c*x) + a)^(3/2), x)`

$$3.434 \quad \int \frac{d-c^2 dx^2}{(a+b \sin^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=253

$$\frac{3\sqrt{\frac{\pi}{2}}d \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} + \frac{\sqrt{\frac{3\pi}{2}}d \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} - \frac{3\sqrt{\frac{\pi}{2}}d \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c}$$

[Out]  $(-2*d*(1 - c^2*x^2)^{(3/2)})/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (3*d*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c) - (d*\text{Sqrt}[(3*\text{Pi})/2]*\text{Cos}[(3*a)/b]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c) + (3*d*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(b^{(3/2)}*c) + (d*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelC}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(3*a)/b])/(b^{(3/2)}*c)$

**Rubi [A]** time = 0.591869, antiderivative size = 253, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 8, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4659, 4723, 4406, 3306, 3305, 3351, 3304, 3352}

$$\frac{3\sqrt{\frac{\pi}{2}}d \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} + \frac{\sqrt{\frac{3\pi}{2}}d \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} - \frac{3\sqrt{\frac{\pi}{2}}d \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d - c^2*d*x^2)/(a + b*\text{ArcSin}[c*x])^{(3/2)}, x]$

[Out]  $(-2*d*(1 - c^2*x^2)^{(3/2)})/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (3*d*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c) - (d*\text{Sqrt}[(3*\text{Pi})/2]*\text{Cos}[(3*a)/b]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c) + (3*d*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(b^{(3/2)}*c) + (d*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelC}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(3*a)/b])/(b^{(3/2)}*c)$

**Rule 4659**

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)^{(n_)}*((d_.) + (e_.)*(x_)^2)^{(p_)}], x_$   
 Symbol]  $\rightarrow \text{Simp}[(\text{Sqrt}[1 - c^2*x^2]*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^{(n + 1)}$



$$\frac{1}{(b*c*(n+1))} \int x + \text{Dist}[(c*(2*p+1)*d^{\text{IntPart}[p]}*(d+e*x^2)^{\text{FracPart}[p]})/(b*(n+1)*(1-c^2*x^2)^{\text{FracPart}[p]})] \int [x*(1-c^2*x^2)^{(p-1/2)}*(a+b*\text{ArcSin}[c*x])^{(n+1)}] dx, x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, p\}, x \} \&\& \text{EqQ}[c^2*d+e, 0] \&\& \text{LtQ}[n, -1]$$

### Rule 4723

$$\int ((a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)^{(n_.)}*(x_)^{(m_.)}*((d_.) + (e_.)*(x_)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[d^p/c^{(m+1)}, \text{Subst}[\int [(a+b*x)^n*\text{Sin}[x]^m*\text{Cos}[x]^{(2*p+1)}] dx, x, \text{ArcSin}[c*x]], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, n\}, x \} \&\& \text{EqQ}[c^2*d+e, 0] \&\& \text{IntegerQ}[2*p] \&\& \text{GtQ}[p, -1] \&\& \text{IGtQ}[m, 0] \&\& (\text{IntegerQ}[p] \parallel \text{GtQ}[d, 0])$$

### Rule 4406

$$\int [\text{Cos}[(a_.) + (b_.)*(x_)]^{(p_.)}*((c_.) + (d_.)*(x_))^{(m_.)}*\text{Sin}[(a_.) + (b_.)*(x_)]^{(n_.)}, x\_Symbol] \rightarrow \int [\text{ExpandTrigReduce}[(c+d*x)^m, \text{Sin}[a+b*x]^{(n)*\text{Cos}[a+b*x]^p], x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, m\}, x \} \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$$

### Rule 3306

$$\int [\text{sin}[(e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e-c*f)/d], \int [\text{Sin}[(c*f)/d+f*x]/\text{Sqrt}[c+d*x], x], x] + \text{Dist}[\text{Sin}[(d*e-c*f)/d], \int [\text{Cos}[(c*f)/d+f*x]/\text{Sqrt}[c+d*x], x], x] /;$$

$$\text{FreeQ}\{c, d, e, f\}, x \} \&\& \text{ComplexFreeQ}[f] \&\& \text{NeQ}[d*e-c*f, 0]$$

### Rule 3305

$$\int [\text{sin}[(e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\int [\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c+d*x]], x] /;$$

$$\text{FreeQ}\{c, d, e, f\}, x \} \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e-c*f, 0]$$

### Rule 3351

$$\int [\text{Sin}[(d_.)*((e_.) + (f_.)*(x_))^{(2)}], x\_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e+f*x)])/(f*\text{Rt}[d, 2]), x] /;$$

$$\text{FreeQ}\{d, e, f\}, x \}$$

### Rule 3304

$$\int [\text{sin}[\text{Pi}/2 + (e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\int [\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c+d*x]], x] /;$$

$$\text{FreeQ}\{c, d, e, f\}, x \} \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e-c*f, 0]$$

Rule 3352

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)])/(f\*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{d - c^2 x^2}{(a + b \sin^{-1}(cx))^{3/2}} dx &= -\frac{2d(1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(6cd) \int \frac{x\sqrt{1-c^2x^2}}{\sqrt{a+b \sin^{-1}(cx)}} dx}{b} \\
 &= -\frac{2d(1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(6d) \text{Subst}\left(\int \frac{\cos^2(x)\sin(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{bc} \\
 &= -\frac{2d(1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(6d) \text{Subst}\left(\int \left(\frac{\sin(x)}{4\sqrt{a+bx}} + \frac{\sin(3x)}{4\sqrt{a+bx}}\right) dx, x, \sin^{-1}(cx)\right)}{bc} \\
 &= -\frac{2d(1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(3d) \text{Subst}\left(\int \frac{\sin(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{2bc} - \frac{(3d) \text{Subst}\left(\int \frac{\sin(3x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{2bc} \\
 &= -\frac{2d(1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(3d \cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \frac{\sin\left(\frac{a}{b}+x\right)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{2bc} - \frac{(3d \cos\left(\frac{3a}{b}\right)) \text{Subst}\left(\int \frac{\sin(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{2bc} \\
 &= -\frac{2d(1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(3d \cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \sin\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{b^2 c} - \frac{(3d \cos\left(\frac{3a}{b}\right)) \text{Subst}\left(\int \sin\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{b^2 c} \\
 &= -\frac{2d(1 - c^2 x^2)^{3/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{3d\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} - \frac{d\sqrt{\frac{3\pi}{2}} \cos\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c}
 \end{aligned}$$

**Mathematica [C]** time = 1.0961, size = 348, normalized size = 1.38

$$de^{-\frac{3i(a+b \sin^{-1}(cx))}{b}} \left( 3e^{\frac{2ia}{b}+3i \sin^{-1}(cx)} \sqrt{-\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, -\frac{i(a+b \sin^{-1}(cx))}{b}\right) + 3e^{\frac{4ia}{b}+3i \sin^{-1}(cx)} \sqrt{\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma}\left(\frac{3}{2}, -\frac{i(a+b \sin^{-1}(cx))}{b}\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d - c^2\*d\*x^2)/(a + b\*ArcSin[c\*x])^(3/2),x]

[Out] (d\*(-E^(((3\*I)\*a)/b) - 3\*E^(((3\*I)\*a)/b + (2\*I)\*ArcSin[c\*x]) - 3\*E^(((3\*I)\*a)/b + (4\*I)\*ArcSin[c\*x]) - E^(((3\*I)\*(a + 2\*b\*ArcSin[c\*x]))/b) + 3\*E^(((2\*I)\*a)/b + (3\*I)\*ArcSin[c\*x])\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] + 3\*E^(((4\*I)\*a)/b + (3\*I)\*ArcSin[c\*x])\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, (I\*(a + b\*ArcSin[c\*x]))/b] + Sqrt[3]\*E^(((3\*I)\*ArcSin[c\*x])\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((-3\*I)\*(a + b\*ArcSin[c\*x]))/b] + Sqrt[3]\*E^(((3\*I)\*((2\*a)/b + ArcSin[c\*x]))\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((3\*I)\*(a + b\*ArcSin[c\*x]))/b]))/(4\*b\*c\*E^(((3\*I)\*(a + b\*ArcSin[c\*x]))/b)\*Sqrt[a + b\*ArcSin[c\*x]])

**Maple [A]** time = 0.074, size = 297, normalized size = 1.2

$$-\frac{d}{2bc} \left( \sqrt{3}\sqrt{b^{-1}}\sqrt{\pi}\sqrt{2}\sqrt{a+b\arcsin(cx)} \cos\left(3\frac{a}{b}\right) \text{FresnelS}\left(\frac{\sqrt{2}\sqrt{3}}{\sqrt{\pi b}}\sqrt{a+b\arcsin(cx)}\frac{1}{\sqrt{b^{-1}}}\right) - \sqrt{3}\sqrt{b^{-1}}\sqrt{\pi}\sqrt{2}\sqrt{a+b\arcsin(cx)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)/(a+b\*arcsin(c\*x))^(3/2),x)

[Out] -1/2/c\*d/b\*(3^(1/2)\*(1/b)^(1/2)\*Pi^(1/2)\*2^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)\*cos(3\*a/b)\*FresnelS(2^(1/2)/Pi^(1/2)\*3^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)-3^(1/2)\*(1/b)^(1/2)\*Pi^(1/2)\*2^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)\*sin(3\*a/b)\*FresnelC(2^(1/2)/Pi^(1/2)\*3^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)+3\*(1/b)^(1/2)\*Pi^(1/2)\*2^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)\*cos(a/b)\*FresnelS(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)-3\*(1/b)^(1/2)\*Pi^(1/2)\*2^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)\*sin(a/b)\*FresnelC(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)+3\*cos((a+b\*arcsin(c\*x))/b-a/b)+cos(3\*(a+b\*arcsin(c\*x))/b-3\*a/b))/(a+b\*arcsin(c\*x))^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{c^2 dx^2 - d}{(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="maxima")

[Out] -integrate((c^2\*d\*x^2 - d)/(b\*arcsin(c\*x) + a)^(3/2), x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$-d \left( \int \frac{c^2 x^2}{a \sqrt{a + b \operatorname{asin}(cx)} + b \sqrt{a + b \operatorname{asin}(cx)} \operatorname{asin}(cx)} dx + \int -\frac{1}{a \sqrt{a + b \operatorname{asin}(cx)} + b \sqrt{a + b \operatorname{asin}(cx)} \operatorname{asin}(cx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)/(a+b\*asin(c\*x))\*\*(3/2),x)

[Out] -d\*(Integral(c\*\*2\*x\*\*2/(a\*sqrt(a + b\*asin(c\*x)) + b\*sqrt(a + b\*asin(c\*x))\*a sin(c\*x)), x) + Integral(-1/(a\*sqrt(a + b\*asin(c\*x)) + b\*sqrt(a + b\*asin(c\*x))\*asin(c\*x)), x))

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{c^2 dx^2 - d}{(b \operatorname{arcsin}(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="giac")

[Out] integrate(-(c^2\*d\*x^2 - d)/(b\*arcsin(c\*x) + a)^(3/2), x)

$$3.435 \quad \int \frac{d-c^2 dx^2}{x(a+b \sin^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=170

$$\frac{2d \operatorname{Unintegrable}\left(\frac{1}{x^2 \sqrt{1-c^2 x^2} \sqrt{a+b \sin^{-1}(cx)}}, x\right)}{bc} - \frac{2\sqrt{\pi}d \cos\left(\frac{2a}{b}\right) \operatorname{FresnelC}\left(\frac{2\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{\pi}\sqrt{b}}\right)}{b^{3/2}} - \frac{2\sqrt{\pi}d \sin\left(\frac{2a}{b}\right) \operatorname{FresnelS}\left(\frac{2\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{\pi}\sqrt{b}}\right)}{b^{3/2}}$$

[Out]  $(-2*d*(1 - c^2*x^2)^{(3/2)})/(b*c*x*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]]) - (2*d*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Cos}[(2*a)/b]*\operatorname{FresnelC}[(2*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])]/(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}]))/b^{(3/2)} - (2*d*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{FresnelS}[(2*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])]/(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}]))*\operatorname{Sin}[(2*a)/b])/b^{(3/2)} - (2*d*\operatorname{Unintegrable}[1/(x^2*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]]), x])/(b*c)$

**Rubi [A]** time = 0.778696, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{d - c^2 dx^2}{x(a + b \sin^{-1}(cx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In]  $\operatorname{Int}[(d - c^2*d*x^2)/(x*(a + b*\operatorname{ArcSin}[c*x])^{(3/2)}), x]$

[Out]  $(-2*d*(1 - c^2*x^2)^{(3/2)})/(b*c*x*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]]) - (2*d*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Cos}[(2*a)/b]*\operatorname{FresnelC}[(2*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])]/(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}]))/b^{(3/2)} - (2*d*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{FresnelS}[(2*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])]/(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}]))*\operatorname{Sin}[(2*a)/b])/b^{(3/2)} - (2*d*\operatorname{Defer}[\operatorname{Int}[1/(x^2*\operatorname{Sqrt}[1 - c^2*x^2]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]]), x])/(b*c)$

Rubi steps

$$\begin{aligned}
\int \frac{d - c^2 dx^2}{x(a + b \sin^{-1}(cx))^{3/2}} dx &= -\frac{2d(1 - c^2 x^2)^{3/2}}{bcx\sqrt{a + b \sin^{-1}(cx)}} - \frac{(2d) \int \frac{\sqrt{1 - c^2 x^2}}{x^2 \sqrt{a + b \sin^{-1}(cx)}} dx}{bc} - \frac{(4cd) \int \frac{\sqrt{1 - c^2 x^2}}{\sqrt{a + b \sin^{-1}(cx)}} dx}{b} \\
&= -\frac{2d(1 - c^2 x^2)^{3/2}}{bcx\sqrt{a + b \sin^{-1}(cx)}} - \frac{(4d) \text{Subst} \left( \int \frac{\cos^2(x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx) \right)}{b} - \frac{(2d) \int \left( -\frac{c^2}{\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}} \right) dx}{b} \\
&= -\frac{2d(1 - c^2 x^2)^{3/2}}{bcx\sqrt{a + b \sin^{-1}(cx)}} - \frac{(4d) \text{Subst} \left( \int \left( \frac{1}{2\sqrt{a + bx}} + \frac{\cos(2x)}{2\sqrt{a + bx}} \right) dx, x, \sin^{-1}(cx) \right)}{b} - \frac{(2d) \int \frac{1}{x^2 \sqrt{1 - c^2 x^2}} dx}{b} \\
&= -\frac{2d(1 - c^2 x^2)^{3/2}}{bcx\sqrt{a + b \sin^{-1}(cx)}} - \frac{(2d) \text{Subst} \left( \int \frac{\cos(2x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx) \right)}{b} - \frac{(2d) \int \frac{1}{x^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}} dx}{bc} \\
&= -\frac{2d(1 - c^2 x^2)^{3/2}}{bcx\sqrt{a + b \sin^{-1}(cx)}} - \frac{(2d) \int \frac{1}{x^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}} dx}{bc} - \frac{\left( 2d \cos\left(\frac{2a}{b}\right) \right) \text{Subst} \left( \int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx) \right)}{b} \\
&= -\frac{2d(1 - c^2 x^2)^{3/2}}{bcx\sqrt{a + b \sin^{-1}(cx)}} - \frac{(2d) \int \frac{1}{x^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}} dx}{bc} - \frac{\left( 4d \cos\left(\frac{2a}{b}\right) \right) \text{Subst} \left( \int \cos\left(\frac{2x}{b}\right) dx, x, \sin^{-1}(cx) \right)}{b^2} \\
&= -\frac{2d(1 - c^2 x^2)^{3/2}}{bcx\sqrt{a + b \sin^{-1}(cx)}} - \frac{2d\sqrt{\pi} \cos\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}\sqrt{\pi}}\right)}{b^{3/2}} - \frac{2d\sqrt{\pi} S\left(\frac{2\sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}\sqrt{\pi}}\right) \sin\left(\frac{2a}{b}\right)}{b^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 1.8356, size = 0, normalized size = 0.

$$\int \frac{d - c^2 dx^2}{x(a + b \sin^{-1}(cx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(d - c^2\*d\*x^2)/(x\*(a + b\*ArcSin[c\*x])^(3/2)),x]

[Out] Integrate[(d - c^2\*d\*x^2)/(x\*(a + b\*ArcSin[c\*x])^(3/2)), x]

---

**Maple [A]** time = 0.3, size = 0, normalized size = 0.

$$\int \frac{-c^2 dx^2 + d}{x} (a + b \arcsin(cx))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*d*x^2+d)/x/(a+b*arcsin(c*x))^(3/2),x)`

[Out] `int((-c^2*d*x^2+d)/x/(a+b*arcsin(c*x))^(3/2),x)`

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$- \int \frac{c^2 dx^2 - d}{(b \arcsin(cx) + a)^{\frac{3}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)/x/(a+b*arcsin(c*x))^(3/2),x, algorithm="maxima")`

[Out] `-integrate((c^2*d*x^2 - d)/((b*arcsin(c*x) + a)^(3/2)*x), x)`

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)/x/(a+b*arcsin(c*x))^(3/2),x, algorithm="fricas")`

[Out] Exception raised: UnboundLocalError

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$-d \left( \int \frac{c^2 x^2}{ax\sqrt{a + b \arcsin(cx)} + bx\sqrt{a + b \arcsin(cx)} \arcsin(cx)} dx + \int -\frac{1}{ax\sqrt{a + b \arcsin(cx)} + bx\sqrt{a + b \arcsin(cx)} \arcsin(cx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)/x/(a+b\*asin(c\*x))\*\*(3/2),x)

[Out] -d\*(Integral(c\*\*2\*x\*\*2/(a\*x\*sqrt(a + b\*asin(c\*x)) + b\*x\*sqrt(a + b\*asin(c\*x)))\*asin(c\*x)), x) + Integral(-1/(a\*x\*sqrt(a + b\*asin(c\*x)) + b\*x\*sqrt(a + b\*asin(c\*x)))\*asin(c\*x)), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int -\frac{c^2 dx^2 - d}{(b \arcsin(cx) + a)^{\frac{3}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)/x/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="giac")

[Out] integrate(-(c^2\*d\*x^2 - d)/((b\*arcsin(c\*x) + a)^(3/2)\*x), x)



$$3.436 \quad \int \frac{x^3(d-c^2dx^2)^2}{(a+b\sin^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=485

$$\frac{\sqrt{\frac{\pi}{2}}d^2 \cos\left(\frac{4a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{8b^{3/2}c^4} - \frac{\sqrt{3\pi}d^2 \cos\left(\frac{6a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{3}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{16b^{3/2}c^4} + \frac{3\sqrt{\pi}d^2 \cos\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{1}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{16b^{3/2}c^4}$$

[Out]  $(-2*d^2*x^3*(1 - c^2*x^2)^{(5/2)})/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) + (d^2*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[(4*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(8*b^{(3/2)}*c^4) - (d^2*\text{Sqrt}[3*\text{Pi}]*\text{Cos}[(6*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[3/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(16*b^{(3/2)}*c^4) + (3*d^2*\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])])/(16*b^{(3/2)}*c^4) - (d^2*\text{Sqrt}[\text{Pi}]*\text{Cos}[(8*a)/b]*\text{FresnelC}[(4*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])])/(16*b^{(3/2)}*c^4) + (3*d^2*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])]*\text{Sin}[(2*a)/b])/(16*b^{(3/2)}*c^4) + (d^2*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b])*\text{Sin}[(4*a)/b])/(8*b^{(3/2)}*c^4) - (d^2*\text{Sqrt}[3*\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[3/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b])*\text{Sin}[(6*a)/b])/(16*b^{(3/2)}*c^4) - (d^2*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(4*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])]*\text{Sin}[(8*a)/b])/(16*b^{(3/2)}*c^4)$

**Rubi [A]** time = 1.66205, antiderivative size = 485, normalized size of antiderivative = 1., number of steps used = 32, number of rules used = 8, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$ , Rules used = {4721, 4723, 4406, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{\frac{\pi}{2}}d^2 \cos\left(\frac{4a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{8b^{3/2}c^4} - \frac{\sqrt{3\pi}d^2 \cos\left(\frac{6a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{3}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{16b^{3/2}c^4} + \frac{3\sqrt{\pi}d^2 \cos\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{1}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{16b^{3/2}c^4}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^3*(d - c^2*d*x^2)^2)/(a + b*\text{ArcSin}[c*x])^{(3/2)}, x]$

[Out]  $(-2*d^2*x^3*(1 - c^2*x^2)^{(5/2)})/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) + (d^2*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[(4*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(8*b^{(3/2)}*c^4) - (d^2*\text{Sqrt}[3*\text{Pi}]*\text{Cos}[(6*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[3/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(16*b^{(3/2)}*c^4) + (3*d^2*\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])])/(16*b^{(3/2)}*c^4) - (d^2*\text{Sqrt}[\text{Pi}]*\text{Cos}[(8*a)/b]*\text{FresnelC}[(4*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])])/(16*b^{(3/2)}*c^4) + (3*d^2*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])]*\text{Sin}[(2*a)/b])/(16*b^{(3/2)}*c^4) + (d^2*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b])*\text{Sin}[(4*a)/b])/(8*b^{(3/2)}*c^4) - (d^2*\text{Sqrt}[3*\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[3/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b])*\text{Sin}[(6*a)/b])/(16*b^{(3/2)}*c^4) - (d^2*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(4*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])]*\text{Sin}[(8*a)/b])/(16*b^{(3/2)}*c^4)$

$$\begin{aligned} & t[a + b \operatorname{ArcSin}[c*x]]/\operatorname{Sqrt}[b]]/(16*b^{(3/2)}*c^4) + (3*d^2*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Cos}[(2*a)/b]*\operatorname{FresnelC}[(2*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}]))]/(16*b^{(3/2)}*c^4) \\ & - (d^2*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Cos}[(8*a)/b]*\operatorname{FresnelC}[(4*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}]))]/(16*b^{(3/2)}*c^4) + (3*d^2*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{FresnelS}[(2*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}]))*\operatorname{Sin}[(2*a)/b])/ \\ & (16*b^{(3/2)}*c^4) + (d^2*\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{FresnelS}[(2*\operatorname{Sqrt}[2/\operatorname{Pi}]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}]))*\operatorname{Sin}[(4*a)/b])/ \\ & (8*b^{(3/2)}*c^4) - (d^2*\operatorname{Sqrt}[3*\operatorname{Pi}]*\operatorname{FresnelS}[(2*\operatorname{Sqrt}[3/\operatorname{Pi}]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}]))*\operatorname{Sin}[(6*a)/b])/ \\ & (16*b^{(3/2)}*c^4) - (d^2*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{FresnelS}[(4*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}]))*\operatorname{Sin}[(8*a)/b])/ \\ & (16*b^{(3/2)}*c^4) \end{aligned}$$
Rule 4721

$$\begin{aligned} & \operatorname{Int}[(a_.) + \operatorname{ArcSin}[c_.*(x_.)]*(b_.)^{(n_.)*((f_.)*(x_.))^{(m_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] :> \operatorname{Simp}[(f*x)^m*\operatorname{Sqrt}[1 - c^2*x^2]*(d + e*x^2)^p*(a + b*\operatorname{ArcSin}[c*x])^{(n + 1)}]/(b*c*(n + 1)), x] + (-\operatorname{Dist}[(f*m*d^{\operatorname{IntPart}[p]}*(d + e*x^2)^{\operatorname{FracPart}[p]})/(b*c*(n + 1)*(1 - c^2*x^2)^{\operatorname{FracPart}[p]}), \operatorname{Int}[(f*x)^{(m - 1)}*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\operatorname{ArcSin}[c*x])^{(n + 1)}, x], x] + \operatorname{Dist}[(c*(m + 2*p + 1)*d^{\operatorname{IntPart}[p]}*(d + e*x^2)^{\operatorname{FracPart}[p]})/(b*f*(n + 1)*(1 - c^2*x^2)^{\operatorname{FracPart}[p]}), \operatorname{Int}[(f*x)^{(m + 1)}*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\operatorname{ArcSin}[c*x])^{(n + 1)}, x], x]) /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \operatorname{EqQ}[c^2*d + e, 0] \&\& \operatorname{LtQ}[n, -1] \&\& \operatorname{IGtQ}[m, -3] \&\& \operatorname{IGtQ}[2*p, 0] \end{aligned}$$
Rule 4723

$$\begin{aligned} & \operatorname{Int}[(a_.) + \operatorname{ArcSin}[c_.*(x_.)]*(b_.)^{(n_.)*(x_.)^{(m_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] :> \operatorname{Dist}[d^p/c^{(m + 1)}, \operatorname{Subst}[\operatorname{Int}[(a + b*x)^n*\operatorname{Sin}[x]^m*\operatorname{Cos}[x]^{(2*p + 1)}, x], x, \operatorname{ArcSin}[c*x]], x] /; \operatorname{FreeQ}\{a, b, c, d, e, n\}, x\} \&\& \operatorname{EqQ}[c^2*d + e, 0] \&\& \operatorname{IntegerQ}[2*p] \&\& \operatorname{GtQ}[p, -1] \&\& \operatorname{IGtQ}[m, 0] \&\& (\operatorname{IntegerQ}[p] \mid \mid \operatorname{GtQ}[d, 0]) \end{aligned}$$
Rule 4406

$$\begin{aligned} & \operatorname{Int}[\operatorname{Cos}[(a_.) + (b_.)*(x_.)]^{(p_.)*((c_.) + (d_.)*(x_.))^{(m_.)*\operatorname{Sin}[(a_.) + (b_.)*(x_.)]^{(n_.)}, x\_Symbol] :> \operatorname{Int}[\operatorname{ExpandTrigReduce}[(c + d*x)^m, \operatorname{Sin}[a + b*x]^{(n)*\operatorname{Cos}[a + b*x]^p], x], x] /; \operatorname{FreeQ}\{a, b, c, d, m\}, x\} \&\& \operatorname{IGtQ}[n, 0] \&\& \operatorname{IGtQ}[p, 0] \end{aligned}$$
Rule 3306

$$\begin{aligned} & \operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_.)]/\operatorname{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] :> \operatorname{Dist}[\operatorname{Cos}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Sin}[(c*f)/d + f*x]/\operatorname{Sqrt}[c + d*x], x], x] + \operatorname{Dist}[\operatorname{Sin}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Cos}[(c*f)/d + f*x]/\operatorname{Sqrt}[c + d*x], x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x\} \&\& \operatorname{ComplexFreeQ}[f] \&\& \operatorname{NeQ}[d*e - c*f, 0] \end{aligned}$$

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d,
Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f},
x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d,
Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (d - c^2 dx^2)^2}{(a + b \sin^{-1}(cx))^{3/2}} dx &= -\frac{2d^2 x^3 (1 - c^2 x^2)^{5/2}}{bc \sqrt{a + b \sin^{-1}(cx)}} + \frac{(6d^2) \int \frac{x^2 (1 - c^2 x^2)^{3/2}}{\sqrt{a + b \sin^{-1}(cx)}} dx}{bc} - \frac{(16cd^2) \int \frac{x^4 (1 - c^2 x^2)^{3/2}}{\sqrt{a + b \sin^{-1}(cx)}} dx}{b} \\
&= -\frac{2d^2 x^3 (1 - c^2 x^2)^{5/2}}{bc \sqrt{a + b \sin^{-1}(cx)}} + \frac{(6d^2) \text{Subst} \left( \int \frac{\cos^4(x) \sin^2(x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx) \right)}{bc^4} - \frac{(16d^2) \text{Subst} \left( \int \frac{\cos^4(x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx) \right)}{bc^4} \\
&= -\frac{2d^2 x^3 (1 - c^2 x^2)^{5/2}}{bc \sqrt{a + b \sin^{-1}(cx)}} + \frac{(6d^2) \text{Subst} \left( \int \left( \frac{1}{16\sqrt{a + bx}} + \frac{\cos(2x)}{32\sqrt{a + bx}} - \frac{\cos(4x)}{16\sqrt{a + bx}} - \frac{\cos(6x)}{32\sqrt{a + bx}} \right) dx, x, \sin^{-1}(cx) \right)}{bc^4} \\
&= -\frac{2d^2 x^3 (1 - c^2 x^2)^{5/2}}{bc \sqrt{a + b \sin^{-1}(cx)}} - \frac{d^2 \text{Subst} \left( \int \frac{\cos(8x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx) \right)}{8bc^4} + \frac{(3d^2) \text{Subst} \left( \int \frac{\cos(2x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx) \right)}{16bc^4} \\
&= -\frac{2d^2 x^3 (1 - c^2 x^2)^{5/2}}{bc \sqrt{a + b \sin^{-1}(cx)}} + \frac{\left( 3d^2 \cos \left( \frac{2a}{b} \right) \right) \text{Subst} \left( \int \frac{\cos \left( \frac{2a}{b} + 2x \right)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx) \right)}{16bc^4} - \frac{\left( 3d^2 \cos \left( \frac{4a}{b} \right) \right)}{16bc^4} \\
&= -\frac{2d^2 x^3 (1 - c^2 x^2)^{5/2}}{bc \sqrt{a + b \sin^{-1}(cx)}} + \frac{\left( 3d^2 \cos \left( \frac{2a}{b} \right) \right) \text{Subst} \left( \int \cos \left( \frac{2x^2}{b} \right) dx, x, \sqrt{a + b \sin^{-1}(cx)} \right)}{8b^2 c^4} - \frac{\left( 3d^2 \cos \left( \frac{4a}{b} \right) \right)}{8b^2 c^4} \\
&= -\frac{2d^2 x^3 (1 - c^2 x^2)^{5/2}}{bc \sqrt{a + b \sin^{-1}(cx)}} + \frac{d^2 \sqrt{\frac{\pi}{2}} \cos \left( \frac{4a}{b} \right) C \left( \frac{2\sqrt{\frac{2}{\pi}} \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}} \right)}{8b^{3/2} c^4} - \frac{d^2 \sqrt{3\pi} \cos \left( \frac{6a}{b} \right) C \left( \frac{2\sqrt{\frac{3}{\pi}} \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}} \right)}{16b^{3/2} c^4}
\end{aligned}$$

**Mathematica [C]** time = 2.74498, size = 540, normalized size = 1.11

$$id^2 e^{-\frac{8ia}{b}} \left( 3\sqrt{2} e^{\frac{6ia}{b}} \sqrt{-\frac{i(a + b \sin^{-1}(cx))}{b}} \text{Gamma} \left( \frac{1}{2}, -\frac{2i(a + b \sin^{-1}(cx))}{b} \right) - 3\sqrt{2} e^{\frac{10ia}{b}} \sqrt{\frac{i(a + b \sin^{-1}(cx))}{b}} \text{Gamma} \left( \frac{1}{2}, \frac{2i(a + b \sin^{-1}(cx))}{b} \right) \right) +$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3\*(d - c^2\*d\*x^2)^2)/(a + b\*ArcSin[c\*x])^(3/2), x]

[Out] ((-I/64)\*d^2\*(3\*Sqrt[2]\*E^(((6\*I)\*a)/b)\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))]/b)\*Gamma[1/2, ((-2\*I)\*(a + b\*ArcSin[c\*x]))/b] - 3\*Sqrt[2]\*E^(((10\*I)\*a)/b)\*Sqr

$$\begin{aligned} & t[(I*(a + b*\text{ArcSin}[c*x]))/b]*\text{Gamma}[1/2, ((2*I)*(a + b*\text{ArcSin}[c*x]))/b] + 2* \\ & E^{(((4*I)*a)/b)*\text{Sqrt}[((-I)*(a + b*\text{ArcSin}[c*x]))/b]*\text{Gamma}[1/2, ((-4*I)*(a + \\ & b*\text{ArcSin}[c*x]))/b] - 2*E^{(((12*I)*a)/b)*\text{Sqrt}[(I*(a + b*\text{ArcSin}[c*x]))/b]*\text{Gamma} \\ & [1/2, ((4*I)*(a + b*\text{ArcSin}[c*x]))/b] - \text{Sqrt}[6]*E^{(((2*I)*a)/b)*\text{Sqrt}[((-I) \\ & *(a + b*\text{ArcSin}[c*x]))/b]*\text{Gamma}[1/2, ((-6*I)*(a + b*\text{ArcSin}[c*x]))/b] + \text{Sqrt}[ \\ & 6]*E^{(((14*I)*a)/b)*\text{Sqrt}[(I*(a + b*\text{ArcSin}[c*x]))/b]*\text{Gamma}[1/2, ((6*I)*(a + \\ & b*\text{ArcSin}[c*x]))/b] - \text{Sqrt}[2]*\text{Sqrt}[((-I)*(a + b*\text{ArcSin}[c*x]))/b]*\text{Gamma}[1/2, \\ & ((-8*I)*(a + b*\text{ArcSin}[c*x]))/b] + \text{Sqrt}[2]*E^{(((16*I)*a)/b)*\text{Sqrt}[(I*(a + b*A \\ & rcSin}[c*x]))/b]*\text{Gamma}[1/2, ((8*I)*(a + b*\text{ArcSin}[c*x]))/b] - (6*I)*E^{(((8*I) \\ & *a)/b)*\text{Sin}[2*\text{ArcSin}[c*x]] - (2*I)*E^{(((8*I)*a)/b)*\text{Sin}[4*\text{ArcSin}[c*x]] + (2*I) \\ & )*E^{(((8*I)*a)/b)*\text{Sin}[6*\text{ArcSin}[c*x]] + I*E^{(((8*I)*a)/b)*\text{Sin}[8*\text{ArcSin}[c*x]] \\ & ))/(b*c^4*E^{(((8*I)*a)/b)*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]} \end{aligned}$$

**Maple [A]** time = 0.105, size = 551, normalized size = 1.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^3*(-c^2*d*x^2+d)^2/(a+b*\text{arcsin}(c*x))^{3/2}, x)$

[Out] 
$$\begin{aligned} & -1/64/c^4*d^2/b*(4*3^{(1/2)}*(a+b*\text{arcsin}(c*x))^{(1/2)}*\cos(6*a/b)*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*6^{(1/2)}/(1/b)^{(1/2)}*(a+b*\text{arcsin}(c*x))^{(1/2)}/b)*\text{Pi}^{(1/2)}*(1/b)^{ \\ & (1/2)+4*3^{(1/2)}*(a+b*\text{arcsin}(c*x))^{(1/2)}*\sin(6*a/b)*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)} \\ & )*6^{(1/2)}/(1/b)^{(1/2)}*(a+b*\text{arcsin}(c*x))^{(1/2)}/b)*\text{Pi}^{(1/2)}*(1/b)^{(1/2)-4*2^{(1/2)} \\ & *(a+b*\text{arcsin}(c*x))^{(1/2)}*\cos(4*a/b)*\text{FresnelC}(2*2^{(1/2)}/\text{Pi}^{(1/2)}/(1/b)^{(1/2)} \\ & *(a+b*\text{arcsin}(c*x))^{(1/2)}/b)*\text{Pi}^{(1/2)}*(1/b)^{(1/2)-4*2^{(1/2)}*(a+b*\text{arcsin}( \\ & c*x))^{(1/2)}*\sin(4*a/b)*\text{FresnelS}(2*2^{(1/2)}/\text{Pi}^{(1/2)}/(1/b)^{(1/2)}*(a+b*\text{arcsin}( \\ & c*x))^{(1/2)}/b)*\text{Pi}^{(1/2)}*(1/b)^{(1/2)+4*(1/b)^{(1/2)}*(a+b*\text{arcsin}(c*x))^{(1/2)}*P \\ & i^{(1/2)}*\cos(8*a/b)*\text{FresnelC}(4/\text{Pi}^{(1/2)}/(1/b)^{(1/2)}*(a+b*\text{arcsin}(c*x))^{(1/2)}/ \\ & b)+4*(1/b)^{(1/2)}*(a+b*\text{arcsin}(c*x))^{(1/2)}*\text{Pi}^{(1/2)}*\sin(8*a/b)*\text{FresnelS}(4/\text{Pi}^{(1/2)} \\ & )/(1/b)^{(1/2)}*(a+b*\text{arcsin}(c*x))^{(1/2)}/b)-12*(1/b)^{(1/2)}*\text{Pi}^{(1/2)}*(a+b*a \\ & rcsin(c*x))^{(1/2)}*\cos(2*a/b)*\text{FresnelC}(2/\text{Pi}^{(1/2)}/(1/b)^{(1/2)}*(a+b*\text{arcsin}(c* \\ & x))^{(1/2)}/b)-12*(1/b)^{(1/2)}*\text{Pi}^{(1/2)}*(a+b*\text{arcsin}(c*x))^{(1/2)}*\sin(2*a/b)*\text{Fre \\ & snelS}(2/\text{Pi}^{(1/2)}/(1/b)^{(1/2)}*(a+b*\text{arcsin}(c*x))^{(1/2)}/b)-2*\sin(6*(a+b*\text{arcsin} \\ & (c*x))/b-6*a/b)-\sin(8*(a+b*\text{arcsin}(c*x))/b-8*a/b)+6*\sin(2*(a+b*\text{arcsin}(c*x))/ \\ & b-2*a/b)+2*\sin(4*(a+b*\text{arcsin}(c*x))/b-4*a/b))/(a+b*\text{arcsin}(c*x))^{(1/2)} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c^2 dx^2 - d)^2 x^3}{(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^2/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="maxima")

[Out] integrate((c^2\*d\*x^2 - d)^2\*x^3/(b\*arcsin(c\*x) + a)^(3/2), x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-c^2\*d\*x^2+d)^2/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$d^2 \left( \int \frac{x^3}{a\sqrt{a+b\sin(cx)} + b\sqrt{a+b\sin(cx)}\sin(cx)} dx + \int -\frac{2c^2x^5}{a\sqrt{a+b\sin(cx)} + b\sqrt{a+b\sin(cx)}\sin(cx)} dx + \int \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-c\*\*2\*d\*x\*\*2+d)\*\*2/(a+b\*asin(c\*x))\*\*(3/2),x)

[Out] d\*\*2\*(Integral(x\*\*3/(a\*sqrt(a + b\*asin(c\*x)) + b\*sqrt(a + b\*asin(c\*x))\*asin(c\*x)), x) + Integral(-2\*c\*\*2\*x\*\*5/(a\*sqrt(a + b\*asin(c\*x)) + b\*sqrt(a + b\*asin(c\*x))\*asin(c\*x)), x) + Integral(c\*\*4\*x\*\*7/(a\*sqrt(a + b\*asin(c\*x)) + b\*sqrt(a + b\*asin(c\*x))\*asin(c\*x)), x))

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c^2 dx^2 - d)^2 x^3}{(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(-c^2*d*x^2+d)^2/(a+b*arcsin(c*x))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((c^2*d*x^2 - d)^2*x^3/(b*arcsin(c*x) + a)^(3/2), x)
```

$$3.437 \quad \int \frac{x^2(d-c^2dx^2)^2}{(a+b\sin^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=511

$$\frac{5\sqrt{\frac{\pi}{2}}d^2 \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{16b^{3/2}c^3} - \frac{\sqrt{\frac{3\pi}{2}}d^2 \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{16b^{3/2}c^3} - \frac{3\sqrt{\frac{5\pi}{2}}d^2 \sin\left(\frac{5a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{10}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{16b^{3/2}c^3}$$

[Out]  $(-2*d^2*x^2*(1 - c^2*x^2)^{(5/2)})/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (5*d^2*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(16*b^{(3/2)}*c^3) + (d^2*\text{Sqrt}[(3*\text{Pi})/2]*\text{Cos}[(3*a)/b]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(16*b^{(3/2)}*c^3) + (3*d^2*\text{Sqrt}[(5*\text{Pi})/2]*\text{Cos}[(5*a)/b]*\text{FresnelS}[(\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(16*b^{(3/2)}*c^3) + (d^2*\text{Sqrt}[(7*\text{Pi})/2]*\text{Cos}[(7*a)/b]*\text{FresnelS}[(\text{Sqrt}[14/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(16*b^{(3/2)}*c^3) + (5*d^2*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(16*b^{(3/2)}*c^3) - (d^2*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelC}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(3*a)/b])/(16*b^{(3/2)}*c^3) - (3*d^2*\text{Sqrt}[(5*\text{Pi})/2]*\text{FresnelC}[(\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(5*a)/b])/(16*b^{(3/2)}*c^3) - (d^2*\text{Sqrt}[(7*\text{Pi})/2]*\text{FresnelC}[(\text{Sqrt}[14/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(7*a)/b])/(16*b^{(3/2)}*c^3)$

**Rubi [A]** time = 2.12356, antiderivative size = 511, normalized size of antiderivative = 1., number of steps used = 42, number of rules used = 8, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$ , Rules used = {4721, 4723, 4406, 3306, 3305, 3351, 3304, 3352}

$$\frac{5\sqrt{\frac{\pi}{2}}d^2 \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{16b^{3/2}c^3} - \frac{\sqrt{\frac{3\pi}{2}}d^2 \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{16b^{3/2}c^3} - \frac{3\sqrt{\frac{5\pi}{2}}d^2 \sin\left(\frac{5a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{10}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{16b^{3/2}c^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^2*(d - c^2*d*x^2)^2)/(a + b*\text{ArcSin}[c*x])^{(3/2)}, x]$

[Out]  $(-2*d^2*x^2*(1 - c^2*x^2)^{(5/2)})/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (5*d^2*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(16*b^{(3/2)}*c^3) + (d^2*\text{Sqrt}[(3*\text{Pi})/2]*\text{Cos}[(3*a)/b]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(16*b^{(3/2)}*c^3) + (3*d^2*\text{Sqrt}[(5*\text{Pi})/2]*\text{Cos}[(5*a)/b]*\text{FresnelS}[(\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(16*b^{(3/2)}*c^3) + (d^2*\text{Sqrt}[(7*\text{Pi})/2]*\text{Cos}[(7*a)/b]*\text{FresnelS}[(\text{Sqrt}[14/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(16*b^{(3/2)}*c^3) + (5*d^2*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(16*b^{(3/2)}*c^3) - (d^2*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelC}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(3*a)/b])/(16*b^{(3/2)}*c^3) - (3*d^2*\text{Sqrt}[(5*\text{Pi})/2]*\text{FresnelC}[(\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(5*a)/b])/(16*b^{(3/2)}*c^3) - (d^2*\text{Sqrt}[(7*\text{Pi})/2]*\text{FresnelC}[(\text{Sqrt}[14/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(7*a)/b])/(16*b^{(3/2)}*c^3)$



$$\begin{aligned} & [a + b \operatorname{ArcSin}[c*x]]/\operatorname{Sqrt}[b]]/(16*b^{(3/2)}*c^3) + (3*d^2*\operatorname{Sqrt}[(5*Pi)/2]*\operatorname{Cos} \\ & [(5*a)/b]*\operatorname{FresnelS}[(\operatorname{Sqrt}[10/Pi]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]])/(16*b^{(3/2)} \\ & /2)*c^3) + (d^2*\operatorname{Sqrt}[(7*Pi)/2]*\operatorname{Cos}[(7*a)/b]*\operatorname{FresnelS}[(\operatorname{Sqrt}[14/Pi]*\operatorname{Sqrt}[a + \\ & b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]])/(16*b^{(3/2)}*c^3) + (5*d^2*\operatorname{Sqrt}[Pi/2]*\operatorname{FresnelC}[(\operatorname{Sqrt} \\ & [2/Pi]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]]*\operatorname{Sin}[a/b])/(16*b^{(3/2)}*c^3) - (d^ \\ & 2*\operatorname{Sqrt}[(3*Pi)/2]*\operatorname{FresnelC}[(\operatorname{Sqrt}[6/Pi]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]]*\operatorname{Sin} \\ & [(3*a)/b])/(16*b^{(3/2)}*c^3) - (3*d^2*\operatorname{Sqrt}[(5*Pi)/2]*\operatorname{FresnelC}[(\operatorname{Sqrt}[10/Pi]*\operatorname{S} \\ & \operatorname{qrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]]*\operatorname{Sin}[(5*a)/b])/(16*b^{(3/2)}*c^3) - (d^2*\operatorname{Sqrt} \\ & [(7*Pi)/2]*\operatorname{FresnelC}[(\operatorname{Sqrt}[14/Pi]*\operatorname{Sqrt}[a + b*\operatorname{ArcSin}[c*x]])/\operatorname{Sqrt}[b]]*\operatorname{Sin}[(7*a) \\ & /b])/(16*b^{(3/2)}*c^3) \end{aligned}$$

### Rule 4721

$$\begin{aligned} & \operatorname{Int}[(a_. + \operatorname{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_. \\ & )*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \operatorname{Simp}[(f*x)^m*\operatorname{Sqrt}[1 - c^2*x^2]*(d + e*x^2)^p \\ & *(a + b*\operatorname{ArcSin}[c*x])^{(n + 1)}/(b*c*(n + 1)), x] + (-\operatorname{Dist}[(f*m*d*\operatorname{IntPart}[p]* \\ & (d + e*x^2)^{\operatorname{FracPart}[p]})/(b*c*(n + 1)*(1 - c^2*x^2)^{\operatorname{FracPart}[p]}), \operatorname{Int}[(f*x) \\ & ^{(m - 1)}*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\operatorname{ArcSin}[c*x])^{(n + 1)}, x], x] + \operatorname{Dist} \\ & [(c*(m + 2*p + 1)*d*\operatorname{IntPart}[p]*(d + e*x^2)^{\operatorname{FracPart}[p]})/(b*f*(n + 1)*(1 - c \\ & ^2*x^2)^{\operatorname{FracPart}[p]}), \operatorname{Int}[(f*x)^{(m + 1)}*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\operatorname{ArcS} \\ & \operatorname{in}[c*x])^{(n + 1)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \operatorname{EqQ}[c^2*d + e, \\ & 0] \&\& \operatorname{LtQ}[n, -1] \&\& \operatorname{IGtQ}[m, -3] \&\& \operatorname{IGtQ}[2*p, 0] \end{aligned}$$

### Rule 4723

$$\begin{aligned} & \operatorname{Int}[(a_. + \operatorname{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}*((d_.) + (e_.)*(x_.)^ \\ & 2)^{(p_.)}, x\_Symbol] \rightarrow \operatorname{Dist}[d^p/c^{(m + 1)}, \operatorname{Subst}[\operatorname{Int}[(a + b*x)^n*\operatorname{Sin}[x]^m*\operatorname{C} \\ & \operatorname{os}[x]^{(2*p + 1)}, x], x, \operatorname{ArcSin}[c*x]], x] /; \operatorname{FreeQ}\{a, b, c, d, e, n\}, x\} \&\& \\ & \operatorname{EqQ}[c^2*d + e, 0] \&\& \operatorname{IntegerQ}[2*p] \&\& \operatorname{GtQ}[p, -1] \&\& \operatorname{IGtQ}[m, 0] \&\& (\operatorname{Integer} \\ & \operatorname{Q}[p] \mid \mid \operatorname{GtQ}[d, 0]) \end{aligned}$$

### Rule 4406

$$\begin{aligned} & \operatorname{Int}[\operatorname{Cos}[(a_.) + (b_.)*(x_.)]^{(p_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}*\operatorname{Sin}[(a_.) + (b \\ & _.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandTrigReduce}[(c + d*x)^m, \operatorname{Sin}[a + b*x \\ & ]^n*\operatorname{Cos}[a + b*x]^p, x], x] /; \operatorname{FreeQ}\{a, b, c, d, m\}, x\} \&\& \operatorname{IGtQ}[n, 0] \&\& \operatorname{IG} \\ & \operatorname{tQ}[p, 0] \end{aligned}$$

### Rule 3306

$$\begin{aligned} & \operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_.)]/\operatorname{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \operatorname{Dist}[\operatorname{Cos} \\ & [(d*e - c*f)/d], \operatorname{Int}[\operatorname{Sin}[(c*f)/d + f*x]/\operatorname{Sqrt}[c + d*x], x], x] + \operatorname{Dist}[\operatorname{Sin}[(d \\ & *e - c*f)/d], \operatorname{Int}[\operatorname{Cos}[(c*f)/d + f*x]/\operatorname{Sqrt}[c + d*x], x], x] /; \operatorname{FreeQ}\{c, d, \\ & e, f\}, x\} \&\& \operatorname{ComplexFreeQ}[f] \&\& \operatorname{NeQ}[d*e - c*f, 0] \end{aligned}$$

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d
, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (d - c^2 dx^2)^2}{(a + b \sin^{-1}(cx))^{3/2}} dx &= -\frac{2d^2 x^2 (1 - c^2 x^2)^{5/2}}{bc \sqrt{a + b \sin^{-1}(cx)}} + \frac{(4d^2) \int \frac{x(1-c^2x^2)^{3/2}}{\sqrt{a+b \sin^{-1}(cx)}} dx}{bc} - \frac{(14cd^2) \int \frac{x^3(1-c^2x^2)^{3/2}}{\sqrt{a+b \sin^{-1}(cx)}} dx}{b} \\
&= -\frac{2d^2 x^2 (1 - c^2 x^2)^{5/2}}{bc \sqrt{a + b \sin^{-1}(cx)}} + \frac{(4d^2) \text{Subst} \left( \int \frac{\cos^4(x) \sin(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{bc^3} - \frac{(14d^2) \text{Subst} \left( \int \frac{\cos^6(x) \sin(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{bc^3} \\
&= -\frac{2d^2 x^2 (1 - c^2 x^2)^{5/2}}{bc \sqrt{a + b \sin^{-1}(cx)}} + \frac{(4d^2) \text{Subst} \left( \int \left( \frac{\sin(x)}{8\sqrt{a+bx}} + \frac{3 \sin(3x)}{16\sqrt{a+bx}} + \frac{\sin(5x)}{16\sqrt{a+bx}} \right) dx, x, \sin^{-1}(cx) \right)}{bc^3} - \frac{(14d^2) \text{Subst} \left( \int \left( \frac{\sin^3(x)}{8\sqrt{a+bx}} + \frac{3 \sin^3(3x)}{16\sqrt{a+bx}} + \frac{\sin^3(5x)}{16\sqrt{a+bx}} \right) dx, x, \sin^{-1}(cx) \right)}{bc^3} \\
&= -\frac{2d^2 x^2 (1 - c^2 x^2)^{5/2}}{bc \sqrt{a + b \sin^{-1}(cx)}} + \frac{(7d^2) \text{Subst} \left( \int \frac{\sin(5x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{32bc^3} + \frac{(7d^2) \text{Subst} \left( \int \frac{\sin(7x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{32bc^3} \\
&= -\frac{2d^2 x^2 (1 - c^2 x^2)^{5/2}}{bc \sqrt{a + b \sin^{-1}(cx)}} + \frac{(d^2 \cos\left(\frac{a}{b}\right)) \text{Subst} \left( \int \frac{\sin\left(\frac{a}{b}+x\right)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{2bc^3} - \frac{(21d^2 \cos\left(\frac{a}{b}\right)) \text{Subst} \left( \int \frac{\sin\left(\frac{3a}{b}+x\right)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{2bc^3} \\
&= -\frac{2d^2 x^2 (1 - c^2 x^2)^{5/2}}{bc \sqrt{a + b \sin^{-1}(cx)}} + \frac{(d^2 \cos\left(\frac{a}{b}\right)) \text{Subst} \left( \int \sin\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)} \right)}{b^2 c^3} - \frac{(21d^2 \cos\left(\frac{a}{b}\right)) \text{Subst} \left( \int \sin\left(\frac{3x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)} \right)}{b^2 c^3} \\
&= -\frac{2d^2 x^2 (1 - c^2 x^2)^{5/2}}{bc \sqrt{a + b \sin^{-1}(cx)}} - \frac{5d^2 \sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{16b^{3/2}c^3} + \frac{d^2 \sqrt{\frac{3\pi}{2}} \cos\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{16b^{3/2}c^3}
\end{aligned}$$

**Mathematica [C]** time = 2.75583, size = 686, normalized size = 1.34

$$d^2 e^{-\frac{7i(a+b \sin^{-1}(cx))}{b}} \left( 5e^{\frac{6ia}{b}+7i \sin^{-1}(cx)} \sqrt{-\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, -\frac{i(a+b \sin^{-1}(cx))}{b}\right) + 5e^{\frac{8ia}{b}+7i \sin^{-1}(cx)} \sqrt{\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma}\left(\frac{3}{2}, -\frac{i(a+b \sin^{-1}(cx))}{b}\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2\*(d - c^2\*d\*x^2)^2)/(a + b\*ArcSin[c\*x])^(3/2), x]

[Out] (d^2\*(E^(((7\*I)\*a)/b) + 3\*E^(((7\*I)\*a)/b + (2\*I)\*ArcSin[c\*x])) + E^(((7\*I)\*a)/b + (4\*I)\*ArcSin[c\*x]) - 5\*E^(((7\*I)\*a)/b + (6\*I)\*ArcSin[c\*x]) - 5\*E^(((7

$$\begin{aligned}
& *I)*a)/b + (8*I)*\text{ArcSin}[c*x]) + E^{((7*I)*a)/b + (10*I)*\text{ArcSin}[c*x]} + 3E^{((7*I)*a)/b + (12*I)*\text{ArcSin}[c*x]} + E^{((7*I)*(a + 2*b*\text{ArcSin}[c*x]))/b} + \\
& 5E^{((6*I)*a)/b + (7*I)*\text{ArcSin}[c*x]}*\text{Sqrt}[((-I)*(a + b*\text{ArcSin}[c*x]))/b]*\text{Gamma}[1/2, ((-I)*(a + b*\text{ArcSin}[c*x]))/b] + 5E^{((8*I)*a)/b + (7*I)*\text{ArcSin}[c*x]}* \\
& \text{Sqrt}[(I*(a + b*\text{ArcSin}[c*x]))/b]*\text{Gamma}[1/2, (I*(a + b*\text{ArcSin}[c*x]))/b] - \\
& \text{Sqrt}[3]*E^{((4*I)*a)/b + (7*I)*\text{ArcSin}[c*x]}*\text{Sqrt}[((-I)*(a + b*\text{ArcSin}[c*x]))/b]*\text{Gamma}[1/2, ((-3*I)*(a + b*\text{ArcSin}[c*x]))/b] - \text{Sqrt}[3]*E^{((10*I)*a)/b + (7*I)*\text{ArcSin}[c*x]}* \\
& \text{Sqrt}[(I*(a + b*\text{ArcSin}[c*x]))/b]*\text{Gamma}[1/2, ((3*I)*(a + b*\text{ArcSin}[c*x]))/b] - 3*\text{Sqrt}[5]*E^{((2*I)*a)/b + (7*I)*\text{ArcSin}[c*x]}*\text{Sqrt}[((-I)*(a + b*\text{ArcSin}[c*x]))/b]*\text{Gamma}[1/2, ((-5*I)*(a + b*\text{ArcSin}[c*x]))/b] - 3*\text{Sqrt}[5]*E^{((12*I)*a)/b + (7*I)*\text{ArcSin}[c*x]}*\text{Sqrt}[(I*(a + b*\text{ArcSin}[c*x]))/b]*\text{Gamma}[1/2, ((5*I)*(a + b*\text{ArcSin}[c*x]))/b] - \text{Sqrt}[7]*E^{(7*I)*\text{ArcSin}[c*x]}*\text{Sqrt}[((-I)*(a + b*\text{ArcSin}[c*x]))/b]*\text{Gamma}[1/2, ((-7*I)*(a + b*\text{ArcSin}[c*x]))/b] - \text{Sqrt}[7]*E^{((7*I)*(2*a + b*\text{ArcSin}[c*x]))/b}* \\
& \text{Sqrt}[(I*(a + b*\text{ArcSin}[c*x]))/b]*\text{Gamma}[1/2, ((7*I)*(a + b*\text{ArcSin}[c*x]))/b])/ (64*b*c^3*E^{((7*I)*(a + b*\text{ArcSin}[c*x]))/b})*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]
\end{aligned}$$

**Maple [A]** time = 0.112, size = 590, normalized size = 1.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (x^2*(-c^2*d*x^2+d)^2/(a+b*\arcsin(c*x))^{3/2}, x)$

[Out]  $1/32/c^3*d^2/b*(3*(1/b)^{1/2}*\text{Pi}^{1/2}*2^{1/2}*(a+b*\arcsin(c*x))^{1/2}*5^{1/2}*\cos(5*a/b)*\text{FresnelS}(2^{1/2}/\text{Pi}^{1/2}*5^{1/2}/(1/b)^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b)-3*(1/b)^{1/2}*\text{Pi}^{1/2}*2^{1/2}*(a+b*\arcsin(c*x))^{1/2}*5^{1/2}*\text{FresnelC}(2^{1/2}/\text{Pi}^{1/2}*5^{1/2}/(1/b)^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b)*\sin(5*a/b)-3^{1/2}*(1/b)^{1/2}*\text{Pi}^{1/2}*2^{1/2}*(a+b*\arcsin(c*x))^{1/2}*\sin(3*a/b)*\text{FresnelC}(2^{1/2}/\text{Pi}^{1/2}*3^{1/2}/(1/b)^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b)+3^{1/2}*(1/b)^{1/2}*\text{Pi}^{1/2}*2^{1/2}*(a+b*\arcsin(c*x))^{1/2}*\cos(3*a/b)*\text{FresnelS}(2^{1/2}/\text{Pi}^{1/2}*3^{1/2}/(1/b)^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b)+(a+b*\arcsin(c*x))^{1/2}*2^{1/2}*\cos(7*a/b)*\text{FresnelS}(2^{1/2}/\text{Pi}^{1/2}*7^{1/2}/(1/b)^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b)*(1/b)^{1/2}*\text{Pi}^{1/2}*7^{1/2}-(a+b*\arcsin(c*x))^{1/2}*2^{1/2}*\sin(7*a/b)*\text{FresnelC}(2^{1/2}/\text{Pi}^{1/2}*7^{1/2}/(1/b)^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b)*(1/b)^{1/2}*\text{Pi}^{1/2}*7^{1/2}-5*(1/b)^{1/2}*\text{Pi}^{1/2}*2^{1/2}*(a+b*\arcsin(c*x))^{1/2}*\cos(a/b)*\text{FresnelS}(2^{1/2}/\text{Pi}^{1/2}/(1/b)^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b)+5*(1/b)^{1/2}*\text{Pi}^{1/2}*2^{1/2}*(a+b*\arcsin(c*x))^{1/2}*\sin(a/b)*\text{FresnelC}(2^{1/2}/\text{Pi}^{1/2}/(1/b)^{1/2}*(a+b*\arcsin(c*x))^{1/2}/b)+3*\cos(5*(a+b*\arcsin(c*x))/b-5*a/b)+\cos(7*(a+b*\arcsin(c*x))/b-7*a/b)-5*\cos((a+b*\arcsin(c*x))/b-a/b)+\cos(3*(a+b*\arcsin(c*x))/b-3*$

$a/b)/(a+b*\arcsin(c*x))^{(1/2)}$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c^2 dx^2 - d)^2 x^2}{(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^2/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="maxima")

[Out] integrate((c^2\*d\*x^2 - d)^2\*x^2/(b\*arcsin(c\*x) + a)^(3/2), x)

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^2/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$d^2 \left( \int \frac{x^2}{a\sqrt{a + b \operatorname{asin}(cx)} + b\sqrt{a + b \operatorname{asin}(cx)} \operatorname{asin}(cx)} dx + \int -\frac{2c^2 x^4}{a\sqrt{a + b \operatorname{asin}(cx)} + b\sqrt{a + b \operatorname{asin}(cx)} \operatorname{asin}(cx)} dx + \int \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-c\*\*2\*d\*x\*\*2+d)\*\*2/(a+b\*asin(c\*x))\*\*(3/2),x)

[Out] d\*\*2\*(Integral(x\*\*2/(a\*sqrt(a + b\*asin(c\*x)) + b\*sqrt(a + b\*asin(c\*x))\*asin(c\*x)), x) + Integral(-2\*c\*\*2\*x\*\*4/(a\*sqrt(a + b\*asin(c\*x)) + b\*sqrt(a + b\*

`asin(c*x))*asin(c*x)), x) + Integral(c**4*x**6/(a*sqrt(a + b*asin(c*x)) + b*sqrt(a + b*asin(c*x))*asin(c*x)), x)`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c^2 dx^2 - d)^2 x^2}{(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(-c^2*d*x^2+d)^2/(a+b*arcsin(c*x))^(3/2),x, algorithm="giac")`

[Out] `integrate((c^2*d*x^2 - d)^2*x^2/(b*arcsin(c*x) + a)^(3/2), x)`

$$3.438 \quad \int \frac{x(d-c^2 dx^2)^2}{(a+b \sin^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=373

$$\frac{\sqrt{\frac{\pi}{2}} d^2 \cos\left(\frac{4a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2} c^2} + \frac{\sqrt{3\pi} d^2 \cos\left(\frac{6a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{3}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{8b^{3/2} c^2} + \frac{5\sqrt{\pi} d^2 \cos\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{1}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{8b^{3/2} c^2}$$

[Out]  $(-2*d^2*x*(1 - c^2*x^2)^{(5/2)})/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) + (d^2*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[(4*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c^2) + (d^2*\text{Sqrt}[3*\text{Pi}]*\text{Cos}[(6*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[3/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(8*b^{(3/2)}*c^2) + (5*d^2*\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])])/(8*b^{(3/2)}*c^2) + (5*d^2*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])])* \text{Sin}[(2*a)/b])/(8*b^{(3/2)}*c^2) + (d^2*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b])* \text{Sin}[(4*a)/b])/(b^{(3/2)}*c^2) + (d^2*\text{Sqrt}[3*\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[3/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b])* \text{Sin}[(6*a)/b])/(8*b^{(3/2)}*c^2)$

**Rubi [A]** time = 1.40087, antiderivative size = 373, normalized size of antiderivative = 1., number of steps used = 32, number of rules used = 10, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.37$ , Rules used = {4721, 4661, 3312, 3306, 3305, 3351, 3304, 3352, 4723, 4406}

$$\frac{\sqrt{\frac{\pi}{2}} d^2 \cos\left(\frac{4a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2} c^2} + \frac{\sqrt{3\pi} d^2 \cos\left(\frac{6a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{3}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{8b^{3/2} c^2} + \frac{5\sqrt{\pi} d^2 \cos\left(\frac{2a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{1}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{8b^{3/2} c^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x*(d - c^2*d*x^2)^2)/(a + b*\text{ArcSin}[c*x])^{(3/2)}, x]$

[Out]  $(-2*d^2*x*(1 - c^2*x^2)^{(5/2)})/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) + (d^2*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[(4*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c^2) + (d^2*\text{Sqrt}[3*\text{Pi}]*\text{Cos}[(6*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[3/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(8*b^{(3/2)}*c^2) + (5*d^2*\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])])/(8*b^{(3/2)}*c^2) + (5*d^2*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/(\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}])])* \text{Sin}[(2*a)/b])/(8*b^{(3/2)}*c^2) + (d^2*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b])* \text{Sin}[(4*a)/b])/(b^{(3/2)}*c^2) + (d^2*\text{Sqrt}[3*\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[3/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b])* \text{Sin}[(6*a)/b])/(8*b^{(3/2)}*c^2)$

$$\frac{\sin\left(\frac{2a}{b}\right)}{(8b^{3/2}c^2) + (d^2\sqrt{\pi/2}*\text{FresnelS}[(2\sqrt{2/\pi}*\sqrt{a + b*\text{ArcSin}[c*x]})/\sqrt{b}]*\sin((4a)/b)))/(b^{3/2}c^2) + (d^2\sqrt{3\pi}*\text{FresnelS}[(2\sqrt{3/\pi}*\sqrt{a + b*\text{ArcSin}[c*x]})/\sqrt{b}]*\sin((6a)/b)))/(8b^{3/2}c^2)}$$
Rule 4721

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)
)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^m*Sqrt[1 - c^2*x^2]*(d + e*x^2)^p
*(a + b*ArcSin[c*x])^(n + 1))/(b*c*(n + 1)), x] + (-Dist[(f*m*d^IntPart[p]*
(d + e*x^2)^FracPart[p])/(b*c*(n + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)
^(m - 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n + 1), x], x] + Dist
[(c*(m + 2*p + 1)*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(b*f*(n + 1)*(1 - c
^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcS
in[c*x])^(n + 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e,
0] && LtQ[n, -1] && IGtQ[m, -3] && IGtQ[2*p, 0]
```

Rule 4661

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Dist[d^p/c, Subst[Int[(a + b*x)^n*Cos[x]^(2*p + 1), x], x, ArcS
in[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IGtQ[2
*p, 0] && (IntegerQ[p] || GtQ[d, 0])
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3351



```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

### Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

### Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))(n_.)(x_)(m_.)((d_) + (e_.)*(x_)2)(p_.), x_Symbol] := Dist[dp/c(m + 1), Subst[Int[(a + b*x)n*Sin[x]m*Cos[x](2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

### Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)](p_.)((c_.) + (d_.)*(x_))(m_.)*Sin[(a_.) + (b_.)*(x_)](n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)m, Sin[a + b*x]n*Cos[a + b*x]p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x(d - c^2 x^2)^2}{(a + b \sin^{-1}(cx))^{3/2}} dx &= -\frac{2d^2 x(1 - c^2 x^2)^{5/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(2d^2) \int \frac{(1 - c^2 x^2)^{3/2}}{\sqrt{a + b \sin^{-1}(cx)}} dx}{bc} - \frac{(12cd^2) \int \frac{x^2(1 - c^2 x^2)^{3/2}}{\sqrt{a + b \sin^{-1}(cx)}} dx}{b} \\
&= -\frac{2d^2 x(1 - c^2 x^2)^{5/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(2d^2) \text{Subst}\left(\int \frac{\cos^4(x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{bc^2} - \frac{(12d^2) \text{Subst}\left(\int \frac{\cos^4(x) \sin^2}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{bc^2} \\
&= -\frac{2d^2 x(1 - c^2 x^2)^{5/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{(2d^2) \text{Subst}\left(\int \left(\frac{3}{8\sqrt{a + bx}} + \frac{\cos(2x)}{2\sqrt{a + bx}} + \frac{\cos(4x)}{8\sqrt{a + bx}}\right) dx, x, \sin^{-1}(cx)\right)}{bc^2} - \frac{(12d^2) \text{Subst}\left(\int \frac{\cos^4(x) \sin^2}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{bc^2} \\
&= -\frac{2d^2 x(1 - c^2 x^2)^{5/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{d^2 \text{Subst}\left(\int \frac{\cos(4x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{4bc^2} - \frac{(3d^2) \text{Subst}\left(\int \frac{\cos(2x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{8bc^2} \\
&= -\frac{2d^2 x(1 - c^2 x^2)^{5/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{\left(3d^2 \cos\left(\frac{2a}{b}\right)\right) \text{Subst}\left(\int \frac{\cos\left(\frac{2a}{b} + 2x\right)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{8bc^2} + \frac{\left(d^2 \cos\left(\frac{2a}{b}\right)\right)}{8bc^2} \\
&= -\frac{2d^2 x(1 - c^2 x^2)^{5/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{\left(3d^2 \cos\left(\frac{2a}{b}\right)\right) \text{Subst}\left(\int \cos\left(\frac{2x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{4b^2 c^2} + \frac{\left(2d^2 \cos\left(\frac{2a}{b}\right)\right)}{4b^2 c^2} \\
&= -\frac{2d^2 x(1 - c^2 x^2)^{5/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} + \frac{d^2 \sqrt{\frac{\pi}{2}} \cos\left(\frac{4a}{b}\right) C\left(\frac{2\sqrt{\frac{2}{\pi}} \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2} c^2} + \frac{d^2 \sqrt{3\pi} \cos\left(\frac{6a}{b}\right) C\left(\frac{2\sqrt{\frac{3}{\pi}} \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{8b^{3/2} c^2}
\end{aligned}$$

**Mathematica [C]** time = 3.07019, size = 509, normalized size = 1.36

$$d^2 \left[ \frac{ie^{-\frac{6ia}{b}} \left( 11\sqrt{2}e^{\frac{4ia}{b}} \sqrt{-\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, -\frac{2i(a+b \sin^{-1}(cx))}{b}\right) - 11\sqrt{2}e^{\frac{8ia}{b}} \sqrt{\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, \frac{2i(a+b \sin^{-1}(cx))}{b}\right) - 8e^{\frac{2ia}{b}} \sqrt{-\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, -\frac{2i(a+b \sin^{-1}(cx))}{b}\right) \right)}{b^{3/2} c^2} + \frac{d^2 \sqrt{3\pi} \cos\left(\frac{6a}{b}\right) C\left(\frac{2\sqrt{\frac{3}{\pi}} \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{8b^{3/2} c^2} \right]$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x\*(d - c^2\*d\*x^2)^2)/(a + b\*ArcSin[c\*x])^(3/2), x]

```
[Out] (d^2*(64*(b^(-1))^(3/2)*Sqrt[Pi]*Cos[(2*a)/b]*FresnelC[(2*Sqrt[b^(-1)]*Sqrt
[a + b*ArcSin[c*x]])/Sqrt[Pi]] + 64*(b^(-1))^(3/2)*Sqrt[Pi]*FresnelS[(2*Sqr
t[b^(-1)]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[Pi]]*Sin[(2*a)/b] + (I*(11*Sqrt[2]*
E^(((4*I)*a)/b)*Sqrt[((-I)*(a + b*ArcSin[c*x]))/b]*Gamma[1/2, ((-2*I)*(a +
b*ArcSin[c*x]))/b] - 11*Sqrt[2]*E^(((8*I)*a)/b)*Sqrt[(I*(a + b*ArcSin[c*x])
)/b]*Gamma[1/2, ((2*I)*(a + b*ArcSin[c*x]))/b] - 8*E^(((2*I)*a)/b)*Sqrt[((-
I)*(a + b*ArcSin[c*x]))/b]*Gamma[1/2, ((-4*I)*(a + b*ArcSin[c*x]))/b] + 8*E
^(((10*I)*a)/b)*Sqrt[(I*(a + b*ArcSin[c*x]))/b]*Gamma[1/2, ((4*I)*(a + b*Ar
cSin[c*x]))/b] - Sqrt[6]*Sqrt[((-I)*(a + b*ArcSin[c*x]))/b]*Gamma[1/2, ((-6
*I)*(a + b*ArcSin[c*x]))/b] + Sqrt[6]*E^(((12*I)*a)/b)*Sqrt[(I*(a + b*ArcSi
n[c*x]))/b]*Gamma[1/2, ((6*I)*(a + b*ArcSin[c*x]))/b] + (10*I)*E^(((6*I)*a
)/b)*Sin[2*ArcSin[c*x]] + (8*I)*E^(((6*I)*a)/b)*Sin[4*ArcSin[c*x]] + (2*I)*E
^(((6*I)*a)/b)*Sin[6*ArcSin[c*x]]))/(b*E^(((6*I)*a)/b)*Sqrt[a + b*ArcSin[c*
x]])))/(32*c^2)
```

---

**Maple [A]** time = 0.086, size = 426, normalized size = 1.1

$$\frac{d^2}{16bc^2} \left( 2\sqrt{3}\sqrt{a+b\arcsin(cx)} \cos\left(6\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{2}\sqrt{6}\sqrt{a+b\arcsin(cx)}}{\sqrt{\pi}\sqrt{b^{-1}b}}\right) \sqrt{\pi}\sqrt{b^{-1}} + 2\sqrt{3}\sqrt{a+b\arcsin(cx)} \sin\left(\frac{6a}{b}\right) \text{FresnelS}\left(\frac{\sqrt{2}\sqrt{6}\sqrt{a+b\arcsin(cx)}}{\sqrt{\pi}\sqrt{b^{-1}b}}\right) \sqrt{\pi}\sqrt{b^{-1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(-c^2*d*x^2+d)^2/(a+b*arcsin(c*x))^(3/2),x)
```

```
[Out] 1/16/c^2*d^2/b*(2*3^(1/2)*(a+b*arcsin(c*x))^(1/2)*cos(6*a/b)*FresnelC(2^(1/
2)/Pi^(1/2)*6^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*Pi^(1/2)*(1/b)^(
1/2)+2*3^(1/2)*(a+b*arcsin(c*x))^(1/2)*sin(6*a/b)*FresnelS(2^(1/2)/Pi^(1/2)
*6^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*Pi^(1/2)*(1/b)^(1/2)+8*2^(1
/2)*(a+b*arcsin(c*x))^(1/2)*cos(4*a/b)*FresnelC(2*2^(1/2)/Pi^(1/2)/(1/b)^(1
/2)*(a+b*arcsin(c*x))^(1/2)/b)*Pi^(1/2)*(1/b)^(1/2)+8*2^(1/2)*(a+b*arcsin(c
*x))^(1/2)*sin(4*a/b)*FresnelS(2*2^(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c
*x))^(1/2)/b)*Pi^(1/2)*(1/b)^(1/2)+10*(1/b)^(1/2)*Pi^(1/2)*(a+b*arcsin(c*x)
)^(1/2)*cos(2*a/b)*FresnelC(2/Pi^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/
b)+10*(1/b)^(1/2)*Pi^(1/2)*(a+b*arcsin(c*x))^(1/2)*sin(2*a/b)*FresnelS(2/Pi
^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)-5*sin(2*(a+b*arcsin(c*x))/b-2
*a/b)-4*sin(4*(a+b*arcsin(c*x))/b-4*a/b)-sin(6*(a+b*arcsin(c*x))/b-6*a/b))/
(a+b*arcsin(c*x))^(1/2)
```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c^2 dx^2 - d)^2 x}{(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^2/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="maxima")

[Out] integrate((c^2\*d\*x^2 - d)^2\*x/(b\*arcsin(c\*x) + a)^(3/2), x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^2/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$d^2 \left( \int \frac{x}{a\sqrt{a + b \arcsin(cx)} + b\sqrt{a + b \arcsin(cx)} \arcsin(cx)} dx + \int -\frac{2c^2 x^3}{a\sqrt{a + b \arcsin(cx)} + b\sqrt{a + b \arcsin(cx)} \arcsin(cx)} dx + \int \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c\*\*2\*d\*x\*\*2+d)\*\*2/(a+b\*asin(c\*x))\*\*(3/2),x)

[Out] d\*\*2\*(Integral(x/(a\*sqrt(a + b\*asin(c\*x)) + b\*sqrt(a + b\*asin(c\*x))\*asin(c\*x)), x) + Integral(-2\*c\*\*2\*x\*\*3/(a\*sqrt(a + b\*asin(c\*x)) + b\*sqrt(a + b\*asin(c\*x))\*asin(c\*x)), x) + Integral(c\*\*4\*x\*\*5/(a\*sqrt(a + b\*asin(c\*x)) + b\*sqrt(a + b\*asin(c\*x))\*asin(c\*x)), x))

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c^2 dx^2 - d)^2 x}{(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(-c^2*d*x^2+d)^2/(a+b*arcsin(c*x))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((c^2*d*x^2 - d)^2*x/(b*arcsin(c*x) + a)^(3/2), x)
```

$$3.439 \quad \int \frac{(d-c^2 dx^2)^2}{(a+b \sin^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=390

$$\frac{5\sqrt{\frac{\pi}{2}}d^2 \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{2b^{3/2}c} + \frac{5\sqrt{\frac{3\pi}{2}}d^2 \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c} + \frac{\sqrt{\frac{5\pi}{2}}d^2 \sin\left(\frac{5a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{10}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c}$$

[Out]  $(-2*d^2*(1 - c^2*x^2)^{(5/2)})/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (5*d^2*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(2*b^{(3/2)}*c) - (5*d^2*\text{Sqrt}[(3*\text{Pi})/2]*\text{Cos}[(3*a)/b]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(4*b^{(3/2)}*c) - (d^2*\text{Sqrt}[(5*\text{Pi})/2]*\text{Cos}[(5*a)/b]*\text{FresnelS}[(\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(4*b^{(3/2)}*c) + (5*d^2*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(2*b^{(3/2)}*c) + (5*d^2*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelC}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(3*a)/b])/(4*b^{(3/2)}*c) + (d^2*\text{Sqrt}[(5*\text{Pi})/2]*\text{FresnelC}[(\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(5*a)/b])/(4*b^{(3/2)}*c)$

**Rubi [A]** time = 0.816396, antiderivative size = 390, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 8, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {4659, 4723, 4406, 3306, 3305, 3351, 3304, 3352}

$$\frac{5\sqrt{\frac{\pi}{2}}d^2 \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{2b^{3/2}c} + \frac{5\sqrt{\frac{3\pi}{2}}d^2 \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c} + \frac{\sqrt{\frac{5\pi}{2}}d^2 \sin\left(\frac{5a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{10}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d - c^2*d*x^2)^2/(a + b*\text{ArcSin}[c*x])^{(3/2)}, x]$

[Out]  $(-2*d^2*(1 - c^2*x^2)^{(5/2)})/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (5*d^2*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(2*b^{(3/2)}*c) - (5*d^2*\text{Sqrt}[(3*\text{Pi})/2]*\text{Cos}[(3*a)/b]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(4*b^{(3/2)}*c) - (d^2*\text{Sqrt}[(5*\text{Pi})/2]*\text{Cos}[(5*a)/b]*\text{FresnelS}[(\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(4*b^{(3/2)}*c) + (5*d^2*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(2*b^{(3/2)}*c) + (5*d^2*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelC}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(3*a)/b])/(4*b^{(3/2)}*c) + (d^2*\text{Sqrt}[(5*\text{Pi})/2]*\text{FresnelC}[(\text{Sqrt}[10/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(5*a)/b])/(4*b^{(3/2)}*c)$

$a/b)/(2*b^{(3/2)*c}) + (5*d^2*Sqrt[(3*Pi)/2]*FresnelC[(Sqrt[6/Pi]*Sqrt[a + b *ArcSin[c*x]])/Sqrt[b]]*Sin[(3*a)/b])/(4*b^{(3/2)*c}) + (d^2*Sqrt[(5*Pi)/2]*FresnelC[(Sqrt[10/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]]*Sin[(5*a)/b])/(4*b^{(3/2)*c})$

### Rule 4659

$\text{Int}[(a + \text{ArcSin}[c \cdot x] \cdot b)^n \cdot (d + e \cdot x^2)^p, x\_Symbol] \rightarrow \text{Simp}[(\sqrt{1 - c^2 x^2} \cdot (d + e x^2)^p \cdot (a + b \text{ArcSin}[c x])^{n+1}) / (b \cdot c \cdot (n+1)), x] + \text{Dist}[(c \cdot (2p+1) \cdot d^{\text{IntPart}[p]} \cdot (d + e x^2)^{\text{FracPart}[p]}) / (b \cdot (n+1) \cdot (1 - c^2 x^2)^{\text{FracPart}[p]})], \text{Int}[x \cdot (1 - c^2 x^2)^{p-1/2} \cdot (a + b \text{ArcSin}[c x])^{n+1}, x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, p\}, x\} \ \&\& \ \text{EqQ}[c^2 d + e, 0] \ \&\& \ \text{LtQ}[n, -1]$

### Rule 4723

$\text{Int}[(a + \text{ArcSin}[c \cdot x] \cdot b)^n \cdot x^m \cdot (d + e \cdot x^2)^p, x\_Symbol] \rightarrow \text{Dist}[d^p / c^{m+1}, \text{Subst}[\text{Int}[(a + b x)^n \cdot \text{Sin}[x]^m \cdot \text{Cos}[x]^{2p+1}, x], x, \text{ArcSin}[c x]], x] /;$   $\text{FreeQ}\{a, b, c, d, e, n\}, x\} \ \&\& \ \text{EqQ}[c^2 d + e, 0] \ \&\& \ \text{IntegerQ}[2p] \ \&\& \ \text{GtQ}[p, -1] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{GtQ}[d, 0])$

### Rule 4406

$\text{Int}[\text{Cos}[a + (b \cdot x)^n] \cdot (c + d \cdot x)^m \cdot \text{Sin}[a + (b \cdot x)^n], x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d x)^m, \text{Sin}[a + b x]^n \cdot \text{Cos}[a + b x]^p, x], x] /;$   $\text{FreeQ}\{a, b, c, d, m\}, x\} \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IGtQ}[p, 0]$

### Rule 3306

$\text{Int}[\text{Sin}[e + (f \cdot x)] / \sqrt{c + d \cdot x}, x\_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d \cdot e - c \cdot f) / d], \text{Int}[\text{Sin}[(c \cdot f) / d + f \cdot x] / \sqrt{c + d \cdot x}, x], x] + \text{Dist}[\text{Sin}[(d \cdot e - c \cdot f) / d], \text{Int}[\text{Cos}[(c \cdot f) / d + f \cdot x] / \sqrt{c + d \cdot x}, x], x] /;$   $\text{FreeQ}\{c, d, e, f\}, x\} \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{NeQ}[d \cdot e - c \cdot f, 0]$

### Rule 3305

$\text{Int}[\text{sin}[e + (f \cdot x)] / \sqrt{c + d \cdot x}, x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f \cdot x^2) / d], x], x, \sqrt{c + d \cdot x}], x] /;$   $\text{FreeQ}\{c, d, e, f\}, x\} \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d \cdot e - c \cdot f, 0]$

### Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

#### Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

#### Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

#### Rubi steps



$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^2}{(a + b \sin^{-1}(cx))^{3/2}} dx &= -\frac{2d^2(1 - c^2x^2)^{5/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(10cd^2) \int \frac{x(1 - c^2x^2)^{3/2}}{\sqrt{a + b \sin^{-1}(cx)}} dx}{b} \\
&= -\frac{2d^2(1 - c^2x^2)^{5/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(10d^2) \text{Subst}\left(\int \frac{\cos^4(x)\sin(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{2d^2(1 - c^2x^2)^{5/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(10d^2) \text{Subst}\left(\int \left(\frac{\sin(x)}{8\sqrt{a+bx}} + \frac{3\sin(3x)}{16\sqrt{a+bx}} + \frac{\sin(5x)}{16\sqrt{a+bx}}\right) dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{2d^2(1 - c^2x^2)^{5/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(5d^2) \text{Subst}\left(\int \frac{\sin(5x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{8bc} - \frac{(5d^2) \text{Subst}\left(\int \frac{\sin(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{4bc} \\
&= -\frac{2d^2(1 - c^2x^2)^{5/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(5d^2 \cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{a}{b}+x\right)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right))}{4bc} - \frac{(15d^2 \cos\left(\frac{3a}{b}\right))}{4bc} \\
&= -\frac{2d^2(1 - c^2x^2)^{5/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(5d^2 \cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \sin\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right))}{2b^2c} - \frac{(15d^2 \cos\left(\frac{3a}{b}\right))}{4bc} \\
&= -\frac{2d^2(1 - c^2x^2)^{5/2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{5d^2\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{2b^{3/2}c} - \frac{5d^2\sqrt{\frac{3\pi}{2}} \cos\left(\frac{3a}{b}\right) S\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c}
\end{aligned}$$

**Mathematica [C]** time = 2.40087, size = 522, normalized size = 1.34

$$d^2 e^{-\frac{5i(a+b \sin^{-1}(cx))}{b}} \left( 10 e^{\frac{4ia}{b} + 5i \sin^{-1}(cx)} \sqrt{-\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, -\frac{i(a+b \sin^{-1}(cx))}{b}\right) + 10 e^{\frac{6ia}{b} + 5i \sin^{-1}(cx)} \sqrt{\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma}\left(\frac{3}{2}, -\frac{i(a+b \sin^{-1}(cx))}{b}\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d - c^2\*d\*x^2)^2/(a + b\*ArcSin[c\*x])^(3/2), x]

[Out] (d^2\*(-E^(((5\*I)\*a)/b) - 5\*E^(((5\*I)\*a)/b + (2\*I)\*ArcSin[c\*x]) - 10\*E^(((5\*I)\*a)/b + (4\*I)\*ArcSin[c\*x]) - 10\*E^(((5\*I)\*a)/b + (6\*I)\*ArcSin[c\*x]) - 5\*E

```

^(((5*I)*a)/b + (8*I)*ArcSin[c*x]) - E^(((5*I)*(a + 2*b*ArcSin[c*x]))/b) +
10*E^(((4*I)*a)/b + (5*I)*ArcSin[c*x])*Sqrt[(-I)*(a + b*ArcSin[c*x]))/b]*G
amma[1/2, ((-I)*(a + b*ArcSin[c*x]))/b] + 10*E^(((6*I)*a)/b + (5*I)*ArcSin[
c*x])*Sqrt[(I*(a + b*ArcSin[c*x]))/b]*Gamma[1/2, (I*(a + b*ArcSin[c*x]))/b]
+ 5*Sqrt[3]*E^(((2*I)*a)/b + (5*I)*ArcSin[c*x])*Sqrt[(-I)*(a + b*ArcSin[c
*x]))/b]*Gamma[1/2, ((-3*I)*(a + b*ArcSin[c*x]))/b] + 5*Sqrt[3]*E^(((8*I)*a
)/b + (5*I)*ArcSin[c*x])*Sqrt[(I*(a + b*ArcSin[c*x]))/b]*Gamma[1/2, ((3*I)*
(a + b*ArcSin[c*x]))/b] + Sqrt[5]*E^(((5*I)*ArcSin[c*x])*Sqrt[(-I)*(a + b*A
rcSin[c*x]))/b]*Gamma[1/2, ((-5*I)*(a + b*ArcSin[c*x]))/b] + Sqrt[5]*E^(((5
*I)*(2*a + b*ArcSin[c*x]))/b)*Sqrt[(I*(a + b*ArcSin[c*x]))/b]*Gamma[1/2, ((
5*I)*(a + b*ArcSin[c*x]))/b]))/(16*b*c*E^(((5*I)*(a + b*ArcSin[c*x]))/b)*Sq
rt[a + b*ArcSin[c*x]])

```

**Maple [A]** time = 0.087, size = 446, normalized size = 1.1

$$-\frac{d^2}{8bc} \left( 5\sqrt{3}\sqrt{b^{-1}}\sqrt{\pi}\sqrt{2}\sqrt{a+b\arcsin(cx)} \cos\left(3\frac{a}{b}\right) \text{FresnelS}\left(\frac{\sqrt{2}\sqrt{3}\sqrt{a+b\arcsin(cx)}}{\sqrt{\pi}\sqrt{b^{-1}}b}\right) - 5\sqrt{3}\sqrt{b^{-1}}\sqrt{\pi}\sqrt{2}\sqrt{a+b\arcsin(cx)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^2/(a+b\*arcsin(c\*x))^(3/2),x)

```

[Out] -1/8/c*d^2/b*(5*3^(1/2)*(1/b)^(1/2)*Pi^(1/2)*2^(1/2)*(a+b*arcsin(c*x))^(1/2
)*cos(3*a/b)*FresnelS(2^(1/2)/Pi^(1/2)*3^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x)
)^(1/2)/b)-5*3^(1/2)*(1/b)^(1/2)*Pi^(1/2)*2^(1/2)*(a+b*arcsin(c*x))^(1/2)*s
in(3*a/b)*FresnelC(2^(1/2)/Pi^(1/2)*3^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(
1/2)/b)+(1/b)^(1/2)*Pi^(1/2)*2^(1/2)*(a+b*arcsin(c*x))^(1/2)*5^(1/2)*cos(5*
a/b)*FresnelS(2^(1/2)/Pi^(1/2)*5^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/
b)-(1/b)^(1/2)*Pi^(1/2)*2^(1/2)*(a+b*arcsin(c*x))^(1/2)*5^(1/2)*FresnelC(2^
(1/2)/Pi^(1/2)*5^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*sin(5*a/b)+10
*(1/b)^(1/2)*Pi^(1/2)*2^(1/2)*(a+b*arcsin(c*x))^(1/2)*cos(a/b)*FresnelS(2^(
1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)-10*(1/b)^(1/2)*Pi^(1/2
)*2^(1/2)*(a+b*arcsin(c*x))^(1/2)*sin(a/b)*FresnelC(2^(1/2)/Pi^(1/2)/(1/b)^(
1/2)*(a+b*arcsin(c*x))^(1/2)/b)+10*cos((a+b*arcsin(c*x))/b-a/b)+5*cos(3*(a
+b*arcsin(c*x))/b-3*a/b)+cos(5*(a+b*arcsin(c*x))/b-5*a/b))/(a+b*arcsin(c*x)
)^(1/2)

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c^2 dx^2 - d)^2}{(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="maxima")

[Out] integrate((c^2\*d\*x^2 - d)^2/(b\*arcsin(c\*x) + a)^(3/2), x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$d^2 \left( \int -\frac{2c^2 x^2}{a\sqrt{a+b\arcsin(cx)} + b\sqrt{a+b\arcsin(cx)}\arcsin(cx)} dx + \int \frac{c^4 x^4}{a\sqrt{a+b\arcsin(cx)} + b\sqrt{a+b\arcsin(cx)}\arcsin(cx)} dx + \int \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*2/(a+b\*asin(c\*x))\*\*(3/2),x)

[Out] d\*\*2\*(Integral(-2\*c\*\*2\*x\*\*2/(a\*sqrt(a + b\*asin(c\*x)) + b\*sqrt(a + b\*asin(c\*x))\*asin(c\*x)), x) + Integral(c\*\*4\*x\*\*4/(a\*sqrt(a + b\*asin(c\*x)) + b\*sqrt(a + b\*asin(c\*x))\*asin(c\*x)), x) + Integral(1/(a\*sqrt(a + b\*asin(c\*x)) + b\*sqrt(a + b\*asin(c\*x))\*asin(c\*x)), x))

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c^2 dx^2 - d)^2}{(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^2/(a+b*arcsin(c*x))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((c^2*d*x^2 - d)^2/(b*arcsin(c*x) + a)^(3/2), x)
```

$$3.440 \quad \int \frac{(d-c^2 dx^2)^2}{x(a+b \sin^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=288

$$\frac{2d^2 \text{Unintegrable}\left(\frac{1}{x^2 \sqrt{1-c^2 x^2} \sqrt{a+b \sin^{-1}(cx)}}, x\right)}{bc} - \frac{\sqrt{\frac{\pi}{2}} d^2 \cos\left(\frac{4a}{b}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}} - \frac{3\sqrt{\pi} d^2 \cos\left(\frac{2a}{b}\right) \text{FresnelS}\left(\frac{2\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}}$$

[Out]  $(-2*d^2*(1 - c^2*x^2)^{(5/2)})/(b*c*x*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (d^2*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[(4*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/b^{(3/2)} - (3*d^2*\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]])/b^{(3/2)} - (3*d^2*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]]*\text{Sin}[(2*a)/b])/b^{(3/2)} - (d^2*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]*\text{Sin}[(4*a)/b])/b^{(3/2)} - (2*d^2*\text{Unintegrable}[1/(x^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]), x))/(b*c)$

**Rubi [A]** time = 1.4632, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(d - c^2 dx^2)^2}{x(a + b \sin^{-1}(cx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}[(d - c^2*d*x^2)^2/(x*(a + b*\text{ArcSin}[c*x])^{(3/2)}), x]$

[Out]  $(-2*d^2*(1 - c^2*x^2)^{(5/2)})/(b*c*x*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (d^2*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[(4*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/b^{(3/2)} - (3*d^2*\text{Sqrt}[\text{Pi}]*\text{Cos}[(2*a)/b]*\text{FresnelC}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]])/b^{(3/2)} - (3*d^2*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]]*\text{Sin}[(2*a)/b])/b^{(3/2)} - (d^2*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]*\text{Sin}[(4*a)/b])/b^{(3/2)} - (2*d^2*\text{Defer}[\text{Int}[1/(x^2*\text{Sqrt}[1 - c^2*x^2]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]), x])/(b*c)$

## Rubi steps

$$\begin{aligned}
\int \frac{(d - c^2 dx^2)^2}{x(a + b \sin^{-1}(cx))^{3/2}} dx &= -\frac{2d^2(1 - c^2x^2)^{5/2}}{bcx\sqrt{a + b \sin^{-1}(cx)}} - \frac{(2d^2) \int \frac{(1 - c^2x^2)^{3/2}}{x^2\sqrt{a + b \sin^{-1}(cx)}} dx}{bc} - \frac{(8cd^2) \int \frac{(1 - c^2x^2)^{3/2}}{\sqrt{a + b \sin^{-1}(cx)}} dx}{b} \\
&= -\frac{2d^2(1 - c^2x^2)^{5/2}}{bcx\sqrt{a + b \sin^{-1}(cx)}} - \frac{(8d^2) \text{Subst}\left(\int \frac{\cos^4(x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{b} - \frac{(2d^2) \int \left(-\frac{2c^2}{\sqrt{1 - c^2x^2}\sqrt{a + b \sin^{-1}(cx)}}\right) dx}{b} \\
&= -\frac{2d^2(1 - c^2x^2)^{5/2}}{bcx\sqrt{a + b \sin^{-1}(cx)}} - \frac{(8d^2) \text{Subst}\left(\int \left(\frac{3}{8\sqrt{a + bx}} + \frac{\cos(2x)}{2\sqrt{a + bx}} + \frac{\cos(4x)}{8\sqrt{a + bx}}\right) dx, x, \sin^{-1}(cx)\right)}{b} - \frac{(2d^2) \int \frac{1}{\sqrt{a + bx}} dx}{b} \\
&= -\frac{2d^2(1 - c^2x^2)^{5/2}}{bcx\sqrt{a + b \sin^{-1}(cx)}} + \frac{2d^2\sqrt{a + b \sin^{-1}(cx)}}{b^2} - \frac{d^2 \text{Subst}\left(\int \frac{\cos(4x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{b} - \frac{(2d^2) \int \frac{1}{\sqrt{a + bx}} dx}{b} \\
&= -\frac{2d^2(1 - c^2x^2)^{5/2}}{bcx\sqrt{a + b \sin^{-1}(cx)}} + \frac{2d^2\sqrt{a + b \sin^{-1}(cx)}}{b^2} - \frac{(2d^2) \text{Subst}\left(\int \left(\frac{1}{2\sqrt{a + bx}} - \frac{\cos(2x)}{2\sqrt{a + bx}}\right) dx, x, \sin^{-1}(cx)\right)}{b} - \frac{(2d^2) \int \frac{1}{\sqrt{a + bx}} dx}{b} \\
&= -\frac{2d^2(1 - c^2x^2)^{5/2}}{bcx\sqrt{a + b \sin^{-1}(cx)}} + \frac{d^2 \text{Subst}\left(\int \frac{\cos(2x)}{\sqrt{a + bx}} dx, x, \sin^{-1}(cx)\right)}{b} - \frac{(2d^2) \int \frac{1}{x^2\sqrt{1 - c^2x^2}\sqrt{a + b \sin^{-1}(cx)}} dx}{bc} - \frac{(2d^2) \int \frac{1}{\sqrt{a + bx}} dx}{b} \\
&= -\frac{2d^2(1 - c^2x^2)^{5/2}}{bcx\sqrt{a + b \sin^{-1}(cx)}} - \frac{d^2\sqrt{\frac{\pi}{2}} \cos\left(\frac{4a}{b}\right) C\left(\frac{2\sqrt{\frac{2}{\pi}}\sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}} - \frac{4d^2\sqrt{\pi} \cos\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}} - \frac{(2d^2) \int \frac{1}{\sqrt{a + bx}} dx}{b} \\
&= -\frac{2d^2(1 - c^2x^2)^{5/2}}{bcx\sqrt{a + b \sin^{-1}(cx)}} - \frac{d^2\sqrt{\frac{\pi}{2}} \cos\left(\frac{4a}{b}\right) C\left(\frac{2\sqrt{\frac{2}{\pi}}\sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}} - \frac{4d^2\sqrt{\pi} \cos\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}} - \frac{(2d^2) \int \frac{1}{\sqrt{a + bx}} dx}{b} \\
&= -\frac{2d^2(1 - c^2x^2)^{5/2}}{bcx\sqrt{a + b \sin^{-1}(cx)}} - \frac{d^2\sqrt{\frac{\pi}{2}} \cos\left(\frac{4a}{b}\right) C\left(\frac{2\sqrt{\frac{2}{\pi}}\sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}} - \frac{3d^2\sqrt{\pi} \cos\left(\frac{2a}{b}\right) C\left(\frac{2\sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}} - \frac{(2d^2) \int \frac{1}{\sqrt{a + bx}} dx}{b}
\end{aligned}$$

**Mathematica [A]** time = 3.5083, size = 0, normalized size = 0.

$$\int \frac{(d - c^2 dx^2)^2}{x (a + b \sin^{-1}(cx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(d - c^2\*d\*x^2)^2/(x\*(a + b\*ArcSin[c\*x])^(3/2)),x]

[Out] Integrate[(d - c^2\*d\*x^2)^2/(x\*(a + b\*ArcSin[c\*x])^(3/2)), x]

**Maple [A]** time = 0.404, size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^2}{x} (a + b \arcsin(cx))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^2/x/(a+b\*arcsin(c\*x))^(3/2),x)

[Out] int((-c^2\*d\*x^2+d)^2/x/(a+b\*arcsin(c\*x))^(3/2),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c^2 dx^2 - d)^2}{(b \arcsin(cx) + a)^{\frac{3}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^2/x/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="maxima")

[Out] integrate((c^2\*d\*x^2 - d)^2/((b\*arcsin(c\*x) + a)^(3/2)\*x), x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^2/x/(a+b*arcsin(c*x))^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: UnboundLocalError
```

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$d^2 \left( \int -\frac{2c^2x^2}{ax\sqrt{a+b\operatorname{asin}(cx)}+bx\sqrt{a+b\operatorname{asin}(cx)}\operatorname{asin}(cx)} dx + \int \frac{c^4x^4}{ax\sqrt{a+b\operatorname{asin}(cx)}+bx\sqrt{a+b\operatorname{asin}(cx)}\operatorname{asin}(cx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c**2*d*x**2+d)**2/x/(a+b*asin(c*x))**(3/2),x)
```

```
[Out] d**2*(Integral(-2*c**2*x**2/(a*x*sqrt(a + b*asin(c*x)) + b*x*sqrt(a + b*asin(c*x))*asin(c*x)), x) + Integral(c**4*x**4/(a*x*sqrt(a + b*asin(c*x)) + b*x*sqrt(a + b*asin(c*x))*asin(c*x)), x) + Integral(1/(a*x*sqrt(a + b*asin(c*x)) + b*x*sqrt(a + b*asin(c*x))*asin(c*x)), x))
```

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c^2dx^2 - d)^2}{(b \operatorname{arcsin}(cx) + a)^{\frac{3}{2}}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^2/x/(a+b*arcsin(c*x))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((c^2*d*x^2 - d)^2/((b*arcsin(c*x) + a)^(3/2)*x), x)
```



$$3.441 \quad \int \left( -\frac{3x}{8(1-x^2)\sqrt{\sin^{-1}(x)}} + \frac{x \sin^{-1}(x)^{3/2}}{(1-x^2)^2} \right) dx$$

**Optimal.** Leaf size=42

$$\frac{\sin^{-1}(x)^{3/2}}{2(1-x^2)} - \frac{3x\sqrt{\sin^{-1}(x)}}{4\sqrt{1-x^2}}$$

[Out]  $(-3*x*\text{Sqrt}[\text{ArcSin}[x]])/(4*\text{Sqrt}[1-x^2]) + \text{ArcSin}[x]^{(3/2)}/(2*(1-x^2))$

**Rubi [A]** time = 0.150535, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$ , Rules used = {4677, 4651}

$$\frac{\sin^{-1}(x)^{3/2}}{2(1-x^2)} - \frac{3x\sqrt{\sin^{-1}(x)}}{4\sqrt{1-x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(-3*x)/(8*(1-x^2)*\text{Sqrt}[\text{ArcSin}[x]]) + (x*\text{ArcSin}[x]^{(3/2)})/(1-x^2)^2, x]$

[Out]  $(-3*x*\text{Sqrt}[\text{ArcSin}[x]])/(4*\text{Sqrt}[1-x^2]) + \text{ArcSin}[x]^{(3/2)}/(2*(1-x^2))$

#### Rule 4677

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n * ((d + e*x^2)^p), x\_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^{p+1} * (a + b*\text{ArcSin}[c*x])^n / (2*e*(p+1)), x] + \text{Dist}[(b*n*d^{\text{IntPart}[p]} * (d + e*x^2)^{\text{FracPart}[p]} / (2*c*(p+1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[(1 - c^2*x^2)^{p+1/2} * (a + b*\text{ArcSin}[c*x])^{n-1}], x] /;$  FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rule 4651

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n / ((d + e*x^2)^{3/2}), x\_Symbol] \rightarrow \text{Simp}[(x*(a + b*\text{ArcSin}[c*x])^n) / (d*\text{Sqrt}[d + e*x^2]), x] - \text{Dist}[(b*c*n) / \text{Sqrt}[d], \text{Int}[(x*(a + b*\text{ArcSin}[c*x])^{n-1}) / (d + e*x^2), x], x] /;$

FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]

### Rubi steps

$$\begin{aligned} \int \left( -\frac{3x}{8(1-x^2)\sqrt{\sin^{-1}(x)}} + \frac{x \sin^{-1}(x)^{3/2}}{(1-x^2)^2} \right) dx &= -\left( \frac{3}{8} \int \frac{x}{(1-x^2)\sqrt{\sin^{-1}(x)}} dx \right) + \int \frac{x \sin^{-1}(x)^{3/2}}{(1-x^2)^2} dx \\ &= \frac{\sin^{-1}(x)^{3/2}}{2(1-x^2)} - \frac{3}{8} \int \frac{x}{(1-x^2)\sqrt{\sin^{-1}(x)}} dx - \frac{3}{4} \int \frac{\sqrt{\sin^{-1}(x)}}{(1-x^2)^{3/2}} dx \\ &= -\frac{3x\sqrt{\sin^{-1}(x)}}{4\sqrt{1-x^2}} + \frac{\sin^{-1}(x)^{3/2}}{2(1-x^2)} \end{aligned}$$

**Mathematica [F]** time = 3.52706, size = 0, normalized size = 0.

$$\int \left( -\frac{3x}{8(1-x^2)\sqrt{\sin^{-1}(x)}} + \frac{x \sin^{-1}(x)^{3/2}}{(1-x^2)^2} \right) dx$$

Verification is Not applicable to the result.

[In] Integrate[(-3\*x)/(8\*(1 - x^2)\*Sqrt[ArcSin[x]]) + (x\*ArcSin[x]^(3/2))/(1 - x^2)^2, x]

[Out] Integrate[(-3\*x)/(8\*(1 - x^2)\*Sqrt[ArcSin[x]]) + (x\*ArcSin[x]^(3/2))/(1 - x^2)^2, x]

**Maple [F]** time = 0.218, size = 0, normalized size = 0.

$$\int \frac{x}{(-x^2 + 1)^2} (\arcsin(x))^{\frac{3}{2}} - \frac{3x}{-8x^2 + 8} \frac{1}{\sqrt{\arcsin(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*arcsin(x)^(3/2)/(-x^2+1)^2-3/8\*x/(-x^2+1)/arcsin(x)^(1/2), x)

```
[Out] int(x*arcsin(x)^(3/2)/(-x^2+1)^2-3/8*x/(-x^2+1)/arcsin(x)^(1/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arcsin(x)^(3/2)/(-x^2+1)^2-3/8*x/(-x^2+1)/arcsin(x)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arcsin(x)^(3/2)/(-x^2+1)^2-3/8*x/(-x^2+1)/arcsin(x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: UnboundLocalError
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int -\frac{3x}{x^4\sqrt{\arcsin(x)}-2x^2\sqrt{\arcsin(x)}+\sqrt{\arcsin(x)}} dx + \int \frac{3x^3}{x^4\sqrt{\arcsin(x)}-2x^2\sqrt{\arcsin(x)}+\sqrt{\arcsin(x)}} dx + \int \frac{8x\arcsin^2(x)}{x^4\sqrt{\arcsin(x)}-2x^2\sqrt{\arcsin(x)}+\sqrt{\arcsin(x)}} dx}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*asin(x)**(3/2)/(-x**2+1)**2-3/8*x/(-x**2+1)/asin(x)**(1/2),x)
```

```
[Out] (Integral(-3*x/(x**4*sqrt(asin(x)) - 2*x**2*sqrt(asin(x)) + sqrt(asin(x))), x) + Integral(3*x**3/(x**4*sqrt(asin(x)) - 2*x**2*sqrt(asin(x)) + sqrt(asin(x))), x) + Integral(8*x*asin(x)**2/(x**4*sqrt(asin(x)) - 2*x**2*sqrt(asin(x))), x))
```

$(x) + \sqrt{\arcsin(x)}, x)/8$

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \arcsin(x)^{\frac{3}{2}}}{(x^2 - 1)^2} + \frac{3x}{8(x^2 - 1)\sqrt{\arcsin(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*arcsin(x)^(3/2)/(-x^2+1)^2-3/8\*x/(-x^2+1)/arcsin(x)^(1/2),x, algorithm="giac")

[Out] integrate(x\*arcsin(x)^(3/2)/(x^2 - 1)^2 + 3/8\*x/((x^2 - 1)\*sqrt(arcsin(x))), x)

$$3.442 \quad \int (c - a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)} dx$$

**Optimal.** Leaf size=227

$$\frac{\sqrt{\frac{\pi}{2}}c\sqrt{c - a^2cx^2}S\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{64a\sqrt{1 - a^2x^2}} - \frac{\sqrt{\pi}c\sqrt{c - a^2cx^2}S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{8a\sqrt{1 - a^2x^2}} + \frac{1}{4}x(c - a^2cx^2)^{3/2}\sqrt{\sin^{-1}(ax)} + \frac{c\sqrt{c - a^2cx^2}}{4a\sqrt{1 - a^2x^2}}$$

[Out] (3\*c\*x\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/8 + (x\*(c - a^2\*c\*x^2)^(3/2)\*Sqrt[ArcSin[a\*x]])/4 + (c\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(3/2))/(4\*a\*Sqrt[1 - a^2\*x^2]) - (c\*Sqrt[Pi/2]\*Sqrt[c - a^2\*c\*x^2]\*FresnelS[2\*Sqrt[2/Pi]\*Sqrt[ArcSin[a\*x]]])/(64\*a\*Sqrt[1 - a^2\*x^2]) - (c\*Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelS[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(8\*a\*Sqrt[1 - a^2\*x^2])

**Rubi [A]** time = 0.282997, antiderivative size = 227, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 9, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4649, 4647, 4641, 4635, 4406, 12, 3305, 3351, 4723}

$$\frac{\sqrt{\frac{\pi}{2}}c\sqrt{c - a^2cx^2}S\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{64a\sqrt{1 - a^2x^2}} - \frac{\sqrt{\pi}c\sqrt{c - a^2cx^2}S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{8a\sqrt{1 - a^2x^2}} + \frac{1}{4}x(c - a^2cx^2)^{3/2}\sqrt{\sin^{-1}(ax)} + \frac{c\sqrt{c - a^2cx^2}}{4a\sqrt{1 - a^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(c - a^2\*c\*x^2)^(3/2)\*Sqrt[ArcSin[a\*x]], x]

[Out] (3\*c\*x\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/8 + (x\*(c - a^2\*c\*x^2)^(3/2)\*Sqrt[ArcSin[a\*x]])/4 + (c\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(3/2))/(4\*a\*Sqrt[1 - a^2\*x^2]) - (c\*Sqrt[Pi/2]\*Sqrt[c - a^2\*c\*x^2]\*FresnelS[2\*Sqrt[2/Pi]\*Sqrt[ArcSin[a\*x]]])/(64\*a\*Sqrt[1 - a^2\*x^2]) - (c\*Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelS[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(8\*a\*Sqrt[1 - a^2\*x^2])

#### Rule 4649

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Simp[(x\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(2\*p + 1), x] + (Dist[(2\*d\*p)/(2\*p + 1), Int[(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d\*IntPart[p]\*(d + e\*x^2)^FracPart[p]]/((2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] &&

GtQ[p, 0]

### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 4635

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

### Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^n\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 3305

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[Sin[(f\*x^2)/d], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

### Rule 3351

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))^2], x\_Symbol] :> Simp[(Sqrt[Pi/2]\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)]]/(f\*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

Rubi steps

$$\begin{aligned}
\int (c - a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)} dx &= \frac{1}{4}x(c - a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)} + \frac{1}{4}(3c) \int \sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} dx - \frac{(ac\sqrt{c - a^2cx^2})}{8\sqrt{1 - a^2x^2}} \\
&= \frac{3}{8}cx\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)} + \frac{1}{4}x(c - a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)} + \frac{(3c\sqrt{c - a^2cx^2}) \int \frac{\sqrt{\sin^{-1}(ax)}}{\sqrt{1 - a^2x^2}} dx}{8\sqrt{1 - a^2x^2}} \\
&= \frac{3}{8}cx\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)} + \frac{1}{4}x(c - a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)} + \frac{c\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{4a\sqrt{1 - a^2x^2}} \\
&= \frac{3}{8}cx\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)} + \frac{1}{4}x(c - a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)} + \frac{c\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{4a\sqrt{1 - a^2x^2}} \\
&= \frac{3}{8}cx\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)} + \frac{1}{4}x(c - a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)} + \frac{c\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{4a\sqrt{1 - a^2x^2}} \\
&= \frac{3}{8}cx\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)} + \frac{1}{4}x(c - a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)} + \frac{c\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{4a\sqrt{1 - a^2x^2}} \\
&= \frac{3}{8}cx\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)} + \frac{1}{4}x(c - a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)} + \frac{c\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{4a\sqrt{1 - a^2x^2}}
\end{aligned}$$

**Mathematica [C]** time = 0.21993, size = 166, normalized size = 0.73

$$\frac{c\sqrt{c - a^2cx^2} \left( 8\sqrt{2}\sqrt{-i \sin^{-1}(ax)} \Gamma\left(\frac{3}{2}, -2i \sin^{-1}(ax)\right) + 8\sqrt{2}\sqrt{i \sin^{-1}(ax)} \Gamma\left(\frac{3}{2}, 2i \sin^{-1}(ax)\right) + \sqrt{-i \sin^{-1}(ax)} \right)}{128a\sqrt{1 - a^2x^2}\sqrt{\sin^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(c - a^2*c*x^2)^(3/2)*Sqrt[ArcSin[a*x]],x]
```

```
[Out] (c*Sqrt[c - a^2*c*x^2]*(32*ArcSin[a*x]^2 + 8*Sqrt[2]*Sqrt[(-I)*ArcSin[a*x]]
*Gamma[3/2, (-2*I)*ArcSin[a*x]] + 8*Sqrt[2]*Sqrt[I*ArcSin[a*x]]*Gamma[3/2,
(2*I)*ArcSin[a*x]] + Sqrt[(-I)*ArcSin[a*x]]*Gamma[3/2, (-4*I)*ArcSin[a*x]]
+ Sqrt[I*ArcSin[a*x]]*Gamma[3/2, (4*I)*ArcSin[a*x]]))/(128*a*Sqrt[1 - a^2*x
^2]*Sqrt[ArcSin[a*x]])
```

**Maple [F]** time = 0.197, size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{\frac{3}{2}} \sqrt{\arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-a^2*c*x^2+c)^(3/2)*arcsin(a*x)^(1/2),x)
```

```
[Out] int((-a^2*c*x^2+c)^(3/2)*arcsin(a*x)^(1/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a^2*c*x^2+c)^(3/2)*arcsin(a*x)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((-a^2*c*x^2+c)^(3/2)*arcsin(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: UnboundLocalError
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a**2*c*x**2+c)**(3/2)*asin(a*x)**(1/2),x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{\frac{3}{2}} \sqrt{\arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a^2*c*x^2+c)^(3/2)*arcsin(a*x)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((-a^2*c*x^2 + c)^(3/2)*sqrt(arcsin(a*x)), x)
```

$$3.443 \quad \int \sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} dx$$

**Optimal.** Leaf size=130

$$-\frac{\sqrt{\pi}\sqrt{c - a^2cx^2}S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{8a\sqrt{1 - a^2x^2}} + \frac{\sqrt{c - a^2cx^2}\sin^{-1}(ax)^{3/2}}{3a\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}$$

[Out] (x\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/2 + (Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(3/2))/(3\*a\*Sqrt[1 - a^2\*x^2]) - (Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelS[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(8\*a\*Sqrt[1 - a^2\*x^2])

**Rubi [A]** time = 0.117625, antiderivative size = 130, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$ , Rules used = {4647, 4641, 4635, 4406, 12, 3305, 3351}

$$-\frac{\sqrt{\pi}\sqrt{c - a^2cx^2}S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{8a\sqrt{1 - a^2x^2}} + \frac{\sqrt{c - a^2cx^2}\sin^{-1}(ax)^{3/2}}{3a\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]],x]

[Out] (x\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/2 + (Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(3/2))/(3\*a\*Sqrt[1 - a^2\*x^2]) - (Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelS[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(8\*a\*Sqrt[1 - a^2\*x^2])

#### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; Fre

$eQ[\{a, b, c, d, e, n\}, x] \&\& EqQ[c^2*d + e, 0] \&\& GtQ[d, 0] \&\& NeQ[n, -1]$

### Rule 4635

$Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n*(x_.)^m, x\_Symbol] \rightarrow Dist[1/c^{m+1}, Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x], x], x, ArcSin[c*x]], x] /; FreeQ[\{a, b, c, n\}, x] \&\& IGtQ[m, 0]$

### Rule 4406

$Int[Cos[(a_.) + (b_.)*(x_.)]^{p_.}*((c_.) + (d_.)*(x_.))^m*Sin[(a_.) + (b_.)*(x_.)]^{n_.}, x\_Symbol] \rightarrow Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[\{a, b, c, d, m\}, x] \&\& IGtQ[n, 0] \&\& IGtQ[p, 0]$

### Rule 12

$Int[(a_)*(u_), x\_Symbol] \rightarrow Dist[a, Int[u, x], x] /; FreeQ[a, x] \&\& !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]$

### Rule 3305

$Int[sin[(e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[\{c, d, e, f\}, x] \&\& ComplexFreeQ[f] \&\& EqQ[d*e - c*f, 0]$

### Rule 3351

$Int[Sin[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] \rightarrow Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[\{d, e, f\}, x]$

### Rubi steps

$$\begin{aligned}
\int \sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} dx &= \frac{1}{2}x\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} + \frac{\sqrt{c - a^2cx^2} \int \frac{\sqrt{\sin^{-1}(ax)}}{\sqrt{1-a^2x^2}} dx}{2\sqrt{1-a^2x^2}} - \frac{(a\sqrt{c - a^2cx^2}) \int \frac{x}{\sqrt{\sin^{-1}(ax)}} dx}{4\sqrt{1-a^2x^2}} \\
&= \frac{1}{2}x\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{3a\sqrt{1-a^2x^2}} - \frac{\sqrt{c - a^2cx^2} \text{Subst}\left(\int \frac{\cos(x)\sin(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{4a\sqrt{1-a^2x^2}} \\
&= \frac{1}{2}x\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{3a\sqrt{1-a^2x^2}} - \frac{\sqrt{c - a^2cx^2} \text{Subst}\left(\int \frac{\sin(2x)}{2\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{4a\sqrt{1-a^2x^2}} \\
&= \frac{1}{2}x\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{3a\sqrt{1-a^2x^2}} - \frac{\sqrt{c - a^2cx^2} \text{Subst}\left(\int \frac{\sin(2x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{8a\sqrt{1-a^2x^2}} \\
&= \frac{1}{2}x\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{3a\sqrt{1-a^2x^2}} - \frac{\sqrt{c - a^2cx^2} \text{Subst}\left(\int \sin(2x^2) dx, x, \sin^{-1}(ax)\right)}{4a\sqrt{1-a^2x^2}} \\
&= \frac{1}{2}x\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{3a\sqrt{1-a^2x^2}} - \frac{\sqrt{\pi}\sqrt{c - a^2cx^2} S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{8a\sqrt{1-a^2x^2}}
\end{aligned}$$

**Mathematica [C]** time = 0.0671401, size = 138, normalized size = 1.06

$$\frac{\sqrt{c - a^2cx^2} \left( 3\sqrt{2}\sqrt{-i \sin^{-1}(ax)} \text{Gamma}\left(\frac{1}{2}, -2i \sin^{-1}(ax)\right) + 3\sqrt{2}\sqrt{i \sin^{-1}(ax)} \text{Gamma}\left(\frac{1}{2}, 2i \sin^{-1}(ax)\right) + 16 \sin^{-1}(ax) \right)}{96a\sqrt{1-a^2x^2}\sqrt{\sin^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]], x]

[Out] (Sqrt[c - a^2\*c\*x^2]\*(16\*ArcSin[a\*x]\*(3\*a\*x\*Sqrt[1 - a^2\*x^2] + 2\*ArcSin[a\*x]) + 3\*Sqrt[2]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-2\*I)\*ArcSin[a\*x]] + 3\*Sqrt[2]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (2\*I)\*ArcSin[a\*x]]))/(96\*a\*Sqrt[1 - a^2\*x^2]\*Sqrt[ArcSin[a\*x]])

**Maple [F]** time = 0.231, size = 0, normalized size = 0.

$$\int \sqrt{-a^2cx^2 + c} \sqrt{\arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-a^2*c*x^2+c)^(1/2)*arcsin(a*x)^(1/2),x)`

[Out] `int((-a^2*c*x^2+c)^(1/2)*arcsin(a*x)^(1/2),x)`

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a^2*c*x^2+c)^(1/2)*arcsin(a*x)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a^2*c*x^2+c)^(1/2)*arcsin(a*x)^(1/2),x, algorithm="fricas")`

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c(ax-1)(ax+1)} \sqrt{\sin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a**2*c*x**2+c)**(1/2)*asin(a*x)**(1/2),x)`

[Out] `Integral(sqrt(-c*(a*x - 1)*(a*x + 1))*sqrt(asin(a*x)), x)`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-a^2cx^2 + c} \sqrt{\arcsin(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a^2*c*x^2+c)^(1/2)*arcsin(a*x)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(-a^2*c*x^2 + c)*sqrt(arcsin(a*x)), x)
```

$$3.444 \quad \int \frac{\sqrt{\sin^{-1}(ax)}}{\sqrt{c-a^2cx^2}} dx$$

Optimal. Leaf size=44

$$\frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{3a\sqrt{c-a^2cx^2}}$$

[Out] (2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^(3/2))/(3\*a\*Sqrt[c - a^2\*c\*x^2])

**Rubi [A]** time = 0.0752011, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {4643, 4641}

$$\frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^{3/2}}{3a\sqrt{c-a^2cx^2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[ArcSin[a\*x]]/Sqrt[c - a^2\*c\*x^2], x]

[Out] (2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^(3/2))/(3\*a\*Sqrt[c - a^2\*c\*x^2])

#### Rule 4643

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{\sqrt{\sin^{-1}(ax)}}{\sqrt{c - a^2cx^2}} dx = \frac{\sqrt{1 - a^2x^2} \int \frac{\sqrt{\sin^{-1}(ax)}}{\sqrt{1 - a^2x^2}} dx}{\sqrt{c - a^2cx^2}}$$

$$= \frac{2\sqrt{1 - a^2x^2} \sin^{-1}(ax)^{3/2}}{3a\sqrt{c - a^2cx^2}}$$

**Mathematica [A]** time = 0.0465079, size = 44, normalized size = 1.

$$\frac{2\sqrt{1 - a^2x^2} \sin^{-1}(ax)^{3/2}}{3a\sqrt{c - a^2cx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[ArcSin[a\*x]]/Sqrt[c - a^2\*c\*x^2], x]

[Out] (2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^(3/2))/(3\*a\*Sqrt[c - a^2\*c\*x^2])

**Maple [A]** time = 0.039, size = 38, normalized size = 0.9

$$\frac{2}{3a} (\arcsin(ax))^{\frac{3}{2}} \sqrt{-a^2x^2 + 1} \frac{1}{\sqrt{-c(a^2x^2 - 1)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^(1/2)/(-a^2\*c\*x^2+c)^(1/2), x)

[Out] 2/3\*arcsin(a\*x)^(3/2)/a/(-c\*(a^2\*x^2-1))^(1/2)\*(-a^2\*x^2+1)^(1/2)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(1/2)/(-a^2\*c\*x^2+c)^(1/2), x, algorithm="maxima")



[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(1/2)/(-a^2\*c\*x^2+c)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\arcsin(ax)}}{\sqrt{-c(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*(1/2)/(-a\*\*2\*c\*x\*\*2+c)\*\*(1/2),x)

[Out] Integral(sqrt(asin(a\*x))/sqrt(-c\*(a\*x - 1)\*(a\*x + 1)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\arcsin(ax)}}{\sqrt{-a^2cx^2+c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(1/2)/(-a^2\*c\*x^2+c)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(arcsin(a\*x))/sqrt(-a^2\*c\*x^2 + c), x)

$$3.445 \quad \int \frac{\sqrt{\sin^{-1}(ax)}}{(c-a^2cx^2)^{3/2}} dx$$

**Optimal.** Leaf size=90

$$\frac{x\sqrt{\sin^{-1}(ax)}}{c\sqrt{c-a^2cx^2}} - \frac{a\sqrt{1-a^2x^2}\text{Unintegrable}\left(\frac{x}{(1-a^2x^2)\sqrt{\sin^{-1}(ax)}}, x\right)}{2c\sqrt{c-a^2cx^2}}$$

[Out] (x\*Sqrt[ArcSin[a\*x]])/(c\*Sqrt[c - a^2\*c\*x^2]) - (a\*Sqrt[1 - a^2\*x^2]\*Unintegrable[x/((1 - a^2\*x^2)\*Sqrt[ArcSin[a\*x]]), x])/(2\*c\*Sqrt[c - a^2\*c\*x^2])

**Rubi [A]** time = 0.0949667, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{\sin^{-1}(ax)}}{(c-a^2cx^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[ArcSin[a\*x]]/(c - a^2\*c\*x^2)^(3/2), x]

[Out] (x\*Sqrt[ArcSin[a\*x]])/(c\*Sqrt[c - a^2\*c\*x^2]) - (a\*Sqrt[1 - a^2\*x^2]\*Defer[Int][x/((1 - a^2\*x^2)\*Sqrt[ArcSin[a\*x]]), x])/(2\*c\*Sqrt[c - a^2\*c\*x^2])

Rubi steps

$$\int \frac{\sqrt{\sin^{-1}(ax)}}{(c-a^2cx^2)^{3/2}} dx = \frac{x\sqrt{\sin^{-1}(ax)}}{c\sqrt{c-a^2cx^2}} - \frac{(a\sqrt{1-a^2x^2}) \int \frac{x}{(1-a^2x^2)\sqrt{\sin^{-1}(ax)}} dx}{2c\sqrt{c-a^2cx^2}}$$

**Mathematica [A]** time = 0.619456, size = 0, normalized size = 0.

$$\int \frac{\sqrt{\sin^{-1}(ax)}}{(c-a^2cx^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[ArcSin[a\*x]]/(c - a^2\*c\*x^2)^(3/2), x]

[Out] Integrate[Sqrt[ArcSin[a\*x]]/(c - a^2\*c\*x^2)^(3/2), x]

**Maple [A]** time = 0.235, size = 0, normalized size = 0.

$$\int \sqrt{\arcsin(ax)} (-a^2cx^2 + c)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^(1/2)/(-a^2\*c\*x^2+c)^(3/2), x)

[Out] int(arcsin(a\*x)^(1/2)/(-a^2\*c\*x^2+c)^(3/2), x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(1/2)/(-a^2\*c\*x^2+c)^(3/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(1/2)/(-a^2\*c\*x^2+c)^(3/2), x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\operatorname{asin}(ax)}}{(-c(ax-1)(ax+1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*(1/2)/(-a\*\*2\*c\*x\*\*2+c)\*\*(3/2), x)

[Out] Integral(sqrt(asin(a\*x))/(-c\*(a\*x - 1)\*(a\*x + 1))\*\*(3/2), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\operatorname{arcsin}(ax)}}{(-a^2cx^2 + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(1/2)/(-a^2\*c\*x^2+c)^(3/2), x, algorithm="giac")

[Out] integrate(sqrt(arcsin(a\*x))/(-a^2\*c\*x^2 + c)^(3/2), x)

$$3.446 \quad \int \frac{\sqrt{\sin^{-1}(ax)}}{(c-a^2cx^2)^{5/2}} dx$$

**Optimal.** Leaf size=185

$$\frac{a\sqrt{1-a^2x^2}\text{Unintegrable}\left(\frac{x}{(1-a^2x^2)^2\sqrt{\sin^{-1}(ax)}}, x\right)}{6c^2\sqrt{c-a^2cx^2}} - \frac{a\sqrt{1-a^2x^2}\text{Unintegrable}\left(\frac{x}{(1-a^2x^2)\sqrt{\sin^{-1}(ax)}}, x\right)}{3c^2\sqrt{c-a^2cx^2}} + \frac{2x\sqrt{\sin^{-1}(ax)}}{3c^2\sqrt{c-a^2cx^2}} +$$

[Out] (x\*Sqrt[ArcSin[a\*x]])/(3\*c\*(c - a^2\*c\*x^2)^(3/2)) + (2\*x\*Sqrt[ArcSin[a\*x]])/(3\*c^2\*Sqrt[c - a^2\*c\*x^2]) - (a\*Sqrt[1 - a^2\*x^2]\*Unintegrable[x/((1 - a^2\*x^2)^2\*Sqrt[ArcSin[a\*x]]), x])/(6\*c^2\*Sqrt[c - a^2\*c\*x^2]) - (a\*Sqrt[1 - a^2\*x^2]\*Unintegrable[x/((1 - a^2\*x^2)\*Sqrt[ArcSin[a\*x]]), x])/(3\*c^2\*Sqrt[c - a^2\*c\*x^2])

**Rubi [A]** time = 0.188572, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{\sin^{-1}(ax)}}{(c-a^2cx^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[ArcSin[a\*x]]/(c - a^2\*c\*x^2)^(5/2), x]

[Out] (x\*Sqrt[ArcSin[a\*x]])/(3\*c\*(c - a^2\*c\*x^2)^(3/2)) + (2\*x\*Sqrt[ArcSin[a\*x]])/(3\*c^2\*Sqrt[c - a^2\*c\*x^2]) - (a\*Sqrt[1 - a^2\*x^2]\*Defer[Int][x/((1 - a^2\*x^2)^2\*Sqrt[ArcSin[a\*x]]), x])/(6\*c^2\*Sqrt[c - a^2\*c\*x^2]) - (a\*Sqrt[1 - a^2\*x^2]\*Defer[Int][x/((1 - a^2\*x^2)\*Sqrt[ArcSin[a\*x]]), x])/(3\*c^2\*Sqrt[c - a^2\*c\*x^2])

Rubi steps

$$\int \frac{\sqrt{\sin^{-1}(ax)}}{(c - a^2cx^2)^{5/2}} dx = \frac{x\sqrt{\sin^{-1}(ax)}}{3c(c - a^2cx^2)^{3/2}} + \frac{2 \int \frac{\sqrt{\sin^{-1}(ax)}}{(c - a^2cx^2)^{3/2}} dx}{3c} - \frac{(a\sqrt{1 - a^2x^2}) \int \frac{x}{(1 - a^2x^2)^2 \sqrt{\sin^{-1}(ax)}} dx}{6c^2\sqrt{c - a^2cx^2}}$$

$$= \frac{x\sqrt{\sin^{-1}(ax)}}{3c(c - a^2cx^2)^{3/2}} + \frac{2x\sqrt{\sin^{-1}(ax)}}{3c^2\sqrt{c - a^2cx^2}} - \frac{(a\sqrt{1 - a^2x^2}) \int \frac{x}{(1 - a^2x^2)^2 \sqrt{\sin^{-1}(ax)}} dx}{6c^2\sqrt{c - a^2cx^2}} - \frac{(a\sqrt{1 - a^2x^2}) \int \frac{x}{(1 - a^2x^2)^2 \sqrt{\sin^{-1}(ax)}} dx}{3c^2\sqrt{c - a^2cx^2}}$$

**Mathematica [A]** time = 1.721, size = 0, normalized size = 0.

$$\int \frac{\sqrt{\sin^{-1}(ax)}}{(c - a^2cx^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[ArcSin[a\*x]]/(c - a^2\*c\*x^2)^(5/2), x]

[Out] Integrate[Sqrt[ArcSin[a\*x]]/(c - a^2\*c\*x^2)^(5/2), x]

**Maple [A]** time = 0.296, size = 0, normalized size = 0.

$$\int \sqrt{\arcsin(ax)} (-a^2cx^2 + c)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^(1/2)/(-a^2\*c\*x^2+c)^(5/2), x)

[Out] int(arcsin(a\*x)^(1/2)/(-a^2\*c\*x^2+c)^(5/2), x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(1/2)/(-a^2\*c\*x^2+c)^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(1/2)/(-a^2\*c\*x^2+c)^(5/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*(1/2)/(-a\*\*2\*c\*x\*\*2+c)\*\*(5/2),x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\arcsin(ax)}}{(-a^2cx^2 + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(1/2)/(-a^2\*c\*x^2+c)^(5/2),x, algorithm="giac")

[Out] integrate(sqrt(arcsin(a\*x))/(-a^2\*c\*x^2 + c)^(5/2), x)

$$3.447 \quad \int (c - a^2 cx^2)^{3/2} \sin^{-1}(ax)^{3/2} dx$$

**Optimal.** Leaf size=363

$$\frac{3\sqrt{\frac{\pi}{2}}c\sqrt{c-a^2cx^2}\text{FresnelC}\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{512a\sqrt{1-a^2x^2}} - \frac{3\sqrt{\pi}c\sqrt{c-a^2cx^2}\text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{32a\sqrt{1-a^2x^2}} + \frac{3c\sqrt{c-a^2cx^2}\sin^{-1}(ax)^{5/2}}{20a\sqrt{1-a^2x^2}}$$

[Out] (27\*c\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/(256\*a\*Sqrt[1 - a^2\*x^2]) - (9\*a\*c\*x^2\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/(32\*Sqrt[1 - a^2\*x^2]) + (3\*c\*(1 - a^2\*x^2)^(3/2)\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/(32\*a) + (3\*c\*x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(3/2))/8 + (x\*(c - a^2\*c\*x^2)^(3/2)\*ArcSin[a\*x]^(3/2))/4 + (3\*c\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(5/2))/(20\*a\*Sqrt[1 - a^2\*x^2]) - (3\*c\*Sqrt[Pi/2]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[2\*Sqrt[2/Pi]\*Sqrt[ArcSin[a\*x]]])/(512\*a\*Sqrt[1 - a^2\*x^2]) - (3\*c\*Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(32\*a\*Sqrt[1 - a^2\*x^2])

**Rubi [A]** time = 0.433735, antiderivative size = 363, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 10, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {4649, 4647, 4641, 4629, 4723, 3312, 3304, 3352, 4677, 4661}

$$\frac{3\sqrt{\frac{\pi}{2}}c\sqrt{c-a^2cx^2}\text{FresnelC}\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{512a\sqrt{1-a^2x^2}} - \frac{3\sqrt{\pi}c\sqrt{c-a^2cx^2}\text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{32a\sqrt{1-a^2x^2}} + \frac{3c\sqrt{c-a^2cx^2}\sin^{-1}(ax)^{5/2}}{20a\sqrt{1-a^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(c - a^2\*c\*x^2)^(3/2)\*ArcSin[a\*x]^(3/2), x]

[Out] (27\*c\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/(256\*a\*Sqrt[1 - a^2\*x^2]) - (9\*a\*c\*x^2\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/(32\*Sqrt[1 - a^2\*x^2]) + (3\*c\*(1 - a^2\*x^2)^(3/2)\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/(32\*a) + (3\*c\*x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(3/2))/8 + (x\*(c - a^2\*c\*x^2)^(3/2)\*ArcSin[a\*x]^(3/2))/4 + (3\*c\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(5/2))/(20\*a\*Sqrt[1 - a^2\*x^2]) - (3\*c\*Sqrt[Pi/2]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[2\*Sqrt[2/Pi]\*Sqrt[ArcSin[a\*x]]])/(512\*a\*Sqrt[1 - a^2\*x^2]) - (3\*c\*Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(32\*a\*Sqrt[1 - a^2\*x^2])

Rule 4649



```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[(x*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(2*p + 1), x] + (Dist[(2*d*p)/(2*p + 1), Int[(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p]]/((2*p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0]
```

#### Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
```

#### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

#### Rule 4629

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol]
:> Simp[(x^(m + 1)*(a + b*ArcSin[c*x])^n)/(m + 1), x] - Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

#### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

#### Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol]
:> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_.*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p]]/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 4661

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_.*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Dist[d^p/c, Subst[Int[(a + b*x)^n*Cos[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IGtQ[2*p, 0] && (IntegerQ[p] || GtQ[d, 0])
```

Rubi steps

$$\begin{aligned}
\int (c - a^2cx^2)^{3/2} \sin^{-1}(ax)^{3/2} dx &= \frac{1}{4}x(c - a^2cx^2)^{3/2} \sin^{-1}(ax)^{3/2} + \frac{1}{4}(3c) \int \sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2} dx - \frac{(3ac\sqrt{c - a^2cx^2})}{4} \\
&= \frac{3c(1 - a^2x^2)^{3/2} \sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)}}{32a} + \frac{3}{8}cx\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2} + \frac{1}{4}x(c - a^2cx^2)^{3/2} \sin^{-1}(ax)^{3/2} \\
&= -\frac{9acx^2\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{32\sqrt{1 - a^2x^2}} + \frac{3c(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{32a} + \frac{3}{8}cx\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2} \\
&= -\frac{9acx^2\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{32\sqrt{1 - a^2x^2}} + \frac{3c(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{32a} + \frac{3}{8}cx\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2} \\
&= -\frac{9c\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{256a\sqrt{1 - a^2x^2}} - \frac{9acx^2\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{32\sqrt{1 - a^2x^2}} + \frac{3c(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{32a} \\
&= \frac{27c\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{256a\sqrt{1 - a^2x^2}} - \frac{9acx^2\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{32\sqrt{1 - a^2x^2}} + \frac{3c(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{32a} \\
&= \frac{27c\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{256a\sqrt{1 - a^2x^2}} - \frac{9acx^2\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{32\sqrt{1 - a^2x^2}} + \frac{3c(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{32a} \\
&= \frac{27c\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{256a\sqrt{1 - a^2x^2}} - \frac{9acx^2\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{32\sqrt{1 - a^2x^2}} + \frac{3c(1 - a^2x^2)^{3/2}\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{32a}
\end{aligned}$$

**Mathematica [C]** time = 0.425425, size = 186, normalized size = 0.51

$$\frac{c\sqrt{c - a^2cx^2} \left( -240\sqrt{\pi}\sqrt{\sin^{-1}(ax)^2} \text{FresnelC} \left( \frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}} \right) + \sqrt{\sin^{-1}(ax)} \left( 5\sqrt{i \sin^{-1}(ax)} \text{Gamma} \left( \frac{5}{2}, -4i \sin^{-1}(ax) \right) + 5 \right) \right)}{2560a\sqrt{1 - a^2x^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(c - a^2\*c\*x^2)^(3/2)\*ArcSin[a\*x]^(3/2), x]

[Out] (c\*Sqrt[c - a^2\*c\*x^2]\*(-240\*Sqrt[Pi]\*Sqrt[ArcSin[a\*x]^2]\*FresnelC[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]] + Sqrt[ArcSin[a\*x]]\*(5\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[5/

2, (-4\*I)\*ArcSin[a\*x]] + 5\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[5/2, (4\*I)\*ArcSin[a\*x]] + 32\*Sqrt[ArcSin[a\*x]^2]\*(12\*ArcSin[a\*x]^2 + 15\*Cos[2\*ArcSin[a\*x]] + 20\*ArcSin[a\*x]\*Sin[2\*ArcSin[a\*x]])))/(2560\*a\*Sqrt[1 - a^2\*x^2]\*Sqrt[ArcSin[a\*x]^2])

---

**Maple [F]** time = 0.179, size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{\frac{3}{2}} (\arcsin(ax))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)^(3/2)\*arcsin(a\*x)^(3/2),x)

[Out] int((-a^2\*c\*x^2+c)^(3/2)\*arcsin(a\*x)^(3/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(3/2)\*arcsin(a\*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(3/2)\*arcsin(a\*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*(3/2)\*asin(a\*x)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{\frac{3}{2}} \arcsin(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(3/2)\*arcsin(a\*x)^(3/2),x, algorithm="giac")

[Out] integrate((-a^2\*c\*x^2 + c)^(3/2)\*arcsin(a\*x)^(3/2), x)

### 3.448 $\int \sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2} dx$

**Optimal.** Leaf size=219

$$-\frac{3\sqrt{\pi}\sqrt{c - a^2cx^2}\text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{32a\sqrt{1 - a^2x^2}} + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{5/2}}{5a\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2} - \frac{3ax^2\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{8\sqrt{1 - a^2x^2}}$$

[Out] (3\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/(16\*a\*Sqrt[1 - a^2\*x^2]) - (3\*a\*x^2\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/(8\*Sqrt[1 - a^2\*x^2]) + (x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(3/2))/2 + (Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(5/2))/(5\*a\*Sqrt[1 - a^2\*x^2]) - (3\*Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(32\*a\*Sqrt[1 - a^2\*x^2])

**Rubi [A]** time = 0.224987, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$ , Rules used = {4647, 4641, 4629, 4723, 3312, 3304, 3352}

$$-\frac{3\sqrt{\pi}\sqrt{c - a^2cx^2}\text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{32a\sqrt{1 - a^2x^2}} + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{5/2}}{5a\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2} - \frac{3ax^2\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{8\sqrt{1 - a^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(3/2), x]

[Out] (3\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/(16\*a\*Sqrt[1 - a^2\*x^2]) - (3\*a\*x^2\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/(8\*Sqrt[1 - a^2\*x^2]) + (x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(3/2))/2 + (Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(5/2))/(5\*a\*Sqrt[1 - a^2\*x^2]) - (3\*Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(32\*a\*Sqrt[1 - a^2\*x^2])

#### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.\*Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 4629

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)^(m\_.), x\_Symbol] := Simp[(x^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(m + 1), x] - Dist[(b\*c\*n)/(m + 1), Int[(x^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

Rule 3312

Int[((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3304

Int[sin[Pi/2 + (e\_.) + (f\_.)\*(x\_.)]/Sqrt[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Dist[2/d, Subst[Int[Cos[(f\*x^2)/d], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

Rule 3352

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_.))^2], x\_Symbol] := Simp[(Sqrt[Pi/2]\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)])/(f\*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned}
\int \sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2} dx &= \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2} + \frac{\sqrt{c - a^2cx^2} \int \frac{\sin^{-1}(ax)^{3/2}}{\sqrt{1-a^2x^2}} dx}{2\sqrt{1 - a^2x^2}} - \frac{(3a\sqrt{c - a^2cx^2}) \int x\sqrt{\sin^{-1}(ax)}}{4\sqrt{1 - a^2x^2}} \\
&= -\frac{3ax^2\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{8\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2} + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{5/2}}{5a\sqrt{1 - a^2x^2}} + \dots \\
&= -\frac{3ax^2\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{8\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2} + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{5/2}}{5a\sqrt{1 - a^2x^2}} + \dots \\
&= -\frac{3ax^2\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{8\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2} + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{5/2}}{5a\sqrt{1 - a^2x^2}} + \dots \\
&= \frac{3\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{16a\sqrt{1 - a^2x^2}} - \frac{3ax^2\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{8\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2} + \dots \\
&= \frac{3\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{16a\sqrt{1 - a^2x^2}} - \frac{3ax^2\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{8\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2} + \dots \\
&= \frac{3\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{16a\sqrt{1 - a^2x^2}} - \frac{3ax^2\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{8\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2} + \dots
\end{aligned}$$

**Mathematica [C]** time = 0.107527, size = 158, normalized size = 0.72

$$\frac{\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)} \left( 15\sqrt{2}\sqrt{i \sin^{-1}(ax)} \Gamma\left(\frac{3}{2}, -2i \sin^{-1}(ax)\right) + 15\sqrt{2}\sqrt{-i \sin^{-1}(ax)} \Gamma\left(\frac{3}{2}, 2i \sin^{-1}(ax)\right) \right)}{320a\sqrt{1 - a^2x^2}\sqrt{\sin^{-1}(ax)^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(3/2), x]

[Out] (Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]]\*(32\*ArcSin[a\*x]\*Sqrt[ArcSin[a\*x]^2]\*(5\*a\*x\*Sqrt[1 - a^2\*x^2] + 2\*ArcSin[a\*x]) + 15\*Sqrt[2]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[3/2, (-2\*I)\*ArcSin[a\*x]] + 15\*Sqrt[2]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[3/2, (2\*I)\*ArcSin[a\*x]]))/(320\*a\*Sqrt[1 - a^2\*x^2]\*Sqrt[ArcSin[a\*x]^2])



**Maple [F]** time = 0.234, size = 0, normalized size = 0.

$$\int \sqrt{-a^2cx^2 + c} (\arcsin(ax))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)^(1/2)\*arcsin(a\*x)^(3/2),x)

[Out] int((-a^2\*c\*x^2+c)^(1/2)\*arcsin(a\*x)^(3/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(1/2)\*arcsin(a\*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(1/2)\*arcsin(a\*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a**2*c*x**2+c)**(1/2)*asin(a*x)**(3/2),x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-a^2cx^2 + c} \arcsin(ax)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a^2*c*x^2+c)^(1/2)*arcsin(a*x)^(3/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(-a^2*c*x^2 + c)*arcsin(a*x)^(3/2), x)
```

$$3.449 \quad \int \frac{\sin^{-1}(ax)^{3/2}}{\sqrt{c-a^2cx^2}} dx$$

Optimal. Leaf size=44

$$\frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^{5/2}}{5a\sqrt{c-a^2cx^2}}$$

[Out] (2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^(5/2))/(5\*a\*Sqrt[c - a^2\*c\*x^2])

**Rubi [A]** time = 0.0724626, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {4643, 4641}

$$\frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^{5/2}}{5a\sqrt{c-a^2cx^2}}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^(3/2)/Sqrt[c - a^2\*c\*x^2], x]

[Out] (2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^(5/2))/(5\*a\*Sqrt[c - a^2\*c\*x^2])

#### Rule 4643

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{\sin^{-1}(ax)^{3/2}}{\sqrt{c - a^2cx^2}} dx = \frac{\sqrt{1 - a^2x^2} \int \frac{\sin^{-1}(ax)^{3/2}}{\sqrt{1 - a^2x^2}} dx}{\sqrt{c - a^2cx^2}}$$

$$= \frac{2\sqrt{1 - a^2x^2} \sin^{-1}(ax)^{5/2}}{5a\sqrt{c - a^2cx^2}}$$

**Mathematica [A]** time = 0.0556255, size = 44, normalized size = 1.

$$\frac{2\sqrt{1 - a^2x^2} \sin^{-1}(ax)^{5/2}}{5a\sqrt{c - a^2cx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^(3/2)/Sqrt[c - a^2\*c\*x^2], x]

[Out] (2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^(5/2))/(5\*a\*Sqrt[c - a^2\*c\*x^2])

**Maple [A]** time = 0.037, size = 38, normalized size = 0.9

$$\frac{2}{5a} (\arcsin(ax))^{\frac{5}{2}} \sqrt{-a^2x^2 + 1} \frac{1}{\sqrt{-c(a^2x^2 - 1)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^(3/2)/(-a^2\*c\*x^2+c)^(1/2), x)

[Out] 2/5\*arcsin(a\*x)^(5/2)/a/(-c\*(a^2\*x^2-1))^(1/2)\*(-a^2\*x^2+1)^(1/2)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(3/2)/(-a^2\*c\*x^2+c)^(1/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(3/2)/(-a^2\*c\*x^2+c)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{asin}^2(ax)}{\sqrt{-c(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*(3/2)/(-a\*\*2\*c\*x\*\*2+c)\*\*(1/2),x)

[Out] Integral(asin(a\*x)\*\*(3/2)/sqrt(-c\*(a\*x - 1)\*(a\*x + 1)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arcsin}(ax)^{\frac{3}{2}}}{\sqrt{-a^2cx^2+c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(3/2)/(-a^2\*c\*x^2+c)^(1/2),x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^(3/2)/sqrt(-a^2\*c\*x^2 + c), x)

$$3.450 \quad \int \frac{\sin^{-1}(ax)^{3/2}}{(c-a^2cx^2)^{3/2}} dx$$

**Optimal.** Leaf size=90

$$\frac{x \sin^{-1}(ax)^{3/2}}{c\sqrt{c-a^2cx^2}} - \frac{3a\sqrt{1-a^2x^2} \text{Unintegrable}\left(\frac{x\sqrt{\sin^{-1}(ax)}}{1-a^2x^2}, x\right)}{2c\sqrt{c-a^2cx^2}}$$

[Out] (x\*ArcSin[a\*x]^(3/2))/(c\*Sqrt[c - a^2\*c\*x^2]) - (3\*a\*Sqrt[1 - a^2\*x^2]\*Unintegrable[(x\*Sqrt[ArcSin[a\*x]])/(1 - a^2\*x^2), x])/(2\*c\*Sqrt[c - a^2\*c\*x^2])

**Rubi [A]** time = 0.0880517, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sin^{-1}(ax)^{3/2}}{(c-a^2cx^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[ArcSin[a\*x]^(3/2)/(c - a^2\*c\*x^2)^(3/2), x]

[Out] (x\*ArcSin[a\*x]^(3/2))/(c\*Sqrt[c - a^2\*c\*x^2]) - (3\*a\*Sqrt[1 - a^2\*x^2]\*Deferr[Int] [(x\*Sqrt[ArcSin[a\*x]])/(1 - a^2\*x^2), x])/(2\*c\*Sqrt[c - a^2\*c\*x^2])

Rubi steps

$$\int \frac{\sin^{-1}(ax)^{3/2}}{(c-a^2cx^2)^{3/2}} dx = \frac{x \sin^{-1}(ax)^{3/2}}{c\sqrt{c-a^2cx^2}} - \frac{(3a\sqrt{1-a^2x^2}) \int \frac{x\sqrt{\sin^{-1}(ax)}}{1-a^2x^2} dx}{2c\sqrt{c-a^2cx^2}}$$

**Mathematica [A]** time = 0.700269, size = 0, normalized size = 0.

$$\int \frac{\sin^{-1}(ax)^{3/2}}{(c-a^2cx^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcSin[a\*x]^(3/2)/(c - a^2\*c\*x^2)^(3/2), x]

[Out] Integrate[ArcSin[a\*x]^(3/2)/(c - a^2\*c\*x^2)^(3/2), x]

---

**Maple [A]** time = 0.208, size = 0, normalized size = 0.

$$\int (\arcsin(ax))^{\frac{3}{2}} (-a^2cx^2 + c)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^(3/2)/(-a^2\*c\*x^2+c)^(3/2), x)

[Out] int(arcsin(a\*x)^(3/2)/(-a^2\*c\*x^2+c)^(3/2), x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(3/2)/(-a^2\*c\*x^2+c)^(3/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(3/2)/(-a^2\*c\*x^2+c)^(3/2), x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*(3/2)/(-a\*\*2\*c\*x\*\*2+c)\*\*(3/2),x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^{\frac{3}{2}}}{(-a^2cx^2 + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(3/2)/(-a^2\*c\*x^2+c)^(3/2),x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^(3/2)/(-a^2\*c\*x^2 + c)^(3/2), x)



$$3.451 \quad \int (c - a^2cx^2)^{3/2} \sin^{-1}(ax)^{5/2} dx$$

**Optimal.** Leaf size=431

$$\frac{15\sqrt{\frac{\pi}{2}}c\sqrt{c-a^2cx^2}S\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{4096a\sqrt{1-a^2x^2}} + \frac{15\sqrt{\pi}c\sqrt{c-a^2cx^2}S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{128a\sqrt{1-a^2x^2}} + \frac{3c\sqrt{c-a^2cx^2}\sin^{-1}(ax)^{7/2}}{28a\sqrt{1-a^2x^2}} + \frac{1}{4}x(c-a^2cx^2)^{3/2}$$

[Out]  $(-225*c*x*\text{Sqrt}[c - a^2*c*x^2]*\text{Sqrt}[\text{ArcSin}[a*x]])/512 - (15*c*x*(1 - a^2*x^2)*\text{Sqrt}[c - a^2*c*x^2]*\text{Sqrt}[\text{ArcSin}[a*x]])/256 + (45*c*\text{Sqrt}[c - a^2*c*x^2]*\text{ArcSin}[a*x]^{(3/2)})/(256*a*\text{Sqrt}[1 - a^2*x^2]) - (15*a*c*x^2*\text{Sqrt}[c - a^2*c*x^2]*\text{ArcSin}[a*x]^{(3/2)})/(32*\text{Sqrt}[1 - a^2*x^2]) + (5*c*(1 - a^2*x^2)^{(3/2)}*\text{Sqrt}[c - a^2*c*x^2]*\text{ArcSin}[a*x]^{(3/2)})/(32*a) + (3*c*x*\text{Sqrt}[c - a^2*c*x^2]*\text{ArcSin}[a*x]^{(5/2)})/8 + (x*(c - a^2*c*x^2)^{(3/2)}*\text{ArcSin}[a*x]^{(5/2)})/4 + (3*c*\text{Sqrt}[c - a^2*c*x^2]*\text{ArcSin}[a*x]^{(7/2)})/(28*a*\text{Sqrt}[1 - a^2*x^2]) + (15*c*\text{Sqrt}[\text{Pi}/2]*\text{Sqrt}[c - a^2*c*x^2]*\text{FresnelS}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(4096*a*\text{Sqrt}[1 - a^2*x^2]) + (15*c*\text{Sqrt}[\text{Pi}]*\text{Sqrt}[c - a^2*c*x^2]*\text{FresnelS}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(128*a*\text{Sqrt}[1 - a^2*x^2])$

**Rubi [A]** time = 0.577838, antiderivative size = 431, normalized size of antiderivative = 1., number of steps used = 27, number of rules used = 12, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {4649, 4647, 4641, 4629, 4707, 4635, 4406, 12, 3305, 3351, 4677, 4723}

$$\frac{15\sqrt{\frac{\pi}{2}}c\sqrt{c-a^2cx^2}S\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{4096a\sqrt{1-a^2x^2}} + \frac{15\sqrt{\pi}c\sqrt{c-a^2cx^2}S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{128a\sqrt{1-a^2x^2}} + \frac{3c\sqrt{c-a^2cx^2}\sin^{-1}(ax)^{7/2}}{28a\sqrt{1-a^2x^2}} + \frac{1}{4}x(c-a^2cx^2)^{3/2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(c - a^2*c*x^2)^{(3/2)}*\text{ArcSin}[a*x]^{(5/2)}, x]$

[Out]  $(-225*c*x*\text{Sqrt}[c - a^2*c*x^2]*\text{Sqrt}[\text{ArcSin}[a*x]])/512 - (15*c*x*(1 - a^2*x^2)*\text{Sqrt}[c - a^2*c*x^2]*\text{Sqrt}[\text{ArcSin}[a*x]])/256 + (45*c*\text{Sqrt}[c - a^2*c*x^2]*\text{ArcSin}[a*x]^{(3/2)})/(256*a*\text{Sqrt}[1 - a^2*x^2]) - (15*a*c*x^2*\text{Sqrt}[c - a^2*c*x^2]*\text{ArcSin}[a*x]^{(3/2)})/(32*\text{Sqrt}[1 - a^2*x^2]) + (5*c*(1 - a^2*x^2)^{(3/2)}*\text{Sqrt}[c - a^2*c*x^2]*\text{ArcSin}[a*x]^{(3/2)})/(32*a) + (3*c*x*\text{Sqrt}[c - a^2*c*x^2]*\text{ArcSin}[a*x]^{(5/2)})/8 + (x*(c - a^2*c*x^2)^{(3/2)}*\text{ArcSin}[a*x]^{(5/2)})/4 + (3*c*\text{Sqrt}[c - a^2*c*x^2]*\text{ArcSin}[a*x]^{(7/2)})/(28*a*\text{Sqrt}[1 - a^2*x^2]) + (15*c*\text{Sqrt}[\text{Pi}/2]*\text{Sqrt}[c - a^2*c*x^2]*\text{FresnelS}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(4096*a*\text{Sqrt}[1 - a^2*x^2]) + (15*c*\text{Sqrt}[\text{Pi}]*\text{Sqrt}[c - a^2*c*x^2]*\text{FresnelS}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(128*a*\text{Sqrt}[1 - a^2*x^2])$

$c\sin[ax]]/\sqrt{\pi}]/(128*a*\sqrt{1 - a^2*x^2})$

#### Rule 4649

$\text{Int}[(a + \text{ArcSin}[c \cdot x] \cdot b)^{n_1} \cdot (d + (e \cdot x)^2)^{p_1}, x\_Symbol] \rightarrow \text{Simp}[(x \cdot (d + e \cdot x^2)^p \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n) / (2 \cdot p + 1), x] + (\text{Dist}[(2 \cdot d \cdot p) / (2 \cdot p + 1), \text{Int}[(d + e \cdot x^2)^{p-1} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n, x], x] - \text{Dist}[(b \cdot c \cdot n \cdot d \cdot \text{IntPart}[p] \cdot (d + e \cdot x^2)^{\text{FracPart}[p]}] / ((2 \cdot p + 1) \cdot (1 - c^2 \cdot x^2)^{\text{FracPart}[p]}), \text{Int}[x \cdot (1 - c^2 \cdot x^2)^{(p-1/2)} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^{n-1}, x], x]) / ; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[c^2 \cdot d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[p, 0]$

#### Rule 4647

$\text{Int}[(a + \text{ArcSin}[c \cdot x] \cdot b)^{n_1} \cdot \sqrt{d + (e \cdot x)^2}, x\_Symbol] \rightarrow \text{Simp}[x \cdot \sqrt{d + e \cdot x^2} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n / 2, x] + (\text{Dist}[\sqrt{d + e \cdot x^2} / (2 \cdot \sqrt{1 - c^2 \cdot x^2}), \text{Int}[(a + b \cdot \text{ArcSin}[c \cdot x])^n / \sqrt{1 - c^2 \cdot x^2}, x], x] - \text{Dist}[(b \cdot c \cdot n \cdot \sqrt{d + e \cdot x^2}) / (2 \cdot \sqrt{1 - c^2 \cdot x^2}), \text{Int}[x \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^{n-1}, x], x]) / ; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[c^2 \cdot d + e, 0] \&\& \text{GtQ}[n, 0]$

#### Rule 4641

$\text{Int}[(a + \text{ArcSin}[c \cdot x] \cdot b)^{n_1} / \sqrt{d + (e \cdot x)^2}, x\_Symbol] \rightarrow \text{Simp}[(a + b \cdot \text{ArcSin}[c \cdot x])^{n+1} / (b \cdot c \cdot \sqrt{d} \cdot (n+1)), x] / ; \text{FreeQ}\{a, b, c, d, e, n\}, x] \&\& \text{EqQ}[c^2 \cdot d + e, 0] \&\& \text{GtQ}[d, 0] \&\& \text{NeQ}[n, -1]$

#### Rule 4629

$\text{Int}[(a + \text{ArcSin}[c \cdot x] \cdot b)^{n_1} \cdot (x)^{m_1}, x\_Symbol] \rightarrow \text{Simp}[(x^{m+1} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n) / (m+1), x] - \text{Dist}[(b \cdot c \cdot n) / (m+1), \text{Int}[(x^{m+1} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^{n-1}) / \sqrt{1 - c^2 \cdot x^2}, x], x] / ; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

#### Rule 4707

$\text{Int}[(a + \text{ArcSin}[c \cdot x] \cdot b)^{n_1} \cdot (f \cdot x)^m / \sqrt{d + (e \cdot x)^2}, x\_Symbol] \rightarrow \text{Simp}[(f \cdot (f \cdot x)^{m-1} \cdot \sqrt{d + e \cdot x^2} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n) / (e \cdot m), x] + (\text{Dist}[(f^2 \cdot (m-1)) / (c^2 \cdot m), \text{Int}[(f \cdot x)^{m-2} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n / \sqrt{d + e \cdot x^2}, x], x] + \text{Dist}[(b \cdot f \cdot n \cdot \sqrt{1 - c^2 \cdot x^2}) / (c \cdot m \cdot \sqrt{d + e \cdot x^2}), \text{Int}[(f \cdot x)^{m-1} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^{n-1}, x], x]) / ; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2 \cdot d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[m, 1] \&\& \text{IntegerQ}[m]$

Rule 4635

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x], x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
```

Q[p] || GtQ[d, 0])

Rubi steps

$$\begin{aligned}
\int (c - a^2cx^2)^{3/2} \sin^{-1}(ax)^{5/2} dx &= \frac{1}{4}x (c - a^2cx^2)^{3/2} \sin^{-1}(ax)^{5/2} + \frac{1}{4}(3c) \int \sqrt{c - a^2cx^2} \sin^{-1}(ax)^{5/2} dx - \frac{(5ac\sqrt{c - a^2cx^2})}{4} \\
&= \frac{5c(1 - a^2x^2)^{3/2} \sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{32a} + \frac{3}{8}cx\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{5/2} + \frac{1}{4}x (c - a^2cx^2)^{3/2} \sin^{-1}(ax)^{5/2} \\
&= -\frac{15}{256}cx(1 - a^2x^2) \sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} - \frac{15acx^2 \sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{32\sqrt{1 - a^2x^2}} + \frac{5c(1 - a^2x^2)^{3/2} \sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{32a} \\
&= -\frac{225}{512}cx\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} - \frac{15}{256}cx(1 - a^2x^2) \sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} - \frac{15acx^2 \sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{32\sqrt{1 - a^2x^2}} \\
&= -\frac{225}{512}cx\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} - \frac{15}{256}cx(1 - a^2x^2) \sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} + \frac{45c\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{256\sqrt{1 - a^2x^2}} \\
&= -\frac{225}{512}cx\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} - \frac{15}{256}cx(1 - a^2x^2) \sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} + \frac{45c\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{256\sqrt{1 - a^2x^2}} \\
&= -\frac{225}{512}cx\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} - \frac{15}{256}cx(1 - a^2x^2) \sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} + \frac{45c\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{256\sqrt{1 - a^2x^2}} \\
&= -\frac{225}{512}cx\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} - \frac{15}{256}cx(1 - a^2x^2) \sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} + \frac{45c\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{256\sqrt{1 - a^2x^2}} \\
&= -\frac{225}{512}cx\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} - \frac{15}{256}cx(1 - a^2x^2) \sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} + \frac{45c\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{256\sqrt{1 - a^2x^2}}
\end{aligned}$$

**Mathematica [C]** time = 0.317277, size = 180, normalized size = 0.42

$$c\sqrt{c - a^2cx^2} \left( -7\sqrt{-i \sin^{-1}(ax)} \Gamma\left(\frac{7}{2}, -4i \sin^{-1}(ax)\right) - 7\sqrt{i \sin^{-1}(ax)} \Gamma\left(\frac{7}{2}, 4i \sin^{-1}(ax)\right) \right) + 1680\sqrt{\pi} \sqrt{\sin^{-1}(ax)}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(c - a^2*c*x^2)^(3/2)*ArcSin[a*x]^(5/2),x]
```

```
[Out] (c*Sqrt[c - a^2*c*x^2]*(1536*ArcSin[a*x]^4 + 4480*ArcSin[a*x]^2*Cos[2*ArcSin[a*x]] + 1680*Sqrt[Pi]*Sqrt[ArcSin[a*x]]*FresnelS[(2*Sqrt[ArcSin[a*x]])/Sqrt[Pi]] - 7*Sqrt[(-I)*ArcSin[a*x]]*Gamma[7/2, (-4*I)*ArcSin[a*x]] - 7*Sqrt[I*ArcSin[a*x]]*Gamma[7/2, (4*I)*ArcSin[a*x]] - 3360*ArcSin[a*x]*Sin[2*ArcSin[a*x]] + 3584*ArcSin[a*x]^3*Sin[2*ArcSin[a*x]]))/(14336*a*Sqrt[1 - a^2*x^2]*Sqrt[ArcSin[a*x]])
```

**Maple [F]** time = 0.18, size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{\frac{3}{2}} (\arcsin(ax))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-a^2*c*x^2+c)^(3/2)*arcsin(a*x)^(5/2),x)
```

```
[Out] int((-a^2*c*x^2+c)^(3/2)*arcsin(a*x)^(5/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a^2*c*x^2+c)^(3/2)*arcsin(a*x)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a^2*c*x^2+c)^(3/2)*arcsin(a*x)^(5/2),x, algorithm="fricas")
```

[Out] Exception raised: UnboundLocalError

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*(3/2)\*asin(a\*x)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{\frac{3}{2}} \arcsin(ax)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(3/2)\*arcsin(a\*x)^(5/2),x, algorithm="giac")

[Out] integrate((-a^2\*c\*x^2 + c)^(3/2)\*arcsin(a\*x)^(5/2), x)

### 3.452 $\int \sqrt{c - a^2cx^2} \sin^{-1}(ax)^{5/2} dx$

**Optimal.** Leaf size=247

$$\frac{15\sqrt{\pi}\sqrt{c - a^2cx^2}S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{128a\sqrt{1 - a^2x^2}} + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{7/2}}{7a\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{5/2} - \frac{5ax^2\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{8\sqrt{1 - a^2x^2}}$$

[Out] (-15\*x\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/32 + (5\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(3/2))/(16\*a\*Sqrt[1 - a^2\*x^2]) - (5\*a\*x^2\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(3/2))/(8\*Sqrt[1 - a^2\*x^2]) + (x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(5/2))/2 + (Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(7/2))/(7\*a\*Sqrt[1 - a^2\*x^2]) + (15\*Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelS[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(128\*a\*Sqrt[1 - a^2\*x^2])

**Rubi [A]** time = 0.249361, antiderivative size = 247, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4647, 4641, 4629, 4707, 4635, 4406, 12, 3305, 3351}

$$\frac{15\sqrt{\pi}\sqrt{c - a^2cx^2}S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{128a\sqrt{1 - a^2x^2}} + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{7/2}}{7a\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{5/2} - \frac{5ax^2\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{8\sqrt{1 - a^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(5/2), x]

[Out] (-15\*x\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/32 + (5\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(3/2))/(16\*a\*Sqrt[1 - a^2\*x^2]) - (5\*a\*x^2\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(3/2))/(8\*Sqrt[1 - a^2\*x^2]) + (x\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(5/2))/2 + (Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(7/2))/(7\*a\*Sqrt[1 - a^2\*x^2]) + (15\*Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelS[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(128\*a\*Sqrt[1 - a^2\*x^2])

#### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] := Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d

+ e, 0] && GtQ[n, 0]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 4629

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] := Simp[(x^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(m + 1), x] - Dist[(b\*c\*n)/(m + 1), Int[(x^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

### Rule 4707

Int((((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.))/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[(f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n]/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rule 4635

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] := Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

### Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_.)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_.)]^(n\_.), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^n\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 3305



```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

### Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

### Rubi steps

$$\begin{aligned}
\int \sqrt{c - a^2cx^2} \sin^{-1}(ax)^{5/2} dx &= \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{5/2} + \frac{\sqrt{c - a^2cx^2} \int \frac{\sin^{-1}(ax)^{5/2}}{\sqrt{1 - a^2x^2}} dx}{2\sqrt{1 - a^2x^2}} - \frac{(5a\sqrt{c - a^2cx^2}) \int x \sin^{-1}(ax)}{4\sqrt{1 - a^2x^2}} \\
&= -\frac{5ax^2\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{8\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{5/2} + \frac{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{7/2}}{7a\sqrt{1 - a^2x^2}} + \\
&= -\frac{15}{32}x\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} - \frac{5ax^2\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{8\sqrt{1 - a^2x^2}} + \frac{1}{2}x\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{5/2} \\
&= -\frac{15}{32}x\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} + \frac{5\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{16a\sqrt{1 - a^2x^2}} - \frac{5ax^2\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{8\sqrt{1 - a^2x^2}} \\
&= -\frac{15}{32}x\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} + \frac{5\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{16a\sqrt{1 - a^2x^2}} - \frac{5ax^2\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{8\sqrt{1 - a^2x^2}} \\
&= -\frac{15}{32}x\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} + \frac{5\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{16a\sqrt{1 - a^2x^2}} - \frac{5ax^2\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{8\sqrt{1 - a^2x^2}} \\
&= -\frac{15}{32}x\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} + \frac{5\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{16a\sqrt{1 - a^2x^2}} - \frac{5ax^2\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{8\sqrt{1 - a^2x^2}} \\
&= -\frac{15}{32}x\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)} + \frac{5\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{16a\sqrt{1 - a^2x^2}} - \frac{5ax^2\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}}{8\sqrt{1 - a^2x^2}}
\end{aligned}$$

**Mathematica [C]** time = 0.123455, size = 158, normalized size = 0.64

$$\frac{\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}\left(35i\sqrt{2}\sqrt{i\sin^{-1}(ax)}\Gamma\left(\frac{5}{2}, -2i\sin^{-1}(ax)\right) - 35i\sqrt{2}\sqrt{-i\sin^{-1}(ax)}\Gamma\left(\frac{5}{2}, 2i\sin^{-1}(ax)\right)\right)}{896a\sqrt{1 - a^2x^2}\sqrt{\sin^{-1}(ax)^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(5/2), x]

[Out] (Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]]\*(64\*(ArcSin[a\*x]^2)^(3/2)\*(7\*a\*x\*Sqrt[1 - a^2\*x^2] + 2\*ArcSin[a\*x]) + (35\*I)\*Sqrt[2]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[5/2, (-2\*I)\*ArcSin[a\*x]] - (35\*I)\*Sqrt[2]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[5/2, (2\*I)\*ArcSin[a\*x]]))/(896\*a\*Sqrt[1 - a^2\*x^2]\*Sqrt[ArcSin[a\*x]^2])

**Maple [F]** time = 0.234, size = 0, normalized size = 0.

$$\int \sqrt{-a^2cx^2 + c} (\arcsin(ax))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)^(1/2)\*arcsin(a\*x)^(5/2), x)

[Out] int((-a^2\*c\*x^2+c)^(1/2)\*arcsin(a\*x)^(5/2), x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(1/2)\*arcsin(a\*x)^(5/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(1/2)\*arcsin(a\*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*(1/2)\*asin(a\*x)\*\*(5/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-a^2cx^2 + c} \arcsin(ax)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(1/2)\*arcsin(a\*x)^(5/2),x, algorithm="giac")

[Out] integrate(sqrt(-a^2\*c\*x^2 + c)\*arcsin(a\*x)^(5/2), x)

$$3.453 \quad \int \frac{\sin^{-1}(ax)^{5/2}}{\sqrt{c-a^2cx^2}} dx$$

**Optimal.** Leaf size=44

$$\frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^{7/2}}{7a\sqrt{c-a^2cx^2}}$$

[Out] (2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^(7/2))/(7\*a\*Sqrt[c - a^2\*c\*x^2])

**Rubi [A]** time = 0.0693307, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {4643, 4641}

$$\frac{2\sqrt{1-a^2x^2} \sin^{-1}(ax)^{7/2}}{7a\sqrt{c-a^2cx^2}}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^(5/2)/Sqrt[c - a^2\*c\*x^2], x]

[Out] (2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^(7/2))/(7\*a\*Sqrt[c - a^2\*c\*x^2])

#### Rule 4643

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{\sin^{-1}(ax)^{5/2}}{\sqrt{c - a^2cx^2}} dx = \frac{\sqrt{1 - a^2x^2} \int \frac{\sin^{-1}(ax)^{5/2}}{\sqrt{1 - a^2x^2}} dx}{\sqrt{c - a^2cx^2}}$$

$$= \frac{2\sqrt{1 - a^2x^2} \sin^{-1}(ax)^{7/2}}{7a\sqrt{c - a^2cx^2}}$$

**Mathematica [A]** time = 0.0534157, size = 44, normalized size = 1.

$$\frac{2\sqrt{1 - a^2x^2} \sin^{-1}(ax)^{7/2}}{7a\sqrt{c - a^2cx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^(5/2)/Sqrt[c - a^2\*c\*x^2], x]

[Out] (2\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^(7/2))/(7\*a\*Sqrt[c - a^2\*c\*x^2])

**Maple [A]** time = 0.038, size = 38, normalized size = 0.9

$$\frac{2}{7a} (\arcsin(ax))^{\frac{7}{2}} \sqrt{-a^2x^2 + 1} \frac{1}{\sqrt{-c(a^2x^2 - 1)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^(5/2)/(-a^2\*c\*x^2+c)^(1/2), x)

[Out] 2/7\*arcsin(a\*x)^(7/2)/a/(-c\*(a^2\*x^2-1))^(1/2)\*(-a^2\*x^2+1)^(1/2)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(5/2)/(-a^2\*c\*x^2+c)^(1/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(5/2)/(-a^2\*c\*x^2+c)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*(5/2)/(-a\*\*2\*c\*x\*\*2+c)\*\*(1/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^{\frac{5}{2}}}{\sqrt{-a^2cx^2+c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(5/2)/(-a^2\*c\*x^2+c)^(1/2),x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^(5/2)/sqrt(-a^2\*c\*x^2 + c), x)

$$3.454 \quad \int \frac{\sin^{-1}(ax)^{5/2}}{(c-a^2cx^2)^{3/2}} dx$$

**Optimal.** Leaf size=90

$$\frac{x \sin^{-1}(ax)^{5/2}}{c\sqrt{c-a^2cx^2}} - \frac{5a\sqrt{1-a^2x^2} \text{Unintegrable}\left(\frac{x \sin^{-1}(ax)^{3/2}}{1-a^2x^2}, x\right)}{2c\sqrt{c-a^2cx^2}}$$

[Out] (x\*ArcSin[a\*x]^(5/2))/(c\*Sqrt[c - a^2\*c\*x^2]) - (5\*a\*Sqrt[1 - a^2\*x^2]\*Unintegrable[(x\*ArcSin[a\*x]^(3/2))/(1 - a^2\*x^2), x])/(2\*c\*Sqrt[c - a^2\*c\*x^2])

**Rubi [A]** time = 0.0851827, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sin^{-1}(ax)^{5/2}}{(c-a^2cx^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[ArcSin[a\*x]^(5/2)/(c - a^2\*c\*x^2)^(3/2), x]

[Out] (x\*ArcSin[a\*x]^(5/2))/(c\*Sqrt[c - a^2\*c\*x^2]) - (5\*a\*Sqrt[1 - a^2\*x^2]\*Deferr[Int] [(x\*ArcSin[a\*x]^(3/2))/(1 - a^2\*x^2), x])/(2\*c\*Sqrt[c - a^2\*c\*x^2])

Rubi steps

$$\int \frac{\sin^{-1}(ax)^{5/2}}{(c-a^2cx^2)^{3/2}} dx = \frac{x \sin^{-1}(ax)^{5/2}}{c\sqrt{c-a^2cx^2}} - \frac{\left(5a\sqrt{1-a^2x^2}\right) \int \frac{x \sin^{-1}(ax)^{3/2}}{1-a^2x^2} dx}{2c\sqrt{c-a^2cx^2}}$$

**Mathematica [A]** time = 0.676248, size = 0, normalized size = 0.

$$\int \frac{\sin^{-1}(ax)^{5/2}}{(c-a^2cx^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcSin[a\*x]^(5/2)/(c - a^2\*c\*x^2)^(3/2), x]

[Out] Integrate[ArcSin[a\*x]^(5/2)/(c - a^2\*c\*x^2)^(3/2), x]

**Maple [A]** time = 0.238, size = 0, normalized size = 0.

$$\int (\arcsin(ax))^{\frac{5}{2}} (-a^2cx^2 + c)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^(5/2)/(-a^2\*c\*x^2+c)^(3/2), x)

[Out] int(arcsin(a\*x)^(5/2)/(-a^2\*c\*x^2+c)^(3/2), x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(5/2)/(-a^2\*c\*x^2+c)^(3/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(5/2)/(-a^2\*c\*x^2+c)^(3/2), x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError



---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*(5/2)/(-a\*\*2\*c\*x\*\*2+c)\*\*(3/2),x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^{\frac{5}{2}}}{(-a^2cx^2 + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^(5/2)/(-a^2\*c\*x^2+c)^(3/2),x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^(5/2)/(-a^2\*c\*x^2 + c)^(3/2), x)

$$3.455 \quad \int (a^2 - x^2)^{3/2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} dx$$

**Optimal.** Leaf size=226

$$\frac{\sqrt{\frac{\pi}{2}} a^3 \sqrt{a^2 - x^2} S\left(2\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}\right)}{64\sqrt{1 - \frac{x^2}{a^2}}} - \frac{\sqrt{\pi} a^3 \sqrt{a^2 - x^2} S\left(\frac{2\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{\sqrt{\pi}}\right)}{8\sqrt{1 - \frac{x^2}{a^2}}} + \frac{a^3 \sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{4\sqrt{1 - \frac{x^2}{a^2}}} + \frac{3}{8} a^2 x \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}$$

[Out] (3\*a^2\*x\*Sqrt[a^2 - x^2]\*Sqrt[ArcSin[x/a]])/8 + (x\*(a^2 - x^2)^(3/2)\*Sqrt[ArcSin[x/a]])/4 + (a^3\*Sqrt[a^2 - x^2]\*ArcSin[x/a]^(3/2))/(4\*Sqrt[1 - x^2/a^2]) - (a^3\*Sqrt[Pi/2]\*Sqrt[a^2 - x^2]\*FresnelS[2\*Sqrt[2/Pi]\*Sqrt[ArcSin[x/a]])]/(64\*Sqrt[1 - x^2/a^2]) - (a^3\*Sqrt[Pi]\*Sqrt[a^2 - x^2]\*FresnelS[(2\*Sqrt[ArcSin[x/a]])/Sqrt[Pi]])/(8\*Sqrt[1 - x^2/a^2])

**Rubi [A]** time = 0.236683, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 9, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4649, 4647, 4641, 4635, 4406, 12, 3305, 3351, 4723}

$$\frac{\sqrt{\frac{\pi}{2}} a^3 \sqrt{a^2 - x^2} S\left(2\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}\right)}{64\sqrt{1 - \frac{x^2}{a^2}}} - \frac{\sqrt{\pi} a^3 \sqrt{a^2 - x^2} S\left(\frac{2\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{\sqrt{\pi}}\right)}{8\sqrt{1 - \frac{x^2}{a^2}}} + \frac{a^3 \sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{4\sqrt{1 - \frac{x^2}{a^2}}} + \frac{3}{8} a^2 x \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}$$

Antiderivative was successfully verified.

[In] Int[(a^2 - x^2)^(3/2)\*Sqrt[ArcSin[x/a]], x]

[Out] (3\*a^2\*x\*Sqrt[a^2 - x^2]\*Sqrt[ArcSin[x/a]])/8 + (x\*(a^2 - x^2)^(3/2)\*Sqrt[ArcSin[x/a]])/4 + (a^3\*Sqrt[a^2 - x^2]\*ArcSin[x/a]^(3/2))/(4\*Sqrt[1 - x^2/a^2]) - (a^3\*Sqrt[Pi/2]\*Sqrt[a^2 - x^2]\*FresnelS[2\*Sqrt[2/Pi]\*Sqrt[ArcSin[x/a]])]/(64\*Sqrt[1 - x^2/a^2]) - (a^3\*Sqrt[Pi]\*Sqrt[a^2 - x^2]\*FresnelS[(2\*Sqrt[ArcSin[x/a]])/Sqrt[Pi]])/(8\*Sqrt[1 - x^2/a^2])

### Rule 4649

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[(x\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(2\*p + 1), x] + (Dist[(2\*d\*p)/(2\*p + 1), Int[(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d\*IntPart[p]\*(d + e\*x^2)^FracPart[p]]/((2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^n - 1])

, x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0]

#### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rule 4635

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

#### Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^n\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 3305

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[Sin[(f\*x^2)/d], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

#### Rule 3351

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)])/(f\*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))<sup>(n\_.)</sup>(x\_)<sup>(m\_.)</sup>((d\_ + (e\_.)\*(x\_)<sup>2</sup>)<sup>(p\_.)</sup>, x\_Symbol] := Dist[d<sup>p</sup>/c<sup>(m + 1)</sup>, Subst[Int[(a + b\*x)<sup>n</sup>\*Sin[x]<sup>m</sup>\*Cos[x]<sup>(2\*p + 1)</sup>, x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c<sup>2</sup>\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rubi steps

$$\begin{aligned} \int (a^2 - x^2)^{3/2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} dx &= \frac{1}{4} x (a^2 - x^2)^{3/2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} + \frac{1}{4} (3a^2) \int \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} dx - \frac{(a\sqrt{a^2 - x^2}) \int \frac{x(1 - \sqrt{\sin^{-1}\left(\frac{x}{a}\right)})}{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}} dx}{8\sqrt{1 - \frac{x^2}{a^2}}} \\ &= \frac{3}{8} a^2 x \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} + \frac{1}{4} x (a^2 - x^2)^{3/2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} - \frac{(3a\sqrt{a^2 - x^2}) \int \frac{x}{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}} dx}{16\sqrt{1 - \frac{x^2}{a^2}}} \\ &= \frac{3}{8} a^2 x \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} + \frac{1}{4} x (a^2 - x^2)^{3/2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} + \frac{a^3 \sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{4\sqrt{1 - \frac{x^2}{a^2}}} - \frac{(a^3 \sqrt{a^2 - x^2}) \int \frac{x}{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}} dx}{4\sqrt{1 - \frac{x^2}{a^2}}} \\ &= \frac{3}{8} a^2 x \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} + \frac{1}{4} x (a^2 - x^2)^{3/2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} + \frac{a^3 \sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{4\sqrt{1 - \frac{x^2}{a^2}}} - \frac{(a^3 \sqrt{a^2 - x^2}) \int \frac{x}{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}} dx}{4\sqrt{1 - \frac{x^2}{a^2}}} \\ &= \frac{3}{8} a^2 x \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} + \frac{1}{4} x (a^2 - x^2)^{3/2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} + \frac{a^3 \sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{4\sqrt{1 - \frac{x^2}{a^2}}} - \frac{(a^3 \sqrt{a^2 - x^2}) \int \frac{x}{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}} dx}{4\sqrt{1 - \frac{x^2}{a^2}}} \\ &= \frac{3}{8} a^2 x \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} + \frac{1}{4} x (a^2 - x^2)^{3/2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} + \frac{a^3 \sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{4\sqrt{1 - \frac{x^2}{a^2}}} - \frac{(a^3 \sqrt{a^2 - x^2}) \int \frac{x}{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}} dx}{4\sqrt{1 - \frac{x^2}{a^2}}} \end{aligned}$$

**Mathematica [C]** time = 0.200631, size = 183, normalized size = 0.81

$$\frac{a^3 \sqrt{a^2 - x^2} \left( 8\sqrt{2} \sqrt{-i \sin^{-1}\left(\frac{x}{a}\right)} \Gamma\left(\frac{3}{2}, -2i \sin^{-1}\left(\frac{x}{a}\right)\right) + 8\sqrt{2} \sqrt{i \sin^{-1}\left(\frac{x}{a}\right)} \Gamma\left(\frac{3}{2}, 2i \sin^{-1}\left(\frac{x}{a}\right)\right) + \sqrt{-i \sin^{-1}\left(\frac{x}{a}\right)} \right)}{128 \sqrt{1 - \frac{x^2}{a^2}} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a^2 - x^2)^(3/2)\*Sqrt[ArcSin[x/a]],x]

[Out] (a^3\*Sqrt[a^2 - x^2]\*(32\*ArcSin[x/a]^2 + 8\*Sqrt[2]\*Sqrt[(-I)\*ArcSin[x/a]]\*Gamma[3/2, (-2\*I)\*ArcSin[x/a]] + 8\*Sqrt[2]\*Sqrt[I\*ArcSin[x/a]]\*Gamma[3/2, (2\*I)\*ArcSin[x/a]] + Sqrt[(-I)\*ArcSin[x/a]]\*Gamma[3/2, (-4\*I)\*ArcSin[x/a]] + Sqrt[I\*ArcSin[x/a]]\*Gamma[3/2, (4\*I)\*ArcSin[x/a]]))/(128\*Sqrt[1 - x^2/a^2]\*Sqrt[ArcSin[x/a]])

**Maple [F]** time = 0.256, size = 0, normalized size = 0.

$$\int (a^2 - x^2)^{\frac{3}{2}} \sqrt{\arcsin\left(\frac{x}{a}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^2-x^2)^(3/2)\*arcsin(x/a)^(1/2),x)

[Out] int((a^2-x^2)^(3/2)\*arcsin(x/a)^(1/2),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (a^2 - x^2)^{\frac{3}{2}} \sqrt{\arcsin\left(\frac{x}{a}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-x^2)^(3/2)\*arcsin(x/a)^(1/2),x, algorithm="maxima")

[Out] integrate((a^2 - x^2)^(3/2)\*sqrt(arcsin(x/a)), x)

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-x^2)^(3/2)\*arcsin(x/a)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*\*2-x\*\*2)\*\*(3/2)\*asin(x/a)\*\*(1/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (a^2 - x^2)^{\frac{3}{2}} \sqrt{\arcsin\left(\frac{x}{a}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-x^2)^(3/2)\*arcsin(x/a)^(1/2),x, algorithm="giac")

[Out] integrate((a^2 - x^2)^(3/2)\*sqrt(arcsin(x/a)), x)

$$3.456 \quad \int \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} dx$$

**Optimal.** Leaf size=126

$$-\frac{\sqrt{\pi}a\sqrt{a^2 - x^2}S\left(\frac{2\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{\sqrt{\pi}}\right)}{8\sqrt{1 - \frac{x^2}{a^2}}} + \frac{a\sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{3\sqrt{1 - \frac{x^2}{a^2}}} + \frac{1}{2}x\sqrt{a^2 - x^2}\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}$$

[Out] (x\*Sqrt[a^2 - x^2]\*Sqrt[ArcSin[x/a]])/2 + (a\*Sqrt[a^2 - x^2]\*ArcSin[x/a]^(3/2))/(3\*Sqrt[1 - x^2/a^2]) - (a\*Sqrt[Pi]\*Sqrt[a^2 - x^2]\*FresnelS[(2\*Sqrt[ArcSin[x/a]])/Sqrt[Pi]])/(8\*Sqrt[1 - x^2/a^2])

**Rubi [A]** time = 0.105709, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$ , Rules used = {4647, 4641, 4635, 4406, 12, 3305, 3351}

$$-\frac{\sqrt{\pi}a\sqrt{a^2 - x^2}S\left(\frac{2\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{\sqrt{\pi}}\right)}{8\sqrt{1 - \frac{x^2}{a^2}}} + \frac{a\sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{3\sqrt{1 - \frac{x^2}{a^2}}} + \frac{1}{2}x\sqrt{a^2 - x^2}\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a^2 - x^2]\*Sqrt[ArcSin[x/a]],x]

[Out] (x\*Sqrt[a^2 - x^2]\*Sqrt[ArcSin[x/a]])/2 + (a\*Sqrt[a^2 - x^2]\*ArcSin[x/a]^(3/2))/(3\*Sqrt[1 - x^2/a^2]) - (a\*Sqrt[Pi]\*Sqrt[a^2 - x^2]\*FresnelS[(2\*Sqrt[ArcSin[x/a]])/Sqrt[Pi]])/(8\*Sqrt[1 - x^2/a^2])

#### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

#### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x]
&& EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4635

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol]
:> Dist[1/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x], x], x, ArcSin[c*x]], x]
/; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol]
:> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x]
&& IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol]
:> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol]
:> Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x]
&& ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol]
:> Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps



$$\begin{aligned}
\int \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} dx &= \frac{1}{2} x \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} + \frac{\sqrt{a^2 - x^2} \int \frac{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{\sqrt{1 - \frac{x^2}{a^2}}} dx}{2\sqrt{1 - \frac{x^2}{a^2}}} - \frac{\sqrt{a^2 - x^2} \int \frac{x}{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}} dx}{4a\sqrt{1 - \frac{x^2}{a^2}}} \\
&= \frac{1}{2} x \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} + \frac{a\sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{3\sqrt{1 - \frac{x^2}{a^2}}} - \frac{(a\sqrt{a^2 - x^2}) \text{Subst}\left(\int \frac{\cos(x) \sin(x)}{\sqrt{x}} dx, \sin^{-1}\left(\frac{x}{a}\right)\right)}{4\sqrt{1 - \frac{x^2}{a^2}}} \\
&= \frac{1}{2} x \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} + \frac{a\sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{3\sqrt{1 - \frac{x^2}{a^2}}} - \frac{(a\sqrt{a^2 - x^2}) \text{Subst}\left(\int \frac{\sin(2x)}{2\sqrt{x}} dx, \sin^{-1}\left(\frac{x}{a}\right)\right)}{4\sqrt{1 - \frac{x^2}{a^2}}} \\
&= \frac{1}{2} x \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} + \frac{a\sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{3\sqrt{1 - \frac{x^2}{a^2}}} - \frac{(a\sqrt{a^2 - x^2}) \text{Subst}\left(\int \frac{\sin(2x)}{\sqrt{x}} dx, \sin^{-1}\left(\frac{x}{a}\right)\right)}{8\sqrt{1 - \frac{x^2}{a^2}}} \\
&= \frac{1}{2} x \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} + \frac{a\sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{3\sqrt{1 - \frac{x^2}{a^2}}} - \frac{(a\sqrt{a^2 - x^2}) \text{Subst}\left(\int \sin(2x^2) dx, \sin^{-1}\left(\frac{x}{a}\right)\right)}{4\sqrt{1 - \frac{x^2}{a^2}}} \\
&= \frac{1}{2} x \sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} + \frac{a\sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{3\sqrt{1 - \frac{x^2}{a^2}}} - \frac{a\sqrt{\pi} \sqrt{a^2 - x^2} S\left(\frac{2\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{\sqrt{\pi}}\right)}{8\sqrt{1 - \frac{x^2}{a^2}}}
\end{aligned}$$

**Mathematica [C]** time = 0.0719123, size = 148, normalized size = 1.17

$$\frac{\sqrt{a^2 - x^2} \left( 3\sqrt{2}a\sqrt{-i \sin^{-1}\left(\frac{x}{a}\right)} \text{Gamma}\left(\frac{1}{2}, -2i \sin^{-1}\left(\frac{x}{a}\right)\right) + 3\sqrt{2}a\sqrt{i \sin^{-1}\left(\frac{x}{a}\right)} \text{Gamma}\left(\frac{1}{2}, 2i \sin^{-1}\left(\frac{x}{a}\right)\right) + 48x\sqrt{1 - \frac{x^2}{a^2}} \right)}{96\sqrt{1 - \frac{x^2}{a^2}} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a^2 - x^2]\*Sqrt[ArcSin[x/a]],x]

[Out] (Sqrt[a^2 - x^2]\*(48\*x\*Sqrt[1 - x^2/a^2]\*ArcSin[x/a] + 32\*a\*ArcSin[x/a]^2 + 3\*Sqrt[2]\*a\*Sqrt[(-I)\*ArcSin[x/a]]\*Gamma[1/2, (-2\*I)\*ArcSin[x/a]] + 3\*Sqrt[2]\*a\*Sqrt[I\*ArcSin[x/a]]\*Gamma[1/2, (2\*I)\*ArcSin[x/a]]))/(96\*Sqrt[1 - x^2/a^2]\*Sqrt[ArcSin[x/a]])

**Maple [F]** time = 0.267, size = 0, normalized size = 0.

$$\int \sqrt{a^2 - x^2} \sqrt{\arcsin\left(\frac{x}{a}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^2-x^2)^(1/2)\*arcsin(x/a)^(1/2),x)

[Out] int((a^2-x^2)^(1/2)\*arcsin(x/a)^(1/2),x)

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a^2 - x^2} \sqrt{\arcsin\left(\frac{x}{a}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-x^2)^(1/2)\*arcsin(x/a)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(a^2 - x^2)\*sqrt(arcsin(x/a)), x)

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-x^2)^(1/2)\*arcsin(x/a)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-(-a+x)(a+x)} \sqrt{\arcsin\left(\frac{x}{a}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*\*2-x\*\*2)\*\*(1/2)\*asin(x/a)\*\*(1/2),x)

[Out] Integral(sqrt(-(-a + x)\*(a + x))\*sqrt(asin(x/a)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a^2 - x^2} \sqrt{\arcsin\left(\frac{x}{a}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-x^2)^(1/2)\*arcsin(x/a)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(a^2 - x^2)\*sqrt(arcsin(x/a)), x)

$$3.457 \quad \int \frac{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{\sqrt{a^2-x^2}} dx$$

**Optimal.** Leaf size=42

$$\frac{2a\sqrt{1-\frac{x^2}{a^2}}\sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{3\sqrt{a^2-x^2}}$$

[Out] (2\*a\*Sqrt[1 - x^2/a^2]\*ArcSin[x/a]^(3/2))/(3\*Sqrt[a^2 - x^2])

**Rubi [A]** time = 0.0613725, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {4643, 4641}

$$\frac{2a\sqrt{1-\frac{x^2}{a^2}}\sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{3\sqrt{a^2-x^2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[ArcSin[x/a]]/Sqrt[a^2 - x^2],x]

[Out] (2\*a\*Sqrt[1 - x^2/a^2]\*ArcSin[x/a]^(3/2))/(3\*Sqrt[a^2 - x^2])

#### Rule 4643

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_./Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_./Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{\sqrt{a^2 - x^2}} dx = \frac{\sqrt{1 - \frac{x^2}{a^2}} \int \frac{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{\sqrt{1 - \frac{x^2}{a^2}}} dx}{\sqrt{a^2 - x^2}}$$

$$= \frac{2a\sqrt{1 - \frac{x^2}{a^2}} \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{3\sqrt{a^2 - x^2}}$$

**Mathematica [A]** time = 0.0322779, size = 42, normalized size = 1.

$$\frac{2a\sqrt{1 - \frac{x^2}{a^2}} \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{3\sqrt{a^2 - x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[ArcSin[x/a]]/Sqrt[a^2 - x^2], x]

[Out] (2\*a\*Sqrt[1 - x^2/a^2]\*ArcSin[x/a]^(3/2))/(3\*Sqrt[a^2 - x^2])

**Maple [A]** time = 0.043, size = 38, normalized size = 0.9

$$\frac{2a}{3} \left(\arcsin\left(\frac{x}{a}\right)\right)^{\frac{3}{2}} \sqrt{\frac{a^2 - x^2}{a^2}} \frac{1}{\sqrt{a^2 - x^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(x/a)^(1/2)/(a^2-x^2)^(1/2), x)

[Out] 2/3\*arcsin(x/a)^(3/2)\*a/(a^2-x^2)^(1/2)\*((a^2-x^2)/a^2)^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\arcsin\left(\frac{x}{a}\right)}}{\sqrt{a^2 - x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(x/a)^(1/2)/(a^2-x^2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(arcsin(x/a))/sqrt(a^2 - x^2), x)

**Fricas [A]** time = 2.279, size = 90, normalized size = 2.14

$$-\frac{2}{3} \sqrt{-\arctan\left(-\frac{x}{\sqrt{a^2-x^2}}\right) \arctan\left(-\frac{x}{\sqrt{a^2-x^2}}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(x/a)^(1/2)/(a^2-x^2)^(1/2),x, algorithm="fricas")

[Out] -2/3\*sqrt(-arctan(-x/sqrt(a^2 - x^2)))\*arctan(-x/sqrt(a^2 - x^2))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\operatorname{asin}\left(\frac{x}{a}\right)}}{\sqrt{-(-a+x)(a+x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(x/a)\*\*(1/2)/(a\*\*2-x\*\*2)\*\*(1/2),x)

[Out] Integral(sqrt(asin(x/a))/sqrt(-(-a + x)\*(a + x)), x)

**Giac [A]** time = 1.22491, size = 20, normalized size = 0.48

$$\frac{2|a| \operatorname{arcsin}\left(\frac{x}{a}\right)^{\frac{3}{2}}}{3a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(x/a)^(1/2)/(a^2-x^2)^(1/2),x, algorithm="giac")
```

```
[Out] 2/3*abs(a)*arcsin(x/a)^(3/2)/a
```

$$3.458 \quad \int \frac{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{(a^2-x^2)^{3/2}} dx$$

**Optimal.** Leaf size=89

$$\frac{x\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{a^2\sqrt{a^2-x^2}} - \frac{\sqrt{1-\frac{x^2}{a^2}} \operatorname{Unintegrable}\left(\frac{x}{\left(1-\frac{x^2}{a^2}\right)\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}, x\right)}{2a^3\sqrt{a^2-x^2}}$$

[Out] (x\*Sqrt[ArcSin[x/a]])/(a^2\*Sqrt[a^2 - x^2]) - (Sqrt[1 - x^2/a^2]\*Unintegrable[x/((1 - x^2/a^2)\*Sqrt[ArcSin[x/a]]), x])/(2\*a^3\*Sqrt[a^2 - x^2])

**Rubi [A]** time = 0.0754712, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{(a^2-x^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[ArcSin[x/a]]/(a^2 - x^2)^(3/2), x]

[Out] (x\*Sqrt[ArcSin[x/a]])/(a^2\*Sqrt[a^2 - x^2]) - (Sqrt[1 - x^2/a^2]\*Defer[Int][x/((1 - x^2/a^2)\*Sqrt[ArcSin[x/a]]), x])/(2\*a^3\*Sqrt[a^2 - x^2])

Rubi steps

$$\int \frac{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{(a^2-x^2)^{3/2}} dx = \frac{x\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{a^2\sqrt{a^2-x^2}} - \frac{\sqrt{1-\frac{x^2}{a^2}} \int \frac{x}{\left(1-\frac{x^2}{a^2}\right)\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}} dx}{2a^3\sqrt{a^2-x^2}}$$

**Mathematica [A]** time = 0.573014, size = 0, normalized size = 0.

$$\int \frac{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{(a^2-x^2)^{3/2}} dx$$



Verification is Not applicable to the result.

[In] Integrate[Sqrt[ArcSin[x/a]]/(a^2 - x^2)^(3/2), x]

[Out] Integrate[Sqrt[ArcSin[x/a]]/(a^2 - x^2)^(3/2), x]

**Maple [A]** time = 0.227, size = 0, normalized size = 0.

$$\int \sqrt{\arcsin\left(\frac{x}{a}\right)} (a^2 - x^2)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(x/a)^(1/2)/(a^2-x^2)^(3/2), x)

[Out] int(arcsin(x/a)^(1/2)/(a^2-x^2)^(3/2), x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\arcsin\left(\frac{x}{a}\right)}}{(a^2 - x^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(x/a)^(1/2)/(a^2-x^2)^(3/2), x, algorithm="maxima")

[Out] integrate(sqrt(arcsin(x/a))/(a^2 - x^2)^(3/2), x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(x/a)^(1/2)/(a^2-x^2)^(3/2), x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\operatorname{asin}\left(\frac{x}{a}\right)}}{\left(-(-a+x)(a+x)\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(x/a)\*\*(1/2)/(a\*\*2-x\*\*2)\*\*(3/2),x)

[Out] Integral(sqrt(asin(x/a))/(-(-a + x)\*(a + x))\*\*(3/2), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\operatorname{arcsin}\left(\frac{x}{a}\right)}}{\left(a^2-x^2\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(x/a)^(1/2)/(a^2-x^2)^(3/2),x, algorithm="giac")

[Out] integrate(sqrt(arcsin(x/a))/(a^2 - x^2)^(3/2), x)

$$3.459 \quad \int \frac{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{(a^2-x^2)^{5/2}} dx$$

**Optimal.** Leaf size=183

$$\frac{\sqrt{1-\frac{x^2}{a^2}} \operatorname{Unintegrable}\left(\frac{x}{\left(1-\frac{x^2}{a^2}\right)^2 \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}, x\right)}{6a^5 \sqrt{a^2-x^2}} - \frac{\sqrt{1-\frac{x^2}{a^2}} \operatorname{Unintegrable}\left(\frac{x}{\left(1-\frac{x^2}{a^2}\right) \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}, x\right)}{3a^5 \sqrt{a^2-x^2}} + \frac{2x \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{3a^4 \sqrt{a^2-x^2}} + \frac{x \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{3a^2 (a^2-x^2)}$$

[Out] (x\*Sqrt[ArcSin[x/a]])/(3\*a^2\*(a^2 - x^2)^(3/2)) + (2\*x\*Sqrt[ArcSin[x/a]])/(3\*a^4\*Sqrt[a^2 - x^2]) - (Sqrt[1 - x^2/a^2]\*Unintegrable[x/((1 - x^2/a^2)^2 \*Sqrt[ArcSin[x/a]]), x])/(6\*a^5\*Sqrt[a^2 - x^2]) - (Sqrt[1 - x^2/a^2]\*Unintegrable[x/((1 - x^2/a^2)\*Sqrt[ArcSin[x/a]]), x])/(3\*a^5\*Sqrt[a^2 - x^2])

**Rubi [A]** time = 0.155956, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{(a^2-x^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[ArcSin[x/a]]/(a^2 - x^2)^(5/2), x]

[Out] (x\*Sqrt[ArcSin[x/a]])/(3\*a^2\*(a^2 - x^2)^(3/2)) + (2\*x\*Sqrt[ArcSin[x/a]])/(3\*a^4\*Sqrt[a^2 - x^2]) - (Sqrt[1 - x^2/a^2]\*Defer[Int][x/((1 - x^2/a^2)^2\*Sqrt[ArcSin[x/a]]), x])/(6\*a^5\*Sqrt[a^2 - x^2]) - (Sqrt[1 - x^2/a^2]\*Defer[Int][x/((1 - x^2/a^2)\*Sqrt[ArcSin[x/a]]), x])/(3\*a^5\*Sqrt[a^2 - x^2])

Rubi steps

$$\int \frac{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{(a^2 - x^2)^{5/2}} dx = \frac{x\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{3a^2(a^2 - x^2)^{3/2}} + \frac{2 \int \frac{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{(a^2 - x^2)^{3/2}} dx}{3a^2} - \frac{\sqrt{1 - \frac{x^2}{a^2}} \int \frac{x}{\left(1 - \frac{x^2}{a^2}\right)^2 \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}} dx}{6a^5\sqrt{a^2 - x^2}}$$

$$= \frac{x\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{3a^2(a^2 - x^2)^{3/2}} + \frac{2x\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{3a^4\sqrt{a^2 - x^2}} - \frac{\sqrt{1 - \frac{x^2}{a^2}} \int \frac{x}{\left(1 - \frac{x^2}{a^2}\right)^2 \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}} dx}{6a^5\sqrt{a^2 - x^2}} - \frac{\sqrt{1 - \frac{x^2}{a^2}} \int \frac{x}{\left(1 - \frac{x^2}{a^2}\right) \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}} dx}{3a^5\sqrt{a^2 - x^2}}$$

**Mathematica [A]** time = 1.7583, size = 0, normalized size = 0.

$$\int \frac{\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{(a^2 - x^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[ArcSin[x/a]]/(a^2 - x^2)^(5/2), x]

[Out] Integrate[Sqrt[ArcSin[x/a]]/(a^2 - x^2)^(5/2), x]

**Maple [A]** time = 0.273, size = 0, normalized size = 0.

$$\int \sqrt{\arcsin\left(\frac{x}{a}\right)} (a^2 - x^2)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(x/a)^(1/2)/(a^2-x^2)^(5/2), x)

[Out] int(arcsin(x/a)^(1/2)/(a^2-x^2)^(5/2), x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\arcsin\left(\frac{x}{a}\right)}}{(a^2 - x^2)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(x/a)^(1/2)/(a^2-x^2)^(5/2),x, algorithm="maxima")
```

```
[Out] integrate(sqrt(arcsin(x/a))/(a^2 - x^2)^(5/2), x)
```

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(x/a)^(1/2)/(a^2-x^2)^(5/2),x, algorithm="fricas")
```

```
[Out] Exception raised: UnboundLocalError
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(asin(x/a)**(1/2)/(a**2-x**2)**(5/2),x)
```

```
[Out] Timed out
```

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{\arcsin\left(\frac{x}{a}\right)}}{(a^2 - x^2)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arcsin(x/a)^(1/2)/(a^2-x^2)^(5/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(arcsin(x/a))/(a^2 - x^2)^(5/2), x)
```

$$3.460 \quad \int (a^2 - x^2)^{3/2} \sin^{-1} \left( \frac{x}{a} \right)^{3/2} dx$$

**Optimal.** Leaf size=359

$$\frac{3\sqrt{\frac{\pi}{2}}a^3\sqrt{a^2-x^2}\text{FresnelC}\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}\right)}{512\sqrt{1-\frac{x^2}{a^2}}} - \frac{3\sqrt{\pi}a^3\sqrt{a^2-x^2}\text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{\sqrt{\pi}}\right)}{32\sqrt{1-\frac{x^2}{a^2}}} + \frac{3a^3\sqrt{a^2-x^2}\sin^{-1}\left(\frac{x}{a}\right)^{5/2}}{20\sqrt{1-\frac{x^2}{a^2}}} + \frac{27a^3\sqrt{a^2-x^2}\sqrt{\text{ArcSin}\left[\frac{x}{a}\right]}}{256\sqrt{1-\frac{x^2}{a^2}}} - \frac{9a^2\sqrt{a^2-x^2}\sqrt{\text{ArcSin}\left[\frac{x}{a}\right]}}{32\sqrt{1-\frac{x^2}{a^2}}} + \frac{3(a^2-x^2)^{5/2}\sqrt{\text{ArcSin}\left[\frac{x}{a}\right]}}{32a\sqrt{1-\frac{x^2}{a^2}}} + \frac{3a^2x\sqrt{a^2-x^2}\text{ArcSin}\left[\frac{x}{a}\right]^{3/2}}{8} + \frac{x(a^2-x^2)^{3/2}\text{ArcSin}\left[\frac{x}{a}\right]^{3/2}}{4} + \frac{3a^3\sqrt{a^2-x^2}\text{ArcSin}\left[\frac{x}{a}\right]^{5/2}}{20\sqrt{1-\frac{x^2}{a^2}}} - \frac{3a^3\sqrt{\frac{\pi}{2}}\sqrt{a^2-x^2}\text{FresnelC}\left[2\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}\left[\frac{x}{a}\right]}\right]}{512\sqrt{1-\frac{x^2}{a^2}}} - \frac{3a^3\sqrt{\pi}\sqrt{a^2-x^2}\text{FresnelC}\left[\frac{2\sqrt{\text{ArcSin}\left[\frac{x}{a}\right]}}{\sqrt{\pi}}\right]}{32\sqrt{1-\frac{x^2}{a^2}}}$$

[Out] (27\*a^3\*Sqrt[a^2 - x^2]\*Sqrt[ArcSin[x/a]])/(256\*Sqrt[1 - x^2/a^2]) - (9\*a\*x^2\*Sqrt[a^2 - x^2]\*Sqrt[ArcSin[x/a]])/(32\*Sqrt[1 - x^2/a^2]) + (3\*(a^2 - x^2)^(5/2)\*Sqrt[ArcSin[x/a]])/(32\*a\*Sqrt[1 - x^2/a^2]) + (3\*a^2\*x\*Sqrt[a^2 - x^2]\*ArcSin[x/a]^(3/2))/8 + (x\*(a^2 - x^2)^(3/2)\*ArcSin[x/a]^(3/2))/4 + (3\*a^3\*Sqrt[a^2 - x^2]\*ArcSin[x/a]^(5/2))/(20\*Sqrt[1 - x^2/a^2]) - (3\*a^3\*Sqrt[Pi/2]\*Sqrt[a^2 - x^2]\*FresnelC[2\*Sqrt[2/Pi]\*Sqrt[ArcSin[x/a]]])/(512\*Sqrt[1 - x^2/a^2]) - (3\*a^3\*Sqrt[Pi]\*Sqrt[a^2 - x^2]\*FresnelC[(2\*Sqrt[ArcSin[x/a]])/Sqrt[Pi]])/(32\*Sqrt[1 - x^2/a^2])

**Rubi [A]** time = 0.421075, antiderivative size = 359, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 10, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {4649, 4647, 4641, 4629, 4723, 3312, 3304, 3352, 4677, 4661}

$$\frac{3\sqrt{\frac{\pi}{2}}a^3\sqrt{a^2-x^2}\text{FresnelC}\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}\right)}{512\sqrt{1-\frac{x^2}{a^2}}} - \frac{3\sqrt{\pi}a^3\sqrt{a^2-x^2}\text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{\sqrt{\pi}}\right)}{32\sqrt{1-\frac{x^2}{a^2}}} + \frac{3a^3\sqrt{a^2-x^2}\sin^{-1}\left(\frac{x}{a}\right)^{5/2}}{20\sqrt{1-\frac{x^2}{a^2}}} + \frac{27a^3\sqrt{a^2-x^2}\sqrt{\text{ArcSin}\left[\frac{x}{a}\right]}}{256\sqrt{1-\frac{x^2}{a^2}}} - \frac{9a^2\sqrt{a^2-x^2}\sqrt{\text{ArcSin}\left[\frac{x}{a}\right]}}{32\sqrt{1-\frac{x^2}{a^2}}} + \frac{3(a^2-x^2)^{5/2}\sqrt{\text{ArcSin}\left[\frac{x}{a}\right]}}{32a\sqrt{1-\frac{x^2}{a^2}}} + \frac{3a^2x\sqrt{a^2-x^2}\text{ArcSin}\left[\frac{x}{a}\right]^{3/2}}{8} + \frac{x(a^2-x^2)^{3/2}\text{ArcSin}\left[\frac{x}{a}\right]^{3/2}}{4} + \frac{3a^3\sqrt{a^2-x^2}\text{ArcSin}\left[\frac{x}{a}\right]^{5/2}}{20\sqrt{1-\frac{x^2}{a^2}}} - \frac{3a^3\sqrt{\frac{\pi}{2}}\sqrt{a^2-x^2}\text{FresnelC}\left[2\sqrt{\frac{2}{\pi}}\sqrt{\text{ArcSin}\left[\frac{x}{a}\right]}\right]}{512\sqrt{1-\frac{x^2}{a^2}}} - \frac{3a^3\sqrt{\pi}\sqrt{a^2-x^2}\text{FresnelC}\left[\frac{2\sqrt{\text{ArcSin}\left[\frac{x}{a}\right]}}{\sqrt{\pi}}\right]}{32\sqrt{1-\frac{x^2}{a^2}}}$$

Antiderivative was successfully verified.

[In] Int[(a^2 - x^2)^(3/2)\*ArcSin[x/a]^(3/2), x]

[Out] (27\*a^3\*Sqrt[a^2 - x^2]\*Sqrt[ArcSin[x/a]])/(256\*Sqrt[1 - x^2/a^2]) - (9\*a\*x^2\*Sqrt[a^2 - x^2]\*Sqrt[ArcSin[x/a]])/(32\*Sqrt[1 - x^2/a^2]) + (3\*(a^2 - x^2)^(5/2)\*Sqrt[ArcSin[x/a]])/(32\*a\*Sqrt[1 - x^2/a^2]) + (3\*a^2\*x\*Sqrt[a^2 - x^2]\*ArcSin[x/a]^(3/2))/8 + (x\*(a^2 - x^2)^(3/2)\*ArcSin[x/a]^(3/2))/4 + (3\*a^3\*Sqrt[a^2 - x^2]\*ArcSin[x/a]^(5/2))/(20\*Sqrt[1 - x^2/a^2]) - (3\*a^3\*Sqrt[Pi/2]\*Sqrt[a^2 - x^2]\*FresnelC[2\*Sqrt[2/Pi]\*Sqrt[ArcSin[x/a]]])/(512\*Sqrt[1 - x^2/a^2]) - (3\*a^3\*Sqrt[Pi]\*Sqrt[a^2 - x^2]\*FresnelC[(2\*Sqrt[ArcSin[x/a]])/Sqrt[Pi]])/(32\*Sqrt[1 - x^2/a^2])

**Rule 4649**

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[(x*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(2*p + 1), x] + (Dist[(2*d*p)/(2*p + 1), Int[(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p]]/((2*p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[p, 0]
```

#### Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
```

#### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

#### Rule 4629

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol]
:> Simp[(x^(m + 1)*(a + b*ArcSin[c*x])^n)/(m + 1), x] - Dist[(b*c*n)/(m + 1), Int[(x^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

#### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

#### Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol]
:> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_.*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p]]/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 4661

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_.*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Dist[d^p/c, Subst[Int[(a + b*x)^n*Cos[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IGtQ[2*p, 0] && (IntegerQ[p] || GtQ[d, 0])
```

Rubi steps



$$\begin{aligned}
\int (a^2 - x^2)^{3/2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2} dx &= \frac{1}{4}x(a^2 - x^2)^{3/2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2} + \frac{1}{4}(3a^2) \int \sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2} dx - \frac{(3a\sqrt{a^2 - x^2}) \int x}{8} \\
&= \frac{3(a^2 - x^2)^{5/2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{32a\sqrt{1 - \frac{x^2}{a^2}}} + \frac{3}{8}a^2x\sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2} + \frac{1}{4}x(a^2 - x^2)^{3/2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2} \\
&= -\frac{9ax^2\sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{32\sqrt{1 - \frac{x^2}{a^2}}} + \frac{3(a^2 - x^2)^{5/2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{32a\sqrt{1 - \frac{x^2}{a^2}}} + \frac{3}{8}a^2x\sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2} \\
&= -\frac{9ax^2\sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{32\sqrt{1 - \frac{x^2}{a^2}}} + \frac{3(a^2 - x^2)^{5/2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{32a\sqrt{1 - \frac{x^2}{a^2}}} + \frac{3}{8}a^2x\sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2} \\
&= -\frac{9a^3\sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{256\sqrt{1 - \frac{x^2}{a^2}}} - \frac{9ax^2\sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{32\sqrt{1 - \frac{x^2}{a^2}}} + \frac{3(a^2 - x^2)^{5/2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{32a\sqrt{1 - \frac{x^2}{a^2}}} + \frac{3}{8} \\
&= \frac{27a^3\sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{256\sqrt{1 - \frac{x^2}{a^2}}} - \frac{9ax^2\sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{32\sqrt{1 - \frac{x^2}{a^2}}} + \frac{3(a^2 - x^2)^{5/2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{32a\sqrt{1 - \frac{x^2}{a^2}}} + \frac{3}{8} \\
&= \frac{27a^3\sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{256\sqrt{1 - \frac{x^2}{a^2}}} - \frac{9ax^2\sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{32\sqrt{1 - \frac{x^2}{a^2}}} + \frac{3(a^2 - x^2)^{5/2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{32a\sqrt{1 - \frac{x^2}{a^2}}} + \frac{3}{8} \\
&= \frac{27a^3\sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{256\sqrt{1 - \frac{x^2}{a^2}}} - \frac{9ax^2\sqrt{a^2 - x^2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{32\sqrt{1 - \frac{x^2}{a^2}}} + \frac{3(a^2 - x^2)^{5/2} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{32a\sqrt{1 - \frac{x^2}{a^2}}} + \frac{3}{8}
\end{aligned}$$

**Mathematica [C]** time = 0.434541, size = 209, normalized size = 0.58

$$a^3\sqrt{a^2 - x^2} \left( -240\sqrt{\pi} \sqrt{\sin^{-1}\left(\frac{x}{a}\right)^2} \text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{\sqrt{\pi}}\right) + \sqrt{\sin^{-1}\left(\frac{x}{a}\right)} \left( 5\sqrt{i \sin^{-1}\left(\frac{x}{a}\right)} \text{Gamma}\left(\frac{5}{2}, -4i \sin^{-1}\left(\frac{x}{a}\right)\right) + 5\sqrt{\sin^{-1}\left(\frac{x}{a}\right)} \right) \right)$$


---

2560 $\sqrt{1 - \frac{x^2}{a^2}}$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a^2 - x^2)^(3/2)*ArcSin[x/a]^(3/2),x]
```

```
[Out] (a^3*Sqrt[a^2 - x^2]*(-240*Sqrt[Pi]*Sqrt[ArcSin[x/a]^2]*FresnelC[(2*Sqrt[ArcSin[x/a]])/Sqrt[Pi]] + Sqrt[ArcSin[x/a]]*(5*Sqrt[I*ArcSin[x/a]]*Gamma[5/2, (-4*I)*ArcSin[x/a]] + 5*Sqrt[(-I)*ArcSin[x/a]]*Gamma[5/2, (4*I)*ArcSin[x/a]]) + 32*Sqrt[ArcSin[x/a]^2]*(12*ArcSin[x/a]^2 + 15*Cos[2*ArcSin[x/a]] + 20*ArcSin[x/a]*Sin[2*ArcSin[x/a]])))/(2560*Sqrt[1 - x^2/a^2]*Sqrt[ArcSin[x/a]^2])
```

**Maple [F]** time = 0.184, size = 0, normalized size = 0.

$$\int (a^2 - x^2)^{\frac{3}{2}} \left( \arcsin\left(\frac{x}{a}\right) \right)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a^2-x^2)^(3/2)*arcsin(x/a)^(3/2),x)
```

```
[Out] int((a^2-x^2)^(3/2)*arcsin(x/a)^(3/2),x)
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (a^2 - x^2)^{\frac{3}{2}} \arcsin\left(\frac{x}{a}\right)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a^2-x^2)^(3/2)*arcsin(x/a)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((a^2 - x^2)^(3/2)*arcsin(x/a)^(3/2), x)
```

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a^2-x^2)^(3/2)*arcsin(x/a)^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: UnboundLocalError
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a**2-x**2)**(3/2)*asin(x/a)**(3/2),x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (a^2 - x^2)^{\frac{3}{2}} \arcsin\left(\frac{x}{a}\right)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a^2-x^2)^(3/2)*arcsin(x/a)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((a^2 - x^2)^(3/2)*arcsin(x/a)^(3/2), x)
```

$$3.461 \quad \int \sqrt{a^2 - x^2} \sin^{-1} \left( \frac{x}{a} \right)^{3/2} dx$$

**Optimal.** Leaf size=215

$$-\frac{3\sqrt{\pi}a\sqrt{a^2 - x^2}\text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{\sqrt{\pi}}\right)}{32\sqrt{1 - \frac{x^2}{a^2}}} + \frac{a\sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{5/2}}{5\sqrt{1 - \frac{x^2}{a^2}}} + \frac{1}{2}x\sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2} - \frac{3x^2\sqrt{a^2 - x^2}\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{8a\sqrt{1 - \frac{x^2}{a^2}}} +$$

[Out] (3\*a\*Sqrt[a^2 - x^2]\*Sqrt[ArcSin[x/a]])/(16\*Sqrt[1 - x^2/a^2]) - (3\*x^2\*Sqrt[a^2 - x^2]\*Sqrt[ArcSin[x/a]])/(8\*a\*Sqrt[1 - x^2/a^2]) + (x\*Sqrt[a^2 - x^2]\*ArcSin[x/a]^(3/2))/2 + (a\*Sqrt[a^2 - x^2]\*ArcSin[x/a]^(5/2))/(5\*Sqrt[1 - x^2/a^2]) - (3\*a\*Sqrt[Pi]\*Sqrt[a^2 - x^2]\*FresnelC[(2\*Sqrt[ArcSin[x/a]])/Sqrt[Pi]])/(32\*Sqrt[1 - x^2/a^2])

**Rubi [A]** time = 0.231775, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$ , Rules used = {4647, 4641, 4629, 4723, 3312, 3304, 3352}

$$-\frac{3\sqrt{\pi}a\sqrt{a^2 - x^2}\text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{\sqrt{\pi}}\right)}{32\sqrt{1 - \frac{x^2}{a^2}}} + \frac{a\sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{5/2}}{5\sqrt{1 - \frac{x^2}{a^2}}} + \frac{1}{2}x\sqrt{a^2 - x^2} \sin^{-1}\left(\frac{x}{a}\right)^{3/2} - \frac{3x^2\sqrt{a^2 - x^2}\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{8a\sqrt{1 - \frac{x^2}{a^2}}} +$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a^2 - x^2]\*ArcSin[x/a]^(3/2), x]

[Out] (3\*a\*Sqrt[a^2 - x^2]\*Sqrt[ArcSin[x/a]])/(16\*Sqrt[1 - x^2/a^2]) - (3\*x^2\*Sqrt[a^2 - x^2]\*Sqrt[ArcSin[x/a]])/(8\*a\*Sqrt[1 - x^2/a^2]) + (x\*Sqrt[a^2 - x^2]\*ArcSin[x/a]^(3/2))/2 + (a\*Sqrt[a^2 - x^2]\*ArcSin[x/a]^(5/2))/(5\*Sqrt[1 - x^2/a^2]) - (3\*a\*Sqrt[Pi]\*Sqrt[a^2 - x^2]\*FresnelC[(2\*Sqrt[ArcSin[x/a]])/Sqrt[Pi]])/(32\*Sqrt[1 - x^2/a^2])

### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d

+ e, 0] && GtQ[n, 0]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 4629

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*(x\_.)^(m\_.), x\_Symbol] :> Simp[(x^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(m + 1), x] - Dist[(b\*c\*n)/(m + 1), Int[(x^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*(x\_.)^(m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rule 3312

Int[((c\_.) + (d\_.)\*(x\_.))^ (m\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

### Rule 3304

Int[sin[Pi/2 + (e\_.) + (f\_.)\*(x\_.)]/Sqrt[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Dist[2/d, Subst[Int[Cos[(f\*x^2)/d], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

### Rule 3352

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_.))^2], x\_Symbol] :> Simp[(Sqrt[Pi/2]\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)])/(f\*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

### Rubi steps

$$\begin{aligned}
\int \sqrt{a^2 - x^2} \sin^{-1} \left( \frac{x}{a} \right)^{3/2} dx &= \frac{1}{2} x \sqrt{a^2 - x^2} \sin^{-1} \left( \frac{x}{a} \right)^{3/2} + \frac{\sqrt{a^2 - x^2} \int \frac{\sin^{-1} \left( \frac{x}{a} \right)^{3/2}}{\sqrt{1 - \frac{x^2}{a^2}}} dx}{2\sqrt{1 - \frac{x^2}{a^2}}} - \frac{(3\sqrt{a^2 - x^2}) \int x \sqrt{\sin^{-1} \left( \frac{x}{a} \right)} dx}{4a\sqrt{1 - \frac{x^2}{a^2}}} \\
&= -\frac{3x^2 \sqrt{a^2 - x^2} \sqrt{\sin^{-1} \left( \frac{x}{a} \right)}}{8a\sqrt{1 - \frac{x^2}{a^2}}} + \frac{1}{2} x \sqrt{a^2 - x^2} \sin^{-1} \left( \frac{x}{a} \right)^{3/2} + \frac{a\sqrt{a^2 - x^2} \sin^{-1} \left( \frac{x}{a} \right)^{5/2}}{5\sqrt{1 - \frac{x^2}{a^2}}} + \frac{(3\sqrt{a^2 - x^2}) \int x \sqrt{\sin^{-1} \left( \frac{x}{a} \right)} dx}{4a\sqrt{1 - \frac{x^2}{a^2}}} \\
&= -\frac{3x^2 \sqrt{a^2 - x^2} \sqrt{\sin^{-1} \left( \frac{x}{a} \right)}}{8a\sqrt{1 - \frac{x^2}{a^2}}} + \frac{1}{2} x \sqrt{a^2 - x^2} \sin^{-1} \left( \frac{x}{a} \right)^{3/2} + \frac{a\sqrt{a^2 - x^2} \sin^{-1} \left( \frac{x}{a} \right)^{5/2}}{5\sqrt{1 - \frac{x^2}{a^2}}} + \frac{(3a\sqrt{a^2 - x^2}) \int x \sqrt{\sin^{-1} \left( \frac{x}{a} \right)} dx}{4a\sqrt{1 - \frac{x^2}{a^2}}} \\
&= -\frac{3x^2 \sqrt{a^2 - x^2} \sqrt{\sin^{-1} \left( \frac{x}{a} \right)}}{8a\sqrt{1 - \frac{x^2}{a^2}}} + \frac{1}{2} x \sqrt{a^2 - x^2} \sin^{-1} \left( \frac{x}{a} \right)^{3/2} + \frac{a\sqrt{a^2 - x^2} \sin^{-1} \left( \frac{x}{a} \right)^{5/2}}{5\sqrt{1 - \frac{x^2}{a^2}}} + \frac{(3a\sqrt{a^2 - x^2}) \int x \sqrt{\sin^{-1} \left( \frac{x}{a} \right)} dx}{4a\sqrt{1 - \frac{x^2}{a^2}}} \\
&= \frac{3a\sqrt{a^2 - x^2} \sqrt{\sin^{-1} \left( \frac{x}{a} \right)}}{16\sqrt{1 - \frac{x^2}{a^2}}} - \frac{3x^2 \sqrt{a^2 - x^2} \sqrt{\sin^{-1} \left( \frac{x}{a} \right)}}{8a\sqrt{1 - \frac{x^2}{a^2}}} + \frac{1}{2} x \sqrt{a^2 - x^2} \sin^{-1} \left( \frac{x}{a} \right)^{3/2} + \frac{a\sqrt{a^2 - x^2} \sin^{-1} \left( \frac{x}{a} \right)^{5/2}}{5\sqrt{1 - \frac{x^2}{a^2}}} \\
&= \frac{3a\sqrt{a^2 - x^2} \sqrt{\sin^{-1} \left( \frac{x}{a} \right)}}{16\sqrt{1 - \frac{x^2}{a^2}}} - \frac{3x^2 \sqrt{a^2 - x^2} \sqrt{\sin^{-1} \left( \frac{x}{a} \right)}}{8a\sqrt{1 - \frac{x^2}{a^2}}} + \frac{1}{2} x \sqrt{a^2 - x^2} \sin^{-1} \left( \frac{x}{a} \right)^{3/2} + \frac{a\sqrt{a^2 - x^2} \sin^{-1} \left( \frac{x}{a} \right)^{5/2}}{5\sqrt{1 - \frac{x^2}{a^2}}} \\
&= \frac{3a\sqrt{a^2 - x^2} \sqrt{\sin^{-1} \left( \frac{x}{a} \right)}}{16\sqrt{1 - \frac{x^2}{a^2}}} - \frac{3x^2 \sqrt{a^2 - x^2} \sqrt{\sin^{-1} \left( \frac{x}{a} \right)}}{8a\sqrt{1 - \frac{x^2}{a^2}}} + \frac{1}{2} x \sqrt{a^2 - x^2} \sin^{-1} \left( \frac{x}{a} \right)^{3/2} + \frac{a\sqrt{a^2 - x^2} \sin^{-1} \left( \frac{x}{a} \right)^{5/2}}{5\sqrt{1 - \frac{x^2}{a^2}}}
\end{aligned}$$

**Mathematica [C]** time = 0.13617, size = 173, normalized size = 0.8

$$\frac{\sqrt{a^2 - x^2} \sqrt{\sin^{-1} \left( \frac{x}{a} \right)} \left( 15\sqrt{2}a \sqrt{i \sin^{-1} \left( \frac{x}{a} \right)} \text{Gamma} \left( \frac{3}{2}, -2i \sin^{-1} \left( \frac{x}{a} \right) \right) + 15\sqrt{2}a \sqrt{-i \sin^{-1} \left( \frac{x}{a} \right)} \text{Gamma} \left( \frac{3}{2}, 2i \sin^{-1} \left( \frac{x}{a} \right) \right) + 3 \right)}{320\sqrt{1 - \frac{x^2}{a^2}} \sqrt{\sin^{-1} \left( \frac{x}{a} \right)}^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a^2 - x^2]\*ArcSin[x/a]^(3/2),x]

[Out] (Sqrt[a^2 - x^2]\*Sqrt[ArcSin[x/a]]\*(32\*ArcSin[x/a]\*Sqrt[ArcSin[x/a]^2]\*(5\*x\*Sqrt[1 - x^2/a^2] + 2\*a\*ArcSin[x/a]) + 15\*Sqrt[2]\*a\*Sqrt[I\*ArcSin[x/a]]\*Ga

```
mma[3/2, (-2*I)*ArcSin[x/a]] + 15*Sqrt[2]*a*Sqrt[(-I)*ArcSin[x/a]]*Gamma[3/2, (2*I)*ArcSin[x/a]])/(320*Sqrt[1 - x^2/a^2]*Sqrt[ArcSin[x/a]^2])
```

---

**Maple [F]** time = 0.236, size = 0, normalized size = 0.

$$\int \sqrt{a^2 - x^2} \left( \arcsin\left(\frac{x}{a}\right) \right)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a^2-x^2)^(1/2)*arcsin(x/a)^(3/2),x)
```

```
[Out] int((a^2-x^2)^(1/2)*arcsin(x/a)^(3/2),x)
```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a^2 - x^2} \arcsin\left(\frac{x}{a}\right)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a^2-x^2)^(1/2)*arcsin(x/a)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate(sqrt(a^2 - x^2)*arcsin(x/a)^(3/2), x)
```

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a^2-x^2)^(1/2)*arcsin(x/a)^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: UnboundLocalError
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*\*2-x\*\*2)\*\*(1/2)\*asin(x/a)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a^2 - x^2} \arcsin\left(\frac{x}{a}\right)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^2-x^2)^(1/2)\*arcsin(x/a)^(3/2),x, algorithm="giac")

[Out] integrate(sqrt(a^2 - x^2)\*arcsin(x/a)^(3/2), x)



$$3.462 \quad \int \frac{\sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{\sqrt{a^2-x^2}} dx$$

**Optimal.** Leaf size=42

$$\frac{2a\sqrt{1-\frac{x^2}{a^2}}\sin^{-1}\left(\frac{x}{a}\right)^{5/2}}{5\sqrt{a^2-x^2}}$$

[Out] (2\*a\*Sqrt[1 - x^2/a^2]\*ArcSin[x/a]^(5/2))/(5\*Sqrt[a^2 - x^2])

**Rubi [A]** time = 0.0646827, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {4643, 4641}

$$\frac{2a\sqrt{1-\frac{x^2}{a^2}}\sin^{-1}\left(\frac{x}{a}\right)^{5/2}}{5\sqrt{a^2-x^2}}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[x/a]^(3/2)/Sqrt[a^2 - x^2], x]

[Out] (2\*a\*Sqrt[1 - x^2/a^2]\*ArcSin[x/a]^(5/2))/(5\*Sqrt[a^2 - x^2])

#### Rule 4643

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{\sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{\sqrt{a^2 - x^2}} dx = \frac{\sqrt{1 - \frac{x^2}{a^2}} \int \frac{\sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{\sqrt{1 - \frac{x^2}{a^2}}} dx}{\sqrt{a^2 - x^2}}$$

$$= \frac{2a\sqrt{1 - \frac{x^2}{a^2}} \sin^{-1}\left(\frac{x}{a}\right)^{5/2}}{5\sqrt{a^2 - x^2}}$$

**Mathematica [A]** time = 0.0359322, size = 42, normalized size = 1.

$$\frac{2a\sqrt{1 - \frac{x^2}{a^2}} \sin^{-1}\left(\frac{x}{a}\right)^{5/2}}{5\sqrt{a^2 - x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[x/a]^(3/2)/Sqrt[a^2 - x^2],x]

[Out] (2\*a\*Sqrt[1 - x^2/a^2]\*ArcSin[x/a]^(5/2))/(5\*Sqrt[a^2 - x^2])

**Maple [A]** time = 0.038, size = 38, normalized size = 0.9

$$\frac{2a}{5} \left( \arcsin\left(\frac{x}{a}\right) \right)^{\frac{5}{2}} \sqrt{\frac{a^2 - x^2}{a^2}} \frac{1}{\sqrt{a^2 - x^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(x/a)^(3/2)/(a^2-x^2)^(1/2),x)

[Out] 2/5\*arcsin(x/a)^(5/2)\*a/(a^2-x^2)^(1/2)\*((a^2-x^2)/a^2)^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin\left(\frac{x}{a}\right)^{\frac{3}{2}}}{\sqrt{a^2 - x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(x/a)^(3/2)/(a^2-x^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(arcsin(x/a)^(3/2)/sqrt(a^2 - x^2), x)`

**Fricas [A]** time = 2.30532, size = 92, normalized size = 2.19

$$\frac{2}{5} \sqrt{-\arctan\left(-\frac{x}{\sqrt{a^2-x^2}}\right) \arctan\left(-\frac{x}{\sqrt{a^2-x^2}}\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(x/a)^(3/2)/(a^2-x^2)^(1/2),x, algorithm="fricas")`

[Out] `2/5*sqrt(-arctan(-x/sqrt(a^2 - x^2)))*arctan(-x/sqrt(a^2 - x^2))^2`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{asin}^2\left(\frac{x}{a}\right)}{\sqrt{-(-a+x)(a+x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(x/a)**(3/2)/(a**2-x**2)**(1/2),x)`

[Out] `Integral(asin(x/a)**(3/2)/sqrt(-(-a + x)*(a + x)), x)`

**Giac [A]** time = 1.40683, size = 16, normalized size = 0.38

$$\frac{2}{5} \operatorname{arcsin}\left(\frac{x}{a}\right)^{\frac{5}{2}} \operatorname{sgn}(a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(x/a)^(3/2)/(a^2-x^2)^(1/2),x, algorithm="giac")`

[Out]  $\frac{2}{5} \arcsin(x/a)^{(5/2)} \operatorname{sgn}(a)$

$$3.463 \quad \int \frac{\sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{(a^2-x^2)^{3/2}} dx$$

**Optimal.** Leaf size=89

$$\frac{x \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{a^2 \sqrt{a^2-x^2}} - \frac{3\sqrt{1-\frac{x^2}{a^2}} \text{Unintegrable}\left(\frac{x\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{1-\frac{x^2}{a^2}}, x\right)}{2a^3 \sqrt{a^2-x^2}}$$

[Out] (x\*ArcSin[x/a]^(3/2))/(a^2\*Sqrt[a^2 - x^2]) - (3\*Sqrt[1 - x^2/a^2]\*Unintegrable[(x\*Sqrt[ArcSin[x/a]])/(1 - x^2/a^2), x])/(2\*a^3\*Sqrt[a^2 - x^2])

**Rubi [A]** time = 0.0749571, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{(a^2-x^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[ArcSin[x/a]^(3/2)/(a^2 - x^2)^(3/2), x]

[Out] (x\*ArcSin[x/a]^(3/2))/(a^2\*Sqrt[a^2 - x^2]) - (3\*Sqrt[1 - x^2/a^2]\*Defer[Int][(x\*Sqrt[ArcSin[x/a]])/(1 - x^2/a^2), x])/(2\*a^3\*Sqrt[a^2 - x^2])

Rubi steps

$$\int \frac{\sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{(a^2-x^2)^{3/2}} dx = \frac{x \sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{a^2 \sqrt{a^2-x^2}} - \frac{\left(3\sqrt{1-\frac{x^2}{a^2}}\right) \int \frac{x\sqrt{\sin^{-1}\left(\frac{x}{a}\right)}}{1-\frac{x^2}{a^2}} dx}{2a^3 \sqrt{a^2-x^2}}$$

**Mathematica [A]** time = 0.657982, size = 0, normalized size = 0.

$$\int \frac{\sin^{-1}\left(\frac{x}{a}\right)^{3/2}}{(a^2-x^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcSin[x/a]^(3/2)/(a^2 - x^2)^(3/2), x]

[Out] Integrate[ArcSin[x/a]^(3/2)/(a^2 - x^2)^(3/2), x]

**Maple [A]** time = 0.188, size = 0, normalized size = 0.

$$\int \left( \arcsin\left(\frac{x}{a}\right) \right)^{\frac{3}{2}} (a^2 - x^2)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(x/a)^(3/2)/(a^2-x^2)^(3/2), x)

[Out] int(arcsin(x/a)^(3/2)/(a^2-x^2)^(3/2), x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin\left(\frac{x}{a}\right)^{\frac{3}{2}}}{(a^2 - x^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(x/a)^(3/2)/(a^2-x^2)^(3/2), x, algorithm="maxima")

[Out] integrate(arcsin(x/a)^(3/2)/(a^2 - x^2)^(3/2), x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(x/a)^(3/2)/(a^2-x^2)^(3/2), x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(x/a)\*\*(3/2)/(a\*\*2-x\*\*2)\*\*(3/2), x)

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin\left(\frac{x}{a}\right)^{\frac{3}{2}}}{\left(a^2 - x^2\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(x/a)^(3/2)/(a^2-x^2)^(3/2), x, algorithm="giac")

[Out] integrate(arcsin(x/a)^(3/2)/(a^2 - x^2)^(3/2), x)

$$3.464 \quad \int \frac{x}{\sqrt{1-x^2}\sqrt{\sin^{-1}(x)}} dx$$

**Optimal.** Leaf size=25

$$\sqrt{2\pi}S\left(\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(x)}\right)$$

[Out] Sqrt[2\*Pi]\*FresnelS[Sqrt[2/Pi]\*Sqrt[ArcSin[x]]]

**Rubi [A]** time = 0.0607728, antiderivative size = 25, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {4723, 3305, 3351}

$$\sqrt{2\pi}S\left(\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(x)}\right)$$

Antiderivative was successfully verified.

[In] Int[x/(Sqrt[1 - x^2]\*Sqrt[ArcSin[x]]),x]

[Out] Sqrt[2\*Pi]\*FresnelS[Sqrt[2/Pi]\*Sqrt[ArcSin[x]]]

#### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

#### Rule 3305

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[2/d, Subst[Int[Sin[(f\*x^2)/d], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

#### Rule 3351

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))^2], x\_Symbol] :> Simp[(Sqrt[Pi/2]\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)])/(f\*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]



Rubi steps

$$\begin{aligned} \int \frac{x}{\sqrt{1-x^2}\sqrt{\sin^{-1}(x)}} dx &= \text{Subst} \left( \int \frac{\sin(x)}{\sqrt{x}} dx, x, \sin^{-1}(x) \right) \\ &= 2 \text{Subst} \left( \int \sin(x^2) dx, x, \sqrt{\sin^{-1}(x)} \right) \\ &= \sqrt{2\pi} S \left( \sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(x)} \right) \end{aligned}$$

**Mathematica [C]** time = 0.0762037, size = 53, normalized size = 2.12

$$\frac{\sqrt{-i \sin^{-1}(x)} \Gamma\left(\frac{1}{2}, -i \sin^{-1}(x)\right) + \sqrt{i \sin^{-1}(x)} \Gamma\left(\frac{1}{2}, i \sin^{-1}(x)\right)}{2\sqrt{\sin^{-1}(x)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x/(Sqrt[1 - x^2]\*Sqrt[ArcSin[x]]), x]

[Out] -(Sqrt[(-I)\*ArcSin[x]]\*Gamma[1/2, (-I)\*ArcSin[x]] + Sqrt[I\*ArcSin[x]]\*Gamma[1/2, I\*ArcSin[x]])/(2\*Sqrt[ArcSin[x]])

**Maple [A]** time = 0.067, size = 20, normalized size = 0.8

$$\text{FresnelS} \left( \frac{\sqrt{2}}{\sqrt{\pi}} \sqrt{\arcsin(x)} \right) \sqrt{2} \sqrt{\pi}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(-x^2+1)^(1/2)/arcsin(x)^(1/2), x)

[Out] FresnelS(2^(1/2)/Pi^(1/2)\*arcsin(x)^(1/2))\*2^(1/2)\*Pi^(1/2)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(-x^2+1)^(1/2)/arcsin(x)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(-x^2+1)^(1/2)/arcsin(x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: UnboundLocalError
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{\sqrt{-(x-1)(x+1)}\sqrt{\arcsin(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(-x**2+1)**(1/2)/asin(x)**(1/2),x)
```

```
[Out] Integral(x/(sqrt(-(x - 1)*(x + 1))*sqrt(asin(x))), x)
```

**Giac [C]** time = 1.35562, size = 50, normalized size = 2.

$$\left(\frac{1}{4}i - \frac{1}{4}\right) \sqrt{2}\sqrt{\pi} \operatorname{erf}\left(\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2}\sqrt{\arcsin(x)}\right) - \left(\frac{1}{4}i + \frac{1}{4}\right) \sqrt{2}\sqrt{\pi} \operatorname{erf}\left(-\left(\frac{1}{2}i + \frac{1}{2}\right) \sqrt{2}\sqrt{\arcsin(x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(-x^2+1)^(1/2)/arcsin(x)^(1/2),x, algorithm="giac")
```

```
[Out] (1/4*I - 1/4)*sqrt(2)*sqrt(pi)*erf((1/2*I - 1/2)*sqrt(2)*sqrt(arcsin(x))) -
(1/4*I + 1/4)*sqrt(2)*sqrt(pi)*erf(-(1/2*I + 1/2)*sqrt(2)*sqrt(arcsin(x)))
```

$$3.465 \quad \int \frac{(c - a^2 cx^2)^{5/2}}{\sqrt{\sin^{-1}(ax)}} dx$$

**Optimal.** Leaf size=244

$$\frac{3\sqrt{\frac{\pi}{2}}c^2\sqrt{c - a^2cx^2}\text{FresnelC}\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{16a\sqrt{1 - a^2x^2}} + \frac{\sqrt{\frac{\pi}{3}}c^2\sqrt{c - a^2cx^2}\text{FresnelC}\left(2\sqrt{\frac{3}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{32a\sqrt{1 - a^2x^2}} + \frac{15\sqrt{\pi}c^2\sqrt{c - a^2cx^2}}{32a\sqrt{1 - a^2x^2}}$$

[Out] (5\*c^2\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/(8\*a\*Sqrt[1 - a^2\*x^2]) + (3\*c^2\*Sqrt[Pi/2]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[2\*Sqrt[2/Pi]\*Sqrt[ArcSin[a\*x]])/(16\*a\*Sqrt[1 - a^2\*x^2]) + (c^2\*Sqrt[Pi/3]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[2\*Sqrt[3/Pi]\*Sqrt[ArcSin[a\*x]])/(32\*a\*Sqrt[1 - a^2\*x^2]) + (15\*c^2\*Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(32\*a\*Sqrt[1 - a^2\*x^2])

**Rubi [A]** time = 0.193342, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {4663, 4661, 3312, 3304, 3352}

$$\frac{3\sqrt{\frac{\pi}{2}}c^2\sqrt{c - a^2cx^2}\text{FresnelC}\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{16a\sqrt{1 - a^2x^2}} + \frac{\sqrt{\frac{\pi}{3}}c^2\sqrt{c - a^2cx^2}\text{FresnelC}\left(2\sqrt{\frac{3}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{32a\sqrt{1 - a^2x^2}} + \frac{15\sqrt{\pi}c^2\sqrt{c - a^2cx^2}}{32a\sqrt{1 - a^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(c - a^2\*c\*x^2)^(5/2)/Sqrt[ArcSin[a\*x]], x]

[Out] (5\*c^2\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/(8\*a\*Sqrt[1 - a^2\*x^2]) + (3\*c^2\*Sqrt[Pi/2]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[2\*Sqrt[2/Pi]\*Sqrt[ArcSin[a\*x]])/(16\*a\*Sqrt[1 - a^2\*x^2]) + (c^2\*Sqrt[Pi/3]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[2\*Sqrt[3/Pi]\*Sqrt[ArcSin[a\*x]])/(32\*a\*Sqrt[1 - a^2\*x^2]) + (15\*c^2\*Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(32\*a\*Sqrt[1 - a^2\*x^2])

**Rule 4663**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[(d^(p - 1/2)\*Sqrt[d + e\*x^2])/Sqrt[1 - c^2\*x^2], Int[(1 - c^2\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, n}, x] &&

EqQ[c^2\*d + e, 0] && IGtQ[2\*p, 0] && !(IntegerQ[p] || GtQ[d, 0])

### Rule 4661

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[d^p/c, Subst[Int[(a + b\*x)^n\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rule 3312

Int[((c\_.) + (d\_.)\*(x\_))^(m\_)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

### Rule 3304

Int[sin[Pi/2 + (e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[2/d, Subst[Int[Cos[(f\*x^2)/d], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

### Rule 3352

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_))^2], x\_Symbol] := Simp[(Sqrt[Pi/2]\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)])/(f\*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

### Rubi steps

$$\begin{aligned}
\int \frac{(c - a^2 cx^2)^{5/2}}{\sqrt{\sin^{-1}(ax)}} dx &= \frac{(c^2 \sqrt{c - a^2 cx^2}) \int \frac{(1 - a^2 x^2)^{5/2}}{\sqrt{\sin^{-1}(ax)}} dx}{\sqrt{1 - a^2 x^2}} \\
&= \frac{(c^2 \sqrt{c - a^2 cx^2}) \text{Subst} \left( \int \frac{\cos^6(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax) \right)}{a \sqrt{1 - a^2 x^2}} \\
&= \frac{(c^2 \sqrt{c - a^2 cx^2}) \text{Subst} \left( \int \left( \frac{5}{16\sqrt{x}} + \frac{15 \cos(2x)}{32\sqrt{x}} + \frac{3 \cos(4x)}{16\sqrt{x}} + \frac{\cos(6x)}{32\sqrt{x}} \right) dx, x, \sin^{-1}(ax) \right)}{a \sqrt{1 - a^2 x^2}} \\
&= \frac{5c^2 \sqrt{c - a^2 cx^2} \sqrt{\sin^{-1}(ax)}}{8a \sqrt{1 - a^2 x^2}} + \frac{(c^2 \sqrt{c - a^2 cx^2}) \text{Subst} \left( \int \frac{\cos(6x)}{\sqrt{x}} dx, x, \sin^{-1}(ax) \right)}{32a \sqrt{1 - a^2 x^2}} + \frac{(3c^2 \sqrt{c - a^2 cx^2})}{32a \sqrt{1 - a^2 x^2}} \\
&= \frac{5c^2 \sqrt{c - a^2 cx^2} \sqrt{\sin^{-1}(ax)}}{8a \sqrt{1 - a^2 x^2}} + \frac{(c^2 \sqrt{c - a^2 cx^2}) \text{Subst} \left( \int \cos(6x^2) dx, x, \sqrt{\sin^{-1}(ax)} \right)}{16a \sqrt{1 - a^2 x^2}} + \frac{(3c^2 \sqrt{c - a^2 cx^2})}{32a \sqrt{1 - a^2 x^2}} \\
&= \frac{5c^2 \sqrt{c - a^2 cx^2} \sqrt{\sin^{-1}(ax)}}{8a \sqrt{1 - a^2 x^2}} + \frac{3c^2 \sqrt{\frac{\pi}{2}} \sqrt{c - a^2 cx^2} C \left( 2\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)} \right)}{16a \sqrt{1 - a^2 x^2}} + \frac{c^2 \sqrt{\frac{\pi}{3}} \sqrt{c - a^2 cx^2} C \left( 2\sqrt{\frac{3}{\pi}} \sqrt{\sin^{-1}(ax)} \right)}{32a \sqrt{1 - a^2 x^2}}
\end{aligned}$$

**Mathematica [C]** time = 0.629185, size = 336, normalized size = 1.38

$$c^2 \sqrt{c - a^2 cx^2} \left( -45i\sqrt{2} (-i \sin^{-1}(ax))^{3/2} \text{Gamma} \left( \frac{1}{2}, 2i \sin^{-1}(ax) \right) - 18i (-i \sin^{-1}(ax))^{3/2} \text{Gamma} \left( \frac{1}{2}, 4i \sin^{-1}(ax) \right) - i\sqrt{2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(c - a^2\*c\*x^2)^(5/2)/Sqrt[ArcSin[a\*x]], x]

[Out] (c^2\*Sqrt[c - a^2\*c\*x^2]\*(240\*ArcSin[a\*x]\*Sqrt[ArcSin[a\*x]^2] + (3\*I)\*Sqrt[2]\*(16\*(I\*ArcSin[a\*x])^(3/2) + Sqrt[(-I)\*ArcSin[a\*x]]\*Sqrt[ArcSin[a\*x]^2])\*Gamma[1/2, (-2\*I)\*ArcSin[a\*x]] - (45\*I)\*Sqrt[2]\*((-I)\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, (2\*I)\*ArcSin[a\*x]] + (24\*I)\*(I\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, (-4\*I)\*ArcSin[a\*x]] + (6\*I)\*Sqrt[(-I)\*ArcSin[a\*x]]\*Sqrt[ArcSin[a\*x]^2]\*Gamma[1/2, (-4\*I)\*ArcSin[a\*x]] - (18\*I)\*((-I)\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, (4\*I)\*ArcSin[a\*x]] - I\*Sqrt[6]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Sqrt[ArcSin[a\*x]^2]\*Gamma[1/2, (-6\*I)\*ArcSin[a\*x]] - I\*Sqrt[6]\*((-I)\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, (6\*I)\*ArcSin[a\*x]]))/(384\*a\*Sqrt[1 - a^2\*x^2]\*Sqrt[ArcSin[a\*x]]\*Sqrt[ArcSin[a\*x]

^2])

**Maple [F]** time = 0.182, size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{\frac{5}{2}} \frac{1}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(1/2),x)

[Out] int((-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*(5/2)/asin(a\*x)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-a^2cx^2 + c)^{\frac{5}{2}}}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(1/2),x, algorithm="giac")

[Out] integrate((-a^2\*c\*x^2 + c)^(5/2)/sqrt(arcsin(a\*x)), x)

$$3.466 \quad \int \frac{(c - a^2 cx^2)^{3/2}}{\sqrt{\sin^{-1}(ax)}} dx$$

**Optimal.** Leaf size=170

$$\frac{\sqrt{\frac{\pi}{2}} c \sqrt{c - a^2 cx^2} \text{FresnelC}\left(2\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{8a\sqrt{1 - a^2 x^2}} + \frac{\sqrt{\pi} c \sqrt{c - a^2 cx^2} \text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{2a\sqrt{1 - a^2 x^2}} + \frac{3c\sqrt{c - a^2 cx^2} \sqrt{\sin^{-1}(ax)}}{4a\sqrt{1 - a^2 x^2}}$$

[Out] (3\*c\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/(4\*a\*Sqrt[1 - a^2\*x^2]) + (c\*Sqrt[Pi/2]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[2\*Sqrt[2/Pi]\*Sqrt[ArcSin[a\*x]])/(8\*a\*Sqrt[1 - a^2\*x^2]) + (c\*Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(2\*a\*Sqrt[1 - a^2\*x^2])

**Rubi [A]** time = 0.154473, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {4663, 4661, 3312, 3304, 3352}

$$\frac{\sqrt{\frac{\pi}{2}} c \sqrt{c - a^2 cx^2} \text{FresnelC}\left(2\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{8a\sqrt{1 - a^2 x^2}} + \frac{\sqrt{\pi} c \sqrt{c - a^2 cx^2} \text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{2a\sqrt{1 - a^2 x^2}} + \frac{3c\sqrt{c - a^2 cx^2} \sqrt{\sin^{-1}(ax)}}{4a\sqrt{1 - a^2 x^2}}$$

Antiderivative was successfully verified.

[In] Int[(c - a^2\*c\*x^2)^(3/2)/Sqrt[ArcSin[a\*x]], x]

[Out] (3\*c\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/(4\*a\*Sqrt[1 - a^2\*x^2]) + (c\*Sqrt[Pi/2]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[2\*Sqrt[2/Pi]\*Sqrt[ArcSin[a\*x]])/(8\*a\*Sqrt[1 - a^2\*x^2]) + (c\*Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(2\*a\*Sqrt[1 - a^2\*x^2])

### Rule 4663

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Dist[(d^(p - 1/2)\*Sqrt[d + e\*x^2])/Sqrt[1 - c^2\*x^2], Int[(1 - c^2\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p, 0] && !(IntegerQ[p] || GtQ[d, 0])

### Rule 4661



```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Dist[d^p/c, Subst[Int[(a + b*x)^n*Cos[x]^(2*p + 1), x], x, ArcS
in[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IGtQ[2
*p, 0] && (IntegerQ[p] || GtQ[d, 0])
```

### Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

### Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d
, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

### Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(c - a^2 cx^2)^{3/2}}{\sqrt{\sin^{-1}(ax)}} dx &= \frac{(c\sqrt{c - a^2 cx^2}) \int \frac{(1 - a^2 x^2)^{3/2}}{\sqrt{\sin^{-1}(ax)}} dx}{\sqrt{1 - a^2 x^2}} \\
&= \frac{(c\sqrt{c - a^2 cx^2}) \text{Subst}\left(\int \frac{\cos^4(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a\sqrt{1 - a^2 x^2}} \\
&= \frac{(c\sqrt{c - a^2 cx^2}) \text{Subst}\left(\int \left(\frac{3}{8\sqrt{x}} + \frac{\cos(2x)}{2\sqrt{x}} + \frac{\cos(4x)}{8\sqrt{x}}\right) dx, x, \sin^{-1}(ax)\right)}{a\sqrt{1 - a^2 x^2}} \\
&= \frac{3c\sqrt{c - a^2 cx^2}\sqrt{\sin^{-1}(ax)}}{4a\sqrt{1 - a^2 x^2}} + \frac{(c\sqrt{c - a^2 cx^2}) \text{Subst}\left(\int \frac{\cos(4x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{8a\sqrt{1 - a^2 x^2}} + \frac{(c\sqrt{c - a^2 cx^2}) \text{Subst}\left(\int \cos(4x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{4a\sqrt{1 - a^2 x^2}} + \frac{(c\sqrt{c - a^2 cx^2}) \text{Subst}\left(\int \cos(4x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{4a\sqrt{1 - a^2 x^2}} \\
&= \frac{3c\sqrt{c - a^2 cx^2}\sqrt{\sin^{-1}(ax)}}{4a\sqrt{1 - a^2 x^2}} + \frac{c\sqrt{\frac{\pi}{2}}\sqrt{c - a^2 cx^2}C\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{8a\sqrt{1 - a^2 x^2}} + \frac{c\sqrt{\pi}\sqrt{c - a^2 cx^2}C\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{2a\sqrt{1 - a^2 x^2}}
\end{aligned}$$

**Mathematica [C]** time = 0.305299, size = 182, normalized size = 1.07

$$\frac{c\sqrt{c - a^2 cx^2}\sqrt{\sin^{-1}(ax)}\left(-4\sqrt{2}\sqrt{i\sin^{-1}(ax)}\Gamma\left(\frac{1}{2}, -2i\sin^{-1}(ax)\right) - 4\sqrt{2}\sqrt{-i\sin^{-1}(ax)}\Gamma\left(\frac{1}{2}, 2i\sin^{-1}(ax)\right) - \sqrt{2}\sqrt{\sin^{-1}(ax)}\Gamma\left(\frac{1}{2}, \sqrt{2}\sqrt{\sin^{-1}(ax)}\right) - \sqrt{2}\sqrt{\sin^{-1}(ax)}\Gamma\left(\frac{1}{2}, -\sqrt{2}\sqrt{\sin^{-1}(ax)}\right)\right)}{32a\sqrt{1 - a^2 x^2}\sqrt{\sin^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(c - a^2\*c\*x^2)^(3/2)/Sqrt[ArcSin[a\*x]], x]

[Out] (c\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]]\*(24\*Sqrt[ArcSin[a\*x]^2] - 4\*Sqrt[2]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (-2\*I)\*ArcSin[a\*x]] - 4\*Sqrt[2]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (2\*I)\*ArcSin[a\*x]] - Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (-4\*I)\*ArcSin[a\*x]] - Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (4\*I)\*ArcSin[a\*x]]))/((32\*a\*Sqrt[1 - a^2\*x^2]\*Sqrt[ArcSin[a\*x]^2]))

**Maple [F]** time = 0.181, size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{\frac{3}{2}} \frac{1}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(1/2),x)

[Out] int((-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(1/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c(ax-1)(ax+1))^{\frac{3}{2}}}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*(3/2)/asin(a\*x)\*\*(1/2),x)

[Out] Integral((-c\*(a\*x - 1)\*(a\*x + 1))\*\*(3/2)/sqrt(asin(a\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-a^2cx^2 + c)^{\frac{3}{2}}}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(1/2),x, algorithm="giac")

[Out] integrate((-a^2\*c\*x^2 + c)^(3/2)/sqrt(arcsin(a\*x)), x)

$$3.467 \quad \int \frac{\sqrt{c-a^2cx^2}}{\sqrt{\sin^{-1}(ax)}} dx$$

Optimal. Leaf size=99

$$\frac{\sqrt{\pi}\sqrt{c-a^2cx^2}\text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{2a\sqrt{1-a^2x^2}} + \frac{\sqrt{c-a^2cx^2}\sqrt{\sin^{-1}(ax)}}{a\sqrt{1-a^2x^2}}$$

[Out] (Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/(a\*Sqrt[1 - a^2\*x^2]) + (Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(2\*a\*Sqrt[1 - a^2\*x^2])

**Rubi [A]** time = 0.121941, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {4663, 4661, 3312, 3304, 3352}

$$\frac{\sqrt{\pi}\sqrt{c-a^2cx^2}\text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{2a\sqrt{1-a^2x^2}} + \frac{\sqrt{c-a^2cx^2}\sqrt{\sin^{-1}(ax)}}{a\sqrt{1-a^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[c - a^2\*c\*x^2]/Sqrt[ArcSin[a\*x]], x]

[Out] (Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])/(a\*Sqrt[1 - a^2\*x^2]) + (Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelC[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(2\*a\*Sqrt[1 - a^2\*x^2])

#### Rule 4663

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[(d^(p - 1/2)\*Sqrt[d + e\*x^2])/Sqrt[1 - c^2\*x^2], Int[(1 - c^2\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p, 0] && !(IntegerQ[p] || GtQ[d, 0])

#### Rule 4661

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c, Subst[Int[(a + b\*x)^n\*Cos[x]^(2\*p + 1), x], x, ArcS

`in[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IGtQ[2 *p, 0] && (IntegerQ[p] || GtQ[d, 0])`

### Rule 3312

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))`

### Rule 3304

`Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

### Rule 3352

`Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]`

### Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{c - a^2cx^2}}{\sqrt{\sin^{-1}(ax)}} dx &= \frac{\sqrt{c - a^2cx^2} \int \frac{\sqrt{1 - a^2x^2}}{\sqrt{\sin^{-1}(ax)}} dx}{\sqrt{1 - a^2x^2}} \\
 &= \frac{\sqrt{c - a^2cx^2} \operatorname{Subst}\left(\int \frac{\cos^2(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a\sqrt{1 - a^2x^2}} \\
 &= \frac{\sqrt{c - a^2cx^2} \operatorname{Subst}\left(\int \left(\frac{1}{2\sqrt{x}} + \frac{\cos(2x)}{2\sqrt{x}}\right) dx, x, \sin^{-1}(ax)\right)}{a\sqrt{1 - a^2x^2}} \\
 &= \frac{\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{a\sqrt{1 - a^2x^2}} + \frac{\sqrt{c - a^2cx^2} \operatorname{Subst}\left(\int \frac{\cos(2x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{2a\sqrt{1 - a^2x^2}} \\
 &= \frac{\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{a\sqrt{1 - a^2x^2}} + \frac{\sqrt{c - a^2cx^2} \operatorname{Subst}\left(\int \cos(2x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{a\sqrt{1 - a^2x^2}} \\
 &= \frac{\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}}{a\sqrt{1 - a^2x^2}} + \frac{\sqrt{\pi}\sqrt{c - a^2cx^2} C\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{2a\sqrt{1 - a^2x^2}}
 \end{aligned}$$

**Mathematica [C]** time = 0.128655, size = 118, normalized size = 1.19

$$\frac{\sqrt{c(1-a^2x^2)}\left(-i\sqrt{2}\sqrt{-i\sin^{-1}(ax)}\Gamma\left(\frac{1}{2},-2i\sin^{-1}(ax)\right)+i\sqrt{2}\sqrt{i\sin^{-1}(ax)}\Gamma\left(\frac{1}{2},2i\sin^{-1}(ax)\right)+8\sin^{-1}(ax)\right)}{8a\sqrt{1-a^2x^2}\sqrt{\sin^{-1}(ax)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[c - a^2\*c\*x^2]/Sqrt[ArcSin[a\*x]], x]

[Out] (Sqrt[c\*(1 - a^2\*x^2)]\*(8\*ArcSin[a\*x] - I\*Sqrt[2]\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-2\*I)\*ArcSin[a\*x]] + I\*Sqrt[2]\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (2\*I)\*ArcSin[a\*x]]))/(8\*a\*Sqrt[1 - a^2\*x^2]\*Sqrt[ArcSin[a\*x]])

**Maple [F]** time = 0.235, size = 0, normalized size = 0.

$$\int \sqrt{-a^2cx^2 + c} \frac{1}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(1/2), x)

[Out] int((-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(1/2), x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(1/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a^2*c*x^2+c)^(1/2)/arcsin(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: UnboundLocalError
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c(ax-1)(ax+1)}}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a**2*c*x**2+c)**(1/2)/asin(a*x)**(1/2),x)
```

```
[Out] Integral(sqrt(-c*(a*x - 1)*(a*x + 1))/sqrt(asin(a*x)), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a^2cx^2 + c}}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a^2*c*x^2+c)^(1/2)/arcsin(a*x)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(-a^2*c*x^2 + c)/sqrt(arcsin(a*x)), x)
```



$$3.468 \quad \int \frac{1}{\sqrt{c-a^2cx^2}\sqrt{\sin^{-1}(ax)}} dx$$

**Optimal.** Leaf size=42

$$\frac{2\sqrt{1-a^2x^2}\sqrt{\sin^{-1}(ax)}}{a\sqrt{c-a^2cx^2}}$$

[Out] (2\*Sqrt[1 - a^2\*x^2]\*Sqrt[ArcSin[a\*x]])/(a\*Sqrt[c - a^2\*c\*x^2])

**Rubi [A]** time = 0.0699013, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {4643, 4641}

$$\frac{2\sqrt{1-a^2x^2}\sqrt{\sin^{-1}(ax)}}{a\sqrt{c-a^2cx^2}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]]),x]

[Out] (2\*Sqrt[1 - a^2\*x^2]\*Sqrt[ArcSin[a\*x]])/(a\*Sqrt[c - a^2\*c\*x^2])

#### Rule 4643

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Dist[Sqrt[1 - c^2\*x^2]/Sqrt[d + e\*x^2], Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{1}{\sqrt{c - a^2cx^2}\sqrt{\sin^{-1}(ax)}} dx = \frac{\sqrt{1 - a^2x^2} \int \frac{1}{\sqrt{1 - a^2x^2}\sqrt{\sin^{-1}(ax)}} dx}{\sqrt{c - a^2cx^2}}$$

$$= \frac{2\sqrt{1 - a^2x^2}\sqrt{\sin^{-1}(ax)}}{a\sqrt{c - a^2cx^2}}$$

**Mathematica [A]** time = 0.0465423, size = 42, normalized size = 1.

$$\frac{2\sqrt{1 - a^2x^2}\sqrt{\sin^{-1}(ax)}}{a\sqrt{c - a^2cx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]]), x]

[Out] (2\*Sqrt[1 - a^2\*x^2]\*Sqrt[ArcSin[a\*x]])/(a\*Sqrt[c - a^2\*c\*x^2])

**Maple [A]** time = 0.034, size = 38, normalized size = 0.9

$$2 \frac{\sqrt{\arcsin(ax)}\sqrt{-a^2x^2 + 1}}{a\sqrt{-c(a^2x^2 - 1)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(1/2), x)

[Out] 2\*arcsin(a\*x)^(1/2)/a/(-c\*(a^2\*x^2-1))^(1/2)\*(-a^2\*x^2+1)^(1/2)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a^2*c*x^2+c)^(1/2)/arcsin(a*x)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a^2*c*x^2+c)^(1/2)/arcsin(a*x)^(1/2),x, algorithm="fricas")`

[Out] Exception raised: UnboundLocalError

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-c(ax-1)(ax+1)}\sqrt{\sin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a**2*c*x**2+c)**(1/2)/asin(a*x)**(1/2),x)`

[Out] `Integral(1/(sqrt(-c*(a*x - 1)*(a*x + 1))*sqrt(asin(a*x))), x)`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-a^2cx^2 + c}\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-a^2*c*x^2+c)^(1/2)/arcsin(a*x)^(1/2),x, algorithm="giac")`

[Out] `integrate(1/(sqrt(-a^2*c*x^2 + c)*sqrt(arcsin(a*x))), x)`

$$3.469 \quad \int \frac{1}{(c-a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)}} dx$$

**Optimal.** Leaf size=26

$$\text{Unintegrable} \left( \frac{1}{(c-a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)}}, x \right)$$

[Out] Unintegrable[1/((c - a^2\*c\*x^2)^(3/2)\*Sqrt[ArcSin[a\*x]]), x]

**Rubi [A]** time = 0.0405698, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(c-a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c - a^2\*c\*x^2)^(3/2)\*Sqrt[ArcSin[a\*x]]), x]

[Out] Defer[Int][1/((c - a^2\*c\*x^2)^(3/2)\*Sqrt[ArcSin[a\*x]]), x]

Rubi steps

$$\int \frac{1}{(c-a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)}} dx = \int \frac{1}{(c-a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)}} dx$$

**Mathematica [A]** time = 0.851941, size = 0, normalized size = 0.

$$\int \frac{1}{(c-a^2cx^2)^{3/2} \sqrt{\sin^{-1}(ax)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c - a^2\*c\*x^2)^(3/2)\*Sqrt[ArcSin[a\*x]]), x]

[Out] Integrate[1/((c - a^2\*c\*x^2)^(3/2)\*Sqrt[ArcSin[a\*x]]), x]

---

**Maple [A]** time = 0.207, size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{-\frac{3}{2}} \frac{1}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(1/2), x)

[Out] int(1/(-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(1/2), x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(1/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(1/2), x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-c(ax-1)(ax+1))^{\frac{3}{2}} \sqrt{\operatorname{asin}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a\*\*2\*c\*x\*\*2+c)\*\*(3/2)/asin(a\*x)\*\*(1/2),x)

[Out] Integral(1/((-c\*(a\*x - 1)\*(a\*x + 1))\*\*(3/2)\*sqrt(asin(a\*x))), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-a^2cx^2 + c)^{\frac{3}{2}} \sqrt{\operatorname{arcsin}(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(1/2),x, algorithm="giac")

[Out] integrate(1/((-a^2\*c\*x^2 + c)^(3/2)\*sqrt(arcsin(a\*x))), x)

$$3.470 \quad \int \frac{1}{(c - a^2 cx^2)^{5/2} \sqrt{\sin^{-1}(ax)}} dx$$

**Optimal.** Leaf size=26

$$\text{Unintegrable} \left( \frac{1}{(c - a^2 cx^2)^{5/2} \sqrt{\sin^{-1}(ax)}}, x \right)$$

[Out] Unintegrable[1/((c - a^2\*c\*x^2)^(5/2)\*Sqrt[ArcSin[a\*x]]), x]

**Rubi [A]** time = 0.0403315, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(c - a^2 cx^2)^{5/2} \sqrt{\sin^{-1}(ax)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c - a^2\*c\*x^2)^(5/2)\*Sqrt[ArcSin[a\*x]]), x]

[Out] Defer[Int][1/((c - a^2\*c\*x^2)^(5/2)\*Sqrt[ArcSin[a\*x]]), x]

Rubi steps

$$\int \frac{1}{(c - a^2 cx^2)^{5/2} \sqrt{\sin^{-1}(ax)}} dx = \int \frac{1}{(c - a^2 cx^2)^{5/2} \sqrt{\sin^{-1}(ax)}} dx$$

**Mathematica [A]** time = 2.03573, size = 0, normalized size = 0.

$$\int \frac{1}{(c - a^2 cx^2)^{5/2} \sqrt{\sin^{-1}(ax)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c - a^2\*c\*x^2)^(5/2)\*Sqrt[ArcSin[a\*x]]), x]

[Out] Integrate[1/((c - a^2\*c\*x^2)^(5/2)\*Sqrt[ArcSin[a\*x]]), x]

---

**Maple [A]** time = 0.284, size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{-\frac{5}{2}} \frac{1}{\sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(1/2),x)

[Out] int(1/(-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(1/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a\*\*2\*c\*x\*\*2+c)\*\*(5/2)/asin(a\*x)\*\*(1/2),x)

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-a^2cx^2 + c)^{\frac{5}{2}} \sqrt{\arcsin(ax)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(1/2),x, algorithm="giac")

[Out] integrate(1/((-a^2\*c\*x^2 + c)^(5/2)\*sqrt(arcsin(a\*x))), x)

$$3.471 \quad \int \frac{(c - a^2 cx^2)^{5/2}}{\sin^{-1}(ax)^{3/2}} dx$$

**Optimal.** Leaf size=237

$$\frac{3\sqrt{\frac{\pi}{2}}c^2\sqrt{c - a^2cx^2}S\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{2a\sqrt{1 - a^2x^2}} - \frac{\sqrt{3\pi}c^2\sqrt{c - a^2cx^2}S\left(2\sqrt{\frac{3}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{8a\sqrt{1 - a^2x^2}} - \frac{15\sqrt{\pi}c^2\sqrt{c - a^2cx^2}S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{8a\sqrt{1 - a^2x^2}}$$

[Out] (-2\*Sqrt[1 - a^2\*x^2]\*(c - a^2\*c\*x^2)^(5/2))/(a\*Sqrt[ArcSin[a\*x]]) - (3\*c^2\*Sqrt[Pi/2]\*Sqrt[c - a^2\*c\*x^2]\*FresnelS[2\*Sqrt[2/Pi]\*Sqrt[ArcSin[a\*x]]])/(2\*a\*Sqrt[1 - a^2\*x^2]) - (c^2\*Sqrt[3\*Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelS[2\*Sqrt[3/Pi]\*Sqrt[ArcSin[a\*x]]])/(8\*a\*Sqrt[1 - a^2\*x^2]) - (15\*c^2\*Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelS[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(8\*a\*Sqrt[1 - a^2\*x^2])

**Rubi [A]** time = 0.186019, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {4659, 4723, 4406, 3305, 3351}

$$\frac{3\sqrt{\frac{\pi}{2}}c^2\sqrt{c - a^2cx^2}S\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{2a\sqrt{1 - a^2x^2}} - \frac{\sqrt{3\pi}c^2\sqrt{c - a^2cx^2}S\left(2\sqrt{\frac{3}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{8a\sqrt{1 - a^2x^2}} - \frac{15\sqrt{\pi}c^2\sqrt{c - a^2cx^2}S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{8a\sqrt{1 - a^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(c - a^2\*c\*x^2)^(5/2)/ArcSin[a\*x]^(3/2), x]

[Out] (-2\*Sqrt[1 - a^2\*x^2]\*(c - a^2\*c\*x^2)^(5/2))/(a\*Sqrt[ArcSin[a\*x]]) - (3\*c^2\*Sqrt[Pi/2]\*Sqrt[c - a^2\*c\*x^2]\*FresnelS[2\*Sqrt[2/Pi]\*Sqrt[ArcSin[a\*x]]])/(2\*a\*Sqrt[1 - a^2\*x^2]) - (c^2\*Sqrt[3\*Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelS[2\*Sqrt[3/Pi]\*Sqrt[ArcSin[a\*x]]])/(8\*a\*Sqrt[1 - a^2\*x^2]) - (15\*c^2\*Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelS[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(8\*a\*Sqrt[1 - a^2\*x^2])

**Rule 4659**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(Sqrt[1 - c^2\*x^2]\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^(n + 1

$$\frac{1}{(b*c*(n + 1))} \int \frac{d^{IntPart[p]} (d + e*x^2)^{FracPart[p]}}{(b*(n + 1)*(1 - c^2*x^2)^{FracPart[p]})} \int [x*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*ArcSin[c*x])^{(n + 1)}] dx, x] /;$$
 FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

### Rule 4723

$$\int ((a_{.}) + ArcSin[(c_{.})*(x_{.})]*(b_{.}))^{(n_{.})}*(x_{.})^{(m_{.})}*((d_{.}) + (e_{.})*(x_{.})^2)^{(p_{.})}, x\_Symbol] \rightarrow \text{Dist}[d^p/c^{(m + 1)}, \text{Subst}[\int [(a + b*x)^n*\text{Sin}[x]^m*\text{Cos}[x]^{(2*p + 1)}] dx, x, \text{ArcSin}[c*x]], x] /;$$
 FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rule 4406

$$\int [\text{Cos}[(a_{.}) + (b_{.})*(x_{.})]^{(p_{.})}*((c_{.}) + (d_{.})*(x_{.}))^{(m_{.})}*\text{Sin}[(a_{.}) + (b_{.})*(x_{.})]^{(n_{.})}], x\_Symbol] \rightarrow \int [\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[a + b*x]^n*\text{Cos}[a + b*x]^p], x] /;$$
 FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rule 3305

$$\int [\text{sin}[(e_{.}) + (f_{.})*(x_{.})]/\text{Sqrt}[(c_{.}) + (d_{.})*(x_{.})], x\_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\int [\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /;$$
 FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

### Rule 3351

$$\int [\text{Sin}[(d_{.})*((e_{.}) + (f_{.})*(x_{.}))^2], x\_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /;$$
 FreeQ[{d, e, f}, x]

### Rubi steps

$$\begin{aligned}
\int \frac{(c - a^2 cx^2)^{5/2}}{\sin^{-1}(ax)^{3/2}} dx &= -\frac{2\sqrt{1 - a^2 x^2} (c - a^2 cx^2)^{5/2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{(12ac^2\sqrt{c - a^2 cx^2}) \int \frac{x(1 - a^2 x^2)^2}{\sqrt{\sin^{-1}(ax)}} dx}{\sqrt{1 - a^2 x^2}} \\
&= -\frac{2\sqrt{1 - a^2 x^2} (c - a^2 cx^2)^{5/2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{(12c^2\sqrt{c - a^2 cx^2}) \text{Subst}\left(\int \frac{\cos^5(x)\sin(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a\sqrt{1 - a^2 x^2}} \\
&= -\frac{2\sqrt{1 - a^2 x^2} (c - a^2 cx^2)^{5/2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{(12c^2\sqrt{c - a^2 cx^2}) \text{Subst}\left(\int \left(\frac{5\sin(2x)}{32\sqrt{x}} + \frac{\sin(4x)}{8\sqrt{x}} + \frac{\sin(6x)}{32\sqrt{x}}\right) dx, x, \sin^{-1}(ax)\right)}{a\sqrt{1 - a^2 x^2}} \\
&= -\frac{2\sqrt{1 - a^2 x^2} (c - a^2 cx^2)^{5/2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{(3c^2\sqrt{c - a^2 cx^2}) \text{Subst}\left(\int \frac{\sin(6x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{8a\sqrt{1 - a^2 x^2}} - \frac{(3c^2\sqrt{c - a^2 cx^2})}{8a\sqrt{1 - a^2 x^2}} \\
&= -\frac{2\sqrt{1 - a^2 x^2} (c - a^2 cx^2)^{5/2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{(3c^2\sqrt{c - a^2 cx^2}) \text{Subst}\left(\int \sin(6x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{4a\sqrt{1 - a^2 x^2}} - \frac{(3c^2\sqrt{c - a^2 cx^2})}{4a\sqrt{1 - a^2 x^2}} \\
&= -\frac{2\sqrt{1 - a^2 x^2} (c - a^2 cx^2)^{5/2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{3c^2\sqrt{\frac{\pi}{2}}\sqrt{c - a^2 cx^2} S\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{2a\sqrt{1 - a^2 x^2}} - \frac{c^2\sqrt{3\pi}\sqrt{c - a^2 cx^2} S\left(2\sqrt{\frac{3}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{8a\sqrt{1 - a^2 x^2}}
\end{aligned}$$

**Mathematica [C]** time = 1.05562, size = 404, normalized size = 1.7

$$c^2\sqrt{c - a^2 cx^2}e^{-6i\sin^{-1}(ax)}\left(\sqrt{2}e^{6i\sin^{-1}(ax)}\sqrt{-i\sin^{-1}(ax)}\Gamma\left(\frac{1}{2}, -2i\sin^{-1}(ax)\right) + \sqrt{2}e^{6i\sin^{-1}(ax)}\sqrt{i\sin^{-1}(ax)}\Gamma\left(\frac{1}{2}, 2i\sin^{-1}(ax)\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(c - a^2\*c\*x^2)^(5/2)/ArcSin[a\*x]^(3/2), x]

[Out]  $-(c^2\sqrt{c - a^2 cx^2}) * (1 + 6E^{((2I)*ArcSin[a*x])} + 15E^{((4I)*ArcSin[a*x])} + 20E^{((6I)*ArcSin[a*x])} + 15E^{((8I)*ArcSin[a*x])} + 6E^{((10I)*ArcSin[a*x])} + E^{((12I)*ArcSin[a*x])} + 64E^{((6I)*ArcSin[a*x])} * \sqrt{\pi} * \text{Sqrt}[\text{ArcSin}[a*x]] * \text{FresnelS}[(2\sqrt{\text{ArcSin}[a*x]})/\sqrt{\pi}] + \sqrt{2} * E^{((6I)*ArcSin[a*x])} * \sqrt{(-I)*ArcSin[a*x]} * \Gamma[1/2, (-2I)*ArcSin[a*x]] + \sqrt{2} * E^{((6I)*ArcSin[a*x])} * \sqrt{I*ArcSin[a*x]} * \Gamma[1/2, (2I)*ArcSin[a*x]]$

- 12\*E^((6\*I)\*ArcSin[a\*x])\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-4\*I)\*ArcSin[a\*x]] - 12\*E^((6\*I)\*ArcSin[a\*x])\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (4\*I)\*ArcSin[a\*x]] - Sqrt[6]\*E^((6\*I)\*ArcSin[a\*x])\*Sqrt[(-I)\*ArcSin[a\*x]]\*Gamma[1/2, (-6\*I)\*ArcSin[a\*x]] - Sqrt[6]\*E^((6\*I)\*ArcSin[a\*x])\*Sqrt[I\*ArcSin[a\*x]]\*Gamma[1/2, (6\*I)\*ArcSin[a\*x]])/(32\*a\*E^((6\*I)\*ArcSin[a\*x])\*Sqrt[1 - a^2\*x^2]\*Sqrt[ArcSin[a\*x]])

**Maple [F]** time = 0.178, size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{\frac{5}{2}} (\arcsin(ax))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(3/2),x)

[Out] int((-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(3/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*(5/2)/asin(a\*x)\*\*(3/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-a^2cx^2 + c)^{\frac{5}{2}}}{\arcsin(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(3/2),x, algorithm="giac")

[Out] integrate((-a^2\*c\*x^2 + c)^(5/2)/arcsin(a\*x)^(3/2), x)

$$3.472 \quad \int \frac{(c - a^2 cx^2)^{3/2}}{\sin^{-1}(ax)^{3/2}} dx$$

**Optimal.** Leaf size=163

$$\frac{\sqrt{\frac{\pi}{2}} c \sqrt{c - a^2 cx^2} S\left(2\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{a\sqrt{1 - a^2 x^2}} - \frac{2\sqrt{\pi} c \sqrt{c - a^2 cx^2} S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{a\sqrt{1 - a^2 x^2}} - \frac{2\sqrt{1 - a^2 x^2} (c - a^2 cx^2)^{3/2}}{a\sqrt{\sin^{-1}(ax)}}$$

[Out]  $(-2*\text{Sqrt}[1 - a^2*x^2]*(c - a^2*c*x^2)^{(3/2)})/(a*\text{Sqrt}[\text{ArcSin}[a*x]]) - (c*\text{Sqrt}[\text{Pi}/2]*\text{Sqrt}[c - a^2*c*x^2]*\text{FresnelS}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(a*\text{Sqrt}[1 - a^2*x^2]) - (2*c*\text{Sqrt}[\text{Pi}]*\text{Sqrt}[c - a^2*c*x^2]*\text{FresnelS}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(a*\text{Sqrt}[1 - a^2*x^2])$

**Rubi [A]** time = 0.133859, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {4659, 4723, 4406, 3305, 3351}

$$\frac{\sqrt{\frac{\pi}{2}} c \sqrt{c - a^2 cx^2} S\left(2\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)}\right)}{a\sqrt{1 - a^2 x^2}} - \frac{2\sqrt{\pi} c \sqrt{c - a^2 cx^2} S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{a\sqrt{1 - a^2 x^2}} - \frac{2\sqrt{1 - a^2 x^2} (c - a^2 cx^2)^{3/2}}{a\sqrt{\sin^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(c - a^2*c*x^2)^{(3/2)}/\text{ArcSin}[a*x]^{(3/2)}, x]$

[Out]  $(-2*\text{Sqrt}[1 - a^2*x^2]*(c - a^2*c*x^2)^{(3/2)})/(a*\text{Sqrt}[\text{ArcSin}[a*x]]) - (c*\text{Sqrt}[\text{Pi}/2]*\text{Sqrt}[c - a^2*c*x^2]*\text{FresnelS}[2*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(a*\text{Sqrt}[1 - a^2*x^2]) - (2*c*\text{Sqrt}[\text{Pi}]*\text{Sqrt}[c - a^2*c*x^2]*\text{FresnelS}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(a*\text{Sqrt}[1 - a^2*x^2])$

### Rule 4659

$\text{Int}[(a_. + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_ \text{Symbol}] :> \text{Simp}[(\text{Sqrt}[1 - c^2*x^2]*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^{(n + 1)})/(b*c*(n + 1)), x] + \text{Dist}[(c*(2*p + 1)*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]})/(b*(n + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[x*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n + 1)}, x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, p\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{LtQ}[n, -1]$

Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*C
os[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])
```

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps



$$\begin{aligned}
\int \frac{(c - a^2cx^2)^{3/2}}{\sin^{-1}(ax)^{3/2}} dx &= -\frac{2\sqrt{1 - a^2x^2} (c - a^2cx^2)^{3/2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{(8ac\sqrt{c - a^2cx^2}) \int \frac{x(1 - a^2x^2)}{\sqrt{\sin^{-1}(ax)}} dx}{\sqrt{1 - a^2x^2}} \\
&= -\frac{2\sqrt{1 - a^2x^2} (c - a^2cx^2)^{3/2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{(8c\sqrt{c - a^2cx^2}) \text{Subst} \left( \int \frac{\cos^3(x) \sin(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax) \right)}{a\sqrt{1 - a^2x^2}} \\
&= -\frac{2\sqrt{1 - a^2x^2} (c - a^2cx^2)^{3/2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{(8c\sqrt{c - a^2cx^2}) \text{Subst} \left( \int \left( \frac{\sin(2x)}{4\sqrt{x}} + \frac{\sin(4x)}{8\sqrt{x}} \right) dx, x, \sin^{-1}(ax) \right)}{a\sqrt{1 - a^2x^2}} \\
&= -\frac{2\sqrt{1 - a^2x^2} (c - a^2cx^2)^{3/2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{(c\sqrt{c - a^2cx^2}) \text{Subst} \left( \int \frac{\sin(4x)}{\sqrt{x}} dx, x, \sin^{-1}(ax) \right)}{a\sqrt{1 - a^2x^2}} - \frac{(2c\sqrt{c - a^2cx^2})}{a\sqrt{1 - a^2x^2}} \\
&= -\frac{2\sqrt{1 - a^2x^2} (c - a^2cx^2)^{3/2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{(2c\sqrt{c - a^2cx^2}) \text{Subst} \left( \int \sin(4x^2) dx, x, \sqrt{\sin^{-1}(ax)} \right)}{a\sqrt{1 - a^2x^2}} - \frac{(4c\sqrt{c - a^2cx^2})}{a\sqrt{1 - a^2x^2}} \\
&= -\frac{2\sqrt{1 - a^2x^2} (c - a^2cx^2)^{3/2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{c\sqrt{\frac{\pi}{2}} \sqrt{c - a^2cx^2} S \left( 2\sqrt{\frac{2}{\pi}} \sqrt{\sin^{-1}(ax)} \right)}{a\sqrt{1 - a^2x^2}} - \frac{2c\sqrt{\pi} \sqrt{c - a^2cx^2} S \left( \frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}} \right)}{a\sqrt{1 - a^2x^2}}
\end{aligned}$$

**Mathematica [C]** time = 0.376242, size = 211, normalized size = 1.29

$$c\sqrt{c - a^2cx^2} e^{-4i \sin^{-1}(ax)} \left( -2e^{4i \sin^{-1}(ax)} \sqrt{-i \sin^{-1}(ax)} \text{Gamma} \left( \frac{1}{2}, -4i \sin^{-1}(ax) \right) - 2e^{4i \sin^{-1}(ax)} \sqrt{i \sin^{-1}(ax)} \text{Gamma} \left( \frac{1}{2}, 4i \sin^{-1}(ax) \right) \right)$$

$8a\sqrt{1 - a^2}$

Warning: Unable to verify antiderivative.

[In] Integrate[(c - a^2\*c\*x^2)^(3/2)/ArcSin[a\*x]^(3/2), x]

[Out]  $-(c\sqrt{c - a^2cx^2})(1 + 6E^{((4I)\text{ArcSin}[a*x])} + E^{((8I)\text{ArcSin}[a*x])} + 8E^{((4I)\text{ArcSin}[a*x])}\text{Cos}[2\text{ArcSin}[a*x]] + 16E^{((4I)\text{ArcSin}[a*x])}\text{Sqrt}[\text{Pi}]\text{Sqrt}[\text{ArcSin}[a*x]]\text{FresnelS}[(2\sqrt{\text{ArcSin}[a*x]})/\text{Sqrt}[\text{Pi}]] - 2E^{((4I)\text{ArcSin}[a*x])}\text{Sqrt}[(I)\text{ArcSin}[a*x]]\text{Gamma}[1/2, (-4I)\text{ArcSin}[a*x]] - 2E^{((4I)\text{ArcSin}[a*x])}\text{Sqrt}[(I)\text{ArcSin}[a*x]]\text{Gamma}[1/2, (4I)\text{ArcSin}[a*x]]))/((8aE^{((4I)\text{ArcSin}[a*x])}\text{Sqrt}[1 - a^2x^2]\text{Sqrt}[\text{ArcSin}[a*x]])$

---

**Maple [F]** time = 0.177, size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{\frac{3}{2}} (\arcsin(ax))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(3/2),x)

[Out] int((-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(3/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c(ax-1)(ax+1))^{\frac{3}{2}}}{\operatorname{asin}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*(3/2)/asin(a\*x)\*\*(3/2),x)

[Out] Integral((-c\*(a\*x - 1)\*(a\*x + 1))\*\*(3/2)/asin(a\*x)\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-a^2cx^2 + c)^{\frac{3}{2}}}{\arcsin(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(3/2),x, algorithm="giac")

[Out] integrate((-a^2\*c\*x^2 + c)^(3/2)/arcsin(a\*x)^(3/2), x)

$$3.473 \quad \int \frac{\sqrt{c-a^2cx^2}}{\sin^{-1}(ax)^{3/2}} dx$$

**Optimal.** Leaf size=98

$$\frac{2\sqrt{\pi}\sqrt{c-a^2cx^2}S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{a\sqrt{1-a^2x^2}} - \frac{2\sqrt{1-a^2x^2}\sqrt{c-a^2cx^2}}{a\sqrt{\sin^{-1}(ax)}}$$

[Out] (-2\*Sqrt[1 - a^2\*x^2]\*Sqrt[c - a^2\*c\*x^2])/(a\*Sqrt[ArcSin[a\*x]]) - (2\*Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelS[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(a\*Sqrt[1 - a^2\*x^2])

**Rubi [A]** time = 0.0799091, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {4659, 4635, 4406, 12, 3305, 3351}

$$\frac{2\sqrt{\pi}\sqrt{c-a^2cx^2}S\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{a\sqrt{1-a^2x^2}} - \frac{2\sqrt{1-a^2x^2}\sqrt{c-a^2cx^2}}{a\sqrt{\sin^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[c - a^2\*c\*x^2]/ArcSin[a\*x]^(3/2), x]

[Out] (-2\*Sqrt[1 - a^2\*x^2]\*Sqrt[c - a^2\*c\*x^2])/(a\*Sqrt[ArcSin[a\*x]]) - (2\*Sqrt[Pi]\*Sqrt[c - a^2\*c\*x^2]\*FresnelS[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]])/(a\*Sqrt[1 - a^2\*x^2])

#### Rule 4659

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_ Symbol] := Simp[(Sqrt[1 - c^2\*x^2]\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[(c\*(2\*p + 1)\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(b\*(n + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

#### Rule 4635

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Dist[1
/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x], x], x, ArcSin[c*x]], x]
/; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

#### Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

#### Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

#### Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c - a^2cx^2}}{\sin^{-1}(ax)^{3/2}} dx &= -\frac{2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{(4a\sqrt{c - a^2cx^2}) \int \frac{x}{\sqrt{\sin^{-1}(ax)}} dx}{\sqrt{1 - a^2x^2}} \\
&= -\frac{2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{(4\sqrt{c - a^2cx^2}) \text{Subst}\left(\int \frac{\cos(x)\sin(x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a\sqrt{1 - a^2x^2}} \\
&= -\frac{2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{(4\sqrt{c - a^2cx^2}) \text{Subst}\left(\int \frac{\sin(2x)}{2\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a\sqrt{1 - a^2x^2}} \\
&= -\frac{2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{(2\sqrt{c - a^2cx^2}) \text{Subst}\left(\int \frac{\sin(2x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{a\sqrt{1 - a^2x^2}} \\
&= -\frac{2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{(4\sqrt{c - a^2cx^2}) \text{Subst}\left(\int \sin(2x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{a\sqrt{1 - a^2x^2}} \\
&= -\frac{2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}}{a\sqrt{\sin^{-1}(ax)}} - \frac{2\sqrt{\pi}\sqrt{c - a^2cx^2} \text{S}\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{a\sqrt{1 - a^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.170107, size = 83, normalized size = 0.85

$$-\frac{\sqrt{c(1 - a^2x^2)} \left( 2\sqrt{\pi}\sqrt{\sin^{-1}(ax)} \text{S}\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right) + \cos(2\sin^{-1}(ax)) + 1 \right)}{a\sqrt{1 - a^2x^2}\sqrt{\sin^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[c - a^2\*c\*x^2]/ArcSin[a\*x]^(3/2), x]

[Out] -((Sqrt[c\*(1 - a^2\*x^2)]\*(1 + Cos[2\*ArcSin[a\*x]] + 2\*Sqrt[Pi]\*Sqrt[ArcSin[a\*x]]\*FresnelS[(2\*Sqrt[ArcSin[a\*x]])/Sqrt[Pi]]))/(a\*Sqrt[1 - a^2\*x^2]\*Sqrt[ArcSin[a\*x]]))

**Maple [F]** time = 0.234, size = 0, normalized size = 0.

$$\int \sqrt{-a^2cx^2 + c} (\arcsin(ax))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(3/2),x)

[Out] int((-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(3/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c(ax-1)(ax+1)}}{\operatorname{asin}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*(1/2)/asin(a\*x)\*\*(3/2),x)

[Out] Integral(sqrt(-c\*(a\*x - 1)\*(a\*x + 1))/asin(a\*x)\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a^2cx^2 + c}}{\arcsin(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(3/2),x, algorithm="giac")

[Out] integrate(sqrt(-a^2\*c\*x^2 + c)/arcsin(a\*x)^(3/2), x)



$$3.474 \quad \int \frac{1}{\sqrt{c-a^2cx^2} \sin^{-1}(ax)^{3/2}} dx$$

Optimal. Leaf size=42

$$-\frac{2\sqrt{1-a^2x^2}}{a\sqrt{c-a^2cx^2}\sqrt{\sin^{-1}(ax)}}$$

[Out]  $(-2*\text{Sqrt}[1 - a^2*x^2])/(a*\text{Sqrt}[c - a^2*c*x^2]*\text{Sqrt}[\text{ArcSin}[a*x]])$

**Rubi [A]** time = 0.0695152, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {4643, 4641}

$$-\frac{2\sqrt{1-a^2x^2}}{a\sqrt{c-a^2cx^2}\sqrt{\sin^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[1/(\text{Sqrt}[c - a^2*c*x^2]*\text{ArcSin}[a*x]^{(3/2)}), x]$

[Out]  $(-2*\text{Sqrt}[1 - a^2*x^2])/(a*\text{Sqrt}[c - a^2*c*x^2]*\text{Sqrt}[\text{ArcSin}[a*x]])$

#### Rule 4643

$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[1 - c^2*x^2]/\text{Sqrt}[d + e*x^2], \text{Int}[(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[1 - c^2*x^2], x], x] /;$  FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

#### Rule 4641

$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcSin}[c*x])^{(n+1)}/(b*c*\text{Sqrt}[d]*(n+1)), x] /;$  FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{1}{\sqrt{c - a^2cx^2} \sin^{-1}(ax)^{3/2}} dx = \frac{\sqrt{1 - a^2x^2} \int \frac{1}{\sqrt{1 - a^2x^2} \sin^{-1}(ax)^{3/2}} dx}{\sqrt{c - a^2cx^2}}$$

$$= -\frac{2\sqrt{1 - a^2x^2}}{a\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)}}$$

**Mathematica [A]** time = 0.0440858, size = 42, normalized size = 1.

$$-\frac{2\sqrt{1 - a^2x^2}}{a\sqrt{c - a^2cx^2} \sqrt{\sin^{-1}(ax)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(3/2)), x]

[Out] (-2\*Sqrt[1 - a^2\*x^2])/(a\*Sqrt[c - a^2\*c\*x^2]\*Sqrt[ArcSin[a\*x]])

**Maple [A]** time = 0.036, size = 38, normalized size = 0.9

$$-2 \frac{\sqrt{-a^2x^2 + 1}}{\sqrt{\arcsin(ax)} a \sqrt{-c(a^2x^2 - 1)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(3/2), x)

[Out] -2/arcsin(a\*x)^(1/2)/a/(-c\*(a^2\*x^2-1))^(1/2)\*(-a^2\*x^2+1)^(1/2)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 2.15171, size = 109, normalized size = 2.6

$$\frac{2\sqrt{-a^2cx^2+c}\sqrt{-a^2x^2+1}}{(a^3cx^2-ac)\sqrt{\arcsin(ax)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(3/2),x, algorithm="fricas")

[Out] 2\*sqrt(-a^2\*c\*x^2 + c)\*sqrt(-a^2\*x^2 + 1)/((a^3\*c\*x^2 - a\*c)\*sqrt(arcsin(a\*x)))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-c(ax-1)(ax+1)} \operatorname{asin}^{\frac{3}{2}}(ax)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a\*\*2\*c\*x\*\*2+c)\*\*(1/2)/asin(a\*x)\*\*(3/2),x)

[Out] Integral(1/(sqrt(-c\*(a\*x - 1)\*(a\*x + 1))\*asin(a\*x)\*\*(3/2)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-a^2cx^2+c} \arcsin(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(3/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-a^2\*c\*x^2 + c)\*arcsin(a\*x)^(3/2)), x)

$$3.475 \quad \int \frac{1}{(c - a^2 cx^2)^{3/2} \sin^{-1}(ax)^{3/2}} dx$$

**Optimal.** Leaf size=102

$$\frac{4a\sqrt{1-a^2x^2}\text{Unintegrable}\left(\frac{x}{(1-a^2x^2)^2\sqrt{\sin^{-1}(ax)}}, x\right)}{c\sqrt{c-a^2cx^2}} - \frac{2\sqrt{1-a^2x^2}}{a(c-a^2cx^2)^{3/2}\sqrt{\sin^{-1}(ax)}}$$

[Out]  $(-2*\text{Sqrt}[1 - a^2*x^2])/(a*(c - a^2*c*x^2)^(3/2)*\text{Sqrt}[\text{ArcSin}[a*x]]) + (4*a*\text{Sqrt}[1 - a^2*x^2]*\text{Unintegrable}[x/((1 - a^2*x^2)^2*\text{Sqrt}[\text{ArcSin}[a*x]]), x])/(c*\text{Sqrt}[c - a^2*c*x^2])$

**Rubi [A]** time = 0.0917123, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(c - a^2 cx^2)^{3/2} \sin^{-1}(ax)^{3/2}} dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}[1/((c - a^2*c*x^2)^(3/2)*\text{ArcSin}[a*x]^(3/2)), x]$

[Out]  $(-2*\text{Sqrt}[1 - a^2*x^2])/(a*(c - a^2*c*x^2)^(3/2)*\text{Sqrt}[\text{ArcSin}[a*x]]) + (4*a*\text{Sqrt}[1 - a^2*x^2]*\text{Defer}[\text{Int}[x/((1 - a^2*x^2)^2*\text{Sqrt}[\text{ArcSin}[a*x]]), x])/(c*\text{Sqrt}[c - a^2*c*x^2])$

Rubi steps

$$\int \frac{1}{(c - a^2 cx^2)^{3/2} \sin^{-1}(ax)^{3/2}} dx = -\frac{2\sqrt{1-a^2x^2}}{a(c-a^2cx^2)^{3/2}\sqrt{\sin^{-1}(ax)}} + \frac{(4a\sqrt{1-a^2x^2}) \int \frac{x}{(1-a^2x^2)^2\sqrt{\sin^{-1}(ax)}} dx}{c\sqrt{c-a^2cx^2}}$$

**Mathematica [A]** time = 0.840648, size = 0, normalized size = 0.

$$\int \frac{1}{(c - a^2 cx^2)^{3/2} \sin^{-1}(ax)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c - a^2\*c\*x^2)^(3/2)\*ArcSin[a\*x]^(3/2)),x]

[Out] Integrate[1/((c - a^2\*c\*x^2)^(3/2)\*ArcSin[a\*x]^(3/2)), x]

**Maple [A]** time = 0.211, size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{-\frac{3}{2}} (\arcsin(ax))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(3/2),x)

[Out] int(1/(-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(3/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a\*\*2\*c\*x\*\*2+c)\*\*(3/2)/asin(a\*x)\*\*(3/2),x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-a^2cx^2 + c)^{\frac{3}{2}} \arcsin(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(3/2),x, algorithm="giac")

[Out] integrate(1/((-a^2\*c\*x^2 + c)^(3/2)\*arcsin(a\*x)^(3/2)), x)

$$3.476 \quad \int \frac{1}{(c - a^2 cx^2)^{5/2} \sin^{-1}(ax)^{3/2}} dx$$

**Optimal.** Leaf size=102

$$\frac{8a\sqrt{1-a^2x^2} \operatorname{Unintegrable}\left(\frac{x}{(1-a^2x^2)^3 \sqrt{\sin^{-1}(ax)}}, x\right)}{c^2 \sqrt{c-a^2cx^2}} - \frac{2\sqrt{1-a^2x^2}}{a(c-a^2cx^2)^{5/2} \sqrt{\sin^{-1}(ax)}}$$

[Out]  $(-2*\operatorname{Sqrt}[1 - a^2*x^2])/(a*(c - a^2*c*x^2)^{(5/2)}*\operatorname{Sqrt}[\operatorname{ArcSin}[a*x]]) + (8*a*\operatorname{Sqrt}[1 - a^2*x^2]*\operatorname{Unintegrable}[x/((1 - a^2*x^2)^3*\operatorname{Sqrt}[\operatorname{ArcSin}[a*x]]), x])/(c^2*\operatorname{Sqrt}[c - a^2*c*x^2])$

**Rubi [A]** time = 0.0938901, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(c - a^2 cx^2)^{5/2} \sin^{-1}(ax)^{3/2}} dx$$

Verification is Not applicable to the result.

[In]  $\operatorname{Int}[1/((c - a^2*c*x^2)^{(5/2)}*\operatorname{ArcSin}[a*x]^{(3/2)}), x]$

[Out]  $(-2*\operatorname{Sqrt}[1 - a^2*x^2])/(a*(c - a^2*c*x^2)^{(5/2)}*\operatorname{Sqrt}[\operatorname{ArcSin}[a*x]]) + (8*a*\operatorname{Sqrt}[1 - a^2*x^2]*\operatorname{Defer}[\operatorname{Int}[x/((1 - a^2*x^2)^3*\operatorname{Sqrt}[\operatorname{ArcSin}[a*x]]), x])/(c^2*\operatorname{Sqrt}[c - a^2*c*x^2])$

Rubi steps

$$\int \frac{1}{(c - a^2 cx^2)^{5/2} \sin^{-1}(ax)^{3/2}} dx = -\frac{2\sqrt{1-a^2x^2}}{a(c-a^2cx^2)^{5/2} \sqrt{\sin^{-1}(ax)}} + \frac{(8a\sqrt{1-a^2x^2}) \int \frac{x}{(1-a^2x^2)^3 \sqrt{\sin^{-1}(ax)}} dx}{c^2 \sqrt{c-a^2cx^2}}$$

**Mathematica [A]** time = 1.87848, size = 0, normalized size = 0.

$$\int \frac{1}{(c - a^2 cx^2)^{5/2} \sin^{-1}(ax)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c - a^2\*c\*x^2)^(5/2)\*ArcSin[a\*x]^(3/2)),x]

[Out] Integrate[1/((c - a^2\*c\*x^2)^(5/2)\*ArcSin[a\*x]^(3/2)), x]

**Maple [A]** time = 0.291, size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{-\frac{5}{2}} (\arcsin(ax))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(3/2),x)

[Out] int(1/(-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(3/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(3/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError



---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a\*\*2\*c\*x\*\*2+c)\*\*(5/2)/asin(a\*x)\*\*(3/2),x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-a^2cx^2 + c)^{\frac{5}{2}} \arcsin(ax)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(3/2),x, algorithm="giac")

[Out] integrate(1/((-a^2\*c\*x^2 + c)^(5/2)\*arcsin(a\*x)^(3/2)), x)

$$3.477 \quad \int \frac{(c - a^2 cx^2)^{3/2}}{\sin^{-1}(ax)^{5/2}} dx$$

**Optimal.** Leaf size=206

$$\frac{4\sqrt{2\pi}c\sqrt{c - a^2 cx^2}\text{FresnelC}\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{3a\sqrt{1 - a^2 x^2}} - \frac{8\sqrt{\pi}c\sqrt{c - a^2 cx^2}\text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{3a\sqrt{1 - a^2 x^2}} - \frac{2\sqrt{1 - a^2 x^2}(c - a^2 cx^2)^{3/2}}{3a\sin^{-1}(ax)^{3/2}}$$

[Out]  $(-2*\text{Sqrt}[1 - a^2*x^2]*(c - a^2*c*x^2)^{(3/2)})/(3*a*\text{ArcSin}[a*x]^{(3/2)}) + (16*c*x*(1 - a^2*x^2)*\text{Sqrt}[c - a^2*c*x^2])/(3*\text{Sqrt}[\text{ArcSin}[a*x]]) - (4*c*\text{Sqrt}[2*Pi]*\text{Sqrt}[c - a^2*c*x^2]*\text{FresnelC}[2*\text{Sqrt}[2/Pi]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(3*a*\text{Sqrt}[1 - a^2*x^2]) - (8*c*\text{Sqrt}[Pi]*\text{Sqrt}[c - a^2*c*x^2]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[Pi]])/(3*a*\text{Sqrt}[1 - a^2*x^2])$

**Rubi [A]** time = 0.29656, antiderivative size = 206, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4659, 4721, 4661, 3312, 3304, 3352, 4723, 4406}

$$\frac{4\sqrt{2\pi}c\sqrt{c - a^2 cx^2}\text{FresnelC}\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{3a\sqrt{1 - a^2 x^2}} - \frac{8\sqrt{\pi}c\sqrt{c - a^2 cx^2}\text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{3a\sqrt{1 - a^2 x^2}} - \frac{2\sqrt{1 - a^2 x^2}(c - a^2 cx^2)^{3/2}}{3a\sin^{-1}(ax)^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(c - a^2*c*x^2)^{(3/2)}/\text{ArcSin}[a*x]^{(5/2)}, x]$

[Out]  $(-2*\text{Sqrt}[1 - a^2*x^2]*(c - a^2*c*x^2)^{(3/2)})/(3*a*\text{ArcSin}[a*x]^{(3/2)}) + (16*c*x*(1 - a^2*x^2)*\text{Sqrt}[c - a^2*c*x^2])/(3*\text{Sqrt}[\text{ArcSin}[a*x]]) - (4*c*\text{Sqrt}[2*Pi]*\text{Sqrt}[c - a^2*c*x^2]*\text{FresnelC}[2*\text{Sqrt}[2/Pi]*\text{Sqrt}[\text{ArcSin}[a*x]]])/(3*a*\text{Sqrt}[1 - a^2*x^2]) - (8*c*\text{Sqrt}[Pi]*\text{Sqrt}[c - a^2*c*x^2]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[Pi]])/(3*a*\text{Sqrt}[1 - a^2*x^2])$

### Rule 4659

$\text{Int}[(a_. + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*((d_. + (e_.)*(x_.)^2)^{(p_.)}, x\_ \text{Symbol}] \rightarrow \text{Simp}[(\text{Sqrt}[1 - c^2*x^2]*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^{(n + 1)})/(b*c*(n + 1)), x] + \text{Dist}[(c*(2*p + 1)*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]})/(b*(n + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[x*(1 - c^2*x^2)^{(p - 1/2)}*(a$

+ b\*ArcSin[c\*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

### Rule 4721

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((f\*x)^m\*Sqrt[1 - c^2\*x^2]\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + (-Dist[(f\*m\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(b\*c\*(n + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m - 1)\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x] + Dist[(c\*(m + 2\*p + 1)\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(b\*f\*(n + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n + 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1] && IGtQ[m, -3] && IGtQ[2\*p, 0]

### Rule 4661

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[d^p/c, Subst[Int[(a + b\*x)^n\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rule 3312

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)^m, Sin[e + f\*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

### Rule 3304

Int[sin[Pi/2 + (e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[2/d, Subst[Int[Cos[(f\*x^2)/d], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

### Rule 3352

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_))^2], x\_Symbol] := Simp[(Sqrt[Pi/2]\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)])/(f\*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer

Q[p] || GtQ[d, 0])

### Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_.)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_.))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^(n)\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{(c - a^2 cx^2)^{3/2}}{\sin^{-1}(ax)^{5/2}} dx &= -\frac{2\sqrt{1 - a^2 x^2} (c - a^2 cx^2)^{3/2}}{3a \sin^{-1}(ax)^{3/2}} - \frac{(8ac\sqrt{c - a^2 cx^2}) \int \frac{x(1 - a^2 x^2)}{\sin^{-1}(ax)^{3/2}} dx}{3\sqrt{1 - a^2 x^2}} \\
 &= -\frac{2\sqrt{1 - a^2 x^2} (c - a^2 cx^2)^{3/2}}{3a \sin^{-1}(ax)^{3/2}} + \frac{16cx(1 - a^2 x^2)\sqrt{c - a^2 cx^2}}{3\sqrt{\sin^{-1}(ax)}} - \frac{(16c\sqrt{c - a^2 cx^2}) \int \frac{\sqrt{1 - a^2 x^2}}{\sqrt{\sin^{-1}(ax)}} dx}{3\sqrt{1 - a^2 x^2}} + \dots \\
 &= -\frac{2\sqrt{1 - a^2 x^2} (c - a^2 cx^2)^{3/2}}{3a \sin^{-1}(ax)^{3/2}} + \frac{16cx(1 - a^2 x^2)\sqrt{c - a^2 cx^2}}{3\sqrt{\sin^{-1}(ax)}} - \frac{(16c\sqrt{c - a^2 cx^2}) \text{Subst}\left(\int \frac{\cos^2(x)}{\sqrt{x}} dx, x\right)}{3a\sqrt{1 - a^2 x^2}} + \dots \\
 &= -\frac{2\sqrt{1 - a^2 x^2} (c - a^2 cx^2)^{3/2}}{3a \sin^{-1}(ax)^{3/2}} + \frac{16cx(1 - a^2 x^2)\sqrt{c - a^2 cx^2}}{3\sqrt{\sin^{-1}(ax)}} - \frac{(16c\sqrt{c - a^2 cx^2}) \text{Subst}\left(\int \left(\frac{1}{2\sqrt{x}} + \frac{\cos(2x)}{2\sqrt{x}}\right) dx, x\right)}{3a\sqrt{1 - a^2 x^2}} + \dots \\
 &= -\frac{2\sqrt{1 - a^2 x^2} (c - a^2 cx^2)^{3/2}}{3a \sin^{-1}(ax)^{3/2}} + \frac{16cx(1 - a^2 x^2)\sqrt{c - a^2 cx^2}}{3\sqrt{\sin^{-1}(ax)}} - \frac{(8c\sqrt{c - a^2 cx^2}) \text{Subst}\left(\int \frac{\cos(2x)}{\sqrt{x}} dx, x\right)}{3a\sqrt{1 - a^2 x^2}} + \dots \\
 &= -\frac{2\sqrt{1 - a^2 x^2} (c - a^2 cx^2)^{3/2}}{3a \sin^{-1}(ax)^{3/2}} + \frac{16cx(1 - a^2 x^2)\sqrt{c - a^2 cx^2}}{3\sqrt{\sin^{-1}(ax)}} - \frac{(16c\sqrt{c - a^2 cx^2}) \text{Subst}\left(\int \cos(2x^2) dx, x\right)}{3a\sqrt{1 - a^2 x^2}} + \dots \\
 &= -\frac{2\sqrt{1 - a^2 x^2} (c - a^2 cx^2)^{3/2}}{3a \sin^{-1}(ax)^{3/2}} + \frac{16cx(1 - a^2 x^2)\sqrt{c - a^2 cx^2}}{3\sqrt{\sin^{-1}(ax)}} - \frac{4c\sqrt{2\pi}\sqrt{c - a^2 cx^2} C\left(2\sqrt{\frac{2}{\pi}}\sqrt{\sin^{-1}(ax)}\right)}{3a\sqrt{1 - a^2 x^2}}
 \end{aligned}$$

**Mathematica [C]** time = 1.33268, size = 251, normalized size = 1.22

$$c\sqrt{c - a^2 cx^2} \left( -16\sqrt{2} (-i \sin^{-1}(ax))^{3/2} \text{Gamma}\left(\frac{1}{2}, -2i \sin^{-1}(ax)\right) - 16\sqrt{2} (i \sin^{-1}(ax))^{3/2} \text{Gamma}\left(\frac{1}{2}, 2i \sin^{-1}(ax)\right) - 16 \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(c - a^2\*c\*x^2)^(3/2)/ArcSin[a\*x]^(5/2),x]

[Out] (c\*Sqrt[c - a^2\*c\*x^2]\*(-14 - E^((-4\*I)\*ArcSin[a\*x]) - E^((4\*I)\*ArcSin[a\*x]) + 16\*a^2\*x^2 + ((8\*I)\*ArcSin[a\*x])/E^((4\*I)\*ArcSin[a\*x]) - (8\*I)\*E^((4\*I)\*ArcSin[a\*x])\*ArcSin[a\*x] + 64\*a\*x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x] - 16\*Sqrt[2]\*((-I)\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, (-2\*I)\*ArcSin[a\*x]] - 16\*Sqrt[2]\*(I\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, (2\*I)\*ArcSin[a\*x]] - 16\*((-I)\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, (-4\*I)\*ArcSin[a\*x]] - 16\*(I\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, (4\*I)\*ArcSin[a\*x]]))/(24\*a\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^(3/2))

**Maple [F]** time = 0.183, size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{\frac{3}{2}} (\arcsin(ax))^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(5/2),x)

[Out] int((-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(5/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a^2*c*x^2+c)^(3/2)/arcsin(a*x)^(5/2),x, algorithm="fricas")
```

```
[Out] Exception raised: UnboundLocalError
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a**2*c*x**2+c)**(3/2)/asin(a*x)**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-a^2cx^2 + c)^{\frac{3}{2}}}{\arcsin(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a^2*c*x^2+c)^(3/2)/arcsin(a*x)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((-a^2*c*x^2 + c)^(3/2)/arcsin(a*x)^(5/2), x)
```

$$3.478 \quad \int \frac{\sqrt{c-a^2cx^2}}{\sin^{-1}(ax)^{5/2}} dx$$

**Optimal.** Leaf size=130

$$-\frac{8\sqrt{\pi}\sqrt{c-a^2cx^2}\text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{3a\sqrt{1-a^2x^2}} + \frac{8x\sqrt{c-a^2cx^2}}{3\sqrt{\sin^{-1}(ax)}} - \frac{2\sqrt{1-a^2x^2}\sqrt{c-a^2cx^2}}{3a\sin^{-1}(ax)^{3/2}}$$

[Out]  $(-2*\text{Sqrt}[1 - a^2*x^2]*\text{Sqrt}[c - a^2*c*x^2])/(3*a*\text{ArcSin}[a*x]^{(3/2)}) + (8*x*\text{Sqrt}[c - a^2*c*x^2])/(3*\text{Sqrt}[\text{ArcSin}[a*x]]) - (8*\text{Sqrt}[\text{Pi}]*\text{Sqrt}[c - a^2*c*x^2]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(3*a*\text{Sqrt}[1 - a^2*x^2])$

**Rubi [A]** time = 0.0733973, antiderivative size = 130, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {4659, 4631, 3304, 3352}

$$-\frac{8\sqrt{\pi}\sqrt{c-a^2cx^2}\text{FresnelC}\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{3a\sqrt{1-a^2x^2}} + \frac{8x\sqrt{c-a^2cx^2}}{3\sqrt{\sin^{-1}(ax)}} - \frac{2\sqrt{1-a^2x^2}\sqrt{c-a^2cx^2}}{3a\sin^{-1}(ax)^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sqrt}[c - a^2*c*x^2]/\text{ArcSin}[a*x]^{(5/2)}, x]$

[Out]  $(-2*\text{Sqrt}[1 - a^2*x^2]*\text{Sqrt}[c - a^2*c*x^2])/(3*a*\text{ArcSin}[a*x]^{(3/2)}) + (8*x*\text{Sqrt}[c - a^2*c*x^2])/(3*\text{Sqrt}[\text{ArcSin}[a*x]]) - (8*\text{Sqrt}[\text{Pi}]*\text{Sqrt}[c - a^2*c*x^2]*\text{FresnelC}[(2*\text{Sqrt}[\text{ArcSin}[a*x]])/\text{Sqrt}[\text{Pi}]])/(3*a*\text{Sqrt}[1 - a^2*x^2])$

#### Rule 4659

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x_$   
 Symbol  $\rightarrow \text{Simp}[(\text{Sqrt}[1 - c^2*x^2]*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^{(n + 1)})/(b*c*(n + 1)), x] + \text{Dist}[(c*(2*p + 1)*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]})/(b*(n + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[x*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n + 1)}, x], x] /;$  FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && LtQ[n, -1]

#### Rule 4631

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[(
x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^(n + 1)/(b*c*(n + 1)), x] - Dist
[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Sin
[x]^(m - 1)*(m - (m + 1)*Sin[x]^2), x], x], x, ArcSin[c*x]], x] /; FreeQ[{a
, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

**Rule 3304**

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d
, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

**Rule 3352**

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

**Rubi steps**

$$\begin{aligned} \int \frac{\sqrt{c - a^2cx^2}}{\sin^{-1}(ax)^{5/2}} dx &= -\frac{2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}}{3a \sin^{-1}(ax)^{3/2}} - \frac{(4a\sqrt{c - a^2cx^2}) \int \frac{x}{\sin^{-1}(ax)^{3/2}} dx}{3\sqrt{1 - a^2x^2}} \\ &= -\frac{2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}}{3a \sin^{-1}(ax)^{3/2}} + \frac{8x\sqrt{c - a^2cx^2}}{3\sqrt{\sin^{-1}(ax)}} - \frac{(8\sqrt{c - a^2cx^2}) \text{Subst}\left(\int \frac{\cos(2x)}{\sqrt{x}} dx, x, \sin^{-1}(ax)\right)}{3a\sqrt{1 - a^2x^2}} \\ &= -\frac{2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}}{3a \sin^{-1}(ax)^{3/2}} + \frac{8x\sqrt{c - a^2cx^2}}{3\sqrt{\sin^{-1}(ax)}} - \frac{(16\sqrt{c - a^2cx^2}) \text{Subst}\left(\int \cos(2x^2) dx, x, \sqrt{\sin^{-1}(ax)}\right)}{3a\sqrt{1 - a^2x^2}} \\ &= -\frac{2\sqrt{1 - a^2x^2}\sqrt{c - a^2cx^2}}{3a \sin^{-1}(ax)^{3/2}} + \frac{8x\sqrt{c - a^2cx^2}}{3\sqrt{\sin^{-1}(ax)}} - \frac{8\sqrt{\pi}\sqrt{c - a^2cx^2} C\left(\frac{2\sqrt{\sin^{-1}(ax)}}{\sqrt{\pi}}\right)}{3a\sqrt{1 - a^2x^2}} \end{aligned}$$

**Mathematica [C]** time = 0.470017, size = 142, normalized size = 1.09

$$\frac{2\sqrt{c - a^2cx^2} \left( -\sqrt{2} (-i \sin^{-1}(ax))^{3/2} \text{Gamma}\left(\frac{1}{2}, -2i \sin^{-1}(ax)\right) + \frac{\sqrt{2} \sin^{-1}(ax)^2 \text{Gamma}\left(\frac{1}{2}, 2i \sin^{-1}(ax)\right)}{\sqrt{i \sin^{-1}(ax)}} + a^2x^2 + 4ax\sqrt{1 - a^2x^2} \right)}{3a\sqrt{1 - a^2x^2} \sin^{-1}(ax)^{3/2}}$$

Warning: Unable to verify antiderivative.



[In] Integrate[Sqrt[c - a^2\*c\*x^2]/ArcSin[a\*x]^(5/2),x]

[Out] (2\*Sqrt[c - a^2\*c\*x^2]\*(-1 + a^2\*x^2 + 4\*a\*x\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x] - Sqrt[2]\*((-I)\*ArcSin[a\*x])^(3/2)\*Gamma[1/2, (-2\*I)\*ArcSin[a\*x]] + (Sqrt[2]\*ArcSin[a\*x]^2\*Gamma[1/2, (2\*I)\*ArcSin[a\*x]])/Sqrt[I\*ArcSin[a\*x]]))/(3\*a\*Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x]^(3/2))

**Maple [F]** time = 0.236, size = 0, normalized size = 0.

$$\int \sqrt{-a^2cx^2 + c} (\arcsin(ax))^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(5/2),x)

[Out] int((-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(5/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*c\*x\*\*2+c)\*\*(1/2)/asin(a\*x)\*\*(5/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-a^2cx^2 + c}}{\arcsin(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(5/2),x, algorithm="giac")

[Out] integrate(sqrt(-a^2\*c\*x^2 + c)/arcsin(a\*x)^(5/2), x)

$$3.479 \quad \int \frac{1}{\sqrt{c-a^2cx^2} \sin^{-1}(ax)^{5/2}} dx$$

Optimal. Leaf size=44

$$-\frac{2\sqrt{1-a^2x^2}}{3a\sqrt{c-a^2cx^2} \sin^{-1}(ax)^{3/2}}$$

[Out]  $(-2*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{Sqrt}[c - a^2*c*x^2]*\text{ArcSin}[a*x]^{(3/2)})$

**Rubi [A]** time = 0.0690032, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {4643, 4641}

$$-\frac{2\sqrt{1-a^2x^2}}{3a\sqrt{c-a^2cx^2} \sin^{-1}(ax)^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[1/(\text{Sqrt}[c - a^2*c*x^2]*\text{ArcSin}[a*x]^{(5/2)}), x]$

[Out]  $(-2*\text{Sqrt}[1 - a^2*x^2])/(3*a*\text{Sqrt}[c - a^2*c*x^2]*\text{ArcSin}[a*x]^{(3/2)})$

#### Rule 4643

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[1 - c^2*x^2]/\text{Sqrt}[d + e*x^2], \text{Int}[(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[1 - c^2*x^2], x], x] /;$  FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && !GtQ[d, 0]

#### Rule 4641

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcSin}[c*x])^{(n + 1)}/(b*c*\text{Sqrt}[d]*(n + 1)), x] /;$  FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{1}{\sqrt{c - a^2 cx^2} \sin^{-1}(ax)^{5/2}} dx = \frac{\sqrt{1 - a^2 x^2} \int \frac{1}{\sqrt{1 - a^2 x^2} \sin^{-1}(ax)^{5/2}} dx}{\sqrt{c - a^2 cx^2}}$$

$$= -\frac{2\sqrt{1 - a^2 x^2}}{3a\sqrt{c - a^2 cx^2} \sin^{-1}(ax)^{3/2}}$$

**Mathematica [A]** time = 0.0534622, size = 44, normalized size = 1.

$$-\frac{2\sqrt{1 - a^2 x^2}}{3a\sqrt{c - a^2 cx^2} \sin^{-1}(ax)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(5/2)),x]

[Out] (-2\*Sqrt[1 - a^2\*x^2])/(3\*a\*Sqrt[c - a^2\*c\*x^2]\*ArcSin[a\*x]^(3/2))

**Maple [A]** time = 0.036, size = 38, normalized size = 0.9

$$-\frac{2}{3a} \sqrt{-a^2 x^2 + 1} (\arcsin(ax))^{-\frac{3}{2}} \frac{1}{\sqrt{-c(a^2 x^2 - 1)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(5/2),x)

[Out] -2/3/arcsin(a\*x)^(3/2)/a/(-c\*(a^2\*x^2-1))^(1/2)\*(-a^2\*x^2+1)^(1/2)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 1.95064, size = 112, normalized size = 2.55

$$\frac{2\sqrt{-a^2cx^2 + c}\sqrt{-a^2x^2 + 1}}{3(a^3cx^2 - ac)\arcsin(ax)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(5/2),x, algorithm="fricas")

[Out] 2/3\*sqrt(-a^2\*c\*x^2 + c)\*sqrt(-a^2\*x^2 + 1)/((a^3\*c\*x^2 - a\*c)\*arcsin(a\*x)^(3/2))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a\*\*2\*c\*x\*\*2+c)\*\*(1/2)/asin(a\*x)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{-a^2cx^2 + c}\arcsin(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(1/2)/arcsin(a\*x)^(5/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-a^2\*c\*x^2 + c)\*arcsin(a\*x)^(5/2)), x)

$$3.480 \quad \int \frac{1}{(c - a^2 cx^2)^{3/2} \sin^{-1}(ax)^{5/2}} dx$$

**Optimal.** Leaf size=106

$$\frac{4a\sqrt{1-a^2x^2}\text{Unintegrable}\left(\frac{x}{(1-a^2x^2)^2 \sin^{-1}(ax)^{3/2}}, x\right)}{3c\sqrt{c-a^2cx^2}} - \frac{2\sqrt{1-a^2x^2}}{3a(c-a^2cx^2)^{3/2} \sin^{-1}(ax)^{3/2}}$$

[Out] (-2\*Sqrt[1 - a^2\*x^2])/(3\*a\*(c - a^2\*c\*x^2)^(3/2)\*ArcSin[a\*x]^(3/2)) + (4\*a\*Sqrt[1 - a^2\*x^2]\*Unintegrable[x/((1 - a^2\*x^2)^2\*ArcSin[a\*x]^(3/2)), x])/(3\*c\*Sqrt[c - a^2\*c\*x^2])

**Rubi [A]** time = 0.0870418, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(c - a^2 cx^2)^{3/2} \sin^{-1}(ax)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c - a^2\*c\*x^2)^(3/2)\*ArcSin[a\*x]^(5/2)),x]

[Out] (-2\*Sqrt[1 - a^2\*x^2])/(3\*a\*(c - a^2\*c\*x^2)^(3/2)\*ArcSin[a\*x]^(3/2)) + (4\*a\*Sqrt[1 - a^2\*x^2]\*Defer[Int][x/((1 - a^2\*x^2)^2\*ArcSin[a\*x]^(3/2)), x])/(3\*c\*Sqrt[c - a^2\*c\*x^2])

Rubi steps

$$\int \frac{1}{(c - a^2 cx^2)^{3/2} \sin^{-1}(ax)^{5/2}} dx = -\frac{2\sqrt{1-a^2x^2}}{3a(c-a^2cx^2)^{3/2} \sin^{-1}(ax)^{3/2}} + \frac{(4a\sqrt{1-a^2x^2}) \int \frac{x}{(1-a^2x^2)^2 \sin^{-1}(ax)^{3/2}} dx}{3c\sqrt{c-a^2cx^2}}$$

**Mathematica [A]** time = 0.838005, size = 0, normalized size = 0.

$$\int \frac{1}{(c - a^2 cx^2)^{3/2} \sin^{-1}(ax)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c - a^2\*c\*x^2)^(3/2)\*ArcSin[a\*x]^(5/2)),x]

[Out] Integrate[1/((c - a^2\*c\*x^2)^(3/2)\*ArcSin[a\*x]^(5/2)), x]

**Maple [A]** time = 0.206, size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{-\frac{3}{2}} (\arcsin(ax))^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(5/2),x)

[Out] int(1/(-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(5/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a\*\*2\*c\*x\*\*2+c)\*\*(3/2)/asin(a\*x)\*\*(5/2),x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-a^2cx^2 + c)^{\frac{3}{2}} \arcsin(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(3/2)/arcsin(a\*x)^(5/2),x, algorithm="giac")

[Out] integrate(1/((-a^2\*c\*x^2 + c)^(3/2)\*arcsin(a\*x)^(5/2)), x)



$$3.481 \quad \int \frac{1}{(c - a^2 cx^2)^{5/2} \sin^{-1}(ax)^{5/2}} dx$$

**Optimal.** Leaf size=106

$$\frac{8a\sqrt{1-a^2x^2}\text{Unintegrable}\left(\frac{x}{(1-a^2x^2)^3 \sin^{-1}(ax)^{3/2}}, x\right)}{3c^2\sqrt{c-a^2cx^2}} - \frac{2\sqrt{1-a^2x^2}}{3a(c-a^2cx^2)^{5/2} \sin^{-1}(ax)^{3/2}}$$

[Out]  $(-2*\text{Sqrt}[1 - a^2*x^2])/(3*a*(c - a^2*c*x^2)^{(5/2)}*\text{ArcSin}[a*x]^{(3/2)}) + (8*a*\text{Sqrt}[1 - a^2*x^2]*\text{Unintegrable}[x/((1 - a^2*x^2)^3*\text{ArcSin}[a*x]^{(3/2)}), x])/(3*c^2*\text{Sqrt}[c - a^2*c*x^2])$

**Rubi [A]** time = 0.0889734, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(c - a^2 cx^2)^{5/2} \sin^{-1}(ax)^{5/2}} dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}[1/((c - a^2*c*x^2)^{(5/2)}*\text{ArcSin}[a*x]^{(5/2)}), x]$

[Out]  $(-2*\text{Sqrt}[1 - a^2*x^2])/(3*a*(c - a^2*c*x^2)^{(5/2)}*\text{ArcSin}[a*x]^{(3/2)}) + (8*a*\text{Sqrt}[1 - a^2*x^2]*\text{Defer}[\text{Int}[x/((1 - a^2*x^2)^3*\text{ArcSin}[a*x]^{(3/2)}), x])/(3*c^2*\text{Sqrt}[c - a^2*c*x^2])$

Rubi steps

$$\int \frac{1}{(c - a^2 cx^2)^{5/2} \sin^{-1}(ax)^{5/2}} dx = -\frac{2\sqrt{1-a^2x^2}}{3a(c-a^2cx^2)^{5/2} \sin^{-1}(ax)^{3/2}} + \frac{(8a\sqrt{1-a^2x^2}) \int \frac{x}{(1-a^2x^2)^3 \sin^{-1}(ax)^{3/2}} dx}{3c^2\sqrt{c-a^2cx^2}}$$

**Mathematica [A]** time = 1.92911, size = 0, normalized size = 0.

$$\int \frac{1}{(c - a^2 cx^2)^{5/2} \sin^{-1}(ax)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c - a^2\*c\*x^2)^(5/2)\*ArcSin[a\*x]^(5/2)),x]

[Out] Integrate[1/((c - a^2\*c\*x^2)^(5/2)\*ArcSin[a\*x]^(5/2)), x]

**Maple [A]** time = 0.293, size = 0, normalized size = 0.

$$\int (-a^2cx^2 + c)^{-\frac{5}{2}} (\arcsin(ax))^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(5/2),x)

[Out] int(1/(-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(5/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(5/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a\*\*2\*c\*x\*\*2+c)\*\*(5/2)/asin(a\*x)\*\*(5/2),x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(-a^2cx^2 + c)^{\frac{5}{2}} \arcsin(ax)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-a^2\*c\*x^2+c)^(5/2)/arcsin(a\*x)^(5/2),x, algorithm="giac")

[Out] integrate(1/((-a^2\*c\*x^2 + c)^(5/2)\*arcsin(a\*x)^(5/2)), x)

$$3.482 \quad \int x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n dx$$

**Optimal.** Leaf size=259

$$\frac{i2^{-2(n+3)}e^{-\frac{4ia}{b}}\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^n\left(-\frac{i(a+b\sin^{-1}(cx))}{b}\right)^{-n}\Gamma\left(n+1,-\frac{4i(a+b\sin^{-1}(cx))}{b}\right)}{c^3\sqrt{1-c^2x^2}} - \frac{i2^{-2(n+3)}e^{\frac{4ia}{b}}\sqrt{d-c^2dx^2}}{c^3\sqrt{1-c^2x^2}}$$

[Out] (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^(1 + n))/(8\*b\*c^3\*(1 + n)\*Sqrt[1 - c^2\*x^2]) + (I\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((-4\*I)\*(a + b\*ArcSin[c\*x]))/b])/(2^(2\*(3 + n))\*c^3\*E^(((4\*I)\*a)/b)\*Sqrt[1 - c^2\*x^2]\*(((-I)\*(a + b\*ArcSin[c\*x]))/b)^n) - (I\*E^(((4\*I)\*a)/b)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((4\*I)\*(a + b\*ArcSin[c\*x]))/b])/(2^(2\*(3 + n))\*c^3\*Sqrt[1 - c^2\*x^2]\*((I\*(a + b\*ArcSin[c\*x]))/b)^n)

**Rubi [A]** time = 0.455666, antiderivative size = 259, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {4725, 4723, 4406, 3307, 2181}

$$\frac{i2^{-2(n+3)}e^{-\frac{4ia}{b}}\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^n\left(-\frac{i(a+b\sin^{-1}(cx))}{b}\right)^{-n}\Gamma\left(n+1,-\frac{4i(a+b\sin^{-1}(cx))}{b}\right)}{c^3\sqrt{1-c^2x^2}} - \frac{i2^{-2(n+3)}e^{\frac{4ia}{b}}\sqrt{d-c^2dx^2}}{c^3\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n,x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^(1 + n))/(8\*b\*c^3\*(1 + n)\*Sqrt[1 - c^2\*x^2]) + (I\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((-4\*I)\*(a + b\*ArcSin[c\*x]))/b])/(2^(2\*(3 + n))\*c^3\*E^(((4\*I)\*a)/b)\*Sqrt[1 - c^2\*x^2]\*(((-I)\*(a + b\*ArcSin[c\*x]))/b)^n) - (I\*E^(((4\*I)\*a)/b)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((4\*I)\*(a + b\*ArcSin[c\*x]))/b])/(2^(2\*(3 + n))\*c^3\*Sqrt[1 - c^2\*x^2]\*((I\*(a + b\*ArcSin[c\*x]))/b)^n)

### Rule 4725

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^n\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[(d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(1 - c^2\*x^2)^FracPart[p], Int[x^m\*(1 - c^2\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p,

-1] && IGtQ[m, 0] && !(IntegerQ[p] || GtQ[d, 0])

### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^(n)\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rule 3307

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*sin[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Dist[I/2, Int[(c + d\*x)^m/(E^(I\*k\*Pi)\*E^(I\*(e + f\*x))), x], x] - Dist[I/2, Int[(c + d\*x)^m\*E^(I\*k\*Pi)\*E^(I\*(e + f\*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2\*k]

### Rule 2181

Int[(F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_)))\*((c\_.) + (d\_.)\*(x\_))^(m\_), x\_Symbol] :> -Simp[(F^(g\*(e - (c\*f)/d))\*(c + d\*x)^FracPart[m]\*Gamma[m + 1, (-((f\*g\*Log[F])/d))\*(c + d\*x))]/(d\*(-((f\*g\*Log[F])/d))^(IntPart[m] + 1)\*(-((f\*g\*Log[F])\*(c + d\*x))/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

### Rubi steps

$$\begin{aligned}
\int x^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n dx &= \frac{\sqrt{d - c^2 dx^2} \int x^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^n dx}{\sqrt{1 - c^2 x^2}} \\
&= \frac{\sqrt{d - c^2 dx^2} \text{Subst} \left( \int (a + bx)^n \cos^2(x) \sin^2(x) dx, x, \sin^{-1}(cx) \right)}{c^3 \sqrt{1 - c^2 x^2}} \\
&= \frac{\sqrt{d - c^2 dx^2} \text{Subst} \left( \int \left( \frac{1}{8} (a + bx)^n - \frac{1}{8} (a + bx)^n \cos(4x) \right) dx, x, \sin^{-1}(cx) \right)}{c^3 \sqrt{1 - c^2 x^2}} \\
&= \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{8bc^3(1+n)\sqrt{1 - c^2 x^2}} - \frac{\sqrt{d - c^2 dx^2} \text{Subst} \left( \int (a + bx)^n \cos(4x) dx, x, \sin^{-1}(cx) \right)}{8c^3 \sqrt{1 - c^2 x^2}} \\
&= \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{8bc^3(1+n)\sqrt{1 - c^2 x^2}} - \frac{\sqrt{d - c^2 dx^2} \text{Subst} \left( \int e^{-4ix} (a + bx)^n dx, x, \sin^{-1}(cx) \right)}{16c^3 \sqrt{1 - c^2 x^2}} \\
&= \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{8bc^3(1+n)\sqrt{1 - c^2 x^2}} + \frac{i4^{-3-n} e^{-\frac{4ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n \left( -\frac{i}{b} \right)}{c^3 \sqrt{1 - c^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.832689, size = 189, normalized size = 0.73

$$\frac{d\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^n \left( \frac{8(a + b \sin^{-1}(cx))}{bn + b} + i4^{-n} e^{-\frac{4ia}{b}} \left( \frac{(a + b \sin^{-1}(cx))^2}{b^2} \right)^{-n} \left( \left( \frac{i(a + b \sin^{-1}(cx))}{b} \right)^n \text{Gamma} \left( n + 1, -\frac{4i(a + b \sin^{-1}(cx))}{b} \right) \right)}{64c^3 \sqrt{d(1 - c^2 x^2)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n,x]

[Out] (d\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^n\*((8\*(a + b\*ArcSin[c\*x]))/(b + b\*n) + (I\*(((I\*(a + b\*ArcSin[c\*x]))/b)^n\*Gamma[1 + n, ((-4\*I)\*(a + b\*ArcSin[c\*x]))/b] - E^(((8\*I)\*a)/b)\*(((I)\*(a + b\*ArcSin[c\*x]))/b)^n\*Gamma[1 + n, ((4\*I)\*(a + b\*ArcSin[c\*x]))/b]))/(4^n\*E^(((4\*I)\*a)/b)\*((a + b\*ArcSin[c\*x])^2/b^2)^n))/((64\*c^3\*Sqrt[d\*(1 - c^2\*x^2)]))

**Maple [F]** time = 0.36, size = 0, normalized size = 0.

$$\int x^2 \sqrt{-c^2 dx^2 + d} (a + b \arcsin(cx))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^n,x)`

[Out] `int(x^2*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^n,x)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a)^n x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^n,x, algorithm="maxima")`

[Out] `integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^n*x^2, x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a)^n x^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^n,x, algorithm="fricas")`

[Out] `integral(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^n*x^2, x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(-c**2*d*x**2+d)**(1/2)*(a+b*asin(c*x))**n,x)`

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a)^n x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)^n\*x^2, x)



$$3.483 \quad \int x \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n dx$$

**Optimal.** Leaf size=391

$$\frac{e^{-\frac{ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n \left( -\frac{i(a+b \sin^{-1}(cx))}{b} \right)^{-n} \Gamma\left(n+1, -\frac{i(a+b \sin^{-1}(cx))}{b}\right) 3^{-n-1} e^{-\frac{3ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{n+1}}{8c^2 \sqrt{1 - c^2 x^2}}$$

[Out]  $-(\text{Sqrt}[d - c^2 d x^2] * (a + b \text{ArcSin}[c x])^n * \Gamma[1 + n, ((-1) * (a + b \text{ArcSin}[c x]) / b)] / (8 * c^2 * E^{((1 * a) / b) * \text{Sqrt}[1 - c^2 x^2]} * (((-1) * (a + b \text{ArcSin}[c x]) / b)^n) - (E^{((1 * a) / b) * \text{Sqrt}[d - c^2 d x^2]} * (a + b \text{ArcSin}[c x])^n * \Gamma[1 + n, (1 * (a + b \text{ArcSin}[c x]) / b)] / (8 * c^2 * \text{Sqrt}[1 - c^2 x^2] * ((1 * (a + b \text{ArcSin}[c x]) / b)^n) - (3^{(-1 - n)} * \text{Sqrt}[d - c^2 d x^2] * (a + b \text{ArcSin}[c x])^n * \Gamma[1 + n, ((-3 * 1) * (a + b \text{ArcSin}[c x]) / b)] / (8 * c^2 * E^{(((3 * 1) * a) / b) * \text{Sqrt}[1 - c^2 x^2]} * (((-1) * (a + b \text{ArcSin}[c x]) / b)^n) - (3^{(-1 - n)} * E^{(((3 * 1) * a) / b) * \text{Sqrt}[d - c^2 d x^2]} * (a + b \text{ArcSin}[c x])^n * \Gamma[1 + n, ((3 * 1) * (a + b \text{ArcSin}[c x]) / b)] / (8 * c^2 * \text{Sqrt}[1 - c^2 x^2] * ((1 * (a + b \text{ArcSin}[c x]) / b)^n)$

**Rubi [A]** time = 0.440236, antiderivative size = 391, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {4725, 4723, 4406, 3308, 2181}

$$\frac{e^{-\frac{ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n \left( -\frac{i(a+b \sin^{-1}(cx))}{b} \right)^{-n} \Gamma\left(n+1, -\frac{i(a+b \sin^{-1}(cx))}{b}\right) 3^{-n-1} e^{-\frac{3ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{n+1}}{8c^2 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x * \text{Sqrt}[d - c^2 d x^2] * (a + b \text{ArcSin}[c x])^n, x]$

[Out]  $-(\text{Sqrt}[d - c^2 d x^2] * (a + b \text{ArcSin}[c x])^n * \Gamma[1 + n, ((-1) * (a + b \text{ArcSin}[c x]) / b)] / (8 * c^2 * E^{((1 * a) / b) * \text{Sqrt}[1 - c^2 x^2]} * (((-1) * (a + b \text{ArcSin}[c x]) / b)^n) - (E^{((1 * a) / b) * \text{Sqrt}[d - c^2 d x^2]} * (a + b \text{ArcSin}[c x])^n * \Gamma[1 + n, (1 * (a + b \text{ArcSin}[c x]) / b)] / (8 * c^2 * \text{Sqrt}[1 - c^2 x^2] * ((1 * (a + b \text{ArcSin}[c x]) / b)^n) - (3^{(-1 - n)} * \text{Sqrt}[d - c^2 d x^2] * (a + b \text{ArcSin}[c x])^n * \Gamma[1 + n, ((-3 * 1) * (a + b \text{ArcSin}[c x]) / b)] / (8 * c^2 * E^{(((3 * 1) * a) / b) * \text{Sqrt}[1 - c^2 x^2]} * (((-1) * (a + b \text{ArcSin}[c x]) / b)^n) - (3^{(-1 - n)} * E^{(((3 * 1) * a) / b) * \text{Sqrt}[d - c^2 d x^2]} * (a + b \text{ArcSin}[c x])^n * \Gamma[1 + n, ((3 * 1) * (a + b \text{ArcSin}[c x]) / b)] / (8 * c^2 * \text{Sqrt}[1 - c^2 x^2] * ((1 * (a + b \text{ArcSin}[c x]) / b)^n)$

Rule 4725

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_), x_Symbol] := Dist[(d^IntPart[p]*(d + e*x^2)^FracPart[p])/(1 - c^2*x^2)^FracPart[p], Int[x^m*(1 - c^2*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && !(IntegerQ[p] || GtQ[d, 0])
```

### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

### Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_.)]^(p_.)*((c_.) + (d_.)*(x_.))^(m_.)*Sin[(a_.) + (b_.)*(x_.)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

### Rule 3308

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

### Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_.)))*((c_.) + (d_.)*(x_.))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x)/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

### Rubi steps

$$\begin{aligned}
\int x\sqrt{d-c^2dx^2} (a+b\sin^{-1}(cx))^n dx &= \frac{\sqrt{d-c^2dx^2} \int x\sqrt{1-c^2x^2} (a+b\sin^{-1}(cx))^n dx}{\sqrt{1-c^2x^2}} \\
&= \frac{\sqrt{d-c^2dx^2} \text{Subst}\left(\int (a+bx)^n \cos^2(x) \sin(x) dx, x, \sin^{-1}(cx)\right)}{c^2\sqrt{1-c^2x^2}} \\
&= \frac{\sqrt{d-c^2dx^2} \text{Subst}\left(\int \left(\frac{1}{4}(a+bx)^n \sin(x) + \frac{1}{4}(a+bx)^n \sin(3x)\right) dx, x, \sin^{-1}(cx)\right)}{c^2\sqrt{1-c^2x^2}} \\
&= \frac{\sqrt{d-c^2dx^2} \text{Subst}\left(\int (a+bx)^n \sin(x) dx, x, \sin^{-1}(cx)\right)}{4c^2\sqrt{1-c^2x^2}} + \frac{\sqrt{d-c^2dx^2} \text{Subst}\left(\int (a+bx)^n \sin(3x) dx, x, \sin^{-1}(cx)\right)}{4c^2\sqrt{1-c^2x^2}} \\
&= \frac{\left(i\sqrt{d-c^2dx^2}\right) \text{Subst}\left(\int e^{-ix}(a+bx)^n dx, x, \sin^{-1}(cx)\right)}{8c^2\sqrt{1-c^2x^2}} - \frac{\left(i\sqrt{d-c^2dx^2}\right) \text{Subst}\left(\int e^{-i3x}(a+bx)^n dx, x, \sin^{-1}(cx)\right)}{8c^2\sqrt{1-c^2x^2}} \\
&= -\frac{e^{-\frac{3ia}{b}}\sqrt{d-c^2dx^2} (a+b\sin^{-1}(cx))^n \left(-\frac{i(a+b\sin^{-1}(cx))}{b}\right)^{-n} \Gamma\left(1+n, -\frac{i(a+b\sin^{-1}(cx))}{b}\right)}{8c^2\sqrt{1-c^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.840741, size = 272, normalized size = 0.7

$$e^{-\frac{3ia}{b}}\sqrt{d-c^2x^2} (a+b\sin^{-1}(cx))^n \left(3e^{\frac{2ia}{b}} \left(\left(-\frac{i(a+b\sin^{-1}(cx))}{b}\right)^{-n} \left(-\text{Gamma}\left(n+1, -\frac{i(a+b\sin^{-1}(cx))}{b}\right)\right) - e^{\frac{2ia}{b}} \left(\frac{i(a+b\sin^{-1}(cx))}{b}\right)^{-n}\right)$$

Antiderivative was successfully verified.

[In] Integrate[x\*sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n,x]

[Out] (d\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^n\*(3\*E^(((2\*I)\*a)/b)\*(-(Gamma[1 + n, ((-I)\*(a + b\*ArcSin[c\*x]))/b])/(((I)\*(a + b\*ArcSin[c\*x]))/b)^n) - (E^(((2\*I)\*a)/b)\*Gamma[1 + n, (I\*(a + b\*ArcSin[c\*x]))/b])/((I\*(a + b\*ArcSin[c\*x]))/b)^n) - (((I\*(a + b\*ArcSin[c\*x]))/b)^n\*Gamma[1 + n, ((-3\*I)\*(a + b\*ArcSin[c\*x]))/b] + E^(((6\*I)\*a)/b)\*(((I)\*(a + b\*ArcSin[c\*x]))/b)^n\*Gamma[1 + n, ((3\*I)\*(a + b\*ArcSin[c\*x]))/b])/((3^n\*((a + b\*ArcSin[c\*x])^2/b^2)^n))/(24\*c^2\*E^(((3\*I)\*a)/b)\*sqrt[d\*(1 - c^2\*x^2)])

**Maple [F]** time = 0.225, size = 0, normalized size = 0.

$$\int x\sqrt{-c^2dx^2 + d} (a + b \arcsin(cx))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^n,x)`

[Out] `int(x*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^n,x)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a)^n x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^n,x, algorithm="maxima")`

[Out] `integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^n*x, x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a)^n x, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^n,x, algorithm="fricas")`

[Out] `integral(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^n*x, x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int x \sqrt{-d(cx-1)(cx+1)} (a + b \arcsin(cx))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c**2*d*x**2+d)**(1/2)*(a+b*asin(c*x))**n,x)`

[Out] `Integral(x*sqrt(-d*(c*x - 1)*(c*x + 1))*(a + b*asin(c*x))**n, x)`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a)^n x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)^n\*x, x)

$$3.484 \quad \int \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n dx$$

**Optimal.** Leaf size=259

$$\frac{i2^{-n-3}e^{-\frac{2ia}{b}}\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^n\left(-\frac{i(a+b\sin^{-1}(cx))}{b}\right)^{-n}\Gamma\left(n+1,-\frac{2i(a+b\sin^{-1}(cx))}{b}\right)}{c\sqrt{1-c^2x^2}} + \frac{i2^{-n-3}e^{\frac{2ia}{b}}\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^n\left(\frac{i(a+b\sin^{-1}(cx))}{b}\right)^{-n}\Gamma\left(n+1,\frac{2i(a+b\sin^{-1}(cx))}{b}\right)}{c\sqrt{1-c^2x^2}}$$

[Out] (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^(1 + n))/(2\*b\*c\*(1 + n)\*Sqrt[1 - c^2\*x^2]) - (I\*2^(-3 - n)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((-2\*I)\*(a + b\*ArcSin[c\*x]))/b])/(c\*E^(((2\*I)\*a)/b)\*Sqrt[1 - c^2\*x^2]\*((-I)\*(a + b\*ArcSin[c\*x]))/b)^n + (I\*2^(-3 - n)\*E^(((2\*I)\*a)/b)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((2\*I)\*(a + b\*ArcSin[c\*x]))/b])/(c\*Sqrt[1 - c^2\*x^2]\*((I\*(a + b\*ArcSin[c\*x]))/b)^n)

**Rubi [A]** time = 0.292758, antiderivative size = 259, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {4663, 4661, 3312, 3307, 2181}

$$\frac{i2^{-n-3}e^{-\frac{2ia}{b}}\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^n\left(-\frac{i(a+b\sin^{-1}(cx))}{b}\right)^{-n}\Gamma\left(n+1,-\frac{2i(a+b\sin^{-1}(cx))}{b}\right)}{c\sqrt{1-c^2x^2}} + \frac{i2^{-n-3}e^{\frac{2ia}{b}}\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^n\left(\frac{i(a+b\sin^{-1}(cx))}{b}\right)^{-n}\Gamma\left(n+1,\frac{2i(a+b\sin^{-1}(cx))}{b}\right)}{c\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n,x]

[Out] (Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^(1 + n))/(2\*b\*c\*(1 + n)\*Sqrt[1 - c^2\*x^2]) - (I\*2^(-3 - n)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((-2\*I)\*(a + b\*ArcSin[c\*x]))/b])/(c\*E^(((2\*I)\*a)/b)\*Sqrt[1 - c^2\*x^2]\*((-I)\*(a + b\*ArcSin[c\*x]))/b)^n + (I\*2^(-3 - n)\*E^(((2\*I)\*a)/b)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((2\*I)\*(a + b\*ArcSin[c\*x]))/b])/(c\*Sqrt[1 - c^2\*x^2]\*((I\*(a + b\*ArcSin[c\*x]))/b)^n)

**Rule 4663**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Dist[(d^(p - 1/2)\*Sqrt[d + e\*x^2])/Sqrt[1 - c^2\*x^2], Int[(1 - c^2\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p, 0] && !(IntegerQ[p] || GtQ[d, 0])

Rule 4661

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Dist[d^p/c, Subst[Int[(a + b*x)^n*Cos[x]^(2*p + 1), x], x, ArcS
in[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IGtQ[2
*p, 0] && (IntegerQ[p] || GtQ[d, 0])
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]
```

Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:= -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Lo
g[F])/d))*(c + d*x)])/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F
]*(c + d*x))/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !I
ntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n dx &= \frac{\sqrt{d - c^2 dx^2} \int \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^n dx}{\sqrt{1 - c^2 x^2}} \\
&= \frac{\sqrt{d - c^2 dx^2} \text{Subst} \left( \int (a + bx)^n \cos^2(x) dx, x, \sin^{-1}(cx) \right)}{c\sqrt{1 - c^2 x^2}} \\
&= \frac{\sqrt{d - c^2 dx^2} \text{Subst} \left( \int \left( \frac{1}{2}(a + bx)^n + \frac{1}{2}(a + bx)^n \cos(2x) \right) dx, x, \sin^{-1}(cx) \right)}{c\sqrt{1 - c^2 x^2}} \\
&= \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{2bc(1+n)\sqrt{1 - c^2 x^2}} + \frac{\sqrt{d - c^2 dx^2} \text{Subst} \left( \int (a + bx)^n \cos(2x) dx, x, \sin^{-1}(cx) \right)}{2c\sqrt{1 - c^2 x^2}} \\
&= \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{2bc(1+n)\sqrt{1 - c^2 x^2}} + \frac{\sqrt{d - c^2 dx^2} \text{Subst} \left( \int e^{-2ix} (a + bx)^n dx, x, \sin^{-1}(cx) \right)}{4c\sqrt{1 - c^2 x^2}} \\
&= \frac{\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{2bc(1+n)\sqrt{1 - c^2 x^2}} - \frac{i2^{-3-n} e^{-\frac{2ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n \left( -\frac{i(a+b \sin^{-1}(cx))}{b} \right)^n}{c\sqrt{1 - c^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.752975, size = 182, normalized size = 0.7

$$\frac{d\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^n \left( -i2^{-n} e^{-\frac{2ia}{b}} \left( -\frac{i(a+b \sin^{-1}(cx))}{b} \right)^{-n} \text{Gamma} \left( n + 1, -\frac{2i(a+b \sin^{-1}(cx))}{b} \right) + i2^{-n} e^{\frac{2ia}{b}} \left( \frac{i(a+b \sin^{-1}(cx))}{b} \right)^{-n} \right)}{8c\sqrt{d(1 - c^2 x^2)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n,x]

[Out] (d\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^n\*((4\*a + 4\*b\*ArcSin[c\*x])/(b + b\*n) - (I\*Gamma[1 + n, ((-2\*I)\*(a + b\*ArcSin[c\*x]))/b])/(2^n\*E^(((2\*I)\*a)/b))\*((( -I)\*(a + b\*ArcSin[c\*x]))/b)^n) + (I\*E^(((2\*I)\*a)/b)\*Gamma[1 + n, ((2\*I)\*(a + b\*ArcSin[c\*x]))/b])/(2^n\*((I\*(a + b\*ArcSin[c\*x]))/b)^n))/(8\*c\*Sqrt[d\*(1 - c^2\*x^2)])

**Maple [F]** time = 0.21, size = 0, normalized size = 0.

$$\int \sqrt{-c^2 dx^2 + d} (a + b \arcsin(cx))^n dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^n,x)`

[Out] `int((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^n,x)`

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^n,x, algorithm="maxima")`

[Out] `integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^n, x)`

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^n,x, algorithm="fricas")`

[Out] `integral(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^n, x)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-d(cx-1)(cx+1)} (a + b \operatorname{asin}(cx))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c**2*d*x**2+d)**(1/2)*(a+b*asin(c*x))**n,x)`

[Out] `Integral(sqrt(-d*(c*x - 1)*(c*x + 1))*(a + b*asin(c*x))**n, x)`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)^n, x)

$$3.485 \quad \int \frac{\sqrt{d-c^2x^2}(a+b\sin^{-1}(cx))^n}{x} dx$$

**Optimal.** Leaf size=218

$$d\text{Unintegrable}\left(\frac{(a+b\sin^{-1}(cx))^n}{x\sqrt{d-c^2x^2}}, x\right) + \frac{de^{-\frac{ia}{b}}\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^n\left(-\frac{i(a+b\sin^{-1}(cx))}{b}\right)^{-n}\Gamma(n+1, -\frac{i(a+b\sin^{-1}(cx))}{b})}{2\sqrt{d-c^2x^2}}$$

[Out] (d\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((-I)\*(a + b\*ArcSin[c\*x]))/b])/(2\*E^((I\*a)/b)\*Sqrt[d - c^2\*d\*x^2]\*(((I)\*(a + b\*ArcSin[c\*x]))/b)^n) + (d\*E^((I\*a)/b)\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, (I\*(a + b\*ArcSin[c\*x]))/b])/(2\*Sqrt[d - c^2\*d\*x^2]\*((I\*(a + b\*ArcSin[c\*x]))/b)^n) + d\*Unintegrable[(a + b\*ArcSin[c\*x])^n/(x\*Sqrt[d - c^2\*d\*x^2]), x]

**Rubi [A]** time = 0.138297, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{d-c^2x^2}(a+b\sin^{-1}(cx))^n}{x} dx$$

Verification is Not applicable to the result.

[In] Int[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n)/x, x]

[Out] Defer[Int] [(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n)/x, x]

Rubi steps

$$\int \frac{\sqrt{d-c^2x^2}(a+b\sin^{-1}(cx))^n}{x} dx = \int \frac{\sqrt{d-c^2x^2}(a+b\sin^{-1}(cx))^n}{x} dx$$

**Mathematica [A]** time = 0.191729, size = 0, normalized size = 0.

$$\int \frac{\sqrt{d-c^2x^2}(a+b\sin^{-1}(cx))^n}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n)/x,x]

[Out] Integrate[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n)/x, x]

**Maple [A]** time = 0.434, size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^n}{x} \sqrt{-c^2 dx^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^n/x,x)

[Out] int((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^n/x,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2 dx^2 + d}(b \arcsin(cx) + a)^n}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^n/x,x, algorithm="maxima")

[Out] integrate(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)^n/x, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2 dx^2 + d}(b \arcsin(cx) + a)^n}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^n/x,x, algorithm="fricas")

[Out] `integral(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^n/x, x)`

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-d(cx-1)(cx+1)}(a+b\operatorname{asin}(cx))^n}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c**2*d*x**2+d)**(1/2)*(a+b*asin(c*x))**n/x,x)`

[Out] `Integral(sqrt(-d*(c*x - 1)*(c*x + 1))*(a + b*asin(c*x))**n/x, x)`

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2dx^2 + d}(b\operatorname{arcsin}(cx) + a)^n}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^(1/2)*(a+b*arcsin(c*x))^n/x,x, algorithm="giac")`

[Out] `integrate(sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^n/x, x)`

$$3.486 \quad \int \frac{\sqrt{d-c^2x^2}(a+b\sin^{-1}(cx))^n}{x^2} dx$$

**Optimal.** Leaf size=87

$$d\text{Unintegrable}\left(\frac{(a+b\sin^{-1}(cx))^n}{x^2\sqrt{d-c^2x^2}}, x\right) - \frac{cd\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^{n+1}}{b(n+1)\sqrt{d-c^2x^2}}$$

[Out] -((c\*d\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^(1 + n))/(b\*(1 + n)\*Sqrt[d - c^2\*d\*x^2])) + d\*Unintegrable[(a + b\*ArcSin[c\*x])^n/(x^2\*Sqrt[d - c^2\*d\*x^2]), x]

**Rubi [A]** time = 0.141865, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{d-c^2x^2}(a+b\sin^{-1}(cx))^n}{x^2} dx$$

Verification is Not applicable to the result.

[In] Int[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n)/x^2, x]

[Out] Defer[Int] [(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n)/x^2, x]

Rubi steps

$$\int \frac{\sqrt{d-c^2x^2}(a+b\sin^{-1}(cx))^n}{x^2} dx = \int \frac{\sqrt{d-c^2x^2}(a+b\sin^{-1}(cx))^n}{x^2} dx$$

**Mathematica [A]** time = 0.256699, size = 0, normalized size = 0.

$$\int \frac{\sqrt{d-c^2x^2}(a+b\sin^{-1}(cx))^n}{x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n)/x^2, x]

[Out] Integrate[(Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n)/x^2, x]

**Maple [A]** time = 0.217, size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^n}{x^2} \sqrt{-c^2 dx^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^n/x^2,x)

[Out] int((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^n/x^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2 dx^2 + d}(b \arcsin(cx) + a)^n}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^n/x^2,x, algorithm="maxima")

[Out] integrate(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)^n/x^2, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-c^2 dx^2 + d}(b \arcsin(cx) + a)^n}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^n/x^2,x, algorithm="fricas")

[Out] integral(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)^n/x^2, x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-d(cx-1)(cx+1)}(a+b\sin(cx))^n}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(1/2)\*(a+b\*asin(c\*x))\*\*n/x\*\*2,x)

[Out] Integral(sqrt(-d\*(c\*x - 1)\*(c\*x + 1))\*(a + b\*asin(c\*x))\*\*n/x\*\*2, x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-c^2 dx^2 + d}(b \arcsin(cx) + a)^n}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^n/x^2,x, algorithm="giac")

[Out] integrate(sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)^n/x^2, x)



$$3.487 \quad \int x^2 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^n dx$$

**Optimal.** Leaf size=684

$$\frac{id2^{-n-7} e^{-\frac{2ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n \left( -\frac{i(a+b \sin^{-1}(cx))}{b} \right)^{-n} \Gamma\left(n+1, -\frac{2i(a+b \sin^{-1}(cx))}{b}\right)}{c^3 \sqrt{1 - c^2 x^2}} + \frac{id2^{-2n-7} e^{-\frac{4ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{2n} \left( -\frac{i(a+b \sin^{-1}(cx))}{b} \right)^{-2n} \Gamma\left(2n+1, -\frac{4i(a+b \sin^{-1}(cx))}{b}\right)}{c^3 \sqrt{1 - c^2 x^2}}$$

```
[Out] (d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^(1 + n))/(16*b*c^3*(1 + n)*Sqrt[1 - c^2*x^2]) - (I*2^(-7 - n)*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-2*I)*(a + b*ArcSin[c*x]))/b])/(c^3*E^(((2*I)*a)/b)*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) + (I*2^(-7 - n)*d*E^(((2*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((2*I)*(a + b*ArcSin[c*x]))/b])/(c^3*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) + (I*2^(-7 - 2*n)*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-4*I)*(a + b*ArcSin[c*x]))/b])/(c^3*E^(((4*I)*a)/b)*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) - (I*2^(-7 - 2*n)*d*E^(((4*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((4*I)*(a + b*ArcSin[c*x]))/b])/(c^3*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) + (I*2^(-7 - n)*3^(-1 - n)*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-6*I)*(a + b*ArcSin[c*x]))/b])/(c^3*E^(((6*I)*a)/b)*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) - (I*2^(-7 - n)*3^(-1 - n)*d*E^(((6*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((6*I)*(a + b*ArcSin[c*x]))/b])/(c^3*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n)
```

**Rubi [A]** time = 0.810245, antiderivative size = 684, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {4725, 4723, 4406, 3307, 2181}

$$\frac{id2^{-n-7} e^{-\frac{2ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n \left( -\frac{i(a+b \sin^{-1}(cx))}{b} \right)^{-n} \Gamma\left(n+1, -\frac{2i(a+b \sin^{-1}(cx))}{b}\right)}{c^3 \sqrt{1 - c^2 x^2}} + \frac{id2^{-2n-7} e^{-\frac{4ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{2n} \left( -\frac{i(a+b \sin^{-1}(cx))}{b} \right)^{-2n} \Gamma\left(2n+1, -\frac{4i(a+b \sin^{-1}(cx))}{b}\right)}{c^3 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^n,x]

```
[Out] (d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^(1 + n))/(16*b*c^3*(1 + n)*Sqrt[1 - c^2*x^2]) - (I*2^(-7 - n)*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-2*I)*(a + b*ArcSin[c*x]))/b])/(c^3*E^(((2*I)*a)/b)*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) + (I*2^(-7 - n)*d*E^(((2*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((2*I)*(a + b*ArcSin[c*x]))/b])/(c^3*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) + (I*2^(-7 - 2*n)*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-4*I)*(a + b*ArcSin[c*x]))/b])/(c^3*E^(((4*I)*a)/b)*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) - (I*2^(-7 - 2*n)*d*E^(((4*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((4*I)*(a + b*ArcSin[c*x]))/b])/(c^3*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) + (I*2^(-7 - n)*3^(-1 - n)*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-6*I)*(a + b*ArcSin[c*x]))/b])/(c^3*E^(((6*I)*a)/b)*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) - (I*2^(-7 - n)*3^(-1 - n)*d*E^(((6*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((6*I)*(a + b*ArcSin[c*x]))/b])/(c^3*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n)
```

```

)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((2*I)*(a + b*ArcS
in[c*x]))/b]/(c^3*Sqrt[1 - c^2*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n) + (I*2^
(-7 - 2*n)*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-4*I)
*(a + b*ArcSin[c*x]))/b]/(c^3*E^(((4*I)*a)/b)*Sqrt[1 - c^2*x^2]*((-I)*(a
+ b*ArcSin[c*x]))/b)^n) - (I*2^(-7 - 2*n)*d*E^(((4*I)*a)/b)*Sqrt[d - c^2*d*
x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((4*I)*(a + b*ArcSin[c*x]))/b]/(c^
3*Sqrt[1 - c^2*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n) + (I*2^(-7 - n)*3^(-1 -
n)*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-6*I)*(a + b*
ArcSin[c*x]))/b]/(c^3*E^(((6*I)*a)/b)*Sqrt[1 - c^2*x^2]*((-I)*(a + b*ArcS
in[c*x]))/b)^n) - (I*2^(-7 - n)*3^(-1 - n)*d*E^(((6*I)*a)/b)*Sqrt[d - c^2*d
*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((6*I)*(a + b*ArcSin[c*x]))/b]/(c
^3*Sqrt[1 - c^2*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n)

```

### Rule 4725

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n*(x_)^(m_.)*((d_) + (e_.)*(x_)^2
)^p, x_Symbol] := Dist[(d^IntPart[p]*(d + e*x^2)^FracPart[p])/(1 - c^2*x
^2)^FracPart[p], Int[x^m*(1 - c^2*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] /; F
reeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p,
-1] && IGtQ[m, 0] && !(IntegerQ[p] || GtQ[d, 0])

```

### Rule 4723

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^p, x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*C
os[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])

```

### Rule 4406

```

Int[Cos[(a_.) + (b_.)*(x_.)]^(p_.)*((c_.) + (d_.)*(x_.))^m*Sin[(a_.) + (b
_.)*(x_.)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]

```

### Rule 3307

```

Int[((c_.) + (d_.)*(x_.))^m*sin[(e_.) + Pi*(k_.) + (f_.)*(x_.)], x_Symbol
] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]

```

### Rule 2181

```

Int[(F_)^((g_)*(e_) + (f_)*(x_))*((c_) + (d_)*(x_))^(m_), x_Symbol]
:> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x))]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x)/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

```

### Rubi steps

$$\begin{aligned}
\int x^2 (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^n dx &= \frac{(d\sqrt{d - c^2 dx^2}) \int x^2 (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))^n dx}{\sqrt{1 - c^2 x^2}} \\
&= \frac{(d\sqrt{d - c^2 dx^2}) \text{Subst}\left(\int (a + bx)^n \cos^4(x) \sin^2(x) dx, x, \sin^{-1}(cx)\right)}{c^3 \sqrt{1 - c^2 x^2}} \\
&= \frac{(d\sqrt{d - c^2 dx^2}) \text{Subst}\left(\int \left(\frac{1}{16}(a + bx)^n + \frac{1}{32}(a + bx)^n \cos(2x) - \frac{1}{16}(a + bx)^n\right) dx, x, \sin^{-1}(cx)\right)}{c^3 \sqrt{1 - c^2 x^2}} \\
&= \frac{d\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{16bc^3(1+n)\sqrt{1 - c^2 x^2}} + \frac{(d\sqrt{d - c^2 dx^2}) \text{Subst}\left(\int (a + bx)^n \cos(2x) dx, x, \sin^{-1}(cx)\right)}{32c^3 \sqrt{1 - c^2 x^2}} \\
&= \frac{d\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{16bc^3(1+n)\sqrt{1 - c^2 x^2}} + \frac{(d\sqrt{d - c^2 dx^2}) \text{Subst}\left(\int e^{-2ix} (a + bx)^n dx, x, \sin^{-1}(cx)\right)}{64c^3 \sqrt{1 - c^2 x^2}} \\
&= \frac{d\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{16bc^3(1+n)\sqrt{1 - c^2 x^2}} - \frac{i2^{-7-n} de^{-\frac{2ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{64c^3 \sqrt{1 - c^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 3.2099, size = 436, normalized size = 0.64

$$\frac{d^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^n \left( 3i2^{-n} e^{-\frac{2ia}{b}} \left( \frac{(a + b \sin^{-1}(cx))^2}{b^2} \right)^{-n} \left( e^{\frac{4ia}{b}} \left( -\frac{i(a + b \sin^{-1}(cx))}{b} \right)^n \Gamma\left(n + 1, \frac{2i(a + b \sin^{-1}(cx))}{b}\right) - \left( \frac{2i(a + b \sin^{-1}(cx))}{b} \right)^n \Gamma\left(n + 1, \frac{2i(a + b \sin^{-1}(cx))}{b}\right) \right)}{c^3 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^n,x]

[Out] (d^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^n\*((24\*(a + b\*ArcSin[c\*x]))/(b + b\*n) + ((3\*I)\*(-(((I\*(a + b\*ArcSin[c\*x]))/b)^n\*Gamma[1 + n, ((-2\*I)\*(a + b\*ArcSin[c\*x]))/b]) + E^(((4\*I)\*a)/b)\*(((I)\*(a + b\*ArcSin[c\*x]))/b)^n\*Gamma

$$\begin{aligned} & [1 + n, ((2*I)*(a + b*ArcSin[c*x]))/b)]/(2^n * E^{((2*I)*a)/b} * ((a + b*ArcSin[c*x])^2/b^2)^n) + ((3*I)*((I*(a + b*ArcSin[c*x]))/b)^n * Gamma[1 + n, ((-4*I)*(a + b*ArcSin[c*x]))/b] - E^{((8*I)*a)/b} * (((-I)*(a + b*ArcSin[c*x]))/b)^n * Gamma[1 + n, ((4*I)*(a + b*ArcSin[c*x]))/b])/(4^n * E^{((4*I)*a)/b} * ((a + b*ArcSin[c*x])^2/b^2)^n) + (I * (((I*(a + b*ArcSin[c*x]))/b)^n * Gamma[1 + n, ((-6*I)*(a + b*ArcSin[c*x]))/b] - E^{((12*I)*a)/b} * (((-I)*(a + b*ArcSin[c*x]))/b)^n * Gamma[1 + n, ((6*I)*(a + b*ArcSin[c*x]))/b])/(6^n * E^{((6*I)*a)/b} * ((a + b*ArcSin[c*x])^2/b^2)^n)) / (384 * c^3 * Sqrt[d - c^2 * d * x^2]) \end{aligned}$$

**Maple [F]** time = 0.267, size = 0, normalized size = 0.

$$\int x^2 (-c^2 dx^2 + d)^{\frac{3}{2}} (a + b \arcsin(cx))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n,x)

[Out] int(x^2\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n,x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^n x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="maxima")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^n\*x^2, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(c^2 dx^4 - dx^2\right)\sqrt{-c^2 dx^2 + d}(b \arcsin(cx) + a)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="fricas")

[Out] integral(-(c^2\*d\*x^4 - d\*x^2)\*sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)^n, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*n,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^n x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^n\*x^2, x)

$$3.488 \quad \int x \left( d - c^2 dx^2 \right)^{3/2} \left( a + b \sin^{-1}(cx) \right)^n dx$$

**Optimal.** Leaf size=595

$$\frac{de^{-\frac{ia}{b}} \sqrt{d - c^2 dx^2} \left( a + b \sin^{-1}(cx) \right)^n \left( -\frac{i(a+b \sin^{-1}(cx))}{b} \right)^{-n} \Gamma \left( n + 1, -\frac{i(a+b \sin^{-1}(cx))}{b} \right)}{16c^2 \sqrt{1 - c^2 x^2}} - \frac{d3^{-n} e^{-\frac{3ia}{b}} \sqrt{d - c^2 dx^2} \left( a + b \sin^{-1}(cx) \right)^n \left( -\frac{3i(a+b \sin^{-1}(cx))}{b} \right)^{-n} \Gamma \left( n + 1, -\frac{3i(a+b \sin^{-1}(cx))}{b} \right)}{32 \cdot 3^n c^2 \sqrt{1 - c^2 x^2}}$$

[Out]  $-(d \sqrt{d - c^2 dx^2} (a + b \operatorname{ArcSin}[cx])^n \Gamma[1 + n, ((-I)(a + b \operatorname{ArcSin}[cx]))/b]) / (16c^2 E^{((I)a/b)} \sqrt{1 - c^2 x^2} (((-I)(a + b \operatorname{ArcSin}[cx]))/b)^n) - (d E^{((I)a/b)} \sqrt{d - c^2 dx^2} (a + b \operatorname{ArcSin}[cx])^n \Gamma[1 + n, (I(a + b \operatorname{ArcSin}[cx]))/b]) / (16c^2 \sqrt{1 - c^2 x^2} ((I(a + b \operatorname{ArcSin}[cx]))/b)^n) - (d \sqrt{d - c^2 dx^2} (a + b \operatorname{ArcSin}[cx])^n \Gamma[1 + n, ((-3I)(a + b \operatorname{ArcSin}[cx]))/b]) / (32 \cdot 3^n c^2 E^{((3I)a/b)} \sqrt{1 - c^2 x^2} (((-I)(a + b \operatorname{ArcSin}[cx]))/b)^n) - (d E^{((3I)a/b)} \sqrt{d - c^2 dx^2} (a + b \operatorname{ArcSin}[cx])^n \Gamma[1 + n, ((3I)(a + b \operatorname{ArcSin}[cx]))/b]) / (32 \cdot 3^n c^2 \sqrt{1 - c^2 x^2} ((I(a + b \operatorname{ArcSin}[cx]))/b)^n) - (5^{(-1 - n)} d \sqrt{d - c^2 dx^2} (a + b \operatorname{ArcSin}[cx])^n \Gamma[1 + n, ((-5I)(a + b \operatorname{ArcSin}[cx]))/b]) / (32c^2 E^{((5I)a/b)} \sqrt{1 - c^2 x^2} (((-I)(a + b \operatorname{ArcSin}[cx]))/b)^n) - (5^{(-1 - n)} d E^{((5I)a/b)} \sqrt{d - c^2 dx^2} (a + b \operatorname{ArcSin}[cx])^n \Gamma[1 + n, ((5I)(a + b \operatorname{ArcSin}[cx]))/b]) / (32c^2 \sqrt{1 - c^2 x^2} ((I(a + b \operatorname{ArcSin}[cx]))/b)^n)$

**Rubi [A]** time = 0.586051, antiderivative size = 595, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {4725, 4723, 4406, 3308, 2181}

$$\frac{de^{-\frac{ia}{b}} \sqrt{d - c^2 dx^2} \left( a + b \sin^{-1}(cx) \right)^n \left( -\frac{i(a+b \sin^{-1}(cx))}{b} \right)^{-n} \Gamma \left( n + 1, -\frac{i(a+b \sin^{-1}(cx))}{b} \right)}{16c^2 \sqrt{1 - c^2 x^2}} - \frac{d3^{-n} e^{-\frac{3ia}{b}} \sqrt{d - c^2 dx^2} \left( a + b \sin^{-1}(cx) \right)^n \left( -\frac{3i(a+b \sin^{-1}(cx))}{b} \right)^{-n} \Gamma \left( n + 1, -\frac{3i(a+b \sin^{-1}(cx))}{b} \right)}{32 \cdot 3^n c^2 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Int[x\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^n,x]

[Out]  $-(d \sqrt{d - c^2 dx^2} (a + b \operatorname{ArcSin}[cx])^n \Gamma[1 + n, ((-I)(a + b \operatorname{ArcSin}[cx]))/b]) / (16c^2 E^{((I)a/b)} \sqrt{1 - c^2 x^2} (((-I)(a + b \operatorname{ArcSin}[cx]))/b)^n) - (d E^{((I)a/b)} \sqrt{d - c^2 dx^2} (a + b \operatorname{ArcSin}[cx])^n \Gamma[1 + n, (I(a + b \operatorname{ArcSin}[cx]))/b]) / (16c^2 \sqrt{1 - c^2 x^2} ((I(a + b \operatorname{ArcSin}[cx]))/b)^n) - (d \sqrt{d - c^2 dx^2} (a + b \operatorname{ArcSin}[cx])^n \Gamma[1 + n, ((-3I)(a + b \operatorname{ArcSin}[cx]))/b]) / (32 \cdot 3^n c^2 E^{((3I)a/b)} \sqrt{1 - c^2 x^2} (((-I)(a + b \operatorname{ArcSin}[cx]))/b)^n) - (d E^{((3I)a/b)} \sqrt{d - c^2 dx^2} (a + b \operatorname{ArcSin}[cx])^n \Gamma[1 + n, ((3I)(a + b \operatorname{ArcSin}[cx]))/b]) / (32 \cdot 3^n c^2 \sqrt{1 - c^2 x^2} ((I(a + b \operatorname{ArcSin}[cx]))/b)^n) - (5^{(-1 - n)} d \sqrt{d - c^2 dx^2} (a + b \operatorname{ArcSin}[cx])^n \Gamma[1 + n, ((-5I)(a + b \operatorname{ArcSin}[cx]))/b]) / (32c^2 E^{((5I)a/b)} \sqrt{1 - c^2 x^2} (((-I)(a + b \operatorname{ArcSin}[cx]))/b)^n) - (5^{(-1 - n)} d E^{((5I)a/b)} \sqrt{d - c^2 dx^2} (a + b \operatorname{ArcSin}[cx])^n \Gamma[1 + n, ((5I)(a + b \operatorname{ArcSin}[cx]))/b]) / (32c^2 \sqrt{1 - c^2 x^2} ((I(a + b \operatorname{ArcSin}[cx]))/b)^n)$

$$\begin{aligned} &^2*x^2)*((-I)*(a + b*\text{ArcSin}[c*x])/b)^n) - (d*E^{((3*I)*a)/b}*\text{Sqrt}[d - c^2 \\ &*d*x^2]*(a + b*\text{ArcSin}[c*x])^n*\text{Gamma}[1 + n, ((3*I)*(a + b*\text{ArcSin}[c*x])/b)]/ \\ &(32*3^n*c^2*\text{Sqrt}[1 - c^2*x^2]*((I*(a + b*\text{ArcSin}[c*x])/b)^n) - (5^{(-1 - n)* \\ &d*\text{Sqrt}[d - c^2*d*x^2]*(a + b*\text{ArcSin}[c*x])^n*\text{Gamma}[1 + n, ((-5*I)*(a + b*\text{Arc} \\ &\text{Sin}[c*x])/b)]/(32*c^2*E^{((5*I)*a)/b}*\text{Sqrt}[1 - c^2*x^2]*((-I)*(a + b*\text{ArcS} \\ &\text{in}[c*x])/b)^n) - (5^{(-1 - n)*d*E^{((5*I)*a)/b}*\text{Sqrt}[d - c^2*d*x^2]*(a + b* \\ &\text{ArcSin}[c*x])^n*\text{Gamma}[1 + n, ((5*I)*(a + b*\text{ArcSin}[c*x])/b)]/(32*c^2*\text{Sqrt}[1 \\ &- c^2*x^2]*((I*(a + b*\text{ArcSin}[c*x])/b)^n) \end{aligned}$$

### Rule 4725

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := Dist[(d^IntPart[p]*(d + e*x^2)^FracPart[p])/(1 - c^2*x^2)^FracPart[p], Int[x^m*(1 - c^2*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && !(IntegerQ[p] || GtQ[d, 0])
```

### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

### Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_.)]^(p_.)*((c_.) + (d_.)*(x_.))^(m_.)*Sin[(a_.) + (b_.)*(x_.)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

### Rule 3308

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

### Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_.)))*((c_.) + (d_.)*(x_.))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x)])/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x))/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !I
```

ntegerQ [m]

### Rubi steps

$$\begin{aligned}
 \int x (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^n dx &= \frac{(d\sqrt{d - c^2 dx^2}) \int x (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))^n dx}{\sqrt{1 - c^2 x^2}} \\
 &= \frac{(d\sqrt{d - c^2 dx^2}) \text{Subst}\left(\int (a + bx)^n \cos^4(x) \sin(x) dx, x, \sin^{-1}(cx)\right)}{c^2 \sqrt{1 - c^2 x^2}} \\
 &= \frac{(d\sqrt{d - c^2 dx^2}) \text{Subst}\left(\int \left(\frac{1}{8}(a + bx)^n \sin(x) + \frac{3}{16}(a + bx)^n \sin(3x) + \frac{1}{16}(a + bx)^n \sin(5x)\right) dx, x, \sin^{-1}(cx)\right)}{c^2 \sqrt{1 - c^2 x^2}} \\
 &= \frac{(d\sqrt{d - c^2 dx^2}) \text{Subst}\left(\int (a + bx)^n \sin(5x) dx, x, \sin^{-1}(cx)\right)}{16c^2 \sqrt{1 - c^2 x^2}} + \frac{(d\sqrt{d - c^2 dx^2}) \text{Subst}\left(\int (a + bx)^n \sin(3x) dx, x, \sin^{-1}(cx)\right)}{16c^2 \sqrt{1 - c^2 x^2}} \\
 &= \frac{(id\sqrt{d - c^2 dx^2}) \text{Subst}\left(\int e^{-5ix} (a + bx)^n dx, x, \sin^{-1}(cx)\right)}{32c^2 \sqrt{1 - c^2 x^2}} - \frac{(id\sqrt{d - c^2 dx^2}) \text{Subst}\left(\int e^{-3ix} (a + bx)^n dx, x, \sin^{-1}(cx)\right)}{32c^2 \sqrt{1 - c^2 x^2}} \\
 &= -\frac{de^{-\frac{ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n \left(-\frac{i(a + b \sin^{-1}(cx))}{b}\right)^{-n} \Gamma\left(1 + n, -\frac{i(a + b \sin^{-1}(cx))}{b}\right)}{16c^2 \sqrt{1 - c^2 x^2}}
 \end{aligned}$$

**Mathematica [A]** time = 2.09228, size = 464, normalized size = 0.78

$$d^2 15^{-n-1} e^{-\frac{5ia}{b}} \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^n \left(\frac{(a + b \sin^{-1}(cx))^2}{b^2}\right)^{-3n} \left(\left(-\frac{i(a + b \sin^{-1}(cx))}{b}\right)^n \left(2 \cdot 15^{n+1} e^{\frac{6ia}{b}} \left(\frac{(a + b \sin^{-1}(cx))^2}{b^2}\right)^{2n} \Gamma\left(1 + n, -\frac{i(a + b \sin^{-1}(cx))}{b}\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^n,x]

[Out]  $-(15^{-1-n} d^2 \sqrt{1 - c^2 x^2} (a + b \text{ArcSin}[c x])^n (2 \cdot 15^{1+n} E^{((4I)a/b) ((I(a + b \text{ArcSin}[c x]))/b)^n ((a + b \text{ArcSin}[c x])^2/b^2)^{2n}}) \Gamma[1 + n, ((-I)(a + b \text{ArcSin}[c x]))/b] + (((-I)(a + b \text{ArcSin}[c x]))/b)^n (2 \cdot 15^{1+n} E^{((6I)a/b) ((a + b \text{ArcSin}[c x])^2/b^2)^{2n}}) \Gamma[1 + n, (I(a + b \text{ArcSin}[c x]))/b] + 3 \cdot 5^{1+n} E^{((2I)a/b) ((I(a + b \text{ArcSin}[c x]))/b)^{2n}} ((a + b \text{ArcSin}[c x])^2/b^2)^n \Gamma[1 + n, ((-3I)(a + b \text{ArcSin}[c x]))/b] + 5^{1+n} E^{((8I)a/b) ((a + b \text{ArcSin}[c x])^2/b^2)^{2n}} \Gamma[1 + n, (3I(a + b \text{ArcSin}[c x]))/b]$



$$b^2)^{(2n)} \cdot \Gamma[1 + n, ((3I)(a + b \operatorname{ArcSin}[c*x]))/b] + 3^n \cdot (((-I)(a + b \operatorname{ArcSin}[c*x]))/b)^n \cdot (I(a + b \operatorname{ArcSin}[c*x]))/b)^{(3n)} \cdot \Gamma[1 + n, ((-5I)(a + b \operatorname{ArcSin}[c*x]))/b] + E^{((10I)a/b) \cdot ((a + b \operatorname{ArcSin}[c*x])^2/b^2)^{(2n)} \cdot \Gamma[1 + n, ((5I)(a + b \operatorname{ArcSin}[c*x]))/b])}) / (32 \cdot c^2 \cdot E^{((5I)a/b) \cdot \operatorname{Sqrt}[d - c^2 \cdot d \cdot x^2] \cdot ((a + b \operatorname{ArcSin}[c*x])^2/b^2)^{(3n)})}$$

**Maple [F]** time = 0.171, size = 0, normalized size = 0.

$$\int x (-c^2 dx^2 + d)^{\frac{3}{2}} (a + b \arcsin(cx))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n,x)

[Out] int(x\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n,x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^n x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="maxima")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^n\*x, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\left(c^2 dx^3 - dx\right) \sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="fricas")

[Out] `integral(-(c^2*d*x^3 - d*x)*sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^n, x)`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c**2*d*x**2+d)**(3/2)*(a+b*asin(c*x))**n,x)`

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^n x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-c^2*d*x^2+d)^(3/2)*(a+b*arcsin(c*x))^n,x, algorithm="giac")`

[Out] `integrate((-c^2*d*x^2 + d)^(3/2)*(b*arcsin(c*x) + a)^n*x, x)`

$$3.489 \quad \int (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^n dx$$

**Optimal.** Leaf size=466

$$\frac{id2^{-n-3}e^{-\frac{2ia}{b}}\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^n\left(-\frac{i(a+b\sin^{-1}(cx))}{b}\right)^{-n}\Gamma\left(n+1,-\frac{2i(a+b\sin^{-1}(cx))}{b}\right)}{c\sqrt{1-c^2x^2}} - \frac{id2^{-2(n+3)}e^{-\frac{4ia}{b}}\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^{n+1}\left(-\frac{i(a+b\sin^{-1}(cx))}{b}\right)^{-n-1}\Gamma\left(n+2,-\frac{2i(a+b\sin^{-1}(cx))}{b}\right)}{c\sqrt{1-c^2x^2}}$$

```
[Out] (3*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^(1 + n))/(8*b*c*(1 + n)*Sqrt[1 - c^2*x^2]) - (I*2^(-3 - n)*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-2*I)*(a + b*ArcSin[c*x]))/b])/(c*E^(((2*I)*a)/b)*Sqrt[1 - c^2*x^2]*((-I)*(a + b*ArcSin[c*x]))/b^n) + (I*2^(-3 - n)*d*E^(((2*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((2*I)*(a + b*ArcSin[c*x]))/b])/(c*Sqrt[1 - c^2*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n) - (I*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-4*I)*(a + b*ArcSin[c*x]))/b])/(2^(2*(3 + n))*c*E^(((4*I)*a)/b)*Sqrt[1 - c^2*x^2]*((-I)*(a + b*ArcSin[c*x]))/b^n) + (I*d*E^(((4*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((4*I)*(a + b*ArcSin[c*x]))/b])/(2^(2*(3 + n))*c*Sqrt[1 - c^2*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n)
```

**Rubi [A]** time = 0.406926, antiderivative size = 466, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {4663, 4661, 3312, 3307, 2181}

$$\frac{id2^{-n-3}e^{-\frac{2ia}{b}}\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^n\left(-\frac{i(a+b\sin^{-1}(cx))}{b}\right)^{-n}\Gamma\left(n+1,-\frac{2i(a+b\sin^{-1}(cx))}{b}\right)}{c\sqrt{1-c^2x^2}} - \frac{id2^{-2(n+3)}e^{-\frac{4ia}{b}}\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^{n+1}\left(-\frac{i(a+b\sin^{-1}(cx))}{b}\right)^{-n-1}\Gamma\left(n+2,-\frac{2i(a+b\sin^{-1}(cx))}{b}\right)}{c\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^n,x]

```
[Out] (3*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^(1 + n))/(8*b*c*(1 + n)*Sqrt[1 - c^2*x^2]) - (I*2^(-3 - n)*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-2*I)*(a + b*ArcSin[c*x]))/b])/(c*E^(((2*I)*a)/b)*Sqrt[1 - c^2*x^2]*((-I)*(a + b*ArcSin[c*x]))/b^n) + (I*2^(-3 - n)*d*E^(((2*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((2*I)*(a + b*ArcSin[c*x]))/b])/(c*Sqrt[1 - c^2*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n) - (I*d*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-4*I)*(a + b*ArcSin[c*x]))/b])/(2^(2*(3 + n))*c*E^(((4*I)*a)/b)*Sqrt[1 - c^2*x^2]*((-I)*(a + b*ArcSin[c*x]))/b^n) + (I*d*E^(((4*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((4*I)*(a + b*ArcSin[c*x]))/b])/(2^(2*(3 + n))*c*Sqrt[1 - c^2*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n)
```

$c*x]^n * \text{Gamma}[1 + n, ((4*I)*(a + b*\text{ArcSin}[c*x]))/b]] / (2^{2*(3 + n)} * c * \text{Sqrt}[1 - c^2*x^2] * ((I*(a + b*\text{ArcSin}[c*x]))/b)^n)$

### Rule 4663

$\text{Int}[(a_.) + \text{ArcSin}[c_.*x_]*b_.)^{n_.*((d_.) + (e_.*x_)^2)^{p_.)}, x\_Symbol] \rightarrow \text{Dist}[(d^{p-1/2} * \text{Sqrt}[d + e*x^2]) / \text{Sqrt}[1 - c^2*x^2], \text{Int}[(1 - c^2*x^2)^p * (a + b*\text{ArcSin}[c*x])^n, x], x] /;$  FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p, 0] && !(IntegerQ[p] || GtQ[d, 0])

### Rule 4661

$\text{Int}[(a_.) + \text{ArcSin}[c_.*x_]*b_.)^{n_.*((d_.) + (e_.*x_)^2)^{p_.)}, x\_Symbol] \rightarrow \text{Dist}[d^p/c, \text{Subst}[\text{Int}[(a + b*x)^n * \text{Cos}[x]^{2*p+1}, x], x, \text{ArcSin}[c*x]], x] /;$  FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IGtQ[2\*p, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rule 3312

$\text{Int}[(c_.) + (d_.*x_)^{m_.*\sin[(e_.) + (f_.*x_)]^{n_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[e + f*x]^n, x], x] /;$  FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

### Rule 3307

$\text{Int}[(c_.) + (d_.*x_)^{m_.*\sin[(e_.) + \text{Pi}*(k_.) + (f_.*x_)]}, x\_Symbol] \rightarrow \text{Dist}[I/2, \text{Int}[(c + d*x)^m / (E^{I*k*Pi} * E^{I*(e + f*x)}), x], x] - \text{Dist}[I/2, \text{Int}[(c + d*x)^m * E^{I*k*Pi} * E^{I*(e + f*x)}, x], x] /;$  FreeQ[{c, d, e, f, m}, x] && IntegerQ[2\*k]

### Rule 2181

$\text{Int}[(F_.)^{(g_.*((e_.) + (f_.*x_))) * ((c_.) + (d_.*x_))^{m_.)}, x\_Symbol] \rightarrow -\text{Simp}[(F^{(g*(e - (c*f)/d)}) * (c + d*x)^{\text{FracPart}[m]} * \text{Gamma}[m + 1, (-((f*g*\text{Log}[F])/d)) * (c + d*x)]) / (d * (-((f*g*\text{Log}[F])/d))^{\text{IntPart}[m] + 1} * (-((f*g*\text{Log}[F]) * (c + d*x))/d))^{\text{FracPart}[m]}], x] /;$  FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

### Rubi steps

$$\begin{aligned}
\int (d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^n dx &= \frac{(d\sqrt{d - c^2 dx^2}) \int (1 - c^2 x^2)^{3/2} (a + b \sin^{-1}(cx))^n dx}{\sqrt{1 - c^2 x^2}} \\
&= \frac{(d\sqrt{d - c^2 dx^2}) \text{Subst} \left( \int (a + bx)^n \cos^4(x) dx, x, \sin^{-1}(cx) \right)}{c\sqrt{1 - c^2 x^2}} \\
&= \frac{(d\sqrt{d - c^2 dx^2}) \text{Subst} \left( \int \left( \frac{3}{8}(a + bx)^n + \frac{1}{2}(a + bx)^n \cos(2x) + \frac{1}{8}(a + bx)^n \cos(4x) \right) dx, x, \sin^{-1}(cx) \right)}{c\sqrt{1 - c^2 x^2}} \\
&= \frac{3d\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{8bc(1+n)\sqrt{1 - c^2 x^2}} + \frac{(d\sqrt{d - c^2 dx^2}) \text{Subst} \left( \int (a + bx)^n \cos(4x) dx, x, \sin^{-1}(cx) \right)}{8c\sqrt{1 - c^2 x^2}} \\
&= \frac{3d\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{8bc(1+n)\sqrt{1 - c^2 x^2}} + \frac{(d\sqrt{d - c^2 dx^2}) \text{Subst} \left( \int e^{-4ix} (a + bx)^n dx, x, \sin^{-1}(cx) \right)}{16c\sqrt{1 - c^2 x^2}} \\
&= \frac{3d\sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{8bc(1+n)\sqrt{1 - c^2 x^2}} - \frac{i2^{-3-n} d e^{-\frac{2ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{16c\sqrt{1 - c^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 1.65971, size = 326, normalized size = 0.7

$$\frac{d^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^n \left( i4^{-n} e^{-\frac{4ia}{b}} \left( \frac{(a + b \sin^{-1}(cx))^2}{b^2} \right)^{-n} \left( e^{\frac{8ia}{b}} \left( -\frac{i(a + b \sin^{-1}(cx))}{b} \right)^n \Gamma \left( n + 1, \frac{4i(a + b \sin^{-1}(cx))}{b} \right) - \left( i \left( \frac{a + b \sin^{-1}(cx)}{b} \right)^n \Gamma \left( n + 1, \frac{4i(a + b \sin^{-1}(cx))}{b} \right) \right) \right)}{16c\sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^n,x]

[Out] (d^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^n\*((-8\*(a + b\*ArcSin[c\*x]))/(b + b\*n) + 8\*((4\*a + 4\*b\*ArcSin[c\*x])/(b + b\*n) - (I\*Gamma[1 + n, ((-2\*I)\*(a + b\*ArcSin[c\*x]))/b])/(2^n\*E^(((2\*I)\*a)/b)\*(((I)\*(a + b\*ArcSin[c\*x]))/b)^n) + (I\*E^(((2\*I)\*a)/b)\*Gamma[1 + n, ((2\*I)\*(a + b\*ArcSin[c\*x]))/b])/(2^n\*((I)\*(a + b\*ArcSin[c\*x]))/b)^n) + (I\*(-(((I)\*(a + b\*ArcSin[c\*x]))/b)^n\*Gamma[1 + n, ((-4\*I)\*(a + b\*ArcSin[c\*x]))/b]) + E^(((8\*I)\*a)/b)\*(((I)\*(a + b\*ArcSin[c\*x]))/b)^n\*Gamma[1 + n, ((4\*I)\*(a + b\*ArcSin[c\*x]))/b])/(4^n\*E^(((4\*I)\*a)/b)\*((a + b\*ArcSin[c\*x])^2/b^2)^n))/(64\*c\*Sqrt[d - c^2\*d\*x^2])

**Maple [F]** time = 0.133, size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{3}{2}} (a + b \arcsin(cx))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n,x)

[Out] int((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n,x)

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="maxima")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^n, x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(-c^2 dx^2 + d\right)^{\frac{3}{2}} (b \arcsin(cx) + a)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="fricas")

[Out] integral((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^n, x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*n,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^n, x)

$$3.490 \quad \int \frac{(d-c^2 dx^2)^{3/2} (a+b \sin^{-1}(cx))^n}{x} dx$$

**Optimal.** Leaf size=426

$$d^2 \text{Unintegrable} \left( \frac{(a+b \sin^{-1}(cx))^n}{x \sqrt{d-c^2 dx^2}}, x \right) + \frac{5d^2 e^{-\frac{ia}{b}} \sqrt{1-c^2 x^2} (a+b \sin^{-1}(cx))^n \left( -\frac{i(a+b \sin^{-1}(cx))}{b} \right)^{-n} \text{Gamma} \left( n+1, -\frac{i(a+b \sin^{-1}(cx))}{b} \right)}{8 \sqrt{d-c^2 dx^2}}$$

[Out] (5\*d^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((-I)\*(a + b\*ArcSin[c\*x]))/b])/(8\*E^((I\*a)/b)\*Sqrt[d - c^2\*d\*x^2]\*(((I)\*(a + b\*ArcSin[c\*x]))/b)^n) + (5\*d^2\*E^((I\*a)/b)\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, (I\*(a + b\*ArcSin[c\*x]))/b])/(8\*Sqrt[d - c^2\*d\*x^2]\*(((I)\*(a + b\*ArcSin[c\*x]))/b)^n) + (3^(-1 - n)\*d^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((-3\*I)\*(a + b\*ArcSin[c\*x]))/b])/(8\*E^(((3\*I)\*a)/b)\*Sqrt[d - c^2\*d\*x^2]\*(((I)\*(a + b\*ArcSin[c\*x]))/b)^n) + (3^(-1 - n)\*d^2\*E^(((3\*I)\*a)/b)\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((3\*I)\*(a + b\*ArcSin[c\*x]))/b])/(8\*Sqrt[d - c^2\*d\*x^2]\*(((I)\*(a + b\*ArcSin[c\*x]))/b)^n) + d^2\*Unintegrable[(a + b\*ArcSin[c\*x])^n/(x\*Sqrt[d - c^2\*d\*x^2]), x]

**Rubi [A]** time = 0.158824, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(d-c^2 dx^2)^{3/2} (a+b \sin^{-1}(cx))^n}{x} dx$$

Verification is Not applicable to the result.

[In] Int[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^n)/x,x]

[Out] Defer[Int][((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^n)/x, x]

Rubi steps

$$\int \frac{(d-c^2 dx^2)^{3/2} (a+b \sin^{-1}(cx))^n}{x} dx = \int \frac{(d-c^2 dx^2)^{3/2} (a+b \sin^{-1}(cx))^n}{x} dx$$



**Mathematica [A]** time = 0.20463, size = 0, normalized size = 0.

$$\int \frac{(d - c^2 dx^2)^{3/2} (a + b \sin^{-1}(cx))^n}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^n)/x,x]

[Out] Integrate[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^n)/x, x]

**Maple [A]** time = 0.162, size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^n}{x} (-c^2 dx^2 + d)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n/x,x)

[Out] int((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n/x,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^n}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n/x,x, algorithm="maxima")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^n/x, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^n}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n/x,x, algorithm="fricas")

[Out] integral((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^n/x, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*n/x,x)

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^n}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n/x,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^n/x, x)

$$3.491 \quad \int \frac{(d-c^2 dx^2)^{3/2} (a+b \sin^{-1}(cx))^n}{x^2} dx$$

**Optimal.** Leaf size=297

$$d^2 \text{Unintegrable} \left( \frac{(a+b \sin^{-1}(cx))^n}{x^2 \sqrt{d-c^2 dx^2}}, x \right) + \frac{icd^2 2^{-n-3} e^{-\frac{2ia}{b}} \sqrt{1-c^2 x^2} (a+b \sin^{-1}(cx))^n \left( -\frac{i(a+b \sin^{-1}(cx))}{b} \right)^{-n} \Gamma(n+1)}{\sqrt{d-c^2 dx^2}}$$

[Out]  $(-3*c*d^2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^{(1 + n)})/(2*b*(1 + n)*\text{Sqrt}[d - c^2*d*x^2]) + (I*2^{(-3 - n)}*c*d^2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^n*\Gamma[1 + n, ((-2*I)*(a + b*\text{ArcSin}[c*x]))/b])/(\text{E}^{((2*I)*a)/b}*\text{Sqrt}[d - c^2*d*x^2]*((( -I)*(a + b*\text{ArcSin}[c*x]))/b)^n) - (I*2^{(-3 - n)}*c*d^2*\text{E}^{((2*I)*a)/b}*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^n*\Gamma[1 + n, ((2*I)*(a + b*\text{ArcSin}[c*x]))/b])/(\text{Sqrt}[d - c^2*d*x^2]*(((I*(a + b*\text{ArcSin}[c*x]))/b)^n) + d^2*\text{Unintegrable}[(a + b*\text{ArcSin}[c*x])^n/(x^2*\text{Sqrt}[d - c^2*d*x^2]), x]$

**Rubi [A]** time = 0.158301, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(d-c^2 dx^2)^{3/2} (a+b \sin^{-1}(cx))^n}{x^2} dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}[\frac{(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x])^n}{x^2}, x]$

[Out]  $\text{Defer}[\text{Int}][\frac{(d - c^2*d*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x])^n}{x^2}, x]$

Rubi steps

$$\int \frac{(d-c^2 dx^2)^{3/2} (a+b \sin^{-1}(cx))^n}{x^2} dx = \int \frac{(d-c^2 dx^2)^{3/2} (a+b \sin^{-1}(cx))^n}{x^2} dx$$

**Mathematica [A]** time = 0.714526, size = 0, normalized size = 0.

$$\int \frac{(d-c^2 dx^2)^{3/2} (a+b \sin^{-1}(cx))^n}{x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^n)/x^2,x]

[Out] Integrate[((d - c^2\*d\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^n)/x^2, x]

**Maple [A]** time = 0.196, size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^n}{x^2} (-c^2 dx^2 + d)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n/x^2,x)

[Out] int((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n/x^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^n}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n/x^2,x, algorithm="maxima")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^n/x^2, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^n}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n/x^2,x, algorithm="fricas")

[Out] integral((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^n/x^2, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*n/x\*\*2,x)

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{3}{2}} (b \arcsin(cx) + a)^n}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(3/2)\*(a+b\*arcsin(c\*x))^n/x^2,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^n/x^2, x)

$$3.492 \quad \int x^2 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^n dx$$

**Optimal.** Leaf size=906

result too large to display

```
[Out] (5*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^(1 + n))/(128*b*c^3*(1 + n)*
Sqrt[1 - c^2*x^2]) - (I*2^(-7 - n)*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*
x])^n*Gamma[1 + n, ((-2*I)*(a + b*ArcSin[c*x]))/b])/(c^3*E^(((2*I)*a)/b)*Sq
rt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) + (I*2^(-7 - n)*d^2*E^(((
2*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((2*I)*(a
+ b*ArcSin[c*x]))/b])/(c^3*Sqrt[1 - c^2*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n
) + (I*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-4*I)*(
a + b*ArcSin[c*x]))/b])/(2^(2*(4 + n))*c^3*E^(((4*I)*a)/b)*Sqrt[1 - c^2*x^2
]*(((I)*(a + b*ArcSin[c*x]))/b)^n) - (I*d^2*E^(((4*I)*a)/b)*Sqrt[d - c^2*d
*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((4*I)*(a + b*ArcSin[c*x]))/b])/(2
^(2*(4 + n))*c^3*Sqrt[1 - c^2*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n) + (I*2^(-
7 - n)*3^(-1 - n)*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n
, ((-6*I)*(a + b*ArcSin[c*x]))/b])/(c^3*E^(((6*I)*a)/b)*Sqrt[1 - c^2*x^2]*
(((I)*(a + b*ArcSin[c*x]))/b)^n) - (I*2^(-7 - n)*3^(-1 - n)*d^2*E^(((6*I)*a
)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((6*I)*(a + b*A
rcSin[c*x]))/b])/(c^3*Sqrt[1 - c^2*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n) + (I
*2^(-11 - 3*n)*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, (
(-8*I)*(a + b*ArcSin[c*x]))/b])/(c^3*E^(((8*I)*a)/b)*Sqrt[1 - c^2*x^2]*(((
I)*(a + b*ArcSin[c*x]))/b)^n) - (I*2^(-11 - 3*n)*d^2*E^(((8*I)*a)/b)*Sqrt[d
- c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((8*I)*(a + b*ArcSin[c*x])
)/b])/(c^3*Sqrt[1 - c^2*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n)
```

**Rubi [A]** time = 0.959616, antiderivative size = 906, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {4725, 4723, 4406, 3307, 2181}

$$\frac{i2^{-n-7}d^2e^{-\frac{2ia}{b}}\sqrt{d-c^2dx^2}(a+b\sin^{-1}(cx))^n\Gamma\left(n+1,-\frac{2i(a+b\sin^{-1}(cx))}{b}\right)\left(-\frac{i(a+b\sin^{-1}(cx))}{b}\right)^{-n}}{c^3\sqrt{1-c^2x^2}} + \frac{i2^{-2(n+4)}d^2e^{-\frac{4ia}{b}}\sqrt{d-c^2dx^2}}{c^3\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

```
[In] Int[x^2*(d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x])^n,x]
```

```
[Out] (5*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^(1 + n))/(128*b*c^3*(1 + n)*
Sqrt[1 - c^2*x^2]) - (I*2^(-7 - n)*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*
```

```

x])^n*Gamma[1 + n, ((-2*I)*(a + b*ArcSin[c*x]))/b]/(c^3*E^(((2*I)*a)/b)*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) + (I*2^(-7 - n)*d^2*E^(((2*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((2*I)*(a + b*ArcSin[c*x]))/b]/(c^3*Sqrt[1 - c^2*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n) + (I*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-4*I)*(a + b*ArcSin[c*x]))/b]/(2^(2*(4 + n))*c^3*E^(((4*I)*a)/b)*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) - (I*d^2*E^(((4*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((4*I)*(a + b*ArcSin[c*x]))/b]/(2^(2*(4 + n))*c^3*Sqrt[1 - c^2*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n) + (I*2^(-7 - n)*3^(-1 - n)*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-6*I)*(a + b*ArcSin[c*x]))/b]/(c^3*E^(((6*I)*a)/b)*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) - (I*2^(-7 - n)*3^(-1 - n)*d^2*E^(((6*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((6*I)*(a + b*ArcSin[c*x]))/b]/(c^3*Sqrt[1 - c^2*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n) + (I*2^(-11 - 3*n)*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-8*I)*(a + b*ArcSin[c*x]))/b]/(c^3*E^(((8*I)*a)/b)*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) - (I*2^(-11 - 3*n)*d^2*E^(((8*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((8*I)*(a + b*ArcSin[c*x]))/b]/(c^3*Sqrt[1 - c^2*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n)

```

#### Rule 4725

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n*(x_)^m*((d_) + (e_.)*(x_)^2)^p, x_Symbol] := Dist[(d^IntPart[p]*(d + e*x^2)^FracPart[p])/(1 - c^2*x^2)^FracPart[p], Int[x^m*(1 - c^2*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && !(IntegerQ[p] || GtQ[d, 0])

```

#### Rule 4723

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n*(x_)^m*((d_) + (e_.)*(x_)^2)^p, x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

```

#### Rule 4406

```

Int[Cos[(a_.) + (b_.)*(x_)^p]*((c_.) + (d_.)*(x_)^m)*Sin[(a_.) + (b_.)*(x_)^n], x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

```

#### Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]
```

### Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:= -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-(f*g*Log
[F])/d)]*(c + d*x)]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-(f*g*Log[F
]*(c + d*x))/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !I
ntegerQ[m]
```

### Rubi steps

$$\begin{aligned}
\int x^2 (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^n dx &= \frac{(d^2 \sqrt{d - c^2 dx^2}) \int x^2 (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))^n dx}{\sqrt{1 - c^2 x^2}} \\
&= \frac{(d^2 \sqrt{d - c^2 dx^2}) \text{Subst} \left( \int (a + bx)^n \cos^6(x) \sin^2(x) dx, x, \sin^{-1}(cx) \right)}{c^3 \sqrt{1 - c^2 x^2}} \\
&= \frac{(d^2 \sqrt{d - c^2 dx^2}) \text{Subst} \left( \int \left( \frac{5}{128} (a + bx)^n + \frac{1}{32} (a + bx)^n \cos(2x) - \frac{1}{32} (a + bx)^n \right) dx, x, \sin^{-1}(cx) \right)}{c^3 \sqrt{1 - c^2 x^2}} \\
&= \frac{5d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{128bc^3(1+n)\sqrt{1 - c^2 x^2}} - \frac{(d^2 \sqrt{d - c^2 dx^2}) \text{Subst} \left( \int (a + bx)^n \cos(2x) dx, x, \sin^{-1}(cx) \right)}{128c^3 \sqrt{1 - c^2 x^2}} \\
&= \frac{5d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{128bc^3(1+n)\sqrt{1 - c^2 x^2}} - \frac{(d^2 \sqrt{d - c^2 dx^2}) \text{Subst} \left( \int e^{-8ix} (a + bx)^n dx, x, \sin^{-1}(cx) \right)}{256c^3 \sqrt{1 - c^2 x^2}} \\
&= \frac{5d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{128bc^3(1+n)\sqrt{1 - c^2 x^2}} - \frac{i2^{-7-n} d^2 e^{-\frac{2ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{128bc^3(1+n)\sqrt{1 - c^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 4.21847, size = 989, normalized size = 1.09

$$2^{-3n-11} 3^{-n-1} d^3 e^{-\frac{8ia}{b}} \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^n \left( \frac{(a + b \sin^{-1}(cx))^2}{b^2} \right)^{-n} \left( i3^{n+1} 4^{n+2} b e^{\frac{10ia}{b}} (n+1) \Gamma \left( n+1, \frac{2i(a + b \sin^{-1}(cx))}{b} \right) \right)$$

Antiderivative was successfully verified.



[In] Integrate[x^2\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^n,x]

[Out]  $(2^{(-11 - 3n)} 3^{(-1 - n)} d^3 \sqrt{1 - c^2 x^2} (a + b \operatorname{ArcSin}[c x])^n (5 \cdot 2^{(4 + 3n)} 3^{(1 + n)} a E^{((8I)a/b)} ((a + b \operatorname{ArcSin}[c x])^2 / b^2)^n + 5 \cdot 2^{(4 + 3n)} 3^{(1 + n)} b E^{((8I)a/b)} \operatorname{ArcSin}[c x] ((a + b \operatorname{ArcSin}[c x])^2 / b^2)^n - I \cdot 3^{(1 + n)} 4^{(2 + n)} b E^{((6I)a/b)} (1 + n) ((I(a + b \operatorname{ArcSin}[c x])) / b)^n \Gamma[1 + n, ((-2I)(a + b \operatorname{ArcSin}[c x])) / b] + I \cdot 3^{(1 + n)} 4^{(2 + n)} b E^{((10I)a/b)} (1 + n) ((-I)(a + b \operatorname{ArcSin}[c x])) / b)^n \Gamma[1 + n, ((2I)(a + b \operatorname{ArcSin}[c x])) / b] + I \cdot 2^{(3 + n)} 3^{(1 + n)} b E^{((4I)a/b)} ((I(a + b \operatorname{ArcSin}[c x])) / b)^n \Gamma[1 + n, ((-4I)(a + b \operatorname{ArcSin}[c x])) / b] + I \cdot 2^{(3 + n)} 3^{(1 + n)} b E^{((4I)a/b)} n ((I(a + b \operatorname{ArcSin}[c x])) / b)^n \Gamma[1 + n, ((-4I)(a + b \operatorname{ArcSin}[c x])) / b] - I \cdot 2^{(3 + n)} 3^{(1 + n)} b E^{((12I)a/b)} n ((-I)(a + b \operatorname{ArcSin}[c x])) / b)^n \Gamma[1 + n, ((4I)(a + b \operatorname{ArcSin}[c x])) / b] - I \cdot 2^{(3 + n)} 3^{(1 + n)} b E^{((12I)a/b)} n ((-I)(a + b \operatorname{ArcSin}[c x])) / b)^n \Gamma[1 + n, ((4I)(a + b \operatorname{ArcSin}[c x])) / b] + I \cdot 4^{(2 + n)} b E^{((2I)a/b)} ((I(a + b \operatorname{ArcSin}[c x])) / b)^n \Gamma[1 + n, ((-6I)(a + b \operatorname{ArcSin}[c x])) / b] + I \cdot 4^{(2 + n)} b E^{((2I)a/b)} n ((I(a + b \operatorname{ArcSin}[c x])) / b)^n \Gamma[1 + n, ((-6I)(a + b \operatorname{ArcSin}[c x])) / b] - I \cdot 4^{(2 + n)} b E^{((14I)a/b)} ((-I)(a + b \operatorname{ArcSin}[c x])) / b)^n \Gamma[1 + n, ((6I)(a + b \operatorname{ArcSin}[c x])) / b] - I \cdot 4^{(2 + n)} b E^{((14I)a/b)} n ((-I)(a + b \operatorname{ArcSin}[c x])) / b)^n \Gamma[1 + n, ((6I)(a + b \operatorname{ArcSin}[c x])) / b] + I \cdot 3^{(1 + n)} b ((I(a + b \operatorname{ArcSin}[c x])) / b)^n \Gamma[1 + n, ((-8I)(a + b \operatorname{ArcSin}[c x])) / b] - I \cdot 3^{(1 + n)} b E^{((16I)a/b)} ((-I)(a + b \operatorname{ArcSin}[c x])) / b)^n \Gamma[1 + n, ((8I)(a + b \operatorname{ArcSin}[c x])) / b] - I \cdot 3^{(1 + n)} b E^{((16I)a/b)} n ((-I)(a + b \operatorname{ArcSin}[c x])) / b)^n \Gamma[1 + n, ((8I)(a + b \operatorname{ArcSin}[c x])) / b])) / (b c^3 E^{((8I)a/b)} (1 + n) \sqrt{d - c^2 d x^2} ((a + b \operatorname{ArcSin}[c x])^2 / b^2)^n)$

---

**Maple [F]** time = 0.259, size = 0, normalized size = 0.

$$\int x^2 (-c^2 dx^2 + d)^{\frac{5}{2}} (a + b \arcsin(cx))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n,x)

[Out] int(x^2\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n,x)

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^n x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="maxima")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)^n\*x^2, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(c^4 d^2 x^6 - 2 c^2 d^2 x^4 + d^2 x^2\right) \sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="fricas")

[Out] integral((c^4\*d^2\*x^6 - 2\*c^2\*d^2\*x^4 + d^2\*x^2)\*sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)^n, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))\*\*n,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^n x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))^n,x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(5/2)*(b*arcsin(c*x) + a)^n*x^2, x)
```

$$3.493 \quad \int x (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^n dx$$

**Optimal.** Leaf size=815

result too large to display

```
[Out] (-5*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-I)*(a + b
*ArcSin[c*x]))/b])/(128*c^2*E^((I*a)/b)*Sqrt[1 - c^2*x^2]*(((I)*(a + b*Arc
Sin[c*x]))/b)^n) - (5*d^2*E^((I*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x
])^n*Gamma[1 + n, (I*(a + b*ArcSin[c*x]))/b])/(128*c^2*Sqrt[1 - c^2*x^2]*((
I*(a + b*ArcSin[c*x]))/b)^n) - (3^(1 - n)*d^2*Sqrt[d - c^2*d*x^2]*(a + b*Ar
cSin[c*x])^n*Gamma[1 + n, ((-3*I)*(a + b*ArcSin[c*x]))/b])/(128*c^2*E^(((3*
I)*a)/b)*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) - (3^(1 - n)*d
^2*E^(((3*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, (
(3*I)*(a + b*ArcSin[c*x]))/b])/(128*c^2*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin
[c*x]))/b)^n) - (d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n,
((-5*I)*(a + b*ArcSin[c*x]))/b])/(128*5^n*c^2*E^(((5*I)*a)/b)*Sqrt[1 - c^2
*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) - (d^2*E^(((5*I)*a)/b)*Sqrt[d - c^2
*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((5*I)*(a + b*ArcSin[c*x]))/b])/(
128*5^n*c^2*Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) - (7^(-1 - n)
*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-7*I)*(a + b*
ArcSin[c*x]))/b])/(128*c^2*E^(((7*I)*a)/b)*Sqrt[1 - c^2*x^2]*(((I)*(a + b*
ArcSin[c*x]))/b)^n) - (7^(-1 - n)*d^2*E^(((7*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(
a + b*ArcSin[c*x])^n*Gamma[1 + n, ((7*I)*(a + b*ArcSin[c*x]))/b])/(128*c^2*
Sqrt[1 - c^2*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n)
```

**Rubi [A]** time = 0.734652, antiderivative size = 815, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {4725, 4723, 4406, 3308, 2181}

$$\frac{5d^2 e^{-\frac{ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n \Gamma\left(n + 1, -\frac{i(a + b \sin^{-1}(cx))}{b}\right) \left(-\frac{i(a + b \sin^{-1}(cx))}{b}\right)^{-n}}{128c^2 \sqrt{1 - c^2 x^2}} - \frac{3^{1-n} d^2 e^{-\frac{3ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n \Gamma\left(n + 1, -\frac{3i(a + b \sin^{-1}(cx))}{b}\right) \left(-\frac{3i(a + b \sin^{-1}(cx))}{b}\right)^{-n}}{128c^2 \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

```
[In] Int[x*(d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x])^n,x]
```

```
[Out] (-5*d^2*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-I)*(a + b
*ArcSin[c*x]))/b])/(128*c^2*E^((I*a)/b)*Sqrt[1 - c^2*x^2]*(((I)*(a + b*Arc
Sin[c*x]))/b)^n) - (5*d^2*E^((I*a)/b)*Sqrt[d - c^2*d*x^2]*(a + b*ArcSin[c*x
```

$$\begin{aligned} & ]^n \Gamma[1+n, (I*(a+b*\text{ArcSin}[c*x]))/b] / (128*c^2*\text{Sqrt}[1-c^2*x^2]*(( \\ & I*(a+b*\text{ArcSin}[c*x]))/b)^n) - (3^{(1-n)}*d^2*\text{Sqrt}[d-c^2*d*x^2]*(a+b*\text{Ar} \\ & \text{cSin}[c*x])^n*\Gamma[1+n, ((-3*I)*(a+b*\text{ArcSin}[c*x]))/b] / (128*c^2*E^{((3* \\ & I)*a)/b}*\text{Sqrt}[1-c^2*x^2]*((-I)*(a+b*\text{ArcSin}[c*x]))/b)^n) - (3^{(1-n)}*d \\ & ^2*E^{(((3*I)*a)/b}*\text{Sqrt}[d-c^2*d*x^2]*(a+b*\text{ArcSin}[c*x])^n*\Gamma[1+n, ( \\ & (3*I)*(a+b*\text{ArcSin}[c*x]))/b] / (128*c^2*\text{Sqrt}[1-c^2*x^2]*((I*(a+b*\text{ArcSin} \\ & [c*x]))/b)^n) - (d^2*\text{Sqrt}[d-c^2*d*x^2]*(a+b*\text{ArcSin}[c*x])^n*\Gamma[1+n, \\ & ((-5*I)*(a+b*\text{ArcSin}[c*x]))/b] / (128*5^n*c^2*E^{((5*I)*a)/b}*\text{Sqrt}[1-c^2 \\ & *x^2]*((-I)*(a+b*\text{ArcSin}[c*x]))/b)^n) - (d^2*E^{((5*I)*a)/b}*\text{Sqrt}[d-c^2 \\ & *d*x^2]*(a+b*\text{ArcSin}[c*x])^n*\Gamma[1+n, ((5*I)*(a+b*\text{ArcSin}[c*x]))/b] / \\ & (128*5^n*c^2*\text{Sqrt}[1-c^2*x^2]*((I*(a+b*\text{ArcSin}[c*x]))/b)^n) - (7^{(-1-n)} \\ & *d^2*\text{Sqrt}[d-c^2*d*x^2]*(a+b*\text{ArcSin}[c*x])^n*\Gamma[1+n, ((-7*I)*(a+b* \\ & \text{ArcSin}[c*x]))/b] / (128*c^2*E^{((7*I)*a)/b}*\text{Sqrt}[1-c^2*x^2]*((-I)*(a+b* \\ & \text{ArcSin}[c*x]))/b)^n) - (7^{(-1-n)}*d^2*E^{(((7*I)*a)/b}*\text{Sqrt}[d-c^2*d*x^2]*( \\ & a+b*\text{ArcSin}[c*x])^n*\Gamma[1+n, ((7*I)*(a+b*\text{ArcSin}[c*x]))/b] / (128*c^2* \\ & \text{Sqrt}[1-c^2*x^2]*((I*(a+b*\text{ArcSin}[c*x]))/b)^n) \end{aligned}$$

#### Rule 4725

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_.)^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := Dist[(d^IntPart[p]*(d + e*x^2)^FracPart[p])/(1 - c^2*x^2)^FracPart[p], Int[x^m*(1 - c^2*x^2)^p*(a + b*ArcSin[c*x])^n, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && !(IntegerQ[p] || GtQ[d, 0])
```

#### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_.)^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

#### Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_.)]^(p_.)*((c_.) + (d_.)*(x_.))^(m_.)*Sin[(a_.) + (b_.)*(x_.)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

#### Rule 3308

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(
```

$\text{I}*(e + f*x), x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x]$

### Rule 2181

$\text{Int}[(F_)^{\wedge}((g_.) * ((e_.) + (f_.) * (x_))) * ((c_.) + (d_.) * (x_))^{\wedge}(m_), x\_Symbol]$   
 $:= -\text{Simp}[(F^{\wedge}(g*(e - (c*f)/d)) * (c + d*x)^{\wedge}\text{FracPart}[m] * \text{Gamma}[m + 1, (-((f*g*Log[F])/d)) * (c + d*x)]) / (d * (-((f*g*Log[F])/d))^{\wedge}(\text{IntPart}[m] + 1) * (-((f*g*Log[F]) * (c + d*x))/d))^{\wedge}\text{FracPart}[m]), x] /; \text{FreeQ}\{F, c, d, e, f, g, m\}, x] \&\& !\text{IntegerQ}[m]$

### Rubi steps

$$\begin{aligned} \int x (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^n dx &= \frac{(d^2 \sqrt{d - c^2 dx^2}) \int x (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))^n dx}{\sqrt{1 - c^2 x^2}} \\ &= \frac{(d^2 \sqrt{d - c^2 dx^2}) \text{Subst} \left( \int (a + bx)^n \cos^6(x) \sin(x) dx, x, \sin^{-1}(cx) \right)}{c^2 \sqrt{1 - c^2 x^2}} \\ &= \frac{(d^2 \sqrt{d - c^2 dx^2}) \text{Subst} \left( \int \left( \frac{5}{64} (a + bx)^n \sin(x) + \frac{9}{64} (a + bx)^n \sin(3x) + \frac{5}{64} (a + bx)^n \sin(5x) \right) dx, x, \sin^{-1}(cx) \right)}{c^2 \sqrt{1 - c^2 x^2}} \\ &= \frac{(d^2 \sqrt{d - c^2 dx^2}) \text{Subst} \left( \int (a + bx)^n \sin(7x) dx, x, \sin^{-1}(cx) \right)}{64 c^2 \sqrt{1 - c^2 x^2}} + \frac{(5 d^2 \sqrt{d - c^2 dx^2}) \text{Subst} \left( \int (a + bx)^n \sin(9x) dx, x, \sin^{-1}(cx) \right)}{64 c^2 \sqrt{1 - c^2 x^2}} \\ &= \frac{(i d^2 \sqrt{d - c^2 dx^2}) \text{Subst} \left( \int e^{-7ix} (a + bx)^n dx, x, \sin^{-1}(cx) \right)}{128 c^2 \sqrt{1 - c^2 x^2}} - \frac{(i d^2 \sqrt{d - c^2 dx^2}) \text{Subst} \left( \int e^{-9ix} (a + bx)^n dx, x, \sin^{-1}(cx) \right)}{128 c^2 \sqrt{1 - c^2 x^2}} \\ &= -\frac{5 d^2 e^{-\frac{ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n \left( -\frac{i(a + b \sin^{-1}(cx))}{b} \right)^{-n} \Gamma \left( 1 + n, -\frac{i(a + b \sin^{-1}(cx))}{b} \right)}{128 c^2 \sqrt{1 - c^2 x^2}} \end{aligned}$$

**Mathematica [A]** time = 3.9743, size = 603, normalized size = 0.74

$$d^3 5^{-n} 21^{-n-1} e^{-\frac{7ia}{b}} \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^n \left( \frac{(a + b \sin^{-1}(cx))^2}{b^2} \right)^{-3n} \left( \left( -\frac{i(a + b \sin^{-1}(cx))}{b} \right)^n \left( 9 \cdot 5^n 7^{n+1} e^{\frac{4ia}{b}} \left( \frac{i(a + b \sin^{-1}(cx))}{b} \right)^{2n} \left( \frac{(a + b \sin^{-1}(cx))^2}{b^2} \right)^{-2n} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^n,x]

```
[Out] -(21^(-1 - n)*d^3*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^n*(105^(1 + n)*E^((
(6*I)*a)/b)*((I*(a + b*ArcSin[c*x]))/b)^n*((a + b*ArcSin[c*x])^2/b^2)^(2*n)
*Gamma[1 + n, ((-I)*(a + b*ArcSin[c*x]))/b] + (((-I)*(a + b*ArcSin[c*x]))/b
)^n*(105^(1 + n)*E^(((8*I)*a)/b)*((a + b*ArcSin[c*x])^2/b^2)^(2*n)*Gamma[1
+ n, (I*(a + b*ArcSin[c*x]))/b] + 9*5^n*7^(1 + n)*E^(((4*I)*a)/b)*((I*(a +
b*ArcSin[c*x]))/b)^(2*n)*((a + b*ArcSin[c*x])^2/b^2)^n*Gamma[1 + n, ((-3*I)
*(a + b*ArcSin[c*x]))/b] + 9*5^n*7^(1 + n)*E^(((10*I)*a)/b)*((a + b*ArcSin[
c*x])^2/b^2)^(2*n)*Gamma[1 + n, ((3*I)*(a + b*ArcSin[c*x]))/b] + 3^(1 + n)*
(7^(1 + n)*E^(((2*I)*a)/b)*(((I)*(a + b*ArcSin[c*x]))/b)^n*((I*(a + b*ArcS
in[c*x]))/b)^(3*n)*Gamma[1 + n, ((-5*I)*(a + b*ArcSin[c*x]))/b] + 7^(1 + n)
*E^(((12*I)*a)/b)*((a + b*ArcSin[c*x])^2/b^2)^(2*n)*Gamma[1 + n, ((5*I)*(a
+ b*ArcSin[c*x]))/b] + 5^n*(((I)*(a + b*ArcSin[c*x]))/b)^n*((I*(a + b*Arc
Sin[c*x]))/b)^(3*n)*Gamma[1 + n, ((-7*I)*(a + b*ArcSin[c*x]))/b] + E^(((14*
I)*a)/b)*((a + b*ArcSin[c*x])^2/b^2)^(2*n)*Gamma[1 + n, ((7*I)*(a + b*ArcSi
n[c*x]))/b])))/(128*5^n*c^2*E^(((7*I)*a)/b)*Sqrt[d - c^2*d*x^2]*((a + b*A
rcSin[c*x])^2/b^2)^(3*n))
```

**Maple [F]** time = 0.174, size = 0, normalized size = 0.

$$\int x(-c^2 dx^2 + d)^{\frac{5}{2}} (a + b \arcsin(cx))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))^n,x)
```

```
[Out] int(x*(-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))^n,x)
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^n x dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))^n,x, algorithm="maxima")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(5/2)*(b*arcsin(c*x) + a)^n*x, x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(c^4 d^2 x^5 - 2 c^2 d^2 x^3 + d^2 x\right) \sqrt{-c^2 d x^2 + d} (b \arcsin(cx) + a)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="fricas")

[Out] integral((c^4\*d^2\*x^5 - 2\*c^2\*d^2\*x^3 + d^2\*x)\*sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)^n, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))\*\*n,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \left(-c^2 d x^2 + d\right)^{\frac{5}{2}} (b \arcsin(cx) + a)^n x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)^n\*x, x)



$$3.494 \quad \int (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^n dx$$

**Optimal.** Leaf size=698

$$\frac{15id^2 2^{-n-7} e^{-\frac{2ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n \left(-\frac{i(a+b \sin^{-1}(cx))}{b}\right)^{-n} \Gamma\left(n+1, -\frac{2i(a+b \sin^{-1}(cx))}{b}\right)}{c\sqrt{1-c^2x^2}} - \frac{3id^2 2^{-2n-7} e^{-\frac{4ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n \left(-\frac{i(a+b \sin^{-1}(cx))}{b}\right)^{-n} \Gamma\left(n+1, -\frac{2i(a+b \sin^{-1}(cx))}{b}\right)}{c\sqrt{1-c^2x^2}}$$

[Out] (5\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^(1 + n))/(16\*b\*c\*(1 + n)\*Sqrt[1 - c^2\*x^2]) - ((15\*I)\*2^(-7 - n)\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((-2\*I)\*(a + b\*ArcSin[c\*x]))/b])/(c\*E^(((2\*I)\*a)/b)\*Sqrt[1 - c^2\*x^2]\*(((I)\*(a + b\*ArcSin[c\*x]))/b)^n) + ((15\*I)\*2^(-7 - n)\*d^2\*E^(((2\*I)\*a)/b)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((2\*I)\*(a + b\*ArcSin[c\*x]))/b])/(c\*Sqrt[1 - c^2\*x^2]\*((I\*(a + b\*ArcSin[c\*x]))/b)^n) - ((3\*I)\*2^(-7 - 2\*n)\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((-4\*I)\*(a + b\*ArcSin[c\*x]))/b])/(c\*E^(((4\*I)\*a)/b)\*Sqrt[1 - c^2\*x^2]\*(((I)\*(a + b\*ArcSin[c\*x]))/b)^n) + ((3\*I)\*2^(-7 - 2\*n)\*d^2\*E^(((4\*I)\*a)/b)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((4\*I)\*(a + b\*ArcSin[c\*x]))/b])/(c\*Sqrt[1 - c^2\*x^2]\*((I\*(a + b\*ArcSin[c\*x]))/b)^n) - (I\*2^(-7 - n)\*3^(-1 - n)\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((-6\*I)\*(a + b\*ArcSin[c\*x]))/b])/(c\*E^(((6\*I)\*a)/b)\*Sqrt[1 - c^2\*x^2]\*(((I)\*(a + b\*ArcSin[c\*x]))/b)^n) + (I\*2^(-7 - n)\*3^(-1 - n)\*d^2\*E^(((6\*I)\*a)/b)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((6\*I)\*(a + b\*ArcSin[c\*x]))/b])/(c\*Sqrt[1 - c^2\*x^2]\*((I\*(a + b\*ArcSin[c\*x]))/b)^n)

**Rubi [A]** time = 0.576922, antiderivative size = 698, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {4663, 4661, 3312, 3307, 2181}

$$\frac{15id^2 2^{-n-7} e^{-\frac{2ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n \left(-\frac{i(a+b \sin^{-1}(cx))}{b}\right)^{-n} \Gamma\left(n+1, -\frac{2i(a+b \sin^{-1}(cx))}{b}\right)}{c\sqrt{1-c^2x^2}} - \frac{3id^2 2^{-2n-7} e^{-\frac{4ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^n \left(-\frac{i(a+b \sin^{-1}(cx))}{b}\right)^{-n} \Gamma\left(n+1, -\frac{2i(a+b \sin^{-1}(cx))}{b}\right)}{c\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^n,x]

[Out] (5\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^(1 + n))/(16\*b\*c\*(1 + n)\*Sqrt[1 - c^2\*x^2]) - ((15\*I)\*2^(-7 - n)\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((-2\*I)\*(a + b\*ArcSin[c\*x]))/b])/(c\*E^(((2\*I)\*a)/b)\*Sqrt[1 - c^2\*x^2]\*(((I)\*(a + b\*ArcSin[c\*x]))/b)^n) + ((15\*I)\*2^(-7 - n)\*d^2\*E^(((2\*I)\*a)/b)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((2\*I)\*(a + b\*ArcSin[c\*x]))/b])/(c\*Sqrt[1 - c^2\*x^2]\*((I\*(a + b\*ArcSin[c\*x]))/b)^n) - ((3\*I)\*2^(-7 - 2\*n)\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((-4\*I)\*(a + b\*ArcSin[c\*x]))/b])/(c\*E^(((4\*I)\*a)/b)\*Sqrt[1 - c^2\*x^2]\*(((I)\*(a + b\*ArcSin[c\*x]))/b)^n) + ((3\*I)\*2^(-7 - 2\*n)\*d^2\*E^(((4\*I)\*a)/b)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((4\*I)\*(a + b\*ArcSin[c\*x]))/b])/(c\*Sqrt[1 - c^2\*x^2]\*((I\*(a + b\*ArcSin[c\*x]))/b)^n) - (I\*2^(-7 - n)\*3^(-1 - n)\*d^2\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((-6\*I)\*(a + b\*ArcSin[c\*x]))/b])/(c\*E^(((6\*I)\*a)/b)\*Sqrt[1 - c^2\*x^2]\*(((I)\*(a + b\*ArcSin[c\*x]))/b)^n) + (I\*2^(-7 - n)\*3^(-1 - n)\*d^2\*E^(((6\*I)\*a)/b)\*Sqrt[d - c^2\*d\*x^2]\*(a + b\*ArcSin[c\*x])^n\*Gamma[1 + n, ((6\*I)\*(a + b\*ArcSin[c\*x]))/b])/(c\*Sqrt[1 - c^2\*x^2]\*((I\*(a + b\*ArcSin[c\*x]))/b)^n)

$$E^{\left(\frac{(2I)a}{b}\right)} \sqrt{d - c^2 d x^2} (a + b \operatorname{ArcSin}[c x])^n \Gamma[1 + n, \left(\frac{(2I)(a + b \operatorname{ArcSin}[c x])}{b}\right) / (c \sqrt{1 - c^2 x^2} \left(\frac{I(a + b \operatorname{ArcSin}[c x])}{b}\right))^n] - \left(\frac{(3I)2^{(-7 - 2n)} d^2 \sqrt{d - c^2 d x^2} (a + b \operatorname{ArcSin}[c x])^n \Gamma[1 + n, \left(\frac{(-4I)(a + b \operatorname{ArcSin}[c x])}{b}\right) / (c E^{\left(\frac{(4I)a}{b}\right)} \sqrt{1 - c^2 x^2} \left(\frac{(-I)(a + b \operatorname{ArcSin}[c x])}{b}\right))^n} + \left(\frac{(3I)2^{(-7 - 2n)} d^2 E^{\left(\frac{(4I)a}{b}\right)} \sqrt{d - c^2 d x^2} (a + b \operatorname{ArcSin}[c x])^n \Gamma[1 + n, \left(\frac{(4I)(a + b \operatorname{ArcSin}[c x])}{b}\right) / (c \sqrt{1 - c^2 x^2} \left(\frac{I(a + b \operatorname{ArcSin}[c x])}{b}\right))^n} - (I2^{(-7 - n)} 3^{(-1 - n)} d^2 \sqrt{d - c^2 d x^2} (a + b \operatorname{ArcSin}[c x])^n \Gamma[1 + n, \left(\frac{(-6I)(a + b \operatorname{ArcSin}[c x])}{b}\right) / (c E^{\left(\frac{(6I)a}{b}\right)} \sqrt{1 - c^2 x^2} \left(\frac{(-I)(a + b \operatorname{ArcSin}[c x])}{b}\right))^n} + (I2^{(-7 - n)} 3^{(-1 - n)} d^2 E^{\left(\frac{(6I)a}{b}\right)} \sqrt{d - c^2 d x^2} (a + b \operatorname{ArcSin}[c x])^n \Gamma[1 + n, \left(\frac{(6I)(a + b \operatorname{ArcSin}[c x])}{b}\right) / (c \sqrt{1 - c^2 x^2} \left(\frac{I(a + b \operatorname{ArcSin}[c x])}{b}\right))^n}\right)$$
Rule 4663

$$\operatorname{Int}[\left(\frac{(a_.) + \operatorname{ArcSin}[c_.(x_)](b_.)}{(d_.) + (e_.)x_} \right)^{n_.(x_)^{p_}}, x\_Symbol] \rightarrow \operatorname{Dist}\left[\frac{d^{(p - 1/2)} \sqrt{d + e x^2}}{\sqrt{1 - c^2 x^2}}, \operatorname{Int}\left[\left(1 - c^2 x^2\right)^p (a + b \operatorname{ArcSin}[c x])^n, x\right], x\right] /; \operatorname{FreeQ}\{a, b, c, d, e, n\}, x\} \&\& \operatorname{EqQ}[c^2 d + e, 0] \&\& \operatorname{IGtQ}[2p, 0] \&\& \left(\operatorname{IntegerQ}[p] \mid \mid \operatorname{GtQ}[d, 0]\right)$$
Rule 4661

$$\operatorname{Int}[\left(\frac{(a_.) + \operatorname{ArcSin}[c_.(x_)](b_.)}{(d_.) + (e_.)x_} \right)^{n_.(x_)^{p_}}, x\_Symbol] \rightarrow \operatorname{Dist}\left[\frac{d^p}{c}, \operatorname{Subst}\left[\operatorname{Int}\left[(a + b x)^n \cos[x]^{(2p + 1)}, x\right], x, \operatorname{ArcSin}[c x]\right], x\right] /; \operatorname{FreeQ}\{a, b, c, d, e, n\}, x\} \&\& \operatorname{EqQ}[c^2 d + e, 0] \&\& \operatorname{IGtQ}[2p, 0] \&\& \left(\operatorname{IntegerQ}[p] \mid \mid \operatorname{GtQ}[d, 0]\right)$$
Rule 3312

$$\operatorname{Int}\left[\left(\frac{(c_.) + (d_.)x_}{(e_.) + (f_.)x_}\right)^{m_} \sin\left[\frac{(e_.) + (f_.)x_}{(g_.) + (h_.)x_}\right]^{n_}, x\_Symbol\right] \rightarrow \operatorname{Int}\left[\operatorname{ExpandTrigReduce}\left[(c + d x)^m, \sin\left[\frac{e + f x}{g + h x}\right]^n, x\right], x\right] /; \operatorname{FreeQ}\{c, d, e, f, m\}, x\} \&\& \operatorname{IGtQ}[n, 1] \&\& \left(\operatorname{!RationalQ}[m] \mid \mid (\operatorname{GeQ}[m, -1] \&\& \operatorname{LtQ}[m, 1])\right)$$
Rule 3307

$$\operatorname{Int}\left[\left(\frac{(c_.) + (d_.)x_}{(e_.) + (f_.)x_}\right)^{m_} \sin\left[\frac{(e_.) + \pi(k_.) + (f_.)x_}{(g_.) + (h_.)x_}\right], x\_Symbol\right] \rightarrow \operatorname{Dist}\left[\frac{I}{2}, \operatorname{Int}\left[\frac{(c + d x)^m}{(E^{I k \pi} E^{I(e + f x)})}, x\right], x\right] - \operatorname{Dist}\left[\frac{I}{2}, \operatorname{Int}\left[\frac{(c + d x)^m E^{I k \pi} E^{I(e + f x)}}{(E^{I k \pi} E^{I(e + f x)})}, x\right], x\right] /; \operatorname{FreeQ}\{c, d, e, f, m\}, x\} \&\& \operatorname{IntegerQ}[2k]$$
Rule 2181

$$\operatorname{Int}\left[\frac{(F_.)^{\left(\frac{(g_.) \left(\frac{(e_.) + (f_.)x_}{(d_.) + (e_.)x_}\right)\right) \left(\frac{(c_.) + (d_.)x_}{(e_.) + (f_.)x_}\right)^{m_}}}{(F_.)^{\left(\frac{(g_.) \left(\frac{(e_.) + (f_.)x_}{(d_.) + (e_.)x_}\right)\right) \left(\frac{(c_.) + (d_.)x_}{(e_.) + (f_.)x_}\right)^{m_}}}\right)}{d_} \left(\frac{(f_.)x_}{(d_.) + (e_.)x_}\right)^m \Gamma[m + 1, \left(\frac{-(f_.)x_ \log[F]}{(d_.) + (e_.)x_}\right)^m] /; \operatorname{FreeQ}\{c, d, e, f, m\}, x\} \&\& \operatorname{IntegerQ}[m] \&\& \operatorname{GtQ}[d, 0]$$

]\*(c + d\*x)/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

### Rubi steps

$$\begin{aligned}
 \int (d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^n dx &= \frac{(d^2 \sqrt{d - c^2 dx^2}) \int (1 - c^2 x^2)^{5/2} (a + b \sin^{-1}(cx))^n dx}{\sqrt{1 - c^2 x^2}} \\
 &= \frac{(d^2 \sqrt{d - c^2 dx^2}) \text{Subst} \left( \int (a + bx)^n \cos^6(x) dx, x, \sin^{-1}(cx) \right)}{c \sqrt{1 - c^2 x^2}} \\
 &= \frac{(d^2 \sqrt{d - c^2 dx^2}) \text{Subst} \left( \int \left( \frac{5}{16} (a + bx)^n + \frac{15}{32} (a + bx)^n \cos(2x) + \frac{3}{16} (a + bx)^n \cos(4x) \right) dx, x, \sin^{-1}(cx) \right)}{c \sqrt{1 - c^2 x^2}} \\
 &= \frac{5d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{16bc(1+n)\sqrt{1 - c^2 x^2}} + \frac{(d^2 \sqrt{d - c^2 dx^2}) \text{Subst} \left( \int (a + bx)^n \cos(2x) dx, x, \sin^{-1}(cx) \right)}{32c \sqrt{1 - c^2 x^2}} \\
 &= \frac{5d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{16bc(1+n)\sqrt{1 - c^2 x^2}} + \frac{(d^2 \sqrt{d - c^2 dx^2}) \text{Subst} \left( \int e^{-6ix} (a + bx)^n dx, x, \sin^{-1}(cx) \right)}{64c \sqrt{1 - c^2 x^2}} \\
 &= \frac{5d^2 \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{16bc(1+n)\sqrt{1 - c^2 x^2}} - \frac{15i2^{-7-n} d^2 e^{-\frac{2ia}{b}} \sqrt{d - c^2 dx^2} (a + b \sin^{-1}(cx))^{1+n}}{64c \sqrt{1 - c^2 x^2}}
 \end{aligned}$$

**Mathematica [A]** time = 4.33457, size = 477, normalized size = 0.68

$$\frac{d^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^n \left( 9i4^{-n} e^{\frac{4ia}{b}} \left( \frac{(a + b \sin^{-1}(cx))^2}{b^2} \right)^{-n} \left( -\frac{i(a + b \sin^{-1}(cx))}{b} \right)^n \Gamma \left( n + 1, \frac{4i(a + b \sin^{-1}(cx))}{b} \right) + i6^{-n} e^{\frac{6ia}{b}} \right)}{64c \sqrt{1 - c^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^n,x]

[Out] (d^3\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^n\*((120\*a)/(b + b\*n) + (120\*ArcSin[c\*x])/(1 + n) - ((45\*I)\*Gamma[1 + n, ((-2\*I)\*(a + b\*ArcSin[c\*x]))/b])/(2^n)\*E^(((2\*I)\*a)/b)\*(((-I)\*(a + b\*ArcSin[c\*x]))/b)^n) + ((45\*I)\*E^(((2\*I)\*a)/b)\*Gamma[1 + n, ((2\*I)\*(a + b\*ArcSin[c\*x]))/b])/(2^n\*((I\*(a + b\*ArcSin[c\*x]))/b)^n) - ((9\*I)\*((I\*(a + b\*ArcSin[c\*x]))/b)^n\*Gamma[1 + n, ((-4\*I)\*(a + b\*ArcSin[c\*x]))/b])/(4^n)\*E^(((4\*I)\*a)/b)\*((a + b\*ArcSin[c\*x])^2/b^2)^n) + (

$$(9*I)*E^{((4*I)*a)/b}*((( -I)*(a + b*\text{ArcSin}[c*x]))/b)^n*\text{Gamma}[1 + n, ((4*I)*(a + b*\text{ArcSin}[c*x]))/b]/(4^n*((a + b*\text{ArcSin}[c*x])^2/b^2)^n) - (I*((I*(a + b*\text{ArcSin}[c*x]))/b)^n*\text{Gamma}[1 + n, ((-6*I)*(a + b*\text{ArcSin}[c*x]))/b]/(6^n*E^{((6*I)*a)/b}*((a + b*\text{ArcSin}[c*x])^2/b^2)^n) + (I*E^{((6*I)*a)/b}*((( -I)*(a + b*\text{ArcSin}[c*x]))/b)^n*\text{Gamma}[1 + n, ((6*I)*(a + b*\text{ArcSin}[c*x]))/b]/(6^n*((a + b*\text{ArcSin}[c*x])^2/b^2)^n)))/(384*c*\text{Sqrt}[d - c^2*d*x^2])$$

**Maple [F]** time = 0.13, size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{5}{2}} (a + b \arcsin(cx))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n,x)

[Out] int((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n,x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="maxima")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)^n, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(c^4 d^2 x^4 - 2 c^2 d^2 x^2 + d^2\right) \sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n,x, algorithm="fricas")

[Out] `integral((c^4*d^2*x^4 - 2*c^2*d^2*x^2 + d^2)*sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^n, x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c**2*d*x**2+d)**(5/2)*(a+b*asin(c*x))**n,x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))^n,x, algorithm="giac")`

[Out] `integrate((-c^2*d*x^2 + d)^(5/2)*(b*arcsin(c*x) + a)^n, x)`

$$3.495 \quad \int \frac{(d-c^2dx^2)^{5/2} (a+b \sin^{-1}(cx))^n}{x} dx$$

**Optimal.** Leaf size=826

result too large to display

```
[Out] (11*d^3*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-I)*(a + b*ArcSin[c*x]))/b])/(16*E^((I*a)/b)*Sqrt[d - c^2*d*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) + (11*d^3*E^((I*a)/b)*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, (I*(a + b*ArcSin[c*x]))/b])/(16*Sqrt[d - c^2*d*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n) - (5*3^(-1 - n)*d^3*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-3*I)*(a + b*ArcSin[c*x]))/b])/(32*E^(((3*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) + (d^3*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-3*I)*(a + b*ArcSin[c*x]))/b])/(8*3^n*E^(((3*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) - (5*3^(-1 - n)*d^3*E^(((3*I)*a)/b)*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((3*I)*(a + b*ArcSin[c*x]))/b])/(32*Sqrt[d - c^2*d*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n) + (d^3*E^(((3*I)*a)/b)*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((3*I)*(a + b*ArcSin[c*x]))/b])/(8*3^n*Sqrt[d - c^2*d*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n) + (5^(-1 - n)*d^3*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-5*I)*(a + b*ArcSin[c*x]))/b])/(32*E^(((5*I)*a)/b)*Sqrt[d - c^2*d*x^2]*(((I)*(a + b*ArcSin[c*x]))/b)^n) + (5^(-1 - n)*d^3*E^(((5*I)*a)/b)*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((5*I)*(a + b*ArcSin[c*x]))/b])/(32*Sqrt[d - c^2*d*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n) + d^3*Unintegrable[(a + b*ArcSin[c*x])^n/(x*Sqrt[d - c^2*d*x^2]), x]
```

**Rubi [A]** time = 0.154542, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(d-c^2dx^2)^{5/2} (a+b \sin^{-1}(cx))^n}{x} dx$$

Verification is Not applicable to the result.

```
[In] Int[((d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x])^n)/x,x]
```

```
[Out] Defer[Int][((d - c^2*d*x^2)^(5/2)*(a + b*ArcSin[c*x])^n)/x, x]
```

Rubi steps

$$\int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^n}{x} dx = \int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^n}{x} dx$$

**Mathematica [A]** time = 0.224574, size = 0, normalized size = 0.

$$\int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^n}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^n)/x,x]

[Out] Integrate[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^n)/x, x]

**Maple [A]** time = 0.161, size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^n}{x} (-c^2 dx^2 + d)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n/x,x)

[Out] int((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n/x,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^n}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n/x,x, algorithm="maxima")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)^n/x, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(c^4d^2x^4 - 2c^2d^2x^2 + d^2)\sqrt{-c^2dx^2 + d}(b \arcsin(cx) + a)^n}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n/x,x, algorithm="fricas")

[Out] integral((c^4\*d^2\*x^4 - 2\*c^2\*d^2\*x^2 + d^2)\*sqrt(-c^2\*d\*x^2 + d)\*(b\*arcsin(c\*x) + a)^n/x, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*\*2\*d\*x\*\*2+d)\*\*(5/2)\*(a+b\*asin(c\*x))\*\*n/x,x)

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2dx^2 + d)^{\frac{5}{2}}(b \arcsin(cx) + a)^n}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n/x,x, algorithm="giac")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)^n/x, x)



$$3.496 \quad \int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))^n}{x^2} dx$$

**Optimal.** Leaf size=501

$$d^3 \text{Unintegrable} \left( \frac{(a+b \sin^{-1}(cx))^n}{x^2 \sqrt{d-c^2 dx^2}}, x \right) + \frac{icd^3 2^{-n-2} e^{-\frac{2ia}{b}} \sqrt{1-c^2 x^2} (a+b \sin^{-1}(cx))^n \left( -\frac{i(a+b \sin^{-1}(cx))}{b} \right)^{-n} \Gamma(n+1)}{\sqrt{d-c^2 dx^2}}$$

```
[Out] (-15*c*d^3*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^(1 + n))/(8*b*(1 + n)*Sqrt[d - c^2*d*x^2]) + (I*2^(-2 - n)*c*d^3*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-2*I)*(a + b*ArcSin[c*x]))/b])/(E^(((2*I)*a)/b)*Sqrt[d - c^2*d*x^2]*((-I)*(a + b*ArcSin[c*x]))/b)^n) - (I*2^(-2 - n)*c*d^3*E^(((2*I)*a)/b)*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((2*I)*(a + b*ArcSin[c*x]))/b])/(Sqrt[d - c^2*d*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n) + (I*c*d^3*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((-4*I)*(a + b*ArcSin[c*x]))/b])/(2^(2*(3 + n))*E^(((4*I)*a)/b)*Sqrt[d - c^2*d*x^2]*((-I)*(a + b*ArcSin[c*x]))/b)^n) - (I*c*d^3*E^(((4*I)*a)/b)*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^n*Gamma[1 + n, ((4*I)*(a + b*ArcSin[c*x]))/b])/(2^(2*(3 + n))*Sqrt[d - c^2*d*x^2]*((I*(a + b*ArcSin[c*x]))/b)^n) + d^3*Unintegrable[(a + b*ArcSin[c*x])^n/(x^2*Sqrt[d - c^2*d*x^2]), x]
```

**Rubi [A]** time = 0.159583, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))^n}{x^2} dx$$

Verification is Not applicable to the result.

[In] Int[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^n)/x^2, x]

[Out] Defer[Int][((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^n)/x^2, x]

Rubi steps

$$\int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))^n}{x^2} dx = \int \frac{(d-c^2 dx^2)^{5/2} (a+b \sin^{-1}(cx))^n}{x^2} dx$$

**Mathematica [A]** time = 0.722377, size = 0, normalized size = 0.

$$\int \frac{(d - c^2 dx^2)^{5/2} (a + b \sin^{-1}(cx))^n}{x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^n)/x^2,x]

[Out] Integrate[((d - c^2\*d\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^n)/x^2, x]

**Maple [A]** time = 0.19, size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^n}{x^2} (-c^2 dx^2 + d)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n/x^2,x)

[Out] int((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n/x^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^n}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2\*d\*x^2+d)^(5/2)\*(a+b\*arcsin(c\*x))^n/x^2,x, algorithm="maxima")

[Out] integrate((-c^2\*d\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)^n/x^2, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(c^4 d^2 x^4 - 2 c^2 d^2 x^2 + d^2) \sqrt{-c^2 dx^2 + d} (b \arcsin(cx) + a)^n}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))^n/x^2,x, algorithm="fricas")
```

```
[Out] integral((c^4*d^2*x^4 - 2*c^2*d^2*x^2 + d^2)*sqrt(-c^2*d*x^2 + d)*(b*arcsin(c*x) + a)^n/x^2, x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c**2*d*x**2+d)**(5/2)*(a+b*asin(c*x))**n/x**2,x)
```

```
[Out] Timed out
```

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-c^2 dx^2 + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^n}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c^2*d*x^2+d)^(5/2)*(a+b*arcsin(c*x))^n/x^2,x, algorithm="giac")
```

```
[Out] integrate((-c^2*d*x^2 + d)^(5/2)*(b*arcsin(c*x) + a)^n/x^2, x)
```

$$3.497 \quad \int \frac{x^m \sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=26

$$\text{Unintegrable}\left(\frac{x^m \sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}}, x\right)$$

[Out] Unintegrable[(x^m\*ArcSin[a\*x]^n)/Sqrt[1 - a^2\*x^2], x]

**Rubi [A]** time = 0.101803, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{x^m \sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx$$

Verification is Not applicable to the result.

[In] Int[(x^m\*ArcSin[a\*x]^n)/Sqrt[1 - a^2\*x^2], x]

[Out] Defer[Int] [(x^m\*ArcSin[a\*x]^n)/Sqrt[1 - a^2\*x^2], x]

Rubi steps

$$\int \frac{x^m \sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx = \int \frac{x^m \sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx$$

**Mathematica [A]** time = 0.476862, size = 0, normalized size = 0.

$$\int \frac{x^m \sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^m\*ArcSin[a\*x]^n)/Sqrt[1 - a^2\*x^2], x]

[Out] Integrate[(x^m\*ArcSin[a\*x]^n)/Sqrt[1 - a^2\*x^2], x]

**Maple [A]** time = 0.355, size = 0, normalized size = 0.

$$\int x^m (\arcsin(ax))^n \frac{1}{\sqrt{-a^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m\*arcsin(a\*x)^n/(-a^2\*x^2+1)^(1/2),x)

[Out] int(x^m\*arcsin(a\*x)^n/(-a^2\*x^2+1)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arcsin(a\*x)^n/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2 + 1}x^m \arcsin(ax)^n}{a^2x^2 - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arcsin(a\*x)^n/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)\*x^m\*arcsin(a\*x)^n/(a^2\*x^2 - 1), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^m \operatorname{asin}^n(ax)}{\sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*m\*asin(a\*x)\*\*n/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x\*\*m\*asin(a\*x)\*\*n/sqrt(-(a\*x - 1)\*(a\*x + 1)), x)

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m\*arcsin(a\*x)^n/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] Timed out

$$3.498 \quad \int \frac{x^3 \sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=163

$$\frac{3 \sin^{-1}(ax)^n (-i \sin^{-1}(ax))^{-n} \Gamma(n+1, -i \sin^{-1}(ax))}{8a^4} + \frac{3^{-n-1} \sin^{-1}(ax)^n (-i \sin^{-1}(ax))^{-n} \Gamma(n+1, -3i \sin^{-1}(ax))}{8a^4}$$

```
[Out] (-3*ArcSin[a*x]^n*Gamma[1 + n, (-I)*ArcSin[a*x]])/(8*a^4*((-I)*ArcSin[a*x])^n) - (3*ArcSin[a*x]^n*Gamma[1 + n, I*ArcSin[a*x]])/(8*a^4*(I*ArcSin[a*x])^n) + (3^(-1 - n)*ArcSin[a*x]^n*Gamma[1 + n, (-3*I)*ArcSin[a*x]])/(8*a^4*((-I)*ArcSin[a*x])^n) + (3^(-1 - n)*ArcSin[a*x]^n*Gamma[1 + n, (3*I)*ArcSin[a*x]])/(8*a^4*(I*ArcSin[a*x])^n)
```

**Rubi [A]** time = 0.246396, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {4723, 3312, 3308, 2181}

$$\frac{3 \sin^{-1}(ax)^n (-i \sin^{-1}(ax))^{-n} \Gamma(n+1, -i \sin^{-1}(ax))}{8a^4} + \frac{3^{-n-1} \sin^{-1}(ax)^n (-i \sin^{-1}(ax))^{-n} \Gamma(n+1, -3i \sin^{-1}(ax))}{8a^4}$$

Antiderivative was successfully verified.

```
[In] Int[(x^3*ArcSin[a*x]^n)/Sqrt[1 - a^2*x^2], x]
```

```
[Out] (-3*ArcSin[a*x]^n*Gamma[1 + n, (-I)*ArcSin[a*x]])/(8*a^4*((-I)*ArcSin[a*x])^n) - (3*ArcSin[a*x]^n*Gamma[1 + n, I*ArcSin[a*x]])/(8*a^4*(I*ArcSin[a*x])^n) + (3^(-1 - n)*ArcSin[a*x]^n*Gamma[1 + n, (-3*I)*ArcSin[a*x]])/(8*a^4*((-I)*ArcSin[a*x])^n) + (3^(-1 - n)*ArcSin[a*x]^n*Gamma[1 + n, (3*I)*ArcSin[a*x]])/(8*a^4*(I*ArcSin[a*x])^n)
```

### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

### Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int
[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

### Rule 3308

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I
/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(
I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

### Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:= -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Lo
g[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F
] *(c + d*x))/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !I
ntegerQ[m]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 \sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx &= \frac{\text{Subst}\left(\int x^n \sin^3(x) dx, x, \sin^{-1}(ax)\right)}{a^4} \\
&= \frac{\text{Subst}\left(\int \left(\frac{3}{4}x^n \sin(x) - \frac{1}{4}x^n \sin(3x)\right) dx, x, \sin^{-1}(ax)\right)}{a^4} \\
&= -\frac{\text{Subst}\left(\int x^n \sin(3x) dx, x, \sin^{-1}(ax)\right)}{4a^4} + \frac{3 \text{Subst}\left(\int x^n \sin(x) dx, x, \sin^{-1}(ax)\right)}{4a^4} \\
&= -\frac{i \text{Subst}\left(\int e^{-3ix} x^n dx, x, \sin^{-1}(ax)\right)}{8a^4} + \frac{i \text{Subst}\left(\int e^{3ix} x^n dx, x, \sin^{-1}(ax)\right)}{8a^4} + \frac{(3i) \text{Subst}\left(\int e^{-ix} x^n dx, x, \sin^{-1}(ax)\right)}{8a^4} \\
&= -\frac{3(-i \sin^{-1}(ax))^{-n} \sin^{-1}(ax)^n \Gamma(1+n, -i \sin^{-1}(ax))}{8a^4} - \frac{3(i \sin^{-1}(ax))^{-n} \sin^{-1}(ax)^n \Gamma(1+n, i \sin^{-1}(ax))}{8a^4}
\end{aligned}$$

**Mathematica [A]** time = 0.320295, size = 153, normalized size = 0.94

$$3^{-n-1} \sin^{-1}(ax)^n (\sin^{-1}(ax)^2)^{-2n} \left( (-i \sin^{-1}(ax))^n \left( 3^{n+2} (\sin^{-1}(ax)^2)^n \text{Gamma}(n+1, i \sin^{-1}(ax)) - (\sin^{-1}(ax)^2)^n \text{Gamma}(n+1, -i \sin^{-1}(ax)) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^3*ArcSin[a*x]^n)/Sqrt[1 - a^2*x^2], x]
```



```
[Out] -(3^(-1 - n)*ArcSin[a*x]^n*(3^(2 + n)*(I*ArcSin[a*x])^n*(ArcSin[a*x]^2)^n*Gamma[1 + n, (-I)*ArcSin[a*x]] + ((-I)*ArcSin[a*x])^n*(3^(2 + n)*(ArcSin[a*x]^2)^n*Gamma[1 + n, I*ArcSin[a*x]] - (I*ArcSin[a*x])^(2*n)*Gamma[1 + n, (-3*I)*ArcSin[a*x]] - (ArcSin[a*x]^2)^n*Gamma[1 + n, (3*I)*ArcSin[a*x]])))/(8*a^4*(ArcSin[a*x]^2)^(2*n))
```

**Maple [F]** time = 0.248, size = 0, normalized size = 0.

$$\int x^3 (\arcsin(ax))^n \frac{1}{\sqrt{-a^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*arcsin(a*x)^n/(-a^2*x^2+1)^(1/2),x)
```

```
[Out] int(x^3*arcsin(a*x)^n/(-a^2*x^2+1)^(1/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*arcsin(a*x)^n/(-a^2*x^2+1)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2 + 1}x^3 \arcsin(ax)^n}{a^2x^2 - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*arcsin(a*x)^n/(-a^2*x^2+1)^(1/2),x, algorithm="fricas")
```

[Out] `integral(-sqrt(-a^2*x^2 + 1)*x^3*arcsin(a*x)^n/(a^2*x^2 - 1), x)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 \operatorname{asin}^n(ax)}{\sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*asin(a*x)**n/(-a**2*x**2+1)**(1/2), x)`

[Out] `Integral(x**3*asin(a*x)**n/sqrt(-(a*x - 1)*(a*x + 1)), x)`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 \operatorname{arcsin}(ax)^n}{\sqrt{-a^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arcsin(a*x)^n/(-a^2*x^2+1)^(1/2), x, algorithm="giac")`

[Out] `integrate(x^3*arcsin(a*x)^n/sqrt(-a^2*x^2 + 1), x)`

$$3.499 \quad \int \frac{x^2 \sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=109

$$\frac{i2^{-n-3} \sin^{-1}(ax)^n (-i \sin^{-1}(ax))^{-n} \Gamma(n+1, -2i \sin^{-1}(ax))}{a^3} - \frac{i2^{-n-3} (i \sin^{-1}(ax))^{-n} \sin^{-1}(ax)^n \Gamma(n+1, 2i \sin^{-1}(ax))}{a^3}$$

```
[Out] ArcSin[a*x]^(1 + n)/(2*a^3*(1 + n)) + (I*2^(-3 - n)*ArcSin[a*x]^n*Gamma[1 + n, (-2*I)*ArcSin[a*x]])/(a^3*((-I)*ArcSin[a*x])^n) - (I*2^(-3 - n)*ArcSin[a*x]^n*Gamma[1 + n, (2*I)*ArcSin[a*x]])/(a^3*(I*ArcSin[a*x])^n)
```

**Rubi [A]** time = 0.20733, antiderivative size = 109, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {4723, 3312, 3307, 2181}

$$\frac{i2^{-n-3} \sin^{-1}(ax)^n (-i \sin^{-1}(ax))^{-n} \Gamma(n+1, -2i \sin^{-1}(ax))}{a^3} - \frac{i2^{-n-3} (i \sin^{-1}(ax))^{-n} \sin^{-1}(ax)^n \Gamma(n+1, 2i \sin^{-1}(ax))}{a^3}$$

Antiderivative was successfully verified.

```
[In] Int[(x^2*ArcSin[a*x]^n)/Sqrt[1 - a^2*x^2], x]
```

```
[Out] ArcSin[a*x]^(1 + n)/(2*a^3*(1 + n)) + (I*2^(-3 - n)*ArcSin[a*x]^n*Gamma[1 + n, (-2*I)*ArcSin[a*x]])/(a^3*((-I)*ArcSin[a*x])^n) - (I*2^(-3 - n)*ArcSin[a*x]^n*Gamma[1 + n, (2*I)*ArcSin[a*x]])/(a^3*(I*ArcSin[a*x])^n)
```

### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])
```

### Rule 3312

```
Int[((c_.) + (d_.)*(x_.))^ (m_.)*sin[(e_.) + (f_.)*(x_.)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]
```

Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Lo
g[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F
]*(c + d*x))/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !I
ntegerQ[m]
```

Rubi steps

$$\begin{aligned} \int \frac{x^2 \sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx &= \frac{\text{Subst}\left(\int x^n \sin^2(x) dx, x, \sin^{-1}(ax)\right)}{a^3} \\ &= \frac{\text{Subst}\left(\int \left(\frac{x^n}{2} - \frac{1}{2}x^n \cos(2x)\right) dx, x, \sin^{-1}(ax)\right)}{a^3} \\ &= \frac{\sin^{-1}(ax)^{1+n}}{2a^3(1+n)} - \frac{\text{Subst}\left(\int x^n \cos(2x) dx, x, \sin^{-1}(ax)\right)}{2a^3} \\ &= \frac{\sin^{-1}(ax)^{1+n}}{2a^3(1+n)} - \frac{\text{Subst}\left(\int e^{-2ix} x^n dx, x, \sin^{-1}(ax)\right)}{4a^3} - \frac{\text{Subst}\left(\int e^{2ix} x^n dx, x, \sin^{-1}(ax)\right)}{4a^3} \\ &= \frac{\sin^{-1}(ax)^{1+n}}{2a^3(1+n)} + \frac{i2^{-3-n}(-i \sin^{-1}(ax))^{-n} \sin^{-1}(ax)^n \Gamma(1+n, -2i \sin^{-1}(ax))}{a^3} - \frac{i2^{-3-n}(i \sin^{-1}(ax))^{-n}}{a^3} \end{aligned}$$

**Mathematica [A]** time = 0.253703, size = 109, normalized size = 1.

$$\frac{2^{-n-3} \sin^{-1}(ax)^n (\sin^{-1}(ax)^2)^{-n} \left( -i(n+1) (-i \sin^{-1}(ax))^n \text{Gamma}(n+1, 2i \sin^{-1}(ax)) + i(n+1) (i \sin^{-1}(ax))^n \text{Gamma}(n+1, -2i \sin^{-1}(ax)) \right)}{a^3(n+1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*ArcSin[a*x]^n)/Sqrt[1 - a^2*x^2], x]
```

```
[Out] (2^(-3 - n)*ArcSin[a*x]^n*(2^(2 + n)*ArcSin[a*x]*(ArcSin[a*x]^2)^n + I*(1 +
n)*(I*ArcSin[a*x])^n*Gamma[1 + n, (-2*I)*ArcSin[a*x]] - I*(1 + n)*((-I)*Ar
```

$\text{cSin}[a*x]^n \text{Gamma}[1+n, (2*I)*\text{ArcSin}[a*x]] / (a^3*(1+n)*(\text{ArcSin}[a*x]^2)^n)$

**Maple [F]** time = 0.217, size = 0, normalized size = 0.

$$\int x^2 (\arcsin(ax))^n \frac{1}{\sqrt{-a^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*arcsin(a*x)^n/(-a^2*x^2+1)^(1/2),x)`

[Out] `int(x^2*arcsin(a*x)^n/(-a^2*x^2+1)^(1/2),x)`

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arcsin(a*x)^n/(-a^2*x^2+1)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2+1}x^2 \arcsin(ax)^n}{a^2x^2-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arcsin(a*x)^n/(-a^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-a^2*x^2+1)*x^2*arcsin(a*x)^n/(a^2*x^2-1),x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \operatorname{asin}^n(ax)}{\sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*asin(a\*x)\*\*n/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x\*\*2\*asin(a\*x)\*\*n/sqrt(-(a\*x - 1)\*(a\*x + 1)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \arcsin(ax)^n}{\sqrt{-a^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*arcsin(a\*x)^n/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(x^2\*arcsin(a\*x)^n/sqrt(-a^2\*x^2 + 1), x)

$$3.500 \quad \int \frac{x \sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=75

$$\frac{\sin^{-1}(ax)^n (-i \sin^{-1}(ax))^{-n} \Gamma(n+1, -i \sin^{-1}(ax))}{2a^2} - \frac{(i \sin^{-1}(ax))^{-n} \sin^{-1}(ax)^n \Gamma(n+1, i \sin^{-1}(ax))}{2a^2}$$

[Out]  $-(\text{ArcSin}[a*x]^n * \Gamma[1+n, (-I)*\text{ArcSin}[a*x]]) / (2*a^2 * ((-I)*\text{ArcSin}[a*x])^n)$   
 $- (\text{ArcSin}[a*x]^n * \Gamma[1+n, I*\text{ArcSin}[a*x]]) / (2*a^2 * (I*\text{ArcSin}[a*x])^n)$

**Rubi [A]** time = 0.115914, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {4723, 3308, 2181}

$$\frac{\sin^{-1}(ax)^n (-i \sin^{-1}(ax))^{-n} \Gamma(n+1, -i \sin^{-1}(ax))}{2a^2} - \frac{(i \sin^{-1}(ax))^{-n} \sin^{-1}(ax)^n \Gamma(n+1, i \sin^{-1}(ax))}{2a^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x*\text{ArcSin}[a*x]^n)/\text{Sqrt}[1 - a^2*x^2], x]$

[Out]  $-(\text{ArcSin}[a*x]^n * \Gamma[1+n, (-I)*\text{ArcSin}[a*x]]) / (2*a^2 * ((-I)*\text{ArcSin}[a*x])^n)$   
 $- (\text{ArcSin}[a*x]^n * \Gamma[1+n, I*\text{ArcSin}[a*x]]) / (2*a^2 * (I*\text{ArcSin}[a*x])^n)$

### Rule 4723

$\text{Int}[(a_. + \text{ArcSin}[(c_.)*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] := \text{Dist}[d^p/c^{(m+1)}, \text{Subst}[\text{Int}[(a + b*x)^n * \text{Sin}[x]^m * \text{Cos}[x]^{(2*p+1)}, x], x, \text{ArcSin}[c*x]], x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IntegerQ}[2*p] \&\& \text{GtQ}[p, -1] \&\& \text{IGtQ}[m, 0] \&\& (\text{IntegerQ}[p] || \text{GtQ}[d, 0])$

### Rule 3308

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\text{sin}[(e_.) + (f_.)*(x_.)], x\_Symbol] := \text{Dist}[I/2, \text{Int}[(c + d*x)^m/E^{(I*(e + f*x))}, x], x] - \text{Dist}[I/2, \text{Int}[(c + d*x)^m * E^{(I*(e + f*x))}, x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x]$

### Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:= -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-(f*g*Log[F])/d))*(c + d*x)]/(d*(-(f*g*Log[F])/d))^(IntPart[m] + 1)*(-(f*g*Log[F])*(c + d*x)/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

### Rubi steps

$$\begin{aligned} \int \frac{x \sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx &= \frac{\text{Subst}\left(\int x^n \sin(x) dx, x, \sin^{-1}(ax)\right)}{a^2} \\ &= \frac{i \text{Subst}\left(\int e^{-ix} x^n dx, x, \sin^{-1}(ax)\right)}{2a^2} - \frac{i \text{Subst}\left(\int e^{ix} x^n dx, x, \sin^{-1}(ax)\right)}{2a^2} \\ &= -\frac{\left(-i \sin^{-1}(ax)\right)^{-n} \sin^{-1}(ax)^n \Gamma(1+n, -i \sin^{-1}(ax))}{2a^2} - \frac{\left(i \sin^{-1}(ax)\right)^{-n} \sin^{-1}(ax)^n \Gamma(1+n, i \sin^{-1}(ax))}{2a^2} \end{aligned}$$

**Mathematica [A]** time = 0.074226, size = 70, normalized size = 0.93

$$\frac{\sin^{-1}(ax)^n \left(\sin^{-1}(ax)^2\right)^{-n} \left(\left(-i \sin^{-1}(ax)\right)^n \Gamma(n+1, i \sin^{-1}(ax)) + \left(i \sin^{-1}(ax)\right)^n \Gamma(n+1, -i \sin^{-1}(ax))\right)}{2a^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x*ArcSin[a*x]^n)/Sqrt[1 - a^2*x^2], x]
```

```
[Out] -(ArcSin[a*x]^n*((I*ArcSin[a*x])^n*Gamma[1 + n, (-I)*ArcSin[a*x]] + ((-I)*ArcSin[a*x])^n*Gamma[1 + n, I*ArcSin[a*x]]))/(2*a^2*(ArcSin[a*x]^2)^n)
```

**Maple [F]** time = 0.097, size = 0, normalized size = 0.

$$\int x (\arcsin(ax))^n \frac{1}{\sqrt{-a^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*arcsin(a*x)^n/(-a^2*x^2+1)^(1/2), x)
```

```
[Out] int(x*arcsin(a*x)^n/(-a^2*x^2+1)^(1/2), x)
```



---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arcsin(a*x)^n/(-a^2*x^2+1)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2+1}x\arcsin(ax)^n}{a^2x^2-1},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arcsin(a*x)^n/(-a^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-a^2*x^2 + 1)*x*arcsin(a*x)^n/(a^2*x^2 - 1), x)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \operatorname{asin}^n(ax)}{\sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*asin(a*x)**n/(-a**2*x**2+1)**(1/2),x)`

[Out] `Integral(x*asin(a*x)**n/sqrt(-(a*x - 1)*(a*x + 1)), x)`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x \arcsin(ax)^n}{\sqrt{-a^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arcsin(a*x)^n/(-a^2*x^2+1)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(x*arcsin(a*x)^n/sqrt(-a^2*x^2 + 1), x)
```

$$3.501 \quad \int \frac{\sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx$$

Optimal. Leaf size=17

$$\frac{\sin^{-1}(ax)^{n+1}}{a(n+1)}$$

[Out] ArcSin[a\*x]^(1 + n)/(a\*(1 + n))

**Rubi [A]** time = 0.0363865, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {4641}

$$\frac{\sin^{-1}(ax)^{n+1}}{a(n+1)}$$

Antiderivative was successfully verified.

[In] Int[ArcSin[a\*x]^n/Sqrt[1 - a^2\*x^2], x]

[Out] ArcSin[a\*x]^(1 + n)/(a\*(1 + n))

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{\sin^{-1}(ax)^n}{\sqrt{1-a^2x^2}} dx = \frac{\sin^{-1}(ax)^{1+n}}{a(1+n)}$$

**Mathematica [A]** time = 0.0066565, size = 17, normalized size = 1.

$$\frac{\sin^{-1}(ax)^{n+1}}{a(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[ArcSin[a\*x]^n/Sqrt[1 - a^2\*x^2],x]

[Out] ArcSin[a\*x]^(1 + n)/(a\*(1 + n))

**Maple [A]** time = 0.003, size = 18, normalized size = 1.1

$$\frac{(\arcsin(ax))^{1+n}}{a(1+n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^n/(-a^2\*x^2+1)^(1/2),x)

[Out] arcsin(a\*x)^(1+n)/a/(1+n)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^n/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.0873, size = 50, normalized size = 2.94

$$\frac{\arcsin(ax)^n \arcsin(ax)}{an + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^n/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out]  $\arcsin(ax)^n \arcsin(ax) / (a^n + a)$

**Sympy [A]** time = 1.03935, size = 34, normalized size = 2.

$$\begin{cases} \infty x & \text{for } a = 0 \wedge n = -1 \\ 0^n x & \text{for } a = 0 \\ \frac{\log(\arcsin(ax))}{a} & \text{for } n = -1 \\ \frac{\arcsin(ax) \arcsin^n(ax)}{an+a} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(asin(a*x)**n/(-a**2*x**2+1)**(1/2),x)`

[Out] `Piecewise((zoo*x, Eq(a, 0) & Eq(n, -1)), (0**n*x, Eq(a, 0)), (log(asin(a*x))/a, Eq(n, -1)), (asin(a*x)*asin(a*x)**n/(a*n + a), True))`

**Giac [A]** time = 1.2354, size = 23, normalized size = 1.35

$$\frac{\arcsin(ax)^{n+1}}{a(n+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arcsin(a*x)^n/(-a^2*x^2+1)^(1/2),x, algorithm="giac")`

[Out]  $\arcsin(ax)^{(n+1)} / (a(n+1))$

$$3.502 \quad \int \frac{\sin^{-1}(ax)^n}{x\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=26

$$\text{Unintegrable}\left(\frac{\sin^{-1}(ax)^n}{x\sqrt{1-a^2x^2}}, x\right)$$

[Out] Unintegrable[ArcSin[a\*x]^n/(x\*Sqrt[1 - a^2\*x^2]), x]

**Rubi [A]** time = 0.102011, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sin^{-1}(ax)^n}{x\sqrt{1-a^2x^2}} dx$$

Verification is Not applicable to the result.

[In] Int[ArcSin[a\*x]^n/(x\*Sqrt[1 - a^2\*x^2]),x]

[Out] Defer[Int][ArcSin[a\*x]^n/(x\*Sqrt[1 - a^2\*x^2]), x]

Rubi steps

$$\int \frac{\sin^{-1}(ax)^n}{x\sqrt{1-a^2x^2}} dx = \int \frac{\sin^{-1}(ax)^n}{x\sqrt{1-a^2x^2}} dx$$

**Mathematica [A]** time = 3.21892, size = 0, normalized size = 0.

$$\int \frac{\sin^{-1}(ax)^n}{x\sqrt{1-a^2x^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcSin[a\*x]^n/(x\*Sqrt[1 - a^2\*x^2]),x]

[Out] Integrate[ArcSin[a\*x]^n/(x\*Sqrt[1 - a^2\*x^2]), x]

---

**Maple [A]** time = 0.099, size = 0, normalized size = 0.

$$\int \frac{(\arcsin(ax))^n}{x} \frac{1}{\sqrt{-a^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^n/x/(-a^2\*x^2+1)^(1/2), x)

[Out] int(arcsin(a\*x)^n/x/(-a^2\*x^2+1)^(1/2), x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^n/x/(-a^2\*x^2+1)^(1/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2+1} \arcsin(ax)^n}{a^2x^3-x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^n/x/(-a^2\*x^2+1)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)^n/(a^2\*x^3 - x), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{asin}^n(ax)}{x\sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*n/x/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(asin(a\*x)\*\*n/(x\*sqrt(-(a\*x - 1)\*(a\*x + 1))), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^n}{\sqrt{-a^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^n/x/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^n/(sqrt(-a^2\*x^2 + 1)\*x), x)



$$3.503 \quad \int \frac{\sin^{-1}(ax)^n}{x^2 \sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=26

$$\text{Unintegrable} \left( \frac{\sin^{-1}(ax)^n}{x^2 \sqrt{1-a^2x^2}}, x \right)$$

[Out] Unintegrable[ArcSin[a\*x]^n/(x^2\*Sqrt[1 - a^2\*x^2]), x]

**Rubi [A]** time = 0.101614, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sin^{-1}(ax)^n}{x^2 \sqrt{1-a^2x^2}} dx$$

Verification is Not applicable to the result.

[In] Int[ArcSin[a\*x]^n/(x^2\*Sqrt[1 - a^2\*x^2]), x]

[Out] Defer[Int][ArcSin[a\*x]^n/(x^2\*Sqrt[1 - a^2\*x^2]), x]

Rubi steps

$$\int \frac{\sin^{-1}(ax)^n}{x^2 \sqrt{1-a^2x^2}} dx = \int \frac{\sin^{-1}(ax)^n}{x^2 \sqrt{1-a^2x^2}} dx$$

**Mathematica [A]** time = 0.93575, size = 0, normalized size = 0.

$$\int \frac{\sin^{-1}(ax)^n}{x^2 \sqrt{1-a^2x^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcSin[a\*x]^n/(x^2\*Sqrt[1 - a^2\*x^2]), x]

[Out] Integrate[ArcSin[a\*x]^n/(x^2\*Sqrt[1 - a^2\*x^2]), x]

---

**Maple [A]** time = 0.127, size = 0, normalized size = 0.

$$\int \frac{(\arcsin(ax))^n}{x^2} \frac{1}{\sqrt{-a^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arcsin(a\*x)^n/x^2/(-a^2\*x^2+1)^(1/2),x)

[Out] int(arcsin(a\*x)^n/x^2/(-a^2\*x^2+1)^(1/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^n/x^2/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{-a^2x^2 + 1} \arcsin(ax)^n}{a^2x^4 - x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^n/x^2/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a^2\*x^2 + 1)\*arcsin(a\*x)^n/(a^2\*x^4 - x^2), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{asin}^n(ax)}{x^2 \sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(asin(a\*x)\*\*n/x\*\*2/(-a\*\*2\*x\*\*2+1)\*\*(1/2), x)

[Out] Integral(asin(a\*x)\*\*n/(x\*\*2\*sqrt(-(a\*x - 1)\*(a\*x + 1))), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\arcsin(ax)^n}{\sqrt{-a^2x^2 + 1x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arcsin(a\*x)^n/x^2/(-a^2\*x^2+1)^(1/2), x, algorithm="giac")

[Out] integrate(arcsin(a\*x)^n/(sqrt(-a^2\*x^2 + 1)\*x^2), x)

### 3.504 $\int (d + cdx)^{5/2} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=376

$$\frac{1}{4}c^2d^2x^3\sqrt{cdx+d}\sqrt{f-cfx}(a+b\sin^{-1}(cx)) + \frac{5d^2\sqrt{cdx+d}\sqrt{f-cfx}(a+b\sin^{-1}(cx))^2}{16bc\sqrt{1-c^2x^2}} - \frac{2d^2(1-c^2x^2)\sqrt{cdx+d}\sqrt{f-c}}{3c}$$

[Out] (2\*b\*d^2\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(3\*Sqrt[1 - c^2\*x^2]) - (3\*b\*c\*d^2\*x^2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(16\*Sqrt[1 - c^2\*x^2]) - (2\*b\*c^2\*d^2\*x^3\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(9\*Sqrt[1 - c^2\*x^2]) - (b\*c^3\*d^2\*x^4\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(16\*Sqrt[1 - c^2\*x^2]) + (3\*d^2\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(a + b\*ArcSin[c\*x]))/8 + (c^2\*d^2\*x^3\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(a + b\*ArcSin[c\*x]))/4 - (2\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(3\*c) + (5\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(a + b\*ArcSin[c\*x])^2)/(16\*b\*c\*Sqrt[1 - c^2\*x^2])

**Rubi [A]** time = 0.536966, antiderivative size = 376, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {4673, 4763, 4647, 4641, 30, 4677, 4697, 4707}

$$\frac{1}{4}c^2d^2x^3\sqrt{cdx+d}\sqrt{f-cfx}(a+b\sin^{-1}(cx)) + \frac{5d^2\sqrt{cdx+d}\sqrt{f-cfx}(a+b\sin^{-1}(cx))^2}{16bc\sqrt{1-c^2x^2}} - \frac{2d^2(1-c^2x^2)\sqrt{cdx+d}\sqrt{f-c}}{3c}$$

Antiderivative was successfully verified.

[In] Int[(d + c\*d\*x)^(5/2)\*Sqrt[f - c\*f\*x]\*(a + b\*ArcSin[c\*x]),x]

[Out] (2\*b\*d^2\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(3\*Sqrt[1 - c^2\*x^2]) - (3\*b\*c\*d^2\*x^2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(16\*Sqrt[1 - c^2\*x^2]) - (2\*b\*c^2\*d^2\*x^3\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(9\*Sqrt[1 - c^2\*x^2]) - (b\*c^3\*d^2\*x^4\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(16\*Sqrt[1 - c^2\*x^2]) + (3\*d^2\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(a + b\*ArcSin[c\*x]))/8 + (c^2\*d^2\*x^3\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(a + b\*ArcSin[c\*x]))/4 - (2\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(3\*c) + (5\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(a + b\*ArcSin[c\*x])^2)/(16\*b\*c\*Sqrt[1 - c^2\*x^2])

**Rule 4673**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((d\_.) + (e\_.)\*(x\_))^(p\_.)\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Dist[((d + e\*x)^q\*(f + g\*x)^p)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x]

;/ FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4763

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.) + (g\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, (f + g\*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2\*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))

### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 4697

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)\*Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2)), x] + (Dist[Sqrt[d + e\*x^2]/((m + 2)\*Sqrt[1 - c^2\*x

$^2]$ ), Int[((f\*x)^m\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(f\*(m + 2)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x)] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.)\*((f\_.)\*(x\_.))^m\_)/Sqrt[(d\_. + (e\_.)\*(x\_.)^2], x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[(f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x)] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rubi steps

$$\begin{aligned}
 \int (d + cdx)^{5/2} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) dx &= \frac{(\sqrt{d + cdx} \sqrt{f - cfx}) \int (d + cdx)^2 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx)) dx}{\sqrt{1 - c^2x^2}} \\
 &= \frac{(\sqrt{d + cdx} \sqrt{f - cfx}) \int (d^2 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx)) + 2cd^2x \sqrt{1 - c^2x^2}) dx}{\sqrt{1 - c^2x^2}} \\
 &= \frac{(d^2 \sqrt{d + cdx} \sqrt{f - cfx}) \int \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx)) dx}{\sqrt{1 - c^2x^2}} + \frac{(2cd^2 \sqrt{d + cdx} \sqrt{f - cfx}) \int \sqrt{1 - c^2x^2} dx}{\sqrt{1 - c^2x^2}} \\
 &= \frac{1}{2} d^2 x \sqrt{d + cdx} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) + \frac{1}{4} c^2 d^2 x^3 \sqrt{d + cdx} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) \\
 &= \frac{2bd^2x \sqrt{d + cdx} \sqrt{f - cfx}}{3\sqrt{1 - c^2x^2}} - \frac{bcd^2x^2 \sqrt{d + cdx} \sqrt{f - cfx}}{4\sqrt{1 - c^2x^2}} - \frac{2bc^2d^2x^3 \sqrt{d + cdx} \sqrt{f - cfx}}{9\sqrt{1 - c^2x^2}} \\
 &= \frac{2bd^2x \sqrt{d + cdx} \sqrt{f - cfx}}{3\sqrt{1 - c^2x^2}} - \frac{3bcd^2x^2 \sqrt{d + cdx} \sqrt{f - cfx}}{16\sqrt{1 - c^2x^2}} - \frac{2bc^2d^2x^3 \sqrt{d + cdx} \sqrt{f - cfx}}{9\sqrt{1 - c^2x^2}}
 \end{aligned}$$

**Mathematica [A]** time = 1.23363, size = 293, normalized size = 0.78

$$d^2 \sqrt{cdx + d} \sqrt{f - cfx} \left( 48a \sqrt{1 - c^2x^2} (6c^3x^3 + 16c^2x^2 + 9cx - 16) - 256bcx (c^2x^2 - 3) + 144b \cos(2 \sin^{-1}(cx)) - 9b \cos(2 \sin^{-1}(cx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + c\*d\*x)^(5/2)\*Sqrt[f - c\*f\*x]\*(a + b\*ArcSin[c\*x]),x]

[Out] (360\*b\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]^2 - 720\*a\*d^(5/2)\*Sqrt[f]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] + d^2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(-256\*b\*c\*x\*(-3 + c^2\*x^2) + 48\*a\*Sqrt[1 - c^2\*x^2]\*(-16 + 9\*c\*x + 16\*c^2\*x^2 + 6\*c^3\*x^3) + 144\*b\*Cos[2\*ArcSin[c\*x]] - 9\*b\*Cos[4\*ArcSin[c\*x]]) + 12\*b\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]\*(-64\*(1 - c^2\*x^2)^(3/2) + 24\*Sin[2\*ArcSin[c\*x]] - 3\*Sin[4\*ArcSin[c\*x]])/(1152\*c\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0.338, size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{5}{2}} (a + b \arcsin(cx)) \sqrt{-cfx + f} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2),x)

[Out] int((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(ac^2d^2x^2 + 2acd^2x + ad^2 + (bc^2d^2x^2 + 2bcd^2x + bd^2) \arcsin(cx)\right)\sqrt{cdx + d}\sqrt{-cfx + f}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))*(-c*f*x+f)^(1/2),x, algorithm="
fricas")
```

```
[Out] integral((a*c^2*d^2*x^2 + 2*a*c*d^2*x + a*d^2 + (b*c^2*d^2*x^2 + 2*b*c*d^2*
x + b*d^2)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*f*x + f), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(5/2)*(a+b*asin(c*x))*(-c*f*x+f)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{5}{2}} \sqrt{-cfx + f} (b \arcsin(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))*(-c*f*x+f)^(1/2),x, algorithm="
giac")
```

```
[Out] integrate((c*d*x + d)^(5/2)*sqrt(-c*f*x + f)*(b*arcsin(c*x) + a), x)
```



### 3.505 $\int (d + cdx)^{3/2} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=273

$$\frac{d\sqrt{cdx+d}\sqrt{f-cfx}(a+b\sin^{-1}(cx))^2}{4bc\sqrt{1-c^2x^2}} - \frac{d(1-c^2x^2)\sqrt{cdx+d}\sqrt{f-cfx}(a+b\sin^{-1}(cx))}{3c} + \frac{1}{2}dx\sqrt{cdx+d}\sqrt{f-cfx}(a$$

```
[Out] (b*d*x*Sqrt[d + c*d*x]*Sqrt[f - c*f*x])/(3*Sqrt[1 - c^2*x^2]) - (b*c*d*x^2*
Sqrt[d + c*d*x]*Sqrt[f - c*f*x])/(4*Sqrt[1 - c^2*x^2]) - (b*c^2*d*x^3*Sqrt[
d + c*d*x]*Sqrt[f - c*f*x])/(9*Sqrt[1 - c^2*x^2]) + (d*x*Sqrt[d + c*d*x]*Sq
rt[f - c*f*x]*(a + b*ArcSin[c*x]))/2 - (d*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]*(
1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c) + (d*Sqrt[d + c*d*x]*Sqrt[f - c*f*x
]*(a + b*ArcSin[c*x])^2)/(4*b*c*Sqrt[1 - c^2*x^2])
```

**Rubi [A]** time = 0.296695, antiderivative size = 273, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4673, 4763, 4647, 4641, 30, 4677}

$$\frac{d\sqrt{cdx+d}\sqrt{f-cfx}(a+b\sin^{-1}(cx))^2}{4bc\sqrt{1-c^2x^2}} - \frac{d(1-c^2x^2)\sqrt{cdx+d}\sqrt{f-cfx}(a+b\sin^{-1}(cx))}{3c} + \frac{1}{2}dx\sqrt{cdx+d}\sqrt{f-cfx}(a$$

Antiderivative was successfully verified.

```
[In] Int[(d + c*d*x)^(3/2)*Sqrt[f - c*f*x]*(a + b*ArcSin[c*x]),x]
```

```
[Out] (b*d*x*Sqrt[d + c*d*x]*Sqrt[f - c*f*x])/(3*Sqrt[1 - c^2*x^2]) - (b*c*d*x^2*
Sqrt[d + c*d*x]*Sqrt[f - c*f*x])/(4*Sqrt[1 - c^2*x^2]) - (b*c^2*d*x^3*Sqrt[
d + c*d*x]*Sqrt[f - c*f*x])/(9*Sqrt[1 - c^2*x^2]) + (d*x*Sqrt[d + c*d*x]*Sq
rt[f - c*f*x]*(a + b*ArcSin[c*x]))/2 - (d*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]*(
1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c) + (d*Sqrt[d + c*d*x]*Sqrt[f - c*f*x
]*(a + b*ArcSin[c*x])^2)/(4*b*c*Sqrt[1 - c^2*x^2])
```

#### Rule 4673

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*((d_.) + (e_.)*(x_.))^ (p_.)*((f_.)
+ (g_.)*(x_.))^ (q_.), x_Symbol] :> Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

Rule 4763

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_) + (g\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, (f + g\*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2\*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))

Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 30

Int[(x\_)^(m\_.), x\_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int (d + cdx)^{3/2} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) dx &= \frac{(\sqrt{d + cdx} \sqrt{f - cfx}) \int (d + cdx) \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) dx}{\sqrt{1 - c^2 x^2}} \\
&= \frac{(\sqrt{d + cdx} \sqrt{f - cfx}) \int (d \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) + cdx \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))) dx}{\sqrt{1 - c^2 x^2}} \\
&= \frac{(d \sqrt{d + cdx} \sqrt{f - cfx}) \int \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) dx}{\sqrt{1 - c^2 x^2}} + \frac{(cd \sqrt{d + cdx} \sqrt{f - cfx}) \int \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) dx}{\sqrt{1 - c^2 x^2}} \\
&= \frac{1}{2} dx \sqrt{d + cdx} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) - \frac{d \sqrt{d + cdx} \sqrt{f - cfx} (1 - c^2 x^2)}{3c} \\
&= \frac{bdx \sqrt{d + cdx} \sqrt{f - cfx}}{3 \sqrt{1 - c^2 x^2}} - \frac{bcdx^2 \sqrt{d + cdx} \sqrt{f - cfx}}{4 \sqrt{1 - c^2 x^2}} - \frac{bc^2 dx^3 \sqrt{d + cdx} \sqrt{f - cfx}}{9 \sqrt{1 - c^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.943836, size = 260, normalized size = 0.95

$$d\sqrt{cdx + d}\sqrt{f - cfx} \left( 12a\sqrt{1 - c^2 x^2} (2c^2 x^2 + 3cx - 2) - 8bcx (c^2 x^2 - 3) + 9b \cos(2 \sin^{-1}(cx)) \right) - 36ad^{3/2} \sqrt{f} \sqrt{1 - c^2 x^2} \tan^{-1} \left( \frac{c \sqrt{d + cdx} \sqrt{f - cfx}}{\sqrt{1 - c^2 x^2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + c\*d\*x)^(3/2)\*Sqrt[f - c\*f\*x]\*(a + b\*ArcSin[c\*x]),x]

[Out] (18\*b\*d\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]^2 - 36\*a\*d^(3/2)\*Sqrt[f]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] + d\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(-8\*b\*c\*x\*(-3 + c^2\*x^2) + 12\*a\*Sqrt[1 - c^2\*x^2]\*(-2 + 3\*c\*x + 2\*c^2\*x^2) + 9\*b\*Cos[2\*ArcSin[c\*x]]) + 6\*b\*d\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]\*(-4\*(1 - c^2\*x^2)^(3/2) + 3\*Sin[2\*ArcSin[c\*x]]))/(72\*c\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0.232, size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{3}{2}} (a + b \arcsin(cx)) \sqrt{-cfx + f} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))*(-c*f*x+f)^(1/2),x)
```

```
[Out] int((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))*(-c*f*x+f)^(1/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))*(-c*f*x+f)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((acdx + ad + (bcdx + bd) \arcsin(cx))\sqrt{cdx + d}\sqrt{-cfx + f}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))*(-c*f*x+f)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((a*c*d*x + a*d + (b*c*d*x + b*d)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*f*x + f), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(3/2)*(a+b*asin(c*x))*(-c*f*x+f)**(1/2),x)
```

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{3}{2}} \sqrt{-cfx + f} (b \arcsin(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2),x, algorithm="giac")

[Out] integrate((c\*d\*x + d)^(3/2)\*sqrt(-c\*f\*x + f)\*(b\*arcsin(c\*x) + a), x)

### 3.506 $\int \sqrt{d + cdx} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=134

$$\frac{\sqrt{cdx + d} \sqrt{f - cfx} (a + b \sin^{-1}(cx))^2}{4bc\sqrt{1 - c^2x^2}} + \frac{1}{2} x \sqrt{cdx + d} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) - \frac{bcx^2 \sqrt{cdx + d} \sqrt{f - cfx}}{4\sqrt{1 - c^2x^2}}$$

[Out]  $-(b*c*x^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x])/(4*\text{Sqrt}[1 - c^2*x^2]) + (x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x]*(a + b*\text{ArcSin}[c*x]))/2 + (\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x]*(a + b*\text{ArcSin}[c*x])^2)/(4*b*c*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.16526, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {4673, 4647, 4641, 30}

$$\frac{\sqrt{cdx + d} \sqrt{f - cfx} (a + b \sin^{-1}(cx))^2}{4bc\sqrt{1 - c^2x^2}} + \frac{1}{2} x \sqrt{cdx + d} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) - \frac{bcx^2 \sqrt{cdx + d} \sqrt{f - cfx}}{4\sqrt{1 - c^2x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x]*(a + b*\text{ArcSin}[c*x]), x]$

[Out]  $-(b*c*x^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x])/(4*\text{Sqrt}[1 - c^2*x^2]) + (x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x]*(a + b*\text{ArcSin}[c*x]))/2 + (\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x]*(a + b*\text{ArcSin}[c*x])^2)/(4*b*c*\text{Sqrt}[1 - c^2*x^2])$

#### Rule 4673

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((d + e*x)^p*(f + g*x)^q)/(1 - c^2*x^2)^q, \text{Int}[(d + e*x)^{p-q}*(1 - c^2*x^2)^q*(a + b*\text{ArcSin}[c*x])^n, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

#### Rule 4647

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*\text{Sqrt}[d + e*x^2], x\_Symbol] :> \text{Simp}[(x*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n)/2, x] + (\text{Dist}[\text{Sqrt}[d + e*x^2]/(2*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[1 - c^2*x^2], x], x] - \text{Dist}[(b*c*n*\text{Sqrt}[d + e*x^2])/(2*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[x*(a + b*\text{ArcSin}[c*x])^{n-1}, x], x]) /;$  FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d

+ e, 0] && GtQ[n, 0]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \sqrt{d + cdx} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) dx &= \frac{(\sqrt{d + cdx} \sqrt{f - cfx}) \int \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) dx}{\sqrt{1 - c^2 x^2}} \\ &= \frac{1}{2} x \sqrt{d + cdx} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) + \frac{(\sqrt{d + cdx} \sqrt{f - cfx}) \int \frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} dx}{2\sqrt{1 - c^2 x^2}} \\ &= -\frac{bcx^2 \sqrt{d + cdx} \sqrt{f - cfx}}{4\sqrt{1 - c^2 x^2}} + \frac{1}{2} x \sqrt{d + cdx} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) + \frac{\sqrt{d + cdx} \sqrt{f - cfx}}{2\sqrt{1 - c^2 x^2}} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} dx \end{aligned}$$

**Mathematica [A]** time = 0.933247, size = 158, normalized size = 1.18

$$\frac{1}{8} \left( -\frac{4a\sqrt{d}\sqrt{f} \tan^{-1}\left(\frac{cx\sqrt{cdx+d}\sqrt{f-cfx}}{\sqrt{d}\sqrt{f}(c^2x^2-1)}\right)}{c} + 4ax\sqrt{cdx+d}\sqrt{f-cfx} + \frac{b\sqrt{cdx+d}\sqrt{f-cfx} (2\sin^{-1}(cx) (\sin^{-1}(cx) + \sin(2\sin^{-1}(cx))) + \sin(2\sin^{-1}(cx)))}{c\sqrt{1-c^2x^2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(a + b\*ArcSin[c\*x]),x]

[Out] (4\*a\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x] - (4\*a\*Sqrt[d]\*Sqrt[f]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))])/c + (b\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(Cos[2\*ArcSin[c\*x]] + 2\*ArcSin[c\*x]\*(ArcSin[c\*x] + Sin[2\*ArcSin[c\*x])))/(c\*Sqrt[1 - c^2\*x^2])/8

**Maple [F]** time = 0.237, size = 0, normalized size = 0.

$$\int \sqrt{cdx + d} (a + b \arcsin(cx)) \sqrt{-cfx + f} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2),x)

[Out] int((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{cdx + d}\sqrt{-cfx + f}(b \arcsin(cx) + a), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)\*(b\*arcsin(c\*x) + a), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{d(cx + 1)}\sqrt{-f(cx - 1)}(a + b \arcsin(cx)) dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*d*x+d)**(1/2)*(a+b*asin(c*x))*(-c*f*x+f)**(1/2),x)`

[Out] `Integral(sqrt(d*(c*x + 1))*sqrt(-f*(c*x - 1))*(a + b*asin(c*x)), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{cdx + d}\sqrt{-cfx + f}(b \arcsin(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*d*x+d)^(1/2)*(a+b*arcsin(c*x))*(-c*f*x+f)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(c*d*x + d)*sqrt(-c*f*x + f)*(b*arcsin(c*x) + a), x)`

$$3.507 \quad \int \frac{\sqrt{f-cfx}(a+b\sin^{-1}(cx))}{\sqrt{d+cdx}} dx$$

**Optimal.** Leaf size=141

$$\frac{f\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{2bc\sqrt{cdx+d}\sqrt{f-cfx}} + \frac{f(1-c^2x^2)(a+b\sin^{-1}(cx))}{c\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{bfx\sqrt{1-c^2x^2}}{\sqrt{cdx+d}\sqrt{f-cfx}}$$

[Out]  $-\left(\frac{bfx\sqrt{1-c^2x^2}}{\sqrt{cdx+d}\sqrt{f-cfx}}\right) + \left(\frac{f(1-c^2x^2)(a+b\text{ArcSin}[cx])}{c\sqrt{cdx+d}\sqrt{f-cfx}}\right) + \left(\frac{f\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx])^2}{2b\sqrt{cdx+d}\sqrt{f-cfx}}\right)$

**Rubi [A]** time = 0.263936, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {4673, 4763, 4641, 4677, 8}

$$\frac{f\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{2bc\sqrt{cdx+d}\sqrt{f-cfx}} + \frac{f(1-c^2x^2)(a+b\sin^{-1}(cx))}{c\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{bfx\sqrt{1-c^2x^2}}{\sqrt{cdx+d}\sqrt{f-cfx}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\sqrt{f-cfx}(a+b\text{ArcSin}[cx]))/\sqrt{d+cdx}, x]$

[Out]  $-\left(\frac{bfx\sqrt{1-c^2x^2}}{\sqrt{cdx+d}\sqrt{f-cfx}}\right) + \left(\frac{f(1-c^2x^2)(a+b\text{ArcSin}[cx])}{c\sqrt{cdx+d}\sqrt{f-cfx}}\right) + \left(\frac{f\sqrt{1-c^2x^2}(a+b\text{ArcSin}[cx])^2}{2b\sqrt{cdx+d}\sqrt{f-cfx}}\right)$

### Rule 4673

$\text{Int}[(a + \text{ArcSin}[c \cdot x] \cdot b)^n \cdot (d + e \cdot x)^p \cdot (f + g \cdot x)^q, x\_Symbol] \rightarrow \text{Dist}[(d + e \cdot x)^q \cdot (f + g \cdot x)^q / (1 - c^2 \cdot x^2)^q, \text{Int}[(d + e \cdot x)^{p-q} \cdot (1 - c^2 \cdot x^2)^q \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n, x], x] /;$   
 FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e \cdot f + d \cdot g, 0] && EqQ[c^2 \cdot d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4763

$\text{Int}[(a + \text{ArcSin}[c \cdot x] \cdot b)^n \cdot (f + g \cdot x)^m \cdot (d + e \cdot x)^p, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e \cdot x)^p \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n \cdot (f + g \cdot x)^m, x], x] /;$   
 FreeQ[{a, b, c, d, e, f, g}, x] &

& EqQ[c^2\*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p]]/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{f - cfx} (a + b \sin^{-1}(cx))}{\sqrt{d + cdx}} dx &= \frac{\sqrt{1 - c^2x^2} \int \frac{(f - cfx)(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx}{\sqrt{d + cdx} \sqrt{f - cfx}} \\
 &= \frac{\sqrt{1 - c^2x^2} \int \left( \frac{f(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} - \frac{cfx(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} \right) dx}{\sqrt{d + cdx} \sqrt{f - cfx}} \\
 &= \frac{\left( f \sqrt{1 - c^2x^2} \right) \int \frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2x^2}} dx - \left( cf \sqrt{1 - c^2x^2} \right) \int \frac{x(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx}{\sqrt{d + cdx} \sqrt{f - cfx}} \\
 &= \frac{f(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c \sqrt{d + cdx} \sqrt{f - cfx}} + \frac{f \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2}{2bc \sqrt{d + cdx} \sqrt{f - cfx}} - \frac{(bf \sqrt{1 - c^2x^2}) \int 1}{\sqrt{d + cdx} \sqrt{f - cfx}} \\
 &= -\frac{bf x \sqrt{1 - c^2x^2}}{\sqrt{d + cdx} \sqrt{f - cfx}} + \frac{f(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c \sqrt{d + cdx} \sqrt{f - cfx}} + \frac{f \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{2bc \sqrt{d + cdx} \sqrt{f - cfx}}
 \end{aligned}$$

**Mathematica [A]** time = 0.785273, size = 200, normalized size = 1.42

$$\frac{2\sqrt{cdx+d}\sqrt{f-cfx}\left(a\sqrt{1-c^2x^2}-bcx\right)}{\sqrt{1-c^2x^2}} - 2a\sqrt{d}\sqrt{f}\tan^{-1}\left(\frac{cx\sqrt{cdx+d}\sqrt{f-cfx}}{\sqrt{d}\sqrt{f}(c^2x^2-1)}\right) + \frac{b\sqrt{cdx+d}\sqrt{f-cfx}\sin^{-1}(cx)^2}{\sqrt{1-c^2x^2}} + 2b\sqrt{cdx+d}\sqrt{f-cfx}\sin^{-1}(cx)$$


---


$$2cd$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[f - c\*f\*x]\*(a + b\*ArcSin[c\*x]))/Sqrt[d + c\*d\*x], x]

[Out] ((2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(-(b\*c\*x) + a\*Sqrt[1 - c^2\*x^2]))/Sqrt[1 - c^2\*x^2] + 2\*b\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x] + (b\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]^2)/Sqrt[1 - c^2\*x^2] - 2\*a\*Sqrt[d]\*Sqrt[f]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2)))]/(2\*c\*d)

**Maple [F]** time = 0.243, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))\sqrt{-cfx + f} \frac{1}{\sqrt{cdx + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2)/(c\*d\*x+d)^(1/2), x)

[Out] int((a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2)/(c\*d\*x+d)^(1/2), x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2)/(c\*d\*x+d)^(1/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{-cfx + f}(b \arcsin(cx) + a)}{\sqrt{cdx + d}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2)/(c\*d\*x+d)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-c\*f\*x + f)\*(b\*arcsin(c\*x) + a)/sqrt(c\*d\*x + d), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-f(cx-1)}(a + b \arcsin(cx))}{\sqrt{d}(cx+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*(-c\*f\*x+f)\*\*(1/2)/(c\*d\*x+d)\*\*(1/2),x)

[Out] Integral(sqrt(-f\*(c\*x - 1))\*(a + b\*asin(c\*x))/sqrt(d\*(c\*x + 1)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-cfx + f}(b \arcsin(cx) + a)}{\sqrt{cdx + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2)/(c\*d\*x+d)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-c\*f\*x + f)\*(b\*arcsin(c\*x) + a)/sqrt(c\*d\*x + d), x)

$$3.508 \quad \int \frac{\sqrt{f-cfx}(a+b\sin^{-1}(cx))}{(d+cdx)^{3/2}} dx$$

**Optimal.** Leaf size=162

$$-\frac{f^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2}{2bc(cdx+d)^{3/2}(f-cfx)^{3/2}} - \frac{2f^2(1-cx)(1-c^2x^2)(a+b\sin^{-1}(cx))}{c(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{2bf^2(1-c^2x^2)^{3/2}\log(cx+1)}{c(cdx+d)^{3/2}(f-cfx)^{3/2}}$$

[Out]  $(-2*f^2*(1-c*x)*(1-c^2*x^2)*(a+b*ArcSin[c*x]))/(c*(d+c*d*x)^{(3/2)}*(f-c*f*x)^{(3/2)}) - (f^2*(1-c^2*x^2)^{(3/2)}*(a+b*ArcSin[c*x])^2)/(2*b*c*(d+c*d*x)^{(3/2)}*(f-c*f*x)^{(3/2)}) + (2*b*f^2*(1-c^2*x^2)^{(3/2)}*Log[1+c*x])/(c*(d+c*d*x)^{(3/2)}*(f-c*f*x)^{(3/2)})$

**Rubi [A]** time = 0.360423, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {4673, 4775, 637, 4761, 12, 627, 31, 4641}

$$-\frac{f^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2}{2bc(cdx+d)^{3/2}(f-cfx)^{3/2}} - \frac{2f^2(1-cx)(1-c^2x^2)(a+b\sin^{-1}(cx))}{c(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{2bf^2(1-c^2x^2)^{3/2}\log(cx+1)}{c(cdx+d)^{3/2}(f-cfx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[f - c\*f\*x]\*(a + b\*ArcSin[c\*x]))/(d + c\*d\*x)^(3/2), x]

[Out]  $(-2*f^2*(1-c*x)*(1-c^2*x^2)*(a+b*ArcSin[c*x]))/(c*(d+c*d*x)^{(3/2)}*(f-c*f*x)^{(3/2)}) - (f^2*(1-c^2*x^2)^{(3/2)}*(a+b*ArcSin[c*x])^2)/(2*b*c*(d+c*d*x)^{(3/2)}*(f-c*f*x)^{(3/2)}) + (2*b*f^2*(1-c^2*x^2)^{(3/2)}*Log[1+c*x])/(c*(d+c*d*x)^{(3/2)}*(f-c*f*x)^{(3/2)})$

### Rule 4673

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_))^(p\_.)\*((f\_) + (g\_.)\*(x\_))^(q\_), x\_Symbol] := Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4775

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((f\_) + (g\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*ArcSin[c\*x]

$\int \frac{dx}{\sqrt{d + ex^2}} (f + gx)^m (d + ex^2)^{p + 1/2}$ ,  $x$  /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[m] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && IGtQ[n, 0]

### Rule 637

$\int \frac{(d + ex)(f + gx)}{(a + cx^2)^{3/2}}$ ,  $x$  Symbol] := Simp[(-a\*e + c\*d\*x)/(a\*c\*Sqrt[a + c\*x^2]), x] /; FreeQ[{a, c, d, e}, x]

### Rule 4761

$\int ((a + \text{ArcSin}[cx])^m (f + gx)^p)$ ,  $x$  Symbol] := With[{u = IntHide[(f + gx)^m (d + ex^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[Dist[1/Sqrt[1 - c^2\*x^2], u, x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2\*d + e, 0] && IGtQ[m, 0] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && (LtQ[m, -2\*p - 1] || GtQ[m, 3])

### Rule 12

$\int a(u)$ ,  $x$  Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 627

$\int (d + ex)^m (a + cx^2)^p$ ,  $x$  Symbol] := Int[(d + ex)^(m + p) \* (a/d + (cx)/e)^p, x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && IntegerQ[m + p]))

### Rule 31

$\int (a + bx)^{-1}$ ,  $x$  Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rule 4641

$\int ((a + \text{ArcSin}[cx])^n / \sqrt{d + ex^2})$ ,  $x$  Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1) / (b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{f-cfx}(a+b\sin^{-1}(cx))}{(d+cdx)^{3/2}} dx &= \frac{(1-c^2x^2)^{3/2} \int \frac{(f-cfx)^2(a+b\sin^{-1}(cx))}{(1-c^2x^2)^{3/2}} dx}{(d+cdx)^{3/2}(f-cfx)^{3/2}} \\
&= \frac{(1-c^2x^2)^{3/2} \int \left( \frac{2(f^2-cf^2x)(a+b\sin^{-1}(cx))}{(1-c^2x^2)^{3/2}} - \frac{f^2(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} \right) dx}{(d+cdx)^{3/2}(f-cfx)^{3/2}} \\
&= \frac{(2(1-c^2x^2)^{3/2}) \int \frac{(f^2-cf^2x)(a+b\sin^{-1}(cx))}{(1-c^2x^2)^{3/2}} dx}{(d+cdx)^{3/2}(f-cfx)^{3/2}} - \frac{(f^2(1-c^2x^2)^{3/2}) \int \frac{a+b\sin^{-1}(cx)}{\sqrt{1-c^2x^2}} dx}{(d+cdx)^{3/2}(f-cfx)^{3/2}} \\
&= -\frac{2f^2(1-cx)(1-c^2x^2)(a+b\sin^{-1}(cx))}{c(d+cdx)^{3/2}(f-cfx)^{3/2}} - \frac{f^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2}{2bc(d+cdx)^{3/2}(f-cfx)^{3/2}} + \frac{(2b)}{c} \\
&= -\frac{2f^2(1-cx)(1-c^2x^2)(a+b\sin^{-1}(cx))}{c(d+cdx)^{3/2}(f-cfx)^{3/2}} - \frac{f^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2}{2bc(d+cdx)^{3/2}(f-cfx)^{3/2}} + \frac{(2b)}{c} \\
&= -\frac{2f^2(1-cx)(1-c^2x^2)(a+b\sin^{-1}(cx))}{c(d+cdx)^{3/2}(f-cfx)^{3/2}} - \frac{f^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2}{2bc(d+cdx)^{3/2}(f-cfx)^{3/2}} + \frac{(2b)}{c} \\
&= -\frac{2f^2(1-cx)(1-c^2x^2)(a+b\sin^{-1}(cx))}{c(d+cdx)^{3/2}(f-cfx)^{3/2}} - \frac{f^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2}{2bc(d+cdx)^{3/2}(f-cfx)^{3/2}} + \frac{2bf}{c}
\end{aligned}$$

**Mathematica [A]** time = 1.32478, size = 248, normalized size = 1.53

$$\frac{-2a\sqrt{d}\sqrt{f}\tan^{-1}\left(\frac{cx\sqrt{cdx+d}\sqrt{f-cfx}}{\sqrt{d}\sqrt{f}(c^2x^2-1)}\right) + \frac{4a\sqrt{cdx+d}\sqrt{f-cfx}}{cx+1} + \frac{b\sqrt{cdx+d}\sqrt{f-cfx}\left(\cos\left(\frac{1}{2}\sin^{-1}(cx)\right)\right)\left(\sin^{-1}(cx)(\sin^{-1}(cx)+4)-8\log\left(\sin\left(\frac{1}{2}\sin^{-1}(cx)\right)\right)\right)}{\sqrt{1-c^2x^2}}}{2cd^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[f - c\*f\*x]\*(a + b\*ArcSin[c\*x]))/(d + c\*d\*x)^(3/2), x]

[Out] -((4\*a\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(1 + c\*x) - 2\*a\*Sqrt[d]\*Sqrt[f]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] + (b\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(Cos[ArcSin[c\*x]/2]\*(ArcSin[c\*x]\*(4 + ArcSin[c\*x])) - 8\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]]) + ((-4 + ArcSin[c\*x])\*ArcSin[c\*x] - 8\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2]))/(Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])))/(2\*c\*d^2)



---

**Maple [F]** time = 0.285, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) \sqrt{-cfx + f} (cdx + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2)/(c\*d\*x+d)^(3/2),x)

[Out] int((a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2)/(c\*d\*x+d)^(3/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2)/(c\*d\*x+d)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{cdx + d}\sqrt{-cfx + f}(b \arcsin(cx) + a)}{c^2d^2x^2 + 2cd^2x + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2)/(c\*d\*x+d)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)\*(b\*arcsin(c\*x) + a)/(c^2\*d^2\*x^2 + 2\*c\*d^2\*x + d^2), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-f(cx-1)}(a + b \operatorname{asin}(cx))}{(d(cx+1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*(-c\*f\*x+f)\*\*(1/2)/(c\*d\*x+d)\*\*(3/2),x)

[Out] Integral(sqrt(-f\*(c\*x - 1))\*(a + b\*asin(c\*x))/(d\*(c\*x + 1))\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-cfx + f}(b \arcsin(cx) + a)}{(cdx + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2)/(c\*d\*x+d)^(3/2),x, algorithm="giac")

[Out] integrate(sqrt(-c\*f\*x + f)\*(b\*arcsin(c\*x) + a)/(c\*d\*x + d)^(3/2), x)

$$3.509 \quad \int \frac{\sqrt{f-cfx}(a+b \sin^{-1}(cx))}{(d+cdx)^{5/2}} dx$$

**Optimal.** Leaf size=163

$$\frac{f^3(1-cx)^3(1-c^2x^2)(a+b \sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{2bf^3(1-c^2x^2)^{5/2}}{3c(cx+1)(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{bf^3(1-c^2x^2)^{5/2} \log(cx+1)}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

[Out]  $(-2*b*f^3*(1 - c^2*x^2)^{(5/2)})/(3*c*(1 + c*x)*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)} - (f^3*(1 - c*x)^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)} - (b*f^3*(1 - c^2*x^2)^{(5/2)*Log[1 + c*x])/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}}$

**Rubi [A]** time = 0.269134, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4673, 651, 4761, 12, 627, 43}

$$\frac{f^3(1-cx)^3(1-c^2x^2)(a+b \sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{2bf^3(1-c^2x^2)^{5/2}}{3c(cx+1)(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{bf^3(1-c^2x^2)^{5/2} \log(cx+1)}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sqrt}[f - c*f*x]*(a + b*ArcSin[c*x]))/(d + c*d*x)^{(5/2)}, x]$

[Out]  $(-2*b*f^3*(1 - c^2*x^2)^{(5/2)})/(3*c*(1 + c*x)*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)} - (f^3*(1 - c*x)^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)} - (b*f^3*(1 - c^2*x^2)^{(5/2)*Log[1 + c*x])/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}}$

### Rule 4673

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + (d + e*x)^q)^n, x] := \text{Dist}[(d + e*x)^q*(f + g*x)^q/(1 - c^2*x^2)^q, \text{Int}[(d + e*x)^{p-q}*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f, g, n\}, x \ \&\& \ \text{EqQ}[e*f + d*g, 0] \ \&\& \ \text{EqQ}[c^2*d^2 - e^2, 0] \ \&\& \ \text{HalfIntegerQ}[p, q] \ \&\& \ \text{GeQ}[p - q, 0]$

### Rule 651

$\text{Int}[(d + e*x)^m*(a + c*x^2)^p, x] := \text{Simp}[(e*(d + e*x)^m*(a + c*x^2)^{p+1})/(2*c*d*(p+1)), x] /;$   
 $\text{FreeQ}\{a, c, d,$

$e, m, p\}, x] \&\& \text{EqQ}[c*d^2 + a*e^2, 0] \&\& \text{!IntegerQ}[p] \&\& \text{EqQ}[m + 2*p + 2, 0]$

### Rule 4761

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]*((f_.) + (g_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \text{:> With}[\{u = \text{IntHide}[(f + g*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSin}[c*x], u, x] - \text{Dist}[b*c, \text{Int}[\text{Dist}[1/\text{Sqrt}[1 - c^2*x^2], u, x], x], x]] \text{/; FreeQ}[\{a, b, c, d, e, f, g\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[m, 0] \&\& \text{ILtQ}[p + 1/2, 0] \&\& \text{GtQ}[d, 0] \&\& (\text{LtQ}[m, -2*p - 1] \text{|| GtQ}[m, 3])$

### Rule 12

$\text{Int}[(a_)*(u_), x\_Symbol] \text{:> Dist}[a, \text{Int}[u, x], x] \text{/; FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_)*(v_) \text{/; FreeQ}[b, x]]$

### Rule 627

$\text{Int}[(d_.) + (e_.)*(x_.))^{(m_.)}*((a_.) + (c_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \text{:> Int}[(d + e*x)^{(m + p)}*(a/d + (c*x)/e)^p, x] \text{/; FreeQ}[\{a, c, d, e, m, p\}, x] \&\& \text{EqQ}[c*d^2 + a*e^2, 0] \&\& (\text{IntegerQ}[p] \text{||} (\text{GtQ}[a, 0] \&\& \text{GtQ}[d, 0] \&\& \text{IntegerQ}[m + p]))$

### Rule 43

$\text{Int}[(a_.) + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x\_Symbol] \text{:> Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] \text{/; FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& (\text{!IntegerQ}[n] \text{||} (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) \text{|| LtQ}[9*m + 5*(n + 1), 0] \text{|| GtQ}[m + n + 2, 0])$

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{f - cfx} (a + b \sin^{-1}(cx))}{(d + cdx)^{5/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(f - cfx)^3 (a + b \sin^{-1}(cx))}{(1 - c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
&= -\frac{f^3(1 - cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{\left( bc(1 - c^2x^2)^{5/2} \right) \int -\frac{f^3(1 - cx)^3}{3c(1 - c^2x^2)^2} dx}{(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
&= -\frac{f^3(1 - cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} + \frac{\left( bf^3(1 - c^2x^2)^{5/2} \right) \int \frac{(1 - cx)^3}{(1 - c^2x^2)^2} dx}{3(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
&= -\frac{f^3(1 - cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} + \frac{\left( bf^3(1 - c^2x^2)^{5/2} \right) \int \frac{1 - cx}{(1 + cx)^2} dx}{3(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
&= -\frac{f^3(1 - cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} + \frac{\left( bf^3(1 - c^2x^2)^{5/2} \right) \int \left( \frac{1}{-1 - cx} + \frac{2}{(1 + cx)^2} \right) dx}{3(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
&= -\frac{2bf^3(1 - c^2x^2)^{5/2}}{3c(1 + cx)(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{f^3(1 - cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{bf^3}{3c}
\end{aligned}$$

**Mathematica [A]** time = 0.482913, size = 114, normalized size = 0.7

$$\frac{f\sqrt{cdx+d}\left((cx-1)\left(acx-a-b\sqrt{1-c^2x^2}\right)+b(cx+1)\sqrt{1-c^2x^2}\log(-f(cx+1))+b(cx-1)^2\sin^{-1}(cx)\right)}{3cd^3(cx+1)^2\sqrt{f-cfx}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[f - c\*f\*x]\*(a + b\*ArcSin[c\*x]))/(d + c\*d\*x)^(5/2), x]

[Out] -(f\*Sqrt[d + c\*d\*x]\*((-1 + c\*x)\*(-a + a\*c\*x - b\*Sqrt[1 - c^2\*x^2]) + b\*(-1 + c\*x)^2\*ArcSin[c\*x] + b\*(1 + c\*x)\*Sqrt[1 - c^2\*x^2]\*Log[-(f\*(1 + c\*x))]))/(3\*c\*d^3\*(1 + c\*x)^2\*Sqrt[f - c\*f\*x])

**Maple [F]** time = 0.239, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) \sqrt{-cfx + f} (cdx + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))*(-c*f*x+f)^(1/2)/(c*d*x+d)^(5/2),x)
```

```
[Out] int((a+b*arcsin(c*x))*(-c*f*x+f)^(1/2)/(c*d*x+d)^(5/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))*(-c*f*x+f)^(1/2)/(c*d*x+d)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 2.81672, size = 1137, normalized size = 6.98

$$\frac{(bc^3dx^3 + bc^2dx^2 - bcdx - bd)\sqrt{\frac{f}{d}} \log\left(\frac{c^6fx^6 + 4c^5fx^5 + 5c^4fx^4 - 4c^2fx^2 - 4cfx + (c^4x^4 + 4c^3x^3 + 6c^2x^2 + 4cx)\sqrt{-c^2x^2 + 1}\sqrt{cdx+d}\sqrt{-cfx+f}\sqrt{\frac{f}{d} - 2f}}{c^4x^4 + 2c^3x^3 - 2cx - 1}\right)}{6(c^4d^3x^3 + c^3d^3x^2 - c^2d^3x - \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))*(-c*f*x+f)^(1/2)/(c*d*x+d)^(5/2),x, algorithm="fricas")
```

```
[Out] [1/6*((b*c^3*d*x^3 + b*c^2*d*x^2 - b*c*d*x - b*d)*sqrt(f/d)*log((c^6*f*x^6 + 4*c^5*f*x^5 + 5*c^4*f*x^4 - 4*c^2*f*x^2 - 4*c*f*x + (c^4*x^4 + 4*c^3*x^3 + 6*c^2*x^2 + 4*c*x)*sqrt(-c^2*x^2 + 1)*sqrt(c*d*x + d)*sqrt(-c*f*x + f)*sqrt(f/d) - 2*f)/(c^4*x^4 + 2*c^3*x^3 - 2*c*x - 1)) + 2*(a*c^2*x^2 - 2*sqrt(-c^2*x^2 + 1)*b*c*x - 2*a*c*x + (b*c^2*x^2 - 2*b*c*x + b)*arcsin(c*x) + a)*sqrt(c*d*x + d)*sqrt(-c*f*x + f))/(c^4*d^3*x^3 + c^3*d^3*x^2 - c^2*d^3*x - c*d^3), -1/3*((b*c^3*d*x^3 + b*c^2*d*x^2 - b*c*d*x - b*d)*sqrt(-f/d)*arctan((c^2*x^2 + 2*c*x + 2)*sqrt(-c^2*x^2 + 1)*sqrt(c*d*x + d)*sqrt(-c*f*x + f)*sqrt(-f/d)/(c^4*f*x^4 + 2*c^3*f*x^3 - c^2*f*x^2 - 2*c*f*x)) - (a*c^2*x^2 - 2*sqrt(-c^2*x^2 + 1)*b*c*x - 2*a*c*x + (b*c^2*x^2 - 2*b*c*x + b)*arcsin(c*x) + a)*sqrt(c*d*x + d)*sqrt(-c*f*x + f))/(c^4*d^3*x^3 + c^3*d^3*x^2 - c^2*d^3*x - c*d^3)]
```

3\*x - c\*d^3)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*(-c\*f\*x+f)\*\*(1/2)/(c\*d\*x+d)\*\*(5/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-cfx + f}(b \arcsin(cx) + a)}{(cdx + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))\*(-c\*f\*x+f)^(1/2)/(c\*d\*x+d)^(5/2), x, algorithm="giac")

[Out] integrate(sqrt(-c\*f\*x + f)\*(b\*arcsin(c\*x) + a)/(c\*d\*x + d)^(5/2), x)

### 3.510 $\int (d + cdx)^{5/2} (f - cfx)^{3/2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=414

$$\frac{3dx(cdx + d)^{3/2}(f - cfx)^{3/2} (a + b \sin^{-1}(cx))}{8(1 - c^2x^2)} + \frac{3d(cdx + d)^{3/2}(f - cfx)^{3/2} (a + b \sin^{-1}(cx))^2}{16bc(1 - c^2x^2)^{3/2}} - \frac{d(1 - c^2x^2)(cdx + d)^{3/2}(f - cfx)^{3/2}}{16bc(1 - c^2x^2)^{3/2}}$$

[Out] (b\*d\*x\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))/(5\*(1 - c^2\*x^2)^(3/2)) - (5\*b\*c\*d\*x^2\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))/(16\*(1 - c^2\*x^2)^(3/2)) - (2\*b\*c^2\*d\*x^3\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))/(15\*(1 - c^2\*x^2)^(3/2)) + (b\*c^3\*d\*x^4\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))/(16\*(1 - c^2\*x^2)^(3/2)) + (b\*c^4\*d\*x^5\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))/(25\*(1 - c^2\*x^2)^(3/2)) + (d\*x\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/4 + (3\*d\*x\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/(8\*(1 - c^2\*x^2)) - (d\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(5\*c) + (3\*d\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(16\*b\*c\*(1 - c^2\*x^2)^(3/2))

**Rubi [A]** time = 0.389728, antiderivative size = 414, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {4673, 4763, 4649, 4647, 4641, 30, 14, 4677, 194}

$$\frac{3dx(cdx + d)^{3/2}(f - cfx)^{3/2} (a + b \sin^{-1}(cx))}{8(1 - c^2x^2)} + \frac{3d(cdx + d)^{3/2}(f - cfx)^{3/2} (a + b \sin^{-1}(cx))^2}{16bc(1 - c^2x^2)^{3/2}} - \frac{d(1 - c^2x^2)(cdx + d)^{3/2}(f - cfx)^{3/2}}{16bc(1 - c^2x^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(3/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*d\*x\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))/(5\*(1 - c^2\*x^2)^(3/2)) - (5\*b\*c\*d\*x^2\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))/(16\*(1 - c^2\*x^2)^(3/2)) - (2\*b\*c^2\*d\*x^3\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))/(15\*(1 - c^2\*x^2)^(3/2)) + (b\*c^3\*d\*x^4\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))/(16\*(1 - c^2\*x^2)^(3/2)) + (b\*c^4\*d\*x^5\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))/(25\*(1 - c^2\*x^2)^(3/2)) + (d\*x\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/4 + (3\*d\*x\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/(8\*(1 - c^2\*x^2)) - (d\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(5\*c) + (3\*d\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(16\*b\*c\*(1 - c^2\*x^2)^(3/2))



Rule 4673

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_) + (e_.)*(x_.))^(p_.)*((f_)
+ (g_.)*(x_.))^(q_), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

Rule 4763

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_) + (g_.)*(x_.))^(m_.)*((d_
) + (e_.)*(x_.)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^p*(a +
b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] &
& EqQ[c^2*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ
[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))
```

Rule 4649

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_) + (e_.)*(x_.)^2)^(p_.), x
_Symbol] := Simp[(x*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(2*p + 1), x] + (D
ist[(2*d*p)/(2*p + 1), Int[(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x
] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/((2*p + 1)*(1 - c^2*x
^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0]
```

Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_.)^2], x_S
ymbol] := Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt
[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x
^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/((2*Sqrt[1 - c^2*x^2]), Int[x*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d
+ e, 0] && GtQ[n, 0]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_.)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 30

```
Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]
```

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 4677

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_.))^(n_)*(x_)*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d*IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 194

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned}
\int (d + cdx)^{5/2} (f - cfx)^{3/2} (a + b \sin^{-1}(cx)) dx &= \frac{((d + cdx)^{3/2} (f - cfx)^{3/2}) \int (d + cdx) (1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx)) dx}{(1 - c^2x^2)^{3/2}} \\
&= \frac{((d + cdx)^{3/2} (f - cfx)^{3/2}) \int (d(1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx)) + cdx(1 - c^2x^2)^{3/2}) dx}{(1 - c^2x^2)^{3/2}} \\
&= \frac{(d(d + cdx)^{3/2} (f - cfx)^{3/2}) \int (1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx)) dx}{(1 - c^2x^2)^{3/2}} + \frac{(cd(d + cdx)^{3/2} (f - cfx)^{3/2}) \int (1 - c^2x^2)^{3/2} dx}{(1 - c^2x^2)^{3/2}} \\
&= \frac{1}{4} dx (d + cdx)^{3/2} (f - cfx)^{3/2} (a + b \sin^{-1}(cx)) - \frac{d(d + cdx)^{3/2} (f - cfx)^{3/2}}{(1 - c^2x^2)^{3/2}} \\
&= \frac{1}{4} dx (d + cdx)^{3/2} (f - cfx)^{3/2} (a + b \sin^{-1}(cx)) + \frac{3dx(d + cdx)^{3/2} (f - cfx)^{3/2}}{8(1 - c^2x^2)^{3/2}} \\
&= \frac{bdx(d + cdx)^{3/2} (f - cfx)^{3/2}}{5(1 - c^2x^2)^{3/2}} - \frac{5bcdx^2(d + cdx)^{3/2} (f - cfx)^{3/2}}{16(1 - c^2x^2)^{3/2}} - \frac{2bc^2dx^3}{16(1 - c^2x^2)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 1.52268, size = 305, normalized size = 0.74

$$d^2 f \left( \sqrt{cdx + d} \sqrt{f - cfx} \left( -240a\sqrt{1 - c^2x^2} (8c^4x^4 + 10c^3x^3 - 16c^2x^2 - 25cx + 8) + 128bcx (3c^4x^4 - 10c^2x^2 + 15) + 1200 \right) \right)$$


---

Antiderivative was successfully verified.

[In] Integrate[(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(3/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d^2\*f\*(1800\*b\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]^2 - 3600\*a\*Sqrt[d]\*Sqrt[f]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] + Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(128\*b\*c\*x\*(15 - 10\*c^2\*x^2 + 3\*c^4\*x^4) - 240\*a\*Sqrt[1 - c^2\*x^2]\*(8 - 25\*c\*x - 16\*c^2\*x^2 + 10\*c^3\*x^3 + 8\*c^4\*x^4) + 1200\*b\*Cos[2\*ArcSin[c\*x]] + 75\*b\*Cos[4\*ArcSin[c\*x]]) - 60\*b\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]\*(32\*(1 - c^2\*x^2)^(5/2) - 40\*Sin[2\*ArcSin[c\*x]] - 5\*Sin[4\*ArcSin[c\*x]]))/ (9600\*c\*Sqrt[1 - c^2\*x^2])

---

**Maple [F]** time = 0.224, size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{5}{2}} (-cfx + f)^{\frac{3}{2}} (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(5/2)\*(-c\*f\*x+f)^(3/2)\*(a+b\*arcsin(c\*x)),x)

[Out] int((c\*d\*x+d)^(5/2)\*(-c\*f\*x+f)^(3/2)\*(a+b\*arcsin(c\*x)),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(-c\*f\*x+f)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral $\left(-\left(ac^3d^2fx^3 + ac^2d^2fx^2 - acd^2fx - ad^2f + \left(bc^3d^2fx^3 + bc^2d^2fx^2 - bcd^2fx - bd^2f\right)\arcsin(cx)\right)\sqrt{cdx + d}\sqrt{-c}\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(-c\*f\*x+f)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(-(a\*c^3\*d^2\*f\*x^3 + a\*c^2\*d^2\*f\*x^2 - a\*c\*d^2\*f\*x - a\*d^2\*f + (b\*c^3\*d^2\*f\*x^3 + b\*c^2\*d^2\*f\*x^2 - b\*c\*d^2\*f\*x - b\*d^2\*f)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(5/2)\*(-c\*f\*x+f)\*\*(3/2)\*(a+b\*asin(c\*x)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{5}{2}}(-cfx + f)^{\frac{3}{2}}(b \arcsin(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(-c\*f\*x+f)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate((c\*d\*x + d)^(5/2)\*(-c\*f\*x + f)^(3/2)\*(b\*arcsin(c\*x) + a), x)

### 3.511 $\int (d + cdx)^{3/2} (f - cfx)^{3/2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=226

$$\frac{3x(cdx + d)^{3/2}(f - cfx)^{3/2}(a + b \sin^{-1}(cx))}{8(1 - c^2x^2)} + \frac{3(cdx + d)^{3/2}(f - cfx)^{3/2}(a + b \sin^{-1}(cx))^2}{16bc(1 - c^2x^2)^{3/2}} + \frac{1}{4}x(cdx + d)^{3/2}(f - cfx)^{3/2}$$

[Out]  $(-5*b*c*x^2*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})/(16*(1 - c^2*x^2)^{(3/2)}) + (b*c^3*x^4*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})/(16*(1 - c^2*x^2)^{(3/2)}) + (x*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}*(a + b*ArcSin[c*x]))/4 + (3*x*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}*(a + b*ArcSin[c*x]))/(8*(1 - c^2*x^2)) + (3*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}*(a + b*ArcSin[c*x])^2)/(16*b*c*(1 - c^2*x^2)^{(3/2)})$

**Rubi [A]** time = 0.223822, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4673, 4649, 4647, 4641, 30, 14}

$$\frac{3x(cdx + d)^{3/2}(f - cfx)^{3/2}(a + b \sin^{-1}(cx))}{8(1 - c^2x^2)} + \frac{3(cdx + d)^{3/2}(f - cfx)^{3/2}(a + b \sin^{-1}(cx))^2}{16bc(1 - c^2x^2)^{3/2}} + \frac{1}{4}x(cdx + d)^{3/2}(f - cfx)^{3/2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}*(a + b*ArcSin[c*x]), x]$

[Out]  $(-5*b*c*x^2*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})/(16*(1 - c^2*x^2)^{(3/2)}) + (b*c^3*x^4*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})/(16*(1 - c^2*x^2)^{(3/2)}) + (x*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}*(a + b*ArcSin[c*x]))/4 + (3*x*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}*(a + b*ArcSin[c*x]))/(8*(1 - c^2*x^2)) + (3*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}*(a + b*ArcSin[c*x])^2)/(16*b*c*(1 - c^2*x^2)^{(3/2)})$

#### Rule 4673

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*((d_.) + (e_.)*(x_.))^{(p_.)}*((f_.) + (g_.)*(x_.))^{(q_.)}, x\_Symbol] \rightarrow \text{Dist}[(d + e*x)^q*(f + g*x)^q/(1 - c^2*x^2)^q, \text{Int}[(d + e*x)^{(p - q)}*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]$   
 /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

Rule 4649

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Simp[(x*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(2*p + 1), x] + (D
ist[(2*d*p)/(2*p + 1), Int[(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x
] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p]]/((2*p + 1)*(1 - c^2*x
^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x)) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0]
```

Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt
[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x
^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d
+ e, 0] && GtQ[n, 0]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 30

```
Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]
```

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
+ (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Rubi steps

$$\begin{aligned}
\int (d + cdx)^{3/2} (f - cfx)^{3/2} (a + b \sin^{-1}(cx)) dx &= \frac{((d + cdx)^{3/2} (f - cfx)^{3/2}) \int (1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx)) dx}{(1 - c^2x^2)^{3/2}} \\
&= \frac{1}{4} x (d + cdx)^{3/2} (f - cfx)^{3/2} (a + b \sin^{-1}(cx)) + \frac{(3(d + cdx)^{3/2} (f - cfx))}{8(1 - c^2x^2)} \\
&= \frac{1}{4} x (d + cdx)^{3/2} (f - cfx)^{3/2} (a + b \sin^{-1}(cx)) + \frac{3x(d + cdx)^{3/2} (f - cfx)}{8(1 - c^2x^2)} \\
&= -\frac{5bcx^2(d + cdx)^{3/2} (f - cfx)^{3/2}}{16(1 - c^2x^2)^{3/2}} + \frac{bc^3x^4(d + cdx)^{3/2} (f - cfx)^{3/2}}{16(1 - c^2x^2)^{3/2}} + \frac{1}{4} x (d + cdx)^{3/2} (f - cfx)^{3/2} (a + b \sin^{-1}(cx))
\end{aligned}$$

**Mathematica [A]** time = 1.04365, size = 247, normalized size = 1.09

$$df\sqrt{cdx + d}\sqrt{f - cfx} \left( 16acx\sqrt{1 - c^2x^2} (5 - 2c^2x^2) + 16b \cos(2 \sin^{-1}(cx)) + b \cos(4 \sin^{-1}(cx)) \right) - 48ad^{3/2} f^{3/2} \sqrt{1 - c^2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (24\*b\*d\*f\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]^2 - 48\*a\*d^(3/2)\*f^(3/2)\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] + d\*f\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(16\*a\*c\*x\*(5 - 2\*c^2\*x^2)\*Sqrt[1 - c^2\*x^2] + 16\*b\*Cos[2\*ArcSin[c\*x]] + b\*Cos[4\*ArcSin[c\*x]]) + 4\*b\*d\*f\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]\*(8\*Sin[2\*ArcSin[c\*x]] + Sin[4\*ArcSin[c\*x]])/(128\*c\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0.224, size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{3}{2}} (-cfx + f)^{\frac{3}{2}} (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(3/2)\*(-c\*f\*x+f)^(3/2)\*(a+b\*arcsin(c\*x)),x)

[Out] `int((c*d*x+d)^(3/2)*(-c*f*x+f)^(3/2)*(a+b*arcsin(c*x)),x)`

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*d*x+d)^(3/2)*(-c*f*x+f)^(3/2)*(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(ac^2dfx^2 - adf + (bc^2dfx^2 - bdf) \arcsin(cx)\right)\sqrt{cdx + d}\sqrt{-cfx + f}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*d*x+d)^(3/2)*(-c*f*x+f)^(3/2)*(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral(-(a*c^2*d*f*x^2 - a*d*f + (b*c^2*d*f*x^2 - b*d*f)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*f*x + f), x)`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*d*x+d)**(3/2)*(-c*f*x+f)**(3/2)*(a+b*asin(c*x)),x)`

[Out] Timed out

---



**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{3}{2}}(-cfx + f)^{\frac{3}{2}}(b \arcsin(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(-c*f*x+f)^(3/2)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate((c*d*x + d)^(3/2)*(-c*f*x + f)^(3/2)*(b*arcsin(c*x) + a), x)
```

### 3.512 $\int \sqrt{d + cx}(f - cfx)^{3/2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=273

$$\frac{f\sqrt{cdx+d}\sqrt{f-cfx}(a+b\sin^{-1}(cx))^2}{4bc\sqrt{1-c^2x^2}} + \frac{f(1-c^2x^2)\sqrt{cdx+d}\sqrt{f-cfx}(a+b\sin^{-1}(cx))}{3c} + \frac{1}{2}fx\sqrt{cdx+d}\sqrt{f-cfx}(a$$

```
[Out] -(b*f*x*Sqrt[d + c*d*x]*Sqrt[f - c*f*x])/(3*Sqrt[1 - c^2*x^2]) - (b*c*f*x^2
*Sqrt[d + c*d*x]*Sqrt[f - c*f*x])/(4*Sqrt[1 - c^2*x^2]) + (b*c^2*f*x^3*Sqrt
[d + c*d*x]*Sqrt[f - c*f*x])/(9*Sqrt[1 - c^2*x^2]) + (f*x*Sqrt[d + c*d*x]*S
qrt[f - c*f*x]*(a + b*ArcSin[c*x]))/2 + (f*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]*
(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c) + (f*Sqrt[d + c*d*x]*Sqrt[f - c*f*
x]*(a + b*ArcSin[c*x])^2)/(4*b*c*Sqrt[1 - c^2*x^2])
```

**Rubi [A]** time = 0.311758, antiderivative size = 273, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4673, 4763, 4647, 4641, 30, 4677}

$$\frac{f\sqrt{cdx+d}\sqrt{f-cfx}(a+b\sin^{-1}(cx))^2}{4bc\sqrt{1-c^2x^2}} + \frac{f(1-c^2x^2)\sqrt{cdx+d}\sqrt{f-cfx}(a+b\sin^{-1}(cx))}{3c} + \frac{1}{2}fx\sqrt{cdx+d}\sqrt{f-cfx}(a$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[d + c*d*x]*(f - c*f*x)^(3/2)*(a + b*ArcSin[c*x]),x]
```

```
[Out] -(b*f*x*Sqrt[d + c*d*x]*Sqrt[f - c*f*x])/(3*Sqrt[1 - c^2*x^2]) - (b*c*f*x^2
*Sqrt[d + c*d*x]*Sqrt[f - c*f*x])/(4*Sqrt[1 - c^2*x^2]) + (b*c^2*f*x^3*Sqrt
[d + c*d*x]*Sqrt[f - c*f*x])/(9*Sqrt[1 - c^2*x^2]) + (f*x*Sqrt[d + c*d*x]*S
qrt[f - c*f*x]*(a + b*ArcSin[c*x]))/2 + (f*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]*
(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c) + (f*Sqrt[d + c*d*x]*Sqrt[f - c*f*
x]*(a + b*ArcSin[c*x])^2)/(4*b*c*Sqrt[1 - c^2*x^2])
```

#### Rule 4673

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.)*((d_.) + (e_.)*(x_))^(p_.)*((f_)
+ (g_.)*(x_))^(q_), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

Rule 4763

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_) + (g_.)*(x_))^(m_.)*((d_
) + (e_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^p*(a +
b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] &
& EqQ[c^2*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ
[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))
```

Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt
[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x
^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d
+ e, 0] && GtQ[n, 0]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 30

```
Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{d+cdx}(f-cfx)^{3/2}(a+b\sin^{-1}(cx)) dx &= \frac{(\sqrt{d+cdx}\sqrt{f-cfx}) \int (f-cfx)\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx)) dx}{\sqrt{1-c^2x^2}} \\
&= \frac{(\sqrt{d+cdx}\sqrt{f-cfx}) \int (f\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx)) - cfx\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))) dx}{\sqrt{1-c^2x^2}} \\
&= \frac{(f\sqrt{d+cdx}\sqrt{f-cfx}) \int \sqrt{1-c^2x^2}(a+b\sin^{-1}(cx)) dx}{\sqrt{1-c^2x^2}} - \frac{(cf\sqrt{d+cdx}\sqrt{f-cfx}) \int \sqrt{1-c^2x^2} dx}{\sqrt{1-c^2x^2}} \\
&= \frac{1}{2}f\sqrt{d+cdx}\sqrt{f-cfx}(a+b\sin^{-1}(cx)) + \frac{f\sqrt{d+cdx}\sqrt{f-cfx}(1-c^2x^2)}{3c} \\
&= -\frac{bf\sqrt{d+cdx}\sqrt{f-cfx}}{3\sqrt{1-c^2x^2}} - \frac{bcfx^2\sqrt{d+cdx}\sqrt{f-cfx}}{4\sqrt{1-c^2x^2}} + \frac{bc^2fx^3\sqrt{d+cdx}\sqrt{f-cfx}}{9\sqrt{1-c^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 1.0032, size = 260, normalized size = 0.95

$$f\sqrt{cdx+d}\sqrt{f-cfx}\left(12a\sqrt{1-c^2x^2}(-2c^2x^2+3cx+2)+8bcx(c^2x^2-3)+9b\cos(2\sin^{-1}(cx))\right)-36a\sqrt{d}f^{3/2}\sqrt{1-c^2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + c\*d\*x]\*(f - c\*f\*x)^(3/2)\*(a + b\*ArcSin[c\*x]), x]

[Out] (18\*b\*f\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]^2 - 36\*a\*Sqrt[d]\*f^(3/2)\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] + f\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(12\*a\*(2 + 3\*c\*x - 2\*c^2\*x^2)\*Sqrt[1 - c^2\*x^2] + 8\*b\*c\*x\*(-3 + c^2\*x^2) + 9\*b\*Cos[2\*ArcSin[c\*x]]) + 6\*b\*f\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]\*(4\*(1 - c^2\*x^2)^(3/2) + 3\*Sin[2\*ArcSin[c\*x]]))/(72\*c\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0.236, size = 0, normalized size = 0.

$$\int \sqrt{cdx+d}(-cfx+f)^{\frac{3}{2}}(a+b\arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(1/2)*(-c*f*x+f)^(3/2)*(a+b*arcsin(c*x)),x)
```

```
[Out] int((c*d*x+d)^(1/2)*(-c*f*x+f)^(3/2)*(a+b*arcsin(c*x)),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(1/2)*(-c*f*x+f)^(3/2)*(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(acfx - af + (bcfx - bf) \arcsin(cx)\right) \sqrt{cdx + d} \sqrt{-cfx + f}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(1/2)*(-c*f*x+f)^(3/2)*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] integral(-(a*c*f*x - a*f + (b*c*f*x - b*f)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*f*x + f), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(1/2)*(-c*f*x+f)**(3/2)*(a+b*asin(c*x)),x)
```

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{cdx + d}(-cfx + f)^{\frac{3}{2}}(b \arcsin(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(-c\*f\*x+f)^(3/2)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(sqrt(c\*d\*x + d)\*(-c\*f\*x + f)^(3/2)\*(b\*arcsin(c\*x) + a), x)

$$3.513 \quad \int \frac{(f-cfx)^{3/2}(a+b\sin^{-1}(cx))}{\sqrt{d+cdx}} dx$$

**Optimal.** Leaf size=242

$$\frac{3f^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{4bc\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{f^2x(1-c^2x^2)(a+b\sin^{-1}(cx))}{2\sqrt{cdx+d}\sqrt{f-cfx}} + \frac{2f^2(1-c^2x^2)(a+b\sin^{-1}(cx))}{c\sqrt{cdx+d}\sqrt{f-cfx}} + \frac{bcf^2x^2\sqrt{1-c^2x^2}}{4\sqrt{cdx+d}\sqrt{f-cfx}}$$

```
[Out] (-2*b*f^2*x*Sqrt[1 - c^2*x^2])/(Sqrt[d + c*d*x]*Sqrt[f - c*f*x]) + (b*c*f^2*x^2*Sqrt[1 - c^2*x^2])/(4*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]) + (2*f^2*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(c*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]) - (f^2*x*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(2*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]) + (3*f^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2)/(4*b*c*Sqrt[d + c*d*x]*Sqrt[f - c*f*x])
```

**Rubi [A]** time = 0.425293, antiderivative size = 242, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$ , Rules used = {4673, 4763, 4641, 4677, 8, 4707, 30}

$$\frac{3f^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{4bc\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{f^2x(1-c^2x^2)(a+b\sin^{-1}(cx))}{2\sqrt{cdx+d}\sqrt{f-cfx}} + \frac{2f^2(1-c^2x^2)(a+b\sin^{-1}(cx))}{c\sqrt{cdx+d}\sqrt{f-cfx}} + \frac{bcf^2x^2\sqrt{1-c^2x^2}}{4\sqrt{cdx+d}\sqrt{f-cfx}}$$

Antiderivative was successfully verified.

```
[In] Int[((f - c*f*x)^(3/2)*(a + b*ArcSin[c*x]))/Sqrt[d + c*d*x], x]
```

```
[Out] (-2*b*f^2*x*Sqrt[1 - c^2*x^2])/(Sqrt[d + c*d*x]*Sqrt[f - c*f*x]) + (b*c*f^2*x^2*Sqrt[1 - c^2*x^2])/(4*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]) + (2*f^2*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(c*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]) - (f^2*x*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(2*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]) + (3*f^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2)/(4*b*c*Sqrt[d + c*d*x]*Sqrt[f - c*f*x])
```

**Rule 4673**

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_.))^(p_.)*((f_.) + (g_.)*(x_.))^(q_.), x_Symbol] :> Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

Rule 4763

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.) + (g\_.)\*(x\_))^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, (f + g\*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2\*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))

Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_))/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rubi steps



$$\begin{aligned}
\int \frac{(f - cfx)^{3/2} (a + b \sin^{-1}(cx))}{\sqrt{d + cdx}} dx &= \frac{\sqrt{1 - c^2x^2} \int \frac{(f - cfx)^2 (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx}{\sqrt{d + cdx} \sqrt{f - cfx}} \\
&= \frac{\sqrt{1 - c^2x^2} \int \left( \frac{f^2 (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} - \frac{2cf^2x (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} + \frac{c^2 f^2 x^2 (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} \right) dx}{\sqrt{d + cdx} \sqrt{f - cfx}} \\
&= \frac{(f^2 \sqrt{1 - c^2x^2}) \int \frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2x^2}} dx - (2cf^2 \sqrt{1 - c^2x^2}) \int \frac{x (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx + (c^2 f^2 \sqrt{1 - c^2x^2}) \int \frac{x^2 (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx}{\sqrt{d + cdx} \sqrt{f - cfx}} \\
&= \frac{2f^2 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{c \sqrt{d + cdx} \sqrt{f - cfx}} - \frac{f^2 x (1 - c^2x^2) (a + b \sin^{-1}(cx))}{2 \sqrt{d + cdx} \sqrt{f - cfx}} + \frac{f^2 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{2bc \sqrt{d + cdx} \sqrt{f - cfx}} \\
&= -\frac{2bf^2 x \sqrt{1 - c^2x^2}}{\sqrt{d + cdx} \sqrt{f - cfx}} + \frac{bcf^2 x^2 \sqrt{1 - c^2x^2}}{4 \sqrt{d + cdx} \sqrt{f - cfx}} + \frac{2f^2 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{c \sqrt{d + cdx} \sqrt{f - cfx}}
\end{aligned}$$

**Mathematica [A]** time = 1.22425, size = 238, normalized size = 0.98

$$\frac{-f \sqrt{cdx + d} \sqrt{f - cfx} \left( 4a(cx - 4) \sqrt{1 - c^2x^2} + 16bcx + b \cos(2 \sin^{-1}(cx)) \right) - 12a \sqrt{d} f^{3/2} \sqrt{1 - c^2x^2} \tan^{-1} \left( \frac{cx \sqrt{cdx + d} \sqrt{f - cfx}}{\sqrt{d} \sqrt{f} (c^2x^2 - 1)} \right)}{8cd \sqrt{1 - c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(((f - c\*f\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/Sqrt[d + c\*d\*x],x]

[Out] (-4\*b\*f\*(-4 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + 6\*b\*f\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]^2 - 12\*a\*Sqrt[d]\*f^(3/2)\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] - f\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(16\*b\*c\*x + 4\*a\*(-4 + c\*x)\*Sqrt[1 - c^2\*x^2] + b\*Cos[2\*ArcSin[c\*x]]))/(8\*c\*d\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0.23, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (-cfx + f)^{\frac{3}{2}} \frac{1}{\sqrt{cdx + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-c*f*x+f)^(3/2)*(a+b*arcsin(c*x))/(c*d*x+d)^(1/2),x)
```

```
[Out] int((-c*f*x+f)^(3/2)*(a+b*arcsin(c*x))/(c*d*x+d)^(1/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*f*x+f)^(3/2)*(a+b*arcsin(c*x))/(c*d*x+d)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(acfx - af + (bcfx - bf) \arcsin(cx))\sqrt{-cfx + f}}{\sqrt{cdx + d}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*f*x+f)^(3/2)*(a+b*arcsin(c*x))/(c*d*x+d)^(1/2),x, algorithm="fricas")
```

```
[Out] integral(-(a*c*f*x - a*f + (b*c*f*x - b*f)*arcsin(c*x))*sqrt(-c*f*x + f)/sqrt(c*d*x + d), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*f*x+f)**(3/2)*(a+b*asin(c*x))/(c*d*x+d)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cfx + f)^{\frac{3}{2}}(b \arcsin(cx) + a)}{\sqrt{cdx + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*f*x+f)^(3/2)*(a+b*arcsin(c*x))/(c*d*x+d)^(1/2),x, algorithm="
giac")
```

```
[Out] integrate((-c*f*x + f)^(3/2)*(b*arcsin(c*x) + a)/sqrt(c*d*x + d), x)
```

$$3.514 \quad \int \frac{(f-cfx)^{3/2}(a+b\sin^{-1}(cx))}{(d+cdx)^{3/2}} dx$$

**Optimal.** Leaf size=252

$$\frac{3f^3(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2}{2bc(dcx+d)^{3/2}(f-cfx)^{3/2}} - \frac{f^3(1-c^2x^2)^2(a+b\sin^{-1}(cx))}{c(dcx+d)^{3/2}(f-cfx)^{3/2}} - \frac{4f^3(1-cx)(1-c^2x^2)(a+b\sin^{-1}(cx))}{c(dcx+d)^{3/2}(f-cfx)^{3/2}} + \frac{b}{cdx}$$

[Out] (b\*f^3\*x\*(1 - c^2\*x^2)^(3/2))/((d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)) - (4\*f^3\*(1 - c\*x)\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)) - (f^3\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x]))/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)) - (3\*f^3\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(2\*b\*c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)) + (4\*b\*f^3\*(1 - c^2\*x^2)^(3/2)\*Log[1 + c\*x])/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))

**Rubi [A]** time = 0.436466, antiderivative size = 252, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4673, 4775, 637, 4761, 12, 627, 31, 4641, 4677, 8}

$$\frac{3f^3(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2}{2bc(dcx+d)^{3/2}(f-cfx)^{3/2}} - \frac{f^3(1-c^2x^2)^2(a+b\sin^{-1}(cx))}{c(dcx+d)^{3/2}(f-cfx)^{3/2}} - \frac{4f^3(1-cx)(1-c^2x^2)(a+b\sin^{-1}(cx))}{c(dcx+d)^{3/2}(f-cfx)^{3/2}} + \frac{b}{cdx}$$

Antiderivative was successfully verified.

[In] Int[((f - c\*f\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/(d + c\*d\*x)^(3/2), x]

[Out] (b\*f^3\*x\*(1 - c^2\*x^2)^(3/2))/((d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)) - (4\*f^3\*(1 - c\*x)\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)) - (f^3\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x]))/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)) - (3\*f^3\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(2\*b\*c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)) + (4\*b\*f^3\*(1 - c^2\*x^2)^(3/2)\*Log[1 + c\*x])/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))

**Rule 4673**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_.)\*((d\_) + (e\_.)\*(x\_))^(p\_)\*((f\_ + (g\_.)\*(x\_))^(q\_), x\_Symbol] := Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

Rule 4775

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_) + (g_.)*(x_))^(m_.)*((d_
) + (e_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x]
)^n/Sqrt[d + e*x^2], (f + g*x)^m*(d + e*x^2)^(p + 1/2), x], x] /; FreeQ[{a,
b, c, d, e, f, g}, x] && EqQ[c^2*d + e, 0] && IntegerQ[m] && ILtQ[p + 1/2,
0] && GtQ[d, 0] && IGtQ[n, 0]
```

Rule 637

```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2)^(3/2), x_Symbol] := Simp[(-(a
*e) + c*d*x)/(a*c*Sqrt[a + c*x^2]), x] /; FreeQ[{a, c, d, e}, x]
```

Rule 4761

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((f_) + (g_.)*(x_))^(m_.)*((d_) + (e
_.)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f + g*x)^m*(d + e*x^2)^p,
x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[Dist[1/Sqrt[1 - c^2*x^2
], u, x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2*d + e, 0] &
& IGtQ[m, 0] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && (LtQ[m, -2*p - 1] || GtQ[m
, 3])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 627

```
Int[((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int
[(d + e*x)^(m + p)*(a/d + (c*x)/e)^p, x] /; FreeQ[{a, c, d, e, m, p}, x] &&
EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && Intege
rQ[m + p]))
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_.), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(f - cfx)^{3/2} (a + b \sin^{-1}(cx))}{(d + cdx)^{3/2}} dx &= \frac{(1 - c^2x^2)^{3/2} \int \frac{(f - cfx)^3 (a + b \sin^{-1}(cx))}{(1 - c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2} (f - cfx)^{3/2}} \\
 &= \frac{(1 - c^2x^2)^{3/2} \int \left( \frac{4(f^3 - cf^3x)(a + b \sin^{-1}(cx))}{(1 - c^2x^2)^{3/2}} - \frac{3f^3(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} + \frac{cf^3x(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} \right) dx}{(d + cdx)^{3/2} (f - cfx)^{3/2}} \\
 &= \frac{\left( 4(1 - c^2x^2)^{3/2} \int \frac{(f^3 - cf^3x)(a + b \sin^{-1}(cx))}{(1 - c^2x^2)^{3/2}} dx - \left( 3f^3(1 - c^2x^2)^{3/2} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2x^2}} dx \right) \right)}{(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{cf^3 \int \frac{x(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx}{(d + cdx)^{3/2} (f - cfx)^{3/2}} \\
 &= -\frac{4f^3(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{f^3(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{3f^3}{2} \frac{1}{(d + cdx)^{3/2} (f - cfx)^{3/2}} \\
 &= \frac{bf^3x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{4f^3(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{f^3(1 - c^2x^2)^2}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} \\
 &= \frac{bf^3x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{4f^3(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{f^3(1 - c^2x^2)^2}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} \\
 &= \frac{bf^3x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{4f^3(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{f^3(1 - c^2x^2)^2}{c(d + cdx)^{3/2} (f - cfx)^{3/2}}
 \end{aligned}$$

**Mathematica [A]** time = 3.15703, size = 291, normalized size = 1.15

$$\frac{f \left( 6a\sqrt{d}\sqrt{f} \tan^{-1} \left( \frac{cx\sqrt{cdx+d}\sqrt{f-cfx}}{\sqrt{d}\sqrt{f}(c^2x^2-1)} \right) - \frac{\sqrt{cdx+d}\sqrt{f-cfx} \operatorname{csc}^2 \left( \frac{1}{2} \sin^{-1}(cx) \right) \left( 2(a(cx+5)(\sqrt{1-c^2x^2+cx-1})+bcx(\sqrt{1-c^2x^2-cx-1})+8b(\sqrt{1-c^2x^2-cx-1}) \log(\dots)) \right)}{2\sqrt{1-c^2x^2}(\cot(\dots))} \right)}{2cd^2}$$

Antiderivative was successfully verified.

[In] Integrate[((f - c\*f\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/(d + c\*d\*x)^(3/2),x]

[Out] (f\*(6\*a\*Sqrt[d]\*Sqrt[f]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] - (Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*Csc[ArcSin[c\*x]/2]^2\*(2\*b\*(5 + c\*x)\*(-1 + c\*x + Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x] - 3\*b\*(-1 - c\*x + Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x]^2 + 2\*(b\*c\*x\*(-1 - c\*x + Sqrt[1 - c^2\*x^2]) + a\*(5 + c\*x)\*(-1 + c\*x + Sqrt[1 - c^2\*x^2]) + 8\*b\*(-1 - c\*x + Sqrt[1 - c^2\*x^2])\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])))/(2\*Sqrt[1 - c^2\*x^2]\*(1 + Cot[ArcSin[c\*x]/2]))) / (2\*c\*d^2)

**Maple [F]** time = 0.238, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (-cfx + f)^{\frac{3}{2}} (cdx + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c\*f\*x+f)^(3/2)\*(a+b\*arcsin(c\*x))/(c\*d\*x+d)^(3/2),x)

[Out] int((-c\*f\*x+f)^(3/2)\*(a+b\*arcsin(c\*x))/(c\*d\*x+d)^(3/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*f\*x+f)^(3/2)\*(a+b\*arcsin(c\*x))/(c\*d\*x+d)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{(acfx - af + (bcfx - bf) \arcsin(cx)) \sqrt{cdx + d} \sqrt{-cfx + f}}{c^2 d^2 x^2 + 2cd^2 x + d^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*f*x+f)^(3/2)*(a+b*arcsin(c*x))/(c*d*x+d)^(3/2),x, algorithm="
fricas")
```

```
[Out] integral(-(a*c*f*x - a*f + (b*c*f*x - b*f)*arcsin(c*x))*sqrt(c*d*x + d)*sq
t(-c*f*x + f)/(c^2*d^2*x^2 + 2*c*d^2*x + d^2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*f*x+f)**(3/2)*(a+b*asin(c*x))/(c*d*x+d)**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cfx + f)^{\frac{3}{2}}(b \arcsin(cx) + a)}{(cdx + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*f*x+f)^(3/2)*(a+b*arcsin(c*x))/(c*d*x+d)^(3/2),x, algorithm="
giac")
```

```
[Out] integrate((-c*f*x + f)^(3/2)*(b*arcsin(c*x) + a)/(c*d*x + d)^(3/2), x)
```



$$3.515 \quad \int \frac{(f-cfx)^{3/2}(a+b\sin^{-1}(cx))}{(d+cdx)^{5/2}} dx$$

**Optimal.** Leaf size=324

$$\frac{2f^4(1-cx)(1-c^2x^2)^2(a+b\sin^{-1}(cx))}{c(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{2f^4(1-cx)^3(1-c^2x^2)(a+b\sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{f^4(1-c^2x^2)^{5/2}\sin^{-1}(cx)(a+b\sin^{-1}(cx))}{c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

[Out]  $(-4*b*f^4*(1 - c^2*x^2)^{(5/2)})/(3*c*(1 + c*x)*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}} - (b*f^4*(1 - c^2*x^2)^{(5/2)*ArcSin[c*x]^2)/(2*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}} - (2*f^4*(1 - c*x)^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}} + (2*f^4*(1 - c*x)*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}} + (f^4*(1 - c^2*x^2)^{(5/2)*ArcSin[c*x]*(a + b*ArcSin[c*x]))/(c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}} - (8*b*f^4*(1 - c^2*x^2)^{(5/2)*Log[1 + c*x]})/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}})$

**Rubi [A]** time = 0.353152, antiderivative size = 324, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {4673, 669, 653, 216, 4761, 627, 43, 31, 4641}

$$\frac{2f^4(1-cx)(1-c^2x^2)^2(a+b\sin^{-1}(cx))}{c(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{2f^4(1-cx)^3(1-c^2x^2)(a+b\sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{f^4(1-c^2x^2)^{5/2}\sin^{-1}(cx)(a+b\sin^{-1}(cx))}{c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[((f - c\*f\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/(d + c\*d\*x)^(5/2), x]

[Out]  $(-4*b*f^4*(1 - c^2*x^2)^{(5/2)})/(3*c*(1 + c*x)*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}} - (b*f^4*(1 - c^2*x^2)^{(5/2)*ArcSin[c*x]^2)/(2*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}} - (2*f^4*(1 - c*x)^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}} + (2*f^4*(1 - c*x)*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}} + (f^4*(1 - c^2*x^2)^{(5/2)*ArcSin[c*x]*(a + b*ArcSin[c*x]))/(c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}} - (8*b*f^4*(1 - c^2*x^2)^{(5/2)*Log[1 + c*x]})/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}})$

**Rule 4673**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.))^(p\_.)\*((f\_.) + (g\_.)\*(x\_.))^(q\_.), x\_Symbol] :> Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x

$^2)^q$ , Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 669

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1))/(c\*(p + 1)), x] - Dist[(e^2\*(m + p))/(c\*(p + 1)), Int[(d + e\*x)^(m - 2)\*(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c\*d^2 + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && IntegerQ[2\*p]

### Rule 653

Int[((d\_) + (e\_)\*(x\_))^(2\*((a\_) + (c\_)\*(x\_)^2)^(p\_)), x\_Symbol] := Simp[(e\*(d + e\*x)\*(a + c\*x^2)^(p + 1))/(c\*(p + 1)), x] - Dist[(e^2\*(p + 2))/(c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && LtQ[p, -1]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 4761

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)\*((f\_) + (g\_)\*(x\_))^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{u = IntHide[(f + g\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[Dist[1/Sqrt[1 - c^2\*x^2], u, x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2\*d + e, 0] && IGtQ[m, 0] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && (LtQ[m, -2\*p - 1] || GtQ[m, 3])

### Rule 627

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[(d + e\*x)^(m + p)\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && IntegerQ[m + p]))

### Rule 43

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le

Q[7\*m + 4\*n + 4, 0] || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0]

### Rule 31

Int[((a\_) + (b\_)\*(x\_))<sup>(-1)</sup>, x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rule 4641

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))<sup>(n\_)</sup>/Sqrt[(d\_) + (e\_)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])<sup>(n + 1)</sup>/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{(f - cfx)^{3/2} (a + b \sin^{-1}(cx))}{(d + cdx)^{5/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(f - cfx)^4 (a + b \sin^{-1}(cx))}{(1 - c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
 &= -\frac{2f^4(1 - cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} + \frac{2f^4(1 - cx) (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{c(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
 &= -\frac{2f^4(1 - cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} + \frac{2f^4(1 - cx) (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{c(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
 &= -\frac{bf^4 (1 - c^2x^2)^{5/2} \sin^{-1}(cx)^2}{2c(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{2f^4(1 - cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} + \frac{2f^4(1 - cx) (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{c(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
 &= -\frac{bf^4 (1 - c^2x^2)^{5/2} \sin^{-1}(cx)^2}{2c(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{2f^4(1 - cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} + \frac{2f^4(1 - cx) (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{c(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
 &= -\frac{4bf^4 (1 - c^2x^2)^{5/2}}{3c(1 + cx)(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{bf^4 (1 - c^2x^2)^{5/2} \sin^{-1}(cx)^2}{2c(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{2f^4(1 - cx)^3}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}}
 \end{aligned}$$

**Mathematica [A]** time = 5.10115, size = 599, normalized size = 1.85

$$f \left( -12a\sqrt{d}\sqrt{f} \tan^{-1} \left( \frac{cx\sqrt{cdx+d}\sqrt{f-cfx}}{\sqrt{d}\sqrt{f}(c^2x^2-1)} \right) + \frac{16a(2cx+1)\sqrt{cdx+d}\sqrt{f-cfx}}{(cx+1)^2} - \frac{b\sqrt{cdx+d}\sqrt{f-cfx} \left( \cos\left(\frac{1}{2} \sin^{-1}(cx)\right) - \sin\left(\frac{1}{2} \sin^{-1}(cx)\right) \right) \left( 2\sin\left(\frac{1}{2} \sin^{-1}(cx)\right) \right)}{c(d + cdx)^{5/2} (f - cfx)^{5/2}} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((f - c*f*x)^(3/2)*(a + b*ArcSin[c*x]))/(d + c*d*x)^(5/2),x]
```

```
[Out] (f*((16*a*(1 + 2*c*x)*Sqrt[d + c*d*x]*Sqrt[f - c*f*x])/(1 + c*x)^2 - 12*a*Sqrt[d]*Sqrt[f]*ArcTan[(c*x*Sqrt[d + c*d*x]*Sqrt[f - c*f*x])/(Sqrt[d]*Sqrt[f]*(-1 + c^2*x^2))] - (b*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]*(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])*(Cos[ArcSin[c*x]/2]*(-8 + 6*ArcSin[c*x] + 9*ArcSin[c*x]^2 - 84*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])) + Cos[(3*ArcSin[c*x])/2]*((14 - 3*ArcSin[c*x])*ArcSin[c*x] + 28*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])) + 2*(-4 + 2*(2 + 7*Sqrt[1 - c^2*x^2])*ArcSin[c*x] + 3*(2 + Sqrt[1 - c^2*x^2])*ArcSin[c*x]^2 - 28*(2 + Sqrt[1 - c^2*x^2])*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]))*Sin[ArcSin[c*x]/2]))/((-1 + c*x)*(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^4) - (2*b*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]*(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])*(Cos[(3*ArcSin[c*x])/2]*(ArcSin[c*x] + 2*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])) - Cos[ArcSin[c*x]/2]*(4 + 3*ArcSin[c*x] + 6*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])) + 2*(-2 + (2 + Sqrt[1 - c^2*x^2])*ArcSin[c*x] - 2*(2 + Sqrt[1 - c^2*x^2])*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]))*Sin[ArcSin[c*x]/2]))/((-1 + c*x)*(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^4)))/(12*c*d^3)
```

**Maple [F]** time = 0.233, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (-cfx + f)^{\frac{3}{2}} (cdx + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-c*f*x+f)^(3/2)*(a+b*arcsin(c*x))/(c*d*x+d)^(5/2),x)
```

```
[Out] int((-c*f*x+f)^(3/2)*(a+b*arcsin(c*x))/(c*d*x+d)^(5/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*f*x+f)^(3/2)*(a+b*arcsin(c*x))/(c*d*x+d)^(5/2),x, algorithm="maxima")
```

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(acfx - af + (bcfx - bf)\arcsin(cx))\sqrt{cdx + d}\sqrt{-cfx + f}}{c^3d^3x^3 + 3c^2d^3x^2 + 3cd^3x + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*f\*x+f)^(3/2)\*(a+b\*arcsin(c\*x))/(c\*d\*x+d)^(5/2),x, algorithm="fricas")

[Out] integral(-(a\*c\*f\*x - a\*f + (b\*c\*f\*x - b\*f)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)/(c^3\*d^3\*x^3 + 3\*c^2\*d^3\*x^2 + 3\*c\*d^3\*x + d^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*f\*x+f)\*\*(3/2)\*(a+b\*asin(c\*x))/(c\*d\*x+d)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cfx + f)^{\frac{3}{2}}(b \arcsin(cx) + a)}{(cdx + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*f\*x+f)^(3/2)\*(a+b\*arcsin(c\*x))/(c\*d\*x+d)^(5/2),x, algorithm="giac")

[Out] integrate((-c\*f\*x + f)^(3/2)\*(b\*arcsin(c\*x) + a)/(c\*d\*x + d)^(5/2), x)

### 3.516 $\int (d + cdx)^{5/2} (f - cfx)^{5/2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=315

$$\frac{5x(cdx + d)^{5/2}(f - cfx)^{5/2}(a + b \sin^{-1}(cx))}{24(1 - c^2x^2)} + \frac{5x(cdx + d)^{5/2}(f - cfx)^{5/2}(a + b \sin^{-1}(cx))}{16(1 - c^2x^2)^2} + \frac{5(cdx + d)^{5/2}(f - cfx)^{5/2}(a + b \sin^{-1}(cx))}{32bc(1 - c^2x^2)}$$

[Out]  $(-25*b*c*x^2*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)})/(96*(1 - c^2*x^2)^{(5/2)}) + (5*b*c^3*x^4*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)})/(96*(1 - c^2*x^2)^{(5/2)}) + (b*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}*Sqrt[1 - c^2*x^2])/(36*c) + (x*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}*(a + b*ArcSin[c*x]))/6 + (5*x*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}*(a + b*ArcSin[c*x]))/(16*(1 - c^2*x^2)^2) + (5*x*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}*(a + b*ArcSin[c*x]))/(24*(1 - c^2*x^2)) + (5*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}*(a + b*ArcSin[c*x])^2)/(32*b*c*(1 - c^2*x^2)^{(5/2)})$

**Rubi [A]** time = 0.265264, antiderivative size = 315, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$ , Rules used = {4673, 4649, 4647, 4641, 30, 14, 261}

$$\frac{5x(cdx + d)^{5/2}(f - cfx)^{5/2}(a + b \sin^{-1}(cx))}{24(1 - c^2x^2)} + \frac{5x(cdx + d)^{5/2}(f - cfx)^{5/2}(a + b \sin^{-1}(cx))}{16(1 - c^2x^2)^2} + \frac{5(cdx + d)^{5/2}(f - cfx)^{5/2}(a + b \sin^{-1}(cx))}{32bc(1 - c^2x^2)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}*(a + b*ArcSin[c*x]), x]$

[Out]  $(-25*b*c*x^2*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)})/(96*(1 - c^2*x^2)^{(5/2)}) + (5*b*c^3*x^4*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)})/(96*(1 - c^2*x^2)^{(5/2)}) + (b*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}*Sqrt[1 - c^2*x^2])/(36*c) + (x*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}*(a + b*ArcSin[c*x]))/6 + (5*x*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}*(a + b*ArcSin[c*x]))/(16*(1 - c^2*x^2)^2) + (5*x*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}*(a + b*ArcSin[c*x]))/(24*(1 - c^2*x^2)) + (5*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}*(a + b*ArcSin[c*x])^2)/(32*b*c*(1 - c^2*x^2)^{(5/2)})$

#### Rule 4673

$\text{Int}[(a + ArcSin[(c_*)(x_)]*(b_))^{(n_)}*((d_)(e_)(x_))^{(p_)}*((f_)(g_)(x_))^{(q_)}, x\_Symbol] := \text{Dist}[(d + e*x)^q*(f + g*x)^q/(1 - c^2*x^2)^{n_}, x\_Symbol]$

$^2)^q$ , Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

Rule 4649

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(x\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(2\*p + 1), x] + (Dist[(2\*d\*p)/(2\*p + 1), Int[(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p]]/((2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0]

Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 14

Int[(u\_)\*((c\_.)\*(x\_)^(m\_.)), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_.), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&

NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int (d + cdx)^{5/2} (f - cfx)^{5/2} (a + b \sin^{-1}(cx)) dx &= \frac{((d + cdx)^{5/2} (f - cfx)^{5/2}) \int (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx)) dx}{(1 - c^2x^2)^{5/2}} \\
&= \frac{1}{6} x (d + cdx)^{5/2} (f - cfx)^{5/2} (a + b \sin^{-1}(cx)) + \frac{(5(d + cdx)^{5/2} (f - cfx)^{5/2})}{6} \\
&= \frac{b(d + cdx)^{5/2} (f - cfx)^{5/2} \sqrt{1 - c^2x^2}}{36c} + \frac{1}{6} x (d + cdx)^{5/2} (f - cfx)^{5/2} (a + b \sin^{-1}(cx)) \\
&= \frac{b(d + cdx)^{5/2} (f - cfx)^{5/2} \sqrt{1 - c^2x^2}}{36c} + \frac{1}{6} x (d + cdx)^{5/2} (f - cfx)^{5/2} (a + b \sin^{-1}(cx)) \\
&= -\frac{25bcx^2 (d + cdx)^{5/2} (f - cfx)^{5/2}}{96(1 - c^2x^2)^{5/2}} + \frac{5bc^3x^4 (d + cdx)^{5/2} (f - cfx)^{5/2}}{96(1 - c^2x^2)^{5/2}} + \frac{b(d + cdx)^{5/2} (f - cfx)^{5/2}}{6}
\end{aligned}$$

**Mathematica [A]** time = 1.51267, size = 303, normalized size = 0.96

$$d^2 f^2 \left( \sqrt{cdx + d} \sqrt{f - cfx} \left( 384ac^5 x^5 \sqrt{1 - c^2x^2} - 1248ac^3 x^3 \sqrt{1 - c^2x^2} + 1584acx \sqrt{1 - c^2x^2} + 270b \cos(2 \sin^{-1}(cx)) + 270b \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d^2\*f^2\*(360\*b\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]^2 - 720\*a\*Sqrt[d]\*Sqrt[f]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] + Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(1584\*a\*c\*x\*Sqrt[1 - c^2\*x^2] - 1248\*a\*c^3\*x^3\*Sqrt[1 - c^2\*x^2] + 384\*a\*c^5\*x^5\*Sqrt[1 - c^2\*x^2] + 270\*b\*Cos[2\*ArcSin[c\*x]] + 27\*b\*Cos[4\*ArcSin[c\*x]] + 2\*b\*Cos[6\*ArcSin[c\*x]]) + 12\*b\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]\*(45\*Sin[2\*ArcSin[c\*x]] + 9\*Sin[4\*ArcSin[c\*x]] + Sin[6\*ArcSin[c\*x]])))/(2304\*c\*Sqrt[1 - c^2\*x^2])



**Maple [F]** time = 0.226, size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{5}{2}} (-cfx + f)^{\frac{5}{2}} (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(5/2)\*(-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x)),x)

[Out] int((c\*d\*x+d)^(5/2)\*(-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x)),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(ac^4d^2f^2x^4 - 2ac^2d^2f^2x^2 + ad^2f^2 + (bc^4d^2f^2x^4 - 2bc^2d^2f^2x^2 + bd^2f^2) \arcsin(cx)\right)\sqrt{cdx + d}\sqrt{-cfx + f}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral((a\*c^4\*d^2\*f^2\*x^4 - 2\*a\*c^2\*d^2\*f^2\*x^2 + a\*d^2\*f^2 + (b\*c^4\*d^2\*f^2\*x^4 - 2\*b\*c^2\*d^2\*f^2\*x^2 + b\*d^2\*f^2)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(5/2)\*(-c\*f\*x+f)\*\*(5/2)\*(a+b\*asin(c\*x)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{5}{2}} (-cfx + f)^{\frac{5}{2}} (b \arcsin(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate((c\*d\*x + d)^(5/2)\*(-c\*f\*x + f)^(5/2)\*(b\*arcsin(c\*x) + a), x)

$$3.517 \quad \int (d + cdx)^{3/2} (f - cfx)^{5/2} (a + b \sin^{-1}(cx)) dx$$

**Optimal.** Leaf size=414

$$\frac{3fx(cdx + d)^{3/2}(f - cfx)^{3/2}(a + b \sin^{-1}(cx))}{8(1 - c^2x^2)} + \frac{3f(cdx + d)^{3/2}(f - cfx)^{3/2}(a + b \sin^{-1}(cx))^2}{16bc(1 - c^2x^2)^{3/2}} + \frac{f(1 - c^2x^2)(cdx + d)^{3/2}}{16bc(1 - c^2x^2)^{3/2}}$$

[Out]  $-(b*f*x*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})/(5*(1 - c^2*x^2)^{(3/2)}) - (5*b*c*f*x^2*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})/(16*(1 - c^2*x^2)^{(3/2)}) + (2*b*c^2*f*x^3*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})/(15*(1 - c^2*x^2)^{(3/2)}) + (b*c^3*f*x^4*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})/(16*(1 - c^2*x^2)^{(3/2)}) - (b*c^4*f*x^5*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})/(25*(1 - c^2*x^2)^{(3/2)}) + (f*x*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}*(a + b*ArcSin[c*x]))/4 + (3*f*x*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}*(a + b*ArcSin[c*x]))/(8*(1 - c^2*x^2)) + (f*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(5*c) + (3*f*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}*(a + b*ArcSin[c*x]))^2/(16*b*c*(1 - c^2*x^2)^{(3/2)})$

**Rubi [A]** time = 0.38232, antiderivative size = 414, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {4673, 4763, 4649, 4647, 4641, 30, 14, 4677, 194}

$$\frac{3fx(cdx + d)^{3/2}(f - cfx)^{3/2}(a + b \sin^{-1}(cx))}{8(1 - c^2x^2)} + \frac{3f(cdx + d)^{3/2}(f - cfx)^{3/2}(a + b \sin^{-1}(cx))^2}{16bc(1 - c^2x^2)^{3/2}} + \frac{f(1 - c^2x^2)(cdx + d)^{3/2}}{16bc(1 - c^2x^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(5/2)\*(a + b\*ArcSin[c\*x]),x]

[Out]  $-(b*f*x*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})/(5*(1 - c^2*x^2)^{(3/2)}) - (5*b*c*f*x^2*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})/(16*(1 - c^2*x^2)^{(3/2)}) + (2*b*c^2*f*x^3*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})/(15*(1 - c^2*x^2)^{(3/2)}) + (b*c^3*f*x^4*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})/(16*(1 - c^2*x^2)^{(3/2)}) - (b*c^4*f*x^5*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})/(25*(1 - c^2*x^2)^{(3/2)}) + (f*x*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}*(a + b*ArcSin[c*x]))/4 + (3*f*x*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}*(a + b*ArcSin[c*x]))/(8*(1 - c^2*x^2)) + (f*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(5*c) + (3*f*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}*(a + b*ArcSin[c*x]))^2/(16*b*c*(1 - c^2*x^2)^{(3/2)})$

Rule 4673

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_))^(p_)*((f_)
+ (g_.)*(x_)^(q_), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

Rule 4763

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_) + (g_.)*(x_))^(m_.)*((d_
) + (e_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^p*(a +
b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] &
& EqQ[c^2*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ
[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))
```

Rule 4649

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Simp[(x*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(2*p + 1), x] + (D
ist[(2*d*p)/(2*p + 1), Int[(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x
] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/((2*p + 1)*(1 - c^2*x
^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0]
```

Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt
[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x
^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/((2*Sqrt[1 - c^2*x^2]), Int[x*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d
+ e, 0] && GtQ[n, 0]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 30

```
Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]
```

Rule 14

Int[(u\_)\*((c\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 4677

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*(x\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 194

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
 \int (d + cdx)^{3/2} (f - cfx)^{5/2} (a + b \sin^{-1}(cx)) dx &= \frac{((d + cdx)^{3/2} (f - cfx)^{3/2}) \int (f - cfx) (1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx)) dx}{(1 - c^2x^2)^{3/2}} \\
 &= \frac{((d + cdx)^{3/2} (f - cfx)^{3/2}) \int (f (1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx)) - cfx (1 - c^2x^2)^{3/2}) dx}{(1 - c^2x^2)^{3/2}} \\
 &= \frac{(f(d + cdx)^{3/2} (f - cfx)^{3/2}) \int (1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx)) dx}{(1 - c^2x^2)^{3/2}} - \frac{cf \int (1 - c^2x^2)^{3/2} dx}{(1 - c^2x^2)^{3/2}} \\
 &= \frac{1}{4} f x (d + cdx)^{3/2} (f - cfx)^{3/2} (a + b \sin^{-1}(cx)) + \frac{f(d + cdx)^{3/2} (f - cfx)^{3/2}}{8(1 - c^2x^2)^{3/2}} \\
 &= \frac{1}{4} f x (d + cdx)^{3/2} (f - cfx)^{3/2} (a + b \sin^{-1}(cx)) + \frac{3fx(d + cdx)^{3/2} (f - cfx)^{3/2}}{8(1 - c^2x^2)^{3/2}} \\
 &= -\frac{bfx(d + cdx)^{3/2} (f - cfx)^{3/2}}{5(1 - c^2x^2)^{3/2}} - \frac{5bcfx^2(d + cdx)^{3/2} (f - cfx)^{3/2}}{16(1 - c^2x^2)^{3/2}} + \frac{2bc^2x^3(d + cdx)^{3/2} (f - cfx)^{3/2}}{16(1 - c^2x^2)^{3/2}}
 \end{aligned}$$

**Mathematica [A]** time = 1.45541, size = 305, normalized size = 0.74

$$df^2 \left( \sqrt{cdx + d} \sqrt{f - cfx} \left( 240a\sqrt{1 - c^2x^2} (8c^4x^4 - 10c^3x^3 - 16c^2x^2 + 25cx + 8) - 128bcx (3c^4x^4 - 10c^2x^2 + 15) + 1200b \right) \right)$$


---

Antiderivative was successfully verified.

[In] Integrate[(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(5/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (d\*f^2\*(1800\*b\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]^2 - 3600\*a\*Sqrt[d]\*Sqrt[f]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] + Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(-128\*b\*c\*x\*(15 - 10\*c^2\*x^2 + 3\*c^4\*x^4) + 240\*a\*Sqrt[1 - c^2\*x^2]\*(8 + 25\*c\*x - 16\*c^2\*x^2 - 10\*c^3\*x^3 + 8\*c^4\*x^4) + 1200\*b\*Cos[2\*ArcSin[c\*x]] + 75\*b\*Cos[4\*ArcSin[c\*x]]) + 60\*b\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]\*(32\*(1 - c^2\*x^2)^(5/2) + 40\*Sin[2\*ArcSin[c\*x]] + 5\*Sin[4\*ArcSin[c\*x]])))/(9600\*c\*Sqrt[1 - c^2\*x^2])

---

**Maple [F]** time = 0.224, size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{3}{2}} (-cfx + f)^{\frac{5}{2}} (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(3/2)\*(-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x)),x)

[Out] int((c\*d\*x+d)^(3/2)\*(-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x)),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral((ac<sup>3</sup>df<sup>2</sup>x<sup>3</sup> - ac<sup>2</sup>df<sup>2</sup>x<sup>2</sup> - acdf<sup>2</sup>x + adf<sup>2</sup> + (bc<sup>3</sup>df<sup>2</sup>x<sup>3</sup> - bc<sup>2</sup>df<sup>2</sup>x<sup>2</sup> - bcd<sup>2</sup>df<sup>2</sup>x + bdf<sup>2</sup>) arcsin(cx))sqrt(cdx + d)sqrt(-c

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral((a\*c<sup>3</sup>\*d\*f<sup>2</sup>\*x<sup>3</sup> - a\*c<sup>2</sup>\*d\*f<sup>2</sup>\*x<sup>2</sup> - a\*c\*d\*f<sup>2</sup>\*x + a\*d\*f<sup>2</sup> + (b\*c<sup>3</sup>\*d\*f<sup>2</sup>\*x<sup>3</sup> - b\*c<sup>2</sup>\*d\*f<sup>2</sup>\*x<sup>2</sup> - b\*c\*d\*f<sup>2</sup>\*x + b\*d\*f<sup>2</sup>)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(3/2)\*(-c\*f\*x+f)\*\*(5/2)\*(a+b\*asin(c\*x)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{3}{2}} (-cfx + f)^{\frac{5}{2}} (b \arcsin(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate((c\*d\*x + d)^(3/2)\*(-c\*f\*x + f)^(5/2)\*(b\*arcsin(c\*x) + a), x)

### 3.518 $\int \sqrt{d + cdx}(f - cfx)^{5/2} (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=376

$$\frac{1}{4}c^2f^2x^3\sqrt{cdx+d}\sqrt{f-cfx}(a+b\sin^{-1}(cx)) + \frac{5f^2\sqrt{cdx+d}\sqrt{f-cfx}(a+b\sin^{-1}(cx))^2}{16bc\sqrt{1-c^2x^2}} + \frac{2f^2(1-c^2x^2)\sqrt{cdx+d}\sqrt{f-cfx}}{3c}$$

[Out]  $(-2*b*f^2*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x])/(3*\text{Sqrt}[1 - c^2*x^2]) - (3*b*c*f^2*x^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x])/(16*\text{Sqrt}[1 - c^2*x^2]) + (2*b*c^2*f^2*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x])/(9*\text{Sqrt}[1 - c^2*x^2]) - (b*c^3*f^2*x^4*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x])/(16*\text{Sqrt}[1 - c^2*x^2]) + (3*f^2*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x]*(a + b*\text{ArcSin}[c*x]))/8 + (c^2*f^2*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x]*(a + b*\text{ArcSin}[c*x]))/4 + (2*f^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x]*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x]))/(3*c) + (5*f^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x]*(a + b*\text{ArcSin}[c*x])^2)/(16*b*c*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.539114, antiderivative size = 376, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {4673, 4763, 4647, 4641, 30, 4677, 4697, 4707}

$$\frac{1}{4}c^2f^2x^3\sqrt{cdx+d}\sqrt{f-cfx}(a+b\sin^{-1}(cx)) + \frac{5f^2\sqrt{cdx+d}\sqrt{f-cfx}(a+b\sin^{-1}(cx))^2}{16bc\sqrt{1-c^2x^2}} + \frac{2f^2(1-c^2x^2)\sqrt{cdx+d}\sqrt{f-cfx}}{3c}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sqrt}[d + c*d*x]*(f - c*f*x)^{(5/2)}*(a + b*\text{ArcSin}[c*x]), x]$

[Out]  $(-2*b*f^2*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x])/(3*\text{Sqrt}[1 - c^2*x^2]) - (3*b*c*f^2*x^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x])/(16*\text{Sqrt}[1 - c^2*x^2]) + (2*b*c^2*f^2*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x])/(9*\text{Sqrt}[1 - c^2*x^2]) - (b*c^3*f^2*x^4*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x])/(16*\text{Sqrt}[1 - c^2*x^2]) + (3*f^2*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x]*(a + b*\text{ArcSin}[c*x]))/8 + (c^2*f^2*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x]*(a + b*\text{ArcSin}[c*x]))/4 + (2*f^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x]*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x]))/(3*c) + (5*f^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[f - c*f*x]*(a + b*\text{ArcSin}[c*x])^2)/(16*b*c*\text{Sqrt}[1 - c^2*x^2])$

**Rule 4673**

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((d + e*x)^p*(f + g*x)^q)/(1 - c^2*x^2)^q, x] := \text{Dist}[(d + e*x)^p*(f + g*x)^q/(1 - c^2*x^2)^q, \text{Int}[(d + e*x)^{p-q}*(1 - c^2*x^2)^q*(a + b*\text{ArcSin}[c*x])^n, x], x]$



;/ FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4763

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_) + (g\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, (f + g\*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2\*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))

### Rule 4647

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(x\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/2, x] + (Dist[Sqrt[d + e\*x^2]/(2\*Sqrt[1 - c^2\*x^2]), Int[(a + b\*ArcSin[c\*x])^n/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(2\*Sqrt[1 - c^2\*x^2]), Int[x\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 4697

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2)), x] + (Dist[Sqrt[d + e\*x^2]/((m + 2)\*Sqrt[1 - c^2\*x

$^2]$ ), Int[((f\*x)^m\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(f\*(m + 2)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x)] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.)\*((f\_.)\*(x\_.))^m\_)/Sqrt[(d\_. + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[(f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x)] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rubi steps

$$\begin{aligned}
 \int \sqrt{d + cdx}(f - cfx)^{5/2} (a + b \sin^{-1}(cx)) dx &= \frac{(\sqrt{d + cdx}\sqrt{f - cfx}) \int (f - cfx)^2 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx)) dx}{\sqrt{1 - c^2x^2}} \\
 &= \frac{(\sqrt{d + cdx}\sqrt{f - cfx}) \int (f^2 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx)) - 2cf^2x \sqrt{1 - c^2x^2}) dx}{\sqrt{1 - c^2x^2}} \\
 &= \frac{(f^2 \sqrt{d + cdx}\sqrt{f - cfx}) \int \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx)) dx}{\sqrt{1 - c^2x^2}} - \frac{(2cf^2 \sqrt{d + cdx}\sqrt{f - cfx}) \int \sqrt{1 - c^2x^2} dx}{\sqrt{1 - c^2x^2}} \\
 &= \frac{1}{2} f^2 x \sqrt{d + cdx} \sqrt{f - cfx} (a + b \sin^{-1}(cx)) + \frac{1}{4} c^2 f^2 x^3 \sqrt{d + cdx} \sqrt{f - cfx} \\
 &= -\frac{2bf^2x\sqrt{d + cdx}\sqrt{f - cfx}}{3\sqrt{1 - c^2x^2}} - \frac{bcf^2x^2\sqrt{d + cdx}\sqrt{f - cfx}}{4\sqrt{1 - c^2x^2}} + \frac{2bc^2f^2x^3\sqrt{d + cdx}\sqrt{f - cfx}}{9\sqrt{1 - c^2x^2}} \\
 &= -\frac{2bf^2x\sqrt{d + cdx}\sqrt{f - cfx}}{3\sqrt{1 - c^2x^2}} - \frac{3bcf^2x^2\sqrt{d + cdx}\sqrt{f - cfx}}{16\sqrt{1 - c^2x^2}} + \frac{2bc^2f^2x^3\sqrt{d + cdx}\sqrt{f - cfx}}{9\sqrt{1 - c^2x^2}}
 \end{aligned}$$

**Mathematica [A]** time = 1.2032, size = 293, normalized size = 0.78

$$f^2 \sqrt{cdx + d} \sqrt{f - cfx} \left( 48a \sqrt{1 - c^2x^2} (6c^3x^3 - 16c^2x^2 + 9cx + 16) + 256bcx (c^2x^2 - 3) + 144b \cos(2 \sin^{-1}(cx)) - 9b \cos(2 \sin^{-1}(cx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + c\*d\*x]\*(f - c\*f\*x)^(5/2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (360\*b\*f^2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]^2 - 720\*a\*Sqrt[d]\*f^(5/2)\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] + f^2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(256\*b\*c\*x\*(-3 + c^2\*x^2) + 48\*a\*Sqrt[1 - c^2\*x^2]\*(16 + 9\*c\*x - 16\*c^2\*x^2 + 6\*c^3\*x^3) + 144\*b\*Cos[2\*ArcSin[c\*x]] - 9\*b\*Cos[4\*ArcSin[c\*x]]) - 12\*b\*f^2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]\*(-64\*(1 - c^2\*x^2)^(3/2) - 24\*Sin[2\*ArcSin[c\*x]] + 3\*Sin[4\*ArcSin[c\*x]])/(1152\*c\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0.235, size = 0, normalized size = 0.

$$\int \sqrt{cdx + d} (-cfx + f)^{\frac{5}{2}} (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(1/2)\*(-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x)),x)

[Out] int((c\*d\*x+d)^(1/2)\*(-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x)),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(ac^2 f^2 x^2 - 2 ac f^2 x + a f^2 + (bc^2 f^2 x^2 - 2 bc f^2 x + b f^2) \arcsin(cx)\right) \sqrt{cdx + d} \sqrt{-cfx + f}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(1/2)*(-c*f*x+f)^(5/2)*(a+b*arcsin(c*x)),x, algorithm="
fricas")
```

```
[Out] integral((a*c^2*f^2*x^2 - 2*a*c*f^2*x + a*f^2 + (b*c^2*f^2*x^2 - 2*b*c*f^2*
x + b*f^2)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*f*x + f), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(1/2)*(-c*f*x+f)**(5/2)*(a+b*asin(c*x)),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{cdx + d} (-cfx + f)^{\frac{5}{2}} (b \arcsin(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(1/2)*(-c*f*x+f)^(5/2)*(a+b*arcsin(c*x)),x, algorithm="
giac")
```

```
[Out] integrate(sqrt(c*d*x + d)*(-c*f*x + f)^(5/2)*(b*arcsin(c*x) + a), x)
```

$$3.519 \quad \int \frac{(f-cfx)^{5/2}(a+b\sin^{-1}(cx))}{\sqrt{d+cdx}} dx$$

**Optimal.** Leaf size=345

$$\frac{5f^3\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{4bc\sqrt{cdx+d}\sqrt{f-cfx}} + \frac{cf^3x^2(1-c^2x^2)(a+b\sin^{-1}(cx))}{3\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{3f^3x(1-c^2x^2)(a+b\sin^{-1}(cx))}{2\sqrt{cdx+d}\sqrt{f-cfx}} + \frac{11f^3(1-c^2x^2)}{3c\sqrt{cdx+d}\sqrt{f-cfx}}$$

[Out] (-11\*b\*f^3\*x\*Sqrt[1 - c^2\*x^2])/(3\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (3\*b\*c\*f^3\*x^2\*Sqrt[1 - c^2\*x^2])/(4\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (b\*c^2\*f^3\*x^3\*Sqrt[1 - c^2\*x^2])/(9\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (11\*f^3\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(3\*c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (3\*f^3\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (c\*f^3\*x^2\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(3\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (5\*f^3\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(4\*b\*c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])

**Rubi [A]** time = 0.591949, antiderivative size = 345, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 7, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$ , Rules used = {4673, 4763, 4641, 4677, 8, 4707, 30}

$$\frac{5f^3\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{4bc\sqrt{cdx+d}\sqrt{f-cfx}} + \frac{cf^3x^2(1-c^2x^2)(a+b\sin^{-1}(cx))}{3\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{3f^3x(1-c^2x^2)(a+b\sin^{-1}(cx))}{2\sqrt{cdx+d}\sqrt{f-cfx}} + \frac{11f^3(1-c^2x^2)}{3c\sqrt{cdx+d}\sqrt{f-cfx}}$$

Antiderivative was successfully verified.

[In] Int[((f - c\*f\*x)^(5/2)\*(a + b\*ArcSin[c\*x]))/Sqrt[d + c\*d\*x], x]

[Out] (-11\*b\*f^3\*x\*Sqrt[1 - c^2\*x^2])/(3\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (3\*b\*c\*f^3\*x^2\*Sqrt[1 - c^2\*x^2])/(4\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (b\*c^2\*f^3\*x^3\*Sqrt[1 - c^2\*x^2])/(9\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (11\*f^3\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(3\*c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (3\*f^3\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (c\*f^3\*x^2\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(3\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (5\*f^3\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(4\*b\*c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])

**Rule 4673**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.))^(p\_.)\*((f\_.) + (g\_.)\*(x\_.))^(q\_.), x\_Symbol] :> Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x

$^2)^q$ , Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4763

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_) + (g\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, (f + g\*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2\*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_.))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{(f - cfx)^{5/2} (a + b \sin^{-1}(cx))}{\sqrt{d + cdx}} dx &= \frac{\sqrt{1 - c^2x^2} \int \frac{(f - cfx)^3 (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx}{\sqrt{d + cdx} \sqrt{f - cfx}} \\
&= \frac{\sqrt{1 - c^2x^2} \int \left( \frac{f^3 (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} - \frac{3cf^3x(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} + \frac{3c^2f^3x^2(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} - \frac{c^3f^3x^3(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} \right) dx}{\sqrt{d + cdx} \sqrt{f - cfx}} \\
&= \frac{\left( f^3 \sqrt{1 - c^2x^2} \right) \int \frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2x^2}} dx - \left( 3cf^3 \sqrt{1 - c^2x^2} \right) \int \frac{x(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx + \left( 3c^2f^3 \sqrt{1 - c^2x^2} \right) \int \frac{x^2(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx - \left( c^3f^3 \sqrt{1 - c^2x^2} \right) \int \frac{x^3(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx}{\sqrt{d + cdx} \sqrt{f - cfx}} \\
&= \frac{3f^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{c\sqrt{d + cdx} \sqrt{f - cfx}} - \frac{3f^3x (1 - c^2x^2) (a + b \sin^{-1}(cx))}{2\sqrt{d + cdx} \sqrt{f - cfx}} + \frac{cf^3x^2 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3\sqrt{d + cdx} \sqrt{f - cfx}} - \frac{c^3f^3x^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{4\sqrt{d + cdx} \sqrt{f - cfx}} \\
&= -\frac{3bf^3x\sqrt{1 - c^2x^2}}{\sqrt{d + cdx} \sqrt{f - cfx}} + \frac{3bcf^3x^2\sqrt{1 - c^2x^2}}{4\sqrt{d + cdx} \sqrt{f - cfx}} - \frac{bc^2f^3x^3\sqrt{1 - c^2x^2}}{9\sqrt{d + cdx} \sqrt{f - cfx}} + \frac{11f^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c\sqrt{d + cdx} \sqrt{f - cfx}} \\
&= -\frac{11bf^3x\sqrt{1 - c^2x^2}}{3\sqrt{d + cdx} \sqrt{f - cfx}} + \frac{3bcf^3x^2\sqrt{1 - c^2x^2}}{4\sqrt{d + cdx} \sqrt{f - cfx}} - \frac{bc^2f^3x^3\sqrt{1 - c^2x^2}}{9\sqrt{d + cdx} \sqrt{f - cfx}} + \frac{11f^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c\sqrt{d + cdx} \sqrt{f - cfx}}
\end{aligned}$$

**Mathematica [A]** time = 1.73426, size = 274, normalized size = 0.79

$$f^2 \sqrt{cdx + d} \sqrt{f - cfx} \left( 12a \sqrt{1 - c^2x^2} (2c^2x^2 - 9cx + 22) - 270bcx + 2b \sin(3 \sin^{-1}(cx)) - 27b \cos(2 \sin^{-1}(cx)) \right) - 180a$$

Antiderivative was successfully verified.

[In] Integrate[((f - c\*f\*x)^(5/2)\*(a + b\*ArcSin[c\*x]))/Sqrt[d + c\*d\*x],x]

[Out] (90\*b\*f^2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]^2 - 180\*a\*Sqrt[d]\*f^(5/2)\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] - 6\*b\*f^2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]\*(9\*(-5 + 2\*c\*x)\*Sqrt[1 - c^2\*x^2] + Cos[3\*ArcSin[c\*x]]) + f^2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(-270\*b\*c\*x + 12\*a\*Sqrt[1 - c^2\*x^2]\*(22 - 9\*c\*x + 2\*c^2\*x^2) - 27\*b\*Cos[2\*ArcSin[c\*x]] + 2\*b\*Sin[3\*ArcSin[c\*x]]))/(72\*c\*d\*Sqrt[1 - c^2\*x^2])

---

**Maple [F]** time = 0.23, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (-cfx + f)^{\frac{5}{2}} \frac{1}{\sqrt{cdx + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x))/(c\*d\*x+d)^(1/2),x)

[Out] int((-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x))/(c\*d\*x+d)^(1/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x))/(c\*d\*x+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(ac^2f^2x^2 - 2acf^2x + af^2 + (bc^2f^2x^2 - 2bcf^2x + bf^2) \arcsin(cx)) \sqrt{-cfx + f}}{\sqrt{cdx + d}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x))/(c\*d\*x+d)^(1/2),x, algorithm="fricas")

[Out] integral((a\*c^2\*f^2\*x^2 - 2\*a\*c\*f^2\*x + a\*f^2 + (b\*c^2\*f^2\*x^2 - 2\*b\*c\*f^2\*x + b\*f^2)\*arcsin(c\*x))\*sqrt(-c\*f\*x + f)/sqrt(c\*d\*x + d), x)

---



**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*f\*x+f)\*\*(5/2)\*(a+b\*asin(c\*x))/(c\*d\*x+d)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cfx + f)^{\frac{5}{2}}(b \arcsin(cx) + a)}{\sqrt{cdx + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x))/(c\*d\*x+d)^(1/2),x, algorithm="giac")

[Out] integrate((-c\*f\*x + f)^(5/2)\*(b\*arcsin(c\*x) + a)/sqrt(c\*d\*x + d), x)

$$3.520 \quad \int \frac{(f-cfx)^{5/2}(a+b \sin^{-1}(cx))}{(d+cdx)^{3/2}} dx$$

**Optimal.** Leaf size=465

$$\frac{5f^4(1-cx)(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{2c(cdx+d)^{3/2}(f-cfx)^{3/2}} - \frac{15f^4(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{2c(cdx+d)^{3/2}(f-cfx)^{3/2}} - \frac{2f^4(1-cx)^3(1-c^2x^2)(a+b \sin^{-1}(cx))}{c(cdx+d)^{3/2}(f-cfx)^{3/2}}$$

[Out]  $(3*b*f^4*x*(1 - c^2*x^2)^{(3/2)})/(2*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (b*c*f^4*x^2*(1 - c^2*x^2)^{(3/2)})/((d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) - (5*b*f^4*(1 - c*x)^2*(1 - c^2*x^2)^{(3/2)})/(4*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (15*b*f^4*(1 - c^2*x^2)^{(3/2)}*ArcSin[c*x]^2)/(4*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) - (2*f^4*(1 - c*x)^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) - (15*f^4*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(2*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) - (5*f^4*(1 - c*x)*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(2*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) - (15*f^4*(1 - c^2*x^2)^{(3/2)}*ArcSin[c*x]*(a + b*ArcSin[c*x]))/(2*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (8*b*f^4*(1 - c^2*x^2)^{(3/2)}*Log[1 + c*x])/(c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})$

**Rubi [A]** time = 0.375003, antiderivative size = 465, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 9, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {4673, 669, 671, 641, 216, 4761, 627, 43, 4641}

$$\frac{5f^4(1-cx)(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{2c(cdx+d)^{3/2}(f-cfx)^{3/2}} - \frac{15f^4(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{2c(cdx+d)^{3/2}(f-cfx)^{3/2}} - \frac{2f^4(1-cx)^3(1-c^2x^2)(a+b \sin^{-1}(cx))}{c(cdx+d)^{3/2}(f-cfx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((f - c\*f\*x)^(5/2)\*(a + b\*ArcSin[c\*x]))/(d + c\*d\*x)^(3/2), x]

[Out]  $(3*b*f^4*x*(1 - c^2*x^2)^{(3/2)})/(2*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (b*c*f^4*x^2*(1 - c^2*x^2)^{(3/2)})/((d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) - (5*b*f^4*(1 - c*x)^2*(1 - c^2*x^2)^{(3/2)})/(4*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (15*b*f^4*(1 - c^2*x^2)^{(3/2)}*ArcSin[c*x]^2)/(4*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) - (2*f^4*(1 - c*x)^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) - (15*f^4*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(2*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) - (5*f^4*(1 - c*x)*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(2*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) - (15*f^4*(1 - c^2*x^2)^{(3/2)}*ArcSin[c*x]*(a + b*ArcSin[c*x]))/(2*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (8*b*f^4*(1 - c^2*x^2)^{(3/2)}*Log[1 + c*x])/(c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})$

x] / (c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))

### Rule 4673

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((d\_) + (e\_.)\*(x\_))^(p\_)\*((f\_) + (g\_.)\*(x\_))^(q\_), x\_Symbol] := Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 669

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1))/(c\*(p + 1)), x] - Dist[(e^2\*(m + p))/(c\*(p + 1)), Int[(d + e\*x)^(m - 2)\*(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c\*d^2 + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && IntegerQ[2\*p]

### Rule 671

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 1)), x] + Dist[(2\*c\*d\*(m + p))/(c\*(m + 2\*p + 1)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && GtQ[m, 1] && NeQ[m + 2\*p + 1, 0] && IntegerQ[2\*p]

### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 4761

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))\*((f\_) + (g\_.)\*(x\_))^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{u = IntHide[(f + g\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[Dist[1/Sqrt[1 - c^2\*x^2], u, x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2\*d + e, 0] && IGtQ[m, 0] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && (LtQ[m, -2\*p - 1] || GtQ[m

, 3])

### Rule 627

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Int  
 [(d + e\*x)^(m + p)\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, m, p}, x] &&  
 EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && IntegerQ[m + p]))

### Rule 43

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] :> Int  
 [ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n},  
 x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LtQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rule 4641

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)/Sqrt[(d\_) + (e\_)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rubi steps

$$\int \frac{(f - cfx)^{5/2} (a + b \sin^{-1}(cx))}{(d + cdx)^{3/2}} dx = \frac{(1 - c^2x^2)^{3/2} \int \frac{(f - cfx)^4 (a + b \sin^{-1}(cx))}{(1 - c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2} (f - cfx)^{3/2}}$$

$$= -\frac{2f^4(1 - cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{15f^4 (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{2c(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{5f^4 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}}$$

$$= \frac{15bf^4x (1 - c^2x^2)^{3/2}}{2(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{5bf^4(1 - cx)^2 (1 - c^2x^2)^{3/2}}{4c(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{2f^4(1 - cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}}$$

$$= \frac{15bf^4x (1 - c^2x^2)^{3/2}}{2(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{5bf^4(1 - cx)^2 (1 - c^2x^2)^{3/2}}{4c(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{15bf^4 (1 - c^2x^2)^{3/2} \sin^{-1}(cx)}{4c(d + cdx)^{3/2} (f - cfx)^{3/2}}$$

$$= \frac{15bf^4x (1 - c^2x^2)^{3/2}}{2(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{5bf^4(1 - cx)^2 (1 - c^2x^2)^{3/2}}{4c(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{15bf^4 (1 - c^2x^2)^{3/2} \sin^{-1}(cx)}{4c(d + cdx)^{3/2} (f - cfx)^{3/2}}$$

$$= \frac{3bf^4x (1 - c^2x^2)^{3/2}}{2(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{bcf^4x^2 (1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{5bf^4(1 - cx)^2 (1 - c^2x^2)^{3/2}}{4c(d + cdx)^{3/2} (f - cfx)^{3/2}}$$

**Mathematica [A]** time = 3.56232, size = 685, normalized size = 1.47

$$f^2 \left( 8a\sqrt{1-c^2x^2} (c^2x^2 - 7cx - 24) \sqrt{cdx + d} \sqrt{f - cfx} \left( \sin\left(\frac{1}{2} \sin^{-1}(cx)\right) + \cos\left(\frac{1}{2} \sin^{-1}(cx)\right) \right) + 120a\sqrt{d}\sqrt{f}(cx+1)\sqrt{1-c^2x^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((f - c\*f\*x)^(5/2)\*(a + b\*ArcSin[c\*x]))/(d + c\*d\*x)^(3/2),x]

[Out] (f^2\*(8\*a\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*Sqrt[1 - c^2\*x^2]\*(-24 - 7\*c\*x + c^2\*x^2)\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]) + 120\*a\*Sqrt[d]\*Sqrt[f]\*(1 + c\*x)\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]) - 8\*b\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(Cos[ArcSin[c\*x]/2]\*(ArcSin[c\*x]\*(4 + ArcSin[c\*x]) - 8\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]]) + ((-4 + ArcSin[c\*x])\*ArcSin[c\*x] - 8\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2]) - 32\*b\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(ArcSin[c\*x]^2\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]) - (c\*x + 4\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]))\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]) + ArcSin[c\*x]\*((2 + Sqrt[1 - c^2\*x^2])\*Cos[ArcSin[c\*x]/2] + (-2 + Sqrt[1 - c^2\*x^2])\*Sin[ArcSin[c\*x]/2])) - b\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(20\*ArcSin[c\*x]^2\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]) - 2\*(16\*c\*x + Cos[2\*ArcSin[c\*x]] + 32\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]))\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]) + 2\*ArcSin[c\*x]\*(24\*Cos[ArcSin[c\*x]/2] + 7\*Cos[(3\*ArcSin[c\*x])/2] + Cos[(5\*ArcSin[c\*x])/2] - 24\*Sin[ArcSin[c\*x]/2] + 7\*Sin[(3\*ArcSin[c\*x])/2] - Sin[(5\*ArcSin[c\*x])/2])))))/(16\*c\*d^2\*(1 + c\*x)\*Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]))

**Maple [F]** time = 0.247, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (-cfx + f)^{\frac{5}{2}} (cdx + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x))/(c\*d\*x+d)^(3/2),x)

[Out] int((-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x))/(c\*d\*x+d)^(3/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x))/(c\*d\*x+d)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\left(ac^2f^2x^2 - 2acf^2x + af^2 + (bc^2f^2x^2 - 2bcf^2x + bf^2)\arcsin(cx)\right)\sqrt{cdx+d}\sqrt{-cfx+f}}{c^2d^2x^2 + 2cd^2x + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*f\*x+f)^(5/2)\*(a+b\*arcsin(c\*x))/(c\*d\*x+d)^(3/2),x, algorithm="fricas")

[Out] integral((a\*c^2\*f^2\*x^2 - 2\*a\*c\*f^2\*x + a\*f^2 + (b\*c^2\*f^2\*x^2 - 2\*b\*c\*f^2\*x + b\*f^2)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)/(c^2\*d^2\*x^2 + 2\*c\*d^2\*x + d^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*f\*x+f)\*\*(5/2)\*(a+b\*asin(c\*x))/(c\*d\*x+d)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cfx + f)^{\frac{5}{2}}(b \arcsin(cx) + a)}{(cdx + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*f*x+f)^(5/2)*(a+b*arcsin(c*x))/(c*d*x+d)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((-c*f*x + f)^(5/2)*(b*arcsin(c*x) + a)/(c*d*x + d)^(3/2), x)
```

$$3.521 \quad \int \frac{(f-cfx)^{5/2}(a+b\sin^{-1}(cx))}{(d+cdx)^{5/2}} dx$$

**Optimal.** Leaf size=420

$$\frac{5f^5(1-c^2x^2)^3(a+b\sin^{-1}(cx))}{c(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{10f^5(1-cx)^2(1-c^2x^2)^2(a+b\sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{2f^5(1-cx)^4(1-c^2x^2)(a+b\sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

[Out]  $-\left(\frac{b f^5 x (1 - c^2 x^2)^{5/2}}{(d + c d x)^{5/2} (f - c f x)^{5/2}}\right) - (8 b f^5 (1 - c^2 x^2)^{5/2}) / (3 c (1 + c x) (d + c d x)^{5/2} (f - c f x)^{5/2}) - (5 b f^5 (1 - c^2 x^2)^{5/2} \operatorname{ArcSin}[c x]^2) / (2 c (d + c d x)^{5/2} (f - c f x)^{5/2}) - (2 f^5 (1 - c x)^4 (1 - c^2 x^2) (a + b \operatorname{ArcSin}[c x])) / (3 c (d + c d x)^{5/2} (f - c f x)^{5/2}) + (10 f^5 (1 - c x)^2 (1 - c^2 x^2)^2 (a + b \operatorname{ArcSin}[c x])) / (3 c (d + c d x)^{5/2} (f - c f x)^{5/2}) + (5 f^5 (1 - c^2 x^2)^3 (a + b \operatorname{ArcSin}[c x])) / (c (d + c d x)^{5/2} (f - c f x)^{5/2}) + (5 f^5 (1 - c^2 x^2)^{5/2} \operatorname{ArcSin}[c x] (a + b \operatorname{ArcSin}[c x])) / (c (d + c d x)^{5/2} (f - c f x)^{5/2}) - (28 b f^5 (1 - c^2 x^2)^{5/2} \operatorname{Log}[1 + c x]) / (3 c (d + c d x)^{5/2} (f - c f x)^{5/2})$

**Rubi [A]** time = 0.394031, antiderivative size = 420, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {4673, 669, 641, 216, 4761, 627, 43, 4641}

$$\frac{5f^5(1-c^2x^2)^3(a+b\sin^{-1}(cx))}{c(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{10f^5(1-cx)^2(1-c^2x^2)^2(a+b\sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{2f^5(1-cx)^4(1-c^2x^2)(a+b\sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\left(\frac{(f - c f x)^{5/2} (a + b \operatorname{ArcSin}[c x])}{(d + c d x)^{5/2}}\right), x]$

[Out]  $-\left(\frac{b f^5 x (1 - c^2 x^2)^{5/2}}{(d + c d x)^{5/2} (f - c f x)^{5/2}}\right) - (8 b f^5 (1 - c^2 x^2)^{5/2}) / (3 c (1 + c x) (d + c d x)^{5/2} (f - c f x)^{5/2}) - (5 b f^5 (1 - c^2 x^2)^{5/2} \operatorname{ArcSin}[c x]^2) / (2 c (d + c d x)^{5/2} (f - c f x)^{5/2}) - (2 f^5 (1 - c x)^4 (1 - c^2 x^2) (a + b \operatorname{ArcSin}[c x])) / (3 c (d + c d x)^{5/2} (f - c f x)^{5/2}) + (10 f^5 (1 - c x)^2 (1 - c^2 x^2)^2 (a + b \operatorname{ArcSin}[c x])) / (3 c (d + c d x)^{5/2} (f - c f x)^{5/2}) + (5 f^5 (1 - c^2 x^2)^3 (a + b \operatorname{ArcSin}[c x])) / (c (d + c d x)^{5/2} (f - c f x)^{5/2}) + (5 f^5 (1 - c^2 x^2)^{5/2} \operatorname{ArcSin}[c x] (a + b \operatorname{ArcSin}[c x])) / (c (d + c d x)^{5/2} (f - c f x)^{5/2}) - (28 b f^5 (1 - c^2 x^2)^{5/2} \operatorname{Log}[1 + c x]) / (3 c (d + c d x)^{5/2} (f - c f x)^{5/2})$



Rule 4673

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_))^(p_.)*((f_)
+ (g_.)*(x_))^(q_), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

Rule 669

```
Int[((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
(e*(d + e*x)^(m - 1)*(a + c*x^2)^(p + 1))/(c*(p + 1)), x] - Dist[(e^2*(m +
p))/(c*(p + 1)), Int[(d + e*x)^(m - 2)*(a + c*x^2)^(p + 1), x], x] /; FreeQ
[{a, c, d, e}, x] && EqQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && In
tegerQ[2*p]
```

Rule 641

```
Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(
a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /
; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 4761

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((f_) + (g_.)*(x_))^(m_.)*((d_) + (e
_.)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f + g*x)^m*(d + e*x^2)^p,
x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[Dist[1/Sqrt[1 - c^2*x^2
], u, x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2*d + e, 0] &
& IGtQ[m, 0] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && (LtQ[m, -2*p - 1] || GtQ[m
, 3])
```

Rule 627

```
Int[((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int
[(d + e*x)^(m + p)*(a/d + (c*x)/e)^p, x] /; FreeQ[{a, c, d, e, m, p}, x] &&
EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && Intege
rQ[m + p]))
```

Rule 43

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_S
ymbol] :> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(f - cfx)^{5/2} (a + b \sin^{-1}(cx))}{(d + cdx)^{5/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(f - cfx)^5 (a + b \sin^{-1}(cx))}{(1 - c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
&= -\frac{2f^5(1 - cx)^4 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} + \frac{10f^5(1 - cx)^2 (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
&= -\frac{5bf^5x(1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{2f^5(1 - cx)^4 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} + \frac{10f^5(1 - cx)^2 (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
&= -\frac{5bf^5x(1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{5bf^5(1 - c^2x^2)^{5/2} \sin^{-1}(cx)^2}{2c(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{2f^5(1 - cx)^4 (1 - c^2x^2)}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
&= -\frac{5bf^5x(1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{5bf^5(1 - c^2x^2)^{5/2} \sin^{-1}(cx)^2}{2c(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{2f^5(1 - cx)^4 (1 - c^2x^2)}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
&= -\frac{bf^5x(1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{8bf^5(1 - c^2x^2)^{5/2}}{3c(1 + cx)(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{5bf^5(1 - c^2x^2)^{5/2}}{2c(d + cdx)^{5/2} (f - cfx)^{5/2}}
\end{aligned}$$

**Mathematica [B]** time = 6.72092, size = 847, normalized size = 2.02

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[((f - c*f*x)^(5/2)*(a + b*ArcSin[c*x]))/(d + c*d*x)^(5/2), x]
```

```
[Out] (f^2*((4*a*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]*(23 + 34*c*x + 3*c^2*x^2))/(1 +
c*x)^2 - 60*a*Sqrt[d]*Sqrt[f]*ArcTan[(c*x*Sqrt[d + c*d*x]*Sqrt[f - c*f*x])/
(Sqrt[d]*Sqrt[f]*(-1 + c^2*x^2))] + (2*b*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]*(C
os[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]))*(Cos[ArcSin[c*x]/2]*(-8 + 6*ArcSin[
c*x] + 9*ArcSin[c*x]^2 - 84*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])) +
Cos[(3*ArcSin[c*x])/2]*((14 - 3*ArcSin[c*x])*ArcSin[c*x] + 28*Log[Cos[ArcS
in[c*x]/2] + Sin[ArcSin[c*x]/2])) + 2*(-4 + 2*(2 + 7*Sqrt[1 - c^2*x^2])*Arc
Sin[c*x] + 3*(2 + Sqrt[1 - c^2*x^2])*ArcSin[c*x]^2 - 28*(2 + Sqrt[1 - c^2*x
^2])*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]))*Sin[ArcSin[c*x]/2]))/((1
- c*x)*(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^4 + (2*b*Sqrt[d + c*d*x]
*Sqrt[f - c*f*x]*(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]))*(Cos[(3*ArcSin[c
*x])/2]*(ArcSin[c*x] + 2*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])) - Co
s[ArcSin[c*x]/2]*(4 + 3*ArcSin[c*x] + 6*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin
[c*x]/2])) + 2*(-2 + (2 + Sqrt[1 - c^2*x^2])*ArcSin[c*x] - 2*(2 + Sqrt[1 -
c^2*x^2])*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]))*Sin[ArcSin[c*x]/2))
)/((1 - c*x)*(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^4 + (b*Sqrt[d + c*d
*x]*Sqrt[f - c*f*x]*(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]))*(2*(4 + 6*c*x
+ 6*c^2*x^2 + 52*(1 + c*x)*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]))*(
Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]) - 18*ArcSin[c*x]^2*(Cos[ArcSin[c*x
]/2] + Sin[ArcSin[c*x]/2])^3 + ArcSin[c*x]*(-24*Cos[ArcSin[c*x]/2] - 35*Cos
[(3*ArcSin[c*x])/2] + 3*Cos[(5*ArcSin[c*x])/2] + 24*Sin[ArcSin[c*x]/2] - 35
*Sin[(3*ArcSin[c*x])/2] - 3*Sin[(5*ArcSin[c*x])/2])))/((-1 + c*x)*(Cos[ArcS
in[c*x]/2] + Sin[ArcSin[c*x]/2])^4))/(12*c*d^3)
```

**Maple [F]** time = 0.242, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (-cfx + f)^{\frac{5}{2}} (cdx + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-c*f*x+f)^(5/2)*(a+b*arcsin(c*x))/(c*d*x+d)^(5/2),x)
```

```
[Out] int((-c*f*x+f)^(5/2)*(a+b*arcsin(c*x))/(c*d*x+d)^(5/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*f*x+f)^(5/2)*(a+b*arcsin(c*x))/(c*d*x+d)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(ac^2f^2x^2 - 2acf^2x + af^2 + (bc^2f^2x^2 - 2bcf^2x + bf^2)\arcsin(cx))\sqrt{cdx+d}\sqrt{-cfx+f}}{c^3d^3x^3 + 3c^2d^3x^2 + 3cd^3x + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*f*x+f)^(5/2)*(a+b*arcsin(c*x))/(c*d*x+d)^(5/2),x, algorithm="fricas")
```

```
[Out] integral((a*c^2*f^2*x^2 - 2*a*c*f^2*x + a*f^2 + (b*c^2*f^2*x^2 - 2*b*c*f^2*x + b*f^2)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*f*x + f)/(c^3*d^3*x^3 + 3*c^2*d^3*x^2 + 3*c*d^3*x + d^3), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*f*x+f)**(5/2)*(a+b*asin(c*x))/(c*d*x+d)**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cfx+f)^{\frac{5}{2}}(b\arcsin(cx)+a)}{(cdx+d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*f*x+f)^(5/2)*(a+b*arcsin(c*x))/(c*d*x+d)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((-c*f*x + f)^(5/2)*(b*arcsin(c*x) + a)/(c*d*x + d)^(5/2), x)
```

$$3.522 \quad \int \frac{(d+cdx)^{5/2}(a+b\sin^{-1}(cx))}{\sqrt{f-cfx}} dx$$

**Optimal.** Leaf size=345

$$\frac{5d^3\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{4bc\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{cd^3x^2(1-c^2x^2)(a+b\sin^{-1}(cx))}{3\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{3d^3x(1-c^2x^2)(a+b\sin^{-1}(cx))}{2\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{11d^3(1-c^2x^2)}{3c\sqrt{cdx+d}\sqrt{f-cfx}}$$

[Out] (11\*b\*d^3\*x\*Sqrt[1 - c^2\*x^2])/(3\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (3\*b\*c\*d^3\*x^2\*Sqrt[1 - c^2\*x^2])/(4\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (b\*c^2\*d^3\*x^3\*Sqrt[1 - c^2\*x^2])/(9\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (11\*d^3\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(3\*c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (3\*d^3\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (c\*d^3\*x^2\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(3\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (5\*d^3\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(4\*b\*c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])

**Rubi [A]** time = 0.586557, antiderivative size = 345, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 7, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$ , Rules used = {4673, 4763, 4641, 4677, 8, 4707, 30}

$$\frac{5d^3\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{4bc\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{cd^3x^2(1-c^2x^2)(a+b\sin^{-1}(cx))}{3\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{3d^3x(1-c^2x^2)(a+b\sin^{-1}(cx))}{2\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{11d^3(1-c^2x^2)}{3c\sqrt{cdx+d}\sqrt{f-cfx}}$$

Antiderivative was successfully verified.

[In] Int[((d + c\*d\*x)^(5/2)\*(a + b\*ArcSin[c\*x]))/Sqrt[f - c\*f\*x], x]

[Out] (11\*b\*d^3\*x\*Sqrt[1 - c^2\*x^2])/(3\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (3\*b\*c\*d^3\*x^2\*Sqrt[1 - c^2\*x^2])/(4\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (b\*c^2\*d^3\*x^3\*Sqrt[1 - c^2\*x^2])/(9\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (11\*d^3\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(3\*c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (3\*d^3\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (c\*d^3\*x^2\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(3\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (5\*d^3\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(4\*b\*c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])

**Rule 4673**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((d\_.) + (e\_.)\*(x\_.))^ (p\_.)\*((f\_.) + (g\_.)\*(x\_.))^ (q\_.), x\_Symbol] := Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x

```

^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

```

### Rule 4763

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_) + (g_.)*(x_))^(m_.)*((d_
) + (e_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^p*(a +
b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] &
& EqQ[c^2*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ
[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))

```

### Rule 4641

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

```

### Rule 4677

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]

```

### Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

### Rule 4707

```

Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]

```

### Rule 30

```

Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]

```

Rubi steps

$$\begin{aligned}
\int \frac{(d + cdx)^{5/2} (a + b \sin^{-1}(cx))}{\sqrt{f - cfx}} dx &= \frac{\sqrt{1 - c^2x^2} \int \frac{(d+cdx)^3(a+b \sin^{-1}(cx))}{\sqrt{1-c^2x^2}} dx}{\sqrt{d + cdx}\sqrt{f - cfx}} \\
&= \frac{\sqrt{1 - c^2x^2} \int \left( \frac{d^3(a+b \sin^{-1}(cx))}{\sqrt{1-c^2x^2}} + \frac{3cd^3x(a+b \sin^{-1}(cx))}{\sqrt{1-c^2x^2}} + \frac{3c^2d^3x^2(a+b \sin^{-1}(cx))}{\sqrt{1-c^2x^2}} + \frac{c^3d^3x^3(a+b \sin^{-1}(cx))}{\sqrt{1-c^2x^2}} \right) dx}{\sqrt{d + cdx}\sqrt{f - cfx}} \\
&= \frac{\left( d^3\sqrt{1 - c^2x^2} \right) \int \frac{a+b \sin^{-1}(cx)}{\sqrt{1-c^2x^2}} dx}{\sqrt{d + cdx}\sqrt{f - cfx}} + \frac{\left( 3cd^3\sqrt{1 - c^2x^2} \right) \int \frac{x(a+b \sin^{-1}(cx))}{\sqrt{1-c^2x^2}} dx}{\sqrt{d + cdx}\sqrt{f - cfx}} + \frac{\left( 3c^2d^3\sqrt{1 - c^2x^2} \right) \int \frac{x^2(a+b \sin^{-1}(cx))}{\sqrt{1-c^2x^2}} dx}{\sqrt{d + cdx}\sqrt{f - cfx}} + \frac{\left( c^3d^3\sqrt{1 - c^2x^2} \right) \int \frac{x^3(a+b \sin^{-1}(cx))}{\sqrt{1-c^2x^2}} dx}{\sqrt{d + cdx}\sqrt{f - cfx}} \\
&= -\frac{3d^3(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c\sqrt{d + cdx}\sqrt{f - cfx}} - \frac{3d^3x(1 - c^2x^2)(a + b \sin^{-1}(cx))}{2\sqrt{d + cdx}\sqrt{f - cfx}} - \frac{cd^3x^2(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3\sqrt{d + cdx}\sqrt{f - cfx}} \\
&= \frac{3bd^3x\sqrt{1 - c^2x^2}}{\sqrt{d + cdx}\sqrt{f - cfx}} + \frac{3bcd^3x^2\sqrt{1 - c^2x^2}}{4\sqrt{d + cdx}\sqrt{f - cfx}} + \frac{bc^2d^3x^3\sqrt{1 - c^2x^2}}{9\sqrt{d + cdx}\sqrt{f - cfx}} - \frac{11d^3(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c\sqrt{d + cdx}\sqrt{f - cfx}} \\
&= \frac{11bd^3x\sqrt{1 - c^2x^2}}{3\sqrt{d + cdx}\sqrt{f - cfx}} + \frac{3bcd^3x^2\sqrt{1 - c^2x^2}}{4\sqrt{d + cdx}\sqrt{f - cfx}} + \frac{bc^2d^3x^3\sqrt{1 - c^2x^2}}{9\sqrt{d + cdx}\sqrt{f - cfx}} - \frac{11d^3(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c\sqrt{d + cdx}\sqrt{f - cfx}}
\end{aligned}$$

**Mathematica [A]** time = 2.07864, size = 270, normalized size = 0.78

$$d^2 \left( \sqrt{cdx + d}\sqrt{f - cfx} \left( 12a\sqrt{1 - c^2x^2} (2c^2x^2 + 9cx + 22) - 270bcx + 2b \sin(3 \sin^{-1}(cx)) + 27b \cos(2 \sin^{-1}(cx)) \right) \right) + 18$$

Antiderivative was successfully verified.

[In] Integrate[((d + c\*d\*x)^(5/2)\*(a + b\*ArcSin[c\*x]))/Sqrt[f - c\*f\*x], x]

[Out] -(d^2\*(-90\*b\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]^2 + 180\*a\*Sqrt[d]\*Sqrt[f]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] + 6\*b\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]\*(9\*(5 + 2\*c\*x)\*Sqrt[1 - c^2\*x^2] - Cos[3\*ArcSin[c\*x]]) + Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(-270\*b\*c\*x + 12\*a\*Sqrt[1 - c^2\*x^2]\*(22 + 9\*c\*x + 2\*c^2\*x^2) + 27\*b\*Cos[2\*ArcSin[c\*x]] + 2\*b\*Sin[3\*ArcSin[c\*x]])))/(72\*c\*f\*Sqrt[1 - c^2\*x^2])



---

**Maple [F]** time = 0.233, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (cdx + d)^{\frac{5}{2}} \frac{1}{\sqrt{-cfx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(1/2),x)

[Out] int((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(1/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(ac^2d^2x^2 + 2acd^2x + ad^2 + (bc^2d^2x^2 + 2bcd^2x + bd^2) \arcsin(cx))\sqrt{cdx + d}\sqrt{-cfx + f}}{cfx - f}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(1/2),x, algorithm="fricas")

[Out] integral(-(a\*c^2\*d^2\*x^2 + 2\*a\*c\*d^2\*x + a\*d^2 + (b\*c^2\*d^2\*x^2 + 2\*b\*c\*d^2\*x + b\*d^2)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)/(c\*f\*x - f), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(5/2)\*(a+b\*asin(c\*x))/(-c\*f\*x+f)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(cdx + d)^{\frac{5}{2}}(b \arcsin(cx) + a)}{\sqrt{-cfx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(1/2),x, algorithm="giac")

[Out] integrate((c\*d\*x + d)^(5/2)\*(b\*arcsin(c\*x) + a)/sqrt(-c\*f\*x + f), x)

$$3.523 \quad \int \frac{(d+cdx)^{3/2}(a+b \sin^{-1}(cx))}{\sqrt{f-cfx}} dx$$

**Optimal.** Leaf size=242

$$\frac{3d^2\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^2}{4bc\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{d^2x(1-c^2x^2)(a+b \sin^{-1}(cx))}{2\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{2d^2(1-c^2x^2)(a+b \sin^{-1}(cx))}{c\sqrt{cdx+d}\sqrt{f-cfx}} + \frac{bcd^2x^2\sqrt{1-c^2x^2}}{4\sqrt{cdx+d}\sqrt{f-cfx}}$$

[Out] (2\*b\*d^2\*x\*Sqrt[1 - c^2\*x^2])/(Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (b\*c\*d^2\*x^2\*Sqrt[1 - c^2\*x^2])/(4\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (2\*d^2\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (d^2\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (3\*d^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(4\*b\*c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])

**Rubi [A]** time = 0.419627, antiderivative size = 242, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$ , Rules used = {4673, 4763, 4641, 4677, 8, 4707, 30}

$$\frac{3d^2\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^2}{4bc\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{d^2x(1-c^2x^2)(a+b \sin^{-1}(cx))}{2\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{2d^2(1-c^2x^2)(a+b \sin^{-1}(cx))}{c\sqrt{cdx+d}\sqrt{f-cfx}} + \frac{bcd^2x^2\sqrt{1-c^2x^2}}{4\sqrt{cdx+d}\sqrt{f-cfx}}$$

Antiderivative was successfully verified.

[In] Int[((d + c\*d\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/Sqrt[f - c\*f\*x], x]

[Out] (2\*b\*d^2\*x\*Sqrt[1 - c^2\*x^2])/(Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (b\*c\*d^2\*x^2\*Sqrt[1 - c^2\*x^2])/(4\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (2\*d^2\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (d^2\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (3\*d^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(4\*b\*c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])

**Rule 4673**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_))^(p\_.)\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] :> Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

Rule 4763

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.) + (g_.)*(x_))^(m_.)*((d_
) + (e_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^p*(a +
b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] &
& EqQ[c^2*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ
[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4707

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_))/Sqrt[(d_)
+ (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]
```

Rule 30

```
Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+cdx)^{3/2} (a+b\sin^{-1}(cx))}{\sqrt{f-cfx}} dx &= \frac{\sqrt{1-c^2x^2} \int \frac{(d+cdx)^2 (a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} dx}{\sqrt{d+cdx}\sqrt{f-cfx}} \\
&= \frac{\sqrt{1-c^2x^2} \int \left( \frac{d^2(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} + \frac{2cd^2x(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} + \frac{c^2d^2x^2(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} \right) dx}{\sqrt{d+cdx}\sqrt{f-cfx}} \\
&= \frac{\left( d^2\sqrt{1-c^2x^2} \right) \int \frac{a+b\sin^{-1}(cx)}{\sqrt{1-c^2x^2}} dx}{\sqrt{d+cdx}\sqrt{f-cfx}} + \frac{\left( 2cd^2\sqrt{1-c^2x^2} \right) \int \frac{x(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} dx}{\sqrt{d+cdx}\sqrt{f-cfx}} + \frac{\left( c^2d^2\sqrt{1-c^2x^2} \right) \int \frac{x^2(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} dx}{\sqrt{d+cdx}\sqrt{f-cfx}} \\
&= -\frac{2d^2(1-c^2x^2)(a+b\sin^{-1}(cx))}{c\sqrt{d+cdx}\sqrt{f-cfx}} - \frac{d^2x(1-c^2x^2)(a+b\sin^{-1}(cx))}{2\sqrt{d+cdx}\sqrt{f-cfx}} + \frac{d^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{2bc\sqrt{d+cdx}\sqrt{f-cfx}} \\
&= \frac{2bd^2x\sqrt{1-c^2x^2}}{\sqrt{d+cdx}\sqrt{f-cfx}} + \frac{bcd^2x^2\sqrt{1-c^2x^2}}{4\sqrt{d+cdx}\sqrt{f-cfx}} - \frac{2d^2(1-c^2x^2)(a+b\sin^{-1}(cx))}{c\sqrt{d+cdx}\sqrt{f-cfx}} - \frac{d^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{2bc\sqrt{d+cdx}\sqrt{f-cfx}}
\end{aligned}$$

**Mathematica [A]** time = 1.12405, size = 238, normalized size = 0.98

$$\frac{d\sqrt{cdx+d}\sqrt{f-cfx} \left( -4a(cx+4)\sqrt{1-c^2x^2} + 16bcx - b\cos(2\sin^{-1}(cx)) \right) - 12ad^{3/2}\sqrt{f}\sqrt{1-c^2x^2} \tan^{-1} \left( \frac{cx\sqrt{cdx+d}\sqrt{f-cfx}}{\sqrt{d}\sqrt{f}(c^2x^2-1)} \right)}{8cf\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + c\*d\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/Sqrt[f - c\*f\*x], x]

[Out] (-4\*b\*d\*(4 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + 6\*b\*d\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]^2 - 12\*a\*d^(3/2)\*Sqrt[f]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] + d\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(16\*b\*c\*x - 4\*a\*(4 + c\*x)\*Sqrt[1 - c^2\*x^2] - b\*Cos[2\*ArcSin[c\*x]])/(8\*c\*f\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0.23, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (cdx + d)^{\frac{3}{2}} \frac{1}{\sqrt{-cfx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))/(-c*f*x+f)^(1/2),x)
```

```
[Out] int((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))/(-c*f*x+f)^(1/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))/(-c*f*x+f)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(acdx + ad + (bcdx + bd) \arcsin(cx))\sqrt{cdx + d}\sqrt{-cfx + f}}{cfx - f}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))/(-c*f*x+f)^(1/2),x, algorithm="fricas")
```

```
[Out] integral(-(a*c*d*x + a*d + (b*c*d*x + b*d)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*f*x + f)/(c*f*x - f), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(3/2)*(a+b*asin(c*x))/(-c*f*x+f)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(cdx + d)^{\frac{3}{2}}(b \arcsin(cx) + a)}{\sqrt{-cfx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))/(-c*f*x+f)^(1/2),x, algorithm="
giac")
```

```
[Out] integrate((c*d*x + d)^(3/2)*(b*arcsin(c*x) + a)/sqrt(-c*f*x + f), x)
```

$$3.524 \quad \int \frac{\sqrt{d+cdx}(a+b\sin^{-1}(cx))}{\sqrt{f-cfx}} dx$$

**Optimal.** Leaf size=141

$$\frac{d\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{2bc\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{d(1-c^2x^2)(a+b\sin^{-1}(cx))}{c\sqrt{cdx+d}\sqrt{f-cfx}} + \frac{bdx\sqrt{1-c^2x^2}}{\sqrt{cdx+d}\sqrt{f-cfx}}$$

[Out] (b\*d\*x\*Sqrt[1 - c^2\*x^2])/(Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (d\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (d\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(2\*b\*c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])

**Rubi [A]** time = 0.257583, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {4673, 4763, 4641, 4677, 8}

$$\frac{d\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{2bc\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{d(1-c^2x^2)(a+b\sin^{-1}(cx))}{c\sqrt{cdx+d}\sqrt{f-cfx}} + \frac{bdx\sqrt{1-c^2x^2}}{\sqrt{cdx+d}\sqrt{f-cfx}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + c\*d\*x]\*(a + b\*ArcSin[c\*x]))/Sqrt[f - c\*f\*x], x]

[Out] (b\*d\*x\*Sqrt[1 - c^2\*x^2])/(Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (d\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) + (d\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(2\*b\*c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])

### Rule 4673

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((d\_) + (e\_.)\*(x\_))^(p\_)\*((f\_) + (g\_.)\*(x\_))^(q\_), x\_Symbol] := Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4763

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^ (n\_.)\*((f\_) + (g\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, (f + g\*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] &



& EqQ[c^2\*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{d + cdx} (a + b \sin^{-1}(cx))}{\sqrt{f - cfx}} dx &= \frac{\sqrt{1 - c^2x^2} \int \frac{(d+cdx)(a+b \sin^{-1}(cx))}{\sqrt{1-c^2x^2}} dx}{\sqrt{d + cdx}\sqrt{f - cfx}} \\
 &= \frac{\sqrt{1 - c^2x^2} \int \left( \frac{d(a+b \sin^{-1}(cx))}{\sqrt{1-c^2x^2}} + \frac{cdx(a+b \sin^{-1}(cx))}{\sqrt{1-c^2x^2}} \right) dx}{\sqrt{d + cdx}\sqrt{f - cfx}} \\
 &= \frac{\left( d\sqrt{1 - c^2x^2} \right) \int \frac{a+b \sin^{-1}(cx)}{\sqrt{1-c^2x^2}} dx}{\sqrt{d + cdx}\sqrt{f - cfx}} + \frac{\left( cd\sqrt{1 - c^2x^2} \right) \int \frac{x(a+b \sin^{-1}(cx))}{\sqrt{1-c^2x^2}} dx}{\sqrt{d + cdx}\sqrt{f - cfx}} \\
 &= -\frac{d(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c\sqrt{d + cdx}\sqrt{f - cfx}} + \frac{d\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))^2}{2bc\sqrt{d + cdx}\sqrt{f - cfx}} + \frac{(bd\sqrt{1 - c^2x^2}) \int \frac{x(a+b \sin^{-1}(cx))}{\sqrt{1-c^2x^2}} dx}{\sqrt{d + cdx}\sqrt{f - cfx}} \\
 &= \frac{bdx\sqrt{1 - c^2x^2}}{\sqrt{d + cdx}\sqrt{f - cfx}} - \frac{d(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c\sqrt{d + cdx}\sqrt{f - cfx}} + \frac{d\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))^2}{2bc\sqrt{d + cdx}\sqrt{f - cfx}}
 \end{aligned}$$

**Mathematica [A]** time = 0.705165, size = 200, normalized size = 1.42

$$\frac{2\sqrt{cdx+d}\sqrt{f-cfx}\left(\frac{bcx-a\sqrt{1-c^2x^2}}{\sqrt{1-c^2x^2}}\right) - 2a\sqrt{d}\sqrt{f}\tan^{-1}\left(\frac{cx\sqrt{cdx+d}\sqrt{f-cfx}}{\sqrt{d}\sqrt{f}(c^2x^2-1)}\right) + \frac{b\sqrt{cdx+d}\sqrt{f-cfx}\sin^{-1}(cx)^2}{\sqrt{1-c^2x^2}} - 2b\sqrt{cdx+d}\sqrt{f-cfx}\sin^{-1}(cx)}{2cf}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + c\*d\*x]\*(a + b\*ArcSin[c\*x]))/Sqrt[f - c\*f\*x], x]

[Out] ((2\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(b\*c\*x - a\*Sqrt[1 - c^2\*x^2]))/Sqrt[1 - c^2\*x^2] - 2\*b\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x] + (b\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*ArcSin[c\*x]^2)/Sqrt[1 - c^2\*x^2] - 2\*a\*Sqrt[d]\*Sqrt[f]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2)))]/(2\*c\*f)

**Maple [F]** time = 0.243, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) \sqrt{cdx + d} \frac{1}{\sqrt{-cfx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(1/2), x)

[Out] int((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(1/2), x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(1/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{cdx+d}\sqrt{-cfx+f}(b\arcsin(cx)+a)}{cfx-f}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)\*(b\*arcsin(c\*x) + a)/(c\*f\*x - f), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{d(cx+1)}(a+b\text{asin}(cx))}{\sqrt{-f(cx-1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(1/2)\*(a+b\*asin(c\*x))/(-c\*f\*x+f)\*\*(1/2),x)

[Out] Integral(sqrt(d\*(c\*x + 1))\*(a + b\*asin(c\*x))/sqrt(-f\*(c\*x - 1)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{cdx+d}(b\arcsin(cx)+a)}{\sqrt{-cfx+f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(c\*d\*x + d)\*(b\*arcsin(c\*x) + a)/sqrt(-c\*f\*x + f), x)

$$3.525 \quad \int \frac{a+b \sin^{-1}(cx)}{\sqrt{d+cdx}\sqrt{f-cfx}} dx$$

**Optimal.** Leaf size=55

$$\frac{\sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))^2}{2bc\sqrt{cdx+d}\sqrt{f-cfx}}$$

[Out] (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(2\*b\*c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])

**Rubi [A]** time = 0.144088, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$ , Rules used = {4673, 4641}

$$\frac{\sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))^2}{2bc\sqrt{cdx+d}\sqrt{f-cfx}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]),x]

[Out] (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(2\*b\*c\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])

#### Rule 4673

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_))^(p\_)\*((f\_.) + (g\_.)\*(x\_))^(q\_), x\_Symbol] :> Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{a + b \sin^{-1}(cx)}{\sqrt{d + cdx} \sqrt{f - cfx}} dx = \frac{\sqrt{1 - c^2 x^2} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{1 - c^2 x^2}} dx}{\sqrt{d + cdx} \sqrt{f - cfx}}$$

$$= \frac{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{2bc \sqrt{d + cdx} \sqrt{f - cfx}}$$

**Mathematica [A]** time = 0.497645, size = 110, normalized size = 2.

$$\frac{\frac{b\sqrt{1-c^2x^2}\sin^{-1}(cx)^2}{\sqrt{cdx+d}\sqrt{f-cfx}} - \frac{2a \tan^{-1}\left(\frac{cx\sqrt{cdx+d}\sqrt{f-cfx}}{\sqrt{d}\sqrt{f}(c^2x^2-1)}\right)}{\sqrt{d}\sqrt{f}}}{2c}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/(Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]),x]

[Out] ((b\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]^2)/(Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]) - (2\*a\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))])/(Sqrt[d]\*Sqrt[f]))/(2\*c)

**Maple [F]** time = 0.21, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) \frac{1}{\sqrt{cdx + d}} \frac{1}{\sqrt{-cfx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(1/2)/(-c\*f\*x+f)^(1/2),x)

[Out] int((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(1/2)/(-c\*f\*x+f)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(c*d*x+d)^(1/2)/(-c*f*x+f)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{cdx+d}\sqrt{-cfx+f}(b\arcsin(cx)+a)}{c^2dfx^2-df}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(c*d*x+d)^(1/2)/(-c*f*x+f)^(1/2),x, algorithm="fricas")
```

```
[Out] integral(-sqrt(c*d*x + d)*sqrt(-c*f*x + f)*(b*arcsin(c*x) + a)/(c^2*d*f*x^2 - d*f), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asin}(cx)}{\sqrt{d}(cx+1)\sqrt{-f}(cx-1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/(c*d*x+d)**(1/2)/(-c*f*x+f)**(1/2),x)
```

```
[Out] Integral((a + b*asin(c*x))/(sqrt(d*(c*x + 1))*sqrt(-f*(c*x - 1))), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsin}(cx) + a}{\sqrt{cdx+d}\sqrt{-cfx+f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(c*d*x+d)^(1/2)/(-c*f*x+f)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/(sqrt(c*d*x + d)*sqrt(-c*f*x + f)), x)
```

$$3.526 \quad \int \frac{a+b \sin^{-1}(cx)}{(d+cdx)^{3/2} \sqrt{f-cfx}} dx$$

**Optimal.** Leaf size=99

$$\frac{bf(1-c^2x^2)^{3/2} \log(cx+1)}{c(cdx+d)^{3/2}(f-cfx)^{3/2}} - \frac{f(1-cx)(1-c^2x^2)(a+b \sin^{-1}(cx))}{c(cdx+d)^{3/2}(f-cfx)^{3/2}}$$

[Out] -((f\*(1 - c\*x)\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))) + (b\*f\*(1 - c^2\*x^2)^(3/2)\*Log[1 + c\*x])/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))

**Rubi [A]** time = 0.213356, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4673, 637, 4761, 12, 627, 31}

$$\frac{bf(1-c^2x^2)^{3/2} \log(cx+1)}{c(cdx+d)^{3/2}(f-cfx)^{3/2}} - \frac{f(1-cx)(1-c^2x^2)(a+b \sin^{-1}(cx))}{c(cdx+d)^{3/2}(f-cfx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/((d + c\*d\*x)^(3/2)\*Sqrt[f - c\*f\*x]),x]

[Out] -((f\*(1 - c\*x)\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))) + (b\*f\*(1 - c^2\*x^2)^(3/2)\*Log[1 + c\*x])/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))

### Rule 4673

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^(n\_.)\*((d\_.) + (e\_.)\*(x\_))^(p\_)\*((f\_.) + (g\_.)\*(x\_))^(q\_), x\_Symbol] := Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 637

Int[((d\_.) + (e\_.)\*(x\_))/((a\_.) + (c\_.)\*(x\_)^2)^(3/2), x\_Symbol] := Simp[(-(a + e\*x)/(a\*c\*Sqrt[a + c\*x^2]), x] /; FreeQ[{a, c, d, e}, x]

### Rule 4761



```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))*((f_.) + (g_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f + g*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[Dist[1/Sqrt[1 - c^2*x^2], u, x], x], x]] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2*d + e, 0] && IGtQ[m, 0] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && (LtQ[m, -2*p - 1] || GtQ[m, 3])
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 627

```
Int[((d_.) + (e_.)*(x_.))^(m_.)*((a_.) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[(d + e*x)^(m + p)*(a/d + (c*x)/e)^p, x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && IntegerQ[m + p]))
```

### Rule 31

```
Int[((a_) + (b_.)*(x_.))^(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{a + b \sin^{-1}(cx)}{(d + cdx)^{3/2} \sqrt{f - cfx}} dx &= \frac{(1 - c^2x^2)^{3/2} \int \frac{(f - cfx)(a + b \sin^{-1}(cx))}{(1 - c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2} (f - cfx)^{3/2}} \\ &= -\frac{f(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{(bc(1 - c^2x^2)^{3/2}) \int \frac{f(1 - cx)}{c(1 - c^2x^2)} dx}{(d + cdx)^{3/2} (f - cfx)^{3/2}} \\ &= -\frac{f(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{(bf(1 - c^2x^2)^{3/2}) \int \frac{1 - cx}{1 - c^2x^2} dx}{(d + cdx)^{3/2} (f - cfx)^{3/2}} \\ &= -\frac{f(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{(bf(1 - c^2x^2)^{3/2}) \int \frac{1}{1 + cx} dx}{(d + cdx)^{3/2} (f - cfx)^{3/2}} \\ &= -\frac{f(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{bf(1 - c^2x^2)^{3/2} \log(1 + cx)}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.363893, size = 79, normalized size = 0.8

$$\frac{\sqrt{cdx + d} \left( a(cx - 1) + b\sqrt{1 - c^2x^2} \log(-f(cx + 1)) + b(cx - 1) \sin^{-1}(cx) \right)}{cd^2(cx + 1)\sqrt{f - cfx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/((d + c\*d\*x)^(3/2)\*Sqrt[f - c\*f\*x]),x]

[Out] (Sqrt[d + c\*d\*x]\*(a\*(-1 + c\*x) + b\*(-1 + c\*x)\*ArcSin[c\*x] + b\*Sqrt[1 - c^2\*x^2]\*Log[-(f\*(1 + c\*x))]))/(c\*d^2\*(1 + c\*x)\*Sqrt[f - c\*f\*x])

**Maple [F]** time = 0.231, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (cdx + d)^{-\frac{3}{2}} \frac{1}{\sqrt{-cfx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(3/2)/(-c\*f\*x+f)^(1/2),x)

[Out] int((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(3/2)/(-c\*f\*x+f)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(3/2)/(-c\*f\*x+f)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.59884, size = 803, normalized size = 8.11

$$\frac{(bcx + b)\sqrt{df} \log\left(\frac{c^6dfx^6 + 4c^5dfx^5 + 5c^4dfx^4 - 4c^2dfx^2 - 4cdfx - (c^4x^4 + 4c^3x^3 + 6c^2x^2 + 4cx)\sqrt{-c^2x^2 + 1}\sqrt{cdx + d}\sqrt{-cfx + f}\sqrt{df} - 2df}{c^4x^4 + 2c^3x^3 - 2cx - 1}\right) - 2\sqrt{cdx + d}}{2(c^2d^2fx + cd^2f)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(3/2)/(-c\*f\*x+f)^(1/2),x, algorithm="fricas")

[Out] [1/2\*((b\*c\*x + b)\*sqrt(d\*f)\*log((c^6\*d\*f\*x^6 + 4\*c^5\*d\*f\*x^5 + 5\*c^4\*d\*f\*x^4 - 4\*c^2\*d\*f\*x^2 - 4\*c\*d\*f\*x - (c^4\*x^4 + 4\*c^3\*x^3 + 6\*c^2\*x^2 + 4\*c\*x)\*sqrt(-c^2\*x^2 + 1)\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)\*sqrt(d\*f) - 2\*d\*f)/(c^4\*x^4 + 2\*c^3\*x^3 - 2\*c\*x - 1)) - 2\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)\*(b\*arcsin(c\*x) + a))/(c^2\*d^2\*f\*x + c\*d^2\*f), ((b\*c\*x + b)\*sqrt(-d\*f)\*arctan((c^2\*x^2 + 2\*c\*x + 2)\*sqrt(-c^2\*x^2 + 1)\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)\*sqrt(-d\*f)/(c^4\*d\*f\*x^4 + 2\*c^3\*d\*f\*x^3 - c^2\*d\*f\*x^2 - 2\*c\*d\*f\*x)) - sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)\*(b\*arcsin(c\*x) + a))/(c^2\*d^2\*f\*x + c\*d^2\*f)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asin}(cx)}{(d(cx + 1))^{\frac{3}{2}} \sqrt{-f(cx - 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/(c\*d\*x+d)\*\*(3/2)/(-c\*f\*x+f)\*\*(1/2),x)

[Out] Integral((a + b\*asin(c\*x))/((d\*(c\*x + 1))\*\*(3/2)\*sqrt(-f\*(c\*x - 1))), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsin}(cx) + a}{(cdx + d)^{\frac{3}{2}} \sqrt{-cfx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(c*d*x+d)^(3/2)/(-c*f*x+f)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/((c*d*x + d)^(3/2)*sqrt(-c*f*x + f)), x)
```

$$3.527 \quad \int \frac{a+b \sin^{-1}(cx)}{(d+cdx)^{5/2} \sqrt{f-cfx}} dx$$

**Optimal.** Leaf size=265

$$\frac{f^2 x (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))}{3(cdx + d)^{5/2} (f - cfx)^{5/2}} - \frac{2f^2 (1 - cx) (1 - c^2 x^2) (a + b \sin^{-1}(cx))}{3c(cdx + d)^{5/2} (f - cfx)^{5/2}} - \frac{bf^2 (1 - c^2 x^2)^{5/2}}{3c(cx + 1)(cdx + d)^{5/2} (f - cfx)^{5/2}} + \frac{bf^2}{6c}$$

[Out]  $-(b*f^2*(1 - c^2*x^2)^{(5/2)})/(3*c*(1 + c*x)*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) - (2*f^2*(1 - c*x)*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (f^2*x*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(3*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (b*f^2*(1 - c^2*x^2)^{(5/2)*ArcTanh[c*x]})/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (b*f^2*(1 - c^2*x^2)^{(5/2)*Log[1 - c^2*x^2]})/(6*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)})$

**Rubi [A]** time = 0.299961, antiderivative size = 265, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {4673, 653, 191, 4761, 627, 44, 207, 260}

$$\frac{f^2 x (1 - c^2 x^2)^2 (a + b \sin^{-1}(cx))}{3(cdx + d)^{5/2} (f - cfx)^{5/2}} - \frac{2f^2 (1 - cx) (1 - c^2 x^2) (a + b \sin^{-1}(cx))}{3c(cdx + d)^{5/2} (f - cfx)^{5/2}} - \frac{bf^2 (1 - c^2 x^2)^{5/2}}{3c(cx + 1)(cdx + d)^{5/2} (f - cfx)^{5/2}} + \frac{bf^2}{6c}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/((d + c\*d\*x)^(5/2)\*Sqrt[f - c\*f\*x]),x]

[Out]  $-(b*f^2*(1 - c^2*x^2)^{(5/2)})/(3*c*(1 + c*x)*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) - (2*f^2*(1 - c*x)*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (f^2*x*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(3*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (b*f^2*(1 - c^2*x^2)^{(5/2)*ArcTanh[c*x]})/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (b*f^2*(1 - c^2*x^2)^{(5/2)*Log[1 - c^2*x^2]})/(6*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)})$

### Rule 4673

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.))^(p\_.)\*((f\_.) + (g\_.)\*(x\_.))^(q\_.), x\_Symbol] :> Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

Rule 653

Int[((d\_) + (e\_.)\*(x\_))<sup>2</sup>\*((a\_) + (c\_.)\*(x\_)<sup>2</sup>)<sup>(p\_)</sup>, x\_Symbol] := Simp[(e\*(d + e\*x)\*(a + c\*x<sup>2</sup>)<sup>(p + 1)</sup>)/(c\*(p + 1)), x] - Dist[(e<sup>2</sup>\*(p + 2))/(c\*(p + 1)), Int[(a + c\*x<sup>2</sup>)<sup>(p + 1)</sup>, x], x] /; FreeQ[{a, c, d, e, p}, x] && EqQ[c\*d<sup>2</sup> + a\*e<sup>2</sup>, 0] && !IntegerQ[p] && LtQ[p, -1]

Rule 191

Int[((a\_) + (b\_.)\*(x\_)<sup>(n\_)</sup>)<sup>(p\_)</sup>, x\_Symbol] := Simp[(x\*(a + b\*x<sup>n</sup>)<sup>(p + 1)</sup>)/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 4761

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*((f\_) + (g\_.)\*(x\_)<sup>(m\_.)</sup>)\*((d\_) + (e\_.)\*(x\_)<sup>2</sup>)<sup>(p\_)</sup>, x\_Symbol] := With[{u = IntHide[(f + g\*x)<sup>m</sup>\*(d + e\*x<sup>2</sup>)<sup>p</sup>, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[Dist[1/Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>], u, x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c<sup>2</sup>\*d + e, 0] && IGtQ[m, 0] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && (LtQ[m, -2\*p - 1] || GtQ[m, 3])

Rule 627

Int[((d\_) + (e\_.)\*(x\_)<sup>(m\_.)</sup>)\*((a\_) + (c\_.)\*(x\_)<sup>2</sup>)<sup>(p\_.)</sup>, x\_Symbol] := Int[(d + e\*x)<sup>(m + p)</sup>\*(a/d + (c\*x)/e)<sup>p</sup>, x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d<sup>2</sup> + a\*e<sup>2</sup>, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && IntegerQ[m + p]))

Rule 44

Int[((a\_) + (b\_.)\*(x\_)<sup>(m\_.)</sup>)\*((c\_.) + (d\_.)\*(x\_)<sup>(n\_.)</sup>), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)<sup>m</sup>\*(c + d\*x)<sup>n</sup>, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 207

Int[((a\_) + (b\_.)\*(x\_)<sup>2</sup>)<sup>(-1)</sup>, x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 260

Int[(x\_)<sup>(m\_.)</sup>/((a\_) + (b\_.)\*(x\_)<sup>(n\_)</sup>), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x<sup>n</sup>, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{(d + cdx)^{5/2} \sqrt{f - cfx}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(f - cfx)^2 (a + b \sin^{-1}(cx))}{(1 - c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
&= -\frac{2f^2(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{f^2x(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} - \frac{(bc(1 - c}}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{2f^2(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{f^2x(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{(2bf^2(1 - c}}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{2f^2(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{f^2x(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{bf^2(1 - c}}{6c(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{2f^2(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{f^2x(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{bf^2(1 - c}}{6c(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{bf^2(1 - c^2x^2)^{5/2}}{3c(1 + cx)(d + cdx)^{5/2}(f - cfx)^{5/2}} - \frac{2f^2(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{f^2x(1 - c}}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{bf^2(1 - c^2x^2)^{5/2}}{3c(1 + cx)(d + cdx)^{5/2}(f - cfx)^{5/2}} - \frac{2f^2(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{f^2x(1 - c}}{3(d + cdx)^{5/2}(f - cfx)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.454037, size = 118, normalized size = 0.45

$$\frac{\sqrt{cdx + d} \left( (cx + 2) (acx - a - b\sqrt{1 - c^2x^2}) + b(cx + 1)\sqrt{1 - c^2x^2} \log(-f(cx + 1)) + b(c^2x^2 + cx - 2) \sin^{-1}(cx) \right)}{3cd^3(cx + 1)^2 \sqrt{f - cfx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/((d + c\*d\*x)^(5/2)\*Sqrt[f - c\*f\*x]),x]

[Out] (Sqrt[d + c\*d\*x]\*((2 + c\*x)\*(-a + a\*c\*x - b\*Sqrt[1 - c^2\*x^2]) + b\*(-2 + c\*x + c^2\*x^2)\*ArcSin[c\*x] + b\*(1 + c\*x)\*Sqrt[1 - c^2\*x^2]\*Log[-(f\*(1 + c\*x))]))/(3\*c\*d^3\*(1 + c\*x)^2\*Sqrt[f - c\*f\*x])

**Maple [F]** time = 0.235, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (cdx + d)^{-\frac{5}{2}} \frac{1}{\sqrt{-cfx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(5/2)/(-c\*f\*x+f)^(1/2),x)

[Out] int((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(5/2)/(-c\*f\*x+f)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(5/2)/(-c\*f\*x+f)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 3.11401, size = 1157, normalized size = 4.37

$$\left[ \frac{(bc^3x^3 + bc^2x^2 - bcx - b)\sqrt{df} \log\left(\frac{c^6dfx^6 + 4c^5dfx^5 + 5c^4dfx^4 - 4c^2dfx^2 - 4cdfx - (c^4x^4 + 4c^3x^3 + 6c^2x^2 + 4cx)\sqrt{-c^2x^2 + 1}\sqrt{cdx + d}\sqrt{-cfx + f}\sqrt{df} - 2df}{c^4x^4 + 2c^3x^3 - 2cx - 1}\right)}{6(c^4d^3fx^3 + c^3d^3fx^2 - c^2d^3fx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(5/2)/(-c\*f\*x+f)^(1/2),x, algorithm="fricas")

[Out] [1/6\*((b\*c^3\*x^3 + b\*c^2\*x^2 - b\*c\*x - b)\*sqrt(d\*f)\*log((c^6\*d\*f\*x^6 + 4\*c^5\*d\*f\*x^5 + 5\*c^4\*d\*f\*x^4 - 4\*c^2\*d\*f\*x^2 - 4\*c\*d\*f\*x - (c^4\*x^4 + 4\*c^3\*x^3 + 6\*c^2\*x^2 + 4\*c\*x)\*sqrt(-c^2\*x^2 + 1)\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)\*sqrt(d\*f) - 2\*d\*f)/(c^4\*x^4 + 2\*c^3\*x^3 - 2\*c\*x - 1)) - 2\*(a\*c^2\*x^2 + sqrt(-c^2\*x^2 + 1)\*b\*c\*x + a\*c\*x + (b\*c^2\*x^2 + b\*c\*x - 2\*b)\*arcsin(c\*x) - 2\*a)



```
*sqrt(c*d*x + d)*sqrt(-c*f*x + f))/(c^4*d^3*f*x^3 + c^3*d^3*f*x^2 - c^2*d^3
*f*x - c*d^3*f), 1/3*((b*c^3*x^3 + b*c^2*x^2 - b*c*x - b)*sqrt(-d*f)*arctan
((c^2*x^2 + 2*c*x + 2)*sqrt(-c^2*x^2 + 1)*sqrt(c*d*x + d)*sqrt(-c*f*x + f)*
sqrt(-d*f)/(c^4*d*f*x^4 + 2*c^3*d*f*x^3 - c^2*d*f*x^2 - 2*c*d*f*x)) - (a*c^
2*x^2 + sqrt(-c^2*x^2 + 1)*b*c*x + a*c*x + (b*c^2*x^2 + b*c*x - 2*b)*arcsin
(c*x) - 2*a)*sqrt(c*d*x + d)*sqrt(-c*f*x + f))/(c^4*d^3*f*x^3 + c^3*d^3*f*x
^2 - c^2*d^3*f*x - c*d^3*f)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/(c*d*x+d)**(5/2)/(-c*f*x+f)**(1/2), x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(cdx + d)^{\frac{5}{2}} \sqrt{-cfx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(c*d*x+d)^(5/2)/(-c*f*x+f)^(1/2), x, algorithm="
giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/((c*d*x + d)^(5/2)*sqrt(-c*f*x + f)), x)
```

$$3.528 \quad \int \frac{(d+cdx)^{5/2}(a+b \sin^{-1}(cx))}{(f-cfx)^{3/2}} dx$$

**Optimal.** Leaf size=463

$$\frac{5d^4(cx+1)(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{2c(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{15d^4(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{2c(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{2d^4(cx+1)^3(1-c^2x^2)(a+b \sin^{-1}(cx))}{c(cdx+d)^{3/2}(f-cfx)^{3/2}}$$

[Out]  $(-3*b*d^4*x*(1 - c^2*x^2)^{(3/2)})/(2*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (b*c*d^4*x^2*(1 - c^2*x^2)^{(3/2)})/((d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) - (5*b*d^4*(1 + c*x)^2*(1 - c^2*x^2)^{(3/2)})/(4*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (15*b*d^4*(1 - c^2*x^2)^{(3/2)}*ArcSin[c*x]^2)/(4*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (2*d^4*(1 + c*x)^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (15*d^4*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(2*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (5*d^4*(1 + c*x)*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(2*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) - (15*d^4*(1 - c^2*x^2)^{(3/2)}*ArcSin[c*x]*(a + b*ArcSin[c*x]))/(2*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (8*b*d^4*(1 - c^2*x^2)^{(3/2)}*Log[1 - c*x])/(c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})$

**Rubi [A]** time = 0.370384, antiderivative size = 463, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 9, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {4673, 669, 671, 641, 216, 4761, 627, 43, 4641}

$$\frac{5d^4(cx+1)(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{2c(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{15d^4(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{2c(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{2d^4(cx+1)^3(1-c^2x^2)(a+b \sin^{-1}(cx))}{c(cdx+d)^{3/2}(f-cfx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((d + c\*d\*x)^(5/2)\*(a + b\*ArcSin[c\*x]))/(f - c\*f\*x)^(3/2), x]

[Out]  $(-3*b*d^4*x*(1 - c^2*x^2)^{(3/2)})/(2*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (b*c*d^4*x^2*(1 - c^2*x^2)^{(3/2)})/((d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) - (5*b*d^4*(1 + c*x)^2*(1 - c^2*x^2)^{(3/2)})/(4*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (15*b*d^4*(1 - c^2*x^2)^{(3/2)}*ArcSin[c*x]^2)/(4*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (2*d^4*(1 + c*x)^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (15*d^4*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(2*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (5*d^4*(1 + c*x)*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(2*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) - (15*d^4*(1 - c^2*x^2)^{(3/2)}*ArcSin[c*x]*(a + b*ArcSin[c*x]))/(2*c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)}) + (8*b*d^4*(1 - c^2*x^2)^{(3/2)}*Log[1 - c$

$*x]/(c*(d + c*d*x)^{(3/2)}*(f - c*f*x)^{(3/2)})$

### Rule 4673

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*((d_.) + (e_.)*(x_.))^{(p_.)}*((f_.) + (g_.)*(x_.))^{(q_.)}, x\_Symbol] \rightarrow \text{Dist}[(d + e*x)^q*(f + g*x)^q/(1 - c^2*x^2)^q, \text{Int}[(d + e*x)^{(p - q)}*(1 - c^2*x^2)^q*(a + b*\text{ArcSin}[c*x])^n, x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f, g, n\}, x\} \ \&\& \ \text{EqQ}[e*f + d*g, 0] \ \&\& \ \text{EqQ}[c^2*d^2 - e^2, 0] \ \&\& \ \text{HalfIntegerQ}[p, q] \ \&\& \ \text{GeQ}[p - q, 0]$

### Rule 669

$\text{Int}[(d_.) + (e_.)*(x_.)]^{(m_.)}*((a_.) + (c_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(e*(d + e*x)^{(m - 1)}*(a + c*x^2)^{(p + 1)})/(c*(p + 1)), x] - \text{Dist}[(e^2*(m + p))/(c*(p + 1)), \text{Int}[(d + e*x)^{(m - 2)}*(a + c*x^2)^{(p + 1)}, x], x] /;$   
 $\text{FreeQ}\{a, c, d, e\}, x\} \ \&\& \ \text{EqQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{IntegerQ}[2*p]$

### Rule 671

$\text{Int}[(d_.) + (e_.)*(x_.)]^{(m_.)}*((a_.) + (c_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(e*(d + e*x)^{(m - 1)}*(a + c*x^2)^{(p + 1)})/(c*(m + 2*p + 1)), x] + \text{Dist}[(2*c*d*(m + p))/(c*(m + 2*p + 1)), \text{Int}[(d + e*x)^{(m - 1)}*(a + c*x^2)^p, x], x] /;$   
 $\text{FreeQ}\{a, c, d, e, p\}, x\} \ \&\& \ \text{EqQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{NeQ}[m + 2*p + 1, 0] \ \&\& \ \text{IntegerQ}[2*p]$

### Rule 641

$\text{Int}[(d_.) + (e_.)*(x_.)]*((a_.) + (c_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(e*(a + c*x^2)^{(p + 1)})/(2*c*(p + 1)), x] + \text{Dist}[d, \text{Int}[(a + c*x^2)^p, x], x] /;$   
 $\text{FreeQ}\{a, c, d, e, p\}, x\} \ \&\& \ \text{NeQ}[p, -1]$

### Rule 216

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[\text{Rt}[-b, 2]*x]/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /;$   
 $\text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{GtQ}[a, 0] \ \&\& \ \text{NegQ}[b]$

### Rule 4761

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]*((f_.) + (g_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{With}\{u = \text{IntHide}[(f + g*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSin}[c*x], u, x] - \text{Dist}[b*c, \text{Int}[\text{Dist}[1/\text{Sqrt}[1 - c^2*x^2], u, x], x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f, g\}, x\} \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{ILtQ}[p + 1/2, 0] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ (\text{LtQ}[m, -2*p - 1] \ || \ \text{GtQ}[m$

, 3])

### Rule 627

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int  
 [(d + e\*x)^(m + p)\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, m, p}, x] &&  
 EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && IntegerQ[m + p]))

### Rule 43

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := Int  
 [ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n},  
 x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LtQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rule 4641

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)/Sqrt[(d\_) + (e\_)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rubi steps

$$\int \frac{(d + cdx)^{5/2} (a + b \sin^{-1}(cx))}{(f - cfx)^{3/2}} dx = \frac{(1 - c^2x^2)^{3/2} \int \frac{(d+cdx)^4 (a+b \sin^{-1}(cx))}{(1-c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2} (f - cfx)^{3/2}}$$

$$= \frac{2d^4(1 + cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{15d^4 (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{2c(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{5d^4 (1 - c^2x^2)^3 (a + b \sin^{-1}(cx))}{2c(d + cdx)^{3/2} (f - cfx)^{3/2}}$$

$$= -\frac{15bd^4x(1 - c^2x^2)^{3/2}}{2(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{5bd^4(1 + cx)^2 (1 - c^2x^2)^{3/2}}{4c(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{2d^4(1 + cx)^3 (1 - c^2x^2)^{3/2}}{c(d + cdx)^{3/2} (f - cfx)^{3/2}}$$

$$= -\frac{15bd^4x(1 - c^2x^2)^{3/2}}{2(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{5bd^4(1 + cx)^2 (1 - c^2x^2)^{3/2}}{4c(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{15bd^4 (1 - c^2x^2)^{3/2} \sin^{-1}(cx)}{4c(d + cdx)^{3/2} (f - cfx)^{3/2}}$$

$$= -\frac{15bd^4x(1 - c^2x^2)^{3/2}}{2(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{5bd^4(1 + cx)^2 (1 - c^2x^2)^{3/2}}{4c(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{15bd^4 (1 - c^2x^2)^{3/2} \sin^{-1}(cx)}{4c(d + cdx)^{3/2} (f - cfx)^{3/2}}$$

$$= -\frac{3bd^4x(1 - c^2x^2)^{3/2}}{2(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{bcd^4x^2 (1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{5bd^4(1 + cx)^2 (1 - c^2x^2)^{3/2}}{4c(d + cdx)^{3/2} (f - cfx)^{3/2}}$$

**Mathematica [A]** time = 3.99489, size = 768, normalized size = 1.66

$$d^2 \left( \frac{8a(c^2x^2+7cx-24)\sqrt{cdx+d}\sqrt{f-cfx}}{cx-1} + 120a\sqrt{d}\sqrt{f} \tan^{-1} \left( \frac{cx\sqrt{cdx+d}\sqrt{f-cfx}}{\sqrt{d}\sqrt{f}(c^2x^2-1)} \right) - \frac{8b(cx+1)\sqrt{cdx+d}\sqrt{f-cfx} \left( \cos\left(\frac{1}{2} \sin^{-1}(cx)\right) \left( (\sin^{-1}(cx)-4) \sin^{-1}(\dots) \right) \right)}{\sqrt{1-c^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + c\*d\*x)^(5/2)\*(a + b\*ArcSin[c\*x]))/(f - c\*f\*x)^(3/2), x]

[Out] (d^2\*((8\*a\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(-24 + 7\*c\*x + c^2\*x^2))/(-1 + c\*x) + 120\*a\*Sqrt[d]\*Sqrt[f]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] - (8\*b\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(Cos[ArcSin[c\*x]/2]\*((-4 + ArcSin[c\*x])\*ArcSin[c\*x] - 8\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])) - (ArcSin[c\*x]\*(4 + ArcSin[c\*x]) - 8\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2]))/(Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2) - (32\*b\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(ArcSin[c\*x]^2\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]) + (c\*x - 4\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]))\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]) - ArcSin[c\*x]\*((2 + Sqrt[1 - c^2\*x^2])\*Cos[ArcSin[c\*x]/2] - (-2 + Sqrt[1 - c^2\*x^2])\*Sin[ArcSin[c\*x]/2])))/(Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2) + (b\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(-20\*ArcSin[c\*x]^2\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]) + 2\*(-16\*c\*x + Cos[2\*ArcSin[c\*x]]) + 32\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]))\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]) + 2\*ArcSin[c\*x]\*(24\*Cos[ArcSin[c\*x]/2] + 7\*Cos[(3\*ArcSin[c\*x])/2] + Cos[(5\*ArcSin[c\*x])/2] + 24\*Sin[ArcSin[c\*x]/2] - 7\*Sin[(3\*ArcSin[c\*x])/2] + Sin[(5\*ArcSin[c\*x])/2])))/(Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2))/(16\*c\*f^2)

**Maple [F]** time = 0.245, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))(cdx + d)^{\frac{5}{2}} (-cfx + f)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(3/2), x)

[Out] int((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(3/2), x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\left(ac^2d^2x^2 + 2acd^2x + ad^2 + (bc^2d^2x^2 + 2bcd^2x + bd^2)\arcsin(cx)\right)\sqrt{cdx+d}\sqrt{-cfx+f}}{c^2f^2x^2 - 2cf^2x + f^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(3/2),x, algorithm="fricas")

[Out] integral((a\*c^2\*d^2\*x^2 + 2\*a\*c\*d^2\*x + a\*d^2 + (b\*c^2\*d^2\*x^2 + 2\*b\*c\*d^2\*x + b\*d^2)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)/(c^2\*f^2\*x^2 - 2\*c\*f^2\*x + f^2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(5/2)\*(a+b\*asin(c\*x))/(-c\*f\*x+f)\*\*(3/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(cdx + d)^{\frac{5}{2}}(b \arcsin(cx) + a)}{(-cfx + f)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))/(-c*f*x+f)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((c*d*x + d)^(5/2)*(b*arcsin(c*x) + a)/(-c*f*x + f)^(3/2), x)
```

$$3.529 \quad \int \frac{(d+cdx)^{3/2}(a+b \sin^{-1}(cx))}{(f-cfx)^{3/2}} dx$$

**Optimal.** Leaf size=252

$$-\frac{3d^3(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))^2}{2bc(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{d^3(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{c(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{4d^3(cx+1)(1-c^2x^2)(a+b \sin^{-1}(cx))}{c(cdx+d)^{3/2}(f-cfx)^{3/2}} - \frac{ba}{(cdx$$

[Out]  $-\left(\frac{b^2 d^3 x^3 (1 - c^2 x^2)^{3/2}}{(d + c d x)^{3/2} (f - c f x)^{3/2}}\right) + (4 d^3 (1 + c x) (1 - c^2 x^2) (a + b \operatorname{ArcSin}[c x])) / (c (d + c d x)^{3/2} (f - c f x)^{3/2}) + (d^3 (1 - c^2 x^2)^2 (a + b \operatorname{ArcSin}[c x])) / (c (d + c d x)^{3/2} (f - c f x)^{3/2}) - (3 d^3 (1 - c^2 x^2)^{3/2} (a + b \operatorname{ArcSin}[c x])^2) / (2 b c (d + c d x)^{3/2} (f - c f x)^{3/2}) + (4 b d^3 (1 - c^2 x^2)^{3/2} \operatorname{Log}[1 - c x]) / (c (d + c d x)^{3/2} (f - c f x)^{3/2})$

**Rubi [A]** time = 0.421953, antiderivative size = 252, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4673, 4775, 637, 4761, 12, 627, 31, 4641, 4677, 8}

$$-\frac{3d^3(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))^2}{2bc(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{d^3(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{c(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{4d^3(cx+1)(1-c^2x^2)(a+b \sin^{-1}(cx))}{c(cdx+d)^{3/2}(f-cfx)^{3/2}} - \frac{ba}{(cdx$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\frac{(d + c d x)^{3/2} (a + b \operatorname{ArcSin}[c x])}{(f - c f x)^{3/2}}, x]$

[Out]  $-\left(\frac{b^2 d^3 x^3 (1 - c^2 x^2)^{3/2}}{(d + c d x)^{3/2} (f - c f x)^{3/2}}\right) + (4 d^3 (1 + c x) (1 - c^2 x^2) (a + b \operatorname{ArcSin}[c x])) / (c (d + c d x)^{3/2} (f - c f x)^{3/2}) + (d^3 (1 - c^2 x^2)^2 (a + b \operatorname{ArcSin}[c x])) / (c (d + c d x)^{3/2} (f - c f x)^{3/2}) - (3 d^3 (1 - c^2 x^2)^{3/2} (a + b \operatorname{ArcSin}[c x])^2) / (2 b c (d + c d x)^{3/2} (f - c f x)^{3/2}) + (4 b d^3 (1 - c^2 x^2)^{3/2} \operatorname{Log}[1 - c x]) / (c (d + c d x)^{3/2} (f - c f x)^{3/2})$

**Rule 4673**

$\operatorname{Int}[\frac{(a_. + \operatorname{ArcSin}[c_.](x_.)](b_.)^{n_.}((d_.) + (e_.)(x_.))^{p_.}((f_. + (g_.)(x_.))^{q_.}, x\_Symbol]}{> \operatorname{Dist}[\frac{(d + e x)^q (f + g x)^q}{(1 - c^2 x^2)^q}, \operatorname{Int}[(d + e x)^{p - q} (1 - c^2 x^2)^q (a + b \operatorname{ArcSin}[c x])^n, x], x]$   
 /;  $\operatorname{FreeQ}\{a, b, c, d, e, f, g, n\}, x$  &&  $\operatorname{EqQ}[e f + d g, 0]$  &&  $\operatorname{EqQ}[c^2 d^2 - e^2, 0]$  &&  $\operatorname{HalfIntegerQ}[p, q]$  &&  $\operatorname{GeQ}[p - q, 0]$



Rule 4775

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_) + (g_.)*(x_))^(m_.)*((d_
) + (e_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x]
)^n/Sqrt[d + e*x^2], (f + g*x)^m*(d + e*x^2)^(p + 1/2), x], x] /; FreeQ[{a,
b, c, d, e, f, g}, x] && EqQ[c^2*d + e, 0] && IntegerQ[m] && ILtQ[p + 1/2,
0] && GtQ[d, 0] && IGtQ[n, 0]
```

Rule 637

```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2)^(3/2), x_Symbol] := Simp[(-(a
*e) + c*d*x)/(a*c*Sqrt[a + c*x^2]), x] /; FreeQ[{a, c, d, e}, x]
```

Rule 4761

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((f_) + (g_.)*(x_))^(m_.)*((d_) + (e
_.)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f + g*x)^m*(d + e*x^2)^p,
x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[Dist[1/Sqrt[1 - c^2*x^2
], u, x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2*d + e, 0] &
& IGtQ[m, 0] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && (LtQ[m, -2*p - 1] || GtQ[m
, 3])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 627

```
Int[((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int
[(d + e*x)^(m + p)*(a/d + (c*x)/e)^p, x] /; FreeQ[{a, c, d, e, m, p}, x] &&
EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && Intege
rQ[m + p]))
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(d + cdx)^{3/2} (a + b \sin^{-1}(cx))}{(f - cfx)^{3/2}} dx &= \frac{(1 - c^2x^2)^{3/2} \int \frac{(d+cdx)^3 (a+b \sin^{-1}(cx))}{(1-c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2} (f - cfx)^{3/2}} \\
 &= \frac{(1 - c^2x^2)^{3/2} \int \left( \frac{4(d^3+cd^3x)(a+b \sin^{-1}(cx))}{(1-c^2x^2)^{3/2}} - \frac{3d^3(a+b \sin^{-1}(cx))}{\sqrt{1-c^2x^2}} - \frac{cd^3x(a+b \sin^{-1}(cx))}{\sqrt{1-c^2x^2}} \right) dx}{(d + cdx)^{3/2} (f - cfx)^{3/2}} \\
 &= \frac{\left( 4(1 - c^2x^2)^{3/2} \right) \int \frac{(d^3+cd^3x)(a+b \sin^{-1}(cx))}{(1-c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{\left( 3d^3 (1 - c^2x^2)^{3/2} \right) \int \frac{a+b \sin^{-1}(cx)}{\sqrt{1-c^2x^2}} dx}{(d + cdx)^{3/2} (f - cfx)^{3/2}} \\
 &= \frac{4d^3(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{d^3(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} - \frac{3d^3(1 - c^2x^2)^{3/2}}{2b} \\
 &= -\frac{bd^3x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{4d^3(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{d^3(1 - c^2x^2)^{3/2}}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} \\
 &= -\frac{bd^3x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{4d^3(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{d^3(1 - c^2x^2)^{3/2}}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} \\
 &= -\frac{bd^3x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{4d^3(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2} (f - cfx)^{3/2}} + \frac{d^3(1 - c^2x^2)^{3/2}}{c(d + cdx)^{3/2} (f - cfx)^{3/2}}
 \end{aligned}$$

**Mathematica [B]** time = 2.66777, size = 514, normalized size = 2.04

$$d \left( 6a\sqrt{d}\sqrt{f} \tan^{-1} \left( \frac{cx\sqrt{cdx+d}\sqrt{f-cfx}}{\sqrt{d}\sqrt{f}(c^2x^2-1)} \right) + \frac{2a(cx-5)\sqrt{cdx+d}\sqrt{f-cfx}}{cx-1} - \frac{b(cx+1)\sqrt{cdx+d}\sqrt{f-cfx} \left( \cos\left(\frac{1}{2}\sin^{-1}(cx)\right) \left( (\sin^{-1}(cx)-4)\sin^{-1}(cx)-8\log\left(\cos\left(\frac{1}{2}\sin^{-1}(cx)\right)\right) \right) \right)}{\sqrt{1-c^2x^2} \left( \cos\left(\frac{1}{2}\sin^{-1}(cx)\right) \right)} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d + c\*d\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/(f - c\*f\*x)^(3/2),x]

[Out] (d\*((2\*a\*(-5 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(-1 + c\*x) + 6\*a\*Sqrt[d]\*Sqrt[f]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] - (b\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(Cos[ArcSin[c\*x]/2]\*((-4 + ArcSin[c\*x])\*ArcSin[c\*x] - 8\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])) - (ArcSin[c\*x]\*(4 + ArcSin[c\*x]) - 8\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2]))/(Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2) - (2\*b\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(ArcSin[c\*x]^2\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]) + (c\*x - 4\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]))\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]) - ArcSin[c\*x]\*((2 + Sqrt[1 - c^2\*x^2])\*Cos[ArcSin[c\*x]/2] - (-2 + Sqrt[1 - c^2\*x^2])\*Sin[ArcSin[c\*x]/2]))))/(Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2))/(2\*c\*f^2)

**Maple [F]** time = 0.238, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))(cdx + d)^{\frac{3}{2}} (-cfx + f)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(3/2),x)

[Out] int((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(3/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(acdx + ad + (bcdx + bd) \arcsin(cx))\sqrt{cdx + d}\sqrt{-cfx + f}}{c^2 f^2 x^2 - 2 c f^2 x + f^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(3/2),x, algorithm="fricas")

[Out] integral((a\*c\*d\*x + a\*d + (b\*c\*d\*x + b\*d)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)/(c^2\*f^2\*x^2 - 2\*c\*f^2\*x + f^2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(3/2)\*(a+b\*asin(c\*x))/(-c\*f\*x+f)\*\*(3/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(cdx + d)^{\frac{3}{2}}(b \arcsin(cx) + a)}{(-cfx + f)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(3/2),x, algorithm="giac")

[Out] integrate((c\*d\*x + d)^(3/2)\*(b\*arcsin(c\*x) + a)/(-c\*f\*x + f)^(3/2), x)

$$3.530 \quad \int \frac{\sqrt{d+cdx}(a+b \sin^{-1}(cx))}{(f-cfx)^{3/2}} dx$$

**Optimal.** Leaf size=162

$$-\frac{d^2(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))^2}{2bc(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{2d^2(cx+1)(1-c^2x^2)(a+b \sin^{-1}(cx))}{c(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{2bd^2(1-c^2x^2)^{3/2} \log(1-cx)}{c(cdx+d)^{3/2}(f-cfx)^{3/2}}$$

[Out] (2\*d^2\*(1 + c\*x)\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)) - (d^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(2\*b\*c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)) + (2\*b\*d^2\*(1 - c^2\*x^2)^(3/2)\*Log[1 - c\*x])/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))

**Rubi [A]** time = 0.346851, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {4673, 4775, 637, 4761, 12, 627, 31, 4641}

$$-\frac{d^2(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))^2}{2bc(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{2d^2(cx+1)(1-c^2x^2)(a+b \sin^{-1}(cx))}{c(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{2bd^2(1-c^2x^2)^{3/2} \log(1-cx)}{c(cdx+d)^{3/2}(f-cfx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + c\*d\*x]\*(a + b\*ArcSin[c\*x]))/(f - c\*f\*x)^(3/2), x]

[Out] (2\*d^2\*(1 + c\*x)\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)) - (d^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(2\*b\*c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)) + (2\*b\*d^2\*(1 - c^2\*x^2)^(3/2)\*Log[1 - c\*x])/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))

### Rule 4673

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_))^(p\_.)\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] :> Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4775

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.) + (g\_.)\*(x\_))^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*ArcSin[c\*x]

```
)^n/Sqrt[d + e*x^2], (f + g*x)^m*(d + e*x^2)^(p + 1/2), x], x] /; FreeQ[{a,
b, c, d, e, f, g}, x] && EqQ[c^2*d + e, 0] && IntegerQ[m] && ILtQ[p + 1/2,
0] && GtQ[d, 0] && IGtQ[n, 0]
```

### Rule 637

```
Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2)^(3/2), x_Symbol] := Simp[(-(a
*e) + c*d*x)/(a*c*Sqrt[a + c*x^2]), x] /; FreeQ[{a, c, d, e}, x]
```

### Rule 4761

```
Int[((a_) + ArcSin[(c_)*(x_)])*(b_)*((f_) + (g_)*(x_)^(m_))*((d_) + (e
_)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f + g*x)^m*(d + e*x^2)^p,
x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[Dist[1/Sqrt[1 - c^2*x^2
], u, x], x], x]] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2*d + e, 0] &
& IGtQ[m, 0] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && (LtQ[m, -2*p - 1] || GtQ[m
, 3])
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 627

```
Int[((d_) + (e_)*(x_)^(m_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Int
[(d + e*x)^(m + p)*(a/d + (c*x)/e)^p, x] /; FreeQ[{a, c, d, e, m, p}, x] &&
EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && Intege
rQ[m + p]))
```

### Rule 31

```
Int[((a_) + (b_)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

### Rule 4641

```
Int[((a_) + ArcSin[(c_)*(x_)])*(b_)^(n_)/Sqrt[(d_) + (e_)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+cdx}(a+b\sin^{-1}(cx))}{(f-cfx)^{3/2}} dx &= \frac{(1-c^2x^2)^{3/2} \int \frac{(d+cdx)^2(a+b\sin^{-1}(cx))}{(1-c^2x^2)^{3/2}} dx}{(d+cdx)^{3/2}(f-cfx)^{3/2}} \\
&= \frac{(1-c^2x^2)^{3/2} \int \left( \frac{2(d^2+cd^2x)(a+b\sin^{-1}(cx))}{(1-c^2x^2)^{3/2}} - \frac{d^2(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} \right) dx}{(d+cdx)^{3/2}(f-cfx)^{3/2}} \\
&= \frac{(2(1-c^2x^2)^{3/2}) \int \frac{(d^2+cd^2x)(a+b\sin^{-1}(cx))}{(1-c^2x^2)^{3/2}} dx}{(d+cdx)^{3/2}(f-cfx)^{3/2}} - \frac{(d^2(1-c^2x^2)^{3/2}) \int \frac{a+b\sin^{-1}(cx)}{\sqrt{1-c^2x^2}} dx}{(d+cdx)^{3/2}(f-cfx)^{3/2}} \\
&= \frac{2d^2(1+cx)(1-c^2x^2)(a+b\sin^{-1}(cx))}{c(d+cdx)^{3/2}(f-cfx)^{3/2}} - \frac{d^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2}{2bc(d+cdx)^{3/2}(f-cfx)^{3/2}} - \frac{(2bc)}{c} \\
&= \frac{2d^2(1+cx)(1-c^2x^2)(a+b\sin^{-1}(cx))}{c(d+cdx)^{3/2}(f-cfx)^{3/2}} - \frac{d^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2}{2bc(d+cdx)^{3/2}(f-cfx)^{3/2}} - \frac{(2ba)}{c} \\
&= \frac{2d^2(1+cx)(1-c^2x^2)(a+b\sin^{-1}(cx))}{c(d+cdx)^{3/2}(f-cfx)^{3/2}} - \frac{d^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2}{2bc(d+cdx)^{3/2}(f-cfx)^{3/2}} - \frac{(2ba)}{c} \\
&= \frac{2d^2(1+cx)(1-c^2x^2)(a+b\sin^{-1}(cx))}{c(d+cdx)^{3/2}(f-cfx)^{3/2}} - \frac{d^2(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2}{2bc(d+cdx)^{3/2}(f-cfx)^{3/2}} + \frac{2bd^2}{c}
\end{aligned}$$

**Mathematica [A]** time = 1.50176, size = 281, normalized size = 1.73

$$\frac{-2a\sqrt{d}\sqrt{f}\tan^{-1}\left(\frac{cx\sqrt{cdx+d}\sqrt{f-cfx}}{\sqrt{d}\sqrt{f}(c^2x^2-1)}\right) + \frac{4a\sqrt{cdx+d}\sqrt{f-cfx}}{cx-1} + \frac{b(cx+1)\sqrt{cdx+d}\sqrt{f-cfx}\left(\cos\left(\frac{1}{2}\sin^{-1}(cx)\right)\left((\sin^{-1}(cx)-4)\sin^{-1}(cx)-8\log\left(\cos\left(\frac{1}{2}\sin^{-1}(cx)\right)\right)\right)}{\sqrt{1-c^2x^2}\left(\cos\left(\frac{1}{2}\sin^{-1}(cx)\right)\right)}}{2cf^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + c\*d\*x]\*(a + b\*ArcSin[c\*x]))/(f - c\*f\*x)^(3/2),x]

[Out] -((4\*a\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(-1 + c\*x) - 2\*a\*Sqrt[d]\*Sqrt[f]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] + (b\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(Cos[ArcSin[c\*x]/2]\*((-4 + ArcSin[c\*x])\*ArcSin[c\*x] - 8\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])) - (ArcSin[c\*x]\*(4 + ArcSin[c\*x]) - 8\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2))/(Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2)/(2\*c\*f^2)

---

**Maple [F]** time = 0.263, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) \sqrt{cdx + d} (-cfx + f)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(3/2),x)

[Out] int((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(3/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{cdx + d}\sqrt{-cfx + f}(b \arcsin(cx) + a)}{c^2 f^2 x^2 - 2 c f^2 x + f^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)\*(b\*arcsin(c\*x) + a)/(c^2\*f^2\*x^2 - 2\*c\*f^2\*x + f^2), x)

---



**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{d(cx+1)}(a+b\operatorname{asin}(cx))}{(-f(cx-1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(1/2)\*(a+b\*asin(c\*x))/(-c\*f\*x+f)\*\*(3/2),x)

[Out] Integral(sqrt(d\*(c\*x + 1))\*(a + b\*asin(c\*x))/(-f\*(c\*x - 1))\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{cdx+d}(b\arcsin(cx)+a)}{(-cfx+f)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(3/2),x, algorithm="giac")

[Out] integrate(sqrt(c\*d\*x + d)\*(b\*arcsin(c\*x) + a)/(-c\*f\*x + f)^(3/2), x)

$$3.531 \quad \int \frac{a+b \sin^{-1}(cx)}{\sqrt{d+cdx}(f-cfx)^{3/2}} dx$$

**Optimal.** Leaf size=98

$$\frac{d(cx+1)(1-c^2x^2)(a+b \sin^{-1}(cx))}{c(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{bd(1-c^2x^2)^{3/2} \log(1-cx)}{c(cdx+d)^{3/2}(f-cfx)^{3/2}}$$

[Out] (d\*(1 + c\*x)\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)) + (b\*d\*(1 - c^2\*x^2)^(3/2)\*Log[1 - c\*x])/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))

**Rubi [A]** time = 0.210481, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4673, 637, 4761, 12, 627, 31}

$$\frac{d(cx+1)(1-c^2x^2)(a+b \sin^{-1}(cx))}{c(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{bd(1-c^2x^2)^{3/2} \log(1-cx)}{c(cdx+d)^{3/2}(f-cfx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(Sqrt[d + c\*d\*x]\*(f - c\*f\*x)^(3/2)), x]

[Out] (d\*(1 + c\*x)\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)) + (b\*d\*(1 - c^2\*x^2)^(3/2)\*Log[1 - c\*x])/(c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))

### Rule 4673

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^(n\_.)\*((d\_.) + (e\_.)\*(x\_))^(p\_)\*((f\_) + (g\_.)\*(x\_))^(q\_), x\_Symbol] := Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 637

Int[((d\_.) + (e\_.)\*(x\_))/((a\_.) + (c\_.)\*(x\_)^2)^(3/2), x\_Symbol] := Simp[(-(a + e\*x)/(a\*c\*Sqrt[a + c\*x^2]), x] /; FreeQ[{a, c, d, e}, x]

### Rule 4761

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))*((f_) + (g_.)*(x_.))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f + g*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[Dist[1/Sqrt[1 - c^2*x^2], u, x], x], x]] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2*d + e, 0] && IGtQ[m, 0] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && (LtQ[m, -2*p - 1] || GtQ[m, 3])
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 627

```
Int[((d_) + (e_.)*(x_.))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[(d + e*x)^(m + p)*(a/d + (c*x)/e)^p, x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && IntegerQ[m + p]))
```

### Rule 31

```
Int[((a_) + (b_.)*(x_.))^(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{d + cdx}(f - cfx)^{3/2}} dx &= \frac{(1 - c^2x^2)^{3/2} \int \frac{(d+cdx)(a+b \sin^{-1}(cx))}{(1-c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2}(f - cfx)^{3/2}} \\ &= \frac{d(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2}(f - cfx)^{3/2}} - \frac{(bc(1 - c^2x^2)^{3/2}) \int \frac{d(1+cx)}{c(1-c^2x^2)} dx}{(d + cdx)^{3/2}(f - cfx)^{3/2}} \\ &= \frac{d(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2}(f - cfx)^{3/2}} - \frac{(bd(1 - c^2x^2)^{3/2}) \int \frac{1+cx}{1-c^2x^2} dx}{(d + cdx)^{3/2}(f - cfx)^{3/2}} \\ &= \frac{d(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2}(f - cfx)^{3/2}} - \frac{(bd(1 - c^2x^2)^{3/2}) \int \frac{1}{1-cx} dx}{(d + cdx)^{3/2}(f - cfx)^{3/2}} \\ &= \frac{d(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2}(f - cfx)^{3/2}} + \frac{bd(1 - c^2x^2)^{3/2} \log(1 - cx)}{c(d + cdx)^{3/2}(f - cfx)^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.428999, size = 106, normalized size = 1.08

$$\frac{\sqrt{cdx+d}\sqrt{f-cfx}\left(a\left(-\sqrt{1-c^2x^2}\right)-b\sqrt{1-c^2x^2}\sin^{-1}(cx)+b(cx-1)\log(f-cfx)\right)}{cdf^2(cx-1)\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/(Sqrt[d + c\*d\*x]\*(f - c\*f\*x)^(3/2)),x]

[Out] (Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(-(a\*Sqrt[1 - c^2\*x^2]) - b\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + b\*(-1 + c\*x)\*Log[f - c\*f\*x]))/(c\*d\*f^2\*(-1 + c\*x)\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0.231, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) \frac{1}{\sqrt{cdx+d}} (-cfx+f)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(1/2)/(-c\*f\*x+f)^(3/2),x)

[Out] int((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(1/2)/(-c\*f\*x+f)^(3/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(1/2)/(-c\*f\*x+f)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.5051, size = 803, normalized size = 8.19

$$\left[ \frac{(bcx - b)\sqrt{df} \log\left(\frac{c^6 df x^6 - 4c^5 df x^5 + 5c^4 df x^4 - 4c^2 df x^2 + 4cdfx - (c^4 x^4 - 4c^3 x^3 + 6c^2 x^2 - 4cx)\sqrt{-c^2 x^2 + 1}\sqrt{cdx + d}\sqrt{-cfx + f}\sqrt{df} - 2df}{c^4 x^4 - 2c^3 x^3 + 2cx - 1}\right) - 2\sqrt{cdx + d}}{2(c^2 df^2 x - cdf^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(1/2)/(-c\*f\*x+f)^(3/2),x, algorithm="fricas")

[Out] [1/2\*((b\*c\*x - b)\*sqrt(d\*f)\*log((c^6\*d\*f\*x^6 - 4\*c^5\*d\*f\*x^5 + 5\*c^4\*d\*f\*x^4 - 4\*c^2\*d\*f\*x^2 + 4\*c\*d\*f\*x - (c^4\*x^4 - 4\*c^3\*x^3 + 6\*c^2\*x^2 - 4\*c\*x)\*sqrt(-c^2\*x^2 + 1)\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)\*sqrt(d\*f) - 2\*d\*f)/(c^4\*x^4 - 2\*c^3\*x^3 + 2\*c\*x - 1)) - 2\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)\*(b\*arcsin(c\*x) + a))/(c^2\*d\*f^2\*x - c\*d\*f^2), ((b\*c\*x - b)\*sqrt(-d\*f)\*arctan((c^2\*x^2 - 2\*c\*x + 2)\*sqrt(-c^2\*x^2 + 1)\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)\*sqrt(-d\*f)/(c^4\*d\*f\*x^4 - 2\*c^3\*d\*f\*x^3 - c^2\*d\*f\*x^2 + 2\*c\*d\*f\*x)) - sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)\*(b\*arcsin(c\*x) + a))/(c^2\*d\*f^2\*x - c\*d\*f^2)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \arcsin(cx)}{\sqrt{d}(cx + 1) (-f(cx - 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/(c\*d\*x+d)\*\*(1/2)/(-c\*f\*x+f)\*\*(3/2),x)

[Out] Integral((a + b\*asin(c\*x))/(sqrt(d\*(c\*x + 1))\*(-f\*(c\*x - 1))\*\*(3/2)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{\sqrt{cdx + d}(-cfx + f)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(c*d*x+d)^(1/2)/(-c*f*x+f)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/(sqrt(c*d*x + d)*(-c*f*x + f)^(3/2)), x)
```

$$3.532 \quad \int \frac{a+b \sin^{-1}(cx)}{(d+cdx)^{3/2}(f-cfx)^{3/2}} dx$$

**Optimal.** Leaf size=96

$$\frac{x(1-c^2x^2)(a+b \sin^{-1}(cx))}{(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{b(1-c^2x^2)^{3/2} \log(1-c^2x^2)}{2c(cdx+d)^{3/2}(f-cfx)^{3/2}}$$

[Out] (x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/((d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)) + (b\*(1 - c^2\*x^2)^(3/2)\*Log[1 - c^2\*x^2])/(2\*c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))

**Rubi [A]** time = 0.174714, antiderivative size = 96, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$ , Rules used = {4673, 4651, 260}

$$\frac{x(1-c^2x^2)(a+b \sin^{-1}(cx))}{(cdx+d)^{3/2}(f-cfx)^{3/2}} + \frac{b(1-c^2x^2)^{3/2} \log(1-c^2x^2)}{2c(cdx+d)^{3/2}(f-cfx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/((d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)),x]

[Out] (x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/((d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)) + (b\*(1 - c^2\*x^2)^(3/2)\*Log[1 - c^2\*x^2])/(2\*c\*(d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2))

#### Rule 4673

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_))^(p\_.)\*((f\_) + (g\_.)\*(x\_))^(q\_), x\_Symbol] :> Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

#### Rule 4651

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/((d\_) + (e\_.)\*(x\_)^2)^(3/2), x\_Symbol] :> Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n)/Sqrt[d], Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(d + e\*x^2), x], x] /;

FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]

### Rule 260

Int[(x\_)^(m\_)/((a\_) + (b\_)\*(x\_)^(n\_)), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

### Rubi steps

$$\begin{aligned} \int \frac{a + b \sin^{-1}(cx)}{(d + cdx)^{3/2}(f - cfx)^{3/2}} dx &= \frac{(1 - c^2x^2)^{3/2} \int \frac{a + b \sin^{-1}(cx)}{(1 - c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2}(f - cfx)^{3/2}} \\ &= \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))}{(d + cdx)^{3/2}(f - cfx)^{3/2}} - \frac{(bc(1 - c^2x^2)^{3/2}) \int \frac{x}{1 - c^2x^2} dx}{(d + cdx)^{3/2}(f - cfx)^{3/2}} \\ &= \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))}{(d + cdx)^{3/2}(f - cfx)^{3/2}} + \frac{b(1 - c^2x^2)^{3/2} \log(1 - c^2x^2)}{2c(d + cdx)^{3/2}(f - cfx)^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.454177, size = 105, normalized size = 1.09

$$\frac{\sqrt{cdx + d} \left( 2acx + b\sqrt{1 - c^2x^2} \log(-f(cx + 1)) + b\sqrt{1 - c^2x^2} \log(f - cfx) + 2bcx \sin^{-1}(cx) \right)}{2cd^2 f(cx + 1) \sqrt{f - cfx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/((d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(3/2)),x]

[Out] (Sqrt[d + c\*d\*x]\*(2\*a\*c\*x + 2\*b\*c\*x\*ArcSin[c\*x] + b\*Sqrt[1 - c^2\*x^2]\*Log[-(f\*(1 + c\*x))] + b\*Sqrt[1 - c^2\*x^2]\*Log[f - c\*f\*x]))/(2\*c\*d^2\*f\*(1 + c\*x)\*Sqrt[f - c\*f\*x])

**Maple [F]** time = 0.227, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (cdx + d)^{-\frac{3}{2}} (-cfx + f)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((a+b*arcsin(c*x))/(c*d*x+d)^(3/2)/(-c*f*x+f)^(3/2),x)`

[Out] `int((a+b*arcsin(c*x))/(c*d*x+d)^(3/2)/(-c*f*x+f)^(3/2),x)`

**Maxima [A]** time = 1.52171, size = 117, normalized size = 1.22

$$-\frac{bc\sqrt{\frac{1}{c^4df}}\log\left(x^2 - \frac{1}{c^2}\right)}{2df} + \frac{bx\arcsin(cx)}{\sqrt{-c^2dfx^2 + dfdf}} + \frac{ax}{\sqrt{-c^2dfx^2 + dfdf}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/(c*d*x+d)^(3/2)/(-c*f*x+f)^(3/2),x, algorithm="maxima")`

[Out] `-1/2*b*c*sqrt(1/(c^4*d*f))*log(x^2 - 1/c^2)/(d*f) + b*x*arcsin(c*x)/(sqrt(-c^2*d*f*x^2 + d*f)*d*f) + a*x/(sqrt(-c^2*d*f*x^2 + d*f)*d*f)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{cdx + d}\sqrt{-cfx + f}(b\arcsin(cx) + a)}{c^4d^2f^2x^4 - 2c^2d^2f^2x^2 + d^2f^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/(c*d*x+d)^(3/2)/(-c*f*x+f)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(c*d*x + d)*sqrt(-c*f*x + f)*(b*arcsin(c*x) + a)/(c^4*d^2*f^2*x^4 - 2*c^2*d^2*f^2*x^2 + d^2*f^2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/(c*d*x+d)**(3/2)/(-c*f*x+f)**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(cdx + d)^{\frac{3}{2}}(-cfx + f)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(c*d*x+d)^(3/2)/(-c*f*x+f)^(3/2),x, algorithm="
giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/((c*d*x + d)^(3/2)*(-c*f*x + f)^(3/2)), x)
```

$$3.533 \quad \int \frac{a+b \sin^{-1}(cx)}{(d+cdx)^{5/2}(f-cfx)^{3/2}} dx$$

**Optimal.** Leaf size=255

$$\frac{2fx(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{3(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{f(1-cx)(1-c^2x^2)(a+b \sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{bf(1-c^2x^2)^{5/2}}{6c(cx+1)(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{bf(1-cx)(1-c^2x^2)^{5/2}}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

```
[Out] -(b*f*(1 - c^2*x^2)^(5/2))/(6*c*(1 + c*x)*(d + c*d*x)^(5/2)*(f - c*f*x)^(5/2)) - (f*(1 - c*x)*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c*(d + c*d*x)^(5/2)*(f - c*f*x)^(5/2)) + (2*f*x*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(3*(d + c*d*x)^(5/2)*(f - c*f*x)^(5/2)) + (b*f*(1 - c^2*x^2)^(5/2)*ArcTanh[c*x])/(6*c*(d + c*d*x)^(5/2)*(f - c*f*x)^(5/2)) + (b*f*(1 - c^2*x^2)^(5/2)*Log[1 - c^2*x^2])/(3*c*(d + c*d*x)^(5/2)*(f - c*f*x)^(5/2))
```

**Rubi [A]** time = 0.261779, antiderivative size = 255, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {4673, 639, 191, 4761, 627, 44, 207, 260}

$$\frac{2fx(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{3(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{f(1-cx)(1-c^2x^2)(a+b \sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{bf(1-c^2x^2)^{5/2}}{6c(cx+1)(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{bf(1-cx)(1-c^2x^2)^{5/2}}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])/((d + c*d*x)^(5/2)*(f - c*f*x)^(3/2)), x]
```

```
[Out] -(b*f*(1 - c^2*x^2)^(5/2))/(6*c*(1 + c*x)*(d + c*d*x)^(5/2)*(f - c*f*x)^(5/2)) - (f*(1 - c*x)*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c*(d + c*d*x)^(5/2)*(f - c*f*x)^(5/2)) + (2*f*x*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(3*(d + c*d*x)^(5/2)*(f - c*f*x)^(5/2)) + (b*f*(1 - c^2*x^2)^(5/2)*ArcTanh[c*x])/(6*c*(d + c*d*x)^(5/2)*(f - c*f*x)^(5/2)) + (b*f*(1 - c^2*x^2)^(5/2)*Log[1 - c^2*x^2])/(3*c*(d + c*d*x)^(5/2)*(f - c*f*x)^(5/2))
```

### Rule 4673

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_.))^(p_.)*((f_.) + (g_.)*(x_.))^(q_.), x_Symbol] :> Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

Rule 639

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*e - c\*d\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] + Dist[(d\*(2\*p + 3))/(2\*a\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 4761

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*((f\_) + (g\_.)\*(x\_)^(m\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{u = IntHide[(f + g\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[Dist[1/Sqrt[1 - c^2\*x^2], u, x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2\*d + e, 0] && IGtQ[m, 0] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && (LtQ[m, -2\*p - 1] || GtQ[m, 3])

Rule 627

Int[((d\_) + (e\_.)\*(x\_)^(m\_.))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[(d + e\*x)^(m + p)\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && IntegerQ[m + p]))

Rule 44

Int[((a\_) + (b\_.)\*(x\_)^(m\_.))\*((c\_.) + (d\_.)\*(x\_)^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 260

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n\_.), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{(d + cdx)^{5/2}(f - cfx)^{3/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(f - cfx)(a + b \sin^{-1}(cx))}{(1 - c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{f(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{2fx(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} - \frac{(bc(1 - c^2x^2)^2(a + b \sin^{-1}(cx)))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{f(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{2fx(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{(bf(1 - c^2x^2)^2(a + b \sin^{-1}(cx)))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{f(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{2fx(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{bf(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{f(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{2fx(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{bf(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{bf(1 - c^2x^2)^{5/2}}{6c(1 + cx)(d + cdx)^{5/2}(f - cfx)^{5/2}} - \frac{f(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{2fx(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{bf(1 - c^2x^2)^{5/2}}{6c(1 + cx)(d + cdx)^{5/2}(f - cfx)^{5/2}} - \frac{f(1 - cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{2fx(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.598244, size = 180, normalized size = 0.71

$$\frac{\sqrt{cdx + d} \left( 8ac^2x^2 + 8acx - 4a + 3bcx\sqrt{1 - c^2x^2} \log(f - cfx) + 5b(cx + 1)\sqrt{1 - c^2x^2} \log(-f(cx + 1)) + 3b\sqrt{1 - c^2x^2} \log(f(cx + 1)) \right)}{12cd^3f(cx + 1)^2\sqrt{f - cfx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/((d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(3/2)), x]

[Out] (Sqrt[d + c\*d\*x]\*(-4\*a + 8\*a\*c\*x + 8\*a\*c^2\*x^2 - 2\*b\*Sqrt[1 - c^2\*x^2] + 4\*b\*(-1 + 2\*c\*x + 2\*c^2\*x^2)\*ArcSin[c\*x] + 5\*b\*(1 + c\*x)\*Sqrt[1 - c^2\*x^2]\*Log[-(f\*(1 + c\*x))] + 3\*b\*Sqrt[1 - c^2\*x^2]\*Log[f - c\*f\*x] + 3\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*Log[f - c\*f\*x]))/(12\*c\*d^3\*f\*(1 + c\*x)^2\*Sqrt[f - c\*f\*x])

---

**Maple [F]** time = 0.227, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (cdx + d)^{-\frac{5}{2}} (-cfx + f)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(5/2)/(-c\*f\*x+f)^(3/2),x)

[Out] int((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(5/2)/(-c\*f\*x+f)^(3/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(5/2)/(-c\*f\*x+f)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{cdx + d}\sqrt{-cfx + f}(b \arcsin(cx) + a)}{c^5 d^3 f^2 x^5 + c^4 d^3 f^2 x^4 - 2c^3 d^3 f^2 x^3 - 2c^2 d^3 f^2 x^2 + cd^3 f^2 x + d^3 f^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(5/2)/(-c\*f\*x+f)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)\*(b\*arcsin(c\*x) + a)/(c^5\*d^3\*f^2\*x^5 + c^4\*d^3\*f^2\*x^4 - 2\*c^3\*d^3\*f^2\*x^3 - 2\*c^2\*d^3\*f^2\*x^2 + c\*d^3\*f^2\*x + d^3\*f^2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/(c\*d\*x+d)\*\*(5/2)/(-c\*f\*x+f)\*\*(3/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(cdx + d)^{\frac{5}{2}} (-cfx + f)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(5/2)/(-c\*f\*x+f)^(3/2), x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/((c\*d\*x + d)^(5/2)\*(-c\*f\*x + f)^(3/2)), x)

$$3.534 \quad \int \frac{(d+cdx)^{5/2}(a+b\sin^{-1}(cx))}{(f-cfx)^{5/2}} dx$$

**Optimal.** Leaf size=419

$$-\frac{5d^5(1-c^2x^2)^3(a+b\sin^{-1}(cx))}{c(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{10d^5(cx+1)^2(1-c^2x^2)^2(a+b\sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{2d^5(cx+1)^4(1-c^2x^2)(a+b\sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

[Out] (b\*d^5\*x\*(1 - c^2\*x^2)^(5/2))/((d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)) - (8\*b\*d^5\*(1 - c^2\*x^2)^(5/2))/(3\*c\*(1 - c\*x)\*(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)) - (5\*b\*d^5\*(1 - c^2\*x^2)^(5/2)\*ArcSin[c\*x]^2)/(2\*c\*(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)) + (2\*d^5\*(1 + c\*x)^4\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(3\*c\*(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)) - (10\*d^5\*(1 + c\*x)^2\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x]))/(3\*c\*(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)) - (5\*d^5\*(1 - c^2\*x^2)^3\*(a + b\*ArcSin[c\*x]))/(c\*(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)) + (5\*d^5\*(1 - c^2\*x^2)^(5/2)\*ArcSin[c\*x]\*(a + b\*ArcSin[c\*x]))/(c\*(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)) - (28\*b\*d^5\*(1 - c^2\*x^2)^(5/2)\*Log[1 - c\*x])/(3\*c\*(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2))

**Rubi [A]** time = 0.379825, antiderivative size = 419, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {4673, 669, 641, 216, 4761, 627, 43, 4641}

$$-\frac{5d^5(1-c^2x^2)^3(a+b\sin^{-1}(cx))}{c(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{10d^5(cx+1)^2(1-c^2x^2)^2(a+b\sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{2d^5(cx+1)^4(1-c^2x^2)(a+b\sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[((d + c\*d\*x)^(5/2)\*(a + b\*ArcSin[c\*x]))/(f - c\*f\*x)^(5/2), x]

[Out] (b\*d^5\*x\*(1 - c^2\*x^2)^(5/2))/((d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)) - (8\*b\*d^5\*(1 - c^2\*x^2)^(5/2))/(3\*c\*(1 - c\*x)\*(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)) - (5\*b\*d^5\*(1 - c^2\*x^2)^(5/2)\*ArcSin[c\*x]^2)/(2\*c\*(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)) + (2\*d^5\*(1 + c\*x)^4\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x]))/(3\*c\*(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)) - (10\*d^5\*(1 + c\*x)^2\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x]))/(3\*c\*(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)) - (5\*d^5\*(1 - c^2\*x^2)^3\*(a + b\*ArcSin[c\*x]))/(c\*(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)) + (5\*d^5\*(1 - c^2\*x^2)^(5/2)\*ArcSin[c\*x]\*(a + b\*ArcSin[c\*x]))/(c\*(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)) - (28\*b\*d^5\*(1 - c^2\*x^2)^(5/2)\*Log[1 - c\*x])/(3\*c\*(d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2))



Rule 4673

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_))^(p_.)*((f_)
+ (g_.)*(x_))^(q_), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

Rule 669

```
Int[((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
(e*(d + e*x)^(m - 1)*(a + c*x^2)^(p + 1))/(c*(p + 1)), x] - Dist[(e^2*(m +
p))/(c*(p + 1)), Int[(d + e*x)^(m - 2)*(a + c*x^2)^(p + 1), x], x] /; FreeQ
[{a, c, d, e}, x] && EqQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && In
tegerQ[2*p]
```

Rule 641

```
Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(e*(
a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /
; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 4761

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((f_) + (g_.)*(x_))^(m_.)*((d_) + (e
_.)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(f + g*x)^m*(d + e*x^2)^p,
x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[Dist[1/Sqrt[1 - c^2*x^2
], u, x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2*d + e, 0] &
& IGtQ[m, 0] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && (LtQ[m, -2*p - 1] || GtQ[m
, 3])
```

Rule 627

```
Int[((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int
[(d + e*x)^(m + p)*(a/d + (c*x)/e)^p, x] /; FreeQ[{a, c, d, e, m, p}, x] &&
EqQ[c*d^2 + a*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && Intege
rQ[m + p]))
```

Rule 43

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

### Rubi steps

$$\int \frac{(d + cdx)^{5/2} (a + b \sin^{-1}(cx))}{(f - cfx)^{5/2}} dx = \frac{(1 - c^2x^2)^{5/2} \int \frac{(d+cdx)^5 (a+b \sin^{-1}(cx))}{(1-c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2} (f - cfx)^{5/2}}$$

$$= \frac{2d^5(1 + cx)^4 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{10d^5(1 + cx)^2 (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}}$$

$$= \frac{5bd^5x(1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (f - cfx)^{5/2}} + \frac{2d^5(1 + cx)^4 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{10d^5(1 + cx)^2 (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}}$$

$$= \frac{5bd^5x(1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{5bd^5(1 - c^2x^2)^{5/2} \sin^{-1}(cx)^2}{2c(d + cdx)^{5/2} (f - cfx)^{5/2}} + \frac{2d^5(1 + cx)^4 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{10d^5(1 + cx)^2 (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}}$$

$$= \frac{bd^5x(1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{8bd^5(1 - c^2x^2)^{5/2}}{3c(1 - cx)(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{5bd^5(1 - c^2x^2)^{5/2} \sin^{-1}(cx)^2}{2c(d + cdx)^{5/2} (f - cfx)^{5/2}} + \frac{2d^5(1 + cx)^4 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{10d^5(1 + cx)^2 (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}}$$

**Mathematica [B]** time = 5.79286, size = 850, normalized size = 2.03

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[((d + c*d*x)^(5/2)*(a + b*ArcSin[c*x]))/(f - c*f*x)^(5/2),x]
```

```
[Out] (d^2*((-4*a*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]*(23 - 34*c*x + 3*c^2*x^2))/(-1
+ c*x)^2 - 60*a*Sqrt[d]*Sqrt[f]*ArcTan[(c*x*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]
)/(Sqrt[d]*Sqrt[f]*(-1 + c^2*x^2))) + (2*b*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]*
(Cos[ArcSin[c*x]/2]*(-4 + 3*ArcSin[c*x] - 6*Log[Cos[ArcSin[c*x]/2] - Sin[Ar
cSin[c*x]/2])) - Cos[(3*ArcSin[c*x])/2]*(ArcSin[c*x] - 2*Log[Cos[ArcSin[c*x]
]/2] - Sin[ArcSin[c*x]/2])) + 2*(2 + (2 + Sqrt[1 - c^2*x^2])*ArcSin[c*x] +
2*(2 + Sqrt[1 - c^2*x^2])*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]))*Sin
[ArcSin[c*x]/2])/((Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^4*(Cos[ArcSin[
c*x]/2] + Sin[ArcSin[c*x]/2])) + (2*b*Sqrt[d + c*d*x]*Sqrt[f - c*f*x]*(Cos[
ArcSin[c*x]/2]*(-8 - 6*ArcSin[c*x] + 9*ArcSin[c*x]^2 - 84*Log[Cos[ArcSin[c*
x]/2] - Sin[ArcSin[c*x]/2])) + Cos[(3*ArcSin[c*x])/2]*(-(ArcSin[c*x]*(14 +
3*ArcSin[c*x])) + 28*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])) + 2*(4 +
2*(2 + 7*Sqrt[1 - c^2*x^2])*ArcSin[c*x] - 3*(2 + Sqrt[1 - c^2*x^2])*ArcSin
[c*x]^2 + 28*(2 + Sqrt[1 - c^2*x^2])*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*
x]/2]))*Sin[ArcSin[c*x]/2])/((Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^4*(
Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])) + (b*Sqrt[d + c*d*x]*Sqrt[f - c*f
*x]*(2*(-7 + 6*c*x + 3*Cos[2*ArcSin[c*x]] + 52*(-1 + c*x)*Log[Cos[ArcSin[c*
x]/2] - Sin[ArcSin[c*x]/2]))*(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]) + 18
*ArcSin[c*x]^2*(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^3 + ArcSin[c*x]*(-
24*Cos[ArcSin[c*x]/2] - 35*Cos[(3*ArcSin[c*x])/2] + 3*Cos[(5*ArcSin[c*x])/2
] - 24*Sin[ArcSin[c*x]/2] + 35*Sin[(3*ArcSin[c*x])/2] + 3*Sin[(5*ArcSin[c*x]
)/2]))) / ((Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^4*(Cos[ArcSin[c*x]/2] +
Sin[ArcSin[c*x]/2])) / (12*c*f^3)
```

**Maple [F]** time = 0.247, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))(cdx + d)^{\frac{5}{2}} (-cfx + f)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))/(-c*f*x+f)^(5/2),x)
```

```
[Out] int((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))/(-c*f*x+f)^(5/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))/(-c*f*x+f)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(ac^2d^2x^2 + 2acd^2x + ad^2 + (bc^2d^2x^2 + 2bcd^2x + bd^2)\arcsin(cx))\sqrt{cdx+d}\sqrt{-cfx+f}}{c^3f^3x^3 - 3c^2f^3x^2 + 3cf^3x - f^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))/(-c*f*x+f)^(5/2),x, algorithm="fricas")
```

```
[Out] integral(-(a*c^2*d^2*x^2 + 2*a*c*d^2*x + a*d^2 + (b*c^2*d^2*x^2 + 2*b*c*d^2*x + b*d^2)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*f*x + f)/(c^3*f^3*x^3 - 3*c^2*f^3*x^2 + 3*c*f^3*x - f^3), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(5/2)*(a+b*asin(c*x))/(-c*f*x+f)**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(cdx + d)^{\frac{5}{2}}(b \arcsin(cx) + a)}{(-cfx + f)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))/(-c*f*x+f)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((c*d*x + d)^(5/2)*(b*arcsin(c*x) + a)/(-c*f*x + f)^(5/2), x)
```

$$3.535 \quad \int \frac{(d+cdx)^{3/2}(a+b \sin^{-1}(cx))}{(f-cfx)^{5/2}} dx$$

**Optimal.** Leaf size=324

$$-\frac{2d^4(cx+1)(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{c(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{2d^4(cx+1)^3(1-c^2x^2)(a+b \sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{d^4(1-c^2x^2)^{5/2} \sin^{-1}(cx)(a+b \sin^{-1}(cx))}{c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

[Out]  $(-4*b*d^4*(1 - c^2*x^2)^{(5/2)})/(3*c*(1 - c*x)*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}) - (b*d^4*(1 - c^2*x^2)^{(5/2)}*ArcSin[c*x]^2)/(2*c*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}) + (2*d^4*(1 + c*x)^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}) - (2*d^4*(1 + c*x)*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(c*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}) + (d^4*(1 - c^2*x^2)^{(5/2)}*ArcSin[c*x]*(a + b*ArcSin[c*x]))/(c*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}) - (8*b*d^4*(1 - c^2*x^2)^{(5/2)}*Log[1 - c*x])/(3*c*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)})$

**Rubi [A]** time = 0.341036, antiderivative size = 324, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {4673, 669, 653, 216, 4761, 627, 43, 31, 4641}

$$-\frac{2d^4(cx+1)(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{c(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{2d^4(cx+1)^3(1-c^2x^2)(a+b \sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{d^4(1-c^2x^2)^{5/2} \sin^{-1}(cx)(a+b \sin^{-1}(cx))}{c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[((d + c\*d\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/(f - c\*f\*x)^(5/2), x]

[Out]  $(-4*b*d^4*(1 - c^2*x^2)^{(5/2)})/(3*c*(1 - c*x)*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}) - (b*d^4*(1 - c^2*x^2)^{(5/2)}*ArcSin[c*x]^2)/(2*c*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}) + (2*d^4*(1 + c*x)^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}) - (2*d^4*(1 + c*x)*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(c*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}) + (d^4*(1 - c^2*x^2)^{(5/2)}*ArcSin[c*x]*(a + b*ArcSin[c*x]))/(c*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)}) - (8*b*d^4*(1 - c^2*x^2)^{(5/2)}*Log[1 - c*x])/(3*c*(d + c*d*x)^{(5/2)}*(f - c*f*x)^{(5/2)})$

**Rule 4673**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.))^(p\_.)\*((f\_.) + (g\_.)\*(x\_.))^(q\_.), x\_Symbol] := Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x

$^2)^q$ , Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 669

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1))/(c\*(p + 1)), x] - Dist[(e^2\*(m + p))/(c\*(p + 1)), Int[(d + e\*x)^(m - 2)\*(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c\*d^2 + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && IntegerQ[2\*p]

### Rule 653

Int[((d\_) + (e\_)\*(x\_))^(2)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)\*(a + c\*x^2)^(p + 1))/(c\*(p + 1)), x] - Dist[(e^2\*(p + 2))/(c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && LtQ[p, -1]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 4761

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_))\*((f\_) + (g\_)\*(x\_))^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{u = IntHide[(f + g\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[Dist[1/Sqrt[1 - c^2\*x^2], u, x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2\*d + e, 0] && IGtQ[m, 0] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && (LtQ[m, -2\*p - 1] || GtQ[m, 3])

### Rule 627

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[(d + e\*x)^(m + p)\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && IntegerQ[m + p]))

### Rule 43

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_)^n\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[m, n]))

Q[7\*m + 4\*n + 4, 0] || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0]

### Rule 31

Int[((a\_) + (b\_)\*(x\_))<sup>(-1)</sup>, x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rule 4641

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))<sup>(n\_)</sup>/Sqrt[(d\_) + (e\_)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])<sup>(n + 1)</sup>/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{(d + cdx)^{3/2} (a + b \sin^{-1}(cx))}{(f - cfx)^{5/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(d+cdx)^4 (a+b \sin^{-1}(cx))}{(1-c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
 &= \frac{2d^4(1 + cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{2d^4(1 + cx) (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{c(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
 &= \frac{2d^4(1 + cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{2d^4(1 + cx) (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{c(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
 &= -\frac{bd^4 (1 - c^2x^2)^{5/2} \sin^{-1}(cx)^2}{2c(d + cdx)^{5/2} (f - cfx)^{5/2}} + \frac{2d^4(1 + cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{2d^4(1 + cx) (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{c(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
 &= -\frac{bd^4 (1 - c^2x^2)^{5/2} \sin^{-1}(cx)^2}{2c(d + cdx)^{5/2} (f - cfx)^{5/2}} + \frac{2d^4(1 + cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{2d^4(1 + cx) (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{c(d + cdx)^{5/2} (f - cfx)^{5/2}} \\
 &= -\frac{4bd^4 (1 - c^2x^2)^{5/2}}{3c(1 - cx)(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{bd^4 (1 - c^2x^2)^{5/2} \sin^{-1}(cx)^2}{2c(d + cdx)^{5/2} (f - cfx)^{5/2}} + \frac{2d^4(1 + cx)^3 (1 - c^2x^2) (a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} - \frac{2d^4(1 + cx) (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))}{c(d + cdx)^{5/2} (f - cfx)^{5/2}}
 \end{aligned}$$

**Mathematica [A]** time = 4.43157, size = 601, normalized size = 1.85

$$d \left( -12a\sqrt{d}\sqrt{f} \tan^{-1} \left( \frac{cx\sqrt{cdx+d}\sqrt{f-cfx}}{\sqrt{d}\sqrt{f}(c^2x^2-1)} \right) + \frac{16a(2cx-1)\sqrt{cdx+d}\sqrt{f-cfx}}{(cx-1)^2} + \frac{2b\sqrt{cdx+d}\sqrt{f-cfx} \left( 2 \sin \left( \frac{1}{2} \sin^{-1}(cx) \right) \left( (\sqrt{1-c^2x^2}+2) \sin^{-1}(cx) + 2(\sqrt{1-c^2x^2}-2) \sin^{-1}(cx) \right) \right)}{3c(d + cdx)^{5/2} (f - cfx)^{5/2}} \right)$$

Warning: Unable to verify antiderivative.



[In] Integrate[((d + c\*d\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/(f - c\*f\*x)^(5/2),x]

[Out] (d\*((16\*a\*(-1 + 2\*c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(-1 + c\*x)^2 - 12\*a\*Sqrt[d]\*Sqrt[f]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x])/(Sqrt[d]\*Sqrt[f]\*(-1 + c^2\*x^2))] + (2\*b\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(Cos[ArcSin[c\*x]/2]\*(-4 + 3\*ArcSin[c\*x] - 6\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])) - Cos[(3\*ArcSin[c\*x])/2]\*(ArcSin[c\*x] - 2\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])) + 2\*(2 + (2 + Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x] + 2\*(2 + Sqrt[1 - c^2\*x^2])\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2])/((Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])^4\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) + (b\*Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(Cos[ArcSin[c\*x]/2]\*(-8 - 6\*ArcSin[c\*x] + 9\*ArcSin[c\*x]^2 - 84\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])) + Cos[(3\*ArcSin[c\*x])/2]\*(-(ArcSin[c\*x]\*(14 + 3\*ArcSin[c\*x])) + 28\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])) + 2\*(4 + 2\*(2 + 7\*Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x] - 3\*(2 + Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x]^2 + 28\*(2 + Sqrt[1 - c^2\*x^2])\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2])/((Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])^4\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]))))/(12\*c\*f^3)

**Maple [F]** time = 0.232, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))(cdx + d)^{\frac{3}{2}} (-cfx + f)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(5/2),x)

[Out] int((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(5/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(acdx + ad + (bcdx + bd) \arcsin(cx))\sqrt{cdx + d}\sqrt{-cfx + f}}{c^3 f^3 x^3 - 3c^2 f^3 x^2 + 3cf^3 x - f^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(5/2),x, algorithm="fricas")

[Out] integral(-(a\*c\*d\*x + a\*d + (b\*c\*d\*x + b\*d)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)/(c^3\*f^3\*x^3 - 3\*c^2\*f^3\*x^2 + 3\*c\*f^3\*x - f^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(3/2)\*(a+b\*asin(c\*x))/(-c\*f\*x+f)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(cdx + d)^{\frac{3}{2}}(b \arcsin(cx) + a)}{(-cfx + f)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(5/2),x, algorithm="giac")

[Out] integrate((c\*d\*x + d)^(3/2)\*(b\*arcsin(c\*x) + a)/(-c\*f\*x + f)^(5/2), x)

$$3.536 \quad \int \frac{\sqrt{d+cdx}(a+b \sin^{-1}(cx))}{(f-cfx)^{5/2}} dx$$

**Optimal.** Leaf size=164

$$\frac{d^3(cx+1)^3(1-c^2x^2)(a+b \sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{2bd^3(1-c^2x^2)^{5/2}}{3c(1-cx)(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{bd^3(1-c^2x^2)^{5/2} \log(1-cx)}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

[Out]  $(-2*b*d^3*(1 - c^2*x^2)^{(5/2)})/(3*c*(1 - c*x)*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}} + (d^3*(1 + c*x)^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}} - (b*d^3*(1 - c^2*x^2)^{(5/2)*Log[1 - c*x]})/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}})$

**Rubi [A]** time = 0.256099, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4673, 651, 4761, 12, 627, 43}

$$\frac{d^3(cx+1)^3(1-c^2x^2)(a+b \sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{2bd^3(1-c^2x^2)^{5/2}}{3c(1-cx)(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{bd^3(1-c^2x^2)^{5/2} \log(1-cx)}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sqrt}[d + c*d*x]*(a + b*ArcSin[c*x]))/(f - c*f*x)^{(5/2)}, x]$

[Out]  $(-2*b*d^3*(1 - c^2*x^2)^{(5/2)})/(3*c*(1 - c*x)*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}} + (d^3*(1 + c*x)^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}} - (b*d^3*(1 - c^2*x^2)^{(5/2)*Log[1 - c*x]})/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}})$

### Rule 4673

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + (d + e*x)^p)^n, x\_Symbol] \rightarrow \text{Dist}[(d + e*x)^q*(f + g*x)^q/(1 - c^2*x^2)^q, \text{Int}[(d + e*x)^{p-q}*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]$   
 /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 651

$\text{Int}[(d + e*x)^m*(a + c*x^2)^p, x\_Symbol] \rightarrow \text{Simp}[(e*(d + e*x)^m*(a + c*x^2)^{p+1})/(2*c*d*(p+1)), x]$  /; FreeQ[{a, c, d,

$e, m, p\}, x] \&\& \text{EqQ}[c*d^2 + a*e^2, 0] \&\& \text{!IntegerQ}[p] \&\& \text{EqQ}[m + 2*p + 2, 0]$

### Rule 4761

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]*((f_.) + (g_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \text{:> With}[\{u = \text{IntHide}[(f + g*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSin}[c*x], u, x] - \text{Dist}[b*c, \text{Int}[\text{Dist}[1/\text{Sqrt}[1 - c^2*x^2], u, x], x], x]] \text{/; FreeQ}[\{a, b, c, d, e, f, g\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[m, 0] \&\& \text{ILtQ}[p + 1/2, 0] \&\& \text{GtQ}[d, 0] \&\& (\text{LtQ}[m, -2*p - 1] \text{|| GtQ}[m, 3])$

### Rule 12

$\text{Int}[(a_)*(u_), x\_Symbol] \text{:> Dist}[a, \text{Int}[u, x], x] \text{/; FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_)*(v_)] \text{/; FreeQ}[b, x]$

### Rule 627

$\text{Int}[(d_.) + (e_.)*(x_.))^{(m_.)}*((a_.) + (c_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \text{:> Int}[(d + e*x)^{(m + p)}*(a/d + (c*x)/e)^p, x] \text{/; FreeQ}[\{a, c, d, e, m, p\}, x] \&\& \text{EqQ}[c*d^2 + a*e^2, 0] \&\& (\text{IntegerQ}[p] \text{||} (\text{GtQ}[a, 0] \&\& \text{GtQ}[d, 0] \&\& \text{IntegerQ}[m + p]))$

### Rule 43

$\text{Int}[(a_.) + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x\_Symbol] \text{:> Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] \text{/; FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& (\text{!IntegerQ}[n] \text{||} (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) \text{|| LtQ}[9*m + 5*(n + 1), 0] \text{|| GtQ}[m + n + 2, 0])$

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+cdx}(a+b\sin^{-1}(cx))}{(f-cfx)^{5/2}} dx &= \frac{(1-c^2x^2)^{5/2} \int \frac{(d+cdx)^3(a+b\sin^{-1}(cx))}{(1-c^2x^2)^{5/2}} dx}{(d+cdx)^{5/2}(f-cfx)^{5/2}} \\
&= \frac{d^3(1+cx)^3(1-c^2x^2)(a+b\sin^{-1}(cx))}{3c(d+cdx)^{5/2}(f-cfx)^{5/2}} - \frac{(bc(1-c^2x^2)^{5/2}) \int \frac{d^3(1+cx)^3}{3c(1-c^2x^2)^2} dx}{(d+cdx)^{5/2}(f-cfx)^{5/2}} \\
&= \frac{d^3(1+cx)^3(1-c^2x^2)(a+b\sin^{-1}(cx))}{3c(d+cdx)^{5/2}(f-cfx)^{5/2}} - \frac{(bd^3(1-c^2x^2)^{5/2}) \int \frac{(1+cx)^3}{(1-c^2x^2)^2} dx}{3(d+cdx)^{5/2}(f-cfx)^{5/2}} \\
&= \frac{d^3(1+cx)^3(1-c^2x^2)(a+b\sin^{-1}(cx))}{3c(d+cdx)^{5/2}(f-cfx)^{5/2}} - \frac{(bd^3(1-c^2x^2)^{5/2}) \int \frac{1+cx}{(1-cx)^2} dx}{3(d+cdx)^{5/2}(f-cfx)^{5/2}} \\
&= \frac{d^3(1+cx)^3(1-c^2x^2)(a+b\sin^{-1}(cx))}{3c(d+cdx)^{5/2}(f-cfx)^{5/2}} - \frac{(bd^3(1-c^2x^2)^{5/2}) \int \left(\frac{2}{(-1+cx)^2} + \frac{1}{-1+cx}\right) dx}{3(d+cdx)^{5/2}(f-cfx)^{5/2}} \\
&= -\frac{2bd^3(1-c^2x^2)^{5/2}}{3c(1-cx)(d+cdx)^{5/2}(f-cfx)^{5/2}} + \frac{d^3(1+cx)^3(1-c^2x^2)(a+b\sin^{-1}(cx))}{3c(d+cdx)^{5/2}(f-cfx)^{5/2}} - \frac{bd^3}{3c}
\end{aligned}$$

**Mathematica [A]** time = 0.486667, size = 126, normalized size = 0.77

$$\frac{\sqrt{cdx+d}\sqrt{f-cfx}\left((cx+1)\left(a\sqrt{1-c^2x^2}+bcx-b\right)+b(cx+1)\sqrt{1-c^2x^2}\sin^{-1}(cx)-b(cx-1)^2\log(f-cfx)\right)}{3cf^3(cx-1)^2\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + c\*d\*x]\*(a + b\*ArcSin[c\*x]))/(f - c\*f\*x)^(5/2), x]

[Out] (Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*((1 + c\*x)\*(-b + b\*c\*x + a\*Sqrt[1 - c^2\*x^2]) + b\*(1 + c\*x)\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] - b\*(-1 + c\*x)^2\*Log[f - c\*f\*x]))/(3\*c\*f^3\*(-1 + c\*x)^2\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0.242, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) \sqrt{cdx+d} (-cfx+f)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(1/2)*(a+b*arcsin(c*x))/(-c*f*x+f)^(5/2),x)
```

```
[Out] int((c*d*x+d)^(1/2)*(a+b*arcsin(c*x))/(-c*f*x+f)^(5/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(1/2)*(a+b*arcsin(c*x))/(-c*f*x+f)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 3.24564, size = 1137, normalized size = 6.93

$$\left[ \frac{(bc^3fx^3 - bc^2fx^2 - bcfx + bf)\sqrt{\frac{d}{f}} \log\left(\frac{c^6dx^6 - 4c^5dx^5 + 5c^4dx^4 - 4c^2dx^2 + 4cdx + (c^4x^4 - 4c^3x^3 + 6c^2x^2 - 4cx)\sqrt{-c^2x^2 + 1}\sqrt{cdx+d}\sqrt{-cfx+f}\sqrt{\frac{d}{f}} - 2d}{c^4x^4 - 2c^3x^3 + 2cx - 1}}\right)}{6(c^4f^3x^3 - c^3f^3x^2 - c^2f^3x - c^2f^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(1/2)*(a+b*arcsin(c*x))/(-c*f*x+f)^(5/2),x, algorithm="fricas")
```

```
[Out] [1/6*((b*c^3*f*x^3 - b*c^2*f*x^2 - b*c*f*x + b*f)*sqrt(d/f)*log((c^6*d*x^6 - 4*c^5*d*x^5 + 5*c^4*d*x^4 - 4*c^2*d*x^2 + 4*c*d*x + (c^4*x^4 - 4*c^3*x^3 + 6*c^2*x^2 - 4*c*x)*sqrt(-c^2*x^2 + 1)*sqrt(c*d*x + d)*sqrt(-c*f*x + f)*sqrt(d/f) - 2*d)/(c^4*x^4 - 2*c^3*x^3 + 2*c*x - 1)) + 2*(a*c^2*x^2 - 2*sqrt(-c^2*x^2 + 1)*b*c*x + 2*a*c*x + (b*c^2*x^2 + 2*b*c*x + b)*arcsin(c*x) + a)*sqrt(c*d*x + d)*sqrt(-c*f*x + f))/(c^4*f^3*x^3 - c^3*f^3*x^2 - c^2*f^3*x + c*f^3), -1/3*((b*c^3*f*x^3 - b*c^2*f*x^2 - b*c*f*x + b*f)*sqrt(-d/f)*arctan((c^2*x^2 - 2*c*x + 2)*sqrt(-c^2*x^2 + 1)*sqrt(c*d*x + d)*sqrt(-c*f*x + f)*sqrt(-d/f)/(c^4*d*x^4 - 2*c^3*d*x^3 - c^2*d*x^2 + 2*c*d*x)) - (a*c^2*x^2 - 2*sqrt(-c^2*x^2 + 1)*b*c*x + 2*a*c*x + (b*c^2*x^2 + 2*b*c*x + b)*arcsin(c*x)
```

+ a)\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f))/(c^4\*f^3\*x^3 - c^3\*f^3\*x^2 - c^2\*f^3\*x + c\*f^3)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(1/2)\*(a+b\*asin(c\*x))/(-c\*f\*x+f)\*\*(5/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{cdx + d}(b \arcsin(cx) + a)}{(-cfx + f)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))/(-c\*f\*x+f)^(5/2), x, algorithm="giac")

[Out] integrate(sqrt(c\*d\*x + d)\*(b\*arcsin(c\*x) + a)/(-c\*f\*x + f)^(5/2), x)

$$3.537 \quad \int \frac{a+b \sin^{-1}(cx)}{\sqrt{d+cdx}(f-cfx)^{5/2}} dx$$

**Optimal.** Leaf size=265

$$\frac{d^2x(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{3(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{2d^2(cx+1)(1-c^2x^2)(a+b \sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{bd^2(1-c^2x^2)^{5/2}}{3c(1-cx)(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{bd^2(1-c^2x^2)^{5/2}}{6c(1-cx)(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

[Out]  $-(b*d^2*(1-c^2*x^2)^(5/2))/(3*c*(1-c*x)*(d+c*d*x)^(5/2)*(f-c*f*x)^(5/2)) + (2*d^2*(1+c*x)*(1-c^2*x^2)*(a+b*ArcSin[c*x]))/(3*c*(d+c*d*x)^(5/2)*(f-c*f*x)^(5/2)) + (d^2*x*(1-c^2*x^2)^2*(a+b*ArcSin[c*x]))/(3*(d+c*d*x)^(5/2)*(f-c*f*x)^(5/2)) - (b*d^2*(1-c^2*x^2)^(5/2)*ArcTanh[c*x])/(3*c*(d+c*d*x)^(5/2)*(f-c*f*x)^(5/2)) + (b*d^2*(1-c^2*x^2)^(5/2)*Log[1-c^2*x^2])/(6*c*(d+c*d*x)^(5/2)*(f-c*f*x)^(5/2))$

**Rubi [A]** time = 0.286408, antiderivative size = 265, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {4673, 653, 191, 4761, 627, 44, 207, 260}

$$\frac{d^2x(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{3(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{2d^2(cx+1)(1-c^2x^2)(a+b \sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{bd^2(1-c^2x^2)^{5/2}}{3c(1-cx)(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{bd^2(1-c^2x^2)^{5/2}}{6c(1-cx)(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(Sqrt[d + c\*d\*x]\*(f - c\*f\*x)^(5/2)), x]

[Out]  $-(b*d^2*(1-c^2*x^2)^(5/2))/(3*c*(1-c*x)*(d+c*d*x)^(5/2)*(f-c*f*x)^(5/2)) + (2*d^2*(1+c*x)*(1-c^2*x^2)*(a+b*ArcSin[c*x]))/(3*c*(d+c*d*x)^(5/2)*(f-c*f*x)^(5/2)) + (d^2*x*(1-c^2*x^2)^2*(a+b*ArcSin[c*x]))/(3*(d+c*d*x)^(5/2)*(f-c*f*x)^(5/2)) - (b*d^2*(1-c^2*x^2)^(5/2)*ArcTanh[c*x])/(3*c*(d+c*d*x)^(5/2)*(f-c*f*x)^(5/2)) + (b*d^2*(1-c^2*x^2)^(5/2)*Log[1-c^2*x^2])/(6*c*(d+c*d*x)^(5/2)*(f-c*f*x)^(5/2))$

**Rule 4673**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.))^(p\_.)\*((f\_.) + (g\_.)\*(x\_.))^(q\_.), x\_Symbol] := Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]



Rule 653

Int[((d\_) + (e\_)\*(x\_))<sup>2</sup>\*((a\_) + (c\_)\*(x\_)<sup>2</sup>)<sup>(p\_)</sup>, x\_Symbol] := Simp[(e\*(d + e\*x)\*(a + c\*x<sup>2</sup>)<sup>(p + 1)</sup>)/(c\*(p + 1)), x] - Dist[(e<sup>2</sup>\*x<sup>2</sup>)<sup>(p + 1)</sup>]/(c\*(p + 1)), Int[(a + c\*x<sup>2</sup>)<sup>(p + 1)</sup>, x], x] /; FreeQ[{a, c, d, e, p}, x] && EqQ[c\*d<sup>2</sup> + a\*e<sup>2</sup>, 0] && !IntegerQ[p] && LtQ[p, -1]

Rule 191

Int[((a\_) + (b\_)\*(x\_)<sup>(n\_)</sup>)<sup>(p\_)</sup>, x\_Symbol] := Simp[(x\*(a + b\*x<sup>n</sup>)<sup>(p + 1)</sup>]/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 4761

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_))\*((f\_) + (g\_)\*(x\_)<sup>(m\_)</sup>)\*((d\_) + (e\_)\*(x\_)<sup>2</sup>)<sup>(p\_)</sup>, x\_Symbol] := With[{u = IntHide[(f + g\*x)<sup>m</sup>\*(d + e\*x<sup>2</sup>)<sup>p</sup>, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[Dist[1/Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>], u, x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c<sup>2</sup>\*d + e, 0] && IGtQ[m, 0] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && (LtQ[m, -2\*p - 1] || GtQ[m, 3])

Rule 627

Int[((d\_) + (e\_)\*(x\_)<sup>(m\_)</sup>)\*((a\_) + (c\_)\*(x\_)<sup>2</sup>)<sup>(p\_)</sup>, x\_Symbol] := Int[(d + e\*x)<sup>(m + p)</sup>\*(a/d + (c\*x)/e)<sup>p</sup>, x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d<sup>2</sup> + a\*e<sup>2</sup>, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && IntegerQ[m + p]))

Rule 44

Int[((a\_) + (b\_)\*(x\_)<sup>(m\_)</sup>)\*((c\_) + (d\_)\*(x\_)<sup>(n\_)</sup>), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)<sup>m</sup>\*(c + d\*x)<sup>n</sup>, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 207

Int[((a\_) + (b\_)\*(x\_)<sup>2</sup>)<sup>(-1)</sup>, x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 260

Int[(x\_)<sup>(m\_)</sup>/((a\_) + (b\_)\*(x\_)<sup>(n\_)</sup>), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x<sup>n</sup>, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{\sqrt{d + cdx}(f - cfx)^{5/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(d+cdx)^2(a+b \sin^{-1}(cx))}{(1-c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= \frac{2d^2(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{d^2x(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} - \frac{(bc(1 - c^2x^2))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= \frac{2d^2(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{d^2x(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} - \frac{(2bd^2(1 - c^2x^2))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= \frac{2d^2(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{d^2x(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{bd^2(1 - c^2x^2)}{6c(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= \frac{2d^2(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{d^2x(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{bd^2(1 - c^2x^2)}{6c(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{bd^2(1 - c^2x^2)^{5/2}}{3c(1 - cx)(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{2d^2(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{d^2x(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{bd^2(1 - c^2x^2)^{5/2}}{3c(1 - cx)(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{2d^2(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{d^2x(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.462334, size = 130, normalized size = 0.49

$$\frac{\sqrt{cdx + d}\sqrt{f - cfx} \left( -(cx - 2) \left( a\sqrt{1 - c^2x^2} + bcx - b \right) - b(cx - 2)\sqrt{1 - c^2x^2} \sin^{-1}(cx) + b(cx - 1)^2 \log(f - cfx) \right)}{3cdf^3(cx - 1)^2\sqrt{1 - c^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/(Sqrt[d + c\*d\*x]\*(f - c\*f\*x)^(5/2)), x]

[Out] (Sqrt[d + c\*d\*x]\*Sqrt[f - c\*f\*x]\*(-((-2 + c\*x)\*(-b + b\*c\*x + a\*Sqrt[1 - c^2\*x^2])) - b\*(-2 + c\*x)\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + b\*(-1 + c\*x)^2\*Log[f - c\*f\*x]))/(3\*c\*d\*f^3\*(-1 + c\*x)^2\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0.229, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) \frac{1}{\sqrt{cdx + d}} (-cfx + f)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(1/2)/(-c\*f\*x+f)^(5/2),x)

[Out] int((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(1/2)/(-c\*f\*x+f)^(5/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(1/2)/(-c\*f\*x+f)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 3.43468, size = 1157, normalized size = 4.37

$$\left[ \frac{(bc^3x^3 - bc^2x^2 - bcx + b)\sqrt{df} \log\left(\frac{c^6dfx^6 - 4c^5dfx^5 + 5c^4dfx^4 - 4c^2dfx^2 + 4cdfx - (c^4x^4 - 4c^3x^3 + 6c^2x^2 - 4cx)\sqrt{-c^2x^2 + 1}\sqrt{cdx + d}\sqrt{-cfx + f}\sqrt{df} - 2}{c^4x^4 - 2c^3x^3 + 2cx - 1}\right)}{6(c^4df^3x^3 - c^3df^3x^2 - c^2df^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(1/2)/(-c\*f\*x+f)^(5/2),x, algorithm="fricas")

[Out] [1/6\*((b\*c^3\*x^3 - b\*c^2\*x^2 - b\*c\*x + b)\*sqrt(d\*f)\*log((c^6\*d\*f\*x^6 - 4\*c^5\*d\*f\*x^5 + 5\*c^4\*d\*f\*x^4 - 4\*c^2\*d\*f\*x^2 + 4\*c\*d\*f\*x - (c^4\*x^4 - 4\*c^3\*x^3 + 6\*c^2\*x^2 - 4\*c\*x)\*sqrt(-c^2\*x^2 + 1)\*sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)\*sqrt(d\*f) - 2\*d\*f)/(c^4\*x^4 - 2\*c^3\*x^3 + 2\*c\*x - 1)) - 2\*(a\*c^2\*x^2 + sqrt(-c^2\*x^2 + 1)\*b\*c\*x - a\*c\*x + (b\*c^2\*x^2 - b\*c\*x - 2\*b)\*arcsin(c\*x) - 2\*a)

```
*sqrt(c*d*x + d)*sqrt(-c*f*x + f))/(c^4*d*f^3*x^3 - c^3*d*f^3*x^2 - c^2*d*f^3*x + c*d*f^3), 1/3*((b*c^3*x^3 - b*c^2*x^2 - b*c*x + b)*sqrt(-d*f)*arctan((c^2*x^2 - 2*c*x + 2)*sqrt(-c^2*x^2 + 1)*sqrt(c*d*x + d)*sqrt(-c*f*x + f)*sqrt(-d*f)/(c^4*d*f*x^4 - 2*c^3*d*f*x^3 - c^2*d*f*x^2 + 2*c*d*f*x)) - (a*c^2*x^2 + sqrt(-c^2*x^2 + 1)*b*c*x - a*c*x + (b*c^2*x^2 - b*c*x - 2*b)*arcsin(c*x) - 2*a)*sqrt(c*d*x + d)*sqrt(-c*f*x + f))/(c^4*d*f^3*x^3 - c^3*d*f^3*x^2 - c^2*d*f^3*x + c*d*f^3)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/(c*d*x+d)**(1/2)/(-c*f*x+f)**(5/2), x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{\sqrt{cdx + d}(-cfx + f)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(c*d*x+d)^(1/2)/(-c*f*x+f)^(5/2), x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/(sqrt(c*d*x + d)*(-c*f*x + f)^(5/2)), x)
```

$$3.538 \quad \int \frac{a+b \sin^{-1}(cx)}{(d+cdx)^{3/2}(f-cfx)^{5/2}} dx$$

**Optimal.** Leaf size=255

$$\frac{2dx(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{3(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{d(cx+1)(1-c^2x^2)(a+b \sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{bd(1-c^2x^2)^{5/2}}{6c(1-cx)(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{bd(1-c^2x^2)^{5/2}}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

[Out]  $-(b*d*(1 - c^2*x^2)^{(5/2)})/(6*c*(1 - c*x)*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (d*(1 + c*x)*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (2*d*x*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(3*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) - (b*d*(1 - c^2*x^2)^{(5/2)*ArcTanh[c*x]})/(6*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (b*d*(1 - c^2*x^2)^{(5/2)*Log[1 - c^2*x^2]})/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)})$

**Rubi [A]** time = 0.252146, antiderivative size = 255, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$ , Rules used = {4673, 639, 191, 4761, 627, 44, 207, 260}

$$\frac{2dx(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{3(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{d(cx+1)(1-c^2x^2)(a+b \sin^{-1}(cx))}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{bd(1-c^2x^2)^{5/2}}{6c(1-cx)(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{bd(1-c^2x^2)^{5/2}}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*ArcSin[c*x])/((d + c*d*x)^{(3/2)*(f - c*f*x)^{(5/2)})], x]$

[Out]  $-(b*d*(1 - c^2*x^2)^{(5/2)})/(6*c*(1 - c*x)*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (d*(1 + c*x)*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (2*d*x*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(3*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) - (b*d*(1 - c^2*x^2)^{(5/2)*ArcTanh[c*x]})/(6*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (b*d*(1 - c^2*x^2)^{(5/2)*Log[1 - c^2*x^2]})/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)})$

### Rule 4673

$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)*((d_.) + (e_.)*(x_.))^{(p_.)*((f_.) + (g_.)*(x_.))^{(q_.)}, x\_Symbol] \rightarrow \text{Dist}[(d + e*x)^q*(f + g*x)^q/(1 - c^2*x^2)^q, \text{Int}[(d + e*x)^{(p - q)}*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]$   
 /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

Rule 639

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*e - c\*d\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] + Dist[(d\*(2\*p + 3))/(2\*a\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 4761

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*((f\_) + (g\_.)\*(x\_)^(m\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{u = IntHide[(f + g\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[Dist[1/Sqrt[1 - c^2\*x^2], u, x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2\*d + e, 0] && IGtQ[m, 0] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && (LtQ[m, -2\*p - 1] || GtQ[m, 3])

Rule 627

Int[((d\_) + (e\_.)\*(x\_)^(m\_.))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[(d + e\*x)^(m + p)\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && IntegerQ[m + p]))

Rule 44

Int[((a\_) + (b\_.)\*(x\_)^(m\_.))\*((c\_.) + (d\_.)\*(x\_)^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 260

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n\_.), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{(d + cdx)^{3/2}(f - cfx)^{5/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(d+cdx)(a+b \sin^{-1}(cx))}{(1-c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= \frac{d(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{2dx(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} - \frac{(bc(1 - c^2x^2))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= \frac{d(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{2dx(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} - \frac{(bd(1 - c^2x^2))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= \frac{d(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{2dx(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{bd(1 - c^2x^2)}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= \frac{d(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{2dx(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{bd(1 - c^2x^2)}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{bd(1 - c^2x^2)^{5/2}}{6c(1 - cx)(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{d(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{2dx(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{bd(1 - c^2x^2)^{5/2}}{6c(1 - cx)(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{d(1 + cx)(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{2dx(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.624456, size = 184, normalized size = 0.72

$$\frac{\sqrt{cdx + d} \left( 8ac^2x^2 - 8acx - 4a + 5bcx\sqrt{1 - c^2x^2} \log(f - cfx) + 3b(cx - 1)\sqrt{1 - c^2x^2} \log(-f(cx + 1)) - 5b\sqrt{1 - c^2x^2} \log(f(cx + 1)) \right)}{12cd^2f^2(c^2x^2 - 1)\sqrt{f - cfx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/((d + c\*d\*x)^(3/2)\*(f - c\*f\*x)^(5/2)),x]

[Out] (Sqrt[d + c\*d\*x]\*(-4\*a - 8\*a\*c\*x + 8\*a\*c^2\*x^2 + 2\*b\*Sqrt[1 - c^2\*x^2] + 4\*b\*(-1 - 2\*c\*x + 2\*c^2\*x^2)\*ArcSin[c\*x] + 3\*b\*(-1 + c\*x)\*Sqrt[1 - c^2\*x^2]\*Log[-(f\*(1 + c\*x))] - 5\*b\*Sqrt[1 - c^2\*x^2]\*Log[f - c\*f\*x] + 5\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*Log[f - c\*f\*x]))/(12\*c\*d^2\*f^2\*Sqrt[f - c\*f\*x]\*(-1 + c^2\*x^2))

---

**Maple [F]** time = 0.23, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (cdx + d)^{-\frac{3}{2}} (-cfx + f)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(3/2)/(-c\*f\*x+f)^(5/2),x)

[Out] int((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(3/2)/(-c\*f\*x+f)^(5/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(3/2)/(-c\*f\*x+f)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{cdx+d}\sqrt{-cfx+f}(b\arcsin(cx)+a)}{c^5d^2f^3x^5 - c^4d^2f^3x^4 - 2c^3d^2f^3x^3 + 2c^2d^2f^3x^2 + cd^2f^3x - d^2f^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(3/2)/(-c\*f\*x+f)^(5/2),x, algorithm="fricas")

[Out] integral(-sqrt(c\*d\*x + d)\*sqrt(-c\*f\*x + f)\*(b\*arcsin(c\*x) + a)/(c^5\*d^2\*f^3\*x^5 - c^4\*d^2\*f^3\*x^4 - 2\*c^3\*d^2\*f^3\*x^3 + 2\*c^2\*d^2\*f^3\*x^2 + c\*d^2\*f^3\*x - d^2\*f^3), x)

---



**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/(c\*d\*x+d)\*\*(3/2)/(-c\*f\*x+f)\*\*(5/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(cdx + d)^{\frac{3}{2}} (-cfx + f)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(3/2)/(-c\*f\*x+f)^(5/2), x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/((c\*d\*x + d)^(3/2)\*(-c\*f\*x + f)^(5/2)), x)

$$3.539 \quad \int \frac{a+b \sin^{-1}(cx)}{(d+cdx)^{5/2}(f-cfx)^{5/2}} dx$$

**Optimal.** Leaf size=188

$$\frac{2x(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{3(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{x(1-c^2x^2)(a+b \sin^{-1}(cx))}{3(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{b(1-c^2x^2)^{3/2}}{6c(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{b(1-c^2x^2)^{5/2} \log(1-c^2x^2)}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

[Out]  $-(b*(1 - c^2*x^2)^{(3/2)})/(6*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (x*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (2*x*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(3*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (b*(1 - c^2*x^2)^{(5/2)*Log[1 - c^2*x^2]})/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)})$

**Rubi [A]** time = 0.202007, antiderivative size = 188, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {4673, 4655, 4651, 260, 261}

$$\frac{2x(1-c^2x^2)^2(a+b \sin^{-1}(cx))}{3(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{x(1-c^2x^2)(a+b \sin^{-1}(cx))}{3(cdx+d)^{5/2}(f-cfx)^{5/2}} - \frac{b(1-c^2x^2)^{3/2}}{6c(cdx+d)^{5/2}(f-cfx)^{5/2}} + \frac{b(1-c^2x^2)^{5/2} \log(1-c^2x^2)}{3c(cdx+d)^{5/2}(f-cfx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/((d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)), x]

[Out]  $-(b*(1 - c^2*x^2)^{(3/2)})/(6*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (x*(1 - c^2*x^2)*(a + b*ArcSin[c*x]))/(3*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (2*x*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x]))/(3*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)}) + (b*(1 - c^2*x^2)^{(5/2)*Log[1 - c^2*x^2]})/(3*c*(d + c*d*x)^{(5/2)*(f - c*f*x)^{(5/2)})$

### Rule 4673

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_))^(p\_.)\*((f\_.) + (g\_.)\*(x\_))^(q\_.), x\_Symbol] := Dist[((d + e\*x)^(p - q)\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4655

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_)^2)^(p_), x_
Symbol] := -Simp[(x*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*d*(p + 1)
), x] + (Dist[(2*p + 3)/(2*d*(p + 1)), Int[(d + e*x^2)^(p + 1)*(a + b*ArcSi
n[c*x])^n, x], x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*(p
+ 1)*(1 - c^2*x^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcS
in[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0]
&& GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

```

### Rule 4651

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_)^2)^(3/2), x
_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(
b*c*n)/Sqrt[d], Int[(x*(a + b*ArcSin[c*x])^(n - 1))/(d + e*x^2), x], x] /;
FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]

```

### Rule 260

```

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n)), x_Symbol] := Simp[Log[RemoveConten
t[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

```

### Rule 261

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]

```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{(d + cdx)^{5/2}(f - cfx)^{5/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{a + b \sin^{-1}(cx)}{(1 - c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{\left(2(1 - c^2x^2)^{5/2}\right) \int \frac{a + b \sin^{-1}(cx)}{(1 - c^2x^2)^{3/2}} dx}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} - \frac{(bc(1 - c^2x^2)^{5/2})}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{b(1 - c^2x^2)^{3/2}}{6c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{2x(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} \\
&= -\frac{b(1 - c^2x^2)^{3/2}}{6c(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}} + \frac{2x(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(f - cfx)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.582059, size = 178, normalized size = 0.95

$$\frac{\sqrt{cdx+d} \left( 4ac^3x^3 - 6acx + 2bc^2x^2\sqrt{1-c^2x^2} \log(f-cfx) - 2b(1-c^2x^2)^{3/2} \log(-f(cx+1)) - 2b\sqrt{1-c^2x^2} \log(f-cfx) \right)}{6cd^3(cx-1)\sqrt{f-cfx}(cfx+f)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])/((d + c\*d\*x)^(5/2)\*(f - c\*f\*x)^(5/2)), x]

[Out] (Sqrt[d + c\*d\*x]\*(-6\*a\*c\*x + 4\*a\*c^3\*x^3 + b\*Sqrt[1 - c^2\*x^2] + 2\*b\*c\*x\*(-3 + 2\*c^2\*x^2)\*ArcSin[c\*x] - 2\*b\*(1 - c^2\*x^2)^(3/2)\*Log[-(f\*(1 + c\*x))] - 2\*b\*Sqrt[1 - c^2\*x^2]\*Log[f - c\*f\*x] + 2\*b\*c^2\*x^2\*Sqrt[1 - c^2\*x^2]\*Log[f - c\*f\*x]))/(6\*c\*d^3\*(-1 + c\*x)\*Sqrt[f - c\*f\*x]\*(f + c\*f\*x)^2)

**Maple [F]** time = 0.228, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (cdx + d)^{-\frac{5}{2}} (-cfx + f)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(5/2)/(-c\*f\*x+f)^(5/2), x)

[Out] int((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(5/2)/(-c\*f\*x+f)^(5/2), x)

**Maxima [A]** time = 1.5401, size = 239, normalized size = 1.27

$$\frac{1}{6}bc \left( \frac{1}{c^4d^{\frac{5}{2}}f^{\frac{5}{2}}x^2 - c^2d^{\frac{5}{2}}f^{\frac{5}{2}}} + \frac{2 \log(cx+1)}{c^2d^{\frac{5}{2}}f^{\frac{5}{2}}} + \frac{2 \log(cx-1)}{c^2d^{\frac{5}{2}}f^{\frac{5}{2}}} \right) + \frac{1}{3}b \left( \frac{x}{(-c^2dfx^2 + df)^{\frac{3}{2}}df} + \frac{2x}{\sqrt{-c^2dfx^2 + df}d^2f^2} \right) \arcsin$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(c\*d\*x+d)^(5/2)/(-c\*f\*x+f)^(5/2), x, algorithm="maxima")

[Out] 1/6\*b\*c\*(1/(c^4\*d^(5/2)\*f^(5/2)\*x^2 - c^2\*d^(5/2)\*f^(5/2)) + 2\*log(c\*x + 1)/(c^2\*d^(5/2)\*f^(5/2)) + 2\*log(c\*x - 1)/(c^2\*d^(5/2)\*f^(5/2))) + 1/3\*b\*(x/(

$$(-c^2 d f x^2 + d f)^{(3/2)} d f + 2 x / (\sqrt{-c^2 d f x^2 + d f} d^2 f^2) a \operatorname{rcsin}(c x) + 1/3 a (x / ((-c^2 d f x^2 + d f)^{(3/2)} d f) + 2 x / (\sqrt{-c^2 d f x^2 + d f} d^2 f^2))$$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left( \frac{\sqrt{c d x + d} \sqrt{-c f x + f} (b \operatorname{arcsin}(c x) + a)}{c^6 d^3 f^3 x^6 - 3 c^4 d^3 f^3 x^4 + 3 c^2 d^3 f^3 x^2 - d^3 f^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(c*d*x+d)^(5/2)/(-c*f*x+f)^(5/2),x, algorithm="fricas")
```

```
[Out] integral(-sqrt(c*d*x + d)*sqrt(-c*f*x + f)*(b*arcsin(c*x) + a)/(c^6*d^3*f^3*x^6 - 3*c^4*d^3*f^3*x^4 + 3*c^2*d^3*f^3*x^2 - d^3*f^3), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/(c*d*x+d)**(5/2)/(-c*f*x+f)**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsin}(c x) + a}{(c d x + d)^{\frac{5}{2}} (-c f x + f)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(c*d*x+d)^(5/2)/(-c*f*x+f)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/((c*d*x + d)^(5/2)*(-c*f*x + f)^(5/2)), x)
```

$$3.540 \quad \int (d + cdx)^{5/2} \sqrt{e - cex} \left( a + b \sin^{-1}(cx) \right)^2 dx$$

**Optimal.** Leaf size=613

$$\frac{bc^3d^2x^4\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{8\sqrt{1-c^2x^2}} + \frac{1}{4}c^2d^2x^3\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))^2 - \frac{4bc^2d^2x^3\sqrt{cdx+d}\sqrt{e-cex}}{9\sqrt{1-c^2x^2}}$$

[Out] (8\*b^2\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(9\*c) - (15\*b^2\*d^2\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/64 - (b^2\*c^2\*d^2\*x^3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/32 + (4\*b^2\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(1 - c^2\*x^2))/(27\*c) + (15\*b^2\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x])/(64\*c\*Sqrt[1 - c^2\*x^2]) + (4\*b\*d^2\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(3\*Sqrt[1 - c^2\*x^2]) - (3\*b\*c\*d^2\*x^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(8\*Sqrt[1 - c^2\*x^2]) - (4\*b\*c^2\*d^2\*x^3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(9\*Sqrt[1 - c^2\*x^2]) - (b\*c^3\*d^2\*x^4\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(8\*Sqrt[1 - c^2\*x^2]) + (3\*d^2\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2)/8 + (c^2\*d^2\*x^3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2)/4 - (2\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*c) + (5\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^3)/(24\*b\*c\*Sqrt[1 - c^2\*x^2])

**Rubi [A]** time = 1.00997, antiderivative size = 613, normalized size of antiderivative = 1., number of steps used = 23, number of rules used = 13, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.406$ , Rules used = {4673, 4763, 4647, 4641, 4627, 321, 216, 4677, 4645, 444, 43, 4697, 4707}

$$\frac{bc^3d^2x^4\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{8\sqrt{1-c^2x^2}} + \frac{1}{4}c^2d^2x^3\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))^2 - \frac{4bc^2d^2x^3\sqrt{cdx+d}\sqrt{e-cex}}{9\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(d + c\*d\*x)^(5/2)\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (8\*b^2\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(9\*c) - (15\*b^2\*d^2\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/64 - (b^2\*c^2\*d^2\*x^3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/32 + (4\*b^2\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(1 - c^2\*x^2))/(27\*c) + (15\*b^2\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x])/(64\*c\*Sqrt[1 - c^2\*x^2]) + (4\*b\*d^2\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(3\*Sqrt[1 - c^2\*x^2]) - (3\*b\*c\*d^2\*x^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(8\*Sqrt[1 - c^2\*x^2]) - (4\*b\*c^2\*d^2\*x^3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(9\*Sqrt[1 - c^2\*x^2]) - (b\*c^3\*d^2\*x^4\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(8\*Sqrt[1 - c^2\*x^2]) + (3\*d^2\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2)/8 + (c^2\*d^2\*x^3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2)/4 - (2\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*c) + (5\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^3)/(24\*b\*c\*Sqrt[1 - c^2\*x^2])

$$\begin{aligned} & \text{rt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])/(9*\text{Sqrt}[1 - c^2*x^2]) - (b*c^3*d^2*x^4*\text{S} \\ & \text{qrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])/(8*\text{Sqrt}[1 - c^2*x^2]) + \\ & (3*d^2*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^2)/8 + (c^2*d \\ & ^2*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^2)/4 - (2*d^2*\text{S} \\ & \text{qrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/(3*c) + \\ & (5*d^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^3)/(24*b*c*\text{Sqrt}[ \\ & 1 - c^2*x^2]) \end{aligned}$$
Rule 4673

$$\begin{aligned} & \text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)*((d_.) + (e_.)*(x_.))^{(p_.)*((f_.) \\ & + (g_.)*(x_.))^{(q_.)}, x\_Symbol] \text{:>} \text{Dist}[(d + e*x)^q*(f + g*x)^q/(1 - c^2*x \\ & ^2)^q, \text{Int}[(d + e*x)^{(p - q)}*(1 - c^2*x^2)^q*(a + b*\text{ArcSin}[c*x])^n, x], x] \\ & /; \text{FreeQ}[\{a, b, c, d, e, f, g, n\}, x] \ \&\& \ \text{EqQ}[e*f + d*g, 0] \ \&\& \ \text{EqQ}[c^2*d^2 - \\ & e^2, 0] \ \&\& \ \text{HalfIntegerQ}[p, q] \ \&\& \ \text{GeQ}[p - q, 0] \end{aligned}$$
Rule 4763

$$\begin{aligned} & \text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)*((f_.) + (g_.)*(x_.))^{(m_.)*((d_.) \\ & + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \text{:>} \text{Int}[\text{ExpandIntegrand}[(d + e*x^2)^p*(a + \\ & b*\text{ArcSin}[c*x])^n, (f + g*x)^m, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g\}, x] \ \& \\ & \ \& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{IntegerQ}[p + 1/2] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ \text{IGtQ} \\ & [n, 0] \ \&\& \ (m == 1 \ || \ p > 0 \ || \ (n == 1 \ \&\& \ p > -1) \ || \ (m == 2 \ \&\& \ p < -2)) \end{aligned}$$
Rule 4647

$$\begin{aligned} & \text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)*\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_S \\ & \text{ymbol}] \text{:>} \text{Simp}[(x*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n)/2, x] + (\text{Dist}[\text{Sqrt} \\ & [d + e*x^2]/(2*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[1 - c^2*x \\ & ^2], x], x] - \text{Dist}[(b*c*n*\text{Sqrt}[d + e*x^2])/(2*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[x*(a \\ & + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x]) /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2*d \\ & + e, 0] \ \&\& \ \text{GtQ}[n, 0] \end{aligned}$$
Rule 4641

$$\begin{aligned} & \text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_S \\ & \text{ymbol}] \text{:>} \text{Simp}[(a + b*\text{ArcSin}[c*x])^{(n + 1)}/(b*c*\text{Sqrt}[d]*(n + 1)), x] /; \text{Fre} \\ & \text{eQ}[\{a, b, c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ \text{NeQ}[n, -1] \end{aligned}$$
Rule 4627

$$\begin{aligned} & \text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)*((d_.)*(x_.))^{(m_.)}, x\_Symbol] \\ & \text{:>} \text{Simp}[(d*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^n/(d*(m + 1)), x] - \text{Dist}[(b*c*n \\ & )/(d*(m + 1)), \text{Int}[(d*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}/\text{Sqrt}[1 - c^2 \end{aligned}$$



$*x^2]$ ,  $x]$ ,  $x]$  /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 321

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 4645

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

### Rule 444

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n + 1, 0]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_)^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 4697

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*Sqrt[(d_ +
(e_.)*(x_)^2], x_Symbol] :> Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcS
in[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x
^2]), Int[((f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] - Dist[
(b*c*n*Sqrt[d + e*x^2])/(f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && Eq
Q[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

```

Rule 4707

```

Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_))/Sqrt[(d_
+ (e_.)*(x_)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]

```

Rubi steps

$$\begin{aligned}
\int (d + cdx)^{5/2} \sqrt{e - cex} (a + b \sin^{-1}(cx))^2 dx &= \frac{(\sqrt{d + cdx} \sqrt{e - cex}) \int (d + cdx)^2 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2 dx}{\sqrt{1 - c^2x^2}} \\
&= \frac{(\sqrt{d + cdx} \sqrt{e - cex}) \int (d^2 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2 + 2cd^2x \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx)) dx}{\sqrt{1 - c^2x^2}} \\
&= \frac{(d^2 \sqrt{d + cdx} \sqrt{e - cex}) \int \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2 dx}{\sqrt{1 - c^2x^2}} + \frac{(2cd^2 \sqrt{d + cdx} \sqrt{e - cex}) \int \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx)) dx}{\sqrt{1 - c^2x^2}} \\
&= \frac{1}{2} d^2 x \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))^2 + \frac{1}{4} c^2 d^2 x^3 \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx)) \\
&\quad - \frac{4bd^2x \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{3\sqrt{1 - c^2x^2}} - \frac{bcd^2x^2 \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2x^2}} \\
&= -\frac{1}{4} b^2 d^2 x \sqrt{d + cdx} \sqrt{e - cex} - \frac{1}{32} b^2 c^2 d^2 x^3 \sqrt{d + cdx} \sqrt{e - cex} + \frac{4bd^2x \sqrt{d + cdx} \sqrt{e - cex}}{3\sqrt{1 - c^2x^2}} \\
&= -\frac{15}{64} b^2 d^2 x \sqrt{d + cdx} \sqrt{e - cex} - \frac{1}{32} b^2 c^2 d^2 x^3 \sqrt{d + cdx} \sqrt{e - cex} + \frac{b^2 d^2 \sqrt{d + cdx} \sqrt{e - cex}}{3\sqrt{1 - c^2x^2}} \\
&= \frac{8b^2 d^2 \sqrt{d + cdx} \sqrt{e - cex}}{9c} - \frac{15}{64} b^2 d^2 x \sqrt{d + cdx} \sqrt{e - cex} - \frac{1}{32} b^2 c^2 d^2 x^3 \sqrt{d + cdx} \sqrt{e - cex}
\end{aligned}$$

**Mathematica [A]** time = 2.29064, size = 555, normalized size = 0.91

$$d^2 \sqrt{cdx + d} \sqrt{e - cex} \left( 3 \left( 576a^2c^3x^3 \sqrt{1 - c^2x^2} + 1536a^2c^2x^2 \sqrt{1 - c^2x^2} + 864a^2cx \sqrt{1 - c^2x^2} - 1536a^2 \sqrt{1 - c^2x^2} - 1024ab \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + c\*d\*x)^(5/2)\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (1440\*b^2\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^3 - 4320\*a^2\*d^(5/2)\*Sqrt[e]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))] + 12\*b\*d^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]\*(576\*b\*c\*x - 768\*a\*Sqrt[1 - c^2\*x^2] + 768\*a\*c^2\*x^2\*Sqrt[1 - c^2\*x^2] + 144\*b\*Cos[2\*ArcSin[c\*x]] - 9\*b\*Cos[4\*ArcSin[c\*x]] + 288\*a\*Ssin[2

```
*ArcSin[c*x]] + 64*b*Sin[3*ArcSin[c*x]] - 36*a*Sin[4*ArcSin[c*x]]) - 72*b*d
^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x]^2*(-60*a + 48*b*Sqrt[1 - c^2
*x^2] + 16*b*Cos[3*ArcSin[c*x]] - 24*b*Sin[2*ArcSin[c*x]] + 3*b*Sin[4*ArcSi
n[c*x]]) + d^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(1728*a*b*Cos[2*ArcSin[c*x]]
+ 256*b^2*Cos[3*ArcSin[c*x]] + 3*(3072*a*b*c*x - 1024*a*b*c^3*x^3 - 1536*a
^2*Sqrt[1 - c^2*x^2] + 2304*b^2*Sqrt[1 - c^2*x^2] + 864*a^2*c*x*Sqrt[1 - c^
2*x^2] + 1536*a^2*c^2*x^2*Sqrt[1 - c^2*x^2] + 576*a^2*c^3*x^3*Sqrt[1 - c^2*
x^2] - 36*a*b*Cos[4*ArcSin[c*x]] - 288*b^2*Sin[2*ArcSin[c*x]] + 9*b^2*Sin[4
*ArcSin[c*x]])))/(6912*c*Sqrt[1 - c^2*x^2])
```

**Maple [F]** time = 0.311, size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{5}{2}} (a + b \arcsin(cx))^2 \sqrt{-cex + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))^2*(-c*e*x+e)^(1/2),x)
```

```
[Out] int((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))^2*(-c*e*x+e)^(1/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))^2*(-c*e*x+e)^(1/2),x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

```
integral((a^2*c^2*d^2*x^2 + 2*a^2*c*d^2*x + a^2*d^2 + (b^2*c^2*d^2*x^2 + 2*b^2*c*d^2*x + b^2*d^2) arcsin(cx))^2 + 2*(abc^2*d^2*x^2 + 2*abcd^2*x + abd^2) arcsin(cx), x)
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))^2*(-c*e*x+e)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((a^2*c^2*d^2*x^2 + 2*a^2*c*d^2*x + a^2*d^2 + (b^2*c^2*d^2*x^2 + 2*b^2*c*d^2*x + b^2*d^2)*arcsin(c*x)^2 + 2*(a*b*c^2*d^2*x^2 + 2*a*b*c*d^2*x + a*b*d^2)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*e*x + e), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(5/2)*(a+b*asin(c*x))**2*(-c*e*x+e)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{5}{2}} \sqrt{-cex + e} (b \arcsin(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))^2*(-c*e*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((c*d*x + d)^(5/2)*sqrt(-c*e*x + e)*(b*arcsin(c*x) + a)^2, x)
```

$$3.541 \quad \int (d + cdx)^{3/2} \sqrt{e - cex} \left( a + b \sin^{-1}(cx) \right)^2 dx$$

**Optimal.** Leaf size=455

$$\frac{2bc^2dx^3\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{9\sqrt{1-c^2x^2}} - \frac{bcdx^2\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{2\sqrt{1-c^2x^2}} + \frac{2bdx\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{3\sqrt{1-c^2x^2}}$$

[Out] (4\*b^2\*d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(9\*c) - (b^2\*d\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/4 + (2\*b^2\*d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(1 - c^2\*x^2))/(27\*c) + (b^2\*d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x])/(4\*c\*Sqrt[1 - c^2\*x^2]) + (2\*b\*d\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(3\*Sqrt[1 - c^2\*x^2]) - (b\*c\*d\*x^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(2\*Sqrt[1 - c^2\*x^2]) - (2\*b\*c^2\*d\*x^3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(9\*Sqrt[1 - c^2\*x^2]) + (d\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2)/2 - (d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*c) + (d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^3)/(6\*b\*c\*Sqrt[1 - c^2\*x^2])

**Rubi [A]** time = 0.571039, antiderivative size = 455, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 11, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.344$ , Rules used = {4673, 4763, 4647, 4641, 4627, 321, 216, 4677, 4645, 444, 43}

$$\frac{2bc^2dx^3\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{9\sqrt{1-c^2x^2}} - \frac{bcdx^2\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{2\sqrt{1-c^2x^2}} + \frac{2bdx\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{3\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(d + c\*d\*x)^(3/2)\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (4\*b^2\*d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(9\*c) - (b^2\*d\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/4 + (2\*b^2\*d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(1 - c^2\*x^2))/(27\*c) + (b^2\*d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x])/(4\*c\*Sqrt[1 - c^2\*x^2]) + (2\*b\*d\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(3\*Sqrt[1 - c^2\*x^2]) - (b\*c\*d\*x^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(2\*Sqrt[1 - c^2\*x^2]) - (2\*b\*c^2\*d\*x^3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(9\*Sqrt[1 - c^2\*x^2]) + (d\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2)/2 - (d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*c) + (d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^3)/(6\*b\*c\*Sqrt[1 - c^2\*x^2])

Rule 4673

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_))^(p_.)*((f_)
+ (g_.)*(x_))^(q_), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

Rule 4763

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_) + (g_.)*(x_))^(m_.)*((d_
) + (e_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^p*(a +
b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] &
& EqQ[c^2*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ
[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))
```

Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt
[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x
^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d
+ e, 0] && GtQ[n, 0]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 321

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
```

+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 4677

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)\*(x\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 4645

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^p\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{u = IntHide[(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

### Rule 444

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n + 1, 0]

### Rule 43

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rubi steps



$$\begin{aligned}
\int (d + cdx)^{3/2} \sqrt{e - cex} (a + b \sin^{-1}(cx))^2 dx &= \frac{(\sqrt{d + cdx} \sqrt{e - cex}) \int (d + cdx) \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2 dx}{\sqrt{1 - c^2 x^2}} \\
&= \frac{(\sqrt{d + cdx} \sqrt{e - cex}) \int \left( d \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2 + cdx \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) \right) dx}{\sqrt{1 - c^2 x^2}} \\
&= \frac{(d \sqrt{d + cdx} \sqrt{e - cex}) \int \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2 dx}{\sqrt{1 - c^2 x^2}} + \frac{(cd \sqrt{d + cdx} \sqrt{e - cex}) \int \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx)) dx}{\sqrt{1 - c^2 x^2}} \\
&= \frac{1}{2} dx \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))^2 - \frac{d \sqrt{d + cdx} \sqrt{e - cex} (1 - c^2 x^2)}{3c} \\
&= \frac{2bdx \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{3\sqrt{1 - c^2 x^2}} - \frac{bcdx^2 \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2 x^2}} \\
&= -\frac{1}{4} b^2 dx \sqrt{d + cdx} \sqrt{e - cex} + \frac{2bdx \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{3\sqrt{1 - c^2 x^2}} \\
&= -\frac{1}{4} b^2 dx \sqrt{d + cdx} \sqrt{e - cex} + \frac{b^2 d \sqrt{d + cdx} \sqrt{e - cex} \sin^{-1}(cx)}{4c \sqrt{1 - c^2 x^2}} + \frac{2bdx \sqrt{d + cdx} \sqrt{e - cex}}{27c} \\
&= \frac{4b^2 d \sqrt{d + cdx} \sqrt{e - cex}}{9c} - \frac{1}{4} b^2 dx \sqrt{d + cdx} \sqrt{e - cex} + \frac{2b^2 d \sqrt{d + cdx} \sqrt{e - cex}}{27c}
\end{aligned}$$

**Mathematica [A]** time = 1.78636, size = 437, normalized size = 0.96

$$d \sqrt{cdx + d} \sqrt{e - cex} \left( 12 \left( 3a^2 \sqrt{1 - c^2 x^2} (2c^2 x^2 + 3cx - 2) - 4abcx (c^2 x^2 - 3) + 9b^2 \sqrt{1 - c^2 x^2} \right) + 54ab \cos(2 \sin^{-1}(cx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + c\*d\*x)^(3/2)\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (36\*b^2\*d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^3 - 108\*a^2\*d^(3/2)\*Sqrt[e]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))] - 18\*b\*d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^2\*(-6\*a + 3\*b\*Sqrt[1 - c^2\*x^2] + b\*Cos[3\*ArcSin[c\*x]]) - 3\*b\*Sin[2\*ArcSin[c\*x]]) + d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(12\*(9\*b^2\*Sqrt[1 - c^2\*x^2]

```
2] - 4*a*b*c*x*(-3 + c^2*x^2) + 3*a^2*Sqrt[1 - c^2*x^2]*(-2 + 3*c*x + 2*c^2
*x^2)) + 54*a*b*Cos[2*ArcSin[c*x]] + 4*b^2*Cos[3*ArcSin[c*x]] - 27*b^2*Sin[
2*ArcSin[c*x]] + 6*b*d*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x]*(9*b*Co
s[2*ArcSin[c*x]] + 2*(9*b*c*x - 12*a*Sqrt[1 - c^2*x^2] + 12*a*c^2*x^2*Sqrt[
1 - c^2*x^2] + 9*a*Sin[2*ArcSin[c*x]] + b*Sin[3*ArcSin[c*x]])))/(216*c*Sqrt
[1 - c^2*x^2])
```

**Maple [F]** time = 0.262, size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{3}{2}} (a + b \arcsin(cx))^2 \sqrt{-cex + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))^2*(-c*e*x+e)^(1/2),x)
```

```
[Out] int((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))^2*(-c*e*x+e)^(1/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))^2*(-c*e*x+e)^(1/2),x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(a^2cdx + a^2d + (b^2cdx + b^2d) \arcsin(cx)^2 + 2(abc dx + abd) \arcsin(cx)\right) \sqrt{cdx + d} \sqrt{-cex + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))^2*(-c*e*x+e)^(1/2),x, algorithm
="fricas")
```

```
[Out] integral((a^2*c*d*x + a^2*d + (b^2*c*d*x + b^2*d)*arcsin(c*x)^2 + 2*(a*b*c*d*x + a*b*d)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*e*x + e), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(3/2)*(a+b*asin(c*x))**2*(-c*e*x+e)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{3}{2}} \sqrt{-cex + e} (b \arcsin(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))^2*(-c*e*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((c*d*x + d)^(3/2)*sqrt(-c*e*x + e)*(b*arcsin(c*x) + a)^2, x)
```

### 3.542 $\int \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))^2 dx$

**Optimal.** Leaf size=222

$$\frac{\sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))^3}{6bc\sqrt{1 - c^2x^2}} - \frac{bcx^2 \sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2x^2}} + \frac{1}{2} x \sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))$$

```
[Out] -(b^2*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/4 + (b^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x])/(4*c*Sqrt[1 - c^2*x^2]) - (b*c*x^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x]))/(2*Sqrt[1 - c^2*x^2]) + (x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/2 + (Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^3)/(6*b*c*Sqrt[1 - c^2*x^2])
```

**Rubi [A]** time = 0.298865, antiderivative size = 222, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {4673, 4647, 4641, 4627, 321, 216}

$$\frac{\sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))^3}{6bc\sqrt{1 - c^2x^2}} - \frac{bcx^2 \sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2x^2}} + \frac{1}{2} x \sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2,x]
```

```
[Out] -(b^2*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/4 + (b^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x])/(4*c*Sqrt[1 - c^2*x^2]) - (b*c*x^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x]))/(2*Sqrt[1 - c^2*x^2]) + (x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/2 + (Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^3)/(6*b*c*Sqrt[1 - c^2*x^2])
```

#### Rule 4673

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^ (n_.)*((d_.) + (e_.)*(x_))^(p_.)*((f_.) + (g_.)*(x_))^(q_.), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

#### Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
```

#### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

#### Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

#### Rule 321

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol]
:> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol]
:> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

#### Rubi steps

$$\begin{aligned}
\int \sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))^2 dx &= \frac{(\sqrt{d+cdx}\sqrt{e-cex}) \int \sqrt{1-c^2x^2} (a+b\sin^{-1}(cx))^2 dx}{\sqrt{1-c^2x^2}} \\
&= \frac{1}{2}x\sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))^2 + \frac{(\sqrt{d+cdx}\sqrt{e-cex}) \int \frac{(a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{2\sqrt{1-c^2x^2}} \\
&= -\frac{bcx^2\sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))}{2\sqrt{1-c^2x^2}} + \frac{1}{2}x\sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx)) \\
&= -\frac{1}{4}b^2x\sqrt{d+cdx}\sqrt{e-cex} - \frac{bcx^2\sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))}{2\sqrt{1-c^2x^2}} + \frac{1}{2}x\sqrt{d+cdx}\sqrt{e-cex} \\
&= -\frac{1}{4}b^2x\sqrt{d+cdx}\sqrt{e-cex} + \frac{b^2\sqrt{d+cdx}\sqrt{e-cex}\sin^{-1}(cx)}{4c\sqrt{1-c^2x^2}} - \frac{bcx^2\sqrt{d+cdx}\sqrt{e-cex}}{2\sqrt{1-c^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 1.01271, size = 288, normalized size = 1.3

$$3\sqrt{cdx+d}\sqrt{e-cex} \left( 4a^2cx\sqrt{1-c^2x^2} + 2ab \cos(2\sin^{-1}(cx)) - b^2 \sin(2\sin^{-1}(cx)) \right) - 12a^2\sqrt{d}\sqrt{e}\sqrt{1-c^2x^2} \tan^{-1}\left(\frac{cx\sqrt{cdx+d}}{\sqrt{d}\sqrt{e-cex}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (4\*b^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^3 - 12\*a^2\*Sqrt[d]\*Sqrt[e]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))] + 6\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]\*(b\*Cos[2\*ArcSin[c\*x]] + 2\*a\*Sin[2\*ArcSin[c\*x]]) + 6\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^2\*(2\*a + b\*Sin[2\*ArcSin[c\*x]]) + 3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(4\*a^2\*c\*x\*Sqrt[1 - c^2\*x^2] + 2\*a\*b\*Cos[2\*ArcSin[c\*x]] - b^2\*Sin[2\*ArcSin[c\*x]]))/(24\*c\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0.266, size = 0, normalized size = 0.

$$\int \sqrt{cdx+d}\sqrt{-cex+e} (a+b\arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2,x)
```

```
[Out] int((c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2,x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2,x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2\right)\sqrt{cdx + d}\sqrt{-cex + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2,x, algorithm
="fricas")
```

```
[Out] integral((b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*sqrt(c*d*x + d)*sqrt
(-c*e*x + e), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{d(cx+1)}\sqrt{-e(cx-1)}(a+b\text{asin}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(1/2)*(-c*e*x+e)**(1/2)*(a+b*asin(c*x))**2,x)
```

[Out] Integral(sqrt(d\*(c\*x + 1))\*sqrt(-e\*(c\*x - 1))\*(a + b\*asin(c\*x))\*\*2, x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{cdx + d}\sqrt{-cex + e}(b \arcsin(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(1/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)\*(b\*arcsin(c\*x) + a)^2, x)



$$3.543 \quad \int \frac{\sqrt{e-cex}(a+b \sin^{-1}(cx))^2}{\sqrt{d+cdx}} dx$$

**Optimal.** Leaf size=230

$$-\frac{2abex\sqrt{1-c^2x^2}}{\sqrt{cdx+d}\sqrt{e-cex}} + \frac{e\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^3}{3bc\sqrt{cdx+d}\sqrt{e-cex}} + \frac{e(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c\sqrt{cdx+d}\sqrt{e-cex}} - \frac{2b^2e(1-c^2x^2)}{c\sqrt{cdx+d}\sqrt{e-cex}} - \frac{2b^2ex\sqrt{1-c^2x^2}}{\sqrt{cdx+d}}$$

[Out]  $(-2*a*b*e*x*\text{Sqrt}[1 - c^2*x^2]) / (\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) - (2*b^2*e*(1 - c^2*x^2)) / (c*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) - (2*b^2*e*x*\text{Sqrt}[1 - c^2*x^2]*\text{ArcSin}[c*x]) / (\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) + (e*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2) / (c*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) + (e*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^3) / (3*b*c*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])$

**Rubi [A]** time = 0.44103, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {4673, 4763, 4641, 4677, 4619, 261}

$$-\frac{2abex\sqrt{1-c^2x^2}}{\sqrt{cdx+d}\sqrt{e-cex}} + \frac{e\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^3}{3bc\sqrt{cdx+d}\sqrt{e-cex}} + \frac{e(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c\sqrt{cdx+d}\sqrt{e-cex}} - \frac{2b^2e(1-c^2x^2)}{c\sqrt{cdx+d}\sqrt{e-cex}} - \frac{2b^2ex\sqrt{1-c^2x^2}}{\sqrt{cdx+d}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^2)/\text{Sqrt}[d + c*d*x], x]$

[Out]  $(-2*a*b*e*x*\text{Sqrt}[1 - c^2*x^2]) / (\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) - (2*b^2*e*(1 - c^2*x^2)) / (c*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) - (2*b^2*e*x*\text{Sqrt}[1 - c^2*x^2]*\text{ArcSin}[c*x]) / (\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) + (e*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2) / (c*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) + (e*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^3) / (3*b*c*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])$

### Rule 4673

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + \text{Sqrt}[d + c*d*x])^n*(e + f*x)^p*(g + h*x)^q, x\_Symbol] \rightarrow \text{Dist}[(d + e*x)^q*(f + g*x)^q/(1 - c^2*x^2)^q, \text{Int}[(d + e*x)^{p-q}*(1 - c^2*x^2)^q*(a + b*\text{ArcSin}[c*x])^n, x], x]$   
 /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4763

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.) + (g_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))
```

#### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_.) + (e_.)*(x_.)^2], x_Symbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

#### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d*IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

#### Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

#### Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{e-cex} (a+b \sin^{-1}(cx))^2}{\sqrt{d+cdx}} dx &= \frac{\sqrt{1-c^2x^2} \int \frac{(e-cex)(a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{\sqrt{d+cdx}\sqrt{e-cex}} \\
&= \frac{\sqrt{1-c^2x^2} \int \left( \frac{e(a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} - \frac{cex(a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} \right) dx}{\sqrt{d+cdx}\sqrt{e-cex}} \\
&= \frac{(e\sqrt{1-c^2x^2}) \int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{\sqrt{d+cdx}\sqrt{e-cex}} - \frac{(ce\sqrt{1-c^2x^2}) \int \frac{x(a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{\sqrt{d+cdx}\sqrt{e-cex}} \\
&= \frac{e(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c\sqrt{d+cdx}\sqrt{e-cex}} + \frac{e\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^3}{3bc\sqrt{d+cdx}\sqrt{e-cex}} - \frac{(2be\sqrt{1-c^2x^2}) \int}{\sqrt{d+cdx}} \\
&= -\frac{2abex\sqrt{1-c^2x^2}}{\sqrt{d+cdx}\sqrt{e-cex}} + \frac{e(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c\sqrt{d+cdx}\sqrt{e-cex}} + \frac{e\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))}{3bc\sqrt{d+cdx}\sqrt{e-cex}} \\
&= -\frac{2abex\sqrt{1-c^2x^2}}{\sqrt{d+cdx}\sqrt{e-cex}} - \frac{2b^2ex\sqrt{1-c^2x^2} \sin^{-1}(cx)}{\sqrt{d+cdx}\sqrt{e-cex}} + \frac{e(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c\sqrt{d+cdx}\sqrt{e-cex}} + \\
&= -\frac{2abex\sqrt{1-c^2x^2}}{\sqrt{d+cdx}\sqrt{e-cex}} - \frac{2b^2e(1-c^2x^2)}{c\sqrt{d+cdx}\sqrt{e-cex}} - \frac{2b^2ex\sqrt{1-c^2x^2} \sin^{-1}(cx)}{\sqrt{d+cdx}\sqrt{e-cex}} + \frac{e(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c\sqrt{d+cdx}\sqrt{e-cex}}
\end{aligned}$$

**Mathematica [A]** time = 1.14844, size = 296, normalized size = 1.29

$$3\sqrt{cdx+d}\sqrt{e-cex} \left( a^2\sqrt{1-c^2x^2} - 2abcx - 2b^2\sqrt{1-c^2x^2} \right) - 3a^2\sqrt{d}\sqrt{e}\sqrt{1-c^2x^2} \tan^{-1} \left( \frac{cx\sqrt{cdx+d}\sqrt{e-cex}}{\sqrt{d}\sqrt{e}(c^2x^2-1)} \right) + 3b\sqrt{cdx+d}\sqrt{e-cex}$$

3cdV

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2)/Sqrt[d + c\*d\*x], x]

[Out] (3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(-2\*a\*b\*c\*x + a^2\*Sqrt[1 - c^2\*x^2] - 2\*b^2\*Sqrt[1 - c^2\*x^2]) - 6\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(b\*c\*x - a\*Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x] + 3\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x]^2 + b^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^3 - 3\*a^2\*Sqrt[d]\*Sqrt[e]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))])/(3\*c\*d\*Sqrt[1 - c^2\*x^2])

---

**Maple [F]** time = 0.271, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 \sqrt{-cex + e} \frac{1}{\sqrt{cdx + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2\*(-c\*e\*x+e)^(1/2)/(c\*d\*x+d)^(1/2),x)

[Out] int((a+b\*arcsin(c\*x))^2\*(-c\*e\*x+e)^(1/2)/(c\*d\*x+d)^(1/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2\*(-c\*e\*x+e)^(1/2)/(c\*d\*x+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)\sqrt{-cex + e}}{\sqrt{cdx + d}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2\*(-c\*e\*x+e)^(1/2)/(c\*d\*x+d)^(1/2),x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(-c\*e\*x + e)/sqrt(c\*d\*x + d), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-e(cx-1)}(a+b\operatorname{asin}(cx))^2}{\sqrt{d}(cx+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2\*(-c\*e\*x+e)\*\*(1/2)/(c\*d\*x+d)\*\*(1/2),x)

[Out] Integral(sqrt(-e\*(c\*x - 1))\*(a + b\*asin(c\*x))\*\*2/sqrt(d\*(c\*x + 1)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-cex + e}(b \arcsin(cx) + a)^2}{\sqrt{cdx + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2\*(-c\*e\*x+e)^(1/2)/(c\*d\*x+d)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-c\*e\*x + e)\*(b\*arcsin(c\*x) + a)^2/sqrt(c\*d\*x + d), x)

$$3.544 \quad \int \frac{\sqrt{e-cex}(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2}} dx$$

**Optimal.** Leaf size=530

$$\frac{4ib^2e^2(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{4ib^2e^2(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{2ib^2e^2(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}}$$

[Out]  $(-2e^2(1-c^2x^2)(a+b \text{ArcSin}[cx])^2)/(c(d+cdx)^{3/2}(e-cex)^{3/2}) + (2e^2x(1-c^2x^2)(a+b \text{ArcSin}[cx])^2)/((d+cdx)^{3/2}(e-cex)^{3/2}) - ((2I)e^2(1-c^2x^2)^{3/2}(a+b \text{ArcSin}[cx])^2)/(c(d+cdx)^{3/2}(e-cex)^{3/2}) - (e^2(1-c^2x^2)^{3/2}(a+b \text{ArcSin}[cx])^3)/(3b^2c(d+cdx)^{3/2}(e-cex)^{3/2}) - ((8I)b^2e^2(1-c^2x^2)^{3/2}(a+b \text{ArcSin}[cx]) \text{ArcTan}[E^{(I \text{ArcSin}[cx])}])/(c(d+cdx)^{3/2}(e-cex)^{3/2}) + (4b^2e^2(1-c^2x^2)^{3/2}(a+b \text{ArcSin}[cx]) \text{Log}[1+E^{(2I \text{ArcSin}[cx])}])/(c(d+cdx)^{3/2}(e-cex)^{3/2}) + ((4I)b^2e^2(1-c^2x^2)^{3/2} \text{PolyLog}[2, (-I)E^{(I \text{ArcSin}[cx])}])/(c(d+cdx)^{3/2}(e-cex)^{3/2}) - ((4I)b^2e^2(1-c^2x^2)^{3/2} \text{PolyLog}[2, I E^{(I \text{ArcSin}[cx])}])/(c(d+cdx)^{3/2}(e-cex)^{3/2}) - ((2I)b^2e^2(1-c^2x^2)^{3/2} \text{PolyLog}[2, -E^{(2I \text{ArcSin}[cx])}])/(c(d+cdx)^{3/2}(e-cex)^{3/2})$

**Rubi [A]** time = 0.947575, antiderivative size = 530, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 13, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.406$ , Rules used = {4673, 4775, 4763, 4651, 4675, 3719, 2190, 2279, 2391, 4677, 4657, 4181, 4641}

$$\frac{4ib^2e^2(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{4ib^2e^2(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{2ib^2e^2(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2)/(d + c\*d\*x)^(3/2), x]

[Out]  $(-2e^2(1-c^2x^2)(a+b \text{ArcSin}[cx])^2)/(c(d+cdx)^{3/2}(e-cex)^{3/2}) + (2e^2x(1-c^2x^2)(a+b \text{ArcSin}[cx])^2)/((d+cdx)^{3/2}(e-cex)^{3/2}) - ((2I)e^2(1-c^2x^2)^{3/2}(a+b \text{ArcSin}[cx])^2)/(c(d+cdx)^{3/2}(e-cex)^{3/2}) - (e^2(1-c^2x^2)^{3/2}(a+b \text{ArcSin}[cx])^3)/(3b^2c(d+cdx)^{3/2}(e-cex)^{3/2}) - ((8I)b^2e^2(1-c^2x^2)^{3/2}(a+b \text{ArcSin}[cx]) \text{ArcTan}[E^{(I \text{ArcSin}[cx])}])/(c(d+cdx)^{3/2}(e-cex)^{3/2}) + (4b^2e^2(1-c^2x^2)^{3/2}(a+b \text{ArcSin}[cx]) \text{Log}[1+E^{(2I \text{ArcSin}[cx])}])/(c(d+cdx)^{3/2}(e-cex)^{3/2}) + ((4I)b^2e^2(1-c^2x^2)^{3/2} \text{PolyLog}[2, (-I)E^{(I \text{ArcSin}[cx])}])/(c(d+cdx)^{3/2}(e-cex)^{3/2}) - ((4I)b^2e^2(1-c^2x^2)^{3/2} \text{PolyLog}[2, I E^{(I \text{ArcSin}[cx])}])/(c(d+cdx)^{3/2}(e-cex)^{3/2}) - ((2I)b^2e^2(1-c^2x^2)^{3/2} \text{PolyLog}[2, -E^{(2I \text{ArcSin}[cx])}])/(c(d+cdx)^{3/2}(e-cex)^{3/2})$

$$c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)} + (4*b*e^2*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x])*Log[1 + E^{((2*I)*ArcSin[c*x])}])/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)} + ((4*I)*b^2*e^2*(1 - c^2*x^2)^{(3/2)}*PolyLog[2, (-I)*E^{(I*ArcSin[c*x])}]))/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)} - ((4*I)*b^2*e^2*(1 - c^2*x^2)^{(3/2)}*PolyLog[2, I*E^{(I*ArcSin[c*x])}]))/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)} - ((2*I)*b^2*e^2*(1 - c^2*x^2)^{(3/2)}*PolyLog[2, -E^{((2*I)*ArcSin[c*x])}]))/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})$$
Rule 4673

$$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*((d_.) + (e_.)*(x_.))^{(p_.)}*((f_.) + (g_.)*(x_.))^{(q_.)}, x\_Symbol] \rightarrow \text{Dist}[(d + e*x)^q*(f + g*x)^q/(1 - c^2*x^2)^q, \text{Int}[(d + e*x)^{(p - q)}*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, n\}, x\} \&\& \text{EqQ}[e*f + d*g, 0] \&\& \text{EqQ}[c^2*d^2 - e^2, 0] \&\& \text{HalfIntegerQ}[p, q] \&\& \text{GeQ}[p - q, 0]$$
Rule 4775

$$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*((f_.) + (g_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*ArcSin[c*x])^n/\text{Sqrt}[d + e*x^2], (f + g*x)^m*(d + e*x^2)^{(p + 1/2)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IntegerQ}[m] \&\& \text{ILtQ}[p + 1/2, 0] \&\& \text{GtQ}[d, 0] \&\& \text{IGtQ}[n, 0]$$
Rule 4763

$$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*((f_.) + (g_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[m, 0] \&\& \text{IntegerQ}[p + 1/2] \&\& \text{GtQ}[d, 0] \&\& \text{IGtQ}[n, 0] \&\& (m == 1 \vee p > 0 \vee (n == 1 \&\& p > -1) \vee (m == 2 \&\& p < -2))$$
Rule 4651

$$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}/((d_.) + (e_.)*(x_.)^2)^{(3/2)}, x\_Symbol] \rightarrow \text{Simp}[(x*(a + b*ArcSin[c*x])^n)/(d*\text{Sqrt}[d + e*x^2]), x] - \text{Dist}[(b*c*n)/\text{Sqrt}[d], \text{Int}[(x*(a + b*ArcSin[c*x])^{(n - 1)})/(d + e*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[d, 0]$$
Rule 4675

$$\text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*(x_.)/((d_.) + (e_.)*(x_.)^2), x\_Symbol] \rightarrow -\text{Dist}[e^{(-1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Tan}[x], x], x, \text{ArcSin}[c*x]], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[n, 0]$$

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p]]/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2), x_Symbo
l] := Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol
] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Di
```



```
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))],
x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x]
&& EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{e-cex} (a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2}} dx &= \frac{(1-c^2x^2)^{3/2} \int \frac{(e-cex)^2 (a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} dx}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= \frac{(1-c^2x^2)^{3/2} \int \left( \frac{2(e^2-ce^2x)(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} - \frac{e^2(a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} \right) dx}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= \frac{(2(1-c^2x^2)^{3/2}) \int \frac{(e^2-ce^2x)(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} dx}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{(e^2(1-c^2x^2)^{3/2}) \int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{e^2(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^3}{3bc(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{(2(1-c^2x^2)^{3/2}) \int \left( \frac{e^2(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} - \frac{ce^2x(a+b \sin^{-1}(cx))}{(1-c^2x^2)} \right) dx}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{e^2(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^3}{3bc(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{(2e^2(1-c^2x^2)^{3/2}) \int \frac{(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} dx}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2ce^2 \int \frac{x(a+b \sin^{-1}(cx))}{1-c^2x^2} dx}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{2e^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{2e^2x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{e^2(1-c^2x^2)}{3bc(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{2e^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{2e^2x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{e^2(1-c^2x^2)}{3bc(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{2e^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{2e^2x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2ie^2(1-c^2x^2)}{c(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{2e^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{2e^2x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2ie^2(1-c^2x^2)}{c(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{2e^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{2e^2x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2ie^2(1-c^2x^2)}{c(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{2e^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{2e^2x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2ie^2(1-c^2x^2)}{c(d+cdx)^{3/2} (e-cex)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 3.71217, size = 547, normalized size = 1.03

$$\frac{b^2 \sqrt{cdx+d} \sqrt{e-cex} \left( -24i \left( \sin\left(\frac{1}{2} \sin^{-1}(cx)\right) + \cos\left(\frac{1}{2} \sin^{-1}(cx)\right) \right) \text{PolyLog}\left(2, i e^{i \sin^{-1}(cx)}\right) + \sin^{-1}(cx)^3 \left( -\left( \sin\left(\frac{1}{2} \sin^{-1}(cx)\right) + \cos\left(\frac{1}{2} \sin^{-1}(cx)\right) \right) \right) - (6+6i) \sin^{-1}(cx)^2 \left( \cos\left(\frac{1}{2} \sin^{-1}(cx)\right) - i \sin\left(\frac{1}{2} \sin^{-1}(cx)\right) \right) \right)}{c(d+cdx)^{3/2} (e-cex)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/(d + c*d*x)^(3/2),x]
```

```
[Out] ((-6*a^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/((1 + c*x) + 3*a^2*Sqrt[d]*Sqrt[e]
*ArcTan[(c*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/(Sqrt[d]*Sqrt[e]*(-1 + c^2*x^
2))] - (3*a*b*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(Cos[ArcSin[c*x]/2]*(ArcSin[c
*x]*(4 + ArcSin[c*x]) - 8*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])) + (
(-4 + ArcSin[c*x])*ArcSin[c*x] - 8*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]
/2]))*Sin[ArcSin[c*x]/2]))/(Sqrt[1 - c^2*x^2]*(Cos[ArcSin[c*x]/2] + Sin[Arc
Sin[c*x]/2])) + (b^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*((-6 - 6*I)*ArcSin[c*x
]^2*(Cos[ArcSin[c*x]/2] + I*Sin[ArcSin[c*x]/2]) - ArcSin[c*x]^3*(Cos[ArcSin
[c*x]/2] + Sin[ArcSin[c*x]/2]) + 6*ArcSin[c*x]*(I*Pi + 4*Log[1 - I*E^(I*Arc
Sin[c*x]))*(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]) + 12*Pi*(2*Log[1 + E^
((-I)*ArcSin[c*x])) + Log[1 - I*E^(I*ArcSin[c*x]))] - 2*Log[Cos[ArcSin[c*x]/
2]] - Log[Sin[(Pi + 2*ArcSin[c*x])/4]])*(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*
x]/2]) - (24*I)*PolyLog[2, I*E^(I*ArcSin[c*x]))*(Cos[ArcSin[c*x]/2] + Sin[A
rcSin[c*x]/2])))/(Sqrt[1 - c^2*x^2]*(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2
])))/(3*c*d^2)
```

**Maple [F]** time = 0.214, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 \sqrt{-cex + e} (cdx + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2*(-c*e*x+e)^(1/2)/(c*d*x+d)^(3/2),x)
```

```
[Out] int((a+b*arcsin(c*x))^2*(-c*e*x+e)^(1/2)/(c*d*x+d)^(3/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2*(-c*e*x+e)^(1/2)/(c*d*x+d)^(3/2),x, algorithm
="maxima")
```

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)\sqrt{cdx + d}\sqrt{-cex + e}}{c^2d^2x^2 + 2cd^2x + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2\*(-c\*e\*x+e)^(1/2)/(c\*d\*x+d)^(3/2),x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^2\*d^2\*x^2 + 2\*c\*d^2\*x + d^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-e(cx-1)}(a+b\arcsin(cx))^2}{(d(cx+1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))^2\*(-c\*e\*x+e)\*\*(1/2)/(c\*d\*x+d)\*\*(3/2),x)

[Out] Integral(sqrt(-e\*(c\*x - 1))\*(a + b\*asin(c\*x))^2/(d\*(c\*x + 1))\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-cex + e}(b \arcsin(cx) + a)^2}{(cdx + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2\*(-c\*e\*x+e)^(1/2)/(c\*d\*x+d)^(3/2),x, algorithm="giac")

[Out] integrate(sqrt(-c\*e\*x + e)\*(b\*arcsin(c\*x) + a)^2/(c\*d\*x + d)^(3/2), x)

$$3.545 \quad \int \frac{\sqrt{e-cex}(a+b \sin^{-1}(cx))^2}{(d+cdx)^{5/2}} dx$$

**Optimal.** Leaf size=486

$$\frac{4ib^2e^3(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{ie^3(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))^2}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{4be^3(1-c^2x^2)^{5/2} \log\left(1-ie^{i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}}$$

[Out] ((I/3)\*e^3\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (4\*b^2\*e^3\*(1 - c^2\*x^2)^(5/2)\*Cot[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (e^3\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2\*Cot[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (2\*b\*e^3\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Csc[Pi/4 + ArcSin[c\*x]/2]^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (e^3\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2\*Cot[Pi/4 + ArcSin[c\*x]/2]\*Csc[Pi/4 + ArcSin[c\*x]/2]^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (4\*b\*e^3\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Log[1 - I\*E^(I\*ArcSin[c\*x])])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (((4\*I)/3)\*b^2\*e^3\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2))

**Rubi [A]** time = 1.11892, antiderivative size = 486, normalized size of antiderivative = 1., number of steps used = 20, number of rules used = 12, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4673, 4775, 4773, 3318, 4186, 3767, 8, 4184, 3717, 2190, 2279, 2391}

$$\frac{4ib^2e^3(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{ie^3(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))^2}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{4be^3(1-c^2x^2)^{5/2} \log\left(1-ie^{i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2)/(d + c\*d\*x)^(5/2), x]

[Out] ((I/3)\*e^3\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (4\*b^2\*e^3\*(1 - c^2\*x^2)^(5/2)\*Cot[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (e^3\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2\*Cot[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (2\*b\*e^3\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Csc[Pi/4 + ArcSin[c\*x]/2]^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (e^3\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2\*Cot[Pi/4 + ArcSin[c\*x]/2]\*Csc[Pi/4 + ArcSin[c\*x]/2]^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (4\*b\*e^3\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Log[1 - I\*E^(I\*ArcSin[c\*x])])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2))

$d*x)^{(5/2)}*(e - c*e*x)^{(5/2)} + (((4*I)/3)*b^2*e^3*(1 - c^2*x^2)^{(5/2)}*Poly$   
 $Log[2, I*E^{(I*ArcSin[c*x])}]/(c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)})$

### Rule 4673

$Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^{(n_.)*((d_) + (e_.)*(x_))^{(p_)*((f_)$   
 $+ (g_.)*(x_))^{(q_)}, x\_Symbol] :> Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x$   
 $^2)^q, Int[(d + e*x)^{(p - q)}*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x]$   
 $;/; FreeQ[{a, b, c, d, e, f, g, n}, x] \&\& EqQ[e*f + d*g, 0] \&\& EqQ[c^2*d^2 -$   
 $e^2, 0] \&\& HalfIntegerQ[p, q] \&\& GeQ[p - q, 0]$

### Rule 4775

$Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^{(n_.)*((f_) + (g_.)*(x_))^{(m_.)*((d_)$   
 $+ (e_.)*(x_)^2)^{(p_)}, x\_Symbol] :> Int[ExpandIntegrand[(a + b*ArcSin[c*x]$   
 $)^n/Sqrt[d + e*x^2], (f + g*x)^m*(d + e*x^2)^{(p + 1/2)}, x], x] /; FreeQ[{a,$   
 $b, c, d, e, f, g}, x] \&\& EqQ[c^2*d + e, 0] \&\& IntegerQ[m] \&\& ILtQ[p + 1/2,$   
 $0] \&\& GtQ[d, 0] \&\& IGtQ[n, 0]$

### Rule 4773

$Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^{(n_.)*((f_) + (g_.)*(x_))^{(m_.))}/Sq$   
 $rt[(d_) + (e_.)*(x_)^2], x\_Symbol] :> Dist[1/(c^{(m + 1)}*Sqrt[d]), Subst[Int$   
 $[(a + b*x)^n*(c*f + g*Sin[x])^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c,$   
 $d, e, f, g, n}, x] \&\& EqQ[c^2*d + e, 0] \&\& IntegerQ[m] \&\& GtQ[d, 0] \&\& (Gt$   
 $Q[m, 0] || IGtQ[n, 0])$

### Rule 3318

$Int[((c_.) + (d_.)*(x_))^{(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^{(n_.)}$   
 $, x\_Symbol] :> Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 +$   
 $(f*x)/2]^{(2*n)}, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] \&\& EqQ[a^2 - b^2$   
 $, 0] \&\& IntegerQ[n] \&\& (GtQ[n, 0] || IGtQ[m, 0])$

### Rule 4186

$Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^{(n_.)*((c_.) + (d_.)*(x_))^{(m_)}, x\_Symbo$   
 $l] :> -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^{(n - 2)})/(f*(n -$   
 $1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^{($   
 $m - 2)*(b*Csc[e + f*x])^{(n - 2)}, x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[($   
 $c + d*x)^m*(b*Csc[e + f*x])^{(n - 2)}, x], x] - Simp[(b^2*d*m*(c + d*x)^{(m -$   
 $1)*(b*Csc[e + f*x])^{(n - 2)})/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d,$   
 $e, f}, x] \&\& GtQ[n, 1] \&\& NeQ[n, 2] \&\& GtQ[m, 1]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)(x_.)]^{(n_.)}, x\_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x] \ \&\& \ \text{IGtQ}[n/2, 0]$

Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 4184

$\text{Int}[\text{csc}[(e_.) + (f_.)(x_.)]^{2*((c_.) + (d_.)(x_.))^{(m_.)}, x\_Symbol] \rightarrow -\text{Simp}[\frac{(c + d*x)^m \text{Cot}[e + f*x]}{f}, x] + \text{Dist}[\frac{d*m}{f}, \text{Int}[(c + d*x)^{(m-1)} \text{Cot}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \ \&\& \ \text{GtQ}[m, 0]$

Rule 3717

$\text{Int}[\frac{(c_.) + (d_.)(x_.)}{(c_.) + (d_.)(x_.)} \tan[(e_.) + \text{Pi}*(k_.) + (f_.)(x_.)], x\_Symbol] \rightarrow \text{Simp}[\frac{I*(c + d*x)^{(m+1)}}{(d*(m+1))}, x] - \text{Dist}[2*I, \text{Int}[\frac{(c + d*x)^m E^{(2*I*k*Pi)} E^{(2*I*(e + f*x))}}{(1 + E^{(2*I*k*Pi)} E^{(2*I*(e + f*x)))}), x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \ \&\& \ \text{IntegerQ}[4*k] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2190

$\text{Int}[\frac{((F_)^{((g_.)*((e_.) + (f_.)(x_.)))})^{(n_.)} * ((c_.) + (d_.)(x_.))^{(m_.)}}{((a_.) + (b_.)*((F_)^{((g_.)*((e_.) + (f_.)(x_.)))})^{(n_.)})}, x\_Symbol] \rightarrow \text{Simp}[\frac{(c + d*x)^m \text{Log}[1 + (b*(F^{(g*(e + f*x))))^n]/a]}{(b*f*g*n*\text{Log}[F])}, x] - \text{Dist}[\frac{d*m}{(b*f*g*n*\text{Log}[F])}, \text{Int}[(c + d*x)^{(m-1)} \text{Log}[1 + (b*(F^{(g*(e + f*x))))^n]/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2279

$\text{Int}[\text{Log}[(a_.) + (b_.)*((F_)^{((e_.)*((c_.) + (d_.)(x_.)))})^{(n_.)}], x\_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x] \ \&\& \ \text{GtQ}[a, 0]$

Rule 2391

$\text{Int}[\text{Log}[(c_.)*((d_.) + (e_.)(x_.)^{(n_.)})]/(x_.), x\_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c*d, 1]$

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{e - cex} (a + b \sin^{-1}(cx))^2}{(d + cdx)^{5/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(e - cex)^3 (a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{(1 - c^2x^2)^{5/2} \int \left( \frac{2e^3 (a + b \sin^{-1}(cx))^2}{(1 + cx)^2 \sqrt{1 - c^2x^2}} - \frac{e^3 (a + b \sin^{-1}(cx))^2}{(1 + cx) \sqrt{1 - c^2x^2}} \right) dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= -\frac{(e^3 (1 - c^2x^2)^{5/2}) \int \frac{(a + b \sin^{-1}(cx))^2}{(1 + cx) \sqrt{1 - c^2x^2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{(2e^3 (1 - c^2x^2)^{5/2}) \int \frac{(a + b \sin^{-1}(cx))^2}{(1 + cx)^2 \sqrt{1 - c^2x^2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= -\frac{(e^3 (1 - c^2x^2)^{5/2}) \text{Subst} \left( \int \frac{(a + bx)^2}{c + c \sin(x)} dx, x, \sin^{-1}(cx) \right)}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{(2ce^3 (1 - c^2x^2)^{5/2}) \text{Subst} \left( \int \frac{(a + bx)^2}{c + c \sin(x)} dx, x, \sin^{-1}(cx) \right)}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= -\frac{(e^3 (1 - c^2x^2)^{5/2}) \text{Subst} \left( \int (a + bx)^2 \csc^2 \left( \frac{\pi}{4} + \frac{x}{2} \right) dx, x, \sin^{-1}(cx) \right)}{2c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{(e^3 (1 - c^2x^2)^{5/2}) \text{Subst} \left( \int (a + bx)^2 \csc^2 \left( \frac{\pi}{4} + \frac{x}{2} \right) dx, x, \sin^{-1}(cx) \right)}{2c(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{e^3 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2 \cot \left( \frac{\pi}{4} + \frac{1}{2} \sin^{-1}(cx) \right)}{c(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{2be^3 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2 \cot \left( \frac{\pi}{4} + \frac{1}{2} \sin^{-1}(cx) \right)}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{ie^3 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{e^3 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2 \cot \left( \frac{\pi}{4} + \frac{1}{2} \sin^{-1}(cx) \right)}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{ie^3 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{4b^2e^3 (1 - c^2x^2)^{5/2} \cot \left( \frac{\pi}{4} + \frac{1}{2} \sin^{-1}(cx) \right)}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{e^3 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2 \cot \left( \frac{\pi}{4} + \frac{1}{2} \sin^{-1}(cx) \right)}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{ie^3 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{4b^2e^3 (1 - c^2x^2)^{5/2} \cot \left( \frac{\pi}{4} + \frac{1}{2} \sin^{-1}(cx) \right)}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{e^3 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2 \cot \left( \frac{\pi}{4} + \frac{1}{2} \sin^{-1}(cx) \right)}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{ie^3 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{4b^2e^3 (1 - c^2x^2)^{5/2} \cot \left( \frac{\pi}{4} + \frac{1}{2} \sin^{-1}(cx) \right)}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{e^3 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2 \cot \left( \frac{\pi}{4} + \frac{1}{2} \sin^{-1}(cx) \right)}{3c(d + cdx)^{5/2} (e - cex)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 7.9466, size = 694, normalized size = 1.43

$$b^2(cx - 1)\sqrt{cdx + d}\sqrt{e - cex}\sqrt{-de(1 - c^2x^2)} \left( 4i \text{PolyLog} \left( 2, ie^{i \sin^{-1}(cx)} \right) + (1 + i) \sin^{-1}(cx)^2 - i\pi \sin^{-1}(cx) - 4\pi \log \left( 1 + \dots \right) \right)$$



Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2)/(d + c\*d\*x)^(5/2),x]

[Out] (Sqrt[-(e\*(-1 + c\*x))] \* Sqrt[d\*(1 + c\*x)] \* ((-2\*a^2)/(3\*d^3\*(1 + c\*x)^2) + a^2/(3\*d^3\*(1 + c\*x))))/c - (a\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))] \* (Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]) \* (Cos[(3\*ArcSin[c\*x])/2] \* (ArcSin[c\*x] + 2\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]]) - Cos[ArcSin[c\*x]/2] \* (4 + 3\*ArcSin[c\*x] + 6\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) + 2\*(-2 + 2\*ArcSin[c\*x] + Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] - 4\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]] - 2\*Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]]) \* Sin[ArcSin[c\*x]/2])) / (3\*c\*d^3\*(-1 + c\*x)\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))] \* (Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^4) - (b^2\*(-1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))] \* ((-I)\*Pi\*ArcSin[c\*x] + (1 + I)\*ArcSin[c\*x]^2 - 4\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])]) - 2\*(Pi + 2\*ArcSin[c\*x])\*Log[1 - I\*E^(I\*ArcSin[c\*x])] + 4\*Pi\*Log[Cos[ArcSin[c\*x]/2]] + 2\*Pi\*Log[Sin[(Pi + 2\*ArcSin[c\*x])/4]] + (4\*I)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])] + (4\*ArcSin[c\*x]^2\*Sin[ArcSin[c\*x]/2]) / (Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^3 - (2\*ArcSin[c\*x]\*(2 + ArcSin[c\*x])) / (Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2 - (2\*(-4 + ArcSin[c\*x]^2)\*Sin[ArcSin[c\*x]/2]) / (Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) / (3\*c\*d^3\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))] \* Sqrt[1 - c^2\*x^2] \* (Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])^2)

**Maple [F]** time = 0.267, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 \sqrt{-cex + e} (cdx + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2\*(-c\*e\*x+e)^(1/2)/(c\*d\*x+d)^(5/2),x)

[Out] int((a+b\*arcsin(c\*x))^2\*(-c\*e\*x+e)^(1/2)/(c\*d\*x+d)^(5/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2\*(-c\*e\*x+e)^(1/2)/(c\*d\*x+d)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2) \sqrt{cdx + d} \sqrt{-cex + e}}{c^3 d^3 x^3 + 3c^2 d^3 x^2 + 3cd^3 x + d^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2\*(-c\*e\*x+e)^(1/2)/(c\*d\*x+d)^(5/2),x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^3\*d^3\*x^3 + 3\*c^2\*d^3\*x^2 + 3\*c\*d^3\*x + d^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))^2\*(-c\*e\*x+e)\*\*(1/2)/(c\*d\*x+d)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{-cex + e}(b \arcsin(cx) + a)^2}{(cdx + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2*(-c*e*x+e)^(1/2)/(c*d*x+d)^(5/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(-c*e*x + e)*(b*arcsin(c*x) + a)^2/(c*d*x + d)^(5/2), x)
```

$$3.546 \quad \int (d + cdx)^{5/2} (e - cex)^{3/2} (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=697

$$\frac{2bc^4 dx^5 (cdx + d)^{3/2} (e - cex)^{3/2} (a + b \sin^{-1}(cx))}{25(1 - c^2 x^2)^{3/2}} - \frac{4bc^2 dx^3 (cdx + d)^{3/2} (e - cex)^{3/2} (a + b \sin^{-1}(cx))}{15(1 - c^2 x^2)^{3/2}} - \frac{3bcdx^2 (cdx + d)^{3/2}}{8(1 - c^2 x^2)^{3/2}}$$

[Out] (8\*b^2\*d\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2))/(225\*c) - (b^2\*d\*x\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2))/32 + (16\*b^2\*d\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2))/(75\*c\*(1 - c^2\*x^2)) - (15\*b^2\*d\*x\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2))/(64\*(1 - c^2\*x^2)) + (2\*b^2\*d\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(1 - c^2\*x^2))/(125\*c) + (9\*b^2\*d\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*ArcSin[c\*x])/(64\*c\*(1 - c^2\*x^2)^(3/2)) + (2\*b\*d\*x\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/(5\*(1 - c^2\*x^2)^(3/2)) - (3\*b\*c\*d\*x^2\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/(8\*(1 - c^2\*x^2)^(3/2)) - (4\*b\*c^2\*d\*x^3\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/(15\*(1 - c^2\*x^2)^(3/2)) + (2\*b\*c^4\*d\*x^5\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/(25\*(1 - c^2\*x^2)^(3/2)) + (b\*d\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(8\*c) + (d\*x\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/4 + (3\*d\*x\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(8\*(1 - c^2\*x^2)) - (d\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(5\*c) + (d\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^3)/(8\*b\*c\*(1 - c^2\*x^2)^(3/2))

**Rubi [A]** time = 0.800434, antiderivative size = 697, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 15, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.469$ , Rules used = {4673, 4763, 4649, 4647, 4641, 4627, 321, 216, 4677, 195, 194, 4645, 12, 1247, 698}

$$\frac{2bc^4 dx^5 (cdx + d)^{3/2} (e - cex)^{3/2} (a + b \sin^{-1}(cx))}{25(1 - c^2 x^2)^{3/2}} - \frac{4bc^2 dx^3 (cdx + d)^{3/2} (e - cex)^{3/2} (a + b \sin^{-1}(cx))}{15(1 - c^2 x^2)^{3/2}} - \frac{3bcdx^2 (cdx + d)^{3/2}}{8(1 - c^2 x^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (8\*b^2\*d\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2))/(225\*c) - (b^2\*d\*x\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2))/32 + (16\*b^2\*d\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2))/(75\*c\*(1 - c^2\*x^2)) - (15\*b^2\*d\*x\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2))/(64\*(1 - c^2\*x^2)) + (2\*b^2\*d\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(1 - c^2\*x^2))/(125\*c) + (9\*b^2\*d\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*ArcSin[c\*x])/(64\*c\*(1 - c^2\*x^2)^(3/2)) + (2\*b\*d\*x\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/(5\*(1 - c^2\*x^2)^(3/2)) - (3\*b\*c\*d\*x^2\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/(8\*(1 - c^2\*x^2)^(3/2)) - (4\*b\*c^2\*d\*x^3\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/(15\*(1 - c^2\*x^2)^(3/2)) + (2\*b\*c^4\*d\*x^5\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x]))/(25\*(1 - c^2\*x^2)^(3/2)) + (b\*d\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(8\*c) + (d\*x\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/4 + (3\*d\*x\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(8\*(1 - c^2\*x^2)) - (d\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(5\*c) + (d\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^3)/(8\*b\*c\*(1 - c^2\*x^2)^(3/2))

$$\begin{aligned} & 2)) / (75 * c * (1 - c^2 * x^2)) - (15 * b^2 * d * x * (d + c * d * x)^{(3/2)} * (e - c * e * x)^{(3/2)}) \\ & / (64 * (1 - c^2 * x^2)) + (2 * b^2 * d * (d + c * d * x)^{(3/2)} * (e - c * e * x)^{(3/2)} * (1 - c^2 \\ & * x^2)) / (125 * c) + (9 * b^2 * d * (d + c * d * x)^{(3/2)} * (e - c * e * x)^{(3/2)} * \text{ArcSin}[c * x]) / \\ & (64 * c * (1 - c^2 * x^2)^{(3/2)}) + (2 * b * d * x * (d + c * d * x)^{(3/2)} * (e - c * e * x)^{(3/2)} * ( \\ & a + b * \text{ArcSin}[c * x])) / (5 * (1 - c^2 * x^2)^{(3/2)}) - (3 * b * c * d * x^2 * (d + c * d * x)^{(3/2)} \\ & * (e - c * e * x)^{(3/2)} * (a + b * \text{ArcSin}[c * x])) / (8 * (1 - c^2 * x^2)^{(3/2)}) - (4 * b * c^2 \\ & * d * x^3 * (d + c * d * x)^{(3/2)} * (e - c * e * x)^{(3/2)} * (a + b * \text{ArcSin}[c * x])) / (15 * (1 - c^ \\ & 2 * x^2)^{(3/2)}) + (2 * b * c^4 * d * x^5 * (d + c * d * x)^{(3/2)} * (e - c * e * x)^{(3/2)} * (a + b * \text{A} \\ & \text{rcSin}[c * x])) / (25 * (1 - c^2 * x^2)^{(3/2)}) + (b * d * (d + c * d * x)^{(3/2)} * (e - c * e * x)^ \\ & (3/2) * \text{Sqrt}[1 - c^2 * x^2] * (a + b * \text{ArcSin}[c * x])) / (8 * c) + (d * x * (d + c * d * x)^{(3/2)} \\ & * (e - c * e * x)^{(3/2)} * (a + b * \text{ArcSin}[c * x])^2) / 4 + (3 * d * x * (d + c * d * x)^{(3/2)} * (e - \\ & c * e * x)^{(3/2)} * (a + b * \text{ArcSin}[c * x])^2) / (8 * (1 - c^2 * x^2)) - (d * (d + c * d * x)^{(3/ \\ & 2)} * (e - c * e * x)^{(3/2)} * (1 - c^2 * x^2) * (a + b * \text{ArcSin}[c * x])^2) / (5 * c) + (d * (d + c \\ & * d * x)^{(3/2)} * (e - c * e * x)^{(3/2)} * (a + b * \text{ArcSin}[c * x])^3) / (8 * b * c * (1 - c^2 * x^2)^{( \\ & 3/2)}) \end{aligned}$$

### Rule 4673

$$\begin{aligned} & \text{Int}[(a_. + \text{ArcSin}[c_. * (x_.)] * (b_.))^{(n_.)} * ((d_.) + (e_.) * (x_.))^{(p_.)} * ((f_.) \\ & + (g_.) * (x_.))^{(q_.)}, x\_Symbol] \text{ :> } \text{Dist}[(d + e * x)^q * (f + g * x)^q / (1 - c^2 * x \\ & ^2)^q, \text{Int}[(d + e * x)^{(p - q)} * (1 - c^2 * x^2)^q * (a + b * \text{ArcSin}[c * x])^n, x] \\ & /; \text{FreeQ}\{a, b, c, d, e, f, g, n\}, x] \ \&\& \ \text{EqQ}[e * f + d * g, 0] \ \&\& \ \text{EqQ}[c^2 * d^2 - \\ & e^2, 0] \ \&\& \ \text{HalfIntegerQ}[p, q] \ \&\& \ \text{GeQ}[p - q, 0] \end{aligned}$$

### Rule 4763

$$\begin{aligned} & \text{Int}[(a_. + \text{ArcSin}[c_. * (x_.)] * (b_.))^{(n_.)} * ((f_.) + (g_.) * (x_.))^{(m_.)} * ((d_. \\ & ) + (e_.) * (x_.)^2)^{(p_.)}, x\_Symbol] \text{ :> } \text{Int}[\text{ExpandIntegrand}[(d + e * x^2)^p * (a + \\ & b * \text{ArcSin}[c * x])^n, (f + g * x)^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x] \ \& \\ & \ \& \ \text{EqQ}[c^2 * d + e, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{IntegerQ}[p + 1/2] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ \text{IGtQ} \\ & [n, 0] \ \&\& \ (m == 1 \ || \ p > 0 \ || \ (n == 1 \ \&\& \ p > -1) \ || \ (m == 2 \ \&\& \ p < -2)) \end{aligned}$$

### Rule 4649

$$\begin{aligned} & \text{Int}[(a_. + \text{ArcSin}[c_. * (x_.)] * (b_.))^{(n_.)} * ((d_.) + (e_.) * (x_.)^2)^{(p_.)}, x \\ & \_Symbol] \text{ :> } \text{Simp}[(x * (d + e * x^2)^p * (a + b * \text{ArcSin}[c * x])^n) / (2 * p + 1), x] + (\text{D} \\ & \text{ist}[(2 * d * p) / (2 * p + 1), \text{Int}[(d + e * x^2)^{(p - 1)} * (a + b * \text{ArcSin}[c * x])^n, x], x] \\ & - \text{Dist}[(b * c * n * d^{\text{IntPart}[p]} * (d + e * x^2)^{\text{FracPart}[p]}] / ((2 * p + 1) * (1 - c^2 * x \\ & ^2)^{\text{FracPart}[p]}), \text{Int}[x * (1 - c^2 * x^2)^{(p - 1/2)} * (a + b * \text{ArcSin}[c * x])^{(n - 1)} \\ & , x], x]) /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2 * d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{GtQ}[p, 0] \end{aligned}$$

### Rule 4647

$$\text{Int}[(a_. + \text{ArcSin}[c_. * (x_.)] * (b_.))^{(n_.)} * \text{Sqrt}[(d_.) + (e_.) * (x_.)^2], x\_S$$

```

symbol] := Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt
[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x
^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d
+ e, 0] && GtQ[n, 0]

```

### Rule 4641

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_/Sqrt[(d_.) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

```

### Rule 4627

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

```

### Rule 321

```

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

```

### Rule 216

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

```

### Rule 4677

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_*(x_)*((d_.) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]

```

### Rule 195

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p
+ 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; Free

```

```
Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])
```

### Rule 194

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

### Rule 4645

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 1247

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

### Rule 698

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))
```

### Rubi steps

$$\begin{aligned}
\int (d + cdx)^{5/2} (e - cex)^{3/2} (a + b \sin^{-1}(cx))^2 dx &= \frac{((d + cdx)^{3/2} (e - cex)^{3/2}) \int (d + cdx) (1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx}{(1 - c^2x^2)^{3/2}} \\
&= \frac{((d + cdx)^{3/2} (e - cex)^{3/2}) \int (d(1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^2 + cdx(1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx}{(1 - c^2x^2)^{3/2}} \\
&= \frac{(d(d + cdx)^{3/2} (e - cex)^{3/2}) \int (1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx}{(1 - c^2x^2)^{3/2}} + \frac{(cd(d + cdx)^{3/2} (e - cex)^{3/2}) \int (1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx}{(1 - c^2x^2)^{3/2}} \\
&= \frac{1}{4} dx (d + cdx)^{3/2} (e - cex)^{3/2} (a + b \sin^{-1}(cx))^2 - \frac{d(d + cdx)^{3/2} (e - cex)^{3/2}}{(1 - c^2x^2)^{3/2}} \\
&= \frac{2bdx(d + cdx)^{3/2} (e - cex)^{3/2} (a + b \sin^{-1}(cx))}{5(1 - c^2x^2)^{3/2}} - \frac{4bc^2dx^3(d + cdx)^{3/2} (e - cex)^{3/2}}{15(1 - c^2x^2)^{3/2}} \\
&= -\frac{1}{32} b^2 dx (d + cdx)^{3/2} (e - cex)^{3/2} + \frac{2bdx(d + cdx)^{3/2} (e - cex)^{3/2} (a + b \sin^{-1}(cx))}{5(1 - c^2x^2)^{3/2}} \\
&= -\frac{1}{32} b^2 dx (d + cdx)^{3/2} (e - cex)^{3/2} - \frac{15b^2 dx (d + cdx)^{3/2} (e - cex)^{3/2}}{64(1 - c^2x^2)} + \frac{2bdx(d + cdx)^{3/2} (e - cex)^{3/2} (a + b \sin^{-1}(cx))}{5(1 - c^2x^2)^{3/2}} \\
&= -\frac{1}{32} b^2 dx (d + cdx)^{3/2} (e - cex)^{3/2} - \frac{15b^2 dx (d + cdx)^{3/2} (e - cex)^{3/2}}{64(1 - c^2x^2)} + \frac{9b^2 dx (d + cdx)^{3/2} (e - cex)^{3/2}}{32(1 - c^2x^2)} \\
&= \frac{8b^2 d (d + cdx)^{3/2} (e - cex)^{3/2}}{225c} - \frac{1}{32} b^2 dx (d + cdx)^{3/2} (e - cex)^{3/2} + \frac{16b^2 d (d + cdx)^{3/2} (e - cex)^{3/2}}{7}
\end{aligned}$$

**Mathematica [A]** time = 3.52462, size = 574, normalized size = 0.82

$$\frac{d^2 e \left( \sqrt{cdx + d} \sqrt{e - cex} \left( -15 \left( 480a^2 \sqrt{1 - c^2x^2} (8c^4x^4 + 10c^3x^3 - 16c^2x^2 - 25cx + 8) - 512abcx (3c^4x^4 - 10c^2x^2 + 15) - 4 \right) \right)}{225c} - \frac{1}{32} b^2 dx (d + cdx)^{3/2} (e - cex)^{3/2} + \frac{16b^2 d (d + cdx)^{3/2} (e - cex)^{3/2}}{7} \right)}{225c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2,x]



```
[Out] (d^2*e*(36000*b^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x]^3 - 108000*a^
2*Sqrt[d]*Sqrt[e]*Sqrt[1 - c^2*x^2]*ArcTan[(c*x*Sqrt[d + c*d*x]*Sqrt[e - c
e*x])/(Sqrt[d]*Sqrt[e]*(-1 + c^2*x^2))] + 1800*b*Sqrt[d + c*d*x]*Sqrt[e - c
*e*x]*ArcSin[c*x]^2*(-10*b*Cos[3*ArcSin[c*x]] - 2*b*Cos[5*ArcSin[c*x]] + 5*
(12*a - 4*b*Sqrt[1 - c^2*x^2] + 8*b*Sin[2*ArcSin[c*x]] + b*Sin[4*ArcSin[c*x
]])) + Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(72000*a*b*Cos[2*ArcSin[c*x]] + 4000
*b^2*Cos[3*ArcSin[c*x]] + 4500*a*b*Cos[4*ArcSin[c*x]] + 288*b^2*Cos[5*ArcSi
n[c*x]] - 15*(-4800*b^2*Sqrt[1 - c^2*x^2] - 512*a*b*c*x*(15 - 10*c^2*x^2 +
3*c^4*x^4) + 480*a^2*Sqrt[1 - c^2*x^2]*(8 - 25*c*x - 16*c^2*x^2 + 10*c^3*x^
3 + 8*c^4*x^4) + 2400*b^2*Sin[2*ArcSin[c*x]] + 75*b^2*Sin[4*ArcSin[c*x]]))
- 60*b*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x]*(-1200*b*Cos[2*ArcSin[c*
x]] - 75*b*Cos[4*ArcSin[c*x]] - 4*(300*b*c*x - 480*a*Sqrt[1 - c^2*x^2] + 96
0*a*c^2*x^2*Sqrt[1 - c^2*x^2] - 480*a*c^4*x^4*Sqrt[1 - c^2*x^2] + 600*a*Sin
[2*ArcSin[c*x]] + 50*b*Sin[3*ArcSin[c*x]] + 75*a*Sin[4*ArcSin[c*x]] + 6*b*S
in[5*ArcSin[c*x]]))))/(288000*c*Sqrt[1 - c^2*x^2])
```

**Maple [F]** time = 0.256, size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{5}{2}} (-cex + e)^{\frac{3}{2}} (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(5/2)*(-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2,x)
```

```
[Out] int((c*d*x+d)^(5/2)*(-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2,x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(5/2)*(-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2,x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral $\left(-\left(a^2c^3d^2ex^3 + a^2c^2d^2ex^2 - a^2cd^2ex - a^2d^2e + \left(b^2c^3d^2ex^3 + b^2c^2d^2ex^2 - b^2cd^2ex - b^2d^2e\right)\arcsin(cx)\right)^2 + 2\left(abc^3\right.\right.$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral $\left(-\left(a^2*c^3*d^2*e*x^3 + a^2*c^2*d^2*e*x^2 - a^2*c*d^2*e*x - a^2*d^2*e + \left(b^2*c^3*d^2*e*x^3 + b^2*c^2*d^2*e*x^2 - b^2*c*d^2*e*x - b^2*d^2*e\right)*\arcsin(c*x)\right)^2 + 2*\left(a*b*c^3*d^2*e*x^3 + a*b*c^2*d^2*e*x^2 - a*b*c*d^2*e*x - a*b*d^2*e\right)*\arcsin(c*x)\right)*\sqrt{c*d*x + d}*\sqrt{-c*e*x + e}, x$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(5/2)\*(-c\*e\*x+e)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{5}{2}}(-cex + e)^{\frac{3}{2}}(b \arcsin(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((c\*d\*x + d)^(5/2)\*(-c\*e\*x + e)^(3/2)\*(b\*arcsin(c\*x) + a)^2, x)

$$3.547 \quad \int (d + cdx)^{3/2} (e - cex)^{3/2} \left( a + b \sin^{-1}(cx) \right)^2 dx$$

**Optimal.** Leaf size=362

$$\frac{(cdx + d)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^3}{8bc(1 - c^2x^2)^{3/2}} + \frac{3x(cdx + d)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2}{8(1 - c^2x^2)} + \frac{b\sqrt{1 - c^2x^2}(cdx + d)^{3/2}(e - cex)^{3/2}}{8c}$$

[Out]  $-(b^2*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})/32 - (15*b^2*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})/(64*(1 - c^2*x^2)) + (9*b^2*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*ArcSin[c*x])/(64*c*(1 - c^2*x^2)^{(3/2)}) - (3*b*c*x^2*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x]))/(8*(1 - c^2*x^2)^{(3/2)}) + (b*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(8*c) + (x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^2)/4 + (3*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^2)/(8*(1 - c^2*x^2)) + ((d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^3)/(8*b*c*(1 - c^2*x^2)^{(3/2)})$

**Rubi [A]** time = 0.430885, antiderivative size = 362, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.281$ , Rules used = {4673, 4649, 4647, 4641, 4627, 321, 216, 4677, 195}

$$\frac{(cdx + d)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^3}{8bc(1 - c^2x^2)^{3/2}} + \frac{3x(cdx + d)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2}{8(1 - c^2x^2)} + \frac{b\sqrt{1 - c^2x^2}(cdx + d)^{3/2}(e - cex)^{3/2}}{8c}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^2, x]$

[Out]  $-(b^2*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})/32 - (15*b^2*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})/(64*(1 - c^2*x^2)) + (9*b^2*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*ArcSin[c*x])/(64*c*(1 - c^2*x^2)^{(3/2)}) - (3*b*c*x^2*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x]))/(8*(1 - c^2*x^2)^{(3/2)}) + (b*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(8*c) + (x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^2)/4 + (3*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^2)/(8*(1 - c^2*x^2)) + ((d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^3)/(8*b*c*(1 - c^2*x^2)^{(3/2)})$

**Rule 4673**

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_) + (e_.)*(x_.))^(p_)*((f_
+ (g_.)*(x_.))^(q_), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

#### Rule 4649

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Simp[(x*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(2*p + 1), x] + (D
ist[(2*d*p)/(2*p + 1), Int[(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x
] - Dist[(b*c*n*d*IntPart[p]*(d + e*x^2)^FracPart[p]]/((2*p + 1)*(1 - c^2*x
^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x)) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0]
```

#### Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt
[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x
^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d
+ e, 0] && GtQ[n, 0]
```

#### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

#### Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^
2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

#### Rule 321

```
Int[((c_.)*(x_.))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(c^
(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
```

+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 4677

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*(x\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 195

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rubi steps

$$\begin{aligned}
\int (d + cdx)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2 dx &= \frac{((d + cdx)^{3/2}(e - cex)^{3/2}) \int (1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx}{(1 - c^2x^2)^{3/2}} \\
&= \frac{1}{4}x(d + cdx)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2 + \frac{(3(d + cdx)^{3/2}(e - cex)^{3/2})}{4} \\
&= \frac{b(d + cdx)^{3/2}(e - cex)^{3/2}\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{8c} + \frac{1}{4}x(d + cdx)^{3/2}(e - cex)^{3/2} \\
&= -\frac{1}{32}b^2x(d + cdx)^{3/2}(e - cex)^{3/2} - \frac{3bcx^2(d + cdx)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))}{8(1 - c^2x^2)^{3/2}} \\
&= -\frac{1}{32}b^2x(d + cdx)^{3/2}(e - cex)^{3/2} - \frac{15b^2x(d + cdx)^{3/2}(e - cex)^{3/2}}{64(1 - c^2x^2)} - \frac{3bcx^2(a + b \sin^{-1}(cx))}{64(1 - c^2x^2)^{3/2}} \\
&= -\frac{1}{32}b^2x(d + cdx)^{3/2}(e - cex)^{3/2} - \frac{15b^2x(d + cdx)^{3/2}(e - cex)^{3/2}}{64(1 - c^2x^2)} + \frac{9b^2(d + cdx)^{3/2}(e - cex)^{3/2}}{64(1 - c^2x^2)}
\end{aligned}$$

**Mathematica [A]** time = 1.83932, size = 373, normalized size = 1.03

$$d\sqrt{cdx + d}\sqrt{e - cex} \left( -64a^2c^3x^3\sqrt{1 - c^2x^2} + 160a^2cx\sqrt{1 - c^2x^2} + 64ab \cos(2 \sin^{-1}(cx)) + 4ab \cos(4 \sin^{-1}(cx)) - 32b^2 \sin(2 \sin^{-1}(cx)) - b^2 \sin(4 \sin^{-1}(cx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (32\*b^2\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^3 - 96\*a^2\*d^(3/2)\*e^(3/2)\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))] + 8\*b\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^2\*(12\*a + 8\*b\*Sin[2\*ArcSin[c\*x]] + b\*Sin[4\*ArcSin[c\*x]]) + d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(160\*a^2\*c\*x\*Sqrt[1 - c^2\*x^2] - 64\*a^2\*c^3\*x^3\*Sqrt[1 - c^2\*x^2] + 64\*a\*b\*Cos[2\*ArcSin[c\*x]] + 4\*a\*b\*Cos[4\*ArcSin[c\*x]] - 32\*b^2\*Sin[2\*ArcSin[c\*x]] - b^2\*Sin[4\*ArcSin[c\*x]]) + 4\*b\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]\*(16\*b\*Cos[2\*ArcSin[c\*x]] + b\*Cos[4\*ArcSin[c\*x]] + 4\*a\*(8\*Sin[2\*ArcSin[c\*x]] + Sin[4\*ArcSin[c\*x]])))/(256\*c\*Sqrt[1 - c^2\*x^2])

---

**Maple [F]** time = 0.25, size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{3}{2}} (-cex + e)^{\frac{3}{2}} (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x)

[Out] int((c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(a^2c^2dex^2 - a^2de + \left(b^2c^2dex^2 - b^2de\right)\arcsin(cx)^2 + 2\left(abc^2dex^2 - abde\right)\arcsin(cx)\right)\sqrt{cdx + d}\sqrt{-cex + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(-(a^2\*c^2\*d\*e\*x^2 - a^2\*d\*e + (b^2\*c^2\*d\*e\*x^2 - b^2\*d\*e)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^2\*d\*e\*x^2 - a\*b\*d\*e)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(3/2)\*(-c\*e\*x+e)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{3}{2}}(-cex + e)^{\frac{3}{2}}(b \arcsin(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((c\*d\*x + d)^(3/2)\*(-c\*e\*x + e)^(3/2)\*(b\*arcsin(c\*x) + a)^2, x)



$$3.548 \quad \int \sqrt{d + cdx}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=455

$$\frac{2bc^2ex^3\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{9\sqrt{1-c^2x^2}} - \frac{bcex^2\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{2\sqrt{1-c^2x^2}} - \frac{2bex\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{3\sqrt{1-c^2x^2}}$$

```
[Out] (-4*b^2*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/(9*c) - (b^2*e*x*Sqrt[d + c*d*x]
*Sqrt[e - c*e*x])/4 - (2*b^2*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(1 - c^2*x^2
))/(27*c) + (b^2*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x])/(4*c*Sqrt[1
- c^2*x^2]) - (2*b*e*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])
)/(3*Sqrt[1 - c^2*x^2]) - (b*c*e*x^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b
*ArcSin[c*x]))/(2*Sqrt[1 - c^2*x^2]) + (2*b*c^2*e*x^3*Sqrt[d + c*d*x]*Sqrt[
e - c*e*x]*(a + b*ArcSin[c*x]))/(9*Sqrt[1 - c^2*x^2]) + (e*x*Sqrt[d + c*d*x
]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/2 + (e*Sqrt[d + c*d*x]*Sqrt[e - c*
e*x]*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(3*c) + (e*Sqrt[d + c*d*x]*Sqrt[e
- c*e*x]*(a + b*ArcSin[c*x])^3)/(6*b*c*Sqrt[1 - c^2*x^2])
```

**Rubi [A]** time = 0.591805, antiderivative size = 455, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 11, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.344$ , Rules used = {4673, 4763, 4647, 4641, 4627, 321, 216, 4677, 4645, 444, 43}

$$\frac{2bc^2ex^3\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{9\sqrt{1-c^2x^2}} - \frac{bcex^2\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{2\sqrt{1-c^2x^2}} - \frac{2bex\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{3\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[d + c*d*x]*(e - c*e*x)^(3/2)*(a + b*ArcSin[c*x])^2,x]
```

```
[Out] (-4*b^2*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/(9*c) - (b^2*e*x*Sqrt[d + c*d*x]
*Sqrt[e - c*e*x])/4 - (2*b^2*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(1 - c^2*x^2
))/(27*c) + (b^2*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x])/(4*c*Sqrt[1
- c^2*x^2]) - (2*b*e*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])
)/(3*Sqrt[1 - c^2*x^2]) - (b*c*e*x^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b
*ArcSin[c*x]))/(2*Sqrt[1 - c^2*x^2]) + (2*b*c^2*e*x^3*Sqrt[d + c*d*x]*Sqrt[
e - c*e*x]*(a + b*ArcSin[c*x]))/(9*Sqrt[1 - c^2*x^2]) + (e*x*Sqrt[d + c*d*x
]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/2 + (e*Sqrt[d + c*d*x]*Sqrt[e - c*
e*x]*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(3*c) + (e*Sqrt[d + c*d*x]*Sqrt[e
- c*e*x]*(a + b*ArcSin[c*x])^3)/(6*b*c*Sqrt[1 - c^2*x^2])
```

Rule 4673

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_))^(p_)*((f_)
+ (g_.)*(x_))^(q_), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

Rule 4763

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_) + (g_.)*(x_))^(m_.)*((d_)
+ (e_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^p*(a +
b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] &
& EqQ[c^2*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ
[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))
```

Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt
[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x
^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d
+ e, 0] && GtQ[n, 0]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 321

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
```

+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 4677

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)\*(x\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 4645

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{u = IntHide[(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

### Rule 444

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n + 1, 0]

### Rule 43

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rubi steps

$$\begin{aligned}
\int \sqrt{d+cdx}(e-cex)^{3/2} (a+b\sin^{-1}(cx))^2 dx &= \frac{(\sqrt{d+cdx}\sqrt{e-cex}) \int (e-cex)\sqrt{1-c^2x^2} (a+b\sin^{-1}(cx))^2 dx}{\sqrt{1-c^2x^2}} \\
&= \frac{(\sqrt{d+cdx}\sqrt{e-cex}) \int (e\sqrt{1-c^2x^2} (a+b\sin^{-1}(cx))^2 - cex\sqrt{1-c^2x^2} (a+b\sin^{-1}(cx))^2) dx}{\sqrt{1-c^2x^2}} \\
&= \frac{(e\sqrt{d+cdx}\sqrt{e-cex}) \int \sqrt{1-c^2x^2} (a+b\sin^{-1}(cx))^2 dx}{\sqrt{1-c^2x^2}} - \frac{(ce\sqrt{d+cdx}\sqrt{e-cex}) \int \sqrt{1-c^2x^2} (a+b\sin^{-1}(cx))^2 dx}{\sqrt{1-c^2x^2}} \\
&= \frac{1}{2}ex\sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))^2 + \frac{e\sqrt{d+cdx}\sqrt{e-cex} (1-c^2x^2)}{3c} \\
&= -\frac{2bex\sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))}{3\sqrt{1-c^2x^2}} - \frac{bcex^2\sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))}{2\sqrt{1-c^2x^2}} \\
&= -\frac{1}{4}b^2ex\sqrt{d+cdx}\sqrt{e-cex} - \frac{2bex\sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))}{3\sqrt{1-c^2x^2}} - \frac{bcex^2\sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))}{2\sqrt{1-c^2x^2}} \\
&= -\frac{1}{4}b^2ex\sqrt{d+cdx}\sqrt{e-cex} + \frac{b^2e\sqrt{d+cdx}\sqrt{e-cex} \sin^{-1}(cx)}{4c\sqrt{1-c^2x^2}} - \frac{2bex\sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))}{2\sqrt{1-c^2x^2}} \\
&= -\frac{4b^2e\sqrt{d+cdx}\sqrt{e-cex}}{9c} - \frac{1}{4}b^2ex\sqrt{d+cdx}\sqrt{e-cex} - \frac{2b^2e\sqrt{d+cdx}\sqrt{e-cex}}{27c}
\end{aligned}$$

**Mathematica [A]** time = 1.80815, size = 440, normalized size = 0.97

$$e\sqrt{cdx+d}\sqrt{e-cex} \left( -3 \left( 4 \left( 3a^2\sqrt{1-c^2x^2} (2c^2x^2 - 3cx - 2) - 4abcx (c^2x^2 - 3) + 9b^2\sqrt{1-c^2x^2} \right) + 9b^2 \sin(2\sin^{-1}(cx)) \right) \right) +$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + c\*d\*x]\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (36\*b^2\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^3 - 108\*a^2\*Sqrt[d]\*e^(3/2)\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))] + 18\*b\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^2\*(6\*a + 3\*b\*Sqrt[1 - c^2\*x^2] + b\*Cos[3\*ArcSin[c\*x]] + 3\*b\*Sin[2\*ArcSin[c\*x]]) + e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(54\*a\*b\*Cos[2\*ArcSin[c\*x]]

- 4\*b^2\*cos[3\*ArcSin[c\*x]] - 3\*(4\*(9\*b^2\*Sqrt[1 - c^2\*x^2] - 4\*a\*b\*c\*x\*(-3 + c^2\*x^2) + 3\*a^2\*Sqrt[1 - c^2\*x^2]\*(-2 - 3\*c\*x + 2\*c^2\*x^2)) + 9\*b^2\*sin[2\*ArcSin[c\*x]]) - 6\*b\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]\*(-9\*b\*cos[2\*ArcSin[c\*x]] + 2\*(9\*b\*c\*x - 12\*a\*Sqrt[1 - c^2\*x^2] + 12\*a\*c^2\*x^2\*Sqrt[1 - c^2\*x^2] - 9\*a\*sin[2\*ArcSin[c\*x]] + b\*sin[3\*ArcSin[c\*x]])))/(216\*c\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0.267, size = 0, normalized size = 0.

$$\int \sqrt{cdx + d} (-cex + e)^{\frac{3}{2}} (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x)

[Out] int((c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(a^2cex - a^2e + \left(b^2cex - b^2e\right) \arcsin(cx)\right)^2 + 2(abcx - abe) \arcsin(cx)\right) \sqrt{cdx + d} \sqrt{-cex + e}, x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] `integral(-(a^2*c*e*x - a^2*e + (b^2*c*e*x - b^2*e)*arcsin(c*x)^2 + 2*(a*b*c*e*x - a*b*e)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*e*x + e), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*d*x+d)**(1/2)*(-c*e*x+e)**(3/2)*(a+b*asin(c*x))**2,x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{cdx + d}(-cex + e)^{\frac{3}{2}}(b \arcsin(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*d*x+d)^(1/2)*(-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2,x, algorithm="giac")`

[Out] `integrate(sqrt(c*d*x + d)*(-c*e*x + e)^(3/2)*(b*arcsin(c*x) + a)^2, x)`

$$3.549 \quad \int \frac{(e-cex)^{3/2} (a+b \sin^{-1}(cx))^2}{\sqrt{d+cdx}} dx$$

**Optimal.** Leaf size=398

$$\frac{e^2 \sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))^3}{2bc\sqrt{cdx+d}\sqrt{e-cex}} + \frac{2e^2 (1-c^2x^2) (a+b \sin^{-1}(cx))^2}{c\sqrt{cdx+d}\sqrt{e-cex}} - \frac{e^2x (1-c^2x^2) (a+b \sin^{-1}(cx))^2}{2\sqrt{cdx+d}\sqrt{e-cex}} + \frac{bce^2x^2 \sqrt{1-c^2x^2}}{2\sqrt{cdx+d}}$$

[Out]  $(-4*b^2*e^2*(1-c^2*x^2))/(c*\text{Sqrt}[d+c*d*x]*\text{Sqrt}[e-c*e*x]) + (b^2*e^2*x*(1-c^2*x^2))/(4*\text{Sqrt}[d+c*d*x]*\text{Sqrt}[e-c*e*x]) - (b^2*e^2*\text{Sqrt}[1-c^2*x^2]*\text{ArcSin}[c*x])/(4*c*\text{Sqrt}[d+c*d*x]*\text{Sqrt}[e-c*e*x]) - (4*b*e^2*x*\text{Sqrt}[1-c^2*x^2]*(a+b*\text{ArcSin}[c*x]))/(\text{Sqrt}[d+c*d*x]*\text{Sqrt}[e-c*e*x]) + (b*c*e^2*x^2*\text{Sqrt}[1-c^2*x^2]*(a+b*\text{ArcSin}[c*x]))/(2*\text{Sqrt}[d+c*d*x]*\text{Sqrt}[e-c*e*x]) + (2*e^2*(1-c^2*x^2)*(a+b*\text{ArcSin}[c*x])^2)/(c*\text{Sqrt}[d+c*d*x]*\text{Sqrt}[e-c*e*x]) - (e^2*x*(1-c^2*x^2)*(a+b*\text{ArcSin}[c*x])^2)/(2*\text{Sqrt}[d+c*d*x]*\text{Sqrt}[e-c*e*x]) + (e^2*\text{Sqrt}[1-c^2*x^2]*(a+b*\text{ArcSin}[c*x])^3)/(2*b*c*\text{Sqrt}[d+c*d*x]*\text{Sqrt}[e-c*e*x])$

**Rubi [A]** time = 0.577501, antiderivative size = 398, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.281$ , Rules used = {4673, 4773, 3317, 3296, 2638, 3311, 32, 2635, 8}

$$\frac{e^2 \sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))^3}{2bc\sqrt{cdx+d}\sqrt{e-cex}} + \frac{2e^2 (1-c^2x^2) (a+b \sin^{-1}(cx))^2}{c\sqrt{cdx+d}\sqrt{e-cex}} - \frac{e^2x (1-c^2x^2) (a+b \sin^{-1}(cx))^2}{2\sqrt{cdx+d}\sqrt{e-cex}} + \frac{bce^2x^2 \sqrt{1-c^2x^2}}{2\sqrt{cdx+d}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{(e-cex)^{3/2} (a+b \text{ArcSin}[c*x])^2}{\text{Sqrt}[d+c*d*x]}, x]$

[Out]  $(-4*b^2*e^2*(1-c^2*x^2))/(c*\text{Sqrt}[d+c*d*x]*\text{Sqrt}[e-c*e*x]) + (b^2*e^2*x*(1-c^2*x^2))/(4*\text{Sqrt}[d+c*d*x]*\text{Sqrt}[e-c*e*x]) - (b^2*e^2*\text{Sqrt}[1-c^2*x^2]*\text{ArcSin}[c*x])/(4*c*\text{Sqrt}[d+c*d*x]*\text{Sqrt}[e-c*e*x]) - (4*b*e^2*x*\text{Sqrt}[1-c^2*x^2]*(a+b*\text{ArcSin}[c*x]))/(\text{Sqrt}[d+c*d*x]*\text{Sqrt}[e-c*e*x]) + (b*c*e^2*x^2*\text{Sqrt}[1-c^2*x^2]*(a+b*\text{ArcSin}[c*x]))/(2*\text{Sqrt}[d+c*d*x]*\text{Sqrt}[e-c*e*x]) + (2*e^2*(1-c^2*x^2)*(a+b*\text{ArcSin}[c*x])^2)/(c*\text{Sqrt}[d+c*d*x]*\text{Sqrt}[e-c*e*x]) - (e^2*x*(1-c^2*x^2)*(a+b*\text{ArcSin}[c*x])^2)/(2*\text{Sqrt}[d+c*d*x]*\text{Sqrt}[e-c*e*x]) + (e^2*\text{Sqrt}[1-c^2*x^2]*(a+b*\text{ArcSin}[c*x])^3)/(2*b*c*\text{Sqrt}[d+c*d*x]*\text{Sqrt}[e-c*e*x])$

Rule 4673

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_))^(p_)*((f_)
+ (g_.)*(x_))^(q_), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

### Rule 4773

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_) + (g_.)*(x_))^(m_.))/Sq
rt[(d_) + (e_.)*(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int
[(a + b*x)^n*(c*f + g*Sin[x])^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c,
d, e, f, g, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[m] && GtQ[d, 0] && (Gt
Q[m, 0] || IGtQ[n, 0])
```

### Rule 3317

```
Int[(((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

### Rule 3296

```
Int[(((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

### Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

### Rule 3311

```
Int[(((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbo
l] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[
(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

### Rule 32

```
Int[(((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m +
1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```



Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x] \*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2}{\sqrt{d + cdx}} dx &= \frac{\sqrt{1 - c^2x^2} \int \frac{(e - cex)^2 (a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} dx}{\sqrt{d + cdx} \sqrt{e - cex}} \\
 &= \frac{\sqrt{1 - c^2x^2} \text{Subst} \left( \int (a + bx)^2 (ce - ce \sin(x))^2 dx, x, \sin^{-1}(cx) \right)}{c^3 \sqrt{d + cdx} \sqrt{e - cex}} \\
 &= \frac{\sqrt{1 - c^2x^2} \text{Subst} \left( \int (c^2 e^2 (a + bx)^2 - 2c^2 e^2 (a + bx)^2 \sin(x) + c^2 e^2 (a + bx)^2 \sin^2(x)) dx, x, \sin^{-1}(cx) \right)}{c^3 \sqrt{d + cdx} \sqrt{e - cex}} \\
 &= \frac{e^2 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^3}{3bc \sqrt{d + cdx} \sqrt{e - cex}} + \frac{(e^2 \sqrt{1 - c^2x^2}) \text{Subst} \left( \int (a + bx)^2 \sin^2(x) dx, x, \sin^{-1}(cx) \right)}{c \sqrt{d + cdx} \sqrt{e - cex}} \\
 &= \frac{bce^2 x^2 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{2 \sqrt{d + cdx} \sqrt{e - cex}} + \frac{2e^2 (1 - c^2x^2) (a + b \sin^{-1}(cx))^2}{c \sqrt{d + cdx} \sqrt{e - cex}} - \frac{e^2 x (1 - c^2x^2)}{2 \sqrt{d + cdx} \sqrt{e - cex}} \\
 &= \frac{b^2 e^2 x (1 - c^2x^2)}{4 \sqrt{d + cdx} \sqrt{e - cex}} - \frac{4be^2 x \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{\sqrt{d + cdx} \sqrt{e - cex}} + \frac{bce^2 x^2 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{2 \sqrt{d + cdx} \sqrt{e - cex}} \\
 &= -\frac{4b^2 e^2 (1 - c^2x^2)}{c \sqrt{d + cdx} \sqrt{e - cex}} + \frac{b^2 e^2 x (1 - c^2x^2)}{4 \sqrt{d + cdx} \sqrt{e - cex}} - \frac{b^2 e^2 \sqrt{1 - c^2x^2} \sin^{-1}(cx)}{4c \sqrt{d + cdx} \sqrt{e - cex}} - \frac{4be^2 x \sqrt{1 - c^2x^2}}{2 \sqrt{d + cdx} \sqrt{e - cex}}
 \end{aligned}$$

**Mathematica [A]** time = 2.23658, size = 358, normalized size = 0.9

$$e \sqrt{cdx + d} \sqrt{e - cex} \left( -4 \left( a^2 (cx - 4) \sqrt{1 - c^2x^2} + 8abcx + 8b^2 \sqrt{1 - c^2x^2} \right) - 2ab \cos \left( 2 \sin^{-1}(cx) \right) + b^2 \sin \left( 2 \sin^{-1}(cx) \right) \right) -$$

Antiderivative was successfully verified.

```
[In] Integrate[((e - c*e*x)^(3/2)*(a + b*ArcSin[c*x])^2)/Sqrt[d + c*d*x],x]
```

```
[Out] (4*b^2*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x]^3 - 12*a^2*Sqrt[d]*e^(3/2)*Sqrt[1 - c^2*x^2]*ArcTan[(c*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/(Sqrt[d]*Sqrt[e]*(-1 + c^2*x^2))] - 2*b*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x]*(16*b*c*x + 4*a*(-4 + c*x)*Sqrt[1 - c^2*x^2] + b*Cos[2*ArcSin[c*x]]) + 2*b*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x]^2*(6*a + 8*b*Sqrt[1 - c^2*x^2] - b*Sin[2*ArcSin[c*x]]) + e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(-4*(8*a*b*c*x + 8*b^2*Sqrt[1 - c^2*x^2] + a^2*(-4 + c*x)*Sqrt[1 - c^2*x^2]) - 2*a*b*Cos[2*ArcSin[c*x]] + b^2*Sin[2*ArcSin[c*x]]))/(8*c*d*Sqrt[1 - c^2*x^2])
```

**Maple [F]** time = 0.262, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (-cex + e)^{\frac{3}{2}} \frac{1}{\sqrt{cdx + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2),x)
```

```
[Out] int((-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(a^2cex - a^2e + (b^2cex - b^2e)\arcsin(cx)^2 + 2(abcex - abe)\arcsin(cx))\sqrt{-cex + e}}{\sqrt{cdx + d}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(1/2),x, algorithm="fricas")

[Out] integral(-(a^2\*c\*e\*x - a^2\*e + (b^2\*c\*e\*x - b^2\*e)\*arcsin(c\*x)^2 + 2\*(a\*b\*c\*e\*x - a\*b\*e)\*arcsin(c\*x))\*sqrt(-c\*e\*x + e)/sqrt(c\*d\*x + d), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2/(c\*d\*x+d)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cex + e)^{\frac{3}{2}}(b \arcsin(cx) + a)^2}{\sqrt{cdx + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(1/2),x, algorithm="giac")

[Out] integrate((-c\*e\*x + e)^(3/2)\*(b\*arcsin(c\*x) + a)^2/sqrt(c\*d\*x + d), x)

$$3.550 \quad \int \frac{(e-cex)^{3/2} (a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2}} dx$$

**Optimal.** Leaf size=714

$$\frac{8ib^2e^3(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{8ib^2e^3(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{4ib^2e^3(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}}$$

```
[Out] (2*a*b*e^3*x*(1 - c^2*x^2)^(3/2))/((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) + (
2*b^2*e^3*(1 - c^2*x^2)^2)/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) + (2*b^2
*e^3*x*(1 - c^2*x^2)^(3/2)*ArcSin[c*x])/((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2
)) - (4*e^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^(3/2)*(e -
c*e*x)^(3/2)) + (4*e^3*x*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/((d + c*d*x)^(
3/2)*(e - c*e*x)^(3/2)) - ((4*I)*e^3*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x
])^2)/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - (e^3*(1 - c^2*x^2)^2*(a + b
*ArcSin[c*x])^2)/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - (e^3*(1 - c^2*x^
2)^(3/2)*(a + b*ArcSin[c*x])^3)/(b*c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) -
((16*I)*b*e^3*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c
*x])])/((c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) + (8*b*e^3*(1 - c^2*x^2)^(3/
2)*(a + b*ArcSin[c*x])*Log[1 + E^((2*I)*ArcSin[c*x])])/((c*(d + c*d*x)^(3/2)
*(e - c*e*x)^(3/2)) + ((8*I)*b^2*e^3*(1 - c^2*x^2)^(3/2)*PolyLog[2, (-I)*E^
(I*ArcSin[c*x])])/((c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - ((8*I)*b^2*e^3*
(1 - c^2*x^2)^(3/2)*PolyLog[2, I*E^(I*ArcSin[c*x])])/((c*(d + c*d*x)^(3/2)*(
e - c*e*x)^(3/2)) - ((4*I)*b^2*e^3*(1 - c^2*x^2)^(3/2)*PolyLog[2, -E^((2*I)
*ArcSin[c*x])])/((c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2))
```

**Rubi [A]** time = 1.08485, antiderivative size = 714, normalized size of antiderivative = 1., number of steps used = 23, number of rules used = 15, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.469$ , Rules used = {4673, 4775, 4763, 4651, 4675, 3719, 2190, 2279, 2391, 4677, 4657, 4181, 4641, 4619, 261}

$$\frac{8ib^2e^3(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{8ib^2e^3(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{4ib^2e^3(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((e - c*e*x)^(3/2)*(a + b*ArcSin[c*x])^2)/(d + c*d*x)^(3/2), x]
```

```
[Out] (2*a*b*e^3*x*(1 - c^2*x^2)^(3/2))/((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) + (
2*b^2*e^3*(1 - c^2*x^2)^2)/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) + (2*b^2
```

$$\begin{aligned} & *e^{3*x}*(1 - c^2*x^2)^{(3/2)}*ArcSin[c*x])/((d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)} \\ & )) - (4*e^{3*(1 - c^2*x^2)}*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^{(3/2)}*(e - \\ & c*e*x)^{(3/2)}) + (4*e^{3*x}*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/((d + c*d*x)^{(3/2)}*(e - \\ & c*e*x)^{(3/2)}) - ((4*I)*e^{3*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x] \\ & ])^2)/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - (e^{3*(1 - c^2*x^2)^2}*(a + b \\ & *ArcSin[c*x])^2)/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - (e^{3*(1 - c^2*x^2)^{(3/2)}*(a + b \\ & *ArcSin[c*x])^3}/(b*c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - \\ & ((16*I)*b*e^{3*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c \\ & *x])])/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) + (8*b*e^{3*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x] \\ & )*Log[1 + E^((2*I)*ArcSin[c*x])])/(c*(d + c*d*x)^{(3/2)} \\ & *(e - c*e*x)^{(3/2)}) + ((8*I)*b^2*e^{3*(1 - c^2*x^2)^{(3/2)}*PolyLog[2, (-I)*E^ \\ & (I*ArcSin[c*x])])/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - ((8*I)*b^2*e^{3* \\ & (1 - c^2*x^2)^{(3/2)}*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c*(d + c*d*x)^{(3/2)}*( \\ & e - c*e*x)^{(3/2)}) - ((4*I)*b^2*e^{3*(1 - c^2*x^2)^{(3/2)}*PolyLog[2, -E^((2*I) \\ & *ArcSin[c*x])])/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) \end{aligned}$$
Rule 4673

$$\begin{aligned} & Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^{(n_.)}*((d_.) + (e_.)*(x_.))^{(p_.)}*((f_.) \\ & + (g_.)*(x_.))^{(q_.)}, x\_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x \\ & ^2)^q, Int[(d + e*x)^{(p - q)}*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x] \\ & /; FreeQ[{a, b, c, d, e, f, g, n}, x] \&\& EqQ[e*f + d*g, 0] \&\& EqQ[c^2*d^2 - \\ & e^2, 0] \&\& HalfIntegerQ[p, q] \&\& GeQ[p - q, 0] \end{aligned}$$
Rule 4775

$$\begin{aligned} & Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^{(n_.)}*((f_.) + (g_.)*(x_.))^{(m_.)}*((d_.) \\ & + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x] \\ & )^n/Sqrt[d + e*x^2], (f + g*x)^m*(d + e*x^2)^{(p + 1/2)}, x], x] /; FreeQ[{a, \\ & b, c, d, e, f, g}, x] \&\& EqQ[c^2*d + e, 0] \&\& IntegerQ[m] \&\& ILtQ[p + 1/2, \\ & 0] \&\& GtQ[d, 0] \&\& IGtQ[n, 0] \end{aligned}$$
Rule 4763

$$\begin{aligned} & Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^{(n_.)}*((f_.) + (g_.)*(x_.))^{(m_.)}*((d_.) \\ & + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^p*(a + \\ & b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] \& \\ & \& EqQ[c^2*d + e, 0] \&\& IGtQ[m, 0] \&\& IntegerQ[p + 1/2] \&\& GtQ[d, 0] \&\& IGtQ \\ & [n, 0] \&\& (m == 1 || p > 0 || (n == 1 \&\& p > -1) || (m == 2 \&\& p < -2)) \end{aligned}$$
Rule 4651

$$\begin{aligned} & Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^{(n_.)}/((d_.) + (e_.)*(x_.)^2)^{(3/2)}, x \\ & \_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[( \\ & b*c*n)/Sqrt[d], Int[(x*(a + b*ArcSin[c*x])^{(n - 1)})/(d + e*x^2), x], x] /; \end{aligned}$$

FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]

### Rule 4675

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_)\*(x\_)/((d\_) + (e\_.)\*(x\_)^2), x\_Symbol] := -Dist[e^(-1), Subst[Int[(a + b\*x)^n\*Tan[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 3719

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^n\_)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^n\_), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^n\_], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^n\_)]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_)^2), x_Symbol]
:> Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist
[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x]
&& EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

### Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Simp[x*(a + b*ArcSin[c*x])^n, x]
- Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x]
&& GtQ[n, 0]
```

### Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x]
/; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}} dx &= \frac{(1 - c^2x^2)^{3/2} \int \frac{(e - cex)^3 (a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{(1 - c^2x^2)^{3/2} \int \left( \frac{4(e^3 - ce^3x)(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{3/2}} - \frac{3e^3(a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} + \frac{ce^3x(a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} \right) dx}{(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{\left( 4(1 - c^2x^2)^{3/2} \int \frac{(e^3 - ce^3x)(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{3/2}} dx - \left( 3e^3(1 - c^2x^2)^{3/2} \right) \int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} dx \right)}{(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= -\frac{e^3(1 - c^2x^2)^2 (a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} - \frac{e^3(1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^3}{bc(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{4(1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^2}{bc(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{2abe^3x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (e - cex)^{3/2}} - \frac{e^3(1 - c^2x^2)^2 (a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} - \frac{e^3(1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^3}{bc(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{2abe^3x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{2b^2e^3x(1 - c^2x^2)^{3/2} \sin^{-1}(cx)}{(d + cdx)^{3/2} (e - cex)^{3/2}} - \frac{4e^3(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{2abe^3x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{2b^2e^3(1 - c^2x^2)^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{2b^2e^3x(1 - c^2x^2)^{3/2} \sin^{-1}(cx)}{(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{2abe^3x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{2b^2e^3(1 - c^2x^2)^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{2b^2e^3x(1 - c^2x^2)^{3/2} \sin^{-1}(cx)}{(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{2abe^3x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{2b^2e^3(1 - c^2x^2)^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{2b^2e^3x(1 - c^2x^2)^{3/2} \sin^{-1}(cx)}{(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{2abe^3x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{2b^2e^3(1 - c^2x^2)^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{2b^2e^3x(1 - c^2x^2)^{3/2} \sin^{-1}(cx)}{(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{2abe^3x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{2b^2e^3(1 - c^2x^2)^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{2b^2e^3x(1 - c^2x^2)^{3/2} \sin^{-1}(cx)}{(d + cdx)^{3/2} (e - cex)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 7.32786, size = 1086, normalized size = 1.52

result too large to display

Antiderivative was successfully verified.



[In] Integrate[((e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(d + c\*d\*x)^(3/2),x]

[Out] 
$$\begin{aligned} & (-3*a^2*e*(5 + c*x)*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*\text{Sqrt}[1 - c^2*x^2]*(\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]) + 9*a^2*\text{Sqrt}[d]*e^{3/2}*(1 + c*x)*\text{Sqrt}[1 - c^2*x^2]*\text{ArcTan}[(c*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])/(\text{Sqrt}[d]*\text{Sqrt}[e]*(-1 + c^2*x^2))]*(\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]) - 3*a*b*e*(1 + c*x)*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(\text{Cos}[\text{ArcSin}[c*x]/2]*(\text{ArcSin}[c*x]*(4 + \text{ArcSin}[c*x]) - 8*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]]) + ((-4 + \text{ArcSin}[c*x])* \text{ArcSin}[c*x] - 8*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]])*\text{Sin}[\text{ArcSin}[c*x]/2] - b^2*e*(1 + c*x)*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*((6 + 6*I)*\text{ArcSin}[c*x]^2*(\text{Cos}[\text{ArcSin}[c*x]/2] + I*\text{Sin}[\text{ArcSin}[c*x]/2]) + \text{ArcSin}[c*x]^3*(\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]) - (6*I)*\text{ArcSin}[c*x]*(\text{Pi} - (4*I)*\text{Log}[1 - I*E^{(I*\text{ArcSin}[c*x])}])*(\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]) - 12*\text{Pi}*(2*\text{Log}[1 + E^{((-I)*\text{ArcSin}[c*x])}] + \text{Log}[1 - I*E^{(I*\text{ArcSin}[c*x])}]) - 2*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2]] - \text{Log}[\text{Sin}[(\text{Pi} + 2*\text{ArcSin}[c*x])/4]])*(\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]) + (24*I)*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}]*(\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2])) - 6*a*b*e*(1 + c*x)*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(\text{ArcSin}[c*x]^2*(\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]) - (c*x + 4*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]])*(\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]) + \text{ArcSin}[c*x]*((2 + \text{Sqrt}[1 - c^2*x^2])* \text{Cos}[\text{ArcSin}[c*x]/2] + (-2 + \text{Sqrt}[1 - c^2*x^2])* \text{Sin}[\text{ArcSin}[c*x]/2])) - b^2*e*(1 + c*x)*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(2*\text{ArcSin}[c*x]^3*(\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]) - (6*I)*\text{ArcSin}[c*x]*(\text{Pi} - I*c*x - (4*I)*\text{Log}[1 - I*E^{(I*\text{ArcSin}[c*x])}])*(\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]) - 6*(\text{Sqrt}[1 - c^2*x^2] + 4*\text{Pi}*\text{Log}[1 + E^{((-I)*\text{ArcSin}[c*x])}] + 2*\text{Pi}*\text{Log}[1 - I*E^{(I*\text{ArcSin}[c*x])}]) - 4*\text{Pi}*\text{Log}[\text{Cos}[\text{ArcSin}[c*x]/2]] - 2*\text{Pi}*\text{Log}[\text{Sin}[(\text{Pi} + 2*\text{ArcSin}[c*x])/4]])*(\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]) + (24*I)*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}]*(\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2]) + 3*\text{ArcSin}[c*x]^2*((2 + 2*I) + \text{Sqrt}[1 - c^2*x^2])* \text{Cos}[\text{ArcSin}[c*x]/2] + ((-2 + 2*I) + \text{Sqrt}[1 - c^2*x^2])* \text{Sin}[\text{ArcSin}[c*x]/2]))/(3*c*d^2*(1 + c*x)*\text{Sqrt}[1 - c^2*x^2]*(\text{Cos}[\text{ArcSin}[c*x]/2] + \text{Sin}[\text{ArcSin}[c*x]/2])) \end{aligned}$$

---

**Maple [F]** time = 0.201, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (-cex + e)^{\frac{3}{2}} (cdx + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(3/2),x)

[Out] int((-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(3/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(a^2cex - a^2e + (b^2cex - b^2e)\arcsin(cx))^2 + 2(abcex - abe)\arcsin(cx)\sqrt{cdx + d}\sqrt{-cex + e}}{c^2d^2x^2 + 2cd^2x + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(3/2),x, algorithm="fricas")

[Out] integral(-(a^2\*c\*e\*x - a^2\*e + (b^2\*c\*e\*x - b^2\*e)\*arcsin(c\*x))^2 + 2\*(a\*b\*c\*e\*x - a\*b\*e)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^2\*d^2\*x^2 + 2\*c\*d^2\*x + d^2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2/(c\*d\*x+d)\*\*(3/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cex + e)^{\frac{3}{2}} (b \arcsin(cx) + a)^2}{(cdx + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(3/2),x, algorithm="giac")

[Out] integrate((-c\*e\*x + e)^(3/2)\*(b\*arcsin(c\*x) + a)^2/(c\*d\*x + d)^(3/2), x)

$$3.551 \quad \int \frac{(e-cex)^{3/2} (a+b \sin^{-1}(cx))^2}{(d+cdx)^{5/2}} dx$$

**Optimal.** Leaf size=544

$$\frac{32ib^2e^4(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{e^4(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))^3}{3bc(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{8ie^4(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))^2}{3c(cdx+d)^{5/2}(e-cex)^{5/2}}$$

[Out] (((8\*I)/3)\*e^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (e^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (8\*b^2\*e^4\*(1 - c^2\*x^2)^(5/2)\*Cot[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (8\*e^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2\*Cot[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (4\*b\*e^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Csc[Pi/4 + ArcSin[c\*x]/2]^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (2\*e^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2\*Cot[Pi/4 + ArcSin[c\*x]/2]\*Csc[Pi/4 + ArcSin[c\*x]/2]^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (32\*b\*e^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Log[1 - I\*E^(I\*ArcSin[c\*x])])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (((32\*I)/3)\*b^2\*e^4\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2))

**Rubi [A]** time = 1.15426, antiderivative size = 544, normalized size of antiderivative = 1., number of steps used = 21, number of rules used = 13, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.406, Rules used = {4673, 4775, 4641, 4773, 3318, 4186, 3767, 8, 4184, 3717, 2190, 2279, 2391}

$$\frac{32ib^2e^4(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{e^4(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))^3}{3bc(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{8ie^4(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))^2}{3c(cdx+d)^{5/2}(e-cex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[((e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(d + c\*d\*x)^(5/2), x]

[Out] (((8\*I)/3)\*e^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (e^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (8\*b^2\*e^4\*(1 - c^2\*x^2)^(5/2)\*Cot[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (8\*e^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2\*Cot[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (4\*b\*e^4\*(1 - c^2\*x^2)^(5/2)\*(a +

$$b \operatorname{ArcSin}[c*x] * \operatorname{Csc}[\pi/4 + \operatorname{ArcSin}[c*x]/2]^2 / (3*c*(d + c*d*x)^{5/2}*(e - c*e*x)^{5/2}) - (2*e^4*(1 - c^2*x^2)^{5/2}*(a + b*\operatorname{ArcSin}[c*x])^2*\operatorname{Cot}[\pi/4 + \operatorname{ArcSin}[c*x]/2]*\operatorname{Csc}[\pi/4 + \operatorname{ArcSin}[c*x]/2]^2) / (3*c*(d + c*d*x)^{5/2}*(e - c*e*x)^{5/2}) - (32*b*e^4*(1 - c^2*x^2)^{5/2}*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{Log}[1 - I*E^{\operatorname{ArcSin}[c*x]}]) / (3*c*(d + c*d*x)^{5/2}*(e - c*e*x)^{5/2}) + (((32*I)/3)*b^2*e^4*(1 - c^2*x^2)^{5/2}*\operatorname{PolyLog}[2, I*E^{\operatorname{ArcSin}[c*x]}]) / (c*(d + c*d*x)^{5/2}*(e - c*e*x)^{5/2})$$

### Rule 4673

$$\operatorname{Int}[(a + \operatorname{ArcSin}[c*x])*(b)^n*((d) + (e)*(x))^p*((f) + (g)*(x))^q, x\_Symbol] \rightarrow \operatorname{Dist}[(d + e*x)^q*(f + g*x)^q / (1 - c^2*x^2)^q, \operatorname{Int}[(d + e*x)^{p-q}*(1 - c^2*x^2)^q*(a + b*\operatorname{ArcSin}[c*x])^n, x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, g, n\}, x \ \&\& \ \text{EqQ}[e*f + d*g, 0] \ \&\& \ \text{EqQ}[c^2*d^2 - e^2, 0] \ \&\& \ \text{HalfIntegerQ}[p, q] \ \&\& \ \text{GeQ}[p - q, 0]$$

### Rule 4775

$$\operatorname{Int}[(a + \operatorname{ArcSin}[c*x])*(b)^n*((f) + (g)*(x))^m*((d) + (e)*(x)^2)^p, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b*\operatorname{ArcSin}[c*x])^n/\operatorname{Sqrt}[d + e*x^2], (f + g*x)^m*(d + e*x^2)^{p+1/2}, x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, g\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ \text{ILtQ}[p + 1/2, 0] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ \text{IGtQ}[n, 0]$$

### Rule 4641

$$\operatorname{Int}[(a + \operatorname{ArcSin}[c*x])*(b)^n/\operatorname{Sqrt}[(d) + (e)*(x)^2], x\_Symbol] \rightarrow \operatorname{Simp}[(a + b*\operatorname{ArcSin}[c*x])^{n+1} / (b*c*\operatorname{Sqrt}[d]*(n+1)), x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, n\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ \text{NeQ}[n, -1]$$

### Rule 4773

$$\operatorname{Int}[(a + \operatorname{ArcSin}[c*x])*(b)^n*((f) + (g)*(x))^m/\operatorname{Sqrt}[(d) + (e)*(x)^2], x\_Symbol] \rightarrow \operatorname{Dist}[1/(c^{m+1}*\operatorname{Sqrt}[d]), \operatorname{Subst}[\operatorname{Int}[(a + b*x)^n*(c*f + g*\operatorname{Sin}[x])^m, x], x, \operatorname{ArcSin}[c*x]], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, g, n\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ \text{GtQ}[d, 0] \ \&\& \ (\text{GtQ}[m, 0] \ || \ \text{IGtQ}[n, 0])$$

### Rule 3318

$$\operatorname{Int}[(a + (d)*(x))^m*((a) + (b)*\operatorname{sin}[(e) + (f)*(x)])^n, x\_Symbol] \rightarrow \operatorname{Dist}[(2*a)^n, \operatorname{Int}[(c + d*x)^m*\operatorname{Sin}[(1*(e + (\pi*a)/(2*b)))/2 + (f*x)/2]^{2*n}, x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, m\}, x \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ (\text{GtQ}[n, 0] \ || \ \text{IGtQ}[m, 0])$$

Rule 4186

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:> -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x]
+ (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(m - 2)*
(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)^
m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m - 1)*
(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x]
&& GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[
(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :> -Simp[
((c + d*x)^m*Cot[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x]
/; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x))
/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_)*((c_.) + (d_.)*(x_))^(m_))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_)), x_Symbol] :> Simp[
((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[
(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x]
/; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
```

$]^n], x] /; \text{FreeQ}[\{F, a, b, c, d, e, n\}, x] \ \&\& \ \text{GtQ}[a, 0]$

### Rule 2391

$\text{Int}[\text{Log}[(c\_.) * ((d\_.) + (e\_.) * (x\_.)^n)] / (x\_.), x\_Symbol] \ :> \ -\text{Simp}[\text{PolyLog}[2, -(c * e * x^n)] / n, x] /; \text{FreeQ}[\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c * d, 1]$

### Rubi steps

$$\begin{aligned}
 \int \frac{(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2}{(d + cdx)^{5/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(e - cex)^4 (a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= \frac{(1 - c^2x^2)^{5/2} \int \left( \frac{e^4 (a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} + \frac{4e^4 (a + b \sin^{-1}(cx))^2}{(1 + cx)^2 \sqrt{1 - c^2x^2}} - \frac{4e^4 (a + b \sin^{-1}(cx))^2}{(1 + cx) \sqrt{1 - c^2x^2}} \right) dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= \frac{\left( e^4 (1 - c^2x^2)^{5/2} \right) \int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{\left( 4e^4 (1 - c^2x^2)^{5/2} \right) \int \frac{(a + b \sin^{-1}(cx))^2}{(1 + cx)^2 \sqrt{1 - c^2x^2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{\left( 4e^4 (1 - c^2x^2)^{5/2} \right) \int \frac{(a + b \sin^{-1}(cx))^2}{(1 + cx) \sqrt{1 - c^2x^2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= \frac{e^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{\left( 4e^4 (1 - c^2x^2)^{5/2} \right) \text{Subst} \left( \int \frac{(a + bx)^2}{c + c \sin(x)} dx, x, s \right)}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= \frac{e^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{\left( e^4 (1 - c^2x^2)^{5/2} \right) \text{Subst} \left( \int (a + bx)^2 \csc^4 \left( \frac{\pi}{4} + x \right) dx, x, s \right)}{c(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= \frac{e^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{4e^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2 \cot \left( \frac{\pi}{4} + x \right)}{c(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= \frac{4ie^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{e^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{8e^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= \frac{8ie^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{e^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{8b^2e^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= \frac{8ie^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{e^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{8b^2e^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= \frac{8ie^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{e^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{8b^2e^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= \frac{8ie^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{e^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{8b^2e^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}}
 \end{aligned}$$

**Mathematica [B]** time = 9.5937, size = 1430, normalized size = 2.63

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(d + c\*d\*x)^(5/2),x]

[Out] (Sqrt[-(e\*(-1 + c\*x))]\*Sqrt[d\*(1 + c\*x)]\*((-4\*a^2\*e)/(3\*d^3\*(1 + c\*x)^2) + (8\*a^2\*e)/(3\*d^3\*(1 + c\*x))))/c - (a^2\*e^(3/2)\*ArcTan[(c\*x\*Sqrt[-(e\*(-1 + c\*x))]\*Sqrt[d\*(1 + c\*x))]/(Sqrt[d]\*Sqrt[e\*(-1 + c\*x)\*(1 + c\*x)])]/(c\*d^(5/2))) - (a\*b\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])\*(Cos[ArcSin[c\*x]/2]\*(-8 + 6\*ArcSin[c\*x] + 9\*ArcSin[c\*x]^2 - 84\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) + Cos[(3\*ArcSin[c\*x])/2]\*((14 - 3\*ArcSin[c\*x])\*ArcSin[c\*x] + 28\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) + 2\*(-4 + 4\*ArcSin[c\*x] + 6\*ArcSin[c\*x]^2 + Sqrt[1 - c^2\*x^2]\*(ArcSin[c\*x]\*(14 + 3\*ArcSin[c\*x]) - 28\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) - 56\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2])/((6\*c\*d^3\*(-1 + c\*x)\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^4) - (a\*b\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])\*(Cos[(3\*ArcSin[c\*x])/2]\*(ArcSin[c\*x] + 2\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) - Cos[ArcSin[c\*x]/2]\*(4 + 3\*ArcSin[c\*x] + 6\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) + 2\*(-2 + 2\*ArcSin[c\*x] + Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] - 4\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]] - 2\*Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2]))/(3\*c\*d^3\*(-1 + c\*x)\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^4) - (b^2\*e\*(-1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*((-I)\*Pi\*ArcSin[c\*x] + (1 + I)\*ArcSin[c\*x]^2 - 4\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])]) - 2\*(Pi + 2\*ArcSin[c\*x])\*Log[1 - I\*E^(I\*ArcSin[c\*x])] + 4\*Pi\*Log[Cos[ArcSin[c\*x]/2]] + 2\*Pi\*Log[Sin[(Pi + 2\*ArcSin[c\*x])/4]]) + (4\*I)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])] + (4\*ArcSin[c\*x]^2\*Sin[ArcSin[c\*x]/2))/(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^3 - (2\*ArcSin[c\*x]\*(2 + ArcSin[c\*x]))/(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2 - (2\*(-4 + ArcSin[c\*x]^2)\*Sin[ArcSin[c\*x]/2))/(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]))/(3\*c\*d^3\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])^2) + (b^2\*e\*(-1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*((7\*I)\*Pi\*ArcSin[c\*x] - (7 + 7\*I)\*ArcSin[c\*x]^2 - ArcSin[c\*x]^3 + 28\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])]) + 14\*(Pi + 2\*ArcSin[c\*x])\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - 28\*Pi\*Log[Cos[ArcSin[c\*x]/2]] - 14\*Pi\*Log[Sin[(Pi + 2\*ArcSin[c\*x])/4]]) - (28\*I)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])] - (4\*ArcSin[c\*x]^2\*Sin[ArcSin[c\*x]/2))/(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^3 + (2\*ArcSin[c\*x]\*(2 + ArcSin[c\*x]))/(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2 + (2\*(-4 + 7\*ArcSin[c\*x]^2)\*Sin[ArcSin[c\*x]/2))/(C



os[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]))/(3\*c\*d^3\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])^2)

**Maple [F]** time = 0.204, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (-cex + e)^{\frac{3}{2}} (cdx + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(5/2),x)

[Out] int((-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(5/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(a^2cex - a^2e + (b^2cex - b^2e) \arcsin(cx))^2 + 2(abcex - abe) \arcsin(cx) \sqrt{cdx + d} \sqrt{-cex + e}}{c^3d^3x^3 + 3c^2d^3x^2 + 3cd^3x + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(5/2),x, algorithm="fricas")

[Out] integral(-(a^2\*c\*e\*x - a^2\*e + (b^2\*c\*e\*x - b^2\*e)\*arcsin(c\*x))^2 + 2\*(a\*b\*c\*e\*x - a\*b\*e)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^3\*d^3\*x^3 +

$3*c^2*d^3*x^2 + 3*c*d^3*x + d^3), x)$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2/(c\*d\*x+d)\*\*(5/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cex + e)^{\frac{3}{2}}(b \arcsin(cx) + a)^2}{(cdx + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(5/2),x, algorithm="giac")

[Out] integrate((-c\*e\*x + e)^(3/2)\*(b\*arcsin(c\*x) + a)^2/(c\*d\*x + d)^(5/2), x)

$$3.552 \quad \int (d + cdx)^{5/2} (e - cex)^{5/2} (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=502

$$\frac{5(cdx + d)^{5/2}(e - cex)^{5/2} (a + b \sin^{-1}(cx))^3}{48bc(1 - c^2x^2)^{5/2}} + \frac{5x(cdx + d)^{5/2}(e - cex)^{5/2} (a + b \sin^{-1}(cx))^2}{24(1 - c^2x^2)} + \frac{5x(cdx + d)^{5/2}(e - cex)^{5/2} (a + b \sin^{-1}(cx))}{16(1 - c^2x^2)}$$

```
[Out] -(b^2*x*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2))/108 - (245*b^2*x*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2))/(1152*(1 - c^2*x^2)^2) - (65*b^2*x*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2))/(1728*(1 - c^2*x^2)) + (115*b^2*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*ArcSin[c*x])/(1152*c*(1 - c^2*x^2)^(5/2)) - (5*b*c*x^2*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*(a + b*ArcSin[c*x]))/(16*(1 - c^2*x^2)^(5/2)) + (5*b*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*(a + b*ArcSin[c*x]))/(48*c*Sqrt[1 - c^2*x^2]) + (b*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(18*c) + (x*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*(a + b*ArcSin[c*x])^2)/6 + (5*x*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*(a + b*ArcSin[c*x])^2)/(16*(1 - c^2*x^2)^2) + (5*x*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*(a + b*ArcSin[c*x])^2)/(24*(1 - c^2*x^2)) + (5*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*(a + b*ArcSin[c*x])^3)/(48*b*c*(1 - c^2*x^2)^(5/2))
```

**Rubi [A]** time = 0.567899, antiderivative size = 502, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 9, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.281$ , Rules used = {4673, 4649, 4647, 4641, 4627, 321, 216, 4677, 195}

$$\frac{5(cdx + d)^{5/2}(e - cex)^{5/2} (a + b \sin^{-1}(cx))^3}{48bc(1 - c^2x^2)^{5/2}} + \frac{5x(cdx + d)^{5/2}(e - cex)^{5/2} (a + b \sin^{-1}(cx))^2}{24(1 - c^2x^2)} + \frac{5x(cdx + d)^{5/2}(e - cex)^{5/2} (a + b \sin^{-1}(cx))}{16(1 - c^2x^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*(a + b*ArcSin[c*x])^2,x]
```

```
[Out] -(b^2*x*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2))/108 - (245*b^2*x*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2))/(1152*(1 - c^2*x^2)^2) - (65*b^2*x*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2))/(1728*(1 - c^2*x^2)) + (115*b^2*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*ArcSin[c*x])/(1152*c*(1 - c^2*x^2)^(5/2)) - (5*b*c*x^2*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*(a + b*ArcSin[c*x]))/(16*(1 - c^2*x^2)^(5/2)) + (5*b*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*(a + b*ArcSin[c*x]))/(48*c*Sqrt[1 - c^2*x^2]) + (b*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(18*c) + (x*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*(a + b*ArcSin[c*x])^2)/6 + (5*x*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*(a + b*ArcSin[c*x])^2)/(16*(1 - c^2*x^2)^2) + (5*x*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*(a + b*ArcSin[c*x])^2)/(24*(1 - c^2*x^2)) + (5*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)*(a + b*ArcSin[c*x])^3)/(48*b*c*(1 - c^2*x^2)^(5/2))
```

$$\text{ArcSin}[c*x]^2/6 + (5*x*(d + c*d*x)^{5/2}*(e - c*e*x)^{5/2}*(a + b*\text{ArcSin}[c*x])^2)/(16*(1 - c^2*x^2)^2) + (5*x*(d + c*d*x)^{5/2}*(e - c*e*x)^{5/2}*(a + b*\text{ArcSin}[c*x])^2)/(24*(1 - c^2*x^2)) + (5*(d + c*d*x)^{5/2}*(e - c*e*x)^{5/2}*(a + b*\text{ArcSin}[c*x])^3)/(48*b*c*(1 - c^2*x^2)^{5/2})$$
Rule 4673

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)*((d_.) + (e_.)*(x_.))^{(p_.)*((f_.) + (g_.)*(x_.))^{(q_.)}, x\_Symbol] \rightarrow \text{Dist}[(d + e*x)^q*(f + g*x)^q/(1 - c^2*x^2)^q, \text{Int}[(d + e*x)^{(p - q)}*(1 - c^2*x^2)^q*(a + b*\text{ArcSin}[c*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, n\}, x\} \&\& \text{EqQ}\{e*f + d*g, 0\} \&\& \text{EqQ}\{c^2*d^2 - e^2, 0\} \&\& \text{HalfIntegerQ}\{p, q\} \&\& \text{GeQ}\{p - q, 0\}$$
Rule 4649

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(x*(d + e*x^2)^p*(a + b*\text{ArcSin}[c*x])^n)/(2*p + 1), x] + (\text{Dist}[(2*d*p)/(2*p + 1), \text{Int}[(d + e*x^2)^{(p - 1)}*(a + b*\text{ArcSin}[c*x])^n, x], x] - \text{Dist}[(b*c*n*d^{\text{IntPart}[p]}*(d + e*x^2)^{\text{FracPart}[p]})/((2*p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[x*(1 - c^2*x^2)^{(p - 1/2)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}\{c^2*d + e, 0\} \&\& \text{GtQ}\{n, 0\} \&\& \text{GtQ}\{p, 0\}$$
Rule 4647

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)*\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Simp}[(x*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n)/2, x] + (\text{Dist}[\text{Sqrt}[d + e*x^2]/(2*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[1 - c^2*x^2], x], x] - \text{Dist}[(b*c*n*\text{Sqrt}[d + e*x^2])/(2*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[x*(a + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}\{c^2*d + e, 0\} \&\& \text{GtQ}\{n, 0\}$$
Rule 4641

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcSin}[c*x])^{(n + 1)}/(b*c*\text{Sqrt}[d]*(n + 1)), x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x\} \&\& \text{EqQ}\{c^2*d + e, 0\} \&\& \text{GtQ}\{d, 0\} \&\& \text{NeQ}\{n, -1\}$$
Rule 4627

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)*((d_.)*(x_.))^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[(d*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^n/(d*(m + 1)), x] - \text{Dist}[(b*c*n)/(d*(m + 1)), \text{Int}[(d*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}\{n, 0\} \&\& \text{NeQ}\{m, -1\}$$

Rule 321

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p
+ 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; Free
Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] &&
IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n],
Denominator[p]])
```

Rubi steps

$$\begin{aligned}
\int (d + cdx)^{5/2}(e - cex)^{5/2} (a + b \sin^{-1}(cx))^2 dx &= \frac{((d + cdx)^{5/2}(e - cex)^{5/2}) \int (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2 dx}{(1 - c^2x^2)^{5/2}} \\
&= \frac{1}{6}x(d + cdx)^{5/2}(e - cex)^{5/2} (a + b \sin^{-1}(cx))^2 + \frac{(5(d + cdx)^{5/2}(e - cex)^{5/2})}{6} \\
&= \frac{b(d + cdx)^{5/2}(e - cex)^{5/2}\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{18c} + \frac{1}{6}x(d + cdx)^{5/2}(e - cex)^{5/2} \\
&= -\frac{1}{108}b^2x(d + cdx)^{5/2}(e - cex)^{5/2} + \frac{5b(d + cdx)^{5/2}(e - cex)^{5/2} (a + b \sin^{-1}(cx))}{48c\sqrt{1 - c^2x^2}} \\
&= -\frac{1}{108}b^2x(d + cdx)^{5/2}(e - cex)^{5/2} - \frac{65b^2x(d + cdx)^{5/2}(e - cex)^{5/2}}{1728(1 - c^2x^2)} - \frac{5bcx^2}{1728(1 - c^2x^2)} \\
&= -\frac{1}{108}b^2x(d + cdx)^{5/2}(e - cex)^{5/2} - \frac{245b^2x(d + cdx)^{5/2}(e - cex)^{5/2}}{1152(1 - c^2x^2)^2} - \frac{65b^2cx^2}{1152(1 - c^2x^2)^2} \\
&= -\frac{1}{108}b^2x(d + cdx)^{5/2}(e - cex)^{5/2} - \frac{245b^2x(d + cdx)^{5/2}(e - cex)^{5/2}}{1152(1 - c^2x^2)^2} - \frac{65b^2cx^2}{1152(1 - c^2x^2)^2}
\end{aligned}$$

**Mathematica [A]** time = 2.83636, size = 450, normalized size = 0.9

$$\frac{d^2e^2 \left( \sqrt{cdx + d}\sqrt{e - cex} \left( 2304a^2c^5x^5\sqrt{1 - c^2x^2} - 7488a^2c^3x^3\sqrt{1 - c^2x^2} + 9504a^2cx\sqrt{1 - c^2x^2} + 3240ab \cos(2 \sin^{-1}(cx)) \right) \right)}{1152(1 - c^2x^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (d^2\*e^2\*(1440\*b^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^3 - 4320\*a^2\*Sqrt[d]\*Sqrt[e]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))] + 12\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]\*(270\*b\*Cos[2\*ArcSin[c\*x]] + 27\*b\*Cos[4\*ArcSin[c\*x]] + 2\*b\*Cos[6\*ArcSin[c\*x]] + 540\*a\*Sin[2\*ArcSin[c\*x]] + 108\*a\*Sin[4\*ArcSin[c\*x]] + 12\*a\*Sin[6\*ArcSin[c\*x]]) + 72\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^2\*(60\*a + 45\*b\*Sin[2\*ArcSin[c\*x]] + 9\*b\*Sin[4\*ArcSin[c\*x]] + b\*Sin[6\*ArcSin[c\*x]]))

$c*x]]) + \text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(9504*a^2*c*x*\text{Sqrt}[1 - c^2*x^2] - 7488*a^2*c^3*x^3*\text{Sqrt}[1 - c^2*x^2] + 2304*a^2*c^5*x^5*\text{Sqrt}[1 - c^2*x^2] + 3240*a*b*\text{Cos}[2*\text{ArcSin}[c*x]] + 324*a*b*\text{Cos}[4*\text{ArcSin}[c*x]] + 24*a*b*\text{Cos}[6*\text{ArcSin}[c*x]] - 1620*b^2*\text{Sin}[2*\text{ArcSin}[c*x]] - 81*b^2*\text{Sin}[4*\text{ArcSin}[c*x]] - 4*b^2*\text{Sin}[6*\text{ArcSin}[c*x]])))/(13824*c*\text{Sqrt}[1 - c^2*x^2])$

**Maple [F]** time = 0.256, size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{5}{2}} (-cex + e)^{\frac{5}{2}} (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*d*x+d)^(5/2)*(-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2,x)`

[Out] `int((c*d*x+d)^(5/2)*(-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2,x)`

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*d*x+d)^(5/2)*(-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

`integral((a^2*c^4*d^2*e^2*x^4 - 2*a^2*c^2*d^2*e^2*x^2 + a^2*d^2*e^2 + (b^2*c^4*d^2*e^2*x^4 - 2*b^2*c^2*d^2*e^2*x^2 + b^2*d^2*e^2) arcsin(cx))^2 + 2*(abc^4*d^2*e^2*x^4 - 2`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*d*x+d)^(5/2)*(-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2,x, algorithm="fricas")`

```
[Out] integral((a^2*c^4*d^2*e^2*x^4 - 2*a^2*c^2*d^2*e^2*x^2 + a^2*d^2*e^2 + (b^2*c^4*d^2*e^2*x^4 - 2*b^2*c^2*d^2*e^2*x^2 + b^2*d^2*e^2)*arcsin(c*x)^2 + 2*(a*b*c^4*d^2*e^2*x^4 - 2*a*b*c^2*d^2*e^2*x^2 + a*b*d^2*e^2)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*e*x + e), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(5/2)*(-c*e*x+e)**(5/2)*(a+b*asin(c*x))**2,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{5}{2}}(-cex + e)^{\frac{5}{2}}(b \arcsin(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(5/2)*(-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate((c*d*x + d)^(5/2)*(-c*e*x + e)^(5/2)*(b*arcsin(c*x) + a)^2, x)
```



$$3.553 \quad \int (d + cdx)^{3/2} (e - cex)^{5/2} (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=697

$$\frac{2bc^4ex^5(cdx + d)^{3/2}(e - cex)^{3/2}(a + b \sin^{-1}(cx))}{25(1 - c^2x^2)^{3/2}} + \frac{4bc^2ex^3(cdx + d)^{3/2}(e - cex)^{3/2}(a + b \sin^{-1}(cx))}{15(1 - c^2x^2)^{3/2}} - \frac{3bcex^2(cdx + d)^{3/2}(e - cex)^{3/2}(a + b \sin^{-1}(cx))}{15(1 - c^2x^2)^{3/2}}$$

[Out]  $(-8*b^2*e*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})/(225*c) - (b^2*e*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})/32 - (16*b^2*e*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})/(75*c*(1 - c^2*x^2)) - (15*b^2*e*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})/(64*(1 - c^2*x^2)) - (2*b^2*e*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(1 - c^2*x^2))/(125*c) + (9*b^2*e*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*ArcSin[c*x])/(64*c*(1 - c^2*x^2)^{(3/2)}) - (2*b*e*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x]))/(5*(1 - c^2*x^2)^{(3/2)}) - (3*b*c*e*x^2*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x]))/(8*(1 - c^2*x^2)^{(3/2)}) + (4*b*c^2*e*x^3*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x]))/(15*(1 - c^2*x^2)^{(3/2)}) - (2*b*c^4*e*x^5*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x]))/(25*(1 - c^2*x^2)^{(3/2)}) + (b*e*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(8*c) + (e*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^2)/4 + (3*e*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^2)/(8*(1 - c^2*x^2)) + (e*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(5*c) + (e*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^3)/(8*b*c*(1 - c^2*x^2)^{(3/2)})$

**Rubi [A]** time = 0.793676, antiderivative size = 697, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 15, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.469$ , Rules used = {4673, 4763, 4649, 4647, 4641, 4627, 321, 216, 4677, 195, 194, 4645, 12, 1247, 698}

$$\frac{2bc^4ex^5(cdx + d)^{3/2}(e - cex)^{3/2}(a + b \sin^{-1}(cx))}{25(1 - c^2x^2)^{3/2}} + \frac{4bc^2ex^3(cdx + d)^{3/2}(e - cex)^{3/2}(a + b \sin^{-1}(cx))}{15(1 - c^2x^2)^{3/2}} - \frac{3bcex^2(cdx + d)^{3/2}(e - cex)^{3/2}(a + b \sin^{-1}(cx))}{15(1 - c^2x^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(5/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $(-8*b^2*e*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})/(225*c) - (b^2*e*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})/32 - (16*b^2*e*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})/(75*c*(1 - c^2*x^2)) - (15*b^2*e*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})/(64*(1 - c^2*x^2)) - (2*b^2*e*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(1 - c^2*x^2))/(125*c) + (9*b^2*e*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*ArcSin[c*x])/(64*c*(1 - c^2*x^2)^{(3/2)}) - (2*b*e*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x]))/(5*(1 - c^2*x^2)^{(3/2)}) - (3*b*c*e*x^2*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x]))/(8*(1 - c^2*x^2)^{(3/2)}) + (4*b*c^2*e*x^3*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x]))/(15*(1 - c^2*x^2)^{(3/2)}) - (2*b*c^4*e*x^5*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x]))/(25*(1 - c^2*x^2)^{(3/2)}) + (b*e*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(8*c) + (e*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^2)/4 + (3*e*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^2)/(8*(1 - c^2*x^2)) + (e*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(5*c) + (e*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^3)/(8*b*c*(1 - c^2*x^2)^{(3/2)})$

$$\begin{aligned} & /2)) / (75*c*(1 - c^2*x^2)) - (15*b^2*e*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)} \\ & ) / (64*(1 - c^2*x^2)) - (2*b^2*e*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(1 - c^ \\ & 2*x^2)) / (125*c) + (9*b^2*e*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*ArcSin[c*x]) \\ & / (64*c*(1 - c^2*x^2)^{(3/2)}) - (2*b*e*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}* \\ & (a + b*ArcSin[c*x])) / (5*(1 - c^2*x^2)^{(3/2)}) - (3*b*c*e*x^2*(d + c*d*x)^{(3/2)} \\ & )*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])) / (8*(1 - c^2*x^2)^{(3/2)}) + (4*b*c^ \\ & 2*e*x^3*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])) / (15*(1 - c \\ & ^2*x^2)^{(3/2)}) - (2*b*c^4*e*x^5*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b* \\ & ArcSin[c*x])) / (25*(1 - c^2*x^2)^{(3/2)}) + (b*e*(d + c*d*x)^{(3/2)}*(e - c*e*x) \\ & ^{(3/2)}*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])) / (8*c) + (e*x*(d + c*d*x)^{(3/2)} \\ & )*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^2) / 4 + (3*e*x*(d + c*d*x)^{(3/2)}*(e \\ & - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^2) / (8*(1 - c^2*x^2)) + (e*(d + c*d*x)^{(3 \\ & /2)}*(e - c*e*x)^{(3/2)}*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2) / (5*c) + (e*(d + \\ & c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^3) / (8*b*c*(1 - c^2*x^2)^{(3/2)}) \end{aligned}$$
Rule 4673

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_) + (e_.)*(x_))^(p_.)*((f_)
+ (g_.)*(x_))^(q_), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

Rule 4763

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_) + (g_.)*(x_))^(m_.)*((d_
) + (e_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^p*(a +
b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] &
& EqQ[c^2*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ
[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))
```

Rule 4649

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Simp[(x*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(2*p + 1), x] + (D
ist[(2*d*p)/(2*p + 1), Int[(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x
] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p]]/((2*p + 1)*(1 - c^2*x
^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0]
```

Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_S
```

```

ymbol] := Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt
[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x
^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d
+ e, 0] && GtQ[n, 0]

```

### Rule 4641

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n/Sqrt[(d_.) + (e_.)*(x_.)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

```

### Rule 4627

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n*((d_.)*(x_.))^m, x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

```

### Rule 321

```

Int[((c_.)*(x_.))^m*((a_.) + (b_.)*(x_.)^n)^p, x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

```

### Rule 216

```

Int[1/Sqrt[(a_.) + (b_.)*(x_.)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

```

### Rule 4677

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n*(x_.)*((d_.) + (e_.)*(x_.)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]

```

### Rule 195

```

Int[((a_.) + (b_.)*(x_.)^n)^p, x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p
+ 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; Free

```

$Q[\{a, b\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{GtQ}[p, 0] \&\& (\text{IntegerQ}[2*p] \mid\mid (\text{EqQ}[n, 2] \&\& \text{IntegerQ}[4*p]) \mid\mid (\text{EqQ}[n, 2] \&\& \text{IntegerQ}[3*p]) \mid\mid \text{LtQ}[\text{Denominator}[p + 1/n], \text{Denominator}[p]])$

#### Rule 194

$\text{Int}[\{(a\_)+ (b\_)*(x\_)^{(n\_)}\}^{(p\_)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$

#### Rule 4645

$\text{Int}[\{(a\_)+ \text{ArcSin}[c\_*(x\_)]*(b\_)\}*((d\_)+ (e\_)*(x\_)^2)^{(p\_)}, x\_Symbol] \rightarrow \text{With}[\{u = \text{IntHide}[(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSin}[c*x], u, x] - \text{Dist}[b*c, \text{Int}[\text{SimplifyIntegrand}[u/\text{Sqrt}[1 - c^2*x^2], x], x], x]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[p, 0]$

#### Rule 12

$\text{Int}[(a_)*(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

#### Rule 1247

$\text{Int}[(x_)*((d_)+ (e_)*(x_)^2)^{(q_)}*((a_)+ (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}, x\_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, b, c, d, e, p, q\}, x]$

#### Rule 698

$\text{Int}[\{(d_)+ (e_)*(x_)\}^{(m_)}*((a_)+ (b_)*(x_)+ (c_)*(x_)^2)^{(p_)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, m\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{NeQ}[2*c*d - b*e, 0] \&\& \text{IntegerQ}[p] \&\& (\text{GtQ}[p, 0] \mid\mid (\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m]))$

#### Rubi steps

$$\begin{aligned}
\int (d + cdx)^{3/2}(e - cex)^{5/2} (a + b \sin^{-1}(cx))^2 dx &= \frac{((d + cdx)^{3/2}(e - cex)^{3/2}) \int (e - cex) (1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx}{(1 - c^2x^2)^{3/2}} \\
&= \frac{((d + cdx)^{3/2}(e - cex)^{3/2}) \int (e(1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^2 - cex(1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx}{(1 - c^2x^2)^{3/2}} \\
&= \frac{(e(d + cdx)^{3/2}(e - cex)^{3/2}) \int (1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx}{(1 - c^2x^2)^{3/2}} - \frac{(ce(d + cdx)^{3/2}(e - cex)^{3/2}) \int (1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx}{(1 - c^2x^2)^{3/2}} \\
&= \frac{1}{4}ex(d + cdx)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2 + \frac{e(d + cdx)^{3/2}(e - cex)^{3/2}}{(1 - c^2x^2)^{3/2}} \\
&= -\frac{2bex(d + cdx)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))}{5(1 - c^2x^2)^{3/2}} + \frac{4bc^2ex^3(d + cdx)^{3/2}(e - cex)^{3/2}}{15(1 - c^2x^2)^{3/2}} \\
&= -\frac{1}{32}b^2ex(d + cdx)^{3/2}(e - cex)^{3/2} - \frac{2bex(d + cdx)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))}{5(1 - c^2x^2)^{3/2}} \\
&= -\frac{1}{32}b^2ex(d + cdx)^{3/2}(e - cex)^{3/2} - \frac{15b^2ex(d + cdx)^{3/2}(e - cex)^{3/2}}{64(1 - c^2x^2)} - \frac{2b^2ex^3(d + cdx)^{3/2}(e - cex)^{3/2}}{15(1 - c^2x^2)^{3/2}} \\
&= -\frac{1}{32}b^2ex(d + cdx)^{3/2}(e - cex)^{3/2} - \frac{15b^2ex(d + cdx)^{3/2}(e - cex)^{3/2}}{64(1 - c^2x^2)} + \frac{9b^2ex^3(d + cdx)^{3/2}(e - cex)^{3/2}}{15(1 - c^2x^2)^{3/2}} \\
&= -\frac{8b^2e(d + cdx)^{3/2}(e - cex)^{3/2}}{225c} - \frac{1}{32}b^2ex(d + cdx)^{3/2}(e - cex)^{3/2} - \frac{16b^2ex^3(d + cdx)^{3/2}(e - cex)^{3/2}}{15(1 - c^2x^2)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 3.66689, size = 574, normalized size = 0.82

$$\frac{de^2 \left( \sqrt{cdx + d} \sqrt{e - cex} \left( -15 \left( -480a^2 \sqrt{1 - c^2x^2} (8c^4x^4 - 10c^3x^3 - 16c^2x^2 + 25cx + 8) + 512abcx (3c^4x^4 - 10c^2x^2 + 15) \right) \right)}{\dots} \right)}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(5/2)\*(a + b\*ArcSin[c\*x])^2,x]

```
[Out] (d*e^2*(36000*b^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x]^3 - 108000*a^
2*Sqrt[d]*Sqrt[e]*Sqrt[1 - c^2*x^2]*ArcTan[(c*x*Sqrt[d + c*d*x]*Sqrt[e - c*
e*x])/(Sqrt[d]*Sqrt[e]*(-1 + c^2*x^2))] + 1800*b*Sqrt[d + c*d*x]*Sqrt[e - c
*e*x]*ArcSin[c*x]^2*(10*b*Cos[3*ArcSin[c*x]] + 2*b*Cos[5*ArcSin[c*x]] + 5*(
12*a + 4*b*Sqrt[1 - c^2*x^2] + 8*b*Sin[2*ArcSin[c*x]] + b*Sin[4*ArcSin[c*x]
])) + Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(72000*a*b*Cos[2*ArcSin[c*x]] - 4000*
b^2*Cos[3*ArcSin[c*x]] + 4500*a*b*Cos[4*ArcSin[c*x]] - 288*b^2*Cos[5*ArcSin
[c*x]] - 15*(4800*b^2*Sqrt[1 - c^2*x^2] + 512*a*b*c*x*(15 - 10*c^2*x^2 + 3*
c^4*x^4) - 480*a^2*Sqrt[1 - c^2*x^2]*(8 + 25*c*x - 16*c^2*x^2 - 10*c^3*x^3
+ 8*c^4*x^4) + 2400*b^2*Sin[2*ArcSin[c*x]] + 75*b^2*Sin[4*ArcSin[c*x]])) +
60*b*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x]*(1200*b*Cos[2*ArcSin[c*x]]
+ 75*b*Cos[4*ArcSin[c*x]] + 4*(-300*b*c*x + 480*a*Sqrt[1 - c^2*x^2] - 960*
a*c^2*x^2*Sqrt[1 - c^2*x^2] + 480*a*c^4*x^4*Sqrt[1 - c^2*x^2] + 600*a*Sin[2
*ArcSin[c*x]] - 50*b*Sin[3*ArcSin[c*x]] + 75*a*Sin[4*ArcSin[c*x]] - 6*b*Sin
[5*ArcSin[c*x]]))))/(288000*c*Sqrt[1 - c^2*x^2])
```

**Maple [F]** time = 0.259, size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{3}{2}} (-cex + e)^{\frac{5}{2}} (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(3/2)*(-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2,x)
```

```
[Out] int((c*d*x+d)^(3/2)*(-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2,x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2,x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral $\left(\left(a^2c^3de^2x^3 - a^2c^2de^2x^2 - a^2cde^2x + a^2de^2 + \left(b^2c^3de^2x^3 - b^2c^2de^2x^2 - b^2cde^2x + b^2de^2\right)\arcsin(cx)\right)^2 + 2\left(abc^3\right.\right.$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((a^2\*c^3\*d\*e^2\*x^3 - a^2\*c^2\*d\*e^2\*x^2 - a^2\*c\*d\*e^2\*x + a^2\*d\*e^2 + (b^2\*c^3\*d\*e^2\*x^3 - b^2\*c^2\*d\*e^2\*x^2 - b^2\*c\*d\*e^2\*x + b^2\*d\*e^2)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^3\*d\*e^2\*x^3 - a\*b\*c^2\*d\*e^2\*x^2 - a\*b\*c\*d\*e^2\*x + a\*b\*d\*e^2)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(3/2)\*(-c\*e\*x+e)\*\*(5/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{3}{2}}(-cex + e)^{\frac{5}{2}}(b \arcsin(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((c\*d\*x + d)^(3/2)\*(-c\*e\*x + e)^(5/2)\*(b\*arcsin(c\*x) + a)^2, x)

$$3.554 \quad \int \sqrt{d + cdx}(e - cex)^{5/2} (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=613

$$-\frac{bc^3e^2x^4\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{8\sqrt{1-c^2x^2}} + \frac{1}{4}c^2e^2x^3\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))^2 + \frac{4bc^2e^2x^3\sqrt{cdx+d}\sqrt{e-cex}}{9\sqrt{1-c^2x^2}}$$

[Out]  $(-8*b^2*e^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])/(9*c) - (15*b^2*e^2*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])/64 - (b^2*c^2*e^2*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])/32 - (4*b^2*e^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(1 - c^2*x^2))/(27*c) + (15*b^2*e^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*\text{ArcSin}[c*x])/(64*c*\text{Sqrt}[1 - c^2*x^2]) - (4*b*e^2*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x]))/(3*\text{Sqrt}[1 - c^2*x^2]) - (3*b*c*e^2*x^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x]))/(8*\text{Sqrt}[1 - c^2*x^2]) + (4*b*c^2*e^2*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x]))/(9*\text{Sqrt}[1 - c^2*x^2]) - (b*c^3*e^2*x^4*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x]))/(8*\text{Sqrt}[1 - c^2*x^2]) + (3*e^2*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^2)/8 + (c^2*e^2*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^2)/4 + (2*e^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/(3*c) + (5*e^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^3)/(24*b*c*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 1.00345, antiderivative size = 613, normalized size of antiderivative = 1., number of steps used = 23, number of rules used = 13, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.406$ , Rules used = {4673, 4763, 4647, 4641, 4627, 321, 216, 4677, 4645, 444, 43, 4697, 4707}

$$-\frac{bc^3e^2x^4\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{8\sqrt{1-c^2x^2}} + \frac{1}{4}c^2e^2x^3\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))^2 + \frac{4bc^2e^2x^3\sqrt{cdx+d}\sqrt{e-cex}}{9\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sqrt}[d + c*d*x]*(e - c*e*x)^{(5/2)}*(a + b*\text{ArcSin}[c*x])^2, x]$

[Out]  $(-8*b^2*e^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])/(9*c) - (15*b^2*e^2*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])/64 - (b^2*c^2*e^2*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])/32 - (4*b^2*e^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(1 - c^2*x^2))/(27*c) + (15*b^2*e^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*\text{ArcSin}[c*x])/(64*c*\text{Sqrt}[1 - c^2*x^2]) - (4*b*e^2*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x]))/(3*\text{Sqrt}[1 - c^2*x^2]) - (3*b*c*e^2*x^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x]))/(8*\text{Sqrt}[1 - c^2*x^2]) + (4*b*c^2*e^2*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x]))/(9*\text{Sqrt}[1 - c^2*x^2]) - (b*c^3*e^2*x^4*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x]))/(8*\text{Sqrt}[1 - c^2*x^2]) + (3*e^2*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^2)/8 + (c^2*e^2*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^2)/4 + (2*e^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/(3*c) + (5*e^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^3)/(24*b*c*\text{Sqrt}[1 - c^2*x^2])$



$$\begin{aligned} & \text{qrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])/(9*\text{Sqrt}[1 - c^2*x^2]) - (b*c^3*e^2*x^4* \\ & \text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])/(8*\text{Sqrt}[1 - c^2*x^2]) \\ & + (3*e^2*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^2)/8 + (c^2* \\ & e^2*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^2)/4 + (2*e^2*S \\ & \text{qrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/(3*c) + \\ & (5*e^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^3)/(24*b*c*\text{Sqrt} \\ & [1 - c^2*x^2]) \end{aligned}$$
Rule 4673

$$\begin{aligned} & \text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*((d_.) + (e_.)*(x_.))^{(p_.)}*((f_.) \\ & + (g_.)*(x_.))^{(q_.)}, x\_Symbol] \text{:>} \text{Dist}[(d + e*x)^q*(f + g*x)^q/(1 - c^2*x \\ & ^2)^q, \text{Int}[(d + e*x)^{(p - q)}*(1 - c^2*x^2)^q*(a + b*\text{ArcSin}[c*x])^n, x], x] \\ & /; \text{FreeQ}\{a, b, c, d, e, f, g, n\}, x\} \&\& \text{EqQ}[e*f + d*g, 0] \&\& \text{EqQ}[c^2*d^2 - \\ & e^2, 0] \&\& \text{HalfIntegerQ}[p, q] \&\& \text{GeQ}[p - q, 0] \end{aligned}$$
Rule 4763

$$\begin{aligned} & \text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*((f_.) + (g_.)*(x_.))^{(m_.)}*((d_.) \\ & + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \text{:>} \text{Int}[\text{ExpandIntegrand}[(d + e*x^2)^p*(a + \\ & b*\text{ArcSin}[c*x])^n, (f + g*x)^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x\} \& \\ & \& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[m, 0] \&\& \text{IntegerQ}[p + 1/2] \&\& \text{GtQ}[d, 0] \&\& \text{IGtQ} \\ & [n, 0] \&\& (m == 1 \text{ || } p > 0 \text{ || } (n == 1 \&\& p > -1) \text{ || } (m == 2 \&\& p < -2)) \end{aligned}$$
Rule 4647

$$\begin{aligned} & \text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_S \\ & ymbol] \text{:>} \text{Simp}[(x*\text{Sqrt}[d + e*x^2]*(a + b*\text{ArcSin}[c*x])^n)/2, x] + (\text{Dist}[\text{Sqrt} \\ & [d + e*x^2]/(2*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[1 - c^2*x \\ & ^2], x], x] - \text{Dist}[(b*c*n*\text{Sqrt}[d + e*x^2])/(2*\text{Sqrt}[1 - c^2*x^2]), \text{Int}[x*(a \\ & + b*\text{ArcSin}[c*x])^{(n - 1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2*d \\ & + e, 0] \&\& \text{GtQ}[n, 0] \end{aligned}$$
Rule 4641

$$\begin{aligned} & \text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_S \\ & ymbol] \text{:>} \text{Simp}[(a + b*\text{ArcSin}[c*x])^{(n + 1)}/(b*c*\text{Sqrt}[d]*(n + 1)), x] /; \text{Fre} \\ & eQ\{a, b, c, d, e, n\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[d, 0] \&\& \text{NeQ}[n, -1] \end{aligned}$$
Rule 4627

$$\begin{aligned} & \text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*((d_.)*(x_.))^{(m_.)}, x\_Symbol] \\ & \text{:>} \text{Simp}[(d*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^n/(d*(m + 1)), x] - \text{Dist}[(b*c*n \\ & )/(d*(m + 1)), \text{Int}[(d*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^{(n - 1)}/\text{Sqrt}[1 - c^2 \end{aligned}$$

$*x^2], x], x] /;$  FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 321

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 4645

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

### Rule 444

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] := Dist[1/n, Subst[Int[(a + b\*x)^p\*(c + d\*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m - n + 1, 0]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 4697

$$\text{Int}[\left((a_{\cdot}) + \text{ArcSin}[c_{\cdot} \cdot (x_{\cdot})] \cdot (b_{\cdot})\right)^{(n_{\cdot})} \cdot \left((f_{\cdot}) \cdot (x_{\cdot})\right)^{(m_{\cdot})} \cdot \text{Sqrt}[(d_{\cdot}) + (e_{\cdot}) \cdot (x_{\cdot})^2], x_{\text{Symbol}}] \rightarrow \text{Simp}[\left((f \cdot x)^{(m+1)} \cdot \text{Sqrt}[d + e \cdot x^2] \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n\right) / (f \cdot (m+2)), x] + (\text{Dist}[\text{Sqrt}[d + e \cdot x^2] / ((m+2) \cdot \text{Sqrt}[1 - c^2 \cdot x^2]), \text{Int}[\left((f \cdot x)^m \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n\right) / \text{Sqrt}[1 - c^2 \cdot x^2], x], x] - \text{Dist}[(b \cdot c \cdot n \cdot \text{Sqrt}[d + e \cdot x^2]) / (f \cdot (m+2) \cdot \text{Sqrt}[1 - c^2 \cdot x^2]), \text{Int}[(f \cdot x)^{(m+1)} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^{(n-1)}, x], x]) /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{EqQ}[c^2 \cdot d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{!LtQ}[m, -1] \&\& (\text{RationalQ}[m] \mid \mid \text{EqQ}[n, 1])$$

Rule 4707

$$\text{Int}[\left((a_{\cdot}) + \text{ArcSin}[c_{\cdot} \cdot (x_{\cdot})] \cdot (b_{\cdot})\right)^{(n_{\cdot})} \cdot \left((f_{\cdot}) \cdot (x_{\cdot})\right)^{(m_{\cdot})} / \text{Sqrt}[(d_{\cdot}) + (e_{\cdot}) \cdot (x_{\cdot})^2], x_{\text{Symbol}}] \rightarrow \text{Simp}[\left(f \cdot (f \cdot x)^{(m-1)} \cdot \text{Sqrt}[d + e \cdot x^2] \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n\right) / (e \cdot m), x] + (\text{Dist}[(f^2 \cdot (m-1)) / (c^2 \cdot m), \text{Int}[\left((f \cdot x)^{(m-2)} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^n\right) / \text{Sqrt}[d + e \cdot x^2], x], x] + \text{Dist}[(b \cdot f \cdot n \cdot \text{Sqrt}[1 - c^2 \cdot x^2]) / (c \cdot m \cdot \text{Sqrt}[d + e \cdot x^2]), \text{Int}[(f \cdot x)^{(m-1)} \cdot (a + b \cdot \text{ArcSin}[c \cdot x])^{(n-1)}, x], x]) /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2 \cdot d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[m, 1] \&\& \text{IntegerQ}[m]$$

Rubi steps

$$\begin{aligned}
\int \sqrt{d+cdx}(e-cex)^{5/2} (a+b\sin^{-1}(cx))^2 dx &= \frac{(\sqrt{d+cdx}\sqrt{e-cex}) \int (e-cex)^2 \sqrt{1-c^2x^2} (a+b\sin^{-1}(cx))^2 dx}{\sqrt{1-c^2x^2}} \\
&= \frac{(\sqrt{d+cdx}\sqrt{e-cex}) \int (e^2\sqrt{1-c^2x^2} (a+b\sin^{-1}(cx))^2 - 2ce^2x\sqrt{1-c^2x^2}) dx}{\sqrt{1-c^2x^2}} \\
&= \frac{(e^2\sqrt{d+cdx}\sqrt{e-cex}) \int \sqrt{1-c^2x^2} (a+b\sin^{-1}(cx))^2 dx}{\sqrt{1-c^2x^2}} - \frac{(2ce^2\sqrt{d+cdx}\sqrt{e-cex}) \int \sqrt{1-c^2x^2} dx}{\sqrt{1-c^2x^2}} \\
&= \frac{1}{2} e^2 x \sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))^2 + \frac{1}{4} c^2 e^2 x^3 \sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx)) \\
&\quad - \frac{4be^2x\sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))}{3\sqrt{1-c^2x^2}} - \frac{bce^2x^2\sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))}{2\sqrt{1-c^2x^2}} \\
&= -\frac{1}{4} b^2 e^2 x \sqrt{d+cdx}\sqrt{e-cex} - \frac{1}{32} b^2 c^2 e^2 x^3 \sqrt{d+cdx}\sqrt{e-cex} - \frac{4be^2x\sqrt{d+cdx}\sqrt{e-cex}}{3\sqrt{1-c^2x^2}} \\
&= -\frac{15}{64} b^2 e^2 x \sqrt{d+cdx}\sqrt{e-cex} - \frac{1}{32} b^2 c^2 e^2 x^3 \sqrt{d+cdx}\sqrt{e-cex} + \frac{b^2 e^2 \sqrt{d+cdx}\sqrt{e-cex}}{3\sqrt{1-c^2x^2}} \\
&= -\frac{8b^2 e^2 \sqrt{d+cdx}\sqrt{e-cex}}{9c} - \frac{15}{64} b^2 e^2 x \sqrt{d+cdx}\sqrt{e-cex} - \frac{1}{32} b^2 c^2 e^2 x^3 \sqrt{d+cdx}\sqrt{e-cex}
\end{aligned}$$

**Mathematica [A]** time = 2.3294, size = 555, normalized size = 0.91

$$e^2 \sqrt{cdx+d} \sqrt{e-cex} \left( 3 \left( 576a^2c^3x^3\sqrt{1-c^2x^2} - 1536a^2c^2x^2\sqrt{1-c^2x^2} + 864a^2cx\sqrt{1-c^2x^2} + 1536a^2\sqrt{1-c^2x^2} + 1024abc^3 \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + c\*d\*x]\*(e - c\*e\*x)^(5/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (1440\*b^2\*e^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^3 - 4320\*a^2\*Sqrt[d]\*e^(5/2)\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))] - 12\*b\*e^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]\*(576\*b\*c\*x - 768\*a\*Sqrt[1 - c^2\*x^2] + 768\*a\*c^2\*x^2\*Sqrt[1 - c^2\*x^2] - 144\*b\*Cos[2\*ArcSin[c\*x]] + 9\*b\*Cos[4\*ArcSin[c\*x]] - 288\*a\*Sin[2

$$\begin{aligned} & * \text{ArcSin}[c*x]] + 64*b*\text{Sin}[3*\text{ArcSin}[c*x]] + 36*a*\text{Sin}[4*\text{ArcSin}[c*x]]) + 72*b*e \\ & ^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*\text{ArcSin}[c*x]^2*(60*a + 48*b*\text{Sqrt}[1 - c^2* \\ & x^2] + 16*b*\text{Cos}[3*\text{ArcSin}[c*x]] + 24*b*\text{Sin}[2*\text{ArcSin}[c*x]] - 3*b*\text{Sin}[4*\text{ArcSin} \\ & [c*x]]) + e^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(1728*a*b*\text{Cos}[2*\text{ArcSin}[c*x]] \\ & - 256*b^2*\text{Cos}[3*\text{ArcSin}[c*x]] + 3*(-3072*a*b*c*x + 1024*a*b*c^3*x^3 + 1536*a \\ & ^2*\text{Sqrt}[1 - c^2*x^2] - 2304*b^2*\text{Sqrt}[1 - c^2*x^2] + 864*a^2*c*x*\text{Sqrt}[1 - c^ \\ & 2*x^2] - 1536*a^2*c^2*x^2*\text{Sqrt}[1 - c^2*x^2] + 576*a^2*c^3*x^3*\text{Sqrt}[1 - c^2* \\ & x^2] - 36*a*b*\text{Cos}[4*\text{ArcSin}[c*x]] - 288*b^2*\text{Sin}[2*\text{ArcSin}[c*x]] + 9*b^2*\text{Sin}[4 \\ & *\text{ArcSin}[c*x]])))/(6912*c*\text{Sqrt}[1 - c^2*x^2]) \end{aligned}$$

**Maple [F]** time = 0.275, size = 0, normalized size = 0.

$$\int \sqrt{cdx + d} (-cex + e)^{\frac{5}{2}} (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(5/2)\*(a+b\*arcsin(c\*x))^2,x)

[Out] int((c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(5/2)\*(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(5/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral((a^2\*c^2\*e^2\*x^2 - 2\*a^2\*c\*e^2\*x + a^2\*e^2 + (b^2\*c^2\*e^2\*x^2 - 2\*b^2\*c\*e^2\*x + b^2\*e^2) arcsin(cx))^2 + 2\*(abc^2\*e^2\*x^2 - 2\*abce^2\*x + abe^2) arcsin

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(1/2)*(-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2,x, algorithm="fricas")
```

```
[Out] integral((a^2*c^2*e^2*x^2 - 2*a^2*c*e^2*x + a^2*e^2 + (b^2*c^2*e^2*x^2 - 2*b^2*c*e^2*x + b^2*e^2)*arcsin(c*x)^2 + 2*(a*b*c^2*e^2*x^2 - 2*a*b*c*e^2*x + a*b*e^2)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*e*x + e), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(1/2)*(-c*e*x+e)**(5/2)*(a+b*asin(c*x))**2,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{cdx + d}(-cex + e)^{\frac{5}{2}}(b \arcsin(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(1/2)*(-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate(sqrt(c*d*x + d)*(-c*e*x + e)^(5/2)*(b*arcsin(c*x) + a)^2, x)
```

$$3.555 \quad \int \frac{(e-cex)^{5/2} (a+b \sin^{-1}(cx))^2}{\sqrt{d+cdx}} dx$$

**Optimal.** Leaf size=559

$$\frac{5e^3 \sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))^3}{6bc \sqrt{cdx+d} \sqrt{e-cex}} + \frac{ce^3x^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{3\sqrt{cdx+d} \sqrt{e-cex}} - \frac{3e^3x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{2\sqrt{cdx+d} \sqrt{e-cex}} + \frac{11e^3(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{3c\sqrt{cdx+d} \sqrt{e-cex}}$$

```
[Out] (-68*b^2*e^3*(1 - c^2*x^2))/(9*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (3*b^2*
e^3*x*(1 - c^2*x^2))/(4*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (2*b^2*e^3*(1 -
c^2*x^2)^2)/(27*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (3*b^2*e^3*Sqrt[1 - c^
2*x^2]*ArcSin[c*x])/(4*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (22*b*e^3*x*Sqr
t[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(3*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (
3*b*c*e^3*x^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(2*Sqrt[d + c*d*x]*Sqr
t[e - c*e*x]) - (2*b*c^2*e^3*x^3*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(9*
Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (11*e^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]
)^2)/(3*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (3*e^3*x*(1 - c^2*x^2)*(a + b*
ArcSin[c*x])^2)/(2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (c*e^3*x^2*(1 - c^2*x
^2)*(a + b*ArcSin[c*x])^2)/(3*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (5*e^3*Sqr
t[1 - c^2*x^2]*(a + b*ArcSin[c*x])^3)/(6*b*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x
])
```

**Rubi [A]** time = 0.687553, antiderivative size = 559, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 10, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$ , Rules used = {4673, 4773, 3317, 3296, 2638, 3311, 32, 2635, 8, 2633}

$$\frac{5e^3 \sqrt{1-c^2x^2} (a+b \sin^{-1}(cx))^3}{6bc \sqrt{cdx+d} \sqrt{e-cex}} + \frac{ce^3x^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{3\sqrt{cdx+d} \sqrt{e-cex}} - \frac{3e^3x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{2\sqrt{cdx+d} \sqrt{e-cex}} + \frac{11e^3(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{3c\sqrt{cdx+d} \sqrt{e-cex}}$$

Antiderivative was successfully verified.

```
[In] Int[((e - c*e*x)^(5/2)*(a + b*ArcSin[c*x])^2)/Sqrt[d + c*d*x],x]
```

```
[Out] (-68*b^2*e^3*(1 - c^2*x^2))/(9*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (3*b^2*
e^3*x*(1 - c^2*x^2))/(4*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (2*b^2*e^3*(1 -
c^2*x^2)^2)/(27*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (3*b^2*e^3*Sqrt[1 - c^
2*x^2]*ArcSin[c*x])/(4*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (22*b*e^3*x*Sqr
t[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(3*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (
3*b*c*e^3*x^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(2*Sqrt[d + c*d*x]*Sqr
t[e - c*e*x]) - (2*b*c^2*e^3*x^3*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(9*
Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (11*e^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]
)^2)/(3*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (3*e^3*x*(1 - c^2*x^2)*(a + b*
ArcSin[c*x])^2)/(2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (c*e^3*x^2*(1 - c^2*x
^2)*(a + b*ArcSin[c*x])^2)/(3*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (5*e^3*Sqr
t[1 - c^2*x^2]*(a + b*ArcSin[c*x])^3)/(6*b*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x
])
```

```
Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (11*e^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x]
)^2)/(3*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (3*e^3*x*(1 - c^2*x^2)*(a + b*
ArcSin[c*x])^2)/(2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (c*e^3*x^2*(1 - c^2*x
^2)*(a + b*ArcSin[c*x])^2)/(3*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (5*e^3*Sqr
t[1 - c^2*x^2]*(a + b*ArcSin[c*x])^3)/(6*b*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x
])
```

### Rule 4673

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((d_) + (e_.)*(x_))^(p_)*((f_)
+ (g_.)*(x_))^(q_), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

### Rule 4773

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_) + (g_.)*(x_))^(m_.))/Sq
rt[(d_) + (e_.)*(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int
[(a + b*x)^n*(c*f + g*Sin[x])^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c,
d, e, f, g, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[m] && GtQ[d, 0] && (Gt
Q[m, 0] || IGtQ[n, 0])
```

### Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

### Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

### Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

### Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbo
l] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist
```



```
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x] /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

### Rule 32

```
Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

### Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

### Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

### Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(e - cex)^{5/2} (a + b \sin^{-1}(cx))^2}{\sqrt{d + cdx}} dx &= \frac{\sqrt{1 - c^2x^2} \int \frac{(e - cex)^3 (a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} dx}{\sqrt{d + cdx} \sqrt{e - cex}} \\
&= \frac{\sqrt{1 - c^2x^2} \text{Subst} \left( \int (a + bx)^2 (ce - ce \sin(x))^3 dx, x, \sin^{-1}(cx) \right)}{c^4 \sqrt{d + cdx} \sqrt{e - cex}} \\
&= \frac{\sqrt{1 - c^2x^2} \text{Subst} \left( \int (c^3 e^3 (a + bx)^2 - 3c^3 e^3 (a + bx)^2 \sin(x) + 3c^3 e^3 (a + bx)^2 \sin^2(x) \right)}{c^4 \sqrt{d + cdx} \sqrt{e - cex}} \\
&= \frac{e^3 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^3}{3bc \sqrt{d + cdx} \sqrt{e - cex}} - \frac{(e^3 \sqrt{1 - c^2x^2}) \text{Subst} \left( \int (a + bx)^2 \sin^3(x) dx, x, \sin^{-1}(cx) \right)}{c \sqrt{d + cdx} \sqrt{e - cex}} \\
&= \frac{3bce^3 x^2 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{2 \sqrt{d + cdx} \sqrt{e - cex}} - \frac{2bc^2 e^3 x^3 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{9 \sqrt{d + cdx} \sqrt{e - cex}} + \frac{3e^3 (1 - c^2x^2)}{9 \sqrt{d + cdx} \sqrt{e - cex}} \\
&= \frac{3b^2 e^3 x (1 - c^2x^2)}{4 \sqrt{d + cdx} \sqrt{e - cex}} - \frac{6be^3 x \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{\sqrt{d + cdx} \sqrt{e - cex}} + \frac{3bce^3 x^2 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{2 \sqrt{d + cdx} \sqrt{e - cex}} \\
&= -\frac{56b^2 e^3 (1 - c^2x^2)}{9c \sqrt{d + cdx} \sqrt{e - cex}} + \frac{3b^2 e^3 x (1 - c^2x^2)}{4 \sqrt{d + cdx} \sqrt{e - cex}} + \frac{2b^2 e^3 (1 - c^2x^2)^2}{27c \sqrt{d + cdx} \sqrt{e - cex}} - \frac{3b^2 e^3 \sqrt{1 - c^2x^2}}{4c \sqrt{d + cdx} \sqrt{e - cex}} \\
&= -\frac{68b^2 e^3 (1 - c^2x^2)}{9c \sqrt{d + cdx} \sqrt{e - cex}} + \frac{3b^2 e^3 x (1 - c^2x^2)}{4 \sqrt{d + cdx} \sqrt{e - cex}} + \frac{2b^2 e^3 (1 - c^2x^2)^2}{27c \sqrt{d + cdx} \sqrt{e - cex}} - \frac{3b^2 e^3 \sqrt{1 - c^2x^2}}{4c \sqrt{d + cdx} \sqrt{e - cex}}
\end{aligned}$$

**Mathematica [A]** time = 3.26264, size = 473, normalized size = 0.85

$$e^2 \sqrt{cdx + d} \sqrt{e - cex} \left( 72a^2 c^2 x^2 \sqrt{1 - c^2x^2} - 324a^2 cx \sqrt{1 - c^2x^2} + 792a^2 \sqrt{1 - c^2x^2} - 1620abcx + 12ab \sin(3 \sin^{-1}(cx)) - 10 \right)$$

Antiderivative was successfully verified.

[In] Integrate[((e - c\*e\*x)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/Sqrt[d + c\*d\*x], x]

[Out] (180\*b^2\*e^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^3 - 540\*a^2\*Sqrt[d + c\*d\*x]\*e^(5/2)\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))] - 6\*b\*e^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]\*(264\*b\*c\*x + 8\*b\*c^3\*x^3 - 270\*a\*Sqrt[1 - c^2\*x^2] + 108\*a\*c\*x\*Sqrt[1 - c^2\*x^2] + 27\*b\*Cos[2\*ArcSin[c\*x]] + 6\*a\*Cos[3\*ArcSin[c\*x]]) + 18\*b\*e^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^2\*(30\*a + 45\*b\*Sqrt[1 - c^2\*x^2]))

$2x^2] - b\cos[3\text{ArcSin}[cx]] - 9b\sin[2\text{ArcSin}[cx]]) + e^2\sqrt{d + cd*x}*\sqrt{e - c*ex}*(-1620*a*b*cx + 792*a^2*\sqrt{1 - c^2*x^2} - 1620*b^2*\sqrt{1 - c^2*x^2} - 324*a^2*cx*\sqrt{1 - c^2*x^2} + 72*a^2*c^2*x^2*\sqrt{1 - c^2*x^2} - 162*a*b*\cos[2\text{ArcSin}[cx]] + 4*b^2*\cos[3\text{ArcSin}[cx]] + 81*b^2*\sin[2\text{ArcSin}[cx]] + 12*a*b*\sin[3\text{ArcSin}[cx]])/(216*c*d*\sqrt{1 - c^2*x^2})$

**Maple [F]** time = 0.266, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (-cex + e)^{\frac{5}{2}} \frac{1}{\sqrt{cdx + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c\*ex+e)^(5/2)\*(a+b\*arcsin(cx))^2/(c\*d\*x+d)^(1/2),x)

[Out] int((-c\*ex+e)^(5/2)\*(a+b\*arcsin(cx))^2/(c\*d\*x+d)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*ex+e)^(5/2)\*(a+b\*arcsin(cx))^2/(c\*d\*x+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(a^2c^2e^2x^2 - 2a^2ce^2x + a^2e^2 + (b^2c^2e^2x^2 - 2b^2ce^2x + b^2e^2) \arcsin(cx)^2 + 2(abc^2e^2x^2 - 2abce^2x + abe^2) \arcsin(cx))}{\sqrt{cdx + d}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*ex+e)^(5/2)\*(a+b\*arcsin(cx))^2/(c\*d\*x+d)^(1/2),x, algorithm="fricas")

```
[Out] integral((a^2*c^2*e^2*x^2 - 2*a^2*c*e^2*x + a^2*e^2 + (b^2*c^2*e^2*x^2 - 2*
b^2*c*e^2*x + b^2*e^2)*arcsin(c*x)^2 + 2*(a*b*c^2*e^2*x^2 - 2*a*b*c*e^2*x +
a*b*e^2)*arcsin(c*x))*sqrt(-c*e*x + e)/sqrt(c*d*x + d), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*e*x+e)**(5/2)*(a+b*asin(c*x))**2/(c*d*x+d)**(1/2),x)
```

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cex + e)^{\frac{5}{2}}(b \arcsin(cx) + a)^2}{\sqrt{cdx + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2),x, algorithm
="giac")
```

```
[Out] integrate((-c*e*x + e)^(5/2)*(b*arcsin(c*x) + a)^2/sqrt(c*d*x + d), x)
```

$$3.556 \quad \int \frac{(e-cex)^{5/2} (a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2}} dx$$

**Optimal.** Leaf size=918

$$-\frac{5(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))^3 e^4}{2bc(cxd+d)^{3/2}(e-cex)^{3/2}} - \frac{b^2x(1-c^2x^2)^2 e^4}{4(cxd+d)^{3/2}(e-cex)^{3/2}} + \frac{8b^2(1-c^2x^2)^2 e^4}{c(cxd+d)^{3/2}(e-cex)^{3/2}} + \frac{x(1-c^2x^2)^2 (a+b \sin^{-1}(cx))^2}{2(cxd+d)^{3/2}(e-cex)^{3/2}}$$

[Out]  $(8*a*b*e^{4*x}*(1 - c^2*x^2)^{(3/2)})/((d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) + (8*b^2*e^{4*x}*(1 - c^2*x^2)^2)/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - (b^2*e^{4*x}*(1 - c^2*x^2)^2)/(4*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) + (b^2*e^{4*x}*(1 - c^2*x^2)^{(3/2)}*ArcSin[c*x])/(4*c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) + (8*b^2*e^{4*x}*(1 - c^2*x^2)^{(3/2)}*ArcSin[c*x])/((d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - (b*c*e^{4*x}*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x]))/(2*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - (8*e^{4*x}*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) + (8*e^{4*x}*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/((d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - ((8*I)*e^{4*x}*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - (4*e^{4*x}*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) + (e^{4*x}*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/(2*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - (5*e^{4*x}*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x])^3)/(2*b*c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - ((32*I)*b*e^{4*x}*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) + (16*b*e^{4*x}*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x])*Log[1 + E^((2*I)*ArcSin[c*x])])/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) + ((16*I)*b^2*e^{4*x}*(1 - c^2*x^2)^{(3/2)}*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - ((16*I)*b^2*e^{4*x}*(1 - c^2*x^2)^{(3/2)}*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - ((8*I)*b^2*e^{4*x}*(1 - c^2*x^2)^{(3/2)}*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})$

**Rubi [A]** time = 1.27257, antiderivative size = 918, normalized size of antiderivative = 1., number of steps used = 28, number of rules used = 19, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.594$ , Rules used = {4673, 4775, 4763, 4651, 4675, 3719, 2190, 2279, 2391, 4677, 4657, 4181, 4641, 4619, 261, 4707, 4627, 321, 216}

$$-\frac{5(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))^3 e^4}{2bc(cxd+d)^{3/2}(e-cex)^{3/2}} - \frac{b^2x(1-c^2x^2)^2 e^4}{4(cxd+d)^{3/2}(e-cex)^{3/2}} + \frac{8b^2(1-c^2x^2)^2 e^4}{c(cxd+d)^{3/2}(e-cex)^{3/2}} + \frac{x(1-c^2x^2)^2 (a+b \sin^{-1}(cx))^2}{2(cxd+d)^{3/2}(e-cex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((e - c\*e\*x)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(d + c\*d\*x)^(3/2), x]

[Out] (8\*a\*b\*e^4\*x\*(1 - c^2\*x^2)^(3/2))/((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (8\*b^2\*e^4\*(1 - c^2\*x^2)^2)/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - (b^2\*e^4\*x\*(1 - c^2\*x^2)^2)/(4\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (b^2\*e^4\*(1 - c^2\*x^2)^(3/2)\*ArcSin[c\*x])/(4\*c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (8\*b^2\*e^4\*x\*(1 - c^2\*x^2)^(3/2)\*ArcSin[c\*x])/((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - (b\*c\*e^4\*x^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(2\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - (8\*e^4\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (8\*e^4\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - ((8\*I)\*e^4\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - (4\*e^4\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (e^4\*x\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/(2\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - (5\*e^4\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^3)/(2\*b\*c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - ((32\*I)\*b\*e^4\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (16\*b\*e^4\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + ((16\*I)\*b^2\*e^4\*(1 - c^2\*x^2)^(3/2)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - ((16\*I)\*b^2\*e^4\*(1 - c^2\*x^2)^(3/2)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - ((8\*I)\*b^2\*e^4\*(1 - c^2\*x^2)^(3/2)\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2))

### Rule 4673

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.\*((d\_.) + (e\_.)\*(x\_.))^p\_.\*((f\_.) + (g\_.)\*(x\_.))^q\_.), x\_Symbol] := Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4775

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.\*((f\_.) + (g\_.)\*(x\_.))^m\_.\*((d\_.) + (e\_.)\*(x\_.))^p\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*ArcSin[c\*x])^n/Sqrt[d + e\*x^2], (f + g\*x)^m\*(d + e\*x^2)^(p + 1/2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[m] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && IGtQ[n, 0]

### Rule 4763

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.\*((f\_.) + (g\_.)\*(x\_.))^m\_.\*((d\_.)

```
) + (e_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^p*(a +
  b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] &
& EqQ[c^2*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ
[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))
```

### Rule 4651

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^n_/((d_) + (e_.)*(x_)^2)^(3/2), x
_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(
  b*c*n)/Sqrt[d], Int[(x*(a + b*ArcSin[c*x])^(n - 1))/(d + e*x^2), x], x] /;
FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]
```

### Rule 4675

```
Int[(((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^n_*(x_)/((d_) + (e_.)*(x_)^2),
x_Symbol] := -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x]
], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
  I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
  + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^n)]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2), x_Symbol] := Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rule 4707

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*
```



```
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]
```

### Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_)*((d_.)*(x_.))^m_., x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

### Rule 321

```
Int[((c_.)*(x_.))^m_)*((a_) + (b_.)*(x_)^n_)^p_., x_Symbol] :> Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(e - cex)^{5/2} (a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}} dx &= \frac{(1 - c^2x^2)^{3/2} \int \frac{(e - cex)^4 (a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{(1 - c^2x^2)^{3/2} \int \left( \frac{8(e^4 - ce^4x)(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{3/2}} - \frac{7e^4(a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} + \frac{4ce^4x(a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} - \frac{c^2e^4x}{\sqrt{1 - c^2x^2}} \right) dx}{(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{\left( 8(1 - c^2x^2)^{3/2} \int \frac{(e^4 - ce^4x)(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{3/2}} dx - \left( 7e^4(1 - c^2x^2)^{3/2} \right) \int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} dx \right)}{(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= -\frac{4e^4(1 - c^2x^2)^2 (a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{e^4x(1 - c^2x^2)^2 (a + b \sin^{-1}(cx))^2}{2(d + cdx)^{3/2} (e - cex)^{3/2}} - \frac{7e^4(1 - c^2x^2)^2 (a + b \sin^{-1}(cx))^2}{3bc(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{8abe^4x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (e - cex)^{3/2}} - \frac{bce^4x^2(1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))}{2(d + cdx)^{3/2} (e - cex)^{3/2}} - \frac{4e^4(1 - c^2x^2)^2 (a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{8abe^4x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (e - cex)^{3/2}} - \frac{b^2e^4x(1 - c^2x^2)^2}{4(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{8b^2e^4x(1 - c^2x^2)^{3/2} \sin^{-1}(cx)}{(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{8abe^4x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{8b^2e^4(1 - c^2x^2)^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} - \frac{b^2e^4x(1 - c^2x^2)^2}{4(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{b^2e^4x(1 - c^2x^2)^2}{4(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{8abe^4x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{8b^2e^4(1 - c^2x^2)^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} - \frac{b^2e^4x(1 - c^2x^2)^2}{4(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{b^2e^4x(1 - c^2x^2)^2}{4(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{8abe^4x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{8b^2e^4(1 - c^2x^2)^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} - \frac{b^2e^4x(1 - c^2x^2)^2}{4(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{b^2e^4x(1 - c^2x^2)^2}{4(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{8abe^4x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{8b^2e^4(1 - c^2x^2)^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} - \frac{b^2e^4x(1 - c^2x^2)^2}{4(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{b^2e^4x(1 - c^2x^2)^2}{4(d + cdx)^{3/2} (e - cex)^{3/2}}
\end{aligned}$$

**Mathematica [B]** time = 10.7667, size = 2279, normalized size = 2.48

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[((e - c\*e\*x)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(d + c\*d\*x)^(3/2),x]

[Out] (Sqrt[-(e\*(-1 + c\*x))] \* Sqrt[d\*(1 + c\*x)] \* ((-4\*a^2\*e^2)/d^2 + (a^2\*c\*e^2\*x)/(2\*d^2) - (8\*a^2\*e^2)/(d^2\*(1 + c\*x))))/c + (15\*a^2\*e^(5/2)\*ArcTan[(c\*x\*Sqrt[-(e\*(-1 + c\*x))] \* Sqrt[d\*(1 + c\*x)])/(Sqrt[d]\*Sqrt[e]\*(-1 + c\*x)\*(1 + c\*x))])/(2\*c\*d^(3/2)) - (a\*b\*e^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))])\*(Cos[ArcSin[c\*x]/2]\*(ArcSin[c\*x]\*(4 + ArcSin[c\*x]) - 8\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]]) + ((-4 + ArcSin[c\*x])\*ArcSin[c\*x] - 8\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2))/(c\*d^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) - (4\*a\*b\*e^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))])\*(Cos[ArcSin[c\*x]/2]\*(-(c\*x) + 2\*ArcSin[c\*x] + Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + ArcSin[c\*x]^2 - 4\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]]) + (-(c\*x) - 2\*ArcSin[c\*x] + Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + ArcSin[c\*x]^2 - 4\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2))/(c\*d^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) - (b^2\*e^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))])\*(Cos[ArcSin[c\*x]/2]\*((-6\*I)\*Pi\*ArcSin[c\*x] + (6 + 6\*I)\*ArcSin[c\*x]^2 + ArcSin[c\*x]^3 - 24\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])]) - 12\*(Pi + 2\*ArcSin[c\*x])\*Log[1 - I\*E^(I\*ArcSin[c\*x])] + 24\*Pi\*Log[Cos[ArcSin[c\*x]/2]] + 12\*Pi\*Log[Sin[(Pi + 2\*ArcSin[c\*x])/4]]) + ((-6\*I)\*Pi\*ArcSin[c\*x] - (6 - 6\*I)\*ArcSin[c\*x]^2 + ArcSin[c\*x]^3 - 24\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])]) - 12\*(Pi + 2\*ArcSin[c\*x])\*Log[1 - I\*E^(I\*ArcSin[c\*x])] + 24\*Pi\*Log[Cos[ArcSin[c\*x]/2]] + 12\*Pi\*Log[Sin[(Pi + 2\*ArcSin[c\*x])/4]])\*Sin[ArcSin[c\*x]/2] + (24\*I)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]))/(3\*c\*d^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) - (2\*b^2\*e^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))])\*(Cos[ArcSin[c\*x]/2]\*(3\*Sqrt[1 - c^2\*x^2]\*(-2 + ArcSin[c\*x]^2) + 2\*((-3\*I)\*Pi\*ArcSin[c\*x] - 3\*c\*x\*ArcSin[c\*x] + (3 + 3\*I)\*ArcSin[c\*x]^2 + ArcSin[c\*x]^3 - 12\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])]) - 6\*Pi\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - 12\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] + 12\*Pi\*Log[Cos[ArcSin[c\*x]/2]] + 6\*Pi\*Log[Sin[(Pi + 2\*ArcSin[c\*x])/4]])) + (3\*Sqrt[1 - c^2\*x^2]\*(-2 + ArcSin[c\*x]^2) + 2\*((-3\*I)\*Pi\*ArcSin[c\*x] - 3\*c\*x\*ArcSin[c\*x] - (3 - 3\*I)\*ArcSin[c\*x]^2 + ArcSin[c\*x]^3 - 12\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])]) - 6\*Pi\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - 12\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] + 12\*Pi\*Log[Cos[ArcSin[c\*x]/2]] + 6\*Pi\*Log[Sin[(Pi + 2\*ArcSin[c\*x])/4]]))\*Sin[ArcSin[c\*x]/2] + (24\*I)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]))/(3\*c\*d^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) - (b^2\*e^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))])\*((96\*I)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]) + Sin[ArcSin[c\*x]/2]\*((-24\*I)\*Pi\*ArcSin[c\*x] - 48\*c\*x\*ArcSin[c\*x] - (24 - 24\*I)\*ArcSin[c\*x]^2 + 10\*ArcSin[c\*x]^3 + 3\*Sqrt[1 - c^2\*x^2]\*(-16 + c\*x + 8\*ArcSin[c\*x]^2) - 3\*ArcSin[c\*x]\*Cos[2\*ArcSin[c\*x]]) - 96

```

*Pi*Log[1 + E^((-I)*ArcSin[c*x])] - 48*Pi*Log[1 - I*E^(I*ArcSin[c*x])] - 96
*ArcSin[c*x]*Log[1 - I*E^(I*ArcSin[c*x])] + 96*Pi*Log[Cos[ArcSin[c*x]/2]] +
48*Pi*Log[Sin[(Pi + 2*ArcSin[c*x])/4]] - 3*ArcSin[c*x]^2*Sin[2*ArcSin[c*x]
]) + Cos[ArcSin[c*x]/2]*((-24*I)*Pi*ArcSin[c*x] - 48*c*x*ArcSin[c*x] + (24
+ 24*I)*ArcSin[c*x]^2 + 10*ArcSin[c*x]^3 + 3*Sqrt[1 - c^2*x^2]*(-16 + c*x +
8*ArcSin[c*x]^2) - 3*ArcSin[c*x]*Cos[2*ArcSin[c*x]]) - 96*Pi*Log[1 + E^((-I
)*ArcSin[c*x])] - 48*Pi*Log[1 - I*E^(I*ArcSin[c*x])] - 96*ArcSin[c*x]*Log[1
- I*E^(I*ArcSin[c*x])] + 96*Pi*Log[Cos[ArcSin[c*x]/2]] + 48*Pi*Log[Sin[(Pi
+ 2*ArcSin[c*x])/4]] - 3*ArcSin[c*x]^2*Sin[2*ArcSin[c*x]])))/(12*c*d^2*Sqr
t[-((d + c*d*x)*(e - c*e*x))]*Sqrt[1 - c^2*x^2]*(Cos[ArcSin[c*x]/2] + Sin[A
rcSin[c*x]/2])) - (a*b*e^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Sqrt[-(d*e*(1 -
c^2*x^2))]*((15 + 14*ArcSin[c*x])*Cos[(3*ArcSin[c*x])/2] - Cos[(5*ArcSin[c*
x])/2] + 2*ArcSin[c*x]*Cos[(5*ArcSin[c*x])/2] + 4*Cos[ArcSin[c*x]/2]*(-4 +
12*ArcSin[c*x] + 5*ArcSin[c*x]^2 - 16*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*
x]/2])) - 16*Sin[ArcSin[c*x]/2] - 48*ArcSin[c*x]*Sin[ArcSin[c*x]/2] + 20*A
rcSin[c*x]^2*Sin[ArcSin[c*x]/2] - 64*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*
x]/2]]*Sin[ArcSin[c*x]/2] - 15*Sin[(3*ArcSin[c*x])/2] + 14*ArcSin[c*x]*Sin[
(3*ArcSin[c*x])/2] - Sin[(5*ArcSin[c*x])/2] - 2*ArcSin[c*x]*Sin[(5*ArcSin[c
*x])/2])))/(8*c*d^2*Sqrt[-((d + c*d*x)*(e - c*e*x))]*Sqrt[1 - c^2*x^2]*(Cos[
ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]))

```

**Maple [F]** time = 0.217, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (-cex + e)^{\frac{5}{2}} (cdx + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2),x)
```

```
[Out] int((-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2),x, algorithm
="maxima")
```

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(a^2 c^2 e^2 x^2 - 2 a^2 c e^2 x + a^2 e^2 + (b^2 c^2 e^2 x^2 - 2 b^2 c e^2 x + b^2 e^2) \arcsin(cx))^2 + 2 (abc^2 e^2 x^2 - 2 abc e^2 x + abe^2) \arcsin(cx)}{c^2 d^2 x^2 + 2 cd^2 x + d^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)^(5/2)\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(3/2),x, algorithm="fricas")

[Out] integral((a^2\*c^2\*e^2\*x^2 - 2\*a^2\*c\*e^2\*x + a^2\*e^2 + (b^2\*c^2\*e^2\*x^2 - 2\*b^2\*c\*e^2\*x + b^2\*e^2)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^2\*e^2\*x^2 - 2\*a\*b\*c\*e^2\*x + a\*b\*e^2)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^2\*d^2\*x^2 + 2\*c\*d^2\*x + d^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)\*\*(5/2)\*(a+b\*asin(c\*x))\*\*2/(c\*d\*x+d)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cex + e)^{\frac{5}{2}} (b \arcsin(cx) + a)^2}{(cdx + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)^(5/2)\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(3/2),x, algorithm="giac")

```
[Out] integrate((-c*e*x + e)^(5/2)*(b*arcsin(c*x) + a)^2/(c*d*x + d)^(3/2), x)
```

$$3.557 \quad \int \frac{(e-cex)^{5/2} (a+b \sin^{-1}(cx))^2}{(d+cdx)^{5/2}} dx$$

**Optimal.** Leaf size=729

$$\frac{112ib^2e^5(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{2abe^5x(1-c^2x^2)^{5/2}}{(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{5e^5(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))^3}{3bc(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{e^5(1-c^2x^2)^{5/2}}{c(cdx+d)^{5/2}(e-cex)^{5/2}}$$

[Out]  $(-2*a*b*e^5*x*(1 - c^2*x^2)^{(5/2)})/((d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (2*b^2*e^5*(1 - c^2*x^2)^3)/(c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (2*b^2*e^5*x*(1 - c^2*x^2)^{(5/2)}*ArcSin[c*x])/((d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (((28*I)/3)*e^5*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (e^5*(1 - c^2*x^2)^3*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (5*e^5*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])^3)/(3*b*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (16*b^2*e^5*(1 - c^2*x^2)^{(5/2)}*Cot[Pi/4 + ArcSin[c*x]/2])/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (28*e^5*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])^2*Cot[Pi/4 + ArcSin[c*x]/2])/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (8*b*e^5*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])*Csc[Pi/4 + ArcSin[c*x]/2]^2)/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (4*e^5*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])^2*Cot[Pi/4 + ArcSin[c*x]/2]*Csc[Pi/4 + ArcSin[c*x]/2]^2)/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (112*b*e^5*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])*Log[1 - I*E^(I*ArcSin[c*x])])/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (((112*I)/3)*b^2*e^5*(1 - c^2*x^2)^{(5/2)}*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)})$

**Rubi [A]** time = 1.30321, antiderivative size = 729, normalized size of antiderivative = 1., number of steps used = 25, number of rules used = 16, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {4673, 4775, 4641, 4677, 4619, 261, 4773, 3318, 4186, 3767, 8, 4184, 3717, 2190, 2279, 2391}

$$\frac{112ib^2e^5(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{2abe^5x(1-c^2x^2)^{5/2}}{(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{5e^5(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))^3}{3bc(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{e^5(1-c^2x^2)^{5/2}}{c(cdx+d)^{5/2}(e-cex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[((e - c\*e\*x)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(d + c\*d\*x)^(5/2), x]

[Out]  $(-2*a*b*e^5*x*(1 - c^2*x^2)^{(5/2)})/((d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (2*b^2*e^5*(1 - c^2*x^2)^3)/(c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (2*b^2*e^5*x*(1 - c^2*x^2)^{(5/2)}*ArcSin[c*x])/((d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (((28*I)/3)*e^5*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (e^5*(1 - c^2*x^2)^3*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (5*e^5*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])^3)/(3*b*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (16*b^2*e^5*(1 - c^2*x^2)^{(5/2)}*Cot[Pi/4 + ArcSin[c*x]/2])/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (28*e^5*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])^2*Cot[Pi/4 + ArcSin[c*x]/2])/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (8*b*e^5*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])*Csc[Pi/4 + ArcSin[c*x]/2]^2)/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (4*e^5*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])^2*Cot[Pi/4 + ArcSin[c*x]/2]*Csc[Pi/4 + ArcSin[c*x]/2]^2)/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (112*b*e^5*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])*Log[1 - I*E^(I*ArcSin[c*x])])/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (((112*I)/3)*b^2*e^5*(1 - c^2*x^2)^{(5/2)}*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)})$

$$2e^{5x}(1 - c^2x^2)^{5/2} \operatorname{ArcSin}[cx] / ((d + cdx)^{5/2} (e - cex)^{5/2}) + (((28I)/3) e^{5x} (1 - c^2x^2)^{5/2} (a + b \operatorname{ArcSin}[cx])^2) / (c(d + cdx)^{5/2} (e - cex)^{5/2}) + (e^{5x} (1 - c^2x^2)^3 (a + b \operatorname{ArcSin}[cx])^2) / (c(d + cdx)^{5/2} (e - cex)^{5/2}) + (5e^{5x} (1 - c^2x^2)^{5/2} (a + b \operatorname{ArcSin}[cx])^3) / (3b^2 c (d + cdx)^{5/2} (e - cex)^{5/2}) - (16b^2 e^{5x} (1 - c^2x^2)^{5/2} \operatorname{Cot}[\pi/4 + \operatorname{ArcSin}[cx]/2]) / (3c (d + cdx)^{5/2} (e - cex)^{5/2}) + (28e^{5x} (1 - c^2x^2)^{5/2} (a + b \operatorname{ArcSin}[cx])^2 \operatorname{Cot}[\pi/4 + \operatorname{ArcSin}[cx]/2]) / (3c (d + cdx)^{5/2} (e - cex)^{5/2}) - (8b^2 e^{5x} (1 - c^2x^2)^{5/2} (a + b \operatorname{ArcSin}[cx]) \operatorname{Csc}[\pi/4 + \operatorname{ArcSin}[cx]/2]^2) / (3c (d + cdx)^{5/2} (e - cex)^{5/2}) - (4e^{5x} (1 - c^2x^2)^{5/2} (a + b \operatorname{ArcSin}[cx])^2 \operatorname{Cot}[\pi/4 + \operatorname{ArcSin}[cx]/2] \operatorname{Csc}[\pi/4 + \operatorname{ArcSin}[cx]/2]^2) / (3c (d + cdx)^{5/2} (e - cex)^{5/2}) - (112b^2 e^{5x} (1 - c^2x^2)^{5/2} (a + b \operatorname{ArcSin}[cx]) \operatorname{Log}[1 - I E^{I \operatorname{ArcSin}[cx]}]) / (3c (d + cdx)^{5/2} (e - cex)^{5/2}) + (((112I)/3) b^2 e^{5x} (1 - c^2x^2)^{5/2} \operatorname{PolyLog}[2, I E^{I \operatorname{ArcSin}[cx]}]) / (c (d + cdx)^{5/2} (e - cex)^{5/2})$$

### Rule 4673

$$\operatorname{Int}[(a + \operatorname{ArcSin}[c(x)](b))^{(n)}((d) + (e)(x))^{(p)}((f) + (g)(x))^{(q)}, x\_Symbol] \rightarrow \operatorname{Dist}[(d + ex)^q (f + gx)^q / (1 - c^2x^2)^q, \operatorname{Int}[(d + ex)^{(p-q)} (1 - c^2x^2)^q (a + b \operatorname{ArcSin}[cx])^n, x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, g, n\}, x] \&\& \operatorname{EqQ}[e f + d g, 0] \&\& \operatorname{EqQ}[c^2 d^2 - e^2, 0] \&\& \operatorname{HalfIntegerQ}[p, q] \&\& \operatorname{GeQ}[p - q, 0]$$

### Rule 4775

$$\operatorname{Int}[(a + \operatorname{ArcSin}[c(x)](b))^{(n)}((f) + (g)(x))^{(m)}((d) + (e)(x)^2)^{(p)}, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b \operatorname{ArcSin}[cx])^n / \operatorname{Sqrt}[d + ex^2], (f + gx)^m (d + ex^2)^{(p+1/2)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, g\}, x] \&\& \operatorname{EqQ}[c^2 d + e, 0] \&\& \operatorname{IntegerQ}[m] \&\& \operatorname{ILtQ}[p + 1/2, 0] \&\& \operatorname{GtQ}[d, 0] \&\& \operatorname{IGtQ}[n, 0]$$

### Rule 4641

$$\operatorname{Int}[(a + \operatorname{ArcSin}[c(x)](b))^{(n)} / \operatorname{Sqrt}[(d) + (e)(x)^2], x\_Symbol] \rightarrow \operatorname{Simp}[(a + b \operatorname{ArcSin}[cx])^{(n+1)} / (b c \operatorname{Sqrt}[d] (n+1)), x] /; \operatorname{FreeQ}\{a, b, c, d, e, n\}, x] \&\& \operatorname{EqQ}[c^2 d + e, 0] \&\& \operatorname{GtQ}[d, 0] \&\& \operatorname{NeQ}[n, -1]$$

### Rule 4677

$$\operatorname{Int}[(a + \operatorname{ArcSin}[c(x)](b))^{(n)}(x)((d) + (e)(x)^2)^{(p)}, x\_Symbol] \rightarrow \operatorname{Simp}[(d + ex^2)^{(p+1)} (a + b \operatorname{ArcSin}[cx])^n / (2e^{(p+1)}), x] + \operatorname{Dist}[(b^n d \operatorname{IntPart}[p] (d + ex^2)^{\operatorname{FracPart}[p]}] / (2c^{(p+1)} (1 - c^2x^2)^{\operatorname{FracPart}[p]}), \operatorname{Int}[(1 - c^2x^2)^{(p+1/2)} (a + b \operatorname{ArcSin}[cx])^{(n-1)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, p\}, x] \&\& \operatorname{EqQ}[c^2 d + e, 0] \&\& \operatorname{GtQ}[n$$



, 0] && NeQ[p, -1]

### Rule 4619

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.), x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

### Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^ (p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

### Rule 4773

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((f\_) + (g\_.)\*(x\_.))^ (m\_.))/Sqrt[(d\_.) + (e\_.)\*(x\_)^2], x\_Symbol] := Dist[1/(c^(m + 1)\*Sqrt[d]), Subst[Int[(a + b\*x)^n\*(c\*f + g\*Sin[x])^m, x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[m] && GtQ[d, 0] && (GtQ[m, 0] || IGtQ[n, 0])

### Rule 3318

Int[((c\_.) + (d\_.)\*(x\_.))^ (m\_.)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^ (n\_.), x\_Symbol] := Dist[(2\*a)^n, Int[(c + d\*x)^m\*Sin[(1\*(e + (Pi\*a)/(2\*b)))/2 + (f\*x)/2]^(2\*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

### Rule 4186

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((c\_.) + (d\_.)\*(x\_.))^ (m\_.), x\_Symbol] := -Simp[(b^2\*(c + d\*x)^m\*Cot[e + f\*x]\*(b\*Csc[e + f\*x])^(n - 2))/(f\*(n - 1)), x] + (Dist[(b^2\*d^2\*m\*(m - 1))/(f^2\*(n - 1)\*(n - 2)), Int[(c + d\*x)^(m - 2)\*(b\*Csc[e + f\*x])^(n - 2), x], x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(c + d\*x)^m\*(b\*Csc[e + f\*x])^(n - 2), x], x] - Simp[(b^2\*d\*m\*(c + d\*x)^(m - 1)\*(b\*Csc[e + f\*x])^(n - 2))/(f^2\*(n - 1)\*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]

### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_.)]^ (n\_.), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[
((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot
[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:= Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e - cex)^{5/2} (a + b \sin^{-1}(cx))^2}{(d + cdx)^{5/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(e - cex)^5 (a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{(1 - c^2x^2)^{5/2} \int \left( \frac{5e^5 (a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} - \frac{ce^5 x (a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} + \frac{8e^5 (a + b \sin^{-1}(cx))^2}{(1 + cx)^2 \sqrt{1 - c^2x^2}} - \frac{12e^5 (a + b \sin^{-1}(cx))^2}{(1 + cx)\sqrt{1 - c^2x^2}} \right) dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{(5e^5 (1 - c^2x^2)^{5/2}) \int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{(8e^5 (1 - c^2x^2)^{5/2}) \int \frac{(a + b \sin^{-1}(cx))^2}{(1 + cx)^2 \sqrt{1 - c^2x^2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{(12e^5 (1 - c^2x^2)^{5/2}) \int \frac{(a + b \sin^{-1}(cx))^2}{(1 + cx) \sqrt{1 - c^2x^2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{e^5 (1 - c^2x^2)^3 (a + b \sin^{-1}(cx))^2}{c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{5e^5 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{(12e^5 (1 - c^2x^2)^{5/2}) \int \frac{(a + b \sin^{-1}(cx))^2}{(1 + cx) \sqrt{1 - c^2x^2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= -\frac{2abe^5 x (1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{e^5 (1 - c^2x^2)^3 (a + b \sin^{-1}(cx))^2}{c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{5e^5 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= -\frac{2abe^5 x (1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{2b^2 e^5 x (1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{e^5 (1 - c^2x^2)^3 (a + b \sin^{-1}(cx))^2}{c(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= -\frac{2abe^5 x (1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{2b^2 e^5 (1 - c^2x^2)^3}{c(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{2b^2 e^5 x (1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= -\frac{2abe^5 x (1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{2b^2 e^5 (1 - c^2x^2)^3}{c(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{2b^2 e^5 x (1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= -\frac{2abe^5 x (1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{2b^2 e^5 (1 - c^2x^2)^3}{c(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{2b^2 e^5 x (1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= -\frac{2abe^5 x (1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{2b^2 e^5 (1 - c^2x^2)^3}{c(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{2b^2 e^5 x (1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= -\frac{2abe^5 x (1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{2b^2 e^5 (1 - c^2x^2)^3}{c(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{2b^2 e^5 x (1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{(d + cdx)^{5/2} (e - cex)^{5/2}}
\end{aligned}$$

**Mathematica [B]** time = 12.4498, size = 2326, normalized size = 3.19

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((e - c\*e\*x)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(d + c\*d\*x)^(5/2), x]

```

[Out] (Sqrt[-(e*(-1 + c*x))]*Sqrt[d*(1 + c*x)]*((a^2*e^2)/d^3 - (8*a^2*e^2)/(3*d^
3*(1 + c*x)^2) + (28*a^2*e^2)/(3*d^3*(1 + c*x))))/c - (5*a^2*e^(5/2)*ArcTan
[(c*x*Sqrt[-(e*(-1 + c*x))]*Sqrt[d*(1 + c*x)])/(Sqrt[d]*Sqrt[e]*(-1 + c*x)*
(1 + c*x)))]/(c*d^(5/2)) - (a*b*e^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Sqrt[-(
d*e*(1 - c^2*x^2))]*(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])*(Cos[ArcSin[c
*x]/2]*(-8 + 6*ArcSin[c*x] + 9*ArcSin[c*x]^2 - 84*Log[Cos[ArcSin[c*x]/2] +
Sin[ArcSin[c*x]/2]]) + Cos[(3*ArcSin[c*x])/2]*((14 - 3*ArcSin[c*x])*ArcSin[
c*x] + 28*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])) + 2*(-4 + 4*ArcSin[
c*x] + 6*ArcSin[c*x]^2 + Sqrt[1 - c^2*x^2]*(ArcSin[c*x]*(14 + 3*ArcSin[c*x]
) - 28*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])) - 56*Log[Cos[ArcSin[c*
x]/2] + Sin[ArcSin[c*x]/2]])*Sin[ArcSin[c*x]/2]))/(3*c*d^3*(-1 + c*x)*Sqrt[
-((d + c*d*x)*(e - c*e*x))]*(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^4) -
(a*b*e^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Sqrt[-(d*e*(1 - c^2*x^2))]*(Cos[Arc
Sin[c*x]/2] - Sin[ArcSin[c*x]/2])*(Cos[(3*ArcSin[c*x])/2]*(ArcSin[c*x] + 2
*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])) - Cos[ArcSin[c*x]/2]*(4 + 3*
ArcSin[c*x] + 6*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])) + 2*(-2 + 2*Arc
Sin[c*x] + Sqrt[1 - c^2*x^2]*ArcSin[c*x] - 4*Log[Cos[ArcSin[c*x]/2] + Sin
[ArcSin[c*x]/2]] - 2*Sqrt[1 - c^2*x^2]*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[
c*x]/2]])*Sin[ArcSin[c*x]/2]))/(3*c*d^3*(-1 + c*x)*Sqrt[-((d + c*d*x)*(e -
c*e*x))]*(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^4) - (b^2*e^2*(-1 + c*x)
*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Sqrt[-(d*e*(1 - c^2*x^2))]*((-6*c*x*ArcSin
[c*x])/Sqrt[1 - c^2*x^2] + ((13 + 13*I)*ArcSin[c*x]^2)/Sqrt[1 - c^2*x^2] +
(3*ArcSin[c*x]^3)/Sqrt[1 - c^2*x^2] + 3*(-2 + ArcSin[c*x]^2) + (13*(-I)*Pi
*ArcSin[c*x] - 4*Pi*Log[1 + E^((-I)*ArcSin[c*x])]) - 2*(Pi + 2*ArcSin[c*x])*
Log[1 - I*E^(I*ArcSin[c*x])] + 4*Pi*Log[Cos[ArcSin[c*x]/2]] + 2*Pi*Log[Sin[
(Pi + 2*ArcSin[c*x])/4]] + (4*I)*PolyLog[2, I*E^(I*ArcSin[c*x])])/Sqrt[1 -
c^2*x^2] + (4*ArcSin[c*x]^2*Sin[ArcSin[c*x]/2])/(Sqrt[1 - c^2*x^2]*(Cos[Arc
Sin[c*x]/2] + Sin[ArcSin[c*x]/2])^3) - (2*ArcSin[c*x]*(2 + ArcSin[c*x]))/(
Sqrt[1 - c^2*x^2]*(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^2) + (2*(4 - 13
*ArcSin[c*x]^2)*Sin[ArcSin[c*x]/2])/(Sqrt[1 - c^2*x^2]*(Cos[ArcSin[c*x]/2]
+ Sin[ArcSin[c*x]/2])))/(3*c*d^3*Sqrt[-((d + c*d*x)*(e - c*e*x))]*(Cos[Arc
Sin[c*x]/2] - Sin[ArcSin[c*x]/2])^2) - (b^2*e^2*(-1 + c*x)*Sqrt[d + c*d*x]*
Sqrt[e - c*e*x]*Sqrt[-(d*e*(1 - c^2*x^2))]*((-I)*Pi*ArcSin[c*x] + (1 + I)*A
rcSin[c*x]^2 - 4*Pi*Log[1 + E^((-I)*ArcSin[c*x])]) - 2*(Pi + 2*ArcSin[c*x])*
Log[1 - I*E^(I*ArcSin[c*x])] + 4*Pi*Log[Cos[ArcSin[c*x]/2]] + 2*Pi*Log[Sin[
(Pi + 2*ArcSin[c*x])/4]] + (4*I)*PolyLog[2, I*E^(I*ArcSin[c*x])] + (4*ArcSi
n[c*x]^2*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^3 -
(2*ArcSin[c*x]*(2 + ArcSin[c*x]))/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])
^2 - (2*(-4 + ArcSin[c*x]^2)*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] + Sin[
ArcSin[c*x]/2])))/(3*c*d^3*Sqrt[-((d + c*d*x)*(e - c*e*x))]*Sqrt[1 - c^2*x^
2]*(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^2) + (2*b^2*e^2*(-1 + c*x)*Sqr
t[d + c*d*x]*Sqrt[e - c*e*x]*Sqrt[-(d*e*(1 - c^2*x^2))]*((7*I)*Pi*ArcSin[c*
x] - (7 + 7*I)*ArcSin[c*x]^2 - ArcSin[c*x]^3 + 28*Pi*Log[1 + E^((-I)*ArcSin
[c*x])]) + 14*(Pi + 2*ArcSin[c*x])*Log[1 - I*E^(I*ArcSin[c*x])] - 28*Pi*Log[
Cos[ArcSin[c*x]/2]] - 14*Pi*Log[Sin[(Pi + 2*ArcSin[c*x])/4]] - (28*I)*PolyL

```

```

og[2, I*E^(I*ArcSin[c*x])] - (4*ArcSin[c*x]^2*Sin[ArcSin[c*x]/2])/(Cos[ArcS
in[c*x]/2] + Sin[ArcSin[c*x]/2])^3 + (2*ArcSin[c*x]*(2 + ArcSin[c*x]))/(Cos
[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^2 + (2*(-4 + 7*ArcSin[c*x]^2)*Sin[Arc
Sin[c*x]/2])/(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]))/(3*c*d^3*Sqrt[-((d
+ c*d*x)*(e - c*e*x))]*Sqrt[1 - c^2*x^2]*(Cos[ArcSin[c*x]/2] - Sin[ArcSin[
c*x]/2])^2) - (a*b*e^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Sqrt[-(d*e*(1 - c^2*
x^2))]*(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])*(3*Cos[(5*ArcSin[c*x])/2]
- 3*ArcSin[c*x]*Cos[(5*ArcSin[c*x])/2] + Cos[ArcSin[c*x]/2]*(-20 + 24*ArcSi
n[c*x] + 27*ArcSin[c*x]^2 - 156*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]
]) + Cos[(3*ArcSin[c*x])/2]*(9 + 35*ArcSin[c*x] - 9*ArcSin[c*x]^2 + 52*Log[
Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])) - 20*Sin[ArcSin[c*x]/2] - 24*ArcS
in[c*x]*Sin[ArcSin[c*x]/2] + 27*ArcSin[c*x]^2*Sin[ArcSin[c*x]/2] - 156*Log[
Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]]*Sin[ArcSin[c*x]/2] - 9*Sin[(3*ArcS
in[c*x])/2] + 35*ArcSin[c*x]*Sin[(3*ArcSin[c*x])/2] + 9*ArcSin[c*x]^2*Sin[(
3*ArcSin[c*x])/2] - 52*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]]*Sin[(3*
ArcSin[c*x])/2] + 3*Sin[(5*ArcSin[c*x])/2] + 3*ArcSin[c*x]*Sin[(5*ArcSin[c*
x])/2]))/(6*c*d^3*(-1 + c*x)*Sqrt[-((d + c*d*x)*(e - c*e*x))]*(Cos[ArcSin[c
*x]/2] + Sin[ArcSin[c*x]/2])^4)

```

**Maple [F]** time = 0.204, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (-cex + e)^{\frac{5}{2}} (cdx + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2/(c*d*x+d)^(5/2),x)
```

```
[Out] int((-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2/(c*d*x+d)^(5/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-c*e*x+e)^(5/2)*(a+b*arcsin(c*x))^2/(c*d*x+d)^(5/2),x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(a^2 c^2 e^2 x^2 - 2 a^2 c e^2 x + a^2 e^2 + (b^2 c^2 e^2 x^2 - 2 b^2 c e^2 x + b^2 e^2) \arcsin(cx))^2 + 2 (abc^2 e^2 x^2 - 2 abce^2 x + abe^2) \arcsin(cx)}{c^3 d^3 x^3 + 3 c^2 d^3 x^2 + 3 cd^3 x + d^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)^(5/2)\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(5/2),x, algorithm="fricas")

[Out] integral((a^2\*c^2\*e^2\*x^2 - 2\*a^2\*c\*e^2\*x + a^2\*e^2 + (b^2\*c^2\*e^2\*x^2 - 2\*b^2\*c\*e^2\*x + b^2\*e^2)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^2\*e^2\*x^2 - 2\*a\*b\*c\*e^2\*x + a\*b\*e^2)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^3\*d^3\*x^3 + 3\*c^2\*d^3\*x^2 + 3\*c\*d^3\*x + d^3), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)\*\*(5/2)\*(a+b\*asin(c\*x))\*\*2/(c\*d\*x+d)\*\*(5/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(-cex + e)^{\frac{5}{2}} (b \arcsin(cx) + a)^2}{(cdx + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c\*e\*x+e)^(5/2)\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(5/2),x, algorithm="giac")

[Out] integrate((-c\*e\*x + e)^(5/2)\*(b\*arcsin(c\*x) + a)^2/(c\*d\*x + d)^(5/2), x)

$$3.558 \quad \int \frac{(d+cdx)^{5/2}(a+b \sin^{-1}(cx))^2}{\sqrt{e-cex}} dx$$

**Optimal.** Leaf size=559

$$\frac{5d^3\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^3}{6bc\sqrt{cdx+d}\sqrt{e-cex}} - \frac{cd^3x^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{3\sqrt{cdx+d}\sqrt{e-cex}} - \frac{3d^3x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{2\sqrt{cdx+d}\sqrt{e-cex}} - \frac{11d^3(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{3c\sqrt{cdx+d}\sqrt{e-cex}}$$

```
[Out] (68*b^2*d^3*(1 - c^2*x^2))/(9*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (3*b^2*d^3*x*(1 - c^2*x^2))/(4*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (2*b^2*d^3*(1 - c^2*x^2)^2)/(27*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (3*b^2*d^3*Sqrt[1 - c^2*x^2]*ArcSin[c*x])/(4*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (22*b*d^3*x*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(3*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (3*b*c*d^3*x^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (2*b*c^2*d^3*x^3*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(9*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (11*d^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(3*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (3*d^3*x*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (c*d^3*x^2*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(3*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (5*d^3*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^3)/(6*b*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])
```

**Rubi [A]** time = 0.659786, antiderivative size = 559, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 10, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$ , Rules used = {4673, 4773, 3317, 3296, 2638, 3311, 32, 2635, 8, 2633}

$$\frac{5d^3\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^3}{6bc\sqrt{cdx+d}\sqrt{e-cex}} - \frac{cd^3x^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{3\sqrt{cdx+d}\sqrt{e-cex}} - \frac{3d^3x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{2\sqrt{cdx+d}\sqrt{e-cex}} - \frac{11d^3(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{3c\sqrt{cdx+d}\sqrt{e-cex}}$$

Antiderivative was successfully verified.

```
[In] Int[((d + c*d*x)^(5/2)*(a + b*ArcSin[c*x])^2)/Sqrt[e - c*e*x], x]
```

```
[Out] (68*b^2*d^3*(1 - c^2*x^2))/(9*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (3*b^2*d^3*x*(1 - c^2*x^2))/(4*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (2*b^2*d^3*(1 - c^2*x^2)^2)/(27*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (3*b^2*d^3*Sqrt[1 - c^2*x^2]*ArcSin[c*x])/(4*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (22*b*d^3*x*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(3*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (3*b*c*d^3*x^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (2*b*c^2*d^3*x^3*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(9*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])
```

```

qrt[d + c*d*x]*Sqrt[e - c*e*x]) - (11*d^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x])
^2)/(3*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (3*d^3*x*(1 - c^2*x^2)*(a + b*A
rcSin[c*x])^2)/(2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (c*d^3*x^2*(1 - c^2*x^
2)*(a + b*ArcSin[c*x])^2)/(3*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (5*d^3*Sqrt
[1 - c^2*x^2]*(a + b*ArcSin[c*x])^3)/(6*b*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]
)

```

### Rule 4673

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_))^(p_)*((f_)
+ (g_.)*(x_))^(q_), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

```

### Rule 4773

```

Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_) + (g_.)*(x_))^(m_.))/Sq
rt[(d_) + (e_.)*(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int
[(a + b*x)^n*(c*f + g*Sin[x])^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c,
d, e, f, g, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[m] && GtQ[d, 0] && (Gt
Q[m, 0] || IGtQ[n, 0])

```

### Rule 3317

```

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])

```

### Rule 3296

```

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

```

### Rule 2638

```

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]

```

### Rule 3311

```

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbo
l] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist

```



```
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(
d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x] /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

### Rule 32

```
Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m +
1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

### Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

### Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

### Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d + cdx)^{5/2} (a + b \sin^{-1}(cx))^2}{\sqrt{e - cex}} dx &= \frac{\sqrt{1 - c^2x^2} \int \frac{(d+cdx)^3 (a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{\sqrt{1 - c^2x^2} \text{Subst} \left( \int (a + bx)^2 (cd + cd \sin(x))^3 dx, x, \sin^{-1}(cx) \right)}{c^4 \sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{\sqrt{1 - c^2x^2} \text{Subst} \left( \int (c^3 d^3 (a + bx)^2 + 3c^3 d^3 (a + bx)^2 \sin(x) + 3c^3 d^3 (a + bx)^2 \sin^2(x) \right)}{c^4 \sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{d^3 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^3}{3bc \sqrt{d + cdx}\sqrt{e - cex}} + \frac{(d^3 \sqrt{1 - c^2x^2}) \text{Subst} \left( \int (a + bx)^2 \sin^3(x) dx, x, \sin^{-1}(cx) \right)}{c \sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{3bcd^3 x^2 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{2\sqrt{d + cdx}\sqrt{e - cex}} + \frac{2bc^2 d^3 x^3 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{9\sqrt{d + cdx}\sqrt{e - cex}} - \frac{3d^3}{9\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{3b^2 d^3 x (1 - c^2x^2)}{4\sqrt{d + cdx}\sqrt{e - cex}} + \frac{6bd^3 x \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{\sqrt{d + cdx}\sqrt{e - cex}} + \frac{3bcd^3 x^2 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{2\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{56b^2 d^3 (1 - c^2x^2)}{9c \sqrt{d + cdx}\sqrt{e - cex}} + \frac{3b^2 d^3 x (1 - c^2x^2)}{4\sqrt{d + cdx}\sqrt{e - cex}} - \frac{2b^2 d^3 (1 - c^2x^2)^2}{27c \sqrt{d + cdx}\sqrt{e - cex}} - \frac{3b^2 d^3 \sqrt{1 - c^2x^2}}{4c \sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{68b^2 d^3 (1 - c^2x^2)}{9c \sqrt{d + cdx}\sqrt{e - cex}} + \frac{3b^2 d^3 x (1 - c^2x^2)}{4\sqrt{d + cdx}\sqrt{e - cex}} - \frac{2b^2 d^3 (1 - c^2x^2)^2}{27c \sqrt{d + cdx}\sqrt{e - cex}} - \frac{3b^2 d^3 \sqrt{1 - c^2x^2}}{4c \sqrt{d + cdx}\sqrt{e - cex}}
\end{aligned}$$

**Mathematica [A]** time = 3.5625, size = 434, normalized size = 0.78

$$d^2 \left( \sqrt{cdx + d}\sqrt{e - cex} \left( 6 \left( 6a^2 \sqrt{1 - c^2x^2} (2c^2x^2 + 9cx + 22) - 8abcx (c^2x^2 + 33) - 27b^2 (cx + 10) \sqrt{1 - c^2x^2} \right) + 162ab \cos \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((d + c\*d\*x)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/Sqrt[e - c\*e\*x],x]

[Out]  $-(d^2 * (-180 * b^2 * \text{Sqrt}[d + c*d*x] * \text{Sqrt}[e - c*e*x] * \text{ArcSin}[c*x]^3 + 540 * a^2 * \text{Sqrt}[d] * \text{Sqrt}[e] * \text{Sqrt}[1 - c^2*x^2] * \text{ArcTan}[(c*x * \text{Sqrt}[d + c*d*x] * \text{Sqrt}[e - c*e*x]) / (\text{Sqrt}[d] * \text{Sqrt}[e] * (-1 + c^2*x^2))]) - 6 * b * \text{Sqrt}[d + c*d*x] * \text{Sqrt}[e - c*e*x] * \text{ArcSin}[c*x] * (-18 * b + 264 * b * c * x + 36 * b * c^2 * x^2 + 8 * b * c^3 * x^3 - 270 * a * \text{Sqrt}[1 - c^2*x^2] - 108 * a * c * x * \text{Sqrt}[1 - c^2*x^2] - 9 * b * \text{Cos}[2 * \text{ArcSin}[c*x]] + 6 * a * \text{Cos}[3 * \text{ArcSin}[c*x]]) + 18 * b * \text{Sqrt}[d + c*d*x] * \text{Sqrt}[e - c*e*x] * \text{ArcSin}[c*x]^2 * (-30 * a$

+ 9\*b\*(5 + 2\*c\*x)\*Sqrt[1 - c^2\*x^2] - b\*Cos[3\*ArcSin[c\*x]]) + Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(6\*(-27\*b^2\*(10 + c\*x)\*Sqrt[1 - c^2\*x^2] - 8\*a\*b\*c\*x\*(33 + c^2\*x^2) + 6\*a^2\*Sqrt[1 - c^2\*x^2]\*(22 + 9\*c\*x + 2\*c^2\*x^2)) + 162\*a\*b\*Cos[2\*ArcSin[c\*x]] + 4\*b^2\*Cos[3\*ArcSin[c\*x]])))/(216\*c\*e\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0.263, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (cdx + d)^{\frac{5}{2}} \frac{1}{\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(1/2),x)

[Out] int((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{(a^2c^2d^2x^2 + 2a^2cd^2x + a^2d^2 + (b^2c^2d^2x^2 + 2b^2cd^2x + b^2d^2) \arcsin(cx)^2 + 2(abc^2d^2x^2 + 2abcd^2x + abd^2))}{cex - e} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(1/2),x, algorithm="fricas")

```
[Out] integral(-(a^2*c^2*d^2*x^2 + 2*a^2*c*d^2*x + a^2*d^2 + (b^2*c^2*d^2*x^2 + 2
*b^2*c*d^2*x + b^2*d^2)*arcsin(c*x)^2 + 2*(a*b*c^2*d^2*x^2 + 2*a*b*c*d^2*x
+ a*b*d^2)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*e*x + e)/(c*e*x - e), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(5/2)*(a+b*asin(c*x))**2/(-c*e*x+e)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(cdx + d)^{\frac{5}{2}}(b \arcsin(cx) + a)^2}{\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(1/2),x, algorithm
="giac")
```

```
[Out] integrate((c*d*x + d)^(5/2)*(b*arcsin(c*x) + a)^2/sqrt(-c*e*x + e), x)
```

$$3.559 \quad \int \frac{(d+cdx)^{3/2}(a+b \sin^{-1}(cx))^2}{\sqrt{e-cex}} dx$$

**Optimal.** Leaf size=398

$$\frac{d^2\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^3}{2bc\sqrt{cdx+d}\sqrt{e-cex}} - \frac{2d^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c\sqrt{cdx+d}\sqrt{e-cex}} - \frac{d^2x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{2\sqrt{cdx+d}\sqrt{e-cex}} + \frac{bcd^2x^2\sqrt{1-c^2x^2}}{2\sqrt{cdx+d}\sqrt{e-cex}}$$

```
[Out] (4*b^2*d^2*(1 - c^2*x^2))/(c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (b^2*d^2*x*(1 - c^2*x^2))/(4*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (b^2*d^2*Sqrt[1 - c^2*x^2]*ArcSin[c*x])/(4*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (4*b*d^2*x*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (b*c*d^2*x^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (2*d^2*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (d^2*x*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (d^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^3)/(2*b*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])
```

**Rubi [A]** time = 0.562053, antiderivative size = 398, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.281$ , Rules used = {4673, 4773, 3317, 3296, 2638, 3311, 32, 2635, 8}

$$\frac{d^2\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^3}{2bc\sqrt{cdx+d}\sqrt{e-cex}} - \frac{2d^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c\sqrt{cdx+d}\sqrt{e-cex}} - \frac{d^2x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{2\sqrt{cdx+d}\sqrt{e-cex}} + \frac{bcd^2x^2\sqrt{1-c^2x^2}}{2\sqrt{cdx+d}\sqrt{e-cex}}$$

Antiderivative was successfully verified.

```
[In] Int[((d + c*d*x)^(3/2)*(a + b*ArcSin[c*x])^2)/Sqrt[e - c*e*x],x]
```

```
[Out] (4*b^2*d^2*(1 - c^2*x^2))/(c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (b^2*d^2*x*(1 - c^2*x^2))/(4*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (b^2*d^2*Sqrt[1 - c^2*x^2]*ArcSin[c*x])/(4*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (4*b*d^2*x*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (b*c*d^2*x^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (2*d^2*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (d^2*x*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (d^2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^3)/(2*b*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])
```

**Rule 4673**

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_))^(p_)*((f_)
+ (g_.)*(x_))^(q_), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

### Rule 4773

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_) + (g_.)*(x_))^(m_.))/Sq
rt[(d_) + (e_.)*(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int
[(a + b*x)^n*(c*f + g*Sin[x])^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c,
d, e, f, g, n}, x] && EqQ[c^2*d + e, 0] && IntegerQ[m] && GtQ[d, 0] && (Gt
Q[m, 0] || IGtQ[n, 0])
```

### Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

### Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

### Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

### Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbo
l] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[
(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

### Rule 32

```
Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m +
1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x] \*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(d + cdx)^{3/2} (a + b \sin^{-1}(cx))^2}{\sqrt{e - cex}} dx &= \frac{\sqrt{1 - c^2x^2} \int \frac{(d+cdx)^2 (a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{\sqrt{d + cdx} \sqrt{e - cex}} \\
 &= \frac{\sqrt{1 - c^2x^2} \text{Subst} \left( \int (a + bx)^2 (cd + cd \sin(x))^2 dx, x, \sin^{-1}(cx) \right)}{c^3 \sqrt{d + cdx} \sqrt{e - cex}} \\
 &= \frac{\sqrt{1 - c^2x^2} \text{Subst} \left( \int (c^2d^2(a + bx)^2 + 2c^2d^2(a + bx)^2 \sin(x) + c^2d^2(a + bx)^2 \sin^2(x)) dx, x \right)}{c^3 \sqrt{d + cdx} \sqrt{e - cex}} \\
 &= \frac{d^2 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^3}{3bc \sqrt{d + cdx} \sqrt{e - cex}} + \frac{(d^2 \sqrt{1 - c^2x^2}) \text{Subst} \left( \int (a + bx)^2 \sin^2(x) dx, x \right)}{c \sqrt{d + cdx} \sqrt{e - cex}} \\
 &= \frac{bcd^2x^2 \sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{2\sqrt{d + cdx} \sqrt{e - cex}} - \frac{2d^2(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c\sqrt{d + cdx} \sqrt{e - cex}} - \frac{d^2x(1 - c^2x^2)}{2\sqrt{d + cdx} \sqrt{e - cex}} \\
 &= \frac{b^2d^2x(1 - c^2x^2)}{4\sqrt{d + cdx} \sqrt{e - cex}} + \frac{4bd^2x\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{\sqrt{d + cdx} \sqrt{e - cex}} + \frac{bcd^2x^2\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{2\sqrt{d + cdx} \sqrt{e - cex}} \\
 &= \frac{4b^2d^2(1 - c^2x^2)}{c\sqrt{d + cdx} \sqrt{e - cex}} + \frac{b^2d^2x(1 - c^2x^2)}{4\sqrt{d + cdx} \sqrt{e - cex}} - \frac{b^2d^2\sqrt{1 - c^2x^2} \sin^{-1}(cx)}{4c\sqrt{d + cdx} \sqrt{e - cex}} + \frac{4bd^2x\sqrt{1 - c^2x^2}}{c\sqrt{d + cdx} \sqrt{e - cex}}
 \end{aligned}$$

**Mathematica [A]** time = 2.15878, size = 344, normalized size = 0.86

$$d\sqrt{cdx + d}\sqrt{e - cex} \left( -2a^2(cx + 4)\sqrt{1 - c^2x^2} + 16abcx - ab \cos(2 \sin^{-1}(cx)) + b^2(cx + 16)\sqrt{1 - c^2x^2} \right) - 6a^2d^{3/2}\sqrt{e}\sqrt{1 - c^2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[((d + c\*d\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/Sqrt[e - c\*e\*x],x]

[Out] (b\*d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(-4\*a\*(4 + c\*x)\*Sqrt[1 - c^2\*x^2] + b\*(-1 + 16\*c\*x + 2\*c^2\*x^2))\*ArcSin[c\*x] - 2\*b\*d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(-3\*a + b\*(4 + c\*x)\*Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x]^2 + 2\*b^2\*d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^3 - 6\*a^2\*d^(3/2)\*Sqrt[e]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))] + d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(16\*a\*b\*c\*x - 2\*a^2\*(4 + c\*x)\*Sqrt[1 - c^2\*x^2] + b^2\*(16 + c\*x)\*Sqrt[1 - c^2\*x^2] - a\*b\*Cos[2\*ArcSin[c\*x]])/(4\*c\*e\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0.265, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (cdx + d)^{\frac{3}{2}} \frac{1}{\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(1/2),x)

[Out] int((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{(a^2cdx + a^2d + (b^2cdx + b^2d) \arcsin(cx))^2 + 2(abc dx + abd) \arcsin(cx) \sqrt{cdx + d} \sqrt{-cex + e}}{cex - e}, x \right)$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(1/2),x, algorithm
="fricas")
```

```
[Out] integral(-(a^2*c*d*x + a^2*d + (b^2*c*d*x + b^2*d)*arcsin(c*x)^2 + 2*(a*b*c
*d*x + a*b*d)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*e*x + e)/(c*e*x - e), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(3/2)*(a+b*asin(c*x))**2/(-c*e*x+e)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(cdx + d)^{\frac{3}{2}}(b \arcsin(cx) + a)^2}{\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(1/2),x, algorithm
="giac")
```

```
[Out] integrate((c*d*x + d)^(3/2)*(b*arcsin(c*x) + a)^2/sqrt(-c*e*x + e), x)
```

$$3.560 \quad \int \frac{\sqrt{d+cdx}(a+b\sin^{-1}(cx))^2}{\sqrt{e-cex}} dx$$

**Optimal.** Leaf size=231

$$\frac{2abdx\sqrt{1-c^2x^2}}{\sqrt{cdx+d}\sqrt{e-cex}} + \frac{d\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^3}{3bc\sqrt{cdx+d}\sqrt{e-cex}} - \frac{d(1-c^2x^2)(a+b\sin^{-1}(cx))^2}{c\sqrt{cdx+d}\sqrt{e-cex}} + \frac{2b^2d(1-c^2x^2)}{c\sqrt{cdx+d}\sqrt{e-cex}} + \frac{2b^2dx\sqrt{1-c^2x^2}}{\sqrt{cdx+d}\sqrt{e-cex}}$$

[Out] (2\*a\*b\*d\*x\*Sqrt[1 - c^2\*x^2])/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (2\*b^2\*d\*(1 - c^2\*x^2))/(c\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (2\*b^2\*d\*x\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - (d\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(c\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (d\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

**Rubi [A]** time = 0.441645, antiderivative size = 231, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {4673, 4763, 4641, 4677, 4619, 261}

$$\frac{2abdx\sqrt{1-c^2x^2}}{\sqrt{cdx+d}\sqrt{e-cex}} + \frac{d\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^3}{3bc\sqrt{cdx+d}\sqrt{e-cex}} - \frac{d(1-c^2x^2)(a+b\sin^{-1}(cx))^2}{c\sqrt{cdx+d}\sqrt{e-cex}} + \frac{2b^2d(1-c^2x^2)}{c\sqrt{cdx+d}\sqrt{e-cex}} + \frac{2b^2dx\sqrt{1-c^2x^2}}{\sqrt{cdx+d}\sqrt{e-cex}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + c\*d\*x]\*(a + b\*ArcSin[c\*x])^2)/Sqrt[e - c\*e\*x], x]

[Out] (2\*a\*b\*d\*x\*Sqrt[1 - c^2\*x^2])/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (2\*b^2\*d\*(1 - c^2\*x^2))/(c\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (2\*b^2\*d\*x\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - (d\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(c\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (d\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

### Rule 4673

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((d\_) + (e\_.)\*(x\_))^(p\_)\*((f\_) + (g\_.)\*(x\_))^(q\_), x\_Symbol] := Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4763

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.) + (g_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))
```

#### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

#### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

#### Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

#### Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+cdx} (a+b\sin^{-1}(cx))^2}{\sqrt{e-cex}} dx &= \frac{\sqrt{1-c^2x^2} \int \frac{(d+cdx)(a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{\sqrt{d+cdx}\sqrt{e-cex}} \\
&= \frac{\sqrt{1-c^2x^2} \int \left( \frac{d(a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} + \frac{cdx(a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} \right) dx}{\sqrt{d+cdx}\sqrt{e-cex}} \\
&= \frac{(d\sqrt{1-c^2x^2}) \int \frac{(a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{\sqrt{d+cdx}\sqrt{e-cex}} + \frac{(cd\sqrt{1-c^2x^2}) \int \frac{x(a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{\sqrt{d+cdx}\sqrt{e-cex}} \\
&= -\frac{d(1-c^2x^2)(a+b\sin^{-1}(cx))^2}{c\sqrt{d+cdx}\sqrt{e-cex}} + \frac{d\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^3}{3bc\sqrt{d+cdx}\sqrt{e-cex}} + \frac{(2bd\sqrt{1-c^2x^2})}{\sqrt{d+cdx}\sqrt{e-cex}} \\
&= \frac{2abdx\sqrt{1-c^2x^2}}{\sqrt{d+cdx}\sqrt{e-cex}} - \frac{d(1-c^2x^2)(a+b\sin^{-1}(cx))^2}{c\sqrt{d+cdx}\sqrt{e-cex}} + \frac{d\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^3}{3bc\sqrt{d+cdx}\sqrt{e-cex}} \\
&= \frac{2abdx\sqrt{1-c^2x^2}}{\sqrt{d+cdx}\sqrt{e-cex}} + \frac{2b^2dx\sqrt{1-c^2x^2}\sin^{-1}(cx)}{\sqrt{d+cdx}\sqrt{e-cex}} - \frac{d(1-c^2x^2)(a+b\sin^{-1}(cx))^2}{c\sqrt{d+cdx}\sqrt{e-cex}} + \frac{d\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^3}{3bc\sqrt{d+cdx}\sqrt{e-cex}} \\
&= \frac{2abdx\sqrt{1-c^2x^2}}{\sqrt{d+cdx}\sqrt{e-cex}} + \frac{2b^2d(1-c^2x^2)}{c\sqrt{d+cdx}\sqrt{e-cex}} + \frac{2b^2dx\sqrt{1-c^2x^2}\sin^{-1}(cx)}{\sqrt{d+cdx}\sqrt{e-cex}} - \frac{d(1-c^2x^2)(a+b\sin^{-1}(cx))^2}{c\sqrt{d+cdx}\sqrt{e-cex}} + \frac{d\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^3}{3bc\sqrt{d+cdx}\sqrt{e-cex}}
\end{aligned}$$

**Mathematica [A]** time = 1.12721, size = 298, normalized size = 1.29

$$3\sqrt{cdx+d}\sqrt{e-cex} \left( a^2 \left( -\sqrt{1-c^2x^2} \right) + 2abcx + 2b^2\sqrt{1-c^2x^2} \right) - 3a^2\sqrt{d}\sqrt{e}\sqrt{1-c^2x^2} \tan^{-1} \left( \frac{cx\sqrt{cdx+d}\sqrt{e-cex}}{\sqrt{d}\sqrt{e}(c^2x^2-1)} \right) + 3b\sqrt{cdx+d}\sqrt{e-cex}$$

3ce

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + c\*d\*x]\*(a + b\*ArcSin[c\*x])^2)/Sqrt[e - c\*e\*x], x]

[Out] (3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(2\*a\*b\*c\*x - a^2\*Sqrt[1 - c^2\*x^2] + 2\*b^2\*Sqrt[1 - c^2\*x^2]) + 6\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(b\*c\*x - a\*Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x] + 3\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a - b\*Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x]^2 + b^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^3 - 3\*a^2\*Sqrt[d]\*Sqrt[e]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))])/(3\*c\*e\*Sqrt[1 - c^2\*x^2])

---

**Maple [F]** time = 0.273, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 \sqrt{cdx + d} \frac{1}{\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(1/2),x)

[Out] int((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(1/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2 \arcsin(cx))^2 + 2ab \arcsin(cx) + a^2}{cex - e} \sqrt{cdx + d} \sqrt{-cex + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(1/2),x, algorithm="fricas")

[Out] integral(-(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c\*e\*x - e), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{d(cx+1)}(a+b\operatorname{asin}(cx))^2}{\sqrt{-e(cx-1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(1/2)\*(a+b\*asin(c\*x))\*\*2/(-c\*e\*x+e)\*\*(1/2),x)

[Out] Integral(sqrt(d\*(c\*x + 1))\*(a + b\*asin(c\*x))\*\*2/sqrt(-e\*(c\*x - 1)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{cdx+d}(b\arcsin(cx)+a)^2}{\sqrt{-cex+e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(c\*d\*x + d)\*(b\*arcsin(c\*x) + a)^2/sqrt(-c\*e\*x + e), x)

$$3.561 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{d+cdx}\sqrt{e-cx}} dx$$

Optimal. Leaf size=55

$$\frac{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^3}{3bc\sqrt{cdx+d}\sqrt{e-cx}}$$

[Out] (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

**Rubi [A]** time = 0.237506, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$ , Rules used = {4673, 4641}

$$\frac{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^3}{3bc\sqrt{cdx+d}\sqrt{e-cx}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]),x]

[Out] (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

#### Rule 4673

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((d\_.) + (e\_.)\*(x\_.))^ (p\_.)\*((f\_.) + (g\_.)\*(x\_.))^ (q\_.), x\_Symbol] :> Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{d + cdx}\sqrt{e - cex}} dx = \frac{\sqrt{1 - c^2x^2} \int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} dx}{\sqrt{d + cdx}\sqrt{e - cex}}$$

$$= \frac{\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^3}{3bc\sqrt{d + cdx}\sqrt{e - cex}}$$

**Mathematica [B]** time = 0.921061, size = 159, normalized size = 2.89

$$\frac{-\frac{3a^2 \tan^{-1}\left(\frac{cx\sqrt{cdx+d}\sqrt{e-cex}}{\sqrt{d}\sqrt{e}(c^2x^2-1)}\right)}{\sqrt{d}\sqrt{e}} + \frac{3ab\sqrt{1-c^2x^2}\sin^{-1}(cx)^2}{\sqrt{cdx+d}\sqrt{e-cex}} + \frac{b^2\sqrt{1-c^2x^2}\sin^{-1}(cx)^3}{\sqrt{cdx+d}\sqrt{e-cex}}}{3c}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]),x]

[Out] ((3\*a\*b\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]^2)/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]^3)/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - (3\*a^2\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))])/(Sqrt[d]\*Sqrt[e]))/(3\*c)

**Maple [F]** time = 0.24, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 \frac{1}{\sqrt{cdx + d}} \frac{1}{\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x)

[Out] int((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(1/2),x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)\sqrt{cdx + d}\sqrt{-cex + e}}{c^2dex^2 - de}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(1/2),x, algorithm
="fricas")
```

```
[Out] integral(-(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*sqrt(c*d*x + d)*sqrt
(-c*e*x + e)/(c^2*d*e*x^2 - d*e), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asin}(cx))^2}{\sqrt{d}(cx + 1)\sqrt{-e}(cx - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))**2/(c*d*x+d)**(1/2)/(-c*e*x+e)**(1/2),x)
```

```
[Out] Integral((a + b*asin(c*x))**2/(sqrt(d*(c*x + 1))*sqrt(-e*(c*x - 1))), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{\sqrt{cdx + d}\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2/(sqrt(c*d*x + d)*sqrt(-c*e*x + e)), x)
```

$$3.562 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2} \sqrt{e-cex}} dx$$

**Optimal.** Leaf size=455

$$\frac{2ib^2e(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{2ib^2e(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{ib^2e(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}}$$

[Out]  $-\left(\frac{e(1-c^2x^2)(a+b \text{ArcSin}[cx])^2}{(c(d+cdx)^{3/2}(e-cex))^{3/2}} + \frac{ex(1-c^2x^2)(a+b \text{ArcSin}[cx])^2}{(d+cdx)^{3/2}(e-cex)^{3/2}} - \frac{Ie(1-c^2x^2)^{3/2}(a+b \text{ArcSin}[cx])^2}{(c(d+cdx)^{3/2}(e-cex))^{3/2}} - \frac{(4I)be(1-c^2x^2)^{3/2}(a+b \text{ArcSin}[cx]) \text{ArcTan}[E^{I \text{ArcSin}[cx]}]}{(c(d+cdx)^{3/2}(e-cex))^{3/2}} + \frac{(2be(1-c^2x^2)^{3/2}(a+b \text{ArcSin}[cx]) \text{Log}[1+E^{(2I) \text{ArcSin}[cx]}]}{(c(d+cdx)^{3/2}(e-cex))^{3/2}} + \frac{(2I)b^2e(1-c^2x^2)^{3/2} \text{PolyLog}[2, (-I)E^{I \text{ArcSin}[cx]}]}{(c(d+cdx)^{3/2}(e-cex))^{3/2}} - \frac{(2I)b^2e(1-c^2x^2)^{3/2} \text{PolyLog}[2, I E^{I \text{ArcSin}[cx]}]}{(c(d+cdx)^{3/2}(e-cex))^{3/2}} - \frac{Ib^2e(1-c^2x^2)^{3/2} \text{PolyLog}[2, -E^{(2I) \text{ArcSin}[cx]}]}{(c(d+cdx)^{3/2}(e-cex))^{3/2}}\right)$

**Rubi [A]** time = 0.671882, antiderivative size = 455, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 11, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.344$ , Rules used = {4673, 4763, 4651, 4675, 3719, 2190, 2279, 2391, 4677, 4657, 4181}

$$\frac{2ib^2e(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{2ib^2e(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{ib^2e(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/((d + c\*d\*x)^(3/2)\*Sqrt[e - c\*e\*x]),x]

[Out]  $-\left(\frac{e(1-c^2x^2)(a+b \text{ArcSin}[cx])^2}{(c(d+cdx)^{3/2}(e-cex))^{3/2}} + \frac{ex(1-c^2x^2)(a+b \text{ArcSin}[cx])^2}{(d+cdx)^{3/2}(e-cex)^{3/2}} - \frac{Ie(1-c^2x^2)^{3/2}(a+b \text{ArcSin}[cx])^2}{(c(d+cdx)^{3/2}(e-cex))^{3/2}} - \frac{(4I)be(1-c^2x^2)^{3/2}(a+b \text{ArcSin}[cx]) \text{ArcTan}[E^{I \text{ArcSin}[cx]}]}{(c(d+cdx)^{3/2}(e-cex))^{3/2}} + \frac{(2be(1-c^2x^2)^{3/2}(a+b \text{ArcSin}[cx]) \text{Log}[1+E^{(2I) \text{ArcSin}[cx]}]}{(c(d+cdx)^{3/2}(e-cex))^{3/2}} + \frac{(2I)b^2e(1-c^2x^2)^{3/2} \text{PolyLog}[2, (-I)E^{I \text{ArcSin}[cx]}]}{(c(d+cdx)^{3/2}(e-cex))^{3/2}} - \frac{(2I)b^2e(1-c^2x^2)^{3/2} \text{PolyLog}[2, I E^{I \text{ArcSin}[cx]}]}{(c(d+cdx)^{3/2}(e-cex))^{3/2}} - \frac{Ib^2e(1-c^2x^2)^{3/2} \text{PolyLog}[2, -E^{(2I) \text{ArcSin}[cx]}]}{(c(d+cdx)^{3/2}(e-cex))^{3/2}}\right)$

$(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - (I*b^2*e*(1 - c^2*x^2)^{(3/2)}*Poly$   
 $Log[2, -E^{(2*I)*ArcSin[c*x]}])/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})$

### Rule 4673

$Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^{(n_.)*((d_) + (e_.)*(x_))^{(p_)*((f_)$   
 $+ (g_.)*(x_))^{(q_)}}$ , x\_Symbol]  $:= Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x$   
 $^2)^q, Int[(d + e*x)^{(p - q)}*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x]$   
 $;/; FreeQ[{a, b, c, d, e, f, g, n}, x] \&\& EqQ[e*f + d*g, 0] \&\& EqQ[c^2*d^2 -$   
 $e^2, 0] \&\& HalfIntegerQ[p, q] \&\& GeQ[p - q, 0]$

### Rule 4763

$Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^{(n_.)*((f_) + (g_.)*(x_))^{(m_.)*((d_)$   
 $+ (e_.)*(x_)^2)^{(p_)}}$ , x\_Symbol]  $:= Int[ExpandIntegrand[(d + e*x^2)^p*(a +$   
 $b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] \&$   
 $\& EqQ[c^2*d + e, 0] \&\& IGtQ[m, 0] \&\& IntegerQ[p + 1/2] \&\& GtQ[d, 0] \&\& IGtQ$   
 $[n, 0] \&\& (m == 1 || p > 0 || (n == 1 \&\& p > -1) || (m == 2 \&\& p < -2))$

### Rule 4651

$Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^{(n_.)}/((d_) + (e_.)*(x_)^2)^{(3/2)}, x$   
 $_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[($   
 $b*c*n)/Sqrt[d], Int[(x*(a + b*ArcSin[c*x])^{(n - 1)})/(d + e*x^2), x], x] /;$   
 $FreeQ[{a, b, c, d, e}, x] \&\& EqQ[c^2*d + e, 0] \&\& GtQ[n, 0] \&\& GtQ[d, 0]$

### Rule 4675

$Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^{(n_.)*(x_)})/((d_) + (e_.)*(x_)^2),$   
 $x_Symbol] := -Dist[e^{(-1)}, Subst[Int[(a + b*x)^n*Tan[x], x], ArcSin[c*x]$   
 $], x] /; FreeQ[{a, b, c, d, e}, x] \&\& EqQ[c^2*d + e, 0] \&\& IGtQ[n, 0]$

### Rule 3719

$Int[((c_.) + (d_.)*(x_))^{(m_.)*tan[(e_.) + (f_.)*(x_)]}, x_Symbol] := Simp[($   
 $I*(c + d*x)^{(m + 1)}/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^{(2*I*(e$   
 $+ f*x))}/(1 + E^{(2*I*(e + f*x))}), x], x] /; FreeQ[{c, d, e, f}, x] \&\& IGtQ$   
 $[m, 0]$

### Rule 2190

$Int[(((F_)^{((g_.)*((e_.) + (f_.)*(x_)))})^{(n_.)*((c_.) + (d_.)*(x_))^{(m_.)})/$   
 $((a_) + (b_.)*((F_)^{((g_.)*((e_.) + (f_.)*(x_)))})^{(n_.)}), x_Symbol] := Simp$   
 $[((c + d*x)^m*Log[1 + (b*(F^{(g*(e + f*x))))^n]/a)]/(b*f*g*n*Log[F]), x] - Di$   
 $st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^{(m - 1)}*Log[1 + (b*(F^{(g*(e + f*x)$

)^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_)\*((F\_)^((e\_)\*((c\_) + (d\_)\*(x\_))))^(n\_)], x\_Symbol] :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] :> -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 4677

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)\*(x\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_ .), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p]/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 4657

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)/((d\_) + (e\_)\*(x\_)^2), x\_Symbol] :> Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4181

Int[csc[(e\_) + Pi\*(k\_) + (f\_)\*(x\_)]\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] :> Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2} \sqrt{e - cex}} dx &= \frac{(1 - c^2x^2)^{3/2} \int \frac{(e - cex)(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{(1 - c^2x^2)^{3/2} \int \left( \frac{e(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{3/2}} - \frac{cex(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{3/2}} \right) dx}{(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= \frac{\left( e(1 - c^2x^2)^{3/2} \int \frac{(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{3/2}} dx - \left( ce(1 - c^2x^2)^{3/2} \int \frac{x(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{3/2}} dx \right) \right)}{(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= -\frac{e(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{ex(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{\left( 2be(1 - c^2x^2)^{3/2} \int \frac{a}{(d + cdx)^{3/2} (e - cex)^{3/2}} dx \right)}{(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= -\frac{e(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{ex(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{\left( 2be(1 - c^2x^2)^{3/2} \right) \text{Subst}\left(\int \frac{1}{\sqrt{d + cx}} dx, x, \frac{a + b \sin^{-1}(cx)}{c}\right)}{c(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= -\frac{e(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{ex(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2} (e - cex)^{3/2}} - \frac{ie(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= -\frac{e(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{ex(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2} (e - cex)^{3/2}} - \frac{ie(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= -\frac{e(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{ex(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2} (e - cex)^{3/2}} - \frac{ie(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} \\
&= -\frac{e(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}} + \frac{ex(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2} (e - cex)^{3/2}} - \frac{ie(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2} (e - cex)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 1.726, size = 225, normalized size = 0.49

$$\sqrt{cdx + d} \sqrt{e - cex} \left( 4ib^2 \sqrt{1 - c^2x^2} \text{PolyLog} \left( 2, -ie^{-i \sin^{-1}(cx)} \right) + a \left( acx - a + 4b \sqrt{1 - c^2x^2} \log \left( \sin \left( \frac{1}{4} (2 \sin^{-1}(cx) + \pi) \right) \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/((d + c\*d\*x)^(3/2)\*Sqrt[e - c\*e\*x]),x]

[Out] -((Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(-(b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])^2\*(-I + Cot[(Pi + 2\*ArcSin[c\*x])/4])) + 2\*b\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*(-(a

```
*Cot[(Pi + 2*ArcSin[c*x])/4]) + 2*b*Log[1 + I/E^(I*ArcSin[c*x])] + a*(-a +
a*c*x + 4*b*Sqrt[1 - c^2*x^2]*Log[Sin[(Pi + 2*ArcSin[c*x])/4]]) + (4*I)*b^
2*Sqrt[1 - c^2*x^2]*PolyLog[2, (-I)/E^(I*ArcSin[c*x])]/(c*d^2*e*(-1 + c*x
)*(1 + c*x))
```

**Maple [F]** time = 0.267, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (cdx + d)^{-\frac{3}{2}} \frac{1}{\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(1/2),x)
```

```
[Out] int((a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(1/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(1/2),x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{(b^2 \arcsin(cx))^2 + 2ab \arcsin(cx) + a^2}{c^3 d^2 e x^3 + c^2 d^2 e x^2 - c d^2 e x - d^2 e} \sqrt{cdx + d} \sqrt{-cex + e}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(1/2),x, algorithm
="fricas")
```

[Out]  $\text{integral}(- (b^2 \arcsin(cx))^2 + 2ab \arcsin(cx) + a^2) \sqrt{c dx + d} \sqrt{-cex + e} / (c^3 d^2 e x^3 + c^2 d^2 e x^2 - c d^2 e x - d^2 e), x)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^2}{(d(cx + 1))^{\frac{3}{2}} \sqrt{-e(cx - 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b*\arcsin(c*x))^{**2}/(c*d*x+d)^{(3/2)/(-c*e*x+e)^{(1/2)},x)$

[Out]  $\text{Integral}((a + b*\arcsin(c*x))^{**2}/((d*(c*x + 1))^{**3/2}*\sqrt{-e*(c*x - 1)}), x)$

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(cdx + d)^{\frac{3}{2}} \sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b*\arcsin(c*x))^{**2}/(c*d*x+d)^{(3/2)/(-c*e*x+e)^{(1/2)},x, \text{algorithm}="giac")$

[Out]  $\text{integrate}((b*\arcsin(c*x) + a)^2/((c*d*x + d)^{(3/2})*\sqrt{-c*e*x + e}), x)$



$$3.563 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{(d+cdx)^{5/2} \sqrt{e-cex}} dx$$

**Optimal.** Leaf size=896

$$\frac{c^2 e^2 (1-c^2 x^2) (a+b \sin^{-1}(cx))^2 x^3}{3(cxd+d)^{5/2} (e-cex)^{5/2}} - \frac{bce^2 (1-c^2 x^2)^{3/2} (a+b \sin^{-1}(cx)) x^2}{3(cxd+d)^{5/2} (e-cex)^{5/2}} + \frac{2b^2 e^2 (1-c^2 x^2)^2 x}{3(cxd+d)^{5/2} (e-cex)^{5/2}} + \frac{2e^2 (1-c^2 x^2)}{3(cxd+d)^{5/2} (e-cex)^{5/2}}$$

[Out]  $(-2*b^2*e^2*(1-c^2*x^2)^2)/(3*c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (2*b^2*e^2*x*(1-c^2*x^2)^2)/(3*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - (b^2*e^2*(1-c^2*x^2)^(5/2)*ArcSin[c*x])/(3*c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - (b*e^2*(1-c^2*x^2)^(3/2)*(a+b*ArcSin[c*x]))/(3*c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (2*b*e^2*x*(1-c^2*x^2)^(3/2)*(a+b*ArcSin[c*x]))/(3*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - (b*c*e^2*x^2*(1-c^2*x^2)^(3/2)*(a+b*ArcSin[c*x]))/(3*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - (2*e^2*(1-c^2*x^2)*(a+b*ArcSin[c*x])^2)/(3*c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (e^2*x*(1-c^2*x^2)*(a+b*ArcSin[c*x])^2)/(3*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (c^2*e^2*x^3*(1-c^2*x^2)*(a+b*ArcSin[c*x])^2)/(3*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (2*e^2*x*(1-c^2*x^2)^2*(a+b*ArcSin[c*x])^2)/(3*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - ((I/3)*e^2*(1-c^2*x^2)^(5/2)*(a+b*ArcSin[c*x])^2)/(c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - ((4*I)/3)*b*e^2*(1-c^2*x^2)^(5/2)*(a+b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])]/(c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (2*b*e^2*(1-c^2*x^2)^(5/2)*(a+b*ArcSin[c*x])*Log[1+E^((2*I)*ArcSin[c*x])]/(3*c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (((2*I)/3)*b^2*e^2*(1-c^2*x^2)^(5/2)*PolyLog[2, (-I)*E^(I*ArcSin[c*x])]/(c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - (((2*I)/3)*b^2*e^2*(1-c^2*x^2)^(5/2)*PolyLog[2, I*E^(I*ArcSin[c*x])]/(c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - ((I/3)*b^2*e^2*(1-c^2*x^2)^(5/2)*PolyLog[2, -E^((2*I)*ArcSin[c*x])]/(c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)))$

**Rubi [A]** time = 1.2393, antiderivative size = 896, normalized size of antiderivative = 1., number of steps used = 30, number of rules used = 18, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.562$ , Rules used = {4673, 4763, 4655, 4651, 4675, 3719, 2190, 2279, 2391, 4677, 191, 4657, 4181, 261, 4681, 4703, 288, 216}

$$\frac{c^2 e^2 (1-c^2 x^2) (a+b \sin^{-1}(cx))^2 x^3}{3(cxd+d)^{5/2} (e-cex)^{5/2}} - \frac{bce^2 (1-c^2 x^2)^{3/2} (a+b \sin^{-1}(cx)) x^2}{3(cxd+d)^{5/2} (e-cex)^{5/2}} + \frac{2b^2 e^2 (1-c^2 x^2)^2 x}{3(cxd+d)^{5/2} (e-cex)^{5/2}} + \frac{2e^2 (1-c^2 x^2)}{3(cxd+d)^{5/2} (e-cex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/((d + c\*d\*x)^(5/2)\*Sqrt[e - c\*e\*x]), x]

```
[Out] (-2*b^2*e^2*(1 - c^2*x^2)^2)/(3*c*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)) + (2
*b^2*e^2*x*(1 - c^2*x^2)^2)/(3*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)) - (b^2*
e^2*(1 - c^2*x^2)^(5/2)*ArcSin[c*x])/(3*c*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/
2)) - (b*e^2*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/(3*c*(d + c*d*x)^(5/2)
)*(e - c*e*x)^(5/2)) + (2*b*e^2*x*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/
(3*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)) - (b*c*e^2*x^2*(1 - c^2*x^2)^(3/2)*
(a + b*ArcSin[c*x]))/(3*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)) - (2*e^2*(1 -
c^2*x^2)*(a + b*ArcSin[c*x])^2)/(3*c*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)) +
(e^2*x*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(3*(d + c*d*x)^(5/2)*(e - c*e*
x)^(5/2)) + (c^2*e^2*x^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(3*(d + c*d*x
)^(5/2)*(e - c*e*x)^(5/2)) + (2*e^2*x*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2
)/(3*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)) - ((I/3)*e^2*(1 - c^2*x^2)^(5/2)*
(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)) - (((4*I)/3)
*b*e^2*(1 - c^2*x^2)^(5/2)*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(
c*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)) + (2*b*e^2*(1 - c^2*x^2)^(5/2)*(a +
b*ArcSin[c*x])*Log[1 + E^((2*I)*ArcSin[c*x])])/(3*c*(d + c*d*x)^(5/2)*(e -
c*e*x)^(5/2)) + (((2*I)/3)*b^2*e^2*(1 - c^2*x^2)^(5/2)*PolyLog[2, (-I)*E^(I
*ArcSin[c*x])])/(c*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2)) - (((2*I)/3)*b^2*e^
2*(1 - c^2*x^2)^(5/2)*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c*(d + c*d*x)^(5/2)
*(e - c*e*x)^(5/2)) - ((I/3)*b^2*e^2*(1 - c^2*x^2)^(5/2)*PolyLog[2, -E^((2*
I)*ArcSin[c*x])])/(c*(d + c*d*x)^(5/2)*(e - c*e*x)^(5/2))
```

### Rule 4673

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_) + (e_.)*(x_))^(p_)*((f_
+ (g_.)*(x_))^(q_), x_Symbol] := Dist[((d + e*x)^(q)*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

### Rule 4763

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_) + (g_.)*(x_))^(m_.)*((d_
) + (e_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^p*(a +
b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] &
& EqQ[c^2*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ
[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))
```

### Rule 4655

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_), x_
Symbol] := -Simp[(x*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*d*(p + 1)
), x] + (Dist[(2*p + 3)/(2*d*(p + 1)), Int[(d + e*x^2)^(p + 1)*(a + b*ArcSi
n[c*x])^n, x], x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*(p
+ 1)*(1 - c^2*x^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcS
```

$\text{in}[c*x]^{(n-1)}, x, x) /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0]$   
 $\&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{NeQ}[p, -3/2]$

### Rule 4651

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}/((d_.) + (e_.)*(x_.)^2)^{(3/2)}, x$   
 $\_Symbol] :> \text{Simp}[(x*(a + b*\text{ArcSin}[c*x])^n)/(d*\text{Sqrt}[d + e*x^2]), x] - \text{Dist}[($   
 $b*c*n)/\text{Sqrt}[d], \text{Int}[(x*(a + b*\text{ArcSin}[c*x])^{(n-1)})/(d + e*x^2), x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{GtQ}[d, 0]$

### Rule 4675

$\text{Int}[(((a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*(x_.))/((d_.) + (e_.)*(x_.)^2),$   
 $x\_Symbol] :> -\text{Dist}[e^{(-1)}, \text{Subst}[\text{Int}[(a + b*x)^n*\text{Tan}[x], x], x, \text{ArcSin}[c*x]$   
 $], x] /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{EqQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[n, 0]$

### Rule 3719

$\text{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*\text{tan}[(e_.) + (f_.)*(x_.)], x\_Symbol] :> \text{Simp}[($   
 $I*(c + d*x)^{(m+1)})/(d*(m+1)), x] - \text{Dist}[2*I, \text{Int}[((c + d*x)^m*\text{E}^{(2*I*(e$   
 $+ f*x)))/(1 + \text{E}^{(2*I*(e + f*x))}), x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{IGtQ}$   
 $[m, 0]$

### Rule 2190

$\text{Int}[(((F_)^{((g_.)*((e_.) + (f_.)*(x_.)))})^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)})/$   
 $((a_.) + (b_.)*((F_)^{((g_.)*((e_.) + (f_.)*(x_.)))})^{(n_.)}), x\_Symbol] :> \text{Simp}$   
 $[((c + d*x)^m*\text{Log}[1 + (b*(F^{(g*(e + f*x))))^n]/a)]/(b*f*g*n*\text{Log}[F]), x] - \text{Di}$   
 $\text{st}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + (b*(F^{(g*(e + f*x)$   
 $))^n]/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x \ \&\& \ \text{IGtQ}[m, 0]$

### Rule 2279

$\text{Int}[\text{Log}[(a_.) + (b_.)*((F_)^{((e_.)*((c_.) + (d_.)*(x_.)))})^{(n_.)}], x\_Symbol]$   
 $:> \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))}$   
 $)^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x \ \&\& \ \text{GtQ}[a, 0]$

### Rule 2391

$\text{Int}[\text{Log}[(c_.)*((d_.) + (e_.)*(x_.)^{(n_.)})]/(x_.), x\_Symbol] :> -\text{Simp}[\text{PolyLog}[2$   
 $, -(c*e*x^n)]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x \ \&\& \ \text{EqQ}[c*d, 1]$

### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rule 191

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

### Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2), x_Symbol] := Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_)^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

### Rule 4681

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(d*f*(m + 1)), x] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(f*(m + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && EqQ[m + 2*p + 3, 0] && NeQ[m, -1]
```

### Rule 4703

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*(a +
b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + (-Dist[(f^2*(m - 1))/(2*e*(p + 1)),
Int[(f*x)^(m - 2)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[
(b*f*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^Fra
cPart[p]), Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[
n, 0] && LtQ[p, -1] && GtQ[m, 1]

```

### Rule 288

```

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^
(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[(c^
n*(m - n + 1))/(b*n*(p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^(p + 1), x], x]
/; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !I
LtQ[(m + n*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

```

### Rule 216

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{(d + cdx)^{5/2} \sqrt{e - cex}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(e - cex)^2 (a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{(1 - c^2x^2)^{5/2} \int \left( \frac{e^2 (a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{5/2}} - \frac{2ce^2x(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{5/2}} + \frac{c^2e^2x^2(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{5/2}} \right) dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{(e^2(1 - c^2x^2)^{5/2}) \int \frac{(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{(2ce^2(1 - c^2x^2)^{5/2}) \int \frac{x(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{(c^2e^2(1 - c^2x^2)^{5/2}) \int \frac{x^2(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= -\frac{2e^2(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{e^2x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{c^2e^2x^3(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= -\frac{be^2(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{2be^2x(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{bce^2x^2(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= -\frac{2b^2e^2(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{2b^2e^2x(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{b^2e^2(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= -\frac{2b^2e^2(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{2b^2e^2x(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{b^2e^2(1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{be^2(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= -\frac{2b^2e^2(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{2b^2e^2x(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{b^2e^2(1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{be^2(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= -\frac{2b^2e^2(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{2b^2e^2x(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{b^2e^2(1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{be^2(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= -\frac{2b^2e^2(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{2b^2e^2x(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{b^2e^2(1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{be^2(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 7.394, size = 536, normalized size = 0.6

$$\frac{b^2 \sqrt{1 - c^2x^2} \sqrt{cdx + d} \sqrt{e - cex} \left( -8i \operatorname{PolyLog} \left( 2, -ie^{-i \sin^{-1}(cx)} \right) + \cot \left( \frac{1}{4} (2 \sin^{-1}(cx) + \pi) \right) \right) \left( 2 \sin^{-1}(cx)^2 + \sin^{-1}(cx)^2 \operatorname{csc}^2 \left( \frac{1}{4} (2 \sin^{-1}(cx) + \pi) \right) \right)}{6cd^2 \sqrt{-(cdx + d)(e - cex)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/((d + c\*d\*x)^(5/2)\*Sqrt[e - c\*e\*x]),x]

[Out] (Sqrt[-(e\*(-1 + c\*x))]\*Sqrt[d\*(1 + c\*x)]\*(-a^2/(3\*d^3\*e\*(1 + c\*x)^2) - a^2/(3\*d^3\*e\*(1 + c\*x))))/c + (b^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[1 - c^2\*x^2]\*(Cot[(Pi + 2\*ArcSin[c\*x])/4]\*(4 + 2\*ArcSin[c\*x]^2 + ArcSin[c\*x]^2\*Csc[(Pi + 2\*ArcSin[c\*x])/4]^2) + 2\*ArcSin[c\*x]\*((-I)\*ArcSin[c\*x] + Csc[(Pi + 2\*ArcSin[c\*x])/4]^2 - 4\*Log[1 + I/E^(I\*ArcSin[c\*x])]) - (8\*I)\*PolyLog[2, (-I)/E^(I\*ArcSin[c\*x])]))/(6\*c\*d^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]) + (a\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2]\*(2 + 3\*ArcSin[c\*x] - 6\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) + Cos[(3\*ArcSin[c\*x])/2]\*(ArcSin[c\*x] + 2\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) + 2\*(1 - ArcSin[c\*x] + Sqrt[1 - c^2\*x^2]\*(ArcSin[c\*x] - 2\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) - 4\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2))/(3\*c\*d^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^3)

**Maple [F]** time = 0.263, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (cdx + d)^{-\frac{5}{2}} \frac{1}{\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(5/2)/(-c\*e\*x+e)^(1/2),x)

[Out] int((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(5/2)/(-c\*e\*x+e)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(5/2)/(-c\*e\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)\sqrt{cdx+d}\sqrt{-cex+e}}{c^4d^3ex^4 + 2c^3d^3ex^3 - 2cd^3ex - d^3e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(5/2)/(-c\*e\*x+e)^(1/2),x, algorithm="fricas")

[Out] integral(-(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^4\*d^3\*e\*x^4 + 2\*c^3\*d^3\*e\*x^3 - 2\*c\*d^3\*e\*x - d^3\*e), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/(c\*d\*x+d)\*\*(5/2)/(-c\*e\*x+e)\*\*(1/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(cdx + d)^{\frac{5}{2}} \sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(5/2)/(-c\*e\*x+e)^(1/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/((c\*d\*x + d)^(5/2)\*sqrt(-c\*e\*x + e)), x)



$$3.564 \quad \int \frac{(d+cdx)^{5/2}(a+b \sin^{-1}(cx))^2}{(e-cex)^{3/2}} dx$$

**Optimal.** Leaf size=918

$$\frac{5(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))^3 d^4}{2bc(cxd+d)^{3/2}(e-cex)^{3/2}} - \frac{b^2x(1-c^2x^2)^2 d^4}{4(cxd+d)^{3/2}(e-cex)^{3/2}} - \frac{8b^2(1-c^2x^2)^2 d^4}{c(cxd+d)^{3/2}(e-cex)^{3/2}} + \frac{x(1-c^2x^2)^2(a+b \sin^{-1}(cx))^2}{2(cxd+d)^{3/2}(e-cex)^{3/2}}$$

```
[Out] (-8*a*b*d^4*x*(1 - c^2*x^2)^(3/2))/((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) -
(8*b^2*d^4*(1 - c^2*x^2)^2)/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - (b^2*
d^4*x*(1 - c^2*x^2)^2)/(4*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) + (b^2*d^4*(
1 - c^2*x^2)^(3/2)*ArcSin[c*x])/(4*c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) -
(8*b^2*d^4*x*(1 - c^2*x^2)^(3/2)*ArcSin[c*x])/((d + c*d*x)^(3/2)*(e - c*e*
x)^(3/2)) - (b*c*d^4*x^2*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x]))/(2*(d + c
*d*x)^(3/2)*(e - c*e*x)^(3/2)) + (8*d^4*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2
)/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) + (8*d^4*x*(1 - c^2*x^2)*(a + b*A
rcSin[c*x])^2)/((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - ((8*I)*d^4*(1 - c^2*
x^2)^(3/2)*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) +
(4*d^4*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^(3/2)*(e - c*
e*x)^(3/2)) + (d^4*x*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/(2*(d + c*d*x)^(
3/2)*(e - c*e*x)^(3/2)) - (5*d^4*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x])^3
)/(2*b*c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) + ((32*I)*b*d^4*(1 - c^2*x^2)
^(3/2)*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c*(d + c*d*x)^(3/2)*
(e - c*e*x)^(3/2)) + (16*b*d^4*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x])*Log[
1 + E^((2*I)*ArcSin[c*x])])/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - ((16*
I)*b^2*d^4*(1 - c^2*x^2)^(3/2)*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c*(d +
c*d*x)^(3/2)*(e - c*e*x)^(3/2)) + ((16*I)*b^2*d^4*(1 - c^2*x^2)^(3/2)*PolyL
og[2, I*E^(I*ArcSin[c*x])])/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - ((8*I
)*b^2*d^4*(1 - c^2*x^2)^(3/2)*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(c*(d + c
*d*x)^(3/2)*(e - c*e*x)^(3/2))
```

**Rubi [A]** time = 1.27519, antiderivative size = 918, normalized size of antiderivative = 1., number of steps used = 28, number of rules used = 19, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.594$ , Rules used = {4673, 4775, 4763, 4651, 4675, 3719, 2190, 2279, 2391, 4677, 4657, 4181, 4641, 4619, 261, 4707, 4627, 321, 216}

$$\frac{5(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))^3 d^4}{2bc(cxd+d)^{3/2}(e-cex)^{3/2}} - \frac{b^2x(1-c^2x^2)^2 d^4}{4(cxd+d)^{3/2}(e-cex)^{3/2}} - \frac{8b^2(1-c^2x^2)^2 d^4}{c(cxd+d)^{3/2}(e-cex)^{3/2}} + \frac{x(1-c^2x^2)^2(a+b \sin^{-1}(cx))^2}{2(cxd+d)^{3/2}(e-cex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((d + c\*d\*x)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(e - c\*e\*x)^(3/2), x]

[Out] (-8\*a\*b\*d^4\*x\*(1 - c^2\*x^2)^(3/2))/((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - (8\*b^2\*d^4\*(1 - c^2\*x^2)^2)/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - (b^2\*d^4\*x\*(1 - c^2\*x^2)^2)/(4\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (b^2\*d^4\*(1 - c^2\*x^2)^(3/2)\*ArcSin[c\*x])/(4\*c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - (8\*b^2\*d^4\*x\*(1 - c^2\*x^2)^(3/2)\*ArcSin[c\*x])/((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - (b\*c\*d^4\*x^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(2\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (8\*d^4\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (8\*d^4\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - ((8\*I)\*d^4\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (4\*d^4\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (d^4\*x\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/(2\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - (5\*d^4\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^3)/(2\*b\*c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + ((32\*I)\*b\*d^4\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (16\*b\*d^4\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - ((16\*I)\*b^2\*d^4\*(1 - c^2\*x^2)^(3/2)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + ((16\*I)\*b^2\*d^4\*(1 - c^2\*x^2)^(3/2)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - ((8\*I)\*b^2\*d^4\*(1 - c^2\*x^2)^(3/2)\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2))

### Rule 4673

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.)\*((d\_.) + (e\_.)\*(x\_.))^p\_.)\*((f\_.) + (g\_.)\*(x\_.))^q\_.), x\_Symbol] := Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4775

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.)\*((f\_.) + (g\_.)\*(x\_.))^m\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^p\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*ArcSin[c\*x])^n/Sqrt[d + e\*x^2], (f + g\*x)^m\*(d + e\*x^2)^(p + 1/2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[m] && ILtQ[p + 1/2, 0] && GtQ[d, 0] && IGtQ[n, 0]

### Rule 4763

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.)\*((f\_.) + (g\_.)\*(x\_.))^m\_.)\*((d\_.)

```
) + (e_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^p*(a +
  b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] &
& EqQ[c^2*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ
[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))
```

### Rule 4651

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^n_/((d_) + (e_.)*(x_)^2)^(3/2), x
_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(
  b*c*n)/Sqrt[d], Int[(x*(a + b*ArcSin[c*x])^(n - 1))/(d + e*x^2), x], x] /;
FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]
```

### Rule 4675

```
Int[(((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^n_*(x_)/((d_) + (e_.)*(x_)^2),
x_Symbol] := -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x]
], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
  I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
  + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^n)]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/((d\_) + (e\_.)\*(x\_)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

Rule 4619

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.), x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 4707

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_)^(m\_))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*

```
ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)
*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]
```

### Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_)*((d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

### Rule 321

```
Int[((c_.)*(x_.))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d + cdx)^{5/2} (a + b \sin^{-1}(cx))^2}{(e - cex)^{3/2}} dx &= \frac{(1 - c^2x^2)^{3/2} \int \frac{(d+cdx)^4 (a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{(1 - c^2x^2)^{3/2} \int \left( \frac{8(d^4+cd^4x)(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} - \frac{7d^4(a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} - \frac{4cd^4x(a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} - \frac{c^2d^4}{\sqrt{1-c^2x^2}} \right) dx}{(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{\left(8(1 - c^2x^2)^{3/2}\right) \int \frac{(d^4+cd^4x)(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{\left(7d^4(1 - c^2x^2)^{3/2}\right) \int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{4d^4(1 - c^2x^2)^2 (a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{d^4x(1 - c^2x^2)^2 (a + b \sin^{-1}(cx))^2}{2(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{7d^4(1 - c^2x^2)^2}{3bc(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= -\frac{8abd^4x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{bcd^4x^2(1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))}{2(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{4d^4(1 - c^2x^2)^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= -\frac{8abd^4x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{b^2d^4x(1 - c^2x^2)^2}{4(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{8b^2d^4x(1 - c^2x^2)^{3/2} \sin^{-1}(cx)}{(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= -\frac{8abd^4x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{8b^2d^4(1 - c^2x^2)^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{b^2d^4x(1 - c^2x^2)^2}{4(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{4d^4(1 - c^2x^2)^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= -\frac{8abd^4x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{8b^2d^4(1 - c^2x^2)^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{b^2d^4x(1 - c^2x^2)^2}{4(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{4d^4(1 - c^2x^2)^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= -\frac{8abd^4x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{8b^2d^4(1 - c^2x^2)^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{b^2d^4x(1 - c^2x^2)^2}{4(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{4d^4(1 - c^2x^2)^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= -\frac{8abd^4x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{8b^2d^4(1 - c^2x^2)^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{b^2d^4x(1 - c^2x^2)^2}{4(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{4d^4(1 - c^2x^2)^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= -\frac{8abd^4x(1 - c^2x^2)^{3/2}}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{8b^2d^4(1 - c^2x^2)^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{b^2d^4x(1 - c^2x^2)^2}{4(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{4d^4(1 - c^2x^2)^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}}
\end{aligned}$$

**Mathematica [B]** time = 13.589, size = 2029, normalized size = 2.21

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[((d + c\*d\*x)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(e - c\*e\*x)^(3/2),x]

[Out] (Sqrt[-(e\*(-1 + c\*x))] \* Sqrt[d\*(1 + c\*x)] \* ((4\*a^2\*d^2)/e^2 + (a^2\*c\*d^2\*x)/(2\*e^2) - (8\*a^2\*d^2)/(e^2\*(-1 + c\*x))))/c + (15\*a^2\*d^(5/2)\*ArcTan[(c\*x\*Sqrt[-(e\*(-1 + c\*x))] \* Sqrt[d\*(1 + c\*x)])/(Sqrt[d]\*Sqrt[e]\*(-1 + c\*x)\*(1 + c\*x))])/(2\*c\*e^(3/2)) - (a\*b\*d^2\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*(Cos[ArcSin[c\*x]/2]\*((-4 + ArcSin[c\*x])\*ArcSin[c\*x] - 8\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])) - (ArcSin[c\*x]\*(4 + ArcSin[c\*x]) - 8\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2])/((c\*e^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2) + (4\*a\*b\*d^2\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*(Cos[ArcSin[c\*x]/2]\*(-(c\*x) + 2\*ArcSin[c\*x] + Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] - ArcSin[c\*x]^2 + 4\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])) + (c\*x + 2\*ArcSin[c\*x] - Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + ArcSin[c\*x]^2 - 4\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2]))/(c\*e^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2) - (b^2\*d^2\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*((-18\*I)\*Pi\*ArcSin[c\*x] - (6 - 6\*I)\*ArcSin[c\*x]^2 + ArcSin[c\*x]^3 - 24\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])]) + 12\*(Pi - 2\*ArcSin[c\*x])\*Log[1 + I\*E^(I\*ArcSin[c\*x])]) + 24\*Pi\*Log[Cos[ArcSin[c\*x]/2]] - 12\*Pi\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]] + (24\*I)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])]) - (12\*ArcSin[c\*x]^2\*Sin[ArcSin[c\*x]/2])/((Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]))/(3\*c\*e^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2) - (b^2\*d^2\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*((96\*c\*x\*ArcSin[c\*x])/Sqrt[1 - c^2\*x^2] - ((48 - 48\*I)\*ArcSin[c\*x]^2)/Sqrt[1 - c^2\*x^2] + (20\*ArcSin[c\*x]^3)/Sqrt[1 - c^2\*x^2] - 48\*(-2 + ArcSin[c\*x]^2) - 6\*c\*x\*(-1 + 2\*ArcSin[c\*x]^2) - (6\*ArcSin[c\*x]\*Cos[2\*ArcSin[c\*x]])/Sqrt[1 - c^2\*x^2] + (48\*((-3\*I)\*Pi\*ArcSin[c\*x] - 4\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])]) + 2\*(Pi - 2\*ArcSin[c\*x])\*Log[1 + I\*E^(I\*ArcSin[c\*x])]) + 4\*Pi\*Log[Cos[ArcSin[c\*x]/2]] - 2\*Pi\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]] + (4\*I)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])]))/Sqrt[1 - c^2\*x^2] - (96\*ArcSin[c\*x]^2\*Sin[ArcSin[c\*x]/2])/((Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])))/((24\*c\*e^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2) - (2\*b^2\*d^2\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*(6 + (6\*c\*x\*ArcSin[c\*x])/Sqrt[1 - c^2\*x^2] - 3\*ArcSin[c\*x]^2 - ((6 - 6\*I)\*ArcSin[c\*x]^2)/Sqrt[1 - c^2\*x^2] + (2\*ArcSin[c\*x]^3)/Sqrt[1 - c^2\*x^2] + (6\*((-3\*I)\*Pi\*ArcSin[c\*x] - 4\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])]) + 2\*(Pi - 2\*ArcSin[c\*x])\*Log[1 + I\*E^(I\*ArcSin[c\*x])]) + 4\*Pi\*Log[Cos[ArcSin[c\*x]/2]] - 2\*Pi\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]] + (4\*I)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])]))/Sqrt[1 - c^2\*x^2] - (12\*ArcSin[c\*x]^2\*Sin[ArcSin[c\*x]/2])/((Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])))/((3\*c\*e^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*(Cos[ArcSin[c\*x]/2] + Sin[

```
ArcSin[c*x]/2))^2) + (a*b*d^2*(1 + c*x)*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Sqr
t[-(d*e*(1 - c^2*x^2))]*((-15 + 14*ArcSin[c*x])*Cos[(3*ArcSin[c*x])/2] + Co
s[(5*ArcSin[c*x])/2] + 2*ArcSin[c*x]*Cos[(5*ArcSin[c*x])/2] + Cos[ArcSin[c*
x]/2]*(16 + 48*ArcSin[c*x] - 20*ArcSin[c*x]^2 + 64*Log[Cos[ArcSin[c*x]/2] -
Sin[ArcSin[c*x]/2])) - 16*Sin[ArcSin[c*x]/2] + 48*ArcSin[c*x]*Sin[ArcSin[c
*x]/2] + 20*ArcSin[c*x]^2*Sin[ArcSin[c*x]/2] - 64*Log[Cos[ArcSin[c*x]/2] -
Sin[ArcSin[c*x]/2])*Sin[ArcSin[c*x]/2] - 15*Sin[(3*ArcSin[c*x])/2] - 14*Arc
Sin[c*x]*Sin[(3*ArcSin[c*x])/2] - Sin[(5*ArcSin[c*x])/2] + 2*ArcSin[c*x]*Si
n[(5*ArcSin[c*x])/2]))/(8*c*e^2*Sqrt[-((d + c*d*x)*(e - c*e*x))]*Sqrt[1 - c
^2*x^2]*(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])*(Cos[ArcSin[c*x]/2] + Sin
[ArcSin[c*x]/2]))^2)
```

**Maple [F]** time = 0.207, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (cdx + d)^{\frac{5}{2}} (-cex + e)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(3/2),x)
```

```
[Out] int((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(3/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(3/2),x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(a^2c^2d^2x^2 + 2a^2cd^2x + a^2d^2 + (b^2c^2d^2x^2 + 2b^2cd^2x + b^2d^2) \arcsin(cx)^2 + 2(abc^2d^2x^2 + 2abcd^2x + abd^2) \arcsin(cx))}{c^2e^2x^2 - 2ce^2x + e^2} \right)$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(3/2),x, algorithm
="fricas")
```

```
[Out] integral((a^2*c^2*d^2*x^2 + 2*a^2*c*d^2*x + a^2*d^2 + (b^2*c^2*d^2*x^2 + 2*
b^2*c*d^2*x + b^2*d^2)*arcsin(c*x)^2 + 2*(a*b*c^2*d^2*x^2 + 2*a*b*c*d^2*x +
a*b*d^2)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*e*x + e)/(c^2*e^2*x^2 - 2*c*
e^2*x + e^2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(5/2)*(a+b*asin(c*x))**2/(-c*e*x+e)**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(cdx + d)^{\frac{5}{2}}(b \arcsin(cx) + a)^2}{(-cex + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(3/2),x, algorithm
="giac")
```

```
[Out] integrate((c*d*x + d)^(5/2)*(b*arcsin(c*x) + a)^2/(-c*e*x + e)^(3/2), x)
```

$$3.565 \quad \int \frac{(d+cdx)^{3/2}(a+b \sin^{-1}(cx))^2}{(e-cex)^{3/2}} dx$$

**Optimal.** Leaf size=713

$$\frac{8ib^2d^3(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} + \frac{8ib^2d^3(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{4ib^2d^3(1-c^2x^2)^{3/2} \text{Poly}}{c(cdx+d)^{3/2}}$$

```
[Out] (-2*a*b*d^3*x*(1 - c^2*x^2)^(3/2))/((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) -
(2*b^2*d^3*(1 - c^2*x^2)^2)/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - (2*b^
2*d^3*x*(1 - c^2*x^2)^(3/2)*ArcSin[c*x])/((d + c*d*x)^(3/2)*(e - c*e*x)^(3/
2)) + (4*d^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^(3/2)*(e -
c*e*x)^(3/2)) + (4*d^3*x*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/((d + c*d*x)
^(3/2)*(e - c*e*x)^(3/2)) - ((4*I)*d^3*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*
x])^2)/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) + (d^3*(1 - c^2*x^2)^2*(a +
b*ArcSin[c*x])^2)/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - (d^3*(1 - c^2*x
^2)^(3/2)*(a + b*ArcSin[c*x])^3)/(b*c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2))
+ ((16*I)*b*d^3*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[
c*x])])/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) + (8*b*d^3*(1 - c^2*x^2)^(3
/2)*(a + b*ArcSin[c*x])*Log[1 + E^((2*I)*ArcSin[c*x])])/(c*(d + c*d*x)^(3/2
)*(e - c*e*x)^(3/2)) - ((8*I)*b^2*d^3*(1 - c^2*x^2)^(3/2)*PolyLog[2, (-I)*E
^(I*ArcSin[c*x])])/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) + ((8*I)*b^2*d^3
*(1 - c^2*x^2)^(3/2)*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c*(d + c*d*x)^(3/2)*
(e - c*e*x)^(3/2)) - ((4*I)*b^2*d^3*(1 - c^2*x^2)^(3/2)*PolyLog[2, -E^((2*I
)*ArcSin[c*x])])/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2))
```

**Rubi [A]** time = 1.04947, antiderivative size = 713, normalized size of antiderivative = 1., number of steps used = 23, number of rules used = 15, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.469$ , Rules used = {4673, 4775, 4763, 4651, 4675, 3719, 2190, 2279, 2391, 4677, 4657, 4181, 4641, 4619, 261}

$$\frac{8ib^2d^3(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} + \frac{8ib^2d^3(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{4ib^2d^3(1-c^2x^2)^{3/2} \text{Poly}}{c(cdx+d)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((d + c*d*x)^(3/2)*(a + b*ArcSin[c*x])^2)/(e - c*e*x)^(3/2), x]
```

```
[Out] (-2*a*b*d^3*x*(1 - c^2*x^2)^(3/2))/((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) -
(2*b^2*d^3*(1 - c^2*x^2)^2)/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - (2*b^
```

$$\begin{aligned}
& 2*d^3*x*(1 - c^2*x^2)^{(3/2)}*ArcSin[c*x]/((d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) + (4*d^3*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) + (4*d^3*x*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/((d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - ((4*I)*d^3*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) + (d^3*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - (d^3*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x])^3)/(b*c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) + ((16*I)*b*d^3*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) + (8*b*d^3*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x])*Log[1 + E^((2*I)*ArcSin[c*x])])/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - ((8*I)*b^2*d^3*(1 - c^2*x^2)^{(3/2)}*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) + ((8*I)*b^2*d^3*(1 - c^2*x^2)^{(3/2)}*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}) - ((4*I)*b^2*d^3*(1 - c^2*x^2)^{(3/2)}*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})
\end{aligned}$$

### Rule 4673

$$\begin{aligned}
& \text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*((d_.) + (e_.)*(x_.))^{(p_.)}*((f_.) + (g_.)*(x_.))^{(q_.)}, x\_Symbol] \text{:>} \text{Dist}[(d + e*x)^q*(f + g*x)^q/(1 - c^2*x^2)^q, \text{Int}[(d + e*x)^{(p - q)}*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x] /; \text{FreeQ}\{a, b, c, d, e, f, g, n\}, x] \&\& \text{EqQ}[e*f + d*g, 0] \&\& \text{EqQ}[c^2*d^2 - e^2, 0] \&\& \text{HalfIntegerQ}[p, q] \&\& \text{GeQ}[p - q, 0]
\end{aligned}$$

### Rule 4775

$$\begin{aligned}
& \text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*((f_.) + (g_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \text{:>} \text{Int}[\text{ExpandIntegrand}[(a + b*ArcSin[c*x])^n/\text{Sqrt}[d + e*x^2], (f + g*x)^m*(d + e*x^2)^{(p + 1/2)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IntegerQ}[m] \&\& \text{ILtQ}[p + 1/2, 0] \&\& \text{GtQ}[d, 0] \&\& \text{IGtQ}[n, 0]
\end{aligned}$$

### Rule 4763

$$\begin{aligned}
& \text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}*((f_.) + (g_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \text{:>} \text{Int}[\text{ExpandIntegrand}[(d + e*x^2)^p*(a + b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[m, 0] \&\& \text{IntegerQ}[p + 1/2] \&\& \text{GtQ}[d, 0] \&\& \text{IGtQ}[n, 0] \&\& (m == 1 || p > 0 || (n == 1 \&\& p > -1) || (m == 2 \&\& p < -2))
\end{aligned}$$

### Rule 4651

$$\begin{aligned}
& \text{Int}[(a_. + \text{ArcSin}[c_.*(x_.)]*(b_.))^{(n_.)}/((d_.) + (e_.)*(x_.)^2)^{(3/2)}, x\_Symbol] \text{:>} \text{Simp}[(x*(a + b*ArcSin[c*x])^n)/(d*\text{Sqrt}[d + e*x^2]), x] - \text{Dist}[(b*c*n)/\text{Sqrt}[d], \text{Int}[(x*(a + b*ArcSin[c*x])^{(n - 1)})/(d + e*x^2), x], x] /;
\end{aligned}$$

FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]

### Rule 4675

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_)\*(x\_)/((d\_) + (e\_.)\*(x\_)^2), x\_Symbol] := -Dist[e^(-1), Subst[Int[(a + b\*x)^n\*Tan[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 3719

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^n\_)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)/((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^n\_), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^n\_], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^n\_)]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_)^2), x_Symbol]
:> Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist
[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x]
&& EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

### Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Simp[x*(a + b*ArcSin[c*x])^n, x]
- Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x]
&& GtQ[n, 0]
```

### Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x]
/; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+cdx)^{3/2} (a+b\sin^{-1}(cx))^2}{(e-cex)^{3/2}} dx &= \frac{(1-c^2x^2)^{3/2} \int \frac{(d+cdx)^3 (a+b\sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} dx}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= \frac{(1-c^2x^2)^{3/2} \int \left( \frac{4(d^3+cd^3x)(a+b\sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} - \frac{3d^3(a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} - \frac{cd^3x(a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} \right) dx}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= \frac{\left( 4(1-c^2x^2)^{3/2} \right) \int \frac{(d^3+cd^3x)(a+b\sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} dx}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{\left( 3d^3(1-c^2x^2)^{3/2} \right) \int \frac{(a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= \frac{d^3(1-c^2x^2)^2 (a+b\sin^{-1}(cx))^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{d^3(1-c^2x^2)^{3/2} (a+b\sin^{-1}(cx))^3}{bc(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{4(1-c^2x^2)^{3/2} (a+b\sin^{-1}(cx))^2}{bc(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{2abd^3x(1-c^2x^2)^{3/2}}{(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{d^3(1-c^2x^2)^2 (a+b\sin^{-1}(cx))^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{d^3(1-c^2x^2)^{3/2} (a+b\sin^{-1}(cx))^3}{bc(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{2abd^3x(1-c^2x^2)^{3/2}}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2b^2d^3x(1-c^2x^2)^{3/2} \sin^{-1}(cx)}{(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{4d^3(1-c^2x^2)(a+b\sin^{-1}(cx))^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{2abd^3x(1-c^2x^2)^{3/2}}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2b^2d^3(1-c^2x^2)^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2b^2d^3x(1-c^2x^2)^{3/2} \sin^{-1}(cx)}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{2abd^3x(1-c^2x^2)^{3/2}}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2b^2d^3(1-c^2x^2)^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2b^2d^3x(1-c^2x^2)^{3/2} \sin^{-1}(cx)}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{2abd^3x(1-c^2x^2)^{3/2}}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2b^2d^3(1-c^2x^2)^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2b^2d^3x(1-c^2x^2)^{3/2} \sin^{-1}(cx)}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{2abd^3x(1-c^2x^2)^{3/2}}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2b^2d^3(1-c^2x^2)^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2b^2d^3x(1-c^2x^2)^{3/2} \sin^{-1}(cx)}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{2abd^3x(1-c^2x^2)^{3/2}}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2b^2d^3(1-c^2x^2)^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2b^2d^3x(1-c^2x^2)^{3/2} \sin^{-1}(cx)}{(d+cdx)^{3/2} (e-cex)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 10.44, size = 1247, normalized size = 1.75

result too large to display

Antiderivative was successfully verified.

[In] Integrate[((d + c\*d\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(e - c\*e\*x)^(3/2),x]

[Out] (Sqrt[-(e\*(-1 + c\*x))] \* Sqrt[d\*(1 + c\*x)] \* ((a^2\*d)/e^2 - (4\*a^2\*d)/(e^2\*(-1 + c\*x))))/c + (3\*a^2\*d^(3/2)\*ArcTan[(c\*x\*Sqrt[-(e\*(-1 + c\*x))] \* Sqrt[d\*(1 + c\*x)])]/(Sqrt[d]\*Sqrt[e]\*(-1 + c\*x)\*(1 + c\*x)))/(c\*e^(3/2)) - (a\*b\*d\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*(Cos[ArcSin[c\*x]/2]\*((-4 + ArcSin[c\*x])\*ArcSin[c\*x] - 8\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])) - (ArcSin[c\*x]\*(4 + ArcSin[c\*x]) - 8\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2))/(c\*e^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2) + (2\*a\*b\*d\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*(Cos[ArcSin[c\*x]/2]\*(-(c\*x) + 2\*ArcSin[c\*x] + Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] - ArcSin[c\*x]^2 + 4\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])) + (c\*x + 2\*ArcSin[c\*x] - Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + ArcSin[c\*x]^2 - 4\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2))/(c\*e^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2) - (b^2\*d\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*((-18\*I)\*Pi\*ArcSin[c\*x] - (6 - 6\*I)\*ArcSin[c\*x]^2 + ArcSin[c\*x]^3 - 24\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])] + 12\*(Pi - 2\*ArcSin[c\*x])\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 24\*Pi\*Log[Cos[ArcSin[c\*x]/2]] - 12\*Pi\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]] + (24\*I)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] - (12\*ArcSin[c\*x]^2\*Sin[ArcSin[c\*x]/2])/(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])))/(3\*c\*e^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2) - (b^2\*d\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*(6 + (6\*c\*x\*ArcSin[c\*x])/Sqrt[1 - c^2\*x^2] - 3\*ArcSin[c\*x]^2 - ((6 - 6\*I)\*ArcSin[c\*x]^2)/Sqrt[1 - c^2\*x^2] + (2\*ArcSin[c\*x]^3)/Sqrt[1 - c^2\*x^2] + (6\*((-3\*I)\*Pi\*ArcSin[c\*x] - 4\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])] + 2\*(Pi - 2\*ArcSin[c\*x])\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 4\*Pi\*Log[Cos[ArcSin[c\*x]/2]] - 2\*Pi\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]] + (4\*I)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])))/Sqrt[1 - c^2\*x^2] - (12\*ArcSin[c\*x]^2\*Sin[ArcSin[c\*x]/2])/(Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])))/(3\*c\*e^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2)

**Maple [F]** time = 0.202, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (cdx + d)^{\frac{3}{2}} (-cex + e)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(3/2),x)

```
[Out] int((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(3/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(a^2cdx + a^2d + (b^2cdx + b^2d) \arcsin(cx)^2 + 2(abc dx + abd) \arcsin(cx)) \sqrt{cdx + d} \sqrt{-cex + e}}{c^2e^2x^2 - 2ce^2x + e^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(3/2),x, algorithm="fricas")
```

```
[Out] integral((a^2*c*d*x + a^2*d + (b^2*c*d*x + b^2*d)*arcsin(c*x)^2 + 2*(a*b*c*d*x + a*b*d)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*e*x + e)/(c^2*e^2*x^2 - 2*c*e^2*x + e^2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(3/2)*(a+b*asin(c*x))**2/(-c*e*x+e)**(3/2),x)
```



[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(cdx + d)^{\frac{3}{2}}(b \arcsin(cx) + a)^2}{(-cex + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((c*d*x + d)^(3/2)*(b*arcsin(c*x) + a)^2/(-c*e*x + e)^(3/2), x)
```

$$3.566 \quad \int \frac{\sqrt{d+cdx}(a+b\sin^{-1}(cx))^2}{(e-cex)^{3/2}} dx$$

**Optimal.** Leaf size=530

$$\frac{4ib^2d^2(1-c^2x^2)^{3/2}\text{PolyLog}\left(2,-ie^{i\sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} + \frac{4ib^2d^2(1-c^2x^2)^{3/2}\text{PolyLog}\left(2,ie^{i\sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{2ib^2d^2(1-c^2x^2)^{3/2}\text{Poly}}{c(cdx+d)^{3/2}}$$

[Out] (2\*d^2\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (2\*d^2\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - ((2\*I)\*d^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - (d^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + ((8\*I)\*b\*d^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (4\*b\*d^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - ((4\*I)\*b^2\*d^2\*(1 - c^2\*x^2)^(3/2)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + ((4\*I)\*b^2\*d^2\*(1 - c^2\*x^2)^(3/2)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - ((2\*I)\*b^2\*d^2\*(1 - c^2\*x^2)^(3/2)\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2))

**Rubi [A]** time = 0.908954, antiderivative size = 530, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 13, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.406$ , Rules used = {4673, 4775, 4763, 4651, 4675, 3719, 2190, 2279, 2391, 4677, 4657, 4181, 4641}

$$\frac{4ib^2d^2(1-c^2x^2)^{3/2}\text{PolyLog}\left(2,-ie^{i\sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} + \frac{4ib^2d^2(1-c^2x^2)^{3/2}\text{PolyLog}\left(2,ie^{i\sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{2ib^2d^2(1-c^2x^2)^{3/2}\text{Poly}}{c(cdx+d)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + c\*d\*x]\*(a + b\*ArcSin[c\*x])^2)/(e - c\*e\*x)^(3/2), x]

[Out] (2\*d^2\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (2\*d^2\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - ((2\*I)\*d^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - (d^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + ((8\*I)\*b\*d^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/(c\*(d +

$$\begin{aligned} & c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)} + (4*b*d^2*(1 - c^2*x^2)^{(3/2)}*(a + b*ArcSin[c*x]) * \\ & Log[1 + E^{((2*I)*ArcSin[c*x])}]) / (c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)} - \\ & ((4*I)*b^2*d^2*(1 - c^2*x^2)^{(3/2)}*PolyLog[2, (-I)*E^{(I*ArcSin[c*x])}] / \\ & (c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)} + ((4*I)*b^2*d^2*(1 - c^2*x^2)^{(3/2)} * \\ & PolyLog[2, I*E^{(I*ArcSin[c*x])}] / (c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)} - \\ & ((2*I)*b^2*d^2*(1 - c^2*x^2)^{(3/2)}*PolyLog[2, -E^{((2*I)*ArcSin[c*x])}]) / \\ & (c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)} \end{aligned}$$
Rule 4673

$$\begin{aligned} & Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^{(n_.)}*((d_.) + (e_.)*(x_.))^{(p_.)}*((f_.) \\ & + (g_.)*(x_.))^{(q_.)}, x\_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x \\ & ^2)^q, Int[(d + e*x)^{(p - q)}*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x] \\ & /; FreeQ[{a, b, c, d, e, f, g, n}, x] \&\& EqQ[e*f + d*g, 0] \&\& EqQ[c^2*d^2 - \\ & e^2, 0] \&\& HalfIntegerQ[p, q] \&\& GeQ[p - q, 0] \end{aligned}$$
Rule 4775

$$\begin{aligned} & Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^{(n_.)}*((f_.) + (g_.)*(x_.))^{(m_.)}*((d_.) \\ & + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x]) \\ & ]^n/Sqrt[d + e*x^2], (f + g*x)^m*(d + e*x^2)^{(p + 1/2)}, x], x] /; FreeQ[{a, \\ & b, c, d, e, f, g}, x] \&\& EqQ[c^2*d + e, 0] \&\& IntegerQ[m] \&\& ILtQ[p + 1/2, \\ & 0] \&\& GtQ[d, 0] \&\& IGtQ[n, 0] \end{aligned}$$
Rule 4763

$$\begin{aligned} & Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^{(n_.)}*((f_.) + (g_.)*(x_.))^{(m_.)}*((d_.) \\ & + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^p*(a + \\ & b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] \& \\ & \& EqQ[c^2*d + e, 0] \&\& IGtQ[m, 0] \&\& IntegerQ[p + 1/2] \&\& GtQ[d, 0] \&\& IGtQ \\ & [n, 0] \&\& (m == 1 || p > 0 || (n == 1 \&\& p > -1) || (m == 2 \&\& p < -2)) \end{aligned}$$
Rule 4651

$$\begin{aligned} & Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^{(n_.)} / ((d_.) + (e_.)*(x_.)^2)^{(3/2)}, x \\ & \_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[( \\ & b*c*n)/Sqrt[d], Int[(x*(a + b*ArcSin[c*x])^{(n - 1)})/(d + e*x^2), x], x] /; \\ & FreeQ[{a, b, c, d, e}, x] \&\& EqQ[c^2*d + e, 0] \&\& GtQ[n, 0] \&\& GtQ[d, 0] \end{aligned}$$
Rule 4675

$$\begin{aligned} & Int((((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^{(n_.)}*(x_.)) / ((d_.) + (e_.)*(x_.)^2), \\ & x\_Symbol] := -Dist[e^{(-1)}, Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x] \\ & ], x] /; FreeQ[{a, b, c, d, e}, x] \&\& EqQ[c^2*d + e, 0] \&\& IGtQ[n, 0] \end{aligned}$$

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p]]/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2), x_Symbo
l] := Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol
] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Di
```

```
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))],
x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x]
&& EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+cdx} (a+b \sin^{-1}(cx))^2}{(e-cex)^{3/2}} dx &= \frac{(1-c^2x^2)^{3/2} \int \frac{(d+cdx)^2 (a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} dx}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= \frac{(1-c^2x^2)^{3/2} \int \left( \frac{2(d^2+cd^2x)(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} - \frac{d^2(a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} \right) dx}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= \frac{\left( 2(1-c^2x^2)^{3/2} \int \frac{(d^2+cd^2x)(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} dx \right)}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{\left( d^2(1-c^2x^2)^{3/2} \int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx \right)}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{d^2(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^3}{3bc(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{\left( 2(1-c^2x^2)^{3/2} \int \left( \frac{d^2(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} + \frac{cd^2x(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} \right) dx \right)}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= -\frac{d^2(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^3}{3bc(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{\left( 2d^2(1-c^2x^2)^{3/2} \int \frac{(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} dx \right)}{(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{\left( 2cd^2 \int \frac{(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} dx \right)}{(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= \frac{2d^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{2d^2x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{d^2(1-c^2x^2)}{3bc(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= \frac{2d^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{2d^2x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{d^2(1-c^2x^2)}{3bc(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= \frac{2d^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{2d^2x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2id^2(1-c^2x^2)}{c(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= \frac{2d^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{2d^2x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2id^2(1-c^2x^2)}{c(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= \frac{2d^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{2d^2x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2id^2(1-c^2x^2)}{c(d+cdx)^{3/2} (e-cex)^{3/2}} \\
&= \frac{2d^2(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c(d+cdx)^{3/2} (e-cex)^{3/2}} + \frac{2d^2x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2} (e-cex)^{3/2}} - \frac{2id^2(1-c^2x^2)}{c(d+cdx)^{3/2} (e-cex)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 5.92626, size = 513, normalized size = 0.97

$$b^2(cx+1)\sqrt{cdx+d}\sqrt{e-cex} \left( 24i \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) + \sin^{-1}(cx)^3 - (6-6i) \sin^{-1}(cx)^2 - 18i\pi \sin^{-1}(cx) - 24\pi \log\left(1+e^{-i \sin^{-1}(cx)}\right) + 12(\pi-2 \sin^{-1}(cx)) \log\left(1+ie^{i \sin^{-1}(cx)}\right) \right)$$

$$\sqrt{1-c^2x^2} \left( \sin\left(\frac{1}{2} \sin^{-1}(cx)\right) + \cos\left(\frac{1}{2} \sin^{-1}(cx)\right) \right)^2$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[d + c*d*x]*(a + b*ArcSin[c*x])^2)/(e - c*e*x)^(3/2),x]
```

```
[Out] -((6*a^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/(-1 + c*x) - 3*a^2*Sqrt[d]*Sqrt[e]
]*ArcTan[(c*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/(Sqrt[d]*Sqrt[e]*(-1 + c^2*x
^2))] + (3*a*b*(1 + c*x)*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(Cos[ArcSin[c*x]/2
]*((-4 + ArcSin[c*x])*ArcSin[c*x] - 8*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c
*x]/2])) - (ArcSin[c*x]*(4 + ArcSin[c*x]) - 8*Log[Cos[ArcSin[c*x]/2] - Sin[
ArcSin[c*x]/2]))*Sin[ArcSin[c*x]/2))/(Sqrt[1 - c^2*x^2]*(Cos[ArcSin[c*x]/2
] - Sin[ArcSin[c*x]/2])*(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^2) + (b^2
*(1 + c*x)*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*((-18*I)*Pi*ArcSin[c*x] - (6 - 6
*I)*ArcSin[c*x]^2 + ArcSin[c*x]^3 - 24*Pi*Log[1 + E^((-I)*ArcSin[c*x])]) + 1
2*(Pi - 2*ArcSin[c*x])*Log[1 + I*E^(I*ArcSin[c*x])] + 24*Pi*Log[Cos[ArcSin[
c*x]/2]] - 12*Pi*Log[-Cos[(Pi + 2*ArcSin[c*x])/4]] + (24*I)*PolyLog[2, (-I)
*E^(I*ArcSin[c*x])] - (12*ArcSin[c*x]^2*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x
]/2] - Sin[ArcSin[c*x]/2])))/(Sqrt[1 - c^2*x^2]*(Cos[ArcSin[c*x]/2] + Sin[A
rcSin[c*x]/2])^2))/(3*c*e^2)
```

**Maple [F]** time = 0.217, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 \sqrt{cdx + d} (-cex + e)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(1/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(3/2),x)
```

```
[Out] int((c*d*x+d)^(1/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(3/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(1/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(3/2),x, algorithm
="maxima")
```

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2) \sqrt{cdx + d} \sqrt{-cex + e}}{c^2 e^2 x^2 - 2ce^2 x + e^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(3/2),x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^2\*e^2\*x^2 - 2\*c\*e^2\*x + e^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{d(cx+1)}(a+b\arcsin(cx))^2}{(-e(cx-1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(1/2)\*(a+b\*asin(c\*x))\*\*2/(-c\*e\*x+e)\*\*(3/2),x)

[Out] Integral(sqrt(d\*(c\*x + 1))\*(a + b\*asin(c\*x))\*\*2/(-e\*(c\*x - 1))\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{cdx + d}(b \arcsin(cx) + a)^2}{(-cex + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(3/2),x, algorithm="giac")

[Out] integrate(sqrt(c\*d\*x + d)\*(b\*arcsin(c\*x) + a)^2/(-c\*e\*x + e)^(3/2), x)



$$3.567 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{d+cdx}(e-cex)^{3/2}} dx$$

**Optimal.** Leaf size=454

$$\frac{2ib^2d(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} + \frac{2ib^2d(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{ib^2d(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -e^{(2I) \text{ArcSin}[cx]}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}}$$

[Out] (d\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (d\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - (I\*d\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + ((4\*I)\*b\*d\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (2\*b\*d\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - ((2\*I)\*b^2\*d\*(1 - c^2\*x^2)^(3/2)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + ((2\*I)\*b^2\*d\*(1 - c^2\*x^2)^(3/2)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - (I\*b^2\*d\*(1 - c^2\*x^2)^(3/2)\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2))

**Rubi [A]** time = 0.659388, antiderivative size = 454, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 11, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.344$ , Rules used = {4673, 4763, 4651, 4675, 3719, 2190, 2279, 2391, 4677, 4657, 4181}

$$\frac{2ib^2d(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} + \frac{2ib^2d(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{ib^2d(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -e^{(2I) \text{ArcSin}[cx]}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/(Sqrt[d + c\*d\*x]\*(e - c\*e\*x)^(3/2)),x]

[Out] (d\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (d\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - (I\*d\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + ((4\*I)\*b\*d\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + (2\*b\*d\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - ((2\*I)\*b^2\*d\*(1 - c^2\*x^2)^(3/2)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) + ((2\*I)\*b^2\*d\*(1 - c^2\*x^2)^(3/2)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)) - (I\*b^2\*d\*(1 - c^2\*x^2)^(3/2)\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2))

$$(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)} - (I*b^2*d*(1 - c^2*x^2)^{(3/2)}*PolyLog[2, -E^{((2*I)*ArcSin[c*x])}])/(c*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})$$
Rule 4673

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_))^(p_)*((f_
+ (g_.)*(x_))^(q_), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

Rule 4763

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_) + (g_.)*(x_))^(m_.)*((d_
) + (e_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^p*(a +
b*ArcSin[c*x])^n, (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] &
& EqQ[c^2*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ
[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))
```

Rule 4651

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2)^(3/2), x
_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(
b*c*n)/Sqrt[d], Int[(x*(a + b*ArcSin[c*x])^(n - 1))/(d + e*x^2), x], x] /;
FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]
```

Rule 4675

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_))/((d_) + (e_.)*(x_)^2),
x_Symbol] := -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], ArcSin[c*x]
], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x))
```

)^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_)\*((F\_)^((e\_)\*((c\_) + (d\_)\*(x\_))))^(n\_)], x\_Symbol] :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] :> -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 4677

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)\*(x\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p]/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 4657

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)/((d\_) + (e\_)\*(x\_)^2), x\_Symbol] :> Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4181

Int[csc[(e\_) + Pi\*(k\_) + (f\_)\*(x\_)]\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] :> Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{d + cdx}(e - cex)^{3/2}} dx &= \frac{(1 - c^2x^2)^{3/2} \int \frac{(d+cdx)(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{(1 - c^2x^2)^{3/2} \int \left( \frac{d(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} + \frac{cdx(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} \right) dx}{(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{(d(1 - c^2x^2)^{3/2}) \int \frac{(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{(cd(1 - c^2x^2)^{3/2}) \int \frac{x(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{d(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{dx(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{(2bd(1 - c^2x^2)^{3/2}) \int^{a+}}{(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{d(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{dx(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{(2bd(1 - c^2x^2)^{3/2}) \text{Sub}}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{d(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{dx(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{id(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{d(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{dx(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{id(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{d(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{dx(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{id(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{d(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{dx(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{id(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 1.68872, size = 221, normalized size = 0.49

$$\sqrt{cdx + d}\sqrt{e - cex} \left( -4ib^2\sqrt{1 - c^2x^2}\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right) + 2b\sqrt{1 - c^2x^2}\sin^{-1}(cx) \left( a \tan\left(\frac{1}{4}\left(2\sin^{-1}(cx) + \pi\right)\right) + 2b \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(Sqrt[d + c\*d\*x]\*(e - c\*e\*x)^(3/2)), x]

[Out] -((Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a\*(a + a\*c\*x + 4\*b\*Sqrt[1 - c^2\*x^2])\*Log[Cos[(Pi + 2\*ArcSin[c\*x])/4]]) - (4\*I)\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, (-

```
I)*E^(I*ArcSin[c*x])) + b^2*Sqrt[1 - c^2*x^2]*ArcSin[c*x]^2*(-I + Tan[(Pi +
  2*ArcSin[c*x])/4]) + 2*b*Sqrt[1 - c^2*x^2]*ArcSin[c*x]*(2*b*Log[1 + I*E^(I
  *ArcSin[c*x])) + a*Tan[(Pi + 2*ArcSin[c*x])/4])))/(c*d*e^2*(-1 + c*x)*(1 +
  c*x)))
```

**Maple [F]** time = 0.26, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 \frac{1}{\sqrt{cdx + d}} (-cex + e)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(3/2),x)
```

```
[Out] int((a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(3/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(3/2),x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2) \sqrt{cdx + d} \sqrt{-cex + e}}{c^3 de^2 x^3 - c^2 de^2 x^2 - cde^2 x + de^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(3/2),x, algorithm
="fricas")
```

[Out] `integral((b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*sqrt(c*d*x + d)*sqrt(-c*e*x + e)/(c^3*d*e^2*x^3 - c^2*d*e^2*x^2 - c*d*e^2*x + d*e^2), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asin}(cx))^2}{\sqrt{d}(cx + 1)(-e(cx - 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))^2/(c*d*x+d)**(1/2)/(-c*e*x+e)**(3/2), x)`

[Out] `Integral((a + b*asin(c*x))^2/(sqrt(d*(c*x + 1))*(-e*(c*x - 1))**(3/2)), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)^2}{\sqrt{cdx + d}(-cex + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(3/2), x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)^2/(sqrt(c*d*x + d)*(-c*e*x + e)^(3/2)), x)`

$$3.568 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2}(e-cex)^{3/2}} dx$$

**Optimal.** Leaf size=217

$$\frac{ib^2(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{i(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))^2}{c(cdx+d)^{3/2}(e-cex)^{3/2}} + \frac{x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{(cdx+d)^{3/2}(e-cex)^{3/2}} + \frac{2b(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}}$$

```
[Out] (x*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - (I*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) + (2*b*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x])*Log[1 + E^((2*I)*ArcSin[c*x])])/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - (I*b^2*(1 - c^2*x^2)^(3/2)*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2))
```

**Rubi [A]** time = 0.377234, antiderivative size = 217, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.219$ , Rules used = {4673, 4651, 4675, 3719, 2190, 2279, 2391}

$$\frac{ib^2(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{i(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))^2}{c(cdx+d)^{3/2}(e-cex)^{3/2}} + \frac{x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{(cdx+d)^{3/2}(e-cex)^{3/2}} + \frac{2b(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])^2/((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)),x]
```

```
[Out] (x*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - (I*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) + (2*b*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x])*Log[1 + E^((2*I)*ArcSin[c*x])])/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - (I*b^2*(1 - c^2*x^2)^(3/2)*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2))
```

### Rule 4673

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_.))^(p_.)*((f_.) + (g_.)*(x_.))^(q_.), x_Symbol] :> Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

Rule 4651

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/((d\_) + (e\_.)\*(x\_)^2)^(3/2), x\_Symbol] := Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n)/Sqrt[d], Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(d + e\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]

Rule 4675

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_))/((d\_) + (e\_.)\*(x\_)^2), x\_Symbol] := -Dist[e^(-1), Subst[Int[(a + b\*x)^n\*Tan[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

Rule 3719

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rubi steps



$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} dx &= \frac{(1 - c^2x^2)^{3/2} \int \frac{(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{(2bc(1 - c^2x^2)^{3/2}) \int \frac{x(a + b \sin^{-1}(cx))}{1 - c^2x^2} dx}{(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{(2b(1 - c^2x^2)^{3/2}) \text{Subst}\left(\int (a + bx) \tan(x) dx, x, \sin^{-1}\right)}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{i(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{(4ib(1 - c^2x^2)^{3/2})}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{i(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{2b(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{i(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{2b(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{i(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{2b(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2}(e - cex)^{3/2}}
\end{aligned}$$

**Mathematica [B]** time = 1.33553, size = 550, normalized size = 2.53

$$-2ib^2\sqrt{1 - c^2x^2}\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right) - 2ib^2\sqrt{1 - c^2x^2}\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right) + a^2cx + 2ab\sqrt{1 - c^2x^2} \log\left(\cos\left(\frac{1}{2}\sin^{-1}\left(\frac{a + b\sin^{-1}(cx)}{c}\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)),x]

[Out] (a^2\*c\*x + 2\*a\*b\*c\*x\*ArcSin[c\*x] + (2\*I)\*b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + b^2\*c\*x\*ArcSin[c\*x]^2 - I\*b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]^2 + 4\*b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*Log[1 + E^((-I)\*ArcSin[c\*x])] + b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] + 2\*b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 2\*b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] - 4\*b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2]] + b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]] + 2\*a\*b\*Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] + 2\*a\*b\*Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]] - b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*Log[Sin[(Pi + 2\*ArcS

```
in[c*x])/4]] - (2*I)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])
] - (2*I)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])]/(c*d*e*Sq
rt[d + c*d*x]*Sqrt[e - c*e*x])
```

**Maple [F]** time = 0.253, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (cdx + d)^{-\frac{3}{2}} (-cex + e)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(3/2),x)
```

```
[Out] int((a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(3/2),x)
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(3/2),x, algorithm
="maxima")
```

```
[Out] Timed out
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2) \sqrt{cdx + d} \sqrt{-cex + e}}{c^4 d^2 e^2 x^4 - 2c^2 d^2 e^2 x^2 + d^2 e^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(3/2),x, algorithm
="fricas")
```

[Out]  $\text{integral}((b^2 \arcsin(cx))^2 + 2ab \arcsin(cx) + a^2) \sqrt{cdx + d} \sqrt{-cex + e} / (c^4 d^2 e^2 x^4 - 2c^2 d^2 e^2 x^2 + d^2 e^2), x$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b \arcsin(cx))^2 / (cdx+d)^{3/2} / (-cex+e)^{3/2}, x)$

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(cdx + d)^{\frac{3}{2}} (-cex + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b \arcsin(cx))^2 / (cdx+d)^{3/2} / (-cex+e)^{3/2}, x, \text{algorithm} = "giac")$

[Out]  $\text{integrate}((b \arcsin(cx) + a)^2 / ((cdx + d)^{3/2} * (-cex + e)^{3/2}), x)$

$$3.569 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{(d+cdx)^{5/2}(e-cex)^{3/2}} dx$$

**Optimal.** Leaf size=709

$$\frac{ib^2e(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{ib^2e(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{2ib^2e(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, \dots\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}}$$

[Out]  $-(b^2e*(1-c^2*x^2)^2)/(3*c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (b^2e*x*(1-c^2*x^2)^2)/(3*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - (b*e*(1-c^2*x^2)^(3/2)*(a+b*ArcSin[c*x]))/(3*c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (b*e*x*(1-c^2*x^2)^(3/2)*(a+b*ArcSin[c*x]))/(3*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - (e*(1-c^2*x^2)*(a+b*ArcSin[c*x])^2)/(3*c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (e*x*(1-c^2*x^2)*(a+b*ArcSin[c*x])^2)/(3*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (2*e*x*(1-c^2*x^2)^2*(a+b*ArcSin[c*x])^2)/(3*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - (((2*I)/3)*e*(1-c^2*x^2)^(5/2)*(a+b*ArcSin[c*x])^2)/(c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - (((2*I)/3)*b*e*(1-c^2*x^2)^(5/2)*(a+b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (4*b*e*(1-c^2*x^2)^(5/2)*(a+b*ArcSin[c*x])*Log[1+E^((2*I)*ArcSin[c*x])])/(3*c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + ((I/3)*b^2*e*(1-c^2*x^2)^(5/2)*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - ((I/3)*b^2*e*(1-c^2*x^2)^(5/2)*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - (((2*I)/3)*b^2*e*(1-c^2*x^2)^(5/2)*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2))$

**Rubi [A]** time = 0.839333, antiderivative size = 709, normalized size of antiderivative = 1., number of steps used = 21, number of rules used = 14, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$ , Rules used = {4673, 4763, 4655, 4651, 4675, 3719, 2190, 2279, 2391, 4677, 191, 4657, 4181, 261}

$$\frac{ib^2e(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{ib^2e(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{2ib^2e(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, \dots\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/((d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(3/2)), x]

[Out]  $-(b^2e*(1-c^2*x^2)^2)/(3*c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (b^2e*x*(1-c^2*x^2)^2)/(3*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - (b*e*(1-c^2*x^2)^(3/2)*(a+b*ArcSin[c*x]))/(3*c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (b*e*x*(1-c^2*x^2)^(3/2)*(a+b*ArcSin[c*x]))/(3*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - (e*(1-c^2*x^2)*(a+b*ArcSin[c*x])^2)/(3*c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (e*x*(1-c^2*x^2)*(a+b*ArcSin[c*x])^2)/(3*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (2*e*x*(1-c^2*x^2)^2*(a+b*ArcSin[c*x])^2)/(3*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - (((2*I)/3)*e*(1-c^2*x^2)^(5/2)*(a+b*ArcSin[c*x])^2)/(c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - (((2*I)/3)*b*e*(1-c^2*x^2)^(5/2)*(a+b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + (4*b*e*(1-c^2*x^2)^(5/2)*(a+b*ArcSin[c*x])*Log[1+E^((2*I)*ArcSin[c*x])])/(3*c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) + ((I/3)*b^2*e*(1-c^2*x^2)^(5/2)*PolyLog[2, (-I)*E^(I*ArcSin[c*x])])/(c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - ((I/3)*b^2*e*(1-c^2*x^2)^(5/2)*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2)) - (((2*I)/3)*b^2*e*(1-c^2*x^2)^(5/2)*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(c*(d+c*d*x)^(5/2)*(e-c*e*x)^(5/2))$

$$\begin{aligned}
& *x^{2})^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) \\
& + (b*e*x*(1 - c^2*x^2)^{(3/2)}*(a + b*\text{ArcSin}[c*x]))/(3*(d + c*d*x)^{(5/2)}*(e - \\
& c*e*x)^{(5/2)}) - (e*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/(3*c*(d + c*d*x)^{(5/2)}*(e - \\
& c*e*x)^{(5/2)}) + (e*x*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/(3*(d + \\
& c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (2*e*x*(1 - c^2*x^2)^2*(a + b*\text{ArcSin}[c*x \\
& ])^2)/(3*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (((2*I)/3)*e*(1 - c^2*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x])^2)/(c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (((2 \\
& *I)/3)*b*e*(1 - c^2*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x])*\text{ArcTan}[E^{(I*\text{ArcSin}[c*x])}] \\
& ])/(c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (4*b*e*(1 - c^2*x^2)^{(5/2)}*(a \\
& + b*\text{ArcSin}[c*x])*\text{Log}[1 + E^{((2*I)*\text{ArcSin}[c*x])}])/(3*c*(d + c*d*x)^{(5/2)}*(e \\
& - c*e*x)^{(5/2)}) + ((I/3)*b^2*e*(1 - c^2*x^2)^{(5/2)}*\text{PolyLog}[2, (-I)*E^{(I*\text{Arc} \\
& \text{Sin}[c*x])}])/(c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - ((I/3)*b^2*e*(1 - c^2 \\
& *x^2)^{(5/2)}*\text{PolyLog}[2, I*E^{(I*\text{ArcSin}[c*x])}])/(c*(d + c*d*x)^{(5/2)}*(e - c*e* \\
& x)^{(5/2)}) - (((2*I)/3)*b^2*e*(1 - c^2*x^2)^{(5/2)}*\text{PolyLog}[2, -E^{((2*I)*\text{ArcSi} \\
& n[c*x])}])/(c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)})
\end{aligned}$$

### Rule 4673

$$\begin{aligned}
& \text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)]^{(n_.)}*((d_.) + (e_.)*(x_))^{(p_.)}*((f_.) \\
& + (g_.)*(x_))^{(q_.)}, x\_Symbol] \text{ :> } \text{Dist}[(d + e*x)^q*(f + g*x)^q/(1 - c^2*x \\
& ^2)^q, \text{Int}[(d + e*x)^{(p - q)}*(1 - c^2*x^2)^q*(a + b*\text{ArcSin}[c*x])^n, x] \\
& /; \text{FreeQ}\{a, b, c, d, e, f, g, n\}, x\} \&\& \text{EqQ}[e*f + d*g, 0] \&\& \text{EqQ}[c^2*d^2 - \\
& e^2, 0] \&\& \text{HalfIntegerQ}[p, q] \&\& \text{GeQ}[p - q, 0]
\end{aligned}$$

### Rule 4763

$$\begin{aligned}
& \text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)]^{(n_.)}*((f_.) + (g_.)*(x_))^{(m_.)}*((d_.) \\
& + (e_.)*(x_))^{(p_.)}, x\_Symbol] \text{ :> } \text{Int}[\text{ExpandIntegrand}[(d + e*x^2)^p*(a + \\
& b*\text{ArcSin}[c*x])^n, (f + g*x)^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x\} \&\& \\
& \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IGtQ}[m, 0] \&\& \text{IntegerQ}[p + 1/2] \&\& \text{GtQ}[d, 0] \&\& \text{IGtQ} \\
& [n, 0] \&\& (m == 1 \text{ || } p > 0 \text{ || } (n == 1 \&\& p > -1) \text{ || } (m == 2 \&\& p < -2))
\end{aligned}$$

### Rule 4655

$$\begin{aligned}
& \text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)]^{(n_.)}*((d_.) + (e_.)*(x_))^{(p_.)}, x\_ \\
& \text{Symbol}] \text{ :> } -\text{Simp}[(x*(d + e*x^2)^{(p + 1)}*(a + b*\text{ArcSin}[c*x])^n)/(2*d*(p + 1) \\
& ), x] + (\text{Dist}[(2*p + 3)/(2*d*(p + 1)), \text{Int}[(d + e*x^2)^{(p + 1)}*(a + b*\text{ArcSi} \\
& n[c*x])^n, x], x] + \text{Dist}[(b*c*n*d*\text{IntPart}[p]*(d + e*x^2)^{\text{FracPart}[p]}]/(2*(p \\
& + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}), \text{Int}[x*(1 - c^2*x^2)^{(p + 1/2)}*(a + b*\text{ArcS} \\
& in[c*x])^{(n - 1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \\
& \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{NeQ}[p, -3/2]
\end{aligned}$$

### Rule 4651

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_)]*(b_.)]^{(n_.)}/((d_.) + (e_.)*(x_))^{(3/2)}, x$$

`_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(b*c^n)/Sqrt[d], Int[(x*(a + b*ArcSin[c*x])^(n - 1))/(d + e*x^2), x], x] /;`  
`FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]`

### Rule 4675

`Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_)*(x_.)/((d_.) + (e_.)*(x_.)^2),`  
`x_Symbol] := -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x]`  
`], x] /;` `FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]`

### Rule 3719

`Int[((c_.) + (d_.)*(x_.))^m_*tan[(e_.) + (f_.)*(x_.)], x_Symbol] := Simp[(`  
`I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e`  
`+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /;` `FreeQ[{c, d, e, f}, x] && IGtQ`  
`[m, 0]`

### Rule 2190

`Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^n_)*((c_.) + (d_.)*(x_.))^m_)/`  
`((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^n_), x_Symbol] := Simp`  
`[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di`  
`st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)`  
`))^n)/a], x], x] /;` `FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

### Rule 2279

`Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_.))))^n_], x_Symbol]`  
`:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))`  
`)^n], x] /;` `FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]`

### Rule 2391

`Int[Log[(c_.)*((d_.) + (e_.)*(x_.)^n_)]/(x_), x_Symbol] := -Simp[PolyLog[2`  
`, -(c*e*x^n)]/n, x] /;` `FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

### Rule 4677

`Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_)*(x_.)*((d_.) + (e_.)*(x_.)^2)^(p_`  
`.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +`  
`1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1`  
`- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n`  
`- 1), x], x] /;` `FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n`  
`, 0] && NeQ[p, -1]`

Rule 191

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1)
)/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

Rule 4657

```
Int[((a_) + ArcSin[(c_)*(x_)*(b_)])^(n_)/((d_) + (e_)*(x_)^2), x_Symbol] := Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 4181

```
Int[csc[(e_) + Pi*(k_) + (f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 261

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{(d + cdx)^{5/2}(e - cex)^{3/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(e - cex)(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{(1 - c^2x^2)^{5/2} \int \left( \frac{e(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{5/2}} - \frac{cex(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{5/2}} \right) dx}{(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{\left( e(1 - c^2x^2)^{5/2} \int \frac{(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{5/2}} dx - \left( cex(1 - c^2x^2)^{5/2} \int \frac{x(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{5/2}} dx \right) \right)}{(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= -\frac{e(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{ex(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{\left( 2e(1 - c^2x^2)^{5/2} \right) \int}{3(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= -\frac{be(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{bex(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{e(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= -\frac{b^2e(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{b^2ex(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{be(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= -\frac{b^2e(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{b^2ex(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{be(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= -\frac{b^2e(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{b^2ex(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{be(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= -\frac{b^2e(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{b^2ex(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{be(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= -\frac{b^2e(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{b^2ex(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{be(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 8.23342, size = 735, normalized size = 1.04

$$b^2\sqrt{1 - c^2x^2}\sqrt{cdx + d}\sqrt{e - cex} \left( 6i\text{PolyLog} \left( 2, -ie^{i\sin^{-1}(cx)} \right) + 10i\text{PolyLog} \left( 2, ie^{i\sin^{-1}(cx)} \right) + (1 + 4i)\sin^{-1}(cx)^2 - 7i\pi\sin^{-1}(cx) \right)$$

Warning: Unable to verify antiderivative.



[In] Integrate[(a + b\*ArcSin[c\*x])^2/((d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(3/2)),x]

[Out] (Sqrt[-(e\*(-1 + c\*x))] \* Sqrt[d\*(1 + c\*x)] \* (-a^2/(4\*d^3\*e^2\*(-1 + c\*x)) - a^2/(6\*d^3\*e^2\*(1 + c\*x)^2) - (5\*a^2)/(12\*d^3\*e^2\*(1 + c\*x))))/c + (a\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(2\*ArcSin[c\*x]\*(-2\*c\*x + Cos[2\*ArcSin[c\*x]]) - Sqrt[1 - c^2\*x^2]\*(-1 + 3\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] + 5\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]] + c\*x\*(3\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] + 5\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]]))))/(3\*c\*d^2\*e\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2) + (b^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[1 - c^2\*x^2]\*((-7\*I)\*Pi\*ArcSin[c\*x] + (1 + 4\*I)\*ArcSin[c\*x]^2 - 16\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])]) - 5\*(Pi + 2\*ArcSin[c\*x])\*Log[1 - I\*E^(I\*ArcSin[c\*x])] + 3\*(Pi - 2\*ArcSin[c\*x])\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 16\*Pi\*Log[Cos[ArcSin[c\*x]/2]] - 3\*Pi\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]] + 5\*Pi\*Log[Sin[(Pi + 2\*ArcSin[c\*x])/4]] + (6\*I)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] + (10\*I)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])] - (3\*ArcSin[c\*x]^2\*Sin[ArcSin[c\*x]/2])/((Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]) - (2\*ArcSin[c\*x]^2\*Sin[ArcSin[c\*x]/2])/((Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^3 + (ArcSin[c\*x]\*(2 + ArcSin[c\*x]))/(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2 - ((4 + 5\*ArcSin[c\*x]^2)\*Sin[ArcSin[c\*x]/2])/((Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])))/(6\*c\*d^2\*e\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))])

**Maple [F]** time = 0.257, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (cdx + d)^{-\frac{5}{2}} (-cex + e)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(5/2)/(-c\*e\*x+e)^(3/2),x)

[Out] int((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(5/2)/(-c\*e\*x+e)^(3/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(5/2)/(-c*e*x+e)^(3/2),x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2) \sqrt{cdx + d} \sqrt{-cex + e}}{c^5 d^3 e^2 x^5 + c^4 d^3 e^2 x^4 - 2c^3 d^3 e^2 x^3 - 2c^2 d^3 e^2 x^2 + cd^3 e^2 x + d^3 e^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(5/2)/(-c*e*x+e)^(3/2),x, algorithm
="fricas")
```

```
[Out] integral((b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*sqrt(c*d*x + d)*sqrt
(-c*e*x + e)/(c^5*d^3*e^2*x^5 + c^4*d^3*e^2*x^4 - 2*c^3*d^3*e^2*x^3 - 2*c^2
*d^3*e^2*x^2 + c*d^3*e^2*x + d^3*e^2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))**2/(c*d*x+d)**(5/2)/(-c*e*x+e)**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(cdx + d)^{\frac{5}{2}} (-cex + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(5/2)/(-c*e*x+e)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2/((c*d*x + d)^(5/2)*(-c*e*x + e)^(3/2)), x)
```

$$3.570 \quad \int \frac{(d+cdx)^{5/2} (a+b \sin^{-1}(cx))^2}{(e-cex)^{5/2}} dx$$

**Optimal.** Leaf size=730

$$\frac{112ib^2d^5(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, ie^{-i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{2abd^5x(1-c^2x^2)^{5/2}}{(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{5d^5(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))^3}{3bc(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{d^5(1-c^2x^2)^{5/2}}{3c(cdx+d)^{5/2}(e-cex)^{5/2}}$$

[Out] (2\*a\*b\*d^5\*x\*(1 - c^2\*x^2)^(5/2))/((d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*b^2\*d^5\*(1 - c^2\*x^2)^3)/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*b^2\*d^5\*x\*(1 - c^2\*x^2)^(5/2)\*ArcSin[c\*x])/((d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (((28\*I)/3)\*d^5\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (d^5\*(1 - c^2\*x^2)^3\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (5\*d^5\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (112\*b\*d^5\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Log[1 - I/E^(I\*ArcSin[c\*x])])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (((112\*I)/3)\*b^2\*d^5\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, I/E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (8\*b\*d^5\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Sec[Pi/4 + ArcSin[c\*x]/2]^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (16\*b^2\*d^5\*(1 - c^2\*x^2)^(5/2)\*Tan[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (28\*d^5\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2\*Tan[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (4\*d^5\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2\*Sec[Pi/4 + ArcSin[c\*x]/2]^2\*Tan[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2))

**Rubi [A]** time = 1.29148, antiderivative size = 730, normalized size of antiderivative = 1., number of steps used = 25, number of rules used = 16, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {4673, 4775, 4641, 4677, 4619, 261, 4773, 3318, 4186, 3767, 8, 4184, 3717, 2190, 2279, 2391}

$$\frac{112ib^2d^5(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, ie^{-i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{2abd^5x(1-c^2x^2)^{5/2}}{(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{5d^5(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))^3}{3bc(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{d^5(1-c^2x^2)^{5/2}}{3c(cdx+d)^{5/2}(e-cex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[((d + c\*d\*x)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(e - c\*e\*x)^(5/2), x]

[Out] (2\*a\*b\*d^5\*x\*(1 - c^2\*x^2)^(5/2))/((d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*b^2\*d^5\*(1 - c^2\*x^2)^3)/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*b^2

$$\begin{aligned} & *d^5*x*(1 - c^2*x^2)^{(5/2)}*ArcSin[c*x])/((d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)} \\ & )) - (((28*I)/3)*d^5*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])^2)/(c*(d + c*d \\ & *x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (d^5*(1 - c^2*x^2)^3*(a + b*ArcSin[c*x])^2)/ \\ & (c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (5*d^5*(1 - c^2*x^2)^{(5/2)}*(a + b \\ & *ArcSin[c*x])^3)/(3*b*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (112*b*d^5*( \\ & 1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])*Log[1 - I/E^(I*ArcSin[c*x])])/(3*c*( \\ & d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (((112*I)/3)*b^2*d^5*(1 - c^2*x^2)^{(5 \\ & /2)}*PolyLog[2, I/E^(I*ArcSin[c*x])])/(c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)} \\ & ) - (8*b*d^5*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])*Sec[Pi/4 + ArcSin[c*x] \\ & /2]^2)/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (16*b^2*d^5*(1 - c^2*x^2 \\ & )^{(5/2)}*Tan[Pi/4 + ArcSin[c*x]/2])/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)} \\ & ) - (28*d^5*(1 - c^2*x^2)^{(5/2)}*(a + b*ArcSin[c*x])^2*Tan[Pi/4 + ArcSin[c*x] \\ & ]/2)/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (4*d^5*(1 - c^2*x^2)^{(5/2)} \\ & )*(a + b*ArcSin[c*x])^2*Sec[Pi/4 + ArcSin[c*x]/2]^2*Tan[Pi/4 + ArcSin[c*x]/ \\ & 2])/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) \end{aligned}$$

### Rule 4673

$$\begin{aligned} & Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^{(n_.)}*((d_.) + (e_.)*(x_.))^{(p_.)}*((f_.) \\ & + (g_.)*(x_.))^{(q_.)}, x\_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x \\ & ^2)^q, Int[(d + e*x)^{(p - q)}*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x] \\ & /; FreeQ[{a, b, c, d, e, f, g, n}, x] \&\& EqQ[e*f + d*g, 0] \&\& EqQ[c^2*d^2 - \\ & e^2, 0] \&\& HalfIntegerQ[p, q] \&\& GeQ[p - q, 0] \end{aligned}$$

### Rule 4775

$$\begin{aligned} & Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^{(n_.)}*((f_.) + (g_.)*(x_.))^{(m_.)}*((d_. \\ & ) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x] \\ & )^n/Sqrt[d + e*x^2], (f + g*x)^m*(d + e*x^2)^{(p + 1/2)}, x], x] /; FreeQ[{a, \\ & b, c, d, e, f, g}, x] \&\& EqQ[c^2*d + e, 0] \&\& IntegerQ[m] \&\& ILtQ[p + 1/2, \\ & 0] \&\& GtQ[d, 0] \&\& IGtQ[n, 0] \end{aligned}$$

### Rule 4641

$$\begin{aligned} & Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^{(n_.)}/Sqrt[(d_.) + (e_.)*(x_.)^2], x\_S \\ & ymbol] := Simp[(a + b*ArcSin[c*x])^{(n + 1)}/(b*c*Sqrt[d]*(n + 1)), x] /; Fre \\ & eQ[{a, b, c, d, e, n}, x] \&\& EqQ[c^2*d + e, 0] \&\& GtQ[d, 0] \&\& NeQ[n, -1] \end{aligned}$$

### Rule 4677

$$\begin{aligned} & Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^{(n_.)}*(x_.)*((d_.) + (e_.)*(x_.)^2)^{(p_. \\ & .)}, x\_Symbol] := Simp[((d + e*x^2)^{(p + 1)}*(a + b*ArcSin[c*x])^n)/(2*e*(p + \\ & 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 \\ & - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^{(p + 1/2)}*(a + b*ArcSin[c*x])^n \\ & - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] \&\& EqQ[c^2*d + e, 0] \&\& GtQ[n \end{aligned}$$

, 0] && NeQ[p, -1]

### Rule 4619

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.), x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

### Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

### Rule 4773

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_) + (g\_.)\*(x\_)^(m\_.))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Dist[1/(c^(m + 1)\*Sqrt[d]), Subst[Int[(a + b\*x)^n\*(c\*f + g\*Sin[x])^m, x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[m] && GtQ[d, 0] && (GtQ[m, 0] || IGtQ[n, 0])

### Rule 3318

Int[((c\_.) + (d\_.)\*(x\_)^(m\_.))\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Dist[(2\*a)^n, Int[(c + d\*x)^m\*Sin[(1\*(e + (Pi\*a)/(2\*b)))/2 + (f\*x)/2]^(2\*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

### Rule 4186

Int[(csc[(e\_.) + (f\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((c\_.) + (d\_.)\*(x\_)^(m\_.), x\_Symbol] := -Simp[(b^2\*(c + d\*x)^m\*Cot[e + f\*x]\*(b\*Csc[e + f\*x])^(n - 2))/(f\*(n - 1)), x] + (Dist[(b^2\*d^2\*m\*(m - 1))/(f^2\*(n - 1)\*(n - 2)), Int[(c + d\*x)^(m - 2)\*(b\*Csc[e + f\*x])^(n - 2), x], x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(c + d\*x)^m\*(b\*Csc[e + f\*x])^(n - 2), x], x] - Simp[(b^2\*d\*m\*(c + d\*x)^(m - 1)\*(b\*Csc[e + f\*x])^(n - 2))/(f^2\*(n - 1)\*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]

### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)^(n\_.), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 4184

Int[csc[(e\_.) + (f\_.)\*(x\_)]^2\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := -Simp[((c + d\*x)^m\*Cot[e + f\*x])/f, x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Cot[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1)/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a]/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rubi steps

$$\begin{aligned}
\int \frac{(d + cdx)^{5/2} (a + b \sin^{-1}(cx))^2}{(e - cex)^{5/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(d+cdx)^5 (a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{(1 - c^2x^2)^{5/2} \int \left( \frac{5d^5 (a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} + \frac{cd^5 x (a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} + \frac{8d^5 (a+b \sin^{-1}(cx))^2}{(-1+cx)^2 \sqrt{1-c^2x^2}} + \frac{12d^5 (a+b \sin^{-1}(cx))^2}{(-1+cx)\sqrt{1-c^2x^2}} \right) dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{\left( 5d^5 (1 - c^2x^2)^{5/2} \int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx \right)}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{\left( 8d^5 (1 - c^2x^2)^{5/2} \int \frac{(a+b \sin^{-1}(cx))^2}{(-1+cx)^2 \sqrt{1-c^2x^2}} dx \right)}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{\left( 12d^5 (1 - c^2x^2)^{5/2} \int \frac{(a+b \sin^{-1}(cx))^2}{(-1+cx)\sqrt{1-c^2x^2}} dx \right)}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= -\frac{d^5 (1 - c^2x^2)^3 (a + b \sin^{-1}(cx))^2}{c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{5d^5 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{\left( 12d^5 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2 \right)}{c(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{2abd^5 x (1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{d^5 (1 - c^2x^2)^3 (a + b \sin^{-1}(cx))^2}{c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{5d^5 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{2abd^5 x (1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{2b^2 d^5 x (1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{d^5 (1 - c^2x^2)^3 (a + b \sin^{-1}(cx))^2}{c(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{2abd^5 x (1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{2b^2 d^5 (1 - c^2x^2)^3}{c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{2b^2 d^5 x (1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{2abd^5 x (1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{2b^2 d^5 (1 - c^2x^2)^3}{c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{2b^2 d^5 x (1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{2abd^5 x (1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{2b^2 d^5 (1 - c^2x^2)^3}{c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{2b^2 d^5 x (1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{2abd^5 x (1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{2b^2 d^5 (1 - c^2x^2)^3}{c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{2b^2 d^5 x (1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
&= \frac{2abd^5 x (1 - c^2x^2)^{5/2}}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{2b^2 d^5 (1 - c^2x^2)^3}{c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{2b^2 d^5 x (1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{(d + cdx)^{5/2} (e - cex)^{5/2}}
\end{aligned}$$

**Mathematica [B]** time = 12.8956, size = 2300, normalized size = 3.15

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((d + c\*d\*x)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(e - c\*e\*x)^(5/2), x]



```

[Out] (Sqrt[-(e*(-1 + c*x))] * Sqrt[d*(1 + c*x)] * (-(a^2*d^2)/e^3 + (8*a^2*d^2)/(3
*e^3*(-1 + c*x)^2) + (28*a^2*d^2)/(3*e^3*(-1 + c*x))))/c - (5*a^2*d^(5/2)*A
rcTan[(c*x*Sqrt[-(e*(-1 + c*x))] * Sqrt[d*(1 + c*x)])/(Sqrt[d]*Sqrt[e]*(-1 +
c*x)*(1 + c*x))]/(c*e^(5/2)) + (a*b*d^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Sq
rt[-(d*e*(1 - c^2*x^2))]*(Cos[ArcSin[c*x]/2]*(-4 + 3*ArcSin[c*x] - 6*Log[Cos
[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])) - Cos[(3*ArcSin[c*x])/2]*(ArcSin[c*
x] - 2*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])) + 2*(2 + 2*ArcSin[c*x]
+ Sqrt[1 - c^2*x^2]*ArcSin[c*x] + 4*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*
x]/2]) + 2*Sqrt[1 - c^2*x^2]*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]))*
Sin[ArcSin[c*x]/2]))/(3*c*e^3*Sqrt[-((d + c*d*x)*(e - c*e*x))]*(Cos[ArcSin[
c*x]/2] - Sin[ArcSin[c*x]/2])^4*(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]))
+ (a*b*d^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Sqrt[-(d*e*(1 - c^2*x^2))]*(Cos[
ArcSin[c*x]/2]*(-8 - 6*ArcSin[c*x] + 9*ArcSin[c*x]^2 - 84*Log[Cos[ArcSin[c*
x]/2] - Sin[ArcSin[c*x]/2])) + Cos[(3*ArcSin[c*x])/2]*(-ArcSin[c*x]*(14 +
3*ArcSin[c*x])) + 28*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])) + 2*(4 +
4*ArcSin[c*x] - 6*ArcSin[c*x]^2 + 56*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c
*x]/2]) + Sqrt[1 - c^2*x^2]*((14 - 3*ArcSin[c*x])*ArcSin[c*x] + 28*Log[Cos[
ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]))*Sin[ArcSin[c*x]/2]))/(3*c*e^3*Sqrt[-
((d + c*d*x)*(e - c*e*x))]*(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^4*(Cos
[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])) + (b^2*d^2*(1 + c*x)*Sqrt[d + c*d*x]
*Sqrt[e - c*e*x]*Sqrt[-(d*e*(1 - c^2*x^2))]*((-3*I)*Pi*ArcSin[c*x] + (4*Arc
Sin[c*x])/(-1 + c*x) - (1 - I)*ArcSin[c*x]^2 - (2*ArcSin[c*x]^2)/(-1 + c*x)
- 4*Pi*Log[1 + E^((-I)*ArcSin[c*x])] + 2*Pi*Log[1 + I*E^(I*ArcSin[c*x])] -
4*ArcSin[c*x]*Log[1 + I*E^(I*ArcSin[c*x])] + 4*Pi*Log[Cos[ArcSin[c*x]/2])
- 2*Pi*Log[-Cos[(Pi + 2*ArcSin[c*x])/4]] + (4*I)*PolyLog[2, (-I)*E^(I*ArcSi
n[c*x])] + (2*(4 + ArcSin[c*x]^2 + c*x*(-4 + ArcSin[c*x]^2))*Sin[ArcSin[c*x]
]/2))/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^3)/(3*c*e^3*Sqrt[-((d + c*
d*x)*(e - c*e*x))]*Sqrt[1 - c^2*x^2]*(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/
2])^2) + (b^2*d^2*(1 + c*x)*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Sqrt[-(d*e*(1 -
c^2*x^2))]*(6 + (6*c*x*ArcSin[c*x])/Sqrt[1 - c^2*x^2] - (2*(-2 + ArcSin[c*
x])*ArcSin[c*x])/((-1 + c*x)*Sqrt[1 - c^2*x^2]) - 3*ArcSin[c*x]^2 - ((13 -
13*I)*ArcSin[c*x]^2)/Sqrt[1 - c^2*x^2] + (3*ArcSin[c*x]^3)/Sqrt[1 - c^2*x^2
] + (13*((-3*I)*Pi*ArcSin[c*x] - 4*Pi*Log[1 + E^((-I)*ArcSin[c*x])] + 2*(Pi
- 2*ArcSin[c*x])*Log[1 + I*E^(I*ArcSin[c*x])] + 4*Pi*Log[Cos[ArcSin[c*x]/2
]) - 2*Pi*Log[-Cos[(Pi + 2*ArcSin[c*x])/4]] + (4*I)*PolyLog[2, (-I)*E^(I*Ar
cSin[c*x])]))/Sqrt[1 - c^2*x^2] + (4*ArcSin[c*x]^2*Sin[ArcSin[c*x]/2))/(Sqr
t[1 - c^2*x^2]*(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^3) + (2*(4 - 13*Ar
cSin[c*x]^2)*Sin[ArcSin[c*x]/2))/(Sqrt[1 - c^2*x^2]*(Cos[ArcSin[c*x]/2] - S
in[ArcSin[c*x]/2])))/(3*c*e^3*Sqrt[-((d + c*d*x)*(e - c*e*x))]*(Cos[ArcSin
[c*x]/2] + Sin[ArcSin[c*x]/2])^2) + (2*b^2*d^2*(1 + c*x)*Sqrt[d + c*d*x]*Sq
rt[e - c*e*x]*Sqrt[-(d*e*(1 - c^2*x^2))]*((-21*I)*Pi*ArcSin[c*x] - (2*(-2 +
ArcSin[c*x])*ArcSin[c*x])/(-1 + c*x) - (7 - 7*I)*ArcSin[c*x]^2 + ArcSin[c*
x]^3 - 28*Pi*Log[1 + E^((-I)*ArcSin[c*x])] + 14*(Pi - 2*ArcSin[c*x])*Log[1
+ I*E^(I*ArcSin[c*x])] + 28*Pi*Log[Cos[ArcSin[c*x]/2]) - 14*Pi*Log[-Cos[(Pi
+ 2*ArcSin[c*x])/4]] + (28*I)*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] + (4*ArcS

```

```

in[c*x]^2*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])^3 +
(2*(4 - 7*ArcSin[c*x]^2)*Sin[ArcSin[c*x]/2])/(Cos[ArcSin[c*x]/2] - Sin[Arc
Sin[c*x]/2]))/(3*c*e^3*Sqrt[-((d + c*d*x)*(e - c*e*x))]*Sqrt[1 - c^2*x^2]*
(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2])^2) + (a*b*d^2*Sqrt[d + c*d*x]*Sqr
t[e - c*e*x]*Sqrt[-(d*e*(1 - c^2*x^2))]*(3*Cos[(5*ArcSin[c*x])/2] + 3*ArcSi
n[c*x]*Cos[(5*ArcSin[c*x])/2] + Cos[ArcSin[c*x]/2]*(-20 - 24*ArcSin[c*x] +
27*ArcSin[c*x]^2 - 156*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2])) + Cos[
(3*ArcSin[c*x])/2]*(9 - 35*ArcSin[c*x] - 9*ArcSin[c*x]^2 + 52*Log[Cos[ArcSi
n[c*x]/2] - Sin[ArcSin[c*x]/2])) + 20*Sin[ArcSin[c*x]/2] - 24*ArcSin[c*x]*S
in[ArcSin[c*x]/2] - 27*ArcSin[c*x]^2*Sin[ArcSin[c*x]/2] + 156*Log[Cos[ArcSi
n[c*x]/2] - Sin[ArcSin[c*x]/2]]*Sin[ArcSin[c*x]/2] + 9*Sin[(3*ArcSin[c*x])/
2] + 35*ArcSin[c*x]*Sin[(3*ArcSin[c*x])/2] - 9*ArcSin[c*x]^2*Sin[(3*ArcSin[
c*x])/2] + 52*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]]*Sin[(3*ArcSin[c*
x])/2] - 3*Sin[(5*ArcSin[c*x])/2] + 3*ArcSin[c*x]*Sin[(5*ArcSin[c*x])/2]))/
(6*c*e^3*Sqrt[-((d + c*d*x)*(e - c*e*x))]*(Cos[ArcSin[c*x]/2] - Sin[ArcSin[
c*x]/2])^4*(Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]))

```

**Maple [F]** time = 0.202, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (cdx + d)^{\frac{5}{2}} (-cex + e)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(5/2),x)
```

```
[Out] int((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(5/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(5/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(5/2),x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{(a^2 c^2 d^2 x^2 + 2 a^2 c d^2 x + a^2 d^2 + (b^2 c^2 d^2 x^2 + 2 b^2 c d^2 x + b^2 d^2) \arcsin(cx))^2 + 2 (abc^2 d^2 x^2 + 2 abcd^2 x + abd^2) \arcsin(cx)}{c^3 e^3 x^3 - 3 c^2 e^3 x^2 + 3 c e^3 x - e^3} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(5/2),x, algorithm="fricas")

[Out] integral(-(a^2\*c^2\*d^2\*x^2 + 2\*a^2\*c\*d^2\*x + a^2\*d^2 + (b^2\*c^2\*d^2\*x^2 + 2\*b^2\*c\*d^2\*x + b^2\*d^2)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^2\*d^2\*x^2 + 2\*a\*b\*c\*d^2\*x + a\*b\*d^2)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^3\*e^3\*x^3 - 3\*c^2\*e^3\*x^2 + 3\*c\*e^3\*x - e^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(5/2)\*(a+b\*asin(c\*x))\*\*2/(-c\*e\*x+e)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(cdx + d)^{\frac{5}{2}} (b \arcsin(cx) + a)^2}{(-cex + e)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(5/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(5/2),x, algorithm="giac")

[Out] integrate((c\*d\*x + d)^(5/2)\*(b\*arcsin(c\*x) + a)^2/(-c\*e\*x + e)^(5/2), x)

$$3.571 \quad \int \frac{(d+cdx)^{3/2}(a+b\sin^{-1}(cx))^2}{(e-cex)^{5/2}} dx$$

**Optimal.** Leaf size=544

$$\frac{32ib^2d^4(1-c^2x^2)^{5/2}\text{PolyLog}\left(2, ie^{-i\sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{d^4(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^3}{3bc(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{8id^4(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))}{3c(cdx+d)^{5/2}(e-cex)^{5/2}}$$

[Out] (((-8\*I)/3)\*d^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (d^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (32\*b\*d^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Log[1 - I/E^(I\*ArcSin[c\*x])])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (((32\*I)/3)\*b^2\*d^4\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, I/E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (4\*b\*d^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Sec[Pi/4 + ArcSin[c\*x]/2]^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (8\*b^2\*d^4\*(1 - c^2\*x^2)^(5/2)\*Tan[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (8\*d^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2\*Tan[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*d^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2\*Sec[Pi/4 + ArcSin[c\*x]/2]^2\*Tan[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2))

**Rubi [A]** time = 1.14456, antiderivative size = 544, normalized size of antiderivative = 1., number of steps used = 21, number of rules used = 13, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.406, Rules used = {4673, 4775, 4641, 4773, 3318, 4186, 3767, 8, 4184, 3717, 2190, 2279, 2391}

$$\frac{32ib^2d^4(1-c^2x^2)^{5/2}\text{PolyLog}\left(2, ie^{-i\sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{d^4(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))^3}{3bc(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{8id^4(1-c^2x^2)^{5/2}(a+b\sin^{-1}(cx))}{3c(cdx+d)^{5/2}(e-cex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[((d + c\*d\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(e - c\*e\*x)^(5/2), x]

[Out] (((-8\*I)/3)\*d^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (d^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (32\*b\*d^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Log[1 - I/E^(I\*ArcSin[c\*x])])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (((32\*I)/3)\*b^2\*d^4\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, I/E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (4\*b\*d^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Sec[Pi/4 + ArcSin[c\*x]/2]^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (8\*b^2\*d^4\*(1 - c^2\*x^2)^(5/2)\*Tan[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (8\*d^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2\*Tan[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*d^4\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2\*Sec[Pi/4 + ArcSin[c\*x]/2]^2\*Tan[Pi/4 + ArcSin[c\*x]/2])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2))

$$2*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x])*\text{Sec}[\text{Pi}/4 + \text{ArcSin}[c*x]/2]^2)/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (8*b^2*d^4*(1 - c^2*x^2)^{(5/2)}*\text{Tan}[\text{Pi}/4 + \text{ArcSin}[c*x]/2])/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) - (8*d^4*(1 - c^2*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x])^2*\text{Tan}[\text{Pi}/4 + \text{ArcSin}[c*x]/2])/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)}) + (2*d^4*(1 - c^2*x^2)^{(5/2)}*(a + b*\text{ArcSin}[c*x])^2*\text{Sec}[\text{Pi}/4 + \text{ArcSin}[c*x]/2]^2*\text{Tan}[\text{Pi}/4 + \text{ArcSin}[c*x]/2])/(3*c*(d + c*d*x)^{(5/2)}*(e - c*e*x)^{(5/2)})$$
Rule 4673

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*((d_.) + (e_.)*(x_.))^{(p_.)}*((f_.) + (g_.)*(x_.))^{(q_.)}, x\_Symbol] \rightarrow \text{Dist}[(d + e*x)^q*(f + g*x)^q]/(1 - c^2*x^2)^q, \text{Int}[(d + e*x)^{(p - q)}*(1 - c^2*x^2)^q*(a + b*\text{ArcSin}[c*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, n\}, x] \&\& \text{EqQ}[e*f + d*g, 0] \&\& \text{EqQ}[c^2*d^2 - e^2, 0] \&\& \text{HalfIntegerQ}[p, q] \&\& \text{GeQ}[p - q, 0]$$
Rule 4775

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*((f_.) + (g_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n/\text{Sqrt}[d + e*x^2], (f + g*x)^m*(d + e*x^2)^{(p + 1/2)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IntegerQ}[m] \&\& \text{ILtQ}[p + 1/2, 0] \&\& \text{GtQ}[d, 0] \&\& \text{IGtQ}[n, 0]$$
Rule 4641

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcSin}[c*x])^{(n + 1)}/(b*c*\text{Sqrt}[d]*(n + 1)), x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[d, 0] \&\& \text{NeQ}[n, -1]$$
Rule 4773

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*((f_.) + (g_.)*(x_.))^{(m_.)}/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Dist}[1/(c^{(m + 1)}*\text{Sqrt}[d]), \text{Subst}[\text{Int}[(a + b*x)^n*(c*f + g*\text{Sin}[x])^m, x], x, \text{ArcSin}[c*x]], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, n\}, x] \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{IntegerQ}[m] \&\& \text{GtQ}[d, 0] \&\& (\text{GtQ}[m, 0] \parallel \text{IGtQ}[n, 0])$$
Rule 3318

$$\text{Int}[(a_.) + (d_.)*(x_.)]^{(m_.)}*((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(2*a)^n, \text{Int}[(c + d*x)^m*\text{Sin}[(1*(e + (\text{Pi}*a)/(2*b)))/2 + (f*x)/2]^{(2*n)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[n] \&\& (\text{GtQ}[n, 0] \parallel \text{IGtQ}[m, 0])$$

Rule 4186

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:> -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x]
+ (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x]
+ Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x]
- Simp[(b^2*d*m*(c + d*x)^(m - 1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x]
&& GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :> -Simp[((c + d*x)^m*Cot[e + f*x])/f, x]
+ Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x]
- Dist[2*I, Int[(c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x))]/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x] /; FreeQ[{c, d, e, f}, x]
&& IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_)*((c_.) + (d_.)*(x_))^(m_))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x]
- Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))]
```

$)^n], x] /; \text{FreeQ}[\{F, a, b, c, d, e, n\}, x] \ \&\& \ \text{GtQ}[a, 0]$

### Rule 2391

$\text{Int}[\text{Log}[(c \cdot x)^n \cdot (d + (e \cdot x)^n)] / (x), x\_Symbol] \text{ :> } -\text{Simp}[\text{PolyLog}[2, -(c \cdot e \cdot x^n)] / n, x] /; \text{FreeQ}[\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c \cdot d, 1]$

### Rubi steps

$$\begin{aligned}
 \int \frac{(d + cdx)^{3/2} (a + b \sin^{-1}(cx))^2}{(e - cex)^{5/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(d+cdx)^4 (a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= \frac{(1 - c^2x^2)^{5/2} \int \left( \frac{d^4 (a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} + \frac{4d^4 (a+b \sin^{-1}(cx))^2}{(-1+cx)^2 \sqrt{1-c^2x^2}} + \frac{4d^4 (a+b \sin^{-1}(cx))^2}{(-1+cx) \sqrt{1-c^2x^2}} \right) dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= \frac{\left( d^4 (1 - c^2x^2)^{5/2} \right) \int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{\left( 4d^4 (1 - c^2x^2)^{5/2} \right) \int \frac{(a+b \sin^{-1}(cx))^2}{(-1+cx)^2 \sqrt{1-c^2x^2}} dx}{(d + cdx)^{5/2} (e - cex)^{5/2}} + \\
 &= \frac{d^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{\left( 4d^4 (1 - c^2x^2)^{5/2} \right) \text{Subst} \left( \int \frac{(a+bx)^2}{-c+c \sin(x)} dx, x \right)}{(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= \frac{d^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{\left( d^4 (1 - c^2x^2)^{5/2} \right) \text{Subst} \left( \int (a + bx)^2 \csc^4 \left( \frac{x}{4} \right) dx, x \right)}{c(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= \frac{d^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{4bd^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx)) \sec^2 \left( \frac{\pi}{4} \right)}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= -\frac{4id^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{d^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} - \frac{4ba}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= -\frac{8id^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{d^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{8b^2}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= -\frac{8id^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{d^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{8b^2}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= -\frac{8id^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{d^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{8b^2}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} \\
 &= -\frac{8id^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{d^4 (1 - c^2x^2)^{5/2} (a + b \sin^{-1}(cx))^3}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}} + \frac{8b^2}{3bc(d + cdx)^{5/2} (e - cex)^{5/2}}
 \end{aligned}$$

**Mathematica [B]** time = 9.92032, size = 1411, normalized size = 2.59

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((d + c\*d\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/(e - c\*e\*x)^(5/2),x]

[Out] (Sqrt[-(e\*(-1 + c\*x))]\*Sqrt[d\*(1 + c\*x)]\*((4\*a^2\*d)/(3\*e^3\*(-1 + c\*x)^2) + (8\*a^2\*d)/(3\*e^3\*(-1 + c\*x))))/c - (a^2\*d^(3/2)\*ArcTan[(c\*x\*Sqrt[-(e\*(-1 + c\*x))]\*Sqrt[d\*(1 + c\*x))]/(Sqrt[d]\*Sqrt[e]\*(-1 + c\*x)\*(1 + c\*x)))]/(c\*e^(5/2)) + (a\*b\*d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*(Cos[ArcSin[c\*x]/2]\*(-4 + 3\*ArcSin[c\*x] - 6\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]]) - Cos[(3\*ArcSin[c\*x])/2]\*(ArcSin[c\*x] - 2\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])) + 2\*(2 + 2\*ArcSin[c\*x] + Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + 4\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] + 2\*Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]])\*Sin[ArcSin[c\*x]/2]))/(3\*c\*e^3\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])^4\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) + (a\*b\*d\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*(Cos[ArcSin[c\*x]/2]\*(-8 - 6\*ArcSin[c\*x] + 9\*ArcSin[c\*x]^2 - 84\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]]) + Cos[(3\*ArcSin[c\*x])/2]\*(-ArcSin[c\*x]\*(14 + 3\*ArcSin[c\*x])) + 28\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]]) + 2\*(4 + 4\*ArcSin[c\*x] - 6\*ArcSin[c\*x]^2 + 56\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] + Sqrt[1 - c^2\*x^2]\*((14 - 3\*ArcSin[c\*x])\*ArcSin[c\*x] + 28\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]])))\*Sin[ArcSin[c\*x]/2]))/(6\*c\*e^3\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])^4\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) + (b^2\*d\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*((-3\*I)\*Pi\*ArcSin[c\*x] + (4\*ArcSin[c\*x])/(-1 + c\*x) - (1 - I)\*ArcSin[c\*x]^2 - (2\*ArcSin[c\*x]^2)/(-1 + c\*x) - 4\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])]) + 2\*Pi\*Log[1 + I\*E^(I\*ArcSin[c\*x])] - 4\*ArcSin[c\*x]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 4\*Pi\*Log[Cos[ArcSin[c\*x]/2]] - 2\*Pi\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]]) + (4\*I)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] + (2\*(4 + ArcSin[c\*x]^2 + c\*x\*(-4 + ArcSin[c\*x]^2))\*Sin[ArcSin[c\*x]/2])/(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])^3)/(3\*c\*e^3\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2) + (b^2\*d\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*((-21\*I)\*Pi\*ArcSin[c\*x] - (2\*(-2 + ArcSin[c\*x])\*ArcSin[c\*x])/(-1 + c\*x) - (7 - 7\*I)\*ArcSin[c\*x]^2 + ArcSin[c\*x]^3 - 28\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])]) + 14\*(Pi - 2\*ArcSin[c\*x])\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 28\*Pi\*Log[Cos[ArcSin[c\*x]/2]] - 14\*Pi\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]]) + (28\*I)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] + (4\*ArcSin[c\*x]^2\*Sin[ArcSin[c\*x]/2])/(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])^3 + (2\*(4 - 7\*ArcSin[c\*x]^2)\*Sin[ArcSin[c\*x]/2])/(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]))/(3\*c\*e^3\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[1



$$- c^2 x^2 (\cos[\arcsin[cx]/2] + \sin[\arcsin[cx]/2])^2$$


---

**Maple [F]** time = 0.206, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (cdx + d)^{\frac{3}{2}} (-cex + e)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(5/2),x)

[Out] int((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(5/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(a^2cdx + a^2d + (b^2cdx + b^2d) \arcsin(cx))^2 + 2(abc dx + abd) \arcsin(cx) \sqrt{cdx + d} \sqrt{-cex + e}}{c^3e^3x^3 - 3c^2e^3x^2 + 3ce^3x - e^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(5/2),x, algorithm="fricas")

[Out] integral(-(a^2\*c\*d\*x + a^2\*d + (b^2\*c\*d\*x + b^2\*d)\*arcsin(c\*x))^2 + 2\*(a\*b\*c\*d\*x + a\*b\*d)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^3\*e^3\*x^3 -

$3*c^2*e^{3*x^2} + 3*c*e^{3*x} - e^3), x)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2/(-c\*e\*x+e)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(cdx + d)^{\frac{3}{2}}(b \arcsin(cx) + a)^2}{(-cex + e)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(5/2),x, algorithm="giac")

[Out] integrate((c\*d\*x + d)^(3/2)\*(b\*arcsin(c\*x) + a)^2/(-c\*e\*x + e)^(5/2), x)

$$3.572 \quad \int \frac{\sqrt{d+cdx}(a+b \sin^{-1}(cx))^2}{(e-cex)^{5/2}} dx$$

**Optimal.** Leaf size=486

$$\frac{4ib^2d^3(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, ie^{-i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{id^3(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))^2}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{4bd^3(1-c^2x^2)^{5/2} \log\left(1-ie^{-i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}}$$

[Out]  $((-I/3)*d^3*(1-c^2*x^2)^{(5/2)}*(a+b*\text{ArcSin}[c*x])^2)/(c*(d+c*d*x)^{(5/2)}*(e-c*e*x)^{(5/2)}) - (4*b*d^3*(1-c^2*x^2)^{(5/2)}*(a+b*\text{ArcSin}[c*x])*Log[1-I/E^{(I*\text{ArcSin}[c*x])}])/(3*c*(d+c*d*x)^{(5/2)}*(e-c*e*x)^{(5/2)}) - (((4*I)/3)*b^2*d^3*(1-c^2*x^2)^{(5/2)}*\text{PolyLog}[2, I/E^{(I*\text{ArcSin}[c*x])}])/(c*(d+c*d*x)^{(5/2)}*(e-c*e*x)^{(5/2)}) - (2*b*d^3*(1-c^2*x^2)^{(5/2)}*(a+b*\text{ArcSin}[c*x])*Sec[\text{Pi}/4 + \text{ArcSin}[c*x]/2]^2)/(3*c*(d+c*d*x)^{(5/2)}*(e-c*e*x)^{(5/2)}) + (4*b^2*d^3*(1-c^2*x^2)^{(5/2)}*\text{Tan}[\text{Pi}/4 + \text{ArcSin}[c*x]/2])/(3*c*(d+c*d*x)^{(5/2)}*(e-c*e*x)^{(5/2)}) - (d^3*(1-c^2*x^2)^{(5/2)}*(a+b*\text{ArcSin}[c*x])^2*\text{Tan}[\text{Pi}/4 + \text{ArcSin}[c*x]/2])/(3*c*(d+c*d*x)^{(5/2)}*(e-c*e*x)^{(5/2)}) + (d^3*(1-c^2*x^2)^{(5/2)}*(a+b*\text{ArcSin}[c*x])^2*\text{Sec}[\text{Pi}/4 + \text{ArcSin}[c*x]/2]^2*\text{Tan}[\text{Pi}/4 + \text{ArcSin}[c*x]/2])/(3*c*(d+c*d*x)^{(5/2)}*(e-c*e*x)^{(5/2)})$

**Rubi [A]** time = 1.06978, antiderivative size = 486, normalized size of antiderivative = 1., number of steps used = 20, number of rules used = 12, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {4673, 4775, 4773, 3318, 4186, 3767, 8, 4184, 3717, 2190, 2279, 2391}

$$\frac{4ib^2d^3(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, ie^{-i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{id^3(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))^2}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{4bd^3(1-c^2x^2)^{5/2} \log\left(1-ie^{-i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + c\*d\*x]\*(a + b\*ArcSin[c\*x])^2)/(e - c\*e\*x)^(5/2), x]

[Out]  $((-I/3)*d^3*(1-c^2*x^2)^{(5/2)}*(a+b*\text{ArcSin}[c*x])^2)/(c*(d+c*d*x)^{(5/2)}*(e-c*e*x)^{(5/2)}) - (4*b*d^3*(1-c^2*x^2)^{(5/2)}*(a+b*\text{ArcSin}[c*x])*Log[1-I/E^{(I*\text{ArcSin}[c*x])}])/(3*c*(d+c*d*x)^{(5/2)}*(e-c*e*x)^{(5/2)}) - (((4*I)/3)*b^2*d^3*(1-c^2*x^2)^{(5/2)}*\text{PolyLog}[2, I/E^{(I*\text{ArcSin}[c*x])}])/(c*(d+c*d*x)^{(5/2)}*(e-c*e*x)^{(5/2)}) - (2*b*d^3*(1-c^2*x^2)^{(5/2)}*(a+b*\text{ArcSin}[c*x])*Sec[\text{Pi}/4 + \text{ArcSin}[c*x]/2]^2)/(3*c*(d+c*d*x)^{(5/2)}*(e-c*e*x)^{(5/2)}) + (4*b^2*d^3*(1-c^2*x^2)^{(5/2)}*\text{Tan}[\text{Pi}/4 + \text{ArcSin}[c*x]/2])/(3*c*(d+c*d*x)^{(5/2)}*(e-c*e*x)^{(5/2)}) - (d^3*(1-c^2*x^2)^{(5/2)}*(a+b*\text{ArcSin}[c*x])^2*\text{Tan}[\text{Pi}/4 + \text{ArcSin}[c*x]/2])/(3*c*(d+c*d*x)^{(5/2)}*(e-c*e*x)^{(5/2)}) + (d^3*(1-c^2*x^2)^{(5/2)}*(a+b*\text{ArcSin}[c*x])^2*\text{Sec}[\text{Pi}/4 + \text{ArcSin}[c*x]/2]^2*\text{Tan}[\text{Pi}/4 + \text{ArcSin}[c*x]/2])/(3*c*(d+c*d*x)^{(5/2)}*(e-c*e*x)^{(5/2)})$

$$(d^3(1 - c^2x^2)^{5/2}(a + b\text{ArcSin}[cx])^2\text{Sec}[\pi/4 + \text{ArcSin}[cx]/2]^2 * \text{Tan}[\pi/4 + \text{ArcSin}[cx]/2]) / (3c(d + cd^2x)^{5/2}(e - ce^2x)^{5/2})$$
Rule 4673

$$\text{Int}[(a + \text{ArcSin}[c(x)](b))^{(n)}((d) + (e)(x))^{(p)}((f) + (g)(x))^{(q)}, x\_Symbol] \rightarrow \text{Dist}[(d + ex)^q(f + gx)^q / (1 - c^2x^2)^q, \text{Int}[(d + ex)^{(p-q)}(1 - c^2x^2)^q(a + b\text{ArcSin}[cx])^n, x] /; \text{FreeQ}\{a, b, c, d, e, f, g, n\}, x] \&\& \text{EqQ}[ef + d^2g, 0] \&\& \text{EqQ}[c^2d^2 - e^2, 0] \&\& \text{HalfIntegerQ}[p, q] \&\& \text{GeQ}[p - q, 0]$$
Rule 4775

$$\text{Int}[(a + \text{ArcSin}[c(x)](b))^{(n)}((f) + (g)(x))^{(m)}((d) + (e)(x)^2)^{(p)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b\text{ArcSin}[cx])^n / \text{Sqrt}[d + ex^2], (f + gx)^m(d + ex^2)^{(p+1/2)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x] \&\& \text{EqQ}[c^2d + e, 0] \&\& \text{IntegerQ}[m] \&\& \text{ILtQ}[p + 1/2, 0] \&\& \text{GtQ}[d, 0] \&\& \text{IGtQ}[n, 0]$$
Rule 4773

$$\text{Int}[(a + \text{ArcSin}[c(x)](b))^{(n)}((f) + (g)(x))^{(m)} / \text{Sqrt}[(d) + (e)(x)^2], x\_Symbol] \rightarrow \text{Dist}[1/(c^{(m+1)}\text{Sqrt}[d]), \text{Subst}[\text{Int}[(a + bx)^n(cf + g\text{Sin}[x])^m, x], x, \text{ArcSin}[cx]], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, n\}, x] \&\& \text{EqQ}[c^2d + e, 0] \&\& \text{IntegerQ}[m] \&\& \text{GtQ}[d, 0] \&\& (\text{GtQ}[m, 0] \mid \mid \text{IGtQ}[n, 0])$$
Rule 3318

$$\text{Int}[(c + (d)(x))^{(m)}((a) + (b)\text{sin}[(e) + (f)(x)])^{(n)}, x\_Symbol] \rightarrow \text{Dist}[(2a)^n, \text{Int}[(c + dx)^m\text{Sin}[(1(e + (\pi a)/(2b)))/2 + (fx)/2]^{(2n)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[n] \&\& (\text{GtQ}[n, 0] \mid \mid \text{IGtQ}[m, 0])$$
Rule 4186

$$\text{Int}[(\text{csc}[(e) + (f)(x)](b))^{(n)}((c) + (d)(x))^{(m)}, x\_Symbol] \rightarrow -\text{Simp}[(b^2(c + dx)^m\text{Cot}[e + fx](b\text{Csc}[e + fx])^{(n-2)}) / (f(n-1)), x] + (\text{Dist}[(b^2d^2m(m-1)) / (f^2(n-1)(n-2)), \text{Int}[(c + dx)^{(m-2)}(b\text{Csc}[e + fx])^{(n-2)}, x], x] + \text{Dist}[(b^2(n-2)) / (n-1), \text{Int}[(c + dx)^m(b\text{Csc}[e + fx])^{(n-2)}, x], x] - \text{Simp}[(b^2d^2m(c + dx)^{(m-1)}(b\text{Csc}[e + fx])^{(n-2)}) / (f^2(n-1)(n-2)), x]) /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{NeQ}[n, 2] \&\& \text{GtQ}[m, 1]$$

Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 4184

Int[csc[(e\_.) + (f\_.)\*(x\_)]^2\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := -Simp[((c + d\*x)^m\*Cot[e + f\*x])/f, x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Cot[e + f\*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x))))^n]/a)/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x))))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_))^(n\_.)]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+cdx} (a+b\sin^{-1}(cx))^2}{(e-cex)^{5/2}} dx &= \frac{(1-c^2x^2)^{5/2} \int \frac{(d+cdx)^3 (a+b\sin^{-1}(cx))^2}{(1-c^2x^2)^{5/2}} dx}{(d+cdx)^{5/2} (e-cex)^{5/2}} \\
&= \frac{(1-c^2x^2)^{5/2} \int \left( \frac{2d^3 (a+b\sin^{-1}(cx))^2}{(-1+cx)^2 \sqrt{1-c^2x^2}} + \frac{d^3 (a+b\sin^{-1}(cx))^2}{(-1+cx) \sqrt{1-c^2x^2}} \right) dx}{(d+cdx)^{5/2} (e-cex)^{5/2}} \\
&= \frac{\left( d^3 (1-c^2x^2)^{5/2} \right) \int \frac{(a+b\sin^{-1}(cx))^2}{(-1+cx) \sqrt{1-c^2x^2}} dx}{(d+cdx)^{5/2} (e-cex)^{5/2}} + \frac{\left( 2d^3 (1-c^2x^2)^{5/2} \right) \int \frac{(a+b\sin^{-1}(cx))^2}{(-1+cx)^2 \sqrt{1-c^2x^2}} dx}{(d+cdx)^{5/2} (e-cex)^{5/2}} \\
&= \frac{\left( d^3 (1-c^2x^2)^{5/2} \right) \text{Subst} \left( \int \frac{(a+bx)^2}{-c+c\sin(x)} dx, x, \sin^{-1}(cx) \right)}{(d+cdx)^{5/2} (e-cex)^{5/2}} + \frac{\left( 2cd^3 (1-c^2x^2)^{5/2} \right) \text{Subst} \left( \int \frac{(a+bx)^2}{-c+c\sin(x)} dx, x, \sin^{-1}(cx) \right)}{(d+cdx)^{5/2} (e-cex)^{5/2}} \\
&= \frac{\left( d^3 (1-c^2x^2)^{5/2} \right) \text{Subst} \left( \int (a+bx)^2 \csc^2 \left( \frac{\pi}{4} - \frac{x}{2} \right) dx, x, \sin^{-1}(cx) \right)}{2c(d+cdx)^{5/2} (e-cex)^{5/2}} + \frac{\left( d^3 (1-c^2x^2)^{5/2} \right) \text{Subst} \left( \int (a+bx)^2 \csc^2 \left( \frac{\pi}{4} - \frac{x}{2} \right) dx, x, \sin^{-1}(cx) \right)}{2c(d+cdx)^{5/2} (e-cex)^{5/2}} \\
&= \frac{2bd^3 (1-c^2x^2)^{5/2} (a+b\sin^{-1}(cx)) \sec^2 \left( \frac{\pi}{4} + \frac{1}{2} \sin^{-1}(cx) \right)}{3c(d+cdx)^{5/2} (e-cex)^{5/2}} - \frac{d^3 (1-c^2x^2)^{5/2} (a+b\sin^{-1}(cx)) \sec^2 \left( \frac{\pi}{4} + \frac{1}{2} \sin^{-1}(cx) \right)}{c(d+cdx)^{5/2} (e-cex)^{5/2}} \\
&= \frac{id^3 (1-c^2x^2)^{5/2} (a+b\sin^{-1}(cx))^2}{c(d+cdx)^{5/2} (e-cex)^{5/2}} - \frac{2bd^3 (1-c^2x^2)^{5/2} (a+b\sin^{-1}(cx)) \sec^2 \left( \frac{\pi}{4} + \frac{1}{2} \sin^{-1}(cx) \right)}{3c(d+cdx)^{5/2} (e-cex)^{5/2}} \\
&= \frac{id^3 (1-c^2x^2)^{5/2} (a+b\sin^{-1}(cx))^2}{3c(d+cdx)^{5/2} (e-cex)^{5/2}} + \frac{4b^2d^3 (1-c^2x^2)^{5/2} \cot \left( \frac{\pi}{4} - \frac{1}{2} \sin^{-1}(cx) \right)}{3c(d+cdx)^{5/2} (e-cex)^{5/2}} - \frac{4b^2d^3 (1-c^2x^2)^{5/2} \cot \left( \frac{\pi}{4} - \frac{1}{2} \sin^{-1}(cx) \right)}{3c(d+cdx)^{5/2} (e-cex)^{5/2}} \\
&= \frac{id^3 (1-c^2x^2)^{5/2} (a+b\sin^{-1}(cx))^2}{3c(d+cdx)^{5/2} (e-cex)^{5/2}} + \frac{4b^2d^3 (1-c^2x^2)^{5/2} \cot \left( \frac{\pi}{4} - \frac{1}{2} \sin^{-1}(cx) \right)}{3c(d+cdx)^{5/2} (e-cex)^{5/2}} - \frac{4b^2d^3 (1-c^2x^2)^{5/2} \cot \left( \frac{\pi}{4} - \frac{1}{2} \sin^{-1}(cx) \right)}{3c(d+cdx)^{5/2} (e-cex)^{5/2}} \\
&= \frac{id^3 (1-c^2x^2)^{5/2} (a+b\sin^{-1}(cx))^2}{3c(d+cdx)^{5/2} (e-cex)^{5/2}} + \frac{4b^2d^3 (1-c^2x^2)^{5/2} \cot \left( \frac{\pi}{4} - \frac{1}{2} \sin^{-1}(cx) \right)}{3c(d+cdx)^{5/2} (e-cex)^{5/2}} - \frac{4b^2d^3 (1-c^2x^2)^{5/2} \cot \left( \frac{\pi}{4} - \frac{1}{2} \sin^{-1}(cx) \right)}{3c(d+cdx)^{5/2} (e-cex)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 8.23552, size = 683, normalized size = 1.41

$$b^2(cx+1)\sqrt{cdx+d}\sqrt{e-cex}\sqrt{-de(1-c^2x^2)} \left( 4i\text{PolyLog} \left( 2, -ie^{i\sin^{-1}(cx)} \right) - \frac{2\sin^{-1}(cx)^2}{cx-1} - (1-i)\sin^{-1}(cx)^2 + \frac{4\sin^{-1}(cx)}{cx-1} - 3 \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[d + c\*d\*x]\*(a + b\*ArcSin[c\*x])^2)/(e - c\*e\*x)^(5/2),x]

[Out] (Sqrt[-(e\*(-1 + c\*x))]\*Sqrt[d\*(1 + c\*x)]\*((2\*a^2)/(3\*e^3\*(-1 + c\*x)^2) + a^2/(3\*e^3\*(-1 + c\*x))))/c + (a\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*(Cos[ArcSin[c\*x]/2]\*(-4 + 3\*ArcSin[c\*x] - 6\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]]) - Cos[(3\*ArcSin[c\*x])/2]\*(ArcSin[c\*x] - 2\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])) + 2\*(2 + 2\*ArcSin[c\*x] + Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + 4\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] + 2\*Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]])\*Sin[ArcSin[c\*x]/2]))/(3\*c\*e^3\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])^4\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) + (b^2\*(1 + c\*x)\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*((-3\*I)\*Pi\*ArcSin[c\*x] + (4\*ArcSin[c\*x])/(-1 + c\*x) - (1 - I)\*ArcSin[c\*x]^2 - (2\*ArcSin[c\*x]^2)/(-1 + c\*x) - 4\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])] + 2\*Pi\*Log[1 + I\*E^(I\*ArcSin[c\*x])] - 4\*ArcSin[c\*x]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 4\*Pi\*Log[Cos[ArcSin[c\*x]/2]] - 2\*Pi\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]] + (4\*I)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] + (2\*(4 + ArcSin[c\*x]^2 + c\*x\*(-4 + ArcSin[c\*x]^2))\*Sin[ArcSin[c\*x]/2])/(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])^3))/(3\*c\*e^3\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])^2)

**Maple [F]** time = 0.273, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 \sqrt{cdx + d} (-cex + e)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(5/2),x)

[Out] int((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(5/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)\sqrt{cdx+d}\sqrt{-cex+e}}{c^3e^3x^3 - 3c^2e^3x^2 + 3ce^3x - e^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(a+b\*arcsin(c\*x))^2/(-c\*e\*x+e)^(5/2),x, algorithm="fricas")

[Out] integral(-(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^3\*e^3\*x^3 - 3\*c^2\*e^3\*x^2 + 3\*c\*e^3\*x - e^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(1/2)\*(a+b\*asin(c\*x))\*\*2/(-c\*e\*x+e)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{cdx+d}(b \arcsin(cx) + a)^2}{(-cex+e)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((c*d*x+d)^(1/2)*(a+b*arcsin(c*x))^2/(-c*e*x+e)^(5/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(c*d*x + d)*(b*arcsin(c*x) + a)^2/(-c*e*x + e)^(5/2), x)
```

$$3.573 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{d+cdx}(e-cex)^{5/2}} dx$$

**Optimal.** Leaf size=896

$$\frac{c^2 d^2 (1-c^2 x^2) (a+b \sin^{-1}(cx))^2 x^3}{3(cxd+d)^{5/2}(e-cex)^{5/2}} - \frac{bcd^2 (1-c^2 x^2)^{3/2} (a+b \sin^{-1}(cx)) x^2}{3(cxd+d)^{5/2}(e-cex)^{5/2}} + \frac{2b^2 d^2 (1-c^2 x^2)^2 x}{3(cxd+d)^{5/2}(e-cex)^{5/2}} + \frac{2d^2 (1-c^2 x^2)^2}{3(cxd+d)^{5/2}(e-cex)^{5/2}}$$

[Out] (2\*b^2\*d^2\*(1 - c^2\*x^2)^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*b^2\*d^2\*x\*(1 - c^2\*x^2)^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (b^2\*d^2\*(1 - c^2\*x^2)^(5/2)\*ArcSin[c\*x])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (b\*d^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (2\*b\*d^2\*x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (b\*c\*d^2\*x^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*d^2\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (d^2\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (c^2\*d^2\*x^3\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*d^2\*x\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - ((I/3)\*d^2\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (((4\*I)/3)\*b\*d^2\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*b\*d^2\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (((2\*I)/3)\*b^2\*d^2\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (((2\*I)/3)\*b^2\*d^2\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - ((I/3)\*b^2\*d^2\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2))

**Rubi [A]** time = 1.23074, antiderivative size = 896, normalized size of antiderivative = 1., number of steps used = 30, number of rules used = 18, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.562$ , Rules used = {4673, 4763, 4655, 4651, 4675, 3719, 2190, 2279, 2391, 4677, 191, 4657, 4181, 261, 4681, 4703, 288, 216}

$$\frac{c^2 d^2 (1-c^2 x^2) (a+b \sin^{-1}(cx))^2 x^3}{3(cxd+d)^{5/2}(e-cex)^{5/2}} - \frac{bcd^2 (1-c^2 x^2)^{3/2} (a+b \sin^{-1}(cx)) x^2}{3(cxd+d)^{5/2}(e-cex)^{5/2}} + \frac{2b^2 d^2 (1-c^2 x^2)^2 x}{3(cxd+d)^{5/2}(e-cex)^{5/2}} + \frac{2d^2 (1-c^2 x^2)^2}{3(cxd+d)^{5/2}(e-cex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/(Sqrt[d + c\*d\*x]\*(e - c\*e\*x)^(5/2)),x]

[Out] (2\*b^2\*d^2\*(1 - c^2\*x^2)^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*b^2\*d^2\*x\*(1 - c^2\*x^2)^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (b^2\*d^2\*(1 - c^2\*x^2)^(5/2)\*ArcSin[c\*x])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (b\*d^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (2\*b\*d^2\*x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (b\*c\*d^2\*x^2\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*d^2\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (d^2\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (c^2\*d^2\*x^3\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*d^2\*x\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - ((I/3)\*d^2\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (((4\*I)/3)\*b\*d^2\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*b\*d^2\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (((2\*I)/3)\*b^2\*d^2\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (((2\*I)/3)\*b^2\*d^2\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - ((I/3)\*b^2\*d^2\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2))

### Rule 4673

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((d\_) + (e\_.)\*(x\_))^(p\_)\*((f\_) + (g\_.)\*(x\_))^(q\_), x\_Symbol] := Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4763

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_) + (g\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, (f + g\*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[c^2\*d + e, 0] && IGtQ[m, 0] && IntegerQ[p + 1/2] && GtQ[d, 0] && IGtQ[n, 0] && (m == 1 || p > 0 || (n == 1 && p > -1) || (m == 2 && p < -2))

### Rule 4655

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(x\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*d\*(p + 1))

), x] + (Dist[(2\*p + 3)/(2\*d\*(p + 1)), Int[(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n, x], x] + Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[x\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]

#### Rule 4651

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^(n\_.)/((d\_.) + (e\_.)\*(x\_)^2)^(3/2), x\_Symbol] := Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n)/Sqrt[d], Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(d + e\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]

#### Rule 4675

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)^(n\_.)\*(x\_))/((d\_.) + (e\_.)\*(x\_)^2), x\_Symbol] := -Dist[e^(-1), Subst[Int[(a + b\*x)^n\*Tan[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

#### Rule 3719

Int[(((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

#### Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

#### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

#### Rule 2391

Int[Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

Rule 191

Int[((a\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)/((d\_.) + (e\_.)\*(x\_)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

Rule 261

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 4681

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] && NeQ[m, -1]

Rule 4703

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*(a +
b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + (-Dist[(f^2*(m - 1))/(2*e*(p + 1)),
Int[(f*x)^(m - 2)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[
(b*f*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^Fra
cPart[p]), Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[
n, 0] && LtQ[p, -1] && GtQ[m, 1]

```

### Rule 288

```

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^
(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[(c^
n*(m - n + 1))/(b*n*(p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^(p + 1), x], x]
/; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !I
LtQ[(m + n*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

```

### Rule 216

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{d + cdx}(e - cex)^{5/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(d+cdx)^2(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{(1 - c^2x^2)^{5/2} \int \left( \frac{d^2(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{5/2}} + \frac{2cd^2x(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{5/2}} + \frac{c^2d^2x^2(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{5/2}} \right) dx}{(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{(d^2(1 - c^2x^2)^{5/2}) \int \frac{(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{(2cd^2(1 - c^2x^2)^{5/2}) \int \frac{x(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{(c^2d^2(1 - c^2x^2)^{5/2}) \int \frac{x^2(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{2d^2(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{d^2x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{c^2d^2x^3(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= -\frac{bd^2(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{2bd^2x(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{bcd^2x^2(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{2b^2d^2(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{2b^2d^2x(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{bd^2(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{2b^2d^2(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{2b^2d^2x(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{b^2d^2(1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{bd^2(1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{3(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{2b^2d^2(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{2b^2d^2x(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{b^2d^2(1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{bd^2(1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{3(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{2b^2d^2(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{2b^2d^2x(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{b^2d^2(1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{bd^2(1 - c^2x^2)^{5/2} \sin^{-1}(cx)}{3(d + cdx)^{5/2}(e - cex)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 6.60171, size = 388, normalized size = 0.43

$$\sqrt{cdx + d}\sqrt{e - cex} \left( \frac{b^2 \left( -8i \operatorname{PolyLog} \left( 2, -ie^{i \sin^{-1}(cx)} \right) + 4 \tan \left( \frac{1}{4} (2 \sin^{-1}(cx) + \pi) \right) + \sin^{-1}(cx) \left( -2 \sec^2 \left( \frac{1}{4} (2 \sin^{-1}(cx) + \pi) \right) + 8 \log \left( 1 + ie^{i \sin^{-1}(cx)} \right) \right) + \sin^{-1}(cx) \right)}{\sqrt{1 - c^2x^2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(Sqrt[d + c\*d\*x]\*(e - c\*e\*x)^(5/2)),x]

[Out] (Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*((-2\*a^2\*(-2 + c\*x))/(-1 + c\*x)^2 + (2\*a\*b\*(Cos[(3\*ArcSin[c\*x])/2]\*(ArcSin[c\*x] - 2\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])) + Cos[ArcSin[c\*x]/2]\*(-2 + 3\*ArcSin[c\*x] + 6\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])) + 2\*(1 - (-1 + Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x] - 2\*(2 + Sqrt[1 - c^2\*x^2])\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]))\*Sin[ArcSin[c\*x]/2]))/(Sqrt[1 - c^2\*x^2]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])^3) + (b^2\*((-8\*I)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] + ArcSin[c\*x]\*(8\*Log[1 + I\*E^(I\*ArcSin[c\*x])]) - 2\*Sec[(Pi + 2\*ArcSin[c\*x])/4]^2) + 4\*Tan[(Pi + 2\*ArcSin[c\*x])/4] + ArcSin[c\*x]^2\*(-2\*I + (2 + Sec[(Pi + 2\*ArcSin[c\*x])/4]^2)\*Tan[(Pi + 2\*ArcSin[c\*x])/4])))/Sqrt[1 - c^2\*x^2]))/(6\*c\*d\*e^3)

**Maple [F]** time = 0.257, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 \frac{1}{\sqrt{cdx + d}} (-cex + e)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(5/2),x)

[Out] int((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(5/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(5/2),x, algorithm="maxima")

[Out] Exception raised: ValueError



**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)\sqrt{cdx+d}\sqrt{-cex+e}}{c^4de^3x^4 - 2c^3de^3x^3 + 2cde^3x - de^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(5/2),x, algorithm="fricas")

[Out] integral(-(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^4\*d\*e^3\*x^4 - 2\*c^3\*d\*e^3\*x^3 + 2\*c\*d\*e^3\*x - d\*e^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/(c\*d\*x+d)\*\*(1/2)/(-c\*e\*x+e)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{\sqrt{cdx+d}(-cex+e)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/(sqrt(c\*d\*x + d)\*(-c\*e\*x + e)^(5/2)), x)

$$3.574 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2}(e-cex)^{5/2}} dx$$

**Optimal.** Leaf size=709

$$\frac{ib^2d(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{ib^2d(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{2ib^2d(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, -e^{(2I) \text{ArcSin}[c*x]}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}}$$

[Out] (b^2\*d\*(1 - c^2\*x^2)^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (b^2\*d\*x\*(1 - c^2\*x^2)^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (b\*d\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (b\*d\*x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (d\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (d\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*d\*x\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (((2\*I)/3)\*d\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (((2\*I)/3)\*b\*d\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (4\*b\*d\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - ((I/3)\*b^2\*d\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + ((I/3)\*b^2\*d\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (((2\*I)/3)\*b^2\*d\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2))

**Rubi [A]** time = 0.835558, antiderivative size = 709, normalized size of antiderivative = 1., number of steps used = 21, number of rules used = 14, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$ , Rules used = {4673, 4763, 4655, 4651, 4675, 3719, 2190, 2279, 2391, 4677, 191, 4657, 4181, 261}

$$\frac{ib^2d(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{ib^2d(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{2ib^2d(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, -e^{(2I) \text{ArcSin}[c*x]}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(5/2)), x]

[Out] (b^2\*d\*(1 - c^2\*x^2)^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (b^2\*d\*x\*(1 - c^2\*x^2)^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (b\*d\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (b\*d\*x\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (d\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (d\*x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*d\*x\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (((2\*I)/3)\*d\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (((2\*I)/3)\*b\*d\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*ArcTan[E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (4\*b\*d\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - ((I/3)\*b^2\*d\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + ((I/3)\*b^2\*d\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (((2\*I)/3)\*b^2\*d\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2))

$$\begin{aligned}
& x^2)^{(3/2)} * (a + b * \text{ArcSin}[c * x]) / (3 * c * (d + c * d * x)^{(5/2)} * (e - c * e * x)^{(5/2)}) - \\
& (b * d * x * (1 - c^2 * x^2)^{(3/2)} * (a + b * \text{ArcSin}[c * x])) / (3 * (d + c * d * x)^{(5/2)} * (e - \\
& c * e * x)^{(5/2)}) + (d * (1 - c^2 * x^2) * (a + b * \text{ArcSin}[c * x])^2) / (3 * c * (d + c * d * x)^{(5/2)} * (e - \\
& c * e * x)^{(5/2)}) + (d * x * (1 - c^2 * x^2) * (a + b * \text{ArcSin}[c * x])^2) / (3 * (d + \\
& c * d * x)^{(5/2)} * (e - c * e * x)^{(5/2)}) + (2 * d * x * (1 - c^2 * x^2)^2 * (a + b * \text{ArcSin}[c * x] \\
& )^2) / (3 * (d + c * d * x)^{(5/2)} * (e - c * e * x)^{(5/2)}) - (((2 * I) / 3) * d * (1 - c^2 * x^2)^{(5/2)} * (a + b * \text{ArcSin}[c * x])^2) / (c * (d + c * d * x)^{(5/2)} * (e - c * e * x)^{(5/2)}) + (((2 * I) / 3) * b * d * (1 - c^2 * x^2)^{(5/2)} * (a + b * \text{ArcSin}[c * x]) * \text{ArcTan}[E^{(I * \text{ArcSin}[c * x])}]) / (c * (d + c * d * x)^{(5/2)} * (e - c * e * x)^{(5/2)}) + (4 * b * d * (1 - c^2 * x^2)^{(5/2)} * (a + b * \text{ArcSin}[c * x]) * \text{Log}[1 + E^{((2 * I) * \text{ArcSin}[c * x])}]) / (3 * c * (d + c * d * x)^{(5/2)} * (e - c * e * x)^{(5/2)}) - ((I / 3) * b^2 * d * (1 - c^2 * x^2)^{(5/2)} * \text{PolyLog}[2, (-I) * E^{(I * \text{ArcSin}[c * x])}]) / (c * (d + c * d * x)^{(5/2)} * (e - c * e * x)^{(5/2)}) + ((I / 3) * b^2 * d * (1 - c^2 * x^2)^{(5/2)} * \text{PolyLog}[2, I * E^{(I * \text{ArcSin}[c * x])}]) / (c * (d + c * d * x)^{(5/2)} * (e - c * e * x)^{(5/2)}) - (((2 * I) / 3) * b^2 * d * (1 - c^2 * x^2)^{(5/2)} * \text{PolyLog}[2, -E^{((2 * I) * \text{ArcSin}[c * x])}]) / (c * (d + c * d * x)^{(5/2)} * (e - c * e * x)^{(5/2)})
\end{aligned}$$

### Rule 4673

$$\begin{aligned}
& \text{Int}[(a + \text{ArcSin}[c * x]) * (b + (d + e * x)^p)^n * (f + g * x)^q, x\_Symbol] :> \text{Dist}[(d + e * x)^q * (f + g * x)^q / (1 - c^2 * x \\
& ^2)^q, \text{Int}[(d + e * x)^{p - q} * (1 - c^2 * x^2)^q * (a + b * \text{ArcSin}[c * x])^n, x] \\
& /; \text{FreeQ}\{a, b, c, d, e, f, g, n\}, x\} \&\& \text{EqQ}[e * f + d * g, 0] \&\& \text{EqQ}[c^2 * d^2 - \\
& e^2, 0] \&\& \text{HalfIntegerQ}[p, q] \&\& \text{GeQ}[p - q, 0]
\end{aligned}$$

### Rule 4763

$$\begin{aligned}
& \text{Int}[(a + \text{ArcSin}[c * x]) * (b + (d + e * x)^p)^n * (f + g * x)^m, x\_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(d + e * x^2)^p * (a + \\
& b * \text{ArcSin}[c * x])^n * (f + g * x)^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x\} \&\& \\
& \text{EqQ}[c^2 * d + e, 0] \&\& \text{IGtQ}[m, 0] \&\& \text{IntegerQ}[p + 1/2] \&\& \text{GtQ}[d, 0] \&\& \text{IGtQ} \\
& [n, 0] \&\& (m == 1 \ || \ p > 0 \ || \ (n == 1 \ \&\& \ p > -1) \ || \ (m == 2 \ \&\& \ p < -2))
\end{aligned}$$

### Rule 4655

$$\begin{aligned}
& \text{Int}[(a + \text{ArcSin}[c * x]) * (b + (d + e * x^2)^p)^n, x\_Symbol] :> -\text{Simp}[(x * (d + e * x^2)^{p + 1} * (a + b * \text{ArcSin}[c * x])^n) / (2 * d * (p + 1) \\
& ), x] + (\text{Dist}[(2 * p + 3) / (2 * d * (p + 1)), \text{Int}[(d + e * x^2)^{p + 1} * (a + b * \text{ArcSi} \\
& n[c * x])^n, x], x] + \text{Dist}[(b * c * n * d^{\text{IntPart}[p]} * (d + e * x^2)^{\text{FracPart}[p]}) / (2 * (p \\
& + 1) * (1 - c^2 * x^2)^{\text{FracPart}[p]}], \text{Int}[x * (1 - c^2 * x^2)^{(p + 1/2)} * (a + b * \text{ArcS} \\
& in[c * x])^{n - 1}, x], x]) /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[c^2 * d + e, 0] \\
& \&\& \text{GtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{NeQ}[p, -3/2]
\end{aligned}$$

### Rule 4651

$$\text{Int}[(a + \text{ArcSin}[c * x]) * (b + (d + e * x^2)^{3/2}), x$$

```
_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(
b*c^n)/Sqrt[d], Int[(x*(a + b*ArcSin[c*x])^(n - 1))/(d + e*x^2), x], x] /;
FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]
```

### Rule 4675

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_)*(x_.)/((d_.) + (e_.)*(x_.)^2),
x_Symbol] := -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x]
], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 3719

```
Int[((c_.) + (d_.)*(x_.))^m_*tan[(e_.) + (f_.)*(x_.)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^n_)*((c_.) + (d_.)*(x_.))^m_)/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^n_), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_.))))^n_], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_.) + (e_.)*(x_.)^n_)]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 4677

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_)*(x_.)*((d_.) + (e_.)*(x_.)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

Rule 191

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 4657

Int[((a\_) + ArcSin[(c\_)\*(x\_)\*(b\_)])^(n\_)/((d\_) + (e\_)\*(x\_)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

Rule 4181

Int[csc[(e\_) + Pi\*(k\_) + (f\_)\*(x\_)]\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

Rule 261

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{5/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(d+cdx)(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{(1 - c^2x^2)^{5/2} \int \left( \frac{d(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{5/2}} + \frac{cdx(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{5/2}} \right) dx}{(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{\left( d(1 - c^2x^2)^{5/2} \right) \int \frac{(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{\left( cd(1 - c^2x^2)^{5/2} \right) \int \frac{x(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{d(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{dx(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{\left( 2d(1 - c^2x^2)^{5/2} \right) \int \frac{(a+b \sin^{-1}(cx))^2}{(1-c^2x^2)^{5/2}} dx}{3(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= -\frac{bd(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{bdx(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{d(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{b^2d(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{b^2dx(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{bd(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{b^2d(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{b^2dx(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{bd(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{b^2d(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{b^2dx(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{bd(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{b^2d(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{b^2dx(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{bd(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{b^2d(1 - c^2x^2)^2}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{b^2dx(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{bd(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 8.28958, size = 760, normalized size = 1.07

$$b^2\sqrt{1 - c^2x^2}\sqrt{cdx + d}\sqrt{e - cex} \left( -10i\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right) - 6i\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right) + (1 - 4i)\sin^{-1}(cx)^2 - \frac{(\sin^{-1}(cx))^2}{c} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(5/2)),x]

[Out] (Sqrt[-(e\*(-1 + c\*x))]\*Sqrt[d\*(1 + c\*x)]\*(a^2/(6\*d^2\*e^3\*(-1 + c\*x)^2) - (5\*a^2)/(12\*d^2\*e^3\*(-1 + c\*x)) - a^2/(4\*d^2\*e^3\*(1 + c\*x))))/c - (a\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[1 - c^2\*x^2]\*(2\*ArcSin[c\*x]\*(2\*c\*x + Cos[2\*ArcSin[c\*x]]) + Sqrt[1 - c^2\*x^2]\*(-1 + 5\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] + 3\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]] - c\*x\*(5\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] + 3\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]])))/(3\*c\*d\*e^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))]\*(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])^3\*(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])) - (b^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*Sqrt[1 - c^2\*x^2]\*((9\*I)\*Pi\*ArcSin[c\*x] - ((-2 + ArcSin[c\*x])\*ArcSin[c\*x])/(-1 + c\*x) + (1 - 4\*I)\*ArcSin[c\*x]^2 + 16\*Pi\*Log[1 + E^((-I)\*ArcSin[c\*x])]) + 3\*(Pi + 2\*ArcSin[c\*x])\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - 5\*(Pi - 2\*ArcSin[c\*x])\*Log[1 + I\*E^(I\*ArcSin[c\*x])] - 16\*Pi\*Log[Cos[ArcSin[c\*x]/2]] + 5\*Pi\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]] - 3\*Pi\*Log[Sin[(Pi + 2\*ArcSin[c\*x])/4]] - (10\*I)\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] - (6\*I)\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])] + (2\*ArcSin[c\*x]^2\*Sin[ArcSin[c\*x]/2])/(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2])^3 + ((4 + 5\*ArcSin[c\*x]^2)\*Sin[ArcSin[c\*x]/2])/(Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]) + (3\*ArcSin[c\*x]^2\*Sin[ArcSin[c\*x]/2])/(Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2])))/(6\*c\*d\*e^2\*Sqrt[-((d + c\*d\*x)\*(e - c\*e\*x))]\*Sqrt[-(d\*e\*(1 - c^2\*x^2))])

**Maple [F]** time = 0.257, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (cdx + d)^{-\frac{3}{2}} (-cex + e)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(3/2)/(-c\*e\*x+e)^(5/2),x)

[Out] int((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(3/2)/(-c\*e\*x+e)^(5/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(5/2),x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2) \sqrt{cdx + d} \sqrt{-cex + e}}{c^5 d^2 e^3 x^5 - c^4 d^2 e^3 x^4 - 2c^3 d^2 e^3 x^3 + 2c^2 d^2 e^3 x^2 + cd^2 e^3 x - d^2 e^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(5/2),x, algorithm
="fricas")
```

```
[Out] integral(-(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*sqrt(c*d*x + d)*sqrt
(-c*e*x + e)/(c^5*d^2*e^3*x^5 - c^4*d^2*e^3*x^4 - 2*c^3*d^2*e^3*x^3 + 2*c^
2*d^2*e^3*x^2 + c*d^2*e^3*x - d^2*e^3), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))**2/(c*d*x+d)**(3/2)/(-c*e*x+e)**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(cdx + d)^{\frac{3}{2}} (-cex + e)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2/((c*d*x + d)^(3/2)*(-c*e*x + e)^(5/2)), x)
```

$$3.575 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{(d+cdx)^{5/2}(e-cex)^{5/2}} dx$$

**Optimal.** Leaf size=366

$$\frac{2ib^2(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{2i(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))^2}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{2x(1-c^2x^2)^2(a+b \sin^{-1}(cx))^2}{3(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{b}{3(cdx+d)^{5/2}(e-cex)^{5/2}}$$

[Out] (b^2\*x\*(1 - c^2\*x^2)^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (b\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*x\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (((2\*I)/3)\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (4\*b\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (((2\*I)/3)\*b^2\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2))

**Rubi [A]** time = 0.474141, antiderivative size = 366, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$ , Rules used = {4673, 4655, 4651, 4675, 3719, 2190, 2279, 2391, 4677, 191}

$$\frac{2ib^2(1-c^2x^2)^{5/2} \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{2i(1-c^2x^2)^{5/2}(a+b \sin^{-1}(cx))^2}{3c(cdx+d)^{5/2}(e-cex)^{5/2}} + \frac{2x(1-c^2x^2)^2(a+b \sin^{-1}(cx))^2}{3(cdx+d)^{5/2}(e-cex)^{5/2}} - \frac{b}{3(cdx+d)^{5/2}(e-cex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/((d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)),x]

[Out] (b^2\*x\*(1 - c^2\*x^2)^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (b\*(1 - c^2\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x]))/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (2\*x\*(1 - c^2\*x^2)^2\*(a + b\*ArcSin[c\*x])^2)/(3\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (((2\*I)/3)\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2)/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) + (4\*b\*(1 - c^2\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(3\*c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)) - (((2\*I)/3)\*b^2\*(1 - c^2\*x^2)^(5/2)\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c\*(d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2))

**Rule 4673**

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_) + (e_.)*(x_.)^(p_))*((f_)
+ (g_.)*(x_.)^(q_), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

#### Rule 4655

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_), x_
Symbol] := -Simp[(x*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*d*(p + 1)
), x] + (Dist[(2*p + 3)/(2*d*(p + 1)), Int[(d + e*x^2)^(p + 1)*(a + b*ArcSi
n[c*x])^n, x], x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*(p
+ 1)*(1 - c^2*x^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcS
in[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0]
&& GtQ[n, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

#### Rule 4651

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2)^(3/2), x
_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(
b*c*n)/Sqrt[d], Int[(x*(a + b*ArcSin[c*x])^(n - 1))/(d + e*x^2), x], x] /;
FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]
```

#### Rule 4675

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)/((d_) + (e_.)*(x_)^2),
x_Symbol] := -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x]
], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

#### Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

#### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_
.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p +
1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1
- c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n
, 0] && NeQ[p, -1]
```

Rule 191

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1)
)/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{(d + cdx)^{5/2}(e - cex)^{5/2}} dx &= \frac{(1 - c^2x^2)^{5/2} \int \frac{(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{5/2}} dx}{(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{(2(1 - c^2x^2)^{5/2}) \int \frac{(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{3/2}} dx}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{(2bc(1 - c^2x^2)^5)}{3(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= -\frac{b(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{2x(1 - c^2x^2)^2(a + b \sin^{-1}(cx))}{3(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{b^2x(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{b(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{b^2x(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{b(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{b^2x(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{b(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{b^2x(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{b(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} \\
&= \frac{b^2x(1 - c^2x^2)^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}} - \frac{b(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{3c(d + cdx)^{5/2}(e - cex)^{5/2}} + \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{3(d + cdx)^{5/2}(e - cex)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 9.40846, size = 722, normalized size = 1.97

$$\frac{b^2 \left( -16i(1 - c^2x^2)^{3/2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) - 16i(1 - c^2x^2)^{3/2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) + 2\sqrt{1 - c^2x^2} \left( -3i \sin^{-1}(cx) \right)^2 \right)}{3(d + cdx)^{5/2}(e - cex)^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/((d + c\*d\*x)^(5/2)\*(e - c\*e\*x)^(5/2)),x]

[Out] (4\*a^2\*c\*x\*(3 - 2\*c^2\*x^2) + b^2\*(c\*x + 6\*c\*x\*ArcSin[c\*x]^2 + (4\*I)\*Pi\*ArcSin[c\*x]\*Cos[3\*ArcSin[c\*x]] - (2\*I)\*ArcSin[c\*x]^2\*Cos[3\*ArcSin[c\*x]] + 8\*Pi\*Cos[3\*ArcSin[c\*x]]\*Log[1 + E^((-I)\*ArcSin[c\*x])]) + 2\*Pi\*Cos[3\*ArcSin[c\*x]]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] + 4\*ArcSin[c\*x]\*Cos[3\*ArcSin[c\*x]]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - 2\*Pi\*Cos[3\*ArcSin[c\*x]]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 4\*ArcSin[c\*x]\*Cos[3\*ArcSin[c\*x]]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] - 8\*Pi\*Cos[3\*

```

ArcSin[c*x]]*Log[Cos[ArcSin[c*x]/2]] + 2*Pi*Cos[3*ArcSin[c*x]]*Log[-Cos[(Pi
+ 2*ArcSin[c*x])/4]] + 2*Sqrt[1 - c^2*x^2]*((-3*I)*ArcSin[c*x]^2 + ArcSin[
c*x]*(-2 + (6*I)*Pi + 6*Log[1 - I*E^(I*ArcSin[c*x])] + 6*Log[1 + I*E^(I*Arc
Sin[c*x])]) + 3*Pi*(4*Log[1 + E^((-I)*ArcSin[c*x])] + Log[1 - I*E^(I*ArcSin
[c*x]]) - Log[1 + I*E^(I*ArcSin[c*x])]) - 4*Log[Cos[ArcSin[c*x]/2]] + Log[-C
os[(Pi + 2*ArcSin[c*x])/4]] - Log[Sin[(Pi + 2*ArcSin[c*x])/4]]) - 2*Pi*Cos
[3*ArcSin[c*x]]*Log[Sin[(Pi + 2*ArcSin[c*x])/4]] - (16*I)*(1 - c^2*x^2)^(3/
2)*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] - (16*I)*(1 - c^2*x^2)^(3/2)*PolyLog[
2, I*E^(I*ArcSin[c*x])] + Sin[3*ArcSin[c*x]] + 2*ArcSin[c*x]^2*Sin[3*ArcSin
[c*x]]) + 4*a*b*(Sqrt[1 - c^2*x^2]*(-1 + 2*Log[Cos[ArcSin[c*x]/2] - Sin[Arc
Sin[c*x]/2]] + 2*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]] + 2*Cos[2*Arc
Sin[c*x]]*(Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]] + Log[Cos[ArcSin[c*
x]/2] + Sin[ArcSin[c*x]/2]))) + ArcSin[c*x]*(3*c*x + Sin[3*ArcSin[c*x]])))/
(12*d^2*e^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(c - c^3*x^2))

```

**Maple [F]** time = 0.259, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (cdx + d)^{-\frac{5}{2}} (-cex + e)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/(c*d*x+d)^(5/2)/(-c*e*x+e)^(5/2),x)
```

```
[Out] int((a+b*arcsin(c*x))^2/(c*d*x+d)^(5/2)/(-c*e*x+e)^(5/2),x)
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(5/2)/(-c*e*x+e)^(5/2),x, algorithm
="maxima")
```

```
[Out] Timed out
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)\sqrt{cdx+d}\sqrt{-cex+e}}{c^6d^3e^3x^6 - 3c^4d^3e^3x^4 + 3c^2d^3e^3x^2 - d^3e^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(5/2)/(-c\*e\*x+e)^(5/2),x, algorithm="fricas")

[Out] integral(-(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^6\*d^3\*e^3\*x^6 - 3\*c^4\*d^3\*e^3\*x^4 + 3\*c^2\*d^3\*e^3\*x^2 - d^3\*e^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/(c\*d\*x+d)\*\*(5/2)/(-c\*e\*x+e)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(cdx + d)^{\frac{5}{2}}(-cex + e)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(5/2)/(-c\*e\*x+e)^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/((c\*d\*x + d)^(5/2)\*(-c\*e\*x + e)^(5/2)), x)

$$3.576 \quad \int x^2 \sqrt{d + cdx} \sqrt{e - cex} \left( a + b \sin^{-1}(cx) \right)^2 dx$$

**Optimal.** Leaf size=351

$$\frac{bcx^4 \sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{8\sqrt{1 - c^2x^2}} + \frac{bx^2 \sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{8c\sqrt{1 - c^2x^2}} + \frac{\sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{24bc^3\sqrt{1 - c^2x^2}}$$

```
[Out] (b^2*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/(64*c^2) - (b^2*x^3*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/32 - (b^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x])/(64*c^3*Sqrt[1 - c^2*x^2]) + (b*x^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x]))/(8*c*Sqrt[1 - c^2*x^2]) - (b*c*x^4*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x]))/(8*Sqrt[1 - c^2*x^2]) - (x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/(8*c^2) + (x^3*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/4 + (Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^3)/(24*b*c^3*Sqrt[1 - c^2*x^2])
```

**Rubi [A]** time = 0.70498, antiderivative size = 351, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4739, 4697, 4707, 4641, 4627, 321, 216}

$$\frac{bcx^4 \sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{8\sqrt{1 - c^2x^2}} + \frac{bx^2 \sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{8c\sqrt{1 - c^2x^2}} + \frac{\sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{24bc^3\sqrt{1 - c^2x^2}}$$

Antiderivative was successfully verified.

```
[In] Int[x^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2,x]
```

```
[Out] (b^2*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/(64*c^2) - (b^2*x^3*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/32 - (b^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x])/(64*c^3*Sqrt[1 - c^2*x^2]) + (b*x^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x]))/(8*c*Sqrt[1 - c^2*x^2]) - (b*c*x^4*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x]))/(8*Sqrt[1 - c^2*x^2]) - (x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/(8*c^2) + (x^3*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/4 + (Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^3)/(24*b*c^3*Sqrt[1 - c^2*x^2])
```

**Rule 4739**

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^ (n_.)*((h_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_))^(p_.)*((f_.) + (g_.)*(x_))^(q_), x_Symbol] := Dist[(((d^2*g)/e))^I
```



ntPart[q]\*(d + e\*x)^FracPart[q]\*(f + g\*x)^FracPart[q]]/(1 - c^2\*x^2)^FracPart[q], Int[(h\*x)^m\*(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4697

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2)), x] + (Dist[Sqrt[d + e\*x^2]/((m + 2)\*Sqrt[1 - c^2\*x^2]), Int[((f\*x)^m\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(f\*(m + 2)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_))^(m\_))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 321

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p

+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned}
 \int x^2 \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))^2 dx &= \frac{(\sqrt{d + cdx} \sqrt{e - cex}) \int x^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2 dx}{\sqrt{1 - c^2 x^2}} \\
 &= \frac{1}{4} x^3 \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))^2 + \frac{(\sqrt{d + cdx} \sqrt{e - cex}) \int \frac{x^{2(a+bs)}}{\sqrt{1-c^2x^2}} dx}{4\sqrt{1-c^2x^2}} \\
 &= -\frac{bcx^4 \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{8\sqrt{1-c^2x^2}} - \frac{x \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{8c^2} \\
 &= -\frac{1}{32} b^2 x^3 \sqrt{d + cdx} \sqrt{e - cex} + \frac{bx^2 \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{8c\sqrt{1-c^2x^2}} - \frac{bx \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{8c^2} \\
 &= \frac{b^2 x \sqrt{d + cdx} \sqrt{e - cex}}{64c^2} - \frac{1}{32} b^2 x^3 \sqrt{d + cdx} \sqrt{e - cex} + \frac{bx^2 \sqrt{d + cdx} \sqrt{e - cex}}{8c\sqrt{1-c^2x^2}} - \frac{bx \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{8c^2} \\
 &= \frac{b^2 x \sqrt{d + cdx} \sqrt{e - cex}}{64c^2} - \frac{1}{32} b^2 x^3 \sqrt{d + cdx} \sqrt{e - cex} - \frac{b^2 \sqrt{d + cdx} \sqrt{e - cex}}{64c^3 \sqrt{1-c^2x^2}} + \frac{bx^2 \sqrt{d + cdx} \sqrt{e - cex}}{8c\sqrt{1-c^2x^2}} - \frac{bx \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{8c^2}
 \end{aligned}$$

**Mathematica [A]** time = 1.13902, size = 297, normalized size = 0.85

$$3\sqrt{cdx + d}\sqrt{e - cex} \left( 32a^2 cx \sqrt{1 - c^2 x^2} (2c^2 x^2 - 1) - 4ab \cos(4 \sin^{-1}(cx)) + b^2 \sin(4 \sin^{-1}(cx)) \right) - 96a^2 \sqrt{d} \sqrt{e} \sqrt{1 - c^2 x^2} \tan^{-1} \left( \frac{cx \sqrt{d + cdx} \sqrt{e - cex}}{\sqrt{d} \sqrt{e} \sqrt{1 - c^2 x^2}} \right) - 12b \sqrt{d + cdx} \sqrt{e - cex} \sin^{-1} \left( \frac{cx \sqrt{d + cdx} \sqrt{e - cex}}{\sqrt{d} \sqrt{e} \sqrt{1 - c^2 x^2}} \right) - \frac{b^2 \sqrt{d + cdx} \sqrt{e - cex}}{64c^3 \sqrt{1 - c^2 x^2}} + \frac{bx^2 \sqrt{d + cdx} \sqrt{e - cex}}{8c \sqrt{1 - c^2 x^2}} - \frac{bx \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{8c^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (32\*b^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^3 - 96\*a^2\*Sqrt[d]\*Sqrt[e]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))] - 12\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x] - \frac{b^2 \sqrt{d + cdx} \sqrt{e - cex}}{64c^3 \sqrt{1 - c^2 x^2}} + \frac{bx^2 \sqrt{d + cdx} \sqrt{e - cex}}{8c \sqrt{1 - c^2 x^2}} - \frac{bx \sqrt{d + cdx} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{8c^2})

]\*(b\*cos[4\*ArcSin[c\*x]] + 4\*a\*sin[4\*ArcSin[c\*x]]) - 24\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^2\*(-4\*a + b\*sin[4\*ArcSin[c\*x]]) + 3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(32\*a^2\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-1 + 2\*c^2\*x^2) - 4\*a\*b\*cos[4\*ArcSin[c\*x]] + b^2\*sin[4\*ArcSin[c\*x]])/(768\*c^3\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0.648, size = 0, normalized size = 0.

$$\int x^2 \sqrt{cdx + d} \sqrt{-cex + e} (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(1/2)\*(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^2\*(c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(1/2)\*(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(1/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(b^2x^2 \arcsin(cx)^2 + 2abx^2 \arcsin(cx) + a^2x^2\right)\sqrt{cdx + d}\sqrt{-cex + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(1/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] `integral((b^2*x^2*arcsin(c*x)^2 + 2*a*b*x^2*arcsin(c*x) + a^2*x^2)*sqrt(c*d*x + d)*sqrt(-c*e*x + e), x)`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(c*d*x+d)**(1/2)*(-c*e*x+e)**(1/2)*(a+b*asin(c*x))**2,x)`

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{cdx + d} \sqrt{-cex + e} (b \arcsin(cx) + a)^2 x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2,x, algorithm="giac")`

[Out] `integrate(sqrt(c*d*x + d)*sqrt(-c*e*x + e)*(b*arcsin(c*x) + a)^2*x^2, x)`

$$3.577 \quad \int x\sqrt{d+cdx}\sqrt{e-cex}\left(a+b\sin^{-1}(cx)\right)^2 dx$$

**Optimal.** Leaf size=225

$$\frac{2bcx^3\sqrt{cdx+d}\sqrt{e-cex}\left(a+b\sin^{-1}(cx)\right)}{9\sqrt{1-c^2x^2}} + \frac{2bx\sqrt{cdx+d}\sqrt{e-cex}\left(a+b\sin^{-1}(cx)\right)}{3c\sqrt{1-c^2x^2}} - \frac{(1-c^2x^2)\sqrt{cdx+d}\sqrt{e-cex}\left(a+b\sin^{-1}(cx)\right)}{3c^2}$$

[Out] (4\*b^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(9\*c^2) + (2\*b^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(1 - c^2\*x^2))/(27\*c^2) + (2\*b\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(3\*c\*Sqrt[1 - c^2\*x^2]) - (2\*b\*c\*x^3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(9\*Sqrt[1 - c^2\*x^2]) - (Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*c^2)

**Rubi [A]** time = 0.394956, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {4739, 4677, 4645, 444, 43}

$$\frac{2bcx^3\sqrt{cdx+d}\sqrt{e-cex}\left(a+b\sin^{-1}(cx)\right)}{9\sqrt{1-c^2x^2}} + \frac{2bx\sqrt{cdx+d}\sqrt{e-cex}\left(a+b\sin^{-1}(cx)\right)}{3c\sqrt{1-c^2x^2}} - \frac{(1-c^2x^2)\sqrt{cdx+d}\sqrt{e-cex}\left(a+b\sin^{-1}(cx)\right)}{3c^2}$$

Antiderivative was successfully verified.

[In] Int[x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (4\*b^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(9\*c^2) + (2\*b^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(1 - c^2\*x^2))/(27\*c^2) + (2\*b\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(3\*c\*Sqrt[1 - c^2\*x^2]) - (2\*b\*c\*x^3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(9\*Sqrt[1 - c^2\*x^2]) - (Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(3\*c^2)

#### Rule 4739

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((h\_.)\*(x\_.))^ (m\_.)\*((d\_.) + (e\_.)\*(x\_.))^ (p\_.)\*((f\_.) + (g\_.)\*(x\_.))^ (q\_.), x\_Symbol] := Dist[(-((d^2\*g)/e))^I IntPart[q]\*(d + e\*x)^FracPart[q]\*(f + g\*x)^FracPart[q]]/(1 - c^2\*x^2)^FracPart[q], Int[(h\*x)^m\*(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

#### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

#### Rule 4645

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

#### Rule 444

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]
```

#### Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

#### Rubi steps

$$\begin{aligned}
\int x\sqrt{d+cdx}\sqrt{e-cex}(a+b\sin^{-1}(cx))^2 dx &= \frac{(\sqrt{d+cdx}\sqrt{e-cex}) \int x\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2 dx}{\sqrt{1-c^2x^2}} \\
&= -\frac{\sqrt{d+cdx}\sqrt{e-cex}(1-c^2x^2)(a+b\sin^{-1}(cx))^2}{3c^2} + \frac{(2b\sqrt{d+cdx}\sqrt{e-cex})}{9\sqrt{1-c^2x^2}} \\
&= \frac{2bx\sqrt{d+cdx}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{3c\sqrt{1-c^2x^2}} - \frac{2bcx^3\sqrt{d+cdx}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{9\sqrt{1-c^2x^2}} \\
&= \frac{2bx\sqrt{d+cdx}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{3c\sqrt{1-c^2x^2}} - \frac{2bcx^3\sqrt{d+cdx}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{9\sqrt{1-c^2x^2}} \\
&= \frac{2bx\sqrt{d+cdx}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{3c\sqrt{1-c^2x^2}} - \frac{2bcx^3\sqrt{d+cdx}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{9\sqrt{1-c^2x^2}} \\
&= \frac{4b^2\sqrt{d+cdx}\sqrt{e-cex}}{9c^2} + \frac{2b^2\sqrt{d+cdx}\sqrt{e-cex}(1-c^2x^2)}{27c^2} + \frac{2bx\sqrt{d+cdx}\sqrt{e-cex}}{9\sqrt{1-c^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.58508, size = 178, normalized size = 0.79

$$\frac{\sqrt{cdx+d}\sqrt{e-cex}\left(9a^2(c^2x^2-1)^2+6abcx\sqrt{1-c^2x^2}(c^2x^2-3)+6b\sin^{-1}(cx)\left(3a(c^2x^2-1)^2+bcx\sqrt{1-c^2x^2}(c^2x^2-3)\right)\right)}{27c^2(c^2x^2-1)}$$

Antiderivative was successfully verified.

[In] Integrate[x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(6\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-3 + c^2\*x^2) + 9\*a^2\*(-1 + c^2\*x^2)^2 - 2\*b^2\*(7 - 8\*c^2\*x^2 + c^4\*x^4) + 6\*b\*(b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(-3 + c^2\*x^2) + 3\*a\*(-1 + c^2\*x^2)^2)\*ArcSin[c\*x] + 9\*b^2\*(-1 + c^2\*x^2)^2\*ArcSin[c\*x]^2))/(27\*c^2\*(-1 + c^2\*x^2))

**Maple [F]** time = 0.361, size = 0, normalized size = 0.

$$\int x\sqrt{cdx+d}\sqrt{-cex+e}(a+b\arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2,x)
```

```
[Out] int(x*(c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2,x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 2.44801, size = 435, normalized size = 1.93

$$\frac{\left( (9a^2 - 2b^2)c^4x^4 - 2(9a^2 - 8b^2)c^2x^2 + 9(b^2c^4x^4 - 2b^2c^2x^2 + b^2) \arcsin(cx)^2 + 9a^2 - 14b^2 + 18(abc^4x^4 - 2abc^2x^2 + c^4x^2 - c^2) \right)}{27(c^4x^2 - c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2,x, algorithm="fricas")
```

```
[Out] 1/27*((9*a^2 - 2*b^2)*c^4*x^4 - 2*(9*a^2 - 8*b^2)*c^2*x^2 + 9*(b^2*c^4*x^4 - 2*b^2*c^2*x^2 + b^2)*arcsin(c*x)^2 + 9*a^2 - 14*b^2 + 18*(a*b*c^4*x^4 - 2*a*b*c^2*x^2 + a*b)*arcsin(c*x) + 6*(a*b*c^3*x^3 - 3*a*b*c*x + (b^2*c^3*x^3 - 3*b^2*c*x)*arcsin(c*x))*sqrt(-c^2*x^2 + 1))*sqrt(c*d*x + d)*sqrt(-c*e*x + e)/(c^4*x^2 - c^2)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*d\*x+d)\*\*(1/2)\*(-c\*e\*x+e)\*\*(1/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.59997, size = 610, normalized size = 2.71

$$\frac{9(cdx+d)^{\frac{3}{2}}\sqrt{-(cdx+d)de+2d^2ea^2}\left(\frac{(cdx+d)e^{(-6)}}{d^6}-\frac{2e^{(-6)}}{d^5}\right)|d|}{cd^3} + \frac{6\left(3(cdx+d)^{\frac{3}{2}}\sqrt{-(cdx+d)de+2d^2e}\left(\frac{(cdx+d)e^{(-6)}}{d^6}-\frac{2e^{(-6)}}{d^5}\right)\arcsin(cx)-\frac{(cdx+d)^3-3(cdx+d)^2d}{d^2|d|}e^{\left(-\frac{11}{2}\right)}\right)}{cd^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(1/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/4320*(9*(c*d*x + d)^{(3/2)}*\sqrt{-(c*d*x + d)*d*e + 2*d^2*e}*a^2*((c*d*x + d)*e^{(-6)}/d^6 - 2*e^{(-6)}/d^5)*\text{abs}(d)/(c*d^3) + 6*(3*(c*d*x + d)^{(3/2)}*\sqrt{-(c*d*x + d)*d*e + 2*d^2*e}*((c*d*x + d)*e^{(-6)}/d^6 - 2*e^{(-6)}/d^5)*\arcsin(c*x) - ((c*d*x + d)^3 - 3*(c*d*x + d)^2*d)*e^{(-11/2)}/(d^{(9/2)}*\text{abs}(d)))*a*b*\text{abs}(d)/(c*d^3) + (9*(c*d*x + d)^{(3/2)}*\sqrt{-(c*d*x + d)*d*e + 2*d^2*e}*((c*d*x + d)*e^{(-6)}/d^6 - 2*e^{(-6)}/d^5)*\arcsin(c*x)^2 + \sqrt{d}*(6*\pi*e^{(-6)}/d^2 - (6*(c^2*x^2 - 1)*c*d^2*x*\arcsin(-c*x) + 24*c*d^2*x*\arcsin(-c*x) - 9*\sqrt{-c^2*x^2 + 1}*c*d^2*x + 18*(c^2*x^2 - 1)*d^2*\arcsin(-c*x) + 2*(-c^2*x^2 + 1)^{(3/2)}*d^2 + 9*d^2*\arcsin(-c*x) - 24*\sqrt{-c^2*x^2 + 1}*d^2 - 9*(4*c*d*x*\arcsin(-c*x) - \sqrt{-c^2*x^2 + 1}*c*d*x + 2*(c^2*x^2 - 1)*d*\arcsin(-c*x) + d*\arcsin(-c*x) - 4*\sqrt{-c^2*x^2 + 1}*d)*e^{(-6)}/d^4)*e^{(1/2)}/\text{abs}(d))*b^2*\text{abs}(d)/(c*d^3))/(c*d) \end{aligned}$$

$$3.578 \quad \int \sqrt{d + cdx} \sqrt{e - cex} \left( a + b \sin^{-1}(cx) \right)^2 dx$$

**Optimal.** Leaf size=222

$$\frac{\sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))^3}{6bc\sqrt{1 - c^2x^2}} - \frac{bcx^2 \sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2x^2}} + \frac{1}{2} x \sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))$$

[Out]  $-(b^2*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])/4 + (b^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*\text{ArcSin}[c*x])/(4*c*\text{Sqrt}[1 - c^2*x^2]) - (b*c*x^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x]))/(2*\text{Sqrt}[1 - c^2*x^2]) + (x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^2)/2 + (\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^3)/(6*b*c*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 0.290495, antiderivative size = 222, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {4673, 4647, 4641, 4627, 321, 216}

$$\frac{\sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))^3}{6bc\sqrt{1 - c^2x^2}} - \frac{bcx^2 \sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2x^2}} + \frac{1}{2} x \sqrt{cdx + d} \sqrt{e - cex} (a + b \sin^{-1}(cx))$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^2, x]$

[Out]  $-(b^2*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])/4 + (b^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*\text{ArcSin}[c*x])/(4*c*\text{Sqrt}[1 - c^2*x^2]) - (b*c*x^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x]))/(2*\text{Sqrt}[1 - c^2*x^2]) + (x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^2)/2 + (\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^3)/(6*b*c*\text{Sqrt}[1 - c^2*x^2])$

#### Rule 4673

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((d + e*x)^p*(f + g*x)^q)/(1 - c^2*x^2)^q, x\_Symbol] := \text{Dist}[(d + e*x)^q*(f + g*x)^q/(1 - c^2*x^2)^q, \text{Int}[(d + e*x)^{p-q}*(1 - c^2*x^2)^q*(a + b*\text{ArcSin}[c*x])^n, x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f, g, n\}, x \ \&\& \ \text{EqQ}[e*f + d*g, 0] \ \&\& \ \text{EqQ}[c^2*d^2 - e^2, 0] \ \&\& \ \text{HalfIntegerQ}[p, q] \ \&\& \ \text{GeQ}[p - q, 0]$

#### Rule 4647

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/(2*Sqrt[1 - c^2*x^2]), Int[x*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
```

#### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

#### Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

#### Rule 321

```
Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol]
:> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol]
:> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

#### Rubi steps

$$\begin{aligned}
\int \sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))^2 dx &= \frac{(\sqrt{d+cdx}\sqrt{e-cex}) \int \sqrt{1-c^2x^2} (a+b\sin^{-1}(cx))^2 dx}{\sqrt{1-c^2x^2}} \\
&= \frac{1}{2}x\sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))^2 + \frac{(\sqrt{d+cdx}\sqrt{e-cex}) \int \frac{(a+b\sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{2\sqrt{1-c^2x^2}} \\
&= -\frac{bcx^2\sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))}{2\sqrt{1-c^2x^2}} + \frac{1}{2}x\sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx)) \\
&= -\frac{1}{4}b^2x\sqrt{d+cdx}\sqrt{e-cex} - \frac{bcx^2\sqrt{d+cdx}\sqrt{e-cex} (a+b\sin^{-1}(cx))}{2\sqrt{1-c^2x^2}} + \frac{1}{2}x\sqrt{d+cdx}\sqrt{e-cex} \\
&= -\frac{1}{4}b^2x\sqrt{d+cdx}\sqrt{e-cex} + \frac{b^2\sqrt{d+cdx}\sqrt{e-cex}\sin^{-1}(cx)}{4c\sqrt{1-c^2x^2}} - \frac{bcx^2\sqrt{d+cdx}\sqrt{e-cex}}{2\sqrt{1-c^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 1.09889, size = 288, normalized size = 1.3

$$3\sqrt{cdx+d}\sqrt{e-cex} \left( 4a^2cx\sqrt{1-c^2x^2} + 2ab \cos(2\sin^{-1}(cx)) - b^2 \sin(2\sin^{-1}(cx)) \right) - 12a^2\sqrt{d}\sqrt{e}\sqrt{1-c^2x^2} \tan^{-1}\left(\frac{cx\sqrt{cdx+d}}{\sqrt{d}\sqrt{e-cex}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (4\*b^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^3 - 12\*a^2\*Sqrt[d]\*Sqrt[e]\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))] + 6\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]\*(b\*Cos[2\*ArcSin[c\*x]] + 2\*a\*Sin[2\*ArcSin[c\*x]]) + 6\*b\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^2\*(2\*a + b\*Sin[2\*ArcSin[c\*x]]) + 3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(4\*a^2\*c\*x\*Sqrt[1 - c^2\*x^2] + 2\*a\*b\*Cos[2\*ArcSin[c\*x]] - b^2\*Sin[2\*ArcSin[c\*x]]))/(24\*c\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{cdx+d}\sqrt{-cex+e} (a+b\arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2,x)
```

```
[Out] int((c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2,x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2,x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2\right)\sqrt{cdx + d}\sqrt{-cex + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2,x, algorithm
="fricas")
```

```
[Out] integral((b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*sqrt(c*d*x + d)*sqrt
(-c*e*x + e), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{d(cx+1)}\sqrt{-e(cx-1)}(a+b\text{asin}(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(1/2)*(-c*e*x+e)**(1/2)*(a+b*asin(c*x))**2,x)
```

[Out] Integral(sqrt(d\*(c\*x + 1))\*sqrt(-e\*(c\*x - 1))\*(a + b\*asin(c\*x))\*\*2, x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{cdx + d}\sqrt{-cex + e}(b \arcsin(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(1/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)\*(b\*arcsin(c\*x) + a)^2, x)

$$3.579 \quad \int \frac{\sqrt{d+cdx}\sqrt{e-cex}(a+b\sin^{-1}(cx))^2}{x} dx$$

**Optimal.** Leaf size=432

$$\frac{2ib\sqrt{cdx+d}\sqrt{e-cex}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} - \frac{2ib\sqrt{cdx+d}\sqrt{e-cex}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}}$$

```
[Out] -2*b^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x] - (2*a*b*c*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/Sqrt[1 - c^2*x^2] - (2*b^2*c*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x])/Sqrt[1 - c^2*x^2] + Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2 - (2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2*ArcTan[E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] + ((2*I)*b*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])*PolyLog[2, -E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] - ((2*I)*b*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])*PolyLog[2, E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] - (2*b^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*PolyLog[3, -E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] + (2*b^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*PolyLog[3, E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2]
```

**Rubi [A]** time = 0.6809, antiderivative size = 432, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$ , Rules used = {4739, 4697, 4709, 4183, 2531, 2282, 6589, 4619, 261}

$$\frac{2ib\sqrt{cdx+d}\sqrt{e-cex}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} - \frac{2ib\sqrt{cdx+d}\sqrt{e-cex}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/x,x]
```

```
[Out] -2*b^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x] - (2*a*b*c*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/Sqrt[1 - c^2*x^2] - (2*b^2*c*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x])/Sqrt[1 - c^2*x^2] + Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2 - (2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2*ArcTan[E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] + ((2*I)*b*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])*PolyLog[2, -E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] - ((2*I)*b*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])*PolyLog[2, E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] - (2*b^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*PolyLog[3, -E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] + (2*b^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*PolyLog[3, E^(I*ArcSin[c*x])])/Sqrt[1 - c^2*x^2]
```

Rule 4739

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((h_.)*(x_))^(m_.)*((d_) + (e_.)*(x_))^(p_.)*((f_) + (g_.)*(x_))^(q_), x_Symbol] := Dist[(-(d^2*g)/e)^IntPart[q]*
(d + e*x)^FracPart[q]*(f + g*x)^FracPart[q]]/(1 - c^2*x^2)^FracPart[q], Int[(h*x)^m*(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

Rule 4697

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[((f*x)^(m + 1)*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/(f*(m + 2)), x] + (Dist[Sqrt[d + e*x^2]/((m + 2)*Sqrt[1 - c^2*x^2]), Int[((f*x)^m*(a + b*ArcSin[c*x])^n)/Sqrt[1 - c^2*x^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/((f*(m + 2)*Sqrt[1 - c^2*x^2]), Int[(f*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])
```

Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_)]/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))]^(n_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/((b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
```



```
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*(F_)[v_]] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4619

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))^(n_), x_Symbol] := Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

### Rule 261

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

### Rubi steps



$(I \cdot \text{ArcSin}[c \cdot x]) / \text{Sqrt}[1 - c^2 \cdot x^2]$

---

**Maple [F]** time = 0.296, size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^2}{x} \sqrt{cdx + d} \sqrt{-cex + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2/x,x)`

[Out] `int((c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2/x,x)`

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2/x,x, algorithm="maxima")`

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2) \sqrt{cdx + d} \sqrt{-cex + e}}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2/x,x, algorithm="fricas")`

[Out] `integral((b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*sqrt(c*d*x + d)*sqrt(-c*e*x + e)/x, x)`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(1/2)\*(-c\*e\*x+e)\*\*(1/2)\*(a+b\*asin(c\*x))\*\*2/x,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{cdx + d}\sqrt{-cex + e}(b \arcsin(cx) + a)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(1/2)\*(a+b\*arcsin(c\*x))^2/x,x, algorithm="giac")

[Out] integrate(sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)\*(b\*arcsin(c\*x) + a)^2/x, x)

$$3.580 \quad \int \frac{\sqrt{d+cdx}\sqrt{e-cex}(a+b\sin^{-1}(cx))^2}{x^2} dx$$

**Optimal.** Leaf size=257

$$\frac{ib^2c\sqrt{cdx+d}\sqrt{e-cex}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{\sqrt{1-c^2x^2}} - \frac{c\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))^3}{3b\sqrt{1-c^2x^2}} - \frac{ic\sqrt{cdx+d}\sqrt{e-cex}(a+bs)}{\sqrt{1-c^2x^2}}$$

```
[Out] -((Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/x) - (I*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/Sqrt[1 - c^2*x^2] - (c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^3)/(3*b*Sqrt[1 - c^2*x^2]) + (2*b*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] - (I*b^2*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*PolyLog[2, E^((2*I)*ArcSin[c*x])])/Sqrt[1 - c^2*x^2]
```

**Rubi [A]** time = 0.594417, antiderivative size = 257, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {4739, 4693, 4625, 3717, 2190, 2279, 2391, 4641}

$$\frac{ib^2c\sqrt{cdx+d}\sqrt{e-cex}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{\sqrt{1-c^2x^2}} - \frac{c\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))^3}{3b\sqrt{1-c^2x^2}} - \frac{ic\sqrt{cdx+d}\sqrt{e-cex}(a+bs)}{\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/x^2, x]
```

```
[Out] -((Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/x) - (I*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/Sqrt[1 - c^2*x^2] - (c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^3)/(3*b*Sqrt[1 - c^2*x^2]) + (2*b*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] - (I*b^2*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*PolyLog[2, E^((2*I)*ArcSin[c*x])])/Sqrt[1 - c^2*x^2]
```

**Rule 4739**

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*((h_.)*(x_.))^ (m_.)*((d_.) + (e_.)*(x_.))^ (p_.)*((f_.) + (g_.)*(x_.))^ (q_.), x_Symbol] :> Dist[(-((d^2*g)/e))^I IntPart[q]*(d + e*x)^FracPart[q]*(f + g*x)^FracPart[q]]/(1 - c^2*x^2)^FracPart[q], Int[(h*x)^m*(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && EqQ[e*f + d*g, 0] &&
```

EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4693

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 1)), x] + (-Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(f\*(m + 1)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] + Dist[(c^2\*Sqrt[d + e\*x^2])/(f^2\*(m + 1)\*Sqrt[1 - c^2\*x^2]), Int[((f\*x)^(m + 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1]

### Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

### Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

### Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))^2}{x^2} dx &= \frac{(\sqrt{d + cdx}\sqrt{e - cex}) \int \frac{\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2}{x^2} dx}{\sqrt{1 - c^2x^2}} \\ &= -\frac{\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))^2}{x} + \frac{(2bc\sqrt{d + cdx}\sqrt{e - cex}) \int \frac{a + b \sin^{-1}(cx)}{x} dx}{\sqrt{1 - c^2x^2}} \\ &= -\frac{\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))^2}{x} - \frac{c\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))}{3b\sqrt{1 - c^2x^2}} \\ &= -\frac{\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))^2}{x} - \frac{ic\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} \\ &= -\frac{\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))^2}{x} - \frac{ic\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} \\ &= -\frac{\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))^2}{x} - \frac{ic\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} \\ &= -\frac{\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))^2}{x} - \frac{ic\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} \end{aligned}$$

**Mathematica [A]** time = 1.18786, size = 373, normalized size = 1.45

$$\frac{b^2c\sqrt{cdx + d}\sqrt{e - cex}\sqrt{-de(1 - c^2x^2)} \left( 3i \operatorname{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) + \sin^{-1}(cx) \left( \frac{3\sqrt{1 - c^2x^2} \sin^{-1}(cx)}{cx} + (\sin^{-1}(cx) + 3i) \sin^{-1}(cx) \right) \right)}{3\sqrt{1 - c^2x^2}\sqrt{-(cdx + d)(e - cex)}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/x^2,x]
```

```
[Out] -((a^2*Sqrt[-(e*(-1 + c*x))]*Sqrt[d*(1 + c*x)]/x) + a^2*c*Sqrt[d]*Sqrt[e]*ArcTan[(c*x*Sqrt[-(e*(-1 + c*x))]*Sqrt[d*(1 + c*x)])/(Sqrt[d]*Sqrt[e]*(-1 + c*x)*(1 + c*x))] - (a*b*c*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Sqrt[-(d*e*(1 -
```

```
c^2*x^2)))*((2*sqrt[1 - c^2*x^2]*ArcSin[c*x])/(c*x) + ArcSin[c*x]^2 - 2*Log
[c*x]))/(sqrt[-((d + c*d*x)*(e - c*e*x))]*sqrt[1 - c^2*x^2]) - (b^2*c*sqrt[
d + c*d*x]*sqrt[e - c*e*x]*sqrt[-(d*e*(1 - c^2*x^2))]*(ArcSin[c*x]*((3*sqrt
[1 - c^2*x^2]*ArcSin[c*x])/(c*x) + ArcSin[c*x]*(3*I + ArcSin[c*x]) - 6*Log[
1 - E^((2*I)*ArcSin[c*x])]) + (3*I)*PolyLog[2, E^((2*I)*ArcSin[c*x])]))/(3*
sqrt[-((d + c*d*x)*(e - c*e*x))]*sqrt[1 - c^2*x^2])
```

**Maple [F]** time = 0.431, size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^2}{x^2} \sqrt{cdx + d} \sqrt{-cex + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2/x^2,x)
```

```
[Out] int((c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2/x^2,x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(1/2)*(-c*e*x+e)^(1/2)*(a+b*arcsin(c*x))^2/x^2,x, algor
ithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2) \sqrt{cdx + d} \sqrt{-cex + e}}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(1/2)\*(a+b\*arcsin(c\*x))^2/x^2,x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/x^2, x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{d(cx+1)}\sqrt{-e(cx-1)}(a+b\operatorname{asin}(cx))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(1/2)\*(-c\*e\*x+e)\*\*(1/2)\*(a+b\*asin(c\*x))\*\*2/x\*\*2,x)

[Out] Integral(sqrt(d\*(c\*x + 1))\*sqrt(-e\*(c\*x - 1))\*(a + b\*asin(c\*x))\*\*2/x\*\*2, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{cdx+d}\sqrt{-cex+e}(b\operatorname{arcsin}(cx)+a)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(1/2)\*(-c\*e\*x+e)^(1/2)\*(a+b\*arcsin(c\*x))^2/x^2,x, algorithm="giac")

[Out] integrate(sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)\*(b\*arcsin(c\*x) + a)^2/x^2, x)

$$3.581 \quad \int x^2(d + cdx)^{3/2}(e - cex)^{3/2} \left(a + b \sin^{-1}(cx)\right)^2 dx$$

**Optimal.** Leaf size=509

$$\frac{bc^3dex^6\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{18\sqrt{1-c^2x^2}} - \frac{7bcdex^4\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{48\sqrt{1-c^2x^2}} + \frac{1}{6}dex^3(1-c^2x^2)\sqrt{cdx+d}\sqrt{e-cex}$$

[Out]  $(-7*b^2*d*e*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])/(1152*c^2) - (43*b^2*d*e*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])/1728 + (b^2*c^2*d*e*x^5*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])/108 + (7*b^2*d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*\text{ArcSin}[c*x])/((1152*c^3*\text{Sqrt}[1 - c^2*x^2]) + (b*d*e*x^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x]))/(16*c*\text{Sqrt}[1 - c^2*x^2]) - (7*b*c*d*e*x^4*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x]))/(48*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*d*e*x^6*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x]))/(18*\text{Sqrt}[1 - c^2*x^2]) - (d*e*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^2)/(16*c^2) + (d*e*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^2)/8 + (d*e*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/6 + (d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^3)/(48*b*c^3*\text{Sqrt}[1 - c^2*x^2])$

**Rubi [A]** time = 1.02565, antiderivative size = 509, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 12, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.343$ , Rules used = {4739, 4699, 4697, 4707, 4641, 4627, 321, 216, 14, 4687, 12, 459}

$$\frac{bc^3dex^6\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{18\sqrt{1-c^2x^2}} - \frac{7bcdex^4\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{48\sqrt{1-c^2x^2}} + \frac{1}{6}dex^3(1-c^2x^2)\sqrt{cdx+d}\sqrt{e-cex}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*\text{ArcSin}[c*x])^2, x]$

[Out]  $(-7*b^2*d*e*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])/(1152*c^2) - (43*b^2*d*e*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])/1728 + (b^2*c^2*d*e*x^5*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])/108 + (7*b^2*d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*\text{ArcSin}[c*x])/((1152*c^3*\text{Sqrt}[1 - c^2*x^2]) + (b*d*e*x^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x]))/(16*c*\text{Sqrt}[1 - c^2*x^2]) - (7*b*c*d*e*x^4*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x]))/(48*\text{Sqrt}[1 - c^2*x^2]) + (b*c^3*d*e*x^6*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x]))/(18*\text{Sqrt}[1 - c^2*x^2]) - (d*e*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^2)/(16*c^2) + (d*e*x^3*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*(a + b*\text{ArcSin}[c*x])^2)/8$

+ (d\*e\*x^3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/6 + (d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^3)/(48\*b\*c^3\*Sqrt[1 - c^2\*x^2])

### Rule 4739

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((h\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_))^(p\_.)\*((f\_) + (g\_.)\*(x\_))^(q\_), x\_Symbol] := Dist[(-(d^2\*g)/e)^IntPart[q]\*(d + e\*x)^FracPart[q]\*(f + g\*x)^FracPart[q]]/(1 - c^2\*x^2)^FracPart[q], Int[(h\*x)^m\*(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4699

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2\*p + 1)), x] + (Dist[(2\*d\*p)/(m + 2\*p + 1), Int[(f\*x)^m\*(d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p]]/(f\*(m + 2\*p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p - 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[p, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

### Rule 4697

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.)\*Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[((f\*x)^(m + 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(f\*(m + 2)), x] + (Dist[Sqrt[d + e\*x^2]/((m + 2)\*Sqrt[1 - c^2\*x^2]), Int[((f\*x)^m\*(a + b\*ArcSin[c\*x])^n)/Sqrt[1 - c^2\*x^2], x], x] - Dist[(b\*c\*n\*Sqrt[d + e\*x^2])/(f\*(m + 2)\*Sqrt[1 - c^2\*x^2]), Int[(f\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && !LtQ[m, -1] && (RationalQ[m] || EqQ[n, 1])

### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_)^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 321

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol]
:> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol]
:> Simp[ArcSin[Rt[-b, 2]*x]/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 14

```
Int[(u_)*((c_.)*(x_)^(m_.), x_Symbol]
:> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Rule 4687

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((f_.)*(x_)^(m_))*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol]
:> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_.)*(v_)] /; FreeQ[b, x]
```

Rule 459

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Simp[(d\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(b\*e\*(m + n\*(p + 1) + 1)), x] - Dist[(a\*d\*(m + 1) - b\*c\*(m + n\*(p + 1) + 1))/(b\*(m + n\*(p + 1) + 1)), Int[(e\*x)^(m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && NeQ[m + n\*(p + 1) + 1, 0]

Rubi steps

$$\begin{aligned}
 \int x^2(d + cdx)^{3/2}(e - cex)^{3/2}(a + b \sin^{-1}(cx))^2 dx &= \frac{(de\sqrt{d} + cdx\sqrt{e - cex}) \int x^2(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2 dx}{\sqrt{1 - c^2x^2}} \\
 &= \frac{1}{6}dex^3\sqrt{d + cdx}\sqrt{e - cex}(1 - c^2x^2)(a + b \sin^{-1}(cx))^2 + \frac{(de\sqrt{d} + cdx\sqrt{e - cex}) \int x^2(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2 dx}{18\sqrt{1 - c^2x^2}} \\
 &= -\frac{bcdex^4\sqrt{d + cdx}\sqrt{e - cex}(a + b \sin^{-1}(cx))}{12\sqrt{1 - c^2x^2}} + \frac{bc^3dex^6\sqrt{d + cdx}\sqrt{e - cex}}{18\sqrt{1 - c^2x^2}} \\
 &= -\frac{7bcdex^4\sqrt{d + cdx}\sqrt{e - cex}(a + b \sin^{-1}(cx))}{48\sqrt{1 - c^2x^2}} + \frac{bc^3dex^6\sqrt{d + cdx}\sqrt{e - cex}}{18\sqrt{1 - c^2x^2}} \\
 &= -\frac{1}{64}b^2dex^3\sqrt{d + cdx}\sqrt{e - cex} + \frac{1}{108}b^2c^2dex^5\sqrt{d + cdx}\sqrt{e - cex} + \frac{1}{108}b^2c^2dex^3\sqrt{d + cdx}\sqrt{e - cex} \\
 &= \frac{b^2dex\sqrt{d + cdx}\sqrt{e - cex}}{128c^2} - \frac{43b^2dex^3\sqrt{d + cdx}\sqrt{e - cex}}{1728} + \frac{1}{108}b^2c^2dex\sqrt{d + cdx}\sqrt{e - cex} \\
 &= -\frac{7b^2dex\sqrt{d + cdx}\sqrt{e - cex}}{1152c^2} - \frac{43b^2dex^3\sqrt{d + cdx}\sqrt{e - cex}}{1728} + \frac{1}{108}b^2c^2dex\sqrt{d + cdx}\sqrt{e - cex} \\
 &= -\frac{7b^2dex\sqrt{d + cdx}\sqrt{e - cex}}{1152c^2} - \frac{43b^2dex^3\sqrt{d + cdx}\sqrt{e - cex}}{1728} + \frac{1}{108}b^2c^2dex\sqrt{d + cdx}\sqrt{e - cex}
 \end{aligned}$$

**Mathematica [A]** time = 2.15744, size = 452, normalized size = 0.89

$$de\sqrt{cdx + d}\sqrt{e - cex} \left( -2304a^2c^5x^5\sqrt{1 - c^2x^2} + 4032a^2c^3x^3\sqrt{1 - c^2x^2} - 864a^2cx\sqrt{1 - c^2x^2} + 216ab \cos(2 \sin^{-1}(cx)) - 1 \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (288\*b^2\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^3 - 864\*a^2\*d^(3/2)\*e^(3/2)\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))] - 12\*b\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]\*(-18\*b\*Cos[2\*ArcSin[c\*x]] + 9\*b\*Cos[4\*ArcSin[c\*x]] + 2\*b\*Cos[6\*ArcSin[c\*x]] - 36\*a\*Ssin[2\*ArcSin[c\*x]] + 36\*a\*Ssin[4\*ArcSin[c\*x]] + 12\*a\*Ssin[6\*ArcSin[c\*x]]) - 72\*b\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^2\*(-12\*a - 3\*b\*Ssin[2\*ArcSin[c\*x]] + 3\*b\*Ssin[4\*ArcSin[c\*x]] + b\*Ssin[6\*ArcSin[c\*x]]) + d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(-864\*a^2\*c\*x\*Sqrt[1 - c^2\*x^2] + 4032\*a^2\*c^3\*x^3\*Sqrt[1 - c^2\*x^2] - 2304\*a^2\*c^5\*x^5\*Sqrt[1 - c^2\*x^2] + 216\*a\*b\*Cos[2\*ArcSin[c\*x]] - 108\*a\*b\*Cos[4\*ArcSin[c\*x]] - 24\*a\*b\*Cos[6\*ArcSin[c\*x]] - 108\*b^2\*Ssin[2\*ArcSin[c\*x]] + 27\*b^2\*Ssin[4\*ArcSin[c\*x]] + 4\*b^2\*Ssin[6\*ArcSin[c\*x]]))/(13824\*c^3\*Sqrt[1 - c^2\*x^2])

**Maple [F]** time = 0.616, size = 0, normalized size = 0.

$$\int x^2 (cdx + d)^{\frac{3}{2}} (-cex + e)^{\frac{3}{2}} (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x)

[Out] int(x^2\*(c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral $\left(-\left(a^2c^2dex^4 - a^2dex^2 + \left(b^2c^2dex^4 - b^2dex^2\right) \arcsin(cx)\right)^2 + 2\left(abc^2dex^4 - abdex^2\right) \arcsin(cx)\right)\sqrt{cdx + d}\sqrt{-cex}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorith="fricas")

[Out] integral(-(a^2\*c^2\*d\*e\*x^4 - a^2\*d\*e\*x^2 + (b^2\*c^2\*d\*e\*x^4 - b^2\*d\*e\*x^2)\*arcsin(c\*x)^2 + 2\*(a\*b\*c^2\*d\*e\*x^4 - a\*b\*d\*e\*x^2)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(c\*d\*x+d)\*\*(3/2)\*(-c\*e\*x+e)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{3}{2}}(-cex + e)^{\frac{3}{2}}(b \arcsin(cx) + a)^2x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorith="giac")

[Out] integrate((c\*d\*x + d)^(3/2)\*(-c\*e\*x + e)^(3/2)\*(b\*arcsin(c\*x) + a)^2\*x^2, x)

$$3.582 \quad \int x(d + cdx)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=338

$$\frac{2bc^3dex^5\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{25\sqrt{1-c^2x^2}} - \frac{4bcdex^3\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{15\sqrt{1-c^2x^2}} + \frac{2bdex\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{5c\sqrt{1-c^2x^2}}$$

```
[Out] (16*b^2*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/(75*c^2) + (8*b^2*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(1 - c^2*x^2))/(225*c^2) + (2*b^2*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(1 - c^2*x^2)^2)/(125*c^2) + (2*b*d*e*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x]))/(5*c*Sqrt[1 - c^2*x^2]) - (4*b*c*d*e*x^3*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x]))/(15*Sqrt[1 - c^2*x^2]) + (2*b*c^3*d*e*x^5*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x]))/(25*Sqrt[1 - c^2*x^2]) - (d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/(5*c^2)
```

**Rubi [A]** time = 0.506942, antiderivative size = 338, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {4739, 4677, 194, 4645, 12, 1247, 698}

$$\frac{2bc^3dex^5\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{25\sqrt{1-c^2x^2}} - \frac{4bcdex^3\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{15\sqrt{1-c^2x^2}} + \frac{2bdex\sqrt{cdx+d}\sqrt{e-cex}(a+b\sin^{-1}(cx))}{5c\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

```
[In] Int[x*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)*(a + b*ArcSin[c*x])^2,x]
```

```
[Out] (16*b^2*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/(75*c^2) + (8*b^2*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(1 - c^2*x^2))/(225*c^2) + (2*b^2*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(1 - c^2*x^2)^2)/(125*c^2) + (2*b*d*e*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x]))/(5*c*Sqrt[1 - c^2*x^2]) - (4*b*c*d*e*x^3*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x]))/(15*Sqrt[1 - c^2*x^2]) + (2*b*c^3*d*e*x^5*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x]))/(25*Sqrt[1 - c^2*x^2]) - (d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(1 - c^2*x^2)^2*(a + b*ArcSin[c*x])^2)/(5*c^2)
```

**Rule 4739**

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.)*((h_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_))^(p_.)*((f_.) + (g_.)*(x_))^(q_), x_Symbol] := Dist[(((d^2*g)/e))^I
```



```
ntPart[q]*(d + e*x)^FracPart[q]*(f + g*x)^FracPart[q]/(1 - c^2*x^2)^FracPart[q], Int[(h*x)^m*(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rule 194

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

### Rule 4645

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 1247

```
Int[(x)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

### Rule 698

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))
```

Rubi steps

$$\begin{aligned}
\int x(d + cdx)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2 dx &= \frac{(de\sqrt{d + cdx}\sqrt{e - cex}) \int x(1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx}{\sqrt{1 - c^2x^2}} \\
&= -\frac{de\sqrt{d + cdx}\sqrt{e - cex} (1 - c^2x^2)^2 (a + b \sin^{-1}(cx))^2}{5c^2} + \frac{(2bde\sqrt{d + cdx}\sqrt{e - cex}) \int x(1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx)) dx}{15\sqrt{1 - c^2x^2}} \\
&= \frac{2bdex\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))}{5c\sqrt{1 - c^2x^2}} - \frac{4bcdex^3\sqrt{d + cdx}\sqrt{e - cex}}{15\sqrt{1 - c^2x^2}} \\
&= \frac{2bdex\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))}{5c\sqrt{1 - c^2x^2}} - \frac{4bcdex^3\sqrt{d + cdx}\sqrt{e - cex}}{15\sqrt{1 - c^2x^2}} \\
&= \frac{2bdex\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))}{5c\sqrt{1 - c^2x^2}} - \frac{4bcdex^3\sqrt{d + cdx}\sqrt{e - cex}}{15\sqrt{1 - c^2x^2}} \\
&= \frac{2bdex\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))}{5c\sqrt{1 - c^2x^2}} - \frac{4bcdex^3\sqrt{d + cdx}\sqrt{e - cex}}{15\sqrt{1 - c^2x^2}} \\
&= \frac{16b^2de\sqrt{d + cdx}\sqrt{e - cex}}{75c^2} + \frac{8b^2de\sqrt{d + cdx}\sqrt{e - cex} (1 - c^2x^2)}{225c^2} + \frac{2b^2de\sqrt{d + cdx}\sqrt{e - cex}}{1125c^2}
\end{aligned}$$

**Mathematica [A]** time = 0.815709, size = 207, normalized size = 0.61

$$\frac{de\sqrt{cdx + d}\sqrt{e - cex} \left( 225a^2 (c^2x^2 - 1)^3 + 30abcx\sqrt{1 - c^2x^2} (3c^4x^4 - 10c^2x^2 + 15) + 30b \sin^{-1}(cx) \left( 15a (c^2x^2 - 1)^3 + bcx \sqrt{1 - c^2x^2} (15 - 10c^2x^2 + 3c^4x^4) \right) \right)}{1125c^2 (c^2x^2 - 1)^3}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] -(d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(225\*a^2\*(-1 + c^2\*x^2)^3 + 30\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(15 - 10\*c^2\*x^2 + 3\*c^4\*x^4) + 2\*b^2\*(149 - 187\*c^2\*x^2 + 47\*c^4\*x^4 - 9\*c^6\*x^6) + 30\*b\*(15\*a\*(-1 + c^2\*x^2)^3 + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(15 - 10\*c^2\*x^2 + 3\*c^4\*x^4))\*ArcSin[c\*x] + 225\*b^2\*(-1 + c^2\*x^2)^3\*ArcSin[c\*x]^2))/(1125\*c^2\*(-1 + c^2\*x^2))

**Maple [F]** time = 0.35, size = 0, normalized size = 0.

$$\int x(cdx + d)^{\frac{3}{2}}(-cex + e)^{\frac{3}{2}}(a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x)

[Out] int(x\*(c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.53316, size = 691, normalized size = 2.04

$$\frac{9(25a^2 - 2b^2)c^6dex^6 - (675a^2 - 94b^2)c^4dex^4 + (675a^2 - 374b^2)c^2dex^2 - (225a^2 - 298b^2)de + 225(b^2c^6dex^6 - 3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] -1/1125\*(9\*(25\*a^2 - 2\*b^2)\*c^6\*d\*e\*x^6 - (675\*a^2 - 94\*b^2)\*c^4\*d\*e\*x^4 + (675\*a^2 - 374\*b^2)\*c^2\*d\*e\*x^2 - (225\*a^2 - 298\*b^2)\*d\*e + 225\*(b^2\*c^6\*d\*e\*x^6 - 3\*b^2\*c^4\*d\*e\*x^4 + 3\*b^2\*c^2\*d\*e\*x^2 - b^2\*d\*e)\*arcsin(c\*x)^2 + 450\*(a\*b\*c^6\*d\*e\*x^6 - 3\*a\*b\*c^4\*d\*e\*x^4 + 3\*a\*b\*c^2\*d\*e\*x^2 - a\*b\*d\*e)\*arcsin(c\*x) + 30\*(3\*a\*b\*c^5\*d\*e\*x^5 - 10\*a\*b\*c^3\*d\*e\*x^3 + 15\*a\*b\*c\*d\*e\*x + (3\*b^2\*c^5\*d\*e\*x^5 - 10\*b^2\*c^3\*d\*e\*x^3 + 15\*b^2\*c\*d\*e\*x)\*arcsin(c\*x))\*sqrt(-c^

$$2*x^2 + 1))\sqrt{c*d*x + d}\sqrt{-c*e*x + e}/(c^4*x^2 - c^2)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*d\*x+d)\*\*(3/2)\*(-c\*e\*x+e)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [B]** time = 2.1531, size = 1897, normalized size = 5.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/108000*(7200*(c*d*x + d)^{(3/2)}\sqrt{-(c*d*x + d)*d*e + 2*d^2*e})*((c*d*x + d)*(3*(c*d*x + d)*((c*d*x + d)/(c^3*d^3) - 4/(c^3*d^2)) + 17/(c^3*d)) - 10/c^3)*a^2*c^2*abs(d)*e/d^2 + 960*(15*(c*d*x + d)^{(3/2)}\sqrt{-(c*d*x + d)*d*e + 2*d^2*e})*((c*d*x + d)*(3*(c*d*x + d)*((c*d*x + d)/(c^3*d^3) - 4/(c^3*d^2)) + 17/(c^3*d)) - 10/c^3)*arcsin(c*x) + (9*(c*d*x + d)^5 - 45*(c*d*x + d)^4*d + 85*(c*d*x + d)^3*d^2 - 75*(c*d*x + d)^2*d^3)*e^{(1/2)}/(c^3*d^{(3/2)}*abs(d))*a*b*c^2*abs(d)*e/d^2 + 8*(900*(c*d*x + d)^{(3/2)}\sqrt{-(c*d*x + d)*d*e + 2*d^2*e})*((c*d*x + d)*(3*(c*d*x + d)*((c*d*x + d)/(c^3*d^3) - 4/(c^3*d^2)) + 17/(c^3*d)) - 10/c^3)*arcsin(c*x)^2 - (1560*\pi*d^3 - (1080*(c^2*x^2 - 1)^2*c*d^4*x*arcsin(-c*x) + 12960*(c^2*x^2 - 1)*c*d^4*x*arcsin(-c*x) + 1350*(-c^2*x^2 + 1)^{(3/2)}*c*d^4*x + 5400*(c^2*x^2 - 1)^2*d^4*arcsin(-c*x) + 17280*c*d^4*x*arcsin(-c*x) - 216*(c^2*x^2 - 1)^2*\sqrt{-c^2*x^2 + 1}*d^4 - 8775*\sqrt{-c^2*x^2 + 1}*c*d^4*x + 21600*(c^2*x^2 - 1)*d^4*arcsin(-c*x) + 4320*(-c^2*x^2 + 1)^{(3/2)}*d^4 + 8775*d^4*arcsin(-c*x) - 17280*\sqrt{-c^2*x^2 + 1}*d^4 - 4500*(4*c*d*x*arcsin(-c*x) - \sqrt{-c^2*x^2 + 1}*c*d*x + 2*(c^2*x^2 - 1)*d*arcsin(-c*x) + d*arcsin(-c*x) - 4*\sqrt{-c^2*x^2 + 1}*d)*d^3 + 1700*(6*(c^2*x^2 - 1)*c*d^2*x*arcsin(-c*x) + 24*c*d^2*x*arcsin(-c*x) - 9*\sqrt{-c^2*x^2 + 1}*c*d^2*x + 18*(c^2*x^2 - 1)*d^2*arcsin(-c*x) + 2*(-c^2*x^2 + 1)^{(3/2)}*d^2) \end{aligned}$$

$$\begin{aligned}
& \frac{3}{2}d^2 + 9d^2 \arcsin(-cx) - 24\sqrt{-c^2x^2 + 1}d^2 - 225(96(c^2x^2 - 1)c^3d^3x \arcsin(-cx) + 6(-c^2x^2 + 1)^{3/2}c^3d^3x + 24(c^2x^2 - 1)^2d^3 \arcsin(-cx) + 192c^3d^3x \arcsin(-cx) - 87\sqrt{-c^2x^2 + 1}c^3d^3x + 192(c^2x^2 - 1)d^3 \arcsin(-cx) + 32(-c^2x^2 + 1)^{3/2}d^3 + 87d^3 \arcsin(-cx) - 192\sqrt{-c^2x^2 + 1}d^3)d/d) \sqrt{d} e^{1/2} / (c^3 \operatorname{abs}(d)) * b^2 c^2 \operatorname{abs}(d) e/d^2 + 225(cdx + d)^{3/2} \sqrt{-(cdx + d)d e + 2d^2 e} * a^2 ((cdx + d)e^{-6}/d^6 - 2e^{-6}/d^5) \operatorname{abs}(d) e / (cd^3) + 150(3(cdx + d)^{3/2} \sqrt{-(cdx + d)d e + 2d^2 e} * ((cdx + d)e^{-6}/d^6 - 2e^{-6}/d^5) \arcsin(cx) - ((cdx + d)^3 - 3(cdx + d)^2 d) e^{-11/2} / (d^{9/2} \operatorname{abs}(d))) * a * b * \operatorname{abs}(d) e / (cd^3) + 25(9(cdx + d)^{3/2} \sqrt{-(cdx + d)d e + 2d^2 e} * ((cdx + d)e^{-6}/d^6 - 2e^{-6}/d^5) \arcsin(cx)^2 + \sqrt{d} * (6\pi e^{-6}/d^2 - (6(c^2x^2 - 1)c^2d^2x \arcsin(-cx) + 24c^2d^2x \arcsin(-cx) - 9\sqrt{-c^2x^2 + 1}c^2d^2x + 18(c^2x^2 - 1)d^2 \arcsin(-cx) + 2(-c^2x^2 + 1)^{3/2}d^2 + 9d^2 \arcsin(-cx) - 24\sqrt{-c^2x^2 + 1}d^2 - 9(4cdx \arcsin(-cx) - \sqrt{-c^2x^2 + 1}cdx + 2(c^2x^2 - 1)d \arcsin(-cx) + d \arcsin(-cx) - 4\sqrt{-c^2x^2 + 1}d)d) e^{-6}/d^4) e^{1/2} / \operatorname{abs}(d)) * b^2 \operatorname{abs}(d) e / (cd^3)) / c
\end{aligned}$$

$$3.583 \quad \int (d + cdx)^{3/2} (e - cex)^{3/2} (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=362

$$\frac{(cdx + d)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^3}{8bc(1 - c^2x^2)^{3/2}} + \frac{3x(cdx + d)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2}{8(1 - c^2x^2)} + \frac{b\sqrt{1 - c^2x^2}(cdx + d)^{3/2}(e - cex)}{8c}$$

[Out]  $-(b^2*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})/32 - (15*b^2*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})/(64*(1 - c^2*x^2)) + (9*b^2*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*ArcSin[c*x])/(64*c*(1 - c^2*x^2)^{(3/2)}) - (3*b*c*x^2*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x]))/(8*(1 - c^2*x^2)^{(3/2)}) + (b*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(8*c) + (x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^2)/4 + (3*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^2)/(8*(1 - c^2*x^2)) + ((d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^3)/(8*b*c*(1 - c^2*x^2)^{(3/2)})$

**Rubi [A]** time = 0.42222, antiderivative size = 362, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.281$ , Rules used = {4673, 4649, 4647, 4641, 4627, 321, 216, 4677, 195}

$$\frac{(cdx + d)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^3}{8bc(1 - c^2x^2)^{3/2}} + \frac{3x(cdx + d)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2}{8(1 - c^2x^2)} + \frac{b\sqrt{1 - c^2x^2}(cdx + d)^{3/2}(e - cex)}{8c}$$

Antiderivative was successfully verified.

[In] Int[(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $-(b^2*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})/32 - (15*b^2*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)})/(64*(1 - c^2*x^2)) + (9*b^2*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*ArcSin[c*x])/(64*c*(1 - c^2*x^2)^{(3/2)}) - (3*b*c*x^2*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x]))/(8*(1 - c^2*x^2)^{(3/2)}) + (b*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(8*c) + (x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^2)/4 + (3*x*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^2)/(8*(1 - c^2*x^2)) + ((d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}*(a + b*ArcSin[c*x])^3)/(8*b*c*(1 - c^2*x^2)^{(3/2)})$

**Rule 4673**

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^(p_))*((f_)
+ (g_.)*(x_)^(q_), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x
^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 -
e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

```

#### Rule 4649

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Simp[(x*(d + e*x^2)^p*(a + b*ArcSin[c*x])^n)/(2*p + 1), x] + (D
ist[(2*d*p)/(2*p + 1), Int[(d + e*x^2)^(p - 1)*(a + b*ArcSin[c*x])^n, x], x
] - Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/((2*p + 1)*(1 - c^2*x
^2)^FracPart[p]), Int[x*(1 - c^2*x^2)^(p - 1/2)*(a + b*ArcSin[c*x])^(n - 1)
, x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] &&
GtQ[p, 0]

```

#### Rule 4647

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(x*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/2, x] + (Dist[Sqrt
[d + e*x^2]/(2*Sqrt[1 - c^2*x^2]), Int[(a + b*ArcSin[c*x])^n/Sqrt[1 - c^2*x
^2], x], x] - Dist[(b*c*n*Sqrt[d + e*x^2])/((2*Sqrt[1 - c^2*x^2]), Int[x*(a
+ b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d
+ e, 0] && GtQ[n, 0]

```

#### Rule 4641

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

```

#### Rule 4627

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

```

#### Rule 321

```

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p

```

+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 4677

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*(x\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 195

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rubi steps



$$\begin{aligned}
\int (d + cdx)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2 dx &= \frac{(d + cdx)^{3/2}(e - cex)^{3/2} \int (1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx}{(1 - c^2x^2)^{3/2}} \\
&= \frac{1}{4}x(d + cdx)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2 + \frac{(3(d + cdx)^{3/2}(e - cex)^{3/2} \int (1 - c^2x^2)^{3/2} (a + b \sin^{-1}(cx))^2 dx)}{4} \\
&= \frac{b(d + cdx)^{3/2}(e - cex)^{3/2}\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))}{8c} + \frac{1}{4}x(d + cdx)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2 \\
&= -\frac{1}{32}b^2x(d + cdx)^{3/2}(e - cex)^{3/2} - \frac{3bcx^2(d + cdx)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))}{8(1 - c^2x^2)^{3/2}} \\
&= -\frac{1}{32}b^2x(d + cdx)^{3/2}(e - cex)^{3/2} - \frac{15b^2x(d + cdx)^{3/2}(e - cex)^{3/2}}{64(1 - c^2x^2)} - \frac{3bcx^2(d + cdx)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))}{8(1 - c^2x^2)^{3/2}} \\
&= -\frac{1}{32}b^2x(d + cdx)^{3/2}(e - cex)^{3/2} - \frac{15b^2x(d + cdx)^{3/2}(e - cex)^{3/2}}{64(1 - c^2x^2)} + \frac{9b^2(d + cdx)^{3/2}(e - cex)^{3/2}}{64(1 - c^2x^2)}
\end{aligned}$$

**Mathematica [A]** time = 1.63099, size = 373, normalized size = 1.03

$$d\sqrt{cdx + d}\sqrt{e - cex} \left( -64a^2c^3x^3\sqrt{1 - c^2x^2} + 160a^2cx\sqrt{1 - c^2x^2} + 64ab \cos(2 \sin^{-1}(cx)) + 4ab \cos(4 \sin^{-1}(cx)) - 32b^2 \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (32\*b^2\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^3 - 96\*a^2\*d^(3/2)\*e^(3/2)\*Sqrt[1 - c^2\*x^2]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))] + 8\*b\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]^2\*(12\*a + 8\*b\*Sin[2\*ArcSin[c\*x]] + b\*Sin[4\*ArcSin[c\*x]]) + d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(160\*a^2\*c\*x\*Sqrt[1 - c^2\*x^2] - 64\*a^2\*c^3\*x^3\*Sqrt[1 - c^2\*x^2] + 64\*a\*b\*Cos[2\*ArcSin[c\*x]] + 4\*a\*b\*Cos[4\*ArcSin[c\*x]] - 32\*b^2\*Sin[2\*ArcSin[c\*x]] - b^2\*Sin[4\*ArcSin[c\*x]]) + 4\*b\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x]\*(16\*b\*Cos[2\*ArcSin[c\*x]] + b\*Cos[4\*ArcSin[c\*x]]) + 4\*a\*(8\*Sin[2\*ArcSin[c\*x]] + Sin[4\*ArcSin[c\*x]]))/(256\*c\*Sqrt[1 - c^2\*x^2])

---

**Maple [F]** time = 0., size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{3}{2}} (-cex + e)^{\frac{3}{2}} (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x)

[Out] int((c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\left(a^2c^2dex^2 - a^2de + \left(b^2c^2dex^2 - b^2de\right) \arcsin(cx)\right)^2 + 2\left(abc^2dex^2 - abde\right) \arcsin(cx)\right) \sqrt{cdx + d} \sqrt{-cex + e}, x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(-(a^2\*c^2\*d\*e\*x^2 - a^2\*d\*e + (b^2\*c^2\*d\*e\*x^2 - b^2\*d\*e)\*arcsin(c\*x))^2 + 2\*(a\*b\*c^2\*d\*e\*x^2 - a\*b\*d\*e)\*arcsin(c\*x))\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)\*\*(3/2)\*(-c\*e\*x+e)\*\*(3/2)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (cdx + d)^{\frac{3}{2}}(-cex + e)^{\frac{3}{2}}(b \arcsin(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+d)^(3/2)\*(-c\*e\*x+e)^(3/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate((c\*d\*x + d)^(3/2)\*(-c\*e\*x + e)^(3/2)\*(b\*arcsin(c\*x) + a)^2, x)

$$3.584 \quad \int \frac{(d+cdx)^{3/2}(e-cex)^{3/2}(a+b \sin^{-1}(cx))^2}{x} dx$$

**Optimal.** Leaf size=647

$$\frac{2ibde\sqrt{cdx+d}\sqrt{e-cex}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} - \frac{2ibde\sqrt{cdx+d}\sqrt{e-cex}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}}$$

[Out] (-22\*b^2\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/9 - (2\*a\*b\*c\*d\*e\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/Sqrt[1 - c^2\*x^2] - (2\*b^2\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(1 - c^2\*x^2))/27 - (2\*b^2\*c\*d\*e\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x])/Sqrt[1 - c^2\*x^2] - (2\*b\*c\*d\*e\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(3\*Sqrt[1 - c^2\*x^2]) + (2\*b\*c^3\*d\*e\*x^3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x]))/(9\*Sqrt[1 - c^2\*x^2]) + d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2 + (d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/3 - (2\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])^2\*ArcTanh[E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] + ((2\*I)\*b\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] - ((2\*I)\*b\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] - (2\*b^2\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*PolyLog[3, -E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2] + (2\*b^2\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*PolyLog[3, E^(I\*ArcSin[c\*x])])/Sqrt[1 - c^2\*x^2]

**Rubi [A]** time = 0.941118, antiderivative size = 647, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 13, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$ , Rules used = {4739, 4699, 4697, 4709, 4183, 2531, 2282, 6589, 4619, 261, 4645, 444, 43}

$$\frac{2ibde\sqrt{cdx+d}\sqrt{e-cex}\text{PolyLog}\left(2,-e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}} - \frac{2ibde\sqrt{cdx+d}\sqrt{e-cex}\text{PolyLog}\left(2,e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/x,x]

[Out] (-22\*b^2\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/9 - (2\*a\*b\*c\*d\*e\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/Sqrt[1 - c^2\*x^2] - (2\*b^2\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(1 - c^2\*x^2))/27 - (2\*b^2\*c\*d\*e\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcSin[c\*x])/Sqrt[1 - c^2\*x^2] - (2\*b\*c\*d\*e\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c

$$\begin{aligned}
 & *e*x*(a + b*\text{ArcSin}[c*x])/(3*\text{Sqrt}[1 - c^2*x^2]) + (2*b*c^3*d*e*x^3*\text{Sqrt}[d \\
 & + c*d*x]*\text{Sqrt}[e - c*e*x*(a + b*\text{ArcSin}[c*x])]/(9*\text{Sqrt}[1 - c^2*x^2]) + d*e*S \\
 & \text{qrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x*(a + b*\text{ArcSin}[c*x])^2 + (d*e*\text{Sqrt}[d + c*d*x] \\
 & *\text{Sqrt}[e - c*e*x*(1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2]/3 - (2*d*e*\text{Sqrt}[d + c \\
 & *d*x]*\text{Sqrt}[e - c*e*x*(a + b*\text{ArcSin}[c*x])^2*\text{ArcTanh}[E^(I*\text{ArcSin}[c*x])])]/\text{Sqr} \\
 & \text{t}[1 - c^2*x^2] + ((2*I)*b*d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x*(a + b*\text{ArcSin} \\
 & [c*x])]*\text{PolyLog}[2, -E^(I*\text{ArcSin}[c*x])])/\text{Sqrt}[1 - c^2*x^2] - ((2*I)*b*d*e*\text{Sqr} \\
 & \text{t}[d + c*d*x]*\text{Sqrt}[e - c*e*x*(a + b*\text{ArcSin}[c*x])]*\text{PolyLog}[2, E^(I*\text{ArcSin}[c*x \\
 & ])]/\text{Sqrt}[1 - c^2*x^2] - (2*b^2*d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]*\text{PolyLog} \\
 & [3, -E^(I*\text{ArcSin}[c*x])])/\text{Sqrt}[1 - c^2*x^2] + (2*b^2*d*e*\text{Sqrt}[d + c*d*x]*\text{Sqr} \\
 & \text{t}[e - c*e*x]*\text{PolyLog}[3, E^(I*\text{ArcSin}[c*x])])/\text{Sqrt}[1 - c^2*x^2]
 \end{aligned}$$

### Rule 4739

$$\begin{aligned}
 & \text{Int}[\{(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)\}^{(n_.)}\{(h_.)*(x_.)\}^{(m_.)}\{(d_.) + (e_.) \\
 & *(x_.)\}^{(p_.)}\{(f_.) + (g_.)*(x_.)\}^{(q_.)}, x\_Symbol] \rightarrow \text{Dist}[\{(-((d^2*g)/e))^{I \\
 & \text{ntPart}[q]*\{(d + e*x)\}^{\text{FracPart}[q]*\{(f + g*x)\}^{\text{FracPart}[q]}\}/(1 - c^2*x^2)^{\text{FracPa} \\
 & \text{rt}[q]}, \text{Int}[\{(h*x)\}^m\{(d + e*x)\}^{(p - q)}(1 - c^2*x^2)^q\{(a + b*\text{ArcSin}[c*x])\}^n, \\
 & x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, m, n\}, x\} \&\& \text{EqQ}[e*f + d*g, 0] \&\& \\
 & \text{EqQ}[c^2*d^2 - e^2, 0] \&\& \text{HalfIntegerQ}[p, q] \&\& \text{GeQ}[p - q, 0]
 \end{aligned}$$

### Rule 4699

$$\begin{aligned}
 & \text{Int}[\{(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)\}^{(n_.)}\{(f_.)*(x_.)\}^{(m_.)}\{(d_.) + (e_.) \\
 & *(x_.)^2\}^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[\{(f*x)\}^{(m + 1)}\{(d + e*x^2)\}^p\{(a + b*\text{ArcS} \\
 & \text{in}[c*x])\}^n/\{(f*(m + 2*p + 1)), x\} + (\text{Dist}[\{(2*d*p)/(m + 2*p + 1), \text{Int}[\{(f*x)\}^ \\
 & m\{(d + e*x^2)\}^{(p - 1)}\{(a + b*\text{ArcSin}[c*x])\}^n, x], x] - \text{Dist}[\{(b*c*n*d)^{\text{IntPart} \\
 & [p]*\{(d + e*x^2)\}^{\text{FracPart}[p]}\}/\{(f*(m + 2*p + 1)*(1 - c^2*x^2)^{\text{FracPart}[p]}\}, \text{I} \\
 & \text{nt}[\{(f*x)\}^{(m + 1)}(1 - c^2*x^2)^{(p - 1/2)}\{(a + b*\text{ArcSin}[c*x])\}^{(n - 1)}, x], x \\
 & ])/; \text{FreeQ}\{a, b, c, d, e, f, m\}, x\} \&\& \text{EqQ}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \\
 & \text{GtQ}[p, 0] \&\& !\text{LtQ}[m, -1] \&\& (\text{RationalQ}[m] \mid \mid \text{EqQ}[n, 1])
 \end{aligned}$$

### Rule 4697

$$\begin{aligned}
 & \text{Int}[\{(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)\}^{(n_.)}\{(f_.)*(x_.)\}^{(m_.)}*\text{Sqrt}[\{(d_.) + \\
 & (e_.)*(x_.)^2\}], x\_Symbol] \rightarrow \text{Simp}[\{(f*x)\}^{(m + 1)}*\text{Sqrt}[d + e*x^2]*\{(a + b*\text{ArcS} \\
 & \text{in}[c*x])\}^n/\{(f*(m + 2)), x\} + (\text{Dist}[\text{Sqrt}[d + e*x^2]/\{(m + 2)*\text{Sqrt}[1 - c^2*x \\
 & ^2\}], \text{Int}[\{(f*x)\}^m\{(a + b*\text{ArcSin}[c*x])\}^n/\text{Sqrt}[1 - c^2*x^2], x], x] - \text{Dist}[\ \\
 & (b*c*n*\text{Sqrt}[d + e*x^2])/\{(f*(m + 2)*\text{Sqrt}[1 - c^2*x^2]\}], \text{Int}[\{(f*x)\}^{(m + 1)}\{(a \\
 & + b*\text{ArcSin}[c*x])\}^{(n - 1)}, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x\} \&\& \text{Eq} \\
 & \text{Q}[c^2*d + e, 0] \&\& \text{GtQ}[n, 0] \&\& !\text{LtQ}[m, -1] \&\& (\text{RationalQ}[m] \mid \mid \text{EqQ}[n, 1])
 \end{aligned}$$

### Rule 4709

$$\text{Int}[\{(a_.) + \text{ArcSin}[(c_.)*(x_.)]*(b_.)\}^{(n_.)}(x_.)^{(m_.)}/\text{Sqrt}[\{(d_.) + (e_.)*$$

```
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
)))^n)]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*Ar
cSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 -
c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

### Rule 261

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
```

NeQ[p, -1]

#### Rule 4645

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
  :=> With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] -
  Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[
  {a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[p, 0]
```

#### Rule 444

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol]
  :=> Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x]
  && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]
```

#### Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :=> Int
  [ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x]
  && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0])
  || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

#### Rubi steps

$$\begin{aligned}
\int \frac{(d + cdx)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2}{x} dx &= \frac{(de\sqrt{d + cdx}\sqrt{e - cex}) \int \frac{(1-c^2x^2)^{3/2} (a+b \sin^{-1}(cx))^2}{x} dx}{\sqrt{1 - c^2x^2}} \\
&= \frac{1}{3} de\sqrt{d + cdx}\sqrt{e - cex} (1 - c^2x^2) (a + b \sin^{-1}(cx))^2 + \frac{(de\sqrt{d + cdx}\sqrt{e - cex})}{9\sqrt{1 - c^2x^2}} \\
&= -\frac{2bcdex\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))}{3\sqrt{1 - c^2x^2}} + \frac{2bc^3dex^3\sqrt{d + cdx}\sqrt{e - cex}}{9\sqrt{1 - c^2x^2}} \\
&= -\frac{2abcdex\sqrt{d + cdx}\sqrt{e - cex}}{\sqrt{1 - c^2x^2}} - \frac{2bcdex\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))}{3\sqrt{1 - c^2x^2}} \\
&= -\frac{2abcdex\sqrt{d + cdx}\sqrt{e - cex}}{\sqrt{1 - c^2x^2}} - \frac{2b^2cdex\sqrt{d + cdx}\sqrt{e - cex} \sin^{-1}(cx)}{\sqrt{1 - c^2x^2}} - \frac{2}{27} b^2 de\sqrt{d + cdx}\sqrt{e - cex} \\
&= -\frac{22}{9} b^2 de\sqrt{d + cdx}\sqrt{e - cex} - \frac{2abcdex\sqrt{d + cdx}\sqrt{e - cex}}{\sqrt{1 - c^2x^2}} - \frac{2}{27} b^2 de\sqrt{d + cdx}\sqrt{e - cex} \\
&= -\frac{22}{9} b^2 de\sqrt{d + cdx}\sqrt{e - cex} - \frac{2abcdex\sqrt{d + cdx}\sqrt{e - cex}}{\sqrt{1 - c^2x^2}} - \frac{2}{27} b^2 de\sqrt{d + cdx}\sqrt{e - cex} \\
&= -\frac{22}{9} b^2 de\sqrt{d + cdx}\sqrt{e - cex} - \frac{2abcdex\sqrt{d + cdx}\sqrt{e - cex}}{\sqrt{1 - c^2x^2}} - \frac{2}{27} b^2 de\sqrt{d + cdx}\sqrt{e - cex}
\end{aligned}$$

**Mathematica [A]** time = 4.94343, size = 632, normalized size = 0.98

$$\frac{2abde\sqrt{cdx + d}\sqrt{e - cex} \left( -i \operatorname{PolyLog} \left( 2, -e^{i \sin^{-1}(cx)} \right) + i \operatorname{PolyLog} \left( 2, e^{i \sin^{-1}(cx)} \right) - \sqrt{1 - c^2x^2} \sin^{-1}(cx) + cx - \sin^{-1}(cx) \right)}{\sqrt{1 - c^2x^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)\*(a + b\*ArcSin[c\*x])^2)/x,x]

[Out]  $-(a^2 d e \sqrt{d + c d x} \sqrt{e - c e x} (-4 + c^2 x^2))/3 + (2 a b d e \sqrt{d + c d x} \sqrt{e - c e x} (-3 c x + c^3 x^3 + 3 (1 - c^2 x^2)^{3/2} \operatorname{ArcSin}[c x]))/(9 \sqrt{1 - c^2 x^2}) + a^2 d^{3/2} e^{3/2} \operatorname{Log}[c x] - a^2 d^{3/2} e^{3/2} \operatorname{Log}[d e + \sqrt{d} \sqrt{e} \sqrt{d + c d x} \sqrt{e - c e x}] - (2 a b d e \sqrt{d + c d x} \sqrt{e - c e x} (c x - \sqrt{1 - c^2 x^2} \operatorname{ArcSin}[c x])$



```

] - ArcSin[c*x]*Log[1 - E^(I*ArcSin[c*x])] + ArcSin[c*x]*Log[1 + E^(I*ArcSin[c*x])] - I*PolyLog[2, -E^(I*ArcSin[c*x])] + I*PolyLog[2, E^(I*ArcSin[c*x])])]/Sqrt[1 - c^2*x^2] - (b^2*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(2*Sqrt[1 - c^2*x^2] + 2*c*x*ArcSin[c*x] - Sqrt[1 - c^2*x^2]*ArcSin[c*x]^2 - ArcSin[c*x]^2*Log[1 - E^(I*ArcSin[c*x])] + ArcSin[c*x]^2*Log[1 + E^(I*ArcSin[c*x])]) - (2*I)*ArcSin[c*x]*PolyLog[2, -E^(I*ArcSin[c*x])] + (2*I)*ArcSin[c*x]*PolyLog[2, E^(I*ArcSin[c*x])] + 2*PolyLog[3, -E^(I*ArcSin[c*x])] - 2*PolyLog[3, E^(I*ArcSin[c*x])])]/Sqrt[1 - c^2*x^2] + (b^2*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(27*Sqrt[1 - c^2*x^2]*(-2 + ArcSin[c*x]^2) + (-2 + 9*ArcSin[c*x]^2)*Cos[3*ArcSin[c*x]] - 6*ArcSin[c*x]*(9*c*x + Sin[3*ArcSin[c*x]])))/(108*Sqrt[1 - c^2*x^2])

```

**Maple [F]** time = 0.279, size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^2}{x} (cdx + d)^{\frac{3}{2}} (-cex + e)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(3/2)*(-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2/x,x)
```

```
[Out] int((c*d*x+d)^(3/2)*(-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2/x,x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2/x,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

```
integral( (a^2*c^2*d*x^2 - a^2*d*e + (b^2*c^2*d*x^2 - b^2*d*e) arcsin(cx)^2 + 2*(a*b*c^2*d*x^2 - a*b*d*e) arcsin(cx) ) * sqrt(c*d*x + d) * sqrt(-c*e*x + e) / x, x)
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2/x,x, algorithm="fricas")
```

```
[Out] integral(-(a^2*c^2*d*e*x^2 - a^2*d*e + (b^2*c^2*d*e*x^2 - b^2*d*e)*arcsin(c*x)^2 + 2*(a*b*c^2*d*e*x^2 - a*b*d*e)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*e*x + e)/x, x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(3/2)*(-c*e*x+e)**(3/2)*(a+b*asin(c*x))**2/x,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(cdx + d)^{\frac{3}{2}}(-cex + e)^{\frac{3}{2}}(b \arcsin(cx) + a)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2/x,x, algorithm="giac")
```

```
[Out] integrate((c*d*x + d)^(3/2)*(-c*e*x + e)^(3/2)*(b*arcsin(c*x) + a)^2/x, x)
```

$$3.585 \quad \int \frac{(d+cdx)^{3/2}(e-cex)^{3/2}(a+b \sin^{-1}(cx))^2}{x^2} dx$$

**Optimal.** Leaf size=505

$$\frac{ib^2cde\sqrt{cdx+d}\sqrt{e-cex}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{\sqrt{1-c^2x^2}} + \frac{3bc^3dex^2\sqrt{cdx+d}\sqrt{e-cex}(a+b \sin^{-1}(cx))}{2\sqrt{1-c^2x^2}} - \frac{cde\sqrt{cdx+d}\sqrt{e-cex}}{2b\sqrt{1-c^2x^2}}$$

```
[Out] (b^2*c^2*d*e*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/4 - (5*b^2*c*d*e*Sqrt[d + c
*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x])/(4*Sqrt[1 - c^2*x^2]) + (3*b*c^3*d*e*x^2
*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x]))/(2*Sqrt[1 - c^2*x^2])
+ b*c*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[
c*x]) - (3*c^2*d*e*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)
/2 - (I*c*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/Sqrt[1
- c^2*x^2] - (d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(1 - c^2*x^2)*(a + b*Arc
Sin[c*x])^2)/x - (c*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])
^3)/(2*b*Sqrt[1 - c^2*x^2]) + (2*b*c*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a
+ b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSin[c*x])])/Sqrt[1 - c^2*x^2] - (I*b^
2*c*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*PolyLog[2, E^((2*I)*ArcSin[c*x])])/
Sqrt[1 - c^2*x^2]
```

**Rubi [A]** time = 0.80743, antiderivative size = 505, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 14, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {4739, 4695, 4647, 4641, 4627, 321, 216, 4683, 4625, 3717, 2190, 2279, 2391, 195}

$$\frac{ib^2cde\sqrt{cdx+d}\sqrt{e-cex}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{\sqrt{1-c^2x^2}} + \frac{3bc^3dex^2\sqrt{cdx+d}\sqrt{e-cex}(a+b \sin^{-1}(cx))}{2\sqrt{1-c^2x^2}} - \frac{cde\sqrt{cdx+d}\sqrt{e-cex}}{2b\sqrt{1-c^2x^2}}$$

Antiderivative was successfully verified.

```
[In] Int[((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)*(a + b*ArcSin[c*x])^2)/x^2, x]
```

```
[Out] (b^2*c^2*d*e*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/4 - (5*b^2*c*d*e*Sqrt[d + c
*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x])/(4*Sqrt[1 - c^2*x^2]) + (3*b*c^3*d*e*x^2
*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x]))/(2*Sqrt[1 - c^2*x^2])
+ b*c*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[
c*x]) - (3*c^2*d*e*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)
/2 - (I*c*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(a + b*ArcSin[c*x])^2)/Sqrt[1
- c^2*x^2] - (d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*(1 - c^2*x^2)*(a + b*Arc
```

$$\frac{\sin^2(cx)}{x} - \frac{(cde\sqrt{d+cx}\sqrt{e-cx})(a+b\arcsin(cx))^3}{2b\sqrt{1-c^2x^2}} + \frac{(2bcde\sqrt{d+cx}\sqrt{e-cx})(a+b\arcsin(cx))\log[1-E((2I)\arcsin(cx))]}{\sqrt{1-c^2x^2}} - \frac{(Ib^2cde\sqrt{d+cx}\sqrt{e-cx})\text{PolyLog}[2, E((2I)\arcsin(cx))]}{\sqrt{1-c^2x^2}}$$
Rule 4739

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)x](b_.)^{(n_.)}((h_.)x)^{(m_.)}((d_.) + (e_.)x)^{(p_.)}((f_.) + (g_.)x)^{(q_.)}, x\_Symbol] \rightarrow \text{Dist}[\frac{((d^2g)/e)^{\text{IntPart}[q]}(d+ex)^{\text{FracPart}[q]}(f+gx)^{\text{FracPart}[q]}}{(1-c^2x^2)^{\text{FracPart}[q]}}, \text{Int}[(hx)^m(d+ex)^{p-q}(1-c^2x^2)^q(a+b\arcsin(cx))^n, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, m, n\}, x] \&\& \text{EqQ}[e*f + d*g, 0] \&\& \text{EqQ}[c^2d^2 - e^2, 0] \&\& \text{HalfIntegerQ}[p, q] \&\& \text{GeQ}[p - q, 0]$$
Rule 4695

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)x](b_.)^{(n_.)}(f_.)x)^{(m_.)}((d_.) + (e_.)x)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[\frac{(fx)^{m+1}(d+ex^2)^p(a+b\arcsin(cx))^n}{f(m+1)}, x] + (-\text{Dist}[(2*ep)/(f^2(m+1)), \text{Int}[(fx)^{m+2}(d+ex^2)^{p-1}(a+b\arcsin(cx))^n, x], x] - \text{Dist}[(b*c*n*d^{\text{IntPart}[p]}(d+ex^2)^{\text{FracPart}[p]})/(f(m+1)(1-c^2x^2)^{\text{FracPart}[p]}), \text{Int}[(fx)^{m+1}(1-c^2x^2)^{p-1/2}(a+b\arcsin(cx))^{n-1}, x], x]) /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[c^2d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{GtQ}[p, 0] \&\& \text{LtQ}[m, -1]$$
Rule 4647

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)x](b_.)^{(n_.)}\sqrt{(d_.) + (e_.)x^2}, x\_Symbol] \rightarrow \text{Simp}[(x\sqrt{d+ex^2})(a+b\arcsin(cx))^n/2, x] + (\text{Dist}[\sqrt{d+ex^2}/(2\sqrt{1-c^2x^2}), \text{Int}[(a+b\arcsin(cx))^n/\sqrt{1-c^2x^2}, x], x] - \text{Dist}[(b*c*n\sqrt{d+ex^2})/(2\sqrt{1-c^2x^2}), \text{Int}[x(a+b\arcsin(cx))^{n-1}, x], x]) /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[c^2d + e, 0] \&\& \text{GtQ}[n, 0]$$
Rule 4641

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)x](b_.)^{(n_.)}/\sqrt{(d_.) + (e_.)x^2}, x\_Symbol] \rightarrow \text{Simp}[(a+b\arcsin(cx))^{n+1}/(b*c\sqrt{d}(n+1)), x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&\& \text{EqQ}[c^2d + e, 0] \&\& \text{GtQ}[d, 0] \&\& \text{NeQ}[n, -1]$$
Rule 4627

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.)x](b_.)^{(n_.)}(d_.)x)^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[\frac{(dx)^{m+1}(a+b\arcsin(cx))^n}{d(m+1)}, x] - \text{Dist}[(b*c*n$$

)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 321

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 4683

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.)/(x\_), x\_Symbol] := Simp[((d + e\*x^2)^p\*(a + b\*ArcSin[c\*x]))/(2\*p), x] + (Dist[d, Int[((d + e\*x^2)^(p - 1)\*(a + b\*ArcSin[c\*x]))/x, x], x] - Dist[(b\*c\*d^p)/(2\*p), Int[(1 - c^2\*x^2)^(p - 1/2), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[p, 0]

### Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

### Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

### Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p
+ 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; Free
Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] &&
IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n],
Denominator[p]])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + cdx)^{3/2}(e - cex)^{3/2} (a + b \sin^{-1}(cx))^2}{x^2} dx &= \frac{(de\sqrt{d + cdx}\sqrt{e - cex}) \int \frac{(1-c^2x^2)^{3/2}(a+b\sin^{-1}(cx))^2}{x^2} dx}{\sqrt{1-c^2x^2}} \\
&= -\frac{de\sqrt{d + cdx}\sqrt{e - cex} (1 - c^2x^2) (a + b \sin^{-1}(cx))^2}{x} + \frac{(2bcde\sqrt{d + cdx}\sqrt{e - cex})}{x} \\
&= bcde\sqrt{d + cdx}\sqrt{e - cex}\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx)) - \frac{3}{2}c^2dex\sqrt{d + cdx}\sqrt{e - cex} \\
&= -\frac{1}{2}b^2c^2dex\sqrt{d + cdx}\sqrt{e - cex} + \frac{3bc^3dex^2\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))}{2\sqrt{1 - c^2x^2}} \\
&= \frac{1}{4}b^2c^2dex\sqrt{d + cdx}\sqrt{e - cex} - \frac{b^2cde\sqrt{d + cdx}\sqrt{e - cex} \sin^{-1}(cx)}{2\sqrt{1 - c^2x^2}} + \frac{3bc^3dex^2\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))}{4\sqrt{1 - c^2x^2}} \\
&= \frac{1}{4}b^2c^2dex\sqrt{d + cdx}\sqrt{e - cex} - \frac{5b^2cde\sqrt{d + cdx}\sqrt{e - cex} \sin^{-1}(cx)}{4\sqrt{1 - c^2x^2}} + \frac{3bc^3dex^2\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))}{4\sqrt{1 - c^2x^2}} \\
&= \frac{1}{4}b^2c^2dex\sqrt{d + cdx}\sqrt{e - cex} - \frac{5b^2cde\sqrt{d + cdx}\sqrt{e - cex} \sin^{-1}(cx)}{4\sqrt{1 - c^2x^2}} + \frac{3bc^3dex^2\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))}{4\sqrt{1 - c^2x^2}} \\
&= \frac{1}{4}b^2c^2dex\sqrt{d + cdx}\sqrt{e - cex} - \frac{5b^2cde\sqrt{d + cdx}\sqrt{e - cex} \sin^{-1}(cx)}{4\sqrt{1 - c^2x^2}} + \frac{3bc^3dex^2\sqrt{d + cdx}\sqrt{e - cex} (a + b \sin^{-1}(cx))}{4\sqrt{1 - c^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 2.26623, size = 538, normalized size = 1.07

$$-8ib^2cdex\sqrt{cdx + d}\sqrt{e - cex}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right) + 12a^2cd^{3/2}e^{3/2}x\sqrt{1 - c^2x^2} \tan^{-1}\left(\frac{cx\sqrt{cdx+d}\sqrt{e-cex}}{\sqrt{d}\sqrt{e}(c^2x^2-1)}\right) - 4a^2c^2dex^2\sqrt{1 - c^2x^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)*(a + b*ArcSin[c*x])^2)/x^2, x]
```

```
[Out] (-8*a^2*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Sqrt[1 - c^2*x^2] - 4*a^2*c^2*d*e*x^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Sqrt[1 - c^2*x^2] - 4*b^2*c*d*e*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x]^3 + 12*a^2*c*d^(3/2)*e^(3/2)*x*Sqrt[1 - c^2*x^2]*ArcTan[(c*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/(Sqrt[d]*Sqrt[e]*(-1 + c^2*x^2))] - 2*a*b*c*d*e*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Cos[2*ArcSin[c*x]])/x^2
```

```
rcSin[c*x]] + 16*a*b*c*d*e*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Log[c*x] - (8*I)*b^2*c*d*e*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*PolyLog[2, E^((2*I)*ArcSin[c*x])] + b^2*c*d*e*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*Sin[2*ArcSin[c*x]] - 2*b*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x]*(8*a*Sqrt[1 - c^2*x^2] + b*c*x*Cos[2*ArcSin[c*x]] - 8*b*c*x*Log[1 - E^((2*I)*ArcSin[c*x])] + 2*a*c*x*Sin[2*ArcSin[c*x]]) - 2*b*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcSin[c*x]^2*(6*a*c*x + (4*I)*b*c*x + 4*b*Sqrt[1 - c^2*x^2] + b*c*x*Sin[2*ArcSin[c*x]])/(8*x*Sqrt[1 - c^2*x^2])
```

**Maple [F]** time = 0.419, size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^2}{x^2} (cdx + d)^{\frac{3}{2}} (-cex + e)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*x+d)^(3/2)*(-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2/x^2,x)
```

```
[Out] int((c*d*x+d)^(3/2)*(-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2/x^2,x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2/x^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( -\frac{(a^2c^2dex^2 - a^2de + (b^2c^2dex^2 - b^2de) \arcsin(cx)^2 + 2(abc^2dex^2 - abde) \arcsin(cx))\sqrt{cdx + d}\sqrt{-cex + e}}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((c*d*x+d)^(3/2)*(-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2/x^2,x, algorithm="fricas")
```

```
[Out] integral(-(a^2*c^2*d*e*x^2 - a^2*d*e + (b^2*c^2*d*e*x^2 - b^2*d*e)*arcsin(c*x)^2 + 2*(a*b*c^2*d*e*x^2 - a*b*d*e)*arcsin(c*x))*sqrt(c*d*x + d)*sqrt(-c*e*x + e)/x^2, x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)**(3/2)*(-c*e*x+e)**(3/2)*(a+b*asin(c*x))**2/x**2,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(cdx + d)^{\frac{3}{2}}(-cex + e)^{\frac{3}{2}}(b \arcsin(cx) + a)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*d*x+d)^(3/2)*(-c*e*x+e)^(3/2)*(a+b*arcsin(c*x))^2/x^2,x, algorithm="giac")
```

```
[Out] integrate((c*d*x + d)^(3/2)*(-c*e*x + e)^(3/2)*(b*arcsin(c*x) + a)^2/x^2, x)
```

$$3.586 \quad \int \frac{x^2(a+b \sin^{-1}(cx))^2}{\sqrt{d+cdx}\sqrt{e-cex}} dx$$

**Optimal.** Leaf size=250

$$\frac{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^3}{6bc^3\sqrt{cdx+d}\sqrt{e-cex}} - \frac{x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{2c^2\sqrt{cdx+d}\sqrt{e-cex}} + \frac{bx^2\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))}{2c\sqrt{cdx+d}\sqrt{e-cex}} + \frac{b^2x(1-c^2x^2)}{4c^2\sqrt{cdx+d}\sqrt{e-cex}}$$

[Out] (b^2\*x\*(1 - c^2\*x^2))/(4\*c^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - (b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(4\*c^3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (b\*x^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(2\*c\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - (x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(2\*c^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(6\*b\*c^3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

**Rubi [A]** time = 0.582337, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {4739, 4707, 4641, 4627, 321, 216}

$$\frac{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^3}{6bc^3\sqrt{cdx+d}\sqrt{e-cex}} - \frac{x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{2c^2\sqrt{cdx+d}\sqrt{e-cex}} + \frac{bx^2\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))}{2c\sqrt{cdx+d}\sqrt{e-cex}} + \frac{b^2x(1-c^2x^2)}{4c^2\sqrt{cdx+d}\sqrt{e-cex}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(a + b\*ArcSin[c\*x])^2)/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]),x]

[Out] (b^2\*x\*(1 - c^2\*x^2))/(4\*c^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - (b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(4\*c^3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (b\*x^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/(2\*c\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - (x\*(1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(2\*c^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(6\*b\*c^3\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

**Rule 4739**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((h\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_))^(p\_)\*((f\_) + (g\_.)\*(x\_))^(q\_), x\_Symbol] :> Dist[(((d^2\*g)/e))^I ntPart[q]\*(d + e\*x)^FracPart[q]\*(f + g\*x)^FracPart[q]]/(1 - c^2\*x^2)^FracPart[q], Int[(h\*x)^m\*(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && EqQ[e\*f + d\*g, 0] &&

EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4707

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_)]/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[((f\*x)^(m - 2) \* (a + b\*ArcSin[c\*x])^n)/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rule 4641

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

### Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_.)\*(x\_))^(m\_.), x\_Symbol] :> Simp[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 321

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + b \sin^{-1}(cx))^2}{\sqrt{d + cdx}\sqrt{e - cex}} dx &= \frac{\sqrt{1 - c^2x^2} \int \frac{x^{2(a+b \sin^{-1}(cx))^2}}{\sqrt{1 - c^2x^2}} dx}{\sqrt{d + cdx}\sqrt{e - cex}} \\
&= -\frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{2c^2\sqrt{d + cdx}\sqrt{e - cex}} + \frac{\sqrt{1 - c^2x^2} \int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} dx}{2c^2\sqrt{d + cdx}\sqrt{e - cex}} + \frac{(b\sqrt{1 - c^2x^2}) \int x(a + b \sin^{-1}(cx)) dx}{c\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{bx^2\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{2c\sqrt{d + cdx}\sqrt{e - cex}} - \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{2c^2\sqrt{d + cdx}\sqrt{e - cex}} + \frac{\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{6bc^3\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{b^2x(1 - c^2x^2)}{4c^2\sqrt{d + cdx}\sqrt{e - cex}} + \frac{bx^2\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{2c\sqrt{d + cdx}\sqrt{e - cex}} - \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{2c^2\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{b^2x(1 - c^2x^2)}{4c^2\sqrt{d + cdx}\sqrt{e - cex}} - \frac{b^2\sqrt{1 - c^2x^2} \sin^{-1}(cx)}{4c^3\sqrt{d + cdx}\sqrt{e - cex}} + \frac{bx^2\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{2c\sqrt{d + cdx}\sqrt{e - cex}} - \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{2c^2\sqrt{d + cdx}\sqrt{e - cex}}
\end{aligned}$$

**Mathematica [A]** time = 1.30185, size = 326, normalized size = 1.3

$$-3\sqrt{d}\sqrt{e}\left(a^2(4cx - 4c^3x^3) + ab\sqrt{1 - c^2x^2} + ab \cos(3 \sin^{-1}(cx)) + 2b^2cx(c^2x^2 - 1)\right) - 12a^2\sqrt{cdx + d}\sqrt{e - cex} \tan^{-1}\left(\frac{cx\sqrt{e - cex}}{\sqrt{d}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(a + b\*ArcSin[c\*x])^2)/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]),x]

[Out] (12\*b\*Sqrt[d]\*Sqrt[e]\*(a\*Sqrt[1 - c^2\*x^2] + b\*c\*x\*(-1 + c^2\*x^2))\*ArcSin[c\*x]^2 + 4\*b^2\*Sqrt[d]\*Sqrt[e]\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]^3 - 12\*a^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))] - 3\*Sqrt[d]\*Sqrt[e]\*(a\*b\*Sqrt[1 - c^2\*x^2] + 2\*b^2\*c\*x\*(-1 + c^2\*x^2) + a^2\*(4\*c\*x - 4\*c^3\*x^3) + a\*b\*Cos[3\*ArcSin[c\*x]]) - 3\*b\*Sqrt[d]\*Sqrt[e]\*ArcSin[c\*x]\*(2\*a\*c\*x + b\*Sqrt[1 - c^2\*x^2] + b\*Cos[3\*ArcSin[c\*x]] + 2\*a\*Sin[3\*ArcSin[c\*x]])/(24\*c^3\*Sqrt[d]\*Sqrt[e]\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

**Maple [F]** time = 0.331, size = 0, normalized size = 0.

$$\int x^2 (a + b \arcsin(cx))^2 \frac{1}{\sqrt{cdx + d}} \frac{1}{\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(1/2),x)`

[Out] `int(x^2*(a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(1/2),x)`

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2x^2 \arcsin(cx))^2 + 2abx^2 \arcsin(cx) + a^2x^2}{c^2dex^2 - de}\sqrt{cdx + d}\sqrt{-cex + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(1/2),x, algorithm="fricas")`

[Out] `integral(-(b^2*x^2*arcsin(c*x))^2 + 2*a*b*x^2*arcsin(c*x) + a^2*x^2)*sqrt(c*d*x + d)*sqrt(-c*e*x + e)/(c^2*d*e*x^2 - d*e), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 (a + b \arcsin(cx))^2}{\sqrt{d}(cx + 1)\sqrt{-e}(cx - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(a+b*asin(c*x))**2/(c*d*x+d)**(1/2)/(-c*e*x+e)**(1/2),x)
```

```
[Out] Integral(x**2*(a + b*asin(c*x))**2/(sqrt(d*(c*x + 1))*sqrt(-e*(c*x - 1))),
x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^2}{\sqrt{cdx + d}\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(1/2),x, algo
rithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2*x^2/(sqrt(c*d*x + d)*sqrt(-c*e*x + e)), x)
```

$$3.587 \quad \int \frac{x(a+b \sin^{-1}(cx))^2}{\sqrt{d+cdx}\sqrt{e-cex}} dx$$

**Optimal.** Leaf size=177

$$\frac{2abx\sqrt{1-c^2x^2}}{c\sqrt{cdx+d}\sqrt{e-cex}} - \frac{(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c^2\sqrt{cdx+d}\sqrt{e-cex}} + \frac{2b^2(1-c^2x^2)}{c^2\sqrt{cdx+d}\sqrt{e-cex}} + \frac{2b^2x\sqrt{1-c^2x^2} \sin^{-1}(cx)}{c\sqrt{cdx+d}\sqrt{e-cex}}$$

[Out] (2\*a\*b\*x\*Sqrt[1 - c^2\*x^2])/(c\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (2\*b^2\*(1 - c^2\*x^2))/(c^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (2\*b^2\*x\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(c\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - ((1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(c^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

**Rubi [A]** time = 0.376649, antiderivative size = 177, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {4739, 4677, 4619, 261}

$$\frac{2abx\sqrt{1-c^2x^2}}{c\sqrt{cdx+d}\sqrt{e-cex}} - \frac{(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{c^2\sqrt{cdx+d}\sqrt{e-cex}} + \frac{2b^2(1-c^2x^2)}{c^2\sqrt{cdx+d}\sqrt{e-cex}} + \frac{2b^2x\sqrt{1-c^2x^2} \sin^{-1}(cx)}{c\sqrt{cdx+d}\sqrt{e-cex}}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a + b\*ArcSin[c\*x])^2)/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]),x]

[Out] (2\*a\*b\*x\*Sqrt[1 - c^2\*x^2])/(c\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (2\*b^2\*(1 - c^2\*x^2))/(c^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (2\*b^2\*x\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x])/(c\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - ((1 - c^2\*x^2)\*(a + b\*ArcSin[c\*x])^2)/(c^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

#### Rule 4739

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((h\_.)\*(x\_.))^ (m\_.)\*((d\_.) + (e\_.)\*(x\_.))^ (p\_.)\*((f\_.) + (g\_.)\*(x\_.))^ (q\_.), x\_Symbol] :> Dist[(((d^2\*g)/e))^IntPart[q]\*(d + e\*x)^FracPart[q]\*(f + g\*x)^FracPart[q]]/(1 - c^2\*x^2)^FracPart[q], Int[(h\*x)^m\*(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

#### Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

### Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.), x_Symbol] := Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

### Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^ (p_.), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{x(a + b \sin^{-1}(cx))^2}{\sqrt{d + cdx}\sqrt{e - cex}} dx &= \frac{\sqrt{1 - c^2x^2} \int \frac{x(a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} dx}{\sqrt{d + cdx}\sqrt{e - cex}} \\
 &= -\frac{(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c^2\sqrt{d + cdx}\sqrt{e - cex}} + \frac{(2b\sqrt{1 - c^2x^2}) \int (a + b \sin^{-1}(cx)) dx}{c\sqrt{d + cdx}\sqrt{e - cex}} \\
 &= \frac{2abx\sqrt{1 - c^2x^2}}{c\sqrt{d + cdx}\sqrt{e - cex}} - \frac{(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c^2\sqrt{d + cdx}\sqrt{e - cex}} + \frac{(2b^2\sqrt{1 - c^2x^2}) \int \sin^{-1}(cx) dx}{c\sqrt{d + cdx}\sqrt{e - cex}} \\
 &= \frac{2abx\sqrt{1 - c^2x^2}}{c\sqrt{d + cdx}\sqrt{e - cex}} + \frac{2b^2x\sqrt{1 - c^2x^2} \sin^{-1}(cx)}{c\sqrt{d + cdx}\sqrt{e - cex}} - \frac{(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c^2\sqrt{d + cdx}\sqrt{e - cex}} - \frac{(2b^2\sqrt{1 - c^2x^2}) \int \sin^{-1}(cx) dx}{\sqrt{d + cdx}\sqrt{e - cex}} \\
 &= \frac{2abx\sqrt{1 - c^2x^2}}{c\sqrt{d + cdx}\sqrt{e - cex}} + \frac{2b^2(1 - c^2x^2)}{c^2\sqrt{d + cdx}\sqrt{e - cex}} + \frac{2b^2x\sqrt{1 - c^2x^2} \sin^{-1}(cx)}{c\sqrt{d + cdx}\sqrt{e - cex}} - \frac{(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{c^2\sqrt{d + cdx}\sqrt{e - cex}}
 \end{aligned}$$

**Mathematica [A]** time = 0.660265, size = 150, normalized size = 0.85

$$\frac{\sqrt{cdx + d}\sqrt{e - cex} \left( a^2 (c^2x^2 - 1) + 2abcx\sqrt{1 - c^2x^2} + 2b \sin^{-1}(cx) \left( a (c^2x^2 - 1) + bcx\sqrt{1 - c^2x^2} \right) - 2b^2 (c^2x^2 - 1) + b^2 (c^2x^2 - 1) \right)}{c^2de(cx - 1)(cx + 1)}$$



Antiderivative was successfully verified.

[In] Integrate[(x\*(a + b\*ArcSin[c\*x])^2)/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]),x]

[Out] -((Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]\*(2\*a\*b\*c\*x\*Sqrt[1 - c^2\*x^2] + a^2\*(-1 + c^2\*x^2) - 2\*b^2\*(-1 + c^2\*x^2) + 2\*b\*(b\*c\*x\*Sqrt[1 - c^2\*x^2] + a\*(-1 + c^2\*x^2))\*ArcSin[c\*x] + b^2\*(-1 + c^2\*x^2)\*ArcSin[c\*x]^2))/(c^2\*d\*e\*(-1 + c\*x)\*(1 + c\*x))

**Maple [F]** time = 0.365, size = 0, normalized size = 0.

$$\int x(a + b \arcsin(cx))^2 \frac{1}{\sqrt{cdx + d}} \frac{1}{\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x)

[Out] int(x\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.3323, size = 302, normalized size = 1.71

$$\frac{\left( (a^2 - 2b^2)c^2x^2 + (b^2c^2x^2 - b^2) \arcsin(cx)^2 - a^2 + 2b^2 + 2(abc^2x^2 - ab) \arcsin(cx) + 2(b^2cx \arcsin(cx) + abcx) \sqrt{-c^4dex^2 - c^2de} \right)}{c^4dex^2 - c^2de}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(1/2),x, algorithm="fricas")
```

```
[Out] -((a^2 - 2*b^2)*c^2*x^2 + (b^2*c^2*x^2 - b^2)*arcsin(c*x)^2 - a^2 + 2*b^2 + 2*(a*b*c^2*x^2 - a*b)*arcsin(c*x) + 2*(b^2*c*x*arcsin(c*x) + a*b*c*x)*sqrt(-c^2*x^2 + 1))*sqrt(c*d*x + d)*sqrt(-c*e*x + e)/(c^4*d*e*x^2 - c^2*d*e)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x(a + b \operatorname{asin}(cx))^2}{\sqrt{d}(cx + 1)\sqrt{-e}(cx - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*asin(c*x))^2/(c*d*x+d)**(1/2)/(-c*e*x+e)**(1/2),x)
```

```
[Out] Integral(x*(a + b*asin(c*x))^2/(sqrt(d*(c*x + 1))*sqrt(-e*(c*x - 1))), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)^2 x}{\sqrt{cdx + d}\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2*x/(sqrt(c*d*x + d)*sqrt(-c*e*x + e)), x)
```

$$3.588 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{d+cdx}\sqrt{e-cex}} dx$$

Optimal. Leaf size=55

$$\frac{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^3}{3bc\sqrt{cdx+d}\sqrt{e-cex}}$$

[Out] (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

**Rubi [A]** time = 0.232389, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$ , Rules used = {4673, 4641}

$$\frac{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))^3}{3bc\sqrt{cdx+d}\sqrt{e-cex}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]),x]

[Out] (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

#### Rule 4673

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.\*((d\_.) + (e\_.)\*(x\_.))^p\_.\*((f\_.) + (g\_.)\*(x\_.))^q\_.], x\_Symbol] :> Dist[((d + e\*x)^q\*(f + g\*x)^q)/(1 - c^2\*x^2)^q, Int[(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

#### Rule 4641

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_. / Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] :> Simp[(a + b\*ArcSin[c\*x])^(n + 1)/(b\*c\*Sqrt[d]\*(n + 1)), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]

#### Rubi steps

$$\int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{d + cdx}\sqrt{e - cex}} dx = \frac{\sqrt{1 - c^2x^2} \int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{1 - c^2x^2}} dx}{\sqrt{d + cdx}\sqrt{e - cex}}$$

$$= \frac{\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^3}{3bc\sqrt{d + cdx}\sqrt{e - cex}}$$

**Mathematica [B]** time = 0.647459, size = 159, normalized size = 2.89

$$\frac{-\frac{3a^2 \tan^{-1}\left(\frac{cx\sqrt{cdx+d}\sqrt{e-cex}}{\sqrt{d}\sqrt{e}(c^2x^2-1)}\right)}{\sqrt{d}\sqrt{e}} + \frac{3ab\sqrt{1-c^2x^2}\sin^{-1}(cx)^2}{\sqrt{cdx+d}\sqrt{e-cex}} + \frac{b^2\sqrt{1-c^2x^2}\sin^{-1}(cx)^3}{\sqrt{cdx+d}\sqrt{e-cex}}}{3c}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]),x]

[Out] ((3\*a\*b\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]^2)/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]^3)/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - (3\*a^2\*ArcTan[(c\*x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])/(Sqrt[d]\*Sqrt[e]\*(-1 + c^2\*x^2))])/(Sqrt[d]\*Sqrt[e]))/(3\*c)

**Maple [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 \frac{1}{\sqrt{cdx + d}} \frac{1}{\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x)

[Out] int((a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(1/2),x, algorithm
="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)\sqrt{cdx + d}\sqrt{-cex + e}}{c^2dex^2 - de}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(1/2),x, algorithm
="fricas")
```

```
[Out] integral(-(b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*sqrt(c*d*x + d)*sqrt
(-c*e*x + e)/(c^2*d*e*x^2 - d*e), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asin}(cx))^2}{\sqrt{d}(cx + 1)\sqrt{-e}(cx - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))**2/(c*d*x+d)**(1/2)/(-c*e*x+e)**(1/2),x)
```

```
[Out] Integral((a + b*asin(c*x))**2/(sqrt(d*(c*x + 1))*sqrt(-e*(c*x - 1))), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{\sqrt{cdx + d}\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(1/2)/(-c*e*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2/(sqrt(c*d*x + d)*sqrt(-c*e*x + e)), x)
```

$$3.589 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x\sqrt{d+cdx}\sqrt{e-cex}} dx$$

**Optimal.** Leaf size=287

$$\frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{cdx+d}\sqrt{e-cex}} - \frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{cdx+d}\sqrt{e-cex}} - \frac{2b^2\sqrt{1-c^2x^2}\text{PolyLog}\left(3, -E^{(I*\text{ArcSin}[c*x])}\right)}{\sqrt{cdx+d}\sqrt{e-cex}}$$

[Out] (-2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2\*ArcTanh[E^(I\*ArcSin[c\*x])])/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + ((2\*I)\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - ((2\*I)\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, E^(I\*ArcSin[c\*x])])/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - (2\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[3, -E^(I\*ArcSin[c\*x])])/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (2\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[3, E^(I\*ArcSin[c\*x])])/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

**Rubi [A]** time = 0.579608, antiderivative size = 287, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {4739, 4709, 4183, 2531, 2282, 6589}

$$\frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{cdx+d}\sqrt{e-cex}} - \frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{\sqrt{cdx+d}\sqrt{e-cex}} - \frac{2b^2\sqrt{1-c^2x^2}\text{PolyLog}\left(3, -E^{(I*\text{ArcSin}[c*x])}\right)}{\sqrt{cdx+d}\sqrt{e-cex}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2/(x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]), x]

[Out] (-2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2\*ArcTanh[E^(I\*ArcSin[c\*x])])/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + ((2\*I)\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, -E^(I\*ArcSin[c\*x])])/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - ((2\*I)\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*PolyLog[2, E^(I\*ArcSin[c\*x])])/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - (2\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[3, -E^(I\*ArcSin[c\*x])])/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (2\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[3, E^(I\*ArcSin[c\*x])])/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

**Rule 4739**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((h\_.)\*(x\_.))^ (m\_.)\*((d\_.) + (e\_.)\*(x\_.))^ (p\_.)\*((f\_.) + (g\_.)\*(x\_.))^ (q\_.), x\_Symbol] :> Dist[(-((d^2\*g)/e))^ I IntPart[q]\*(d + e\*x)^FracPart[q]\*(f + g\*x)^FracPart[q]]/(1 - c^2\*x^2)^FracPart[q]

```
rt[q], Int[(h*x)^m*(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n,
x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && EqQ[e*f + d*g, 0] &&
EqQ[c^2*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

### Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_.)*(x_)^(m_)]/Sqrt[(d_) + (e_.)*
(x_)^2], x_Symbol] := Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin
[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d +
e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^n_.]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
))))^n]])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rubi steps



$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x\sqrt{d + cdx}\sqrt{e - cex}} dx &= \frac{\sqrt{1 - c^2x^2} \int \frac{(a + b \sin^{-1}(cx))^2}{x\sqrt{1 - c^2x^2}} dx}{\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{\sqrt{1 - c^2x^2} \operatorname{Subst}\left(\int (a + bx)^2 \csc(x) dx, x, \sin^{-1}(cx)\right)}{\sqrt{d + cdx}\sqrt{e - cex}} \\
&= -\frac{2\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2 \tanh^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{\sqrt{d + cdx}\sqrt{e - cex}} - \frac{(2b\sqrt{1 - c^2x^2}) \operatorname{Subst}\left(\int (a + bx) \log\right)}{\sqrt{d + cdx}\sqrt{e - cex}} \\
&= -\frac{2\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2 \tanh^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{\sqrt{d + cdx}\sqrt{e - cex}} + \frac{2ib\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx)) \operatorname{Li}_2\left(-\right)}{\sqrt{d + cdx}\sqrt{e - cex}} \\
&= -\frac{2\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2 \tanh^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{\sqrt{d + cdx}\sqrt{e - cex}} + \frac{2ib\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx)) \operatorname{Li}_2\left(-\right)}{\sqrt{d + cdx}\sqrt{e - cex}} \\
&= -\frac{2\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2 \tanh^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{\sqrt{d + cdx}\sqrt{e - cex}} + \frac{2ib\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx)) \operatorname{Li}_2\left(-\right)}{\sqrt{d + cdx}\sqrt{e - cex}}
\end{aligned}$$

**Mathematica [A]** time = 1.50283, size = 336, normalized size = 1.17

$$\frac{2ab\sqrt{1 - c^2x^2} \left( i \operatorname{PolyLog}\left(2, -e^{i \sin^{-1}(cx)}\right) - i \operatorname{PolyLog}\left(2, e^{i \sin^{-1}(cx)}\right) + \sin^{-1}(cx) \left( \log\left(1 - e^{i \sin^{-1}(cx)}\right) - \log\left(1 + e^{i \sin^{-1}(cx)}\right) \right) \right)}{\sqrt{cdx + d}\sqrt{e - cex}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]),x]

[Out] (a^2\*Log[c\*x])/(Sqrt[d]\*Sqrt[e]) - (a^2\*Log[d\*e + Sqrt[d]\*Sqrt[e]\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]])/(Sqrt[d]\*Sqrt[e]) + (2\*a\*b\*Sqrt[1 - c^2\*x^2]\*(ArcSin[c\*x]\*(Log[1 - E^(I\*ArcSin[c\*x])] - Log[1 + E^(I\*ArcSin[c\*x]])]) + I\*PolyLog[2, -E^(I\*ArcSin[c\*x])] - I\*PolyLog[2, E^(I\*ArcSin[c\*x])]))/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (b^2\*Sqrt[1 - c^2\*x^2]\*(ArcSin[c\*x]^2\*Log[1 - E^(I\*ArcSin[c\*x])] - ArcSin[c\*x]^2\*Log[1 + E^(I\*ArcSin[c\*x])] + (2\*I)\*ArcSin[c\*x]\*PolyLog[2, -E^(I\*ArcSin[c\*x])] - (2\*I)\*ArcSin[c\*x]\*PolyLog[2, E^(I\*ArcSin[c\*x])]) - 2\*PolyLog[3, -E^(I\*ArcSin[c\*x])] + 2\*PolyLog[3, E^(I\*ArcSin[c\*x])]))/(Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

**Maple [F]** time = 0.289, size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^2}{x} \frac{1}{\sqrt{cdx + d}} \frac{1}{\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/x/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x)

[Out] int((a+b\*arcsin(c\*x))^2/x/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)\sqrt{cdx + d}\sqrt{-cex + e}}{c^2dex^3 - dex}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x, algorithm="fricas")

[Out] integral(-(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^2\*d\*e\*x^3 - d\*e\*x), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x/(c\*d\*x+d)\*\*(1/2)/(-c\*e\*x+e)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{\sqrt{cdx + d}\sqrt{-cex + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/(sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)\*x), x)

$$3.590 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^2 \sqrt{d+cdx} \sqrt{e-cex}} dx$$

**Optimal.** Leaf size=214

$$\frac{ib^2c\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{\sqrt{cdx+d}\sqrt{e-cex}} - \frac{(1-c^2x^2)(a+b\sin^{-1}(cx))^2}{x\sqrt{cdx+d}\sqrt{e-cex}} - \frac{ic\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{\sqrt{cdx+d}\sqrt{e-cex}} + \frac{2bc\sqrt{1-c^2x^2}}{\sqrt{cdx+d}\sqrt{e-cex}}$$

[Out]  $((-I)*c*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) - ((1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/(x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) + (2*b*c*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])*Log[1 - E^((2*I)*\text{ArcSin}[c*x])])/( \text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) - (I*b^2*c*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])])/( \text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])$

**Rubi [A]** time = 0.584327, antiderivative size = 214, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {4739, 4681, 4625, 3717, 2190, 2279, 2391}

$$\frac{ib^2c\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{\sqrt{cdx+d}\sqrt{e-cex}} - \frac{(1-c^2x^2)(a+b\sin^{-1}(cx))^2}{x\sqrt{cdx+d}\sqrt{e-cex}} - \frac{ic\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{\sqrt{cdx+d}\sqrt{e-cex}} + \frac{2bc\sqrt{1-c^2x^2}}{\sqrt{cdx+d}\sqrt{e-cex}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])^2/(x^2*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]), x]$

[Out]  $((-I)*c*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])^2)/(\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) - ((1 - c^2*x^2)*(a + b*\text{ArcSin}[c*x])^2)/(x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) + (2*b*c*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x])*Log[1 - E^((2*I)*\text{ArcSin}[c*x])])/( \text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) - (I*b^2*c*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])])/( \text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])$

**Rule 4739**

$\text{Int}[(a + \text{ArcSin}[c*x])*(b + \text{ArcSin}[c*x])^m*(d + e*x)^p*(f + g*x)^q, x\_Symbol] :> \text{Dist}[(d + e*x)^p*(f + g*x)^q, \text{IntPart}[q]*(d + e*x)^{\text{FracPart}[q]}*(f + g*x)^{\text{FracPart}[q]}/(1 - c^2*x^2)^{\text{FracPart}[q]}, \text{Int}[(h*x)^m*(d + e*x)^{p-q}*(1 - c^2*x^2)^q*(a + b*\text{ArcSin}[c*x])^n, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

Rule 4681

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && EqQ[m + 2\*p + 3, 0] && NeQ[m, -1]

Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^2 \sqrt{d + cdx} \sqrt{e - cex}} dx &= \frac{\sqrt{1 - c^2 x^2} \int \frac{(a + b \sin^{-1}(cx))^2}{x^2 \sqrt{1 - c^2 x^2}} dx}{\sqrt{d + cdx} \sqrt{e - cex}} \\
&= -\frac{(1 - c^2 x^2) (a + b \sin^{-1}(cx))^2}{x \sqrt{d + cdx} \sqrt{e - cex}} + \frac{(2bc \sqrt{1 - c^2 x^2}) \int \frac{a + b \sin^{-1}(cx)}{x} dx}{\sqrt{d + cdx} \sqrt{e - cex}} \\
&= -\frac{(1 - c^2 x^2) (a + b \sin^{-1}(cx))^2}{x \sqrt{d + cdx} \sqrt{e - cex}} + \frac{(2bc \sqrt{1 - c^2 x^2}) \text{Subst} \left( \int (a + bx) \cot(x) dx, x, \sin^{-1}(cx) \right)}{\sqrt{d + cdx} \sqrt{e - cex}} \\
&= -\frac{ic \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{\sqrt{d + cdx} \sqrt{e - cex}} - \frac{(1 - c^2 x^2) (a + b \sin^{-1}(cx))^2}{x \sqrt{d + cdx} \sqrt{e - cex}} - \frac{(4ibc \sqrt{1 - c^2 x^2}) \text{Subst} \left( \int \frac{1}{x} dx, x, \sin^{-1}(cx) \right)}{\sqrt{d + cdx} \sqrt{e - cex}} \\
&= -\frac{ic \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{\sqrt{d + cdx} \sqrt{e - cex}} - \frac{(1 - c^2 x^2) (a + b \sin^{-1}(cx))^2}{x \sqrt{d + cdx} \sqrt{e - cex}} + \frac{2bc \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{\sqrt{d + cdx} \sqrt{e - cex}} \\
&= -\frac{ic \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{\sqrt{d + cdx} \sqrt{e - cex}} - \frac{(1 - c^2 x^2) (a + b \sin^{-1}(cx))^2}{x \sqrt{d + cdx} \sqrt{e - cex}} + \frac{2bc \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{\sqrt{d + cdx} \sqrt{e - cex}} \\
&= -\frac{ic \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))^2}{\sqrt{d + cdx} \sqrt{e - cex}} - \frac{(1 - c^2 x^2) (a + b \sin^{-1}(cx))^2}{x \sqrt{d + cdx} \sqrt{e - cex}} + \frac{2bc \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{\sqrt{d + cdx} \sqrt{e - cex}}
\end{aligned}$$

**Mathematica [A]** time = 1.11993, size = 189, normalized size = 0.88

$$\frac{-ib^2 cx \sqrt{1 - c^2 x^2} \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + a \left( ac^2 x^2 - a + 2bcx \sqrt{1 - c^2 x^2} \log(cx) \right) + 2b \sin^{-1}(cx) \left( ac^2 x^2 - a + bcx \sqrt{1 - c^2 x^2} \right)}{x \sqrt{cdx + d} \sqrt{e - cex}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^2\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]),x]

[Out] (b^2\*(-1 + c^2\*x^2 - I\*c\*x\*Sqrt[1 - c^2\*x^2])\*ArcSin[c\*x]^2 + 2\*b\*ArcSin[c\*x]\*(-a + a\*c^2\*x^2 + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*Log[1 - E^((2\*I)\*ArcSin[c\*x])]) + a\*(-a + a\*c^2\*x^2 + 2\*b\*c\*x\*Sqrt[1 - c^2\*x^2]\*Log[c\*x]) - I\*b^2\*c\*x\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])])/(x\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

**Maple [F]** time = 0.526, size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^2}{x^2} \frac{1}{\sqrt{cdx + d}} \frac{1}{\sqrt{-cex + e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/x^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x)

[Out] int((a+b\*arcsin(c\*x))^2/x^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(b^2 \arcsin(cx))^2 + 2ab \arcsin(cx) + a^2}{c^2 dex^4 - dex^2} \sqrt{cdx + d} \sqrt{-cex + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x, algorithm="fricas")

[Out] integral(-(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^2\*d\*e\*x^4 - d\*e\*x^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asin}(cx))^2}{x^2 \sqrt{d(cx+1)} \sqrt{-e(cx-1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x\*\*2/(c\*d\*x+d)\*\*(1/2)/(-c\*e\*x+e)\*\*(1/2),x)

[Out] Integral((a + b\*asin(c\*x))\*\*2/(x\*\*2\*sqrt(d\*(c\*x + 1))\*sqrt(-e\*(c\*x - 1))), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{\sqrt{cdx + d} \sqrt{-cex + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^2/(c\*d\*x+d)^(1/2)/(-c\*e\*x+e)^(1/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/(sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)\*x^2), x)



$$3.591 \quad \int \frac{x^2(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2}(e-cex)^{3/2}} dx$$

**Optimal.** Leaf size=295

$$\frac{ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{c^3de\sqrt{cdx+d}\sqrt{e-cex}} - \frac{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^3}{3bc^3de\sqrt{cdx+d}\sqrt{e-cex}} - \frac{i\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{c^3de\sqrt{cdx+d}\sqrt{e-cex}} + \frac{2b\sqrt{1-c^2x^2}}{c^3de\sqrt{cdx+d}\sqrt{e-cex}}$$

[Out] (x\*(a + b\*ArcSin[c\*x])^2)/(c^2\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - (I\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(c^3\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c^3\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (2\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(c^3\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - (I\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c^3\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

**Rubi [A]** time = 0.74251, antiderivative size = 295, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {4739, 4703, 4641, 4675, 3719, 2190, 2279, 2391}

$$\frac{ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{c^3de\sqrt{cdx+d}\sqrt{e-cex}} - \frac{\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^3}{3bc^3de\sqrt{cdx+d}\sqrt{e-cex}} - \frac{i\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{c^3de\sqrt{cdx+d}\sqrt{e-cex}} + \frac{2b\sqrt{1-c^2x^2}}{c^3de\sqrt{cdx+d}\sqrt{e-cex}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(a + b\*ArcSin[c\*x])^2)/((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)),x]

[Out] (x\*(a + b\*ArcSin[c\*x])^2)/(c^2\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - (I\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^2)/(c^3\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^3)/(3\*b\*c^3\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) + (2\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])\*Log[1 + E^((2\*I)\*ArcSin[c\*x])])/(c^3\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x]) - (I\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, -E^((2\*I)\*ArcSin[c\*x])])/(c^3\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[e - c\*e\*x])

**Rule 4739**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((h\_.)\*(x\_.))^(m\_.)\*((d\_.) + (e\_.)\*(x\_.))^(p\_.)\*((f\_.) + (g\_.)\*(x\_.))^(q\_.), x\_Symbol] :> Dist[(-((d^2\*g)/e))^I IntPart[q]\*(d + e\*x)^FracPart[q]\*(f + g\*x)^FracPart[q]]/(1 - c^2\*x^2)^FracPart[q]

```
rt[q], Int[(h*x)^m*(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n,
x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && EqQ[e*f + d*g, 0] &&
EqQ[c^2*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

### Rule 4703

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^ (n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.
)*(x_)^2)^(p_), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(d + e*x^2)^(p + 1)*(a +
b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + (-Dist[(f^2*(m - 1))/(2*e*(p + 1)),
Int[(f*x)^(m - 2)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[
(b*f*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^Fra
cPart[p]), Int[(f*x)^(m - 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n
- 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[
n, 0] && LtQ[p, -1] && GtQ[m, 1]
```

### Rule 4641

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^ (n_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] := Simp[(a + b*ArcSin[c*x])^(n + 1)/(b*c*Sqrt[d]*(n + 1)), x] /; Fre
eQ[{a, b, c, d, e, n}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && NeQ[n, -1]
```

### Rule 4675

```
Int[(((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^ (n_.)*(x_)/((d_) + (e_.)*(x_)^2),
x_Symbol] := -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x]
], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
)))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} dx &= \frac{\sqrt{1 - c^2x^2} \int \frac{x^{2(a+b \sin^{-1}(cx))^2}}{(1-c^2x^2)^{3/2}} dx}{de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{x(a + b \sin^{-1}(cx))^2}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{\sqrt{1 - c^2x^2} \int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{1-c^2x^2}} dx}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{(2b\sqrt{1 - c^2x^2}) \int \frac{x(a+b \sin^{-1}(cx))}{1-c^2x^2}}{cde\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{x(a + b \sin^{-1}(cx))^2}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^3}{3bc^3de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{(2b\sqrt{1 - c^2x^2}) \text{Subst}\left(\int (a + b \sin^{-1}(cx))\right)}{c^3de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{x(a + b \sin^{-1}(cx))^2}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{i\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2}{c^3de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^3}{3bc^3de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{x(a + b \sin^{-1}(cx))^2}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{i\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2}{c^3de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^3}{3bc^3de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{x(a + b \sin^{-1}(cx))^2}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{i\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2}{c^3de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^3}{3bc^3de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{x(a + b \sin^{-1}(cx))^2}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{i\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^2}{c^3de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx))^3}{3bc^3de\sqrt{d + cdx}\sqrt{e - cex}}
\end{aligned}$$

**Mathematica [B]** time = 2.53003, size = 636, normalized size = 2.16

$$b^2\sqrt{de} \left( -6i\sqrt{1 - c^2x^2} \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) - 6i\sqrt{1 - c^2x^2} \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) - \sqrt{1 - c^2x^2} \sin^{-1}(cx)^3 - 3i\sqrt{1 - c^2x^2} \sin^{-1}(cx) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*(a + b*ArcSin[c*x])^2)/((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)),x]
```

```
[Out] (3*a^2*c*Sqrt[d]*e*x + 3*a^2*Sqrt[e]*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]*ArcTan
[(c*x*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])/(Sqrt[d]*Sqrt[e]*(-1 + c^2*x^2))] +
3*a*b*Sqrt[d]*e*(2*c*x*ArcSin[c*x] + Sqrt[1 - c^2*x^2]*(-ArcSin[c*x]^2 + 2*
(Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]) + Log[Cos[ArcSin[c*x]/2] + Si
n[ArcSin[c*x]/2]))) + b^2*Sqrt[d]*e*((6*I)*Pi*Sqrt[1 - c^2*x^2]*ArcSin[c*x
] + 3*c*x*ArcSin[c*x]^2 - (3*I)*Sqrt[1 - c^2*x^2]*ArcSin[c*x]^2 - Sqrt[1 -
c^2*x^2]*ArcSin[c*x]^3 + 12*Pi*Sqrt[1 - c^2*x^2]*Log[1 + E^((-I)*ArcSin[c*x
]]) + 3*Pi*Sqrt[1 - c^2*x^2]*Log[1 - I*E^(I*ArcSin[c*x])]) + 6*Sqrt[1 - c^2*
x^2]*ArcSin[c*x]*Log[1 - I*E^(I*ArcSin[c*x])]) - 3*Pi*Sqrt[1 - c^2*x^2]*Log[
1 + I*E^(I*ArcSin[c*x])]) + 6*Sqrt[1 - c^2*x^2]*ArcSin[c*x]*Log[1 + I*E^(I*A
rcSin[c*x])]) - 12*Pi*Sqrt[1 - c^2*x^2]*Log[Cos[ArcSin[c*x]/2]] + 3*Pi*Sqrt[
1 - c^2*x^2]*Log[-Cos[(Pi + 2*ArcSin[c*x])/4]] - 3*Pi*Sqrt[1 - c^2*x^2]*Log
[Sin[(Pi + 2*ArcSin[c*x])/4]] - (6*I)*Sqrt[1 - c^2*x^2]*PolyLog[2, (-I)*E^(
I*ArcSin[c*x])] - (6*I)*Sqrt[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])])
)/(3*c^3*d^(3/2)*e^2*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])
```

**Maple [F]** time = 0.338, size = 0, normalized size = 0.

$$\int x^2 (a + b \arcsin(cx))^2 (cdx + d)^{-\frac{3}{2}} (-cex + e)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(3/2),x)
```

```
[Out] int(x^2*(a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(3/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(3/2),x, algo
rithm="maxima")
```

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(b^2x^2 \arcsin(cx)^2 + 2abx^2 \arcsin(cx) + a^2x^2)\sqrt{cdx+d}\sqrt{-cex+e}}{c^4d^2e^2x^4 - 2c^2d^2e^2x^2 + d^2e^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(3/2)/(-c\*e\*x+e)^(3/2),x, algo  
ithm="fricas")

[Out] integral((b^2\*x^2\*arcsin(c\*x)^2 + 2\*a\*b\*x^2\*arcsin(c\*x) + a^2\*x^2)\*sqrt(c\*d  
\*x + d)\*sqrt(-c\*e\*x + e)/(c^4\*d^2\*e^2\*x^4 - 2\*c^2\*d^2\*e^2\*x^2 + d^2\*e^2), x  
)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))\*\*2/(c\*d\*x+d)\*\*(3/2)/(-c\*e\*x+e)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x^2}{(cdx + d)^{\frac{3}{2}} (-cex + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(3/2)/(-c\*e\*x+e)^(3/2),x, algo  
ithm="giac")

```
[Out] integrate((b*arcsin(c*x) + a)^2*x^2/((c*d*x + d)^(3/2)*(-c*e*x + e)^(3/2)),  
x)
```

$$3.592 \quad \int \frac{x(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2}(e-cex)^{3/2}} dx$$

**Optimal.** Leaf size=244

$$\frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right)}{c^2de\sqrt{cdx+d}\sqrt{e-cex}} + \frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right)}{c^2de\sqrt{cdx+d}\sqrt{e-cex}} + \frac{4ib\sqrt{1-c^2x^2}\tan^{-1}\left(e^{i\sin^{-1}(cx)}\right)(a)}{c^2de\sqrt{cdx+d}\sqrt{e-cex}}$$

```
[Out] (a + b*ArcSin[c*x])^2/(c^2*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + ((4*I)*b*
Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c^2*d*e*S
qrt[d + c*d*x]*Sqrt[e - c*e*x]) - ((2*I)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, (
-I)*E^(I*ArcSin[c*x])])/(c^2*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + ((2*I)*
b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c^2*d*e*Sqrt[d + c*
d*x]*Sqrt[e - c*e*x])
```

**Rubi [A]** time = 0.4882, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {4739, 4677, 4657, 4181, 2279, 2391}

$$\frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right)}{c^2de\sqrt{cdx+d}\sqrt{e-cex}} + \frac{2ib^2\sqrt{1-c^2x^2}\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right)}{c^2de\sqrt{cdx+d}\sqrt{e-cex}} + \frac{4ib\sqrt{1-c^2x^2}\tan^{-1}\left(e^{i\sin^{-1}(cx)}\right)(a)}{c^2de\sqrt{cdx+d}\sqrt{e-cex}}$$

Antiderivative was successfully verified.

```
[In] Int[(x*(a + b*ArcSin[c*x])^2)/((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)),x]
```

```
[Out] (a + b*ArcSin[c*x])^2/(c^2*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + ((4*I)*b*
Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(c^2*d*e*S
qrt[d + c*d*x]*Sqrt[e - c*e*x]) - ((2*I)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, (
-I)*E^(I*ArcSin[c*x])])/(c^2*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + ((2*I)*
b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])])/(c^2*d*e*Sqrt[d + c*
d*x]*Sqrt[e - c*e*x])
```

### Rule 4739

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^ (n_.)*((h_.)*(x_.))^ (m_.)*((d_.) + (e_
.)*(x_.))^ (p_.)*((f_.) + (g_.)*(x_.))^ (q_.), x_Symbol] :> Dist[(-((d^2*g)/e))^I
ntPart[q]*(d + e*x)^FracPart[q]*(f + g*x)^FracPart[q]]/(1 - c^2*x^2)^FracPa
rt[q], Int[(h*x)^m*(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n,
x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && EqQ[e*f + d*g, 0] &&
```

EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 4657

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)/((d\_) + (e\_.)\*(x\_)^2), x\_Symbol] := Dist[1/(c\*d), Subst[Int[(a + b\*x)^n\*Sec[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4181

Int[csc[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*k\*Pi)\*E^(I\*(e + f\*x))]/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*k\*Pi)\*E^(I\*(e + f\*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2\*k] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps



$$\begin{aligned}
\int \frac{x(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} dx &= \frac{\sqrt{1 - c^2x^2} \int \frac{x(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{3/2}} dx}{de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{(2b\sqrt{1 - c^2x^2}) \int \frac{a + b \sin^{-1}(cx)}{1 - c^2x^2} dx}{cde\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{(2b\sqrt{1 - c^2x^2}) \text{Subst}\left(\int (a + bx) \sec(x) dx, x, \sin^{-1}(cx)\right)}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} + \frac{4ib\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} + \frac{(2b^2\sqrt{1 - c^2x^2}) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} + \frac{4ib\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{(2ib^2\sqrt{1 - c^2x^2}) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} + \frac{4ib\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{c^2de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{2ib^2\sqrt{1 - c^2x^2} \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{c^2de\sqrt{d + cdx}\sqrt{e - cex}}
\end{aligned}$$

**Mathematica [A]** time = 1.3472, size = 453, normalized size = 1.86

$$-2ib^2\sqrt{1 - c^2x^2}\text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) + 2ib^2\sqrt{1 - c^2x^2}\text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right) + a^2 + 2ab\sqrt{1 - c^2x^2} \log\left(\cos\left(\frac{1}{2} \sin^{-1}(cx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(a + b\*ArcSin[c\*x])^2)/((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)), x]

[Out] (a^2 + 2\*a\*b\*ArcSin[c\*x] + I\*b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + b^2\*ArcSin[c\*x]^2 - b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*Log[1 - I\*E^(I\*ArcSin[c\*x])]) - 2\*b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 2\*b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]] + 2\*a\*b\*Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] - 2\*a\*b\*Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]] + b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*Log[Sin[(Pi + 2\*ArcSin[c\*x])/4]] - (2\*I)\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, (-I)\*E^(I\*ArcSin[c\*x])] + (2\*I)\*b^2\*Sqrt[1 - c^2\*x^2]\*PolyLog[2, I\*E^(I\*ArcSin[c\*x])]/(c^2\*d\*e\*Sqrt[d + c\*d\*x]\*Sqrt[1 - c^2\*x^2])

rt[e - c\*e\*x])

**Maple [F]** time = 0.38, size = 0, normalized size = 0.

$$\int x (a + b \arcsin(cx))^2 (cdx + d)^{-\frac{3}{2}} (-cex + e)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(3/2)/(-c\*e\*x+e)^(3/2),x)

[Out] int(x\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(3/2)/(-c\*e\*x+e)^(3/2),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\sqrt{d}\sqrt{e} \int \frac{\left(b^2x \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right) + 2abx \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)\right) \sqrt{cx+1}\sqrt{-cx+1}}{c^4d^2e^2x^4 - 2c^2d^2e^2x^2 + d^2e^2} dx + \frac{a^2}{\sqrt{-c^2dex^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(3/2)/(-c\*e\*x+e)^(3/2),x, algorithm="maxima")

[Out] sqrt(d)\*sqrt(e)\*integrate((b^2\*x\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2 + 2\*a\*b\*x\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))\*sqrt(c\*x + 1)\*sqrt(-c\*x + 1)/(c^4\*d^2\*e^2\*x^4 - 2\*c^2\*d^2\*e^2\*x^2 + d^2\*e^2), x) + a^2/(sqrt(-c^2\*d\*e\*x^2 + d\*e)\*c^2\*d\*e)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\left(b^2x \arcsin(cx)^2 + 2abx \arcsin(cx) + a^2x\right) \sqrt{cdx + d} \sqrt{-cex + e}}{c^4d^2e^2x^4 - 2c^2d^2e^2x^2 + d^2e^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))^2/(c\*d\*x+d)^(3/2)/(-c\*e\*x+e)^(3/2),x, algorithm="fricas")

```
[Out] integral((b^2*x*arcsin(c*x)^2 + 2*a*b*x*arcsin(c*x) + a^2*x)*sqrt(c*d*x + d)
)*sqrt(-c*e*x + e)/(c^4*d^2*e^2*x^4 - 2*c^2*d^2*e^2*x^2 + d^2*e^2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*asin(c*x))**2/(c*d*x+d)**(3/2)/(-c*e*x+e)**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2 x}{(cdx + d)^{\frac{3}{2}} (-cex + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2*x/((c*d*x + d)^(3/2)*(-c*e*x + e)^(3/2)), x)
```

$$3.593 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{(d+cdx)^{3/2}(e-cex)^{3/2}} dx$$

**Optimal.** Leaf size=217

$$-\frac{ib^2(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{i(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))^2}{c(cdx+d)^{3/2}(e-cex)^{3/2}} + \frac{x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{(cdx+d)^{3/2}(e-cex)^{3/2}} + \frac{2b(1-c^2x^2)^{3/2}}{c(cdx+d)^{3/2}(e-cex)^{3/2}}$$

```
[Out] (x*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - (I*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) + (2*b*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x])*Log[1 + E^((2*I)*ArcSin[c*x])])/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - (I*b^2*(1 - c^2*x^2)^(3/2)*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2))
```

**Rubi [A]** time = 0.38252, antiderivative size = 217, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.219$ , Rules used = {4673, 4651, 4675, 3719, 2190, 2279, 2391}

$$-\frac{ib^2(1-c^2x^2)^{3/2} \text{PolyLog}\left(2, -e^{2i \sin^{-1}(cx)}\right)}{c(cdx+d)^{3/2}(e-cex)^{3/2}} - \frac{i(1-c^2x^2)^{3/2}(a+b \sin^{-1}(cx))^2}{c(cdx+d)^{3/2}(e-cex)^{3/2}} + \frac{x(1-c^2x^2)(a+b \sin^{-1}(cx))^2}{(cdx+d)^{3/2}(e-cex)^{3/2}} + \frac{2b(1-c^2x^2)^{3/2}}{c(cdx+d)^{3/2}(e-cex)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])^2/((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)), x]
```

```
[Out] (x*(1 - c^2*x^2)*(a + b*ArcSin[c*x])^2)/((d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - (I*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x])^2)/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) + (2*b*(1 - c^2*x^2)^(3/2)*(a + b*ArcSin[c*x])*Log[1 + E^((2*I)*ArcSin[c*x])])/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)) - (I*b^2*(1 - c^2*x^2)^(3/2)*PolyLog[2, -E^((2*I)*ArcSin[c*x])])/(c*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2))
```

**Rule 4673**

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_.*((d_.) + (e_.)*(x_.))^(p_.)*((f_.) + (g_.)*(x_.))^(q_.), x_Symbol] := Dist[((d + e*x)^q*(f + g*x)^q)/(1 - c^2*x^2)^q, Int[(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

Rule 4651

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)^2)^(3/2), x
_Symbol] := Simp[(x*(a + b*ArcSin[c*x])^n)/(d*Sqrt[d + e*x^2]), x] - Dist[(
b*c*n)/Sqrt[d], Int[(x*(a + b*ArcSin[c*x])^(n - 1))/(d + e*x^2), x], x] /;
FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]
```

Rule 4675

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_))/((d_) + (e_.)*(x_)^2),
x_Symbol] := -Dist[e^(-1), Subst[Int[(a + b*x)^n*Tan[x], x], x, ArcSin[c*x]
], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} dx &= \frac{(1 - c^2x^2)^{3/2} \int \frac{(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{3/2}} dx}{(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{(2bc(1 - c^2x^2)^{3/2}) \int \frac{x(a + b \sin^{-1}(cx))}{1 - c^2x^2} dx}{(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{(2b(1 - c^2x^2)^{3/2}) \text{Subst}(\int (a + bx) \tan(x) dx, x, \sin^{-1}(cx))}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{i(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{(4ib(1 - c^2x^2)^{3/2}) \text{Subst}(\int \frac{1}{1 - c^2x^2} dx, x, \sin^{-1}(cx))}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{i(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{2b(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{i(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{2b(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2}(e - cex)^{3/2}} \\
&= \frac{x(1 - c^2x^2)(a + b \sin^{-1}(cx))^2}{(d + cdx)^{3/2}(e - cex)^{3/2}} - \frac{i(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))^2}{c(d + cdx)^{3/2}(e - cex)^{3/2}} + \frac{2b(1 - c^2x^2)^{3/2}(a + b \sin^{-1}(cx))}{c(d + cdx)^{3/2}(e - cex)^{3/2}}
\end{aligned}$$

**Mathematica [B]** time = 0.775721, size = 550, normalized size = 2.53

$$-2ib^2\sqrt{1 - c^2x^2}\text{PolyLog}\left(2, -ie^{i\sin^{-1}(cx)}\right) - 2ib^2\sqrt{1 - c^2x^2}\text{PolyLog}\left(2, ie^{i\sin^{-1}(cx)}\right) + a^2cx + 2ab\sqrt{1 - c^2x^2} \log\left(\cos\left(\frac{1}{2}\sin^{-1}(cx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/((d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)),x]

[Out] (a^2\*c\*x + 2\*a\*b\*c\*x\*ArcSin[c\*x] + (2\*I)\*b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x] + b^2\*c\*x\*ArcSin[c\*x]^2 - I\*b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]^2 + 4\*b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*Log[1 + E^((-I)\*ArcSin[c\*x])] + b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] + 2\*b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 - I\*E^(I\*ArcSin[c\*x])] - b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] + 2\*b^2\*Sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 + I\*E^(I\*ArcSin[c\*x])] - 4\*b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2]] + b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*Log[-Cos[(Pi + 2\*ArcSin[c\*x])/4]] + 2\*a\*b\*Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] + 2\*a\*b\*Sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]] - b^2\*Pi\*Sqrt[1 - c^2\*x^2]\*Log[Sin[(Pi + 2\*ArcSin[c\*x])/4]]

```
in[c*x])/4]] - (2*I)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] - (2*I)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])]/(c*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])
```

**Maple [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (cdx + d)^{-\frac{3}{2}} (-cex + e)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(3/2),x)
```

```
[Out] int((a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(3/2),x)
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(3/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(b^2 \arcsin(cx))^2 + 2ab \arcsin(cx) + a^2}{c^4 d^2 e^2 x^4 - 2c^2 d^2 e^2 x^2 + d^2 e^2} \sqrt{cdx + d} \sqrt{-cex + e}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(3/2),x, algorithm="fricas")
```

[Out] `integral((b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*sqrt(c*d*x + d)*sqrt(-c*e*x + e)/(c^4*d^2*e^2*x^4 - 2*c^2*d^2*e^2*x^2 + d^2*e^2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))^2/(c*d*x+d)**(3/2)/(-c*e*x+e)**(3/2), x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(cdx + d)^{\frac{3}{2}}(-cex + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(3/2), x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)^2/((c*d*x + d)^(3/2)*(-c*e*x + e)^(3/2)), x)`



$$3.594 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x(d+cdx)^{3/2}(e-cex)^{3/2}} dx$$

**Optimal.** Leaf size=548

$$\frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{de\sqrt{cdx+d}\sqrt{e-cex}} - \frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{de\sqrt{cdx+d}\sqrt{e-cex}} - \frac{2ib^2}{de\sqrt{cdx+d}\sqrt{e-cex}}$$

```
[Out] (a + b*ArcSin[c*x])^2/(d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + ((4*I)*b*Sqrt
[1 - c^2*x^2]*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(d*e*Sqrt[d +
c*d*x]*Sqrt[e - c*e*x]) - (2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2*ArcTan
h[E^(I*ArcSin[c*x])])/(d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + ((2*I)*b*Sqrt
[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, -E^(I*ArcSin[c*x])])/(d*e*Sqrt
[d + c*d*x]*Sqrt[e - c*e*x]) - ((2*I)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, (-I)
*E^(I*ArcSin[c*x])])/(d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + ((2*I)*b^2*Sqr
t[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])])/(d*e*Sqrt[d + c*d*x]*Sqrt[e
- c*e*x]) - ((2*I)*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, E^(I
*ArcSin[c*x])])/(d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (2*b^2*Sqrt[1 - c^2
*x^2]*PolyLog[3, -E^(I*ArcSin[c*x])])/(d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])
+ (2*b^2*Sqrt[1 - c^2*x^2]*PolyLog[3, E^(I*ArcSin[c*x])])/(d*e*Sqrt[d + c*
d*x]*Sqrt[e - c*e*x])
```

**Rubi [A]** time = 0.853429, antiderivative size = 548, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 11, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$ , Rules used = {4739, 4705, 4709, 4183, 2531, 2282, 6589, 4657, 4181, 2279, 2391}

$$\frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{de\sqrt{cdx+d}\sqrt{e-cex}} - \frac{2ib\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{i\sin^{-1}(cx)}\right)(a+b\sin^{-1}(cx))}{de\sqrt{cdx+d}\sqrt{e-cex}} - \frac{2ib^2}{de\sqrt{cdx+d}\sqrt{e-cex}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])^2/(x*(d + c*d*x)^(3/2)*(e - c*e*x)^(3/2)),x]
```

```
[Out] (a + b*ArcSin[c*x])^2/(d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + ((4*I)*b*Sqrt
[1 - c^2*x^2]*(a + b*ArcSin[c*x])*ArcTan[E^(I*ArcSin[c*x])])/(d*e*Sqrt[d +
c*d*x]*Sqrt[e - c*e*x]) - (2*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^2*ArcTan
h[E^(I*ArcSin[c*x])])/(d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + ((2*I)*b*Sqrt
[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, -E^(I*ArcSin[c*x])])/(d*e*Sqrt
[d + c*d*x]*Sqrt[e - c*e*x]) - ((2*I)*b^2*Sqrt[1 - c^2*x^2]*PolyLog[2, (-I)
*E^(I*ArcSin[c*x])])/(d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + ((2*I)*b^2*Sqr
```

```
t[1 - c^2*x^2]*PolyLog[2, I*E^(I*ArcSin[c*x])]/(d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - ((2*I)*b*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])*PolyLog[2, E^(I*ArcSin[c*x])]/(d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) - (2*b^2*Sqrt[1 - c^2*x^2]*PolyLog[3, -E^(I*ArcSin[c*x])]/(d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x]) + (2*b^2*Sqrt[1 - c^2*x^2]*PolyLog[3, E^(I*ArcSin[c*x])]/(d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e*x])
```

### Rule 4739

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((h_.)*(x_))^(m_.)*((d_) + (e_.)*(x_))^(p_.)*((f_) + (g_.)*(x_))^(q_), x_Symbol] :> Dist[(-(d^2*g)/e)^IntPart[q]*(d + e*x)^FracPart[q]*(f + g*x)^FracPart[q]]/(1 - c^2*x^2)^FracPart[q], Int[(h*x)^m*(d + e*x)^(p - q)*(1 - c^2*x^2)^q*(a + b*ArcSin[c*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && EqQ[e*f + d*g, 0] && EqQ[c^2*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]
```

### Rule 4705

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(p_), x_Symbol] :> -Simp[((f*x)^(m + 1)*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*d*f*(p + 1)), x] + (Dist[(m + 2*p + 3)/(2*d*(p + 1)), Int[(f*x)^m*(d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n, x], x] + Dist[(b*c*n*d^IntPart[p]*(d + e*x^2)^FracPart[p]]/(2*f*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(f*x)^(m + 1)*(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && LtQ[p, -1] && !GtQ[m, 1] && (IntegerQ[m] || IntegerQ[p] || EqQ[n, 1])
```

### Rule 4709

```
Int[(((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_)]/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> Dist[1/(c^(m + 1)*Sqrt[d]), Subst[Int[(a + b*x)^n*Sin[x]^m, x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && GtQ[d, 0] && IGtQ[n, 0] && IntegerQ[m]
```

### Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.)]*(f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_.))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*(a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n_, (c_.)*(a_.) + (b_.)*(x_)^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rule 4657

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_.) + (e_.)*(x_)^2), x_Symbo
l] := Dist[1/(c*d), Subst[Int[(a + b*x)^n*Sec[x], x], x, ArcSin[c*x]], x] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2*d + e, 0] && IGtQ[n, 0]
```

### Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol
] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x)
)], x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x(d + cdx)^{3/2}(e - cex)^{3/2}} dx &= \frac{\sqrt{1 - c^2x^2} \int \frac{(a + b \sin^{-1}(cx))^2}{x(1 - c^2x^2)^{3/2}} dx}{de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{de\sqrt{d + cdx}\sqrt{e - cex}} + \frac{\sqrt{1 - c^2x^2} \int \frac{(a + b \sin^{-1}(cx))^2}{x\sqrt{1 - c^2x^2}} dx}{de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{(2bc\sqrt{1 - c^2x^2}) \int \frac{a + b \sin^{-1}(cx)}{1 - c^2x^2} dx}{de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{de\sqrt{d + cdx}\sqrt{e - cex}} + \frac{\sqrt{1 - c^2x^2} \text{Subst}\left(\int (a + bx)^2 \csc(x) dx, x, \sin^{-1}(cx)\right)}{de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{(2b\sqrt{1 - c^2x^2}) \int \frac{a + b \sin^{-1}(cx)}{1 - c^2x^2} dx}{de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{de\sqrt{d + cdx}\sqrt{e - cex}} + \frac{4ib\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{2\sqrt{1 - c^2x^2} \int \frac{a + b \sin^{-1}(cx)}{1 - c^2x^2} dx}{de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{de\sqrt{d + cdx}\sqrt{e - cex}} + \frac{4ib\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{2\sqrt{1 - c^2x^2} \int \frac{a + b \sin^{-1}(cx)}{1 - c^2x^2} dx}{de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{de\sqrt{d + cdx}\sqrt{e - cex}} + \frac{4ib\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{2\sqrt{1 - c^2x^2} \int \frac{a + b \sin^{-1}(cx)}{1 - c^2x^2} dx}{de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= \frac{(a + b \sin^{-1}(cx))^2}{de\sqrt{d + cdx}\sqrt{e - cex}} + \frac{4ib\sqrt{1 - c^2x^2} (a + b \sin^{-1}(cx)) \tan^{-1}\left(e^{i \sin^{-1}(cx)}\right)}{de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{2\sqrt{1 - c^2x^2} \int \frac{a + b \sin^{-1}(cx)}{1 - c^2x^2} dx}{de\sqrt{d + cdx}\sqrt{e - cex}}
\end{aligned}$$

**Mathematica [A]** time = 5.74661, size = 877, normalized size = 1.6

$$\sqrt{d}\sqrt{e} \log(cx)a^2 - \sqrt{d}\sqrt{e} \log\left(de + \sqrt{d}\sqrt{cxd + d}\sqrt{e - cex}\sqrt{e}\right)a^2 - \frac{\sqrt{cxd + d}\sqrt{e - cex}a^2}{c^2x^2 - 1} + \frac{2bde\left(\sqrt{1 - c^2x^2} \log\left(1 - e^{i \sin^{-1}(cx)}\right) \sin^{-1}(cx) - \sqrt{1 - c^2x^2}\right)}{c^2x^2 - 1}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)), x]

[Out] (-((a^2\*sqrt[d + c\*d\*x]\*sqrt[e - c\*e\*x])/(-1 + c^2\*x^2)) + a^2\*sqrt[d]\*sqrt[e]\*Log[c\*x] - a^2\*sqrt[d]\*sqrt[e]\*Log[d\*e + sqrt[d]\*sqrt[e]\*sqrt[d + c\*d\*x]\*sqrt[e - c\*e\*x]] + (2\*a\*b\*d\*e\*(ArcSin[c\*x] + sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 - E^(I\*ArcSin[c\*x])]) - sqrt[1 - c^2\*x^2]\*ArcSin[c\*x]\*Log[1 + E^(I\*ArcSin[c\*x])]) + sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] - Sin[ArcSin[c\*x]/2]] - sqrt[1 - c^2\*x^2]\*Log[Cos[ArcSin[c\*x]/2] + Sin[ArcSin[c\*x]/2]] + I\*sqrt[e]\*sqrt[d]\*sqrt[c\*x])

$$\frac{\begin{aligned} & t[1 - c^2*x^2]*PolyLog[2, -E^(I*ArcSin[c*x])] - I*sqrt[1 - c^2*x^2]*PolyLog \\ & [2, E^(I*ArcSin[c*x])]) / (sqrt[d + c*d*x]*sqrt[e - c*e*x]) + (b^2*d*e*(I*Pi \\ & *sqrt[1 - c^2*x^2]*ArcSin[c*x] + ArcSin[c*x]^2 + sqrt[1 - c^2*x^2]*ArcSin[c \\ & *x]^2*Log[1 - E^(I*ArcSin[c*x])] - Pi*sqrt[1 - c^2*x^2]*Log[1 - I*E^(I*ArcS \\ & in[c*x])] - 2*sqrt[1 - c^2*x^2]*ArcSin[c*x]*Log[1 - I*E^(I*ArcSin[c*x])] - \\ & Pi*sqrt[1 - c^2*x^2]*Log[1 + I*E^(I*ArcSin[c*x])] + 2*sqrt[1 - c^2*x^2]*Arc \\ & Sin[c*x]*Log[1 + I*E^(I*ArcSin[c*x])] - sqrt[1 - c^2*x^2]*ArcSin[c*x]^2*Log \\ & [1 + E^(I*ArcSin[c*x])] + Pi*sqrt[1 - c^2*x^2]*Log[-Cos[(Pi + 2*ArcSin[c*x] \\ & )/4]] + Pi*sqrt[1 - c^2*x^2]*Log[Sin[(Pi + 2*ArcSin[c*x])/4]] + (2*I)*sqrt[ \\ & 1 - c^2*x^2]*ArcSin[c*x]*PolyLog[2, -E^(I*ArcSin[c*x])] - (2*I)*sqrt[1 - c^ \\ & 2*x^2]*PolyLog[2, (-I)*E^(I*ArcSin[c*x])] + (2*I)*sqrt[1 - c^2*x^2]*PolyLog \\ & [2, I*E^(I*ArcSin[c*x])] - (2*I)*sqrt[1 - c^2*x^2]*ArcSin[c*x]*PolyLog[2, E \\ & ^^(I*ArcSin[c*x])] - 2*sqrt[1 - c^2*x^2]*PolyLog[3, -E^(I*ArcSin[c*x])] + 2* \\ & sqrt[1 - c^2*x^2]*PolyLog[3, E^(I*ArcSin[c*x])]) / (sqrt[d + c*d*x]*sqrt[e - \\ & c*e*x]) / (d^2*e^2) \end{aligned}}$$

**Maple [F]** time = 0.284, size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^2}{x} (cdx + d)^{\frac{3}{2}} (-cex + e)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/x/(c\*d\*x+d)^(3/2)/(-c\*e\*x+e)^(3/2),x)

[Out] int((a+b\*arcsin(c\*x))^2/x/(c\*d\*x+d)^(3/2)/(-c\*e\*x+e)^(3/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(c\*d\*x+d)^(3/2)/(-c\*e\*x+e)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)\sqrt{cdx+d}\sqrt{-cex+e}}{c^4d^2e^2x^5 - 2c^2d^2e^2x^3 + d^2e^2x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(c\*d\*x+d)^(3/2)/(-c\*e\*x+e)^(3/2),x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^4\*d^2\*e^2\*x^5 - 2\*c^2\*d^2\*e^2\*x^3 + d^2\*e^2\*x), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x/(c\*d\*x+d)\*\*(3/2)/(-c\*e\*x+e)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(cdx + d)^{\frac{3}{2}}(-cex + e)^{\frac{3}{2}}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x/(c\*d\*x+d)^(3/2)/(-c\*e\*x+e)^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/((c\*d\*x + d)^(3/2)\*(-c\*e\*x + e)^(3/2)\*x), x)

$$3.595 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{x^2(d+cdx)^{3/2}(e-cex)^{3/2}} dx$$

**Optimal.** Leaf size=396

$$\frac{ib^2c\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{de\sqrt{cdx+d}\sqrt{e-cex}} - \frac{ib^2c\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{de\sqrt{cdx+d}\sqrt{e-cex}} - \frac{2ic\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{de\sqrt{cdx+d}\sqrt{e-cex}} +$$

[Out]  $-\left((a + b\text{ArcSin}[c*x])^2/(d*e*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])\right) + (2*c^2*x$   
 $* (a + b\text{ArcSin}[c*x])^2)/(d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) - ((2*I)*c*\text{Sqrt}[1 - c^2*x^2]$   
 $*(a + b\text{ArcSin}[c*x])^2)/(d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) - (4*b*c*\text{Sqrt}[1 - c^2*x^2]$   
 $*(a + b\text{ArcSin}[c*x])* \text{ArcTanh}[E^((2*I)*\text{ArcSin}[c*x])])/(d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])$   
 $+ (4*b*c*\text{Sqrt}[1 - c^2*x^2]*(a + b\text{ArcSin}[c*x])* \text{Log}[1 + E^((2*I)*\text{ArcSin}[c*x])])/(d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e$   
 $- c*e*x]) - (I*b^2*c*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, -E^((2*I)*\text{ArcSin}[c*x])])$   
 $/(d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) - (I*b^2*c*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}$   
 $[2, E^((2*I)*\text{ArcSin}[c*x])])/(d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])$

**Rubi [A]** time = 0.857531, antiderivative size = 396, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 11, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$ , Rules used = {4739, 4701, 4651, 4675, 3719, 2190, 2279, 2391, 4679, 4419, 4183}

$$\frac{ib^2c\sqrt{1-c^2x^2}\text{PolyLog}\left(2, -e^{2i\sin^{-1}(cx)}\right)}{de\sqrt{cdx+d}\sqrt{e-cex}} - \frac{ib^2c\sqrt{1-c^2x^2}\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right)}{de\sqrt{cdx+d}\sqrt{e-cex}} - \frac{2ic\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))^2}{de\sqrt{cdx+d}\sqrt{e-cex}} +$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b\text{ArcSin}[c*x])^2/(x^2*(d + c*d*x)^{(3/2)}*(e - c*e*x)^{(3/2)}), x]$

[Out]  $-\left((a + b\text{ArcSin}[c*x])^2/(d*e*x*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])\right) + (2*c^2*x$   
 $* (a + b\text{ArcSin}[c*x])^2)/(d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) - ((2*I)*c*\text{Sqrt}[1 - c^2*x^2]$   
 $*(a + b\text{ArcSin}[c*x])^2)/(d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) - (4*b*c*\text{Sqrt}[1 - c^2*x^2]$   
 $*(a + b\text{ArcSin}[c*x])* \text{ArcTanh}[E^((2*I)*\text{ArcSin}[c*x])])/(d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])$   
 $+ (4*b*c*\text{Sqrt}[1 - c^2*x^2]*(a + b\text{ArcSin}[c*x])* \text{Log}[1 + E^((2*I)*\text{ArcSin}[c*x])])/(d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e$   
 $- c*e*x]) - (I*b^2*c*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}[2, -E^((2*I)*\text{ArcSin}[c*x])])$   
 $/(d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x]) - (I*b^2*c*\text{Sqrt}[1 - c^2*x^2]*\text{PolyLog}$   
 $[2, E^((2*I)*\text{ArcSin}[c*x])])/(d*e*\text{Sqrt}[d + c*d*x]*\text{Sqrt}[e - c*e*x])$

**Rule 4739**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((h\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_))^(p\_)\*((f\_) + (g\_.)\*(x\_))^(q\_), x\_Symbol] := Dist[(((d^2\*g)/e)^(IntPart[q]\*d + e\*x)^FracPart[q]\*(f + g\*x)^FracPart[q])/(1 - c^2\*x^2)^FracPart[q], Int[(h\*x)^m\*(d + e\*x)^(p - q)\*(1 - c^2\*x^2)^q\*(a + b\*ArcSin[c\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n}, x] && EqQ[e\*f + d\*g, 0] && EqQ[c^2\*d^2 - e^2, 0] && HalfIntegerQ[p, q] && GeQ[p - q, 0]

### Rule 4701

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((f\*x)^(m + 1)\*(d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*f\*(m + 1)), x] + (Dist[(c^2\*(m + 2\*p + 3))/(f^2\*(m + 1)), Int[(f\*x)^(m + 2)\*(d + e\*x^2)^p\*(a + b\*ArcSin[c\*x])^n, x], x] - Dist[(b\*c\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(f\*(m + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(f\*x)^(m + 1)\*(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && LtQ[m, -1] && IntegerQ[m]

### Rule 4651

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/((d\_) + (e\_.)\*(x\_)^2)^(3/2), x\_Symbol] := Simp[(x\*(a + b\*ArcSin[c\*x])^n)/(d\*Sqrt[d + e\*x^2]), x] - Dist[(b\*c\*n)/Sqrt[d], Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/(d + e\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[d, 0]

### Rule 4675

Int[(((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_))/((d\_) + (e\_.)\*(x\_)^2), x\_Symbol] := -Dist[e^(-1), Subst[Int[(a + b\*x)^n\*Tan[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 3719

Int[(((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[(((c + d\*x)^m\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rule 2190

Int[(((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^(n\_.)), x\_Symbol] := Simp[(((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n]/a)]/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n]], x]



)^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_)\*((F\_)^((e\_)\*((c\_) + (d\_)\*(x\_))))^(n\_)], x\_Symbol] :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] :> -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 4679

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)/((x\_)\*((d\_) + (e\_)\*(x\_)^2)), x\_Symbol] :> Dist[1/d, Subst[Int[(a + b\*x)^n/(Cos[x]\*Sin[x]), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[c^2\*d + e, 0] && IGtQ[n, 0]

### Rule 4419

Int[Csc[(a\_) + (b\_)\*(x\_)^(n\_)\*((c\_) + (d\_)\*(x\_))^(m\_)\*Sec[(a\_) + (b\_)\*(x\_)^(n\_)], x\_Symbol] :> Dist[2^n, Int[(c + d\*x)^m\*Csc[2\*a + 2\*b\*x]^n, x], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[n] && RationalQ[m]

### Rule 4183

Int[csc[(e\_) + (f\_)\*(x\_)]\*((c\_) + (d\_)\*(x\_))^(m\_), x\_Symbol] :> Simp[(-2\*(c + d\*x)^m\*ArcTanh[E^(I\*(e + f\*x))])/f, x] + (-Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 - E^(I\*(e + f\*x))], x], x] + Dist[(d\*m)/f, Int[(c + d\*x)^(m - 1)\*Log[1 + E^(I\*(e + f\*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{x^2(d + cdx)^{3/2}(e - cex)^{3/2}} dx &= \frac{\sqrt{1 - c^2x^2} \int \frac{(a + b \sin^{-1}(cx))^2}{x^2(1 - c^2x^2)^{3/2}} dx}{de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dex\sqrt{d + cdx}\sqrt{e - cex}} + \frac{(2bc\sqrt{1 - c^2x^2}) \int \frac{a + b \sin^{-1}(cx)}{x(1 - c^2x^2)} dx}{de\sqrt{d + cdx}\sqrt{e - cex}} + \frac{(2c^2\sqrt{1 - c^2x^2}) \int \frac{(a + b \sin^{-1}(cx))^2}{(1 - c^2x^2)^{3/2}} dx}{de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dex\sqrt{d + cdx}\sqrt{e - cex}} + \frac{2c^2x(a + b \sin^{-1}(cx))^2}{de\sqrt{d + cdx}\sqrt{e - cex}} + \frac{(2bc\sqrt{1 - c^2x^2}) \text{Subst}\left(\int (a + bx) dx, x, \frac{1 - c^2x^2}{2c}\right)}{de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dex\sqrt{d + cdx}\sqrt{e - cex}} + \frac{2c^2x(a + b \sin^{-1}(cx))^2}{de\sqrt{d + cdx}\sqrt{e - cex}} + \frac{(4bc\sqrt{1 - c^2x^2}) \text{Subst}\left(\int (a + bx) dx, x, \frac{1 - c^2x^2}{2c}\right)}{de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dex\sqrt{d + cdx}\sqrt{e - cex}} + \frac{2c^2x(a + b \sin^{-1}(cx))^2}{de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{2ic\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))^2}{de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dex\sqrt{d + cdx}\sqrt{e - cex}} + \frac{2c^2x(a + b \sin^{-1}(cx))^2}{de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{2ic\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))^2}{de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dex\sqrt{d + cdx}\sqrt{e - cex}} + \frac{2c^2x(a + b \sin^{-1}(cx))^2}{de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{2ic\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))^2}{de\sqrt{d + cdx}\sqrt{e - cex}} \\
&= -\frac{(a + b \sin^{-1}(cx))^2}{dex\sqrt{d + cdx}\sqrt{e - cex}} + \frac{2c^2x(a + b \sin^{-1}(cx))^2}{de\sqrt{d + cdx}\sqrt{e - cex}} - \frac{2ic\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))^2}{de\sqrt{d + cdx}\sqrt{e - cex}}
\end{aligned}$$

**Mathematica [A]** time = 2.47636, size = 564, normalized size = 1.42

$$\frac{c \csc\left(\frac{1}{2} \sin^{-1}(cx)\right) \sec\left(\frac{1}{2} \sin^{-1}(cx)\right) \left(-2ib^2 \sin\left(2 \sin^{-1}(cx)\right) \text{PolyLog}\left(2, -ie^{i \sin^{-1}(cx)}\right) - 2ib^2 \sin\left(2 \sin^{-1}(cx)\right) \text{PolyLog}\left(2, ie^{i \sin^{-1}(cx)}\right)\right)}{d^2 \sqrt{d + cdx} \sqrt{e - cex}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(x^2\*(d + c\*d\*x)^(3/2)\*(e - c\*e\*x)^(3/2)),x]

[Out] (c\*Csc[ArcSin[c\*x]/2]\*Sec[ArcSin[c\*x]/2]\*(-2\*a^2 + 4\*a^2\*c^2\*x^2 - 4\*a\*b\*ArcSin[c\*x]\*Cos[2\*ArcSin[c\*x]] - 2\*b^2\*ArcSin[c\*x]^2\*Cos[2\*ArcSin[c\*x]] + (2\*I)\*b^2\*Pi\*ArcSin[c\*x]\*Sin[2\*ArcSin[c\*x]] - (2\*I)\*b^2\*ArcSin[c\*x]^2\*Sin[2\*ArcSin[c\*x]])/(d^2\*sqrt(d + cdx)\*sqrt(e - cex))

```

cSin[c*x]] + 4*b^2*Pi*Log[1 + E^((-I)*ArcSin[c*x]])*Sin[2*ArcSin[c*x]] + b^
2*Pi*Log[1 - I*E^(I*ArcSin[c*x]])*Sin[2*ArcSin[c*x]] + 2*b^2*ArcSin[c*x]*Lo
g[1 - I*E^(I*ArcSin[c*x]])*Sin[2*ArcSin[c*x]] - b^2*Pi*Log[1 + I*E^(I*ArcSi
n[c*x]])*Sin[2*ArcSin[c*x]] + 2*b^2*ArcSin[c*x]*Log[1 + I*E^(I*ArcSin[c*x])
]*Sin[2*ArcSin[c*x]] + 2*b^2*ArcSin[c*x]*Log[1 - E^((2*I)*ArcSin[c*x]])*Sin
[2*ArcSin[c*x]] + 2*a*b*Log[c*x]*Sin[2*ArcSin[c*x]] - 4*b^2*Pi*Log[Cos[ArcS
in[c*x]/2]]*Sin[2*ArcSin[c*x]] + b^2*Pi*Log[-Cos[(Pi + 2*ArcSin[c*x])/4]]*S
in[2*ArcSin[c*x]] + 2*a*b*Log[Cos[ArcSin[c*x]/2] - Sin[ArcSin[c*x]/2]]*Sin[
2*ArcSin[c*x]] + 2*a*b*Log[Cos[ArcSin[c*x]/2] + Sin[ArcSin[c*x]/2]]*Sin[2*A
rcSin[c*x]] - b^2*Pi*Log[Sin[(Pi + 2*ArcSin[c*x])/4]]*Sin[2*ArcSin[c*x]] -
(2*I)*b^2*PolyLog[2, (-I)*E^(I*ArcSin[c*x]])*Sin[2*ArcSin[c*x]] - (2*I)*b^2
*PolyLog[2, I*E^(I*ArcSin[c*x]])*Sin[2*ArcSin[c*x]] - I*b^2*PolyLog[2, E^((
2*I)*ArcSin[c*x]])*Sin[2*ArcSin[c*x]])/(4*d*e*Sqrt[d + c*d*x]*Sqrt[e - c*e
*x])

```

**Maple [F]** time = 0.49, size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^2}{x^2} (cdx + d)^{-\frac{3}{2}} (-cex + e)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))^2/x^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(3/2),x)
```

```
[Out] int((a+b*arcsin(c*x))^2/x^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(3/2),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/x^2/(c*d*x+d)^(3/2)/(-c*e*x+e)^(3/2),x, algo
rithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2) \sqrt{cdx + d} \sqrt{-cex + e}}{c^4 d^2 e^2 x^6 - 2c^2 d^2 e^2 x^4 + d^2 e^2 x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^2/(c\*d\*x+d)^(3/2)/(-c\*e\*x+e)^(3/2),x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(c\*d\*x + d)\*sqrt(-c\*e\*x + e)/(c^4\*d^2\*e^2\*x^6 - 2\*c^2\*d^2\*e^2\*x^4 + d^2\*e^2\*x^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/x\*\*2/(c\*d\*x+d)\*\*(3/2)/(-c\*e\*x+e)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(cdx + d)^{\frac{3}{2}} (-cex + e)^{\frac{3}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/x^2/(c\*d\*x+d)^(3/2)/(-c\*e\*x+e)^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/((c\*d\*x + d)^(3/2)\*(-c\*e\*x + e)^(3/2)\*x^2), x)

### 3.596 $\int x^4 (d + ex^2) (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=152

$$\frac{1}{5} dx^5 (a + b \sin^{-1}(cx)) + \frac{1}{7} ex^7 (a + b \sin^{-1}(cx)) + \frac{b(1 - c^2 x^2)^{5/2} (7c^2 d + 15e)}{175c^7} - \frac{b(1 - c^2 x^2)^{3/2} (14c^2 d + 15e)}{105c^7} + \frac{b\sqrt{1 - c^2 x^2} (14c^2 d + 15e)}{105c^7}$$

[Out] (b\*(7\*c^2\*d + 5\*e)\*Sqrt[1 - c^2\*x^2])/(35\*c^7) - (b\*(14\*c^2\*d + 15\*e)\*(1 - c^2\*x^2)^(3/2))/(105\*c^7) + (b\*(7\*c^2\*d + 15\*e)\*(1 - c^2\*x^2)^(5/2))/(175\*c^7) - (b\*e\*(1 - c^2\*x^2)^(7/2))/(49\*c^7) + (d\*x^5\*(a + b\*ArcSin[c\*x]))/5 + (e\*x^7\*(a + b\*ArcSin[c\*x]))/7

**Rubi [A]** time = 0.150382, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$ , Rules used = {14, 4731, 12, 446, 77}

$$\frac{1}{5} dx^5 (a + b \sin^{-1}(cx)) + \frac{1}{7} ex^7 (a + b \sin^{-1}(cx)) + \frac{b(1 - c^2 x^2)^{5/2} (7c^2 d + 15e)}{175c^7} - \frac{b(1 - c^2 x^2)^{3/2} (14c^2 d + 15e)}{105c^7} + \frac{b\sqrt{1 - c^2 x^2} (14c^2 d + 15e)}{105c^7}$$

Antiderivative was successfully verified.

[In] Int[x^4\*(d + e\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*(7\*c^2\*d + 5\*e)\*Sqrt[1 - c^2\*x^2])/(35\*c^7) - (b\*(14\*c^2\*d + 15\*e)\*(1 - c^2\*x^2)^(3/2))/(105\*c^7) + (b\*(7\*c^2\*d + 15\*e)\*(1 - c^2\*x^2)^(5/2))/(175\*c^7) - (b\*e\*(1 - c^2\*x^2)^(7/2))/(49\*c^7) + (d\*x^5\*(a + b\*ArcSin[c\*x]))/5 + (e\*x^7\*(a + b\*ArcSin[c\*x]))/7

#### Rule 14

Int[(u\_)\*((c\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rule 4731

Int[((a\_.) + ArcSin[(c\_)\*(x\_)]\*(b\_)))\*((f\_)\*(x\_))^(m\_)\*((d\_.) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 446

`Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]`

Rule 77

`Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))`

Rubi steps

$$\begin{aligned}
 \int x^4 (d + ex^2) (a + b \sin^{-1}(cx)) dx &= \frac{1}{5} dx^5 (a + b \sin^{-1}(cx)) + \frac{1}{7} ex^7 (a + b \sin^{-1}(cx)) - (bc) \int \frac{x^5 (7d + 5ex^2)}{35\sqrt{1 - c^2x^2}} dx \\
 &= \frac{1}{5} dx^5 (a + b \sin^{-1}(cx)) + \frac{1}{7} ex^7 (a + b \sin^{-1}(cx)) - \frac{1}{35} (bc) \int \frac{x^5 (7d + 5ex^2)}{\sqrt{1 - c^2x^2}} dx \\
 &= \frac{1}{5} dx^5 (a + b \sin^{-1}(cx)) + \frac{1}{7} ex^7 (a + b \sin^{-1}(cx)) - \frac{1}{70} (bc) \text{Subst} \left( \int \frac{x^2 (7d + 5ex)}{\sqrt{1 - c^2x}} dx \right) \\
 &= \frac{1}{5} dx^5 (a + b \sin^{-1}(cx)) + \frac{1}{7} ex^7 (a + b \sin^{-1}(cx)) - \frac{1}{70} (bc) \text{Subst} \left( \int \left( \frac{7c^2d + 5e}{c^6\sqrt{1 - c^2x}} + \dots \right) dx \right) \\
 &= \frac{b(7c^2d + 5e)\sqrt{1 - c^2x^2}}{35c^7} - \frac{b(14c^2d + 15e)(1 - c^2x^2)^{3/2}}{105c^7} + \frac{b(7c^2d + 15e)(1 - c^2x^2)}{175c^7}
 \end{aligned}$$

**Mathematica [A]** time = 0.114022, size = 115, normalized size = 0.76

$$105ax^5(7d + 5ex^2) + \frac{b\sqrt{1-c^2x^2}(3c^6(49dx^4+25ex^6)+2c^4(98dx^2+45ex^4)+8c^2(49d+15ex^2)+240e)}{c^7} + 105bx^5 \sin^{-1}(cx)(7d + 5ex^2)$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*(d + e\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (105\*a\*x^5\*(7\*d + 5\*e\*x^2) + (b\*Sqrt[1 - c^2\*x^2]\*(240\*e + 8\*c^2\*(49\*d + 15\*e\*x^2) + 2\*c^4\*(98\*d\*x^2 + 45\*e\*x^4) + 3\*c^6\*(49\*d\*x^4 + 25\*e\*x^6)))/c^7 + 105\*b\*x^5\*(7\*d + 5\*e\*x^2)\*ArcSin[c\*x])/3675

**Maple [A]** time = 0.005, size = 201, normalized size = 1.3

$$\frac{1}{c^5} \left( \frac{a}{c^2} \left( \frac{ec^7x^7}{7} + \frac{c^7x^5d}{5} \right) + \frac{b}{c^2} \left( \frac{\arcsin(cx)ec^7x^7}{7} + \frac{\arcsin(cx)c^7x^5d}{5} - \frac{e}{7} \left( -\frac{c^6x^6}{7} \sqrt{-c^2x^2+1} - \frac{6c^4x^4}{35} \sqrt{-c^2x^2+1} - \frac{8c^2x^2}{35} \sqrt{-c^2x^2+1} - \frac{8c^2}{35} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(e\*x^2+d)\*(a+b\*arcsin(c\*x)),x)

[Out] 1/c^5\*(a/c^2\*(1/7\*e\*c^7\*x^7+1/5\*c^7\*x^5\*d)+b/c^2\*(1/7\*arcsin(c\*x)\*e\*c^7\*x^7+1/5\*arcsin(c\*x)\*c^7\*x^5\*d-1/7\*e\*(-1/7\*c^6\*x^6\*(-c^2\*x^2+1)^(1/2)-6/35\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-8/35\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-16/35\*(-c^2\*x^2+1)^(1/2))-1/5\*c^2\*d\*(-1/5\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-4/15\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-8/15\*(-c^2\*x^2+1)^(1/2))))

**Maxima [A]** time = 1.46336, size = 247, normalized size = 1.62

$$\frac{1}{7} aex^7 + \frac{1}{5} adx^5 + \frac{1}{75} \left( 15x^5 \arcsin(cx) + \left( \frac{3\sqrt{-c^2x^2+1}x^4}{c^2} + \frac{4\sqrt{-c^2x^2+1}x^2}{c^4} + \frac{8\sqrt{-c^2x^2+1}}{c^6} \right) c \right) bd + \frac{1}{245} \left( 35x^7 \arcsin(cx) + \left( \frac{3\sqrt{-c^2x^2+1}x^4}{c^2} + \frac{4\sqrt{-c^2x^2+1}x^2}{c^4} + \frac{8\sqrt{-c^2x^2+1}}{c^6} \right) c \right) e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] 1/7\*a\*e\*x^7 + 1/5\*a\*d\*x^5 + 1/75\*(15\*x^5\*arcsin(c\*x) + (3\*sqrt(-c^2\*x^2 + 1)\*x^4/c^2 + 4\*sqrt(-c^2\*x^2 + 1)\*x^2/c^4 + 8\*sqrt(-c^2\*x^2 + 1)/c^6)\*c)\*b\*d + 1/245\*(35\*x^7\*arcsin(c\*x) + (5\*sqrt(-c^2\*x^2 + 1)\*x^6/c^2 + 6\*sqrt(-c^2\*x^2 + 1)\*x^4/c^4 + 8\*sqrt(-c^2\*x^2 + 1)\*x^2/c^6 + 16\*sqrt(-c^2\*x^2 + 1)/c^8)\*c)\*b\*e

---

**Fricas [A]** time = 2.27816, size = 308, normalized size = 2.03

$$\frac{525 ac^7 ex^7 + 735 ac^7 dx^5 + 105 (5 bc^7 ex^7 + 7 bc^7 dx^5) \arcsin(cx) + (75 bc^6 ex^6 + 3 (49 bc^6 d + 30 bc^4 e) x^4 + 392 bc^2 d + 4 (49 bc^4 d + 30 bc^2 e) x^2 + 240 b^2 e) \sqrt{-c^2 x^2 + 1}}{3675 c^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] 1/3675\*(525\*a\*c^7\*e\*x^7 + 735\*a\*c^7\*d\*x^5 + 105\*(5\*b\*c^7\*e\*x^7 + 7\*b\*c^7\*d\*x^5)\*arcsin(c\*x) + (75\*b\*c^6\*e\*x^6 + 3\*(49\*b\*c^6\*d + 30\*b\*c^4\*e)\*x^4 + 392\*b\*c^2\*d + 4\*(49\*b\*c^4\*d + 30\*b\*c^2\*e)\*x^2 + 240\*b^2\*e)\*sqrt(-c^2\*x^2 + 1)/c^7

---

**Sympy [A]** time = 7.81841, size = 223, normalized size = 1.47

$$\left\{ \begin{array}{l} \frac{adx^5}{5} + \frac{aex^7}{7} + \frac{bdx^5 \arcsin(cx)}{5} + \frac{bex^7 \arcsin(cx)}{7} + \frac{bdx^4 \sqrt{-c^2 x^2 + 1}}{25c} + \frac{bex^6 \sqrt{-c^2 x^2 + 1}}{49c} + \frac{4bdx^2 \sqrt{-c^2 x^2 + 1}}{75c^3} + \frac{6bex^4 \sqrt{-c^2 x^2 + 1}}{245c^3} + \frac{8bd \sqrt{-c^2 x^2 + 1}}{75c^5} + \frac{8bex^2}{75c^5} \\ a \left( \frac{dx^5}{5} + \frac{ex^7}{7} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(e\*x\*\*2+d)\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*d\*x\*\*5/5 + a\*e\*x\*\*7/7 + b\*d\*x\*\*5\*asin(c\*x)/5 + b\*e\*x\*\*7\*asin(c\*x)/7 + b\*d\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(25\*c) + b\*e\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)/(49\*c) + 4\*b\*d\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(75\*c\*\*3) + 6\*b\*e\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(245\*c\*\*3) + 8\*b\*d\*sqrt(-c\*\*2\*x\*\*2 + 1)/(75\*c\*\*5) + 8\*b\*e\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(245\*c\*\*5) + 16\*b\*e\*sqrt(-c\*\*2\*x\*\*2 + 1)/(245\*c\*\*7), N e(c, 0)), (a\*(d\*x\*\*5/5 + e\*x\*\*7/7), True))

---

**Giac [B]** time = 1.2158, size = 439, normalized size = 2.89

$$\frac{1}{7} ax^7 e + \frac{1}{5} adx^5 + \frac{(c^2 x^2 - 1)^2 bdx \arcsin(cx)}{5c^4} + \frac{2(c^2 x^2 - 1) bdx \arcsin(cx)}{5c^4} + \frac{(c^2 x^2 - 1)^3 bx \arcsin(cx) e}{7c^6} + \frac{bdx \arcsin(cx)}{5c^4}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(x^4\*(e\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out]  $\frac{1}{7}ax^7e + \frac{1}{5}adx^5 + \frac{1}{5}(c^2x^2 - 1)^2bdx\arcsin(cx)/c^4 + \frac{2}{5}(c^2x^2 - 1)bdx\arcsin(cx)/c^4 + \frac{1}{7}(c^2x^2 - 1)^3bx\arcsin(cx)e/c^6 + \frac{1}{5}bdx\arcsin(cx)/c^4 + \frac{3}{7}(c^2x^2 - 1)^2bx\arcsin(cx)e/c^6 + \frac{1}{25}(c^2x^2 - 1)^2\sqrt{-c^2x^2 + 1}bd/c^5 + \frac{3}{7}(c^2x^2 - 1)bx\arcsin(cx)e/c^6 - \frac{2}{15}(-c^2x^2 + 1)^{3/2}bd/c^5 + \frac{1}{49}(c^2x^2 - 1)^3\sqrt{-c^2x^2 + 1}be/c^7 + \frac{1}{7}bx\arcsin(cx)e/c^6 + \frac{1}{5}\sqrt{-c^2x^2 + 1}bd/c^5 + \frac{3}{35}(c^2x^2 - 1)^2\sqrt{-c^2x^2 + 1}be/c^7 - \frac{1}{7}(-c^2x^2 + 1)^{3/2}be/c^7 + \frac{1}{7}\sqrt{-c^2x^2 + 1}be/c^7$

### 3.597 $\int x^3 (d + ex^2) (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=149

$$\frac{1}{4}dx^4(a + b \sin^{-1}(cx)) + \frac{1}{6}ex^6(a + b \sin^{-1}(cx)) + \frac{bx^3\sqrt{1-c^2x^2}(9c^2d + 5e)}{144c^3} + \frac{bx\sqrt{1-c^2x^2}(9c^2d + 5e)}{96c^5} - \frac{b(9c^2d + 5e)s}{96c^6}$$

[Out] (b\*(9\*c^2\*d + 5\*e)\*x\*Sqrt[1 - c^2\*x^2])/(96\*c^5) + (b\*(9\*c^2\*d + 5\*e)\*x^3\*Sqrt[1 - c^2\*x^2])/(144\*c^3) + (b\*e\*x^5\*Sqrt[1 - c^2\*x^2])/(36\*c) - (b\*(9\*c^2\*d + 5\*e)\*ArcSin[c\*x])/(96\*c^6) + (d\*x^4\*(a + b\*ArcSin[c\*x]))/4 + (e\*x^6\*(a + b\*ArcSin[c\*x]))/6

**Rubi [A]** time = 0.117026, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$ , Rules used = {14, 4731, 12, 459, 321, 216}

$$\frac{1}{4}dx^4(a + b \sin^{-1}(cx)) + \frac{1}{6}ex^6(a + b \sin^{-1}(cx)) + \frac{bx^3\sqrt{1-c^2x^2}(9c^2d + 5e)}{144c^3} + \frac{bx\sqrt{1-c^2x^2}(9c^2d + 5e)}{96c^5} - \frac{b(9c^2d + 5e)s}{96c^6}$$

Antiderivative was successfully verified.

[In] Int[x^3\*(d + e\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*(9\*c^2\*d + 5\*e)\*x\*Sqrt[1 - c^2\*x^2])/(96\*c^5) + (b\*(9\*c^2\*d + 5\*e)\*x^3\*Sqrt[1 - c^2\*x^2])/(144\*c^3) + (b\*e\*x^5\*Sqrt[1 - c^2\*x^2])/(36\*c) - (b\*(9\*c^2\*d + 5\*e)\*ArcSin[c\*x])/(96\*c^6) + (d\*x^4\*(a + b\*ArcSin[c\*x]))/4 + (e\*x^6\*(a + b\*ArcSin[c\*x]))/6

#### Rule 14

Int[(u\_)\*((c\_)\*(x\_))^(m\_), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_) + (b\_)\*(v\_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

#### Rule 4731

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))\*((f\_)\*(x\_))^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

Rule 12

$\text{Int}[(a_*)(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 459

$\text{Int}[(e_*)(x_)^{(m_*)}((a_*) + (b_*)(x_)^{(n_*)})^{(p_*)}((c_*) + (d_*)(x_)^{(n_*)}), x\_Symbol] \rightarrow \text{Simp}[(d*(e*x)^{(m+1)}*(a + b*x^n)^{(p+1)})/(b*e*(m+n*(p+1)+1)), x] - \text{Dist}[(a*d*(m+1) - b*c*(m+n*(p+1)+1))/(b*(m+n*(p+1)+1)), \text{Int}[(e*x)^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, m, n, p\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[m + n*(p+1) + 1, 0]$

Rule 321

$\text{Int}[(c_*)(x_)^{(m_*)}((a_*) + (b_*)(x_)^{(n_*)})^{(p_*)}, x\_Symbol] \rightarrow \text{Simp}[(c^{(n-1)}*(c*x)^{(m-n+1)}*(a + b*x^n)^{(p+1)})/(b*(m+n*p+1)), x] - \text{Dist}[(a*c^{(n-1)})/(b*(m+n*p+1)), \text{Int}[(c*x)^{(m-n)}*(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, p\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[m, n-1] \ \&\& \ \text{NeQ}[m+n*p+1, 0] \ \&\& \ \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 216

$\text{Int}[1/\text{Sqrt}[(a_*) + (b_*)(x_)^2], x\_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[\text{Rt}[-b, 2]*x]/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{GtQ}[a, 0] \ \&\& \ \text{NegQ}[b]$

Rubi steps

$$\begin{aligned}
 \int x^3 (d + ex^2) (a + b \sin^{-1}(cx)) dx &= \frac{1}{4} dx^4 (a + b \sin^{-1}(cx)) + \frac{1}{6} ex^6 (a + b \sin^{-1}(cx)) - (bc) \int \frac{x^4 (3d + 2ex^2)}{12\sqrt{1 - c^2x^2}} dx \\
 &= \frac{1}{4} dx^4 (a + b \sin^{-1}(cx)) + \frac{1}{6} ex^6 (a + b \sin^{-1}(cx)) - \frac{1}{12} (bc) \int \frac{x^4 (3d + 2ex^2)}{\sqrt{1 - c^2x^2}} dx \\
 &= \frac{bex^5 \sqrt{1 - c^2x^2}}{36c} + \frac{1}{4} dx^4 (a + b \sin^{-1}(cx)) + \frac{1}{6} ex^6 (a + b \sin^{-1}(cx)) - \frac{1}{36} \left( bc \left( 9d + \right. \right. \\
 &= \frac{b(9c^2d + 5e)x^3 \sqrt{1 - c^2x^2}}{144c^3} + \frac{bex^5 \sqrt{1 - c^2x^2}}{36c} + \frac{1}{4} dx^4 (a + b \sin^{-1}(cx)) + \frac{1}{6} ex^6 (a + \\
 &= \frac{b(9c^2d + 5e)x \sqrt{1 - c^2x^2}}{96c^5} + \frac{b(9c^2d + 5e)x^3 \sqrt{1 - c^2x^2}}{144c^3} + \frac{bex^5 \sqrt{1 - c^2x^2}}{36c} + \frac{1}{4} dx^4 ( \\
 &= \frac{b(9c^2d + 5e)x \sqrt{1 - c^2x^2}}{96c^5} + \frac{b(9c^2d + 5e)x^3 \sqrt{1 - c^2x^2}}{144c^3} + \frac{bex^5 \sqrt{1 - c^2x^2}}{36c} - \frac{b(9c^2d + 5e)}{36c}
 \end{aligned}$$

**Mathematica [A]** time = 0.0816949, size = 116, normalized size = 0.78

$$\frac{24ac^6x^4(3d+2ex^2) + bcx\sqrt{1-c^2x^2}(2c^4(9dx^2+4ex^4) + c^2(27d+10ex^2) + 15e) + 3b\sin^{-1}(cx)(8c^6(3dx^4+2ex^6) - 9cx^4 + 2e^2x^6)}{288c^6}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*(d + e\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (24\*a\*c^6\*x^4\*(3\*d + 2\*e\*x^2) + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(15\*e + c^2\*(27\*d + 10\*e\*x^2) + 2\*c^4\*(9\*d\*x^2 + 4\*e\*x^4)) + 3\*b\*(-9\*c^2\*d - 5\*e + 8\*c^6\*(3\*d\*x^4 + 2\*e\*x^6))\*ArcSin[c\*x])/(288\*c^6)

**Maple [A]** time = 0.006, size = 177, normalized size = 1.2

$$\frac{1}{c^4} \left( \frac{a}{c^2} \left( \frac{ec^6x^6}{6} + \frac{x^4c^6d}{4} \right) + \frac{b}{c^2} \left( \frac{\arcsin(cx)ec^6x^6}{6} + \frac{\arcsin(cx)c^6x^4d}{4} - \frac{e}{6} \left( -\frac{c^5x^5}{6} \sqrt{-c^2x^2+1} - \frac{5c^3x^3}{24} \sqrt{-c^2x^2+1} - \frac{5cx}{16} \sqrt{-c^2x^2+1} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(e\*x^2+d)\*(a+b\*arcsin(c\*x)),x)

[Out] 1/c^4\*(a/c^2\*(1/6\*e\*c^6\*x^6+1/4\*x^4\*c^6\*d)+b/c^2\*(1/6\*arcsin(c\*x)\*e\*c^6\*x^6+1/4\*arcsin(c\*x)\*c^6\*x^4\*d-1/6\*e\*(-1/6\*c^5\*x^5\*(-c^2\*x^2+1)^(1/2)-5/24\*c^3\*x^3\*(-c^2\*x^2+1)^(1/2)-5/16\*c\*x\*(-c^2\*x^2+1)^(1/2)+5/16\*arcsin(c\*x))-1/4\*c^2\*d\*(-1/4\*c^3\*x^3\*(-c^2\*x^2+1)^(1/2)-3/8\*c\*x\*(-c^2\*x^2+1)^(1/2)+3/8\*arcsin(c\*x))))

**Maxima [A]** time = 1.47481, size = 252, normalized size = 1.69

$$\frac{1}{6} aex^6 + \frac{1}{4} adx^4 + \frac{1}{32} \left( 8x^4 \arcsin(cx) + \left( \frac{2\sqrt{-c^2x^2+1}x^3}{c^2} + \frac{3\sqrt{-c^2x^2+1}x}{c^4} - \frac{3\arcsin\left(\frac{c^2x}{\sqrt{c^2}}\right)}{\sqrt{c^2}c^4} \right) c \right) bd + \frac{1}{288} \left( 48x^6 \arcsin(cx) + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

```
[Out] 1/6*a*e*x^6 + 1/4*a*d*x^4 + 1/32*(8*x^4*arcsin(c*x) + (2*sqrt(-c^2*x^2 + 1)
*x^3/c^2 + 3*sqrt(-c^2*x^2 + 1)*x/c^4 - 3*arcsin(c^2*x/sqrt(c^2)))/(sqrt(c^2
)*c^4))*c)*b*d + 1/288*(48*x^6*arcsin(c*x) + (8*sqrt(-c^2*x^2 + 1)*x^5/c^2
+ 10*sqrt(-c^2*x^2 + 1)*x^3/c^4 + 15*sqrt(-c^2*x^2 + 1)*x/c^6 - 15*arcsin(c
^2*x/sqrt(c^2)))/(sqrt(c^2)*c^6))*c)*b*e
```

**Fricas [A]** time = 2.34499, size = 286, normalized size = 1.92

$$\frac{48ac^6ex^6 + 72ac^6dx^4 + 3(16bc^6ex^6 + 24bc^6dx^4 - 9bc^2d - 5be)\arcsin(cx) + (8bc^5ex^5 + 2(9bc^5d + 5bc^3e)x^3 + 3(9bc^5d + 5bc^3e)x)\sqrt{-c^2x^2 + 1}}{288c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(e*x^2+d)*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] 1/288*(48*a*c^6*e*x^6 + 72*a*c^6*d*x^4 + 3*(16*b*c^6*e*x^6 + 24*b*c^6*d*x^4
- 9*b*c^2*d - 5*b*e)*arcsin(c*x) + (8*b*c^5*e*x^5 + 2*(9*b*c^5*d + 5*b*c^3
*e)*x^3 + 3*(9*b*c^3*d + 5*b*c*e)*x)*sqrt(-c^2*x^2 + 1))/c^6
```

**Sympy [A]** time = 5.26755, size = 206, normalized size = 1.38

$$\left\{ \begin{array}{l} \frac{adx^4}{4} + \frac{ax^6}{6} + \frac{bdx^4 \arcsin(cx)}{4} + \frac{bex^6 \arcsin(cx)}{6} + \frac{bdx^3 \sqrt{-c^2x^2+1}}{16c} + \frac{bex^5 \sqrt{-c^2x^2+1}}{36c} + \frac{3bdx \sqrt{-c^2x^2+1}}{32c^3} + \frac{5bex^3 \sqrt{-c^2x^2+1}}{144c^3} - \frac{3bd \arcsin(cx)}{32c^4} + \frac{5bex \sqrt{-c^2x^2+1}}{96c^4} \\ a \left( \frac{dx^4}{4} + \frac{ex^6}{6} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(e*x**2+d)*(a+b*asin(c*x)),x)
```

```
[Out] Piecewise((a*d*x**4/4 + a*e*x**6/6 + b*d*x**4*asin(c*x)/4 + b*e*x**6*asin(c
*x)/6 + b*d*x**3*sqrt(-c**2*x**2 + 1)/(16*c) + b*e*x**5*sqrt(-c**2*x**2 + 1
)/(36*c) + 3*b*d*x*sqrt(-c**2*x**2 + 1)/(32*c**3) + 5*b*e*x**3*sqrt(-c**2*x
**2 + 1)/(144*c**3) - 3*b*d*asin(c*x)/(32*c**4) + 5*b*e*x*sqrt(-c**2*x**2 +
1)/(96*c**5) - 5*b*e*asin(c*x)/(96*c**6), Ne(c, 0)), (a*(d*x**4/4 + e*x**6
/6), True))
```

**Giac [B]** time = 1.26794, size = 454, normalized size = 3.05

$$-\frac{(-c^2x^2 + 1)^{\frac{3}{2}}bdx}{16c^3} + \frac{(c^2x^2 - 1)^2bd \arcsin(cx)}{4c^4} + \frac{5\sqrt{-c^2x^2 + 1}bdx}{32c^3} + \frac{(c^2x^2 - 1)^2\sqrt{-c^2x^2 + 1}bx}{36c^5} + \frac{(c^2x^2 - 1)^2ad}{4c^4} + \frac{(c^2x^2 - 1)^2bd \arcsin(cx)}{4c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] 
$$-1/16*(-c^2*x^2 + 1)^{(3/2)}*b*d*x/c^3 + 1/4*(c^2*x^2 - 1)^2*b*d*arcsin(c*x)/c^4 + 5/32*\sqrt{-c^2*x^2 + 1}*b*d*x/c^3 + 1/36*(c^2*x^2 - 1)^2*\sqrt{-c^2*x^2 + 1}*b*x*e/c^5 + 1/4*(c^2*x^2 - 1)^2*a*d/c^4 + 1/2*(c^2*x^2 - 1)*b*d*arcsin(c*x)/c^4 + 1/6*(c^2*x^2 - 1)^3*b*arcsin(c*x)*e/c^6 - 13/144*(-c^2*x^2 + 1)^{(3/2)}*b*x*e/c^5 + 1/2*(c^2*x^2 - 1)*a*d/c^4 + 5/32*b*d*arcsin(c*x)/c^4 + 1/6*(c^2*x^2 - 1)^3*a*e/c^6 + 1/2*(c^2*x^2 - 1)^2*b*arcsin(c*x)*e/c^6 + 11/96*\sqrt{-c^2*x^2 + 1}*b*x*e/c^5 + 1/2*(c^2*x^2 - 1)^2*a*e/c^6 + 1/2*(c^2*x^2 - 1)*b*arcsin(c*x)*e/c^6 + 1/2*(c^2*x^2 - 1)*a*e/c^6 + 11/96*b*arcsin(c*x)*e/c^6$$

### 3.598 $\int x^2 (d + ex^2) (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=120

$$\frac{1}{3}dx^3 (a + b \sin^{-1}(cx)) + \frac{1}{5}ex^5 (a + b \sin^{-1}(cx)) - \frac{b(1 - c^2x^2)^{3/2}(5c^2d + 6e)}{45c^5} + \frac{b\sqrt{1 - c^2x^2}(5c^2d + 3e)}{15c^5} + \frac{be(1 - c^2x^2)^5}{25c^5}$$

[Out] (b\*(5\*c^2\*d + 3\*e)\*Sqrt[1 - c^2\*x^2])/(15\*c^5) - (b\*(5\*c^2\*d + 6\*e)\*(1 - c^2\*x^2)^(3/2))/(45\*c^5) + (b\*e\*(1 - c^2\*x^2)^(5/2))/(25\*c^5) + (d\*x^3\*(a + b\*ArcSin[c\*x]))/3 + (e\*x^5\*(a + b\*ArcSin[c\*x]))/5

**Rubi [A]** time = 0.127109, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$ , Rules used = {14, 4731, 12, 446, 77}

$$\frac{1}{3}dx^3 (a + b \sin^{-1}(cx)) + \frac{1}{5}ex^5 (a + b \sin^{-1}(cx)) - \frac{b(1 - c^2x^2)^{3/2}(5c^2d + 6e)}{45c^5} + \frac{b\sqrt{1 - c^2x^2}(5c^2d + 3e)}{15c^5} + \frac{be(1 - c^2x^2)^5}{25c^5}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(d + e\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*(5\*c^2\*d + 3\*e)\*Sqrt[1 - c^2\*x^2])/(15\*c^5) - (b\*(5\*c^2\*d + 6\*e)\*(1 - c^2\*x^2)^(3/2))/(45\*c^5) + (b\*e\*(1 - c^2\*x^2)^(5/2))/(25\*c^5) + (d\*x^3\*(a + b\*ArcSin[c\*x]))/3 + (e\*x^5\*(a + b\*ArcSin[c\*x]))/5

#### Rule 14

Int[(u\_)\*((c\_)\*(x\_))^(m\_), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rule 4731

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))\*((f\_)\*(x\_))^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 77

```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f]))))
```

### Rubi steps

$$\begin{aligned}
 \int x^2 (d + ex^2) (a + b \sin^{-1}(cx)) dx &= \frac{1}{3} dx^3 (a + b \sin^{-1}(cx)) + \frac{1}{5} ex^5 (a + b \sin^{-1}(cx)) - (bc) \int \frac{x^3 (5d + 3ex^2)}{15\sqrt{1 - c^2x^2}} dx \\
 &= \frac{1}{3} dx^3 (a + b \sin^{-1}(cx)) + \frac{1}{5} ex^5 (a + b \sin^{-1}(cx)) - \frac{1}{15} (bc) \int \frac{x^3 (5d + 3ex^2)}{\sqrt{1 - c^2x^2}} dx \\
 &= \frac{1}{3} dx^3 (a + b \sin^{-1}(cx)) + \frac{1}{5} ex^5 (a + b \sin^{-1}(cx)) - \frac{1}{30} (bc) \text{Subst} \left( \int \frac{x(5d + 3ex)}{\sqrt{1 - c^2x}} dx \right) \\
 &= \frac{1}{3} dx^3 (a + b \sin^{-1}(cx)) + \frac{1}{5} ex^5 (a + b \sin^{-1}(cx)) - \frac{1}{30} (bc) \text{Subst} \left( \int \left( \frac{5c^2d + 3e}{c^4\sqrt{1 - c^2x}} + \frac{3ex}{c^4\sqrt{1 - c^2x}} \right) dx \right) \\
 &= \frac{b(5c^2d + 3e)\sqrt{1 - c^2x^2}}{15c^5} - \frac{b(5c^2d + 6e)(1 - c^2x^2)^{3/2}}{45c^5} + \frac{be(1 - c^2x^2)^{5/2}}{25c^5} + \frac{1}{3} dx^3 (a + b \sin^{-1}(cx))
 \end{aligned}$$

**Mathematica [A]** time = 0.0906024, size = 96, normalized size = 0.8

$$\frac{1}{225} \left( 15ax^3 (5d + 3ex^2) + \frac{b\sqrt{1 - c^2x^2} (c^4 (25dx^2 + 9ex^4) + 2c^2 (25d + 6ex^2) + 24e)}{c^5} + 15bx^3 \sin^{-1}(cx) (5d + 3ex^2) \right)$$

Antiderivative was successfully verified.



[In] Integrate[x^2\*(d + e\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (15\*a\*x^3\*(5\*d + 3\*e\*x^2) + (b\*Sqrt[1 - c^2\*x^2]\*(24\*e + 2\*c^2\*(25\*d + 6\*e\*x^2) + c^4\*(25\*d\*x^2 + 9\*e\*x^4)))/c^5 + 15\*b\*x^3\*(5\*d + 3\*e\*x^2)\*ArcSin[c\*x])/225

**Maple [A]** time = 0.004, size = 161, normalized size = 1.3

$$\frac{1}{c^3} \left( \frac{a}{c^2} \left( \frac{ec^5x^5}{5} + \frac{c^5dx^3}{3} \right) + \frac{b}{c^2} \left( \frac{\arcsin(cx)ec^5x^5}{5} + \frac{\arcsin(cx)c^5dx^3}{3} - \frac{e}{5} \left( -\frac{c^4x^4}{5} \sqrt{-c^2x^2+1} - \frac{4c^2x^2}{15} \sqrt{-c^2x^2+1} - \frac{8}{15} \sqrt{-c^2x^2+1} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(e\*x^2+d)\*(a+b\*arcsin(c\*x)),x)

[Out] 1/c^3\*(a/c^2\*(1/5\*e\*c^5\*x^5+1/3\*c^5\*d\*x^3)+b/c^2\*(1/5\*arcsin(c\*x)\*e\*c^5\*x^5+1/3\*arcsin(c\*x)\*c^5\*d\*x^3-1/5\*e\*(-1/5\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-4/15\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-8/15\*(-c^2\*x^2+1)^(1/2))-1/3\*c^2\*d\*(-1/3\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-2/3\*(-c^2\*x^2+1)^(1/2))))

**Maxima [A]** time = 1.4469, size = 192, normalized size = 1.6

$$\frac{1}{5} aex^5 + \frac{1}{3} adx^3 + \frac{1}{9} \left( 3x^3 \arcsin(cx) + c \left( \frac{\sqrt{-c^2x^2+1}x^2}{c^2} + \frac{2\sqrt{-c^2x^2+1}}{c^4} \right) \right) bd + \frac{1}{75} \left( 15x^5 \arcsin(cx) + \left( \frac{3\sqrt{-c^2x^2+1}}{c^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] 1/5\*a\*e\*x^5 + 1/3\*a\*d\*x^3 + 1/9\*(3\*x^3\*arcsin(c\*x) + c\*(sqrt(-c^2\*x^2 + 1)\*x^2/c^2 + 2\*sqrt(-c^2\*x^2 + 1)/c^4))\*b\*d + 1/75\*(15\*x^5\*arcsin(c\*x) + (3\*sqrt(-c^2\*x^2 + 1)\*x^4/c^2 + 4\*sqrt(-c^2\*x^2 + 1)\*x^2/c^4 + 8\*sqrt(-c^2\*x^2 + 1)/c^6)\*c)\*b\*e

**Fricas [A]** time = 2.38698, size = 250, normalized size = 2.08

$$\frac{45ac^5ex^5 + 75ac^5dx^3 + 15(3bc^5ex^5 + 5bc^5dx^3) \arcsin(cx) + (9bc^4ex^4 + 50bc^2d + (25bc^4d + 12bc^2e)x^2 + 24be)\sqrt{-c^2x^2+1}}{225c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] 1/225\*(45\*a\*c^5\*e\*x^5 + 75\*a\*c^5\*d\*x^3 + 15\*(3\*b\*c^5\*e\*x^5 + 5\*b\*c^5\*d\*x^3)\*arcsin(c\*x) + (9\*b\*c^4\*e\*x^4 + 50\*b\*c^2\*d + (25\*b\*c^4\*d + 12\*b\*c^2\*e)\*x^2 + 24\*b\*e)\*sqrt(-c^2\*x^2 + 1))/c^5

**Sympy [A]** time = 2.59258, size = 172, normalized size = 1.43

$$\left\{ \begin{array}{l} \frac{adx^3}{3} + \frac{aex^5}{5} + \frac{bdx^3 \operatorname{asin}(cx)}{3} + \frac{bex^5 \operatorname{asin}(cx)}{5} + \frac{bdx^2 \sqrt{-c^2x^2+1}}{9c} + \frac{bex^4 \sqrt{-c^2x^2+1}}{25c} + \frac{2bd \sqrt{-c^2x^2+1}}{9c^3} + \frac{4bex^2 \sqrt{-c^2x^2+1}}{75c^3} + \frac{8be \sqrt{-c^2x^2+1}}{75c^5} \\ a \left( \frac{dx^3}{3} + \frac{ex^5}{5} \right) \end{array} \right. \quad \begin{array}{l} \text{for } c \neq \\ \text{other} \end{array}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(e\*x\*\*2+d)\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*d\*x\*\*3/3 + a\*e\*x\*\*5/5 + b\*d\*x\*\*3\*asin(c\*x)/3 + b\*e\*x\*\*5\*asin(c\*x)/5 + b\*d\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c) + b\*e\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(25\*c) + 2\*b\*d\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c\*\*3) + 4\*b\*e\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(75\*c\*\*3) + 8\*b\*e\*sqrt(-c\*\*2\*x\*\*2 + 1)/(75\*c\*\*5), Ne(c, 0)), (a\*(d\*x\*\*3/3 + e\*x\*\*5/5), True))

**Giac [B]** time = 1.32404, size = 293, normalized size = 2.44

$$\frac{1}{5}ax^5e + \frac{1}{3}adx^3 + \frac{(c^2x^2 - 1)bdx \operatorname{arcsin}(cx)}{3c^2} + \frac{bdx \operatorname{arcsin}(cx)}{3c^2} + \frac{(c^2x^2 - 1)^2bx \operatorname{arcsin}(cx)e}{5c^4} + \frac{2(c^2x^2 - 1)bx \operatorname{arcsin}(cx)}{5c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] 1/5\*a\*x^5\*e + 1/3\*a\*d\*x^3 + 1/3\*(c^2\*x^2 - 1)\*b\*d\*x\*arcsin(c\*x)/c^2 + 1/3\*b\*d\*x\*arcsin(c\*x)/c^2 + 1/5\*(c^2\*x^2 - 1)^2\*b\*x\*arcsin(c\*x)\*e/c^4 + 2/5\*(c^2\*x^2 - 1)\*b\*x\*arcsin(c\*x)\*e/c^4 - 1/9\*(-c^2\*x^2 + 1)^(3/2)\*b\*d/c^3 + 1/5\*b\*x\*arcsin(c\*x)\*e/c^4 + 1/3\*sqrt(-c^2\*x^2 + 1)\*b\*d/c^3 + 1/25\*(c^2\*x^2 - 1)^2\*sqrt(-c^2\*x^2 + 1)\*b\*e/c^5 - 2/15\*(-c^2\*x^2 + 1)^(3/2)\*b\*e/c^5 + 1/5\*sqrt(-c^2\*x^2 + 1)\*b\*e/c^5

### 3.599 $\int x (d + ex^2) (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=122

$$\frac{(d + ex^2)^2 (a + b \sin^{-1}(cx))}{4e} - \frac{b(8c^4d^2 + 8c^2de + 3e^2) \sin^{-1}(cx)}{32c^4e} + \frac{bx\sqrt{1 - c^2x^2} (d + ex^2)}{16c} + \frac{3bx\sqrt{1 - c^2x^2} (2c^2d + e)}{32c^3}$$

[Out] (3\*b\*(2\*c^2\*d + e)\*x\*Sqrt[1 - c^2\*x^2])/(32\*c^3) + (b\*x\*Sqrt[1 - c^2\*x^2]\*(d + e\*x^2))/(16\*c) - (b\*(8\*c^4\*d^2 + 8\*c^2\*d\*e + 3\*e^2)\*ArcSin[c\*x])/(32\*c^4\*e) + ((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]))/(4\*e)

**Rubi [A]** time = 0.0877116, antiderivative size = 122, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$ , Rules used = {4729, 416, 388, 216}

$$\frac{(d + ex^2)^2 (a + b \sin^{-1}(cx))}{4e} - \frac{b(8c^4d^2 + 8c^2de + 3e^2) \sin^{-1}(cx)}{32c^4e} + \frac{bx\sqrt{1 - c^2x^2} (d + ex^2)}{16c} + \frac{3bx\sqrt{1 - c^2x^2} (2c^2d + e)}{32c^3}$$

Antiderivative was successfully verified.

[In] Int[x\*(d + e\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (3\*b\*(2\*c^2\*d + e)\*x\*Sqrt[1 - c^2\*x^2])/(32\*c^3) + (b\*x\*Sqrt[1 - c^2\*x^2]\*(d + e\*x^2))/(16\*c) - (b\*(8\*c^4\*d^2 + 8\*c^2\*d\*e + 3\*e^2)\*ArcSin[c\*x])/(32\*c^4\*e) + ((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]))/(4\*e)

#### Rule 4729

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)]\*(x\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x]))/(2\*e\*(p + 1)), x] - Dist[(b\*c)/(2\*e\*(p + 1)), Int[(d + e\*x^2)^(p + 1)/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2\*d + e, 0] && NeQ[p, -1]

#### Rule 416

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[(d\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q - 1))/(b\*(n\*(p + q) + 1)), x] + Dist[1/(b\*(n\*(p + q) + 1)), Int[(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q - 2)\*Simp[c\*(b\*c\*(n\*(p + q) + 1) - a\*d) + d\*(b\*c\*(n\*(p + 2\*q - 1) + 1) - a\*d\*(n\*(q - 1) + 1))\*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && GtQ[q, 1] && NeQ[n\*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a

, b, c, d, n, p, q, x]

### Rule 388

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Si
mp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rubi steps

$$\begin{aligned} \int x(d+ex^2)(a+b\sin^{-1}(cx)) dx &= \frac{(d+ex^2)^2(a+b\sin^{-1}(cx))}{4e} - \frac{(bc) \int \frac{(d+ex^2)^2}{\sqrt{1-c^2x^2}} dx}{4e} \\ &= \frac{bx\sqrt{1-c^2x^2}(d+ex^2)}{16c} + \frac{(d+ex^2)^2(a+b\sin^{-1}(cx))}{4e} + \frac{b \int \frac{-d(4c^2d+e)-3e(2c^2d+e)x^2}{\sqrt{1-c^2x^2}} dx}{16ce} \\ &= \frac{3b(2c^2d+e)x\sqrt{1-c^2x^2}}{32c^3} + \frac{bx\sqrt{1-c^2x^2}(d+ex^2)}{16c} + \frac{(d+ex^2)^2(a+b\sin^{-1}(cx))}{4e} \\ &= \frac{3b(2c^2d+e)x\sqrt{1-c^2x^2}}{32c^3} + \frac{bx\sqrt{1-c^2x^2}(d+ex^2)}{16c} - \frac{b(8c^4d^2+8c^2de+3e^2)\sin^{-1}(cx)}{32c^4e} \end{aligned}$$

**Mathematica [A]** time = 0.064129, size = 95, normalized size = 0.78

$$\frac{cx(8ac^3x(2d+ex^2)+b\sqrt{1-c^2x^2}(2c^2(4d+ex^2)+3e))+b\sin^{-1}(cx)(8c^4(2dx^2+ex^4)-8c^2d-3e)}{32c^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[x*(d + e*x^2)*(a + b*ArcSin[c*x]),x]
```

```
[Out] (c*x*(8*a*c^3*x*(2*d + e*x^2) + b*Sqrt[1 - c^2*x^2]*(3*e + 2*c^2*(4*d + e*x
^2))) + b*(-8*c^2*d - 3*e + 8*c^4*(2*d*x^2 + e*x^4))*ArcSin[c*x])/(32*c^4)
```

**Maple [A]** time = 0.005, size = 137, normalized size = 1.1

$$\frac{1}{c^2} \left( \frac{a}{c^2} \left( \frac{ec^4x^4}{4} + \frac{x^2c^4d}{2} \right) + \frac{b}{c^2} \left( \frac{\arcsin(cx)ec^4x^4}{4} + \frac{\arcsin(cx)dc^4x^2}{2} - \frac{e}{4} \left( -\frac{c^3x^3}{4} \sqrt{-c^2x^2+1} - \frac{3cx}{8} \sqrt{-c^2x^2+1} + \frac{3}{8} \arcsin(cx) \sqrt{-c^2x^2+1} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x^2+d)*(a+b*arcsin(c*x)),x)`

[Out] `1/c^2*(a/c^2*(1/4*e*c^4*x^4+1/2*x^2*c^4*d)+b/c^2*(1/4*arcsin(c*x)*e*c^4*x^4+1/2*arcsin(c*x)*d*c^4*x^2-1/4*e*(-1/4*c^3*x^3*(-c^2*x^2+1)^(1/2)-3/8*c*x*(-c^2*x^2+1)^(1/2)+3/8*arcsin(c*x))-1/2*c^2*d*(-1/2*c*x*(-c^2*x^2+1)^(1/2)+1/2*arcsin(c*x)))`

**Maxima [A]** time = 1.44875, size = 197, normalized size = 1.61

$$\frac{1}{4} aex^4 + \frac{1}{2} adx^2 + \frac{1}{4} \left( 2x^2 \arcsin(cx) + c \left( \frac{\sqrt{-c^2x^2+1}x}{c^2} - \frac{\arcsin\left(\frac{c^2x}{\sqrt{c^2}}\right)}{\sqrt{c^2}c^2} \right) \right) bd + \frac{1}{32} \left( 8x^4 \arcsin(cx) + \left( \frac{2\sqrt{-c^2x^2+1}x^3}{c^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)*(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `1/4*a*e*x^4 + 1/2*a*d*x^2 + 1/4*(2*x^2*arcsin(c*x) + c*(sqrt(-c^2*x^2 + 1)*x/c^2 - arcsin(c^2*x/sqrt(c^2))/(sqrt(c^2)*c^2))*b*d + 1/32*(8*x^4*arcsin(c*x) + (2*sqrt(-c^2*x^2 + 1)*x^3/c^2 + 3*sqrt(-c^2*x^2 + 1)*x/c^4 - 3*arcsin(c^2*x/sqrt(c^2))/(sqrt(c^2)*c^4))*c)*b*e`

**Fricas [A]** time = 2.34698, size = 234, normalized size = 1.92

$$\frac{8ac^4ex^4 + 16ac^4dx^2 + (8bc^4ex^4 + 16bc^4dx^2 - 8bc^2d - 3be) \arcsin(cx) + (2bc^3ex^3 + (8bc^3d + 3bce)x) \sqrt{-c^2x^2+1}}{32c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)*(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out]  $\frac{1}{32}(8ac^4e^x + 16a^2c^4dx^2 + (8b^2c^4e^x + 16b^2c^4d^2x^2 - 8b^2c^2d - 3b^2e) \arcsin(cx) + (2b^2c^3e^x + (8b^2c^3d + 3b^2c^2e)x) \sqrt{-c^2x^2 + 1})/c^4$

**Sympy [A]** time = 1.39518, size = 153, normalized size = 1.25

$$\begin{cases} \frac{adx^2}{2} + \frac{aex^4}{4} + \frac{bdx^2 \arcsin(cx)}{2} + \frac{bex^4 \arcsin(cx)}{4} + \frac{bdx\sqrt{-c^2x^2+1}}{4c} + \frac{bex^3\sqrt{-c^2x^2+1}}{16c} - \frac{bd \arcsin(cx)}{4c^2} + \frac{3bex\sqrt{-c^2x^2+1}}{32c^3} - \frac{3be \arcsin(cx)}{32c^4} & \text{for } c \neq 0 \\ a\left(\frac{dx^2}{2} + \frac{ex^4}{4}\right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e**2+d)*(a+b*asin(c*x)),x)`

[Out] `Piecewise((a*d*x**2/2 + a*e*x**4/4 + b*d*x**2*asin(c*x)/2 + b*e*x**4*asin(c*x)/4 + b*d*x*sqrt(-c**2*x**2 + 1)/(4*c) + b*e*x**3*sqrt(-c**2*x**2 + 1)/(16*c) - b*d*asin(c*x)/(4*c**2) + 3*b*e*x*sqrt(-c**2*x**2 + 1)/(32*c**3) - 3*b*e*asin(c*x)/(32*c**4), Ne(c, 0)), (a*(d*x**2/2 + e*x**4/4), True))`

**Giac [A]** time = 1.27177, size = 273, normalized size = 2.24

$$\frac{\sqrt{-c^2x^2+1}bdx}{4c} + \frac{(c^2x^2-1)bd \arcsin(cx)}{2c^2} - \frac{(-c^2x^2+1)^{\frac{3}{2}}bxe}{16c^3} + \frac{(c^2x^2-1)ad}{2c^2} + \frac{bd \arcsin(cx)}{4c^2} + \frac{(c^2x^2-1)^2b \arcsin(cx)}{4c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)*(a+b*arcsin(c*x)),x, algorithm="giac")`

[Out]  $\frac{1}{4}\sqrt{-c^2x^2+1}b^2d^2x/c + \frac{1}{2}(c^2x^2-1)b^2d^2\arcsin(cx)/c^2 - \frac{1}{16}(-c^2x^2+1)^{3/2}b^2x^2e/c^3 + \frac{1}{2}(c^2x^2-1)a^2d/c^2 + \frac{1}{4}b^2d^2\arcsin(cx)/c^2 + \frac{1}{4}(c^2x^2-1)^2b^2\arcsin(cx)*e/c^4 + \frac{5}{32}\sqrt{-c^2x^2+1}b^2x^2e/c^3 + \frac{1}{4}(c^2x^2-1)^2a^2e/c^4 + \frac{1}{2}(c^2x^2-1)b^2\arcsin(cx)*e/c^4 + \frac{1}{2}(c^2x^2-1)a^2e/c^4 + \frac{5}{32}b^2\arcsin(cx)*e/c^4$

### 3.600 $\int (d + ex^2) (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=81

$$dx (a + b \sin^{-1}(cx)) + \frac{1}{3} ex^3 (a + b \sin^{-1}(cx)) + \frac{b\sqrt{1-c^2x^2}(3c^2d+e)}{3c^3} - \frac{be(1-c^2x^2)^{3/2}}{9c^3}$$

[Out] (b\*(3\*c^2\*d + e)\*Sqrt[1 - c^2\*x^2])/(3\*c^3) - (b\*e\*(1 - c^2\*x^2)^(3/2))/(9\*c^3) + d\*x\*(a + b\*ArcSin[c\*x]) + (e\*x^3\*(a + b\*ArcSin[c\*x]))/3

**Rubi [A]** time = 0.0650839, antiderivative size = 81, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {4665, 444, 43}

$$dx (a + b \sin^{-1}(cx)) + \frac{1}{3} ex^3 (a + b \sin^{-1}(cx)) + \frac{b\sqrt{1-c^2x^2}(3c^2d+e)}{3c^3} - \frac{be(1-c^2x^2)^{3/2}}{9c^3}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*(3\*c^2\*d + e)\*Sqrt[1 - c^2\*x^2])/(3\*c^3) - (b\*e\*(1 - c^2\*x^2)^(3/2))/(9\*c^3) + d\*x\*(a + b\*ArcSin[c\*x]) + (e\*x^3\*(a + b\*ArcSin[c\*x]))/3

#### Rule 4665

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] -
  Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x]] /; FreeQ[
{a, b, c, d, e}, x] && NeQ[c^2*d + e, 0] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0])
)
```

#### Rule 444

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol]
:> Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]
```

#### Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

### Rubi steps

$$\begin{aligned}
\int (d + ex^2)(a + b \sin^{-1}(cx)) dx &= dx(a + b \sin^{-1}(cx)) + \frac{1}{3}ex^3(a + b \sin^{-1}(cx)) - (bc) \int \frac{x(d + \frac{ex^2}{3})}{\sqrt{1 - c^2x^2}} dx \\
&= dx(a + b \sin^{-1}(cx)) + \frac{1}{3}ex^3(a + b \sin^{-1}(cx)) - \frac{1}{2}(bc) \text{Subst} \left( \int \frac{d + \frac{ex}{3}}{\sqrt{1 - c^2x}} dx, x, x^2 \right) \\
&= dx(a + b \sin^{-1}(cx)) + \frac{1}{3}ex^3(a + b \sin^{-1}(cx)) - \frac{1}{2}(bc) \text{Subst} \left( \int \left( \frac{3c^2d + e}{3c^2\sqrt{1 - c^2x}} - \frac{e\sqrt{1 - c^2x}}{3} \right) dx, x, x^2 \right) \\
&= \frac{b(3c^2d + e)\sqrt{1 - c^2x^2}}{3c^3} - \frac{be(1 - c^2x^2)^{3/2}}{9c^3} + dx(a + b \sin^{-1}(cx)) + \frac{1}{3}ex^3(a + b \sin^{-1}(cx))
\end{aligned}$$

**Mathematica [A]** time = 0.0648068, size = 71, normalized size = 0.88

$$\frac{1}{9} \left( 3ax(3d + ex^2) + \frac{b\sqrt{1 - c^2x^2}(c^2(9d + ex^2) + 2e)}{c^3} + 3bx \sin^{-1}(cx)(3d + ex^2) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^2)*(a + b*ArcSin[c*x]),x]
```

```
[Out] (3*a*x*(3*d + e*x^2) + (b*Sqrt[1 - c^2*x^2]*(2*e + c^2*(9*d + e*x^2)))/c^3
+ 3*b*x*(3*d + e*x^2)*ArcSin[c*x])/9
```

**Maple [A]** time = 0.003, size = 111, normalized size = 1.4

$$\frac{1}{c} \left( \frac{a}{c^2} \left( \frac{c^3x^3e}{3} + dc^3x \right) + \frac{b}{c^2} \left( \frac{\arcsin(cx)c^3x^3e}{3} + \arcsin(cx)dc^3x - \frac{e}{3} \left( -\frac{c^2x^2}{3}\sqrt{-c^2x^2 + 1} - \frac{2}{3}\sqrt{-c^2x^2 + 1} \right) + c^2d\sqrt{-c^2x^2 + 1} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d)*(a+b*arcsin(c*x)),x)
```



[Out]  $1/c*(a/c^2*(1/3*c^3*x^3*e+d*c^3*x)+b/c^2*(1/3*\arcsin(c*x)*c^3*x^3*e+\arcsin(c*x)*d*c^3*x-1/3*e*(-1/3*c^2*x^2*(-c^2*x^2+1)^{(1/2)}-2/3*(-c^2*x^2+1)^{(1/2)})+c^2*d*(-c^2*x^2+1)^{(1/2}))$

**Maxima [A]** time = 1.44238, size = 123, normalized size = 1.52

$$\frac{1}{3} aex^3 + \frac{1}{9} \left( 3x^3 \arcsin(cx) + c \left( \frac{\sqrt{-c^2x^2 + 1}x^2}{c^2} + \frac{2\sqrt{-c^2x^2 + 1}}{c^4} \right) \right) be + adx + \frac{(cx \arcsin(cx) + \sqrt{-c^2x^2 + 1})bd}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out]  $1/3*a*e*x^3 + 1/9*(3*x^3*\arcsin(c*x) + c*(\sqrt{-c^2*x^2 + 1})*x^2/c^2 + 2*\sqrt{-c^2*x^2 + 1}/c^4)*b*e + a*d*x + (c*x*\arcsin(c*x) + \sqrt{-c^2*x^2 + 1})*b*d/c$

**Fricas [A]** time = 2.49835, size = 186, normalized size = 2.3

$$\frac{3ac^3ex^3 + 9ac^3dx + 3(bc^3ex^3 + 3bc^3dx)\arcsin(cx) + (bc^2ex^2 + 9bc^2d + 2be)\sqrt{-c^2x^2 + 1}}{9c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out]  $1/9*(3*a*c^3*e*x^3 + 9*a*c^3*d*x + 3*(b*c^3*e*x^3 + 3*b*c^3*d*x)*\arcsin(c*x) + (b*c^2*e*x^2 + 9*b*c^2*d + 2*b*e)*\sqrt{-c^2*x^2 + 1})/c^3$

**Sympy [A]** time = 0.688513, size = 109, normalized size = 1.35

$$\begin{cases} adx + \frac{aex^3}{3} + bdx \operatorname{asin}(cx) + \frac{bex^3 \operatorname{asin}(cx)}{3} + \frac{bd\sqrt{-c^2x^2+1}}{c} + \frac{bex^2\sqrt{-c^2x^2+1}}{9c} + \frac{2be\sqrt{-c^2x^2+1}}{9c^3} & \text{for } c \neq 0 \\ a\left(dx + \frac{ex^3}{3}\right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*d\*x + a\*e\*x\*\*3/3 + b\*d\*x\*asin(c\*x) + b\*e\*x\*\*3\*asin(c\*x)/3 + b\*d\*sqrt(-c\*\*2\*x\*\*2 + 1)/c + b\*e\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c) + 2\*b\*e\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c\*\*3), Ne(c, 0)), (a\*(d\*x + e\*x\*\*3/3), True))

**Giac [A]** time = 1.23239, size = 154, normalized size = 1.9

$$\frac{1}{3}ax^3e + bdx \arcsin(cx) + adx + \frac{(c^2x^2 - 1)bx \arcsin(cx)e}{3c^2} + \frac{bx \arcsin(cx)e}{3c^2} + \frac{\sqrt{-c^2x^2 + 1}bd}{c} - \frac{(-c^2x^2 + 1)^{\frac{3}{2}}be}{9c^3} + \frac{\sqrt{-c^2x^2 + 1}be}{9c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] 1/3\*a\*x^3\*e + b\*d\*x\*arcsin(c\*x) + a\*d\*x + 1/3\*(c^2\*x^2 - 1)\*b\*x\*arcsin(c\*x)\*e/c^2 + 1/3\*b\*x\*arcsin(c\*x)\*e/c^2 + sqrt(-c^2\*x^2 + 1)\*b\*d/c - 1/9\*(-c^2\*x^2 + 1)^(3/2)\*b\*e/c^3 + 1/3\*sqrt(-c^2\*x^2 + 1)\*b\*e/c^3

$$3.601 \quad \int \frac{(d+ex^2)(a+b \sin^{-1}(cx))}{x} dx$$

**Optimal.** Leaf size=132

$$-\frac{1}{2}ibd\text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + d \log(x) (a + b \sin^{-1}(cx)) + \frac{1}{2}ex^2 (a + b \sin^{-1}(cx)) + \frac{bex\sqrt{1-c^2x^2}}{4c} - \frac{be \sin^{-1}(cx)}{4c^2} - \frac{1}{2}$$

[Out] (b\*e\*x\*Sqrt[1 - c^2\*x^2])/(4\*c) - (b\*e\*ArcSin[c\*x])/(4\*c^2) - (I/2)\*b\*d\*ArcSin[c\*x]^2 + (e\*x^2\*(a + b\*ArcSin[c\*x]))/2 + b\*d\*ArcSin[c\*x]\*Log[1 - E^((2\*I)\*ArcSin[c\*x])] - b\*d\*ArcSin[c\*x]\*Log[x] + d\*(a + b\*ArcSin[c\*x])\*Log[x] - (I/2)\*b\*d\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])]

**Rubi [A]** time = 0.238765, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.632$ , Rules used = {14, 4731, 12, 6742, 321, 216, 2326, 4625, 3717, 2190, 2279, 2391}

$$-\frac{1}{2}ibd\text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + d \log(x) (a + b \sin^{-1}(cx)) + \frac{1}{2}ex^2 (a + b \sin^{-1}(cx)) + \frac{bex\sqrt{1-c^2x^2}}{4c} - \frac{be \sin^{-1}(cx)}{4c^2} - \frac{1}{2}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x^2)\*(a + b\*ArcSin[c\*x]))/x,x]

[Out] (b\*e\*x\*Sqrt[1 - c^2\*x^2])/(4\*c) - (b\*e\*ArcSin[c\*x])/(4\*c^2) - (I/2)\*b\*d\*ArcSin[c\*x]^2 + (e\*x^2\*(a + b\*ArcSin[c\*x]))/2 + b\*d\*ArcSin[c\*x]\*Log[1 - E^((2\*I)\*ArcSin[c\*x])] - b\*d\*ArcSin[c\*x]\*Log[x] + d\*(a + b\*ArcSin[c\*x])\*Log[x] - (I/2)\*b\*d\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])]

### Rule 14

Int[(u\_)\*((c\_.)\*(x\_))^(m\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_.)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

### Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))\*((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2\*d + e, 0] &

& IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 6742

Int[u\_, x\_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

### Rule 321

Int[((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 2326

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(ArcSin[(Rt[-e, 2]\*x)/Sqrt[d]]\*(a + b\*Log[c\*x^n]))/Rt[-e, 2], x] - Dist[(b\*n)/Rt[-e, 2], Int[ArcSin[(Rt[-e, 2]\*x)/Sqrt[d]]/x, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]

### Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

### Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m \* E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*(c_) + (d_)*(x_)))^(n_)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)(a + b \sin^{-1}(cx))}{x} dx &= \frac{1}{2}ex^2(a + b \sin^{-1}(cx)) + d(a + b \sin^{-1}(cx)) \log(x) - (bc) \int \frac{ex^2 + 2d \log(x)}{2\sqrt{1 - c^2x^2}} dx \\
&= \frac{1}{2}ex^2(a + b \sin^{-1}(cx)) + d(a + b \sin^{-1}(cx)) \log(x) - \frac{1}{2}(bc) \int \frac{ex^2 + 2d \log(x)}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{1}{2}ex^2(a + b \sin^{-1}(cx)) + d(a + b \sin^{-1}(cx)) \log(x) - \frac{1}{2}(bc) \int \left( \frac{ex^2}{\sqrt{1 - c^2x^2}} + \frac{2d \log(x)}{\sqrt{1 - c^2x^2}} \right) dx \\
&= \frac{1}{2}ex^2(a + b \sin^{-1}(cx)) + d(a + b \sin^{-1}(cx)) \log(x) - (bcd) \int \frac{\log(x)}{\sqrt{1 - c^2x^2}} dx - \frac{1}{2}(bce) \int \frac{ex^2}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{bex\sqrt{1 - c^2x^2}}{4c} + \frac{1}{2}ex^2(a + b \sin^{-1}(cx)) - bd \sin^{-1}(cx) \log(x) + d(a + b \sin^{-1}(cx)) \log(x) \\
&= \frac{bex\sqrt{1 - c^2x^2}}{4c} - \frac{be \sin^{-1}(cx)}{4c^2} + \frac{1}{2}ex^2(a + b \sin^{-1}(cx)) - bd \sin^{-1}(cx) \log(x) + d(a + b \sin^{-1}(cx)) \log(x) \\
&= \frac{bex\sqrt{1 - c^2x^2}}{4c} - \frac{be \sin^{-1}(cx)}{4c^2} - \frac{1}{2}ibd \sin^{-1}(cx)^2 + \frac{1}{2}ex^2(a + b \sin^{-1}(cx)) - bd \sin^{-1}(cx) \log(x) + d(a + b \sin^{-1}(cx)) \log(x) \\
&= \frac{bex\sqrt{1 - c^2x^2}}{4c} - \frac{be \sin^{-1}(cx)}{4c^2} - \frac{1}{2}ibd \sin^{-1}(cx)^2 + \frac{1}{2}ex^2(a + b \sin^{-1}(cx)) + bd \sin^{-1}(cx) \log(x) + d(a + b \sin^{-1}(cx)) \log(x) \\
&= \frac{bex\sqrt{1 - c^2x^2}}{4c} - \frac{be \sin^{-1}(cx)}{4c^2} - \frac{1}{2}ibd \sin^{-1}(cx)^2 + \frac{1}{2}ex^2(a + b \sin^{-1}(cx)) + bd \sin^{-1}(cx) \log(x) + d(a + b \sin^{-1}(cx)) \log(x) \\
&= \frac{bex\sqrt{1 - c^2x^2}}{4c} - \frac{be \sin^{-1}(cx)}{4c^2} - \frac{1}{2}ibd \sin^{-1}(cx)^2 + \frac{1}{2}ex^2(a + b \sin^{-1}(cx)) + bd \sin^{-1}(cx) \log(x) + d(a + b \sin^{-1}(cx)) \log(x)
\end{aligned}$$

**Mathematica [A]** time = 0.200342, size = 108, normalized size = 0.82

$$\frac{1}{2} \left( -ibd \left( \sin^{-1}(cx)^2 + \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) \right) + 2ad \log(x) + aex^2 + \frac{be \left( cx\sqrt{1 - c^2x^2} - \sin^{-1}(cx) \right)}{2c^2} + 2bd \sin^{-1}(cx) \log(x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x^2)\*(a + b\*ArcSin[c\*x]))/x,x]

[Out] (a\*e\*x^2 + (b\*e\*(c\*x\*Sqrt[1 - c^2\*x^2] - ArcSin[c\*x]))/(2\*c^2) + b\*e\*x^2\*ArcSin[c\*x] + 2\*b\*d\*ArcSin[c\*x]\*Log[1 - E^((2\*I)\*ArcSin[c\*x])] + 2\*a\*d\*Log[x] - I\*b\*d\*(ArcSin[c\*x]^2 + PolyLog[2, E^((2\*I)\*ArcSin[c\*x])]))/2

**Maple [A]** time = 0.205, size = 177, normalized size = 1.3

$$\frac{ax^2e}{2} + da \ln(cx) - \frac{i}{2}bd (\arcsin(cx))^2 + \frac{bex}{4c} \sqrt{-c^2x^2 + 1} + \frac{b \arcsin(cx) x^2e}{2} - \frac{be \arcsin(cx)}{4c^2} + db \arcsin(cx) \ln(1 + icx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)\*(a+b\*arcsin(c\*x))/x,x)

[Out] 1/2\*a\*x^2\*e+d\*a\*ln(c\*x)-1/2\*I\*b\*d\*arcsin(c\*x)^2+1/4\*b\*e\*x\*(-c^2\*x^2+1)^(1/2)/c+1/2\*b\*arcsin(c\*x)\*x^2\*e-1/4\*b\*e\*arcsin(c\*x)/c^2+d\*b\*arcsin(c\*x)\*ln(1+I\*c\*x+(-c^2\*x^2+1)^(1/2))+d\*b\*arcsin(c\*x)\*ln(1-I\*c\*x-(-c^2\*x^2+1)^(1/2))-I\*d\*b\*polylog(2,-I\*c\*x-(-c^2\*x^2+1)^(1/2))-I\*d\*b\*polylog(2,I\*c\*x+(-c^2\*x^2+1)^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} aex^2 + ad \log(x) + \int \frac{(bex^2 + bd) \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)\*(a+b\*arcsin(c\*x))/x,x, algorithm="maxima")

[Out] 1/2\*a\*e\*x^2 + a\*d\*log(x) + integrate((b\*e\*x^2 + b\*d)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/x, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{aex^2 + ad + (bex^2 + bd) \arcsin(cx)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)\*(a+b\*arcsin(c\*x))/x,x, algorithm="fricas")

[Out] integral((a\*e\*x^2 + a\*d + (b\*e\*x^2 + b\*d)\*arcsin(c\*x))/x, x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asin}(cx))(d + ex^2)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*(a+b\*asin(c\*x))/x,x)

[Out] Integral((a + b\*asin(c\*x))\*(d + e\*x\*\*2)/x, x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)(b \operatorname{arcsin}(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)\*(a+b\*arcsin(c\*x))/x,x, algorithm="giac")

[Out] integrate((e\*x^2 + d)\*(b\*arcsin(c\*x) + a)/x, x)



$$3.602 \quad \int \frac{(d+ex^2)(a+b \sin^{-1}(cx))}{x^2} dx$$

**Optimal.** Leaf size=66

$$-\frac{d(a+b \sin^{-1}(cx))}{x} + ex(a+b \sin^{-1}(cx)) - bcd \tanh^{-1}\left(\sqrt{1-c^2x^2}\right) + \frac{be\sqrt{1-c^2x^2}}{c}$$

[Out] (b\*e\*Sqrt[1 - c^2\*x^2])/c - (d\*(a + b\*ArcSin[c\*x]))/x + e\*x\*(a + b\*ArcSin[c\*x]) - b\*c\*d\*ArcTanh[Sqrt[1 - c^2\*x^2]]

**Rubi [A]** time = 0.0773946, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 6, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$ , Rules used = {14, 4731, 446, 80, 63, 208}

$$-\frac{d(a+b \sin^{-1}(cx))}{x} + ex(a+b \sin^{-1}(cx)) - bcd \tanh^{-1}\left(\sqrt{1-c^2x^2}\right) + \frac{be\sqrt{1-c^2x^2}}{c}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x^2)\*(a + b\*ArcSin[c\*x]))/x^2,x]

[Out] (b\*e\*Sqrt[1 - c^2\*x^2])/c - (d\*(a + b\*ArcSin[c\*x]))/x + e\*x\*(a + b\*ArcSin[c\*x]) - b\*c\*d\*ArcTanh[Sqrt[1 - c^2\*x^2]]

#### Rule 14

Int[(u\_)\*((c\_)\*(x\_))^(m\_), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

#### Rule 4731

Int[((a\_.) + ArcSin[(c\_)\*(x\_)]\*(b\_)))\*((f\_)\*(x\_))^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

#### Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p
*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[
b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 80

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p
_), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p
+ 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(
n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f
, n, p}, x] && NeQ[n + p + 2, 0]
```

### Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)(a + b \sin^{-1}(cx))}{x^2} dx &= -\frac{d(a + b \sin^{-1}(cx))}{x} + ex(a + b \sin^{-1}(cx)) - (bc) \int \frac{-d + ex^2}{x\sqrt{1 - c^2x^2}} dx \\
&= -\frac{d(a + b \sin^{-1}(cx))}{x} + ex(a + b \sin^{-1}(cx)) - \frac{1}{2}(bc) \operatorname{Subst}\left(\int \frac{-d + ex}{x\sqrt{1 - c^2x}} dx, x, x^2\right) \\
&= \frac{be\sqrt{1 - c^2x^2}}{c} - \frac{d(a + b \sin^{-1}(cx))}{x} + ex(a + b \sin^{-1}(cx)) + \frac{1}{2}(bcd) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1 - c^2x}} dx, x, x^2\right) \\
&= \frac{be\sqrt{1 - c^2x^2}}{c} - \frac{d(a + b \sin^{-1}(cx))}{x} + ex(a + b \sin^{-1}(cx)) - \frac{(bd) \operatorname{Subst}\left(\int \frac{1}{\frac{1}{c^2} - \frac{x^2}{c^2}} dx, x, x^2\right)}{c} \\
&= \frac{be\sqrt{1 - c^2x^2}}{c} - \frac{d(a + b \sin^{-1}(cx))}{x} + ex(a + b \sin^{-1}(cx)) - bcd \tanh^{-1}\left(\sqrt{1 - c^2x^2}\right)
\end{aligned}$$

**Mathematica [A]** time = 0.0546412, size = 71, normalized size = 1.08

$$-\frac{ad}{x} + aex - bcd \tanh^{-1}\left(\sqrt{1-c^2x^2}\right) + \frac{be\sqrt{1-c^2x^2}}{c} - \frac{bd \sin^{-1}(cx)}{x} + bex \sin^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x^2)\*(a + b\*ArcSin[c\*x]))/x^2,x]

[Out] -((a\*d)/x) + a\*e\*x + (b\*e\*Sqrt[1 - c^2\*x^2])/c - (b\*d\*ArcSin[c\*x])/x + b\*e\*x\*ArcSin[c\*x] - b\*c\*d\*ArcTanh[Sqrt[1 - c^2\*x^2]]

**Maple [A]** time = 0.008, size = 79, normalized size = 1.2

$$c \left( \frac{a}{c^2} \left( ecx - \frac{dc}{x} \right) + \frac{b}{c^2} \left( \arcsin(cx) ecx - \frac{\arcsin(cx) cd}{x} + e\sqrt{-c^2x^2+1} - c^2 d \operatorname{Arctanh} \left( \frac{1}{\sqrt{-c^2x^2+1}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)\*(a+b\*arcsin(c\*x))/x^2,x)

[Out] c\*(a/c^2\*(e\*c\*x-c\*d/x)+b/c^2\*(arcsin(c\*x)\*e\*c\*x-arcsin(c\*x)\*c\*d/x+e\*(-c^2\*x^2+1)^(1/2)-c^2\*d\*arctanh(1/(-c^2\*x^2+1)^(1/2))))

**Maxima [A]** time = 1.43747, size = 107, normalized size = 1.62

$$-\left( c \log \left( \frac{2\sqrt{-c^2x^2+1}}{|x|} + \frac{2}{|x|} \right) + \frac{\arcsin(cx)}{x} \right) bd + aex + \frac{(cx \arcsin(cx) + \sqrt{-c^2x^2+1})be}{c} - \frac{ad}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)\*(a+b\*arcsin(c\*x))/x^2,x, algorithm="maxima")

[Out] -(c\*log(2\*sqrt(-c^2\*x^2 + 1)/abs(x) + 2/abs(x)) + arcsin(c\*x)/x)\*b\*d + a\*e\*x + (c\*x\*arcsin(c\*x) + sqrt(-c^2\*x^2 + 1))\*b\*e/c - a\*d/x

**Fricas [A]** time = 3.09, size = 244, normalized size = 3.7

$$\frac{bc^2 dx \log\left(\sqrt{-c^2 x^2 + 1} + 1\right) - bc^2 dx \log\left(\sqrt{-c^2 x^2 + 1} - 1\right) - 2acex^2 - 2\sqrt{-c^2 x^2 + 1}bex + 2acd - 2(bcex^2 - bcd) \arcsin(cx)}{2cx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)\*(a+b\*arcsin(c\*x))/x^2,x, algorithm="fricas")

[Out] 
$$-1/2*(b*c^2*d*x*\log(\sqrt{-c^2*x^2 + 1} + 1) - b*c^2*d*x*\log(\sqrt{-c^2*x^2 + 1} - 1) - 2*a*c*e*x^2 - 2*\sqrt{-c^2*x^2 + 1}*b*e*x + 2*a*c*d - 2*(b*c*e*x^2 - b*c*d)*\arcsin(c*x))/(c*x)$$

**Sympy [A]** time = 4.11549, size = 75, normalized size = 1.14

$$-\frac{ad}{x} + aex + bcd \left( \begin{cases} -\operatorname{acosh}\left(\frac{1}{cx}\right) & \text{for } \frac{1}{|c^2 x^2|} > 1 \\ i \operatorname{asin}\left(\frac{1}{cx}\right) & \text{otherwise} \end{cases} \right) - \frac{bd \operatorname{asin}(cx)}{x} + be \left( \begin{cases} 0 & \text{for } c = 0 \\ x \operatorname{asin}(cx) + \frac{\sqrt{-c^2 x^2 + 1}}{c} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*(a+b\*asin(c\*x))/x\*\*2,x)

[Out] 
$$-a*d/x + a*e*x + b*c*d*\operatorname{Piecewise}((- \operatorname{acosh}(1/(c*x)), 1/\operatorname{Abs}(c**2*x**2) > 1), (I*\operatorname{asin}(1/(c*x)), \operatorname{True})) - b*d*\operatorname{asin}(c*x)/x + b*e*\operatorname{Piecewise}((0, \operatorname{Eq}(c, 0)), (x*\operatorname{asin}(c*x) + \sqrt{-c**2*x**2 + 1}/c, \operatorname{True}))$$

**Giac [B]** time = 1.75348, size = 1399, normalized size = 21.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)\*(a+b\*arcsin(c\*x))/x^2,x, algorithm="giac")

[Out] 
$$-1/2*b*c^6*d*x^4*\arcsin(c*x)/((c^4*x^3/(\sqrt{-c^2*x^2 + 1} + 1))^3 + c^2*x/(\sqrt{-c^2*x^2 + 1} + 1))*(\sqrt{-c^2*x^2 + 1} + 1)^4 - 1/2*a*c^6*d*x^4/((c^4*x^3/(\sqrt{-c^2*x^2 + 1} + 1))^3 + c^2*x/(\sqrt{-c^2*x^2 + 1} + 1))*(\sqrt{-c$$

$$\begin{aligned}
& ^2*x^2 + 1) + 1)^4) + b*c^5*d*x^3*\log(\text{abs}(c)*\text{abs}(x))/((c^4*x^3/(\text{sqrt}(-c^2*x \\
& ^2 + 1) + 1)^3 + c^2*x/(\text{sqrt}(-c^2*x^2 + 1) + 1))*(\text{sqrt}(-c^2*x^2 + 1) + 1)^3 \\
& ) - b*c^5*d*x^3*\log(\text{sqrt}(-c^2*x^2 + 1) + 1)/((c^4*x^3/(\text{sqrt}(-c^2*x^2 + 1) + \\
& 1)^3 + c^2*x/(\text{sqrt}(-c^2*x^2 + 1) + 1))*(\text{sqrt}(-c^2*x^2 + 1) + 1)^3) - b*c^4 \\
& *d*x^2*\arcsin(c*x)/((c^4*x^3/(\text{sqrt}(-c^2*x^2 + 1) + 1)^3 + c^2*x/(\text{sqrt}(-c^2* \\
& x^2 + 1) + 1))*(\text{sqrt}(-c^2*x^2 + 1) + 1)^2) - a*c^4*d*x^2/((c^4*x^3/(\text{sqrt}(-c \\
& ^2*x^2 + 1) + 1)^3 + c^2*x/(\text{sqrt}(-c^2*x^2 + 1) + 1))*(\text{sqrt}(-c^2*x^2 + 1) + \\
& 1)^2) + b*c^3*d*x*\log(\text{abs}(c)*\text{abs}(x))/((c^4*x^3/(\text{sqrt}(-c^2*x^2 + 1) + 1)^3 + \\
& c^2*x/(\text{sqrt}(-c^2*x^2 + 1) + 1))*(\text{sqrt}(-c^2*x^2 + 1) + 1)) - b*c^3*d*x*\log( \\
& \text{sqrt}(-c^2*x^2 + 1) + 1)/((c^4*x^3/(\text{sqrt}(-c^2*x^2 + 1) + 1)^3 + c^2*x/(\text{sqrt} \\
& (-c^2*x^2 + 1) + 1))*(\text{sqrt}(-c^2*x^2 + 1) + 1)) - 1/2*b*c^2*d*\arcsin(c*x)/(c^ \\
& 4*x^3/(\text{sqrt}(-c^2*x^2 + 1) + 1)^3 + c^2*x/(\text{sqrt}(-c^2*x^2 + 1) + 1)) - b*c^3* \\
& x^3*e/((c^4*x^3/(\text{sqrt}(-c^2*x^2 + 1) + 1)^3 + c^2*x/(\text{sqrt}(-c^2*x^2 + 1) + 1) \\
& )*(\text{sqrt}(-c^2*x^2 + 1) + 1)^3) + 2*b*c^2*x^2*\arcsin(c*x)*e/((c^4*x^3/(\text{sqrt}(- \\
& c^2*x^2 + 1) + 1)^3 + c^2*x/(\text{sqrt}(-c^2*x^2 + 1) + 1))*(\text{sqrt}(-c^2*x^2 + 1) + \\
& 1)^2) - 1/2*a*c^2*d/(c^4*x^3/(\text{sqrt}(-c^2*x^2 + 1) + 1)^3 + c^2*x/(\text{sqrt}(-c^2 \\
& *x^2 + 1) + 1)) + 2*a*c^2*x^2*e/((c^4*x^3/(\text{sqrt}(-c^2*x^2 + 1) + 1)^3 + c^2* \\
& x/(\text{sqrt}(-c^2*x^2 + 1) + 1))*(\text{sqrt}(-c^2*x^2 + 1) + 1)^2) + b*c*x*e/((c^4*x^3 \\
& /(\text{sqrt}(-c^2*x^2 + 1) + 1)^3 + c^2*x/(\text{sqrt}(-c^2*x^2 + 1) + 1))*(\text{sqrt}(-c^2*x^ \\
& 2 + 1) + 1))
\end{aligned}$$

$$3.603 \quad \int \frac{(d+ex^2)(a+b \sin^{-1}(cx))}{x^3} dx$$

**Optimal.** Leaf size=119

$$-\frac{1}{2}ibe \operatorname{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) - \frac{d(a+b \sin^{-1}(cx))}{2x^2} + e \log(x)(a+b \sin^{-1}(cx)) - \frac{bcd\sqrt{1-c^2x^2}}{2x} - \frac{1}{2}ibe \sin^{-1}(cx)^2 + be \sin^{-1}(cx)$$

[Out]  $-(b*c*d*\operatorname{Sqrt}[1 - c^2*x^2])/(2*x) - (I/2)*b*e*\operatorname{ArcSin}[c*x]^2 - (d*(a + b*\operatorname{ArcSin}[c*x]))/(2*x^2) + b*e*\operatorname{ArcSin}[c*x]*\operatorname{Log}[1 - E^((2*I)*\operatorname{ArcSin}[c*x])] - b*e*\operatorname{ArcSin}[c*x]*\operatorname{Log}[x] + e*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{Log}[x] - (I/2)*b*e*\operatorname{PolyLog}[2, E^((2*I)*\operatorname{ArcSin}[c*x])]$

**Rubi [A]** time = 0.22312, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.526$ , Rules used = {14, 4731, 6742, 264, 2326, 4625, 3717, 2190, 2279, 2391}

$$-\frac{1}{2}ibe \operatorname{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) - \frac{d(a+b \sin^{-1}(cx))}{2x^2} + e \log(x)(a+b \sin^{-1}(cx)) - \frac{bcd\sqrt{1-c^2x^2}}{2x} - \frac{1}{2}ibe \sin^{-1}(cx)^2 + be \sin^{-1}(cx)$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(d + e*x^2)*(a + b*\operatorname{ArcSin}[c*x])/x^3, x]$

[Out]  $-(b*c*d*\operatorname{Sqrt}[1 - c^2*x^2])/(2*x) - (I/2)*b*e*\operatorname{ArcSin}[c*x]^2 - (d*(a + b*\operatorname{ArcSin}[c*x]))/(2*x^2) + b*e*\operatorname{ArcSin}[c*x]*\operatorname{Log}[1 - E^((2*I)*\operatorname{ArcSin}[c*x])] - b*e*\operatorname{ArcSin}[c*x]*\operatorname{Log}[x] + e*(a + b*\operatorname{ArcSin}[c*x])* \operatorname{Log}[x] - (I/2)*b*e*\operatorname{PolyLog}[2, E^((2*I)*\operatorname{ArcSin}[c*x])]$

### Rule 14

$\operatorname{Int}[(u_*)*((c_*)*(x_*)^{(m_*)}), x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c*x)^m*u, x], x] /;$  FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_)\*(v\_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

### Rule 4731

$\operatorname{Int}[(a_ + \operatorname{ArcSin}[(c_*)*(x_)]*(b_))*((f_)*(x_))^{(m_)*}((d_ + (e_)*(x_)^2)^{(p_)}), x\_Symbol] \rightarrow \operatorname{With}[\{u = \operatorname{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \operatorname{Dist}[a + b*\operatorname{ArcSin}[c*x], u, x] - \operatorname{Dist}[b*c, \operatorname{Int}[\operatorname{SimplifyIntegrand}[u/\operatorname{Sqrt}[1 - c^2*x^2], x], x]] /;$  FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2\*d + e, 0] &

& IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

### Rule 6742

Int[u\_, x\_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]  
]

### Rule 264

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c  
\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n,  
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

### Rule 2326

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symb  
ol] := Simp[(ArcSin[(Rt[-e, 2]\*x)/Sqrt[d]]\*(a + b\*Log[c\*x^n]))/Rt[-e, 2], x  
] - Dist[(b\*n)/Rt[-e, 2], Int[ArcSin[(Rt[-e, 2]\*x)/Sqrt[d]]/x, x], x] /; Fr  
eeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]

### Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)\*(b\_.)]^(n\_.))/(x\_), x\_Symbol] := Subst[Int[(  
a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

### Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol  
] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^  
m\*E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x))), x],  
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

### Rule 2190

Int[((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)/  
((a\_) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_))))^(n\_.)), x\_Symbol] := Simp  
[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x))))^n]/a)]/(b\*f\*g\*n\*Log[F]), x] - Di  
st[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)  
))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol]  
:= Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x))

)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex^2)(a + b \sin^{-1}(cx))}{x^3} dx &= -\frac{d(a + b \sin^{-1}(cx))}{2x^2} + e(a + b \sin^{-1}(cx)) \log(x) - (bc) \int \frac{-\frac{d}{2x^2} + e \log(x)}{\sqrt{1 - c^2x^2}} dx \\
 &= -\frac{d(a + b \sin^{-1}(cx))}{2x^2} + e(a + b \sin^{-1}(cx)) \log(x) - (bc) \int \left( -\frac{d}{2x^2\sqrt{1 - c^2x^2}} + \frac{e \log(x)}{\sqrt{1 - c^2x^2}} \right) dx \\
 &= -\frac{d(a + b \sin^{-1}(cx))}{2x^2} + e(a + b \sin^{-1}(cx)) \log(x) + \frac{1}{2}(bcd) \int \frac{1}{x^2\sqrt{1 - c^2x^2}} dx - (bce) \int \frac{1}{\sqrt{1 - c^2x^2}} dx \\
 &= -\frac{bcd\sqrt{1 - c^2x^2}}{2x} - \frac{d(a + b \sin^{-1}(cx))}{2x^2} - be \sin^{-1}(cx) \log(x) + e(a + b \sin^{-1}(cx)) \log(x) \\
 &= -\frac{bcd\sqrt{1 - c^2x^2}}{2x} - \frac{d(a + b \sin^{-1}(cx))}{2x^2} - be \sin^{-1}(cx) \log(x) + e(a + b \sin^{-1}(cx)) \log(x) \\
 &= -\frac{bcd\sqrt{1 - c^2x^2}}{2x} - \frac{1}{2}ibe \sin^{-1}(cx)^2 - \frac{d(a + b \sin^{-1}(cx))}{2x^2} - be \sin^{-1}(cx) \log(x) + e(a + b \sin^{-1}(cx)) \log(x) \\
 &= -\frac{bcd\sqrt{1 - c^2x^2}}{2x} - \frac{1}{2}ibe \sin^{-1}(cx)^2 - \frac{d(a + b \sin^{-1}(cx))}{2x^2} + be \sin^{-1}(cx) \log\left(1 - e^{2i \sin^{-1}(cx)}\right) \\
 &= -\frac{bcd\sqrt{1 - c^2x^2}}{2x} - \frac{1}{2}ibe \sin^{-1}(cx)^2 - \frac{d(a + b \sin^{-1}(cx))}{2x^2} + be \sin^{-1}(cx) \log\left(1 - e^{2i \sin^{-1}(cx)}\right) \\
 &= -\frac{bcd\sqrt{1 - c^2x^2}}{2x} - \frac{1}{2}ibe \sin^{-1}(cx)^2 - \frac{d(a + b \sin^{-1}(cx))}{2x^2} + be \sin^{-1}(cx) \log\left(1 - e^{2i \sin^{-1}(cx)}\right)
 \end{aligned}$$

**Mathematica [A]** time = 0.109742, size = 104, normalized size = 0.87

$$\frac{ibex^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + ad - 2aex^2 \log(x) + bcdx\sqrt{1 - c^2x^2} + b \sin^{-1}(cx) \left(d - 2ex^2 \log\left(1 - e^{2i \sin^{-1}(cx)}\right)\right) + ibex^2}{2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x^2)\*(a + b\*ArcSin[c\*x]))/x^3,x]



[Out]  $-(a*d + b*c*d*x*\text{Sqrt}[1 - c^2*x^2] + I*b*e*x^2*\text{ArcSin}[c*x]^2 + b*\text{ArcSin}[c*x] * (d - 2*e*x^2*\text{Log}[1 - E^((2*I)*\text{ArcSin}[c*x])])) - 2*a*e*x^2*\text{Log}[x] + I*b*e*x^2*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])])/(2*x^2)$

**Maple [A]** time = 0.287, size = 174, normalized size = 1.5

$$-\frac{ad}{2x^2} + ae \ln(cx) - \frac{i}{2}be (\arcsin(cx))^2 + \frac{i}{2}c^2bd - \frac{bcd}{2x}\sqrt{-c^2x^2+1} - \frac{bd \arcsin(cx)}{2x^2} + be \arcsin(cx) \ln\left(1 + icx + \sqrt{-c^2x^2+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e*x^2+d)*(a+b*\arcsin(c*x))/x^3,x)$

[Out]  $-1/2*a*d/x^2+a*e*\ln(c*x)-1/2*I*b*e*\arcsin(c*x)^2+1/2*I*c^2*b*d-1/2*b*c*d*(-c^2*x^2+1)^{(1/2)}/x-1/2*b*\arcsin(c*x)*d/x^2+b*e*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})+b*e*\arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)})-I*b*e*\text{polylog}(2,-I*c*x-(-c^2*x^2+1)^{(1/2)})-I*b*e*\text{polylog}(2,I*c*x+(-c^2*x^2+1)^{(1/2)})$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2}bd\left(\frac{\sqrt{-c^2x^2+1}c}{x} + \frac{\arcsin(cx)}{x^2}\right) + be \int \frac{\arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)}{x} dx + ae \log(x) - \frac{ad}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((e*x^2+d)*(a+b*\arcsin(c*x))/x^3,x, \text{algorithm}="maxima")$

[Out]  $-1/2*b*d*(\text{sqrt}(-c^2*x^2 + 1)*c/x + \arcsin(c*x)/x^2) + b*e*\text{integrate}(\arctan2(c*x, \text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1))/x, x) + a*e*\log(x) - 1/2*a*d/x^2$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{aex^2 + ad + (bex^2 + bd) \arcsin(cx)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)*(a+b*arcsin(c*x))/x^3,x, algorithm="fricas")
```

```
[Out] integral((a*e*x^2 + a*d + (b*e*x^2 + b*d)*arcsin(c*x))/x^3, x)
```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asin}(cx))(d + ex^2)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)*(a+b*asin(c*x))/x**3,x)
```

```
[Out] Integral((a + b*asin(c*x))*(d + e*x**2)/x**3, x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)(b \operatorname{arcsin}(cx) + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)*(a+b*arcsin(c*x))/x^3,x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)*(b*arcsin(c*x) + a)/x^3, x)
```

$$3.604 \quad \int \frac{(d+ex^2)(a+b \sin^{-1}(cx))}{x^4} dx$$

**Optimal.** Leaf size=85

$$-\frac{d(a+b \sin^{-1}(cx))}{3x^3} - \frac{e(a+b \sin^{-1}(cx))}{x} - \frac{1}{6}bc(c^2d+6e) \tanh^{-1}\left(\sqrt{1-c^2x^2}\right) - \frac{bcd\sqrt{1-c^2x^2}}{6x^2}$$

[Out]  $-(b*c*d*\text{Sqrt}[1 - c^2*x^2])/(6*x^2) - (d*(a + b*\text{ArcSin}[c*x]))/(3*x^3) - (e*(a + b*\text{ArcSin}[c*x]))/x - (b*c*(c^2*d + 6*e)*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/6$

**Rubi [A]** time = 0.0865374, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$ , Rules used = {14, 4731, 12, 446, 78, 63, 208}

$$-\frac{d(a+b \sin^{-1}(cx))}{3x^3} - \frac{e(a+b \sin^{-1}(cx))}{x} - \frac{1}{6}bc(c^2d+6e) \tanh^{-1}\left(\sqrt{1-c^2x^2}\right) - \frac{bcd\sqrt{1-c^2x^2}}{6x^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{(d + e*x^2)*(a + b*\text{ArcSin}[c*x])}{x^4}, x]$

[Out]  $-(b*c*d*\text{Sqrt}[1 - c^2*x^2])/(6*x^2) - (d*(a + b*\text{ArcSin}[c*x]))/(3*x^3) - (e*(a + b*\text{ArcSin}[c*x]))/x - (b*c*(c^2*d + 6*e)*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/6$

#### Rule 14

$\text{Int}[(u_*)*((c_*)*(x_))^{(m_*)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /;$  FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_)+ (b\_.)\*(v\_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

#### Rule 4731

$\text{Int}[(a_*) + \text{ArcSin}[(c_*)*(x_)]*(b_*)*((f_*)*(x_))^{(m_*)}*((d_*) + (e_*)*(x_))^{(p_*)}, x\_Symbol] \rightarrow \text{With}[\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSin}[c*x], u, x] - \text{Dist}[b*c, \text{Int}[\text{SimplifyIntegrand}[u/\text{Sqrt}[1 - c^2*x^2], x], x], x] /;$  FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 446

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_.), x_Symbol] :=> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 78

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :=> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :=> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)(a+b\sin^{-1}(cx))}{x^4} dx &= -\frac{d(a+b\sin^{-1}(cx))}{3x^3} - \frac{e(a+b\sin^{-1}(cx))}{x} - (bc) \int \frac{-d-3ex^2}{3x^3\sqrt{1-c^2x^2}} dx \\
&= -\frac{d(a+b\sin^{-1}(cx))}{3x^3} - \frac{e(a+b\sin^{-1}(cx))}{x} - \frac{1}{3}(bc) \int \frac{-d-3ex^2}{x^3\sqrt{1-c^2x^2}} dx \\
&= -\frac{d(a+b\sin^{-1}(cx))}{3x^3} - \frac{e(a+b\sin^{-1}(cx))}{x} - \frac{1}{6}(bc) \text{Subst} \left( \int \frac{-d-3ex}{x^2\sqrt{1-c^2x}} dx, x, x^2 \right) \\
&= -\frac{bcd\sqrt{1-c^2x^2}}{6x^2} - \frac{d(a+b\sin^{-1}(cx))}{3x^3} - \frac{e(a+b\sin^{-1}(cx))}{x} + \frac{1}{12}(bc(c^2d+6e)) \text{Subst} \left( \int \frac{1}{x} dx, x, x^2 \right) \\
&= -\frac{bcd\sqrt{1-c^2x^2}}{6x^2} - \frac{d(a+b\sin^{-1}(cx))}{3x^3} - \frac{e(a+b\sin^{-1}(cx))}{x} - \frac{(b(c^2d+6e)) \text{Subst} \left( \int \frac{1}{x} dx, x, x^2 \right)}{12} \\
&= -\frac{bcd\sqrt{1-c^2x^2}}{6x^2} - \frac{d(a+b\sin^{-1}(cx))}{3x^3} - \frac{e(a+b\sin^{-1}(cx))}{x} - \frac{1}{6}bc(c^2d+6e) \tanh^{-1}(\sqrt{1-c^2x^2})
\end{aligned}$$

**Mathematica [A]** time = 0.0466527, size = 109, normalized size = 1.28

$$-\frac{ad}{3x^3} - \frac{ae}{x} - \frac{bcd\sqrt{1-c^2x^2}}{6x^2} - \frac{1}{6}bc^3d \tanh^{-1}(\sqrt{1-c^2x^2}) - bce \tanh^{-1}(\sqrt{1-c^2x^2}) - \frac{bd \sin^{-1}(cx)}{3x^3} - \frac{be \sin^{-1}(cx)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x^2)\*(a + b\*ArcSin[c\*x]))/x^4, x]

[Out] -(a\*d)/(3\*x^3) - (a\*e)/x - (b\*c\*d\*Sqrt[1 - c^2\*x^2])/(6\*x^2) - (b\*d\*ArcSin[c\*x])/(3\*x^3) - (b\*e\*ArcSin[c\*x])/x - (b\*c^3\*d\*ArcTanh[Sqrt[1 - c^2\*x^2]])/6 - b\*c\*e\*ArcTanh[Sqrt[1 - c^2\*x^2]]

**Maple [A]** time = 0.01, size = 120, normalized size = 1.4

$$c^3 \left( \frac{a}{c^2} \left( -\frac{e}{cx} - \frac{d}{3cx^3} \right) + \frac{b}{c^2} \left( -\frac{\arcsin(cx)e}{cx} - \frac{\arcsin(cx)d}{3cx^3} + \frac{c^2d}{3} \left( -\frac{1}{2c^2x^2} \sqrt{-c^2x^2+1} - \frac{1}{2} \text{Artanh} \left( \frac{1}{\sqrt{-c^2x^2+1}} \right) \right) \right) - eA$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)\*(a+b\*arcsin(c\*x))/x^4, x)

[Out]  $c^3 \left( \frac{a}{c^2} \left( -\frac{e}{c} \frac{1}{x} - \frac{1}{3} \frac{c d}{x^3} \right) + \frac{b}{c^2} \left( -\arcsin(cx) \frac{e}{c} \frac{1}{x} - \frac{1}{3} \arcsin(cx) \frac{d}{x^3} + \frac{1}{3} c^2 d \left( -\frac{1}{2} \frac{1}{c^2 x^2} \left( -c^2 x^2 + 1 \right)^{\frac{1}{2}} - \frac{1}{2} \operatorname{arctanh} \left( \frac{1}{\left( -c^2 x^2 + 1 \right)^{\frac{1}{2}}} \right) \right) \right) - e \operatorname{arctanh} \left( \frac{1}{\left( -c^2 x^2 + 1 \right)^{\frac{1}{2}}} \right) \right)$

**Maxima [A]** time = 1.43939, size = 161, normalized size = 1.89

$$-\frac{1}{6} \left( \left( c^2 \log \left( \frac{2 \sqrt{-c^2 x^2 + 1}}{|x|} + \frac{2}{|x|} \right) + \frac{\sqrt{-c^2 x^2 + 1}}{x^2} \right) c + \frac{2 \arcsin(cx)}{x^3} \right) b d - \left( c \log \left( \frac{2 \sqrt{-c^2 x^2 + 1}}{|x|} + \frac{2}{|x|} \right) + \frac{\arcsin(cx)}{x} \right) b e -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsin(c*x))/x^4,x, algorithm="maxima")`

[Out]  $-1/6 * ((c^2 * \log(2 * \sqrt{-c^2 * x^2 + 1} / \text{abs}(x) + 2 / \text{abs}(x)) + \sqrt{-c^2 * x^2 + 1} / x^2) * c + 2 * \arcsin(c * x) / x^3) * b * d - (c * \log(2 * \sqrt{-c^2 * x^2 + 1} / \text{abs}(x) + 2 / \text{abs}(x)) + \arcsin(c * x) / x) * b * e - a * e / x - 1/3 * a * d / x^3$

**Fricas [A]** time = 2.45683, size = 277, normalized size = 3.26

$$\frac{(bc^3d + 6bce)x^3 \log(\sqrt{-c^2x^2 + 1} + 1) - (bc^3d + 6bce)x^3 \log(\sqrt{-c^2x^2 + 1} - 1) + 2\sqrt{-c^2x^2 + 1}bcdx + 12aex^2 + 4ad + 4ae}{12x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(a+b*arcsin(c*x))/x^4,x, algorithm="fricas")`

[Out]  $-1/12 * ((b * c^3 * d + 6 * b * c * e) * x^3 * \log(\sqrt{-c^2 * x^2 + 1} + 1) - (b * c^3 * d + 6 * b * c * e) * x^3 * \log(\sqrt{-c^2 * x^2 + 1} - 1) + 2 * \sqrt{-c^2 * x^2 + 1} * b * c * d * x + 12 * a * e * x^2 + 4 * a * d + 4 * (3 * b * e * x^2 + b * d) * \arcsin(c * x)) / x^3$

**Sympy [A]** time = 5.27227, size = 170, normalized size = 2.

$$-\frac{ad}{3x^3} - \frac{ae}{x} + \frac{bcd \left( \begin{cases} \frac{c^2 \operatorname{acosh}\left(\frac{1}{cx}\right)}{2} - \frac{c\sqrt{-1+\frac{1}{c^2x^2}}}{2x} & \text{for } \frac{1}{|c^2x^2}| > 1 \\ \frac{ic^2 \operatorname{asin}\left(\frac{1}{cx}\right)}{2} - \frac{ic}{2x\sqrt{1-\frac{1}{c^2x^2}}} + \frac{i}{2cx^3\sqrt{1-\frac{1}{c^2x^2}}} & \text{otherwise} \end{cases} \right)}{3} + bce \left( \begin{cases} -\operatorname{acosh}\left(\frac{1}{cx}\right) & \text{for } \frac{1}{|c^2x^2}| > 1 \\ i \operatorname{asin}\left(\frac{1}{cx}\right) & \text{otherwise} \end{cases} \right) - \frac{bd \operatorname{asin}\left(\frac{1}{cx}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*(a+b\*asin(c\*x))/x\*\*4,x)

[Out]  $-a*d/(3*x**3) - a*e/x + b*c*d*\text{Piecewise}((-c**2*\text{acosh}(1/(c*x))/2 - c*\text{sqrt}(-1 + 1/(c**2*x**2)))/(2*x), 1/\text{Abs}(c**2*x**2) > 1), (I*c**2*\text{asin}(1/(c*x))/2 - I*c/(2*x*\text{sqrt}(1 - 1/(c**2*x**2)))) + I/(2*c*x**3*\text{sqrt}(1 - 1/(c**2*x**2))))$ , True)))/3 + b\*c\*e\*\text{Piecewise}((-acosh(1/(c\*x)), 1/\text{Abs}(c\*\*2\*x\*\*2) > 1), (I\*\text{asin}(1/(c\*x))), True)) - b\*d\*\text{asin}(c\*x)/(3\*x\*\*3) - b\*e\*\text{asin}(c\*x)/x

**Giac [B]** time = 13.4599, size = 581, normalized size = 6.84

$$-\frac{bc^6 dx^3 \arcsin(cx)}{24(\sqrt{-c^2 x^2 + 1} + 1)^3} - \frac{ac^6 dx^3}{24(\sqrt{-c^2 x^2 + 1} + 1)^3} + \frac{bc^5 dx^2}{24(\sqrt{-c^2 x^2 + 1} + 1)^2} - \frac{bc^4 dx \arcsin(cx)}{8(\sqrt{-c^2 x^2 + 1} + 1)} - \frac{ac^4 dx}{8(\sqrt{-c^2 x^2 + 1} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)\*(a+b\*arcsin(c\*x))/x^4,x, algorithm="giac")

[Out]  $-1/24*b*c^6*d*x^3*\text{arcsin}(c*x)/(\text{sqrt}(-c^2*x^2 + 1) + 1)^3 - 1/24*a*c^6*d*x^3/(\text{sqrt}(-c^2*x^2 + 1) + 1)^3 + 1/24*b*c^5*d*x^2/(\text{sqrt}(-c^2*x^2 + 1) + 1)^2 - 1/8*b*c^4*d*x*\text{arcsin}(c*x)/(\text{sqrt}(-c^2*x^2 + 1) + 1) - 1/8*a*c^4*d*x/(\text{sqrt}(-c^2*x^2 + 1) + 1) + 1/6*b*c^3*d*\log(\text{abs}(c)*\text{abs}(x)) - 1/6*b*c^3*d*\log(\text{sqrt}(-c^2*x^2 + 1) + 1) - 1/8*b*c^2*d*(\text{sqrt}(-c^2*x^2 + 1) + 1)*\text{arcsin}(c*x)/x - 1/2*b*c^2*x*\text{arcsin}(c*x)*e/(\text{sqrt}(-c^2*x^2 + 1) + 1) - 1/8*a*c^2*d*(\text{sqrt}(-c^2*x^2 + 1) + 1)/x - 1/2*a*c^2*x*e/(\text{sqrt}(-c^2*x^2 + 1) + 1) + b*c*e*\log(\text{abs}(c)*\text{abs}(x)) - b*c*e*\log(\text{sqrt}(-c^2*x^2 + 1) + 1) - 1/24*b*c*d*(\text{sqrt}(-c^2*x^2 + 1) + 1)^2/x^2 - 1/24*b*d*(\text{sqrt}(-c^2*x^2 + 1) + 1)^3*\text{arcsin}(c*x)/x^3 - 1/2*b*(\text{sqrt}(-c^2*x^2 + 1) + 1)*\text{arcsin}(c*x)*e/x - 1/24*a*d*(\text{sqrt}(-c^2*x^2 + 1) + 1)^3/x^3 - 1/2*a*(\text{sqrt}(-c^2*x^2 + 1) + 1)*e/x$

### 3.605 $\int x^4 (d + ex^2)^2 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=241

$$\frac{1}{5}d^2x^5(a + b \sin^{-1}(cx)) + \frac{2}{7}dex^7(a + b \sin^{-1}(cx)) + \frac{1}{9}e^2x^9(a + b \sin^{-1}(cx)) + \frac{b(1 - c^2x^2)^{5/2}(21c^4d^2 + 90c^2de + 70e^2)}{525c^9}$$

[Out] (b\*(63\*c^4\*d^2 + 90\*c^2\*d\*e + 35\*e^2)\*Sqrt[1 - c^2\*x^2])/(315\*c^9) - (2\*b\*(63\*c^4\*d^2 + 135\*c^2\*d\*e + 70\*e^2)\*(1 - c^2\*x^2)^(3/2))/(945\*c^9) + (b\*(21\*c^4\*d^2 + 90\*c^2\*d\*e + 70\*e^2)\*(1 - c^2\*x^2)^(5/2))/(525\*c^9) - (2\*b\*e\*(9\*c^2\*d + 14\*e)\*(1 - c^2\*x^2)^(7/2))/(441\*c^9) + (b\*e^2\*(1 - c^2\*x^2)^(9/2))/(81\*c^9) + (d^2\*x^5\*(a + b\*ArcSin[c\*x]))/5 + (2\*d\*e\*x^7\*(a + b\*ArcSin[c\*x]))/7 + (e^2\*x^9\*(a + b\*ArcSin[c\*x]))/9

**Rubi [A]** time = 0.317549, antiderivative size = 241, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {270, 4731, 12, 1251, 897, 1153}

$$\frac{1}{5}d^2x^5(a + b \sin^{-1}(cx)) + \frac{2}{7}dex^7(a + b \sin^{-1}(cx)) + \frac{1}{9}e^2x^9(a + b \sin^{-1}(cx)) + \frac{b(1 - c^2x^2)^{5/2}(21c^4d^2 + 90c^2de + 70e^2)}{525c^9}$$

Antiderivative was successfully verified.

[In] Int[x^4\*(d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*(63\*c^4\*d^2 + 90\*c^2\*d\*e + 35\*e^2)\*Sqrt[1 - c^2\*x^2])/(315\*c^9) - (2\*b\*(63\*c^4\*d^2 + 135\*c^2\*d\*e + 70\*e^2)\*(1 - c^2\*x^2)^(3/2))/(945\*c^9) + (b\*(21\*c^4\*d^2 + 90\*c^2\*d\*e + 70\*e^2)\*(1 - c^2\*x^2)^(5/2))/(525\*c^9) - (2\*b\*e\*(9\*c^2\*d + 14\*e)\*(1 - c^2\*x^2)^(7/2))/(441\*c^9) + (b\*e^2\*(1 - c^2\*x^2)^(9/2))/(81\*c^9) + (d^2\*x^5\*(a + b\*ArcSin[c\*x]))/5 + (2\*d\*e\*x^7\*(a + b\*ArcSin[c\*x]))/7 + (e^2\*x^9\*(a + b\*ArcSin[c\*x]))/9

#### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] :> Int[Exp andIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

#### Rule 4731



```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

### Rule 897

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e + a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[n, p] && FractionQ[m]
```

### Rule 1153

```
Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]
```

### Rubi steps

$$\begin{aligned}
\int x^4 (d + ex^2)^2 (a + b \sin^{-1}(cx)) dx &= \frac{1}{5}d^2x^5 (a + b \sin^{-1}(cx)) + \frac{2}{7}dex^7 (a + b \sin^{-1}(cx)) + \frac{1}{9}e^2x^9 (a + b \sin^{-1}(cx)) - (bc \\
&= \frac{1}{5}d^2x^5 (a + b \sin^{-1}(cx)) + \frac{2}{7}dex^7 (a + b \sin^{-1}(cx)) + \frac{1}{9}e^2x^9 (a + b \sin^{-1}(cx)) - \frac{1}{315} \\
&= \frac{1}{5}d^2x^5 (a + b \sin^{-1}(cx)) + \frac{2}{7}dex^7 (a + b \sin^{-1}(cx)) + \frac{1}{9}e^2x^9 (a + b \sin^{-1}(cx)) - \frac{1}{630} \\
&= \frac{1}{5}d^2x^5 (a + b \sin^{-1}(cx)) + \frac{2}{7}dex^7 (a + b \sin^{-1}(cx)) + \frac{1}{9}e^2x^9 (a + b \sin^{-1}(cx)) + \frac{bS}{315} \\
&= \frac{1}{5}d^2x^5 (a + b \sin^{-1}(cx)) + \frac{2}{7}dex^7 (a + b \sin^{-1}(cx)) + \frac{1}{9}e^2x^9 (a + b \sin^{-1}(cx)) + \frac{bS}{315} \\
&= \frac{b(63c^4d^2 + 90c^2de + 35e^2)\sqrt{1-c^2x^2}}{315c^9} - \frac{2b(63c^4d^2 + 135c^2de + 70e^2)(1-c^2x^2)^3}{945c^9}
\end{aligned}$$

**Mathematica [A]** time = 0.204813, size = 187, normalized size = 0.78

$$\frac{315ax^5(63d^2 + 90dex^2 + 35e^2x^4) + \frac{b\sqrt{1-c^2x^2}(c^8(3969d^2x^4 + 4050dex^6 + 1225e^2x^8) + 4c^6(1323d^2x^2 + 1215dex^4 + 350e^2x^6) + 24c^4(441d^2 + 270dex^2 + 70e^2x^4) + 4c^2(1323d^2x^2 + 1215dex^4 + 350e^2x^6) + c^8(3969d^2x^4 + 4050dex^6 + 1225e^2x^8))}{c^9}}{99225}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*(d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (315\*a\*x^5\*(63\*d^2 + 90\*d\*e\*x^2 + 35\*e^2\*x^4) + (b\*sqrt[1 - c^2\*x^2]\*(4480\*e^2 + 160\*c^2\*e\*(81\*d + 14\*e\*x^2) + 24\*c^4\*(441\*d^2 + 270\*d\*e\*x^2 + 70\*e^2\*x^4) + 4\*c^6\*(1323\*d^2\*x^2 + 1215\*d\*e\*x^4 + 350\*e^2\*x^6) + c^8\*(3969\*d^2\*x^4 + 4050\*d\*e\*x^6 + 1225\*e^2\*x^8)))/c^9 + 315\*b\*x^5\*(63\*d^2 + 90\*d\*e\*x^2 + 35\*e^2\*x^4)\*ArcSin[c\*x])/99225

**Maple [A]** time = 0.005, size = 339, normalized size = 1.4

$$\frac{1}{c^5} \left( \frac{a}{c^4} \left( \frac{e^2 c^9 x^9}{9} + \frac{2 c^9 d x^7}{7} + \frac{d^2 c^9 x^5}{5} \right) + \frac{b}{c^4} \left( \frac{\arcsin(cx) e^2 c^9 x^9}{9} + \frac{2 \arcsin(cx) c^9 d x^7}{7} + \frac{\arcsin(cx) d^2 c^9 x^5}{5} - \frac{e^2}{9} \left( \frac{c^8 x^8}{9} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(e*x^2+d)^2*(a+b*arcsin(c*x)),x)`

[Out]  $\frac{1}{c^5} \left( \frac{a}{c^4} \left( \frac{1}{9} e^{2c^9 x^9} + \frac{2}{7} c^9 e^d x^7 + \frac{1}{5} d^2 c^9 x^5 \right) + b c^4 \left( \frac{1}{9} a \operatorname{arcsin}(c x) e^{2c^9 x^9} + \frac{2}{7} \operatorname{arcsin}(c x) c^9 e^d x^7 + \frac{1}{5} \operatorname{arcsin}(c x) d^2 c^9 x^5 - \frac{1}{9} e^{2c^9 x^9} \left( -\frac{1}{9} c^8 x^8 (-c^2 x^2 + 1)^{1/2} - \frac{8}{63} c^6 x^6 (-c^2 x^2 + 1)^{1/2} - \frac{16}{105} c^4 x^4 (-c^2 x^2 + 1)^{1/2} - \frac{64}{315} c^2 x^2 (-c^2 x^2 + 1)^{1/2} - \frac{128}{315} (-c^2 x^2 + 1)^{1/2} \right) - \frac{2}{7} c^2 e^d \left( -\frac{1}{7} c^6 x^6 (-c^2 x^2 + 1)^{1/2} - \frac{6}{35} c^4 x^4 (-c^2 x^2 + 1)^{1/2} - \frac{8}{35} c^2 x^2 (-c^2 x^2 + 1)^{1/2} - \frac{16}{35} (-c^2 x^2 + 1)^{1/2} \right) - \frac{1}{5} d^2 c^4 \left( -\frac{1}{5} c^4 x^4 (-c^2 x^2 + 1)^{1/2} - \frac{4}{15} c^2 x^2 (-c^2 x^2 + 1)^{1/2} - \frac{8}{15} (-c^2 x^2 + 1)^{1/2} \right) \right)$

**Maxima [A]** time = 1.47452, size = 424, normalized size = 1.76

$$\frac{1}{9} a e^{2x^9} + \frac{2}{7} a d e x^7 + \frac{1}{5} a d^2 x^5 + \frac{1}{75} \left( 15 x^5 \operatorname{arcsin}(c x) + \left( \frac{3 \sqrt{-c^2 x^2 + 1} x^4}{c^2} + \frac{4 \sqrt{-c^2 x^2 + 1} x^2}{c^4} + \frac{8 \sqrt{-c^2 x^2 + 1}}{c^6} \right) c \right) b d^2 + \frac{2}{245} b d^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(e*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out]  $\frac{1}{9} a e^{2x^9} + \frac{2}{7} a d e x^7 + \frac{1}{5} a d^2 x^5 + \frac{1}{75} \left( 15 x^5 \operatorname{arcsin}(c x) + \left( \frac{3 \sqrt{-c^2 x^2 + 1} x^4}{c^2} + \frac{4 \sqrt{-c^2 x^2 + 1} x^2}{c^4} + \frac{8 \sqrt{-c^2 x^2 + 1}}{c^6} \right) c \right) b d^2 + \frac{2}{245} b d^2$

**Fricas [A]** time = 2.08342, size = 540, normalized size = 2.24

$$11025 a c^9 e^{2x^9} + 28350 a c^9 d e x^7 + 19845 a c^9 d^2 x^5 + 315 \left( 35 b c^9 e^{2x^9} + 90 b c^9 d e x^7 + 63 b c^9 d^2 x^5 \right) \operatorname{arcsin}(c x) + \left( 1225 b c^8 e^2 + 28350 b c^8 d e x^7 + 19845 b c^8 d^2 x^5 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(e*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out]  $\frac{1}{99225} \left( 11025 a c^9 e^{2x^9} + 28350 a c^9 d e x^7 + 19845 a c^9 d^2 x^5 + 315 \left( 35 b c^9 e^{2x^9} + 90 b c^9 d e x^7 + 63 b c^9 d^2 x^5 \right) \operatorname{arcsin}(c x) + \left( 1225 b c^8 e^2 + 28350 b c^8 d e x^7 + 19845 b c^8 d^2 x^5 \right) \right)$

$$(1225*b*c^8*e^2*x^8 + 10584*b*c^4*d^2 + 50*(81*b*c^8*d*e + 28*b*c^6*e^2)*x^6 + 12960*b*c^2*d*e + 3*(1323*b*c^8*d^2 + 1620*b*c^6*d*e + 560*b*c^4*e^2)*x^4 + 4480*b*e^2 + 4*(1323*b*c^6*d^2 + 1620*b*c^4*d*e + 560*b*c^2*e^2)*x^2)*\sqrt{-c^2*x^2 + 1})/c^9$$

**Sympy [A]** time = 23.9951, size = 415, normalized size = 1.72

$$\left\{ \begin{array}{l} \frac{ad^2x^5}{5} + \frac{2adex^7}{7} + \frac{ae^2x^9}{9} + \frac{bd^2x^5 \operatorname{asin}(cx)}{5} + \frac{2bdex^7 \operatorname{asin}(cx)}{7} + \frac{be^2x^9 \operatorname{asin}(cx)}{9} + \frac{bd^2x^4 \sqrt{-c^2x^2+1}}{25c} + \frac{2bdex^6 \sqrt{-c^2x^2+1}}{49c} + \frac{be^2x^8 \sqrt{-c^2x^2+1}}{81c} + \frac{4bd^2x^5}{75c^3} \\ a \left( \frac{d^2x^5}{5} + \frac{2dex^7}{7} + \frac{e^2x^9}{9} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(e\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*d\*\*2\*x\*\*5/5 + 2\*a\*d\*e\*x\*\*7/7 + a\*e\*\*2\*x\*\*9/9 + b\*d\*\*2\*x\*\*5\*asin(c\*x)/5 + 2\*b\*d\*e\*x\*\*7\*asin(c\*x)/7 + b\*e\*\*2\*x\*\*9\*asin(c\*x)/9 + b\*d\*\*2\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(25\*c) + 2\*b\*d\*e\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)/(49\*c) + b\*e\*\*2\*x\*\*8\*sqrt(-c\*\*2\*x\*\*2 + 1)/(81\*c) + 4\*b\*d\*\*2\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(75\*c\*\*3) + 12\*b\*d\*e\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(245\*c\*\*3) + 8\*b\*e\*\*2\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)/(567\*c\*\*3) + 8\*b\*d\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(75\*c\*\*5) + 16\*b\*d\*e\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(245\*c\*\*5) + 16\*b\*e\*\*2\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(945\*c\*\*5) + 32\*b\*d\*e\*sqrt(-c\*\*2\*x\*\*2 + 1)/(245\*c\*\*7) + 64\*b\*e\*\*2\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(2835\*c\*\*7) + 128\*b\*e\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(835\*c\*\*9), Ne(c, 0)), (a\*(d\*\*2\*x\*\*5/5 + 2\*d\*e\*x\*\*7/7 + e\*\*2\*x\*\*9/9), True))

**Giac [B]** time = 1.26101, size = 805, normalized size = 3.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out]  $\frac{1}{9}a*x^9*e^2 + \frac{2}{7}a*d*x^7*e + \frac{1}{5}a*d^2*x^5 + \frac{1}{5}(c^2*x^2 - 1)^2*b*d^2*x*arcsin(c*x)/c^4 + \frac{2}{5}(c^2*x^2 - 1)*b*d^2*x*arcsin(c*x)/c^4 + \frac{2}{7}(c^2*x^2 - 1)^3*b*d*x*arcsin(c*x)*e/c^6 + \frac{1}{5}b*d^2*x*arcsin(c*x)/c^4 + \frac{6}{7}(c^2*x^2 - 1)^2*b*d*x*arcsin(c*x)*e/c^6 + \frac{1}{25}(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b*d^2/c^5 + \frac{1}{9}(c^2*x^2 - 1)^4*b*x*arcsin(c*x)*e^2/c^8 + \frac{6}{7}(c^2*x^2 - 1)$

$$\begin{aligned}
& *b*d*x*\arcsin(c*x)*e/c^6 - 2/15*(-c^2*x^2 + 1)^{(3/2)}*b*d^2/c^5 + 2/49*(c^2*x^2 - 1)^3*\sqrt{-c^2*x^2 + 1}*b*d*e/c^7 + 4/9*(c^2*x^2 - 1)^3*b*x*\arcsin(c*x)*e^2/c^8 + 2/7*b*d*x*\arcsin(c*x)*e/c^6 + 1/5*\sqrt{-c^2*x^2 + 1}*b*d^2/c^5 \\
& + 6/35*(c^2*x^2 - 1)^2*\sqrt{-c^2*x^2 + 1}*b*d*e/c^7 + 2/3*(c^2*x^2 - 1)^2*b*x*\arcsin(c*x)*e^2/c^8 + 1/81*(c^2*x^2 - 1)^4*\sqrt{-c^2*x^2 + 1}*b*e^2/c^9 \\
& - 2/7*(-c^2*x^2 + 1)^{(3/2)}*b*d*e/c^7 + 4/9*(c^2*x^2 - 1)*b*x*\arcsin(c*x)*e^2/c^8 + 4/63*(c^2*x^2 - 1)^3*\sqrt{-c^2*x^2 + 1}*b*e^2/c^9 + 2/7*\sqrt{-c^2*x^2 + 1}*b*d*e/c^7 + 1/9*b*x*\arcsin(c*x)*e^2/c^8 + 2/15*(c^2*x^2 - 1)^2*\sqrt{-c^2*x^2 + 1}*b*e^2/c^9 - 4/27*(-c^2*x^2 + 1)^{(3/2)}*b*e^2/c^9 + 1/9*\sqrt{-c^2*x^2 + 1}*b*e^2/c^9
\end{aligned}$$

### 3.606 $\int x^3 (d + ex^2)^2 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=241

$$\frac{1}{4}d^2x^4(a + b \sin^{-1}(cx)) + \frac{1}{3}dex^6(a + b \sin^{-1}(cx)) + \frac{1}{8}e^2x^8(a + b \sin^{-1}(cx)) + \frac{bx^3\sqrt{1-c^2x^2}(288c^4d^2 + 320c^2de + 105e^2)}{4608c^5}$$

[Out] (b\*(288\*c^4\*d^2 + 320\*c^2\*d\*e + 105\*e^2)\*x\*Sqrt[1 - c^2\*x^2])/(3072\*c^7) + (b\*(288\*c^4\*d^2 + 320\*c^2\*d\*e + 105\*e^2)\*x^3\*Sqrt[1 - c^2\*x^2])/(4608\*c^5) + (b\*e\*(64\*c^2\*d + 21\*e)\*x^5\*Sqrt[1 - c^2\*x^2])/(1152\*c^3) + (b\*e^2\*x^7\*Sqrt[1 - c^2\*x^2])/(64\*c) - (b\*(288\*c^4\*d^2 + 320\*c^2\*d\*e + 105\*e^2)\*ArcSin[c\*x])/(3072\*c^8) + (d^2\*x^4\*(a + b\*ArcSin[c\*x]))/4 + (d\*e\*x^6\*(a + b\*ArcSin[c\*x]))/3 + (e^2\*x^8\*(a + b\*ArcSin[c\*x]))/8

**Rubi [A]** time = 0.250571, antiderivative size = 241, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 8, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$ , Rules used = {266, 43, 4731, 12, 1267, 459, 321, 216}

$$\frac{1}{4}d^2x^4(a + b \sin^{-1}(cx)) + \frac{1}{3}dex^6(a + b \sin^{-1}(cx)) + \frac{1}{8}e^2x^8(a + b \sin^{-1}(cx)) + \frac{bx^3\sqrt{1-c^2x^2}(288c^4d^2 + 320c^2de + 105e^2)}{4608c^5}$$

Antiderivative was successfully verified.

[In] Int[x^3\*(d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*(288\*c^4\*d^2 + 320\*c^2\*d\*e + 105\*e^2)\*x\*Sqrt[1 - c^2\*x^2])/(3072\*c^7) + (b\*(288\*c^4\*d^2 + 320\*c^2\*d\*e + 105\*e^2)\*x^3\*Sqrt[1 - c^2\*x^2])/(4608\*c^5) + (b\*e\*(64\*c^2\*d + 21\*e)\*x^5\*Sqrt[1 - c^2\*x^2])/(1152\*c^3) + (b\*e^2\*x^7\*Sqrt[1 - c^2\*x^2])/(64\*c) - (b\*(288\*c^4\*d^2 + 320\*c^2\*d\*e + 105\*e^2)\*ArcSin[c\*x])/(3072\*c^8) + (d^2\*x^4\*(a + b\*ArcSin[c\*x]))/4 + (d\*e\*x^6\*(a + b\*ArcSin[c\*x]))/3 + (e^2\*x^8\*(a + b\*ArcSin[c\*x]))/8

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n},

$x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& ( !\text{IntegerQ}[n] \parallel (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) \parallel \text{LtQ}[9*m + 5*(n + 1), 0] \parallel \text{GtQ}[m + n + 2, 0])$

### Rule 4731

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{With}[\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSin}[c*x], u, x] - \text{Dist}[b*c, \text{Int}[\text{SimplifyIntegrand}[u/\text{Sqrt}[1 - c^2*x^2], x], x], x]] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[c^2*d + e, 0] \&\& \text{IntegerQ}[p] \&\& (\text{GtQ}[p, 0] \parallel (\text{IGtQ}[(m - 1)/2, 0] \&\& \text{LeQ}[m + p, 0]))$

### Rule 12

$\text{Int}[(a_)*(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& !\text{MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

### Rule 1267

$\text{Int}[(f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(q_.)}*((a_.) + (b_.)*(x_.)^2 + (c_.)*(x_.)^4)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(c^p*(f*x)^{m+4*p-1}*(d + e*x^2)^{(q+1)})/(e*f^{4*p-1}*(m+4*p+2*q+1)), x] + \text{Dist}[1/(e*(m+4*p+2*q+1)), \text{Int}[(f*x)^m*(d + e*x^2)^q*\text{ExpandToSum}[e*(m+4*p+2*q+1)*((a + b*x^2 + c*x^4)^p - c^p*x^{4*p}) - d*c^p*(m+4*p-1)*x^{4*p-2}], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m, q\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{IGtQ}[p, 0] \&\& !\text{IntegerQ}[q] \&\& \text{NeQ}[m + 4*p + 2*q + 1, 0]$

### Rule 459

$\text{Int}[(e_.*(x_.))^{(m_.)}*((a_.) + (b_.)*(x_.)^n)^{(p_.)}*((c_.) + (d_.)*(x_.)^n), x\_Symbol] \rightarrow \text{Simp}[(d*(e*x)^{m+1}*(a + b*x^n)^{(p+1)})/(b*e*(m+n*(p+1)+1)), x] - \text{Dist}[(a*d*(m+1) - b*c*(m+n*(p+1)+1))/(b*(m+n*(p+1)+1)), \text{Int}[(e*x)^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[m + n*(p+1) + 1, 0]$

### Rule 321

$\text{Int}[(c_.*(x_.))^{(m_.)}*((a_.) + (b_.)*(x_.)^n)^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(c^{n-1}*(c*x)^{m-n+1}*(a + b*x^n)^{(p+1)})/(b*(m+n*p+1)), x] - \text{Dist}[(a*c^n*(m-n+1))/(b*(m+n*p+1)), \text{Int}[(c*x)^{m-n}*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{GtQ}[m, n-1] \&\& \text{NeQ}[m+n*p+1, 0] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned}
 \int x^3 (d + ex^2)^2 (a + b \sin^{-1}(cx)) dx &= \frac{1}{4}d^2x^4 (a + b \sin^{-1}(cx)) + \frac{1}{3}dex^6 (a + b \sin^{-1}(cx)) + \frac{1}{8}e^2x^8 (a + b \sin^{-1}(cx)) - (bcx^3 \sqrt{1 - c^2x^2}) \\
 &= \frac{1}{4}d^2x^4 (a + b \sin^{-1}(cx)) + \frac{1}{3}dex^6 (a + b \sin^{-1}(cx)) + \frac{1}{8}e^2x^8 (a + b \sin^{-1}(cx)) - \frac{1}{24}bcx^3 \sqrt{1 - c^2x^2} \\
 &= \frac{be^2x^7 \sqrt{1 - c^2x^2}}{64c} + \frac{1}{4}d^2x^4 (a + b \sin^{-1}(cx)) + \frac{1}{3}dex^6 (a + b \sin^{-1}(cx)) + \frac{1}{8}e^2x^8 (a + b \sin^{-1}(cx)) - \frac{1}{24}bcx^3 \sqrt{1 - c^2x^2} \\
 &= \frac{be(64c^2d + 21e)x^5 \sqrt{1 - c^2x^2}}{1152c^3} + \frac{be^2x^7 \sqrt{1 - c^2x^2}}{64c} + \frac{1}{4}d^2x^4 (a + b \sin^{-1}(cx)) + \frac{1}{3}dex^6 (a + b \sin^{-1}(cx)) - \frac{1}{24}bcx^3 \sqrt{1 - c^2x^2} \\
 &= \frac{b(288c^4d^2 + 5e(64c^2d + 21e))x^3 \sqrt{1 - c^2x^2}}{4608c^5} + \frac{be(64c^2d + 21e)x^5 \sqrt{1 - c^2x^2}}{1152c^3} + \frac{1}{4}d^2x^4 (a + b \sin^{-1}(cx)) + \frac{1}{3}dex^6 (a + b \sin^{-1}(cx)) - \frac{1}{24}bcx^3 \sqrt{1 - c^2x^2} \\
 &= \frac{b(288c^4d^2 + 5e(64c^2d + 21e))x \sqrt{1 - c^2x^2}}{3072c^7} + \frac{b(288c^4d^2 + 5e(64c^2d + 21e))x^3 \sqrt{1 - c^2x^2}}{4608c^5} + \frac{1}{4}d^2x^4 (a + b \sin^{-1}(cx)) + \frac{1}{3}dex^6 (a + b \sin^{-1}(cx)) - \frac{1}{24}bcx^3 \sqrt{1 - c^2x^2} \\
 &= \frac{b(288c^4d^2 + 5e(64c^2d + 21e))x \sqrt{1 - c^2x^2}}{3072c^7} + \frac{b(288c^4d^2 + 5e(64c^2d + 21e))x^3 \sqrt{1 - c^2x^2}}{4608c^5} + \frac{1}{4}d^2x^4 (a + b \sin^{-1}(cx)) + \frac{1}{3}dex^6 (a + b \sin^{-1}(cx)) - \frac{1}{24}bcx^3 \sqrt{1 - c^2x^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.162572, size = 190, normalized size = 0.79

$$\frac{384ac^8x^4(6d^2 + 8dex^2 + 3e^2x^4) + bcx\sqrt{1 - c^2x^2}(16c^6(36d^2x^2 + 32dex^4 + 9e^2x^6) + 8c^4(108d^2 + 80dex^2 + 21e^2x^4) + 30c^2d^2e + 105e^2 + 128c^8(6d^2x^4 + 8d^2ex^6 + 3e^2x^8)) + 3b(-288c^4d^2 - 320c^2d^2e - 105e^2 + 128c^8(6d^2x^4 + 8d^2ex^6 + 3e^2x^8)) \operatorname{ArcSin}[cx]}{9216c^8}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*(d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (384\*a\*c^8\*x^4\*(6\*d^2 + 8\*d\*e\*x^2 + 3\*e^2\*x^4) + b\*c\*x\*Sqrt[1 - c^2\*x^2]\*(315\*e^2 + 30\*c^2\*e\*(32\*d + 7\*e\*x^2) + 8\*c^4\*(108\*d^2 + 80\*d\*e\*x^2 + 21\*e^2\*x^4) + 16\*c^6\*(36\*d^2\*x^2 + 32\*d\*e\*x^4 + 9\*e^2\*x^6)) + 3\*b\*(-288\*c^4\*d^2 - 320\*c^2\*d^2\*e - 105\*e^2 + 128\*c^8\*(6\*d^2\*x^4 + 8\*d^2\*e\*x^6 + 3\*e^2\*x^8))\*ArcSin[c\*x])/(9216\*c^8)



**Maple [A]** time = 0.007, size = 303, normalized size = 1.3

$$\frac{1}{c^4} \left( \frac{a}{c^4} \left( \frac{e^2 c^8 x^8}{8} + \frac{c^8 e d x^6}{3} + \frac{x^4 c^8 d^2}{4} \right) + \frac{b}{c^4} \left( \frac{\arcsin(cx) e^2 c^8 x^8}{8} + \frac{\arcsin(cx) c^8 e d x^6}{3} + \frac{\arcsin(cx) d^2 c^8 x^4}{4} - \frac{e^2}{8} \left( -\frac{c^7 x^7}{8} \sqrt{\dots} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(e\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x)

[Out]  $\frac{1}{c^4} \left( \frac{a}{c^4} \left( \frac{1}{8} e^2 c^8 x^8 + \frac{1}{3} c^8 e d x^6 + \frac{1}{4} x^4 c^8 d^2 \right) + \frac{b}{c^4} \left( \frac{1}{8} a \arcsin(cx) e^2 c^8 x^8 + \frac{1}{3} \arcsin(cx) c^8 e d x^6 + \frac{1}{4} \arcsin(cx) d^2 c^8 x^4 - \frac{1}{8} e^2 \left( -\frac{1}{8} c^7 x^7 \sqrt{-c^2 x^2 + 1} \right) - \frac{7}{48} c^5 x^5 \sqrt{-c^2 x^2 + 1} - \frac{35}{192} c^3 x^3 \sqrt{-c^2 x^2 + 1} - \frac{35}{128} c x \sqrt{-c^2 x^2 + 1} + \frac{35}{128} \arcsin(cx) \right) - \frac{1}{3} c^2 e d \left( -\frac{1}{6} c^5 x^5 \sqrt{-c^2 x^2 + 1} - \frac{5}{24} c^3 x^3 \sqrt{-c^2 x^2 + 1} - \frac{5}{16} c x \sqrt{-c^2 x^2 + 1} + \frac{5}{16} \arcsin(cx) \right) - \frac{1}{4} d^2 c^4 \left( -\frac{1}{4} c^3 x^3 \sqrt{-c^2 x^2 + 1} - \frac{3}{8} c x \sqrt{-c^2 x^2 + 1} + \frac{3}{8} \arcsin(cx) \right) \right)$

**Maxima [A]** time = 1.47477, size = 432, normalized size = 1.79

$$\frac{1}{8} a e^2 x^8 + \frac{1}{3} a d e x^6 + \frac{1}{4} a d^2 x^4 + \frac{1}{32} \left( 8 x^4 \arcsin(cx) + \left( \frac{2 \sqrt{-c^2 x^2 + 1} x^3}{c^2} + \frac{3 \sqrt{-c^2 x^2 + 1} x}{c^4} - \frac{3 \arcsin\left(\frac{c^2 x}{\sqrt{c^2}}\right)}{\sqrt{c^2} c^4} \right) c \right) b d^2 + \frac{1}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out]  $\frac{1}{8} a e^2 x^8 + \frac{1}{3} a d e x^6 + \frac{1}{4} a d^2 x^4 + \frac{1}{32} \left( 8 x^4 \arcsin(cx) + \left( 2 \sqrt{-c^2 x^2 + 1} x^3 / c^2 + 3 \sqrt{-c^2 x^2 + 1} x / c^4 - 3 \arcsin(c^2 x / \sqrt{c^2}) / (\sqrt{c^2} c^4) \right) c \right) b d^2 + \frac{1}{144} \left( 48 x^6 \arcsin(cx) + \left( 8 \sqrt{-c^2 x^2 + 1} x^5 / c^2 + 10 \sqrt{-c^2 x^2 + 1} x^3 / c^4 + 15 \sqrt{-c^2 x^2 + 1} x / c^6 - 15 \arcsin(c^2 x / \sqrt{c^2}) / (\sqrt{c^2} c^6) \right) c \right) b d e + \frac{1}{3072} \left( 384 x^8 \arcsin(cx) + \left( 48 \sqrt{-c^2 x^2 + 1} x^7 / c^2 + 56 \sqrt{-c^2 x^2 + 1} x^5 / c^4 + 70 \sqrt{-c^2 x^2 + 1} x^3 / c^6 + 105 \sqrt{-c^2 x^2 + 1} x / c^8 - 105 \arcsin(c^2 x / \sqrt{c^2}) / (\sqrt{c^2} c^8) \right) c \right) b e^2$

**Fricas [A]** time = 2.14481, size = 517, normalized size = 2.15

$$1152 a c^8 e^2 x^8 + 3072 a c^8 d e x^6 + 2304 a c^8 d^2 x^4 + 3 \left( 384 b c^8 e^2 x^8 + 1024 b c^8 d e x^6 + 768 b c^8 d^2 x^4 - 288 b c^4 d^2 - 320 b c^2 d e - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(e*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] 1/9216*(1152*a*c^8*e^2*x^8 + 3072*a*c^8*d*e*x^6 + 2304*a*c^8*d^2*x^4 + 3*(3
84*b*c^8*e^2*x^8 + 1024*b*c^8*d*e*x^6 + 768*b*c^8*d^2*x^4 - 288*b*c^4*d^2 -
320*b*c^2*d*e - 105*b*e^2)*arcsin(c*x) + (144*b*c^7*e^2*x^7 + 8*(64*b*c^7*
d*e + 21*b*c^5*e^2)*x^5 + 2*(288*b*c^7*d^2 + 320*b*c^5*d*e + 105*b*c^3*e^2)
*x^3 + 3*(288*b*c^5*d^2 + 320*b*c^3*d*e + 105*b*c*e^2)*x)*sqrt(-c^2*x^2 + 1
))/c^8
```

**Sympy [A]** time = 15.6783, size = 382, normalized size = 1.59

$$\left\{ \begin{array}{l} \frac{ad^2x^4}{4} + \frac{adex^6}{3} + \frac{ae^2x^8}{8} + \frac{bd^2x^4 \operatorname{asin}(cx)}{4} + \frac{bdex^6 \operatorname{asin}(cx)}{3} + \frac{be^2x^8 \operatorname{asin}(cx)}{8} + \frac{bd^2x^3 \sqrt{-c^2x^2+1}}{16c} + \frac{bdex^5 \sqrt{-c^2x^2+1}}{18c} + \frac{be^2x^7 \sqrt{-c^2x^2+1}}{64c} + \frac{3bd^2x \sqrt{-c^2x^2+1}}{32c} \\ a \left( \frac{d^2x^4}{4} + \frac{dex^6}{3} + \frac{e^2x^8}{8} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(e*x**2+d)**2*(a+b*asin(c*x)),x)
```

```
[Out] Piecewise((a*d**2*x**4/4 + a*d*e*x**6/3 + a*e**2*x**8/8 + b*d**2*x**4*asin(
c*x)/4 + b*d*e*x**6*asin(c*x)/3 + b*e**2*x**8*asin(c*x)/8 + b*d**2*x**3*sq
rt(-c**2*x**2 + 1)/(16*c) + b*d*e*x**5*sqrt(-c**2*x**2 + 1)/(18*c) + b*e**2*
x**7*sqrt(-c**2*x**2 + 1)/(64*c) + 3*b*d**2*x*sqrt(-c**2*x**2 + 1)/(32*c**3
) + 5*b*d*e*x**3*sqrt(-c**2*x**2 + 1)/(72*c**3) + 7*b*e**2*x**5*sqrt(-c**2*
x**2 + 1)/(384*c**3) - 3*b*d**2*asin(c*x)/(32*c**4) + 5*b*d*e*x*sqrt(-c**2*
x**2 + 1)/(48*c**5) + 35*b*e**2*x**3*sqrt(-c**2*x**2 + 1)/(1536*c**5) - 3
5*b*d*e*asin(c*x)/(48*c**6) + 35*b*e**2*x*sqrt(-c**2*x**2 + 1)/(1024*c**7) - 3
5*b*e**2*asin(c*x)/(1024*c**8), Ne(c, 0)), (a*(d**2*x**4/4 + d*e*x**6/3 + e
**2*x**8/8), True))
```

**Giac [B]** time = 1.25017, size = 861, normalized size = 3.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(e*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] -1/16*(-c^2*x^2 + 1)^(3/2)*b*d^2*x/c^3 + 1/4*(c^2*x^2 - 1)^2*b*d^2*arcsin(c
*x)/c^4 + 5/32*sqrt(-c^2*x^2 + 1)*b*d^2*x/c^3 + 1/18*(c^2*x^2 - 1)^2*sqrt(-
c^2*x^2 + 1)*b*d*x*e/c^5 + 1/4*(c^2*x^2 - 1)^2*a*d^2/c^4 + 1/2*(c^2*x^2 - 1
)*b*d^2*arcsin(c*x)/c^4 + 1/3*(c^2*x^2 - 1)^3*b*d*arcsin(c*x)*e/c^6 - 13/72
*(-c^2*x^2 + 1)^(3/2)*b*d*x*e/c^5 + 1/2*(c^2*x^2 - 1)*a*d^2/c^4 + 5/32*b*d^
2*arcsin(c*x)/c^4 + 1/3*(c^2*x^2 - 1)^3*a*d*e/c^6 + (c^2*x^2 - 1)^2*b*d*arc
sin(c*x)*e/c^6 + 1/64*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b*x*e^2/c^7 + 11/4
8*sqrt(-c^2*x^2 + 1)*b*d*x*e/c^5 + 1/8*(c^2*x^2 - 1)^4*b*arcsin(c*x)*e^2/c^
8 + (c^2*x^2 - 1)^2*a*d*e/c^6 + (c^2*x^2 - 1)*b*d*arcsin(c*x)*e/c^6 + 25/38
4*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b*x*e^2/c^7 + 1/8*(c^2*x^2 - 1)^4*a*e^
2/c^8 + 1/2*(c^2*x^2 - 1)^3*b*arcsin(c*x)*e^2/c^8 + (c^2*x^2 - 1)*a*d*e/c^6
+ 11/48*b*d*arcsin(c*x)*e/c^6 - 163/1536*(-c^2*x^2 + 1)^(3/2)*b*x*e^2/c^7
+ 1/2*(c^2*x^2 - 1)^3*a*e^2/c^8 + 3/4*(c^2*x^2 - 1)^2*b*arcsin(c*x)*e^2/c^8
+ 93/1024*sqrt(-c^2*x^2 + 1)*b*x*e^2/c^7 + 3/4*(c^2*x^2 - 1)^2*a*e^2/c^8 +
1/2*(c^2*x^2 - 1)*b*arcsin(c*x)*e^2/c^8 + 1/2*(c^2*x^2 - 1)*a*e^2/c^8 + 93
/1024*b*arcsin(c*x)*e^2/c^8
```

### 3.607 $\int x^2 (d + ex^2)^2 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=198

$$\frac{1}{3}d^2x^3(a + b \sin^{-1}(cx)) + \frac{2}{5}dex^5(a + b \sin^{-1}(cx)) + \frac{1}{7}e^2x^7(a + b \sin^{-1}(cx)) - \frac{b(1 - c^2x^2)^{3/2}(35c^4d^2 + 84c^2de + 45e^2)}{315c^7} +$$

[Out] (b\*(35\*c^4\*d^2 + 42\*c^2\*d\*e + 15\*e^2)\*Sqrt[1 - c^2\*x^2])/(105\*c^7) - (b\*(35\*c^4\*d^2 + 84\*c^2\*d\*e + 45\*e^2)\*(1 - c^2\*x^2)^(3/2))/(315\*c^7) + (b\*e\*(14\*c^2\*d + 15\*e)\*(1 - c^2\*x^2)^(5/2))/(175\*c^7) - (b\*e^2\*(1 - c^2\*x^2)^(7/2))/(49\*c^7) + (d^2\*x^3\*(a + b\*ArcSin[c\*x]))/3 + (2\*d\*e\*x^5\*(a + b\*ArcSin[c\*x]))/5 + (e^2\*x^7\*(a + b\*ArcSin[c\*x]))/7

**Rubi [A]** time = 0.221466, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {270, 4731, 12, 1251, 771}

$$\frac{1}{3}d^2x^3(a + b \sin^{-1}(cx)) + \frac{2}{5}dex^5(a + b \sin^{-1}(cx)) + \frac{1}{7}e^2x^7(a + b \sin^{-1}(cx)) - \frac{b(1 - c^2x^2)^{3/2}(35c^4d^2 + 84c^2de + 45e^2)}{315c^7} +$$

Antiderivative was successfully verified.

[In] Int[x^2\*(d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*(35\*c^4\*d^2 + 42\*c^2\*d\*e + 15\*e^2)\*Sqrt[1 - c^2\*x^2])/(105\*c^7) - (b\*(35\*c^4\*d^2 + 84\*c^2\*d\*e + 45\*e^2)\*(1 - c^2\*x^2)^(3/2))/(315\*c^7) + (b\*e\*(14\*c^2\*d + 15\*e)\*(1 - c^2\*x^2)^(5/2))/(175\*c^7) - (b\*e^2\*(1 - c^2\*x^2)^(7/2))/(49\*c^7) + (d^2\*x^3\*(a + b\*ArcSin[c\*x]))/3 + (2\*d\*e\*x^5\*(a + b\*ArcSin[c\*x]))/5 + (e^2\*x^7\*(a + b\*ArcSin[c\*x]))/7

#### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

#### Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*((f\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*

$x^2], x], x], x]] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{NeQ}[c^2*d + e, 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ (\text{GtQ}[p, 0] \ || \ (\text{IGtQ}[(m - 1)/2, 0] \ \&\& \ \text{LeQ}[m + p, 0]))$

### Rule 12

$\text{Int}[(a_*)(u_), x\_Symbol] \ :> \ \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

### Rule 1251

$\text{Int}[(x_)^{(m_.)}*((d_) + (e_.)*(x_)^2)^{(q_.)}*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(p_.)}, x\_Symbol] \ :> \ \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p}, x], x, x^2], x] /; \text{FreeQ}[\{a, b, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m - 1)/2]$

### Rule 771

$\text{Int}[((d_.) + (e_.)*(x_))^{(m_.)}*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{(p_.)}, x\_Symbol] \ :> \ \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m*(f + g*x)*(a + b*x + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, m\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ (\text{GtQ}[p, 0] \ || \ (\text{EqQ}[a, 0] \ \&\& \ \text{IntegerQ}[m]))$

### Rubi steps

$$\begin{aligned} \int x^2 (d + ex^2)^2 (a + b \sin^{-1}(cx)) dx &= \frac{1}{3}d^2x^3 (a + b \sin^{-1}(cx)) + \frac{2}{5}dex^5 (a + b \sin^{-1}(cx)) + \frac{1}{7}e^2x^7 (a + b \sin^{-1}(cx)) - \frac{1}{15}e^2x^7 (a + b \sin^{-1}(cx)) \\ &= \frac{1}{3}d^2x^3 (a + b \sin^{-1}(cx)) + \frac{2}{5}dex^5 (a + b \sin^{-1}(cx)) + \frac{1}{7}e^2x^7 (a + b \sin^{-1}(cx)) - \frac{1}{15}e^2x^7 (a + b \sin^{-1}(cx)) \\ &= \frac{1}{3}d^2x^3 (a + b \sin^{-1}(cx)) + \frac{2}{5}dex^5 (a + b \sin^{-1}(cx)) + \frac{1}{7}e^2x^7 (a + b \sin^{-1}(cx)) - \frac{1}{15}e^2x^7 (a + b \sin^{-1}(cx)) \\ &= \frac{1}{3}d^2x^3 (a + b \sin^{-1}(cx)) + \frac{2}{5}dex^5 (a + b \sin^{-1}(cx)) + \frac{1}{7}e^2x^7 (a + b \sin^{-1}(cx)) - \frac{1}{15}e^2x^7 (a + b \sin^{-1}(cx)) \\ &= \frac{b(35c^4d^2 + 42c^2de + 15e^2)\sqrt{1 - c^2x^2}}{105c^7} - \frac{b(35c^4d^2 + 84c^2de + 45e^2)(1 - c^2x^2)^{3/2}}{315c^7} \end{aligned}$$

**Mathematica [A]** time = 0.184045, size = 158, normalized size = 0.8

$$\frac{105ax^3(35d^2 + 42dex^2 + 15e^2x^4) + \frac{b\sqrt{1-c^2x^2}(c^6(1225d^2x^2+882dex^4+225e^2x^6)+2c^4(1225d^2+588dex^2+135e^2x^4)+24c^2e(98d+15ex^2)+720e^2)}{c^7}}{11025} + 1$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (105\*a\*x^3\*(35\*d^2 + 42\*d\*e\*x^2 + 15\*e^2\*x^4) + (b\*sqrt[1 - c^2\*x^2]\*(720\*e^2 + 24\*c^2\*e\*(98\*d + 15\*e\*x^2) + 2\*c^4\*(1225\*d^2 + 588\*d\*e\*x^2 + 135\*e^2\*x^4) + c^6\*(1225\*d^2\*x^2 + 882\*d\*e\*x^4 + 225\*e^2\*x^6)))/c^7 + 105\*b\*x^3\*(35\*d^2 + 42\*d\*e\*x^2 + 15\*e^2\*x^4)\*ArcSin[c\*x])/11025

**Maple [A]** time = 0.004, size = 279, normalized size = 1.4

$$\frac{1}{c^3} \left( \frac{a}{c^4} \left( \frac{e^2 c^7 x^7}{7} + \frac{2 c^7 e d x^5}{5} + \frac{d^2 c^7 x^3}{3} \right) + \frac{b}{c^4} \left( \frac{\arcsin(cx) e^2 c^7 x^7}{7} + \frac{2 \arcsin(cx) c^7 e d x^5}{5} + \frac{\arcsin(cx) d^2 c^7 x^3}{3} - \frac{e^2}{7} \left( -\frac{c^6 x^6}{7} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(e\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x)

[Out] 1/c^3\*(a/c^4\*(1/7\*e^2\*c^7\*x^7+2/5\*c^7\*e\*d\*x^5+1/3\*d^2\*c^7\*x^3)+b/c^4\*(1/7\*arcsin(c\*x)\*e^2\*c^7\*x^7+2/5\*arcsin(c\*x)\*c^7\*e\*d\*x^5+1/3\*arcsin(c\*x)\*d^2\*c^7\*x^3-1/7\*e^2\*(-1/7\*c^6\*x^6\*(-c^2\*x^2+1)^(1/2)-6/35\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-8/35\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-16/35\*(-c^2\*x^2+1)^(1/2))-2/5\*c^2\*e\*d\*(-1/5\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-4/15\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-8/15\*(-c^2\*x^2+1)^(1/2))-1/3\*d^2\*c^4\*(-1/3\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-2/3\*(-c^2\*x^2+1)^(1/2))))

**Maxima [A]** time = 1.46714, size = 342, normalized size = 1.73

$$\frac{1}{7} a e^2 x^7 + \frac{2}{5} a d e x^5 + \frac{1}{3} a d^2 x^3 + \frac{1}{9} \left( 3 x^3 \arcsin(cx) + c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2}{c^2} + \frac{2 \sqrt{-c^2 x^2 + 1}}{c^4} \right) \right) b d^2 + \frac{2}{75} \left( 15 x^5 \arcsin(cx) + \left( 3 \sqrt{-c^2 x^2 + 1} x^2 / c^2 + 2 \sqrt{-c^2 x^2 + 1} / c^4 \right) b d^2 + 2 / 75 * (15 x^5 \arcsin(cx) + \left( 3 \sqrt{-c^2 x^2 + 1} x^2 / c^2 + 4 \sqrt{-c^2 x^2 + 1} x^2 / c^4 + 8 \sqrt{-c^2 x^2 + 1} / c^6 \right) c \right) b d e + 1 / 245 * (35 x^7 \arcsin(cx) + (5 \sqrt{-c^2 x^2 + 1} x^2 / c^2 + 4 \sqrt{-c^2 x^2 + 1} x^2 / c^4 + 8 \sqrt{-c^2 x^2 + 1} / c^6) c) b d e \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] 1/7\*a\*e^2\*x^7 + 2/5\*a\*d\*e\*x^5 + 1/3\*a\*d^2\*x^3 + 1/9\*(3\*x^3\*arcsin(c\*x) + c\*(sqrt(-c^2\*x^2 + 1)\*x^2/c^2 + 2\*sqrt(-c^2\*x^2 + 1)/c^4))\*b\*d^2 + 2/75\*(15\*x^5\*arcsin(c\*x) + (3\*sqrt(-c^2\*x^2 + 1)\*x^4/c^2 + 4\*sqrt(-c^2\*x^2 + 1)\*x^2/c^4 + 8\*sqrt(-c^2\*x^2 + 1)/c^6)\*c)\*b\*d\*e + 1/245\*(35\*x^7\*arcsin(c\*x) + (5\*sqrt(-c^2\*x^2 + 1)\*x^2/c^2 + 4\*sqrt(-c^2\*x^2 + 1)\*x^2/c^4 + 8\*sqrt(-c^2\*x^2 + 1)/c^6)\*c)\*b\*d\*e

$$\text{rt}(-c^2x^2 + 1)x^6/c^2 + 6\sqrt{-c^2x^2 + 1}x^4/c^4 + 8\sqrt{-c^2x^2 + 1}x^2/c^6 + 16\sqrt{-c^2x^2 + 1}/c^8)c) * b * e^2$$

**Fricas [A]** time = 2.04131, size = 450, normalized size = 2.27

$$1575 ac^7 e^2 x^7 + 4410 ac^7 dex^5 + 3675 ac^7 d^2 x^3 + 105 (15 bc^7 e^2 x^7 + 42 bc^7 dex^5 + 35 bc^7 d^2 x^3) \arcsin(cx) + (225 bc^6 e^2 x^6 +$$

1102

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] 1/11025\*(1575\*a\*c^7\*e^2\*x^7 + 4410\*a\*c^7\*d\*e\*x^5 + 3675\*a\*c^7\*d^2\*x^3 + 105\*(15\*b\*c^7\*e^2\*x^7 + 42\*b\*c^7\*d\*e\*x^5 + 35\*b\*c^7\*d^2\*x^3)\*arcsin(c\*x) + (225\*b\*c^6\*e^2\*x^6 + 2450\*b\*c^4\*d^2 + 2352\*b\*c^2\*d\*e + 18\*(49\*b\*c^6\*d\*e + 15\*b\*c^4\*e^2)\*x^4 + 720\*b\*e^2 + (1225\*b\*c^6\*d^2 + 1176\*b\*c^4\*d\*e + 360\*b\*c^2\*e^2)\*x^2)\*sqrt(-c^2\*x^2 + 1))/c^7

**Sympy [A]** time = 8.28768, size = 333, normalized size = 1.68

$$\left\{ \frac{ad^2x^3}{3} + \frac{2adex^5}{5} + \frac{ae^2x^7}{7} + \frac{bd^2x^3 \operatorname{asin}(cx)}{3} + \frac{2bdex^5 \operatorname{asin}(cx)}{5} + \frac{be^2x^7 \operatorname{asin}(cx)}{7} + \frac{bd^2x^2\sqrt{-c^2x^2+1}}{9c} + \frac{2bdex^4\sqrt{-c^2x^2+1}}{25c} + \frac{be^2x^6\sqrt{-c^2x^2+1}}{49c} + \frac{2bd}{49c} \right\}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(e\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*d\*\*2\*x\*\*3/3 + 2\*a\*d\*e\*x\*\*5/5 + a\*e\*\*2\*x\*\*7/7 + b\*d\*\*2\*x\*\*3\*asin(c\*x)/3 + 2\*b\*d\*e\*x\*\*5\*asin(c\*x)/5 + b\*e\*\*2\*x\*\*7\*asin(c\*x)/7 + b\*d\*\*2\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c) + 2\*b\*d\*e\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(25\*c) + b\*e\*\*2\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)/(49\*c) + 2\*b\*d\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c\*\*3) + 8\*b\*d\*e\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(75\*c\*\*3) + 6\*b\*e\*\*2\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(245\*c\*\*3) + 16\*b\*d\*e\*sqrt(-c\*\*2\*x\*\*2 + 1)/(75\*c\*\*5) + 8\*b\*e\*\*2\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(245\*c\*\*5) + 16\*b\*e\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(245\*c\*\*7), Ne(c, 0)), (a\*(d\*\*2\*x\*\*3/3 + 2\*d\*e\*x\*\*5/5 + e\*\*2\*x\*\*7/7), True))

**Giac [B]** time = 1.26082, size = 576, normalized size = 2.91

$$\frac{1}{7}ax^7e^2 + \frac{2}{5}adx^5e + \frac{1}{3}ad^2x^3 + \frac{(c^2x^2-1)bd^2x \arcsin(cx)}{3c^2} + \frac{bd^2x \arcsin(cx)}{3c^2} + \frac{2(c^2x^2-1)^2bdx \arcsin(cx)e}{5c^4} + \frac{4(c^2x^2-1)^2bdx \arcsin(cx)e}{5c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] 1/7\*a\*x^7\*e^2 + 2/5\*a\*d\*x^5\*e + 1/3\*a\*d^2\*x^3 + 1/3\*(c^2\*x^2 - 1)\*b\*d^2\*x\*a  
 rcsin(c\*x)/c^2 + 1/3\*b\*d^2\*x\*arcsin(c\*x)/c^2 + 2/5\*(c^2\*x^2 - 1)^2\*b\*d\*x\*ar  
 csin(c\*x)\*e/c^4 + 4/5\*(c^2\*x^2 - 1)\*b\*d\*x\*arcsin(c\*x)\*e/c^4 - 1/9\*(-c^2\*x^2  
 + 1)^(3/2)\*b\*d^2/c^3 + 1/7\*(c^2\*x^2 - 1)^3\*b\*x\*arcsin(c\*x)\*e^2/c^6 + 2/5\*b  
 \*d\*x\*arcsin(c\*x)\*e/c^4 + 1/3\*sqrt(-c^2\*x^2 + 1)\*b\*d^2/c^3 + 2/25\*(c^2\*x^2 -  
 1)^2\*sqrt(-c^2\*x^2 + 1)\*b\*d\*e/c^5 + 3/7\*(c^2\*x^2 - 1)^2\*b\*x\*arcsin(c\*x)\*e^  
 2/c^6 - 4/15\*(-c^2\*x^2 + 1)^(3/2)\*b\*d\*e/c^5 + 3/7\*(c^2\*x^2 - 1)\*b\*x\*arcsin(  
 c\*x)\*e^2/c^6 + 1/49\*(c^2\*x^2 - 1)^3\*sqrt(-c^2\*x^2 + 1)\*b\*e^2/c^7 + 2/5\*sqrt  
 (-c^2\*x^2 + 1)\*b\*d\*e/c^5 + 1/7\*b\*x\*arcsin(c\*x)\*e^2/c^6 + 3/35\*(c^2\*x^2 - 1)  
 ^2\*sqrt(-c^2\*x^2 + 1)\*b\*e^2/c^7 - 1/7\*(-c^2\*x^2 + 1)^(3/2)\*b\*e^2/c^7 + 1/7\*  
 sqrt(-c^2\*x^2 + 1)\*b\*e^2/c^7



### 3.608 $\int x (d + ex^2)^2 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=183

$$\frac{(d + ex^2)^3 (a + b \sin^{-1}(cx))}{6e} + \frac{bx\sqrt{1 - c^2x^2} (44c^4d^2 + 44c^2de + 15e^2)}{288c^5} - \frac{b(2c^2d + e)(8c^4d^2 + 8c^2de + 5e^2) \sin^{-1}(cx)}{96c^6e} +$$

[Out] (b\*(44\*c^4\*d^2 + 44\*c^2\*d\*e + 15\*e^2)\*x\*Sqrt[1 - c^2\*x^2])/(288\*c^5) + (5\*b\*(2\*c^2\*d + e)\*x\*Sqrt[1 - c^2\*x^2]\*(d + e\*x^2))/(144\*c^3) + (b\*x\*Sqrt[1 - c^2\*x^2]\*(d + e\*x^2)^2)/(36\*c) - (b\*(2\*c^2\*d + e)\*(8\*c^4\*d^2 + 8\*c^2\*d\*e + 5\*e^2)\*ArcSin[c\*x])/(96\*c^6\*e) + ((d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]))/(6\*e)

**Rubi [A]** time = 0.175834, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$ , Rules used = {4729, 416, 528, 388, 216}

$$\frac{(d + ex^2)^3 (a + b \sin^{-1}(cx))}{6e} + \frac{bx\sqrt{1 - c^2x^2} (44c^4d^2 + 44c^2de + 15e^2)}{288c^5} - \frac{b(2c^2d + e)(8c^4d^2 + 8c^2de + 5e^2) \sin^{-1}(cx)}{96c^6e} +$$

Antiderivative was successfully verified.

[In] Int[x\*(d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*(44\*c^4\*d^2 + 44\*c^2\*d\*e + 15\*e^2)\*x\*Sqrt[1 - c^2\*x^2])/(288\*c^5) + (5\*b\*(2\*c^2\*d + e)\*x\*Sqrt[1 - c^2\*x^2]\*(d + e\*x^2))/(144\*c^3) + (b\*x\*Sqrt[1 - c^2\*x^2]\*(d + e\*x^2)^2)/(36\*c) - (b\*(2\*c^2\*d + e)\*(8\*c^4\*d^2 + 8\*c^2\*d\*e + 5\*e^2)\*ArcSin[c\*x])/(96\*c^6\*e) + ((d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]))/(6\*e)

#### Rule 4729

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x]))/(2\*e\*(p + 1)), x] - Dist[(b\*c)/(2\*e\*(p + 1)), Int[(d + e\*x^2)^(p + 1)/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2\*d + e, 0] && NeQ[p, -1]

#### Rule 416

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[(d\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q - 1))/(b\*(n\*(p + q) + 1)), x] + Dist[1/(b\*(n\*(p + q) + 1)), Int[(a + b\*x^n)^p\*(c + d\*x^n)^(q - 2)\*Simp[c\*(b\*c\*(n\*(p + q) + 1) - a\*d) + d\*(b\*c\*(n\*(p + 2\*q - 1) + 1) - a\*d\*(n\*(q -

1) + 1))\*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && GtQ[q, 1] && NeQ[n\*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]

### Rule 528

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.)\*((e\_) + (f\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(f\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q)/(b\*(n\*(p + q) + 1)), x] + Dist[1/(b\*(n\*(p + q) + 1)), Int[(a + b\*x^n)^p\*(c + d\*x^n)^(q - 1)\*Simp[c\*(b\*e - a\*f + b\*e\*n\*(p + q) + 1) + (d\*(b\*e - a\*f) + f\*n\*q\*(b\*c - a\*d) + b\*d\*e\*n\*(p + q) + 1)\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[q, 0] && NeQ[n\*(p + q) + 1, 0]

### Rule 388

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*x\*(a + b\*x^n)^(p + 1))/(b\*(n\*(p + 1) + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(b\*(n\*(p + 1) + 1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned}
 \int x(d+ex^2)^2(a+b\sin^{-1}(cx))dx &= \frac{(d+ex^2)^3(a+b\sin^{-1}(cx))}{6e} - \frac{(bc)\int\frac{(d+ex^2)^3}{\sqrt{1-c^2x^2}}dx}{6e} \\
 &= \frac{bx\sqrt{1-c^2x^2}(d+ex^2)^2}{36c} + \frac{(d+ex^2)^3(a+b\sin^{-1}(cx))}{6e} + \frac{b\int\frac{(d+ex^2)(-d(6c^2d+e)-5e(2c^2d+e))}{\sqrt{1-c^2x^2}}dx}{36ce} \\
 &= \frac{5b(2c^2d+e)x\sqrt{1-c^2x^2}(d+ex^2)}{144c^3} + \frac{bx\sqrt{1-c^2x^2}(d+ex^2)^2}{36c} + \frac{(d+ex^2)^3(a+b\sin^{-1}(cx))}{6e} \\
 &= \frac{b(44c^4d^2+44c^2de+15e^2)x\sqrt{1-c^2x^2}}{288c^5} + \frac{5b(2c^2d+e)x\sqrt{1-c^2x^2}(d+ex^2)}{144c^3} + \frac{bx\sqrt{1-c^2x^2}(d+ex^2)^2}{36c} \\
 &= \frac{b(44c^4d^2+44c^2de+15e^2)x\sqrt{1-c^2x^2}}{288c^5} + \frac{5b(2c^2d+e)x\sqrt{1-c^2x^2}(d+ex^2)}{144c^3} + \frac{bx\sqrt{1-c^2x^2}(d+ex^2)^2}{36c}
 \end{aligned}$$

**Mathematica [A]** time = 0.14344, size = 159, normalized size = 0.87

$$\frac{cx \left( 48ac^5x(3d^2 + 3dex^2 + e^2x^4) + b\sqrt{1 - c^2x^2} \left( 4c^4(18d^2 + 9dex^2 + 2e^2x^4) + 2c^2e(27d + 5ex^2) + 15e^2 \right) \right) + 3b \sin^{-1}(cx)}{288c^6}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]), x]

[Out] (c\*x\*(48\*a\*c^5\*x\*(3\*d^2 + 3\*d\*e\*x^2 + e^2\*x^4) + b\*Sqrt[1 - c^2\*x^2]\*(15\*e^2 + 2\*c^2\*e\*(27\*d + 5\*e\*x^2) + 4\*c^4\*(18\*d^2 + 9\*d\*e\*x^2 + 2\*e^2\*x^4))) + 3\*b\*(-24\*c^4\*d^2 - 18\*c^2\*d\*e - 5\*e^2 + 16\*c^6\*(3\*d^2\*x^2 + 3\*d\*e\*x^4 + e^2\*x^6))\*ArcSin[c\*x])/(288\*c^6)

**Maple [A]** time = 0.004, size = 243, normalized size = 1.3

$$\frac{1}{c^2} \left( \frac{a}{c^4} \left( \frac{e^2 c^6 x^6}{6} + \frac{c^6 e d x^4}{2} + \frac{x^2 c^6 d^2}{2} \right) + \frac{b}{c^4} \left( \frac{\arcsin(cx) e^2 c^6 x^6}{6} + \frac{\arcsin(cx) c^6 e d x^4}{2} + \frac{\arcsin(cx) d^2 c^6 x^2}{2} - \frac{e^2}{6} \left( -\frac{c^5 x^5}{6} \sqrt{1 - c^2 x^2} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(e\*x^2+d)^2\*(a+b\*arcsin(c\*x)), x)

[Out] 1/c^2\*(a/c^4\*(1/6\*e^2\*c^6\*x^6+1/2\*c^6\*e\*d\*x^4+1/2\*x^2\*c^6\*d^2)+b/c^4\*(1/6\*arcsin(c\*x)\*e^2\*c^6\*x^6+1/2\*arcsin(c\*x)\*c^6\*e\*d\*x^4+1/2\*arcsin(c\*x)\*d^2\*c^6\*x^2-1/6\*e^2\*(-1/6\*c^5\*x^5\*(-c^2\*x^2+1)^(1/2)-5/24\*c^3\*x^3\*(-c^2\*x^2+1)^(1/2)-5/16\*c\*x\*(-c^2\*x^2+1)^(1/2)+5/16\*arcsin(c\*x))-1/2\*c^2\*e\*d\*(-1/4\*c^3\*x^3\*(-c^2\*x^2+1)^(1/2)-3/8\*c\*x\*(-c^2\*x^2+1)^(1/2)+3/8\*arcsin(c\*x))-1/2\*d^2\*c^4\*(-1/2\*c\*x\*(-c^2\*x^2+1)^(1/2)+1/2\*arcsin(c\*x)))

**Maxima [A]** time = 1.46077, size = 350, normalized size = 1.91

$$\frac{1}{6} a e^2 x^6 + \frac{1}{2} a d e x^4 + \frac{1}{2} a d^2 x^2 + \frac{1}{4} \left( 2 x^2 \arcsin(cx) + c \left( \frac{\sqrt{-c^2 x^2 + 1} x}{c^2} - \frac{\arcsin\left(\frac{c^2 x}{\sqrt{c^2}}\right)}{\sqrt{c^2} c^2} \right) \right) b d^2 + \frac{1}{16} \left( 8 x^4 \arcsin(cx) + \left( 2 \sqrt{1 - c^2 x^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x^2+d)^2\*(a+b\*arcsin(c\*x)), x, algorithm="maxima")

```
[Out] 1/6*a*e^2*x^6 + 1/2*a*d*e*x^4 + 1/2*a*d^2*x^2 + 1/4*(2*x^2*arcsin(c*x) + c*
(sqrt(-c^2*x^2 + 1)*x/c^2 - arcsin(c^2*x/sqrt(c^2)))/(sqrt(c^2)*c^2))*b*d^2
+ 1/16*(8*x^4*arcsin(c*x) + (2*sqrt(-c^2*x^2 + 1)*x^3/c^2 + 3*sqrt(-c^2*x^
2 + 1)*x/c^4 - 3*arcsin(c^2*x/sqrt(c^2)))/(sqrt(c^2)*c^4))*c)*b*d*e + 1/288*
(48*x^6*arcsin(c*x) + (8*sqrt(-c^2*x^2 + 1)*x^5/c^2 + 10*sqrt(-c^2*x^2 + 1)
*x^3/c^4 + 15*sqrt(-c^2*x^2 + 1)*x/c^6 - 15*arcsin(c^2*x/sqrt(c^2)))/(sqrt(c
^2)*c^6))*c)*b*e^2
```

**Fricas [A]** time = 2.11304, size = 414, normalized size = 2.26

$$\frac{48 ac^6 e^2 x^6 + 144 ac^6 dex^4 + 144 ac^6 d^2 x^2 + 3(16 bc^6 e^2 x^6 + 48 bc^6 dex^4 + 48 bc^6 d^2 x^2 - 24 bc^4 d^2 - 18 bc^2 de - 5 be^2) \arcsin(c^2 x / \sqrt{c^2 - x^2})}{288 c^6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] 1/288*(48*a*c^6*e^2*x^6 + 144*a*c^6*d*e*x^4 + 144*a*c^6*d^2*x^2 + 3*(16*b*c
^6*e^2*x^6 + 48*b*c^6*d*e*x^4 + 48*b*c^6*d^2*x^2 - 24*b*c^4*d^2 - 18*b*c^2*
d*e - 5*b*e^2)*arcsin(c*x) + (8*b*c^5*e^2*x^5 + 2*(18*b*c^5*d*e + 5*b*c^3*e
^2)*x^3 + 3*(24*b*c^5*d^2 + 18*b*c^3*d*e + 5*b*c*e^2)*x)*sqrt(-c^2*x^2 + 1)
)/c^6
```

**Sympy [A]** time = 5.86242, size = 299, normalized size = 1.63

$$\left\{ \begin{array}{l} \frac{ad^2x^2}{2} + \frac{adex^4}{2} + \frac{ae^2x^6}{6} + \frac{bd^2x^2 \operatorname{asin}(cx)}{2} + \frac{bdex^4 \operatorname{asin}(cx)}{2} + \frac{be^2x^6 \operatorname{asin}(cx)}{6} + \frac{bd^2x\sqrt{-c^2x^2+1}}{4c} + \frac{bdex^3\sqrt{-c^2x^2+1}}{8c} + \frac{be^2x^5\sqrt{-c^2x^2+1}}{36c} - \frac{bd^2 \operatorname{asin}(cx)}{4c^2} \\ a \left( \frac{d^2x^2}{2} + \frac{dex^4}{2} + \frac{e^2x^6}{6} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x**2+d)**2*(a+b*asin(c*x)),x)
```

```
[Out] Piecewise((a*d**2*x**2/2 + a*d*e*x**4/2 + a*e**2*x**6/6 + b*d**2*x**2*asin(
c*x)/2 + b*d*e*x**4*asin(c*x)/2 + b*e**2*x**6*asin(c*x)/6 + b*d**2*x*sqrt(-
c**2*x**2 + 1)/(4*c) + b*d*e*x**3*sqrt(-c**2*x**2 + 1)/(8*c) + b*e**2*x**5*
sqrt(-c**2*x**2 + 1)/(36*c) - b*d**2*asin(c*x)/(4*c**2) + 3*b*d*e*x*sqrt(-c
**2*x**2 + 1)/(16*c**3) + 5*b*e**2*x**3*sqrt(-c**2*x**2 + 1)/(144*c**3) - 3
*b*d*e*asin(c*x)/(16*c**4) + 5*b*e**2*x*sqrt(-c**2*x**2 + 1)/(96*c**5) - 5*
```

```
b**2*asin(c*x)/(96*c**6), Ne(c, 0)), (a*(d**2*x**2/2 + d*e*x**4/2 + e**2*x**6/6), True))
```

**Giac [B]** time = 1.35075, size = 571, normalized size = 3.12

$$\frac{\sqrt{-c^2x^2+1}bd^2x}{4c} + \frac{(c^2x^2-1)bd^2\arcsin(cx)}{2c^2} - \frac{(-c^2x^2+1)^{\frac{3}{2}}bdxe}{8c^3} + \frac{(c^2x^2-1)ad^2}{2c^2} + \frac{bd^2\arcsin(cx)}{4c^2} + \frac{(c^2x^2-1)^2bd\arcsin(cx)}{2c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] 1/4*sqrt(-c^2*x^2 + 1)*b*d^2*x/c + 1/2*(c^2*x^2 - 1)*b*d^2*arcsin(c*x)/c^2 - 1/8*(-c^2*x^2 + 1)^(3/2)*b*d*x*e/c^3 + 1/2*(c^2*x^2 - 1)*a*d^2/c^2 + 1/4*b*d^2*arcsin(c*x)/c^2 + 1/2*(c^2*x^2 - 1)^2*b*d*arcsin(c*x)*e/c^4 + 5/16*sqrt(-c^2*x^2 + 1)*b*d*x*e/c^3 + 1/2*(c^2*x^2 - 1)^2*a*d*e/c^4 + (c^2*x^2 - 1)*b*d*arcsin(c*x)*e/c^4 + 1/36*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b*x*e^2/c^5 + 1/6*(c^2*x^2 - 1)^3*b*arcsin(c*x)*e^2/c^6 + (c^2*x^2 - 1)*a*d*e/c^4 + 5/16*b*d*arcsin(c*x)*e/c^4 - 13/144*(-c^2*x^2 + 1)^(3/2)*b*x*e^2/c^5 + 1/6*(c^2*x^2 - 1)^3*a*e^2/c^6 + 1/2*(c^2*x^2 - 1)^2*b*arcsin(c*x)*e^2/c^6 + 11/96*sqrt(-c^2*x^2 + 1)*b*x*e^2/c^5 + 1/2*(c^2*x^2 - 1)^2*a*e^2/c^6 + 1/2*(c^2*x^2 - 1)*b*arcsin(c*x)*e^2/c^6 + 1/2*(c^2*x^2 - 1)*a*e^2/c^6 + 11/96*b*arcsin(c*x)*e^2/c^6
```

### 3.609 $\int (d + ex^2)^2 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=150

$$d^2x (a + b \sin^{-1}(cx)) + \frac{2}{3}dex^3 (a + b \sin^{-1}(cx)) + \frac{1}{5}e^2x^5 (a + b \sin^{-1}(cx)) + \frac{b\sqrt{1-c^2x^2}(15c^4d^2 + 10c^2de + 3e^2)}{15c^5} - \frac{2be(1-c^2x^2)^{3/2}}{45c^5} - \frac{2be(1-c^2x^2)^{5/2}}{15c^5} + \frac{d^2x(a + b \operatorname{ArcSin}[cx]) + (2d^2ex^3(a + b \operatorname{ArcSin}[cx]))/3 + (e^2x^5(a + b \operatorname{ArcSin}[cx]))/5}{15c^5}$$

[Out] (b\*(15\*c^4\*d^2 + 10\*c^2\*d\*e + 3\*e^2)\*Sqrt[1 - c^2\*x^2])/(15\*c^5) - (2\*b\*e\*(5\*c^2\*d + 3\*e)\*(1 - c^2\*x^2)^(3/2))/(45\*c^5) + (b\*e^2\*(1 - c^2\*x^2)^(5/2))/(25\*c^5) + d^2\*x\*(a + b\*ArcSin[c\*x]) + (2\*d^2\*e\*x^3\*(a + b\*ArcSin[c\*x]))/3 + (e^2\*x^5\*(a + b\*ArcSin[c\*x]))/5

**Rubi [A]** time = 0.136157, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$ , Rules used = {194, 4665, 12, 1247, 698}

$$d^2x (a + b \sin^{-1}(cx)) + \frac{2}{3}dex^3 (a + b \sin^{-1}(cx)) + \frac{1}{5}e^2x^5 (a + b \sin^{-1}(cx)) + \frac{b\sqrt{1-c^2x^2}(15c^4d^2 + 10c^2de + 3e^2)}{15c^5} - \frac{2be(1-c^2x^2)^{3/2}}{45c^5} - \frac{2be(1-c^2x^2)^{5/2}}{15c^5} + \frac{d^2x(a + b \operatorname{ArcSin}[cx]) + (2d^2ex^3(a + b \operatorname{ArcSin}[cx]))/3 + (e^2x^5(a + b \operatorname{ArcSin}[cx]))/5}{15c^5}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*(15\*c^4\*d^2 + 10\*c^2\*d\*e + 3\*e^2)\*Sqrt[1 - c^2\*x^2])/(15\*c^5) - (2\*b\*e\*(5\*c^2\*d + 3\*e)\*(1 - c^2\*x^2)^(3/2))/(45\*c^5) + (b\*e^2\*(1 - c^2\*x^2)^(5/2))/(25\*c^5) + d^2\*x\*(a + b\*ArcSin[c\*x]) + (2\*d^2\*e\*x^3\*(a + b\*ArcSin[c\*x]))/3 + (e^2\*x^5\*(a + b\*ArcSin[c\*x]))/5

#### Rule 194

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 4665

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2\*d + e, 0] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0])

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 1247

Int[(x\_)\*((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Dist[1/2, Subst[Int[(d + e\*x)^q\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]

Rule 698

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rubi steps

$$\begin{aligned}
 \int (d + ex^2)^2 (a + b \sin^{-1}(cx)) dx &= d^2x (a + b \sin^{-1}(cx)) + \frac{2}{3}dex^3 (a + b \sin^{-1}(cx)) + \frac{1}{5}e^2x^5 (a + b \sin^{-1}(cx)) - (bc) \int \\
 &= d^2x (a + b \sin^{-1}(cx)) + \frac{2}{3}dex^3 (a + b \sin^{-1}(cx)) + \frac{1}{5}e^2x^5 (a + b \sin^{-1}(cx)) - \frac{1}{15}(bc) \\
 &= d^2x (a + b \sin^{-1}(cx)) + \frac{2}{3}dex^3 (a + b \sin^{-1}(cx)) + \frac{1}{5}e^2x^5 (a + b \sin^{-1}(cx)) - \frac{1}{30}(bc) \\
 &= d^2x (a + b \sin^{-1}(cx)) + \frac{2}{3}dex^3 (a + b \sin^{-1}(cx)) + \frac{1}{5}e^2x^5 (a + b \sin^{-1}(cx)) - \frac{1}{30}(bc) \\
 &= \frac{b(15c^4d^2 + 10c^2de + 3e^2)\sqrt{1-c^2x^2}}{15c^5} - \frac{2be(5c^2d + 3e)(1-c^2x^2)^{3/2}}{45c^5} + \frac{be^2(1-c^2x^2)^{5/2}}{25c^5}
 \end{aligned}$$

**Mathematica [A]** time = 0.151411, size = 125, normalized size = 0.83

$$\frac{1}{225} \left( 15ax(15d^2 + 10dex^2 + 3e^2x^4) + \frac{b\sqrt{1-c^2x^2}(c^4(225d^2 + 50dex^2 + 9e^2x^4) + 4c^2e(25d + 3ex^2) + 24e^2)}{c^5} + 15bx \sin^{-1}(cx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (15\*a\*x\*(15\*d^2 + 10\*d\*e\*x^2 + 3\*e^2\*x^4) + (b\*Sqrt[1 - c^2\*x^2]\*(24\*e^2 + 4\*c^2\*e\*(25\*d + 3\*e\*x^2) + c^4\*(225\*d^2 + 50\*d\*e\*x^2 + 9\*e^2\*x^4)))/c^5 + 15\*b\*x\*(15\*d^2 + 10\*d\*e\*x^2 + 3\*e^2\*x^4)\*ArcSin[c\*x])/225

**Maple [A]** time = 0.006, size = 209, normalized size = 1.4

$$\frac{1}{c} \left( \frac{a}{c^4} \left( \frac{e^2 c^5 x^5}{5} + \frac{2 c^5 e d x^3}{3} + d^2 c^5 x \right) + \frac{b}{c^4} \left( \frac{\arcsin(cx) e^2 c^5 x^5}{5} + \frac{2 \arcsin(cx) c^5 e d x^3}{3} + \arcsin(cx) d^2 c^5 x - \frac{e^2}{5} \left( -\frac{c^4 x^4}{5} \sqrt{-c^2 x^2 + 1} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x)

[Out] 1/c\*(a/c^4\*(1/5\*e^2\*c^5\*x^5+2/3\*c^5\*e\*d\*x^3+d^2\*c^5\*x)+b/c^4\*(1/5\*arcsin(c\*x)\*e^2\*c^5\*x^5+2/3\*arcsin(c\*x)\*c^5\*e\*d\*x^3+arcsin(c\*x)\*d^2\*c^5\*x-1/5\*e^2\*(-1/5\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-4/15\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-8/15\*(-c^2\*x^2+1)^(1/2))-2/3\*c^2\*e\*d\*(-1/3\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-2/3\*(-c^2\*x^2+1)^(1/2))+d^2\*c^4\*(-c^2\*x^2+1)^(1/2))

**Maxima [A]** time = 1.45678, size = 246, normalized size = 1.64

$$\frac{1}{5} a e^2 x^5 + \frac{2}{3} a d e x^3 + \frac{2}{9} \left( 3 x^3 \arcsin(cx) + c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2}{c^2} + \frac{2 \sqrt{-c^2 x^2 + 1}}{c^4} \right) \right) b d e + \frac{1}{75} \left( 15 x^5 \arcsin(cx) + \left( \frac{3 \sqrt{-c^2 x^2 + 1}}{c^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] 1/5\*a\*e^2\*x^5 + 2/3\*a\*d\*e\*x^3 + 2/9\*(3\*x^3\*arcsin(c\*x) + c\*(sqrt(-c^2\*x^2 + 1)\*x^2/c^2 + 2\*sqrt(-c^2\*x^2 + 1)/c^4))\*b\*d\*e + 1/75\*(15\*x^5\*arcsin(c\*x) + (3\*sqrt(-c^2\*x^2 + 1)\*x^4/c^2 + 4\*sqrt(-c^2\*x^2 + 1)\*x^2/c^4 + 8\*sqrt(-c^2\*x^2 + 1)/c^6)\*c)\*b\*e^2 + a\*d^2\*x + (c\*x\*arcsin(c\*x) + sqrt(-c^2\*x^2 + 1))\*b\*d^2/c



**Fricas [A]** time = 2.0348, size = 348, normalized size = 2.32

$$\frac{45 ac^5 e^2 x^5 + 150 ac^5 dex^3 + 225 ac^5 d^2 x + 15 (3 bc^5 e^2 x^5 + 10 bc^5 dex^3 + 15 bc^5 d^2 x) \arcsin(cx) + (9 bc^4 e^2 x^4 + 225 bc^4 d^2 + 225 c^5)}{225 c^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] 1/225\*(45\*a\*c^5\*e^2\*x^5 + 150\*a\*c^5\*d\*e\*x^3 + 225\*a\*c^5\*d^2\*x + 15\*(3\*b\*c^5\*e^2\*x^5 + 10\*b\*c^5\*d\*e\*x^3 + 15\*b\*c^5\*d^2\*x)\*arcsin(c\*x) + (9\*b\*c^4\*e^2\*x^4 + 225\*b\*c^4\*d^2 + 100\*b\*c^2\*d\*e + 24\*b\*e^2 + 2\*(25\*b\*c^4\*d\*e + 6\*b\*c^2\*e^2)\*x^2)\*sqrt(-c^2\*x^2 + 1))/c^5

**Sympy [A]** time = 2.85913, size = 240, normalized size = 1.6

$$\left\{ \begin{array}{l} ad^2x + \frac{2adex^3}{3} + \frac{ae^2x^5}{5} + bd^2x \operatorname{asin}(cx) + \frac{2bdex^3 \operatorname{asin}(cx)}{3} + \frac{be^2x^5 \operatorname{asin}(cx)}{5} + \frac{bd^2\sqrt{-c^2x^2+1}}{c} + \frac{2bdex^2\sqrt{-c^2x^2+1}}{9c} + \frac{be^2x^4\sqrt{-c^2x^2+1}}{25c} + \frac{4bd^2\sqrt{-c^2x^2+1}}{25c} \\ a \left( d^2x + \frac{2dex^3}{3} + \frac{e^2x^5}{5} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*d\*\*2\*x + 2\*a\*d\*e\*x\*\*3/3 + a\*e\*\*2\*x\*\*5/5 + b\*d\*\*2\*x\*asin(c\*x) + 2\*b\*d\*e\*x\*\*3\*asin(c\*x)/3 + b\*e\*\*2\*x\*\*5\*asin(c\*x)/5 + b\*d\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/c + 2\*b\*d\*e\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c) + b\*e\*\*2\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(25\*c) + 4\*b\*d\*e\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c\*\*3) + 4\*b\*e\*\*2\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(75\*c\*\*3) + 8\*b\*e\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(75\*c\*\*5), Ne(c, 0)), (a\*(d\*\*2\*x + 2\*d\*e\*x\*\*3/3 + e\*\*2\*x\*\*5/5), True))

**Giac [A]** time = 1.24982, size = 355, normalized size = 2.37

$$\frac{1}{5} ax^5 e^2 + \frac{2}{3} adx^3 e + bd^2 x \arcsin(cx) + ad^2 x + \frac{2(c^2 x^2 - 1) bdx \arcsin(cx) e}{3c^2} + \frac{2 bdx \arcsin(cx) e}{3c^2} + \frac{\sqrt{-c^2 x^2 + 1} b d^2}{c} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

```
[Out] 1/5*a*x^5*e^2 + 2/3*a*d*x^3*e + b*d^2*x*arcsin(c*x) + a*d^2*x + 2/3*(c^2*x^2 - 1)*b*d*x*arcsin(c*x)*e/c^2 + 2/3*b*d*x*arcsin(c*x)*e/c^2 + sqrt(-c^2*x^2 + 1)*b*d^2/c + 1/5*(c^2*x^2 - 1)^2*b*x*arcsin(c*x)*e^2/c^4 - 2/9*(-c^2*x^2 + 1)^(3/2)*b*d*e/c^3 + 2/5*(c^2*x^2 - 1)*b*x*arcsin(c*x)*e^2/c^4 + 2/3*sqrt(-c^2*x^2 + 1)*b*d*e/c^3 + 1/5*b*x*arcsin(c*x)*e^2/c^4 + 1/25*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b*e^2/c^5 - 2/15*(-c^2*x^2 + 1)^(3/2)*b*e^2/c^5 + 1/5*sqrt(-c^2*x^2 + 1)*b*e^2/c^5
```

$$3.610 \quad \int \frac{(d+ex^2)^2 (a+b \sin^{-1}(cx))}{x} dx$$

**Optimal.** Leaf size=229

$$-\frac{1}{2}ibd^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + d^2 \log(x) (a + b \sin^{-1}(cx)) + dex^2 (a + b \sin^{-1}(cx)) + \frac{1}{4}e^2 x^4 (a + b \sin^{-1}(cx)) + \frac{bdex^2}{4}$$

```
[Out] (b*d*e*x*Sqrt[1 - c^2*x^2])/(2*c) + (3*b*e^2*x*Sqrt[1 - c^2*x^2])/(32*c^3)
+ (b*e^2*x^3*Sqrt[1 - c^2*x^2])/(16*c) - (b*d*e*ArcSin[c*x])/(2*c^2) - (3*b
*e^2*ArcSin[c*x])/(32*c^4) - (I/2)*b*d^2*ArcSin[c*x]^2 + d*e*x^2*(a + b*Arc
Sin[c*x]) + (e^2*x^4*(a + b*ArcSin[c*x]))/4 + b*d^2*ArcSin[c*x]*Log[1 - E^
((2*I)*ArcSin[c*x])] - b*d^2*ArcSin[c*x]*Log[x] + d^2*(a + b*ArcSin[c*x])*Lo
g[x] - (I/2)*b*d^2*PolyLog[2, E^((2*I)*ArcSin[c*x])]
```

**Rubi [A]** time = 0.334752, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 12, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {266, 43, 4731, 6742, 321, 216, 2326, 4625, 3717, 2190, 2279, 2391}

$$-\frac{1}{2}ibd^2 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + d^2 \log(x) (a + b \sin^{-1}(cx)) + dex^2 (a + b \sin^{-1}(cx)) + \frac{1}{4}e^2 x^4 (a + b \sin^{-1}(cx)) + \frac{bdex^2}{4}$$

Antiderivative was successfully verified.

```
[In] Int[((d + e*x^2)^2*(a + b*ArcSin[c*x]))/x,x]
```

```
[Out] (b*d*e*x*Sqrt[1 - c^2*x^2])/(2*c) + (3*b*e^2*x*Sqrt[1 - c^2*x^2])/(32*c^3)
+ (b*e^2*x^3*Sqrt[1 - c^2*x^2])/(16*c) - (b*d*e*ArcSin[c*x])/(2*c^2) - (3*b
*e^2*ArcSin[c*x])/(32*c^4) - (I/2)*b*d^2*ArcSin[c*x]^2 + d*e*x^2*(a + b*Arc
Sin[c*x]) + (e^2*x^4*(a + b*ArcSin[c*x]))/4 + b*d^2*ArcSin[c*x]*Log[1 - E^
((2*I)*ArcSin[c*x])] - b*d^2*ArcSin[c*x]*Log[x] + d^2*(a + b*ArcSin[c*x])*Lo
g[x] - (I/2)*b*d^2*PolyLog[2, E^((2*I)*ArcSin[c*x])]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 43

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

### Rule 4731

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))*((f_.)*(x_)^(m_.))*((d_.) + (e_.)*(x_
)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist
[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*
x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] &
& IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

### Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

### Rule 321

```
Int[((c_.)*(x_)^(m_.))*((a_.) + (b_.)*(x_)^(n_.))^p, x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rule 2326

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symb
ol] := Simp[(ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]*(a + b*Log[c*x^n]))/Rt[-e, 2], x
] - Dist[(b*n)/Rt[-e, 2], Int[ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]/x, x], x] /; Fr
eeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]
```

### Rule 4625

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[(
a + b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

### Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \sin^{-1}(cx))}{x} dx &= dex^2 (a + b \sin^{-1}(cx)) + \frac{1}{4}e^2x^4 (a + b \sin^{-1}(cx)) + d^2 (a + b \sin^{-1}(cx)) \log(x) - (bc) \\
&= dex^2 (a + b \sin^{-1}(cx)) + \frac{1}{4}e^2x^4 (a + b \sin^{-1}(cx)) + d^2 (a + b \sin^{-1}(cx)) \log(x) - (bc) \\
&= dex^2 (a + b \sin^{-1}(cx)) + \frac{1}{4}e^2x^4 (a + b \sin^{-1}(cx)) + d^2 (a + b \sin^{-1}(cx)) \log(x) - (bcd^2) \\
&= \frac{bdex\sqrt{1-c^2x^2}}{2c} + \frac{be^2x^3\sqrt{1-c^2x^2}}{16c} + dex^2 (a + b \sin^{-1}(cx)) + \frac{1}{4}e^2x^4 (a + b \sin^{-1}(cx)) \\
&= \frac{bdex\sqrt{1-c^2x^2}}{2c} + \frac{3be^2x\sqrt{1-c^2x^2}}{32c^3} + \frac{be^2x^3\sqrt{1-c^2x^2}}{16c} - \frac{bde \sin^{-1}(cx)}{2c^2} + dex^2 (a + b \sin^{-1}(cx)) \\
&= \frac{bdex\sqrt{1-c^2x^2}}{2c} + \frac{3be^2x\sqrt{1-c^2x^2}}{32c^3} + \frac{be^2x^3\sqrt{1-c^2x^2}}{16c} - \frac{bde \sin^{-1}(cx)}{2c^2} - \frac{3be^2 \sin^{-1}(cx)}{32c^4} \\
&= \frac{bdex\sqrt{1-c^2x^2}}{2c} + \frac{3be^2x\sqrt{1-c^2x^2}}{32c^3} + \frac{be^2x^3\sqrt{1-c^2x^2}}{16c} - \frac{bde \sin^{-1}(cx)}{2c^2} - \frac{3be^2 \sin^{-1}(cx)}{32c^4} \\
&= \frac{bdex\sqrt{1-c^2x^2}}{2c} + \frac{3be^2x\sqrt{1-c^2x^2}}{32c^3} + \frac{be^2x^3\sqrt{1-c^2x^2}}{16c} - \frac{bde \sin^{-1}(cx)}{2c^2} - \frac{3be^2 \sin^{-1}(cx)}{32c^4} \\
&= \frac{bdex\sqrt{1-c^2x^2}}{2c} + \frac{3be^2x\sqrt{1-c^2x^2}}{32c^3} + \frac{be^2x^3\sqrt{1-c^2x^2}}{16c} - \frac{bde \sin^{-1}(cx)}{2c^2} - \frac{3be^2 \sin^{-1}(cx)}{32c^4}
\end{aligned}$$

**Mathematica [A]** time = 0.465204, size = 184, normalized size = 0.8

$$-\frac{1}{2}ibd^2 \left( \sin^{-1}(cx)^2 + \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right)\right) + ad^2 \log(x) + adex^2 + \frac{1}{4}ae^2x^4 + \frac{bde \left( cx\sqrt{1-c^2x^2} - \sin^{-1}(cx) \right)}{2c^2} + \frac{be^2 \left( cx\sqrt{1-c^2x^2} - \sin^{-1}(cx) \right)}{32c^4}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]))/x,x]

[Out] a\*d\*e\*x^2 + (a\*e^2\*x^4)/4 + (b\*e^2\*(c\*x\*Sqrt[1 - c^2\*x^2]\*(3 + 2\*c^2\*x^2) - 3\*ArcSin[c\*x]))/(32\*c^4) + (b\*d\*e\*(c\*x\*Sqrt[1 - c^2\*x^2] - ArcSin[c\*x]))/(2\*c^2) + b\*d\*e\*x^2\*ArcSin[c\*x] + (b\*e^2\*x^4\*ArcSin[c\*x])/4 + b\*d^2\*ArcSin[c\*x]\*Log[1 - E^((2\*I)\*ArcSin[c\*x])] + a\*d^2\*Log[x] - (I/2)\*b\*d^2\*(ArcSin[c\*x]^2 + PolyLog[2, E^((2\*I)\*ArcSin[c\*x])])

**Maple [A]** time = 0.208, size = 272, normalized size = 1.2

$$\frac{ae^2x^4}{4} + aedx^2 + d^2a \ln(cx) + \frac{b \arcsin(cx) e^2x^4}{4} + b \arcsin(cx) edx^2 + \frac{bedx}{2c} \sqrt{-c^2x^2 + 1} + d^2b \arcsin(cx) \ln(1 + icx +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)^2\*(a+b\*arcsin(c\*x))/x,x)

[Out] 1/4\*a\*e^2\*x^4+a\*e\*d\*x^2+d^2\*a\*ln(c\*x)+1/4\*b\*arcsin(c\*x)\*e^2\*x^4+b\*arcsin(c\*x)\*e\*d\*x^2+1/2\*b\*d\*e\*x\*(-c^2\*x^2+1)^(1/2)/c+d^2\*b\*arcsin(c\*x)\*ln(1+I\*c\*x+(-c^2\*x^2+1)^(1/2))+d^2\*b\*arcsin(c\*x)\*ln(1-I\*c\*x-(-c^2\*x^2+1)^(1/2))-I\*d^2\*b\*polylog(2,-I\*c\*x-(-c^2\*x^2+1)^(1/2))-3/32\*b\*e^2\*arcsin(c\*x)/c^4+1/16\*b\*e^2\*x^3\*(-c^2\*x^2+1)^(1/2)/c+3/32\*b\*e^2\*x\*(-c^2\*x^2+1)^(1/2)/c^3-1/2\*b\*d\*e\*arcsin(c\*x)/c^2-1/2\*I\*b\*d^2\*arcsin(c\*x)^2-I\*d^2\*b\*polylog(2,I\*c\*x+(-c^2\*x^2+1)^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{4}ae^2x^4 + adex^2 + ad^2 \log(x) + \int \frac{(be^2x^4 + 2bdex^2 + bd^2) \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2\*(a+b\*arcsin(c\*x))/x,x, algorithm="maxima")

[Out] 1/4\*a\*e^2\*x^4 + a\*d\*e\*x^2 + a\*d^2\*log(x) + integrate((b\*e^2\*x^4 + 2\*b\*d\*e\*x^2 + b\*d^2)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/x, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{ae^2x^4 + 2adex^2 + ad^2 + (be^2x^4 + 2bdex^2 + bd^2) \arcsin(cx)}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2\*(a+b\*arcsin(c\*x))/x,x, algorithm="fricas")

[Out] `integral((a*e^2*x^4 + 2*a*d*e*x^2 + a*d^2 + (b*e^2*x^4 + 2*b*d*e*x^2 + b*d^2)*arcsin(c*x))/x, x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asin}(cx)) (d + ex^2)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**2*(a+b*asin(c*x))/x,x)`

[Out] `Integral((a + b*asin(c*x))*(d + e*x**2)**2/x, x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^2 (b \operatorname{arcsin}(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsin(c*x))/x,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arcsin(c*x) + a)/x, x)`



$$3.611 \quad \int \frac{(d+ex^2)^2 (a+b \sin^{-1}(cx))}{x^2} dx$$

**Optimal.** Leaf size=126

$$-\frac{d^2 (a + b \sin^{-1}(cx))}{x} + 2dex (a + b \sin^{-1}(cx)) + \frac{1}{3}e^2x^3 (a + b \sin^{-1}(cx)) - bcd^2 \tanh^{-1}(\sqrt{1-c^2x^2}) + \frac{be\sqrt{1-c^2x^2} (6c^2)}{3c^3}$$

[Out] (b\*e\*(6\*c^2\*d + e)\*Sqrt[1 - c^2\*x^2])/(3\*c^3) - (b\*e^2\*(1 - c^2\*x^2)^(3/2))/(9\*c^3) - (d^2\*(a + b\*ArcSin[c\*x]))/x + 2\*d\*e\*x\*(a + b\*ArcSin[c\*x]) + (e^2\*x^3\*(a + b\*ArcSin[c\*x]))/3 - b\*c\*d^2\*ArcTanh[Sqrt[1 - c^2\*x^2]]

**Rubi [A]** time = 0.183663, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {270, 4731, 1251, 897, 1153, 208}

$$-\frac{d^2 (a + b \sin^{-1}(cx))}{x} + 2dex (a + b \sin^{-1}(cx)) + \frac{1}{3}e^2x^3 (a + b \sin^{-1}(cx)) - bcd^2 \tanh^{-1}(\sqrt{1-c^2x^2}) + \frac{be\sqrt{1-c^2x^2} (6c^2)}{3c^3}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]))/x^2,x]

[Out] (b\*e\*(6\*c^2\*d + e)\*Sqrt[1 - c^2\*x^2])/(3\*c^3) - (b\*e^2\*(1 - c^2\*x^2)^(3/2))/(9\*c^3) - (d^2\*(a + b\*ArcSin[c\*x]))/x + 2\*d\*e\*x\*(a + b\*ArcSin[c\*x]) + (e^2\*x^3\*(a + b\*ArcSin[c\*x]))/3 - b\*c\*d^2\*ArcTanh[Sqrt[1 - c^2\*x^2]]

### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

### Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*((f\_.)\*(x\_)^(m\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

Rule 1251

Int[(x\_)^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)\*(d + e\*x)^q\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rule 897

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegerQ[n, p] && FractionQ[m]

Rule 1153

Int[((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^2 (a+b\sin^{-1}(cx))}{x^2} dx &= -\frac{d^2 (a+b\sin^{-1}(cx))}{x} + 2dex (a+b\sin^{-1}(cx)) + \frac{1}{3}e^2x^3 (a+b\sin^{-1}(cx)) - (bc) \int \dots \\
&= -\frac{d^2 (a+b\sin^{-1}(cx))}{x} + 2dex (a+b\sin^{-1}(cx)) + \frac{1}{3}e^2x^3 (a+b\sin^{-1}(cx)) - \frac{1}{2}(bc) S \\
&= -\frac{d^2 (a+b\sin^{-1}(cx))}{x} + 2dex (a+b\sin^{-1}(cx)) + \frac{1}{3}e^2x^3 (a+b\sin^{-1}(cx)) + \dots \\
&= -\frac{d^2 (a+b\sin^{-1}(cx))}{x} + 2dex (a+b\sin^{-1}(cx)) + \frac{1}{3}e^2x^3 (a+b\sin^{-1}(cx)) + \dots \\
&= \frac{be(6c^2d+e)\sqrt{1-c^2x^2}}{3c^3} - \frac{be^2(1-c^2x^2)^{3/2}}{9c^3} - \frac{d^2(a+b\sin^{-1}(cx))}{x} + 2dex(a+b\sin^{-1}(cx)) \\
&= \frac{be(6c^2d+e)\sqrt{1-c^2x^2}}{3c^3} - \frac{be^2(1-c^2x^2)^{3/2}}{9c^3} - \frac{d^2(a+b\sin^{-1}(cx))}{x} + 2dex(a+b\sin^{-1}(cx))
\end{aligned}$$

**Mathematica [A]** time = 0.138299, size = 129, normalized size = 1.02

$$\frac{1}{9} \left( -\frac{9ad^2}{x} + 18adex + 3ae^2x^3 - 9bcd^2 \log(\sqrt{1-c^2x^2} + 1) + \frac{be\sqrt{1-c^2x^2}(c^2(18d+ex^2)+2e)}{c^3} + \frac{3b\sin^{-1}(cx)(-3d^2+e)}{x} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]))/x^2,x]

[Out] ((-9\*a\*d^2)/x + 18\*a\*d\*e\*x + 3\*a\*e^2\*x^3 + (b\*e\*Sqrt[1 - c^2\*x^2]\*(2\*e + c^2\*(18\*d + e\*x^2)))/c^3 + (3\*b\*(-3\*d^2 + 6\*d\*e\*x^2 + e^2\*x^4)\*ArcSin[c\*x])/x + 9\*b\*c\*d^2\*Log[x] - 9\*b\*c\*d^2\*Log[1 + Sqrt[1 - c^2\*x^2]])/9

**Maple [A]** time = 0.008, size = 168, normalized size = 1.3

$$c \left( \frac{a}{c^4} \left( \frac{e^2 c^3 x^3}{3} + 2 c^3 e d x - \frac{d^2 c^3}{x} \right) + \frac{b}{c^4} \left( \frac{\arcsin(cx) e^2 c^3 x^3}{3} + 2 \arcsin(cx) c^3 e d x - \frac{\arcsin(cx) d^2 c^3}{x} - \frac{e^2}{3} \left( -\frac{c^2 x^2}{3} \sqrt{-c^2 x^2} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arcsin(c*x))/x^2,x)`

[Out]  $c*(a/c^4*(1/3*e^2*c^3*x^3+2*c^3*e*d*x-d^2*c^3/x)+b/c^4*(1/3*arcsin(c*x)*e^2*c^3*x^3+2*arcsin(c*x)*c^3*e*d*x-arcsin(c*x)*d^2*c^3/x-1/3*e^2*(-1/3*c^2*x^2*(-c^2*x^2+1)^{(1/2)}-2/3*(-c^2*x^2+1)^{(1/2)})+2*c^2*e*d*(-c^2*x^2+1)^{(1/2)}-d^2*c^4*arctanh(1/(-c^2*x^2+1)^{(1/2)}))$

**Maxima [A]** time = 1.46247, size = 204, normalized size = 1.62

$$\frac{1}{3}ae^2x^3 - \left( c \log \left( \frac{2\sqrt{-c^2x^2+1}}{|x|} + \frac{2}{|x|} \right) + \frac{\arcsin(cx)}{x} \right) bd^2 + \frac{1}{9} \left( 3x^3 \arcsin(cx) + c \left( \frac{\sqrt{-c^2x^2+1}x^2}{c^2} + \frac{2\sqrt{-c^2x^2+1}}{c^4} \right) \right) be^2 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsin(c*x))/x^2,x, algorithm="maxima")`

[Out]  $1/3*a*e^2*x^3 - (c*\log(2*\sqrt{-c^2*x^2+1}/\text{abs}(x) + 2/\text{abs}(x)) + \arcsin(c*x)/x)*b*d^2 + 1/9*(3*x^3*\arcsin(c*x) + c*(\sqrt{-c^2*x^2+1}*x^2/c^2 + 2*\sqrt{-c^2*x^2+1}/c^4))*b*e^2 + 2*a*d*e*x + 2*(c*x*\arcsin(c*x) + \sqrt{-c^2*x^2+1})*b*d*e/c - a*d^2/x$

**Fricas [A]** time = 2.75518, size = 385, normalized size = 3.06

$$\frac{6ac^3e^2x^4 - 9bc^4d^2x \log(\sqrt{-c^2x^2+1}+1) + 9bc^4d^2x \log(\sqrt{-c^2x^2+1}-1) + 36ac^3dex^2 - 18ac^3d^2 + 6(bc^3e^2x^4 + 6bc^3d^2)}{18c^3x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsin(c*x))/x^2,x, algorithm="fricas")`

[Out]  $1/18*(6*a*c^3*e^2*x^4 - 9*b*c^4*d^2*x*\log(\sqrt{-c^2*x^2+1}+1) + 9*b*c^4*d^2*x*\log(\sqrt{-c^2*x^2+1}-1) + 36*a*c^3*d*e*x^2 - 18*a*c^3*d^2 + 6*(b*c^3*e^2*x^4 + 6*b*c^3*d*e*x^2 - 3*b*c^3*d^2)*\arcsin(c*x) + 2*(b*c^2*e^2*x^3 + 2*(9*b*c^2*d*e + b*e^2)*x)*\sqrt{-c^2*x^2+1})/(c^3*x)$

**Sympy [A]** time = 5.77377, size = 167, normalized size = 1.33

$$-\frac{ad^2}{x} + 2adex + \frac{ae^2x^3}{3} + bcd^2 \left( \begin{cases} -\operatorname{acosh}\left(\frac{1}{cx}\right) & \text{for } \frac{1}{|c^2x^2|} > 1 \\ i\operatorname{asin}\left(\frac{1}{cx}\right) & \text{otherwise} \end{cases} \right) - \frac{bce^2 \left( \begin{cases} -\frac{x^2\sqrt{-c^2x^2+1}}{3c^2} - \frac{2\sqrt{-c^2x^2+1}}{3c^4} & \text{for } c \neq 0 \\ \frac{x^4}{4} & \text{otherwise} \end{cases} \right)}{3} - \frac{bd^2 a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x))/x\*\*2,x)

[Out]  $-a*d**2/x + 2*a*d*e*x + a*e**2*x**3/3 + b*c*d**2*\operatorname{Piecewise}((- \operatorname{acosh}(1/(c*x)), 1/\operatorname{Abs}(c**2*x**2) > 1), (I*\operatorname{asin}(1/(c*x)), \operatorname{True})) - b*c*e**2*\operatorname{Piecewise}((-x**2*\operatorname{sqrt}(-c**2*x**2 + 1)/(3*c**2) - 2*\operatorname{sqrt}(-c**2*x**2 + 1)/(3*c**4), \operatorname{Ne}(c, 0)), (x**4/4, \operatorname{True}))/3 - b*d**2*\operatorname{asin}(c*x)/x + 2*b*d*e*\operatorname{Piecewise}((0, \operatorname{Eq}(c, 0)), (x*\operatorname{asin}(c*x) + \operatorname{sqrt}(-c**2*x**2 + 1)/c, \operatorname{True})) + b*e**2*x**3*\operatorname{asin}(c*x)/3$

**Giac [B]** time = 3.077, size = 5733, normalized size = 45.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2\*(a+b\*arcsin(c\*x))/x^2,x, algorithm="giac")

[Out]  $-1/2*b*c^{12}*d^2*x^8*\operatorname{arcsin}(c*x)/((c^{10}*x^7/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^7 + 3*c^8*x^5/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^5 + 3*c^6*x^3/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^3 + c^4*x/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1))*(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^8) - 1/2*a*c^{12}*d^2*x^8/((c^{10}*x^7/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^7 + 3*c^8*x^5/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^5 + 3*c^6*x^3/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^3 + c^4*x/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1))*(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^8) + b*c^{11}*d^2*x^7*\log(\operatorname{abs}(c)*\operatorname{abs}(x))/((c^{10}*x^7/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^7 + 3*c^8*x^5/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^5 + 3*c^6*x^3/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^3 + c^4*x/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1))*(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^8) - b*c^{11}*d^2*x^7*\log(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)/((c^{10}*x^7/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^7 + 3*c^8*x^5/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^5 + 3*c^6*x^3/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^3 + c^4*x/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1))*(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^7) - 2*b*c^{10}*d^2*x^6*\operatorname{arcsin}(c*x)/((c^{10}*x^7/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^7 + 3*c^8*x^5/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^5 + 3*c^6*x^3/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^3 + c^4*x/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1))*(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^7) - 2*a*c^{10}*d^2*x^6/((c^{10}*x^7/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^7 + 3*c^8*x^5/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^5 + 3*c^6*x^3/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^3 + c^4*x/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1))*(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^6) - 2*a*c^{10}*d^2*x^6/((c^{10}*x^7/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^7 + 3*c^8*x^5/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^5 + 3*c^6*x^3/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^3 + c^4*x/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1))*(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^6) - 2*a*c^{10}*d^2*x^6/((c^{10}*x^7/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^7 + 3*c^8*x^5/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^5 + 3*c^6*x^3/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^3 + c^4*x/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1))*(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^6) - 2*a*c^{10}*d^2*x^6/((c^{10}*x^7/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^7 + 3*c^8*x^5/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^5 + 3*c^6*x^3/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^3 + c^4*x/(\operatorname{sqrt}(-c^2*x^2 + 1) + 1))*(\operatorname{sqrt}(-c^2*x^2 + 1) + 1)^6)$



$$\begin{aligned}
& 2 + 1) + 1)/((c^{10}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^8x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^6x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^4x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2 + 1} + 1)) - 1/2 * b * c^4 * d^2 * \arcsin(cx) / (c^{10}x^7 / (\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^8x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^6x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^4x/(\sqrt{-c^2x^2 + 1} + 1)) + 2 * b * c^5 * d * x^3 * e / ((c^{10}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^8x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^6x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^4x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2 + 1} + 1)^3) + 4 * b * c^4 * d * x^2 * \arcsin(cx) * e / ((c^{10}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^8x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^6x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^4x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2 + 1} + 1)^2) - 1/2 * a * c^4 * d^2 / (c^{10}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^8x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^6x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^4x/(\sqrt{-c^2x^2 + 1} + 1)) - 2/3 * b * c^5 * x^5 * e^2 / ((c^{10}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^8x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^6x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^4x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2 + 1} + 1)^5) + 8/3 * b * c^4 * x^4 * \arcsin(cx) * e^2 / ((c^{10}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^8x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^6x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^4x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2 + 1} + 1)^4) + 4 * a * c^4 * d * x^2 * e / ((c^{10}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^8x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^6x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^4x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2 + 1} + 1)^2) + 8/3 * a * c^4 * x^4 * e^2 / ((c^{10}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^8x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^6x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^4x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2 + 1} + 1)^4) + 2 * b * c^3 * d * x * e / ((c^{10}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^8x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^6x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^4x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2 + 1} + 1)) + 2/3 * b * c^3 * x^3 * e^2 / ((c^{10}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^8x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^6x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^4x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2 + 1} + 1)^3) + 2/9 * b * c * x * e^2 / ((c^{10}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 3c^8x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 3c^6x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^4x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2 + 1} + 1))
\end{aligned}$$

$$3.612 \quad \int \frac{(d+ex^2)^2 (a+b \sin^{-1}(cx))}{x^3} dx$$

**Optimal.** Leaf size=185

$$-ibdePolyLog\left(2, e^{2i \sin^{-1}(cx)}\right) - \frac{d^2 (a + b \sin^{-1}(cx))}{2x^2} + 2de \log(x) (a + b \sin^{-1}(cx)) + \frac{1}{2} e^2 x^2 (a + b \sin^{-1}(cx)) - \frac{bcd^2 \sqrt{1 - c^2 x^2}}{2x}$$

[Out]  $-(b*c*d^2*sqrt[1 - c^2*x^2])/(2*x) + (b*e^2*x*sqrt[1 - c^2*x^2])/(4*c) - (b*e^2*ArcSin[c*x])/(4*c^2) - I*b*d*e*ArcSin[c*x]^2 - (d^2*(a + b*ArcSin[c*x]))/(2*x^2) + (e^2*x^2*(a + b*ArcSin[c*x]))/2 + 2*b*d*e*ArcSin[c*x]*Log[1 - E^((2*I)*ArcSin[c*x])] - 2*b*d*e*ArcSin[c*x]*Log[x] + 2*d*e*(a + b*ArcSin[c*x])*Log[x] - I*b*d*e*PolyLog[2, E^((2*I)*ArcSin[c*x])]$

**Rubi [A]** time = 0.338032, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 14, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {266, 43, 4731, 12, 6742, 264, 321, 216, 2326, 4625, 3717, 2190, 2279, 2391}

$$-ibdePolyLog\left(2, e^{2i \sin^{-1}(cx)}\right) - \frac{d^2 (a + b \sin^{-1}(cx))}{2x^2} + 2de \log(x) (a + b \sin^{-1}(cx)) + \frac{1}{2} e^2 x^2 (a + b \sin^{-1}(cx)) - \frac{bcd^2 \sqrt{1 - c^2 x^2}}{2x}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]))/x^3,x]

[Out]  $-(b*c*d^2*sqrt[1 - c^2*x^2])/(2*x) + (b*e^2*x*sqrt[1 - c^2*x^2])/(4*c) - (b*e^2*ArcSin[c*x])/(4*c^2) - I*b*d*e*ArcSin[c*x]^2 - (d^2*(a + b*ArcSin[c*x]))/(2*x^2) + (e^2*x^2*(a + b*ArcSin[c*x]))/2 + 2*b*d*e*ArcSin[c*x]*Log[1 - E^((2*I)*ArcSin[c*x])] - 2*b*d*e*ArcSin[c*x]*Log[x] + 2*d*e*(a + b*ArcSin[c*x])*Log[x] - I*b*d*e*PolyLog[2, E^((2*I)*ArcSin[c*x])]$

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n},



$x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& ( !\text{IntegerQ}[n] \parallel (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) \parallel \text{LtQ}[9*m + 5*(n + 1), 0] \parallel \text{GtQ}[m + n + 2, 0])$

### Rule 4731

$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]*((f_.)*(x_.))^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{With}[\{u = \text{IntHide}[(f*x)^m*(d + e*x^2)^p, x]\}, \text{Dist}[a + b*\text{ArcSin}[c*x], u, x] - \text{Dist}[b*c, \text{Int}[\text{SimplifyIntegrand}[u/\text{Sqrt}[1 - c^2*x^2], x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[c^2*d + e, 0] \&\& \text{IntegerQ}[p] \&\& (\text{GtQ}[p, 0] \parallel (\text{IGtQ}[(m - 1)/2, 0] \&\& \text{LeQ}[m + p, 0]))$

### Rule 12

$\text{Int}[(a_)*(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& !\text{MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

### Rule 6742

$\text{Int}[u_, x\_Symbol] \rightarrow \text{With}[\{v = \text{ExpandIntegrand}[u, x]\}, \text{Int}[v, x] /; \text{SumQ}[v]]$

### Rule 264

$\text{Int}[(c_.)*(x_.))^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(c*x)^{(m+1)}*(a + b*x^n)^{(p+1)}/(a*c*(m+1)), x] /; \text{FreeQ}[\{a, b, c, m, n, p\}, x] \&\& \text{EqQ}[(m+1)/n + p + 1, 0] \&\& \text{NeQ}[m, -1]$

### Rule 321

$\text{Int}[(c_.)*(x_.))^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Simp}[(c^{(n-1)}*(c*x)^{(m-n+1)}*(a + b*x^n)^{(p+1)}/(b*(m+n*p+1)), x] - \text{Dist}[(a*c^n*(m-n+1))/(b*(m+n*p+1)), \text{Int}[(c*x)^{(m-n)}*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{GtQ}[m, n-1] \&\& \text{NeQ}[m+n*p+1, 0] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

### Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^2], x\_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[\text{Rt}[-b, 2]*x]/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{NegQ}[b]$

### Rule 2326

$\text{Int}[(a_.) + \text{Log}[c_.*(x_.)^{(n_.)}]*(b_.)]/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x\_Symbol] \rightarrow \text{Simp}[(\text{ArcSin}[\text{Rt}[-e, 2]*x]/\text{Sqrt}[d]]*(a + b*\text{Log}[c*x^n])/\text{Rt}[-e, 2], x] - \text{Dist}[(b*n)/\text{Rt}[-e, 2], \text{Int}[\text{ArcSin}[\text{Rt}[-e, 2]*x]/\text{Sqrt}[d]/x, x], x] /; \text{Fr}$

eeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]

### Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

### Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m \* E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

### Rule 2190

Int[(((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_.) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1) \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^(e\_.)\*((c\_.) + (d\_.)\*(x\_)))^(n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \sin^{-1}(cx))}{x^3} dx &= -\frac{d^2 (a + b \sin^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2 (a + b \sin^{-1}(cx)) + 2de (a + b \sin^{-1}(cx)) \log(x) - (b \\
&= -\frac{d^2 (a + b \sin^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2 (a + b \sin^{-1}(cx)) + 2de (a + b \sin^{-1}(cx)) \log(x) - \frac{1}{2} \\
&= -\frac{d^2 (a + b \sin^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2 (a + b \sin^{-1}(cx)) + 2de (a + b \sin^{-1}(cx)) \log(x) - \frac{1}{2} \\
&= -\frac{d^2 (a + b \sin^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2 (a + b \sin^{-1}(cx)) + 2de (a + b \sin^{-1}(cx)) \log(x) + \frac{1}{2} \\
&= -\frac{bcd^2\sqrt{1-c^2x^2}}{2x} + \frac{be^2x\sqrt{1-c^2x^2}}{4c} - \frac{d^2 (a + b \sin^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2 (a + b \sin^{-1}(cx)) \\
&= -\frac{bcd^2\sqrt{1-c^2x^2}}{2x} + \frac{be^2x\sqrt{1-c^2x^2}}{4c} - \frac{be^2 \sin^{-1}(cx)}{4c^2} - \frac{d^2 (a + b \sin^{-1}(cx))}{2x^2} + \frac{1}{2}e^2x^2 ( \\
&= -\frac{bcd^2\sqrt{1-c^2x^2}}{2x} + \frac{be^2x\sqrt{1-c^2x^2}}{4c} - \frac{be^2 \sin^{-1}(cx)}{4c^2} - ibde \sin^{-1}(cx)^2 - \frac{d^2 (a + b \sin^{-1}(cx))}{2x^2} \\
&= -\frac{bcd^2\sqrt{1-c^2x^2}}{2x} + \frac{be^2x\sqrt{1-c^2x^2}}{4c} - \frac{be^2 \sin^{-1}(cx)}{4c^2} - ibde \sin^{-1}(cx)^2 - \frac{d^2 (a + b \sin^{-1}(cx))}{2x^2} \\
&= -\frac{bcd^2\sqrt{1-c^2x^2}}{2x} + \frac{be^2x\sqrt{1-c^2x^2}}{4c} - \frac{be^2 \sin^{-1}(cx)}{4c^2} - ibde \sin^{-1}(cx)^2 - \frac{d^2 (a + b \sin^{-1}(cx))}{2x^2} \\
&= -\frac{bcd^2\sqrt{1-c^2x^2}}{2x} + \frac{be^2x\sqrt{1-c^2x^2}}{4c} - \frac{be^2 \sin^{-1}(cx)}{4c^2} - ibde \sin^{-1}(cx)^2 - \frac{d^2 (a + b \sin^{-1}(cx))}{2x^2}
\end{aligned}$$

**Mathematica [A]** time = 0.333032, size = 159, normalized size = 0.86

$$\frac{1}{4} \left( -4ibde \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) - \frac{2ad^2}{x^2} + 8ade \log(x) + 2ae^2x^2 + b \sin^{-1}(cx) \left( -\frac{e^2}{c^2} + 8de \log \left( 1 - e^{2i \sin^{-1}(cx)} \right) - \frac{2d^2}{x^2} + \right. \right.$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]))/x^3,x]

[Out] ((-2\*a\*d^2)/x^2 + 2\*a\*e^2\*x^2 - (2\*b\*c\*d^2\*Sqrt[1 - c^2\*x^2])/x + (b\*e^2\*x\*Sqrt[1 - c^2\*x^2])/c - (4\*I)\*b\*d\*e\*ArcSin[c\*x]^2 + b\*ArcSin[c\*x]\*(-(e^2/c^2) - (2\*d^2)/x^2 + 2\*e^2\*x^2 + 8\*d\*e\*Log[1 - E^((2\*I)\*ArcSin[c\*x])]) + 8\*a\*d\*e\*Log[x] - (4\*I)\*b\*d\*e\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x])])/4

**Maple [A]** time = 0.371, size = 248, normalized size = 1.3

$$\frac{ax^2e^2}{2} - \frac{ad^2}{2x^2} + 2aed \ln(cx) - ibde (\arcsin(cx))^2 + \frac{be^2x}{4c} \sqrt{-c^2x^2+1} + \frac{b \arcsin(cx) x^2 e^2}{2} - \frac{be^2 \arcsin(cx)}{4c^2} + \frac{i}{2} c^2 b d^2 - \frac{bc}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)^2\*(a+b\*arcsin(c\*x))/x^3,x)

[Out] 1/2\*a\*x^2\*e^2-1/2\*a\*d^2/x^2+2\*a\*e\*d\*ln(c\*x)-I\*b\*d\*e\*arcsin(c\*x)^2+1/4\*b\*e^2\*x\*(-c^2\*x^2+1)^(1/2)/c+1/2\*b\*arcsin(c\*x)\*x^2\*e^2-1/4\*b\*e^2\*arcsin(c\*x)/c^2+1/2\*I\*c^2\*b\*d^2-1/2\*b\*c\*d^2\*(-c^2\*x^2+1)^(1/2)/x-1/2\*b\*arcsin(c\*x)\*d^2/x^2+2\*b\*e\*d\*arcsin(c\*x)\*ln(1-I\*c\*x-(-c^2\*x^2+1)^(1/2))+2\*b\*e\*d\*arcsin(c\*x)\*ln(1+I\*c\*x+(-c^2\*x^2+1)^(1/2))-2\*I\*b\*e\*d\*polylog(2,-I\*c\*x-(-c^2\*x^2+1)^(1/2))-2\*I\*b\*e\*d\*polylog(2,I\*c\*x+(-c^2\*x^2+1)^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} a e^2 x^2 - \frac{1}{2} b d^2 \left( \frac{\sqrt{-c^2 x^2 + 1} c}{x} + \frac{\arcsin(cx)}{x^2} \right) + 2 a d e \log(x) - \frac{a d^2}{2 x^2} + \int \frac{(b e^2 x^2 + 2 b d e) \arctan\left(cx, \sqrt{cx+1} \sqrt{-cx+1}\right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2\*(a+b\*arcsin(c\*x))/x^3,x, algorithm="maxima")

[Out] 1/2\*a\*e^2\*x^2 - 1/2\*b\*d^2\*(sqrt(-c^2\*x^2 + 1)\*c/x + arcsin(c\*x)/x^2) + 2\*a\*d\*e\*log(x) - 1/2\*a\*d^2/x^2 + integrate((b\*e^2\*x^2 + 2\*b\*d\*e)\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/x, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{ae^2x^4 + 2adex^2 + ad^2 + (be^2x^4 + 2bdex^2 + bd^2) \arcsin(cx)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2\*(a+b\*arcsin(c\*x))/x^3,x, algorithm="fricas")

[Out] `integral((a*e^2*x^4 + 2*a*d*e*x^2 + a*d^2 + (b*e^2*x^4 + 2*b*d*e*x^2 + b*d^2)*arcsin(c*x))/x^3, x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asin}(cx))(d + ex^2)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**2*(a+b*asin(c*x))/x**3,x)`

[Out] `Integral((a + b*asin(c*x))*(d + e*x**2)**2/x**3, x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^2(b \operatorname{arcsin}(cx) + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsin(c*x))/x^3,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^2*(b*arcsin(c*x) + a)/x^3, x)`

$$3.613 \quad \int \frac{(d+ex^2)^2 (a+b \sin^{-1}(cx))}{x^4} dx$$

**Optimal.** Leaf size=126

$$-\frac{d^2 (a + b \sin^{-1}(cx))}{3x^3} - \frac{2de (a + b \sin^{-1}(cx))}{x} + e^2 x (a + b \sin^{-1}(cx)) - \frac{bcd^2 \sqrt{1 - c^2 x^2}}{6x^2} - \frac{1}{6} bcd (c^2 d + 12e) \tanh^{-1} \left( \sqrt{1 - c^2 x^2} \right)$$

[Out] (b\*e^2\*Sqrt[1 - c^2\*x^2])/c - (b\*c\*d^2\*Sqrt[1 - c^2\*x^2])/(6\*x^2) - (d^2\*(a + b\*ArcSin[c\*x]))/(3\*x^3) - (2\*d\*e\*(a + b\*ArcSin[c\*x]))/x + e^2\*x\*(a + b\*ArcSin[c\*x]) - (b\*c\*d\*(c^2\*d + 12\*e)\*ArcTanh[Sqrt[1 - c^2\*x^2]])/6

**Rubi [A]** time = 0.201253, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {270, 4731, 1251, 897, 1157, 388, 208}

$$-\frac{d^2 (a + b \sin^{-1}(cx))}{3x^3} - \frac{2de (a + b \sin^{-1}(cx))}{x} + e^2 x (a + b \sin^{-1}(cx)) - \frac{bcd^2 \sqrt{1 - c^2 x^2}}{6x^2} - \frac{1}{6} bcd (c^2 d + 12e) \tanh^{-1} \left( \sqrt{1 - c^2 x^2} \right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]))/x^4,x]

[Out] (b\*e^2\*Sqrt[1 - c^2\*x^2])/c - (b\*c\*d^2\*Sqrt[1 - c^2\*x^2])/(6\*x^2) - (d^2\*(a + b\*ArcSin[c\*x]))/(3\*x^3) - (2\*d\*e\*(a + b\*ArcSin[c\*x]))/x + e^2\*x\*(a + b\*ArcSin[c\*x]) - (b\*c\*d\*(c^2\*d + 12\*e)\*ArcTanh[Sqrt[1 - c^2\*x^2]])/6

### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

### Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*((f\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

Rule 1251

Int[(x\_)^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)\*(d + e\*x)^q\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rule 897

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegerQ[n, p] && FractionQ[m]

Rule 1157

Int[((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := With[{Qx = PolynomialQuotient[(a + b\*x^2 + c\*x^4)^p, d + e\*x^2, x], R = Coeff[PolynomialRemainder[(a + b\*x^2 + c\*x^4)^p, d + e\*x^2, x], x, 0]}, -Simp[(R\*x\*(d + e\*x^2)^(q + 1))/(2\*d\*(q + 1)), x] + Dist[1/(2\*d\*(q + 1)), Int[(d + e\*x^2)^(q + 1)\*ExpandToSum[2\*d\*(q + 1)\*Qx + R\*(2\*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]

Rule 388

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*x\*(a + b\*x^n)^(p + 1))/(b\*(n\*(p + 1) + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(b\*(n\*(p + 1) + 1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2 (a + b \sin^{-1}(cx))}{x^4} dx &= -\frac{d^2 (a + b \sin^{-1}(cx))}{3x^3} - \frac{2de (a + b \sin^{-1}(cx))}{x} + e^2 x (a + b \sin^{-1}(cx)) - (bc) \int \frac{-\frac{d^2}{3} - \frac{2de}{x}}{x^3} dx \\
&= -\frac{d^2 (a + b \sin^{-1}(cx))}{3x^3} - \frac{2de (a + b \sin^{-1}(cx))}{x} + e^2 x (a + b \sin^{-1}(cx)) - \frac{1}{2}(bc) \text{Subst} \left( \int \frac{-\frac{d^2}{3} - \frac{2de}{x}}{x^3} dx, x, \frac{1}{c} \right) \\
&= -\frac{d^2 (a + b \sin^{-1}(cx))}{3x^3} - \frac{2de (a + b \sin^{-1}(cx))}{x} + e^2 x (a + b \sin^{-1}(cx)) + \frac{b \text{Subst} \left( \int \frac{-\frac{d^2}{3} - \frac{2de}{x}}{x^3} dx, x, \frac{1}{c} \right)}{2} \\
&= -\frac{bcd^2 \sqrt{1 - c^2 x^2}}{6x^2} - \frac{d^2 (a + b \sin^{-1}(cx))}{3x^3} - \frac{2de (a + b \sin^{-1}(cx))}{x} + e^2 x (a + b \sin^{-1}(cx)) \\
&= \frac{be^2 \sqrt{1 - c^2 x^2}}{c} - \frac{bcd^2 \sqrt{1 - c^2 x^2}}{6x^2} - \frac{d^2 (a + b \sin^{-1}(cx))}{3x^3} - \frac{2de (a + b \sin^{-1}(cx))}{x} + e^2 x \\
&= \frac{be^2 \sqrt{1 - c^2 x^2}}{c} - \frac{bcd^2 \sqrt{1 - c^2 x^2}}{6x^2} - \frac{d^2 (a + b \sin^{-1}(cx))}{3x^3} - \frac{2de (a + b \sin^{-1}(cx))}{x} + e^2 x
\end{aligned}$$

**Mathematica [A]** time = 0.162501, size = 140, normalized size = 1.11

$$\frac{1}{6} \left( -\frac{2ad^2}{x^3} - \frac{12ade}{x} + 6ae^2x + 6b\sqrt{1 - c^2x^2} \left( \frac{e^2}{c} - \frac{cd^2}{6x^2} \right) - bcd (c^2d + 12e) \log(\sqrt{1 - c^2x^2} + 1) + bcd \log(x) (c^2d + 12e) - \frac{2}{3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]))/x^4,x]

[Out] ((-2\*a\*d^2)/x^3 - (12\*a\*d\*e)/x + 6\*a\*e^2\*x + 6\*b\*(e^2/c - (c\*d^2)/(6\*x^2))\*Sqrt[1 - c^2\*x^2] - (2\*b\*(d^2 + 6\*d\*e\*x^2 - 3\*e^2\*x^4)\*ArcSin[c\*x])/x^3 + b\*c\*d\*(c^2\*d + 12\*e)\*Log[x] - b\*c\*d\*(c^2\*d + 12\*e)\*Log[1 + Sqrt[1 - c^2\*x^2]])/6

**Maple [A]** time = 0.01, size = 156, normalized size = 1.2

$$c^3 \left( \frac{a}{c^4} \left( cxe^2 - 2 \frac{ced}{x} - \frac{d^2c}{3x^3} \right) + \frac{b}{c^4} \left( \arcsin(cx) cxe^2 - 2 \frac{\arcsin(cx) ced}{x} - \frac{\arcsin(cx) d^2c}{3x^3} + e^2 \sqrt{-c^2x^2 + 1} - 2c^2ed \text{Artanh} \right) \right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(a+b*arcsin(c*x))/x^4,x)`

[Out]  $c^3*(a/c^4*(c*x*e^{2-2*c*e*d/x-1/3*d^2*c/x^3})+b/c^4*(\arcsin(c*x)*c*x*e^{2-2*a*\arcsin(c*x)*c*e*d/x-1/3*\arcsin(c*x)*d^2*c/x^3+e^{2*(-c^2*x^2+1)}^{(1/2)}-2*c^2*e*d*\arctanh(1/(-c^2*x^2+1)}^{(1/2)})+1/3*d^2*c^4*(-1/2/c^2/x^2*(-c^2*x^2+1)}^{(1/2)}-1/2*\arctanh(1/(-c^2*x^2+1)}^{(1/2)}))$

**Maxima [A]** time = 1.45057, size = 215, normalized size = 1.71

$$-\frac{1}{6} \left( \left( c^2 \log \left( \frac{2\sqrt{-c^2x^2+1}}{|x|} + \frac{2}{|x|} \right) + \frac{\sqrt{-c^2x^2+1}}{x^2} \right) c + \frac{2 \arcsin(cx)}{x^3} \right) b d^2 - 2 \left( c \log \left( \frac{2\sqrt{-c^2x^2+1}}{|x|} + \frac{2}{|x|} \right) + \frac{\arcsin(cx)}{x} \right) b d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsin(c*x))/x^4,x, algorithm="maxima")`

[Out]  $-1/6*((c^2*\log(2*\sqrt{-c^2*x^2+1}/\text{abs}(x)+2/\text{abs}(x))+\sqrt{-c^2*x^2+1}/x^2)*c+2*\arcsin(c*x)/x^3)*b*d^2-2*((c*\log(2*\sqrt{-c^2*x^2+1}/\text{abs}(x)+2/\text{abs}(x))+\arcsin(c*x)/x)*b*d*e+a*e^{2*x}+(c*x*\arcsin(c*x)+\sqrt{-c^2*x^2+1}))*b*e^2/c-2*a*d*e/x-1/3*a*d^2/x^3$

**Fricas [A]** time = 2.86726, size = 393, normalized size = 3.12

$$\frac{12ace^2x^4 - 24acdex^2 - (bc^4d^2 + 12bc^2de)x^3 \log(\sqrt{-c^2x^2+1}+1) + (bc^4d^2 + 12bc^2de)x^3 \log(\sqrt{-c^2x^2+1}-1) - 4acdx^2}{12cx^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(a+b*arcsin(c*x))/x^4,x, algorithm="fricas")`

[Out]  $1/12*(12*a*c*e^{2*x^4}-24*a*c*d*e*x^2-(b*c^4*d^2+12*b*c^2*d*e)*x^3*\log(\sqrt{-c^2*x^2+1}+1)+(b*c^4*d^2+12*b*c^2*d*e)*x^3*\log(\sqrt{-c^2*x^2+1}-1)-4*a*c*d^2+4*(3*b*c*e^{2*x^4}-6*b*c*d*e*x^2-b*c*d^2)*\arcsin(c*x)-2*(b*c^2*d^2*x-6*b*e^{2*x^3})*\sqrt{-c^2*x^2+1})/(c*x^3)$

**Sympy [A]** time = 7.1506, size = 219, normalized size = 1.74

$$-\frac{ad^2}{3x^3} - \frac{2ade}{x} + ae^2x + \frac{bcd^2 \left( \begin{cases} -\frac{c^2 \operatorname{acosh}\left(\frac{1}{cx}\right) - c\sqrt{-1 + \frac{1}{c^2x^2}}}{2x} & \text{for } \frac{1}{|c^2x^2|} > 1 \\ \frac{ic^2 \operatorname{asin}\left(\frac{1}{cx}\right)}{2} - \frac{ic}{2x\sqrt{1 - \frac{1}{c^2x^2}}} + \frac{i}{2cx^3\sqrt{1 - \frac{1}{c^2x^2}}} & \text{otherwise} \end{cases} \right)}{3} + 2bcde \begin{cases} -\operatorname{acosh}\left(\frac{1}{cx}\right) & \text{for } \frac{1}{|c^2x^2|} > 1 \\ i \operatorname{asin}\left(\frac{1}{cx}\right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x))/x\*\*4,x)

[Out]  $-a*d**2/(3*x**3) - 2*a*d*e/x + a*e**2*x + b*c*d**2*\operatorname{Piecewise}((-c**2*\operatorname{acosh}(1/(c*x))/2 - c*\sqrt{-1 + 1/(c**2*x**2)})/(2*x), 1/\operatorname{Abs}(c**2*x**2) > 1), (I*c**2*\operatorname{asin}(1/(c*x))/2 - I*c/(2*x*\sqrt{1 - 1/(c**2*x**2)})) + I/(2*c*x**3*\sqrt{1 - 1/(c**2*x**2)}), \operatorname{True}))/3 + 2*b*c*d*e*\operatorname{Piecewise}(-\operatorname{acosh}(1/(c*x)), 1/\operatorname{Abs}(c**2*x**2) > 1), (I*\operatorname{asin}(1/(c*x)), \operatorname{True})) - b*d**2*\operatorname{asin}(c*x)/(3*x**3) - 2*b*d*e*\operatorname{asin}(c*x)/x + b*e**2*\operatorname{Piecewise}((0, \operatorname{Eq}(c, 0)), (x*\operatorname{asin}(c*x) + \sqrt{-c**2*x**2 + 1})/c, \operatorname{True}))$

**Giac [B]** time = 84.8751, size = 3429, normalized size = 27.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2\*(a+b\*arcsin(c\*x))/x^4,x, algorithm="giac")

[Out]  $-1/24*b*c^{12}*d^2*x^8*\operatorname{arcsin}(c*x)/((c^6*x^5/(\sqrt{-c^2*x^2 + 1} + 1))^5 + c^4*x^3/(\sqrt{-c^2*x^2 + 1} + 1)^3)*(\sqrt{-c^2*x^2 + 1} + 1)^8 - 1/24*a*c^{12}*d^2*x^8/((c^6*x^5/(\sqrt{-c^2*x^2 + 1} + 1))^5 + c^4*x^3/(\sqrt{-c^2*x^2 + 1} + 1)^3)*(\sqrt{-c^2*x^2 + 1} + 1)^8 + 1/24*b*c^{11}*d^2*x^7/((c^6*x^5/(\sqrt{-c^2*x^2 + 1} + 1))^5 + c^4*x^3/(\sqrt{-c^2*x^2 + 1} + 1)^3)*(\sqrt{-c^2*x^2 + 1} + 1)^7 - 1/6*b*c^{10}*d^2*x^6*\operatorname{arcsin}(c*x)/((c^6*x^5/(\sqrt{-c^2*x^2 + 1} + 1))^5 + c^4*x^3/(\sqrt{-c^2*x^2 + 1} + 1)^3)*(\sqrt{-c^2*x^2 + 1} + 1)^6 - 1/6*a*c^{10}*d^2*x^6/((c^6*x^5/(\sqrt{-c^2*x^2 + 1} + 1))^5 + c^4*x^3/(\sqrt{-c^2*x^2 + 1} + 1)^3)*(\sqrt{-c^2*x^2 + 1} + 1)^6 + 1/6*b*c^9*d^2*x^5*\log(\operatorname{abs}(c)*\operatorname{abs}(x))/((c^6*x^5/(\sqrt{-c^2*x^2 + 1} + 1))^5 + c^4*x^3/(\sqrt{-c^2*x^2 + 1} + 1)^3)*(\sqrt{-c^2*x^2 + 1} + 1)^5 - 1/6*b*c^9*d^2*x^5*\log(\sqrt{-c^2*x^2 + 1} + 1)/((c^6*x^5/(\sqrt{-c^2*x^2 + 1} + 1))^5 + c^4*x^3/(\sqrt{-c^2*x^2 + 1} + 1)^3)*(\sqrt{-c^2*x^2 + 1} + 1)^5$

$$\begin{aligned}
& 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1)^5) + 1/24*b*c^9*d^2*x^5 / ((c^6*x^5 / (\text{sqrt} \\
& (-c^2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 \\
& + 1) + 1)^5) - 1/4*b*c^8*d^2*x^4 * \arcsin(c*x) / ((c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) \\
& + 1)^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1)^4) - \\
& b*c^8*d*x^6 * \arcsin(c*x) * e / ((c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{s} \\
& \text{qrt}(-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1)^6) - 1/4*a*c^8*d^2*x^4 / ( \\
& (c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) * ( \\
& \text{sqrt}(-c^2*x^2 + 1) + 1)^4) - a*c^8*d*x^6 * e / ((c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + \\
& 1)^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1)^6) + 1/ \\
& 6*b*c^7*d^2*x^3 * \log(\text{abs}(c) * \text{abs}(x)) / ((c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^5 + c \\
& ^4*x^3 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) + 2*b*c^7*d* \\
& x^5 * e * \log(\text{abs}(c) * \text{abs}(x)) / ((c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{s} \\
& \text{qrt}(-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1)^5) - 1/6*b*c^7*d^2*x^3 * \text{lo} \\
& \text{g}(\text{sqrt}(-c^2*x^2 + 1) + 1) / ((c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{s} \\
& \text{qrt}(-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) - 2*b*c^7*d*x^5 * e * \text{log} \\
& (\text{sqrt}(-c^2*x^2 + 1) + 1) / ((c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{s} \\
& \text{qrt}(-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1)^5) - 1/24*b*c^7*d^2*x^3 / ( \\
& (c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) * ( \\
& \text{sqrt}(-c^2*x^2 + 1) + 1)^3) - 1/6*b*c^6*d^2*x^2 * \arcsin(c*x) / ((c^6*x^5 / (\text{sqrt} \\
& (-c^2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + \\
& 1) + 1)^2) - 2*b*c^6*d*x^4 * \arcsin(c*x) * e / ((c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1) \\
& )^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1)^4) - 1/6 \\
& * a*c^6*d^2*x^2 / ((c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^ \\
& 2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1)^2) - 2*a*c^6*d*x^4 * e / ((c^6*x^5 / (\text{sqr} \\
& \text{t}(-c^2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 \\
& + 1) + 1)^4) + 2*b*c^5*d*x^3 * e * \log(\text{abs}(c) * \text{abs}(x)) / ((c^6*x^5 / (\text{sqrt}(-c^2*x^2 \\
& + 1) + 1)^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1) \\
& ^3) - 2*b*c^5*d*x^3 * e * \log(\text{sqrt}(-c^2*x^2 + 1) + 1) / ((c^6*x^5 / (\text{sqrt}(-c^2*x^2 \\
& + 1) + 1)^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1)^ \\
& 3) - 1/24*b*c^5*d^2*x / ((c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{sqrt} \\
& (-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1)) - 1/24*b*c^4*d^2 * \arcsin(c*x) \\
& ) / (c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) \\
& - b*c^4*d*x^2 * \arcsin(c*x) * e / ((c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^5 + c^4*x^3 \\
& / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1)^2) - 1/24*a*c^4*d^2 / ( \\
& c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) - \\
& b*c^5*x^5 * e^2 / ((c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 \\
& + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1)^5) + 2*b*c^4*x^4 * \arcsin(c*x) * e^2 / ((c \\
& ^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) * (\text{s} \\
& \text{qrt}(-c^2*x^2 + 1) + 1)^4) - a*c^4*d*x^2 * e / ((c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1) \\
& ^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1)^2) + 2*a* \\
& c^4*x^4 * e^2 / ((c^6*x^5 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 + \\
& 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) + 1)^4) + b*c^3*x^3 * e^2 / ((c^6*x^5 / (\text{sqrt}(-c^ \\
& 2*x^2 + 1) + 1)^5 + c^4*x^3 / (\text{sqrt}(-c^2*x^2 + 1) + 1)^3) * (\text{sqrt}(-c^2*x^2 + 1) \\
& + 1)^3)
\end{aligned}$$

### 3.614 $\int x^4 (d + ex^2)^3 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=341

$$\frac{3}{7}d^2ex^7(a + b \sin^{-1}(cx)) + \frac{1}{5}d^3x^5(a + b \sin^{-1}(cx)) + \frac{1}{3}de^2x^9(a + b \sin^{-1}(cx)) + \frac{1}{11}e^3x^{11}(a + b \sin^{-1}(cx)) - \frac{be(1 - c^2x^2)}{11}$$

[Out] (b\*(231\*c^6\*d^3 + 495\*c^4\*d^2\*e + 385\*c^2\*d\*e^2 + 105\*e^3)\*Sqrt[1 - c^2\*x^2])/((1155\*c^11) - (b\*(462\*c^6\*d^3 + 1485\*c^4\*d^2\*e + 1540\*c^2\*d\*e^2 + 525\*e^3)\*(1 - c^2\*x^2)^(3/2))/(3465\*c^11) + (b\*(77\*c^6\*d^3 + 495\*c^4\*d^2\*e + 770\*c^2\*d\*e^2 + 350\*e^3)\*(1 - c^2\*x^2)^(5/2))/(1925\*c^11) - (b\*e\*(99\*c^4\*d^2 + 308\*c^2\*d\*e + 210\*e^2)\*(1 - c^2\*x^2)^(7/2))/(1617\*c^11) + (b\*e^2\*(11\*c^2\*d + 15\*e)\*(1 - c^2\*x^2)^(9/2))/(297\*c^11) - (b\*e^3\*(1 - c^2\*x^2)^(11/2))/(121\*c^11) + (d^3\*x^5\*(a + b\*ArcSin[c\*x]))/5 + (3\*d^2\*e\*x^7\*(a + b\*ArcSin[c\*x]))/7 + (d\*e^2\*x^9\*(a + b\*ArcSin[c\*x]))/3 + (e^3\*x^11\*(a + b\*ArcSin[c\*x]))/11

**Rubi [A]** time = 0.434835, antiderivative size = 341, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {270, 4731, 12, 1799, 1620}

$$\frac{3}{7}d^2ex^7(a + b \sin^{-1}(cx)) + \frac{1}{5}d^3x^5(a + b \sin^{-1}(cx)) + \frac{1}{3}de^2x^9(a + b \sin^{-1}(cx)) + \frac{1}{11}e^3x^{11}(a + b \sin^{-1}(cx)) - \frac{be(1 - c^2x^2)}{11}$$

Antiderivative was successfully verified.

[In] Int[x^4\*(d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*(231\*c^6\*d^3 + 495\*c^4\*d^2\*e + 385\*c^2\*d\*e^2 + 105\*e^3)\*Sqrt[1 - c^2\*x^2])/((1155\*c^11) - (b\*(462\*c^6\*d^3 + 1485\*c^4\*d^2\*e + 1540\*c^2\*d\*e^2 + 525\*e^3)\*(1 - c^2\*x^2)^(3/2))/(3465\*c^11) + (b\*(77\*c^6\*d^3 + 495\*c^4\*d^2\*e + 770\*c^2\*d\*e^2 + 350\*e^3)\*(1 - c^2\*x^2)^(5/2))/(1925\*c^11) - (b\*e\*(99\*c^4\*d^2 + 308\*c^2\*d\*e + 210\*e^2)\*(1 - c^2\*x^2)^(7/2))/(1617\*c^11) + (b\*e^2\*(11\*c^2\*d + 15\*e)\*(1 - c^2\*x^2)^(9/2))/(297\*c^11) - (b\*e^3\*(1 - c^2\*x^2)^(11/2))/(121\*c^11) + (d^3\*x^5\*(a + b\*ArcSin[c\*x]))/5 + (3\*d^2\*e\*x^7\*(a + b\*ArcSin[c\*x]))/7 + (d\*e^2\*x^9\*(a + b\*ArcSin[c\*x]))/3 + (e^3\*x^11\*(a + b\*ArcSin[c\*x]))/11

#### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&

IGtQ[p, 0]

### Rule 4731

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 1799

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x)^p, x], x, x^2], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]
```

### Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

### Rubi steps

$$\begin{aligned}
\int x^4 (d + ex^2)^3 (a + b \sin^{-1}(cx)) dx &= \frac{1}{5}d^3x^5 (a + b \sin^{-1}(cx)) + \frac{3}{7}d^2ex^7 (a + b \sin^{-1}(cx)) + \frac{1}{3}de^2x^9 (a + b \sin^{-1}(cx)) + \frac{1}{1155c^{11}} \\
&= \frac{1}{5}d^3x^5 (a + b \sin^{-1}(cx)) + \frac{3}{7}d^2ex^7 (a + b \sin^{-1}(cx)) + \frac{1}{3}de^2x^9 (a + b \sin^{-1}(cx)) + \frac{1}{1155c^{11}} \\
&= \frac{1}{5}d^3x^5 (a + b \sin^{-1}(cx)) + \frac{3}{7}d^2ex^7 (a + b \sin^{-1}(cx)) + \frac{1}{3}de^2x^9 (a + b \sin^{-1}(cx)) + \frac{1}{1155c^{11}} \\
&= \frac{1}{5}d^3x^5 (a + b \sin^{-1}(cx)) + \frac{3}{7}d^2ex^7 (a + b \sin^{-1}(cx)) + \frac{1}{3}de^2x^9 (a + b \sin^{-1}(cx)) + \frac{1}{1155c^{11}} \\
&= \frac{b(231c^6d^3 + 495c^4d^2e + 385c^2de^2 + 105e^3)\sqrt{1-c^2x^2}}{1155c^{11}} - \frac{b(462c^6d^3 + 1485c^4d^2e + 105e^3)}{1155c^{11}}
\end{aligned}$$

**Mathematica [A]** time = 0.261638, size = 271, normalized size = 0.79

$$\frac{3465ax^5(495d^2ex^2 + 231d^3 + 385de^2x^4 + 105e^3x^6) + \frac{b\sqrt{1-c^2x^2}(c^{10}x^4(245025d^2ex^2 + 160083d^3 + 148225de^2x^4 + 33075e^3x^6) + 2c^8(147015d^2ex^4 + 84700d^2e^2x^6 + 18375e^3x^8))}{c^{11}}}{4002075}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*(d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] (3465\*a\*x^5\*(231\*d^3 + 495\*d^2\*e\*x^2 + 385\*d\*e^2\*x^4 + 105\*e^3\*x^6) + (b\*Sqrt[1 - c^2\*x^2]\*(134400\*e^3 + 4480\*c^2\*e^2\*(121\*d + 15\*e\*x^2) + 80\*c^4\*e\*(9801\*d^2 + 3388\*d\*e\*x^2 + 630\*e^2\*x^4) + 24\*c^6\*(17787\*d^3 + 16335\*d^2\*e\*x^2 + 8470\*d\*e^2\*x^4 + 1750\*e^3\*x^6) + c^10\*x^4\*(160083\*d^3 + 245025\*d^2\*e\*x^2 + 148225\*d\*e^2\*x^4 + 33075\*e^3\*x^6) + 2\*c^8\*(106722\*d^3\*x^2 + 147015\*d^2\*e\*x^4 + 84700\*d\*e^2\*x^6 + 18375\*e^3\*x^8)))/c^11 + 3465\*b\*x^5\*(231\*d^3 + 495\*d^2\*e\*x^2 + 385\*d\*e^2\*x^4 + 105\*e^3\*x^6)\*ArcSin[c\*x])/4002075

**Maple [A]** time = 0.016, size = 497, normalized size = 1.5

$$\frac{1}{c^5} \left( \frac{a}{c^6} \left( \frac{e^3 c^{11} x^{11}}{11} + \frac{c^{11} d e^2 x^9}{3} + \frac{3 c^{11} d^2 e x^7}{7} + \frac{c^{11} x^5 d^3}{5} \right) + \frac{b}{c^6} \left( \frac{\arcsin(cx) e^3 c^{11} x^{11}}{11} + \frac{\arcsin(cx) c^{11} d e^2 x^9}{3} + \frac{3 \arcsin(cx) c^{11} d^2 e x^7}{7} + \frac{3 \arcsin(cx) c^{11} x^5 d^3}{5} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(e\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x)

[Out]  $\frac{1}{c^5} \left( \frac{a}{c^6} \left( \frac{1}{11} e^3 c^{11} x^{11} + \frac{1}{3} c^{11} d e^2 x^9 + \frac{3}{7} c^{11} d^2 e x^7 + \frac{1}{5} c^{11} d^3 x^5 + \frac{1}{75} \left( 15 x^5 \arcsin(cx) + \left( \frac{3 \sqrt{-c^2 x^2 + 1} x^4}{c^2} + \frac{4 \sqrt{-c^2 x^2 + 1} x^2}{c^4} + \frac{8 \sqrt{-c^2 x^2 + 1}}{c^6} \right) \right) \right) + \frac{b}{c^6} \left( \frac{1}{11} \arcsin(cx) e^3 c^{11} x^{11} + \frac{1}{3} \arcsin(cx) c^{11} d e^2 x^9 + \frac{3}{7} \arcsin(cx) c^{11} d^2 e x^7 + \frac{1}{5} \arcsin(cx) c^{11} d^3 x^5 - \frac{1}{11} e^3 \left( -\frac{1}{11} c^{10} x^{10} (-c^2 x^2 + 1)^{1/2} - \frac{10}{99} c^8 x^8 (-c^2 x^2 + 1)^{1/2} - \frac{80}{693} c^6 x^6 (-c^2 x^2 + 1)^{1/2} - \frac{32}{231} c^4 x^4 (-c^2 x^2 + 1)^{1/2} - \frac{128}{693} c^2 x^2 (-c^2 x^2 + 1)^{1/2} - \frac{256}{693} (-c^2 x^2 + 1)^{1/2} \right) - \frac{1}{3} c^2 d e^2 \left( -\frac{1}{9} c^8 x^8 (-c^2 x^2 + 1)^{1/2} - \frac{8}{63} c^6 x^6 (-c^2 x^2 + 1)^{1/2} - \frac{16}{105} c^4 x^4 (-c^2 x^2 + 1)^{1/2} - \frac{64}{315} c^2 x^2 (-c^2 x^2 + 1)^{1/2} - \frac{128}{315} (-c^2 x^2 + 1)^{1/2} \right) - \frac{3}{7} c^4 d^2 e \left( -\frac{1}{7} c^6 x^6 (-c^2 x^2 + 1)^{1/2} - \frac{6}{35} c^4 x^4 (-c^2 x^2 + 1)^{1/2} - \frac{8}{35} c^2 x^2 (-c^2 x^2 + 1)^{1/2} - \frac{16}{35} (-c^2 x^2 + 1)^{1/2} \right) - \frac{1}{5} d^3 c^6 \left( -\frac{1}{5} c^4 x^4 (-c^2 x^2 + 1)^{1/2} - \frac{4}{15} c^2 x^2 (-c^2 x^2 + 1)^{1/2} - \frac{8}{15} (-c^2 x^2 + 1)^{1/2} \right) \right)$

**Maxima [A]** time = 1.49536, size = 628, normalized size = 1.84

$$\frac{1}{11} a e^3 x^{11} + \frac{1}{3} a d e^2 x^9 + \frac{3}{7} a d^2 e x^7 + \frac{1}{5} a d^3 x^5 + \frac{1}{75} \left( 15 x^5 \arcsin(cx) + \left( \frac{3 \sqrt{-c^2 x^2 + 1} x^4}{c^2} + \frac{4 \sqrt{-c^2 x^2 + 1} x^2}{c^4} + \frac{8 \sqrt{-c^2 x^2 + 1}}{c^6} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out]  $\frac{1}{11} a e^3 x^{11} + \frac{1}{3} a d e^2 x^9 + \frac{3}{7} a d^2 e x^7 + \frac{1}{5} a d^3 x^5 + \frac{1}{75} \left( 15 x^5 \arcsin(cx) + \left( 3 \sqrt{-c^2 x^2 + 1} x^4 / c^2 + 4 \sqrt{-c^2 x^2 + 1} x^2 / c^4 + 8 \sqrt{-c^2 x^2 + 1} / c^6 \right) c \right) b d^3 + \frac{3}{245} \left( 35 x^7 \arcsin(cx) + \left( 5 \sqrt{-c^2 x^2 + 1} x^6 / c^2 + 6 \sqrt{-c^2 x^2 + 1} x^4 / c^4 + 8 \sqrt{-c^2 x^2 + 1} x^2 / c^6 + 16 \sqrt{-c^2 x^2 + 1} / c^8 \right) c \right) b d^2 e + \frac{1}{945} \left( 315 x^9 \arcsin(cx) + \left( 35 \sqrt{-c^2 x^2 + 1} x^8 / c^2 + 40 \sqrt{-c^2 x^2 + 1} x^6 / c^4 + 48 \sqrt{-c^2 x^2 + 1} x^4 / c^6 + 64 \sqrt{-c^2 x^2 + 1} x^2 / c^8 + 128 \sqrt{-c^2 x^2 + 1} / c^{10} \right) c \right) b d e^2 + \frac{1}{7623} \left( 693 x^{11} \arcsin(cx) + \left( 63 \sqrt{-c^2 x^2 + 1} x^{10} / c^2 + 70 \sqrt{-c^2 x^2 + 1} x^8 / c^4 + 80 \sqrt{-c^2 x^2 + 1} x^6 / c^6 + 96 \sqrt{-c^2 x^2 + 1} x^4 / c^8 + 128 \sqrt{-c^2 x^2 + 1} x^2 / c^{10} + 256 \sqrt{-c^2 x^2 + 1} / c^{12} \right) c \right) b e^3$

**Fricas [A]** time = 2.06498, size = 846, normalized size = 2.48

$$363825 a c^{11} e^3 x^{11} + 1334025 a c^{11} d e^2 x^9 + 1715175 a c^{11} d^2 e x^7 + 800415 a c^{11} d^3 x^5 + 3465 \left( 105 b c^{11} e^3 x^{11} + 385 b c^{11} d e^2 x^9 - \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(e*x^2+d)^3*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] 1/4002075*(363825*a*c^11*e^3*x^11 + 1334025*a*c^11*d*e^2*x^9 + 1715175*a*c^11*d^2*e*x^7 + 800415*a*c^11*d^3*x^5 + 3465*(105*b*c^11*e^3*x^11 + 385*b*c^11*d*e^2*x^9 + 495*b*c^11*d^2*e*x^7 + 231*b*c^11*d^3*x^5)*arcsin(c*x) + (33075*b*c^10*e^3*x^10 + 426888*b*c^6*d^3 + 1225*(121*b*c^10*d*e^2 + 30*b*c^8*e^3)*x^8 + 784080*b*c^4*d^2*e + 25*(9801*b*c^10*d^2*e + 6776*b*c^8*d*e^2 + 1680*b*c^6*e^3)*x^6 + 542080*b*c^2*d*e^2 + 3*(53361*b*c^10*d^3 + 98010*b*c^8*d^2*e + 67760*b*c^6*d*e^2 + 16800*b*c^4*e^3)*x^4 + 134400*b*e^3 + 4*(53361*b*c^8*d^3 + 98010*b*c^6*d^2*e + 67760*b*c^4*d*e^2 + 16800*b*c^2*e^3)*x^2)*sqrt(-c^2*x^2 + 1))/c^11
```

---

**Sympy [A]** time = 65.6259, size = 631, normalized size = 1.85

$$\left\{ \begin{array}{l} \frac{ad^3x^5}{5} + \frac{3ad^2ex^7}{7} + \frac{ade^2x^9}{3} + \frac{ae^3x^{11}}{11} + \frac{bd^3x^5 \operatorname{asin}(cx)}{5} + \frac{3bd^2ex^7 \operatorname{asin}(cx)}{7} + \frac{bde^2x^9 \operatorname{asin}(cx)}{3} + \frac{be^3x^{11} \operatorname{asin}(cx)}{11} + \frac{bd^3x^4\sqrt{-c^2x^2+1}}{25c} + \frac{3bd^2ex^6\sqrt{-c^2x^2+1}}{49c} \\ a \left( \frac{d^3x^5}{5} + \frac{3d^2ex^7}{7} + \frac{de^2x^9}{3} + \frac{e^3x^{11}}{11} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(e*x**2+d)**3*(a+b*asin(c*x)),x)
```

```
[Out] Piecewise((a*d**3*x**5/5 + 3*a*d**2*e*x**7/7 + a*d*e**2*x**9/3 + a*e**3*x**11/11 + b*d**3*x**5*asin(c*x)/5 + 3*b*d**2*e*x**7*asin(c*x)/7 + b*d*e**2*x**9*asin(c*x)/3 + b*e**3*x**11*asin(c*x)/11 + b*d**3*x**4*sqrt(-c**2*x**2 + 1)/(25*c) + 3*b*d**2*e*x**6*sqrt(-c**2*x**2 + 1)/(49*c) + b*d*e**2*x**8*sqrt(-c**2*x**2 + 1)/(27*c) + b*e**3*x**10*sqrt(-c**2*x**2 + 1)/(121*c) + 4*b*d**3*x**2*sqrt(-c**2*x**2 + 1)/(75*c**3) + 18*b*d**2*e*x**4*sqrt(-c**2*x**2 + 1)/(245*c**3) + 8*b*d*e**2*x**6*sqrt(-c**2*x**2 + 1)/(189*c**3) + 10*b*e**3*x**8*sqrt(-c**2*x**2 + 1)/(1089*c**3) + 8*b*d**3*sqrt(-c**2*x**2 + 1)/(75*c**5) + 24*b*d**2*e*x**2*sqrt(-c**2*x**2 + 1)/(245*c**5) + 16*b*d*e**2*x**4*sqrt(-c**2*x**2 + 1)/(315*c**5) + 80*b*e**3*x**6*sqrt(-c**2*x**2 + 1)/(7623*c**5) + 48*b*d**2*e*sqrt(-c**2*x**2 + 1)/(245*c**7) + 64*b*d*e**2*x**2*sqrt(-c**2*x**2 + 1)/(945*c**7) + 32*b*e**3*x**4*sqrt(-c**2*x**2 + 1)/(2541*c**7) + 128*b*d*e**2*sqrt(-c**2*x**2 + 1)/(945*c**9) + 128*b*e**3*x**2*sqrt(-c**2*x**2 + 1)/(7623*c**9) + 256*b*e**3*sqrt(-c**2*x**2 + 1)/(7623*c**11), Ne(c, 0)), (a*(d**3*x**5/5 + 3*d**2*e*x**7/7 + d*e**2*x**9/3 + e**3*x**11/11), True))
```



---

**Giac [B]** time = 1.36202, size = 1253, normalized size = 3.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] 
$$\begin{aligned} & 1/11*a*x^{11}*e^3 + 1/3*a*d*x^9*e^2 + 3/7*a*d^2*x^7*e + 1/5*a*d^3*x^5 + 1/5*( \\ & c^2*x^2 - 1)^2*b*d^3*x*arcsin(c*x)/c^4 + 2/5*(c^2*x^2 - 1)*b*d^3*x*arcsin(c \\ & *x)/c^4 + 3/7*(c^2*x^2 - 1)^3*b*d^2*x*arcsin(c*x)*e/c^6 + 1/5*b*d^3*x*arcsi \\ & n(c*x)/c^4 + 9/7*(c^2*x^2 - 1)^2*b*d^2*x*arcsin(c*x)*e/c^6 + 1/25*(c^2*x^2 \\ & - 1)^2*sqrt(-c^2*x^2 + 1)*b*d^3/c^5 + 1/3*(c^2*x^2 - 1)^4*b*d*x*arcsin(c*x) \\ & *e^2/c^8 + 9/7*(c^2*x^2 - 1)*b*d^2*x*arcsin(c*x)*e/c^6 - 2/15*(-c^2*x^2 + 1 \\ & )^{(3/2)}*b*d^3/c^5 + 3/49*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b*d^2*e/c^7 + 4 \\ & /3*(c^2*x^2 - 1)^3*b*d*x*arcsin(c*x)*e^2/c^8 + 3/7*b*d^2*x*arcsin(c*x)*e/c^ \\ & 6 + 1/5*sqrt(-c^2*x^2 + 1)*b*d^3/c^5 + 9/35*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + \\ & 1)*b*d^2*e/c^7 + 1/11*(c^2*x^2 - 1)^5*b*x*arcsin(c*x)*e^3/c^10 + 2*(c^2*x^ \\ & 2 - 1)^2*b*d*x*arcsin(c*x)*e^2/c^8 + 1/27*(c^2*x^2 - 1)^4*sqrt(-c^2*x^2 + 1 \\ & )*b*d*e^2/c^9 - 3/7*(-c^2*x^2 + 1)^{(3/2)}*b*d^2*e/c^7 + 5/11*(c^2*x^2 - 1)^4 \\ & *b*x*arcsin(c*x)*e^3/c^10 + 4/3*(c^2*x^2 - 1)*b*d*x*arcsin(c*x)*e^2/c^8 + 4 \\ & /21*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b*d*e^2/c^9 + 3/7*sqrt(-c^2*x^2 + 1) \\ & *b*d^2*e/c^7 + 10/11*(c^2*x^2 - 1)^3*b*x*arcsin(c*x)*e^3/c^10 + 1/3*b*d*x*a \\ & rcsin(c*x)*e^2/c^8 + 1/121*(c^2*x^2 - 1)^5*sqrt(-c^2*x^2 + 1)*b*e^3/c^11 + \\ & 2/5*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b*d*e^2/c^9 + 10/11*(c^2*x^2 - 1)^2* \\ & b*x*arcsin(c*x)*e^3/c^10 + 5/99*(c^2*x^2 - 1)^4*sqrt(-c^2*x^2 + 1)*b*e^3/c^ \\ & 11 - 4/9*(-c^2*x^2 + 1)^{(3/2)}*b*d*e^2/c^9 + 5/11*(c^2*x^2 - 1)*b*x*arcsin(c \\ & *x)*e^3/c^10 + 10/77*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b*e^3/c^11 + 1/3*sq \\ & rt(-c^2*x^2 + 1)*b*d*e^2/c^9 + 1/11*b*x*arcsin(c*x)*e^3/c^10 + 2/11*(c^2*x^ \\ & 2 - 1)^2*sqrt(-c^2*x^2 + 1)*b*e^3/c^11 - 5/33*(-c^2*x^2 + 1)^{(3/2)}*b*e^3/c^ \\ & 11 + 1/11*sqrt(-c^2*x^2 + 1)*b*e^3/c^11 \end{aligned}$$

### 3.615 $\int x^3 (d + ex^2)^3 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=380

$$\frac{(d + ex^2)^5 (a + b \sin^{-1}(cx))}{10e^2} - \frac{d(d + ex^2)^4 (a + b \sin^{-1}(cx))}{8e^2} + \frac{bx\sqrt{1 - c^2x^2} (26c^4d^2 + 201c^2de + 126e^2) (d + ex^2)^2}{9600c^5e} - \frac{bx\sqrt{1 - c^2x^2} (26c^4d^2 + 201c^2de + 126e^2) (d + ex^2)}{9600c^5e}$$

```
[Out] -(b*(1232*c^8*d^4 - 2536*c^6*d^3*e - 7758*c^4*d^2*e^2 - 6615*c^2*d*e^3 - 1890*e^4)*x*Sqrt[1 - c^2*x^2])/(76800*c^9*e) - (b*(136*c^6*d^3 - 1096*c^4*d^2*e - 1617*c^2*d*e^2 - 630*e^3)*x*Sqrt[1 - c^2*x^2]*(d + e*x^2))/(38400*c^7*e) + (b*(26*c^4*d^2 + 201*c^2*d*e + 126*e^2)*x*Sqrt[1 - c^2*x^2]*(d + e*x^2)^2)/(9600*c^5*e) + (b*(11*c^2*d + 18*e)*x*Sqrt[1 - c^2*x^2]*(d + e*x^2)^3)/(1600*c^3*e) + (b*x*Sqrt[1 - c^2*x^2]*(d + e*x^2)^4)/(100*c*e) + (b*(128*c^10*d^5 - 480*c^6*d^3*e^2 - 800*c^4*d^2*e^3 - 525*c^2*d*e^4 - 126*e^5)*ArcSin[c*x])/(5120*c^10*e^2) - (d*(d + e*x^2)^4*(a + b*ArcSin[c*x]))/(8*e^2) + ((d + e*x^2)^5*(a + b*ArcSin[c*x]))/(10*e^2)
```

**Rubi [A]** time = 0.508353, antiderivative size = 380, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {266, 43, 4731, 12, 528, 388, 216}

$$\frac{(d + ex^2)^5 (a + b \sin^{-1}(cx))}{10e^2} - \frac{d(d + ex^2)^4 (a + b \sin^{-1}(cx))}{8e^2} + \frac{bx\sqrt{1 - c^2x^2} (26c^4d^2 + 201c^2de + 126e^2) (d + ex^2)^2}{9600c^5e} - \frac{bx\sqrt{1 - c^2x^2} (26c^4d^2 + 201c^2de + 126e^2) (d + ex^2)}{9600c^5e}$$

Antiderivative was successfully verified.

```
[In] Int[x^3*(d + e*x^2)^3*(a + b*ArcSin[c*x]),x]
```

```
[Out] -(b*(1232*c^8*d^4 - 2536*c^6*d^3*e - 7758*c^4*d^2*e^2 - 6615*c^2*d*e^3 - 1890*e^4)*x*Sqrt[1 - c^2*x^2])/(76800*c^9*e) - (b*(136*c^6*d^3 - 1096*c^4*d^2*e - 1617*c^2*d*e^2 - 630*e^3)*x*Sqrt[1 - c^2*x^2]*(d + e*x^2))/(38400*c^7*e) + (b*(26*c^4*d^2 + 201*c^2*d*e + 126*e^2)*x*Sqrt[1 - c^2*x^2]*(d + e*x^2)^2)/(9600*c^5*e) + (b*(11*c^2*d + 18*e)*x*Sqrt[1 - c^2*x^2]*(d + e*x^2)^3)/(1600*c^3*e) + (b*x*Sqrt[1 - c^2*x^2]*(d + e*x^2)^4)/(100*c*e) + (b*(128*c^10*d^5 - 480*c^6*d^3*e^2 - 800*c^4*d^2*e^3 - 525*c^2*d*e^4 - 126*e^5)*ArcSin[c*x])/(5120*c^10*e^2) - (d*(d + e*x^2)^4*(a + b*ArcSin[c*x]))/(8*e^2) + ((d + e*x^2)^5*(a + b*ArcSin[c*x]))/(10*e^2)
```

#### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
```

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 528

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.)\*((e\_) + (f\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(f\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q)/(b\*(n\*(p + q + 1) + 1)), x] + Dist[1/(b\*(n\*(p + q + 1) + 1)), Int[(a + b\*x^n)^p\*(c + d\*x^n)^(q - 1)\*Simp[c\*(b\*e - a\*f + b\*e\*n\*(p + q + 1)) + (d\*(b\*e - a\*f) + f\*n\*q\*(b\*c - a\*d) + b\*d\*e\*n\*(p + q + 1))\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[q, 0] && NeQ[n\*(p + q + 1) + 1, 0]

### Rule 388

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*x\*(a + b\*x^n)^(p + 1))/(b\*(n\*(p + 1) + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(b\*(n\*(p + 1) + 1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps



---

**Maple [A]** time = 0.006, size = 449, normalized size = 1.2

$$\frac{1}{c^4} \left( \frac{a}{c^6} \left( \frac{e^3 c^{10} x^{10}}{10} + \frac{3 c^{10} d e^2 x^8}{8} + \frac{c^{10} d^2 e x^6}{2} + \frac{x^4 c^{10} d^3}{4} \right) + \frac{b}{c^6} \left( \frac{\arcsin(cx) e^3 c^{10} x^{10}}{10} + \frac{3 \arcsin(cx) c^{10} d e^2 x^8}{8} + \frac{\arcsin(cx)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(e*x^2+d)^3*(a+b*arcsin(c*x)),x)`

[Out]  $\frac{1}{c^4} \left( \frac{a}{c^6} \left( \frac{1}{10} e^3 c^{10} x^{10} + \frac{3}{8} c^{10} d e^2 x^8 + \frac{1}{2} c^{10} d^2 e x^6 + \frac{1}{4} c^{10} d^3 x^4 \right) + \frac{b}{c^6} \left( \frac{1}{10} \arcsin(cx) e^3 c^{10} x^{10} + \frac{3}{8} \arcsin(cx) c^{10} d e^2 x^8 + \frac{1}{2} \arcsin(cx) c^{10} d^2 e x^6 + \frac{1}{4} \arcsin(cx) c^{10} d^3 x^4 - \frac{1}{10} e^3 (-1/10 c^9 x^9 (-c^2 x^2 + 1)^{1/2} - 9/80 c^7 x^7 (-c^2 x^2 + 1)^{1/2} - 21/160 c^5 x^5 (-c^2 x^2 + 1)^{1/2} - 21/128 c^3 x^3 (-c^2 x^2 + 1)^{1/2} - 63/256 c x (-c^2 x^2 + 1)^{1/2} + 63/256 \arcsin(cx)) - \frac{3}{8} c^2 d e^2 (-1/8 c^7 x^7 (-c^2 x^2 + 1)^{1/2} - 7/48 c^5 x^5 (-c^2 x^2 + 1)^{1/2} - 35/192 c^3 x^3 (-c^2 x^2 + 1)^{1/2} - 35/128 c x (-c^2 x^2 + 1)^{1/2} + 35/128 \arcsin(cx)) - \frac{1}{2} c^4 d^2 e (-1/6 c^5 x^5 (-c^2 x^2 + 1)^{1/2} - 5/24 c^3 x^3 (-c^2 x^2 + 1)^{1/2} - 5/16 c x (-c^2 x^2 + 1)^{1/2} + 5/16 \arcsin(cx)) - \frac{1}{4} d^3 c^6 (-1/4 c^3 x^3 (-c^2 x^2 + 1)^{1/2} - 3/8 c x (-c^2 x^2 + 1)^{1/2} + 3/8 \arcsin(cx)) \right)$

---

**Maxima [A]** time = 1.48915, size = 639, normalized size = 1.68

$$\frac{1}{10} a e^3 x^{10} + \frac{3}{8} a d e^2 x^8 + \frac{1}{2} a d^2 e x^6 + \frac{1}{4} a d^3 x^4 + \frac{1}{32} \left( 8 x^4 \arcsin(cx) + \left( \frac{2 \sqrt{-c^2 x^2 + 1} x^3}{c^2} + \frac{3 \sqrt{-c^2 x^2 + 1} x}{c^4} - \frac{3 \arcsin\left(\frac{c^2}{\sqrt{c^2 x^2 + 1}}\right)}{\sqrt{c^2} c^4} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)^3*(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out]  $\frac{1}{10} a e^3 x^{10} + \frac{3}{8} a d e^2 x^8 + \frac{1}{2} a d^2 e x^6 + \frac{1}{4} a d^3 x^4 + \frac{1}{32} \left( 8 x^4 \arcsin(cx) + (2 \sqrt{-c^2 x^2 + 1} x^3 / c^2 + 3 \sqrt{-c^2 x^2 + 1} x / c^4 - 3 \arcsin(c^2 x / \sqrt{c^2 x^2 + 1}) / (\sqrt{c^2} c^4)) c \right) b d^3 + \frac{1}{96} (48 x^6 a \arcsin(cx) + (8 \sqrt{-c^2 x^2 + 1} x^5 / c^2 + 10 \sqrt{-c^2 x^2 + 1} x^3 / c^4 + 15 \sqrt{-c^2 x^2 + 1} x / c^6 - 15 \arcsin(c^2 x / \sqrt{c^2 x^2 + 1}) / (\sqrt{c^2} c^6)) c) b d^2 e + \frac{1}{1024} (384 x^8 a \arcsin(cx) + (48 \sqrt{-c^2 x^2 + 1} x^7 / c^2 + 56 \sqrt{-c^2 x^2 + 1} x^5 / c^4 + 70 \sqrt{-c^2 x^2 + 1} x^3 / c^6 + 105 \sqrt{-c^2 x^2 + 1} x / c^8 - 105 \arcsin(c^2 x / \sqrt{c^2 x^2 + 1}) / (\sqrt{c^2} c^8)) c) b d e^2 + \frac{1}{12800} (1280 x^{10} a \arcsin(cx) + (128 \sqrt{-c^2 x^2 + 1} x^9 / c^2 + 144$

$$\sqrt{-c^2x^2 + 1}x^7/c^4 + 168\sqrt{-c^2x^2 + 1}x^5/c^6 + 210\sqrt{-c^2x^2 + 1}x^3/c^8 + 315\sqrt{-c^2x^2 + 1}x/c^{10} - 315\arcsin(c^2x/\sqrt{c^2 - x^2})/(\sqrt{c^2}c^{10})c) * b * e^3$$

**Fricas [A]** time = 2.21083, size = 776, normalized size = 2.04

$$7680ac^{10}e^3x^{10} + 28800ac^{10}de^2x^8 + 38400ac^{10}d^2ex^6 + 19200ac^{10}d^3x^4 + 15(512bc^{10}e^3x^{10} + 1920bc^{10}de^2x^8 + 2560bc^{10}d^2ex^6 + 1280bc^{10}d^3x^4 - 480bc^6d^3 - 800bc^4d^2e - 525bc^2de^2 - 126b^2e^3)\arcsin(cx) + (768bc^9e^3x^9 + 144(25bc^9de^2 + 6bc^7e^3)x^7 + 8(800bc^9d^2e + 525bc^7d^2e^2 + 126bc^5e^3)x^5 + 10(480bc^9d^3 + 800bc^7d^2e + 525bc^5de^2 + 126bc^3e^3)x^3 + 15(480bc^7d^3 + 800bc^5d^2e + 525bc^3de^2 + 126bc^2e^3)x)\sqrt{-c^2x^2 + 1})/c^{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] 1/76800\*(7680\*a\*c^10\*e^3\*x^10 + 28800\*a\*c^10\*d\*e^2\*x^8 + 38400\*a\*c^10\*d^2\*e\*x^6 + 19200\*a\*c^10\*d^3\*x^4 + 15\*(512\*b\*c^10\*e^3\*x^10 + 1920\*b\*c^10\*d\*e^2\*x^8 + 2560\*b\*c^10\*d^2\*e\*x^6 + 1280\*b\*c^10\*d^3\*x^4 - 480\*b\*c^6\*d^3 - 800\*b\*c^4\*d^2\*e - 525\*b\*c^2\*d\*e^2 - 126\*b^2\*e^3)\*arcsin(c\*x) + (768\*b\*c^9\*e^3\*x^9 + 144\*(25\*b\*c^9\*d\*e^2 + 6\*b\*c^7\*e^3)\*x^7 + 8\*(800\*b\*c^9\*d^2\*e + 525\*b\*c^7\*d^2\*e^2 + 126\*b\*c^5\*e^3)\*x^5 + 10\*(480\*b\*c^9\*d^3 + 800\*b\*c^7\*d^2\*e + 525\*b\*c^5\*d\*e^2 + 126\*b\*c^3\*e^3)\*x^3 + 15\*(480\*b\*c^7\*d^3 + 800\*b\*c^5\*d^2\*e + 525\*b\*c^3\*d\*e^2 + 126\*b\*c^2\*e^3)\*x)\*sqrt(-c^2\*x^2 + 1))/c^10

**Sympy [A]** time = 46.39, size = 597, normalized size = 1.57

$$\left\{ \begin{array}{l} \frac{ad^3x^4}{4} + \frac{ad^2ex^6}{2} + \frac{3ade^2x^8}{8} + \frac{ae^3x^{10}}{10} + \frac{bd^3x^4 \operatorname{asin}(cx)}{4} + \frac{bd^2ex^6 \operatorname{asin}(cx)}{2} + \frac{3bde^2x^8 \operatorname{asin}(cx)}{8} + \frac{be^3x^{10} \operatorname{asin}(cx)}{10} + \frac{bd^3x^3\sqrt{-c^2x^2+1}}{16c} + \frac{bd^2ex^5\sqrt{-c^2x^2+1}}{12c} \\ a \left( \frac{d^3x^4}{4} + \frac{d^2ex^6}{2} + \frac{3de^2x^8}{8} + \frac{e^3x^{10}}{10} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(e\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*d\*\*3\*x\*\*4/4 + a\*d\*\*2\*e\*x\*\*6/2 + 3\*a\*d\*e\*\*2\*x\*\*8/8 + a\*e\*\*3\*x\*\*10/10 + b\*d\*\*3\*x\*\*4\*asin(c\*x)/4 + b\*d\*\*2\*e\*x\*\*6\*asin(c\*x)/2 + 3\*b\*d\*e\*\*2\*x\*\*8\*asin(c\*x)/8 + b\*e\*\*3\*x\*\*10\*asin(c\*x)/10 + b\*d\*\*3\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/(16\*c) + b\*d\*\*2\*e\*x\*\*5\*sqrt(-c\*\*2\*x\*\*2 + 1)/(12\*c) + 3\*b\*d\*e\*\*2\*x\*\*7\*sqrt(-c\*\*2\*x\*\*2 + 1)/(64\*c) + b\*e\*\*3\*x\*\*9\*sqrt(-c\*\*2\*x\*\*2 + 1)/(100\*c) + 3\*b\*d\*\*3\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/(32\*c\*\*3) + 5\*b\*d\*\*2\*e\*x\*\*5\*sqrt(-c\*\*2\*x\*\*2 + 1)/(48\*c\*\*3) + 7\*b\*d\*e\*\*2\*x\*\*5\*sqrt(-c\*\*2\*x\*\*2 + 1)/(128\*c\*\*3) + 9\*b\*e\*\*3\*x\*\*10/10), (0))

```

7*sqrt(-c**2*x**2 + 1)/(800*c**3) - 3*b*d**3*asin(c*x)/(32*c**4) + 5*b*d**2
*e*x*sqrt(-c**2*x**2 + 1)/(32*c**5) + 35*b*d*e**2*x**3*sqrt(-c**2*x**2 + 1)
/(512*c**5) + 21*b*e**3*x**5*sqrt(-c**2*x**2 + 1)/(1600*c**5) - 5*b*d**2*e
*asin(c*x)/(32*c**6) + 105*b*d*e**2*x*sqrt(-c**2*x**2 + 1)/(1024*c**7) + 21*
b*e**3*x**3*sqrt(-c**2*x**2 + 1)/(1280*c**7) - 105*b*d*e**2*asin(c*x)/(1024
*c**8) + 63*b*e**3*x*sqrt(-c**2*x**2 + 1)/(2560*c**9) - 63*b*e**3*asin(c*x)
/(2560*c**10), Ne(c, 0)), (a*(d**3*x**4/4 + d**2*e*x**6/2 + 3*d*e**2*x**8/8
+ e**3*x**10/10), True))

```

**Giac [B]** time = 1.32868, size = 1386, normalized size = 3.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(e*x^2+d)^3*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```

[Out] -1/16*(-c^2*x^2 + 1)^(3/2)*b*d^3*x/c^3 + 1/4*(c^2*x^2 - 1)^2*b*d^3*arcsin(c
*x)/c^4 + 5/32*sqrt(-c^2*x^2 + 1)*b*d^3*x/c^3 + 1/12*(c^2*x^2 - 1)^2*sqrt(-
c^2*x^2 + 1)*b*d^2*x*e/c^5 + 1/4*(c^2*x^2 - 1)^2*a*d^3/c^4 + 1/2*(c^2*x^2 -
1)*b*d^3*arcsin(c*x)/c^4 + 1/2*(c^2*x^2 - 1)^3*b*d^2*arcsin(c*x)*e/c^6 - 1
3/48*(-c^2*x^2 + 1)^(3/2)*b*d^2*x*e/c^5 + 1/2*(c^2*x^2 - 1)*a*d^3/c^4 + 5/3
2*b*d^3*arcsin(c*x)/c^4 + 1/2*(c^2*x^2 - 1)^3*a*d^2*e/c^6 + 3/2*(c^2*x^2 -
1)^2*b*d^2*arcsin(c*x)*e/c^6 + 3/64*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b*d
*x*e^2/c^7 + 11/32*sqrt(-c^2*x^2 + 1)*b*d^2*x*e/c^5 + 3/8*(c^2*x^2 - 1)^4*b
*d*arcsin(c*x)*e^2/c^8 + 3/2*(c^2*x^2 - 1)^2*a*d^2*e/c^6 + 3/2*(c^2*x^2 - 1)
*b*d^2*arcsin(c*x)*e/c^6 + 25/128*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b*d*x
e^2/c^7 + 3/8*(c^2*x^2 - 1)^4*a*d*e^2/c^8 + 3/2*(c^2*x^2 - 1)^3*b*d*arcsin(
c*x)*e^2/c^8 + 3/2*(c^2*x^2 - 1)*a*d^2*e/c^6 + 11/32*b*d^2*arcsin(c*x)*e/c^
6 + 1/100*(c^2*x^2 - 1)^4*sqrt(-c^2*x^2 + 1)*b*x*e^3/c^9 - 163/512*(-c^2*x^
2 + 1)^(3/2)*b*d*x*e^2/c^7 + 1/10*(c^2*x^2 - 1)^5*b*arcsin(c*x)*e^3/c^10 +
3/2*(c^2*x^2 - 1)^3*a*d*e^2/c^8 + 9/4*(c^2*x^2 - 1)^2*b*d*arcsin(c*x)*e^2/c
^8 + 41/800*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b*x*e^3/c^9 + 279/1024*sqrt(
-c^2*x^2 + 1)*b*d*x*e^2/c^7 + 1/10*(c^2*x^2 - 1)^5*a*e^3/c^10 + 1/2*(c^2*x^
2 - 1)^4*b*arcsin(c*x)*e^3/c^10 + 9/4*(c^2*x^2 - 1)^2*a*d*e^2/c^8 + 3/2*(c^
2*x^2 - 1)*b*d*arcsin(c*x)*e^2/c^8 + 171/1600*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2
+ 1)*b*x*e^3/c^9 + 1/2*(c^2*x^2 - 1)^4*a*e^3/c^10 + (c^2*x^2 - 1)^3*b*arcs
in(c*x)*e^3/c^10 + 3/2*(c^2*x^2 - 1)*a*d*e^2/c^8 + 279/1024*b*d*arcsin(c*x)
*e^2/c^8 - 149/1280*(-c^2*x^2 + 1)^(3/2)*b*x*e^3/c^9 + (c^2*x^2 - 1)^3*a*e^
3/c^10 + (c^2*x^2 - 1)^2*b*arcsin(c*x)*e^3/c^10 + 193/2560*sqrt(-c^2*x^2 +
1)*b*x*e^3/c^9 + (c^2*x^2 - 1)^2*a*e^3/c^10 + 1/2*(c^2*x^2 - 1)*b*arcsin(c*
x)*e^3/c^10 + 1/2*(c^2*x^2 - 1)*a*e^3/c^10 + 193/2560*b*arcsin(c*x)*e^3/c^1

```

0



$$3.616 \quad \int x^2 (d + ex^2)^3 (a + b \sin^{-1}(cx)) dx$$

**Optimal.** Leaf size=287

$$\frac{3}{5}d^2ex^5(a + b \sin^{-1}(cx)) + \frac{1}{3}d^3x^3(a + b \sin^{-1}(cx)) + \frac{3}{7}de^2x^7(a + b \sin^{-1}(cx)) + \frac{1}{9}e^3x^9(a + b \sin^{-1}(cx)) + \frac{be(1 - c^2x^2)}{9}$$

[Out] (b\*(105\*c^6\*d^3 + 189\*c^4\*d^2\*e + 135\*c^2\*d\*e^2 + 35\*e^3)\*Sqrt[1 - c^2\*x^2])/(315\*c^9) - (b\*(105\*c^6\*d^3 + 378\*c^4\*d^2\*e + 405\*c^2\*d\*e^2 + 140\*e^3)\*(1 - c^2\*x^2)^(3/2))/(945\*c^9) + (b\*e\*(63\*c^4\*d^2 + 135\*c^2\*d\*e + 70\*e^2)\*(1 - c^2\*x^2)^(5/2))/(525\*c^9) - (b\*e^2\*(27\*c^2\*d + 28\*e)\*(1 - c^2\*x^2)^(7/2))/(441\*c^9) + (b\*e^3\*(1 - c^2\*x^2)^(9/2))/(81\*c^9) + (d^3\*x^3\*(a + b\*ArcSin[c\*x]))/3 + (3\*d^2\*e\*x^5\*(a + b\*ArcSin[c\*x]))/5 + (3\*d\*e^2\*x^7\*(a + b\*ArcSin[c\*x]))/7 + (e^3\*x^9\*(a + b\*ArcSin[c\*x]))/9

**Rubi [A]** time = 0.373168, antiderivative size = 287, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {270, 4731, 12, 1799, 1620}

$$\frac{3}{5}d^2ex^5(a + b \sin^{-1}(cx)) + \frac{1}{3}d^3x^3(a + b \sin^{-1}(cx)) + \frac{3}{7}de^2x^7(a + b \sin^{-1}(cx)) + \frac{1}{9}e^3x^9(a + b \sin^{-1}(cx)) + \frac{be(1 - c^2x^2)}{9}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*(105\*c^6\*d^3 + 189\*c^4\*d^2\*e + 135\*c^2\*d\*e^2 + 35\*e^3)\*Sqrt[1 - c^2\*x^2])/(315\*c^9) - (b\*(105\*c^6\*d^3 + 378\*c^4\*d^2\*e + 405\*c^2\*d\*e^2 + 140\*e^3)\*(1 - c^2\*x^2)^(3/2))/(945\*c^9) + (b\*e\*(63\*c^4\*d^2 + 135\*c^2\*d\*e + 70\*e^2)\*(1 - c^2\*x^2)^(5/2))/(525\*c^9) - (b\*e^2\*(27\*c^2\*d + 28\*e)\*(1 - c^2\*x^2)^(7/2))/(441\*c^9) + (b\*e^3\*(1 - c^2\*x^2)^(9/2))/(81\*c^9) + (d^3\*x^3\*(a + b\*ArcSin[c\*x]))/3 + (3\*d^2\*e\*x^5\*(a + b\*ArcSin[c\*x]))/5 + (3\*d\*e^2\*x^7\*(a + b\*ArcSin[c\*x]))/7 + (e^3\*x^9\*(a + b\*ArcSin[c\*x]))/9

### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

### Rule 4731

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

```

### Rule 12

```

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

```

### Rule 1799

```

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x)^p, x], x, x^2], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

```

### Rule 1620

```

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegerQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

```

### Rubi steps

$$\begin{aligned}
\int x^2 (d + ex^2)^3 (a + b \sin^{-1}(cx)) dx &= \frac{1}{3}d^3x^3 (a + b \sin^{-1}(cx)) + \frac{3}{5}d^2ex^5 (a + b \sin^{-1}(cx)) + \frac{3}{7}de^2x^7 (a + b \sin^{-1}(cx)) + \frac{1}{9}d^3x^3 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{3}d^3x^3 (a + b \sin^{-1}(cx)) + \frac{3}{5}d^2ex^5 (a + b \sin^{-1}(cx)) + \frac{3}{7}de^2x^7 (a + b \sin^{-1}(cx)) + \frac{1}{9}d^3x^3 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{3}d^3x^3 (a + b \sin^{-1}(cx)) + \frac{3}{5}d^2ex^5 (a + b \sin^{-1}(cx)) + \frac{3}{7}de^2x^7 (a + b \sin^{-1}(cx)) + \frac{1}{9}d^3x^3 (a + b \sin^{-1}(cx)) \\
&= \frac{1}{3}d^3x^3 (a + b \sin^{-1}(cx)) + \frac{3}{5}d^2ex^5 (a + b \sin^{-1}(cx)) + \frac{3}{7}de^2x^7 (a + b \sin^{-1}(cx)) + \frac{1}{9}d^3x^3 (a + b \sin^{-1}(cx)) \\
&= \frac{b(105c^6d^3 + 189c^4d^2e + 135c^2de^2 + 35e^3)\sqrt{1 - c^2x^2}}{315c^9} - \frac{b(105c^6d^3 + 378c^4d^2e + 4}{9}
\end{aligned}$$

**Mathematica [A]** time = 0.226405, size = 231, normalized size = 0.8

$$315ax^3(189d^2ex^2 + 105d^3 + 135de^2x^4 + 35e^3x^6) + \frac{b\sqrt{1-c^2x^2}(c^8(11907d^2ex^4+11025d^3x^2+6075de^2x^6+1225e^3x^8)+2c^6(7938d^2ex^2+11025d^3+...))}{c^9}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]), x]

[Out] (315\*a\*x^3\*(105\*d^3 + 189\*d^2\*e\*x^2 + 135\*d\*e^2\*x^4 + 35\*e^3\*x^6) + (b\*sqrt[1 - c^2\*x^2]\*(4480\*e^3 + 80\*c^2\*e^2\*(243\*d + 28\*e\*x^2) + 24\*c^4\*e\*(1323\*d^2 + 405\*d\*e\*x^2 + 70\*e^2\*x^4) + 2\*c^6\*(11025\*d^3 + 7938\*d^2\*e\*x^2 + 3645\*d\*e^2\*x^4 + 700\*e^3\*x^6) + c^8\*(11025\*d^3\*x^2 + 11907\*d^2\*e\*x^4 + 6075\*d\*e^2\*x^6 + 1225\*e^3\*x^8)))/c^9 + 315\*b\*x^3\*(105\*d^3 + 189\*d^2\*e\*x^2 + 135\*d\*e^2\*x^4 + 35\*e^3\*x^6)\*ArcSin[c\*x])/99225

**Maple [A]** time = 0.006, size = 417, normalized size = 1.5

$$\frac{1}{c^3} \left( \frac{a}{c^6} \left( \frac{e^3 c^9 x^9}{9} + \frac{3 c^9 d e^2 x^7}{7} + \frac{3 c^9 d^2 e x^5}{5} + \frac{d^3 c^9 x^3}{3} \right) + \frac{b}{c^6} \left( \frac{\arcsin(cx) e^3 c^9 x^9}{9} + \frac{3 \arcsin(cx) c^9 d e^2 x^7}{7} + \frac{3 \arcsin(cx) c^9 d^2 e x^5}{5} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(e\*x^2+d)^3\*(a+b\*arcsin(c\*x)), x)

[Out] 1/c^3\*(a/c^6\*(1/9\*e^3\*c^9\*x^9+3/7\*c^9\*d\*e^2\*x^7+3/5\*c^9\*d^2\*e\*x^5+1/3\*d^3\*c^9\*x^3)+b/c^6\*(1/9\*arcsin(c\*x)\*e^3\*c^9\*x^9+3/7\*arcsin(c\*x)\*c^9\*d\*e^2\*x^7+3/5\*arcsin(c\*x)\*c^9\*d^2\*e\*x^5+1/3\*arcsin(c\*x)\*d^3\*c^9\*x^3-1/9\*e^3\*(-1/9\*c^8\*x^8\*(-c^2\*x^2+1)^(1/2)-8/63\*c^6\*x^6\*(-c^2\*x^2+1)^(1/2)-16/105\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-64/315\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-128/315\*(-c^2\*x^2+1)^(1/2))-3/7\*c^2\*d\*e^2\*(-1/7\*c^6\*x^6\*(-c^2\*x^2+1)^(1/2)-6/35\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-8/35\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-16/35\*(-c^2\*x^2+1)^(1/2))-3/5\*c^4\*d^2\*e\*(-1/5\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-4/15\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-8/15\*(-c^2\*x^2+1)^(1/2))-1/3\*d^3\*c^6\*(-1/3\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-2/3\*(-c^2\*x^2+1)^(1/2))))

**Maxima [A]** time = 1.47401, size = 518, normalized size = 1.8

$$\frac{1}{9} a e^3 x^9 + \frac{3}{7} a d e^2 x^7 + \frac{3}{5} a d^2 e x^5 + \frac{1}{3} a d^3 x^3 + \frac{1}{9} \left( 3 x^3 \arcsin(cx) + c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2}{c^2} + \frac{2 \sqrt{-c^2 x^2 + 1}}{c^4} \right) \right) b d^3 + \frac{1}{25} \left( 15 x^5 \arcsin(cx) + c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2}{c^2} + \frac{2 \sqrt{-c^2 x^2 + 1}}{c^4} \right) \right) b d^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out]  $\frac{1}{9}a^3e^3x^9 + \frac{3}{7}ad^2e^2x^7 + \frac{3}{5}ad^2e^2x^5 + \frac{1}{3}ad^3x^3 + \frac{1}{9}(3x^3\arcsin(cx) + c(\sqrt{-c^2x^2+1})x^2/c^2 + 2\sqrt{-c^2x^2+1}/c^4) * b^3d^3 + \frac{1}{25}(15x^5\arcsin(cx) + (3\sqrt{-c^2x^2+1})x^4/c^2 + 4\sqrt{-c^2x^2+1})x^2/c^4 + 8\sqrt{-c^2x^2+1}/c^6)c * b^2d^2e + \frac{3}{245}(35x^7\arcsin(cx) + (5\sqrt{-c^2x^2+1})x^6/c^2 + 6\sqrt{-c^2x^2+1})x^4/c^4 + 8\sqrt{-c^2x^2+1})x^2/c^6 + 16\sqrt{-c^2x^2+1}/c^8)c * b^2d^2e + \frac{1}{2835}(315x^9\arcsin(cx) + (35\sqrt{-c^2x^2+1})x^8/c^2 + 40\sqrt{-c^2x^2+1})x^6/c^4 + 48\sqrt{-c^2x^2+1})x^4/c^6 + 64\sqrt{-c^2x^2+1})x^2/c^8 + 128\sqrt{-c^2x^2+1}/c^{10})c * b^2e^3$

---

**Fricas [A]** time = 2.06325, size = 679, normalized size = 2.37

$11025ac^9e^3x^9 + 42525ac^9d^2x^7 + 59535ac^9d^2ex^5 + 33075ac^9d^3x^3 + 315(35bc^9e^3x^9 + 135bc^9d^2x^7 + 189bc^9d^2ex^5 + 105bc^9d^3x^3) * \arcsin(cx) + (1225b^2c^8e^3x^8 + 22050b^2c^6d^3 + 31752b^2c^4d^2e + 25(243b^2c^8d^2e^2 + 56b^2c^6e^3))x^6 + 19440b^2c^2d^2e^2 + 3(3969b^2c^8d^2e + 2430b^2c^6d^2e^2 + 560b^2c^4e^3)x^4 + 4480b^2e^3 + (11025b^2c^8d^3 + 15876b^2c^6d^2e + 9720b^2c^4d^2e^2 + 2240b^2c^2e^3)x^2) * \sqrt{-c^2x^2+1})/c^9$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out]  $\frac{1}{99225}(11025a^3c^9e^3x^9 + 42525a^3c^9d^2e^2x^7 + 59535a^3c^9d^2e^2x^5 + 33075a^3c^9d^3x^3 + 315(35b^2c^9e^3x^9 + 135b^2c^9d^2e^2x^7 + 189b^2c^9d^2e^2x^5 + 105b^2c^9d^3x^3) * \arcsin(cx) + (1225b^2c^8e^3x^8 + 22050b^2c^6d^3 + 31752b^2c^4d^2e + 25(243b^2c^8d^2e^2 + 56b^2c^6e^3))x^6 + 19440b^2c^2d^2e^2 + 3(3969b^2c^8d^2e + 2430b^2c^6d^2e^2 + 560b^2c^4e^3)x^4 + 4480b^2e^3 + (11025b^2c^8d^3 + 15876b^2c^6d^2e + 9720b^2c^4d^2e^2 + 2240b^2c^2e^3)x^2) * \sqrt{-c^2x^2+1})/c^9$

---

**Sympy [A]** time = 24.8269, size = 525, normalized size = 1.83

$\left\{ \begin{array}{l} \frac{ad^3x^3}{3} + \frac{3ad^2ex^5}{5} + \frac{3ade^2x^7}{7} + \frac{ae^3x^9}{9} + \frac{bd^3x^3 \operatorname{asin}(cx)}{3} + \frac{3bd^2ex^5 \operatorname{asin}(cx)}{5} + \frac{3bde^2x^7 \operatorname{asin}(cx)}{7} + \frac{be^3x^9 \operatorname{asin}(cx)}{9} + \frac{bd^3x^2\sqrt{-c^2x^2+1}}{9c} + \frac{3bd^2ex^4\sqrt{-c^2x^2+1}}{25c} \\ a \left( \frac{d^3x^3}{3} + \frac{3d^2ex^5}{5} + \frac{3de^2x^7}{7} + \frac{e^3x^9}{9} \right) \end{array} \right.$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(e**x**2+d)**3*(a+b*asin(c*x)),x)
```

```
[Out] Piecewise((a*d**3*x**3/3 + 3*a*d**2*e**x**5/5 + 3*a*d*e**2*x**7/7 + a*e**3*x**9/9 + b*d**3*x**3*asin(c*x)/3 + 3*b*d**2*e**x**5*asin(c*x)/5 + 3*b*d*e**2*x**7*asin(c*x)/7 + b*e**3*x**9*asin(c*x)/9 + b*d**3*x**2*sqrt(-c**2*x**2 + 1)/(9*c) + 3*b*d**2*e**x**4*sqrt(-c**2*x**2 + 1)/(25*c) + 3*b*d*e**2*x**6*sqrt(-c**2*x**2 + 1)/(49*c) + b*e**3*x**8*sqrt(-c**2*x**2 + 1)/(81*c) + 2*b*d**3*sqrt(-c**2*x**2 + 1)/(9*c**3) + 4*b*d**2*e**x**2*sqrt(-c**2*x**2 + 1)/(25*c**3) + 18*b*d*e**2*x**4*sqrt(-c**2*x**2 + 1)/(245*c**3) + 8*b*e**3*x**6*sqrt(-c**2*x**2 + 1)/(567*c**3) + 8*b*d**2*e*sqrt(-c**2*x**2 + 1)/(25*c**5) + 24*b*d*e**2*x**2*sqrt(-c**2*x**2 + 1)/(245*c**5) + 16*b*e**3*x**4*sqrt(-c**2*x**2 + 1)/(945*c**5) + 48*b*d*e**2*sqrt(-c**2*x**2 + 1)/(245*c**7) + 64*b*e**3*x**2*sqrt(-c**2*x**2 + 1)/(2835*c**7) + 128*b*e**3*sqrt(-c**2*x**2 + 1)/(2835*c**9), Ne(c, 0)), (a*(d**3*x**3/3 + 3*d**2*e**x**5/5 + 3*d*e**2*x**7/7 + e**3*x**9/9), True))
```

**Giac [B]** time = 1.28987, size = 942, normalized size = 3.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(e**x^2+d)^3*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] 1/9*a*x^9*e^3 + 3/7*a*d*x^7*e^2 + 3/5*a*d^2*x^5*e + 1/3*a*d^3*x^3 + 1/3*(c^2*x^2 - 1)*b*d^3*x*arcsin(c*x)/c^2 + 1/3*b*d^3*x*arcsin(c*x)/c^2 + 3/5*(c^2*x^2 - 1)^2*b*d^2*x*arcsin(c*x)*e/c^4 + 6/5*(c^2*x^2 - 1)*b*d^2*x*arcsin(c*x)*e/c^4 - 1/9*(-c^2*x^2 + 1)^(3/2)*b*d^3/c^3 + 3/7*(c^2*x^2 - 1)^3*b*d*x*arcsin(c*x)*e^2/c^6 + 3/5*b*d^2*x*arcsin(c*x)*e/c^4 + 1/3*sqrt(-c^2*x^2 + 1)*b*d^3/c^3 + 3/25*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b*d^2*e/c^5 + 9/7*(c^2*x^2 - 1)^2*b*d*x*arcsin(c*x)*e^2/c^6 - 2/5*(-c^2*x^2 + 1)^(3/2)*b*d^2*e/c^5 + 1/9*(c^2*x^2 - 1)^4*b*x*arcsin(c*x)*e^3/c^8 + 9/7*(c^2*x^2 - 1)*b*d*x*arcsin(c*x)*e^2/c^6 + 3/49*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b*d*e^2/c^7 + 3/5*sqrt(-c^2*x^2 + 1)*b*d^2*e/c^5 + 4/9*(c^2*x^2 - 1)^3*b*x*arcsin(c*x)*e^3/c^8 + 3/7*b*d*x*arcsin(c*x)*e^2/c^6 + 9/35*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b*d*e^2/c^7 + 2/3*(c^2*x^2 - 1)^2*b*x*arcsin(c*x)*e^3/c^8 + 1/81*(c^2*x^2 - 1)^4*sqrt(-c^2*x^2 + 1)*b*e^3/c^9 - 3/7*(-c^2*x^2 + 1)^(3/2)*b*d*e^2/c^7 + 4/9*(c^2*x^2 - 1)*b*x*arcsin(c*x)*e^3/c^8 + 4/63*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b*d*e^2/c^7 + 1/9*b*x*arcsin(c*x)*e^3/c^8 + 2/15*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b*e^3/c^9 - 4/27*(-c^2*x^2 + 1)^(3/2)*b*e^3/c^9 + 1/9*sqrt(-c^2*x^2 + 1)*b*e^3/c^9
```

### 3.617 $\int x (d + ex^2)^3 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=258

$$\frac{(d + ex^2)^4 (a + b \sin^{-1}(cx))}{8e} + \frac{bx\sqrt{1 - c^2x^2} (104c^4d^2 + 104c^2de + 35e^2) (d + ex^2)}{1536c^5} + \frac{5bx\sqrt{1 - c^2x^2} (2c^2d + e) (40c^4d^2 + 40c^2de + 21e^2) (d + ex^2)}{3072c^7}$$

```
[Out] (5*b*(2*c^2*d + e)*(40*c^4*d^2 + 40*c^2*d*e + 21*e^2)*x*Sqrt[1 - c^2*x^2])/
(3072*c^7) + (b*(104*c^4*d^2 + 104*c^2*d*e + 35*e^2)*x*Sqrt[1 - c^2*x^2]*(d
+ e*x^2))/(1536*c^5) + (7*b*(2*c^2*d + e)*x*Sqrt[1 - c^2*x^2]*(d + e*x^2)^
2)/(384*c^3) + (b*x*Sqrt[1 - c^2*x^2]*(d + e*x^2)^3)/(64*c) - (b*(128*c^8*d
^4 + 256*c^6*d^3*e + 288*c^4*d^2*e^2 + 160*c^2*d*e^3 + 35*e^4)*ArcSin[c*x])
/(1024*c^8*e) + ((d + e*x^2)^4*(a + b*ArcSin[c*x]))/(8*e)
```

**Rubi [A]** time = 0.267678, antiderivative size = 258, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$ , Rules used = {4729, 416, 528, 388, 216}

$$\frac{(d + ex^2)^4 (a + b \sin^{-1}(cx))}{8e} + \frac{bx\sqrt{1 - c^2x^2} (104c^4d^2 + 104c^2de + 35e^2) (d + ex^2)}{1536c^5} + \frac{5bx\sqrt{1 - c^2x^2} (2c^2d + e) (40c^4d^2 + 40c^2de + 21e^2) (d + ex^2)}{3072c^7}$$

Antiderivative was successfully verified.

```
[In] Int[x*(d + e*x^2)^3*(a + b*ArcSin[c*x]),x]
```

```
[Out] (5*b*(2*c^2*d + e)*(40*c^4*d^2 + 40*c^2*d*e + 21*e^2)*x*Sqrt[1 - c^2*x^2])/
(3072*c^7) + (b*(104*c^4*d^2 + 104*c^2*d*e + 35*e^2)*x*Sqrt[1 - c^2*x^2]*(d
+ e*x^2))/(1536*c^5) + (7*b*(2*c^2*d + e)*x*Sqrt[1 - c^2*x^2]*(d + e*x^2)^
2)/(384*c^3) + (b*x*Sqrt[1 - c^2*x^2]*(d + e*x^2)^3)/(64*c) - (b*(128*c^8*d
^4 + 256*c^6*d^3*e + 288*c^4*d^2*e^2 + 160*c^2*d*e^3 + 35*e^4)*ArcSin[c*x])
/(1024*c^8*e) + ((d + e*x^2)^4*(a + b*ArcSin[c*x]))/(8*e)
```

#### Rule 4729

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_
Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x]))/(2*e*(p + 1)), x]
- Dist[(b*c)/(2*e*(p + 1)), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x],
x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]
```

#### Rule 416

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[(d*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(b*(n*(p + q) + 1)),
x] + Dist[1/(b*(n*(p + q) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp
[c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q -
1) + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d,
0] && GtQ[q, 1] && NeQ[n*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a
, b, c, d, n, p, q, x]

```

### Rule 528

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (
f_.)*(x_)^(n_)), x_Symbol] :> Simp[(f*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^q)/
(b*(n*(p + q + 1) + 1)), x] + Dist[1/(b*(n*(p + q + 1) + 1)), Int[(a + b*x^
n)^p*(c + d*x^n)^(q - 1)*Simp[c*(b*e - a*f + b*e*n*(p + q + 1)) + (d*(b*e -
a*f) + f*n*q*(b*c - a*d) + b*d*e*n*(p + q + 1))*x^n, x], x], x] /; FreeQ[{
a, b, c, d, e, f, n, p}, x] && GtQ[q, 0] && NeQ[n*(p + q + 1) + 1, 0]

```

### Rule 388

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Si
mp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

```

### Rule 216

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

```

### Rubi steps

$$\begin{aligned}
\int x(d+ex^2)^3(a+b\sin^{-1}(cx))dx &= \frac{(d+ex^2)^4(a+b\sin^{-1}(cx))}{8e} - \frac{(bc)\int\frac{(d+ex^2)^4}{\sqrt{1-c^2x^2}}dx}{8e} \\
&= \frac{bx\sqrt{1-c^2x^2}(d+ex^2)^3}{64c} + \frac{(d+ex^2)^4(a+b\sin^{-1}(cx))}{8e} + \frac{b\int\frac{(d+ex^2)^2(-d(8c^2d+e)-7e(2d+ex^2))}{\sqrt{1-c^2x^2}}dx}{64ce} \\
&= \frac{7b(2c^2d+e)x\sqrt{1-c^2x^2}(d+ex^2)^2}{384c^3} + \frac{bx\sqrt{1-c^2x^2}(d+ex^2)^3}{64c} + \frac{(d+ex^2)^4(a+b\sin^{-1}(cx))}{8e} \\
&= \frac{b(104c^4d^2+104c^2de+35e^2)x\sqrt{1-c^2x^2}(d+ex^2)}{1536c^5} + \frac{7b(2c^2d+e)x\sqrt{1-c^2x^2}(d+ex^2)^3}{384c^3} \\
&= \frac{5b(2c^2d+e)(40c^4d^2+40c^2de+21e^2)x\sqrt{1-c^2x^2}}{3072c^7} + \frac{b(104c^4d^2+104c^2de+35e^2)x\sqrt{1-c^2x^2}(d+ex^2)^3}{1536c^5} \\
&= \frac{5b(2c^2d+e)(40c^4d^2+40c^2de+21e^2)x\sqrt{1-c^2x^2}}{3072c^7} + \frac{b(104c^4d^2+104c^2de+35e^2)x\sqrt{1-c^2x^2}(d+ex^2)^3}{1536c^5}
\end{aligned}$$

**Mathematica [A]** time = 0.199539, size = 232, normalized size = 0.9

$$cx(384ac^7x(6d^2ex^2+4d^3+4de^2x^4+e^3x^6)+b\sqrt{1-c^2x^2}(16c^6(36d^2ex^2+48d^3+16de^2x^4+3e^3x^6)+8c^4e(108d^2+40d^3+40de^2x^2+7e^2x^4)+16c^6(48d^3+36d^2ex^2+16d^2e^2x^4+3e^3x^6)))+3b(-256c^6d^3-288c^4d^2e-160c^2de^2-35e^3+128c^8(4d^3x^2+6d^2ex^4+4d^2e^2x^6+e^3x^8))*\text{ArcSin}[cx])/(3072c^8)$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] (c\*x\*(384\*a\*c^7\*x\*(4\*d^3 + 6\*d^2\*e\*x^2 + 4\*d\*e^2\*x^4 + e^3\*x^6) + b\*Sqrt[1 - c^2\*x^2]\*(105\*e^3 + 10\*c^2\*e^2\*(48\*d + 7\*e\*x^2) + 8\*c^4\*e\*(108\*d^2 + 40\*d^3 + 40\*d\*e^2\*x^2 + 7\*e^2\*x^4) + 16\*c^6\*(48\*d^3 + 36\*d^2\*e\*x^2 + 16\*d^2\*e^2\*x^4 + 3\*e^3\*x^6))) + 3\*b\*(-256\*c^6\*d^3 - 288\*c^4\*d^2\*e - 160\*c^2\*d\*e^2 - 35\*e^3 + 128\*c^8\*(4\*d^3\*x^2 + 6\*d^2\*e\*x^4 + 4\*d^2\*e^2\*x^6 + e^3\*x^8))\*ArcSin[c\*x])/(3072\*c^8)

**Maple [A]** time = 0.005, size = 369, normalized size = 1.4

$$\frac{1}{c^2} \left( \frac{a}{c^6} \left( \frac{e^3 c^8 x^8}{8} + \frac{c^8 d e^2 x^6}{2} + \frac{3 c^8 d^2 e x^4}{4} + \frac{x^2 c^8 d^3}{2} \right) + \frac{b}{c^6} \left( \frac{\arcsin(cx) e^3 c^8 x^8}{8} + \frac{\arcsin(cx) c^8 d e^2 x^6}{2} + \frac{3 \arcsin(cx) c^8 d^2 e x^4}{4} \right) \right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x^2+d)^3*(a+b*arcsin(c*x)),x)`

[Out]  $\frac{1}{c^2} \left( \frac{a}{c^6} \left( \frac{1}{8} e^3 c^8 x^8 + \frac{1}{2} c^8 d e^2 x^6 + \frac{3}{4} c^8 d^2 e x^4 + \frac{1}{2} x^2 c^8 d^3 \right) + \frac{b}{c^6} \left( \frac{1}{8} \arcsin(c x) e^3 c^8 x^8 + \frac{1}{2} \arcsin(c x) c^8 d e^2 x^6 + \frac{3}{4} \arcsin(c x) c^8 d^2 e x^4 + \frac{1}{2} \arcsin(c x) d^3 c^8 x^2 - \frac{1}{8} e^3 (-1/8 c^7 x^7 (-c^2 x^2 + 1)^{1/2} - 7/48 c^5 x^5 (-c^2 x^2 + 1)^{1/2} - 35/192 c^3 x^3 (-c^2 x^2 + 1)^{1/2} - 35/128 c x (-c^2 x^2 + 1)^{1/2} + 35/128 \arcsin(c x)) - \frac{1}{2} c^2 d e^2 (-1/6 c^5 x^5 (-c^2 x^2 + 1)^{1/2} - 5/24 c^3 x^3 (-c^2 x^2 + 1)^{1/2} - 5/16 c x (-c^2 x^2 + 1)^{1/2} + 5/16 \arcsin(c x)) - \frac{3}{4} c^4 d^2 e (-1/4 c^3 x^3 (-c^2 x^2 + 1)^{1/2} - 3/8 c x (-c^2 x^2 + 1)^{1/2} + 3/8 \arcsin(c x)) - \frac{1}{2} d^3 c^6 (-1/2 c x (-c^2 x^2 + 1)^{1/2} + 1/2 \arcsin(c x)) \right)$

**Maxima [A]** time = 1.48887, size = 529, normalized size = 2.05

$$\frac{1}{8} a e^3 x^8 + \frac{1}{2} a d e^2 x^6 + \frac{3}{4} a d^2 e x^4 + \frac{1}{2} a d^3 x^2 + \frac{1}{4} \left( 2 x^2 \arcsin(c x) + c \left( \frac{\sqrt{-c^2 x^2 + 1} x}{c^2} - \frac{\arcsin\left(\frac{c^2 x}{\sqrt{c^2}}\right)}{\sqrt{c^2} c^2} \right) \right) b d^3 + \frac{3}{32} \left( 8 x^4 \arcsin(c x) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)^3*(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out]  $\frac{1}{8} a e^3 x^8 + \frac{1}{2} a d e^2 x^6 + \frac{3}{4} a d^2 e x^4 + \frac{1}{2} a d^3 x^2 + \frac{1}{4} \left( 2 x^2 \arcsin(c x) + c \left( \frac{\sqrt{-c^2 x^2 + 1} x}{c^2} - \frac{\arcsin\left(\frac{c^2 x}{\sqrt{c^2}}\right)}{\sqrt{c^2} c^2} \right) \right) b d^3 + \frac{3}{32} \left( 8 x^4 \arcsin(c x) + (2 \sqrt{-c^2 x^2 + 1} x^3 / c^2 + 3 \sqrt{-c^2 x^2 + 1} x / c^4 - 3 \arcsin(c^2 x / \sqrt{c^2}) / (\sqrt{c^2} c^4)) c \right) b d^2 e + \frac{1}{96} \left( 48 x^6 \arcsin(c x) + (8 \sqrt{-c^2 x^2 + 1} x^5 / c^2 + 10 \sqrt{-c^2 x^2 + 1} x^3 / c^4 + 15 \sqrt{-c^2 x^2 + 1} x / c^6 - 15 \arcsin(c^2 x / \sqrt{c^2}) / (\sqrt{c^2} c^6)) c \right) b d e^2 + \frac{1}{3072} \left( 384 x^8 \arcsin(c x) + (48 \sqrt{-c^2 x^2 + 1} x^7 / c^2 + 56 \sqrt{-c^2 x^2 + 1} x^5 / c^4 + 70 \sqrt{-c^2 x^2 + 1} x^3 / c^6 + 105 \sqrt{-c^2 x^2 + 1} x / c^8 - 105 \arcsin(c^2 x / \sqrt{c^2}) / (\sqrt{c^2} c^8)) c \right) b e^3$

**Fricas [A]** time = 2.15815, size = 636, normalized size = 2.47

$$384 a c^8 e^3 x^8 + 1536 a c^8 d e^2 x^6 + 2304 a c^8 d^2 e x^4 + 1536 a c^8 d^3 x^2 + 3 \left( 128 b c^8 e^3 x^8 + 512 b c^8 d e^2 x^6 + 768 b c^8 d^2 e x^4 + 512 b c^8 d^3 x^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out]  $\frac{1}{3072}*(384*a*c^8*e^3*x^8 + 1536*a*c^8*d*e^2*x^6 + 2304*a*c^8*d^2*e*x^4 + 1536*a*c^8*d^3*x^2 + 3*(128*b*c^8*e^3*x^8 + 512*b*c^8*d*e^2*x^6 + 768*b*c^8*d^2*e*x^4 + 512*b*c^8*d^3*x^2 - 256*b*c^6*d^3 - 288*b*c^4*d^2*e - 160*b*c^2*d*e^2 - 35*b*e^3)*arcsin(c*x) + (48*b*c^7*e^3*x^7 + 8*(32*b*c^7*d*e^2 + 7*b*c^5*e^3)*x^5 + 2*(288*b*c^7*d^2*e + 160*b*c^5*d*e^2 + 35*b*c^3*e^3)*x^3 + 3*(256*b*c^7*d^3 + 288*b*c^5*d^2*e + 160*b*c^3*d*e^2 + 35*b*c*e^3)*x)*sqrt(-c^2*x^2 + 1)/c^8$

**Sympy [A]** time = 16.9054, size = 483, normalized size = 1.87

$$\left\{ \begin{array}{l} \frac{ad^3x^2}{2} + \frac{3ad^2ex^4}{4} + \frac{ade^2x^6}{2} + \frac{ae^3x^8}{8} + \frac{bd^3x^2 \operatorname{asin}(cx)}{2} + \frac{3bd^2ex^4 \operatorname{asin}(cx)}{4} + \frac{bde^2x^6 \operatorname{asin}(cx)}{2} + \frac{be^3x^8 \operatorname{asin}(cx)}{8} + \frac{bd^3x\sqrt{-c^2x^2+1}}{4c} + \frac{3bd^2ex^3\sqrt{-c^2x^2+1}}{16c} \\ a \left( \frac{d^3x^2}{2} + \frac{3d^2ex^4}{4} + \frac{de^2x^6}{2} + \frac{e^3x^8}{8} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*d\*\*3\*x\*\*2/2 + 3\*a\*d\*\*2\*e\*x\*\*4/4 + a\*d\*e\*\*2\*x\*\*6/2 + a\*e\*\*3\*x\*\*8/8 + b\*d\*\*3\*x\*\*2\*asin(c\*x)/2 + 3\*b\*d\*\*2\*e\*x\*\*4\*asin(c\*x)/4 + b\*d\*e\*\*2\*x\*\*6\*asin(c\*x)/2 + b\*e\*\*3\*x\*\*8\*asin(c\*x)/8 + b\*d\*\*3\*x\*\*sqrt(-c\*\*2\*x\*\*2 + 1)/(4\*c) + 3\*b\*d\*\*2\*e\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/(16\*c) + b\*d\*e\*\*2\*x\*\*5\*sqrt(-c\*\*2\*x\*\*2 + 1)/(12\*c) + b\*e\*\*3\*x\*\*7\*sqrt(-c\*\*2\*x\*\*2 + 1)/(64\*c) - b\*d\*\*3\*asin(c\*x)/(4\*c\*\*2) + 9\*b\*d\*\*2\*e\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)/(32\*c\*\*3) + 5\*b\*d\*e\*\*2\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/(48\*c\*\*3) + 7\*b\*e\*\*3\*x\*\*5\*sqrt(-c\*\*2\*x\*\*2 + 1)/(384\*c\*\*3) - 9\*b\*d\*\*2\*e\*asin(c\*x)/(32\*c\*\*4) + 5\*b\*d\*e\*\*2\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)/(32\*c\*\*5) + 35\*b\*e\*\*3\*x\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/(1536\*c\*\*5) - 5\*b\*d\*e\*\*2\*asin(c\*x)/(32\*c\*\*6) + 35\*b\*e\*\*3\*x\*sqrt(-c\*\*2\*x\*\*2 + 1)/(1024\*c\*\*7) - 35\*b\*e\*\*3\*asin(c\*x)/(1024\*c\*\*8), Ne(c, 0)), (a\*(d\*\*3\*x\*\*2/2 + 3\*d\*\*2\*e\*x\*\*4/4 + d\*e\*\*2\*x\*\*6/2 + e\*\*3\*x\*\*8/8), True))

**Giac [B]** time = 1.23898, size = 987, normalized size = 3.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out]  $\frac{1}{4}\sqrt{-c^2x^2 + 1}bd^3x/c + \frac{1}{2}(c^2x^2 - 1)b^3d^3\arcsin(cx)/c^2 - \frac{3}{16}(-c^2x^2 + 1)^{3/2}bd^2xe/c^3 + \frac{1}{2}(c^2x^2 - 1)a^3d^3/c^2 + \frac{1}{4}bd^3\arcsin(cx)/c^2 + \frac{3}{4}(c^2x^2 - 1)^2bd^2\arcsin(cx)e/c^4 + \frac{15}{32}\sqrt{-c^2x^2 + 1}bd^2xe/c^3 + \frac{3}{4}(c^2x^2 - 1)^2a^2d^2e/c^4 + \frac{3}{2}(c^2x^2 - 1)bd^2\arcsin(cx)e/c^4 + \frac{1}{12}(c^2x^2 - 1)^2\sqrt{-c^2x^2 + 1}bdxe^2/c^5 + \frac{1}{2}(c^2x^2 - 1)^3bd\arcsin(cx)e^2/c^6 + \frac{3}{2}(c^2x^2 - 1)a^2d^2e/c^4 + \frac{15}{32}bd^2\arcsin(cx)e/c^4 - \frac{13}{48}(-c^2x^2 + 1)^{3/2}bdxe^2/c^5 + \frac{1}{2}(c^2x^2 - 1)^3a^2d^2e/c^6 + \frac{3}{2}(c^2x^2 - 1)^2bd\arcsin(cx)e^2/c^6 + \frac{1}{64}(c^2x^2 - 1)^3\sqrt{-c^2x^2 + 1}bx^3e^3/c^7 + \frac{11}{32}\sqrt{-c^2x^2 + 1}bdxe^2/c^5 + \frac{1}{8}(c^2x^2 - 1)^4b\arcsin(cx)e^3/c^8 + \frac{3}{2}(c^2x^2 - 1)^2a^2d^2e/c^6 + \frac{3}{2}(c^2x^2 - 1)bd\arcsin(cx)e^2/c^6 + \frac{25}{384}(c^2x^2 - 1)^2\sqrt{-c^2x^2 + 1}bx^3e^3/c^7 + \frac{1}{8}(c^2x^2 - 1)^4a^2e^3/c^8 + \frac{1}{2}(c^2x^2 - 1)^3b\arcsin(cx)e^3/c^8 + \frac{3}{2}(c^2x^2 - 1)a^2d^2e/c^6 + \frac{11}{32}bd\arcsin(cx)e^2/c^6 - \frac{163}{1536}(-c^2x^2 + 1)^{3/2}bx^3e^3/c^7 + \frac{1}{2}(c^2x^2 - 1)^3a^2e^3/c^8 + \frac{3}{4}(c^2x^2 - 1)^2b\arcsin(cx)e^3/c^8 + \frac{93}{1024}\sqrt{-c^2x^2 + 1}bx^3e^3/c^7 + \frac{3}{4}(c^2x^2 - 1)^2a^2e^3/c^8 + \frac{1}{2}(c^2x^2 - 1)b\arcsin(cx)e^3/c^8 + \frac{1}{2}(c^2x^2 - 1)a^2e^3/c^8 + \frac{93}{1024}b\arcsin(cx)e^3/c^8$

### 3.618 $\int (d + ex^2)^3 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=225

$$d^2ex^3 (a + b \sin^{-1}(cx)) + d^3x (a + b \sin^{-1}(cx)) + \frac{3}{5}de^2x^5 (a + b \sin^{-1}(cx)) + \frac{1}{7}e^3x^7 (a + b \sin^{-1}(cx)) - \frac{be(1 - c^2x^2)^{3/2} (35d^3 + 35d^2e + 21de^2 + 5e^3)}{105c^7}$$

[Out] (b\*(35\*c^6\*d^3 + 35\*c^4\*d^2\*e + 21\*c^2\*d\*e^2 + 5\*e^3)\*Sqrt[1 - c^2\*x^2])/(35\*c^7) - (b\*e\*(35\*c^4\*d^2 + 42\*c^2\*d\*e + 15\*e^2)\*(1 - c^2\*x^2)^(3/2))/(105\*c^7) + (3\*b\*e^2\*(7\*c^2\*d + 5\*e)\*(1 - c^2\*x^2)^(5/2))/(175\*c^7) - (b\*e^3\*(1 - c^2\*x^2)^(7/2))/(49\*c^7) + d^3\*x\*(a + b\*ArcSin[c\*x]) + d^2\*e\*x^3\*(a + b\*ArcSin[c\*x]) + (3\*d\*e^2\*x^5\*(a + b\*ArcSin[c\*x]))/5 + (e^3\*x^7\*(a + b\*ArcSin[c\*x]))/7

**Rubi [A]** time = 0.250657, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$ , Rules used = {194, 4665, 12, 1799, 1850}

$$d^2ex^3 (a + b \sin^{-1}(cx)) + d^3x (a + b \sin^{-1}(cx)) + \frac{3}{5}de^2x^5 (a + b \sin^{-1}(cx)) + \frac{1}{7}e^3x^7 (a + b \sin^{-1}(cx)) - \frac{be(1 - c^2x^2)^{3/2} (35d^3 + 35d^2e + 21de^2 + 5e^3)}{105c^7}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*(35\*c^6\*d^3 + 35\*c^4\*d^2\*e + 21\*c^2\*d\*e^2 + 5\*e^3)\*Sqrt[1 - c^2\*x^2])/(35\*c^7) - (b\*e\*(35\*c^4\*d^2 + 42\*c^2\*d\*e + 15\*e^2)\*(1 - c^2\*x^2)^(3/2))/(105\*c^7) + (3\*b\*e^2\*(7\*c^2\*d + 5\*e)\*(1 - c^2\*x^2)^(5/2))/(175\*c^7) - (b\*e^3\*(1 - c^2\*x^2)^(7/2))/(49\*c^7) + d^3\*x\*(a + b\*ArcSin[c\*x]) + d^2\*e\*x^3\*(a + b\*ArcSin[c\*x]) + (3\*d\*e^2\*x^5\*(a + b\*ArcSin[c\*x]))/5 + (e^3\*x^7\*(a + b\*ArcSin[c\*x]))/7

#### Rule 194

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

#### Rule 4665

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] -

```
Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[
{a, b, c, d, e}, x] && NeQ[c^2*d + e, 0] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0]
)
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 1799

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Dist[1/2, Su
bst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x)^p, x], x, x^2], x] /;
FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]
```

### Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := Int[ExpandIntegrand
[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p
, 0] || EqQ[n, 1])
```

### Rubi steps

$$\begin{aligned}
\int (d + ex^2)^3 (a + b \sin^{-1}(cx)) dx &= d^3 x (a + b \sin^{-1}(cx)) + d^2 ex^3 (a + b \sin^{-1}(cx)) + \frac{3}{5} de^2 x^5 (a + b \sin^{-1}(cx)) + \frac{1}{7} e^3 x^7 \\
&= d^3 x (a + b \sin^{-1}(cx)) + d^2 ex^3 (a + b \sin^{-1}(cx)) + \frac{3}{5} de^2 x^5 (a + b \sin^{-1}(cx)) + \frac{1}{7} e^3 x^7 \\
&= d^3 x (a + b \sin^{-1}(cx)) + d^2 ex^3 (a + b \sin^{-1}(cx)) + \frac{3}{5} de^2 x^5 (a + b \sin^{-1}(cx)) + \frac{1}{7} e^3 x^7 \\
&= d^3 x (a + b \sin^{-1}(cx)) + d^2 ex^3 (a + b \sin^{-1}(cx)) + \frac{3}{5} de^2 x^5 (a + b \sin^{-1}(cx)) + \frac{1}{7} e^3 x^7 \\
&= \frac{b(35c^6 d^3 + 35c^4 d^2 e + 21c^2 de^2 + 5e^3) \sqrt{1 - c^2 x^2}}{35c^7} - \frac{be(35c^4 d^2 + 42c^2 de + 15e^2)(1 - c^2 x^2)^{3/2}}{105c^7}
\end{aligned}$$

**Mathematica [A]** time = 0.244473, size = 187, normalized size = 0.83

$$\frac{105ax(35d^2ex^2 + 35d^3 + 21de^2x^4 + 5e^3x^6) + \frac{b\sqrt{1-c^2x^2}(c^6(1225d^2ex^2+3675d^3+441de^2x^4+75e^3x^6)+2c^4e(1225d^2+294dex^2+45e^2x^4)+24c^2e^2(49d^2+14de+5e^2))}{c^7}}{3675}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] (105\*a\*x\*(35\*d^3 + 35\*d^2\*e\*x^2 + 21\*d\*e^2\*x^4 + 5\*e^3\*x^6) + (b\*Sqrt[1 - c^2\*x^2]\*(240\*e^3 + 24\*c^2\*e^2\*(49\*d + 5\*e\*x^2) + 2\*c^4\*e\*(1225\*d^2 + 294\*d\*e\*x^2 + 45\*e^2\*x^4) + c^6\*(3675\*d^3 + 1225\*d^2\*e\*x^2 + 441\*d\*e^2\*x^4 + 75\*e^3\*x^6)))/c^7 + 105\*b\*x\*(35\*d^3 + 35\*d^2\*e\*x^2 + 21\*d\*e^2\*x^4 + 5\*e^3\*x^6)\*ArcSin[c\*x])/3675

**Maple [A]** time = 0.005, size = 325, normalized size = 1.4

$$\frac{1}{c} \left( \frac{a}{c^6} \left( \frac{e^3 c^7 x^7}{7} + \frac{3 c^7 d e^2 x^5}{5} + c^7 d^2 e x^3 + d^3 c^7 x \right) + \frac{b}{c^6} \left( \frac{\arcsin(cx) e^3 c^7 x^7}{7} + \frac{3 \arcsin(cx) c^7 d e^2 x^5}{5} + \arcsin(cx) c^7 d^2 e x^3 + \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x)

[Out] 1/c\*(a/c^6\*(1/7\*e^3\*c^7\*x^7+3/5\*c^7\*d\*e^2\*x^5+c^7\*d^2\*e\*x^3+d^3\*c^7\*x)+b/c^6\*(1/7\*arcsin(c\*x)\*e^3\*c^7\*x^7+3/5\*arcsin(c\*x)\*c^7\*d\*e^2\*x^5+arcsin(c\*x)\*c^7\*d^2\*e\*x^3+arcsin(c\*x)\*d^3\*c^7\*x-1/7\*e^3\*(-1/7\*c^6\*x^6\*(-c^2\*x^2+1)^(1/2)-6/35\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-8/35\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-16/35\*(-c^2\*x^2+1)^(1/2))-3/5\*c^2\*d\*e^2\*(-1/5\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-4/15\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-8/15\*(-c^2\*x^2+1)^(1/2))-c^4\*d^2\*e\*(-1/3\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-2/3\*(-c^2\*x^2+1)^(1/2))+d^3\*c^6\*(-c^2\*x^2+1)^(1/2)))

**Maxima [A]** time = 1.4679, size = 394, normalized size = 1.75

$$\frac{1}{7} a e^3 x^7 + \frac{3}{5} a d e^2 x^5 + a d^2 e x^3 + \frac{1}{3} \left( 3 x^3 \arcsin(cx) + c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2}{c^2} + \frac{2 \sqrt{-c^2 x^2 + 1}}{c^4} \right) \right) b d^2 e + \frac{1}{25} \left( 15 x^5 \arcsin(cx) + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] 1/7\*a\*e^3\*x^7 + 3/5\*a\*d\*e^2\*x^5 + a\*d^2\*e\*x^3 + 1/3\*(3\*x^3\*arcsin(c\*x) + c\*(sqrt(-c^2\*x^2 + 1)\*x^2/c^2 + 2\*sqrt(-c^2\*x^2 + 1)/c^4))\*b\*d^2\*e + 1/25\*(15

$$x^5 \arcsin(cx) + (3\sqrt{-c^2x^2 + 1})x^4/c^2 + 4\sqrt{-c^2x^2 + 1}x^2/c^4 + 8\sqrt{-c^2x^2 + 1}/c^6)c) * b * d * e^2 + 1/245 * (35x^7 \arcsin(cx) + (5\sqrt{-c^2x^2 + 1})x^6/c^2 + 6\sqrt{-c^2x^2 + 1})x^4/c^4 + 8\sqrt{-c^2x^2 + 1})x^2/c^6 + 16\sqrt{-c^2x^2 + 1}/c^8)c) * b * e^3 + a * d^3 * x + (cx \arcsin(cx) + \sqrt{-c^2x^2 + 1}) * b * d^3 / c$$

**Fricas [A]** time = 2.05662, size = 537, normalized size = 2.39

$$525 ac^7 e^3 x^7 + 2205 ac^7 d e^2 x^5 + 3675 ac^7 d^2 e x^3 + 3675 ac^7 d^3 x + 105 (5 bc^7 e^3 x^7 + 21 bc^7 d e^2 x^5 + 35 bc^7 d^2 e x^3 + 35 bc^7 d^3 x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] 1/3675\*(525\*a\*c^7\*e^3\*x^7 + 2205\*a\*c^7\*d\*e^2\*x^5 + 3675\*a\*c^7\*d^2\*e\*x^3 + 3675\*a\*c^7\*d^3\*x + 105\*(5\*b\*c^7\*e^3\*x^7 + 21\*b\*c^7\*d\*e^2\*x^5 + 35\*b\*c^7\*d^2\*e\*x^3 + 35\*b\*c^7\*d^3\*x)\*arcsin(c\*x) + (75\*b\*c^6\*e^3\*x^6 + 3675\*b\*c^6\*d^3 + 2450\*b\*c^4\*d^2\*e + 1176\*b\*c^2\*d\*e^2 + 9\*(49\*b\*c^6\*d\*e^2 + 10\*b\*c^4\*e^3))\*x^4 + 240\*b\*e^3 + (1225\*b\*c^6\*d^2\*e + 588\*b\*c^4\*d\*e^2 + 120\*b\*c^2\*e^3)\*x^2)\*sqrt(-c^2\*x^2 + 1))/c^7

**Sympy [A]** time = 8.86437, size = 389, normalized size = 1.73

$$\left\{ \begin{array}{l} ad^3x + ad^2ex^3 + \frac{3ade^2x^5}{5} + \frac{ae^3x^7}{7} + bd^3x \operatorname{asin}(cx) + bd^2ex^3 \operatorname{asin}(cx) + \frac{3bde^2x^5 \operatorname{asin}(cx)}{5} + \frac{be^3x^7 \operatorname{asin}(cx)}{7} + \frac{bd^3\sqrt{-c^2x^2+1}}{c} + \frac{bd^2ex^3}{c} \\ a \left( d^3x + d^2ex^3 + \frac{3de^2x^5}{5} + \frac{e^3x^7}{7} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*d\*\*3\*x + a\*d\*\*2\*e\*x\*\*3 + 3\*a\*d\*e\*\*2\*x\*\*5/5 + a\*e\*\*3\*x\*\*7/7 + b\*d\*\*3\*x\*asin(c\*x) + b\*d\*\*2\*e\*x\*\*3\*asin(c\*x) + 3\*b\*d\*e\*\*2\*x\*\*5\*asin(c\*x)/5 + b\*e\*\*3\*x\*\*7\*asin(c\*x)/7 + b\*d\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/c + b\*d\*\*2\*e\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(3\*c) + 3\*b\*d\*e\*\*2\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(25\*c) + b\*e\*\*3\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)/(49\*c) + 2\*b\*d\*\*2\*e\*sqrt(-c\*\*2\*x\*\*2 + 1)/(3\*c\*\*3) + 4\*b\*d\*e\*\*2\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(25\*c\*\*3) + 6\*b\*e\*\*3\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(245\*c\*\*3) + 8\*b\*d\*e\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(25\*c\*\*5) + 8

```
*b**e**3*x**2*sqrt(-c**2*x**2 + 1)/(245*c**5) + 16*b**e**3*sqrt(-c**2*x**2 +
1)/(245*c**7), Ne(c, 0)), (a*(d**3*x + d**2*e*x**3 + 3*d*e**2*x**5/5 + e**3
*x**7/7), True))
```

**Giac [B]** time = 1.2988, size = 633, normalized size = 2.81

$$\frac{1}{7}ax^7e^3 + \frac{3}{5}adx^5e^2 + ad^2x^3e + bd^3x \arcsin(cx) + ad^3x + \frac{(c^2x^2 - 1)bd^2x \arcsin(cx)e}{c^2} + \frac{bd^2x \arcsin(cx)e}{c^2} + \frac{\sqrt{-c^2x^2 + 1}}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^3*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] 1/7*a*x^7*e^3 + 3/5*a*d*x^5*e^2 + a*d^2*x^3*e + b*d^3*x*arcsin(c*x) + a*d^3
*x + (c^2*x^2 - 1)*b*d^2*x*arcsin(c*x)*e/c^2 + b*d^2*x*arcsin(c*x)*e/c^2 +
sqrt(-c^2*x^2 + 1)*b*d^3/c + 3/5*(c^2*x^2 - 1)^2*b*d*x*arcsin(c*x)*e^2/c^4
- 1/3*(-c^2*x^2 + 1)^(3/2)*b*d^2*e/c^3 + 6/5*(c^2*x^2 - 1)*b*d*x*arcsin(c*x
)*e^2/c^4 + sqrt(-c^2*x^2 + 1)*b*d^2*e/c^3 + 1/7*(c^2*x^2 - 1)^3*b*x*arcsin
(c*x)*e^3/c^6 + 3/5*b*d*x*arcsin(c*x)*e^2/c^4 + 3/25*(c^2*x^2 - 1)^2*sqrt(-
c^2*x^2 + 1)*b*d*e^2/c^5 + 3/7*(c^2*x^2 - 1)^2*b*x*arcsin(c*x)*e^3/c^6 - 2/
5*(-c^2*x^2 + 1)^(3/2)*b*d*e^2/c^5 + 3/7*(c^2*x^2 - 1)*b*x*arcsin(c*x)*e^3/
c^6 + 1/49*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b*e^3/c^7 + 3/5*sqrt(-c^2*x^2
+ 1)*b*d*e^2/c^5 + 1/7*b*x*arcsin(c*x)*e^3/c^6 + 3/35*(c^2*x^2 - 1)^2*sqrt
(-c^2*x^2 + 1)*b*e^3/c^7 - 1/7*(-c^2*x^2 + 1)^(3/2)*b*e^3/c^7 + 1/7*sqrt(-c
^2*x^2 + 1)*b*e^3/c^7
```



$$3.619 \quad \int \frac{(d+ex^2)^3 (a+b \sin^{-1}(cx))}{x} dx$$

**Optimal.** Leaf size=357

$$-\frac{1}{2}ibd^3 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + \frac{3}{2}d^2 ex^2 (a + b \sin^{-1}(cx)) + d^3 \log(x) (a + b \sin^{-1}(cx)) + \frac{3}{4}de^2 x^4 (a + b \sin^{-1}(cx)) + \frac{1}{6}$$

```
[Out] (3*b*d^2*e*x*Sqrt[1 - c^2*x^2])/(4*c) + (9*b*d*e^2*x*Sqrt[1 - c^2*x^2])/(32*c^3) + (5*b*e^3*x*Sqrt[1 - c^2*x^2])/(96*c^5) + (3*b*d*e^2*x^3*Sqrt[1 - c^2*x^2])/(16*c) + (5*b*e^3*x^3*Sqrt[1 - c^2*x^2])/(144*c^3) + (b*e^3*x^5*Sqrt[1 - c^2*x^2])/(36*c) - (3*b*d^2*e*ArcSin[c*x])/(4*c^2) - (9*b*d*e^2*ArcSin[c*x])/(32*c^4) - (5*b*e^3*ArcSin[c*x])/(96*c^6) - (I/2)*b*d^3*ArcSin[c*x]^2 + (3*d^2*e*x^2*(a + b*ArcSin[c*x]))/2 + (3*d*e^2*x^4*(a + b*ArcSin[c*x]))/4 + (e^3*x^6*(a + b*ArcSin[c*x]))/6 + b*d^3*ArcSin[c*x]*Log[1 - E^((2*I)*ArcSin[c*x])] - b*d^3*ArcSin[c*x]*Log[x] + d^3*(a + b*ArcSin[c*x])*Log[x] - (I/2)*b*d^3*PolyLog[2, E^((2*I)*ArcSin[c*x])]
```

**Rubi [A]** time = 0.475611, antiderivative size = 357, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 13, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.619$ , Rules used = {266, 43, 4731, 12, 6742, 321, 216, 2326, 4625, 3717, 2190, 2279, 2391}

$$-\frac{1}{2}ibd^3 \text{PolyLog}\left(2, e^{2i \sin^{-1}(cx)}\right) + \frac{3}{2}d^2 ex^2 (a + b \sin^{-1}(cx)) + d^3 \log(x) (a + b \sin^{-1}(cx)) + \frac{3}{4}de^2 x^4 (a + b \sin^{-1}(cx)) + \frac{1}{6}$$

Antiderivative was successfully verified.

```
[In] Int[((d + e*x^2)^3*(a + b*ArcSin[c*x]))/x,x]
```

```
[Out] (3*b*d^2*e*x*Sqrt[1 - c^2*x^2])/(4*c) + (9*b*d*e^2*x*Sqrt[1 - c^2*x^2])/(32*c^3) + (5*b*e^3*x*Sqrt[1 - c^2*x^2])/(96*c^5) + (3*b*d*e^2*x^3*Sqrt[1 - c^2*x^2])/(16*c) + (5*b*e^3*x^3*Sqrt[1 - c^2*x^2])/(144*c^3) + (b*e^3*x^5*Sqrt[1 - c^2*x^2])/(36*c) - (3*b*d^2*e*ArcSin[c*x])/(4*c^2) - (9*b*d*e^2*ArcSin[c*x])/(32*c^4) - (5*b*e^3*ArcSin[c*x])/(96*c^6) - (I/2)*b*d^3*ArcSin[c*x]^2 + (3*d^2*e*x^2*(a + b*ArcSin[c*x]))/2 + (3*d*e^2*x^4*(a + b*ArcSin[c*x]))/4 + (e^3*x^6*(a + b*ArcSin[c*x]))/6 + b*d^3*ArcSin[c*x]*Log[1 - E^((2*I)*ArcSin[c*x])] - b*d^3*ArcSin[c*x]*Log[x] + d^3*(a + b*ArcSin[c*x])*Log[x] - (I/2)*b*d^3*PolyLog[2, E^((2*I)*ArcSin[c*x])]
```

**Rule 266**

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 4731

```
Int[((a_) + ArcSin[(c_)*(x_)])*(b_)*((f_)*(x_))^(m_)*((d_) + (e_)*(x_
)^2)^(p_), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist
[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*
x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] &
& IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 321

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 2326

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]*(a + b*Log[c*x^n])/Rt[-e, 2], x]
- Dist[(b*n)/Rt[-e, 2], Int[ArcSin[(Rt[-e, 2]*x)/Sqrt[d]]/x, x], x] /; FreeQ[{a, b, c, d, e, n}, x]
&& GtQ[d, 0] && NegQ[e]
```

### Rule 4625

```
Int[((a_.) + ArcSin[(c_.)*(x_)*(b_.)]^(n_.))/(x_), x_Symbol]
:> Subst[Int[(a + b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

### Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

### Rule 2190

```
Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol]
:> Simp[(((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x))))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol]
:> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^3 (a + b \sin^{-1}(cx))}{x} dx &= \frac{3}{2}d^2ex^2 (a + b \sin^{-1}(cx)) + \frac{3}{4}de^2x^4 (a + b \sin^{-1}(cx)) + \frac{1}{6}e^3x^6 (a + b \sin^{-1}(cx)) + d^3 \int \frac{1}{x} dx \\
&= \frac{3}{2}d^2ex^2 (a + b \sin^{-1}(cx)) + \frac{3}{4}de^2x^4 (a + b \sin^{-1}(cx)) + \frac{1}{6}e^3x^6 (a + b \sin^{-1}(cx)) + d^3 \int \frac{1}{x} dx \\
&= \frac{3}{2}d^2ex^2 (a + b \sin^{-1}(cx)) + \frac{3}{4}de^2x^4 (a + b \sin^{-1}(cx)) + \frac{1}{6}e^3x^6 (a + b \sin^{-1}(cx)) + d^3 \int \frac{1}{x} dx \\
&= \frac{3}{2}d^2ex^2 (a + b \sin^{-1}(cx)) + \frac{3}{4}de^2x^4 (a + b \sin^{-1}(cx)) + \frac{1}{6}e^3x^6 (a + b \sin^{-1}(cx)) + d^3 \int \frac{1}{x} dx \\
&= \frac{3bd^2ex\sqrt{1-c^2x^2}}{4c} + \frac{3bde^2x^3\sqrt{1-c^2x^2}}{16c} + \frac{be^3x^5\sqrt{1-c^2x^2}}{36c} + \frac{3}{2}d^2ex^2 (a + b \sin^{-1}(cx)) \\
&= \frac{3bd^2ex\sqrt{1-c^2x^2}}{4c} + \frac{9bde^2x\sqrt{1-c^2x^2}}{32c^3} + \frac{3bde^2x^3\sqrt{1-c^2x^2}}{16c} + \frac{5be^3x^3\sqrt{1-c^2x^2}}{144c^3} + \frac{be^3x^5\sqrt{1-c^2x^2}}{36c} \\
&= \frac{3bd^2ex\sqrt{1-c^2x^2}}{4c} + \frac{9bde^2x\sqrt{1-c^2x^2}}{32c^3} + \frac{5be^3x\sqrt{1-c^2x^2}}{96c^5} + \frac{3bde^2x^3\sqrt{1-c^2x^2}}{16c} + \frac{5be^3x^3\sqrt{1-c^2x^2}}{144c^3} \\
&= \frac{3bd^2ex\sqrt{1-c^2x^2}}{4c} + \frac{9bde^2x\sqrt{1-c^2x^2}}{32c^3} + \frac{5be^3x\sqrt{1-c^2x^2}}{96c^5} + \frac{3bde^2x^3\sqrt{1-c^2x^2}}{16c} + \frac{5be^3x^3\sqrt{1-c^2x^2}}{144c^3} \\
&= \frac{3bd^2ex\sqrt{1-c^2x^2}}{4c} + \frac{9bde^2x\sqrt{1-c^2x^2}}{32c^3} + \frac{5be^3x\sqrt{1-c^2x^2}}{96c^5} + \frac{3bde^2x^3\sqrt{1-c^2x^2}}{16c} + \frac{5be^3x^3\sqrt{1-c^2x^2}}{144c^3} \\
&= \frac{3bd^2ex\sqrt{1-c^2x^2}}{4c} + \frac{9bde^2x\sqrt{1-c^2x^2}}{32c^3} + \frac{5be^3x\sqrt{1-c^2x^2}}{96c^5} + \frac{3bde^2x^3\sqrt{1-c^2x^2}}{16c} + \frac{5be^3x^3\sqrt{1-c^2x^2}}{144c^3} \\
&= \frac{3bd^2ex\sqrt{1-c^2x^2}}{4c} + \frac{9bde^2x\sqrt{1-c^2x^2}}{32c^3} + \frac{5be^3x\sqrt{1-c^2x^2}}{96c^5} + \frac{3bde^2x^3\sqrt{1-c^2x^2}}{16c} + \frac{5be^3x^3\sqrt{1-c^2x^2}}{144c^3}
\end{aligned}$$

**Mathematica [A]** time = 0.371055, size = 278, normalized size = 0.78

$$-\frac{1}{2}ibd^3 \left( \sin^{-1}(cx)^2 + \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) \right) + \frac{3}{2}ad^2ex^2 + ad^3 \log(x) + \frac{3}{4}ade^2x^4 + \frac{1}{6}ae^3x^6 + \frac{3bd^2e \left( cx\sqrt{1-c^2x^2} - \sin^{-1}(cx) \right)}{4c^2}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]))/x,x]

[Out] (3\*a\*d^2\*e\*x^2)/2 + (3\*a\*d\*e^2\*x^4)/4 + (a\*e^3\*x^6)/6 + (b\*e^3\*(c\*x\*Sqrt[1 - c^2\*x^2]\*(15 + 10\*c^2\*x^2 + 8\*c^4\*x^4) - 15\*ArcSin[c\*x]))/(288\*c^6) + (3\*b\*d\*e^2\*(c\*x\*Sqrt[1 - c^2\*x^2]\*(3 + 2\*c^2\*x^2) - 3\*ArcSin[c\*x]))/(32\*c^4) + (3\*b\*d^2\*e\*(c\*x\*Sqrt[1 - c^2\*x^2] - ArcSin[c\*x]))/(4\*c^2) + (3\*b\*d^2\*e\*x^2\*ArcSin[c\*x])/2 + (3\*b\*d\*e^2\*x^4\*ArcSin[c\*x])/4 + (b\*e^3\*x^6\*ArcSin[c\*x])/6 + b\*d^3\*ArcSin[c\*x]\*Log[1 - E^((2\*I)\*ArcSin[c\*x])] + a\*d^3\*Log[x] - (I/2)\*

$b*d^3*(\text{ArcSin}[c*x]^2 + \text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])])$

**Maple [A]** time = 0.342, size = 392, normalized size = 1.1

$$\frac{ae^3x^6}{6} + \frac{3ade^2x^4}{4} + \frac{3ad^2ex^2}{2} + d^3a \ln(cx) + \frac{be^3x^5}{36c} \sqrt{-c^2x^2+1} + \frac{5be^3x^3}{144c^3} \sqrt{-c^2x^2+1} + \frac{5be^3x}{96c^5} \sqrt{-c^2x^2+1} - \frac{9bde^2 \arcsin(cx)}{32c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e*x^2+d)^3*(a+b*\arcsin(c*x))/x,x)$

[Out]  $\frac{1}{6}a*e^3*x^6 + \frac{3}{4}a*d*e^2*x^4 + \frac{3}{2}a*d^2*e*x^2 + d^3*a*\ln(c*x) + \frac{1}{36}b*e^3*x^5*(-c^2*x^2+1)^{(1/2)}/c + \frac{5}{144}b*e^3*x^3*(-c^2*x^2+1)^{(1/2)}/c^3 + \frac{5}{96}b*e^3*x*(-c^2*x^2+1)^{(1/2)}/c^5 - \frac{9}{32}b*d*e^2*\arcsin(c*x)/c^4 - \frac{3}{4}b*d^2*e*\arcsin(c*x)/c^2 - \frac{1}{2}I*b*d^3*\arcsin(c*x)^2 + \frac{1}{6}b*\arcsin(c*x)*e^3*x^6 + \frac{3}{4}b*\arcsin(c*x)*d*e^2*x^4 + \frac{3}{2}b*\arcsin(c*x)*d^2*e*x^2 - \frac{5}{96}b*e^3*\arcsin(c*x)/c^6 - I*d^3*b*\text{polylog}(2, -I*c*x - (-c^2*x^2+1)^{(1/2)}) + \frac{3}{16}b*d*e^2*x^3*(-c^2*x^2+1)^{(1/2)}/c + \frac{9}{32}b*d*e^2*x*(-c^2*x^2+1)^{(1/2)}/c^3 + \frac{3}{4}b*d^2*e*x*(-c^2*x^2+1)^{(1/2)}/c + d^3*b*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)}) + d^3*b*\arcsin(c*x)*\ln(1-I*c*x-(-c^2*x^2+1)^{(1/2)}) - I*d^3*b*\text{polylog}(2, I*c*x+(-c^2*x^2+1)^{(1/2)})$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{6}ae^3x^6 + \frac{3}{4}ade^2x^4 + \frac{3}{2}ad^2ex^2 + ad^3 \log(x) + \int \frac{(be^3x^6 + 3bde^2x^4 + 3bd^2ex^2 + bd^3) \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((e*x^2+d)^3*(a+b*\arcsin(c*x))/x,x, \text{algorithm}="maxima")$

[Out]  $\frac{1}{6}a*e^3*x^6 + \frac{3}{4}a*d*e^2*x^4 + \frac{3}{2}a*d^2*e*x^2 + a*d^3*\log(x) + \text{integrate}((b*e^3*x^6 + 3*b*d*e^2*x^4 + 3*b*d^2*e*x^2 + b*d^3)*\arctan2(c*x, \text{sqrt}(c*x + 1)*\text{sqrt}(-c*x + 1))/x, x)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{ae^3x^6 + 3ade^2x^4 + 3ad^2ex^2 + ad^3 + (be^3x^6 + 3bde^2x^4 + 3bd^2ex^2 + bd^3) \arcsin(cx)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^3*(a+b*arcsin(c*x))/x,x, algorithm="fricas")
```

```
[Out] integral((a*e^3*x^6 + 3*a*d*e^2*x^4 + 3*a*d^2*e*x^2 + a*d^3 + (b*e^3*x^6 +
3*b*d*e^2*x^4 + 3*b*d^2*e*x^2 + b*d^3)*arcsin(c*x))/x, x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asin}(cx)) (d + ex^2)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)**3*(a+b*asin(c*x))/x,x)
```

```
[Out] Integral((a + b*asin(c*x))*(d + e*x**2)**3/x, x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^3 (b \operatorname{arcsin}(cx) + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^3*(a+b*arcsin(c*x))/x,x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)^3*(b*arcsin(c*x) + a)/x, x)
```

$$3.620 \quad \int \frac{(d+ex^2)^3 (a+b \sin^{-1}(cx))}{x^2} dx$$

**Optimal.** Leaf size=190

$$3d^2ex(a+b \sin^{-1}(cx)) - \frac{d^3(a+b \sin^{-1}(cx))}{x} + de^2x^3(a+b \sin^{-1}(cx)) + \frac{1}{5}e^3x^5(a+b \sin^{-1}(cx)) + \frac{be\sqrt{1-c^2x^2}(15c^4d^2+5c^2d^2e+e^2)}{5c^5}$$

```
[Out] (b*e*(15*c^4*d^2 + 5*c^2*d*e + e^2)*Sqrt[1 - c^2*x^2])/(5*c^5) - (b*e^2*(5*c^2*d + 2*e)*(1 - c^2*x^2)^(3/2))/(15*c^5) + (b*e^3*(1 - c^2*x^2)^(5/2))/(2*5*c^5) - (d^3*(a + b*ArcSin[c*x]))/x + 3*d^2*e*x*(a + b*ArcSin[c*x]) + d*e^2*x^3*(a + b*ArcSin[c*x]) + (e^3*x^5*(a + b*ArcSin[c*x]))/5 - b*c*d^3*ArcTanh[Sqrt[1 - c^2*x^2]]
```

**Rubi [A]** time = 0.271036, antiderivative size = 190, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {270, 4731, 1799, 1620, 63, 208}

$$3d^2ex(a+b \sin^{-1}(cx)) - \frac{d^3(a+b \sin^{-1}(cx))}{x} + de^2x^3(a+b \sin^{-1}(cx)) + \frac{1}{5}e^3x^5(a+b \sin^{-1}(cx)) + \frac{be\sqrt{1-c^2x^2}(15c^4d^2+5c^2d^2e+e^2)}{5c^5}$$

Antiderivative was successfully verified.

```
[In] Int[((d + e*x^2)^3*(a + b*ArcSin[c*x]))/x^2,x]
```

```
[Out] (b*e*(15*c^4*d^2 + 5*c^2*d*e + e^2)*Sqrt[1 - c^2*x^2])/(5*c^5) - (b*e^2*(5*c^2*d + 2*e)*(1 - c^2*x^2)^(3/2))/(15*c^5) + (b*e^3*(1 - c^2*x^2)^(5/2))/(2*5*c^5) - (d^3*(a + b*ArcSin[c*x]))/x + 3*d^2*e*x*(a + b*ArcSin[c*x]) + d*e^2*x^3*(a + b*ArcSin[c*x]) + (e^3*x^5*(a + b*ArcSin[c*x]))/5 - b*c*d^3*ArcTanh[Sqrt[1 - c^2*x^2]]
```

### Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]
```

### Rule 4731

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))*((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist
```

```
[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*
x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] &
& IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

### Rule 1799

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Dist[1/2, Su
bst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x)^p, x], x, x^2], x] /;
FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]
```

### Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol]
:= Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c
, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[E
xpon[Px, x], 2]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps



$$\begin{aligned}
\int \frac{(d+ex^2)^3 (a+b\sin^{-1}(cx))}{x^2} dx &= -\frac{d^3 (a+b\sin^{-1}(cx))}{x} + 3d^2 ex (a+b\sin^{-1}(cx)) + de^2 x^3 (a+b\sin^{-1}(cx)) + \frac{1}{5} e^3 x^5 \\
&= -\frac{d^3 (a+b\sin^{-1}(cx))}{x} + 3d^2 ex (a+b\sin^{-1}(cx)) + de^2 x^3 (a+b\sin^{-1}(cx)) + \frac{1}{5} e^3 x^5 \\
&= -\frac{d^3 (a+b\sin^{-1}(cx))}{x} + 3d^2 ex (a+b\sin^{-1}(cx)) + de^2 x^3 (a+b\sin^{-1}(cx)) + \frac{1}{5} e^3 x^5 \\
&= \frac{be(15c^4 d^2 + 5c^2 de + e^2) \sqrt{1-c^2 x^2}}{5c^5} - \frac{be^2(5c^2 d + 2e)(1-c^2 x^2)^{3/2}}{15c^5} + \frac{be^3(1-c^2 x^2)}{25c^5} \\
&= \frac{be(15c^4 d^2 + 5c^2 de + e^2) \sqrt{1-c^2 x^2}}{5c^5} - \frac{be^2(5c^2 d + 2e)(1-c^2 x^2)^{3/2}}{15c^5} + \frac{be^3(1-c^2 x^2)}{25c^5} \\
&= \frac{be(15c^4 d^2 + 5c^2 de + e^2) \sqrt{1-c^2 x^2}}{5c^5} - \frac{be^2(5c^2 d + 2e)(1-c^2 x^2)^{3/2}}{15c^5} + \frac{be^3(1-c^2 x^2)}{25c^5}
\end{aligned}$$

**Mathematica [A]** time = 0.20232, size = 183, normalized size = 0.96

$$3ad^2 ex - \frac{ad^3}{x} + ade^2 x^3 + \frac{1}{5} ae^3 x^5 + \frac{be\sqrt{1-c^2 x^2} (c^4 (225d^2 + 25dex^2 + 3e^2 x^4) + 2c^2 e (25d + 2ex^2) + 8e^2)}{75c^5} - bcd^3 \log\left(\sqrt{\dots}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(((d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]))/x^2,x]

[Out] -((a\*d^3)/x) + 3\*a\*d^2\*e\*x + a\*d\*e^2\*x^3 + (a\*e^3\*x^5)/5 + (b\*e\*sqrt[1 - c^2\*x^2]\*(8\*e^2 + 2\*c^2\*e\*(25\*d + 2\*e\*x^2) + c^4\*(225\*d^2 + 25\*d\*e\*x^2 + 3\*e^2\*x^4)))/(75\*c^5) + (b\*(-5\*d^3 + 15\*d^2\*e\*x^2 + 5\*d\*e^2\*x^4 + e^3\*x^6)\*ArcSin[c\*x])/(5\*x) + b\*c\*d^3\*Log[x] - b\*c\*d^3\*Log[1 + sqrt[1 - c^2\*x^2]]

**Maple [A]** time = 0.01, size = 264, normalized size = 1.4

$$c \left( \frac{a}{c^6} \left( \frac{e^3 c^5 x^5}{5} + c^5 d e^2 x^3 + 3 c^5 d^2 e x - \frac{c^5 d^3}{x} \right) + \frac{b}{c^6} \left( \frac{\arcsin(cx) e^3 c^5 x^5}{5} + \arcsin(cx) c^5 d e^2 x^3 + 3 \arcsin(cx) c^5 d^2 e x - \frac{\arcsin(cx) c^5 d^3}{x} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x^2,x)

[Out] c\*(a/c^6\*(1/5\*e^3\*c^5\*x^5+c^5\*d\*e^2\*x^3+3\*c^5\*d^2\*e\*x-d^3\*c^5/x)+b/c^6\*(1/5\*arcsin(c\*x)\*e^3\*c^5\*x^5+arcsin(c\*x)\*c^5\*d\*e^2\*x^3+3\*arcsin(c\*x)\*c^5\*d^2\*e\*x-arcsin(c\*x)\*d^3\*c^5/x-1/5\*e^3\*(-1/5\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-4/15\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-8/15\*(-c^2\*x^2+1)^(1/2))-c^2\*d\*e^2\*(-1/3\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-2/3\*(-c^2\*x^2+1)^(1/2))+3\*c^4\*d^2\*e\*(-c^2\*x^2+1)^(1/2)-d^3\*c^6\*arctanh(1/(-c^2\*x^2+1)^(1/2))))

**Maxima [A]** time = 1.4505, size = 325, normalized size = 1.71

$$\frac{1}{5}ae^3x^5 + ade^2x^3 - \left( c \log \left( \frac{2\sqrt{-c^2x^2+1}}{|x|} + \frac{2}{|x|} \right) + \frac{\arcsin(cx)}{x} \right) bd^3 + \frac{1}{3} \left( 3x^3 \arcsin(cx) + c \left( \frac{\sqrt{-c^2x^2+1}x^2}{c^2} + \frac{2\sqrt{-c^2x^2+1}}{c^4} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x^2,x, algorithm="maxima")

[Out] 1/5\*a\*e^3\*x^5 + a\*d\*e^2\*x^3 - (c\*log(2\*sqrt(-c^2\*x^2 + 1)/abs(x) + 2/abs(x)) + arcsin(c\*x)/x)\*b\*d^3 + 1/3\*(3\*x^3\*arcsin(c\*x) + c\*(sqrt(-c^2\*x^2 + 1)\*x^2/c^2 + 2\*sqrt(-c^2\*x^2 + 1)/c^4))\*b\*d\*e^2 + 1/75\*(15\*x^5\*arcsin(c\*x) + (3\*sqrt(-c^2\*x^2 + 1)\*x^4/c^2 + 4\*sqrt(-c^2\*x^2 + 1)\*x^2/c^4 + 8\*sqrt(-c^2\*x^2 + 1)/c^6)\*c)\*b\*e^3 + 3\*a\*d^2\*e\*x + 3\*(c\*x\*arcsin(c\*x) + sqrt(-c^2\*x^2 + 1))\*b\*d^2\*e/c - a\*d^3/x

**Fricas [A]** time = 3.29502, size = 539, normalized size = 2.84

$$30ac^5e^3x^6 + 150ac^5de^2x^4 - 75bc^6d^3x \log(\sqrt{-c^2x^2+1}+1) + 75bc^6d^3x \log(\sqrt{-c^2x^2+1}-1) + 450ac^5d^2ex^2 - 150ac^5d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x^2,x, algorithm="fricas")

[Out] 1/150\*(30\*a\*c^5\*e^3\*x^6 + 150\*a\*c^5\*d\*e^2\*x^4 - 75\*b\*c^6\*d^3\*x\*log(sqrt(-c^2\*x^2 + 1) + 1) + 75\*b\*c^6\*d^3\*x\*log(sqrt(-c^2\*x^2 + 1) - 1) + 450\*a\*c^5\*d^2\*e\*x^2 - 150\*a\*c^5\*d^3 + 30\*(b\*c^5\*e^3\*x^6 + 5\*b\*c^5\*d\*e^2\*x^4 + 15\*b\*c^5\*d^2\*e\*x^2 - 5\*b\*c^5\*d^3)\*arcsin(c\*x) + 2\*(3\*b\*c^4\*e^3\*x^5 + (25\*b\*c^4\*d\*e^2

$$+ 4*b*c^2*e^3)*x^3 + (225*b*c^4*d^2*e + 50*b*c^2*d*e^2 + 8*b*e^3)*x)*\sqrt{-c^2*x^2 + 1})/(c^5*x)$$

**Sympy [A]** time = 9.28775, size = 272, normalized size = 1.43

$$-\frac{ad^3}{x} + 3ad^2ex + ade^2x^3 + \frac{ae^3x^5}{5} + bcd^3 \left( \begin{cases} -\operatorname{acosh}\left(\frac{1}{cx}\right) & \text{for } \frac{1}{|c^2x^2|} > 1 \\ i \operatorname{asin}\left(\frac{1}{cx}\right) & \text{otherwise} \end{cases} \right) - bcde^2 \left( \begin{cases} -\frac{x^2\sqrt{-c^2x^2+1}}{3c^2} - \frac{2\sqrt{-c^2x^2+1}}{3c^4} & \text{for } c \neq 0 \\ \frac{x^4}{4} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x))/x\*\*2,x)

[Out] -a\*d\*\*3/x + 3\*a\*d\*\*2\*e\*x + a\*d\*e\*\*2\*x\*\*3 + a\*e\*\*3\*x\*\*5/5 + b\*c\*d\*\*3\*Piecewise((-acosh(1/(c\*x)), 1/Abs(c\*\*2\*x\*\*2) > 1), (I\*asin(1/(c\*x)), True)) - b\*c\*d\*e\*\*2\*Piecewise((-x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(3\*c\*\*2) - 2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(3\*c\*\*4), Ne(c, 0)), (x\*\*4/4, True)) - b\*c\*e\*\*3\*Piecewise((-x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(5\*c\*\*2) - 4\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(15\*c\*\*4) - 8\*sqrt(-c\*\*2\*x\*\*2 + 1)/(15\*c\*\*6), Ne(c, 0)), (x\*\*6/6, True))/5 - b\*d\*\*3\*asin(c\*x)/x + 3\*b\*d\*\*2\*e\*Piecewise((0, Eq(c, 0)), (x\*asin(c\*x) + sqrt(-c\*\*2\*x\*\*2 + 1)/c, True)) + b\*d\*e\*\*2\*x\*\*3\*asin(c\*x) + b\*e\*\*3\*x\*\*5\*asin(c\*x)/5

**Giac [B]** time = 6.89549, size = 14533, normalized size = 76.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x^2,x, algorithm="giac")

[Out] -1/2\*b\*c^18\*d^3\*x^12\*arcsin(c\*x)/((c^16\*x^11/(sqrt(-c^2\*x^2 + 1) + 1)^11 + 5\*c^14\*x^9/(sqrt(-c^2\*x^2 + 1) + 1)^9 + 10\*c^12\*x^7/(sqrt(-c^2\*x^2 + 1) + 1)^7 + 10\*c^10\*x^5/(sqrt(-c^2\*x^2 + 1) + 1)^5 + 5\*c^8\*x^3/(sqrt(-c^2\*x^2 + 1) + 1)^3 + c^6\*x/(sqrt(-c^2\*x^2 + 1) + 1))\*(sqrt(-c^2\*x^2 + 1) + 1)^12) - 1/2\*a\*c^18\*d^3\*x^12/((c^16\*x^11/(sqrt(-c^2\*x^2 + 1) + 1)^11 + 5\*c^14\*x^9/(sqrt(-c^2\*x^2 + 1) + 1)^9 + 10\*c^12\*x^7/(sqrt(-c^2\*x^2 + 1) + 1)^7 + 10\*c^10\*x^5/(sqrt(-c^2\*x^2 + 1) + 1)^5 + 5\*c^8\*x^3/(sqrt(-c^2\*x^2 + 1) + 1)^3 + c^6\*x/(sqrt(-c^2\*x^2 + 1) + 1))\*(sqrt(-c^2\*x^2 + 1) + 1)^12) + b\*c^17\*d^3\*x^11



$$\begin{aligned}
& (-c^2x^2 + 1) + 1)^7 + 10c^{10}x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 5c^8x^3/ \\
& (\sqrt{-c^2x^2 + 1} + 1)^3 + c^6x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2} \\
& + 1) + 1)^7) - 10b*c^{13}d^3*x^7*\log(\sqrt{-c^2x^2 + 1} + 1)/((c^{16}x^{11}/( \\
& \sqrt{-c^2x^2 + 1} + 1)^{11} + 5c^{14}x^9/(\sqrt{-c^2x^2 + 1} + 1)^9 + 10c^{12}x^7/ \\
& (\sqrt{-c^2x^2 + 1} + 1)^7 + 10c^{10}x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + \\
& 5c^8x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^6x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2} \\
& + 1) + 1)^7) - 10b*c^{12}d^3*x^6*\arcsin(cx)/((c^{16}x^{11}/(\sqrt{-c^2x^2} \\
& + 1) + 1)^{11} + 5c^{14}x^9/(\sqrt{-c^2x^2 + 1} + 1)^9 + 10c^{12}x^7/ \\
& (\sqrt{-c^2x^2 + 1} + 1)^7 + 10c^{10}x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 5c^8x^3/ \\
& (\sqrt{-c^2x^2 + 1} + 1)^3 + c^6x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2} \\
& + 1) + 1)^6) - 9b*c^{13}d^2*x^9*e/((c^{16}x^{11}/(\sqrt{-c^2x^2 + 1} + 1) \\
& )^{11} + 5c^{14}x^9/(\sqrt{-c^2x^2 + 1} + 1)^9 + 10c^{12}x^7/(\sqrt{-c^2x^2} \\
& + 1) + 1)^7 + 10c^{10}x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 5c^8x^3/(\sqrt{-c^2} \\
& *x^2 + 1) + 1)^3 + c^6x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2 + 1} + 1) \\
& ^9) + 24b*c^{12}d^2*x^8*\arcsin(cx)*e/((c^{16}x^{11}/(\sqrt{-c^2x^2 + 1} + 1)^{11} \\
& + 5c^{14}x^9/(\sqrt{-c^2x^2 + 1} + 1)^9 + 10c^{12}x^7/(\sqrt{-c^2x^2 + 1} \\
& ) + 1)^7 + 10c^{10}x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 5c^8x^3/(\sqrt{-c^2*x^2} \\
& + 1) + 1)^3 + c^6x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2 + 1} + 1)^8) \\
& - 10a*c^{12}d^3*x^6/((c^{16}x^{11}/(\sqrt{-c^2x^2 + 1} + 1)^{11} + 5c^{14}x^9/( \\
& \sqrt{-c^2x^2 + 1} + 1)^9 + 10c^{12}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 10c^{10}x^5/ \\
& (\sqrt{-c^2x^2 + 1} + 1)^5 + 5c^8x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^6x/(\sqrt{-c^2x^2} \\
& + 1) + 1)) * (\sqrt{-c^2x^2 + 1} + 1)^6) - 2/3b*c^{13}d*x \\
& ^{11}*e^2/((c^{16}x^{11}/(\sqrt{-c^2x^2 + 1} + 1)^{11} + 5c^{14}x^9/(\sqrt{-c^2x^2} \\
& + 1) + 1)^9 + 10c^{12}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 10c^{10}x^5/(\sqrt{-c^2} \\
& *x^2 + 1) + 1)^5 + 5c^8x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^6x/(\sqrt{-c^2x^2} \\
& + 1) + 1)) * (\sqrt{-c^2x^2 + 1} + 1)^{11}) + 24a*c^{12}d^2*x^8*e/((c^{16} \\
& *x^{11}/(\sqrt{-c^2x^2 + 1} + 1)^{11} + 5c^{14}x^9/(\sqrt{-c^2x^2 + 1} + 1)^9 + \\
& 10c^{12}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 10c^{10}x^5/(\sqrt{-c^2x^2 + 1} + \\
& 1)^5 + 5c^8x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^6x/(\sqrt{-c^2x^2 + 1} + \\
& 1)) * (\sqrt{-c^2x^2 + 1} + 1)^8) + 10b*c^{11}d^3*x^5*\log(\text{abs}(c)*\text{abs}(x))/((c^{16} \\
& x^{11}/(\sqrt{-c^2x^2 + 1} + 1)^{11} + 5c^{14}x^9/(\sqrt{-c^2x^2 + 1} + 1)^9 \\
& + 10c^{12}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 10c^{10}x^5/(\sqrt{-c^2x^2 + 1} \\
& + 1)^5 + 5c^8x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^6x/(\sqrt{-c^2x^2 + 1} \\
& + 1)) * (\sqrt{-c^2x^2 + 1} + 1)^5) - 10b*c^{11}d^3*x^5*\log(\sqrt{-c^2x^2 + 1} \\
& + 1)/((c^{16}x^{11}/(\sqrt{-c^2x^2 + 1} + 1)^{11} + 5c^{14}x^9/(\sqrt{-c^2x^2} \\
& + 1) + 1)^9 + 10c^{12}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 10c^{10}x^5/(\sqrt{-c^2} \\
& *x^2 + 1) + 1)^5 + 5c^8x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^6x/(\sqrt{-c^2} \\
& *x^2 + 1) + 1)) * (\sqrt{-c^2x^2 + 1} + 1)^5) - 15/2b*c^{10}d^3*x^4*\arcsin(c \\
& *x)/((c^{16}x^{11}/(\sqrt{-c^2x^2 + 1} + 1)^{11} + 5c^{14}x^9/(\sqrt{-c^2x^2 + 1} \\
& ) + 1)^9 + 10c^{12}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 10c^{10}x^5/(\sqrt{-c^2* \\
& x^2 + 1} + 1)^5 + 5c^8x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + c^6x/(\sqrt{-c^2*x^2} \\
& + 1) + 1)) * (\sqrt{-c^2x^2 + 1} + 1)^4) - 6b*c^{11}d^2*x^7*e/((c^{16}x^{11}/ \\
& (\sqrt{-c^2x^2 + 1} + 1)^{11} + 5c^{14}x^9/(\sqrt{-c^2x^2 + 1} + 1)^9 + 10c^{12}x^7/ \\
& (\sqrt{-c^2x^2 + 1} + 1)^7 + 10c^{10}x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 5c^8x^3/ \\
& (\sqrt{-c^2x^2 + 1} + 1)^3 + c^6x/(\sqrt{-c^2x^2 + 1} + 1)) * (s
\end{aligned}$$



$$\begin{aligned}
& 1) + 1)^7 + 10*c^{10}*x^5/(sqrt(-c^2*x^2 + 1) + 1)^5 + 5*c^8*x^3/(sqrt(-c^2* \\
& x^2 + 1) + 1)^3 + c^6*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)^ \\
& 4) - 3*a*c^8*d^3*x^2/((c^{16}*x^{11}/(sqrt(-c^2*x^2 + 1) + 1)^{11} + 5*c^{14}*x^9/( \\
& sqrt(-c^2*x^2 + 1) + 1)^9 + 10*c^{12}*x^7/(sqrt(-c^2*x^2 + 1) + 1)^7 + 10*c^{1 \\
& 0}*x^5/(sqrt(-c^2*x^2 + 1) + 1)^5 + 5*c^8*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c \\
& ^6*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)^2) - 8/3*b*c^9*d*x^ \\
& 7*e^2/((c^{16}*x^{11}/(sqrt(-c^2*x^2 + 1) + 1)^{11} + 5*c^{14}*x^9/(sqrt(-c^2*x^2 + \\
& 1) + 1)^9 + 10*c^{12}*x^7/(sqrt(-c^2*x^2 + 1) + 1)^7 + 10*c^{10}*x^5/(sqrt(-c^ \\
& 2*x^2 + 1) + 1)^5 + 5*c^8*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c^6*x/(sqrt(-c^2 \\
& *x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)^7) + 16*b*c^8*d*x^6*arcsin(c*x)*e^ \\
& 2/((c^{16}*x^{11}/(sqrt(-c^2*x^2 + 1) + 1)^{11} + 5*c^{14}*x^9/(sqrt(-c^2*x^2 + 1) \\
& + 1)^9 + 10*c^{12}*x^7/(sqrt(-c^2*x^2 + 1) + 1)^7 + 10*c^{10}*x^5/(sqrt(-c^2*x^ \\
& 2 + 1) + 1)^5 + 5*c^8*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c^6*x/(sqrt(-c^2*x^2 \\
& + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)^6) + 24*a*c^8*d^2*x^4*e/((c^{16}*x^{11}/(s \\
& qrt(-c^2*x^2 + 1) + 1)^{11} + 5*c^{14}*x^9/(sqrt(-c^2*x^2 + 1) + 1)^9 + 10*c^{12} \\
& *x^7/(sqrt(-c^2*x^2 + 1) + 1)^7 + 10*c^{10}*x^5/(sqrt(-c^2*x^2 + 1) + 1)^5 + \\
& 5*c^8*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c^6*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqr \\
& t(-c^2*x^2 + 1) + 1)^4) + b*c^7*d^3*x*log(abs(c)*abs(x))/((c^{16}*x^{11}/(sqrt( \\
& -c^2*x^2 + 1) + 1)^{11} + 5*c^{14}*x^9/(sqrt(-c^2*x^2 + 1) + 1)^9 + 10*c^{12}*x^7 \\
& /(sqrt(-c^2*x^2 + 1) + 1)^7 + 10*c^{10}*x^5/(sqrt(-c^2*x^2 + 1) + 1)^5 + 5*c^ \\
& 8*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c^6*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c \\
& ^2*x^2 + 1) + 1)) - b*c^7*d^3*x*log(sqrt(-c^2*x^2 + 1) + 1)/((c^{16}*x^{11}/(sq \\
& rt(-c^2*x^2 + 1) + 1)^{11} + 5*c^{14}*x^9/(sqrt(-c^2*x^2 + 1) + 1)^9 + 10*c^{12} \\
& *x^7/(sqrt(-c^2*x^2 + 1) + 1)^7 + 10*c^{10}*x^5/(sqrt(-c^2*x^2 + 1) + 1)^5 + 5 \\
& *c^8*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c^6*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt \\
& (-c^2*x^2 + 1) + 1)) - 1/2*b*c^6*d^3*arcsin(c*x)/(c^{16}*x^{11}/(sqrt(-c^2*x^2 \\
& + 1) + 1)^{11} + 5*c^{14}*x^9/(sqrt(-c^2*x^2 + 1) + 1)^9 + 10*c^{12}*x^7/(sqrt(-c \\
& ^2*x^2 + 1) + 1)^7 + 10*c^{10}*x^5/(sqrt(-c^2*x^2 + 1) + 1)^5 + 5*c^8*x^3/(sq \\
& rt(-c^2*x^2 + 1) + 1)^3 + c^6*x/(sqrt(-c^2*x^2 + 1) + 1)) - 8/15*b*c^9*x^9* \\
& e^3/((c^{16}*x^{11}/(sqrt(-c^2*x^2 + 1) + 1)^{11} + 5*c^{14}*x^9/(sqrt(-c^2*x^2 + 1) \\
& ) + 1)^9 + 10*c^{12}*x^7/(sqrt(-c^2*x^2 + 1) + 1)^7 + 10*c^{10}*x^5/(sqrt(-c^2* \\
& x^2 + 1) + 1)^5 + 5*c^8*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c^6*x/(sqrt(-c^2*x \\
& ^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1)^9) + 16*a*c^8*d*x^6*e^2/((c^{16}*x^{11}/ \\
& (sqrt(-c^2*x^2 + 1) + 1)^{11} + 5*c^{14}*x^9/(sqrt(-c^2*x^2 + 1) + 1)^9 + 10*c^ \\
& 12*x^7/(sqrt(-c^2*x^2 + 1) + 1)^7 + 10*c^{10}*x^5/(sqrt(-c^2*x^2 + 1) + 1)^5 \\
& + 5*c^8*x^3/(sqrt(-c^2*x^2 + 1) + 1)^3 + c^6*x/(sqrt(-c^2*x^2 + 1) + 1))*(s \\
& qrt(-c^2*x^2 + 1) + 1)^6) + 9*b*c^7*d^2*x^3*e/((c^{16}*x^{11}/(sqrt(-c^2*x^2 + \\
& 1) + 1)^{11} + 5*c^{14}*x^9/(sqrt(-c^2*x^2 + 1) + 1)^9 + 10*c^{12}*x^7/(sqrt(-c^2 \\
& *x^2 + 1) + 1)^7 + 10*c^{10}*x^5/(sqrt(-c^2*x^2 + 1) + 1)^5 + 5*c^8*x^3/(sqrt \\
& (-c^2*x^2 + 1) + 1)^3 + c^6*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) \\
& + 1)^3) + 6*b*c^6*d^2*x^2*arcsin(c*x)*e/((c^{16}*x^{11}/(sqrt(-c^2*x^2 + 1) + \\
& 1)^{11} + 5*c^{14}*x^9/(sqrt(-c^2*x^2 + 1) + 1)^9 + 10*c^{12}*x^7/(sqrt(-c^2*x^2 \\
& + 1) + 1)^7 + 10*c^{10}*x^5/(sqrt(-c^2*x^2 + 1) + 1)^5 + 5*c^8*x^3/(sqrt(-c^2 \\
& *x^2 + 1) + 1)^3 + c^6*x/(sqrt(-c^2*x^2 + 1) + 1))*(sqrt(-c^2*x^2 + 1) + 1) \\
& ^2) - 1/2*a*c^6*d^3/(c^{16}*x^{11}/(sqrt(-c^2*x^2 + 1) + 1)^{11} + 5*c^{14}*x^9/(sq
\end{aligned}$$





$$\begin{aligned}
& 1)^{11} + 5c^{14}x^9/(\sqrt{-c^2x^2 + 1} + 1)^9 + 10c^{12}x^7/(\sqrt{-c^2x^2} \\
& + 1) + 1)^7 + 10c^{10}x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 5c^8x^3/(\sqrt{-c^ \\
& 2x^2 + 1} + 1)^3 + c^6x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2 + 1} + 1 \\
& )^3 + 8/75 * b * c * x * e^3 / ((c^{16}x^{11}/(\sqrt{-c^2x^2 + 1} + 1)^{11} + 5c^{14}x^9/ \\
& (\sqrt{-c^2x^2 + 1} + 1)^9 + 10c^{12}x^7/(\sqrt{-c^2x^2 + 1} + 1)^7 + 10c^ \\
& 10x^5/(\sqrt{-c^2x^2 + 1} + 1)^5 + 5c^8x^3/(\sqrt{-c^2x^2 + 1} + 1)^3 + \\
& c^6x/(\sqrt{-c^2x^2 + 1} + 1)) * (\sqrt{-c^2x^2 + 1} + 1))
\end{aligned}$$

$$3.621 \quad \int \frac{(d+ex^2)^3 (a+b \sin^{-1}(cx))}{x^3} dx$$

**Optimal.** Leaf size=262

$$-\frac{3}{2}ibd^2e\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right) + 3d^2e \log(x) (a + b \sin^{-1}(cx)) - \frac{d^3 (a + b \sin^{-1}(cx))}{2x^2} + \frac{3}{2}de^2x^2 (a + b \sin^{-1}(cx)) + \frac{1}{4}e^3x$$

[Out]  $-(b*c*d^3*\text{Sqrt}[1 - c^2*x^2])/(2*x) + (3*b*e^2*(8*c^2*d + e)*x*\text{Sqrt}[1 - c^2*x^2])/(32*c^3) + (b*e^3*x^3*\text{Sqrt}[1 - c^2*x^2])/(16*c) - (3*b*e^2*(8*c^2*d + e)*\text{ArcSin}[c*x])/(32*c^4) - ((3*I)/2)*b*d^2*e*\text{ArcSin}[c*x]^2 - (d^3*(a + b*\text{ArcSin}[c*x]))/(2*x^2) + (3*d*e^2*x^2*(a + b*\text{ArcSin}[c*x]))/2 + (e^3*x^4*(a + b*\text{ArcSin}[c*x]))/4 + 3*b*d^2*e*\text{ArcSin}[c*x]*\text{Log}[1 - E^((2*I)*\text{ArcSin}[c*x])] - 3*b*d^2*e*\text{ArcSin}[c*x]*\text{Log}[x] + 3*d^2*e*(a + b*\text{ArcSin}[c*x])*\text{Log}[x] - ((3*I)/2)*b*d^2*e*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])]$

**Rubi [A]** time = 0.779231, antiderivative size = 262, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 16, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.762$ , Rules used = {266, 43, 4731, 12, 6742, 1807, 1584, 459, 321, 216, 2326, 4625, 3717, 2190, 2279, 2391}

$$-\frac{3}{2}ibd^2e\text{PolyLog}\left(2, e^{2i\sin^{-1}(cx)}\right) + 3d^2e \log(x) (a + b \sin^{-1}(cx)) - \frac{d^3 (a + b \sin^{-1}(cx))}{2x^2} + \frac{3}{2}de^2x^2 (a + b \sin^{-1}(cx)) + \frac{1}{4}e^3x$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{(d + e*x^2)^3*(a + b*\text{ArcSin}[c*x])}{x^3}, x]$

[Out]  $-(b*c*d^3*\text{Sqrt}[1 - c^2*x^2])/(2*x) + (3*b*e^2*(8*c^2*d + e)*x*\text{Sqrt}[1 - c^2*x^2])/(32*c^3) + (b*e^3*x^3*\text{Sqrt}[1 - c^2*x^2])/(16*c) - (3*b*e^2*(8*c^2*d + e)*\text{ArcSin}[c*x])/(32*c^4) - ((3*I)/2)*b*d^2*e*\text{ArcSin}[c*x]^2 - (d^3*(a + b*\text{ArcSin}[c*x]))/(2*x^2) + (3*d*e^2*x^2*(a + b*\text{ArcSin}[c*x]))/2 + (e^3*x^4*(a + b*\text{ArcSin}[c*x]))/4 + 3*b*d^2*e*\text{ArcSin}[c*x]*\text{Log}[1 - E^((2*I)*\text{ArcSin}[c*x])] - 3*b*d^2*e*\text{ArcSin}[c*x]*\text{Log}[x] + 3*d^2*e*(a + b*\text{ArcSin}[c*x])*\text{Log}[x] - ((3*I)/2)*b*d^2*e*\text{PolyLog}[2, E^((2*I)*\text{ArcSin}[c*x])]$

**Rule 266**

$\text{Int}[(x_)^{(m_.)}*((a_) + (b_.)*(x_)^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p, x}], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 4731

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_
)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist
[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*
x^2], x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] &
& IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rule 1584

```
Int[(u_.)*(x_)^(m_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol]
:= Int[u*x^(m + n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, m, p, q}, x]
&& IntegerQ[n] && PosQ[q - p]
```

Rule 459

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n
_.)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p
+ 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p
```

+ 1) + 1)), Int[(e\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && NeQ[m + n\*(p + 1) + 1, 0]

### Rule 321

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(c^(n - 1)\*(c\*x)^(m - n + 1)\*(a + b\*x^n)^(p + 1))/(b\*(m + n\*p + 1)), x] - Dist[(a\*c^n\*(m - n + 1))/(b\*(m + n\*p + 1)), Int[(c\*x)^(m - n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 2326

Int[((a\_.) + Log[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))/Sqrt[(d\_) + (e\_.)\*(x\_)^2], x\_Symbol] := Simp[(ArcSin[(Rt[-e, 2]\*x)/Sqrt[d]]\*(a + b\*Log[c\*x^n]))/Rt[-e, 2], x] - Dist[(b\*n)/Rt[-e, 2], Int[ArcSin[(Rt[-e, 2]\*x)/Sqrt[d]]/x, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && GtQ[d, 0] && NegQ[e]

### Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)^(n\_.)]\*(b\_.))/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

### Rule 3717

Int[((c\_.) + (d\_.)\*(x\_))^(m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1))/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m \* E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi) \* E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

### Rule 2190

Int[(((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1) \* Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^3 (a+b\sin^{-1}(cx))}{x^3} dx &= -\frac{d^3 (a+b\sin^{-1}(cx))}{2x^2} + \frac{3}{2}de^2x^2 (a+b\sin^{-1}(cx)) + \frac{1}{4}e^3x^4 (a+b\sin^{-1}(cx)) + 3d^2e \\
&= -\frac{d^3 (a+b\sin^{-1}(cx))}{2x^2} + \frac{3}{2}de^2x^2 (a+b\sin^{-1}(cx)) + \frac{1}{4}e^3x^4 (a+b\sin^{-1}(cx)) + 3d^2e \\
&= -\frac{d^3 (a+b\sin^{-1}(cx))}{2x^2} + \frac{3}{2}de^2x^2 (a+b\sin^{-1}(cx)) + \frac{1}{4}e^3x^4 (a+b\sin^{-1}(cx)) + 3d^2e \\
&= -\frac{d^3 (a+b\sin^{-1}(cx))}{2x^2} + \frac{3}{2}de^2x^2 (a+b\sin^{-1}(cx)) + \frac{1}{4}e^3x^4 (a+b\sin^{-1}(cx)) + 3d^2e \\
&= -\frac{bcd^3\sqrt{1-c^2x^2}}{2x} - \frac{d^3 (a+b\sin^{-1}(cx))}{2x^2} + \frac{3}{2}de^2x^2 (a+b\sin^{-1}(cx)) + \frac{1}{4}e^3x^4 (a+b\sin^{-1}(cx)) + 3d^2e \\
&= -\frac{bcd^3\sqrt{1-c^2x^2}}{2x} - \frac{d^3 (a+b\sin^{-1}(cx))}{2x^2} + \frac{3}{2}de^2x^2 (a+b\sin^{-1}(cx)) + \frac{1}{4}e^3x^4 (a+b\sin^{-1}(cx)) + 3d^2e \\
&= -\frac{bcd^3\sqrt{1-c^2x^2}}{2x} + \frac{be^3x^3\sqrt{1-c^2x^2}}{16c} - \frac{3}{2}ibd^2e\sin^{-1}(cx)^2 - \frac{d^3 (a+b\sin^{-1}(cx))}{2x^2} + \frac{3}{2}de^2x^2 (a+b\sin^{-1}(cx)) + \frac{1}{4}e^3x^4 (a+b\sin^{-1}(cx)) + 3d^2e \\
&= -\frac{bcd^3\sqrt{1-c^2x^2}}{2x} + \frac{3be^2 (8c^2d+e)x\sqrt{1-c^2x^2}}{32c^3} + \frac{be^3x^3\sqrt{1-c^2x^2}}{16c} - \frac{3}{2}ibd^2e\sin^{-1}(cx)^2 - \frac{d^3 (a+b\sin^{-1}(cx))}{2x^2} + \frac{3}{2}de^2x^2 (a+b\sin^{-1}(cx)) + \frac{1}{4}e^3x^4 (a+b\sin^{-1}(cx)) + 3d^2e \\
&= -\frac{bcd^3\sqrt{1-c^2x^2}}{2x} + \frac{3be^2 (8c^2d+e)x\sqrt{1-c^2x^2}}{32c^3} + \frac{be^3x^3\sqrt{1-c^2x^2}}{16c} - \frac{3be^2 (8c^2d+e)}{32c^4} - \frac{d^3 (a+b\sin^{-1}(cx))}{2x^2} + \frac{3}{2}de^2x^2 (a+b\sin^{-1}(cx)) + \frac{1}{4}e^3x^4 (a+b\sin^{-1}(cx)) + 3d^2e \\
&= -\frac{bcd^3\sqrt{1-c^2x^2}}{2x} + \frac{3be^2 (8c^2d+e)x\sqrt{1-c^2x^2}}{32c^3} + \frac{be^3x^3\sqrt{1-c^2x^2}}{16c} - \frac{3be^2 (8c^2d+e)}{32c^4} - \frac{d^3 (a+b\sin^{-1}(cx))}{2x^2} + \frac{3}{2}de^2x^2 (a+b\sin^{-1}(cx)) + \frac{1}{4}e^3x^4 (a+b\sin^{-1}(cx)) + 3d^2e
\end{aligned}$$

**Mathematica [A]** time = 0.414839, size = 220, normalized size = 0.84

$$\frac{1}{32} \left( 96bd^2e \left( \sin^{-1}(cx) \log \left( 1 - e^{2i\sin^{-1}(cx)} \right) - \frac{1}{2}i \left( \sin^{-1}(cx)^2 + \text{PolyLog} \left( 2, e^{2i\sin^{-1}(cx)} \right) \right) \right) \right) + 96ad^2e \log(x) - \frac{16ad^3}{x^2} + 48ad^2e$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]))/x^3,x]

[Out] ((-16\*a\*d^3)/x^2 + 48\*a\*d\*e^2\*x^2 + 8\*a\*e^3\*x^4 - (16\*b\*d^3\*(c\*x\*Sqrt[1 - c^2\*x^2] + ArcSin[c\*x]))/x^2 + (24\*b\*d\*e^2\*(c\*x\*Sqrt[1 - c^2\*x^2] + (-1 + 2\*c^2\*x^2)\*ArcSin[c\*x]))/c^2 + (b\*e^3\*(c\*x\*Sqrt[1 - c^2\*x^2]\*(3 + 2\*c^2\*x^2) + (-3 + 8\*c^4\*x^4)\*ArcSin[c\*x]))/c^4 + 96\*a\*d^2\*e\*Log[x] + 96\*b\*d^2\*e\*(ArcSin[c\*x]\*Log[1 - E^((2\*I)\*ArcSin[c\*x])] - (I/2)\*(ArcSin[c\*x]^2 + PolyLog[2, E^((2\*I)\*ArcSin[c\*x])])))/32

**Maple [A]** time = 0.599, size = 345, normalized size = 1.3

$$\frac{ae^3x^4}{4} + \frac{3ax^2de^2}{2} - \frac{d^3a}{2x^2} + 3ad^2e \ln(cx) - 3ibd^2 \operatorname{epolylog}\left(2, -icx - \sqrt{-c^2x^2 + 1}\right) - 3ibd^2 \operatorname{epolylog}\left(2, icx + \sqrt{-c^2x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x^3,x)

[Out] 1/4\*a\*e^3\*x^4+3/2\*a\*x^2\*d\*e^2-1/2\*d^3\*a/x^2+3\*a\*d^2\*e\*ln(c\*x)-3\*I\*b\*d^2\*e\*epolylog(2,-I\*c\*x-(-c^2\*x^2+1)^(1/2))-3\*I\*b\*d^2\*e\*epolylog(2,I\*c\*x+(-c^2\*x^2+1)^(1/2))-1/2\*b\*c\*d^3\*(-c^2\*x^2+1)^(1/2)/x+1/16\*b\*e^3\*x^3\*(-c^2\*x^2+1)^(1/2)/c+3/32/c^3\*b\*(-c^2\*x^2+1)^(1/2)\*x\*e^3-3/4/c^2\*b\*arcsin(c\*x)\*d\*e^2+3/2\*b\*arcsin(c\*x)\*x^2\*d\*e^2+3\*b\*d^2\*e\*arcsin(c\*x)\*ln(1+I\*c\*x+(-c^2\*x^2+1)^(1/2))+3\*b\*d^2\*e\*arcsin(c\*x)\*ln(1-I\*c\*x-(-c^2\*x^2+1)^(1/2))-1/2\*d^3\*b\*arcsin(c\*x)/x^2+1/4\*b\*arcsin(c\*x)\*e^3\*x^4-3/2\*I\*b\*d^2\*e\*arcsin(c\*x)^2-3/32/c^4\*b\*arcsin(c\*x)\*e^3+3/4/c\*b\*(-c^2\*x^2+1)^(1/2)\*x\*d\*e^2+1/2\*I\*c^2\*d^3\*b

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{4}ae^3x^4 + \frac{3}{2}ade^2x^2 - \frac{1}{2}bd^3\left(\frac{\sqrt{-c^2x^2+1}c}{x} + \frac{\arcsin(cx)}{x^2}\right) + 3ad^2e \log(x) - \frac{ad^3}{2x^2} + \int \frac{(be^3x^4 + 3bde^2x^2 + 3bd^2e) \arctan}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x^3,x, algorithm="maxima")

[Out]  $\frac{1}{4}ae^3x^4 + \frac{3}{2}ad^2e^2x^2 - \frac{1}{2}bd^3(\sqrt{-c^2x^2 + 1})c/x + \arcsin(cx)/x^2 + 3ad^2e\log(x) - \frac{1}{2}ad^3/x^2 + \int (be^3x^4 + 3bd^2e^2x^2 + 3bd^2e) \arctan2(cx, \sqrt{cx + 1})\sqrt{-cx + 1})/x, x$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{ae^3x^6 + 3ade^2x^4 + 3ad^2ex^2 + ad^3 + (be^3x^6 + 3bde^2x^4 + 3bd^2ex^2 + bd^3) \arcsin(cx)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^3*(a+b*arcsin(c*x))/x^3,x, algorithm="fricas")`

[Out]  $\text{integral}((a*e^3*x^6 + 3*a*d*e^2*x^4 + 3*a*d^2*e*x^2 + a*d^3 + (b*e^3*x^6 + 3*b*d*e^2*x^4 + 3*b*d^2*e*x^2 + b*d^3)*\arcsin(c*x))/x^3, x)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))(d + ex^2)^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**3*(a+b*asin(c*x))/x**3,x)`

[Out] `Integral((a + b*asin(c*x))*(d + e*x**2)**3/x**3, x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^3 (b \arcsin(cx) + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^3*(a+b*arcsin(c*x))/x^3,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^3*(b*arcsin(c*x) + a)/x^3, x)`

$$3.622 \quad \int \frac{(d+ex^2)^3 (a+b \sin^{-1}(cx))}{x^4} dx$$

**Optimal.** Leaf size=186

$$-\frac{3d^2e(a+b \sin^{-1}(cx))}{x} - \frac{d^3(a+b \sin^{-1}(cx))}{3x^3} + 3de^2x(a+b \sin^{-1}(cx)) + \frac{1}{3}e^3x^3(a+b \sin^{-1}(cx)) - \frac{1}{6}bcd^2(c^2d+18e) \tan^{-1}\left(\frac{d+ex^2}{c^2d+18e}\right)$$

[Out] (b\*e^2\*(9\*c^2\*d + e)\*Sqrt[1 - c^2\*x^2])/(3\*c^3) - (b\*c\*d^3\*Sqrt[1 - c^2\*x^2])/(6\*x^2) - (b\*e^3\*(1 - c^2\*x^2)^(3/2))/(9\*c^3) - (d^3\*(a + b\*ArcSin[c\*x]))/(3\*x^3) - (3\*d^2\*e\*(a + b\*ArcSin[c\*x]))/x + 3\*d\*e^2\*x\*(a + b\*ArcSin[c\*x]) + (e^3\*x^3\*(a + b\*ArcSin[c\*x]))/3 - (b\*c\*d^2\*(c^2\*d + 18\*e)\*ArcTanh[Sqrt[1 - c^2\*x^2]])/6

**Rubi [A]** time = 0.315391, antiderivative size = 186, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$ , Rules used = {270, 4731, 12, 1799, 1621, 897, 1153, 208}

$$-\frac{3d^2e(a+b \sin^{-1}(cx))}{x} - \frac{d^3(a+b \sin^{-1}(cx))}{3x^3} + 3de^2x(a+b \sin^{-1}(cx)) + \frac{1}{3}e^3x^3(a+b \sin^{-1}(cx)) - \frac{1}{6}bcd^2(c^2d+18e) \tan^{-1}\left(\frac{d+ex^2}{c^2d+18e}\right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]))/x^4,x]

[Out] (b\*e^2\*(9\*c^2\*d + e)\*Sqrt[1 - c^2\*x^2])/(3\*c^3) - (b\*c\*d^3\*Sqrt[1 - c^2\*x^2])/(6\*x^2) - (b\*e^3\*(1 - c^2\*x^2)^(3/2))/(9\*c^3) - (d^3\*(a + b\*ArcSin[c\*x]))/(3\*x^3) - (3\*d^2\*e\*(a + b\*ArcSin[c\*x]))/x + 3\*d\*e^2\*x\*(a + b\*ArcSin[c\*x]) + (e^3\*x^3\*(a + b\*ArcSin[c\*x]))/3 - (b\*c\*d^2\*(c^2\*d + 18\*e)\*ArcTanh[Sqrt[1 - c^2\*x^2]])/6

### Rule 270

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

### Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*((f\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist



$[a + b \operatorname{ArcSin}[c x], u, x] - \operatorname{Dist}[b c, \operatorname{Int}[\operatorname{SimplifyIntegrand}[u/\sqrt{1 - c^2 x^2}], x], x] /;$   $\operatorname{FreeQ}\{a, b, c, d, e, f, m\}, x\} \&\& \operatorname{NeQ}[c^2 d + e, 0] \&\& \operatorname{IntegerQ}[p] \&\& (\operatorname{GtQ}[p, 0] \mid\mid (\operatorname{IGtQ}[(m - 1)/2, 0] \&\& \operatorname{LeQ}[m + p, 0]))$

### Rule 12

$\operatorname{Int}[(a_*)(u_), x\_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$   $\operatorname{FreeQ}[a, x] \&\& \operatorname{!Match} Q[u, (b_*)(v_)] /;$   $\operatorname{FreeQ}[b, x]$

### Rule 1799

$\operatorname{Int}[(Pq_*)(x_)^{(m_*)}((a_) + (b_*)(x_)^2)^{(p_*)}, x\_Symbol] \rightarrow \operatorname{Dist}[1/2, \operatorname{Subst}[\operatorname{Int}[x^{(m - 1)/2} \operatorname{SubstFor}[x^2, Pq, x](a + b x)^p, x], x, x^2], x] /;$   $\operatorname{FreeQ}\{a, b, p\}, x\} \&\& \operatorname{PolyQ}[Pq, x^2] \&\& \operatorname{IntegerQ}[(m - 1)/2]$

### Rule 1621

$\operatorname{Int}[(Px_*)((a_.) + (b_.)(x_))^{(m_.)}((c_.) + (d_.)(x_))^{(n_.)}, x\_Symbol] \rightarrow$   $\operatorname{With}\{Qx = \operatorname{PolynomialQuotient}[Px, a + b x, x], R = \operatorname{PolynomialRemainder}[Px, a + b x, x]\}, \operatorname{Simp}[(R*(a + b x)^{(m + 1)}*(c + d x)^{(n + 1)})/((m + 1)*(b c - a d)), x] + \operatorname{Dist}[1/((m + 1)*(b c - a d)), \operatorname{Int}[(a + b x)^{(m + 1)}*(c + d x)^n \operatorname{ExpandToSum}[(m + 1)*(b c - a d)*Qx - d*R*(m + n + 2), x], x]] /;$   $\operatorname{FreeQ}\{a, b, c, d, n\}, x\} \&\& \operatorname{PolyQ}[Px, x] \&\& \operatorname{ILtQ}[m, -1] \&\& \operatorname{GtQ}[\operatorname{Expon}[Px, x], 2]$

### Rule 897

$\operatorname{Int}(((d_.) + (e_.)(x_))^{(m_.)}((f_.) + (g_.)(x_))^{(n_.)}((a_.) + (b_.)(x_)) + (c_.)(x_)^2)^{(p_.)}, x\_Symbol] \rightarrow \operatorname{With}\{q = \operatorname{Denominator}[m]\}, \operatorname{Dist}[q/e, \operatorname{Subst}[\operatorname{Int}[x^{(q*(m + 1) - 1)}*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e + a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^{(2*q)})/e^2)^p, x], x, (d + e*x)^{(1/q)}], x]] /;$   $\operatorname{FreeQ}\{a, b, c, d, e, f, g\}, x\} \&\& \operatorname{NeQ}[e*f - d*g, 0] \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0] \&\& \operatorname{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \operatorname{IntegersQ}[n, p] \&\& \operatorname{FractionQ}[m]$

### Rule 1153

$\operatorname{Int}(((d_.) + (e_.)(x_)^2)^{(q_.)}((a_) + (b_.)(x_)^2 + (c_.)(x_)^4)^{(p_.)}, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(d + e x^2)^q (a + b x^2 + c x^4)^p, x], x] /;$   $\operatorname{FreeQ}\{a, b, c, d, e\}, x\} \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0] \&\& \operatorname{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \operatorname{IGtQ}[p, 0] \&\& \operatorname{IGtQ}[q, -2]$

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex^2)^3 (a + b \sin^{-1}(cx))}{x^4} dx &= -\frac{d^3 (a + b \sin^{-1}(cx))}{3x^3} - \frac{3d^2 e (a + b \sin^{-1}(cx))}{x} + 3de^2 x (a + b \sin^{-1}(cx)) + \frac{1}{3} e^3 x^3 (a \\
 &= -\frac{d^3 (a + b \sin^{-1}(cx))}{3x^3} - \frac{3d^2 e (a + b \sin^{-1}(cx))}{x} + 3de^2 x (a + b \sin^{-1}(cx)) + \frac{1}{3} e^3 x^3 (a \\
 &= -\frac{d^3 (a + b \sin^{-1}(cx))}{3x^3} - \frac{3d^2 e (a + b \sin^{-1}(cx))}{x} + 3de^2 x (a + b \sin^{-1}(cx)) + \frac{1}{3} e^3 x^3 (a \\
 &= -\frac{bcd^3 \sqrt{1 - c^2 x^2}}{6x^2} - \frac{d^3 (a + b \sin^{-1}(cx))}{3x^3} - \frac{3d^2 e (a + b \sin^{-1}(cx))}{x} + 3de^2 x (a + b \sin^{-1}(cx)) \\
 &= -\frac{bcd^3 \sqrt{1 - c^2 x^2}}{6x^2} - \frac{d^3 (a + b \sin^{-1}(cx))}{3x^3} - \frac{3d^2 e (a + b \sin^{-1}(cx))}{x} + 3de^2 x (a + b \sin^{-1}(cx)) \\
 &= -\frac{bcd^3 \sqrt{1 - c^2 x^2}}{6x^2} - \frac{d^3 (a + b \sin^{-1}(cx))}{3x^3} - \frac{3d^2 e (a + b \sin^{-1}(cx))}{x} + 3de^2 x (a + b \sin^{-1}(cx)) \\
 &= \frac{be^2 (9c^2 d + e) \sqrt{1 - c^2 x^2}}{3c^3} - \frac{bcd^3 \sqrt{1 - c^2 x^2}}{6x^2} - \frac{be^3 (1 - c^2 x^2)^{3/2}}{9c^3} - \frac{d^3 (a + b \sin^{-1}(cx))}{3x^3} \\
 &= \frac{be^2 (9c^2 d + e) \sqrt{1 - c^2 x^2}}{3c^3} - \frac{bcd^3 \sqrt{1 - c^2 x^2}}{6x^2} - \frac{be^3 (1 - c^2 x^2)^{3/2}}{9c^3} - \frac{d^3 (a + b \sin^{-1}(cx))}{3x^3}
 \end{aligned}$$

**Mathematica [A]** time = 0.251719, size = 194, normalized size = 1.04

$$\frac{1}{6} \left( -\frac{18ad^2e}{x} - \frac{2ad^3}{x^3} + 18ade^2x + 2ae^3x^3 + \frac{b\sqrt{1 - c^2x^2} (-3c^4d^3 + 2c^2e^2x^2 (27d + ex^2) + 4e^3x^2)}{3c^3x^2} - bcd^2 (c^2d + 18e) \log(\sqrt{1 - c^2x^2}) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]))/x^4,x]

```
[Out] ((-2*a*d^3)/x^3 - (18*a*d^2*e)/x + 18*a*d*e^2*x + 2*a*e^3*x^3 + (b*Sqrt[1 -
c^2*x^2])*(-3*c^4*d^3 + 4*e^3*x^2 + 2*c^2*e^2*x^2*(27*d + e*x^2)))/(3*c^3*x
^2) + (2*b*(-d^3 - 9*d^2*e*x^2 + 9*d*e^2*x^4 + e^3*x^6)*ArcSin[c*x])/x^3 +
b*c*d^2*(c^2*d + 18*e)*Log[x] - b*c*d^2*(c^2*d + 18*e)*Log[1 + Sqrt[1 - c^2
*x^2]])/6
```

**Maple [A]** time = 0.01, size = 249, normalized size = 1.3

$$c^3 \left( \frac{a}{c^6} \left( \frac{e^3 c^3 x^3}{3} + 3 c^3 x d e^2 - 3 \frac{c^3 d^2 e}{x} - \frac{c^3 d^3}{3 x^3} \right) + \frac{b}{c^6} \left( \frac{\arcsin(cx) e^3 c^3 x^3}{3} + 3 \arcsin(cx) c^3 x d e^2 - 3 \frac{\arcsin(cx) c^3 d^2 e}{x} - \arcsin(cx) \frac{c^3 d^3}{x^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d)^3*(a+b*arcsin(c*x))/x^4,x)
```

```
[Out] c^3*(a/c^6*(1/3*e^3*c^3*x^3+3*c^3*x*d*e^2-3*c^3*d^2*e/x-1/3*d^3*c^3/x^3)+b/
c^6*(1/3*arcsin(c*x)*e^3*c^3*x^3+3*arcsin(c*x)*c^3*x*d*e^2-3*arcsin(c*x)*c^
3*d^2*e/x-1/3*arcsin(c*x)*d^3*c^3/x^3-1/3*e^3*(-1/3*c^2*x^2*(-c^2*x^2+1)^(1
/2)-2/3*(-c^2*x^2+1)^(1/2))+3*c^2*d*e^2*(-c^2*x^2+1)^(1/2)-3*c^4*d^2*e*arct
anh(1/(-c^2*x^2+1)^(1/2))+1/3*d^3*c^6*(-1/2/c^2/x^2*(-c^2*x^2+1)^(1/2)-1/2*
arctanh(1/(-c^2*x^2+1)^(1/2))))
```

**Maxima [A]** time = 1.47079, size = 312, normalized size = 1.68

$$\frac{1}{3} a e^3 x^3 - \frac{1}{6} \left( \left( c^2 \log \left( \frac{2 \sqrt{-c^2 x^2 + 1}}{|x|} + \frac{2}{|x|} \right) + \frac{\sqrt{-c^2 x^2 + 1}}{x^2} \right) c + \frac{2 \arcsin(cx)}{x^3} \right) b d^3 - 3 \left( c \log \left( \frac{2 \sqrt{-c^2 x^2 + 1}}{|x|} + \frac{2}{|x|} \right) + \frac{\arcsin(cx)}{x^3} \right) b d^3$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^3*(a+b*arcsin(c*x))/x^4,x, algorithm="maxima")
```

```
[Out] 1/3*a*e^3*x^3 - 1/6*((c^2*log(2*sqrt(-c^2*x^2 + 1)/abs(x) + 2/abs(x)) + sqrt
(-c^2*x^2 + 1)/x^2)*c + 2*arcsin(c*x)/x^3)*b*d^3 - 3*(c*log(2*sqrt(-c^2*x^
2 + 1)/abs(x) + 2/abs(x)) + arcsin(c*x)/x)*b*d^2*e + 1/9*(3*x^3*arcsin(c*x)
+ c*(sqrt(-c^2*x^2 + 1)*x^2/c^2 + 2*sqrt(-c^2*x^2 + 1)/c^4))*b*e^3 + 3*a*d
*e^2*x + 3*(c*x*arcsin(c*x) + sqrt(-c^2*x^2 + 1))*b*d*e^2/c - 3*a*d^2*e/x -
1/3*a*d^3/x^3
```

---

**Fricas [A]** time = 4.12765, size = 541, normalized size = 2.91

$$12ac^3e^3x^6 + 108ac^3de^2x^4 - 108ac^3d^2ex^2 - 12ac^3d^3 - 3(bc^6d^3 + 18bc^4d^2e)x^3 \log\left(\sqrt{-c^2x^2+1}+1\right) + 3(bc^6d^3 + 18bc^4d^2e)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x^4,x, algorithm="fricas")

[Out]  $\frac{1}{36}*(12*a*c^3*e^3*x^6 + 108*a*c^3*d*e^2*x^4 - 108*a*c^3*d^2*e*x^2 - 12*a*c^3*d^3 - 3*(b*c^6*d^3 + 18*b*c^4*d^2*e)*x^3*\log(\sqrt{-c^2*x^2 + 1} + 1) + 3*(b*c^6*d^3 + 18*b*c^4*d^2*e)*x^3*\log(\sqrt{-c^2*x^2 + 1} - 1) + 12*(b*c^3*e^3*x^6 + 9*b*c^3*d*e^2*x^4 - 9*b*c^3*d^2*e*x^2 - b*c^3*d^3)*\arcsin(c*x) + 2*(2*b*c^2*e^3*x^5 - 3*b*c^4*d^3*x + 2*(27*b*c^2*d*e^2 + 2*b*e^3)*x^3)*\sqrt{-c^2*x^2 + 1})/(c^3*x^3)$

---

**Sympy [A]** time = 10.3274, size = 311, normalized size = 1.67

$$-\frac{ad^3}{3x^3} - \frac{3ad^2e}{x} + 3ade^2x + \frac{ae^3x^3}{3} + \frac{bcd^3 \begin{cases} \left( -\frac{c^2 \operatorname{acosh}\left(\frac{1}{cx}\right)}{2} - \frac{c\sqrt{-1+\frac{1}{c^2x^2}}}{2x} \right. & \text{for } \frac{1}{|c^2x^2|} > 1 \\ \left. \frac{ic^2 \operatorname{asin}\left(\frac{1}{cx}\right)}{2} - \frac{ic}{2x\sqrt{1-\frac{1}{c^2x^2}}} + \frac{i}{2cx^3\sqrt{1-\frac{1}{c^2x^2}}} \right) & \text{otherwise} \end{cases}}{3} + 3bcd^2e \begin{cases} -\operatorname{acosh}\left(\frac{1}{cx}\right) \\ i \operatorname{asin}\left(\frac{1}{cx}\right) \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x))/x\*\*4,x)

[Out]  $-a*d**3/(3*x**3) - 3*a*d**2*e/x + 3*a*d*e**2*x + a*e**3*x**3/3 + b*c*d**3*Piecewise((-c**2*acosh(1/(c*x))/2 - c*\sqrt{-1 + 1/(c**2*x**2)})/(2*x), 1/Abs(c**2*x**2) > 1), (I*c**2*asin(1/(c*x))/2 - I*c/(2*x*\sqrt{1 - 1/(c**2*x**2)}) + I/(2*c*x**3*\sqrt{1 - 1/(c**2*x**2)}), True))/3 + 3*b*c*d**2*e*Piecewise((-acosh(1/(c*x)), 1/Abs(c**2*x**2) > 1), (I*asin(1/(c*x)), True)) - b*c*e**3*Piecewise((-x**2*\sqrt{-c**2*x**2 + 1})/(3*c**2) - 2*\sqrt{-c**2*x**2 + 1}/(3*c**4), Ne(c, 0)), (x**4/4, True))/3 - b*d**3*asin(c*x)/(3*x**3) - 3*b*d**2*e*asin(c*x)/x + 3*b*d*e**2*Piecewise((0, Eq(c, 0)), (x*asin(c*x) + \sqrt{-c**2*x**2 + 1}/c, True)) + b*e**3*x**3*asin(c*x)/3$

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

sage<sub>0</sub>x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^3\*(a+b\*arcsin(c\*x))/x^4,x, algorithm="giac")

[Out] sage<sub>0</sub>\*x

### 3.623 $\int (d + ex^2)^4 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=317

$$\frac{6}{5}d^2e^2x^5(a + b \sin^{-1}(cx)) + \frac{4}{3}d^3ex^3(a + b \sin^{-1}(cx)) + d^4x(a + b \sin^{-1}(cx)) + \frac{4}{7}de^3x^7(a + b \sin^{-1}(cx)) + \frac{1}{9}e^4x^9(a + b \sin^{-1}(cx))$$

```
[Out] (b*(315*c^8*d^4 + 420*c^6*d^3*e + 378*c^4*d^2*e^2 + 180*c^2*d*e^3 + 35*e^4)
*Sqrt[1 - c^2*x^2])/(315*c^9) - (4*b*e*(105*c^6*d^3 + 189*c^4*d^2*e + 135*c
^2*d*e^2 + 35*e^3)*(1 - c^2*x^2)^(3/2))/(945*c^9) + (2*b*e^2*(63*c^4*d^2 +
90*c^2*d*e + 35*e^2)*(1 - c^2*x^2)^(5/2))/(525*c^9) - (4*b*e^3*(9*c^2*d + 7
*e)*(1 - c^2*x^2)^(7/2))/(441*c^9) + (b*e^4*(1 - c^2*x^2)^(9/2))/(81*c^9) +
d^4*x*(a + b*ArcSin[c*x]) + (4*d^3*e*x^3*(a + b*ArcSin[c*x]))/3 + (6*d^2*e
^2*x^5*(a + b*ArcSin[c*x]))/5 + (4*d*e^3*x^7*(a + b*ArcSin[c*x]))/7 + (e^4*
x^9*(a + b*ArcSin[c*x]))/9
```

**Rubi [A]** time = 0.340063, antiderivative size = 317, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$ , Rules used = {194, 4665, 12, 1799, 1850}

$$\frac{6}{5}d^2e^2x^5(a + b \sin^{-1}(cx)) + \frac{4}{3}d^3ex^3(a + b \sin^{-1}(cx)) + d^4x(a + b \sin^{-1}(cx)) + \frac{4}{7}de^3x^7(a + b \sin^{-1}(cx)) + \frac{1}{9}e^4x^9(a + b \sin^{-1}(cx))$$

Antiderivative was successfully verified.

```
[In] Int[(d + e*x^2)^4*(a + b*ArcSin[c*x]),x]
```

```
[Out] (b*(315*c^8*d^4 + 420*c^6*d^3*e + 378*c^4*d^2*e^2 + 180*c^2*d*e^3 + 35*e^4)
*Sqrt[1 - c^2*x^2])/(315*c^9) - (4*b*e*(105*c^6*d^3 + 189*c^4*d^2*e + 135*c
^2*d*e^2 + 35*e^3)*(1 - c^2*x^2)^(3/2))/(945*c^9) + (2*b*e^2*(63*c^4*d^2 +
90*c^2*d*e + 35*e^2)*(1 - c^2*x^2)^(5/2))/(525*c^9) - (4*b*e^3*(9*c^2*d + 7
*e)*(1 - c^2*x^2)^(7/2))/(441*c^9) + (b*e^4*(1 - c^2*x^2)^(9/2))/(81*c^9) +
d^4*x*(a + b*ArcSin[c*x]) + (4*d^3*e*x^3*(a + b*ArcSin[c*x]))/3 + (6*d^2*e
^2*x^5*(a + b*ArcSin[c*x]))/5 + (4*d*e^3*x^7*(a + b*ArcSin[c*x]))/7 + (e^4*
x^9*(a + b*ArcSin[c*x]))/9
```

#### Rule 194

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*
x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4665

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] -
  Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[
{a, b, c, d, e}, x] && NeQ[c^2*d + e, 0] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0]
)
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1799

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] :> Dist[1/2, Su
bst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x)^p, x], x, x^2], x] /;
FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] :> Int[ExpandIntegrand
[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p
, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int (d + ex^2)^4 (a + b \sin^{-1}(cx)) dx &= d^4 x (a + b \sin^{-1}(cx)) + \frac{4}{3} d^3 ex^3 (a + b \sin^{-1}(cx)) + \frac{6}{5} d^2 e^2 x^5 (a + b \sin^{-1}(cx)) + \frac{4}{7} d e^3 x^7 (a + b \sin^{-1}(cx)) \\
&= d^4 x (a + b \sin^{-1}(cx)) + \frac{4}{3} d^3 ex^3 (a + b \sin^{-1}(cx)) + \frac{6}{5} d^2 e^2 x^5 (a + b \sin^{-1}(cx)) + \frac{4}{7} d e^3 x^7 (a + b \sin^{-1}(cx)) \\
&= d^4 x (a + b \sin^{-1}(cx)) + \frac{4}{3} d^3 ex^3 (a + b \sin^{-1}(cx)) + \frac{6}{5} d^2 e^2 x^5 (a + b \sin^{-1}(cx)) + \frac{4}{7} d e^3 x^7 (a + b \sin^{-1}(cx)) \\
&= d^4 x (a + b \sin^{-1}(cx)) + \frac{4}{3} d^3 ex^3 (a + b \sin^{-1}(cx)) + \frac{6}{5} d^2 e^2 x^5 (a + b \sin^{-1}(cx)) + \frac{4}{7} d e^3 x^7 (a + b \sin^{-1}(cx)) \\
&= \frac{b (315c^8 d^4 + 420c^6 d^3 e + 378c^4 d^2 e^2 + 180c^2 d e^3 + 35e^4) \sqrt{1 - c^2 x^2}}{315c^9} - \frac{4be (105c^6 d^3 - 35e^4)}{315c^9}
\end{aligned}$$

**Mathematica [A]** time = 0.306752, size = 260, normalized size = 0.82

$$315ax(378d^2e^2x^4 + 420d^3ex^2 + 315d^4 + 180de^3x^6 + 35e^4x^8) + \frac{b\sqrt{1-c^2x^2}(c^8(23814d^2e^2x^4 + 44100d^3ex^2 + 99225d^4 + 8100de^3x^6 + 1225e^4x^8) +$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2)^4\*(a + b\*ArcSin[c\*x]),x]

[Out] (315\*a\*x\*(315\*d^4 + 420\*d^3\*e\*x^2 + 378\*d^2\*e^2\*x^4 + 180\*d\*e^3\*x^6 + 35\*e^4\*x^8) + (b\*Sqrt[1 - c^2\*x^2]\*(4480\*e^4 + 320\*c^2\*e^3\*(81\*d + 7\*e\*x^2) + 48\*c^4\*e^2\*(1323\*d^2 + 270\*d\*e\*x^2 + 35\*e^2\*x^4) + 8\*c^6\*e\*(11025\*d^3 + 3969\*d^2\*e\*x^2 + 1215\*d\*e^2\*x^4 + 175\*e^3\*x^6) + c^8\*(99225\*d^4 + 44100\*d^3\*e\*x^2 + 23814\*d^2\*e^2\*x^4 + 8100\*d\*e^3\*x^6 + 1225\*e^4\*x^8)))/c^9 + 315\*b\*x\*(315\*d^4 + 420\*d^3\*e\*x^2 + 378\*d^2\*e^2\*x^4 + 180\*d\*e^3\*x^6 + 35\*e^4\*x^8)\*ArcSin[c\*x])/99225

**Maple [A]** time = 0.004, size = 465, normalized size = 1.5

$$\frac{1}{c} \left( \frac{a}{c^8} \left( \frac{e^4 c^9 x^9}{9} + \frac{4 c^9 d e^3 x^7}{7} + \frac{6 c^9 d^2 e^2 x^5}{5} + \frac{4 c^9 d^3 e x^3}{3} + c^9 d^4 x \right) + \frac{b}{c^8} \left( \frac{\arcsin(cx) e^4 c^9 x^9}{9} + \frac{4 \arcsin(cx) c^9 d e^3 x^7}{7} + \frac{6 \arcsin(cx) c^9 d^2 e^2 x^5}{5} + \frac{4 \arcsin(cx) c^9 d^3 e x^3}{3} + c^9 d^4 x \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)^4\*(a+b\*arcsin(c\*x)),x)

[Out] 1/c\*(a/c^8\*(1/9\*e^4\*c^9\*x^9+4/7\*c^9\*d\*e^3\*x^7+6/5\*c^9\*d^2\*e^2\*x^5+4/3\*c^9\*d^3\*e\*x^3+c^9\*d^4\*x)+b/c^8\*(1/9\*arcsin(c\*x)\*e^4\*c^9\*x^9+4/7\*arcsin(c\*x)\*c^9\*d\*e^3\*x^7+6/5\*arcsin(c\*x)\*c^9\*d^2\*e^2\*x^5+4/3\*arcsin(c\*x)\*c^9\*d^3\*e\*x^3+arcsin(c\*x)\*c^9\*d^4\*x-1/9\*e^4\*(-1/9\*c^8\*x^8\*(-c^2\*x^2+1)^(1/2)-8/63\*c^6\*x^6\*(-c^2\*x^2+1)^(1/2)-16/105\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-64/315\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-128/315\*(-c^2\*x^2+1)^(1/2))-4/7\*c^2\*d\*e^3\*(-1/7\*c^6\*x^6\*(-c^2\*x^2+1)^(1/2)-6/35\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-8/35\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-16/35\*(-c^2\*x^2+1)^(1/2))-6/5\*c^4\*d^2\*e^2\*(-1/5\*c^4\*x^4\*(-c^2\*x^2+1)^(1/2)-4/15\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-8/15\*(-c^2\*x^2+1)^(1/2))-4/3\*c^6\*d^3\*e\*(-1/3\*c^2\*x^2\*(-c^2\*x^2+1)^(1/2)-2/3\*(-c^2\*x^2+1)^(1/2))+c^8\*d^4\*(-c^2\*x^2+1)^(1/2)))



**Maxima [A]** time = 1.49512, size = 572, normalized size = 1.8

$$\frac{1}{9} ae^4 x^9 + \frac{4}{7} ade^3 x^7 + \frac{6}{5} ad^2 e^2 x^5 + \frac{4}{3} ad^3 ex^3 + \frac{4}{9} \left( 3x^3 \arcsin(cx) + c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2}{c^2} + \frac{2\sqrt{-c^2 x^2 + 1}}{c^4} \right) \right) bd^3 e + \frac{2}{25} \left( 15x^5 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^4\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] 1/9\*a\*e^4\*x^9 + 4/7\*a\*d\*e^3\*x^7 + 6/5\*a\*d^2\*e^2\*x^5 + 4/3\*a\*d^3\*e\*x^3 + 4/9\*(3\*x^3\*arcsin(c\*x) + c\*(sqrt(-c^2\*x^2 + 1)\*x^2/c^2 + 2\*sqrt(-c^2\*x^2 + 1)/c^4))\*b\*d^3\*e + 2/25\*(15\*x^5\*arcsin(c\*x) + (3\*sqrt(-c^2\*x^2 + 1)\*x^4/c^2 + 4\*sqrt(-c^2\*x^2 + 1)\*x^2/c^4 + 8\*sqrt(-c^2\*x^2 + 1)/c^6)\*c)\*b\*d^2\*e^2 + 4/245\*(35\*x^7\*arcsin(c\*x) + (5\*sqrt(-c^2\*x^2 + 1)\*x^6/c^2 + 6\*sqrt(-c^2\*x^2 + 1)\*x^4/c^4 + 8\*sqrt(-c^2\*x^2 + 1)\*x^2/c^6 + 16\*sqrt(-c^2\*x^2 + 1)/c^8)\*c)\*b\*d\*e^3 + 1/2835\*(315\*x^9\*arcsin(c\*x) + (35\*sqrt(-c^2\*x^2 + 1)\*x^8/c^2 + 40\*sqrt(-c^2\*x^2 + 1)\*x^6/c^4 + 48\*sqrt(-c^2\*x^2 + 1)\*x^4/c^6 + 64\*sqrt(-c^2\*x^2 + 1)\*x^2/c^8 + 128\*sqrt(-c^2\*x^2 + 1)/c^10)\*c)\*b\*e^4 + a\*d^4\*x + (c\*x\*arcsin(c\*x) + sqrt(-c^2\*x^2 + 1))\*b\*d^4/c

**Fricas [A]** time = 2.48234, size = 782, normalized size = 2.47

$$11025 ac^9 e^4 x^9 + 56700 ac^9 d e^3 x^7 + 119070 ac^9 d^2 e^2 x^5 + 132300 ac^9 d^3 e x^3 + 99225 ac^9 d^4 x + 315 (35 bc^9 e^4 x^9 + 180 bc^9 d e^3 x^7)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^4\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] 1/99225\*(11025\*a\*c^9\*e^4\*x^9 + 56700\*a\*c^9\*d\*e^3\*x^7 + 119070\*a\*c^9\*d^2\*e^2\*x^5 + 132300\*a\*c^9\*d^3\*e\*x^3 + 99225\*a\*c^9\*d^4\*x + 315\*(35\*b\*c^9\*e^4\*x^9 + 180\*b\*c^9\*d\*e^3\*x^7 + 378\*b\*c^9\*d^2\*e^2\*x^5 + 420\*b\*c^9\*d^3\*e\*x^3 + 315\*b\*c^9\*d^4\*x)\*arcsin(c\*x) + (1225\*b\*c^8\*e^4\*x^8 + 99225\*b\*c^8\*d^4 + 88200\*b\*c^6\*d^3\*e + 63504\*b\*c^4\*d^2\*e^2 + 25920\*b\*c^2\*d\*e^3 + 100\*(81\*b\*c^8\*d\*e^3 + 14\*b\*c^6\*e^4)\*x^6 + 4480\*b\*e^4 + 6\*(3969\*b\*c^8\*d^2\*e^2 + 1620\*b\*c^6\*d\*e^3 + 280\*b\*c^4\*e^4)\*x^4 + 4\*(11025\*b\*c^8\*d^3\*e + 7938\*b\*c^6\*d^2\*e^2 + 3240\*b\*c^4\*d\*e^3 + 560\*b\*c^2\*e^4)\*x^2)\*sqrt(-c^2\*x^2 + 1))/c^9

**Sympy [A]** time = 25.2348, size = 593, normalized size = 1.87

$$\left\{ \begin{array}{l} ad^4x + \frac{4ad^3ex^3}{3} + \frac{6ad^2e^2x^5}{5} + \frac{4ade^3x^7}{7} + \frac{ae^4x^9}{9} + bd^4x \operatorname{asin}(cx) + \frac{4bd^3ex^3 \operatorname{asin}(cx)}{3} + \frac{6bd^2e^2x^5 \operatorname{asin}(cx)}{5} + \frac{4bde^3x^7 \operatorname{asin}(cx)}{7} + \frac{be^4x^9 \operatorname{asin}(cx)}{9} \\ a \left( d^4x + \frac{4d^3ex^3}{3} + \frac{6d^2e^2x^5}{5} + \frac{4de^3x^7}{7} + \frac{e^4x^9}{9} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*\*4\*(a+b\*asin(c\*x)),x)

[Out] Piecewise((a\*d\*\*4\*x + 4\*a\*d\*\*3\*e\*x\*\*3/3 + 6\*a\*d\*\*2\*e\*\*2\*x\*\*5/5 + 4\*a\*d\*e\*\*3\*x\*\*7/7 + a\*e\*\*4\*x\*\*9/9 + b\*d\*\*4\*x\*asin(c\*x) + 4\*b\*d\*\*3\*e\*x\*\*3\*asin(c\*x)/3 + 6\*b\*d\*\*2\*e\*\*2\*x\*\*5\*asin(c\*x)/5 + 4\*b\*d\*e\*\*3\*x\*\*7\*asin(c\*x)/7 + b\*e\*\*4\*x\*\*9\*asin(c\*x)/9 + b\*d\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/c + 4\*b\*d\*\*3\*e\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c) + 6\*b\*d\*\*2\*e\*\*2\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(25\*c) + 4\*b\*d\*e\*\*3\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)/(49\*c) + b\*e\*\*4\*x\*\*8\*sqrt(-c\*\*2\*x\*\*2 + 1)/(81\*c) + 8\*b\*d\*\*3\*e\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c\*\*3) + 8\*b\*d\*\*2\*e\*\*2\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(25\*c\*\*3) + 24\*b\*d\*e\*\*3\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(245\*c\*\*3) + 8\*b\*e\*\*4\*x\*\*6\*sqrt(-c\*\*2\*x\*\*2 + 1)/(567\*c\*\*3) + 16\*b\*d\*\*2\*e\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(25\*c\*\*5) + 32\*b\*d\*e\*\*3\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(245\*c\*\*5) + 16\*b\*e\*\*4\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(945\*c\*\*5) + 64\*b\*d\*e\*\*3\*sqrt(-c\*\*2\*x\*\*2 + 1)/(245\*c\*\*7) + 64\*b\*e\*\*4\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(2835\*c\*\*7) + 128\*b\*e\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(2835\*c\*\*9), Ne(c, 0)), (a\*(d\*\*4\*x + 4\*d\*\*3\*e\*x\*\*3/3 + 6\*d\*\*2\*e\*\*2\*x\*\*5/5 + 4\*d\*e\*\*3\*x\*\*7/7 + e\*\*4\*x\*\*9/9), True))

**Giac [B]** time = 1.39186, size = 1004, normalized size = 3.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^4\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out]  $\frac{1}{9}a^4x^9e^4 + \frac{4}{7}a^3d^3x^7e^3 + \frac{6}{5}a^2d^2x^5e^2 + \frac{4}{3}ad^3x^3e + b^4d^4x^9\operatorname{arcsin}(cx) + ad^4x + \frac{4}{3}(c^2x^2 - 1)b^3d^3x^7\operatorname{arcsin}(cx)e/c^2 + \frac{4}{3}b^3d^3x^5\operatorname{arcsin}(cx)e/c^2 + \sqrt{-c^2x^2 + 1}b^4d^4/c + \frac{6}{5}(c^2x^2 - 1)^2b^3d^3x^3\operatorname{arcsin}(cx)e^2/c^4 - \frac{4}{9}(-c^2x^2 + 1)^{3/2}b^3d^3e/c^3 + \frac{12}{5}(c^2x^2 - 1)b^2d^2x^5\operatorname{arcsin}(cx)e^2/c^4 + \frac{4}{3}\sqrt{-c^2x^2 + 1}b^3d^3e/c^3 + \frac{4}{7}(c^2x^2 - 1)^3b^2d^2x^3\operatorname{arcsin}(cx)e^3/c^6 + \frac{6}{5}b^2d^2x^5\operatorname{arcsin}(cx)e^2/c^4 + \frac{6}{25}(c^2x^2 - 1)^2\sqrt{-c^2x^2 + 1}b^2d^2e^2/c^5 + \frac{12}{7}(c^2x^2 - 1)^2b^2d^2x^3\operatorname{arcsin}(cx)e^3/c^6 - \frac{4}{5}(-c^2x^2 + 1)^{3/2}b^2d^2e^2/c^5$

$$\begin{aligned}
& d^2 e^2 / c^5 + 1/9 (c^2 x^2 - 1)^4 b x \arcsin(cx) e^4 / c^8 + 12/7 (c^2 x^2 - \\
& 1) b d x \arcsin(cx) e^3 / c^6 + 4/49 (c^2 x^2 - 1)^3 \sqrt{-c^2 x^2 + 1} b d \\
& e^3 / c^7 + 6/5 \sqrt{-c^2 x^2 + 1} b d^2 e^2 / c^5 + 4/9 (c^2 x^2 - 1)^3 b x \arcsin(cx) e^4 / c^8 \\
& + 4/7 b d x \arcsin(cx) e^3 / c^6 + 12/35 (c^2 x^2 - 1)^2 \sqrt{-c^2 x^2 + 1} b d e^3 / c^7 \\
& + 2/3 (c^2 x^2 - 1)^2 b x \arcsin(cx) e^4 / c^8 + 1/81 (c^2 x^2 - 1)^4 \sqrt{-c^2 x^2 + 1} b e^4 / c^9 \\
& - 4/7 (-c^2 x^2 + 1)^{(3/2)} b d e^3 / c^7 + 4/9 (c^2 x^2 - 1) b x \arcsin(cx) e^4 / c^8 + 4/63 (c^2 x \\
& ^2 - 1)^3 \sqrt{-c^2 x^2 + 1} b e^4 / c^9 + 4/7 \sqrt{-c^2 x^2 + 1} b d e^3 / c^7 \\
& + 1/9 b x \arcsin(cx) e^4 / c^8 + 2/15 (c^2 x^2 - 1)^2 \sqrt{-c^2 x^2 + 1} b e^4 / c^9 \\
& - 4/27 (-c^2 x^2 + 1)^{(3/2)} b e^4 / c^9 + 1/9 \sqrt{-c^2 x^2 + 1} b e^4 / c^9
\end{aligned}$$

$$3.624 \quad \int \frac{x^4 (a + b \sin^{-1}(cx))}{d + ex^2} dx$$

**Optimal.** Leaf size=653

$$\frac{ib(-d)^{3/2} \text{PolyLog}\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2 d + e + ic\sqrt{-d}}}\right)}{2e^{5/2}} - \frac{ib(-d)^{3/2} \text{PolyLog}\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2 d + e + ic\sqrt{-d}}}\right)}{2e^{5/2}} + \frac{ib(-d)^{3/2} \text{PolyLog}\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2 d + e + ic\sqrt{-d}}}\right)}{2e^{5/2}} - \dots$$

[Out]  $-\left(\frac{a*d*x}{e^2}\right) - \frac{(b*d*\text{Sqrt}[1 - c^2*x^2])}{(c*e^2)} + \frac{(b*\text{Sqrt}[1 - c^2*x^2])}{(3*c^3*e)} - \frac{(b*(1 - c^2*x^2)^{(3/2)})}{(9*c^3*e)} - \frac{(b*d*x*\text{ArcSin}[c*x])}{e^2} + \frac{(x^3*(a + b*\text{ArcSin}[c*x]))}{(3*e)} + \frac{((-d)^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])}{(2*e^{(5/2)})} - \frac{((-d)^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])}{(2*e^{(5/2)})} + \frac{((-d)^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])}{(2*e^{(5/2)})} - \frac{((-d)^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])}{(2*e^{(5/2)})} + \frac{((I/2)*b*(-d)^{(3/2)}*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e]))])}{e^{(5/2)}} - \frac{((I/2)*b*(-d)^{(3/2)}*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])}{e^{(5/2)}} + \frac{((I/2)*b*(-d)^{(3/2)}*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])}{e^{(5/2)}} - \frac{((I/2)*b*(-d)^{(3/2)}*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])}{e^{(5/2)}})$

**Rubi [A]** time = 1.05255, antiderivative size = 653, normalized size of antiderivative = 1., number of steps used = 27, number of rules used = 12, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {4733, 4619, 261, 4627, 266, 43, 4667, 4741, 4521, 2190, 2279, 2391}

$$\frac{ib(-d)^{3/2} \text{PolyLog}\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2 d + e + ic\sqrt{-d}}}\right)}{2e^{5/2}} - \frac{ib(-d)^{3/2} \text{PolyLog}\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2 d + e + ic\sqrt{-d}}}\right)}{2e^{5/2}} + \frac{ib(-d)^{3/2} \text{PolyLog}\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2 d + e + ic\sqrt{-d}}}\right)}{2e^{5/2}} - \dots$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^4*(a + b*\text{ArcSin}[c*x]))/(d + e*x^2), x]$

[Out]  $-\left(\frac{a*d*x}{e^2}\right) - \frac{(b*d*\text{Sqrt}[1 - c^2*x^2])}{(c*e^2)} + \frac{(b*\text{Sqrt}[1 - c^2*x^2])}{(3*c^3*e)} - \frac{(b*(1 - c^2*x^2)^{(3/2)})}{(9*c^3*e)} - \frac{(b*d*x*\text{ArcSin}[c*x])}{e^2} + \frac{(x^3*(a + b*\text{ArcSin}[c*x]))}{(3*e)} + \frac{((-d)^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])}{(2*e^{(5/2)})} - \frac{((-d)^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])}{(2*e^{(5/2)})} + \frac{((-d)^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])}{(2*e^{(5/2)})} - \frac{((-d)^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])}{(2*e^{(5/2)})} + \frac{((I/2)*b*(-d)^{(3/2)}*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e]))])}{e^{(5/2)}} - \frac{((I/2)*b*(-d)^{(3/2)}*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])}{e^{(5/2)}} + \frac{((I/2)*b*(-d)^{(3/2)}*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])}{e^{(5/2)}} - \frac{((I/2)*b*(-d)^{(3/2)}*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])}{e^{(5/2)}})$

$$\begin{aligned} & [-d] - \text{Sqrt}[c^2*d + e]])/(2*e^{(5/2)}) + ((-d)^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log} \\ & [1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/(2*e^{(5/2)}) - ((-d)^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/ \\ & (I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/(2*e^{(5/2)}) + ((I/2)*b*(-d)^{(3/2)}*\text{PolyLog} \\ & [2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e]))]/e^{(5/2)} - ((I/2)*b*(-d)^{(3/2)}*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])]/e^{(5/2)} + ((I/2)*b*(-d)^{(3/2)}*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])]/e^{(5/2)} - ((I/2)*b*(-d)^{(3/2)}*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])]/e^{(5/2)} \end{aligned}$$

### Rule 4733

$$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*(f*x)^m*(d + e*x^2)^p, x] := \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n*(f*x)^m*(d + e*x^2)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{IntegerQ}[m]$$

### Rule 4619

$$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n, x] := \text{Simp}[x*(a + b*\text{ArcSin}[c*x])^n, x] - \text{Dist}[b*c*n, \text{Int}[(x*(a + b*\text{ArcSin}[c*x])^{(n-1)})/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{GtQ}[n, 0]$$

### Rule 261

$$\text{Int}[(x)^m*(a + b*x)^n, x] := \text{Simp}[(a + b*x)^{n+1}/(b*n*(n+1)), x] /; \text{FreeQ}\{a, b, m, n\}, x \ \&\& \ \text{EqQ}[m, n-1] \ \&\& \ \text{NeQ}[p, -1]$$

### Rule 4627

$$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*(d*x)^m, x] := \text{Simp}[(d*x)^{m+1}*(a + b*\text{ArcSin}[c*x])^n/(d*(m+1)), x] - \text{Dist}[(b*c*n)/(d*(m+1)), \text{Int}[(d*x)^{m+1}*(a + b*\text{ArcSin}[c*x])^{(n-1)})/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{NeQ}[m, -1]$$

### Rule 266

$$\text{Int}[(x)^m*(a + b*x)^n, x] := \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$$

### Rule 43

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

### Rule 4667

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])
```

### Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.)/((d_.) + (e_.)*(x_)), x_Symbol]
:= Subst[Int[(a + b*x)^n*Cos[x]/(c*d + e*Sin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

### Rule 4521

```
Int[(Cos[(c_.) + (d_.)*(x_)])*((e_.) + (f_.)*(x_)^(m_.))/((a_.) + (b_.)*Sin[
(c_.) + (d_.)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Dist[I, Int[(e + f*x)^m*E^(I*(c + d*x))]/(I*a - Rt[-a^2 + b^2, 2]
+ b*E^(I*(c + d*x))), x], x] + Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(
I*a + Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d,
e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_)^(m_.)))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (a + b \sin^{-1}(cx))}{d + ex^2} dx &= \int \left( -\frac{d(a + b \sin^{-1}(cx))}{e^2} + \frac{x^2(a + b \sin^{-1}(cx))}{e} + \frac{d^2(a + b \sin^{-1}(cx))}{e^2(d + ex^2)} \right) dx \\
&= -\frac{d \int (a + b \sin^{-1}(cx)) dx}{e^2} + \frac{d^2 \int \frac{a + b \sin^{-1}(cx)}{d + ex^2} dx}{e^2} + \frac{\int x^2 (a + b \sin^{-1}(cx)) dx}{e} \\
&= -\frac{adx}{e^2} + \frac{x^3(a + b \sin^{-1}(cx))}{3e} - \frac{(bd) \int \sin^{-1}(cx) dx}{e^2} + \frac{d^2 \int \left( \frac{\sqrt{-d}(a + b \sin^{-1}(cx))}{2d(\sqrt{-d} - \sqrt{ex})} + \frac{\sqrt{-d}(a + b \sin^{-1}(cx))}{2d(\sqrt{-d} + \sqrt{ex})} \right) dx}{e^2} \\
&= -\frac{adx}{e^2} - \frac{bdx \sin^{-1}(cx)}{e^2} + \frac{x^3(a + b \sin^{-1}(cx))}{3e} - \frac{(-d)^{3/2} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{-d} - \sqrt{ex}} dx}{2e^2} - \frac{(-d)^{3/2} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{-d} + \sqrt{ex}} dx}{2e^2} \\
&= -\frac{adx}{e^2} - \frac{bd\sqrt{1 - c^2x^2}}{ce^2} - \frac{bdx \sin^{-1}(cx)}{e^2} + \frac{x^3(a + b \sin^{-1}(cx))}{3e} - \frac{(-d)^{3/2} \text{Subst} \left( \int \frac{(a + bx) \cos^{-1}\left(\frac{a + bx}{c\sqrt{-d} - \sqrt{ex}}\right) dx}{\sqrt{-d} - \sqrt{ex}} \right)}{2e^2} \\
&= -\frac{adx}{e^2} - \frac{bd\sqrt{1 - c^2x^2}}{ce^2} + \frac{b\sqrt{1 - c^2x^2}}{3c^3e} - \frac{b(1 - c^2x^2)^{3/2}}{9c^3e} - \frac{bdx \sin^{-1}(cx)}{e^2} + \frac{x^3(a + b \sin^{-1}(cx))}{3e} \\
&= -\frac{adx}{e^2} - \frac{bd\sqrt{1 - c^2x^2}}{ce^2} + \frac{b\sqrt{1 - c^2x^2}}{3c^3e} - \frac{b(1 - c^2x^2)^{3/2}}{9c^3e} - \frac{bdx \sin^{-1}(cx)}{e^2} + \frac{x^3(a + b \sin^{-1}(cx))}{3e} \\
&= -\frac{adx}{e^2} - \frac{bd\sqrt{1 - c^2x^2}}{ce^2} + \frac{b\sqrt{1 - c^2x^2}}{3c^3e} - \frac{b(1 - c^2x^2)^{3/2}}{9c^3e} - \frac{bdx \sin^{-1}(cx)}{e^2} + \frac{x^3(a + b \sin^{-1}(cx))}{3e} \\
&= -\frac{adx}{e^2} - \frac{bd\sqrt{1 - c^2x^2}}{ce^2} + \frac{b\sqrt{1 - c^2x^2}}{3c^3e} - \frac{b(1 - c^2x^2)^{3/2}}{9c^3e} - \frac{bdx \sin^{-1}(cx)}{e^2} + \frac{x^3(a + b \sin^{-1}(cx))}{3e}
\end{aligned}$$

**Mathematica [A]** time = 0.929567, size = 515, normalized size = 0.79

$$b \left( d^{3/2} \left( -2 \text{PolyLog} \left( 2, \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d + e - c \sqrt{d}}} \right) - 2 \text{PolyLog} \left( 2, -\frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d + e + c \sqrt{d}}} \right) - \sin^{-1}(cx) \left( \sin^{-1}(cx) + 2i \left( \log \left( 1 + \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{c \sqrt{d} - \sqrt{c^2 d + e}} \right) + \log \left( 1 + \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{c \sqrt{d} + \sqrt{c^2 d + e}} \right) \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2), x]

```
[Out] -((a*d*x)/e^2) + (a*x^3)/(3*e) + (a*d^(3/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/e^(5/2) + (b*((-4*d*Sqrt[e]*(Sqrt[1 - c^2*x^2] + c*x*ArcSin[c*x]))/c + (4*e^(3/2)*(Sqrt[1 - c^2*x^2]*(2 + c^2*x^2) + 3*c^3*x^3*ArcSin[c*x]))/(9*c^3) + d^(3/2)*(-(ArcSin[c*x]*(ArcSin[c*x] + (2*I)*(Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x])))/(c*Sqrt[d] - Sqrt[c^2*d + e])) + Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] + Sqrt[c^2*d + e])))) - 2*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(-(c*Sqrt[d]) + Sqrt[c^2*d + e])] - 2*PolyLog[2, -(Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] + Sqrt[c^2*d + e])]) + d^(3/2)*(ArcSin[c*x]*(ArcSin[c*x] + (2*I)*(Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(-(c*Sqrt[d]) + Sqrt[c^2*d + e])]) + Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] + Sqrt[c^2*d + e])])) + 2*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] - Sqrt[c^2*d + e])] + 2*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] + Sqrt[c^2*d + e])])))/(4*e^(5/2))
```

**Maple [C]** time = 1.555, size = 363, normalized size = 0.6

$$\frac{ax^3}{3e} - \frac{adx}{e^2} + \frac{ad^2}{e^2} \arctan\left(ex \frac{1}{\sqrt{de}}\right) \frac{1}{\sqrt{de}} + \frac{2b}{9c^3e} \sqrt{-c^2x^2 + 1} + \frac{cbd^2}{2e^2} \sum_{_R1=\text{RootOf}(e\_Z^4+(-4c^2d-2e)\_Z^2+e)} \frac{1}{\_R1} \frac{1}{(-\_R1^2e - 2c^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*(a+b*arcsin(c*x))/(e*x^2+d),x)
```

```
[Out] 1/3*a/e*x^3-a*d*x/e^2+a*d^2/e^2/(d*e)^(1/2)*arctan(e*x/(d*e)^(1/2))+2/9*b*(-c^2*x^2+1)^(1/2)/c^3/e+1/2*c*b*d^2/e^2*sum(1/_R1/(_R1^2*e-2*c^2*d-e)*(I*arcsin(c*x)*ln((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)+dilog((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)),_R1=RootOf(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))+1/2*c*b*d^2/e^2*sum(_R1/(_R1^2*e-2*c^2*d-e)*(I*arcsin(c*x)*ln((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)+dilog((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)),_R1=RootOf(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))+1/9/c*b/e*(-c^2*x^2+1)^(1/2)*x^2+1/3*b*arcsin(c*x)/e*x^3-b*d*x*arcsin(c*x)/e^2-b*d*(-c^2*x^2+1)^(1/2)/c/e^2
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))/(e*x^2+d),x, algorithm="maxima")
```



[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^4 \arcsin(cx) + ax^4}{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsin(c*x))/(e*x^2+d),x, algorithm="fricas")`

[Out] `integral((b*x^4*arcsin(c*x) + a*x^4)/(e*x^2 + d), x)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4 (a + b \arcsin(cx))}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(a+b*asin(c*x))/(e*x**2+d),x)`

[Out] `Integral(x**4*(a + b*asin(c*x))/(d + e*x**2), x)`

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsin(c*x))/(e*x^2+d),x, algorithm="giac")`

[Out] Exception raised: TypeError

$$3.625 \quad \int \frac{x^3(a+b \sin^{-1}(cx))}{d+ex^2} dx$$

**Optimal.** Leaf size=559

$$\frac{ibdPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2e^2} + \frac{ibdPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2e^2} + \frac{ibdPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2e^2} + \frac{ibdPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2e^2}$$

[Out] (b\*x\*Sqrt[1 - c^2\*x^2])/(4\*c\*e) - (b\*ArcSin[c\*x])/(4\*c^2\*e) + (x^2\*(a + b\*ArcSin[c\*x]))/(2\*e) + ((I/2)\*d\*(a + b\*ArcSin[c\*x])^2)/(b\*e^2) - (d\*(a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(2\*e^2) - (d\*(a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(2\*e^2) - (d\*(a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(2\*e^2) - (d\*(a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(2\*e^2) + ((I/2)\*b\*d\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e]))])/e^2 + ((I/2)\*b\*d\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/e^2 + ((I/2)\*b\*d\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e]))])/e^2 + ((I/2)\*b\*d\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/e^2

**Rubi [A]** time = 0.910711, antiderivative size = 559, normalized size of antiderivative = 1., number of steps used = 23, number of rules used = 9, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4733, 4627, 321, 216, 4741, 4521, 2190, 2279, 2391}

$$\frac{ibdPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2e^2} + \frac{ibdPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2e^2} + \frac{ibdPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2e^2} + \frac{ibdPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2e^2}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2), x]

[Out] (b\*x\*Sqrt[1 - c^2\*x^2])/(4\*c\*e) - (b\*ArcSin[c\*x])/(4\*c^2\*e) + (x^2\*(a + b\*ArcSin[c\*x]))/(2\*e) + ((I/2)\*d\*(a + b\*ArcSin[c\*x])^2)/(b\*e^2) - (d\*(a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(2\*e^2) - (d\*(a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(2\*e^2) - (d\*(a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(2\*e^2) - (d\*(a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(2\*e^2) + ((I/2)\*b\*d\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e]))])/e^2 + ((I/2)\*b\*d\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/e^2 + ((I/2)\*b\*d\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e]))])/e^2 + ((I/2)\*b\*d\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/e^2

$$\frac{\sqrt{c^2d + e}}{(2e^2) + ((I/2)*b*d*PolyLog[2, -((\sqrt{e}*E^{(I*ArcSin[c*x]))/(I*c*\sqrt{-d} - \sqrt{c^2d + e}))])/e^2 + ((I/2)*b*d*PolyLog[2, (\sqrt{e}*E^{(I*ArcSin[c*x]))/(I*c*\sqrt{-d} - \sqrt{c^2d + e}))])/e^2 + ((I/2)*b*d*PolyLog[2, -((\sqrt{e}*E^{(I*ArcSin[c*x]))/(I*c*\sqrt{-d} + \sqrt{c^2d + e}))])/e^2 + ((I/2)*b*d*PolyLog[2, (\sqrt{e}*E^{(I*ArcSin[c*x]))/(I*c*\sqrt{-d} + \sqrt{c^2d + e}))])/e^2}$$

### Rule 4733

$$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((f*x)^m)((d + e*x^2)^p), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n*(f*x)^m*(d + e*x^2)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{IntegerQ}[m]$$

### Rule 4627

$$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((d*x)^m), x\_Symbol] \rightarrow \text{Simp}[(d*x)^{m+1}*(a + b*\text{ArcSin}[c*x])^n/(d*(m+1)), x] - \text{Dist}[(b*c^n)/(d*(m+1)), \text{Int}[(d*x)^{m+1}*(a + b*\text{ArcSin}[c*x])^{n-1}]/\sqrt{1 - c^2*x^2}, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{NeQ}[m, -1]$$

### Rule 321

$$\text{Int}[(c*x)^m*((a + (b*x)^n)^p), x\_Symbol] \rightarrow \text{Simp}[(c^{n-1}*(c*x)^{m-n+1}*(a + b*x^n)^{p+1})/(b*(m+n*p+1)), x] - \text{Dist}[(a*c^n*(m-n+1))/(b*(m+n*p+1)), \text{Int}[(c*x)^{m-n}*(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, p\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[m, n-1] \ \&\& \ \text{NeQ}[m+n*p+1, 0] \ \&\& \ \text{IntBinomialQ}[a, b, c, n, m, p, x]$$

### Rule 216

$$\text{Int}[1/\sqrt{(a + (b*x)^2)}, x\_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[\text{Rt}[-b, 2]*x]/\sqrt{a}]/\text{Rt}[-b, 2], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{GtQ}[a, 0] \ \&\& \ \text{NegQ}[b]$$

### Rule 4741

$$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n/((d + e*x)), x\_Symbol] \rightarrow \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cos}[x]/(c*d + e*\text{Sin}[x]), x], x, \text{ArcSin}[c*x]] /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{IGtQ}[n, 0]$$

### Rule 4521

$$\text{Int}[(\text{Cos}[(c + d*x)]*((e + f*x)^m))/((a + (b*x)^2)*\text{Sin}[(c + d*x)]), x\_Symbol] \rightarrow -\text{Simp}[(I*(e + f*x)^{m+1})/(b*f*(m+1)), x] + (\text{Dist}[I, \text{Int}[(e + f*x)^m*E^{(I*(c + d*x))}]/(I*a - \text{Rt}[-a^2 + b^2, 2])]$$

```
+ b*E^(I*(c + d*x)), x], x] + Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(
I*a + Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d,
e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]
```

### Rule 2190

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 (a + b \sin^{-1}(cx))}{d + ex^2} dx &= \int \left( \frac{x (a + b \sin^{-1}(cx))}{e} - \frac{dx (a + b \sin^{-1}(cx))}{e (d + ex^2)} \right) dx \\
&= \frac{\int x (a + b \sin^{-1}(cx)) dx}{e} - \frac{d \int \frac{x(a+b \sin^{-1}(cx))}{d+ex^2} dx}{e} \\
&= \frac{x^2 (a + b \sin^{-1}(cx))}{2e} - \frac{(bc) \int \frac{x^2}{\sqrt{1-c^2x^2}} dx}{2e} - \frac{d \int \left( -\frac{a+b \sin^{-1}(cx)}{2\sqrt{e}(\sqrt{-d}-\sqrt{ex})} + \frac{a+b \sin^{-1}(cx)}{2\sqrt{e}(\sqrt{-d}+\sqrt{ex})} \right) dx}{e} \\
&= \frac{bx\sqrt{1-c^2x^2}}{4ce} + \frac{x^2 (a + b \sin^{-1}(cx))}{2e} + \frac{d \int \frac{a+b \sin^{-1}(cx)}{\sqrt{-d}-\sqrt{ex}} dx}{2e^{3/2}} - \frac{d \int \frac{a+b \sin^{-1}(cx)}{\sqrt{-d}+\sqrt{ex}} dx}{2e^{3/2}} - \frac{b \int \frac{1}{\sqrt{1-c^2x^2}} dx}{4ce} \\
&= \frac{bx\sqrt{1-c^2x^2}}{4ce} - \frac{b \sin^{-1}(cx)}{4c^2e} + \frac{x^2 (a + b \sin^{-1}(cx))}{2e} + \frac{d \operatorname{Subst} \left( \int \frac{(a+bx) \cos(x)}{c\sqrt{-d}-\sqrt{e} \sin(x)} dx, x, \sin^{-1}(cx) \right)}{2e^{3/2}} \\
&= \frac{bx\sqrt{1-c^2x^2}}{4ce} - \frac{b \sin^{-1}(cx)}{4c^2e} + \frac{x^2 (a + b \sin^{-1}(cx))}{2e} + \frac{id (a + b \sin^{-1}(cx))^2}{2be^2} + \frac{(id) \operatorname{Subst} \left( \int \frac{1}{\sqrt{1-c^2x^2}} dx, x, \sin^{-1}(cx) \right)}{4ce} \\
&= \frac{bx\sqrt{1-c^2x^2}}{4ce} - \frac{b \sin^{-1}(cx)}{4c^2e} + \frac{x^2 (a + b \sin^{-1}(cx))}{2e} + \frac{id (a + b \sin^{-1}(cx))^2}{2be^2} - \frac{d (a + b \sin^{-1}(cx))}{4ce} \\
&= \frac{bx\sqrt{1-c^2x^2}}{4ce} - \frac{b \sin^{-1}(cx)}{4c^2e} + \frac{x^2 (a + b \sin^{-1}(cx))}{2e} + \frac{id (a + b \sin^{-1}(cx))^2}{2be^2} - \frac{d (a + b \sin^{-1}(cx))}{4ce} \\
&= \frac{bx\sqrt{1-c^2x^2}}{4ce} - \frac{b \sin^{-1}(cx)}{4c^2e} + \frac{x^2 (a + b \sin^{-1}(cx))}{2e} + \frac{id (a + b \sin^{-1}(cx))^2}{2be^2} - \frac{d (a + b \sin^{-1}(cx))}{4ce}
\end{aligned}$$

**Mathematica [A]** time = 0.35845, size = 454, normalized size = 0.81

$$b \left( ic^2 d \left( 2 \operatorname{PolyLog} \left( 2, \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d + e - c \sqrt{d}}} \right) + 2 \operatorname{PolyLog} \left( 2, -\frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d + e + c \sqrt{d}}} \right) + \sin^{-1}(cx) \left( \sin^{-1}(cx) + 2i \left( \log \left( 1 + \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{c \sqrt{d} - \sqrt{c^2 d + e}} \right) + \log \left( 1 + \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{c \sqrt{d} + \sqrt{c^2 d + e}} \right) \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2),x]

[Out] (2\*a\*c^2\*e\*x^2 - 2\*a\*c^2\*d\*Log[d + e\*x^2] + b\*(e\*(c\*x\*Sqrt[1 - c^2\*x^2] + (-1 + 2\*c^2\*x^2)\*ArcSin[c\*x]) + I\*c^2\*d\*(ArcSin[c\*x]\*(ArcSin[c\*x] + (2\*I)\*(Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] - Sqrt[c^2\*d + e])] + Log[1 +

$$\begin{aligned} & (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(c*\text{Sqrt}[d] + \text{Sqrt}[c^2*d + e])) + 2*\text{PolyLog}[2, \\ & (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(-(c*\text{Sqrt}[d]) + \text{Sqrt}[c^2*d + e])] + 2*\text{PolyLog} \\ & [2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(c*\text{Sqrt}[d] + \text{Sqrt}[c^2*d + e]))] + I*c^2* \\ & d*(\text{ArcSin}[c*x]*(\text{ArcSin}[c*x] + (2*I)*(Log[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(- \\ & (c*\text{Sqrt}[d]) + \text{Sqrt}[c^2*d + e]]) + Log[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(c*\text{S} \\ & \text{qrt}[d] + \text{Sqrt}[c^2*d + e]]))] + 2*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(c*\text{S} \\ & \text{qrt}[d] - \text{Sqrt}[c^2*d + e])] + 2*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(c*\text{S} \\ & \text{qrt}[d] + \text{Sqrt}[c^2*d + e])))/(4*c^2*e^2) \end{aligned}$$

**Maple [C]** time = 0.512, size = 2854, normalized size = 5.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^3*(a+b*\arcsin(cx))/(e*x^2+d), x)$

[Out] 
$$\begin{aligned} & -1/4*b*\arcsin(cx)/c^2/e+1/2*a/e*x^2+I*c^4*b*d^3*\text{polylog}(2, e*(I*c*x+(-c^2*x \\ & ^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}))/e^4/(c^2*d+e)*(c^2*d* \\ & (c^2*d+e))^{(1/2)+3*I*c^2*b*d^2*\arcsin(cx)^2/e^3/(c^2*d+e)*(c^2*d*(c^2*d+e) \\ & )^{(1/2)+2*I*c^4*b*d^3*\arcsin(cx)^2/e^4/(c^2*d+e)*(c^2*d*(c^2*d+e))^{(1/2)+3 \\ & /2*I*c^2*b*d^2*\text{polylog}(2, e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d*( \\ & c^2*d+e))^{(1/2)+e}))/e^3/(c^2*d+e)*(c^2*d*(c^2*d+e))^{(1/2)+1/4*b*x*(-c^2*x^2 \\ & +1)^{(1/2)}/c/e-1/2*b/e^2*\ln(1-e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2 \\ & *d*(c^2*d+e))^{(1/2)+e}))*\arcsin(cx)*d-2*c^4*b/e^4*d^3/(c^2*d+e)*\ln(1-e*(I*c \\ & *x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}))*\arcsin(cx) \\ & *(c^2*d*(c^2*d+e))^{(1/2)}-3*c^2*b/e^3*d^2/(c^2*d+e)*\ln(1-e*(I*c*x+(-c^2*x^2+ \\ & 1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}))*\arcsin(cx)*(c^2*d*(c^2* \\ & d+e))^{(1/2)}-2*c^4*b/e^4*d^3*\ln(1-e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2* \\ & (c^2*d*(c^2*d+e))^{(1/2)+e}))*\arcsin(cx)-2*c^2*b/e^3*d^2*\ln(1-e*(I*c*x+(-c^2 \\ & *x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}))*\arcsin(cx)+I*c^4*b \\ & *polylog(2, e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2) \\ & )+e}))*d^3/e^4+I*c^2*b*polylog(2, e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*( \\ & c^2*d*(c^2*d+e))^{(1/2)+e}))*d^2/e^3+1/2*b*\arcsin(cx)/e*x^2-1/2*a*d/e^2*\ln(c \\ & ^2*e*x^2+c^2*d)-3/2*b/e^2/(c^2*d+e)*\ln(1-e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2* \\ & c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}))*\arcsin(cx)*(c^2*d*(c^2*d+e))^{(1/2)}*d+2 \\ & *c^6*b/e^4*d^4/(c^2*d+e)*\ln(1-e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^ \\ & 2*d*(c^2*d+e))^{(1/2)+e}))*\arcsin(cx)+4*c^4*b/e^3*d^3/(c^2*d+e)*\ln(1-e*(I*c* \\ & x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}))*\arcsin(cx)+ \\ & 5/2*c^2*b/e^2/(c^2*d+e)*\ln(1-e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2 \\ & *d*(c^2*d+e))^{(1/2)+e}))*\arcsin(cx)*d^2+2*c^2*b/e^4*d^2*\ln(1-e*(I*c*x+(-c^2 \\ & *x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}))*\arcsin(cx)*(c^2*d* \end{aligned}$$

$$\begin{aligned}
& (c^2*d+e)^{(1/2)+1/4/c^2*b*(c^2*d*(c^2*d+e))^{(1/2)}/e/(c^2*d+e)*\arcsin(c*x)* \\
& \ln(1-e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d-2*(c^2*d*(c^2*d+e))^{(1/2)+e))- \\
& 1/4/c^2*b/e/(c^2*d+e)*\ln(1-e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d \\
& *(c^2*d+e))^{(1/2)+e})*\arcsin(c*x)*(c^2*d*(c^2*d+e))^{(1/2)+I*b*(c^2*d*(c^2*d \\
& +e))^{(1/2)}/e^2*d/(c^2*d+e)*\arcsin(c*x)^2+1/2*b*(c^2*d*(c^2*d+e))^{(1/2)}/e^2* \\
& d/(c^2*d+e)*\arcsin(c*x)*\ln(1-e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d-2*(c^2 \\
& *d*(c^2*d+e))^{(1/2)+e})-4*I*c^4*b*d^3*\arcsin(c*x)^2/e^3/(c^2*d+e)-1/8*I/c^2 \\
& *b*(c^2*d*(c^2*d+e))^{(1/2)}/e/(c^2*d+e)*\operatorname{polylog}(2,e*(I*c*x+(-c^2*x^2+1)^{(1/2) \\
& ))^2/(2*c^2*d-2*(c^2*d*(c^2*d+e))^{(1/2)+e})-2*I*c^4*b*d^3*\operatorname{polylog}(2,e*(I*c* \\
& x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}))/e^3/(c^2*d+e \\
& )-5/4*I*c^2*b*\operatorname{polylog}(2,e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d*(c \\
& ^2*d+e))^{(1/2)+e}))/e^2/(c^2*d+e)*d^2-5/2*I*c^2*b*d^2*\arcsin(c*x)^2/e^2/(c^2 \\
& *d+e)-I*c^2*b*\operatorname{polylog}(2,e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d*(c \\
& ^2*d+e))^{(1/2)+e}))*d^2/e^4*(c^2*d*(c^2*d+e))^{(1/2)-1/4*I*b*(c^2*d*(c^2*d+e) \\
& )^{(1/2)}/e^2*d/(c^2*d+e)*\operatorname{polylog}(2,e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d-2 \\
& *(c^2*d*(c^2*d+e))^{(1/2)+e}))+3/4*I*b*\operatorname{polylog}(2,e*(I*c*x+(-c^2*x^2+1)^{(1/2) \\
& )^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}))/e^2/(c^2*d+e)*(c^2*d*(c^2*d+e))^{( \\
& 1/2)*d-2*I*c^6*b*d^4*\arcsin(c*x)^2/e^4/(c^2*d+e)-I*c^6*b*d^4*\operatorname{polylog}(2,e*(I \\
& *c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}))/e^4/(c^2* \\
& d+e)-2*I*c^2*b*\arcsin(c*x)^2*d^2/e^4*(c^2*d*(c^2*d+e))^{(1/2)+1/8*I/c^2*b*po \\
& lylog(2,e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e \\
& ))/e/(c^2*d+e)*(c^2*d*(c^2*d+e))^{(1/2)+1/2*b/e/(c^2*d+e)*\ln(1-e*(I*c*x+(-c^ \\
& 2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})*\arcsin(c*x)*d+b/e^ \\
& 3*\ln(1-e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e} \\
& )*\arcsin(c*x)*d*(c^2*d*(c^2*d+e))^{(1/2)+2*I*c^2*b*\arcsin(c*x)^2*d^2/e^3+2*I \\
& *c^4*b*\arcsin(c*x)^2*d^3/e^4-1/2*I*b*\operatorname{polylog}(2,e*(I*c*x+(-c^2*x^2+1)^{(1/2) \\
& )^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}))*d/e^3*(c^2*d*(c^2*d+e))^{(1/2)-I*b \\
& *\arcsin(c*x)^2*d/e^3*(c^2*d*(c^2*d+e))^{(1/2)-1/2*I*b*\arcsin(c*x)^2/e/(c^2*d \\
& +e)*d-1/4*I*b*\operatorname{polylog}(2,e*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2/(2*c^2*d+2*(c^2*d*(c \\
& ^2*d+e))^{(1/2)+e}))/e/(c^2*d+e)*d+I*b*d*\arcsin(c*x)^2/e^2+1/2*I*b*d/e^2*\operatorname{sum}( \\
& (_R1^2*e-4*c^2*d-2*e)/(_R1^2*e-2*c^2*d-e)*(I*\arcsin(c*x)*\ln((_R1-I*c*x-(-c^ \\
& 2*x^2+1)^{(1/2)})/_R1)+\operatorname{dilog}((_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/_R1)),_R1=\operatorname{RootOf}( \\
& e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))+1/4*I*b*\operatorname{polylog}(2,e*(I*c*x+(-c^2*x^2+1)^{(1/2) \\
& ))^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}))*d/e^2
\end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}a\left(\frac{x^2}{e}-\frac{d\log(ex^2+d)}{e^2}\right)+b\int\frac{x^3\arctan(cx,\sqrt{cx+1}\sqrt{-cx+1}}{ex^2+d}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(e\*x^2+d),x, algorithm="maxima")

[Out]  $\frac{1}{2}a\left(\frac{x^2}{e} - d\log\left(\frac{ex^2 + d}{e}\right)\right) + b\int \frac{x^3 \arctan\left(\frac{cx}{\sqrt{-cx + 1}}\right)}{\sqrt{ex^2 + d}} dx$

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\int \left( \frac{bx^3 \arcsin(cx) + ax^3}{ex^2 + d}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsin(c*x))/(e*x^2+d),x, algorithm="fricas")`

[Out] `integral((b*x^3*arcsin(c*x) + a*x^3)/(e*x^2 + d), x)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 (a + b \arcsin(cx))}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+b*asin(c*x))/(e*x**2+d),x)`

[Out] `Integral(x**3*(a + b*asin(c*x))/(d + e*x**2), x)`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^3}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*arcsin(c*x))/(e*x^2+d),x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)*x^3/(e*x^2 + d), x)`



$$3.626 \quad \int \frac{x^2(a+b \sin^{-1}(cx))}{d+ex^2} dx$$

**Optimal.** Leaf size=579

$$\frac{ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2e^{3/2}} - \frac{ib\sqrt{-d}\text{PolyLog}\left(2, \frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2e^{3/2}} + \frac{ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2e^{3/2}} - \frac{ib\sqrt{-d}\text{PolyLog}\left(2, \frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2e^{3/2}}$$

[Out] (a\*x)/e + (b\*Sqrt[1 - c^2\*x^2])/(c\*e) + (b\*x\*ArcSin[c\*x])/e + (Sqrt[-d]\*(a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(2\*e^(3/2)) - (Sqrt[-d]\*(a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(2\*e^(3/2)) + (Sqrt[-d]\*(a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(2\*e^(3/2)) - (Sqrt[-d]\*(a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(2\*e^(3/2)) + ((I/2)\*b\*Sqrt[-d]\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e]))])/e^(3/2) - ((I/2)\*b\*Sqrt[-d]\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/e^(3/2) + ((I/2)\*b\*Sqrt[-d]\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e]))])/e^(3/2) - ((I/2)\*b\*Sqrt[-d]\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/e^(3/2)

**Rubi [A]** time = 0.903657, antiderivative size = 579, normalized size of antiderivative = 1., number of steps used = 23, number of rules used = 9, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4733, 4619, 261, 4667, 4741, 4521, 2190, 2279, 2391}

$$\frac{ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2e^{3/2}} - \frac{ib\sqrt{-d}\text{PolyLog}\left(2, \frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2e^{3/2}} + \frac{ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2e^{3/2}} - \frac{ib\sqrt{-d}\text{PolyLog}\left(2, \frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2e^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2), x]

[Out] (a\*x)/e + (b\*Sqrt[1 - c^2\*x^2])/(c\*e) + (b\*x\*ArcSin[c\*x])/e + (Sqrt[-d]\*(a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(2\*e^(3/2)) - (Sqrt[-d]\*(a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(2\*e^(3/2)) + (Sqrt[-d]\*(a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(2\*e^(3/2)) - (Sqrt[-d]\*(a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(2\*e^(3/2)) + ((I/2)\*b\*Sqrt[-d]\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e]))])/e^(3/2) - ((I/2)\*b\*Sqrt[-d]\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/e^(3/2) + ((I/2)\*b\*Sqrt[-d]\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e]))])/e^(3/2) - ((I/2)\*b\*Sqrt[-d]\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/e^(3/2)

$$\begin{aligned} & /2)*b*\text{Sqrt}[-d]*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])))/e^{(3/2)} - ((I/2)*b*\text{Sqrt}[-d]*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])))/e^{(3/2)} + ((I/2)*b*\text{Sqrt}[-d]*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])))/e^{(3/2)} - ((I/2)*b*\text{Sqrt}[-d]*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])))/e^{(3/2)} \end{aligned}$$
**Rule 4733**

$$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((f*x)^m*(d + e*x^2)^p), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{IntegerQ}[m]$$
**Rule 4619**

$$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n, x\_Symbol] \rightarrow \text{Simp}[x*(a + b*\text{ArcSin}[c*x])^n, x] - \text{Dist}[b*c*n, \text{Int}[(x*(a + b*\text{ArcSin}[c*x])^{n-1})/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{GtQ}[n, 0]$$
**Rule 261**

$$\text{Int}[(x)^m*(a + (b*x)^n)^p, x\_Symbol] \rightarrow \text{Simp}[(a + b*x^n)^{p+1}/(b*n*(p+1)), x] /; \text{FreeQ}\{a, b, m, n, p\}, x \ \&\& \ \text{EqQ}[m, n-1] \ \&\& \ \text{NeQ}[p, -1]$$
**Rule 4667**

$$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((d + e*x^2)^p), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n, (d + e*x^2)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x \ \&\& \ \text{NeQ}[c^2*d + e, 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ (\text{GtQ}[p, 0] \ || \ \text{IGtQ}[n, 0])$$
**Rule 4741**

$$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n/((d + e*x)), x\_Symbol] \rightarrow \text{Subst}[\text{Int}[(a + b*x)^n*\text{Cos}[x]/(c*d + e*\text{Sin}[x]), x], x, \text{ArcSin}[c*x]] /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{IGtQ}[n, 0]$$
**Rule 4521**

$$\text{Int}[(\text{Cos}[(c*x) + (d*x)]*(e + (f*x)^m))/((a + (b*x)*\text{Sin}[(c*x) + (d*x)]), x\_Symbol] \rightarrow -\text{Simp}[(I*(e + f*x)^{m+1})/(b*f*(m+1)), x] + (\text{Dist}[I, \text{Int}[(e + f*x)^m*E^{(I*(c + d*x))}/(I*a - \text{Rt}[-a^2 + b^2, 2] + b*E^{(I*(c + d*x))}), x], x] + \text{Dist}[I, \text{Int}[(e + f*x)^m*E^{(I*(c + d*x))}/($$

$I*a + Rt[-a^2 + b^2, 2] + b*E^{(I*(c + d*x))}, x], x]) /; FreeQ[\{a, b, c, d, e, f\}, x] \&\& IGtQ[m, 0] \&\& NegQ[a^2 - b^2]$

### Rule 2190

$Int[(((F_)^{((g_)*(e_) + (f_)*(x_))})^{(n_)*((c_) + (d_)*(x_))^{(m_))}/((a_) + (b_)*((F_)^{((g_)*(e_) + (f_)*(x_))})^{(n_)}), x\_Symbol] \rightarrow Simp[(((c + d*x)^m * Log[1 + (b*(F^{(g*(e + f*x)))^n})/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^{(m - 1)} * Log[1 + (b*(F^{(g*(e + f*x)))^n})/a], x], x] /; FreeQ[\{F, a, b, c, d, e, f, g, n\}, x] \&\& IGtQ[m, 0]$

### Rule 2279

$Int[Log[(a_) + (b_)*((F_)^{((e_)*((c_) + (d_)*(x_))})^{(n_)}], x\_Symbol] \rightarrow Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /; FreeQ[\{F, a, b, c, d, e, n\}, x] \&\& GtQ[a, 0]$

### Rule 2391

$Int[Log[(c_)*((d_) + (e_)*(x_)^{(n_)}]/(x_), x\_Symbol] \rightarrow -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[\{c, d, e, n\}, x] \&\& EqQ[c*d, 1]$

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + b \sin^{-1}(cx))}{d + ex^2} dx &= \int \left( \frac{a + b \sin^{-1}(cx)}{e} - \frac{d(a + b \sin^{-1}(cx))}{e(d + ex^2)} \right) dx \\
&= \frac{\int (a + b \sin^{-1}(cx)) dx}{e} - \frac{d \int \frac{a + b \sin^{-1}(cx)}{d + ex^2} dx}{e} \\
&= \frac{ax}{e} + \frac{b \int \sin^{-1}(cx) dx}{e} - \frac{d \int \left( \frac{\sqrt{-d}(a + b \sin^{-1}(cx))}{2d(\sqrt{-d} - \sqrt{ex})} + \frac{\sqrt{-d}(a + b \sin^{-1}(cx))}{2d(\sqrt{-d} + \sqrt{ex})} \right) dx}{e} \\
&= \frac{ax}{e} + \frac{bx \sin^{-1}(cx)}{e} - \frac{(bc) \int \frac{x}{\sqrt{1 - c^2 x^2}} dx}{e} - \frac{\sqrt{-d} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{-d} - \sqrt{ex}} dx}{2e} - \frac{\sqrt{-d} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{-d} + \sqrt{ex}} dx}{2e} \\
&= \frac{ax}{e} + \frac{b\sqrt{1 - c^2 x^2}}{ce} + \frac{bx \sin^{-1}(cx)}{e} - \frac{\sqrt{-d} \text{Subst} \left( \int \frac{(a + bx) \cos(x)}{c\sqrt{-d} - \sqrt{e} \sin(x)} dx, x, \sin^{-1}(cx) \right)}{2e} - \frac{\sqrt{-d} \text{Subst} \left( \int \frac{(a + bx) \cos(x)}{c\sqrt{-d} + \sqrt{e} \sin(x)} dx, x, \sin^{-1}(cx) \right)}{2e} \\
&= \frac{ax}{e} + \frac{b\sqrt{1 - c^2 x^2}}{ce} + \frac{bx \sin^{-1}(cx)}{e} - \frac{(i\sqrt{-d}) \text{Subst} \left( \int \frac{e^{ix}(a + bx)}{ic\sqrt{-d} - \sqrt{c^2 d + e} - \sqrt{e} e^{ix}} dx, x, \sin^{-1}(cx) \right)}{2e} - \frac{(i\sqrt{-d}) \text{Subst} \left( \int \frac{e^{ix}(a + bx)}{ic\sqrt{-d} + \sqrt{c^2 d + e} + \sqrt{e} e^{ix}} dx, x, \sin^{-1}(cx) \right)}{2e} \\
&= \frac{ax}{e} + \frac{b\sqrt{1 - c^2 x^2}}{ce} + \frac{bx \sin^{-1}(cx)}{e} + \frac{\sqrt{-d} (a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2 d + e}} \right)}{2e^{3/2}} - \frac{\sqrt{-d} (a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} + \sqrt{c^2 d + e}} \right)}{2e^{3/2}} \\
&= \frac{ax}{e} + \frac{b\sqrt{1 - c^2 x^2}}{ce} + \frac{bx \sin^{-1}(cx)}{e} + \frac{\sqrt{-d} (a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2 d + e}} \right)}{2e^{3/2}} - \frac{\sqrt{-d} (a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} + \sqrt{c^2 d + e}} \right)}{2e^{3/2}} \\
&= \frac{ax}{e} + \frac{b\sqrt{1 - c^2 x^2}}{ce} + \frac{bx \sin^{-1}(cx)}{e} + \frac{\sqrt{-d} (a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2 d + e}} \right)}{2e^{3/2}} - \frac{\sqrt{-d} (a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} + \sqrt{c^2 d + e}} \right)}{2e^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.348801, size = 456, normalized size = 0.79

$$b \left( c\sqrt{d} \left( 2\text{PolyLog} \left( 2, \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d + e} - c\sqrt{d}} \right) + 2\text{PolyLog} \left( 2, -\frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d + e} + c\sqrt{d}} \right) + \sin^{-1}(cx) \left( \sin^{-1}(cx) + 2i \left( \log \left( 1 + \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{c\sqrt{d} - \sqrt{c^2 d + e}} \right) + \log \left( 1 + \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{c\sqrt{d} + \sqrt{c^2 d + e}} \right) \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2), x]

[Out] (4\*a\*c\*Sqrt[e]\*x - 4\*a\*c\*Sqrt[d]\*ArcTan[(Sqrt[e]\*x)/Sqrt[d]] + b\*(4\*Sqrt[e]\*(Sqrt[1 - c^2\*x^2] + c\*x\*ArcSin[c\*x]) + c\*Sqrt[d]\*(ArcSin[c\*x]\*(ArcSin[c\*x] + (2\*I)\*(Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] - Sqrt[c^2\*d + e])

)] + Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] + Sqrt[c^2\*d + e]))] + 2\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(-(c\*Sqrt[d]) + Sqrt[c^2\*d + e])] + 2\*PolyLog[2, -(Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] + Sqrt[c^2\*d + e])] - c\*Sqrt[d]\*(ArcSin[c\*x]\*(ArcSin[c\*x] + (2\*I)\*(Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(-(c\*Sqrt[d]) + Sqrt[c^2\*d + e]))] + Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] + Sqrt[c^2\*d + e]))]) + 2\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] - Sqrt[c^2\*d + e])] + 2\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] + Sqrt[c^2\*d + e]))])/(4\*c\*e^(3/2))

**Maple [C]** time = 0.344, size = 285, normalized size = 0.5

$$\frac{ax}{e} - \frac{ad}{e} \arctan\left(\frac{ex}{\sqrt{de}}\right) \frac{1}{\sqrt{de}} + \frac{b}{ce} \sqrt{-c^2x^2 + 1} + \frac{bx \arcsin(cx)}{e} - \frac{cbd}{2e} \sum_{_R1=\text{RootOf}(e\_Z^4+(-4c^2d-2e)\_Z^2+e)} \frac{1}{\_R1} \frac{1}{(-\_R1^2e -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(a+b\*arcsin(c\*x))/(e\*x^2+d), x)

[Out] a\*x/e-a\*d/e/(d\*e)^(1/2)\*arctan(e\*x/(d\*e)^(1/2))+b\*(-c^2\*x^2+1)^(1/2)/c/e+b\*x\*arcsin(c\*x)/e-1/2\*c\*b\*d/e\*sum(1/\_R1/(\_R1^2\*e-2\*c^2\*d-e)\*(I\*arcsin(c\*x)\*ln((\\_R1-I\*c\*x-(-c^2\*x^2+1)^(1/2))/\_R1)+dilog((\\_R1-I\*c\*x-(-c^2\*x^2+1)^(1/2))/\_R1)),\_R1=RootOf(e\*\_Z^4+(-4\*c^2\*d-2\*e)\*\_Z^2+e))-1/2\*c\*b\*d/e\*sum(\_R1/(\_R1^2\*e-2\*c^2\*d-e)\*(I\*arcsin(c\*x)\*ln((\\_R1-I\*c\*x-(-c^2\*x^2+1)^(1/2))/\_R1)+dilog((\\_R1-I\*c\*x-(-c^2\*x^2+1)^(1/2))/\_R1)),\_R1=RootOf(e\*\_Z^4+(-4\*c^2\*d-2\*e)\*\_Z^2+e))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))/(e\*x^2+d), x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^2 \arcsin(cx) + ax^2}{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsin(c*x))/(e*x^2+d),x, algorithm="fricas")
```

```
[Out] integral((b*x^2*arcsin(c*x) + a*x^2)/(e*x^2 + d), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 (a + b \operatorname{asin}(cx))}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(a+b*asin(c*x))/(e*x**2+d),x)
```

```
[Out] Integral(x**2*(a + b*asin(c*x))/(d + e*x**2), x)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsin(c*x))/(e*x^2+d),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.627 \quad \int \frac{x(a+b \sin^{-1}(cx))}{d+ex^2} dx$$

**Optimal.** Leaf size=491

$$\frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2e} - \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2e} - \frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2e} - \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2e}$$

[Out]  $((-I/2)*(a + b*\text{ArcSin}[c*x])^2)/(b*e) + ((a + b*\text{ArcSin}[c*x])*Log[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])/(2*e) + ((a + b*\text{ArcSin}[c*x])*Log[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])/(2*e) + ((a + b*\text{ArcSin}[c*x])*Log[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/(2*e) + ((a + b*\text{ArcSin}[c*x])*Log[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/(2*e) - ((I/2)*b*PolyLog[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e]))]/e - ((I/2)*b*PolyLog[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e]))]/e - ((I/2)*b*PolyLog[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e]))]/e - ((I/2)*b*PolyLog[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e]))]/e$

**Rubi [A]** time = 0.736162, antiderivative size = 491, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 6, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$ , Rules used = {4733, 4741, 4521, 2190, 2279, 2391}

$$\frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2e} - \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2e} - \frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2e} - \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2e}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2), x]

[Out]  $((-I/2)*(a + b*\text{ArcSin}[c*x])^2)/(b*e) + ((a + b*\text{ArcSin}[c*x])*Log[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])/(2*e) + ((a + b*\text{ArcSin}[c*x])*Log[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])/(2*e) + ((a + b*\text{ArcSin}[c*x])*Log[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/(2*e) + ((a + b*\text{ArcSin}[c*x])*Log[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/(2*e) - ((I/2)*b*PolyLog[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e]))]/e - ((I/2)*b*PolyLog[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e]))]/e - ((I/2)*b*PolyLog[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e]))]/e - ((I/2)*b*PolyLog[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e]))]/e$

$$\frac{[-d] + \sqrt{c^2d + e}}{e} - \frac{(I/2)*b*PolyLog[2, (\sqrt{e}*E^{(I*ArcSin[c*x])})]/(I*c*\sqrt{-d] + \sqrt{c^2d + e}})]}{e}$$

### Rule 4733

$$\text{Int}[(a + \text{ArcSin}[c*x]*b)^n * (f*x)^m * (d + (e*x)^2)^p, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n * (f*x)^m * (d + e*x^2)^p, x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \text{NeQ}[c^2d + e, 0] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{IntegerQ}[m]$$

### Rule 4741

$$\text{Int}[(a + \text{ArcSin}[c*x]*b)^n / (d + (e*x)), x\_Symbol] \rightarrow \text{Subst}[\text{Int}[(a + b*x)^n * \text{Cos}[x] / (c*d + e*\text{Sin}[x]), x], x, \text{ArcSin}[c*x]] /;$$

$$\text{FreeQ}\{a, b, c, d, e\}, x\} \ \&\& \ \text{IGtQ}[n, 0]$$

### Rule 4521

$$\text{Int}[(\text{Cos}[c*x] + d*x)^m * (e + f*x)^n / (a + b*\text{Sin}[c*x] + d*x), x\_Symbol] \rightarrow -\text{Simp}[(I*(e + f*x)^{m+1}) / (b*f*(m+1)), x] + (\text{Dist}[I, \text{Int}[(e + f*x)^m * E^{(I*(c + d*x))} / (I*a - \text{Rt}[-a^2 + b^2, 2] + b * E^{(I*(c + d*x))}), x], x] + \text{Dist}[I, \text{Int}[(e + f*x)^m * E^{(I*(c + d*x))} / (I*a + \text{Rt}[-a^2 + b^2, 2] + b * E^{(I*(c + d*x))}), x], x]) /;$$

$$\text{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{NegQ}[a^2 - b^2]$$

### Rule 2190

$$\text{Int}[(F^{(g*x)*(e + f*x)})^n * (c + d*x)^m / ((a + b*x)*(F^{(g*x)*(e + f*x)})^n), x\_Symbol] \rightarrow \text{Simp}[(c + d*x)^m * \text{Log}[1 + (b*(F^{(g*(e + f*x))})^n) / a] / (b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m) / (b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{m-1} * \text{Log}[1 + (b*(F^{(g*(e + f*x))})^n) / a], x], x] /;$$

$$\text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \ \&\& \ \text{IGtQ}[m, 0]$$

### Rule 2279

$$\text{Int}[\text{Log}[a + b*(F^{(e*(c + d*x))})^n], x\_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /;$$

$$\text{FreeQ}\{F, a, b, c, d, e, n\}, x\} \ \&\& \ \text{GtQ}[a, 0]$$

### Rule 2391

$$\text{Int}[\text{Log}[c + d*(e*x)^n] / (x), x\_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)] / n, x] /;$$

$$\text{FreeQ}\{c, d, e, n\}, x\} \ \&\& \ \text{EqQ}[c*d, 1]$$



Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \sin^{-1}(cx))}{d + ex^2} dx &= \int \left( -\frac{a + b \sin^{-1}(cx)}{2\sqrt{e}(\sqrt{-d} - \sqrt{ex})} + \frac{a + b \sin^{-1}(cx)}{2\sqrt{e}(\sqrt{-d} + \sqrt{ex})} \right) dx \\
&= -\frac{\int \frac{a+b \sin^{-1}(cx)}{\sqrt{-d}-\sqrt{ex}} dx}{2\sqrt{e}} + \frac{\int \frac{a+b \sin^{-1}(cx)}{\sqrt{-d}+\sqrt{ex}} dx}{2\sqrt{e}} \\
&= -\frac{\text{Subst}\left(\int \frac{(a+bx)\cos(x)}{c\sqrt{-d}-\sqrt{e}\sin(x)} dx, x, \sin^{-1}(cx)\right)}{2\sqrt{e}} + \frac{\text{Subst}\left(\int \frac{(a+bx)\cos(x)}{c\sqrt{-d}+\sqrt{e}\sin(x)} dx, x, \sin^{-1}(cx)\right)}{2\sqrt{e}} \\
&= -\frac{i(a + b \sin^{-1}(cx))^2}{2be} - \frac{i \text{Subst}\left(\int \frac{e^{ix}(a+bx)}{ic\sqrt{-d}-\sqrt{c^2d+e}-\sqrt{e}e^{ix}} dx, x, \sin^{-1}(cx)\right)}{2\sqrt{e}} - \frac{i \text{Subst}\left(\int \frac{e^{ix}(a+bx)}{ic\sqrt{-d}+\sqrt{c^2d+e}+\sqrt{e}e^{ix}} dx, x, \sin^{-1}(cx)\right)}{2\sqrt{e}} \\
&= -\frac{i(a + b \sin^{-1}(cx))^2}{2be} + \frac{(a + b \sin^{-1}(cx)) \log\left(1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}-\sqrt{c^2d+e}}\right)}{2e} + \frac{(a + b \sin^{-1}(cx)) \log\left(1 + \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}+\sqrt{c^2d+e}}\right)}{2e} \\
&= -\frac{i(a + b \sin^{-1}(cx))^2}{2be} + \frac{(a + b \sin^{-1}(cx)) \log\left(1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}-\sqrt{c^2d+e}}\right)}{2e} + \frac{(a + b \sin^{-1}(cx)) \log\left(1 + \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}+\sqrt{c^2d+e}}\right)}{2e} \\
&= -\frac{i(a + b \sin^{-1}(cx))^2}{2be} + \frac{(a + b \sin^{-1}(cx)) \log\left(1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}-\sqrt{c^2d+e}}\right)}{2e} + \frac{(a + b \sin^{-1}(cx)) \log\left(1 + \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}+\sqrt{c^2d+e}}\right)}{2e}
\end{aligned}$$

**Mathematica [A]** time = 0.1421, size = 399, normalized size = 0.81

$$i \left( b \text{PolyLog}\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{c\sqrt{-d}-\sqrt{c^2d+e}}\right) + b \text{PolyLog}\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e}-c\sqrt{d}}\right) + b \text{PolyLog}\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e}+c\sqrt{d}}\right) + b \text{PolyLog}\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e}+c\sqrt{d}}\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2), x]

[Out] ((-I/2)\*(b\*ArcSin[c\*x]^2 + I\*b\*ArcSin[c\*x]\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))]/(c\*Sqrt[d] - Sqrt[c^2\*d + e])) + I\*b\*ArcSin[c\*x]\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))]/(-c\*Sqrt[d] + Sqrt[c^2\*d + e])) + I\*b\*ArcSin[c\*x]\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))]/(c\*Sqrt[d] + Sqrt[c^2\*d + e])) + I\*b\*ArcSin[c\*x]\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))]/(c\*Sqrt[d] + Sqrt[c^2\*d + e])) + I\*a\*Log[d + e\*x^2] + b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))]/(c\*Sqrt[d] - Sqrt[c^2\*d + e])) + b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))]/(-c\*Sqrt[d] + Sqrt[c^2\*d + e])) + b\*PolyLog[2, -Sqrt[e]\*E^(I\*ArcSin[c\*x])]/(c\*Sqrt[d] + Sqrt[c^2\*d + e])) + b\*PolyLog[2, Sqrt[e]\*E^(I\*ArcSin[c\*x])]/(c\*Sqrt[d] + Sqrt[c^2\*d + e]))

$$c^2d + e)] + b \cdot \text{PolyLog}[2, (\text{Sqrt}[e] \cdot E^{(I \cdot \text{ArcSin}[c \cdot x])}) / (-c \cdot \text{Sqrt}[d] + \text{Sqrt}[c^2d + e])] + b \cdot \text{PolyLog}[2, -((\text{Sqrt}[e] \cdot E^{(I \cdot \text{ArcSin}[c \cdot x])}) / (c \cdot \text{Sqrt}[d] + \text{Sqrt}[c^2d + e]))] + b \cdot \text{PolyLog}[2, (\text{Sqrt}[e] \cdot E^{(I \cdot \text{ArcSin}[c \cdot x])}) / (c \cdot \text{Sqrt}[d] + \text{Sqrt}[c^2d + e]))] / e$$

**Maple [C]** time = 0.221, size = 2749, normalized size = 5.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsin(c*x))/(e*x^2+d),x)`

[Out]  $\frac{1}{2} I b \arcsin(c x)^2 / (c^2 d + e) - \frac{1}{4} I b \text{polylog}(2, e^{(I c x + (-c^2 x^2 + 1)^{1/2})})^{1/2} / (2 c^2 d + 2 (c^2 d (c^2 d + e))^{1/2} + e) / e + 2 I c^2 b \arcsin(c x)^2 d / e^3 (c^2 d (c^2 d + e))^{1/2} + 2 I c^4 b d^2 \text{polylog}(2, e^{(I c x + (-c^2 x^2 + 1)^{1/2})})^{1/2} / (2 c^2 d + 2 (c^2 d (c^2 d + e))^{1/2} + e) / e^2 / (c^2 d + e) + 5/4 I c^2 b \text{polylog}(2, e^{(I c x + (-c^2 x^2 + 1)^{1/2})})^{1/2} / (2 c^2 d + 2 (c^2 d (c^2 d + e))^{1/2} + e) / e d / (c^2 d + e) + 2 I c^6 b d^3 \arcsin(c x)^2 / e^3 / (c^2 d + e) + 5/2 I c^2 b \arcsin(c x)^2 / e d / (c^2 d + e) + 4 I c^4 b d^2 \arcsin(c x)^2 / e^2 / (c^2 d + e) - 1/8 I c^2 b \text{polylog}(2, e^{(I c x + (-c^2 x^2 + 1)^{1/2})})^{1/2} / (2 c^2 d + 2 (c^2 d (c^2 d + e))^{1/2} + e) / d / (c^2 d + e) * (c^2 d (c^2 d + e))^{1/2} + 1/8 I c^2 b (c^2 d (c^2 d + e))^{1/2} / d / (c^2 d + e) * \text{polylog}(2, e^{(I c x + (-c^2 x^2 + 1)^{1/2})})^{1/2} / (2 c^2 d - 2 (c^2 d (c^2 d + e))^{1/2} + e) + 1/4 c^2 b d / (c^2 d + e) * \ln(1 - e^{(I c x + (-c^2 x^2 + 1)^{1/2})})^{1/2} / (2 c^2 d + 2 (c^2 d (c^2 d + e))^{1/2} + e) * \arcsin(c x) * (c^2 d (c^2 d + e))^{1/2} - 1/4 c^2 b (c^2 d (c^2 d + e))^{1/2} / d / (c^2 d + e) * \arcsin(c x) * \ln(1 - e^{(I c x + (-c^2 x^2 + 1)^{1/2})})^{1/2} / (2 c^2 d - 2 (c^2 d (c^2 d + e))^{1/2} + e) + I c^2 b \text{polylog}(2, e^{(I c x + (-c^2 x^2 + 1)^{1/2})})^{1/2} / (2 c^2 d + 2 (c^2 d (c^2 d + e))^{1/2} + e) * d / e^3 (c^2 d (c^2 d + e))^{1/2} - 2 c^6 b / e^3 d^3 / (c^2 d + e) * \ln(1 - e^{(I c x + (-c^2 x^2 + 1)^{1/2})})^{1/2} / (2 c^2 d + 2 (c^2 d (c^2 d + e))^{1/2} + e) * \arcsin(c x) - 4 c^4 b / e^2 / (c^2 d + e) * \ln(1 - e^{(I c x + (-c^2 x^2 + 1)^{1/2})})^{1/2} / (2 c^2 d + 2 (c^2 d (c^2 d + e))^{1/2} + e) * \arcsin(c x) * d^2 - 5/2 c^2 b / e / (c^2 d + e) * \ln(1 - e^{(I c x + (-c^2 x^2 + 1)^{1/2})})^{1/2} / (2 c^2 d + 2 (c^2 d (c^2 d + e))^{1/2} + e) * \arcsin(c x) * d - 2 c^2 b / e^3 * \ln(1 - e^{(I c x + (-c^2 x^2 + 1)^{1/2})})^{1/2} / (2 c^2 d + 2 (c^2 d (c^2 d + e))^{1/2} + e) * \arcsin(c x) * d * (c^2 d (c^2 d + e))^{1/2} + I c^6 b d^3 \text{polylog}(2, e^{(I c x + (-c^2 x^2 + 1)^{1/2})})^{1/2} / (2 c^2 d + 2 (c^2 d (c^2 d + e))^{1/2} + e) / e^3 / (c^2 d + e) + I b \arcsin(c x)^2 / e^2 * (c^2 d (c^2 d + e))^{1/2} + 1/2 I b \text{polylog}(2, e^{(I c x + (-c^2 x^2 + 1)^{1/2})})^{1/2} / (2 c^2 d + 2 (c^2 d (c^2 d + e))^{1/2} + e) / e^2 * (c^2 d (c^2 d + e))^{1/2} + 2 c^4 b / e^3 d^2 / (c^2 d + e) * \ln(1 - e^{(I c x + (-c^2 x^2 + 1)^{1/2})})^{1/2} / (2 c^2 d + 2 (c^2 d (c^2 d + e))^{1/2} + e) * \arcsin(c x) * (c^2 d (c^2 d + e))^{1/2} - 3/2 I c^2 b d * \text{polylog}(2, e^{(I c x + (-c^2 x^2 + 1)^{1/2})})^{1/2} / (2 c^2 d + 2 (c^2 d (c^2 d + e))^{1/2} + e) / e^2 / (c^2 d + e) * (c^2 d (c^2 d + e))^{1/2} - I c^4 b d^2 \text{polylog}(2,$

```

e*(I*c*x+(-c^2*x^2+1)^(1/2))^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e))/e^3/(
c^2*d+e)*(c^2*d*(c^2*d+e))^(1/2)-3*I*c^2*b*(c^2*d*(c^2*d+e))^(1/2)/e^2*d/(c
^2*d+e)*arcsin(c*x)^2-2*I*c^4*b*d^2*arcsin(c*x)^2/e^3/(c^2*d+e)*(c^2*d*(c^2
*d+e))^(1/2)+3*c^2*b/e^2/(c^2*d+e)*ln(1-e*(I*c*x+(-c^2*x^2+1)^(1/2))^2/(2*c
^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e))*arcsin(c*x)*(c^2*d*(c^2*d+e))^(1/2)*d+1/
2*a/e*ln(c^2*e*x^2+c^2*d)+1/2*b/e*ln(1-e*(I*c*x+(-c^2*x^2+1)^(1/2))^2/(2*c
^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e))*arcsin(c*x)-1/2*b/(c^2*d+e)*ln(1-e*(I*c*x
+(-c^2*x^2+1)^(1/2))^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e))*arcsin(c*x)-1
/2*I*b/e*sum((_R1^2*e-4*c^2*d-2*e)/(_R1^2*e-2*c^2*d-e)*(I*arcsin(c*x)*ln((
_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)+dilog((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1
),_R1=RootOf(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))+1/4*I*b*polylog(2,e*(I*c*x+(-c
^2*x^2+1)^(1/2))^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e))/(c^2*d+e)-I*b/e*ar
csin(c*x)^2+2*c^4*b/e^3*d^2*ln(1-e*(I*c*x+(-c^2*x^2+1)^(1/2))^2/(2*c^2*d+2*
(c^2*d*(c^2*d+e))^(1/2)+e))*arcsin(c*x)+2*c^2*b/e^2*ln(1-e*(I*c*x+(-c^2*x^2
+1)^(1/2))^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e))*arcsin(c*x)*d-1/2*b*(c
^2*d*(c^2*d+e))^(1/2)/e/(c^2*d+e)*arcsin(c*x)*ln(1-e*(I*c*x+(-c^2*x^2+1)^(1
/2))^2/(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e))+3/2*b/e/(c^2*d+e)*ln(1-e*(I*c
*x+(-c^2*x^2+1)^(1/2))^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e))*arcsin(c*x)*
(c^2*d*(c^2*d+e))^(1/2)-2*I*c^4*b*arcsin(c*x)^2*d^2/e^3-2*I*c^2*b*d*arcsin(
c*x)^2/e^2-I*c^2*b*polylog(2,e*(I*c*x+(-c^2*x^2+1)^(1/2))^2/(2*c^2*d+2*(c^2
*d*(c^2*d+e))^(1/2)+e))/e^2*d-I*c^4*b*polylog(2,e*(I*c*x+(-c^2*x^2+1)^(1/2)
)^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e))*d^2/e^3-3/4*I*b*polylog(2,e*(I*c
*x+(-c^2*x^2+1)^(1/2))^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e))/e/(c^2*d+e)
*(c^2*d*(c^2*d+e))^(1/2)-I*b*(c^2*d*(c^2*d+e))^(1/2)/e/(c^2*d+e)*arcsin(c*x
)^2+1/4*I*b*(c^2*d*(c^2*d+e))^(1/2)/e/(c^2*d+e)*polylog(2,e*(I*c*x+(-c^2*x
^2+1)^(1/2))^2/(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e))-b/e^2*ln(1-e*(I*c*x+(-
c^2*x^2+1)^(1/2))^2/(2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e))*arcsin(c*x)*(c^2
*d*(c^2*d+e))^(1/2)

```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$b \int \frac{x \arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)}{ex^2+d} dx + \frac{a \log(ex^2+d)}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))/(e\*x^2+d),x, algorithm="maxima")

[Out] b\*integrate(x\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/(e\*x^2 + d), x) + 1/2\*a\*log(e\*x^2 + d)/e

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx \arcsin(cx) + ax}{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))/(e\*x^2+d),x, algorithm="fricas")

[Out] integral((b\*x\*arcsin(c\*x) + a\*x)/(e\*x^2 + d), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x(a + b \arcsin(cx))}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*asin(c\*x))/(e\*x\*\*2+d),x)

[Out] Integral(x\*(a + b\*asin(c\*x))/(d + e\*x\*\*2), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))/(e\*x^2+d),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x/(e\*x^2 + d), x)

$$3.628 \quad \int \frac{a+b \sin^{-1}(cx)}{d+ex^2} dx$$

**Optimal.** Leaf size=541

$$\frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2\sqrt{-d}\sqrt{e}} - \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2\sqrt{-d}\sqrt{e}} + \frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2\sqrt{-d}\sqrt{e}} - \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2\sqrt{-d}\sqrt{e}}$$

[Out] ((a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(2\*Sqrt[-d]\*Sqrt[e]) - ((a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(2\*Sqrt[-d]\*Sqrt[e]) + ((a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(2\*Sqrt[-d]\*Sqrt[e]) - ((a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(2\*Sqrt[-d]\*Sqrt[e]) + ((I/2)\*b\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e]))])/(Sqrt[-d]\*Sqrt[e]) - ((I/2)\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(Sqrt[-d]\*Sqrt[e]) + ((I/2)\*b\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e]))])/(Sqrt[-d]\*Sqrt[e]) - ((I/2)\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(Sqrt[-d]\*Sqrt[e])

**Rubi [A]** time = 0.739139, antiderivative size = 541, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 6, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {4667, 4741, 4521, 2190, 2279, 2391}

$$\frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2\sqrt{-d}\sqrt{e}} - \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2\sqrt{-d}\sqrt{e}} + \frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2\sqrt{-d}\sqrt{e}} - \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2\sqrt{-d}\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(d + e\*x^2), x]

[Out] ((a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(2\*Sqrt[-d]\*Sqrt[e]) - ((a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(2\*Sqrt[-d]\*Sqrt[e]) + ((a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(2\*Sqrt[-d]\*Sqrt[e]) - ((a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(2\*Sqrt[-d]\*Sqrt[e]) + ((I/2)\*b\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e]))])/(Sqrt[-d]\*Sqrt[e]) - ((I/2)\*b\*PolyLog[2, (Sqrt[e]\*E^(I

```
*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))/(Sqrt[-d]*Sqrt[e]) + ((I/2)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))]/(Sqrt[-d]*Sqrt[e]) - ((I/2)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))]/(Sqrt[-d]*Sqrt[e]))
```

### Rule 4667

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_.*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])
```

### Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_/((d_) + (e_.)*(x_)), x_Symbol] :> Subst[Int[((a + b*x)^n*Cos[x])/(c*d + e*Sin[x]), x], x, ArcSin[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

### Rule 4521

```
Int[(Cos[(c_.) + (d_.)*(x_)]*(e_.) + (f_.)*(x_))^(m_.)/((a_) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(I*a - Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x] + Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(I*a + Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^n_.*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^n_), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^n_], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^n_)]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```



$$+ e]] + b\sqrt{d}\operatorname{ArcSin}[c*x]\operatorname{Log}[1 - (\sqrt{e}*E^{(I*\operatorname{ArcSin}[c*x]))}/(I*c*\sqrt{-d} + \sqrt{c^2*d + e})] - b\sqrt{d}\operatorname{ArcSin}[c*x]\operatorname{Log}[1 + (\sqrt{e}*E^{(I*\operatorname{ArcSin}[c*x]))}/(I*c*\sqrt{-d} + \sqrt{c^2*d + e})] - I*b*\sqrt{d}*\operatorname{PolyLog}[2, (\sqrt{e}*E^{(I*\operatorname{ArcSin}[c*x]))}/(I*c*\sqrt{-d} - \sqrt{c^2*d + e})] + I*b*\sqrt{d}*\operatorname{PolyLog}[2, (\sqrt{e}*E^{(I*\operatorname{ArcSin}[c*x]))}/((-I)*c*\sqrt{-d} + \sqrt{c^2*d + e})] + I*b*\sqrt{d}*\operatorname{PolyLog}[2, -((\sqrt{e}*E^{(I*\operatorname{ArcSin}[c*x]))}/(I*c*\sqrt{-d} + \sqrt{c^2*d + e}))] - I*b*\sqrt{d}*\operatorname{PolyLog}[2, (\sqrt{e}*E^{(I*\operatorname{ArcSin}[c*x]))}/(I*c*\sqrt{-d} + \sqrt{c^2*d + e})]/(2*\sqrt{-d^2}*\sqrt{e})$$

**Maple [C]** time = 0.062, size = 236, normalized size = 0.4

$$a \arctan\left(\frac{ex}{\sqrt{de}}\right) \frac{1}{\sqrt{de}} + \frac{bc}{2} \sum_{_R1=\operatorname{RootOf}(e_Z^4+(-4c^2d-2e)_Z^2+e)} \frac{1}{_R1} \left( i \arcsin(cx) \ln\left(\frac{1}{_R1} (-R1 - icx)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/(e\*x^2+d),x)

[Out] a/(d\*e)^(1/2)\*arctan(e\*x/(d\*e)^(1/2))+1/2\*c\*b\*sum(1/\_R1/(\_R1^2\*e-2\*c^2\*d-e)\*(I\*arcsin(c\*x)\*ln((\_R1-I\*c\*x-(-c^2\*x^2+1)^(1/2))/\_R1)+dilog((\_R1-I\*c\*x-(-c^2\*x^2+1)^(1/2))/\_R1)),\_R1=RootOf(e\*\_Z^4+(-4\*c^2\*d-2\*e)\*\_Z^2+e))+1/2\*c\*b\*sum(\_R1/(\_R1^2\*e-2\*c^2\*d-e)\*(I\*arcsin(c\*x)\*ln((\_R1-I\*c\*x-(-c^2\*x^2+1)^(1/2))/\_R1)+dilog((\_R1-I\*c\*x-(-c^2\*x^2+1)^(1/2))/\_R1)),\_R1=RootOf(e\*\_Z^4+(-4\*c^2\*d-2\*e)\*\_Z^2+e))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(e\*x^2+d),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b \arcsin(cx) + a}{ex^2 + d}, x\right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(e\*x^2+d),x, algorithm="fricas")

[Out] integral((b\*arcsin(c\*x) + a)/(e\*x^2 + d), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asin}(cx)}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/(e\*x\*\*2+d),x)

[Out] Integral((a + b\*asin(c\*x))/(d + e\*x\*\*2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsin}(cx) + a}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(e\*x^2+d),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/(e\*x^2 + d), x)

$$3.629 \quad \int \frac{a+b \sin^{-1}(cx)}{x(d+ex^2)} dx$$

**Optimal.** Leaf size=518

$$\frac{ibPolyLog\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2d} + \frac{ibPolyLog\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2d} + \frac{ibPolyLog\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2d} + \frac{ibPolyLog\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2d}$$

```
[Out] -((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*d) + ((a + b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSin[c*x])])/d + ((I/2)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))])/d + ((I/2)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/d + ((I/2)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))])/d + ((I/2)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/d - ((I/2)*b*PolyLog[2, E^((2*I)*ArcSin[c*x])])/d
```

**Rubi [A]** time = 0.929586, antiderivative size = 518, normalized size of antiderivative = 1., number of steps used = 25, number of rules used = 8, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$ , Rules used = {4733, 4625, 3717, 2190, 2279, 2391, 4741, 4521}

$$\frac{ibPolyLog\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2d} + \frac{ibPolyLog\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2d} + \frac{ibPolyLog\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2d} + \frac{ibPolyLog\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic\sqrt{-d}}}\right)}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])/(x*(d + e*x^2)),x]
```

```
[Out] -((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*d) - ((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*d) + ((a + b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSin[c*x])])/d + ((I/2)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))])/d + ((I/2)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/d + ((I/2)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))])/d + ((I/2)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/d - ((I/2)*b*PolyLog[2, E^((2*I)*ArcSin[c*x])])/d
```

\*Sqrt[-d] - Sqrt[c^2\*d + e]]]/d + ((I/2)\*b\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e]))]/d + ((I/2)\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e]))]/d - ((I/2)\*b\*PolyLog[2, E^((2\*I)\*ArcSin[c\*x]))]/d

### Rule 4733

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*((f\_.)\*(x\_.))^ (m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^ (p\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*ArcSin[c\*x])^n, (f\*x)^m\*(d + e\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2\*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

### Rule 4625

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)/(x\_), x\_Symbol] := Subst[Int[(a + b\*x)^n/Tan[x], x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

### Rule 3717

Int[((c\_.) + (d\_.)\*(x\_.))^ (m\_.)\*tan[(e\_.) + Pi\*(k\_.) + (f\_.)\*(x\_.)], x\_Symbol] := Simp[(I\*(c + d\*x)^(m + 1)/(d\*(m + 1)), x] - Dist[2\*I, Int[((c + d\*x)^m\*E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x)))/(1 + E^(2\*I\*k\*Pi)\*E^(2\*I\*(e + f\*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4\*k] && IGtQ[m, 0]

### Rule 2190

Int[(((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_.))))^ (n\_.)\*((c\_.) + (d\_.)\*(x\_.))^ (m\_.))/((a\_.) + (b\_.)\*((F\_)^((g\_.)\*((e\_.) + (f\_.)\*(x\_.))))^ (n\_.)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a]/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_.))))^ (n\_.)], x\_Symbol] := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^ (n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_/((d_) + (e_.)*(x_)), x_Symbol]
  :> Subst[Int[((a + b*x)^n*Cos[x])/(c*d + e*Sin[x]), x], x, ArcSin[c*x]] /;
  FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

### Rule 4521

```
Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)*Sin[
(c_.) + (d_.)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(I*a - Rt[-a^2 + b^2, 2]
+ b*E^(I*(c + d*x))), x], x] + Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(
I*a + Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d,
e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x(d + ex^2)} dx &= \int \left( \frac{a + b \sin^{-1}(cx)}{dx} - \frac{ex(a + b \sin^{-1}(cx))}{d(d + ex^2)} \right) dx \\
&= \frac{\int \frac{a + b \sin^{-1}(cx)}{x} dx}{d} - \frac{e \int \frac{x(a + b \sin^{-1}(cx))}{d + ex^2} dx}{d} \\
&= \frac{\text{Subst} \left( \int (a + bx) \cot(x) dx, x, \sin^{-1}(cx) \right)}{d} - \frac{e \int \left( -\frac{a + b \sin^{-1}(cx)}{2\sqrt{e}(\sqrt{-d} - \sqrt{ex})} + \frac{a + b \sin^{-1}(cx)}{2\sqrt{e}(\sqrt{-d} + \sqrt{ex})} \right) dx}{d} \\
&= -\frac{i(a + b \sin^{-1}(cx))^2}{2bd} - \frac{(2i) \text{Subst} \left( \int \frac{e^{2ix(a+bx)}}{1 - e^{2ix}} dx, x, \sin^{-1}(cx) \right)}{d} + \frac{\sqrt{e} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{-d} - \sqrt{ex}} dx}{2d} - \frac{\sqrt{e} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{-d} + \sqrt{ex}} dx}{2d} \\
&= -\frac{i(a + b \sin^{-1}(cx))^2}{2bd} + \frac{(a + b \sin^{-1}(cx)) \log(1 - e^{2i \sin^{-1}(cx)})}{d} - \frac{b \text{Subst} \left( \int \log(1 - e^{2ix}) dx, x, \sin^{-1}(cx) \right)}{d} \\
&= \frac{(a + b \sin^{-1}(cx)) \log(1 - e^{2i \sin^{-1}(cx)})}{d} + \frac{(ib) \text{Subst} \left( \int \frac{\log(1-x)}{x} dx, x, e^{2i \sin^{-1}(cx)} \right)}{2d} + \frac{(i\sqrt{e}) \text{Subst} \left( \int \frac{\log(1-x)}{x} dx, x, \sqrt{e} e^{2i \sin^{-1}(cx)} \right)}{2d} \\
&= -\frac{(a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2 d + e}} \right)}{2d} - \frac{(a + b \sin^{-1}(cx)) \log \left( 1 + \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2 d + e}} \right)}{2d} - \frac{(a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2 d + e}} \right)}{2d} \\
&= -\frac{(a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2 d + e}} \right)}{2d} - \frac{(a + b \sin^{-1}(cx)) \log \left( 1 + \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2 d + e}} \right)}{2d} - \frac{(a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2 d + e}} \right)}{2d} \\
&= -\frac{(a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2 d + e}} \right)}{2d} - \frac{(a + b \sin^{-1}(cx)) \log \left( 1 + \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2 d + e}} \right)}{2d} - \frac{(a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2 d + e}} \right)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.714418, size = 441, normalized size = 0.85

$$b \left( i \text{PolyLog} \left( 2, \frac{(-2\sqrt{c^2 d(c^2 d + e)} + 2c^2 d + e) e^{2i \sin^{-1}(cx)}}{e} \right) \right) + i \text{PolyLog} \left( 2, \frac{(2\sqrt{c^2 d(c^2 d + e)} + 2c^2 d + e) e^{2i \sin^{-1}(cx)}}{e} \right) - 2i \text{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x\*(d + e\*x^2)), x]

[Out] (a\*Log[x])/d - (a\*Log[d + e\*x^2])/(2\*d) + (b\*((-4\*I)\*ArcSin[Sqrt[-((c^2\*d)/e]])\*ArcTan[(c\*(c^2\*d + e)\*x)/(Sqrt[c^2\*d\*(c^2\*d + e)]\*Sqrt[1 - c^2\*x^2]])

$$\begin{aligned}
& + 4*\text{ArcSin}[c*x]*\text{Log}[1 - E^{((2*I)*\text{ArcSin}[c*x])}] - 2*\text{ArcSin}[\text{Sqrt}[-((c^2*d)/e)]] \\
& ]*\text{Log}[1 - ((2*c^2*d + e - 2*\text{Sqrt}[c^2*d*(c^2*d + e)])*E^{((2*I)*\text{ArcSin}[c*x])})/e] - 2*\text{ArcSin}[c*x]*\text{Log}[1 - ((2*c^2*d + e - 2*\text{Sqrt}[c^2*d*(c^2*d + e)])*E^{((2*I)*\text{ArcSin}[c*x])})/e] \\
& + 2*\text{ArcSin}[\text{Sqrt}[-((c^2*d)/e)]]*\text{Log}[1 - ((2*c^2*d + e + 2*\text{Sqrt}[c^2*d*(c^2*d + e)])*E^{((2*I)*\text{ArcSin}[c*x])})/e] - 2*\text{ArcSin}[c*x]*\text{Log}[1 - ((2*c^2*d + e + 2*\text{Sqrt}[c^2*d*(c^2*d + e)])*E^{((2*I)*\text{ArcSin}[c*x])})/e] - \\
& (2*I)*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}] + I*\text{PolyLog}[2, ((2*c^2*d + e - 2*\text{Sqrt}[c^2*d*(c^2*d + e)])*E^{((2*I)*\text{ArcSin}[c*x])})/e] + I*\text{PolyLog}[2, ((2*c^2*d + e + 2*\text{Sqrt}[c^2*d*(c^2*d + e)])*E^{((2*I)*\text{ArcSin}[c*x])})/e)]/(4*d)
\end{aligned}$$

**Maple [C]** time = 0.158, size = 355, normalized size = 0.7

$$-\frac{a \ln(c^2 e x^2 + c^2 d)}{2 d} + \frac{a \ln(c x)}{d} + \frac{i b}{d} \text{dilog}\left(i c x + \sqrt{-c^2 x^2 + 1}\right) + \frac{b \arcsin(c x)}{d} \ln\left(1 + i c x + \sqrt{-c^2 x^2 + 1}\right) - \frac{i b}{d} \text{dilog}\left(1 + i c x + \sqrt{-c^2 x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x/(e\*x^2+d),x)

[Out]  $-\frac{1}{2} \frac{a}{d} \ln(c^2 e x^2 + c^2 d) + \frac{a}{d} \ln(c x) + \frac{I b}{d} \text{dilog}(I c x + (-c^2 x^2 + 1)^{1/2}) + \frac{b}{d} \arcsin(c x) \ln(1 + I c x + (-c^2 x^2 + 1)^{1/2}) - \frac{I b}{d} \text{dilog}(1 + I c x + (-c^2 x^2 + 1)^{1/2}) + \frac{1}{4} \frac{I b}{d} \sum\left(\frac{(-R_1)^2 e - 4 c^2 d - e}{(-R_1)^2 e - 2 c^2 d - e} (I \arcsin(c x) \ln\left(\frac{(-R_1 - I c x - (-c^2 x^2 + 1)^{1/2}}{R_1}\right) + \text{dilog}\left(\frac{(-R_1 - I c x - (-c^2 x^2 + 1)^{1/2}}{R_1}\right))\right), R_1 = \text{RootOf}(e Z^4 + (-4 c^2 d - 2 e) Z^2 + e)\right) + \frac{1}{4} \frac{I b e}{d} \sum\left(\frac{(-R_1)^2 - 1}{(-R_1)^2 e - 2 c^2 d - e} (I \arcsin(c x) \ln\left(\frac{(-R_1 - I c x - (-c^2 x^2 + 1)^{1/2}}{R_1}\right) + \text{dilog}\left(\frac{(-R_1 - I c x - (-c^2 x^2 + 1)^{1/2}}{R_1}\right))\right), R_1 = \text{RootOf}(e Z^4 + (-4 c^2 d - 2 e) Z^2 + e)\right)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2} a \left( \frac{\log(ex^2 + d)}{d} - \frac{2 \log(x)}{d} \right) + b \int \frac{\arctan\left(cx, \sqrt{cx + 1} \sqrt{-cx + 1}\right)}{ex^3 + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x/(e\*x^2+d),x, algorithm="maxima")

[Out]  $-1/2*a*(\log(e*x^2 + d)/d - 2*\log(x)/d) + b*\text{integrate}(\arctan2(c*x, \text{sqrt}(c*x + 1))*\text{sqrt}(-c*x + 1))/(e*x^3 + d*x), x)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \arcsin(cx) + a}{ex^3 + dx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x/(e*x^2+d),x, algorithm="fricas")`

[Out] `integral((b*arcsin(c*x) + a)/(e*x^3 + d*x), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \arcsin(cx)}{x(d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))/x/(e*x**2+d),x)`

[Out] `Integral((a + b*asin(c*x))/(x*(d + e*x**2)), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(ex^2 + d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x/(e*x^2+d),x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)/((e*x^2 + d)*x), x)`

$$3.630 \quad \int \frac{a+b \sin^{-1}(cx)}{x^2(d+ex^2)} dx$$

**Optimal.** Leaf size=579

$$\frac{ib\sqrt{e}\text{PolyLog}\left(2, -\frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2(-d)^{3/2}} - \frac{ib\sqrt{e}\text{PolyLog}\left(2, \frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2(-d)^{3/2}} + \frac{ib\sqrt{e}\text{PolyLog}\left(2, -\frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2(-d)^{3/2}} - \frac{ib\sqrt{e}\text{PolyLog}\left(2, \frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2(-d)^{3/2}}$$

[Out]  $-\left(\frac{a + b \operatorname{ArcSin}[c x]}{d x}\right) - \frac{b c \operatorname{ArcTanh}\left[\sqrt{1 - c^2 x^2}\right]}{d} + \frac{\sqrt{e} \left( (a + b \operatorname{ArcSin}[c x]) \operatorname{Log}\left[1 - \frac{\sqrt{e} E^{i \operatorname{ArcSin}[c x]}}{I c \sqrt{-d} - \sqrt{c^2 d + e}}\right] \right)}{2(-d)^{3/2}} - \frac{\sqrt{e} \left( (a + b \operatorname{ArcSin}[c x]) \operatorname{Log}\left[1 + \frac{\sqrt{e} E^{i \operatorname{ArcSin}[c x]}}{I c \sqrt{-d} - \sqrt{c^2 d + e}}\right] \right)}{2(-d)^{3/2}} + \frac{\sqrt{e} \left( (a + b \operatorname{ArcSin}[c x]) \operatorname{Log}\left[1 - \frac{\sqrt{e} E^{i \operatorname{ArcSin}[c x]}}{I c \sqrt{-d} + \sqrt{c^2 d + e}}\right] \right)}{2(-d)^{3/2}} - \frac{\sqrt{e} \left( (a + b \operatorname{ArcSin}[c x]) \operatorname{Log}\left[1 + \frac{\sqrt{e} E^{i \operatorname{ArcSin}[c x]}}{I c \sqrt{-d} + \sqrt{c^2 d + e}}\right] \right)}{2(-d)^{3/2}} + \frac{(I/2) b \sqrt{e} \operatorname{PolyLog}\left[2, -\frac{\sqrt{e} E^{i \operatorname{ArcSin}[c x]}}{I c \sqrt{-d} - \sqrt{c^2 d + e}}\right]}{(-d)^{3/2}} - \frac{(I/2) b \sqrt{e} \operatorname{PolyLog}\left[2, \frac{\sqrt{e} E^{i \operatorname{ArcSin}[c x]}}{I c \sqrt{-d} - \sqrt{c^2 d + e}}\right]}{(-d)^{3/2}} + \frac{(I/2) b \sqrt{e} \operatorname{PolyLog}\left[2, -\frac{\sqrt{e} E^{i \operatorname{ArcSin}[c x]}}{I c \sqrt{-d} + \sqrt{c^2 d + e}}\right]}{(-d)^{3/2}} - \frac{(I/2) b \sqrt{e} \operatorname{PolyLog}\left[2, \frac{\sqrt{e} E^{i \operatorname{ArcSin}[c x]}}{I c \sqrt{-d} + \sqrt{c^2 d + e}}\right]}{(-d)^{3/2}}$

**Rubi [A]** time = 0.915763, antiderivative size = 579, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 11, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.524$ , Rules used = {4733, 4627, 266, 63, 208, 4667, 4741, 4521, 2190, 2279, 2391}

$$\frac{ib\sqrt{e}\text{PolyLog}\left(2, -\frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2(-d)^{3/2}} - \frac{ib\sqrt{e}\text{PolyLog}\left(2, \frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2(-d)^{3/2}} + \frac{ib\sqrt{e}\text{PolyLog}\left(2, -\frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2(-d)^{3/2}} - \frac{ib\sqrt{e}\text{PolyLog}\left(2, \frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2(-d)^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}\left[\frac{a + b \operatorname{ArcSin}[c x]}{x^2(d + e x^2)}, x\right]$

[Out]  $-\left(\frac{a + b \operatorname{ArcSin}[c x]}{d x}\right) - \frac{b c \operatorname{ArcTanh}\left[\sqrt{1 - c^2 x^2}\right]}{d} + \frac{\sqrt{e} \left( (a + b \operatorname{ArcSin}[c x]) \operatorname{Log}\left[1 - \frac{\sqrt{e} E^{i \operatorname{ArcSin}[c x]}}{I c \sqrt{-d} - \sqrt{c^2 d + e}}\right] \right)}{2(-d)^{3/2}} - \frac{\sqrt{e} \left( (a + b \operatorname{ArcSin}[c x]) \operatorname{Log}\left[1 + \frac{\sqrt{e} E^{i \operatorname{ArcSin}[c x]}}{I c \sqrt{-d} - \sqrt{c^2 d + e}}\right] \right)}{2(-d)^{3/2}} + \frac{\sqrt{e} \left( (a + b \operatorname{ArcSin}[c x]) \operatorname{Log}\left[1 - \frac{\sqrt{e} E^{i \operatorname{ArcSin}[c x]}}{I c \sqrt{-d} + \sqrt{c^2 d + e}}\right] \right)}{2(-d)^{3/2}} - \frac{\sqrt{e} \left( (a + b \operatorname{ArcSin}[c x]) \operatorname{Log}\left[1 + \frac{\sqrt{e} E^{i \operatorname{ArcSin}[c x]}}{I c \sqrt{-d} + \sqrt{c^2 d + e}}\right] \right)}{2(-d)^{3/2}} + \frac{(I/2) b \sqrt{e} \operatorname{PolyLog}\left[2, -\frac{\sqrt{e} E^{i \operatorname{ArcSin}[c x]}}{I c \sqrt{-d} - \sqrt{c^2 d + e}}\right]}{(-d)^{3/2}} - \frac{(I/2) b \sqrt{e} \operatorname{PolyLog}\left[2, \frac{\sqrt{e} E^{i \operatorname{ArcSin}[c x]}}{I c \sqrt{-d} - \sqrt{c^2 d + e}}\right]}{(-d)^{3/2}} + \frac{(I/2) b \sqrt{e} \operatorname{PolyLog}\left[2, -\frac{\sqrt{e} E^{i \operatorname{ArcSin}[c x]}}{I c \sqrt{-d} + \sqrt{c^2 d + e}}\right]}{(-d)^{3/2}} - \frac{(I/2) b \sqrt{e} \operatorname{PolyLog}\left[2, \frac{\sqrt{e} E^{i \operatorname{ArcSin}[c x]}}{I c \sqrt{-d} + \sqrt{c^2 d + e}}\right]}{(-d)^{3/2}}$



$$\begin{aligned} &)^{(3/2)} + ((1/2)*b*\text{Sqrt}[e]*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x]))}/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e]))]/(-d)^{(3/2)} - ((1/2)*b*\text{Sqrt}[e]*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x]))}/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e]))]/(-d)^{(3/2)} + ((1/2)*b*\text{Sqrt}[e]*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x]))}/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e]))]/(-d)^{(3/2)} - ((1/2)*b*\text{Sqrt}[e]*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x]))}/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e]))]/(-d)^{(3/2)} \end{aligned}$$
Rule 4733

$$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((f*x)^m*((d + e*x^2)^p), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[c^2*d + e, 0] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{IntegerQ}[m]$$
Rule 4627

$$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((d*x)^m), x\_Symbol] \rightarrow \text{Simp}[(d*x)^{m+1}*(a + b*\text{ArcSin}[c*x])^n/(d*(m+1)), x] - \text{Dist}[(b*c*n)/(d*(m+1)), \text{Int}[(d*x)^{m+1}*(a + b*\text{ArcSin}[c*x])^{n-1}]/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{NeQ}[m, -1]$$
Rule 266

$$\text{Int}[(x)^m*((a + (b*x)^n)^p), x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n) - 1}*(a + b*x)^p, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$$
Rule 63

$$\text{Int}[(a + (b*x)^m)*((c + (d*x)^n), x\_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1) - 1}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$$
Rule 208

$$\text{Int}[(a + (b*x)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b]$$
Rule 4667

$$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)^n*((d + e*x^2)^p), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n, (d + e*x^2)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x \ \&\& \ \text{NeQ}[c^2*d + e, 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ (G$$

tQ[p, 0] || IGtQ[n, 0])

### Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_/((d_) + (e_.)*(x_)), x_Symbol]
:> Subst[Int[(a + b*x)^n*Cos[x]/(c*d + e*Sin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

### Rule 4521

```
Int[(Cos[(c_.) + (d_.)*(x_)]*(e_.) + (f_.)*(x_))^(m_.)/((a_) + (b_.)*Sin[
(c_.) + (d_.)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Dist[I, Int[(e + f*x)^m*E^(I*(c + d*x)))/(I*a - Rt[-a^2 + b^2, 2]
+ b*E^(I*(c + d*x))), x], x] + Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(
I*a + Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d,
e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^2 (d + ex^2)} dx &= \int \left( \frac{a + b \sin^{-1}(cx)}{dx^2} - \frac{e (a + b \sin^{-1}(cx))}{d(d + ex^2)} \right) dx \\
&= \frac{\int \frac{a + b \sin^{-1}(cx)}{x^2} dx}{d} - \frac{e \int \frac{a + b \sin^{-1}(cx)}{d + ex^2} dx}{d} \\
&= -\frac{a + b \sin^{-1}(cx)}{dx} + \frac{(bc) \int \frac{1}{x\sqrt{1-c^2x^2}} dx}{d} - \frac{e \int \left( \frac{\sqrt{-d}(a + b \sin^{-1}(cx))}{2d(\sqrt{-d}-\sqrt{ex})} + \frac{\sqrt{-d}(a + b \sin^{-1}(cx))}{2d(\sqrt{-d}+\sqrt{ex})} \right) dx}{d} \\
&= -\frac{a + b \sin^{-1}(cx)}{dx} + \frac{(bc) \text{Subst} \left( \int \frac{1}{x\sqrt{1-c^2x^2}} dx, x, x^2 \right)}{2d} - \frac{e \int \frac{a + b \sin^{-1}(cx)}{\sqrt{-d}-\sqrt{ex}} dx}{2(-d)^{3/2}} - \frac{e \int \frac{a + b \sin^{-1}(cx)}{\sqrt{-d}+\sqrt{ex}} dx}{2(-d)^{3/2}} \\
&= -\frac{a + b \sin^{-1}(cx)}{dx} - \frac{b \text{Subst} \left( \int \frac{1}{\frac{1}{c^2} - x^2} dx, x, \sqrt{1 - c^2x^2} \right)}{cd} - \frac{e \text{Subst} \left( \int \frac{(a+bx) \cos(x)}{c\sqrt{-d}-\sqrt{e} \sin(x)} dx, x, \sin^{-1}(cx) \right)}{2(-d)^{3/2}} \\
&= -\frac{a + b \sin^{-1}(cx)}{dx} - \frac{bc \tanh^{-1} \left( \sqrt{1 - c^2x^2} \right)}{d} - \frac{(ie) \text{Subst} \left( \int \frac{e^{ix}(a+bx)}{ic\sqrt{-d}-\sqrt{c^2d+e}-\sqrt{e}e^{ix}} dx, x, \sin^{-1}(cx) \right)}{2(-d)^{3/2}} \\
&= -\frac{a + b \sin^{-1}(cx)}{dx} - \frac{bc \tanh^{-1} \left( \sqrt{1 - c^2x^2} \right)}{d} + \frac{\sqrt{e} (a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}-\sqrt{c^2d+e}} \right)}{2(-d)^{3/2}} - \frac{\sqrt{e} (a + b \sin^{-1}(cx)) \log \left( 1 + \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}-\sqrt{c^2d+e}} \right)}{2(-d)^{3/2}} \\
&= -\frac{a + b \sin^{-1}(cx)}{dx} - \frac{bc \tanh^{-1} \left( \sqrt{1 - c^2x^2} \right)}{d} + \frac{\sqrt{e} (a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}-\sqrt{c^2d+e}} \right)}{2(-d)^{3/2}} - \frac{\sqrt{e} (a + b \sin^{-1}(cx)) \log \left( 1 + \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}-\sqrt{c^2d+e}} \right)}{2(-d)^{3/2}} \\
&= -\frac{a + b \sin^{-1}(cx)}{dx} - \frac{bc \tanh^{-1} \left( \sqrt{1 - c^2x^2} \right)}{d} + \frac{\sqrt{e} (a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}-\sqrt{c^2d+e}} \right)}{2(-d)^{3/2}} - \frac{\sqrt{e} (a + b \sin^{-1}(cx)) \log \left( 1 + \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}-\sqrt{c^2d+e}} \right)}{2(-d)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.377149, size = 455, normalized size = 0.79

$$b\sqrt{ex} \left( 2\text{PolyLog} \left( 2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e}-c\sqrt{d}} \right) + 2\text{PolyLog} \left( 2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e}+c\sqrt{d}} \right) + \sin^{-1}(cx) \left( \sin^{-1}(cx) + 2i \left( \log \left( 1 + \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{c\sqrt{d}-\sqrt{c^2d+e}} \right) + \log \left( 1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{c\sqrt{d}-\sqrt{c^2d+e}} \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^2\*(d + e\*x^2)), x]

[Out] (-4\*a\*Sqrt[d] - 4\*a\*Sqrt[e]\*x\*ArcTan[(Sqrt[e]\*x)/Sqrt[d]] - 4\*b\*Sqrt[d]\*(ArcSin[c\*x] + c\*x\*ArcTanh[Sqrt[1 - c^2\*x^2]]) + b\*Sqrt[e]\*x\*(ArcSin[c\*x]\*(Arc

$$\begin{aligned} & \sin[cx] + (2I) \cdot (\log[1 + (\sqrt{e} \cdot E^{(I \cdot \arcsin[cx])}) / (c \sqrt{d} - \sqrt{c^2 d + e})] + \log[1 + (\sqrt{e} \cdot E^{(I \cdot \arcsin[cx])}) / (c \sqrt{d} + \sqrt{c^2 d + e})]) \\ & + 2 \cdot \text{PolyLog}[2, (\sqrt{e} \cdot E^{(I \cdot \arcsin[cx])}) / (-c \sqrt{d} + \sqrt{c^2 d + e})] + 2 \cdot \text{PolyLog}[2, -(\sqrt{e} \cdot E^{(I \cdot \arcsin[cx])}) / (c \sqrt{d} + \sqrt{c^2 d + e})]) \\ & - b \sqrt{e} \cdot x \cdot (\arcsin[cx] \cdot (\arcsin[cx] + (2I) \cdot (\log[1 + (\sqrt{e} \cdot E^{(I \cdot \arcsin[cx])}) / (-c \sqrt{d} + \sqrt{c^2 d + e})] + \log[1 - (\sqrt{e} \cdot E^{(I \cdot \arcsin[cx])}) / (c \sqrt{d} + \sqrt{c^2 d + e})])]) \\ & + 2 \cdot \text{PolyLog}[2, (\sqrt{e} \cdot E^{(I \cdot \arcsin[cx])}) / (c \sqrt{d} - \sqrt{c^2 d + e})] + 2 \cdot \text{PolyLog}[2, (\sqrt{e} \cdot E^{(I \cdot \arcsin[cx])}) / (c \sqrt{d} + \sqrt{c^2 d + e})]) / (4 \cdot d^{(3/2)} \cdot x) \end{aligned}$$

**Maple [C]** time = 0.511, size = 363, normalized size = 0.6

$$-\frac{ae}{d} \arctan\left(\frac{ex}{\sqrt{de}}\right) \frac{1}{\sqrt{de}} - \frac{a}{dx} - \frac{b \arcsin(cx)}{dx} - \frac{be}{8cd^2} \sum_{_R1=\text{RootOf}(e \cdot Z^4 + (-4c^2d - 2e) \cdot Z^2 + e)} \frac{4 \cdot _R1^2 c^2 d + _R1^2 e - e}{-_R1 \cdot (_R1^2 e - 2c^2 d - e)} \left( i \arcsin\left(\frac{ex}{\sqrt{de}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^2/(e\*x^2+d),x)

[Out]  $-a \cdot e / d / (d \cdot e)^{(1/2)} \cdot \arctan(e \cdot x / (d \cdot e)^{(1/2)}) - a / d / x - b / d \cdot \arcsin(c \cdot x) / x - 1 / 8 \cdot b / c / d^2 \cdot e \cdot \sum((4 \cdot _R1^2 \cdot c^2 \cdot d + _R1^2 \cdot e - e) / _R1 / (_R1^2 \cdot e - 2 \cdot c^2 \cdot d - e) \cdot (I \cdot \arcsin(c \cdot x) \cdot \ln((\_R1 - I \cdot c \cdot x - (-c^2 \cdot x^2 + 1)^{(1/2)}) / \_R1) + \text{dilog}((\_R1 - I \cdot c \cdot x - (-c^2 \cdot x^2 + 1)^{(1/2)}) / \_R1)), \_R1 = \text{RootOf}(e \cdot Z^4 + (-4 \cdot c^2 \cdot d - 2 \cdot e) \cdot Z^2 + e)) + 1 / 8 \cdot b / c / d^2 \cdot e \cdot \sum((\_R1^2 \cdot e - 4 \cdot c^2 \cdot d - e) / \_R1 / (_R1^2 \cdot e - 2 \cdot c^2 \cdot d - e) \cdot (I \cdot \arcsin(c \cdot x) \cdot \ln((\_R1 - I \cdot c \cdot x - (-c^2 \cdot x^2 + 1)^{(1/2)}) / \_R1) + \text{dilog}((\_R1 - I \cdot c \cdot x - (-c^2 \cdot x^2 + 1)^{(1/2)}) / \_R1)), \_R1 = \text{RootOf}(e \cdot Z^4 + (-4 \cdot c^2 \cdot d - 2 \cdot e) \cdot Z^2 + e)) + c \cdot b / d \cdot \ln(I \cdot c \cdot x + (-c^2 \cdot x^2 + 1)^{(1/2)} - 1) - c \cdot b / d \cdot \ln(1 + I \cdot c \cdot x + (-c^2 \cdot x^2 + 1)^{(1/2)})$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(e\*x^2+d),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \arcsin(cx) + a}{ex^4 + dx^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(e\*x^2+d),x, algorithm="fricas")

[Out] integral((b\*arcsin(c\*x) + a)/(e\*x^4 + d\*x^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \arcsin(cx)}{x^2(d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x\*\*2/(e\*x\*\*2+d),x)

[Out] Integral((a + b\*asin(c\*x))/(x\*\*2\*(d + e\*x\*\*2)), x)

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(e\*x^2+d),x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.631 \quad \int \frac{a+b \sin^{-1}(cx)}{x^3(d+ex^2)} dx$$

**Optimal.** Leaf size=573

$$\frac{\text{ibePolyLog}\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^2} - \frac{\text{ibePolyLog}\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^2} - \frac{\text{ibePolyLog}\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^2} - \frac{\text{ibePolyLog}\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^2}$$

[Out]  $-(b*c*\text{Sqrt}[1 - c^2*x^2])/(2*d*x) - (a + b*\text{ArcSin}[c*x])/(2*d*x^2) + (e*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])/(2*d^2) + (e*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])/(2*d^2) + (e*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/(2*d^2) + (e*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/(2*d^2) - (e*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 - E^{((2*I)*\text{ArcSin}[c*x])}])/d^2 - ((I/2)*b*e*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e]))])/d^2 - ((I/2)*b*e*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])/d^2 - ((I/2)*b*e*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e]))])/d^2 - ((I/2)*b*e*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/d^2 + ((I/2)*b*e*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}])/d^2$

**Rubi [A]** time = 0.988345, antiderivative size = 573, normalized size of antiderivative = 1., number of steps used = 27, number of rules used = 10, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$ , Rules used = {4733, 4627, 264, 4625, 3717, 2190, 2279, 2391, 4741, 4521}

$$\frac{\text{ibePolyLog}\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^2} - \frac{\text{ibePolyLog}\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^2} - \frac{\text{ibePolyLog}\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^2} - \frac{\text{ibePolyLog}\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])/(x^3*(d + e*x^2)), x]$

[Out]  $-(b*c*\text{Sqrt}[1 - c^2*x^2])/(2*d*x) - (a + b*\text{ArcSin}[c*x])/(2*d*x^2) + (e*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])/(2*d^2) + (e*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])/(2*d^2) + (e*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/(2*d^2) + (e*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/(2*d^2) - (e*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 - E^{((2*I)*\text{ArcSin}[c*x])}])/d^2 - ((I/2)*b*e*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e]))])/d^2 - ((I/2)*b*e*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])/d^2 - ((I/2)*b*e*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e]))])/d^2 - ((I/2)*b*e*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/d^2 + ((I/2)*b*e*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}])/d^2$

$$\begin{aligned} & c\sin[cx])]/d^2 - ((1/2)*b*e*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[cx]))/(I*c \\ & *Sqrt[-d] - Sqrt[c^2*d + e]))]/d^2 - ((1/2)*b*e*PolyLog[2, (Sqrt[e]*E^(I*A \\ & rcSin[cx]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))]/d^2 - ((1/2)*b*e*PolyLog[2, \\ & -((Sqrt[e]*E^(I*ArcSin[cx]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))]/d^2 - (( \\ & I/2)*b*e*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[cx]))/(I*c*Sqrt[-d] + Sqrt[c^2*d \\ & + e]))]/d^2 + ((1/2)*b*e*PolyLog[2, E^((2*I)*ArcSin[cx]))]/d^2 \end{aligned}$$
Rule 4733

$$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_)]*(b_.)]^{(n_.)}*((f_.)*(x_))^{(m_.)}*((d_.) + (e_.)*(x_)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[c^2*d + e, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[p] \&\& \text{IntegerQ}[m]$$
Rule 4627

$$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_)]*(b_.)]^{(n_.)}*((d_.)*(x_))^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[(d*x)^{(m+1)}*(a + b*\text{ArcSin}[c*x])^n/(d*(m+1)), x] - \text{Dist}[(b*c*n)/(d*(m+1)), \text{Int}[(d*x)^{(m+1)}*(a + b*\text{ArcSin}[c*x])^{(n-1)}/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[m, -1]$$
Rule 264

$$\text{Int}[(c_.)*(x_)]^{(m_.)}*((a_.) + (b_.)*(x_))^{(n_.)}*(p_.), x\_Symbol] \rightarrow \text{Simp}[(c*x)^{(m+1)}*(a + b*x^n)^{(p+1)}/(a*c*(m+1)), x] /; \text{FreeQ}[\{a, b, c, m, n, p\}, x] \&\& \text{EqQ}[(m+1)/n + p + 1, 0] \&\& \text{NeQ}[m, -1]$$
Rule 4625

$$\text{Int}[(a_.) + \text{ArcSin}[c_.*(x_)]*(b_.)]^{(n_.)}/(x_), x\_Symbol] \rightarrow \text{Subst}[\text{Int}[(a + b*x)^n/\text{Tan}[x], x], x, \text{ArcSin}[c*x]] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{IGtQ}[n, 0]$$
Rule 3717

$$\text{Int}[(c_.) + (d_.)*(x_)]^{(m_.)}*\text{tan}[(e_.) + \text{Pi}*(k_.) + (f_.)*(x_)], x\_Symbol] \rightarrow \text{Simp}[(I*(c + d*x)^{(m+1)})/(d*(m+1)), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m * E^{(2*I*k*Pi)} * E^{(2*I*(e + f*x))}/(1 + E^{(2*I*k*Pi)} * E^{(2*I*(e + f*x))}), x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{IntegerQ}[4*k] \&\& \text{IGtQ}[m, 0]$$
Rule 2190

$$\text{Int}[(F_.)^{((g_.)*((e_.) + (f_.)*(x_)))}^{(n_.)}*((c_.) + (d_.)*(x_))^{(m_.)}/((a_.) + (b_.)*(F_.)^{((g_.)*((e_.) + (f_.)*(x_)))}^{(n_.)}), x\_Symbol] \rightarrow \text{Simp}[(c + d*x)^m * \text{Log}[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n * \text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n * \text{Log}[F]), \text{Int}[(c + d*x)^{(m-1)} * \text{Log}[1 + (b*(F^(g*(e + f*x)))^n)], x]$$

)^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_)\*((F\_)^((e\_)\*((c\_) + (d\_)\*(x\_))))^(n\_)], x\_Symbol]  
 := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rule 4741

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)/((d\_) + (e\_)\*(x\_)), x\_Symbol]  
 := Subst[Int[((a + b\*x)^n\*Cos[x])/(c\*d + e\*Sin[x]), x], x, ArcSin[c\*x]] /;  
 FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

### Rule 4521

Int[(Cos[(c\_) + (d\_)\*(x\_)]\*(e\_) + (f\_)\*(x\_))^(m\_)/((a\_) + (b\_)\*Sin[(c\_) + (d\_)\*(x\_)]), x\_Symbol] := -Simp[(I\*(e + f\*x)^(m + 1))/(b\*f\*(m + 1)), x] + (Dist[I, Int[((e + f\*x)^m\*E^(I\*(c + d\*x)))/(I\*a - Rt[-a^2 + b^2, 2] + b\*E^(I\*(c + d\*x))), x], x] + Dist[I, Int[((e + f\*x)^m\*E^(I\*(c + d\*x)))/(I\*a + Rt[-a^2 + b^2, 2] + b\*E^(I\*(c + d\*x))), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]

### Rubi steps



$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^3 (d + ex^2)} dx &= \int \left( \frac{a + b \sin^{-1}(cx)}{dx^3} - \frac{e (a + b \sin^{-1}(cx))}{d^2 x} + \frac{e^2 x (a + b \sin^{-1}(cx))}{d^2 (d + ex^2)} \right) dx \\
&= \frac{\int \frac{a + b \sin^{-1}(cx)}{x^3} dx}{d} - \frac{e \int \frac{a + b \sin^{-1}(cx)}{x} dx}{d^2} + \frac{e^2 \int \frac{x(a + b \sin^{-1}(cx))}{d + ex^2} dx}{d^2} \\
&= -\frac{a + b \sin^{-1}(cx)}{2dx^2} + \frac{(bc) \int \frac{1}{x^2 \sqrt{1 - c^2 x^2}} dx}{2d} - \frac{e \operatorname{Subst} \left( \int (a + bx) \cot(x) dx, x, \sin^{-1}(cx) \right)}{d^2} + \frac{e^2 \int \left( -\frac{1}{2x} \right)}{d^2} \\
&= -\frac{bc \sqrt{1 - c^2 x^2}}{2dx} - \frac{a + b \sin^{-1}(cx)}{2dx^2} + \frac{ie (a + b \sin^{-1}(cx))^2}{2bd^2} + \frac{(2ie) \operatorname{Subst} \left( \int \frac{e^{2ix}(a+bx)}{1 - e^{2ix}} dx, x, \sin^{-1}(cx) \right)}{d^2} \\
&= -\frac{bc \sqrt{1 - c^2 x^2}}{2dx} - \frac{a + b \sin^{-1}(cx)}{2dx^2} + \frac{ie (a + b \sin^{-1}(cx))^2}{2bd^2} - \frac{e (a + b \sin^{-1}(cx)) \log \left( 1 - e^{2i \sin^{-1}(cx)} \right)}{d^2} \\
&= -\frac{bc \sqrt{1 - c^2 x^2}}{2dx} - \frac{a + b \sin^{-1}(cx)}{2dx^2} - \frac{e (a + b \sin^{-1}(cx)) \log \left( 1 - e^{2i \sin^{-1}(cx)} \right)}{d^2} - \frac{(ibe) \operatorname{Subst} \left( \int \frac{\log(1 - e^{2ix})}{x} dx, x, \sin^{-1}(cx) \right)}{d^2} \\
&= -\frac{bc \sqrt{1 - c^2 x^2}}{2dx} - \frac{a + b \sin^{-1}(cx)}{2dx^2} + \frac{e (a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic \sqrt{-d - \sqrt{c^2 d + e}}} \right)}{2d^2} + \frac{e (a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic \sqrt{-d - \sqrt{c^2 d + e}}} \right)}{2d^2} \\
&= -\frac{bc \sqrt{1 - c^2 x^2}}{2dx} - \frac{a + b \sin^{-1}(cx)}{2dx^2} + \frac{e (a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic \sqrt{-d - \sqrt{c^2 d + e}}} \right)}{2d^2} + \frac{e (a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic \sqrt{-d - \sqrt{c^2 d + e}}} \right)}{2d^2} \\
&= -\frac{bc \sqrt{1 - c^2 x^2}}{2dx} - \frac{a + b \sin^{-1}(cx)}{2dx^2} + \frac{e (a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic \sqrt{-d - \sqrt{c^2 d + e}}} \right)}{2d^2} + \frac{e (a + b \sin^{-1}(cx)) \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic \sqrt{-d - \sqrt{c^2 d + e}}} \right)}{2d^2}
\end{aligned}$$

**Mathematica [A]** time = 2.27454, size = 483, normalized size = 0.84

$$2b \left( -ie \operatorname{PolyLog} \left( 2, \frac{(-2\sqrt{c^2 d(c^2 d + e)} + 2c^2 d + e) e^{2i \sin^{-1}(cx)}}{e} \right) - ie \operatorname{PolyLog} \left( 2, \frac{(2\sqrt{c^2 d(c^2 d + e)} + 2c^2 d + e) e^{2i \sin^{-1}(cx)}}{e} \right) + 2ie \operatorname{PolyLog} \left( 2, e^{2i \sin^{-1}(cx)} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^3\*(d + e\*x^2)), x]

[Out] ((-4\*a\*d)/x^2 - 8\*a\*e\*Log[x] + 4\*a\*e\*Log[d + e\*x^2] + 2\*b\*((-2\*c\*d\*Sqrt[1 - c^2\*x^2])/x - (2\*d\*ArcSin[c\*x])/x^2 + (4\*I)\*e\*ArcSin[Sqrt[-((c^2\*d)/e)]])\*A

```
rcTan[(Sqrt[c^2*d*(c^2*d + e)]*x)/(c*d*Sqrt[1 - c^2*x^2])] - 4*e*ArcSin[c*x]
*Log[1 - E^((2*I)*ArcSin[c*x])] + 2*e*ArcSin[Sqrt[-((c^2*d)/e)]]*Log[1 - (
(2*c^2*d + e - 2*Sqrt[c^2*d*(c^2*d + e)])*E^((2*I)*ArcSin[c*x]))/e] + 2*e*A
rcSin[c*x]*Log[1 - ((2*c^2*d + e - 2*Sqrt[c^2*d*(c^2*d + e)])*E^((2*I)*ArcS
in[c*x]))/e] - 2*e*ArcSin[Sqrt[-((c^2*d)/e)]]*Log[1 - ((2*c^2*d + e + 2*Sqr
t[c^2*d*(c^2*d + e)])*E^((2*I)*ArcSin[c*x]))/e] + 2*e*ArcSin[c*x]*Log[1 - (
(2*c^2*d + e + 2*Sqrt[c^2*d*(c^2*d + e)])*E^((2*I)*ArcSin[c*x]))/e] + (2*I)
*e*PolyLog[2, E^((2*I)*ArcSin[c*x])] - I*e*PolyLog[2, ((2*c^2*d + e - 2*Sqr
t[c^2*d*(c^2*d + e)])*E^((2*I)*ArcSin[c*x]))/e] - I*e*PolyLog[2, ((2*c^2*d
+ e + 2*Sqrt[c^2*d*(c^2*d + e)])*E^((2*I)*ArcSin[c*x]))/e]]/(8*d^2)
```

**Maple [C]** time = 0.237, size = 419, normalized size = 0.7

$$\frac{ae \ln(c^2 ex^2 + c^2 d)}{2d^2} - \frac{a}{2dx^2} - \frac{ae \ln(cx)}{d^2} + \frac{i}{2} \frac{c^2 b}{d} - \frac{bc}{2dx} \sqrt{-c^2 x^2 + 1} - \frac{b \arcsin(cx)}{2dx^2} - \frac{ibe}{d^2} \operatorname{dilog}\left(icx + \sqrt{-c^2 x^2 + 1}\right) - \frac{be \arcsin(cx)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^3/(e\*x^2+d),x)

[Out] 1/2\*a\*e/d^2\*ln(c^2\*e\*x^2+c^2\*d)-1/2\*a/d/x^2-a/d^2\*e\*ln(c\*x)+1/2\*I\*c^2\*b/d-1/2\*b\*c\*(-c^2\*x^2+1)^(1/2)/d/x-1/2\*b/d\*arcsin(c\*x)/x^2-I\*b/d^2\*e\*dilog(I\*c\*x+(-c^2\*x^2+1)^(1/2))-b/d^2\*e\*arcsin(c\*x)\*ln(1+I\*c\*x+(-c^2\*x^2+1)^(1/2))+I\*b/d^2\*e\*dilog(1+I\*c\*x+(-c^2\*x^2+1)^(1/2))-1/4\*I\*b/d^2\*e\*sum((\_R1^2\*e-4\*c^2\*d-e)/(\_R1^2\*e-2\*c^2\*d-e)\*(I\*arcsin(c\*x)\*ln((\_R1-I\*c\*x-(-c^2\*x^2+1)^(1/2))/\_R1)+dilog((\_R1-I\*c\*x-(-c^2\*x^2+1)^(1/2))/\_R1)),\_R1=RootOf(e\*\_Z^4+(-4\*c^2\*d-2\*e)\*\_Z^2+e))-1/4\*I\*b/d^2\*e^2\*sum((\_R1^2-1)/(\_R1^2\*e-2\*c^2\*d-e)\*(I\*arcsin(c\*x)\*ln((\_R1-I\*c\*x-(-c^2\*x^2+1)^(1/2))/\_R1)+dilog((\_R1-I\*c\*x-(-c^2\*x^2+1)^(1/2))/\_R1)),\_R1=RootOf(e\*\_Z^4+(-4\*c^2\*d-2\*e)\*\_Z^2+e))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} a \left( \frac{e \log(ex^2 + d)}{d^2} - \frac{2e \log(x)}{d^2} - \frac{1}{dx^2} \right) + b \int \frac{\arctan\left(cx, \sqrt{cx+1}\sqrt{-cx+1}\right)}{ex^5 + dx^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^3/(e\*x^2+d),x, algorithm="maxima")

[Out]  $\frac{1}{2}a*(e*\log(e*x^2 + d)/d^2 - 2*e*\log(x)/d^2 - 1/(d*x^2)) + b*\text{integrate}(\text{arc}\tan^2(c*x, \sqrt{c*x + 1})*\sqrt{-c*x + 1})/(e*x^5 + d*x^3), x$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \arcsin(cx) + a}{ex^5 + dx^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x^3/(e*x^2+d),x, algorithm="fricas")`

[Out] `integral((b*arcsin(c*x) + a)/(e*x^5 + d*x^3), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \arcsin(cx)}{x^3(d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))/x**3/(e*x**2+d),x)`

[Out] `Integral((a + b*asin(c*x))/(x**3*(d + e*x**2)), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(ex^2 + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/x^3/(e*x^2+d),x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)/((e*x^2 + d)*x^3), x)`

$$3.632 \quad \int \frac{a+b \sin^{-1}(cx)}{x^4(d+ex^2)} dx$$

**Optimal.** Leaf size=649

$$\frac{ibe^{3/2}\text{PolyLog}\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2(-d)^{5/2}} - \frac{ibe^{3/2}\text{PolyLog}\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2(-d)^{5/2}} + \frac{ibe^{3/2}\text{PolyLog}\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2(-d)^{5/2}} - \frac{ibe^{3/2}\text{PolyLog}\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2(-d)^{5/2}}$$

[Out]  $-(b*c*\text{Sqrt}[1 - c^2*x^2])/(6*d*x^2) - (a + b*\text{ArcSin}[c*x])/(3*d*x^3) + (e*(a + b*\text{ArcSin}[c*x]))/(d^2*x) - (b*c^3*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/(6*d) + (b*c*e*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/d^2 + (e^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])/(2*(-d)^{(5/2)}) - (e^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])/(2*(-d)^{(5/2)}) + (e^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/(2*(-d)^{(5/2)}) - (e^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/(2*(-d)^{(5/2)}) + ((I/2)*b*e^{(3/2)}*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e]))]/(-d)^{(5/2)} - ((I/2)*b*e^{(3/2)}*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])/(d)^{(5/2)} + ((I/2)*b*e^{(3/2)}*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e]))]/(-d)^{(5/2)} - ((I/2)*b*e^{(3/2)}*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/(d)^{(5/2)})$

**Rubi [A]** time = 0.962196, antiderivative size = 649, normalized size of antiderivative = 1., number of steps used = 29, number of rules used = 12, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {4733, 4627, 266, 51, 63, 208, 4667, 4741, 4521, 2190, 2279, 2391}

$$\frac{ibe^{3/2}\text{PolyLog}\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2(-d)^{5/2}} - \frac{ibe^{3/2}\text{PolyLog}\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2(-d)^{5/2}} + \frac{ibe^{3/2}\text{PolyLog}\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2(-d)^{5/2}} - \frac{ibe^{3/2}\text{PolyLog}\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2(-d)^{5/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])/(x^4*(d + e*x^2)), x]$

[Out]  $-(b*c*\text{Sqrt}[1 - c^2*x^2])/(6*d*x^2) - (a + b*\text{ArcSin}[c*x])/(3*d*x^3) + (e*(a + b*\text{ArcSin}[c*x]))/(d^2*x) - (b*c^3*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/(6*d) + (b*c*e*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2]])/d^2 + (e^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])/(2*(-d)^{(5/2)}) - (e^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])/(2*(-d)^{(5/2)}) + (e^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/(2*(-d)^{(5/2)}) - (e^{(3/2)}*(a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/(2*(-d)^{(5/2)}) + ((I/2)*b*e^{(3/2)}*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e]))]/(-d)^{(5/2)} - ((I/2)*b*e^{(3/2)}*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])])/(d)^{(5/2)} + ((I/2)*b*e^{(3/2)}*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e]))]/(-d)^{(5/2)} - ((I/2)*b*e^{(3/2)}*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])])/(d)^{(5/2)})$

```

qrt[-d] - Sqrt[c^2*d + e]])/(2*(-d)^(5/2)) + (e^(3/2)*(a + b*ArcSin[c*x])*
Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))]/(2*(
-d)^(5/2)) - (e^(3/2)*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]
)))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))]/(2*(-d)^(5/2)) + ((I/2)*b*e^(3/2)*Pol
yLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))]/(
-d)^(5/2) - ((I/2)*b*e^(3/2)*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sq
rt[-d] - Sqrt[c^2*d + e]))]/(-d)^(5/2) + ((I/2)*b*e^(3/2)*PolyLog[2, -((Sqr
t[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))]/(-d)^(5/2) - ((
I/2)*b*e^(3/2)*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[
c^2*d + e]))]/(-d)^(5/2)

```

### Rule 4733

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d_) + (e_
.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

```

### Rule 4627

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

```

### Rule 266

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

```

### Rule 51

```

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]

```

### Rule 63

```

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ

```

$[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

### Rule 208

$\text{Int}[(a_) + (b_)*(x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b]$

### Rule 4667

$\text{Int}[(a_) + \text{ArcSin}[c_*(x_)]*(b_)^{(n_)}*((d_) + (e_)*(x_)^2)^{(p_)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n, (d + e*x^2)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x] \&\& \text{NeQ}[c^2*d + e, 0] \&\& \text{IntegerQ}[p] \&\& (\text{GtQ}[p, 0] \parallel \text{IGtQ}[n, 0])$

### Rule 4741

$\text{Int}[(a_) + \text{ArcSin}[c_*(x_)]*(b_)^{(n_)} / ((d_) + (e_)*(x_)), x\_Symbol] \rightarrow \text{Subst}[\text{Int}[(a + b*x)^n * \text{Cos}[x] / (c*d + e*\text{Sin}[x]), x], x, \text{ArcSin}[c*x]] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{IGtQ}[n, 0]$

### Rule 4521

$\text{Int}[(\text{Cos}[c_ + (d_)*(x_)]*(e_ + (f_)*(x_))^{(m_)}) / ((a_) + (b_)*\text{Sin}[c_ + (d_)*(x_)]), x\_Symbol] \rightarrow -\text{Simp}[(I*(e + f*x)^{(m+1)}) / (b*f*(m+1)), x] + (\text{Dist}[I, \text{Int}[(e + f*x)^m * E^{I*(c + d*x)}] / (I*a - \text{Rt}[-a^2 + b^2, 2] + b * E^{I*(c + d*x)}), x], x] + \text{Dist}[I, \text{Int}[(e + f*x)^m * E^{I*(c + d*x)}] / (I*a + \text{Rt}[-a^2 + b^2, 2] + b * E^{I*(c + d*x)}), x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{NegQ}[a^2 - b^2]$

### Rule 2190

$\text{Int}[(F_)^{(g_)*((e_) + (f_)*(x_))})^{(n_)*((c_) + (d_)*(x_))^{(m_)}} / ((a_) + (b_)*((F_)^{(g_)*((e_) + (f_)*(x_))})^{(n_)}), x\_Symbol] \rightarrow \text{Simp}[(c + d*x)^m * \text{Log}[1 + (b*(F^{g*(e + f*x)})^n)/a] / (b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m) / (b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m-1)} * \text{Log}[1 + (b*(F^{g*(e + f*x)})^n)/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{IGtQ}[m, 0]$

### Rule 2279

$\text{Int}[\text{Log}[(a_) + (b_)*((F_)^{(e_)*((c_) + (d_)*(x_))})^{(n_)}], x\_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{e*(c + d*x)})^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x] \&\& \text{GtQ}[a, 0]$

Rule 2391

Int[Log[(c\_.)\*((d\_.) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] :> -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^4 (d + ex^2)} dx &= \int \left( \frac{a + b \sin^{-1}(cx)}{dx^4} - \frac{e(a + b \sin^{-1}(cx))}{d^2 x^2} + \frac{e^2(a + b \sin^{-1}(cx))}{d^2 (d + ex^2)} \right) dx \\
&= \frac{\int \frac{a + b \sin^{-1}(cx)}{x^4} dx}{d} - \frac{e \int \frac{a + b \sin^{-1}(cx)}{x^2} dx}{d^2} + \frac{e^2 \int \frac{a + b \sin^{-1}(cx)}{d + ex^2} dx}{d^2} \\
&= -\frac{a + b \sin^{-1}(cx)}{3dx^3} + \frac{e(a + b \sin^{-1}(cx))}{d^2 x} + \frac{(bc) \int \frac{1}{x^3 \sqrt{1 - c^2 x^2}} dx}{3d} - \frac{(bce) \int \frac{1}{x \sqrt{1 - c^2 x^2}} dx}{d^2} + \frac{e^2 \int \left( \frac{\sqrt{-d}(a)}{2d} \right)}{d^2} \\
&= -\frac{a + b \sin^{-1}(cx)}{3dx^3} + \frac{e(a + b \sin^{-1}(cx))}{d^2 x} + \frac{(bc) \text{Subst} \left( \int \frac{1}{x^2 \sqrt{1 - c^2 x}} dx, x, x^2 \right)}{6d} - \frac{(bce) \text{Subst} \left( \int \frac{1}{x \sqrt{1 - c^2 x}} dx, x, x^2 \right)}{2d^2} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{6dx^2} - \frac{a + b \sin^{-1}(cx)}{3dx^3} + \frac{e(a + b \sin^{-1}(cx))}{d^2 x} + \frac{(bc^3) \text{Subst} \left( \int \frac{1}{x \sqrt{1 - c^2 x}} dx, x, x^2 \right)}{12d} + \frac{(bce) \text{Subst} \left( \int \frac{1}{x \sqrt{1 - c^2 x}} dx, x, x^2 \right)}{2d^2} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{6dx^2} - \frac{a + b \sin^{-1}(cx)}{3dx^3} + \frac{e(a + b \sin^{-1}(cx))}{d^2 x} + \frac{bce \tanh^{-1}(\sqrt{1 - c^2 x^2})}{d^2} - \frac{(bc) \text{Subst} \left( \int \frac{1}{x \sqrt{1 - c^2 x}} dx, x, x^2 \right)}{2d^2} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{6dx^2} - \frac{a + b \sin^{-1}(cx)}{3dx^3} + \frac{e(a + b \sin^{-1}(cx))}{d^2 x} - \frac{bc^3 \tanh^{-1}(\sqrt{1 - c^2 x^2})}{6d} + \frac{bce \tanh^{-1}(\sqrt{1 - c^2 x^2})}{d^2} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{6dx^2} - \frac{a + b \sin^{-1}(cx)}{3dx^3} + \frac{e(a + b \sin^{-1}(cx))}{d^2 x} - \frac{bc^3 \tanh^{-1}(\sqrt{1 - c^2 x^2})}{6d} + \frac{bce \tanh^{-1}(\sqrt{1 - c^2 x^2})}{d^2} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{6dx^2} - \frac{a + b \sin^{-1}(cx)}{3dx^3} + \frac{e(a + b \sin^{-1}(cx))}{d^2 x} - \frac{bc^3 \tanh^{-1}(\sqrt{1 - c^2 x^2})}{6d} + \frac{bce \tanh^{-1}(\sqrt{1 - c^2 x^2})}{d^2}
\end{aligned}$$

**Mathematica [A]** time = 0.4353, size = 531, normalized size = 0.82

$$b \left( \frac{e^{3/2} \left( 2 \operatorname{PolyLog} \left( 2, \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d + e - c \sqrt{d}}} \right) + 2 \operatorname{PolyLog} \left( 2, -\frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d + e + c \sqrt{d}}} \right) + \sin^{-1}(cx) \left( \sin^{-1}(cx) + 2i \left( \log \left( 1 + \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{c \sqrt{d} - \sqrt{c^2 d + e}} \right) + \log \left( 1 + \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{c \sqrt{d} + \sqrt{c^2 d + e}} \right) \right) \right)}{4d^{5/2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^4\*(d + e\*x^2)),x]

[Out] 
$$-a/(3*d*x^3) + (a*e)/(d^2*x) + (a*e^{(3/2)}*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/d^{(5/2)} + b*(-((e*(-(ArcSin[c*x]/x) - c*ArcTanh[Sqrt[1 - c^2*x^2]]))/d^2) - (c*x*Sqrt[1 - c^2*x^2] + 2*ArcSin[c*x] + c^3*x^3*ArcTanh[Sqrt[1 - c^2*x^2]])/(6*d*x^3) - (e^{(3/2)}*(ArcSin[c*x]*(ArcSin[c*x] + (2*I)*(Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))]/(c*Sqrt[d] - Sqrt[c^2*d + e])) + Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))]/(c*Sqrt[d] + Sqrt[c^2*d + e])))) + 2*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(- (c*Sqrt[d] + Sqrt[c^2*d + e]))] + 2*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] + Sqrt[c^2*d + e])))]/(4*d^{(5/2)}) + (e^{(3/2)}*(ArcSin[c*x]*(ArcSin[c*x] + (2*I)*(Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))]/(- (c*Sqrt[d] + Sqrt[c^2*d + e])) + Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] + Sqrt[c^2*d + e])))) + 2*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] - Sqrt[c^2*d + e])] + 2*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] + Sqrt[c^2*d + e])))]/(4*d^{(5/2)}))$$

**Maple [C]** time = 0.544, size = 472, normalized size = 0.7

$$\frac{ae^2}{d^2} \arctan\left( ex \frac{1}{\sqrt{de}} \right) \frac{1}{\sqrt{de}} - \frac{a}{3dx^3} + \frac{ae}{d^2x} - \frac{bc}{6dx^2} \sqrt{-c^2x^2 + 1} + \frac{b \arcsin(cx)e}{d^2x} - \frac{b \arcsin(cx)}{3dx^3} - \frac{be^2}{8cd^3} \sum_{R1=RootOf(e-Z^4+(-$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^4/(e\*x^2+d),x)

[Out] 
$$a*e^2/d^2/(d*e)^{(1/2)}*arctan(e*x/(d*e)^{(1/2)})-1/3*a/d/x^3+a/d^2*e/x-1/6*b*c*(-c^2*x^2+1)^{(1/2)}/d/x^2+b*arcsin(c*x)/d^2*e/x-1/3*b*arcsin(c*x)/d/x^3-1/8/c*b/d^3*e^2*sum((R1^2*e-4*c^2*d-e)/R1/(R1^2*e-2*c^2*d-e)*(I*arcsin(c*x)*ln((R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/R1)+dilog((R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/R1)),R1=RootOf(e_Z^4+(-4*c^2*d-2*e)*_Z^2+e))+1/6*c^3*b/d*ln(I*c*x+(-c^2*x^2+1)^{(1/2)}-1)-1/6*c^3*b/d*ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})+1/8/c*b/d^3*e^2*sum((4*_R1^2*c^2*d+_R1^2*e-e)/_R1/(R1^2*e-2*c^2*d-e)*(I*arcsin(c*x)*ln(($$



$$\frac{-R1 - I*c*x - (-c^2*x^2 + 1)^{1/2}}{R1} + \operatorname{dilog}\left(\frac{-R1 - I*c*x - (-c^2*x^2 + 1)^{1/2}}{R1}\right), R1 = \operatorname{RootOf}(e*_Z^4 + (-4*c^2*d - 2*e)*_Z^2 + e) - c*b/d^2*e*\ln(I*c*x + (-c^2*x^2 + 1)^{1/2} - 1) + c*b/d^2*e*\ln(1 + I*c*x + (-c^2*x^2 + 1)^{1/2})$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^4/(e\*x^2+d), x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b \arcsin(cx) + a}{ex^6 + dx^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^4/(e\*x^2+d), x, algorithm="fricas")

[Out] integral((b\*arcsin(c\*x) + a)/(e\*x^6 + d\*x^4), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asin}(cx)}{x^4(d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x\*\*4/(e\*x\*\*2+d), x)

[Out] Integral((a + b\*asin(c\*x))/(x\*\*4\*(d + e\*x\*\*2)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(ex^2 + d)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^4/(e*x^2+d),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/((e*x^2 + d)*x^4), x)
```

$$3.633 \quad \int \frac{x^3(a+b \sin^{-1}(cx))}{(d+ex^2)^2} dx$$

**Optimal.** Leaf size=574

$$\frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2e^2} - \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2e^2} - \frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2e^2} - \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2e^2}$$

```
[Out] (d*(a + b*ArcSin[c*x]))/(2*e^2*(d + e*x^2)) - ((I/2)*(a + b*ArcSin[c*x])^2)/(b*e^2) - (b*c*Sqrt[d]*ArcTan[(Sqrt[c^2*d + e]*x)/(Sqrt[d]*Sqrt[1 - c^2*x^2])])/(2*e^2*Sqrt[c^2*d + e]) + ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*e^2) + ((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*e^2) + ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*e^2) + ((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*e^2) - ((I/2)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))])/e^2 - ((I/2)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/e^2 - ((I/2)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))])/e^2 - ((I/2)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/e^2
```

**Rubi [A]** time = 0.956311, antiderivative size = 574, normalized size of antiderivative = 1., number of steps used = 23, number of rules used = 9, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {4733, 4729, 377, 205, 4741, 4521, 2190, 2279, 2391}

$$\frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2e^2} - \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2e^2} - \frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2e^2} - \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2e^2}$$

Antiderivative was successfully verified.

```
[In] Int[(x^3*(a + b*ArcSin[c*x]))/(d + e*x^2)^2,x]
```

```
[Out] (d*(a + b*ArcSin[c*x]))/(2*e^2*(d + e*x^2)) - ((I/2)*(a + b*ArcSin[c*x])^2)/(b*e^2) - (b*c*Sqrt[d]*ArcTan[(Sqrt[c^2*d + e]*x)/(Sqrt[d]*Sqrt[1 - c^2*x^2])])/(2*e^2*Sqrt[c^2*d + e]) + ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*e^2) + ((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*e^2) + ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*e^2) + ((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*e^2) - ((I/2)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))])/e^2 - ((I/2)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/e^2 - ((I/2)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))])/e^2 - ((I/2)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/e^2
```

$$\begin{aligned} & / (2e^2) + ((a + b \operatorname{ArcSin}[c*x]) \operatorname{Log}[1 - (\operatorname{Sqrt}[e] * E^{(I \operatorname{ArcSin}[c*x])}) / (I * \operatorname{Sqrt}[-d] + \operatorname{Sqrt}[c^2*d + e])]) / (2e^2) + ((a + b \operatorname{ArcSin}[c*x]) \operatorname{Log}[1 + (\operatorname{Sqrt}[e] * E^{(I \operatorname{ArcSin}[c*x])}) / (I * \operatorname{Sqrt}[-d] + \operatorname{Sqrt}[c^2*d + e])]) / (2e^2) - ((I/2) * b * \operatorname{PolyLog}[2, -((\operatorname{Sqrt}[e] * E^{(I \operatorname{ArcSin}[c*x])}) / (I * \operatorname{Sqrt}[-d] - \operatorname{Sqrt}[c^2*d + e])]) / e^2 - ((I/2) * b * \operatorname{PolyLog}[2, (\operatorname{Sqrt}[e] * E^{(I \operatorname{ArcSin}[c*x])}) / (I * \operatorname{Sqrt}[-d] - \operatorname{Sqrt}[c^2*d + e])]) / e^2 - ((I/2) * b * \operatorname{PolyLog}[2, -((\operatorname{Sqrt}[e] * E^{(I \operatorname{ArcSin}[c*x])}) / (I * \operatorname{Sqrt}[-d] + \operatorname{Sqrt}[c^2*d + e])]) / e^2 - ((I/2) * b * \operatorname{PolyLog}[2, (\operatorname{Sqrt}[e] * E^{(I \operatorname{ArcSin}[c*x])}) / (I * \operatorname{Sqrt}[-d] + \operatorname{Sqrt}[c^2*d + e])]) / e^2 \end{aligned}$$
Rule 4733

$$\operatorname{Int}[(a + \operatorname{ArcSin}[c*x])^n (f*x)^m (d + e*x^2)^p, x] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b \operatorname{ArcSin}[c*x])^n (f*x)^m (d + e*x^2)^p, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, x\} \&\& \operatorname{NeQ}[c^2*d + e, 0] \&\& \operatorname{IGtQ}[n, 0] \&\& \operatorname{IntegerQ}[p] \&\& \operatorname{IntegerQ}[m]$$
Rule 4729

$$\operatorname{Int}[(a + \operatorname{ArcSin}[c*x]) (d + e*x^2)^p, x] \rightarrow \operatorname{Simp}[(d + e*x^2)^{p+1} (a + b \operatorname{ArcSin}[c*x]) / (2e*(p+1)), x] - \operatorname{Dist}[(b*c) / (2e*(p+1)), \operatorname{Int}[(d + e*x^2)^{p+1} / \operatorname{Sqrt}[1 - c^2*x^2], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, p, x\} \&\& \operatorname{NeQ}[c^2*d + e, 0] \&\& \operatorname{NeQ}[p, -1]$$
Rule 377

$$\operatorname{Int}[(a + (b*x)^n)^p / (c + (d*x)^n), x] \rightarrow \operatorname{Subst}[\operatorname{Int}[1 / (c - (b*c - a*d)*x^n), x], x, x / (a + b*x^n)^{1/n}] /; \operatorname{FreeQ}\{a, b, c, d, x\} \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{EqQ}[n*p + 1, 0] \&\& \operatorname{IntegerQ}[n]$$
Rule 205

$$\operatorname{Int}[(a + (b*x)^2)^{-1}, x] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2] * \operatorname{ArcTan}[x / \operatorname{Rt}[a/b, 2]]) / a, x] /; \operatorname{FreeQ}\{a, b, x\} \&\& \operatorname{PosQ}[a/b]$$
Rule 4741

$$\operatorname{Int}[(a + \operatorname{ArcSin}[c*x])^n / (d + e*x), x] \rightarrow \operatorname{Subst}[\operatorname{Int}[(a + b*x)^n * \operatorname{Cos}[x] / (c*d + e*\operatorname{Sin}[x]), x], x, \operatorname{ArcSin}[c*x]] /; \operatorname{FreeQ}\{a, b, c, d, e, x\} \&\& \operatorname{IGtQ}[n, 0]$$
Rule 4521

$$\operatorname{Int}[(\operatorname{Cos}[c*x + (d*x)] * (e + (f*x)^m)) / (a + (b*x) \operatorname{Sin}[c*x + (d*x)]), x] \rightarrow -\operatorname{Simp}[(I * (e + f*x)^{m+1}) / (b*f*(m+1)), x] + (\operatorname{Dist}[I, \operatorname{Int}[(e + f*x)^m * E^{(I*(c + d*x))}] / (I*a - \operatorname{Rt}[-a^2 + b^2, 2])]$$

+ b\*E^(I\*(c + d\*x)), x], x] + Dist[I, Int[((e + f\*x)^m\*E^(I\*(c + d\*x)))/(I\*a + Rt[-a^2 + b^2, 2] + b\*E^(I\*(c + d\*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]

### Rule 2190

Int[(((F\_)^((g\_)\*(e\_) + (f\_)\*(x\_)))^(n\_))\*((c\_) + (d\_)\*(x\_))^(m\_)]/((a\_) + (b\_)\*((F\_)^((g\_)\*(e\_) + (f\_)\*(x\_)))^(n\_)), x\_Symbol] :> Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_)\*((F\_)^((e\_)\*(c\_) + (d\_)\*(x\_)))^(n\_)], x\_Symbol] :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_)\*((d\_) + (e\_)\*(x\_)^(n\_))]/(x\_), x\_Symbol] :> -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 (a + b \sin^{-1}(cx))}{(d + ex^2)^2} dx &= \int \left( -\frac{dx (a + b \sin^{-1}(cx))}{e (d + ex^2)^2} + \frac{x (a + b \sin^{-1}(cx))}{e (d + ex^2)} \right) dx \\
&= \frac{\int \frac{x(a+b \sin^{-1}(cx))}{d+ex^2} dx}{e} - \frac{d \int \frac{x(a+b \sin^{-1}(cx))}{(d+ex^2)^2} dx}{e} \\
&= \frac{d (a + b \sin^{-1}(cx))}{2e^2 (d + ex^2)} - \frac{(bcd) \int \frac{1}{\sqrt{1-c^2x^2}(d+ex^2)} dx}{2e^2} + \frac{\int \left( -\frac{a+b \sin^{-1}(cx)}{2\sqrt{e}(\sqrt{-d}-\sqrt{ex})} + \frac{a+b \sin^{-1}(cx)}{2\sqrt{e}(\sqrt{-d}+\sqrt{ex})} \right) dx}{e} \\
&= \frac{d (a + b \sin^{-1}(cx))}{2e^2 (d + ex^2)} - \frac{(bcd) \text{Subst} \left( \int \frac{1}{d-(-c^2d-e)x^2} dx, x, \frac{x}{\sqrt{1-c^2x^2}} \right)}{2e^2} - \frac{\int \frac{a+b \sin^{-1}(cx)}{\sqrt{-d}-\sqrt{ex}} dx}{2e^{3/2}} + \frac{\int \frac{a+b \sin^{-1}(cx)}{\sqrt{-d}+\sqrt{ex}} dx}{2e^{3/2}} \\
&= \frac{d (a + b \sin^{-1}(cx))}{2e^2 (d + ex^2)} - \frac{bc\sqrt{d} \tan^{-1} \left( \frac{\sqrt{c^2d+ex}}{\sqrt{d}\sqrt{1-c^2x^2}} \right)}{2e^2 \sqrt{c^2d+e}} - \frac{\text{Subst} \left( \int \frac{(a+bx) \cos(x)}{c\sqrt{-d}-\sqrt{e} \sin(x)} dx, x, \sin^{-1}(cx) \right)}{2e^{3/2}} + \frac{\text{Subst} \left( \int \frac{(a+bx) \cos(x)}{c\sqrt{-d}+\sqrt{e} \sin(x)} dx, x, \sin^{-1}(cx) \right)}{2e^{3/2}} \\
&= \frac{d (a + b \sin^{-1}(cx))}{2e^2 (d + ex^2)} - \frac{i (a + b \sin^{-1}(cx))^2}{2be^2} - \frac{bc\sqrt{d} \tan^{-1} \left( \frac{\sqrt{c^2d+ex}}{\sqrt{d}\sqrt{1-c^2x^2}} \right)}{2e^2 \sqrt{c^2d+e}} - \frac{i \text{Subst} \left( \int \frac{e^{ix(a+bx)}}{ic\sqrt{-d}-\sqrt{c^2d+e}} dx, x, \sin^{-1}(cx) \right)}{2e^{3/2}} \\
&= \frac{d (a + b \sin^{-1}(cx))}{2e^2 (d + ex^2)} - \frac{i (a + b \sin^{-1}(cx))^2}{2be^2} - \frac{bc\sqrt{d} \tan^{-1} \left( \frac{\sqrt{c^2d+ex}}{\sqrt{d}\sqrt{1-c^2x^2}} \right)}{2e^2 \sqrt{c^2d+e}} + \frac{(a + b \sin^{-1}(cx)) \log \left( \frac{c\sqrt{-d}-\sqrt{c^2d+e}}{c\sqrt{-d}+\sqrt{c^2d+e}} \right)}{2e^2} \\
&= \frac{d (a + b \sin^{-1}(cx))}{2e^2 (d + ex^2)} - \frac{i (a + b \sin^{-1}(cx))^2}{2be^2} - \frac{bc\sqrt{d} \tan^{-1} \left( \frac{\sqrt{c^2d+ex}}{\sqrt{d}\sqrt{1-c^2x^2}} \right)}{2e^2 \sqrt{c^2d+e}} + \frac{(a + b \sin^{-1}(cx)) \log \left( \frac{c\sqrt{-d}-\sqrt{c^2d+e}}{c\sqrt{-d}+\sqrt{c^2d+e}} \right)}{2e^2} \\
&= \frac{d (a + b \sin^{-1}(cx))}{2e^2 (d + ex^2)} - \frac{i (a + b \sin^{-1}(cx))^2}{2be^2} - \frac{bc\sqrt{d} \tan^{-1} \left( \frac{\sqrt{c^2d+ex}}{\sqrt{d}\sqrt{1-c^2x^2}} \right)}{2e^2 \sqrt{c^2d+e}} + \frac{(a + b \sin^{-1}(cx)) \log \left( \frac{c\sqrt{-d}-\sqrt{c^2d+e}}{c\sqrt{-d}+\sqrt{c^2d+e}} \right)}{2e^2}
\end{aligned}$$

**Mathematica [A]** time = 1.03385, size = 593, normalized size = 1.03

$$b \left( -i \left( 2 \text{PolyLog} \left( 2, \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e-c\sqrt{d}}} \right) + 2 \text{PolyLog} \left( 2, -\frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+c\sqrt{d}}} \right) + \sin^{-1}(cx) \left( \sin^{-1}(cx) + 2i \left( \log \left( 1 + \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{c\sqrt{d}-\sqrt{c^2d+e}} \right) + \log \left( 1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{c\sqrt{d}+\sqrt{c^2d+e}} \right) \right) \right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(x^3*(a + b*ArcSin[c*x]))/(d + e*x^2)^2,x]
```

```
[Out] ((2*a*d)/(d + e*x^2) + 2*a*Log[d + e*x^2] + b*(Sqrt[d]*(ArcSin[c*x]/(Sqrt[d]
+ I*Sqrt[e]*x) - (c*ArcTan[(I*Sqrt[e] + c^2*Sqrt[d]*x)/(Sqrt[c^2*d + e]*S
qrt[1 - c^2*x^2]))/Sqrt[c^2*d + e]) - I*Sqrt[d]*(-(ArcSin[c*x]/(I*Sqrt[d]
+ Sqrt[e]*x)) - (c*ArcTanh[(Sqrt[e] + I*c^2*Sqrt[d]*x)/(Sqrt[c^2*d + e]*Sqr
t[1 - c^2*x^2]))/Sqrt[c^2*d + e]) - I*(ArcSin[c*x]*(ArcSin[c*x] + (2*I)*(L
og[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] - Sqrt[c^2*d + e])) + Log[1 +
(Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] + Sqrt[c^2*d + e]))]) + 2*PolyLog[2
, (Sqrt[e]*E^(I*ArcSin[c*x]))/(-(c*Sqrt[d]) + Sqrt[c^2*d + e])) + 2*PolyLog
[2, -(Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] + Sqrt[c^2*d + e]))]) - I*(Arc
Sin[c*x]*(ArcSin[c*x] + (2*I)*(Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(-(c*Sqr
t[d]) + Sqrt[c^2*d + e])) + Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d]
+ Sqrt[c^2*d + e]))]) + 2*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d]
- Sqrt[c^2*d + e])) + 2*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d]
+ Sqrt[c^2*d + e]))])))/(4*e^2)
```

---

**Maple [C]** time = 0.523, size = 2907, normalized size = 5.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(a+b*arcsin(c*x))/(e*x^2+d)^2,x)
```

```
[Out] -5/2*c^2*b*ln(1-e*(I*c*x+(-c^2*x^2+1)^(1/2))^2/(2*c^2*d-2*(c^2*d*(c^2*d+e))
^(1/2)+e))*arcsin(c*x)*d/e^2/(c^2*d+e)-2*I*c^2*b*arcsin(c*x)^2*d/e^4*(c^2*d
*(c^2*d+e))^(1/2)+5/4*I*c^2*b*polylog(2,e*(I*c*x+(-c^2*x^2+1)^(1/2))^2/(2*c
^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e))/e^2/(c^2*d+e)*d+5/2*I*c^2*b*arcsin(c*x)^
2*d/e^2/(c^2*d+e)+4*I*c^4*b*arcsin(c*x)^2/e^3/(c^2*d+e)*d^2+2*I*c^6*b*d^3*a
rcsin(c*x)^2/e^4/(c^2*d+e)+2*I*c^4*b*d^2*polylog(2,e*(I*c*x+(-c^2*x^2+1)^(1
/2))^2/(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e))/e^3/(c^2*d+e)-I*c^2*b*polylog
(2,e*(I*c*x+(-c^2*x^2+1)^(1/2))^2/(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e))*d/
e^4*(c^2*d*(c^2*d+e))^(1/2)+1/2*b*ln(1-e*(I*c*x+(-c^2*x^2+1)^(1/2))^2/(2*c^
2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e))*arcsin(c*x)/e^2-1/2*I*b/e^2*sum((_R1^2*e-
4*c^2*d-2*e)/(_R1^2*e-2*c^2*d-e)*(I*arcsin(c*x)*ln((_R1-I*c*x-(-c^2*x^2+1)^(
1/2))/_R1)+dilog((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)),_R1=RootOf(e*_Z^4+(-
4*c^2*d-2*e)*_Z^2+e))-I*b*arcsin(c*x)^2/e^2-1/4*I*b*polylog(2,e*(I*c*x+(-c^
2*x^2+1)^(1/2))^2/(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e))/e^2+1/2*a/e^2*ln(c
^2*e*x^2+c^2*d)+1/2*c^2*b*arcsin(c*x)/e^2*d/(c^2*e*x^2+c^2*d)+2*c^2*b*ln(1-
e*(I*c*x+(-c^2*x^2+1)^(1/2))^2/(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e))*arcsi
n(c*x)/e^3*d+2*c^4*b*ln(1-e*(I*c*x+(-c^2*x^2+1)^(1/2))^2/(2*c^2*d-2*(c^2*d*
```

$$\begin{aligned}
& (c^{2*d+e})^{(1/2)+e}) * \arcsin(c*x) * d^2/e^4 + I*b*(c^{2*d*(c^{2*d+e})}^{(1/2)}/e^2/(c^{2*d+e}) * \arcsin(c*x)^2 - 3/2*b*\ln(1-e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} * \arcsin(c*x)/e^2/(c^{2*d+e}) * (c^{2*d*(c^{2*d+e})}^{(1/2)+1/2*b*(c^{2*d*(c^{2*d+e})}^{(1/2)}/e^2/(c^{2*d+e}) * \arcsin(c*x)*\ln(1-e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d+2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} - 2*I*c^{2*b*\arcsin(c*x)^2/e^3*d-2*I*c^4*b*\arcsin(c*x)^2*d^2/e^4 - I*c^4*b*\text{polylog}(2, e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} * d^2/e^4 - I*c^2*b*\text{polylog}(2, e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} * d/e^3 + 1/2*I*b*(c^{2*d*(c^{2*d+e})}^{(1/2)}/e^2/(c^{2*d+e}) * \arctanh(1/4*(2*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2*e-4*c^{2*d-2*e})/(c^4*d^2+c^{2*d*e})^{(1/2)})+3/4*I*b*\text{polylog}(2, e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} /e^2/(c^{2*d+e}) * (c^{2*d*(c^{2*d+e})}^{(1/2)-1/4*I*b*(c^{2*d*(c^{2*d+e})}^{(1/2)}/e^2/(c^{2*d+e}) * \text{polylog}(2, e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d+2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} + I*c^6*b*d^3*\text{polylog}(2, e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} /e^4/(c^{2*d+e}) + 2*c^2*b*\ln(1-e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} * \arcsin(c*x) * d/e^4 * (c^{2*d*(c^{2*d+e})}^{(1/2)-2*c^6*b*d^3*\ln(1-e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} * \arcsin(c*x)/e^4/(c^{2*d+e}) - 4*c^4*b*d^2*\ln(1-e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} * \arcsin(c*x)/e^3/(c^{2*d+e}) + 1/8*I/c^{2*b*\text{polylog}(2, e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} /d/e/(c^{2*d+e}) * (c^{2*d*(c^{2*d+e})}^{(1/2)+3/2*I*c^2*b*d*\text{polylog}(2, e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} /e^3/(c^{2*d+e}) * (c^{2*d*(c^{2*d+e})}^{(1/2)-1/8*I/c^{2*b*(c^{2*d*(c^{2*d+e})}^{(1/2)}/e/d/(c^{2*d+e}) * \text{polylog}(2, e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d+2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} - 3*c^2*b*d*\ln(1-e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} * \arcsin(c*x)/e^3/(c^{2*d+e}) * (c^{2*d*(c^{2*d+e})}^{(1/2)-2*c^4*b*d^2*\ln(1-e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} * \arcsin(c*x)/e^4/(c^{2*d+e}) * (c^{2*d*(c^{2*d+e})}^{(1/2)+1/4/c^{2*b*(c^{2*d*(c^{2*d+e})}^{(1/2)}/e/d/(c^{2*d+e}) * \arcsin(c*x)*\ln(1-e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d+2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} - 1/4/c^{2*b*\ln(1-e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} * \arcsin(c*x)/d/e/(c^{2*d+e}) * (c^{2*d*(c^{2*d+e})}^{(1/2)+2*I*c^4*b*d^2*\arcsin(c*x)^2/e^4/(c^{2*d+e}) * (c^{2*d*(c^{2*d+e})}^{(1/2)+3*I*c^2*b*\arcsin(c*x)^2/e^3/(c^{2*d+e}) * (c^{2*d*(c^{2*d+e})}^{(1/2)*d+I*c^4*b*d^2*\text{polylog}(2, e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} /e^4/(c^{2*d+e}) * (c^{2*d*(c^{2*d+e})}^{(1/2)+b*\ln(1-e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} * \arcsin(c*x)/e^3*(c^{2*d*(c^{2*d+e})}^{(1/2)+1/2*c^2*a/e^2*d/(c^{2*e*x^2+c^2*d}) - 1/2*I*b*\text{polylog}(2, e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} /e^3*(c^{2*d*(c^{2*d+e})}^{(1/2)+1/2*I*b*\arcsin(c*x)^2/e/(c^{2*d+e}) - I*b*\arcsin(c*x)^2/e^3*(c^{2*d*(c^{2*d+e})}^{(1/2)+1/4*I*b*\text{polylog}(2, e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} /e/(c^{2*d+e}) - 1/2*b*\ln(1-e*(I*c*x+(-c^{2*x^2+1})^{(1/2)})^2/(2*c^{2*d-2*(c^{2*d*(c^{2*d+e})}^{(1/2)+e})} * \arcsin(c*x)/e/(c^{2*d+e})
\end{aligned}$$



---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} a \left( \frac{d}{e^3 x^2 + d e^2} + \frac{\log(ex^2 + d)}{e^2} \right) + b \int \frac{x^3 \arctan(cx, \sqrt{cx+1} \sqrt{-cx+1})}{e^2 x^4 + 2 d e x^2 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^2,x, algorithm="maxima")

[Out] 1/2\*a\*(d/(e^3\*x^2 + d\*e^2) + log(e\*x^2 + d)/e^2) + b\*integrate(x^3\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/(e^2\*x^4 + 2\*d\*e\*x^2 + d^2), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{bx^3 \arcsin(cx) + ax^3}{e^2 x^4 + 2 d e x^2 + d^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b\*x^3\*arcsin(c\*x) + a\*x^3)/(e^2\*x^4 + 2\*d\*e\*x^2 + d^2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(a+b\*asin(c\*x))/(e\*x\*\*2+d)\*\*2,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^3}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*arcsin(c*x))/(e*x^2+d)^2,x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)*x^3/(e*x^2 + d)^2, x)
```

$$3.634 \quad \int \frac{x(a+b \sin^{-1}(cx))}{(d+ex^2)^2} dx$$

Optimal. Leaf size=83

$$\frac{bc \tan^{-1}\left(\frac{x\sqrt{c^2d+e}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{2\sqrt{de}\sqrt{c^2d+e}} - \frac{a+b \sin^{-1}(cx)}{2e(d+ex^2)}$$

[Out]  $-(a + b*\text{ArcSin}[c*x])/(2*e*(d + e*x^2)) + (b*c*\text{ArcTan}[(\text{Sqrt}[c^2*d + e]*x)/(\text{Sqrt}[d]*\text{Sqrt}[1 - c^2*x^2])])/(2*\text{Sqrt}[d]*e*\text{Sqrt}[c^2*d + e])$

**Rubi [A]** time = 0.0594234, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {4729, 377, 205}

$$\frac{bc \tan^{-1}\left(\frac{x\sqrt{c^2d+e}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{2\sqrt{de}\sqrt{c^2d+e}} - \frac{a+b \sin^{-1}(cx)}{2e(d+ex^2)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x*(a + b*\text{ArcSin}[c*x]))/(d + e*x^2)^2, x]$

[Out]  $-(a + b*\text{ArcSin}[c*x])/(2*e*(d + e*x^2)) + (b*c*\text{ArcTan}[(\text{Sqrt}[c^2*d + e]*x)/(\text{Sqrt}[d]*\text{Sqrt}[1 - c^2*x^2])])/(2*\text{Sqrt}[d]*e*\text{Sqrt}[c^2*d + e])$

#### Rule 4729

$\text{Int}[(a + \text{ArcSin}[c*x])*(b*x)/((d + e*x^2)^2), x]$   
 $\text{Symbol} \rightarrow \text{Simp}[(d + e*x^2)^{p+1}*(a + b*\text{ArcSin}[c*x])/(2*e*(p+1)), x]$   
 $- \text{Dist}[(b*c)/(2*e*(p+1)), \text{Int}[(d + e*x^2)^{p+1}/\text{Sqrt}[1 - c^2*x^2], x], x]$   
 $;/; \text{FreeQ}\{a, b, c, d, e, p\}, x \ \&\& \ \text{NeQ}[c^2*d + e, 0] \ \&\& \ \text{NeQ}[p, -1]$

#### Rule 377

$\text{Int}[(a + (b*x)^n)^p/((c + d*x)^n), x]$   
 $\text{Symbol} \rightarrow \text{Subst}[\text{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{1/n}]$   
 $;/; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[n*p + 1, 0] \ \&\& \ \text{IntegerQ}[n]$

Rule 205

$\text{Int}[(a + b \cdot (x^2)^{-1}), x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}[a, b], x \ \&\& \ \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned} \int \frac{x(a + b \sin^{-1}(cx))}{(d + ex^2)^2} dx &= -\frac{a + b \sin^{-1}(cx)}{2e(d + ex^2)} + \frac{(bc) \int \frac{1}{\sqrt{1-c^2x^2}(d+ex^2)} dx}{2e} \\ &= -\frac{a + b \sin^{-1}(cx)}{2e(d + ex^2)} + \frac{(bc) \text{Subst}\left(\int \frac{1}{d - (-c^2d-e)x^2} dx, x, \frac{x}{\sqrt{1-c^2x^2}}\right)}{2e} \\ &= -\frac{a + b \sin^{-1}(cx)}{2e(d + ex^2)} + \frac{bc \tan^{-1}\left(\frac{\sqrt{c^2d+ex}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{2\sqrt{de}\sqrt{c^2d+e}} \end{aligned}$$

**Mathematica [A]** time = 0.146604, size = 87, normalized size = 1.05

$$\frac{\frac{a}{d+ex^2} - \frac{bc \tan^{-1}\left(\frac{x\sqrt{c^2d+e}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{\sqrt{d}\sqrt{c^2d+e}} + \frac{b \sin^{-1}(cx)}{d+ex^2}}{2e}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^2,x]

[Out] -(a/(d + e\*x^2) + (b\*ArcSin[c\*x]))/(d + e\*x^2) - (b\*c\*ArcTan[(Sqrt[c^2\*d + e]\*x)/(Sqrt[d]\*Sqrt[1 - c^2\*x^2])])/(Sqrt[d]\*Sqrt[c^2\*d + e])/(2\*e)

**Maple [B]** time = 0.032, size = 414, normalized size = 5.

$$-\frac{c^2a}{2e(c^2ex^2 + c^2d)} - \frac{c^2b \arcsin(cx)}{2e(c^2ex^2 + c^2d)} + \frac{c^2b}{4e} \ln \left( \left( 2 \frac{c^2d+e}{e} + 2 \frac{\sqrt{-c^2ed}}{e} \left( cx + \frac{\sqrt{-c^2ed}}{e} \right) + 2 \sqrt{\frac{c^2d+e}{e}} \sqrt{-\left( cx + \frac{\sqrt{-c^2ed}}{e} \right)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*arcsin(c*x))/(e*x^2+d)^2,x)`

[Out] 
$$-1/2*c^2*a/e/(c^2*e*x^2+c^2*d)-1/2*c^2*b/e/(c^2*e*x^2+c^2*d)*arcsin(c*x)+1/4*c^2*b/e/(-c^2*e*d)^{(1/2)}/((c^2*d+e)/e)^{(1/2)}*\ln((2*(c^2*d+e)/e+2*(-c^2*e*d)^{(1/2)}/e*(c*x+(-c^2*e*d)^{(1/2)}/e)+2*((c^2*d+e)/e)^{(1/2)}*(-(c*x+(-c^2*e*d)^{(1/2)}/e)^2+2*(-c^2*e*d)^{(1/2)}/e*(c*x+(-c^2*e*d)^{(1/2)}/e)+(c^2*d+e)/e)^{(1/2)})/(c*x+(-c^2*e*d)^{(1/2)}/e))-1/4*c^2*b/e/(-c^2*e*d)^{(1/2)}/((c^2*d+e)/e)^{(1/2)}*\ln((2*(c^2*d+e)/e-2*(-c^2*e*d)^{(1/2)}/e*(c*x-(-c^2*e*d)^{(1/2)}/e)+2*((c^2*d+e)/e)^{(1/2)}*(-(c*x-(-c^2*e*d)^{(1/2)}/e)^2-2*(-c^2*e*d)^{(1/2)}/e*(c*x-(-c^2*e*d)^{(1/2)}/e)+(c^2*d+e)/e)^{(1/2)})/(c*x-(-c^2*e*d)^{(1/2)}/e))$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsin(c*x))/(e*x^2+d)^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.71617, size = 830, normalized size = 10.

$$\frac{4ac^2d^2 + 4ade + (bcex^2 + bcd)\sqrt{-c^2d^2 - de} \log\left(\frac{(8c^4d^2 + 8c^2de + e^2)x^4 - 2(4c^2d^2 + 3de)x^2 - 4\sqrt{-c^2d^2 - de}\sqrt{-c^2x^2 + 1}((2c^2d + e)x^3 - dx) + d^2}{e^2x^4 + 2dex^2 + d^2}\right)}{8(c^2d^3e + d^2e^2 + (c^2d^2e^2 + de^3)x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*arcsin(c*x))/(e*x^2+d)^2,x, algorithm="fricas")`

[Out] 
$$\begin{aligned} & [-1/8*(4*a*c^2*d^2 + 4*a*d*e + (b*c*e*x^2 + b*c*d)*sqrt(-c^2*d^2 - d*e))*log \\ & (((8*c^4*d^2 + 8*c^2*d*e + e^2)*x^4 - 2*(4*c^2*d^2 + 3*d*e)*x^2 - 4*sqrt(-c^2*d^2 - d*e)*sqrt(-c^2*x^2 + 1)*((2*c^2*d + e)*x^3 - d*x) + d^2)/(e^2*x^4 \\ & + 2*d*e*x^2 + d^2)) + 4*(b*c^2*d^2 + b*d*e)*arcsin(c*x))/(c^2*d^3*e + d^2*e^2 \\ & + (c^2*d^2*e^2 + d*e^3)*x^2), -1/4*(2*a*c^2*d^2 + 2*a*d*e + (b*c*e*x^2 + \\ & b*c*d)*sqrt(c^2*d^2 + d*e)*arctan(1/2*sqrt(c^2*d^2 + d*e)*sqrt(-c^2*x^2 + \\ & 1)*((2*c^2*d + e)*x^2 - d)/((c^4*d^2 + c^2*d*e)*x^3 - (c^2*d^2 + d*e)*x)) + \end{aligned}$$

$2*(b*c^2*d^2 + b*d*e)*\arcsin(c*x))/(c^2*d^3*e + d^2*e^2 + (c^2*d^2*e^2 + d*e^3)*x^2)]$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x(a + b \arcsin(cx))}{(d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*asin(c\*x))/(e\*x\*\*2+d)\*\*2,x)

[Out] Integral(x\*(a + b\*asin(c\*x))/(d + e\*x\*\*2)\*\*2, x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x/(e\*x^2 + d)^2, x)

$$3.635 \quad \int \frac{a+b \sin^{-1}(cx)}{x(d+ex^2)^2} dx$$

**Optimal.** Leaf size=597

$$\frac{ibPolyLog\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^2} + \frac{ibPolyLog\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^2} + \frac{ibPolyLog\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^2} + \frac{ibPolyLog\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^2}$$

```
[Out] (a + b*ArcSin[c*x])/(2*d*(d + e*x^2)) - (b*c*ArcTan[(Sqrt[c^2*d + e]*x)/(Sqrt[d]*Sqrt[1 - c^2*x^2])])/(2*d^(3/2)*Sqrt[c^2*d + e]) - ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*d^2) - ((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*d^2) - ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*d^2) - ((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*d^2) + ((a + b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSin[c*x])])/d^2 + ((I/2)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))])/d^2 + ((I/2)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/d^2 + ((I/2)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))])/d^2 + ((I/2)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/d^2 - ((I/2)*b*PolyLog[2, E^((2*I)*ArcSin[c*x])])/d^2
```

**Rubi [A]** time = 1.00921, antiderivative size = 597, normalized size of antiderivative = 1., number of steps used = 28, number of rules used = 11, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.524$ , Rules used = {4733, 4625, 3717, 2190, 2279, 2391, 4729, 377, 205, 4741, 4521}

$$\frac{ibPolyLog\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^2} + \frac{ibPolyLog\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^2} + \frac{ibPolyLog\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^2} + \frac{ibPolyLog\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(x\*(d + e\*x^2)^2), x]

```
[Out] (a + b*ArcSin[c*x])/(2*d*(d + e*x^2)) - (b*c*ArcTan[(Sqrt[c^2*d + e]*x)/(Sqrt[d]*Sqrt[1 - c^2*x^2])])/(2*d^(3/2)*Sqrt[c^2*d + e]) - ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*d^2) - ((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*d^2) - ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*d^2) - ((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*d^2) + ((a + b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSin[c*x])])/d^2 + ((I/2)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))])/d^2 + ((I/2)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/d^2 + ((I/2)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))])/d^2 + ((I/2)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/d^2 - ((I/2)*b*PolyLog[2, E^((2*I)*ArcSin[c*x])])/d^2
```

$$\begin{aligned} & \frac{\arcsin(cx)}{c\sqrt{-d} + \sqrt{c^2d + e}} \Big/ (2d^2) - \frac{(a + b\arcsin(cx)) \log\left[1 + \frac{\sqrt{e}E^{\arcsin(cx)}}{c\sqrt{-d} + \sqrt{c^2d + e}}\right]}{(2d^2)} \\ & + \frac{(a + b\arcsin(cx)) \log\left[1 - E^{(2I)\arcsin(cx)}\right]}{d^2} + \frac{(I/2)b \operatorname{PolyLog}\left[2, -\frac{\sqrt{e}E^{\arcsin(cx)}}{c\sqrt{-d} - \sqrt{c^2d + e}}\right]}{d^2} \\ & + \frac{(I/2)b \operatorname{PolyLog}\left[2, \frac{\sqrt{e}E^{\arcsin(cx)}}{c\sqrt{-d} - \sqrt{c^2d + e}}\right]}{d^2} + \frac{(I/2)b \operatorname{PolyLog}\left[2, -\frac{\sqrt{e}E^{\arcsin(cx)}}{c\sqrt{-d} + \sqrt{c^2d + e}}\right]}{d^2} \\ & + \frac{(I/2)b \operatorname{PolyLog}\left[2, \frac{\sqrt{e}E^{\arcsin(cx)}}{c\sqrt{-d} + \sqrt{c^2d + e}}\right]}{d^2} - \frac{(I/2)b \operatorname{PolyLog}\left[2, E^{(2I)\arcsin(cx)}\right]}{d^2} \end{aligned}$$
Rule 4733

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

Rule 4625

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[(a + b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m * E^(2*I*k*Pi) * E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi) * E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol] := Simp[((c + d*x)^m * Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1) * Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391



```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 4729

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x]))/(2*e*(p + 1)), x] - Dist[(b*c)/(2*e*(p + 1)), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]
```

### Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)/((d_) + (e_.)*(x_)), x_Symbol] := Subst[Int[((a + b*x)^n*Cos[x])/(c*d + e*Sin[x]), x], x, ArcSin[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

### Rule 4521

```
Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_)^(m_.)))/((a_) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(I*a - Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x] + Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(I*a + Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x(d + ex^2)^2} dx &= \int \left( \frac{a + b \sin^{-1}(cx)}{d^2 x} - \frac{ex(a + b \sin^{-1}(cx))}{d(d + ex^2)^2} - \frac{ex(a + b \sin^{-1}(cx))}{d^2(d + ex^2)} \right) dx \\
&= \frac{\int \frac{a + b \sin^{-1}(cx)}{x} dx}{d^2} - \frac{e \int \frac{x(a + b \sin^{-1}(cx))}{d + ex^2} dx}{d^2} - \frac{e \int \frac{x(a + b \sin^{-1}(cx))}{(d + ex^2)^2} dx}{d} \\
&= \frac{a + b \sin^{-1}(cx)}{2d(d + ex^2)} + \frac{\text{Subst}\left(\int (a + bx) \cot(x) dx, x, \sin^{-1}(cx)\right)}{d^2} - \frac{(bc) \int \frac{1}{\sqrt{1 - c^2 x^2}(d + ex^2)} dx}{2d} - \frac{e \int \left(-\frac{a}{2\sqrt{d + ex^2}}\right) dx}{d} \\
&= \frac{a + b \sin^{-1}(cx)}{2d(d + ex^2)} - \frac{i(a + b \sin^{-1}(cx))^2}{2bd^2} - \frac{(2i) \text{Subst}\left(\int \frac{e^{2ix}(a + bx)}{1 - e^{2ix}} dx, x, \sin^{-1}(cx)\right)}{d^2} - \frac{(bc) \text{Subst}\left(\int \frac{1}{\sqrt{1 - c^2 x^2}} dx, x, \sin^{-1}(cx)\right)}{2d} \\
&= \frac{a + b \sin^{-1}(cx)}{2d(d + ex^2)} - \frac{i(a + b \sin^{-1}(cx))^2}{2bd^2} - \frac{bc \tan^{-1}\left(\frac{\sqrt{c^2 d + ex}}{\sqrt{d}\sqrt{1 - c^2 x^2}}\right)}{2d^{3/2}\sqrt{c^2 d + e}} + \frac{(a + b \sin^{-1}(cx)) \log\left(1 - e^{2i \sin^{-1}(cx)}\right)}{d^2} \\
&= \frac{a + b \sin^{-1}(cx)}{2d(d + ex^2)} - \frac{bc \tan^{-1}\left(\frac{\sqrt{c^2 d + ex}}{\sqrt{d}\sqrt{1 - c^2 x^2}}\right)}{2d^{3/2}\sqrt{c^2 d + e}} + \frac{(a + b \sin^{-1}(cx)) \log\left(1 - e^{2i \sin^{-1}(cx)}\right)}{d^2} + \frac{(ib) \text{Subst}\left(\int \frac{1}{\sqrt{1 - c^2 x^2}} dx, x, \sin^{-1}(cx)\right)}{2d} \\
&= \frac{a + b \sin^{-1}(cx)}{2d(d + ex^2)} - \frac{bc \tan^{-1}\left(\frac{\sqrt{c^2 d + ex}}{\sqrt{d}\sqrt{1 - c^2 x^2}}\right)}{2d^{3/2}\sqrt{c^2 d + e}} - \frac{(a + b \sin^{-1}(cx)) \log\left(1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d - \sqrt{c^2 d + e}}}\right)}{2d^2} - \frac{(a + b \sin^{-1}(cx)) \log\left(1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d - \sqrt{c^2 d + e}}}\right)}{2d^2} \\
&= \frac{a + b \sin^{-1}(cx)}{2d(d + ex^2)} - \frac{bc \tan^{-1}\left(\frac{\sqrt{c^2 d + ex}}{\sqrt{d}\sqrt{1 - c^2 x^2}}\right)}{2d^{3/2}\sqrt{c^2 d + e}} - \frac{(a + b \sin^{-1}(cx)) \log\left(1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d - \sqrt{c^2 d + e}}}\right)}{2d^2} - \frac{(a + b \sin^{-1}(cx)) \log\left(1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d - \sqrt{c^2 d + e}}}\right)}{2d^2} \\
&= \frac{a + b \sin^{-1}(cx)}{2d(d + ex^2)} - \frac{bc \tan^{-1}\left(\frac{\sqrt{c^2 d + ex}}{\sqrt{d}\sqrt{1 - c^2 x^2}}\right)}{2d^{3/2}\sqrt{c^2 d + e}} - \frac{(a + b \sin^{-1}(cx)) \log\left(1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d - \sqrt{c^2 d + e}}}\right)}{2d^2} - \frac{(a + b \sin^{-1}(cx)) \log\left(1 - \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{ic\sqrt{-d - \sqrt{c^2 d + e}}}\right)}{2d^2}
\end{aligned}$$

**Mathematica [F]** time = 3.6245, size = 0, normalized size = 0.

$$\int \frac{a + b \sin^{-1}(cx)}{x(d + ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x\*(d + e\*x^2)^2), x]

[Out] Integrate[(a + b\*ArcSin[c\*x])/(x\*(d + e\*x^2)^2), x]

**Maple [C]** time = 0.234, size = 491, normalized size = 0.8

$$\frac{ac^2}{2d(c^2ex^2 + c^2d)} - \frac{a \ln(c^2ex^2 + c^2d)}{2d^2} + \frac{a \ln(cx)}{d^2} + \frac{bc^2 \arcsin(cx)}{2d(c^2ex^2 + c^2d)} + \frac{\frac{i}{2}b}{d^2(c^2d + e)} \sqrt{c^2d(c^2d + e)} \operatorname{Artanh}\left(\frac{1}{4}\left(2\left(icx\right.\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x/(e\*x^2+d)^2,x)

[Out]  $\frac{1}{2}ac^2/d/(c^2ex^2+c^2d) - \frac{1}{2}a/d^2 \ln(c^2ex^2+c^2d) + a/d^2 \ln(cx) + \frac{1}{2}bc^2 \arcsin(cx)/d/(c^2ex^2+c^2d) + \frac{1}{2}I*b*(c^2d*(c^2d+e))^{(1/2)}/d^2/(c^2d+e)*\operatorname{arctanh}(1/4*(2*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2*e-4*c^2*d-2*e)/(c^4*d^2+c^2*d*e)^{(1/2)}) + I*b/d^2*d\operatorname{ilog}(I*c*x+(-c^2*x^2+1)^{(1/2)}) + b/d^2*\arcsin(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)}) - I*b/d^2*d\operatorname{ilog}(1+I*c*x+(-c^2*x^2+1)^{(1/2)}) + 1/4*I*b/d^2*\operatorname{sum}((\_R1^2*e-4*c^2*d-e)/(\_R1^2*e-2*c^2*d-e)*(I*\arcsin(c*x)*\ln((\_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/\_R1) + d\operatorname{ilog}((\_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/\_R1)), \_R1=\operatorname{RootOf}(e*\_Z^4+(-4*c^2*d-2*e)*\_Z^2+e)) + 1/4*I*b/d^2*e*\operatorname{sum}((\_R1^2-1)/(\_R1^2*e-2*c^2*d-e)*(I*\arcsin(c*x)*\ln((\_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/\_R1) + d\operatorname{ilog}((\_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/\_R1)), \_R1=\operatorname{RootOf}(e*\_Z^4+(-4*c^2*d-2*e)*\_Z^2+e))$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}a\left(\frac{1}{dex^2 + d^2} - \frac{\log(ex^2 + d)}{d^2} + \frac{2 \log(x)}{d^2}\right) + b \int \frac{\arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})}{e^2x^5 + 2dex^3 + d^2x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x/(e\*x^2+d)^2,x, algorithm="maxima")

[Out]  $\frac{1}{2}a*(1/(d*e*x^2 + d^2) - \log(e*x^2 + d)/d^2 + 2*\log(x)/d^2) + b*\operatorname{integrate}(\operatorname{arctan2}(c*x, \operatorname{sqrt}(c*x + 1)*\operatorname{sqrt}(-c*x + 1))/(e^2*x^5 + 2*d*e*x^3 + d^2*x), x)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \arcsin(cx) + a}{e^2x^5 + 2dex^3 + d^2x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x/(e\*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b\*arcsin(c\*x) + a)/(e^2\*x^5 + 2\*d\*e\*x^3 + d^2\*x), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x/(e\*x\*\*2+d)\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(ex^2 + d)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x/(e\*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/((e\*x^2 + d)^2\*x), x)

$$3.636 \quad \int \frac{a+b \sin^{-1}(cx)}{x^3(d+ex^2)^2} dx$$

**Optimal.** Leaf size=632

$$\frac{\text{ibePolyLog}\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{d^3} - \frac{\text{ibePolyLog}\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{d^3} - \frac{\text{ibePolyLog}\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{d^3} - \frac{\text{ibePolyLog}\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{d^3}$$

```
[Out] -(b*c*Sqrt[1 - c^2*x^2])/(2*d^2*x) - (a + b*ArcSin[c*x])/(2*d^2*x^2) - (e*(a + b*ArcSin[c*x]))/(2*d^2*(d + e*x^2)) + (b*c*e*ArcTan[(Sqrt[c^2*d + e]*x)/(Sqrt[d]*Sqrt[1 - c^2*x^2])])/(2*d^(5/2)*Sqrt[c^2*d + e]) + (e*(a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/d^3 + (e*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/d^3 + (e*(a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/d^3 + (e*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/d^3 - (2*e*(a + b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSin[c*x])])/d^3 - (I*b*e*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))])/d^3 - (I*b*e*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/d^3 - (I*b*e*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))])/d^3 - (I*b*e*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/d^3 + (I*b*e*PolyLog[2, E^((2*I)*ArcSin[c*x])])/d^3
```

**Rubi [A]** time = 1.0447, antiderivative size = 632, normalized size of antiderivative = 1., number of steps used = 30, number of rules used = 13, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.619$ , Rules used = {4733, 4627, 264, 4625, 3717, 2190, 2279, 2391, 4729, 377, 205, 4741, 4521}

$$\frac{\text{ibePolyLog}\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{d^3} - \frac{\text{ibePolyLog}\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{d^3} - \frac{\text{ibePolyLog}\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{d^3} - \frac{\text{ibePolyLog}\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{d^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(x^3\*(d + e\*x^2)^2), x]

```
[Out] -(b*c*Sqrt[1 - c^2*x^2])/(2*d^2*x) - (a + b*ArcSin[c*x])/(2*d^2*x^2) - (e*(a + b*ArcSin[c*x]))/(2*d^2*(d + e*x^2)) + (b*c*e*ArcTan[(Sqrt[c^2*d + e]*x)/(Sqrt[d]*Sqrt[1 - c^2*x^2])])/(2*d^(5/2)*Sqrt[c^2*d + e]) + (e*(a + b*ArcS
```

```

in[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e
])]/d^3 + (e*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*
Sqrt[-d] - Sqrt[c^2*d + e]))/d^3 + (e*(a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]
*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))/d^3 + (e*(a + b*ArcS
in[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e
])]/d^3 - (2*e*(a + b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSin[c*x]))/d^3 - (
I*b*e*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d +
e]))]/d^3 - (I*b*e*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] -
Sqrt[c^2*d + e]))/d^3 - (I*b*e*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(
I*c*Sqrt[-d] + Sqrt[c^2*d + e]))]/d^3 - (I*b*e*PolyLog[2, (Sqrt[e]*E^(I*Ar
cSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))/d^3 + (I*b*e*PolyLog[2, E^((
2*I)*ArcSin[c*x]))/d^3

```

### Rule 4733

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_
.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

```

### Rule 4627

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

```

### Rule 264

```

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

```

### Rule 4625

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[(
a + b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

```

### Rule 3717

```

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

```

Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*(c_) + (d_)*(x_)))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4729

```
Int[((a_) + ArcSin[(c_)*(x_)])*(b_)*(x_)*((d_) + (e_)*(x_)^2)^(p_), x_
Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x]))/(2*e*(p + 1)), x]
- Dist[(b*c)/(2*e*(p + 1)), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x],
x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]
```

Rule 377

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 4741

```
Int[((a_) + ArcSin[(c_)*(x_)])*(b_))^(n_)/((d_) + (e_)*(x_)), x_Symbol]
:= Subst[Int[(a + b*x)^n*Cos[x]]/(c*d + e*Sin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4521

```

Int[(Cos[(c_.) + (d_.)*(x_)]*(e_.) + (f_.)*(x_))^(m_.)]/((a_.) + (b_.)*Sin[
(c_.) + (d_.)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(I*a - Rt[-a^2 + b^2, 2]
+ b*E^(I*(c + d*x))], x], x] + Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(
I*a + Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))], x], x]) /; FreeQ[{a, b, c, d,
e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]

```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^3 (d + ex^2)^2} dx &= \int \left( \frac{a + b \sin^{-1}(cx)}{d^2 x^3} - \frac{2e(a + b \sin^{-1}(cx))}{d^3 x} + \frac{e^2 x (a + b \sin^{-1}(cx))}{d^2 (d + ex^2)^2} + \frac{2e^2 x (a + b \sin^{-1}(cx))}{d^3 (d + ex^2)} \right) dx \\
&= \frac{\int \frac{a + b \sin^{-1}(cx)}{x^3} dx}{d^2} - \frac{(2e) \int \frac{a + b \sin^{-1}(cx)}{x} dx}{d^3} + \frac{(2e^2) \int \frac{x(a + b \sin^{-1}(cx))}{d + ex^2} dx}{d^3} + \frac{e^2 \int \frac{x(a + b \sin^{-1}(cx))}{(d + ex^2)^2} dx}{d^2} \\
&= -\frac{a + b \sin^{-1}(cx)}{2d^2 x^2} - \frac{e(a + b \sin^{-1}(cx))}{2d^2 (d + ex^2)} + \frac{(bc) \int \frac{1}{x^2 \sqrt{1 - c^2 x^2}} dx}{2d^2} - \frac{(2e) \text{Subst} \left( \int (a + bx) \cot(x) dx, x, \frac{d + ex^2}{e} \right)}{d^3} \\
&= -\frac{bc \sqrt{1 - c^2 x^2}}{2d^2 x} - \frac{a + b \sin^{-1}(cx)}{2d^2 x^2} - \frac{e(a + b \sin^{-1}(cx))}{2d^2 (d + ex^2)} + \frac{ie(a + b \sin^{-1}(cx))^2}{bd^3} + \frac{(4ie) \text{Subst} \left( \int \frac{e^{2x}}{x} dx, x, \frac{d + ex^2}{e} \right)}{d^3} \\
&= -\frac{bc \sqrt{1 - c^2 x^2}}{2d^2 x} - \frac{a + b \sin^{-1}(cx)}{2d^2 x^2} - \frac{e(a + b \sin^{-1}(cx))}{2d^2 (d + ex^2)} + \frac{ie(a + b \sin^{-1}(cx))^2}{bd^3} + \frac{bce \tan^{-1} \left( \frac{\sqrt{c^2 d + ex}}{\sqrt{d} \sqrt{1 - c^2 x^2}} \right)}{2d^{5/2} \sqrt{c^2 d + ex}} \\
&= -\frac{bc \sqrt{1 - c^2 x^2}}{2d^2 x} - \frac{a + b \sin^{-1}(cx)}{2d^2 x^2} - \frac{e(a + b \sin^{-1}(cx))}{2d^2 (d + ex^2)} + \frac{bce \tan^{-1} \left( \frac{\sqrt{c^2 d + ex}}{\sqrt{d} \sqrt{1 - c^2 x^2}} \right)}{2d^{5/2} \sqrt{c^2 d + ex}} - \frac{2e(a + b \sin^{-1}(cx))}{d^3} \\
&= -\frac{bc \sqrt{1 - c^2 x^2}}{2d^2 x} - \frac{a + b \sin^{-1}(cx)}{2d^2 x^2} - \frac{e(a + b \sin^{-1}(cx))}{2d^2 (d + ex^2)} + \frac{bce \tan^{-1} \left( \frac{\sqrt{c^2 d + ex}}{\sqrt{d} \sqrt{1 - c^2 x^2}} \right)}{2d^{5/2} \sqrt{c^2 d + ex}} + \frac{e(a + b \sin^{-1}(cx))}{d^3} \\
&= -\frac{bc \sqrt{1 - c^2 x^2}}{2d^2 x} - \frac{a + b \sin^{-1}(cx)}{2d^2 x^2} - \frac{e(a + b \sin^{-1}(cx))}{2d^2 (d + ex^2)} + \frac{bce \tan^{-1} \left( \frac{\sqrt{c^2 d + ex}}{\sqrt{d} \sqrt{1 - c^2 x^2}} \right)}{2d^{5/2} \sqrt{c^2 d + ex}} + \frac{e(a + b \sin^{-1}(cx))}{d^3} \\
&= -\frac{bc \sqrt{1 - c^2 x^2}}{2d^2 x} - \frac{a + b \sin^{-1}(cx)}{2d^2 x^2} - \frac{e(a + b \sin^{-1}(cx))}{2d^2 (d + ex^2)} + \frac{bce \tan^{-1} \left( \frac{\sqrt{c^2 d + ex}}{\sqrt{d} \sqrt{1 - c^2 x^2}} \right)}{2d^{5/2} \sqrt{c^2 d + ex}} + \frac{e(a + b \sin^{-1}(cx))}{d^3}
\end{aligned}$$



**Mathematica [F]** time = 5.8612, size = 0, normalized size = 0.

$$\int \frac{a + b \sin^{-1}(cx)}{x^3 (d + ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^3\*(d + e\*x^2)^2), x]

[Out] Integrate[(a + b\*ArcSin[c\*x])/(x^3\*(d + e\*x^2)^2), x]

**Maple [C]** time = 0.346, size = 679, normalized size = 1.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^3/(e\*x^2+d)^2,x)

[Out] 
$$-1/2*c^2*a*e/d^2/(c^2*e*x^2+c^2*d)+a*e/d^3*\ln(c^2*e*x^2+c^2*d)-1/2*a/d^2/x^2-2*a/d^3*e*\ln(c*x)-1/2*I*b*(c^2*d*(c^2*d+e))^(1/2)/(c^2*d+e)/d^3*\operatorname{arctanh}(1/4*(2*(I*c*x+(-c^2*x^2+1)^(1/2))^2*e-4*c^2*d-2*e)/(c^4*d^2+c^2*d*e)^(1/2))*e-2*I*b/d^3*e*\operatorname{dilog}(I*c*x+(-c^2*x^2+1)^(1/2))-1/2*c^3*b*x/(c^2*e*x^2+c^2*d)/d^2*(-c^2*x^2+1)^(1/2)*e-1/2*c^3*b/x/(c^2*e*x^2+c^2*d)/d*(-c^2*x^2+1)^(1/2)-c^2*b*\operatorname{arcsin}(c*x)*e/d^2/(c^2*e*x^2+c^2*d)-1/2*c^2*b/x^2/(c^2*e*x^2+c^2*d)/d*\operatorname{arcsin}(c*x)-1/2*I*b/d^3*e^2*\sum((\_R1^2-1)/(\_R1^2*e-2*c^2*d-e)*(I*\operatorname{arcsin}(c*x)*\ln((\_R1-I*c*x-(-c^2*x^2+1)^(1/2))/\_R1)+\operatorname{dilog}((\_R1-I*c*x-(-c^2*x^2+1)^(1/2))/\_R1)),\_R1=\operatorname{RootOf}(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))+1/2*I*c^4*b/(c^2*e*x^2+c^2*d)/d-2*b/d^3*e*\operatorname{arcsin}(c*x)*\ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-1/2*I*b/d^3*e*\sum((\_R1^2*e-4*c^2*d-e)/(\_R1^2*e-2*c^2*d-e)*(I*\operatorname{arcsin}(c*x)*\ln((\_R1-I*c*x-(-c^2*x^2+1)^(1/2))/\_R1)+\operatorname{dilog}((\_R1-I*c*x-(-c^2*x^2+1)^(1/2))/\_R1)),\_R1=\operatorname{RootOf}(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))+1/2*I*c^4*b*x^2/(c^2*e*x^2+c^2*d)/d^2*e+2*I*b/d^3*e*\operatorname{dilog}(1+I*c*x+(-c^2*x^2+1)^(1/2))$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{2}a\left(\frac{2ex^2+d}{d^2ex^4+d^3x^2}-\frac{2e\log(ex^2+d)}{d^3}+\frac{4e\log(x)}{d^3}\right)+b\int\frac{\arctan(cx,\sqrt{cx+1}\sqrt{-cx+1})}{e^2x^7+2dex^5+d^2x^3}dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^3/(e*x^2+d)^2,x, algorithm="maxima")
```

```
[Out] -1/2*a*((2*e*x^2 + d)/(d^2*e*x^4 + d^3*x^2) - 2*e*log(e*x^2 + d)/d^3 + 4*e*log(x)/d^3) + b*integrate(arctan2(c*x, sqrt(c*x + 1))*sqrt(-c*x + 1))/(e^2*x^7 + 2*d*e*x^5 + d^2*x^3), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \arcsin(cx) + a}{e^2x^7 + 2dex^5 + d^2x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^3/(e*x^2+d)^2,x, algorithm="fricas")
```

```
[Out] integral((b*arcsin(c*x) + a)/(e^2*x^7 + 2*d*e*x^5 + d^2*x^3), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/x**3/(e*x**2+d)**2,x)
```

```
[Out] Timed out
```

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^3/(e*x^2+d)^2,x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.637 \quad \int \frac{x^4(a+b \sin^{-1}(cx))}{(d+ex^2)^2} dx$$

**Optimal.** Leaf size=787

$$\frac{3ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4e^{5/2}} - \frac{3ib\sqrt{-d}\text{PolyLog}\left(2, \frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4e^{5/2}} + \frac{3ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4e^{5/2}} - \frac{3ib\sqrt{-d}\text{PolyLog}\left(2, \frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4e^{5/2}}$$

```
[Out] (a*x)/e^2 + (b*Sqrt[1 - c^2*x^2])/(c*e^2) + (b*x*ArcSin[c*x])/e^2 - (d*(a +
b*ArcSin[c*x]))/(4*e^(5/2)*(Sqrt[-d] - Sqrt[e]*x)) + (d*(a + b*ArcSin[c*x]
))/(4*e^(5/2)*(Sqrt[-d] + Sqrt[e]*x)) + (b*c*d*ArcTanh[(Sqrt[e] - c^2*Sqrt[
-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(4*e^(5/2)*Sqrt[c^2*d + e]) +
(b*c*d*ArcTanh[(Sqrt[e] + c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2
])])/(4*e^(5/2)*Sqrt[c^2*d + e]) + (3*Sqrt[-d]*(a + b*ArcSin[c*x])*Log[1 -
(Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(4*e^(5/2))
- (3*Sqrt[-d]*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*
Sqrt[-d] - Sqrt[c^2*d + e])])/(4*e^(5/2)) + (3*Sqrt[-d]*(a + b*ArcSin[c*x])
*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(4*
e^(5/2)) - (3*Sqrt[-d]*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]
)))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(4*e^(5/2)) + (((3*I)/4)*b*Sqrt[-d]*
PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))]
)/e^(5/2) - (((3*I)/4)*b*Sqrt[-d]*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I
*c*Sqrt[-d] - Sqrt[c^2*d + e])])/e^(5/2) + (((3*I)/4)*b*Sqrt[-d]*PolyLog[2,
-((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))])/e^(5/2)
- (((3*I)/4)*b*Sqrt[-d]*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d
] + Sqrt[c^2*d + e])])/e^(5/2)
```

**Rubi [A]** time = 2.02723, antiderivative size = 787, normalized size of antiderivative = 1., number of steps used = 49, number of rules used = 12, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {4733, 4619, 261, 4667, 4743, 725, 206, 4741, 4521, 2190, 2279, 2391}

$$\frac{3ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4e^{5/2}} - \frac{3ib\sqrt{-d}\text{PolyLog}\left(2, \frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4e^{5/2}} + \frac{3ib\sqrt{-d}\text{PolyLog}\left(2, -\frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4e^{5/2}} - \frac{3ib\sqrt{-d}\text{PolyLog}\left(2, \frac{\sqrt{e}e^{i\sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4e^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^2, x]

```
[Out] (a*x)/e^2 + (b*Sqrt[1 - c^2*x^2])/(c*e^2) + (b*x*ArcSin[c*x])/e^2 - (d*(a +
b*ArcSin[c*x]))/(4*e^(5/2)*(Sqrt[-d] - Sqrt[e]*x)) + (d*(a + b*ArcSin[c*x]
))/(4*e^(5/2)*(Sqrt[-d] + Sqrt[e]*x)) + (b*c*d*ArcTanh[(Sqrt[e] - c^2*Sqrt[
-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(4*e^(5/2)*Sqrt[c^2*d + e]) +
(b*c*d*ArcTanh[(Sqrt[e] + c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2
])])/(4*e^(5/2)*Sqrt[c^2*d + e]) + (3*Sqrt[-d]*(a + b*ArcSin[c*x])*Log[1 -
(Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(4*e^(5/2))
- (3*Sqrt[-d]*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*
Sqrt[-d] - Sqrt[c^2*d + e])])/(4*e^(5/2)) + (3*Sqrt[-d]*(a + b*ArcSin[c*x]
)*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(4*
e^(5/2)) - (3*Sqrt[-d]*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]
)))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(4*e^(5/2)) + (((3*I)/4)*b*Sqrt[-d]*
PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))]
)/e^(5/2) - (((3*I)/4)*b*Sqrt[-d]*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I
*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(e^(5/2)) + (((3*I)/4)*b*Sqrt[-d]*PolyLog[2,
-((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))])/(e^(5/2))
- (((3*I)/4)*b*Sqrt[-d]*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d]
+ Sqrt[c^2*d + e])])/(e^(5/2))
```

### Rule 4733

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_) + (e_
.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

### Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*Ar
cSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 -
c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

### Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

### Rule 4667

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])
```

Rule 4743

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_))^(m\_.), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(e\*(m + 1)), x] - Dist[(b\*c\*n)/(e\*(m + 1)), Int[((d + e\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 4741

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)/((d\_) + (e\_.)\*(x\_)), x\_Symbol] := Subst[Int[(a + b\*x)^n\*Cos[x]]/(c\*d + e\*SIN[x]), x], x, ArcSin[c\*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

Rule 4521

Int[(Cos[(c\_.) + (d\_.)\*(x\_)])\*((e\_.) + (f\_.)\*(x\_))^(m\_.)/((a\_) + (b\_.)\*Sin[(c\_.) + (d\_.)\*(x\_)]), x\_Symbol] := -Simp[(I\*(e + f\*x)^(m + 1))/(b\*f\*(m + 1)), x] + (Dist[I, Int[((e + f\*x)^m\*E^(I\*(c + d\*x)))/(I\*a - Rt[-a^2 + b^2, 2] + b\*E^(I\*(c + d\*x))), x], x] + Dist[I, Int[((e + f\*x)^m\*E^(I\*(c + d\*x)))/(I\*a + Rt[-a^2 + b^2, 2] + b\*E^(I\*(c + d\*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]

Rule 2190

Int[(((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^(n\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.))/((a\_) + (b\_.)\*((F\_)^(g\_.)\*((e\_.) + (f\_.)\*(x\_)))^(n\_.)), x\_Symbol] := Simp[((c + d\*x)^m\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a])/(b\*f\*g\*n\*Log[F]), x] - Dist[(d\*m)/(b\*f\*g\*n\*Log[F]), Int[(c + d\*x)^(m - 1)\*Log[1 + (b\*(F^(g\*(e + f\*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4 (a + b \sin^{-1}(cx))}{(d + ex^2)^2} dx &= \int \left( \frac{a + b \sin^{-1}(cx)}{e^2} + \frac{d^2 (a + b \sin^{-1}(cx))}{e^2 (d + ex^2)^2} - \frac{2d (a + b \sin^{-1}(cx))}{e^2 (d + ex^2)} \right) dx \\
&= \frac{\int (a + b \sin^{-1}(cx)) dx}{e^2} - \frac{(2d) \int \frac{a + b \sin^{-1}(cx)}{d + ex^2} dx}{e^2} + \frac{d^2 \int \frac{a + b \sin^{-1}(cx)}{(d + ex^2)^2} dx}{e^2} \\
&= \frac{ax}{e^2} + \frac{b \int \sin^{-1}(cx) dx}{e^2} - \frac{(2d) \int \left( \frac{\sqrt{-d}(a + b \sin^{-1}(cx))}{2d(\sqrt{-d} - \sqrt{ex})} + \frac{\sqrt{-d}(a + b \sin^{-1}(cx))}{2d(\sqrt{-d} + \sqrt{ex})} \right) dx}{e^2} + \frac{d^2 \int \left( -\frac{e(a + b \sin^{-1}(cx))}{4d(\sqrt{-d} - \sqrt{ex})} - \frac{e(a + b \sin^{-1}(cx))}{4d(\sqrt{-d} + \sqrt{ex})} \right) dx}{e^2} \\
&= \frac{ax}{e^2} + \frac{bx \sin^{-1}(cx)}{e^2} - \frac{(bc) \int \frac{x}{\sqrt{1 - c^2 x^2}} dx}{e^2} - \frac{\sqrt{-d} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{-d} - \sqrt{ex}} dx}{e^2} - \frac{\sqrt{-d} \int \frac{a + b \sin^{-1}(cx)}{\sqrt{-d} + \sqrt{ex}} dx}{e^2} - \frac{bcd \tanh^{-1} \left( \frac{\sqrt{-d} - \sqrt{ex}}{\sqrt{-d} + \sqrt{ex}} \right)}{4e^{5/2}} \\
&= \frac{ax}{e^2} + \frac{b\sqrt{1 - c^2 x^2}}{ce^2} + \frac{bx \sin^{-1}(cx)}{e^2} - \frac{d(a + b \sin^{-1}(cx))}{4e^{5/2}(\sqrt{-d} - \sqrt{ex})} + \frac{d(a + b \sin^{-1}(cx))}{4e^{5/2}(\sqrt{-d} + \sqrt{ex})} - \frac{\sqrt{-d} \operatorname{Subst} \left( \int \frac{1}{\sqrt{1 - c^2 x^2}} dx \right)}{4e^{5/2}} \\
&= \frac{ax}{e^2} + \frac{b\sqrt{1 - c^2 x^2}}{ce^2} + \frac{bx \sin^{-1}(cx)}{e^2} - \frac{d(a + b \sin^{-1}(cx))}{4e^{5/2}(\sqrt{-d} - \sqrt{ex})} + \frac{d(a + b \sin^{-1}(cx))}{4e^{5/2}(\sqrt{-d} + \sqrt{ex})} - \frac{(i\sqrt{-d}) \operatorname{Subst} \left( \int \frac{1}{\sqrt{1 - c^2 x^2}} dx \right)}{4e^{5/2}} \\
&= \frac{ax}{e^2} + \frac{b\sqrt{1 - c^2 x^2}}{ce^2} + \frac{bx \sin^{-1}(cx)}{e^2} - \frac{d(a + b \sin^{-1}(cx))}{4e^{5/2}(\sqrt{-d} - \sqrt{ex})} + \frac{d(a + b \sin^{-1}(cx))}{4e^{5/2}(\sqrt{-d} + \sqrt{ex})} + \frac{bcd \tanh^{-1} \left( \frac{\sqrt{-d} - \sqrt{ex}}{\sqrt{-d} + \sqrt{ex}} \right)}{4e^{5/2}} \\
&= \frac{ax}{e^2} + \frac{b\sqrt{1 - c^2 x^2}}{ce^2} + \frac{bx \sin^{-1}(cx)}{e^2} - \frac{d(a + b \sin^{-1}(cx))}{4e^{5/2}(\sqrt{-d} - \sqrt{ex})} + \frac{d(a + b \sin^{-1}(cx))}{4e^{5/2}(\sqrt{-d} + \sqrt{ex})} + \frac{bcd \tanh^{-1} \left( \frac{\sqrt{-d} - \sqrt{ex}}{\sqrt{-d} + \sqrt{ex}} \right)}{4e^{5/2}} \\
&= \frac{ax}{e^2} + \frac{b\sqrt{1 - c^2 x^2}}{ce^2} + \frac{bx \sin^{-1}(cx)}{e^2} - \frac{d(a + b \sin^{-1}(cx))}{4e^{5/2}(\sqrt{-d} - \sqrt{ex})} + \frac{d(a + b \sin^{-1}(cx))}{4e^{5/2}(\sqrt{-d} + \sqrt{ex})} + \frac{bcd \tanh^{-1} \left( \frac{\sqrt{-d} - \sqrt{ex}}{\sqrt{-d} + \sqrt{ex}} \right)}{4e^{5/2}} \\
&= \frac{ax}{e^2} + \frac{b\sqrt{1 - c^2 x^2}}{ce^2} + \frac{bx \sin^{-1}(cx)}{e^2} - \frac{d(a + b \sin^{-1}(cx))}{4e^{5/2}(\sqrt{-d} - \sqrt{ex})} + \frac{d(a + b \sin^{-1}(cx))}{4e^{5/2}(\sqrt{-d} + \sqrt{ex})} + \frac{bcd \tanh^{-1} \left( \frac{\sqrt{-d} - \sqrt{ex}}{\sqrt{-d} + \sqrt{ex}} \right)}{4e^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 1.50994, size = 649, normalized size = 0.82

$$b \left( 3\sqrt{d} \left( 2\text{PolyLog} \left( 2, \frac{\sqrt{e}^i \sin^{-1}(cx)}{\sqrt{c^2 d + e - c\sqrt{d}}} \right) + 2\text{PolyLog} \left( 2, -\frac{\sqrt{e}^i \sin^{-1}(cx)}{\sqrt{c^2 d + e + c\sqrt{d}}} \right) + \sin^{-1}(cx) \left( \sin^{-1}(cx) + 2i \left( \log \left( 1 + \frac{\sqrt{e}^i \sin^{-1}(cx)}{c\sqrt{d} - \sqrt{c^2 d + e}} \right) + \log \right. \right. \right. \right.$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^2,x]

[Out] (8\*a\*Sqrt[e]\*x + (4\*a\*d\*Sqrt[e]\*x)/(d + e\*x^2) - 12\*a\*Sqrt[d]\*ArcTan[(Sqrt[e]\*x)/Sqrt[d]] + b\*((8\*Sqrt[e]\*(Sqrt[1 - c^2\*x^2] + c\*x\*ArcSin[c\*x]))/c + (2\*I)\*d\*(ArcSin[c\*x]/(Sqrt[d] + I\*Sqrt[e]\*x) - (c\*ArcTan[(I\*Sqrt[e] + c^2\*Sqrt[d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2]))]/Sqrt[c^2\*d + e]) + 2\*d\*(ArcSin[c\*x]/(I\*Sqrt[d] + Sqrt[e]\*x) + (c\*ArcTanh[(Sqrt[e] + I\*c^2\*Sqrt[d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2]))]/Sqrt[c^2\*d + e]) + 3\*Sqrt[d]\*(ArcSin[c\*x]\*(ArcSin[c\*x] + (2\*I)\*(Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] - Sqrt[c^2\*d + e])]) + Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] + Sqrt[c^2\*d + e])])) + 2\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(-c\*Sqrt[d] + Sqrt[c^2\*d + e])]) + 2\*PolyLog[2, -(Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] + Sqrt[c^2\*d + e])]) - 3\*Sqrt[d]\*(ArcSin[c\*x]\*(ArcSin[c\*x] + (2\*I)\*(Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(-c\*Sqrt[d] + Sqrt[c^2\*d + e])]) + Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] + Sqrt[c^2\*d + e])])) + 2\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] - Sqrt[c^2\*d + e])]) + 2\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] + Sqrt[c^2\*d + e])])))/(8\*e^(5/2))

**Maple [C]** time = 1.484, size = 1738, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^2,x)

[Out] a\*x/e^2+1/2\*c^2\*a/e^2\*d\*x/(c^2\*e\*x^2+c^2\*d)-3/2\*a/e^2\*d/(d\*e)^(1/2)\*arctan(e\*x/(d\*e)^(1/2))+1/2\*c^2\*b\*arcsin(c\*x)/e^2\*d\*x/(c^2\*e\*x^2+c^2\*d)+c^3\*b\*(-(2\*c^2\*d-2\*(c^2\*d\*(c^2\*d+e))^(1/2)+e)\*e)^(1/2)\*arctan(e\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))/((-2\*c^2\*d+2\*(c^2\*d\*(c^2\*d+e))^(1/2)-e)\*e)^(1/2))\*d^2/e^5+1/2\*c\*b\*(-(2\*c^2\*d-2\*(c^2\*d\*(c^2\*d+e))^(1/2)+e)\*e)^(1/2)\*arctan(e\*(I\*c\*x+(-c^2\*x^2+1)^(1/2)))/((-2\*c^2\*d+2\*(c^2\*d\*(c^2\*d+e))^(1/2)-e)\*e)^(1/2))\*d/e^4+c^3\*b\*((2\*c^2\*d+2\*(c^2\*d\*(c^2\*d+e))^(1/2)+e)\*e)^(1/2)\*arctanh(e\*(I\*c\*x+(-c^2\*x^2+1)^(1/2))



$$\begin{aligned}
& 2)) / ((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)}) * d^2 / e^{5+1/2} * c * b * ((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)} * \operatorname{arctanh}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)})) / ((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)}) * d / e^4 - c^5 * b * (-2*c^2*d-2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)} * d^3 * \operatorname{arctan}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)})) / ((-2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)-e})e)^{(1/2)}) / e^5 / (c^2*d+e) - c^3 * b * (-2*c^2*d-2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)} * d^2 * \operatorname{arctan}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)})) / ((-2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)-e})e)^{(1/2)}) / e^4 / (c^2*d+e) + c * b * (-2*c^2*d-2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)} * \operatorname{arctan}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)})) / ((-2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)-e})e)^{(1/2)}) * d / e^5 * (c^2*d*(c^2*d+e))^{(1/2)-c^5} * b * ((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)} * d^3 * \operatorname{arctanh}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)})) / ((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)}) / e^5 / (c^2*d+e) - c^3 * b * ((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)} * d^2 * \operatorname{arctanh}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)})) / ((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)}) / e^4 / (c^2*d+e) - c * b * ((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)} * \operatorname{arctanh}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)})) / ((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)}) * d / e^5 * (c^2*d*(c^2*d+e))^{(1/2)+b*x} * \operatorname{arcsin}(c*x) / e^{2+b*(-c^2*x^2+1)^{(1/2)}/c} / e^{2-c^3} * b * (-2*c^2*d-2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)} * d^2 * \operatorname{arctan}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)})) / ((-2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)-e})e)^{(1/2)}) / e^5 / (c^2*d+e) * (c^2*d*(c^2*d+e))^{(1/2)-1/2} * c * b * (-2*c^2*d-2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)} * d * \operatorname{arctan}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)})) / ((-2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)-e})e)^{(1/2)}) / e^4 / (c^2*d+e) * (c^2*d*(c^2*d+e))^{(1/2)+c^3} * b * ((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)} * d^2 * \operatorname{arctanh}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)})) / ((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)}) / e^5 / (c^2*d+e) * (c^2*d*(c^2*d+e))^{(1/2)+1/2} * c * b * ((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)} * d * \operatorname{arctanh}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)})) / ((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})e)^{(1/2)}) / e^4 / (c^2*d+e) * (c^2*d*(c^2*d+e))^{(1/2)-3/4} * c * b / e^{2*d} * \operatorname{sum}(1/_R1 / (_R1^2 * e^{-2*c^2*d-e}) * (I * \operatorname{arcsin}(c*x) * \ln((\_R1 - I * c * x - (-c^2*x^2+1)^{(1/2)}) / \_R1) + \operatorname{dilog}((\_R1 - I * c * x - (-c^2*x^2+1)^{(1/2)}) / \_R1)), \_R1 = \operatorname{RootOf}(e * \_Z^4 + (-4 * c^2 * d - 2 * e) * \_Z^2 + e)) - 3/4 * c * b / e^{2*d} * \operatorname{sum}(\_R1 / (_R1^2 * e^{-2*c^2*d-e}) * (I * \operatorname{arcsin}(c*x) * \ln((\_R1 - I * c * x - (-c^2*x^2+1)^{(1/2)}) / \_R1) + \operatorname{dilog}((\_R1 - I * c * x - (-c^2*x^2+1)^{(1/2)}) / \_R1)), \_R1 = \operatorname{RootOf}(e * \_Z^4 + (-4 * c^2 * d - 2 * e) * \_Z^2 + e))
\end{aligned}$$


---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^4 \arcsin(cx) + ax^4}{e^2x^4 + 2dex^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b\*x^4\*arcsin(c\*x) + a\*x^4)/(e^2\*x^4 + 2\*d\*e\*x^2 + d^2), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^4 (a + b \operatorname{asin}(cx))}{(d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(a+b\*asin(c\*x))/(e\*x\*\*2+d)\*\*2,x)

[Out] Integral(x\*\*4\*(a + b\*asin(c\*x))/(d + e\*x\*\*2)\*\*2, x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^4}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^2,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^4/(e\*x^2 + d)^2, x)

$$3.638 \quad \int \frac{x^2(a+b \sin^{-1}(cx))}{(d+ex^2)^2} dx$$

**Optimal.** Leaf size=745

$$\frac{ibPolyLog\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4\sqrt{-de}e^{3/2}} - \frac{ibPolyLog\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4\sqrt{-de}e^{3/2}} + \frac{ibPolyLog\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4\sqrt{-de}e^{3/2}} - \frac{ibPolyLog\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4\sqrt{-de}e^{3/2}}$$

```
[Out] (a + b*ArcSin[c*x])/(4*e^(3/2)*(Sqrt[-d] - Sqrt[e]*x)) - (a + b*ArcSin[c*x])
)/(4*e^(3/2)*(Sqrt[-d] + Sqrt[e]*x)) - (b*c*ArcTanh[(Sqrt[e] - c^2*Sqrt[-d]
*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(4*e^(3/2)*Sqrt[c^2*d + e]) - (b*
c*ArcTanh[(Sqrt[e] + c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(
4*e^(3/2)*Sqrt[c^2*d + e]) + ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*Ar
cSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(4*Sqrt[-d]*e^(3/2)) - ((a +
b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^
2*d + e])])/(4*Sqrt[-d]*e^(3/2)) + ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^
(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(4*Sqrt[-d]*e^(3/2)) -
((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sq
rt[c^2*d + e])])/(4*Sqrt[-d]*e^(3/2)) + ((I/4)*b*PolyLog[2, -(Sqrt[e]*E^(I
*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(3/2)) - ((I
/4)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e
])])/(Sqrt[-d]*e^(3/2)) + ((I/4)*b*PolyLog[2, -(Sqrt[e]*E^(I*ArcSin[c*x]))
/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(3/2)) - ((I/4)*b*PolyLog[
2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(Sqrt[-d]
*e^(3/2))
```

**Rubi [A]** time = 1.94327, antiderivative size = 745, normalized size of antiderivative = 1., number of steps used = 46, number of rules used = 10, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$ , Rules used = {4733, 4667, 4743, 725, 206, 4741, 4521, 2190, 2279, 2391}

$$\frac{ibPolyLog\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4\sqrt{-de}e^{3/2}} - \frac{ibPolyLog\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4\sqrt{-de}e^{3/2}} + \frac{ibPolyLog\left(2, -\frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4\sqrt{-de}e^{3/2}} - \frac{ibPolyLog\left(2, \frac{\sqrt{ee^i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4\sqrt{-de}e^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(x^2*(a + b*ArcSin[c*x]))/(d + e*x^2)^2, x]
```

```
[Out] (a + b*ArcSin[c*x])/(4*e^(3/2)*(Sqrt[-d] - Sqrt[e]*x)) - (a + b*ArcSin[c*x])
)/(4*e^(3/2)*(Sqrt[-d] + Sqrt[e]*x)) - (b*c*ArcTanh[(Sqrt[e] - c^2*Sqrt[-d]
*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(4*e^(3/2)*Sqrt[c^2*d + e]) - (b*
c*ArcTanh[(Sqrt[e] + c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(
4*e^(3/2)*Sqrt[c^2*d + e]) + ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*Ar
cSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(4*Sqrt[-d]*e^(3/2)) - ((a +
b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^
2*d + e])])/(4*Sqrt[-d]*e^(3/2)) + ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^
(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(4*Sqrt[-d]*e^(3/2)) -
((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sq
rt[c^2*d + e])])/(4*Sqrt[-d]*e^(3/2)) + ((I/4)*b*PolyLog[2, -(Sqrt[e]*E^(I
*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(3/2)) - ((I
/4)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e
])])/(Sqrt[-d]*e^(3/2)) + ((I/4)*b*PolyLog[2, -(Sqrt[e]*E^(I*ArcSin[c*x]))
/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(3/2)) - ((I/4)*b*PolyLog[
2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(Sqrt[-d]
*e^(3/2))
```

```

*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])]/(4*e^(3/2)*Sqrt[c^2*d + e]) - (b*
c*ArcTanh[(Sqrt[e] + c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/
(4*e^(3/2)*Sqrt[c^2*d + e]) + ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*Ar
cSin[c*x]))]/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))/(4*Sqrt[-d]*e^(3/2)) - ((a +
b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))]/(I*c*Sqrt[-d] - Sqrt[c^
2*d + e]))/(4*Sqrt[-d]*e^(3/2)) + ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^
(I*ArcSin[c*x]))]/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))/(4*Sqrt[-d]*e^(3/2)) -
((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))]/(I*c*Sqrt[-d] + Sq
rt[c^2*d + e]))/(4*Sqrt[-d]*e^(3/2)) + ((I/4)*b*PolyLog[2, -(Sqrt[e]*E^(I
*ArcSin[c*x]))]/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))/(Sqrt[-d]*e^(3/2)) - ((I
/4)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))]/(I*c*Sqrt[-d] - Sqrt[c^2*d + e
]))/(Sqrt[-d]*e^(3/2)) + ((I/4)*b*PolyLog[2, -(Sqrt[e]*E^(I*ArcSin[c*x]))
/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))/(Sqrt[-d]*e^(3/2)) - ((I/4)*b*PolyLog[
2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))/(Sqrt[-d]
*e^(3/2))

```

### Rule 4733

```

Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_.) + (e_.
)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

```

### Rule 4667

```

Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])

```

### Rule 4743

```

Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_.) + (e_.)*(x_))^(m_.), x_S
ymbol] := Simp[((d + e*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(e*(m + 1)), x] -
Dist[(b*c*n)/(e*(m + 1)), Int[((d + e*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1
))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0]
&& NeQ[m, -1]

```

### Rule 725

```

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (c_.)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]

```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)/((d_.) + (e_.)*(x_)), x_Symbol]
:= Subst[Int[((a + b*x)^n*cos[x])/(c*d + e*sin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

Rule 4521

```
Int[(Cos[(c_.) + (d_.)*(x_)]*(e_.) + (f_.)*(x_)^ (m_.))/((a_) + (b_.)*Sin[
(c_.) + (d_.)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(I*a - Rt[-a^2 + b^2, 2]
+ b*E^(I*(c + d*x))), x], x] + Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(
I*a + Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x] /; FreeQ[{a, b, c, d,
e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^ (n_.)*((c_.) + (d_.)*(x_)^ (m_.))/
((a_) + (b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^ (n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^ (n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^ (n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (a + b \sin^{-1}(cx))}{(d + ex^2)^2} dx &= \int \left( -\frac{d(a + b \sin^{-1}(cx))}{e(d + ex^2)^2} + \frac{a + b \sin^{-1}(cx)}{e(d + ex^2)} \right) dx \\
&= \frac{\int \frac{a + b \sin^{-1}(cx)}{d + ex^2} dx}{e} - \frac{d \int \frac{a + b \sin^{-1}(cx)}{(d + ex^2)^2} dx}{e} \\
&= \frac{\int \left( \frac{\sqrt{-d}(a + b \sin^{-1}(cx))}{2d(\sqrt{-d} - \sqrt{ex})} + \frac{\sqrt{-d}(a + b \sin^{-1}(cx))}{2d(\sqrt{-d} + \sqrt{ex})} \right) dx}{e} - \frac{d \int \left( -\frac{e(a + b \sin^{-1}(cx))}{4d(\sqrt{-d}\sqrt{e} - ex)^2} - \frac{e(a + b \sin^{-1}(cx))}{4d(\sqrt{-d}\sqrt{e} + ex)^2} - \frac{e(a + b \sin^{-1}(cx))}{2d(-de - e^2x^2)} \right) dx}{e} \\
&= \frac{1}{4} \int \frac{a + b \sin^{-1}(cx)}{(\sqrt{-d}\sqrt{e} - ex)^2} dx + \frac{1}{4} \int \frac{a + b \sin^{-1}(cx)}{(\sqrt{-d}\sqrt{e} + ex)^2} dx + \frac{1}{2} \int \frac{a + b \sin^{-1}(cx)}{-de - e^2x^2} dx - \frac{\int \frac{a + b \sin^{-1}(cx)}{\sqrt{-d} - \sqrt{ex}} dx}{2\sqrt{-de}} \\
&= \frac{a + b \sin^{-1}(cx)}{4e^{3/2}(\sqrt{-d} - \sqrt{ex})} - \frac{a + b \sin^{-1}(cx)}{4e^{3/2}(\sqrt{-d} + \sqrt{ex})} + \frac{1}{2} \int \left( -\frac{\sqrt{-d}(a + b \sin^{-1}(cx))}{2de(\sqrt{-d} - \sqrt{ex})} - \frac{\sqrt{-d}(a + b \sin^{-1}(cx))}{2de(\sqrt{-d} + \sqrt{ex})} \right) dx \\
&= \frac{a + b \sin^{-1}(cx)}{4e^{3/2}(\sqrt{-d} - \sqrt{ex})} - \frac{a + b \sin^{-1}(cx)}{4e^{3/2}(\sqrt{-d} + \sqrt{ex})} + \frac{(bc) \operatorname{Subst} \left( \int \frac{1}{c^2de + e^2 - x^2} dx, x, \frac{-e + c^2\sqrt{-d}\sqrt{ex}}{\sqrt{1 - c^2x^2}} \right)}{4e} - \frac{(bc) \operatorname{Subst} \left( \int \frac{1}{c^2de + e^2 - x^2} dx, x, \frac{-e + c^2\sqrt{-d}\sqrt{ex}}{\sqrt{1 - c^2x^2}} \right)}{4e} \\
&= \frac{a + b \sin^{-1}(cx)}{4e^{3/2}(\sqrt{-d} - \sqrt{ex})} - \frac{a + b \sin^{-1}(cx)}{4e^{3/2}(\sqrt{-d} + \sqrt{ex})} - \frac{bc \tanh^{-1} \left( \frac{\sqrt{e - c^2}\sqrt{-dx}}{\sqrt{c^2d + e}\sqrt{1 - c^2x^2}} \right)}{4e^{3/2}\sqrt{c^2d + e}} - \frac{bc \tanh^{-1} \left( \frac{\sqrt{e + c^2}\sqrt{dx}}{\sqrt{c^2d + e}\sqrt{1 - c^2x^2}} \right)}{4e^{3/2}\sqrt{c^2d + e}} \\
&= \frac{a + b \sin^{-1}(cx)}{4e^{3/2}(\sqrt{-d} - \sqrt{ex})} - \frac{a + b \sin^{-1}(cx)}{4e^{3/2}(\sqrt{-d} + \sqrt{ex})} - \frac{bc \tanh^{-1} \left( \frac{\sqrt{e - c^2}\sqrt{-dx}}{\sqrt{c^2d + e}\sqrt{1 - c^2x^2}} \right)}{4e^{3/2}\sqrt{c^2d + e}} - \frac{bc \tanh^{-1} \left( \frac{\sqrt{e + c^2}\sqrt{dx}}{\sqrt{c^2d + e}\sqrt{1 - c^2x^2}} \right)}{4e^{3/2}\sqrt{c^2d + e}} \\
&= \frac{a + b \sin^{-1}(cx)}{4e^{3/2}(\sqrt{-d} - \sqrt{ex})} - \frac{a + b \sin^{-1}(cx)}{4e^{3/2}(\sqrt{-d} + \sqrt{ex})} - \frac{bc \tanh^{-1} \left( \frac{\sqrt{e - c^2}\sqrt{-dx}}{\sqrt{c^2d + e}\sqrt{1 - c^2x^2}} \right)}{4e^{3/2}\sqrt{c^2d + e}} - \frac{bc \tanh^{-1} \left( \frac{\sqrt{e + c^2}\sqrt{dx}}{\sqrt{c^2d + e}\sqrt{1 - c^2x^2}} \right)}{4e^{3/2}\sqrt{c^2d + e}} \\
&= \frac{a + b \sin^{-1}(cx)}{4e^{3/2}(\sqrt{-d} - \sqrt{ex})} - \frac{a + b \sin^{-1}(cx)}{4e^{3/2}(\sqrt{-d} + \sqrt{ex})} - \frac{bc \tanh^{-1} \left( \frac{\sqrt{e - c^2}\sqrt{-dx}}{\sqrt{c^2d + e}\sqrt{1 - c^2x^2}} \right)}{4e^{3/2}\sqrt{c^2d + e}} - \frac{bc \tanh^{-1} \left( \frac{\sqrt{e + c^2}\sqrt{dx}}{\sqrt{c^2d + e}\sqrt{1 - c^2x^2}} \right)}{4e^{3/2}\sqrt{c^2d + e}}
\end{aligned}$$

**Mathematica [A]** time = 1.17044, size = 603, normalized size = 0.81

$$b \left( \frac{2 \operatorname{PolyLog}\left(2, \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d + e - c \sqrt{d}}}\right) + 2 \operatorname{PolyLog}\left(2, -\frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d + e + c \sqrt{d}}}\right) + \sin^{-1}(cx) \left( \sin^{-1}(cx) + 2i \left( \log\left(1 + \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{c \sqrt{d} - \sqrt{c^2 d + e}}\right) + \log\left(1 + \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d + e + c \sqrt{d}}}\right) \right) \right)}{\sqrt{d}} \right) + \frac{2 \operatorname{PolyLog}\left(2, \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{c \sqrt{d}}\right)}{c \sqrt{d}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^2,x]

[Out] 
$$\begin{aligned} &((-4*a*\sqrt{e}*x)/(d + e*x^2) + (4*a*ArcTan[(\sqrt{e}*x)/\sqrt{d}])/\sqrt{d} + \\ &b*((-2*ArcSin[c*x])/(I*\sqrt{d} + \sqrt{e}*x) - (2*I)*(ArcSin[c*x]/(\sqrt{d} + \\ &I*\sqrt{e}*x) - (c*ArcTan[(I*\sqrt{e} + c^2*\sqrt{d})*x]/(\sqrt{c^2*d + e}*Sqr \\ &t[1 - c^2*x^2]))/\sqrt{c^2*d + e}) - (2*c*ArcTanh[(\sqrt{e} + I*c^2*\sqrt{d}* \\ &x)/(\sqrt{c^2*d + e}*\sqrt{1 - c^2*x^2}))/\sqrt{c^2*d + e} - (ArcSin[c*x]*(Ar \\ &cSin[c*x] + (2*I)*(Log[1 + (\sqrt{e}*E^(I*ArcSin[c*x]))/(c*\sqrt{d} - \sqrt{c^ \\ &2*d + e}]] + Log[1 + (\sqrt{e}*E^(I*ArcSin[c*x]))/(c*\sqrt{d} + \sqrt{c^2*d + \\ &e}]])) + 2*PolyLog[2, (\sqrt{e}*E^(I*ArcSin[c*x]))/(-c*\sqrt{d}) + \sqrt{c^2* \\ &d + e}]] + 2*PolyLog[2, -((\sqrt{e}*E^(I*ArcSin[c*x]))/(c*\sqrt{d} + \sqrt{c^2 \\ &*d + e}))) / \sqrt{d} + (ArcSin[c*x]*(ArcSin[c*x] + (2*I)*(Log[1 + (\sqrt{e}*E \\ &^(I*ArcSin[c*x]))/(-c*\sqrt{d}) + \sqrt{c^2*d + e}]] + Log[1 - (\sqrt{e}*E^(I \\ &*ArcSin[c*x]))/(c*\sqrt{d} + \sqrt{c^2*d + e}]])) + 2*PolyLog[2, (\sqrt{e}*E^( \\ &I*ArcSin[c*x]))/(c*\sqrt{d} - \sqrt{c^2*d + e}]] + 2*PolyLog[2, (\sqrt{e}*E^(I \\ &*ArcSin[c*x]))/(c*\sqrt{d} + \sqrt{c^2*d + e}])) / \sqrt{d}))/ (8*e^(3/2)) \end{aligned}$$

**Maple [C]** time = 0.645, size = 1677, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^2,x)

[Out] 
$$\begin{aligned} &-1/2*c^2*a/e*x/(c^2*e*x^2+c^2*d)+1/2*a/e/(d*e)^(1/2)*arctan(e*x/(d*e)^(1/2) \\ &)-1/2*c^2*b*arcsin(c*x)/e*x/(c^2*e*x^2+c^2*d)+1/4*c*b/e*sum(1/_R1/(_R1^2*e- \\ &2*c^2*d-e)*(I*arcsin(c*x)*ln((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)+dilog((_R1 \\ &-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)),_R1=RootOf(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))+ \\ &1/4*c*b/e*sum(_R1/(_R1^2*e-2*c^2*d-e)*(I*arcsin(c*x)*ln((_R1-I*c*x-(-c^2*x^ \\ &2+1)^(1/2))/_R1)+dilog((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)),_R1=RootOf(e*_Z \\ &^4+(-4*c^2*d-2*e)*_Z^2+e))+c^5*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e)*e \end{aligned}$$

$$\begin{aligned} & \frac{d^{1/2} \arctan(e^{(Icx + (-c^2x^2 + 1)^{1/2})})}{((-2c^2d + 2(c^2d(c^2d + e))^{1/2} - e)e^{1/2})/e^4 / (c^2d + e) + c^3b * (-2c^2d - 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2}} \\ & \frac{d^{1/2} \arctan(e^{(Icx + (-c^2x^2 + 1)^{1/2})})}{((-2c^2d + 2(c^2d(c^2d + e))^{1/2} - e)e^{1/2})/e^4 / (c^2d + e) * (c^2d(c^2d + e))^{1/2} + c^3b * (-2c^2d - 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2}} \\ & \frac{d^{1/2} \arctan(e^{(Icx + (-c^2x^2 + 1)^{1/2})})}{((-2c^2d + 2(c^2d(c^2d + e))^{1/2} - e)e^{1/2})/e^3 / (c^2d + e) * d + 1/2 * c * b * (-2c^2d - 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2}} \\ & \frac{d^{1/2} \arctan(e^{(Icx + (-c^2x^2 + 1)^{1/2})})}{((-2c^2d + 2(c^2d(c^2d + e))^{1/2} - e)e^{1/2})/e^3 / (c^2d + e) * (c^2d(c^2d + e))^{1/2} - c^3b * (-2c^2d - 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2}} \\ & \frac{d^{1/2} \arctan(e^{(Icx + (-c^2x^2 + 1)^{1/2})})}{((-2c^2d + 2(c^2d(c^2d + e))^{1/2} - e)e^{1/2}) * d / e^4 - c * b * (-2c^2d - 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2}} \\ & \frac{d^{1/2} \arctan(e^{(Icx + (-c^2x^2 + 1)^{1/2})})}{((-2c^2d + 2(c^2d(c^2d + e))^{1/2} - e)e^{1/2})/e^4 * (c^2d(c^2d + e))^{1/2} - 1/2 * c * b * (-2c^2d - 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2}} \\ & \frac{d^{1/2} \arctan(e^{(Icx + (-c^2x^2 + 1)^{1/2})})}{((-2c^2d + 2(c^2d(c^2d + e))^{1/2} - e)e^{1/2})/e^3 + c^5 * b * ((2c^2d + 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2}) * d^{1/2} \operatorname{arctanh}(e^{(Icx + (-c^2x^2 + 1)^{1/2})})}{((2c^2d + 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2})/e^4 / (c^2d + e) - c^3b * ((2c^2d + 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2}) * d \operatorname{arctanh}(e^{(Icx + (-c^2x^2 + 1)^{1/2})})}{((2c^2d + 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2})/e^4 / (c^2d + e) * (c^2d(c^2d + e))^{1/2} + c^3b * ((2c^2d + 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2}) * \operatorname{arctanh}(e^{(Icx + (-c^2x^2 + 1)^{1/2})})}{((2c^2d + 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2})/e^3 / (c^2d + e) * d - 1/2 * c * b * ((2c^2d + 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2}) * \operatorname{arctanh}(e^{(Icx + (-c^2x^2 + 1)^{1/2})})}{((2c^2d + 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2})/e^3 / (c^2d + e) * (c^2d(c^2d + e))^{1/2} - c^3b * ((2c^2d + 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2}) * \operatorname{arctanh}(e^{(Icx + (-c^2x^2 + 1)^{1/2})})}{((2c^2d + 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2}) * d / e^4 + c * b * ((2c^2d + 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2}) * \operatorname{arctanh}(e^{(Icx + (-c^2x^2 + 1)^{1/2})})}{((2c^2d + 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2})/e^4 * (c^2d(c^2d + e))^{1/2} - 1/2 * c * b * ((2c^2d + 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2}) * \operatorname{arctanh}(e^{(Icx + (-c^2x^2 + 1)^{1/2})})}{((2c^2d + 2(c^2d(c^2d + e))^{1/2} + e)e^{1/2})/e^3} \end{aligned}$$


---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

---



**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{bx^2 \arcsin(cx) + ax^2}{e^2x^4 + 2dex^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b\*x^2\*arcsin(c\*x) + a\*x^2)/(e^2\*x^4 + 2\*d\*e\*x^2 + d^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 (a + b \operatorname{asin}(cx))}{(d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a+b\*asin(c\*x))/(e\*x\*\*2+d)\*\*2,x)

[Out] Integral(x\*\*2\*(a + b\*asin(c\*x))/(d + e\*x\*\*2)\*\*2, x)

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^2,x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.639 \quad \int \frac{a+b \sin^{-1}(cx)}{(d+ex^2)^2} dx$$

**Optimal.** Leaf size=757

$$-\frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4(-d)^{3/2}\sqrt{e}} + \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4(-d)^{3/2}\sqrt{e}} - \frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4(-d)^{3/2}\sqrt{e}} + \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4(-d)^{3/2}\sqrt{e}}$$

```
[Out] -(a + b*ArcSin[c*x])/(4*d*Sqrt[e]*(Sqrt[-d] - Sqrt[e]*x)) + (a + b*ArcSin[c*x])/(4*d*Sqrt[e]*(Sqrt[-d] + Sqrt[e]*x)) + (b*c*ArcTanh[(Sqrt[e] - c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(4*d*Sqrt[e]*Sqrt[c^2*d + e]) + (b*c*ArcTanh[(Sqrt[e] + c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(4*d*Sqrt[e]*Sqrt[c^2*d + e]) - ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(4*(-d)^(3/2)*Sqrt[e]) + ((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(4*(-d)^(3/2)*Sqrt[e]) - ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(4*(-d)^(3/2)*Sqrt[e]) + ((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(4*(-d)^(3/2)*Sqrt[e]) - ((I/4)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))])/(4*(-d)^(3/2)*Sqrt[e]) + ((I/4)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(4*(-d)^(3/2)*Sqrt[e]) - ((I/4)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))])/(4*(-d)^(3/2)*Sqrt[e]) + ((I/4)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(4*(-d)^(3/2)*Sqrt[e])
```

**Rubi [A]** time = 0.99458, antiderivative size = 757, normalized size of antiderivative = 1., number of steps used = 26, number of rules used = 9, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {4667, 4743, 725, 206, 4741, 4521, 2190, 2279, 2391}

$$-\frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4(-d)^{3/2}\sqrt{e}} + \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4(-d)^{3/2}\sqrt{e}} - \frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4(-d)^{3/2}\sqrt{e}} + \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{4(-d)^{3/2}\sqrt{e}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])/(d + e*x^2)^2, x]
```

```
[Out] -(a + b*ArcSin[c*x])/(4*d*Sqrt[e]*(Sqrt[-d] - Sqrt[e]*x)) + (a + b*ArcSin[c*x])/(4*d*Sqrt[e]*(Sqrt[-d] + Sqrt[e]*x)) + (b*c*ArcTanh[(Sqrt[e] - c^2*Sqr
```

$$\begin{aligned} & t[-d]*x)/(\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - c^2*x^2]))/(4*d*\text{Sqrt}[e]*\text{Sqrt}[c^2*d + e] \\ & ) + (b*c*\text{ArcTanh}[(\text{Sqrt}[e] + c^2*\text{Sqrt}[-d]*x)/(\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - c^2*x \\ & ^2]))/(4*d*\text{Sqrt}[e]*\text{Sqrt}[c^2*d + e]) - ((a + b*\text{ArcSin}[c*x])*\text{Log}[1 - (\text{Sqrt}[e] \\ & ]*E^{(I*\text{ArcSin}[c*x]))}/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e]))/(4*(-d)^{(3/2)*\text{Sqrt}[ \\ & e]) + ((a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x]))}/(I*c*\text{Sqrt}[-d] \\ & ] - \text{Sqrt}[c^2*d + e]))/(4*(-d)^{(3/2)*\text{Sqrt}[e]) - ((a + b*\text{ArcSin}[c*x])*\text{Log}[1 \\ & - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x]))}/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e]))/(4*(-d)^{(3 \\ & /2)*\text{Sqrt}[e]) + ((a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x]))}/(I* \\ & c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e]))/(4*(-d)^{(3/2)*\text{Sqrt}[e]) - ((I/4)*b*\text{PolyLog}[2 \\ & , -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x]))}/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])))/((-d)^{( \\ & 3/2)*\text{Sqrt}[e]) + ((I/4)*b*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x]))}/(I*c*\text{Sqrt}[- \\ & d] - \text{Sqrt}[c^2*d + e])))/((-d)^{(3/2)*\text{Sqrt}[e]) - ((I/4)*b*\text{PolyLog}[2, -((\text{Sqrt}[ \\ & e]*E^{(I*\text{ArcSin}[c*x]))}/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])))/((-d)^{(3/2)*\text{Sqrt}[ \\ & e]) + ((I/4)*b*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x]))}/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[ \\ & c^2*d + e])))/((-d)^{(3/2)*\text{Sqrt}[e]) \end{aligned}$$

### Rule 4667

$$\begin{aligned} & \text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*((d_.) + (e_.)*(x_.)^2)^{(p_.)}, x \\ & \_Symbol] \text{:} > \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcSin}[c*x])^n, (d + e*x^2)^p, x], x \\ & ] /; \text{FreeQ}\{a, b, c, d, e, n\}, x \ \&\& \ \text{NeQ}[c^2*d + e, 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ (\text{G} \\ & \text{tQ}[p, 0] \ || \ \text{IGtQ}[n, 0]) \end{aligned}$$

### Rule 4743

$$\begin{aligned} & \text{Int}[(a_.) + \text{ArcSin}[c_.*(x_.)]*(b_.)]^{(n_.)}*((d_.) + (e_.)*(x_.)^2)^{(m_.)}, x\_S \\ & ymbol] \text{:} > \text{Simp}[(d + e*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^n/(e*(m + 1)), x] - \\ & \text{Dist}[(b*c*n)/(e*(m + 1)), \text{Int}[(d + e*x)^{(m + 1)}*(a + b*\text{ArcSin}[c*x])^{(n - 1 \\ & )}/\text{Sqrt}[1 - c^2*x^2], x], x] /; \text{FreeQ}\{a, b, c, d, e, m\}, x \ \&\& \ \text{IGtQ}[n, 0] \\ & \ \&\& \ \text{NeQ}[m, -1] \end{aligned}$$

### Rule 725

$$\begin{aligned} & \text{Int}[1/(((d_.) + (e_.)*(x_.))*\text{Sqrt}[(a_.) + (c_.)*(x_.)^2]), x\_Symbol] \text{:} > -\text{Subst}[ \\ & \text{Int}[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/\text{Sqrt}[a + c*x^2]] /; \text{FreeQ} \\ & \{a, c, d, e\}, x \end{aligned}$$

### Rule 206

$$\begin{aligned} & \text{Int}[(a_.) + (b_.)*(x_.)^2]^{(-1)}, x\_Symbol] \text{:} > \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/ \\ & \text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{Gt} \\ & \text{Q}[a, 0] \ || \ \text{LtQ}[b, 0]) \end{aligned}$$

### Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^n_./((d_) + (e_.)*(x_)), x_Symbol]
:> Subst[Int[((a + b*x)^n*cos[x])/(c*d + e*sin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

### Rule 4521

```
Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)*Sin[
(c_.) + (d_.)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(I*a - Rt[-a^2 + b^2, 2]
+ b*E^(I*(c + d*x))), x], x] + Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(
I*a + Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d,
e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]
```

### Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^n_.)*((c_.) + (d_.)*(x_))^(m_.)/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^n_.), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^n_.], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^n_.)]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{(d + ex^2)^2} dx &= \int \left( \frac{e(a + b \sin^{-1}(cx))}{4d(\sqrt{-d}\sqrt{e} - ex)^2} - \frac{e(a + b \sin^{-1}(cx))}{4d(\sqrt{-d}\sqrt{e} + ex)^2} - \frac{e(a + b \sin^{-1}(cx))}{2d(-de - e^2x^2)} \right) dx \\
&= \frac{e \int \frac{a+b \sin^{-1}(cx)}{(\sqrt{-d}\sqrt{e}-ex)^2} dx}{4d} - \frac{e \int \frac{a+b \sin^{-1}(cx)}{(\sqrt{-d}\sqrt{e}+ex)^2} dx}{4d} - \frac{e \int \frac{a+b \sin^{-1}(cx)}{-de-e^2x^2} dx}{2d} \\
&= -\frac{a + b \sin^{-1}(cx)}{4d\sqrt{e}(\sqrt{-d} - \sqrt{ex})} + \frac{a + b \sin^{-1}(cx)}{4d\sqrt{e}(\sqrt{-d} + \sqrt{ex})} + \frac{(bc) \int \frac{1}{(\sqrt{-d}\sqrt{e}-ex)\sqrt{1-c^2x^2}} dx}{4d} - \frac{(bc) \int \frac{1}{(\sqrt{-d}\sqrt{e}+ex)\sqrt{1-c^2x^2}} dx}{4d} \\
&= -\frac{a + b \sin^{-1}(cx)}{4d\sqrt{e}(\sqrt{-d} - \sqrt{ex})} + \frac{a + b \sin^{-1}(cx)}{4d\sqrt{e}(\sqrt{-d} + \sqrt{ex})} + \frac{\int \frac{a+b \sin^{-1}(cx)}{\sqrt{-d}-\sqrt{ex}} dx}{4(-d)^{3/2}} + \frac{\int \frac{a+b \sin^{-1}(cx)}{\sqrt{-d}+\sqrt{ex}} dx}{4(-d)^{3/2}} - \frac{(bc) \text{Subst}}{4d} \\
&= -\frac{a + b \sin^{-1}(cx)}{4d\sqrt{e}(\sqrt{-d} - \sqrt{ex})} + \frac{a + b \sin^{-1}(cx)}{4d\sqrt{e}(\sqrt{-d} + \sqrt{ex})} + \frac{bc \tanh^{-1}\left(\frac{\sqrt{e-c^2}\sqrt{-dx}}{\sqrt{c^2d+e}\sqrt{1-c^2x^2}}\right)}{4d\sqrt{e}\sqrt{c^2d+e}} + \frac{bc \tanh^{-1}\left(\frac{\sqrt{e+c^2}\sqrt{dx}}{\sqrt{c^2d+e}\sqrt{1-c^2x^2}}\right)}{4d\sqrt{e}\sqrt{c^2d+e}} \\
&= -\frac{a + b \sin^{-1}(cx)}{4d\sqrt{e}(\sqrt{-d} - \sqrt{ex})} + \frac{a + b \sin^{-1}(cx)}{4d\sqrt{e}(\sqrt{-d} + \sqrt{ex})} + \frac{bc \tanh^{-1}\left(\frac{\sqrt{e-c^2}\sqrt{-dx}}{\sqrt{c^2d+e}\sqrt{1-c^2x^2}}\right)}{4d\sqrt{e}\sqrt{c^2d+e}} + \frac{bc \tanh^{-1}\left(\frac{\sqrt{e+c^2}\sqrt{dx}}{\sqrt{c^2d+e}\sqrt{1-c^2x^2}}\right)}{4d\sqrt{e}\sqrt{c^2d+e}} \\
&= -\frac{a + b \sin^{-1}(cx)}{4d\sqrt{e}(\sqrt{-d} - \sqrt{ex})} + \frac{a + b \sin^{-1}(cx)}{4d\sqrt{e}(\sqrt{-d} + \sqrt{ex})} + \frac{bc \tanh^{-1}\left(\frac{\sqrt{e-c^2}\sqrt{-dx}}{\sqrt{c^2d+e}\sqrt{1-c^2x^2}}\right)}{4d\sqrt{e}\sqrt{c^2d+e}} + \frac{bc \tanh^{-1}\left(\frac{\sqrt{e+c^2}\sqrt{dx}}{\sqrt{c^2d+e}\sqrt{1-c^2x^2}}\right)}{4d\sqrt{e}\sqrt{c^2d+e}} \\
&= -\frac{a + b \sin^{-1}(cx)}{4d\sqrt{e}(\sqrt{-d} - \sqrt{ex})} + \frac{a + b \sin^{-1}(cx)}{4d\sqrt{e}(\sqrt{-d} + \sqrt{ex})} + \frac{bc \tanh^{-1}\left(\frac{\sqrt{e-c^2}\sqrt{-dx}}{\sqrt{c^2d+e}\sqrt{1-c^2x^2}}\right)}{4d\sqrt{e}\sqrt{c^2d+e}} + \frac{bc \tanh^{-1}\left(\frac{\sqrt{e+c^2}\sqrt{dx}}{\sqrt{c^2d+e}\sqrt{1-c^2x^2}}\right)}{4d\sqrt{e}\sqrt{c^2d+e}} \\
&= -\frac{a + b \sin^{-1}(cx)}{4d\sqrt{e}(\sqrt{-d} - \sqrt{ex})} + \frac{a + b \sin^{-1}(cx)}{4d\sqrt{e}(\sqrt{-d} + \sqrt{ex})} + \frac{bc \tanh^{-1}\left(\frac{\sqrt{e-c^2}\sqrt{-dx}}{\sqrt{c^2d+e}\sqrt{1-c^2x^2}}\right)}{4d\sqrt{e}\sqrt{c^2d+e}} + \frac{bc \tanh^{-1}\left(\frac{\sqrt{e+c^2}\sqrt{dx}}{\sqrt{c^2d+e}\sqrt{1-c^2x^2}}\right)}{4d\sqrt{e}\sqrt{c^2d+e}}
\end{aligned}$$

**Mathematica [A]** time = 1.69092, size = 591, normalized size = 0.78

$$\frac{1}{2} \left( b \left( \text{PolyLog}\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{c\sqrt{d}-\sqrt{c^2d+e}}\right) - \text{PolyLog}\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e}-c\sqrt{d}}\right) - \text{PolyLog}\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+c\sqrt{d}}}\right) + \text{PolyLog}\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+c\sqrt{d}}}\right) + i \sqrt{e} \right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcSin[c*x])/(d + e*x^2)^2,x]
```

```
[Out] ((a*x)/(d^2 + d*e*x^2) + (a*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(d^(3/2)*Sqrt[e])
+ (b*(I*Sqrt[d]*(ArcSin[c*x]/(Sqrt[d] + I*Sqrt[e]*x) - (c*ArcTan[(I*Sqrt[e]
+ c^2*Sqrt[d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])))/Sqrt[c^2*d + e]) +
Sqrt[d]*(ArcSin[c*x]/(I*Sqrt[d] + Sqrt[e]*x) + (c*ArcTanh[(Sqrt[e] + I*c^2*
Sqrt[d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])))/Sqrt[c^2*d + e] + I*ArcSi
n[c*x]*(Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(-c*Sqrt[d]) + Sqrt[c^2*d + e]
]) + Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] + Sqrt[c^2*d + e])) -
I*ArcSin[c*x]*(Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] - Sqrt[c^2*d
+ e])] + Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] + Sqrt[c^2*d + e])
]) + PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] - Sqrt[c^2*d + e])] -
PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(-c*Sqrt[d]) + Sqrt[c^2*d + e])] -
PolyLog[2, -(Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] + Sqrt[c^2*d + e])] +
PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(c*Sqrt[d] + Sqrt[c^2*d + e])]))/(2
*d^(3/2)*Sqrt[e])/2
```

**Maple [C]** time = 0.547, size = 1687, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))/(e*x^2+d)^2,x)
```

```
[Out] 1/2*c^2*a*x/d/(c^2*e*x^2+c^2*d)+1/2*a/d/(d*e)^(1/2)*arctan(e*x/(d*e)^(1/2))
+1/2*c^2*b*arcsin(c*x)*x/d/(c^2*e*x^2+c^2*d)-c^5*b*(-(2*c^2*d-2*(c^2*d*(c^2
*d+e))^(1/2)+e)*e)^(1/2)*arctan(e*(I*c*x+(-c^2*x^2+1)^(1/2))/((-2*c^2*d+2*(
c^2*d*(c^2*d+e))^(1/2)-e)*e)^(1/2))/e^3/(c^2*d+e)*d-c^3*b*(-(2*c^2*d-2*(c^2
*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*arctan(e*(I*c*x+(-c^2*x^2+1)^(1/2))/((-2*c^
2*d+2*(c^2*d*(c^2*d+e))^(1/2)-e)*e)^(1/2))/e^3/(c^2*d+e)*(c^2*d*(c^2*d+e))^(
1/2)-c^3*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*arctan(e*(I*c*
x+(-c^2*x^2+1)^(1/2))/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)-e)*e)^(1/2))/(c^
2*d+e)/e^2-1/2*c*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*arctan(
e*(I*c*x+(-c^2*x^2+1)^(1/2))/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)-e)*e)^(1/
2))/d/(c^2*d+e)/e^2*(c^2*d*(c^2*d+e))^(1/2)+c^3*b*(-(2*c^2*d-2*(c^2*d*(c^2*
d+e))^(1/2)+e)*e)^(1/2)*arctan(e*(I*c*x+(-c^2*x^2+1)^(1/2))/((-2*c^2*d+2*(c
^2*d*(c^2*d+e))^(1/2)-e)*e)^(1/2))/e^3+c*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^(
1/2)+e)*e)^(1/2)*arctan(e*(I*c*x+(-c^2*x^2+1)^(1/2))/((-2*c^2*d+2*(c^2*d*(c
^2*d+e))^(1/2)-e)*e)^(1/2))/d/e^3*(c^2*d*(c^2*d+e))^(1/2)+1/2*c*b*(-(2*c^2*
```

$$d-2*(c^2*d*(c^2*d+e))^{(1/2)+e}*e^{(1/2)}*\arctan(e*(I*c*x+(-c^2*x^2+1)^{(1/2)}))$$

$$/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)-e})*e^{(1/2)})/d/e^2-c^5*b*((2*c^2*d+2*$$

$$(c^2*d*(c^2*d+e))^{(1/2)+e})*e^{(1/2)}*\operatorname{arctanh}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)}))/(($$

$$2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})*e^{(1/2)})/e^3/(c^2*d+e)*d+c^3*b*((2*c^$$

$$2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})*e^{(1/2)}*\operatorname{arctanh}(e*(I*c*x+(-c^2*x^2+1)^{(1/$$

$$2)))/((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})*e^{(1/2)})/e^3/(c^2*d+e)*(c^2*d*($$

$$c^2*d+e))^{(1/2)-c^3*b*((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})*e^{(1/2)}*\operatorname{arcta$$

$$nh}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)}))/((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})*e^{($$

$$1/2)))/(c^2*d+e)/e^2+1/2*c*b*((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})*e^{(1/2)}$$

$$*\operatorname{arctanh}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)}))/((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}$$

$$)*e^{(1/2)})/d/(c^2*d+e)/e^2*(c^2*d*(c^2*d+e))^{(1/2)+c^3*b*((2*c^2*d+2*(c^2*$$

$$d*(c^2*d+e))^{(1/2)+e})*e^{(1/2)}*\operatorname{arctanh}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)}))/((2*c^2$$

$$*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})*e^{(1/2)})/e^3-c*b*((2*c^2*d+2*(c^2*d*(c^2*d$$

$$+e))^{(1/2)+e})*e^{(1/2)}*\operatorname{arctanh}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)}))/((2*c^2*d+2*(c^$$

$$2*d*(c^2*d+e))^{(1/2)+e})*e^{(1/2)})/d/e^3*(c^2*d*(c^2*d+e))^{(1/2)+1/2*c*b*((2$$

$$*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})*e^{(1/2)}*\operatorname{arctanh}(e*(I*c*x+(-c^2*x^2+1)^$$

$$(1/2)))/((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e})*e^{(1/2)})/d/e^2+1/4*c*b/d*\operatorname{sum}$$

$$(1/_R1/(_R1^2*e-2*c^2*d-e)*(I*\arcsin(c*x))*\ln((_R1-I*c*x-(-c^2*x^2+1)^{(1/2)}))$$

$$/_R1)+\operatorname{dilog}((_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/_R1),_R1=\operatorname{RootOf}(e*_Z^4+(-4*c^2*$$

$$d-2*e)*_Z^2+e))+1/4*c*b/d*\operatorname{sum}(_R1/(_R1^2*e-2*c^2*d-e)*(I*\arcsin(c*x))*\ln((_R$$

$$1-I*c*x-(-c^2*x^2+1)^{(1/2)})/_R1)+\operatorname{dilog}((_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/_R1))$$

$$,_R1=\operatorname{RootOf}(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(e\*x^2+d)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b \arcsin(cx) + a}{e^2 x^4 + 2 d e x^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(e*x^2+d)^2,x, algorithm="fricas")
```

```
[Out] integral((b*arcsin(c*x) + a)/(e^2*x^4 + 2*d*e*x^2 + d^2), x)
```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asin}(cx)}{(d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/(e*x**2+d)**2,x)
```

```
[Out] Integral((a + b*asin(c*x))/(d + e*x**2)**2, x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsin}(cx) + a}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(e*x^2+d)^2,x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/(e*x^2 + d)^2, x)
```



$$3.640 \quad \int \frac{a+b \sin^{-1}(cx)}{x^2(d+ex^2)^2} dx$$

**Optimal.** Leaf size=795

$$\frac{3\sqrt{e} \log\left(1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}-\sqrt{dc^2+e}}\right)(a+b \sin^{-1}(cx))}{4(-d)^{5/2}} + \frac{3\sqrt{e} \log\left(\frac{e^{i \sin^{-1}(cx)}\sqrt{e}}{ic\sqrt{-d}-\sqrt{dc^2+e}} + 1\right)(a+b \sin^{-1}(cx))}{4(-d)^{5/2}} - \frac{3\sqrt{e} \log\left(1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{i\sqrt{-d}+\sqrt{dc^2+e}}\right)(a+b \sin^{-1}(cx))}{4(-d)^{5/2}}$$

```
[Out] -((a + b*ArcSin[c*x])/(d^2*x)) + (Sqrt[e]*(a + b*ArcSin[c*x]))/(4*d^2*(Sqrt[-d] - Sqrt[e]*x)) - (Sqrt[e]*(a + b*ArcSin[c*x]))/(4*d^2*(Sqrt[-d] + Sqrt[e]*x)) - (b*c*Sqrt[e]*ArcTanh[(Sqrt[e] - c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(4*d^2*Sqrt[c^2*d + e]) - (b*c*Sqrt[e]*ArcTanh[(Sqrt[e] + c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(4*d^2*Sqrt[c^2*d + e]) - (b*c*ArcTanh[Sqrt[1 - c^2*x^2]])/d^2 - (3*Sqrt[e]*(a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(4*(-d)^(5/2)) + (3*Sqrt[e]*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(4*(-d)^(5/2)) - (3*Sqrt[e]*(a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(4*(-d)^(5/2)) + (3*Sqrt[e]*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(4*(-d)^(5/2)) - ((3*I)/4)*b*Sqrt[e]*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))]/(-d)^(5/2) + (((3*I)/4)*b*Sqrt[e]*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(4*(-d)^(5/2)) - (((3*I)/4)*b*Sqrt[e]*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))]/(-d)^(5/2) + (((3*I)/4)*b*Sqrt[e]*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(4*(-d)^(5/2))
```

**Rubi [A]** time = 1.99793, antiderivative size = 795, normalized size of antiderivative = 1., number of steps used = 50, number of rules used = 14, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {4733, 4627, 266, 63, 208, 4667, 4743, 725, 206, 4741, 4521, 2190, 2279, 2391}

$$\frac{3\sqrt{e} \log\left(1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}-\sqrt{dc^2+e}}\right)(a+b \sin^{-1}(cx))}{4(-d)^{5/2}} + \frac{3\sqrt{e} \log\left(\frac{e^{i \sin^{-1}(cx)}\sqrt{e}}{ic\sqrt{-d}-\sqrt{dc^2+e}} + 1\right)(a+b \sin^{-1}(cx))}{4(-d)^{5/2}} - \frac{3\sqrt{e} \log\left(1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{i\sqrt{-d}+\sqrt{dc^2+e}}\right)(a+b \sin^{-1}(cx))}{4(-d)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(x^2\*(d + e\*x^2)^2), x]

```
[Out] -((a + b*ArcSin[c*x])/(d^2*x)) + (Sqrt[e]*(a + b*ArcSin[c*x]))/(4*d^2*(Sqrt[-d] - Sqrt[e]*x)) - (Sqrt[e]*(a + b*ArcSin[c*x]))/(4*d^2*(Sqrt[-d] + Sqrt[e]*x)) - (b*c*Sqrt[e]*ArcTanh[(Sqrt[e] - c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(4*d^2*Sqrt[c^2*d + e]) - (b*c*Sqrt[e]*ArcTanh[(Sqrt[e] + c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(4*d^2*Sqrt[c^2*d + e]) - (b*c*ArcTanh[Sqrt[1 - c^2*x^2]])/d^2 - (3*Sqrt[e]*(a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(4*(-d)^(5/2)) + (3*Sqrt[e]*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(4*(-d)^(5/2)) - (3*Sqrt[e]*(a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(4*(-d)^(5/2)) + (3*Sqrt[e]*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(4*(-d)^(5/2)) - ((3*I)/4)*b*Sqrt[e]*PolyLog[2, -(Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])]/(-d)^(5/2) + (((3*I)/4)*b*Sqrt[e]*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(4*(-d)^(5/2)) - ((3*I)/4)*b*Sqrt[e]*PolyLog[2, -(Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])]/(-d)^(5/2) + (((3*I)/4)*b*Sqrt[e]*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(4*(-d)^(5/2))
```

### Rule 4733

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

### Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
```

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 4667

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*ArcSin[c\*x])^n, (d + e\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])

### Rule 4743

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)\*((d\_) + (e\_)\*(x\_)^m), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(e\*(m + 1)), x] - Dist[(b\*c\*n)/(e\*(m + 1)), Int[((d + e\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 725

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (c\_)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 4741

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))^(n\_)/((d\_) + (e\_)\*(x\_)), x\_Symbol] := Subst[Int[(a + b\*x)^n\*Cos[x]]/(c\*d + e\*Sin[x]), x, ArcSin[c\*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

### Rule 4521

Int[(Cos[(c\_) + (d\_)\*(x\_)]\*((e\_) + (f\_)\*(x\_)^m))/((a\_) + (b\_)\*Sin[(c\_) + (d\_)\*(x\_)]), x\_Symbol] := -Simp[(I\*(e + f\*x)^(m + 1))/(b\*f\*(m + 1)), x] + (Dist[I, Int[((e + f\*x)^m\*E^(I\*(c + d\*x)))/(I\*a - Rt[-a^2 + b^2, 2]

```
+ b*E^(I*(c + d*x)), x], x] + Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(
I*a + Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d,
e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]
```

### Rule 2190

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^2 (d + ex^2)^2} dx &= \int \left( \frac{a + b \sin^{-1}(cx)}{d^2 x^2} - \frac{e(a + b \sin^{-1}(cx))}{d(d + ex^2)^2} - \frac{e(a + b \sin^{-1}(cx))}{d^2 (d + ex^2)} \right) dx \\
&= \frac{\int \frac{a + b \sin^{-1}(cx)}{x^2} dx}{d^2} - \frac{e \int \frac{a + b \sin^{-1}(cx)}{d + ex^2} dx}{d^2} - \frac{e \int \frac{a + b \sin^{-1}(cx)}{(d + ex^2)^2} dx}{d} \\
&= -\frac{a + b \sin^{-1}(cx)}{d^2 x} + \frac{(bc) \int \frac{1}{x\sqrt{1-c^2x^2}} dx}{d^2} - \frac{e \int \left( \frac{\sqrt{-d}(a + b \sin^{-1}(cx))}{2d(\sqrt{-d} - \sqrt{ex})} + \frac{\sqrt{-d}(a + b \sin^{-1}(cx))}{2d(\sqrt{-d} + \sqrt{ex})} \right) dx}{d^2} - \frac{e \int \left( -\frac{e(a + b \sin^{-1}(cx))}{4d} \right) dx}{d} \\
&= -\frac{a + b \sin^{-1}(cx)}{d^2 x} + \frac{(bc) \text{Subst} \left( \int \frac{1}{x\sqrt{1-c^2x^2}} dx, x, x^2 \right)}{2d^2} + \frac{e \int \frac{a + b \sin^{-1}(cx)}{\sqrt{-d} - \sqrt{ex}} dx}{2(-d)^{5/2}} + \frac{e \int \frac{a + b \sin^{-1}(cx)}{\sqrt{-d} + \sqrt{ex}} dx}{2(-d)^{5/2}} + \frac{e \int \left( -\frac{e(a + b \sin^{-1}(cx))}{4d} \right) dx}{d} \\
&= -\frac{a + b \sin^{-1}(cx)}{d^2 x} + \frac{\sqrt{e}(a + b \sin^{-1}(cx))}{4d^2 (\sqrt{-d} - \sqrt{ex})} - \frac{\sqrt{e}(a + b \sin^{-1}(cx))}{4d^2 (\sqrt{-d} + \sqrt{ex})} - \frac{b \text{Subst} \left( \int \frac{1}{\frac{1}{c^2} - x^2} dx, x, \sqrt{1-c^2x^2} \right)}{cd^2} \\
&= -\frac{a + b \sin^{-1}(cx)}{d^2 x} + \frac{\sqrt{e}(a + b \sin^{-1}(cx))}{4d^2 (\sqrt{-d} - \sqrt{ex})} - \frac{\sqrt{e}(a + b \sin^{-1}(cx))}{4d^2 (\sqrt{-d} + \sqrt{ex})} - \frac{bc \tanh^{-1} \left( \sqrt{1-c^2x^2} \right)}{d^2} + \frac{e \int \left( -\frac{e(a + b \sin^{-1}(cx))}{4d} \right) dx}{d} \\
&= -\frac{a + b \sin^{-1}(cx)}{d^2 x} + \frac{\sqrt{e}(a + b \sin^{-1}(cx))}{4d^2 (\sqrt{-d} - \sqrt{ex})} - \frac{\sqrt{e}(a + b \sin^{-1}(cx))}{4d^2 (\sqrt{-d} + \sqrt{ex})} - \frac{bc\sqrt{e} \tanh^{-1} \left( \frac{\sqrt{e-c^2}\sqrt{-dx}}{\sqrt{c^2d+e}\sqrt{1-c^2x^2}} \right)}{4d^2 \sqrt{c^2d+e}} \\
&= -\frac{a + b \sin^{-1}(cx)}{d^2 x} + \frac{\sqrt{e}(a + b \sin^{-1}(cx))}{4d^2 (\sqrt{-d} - \sqrt{ex})} - \frac{\sqrt{e}(a + b \sin^{-1}(cx))}{4d^2 (\sqrt{-d} + \sqrt{ex})} - \frac{bc\sqrt{e} \tanh^{-1} \left( \frac{\sqrt{e-c^2}\sqrt{-dx}}{\sqrt{c^2d+e}\sqrt{1-c^2x^2}} \right)}{4d^2 \sqrt{c^2d+e}} \\
&= -\frac{a + b \sin^{-1}(cx)}{d^2 x} + \frac{\sqrt{e}(a + b \sin^{-1}(cx))}{4d^2 (\sqrt{-d} - \sqrt{ex})} - \frac{\sqrt{e}(a + b \sin^{-1}(cx))}{4d^2 (\sqrt{-d} + \sqrt{ex})} - \frac{bc\sqrt{e} \tanh^{-1} \left( \frac{\sqrt{e-c^2}\sqrt{-dx}}{\sqrt{c^2d+e}\sqrt{1-c^2x^2}} \right)}{4d^2 \sqrt{c^2d+e}} \\
&= -\frac{a + b \sin^{-1}(cx)}{d^2 x} + \frac{\sqrt{e}(a + b \sin^{-1}(cx))}{4d^2 (\sqrt{-d} - \sqrt{ex})} - \frac{\sqrt{e}(a + b \sin^{-1}(cx))}{4d^2 (\sqrt{-d} + \sqrt{ex})} - \frac{bc\sqrt{e} \tanh^{-1} \left( \frac{\sqrt{e-c^2}\sqrt{-dx}}{\sqrt{c^2d+e}\sqrt{1-c^2x^2}} \right)}{4d^2 \sqrt{c^2d+e}}
\end{aligned}$$

**Mathematica [A]** time = 1.47593, size = 672, normalized size = 0.85

$$b \left( 3\sqrt{e} \left( 2\text{PolyLog} \left( 2, \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d + e - c\sqrt{d}}} \right) + 2\text{PolyLog} \left( 2, -\frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d + e + c\sqrt{d}}} \right) + \sin^{-1}(cx) \left( \sin^{-1}(cx) + 2i \left( \log \left( 1 + \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{c\sqrt{d} - \sqrt{c^2 d + e}} \right) + \log \right. \right. \right.$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(x^2\*(d + e\*x^2)^2), x]

[Out] 
$$\begin{aligned} &((-8*a*\text{Sqrt}[d])/x - (4*a*\text{Sqrt}[d]*e*x)/(d + e*x^2) - 12*a*\text{Sqrt}[e]*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]] + b*((-2*I)*\text{Sqrt}[d]*\text{Sqrt}[e]*(\text{ArcSin}[c*x]/(\text{Sqrt}[d] + I*\text{Sqrt}[e]*x) - (c*\text{ArcTan}[(I*\text{Sqrt}[e] + c^2*\text{Sqrt}[d]*x)/(\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - c^2*x^2])])/\text{Sqrt}[c^2*d + e]) + 2*\text{Sqrt}[d]*\text{Sqrt}[e]*(-(\text{ArcSin}[c*x]/(I*\text{Sqrt}[d] + \text{Sqrt}[e]*x)) - (c*\text{ArcTanh}[(\text{Sqrt}[e] + I*c^2*\text{Sqrt}[d]*x)/(\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - c^2*x^2])])/\text{Sqrt}[c^2*d + e]) - (8*\text{Sqrt}[d]*(\text{ArcSin}[c*x] + c*x*\text{ArcTanh}[\text{Sqrt}[1 - c^2*x^2])])/x + 3*\text{Sqrt}[e]*(\text{ArcSin}[c*x]*(\text{ArcSin}[c*x] + (2*I)*(\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(c*\text{Sqrt}[d] - \text{Sqrt}[c^2*d + e])]) + \text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(c*\text{Sqrt}[d] + \text{Sqrt}[c^2*d + e])])) + 2*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(- (c*\text{Sqrt}[d]) + \text{Sqrt}[c^2*d + e])] + 2*\text{PolyLog}[2, - ((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(c*\text{Sqrt}[d] + \text{Sqrt}[c^2*d + e]))] - 3*\text{Sqrt}[e]*(\text{ArcSin}[c*x]*(\text{ArcSin}[c*x] + (2*I)*(\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(- (c*\text{Sqrt}[d]) + \text{Sqrt}[c^2*d + e])]) + \text{Log}[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(c*\text{Sqrt}[d] + \text{Sqrt}[c^2*d + e])])) + 2*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(c*\text{Sqrt}[d] - \text{Sqrt}[c^2*d + e])] + 2*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(c*\text{Sqrt}[d] + \text{Sqrt}[c^2*d + e])])))/(8*d^{(5/2)}) \end{aligned}$$

**Maple [C]** time = 2.112, size = 1839, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/x^2/(e\*x^2+d)^2,x)

[Out] 
$$\begin{aligned} &-1/2*a/d^2*e*c^2*x/(c^2*e*x^2+c^2*d)-3/2*a/d^2*e/(d*e)^{(1/2)}*\arctan(e*x/(d*e)^{(1/2)})-a/d^2/x-3/2*b*arcsin(c*x)/d^2*e*c^2*x/(c^2*e*x^2+c^2*d)-b*c^2/x*arcsin(c*x)/(c^2*e*x^2+c^2*d)/d+b*c^5*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^{(1/2)}+e)*e)^{(1/2)}*\arctan(e*(I*c*x+(-c^2*x^2+1)^{(1/2)})/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)}-e)*e)^{(1/2)})/(c^2*d+e)/e^2+b*c^3*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^{(1/2)}+e)*e)^{(1/2)}*\arctan(e*(I*c*x+(-c^2*x^2+1)^{(1/2)})/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)}-e)*e)^{(1/2)})/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)}-e)*e)^{(1/2)} \end{aligned}$$

$$\begin{aligned}
& 2*d+e))^{(1/2)}-e)*e)^{(1/2)})/d/(c^2*d+e)/e^2*(c^2*d*(c^2*d+e))^{(1/2)}+b*c^3*(- \\
& (2*c^2*d-2*(c^2*d*(c^2*d+e))^{(1/2)}+e)*e)^{(1/2)}*\arctan(e*(I*c*x+(-c^2*x^2+1) \\
& ^{(1/2)}))/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)}-e)*e)^{(1/2)})/d/(c^2*d+e)/e+1/2 \\
& *c*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^{(1/2)}+e)*e)^{(1/2)}*\arctan(e*(I*c*x+(-c^2 \\
& *x^2+1)^{(1/2)}))/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)}-e)*e)^{(1/2)})/d^2/(c^2*d \\
& +e)/e*(c^2*d*(c^2*d+e))^{(1/2)}-b*c^3*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^{(1/2)}+e) \\
& *e)^{(1/2)}*\arctan(e*(I*c*x+(-c^2*x^2+1)^{(1/2)}))/((-2*c^2*d+2*(c^2*d*(c^2*d+e) \\
& )^{(1/2)}-e)*e)^{(1/2)})/d/e^2-c*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^{(1/2)}+e)*e)^{( \\
& 1/2)}*\arctan(e*(I*c*x+(-c^2*x^2+1)^{(1/2)}))/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/ \\
& 2)}-e)*e)^{(1/2)})/d^2/e^2*(c^2*d*(c^2*d+e))^{(1/2)}-1/2*c*b*(-(2*c^2*d-2*(c^2*d \\
& *(c^2*d+e))^{(1/2)}+e)*e)^{(1/2)}*\arctan(e*(I*c*x+(-c^2*x^2+1)^{(1/2)}))/((-2*c^2* \\
& d+2*(c^2*d*(c^2*d+e))^{(1/2)}-e)*e)^{(1/2)})/d^2/e+b*c^5*((2*c^2*d+2*(c^2*d*(c^ \\
& 2*d+e))^{(1/2)}+e)*e)^{(1/2)}*\arctanh(e*(I*c*x+(-c^2*x^2+1)^{(1/2)}))/((2*c^2*d+2* \\
& (c^2*d*(c^2*d+e))^{(1/2)}+e)*e)^{(1/2)})/(c^2*d+e)/e^2-b*c^3*((2*c^2*d+2*(c^2*d \\
& *(c^2*d+e))^{(1/2)}+e)*e)^{(1/2)}*\arctanh(e*(I*c*x+(-c^2*x^2+1)^{(1/2)}))/((2*c^2* \\
& d+2*(c^2*d*(c^2*d+e))^{(1/2)}+e)*e)^{(1/2)})/d/(c^2*d+e)/e^2*(c^2*d*(c^2*d+e))^{ \\
& (1/2)}+b*c^3*((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)}+e)*e)^{(1/2)}*\arctanh(e*(I*c* \\
& x+(-c^2*x^2+1)^{(1/2)}))/((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)}+e)*e)^{(1/2)})/d/(c \\
& ^2*d+e)/e-1/2*c*b*((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)}+e)*e)^{(1/2)}*\arctanh(e \\
& *(I*c*x+(-c^2*x^2+1)^{(1/2)}))/((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)}+e)*e)^{(1/2) \\
& )/d^2/(c^2*d+e)/e*(c^2*d*(c^2*d+e))^{(1/2)}-b*c^3*((2*c^2*d+2*(c^2*d*(c^2*d+e) \\
& ))^{(1/2)}+e)*e)^{(1/2)}*\arctanh(e*(I*c*x+(-c^2*x^2+1)^{(1/2)}))/((2*c^2*d+2*(c^2* \\
& d*(c^2*d+e))^{(1/2)}+e)*e)^{(1/2)})/d/e^2+c*b*((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/ \\
& 2)}+e)*e)^{(1/2)}*\arctanh(e*(I*c*x+(-c^2*x^2+1)^{(1/2)}))/((2*c^2*d+2*(c^2*d*(c^2 \\
& *d+e))^{(1/2)}+e)*e)^{(1/2)})/d^2/e^2*(c^2*d*(c^2*d+e))^{(1/2)}-1/2*c*b*((2*c^2*d \\
& +2*(c^2*d*(c^2*d+e))^{(1/2)}+e)*e)^{(1/2)}*\arctanh(e*(I*c*x+(-c^2*x^2+1)^{(1/2)})) \\
& /((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)}+e)*e)^{(1/2)})/d^2/e+3/16*b/c/d^3*e*sum( \\
& (_R1^2*e-4*c^2*d-e)/_R1/(_R1^2*e-2*c^2*d-e)*(I*arcsin(c*x)*ln((_R1-I*c*x-(- \\
& c^2*x^2+1)^{(1/2)})/_R1)+dilog((_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/_R1)),_R1=Root0 \\
& f(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))+c*b/d^2*ln(I*c*x+(-c^2*x^2+1)^{(1/2)}-1)-c*b \\
& /d^2*ln(1+I*c*x+(-c^2*x^2+1)^{(1/2)})-3/16*b/c/d^3*e*sum((4*_R1^2*c^2*d+_R1^2 \\
& *e-e)/_R1/(_R1^2*e-2*c^2*d-e)*(I*arcsin(c*x)*ln((_R1-I*c*x-(-c^2*x^2+1)^{(1/ \\
& 2)})/_R1)+dilog((_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/_R1)),_R1=RootOf(e*_Z^4+(-4*c \\
& ^2*d-2*e)*_Z^2+e))
\end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(e\*x^2+d)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \arcsin(cx) + a}{e^2x^6 + 2dex^4 + d^2x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(e\*x^2+d)^2,x, algorithm="fricas")

[Out] integral((b\*arcsin(c\*x) + a)/(e^2\*x^6 + 2\*d\*e\*x^4 + d^2\*x^2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x\*\*2/(e\*x\*\*2+d)\*\*2,x)

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^2/(e\*x^2+d)^2,x, algorithm="giac")

[Out] Exception raised: TypeError



$$3.641 \quad \int \frac{x^5 (a + b \sin^{-1}(cx))}{(d + ex^2)^3} dx$$

**Optimal.** Leaf size=705

$$\frac{ibPolyLog\left(2, -\frac{\sqrt{ee^{i \sin^{-1}(cx)}}}{-\sqrt{c^2 d + e + ic\sqrt{-d}}}\right)}{2e^3} - \frac{ibPolyLog\left(2, \frac{\sqrt{ee^{i \sin^{-1}(cx)}}}{-\sqrt{c^2 d + e + ic\sqrt{-d}}}\right)}{2e^3} - \frac{ibPolyLog\left(2, -\frac{\sqrt{ee^{i \sin^{-1}(cx)}}}{\sqrt{c^2 d + e + ic\sqrt{-d}}}\right)}{2e^3} - \frac{ibPolyLog\left(2, \frac{\sqrt{ee^{i \sin^{-1}(cx)}}}{\sqrt{c^2 d + e + ic\sqrt{-d}}}\right)}{2e^3}$$

[Out] (b\*c\*d\*x\*Sqrt[1 - c^2\*x^2])/(8\*e^2\*(c^2\*d + e)\*(d + e\*x^2)) - (d^2\*(a + b\*ArcSin[c\*x]))/(4\*e^3\*(d + e\*x^2)^2) + (d\*(a + b\*ArcSin[c\*x]))/(e^3\*(d + e\*x^2)) - ((I/2)\*(a + b\*ArcSin[c\*x])^2)/(b\*e^3) - (b\*c\*Sqrt[d]\*ArcTan[(Sqrt[c^2\*d + e]\*x)/(Sqrt[d]\*Sqrt[1 - c^2\*x^2])])/(e^3\*Sqrt[c^2\*d + e]) + (b\*c\*Sqrt[d]\*(2\*c^2\*d + e)\*ArcTan[(Sqrt[c^2\*d + e]\*x)/(Sqrt[d]\*Sqrt[1 - c^2\*x^2])])/(8\*e^3\*(c^2\*d + e)^(3/2)) + ((a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(2\*e^3) + ((a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(2\*e^3) + ((a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(2\*e^3) + ((a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(2\*e^3) - ((I/2)\*b\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e]))])/e^3 - ((I/2)\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/e^3 - ((I/2)\*b\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e]))])/e^3 - ((I/2)\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/e^3

**Rubi [A]** time = 1.09456, antiderivative size = 705, normalized size of antiderivative = 1., number of steps used = 27, number of rules used = 10, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$ , Rules used = {4733, 4729, 382, 377, 205, 4741, 4521, 2190, 2279, 2391}

$$\frac{ibPolyLog\left(2, -\frac{\sqrt{ee^{i \sin^{-1}(cx)}}}{-\sqrt{c^2 d + e + ic\sqrt{-d}}}\right)}{2e^3} - \frac{ibPolyLog\left(2, \frac{\sqrt{ee^{i \sin^{-1}(cx)}}}{-\sqrt{c^2 d + e + ic\sqrt{-d}}}\right)}{2e^3} - \frac{ibPolyLog\left(2, -\frac{\sqrt{ee^{i \sin^{-1}(cx)}}}{\sqrt{c^2 d + e + ic\sqrt{-d}}}\right)}{2e^3} - \frac{ibPolyLog\left(2, \frac{\sqrt{ee^{i \sin^{-1}(cx)}}}{\sqrt{c^2 d + e + ic\sqrt{-d}}}\right)}{2e^3}$$

Antiderivative was successfully verified.

[In] Int[(x^5\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^3, x]

[Out] (b\*c\*d\*x\*Sqrt[1 - c^2\*x^2])/(8\*e^2\*(c^2\*d + e)\*(d + e\*x^2)) - (d^2\*(a + b\*ArcSin[c\*x]))/(4\*e^3\*(d + e\*x^2)^2) + (d\*(a + b\*ArcSin[c\*x]))/(e^3\*(d + e\*x^2)) - ((I/2)\*(a + b\*ArcSin[c\*x])^2)/(b\*e^3) - (b\*c\*Sqrt[d]\*ArcTan[(Sqrt[c^2\*d + e]\*x)/(Sqrt[d]\*Sqrt[1 - c^2\*x^2])])/(e^3\*Sqrt[c^2\*d + e]) + (b\*c\*Sqrt[d]\*(2\*c^2\*d + e)\*ArcTan[(Sqrt[c^2\*d + e]\*x)/(Sqrt[d]\*Sqrt[1 - c^2\*x^2])])/(8\*e^3\*(c^2\*d + e)^(3/2)) + ((a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(2\*e^3) + ((a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(2\*e^3) + ((a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(2\*e^3) + ((a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(2\*e^3) - ((I/2)\*b\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e]))])/e^3 - ((I/2)\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/e^3 - ((I/2)\*b\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e]))])/e^3 - ((I/2)\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/e^3

2)) - ((I/2)\*(a + b\*ArcSin[c\*x])^2)/(b\*e^3) - (b\*c\*Sqrt[d]\*ArcTan[(Sqrt[c^2\*d + e]\*x)/(Sqrt[d]\*Sqrt[1 - c^2\*x^2])])/(e^3\*Sqrt[c^2\*d + e]) + (b\*c\*Sqrt[d]\*(2\*c^2\*d + e)\*ArcTan[(Sqrt[c^2\*d + e]\*x)/(Sqrt[d]\*Sqrt[1 - c^2\*x^2])])/(8\*e^3\*(c^2\*d + e)^(3/2)) + ((a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))]/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e]))/(2\*e^3) + ((a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))]/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e]))/(2\*e^3) + ((a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))]/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e]))/(2\*e^3) + ((a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))]/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e]))/(2\*e^3) - ((I/2)\*b\*PolyLog[2, -(Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/e^3 - ((I/2)\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/e^3 - ((I/2)\*b\*PolyLog[2, -(Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/e^3 - ((I/2)\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/e^3

### Rule 4733

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.\*((f\_.)\*(x\_.))^m\_.\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*ArcSin[c\*x])^n, (f\*x)^m\*(d + e\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2\*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

### Rule 4729

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))\*(x\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x]))/(2\*e\*(p + 1)), x] - Dist[(b\*c)/(2\*e\*(p + 1)), Int[(d + e\*x^2)^(p + 1)/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2\*d + e, 0] && NeQ[p, -1]

### Rule 382

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(b\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*n\*(p + 1)\*(b\*c - a\*d)), x] + Dist[(b\*c + n\*(p + 1)\*(b\*c - a\*d))/(a\*n\*(p + 1)\*(b\*c - a\*d)), Int[(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ[q, -1]) && NeQ[p, -1]

### Rule 377

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)/((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Subst[Int[1/(c - (b\*c - a\*d)\*x^n), x], x, x/(a + b\*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

Rule 205

$\text{Int}[\frac{(a_.) + (b_.) \cdot (x_.)^2}{(a_./b_., 2)} \cdot \text{ArcTan}[x/\text{Rt}[a_./b_., 2]], x] /;$   $\text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{PosQ}[a/b]$

Rule 4741

$\text{Int}[\frac{(a_.) + \text{ArcSin}[(c_.) \cdot (x_.)] \cdot (b_.)}{(d_.) + (e_.) \cdot (x_.)}, x_{\text{Symbol}}] \rightarrow \text{Subst}[\text{Int}[\frac{(a + b \cdot x)^n \cdot \text{Cos}[x]}{(c \cdot d + e \cdot \text{Sin}[x])}, x], x, \text{ArcSin}[c \cdot x]] /;$   
 $\text{FreeQ}\{a, b, c, d, e\}, x\} \ \&\& \ \text{IGtQ}[n, 0]$

Rule 4521

$\text{Int}[\frac{\text{Cos}[(c_.) + (d_.) \cdot (x_.)] \cdot ((e_.) + (f_.) \cdot (x_.)^m)}{(a_.) + (b_.) \cdot \text{Sin}[(c_.) + (d_.) \cdot (x_.)]}, x_{\text{Symbol}}] \rightarrow -\text{Simp}[\frac{\text{I} \cdot (e + f \cdot x)^{m+1}}{(b \cdot f \cdot (m+1))}, x] + (\text{Dist}[\text{I}, \text{Int}[\frac{(e + f \cdot x)^m \cdot \text{E}^{\text{I} \cdot (c + d \cdot x)}}{\text{I} \cdot a - \text{Rt}[-a^2 + b^2, 2] + b \cdot \text{E}^{\text{I} \cdot (c + d \cdot x)}}], x], x] + \text{Dist}[\text{I}, \text{Int}[\frac{(e + f \cdot x)^m \cdot \text{E}^{\text{I} \cdot (c + d \cdot x)}}{\text{I} \cdot a + \text{Rt}[-a^2 + b^2, 2] + b \cdot \text{E}^{\text{I} \cdot (c + d \cdot x)}}], x], x]) /;$   $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{NegQ}[a^2 - b^2]$

Rule 2190

$\text{Int}[\frac{((F_.)^{\text{I} \cdot ((g_.) \cdot ((e_.) + (f_.) \cdot (x_.)^m))})^{n_.)} \cdot ((c_.) + (d_.) \cdot (x_.)^m)}{((a_.) + (b_.) \cdot (F_.)^{\text{I} \cdot ((g_.) \cdot ((e_.) + (f_.) \cdot (x_.)^m))})^{n_.)}}, x_{\text{Symbol}}] \rightarrow \text{Simp}[\frac{(c + d \cdot x)^m \cdot \text{Log}[1 + (b \cdot (F^{\text{I} \cdot (g \cdot (e + f \cdot x)))^n)/a]}{(b \cdot f \cdot g \cdot n \cdot \text{Log}[F])}, x] - \text{Dist}[\frac{(d \cdot m)}{(b \cdot f \cdot g \cdot n \cdot \text{Log}[F])}, \text{Int}[(c + d \cdot x)^{m-1} \cdot \text{Log}[1 + (b \cdot (F^{\text{I} \cdot (g \cdot (e + f \cdot x)))^n)/a}], x], x] /;$   $\text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2279

$\text{Int}[\text{Log}[(a_.) + (b_.) \cdot (F_.)^{\text{I} \cdot ((e_.) \cdot ((c_.) + (d_.) \cdot (x_.)^m))}]^{n_.)}], x_{\text{Symbol}}] \rightarrow \text{Dist}[1/(d \cdot e \cdot n \cdot \text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b \cdot x]/x, x], x, (F^{\text{I} \cdot (e \cdot (c + d \cdot x))})^n], x] /;$   $\text{FreeQ}\{F, a, b, c, d, e, n\}, x\} \ \&\& \ \text{GtQ}[a, 0]$

Rule 2391

$\text{Int}[\frac{\text{Log}[(c_.) \cdot ((d_.) + (e_.) \cdot (x_.)^n)]}{(x_.)}, x_{\text{Symbol}}] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c \cdot e \cdot x^n)]/n, x] /;$   $\text{FreeQ}\{c, d, e, n\}, x\} \ \&\& \ \text{EqQ}[c \cdot d, 1]$

Rubi steps

$$\begin{aligned}
\int \frac{x^5 (a + b \sin^{-1}(cx))}{(d + ex^2)^3} dx &= \int \left( \frac{d^2 x (a + b \sin^{-1}(cx))}{e^2 (d + ex^2)^3} - \frac{2dx (a + b \sin^{-1}(cx))}{e^2 (d + ex^2)^2} + \frac{x (a + b \sin^{-1}(cx))}{e^2 (d + ex^2)} \right) dx \\
&= \frac{\int \frac{x(a+b \sin^{-1}(cx))}{d+ex^2} dx}{e^2} - \frac{(2d) \int \frac{x(a+b \sin^{-1}(cx))}{(d+ex^2)^2} dx}{e^2} + \frac{d^2 \int \frac{x(a+b \sin^{-1}(cx))}{(d+ex^2)^3} dx}{e^2} \\
&= -\frac{d^2 (a + b \sin^{-1}(cx))}{4e^3 (d + ex^2)^2} + \frac{d (a + b \sin^{-1}(cx))}{e^3 (d + ex^2)} - \frac{(bcd) \int \frac{1}{\sqrt{1-c^2x^2}(d+ex^2)} dx}{e^3} + \frac{(bcd^2) \int \frac{1}{\sqrt{1-c^2x^2}(d+ex^2)} dx}{4e^3} \\
&= \frac{bcdx\sqrt{1-c^2x^2}}{8e^2 (c^2d + e) (d + ex^2)} - \frac{d^2 (a + b \sin^{-1}(cx))}{4e^3 (d + ex^2)^2} + \frac{d (a + b \sin^{-1}(cx))}{e^3 (d + ex^2)} - \frac{(bcd) \text{Subst} \left( \int \frac{1}{d-(-c^2d+ex^2)} dx \right)}{e^3} \\
&= \frac{bcdx\sqrt{1-c^2x^2}}{8e^2 (c^2d + e) (d + ex^2)} - \frac{d^2 (a + b \sin^{-1}(cx))}{4e^3 (d + ex^2)^2} + \frac{d (a + b \sin^{-1}(cx))}{e^3 (d + ex^2)} - \frac{bc\sqrt{d} \tan^{-1} \left( \frac{\sqrt{c^2d+ex}}{\sqrt{d}\sqrt{1-c^2x^2}} \right)}{e^3 \sqrt{c^2d + e}} \\
&= \frac{bcdx\sqrt{1-c^2x^2}}{8e^2 (c^2d + e) (d + ex^2)} - \frac{d^2 (a + b \sin^{-1}(cx))}{4e^3 (d + ex^2)^2} + \frac{d (a + b \sin^{-1}(cx))}{e^3 (d + ex^2)} - \frac{i (a + b \sin^{-1}(cx))^2}{2be^3} \\
&= \frac{bcdx\sqrt{1-c^2x^2}}{8e^2 (c^2d + e) (d + ex^2)} - \frac{d^2 (a + b \sin^{-1}(cx))}{4e^3 (d + ex^2)^2} + \frac{d (a + b \sin^{-1}(cx))}{e^3 (d + ex^2)} - \frac{i (a + b \sin^{-1}(cx))^2}{2be^3} \\
&= \frac{bcdx\sqrt{1-c^2x^2}}{8e^2 (c^2d + e) (d + ex^2)} - \frac{d^2 (a + b \sin^{-1}(cx))}{4e^3 (d + ex^2)^2} + \frac{d (a + b \sin^{-1}(cx))}{e^3 (d + ex^2)} - \frac{i (a + b \sin^{-1}(cx))^2}{2be^3} \\
&= \frac{bcdx\sqrt{1-c^2x^2}}{8e^2 (c^2d + e) (d + ex^2)} - \frac{d^2 (a + b \sin^{-1}(cx))}{4e^3 (d + ex^2)^2} + \frac{d (a + b \sin^{-1}(cx))}{e^3 (d + ex^2)} - \frac{i (a + b \sin^{-1}(cx))^2}{2be^3}
\end{aligned}$$

**Mathematica [A]** time = 6.48581, size = 973, normalized size = 1.38

$$-\frac{4ad^2}{(ex^2+d)^2} + \frac{16ad}{ex^2+d} + 8a \log(ex^2 + d) + b \left( \frac{id^{3/2} \log\left(\frac{e\sqrt{dc^2+e}(-i\sqrt{d}xc^2+\sqrt{e+\sqrt{dc^2+e}\sqrt{1-c^2x^2}})}{c^3(d+i\sqrt{e}\sqrt{d})}\right)}{(dc^2+e)^{3/2}} - \frac{id^{3/2} \log\left(\frac{e\sqrt{dc^2+e}(i\sqrt{d}xc^2+\sqrt{e+\sqrt{dc^2+e}\sqrt{1-c^2x^2}})}{c^3(d-i\sqrt{d}\sqrt{ex})}\right)}{(dc^2+e)^{3/2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^5\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^3,x]

[Out] 
$$\begin{aligned} &((-4*a*d^2)/(d + e*x^2)^2 + (16*a*d)/(d + e*x^2) + 8*a*\text{Log}[d + e*x^2] + b*( \\ &(c*d*\text{Sqrt}[e]*\text{Sqrt}[1 - c^2*x^2])/((c^2*d + e)*((-I)*\text{Sqrt}[d] + \text{Sqrt}[e]*x)) + \\ &(c*d*\text{Sqrt}[e]*\text{Sqrt}[1 - c^2*x^2])/((c^2*d + e)*(I*\text{Sqrt}[d] + \text{Sqrt}[e]*x)) + (7* \\ &\text{Sqrt}[d]*\text{ArcSin}[c*x])/(\text{Sqrt}[d] - I*\text{Sqrt}[e]*x) - (d*\text{ArcSin}[c*x])/(\text{Sqrt}[d] + I \\ &*\text{Sqrt}[e]*x)^2 + (7*\text{Sqrt}[d]*\text{ArcSin}[c*x])/(\text{Sqrt}[d] + I*\text{Sqrt}[e]*x) + (d*\text{ArcSin} \\ &[c*x])/((I*\text{Sqrt}[d] + \text{Sqrt}[e]*x)^2 - (8*I)*\text{ArcSin}[c*x]^2 - (7*c*\text{Sqrt}[d]*\text{ArcTan} \\ &h[(I*\text{Sqrt}[e] + c^2*\text{Sqrt}[d]*x)/(\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - c^2*x^2])])/\text{Sqrt}[c^ \\ &2*d + e] + ((7*I)*c*\text{Sqrt}[d]*\text{ArcTanh}[(\text{Sqrt}[e] + I*c^2*\text{Sqrt}[d]*x)/(\text{Sqrt}[c^2*d \\ &+ e]*\text{Sqrt}[1 - c^2*x^2])])/\text{Sqrt}[c^2*d + e] + 8*\text{ArcSin}[c*x]*\text{Log}[1 + (\text{Sqrt}[e] \\ &*E^(I*\text{ArcSin}[c*x]))/(c*\text{Sqrt}[d] - \text{Sqrt}[c^2*d + e])] + 8*\text{ArcSin}[c*x]*\text{Log}[1 + \\ &(\text{Sqrt}[e]*E^(I*\text{ArcSin}[c*x]))/(-(c*\text{Sqrt}[d]) + \text{Sqrt}[c^2*d + e])] + 8*\text{ArcSin}[c* \\ &x]*\text{Log}[1 - (\text{Sqrt}[e]*E^(I*\text{ArcSin}[c*x]))/(c*\text{Sqrt}[d] + \text{Sqrt}[c^2*d + e])] + 8*A \\ &rcSin[c*x]*\text{Log}[1 + (\text{Sqrt}[e]*E^(I*\text{ArcSin}[c*x]))/(c*\text{Sqrt}[d] + \text{Sqrt}[c^2*d + e] \\ &)] + (I*c^3*d^(3/2)*\text{Log}[(e*\text{Sqrt}[c^2*d + e]*(\text{Sqrt}[e] - I*c^2*\text{Sqrt}[d]*x + \text{Sqr} \\ &t[c^2*d + e]*\text{Sqrt}[1 - c^2*x^2])]/(c^3*(d + I*\text{Sqrt}[d]*\text{Sqrt}[e]*x)))]/(c^2*d + \\ &e)^(3/2) - (I*c^3*d^(3/2)*\text{Log}[(e*\text{Sqrt}[c^2*d + e]*(\text{Sqrt}[e] + I*c^2*\text{Sqrt}[d]* \\ &x + \text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - c^2*x^2])]/(c^3*(d - I*\text{Sqrt}[d]*\text{Sqrt}[e]*x)))]/( \\ &c^2*d + e)^(3/2) - (8*I)*\text{PolyLog}[2, (\text{Sqrt}[e]*E^(I*\text{ArcSin}[c*x]))/(c*\text{Sqrt}[d] \\ &- \text{Sqrt}[c^2*d + e])] - (8*I)*\text{PolyLog}[2, (\text{Sqrt}[e]*E^(I*\text{ArcSin}[c*x]))/(-(c*\text{Sqr} \\ &t[d]) + \text{Sqrt}[c^2*d + e])] - (8*I)*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^(I*\text{ArcSin}[c*x]))/ \\ &(c*\text{Sqrt}[d] + \text{Sqrt}[c^2*d + e]))] - (8*I)*\text{PolyLog}[2, (\text{Sqrt}[e]*E^(I*\text{ArcSin}[c*x] \\ &))]/(c*\text{Sqrt}[d] + \text{Sqrt}[c^2*d + e])])]/(16*e^3) \end{aligned}$$

---

**Maple [C]** time = 1.639, size = 5124, normalized size = 7.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^3,x)

[Out] result too large to display

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{4} a \left( \frac{4 d e x^2 + 3 d^2}{e^5 x^4 + 2 d e^4 x^2 + d^2 e^3} + \frac{2 \log(e x^2 + d)}{e^3} \right) + b \int \frac{x^5 \arctan(cx, \sqrt{cx+1} \sqrt{-cx+1})}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^3,x, algorithm="maxima")

[Out] 1/4\*a\*((4\*d\*e\*x^2 + 3\*d^2)/(e^5\*x^4 + 2\*d\*e^4\*x^2 + d^2\*e^3) + 2\*log(e\*x^2 + d)/e^3) + b\*integrate(x^5\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/(e^3\*x^6 + 3\*d\*e^2\*x^4 + 3\*d^2\*e\*x^2 + d^3), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b x^5 \arcsin(c x) + a x^5}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^3,x, algorithm="fricas")

[Out] integral((b\*x^5\*arcsin(c\*x) + a\*x^5)/(e^3\*x^6 + 3\*d\*e^2\*x^4 + 3\*d^2\*e\*x^2 + d^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*(a+b\*asin(c\*x))/(e\*x\*\*2+d)\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^5}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(a+b*arcsin(c*x))/(e*x^2+d)^3,x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)*x^5/(e*x^2 + d)^3, x)
```

$$3.642 \quad \int \frac{x^3 (a + b \sin^{-1}(cx))}{(d + ex^2)^3} dx$$

**Optimal.** Leaf size=153

$$\frac{x^4 (a + b \sin^{-1}(cx))}{4d(d + ex^2)^2} + \frac{bc(2c^2d + 3e) \tan^{-1}\left(\frac{x\sqrt{c^2d+e}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{8\sqrt{de^2}(c^2d + e)^{3/2}} - \frac{bcx\sqrt{1-c^2x^2}}{8e(c^2d + e)(d + ex^2)} - \frac{b \sin^{-1}(cx)}{4de^2}$$

[Out]  $-(b*c*x*\text{Sqrt}[1 - c^2*x^2])/(8*e*(c^2*d + e)*(d + e*x^2)) - (b*\text{ArcSin}[c*x])/(4*d*e^2) + (x^4*(a + b*\text{ArcSin}[c*x]))/(4*d*(d + e*x^2)^2) + (b*c*(2*c^2*d + 3*e)*\text{ArcTan}[(\text{Sqrt}[c^2*d + e]*x)/(\text{Sqrt}[d]*\text{Sqrt}[1 - c^2*x^2])])/(8*\text{Sqrt}[d]*e^2*(c^2*d + e)^{(3/2)})$

**Rubi [A]** time = 0.193865, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 8, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$ , Rules used = {264, 4731, 12, 470, 523, 216, 377, 205}

$$\frac{x^4 (a + b \sin^{-1}(cx))}{4d(d + ex^2)^2} + \frac{bc(2c^2d + 3e) \tan^{-1}\left(\frac{x\sqrt{c^2d+e}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{8\sqrt{de^2}(c^2d + e)^{3/2}} - \frac{bcx\sqrt{1-c^2x^2}}{8e(c^2d + e)(d + ex^2)} - \frac{b \sin^{-1}(cx)}{4de^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^3*(a + b*\text{ArcSin}[c*x]))/(d + e*x^2)^3, x]$

[Out]  $-(b*c*x*\text{Sqrt}[1 - c^2*x^2])/(8*e*(c^2*d + e)*(d + e*x^2)) - (b*\text{ArcSin}[c*x])/(4*d*e^2) + (x^4*(a + b*\text{ArcSin}[c*x]))/(4*d*(d + e*x^2)^2) + (b*c*(2*c^2*d + 3*e)*\text{ArcTan}[(\text{Sqrt}[c^2*d + e]*x)/(\text{Sqrt}[d]*\text{Sqrt}[1 - c^2*x^2])])/(8*\text{Sqrt}[d]*e^2*(c^2*d + e)^{(3/2)})$

#### Rule 264

$\text{Int}[(c_.*x_)^{m_*}((a_*) + (b_*)x_*)^{n_*})^{p_*}, x\_Symbol] \rightarrow \text{Simp}[(c_*x_*)^{m_*+1}((a_* + b_*x_*)^{n_*})^{p_*+1}/(a_*c_*(m_*+1)), x] /;$   $\text{FreeQ}\{a, b, c, m, n, p\}, x] \ \&\& \ \text{EqQ}[(m_*+1)/n_*+p_*+1, 0] \ \&\& \ \text{NeQ}[m_*, -1]$

#### Rule 4731

$\text{Int}[(a_*) + \text{ArcSin}[c_.*x_*])*(b_*)*((f_*)x_*)^{m_*}((d_*) + (e_*)x_*)^{p_*}, x\_Symbol] \rightarrow \text{With}\{u = \text{IntHide}[(f_*x_*)^{m_*}(d_* + e_*x_*)^{p_*}, x]\}, \text{Dist}$



$[a + b \cdot \text{ArcSin}[c \cdot x], u, x] - \text{Dist}[b \cdot c, \text{Int}[\text{SimplifyIntegrand}[u/\text{Sqrt}[1 - c^2 \cdot x^2], x], x], x] /;$  FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

### Rule 12

$\text{Int}[(a\_)(u\_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /;$  FreeQ[a, x] && !MatchQ[u, (b\\_)(v\\_)] /; FreeQ[b, x]

### Rule 470

$\text{Int}[((e\_)(x\_))^{(m\_)}((a\_)(x\_))^{(n\_)}((c\_)(x\_))^{(p\_)}((d\_)(x\_))^{(q\_)}, x\_Symbol] \rightarrow -\text{Simp}[(a \cdot e^{(2n-1)}(e \cdot x)^{(m-2n+1)}(a + b \cdot x^n)^{(p+1)}(c + d \cdot x^n)^{(q+1)})/(b \cdot n \cdot (b \cdot c - a \cdot d) \cdot (p+1)), x] + \text{Dist}[e^{(2n)}(b \cdot n \cdot (b \cdot c - a \cdot d) \cdot (p+1)), \text{Int}[(e \cdot x)^{(m-2n)}(a + b \cdot x^n)^{(p+1)}(c + d \cdot x^n)^q \cdot \text{Simp}[a \cdot c \cdot (m-2n+1) + (a \cdot d \cdot (m-n+n \cdot q+1) + b \cdot c \cdot n \cdot (p+1)) \cdot x^n, x], x], x] /;$  FreeQ[{a, b, c, d, e, q}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m - n + 1, n] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

### Rule 523

$\text{Int}[(e\_)(x\_))^{(n\_)}((f\_)(x\_))^{(n\_)}((a\_)(x\_))^{(n\_)}((b\_)(x\_))^{(n\_)}\text{Sqrt}[(c\_)(x\_))^{(n\_)}((d\_)(x\_))^{(n\_)}], x\_Symbol] \rightarrow \text{Dist}[f/b, \text{Int}[1/\text{Sqrt}[c + d \cdot x^n], x], x] + \text{Dist}[(b \cdot e - a \cdot f)/b, \text{Int}[1/((a + b \cdot x^n) \cdot \text{Sqrt}[c + d \cdot x^n]), x], x] /;$  FreeQ[{a, b, c, d, e, f, n}, x]

### Rule 216

$\text{Int}[1/\text{Sqrt}[(a\_)(x\_))^{(2)}], x\_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2] \cdot x)/\text{Sqrt}[a]], \text{Rt}[-b, 2], x] /;$  FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 377

$\text{Int}[(a\_)(x\_))^{(p\_)}((b\_)(x\_))^{(n\_)}((c\_)(x\_))^{(n\_)}((d\_)(x\_))^{(n\_)}, x\_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(c - (b \cdot c - a \cdot d) \cdot x^n), x], x, x/(a + b \cdot x^n)^{(1/n)}] /;$  FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && EqQ[n\*p + 1, 0] && IntegerQ[n]

### Rule 205

$\text{Int}[(a\_)(x\_))^{(-1)}((b\_)(x\_))^{(2)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$  FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 (a + b \sin^{-1}(cx))}{(d + ex^2)^3} dx &= \frac{x^4 (a + b \sin^{-1}(cx))}{4d (d + ex^2)^2} - (bc) \int \frac{x^4}{4d \sqrt{1 - c^2 x^2} (d + ex^2)^2} dx \\
&= \frac{x^4 (a + b \sin^{-1}(cx))}{4d (d + ex^2)^2} - \frac{(bc) \int \frac{x^4}{\sqrt{1 - c^2 x^2} (d + ex^2)^2} dx}{4d} \\
&= -\frac{bcx \sqrt{1 - c^2 x^2}}{8e (c^2 d + e) (d + ex^2)} + \frac{x^4 (a + b \sin^{-1}(cx))}{4d (d + ex^2)^2} + \frac{(bc) \int \frac{d - 2(c^2 d + e)x^2}{\sqrt{1 - c^2 x^2} (d + ex^2)} dx}{8de (c^2 d + e)} \\
&= -\frac{bcx \sqrt{1 - c^2 x^2}}{8e (c^2 d + e) (d + ex^2)} + \frac{x^4 (a + b \sin^{-1}(cx))}{4d (d + ex^2)^2} - \frac{(bc) \int \frac{1}{\sqrt{1 - c^2 x^2}} dx}{4de^2} + \frac{(bc (2c^2 d + 3e)) \int \frac{1}{\sqrt{1 - c^2 x^2}} dx}{8e^2 (c^2 d + e)} \\
&= -\frac{bcx \sqrt{1 - c^2 x^2}}{8e (c^2 d + e) (d + ex^2)} - \frac{b \sin^{-1}(cx)}{4de^2} + \frac{x^4 (a + b \sin^{-1}(cx))}{4d (d + ex^2)^2} + \frac{(bc (2c^2 d + 3e)) \text{Subst} \left( \int \frac{1}{\sqrt{1 - c^2 x^2}} dx \right)}{8e^2 (c^2 d + e)} \\
&= -\frac{bcx \sqrt{1 - c^2 x^2}}{8e (c^2 d + e) (d + ex^2)} - \frac{b \sin^{-1}(cx)}{4de^2} + \frac{x^4 (a + b \sin^{-1}(cx))}{4d (d + ex^2)^2} + \frac{bc (2c^2 d + 3e) \tan^{-1} \left( \frac{\sqrt{c^2 d + e}}{\sqrt{d} \sqrt{1 - c^2 x^2}} \right)}{8\sqrt{d} e^2 (c^2 d + e)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.537112, size = 152, normalized size = 0.99

$$\frac{-\frac{2a(d+2ex^2) + \frac{bcx\sqrt{1-c^2x^2}(d+ex^2)}{c^2d+e}}{(d+ex^2)^2} + \frac{bc(2c^2d+3e)\tan^{-1}\left(\frac{x\sqrt{c^2d+e}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{\sqrt{d}(c^2d+e)^{3/2}} - \frac{2b\sin^{-1}(cx)(d+2ex^2)}{(d+ex^2)^2}}{8e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^3,x]

[Out] (-(((b\*c\*e\*x\*sqrt[1 - c^2\*x^2]\*(d + e\*x^2))/(c^2\*d + e) + 2\*a\*(d + 2\*e\*x^2))/(d + e\*x^2)^2 - (2\*b\*(d + 2\*e\*x^2)\*ArcSin[c\*x]))/(d + e\*x^2)^2 + (b\*c\*(2\*c^2\*d + 3\*e)\*ArcTan[(sqrt[c^2\*d + e]\*x)/(sqrt[d]\*sqrt[1 - c^2\*x^2])])/(sqrt[d]\*(c^2\*d + e)^(3/2)))/(8\*e^2)

**Maple [B]** time = 0.018, size = 1055, normalized size = 6.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^3(a+b\arcsin(cx))/(e*x^2+d)^3,x)$

[Out] 
$$\begin{aligned} & -1/2*c^2*a/e^2/(c^2*e*x^2+c^2*d)+1/4*c^4*a/e^2*d/(c^2*e*x^2+c^2*d)^2-1/2*c^2*b*\arcsin(cx)/e^2/(c^2*e*x^2+c^2*d)+1/4*c^4*b*\arcsin(cx)/e^2*d/(c^2*e*x^2+c^2*d)^2+3/16*c^2*b/e^2/(-c^2*e*d)^{(1/2)/((c^2*d+e)/e)^{(1/2)}*\ln((2*(c^2*d+e)/e+2*(-c^2*e*d)^{(1/2)/e*(c*x+(-c^2*e*d)^{(1/2)/e})+2*((c^2*d+e)/e)^{(1/2)}*(-(c*x+(-c^2*e*d)^{(1/2)/e})^2+2*(-c^2*e*d)^{(1/2)/e*(c*x+(-c^2*e*d)^{(1/2)/e})+(c^2*d+e)/e)^{(1/2)))/(c*x+(-c^2*e*d)^{(1/2)/e))-1/16*c^2*b/e^2/(c^2*d+e)/(c*x+(-c^2*e*d)^{(1/2)/e)*(-c*x+(-c^2*e*d)^{(1/2)/e})^2+2*(-c^2*e*d)^{(1/2)/e*(c*x+(-c^2*e*d)^{(1/2)/e})+(c^2*d+e)/e)^{(1/2)}+1/16*c^2*b/e^3*(-c^2*e*d)^{(1/2)/(c^2*d+e)/((c^2*d+e)/e)^{(1/2)}*\ln((2*(c^2*d+e)/e+2*(-c^2*e*d)^{(1/2)/e*(c*x+(-c^2*e*d)^{(1/2)/e})+2*((c^2*d+e)/e)^{(1/2)}*(-(c*x+(-c^2*e*d)^{(1/2)/e})^2+2*(-c^2*e*d)^{(1/2)/e*(c*x+(-c^2*e*d)^{(1/2)/e})+(c^2*d+e)/e)^{(1/2)))/(c*x+(-c^2*e*d)^{(1/2)/e))-3/16*c^2*b/e^2/(-c^2*e*d)^{(1/2)/((c^2*d+e)/e)^{(1/2)}*\ln((2*(c^2*d+e)/e-2*(-c^2*e*d)^{(1/2)/e*(c*x-(-c^2*e*d)^{(1/2)/e})+2*((c^2*d+e)/e)^{(1/2)}*(-(c*x-(-c^2*e*d)^{(1/2)/e})^2-2*(-c^2*e*d)^{(1/2)/e*(c*x-(-c^2*e*d)^{(1/2)/e})+(c^2*d+e)/e)^{(1/2)))/(c*x-(-c^2*e*d)^{(1/2)/e))-1/16*c^2*b/e^2/(c^2*d+e)/(c*x-(-c^2*e*d)^{(1/2)/e)*(-c*x-(-c^2*e*d)^{(1/2)/e})^2-2*(-c^2*e*d)^{(1/2)/e*(c*x-(-c^2*e*d)^{(1/2)/e})+(c^2*d+e)/e)^{(1/2)}-1/16*c^2*b/e^3*(-c^2*e*d)^{(1/2)/(c^2*d+e)/((c^2*d+e)/e)^{(1/2)}*\ln((2*(c^2*d+e)/e-2*(-c^2*e*d)^{(1/2)/e*(c*x-(-c^2*e*d)^{(1/2)/e})+2*((c^2*d+e)/e)^{(1/2)}*(-(c*x-(-c^2*e*d)^{(1/2)/e})^2-2*(-c^2*e*d)^{(1/2)/e*(c*x-(-c^2*e*d)^{(1/2)/e})+(c^2*d+e)/e)^{(1/2)))/(c*x-(-c^2*e*d)^{(1/2)/e))} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(2ex^2 + d)a}{4(e^4x^4 + 2de^3x^2 + d^2e^2)} \left( (2ex^2 + d) \arctan(cx, \sqrt{cx+1}\sqrt{-cx+1}) + (e^4x^4 + 2de^3x^2 + d^2e^2) \int \frac{1}{c^4e^4x^8 - c^2d^2e^2x^2 + (2c^4a + d^2e^2)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^3(a+b\arcsin(cx))/(e*x^2+d)^3,x, \text{algorithm}="maxima")$

[Out] 
$$\begin{aligned} & -1/4*(2*e*x^2 + d)*a/(e^4*x^4 + 2*d*e^3*x^2 + d^2*e^2) - 1/4*((2*e*x^2 + d) \\ & * \arctan2(cx, \sqrt{cx + 1}*\sqrt{-cx + 1})) + 4*(e^4*x^4 + 2*d*e^3*x^2 + d^2 \\ & *e^2)*\text{integrate}(1/4*(2*c*e*x^2 + c*d)*e^{(1/2)*\log(cx + 1) + 1/2*\log(-cx + \\ & 1))/(c^4*e^4*x^8 - c^2*d^2*e^2*x^2 + (2*c^4*d*e^3 - c^2*e^4)*x^6 + (c^4*d^2 \\ & *e^2 - 2*c^2*d*e^3)*x^4 + (c^2*e^4*x^6 + (2*c^2*d*e^3 - e^4)*x^4 - d^2*e^2 \end{aligned}$$

$$+ (c^2d^2e^2 - 2de^3)x^2)e^{(\log(cx + 1) + \log(-cx + 1))}, x) * b / (e^4x^4 + 2de^3x^2 + d^2e^2)$$

**Fricas [B]** time = 3.99899, size = 1891, normalized size = 12.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/32*(8*a*c^4*d^4 + 16*a*c^2*d^3*e + 8*a*d^2*e^2 + 16*(a*c^4*d^3*e + 2*a*c^2*d^2*e^2 + a*d*e^3)*x^2 + (2*b*c^3*d^3 + 3*b*c*d^2*e + (2*b*c^3*d*e^2 + 3*b*c*e^3)*x^4 + 2*(2*b*c^3*d^2*e + 3*b*c*d*e^2)*x^2)*\sqrt{-c^2*d^2 - d*e} * \\ & \log(((8*c^4*d^2 + 8*c^2*d*e + e^2)*x^4 - 2*(4*c^2*d^2 + 3*d*e)*x^2 - 4*\sqrt{-c^2*d^2 - d*e}*\sqrt{-c^2*x^2 + 1}*((2*c^2*d + e)*x^3 - d*x) + d^2)/(e^2*x^4 + 2*d*e*x^2 + d^2)) + 8*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2 + 2*(b*c^4*d^3*e + 2*b*c^2*d^2*e^2 + b*d*e^3)*x^2)*\arcsin(c*x) + 4*\sqrt{-c^2*x^2 + 1} * \\ & ((b*c^3*d^2*e^2 + b*c*d*e^3)*x^3 + (b*c^3*d^3*e + b*c*d^2*e^2)*x) / (c^4*d^5*e^2 + 2*c^2*d^4*e^3 + d^3*e^4 + (c^4*d^3*e^4 + 2*c^2*d^2*e^5 + d*e^6)*x^4 + 2*(c^4*d^4*e^3 + 2*c^2*d^3*e^4 + d^2*e^5)*x^2), -1/16*(4*a*c^4*d^4 + 8*a*c^2*d^3*e + 4*a*d^2*e^2 + 8*(a*c^4*d^3*e + 2*a*c^2*d^2*e^2 + a*d*e^3)*x^2 + (2*b*c^3*d^3 + 3*b*c*d^2*e + (2*b*c^3*d*e^2 + 3*b*c*e^3)*x^4 + 2*(2*b*c^3*d^2*e + 3*b*c*d*e^2)*x^2)*\sqrt{c^2*d^2 + d*e} * \arctan(1/2*\sqrt{c^2*d^2 + d*e})*\sqrt{-c^2*x^2 + 1} * ((2*c^2*d + e)*x^2 - d) / ((c^4*d^2 + c^2*d*e)*x^3 - (c^2*d^2 + d*e)*x) + 4*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2 + 2*(b*c^4*d^3*e + 2*b*c^2*d^2*e^2 + b*d*e^3)*x^2)*\arcsin(c*x) + 2*\sqrt{-c^2*x^2 + 1} * ((b*c^3*d^2*e^2 + b*c*d*e^3)*x^3 + (b*c^3*d^3*e + b*c*d^2*e^2)*x) / (c^4*d^5*e^2 + 2*c^2*d^4*e^3 + d^3*e^4 + (c^4*d^3*e^4 + 2*c^2*d^2*e^5 + d*e^6)*x^4 + 2*(c^4*d^4*e^3 + 2*c^2*d^3*e^4 + d^2*e^5)*x^2)] \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(a+b\*asin(c\*x))/(e\*x\*\*2+d)\*\*3,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^3}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^3,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x^3/(e\*x^2 + d)^3, x)

$$3.643 \quad \int \frac{x(a+b \sin^{-1}(cx))}{(d+ex^2)^3} dx$$

Optimal. Leaf size=133

$$-\frac{a+b \sin^{-1}(cx)}{4e(d+ex^2)^2} + \frac{bc(2c^2d+e) \tan^{-1}\left(\frac{x\sqrt{c^2d+e}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{8d^{3/2}e(c^2d+e)^{3/2}} + \frac{bcx\sqrt{1-c^2x^2}}{8d(c^2d+e)(d+ex^2)}$$

[Out] (b\*c\*x\*Sqrt[1 - c^2\*x^2])/(8\*d\*(c^2\*d + e)\*(d + e\*x^2)) - (a + b\*ArcSin[c\*x])/ (4\*e\*(d + e\*x^2)^2) + (b\*c\*(2\*c^2\*d + e)\*ArcTan[(Sqrt[c^2\*d + e]\*x)/(Sqrt[d]\*Sqrt[1 - c^2\*x^2])])/(8\*d^(3/2)\*e\*(c^2\*d + e)^(3/2))

**Rubi [A]** time = 0.0953057, antiderivative size = 133, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$ , Rules used = {4729, 382, 377, 205}

$$-\frac{a+b \sin^{-1}(cx)}{4e(d+ex^2)^2} + \frac{bc(2c^2d+e) \tan^{-1}\left(\frac{x\sqrt{c^2d+e}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{8d^{3/2}e(c^2d+e)^{3/2}} + \frac{bcx\sqrt{1-c^2x^2}}{8d(c^2d+e)(d+ex^2)}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^3,x]

[Out] (b\*c\*x\*Sqrt[1 - c^2\*x^2])/(8\*d\*(c^2\*d + e)\*(d + e\*x^2)) - (a + b\*ArcSin[c\*x])/ (4\*e\*(d + e\*x^2)^2) + (b\*c\*(2\*c^2\*d + e)\*ArcTan[(Sqrt[c^2\*d + e]\*x)/(Sqrt[d]\*Sqrt[1 - c^2\*x^2])])/(8\*d^(3/2)\*e\*(c^2\*d + e)^(3/2))

#### Rule 4729

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*(x\_)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x]))/(2\*e\*(p + 1)), x] - Dist[(b\*c)/(2\*e\*(p + 1)), Int[(d + e\*x^2)^(p + 1)/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2\*d + e, 0] && NeQ[p, -1]

#### Rule 382

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := -Simp[(b\*x\*(a + b\*x^n)^(p + 1)\*(c + d\*x^n)^(q + 1))/(a\*n\*(p + 1)\*(b\*c -

```
a*d)), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)), I
nt[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ
[q, -1]) && NeQ[p, -1]
```

### Rule 377

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

### Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x(a + b \sin^{-1}(cx))}{(d + ex^2)^3} dx &= -\frac{a + b \sin^{-1}(cx)}{4e(d + ex^2)^2} + \frac{(bc) \int \frac{1}{\sqrt{1-c^2x^2}(d+ex^2)^2} dx}{4e} \\
&= \frac{bcx\sqrt{1-c^2x^2}}{8d(c^2d + e)(d + ex^2)} - \frac{a + b \sin^{-1}(cx)}{4e(d + ex^2)^2} + \frac{(bc(2c^2d + e)) \int \frac{1}{\sqrt{1-c^2x^2}(d+ex^2)} dx}{8de(c^2d + e)} \\
&= \frac{bcx\sqrt{1-c^2x^2}}{8d(c^2d + e)(d + ex^2)} - \frac{a + b \sin^{-1}(cx)}{4e(d + ex^2)^2} + \frac{(bc(2c^2d + e)) \operatorname{Subst}\left(\int \frac{1}{d - (-c^2d - e)x^2} dx, x, \frac{x}{\sqrt{1-c^2x^2}}\right)}{8de(c^2d + e)} \\
&= \frac{bcx\sqrt{1-c^2x^2}}{8d(c^2d + e)(d + ex^2)} - \frac{a + b \sin^{-1}(cx)}{4e(d + ex^2)^2} + \frac{bc(2c^2d + e) \tan^{-1}\left(\frac{\sqrt{c^2d+ex}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{8d^{3/2}e(c^2d + e)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.57626, size = 141, normalized size = 1.06

$$\frac{1}{8} \left( \frac{\frac{bcx\sqrt{1-c^2x^2}(d+ex^2)}{d(c^2d+e)} - \frac{2a}{e}}{(d + ex^2)^2} + \frac{bc(2c^2d + e) \tan^{-1}\left(\frac{x\sqrt{c^2d+e}}{\sqrt{d}\sqrt{1-c^2x^2}}\right)}{d^{3/2}e(c^2d + e)^{3/2}} - \frac{2b \sin^{-1}(cx)}{e(d + ex^2)^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^3,x]

[Out] (((-2\*a)/e + (b\*c\*x\*sqrt[1 - c^2\*x^2]\*(d + e\*x^2))/(d\*(c^2\*d + e)))/(d + e\*x^2)^2 - (2\*b\*ArcSin[c\*x])/(e\*(d + e\*x^2)^2) + (b\*c\*(2\*c^2\*d + e)\*ArcTan[(sqrt[c^2\*d + e]\*x)/(sqrt[d]\*sqrt[1 - c^2\*x^2])])/(d^(3/2)\*e\*(c^2\*d + e)^(3/2)))/8

**Maple [B]** time = 0.012, size = 1017, normalized size = 7.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^3,x)

[Out] 
$$\begin{aligned} & -1/4*c^4*a/e/(c^2*e*x^2+c^2*d)^2-1/4*c^4*b/e/(c^2*e*x^2+c^2*d)^2*arcsin(c*x) \\ & +1/16*c^2*b/e/d/(c^2*d+e)/(c*x-(-c^2*e*d)^{(1/2)}/e)*(-c*x-(-c^2*e*d)^{(1/2)}/e)^{-2} \\ & -2*(-c^2*e*d)^{(1/2)}/e*(c*x-(-c^2*e*d)^{(1/2)}/e)+(c^2*d+e)/e)^{(1/2)}+1/16 \\ & *c^2*b/e^2/d*(-c^2*e*d)^{(1/2)}/(c^2*d+e)/((c^2*d+e)/e)^{(1/2)}*ln((2*(c^2*d+e) \\ & /e-2*(-c^2*e*d)^{(1/2)}/e*(c*x-(-c^2*e*d)^{(1/2)}/e)+2*((c^2*d+e)/e)^{(1/2)}*(-c \\ & *x-(-c^2*e*d)^{(1/2)}/e)^{-2}-2*(-c^2*e*d)^{(1/2)}/e*(c*x-(-c^2*e*d)^{(1/2)}/e)+(c^2 \\ & *d+e)/e)^{(1/2)})/(c*x-(-c^2*e*d)^{(1/2)}/e))+1/16*c^2*b/e/d/(-c^2*e*d)^{(1/2)}/( \\ & (c^2*d+e)/e)^{(1/2)}*ln((2*(c^2*d+e)/e+2*(-c^2*e*d)^{(1/2)}/e*(c*x+(-c^2*e*d)^{(1/2)}/e) \\ & +2*((c^2*d+e)/e)^{(1/2)}*(-c*x+(-c^2*e*d)^{(1/2)}/e)^{-2}+2*(-c^2*e*d)^{(1/2)}/e \\ & *(c*x+(-c^2*e*d)^{(1/2)}/e)+(c^2*d+e)/e)^{(1/2)})/(c*x+(-c^2*e*d)^{(1/2)}/e) \\ & +1/16*c^2*b/e/d/(c^2*d+e)/(c*x+(-c^2*e*d)^{(1/2)}/e)*(-c*x+(-c^2*e*d)^{(1/2)}/e)^{-2} \\ & +2*(-c^2*e*d)^{(1/2)}/e*(c*x+(-c^2*e*d)^{(1/2)}/e)+(c^2*d+e)/e)^{(1/2)}-1/16* \\ & c^2*b/e^2/d*(-c^2*e*d)^{(1/2)}/(c^2*d+e)/((c^2*d+e)/e)^{(1/2)}*ln((2*(c^2*d+e) \\ & /e+2*(-c^2*e*d)^{(1/2)}/e*(c*x+(-c^2*e*d)^{(1/2)}/e)+2*((c^2*d+e)/e)^{(1/2)}*(-c \\ & *x+(-c^2*e*d)^{(1/2)}/e)^{-2}+2*(-c^2*e*d)^{(1/2)}/e*(c*x+(-c^2*e*d)^{(1/2)}/e)+(c^2* \\ & d+e)/e)^{(1/2)})/(c*x+(-c^2*e*d)^{(1/2)}/e))-1/16*c^2*b/e/d/(-c^2*e*d)^{(1/2)}/( \\ & (c^2*d+e)/e)^{(1/2)}*ln((2*(c^2*d+e)/e-2*(-c^2*e*d)^{(1/2)}/e*(c*x-(-c^2*e*d)^{(1/2)}/e) \\ & +2*((c^2*d+e)/e)^{(1/2)}*(-c*x-(-c^2*e*d)^{(1/2)}/e)^{-2}-2*(-c^2*e*d)^{(1/2)}/e \\ & *(c*x-(-c^2*e*d)^{(1/2)}/e)+(c^2*d+e)/e)^{(1/2)})/(c*x-(-c^2*e*d)^{(1/2)}/e) \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\left( (ce^3x^4 + 2cde^2x^2 + cd^2e) \int \frac{e^{\left(\frac{1}{2} \log(cx+1) + \frac{1}{2} \log(-cx+1)\right)}}{c^4e^3x^8 - c^2d^2ex^2 + (2c^4de^2 - c^2e^3)x^6 + (c^4d^2e - 2c^2de^2)x^4 - (c^2e^3x^6 + (2c^2de^2 - e^3)x^4 - d^2e + (c^2d^2e - 2de^2)x^2)(cx+1)(cx-1)} dx \right) / 4(e^3x^4 + 2de^2x^2 + d^2e)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^3,x, algorithm="maxima")

[Out]  $-1/4*(4*(c*e^3*x^4 + 2*c*d*e^2*x^2 + c*d^2*e)*\text{integrate}(1/4*e^{(1/2*\log(c*x + 1) + 1/2*\log(-c*x + 1))}/(c^4*e^3*x^8 - c^2*d^2*e*x^2 + (2*c^4*d*e^2 - c^2*e^3)*x^6 + (c^4*d^2*e - 2*c^2*d*e^2)*x^4 + (c^2*e^3*x^6 + (2*c^2*d*e^2 - e^3)*x^4 - d^2*e + (c^2*d^2*e - 2*d*e^2)*x^2)*e^{(\log(c*x + 1) + \log(-c*x + 1))}, x) + \arctan2(c*x, \sqrt{c*x + 1}*\sqrt{-c*x + 1}))*b/(e^3*x^4 + 2*d*e^2*x^2 + d^2*e) - 1/4*a/(e^3*x^4 + 2*d*e^2*x^2 + d^2*e)$

**Fricas [B]** time = 3.90244, size = 1604, normalized size = 12.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^3,x, algorithm="fricas")

[Out]  $[-1/32*(8*a*c^4*d^4 + 16*a*c^2*d^3*e + 8*a*d^2*e^2 + (2*b*c^3*d^3 + b*c*d^2*e + (2*b*c^3*d*e^2 + b*c*e^3)*x^4 + 2*(2*b*c^3*d^2*e + b*c*d*e^2)*x^2)*\sqrt{-c^2*d^2 - d*e}*\log(((8*c^4*d^2 + 8*c^2*d*e + e^2)*x^4 - 2*(4*c^2*d^2 + 3*d*e)*x^2 - 4*\sqrt{-c^2*d^2 - d*e}*\sqrt{-c^2*x^2 + 1})*((2*c^2*d + e)*x^3 - d*x) + d^2)/(e^2*x^4 + 2*d*e*x^2 + d^2)) + 8*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2)*\arcsin(c*x) - 4*\sqrt{-c^2*x^2 + 1}*((b*c^3*d^2*e^2 + b*c*d*e^3)*x^3 + (b*c^3*d^3*e + b*c*d^2*e^2)*x))/(c^4*d^6*e + 2*c^2*d^5*e^2 + d^4*e^3 + (c^4*d^4*e^3 + 2*c^2*d^3*e^4 + d^2*e^5)*x^4 + 2*(c^4*d^5*e^2 + 2*c^2*d^4*e^3 + d^3*e^4)*x^2), -1/16*(4*a*c^4*d^4 + 8*a*c^2*d^3*e + 4*a*d^2*e^2 + (2*b*c^3*d^3 + b*c*d^2*e + (2*b*c^3*d*e^2 + b*c*e^3)*x^4 + 2*(2*b*c^3*d^2*e + b*c*d*e^2)*x^2)*\sqrt{c^2*d^2 + d*e}*\arctan(1/2*\sqrt{c^2*d^2 + d*e}*\sqrt{-c^2*x^2 + 1})*((2*c^2*d + e)*x^2 - d)/((c^4*d^2 + c^2*d*e)*x^3 - (c^2*d^2 + d*e)*x)) + 4*(b*c^4*d^4 + 2*b*c^2*d^3*e + b*d^2*e^2)*\arcsin(c*x) - 2*\sqrt{-c^2*x^2 + 1}*((b*c^3*d^2*e^2 + b*c*d*e^3)*x^3 + (b*c^3*d^3*e + b*c*d^2*e^2)*x))/(c^4*d^6*e + 2*c^2*d^5*e^2 + d^4*e^3 + (c^4*d^4*e^3 + 2*c^2*d^3*e^4 + d^2*e^5)*x^4 + 2*(c^4*d^5*e^2 + 2*c^2*d^4*e^3 + d^3*e^4)*x^2)]$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*asin(c\*x))/(e\*x\*\*2+d)\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^3,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*x/(e\*x^2 + d)^3, x)

$$3.644 \quad \int \frac{a+b \sin^{-1}(cx)}{x(d+ex^2)^3} dx$$

**Optimal.** Leaf size=727

$$\frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^3} + \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^3} + \frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^3} + \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^3}$$

[Out]  $-(b*c*e*x*\text{Sqrt}[1 - c^2*x^2])/(8*d^2*(c^2*d + e)*(d + e*x^2)) + (a + b*\text{ArcSin}[c*x])/(4*d*(d + e*x^2)^2) + (a + b*\text{ArcSin}[c*x])/(2*d^2*(d + e*x^2)) - (b*c*\text{ArcTan}[(\text{Sqrt}[c^2*d + e]*x)/(\text{Sqrt}[d]*\text{Sqrt}[1 - c^2*x^2])]/(2*d^{5/2}*\text{Sqrt}[c^2*d + e]) - (b*c*(2*c^2*d + e)*\text{ArcTan}[(\text{Sqrt}[c^2*d + e]*x)/(\text{Sqrt}[d]*\text{Sqrt}[1 - c^2*x^2])]/(8*d^{5/2}*(c^2*d + e)^{3/2}) - ((a + b*\text{ArcSin}[c*x])*\text{Log}[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])]/(2*d^3) - (a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e])]/(2*d^3) - ((a + b*\text{ArcSin}[c*x])*\text{Log}[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])]/(2*d^3) - ((a + b*\text{ArcSin}[c*x])*\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e])]/(2*d^3) + ((a + b*\text{ArcSin}[c*x])*\text{Log}[1 - E^{((2*I)*\text{ArcSin}[c*x])}])/d^3 + ((I/2)*b*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e]))]/d^3 + ((I/2)*b*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] - \text{Sqrt}[c^2*d + e]))]/d^3 + ((I/2)*b*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e]))]/d^3 + ((I/2)*b*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(I*c*\text{Sqrt}[-d] + \text{Sqrt}[c^2*d + e]))]/d^3 - ((I/2)*b*\text{PolyLog}[2, E^{((2*I)*\text{ArcSin}[c*x])}])/d^3$

**Rubi [A]** time = 1.13187, antiderivative size = 727, normalized size of antiderivative = 1., number of steps used = 32, number of rules used = 12, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$ , Rules used = {4733, 4625, 3717, 2190, 2279, 2391, 4729, 382, 377, 205, 4741, 4521}

$$\frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^3} + \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{-\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^3} + \frac{ibPolyLog\left(2, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^3} + \frac{ibPolyLog\left(2, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{\sqrt{c^2d+e+ic}\sqrt{-d}}\right)}{2d^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])/(x*(d + e*x^2)^3), x]$

[Out]  $-(b*c*e*x*\text{Sqrt}[1 - c^2*x^2])/(8*d^2*(c^2*d + e)*(d + e*x^2)) + (a + b*\text{ArcSin}[c*x])/(4*d*(d + e*x^2)^2) + (a + b*\text{ArcSin}[c*x])/(2*d^2*(d + e*x^2)) - (b*$

```

c*ArcTan[(Sqrt[c^2*d + e]*x)/(Sqrt[d]*Sqrt[1 - c^2*x^2])]/(2*d^(5/2)*Sqrt[
c^2*d + e]) - (b*c*(2*c^2*d + e)*ArcTan[(Sqrt[c^2*d + e]*x)/(Sqrt[d]*Sqrt[1
- c^2*x^2])]/(8*d^(5/2)*(c^2*d + e)^(3/2)) - ((a + b*ArcSin[c*x])*Log[1 -
(Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])]/(2*d^3) - (
(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqr
t[c^2*d + e])]/(2*d^3) - ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin
[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])]/(2*d^3) - ((a + b*ArcSin[c*x])*L
og[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])]/(2*d^
3) + ((a + b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSin[c*x])])/d^3 + ((I/2)*b*Po
lyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))]/
d^3 + ((I/2)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[
c^2*d + e])]/d^3 + ((I/2)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*
Sqrt[-d] + Sqrt[c^2*d + e]))]/d^3 + ((I/2)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcS
in[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])]/d^3 - ((I/2)*b*PolyLog[2, E^((
2*I)*ArcSin[c*x])])/d^3

```

### Rule 4733

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_
.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

```

### Rule 4625

```

Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/(x_), x_Symbol] := Subst[Int[(
a + b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

```

### Rule 3717

```

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

```

### Rule 2190

```

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

### Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

### Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

### Rule 4729

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_
Symbol] :> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x]))/(2*e*(p + 1)), x]
- Dist[(b*c)/(2*e*(p + 1)), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x],
x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]
```

### Rule 382

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)), I
nt[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ
[q, -1]) && NeQ[p, -1]
```

### Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.)/((d_) + (e_.)*(x_)), x_Symbol]
:> Subst[Int[(a + b*x)^n*Cos[x]/(c*d + e*Ssin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

### Rule 4521

```

Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[
(c_.) + (d_.)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(I*a - Rt[-a^2 + b^2, 2]
+ b*E^(I*(c + d*x))), x], x] + Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(
I*a + Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d,
e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]

```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x(d + ex^2)^3} dx &= \int \left( \frac{a + b \sin^{-1}(cx)}{d^3 x} - \frac{ex(a + b \sin^{-1}(cx))}{d(d + ex^2)^3} - \frac{ex(a + b \sin^{-1}(cx))}{d^2(d + ex^2)^2} - \frac{ex(a + b \sin^{-1}(cx))}{d^3(d + ex^2)} \right) dx \\
&= \frac{\int \frac{a + b \sin^{-1}(cx)}{x} dx}{d^3} - \frac{e \int \frac{x(a + b \sin^{-1}(cx))}{d + ex^2} dx}{d^3} - \frac{e \int \frac{x(a + b \sin^{-1}(cx))}{(d + ex^2)^2} dx}{d^2} - \frac{e \int \frac{x(a + b \sin^{-1}(cx))}{(d + ex^2)^3} dx}{d} \\
&= \frac{a + b \sin^{-1}(cx)}{4d(d + ex^2)^2} + \frac{a + b \sin^{-1}(cx)}{2d^2(d + ex^2)} + \frac{\text{Subst}\left(\int (a + bx) \cot(x) dx, x, \sin^{-1}(cx)\right)}{d^3} - \frac{(bc) \int \frac{1}{\sqrt{1 - c^2 x^2}} dx}{2d^2} \\
&= -\frac{bcex\sqrt{1 - c^2 x^2}}{8d^2(c^2 d + e)(d + ex^2)} + \frac{a + b \sin^{-1}(cx)}{4d(d + ex^2)^2} + \frac{a + b \sin^{-1}(cx)}{2d^2(d + ex^2)} - \frac{i(a + b \sin^{-1}(cx))^2}{2bd^3} - \frac{(2i) \text{Subst}\left(\int \frac{1}{\sqrt{1 - c^2 x^2}} dx, x, \sin^{-1}(cx)\right)}{2d^2} \\
&= -\frac{bcex\sqrt{1 - c^2 x^2}}{8d^2(c^2 d + e)(d + ex^2)} + \frac{a + b \sin^{-1}(cx)}{4d(d + ex^2)^2} + \frac{a + b \sin^{-1}(cx)}{2d^2(d + ex^2)} - \frac{i(a + b \sin^{-1}(cx))^2}{2bd^3} - \frac{bc \tan^{-1}\left(\frac{\sqrt{c^2 d + ex}}{\sqrt{d}\sqrt{1 - c^2 x^2}}\right)}{2d^{5/2}\sqrt{c^2 d + e}} \\
&= -\frac{bcex\sqrt{1 - c^2 x^2}}{8d^2(c^2 d + e)(d + ex^2)} + \frac{a + b \sin^{-1}(cx)}{4d(d + ex^2)^2} + \frac{a + b \sin^{-1}(cx)}{2d^2(d + ex^2)} - \frac{bc \tan^{-1}\left(\frac{\sqrt{c^2 d + ex}}{\sqrt{d}\sqrt{1 - c^2 x^2}}\right)}{2d^{5/2}\sqrt{c^2 d + e}} - \frac{bc(2c^2 d + e)}{2d^5} \\
&= -\frac{bcex\sqrt{1 - c^2 x^2}}{8d^2(c^2 d + e)(d + ex^2)} + \frac{a + b \sin^{-1}(cx)}{4d(d + ex^2)^2} + \frac{a + b \sin^{-1}(cx)}{2d^2(d + ex^2)} - \frac{bc \tan^{-1}\left(\frac{\sqrt{c^2 d + ex}}{\sqrt{d}\sqrt{1 - c^2 x^2}}\right)}{2d^{5/2}\sqrt{c^2 d + e}} - \frac{bc(2c^2 d + e)}{2d^5} \\
&= -\frac{bcex\sqrt{1 - c^2 x^2}}{8d^2(c^2 d + e)(d + ex^2)} + \frac{a + b \sin^{-1}(cx)}{4d(d + ex^2)^2} + \frac{a + b \sin^{-1}(cx)}{2d^2(d + ex^2)} - \frac{bc \tan^{-1}\left(\frac{\sqrt{c^2 d + ex}}{\sqrt{d}\sqrt{1 - c^2 x^2}}\right)}{2d^{5/2}\sqrt{c^2 d + e}} - \frac{bc(2c^2 d + e)}{2d^5} \\
&= -\frac{bcex\sqrt{1 - c^2 x^2}}{8d^2(c^2 d + e)(d + ex^2)} + \frac{a + b \sin^{-1}(cx)}{4d(d + ex^2)^2} + \frac{a + b \sin^{-1}(cx)}{2d^2(d + ex^2)} - \frac{bc \tan^{-1}\left(\frac{\sqrt{c^2 d + ex}}{\sqrt{d}\sqrt{1 - c^2 x^2}}\right)}{2d^{5/2}\sqrt{c^2 d + e}} - \frac{bc(2c^2 d + e)}{2d^5}
\end{aligned}$$

**Mathematica [F]** time = 6.62819, size = 0, normalized size = 0.

$$\int \frac{a + b \sin^{-1}(cx)}{x(d + ex^2)^3} dx$$

Verification is Not applicable to the result.

```
[In] Integrate[(a + b*ArcSin[c*x])/(x*(d + e*x^2)^3), x]
```

```
[Out] Integrate[(a + b*ArcSin[c*x])/(x*(d + e*x^2)^3), x]
```

**Maple [C]** time = 0.461, size = 1379, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arcsin(c*x))/x/(e*x^2+d)^3,x)
```

```
[Out] 1/4*a*c^4/d/(c^2*e*x^2+c^2*d)^2+1/2*a*c^2/d^2/(c^2*e*x^2+c^2*d)+a/d^3*ln(c*x)-1/2*a/d^3*ln(c^2*e*x^2+c^2*d)+1/8*I*b*c^6/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)+1/2*b*c^6/d/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*arcsin(c*x)*x^2*e-1/8*b*c^5/d^2/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*(-c^2*x^2+1)^(1/2)*x^3*e^2-1/8*b*c^5/d/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*(-c^2*x^2+1)^(1/2)*x*e+1/2*b*c^4/d^2/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*arcsin(c*x)*x^2*e^2+1/8*I*b*c^6/d^2/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*x^4*e^2+1/4*I*b*c^6/d/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*x^2*e+3/4*b*c^6/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*arcsin(c*x)+3/4*b*c^4/d/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)*arcsin(c*x)*e+5/8*I*b*(c^2*d*(c^2*d+e))^(1/2)/d^3/(c^2*d+e)^2*arctanh(1/4*(2*(I*c*x+(-c^2*x^2+1)^(1/2))^2*e-4*c^2*d-2*e)/(c^4*d^2+c^2*d*e)^(1/2))*e+3/4*I*b*c^2*(c^2*d*(c^2*d+e))^(1/2)/d^2/(c^2*d+e)^2*arctanh(1/4*(2*(I*c*x+(-c^2*x^2+1)^(1/2))^2*e-4*c^2*d-2*e)/(c^4*d^2+c^2*d*e)^(1/2))+1/4*I*b*c^2/d^2/(c^2*d+e)*e*sum((_R1^2-1)/(_R1^2*e-2*c^2*d-e)*(I*arcsin(c*x)*ln((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)+dilog((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)),_R1=RootOf(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))+I*b/d^3/(c^2*d+e)*e*dilog(I*c*x+(-c^2*x^2+1)^(1/2))+b/d^3/(c^2*d+e)*e*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))+I*b*c^2/d^2/(c^2*d+e)*dilog(I*c*x+(-c^2*x^2+1)^(1/2))+b*c^2/d^2/(c^2*d+e)*arcsin(c*x)*ln(1+I*c*x+(-c^2*x^2+1)^(1/2))-I*b/d^3/(c^2*d+e)*e*dilog(1+I*c*x+(-c^2*x^2+1)^(1/2))+1/4*I*b/d^3/(c^2*d+e)*e*sum((_R1^2*e-4*c^2*d-e)/(_R1^2*e-2*c^2*d-e)*(I*arcsin(c*x)*ln((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)+dilog((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)),_R1=RootOf(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))+1/4*I*b/d^3/(c^2*d+e)*e^2*sum((_R1^2-1)/(_R1^2*e-2*c^2*d-e)*(I*arcsin(c*x)*ln((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)+dilog((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)),_R1=RootOf(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))-I*b*c^2/d^2/(c^2*d+e)*dilog(1+I*c*x+(-c^2*x^2+1)^(1/2))+1/4*I*b*c^2/d^2/(c^2*d+e)*sum((_R1^2*e-4*c^2*d-e)/(_R1^2*e-2*c^2*d-e)*(I*arcsin(c*x)*ln((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)+dilog((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)),_R1=RootOf(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))
```



---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{4} a \left( \frac{2ex^2 + 3d}{d^2e^2x^4 + 2d^3ex^2 + d^4} - \frac{2 \log(ex^2 + d)}{d^3} + \frac{4 \log(x)}{d^3} \right) + b \int \frac{\arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})}{e^3x^7 + 3de^2x^5 + 3d^2ex^3 + d^3x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x/(e\*x^2+d)^3,x, algorithm="maxima")

[Out] 1/4\*a\*((2\*e\*x^2 + 3\*d)/(d^2\*e^2\*x^4 + 2\*d^3\*e\*x^2 + d^4) - 2\*log(e\*x^2 + d)/d^3 + 4\*log(x)/d^3) + b\*integrate(arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/(e^3\*x^7 + 3\*d\*e^2\*x^5 + 3\*d^2\*e\*x^3 + d^3\*x), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \arcsin(cx) + a}{e^3x^7 + 3de^2x^5 + 3d^2ex^3 + d^3x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x/(e\*x^2+d)^3,x, algorithm="fricas")

[Out] integral((b\*arcsin(c\*x) + a)/(e^3\*x^7 + 3\*d\*e^2\*x^5 + 3\*d^2\*e\*x^3 + d^3\*x), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/x/(e\*x\*\*2+d)\*\*3,x)

[Out] Timed out

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x/(e*x^2+d)^3,x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.645 \quad \int \frac{a+b \sin^{-1}(cx)}{x^3(d+ex^2)^3} dx$$

**Optimal.** Leaf size=783

$$\frac{3 \operatorname{SibePolyLog}\left(2, -\frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{-\sqrt{c^2 d+e+ic} \sqrt{-d}}\right)}{2d^4} - \frac{3 \operatorname{SibePolyLog}\left(2, \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{-\sqrt{c^2 d+e+ic} \sqrt{-d}}\right)}{2d^4} - \frac{3 \operatorname{SibePolyLog}\left(2, -\frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d+e+ic} \sqrt{-d}}\right)}{2d^4} - \frac{3 \operatorname{SibePolyLog}\left(2, \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d+e+ic} \sqrt{-d}}\right)}{2d^4}$$

```
[Out] -(b*c*Sqrt[1 - c^2*x^2])/(2*d^3*x) + (b*c*e^2*x*Sqrt[1 - c^2*x^2])/(8*d^3*(c^2*d + e)*(d + e*x^2)) - (a + b*ArcSin[c*x])/(2*d^3*x^2) - (e*(a + b*ArcSin[c*x]))/(4*d^2*(d + e*x^2)^2) - (e*(a + b*ArcSin[c*x]))/(d^3*(d + e*x^2)) + (b*c*e*ArcTan[(Sqrt[c^2*d + e]*x)/(Sqrt[d]*Sqrt[1 - c^2*x^2])])/(d^(7/2)*Sqrt[c^2*d + e]) + (b*c*e*(2*c^2*d + e)*ArcTan[(Sqrt[c^2*d + e]*x)/(Sqrt[d]*Sqrt[1 - c^2*x^2])])/(8*d^(7/2)*(c^2*d + e)^(3/2)) + (3*e*(a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*d^4) + (3*e*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*d^4) + (3*e*(a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*d^4) + (3*e*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*d^4) - (3*e*(a + b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSin[c*x])])/(d^4) - (((3*I)/2)*b*e*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))])/(d^4) - (((3*I)/2)*b*e*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(d^4) - (((3*I)/2)*b*e*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))])/(d^4) - (((3*I)/2)*b*e*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(d^4) + (((3*I)/2)*b*e*PolyLog[2, E^((2*I)*ArcSin[c*x])])/(d^4)
```

**Rubi [A]** time = 1.17488, antiderivative size = 783, normalized size of antiderivative = 1., number of steps used = 34, number of rules used = 14, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {4733, 4627, 264, 4625, 3717, 2190, 2279, 2391, 4729, 382, 377, 205, 4741, 4521}

$$\frac{3 \operatorname{SibePolyLog}\left(2, -\frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{-\sqrt{c^2 d+e+ic} \sqrt{-d}}\right)}{2d^4} - \frac{3 \operatorname{SibePolyLog}\left(2, \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{-\sqrt{c^2 d+e+ic} \sqrt{-d}}\right)}{2d^4} - \frac{3 \operatorname{SibePolyLog}\left(2, -\frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d+e+ic} \sqrt{-d}}\right)}{2d^4} - \frac{3 \operatorname{SibePolyLog}\left(2, \frac{\sqrt{e} e^{i \sin^{-1}(cx)}}{\sqrt{c^2 d+e+ic} \sqrt{-d}}\right)}{2d^4}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])/(x^3*(d + e*x^2)^3), x]
```

```
[Out] -(b*c*Sqrt[1 - c^2*x^2])/(2*d^3*x) + (b*c*e^2*x*Sqrt[1 - c^2*x^2])/(8*d^3*(
c^2*d + e)*(d + e*x^2)) - (a + b*ArcSin[c*x])/(2*d^3*x^2) - (e*(a + b*ArcSi
n[c*x]))/(4*d^2*(d + e*x^2)^2) - (e*(a + b*ArcSin[c*x]))/(d^3*(d + e*x^2))
+ (b*c*e*ArcTan[(Sqrt[c^2*d + e]*x)/(Sqrt[d]*Sqrt[1 - c^2*x^2])])/(d^(7/2)*
Sqrt[c^2*d + e]) + (b*c*e*(2*c^2*d + e)*ArcTan[(Sqrt[c^2*d + e]*x)/(Sqrt[d]
*Sqrt[1 - c^2*x^2])])/(8*d^(7/2)*(c^2*d + e)^(3/2)) + (3*e*(a + b*ArcSin[c*
x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(
(2*d^4) + (3*e*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c
*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*d^4) + (3*e*(a + b*ArcSin[c*x])*Log[1 - (
Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*d^4) + (3*
e*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + S
qrt[c^2*d + e])])/(2*d^4) - (3*e*(a + b*ArcSin[c*x])*Log[1 - E^((2*I)*ArcSi
n[c*x])])/d^4 - (((3*I)/2)*b*e*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*
c*Sqrt[-d] - Sqrt[c^2*d + e]))])/d^4 - (((3*I)/2)*b*e*PolyLog[2, (Sqrt[e]*E
^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/d^4 - (((3*I)/2)*b*e*P
olyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))]
)/d^4 - (((3*I)/2)*b*e*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d]
+ Sqrt[c^2*d + e])])/d^4 + (((3*I)/2)*b*e*PolyLog[2, E^((2*I)*ArcSin[c*x])
])/d^4
```

#### Rule 4733

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((f_.)*(x_))^(m_.)*((d_.) + (e_
.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (
f*x)^m*(d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2*d +
e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]
```

#### Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2
*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

#### Rule 264

```
Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

#### Rule 4625

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^ (n_.)/(x_), x_Symbol] := Subst[Int[(
a + b*x)^n/Tan[x], x], x, ArcSin[c*x]] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^(m)*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol]
:> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol]
:> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4729

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x]))/(2*e*(p + 1)), x] - Dist[(b*c)/(2*e*(p + 1)), Int[(d + e*x^2)^(p + 1)/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[c^2*d + e, 0] && NeQ[p, -1]
```

Rule 382

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[(b*c + n*(p + 1)*(b*c - a*d))/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ[q, -1]) && NeQ[p, -1]
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol]
:> Su
```

```
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)/((d_) + (e_.)*(x_)), x_Symbol] := Subst[Int[((a + b*x)^n*Cos[x])/(c*d + e*Sin[x]), x], x, ArcSin[c*x]] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

### Rule 4521

```
Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(I*a - Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x] + Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(I*a + Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{x^3 (d + ex^2)^3} dx &= \int \left( \frac{a + b \sin^{-1}(cx)}{d^3 x^3} - \frac{3e(a + b \sin^{-1}(cx))}{d^4 x} + \frac{e^2 x (a + b \sin^{-1}(cx))}{d^2 (d + ex^2)^3} + \frac{2e^2 x (a + b \sin^{-1}(cx))}{d^3 (d + ex^2)^2} + \frac{3e^2 x (a + b \sin^{-1}(cx))}{d^4 (d + ex^2)} \right) dx \\
&= \frac{\int \frac{a + b \sin^{-1}(cx)}{x^3} dx}{d^3} - \frac{(3e) \int \frac{a + b \sin^{-1}(cx)}{x} dx}{d^4} + \frac{(3e^2) \int \frac{x(a + b \sin^{-1}(cx))}{d + ex^2} dx}{d^4} + \frac{(2e^2) \int \frac{x(a + b \sin^{-1}(cx))}{(d + ex^2)^2} dx}{d^3} \\
&= -\frac{a + b \sin^{-1}(cx)}{2d^3 x^2} - \frac{e(a + b \sin^{-1}(cx))}{4d^2 (d + ex^2)^2} - \frac{e(a + b \sin^{-1}(cx))}{d^3 (d + ex^2)} + \frac{(bc) \int \frac{1}{x^2 \sqrt{1 - c^2 x^2}} dx}{2d^3} - \frac{(3e) \text{Subst}}{d^3} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2d^3 x} + \frac{bce^2 x \sqrt{1 - c^2 x^2}}{8d^3 (c^2 d + e)(d + ex^2)} - \frac{a + b \sin^{-1}(cx)}{2d^3 x^2} - \frac{e(a + b \sin^{-1}(cx))}{4d^2 (d + ex^2)^2} - \frac{e(a + b \sin^{-1}(cx))}{d^3 (d + ex^2)} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2d^3 x} + \frac{bce^2 x \sqrt{1 - c^2 x^2}}{8d^3 (c^2 d + e)(d + ex^2)} - \frac{a + b \sin^{-1}(cx)}{2d^3 x^2} - \frac{e(a + b \sin^{-1}(cx))}{4d^2 (d + ex^2)^2} - \frac{e(a + b \sin^{-1}(cx))}{d^3 (d + ex^2)} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2d^3 x} + \frac{bce^2 x \sqrt{1 - c^2 x^2}}{8d^3 (c^2 d + e)(d + ex^2)} - \frac{a + b \sin^{-1}(cx)}{2d^3 x^2} - \frac{e(a + b \sin^{-1}(cx))}{4d^2 (d + ex^2)^2} - \frac{e(a + b \sin^{-1}(cx))}{d^3 (d + ex^2)} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2d^3 x} + \frac{bce^2 x \sqrt{1 - c^2 x^2}}{8d^3 (c^2 d + e)(d + ex^2)} - \frac{a + b \sin^{-1}(cx)}{2d^3 x^2} - \frac{e(a + b \sin^{-1}(cx))}{4d^2 (d + ex^2)^2} - \frac{e(a + b \sin^{-1}(cx))}{d^3 (d + ex^2)} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2d^3 x} + \frac{bce^2 x \sqrt{1 - c^2 x^2}}{8d^3 (c^2 d + e)(d + ex^2)} - \frac{a + b \sin^{-1}(cx)}{2d^3 x^2} - \frac{e(a + b \sin^{-1}(cx))}{4d^2 (d + ex^2)^2} - \frac{e(a + b \sin^{-1}(cx))}{d^3 (d + ex^2)} \\
&= -\frac{bc\sqrt{1 - c^2 x^2}}{2d^3 x} + \frac{bce^2 x \sqrt{1 - c^2 x^2}}{8d^3 (c^2 d + e)(d + ex^2)} - \frac{a + b \sin^{-1}(cx)}{2d^3 x^2} - \frac{e(a + b \sin^{-1}(cx))}{4d^2 (d + ex^2)^2} - \frac{e(a + b \sin^{-1}(cx))}{d^3 (d + ex^2)}
\end{aligned}$$

**Mathematica [F]** time = 9.25876, size = 0, normalized size = 0.

$$\int \frac{a + b \sin^{-1}(cx)}{x^3 (d + ex^2)^3} dx$$

Verification is Not applicable to the result.





$+1)^{(1/2)}/_R1)+\text{dilog}((\_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/_R1)),\_R1=\text{RootOf}(e*_Z^4+(-4*c^2*d-2*e)*\_Z^2+e))-9/8*I*b*(c^2*d*(c^2*d+e))^{(1/2)}/d^4/(c^2*d+e)^2*\text{arctanh}(1/4*(2*(I*c*x+(-c^2*x^2+1)^{(1/2)})^2*e-4*c^2*d-2*e)/(c^4*d^2+c^2*d*e)^{(1/2)})*e^2+3/2*a*e/d^4*\ln(c^2*e*x^2+c^2*d)-3*a/d^4*e*\ln(c*x)-1/4*c^4*a*e/d^2/(c^2*e*x^2+c^2*d)^2-c^2*a*e/d^3/(c^2*e*x^2+c^2*d)+1/2*I*c^8*b/(c^2*e*x^2+c^2*d)^2/(c^2*d+e)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{1}{4}a\left(\frac{6e^2x^4+9dex^2+2d^2}{d^3e^2x^6+2d^4ex^4+d^5x^2}-\frac{6e\log(ex^2+d)}{d^4}+\frac{12e\log(x)}{d^4}\right)+b\int\frac{\arctan\left(cx,\sqrt{cx+1}\sqrt{-cx+1}\right)}{e^3x^9+3de^2x^7+3d^2ex^5+d^3x^3}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^3/(e\*x^2+d)^3,x, algorithm="maxima")

[Out]  $-1/4*a*((6*e^2*x^4+9*d*e*x^2+2*d^2)/(d^3*e^2*x^6+2*d^4*e*x^4+d^5*x^2)-6*e*\log(e*x^2+d)/d^4+12*e*\log(x)/d^4)+b*\text{integrate}(\text{arctan2}(c*x,\text{sqrt}(c*x+1)*\text{sqrt}(-c*x+1))/(e^3*x^9+3*d*e^2*x^7+3*d^2*e*x^5+d^3*x^3),x)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b\arcsin(cx)+a}{e^3x^9+3de^2x^7+3d^2ex^5+d^3x^3},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/x^3/(e\*x^2+d)^3,x, algorithm="fricas")

[Out]  $\text{integral}((b*\arcsin(c*x)+a)/(e^3*x^9+3*d*e^2*x^7+3*d^2*e*x^5+d^3*x^3),x)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/x**3/(e*x**2+d)**3,x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/x^3/(e*x^2+d)^3,x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.646 \quad \int \frac{x^4 (a + b \sin^{-1}(cx))}{(d + ex^2)^3} dx$$

Optimal. Leaf size=1082

result too large to display

```
[Out] (b*c*Sqrt[-d]*Sqrt[1 - c^2*x^2])/(16*e^2*(c^2*d + e)*(Sqrt[-d] - Sqrt[e]*x)
) + (b*c*Sqrt[-d]*Sqrt[1 - c^2*x^2])/(16*e^2*(c^2*d + e)*(Sqrt[-d] + Sqrt[e]
]*x)) - (Sqrt[-d]*(a + b*ArcSin[c*x]))/(16*e^(5/2)*(Sqrt[-d] - Sqrt[e]*x)^2
) + (5*(a + b*ArcSin[c*x]))/(16*e^(5/2)*(Sqrt[-d] - Sqrt[e]*x)) + (Sqrt[-d]
*(a + b*ArcSin[c*x]))/(16*e^(5/2)*(Sqrt[-d] + Sqrt[e]*x)^2) - (5*(a + b*Arc
Sin[c*x]))/(16*e^(5/2)*(Sqrt[-d] + Sqrt[e]*x)) + (b*c^3*d*ArcTanh[(Sqrt[e]
- c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(16*e^(5/2)*(c^2*d
+ e)^(3/2)) - (5*b*c*ArcTanh[(Sqrt[e] - c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sq
rt[1 - c^2*x^2])])/(16*e^(5/2)*Sqrt[c^2*d + e]) + (b*c^3*d*ArcTanh[(Sqrt[e]
+ c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(16*e^(5/2)*(c^2*d
+ e)^(3/2)) - (5*b*c*ArcTanh[(Sqrt[e] + c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*S
qrt[1 - c^2*x^2])])/(16*e^(5/2)*Sqrt[c^2*d + e]) + (3*(a + b*ArcSin[c*x])*L
og[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(16*S
qrt[-d]*e^(5/2)) - (3*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]
)))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) + (3*(a + b*Arc
Sin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d +
e])])/(16*Sqrt[-d]*e^(5/2)) - (3*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*
ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(16*Sqrt[-d]*e^(5/2)) + ((
(3*I)/16)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c
^2*d + e]))]/(Sqrt[-d]*e^(5/2)) - (((3*I)/16)*b*PolyLog[2, (Sqrt[e]*E^(I*A
rcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(5/2)) + (((3*I
)/16)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d
+ e]))]/(Sqrt[-d]*e^(5/2)) - (((3*I)/16)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSi
n[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(Sqrt[-d]*e^(5/2))
```

**Rubi [A]** time = 3.38407, antiderivative size = 1082, normalized size of antiderivative = 1., number of steps used = 80, number of rules used = 11, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.524$ , Rules used = {4733, 4667, 4743, 731, 725, 206, 4741, 4521, 2190, 2279, 2391}

$$\frac{bd \tanh^{-1}\left(\frac{\sqrt{e-c^2}\sqrt{-dx}}{\sqrt{dc^2+e}\sqrt{1-c^2x^2}}\right) c^3}{16e^{5/2}(dc^2+e)^{3/2}} + \frac{bd \tanh^{-1}\left(\frac{\sqrt{-dxc^2+\sqrt{e}}}{\sqrt{dc^2+e}\sqrt{1-c^2x^2}}\right) c^3}{16e^{5/2}(dc^2+e)^{3/2}} - \frac{5b \tanh^{-1}\left(\frac{\sqrt{e-c^2}\sqrt{-dx}}{\sqrt{dc^2+e}\sqrt{1-c^2x^2}}\right) c}{16e^{5/2}\sqrt{dc^2+e}} - \frac{5b \tanh^{-1}\left(\frac{\sqrt{-dxc^2+\sqrt{e}}}{\sqrt{dc^2+e}\sqrt{1-c^2x^2}}\right)}{16e^{5/2}\sqrt{dc^2+e}}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^3,x]

[Out] (b\*c\*Sqrt[-d]\*Sqrt[1 - c^2\*x^2])/(16\*e^2\*(c^2\*d + e)\*(Sqrt[-d] - Sqrt[e]\*x) + (b\*c\*Sqrt[-d]\*Sqrt[1 - c^2\*x^2])/(16\*e^2\*(c^2\*d + e)\*(Sqrt[-d] + Sqrt[e]\*x)) - (Sqrt[-d]\*(a + b\*ArcSin[c\*x]))/(16\*e^(5/2)\*(Sqrt[-d] - Sqrt[e]\*x)^2) + (5\*(a + b\*ArcSin[c\*x]))/(16\*e^(5/2)\*(Sqrt[-d] - Sqrt[e]\*x) + (Sqrt[-d]\*(a + b\*ArcSin[c\*x]))/(16\*e^(5/2)\*(Sqrt[-d] + Sqrt[e]\*x)^2) - (5\*(a + b\*ArcSin[c\*x]))/(16\*e^(5/2)\*(Sqrt[-d] + Sqrt[e]\*x)) + (b\*c^3\*d\*ArcTanh[(Sqrt[e] - c^2\*Sqrt[-d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])])/(16\*e^(5/2)\*(c^2\*d + e)^(3/2)) - (5\*b\*c\*ArcTanh[(Sqrt[e] - c^2\*Sqrt[-d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])])/(16\*e^(5/2)\*Sqrt[c^2\*d + e]) + (b\*c^3\*d\*ArcTanh[(Sqrt[e] + c^2\*Sqrt[-d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])])/(16\*e^(5/2)\*(c^2\*d + e)^(3/2)) - (5\*b\*c\*ArcTanh[(Sqrt[e] + c^2\*Sqrt[-d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])])/(16\*e^(5/2)\*Sqrt[c^2\*d + e]) + (3\*(a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(16\*Sqrt[-d]\*e^(5/2)) - (3\*(a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(16\*Sqrt[-d]\*e^(5/2)) + (3\*(a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(16\*Sqrt[-d]\*e^(5/2)) - (3\*(a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(16\*Sqrt[-d]\*e^(5/2)) + ((3\*I)/16)\*b\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e]))]/(Sqrt[-d]\*e^(5/2)) - (((3\*I)/16)\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(Sqrt[-d]\*e^(5/2)) + (((3\*I)/16)\*b\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e]))]/(Sqrt[-d]\*e^(5/2)) - (((3\*I)/16)\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(Sqrt[-d]\*e^(5/2)) - (((3\*I)/16)\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(Sqrt[-d]\*e^(5/2))

### Rule 4733

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_.)\*((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*ArcSin[c\*x])^n, (f\*x)^m\*(d + e\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2\*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

### Rule 4667

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*ArcSin[c\*x])^n, (d + e\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])

### Rule 4743

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^n\_.)\*((d\_) + (e\_.)\*(x\_))^(m\_.), x\_S

```

ymbol] := Simp[((d + e*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(e*(m + 1)), x] -
Dist[(b*c*n)/(e*(m + 1)), Int[((d + e*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1
))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0]
&& NeQ[m, -1]

```

### Rule 731

```

Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[
(e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + D
ist[(c*d)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; F
reeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m + 2*p + 3, 0]

```

### Rule 725

```

Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]

```

### Rule 206

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/
Rt[a, 2])]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

### Rule 4741

```

Int[((a_) + ArcSin[(c_)*(x_)])*(b_)^(n_)/((d_) + (e_)*(x_)), x_Symbol]
:= Subst[Int[(a + b*x)^n*cos[x]]/(c*d + e*sin[x]), x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

```

### Rule 4521

```

Int[(Cos[(c_) + (d_)*(x_)])*((e_) + (f_)*(x_))^(m_)/((a_) + (b_)*Sin[
(c_) + (d_)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1
)), x] + (Dist[I, Int[(e + f*x)^m*E^(I*(c + d*x))]/(I*a - Rt[-a^2 + b^2, 2]
+ b*E^(I*(c + d*x))), x], x] + Dist[I, Int[(e + f*x)^m*E^(I*(c + d*x))]/(
I*a + Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x] /; FreeQ[{a, b, c, d,
e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]

```

### Rule 2190

```

Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)

```

)^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol]  
 := Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))  
 ^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2,  
 -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps

$$\begin{aligned}
\int \frac{x^4 (a + b \sin^{-1}(cx))}{(d + ex^2)^3} dx &= \int \left( \frac{d^2 (a + b \sin^{-1}(cx))}{e^2 (d + ex^2)^3} - \frac{2d (a + b \sin^{-1}(cx))}{e^2 (d + ex^2)^2} + \frac{a + b \sin^{-1}(cx)}{e^2 (d + ex^2)} \right) dx \\
&= \frac{\int \frac{a + b \sin^{-1}(cx)}{d + ex^2} dx}{e^2} - \frac{(2d) \int \frac{a + b \sin^{-1}(cx)}{(d + ex^2)^2} dx}{e^2} + \frac{d^2 \int \frac{a + b \sin^{-1}(cx)}{(d + ex^2)^3} dx}{e^2} \\
&= \frac{\int \left( \frac{\sqrt{-d}(a + b \sin^{-1}(cx))}{2d(\sqrt{-d} - \sqrt{ex})} + \frac{\sqrt{-d}(a + b \sin^{-1}(cx))}{2d(\sqrt{-d} + \sqrt{ex})} \right) dx}{e^2} - \frac{(2d) \int \left( -\frac{e(a + b \sin^{-1}(cx))}{4d(\sqrt{-d}\sqrt{e} - ex)^2} - \frac{e(a + b \sin^{-1}(cx))}{4d(\sqrt{-d}\sqrt{e} + ex)^2} - \frac{e(a + b \sin^{-1}(cx))}{2d(-d - ex)} \right) dx}{e^2} \\
&= -\frac{\int \frac{a + b \sin^{-1}(cx)}{\sqrt{-d} - \sqrt{ex}} dx}{2\sqrt{-d}e^2} - \frac{\int \frac{a + b \sin^{-1}(cx)}{\sqrt{-d} + \sqrt{ex}} dx}{2\sqrt{-d}e^2} - \frac{3 \int \frac{a + b \sin^{-1}(cx)}{(\sqrt{-d}\sqrt{e} - ex)^2} dx}{16e} - \frac{3 \int \frac{a + b \sin^{-1}(cx)}{(\sqrt{-d}\sqrt{e} + ex)^2} dx}{16e} - \frac{3 \int \frac{a + b \sin^{-1}(cx)}{-d - ex} dx}{8e} \\
&= -\frac{\sqrt{-d} (a + b \sin^{-1}(cx))}{16e^{5/2} (\sqrt{-d} - \sqrt{ex})^2} + \frac{5 (a + b \sin^{-1}(cx))}{16e^{5/2} (\sqrt{-d} - \sqrt{ex})} + \frac{\sqrt{-d} (a + b \sin^{-1}(cx))}{16e^{5/2} (\sqrt{-d} + \sqrt{ex})^2} - \frac{5 (a + b \sin^{-1}(cx))}{16e^{5/2} (\sqrt{-d} + \sqrt{ex})} \\
&= \frac{bc\sqrt{-d}\sqrt{1 - c^2x^2}}{16e^2 (c^2d + e) (\sqrt{-d} - \sqrt{ex})} + \frac{bc\sqrt{-d}\sqrt{1 - c^2x^2}}{16e^2 (c^2d + e) (\sqrt{-d} + \sqrt{ex})} - \frac{\sqrt{-d} (a + b \sin^{-1}(cx))}{16e^{5/2} (\sqrt{-d} - \sqrt{ex})^2} + \frac{5 (a + b \sin^{-1}(cx))}{16e^{5/2} (\sqrt{-d} - \sqrt{ex})} \\
&= \frac{bc\sqrt{-d}\sqrt{1 - c^2x^2}}{16e^2 (c^2d + e) (\sqrt{-d} - \sqrt{ex})} + \frac{bc\sqrt{-d}\sqrt{1 - c^2x^2}}{16e^2 (c^2d + e) (\sqrt{-d} + \sqrt{ex})} - \frac{\sqrt{-d} (a + b \sin^{-1}(cx))}{16e^{5/2} (\sqrt{-d} - \sqrt{ex})^2} + \frac{5 (a + b \sin^{-1}(cx))}{16e^{5/2} (\sqrt{-d} - \sqrt{ex})} \\
&= \frac{bc\sqrt{-d}\sqrt{1 - c^2x^2}}{16e^2 (c^2d + e) (\sqrt{-d} - \sqrt{ex})} + \frac{bc\sqrt{-d}\sqrt{1 - c^2x^2}}{16e^2 (c^2d + e) (\sqrt{-d} + \sqrt{ex})} - \frac{\sqrt{-d} (a + b \sin^{-1}(cx))}{16e^{5/2} (\sqrt{-d} - \sqrt{ex})^2} + \frac{5 (a + b \sin^{-1}(cx))}{16e^{5/2} (\sqrt{-d} - \sqrt{ex})} \\
&= \frac{bc\sqrt{-d}\sqrt{1 - c^2x^2}}{16e^2 (c^2d + e) (\sqrt{-d} - \sqrt{ex})} + \frac{bc\sqrt{-d}\sqrt{1 - c^2x^2}}{16e^2 (c^2d + e) (\sqrt{-d} + \sqrt{ex})} - \frac{\sqrt{-d} (a + b \sin^{-1}(cx))}{16e^{5/2} (\sqrt{-d} - \sqrt{ex})^2} + \frac{5 (a + b \sin^{-1}(cx))}{16e^{5/2} (\sqrt{-d} - \sqrt{ex})} \\
&= \frac{bc\sqrt{-d}\sqrt{1 - c^2x^2}}{16e^2 (c^2d + e) (\sqrt{-d} - \sqrt{ex})} + \frac{bc\sqrt{-d}\sqrt{1 - c^2x^2}}{16e^2 (c^2d + e) (\sqrt{-d} + \sqrt{ex})} - \frac{\sqrt{-d} (a + b \sin^{-1}(cx))}{16e^{5/2} (\sqrt{-d} - \sqrt{ex})^2} + \frac{5 (a + b \sin^{-1}(cx))}{16e^{5/2} (\sqrt{-d} - \sqrt{ex})}
\end{aligned}$$

**Mathematica [A]** time = 5.88264, size = 1014, normalized size = 0.94

$$\frac{bd \left( \log \left( \frac{e^{\sqrt{dc^2+e}} (-i\sqrt{dxc^2+\sqrt{e}+\sqrt{dc^2+e}\sqrt{1-c^2x^2}})}{c^3(d+i\sqrt{ex}\sqrt{d})} \right) + \log(4) \right) c^3}{(dc^2+e)^{3/2}} + \frac{bd \left( \log \left( \frac{e^{\sqrt{dc^2+e}} (i\sqrt{dxc^2+\sqrt{e}+\sqrt{dc^2+e}\sqrt{1-c^2x^2}})}{c^3(d-i\sqrt{d}\sqrt{ex})} \right) + \log(4) \right) c^3}{(dc^2+e)^{3/2}} - \frac{5b \tanh^{-1} \left( \frac{i\sqrt{dxc^2+\sqrt{e}}}{\sqrt{dc^2+e}\sqrt{1-c^2x^2}} \right) c}{\sqrt{dc^2+e}} - \frac{ib\sqrt{d}\sqrt{e}}{(dc^2+e)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^3,x]

[Out] (((-I)\*b\*c\*Sqrt[d]\*Sqrt[e]\*Sqrt[1 - c^2\*x^2])/((c^2\*d + e)\*((-I)\*Sqrt[d] + Sqrt[e]\*x)) + (I\*b\*c\*Sqrt[d]\*Sqrt[e]\*Sqrt[1 - c^2\*x^2])/((c^2\*d + e)\*(I\*Sqrt[d] + Sqrt[e]\*x)) + (4\*a\*d\*Sqrt[e]\*x)/(d + e\*x^2)^2 - (10\*a\*Sqrt[e]\*x)/(d + e\*x^2) + (I\*b\*Sqrt[d]\*ArcSin[c\*x])/(Sqrt[d] + I\*Sqrt[e]\*x)^2 + (I\*b\*Sqrt[d]\*ArcSin[c\*x])/(I\*Sqrt[d] + Sqrt[e]\*x)^2 - (5\*b\*ArcSin[c\*x])/(I\*Sqrt[d] + Sqrt[e]\*x) + (6\*a\*ArcTan[(Sqrt[e]\*x)/Sqrt[d]])/Sqrt[d] - (5\*I)\*b\*(ArcSin[c\*x])/(Sqrt[d] + I\*Sqrt[e]\*x) - (c\*ArcTan[(I\*Sqrt[e] + c^2\*Sqrt[d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])])/Sqrt[c^2\*d + e] - (5\*b\*c\*ArcTanh[(Sqrt[e] + I\*c^2\*Sqrt[d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])])/Sqrt[c^2\*d + e] + ((3\*I)\*b\*ArcSin[c\*x]\*(Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))]/(-c\*Sqrt[d] + Sqrt[c^2\*d + e])) + Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] + Sqrt[c^2\*d + e])])/Sqrt[d] - ((3\*I)\*b\*ArcSin[c\*x]\*(Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))]/(c\*Sqrt[d] - Sqrt[c^2\*d + e])) + Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] + Sqrt[c^2\*d + e])])/Sqrt[d] + (b\*c^3\*d\*(Log[4] + Log[(e\*Sqrt[c^2\*d + e]\*(Sqrt[e] - I\*c^2\*Sqrt[d]\*x + Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])]/(c^3\*(d + I\*Sqrt[d]\*Sqrt[e]\*x))))/(c^2\*d + e)^(3/2) + (b\*c^3\*d\*(Log[4] + Log[(e\*Sqrt[c^2\*d + e]\*(Sqrt[e] + I\*c^2\*Sqrt[d]\*x + Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])]/(c^3\*(d - I\*Sqrt[d]\*Sqrt[e]\*x))))/(c^2\*d + e)^(3/2) + (3\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] - Sqrt[c^2\*d + e])])/Sqrt[d] - (3\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(-c\*Sqrt[d] + Sqrt[c^2\*d + e])])/Sqrt[d] - (3\*b\*PolyLog[2, -(Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] + Sqrt[c^2\*d + e])])/Sqrt[d] + (3\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] + Sqrt[c^2\*d + e])])/Sqrt[d])/(16\*e^(5/2))

**Maple [C]** time = 1.096, size = 3107, normalized size = 2.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^3,x)



```
[Out] -7/4*c^3*b*((2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*arctanh(e*(I*c*x
+(-c^2*x^2+1)^(1/2)))/((2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2))/e^4/(
c^2*d+e)^2*(c^2*d*(c^2*d+e))^(1/2)*d+c^5*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^(
1/2)+e)*e)^(1/2)*d^2*arctan(e*(I*c*x+(-c^2*x^2+1)^(1/2)))/((-2*c^2*d+2*(c^2*
d*(c^2*d+e))^(1/2)-e)*e)^(1/2))/e^5/(c^2*d+e)^2*(c^2*d*(c^2*d+e))^(1/2)-c^3
*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*arctan(e*(I*c*x+(-c^2*x
^2+1)^(1/2)))/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)-e)*e)^(1/2))*d/e^5/(c^2*d
+e)*(c^2*d*(c^2*d+e))^(1/2)-c^5*b*((2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)
^(1/2)*d^2*arctanh(e*(I*c*x+(-c^2*x^2+1)^(1/2)))/((2*c^2*d+2*(c^2*d*(c^2*d+e
))^(1/2)+e)*e)^(1/2))/e^5/(c^2*d+e)^2*(c^2*d*(c^2*d+e))^(1/2)-5/8*c^6*b/e/(
c^2*d+e)/(c^2*e*x^2+c^2*d)^2*arcsin(c*x)*x^3*d-3/8*c^6*b/e^2/(c^2*d+e)/(c^2
*e*x^2+c^2*d)^2*arcsin(c*x)*x*d^2+1/8*c^5*b/e/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2
*(-c^2*x^2+1)^(1/2)*x^2*d-3/8*c^4*b/e/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2*arcsin(
c*x)*x*d+c^3*b*((2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*arctanh(e*(I
*c*x+(-c^2*x^2+1)^(1/2)))/((2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2))*d
/e^5/(c^2*d+e)*(c^2*d*(c^2*d+e))^(1/2)+7/4*c^3*b*(-(2*c^2*d-2*(c^2*d*(c^2*d
+e))^(1/2)+e)*e)^(1/2)*arctan(e*(I*c*x+(-c^2*x^2+1)^(1/2)))/((-2*c^2*d+2*(c^
2*d*(c^2*d+e))^(1/2)-e)*e)^(1/2))/e^4/(c^2*d+e)^2*(c^2*d*(c^2*d+e))^(1/2)*d
-c^5*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*arctan(e*(I*c*x+(-c
^2*x^2+1)^(1/2)))/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)-e)*e)^(1/2))*d^2/e^5/
(c^2*d+e)+c^7*b*((2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*d^3*arctanh
(e*(I*c*x+(-c^2*x^2+1)^(1/2)))/((2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/
2))/e^5/(c^2*d+e)^2-c^5*b*((2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*a
rctanh(e*(I*c*x+(-c^2*x^2+1)^(1/2)))/((2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e)*
e)^(1/2))*d^2/e^5/(c^2*d+e)+9/4*c^5*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+
e)*e)^(1/2)*arctan(e*(I*c*x+(-c^2*x^2+1)^(1/2)))/((-2*c^2*d+2*(c^2*d*(c^2*d+
e))^(1/2)-e)*e)^(1/2))/e^4/(c^2*d+e)^2*d^2+5/4*c^3*b*(-(2*c^2*d-2*(c^2*d*(c
^2*d+e))^(1/2)+e)*e)^(1/2)*arctan(e*(I*c*x+(-c^2*x^2+1)^(1/2)))/((-2*c^2*d+2
*(c^2*d*(c^2*d+e))^(1/2)-e)*e)^(1/2))/e^3/(c^2*d+e)^2*d-7/4*c^3*b*(-(2*c^2*
d-2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*arctan(e*(I*c*x+(-c^2*x^2+1)^(1/2))
)/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)-e)*e)^(1/2))/e^4/(c^2*d+e)*d+1/8*c^5*
b/e^2/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2*d^2*(-c^2*x^2+1)^(1/2)+5/8*c*b*(-(2*c^2
*d-2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*arctan(e*(I*c*x+(-c^2*x^2+1)^(1/2)
))/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)-e)*e)^(1/2))/e^3/(c^2*d+e)^2*(c^2*d*
(c^2*d+e))^(1/2)-5/4*c*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*a
rctan(e*(I*c*x+(-c^2*x^2+1)^(1/2)))/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)-e)*
e)^(1/2))/e^4/(c^2*d+e)*(c^2*d*(c^2*d+e))^(1/2)-5/8*c*b*((2*c^2*d+2*(c^2*d*
(c^2*d+e))^(1/2)+e)*e)^(1/2)*arctanh(e*(I*c*x+(-c^2*x^2+1)^(1/2)))/((2*c^2*d
+2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2))/e^3/(c^2*d+e)^2*(c^2*d*(c^2*d+e))^(
1/2)+5/4*c*b*((2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*arctanh(e*(I*c
*x+(-c^2*x^2+1)^(1/2)))/((2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2))/e^4
/(c^2*d+e)*(c^2*d*(c^2*d+e))^(1/2)+9/4*c^5*b*((2*c^2*d+2*(c^2*d*(c^2*d+e))^(
1/2)+e)*e)^(1/2)*arctanh(e*(I*c*x+(-c^2*x^2+1)^(1/2)))/((2*c^2*d+2*(c^2*d*(
c^2*d+e))^(1/2)+e)*e)^(1/2))/e^4/(c^2*d+e)^2*d^2+5/4*c^3*b*((2*c^2*d+2*(c^2
*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*arctanh(e*(I*c*x+(-c^2*x^2+1)^(1/2)))/((2*c^
```

$$2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}*e)^{(1/2)}/e^3/(c^2*d+e)^{2*d-7/4}*c^3*b*((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}*e)^{(1/2)}*\operatorname{arctanh}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)))/((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}*e)^{(1/2)})/e^4/(c^2*d+e)*d+c^7*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^{(1/2)+e}*e)^{(1/2)}*d^3*\operatorname{arctan}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)))/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)-e}*e)^{(1/2)})/e^5/(c^2*d+e)^{2+3/8}*a/e^2/(d*e)^{(1/2)}*\operatorname{arctan}(e*x/(d*e)^{(1/2)})+3/16*c*b/e/(c^2*d+e)*\operatorname{sum}(_R1/(_R1^2*e-2*c^2*d-e)*(I*\operatorname{arcsin}(c*x)*\ln((\_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/_R1)+\operatorname{dilog}((\_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/_R1)),\_R1=\operatorname{RootOf}(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))+3/16*c*b/e/(c^2*d+e)*\operatorname{sum}(1/_R1/(_R1^2*e-2*c^2*d-e)*(I*\operatorname{arcsin}(c*x)*\ln((\_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/_R1)+\operatorname{dilog}((\_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/_R1)),\_R1=\operatorname{RootOf}(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))-5/8*c^4*a/(c^2*e*x^2+c^2*d)^2/e*x^3+3/16*c^3*b/e^2/(c^2*d+e)*d*\operatorname{sum}(1/_R1/(_R1^2*e-2*c^2*d-e)*(I*\operatorname{arcsin}(c*x)*\ln((\_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/_R1)+\operatorname{dilog}((\_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/_R1)),\_R1=\operatorname{RootOf}(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))+3/16*c^3*b/e^2/(c^2*d+e)*d*\operatorname{sum}(_R1/(_R1^2*e-2*c^2*d-e)*(I*\operatorname{arcsin}(c*x)*\ln((\_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/_R1)+\operatorname{dilog}((\_R1-I*c*x-(-c^2*x^2+1)^{(1/2)})/_R1)),\_R1=\operatorname{RootOf}(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))-5/8*c*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^{(1/2)+e}*e)^{(1/2)}*\operatorname{arctan}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)))/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)-e}*e)^{(1/2)})/e^3/(c^2*d+e)-5/8*c*b*((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}*e)^{(1/2)}*\operatorname{arctanh}(e*(I*c*x+(-c^2*x^2+1)^{(1/2)))/((2*c^2*d+2*(c^2*d*(c^2*d+e))^{(1/2)+e}*e)^{(1/2)})/e^3/(c^2*d+e)-5/8*c^4*b/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2*\operatorname{arcsin}(c*x)*x^3-3/8*c^4*a/(c^2*e*x^2+c^2*d)^2/e^2*d*x$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*arcsin(c*x))/(e*x^2+d)^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{bx^4 \operatorname{arcsin}(cx) + ax^4}{e^3x^6 + 3de^2x^4 + 3d^2ex^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))/(e*x^2+d)^3,x, algorithm="fricas")
```

```
[Out] integral((b*x^4*arcsin(c*x) + a*x^4)/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 +
d^3), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(a+b*asin(c*x))/(e*x**2+d)**3,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^4}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(a+b*arcsin(c*x))/(e*x^2+d)^3,x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)*x^4/(e*x^2 + d)^3, x)
```

$$3.647 \quad \int \frac{x^2(a+b \sin^{-1}(cx))}{(d+ex^2)^3} dx$$

**Optimal.** Leaf size=1092

result too large to display

```
[Out] (b*c*Sqrt[1 - c^2*x^2])/(16*Sqrt[-d]*e*(c^2*d + e)*(Sqrt[-d] - Sqrt[e]*x))
+ (b*c*Sqrt[1 - c^2*x^2])/(16*Sqrt[-d]*e*(c^2*d + e)*(Sqrt[-d] + Sqrt[e]*x)
) - (a + b*ArcSin[c*x])/(16*Sqrt[-d]*e^(3/2)*(Sqrt[-d] - Sqrt[e]*x)^2) - (a
+ b*ArcSin[c*x])/(16*d*e^(3/2)*(Sqrt[-d] - Sqrt[e]*x)) + (a + b*ArcSin[c*x
])/(16*Sqrt[-d]*e^(3/2)*(Sqrt[-d] + Sqrt[e]*x)^2) + (a + b*ArcSin[c*x])/(16
*d*e^(3/2)*(Sqrt[-d] + Sqrt[e]*x)) - (b*c^3*ArcTanh[(Sqrt[e] - c^2*Sqrt[-d]
*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(16*e^(3/2)*(c^2*d + e)^(3/2)) +
(b*c*ArcTanh[(Sqrt[e] - c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])
])/(16*d*e^(3/2)*Sqrt[c^2*d + e]) - (b*c^3*ArcTanh[(Sqrt[e] + c^2*Sqrt[-d]*
x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(16*e^(3/2)*(c^2*d + e)^(3/2)) + (
b*c*ArcTanh[(Sqrt[e] + c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])
])/(16*d*e^(3/2)*Sqrt[c^2*d + e]) - ((a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^
(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2))
+ ((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] -
Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) - ((a + b*ArcSin[c*x])*Log[1 -
(Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(16*(-d)^(3/
2)*e^(3/2)) + ((a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c
*Sqrt[-d] + Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) - ((I/16)*b*PolyLog[
2, -(Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(16*(-d)^(
3/2)*e^(3/2)) + ((I/16)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt
[-d] - Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2)) - ((I/16)*b*PolyLog[2, -(Sq
rt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(16*(-d)^(3/2)*e^
(3/2)) + ((I/16)*b*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + S
qrt[c^2*d + e])])/(16*(-d)^(3/2)*e^(3/2))
```

**Rubi [A]** time = 2.61063, antiderivative size = 1092, normalized size of antiderivative = 1., number of steps used = 62, number of rules used = 11, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.524$ , Rules used = {4733, 4667, 4743, 731, 725, 206, 4741, 4521, 2190, 2279, 2391}

$$-\frac{b \tanh^{-1}\left(\frac{\sqrt{e-c^2}\sqrt{-dx}}{\sqrt{dc^2+e}\sqrt{1-c^2x^2}}\right)c^3}{16e^{3/2}(dc^2+e)^{3/2}} - \frac{b \tanh^{-1}\left(\frac{\sqrt{-dxc^2+\sqrt{e}}}{\sqrt{dc^2+e}\sqrt{1-c^2x^2}}\right)c^3}{16e^{3/2}(dc^2+e)^{3/2}} + \frac{b \tanh^{-1}\left(\frac{\sqrt{e-c^2}\sqrt{-dx}}{\sqrt{dc^2+e}\sqrt{1-c^2x^2}}\right)c}{16de^{3/2}\sqrt{dc^2+e}} + \frac{b \tanh^{-1}\left(\frac{\sqrt{-dxc^2+\sqrt{e}}}{\sqrt{dc^2+e}\sqrt{1-c^2x^2}}\right)c}{16de^{3/2}\sqrt{dc^2+e}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^3,x]

[Out] (b\*c\*Sqrt[1 - c^2\*x^2])/(16\*Sqrt[-d]\*e\*(c^2\*d + e)\*(Sqrt[-d] - Sqrt[e]\*x)) + (b\*c\*Sqrt[1 - c^2\*x^2])/(16\*Sqrt[-d]\*e\*(c^2\*d + e)\*(Sqrt[-d] + Sqrt[e]\*x)) - (a + b\*ArcSin[c\*x])/(16\*Sqrt[-d]\*e^(3/2)\*(Sqrt[-d] - Sqrt[e]\*x)^2) - (a + b\*ArcSin[c\*x])/(16\*d\*e^(3/2)\*(Sqrt[-d] - Sqrt[e]\*x)) + (a + b\*ArcSin[c\*x])/(16\*Sqrt[-d]\*e^(3/2)\*(Sqrt[-d] + Sqrt[e]\*x)^2) + (a + b\*ArcSin[c\*x])/(16\*d\*e^(3/2)\*(Sqrt[-d] + Sqrt[e]\*x)) - (b\*c^3\*ArcTanh[(Sqrt[e] - c^2\*Sqrt[-d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])])/(16\*e^(3/2)\*(c^2\*d + e)^(3/2)) + (b\*c\*ArcTanh[(Sqrt[e] - c^2\*Sqrt[-d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])])/(16\*d\*e^(3/2)\*Sqrt[c^2\*d + e]) - (b\*c^3\*ArcTanh[(Sqrt[e] + c^2\*Sqrt[-d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])])/(16\*e^(3/2)\*(c^2\*d + e)^(3/2)) + (b\*c\*ArcTanh[(Sqrt[e] + c^2\*Sqrt[-d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])])/(16\*d\*e^(3/2)\*Sqrt[c^2\*d + e]) - ((a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(16\*(-d)^(3/2)\*e^(3/2)) + ((a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(16\*(-d)^(3/2)\*e^(3/2)) - ((a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(16\*(-d)^(3/2)\*e^(3/2)) + ((a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(16\*(-d)^(3/2)\*e^(3/2)) - ((I/16)\*b\*PolyLog[2, -(Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(16\*(-d)^(3/2)\*e^(3/2)) + ((I/16)\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(16\*(-d)^(3/2)\*e^(3/2)) - ((I/16)\*b\*PolyLog[2, -(Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(16\*(-d)^(3/2)\*e^(3/2)) + ((I/16)\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(16\*(-d)^(3/2)\*e^(3/2))

### Rule 4733

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.\*((f\_.)\*(x\_.))^m\_.\*((d\_.) + (e\_.)\*(x\_.)^2)^p\_.], x\_Symbol] := Int[ExpandIntegrand[(a + b\*ArcSin[c\*x])^n, (f\*x)^m\*(d + e\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2\*d + e, 0] && IGtQ[n, 0] && IntegerQ[p] && IntegerQ[m]

### Rule 4667

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.\*((d\_.) + (e\_.)\*(x\_.)^2)^p\_.], x\_Symbol] := Int[ExpandIntegrand[(a + b\*ArcSin[c\*x])^n, (d + e\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])

### Rule 4743

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.\*((d\_.) + (e\_.)\*(x\_.))^m\_.], x\_S

```

symbol] := Simp[((d + e*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(e*(m + 1)), x] -
Dist[(b*c*n)/(e*(m + 1)), Int[((d + e*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))
)/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0]
&& NeQ[m, -1]

```

### Rule 731

```

Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[
(e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + D
ist[(c*d)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; F
reeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m + 2*p + 3, 0]

```

### Rule 725

```

Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]

```

### Rule 206

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/
Rt[a, 2])]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

### Rule 4741

```

Int[((a_) + ArcSin[(c_)*(x_)])*(b_)^(n_)/((d_) + (e_)*(x_)), x_Symbol]
:= Subst[Int[((a + b*x)^n*cos[x])/(c*d + e*sin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]

```

### Rule 4521

```

Int[(Cos[(c_) + (d_)*(x_)]*((e_) + (f_)*(x_))^(m_))/((a_) + (b_)*Sin[
(c_) + (d_)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(I*a - Rt[-a^2 + b^2, 2]
+ b*E^(I*(c + d*x))), x], x] + Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(
I*a + Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d,
e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]

```

### Rule 2190

```

Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)

```

))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

### Rule 2279

Int[Log[(a\_) + (b\_.)\*((F\_)^((e\_.)\*((c\_.) + (d\_.)\*(x\_))))^(n\_.)], x\_Symbol]  
 :> Dist[1/(d\*e\*n\*Log[F]), Subst[Int[Log[a + b\*x]/x, x], x, (F^(e\*(c + d\*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] :> -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps





**Mathematica [A]** time = 6.02878, size = 1064, normalized size = 0.97

$$\frac{ax}{8de(ex^2 + d)} - \frac{ax}{4e(ex^2 + d)^2} + \frac{a \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{8d^{3/2}e^{3/2}} + b \left( \frac{i \left( \frac{\sin^{-1}(cx)}{i\sqrt{ex+\sqrt{d}}} - \frac{c \tan^{-1}\left(\frac{\sqrt{d}xc^2+i\sqrt{e}}{\sqrt{dc^2+e}\sqrt{1-c^2x^2}}\right)}{\sqrt{dc^2+e}} \right)}{16de^{3/2}} - \frac{\frac{\sin^{-1}(cx)}{\sqrt{ex+i\sqrt{d}}} - \frac{c \tanh^{-1}\left(\frac{i\sqrt{d}xc^2+\sqrt{e}}{\sqrt{dc^2+e}\sqrt{1-c^2x^2}}\right)}{\sqrt{dc^2+e}}}{16de^{3/2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^3,x]

[Out]  $-(a*x)/(4*e*(d + e*x^2)^2) + (a*x)/(8*d*e*(d + e*x^2)) + (a*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(8*d^{3/2}*e^{3/2}) + b*((I/16)*(\text{ArcSin}[c*x]/(\text{Sqrt}[d] + I*\text{Sqrt}[e]*x) - (c*\text{ArcTan}[(I*\text{Sqrt}[e] + c^2*\text{Sqrt}[d]*x)/(\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - c^2*x^2])])/(\text{Sqrt}[c^2*d + e]))/(d*e^{3/2}) - ((\text{ArcSin}[c*x]/(I*\text{Sqrt}[d] + \text{Sqrt}[e]*x)) - (c*\text{ArcTanh}[(\text{Sqrt}[e] + I*c^2*\text{Sqrt}[d]*x)/(\text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - c^2*x^2])])/(\text{Sqrt}[c^2*d + e]))/(16*d*e^{3/2}) - ((I/16)*(-((c*\text{Sqrt}[1 - c^2*x^2])/((c^2*d + e)*((-I)*\text{Sqrt}[d] + \text{Sqrt}[e]*x))) - \text{ArcSin}[c*x]/(\text{Sqrt}[e]*((-I)*\text{Sqrt}[d] + \text{Sqrt}[e]*x)^2) - (I*c^3*\text{Sqrt}[d]*(\text{Log}[4] + \text{Log}[(e*\text{Sqrt}[c^2*d + e]*(\text{Sqrt}[e] - I*c^2*\text{Sqrt}[d]*x + \text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - c^2*x^2])))/(c^3*(d + I*\text{Sqrt}[d]*\text{Sqrt}[e]*x))))/(\text{Sqrt}[e]*(c^2*d + e)^{3/2}))/(\text{Sqrt}[d]*e) + ((I/16)*(-((c*\text{Sqrt}[1 - c^2*x^2])/((c^2*d + e)*(I*\text{Sqrt}[d] + \text{Sqrt}[e]*x))) - \text{ArcSin}[c*x]/(\text{Sqrt}[e]*(I*\text{Sqrt}[d] + \text{Sqrt}[e]*x)^2) + (I*c^3*\text{Sqrt}[d]*(\text{Log}[4] + \text{Log}[(e*\text{Sqrt}[c^2*d + e]*(\text{Sqrt}[e] + I*c^2*\text{Sqrt}[d]*x + \text{Sqrt}[c^2*d + e]*\text{Sqrt}[1 - c^2*x^2])))/(c^3*(d - I*\text{Sqrt}[d]*\text{Sqrt}[e]*x))))/(\text{Sqrt}[e]*(c^2*d + e)^{3/2}))/(\text{Sqrt}[d]*e) - (\text{ArcSin}[c*x]*(\text{ArcSin}[c*x] + (2*I)*(\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})]/(c*\text{Sqrt}[d] - \text{Sqrt}[c^2*d + e])) + \text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})]/(c*\text{Sqrt}[d] + \text{Sqrt}[c^2*d + e])))) + 2*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(- (c*\text{Sqrt}[d]) + \text{Sqrt}[c^2*d + e])] + 2*\text{PolyLog}[2, -((\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(c*\text{Sqrt}[d] + \text{Sqrt}[c^2*d + e])))/(32*d^{3/2}*e^{3/2}) + (\text{ArcSin}[c*x]*(\text{ArcSin}[c*x] + (2*I)*(\text{Log}[1 + (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})]/(- (c*\text{Sqrt}[d]) + \text{Sqrt}[c^2*d + e])) + \text{Log}[1 - (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(c*\text{Sqrt}[d] + \text{Sqrt}[c^2*d + e])))) + 2*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(c*\text{Sqrt}[d] - \text{Sqrt}[c^2*d + e])] + 2*\text{PolyLog}[2, (\text{Sqrt}[e]*E^{(I*\text{ArcSin}[c*x])})/(c*\text{Sqrt}[d] + \text{Sqrt}[c^2*d + e])))/(32*d^{3/2}*e^{3/2}))$

**Maple [C]** time = 1.247, size = 2259, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2*(a+b*\arcsin(cx))/(e*x^2+d)^3,x)$

[Out]  $\frac{1}{4}cb(-2c^2d-2(c^2d(c^2d+e))^{1/2}+e)e^{1/2}\arctan(e(Icx+(-c^2x^2+1)^{1/2})/((-2c^2d+2(c^2d(c^2d+e))^{1/2}-e)e)^{1/2})/e^3d/(c^2d+e)(c^2d(c^2d+e))^{1/2}+1/8cb((2c^2d+2(c^2d(c^2d+e))^{1/2}+e)e)^{1/2}\operatorname{arctanh}(e(Icx+(-c^2x^2+1)^{1/2})/((2c^2d+2(c^2d(c^2d+e))^{1/2}+e)e)^{1/2})/(c^2d+e)^2d/e^2(c^2d(c^2d+e))^{1/2}+1/8c^4b^2e/d/(c^2d+e)/(c^2e^2x^2+c^2d)^2\arcsin(cx)*x^3-1/8c^6b/e/(c^2d+e)/(c^2e^2x^2+c^2d)^2\arcsin(cx)*xd-1/4cb((2c^2d+2(c^2d(c^2d+e))^{1/2}+e)e)^{1/2}\operatorname{arctanh}(e(Icx+(-c^2x^2+1)^{1/2})/((2c^2d+2(c^2d(c^2d+e))^{1/2}+e)e)^{1/2})/e^3d/(c^2d+e)(c^2d(c^2d+e))^{1/2}-1/8cb(-2c^2d-2(c^2d(c^2d+e))^{1/2}+e)e)^{1/2}\arctan(e(Icx+(-c^2x^2+1)^{1/2})/((-2c^2d+2(c^2d(c^2d+e))^{1/2}-e)e)^{1/2})/(c^2d+e)^2d/e^2(c^2d(c^2d+e))^{1/2}-1/4c^5b((2c^2d+2(c^2d(c^2d+e))^{1/2}+e)e)^{1/2}\operatorname{arctanh}(e(Icx+(-c^2x^2+1)^{1/2})/((2c^2d+2(c^2d(c^2d+e))^{1/2}+e)e)^{1/2})/e^3/(c^2d+e)^2d-1/4c^5b(-2c^2d-2(c^2d(c^2d+e))^{1/2}+e)e)^{1/2}\arctan(e(Icx+(-c^2x^2+1)^{1/2})/((-2c^2d+2(c^2d(c^2d+e))^{1/2}-e)e)^{1/2})/e^3/(c^2d+e)^2d+1/8cb(-2c^2d-2(c^2d(c^2d+e))^{1/2}+e)e)^{1/2}\arctan(e(Icx+(-c^2x^2+1)^{1/2})/((-2c^2d+2(c^2d(c^2d+e))^{1/2}-e)e)^{1/2})/e^2d/(c^2d+e)+1/8cb((2c^2d+2(c^2d(c^2d+e))^{1/2}+e)e)^{1/2}\operatorname{arctanh}(e(Icx+(-c^2x^2+1)^{1/2})/((2c^2d+2(c^2d(c^2d+e))^{1/2}+e)e)^{1/2})/e^2d/(c^2d+e)-1/8c^5b/e/d/(c^2d+e)/(c^2e^2x^2+c^2d)^2(-c^2x^2+1)^{1/2}-1/4c^3b(-2c^2d-2(c^2d(c^2d+e))^{1/2}+e)e)^{1/2}\arctan(e(Icx+(-c^2x^2+1)^{1/2})/((-2c^2d+2(c^2d(c^2d+e))^{1/2}-e)e)^{1/2})/e^3/(c^2d+e)^2(c^2d(c^2d+e))^{1/2}+1/4c^3b((2c^2d+2(c^2d(c^2d+e))^{1/2}+e)e)^{1/2}\operatorname{arctanh}(e(Icx+(-c^2x^2+1)^{1/2})/((2c^2d+2(c^2d(c^2d+e))^{1/2}+e)e)^{1/2})/e^3/(c^2d+e)^2(c^2d(c^2d+e))^{1/2}+1/16c^3b/e/(c^2d+e)*\sum(\_R1/(\_R1^2e-2c^2d-e)*(I*\arcsin(cx)*\ln((\_R1-Icx-(-c^2x^2+1)^{1/2})/\_R1))+\operatorname{dilog}((\_R1-Icx-(-c^2x^2+1)^{1/2})/\_R1)),\_R1=\operatorname{RootOf}(e*_Z^4+(-4c^2d-2e)*_Z^2+e))+1/8a/d/e/(d*e)^{1/2}\arctan(e*x/(d*e)^{1/2})-1/8c^4a/(c^2e^2x^2+c^2d)^2/e*x+1/16cb/d/(c^2d+e)*\sum(1/\_R1/(\_R1^2e-2c^2d-e)*(I*\arcsin(cx)*\ln((\_R1-Icx-(-c^2x^2+1)^{1/2})/\_R1))+\operatorname{dilog}((\_R1-Icx-(-c^2x^2+1)^{1/2})/\_R1)),\_R1=\operatorname{RootOf}(e*_Z^4+(-4c^2d-2e)*_Z^2+e))+1/16cb/d/(c^2d+e)*\sum(\_R1/(\_R1^2e-2c^2d-e)*(I*\arcsin(cx)*\ln((\_R1-Icx-(-c^2x^2+1)^{1/2})/\_R1))+\operatorname{dilog}((\_R1-Icx-(-c^2x^2+1)^{1/2})/\_R1)),\_R1=\operatorname{RootOf}(e*_Z^4+(-4c^2d-2e)*_Z^2+e))+1/16c^3b/e/(c^2d+e)*\sum(1/\_R1/(\_R1^2e-2c^2d-e)*(I*\arcsin(cx)*\ln((\_R1-Icx-(-c^2x^2+1)^{1/2})/\_R1))+\operatorname{dilog}((\_R1-Icx-(-c^2x^2+1)^{1/2})/\_R1)),\_R1=\operatorname{RootOf}(e*_Z^4+(-4c^2d-2e)*_Z^2+e))+1/8c^4a/(c^2e^2x^2+c^2d)^2/d*x^3+1/4c^3b((2c^2d+2(c^2d(c^2d+e))^{1/2}+e)e)^{1/2}\operatorname{arctanh}(e(Icx+(-c^2x^2+1)^{1/2})/((2c^2d+2(c^2d(c^2d+e))^{1/2}+e)e)^{1/2})/e^3/(c^2d+e)+1/8c^6b/(c^2d+e)/(c^2e^2x^2+c^2d)^2$

$$\begin{aligned} & \arcsin(cx) * x^3 - 1/8 * c^5 * b / (c^2 * d + e) / (c^2 * e * x^2 + c^2 * d)^2 * (-c^2 * x^2 + 1)^{(1/2)} * \\ & x^2 - 1/8 * c^4 * b / (c^2 * d + e) / (c^2 * e * x^2 + c^2 * d)^2 * \arcsin(cx) * x - 1/4 * c^3 * b * (-2 * c^2 * \\ & d - 2 * (c^2 * d * (c^2 * d + e))^{(1/2)} + e) * e^{(1/2)} * \arctan(e * (I * c * x + (-c^2 * x^2 + 1)^{(1/2)})) / \\ & ((-2 * c^2 * d + 2 * (c^2 * d * (c^2 * d + e))^{(1/2)} - e) * e^{(1/2)}) / (c^2 * d + e)^2 / e^2 - 1/4 * c^3 * \\ & b * ((2 * c^2 * d + 2 * (c^2 * d * (c^2 * d + e))^{(1/2)} + e) * e^{(1/2)} * \operatorname{arctanh}(e * (I * c * x + (-c^2 * \\ & x^2 + 1)^{(1/2)})) / ((2 * c^2 * d + 2 * (c^2 * d * (c^2 * d + e))^{(1/2)} + e) * e^{(1/2)}) / (c^2 * d + e)^2 / \\ & e^2 + 1/4 * c^3 * b * (-2 * c^2 * d - 2 * (c^2 * d * (c^2 * d + e))^{(1/2)} + e) * e^{(1/2)} * \arctan(e * (I * \\ & c * x + (-c^2 * x^2 + 1)^{(1/2)})) / ((-2 * c^2 * d + 2 * (c^2 * d * (c^2 * d + e))^{(1/2)} - e) * e^{(1/2)}) / e^3 / \\ & (c^2 * d + e) \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{bx^2 \arcsin(cx) + ax^2}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^3,x, algorithm="fricas")

[Out] integral((b\*x^2\*arcsin(c\*x) + a\*x^2)/(e^3\*x^6 + 3\*d\*e^2\*x^4 + 3\*d^2\*e\*x^2 + d^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(a+b*asin(c*x))/(e*x**2+d)**3,x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)x^2}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*arcsin(c*x))/(e*x^2+d)^3,x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)*x^2/(e*x^2 + d)^3, x)
```

$$3.648 \quad \int \frac{a+b \sin^{-1}(cx)}{(d+ex^2)^3} dx$$

**Optimal.** Leaf size=1092

result too large to display

```
[Out] (b*c*Sqrt[1 - c^2*x^2])/(16*(-d)^(3/2)*(c^2*d + e)*(Sqrt[-d] - Sqrt[e]*x))
+ (b*c*Sqrt[1 - c^2*x^2])/(16*(-d)^(3/2)*(c^2*d + e)*(Sqrt[-d] + Sqrt[e]*x)
) - (a + b*ArcSin[c*x])/(16*(-d)^(3/2)*Sqrt[e]*(Sqrt[-d] - Sqrt[e]*x)^2) -
(3*(a + b*ArcSin[c*x]))/(16*d^2*Sqrt[e]*(Sqrt[-d] - Sqrt[e]*x)) + (a + b*Ar
cSin[c*x])/(16*(-d)^(3/2)*Sqrt[e]*(Sqrt[-d] + Sqrt[e]*x)^2) + (3*(a + b*Arc
Sin[c*x]))/(16*d^2*Sqrt[e]*(Sqrt[-d] + Sqrt[e]*x)) + (b*c^3*ArcTanh[(Sqrt[e
] - c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(16*d*Sqrt[e]*(c^
2*d + e)^(3/2)) + (3*b*c*ArcTanh[(Sqrt[e] - c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e
]*Sqrt[1 - c^2*x^2])])/(16*d^2*Sqrt[e]*Sqrt[c^2*d + e]) + (b*c^3*ArcTanh[(S
qrt[e] + c^2*Sqrt[-d]*x)/(Sqrt[c^2*d + e]*Sqrt[1 - c^2*x^2])])/(16*d*Sqrt[e
]*(c^2*d + e)^(3/2)) + (3*b*c*ArcTanh[(Sqrt[e] + c^2*Sqrt[-d]*x)/(Sqrt[c^2*
d + e]*Sqrt[1 - c^2*x^2])])/(16*d^2*Sqrt[e]*Sqrt[c^2*d + e]) + (3*(a + b*Ar
cSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d +
e])])/(16*(-d)^(5/2)*Sqrt[e]) - (3*(a + b*ArcSin[c*x])*Log[1 + (Sqrt[e]*E^
(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e])
+ (3*(a + b*ArcSin[c*x])*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d]
+ Sqrt[c^2*d + e])])/(16*(-d)^(5/2)*Sqrt[e]) - (3*(a + b*ArcSin[c*x])*Log[
1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(16*(-d)
^(5/2)*Sqrt[e]) + (((3*I)/16)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I
*c*Sqrt[-d] - Sqrt[c^2*d + e]))]/((-d)^(5/2)*Sqrt[e]) - (((3*I)/16)*b*Poly
Log[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/((-d)
^(5/2)*Sqrt[e]) + (((3*I)/16)*b*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I
*c*Sqrt[-d] + Sqrt[c^2*d + e]))]/((-d)^(5/2)*Sqrt[e]) - (((3*I)/16)*b*Poly
Log[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/((-d)
^(5/2)*Sqrt[e])
```

**Rubi [A]** time = 1.24787, antiderivative size = 1092, normalized size of antiderivative = 1., number of steps used = 34, number of rules used = 10, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$ , Rules used = {4667, 4743, 731, 725, 206, 4741, 4521, 2190, 2279, 2391}

$$\frac{b \tanh^{-1}\left(\frac{\sqrt{e-c^2}\sqrt{-dx}}{\sqrt{dc^2+e}\sqrt{1-c^2x^2}}\right) c^3}{16d\sqrt{e}(dc^2+e)^{3/2}} + \frac{b \tanh^{-1}\left(\frac{\sqrt{-dxc^2+\sqrt{e}}}{\sqrt{dc^2+e}\sqrt{1-c^2x^2}}\right) c^3}{16d\sqrt{e}(dc^2+e)^{3/2}} + \frac{3b \tanh^{-1}\left(\frac{\sqrt{e-c^2}\sqrt{-dx}}{\sqrt{dc^2+e}\sqrt{1-c^2x^2}}\right) c}{16d^2\sqrt{e}\sqrt{dc^2+e}} + \frac{3b \tanh^{-1}\left(\frac{\sqrt{-dxc^2+\sqrt{e}}}{\sqrt{dc^2+e}\sqrt{1-c^2x^2}}\right) c}{16d^2\sqrt{e}\sqrt{dc^2+e}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(d + e\*x^2)^3, x]

[Out] (b\*c\*Sqrt[1 - c^2\*x^2])/(16\*(-d)^(3/2)\*(c^2\*d + e)\*(Sqrt[-d] - Sqrt[e]\*x)) + (b\*c\*Sqrt[1 - c^2\*x^2])/(16\*(-d)^(3/2)\*(c^2\*d + e)\*(Sqrt[-d] + Sqrt[e]\*x)) - (a + b\*ArcSin[c\*x])/(16\*(-d)^(3/2)\*Sqrt[e]\*(Sqrt[-d] - Sqrt[e]\*x)^2) - (3\*(a + b\*ArcSin[c\*x]))/(16\*d^2\*Sqrt[e]\*(Sqrt[-d] - Sqrt[e]\*x)) + (a + b\*ArcSin[c\*x])/(16\*(-d)^(3/2)\*Sqrt[e]\*(Sqrt[-d] + Sqrt[e]\*x)^2) + (3\*(a + b\*ArcSin[c\*x]))/(16\*d^2\*Sqrt[e]\*(Sqrt[-d] + Sqrt[e]\*x)) + (b\*c^3\*ArcTanh[(Sqrt[e] - c^2\*Sqrt[-d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])])/(16\*d\*Sqrt[e]\*(c^2\*d + e)^(3/2)) + (3\*b\*c\*ArcTanh[(Sqrt[e] - c^2\*Sqrt[-d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])])/(16\*d^2\*Sqrt[e]\*Sqrt[c^2\*d + e]) + (b\*c^3\*ArcTanh[(Sqrt[e] + c^2\*Sqrt[-d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])])/(16\*d\*Sqrt[e]\*(c^2\*d + e)^(3/2)) + (3\*b\*c\*ArcTanh[(Sqrt[e] + c^2\*Sqrt[-d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])])/(16\*d^2\*Sqrt[e]\*Sqrt[c^2\*d + e]) + (3\*(a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(16\*(-d)^(5/2)\*Sqrt[e]) - (3\*(a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/(16\*(-d)^(5/2)\*Sqrt[e]) + (3\*(a + b\*ArcSin[c\*x])\*Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(16\*(-d)^(5/2)\*Sqrt[e]) - (3\*(a + b\*ArcSin[c\*x])\*Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/(16\*(-d)^(5/2)\*Sqrt[e]) + (((3\*I)/16)\*b\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e]))])/((-d)^(5/2)\*Sqrt[e]) - (((3\*I)/16)\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] - Sqrt[c^2\*d + e])])/((-d)^(5/2)\*Sqrt[e]) + (((3\*I)/16)\*b\*PolyLog[2, -((Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e]))])/((-d)^(5/2)\*Sqrt[e]) - (((3\*I)/16)\*b\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*Sqrt[-d] + Sqrt[c^2\*d + e])])/((-d)^(5/2)\*Sqrt[e])

### Rule 4667

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(a + b\*ArcSin[c\*x])^n, (d + e\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])

### Rule 4743

Int[((a\_) + ArcSin[(c\_)\*(x\_)])\*(b\_)^(n\_)\*((d\_) + (e\_)\*(x\_)^2)^(m\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(e\*(m + 1)), x] - Dist[(b\*c\*n)/(e\*(m + 1)), Int[((d + e\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 731

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[
(e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + D
ist[(c*d)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; F
reeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m + 2*p + 3, 0]
```

### Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/
Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 4741

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))^(n_)/((d_) + (e_)*(x_)), x_Symbol]
:= Subst[Int[(a + b*x)^n*Cos[x]]/(c*d + e*Sin[x]), x], x, ArcSin[c*x]] /;
FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

### Rule 4521

```
Int[(Cos[(c_) + (d_)*(x_)]*((e_) + (f_)*(x_)^(m_)))/((a_) + (b_)*Sin[
(c_) + (d_)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(I*a - Rt[-a^2 + b^2, 2]
+ b*E^(I*(c + d*x))), x], x] + Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(
I*a + Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x]) /; FreeQ[{a, b, c, d,
e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]
```

### Rule 2190

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
)))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
```

)<sup>n</sup>], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

### Rule 2391

Int[Log[(c\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_.))]/(x\_), x\_Symbol] := -Simp[PolyLog[2, -(c\*e\*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c\*d, 1]

### Rubi steps





**Mathematica [A]** time = 6.06254, size = 1055, normalized size = 0.97

$$\frac{3ax}{8d^2(ex^2 + d)} + \frac{ax}{4d(ex^2 + d)^2} + \frac{3a \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{8d^{5/2}\sqrt{e}} + b \left( \frac{3i \left( \frac{\sin^{-1}(cx)}{i\sqrt{ex+\sqrt{d}}} - \frac{c \tan^{-1}\left(\frac{\sqrt{d}xc^2+i\sqrt{e}}{\sqrt{dc^2+e\sqrt{1-c^2x^2}}}\right)}{\sqrt{dc^2+e}} \right)}{16d^2\sqrt{e}} - \frac{3 \left( \frac{\sin^{-1}(cx)}{\sqrt{ex+i\sqrt{d}}} - \frac{c \tanh^{-1}\left(\frac{i\sqrt{d}xc^2+\sqrt{dc^2+e\sqrt{1-c^2x^2}}}{\sqrt{dc^2+e}}\right)}{\sqrt{dc^2+e}} \right)}{16d^2\sqrt{e}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(d + e\*x^2)^3, x]

[Out] (a\*x)/(4\*d\*(d + e\*x^2)^2) + (3\*a\*x)/(8\*d^2\*(d + e\*x^2)) + (3\*a\*ArcTan[(Sqrt[e]\*x)/Sqrt[d]])/(8\*d^(5/2)\*Sqrt[e]) + b\*(((3\*I)/16)\*(ArcSin[c\*x]/(Sqrt[d] + I\*Sqrt[e]\*x) - (c\*ArcTan[(I\*Sqrt[e] + c^2\*Sqrt[d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])])/Sqrt[c^2\*d + e]))/(d^2\*Sqrt[e]) - (3\*(-(ArcSin[c\*x]/(I\*Sqrt[d] + Sqrt[e]\*x)) - (c\*ArcTanh[(Sqrt[e] + I\*c^2\*Sqrt[d]\*x)/(Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2])])/Sqrt[c^2\*d + e]))/(16\*d^2\*Sqrt[e]) + ((I/16)\*(-(c\*Sqrt[1 - c^2\*x^2])/((c^2\*d + e)\*((-I)\*Sqrt[d] + Sqrt[e]\*x))) - ArcSin[c\*x]/(Sqrt[e]\*((-I)\*Sqrt[d] + Sqrt[e]\*x)^2) - (I\*c^3\*Sqrt[d]\*(Log[4] + Log[(e\*Sqrt[c^2\*d + e]\*(Sqrt[e] - I\*c^2\*Sqrt[d]\*x + Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2]))/(c^3\*(d + I\*Sqrt[d]\*Sqrt[e]\*x)))]))/(Sqrt[e]\*(c^2\*d + e)^(3/2)))/d^(3/2) - ((I/16)\*(-(c\*Sqrt[1 - c^2\*x^2])/((c^2\*d + e)\*(I\*Sqrt[d] + Sqrt[e]\*x))) - ArcSin[c\*x]/(Sqrt[e]\*(I\*Sqrt[d] + Sqrt[e]\*x)^2) + (I\*c^3\*Sqrt[d]\*(Log[4] + Log[(e\*Sqrt[c^2\*d + e]\*(Sqrt[e] + I\*c^2\*Sqrt[d]\*x + Sqrt[c^2\*d + e]\*Sqrt[1 - c^2\*x^2]))/(c^3\*(d - I\*Sqrt[d]\*Sqrt[e]\*x)))]))/(Sqrt[e]\*(c^2\*d + e)^(3/2)))/d^(3/2) - (3\*(ArcSin[c\*x]\*(ArcSin[c\*x] + (2\*I)\*(Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))]/(c\*Sqrt[d] - Sqrt[c^2\*d + e])) + Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))]/(c\*Sqrt[d] + Sqrt[c^2\*d + e])))) + 2\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(-c\*Sqrt[d] + Sqrt[c^2\*d + e])] + 2\*PolyLog[2, -(Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] + Sqrt[c^2\*d + e])]))/(32\*d^(5/2)\*Sqrt[e]) + (3\*(ArcSin[c\*x]\*(ArcSin[c\*x] + (2\*I)\*(Log[1 + (Sqrt[e]\*E^(I\*ArcSin[c\*x]))]/(-c\*Sqrt[d] + Sqrt[c^2\*d + e])) + Log[1 - (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] + Sqrt[c^2\*d + e])])) + 2\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] - Sqrt[c^2\*d + e])] + 2\*PolyLog[2, (Sqrt[e]\*E^(I\*ArcSin[c\*x]))/(c\*Sqrt[d] + Sqrt[c^2\*d + e])]))/(32\*d^(5/2)\*Sqrt[e])

**Maple [C]** time = 0.734, size = 3110, normalized size = 2.9

output too large to display



$$\begin{aligned}
& ^2e*x^2+c^2*d)^2*\arcsin(c*x)*x*e-3/8*c*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*\arctan(e*(I*c*x+(-c^2*x^2+1)^(1/2))/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)-e)*e)^(1/2))/d^2/(c^2*d+e)^2/e*(c^2*d*(c^2*d+e))^(1/2)+3/4*c*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*\arctan(e*(I*c*x+(-c^2*x^2+1)^(1/2))/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)-e)*e)^(1/2))/e^2/d^2/(c^2*d+e)*(c^2*d*(c^2*d+e))^(1/2)+3/16*c^3*b/d/(c^2*d+e)*\sum(_R1/(_R1^2*e-2*c^2*d-e)*(I*\arcsin(c*x)*\ln((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)+\operatorname{dilog}((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)),_R1=\operatorname{RootOf}(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))+3/8*c^2*a/d^2*x/(c^2*e*x^2+c^2*d)+1/4*c^4*a*x/d/(c^2*e*x^2+c^2*d)^2+1/8*c^5*b/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2*(-c^2*x^2+1)^(1/2)+3/16*c^3*b/d/(c^2*d+e)*\sum(1/_R1/(_R1^2*e-2*c^2*d-e)*(I*\arcsin(c*x)*\ln((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)+\operatorname{dilog}((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)),_R1=\operatorname{RootOf}(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))-7/4*c^5*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*\arctan(e*(I*c*x+(-c^2*x^2+1)^(1/2))/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)-e)*e)^(1/2))/(c^2*d+e)^2/e^2-7/4*c^5*b*((2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*\operatorname{arctanh}(e*(I*c*x+(-c^2*x^2+1)^(1/2))/((2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2))/(c^2*d+e)^2/e^2+c^5*b*(-(2*c^2*d-2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*\arctan(e*(I*c*x+(-c^2*x^2+1)^(1/2))/((-2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)-e)*e)^(1/2))/e^3/(c^2*d+e)+c^5*b*((2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2)*\operatorname{arctanh}(e*(I*c*x+(-c^2*x^2+1)^(1/2))/((2*c^2*d+2*(c^2*d*(c^2*d+e))^(1/2)+e)*e)^(1/2))/e^3/(c^2*d+e)+5/8*c^6*b/(c^2*d+e)/(c^2*e*x^2+c^2*d)^2*\arcsin(c*x)*x+3/16*c*b/d^2/(c^2*d+e)*e*\sum(_R1/(_R1^2*e-2*c^2*d-e)*(I*\arcsin(c*x)*\ln((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)+\operatorname{dilog}((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)),_R1=\operatorname{RootOf}(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))+3/16*c*b/d^2/(c^2*d+e)*e*\sum(1/_R1/(_R1^2*e-2*c^2*d-e)*(I*\arcsin(c*x)*\ln((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)+\operatorname{dilog}((_R1-I*c*x-(-c^2*x^2+1)^(1/2))/_R1)),_R1=\operatorname{RootOf}(e*_Z^4+(-4*c^2*d-2*e)*_Z^2+e))
\end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(e\*x^2+d)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \arcsin(cx) + a}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(e\*x^2+d)^3,x, algorithm="fricas")

[Out] integral((b\*arcsin(c\*x) + a)/(e^3\*x^6 + 3\*d\*e^2\*x^4 + 3\*d^2\*e\*x^2 + d^3), x  
)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/(e\*x\*\*2+d)\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(e\*x^2+d)^3,x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/(e\*x^2 + d)^3, x)

$$3.649 \quad \int \sqrt{d + ex^2} (a + b \sin^{-1}(cx)) dx$$

**Optimal.** Leaf size=22

$$\text{Unintegrable}\left(\sqrt{d + ex^2} (a + b \sin^{-1}(cx)), x\right)$$

[Out] Unintegrable[Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x]), x]

**Rubi [A]** time = 0.0217492, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \sqrt{d + ex^2} (a + b \sin^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x]),x]

[Out] Defer[Int][Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x]), x]

Rubi steps

$$\int \sqrt{d + ex^2} (a + b \sin^{-1}(cx)) dx = \int \sqrt{d + ex^2} (a + b \sin^{-1}(cx)) dx$$

**Mathematica [A]** time = 5.89892, size = 0, normalized size = 0.

$$\int \sqrt{d + ex^2} (a + b \sin^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x]),x]

[Out] Integrate[Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x]), x]

**Maple [A]** time = 0.514, size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d} (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x)),x)

[Out] int((e\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x)),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{ex^2 + d}(b \arcsin(cx) + a), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(e\*x^2 + d)\*(b\*arcsin(c\*x) + a), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) \sqrt{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)**(1/2)*(a+b*asin(c*x)),x)
```

```
[Out] Integral((a + b*asin(c*x))*sqrt(d + e*x**2), x)
```

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d}(b \arcsin(cx) + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^(1/2)*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate(sqrt(e*x^2 + d)*(b*arcsin(c*x) + a), x)
```



$$3.650 \quad \int \frac{a+b \sin^{-1}(cx)}{\sqrt{d+ex^2}} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{a + b \sin^{-1}(cx)}{\sqrt{d + ex^2}}, x\right)$$

[Out] Unintegrable[(a + b\*ArcSin[c\*x])/Sqrt[d + e\*x^2], x]

**Rubi [A]** time = 0.0225675, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{a + b \sin^{-1}(cx)}{\sqrt{d + ex^2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b\*ArcSin[c\*x])/Sqrt[d + e\*x^2], x]

[Out] Defer[Int] [(a + b\*ArcSin[c\*x])/Sqrt[d + e\*x^2], x]

Rubi steps

$$\int \frac{a + b \sin^{-1}(cx)}{\sqrt{d + ex^2}} dx = \int \frac{a + b \sin^{-1}(cx)}{\sqrt{d + ex^2}} dx$$

**Mathematica [A]** time = 4.09084, size = 0, normalized size = 0.

$$\int \frac{a + b \sin^{-1}(cx)}{\sqrt{d + ex^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b\*ArcSin[c\*x])/Sqrt[d + e\*x^2], x]

[Out] Integrate[(a + b\*ArcSin[c\*x])/Sqrt[d + e\*x^2], x]

**Maple [A]** time = 0.421, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/(e\*x^2+d)^(1/2),x)

[Out] int((a+b\*arcsin(c\*x))/(e\*x^2+d)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(e\*x^2+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \arcsin(cx) + a}{\sqrt{ex^2 + d}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(e\*x^2+d)^(1/2),x, algorithm="fricas")

[Out] integral((b\*arcsin(c\*x) + a)/sqrt(e\*x^2 + d), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asin}(cx)}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/(e\*x\*\*2+d)\*\*(1/2),x)

[Out] Integral((a + b\*asin(c\*x))/sqrt(d + e\*x\*\*2), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(e\*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/sqrt(e\*x^2 + d), x)

$$3.651 \quad \int \frac{a+b \sin^{-1}(cx)}{(d+ex^2)^{3/2}} dx$$

**Optimal.** Leaf size=70

$$\frac{x(a+b \sin^{-1}(cx))}{d\sqrt{d+ex^2}} + \frac{b \tan^{-1}\left(\frac{\sqrt{e}\sqrt{1-c^2x^2}}{c\sqrt{d+ex^2}}\right)}{d\sqrt{e}}$$

[Out] (x\*(a + b\*ArcSin[c\*x]))/(d\*Sqrt[d + e\*x^2]) + (b\*ArcTan[(Sqrt[e]\*Sqrt[1 - c^2\*x^2])/(c\*Sqrt[d + e\*x^2])])/(d\*Sqrt[e])

**Rubi [A]** time = 0.0985282, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.35$ , Rules used = {191, 4665, 12, 444, 63, 217, 203}

$$\frac{x(a+b \sin^{-1}(cx))}{d\sqrt{d+ex^2}} + \frac{b \tan^{-1}\left(\frac{\sqrt{e}\sqrt{1-c^2x^2}}{c\sqrt{d+ex^2}}\right)}{d\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(d + e\*x^2)^(3/2), x]

[Out] (x\*(a + b\*ArcSin[c\*x]))/(d\*Sqrt[d + e\*x^2]) + (b\*ArcTan[(Sqrt[e]\*Sqrt[1 - c^2\*x^2])/(c\*Sqrt[d + e\*x^2])])/(d\*Sqrt[e])

### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

### Rule 4665

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2\*d + e, 0] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0])

### Rule 12

```
Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

#### Rule 444

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
), x_Symbol] :=> Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x
] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n +
1, 0]
```

#### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :=> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :=> Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

#### Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :=> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

#### Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{(d + ex^2)^{3/2}} dx &= \frac{x(a + b \sin^{-1}(cx))}{d\sqrt{d + ex^2}} - (bc) \int \frac{x}{d\sqrt{1 - c^2x^2}\sqrt{d + ex^2}} dx \\
&= \frac{x(a + b \sin^{-1}(cx))}{d\sqrt{d + ex^2}} - \frac{(bc) \int \frac{x}{\sqrt{1 - c^2x^2}\sqrt{d + ex^2}} dx}{d} \\
&= \frac{x(a + b \sin^{-1}(cx))}{d\sqrt{d + ex^2}} - \frac{(bc) \text{Subst}\left(\int \frac{1}{\sqrt{1 - c^2x}\sqrt{d + ex}} dx, x, x^2\right)}{2d} \\
&= \frac{x(a + b \sin^{-1}(cx))}{d\sqrt{d + ex^2}} + \frac{b \text{Subst}\left(\int \frac{1}{\sqrt{d + \frac{e}{c^2} - \frac{ex^2}{c^2}}} dx, x, \sqrt{1 - c^2x^2}\right)}{cd} \\
&= \frac{x(a + b \sin^{-1}(cx))}{d\sqrt{d + ex^2}} + \frac{b \text{Subst}\left(\int \frac{1}{1 + \frac{ex^2}{c^2}} dx, x, \frac{\sqrt{1 - c^2x^2}}{\sqrt{d + ex^2}}\right)}{cd} \\
&= \frac{x(a + b \sin^{-1}(cx))}{d\sqrt{d + ex^2}} + \frac{b \tan^{-1}\left(\frac{\sqrt{e}\sqrt{1 - c^2x^2}}{c\sqrt{d + ex^2}}\right)}{d\sqrt{e}}
\end{aligned}$$

**Mathematica [C]** time = 0.116946, size = 74, normalized size = 1.06

$$\frac{x \left( 2(a + b \sin^{-1}(cx)) - bcx \sqrt{\frac{ex^2}{d}} + {}_1F_1\left(1; \frac{1}{2}, \frac{1}{2}; 2; c^2x^2, -\frac{ex^2}{d}\right) \right)}{2d\sqrt{d + ex^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(d + e\*x^2)^(3/2), x]

[Out] (x\*(-(b\*c\*x\*Sqrt[1 + (e\*x^2)/d]\*AppellF1[1, 1/2, 1/2, 2, c^2\*x^2, -((e\*x^2)/d)]) + 2\*(a + b\*ArcSin[c\*x]))/(2\*d\*Sqrt[d + e\*x^2])

**Maple [F]** time = 0.313, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))/(e*x^2+d)^(3/2),x)`

[Out] `int((a+b*arcsin(c*x))/(e*x^2+d)^(3/2),x)`

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/(e*x^2+d)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.30991, size = 651, normalized size = 9.3

$$\left[ \frac{(bex^2 + bd)\sqrt{-e} \log\left(8c^4e^2x^4 + c^4d^2 - 6c^2de + 8(c^4de - c^2e^2)x^2 + 4(2c^3ex^2 + c^3d - ce)\sqrt{-c^2x^2 + 1}\sqrt{ex^2 + d}\sqrt{-e + e^2}\right)}{4(de^2x^2 + d^2e)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/(e*x^2+d)^(3/2),x, algorithm="fricas")`

[Out] `[-1/4*((b*e*x^2 + b*d)*sqrt(-e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(-c^2*x^2 + 1)*sqrt(e*x^2 + d)*sqrt(-e + e^2) - 4*(b*e*x*arcsin(c*x) + a*e*x)*sqrt(e*x^2 + d))/(d*e^2*x^2 + d^2*e), 1/2*((b*e*x^2 + b*d)*sqrt(e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(-c^2*x^2 + 1)*sqrt(e*x^2 + d)*sqrt(e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + 2*(b*e*x*arcsin(c*x) + a*e*x)*sqrt(e*x^2 + d))/(d*e^2*x^2 + d^2*e)]`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{asin}(cx)}{(d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/(e\*x\*\*2+d)\*\*(3/2),x)

[Out] Integral((a + b\*asin(c\*x))/(d + e\*x\*\*2)\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arcsin}(cx) + a}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(e\*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/(e\*x^2 + d)^(3/2), x)



$$3.652 \quad \int \frac{a+b \sin^{-1}(cx)}{(d+ex^2)^{5/2}} dx$$

**Optimal.** Leaf size=146

$$\frac{2x(a+b \sin^{-1}(cx))}{3d^2\sqrt{d+ex^2}} + \frac{x(a+b \sin^{-1}(cx))}{3d(d+ex^2)^{3/2}} + \frac{2b \tan^{-1}\left(\frac{\sqrt{e}\sqrt{1-c^2x^2}}{c\sqrt{d+ex^2}}\right)}{3d^2\sqrt{e}} + \frac{bc\sqrt{1-c^2x^2}}{3d(c^2d+e)\sqrt{d+ex^2}}$$

[Out] (b\*c\*Sqrt[1 - c^2\*x^2])/(3\*d\*(c^2\*d + e)\*Sqrt[d + e\*x^2]) + (x\*(a + b\*ArcSin[c\*x]))/(3\*d\*(d + e\*x^2)^(3/2)) + (2\*x\*(a + b\*ArcSin[c\*x]))/(3\*d^2\*Sqrt[d + e\*x^2]) + (2\*b\*ArcTan[(Sqrt[e]\*Sqrt[1 - c^2\*x^2])/(c\*Sqrt[d + e\*x^2])])/(3\*d^2\*Sqrt[e])

**Rubi [A]** time = 0.16007, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 9, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.45$ , Rules used = {192, 191, 4665, 12, 571, 78, 63, 217, 203}

$$\frac{2x(a+b \sin^{-1}(cx))}{3d^2\sqrt{d+ex^2}} + \frac{x(a+b \sin^{-1}(cx))}{3d(d+ex^2)^{3/2}} + \frac{2b \tan^{-1}\left(\frac{\sqrt{e}\sqrt{1-c^2x^2}}{c\sqrt{d+ex^2}}\right)}{3d^2\sqrt{e}} + \frac{bc\sqrt{1-c^2x^2}}{3d(c^2d+e)\sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(d + e\*x^2)^(5/2), x]

[Out] (b\*c\*Sqrt[1 - c^2\*x^2])/(3\*d\*(c^2\*d + e)\*Sqrt[d + e\*x^2]) + (x\*(a + b\*ArcSin[c\*x]))/(3\*d\*(d + e\*x^2)^(3/2)) + (2\*x\*(a + b\*ArcSin[c\*x]))/(3\*d^2\*Sqrt[d + e\*x^2]) + (2\*b\*ArcTan[(Sqrt[e]\*Sqrt[1 - c^2\*x^2])/(c\*Sqrt[d + e\*x^2])])/(3\*d^2\*Sqrt[e])

### Rule 192

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

### Rule 191

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1)
)/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

### Rule 4665

```
Int[((a_) + ArcSin[(c_)*(x_)]*(b_))*((d_) + (e_)*(x_)^2)^(p_), x_Symbol] := With[{u = IntHide[(d + e*x^2)^p, x]}, Dist[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d + e, 0] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0])
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 571

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f_)*(x_)^(n_))^(r_), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, f, m, n, p, q, r}, x] && EqQ[m - n + 1, 0]
```

### Rule 78

```
Int[((a_) + (b_)*(x_))*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(p_), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

### Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{(d + ex^2)^{5/2}} dx &= \frac{x(a + b \sin^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sin^{-1}(cx))}{3d^2\sqrt{d + ex^2}} - (bc) \int \frac{x(3d + 2ex^2)}{3d^2\sqrt{1 - c^2x^2}(d + ex^2)^{3/2}} dx \\
&= \frac{x(a + b \sin^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sin^{-1}(cx))}{3d^2\sqrt{d + ex^2}} - \frac{(bc) \int \frac{x(3d + 2ex^2)}{\sqrt{1 - c^2x^2}(d + ex^2)^{3/2}} dx}{3d^2} \\
&= \frac{x(a + b \sin^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sin^{-1}(cx))}{3d^2\sqrt{d + ex^2}} - \frac{(bc) \text{Subst}\left(\int \frac{3d + 2ex}{\sqrt{1 - c^2x}(d + ex)^{3/2}} dx, x, x^2\right)}{6d^2} \\
&= \frac{bc\sqrt{1 - c^2x^2}}{3d(c^2d + e)\sqrt{d + ex^2}} + \frac{x(a + b \sin^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sin^{-1}(cx))}{3d^2\sqrt{d + ex^2}} - \frac{(bc) \text{Subst}\left(\int \frac{1}{\sqrt{1 - c^2x}\sqrt{d + ex}} dx, x, x^2\right)}{3d^2} \\
&= \frac{bc\sqrt{1 - c^2x^2}}{3d(c^2d + e)\sqrt{d + ex^2}} + \frac{x(a + b \sin^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sin^{-1}(cx))}{3d^2\sqrt{d + ex^2}} + \frac{(2b) \text{Subst}\left(\int \frac{1}{\sqrt{d + \frac{e}{c^2} - \frac{ex^2}{c^2}}} dx, x, x^2\right)}{3cd^2} \\
&= \frac{bc\sqrt{1 - c^2x^2}}{3d(c^2d + e)\sqrt{d + ex^2}} + \frac{x(a + b \sin^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sin^{-1}(cx))}{3d^2\sqrt{d + ex^2}} + \frac{(2b) \text{Subst}\left(\int \frac{1}{1 + \frac{ex^2}{c^2}} dx, x, x^2\right)}{3cd^2} \\
&= \frac{bc\sqrt{1 - c^2x^2}}{3d(c^2d + e)\sqrt{d + ex^2}} + \frac{x(a + b \sin^{-1}(cx))}{3d(d + ex^2)^{3/2}} + \frac{2x(a + b \sin^{-1}(cx))}{3d^2\sqrt{d + ex^2}} + \frac{2b \tan^{-1}\left(\frac{\sqrt{e}\sqrt{1 - c^2x^2}}{c\sqrt{d + ex^2}}\right)}{3d^2\sqrt{e}}
\end{aligned}$$

**Mathematica [C]** time = 0.240106, size = 190, normalized size = 1.3

$$\sqrt{d + ex^2} \left( \frac{2ax}{3d^2(d + ex^2)} + \frac{ax}{3d(d + ex^2)^2} \right) - \frac{bcx^2\sqrt{\frac{d+ex^2}{d}} F_1\left(1; \frac{1}{2}, \frac{1}{2}; 2; c^2x^2, -\frac{ex^2}{d}\right)}{3d^2\sqrt{d + ex^2}} + \frac{bc\sqrt{1 - c^2x^2}}{3d(c^2d + e)\sqrt{d + ex^2}} + \frac{bx \sin^{-1}(cx)}{3d^2(d + ex^2)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(d + e\*x^2)^(5/2),x]

[Out] (b\*c\*Sqrt[1 - c^2\*x^2])/(3\*d\*(c^2\*d + e)\*Sqrt[d + e\*x^2]) + Sqrt[d + e\*x^2] \* ((a\*x)/(3\*d\*(d + e\*x^2)^2) + (2\*a\*x)/(3\*d^2\*(d + e\*x^2))) - (b\*c\*x^2\*Sqrt[(d + e\*x^2)/d]\*AppellF1[1, 1/2, 1/2, 2, c^2\*x^2, -((e\*x^2)/d)])/(3\*d^2\*Sqrt[d + e\*x^2]) + (b\*x\*(3\*d + 2\*e\*x^2)\*ArcSin[c\*x])/(3\*d^2\*(d + e\*x^2)^(3/2))

**Maple [F]** time = 0.323, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))/(e\*x^2+d)^(5/2),x)

[Out] int((a+b\*arcsin(c\*x))/(e\*x^2+d)^(5/2),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{3} a \left( \frac{2x}{\sqrt{ex^2 + dd^2}} + \frac{x}{(ex^2 + d)^{\frac{3}{2}} d} \right) + b \int \frac{\arctan\left(cx, \sqrt{cx + 1} \sqrt{-cx + 1}\right)}{(e^2x^4 + 2dex^2 + d^2)\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(e\*x^2+d)^(5/2),x, algorithm="maxima")

[Out] 1/3\*a\*(2\*x/(sqrt(e\*x^2 + d)\*d^2) + x/((e\*x^2 + d)^(3/2)\*d)) + b\*integrate(arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))/((e^2\*x^4 + 2\*d\*e\*x^2 + d^2)\*sqrt(e\*x^2 + d)), x)

**Fricas [B]** time = 2.70761, size = 1418, normalized size = 9.71

$$\left[ \frac{(bc^2d^3 + (bc^2de^2 + be^3)x^4 + bd^2e + 2(bc^2d^2e + bde^2)x^2)\sqrt{-e} \log\left(8c^4e^2x^4 + c^4d^2 - 6c^2de + 8(c^4de - c^2e^2)x^2 + 4(2c^3\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(e\*x^2+d)^(5/2),x, algorithm="fricas")

[Out] [-1/6\*((b\*c^2\*d^3 + (b\*c^2\*d\*e^2 + b\*e^3)\*x^4 + b\*d^2\*e + 2\*(b\*c^2\*d^2\*e + b\*d\*e^2)\*x^2)\*sqrt(-e)\*log(8\*c^4\*e^2\*x^4 + c^4\*d^2 - 6\*c^2\*d\*e + 8\*(c^4\*d\*e - c^2\*e^2)\*x^2 + 4\*(2\*c^3\*e\*x^2 + c^3\*d - c\*e)\*sqrt(-c^2\*x^2 + 1)\*sqrt(e\*x^2 + d)\*sqrt(-e) + e^2) - 2\*(2\*(a\*c^2\*d\*e^2 + a\*e^3)\*x^3 + 3\*(a\*c^2\*d^2\*e + a\*d\*e^2)\*x + (2\*(b\*c^2\*d\*e^2 + b\*e^3)\*x^3 + 3\*(b\*c^2\*d^2\*e + b\*d\*e^2)\*x)\*arcsin(c\*x) + (b\*c\*d\*e^2\*x^2 + b\*c\*d^2\*e)\*sqrt(-c^2\*x^2 + 1))\*sqrt(e\*x^2 + d))/(c^2\*d^5\*e + d^4\*e^2 + (c^2\*d^3\*e^3 + d^2\*e^4)\*x^4 + 2\*(c^2\*d^4\*e^2 + d^3\*e^3)\*x^2), 1/3\*((b\*c^2\*d^3 + (b\*c^2\*d\*e^2 + b\*e^3)\*x^4 + b\*d^2\*e + 2\*(b\*c^2\*d^2\*e + b\*d\*e^2)\*x^2)\*sqrt(e)\*arctan(1/2\*(2\*c^2\*e\*x^2 + c^2\*d - e)\*sqrt(-c^2\*x^2 + 1)\*sqrt(e\*x^2 + d)\*sqrt(e)/(c^3\*e^2\*x^4 - c\*d\*e + (c^3\*d\*e - c\*e^2)\*x^2)) + (2\*(a\*c^2\*d\*e^2 + a\*e^3)\*x^3 + 3\*(a\*c^2\*d^2\*e + a\*d\*e^2)\*x + (2\*(b\*c^2\*d\*e^2 + b\*e^3)\*x^3 + 3\*(b\*c^2\*d^2\*e + b\*d\*e^2)\*x)\*arcsin(c\*x) + (b\*c\*d\*e^2\*x^2 + b\*c\*d^2\*e)\*sqrt(-c^2\*x^2 + 1))\*sqrt(e\*x^2 + d))/(c^2\*d^5\*e + d^4\*e^2 + (c^2\*d^3\*e^3 + d^2\*e^4)\*x^4 + 2\*(c^2\*d^4\*e^2 + d^3\*e^3)\*x^2)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))/(e\*x\*\*2+d)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))/(e\*x^2+d)^(5/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)/(e\*x^2 + d)^(5/2), x)

$$3.653 \quad \int \frac{a+b \sin^{-1}(cx)}{(d+ex^2)^{7/2}} dx$$

**Optimal.** Leaf size=226

$$\frac{8x(a+b \sin^{-1}(cx))}{15d^3 \sqrt{d+ex^2}} + \frac{4x(a+b \sin^{-1}(cx))}{15d^2 (d+ex^2)^{3/2}} + \frac{x(a+b \sin^{-1}(cx))}{5d(d+ex^2)^{5/2}} + \frac{2bc\sqrt{1-c^2x^2}(3c^2d+2e)}{15d^2 (c^2d+e)^2 \sqrt{d+ex^2}} + \frac{8b \tan^{-1}\left(\frac{\sqrt{e}\sqrt{1-c^2x^2}}{c\sqrt{d+ex^2}}\right)}{15d^3 \sqrt{e}} + \dots$$

[Out] (b\*c\*Sqrt[1 - c^2\*x^2])/(15\*d\*(c^2\*d + e)\*(d + e\*x^2)^(3/2)) + (2\*b\*c\*(3\*c^2\*d + 2\*e)\*Sqrt[1 - c^2\*x^2])/(15\*d^2\*(c^2\*d + e)^2\*Sqrt[d + e\*x^2]) + (x\*(a + b\*ArcSin[c\*x]))/(5\*d\*(d + e\*x^2)^(5/2)) + (4\*x\*(a + b\*ArcSin[c\*x]))/(15\*d^2\*(d + e\*x^2)^(3/2)) + (8\*x\*(a + b\*ArcSin[c\*x]))/(15\*d^3\*Sqrt[d + e\*x^2]) + (8\*b\*ArcTan[(Sqrt[e]\*Sqrt[1 - c^2\*x^2])/(c\*Sqrt[d + e\*x^2])])/(15\*d^3\*Sqrt[e])

**Rubi [A]** time = 0.824567, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 10, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {192, 191, 4665, 12, 6715, 949, 78, 63, 217, 203}

$$\frac{8x(a+b \sin^{-1}(cx))}{15d^3 \sqrt{d+ex^2}} + \frac{4x(a+b \sin^{-1}(cx))}{15d^2 (d+ex^2)^{3/2}} + \frac{x(a+b \sin^{-1}(cx))}{5d(d+ex^2)^{5/2}} + \frac{2bc\sqrt{1-c^2x^2}(3c^2d+2e)}{15d^2 (c^2d+e)^2 \sqrt{d+ex^2}} + \frac{8b \tan^{-1}\left(\frac{\sqrt{e}\sqrt{1-c^2x^2}}{c\sqrt{d+ex^2}}\right)}{15d^3 \sqrt{e}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])/(d + e\*x^2)^(7/2), x]

[Out] (b\*c\*Sqrt[1 - c^2\*x^2])/(15\*d\*(c^2\*d + e)\*(d + e\*x^2)^(3/2)) + (2\*b\*c\*(3\*c^2\*d + 2\*e)\*Sqrt[1 - c^2\*x^2])/(15\*d^2\*(c^2\*d + e)^2\*Sqrt[d + e\*x^2]) + (x\*(a + b\*ArcSin[c\*x]))/(5\*d\*(d + e\*x^2)^(5/2)) + (4\*x\*(a + b\*ArcSin[c\*x]))/(15\*d^2\*(d + e\*x^2)^(3/2)) + (8\*x\*(a + b\*ArcSin[c\*x]))/(15\*d^3\*Sqrt[d + e\*x^2]) + (8\*b\*ArcTan[(Sqrt[e]\*Sqrt[1 - c^2\*x^2])/(c\*Sqrt[d + e\*x^2])])/(15\*d^3\*Sqrt[e])

**Rule 192**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0]

&& NeQ[p, -1]

### Rule 191

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

### Rule 4665

Int[((a\_) + ArcSin[(c\_)\*(x\_)]\*(b\_))\*((d\_) + (e\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{u = IntHide[(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2\*d + e, 0] && (IGtQ[p, 0] || ILtQ[p + 1/2, 0])

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 6715

Int[(u\_)\*(x\_)^(m\_), x\_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), u, x], x], x, x^(m + 1)], x] /; FreeQ[m, x] && NeQ[m, -1] && FunctionOfQ[x^(m + 1), u, x]

### Rule 949

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{Qx = PolynomialQuotient[(a + b\*x + c\*x^2)^p, d + e\*x, x], R = PolynomialRemainder[(a + b\*x + c\*x^2)^p, d + e\*x, x]}, Simp[(R\*(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1))/((m + 1)\*(e\*f - d\*g)), x] + Dist[1/((m + 1)\*(e\*f - d\*g)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^n\*ExpandToSum[(m + 1)\*(e\*f - d\*g)\*Qx - g\*R\*(m + n + 2), x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && LtQ[m, -1]

### Rule 78

Int[((a\_) + (b\_)\*(x\_))\*((c\_) + (d\_)\*(x\_))^(n\_)\*((e\_) + (f\_)\*(x\_))^(p\_), x\_Symbol] := -Simp[((b\*e - a\*f)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(f\*(p + 1)\*(c\*f - d\*e)), x] - Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(f\*(p + 1)\*(c\*f - d\*e)), Int[(c + d\*x)^n\*(e + f\*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int

egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_)^(m\_))\*((c\_.) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rubi steps



$$\begin{aligned}
\int \frac{a + b \sin^{-1}(cx)}{(d + ex^2)^{7/2}} dx &= \frac{x(a + b \sin^{-1}(cx))}{5d(d + ex^2)^{5/2}} + \frac{4x(a + b \sin^{-1}(cx))}{15d^2(d + ex^2)^{3/2}} + \frac{8x(a + b \sin^{-1}(cx))}{15d^3\sqrt{d + ex^2}} - (bc) \int \frac{x(15d^2 + 20dex^2 + 8e^2x^4)}{15d^3\sqrt{1 - c^2x^2}(d + ex^2)^{5/2}} dx \\
&= \frac{x(a + b \sin^{-1}(cx))}{5d(d + ex^2)^{5/2}} + \frac{4x(a + b \sin^{-1}(cx))}{15d^2(d + ex^2)^{3/2}} + \frac{8x(a + b \sin^{-1}(cx))}{15d^3\sqrt{d + ex^2}} - \frac{(bc) \int \frac{x(15d^2 + 20dex^2 + 8e^2x^4)}{\sqrt{1 - c^2x^2}(d + ex^2)^{5/2}} dx}{15d^3} \\
&= \frac{x(a + b \sin^{-1}(cx))}{5d(d + ex^2)^{5/2}} + \frac{4x(a + b \sin^{-1}(cx))}{15d^2(d + ex^2)^{3/2}} + \frac{8x(a + b \sin^{-1}(cx))}{15d^3\sqrt{d + ex^2}} - \frac{(bc) \text{Subst}\left(\int \frac{15d^2 + 20dex + 8e^2}{\sqrt{1 - c^2x}(d + ex)^{5/2}} dx\right)}{30d^3} \\
&= \frac{bc\sqrt{1 - c^2x^2}}{15d(c^2d + e)(d + ex^2)^{3/2}} + \frac{x(a + b \sin^{-1}(cx))}{5d(d + ex^2)^{5/2}} + \frac{4x(a + b \sin^{-1}(cx))}{15d^2(d + ex^2)^{3/2}} + \frac{8x(a + b \sin^{-1}(cx))}{15d^3\sqrt{d + ex^2}} + \dots \\
&= \frac{bc\sqrt{1 - c^2x^2}}{15d(c^2d + e)(d + ex^2)^{3/2}} + \frac{2bc(3c^2d + 2e)\sqrt{1 - c^2x^2}}{15d^2(c^2d + e)^2\sqrt{d + ex^2}} + \frac{x(a + b \sin^{-1}(cx))}{5d(d + ex^2)^{5/2}} + \frac{4x(a + b \sin^{-1}(cx))}{15d^2(d + ex^2)} + \dots \\
&= \frac{bc\sqrt{1 - c^2x^2}}{15d(c^2d + e)(d + ex^2)^{3/2}} + \frac{2bc(3c^2d + 2e)\sqrt{1 - c^2x^2}}{15d^2(c^2d + e)^2\sqrt{d + ex^2}} + \frac{x(a + b \sin^{-1}(cx))}{5d(d + ex^2)^{5/2}} + \frac{4x(a + b \sin^{-1}(cx))}{15d^2(d + ex^2)} + \dots \\
&= \frac{bc\sqrt{1 - c^2x^2}}{15d(c^2d + e)(d + ex^2)^{3/2}} + \frac{2bc(3c^2d + 2e)\sqrt{1 - c^2x^2}}{15d^2(c^2d + e)^2\sqrt{d + ex^2}} + \frac{x(a + b \sin^{-1}(cx))}{5d(d + ex^2)^{5/2}} + \frac{4x(a + b \sin^{-1}(cx))}{15d^2(d + ex^2)} + \dots \\
&= \frac{bc\sqrt{1 - c^2x^2}}{15d(c^2d + e)(d + ex^2)^{3/2}} + \frac{2bc(3c^2d + 2e)\sqrt{1 - c^2x^2}}{15d^2(c^2d + e)^2\sqrt{d + ex^2}} + \frac{x(a + b \sin^{-1}(cx))}{5d(d + ex^2)^{5/2}} + \frac{4x(a + b \sin^{-1}(cx))}{15d^2(d + ex^2)} + \dots
\end{aligned}$$

**Mathematica [C]** time = 0.433486, size = 188, normalized size = 0.83

$$\frac{ax(15d^2 + 20dex^2 + 8e^2x^4) - 4bcx^2\sqrt{\frac{ex^2}{d} + 1}(d + ex^2)^2 F_1\left(1; \frac{1}{2}, \frac{1}{2}; 2; c^2x^2, -\frac{ex^2}{d}\right) + \frac{bcd\sqrt{1 - c^2x^2}(d + ex^2)(c^2d(7d + 6ex^2) + e(5d + 4ex^2))}{(c^2d + e)^2}}{15d^3(d + ex^2)^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])/(d + e\*x^2)^(7/2), x]

[Out]  $(a*x*(15*d^2 + 20*d*e*x^2 + 8*e^2*x^4) + (b*c*d*\text{Sqrt}[1 - c^2*x^2]*(d + e*x^2)*(e*(5*d + 4*e*x^2) + c^2*d*(7*d + 6*e*x^2)))/(c^2*d + e)^2 - 4*b*c*x^2*(d + e*x^2)^2*\text{Sqrt}[1 + (e*x^2)/d]*\text{AppellF1}[1, 1/2, 1/2, 2, c^2*x^2, -((e*x^2)/d)] + b*x*(15*d^2 + 20*d*e*x^2 + 8*e^2*x^4)*\text{ArcSin}[c*x])/(15*d^3*(d + e*x^2)^{(5/2)})$

**Maple [F]** time = 0.325, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx)) (ex^2 + d)^{-\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))/(e*x^2+d)^(7/2),x)`

[Out] `int((a+b*arcsin(c*x))/(e*x^2+d)^(7/2),x)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{15} a \left( \frac{8x}{\sqrt{ex^2 + dd^3}} + \frac{4x}{(ex^2 + d)^{\frac{3}{2}} d^2} + \frac{3x}{(ex^2 + d)^{\frac{5}{2}} d} \right) + b \int \frac{\arctan(cx, \sqrt{cx+1}\sqrt{-cx+1})}{(e^3x^6 + 3de^2x^4 + 3d^2ex^2 + d^3)\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))/(e*x^2+d)^(7/2),x, algorithm="maxima")`

[Out] `1/15*a*(8*x/(sqrt(e*x^2 + d)*d^3) + 4*x/((e*x^2 + d)^(3/2)*d^2) + 3*x/((e*x^2 + d)^(5/2)*d)) + b*integrate(arctan2(c*x, sqrt(c*x + 1)*sqrt(-c*x + 1))/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3)*sqrt(e*x^2 + d), x)`

**Fricas [B]** time = 3.49197, size = 2700, normalized size = 11.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(e*x^2+d)^(7/2),x, algorithm="fricas")
```

```
[Out] [-1/15*(2*(b*c^4*d^5 + 2*b*c^2*d^4*e + (b*c^4*d^2*e^3 + 2*b*c^2*d*e^4 + b*e^5)*x^6 + b*d^3*e^2 + 3*(b*c^4*d^3*e^2 + 2*b*c^2*d^2*e^3 + b*d*e^4)*x^4 + 3*(b*c^4*d^4*e + 2*b*c^2*d^3*e^2 + b*d^2*e^3)*x^2)*sqrt(-e)*log(8*c^4*e^2*x^4 + c^4*d^2 - 6*c^2*d*e + 8*(c^4*d*e - c^2*e^2)*x^2 + 4*(2*c^3*e*x^2 + c^3*d - c*e)*sqrt(-c^2*x^2 + 1))*sqrt(e*x^2 + d)*sqrt(-e) + e^2) - (8*(a*c^4*d^2*e^3 + 2*a*c^2*d*e^4 + a*e^5)*x^5 + 20*(a*c^4*d^3*e^2 + 2*a*c^2*d^2*e^3 + a*d*e^4)*x^3 + 15*(a*c^4*d^4*e + 2*a*c^2*d^3*e^2 + a*d^2*e^3)*x + (8*(b*c^4*d^2*e^3 + 2*b*c^2*d*e^4 + b*e^5)*x^5 + 20*(b*c^4*d^3*e^2 + 2*b*c^2*d^2*e^3 + b*d*e^4)*x^3 + 15*(b*c^4*d^4*e + 2*b*c^2*d^3*e^2 + b*d^2*e^3)*x)*arcsin(c*x) + (7*b*c^3*d^4*e + 5*b*c*d^3*e^2 + 2*(3*b*c^3*d^2*e^3 + 2*b*c*d*e^4)*x^4 + (13*b*c^3*d^3*e^2 + 9*b*c*d^2*e^3)*x^2)*sqrt(-c^2*x^2 + 1))*sqrt(e*x^2 + d))/(c^4*d^8*e + 2*c^2*d^7*e^2 + d^6*e^3 + (c^4*d^5*e^4 + 2*c^2*d^4*e^5 + d^3*e^6)*x^6 + 3*(c^4*d^6*e^3 + 2*c^2*d^5*e^4 + d^4*e^5)*x^4 + 3*(c^4*d^7*e^2 + 2*c^2*d^6*e^3 + d^5*e^4)*x^2), 1/15*(4*(b*c^4*d^5 + 2*b*c^2*d^4*e + (b*c^4*d^2*e^3 + 2*b*c^2*d*e^4 + b*e^5)*x^6 + b*d^3*e^2 + 3*(b*c^4*d^3*e^2 + 2*b*c^2*d^2*e^3 + b*d*e^4)*x^4 + 3*(b*c^4*d^4*e + 2*b*c^2*d^3*e^2 + b*d^2*e^3)*x^2)*sqrt(e)*arctan(1/2*(2*c^2*e*x^2 + c^2*d - e)*sqrt(-c^2*x^2 + 1))*sqrt(e*x^2 + d)*sqrt(e)/(c^3*e^2*x^4 - c*d*e + (c^3*d*e - c*e^2)*x^2)) + (8*(a*c^4*d^2*e^3 + 2*a*c^2*d*e^4 + a*e^5)*x^5 + 20*(a*c^4*d^3*e^2 + 2*a*c^2*d^2*e^3 + a*d*e^4)*x^3 + 15*(a*c^4*d^4*e + 2*a*c^2*d^3*e^2 + a*d^2*e^3)*x + (8*(b*c^4*d^2*e^3 + 2*b*c^2*d*e^4 + b*e^5)*x^5 + 20*(b*c^4*d^3*e^2 + 2*b*c^2*d^2*e^3 + b*d*e^4)*x^3 + 15*(b*c^4*d^4*e + 2*b*c^2*d^3*e^2 + b*d^2*e^3)*x)*arcsin(c*x) + (7*b*c^3*d^4*e + 5*b*c*d^3*e^2 + 2*(3*b*c^3*d^2*e^3 + 2*b*c*d*e^4)*x^4 + (13*b*c^3*d^3*e^2 + 9*b*c*d^2*e^3)*x^2)*sqrt(-c^2*x^2 + 1))*sqrt(e*x^2 + d))/(c^4*d^8*e + 2*c^2*d^7*e^2 + d^6*e^3 + (c^4*d^5*e^4 + 2*c^2*d^4*e^5 + d^3*e^6)*x^6 + 3*(c^4*d^6*e^3 + 2*c^2*d^5*e^4 + d^4*e^5)*x^4 + 3*(c^4*d^7*e^2 + 2*c^2*d^6*e^3 + d^5*e^4)*x^2)]
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))/(e*x**2+d)**(7/2),x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{b \arcsin(cx) + a}{(ex^2 + d)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))/(e*x^2+d)^(7/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)/(e*x^2 + d)^(7/2), x)
```

### 3.654 $\int (fx)^m (d + ex^2)^3 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=484

$$b(fx)^{m+2} \left( \frac{e^{(m+2)}(3c^4d^2(m^2+12m+35)^2 + 3c^2de(m+7)^2(m^2+7m+12) + e^2(m^4+18m^3+119m^2+342m+360))}{(m+3)(m+5)(m+7)} + \frac{c^6d^3(m+3)(m+5)(m+7)}{m+1} \right) \text{Hypergeometric} \\ c^5 f^2 (m+2)(m+3)(m+5)(m+7)$$

[Out] (b\*e\*(3\*c^2\*d\*e\*(7 + m)^2\*(12 + 7\*m + m^2) + 3\*c^4\*d^2\*(35 + 12\*m + m^2)^2 + e^2\*(360 + 342\*m + 119\*m^2 + 18\*m^3 + m^4))\*(f\*x)^(2 + m)\*Sqrt[1 - c^2\*x^2])/(c^5\*f^2\*(3 + m)^2\*(5 + m)^2\*(7 + m)^2) + (b\*e^2\*(3\*c^2\*d\*(7 + m)^2 + e\*(30 + 11\*m + m^2))\*(f\*x)^(4 + m)\*Sqrt[1 - c^2\*x^2])/(c^3\*f^4\*(5 + m)^2\*(7 + m)^2) + (b\*e^3\*(f\*x)^(6 + m)\*Sqrt[1 - c^2\*x^2])/(c\*f^6\*(7 + m)^2) + (d^3\*(f\*x)^(1 + m)\*(a + b\*ArcSin[c\*x]))/(f\*(1 + m)) + (3\*d^2\*e\*(f\*x)^(3 + m)\*(a + b\*ArcSin[c\*x]))/(f^3\*(3 + m)) + (3\*d\*e^2\*(f\*x)^(5 + m)\*(a + b\*ArcSin[c\*x]))/(f^5\*(5 + m)) + (e^3\*(f\*x)^(7 + m)\*(a + b\*ArcSin[c\*x]))/(f^7\*(7 + m)) - (b\*((c^6\*d^3\*(3 + m)\*(5 + m)\*(7 + m))/(1 + m) + (e\*(2 + m)\*(3\*c^2\*d\*e\*(7 + m)^2\*(12 + 7\*m + m^2) + 3\*c^4\*d^2\*(35 + 12\*m + m^2)^2 + e^2\*(360 + 342\*m + 119\*m^2 + 18\*m^3 + m^4)))/((3 + m)\*(5 + m)\*(7 + m)))\*(f\*x)^(2 + m)\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, c^2\*x^2])/(c^5\*f^2\*(2 + m)\*(3 + m)\*(5 + m)\*(7 + m))

**Rubi [A]** time = 2.37629, antiderivative size = 455, normalized size of antiderivative = 0.94, number of steps used = 6, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {270, 4731, 12, 1809, 1267, 459, 364}

$$\frac{3d^2e(fx)^{m+3} (a + b \sin^{-1}(cx))}{f^3(m+3)} + \frac{d^3(fx)^{m+1} (a + b \sin^{-1}(cx))}{f(m+1)} + \frac{3de^2(fx)^{m+5} (a + b \sin^{-1}(cx))}{f^5(m+5)} + \frac{e^3(fx)^{m+7} (a + b \sin^{-1}(cx))}{f^7(m+7)}$$

Antiderivative was successfully verified.

[In] Int[(f\*x)^m\*(d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*e\*(3\*c^2\*d\*e\*(7 + m)^2\*(12 + 7\*m + m^2) + 3\*c^4\*d^2\*(35 + 12\*m + m^2)^2 + e^2\*(360 + 342\*m + 119\*m^2 + 18\*m^3 + m^4))\*(f\*x)^(2 + m)\*Sqrt[1 - c^2\*x^2])/(c^5\*f^2\*(3 + m)^2\*(5 + m)^2\*(7 + m)^2) + (b\*e^2\*(3\*c^2\*d\*(7 + m)^2 + e\*(30 + 11\*m + m^2))\*(f\*x)^(4 + m)\*Sqrt[1 - c^2\*x^2])/(c^3\*f^4\*(5 + m)^2\*(7 + m)^2) + (b\*e^3\*(f\*x)^(6 + m)\*Sqrt[1 - c^2\*x^2])/(c\*f^6\*(7 + m)^2) + (d^3\*(f\*x)^(1 + m)\*(a + b\*ArcSin[c\*x]))/(f\*(1 + m)) + (3\*d^2\*e\*(f\*x)^(3 + m)\*(a

$$\begin{aligned} &+ b \operatorname{ArcSin}[c*x]) / (f^3*(3+m)) + (3*d*e^2*(f*x)^{(5+m)}*(a + b \operatorname{ArcSin}[c*x] \\ &)) / (f^5*(5+m)) + (e^3*(f*x)^{(7+m)}*(a + b \operatorname{ArcSin}[c*x])) / (f^7*(7+m)) - \\ &(b*c*(d^3/(2+3*m+m^2) + (e*(3*c^2*d*e*(7+m)^2*(12+7*m+m^2) + 3*c^4 \\ &4*d^2*(35+12*m+m^2)^2 + e^2*(360+342*m+119*m^2+18*m^3+m^4)))/(c \\ &^6*(3+m)^2*(5+m)^2*(7+m)^2)) * (f*x)^{(2+m)} * \operatorname{Hypergeometric2F1}[1/2, (2 \\ &+m)/2, (4+m)/2, c^2*x^2] / f^2 \end{aligned}$$

### Rule 270

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[Exp
andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&
IGtQ[p, 0]
```

### Rule 4731

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_
)^2)^(p_.), x_Symbol] := With[{u = IntHide[(f*x)^m*(d + e*x^2)^p, x]}, Dist
[a + b*ArcSin[c*x], u, x] - Dist[b*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2*
x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2*d + e, 0] &
& IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 1809

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

### Rule 1267

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(c^p*(f*x)^(m + 4*p - 1)*(d + e*x^2)^(
q + 1))/(e*f^(4*p - 1)*(m + 4*p + 2*q + 1)), x] + Dist[1/(e*(m + 4*p + 2*q
+ 1)), Int[(f*x)^m*(d + e*x^2)^q*ExpandToSum[e*(m + 4*p + 2*q + 1)*((a + b
*x^2 + c*x^4)^p - c^p*x^(4*p)) - d*c^p*(m + 4*p - 1)*x^(4*p - 2), x], x], x
] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0]
```

] && !IntegerQ[q] && NeQ[m + 4\*p + 2\*q + 1, 0]

### Rule 459

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> Simp[(d\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(b\*e\*(m + n\*(p + 1) + 1)), x] - Dist[(a\*d\*(m + 1) - b\*c\*(m + n\*(p + 1) + 1))/(b\*(m + n\*(p + 1) + 1)), Int[(e\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && NeQ[m + n\*(p + 1) + 1, 0]

### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a^p\*(c\*x)^(m + 1)\*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b\*x^n)/a])/((c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

### Rubi steps

$$\begin{aligned}
 \int (fx)^m (d + ex^2)^3 (a + b \sin^{-1}(cx)) dx &= \frac{d^3 (fx)^{1+m} (a + b \sin^{-1}(cx))}{f(1+m)} + \frac{3d^2 e (fx)^{3+m} (a + b \sin^{-1}(cx))}{f^3(3+m)} + \frac{3de^2 (fx)^{5+m}}{f^5} \\
 &= \frac{d^3 (fx)^{1+m} (a + b \sin^{-1}(cx))}{f(1+m)} + \frac{3d^2 e (fx)^{3+m} (a + b \sin^{-1}(cx))}{f^3(3+m)} + \frac{3de^2 (fx)^{5+m}}{f^5} \\
 &= \frac{be^3 (fx)^{6+m} \sqrt{1 - c^2 x^2}}{cf^6(7+m)^2} + \frac{d^3 (fx)^{1+m} (a + b \sin^{-1}(cx))}{f(1+m)} + \frac{3d^2 e (fx)^{3+m} (a + b \sin^{-1}(cx))}{f^3(3+m)} \\
 &= \frac{be^2 (3c^2 d(7+m)^2 + e(30 + 11m + m^2)) (fx)^{4+m} \sqrt{1 - c^2 x^2}}{c^3 f^4 (5+m)^2 (7+m)^2} + \frac{be^3 (fx)^{6+m} \sqrt{1 - c^2 x^2}}{cf^6(7+m)^2} \\
 &= \frac{be (3c^2 de(7+m)^2 (12 + 7m + m^2) + 3c^4 d^2 (35 + 12m + m^2)^2 + e^2 (360 + 34m^2)) (fx)^{4+m} \sqrt{1 - c^2 x^2}}{c^5 f^2 (3+m)^2 (5+m)^2 (7+m)^2} \\
 &= \frac{be (3c^2 de(7+m)^2 (12 + 7m + m^2) + 3c^4 d^2 (35 + 12m + m^2)^2 + e^2 (360 + 34m^2)) (fx)^{4+m} \sqrt{1 - c^2 x^2}}{c^5 f^2 (3+m)^2 (5+m)^2 (7+m)^2}
 \end{aligned}$$

**Mathematica [F]** time = 5.31832, size = 0, normalized size = 0.

$$\int (fx)^m (d + ex^2)^3 (a + b \sin^{-1}(cx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(f\*x)^m\*(d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]),x]

[Out] Integrate[(f\*x)^m\*(d + e\*x^2)^3\*(a + b\*ArcSin[c\*x]), x]

**Maple [F]** time = 22.783, size = 0, normalized size = 0.

$$\int (fx)^m (ex^2 + d)^3 (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f\*x)^m\*(e\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x)

[Out] int((f\*x)^m\*(e\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)^m\*(e\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(ae^3x^6 + 3ade^2x^4 + 3ad^2ex^2 + ad^3 + (be^3x^6 + 3bde^2x^4 + 3bd^2ex^2 + bd^3) \arcsin(cx)\right)(fx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((f\*x)^m\*(e\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral((a\*e^3\*x^6 + 3\*a\*d\*e^2\*x^4 + 3\*a\*d^2\*e\*x^2 + a\*d^3 + (b\*e^3\*x^6 + 3\*b\*d\*e^2\*x^4 + 3\*b\*d^2\*e\*x^2 + b\*d^3)\*arcsin(c\*x))\*(f\*x)^m, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)\*\*m\*(e\*x\*\*2+d)\*\*3\*(a+b\*asin(c\*x)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^3 (b \arcsin(cx) + a) (fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)^m\*(e\*x^2+d)^3\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate((e\*x^2 + d)^3\*(b\*arcsin(c\*x) + a)\*(f\*x)^m, x)

### 3.655 $\int (fx)^m (d + ex^2)^2 (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=293

$$\frac{b(fx)^{m+2} \left( \frac{c^4 d^2 (m+3)(m+5)}{m+1} + \frac{e(m+2)(2c^2 d(m+5)^2 + e(m^2 + 7m + 12))}{(m+3)(m+5)} \right) \text{Hypergeometric2F1} \left( \frac{1}{2}, \frac{m+2}{2}, \frac{m+4}{2}, c^2 x^2 \right)}{c^3 f^2 (m+2)(m+3)(m+5)} + \frac{d^2 (fx)^{m+1} (a + b \sin^{-1}(cx))}{f(m+1)}$$

[Out] (b\*e\*(2\*c^2\*d\*(5 + m)^2 + e\*(12 + 7\*m + m^2))\*(f\*x)^(2 + m)\*Sqrt[1 - c^2\*x^2])/(c^3\*f^2\*(3 + m)^2\*(5 + m)^2) + (b\*e^2\*(f\*x)^(4 + m)\*Sqrt[1 - c^2\*x^2])/(c\*f^4\*(5 + m)^2) + (d^2\*(f\*x)^(1 + m)\*(a + b\*ArcSin[c\*x]))/(f\*(1 + m)) + (2\*d\*e\*(f\*x)^(3 + m)\*(a + b\*ArcSin[c\*x]))/(f^3\*(3 + m)) + (e^2\*(f\*x)^(5 + m)\*(a + b\*ArcSin[c\*x]))/(f^5\*(5 + m)) - (b\*((c^4\*d^2\*(3 + m)\*(5 + m))/(1 + m) + (e\*(2 + m)\*(2\*c^2\*d\*(5 + m)^2 + e\*(12 + 7\*m + m^2)))/((3 + m)\*(5 + m))))\*(f\*x)^(2 + m)\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, c^2\*x^2]/(c^3\*f^2\*(2 + m)\*(3 + m)\*(5 + m))

**Rubi [A]** time = 0.415264, antiderivative size = 272, normalized size of antiderivative = 0.93, number of steps used = 5, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {270, 4731, 12, 1267, 459, 364}

$$\frac{d^2 (fx)^{m+1} (a + b \sin^{-1}(cx))}{f(m+1)} + \frac{2de(fx)^{m+3} (a + b \sin^{-1}(cx))}{f^3(m+3)} + \frac{e^2 (fx)^{m+5} (a + b \sin^{-1}(cx))}{f^5(m+5)} - \frac{bc(fx)^{m+2} \left( \frac{e(2c^2 d(m+5)^2 + e(m^2 + 7m + 12))}{c^4(m+3)^2(m+5)} \right)}{f^2(m+2)}$$

Antiderivative was successfully verified.

[In] Int[(f\*x)^m\*(d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]),x]

[Out] (b\*e\*(2\*c^2\*d\*(5 + m)^2 + e\*(12 + 7\*m + m^2))\*(f\*x)^(2 + m)\*Sqrt[1 - c^2\*x^2])/(c^3\*f^2\*(3 + m)^2\*(5 + m)^2) + (b\*e^2\*(f\*x)^(4 + m)\*Sqrt[1 - c^2\*x^2])/(c\*f^4\*(5 + m)^2) + (d^2\*(f\*x)^(1 + m)\*(a + b\*ArcSin[c\*x]))/(f\*(1 + m)) + (2\*d\*e\*(f\*x)^(3 + m)\*(a + b\*ArcSin[c\*x]))/(f^3\*(3 + m)) + (e^2\*(f\*x)^(5 + m)\*(a + b\*ArcSin[c\*x]))/(f^5\*(5 + m)) - (b\*c\*(d^2/(2 + 3\*m + m^2) + (e\*(2\*c^2\*d\*(5 + m)^2 + e\*(12 + 7\*m + m^2)))/(c^4\*(3 + m)^2\*(5 + m)^2))\*(f\*x)^(2 + m)\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, c^2\*x^2]/f^2

**Rule 270**

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] := Int[Exp andIntegrand[(c\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] &&

IGtQ[p, 0]

### Rule 4731

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))\*((f\_.)\*(x\_)^(m\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{u = IntHide[(f\*x)^m\*(d + e\*x^2)^p, x]}, Dist[a + b\*ArcSin[c\*x], u, x] - Dist[b\*c, Int[SimplifyIntegrand[u/Sqrt[1 - c^2\*x^2], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || (IGtQ[(m - 1)/2, 0] && LeQ[m + p, 0]))

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 1267

Int[((f\_.)\*(x\_)^(m\_.))\*((d\_) + (e\_.)\*(x\_)^2)^(q\_.))\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_.), x\_Symbol] := Simp[(c^p\*(f\*x)^(m + 4\*p - 1)\*(d + e\*x^2)^(q + 1))/(e\*f^(4\*p - 1)\*(m + 4\*p + 2\*q + 1)), x] + Dist[1/(e\*(m + 4\*p + 2\*q + 1)), Int[(f\*x)^m\*(d + e\*x^2)^q\*ExpandToSum[e\*(m + 4\*p + 2\*q + 1)\*((a + b\*x^2 + c\*x^4)^p - c^p\*x^(4\*p)) - d\*c^p\*(m + 4\*p - 1)\*x^(4\*p - 2), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4\*a\*c, 0] && IGtQ[p, 0] && !IntegerQ[q] && NeQ[m + 4\*p + 2\*q + 1, 0]

### Rule 459

Int[((e\_.)\*(x\_)^(m\_.))\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.))\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*(e\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(b\*e\*(m + n\*(p + 1) + 1)), x] - Dist[(a\*d\*(m + 1) - b\*c\*(m + n\*(p + 1) + 1))/(b\*(m + n\*(p + 1) + 1)), Int[(e\*x)^m\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && NeQ[m + n\*(p + 1) + 1, 0]

### Rule 364

Int[((c\_.)\*(x\_)^(m\_.))\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.), x\_Symbol] := Simp[(a^p\*(c\*x)^(m + 1)\*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b\*x^n)/a])]/(c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

### Rubi steps

$$\begin{aligned}
\int (fx)^m (d + ex^2)^2 (a + b \sin^{-1}(cx)) dx &= \frac{d^2(fx)^{1+m} (a + b \sin^{-1}(cx))}{f(1+m)} + \frac{2de(fx)^{3+m} (a + b \sin^{-1}(cx))}{f^3(3+m)} + \frac{e^2(fx)^{5+m} (a + b \sin^{-1}(cx))}{f^5(5+m)} \\
&= \frac{d^2(fx)^{1+m} (a + b \sin^{-1}(cx))}{f(1+m)} + \frac{2de(fx)^{3+m} (a + b \sin^{-1}(cx))}{f^3(3+m)} + \frac{e^2(fx)^{5+m} (a + b \sin^{-1}(cx))}{f^5(5+m)} \\
&= \frac{be^2(fx)^{4+m} \sqrt{1-c^2x^2}}{cf^4(5+m)^2} + \frac{d^2(fx)^{1+m} (a + b \sin^{-1}(cx))}{f(1+m)} + \frac{2de(fx)^{3+m} (a + b \sin^{-1}(cx))}{f^3(3+m)} \\
&= \frac{be(2c^2d(5+m)^2 + e(12+7m+m^2))(fx)^{2+m} \sqrt{1-c^2x^2}}{c^3f^2(3+m)^2(5+m)^2} + \frac{be^2(fx)^{4+m} \sqrt{1-c^2x^2}}{cf^4(5+m)^2} \\
&= \frac{be(2c^2d(5+m)^2 + e(12+7m+m^2))(fx)^{2+m} \sqrt{1-c^2x^2}}{c^3f^2(3+m)^2(5+m)^2} + \frac{be^2(fx)^{4+m} \sqrt{1-c^2x^2}}{cf^4(5+m)^2}
\end{aligned}$$

**Mathematica [A]** time = 0.279903, size = 224, normalized size = 0.76

$$x(fx)^m \left( \frac{bcd^2x \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m}{2} + 1, \frac{m}{2} + 2, c^2x^2\right)}{m^2 + 3m + 2} - \frac{2bcdex^3 \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m}{2} + 2, \frac{m}{2} + 3, c^2x^2\right)}{m^2 + 7m + 12} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(f\*x)^m\*(d + e\*x^2)^2\*(a + b\*ArcSin[c\*x]), x]

[Out] x\*(f\*x)^m\*((a\*d^2)/(1+m) + (2\*a\*d\*e\*x^2)/(3+m) + (a\*e^2\*x^4)/(5+m) + (b\*d^2\*ArcSin[c\*x])/(1+m) + (2\*b\*d\*e\*x^2\*ArcSin[c\*x])/(3+m) + (b\*e^2\*x^4\*ArcSin[c\*x])/(5+m) - (b\*c\*d^2\*x\*Hypergeometric2F1[1/2, 1+m/2, 2+m/2, c^2\*x^2])/(2+3\*m+m^2) - (2\*b\*c\*d\*e\*x^3\*Hypergeometric2F1[1/2, 2+m/2, 3+m/2, c^2\*x^2])/(12+7\*m+m^2) - (b\*c\*e^2\*x^5\*Hypergeometric2F1[1/2, 3+m/2, 4+m/2, c^2\*x^2])/((5+m)\*(6+m)))

**Maple [F]** time = 8.931, size = 0, normalized size = 0.

$$\int (fx)^m (ex^2 + d)^2 (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x)^m*(e*x^2+d)^2*(a+b*arcsin(c*x)),x)
```

```
[Out] int((f*x)^m*(e*x^2+d)^2*(a+b*arcsin(c*x)),x)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(ae^2x^4 + 2adex^2 + ad^2 + (be^2x^4 + 2bdex^2 + bd^2)\arcsin(cx)\right)(fx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] integral((a*e^2*x^4 + 2*a*d*e*x^2 + a*d^2 + (b*e^2*x^4 + 2*b*d*e*x^2 + b*d^2)*arcsin(c*x))*(f*x)^m, x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)**m*(e*x**2+d)**2*(a+b*asin(c*x)),x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^2 (b \arcsin(cx) + a) (fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)^2*(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)^2*(b*arcsin(c*x) + a)*(f*x)^m, x)
```

### 3.656 $\int (fx)^m (d + ex^2) (a + b \sin^{-1}(cx)) dx$

**Optimal.** Leaf size=161

$$\frac{b(fx)^{m+2} (c^2 d(m+3)^2 + e(m+1)(m+2)) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+2}{2}, \frac{m+4}{2}, c^2 x^2\right)}{cf^2(m+1)(m+2)(m+3)^2} + \frac{d(fx)^{m+1} (a + b \sin^{-1}(cx))}{f(m+1)} +$$

[Out]  $(b * e * (f * x)^{(2 + m)} * \operatorname{Sqrt}[1 - c^2 * x^2]) / (c * f^2 * (3 + m)^2) + (d * (f * x)^{(1 + m)} * (a + b * \operatorname{ArcSin}[c * x])) / (f * (1 + m)) + (e * (f * x)^{(3 + m)} * (a + b * \operatorname{ArcSin}[c * x])) / (f^3 * (3 + m)) - (b * (e * (1 + m) * (2 + m) + c^2 * d * (3 + m)^2) * (f * x)^{(2 + m)} * \operatorname{Hypergeometric2F1}[1/2, (2 + m)/2, (4 + m)/2, c^2 * x^2]) / (c * f^2 * (1 + m) * (2 + m) * (3 + m)^2)$

**Rubi [A]** time = 0.166187, antiderivative size = 148, normalized size of antiderivative = 0.92, number of steps used = 4, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {14, 4731, 12, 459, 364}

$$\frac{d(fx)^{m+1} (a + b \sin^{-1}(cx))}{f(m+1)} + \frac{e(fx)^{m+3} (a + b \sin^{-1}(cx))}{f^3(m+3)} - \frac{bc(fx)^{m+2} \left( \frac{e}{c^2(m+3)^2} + \frac{d}{m^2+3m+2} \right) {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; c^2 x^2\right)}{f^2} + b$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(f * x)^m * (d + e * x^2) * (a + b * \operatorname{ArcSin}[c * x]), x]$

[Out]  $(b * e * (f * x)^{(2 + m)} * \operatorname{Sqrt}[1 - c^2 * x^2]) / (c * f^2 * (3 + m)^2) + (d * (f * x)^{(1 + m)} * (a + b * \operatorname{ArcSin}[c * x])) / (f * (1 + m)) + (e * (f * x)^{(3 + m)} * (a + b * \operatorname{ArcSin}[c * x])) / (f^3 * (3 + m)) - (b * c * (e / (c^2 * (3 + m)^2) + d / (2 + 3 * m + m^2)) * (f * x)^{(2 + m)} * \operatorname{Hypergeometric2F1}[1/2, (2 + m)/2, (4 + m)/2, c^2 * x^2]) / f^2$

#### Rule 14

$\operatorname{Int}[(u_*) * ((c_*) * (x_*))^{(m_*)}, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c * x)^m * u, x], x] /;$  FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a\_ + (b\_\*) \* (v\_\*) /; FreeQ[{a, b}, x] && InverseFunctionQ[v])]

#### Rule 4731

$\operatorname{Int}[(a_ + \operatorname{ArcSin}[c_* * (x_*)] * (b_*)) * ((f_*) * (x_*))^{(m_*)} * ((d_*) + (e_*) * (x_*)^2)^{(p_*)}, x\_Symbol] \rightarrow \operatorname{With}[\{u = \operatorname{IntHide}[(f * x)^m * (d + e * x^2)^p, x]\}, \operatorname{Dist}[a + b * \operatorname{ArcSin}[c * x], u, x] - \operatorname{Dist}[b * c, \operatorname{Int}[\operatorname{SimplifyIntegrand}[u / \operatorname{Sqrt}[1 - c^2 * x^2], x], x]]$

$x^2], x], x], x]] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{NeQ}[c^2*d + e, 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ (\text{GtQ}[p, 0] \ || \ (\text{IGtQ}[(m - 1)/2, 0] \ \&\& \ \text{LeQ}[m + p, 0]))$

### Rule 12

$\text{Int}[(a_*)(u_), x\_Symbol] \ :> \ \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{Match}[\text{Q}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]]$

### Rule 459

$\text{Int}[((e_*)(x_))^{(m_*)} * ((a_) + (b_*)(x_)^{(n_)})^{(p_*)} * ((c_) + (d_*)(x_)^{(n_)})^{(p_*)}, x\_Symbol] \ :> \ \text{Simp}[(d*(e*x)^{(m+1)}*(a + b*x^n)^{(p+1)}) / (b*e*(m + n*(p + 1) + 1)), x] - \text{Dist}[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1)) / (b*(m + n*(p + 1) + 1)), \text{Int}[(e*x)^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, m, n, p\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[m + n*(p + 1) + 1, 0]$

### Rule 364

$\text{Int}(((c_*)(x_))^{(m_*)} * ((a_) + (b_*)(x_)^{(n_)})^{(p_*)}, x\_Symbol] \ :> \ \text{Simp}[(a^p * (c*x)^{(m+1)} * \text{Hypergeometric2F1}[-p, (m+1)/n, (m+1)/n + 1, -(b*x^n)/a]) / (c*(m+1)), x] /; \text{FreeQ}[\{a, b, c, m, n, p\}, x] \ \&\& \ !\text{IGtQ}[p, 0] \ \&\& \ (\text{ILtQ}[p, 0] \ || \ \text{GtQ}[a, 0])$

### Rubi steps

$$\begin{aligned} \int (fx)^m (d + ex^2) (a + b \sin^{-1}(cx)) dx &= \frac{d(fx)^{1+m} (a + b \sin^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \sin^{-1}(cx))}{f^3(3+m)} - (bc) \int \frac{(fx)^{1+m} (d(3+m) + efx^2)}{f(1+m)(\sqrt{1-c^2x^2})} dx \\ &= \frac{d(fx)^{1+m} (a + b \sin^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \sin^{-1}(cx))}{f^3(3+m)} - \frac{(bc) \int \frac{(fx)^{1+m} (d(3+m) + efx^2)}{\sqrt{1-c^2x^2}} dx}{f(3+4m+1)} \\ &= \frac{be(fx)^{2+m} \sqrt{1-c^2x^2}}{cf^2(3+m)^2} + \frac{d(fx)^{1+m} (a + b \sin^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \sin^{-1}(cx))}{f^3(3+m)} \\ &= \frac{be(fx)^{2+m} \sqrt{1-c^2x^2}}{cf^2(3+m)^2} + \frac{d(fx)^{1+m} (a + b \sin^{-1}(cx))}{f(1+m)} + \frac{e(fx)^{3+m} (a + b \sin^{-1}(cx))}{f^3(3+m)} \end{aligned}$$



**Mathematica [A]** time = 0.180262, size = 122, normalized size = 0.76

$$x(fx)^m \left( \frac{(d(m+3)+c(m+1)x^2)^{(a+b \sin^{-1}(cx))}}{m+1} - \frac{bcx^3 \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m}{2}+2, \frac{m}{2}+3, c^2x^2\right)}{m+4} \right) - \frac{bcdx \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m}{2}+1, \frac{m}{2}\right)}{m^2+3m+2}$$

Antiderivative was successfully verified.

[In] Integrate[(f\*x)^m\*(d + e\*x^2)\*(a + b\*ArcSin[c\*x]),x]

[Out] x\*(f\*x)^m\*(-((b\*c\*d\*x\*Hypergeometric2F1[1/2, 1 + m/2, 2 + m/2, c^2\*x^2])/(2 + 3\*m + m^2)) + (((d\*(3 + m) + e\*(1 + m)\*x^2)\*(a + b\*ArcSin[c\*x]))/(1 + m) - (b\*c\*e\*x^3\*Hypergeometric2F1[1/2, 2 + m/2, 3 + m/2, c^2\*x^2])/(4 + m))/(3 + m))

**Maple [F]** time = 3.367, size = 0, normalized size = 0.

$$\int (fx)^m (ex^2 + d) (a + b \arcsin(cx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f\*x)^m\*(e\*x^2+d)\*(a+b\*arcsin(c\*x)),x)

[Out] int((f\*x)^m\*(e\*x^2+d)\*(a+b\*arcsin(c\*x)),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)^m\*(e\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(aex^2 + ad + (bex^2 + bd) \arcsin(cx)\right) (fx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)^m\*(e\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral((a\*e\*x^2 + a\*d + (b\*e\*x^2 + b\*d)\*arcsin(c\*x))\*(f\*x)^m, x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (fx)^m (a + b \arcsin(cx)) (d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)\*\*m\*(e\*x\*\*2+d)\*(a+b\*asin(c\*x)),x)

[Out] Integral((f\*x)\*\*m\*(a + b\*asin(c\*x))\*(d + e\*x\*\*2), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)(b \arcsin(cx) + a) (fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)^m\*(e\*x^2+d)\*(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate((e\*x^2 + d)\*(b\*arcsin(c\*x) + a)\*(f\*x)^m, x)

$$3.657 \quad \int \frac{(fx)^m (a + b \sin^{-1}(cx))}{d + ex^2} dx$$

Optimal. Leaf size=25

$$\text{Unintegrable} \left( \frac{(fx)^m (a + b \sin^{-1}(cx))}{d + ex^2}, x \right)$$

[Out] Unintegrable[((f\*x)^m\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2), x]

**Rubi [A]** time = 0.0622664, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(fx)^m (a + b \sin^{-1}(cx))}{d + ex^2} dx$$

Verification is Not applicable to the result.

[In] Int[((f\*x)^m\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2), x]

[Out] Defer[Int] [((f\*x)^m\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2), x]

Rubi steps

$$\int \frac{(fx)^m (a + b \sin^{-1}(cx))}{d + ex^2} dx = \int \frac{(fx)^m (a + b \sin^{-1}(cx))}{d + ex^2} dx$$

**Mathematica [A]** time = 8.54493, size = 0, normalized size = 0.

$$\int \frac{(fx)^m (a + b \sin^{-1}(cx))}{d + ex^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[((f\*x)^m\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2), x]

[Out] Integrate[((f\*x)^m\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2), x]

---

**Maple [A]** time = 0.883, size = 0, normalized size = 0.

$$\int \frac{(fx)^m (a + b \arcsin(cx))}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f\*x)^m\*(a+b\*arcsin(c\*x))/(e\*x^2+d),x)

[Out] int((f\*x)^m\*(a+b\*arcsin(c\*x))/(e\*x^2+d),x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)(fx)^m}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)^m\*(a+b\*arcsin(c\*x))/(e\*x^2+d),x, algorithm="maxima")

[Out] integrate((b\*arcsin(c\*x) + a)\*(f\*x)^m/(e\*x^2 + d), x)

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(b \arcsin(cx) + a)(fx)^m}{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)^m\*(a+b\*arcsin(c\*x))/(e\*x^2+d),x, algorithm="fricas")

[Out] integral((b\*arcsin(c\*x) + a)\*(f\*x)^m/(e\*x^2 + d), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx)^m (a + b \operatorname{asin}(cx))}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)\*\*m\*(a+b\*asin(c\*x))/(e\*x\*\*2+d), x)

[Out] Integral((f\*x)\*\*m\*(a + b\*asin(c\*x))/(d + e\*x\*\*2), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a) (fx)^m}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)^m\*(a+b\*arcsin(c\*x))/(e\*x^2+d), x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)\*(f\*x)^m/(e\*x^2 + d), x)

$$3.658 \quad \int \frac{(fx)^m (a + b \sin^{-1}(cx))}{(d + ex^2)^2} dx$$

**Optimal.** Leaf size=25

$$\text{Unintegrable} \left( \frac{(fx)^m (a + b \sin^{-1}(cx))}{(d + ex^2)^2}, x \right)$$

[Out] Unintegrable[((f\*x)^m\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^2, x]

**Rubi [A]** time = 0.0593164, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(fx)^m (a + b \sin^{-1}(cx))}{(d + ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] Int[((f\*x)^m\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^2,x]

[Out] Defer[Int][((f\*x)^m\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^2, x]

Rubi steps

$$\int \frac{(fx)^m (a + b \sin^{-1}(cx))}{(d + ex^2)^2} dx = \int \frac{(fx)^m (a + b \sin^{-1}(cx))}{(d + ex^2)^2} dx$$

**Mathematica [A]** time = 10.292, size = 0, normalized size = 0.

$$\int \frac{(fx)^m (a + b \sin^{-1}(cx))}{(d + ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[((f\*x)^m\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^2,x]

[Out] Integrate[((f\*x)^m\*(a + b\*ArcSin[c\*x]))/(d + e\*x^2)^2, x]

**Maple [A]** time = 0.393, size = 0, normalized size = 0.

$$\int \frac{(fx)^m (a + b \arcsin(cx))}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f\*x)^m\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^2,x)

[Out] int((f\*x)^m\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)(fx)^m}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)^m\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^2,x, algorithm="maxima")

[Out] integrate((b\*arcsin(c\*x) + a)\*(f\*x)^m/(e\*x^2 + d)^2, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(b \arcsin(cx) + a)(fx)^m}{e^2x^4 + 2dex^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x)^m\*(a+b\*arcsin(c\*x))/(e\*x^2+d)^2,x, algorithm="fricas")

[Out] `integral((b*arcsin(c*x) + a)*(f*x)^m/(e^2*x^4 + 2*d*e*x^2 + d^2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(a+b*asin(c*x))/(e*x**2+d)**2,x)`

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)(fx)^m}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(a+b*arcsin(c*x))/(e*x^2+d)^2,x, algorithm="giac")`

[Out] `integrate((b*arcsin(c*x) + a)*(f*x)^m/(e*x^2 + d)^2, x)`



$$3.659 \quad \int (d + ex^2)^3 (a + b \sin^{-1}(cx))^2 dx$$

**Optimal.** Leaf size=569

$$\frac{2bd^2ex^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{3c} + \frac{4bd^2e\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{3c^3} + \frac{2bd^3\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{c} + \frac{6bde^2x^4\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{3c^5}$$

[Out]  $-2*b^2*d^3*x - (4*b^2*d^2*e*x)/(3*c^2) - (16*b^2*d*e^2*x)/(25*c^4) - (32*b^2*e^3*x)/(245*c^6) - (2*b^2*d^2*e*x^3)/9 - (8*b^2*d*e^2*x^3)/(75*c^2) - (16*b^2*e^3*x^3)/(735*c^4) - (6*b^2*d*e^2*x^5)/125 - (12*b^2*e^3*x^5)/(1225*c^2) - (2*b^2*e^3*x^7)/343 + (2*b*d^3*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/c + (4*b*d^2*e*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(3*c^3) + (16*b*d*e^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(25*c^5) + (32*b*e^3*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(245*c^7) + (2*b*d^2*e*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(3*c) + (8*b*d*e^2*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(25*c^3) + (16*b*e^3*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(245*c^5) + (6*b*d*e^2*x^4*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(25*c) + (12*b*e^3*x^4*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(245*c^3) + (2*b*e^3*x^6*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(49*c) + d^3*x*(a + b*ArcSin[c*x])^2 + d^2*e*x^3*(a + b*ArcSin[c*x])^2 + (3*d*e^2*x^5*(a + b*ArcSin[c*x])^2)/5 + (e^3*x^7*(a + b*ArcSin[c*x])^2)/7$

**Rubi [A]** time = 0.96268, antiderivative size = 569, normalized size of antiderivative = 1., number of steps used = 26, number of rules used = 7, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.35$ , Rules used = {4667, 4619, 4677, 8, 4627, 4707, 30}

$$\frac{2bd^2ex^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{3c} + \frac{4bd^2e\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{3c^3} + \frac{2bd^3\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{c} + \frac{6bde^2x^4\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{3c^5}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2)^3\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $-2*b^2*d^3*x - (4*b^2*d^2*e*x)/(3*c^2) - (16*b^2*d*e^2*x)/(25*c^4) - (32*b^2*e^3*x)/(245*c^6) - (2*b^2*d^2*e*x^3)/9 - (8*b^2*d*e^2*x^3)/(75*c^2) - (16*b^2*e^3*x^3)/(735*c^4) - (6*b^2*d*e^2*x^5)/125 - (12*b^2*e^3*x^5)/(1225*c^2) - (2*b^2*e^3*x^7)/343 + (2*b*d^3*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/c + (4*b*d^2*e*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(3*c^3) + (16*b*d*e^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(25*c^5) + (32*b*e^3*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(245*c^7) + (2*b*d^2*e*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(3*c) + (8*b*d*e^2*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(25*c^3) + (16*b*e^3*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(245*c^5) + (6*b*d*e^2*x^4*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(25*c) + (12*b*e^3*x^4*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(245*c^3) + (2*b*e^3*x^6*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(49*c) + d^3*x*(a + b*ArcSin[c*x])^2 + d^2*e*x^3*(a + b*ArcSin[c*x])^2 + (3*d*e^2*x^5*(a + b*ArcSin[c*x])^2)/5 + (e^3*x^7*(a + b*ArcSin[c*x])^2)/7$

$$\begin{aligned} & )/(25*c^3) + (16*b*e^3*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(245*c^5) \\ & ) + (6*b*d*e^2*x^4*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(25*c) + (12*b*e^3*x^4*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(245*c^3) + (2*b*e^3*x^6*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(49*c) + d^3*x*(a + b*ArcSin[c*x])^2 + d^2*e*x^3*(a + b*ArcSin[c*x])^2 + (3*d*e^2*x^5*(a + b*ArcSin[c*x])^2)/5 + (e^3*x^7*(a + b*ArcSin[c*x])^2)/7 \end{aligned}$$
**Rule 4667**

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (d + e*x^2)^p, x], x]
/; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])
```

**Rule 4619**

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.), x_Symbol]
:> Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/sqrt[1 - c^2*x^2], x], x]
/; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

**Rule 4677**

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]
/; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

**Rule 8**

```
Int[a_, x_Symbol]
:> Simp[a*x, x] /; FreeQ[a, x]
```

**Rule 4627**

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/sqrt[1 - c^2*x^2], x], x]
/; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

**Rule 4707**

```
Int[(((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)/sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(f*(f*x)^(m - 1)*sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2))
```

```

*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*
x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1),
x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0]
&& GtQ[m, 1] && IntegerQ[m]

```

### Rule 30

```

Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && N
eQ[m, -1]

```

### Rubi steps

$$\begin{aligned}
\int (d + ex^2)^3 (a + b \sin^{-1}(cx))^2 dx &= \int \left( d^3 (a + b \sin^{-1}(cx))^2 + 3d^2 ex^2 (a + b \sin^{-1}(cx))^2 + 3de^2 x^4 (a + b \sin^{-1}(cx))^2 + \right. \\
&= d^3 \int (a + b \sin^{-1}(cx))^2 dx + (3d^2 e) \int x^2 (a + b \sin^{-1}(cx))^2 dx + (3de^2) \int x^4 (a + b \sin^{-1}(cx))^2 dx \\
&= d^3 x (a + b \sin^{-1}(cx))^2 + d^2 ex^3 (a + b \sin^{-1}(cx))^2 + \frac{3}{5} de^2 x^5 (a + b \sin^{-1}(cx))^2 + \frac{1}{7} e^3 x^7 (a + b \sin^{-1}(cx))^2 \\
&= \frac{2bd^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c} + \frac{2bd^2 ex^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{3c} + \frac{6bde^2 x^4 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{5c} \\
&= -2b^2 d^3 x - \frac{2}{9} b^2 d^2 ex^3 - \frac{6}{125} b^2 de^2 x^5 - \frac{2}{343} b^2 e^3 x^7 + \frac{2bd^3 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c} \\
&= -2b^2 d^3 x - \frac{4b^2 d^2 ex}{3c^2} - \frac{2}{9} b^2 d^2 ex^3 - \frac{8b^2 de^2 x^3}{75c^2} - \frac{6}{125} b^2 de^2 x^5 - \frac{12b^2 e^3 x^5}{1225c^2} - \frac{2}{343} b^2 e^3 x^7 \\
&= -2b^2 d^3 x - \frac{4b^2 d^2 ex}{3c^2} - \frac{16b^2 de^2 x}{25c^4} - \frac{2}{9} b^2 d^2 ex^3 - \frac{8b^2 de^2 x^3}{75c^2} - \frac{16b^2 e^3 x^3}{735c^4} - \frac{6}{125} b^2 de^2 x^5 \\
&= -2b^2 d^3 x - \frac{4b^2 d^2 ex}{3c^2} - \frac{16b^2 de^2 x}{25c^4} - \frac{32b^2 e^3 x}{245c^6} - \frac{2}{9} b^2 d^2 ex^3 - \frac{8b^2 de^2 x^3}{75c^2} - \frac{16b^2 e^3 x^3}{735c^4}
\end{aligned}$$

**Mathematica [A]** time = 0.493539, size = 435, normalized size = 0.76

$$\frac{2bd^2 e \left( -3a \sqrt{1 - c^2 x^2} (c^2 x^2 + 2) + bcx (c^2 x^2 + 6) - 3b \sqrt{1 - c^2 x^2} (c^2 x^2 + 2) \sin^{-1}(cx) \right)}{9c^3} - 2bd^3 \left( bx - \frac{\sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c} \right)$$

Antiderivative was successfully verified.

```

[In] Integrate[(d + e*x^2)^3*(a + b*ArcSin[c*x])^2,x]

```

```
[Out] d^3*x*(a + b*ArcSin[c*x])^2 + d^2*e*x^3*(a + b*ArcSin[c*x])^2 + (3*d*e^2*x^5*(a + b*ArcSin[c*x])^2)/5 + (e^3*x^7*(a + b*ArcSin[c*x])^2)/7 - (2*b*d^2*e*(-3*a*Sqrt[1 - c^2*x^2]*(2 + c^2*x^2) + b*c*x*(6 + c^2*x^2) - 3*b*Sqrt[1 - c^2*x^2]*(2 + c^2*x^2)*ArcSin[c*x]))/(9*c^3) - (2*b*d*e^2*(-15*a*Sqrt[1 - c^2*x^2]*(8 + 4*c^2*x^2 + 3*c^4*x^4) + b*c*x*(120 + 20*c^2*x^2 + 9*c^4*x^4) - 15*b*Sqrt[1 - c^2*x^2]*(8 + 4*c^2*x^2 + 3*c^4*x^4)*ArcSin[c*x]))/(375*c^5) - (2*b*e^3*(-105*a*Sqrt[1 - c^2*x^2]*(16 + 8*c^2*x^2 + 6*c^4*x^4 + 5*c^6*x^6) + b*c*x*(1680 + 280*c^2*x^2 + 126*c^4*x^4 + 75*c^6*x^6) - 105*b*Sqrt[1 - c^2*x^2]*(16 + 8*c^2*x^2 + 6*c^4*x^4 + 5*c^6*x^6)*ArcSin[c*x]))/(25725*c^7) - 2*b*d^3*(b*x - (Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])))/c
```

**Maple [B]** time = 0.125, size = 1194, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d)^3*(a+b*arcsin(c*x))^2,x)
```

```
[Out] 1/c*(a^2/c^6*(1/7*e^3*c^7*x^7+3/5*c^7*d*e^2*x^5+c^7*d^2*e*x^3+d^3*c^7*x)+b^2/c^6*(1/385875*e^3*(55125*arcsin(c*x)^2*c^7*x^7+15750*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^6*x^6-231525*arcsin(c*x)^2*c^5*x^5-2250*c^7*x^7-73710*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^4*x^4+385875*c^3*x^3*arcsin(c*x)^2+14742*c^5*x^5+158970*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^2*x^2-385875*arcsin(c*x)^2*c*x-52990*c^3*x^3-453810*arcsin(c*x)*(-c^2*x^2+1)^(1/2)+453810*c*x)+1/1125*c^2*d*e^2*(675*arcsin(c*x)^2*c^5*x^5+270*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^4*x^4-2250*c^3*x^3*arcsin(c*x)^2-54*c^5*x^5-1140*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^2*x^2+3375*arcsin(c*x)^2*c*x+380*c^3*x^3+4470*arcsin(c*x)*(-c^2*x^2+1)^(1/2)-4470*c*x)+1/1125*e^3*(675*arcsin(c*x)^2*c^5*x^5+270*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^4*x^4-2250*c^3*x^3*arcsin(c*x)^2-54*c^5*x^5-1140*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^2*x^2+3375*arcsin(c*x)^2*c*x+380*c^3*x^3+4470*arcsin(c*x)*(-c^2*x^2+1)^(1/2)-4470*c*x)+1/9*c^4*d^2*e*(9*c^3*x^3*arcsin(c*x)^2+6*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^2*x^2-27*arcsin(c*x)^2*c*x-2*c^3*x^3-42*arcsin(c*x)*(-c^2*x^2+1)^(1/2)+42*c*x)+2/9*c^2*d*e^2*(9*c^3*x^3*arcsin(c*x)^2+6*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^2*x^2-27*arcsin(c*x)^2*c*x-2*c^3*x^3-42*arcsin(c*x)*(-c^2*x^2+1)^(1/2)+42*c*x)+1/9*e^3*(9*c^3*x^3*arcsin(c*x)^2+6*arcsin(c*x)*(-c^2*x^2+1)^(1/2)*c^2*x^2-27*arcsin(c*x)^2*c*x-2*c^3*x^3-42*arcsin(c*x)*(-c^2*x^2+1)^(1/2)+42*c*x)+d^3*c^6*(arcsin(c*x)^2*c*x-2*c*x+2*arcsin(c*x)*(-c^2*x^2+1)^(1/2))+3*c^4*d^2*e*(arcsin(c*x)^2*c*x-2*c*x+2*arcsin(c*x)*(-c^2*x^2+1)^(1/2))+3*c^2*d*e^2*(arcsin(c*x)^2*c*x-2*c*x+2*arcsin(c*x)*(-c^2*x^2+1)^(1/2))+e^3*(arcsin(c*x)^2*c*x-2*c*x+2*arcsin(c*x)*(-c^2*x^2+1)^(1/2))+2*a*b/c^6*(1/7*arcsin(c*x)*e^3*c^7*x^7+3/5*arcsin(c*x)*c^7*d*e^2*x^5+ar
```

```
csin(c*x)*c^7*d^2*e*x^3+arcsin(c*x)*d^3*c^7*x-1/7*e^3*(-1/7*c^6*x^6*(-c^2*x
^2+1)^(1/2)-6/35*c^4*x^4*(-c^2*x^2+1)^(1/2)-8/35*c^2*x^2*(-c^2*x^2+1)^(1/2)
-16/35*(-c^2*x^2+1)^(1/2))-3/5*c^2*d*e^2*(-1/5*c^4*x^4*(-c^2*x^2+1)^(1/2)-4
/15*c^2*x^2*(-c^2*x^2+1)^(1/2)-8/15*(-c^2*x^2+1)^(1/2))-c^4*d^2*e*(-1/3*c^2
*x^2*(-c^2*x^2+1)^(1/2)-2/3*(-c^2*x^2+1)^(1/2))+d^3*c^6*(-c^2*x^2+1)^(1/2)
)
```

**Maxima [A]** time = 1.52988, size = 944, normalized size = 1.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^3*(a+b*arcsin(c*x))^2,x, algorithm="maxima")
```

```
[Out] 1/7*b^2*e^3*x^7*arcsin(c*x)^2 + 1/7*a^2*e^3*x^7 + 3/5*b^2*d*e^2*x^5*arcsin(
c*x)^2 + 3/5*a^2*d*e^2*x^5 + b^2*d^2*e*x^3*arcsin(c*x)^2 + a^2*d^2*e*x^3 +
b^2*d^3*x*arcsin(c*x)^2 + 2/3*(3*x^3*arcsin(c*x) + c*(sqrt(-c^2*x^2 + 1)*x^
2/c^2 + 2*sqrt(-c^2*x^2 + 1)/c^4))*a*b*d^2*e + 2/9*(3*c*(sqrt(-c^2*x^2 + 1)
*x^2/c^2 + 2*sqrt(-c^2*x^2 + 1)/c^4)*arcsin(c*x) - (c^2*x^3 + 6*x)/c^2)*b^2
*d^2*e + 2/25*(15*x^5*arcsin(c*x) + (3*sqrt(-c^2*x^2 + 1)*x^4/c^2 + 4*sqrt(
-c^2*x^2 + 1)*x^2/c^4 + 8*sqrt(-c^2*x^2 + 1)/c^6)*c)*a*b*d*e^2 + 2/375*(15*
(3*sqrt(-c^2*x^2 + 1)*x^4/c^2 + 4*sqrt(-c^2*x^2 + 1)*x^2/c^4 + 8*sqrt(-c^2*
x^2 + 1)/c^6)*c*arcsin(c*x) - (9*c^4*x^5 + 20*c^2*x^3 + 120*x)/c^4)*b^2*d*e
^2 + 2/245*(35*x^7*arcsin(c*x) + (5*sqrt(-c^2*x^2 + 1)*x^6/c^2 + 6*sqrt(-c^
2*x^2 + 1)*x^4/c^4 + 8*sqrt(-c^2*x^2 + 1)*x^2/c^6 + 16*sqrt(-c^2*x^2 + 1)/c
^8)*c)*a*b*e^3 + 2/25725*(105*(5*sqrt(-c^2*x^2 + 1)*x^6/c^2 + 6*sqrt(-c^2*x
^2 + 1)*x^4/c^4 + 8*sqrt(-c^2*x^2 + 1)*x^2/c^6 + 16*sqrt(-c^2*x^2 + 1)/c^8)
*c*arcsin(c*x) - (75*c^6*x^7 + 126*c^4*x^5 + 280*c^2*x^3 + 1680*x)/c^6)*b^2
*e^3 - 2*b^2*d^3*(x - sqrt(-c^2*x^2 + 1)*arcsin(c*x)/c) + a^2*d^3*x + 2*(c*
x*arcsin(c*x) + sqrt(-c^2*x^2 + 1))*a*b*d^3/c
```

**Fricas [A]** time = 2.25981, size = 1277, normalized size = 2.24

```
1125 (49 a^2 - 2 b^2) c^7 e^3 x^7 + 189 (49 (25 a^2 - 2 b^2) c^7 d e^2 - 20 b^2 c^5 e^3) x^5 + 35 (1225 (9 a^2 - 2 b^2) c^7 d^2 e - 1176 b^2 c^5 d e^2 - 24
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^3*(a+b*arcsin(c*x))^2,x, algorithm="fricas")
```

```
[Out] 1/385875*(1125*(49*a^2 - 2*b^2)*c^7*e^3*x^7 + 189*(49*(25*a^2 - 2*b^2)*c^7*
d*e^2 - 20*b^2*c^5*e^3)*x^5 + 35*(1225*(9*a^2 - 2*b^2)*c^7*d^2*e - 1176*b^2
*c^5*d*e^2 - 240*b^2*c^3*e^3)*x^3 + 11025*(5*b^2*c^7*e^3*x^7 + 21*b^2*c^7*d
*e^2*x^5 + 35*b^2*c^7*d^2*e*x^3 + 35*b^2*c^7*d^3*x)*arcsin(c*x)^2 + 105*(36
75*(a^2 - 2*b^2)*c^7*d^3 - 4900*b^2*c^5*d^2*e - 2352*b^2*c^3*d*e^2 - 480*b^
2*c*e^3)*x + 22050*(5*a*b*c^7*e^3*x^7 + 21*a*b*c^7*d*e^2*x^5 + 35*a*b*c^7*d
^2*e*x^3 + 35*a*b*c^7*d^3*x)*arcsin(c*x) + 210*(75*a*b*c^6*e^3*x^6 + 3675*a
*b*c^6*d^3 + 2450*a*b*c^4*d^2*e + 1176*a*b*c^2*d*e^2 + 240*a*b*e^3 + 9*(49*
a*b*c^6*d*e^2 + 10*a*b*c^4*e^3)*x^4 + (1225*a*b*c^6*d^2*e + 588*a*b*c^4*d*e
^2 + 120*a*b*c^2*e^3)*x^2 + (75*b^2*c^6*e^3*x^6 + 3675*b^2*c^6*d^3 + 2450*b
^2*c^4*d^2*e + 1176*b^2*c^2*d*e^2 + 240*b^2*e^3 + 9*(49*b^2*c^6*d*e^2 + 10*
b^2*c^4*e^3)*x^4 + (1225*b^2*c^6*d^2*e + 588*b^2*c^4*d*e^2 + 120*b^2*c^2*e^
3)*x^2)*arcsin(c*x))*sqrt(-c^2*x^2 + 1))/c^7
```

---

**Sympy [A]** time = 17.9512, size = 989, normalized size = 1.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)**3*(a+b*asin(c*x))**2,x)
```

```
[Out] Piecewise((a**2*d**3*x + a**2*d**2*e*x**3 + 3*a**2*d*e**2*x**5/5 + a**2*e**
3*x**7/7 + 2*a*b*d**3*x*asin(c*x) + 2*a*b*d**2*e*x**3*asin(c*x) + 6*a*b*d*e
**2*x**5*asin(c*x)/5 + 2*a*b*e**3*x**7*asin(c*x)/7 + 2*a*b*d**3*sqrt(-c**2*
x**2 + 1)/c + 2*a*b*d**2*e*x**2*sqrt(-c**2*x**2 + 1)/(3*c) + 6*a*b*d*e**2*x
**4*sqrt(-c**2*x**2 + 1)/(25*c) + 2*a*b*e**3*x**6*sqrt(-c**2*x**2 + 1)/(49*
c) + 4*a*b*d**2*e*sqrt(-c**2*x**2 + 1)/(3*c**3) + 8*a*b*d*e**2*x**2*sqrt(-c
**2*x**2 + 1)/(25*c**3) + 12*a*b*e**3*x**4*sqrt(-c**2*x**2 + 1)/(245*c**3)
+ 16*a*b*d*e**2*sqrt(-c**2*x**2 + 1)/(25*c**5) + 16*a*b*e**3*x**2*sqrt(-c**
2*x**2 + 1)/(245*c**5) + 32*a*b*e**3*sqrt(-c**2*x**2 + 1)/(245*c**7) + b**2
*d**3*x*asin(c*x)**2 - 2*b**2*d**3*x + b**2*d**2*e*x**3*asin(c*x)**2 - 2*b*
**2*d**2*e*x**3/9 + 3*b**2*d*e**2*x**5*asin(c*x)**2/5 - 6*b**2*d*e**2*x**5/1
25 + b**2*e**3*x**7*asin(c*x)**2/7 - 2*b**2*e**3*x**7/343 + 2*b**2*d**3*sqr
t(-c**2*x**2 + 1)*asin(c*x)/c + 2*b**2*d**2*e*x**2*sqrt(-c**2*x**2 + 1)*asi
n(c*x)/(3*c) + 6*b**2*d*e**2*x**4*sqrt(-c**2*x**2 + 1)*asin(c*x)/(25*c) + 2
*b**2*e**3*x**6*sqrt(-c**2*x**2 + 1)*asin(c*x)/(49*c) - 4*b**2*d**2*e*x/(3*
c**2) - 8*b**2*d*e**2*x**3/(75*c**2) - 12*b**2*e**3*x**5/(1225*c**2) + 4*b*
**2*d**2*e*sqrt(-c**2*x**2 + 1)*asin(c*x)/(3*c**3) + 8*b**2*d*e**2*x**2*sqrt
(-c**2*x**2 + 1)*asin(c*x)/(25*c**3) + 12*b**2*e**3*x**4*sqrt(-c**2*x**2 +
1)*asin(c*x)/(245*c**3) - 16*b**2*d*e**2*x/(25*c**4) - 16*b**2*e**3*x**3/(7
35*c**4) + 16*b**2*d*e**2*sqrt(-c**2*x**2 + 1)*asin(c*x)/(25*c**5) + 16*b**
```

```
2*e**3*x**2*sqrt(-c**2*x**2 + 1)*asin(c*x)/(245*c**5) - 32*b**2*e**3*x/(245
*c**6) + 32*b**2*e**3*sqrt(-c**2*x**2 + 1)*asin(c*x)/(245*c**7), Ne(c, 0)),
(a**2*(d**3*x + d**2*e*x**3 + 3*d*e**2*x**5/5 + e**3*x**7/7), True))
```

**Giac [B]** time = 1.38743, size = 1642, normalized size = 2.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^3*(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] 1/7*a^2*x^7*e^3 + 3/5*a^2*d*x^5*e^2 + b^2*d^3*x*arcsin(c*x)^2 + a^2*d^2*x^3
*e + 2*a*b*d^3*x*arcsin(c*x) + (c^2*x^2 - 1)*b^2*d^2*x*arcsin(c*x)^2*e/c^2
+ a^2*d^3*x - 2*b^2*d^3*x + 2*(c^2*x^2 - 1)*a*b*d^2*x*arcsin(c*x)*e/c^2 + b
^2*d^2*x*arcsin(c*x)^2*e/c^2 + 2*sqrt(-c^2*x^2 + 1)*b^2*d^3*arcsin(c*x)/c +
3/5*(c^2*x^2 - 1)^2*b^2*d*x*arcsin(c*x)^2*e^2/c^4 - 2/9*(c^2*x^2 - 1)*b^2*
d^2*x*e/c^2 + 2*a*b*d^2*x*arcsin(c*x)*e/c^2 + 2*sqrt(-c^2*x^2 + 1)*a*b*d^3/
c - 2/3*(-c^2*x^2 + 1)^(3/2)*b^2*d^2*arcsin(c*x)*e/c^3 + 6/5*(c^2*x^2 - 1)^
2*a*b*d*x*arcsin(c*x)*e^2/c^4 + 6/5*(c^2*x^2 - 1)*b^2*d*x*arcsin(c*x)^2*e^2
/c^4 - 14/9*b^2*d^2*x*e/c^2 - 2/3*(-c^2*x^2 + 1)^(3/2)*a*b*d^2*e/c^3 + 2*sq
rt(-c^2*x^2 + 1)*b^2*d^2*arcsin(c*x)*e/c^3 + 1/7*(c^2*x^2 - 1)^3*b^2*x*arcs
in(c*x)^2*e^3/c^6 - 6/125*(c^2*x^2 - 1)^2*b^2*d*x*e^2/c^4 + 12/5*(c^2*x^2 -
1)*a*b*d*x*arcsin(c*x)*e^2/c^4 + 3/5*b^2*d*x*arcsin(c*x)^2*e^2/c^4 + 6/25*
(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*b^2*d*arcsin(c*x)*e^2/c^5 + 2*sqrt(-c^2*
x^2 + 1)*a*b*d^2*e/c^3 + 2/7*(c^2*x^2 - 1)^3*a*b*x*arcsin(c*x)*e^3/c^6 + 3/
7*(c^2*x^2 - 1)^2*b^2*x*arcsin(c*x)^2*e^3/c^6 - 76/375*(c^2*x^2 - 1)*b^2*d*
x*e^2/c^4 + 6/5*a*b*d*x*arcsin(c*x)*e^2/c^4 + 6/25*(c^2*x^2 - 1)^2*sqrt(-c^
2*x^2 + 1)*a*b*d*e^2/c^5 - 4/5*(-c^2*x^2 + 1)^(3/2)*b^2*d*arcsin(c*x)*e^2/c
^5 - 2/343*(c^2*x^2 - 1)^3*b^2*x*e^3/c^6 + 6/7*(c^2*x^2 - 1)^2*a*b*x*arcsin
(c*x)*e^3/c^6 + 3/7*(c^2*x^2 - 1)*b^2*x*arcsin(c*x)^2*e^3/c^6 - 298/375*b^2
*d*x*e^2/c^4 + 2/49*(c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*b^2*arcsin(c*x)*e^3/
c^7 - 4/5*(-c^2*x^2 + 1)^(3/2)*a*b*d*e^2/c^5 + 6/5*sqrt(-c^2*x^2 + 1)*b^2*d
*arcsin(c*x)*e^2/c^5 - 234/8575*(c^2*x^2 - 1)^2*b^2*x*e^3/c^6 + 6/7*(c^2*x^
2 - 1)*a*b*x*arcsin(c*x)*e^3/c^6 + 1/7*b^2*x*arcsin(c*x)^2*e^3/c^6 + 2/49*(
c^2*x^2 - 1)^3*sqrt(-c^2*x^2 + 1)*a*b*e^3/c^7 + 6/35*(c^2*x^2 - 1)^2*sqrt(-
c^2*x^2 + 1)*b^2*arcsin(c*x)*e^3/c^7 + 6/5*sqrt(-c^2*x^2 + 1)*a*b*d*e^2/c^5
- 1514/25725*(c^2*x^2 - 1)*b^2*x*e^3/c^6 + 2/7*a*b*x*arcsin(c*x)*e^3/c^6 +
6/35*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*a*b*e^3/c^7 - 2/7*(-c^2*x^2 + 1)^(
3/2)*b^2*arcsin(c*x)*e^3/c^7 - 4322/25725*b^2*x*e^3/c^6 - 2/7*(-c^2*x^2 + 1)
^(3/2)*a*b*e^3/c^7 + 2/7*sqrt(-c^2*x^2 + 1)*b^2*arcsin(c*x)*e^3/c^7 + 2/7*
sqrt(-c^2*x^2 + 1)*a*b*e^3/c^7
```

### 3.660 $\int (d + ex^2)^2 (a + b \sin^{-1}(cx))^2 dx$

**Optimal.** Leaf size=335

$$\frac{2bd^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{c} + \frac{4bdex^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{9c} + \frac{8bde\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{9c^3} + \frac{2be^2x^4\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{9c^3}$$

[Out]  $-2*b^2*d^2*x - (8*b^2*d*e*x)/(9*c^2) - (16*b^2*e^2*x)/(75*c^4) - (4*b^2*d*e*x^3)/27 - (8*b^2*e^2*x^3)/(225*c^2) - (2*b^2*e^2*x^5)/125 + (2*b*d^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/c + (8*b*d*e*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(9*c^3) + (16*b*e^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(75*c^5) + (4*b*d*e*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(9*c) + (8*b*e^2*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(75*c^3) + (2*b*e^2*x^4*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(25*c) + d^2*x*(a + b*ArcSin[c*x])^2 + (2*d*e*x^3*(a + b*ArcSin[c*x])^2)/3 + (e^2*x^5*(a + b*ArcSin[c*x])^2)/5$

**Rubi [A]** time = 0.556517, antiderivative size = 335, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 7, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.35$ , Rules used = {4667, 4619, 4677, 8, 4627, 4707, 30}

$$\frac{2bd^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{c} + \frac{4bdex^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{9c} + \frac{8bde\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{9c^3} + \frac{2be^2x^4\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{9c^3}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])^2,x]

[Out]  $-2*b^2*d^2*x - (8*b^2*d*e*x)/(9*c^2) - (16*b^2*e^2*x)/(75*c^4) - (4*b^2*d*e*x^3)/27 - (8*b^2*e^2*x^3)/(225*c^2) - (2*b^2*e^2*x^5)/125 + (2*b*d^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/c + (8*b*d*e*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(9*c^3) + (16*b*e^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(75*c^5) + (4*b*d*e*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(9*c) + (8*b*e^2*x^2*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(75*c^3) + (2*b*e^2*x^4*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/(25*c) + d^2*x*(a + b*ArcSin[c*x])^2 + (2*d*e*x^3*(a + b*ArcSin[c*x])^2)/3 + (e^2*x^5*(a + b*ArcSin[c*x])^2)/5$

**Rule 4667**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^n\_.\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*ArcSin[c\*x])^n, (d + e\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (G



tQ[p, 0] || IGtQ[n, 0])

### Rule 4619

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*(x\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 4627

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.)\*(x\_.))^(m\_.), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^n)/(d\*(m + 1)), x] - Dist[(b\*c\*n)/(d\*(m + 1)), Int[((d\*x)^(m + 1)\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

### Rule 4707

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((f\_.)\*(x\_.))^(m\_.)/Sqrt[(d\_.) + (e\_.)\*(x\_.)^2], x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^n)/(e\*m), x] + (Dist[(f^2\*(m - 1))/(c^2\*m), Int[(f\*x)^(m - 2)\*(a + b\*ArcSin[c\*x])^n]/Sqrt[d + e\*x^2], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c^2\*x^2])/(c\*m\*Sqrt[d + e\*x^2]), Int[(f\*x)^(m - 1)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rule 30

Int[(x\_)^(m\_.), x\_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

### Rubi steps

$$\begin{aligned}
\int (d + ex^2)^2 (a + b \sin^{-1}(cx))^2 dx &= \int \left( d^2 (a + b \sin^{-1}(cx))^2 + 2dex^2 (a + b \sin^{-1}(cx))^2 + e^2 x^4 (a + b \sin^{-1}(cx))^2 \right) dx \\
&= d^2 \int (a + b \sin^{-1}(cx))^2 dx + (2de) \int x^2 (a + b \sin^{-1}(cx))^2 dx + e^2 \int x^4 (a + b \sin^{-1}(cx))^2 dx \\
&= d^2 x (a + b \sin^{-1}(cx))^2 + \frac{2}{3} dex^3 (a + b \sin^{-1}(cx))^2 + \frac{1}{5} e^2 x^5 (a + b \sin^{-1}(cx))^2 - (2bd^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))) \\
&= \frac{2bd^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c} + \frac{4bdex^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c} + \frac{2be^2 x^4 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{15c} \\
&= -2b^2 d^2 x - \frac{4}{27} b^2 dex^3 - \frac{2}{125} b^2 e^2 x^5 + \frac{2bd^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c} + \frac{8bde \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{9c^2} \\
&= -2b^2 d^2 x - \frac{8b^2 dex}{9c^2} - \frac{4}{27} b^2 dex^3 - \frac{8b^2 e^2 x^3}{225c^2} - \frac{2}{125} b^2 e^2 x^5 + \frac{2bd^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c} \\
&= -2b^2 d^2 x - \frac{8b^2 dex}{9c^2} - \frac{16b^2 e^2 x}{75c^4} - \frac{4}{27} b^2 dex^3 - \frac{8b^2 e^2 x^3}{225c^2} - \frac{2}{125} b^2 e^2 x^5 + \frac{2bd^2 \sqrt{1 - c^2 x^2} (a + b \sin^{-1}(cx))}{c}
\end{aligned}$$

**Mathematica [A]** time = 0.321287, size = 291, normalized size = 0.87

$$225a^2c^5x(15d^2 + 10dex^2 + 3e^2x^4) + 30ab\sqrt{1 - c^2x^2}(c^4(225d^2 + 50dex^2 + 9e^2x^4) + 4c^2e(25d + 3ex^2) + 24e^2) + 30b \sin^{-1}(cx)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])^2,x]

[Out] (225\*a^2\*c^5\*x\*(15\*d^2 + 10\*d\*e\*x^2 + 3\*e^2\*x^4) + 30\*a\*b\*Sqrt[1 - c^2\*x^2] \* (24\*e^2 + 4\*c^2\*e\*(25\*d + 3\*e\*x^2) + c^4\*(225\*d^2 + 50\*d\*e\*x^2 + 9\*e^2\*x^4)) - 2\*b^2\*c\*x\*(360\*e^2 + 60\*c^2\*e\*(25\*d + e\*x^2) + c^4\*(3375\*d^2 + 250\*d\*e\*x^2 + 27\*e^2\*x^4)) + 30\*b\*(15\*a\*c^5\*x\*(15\*d^2 + 10\*d\*e\*x^2 + 3\*e^2\*x^4) + b\*Sqrt[1 - c^2\*x^2]\*(24\*e^2 + 4\*c^2\*e\*(25\*d + 3\*e\*x^2) + c^4\*(225\*d^2 + 50\*d\*e\*x^2 + 9\*e^2\*x^4)))\*ArcSin[c\*x] + 225\*b^2\*c^5\*x\*(15\*d^2 + 10\*d\*e\*x^2 + 3\*e^2\*x^4)\*ArcSin[c\*x]^2)/(3375\*c^5)

**Maple [B]** time = 0.075, size = 635, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2,x)

[Out]  $\frac{1}{c} \left( \frac{a^2}{c^4} \left( \frac{1}{5} e^{2c^5 x^5} + \frac{2}{3} c^5 e^{d x^3} + d^2 c^5 x \right) + \frac{b^2}{c^4} \left( \frac{1}{3375} e^{2c^5 x^5} + \frac{2}{3} \arcsin(cx)^2 c^5 x^5 + 270 \arcsin(cx) (-c^2 x^2 + 1)^{1/2} c^4 x^4 - 2250 c^3 x^3 \arcsin(cx)^2 - 54 c^5 x^5 - 1140 \arcsin(cx) (-c^2 x^2 + 1)^{1/2} c^2 x^2 + 3375 \arcsin(cx)^2 c x + 380 c^3 x^3 + 4470 \arcsin(cx) (-c^2 x^2 + 1)^{1/2} - 4470 c x \right) + \frac{2}{27} c^2 e^{d x^3} \left( 9 c^3 x^3 \arcsin(cx)^2 + 6 \arcsin(cx) (-c^2 x^2 + 1)^{1/2} c^2 x^2 - 27 \arcsin(cx)^2 c x - 2 c^3 x^3 - 42 \arcsin(cx) (-c^2 x^2 + 1)^{1/2} + 42 c x \right) + \frac{2}{27} e^{2c^5 x^5} \left( 9 c^3 x^3 \arcsin(cx)^2 + 6 \arcsin(cx) (-c^2 x^2 + 1)^{1/2} c^2 x^2 - 27 \arcsin(cx)^2 c x - 2 c^3 x^3 - 42 \arcsin(cx) (-c^2 x^2 + 1)^{1/2} + 42 c x \right) + d^2 c^4 \left( \arcsin(cx)^2 c x - 2 c x + 2 \arcsin(cx) (-c^2 x^2 + 1)^{1/2} \right) + 2 c^2 e^{d x^3} \left( \arcsin(cx)^2 c x - 2 c x + 2 \arcsin(cx) (-c^2 x^2 + 1)^{1/2} \right) + e^{2c^5 x^5} \left( \arcsin(cx)^2 c x - 2 c x + 2 \arcsin(cx) (-c^2 x^2 + 1)^{1/2} \right) + 2 a b / c^4 \left( \frac{1}{5} \arcsin(cx) e^{2c^5 x^5} + \frac{2}{3} \arcsin(cx) c^5 e^{d x^3} + \arcsin(cx) d^2 c^5 x - \frac{1}{5} e^{2c^5 x^5} \left( -\frac{1}{5} c^4 x^4 (-c^2 x^2 + 1)^{1/2} - \frac{4}{15} c^2 x^2 (-c^2 x^2 + 1)^{1/2} - \frac{8}{15} (-c^2 x^2 + 1)^{1/2} \right) - \frac{2}{3} c^2 e^{d x^3} \left( -\frac{1}{3} c^2 x^2 (-c^2 x^2 + 1)^{1/2} - \frac{2}{3} (-c^2 x^2 + 1)^{1/2} \right) + d^2 c^4 (-c^2 x^2 + 1)^{1/2} \right) \right)$

**Maxima [A]** time = 1.48144, size = 590, normalized size = 1.76

$$\frac{1}{5} b^2 e^{2c^5 x^5} \arcsin(cx)^2 + \frac{1}{5} a^2 e^{2c^5 x^5} + \frac{2}{3} b^2 d e^{d x^3} \arcsin(cx)^2 + \frac{2}{3} a^2 d e^{d x^3} + b^2 d^2 x \arcsin(cx)^2 + \frac{4}{9} \left( 3 x^3 \arcsin(cx) + c \left( \sqrt{-c^2 x^2 + 1} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out]  $\frac{1}{5} b^2 e^{2c^5 x^5} \arcsin(cx)^2 + \frac{1}{5} a^2 e^{2c^5 x^5} + \frac{2}{3} b^2 d e^{d x^3} \arcsin(cx)^2 + \frac{2}{3} a^2 d e^{d x^3} + b^2 d^2 x \arcsin(cx)^2 + \frac{4}{9} \left( 3 x^3 \arcsin(cx) + c \left( \sqrt{-c^2 x^2 + 1} \right) \right) + \frac{4}{27} \left( 3 c \left( \sqrt{-c^2 x^2 + 1} \right) x^2 / c^2 + 2 \sqrt{-c^2 x^2 + 1} / c^4 \right) a b d e + \frac{2}{75} \left( 15 x^5 \arcsin(cx) + 3 \sqrt{-c^2 x^2 + 1} x^4 / c^2 + 4 \sqrt{-c^2 x^2 + 1} x^2 / c^4 + 8 \sqrt{-c^2 x^2 + 1} / c^6 \right) c a b e^2 + \frac{2}{1125} \left( 15 \left( 3 \sqrt{-c^2 x^2 + 1} x^4 / c^2 + 4 \sqrt{-c^2 x^2 + 1} x^2 / c^4 + 8 \sqrt{-c^2 x^2 + 1} / c^6 \right) c \arcsin(cx) - \left( 9 c^4 x^5 + 20 c^2 x^3 + 120 x \right) / c^4 \right) b^2 e^2 - 2 b^2 d^2 \left( x - \sqrt{-c^2 x^2 + 1} \right) \arcsin(cx) / c + a^2 d^2 x + 2 \left( c x \arcsin(cx) + \sqrt{-c^2 x^2 + 1} \right) a b d^2 / c$

**Fricas [A]** time = 2.18965, size = 790, normalized size = 2.36

$$27(25a^2 - 2b^2)c^5e^2x^5 + 10(25(9a^2 - 2b^2)c^5de - 12b^2c^3e^2)x^3 + 225(3b^2c^5e^2x^5 + 10b^2c^5dex^3 + 15b^2c^5d^2x) \arcsin(cx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out]  $\frac{1}{3375} (27(25a^2 - 2b^2)c^5e^2x^5 + 10(25(9a^2 - 2b^2)c^5d^2e - 12b^2c^3e^2)x^3 + 225(3b^2c^5e^2x^5 + 10b^2c^5d^2e^2x^3 + 15b^2c^5d^2x) \arcsin(cx)^2 + 15(225(a^2 - 2b^2)c^5d^2 - 200b^2c^3d^2e - 48b^2c^3e^2)x + 450(3a^2b^2c^5e^2x^5 + 10a^2b^2c^5d^2e^2x^3 + 15a^2b^2c^5d^2x) \arcsin(cx) + 30(9a^2b^2c^4e^2x^4 + 225a^2b^2c^4d^2 + 100a^2b^2c^4d^2e + 24a^2b^2e^2 + 2(25a^2b^2c^4d^2e + 6a^2b^2c^2e^2)x^2 + (9b^2c^4e^2x^4 + 225b^2c^4d^2 + 100b^2c^2d^2e + 24b^2e^2 + 2(25b^2c^4d^2e + 6b^2c^2e^2)x^2) \arcsin(cx)) \sqrt{-c^2x^2 + 1}) / c^5$

**Sympy [A]** time = 6.24232, size = 595, normalized size = 1.78

$$\left\{ \begin{array}{l} a^2 d^2 x + \frac{2a^2 dex^3}{3} + \frac{a^2 e^2 x^5}{5} + 2abd^2 x \arcsin(cx) + \frac{4abdex^3 \arcsin(cx)}{3} + \frac{2abe^2 x^5 \arcsin(cx)}{5} + \frac{2abd^2 \sqrt{-c^2 x^2 + 1}}{c} + \frac{4abdex^2 \sqrt{-c^2 x^2 + 1}}{9c} + \frac{2abe^2 x^4 \sqrt{-c^2 x^2 + 1}}{25c} \\ a^2 \left( d^2 x + \frac{2dex^3}{3} + \frac{e^2 x^5}{5} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Piecewise((a\*\*2\*d\*\*2\*x + 2\*a\*\*2\*d\*e\*x\*\*3/3 + a\*\*2\*e\*\*2\*x\*\*5/5 + 2\*a\*b\*d\*\*2\*x\*asin(c\*x) + 4\*a\*b\*d\*e\*x\*\*3\*asin(c\*x)/3 + 2\*a\*b\*e\*\*2\*x\*\*5\*asin(c\*x)/5 + 2\*a\*b\*d\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/c + 4\*a\*b\*d\*e\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c) + 2\*a\*b\*e\*\*2\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)/(25\*c) + 8\*a\*b\*d\*e\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c\*\*3) + 8\*a\*b\*e\*\*2\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(75\*c\*\*3) + 16\*a\*b\*e\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(75\*c\*\*5) + b\*\*2\*d\*\*2\*x\*asin(c\*x)\*\*2 - 2\*b\*\*2\*d\*\*2\*x + 2\*b\*\*2\*d\*e\*x\*\*3\*asin(c\*x)\*\*2/3 - 4\*b\*\*2\*d\*e\*x\*\*3/27 + b\*\*2\*e\*\*2\*x\*\*5\*asin(c\*x)\*\*2/5 - 2\*b\*\*2\*e\*\*2\*x\*\*5/125 + 2\*b\*\*2\*d\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/c + 4\*b\*\*2\*d\*e\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(9\*c) + 2\*b\*\*2\*e\*\*2\*x\*\*4\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(25\*c) - 8\*b\*\*2\*d\*e\*x/(9\*c\*\*2) - 8\*b\*\*2\*e\*\*2\*x\*\*3/(225\*c\*\*2) + 8\*b\*\*2\*d\*e\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(9\*c\*\*3) + 8\*b\*\*2\*e\*\*2\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(75\*c\*\*3) - 16\*b\*\*2\*e\*\*2\*x/(75\*c\*\*4) + 16\*b\*\*2\*e\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(75\*c\*\*5), Ne(c,

0)), (a\*\*2\*(d\*\*2\*x + 2\*d\*e\*x\*\*3/3 + e\*\*2\*x\*\*5/5), True))

**Giac [B]** time = 1.33001, size = 915, normalized size = 2.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] 
$$\begin{aligned} & 1/5*a^2*x^5*e^2 + b^2*d^2*x*arcsin(c*x)^2 + 2/3*a^2*d*x^3*e + 2*a*b*d^2*x*a \\ & rcsin(c*x) + 2/3*(c^2*x^2 - 1)*b^2*d*x*arcsin(c*x)^2*e/c^2 + a^2*d^2*x - 2* \\ & b^2*d^2*x + 4/3*(c^2*x^2 - 1)*a*b*d*x*arcsin(c*x)*e/c^2 + 2/3*b^2*d*x*arcsi \\ & n(c*x)^2*e/c^2 + 2*sqrt(-c^2*x^2 + 1)*b^2*d^2*arcsin(c*x)/c + 1/5*(c^2*x^2 \\ & - 1)^2*b^2*x*arcsin(c*x)^2*e^2/c^4 - 4/27*(c^2*x^2 - 1)*b^2*d*x*e/c^2 + 4/3 \\ & *a*b*d*x*arcsin(c*x)*e/c^2 + 2*sqrt(-c^2*x^2 + 1)*a*b*d^2/c - 4/9*(-c^2*x^2 \\ & + 1)^{(3/2)}*b^2*d*arcsin(c*x)*e/c^3 + 2/5*(c^2*x^2 - 1)^2*a*b*x*arcsin(c*x) \\ & *e^2/c^4 + 2/5*(c^2*x^2 - 1)*b^2*x*arcsin(c*x)^2*e^2/c^4 - 28/27*b^2*d*x*e/ \\ & c^2 - 4/9*(-c^2*x^2 + 1)^{(3/2)}*a*b*d*e/c^3 + 4/3*sqrt(-c^2*x^2 + 1)*b^2*d*a \\ & rcsin(c*x)*e/c^3 - 2/125*(c^2*x^2 - 1)^2*b^2*x*e^2/c^4 + 4/5*(c^2*x^2 - 1)* \\ & a*b*x*arcsin(c*x)*e^2/c^4 + 1/5*b^2*x*arcsin(c*x)^2*e^2/c^4 + 2/25*(c^2*x^2 \\ & - 1)^2*sqrt(-c^2*x^2 + 1)*b^2*arcsin(c*x)*e^2/c^5 + 4/3*sqrt(-c^2*x^2 + 1) \\ & *a*b*d*e/c^3 - 76/1125*(c^2*x^2 - 1)*b^2*x*e^2/c^4 + 2/5*a*b*x*arcsin(c*x)* \\ & e^2/c^4 + 2/25*(c^2*x^2 - 1)^2*sqrt(-c^2*x^2 + 1)*a*b*e^2/c^5 - 4/15*(-c^2* \\ & x^2 + 1)^{(3/2)}*b^2*arcsin(c*x)*e^2/c^5 - 298/1125*b^2*x*e^2/c^4 - 4/15*(-c^ \\ & 2*x^2 + 1)^{(3/2)}*a*b*e^2/c^5 + 2/5*sqrt(-c^2*x^2 + 1)*b^2*arcsin(c*x)*e^2/c \\ & ^5 + 2/5*sqrt(-c^2*x^2 + 1)*a*b*e^2/c^5 \end{aligned}$$

### 3.661 $\int (d + ex^2) (a + b \sin^{-1}(cx))^2 dx$

**Optimal.** Leaf size=156

$$\frac{2bd\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{c} + \frac{2bex^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{9c} + \frac{4be\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{9c^3} + dx(a+b\sin^{-1}(cx))^2$$

[Out]  $-2*b^2*d*x - (4*b^2*e*x)/(9*c^2) - (2*b^2*e*x^3)/27 + (2*b*d*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/c + (4*b*e*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(9*c^3) + (2*b*e*x^2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(9*c) + d*x*(a + b*\text{ArcSin}[c*x])^2 + (e*x^3*(a + b*\text{ArcSin}[c*x])^2)/3$

**Rubi [A]** time = 0.261411, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$ , Rules used = {4667, 4619, 4677, 8, 4627, 4707, 30}

$$\frac{2bd\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{c} + \frac{2bex^2\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{9c} + \frac{4be\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{9c^3} + dx(a+b\sin^{-1}(cx))^2$$

Antiderivative was successfully verified.

[In] `Int[(d + e*x^2)*(a + b*ArcSin[c*x])^2,x]`

[Out]  $-2*b^2*d*x - (4*b^2*e*x)/(9*c^2) - (2*b^2*e*x^3)/27 + (2*b*d*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/c + (4*b*e*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(9*c^3) + (2*b*e*x^2*\text{Sqrt}[1 - c^2*x^2]*(a + b*\text{ArcSin}[c*x]))/(9*c) + d*x*(a + b*\text{ArcSin}[c*x])^2 + (e*x^3*(a + b*\text{ArcSin}[c*x])^2)/3$

#### Rule 4667

`Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^ (n_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])`

#### Rule 4619

`Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^ (n_.), x_Symbol] :> Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]`

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4627

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_)^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^n)/(d*(m + 1)), x] - Dist[(b*c*n)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 4707

```
Int[(((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_)^(m_))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] := Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcSin[c*x])^n)/(e*m), x] + (Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcSin[c*x])^n)/Sqrt[d + e*x^2], x], x] + Dist[(b*f*n*Sqrt[1 - c^2*x^2])/(c*m*Sqrt[d + e*x^2]), Int[(f*x)^(m - 1)*(a + b*ArcSin[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]
```

Rule 30

```
Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int (d + ex^2)(a + b \sin^{-1}(cx))^2 dx &= \int \left( d(a + b \sin^{-1}(cx))^2 + ex^2(a + b \sin^{-1}(cx))^2 \right) dx \\
&= d \int (a + b \sin^{-1}(cx))^2 dx + e \int x^2 (a + b \sin^{-1}(cx))^2 dx \\
&= dx(a + b \sin^{-1}(cx))^2 + \frac{1}{3}ex^3(a + b \sin^{-1}(cx))^2 - (2bcd) \int \frac{x(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx - \frac{1}{3} \\
&= \frac{2bd\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{c} + \frac{2bex^2\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{9c} + dx(a + b \sin^{-1}(cx))^2 \\
&= -2b^2dx - \frac{2}{27}b^2ex^3 + \frac{2bd\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{c} + \frac{4be\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{9c^3} \\
&= -2b^2dx - \frac{4b^2ex}{9c^2} - \frac{2}{27}b^2ex^3 + \frac{2bd\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{c} + \frac{4be\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{9c^3}
\end{aligned}$$

**Mathematica [A]** time = 0.24365, size = 148, normalized size = 0.95

$$-2bd \left( bx - \frac{\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{c} \right) - \frac{2}{27}be \left( -\frac{3x^2\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{c} + \frac{6 \left( \frac{bx}{c} - \frac{\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{c^2} \right)}{c} + bx^3 \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2)\*(a + b\*ArcSin[c\*x])^2,x]

[Out] d\*x\*(a + b\*ArcSin[c\*x])^2 + (e\*x^3\*(a + b\*ArcSin[c\*x])^2)/3 - 2\*b\*d\*(b\*x - (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/c) - (2\*b\*e\*(b\*x^3 - (3\*x^2\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/c + (6\*((b\*x)/c - (Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/c^2))/c)/27

**Maple [A]** time = 0.049, size = 276, normalized size = 1.8

$$\frac{1}{c} \left( \frac{a^2}{c^2} \left( \frac{c^3 x^3 e}{3} + dc^3 x \right) + \frac{b^2}{c^2} \left( \frac{e}{27} \left( 9c^3 x^3 (\arcsin(cx))^2 + 6 \arcsin(cx) \sqrt{-c^2 x^2 + 1} c^2 x^2 - 27 (\arcsin(cx))^2 cx - 2c^3 x^3 - 42 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] int((e\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x)

[Out]  $1/c*(a^2/c^2*(1/3*c^3*x^3*e+d*c^3*x)+b^2/c^2*(1/27*e*(9*c^3*x^3*arcsin(c*x)^2+6*arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}*c^2*x^2-27*arcsin(c*x)^2*c*x-2*c^3*x^3-42*arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}+42*c*x)+c^2*d*(arcsin(c*x)^2*c*x-2*c*x+2*arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}))+e*(arcsin(c*x)^2*c*x-2*c*x+2*arcsin(c*x)*(-c^2*x^2+1)^{(1/2)}))+2*a*b/c^2*(1/3*arcsin(c*x)*c^3*x^3*e+arcsin(c*x)*d*c^3*x-1/3*e*(-1/3*c^2*x^2*(-c^2*x^2+1)^{(1/2)}-2/3*(-c^2*x^2+1)^{(1/2)}))+c^2*d*(-c^2*x^2+1)^{(1/2))}$

**Maxima [A]** time = 1.44661, size = 298, normalized size = 1.91

$$\frac{1}{3} b^2 e x^3 \arcsin(cx)^2 + \frac{1}{3} a^2 e x^3 + b^2 dx \arcsin(cx)^2 + \frac{2}{9} \left( 3 x^3 \arcsin(cx) + c \left( \frac{\sqrt{-c^2 x^2 + 1} x^2}{c^2} + \frac{2 \sqrt{-c^2 x^2 + 1}}{c^4} \right) \right) a b e + \frac{2}{27}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out]  $1/3*b^2*e*x^3*arcsin(c*x)^2 + 1/3*a^2*e*x^3 + b^2*d*x*arcsin(c*x)^2 + 2/9*(3*x^3*arcsin(c*x) + c*(sqrt(-c^2*x^2 + 1)*x^2/c^2 + 2*sqrt(-c^2*x^2 + 1)/c^4))*a*b*e + 2/27*(3*c*(sqrt(-c^2*x^2 + 1)*x^2/c^2 + 2*sqrt(-c^2*x^2 + 1)/c^4)*arcsin(c*x) - (c^2*x^3 + 6*x)/c^2)*b^2*e - 2*b^2*d*(x - sqrt(-c^2*x^2 + 1)*arcsin(c*x)/c) + a^2*d*x + 2*(c*x*arcsin(c*x) + sqrt(-c^2*x^2 + 1))*a*b*d/c$

**Fricas [A]** time = 2.03491, size = 400, normalized size = 2.56

$$\frac{(9a^2 - 2b^2)c^3ex^3 + 9(b^2c^3ex^3 + 3b^2c^3dx) \arcsin(cx)^2 + 3(9(a^2 - 2b^2)c^3d - 4b^2ce)x + 18(abc^3ex^3 + 3abc^3dx) \arcsin(cx)}{27c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out]  $1/27*((9*a^2 - 2*b^2)*c^3*e*x^3 + 9*(b^2*c^3*e*x^3 + 3*b^2*c^3*d*x)*arcsin(c*x)^2 + 3*(9*(a^2 - 2*b^2)*c^3*d - 4*b^2*c*e)*x + 18*(a*b*c^3*e*x^3 + 3*a*b*c^3*d*x)*arcsin(c*x) + 6*(a*b*c^2*e*x^2 + 9*a*b*c^2*d + 2*a*b*e + (b^2*c^2*x^2 + 2*b^2*c^2*d*x + b^2*c^2))$

$$2e^x x^2 + 9b^2 c^2 d + 2b^2 e) \arcsin(cx) \sqrt{-c^2 x^2 + 1} / c^3$$

**Sympy [A]** time = 1.59377, size = 279, normalized size = 1.79

$$\begin{cases} a^2 dx + \frac{a^2 e x^3}{3} + 2ab dx \arcsin(cx) + \frac{2ab e x^3 \arcsin(cx)}{3} + \frac{2abd \sqrt{-c^2 x^2 + 1}}{c} + \frac{2ab e x^2 \sqrt{-c^2 x^2 + 1}}{9c} + \frac{4abe \sqrt{-c^2 x^2 + 1}}{9c^3} + b^2 dx \arcsin^2(cx) - 2b^2 dx + \\ a^2 \left( dx + \frac{e x^3}{3} \right) \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*(a+b\*asin(c\*x))\*\*2,x)

[Out] Piecewise((a\*\*2\*d\*x + a\*\*2\*e\*x\*\*3/3 + 2\*a\*b\*d\*x\*asin(c\*x) + 2\*a\*b\*e\*x\*\*3\*asin(c\*x)/3 + 2\*a\*b\*d\*sqrt(-c\*\*2\*x\*\*2 + 1)/c + 2\*a\*b\*e\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c) + 4\*a\*b\*e\*sqrt(-c\*\*2\*x\*\*2 + 1)/(9\*c\*\*3) + b\*\*2\*d\*x\*asin(c\*x)\*\*2 - 2\*b\*\*2\*d\*x + b\*\*2\*e\*x\*\*3\*asin(c\*x)\*\*2/3 - 2\*b\*\*2\*e\*x\*\*3/27 + 2\*b\*\*2\*d\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/c + 2\*b\*\*2\*e\*x\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(9\*c) - 4\*b\*\*2\*e\*x/(9\*c\*\*2) + 4\*b\*\*2\*e\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/(9\*c\*\*3), Ne(c, 0)), (a\*\*2\*(d\*x + e\*x\*\*3/3), True))

**Giac [B]** time = 1.32157, size = 400, normalized size = 2.56

$$b^2 dx \arcsin(cx)^2 + \frac{1}{3} a^2 x^3 e + 2ab dx \arcsin(cx) + \frac{(c^2 x^2 - 1) b^2 x \arcsin(cx)^2 e}{3c^2} + a^2 dx - 2b^2 dx + \frac{2(c^2 x^2 - 1) ab x \arcsin(cx)}{3c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)\*(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] b^2\*d\*x\*arcsin(c\*x)^2 + 1/3\*a^2\*x^3\*e + 2\*a\*b\*d\*x\*arcsin(c\*x) + 1/3\*(c^2\*x^2 - 1)\*b^2\*x\*arcsin(c\*x)^2\*e/c^2 + a^2\*d\*x - 2\*b^2\*d\*x + 2/3\*(c^2\*x^2 - 1)\*a\*b\*x\*arcsin(c\*x)\*e/c^2 + 1/3\*b^2\*x\*arcsin(c\*x)^2\*e/c^2 + 2\*sqrt(-c^2\*x^2 + 1)\*b^2\*d\*arcsin(c\*x)/c - 2/27\*(c^2\*x^2 - 1)\*b^2\*x\*e/c^2 + 2/3\*a\*b\*x\*arcsin(c\*x)\*e/c^2 + 2\*sqrt(-c^2\*x^2 + 1)\*a\*b\*d/c - 2/9\*(-c^2\*x^2 + 1)^(3/2)\*b^2\*arcsin(c\*x)\*e/c^3 - 14/27\*b^2\*x\*e/c^2 - 2/9\*(-c^2\*x^2 + 1)^(3/2)\*a\*b\*e/c^3 + 2/3\*sqrt(-c^2\*x^2 + 1)\*b^2\*arcsin(c\*x)\*e/c^3 + 2/3\*sqrt(-c^2\*x^2 + 1)\*a\*b\*e/c^3

### 3.662 $\int (a + b \sin^{-1}(cx))^2 dx$

**Optimal.** Leaf size=47

$$\frac{2b\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{c} + x(a+b\sin^{-1}(cx))^2 - 2b^2x$$

[Out]  $-2*b^2*x + (2*b*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/c + x*(a + b*ArcSin[c*x])^2$

**Rubi [A]** time = 0.0601597, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$ , Rules used = {4619, 4677, 8}

$$\frac{2b\sqrt{1-c^2x^2}(a+b\sin^{-1}(cx))}{c} + x(a+b\sin^{-1}(cx))^2 - 2b^2x$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^2,x]

[Out]  $-2*b^2*x + (2*b*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x]))/c + x*(a + b*ArcSin[c*x])^2$

#### Rule 4619

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.), x\_Symbol] :> Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c^n, Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

#### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*(x\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1 - c^2\*x^2)^FracPart[p]), Int[(1 - c^2\*x^2)^(p + 1/2)\*(a + b\*ArcSin[c\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2\*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rubi steps

$$\begin{aligned} \int (a + b \sin^{-1}(cx))^2 dx &= x(a + b \sin^{-1}(cx))^2 - (2bc) \int \frac{x(a + b \sin^{-1}(cx))}{\sqrt{1 - c^2x^2}} dx \\ &= \frac{2b\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{c} + x(a + b \sin^{-1}(cx))^2 - (2b^2) \int 1 dx \\ &= -2b^2x + \frac{2b\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{c} + x(a + b \sin^{-1}(cx))^2 \end{aligned}$$

**Mathematica [A]** time = 0.0419909, size = 47, normalized size = 1.

$$\frac{2b\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))}{c} + x(a + b \sin^{-1}(cx))^2 - 2b^2x$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*ArcSin[c\*x])^2,x]

[Out] -2\*b^2\*x + (2\*b\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x]))/c + x\*(a + b\*ArcSin[c\*x])^2

**Maple [A]** time = 0.042, size = 72, normalized size = 1.5

$$\frac{1}{c} \left( a^2cx + b^2 \left( (\arcsin(cx))^2 cx - 2cx + 2 \arcsin(cx) \sqrt{-c^2x^2 + 1} \right) + 2ab \left( cx \arcsin(cx) + \sqrt{-c^2x^2 + 1} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2,x)

[Out] 1/c\*(a^2\*c\*x+b^2\*(arcsin(c\*x)^2\*c\*x-2\*c\*x+2\*arcsin(c\*x)\*(-c^2\*x^2+1)^(1/2))+2\*a\*b\*(c\*x\*arcsin(c\*x)+(-c^2\*x^2+1)^(1/2)))

**Maxima [A]** time = 1.41466, size = 97, normalized size = 2.06

$$b^2x \arcsin(cx)^2 - 2b^2 \left( x - \frac{\sqrt{-c^2x^2 + 1} \arcsin(cx)}{c} \right) + a^2x + \frac{2 \left( cx \arcsin(cx) + \sqrt{-c^2x^2 + 1} \right) ab}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] b^2\*x\*arcsin(c\*x)^2 - 2\*b^2\*(x - sqrt(-c^2\*x^2 + 1)\*arcsin(c\*x)/c) + a^2\*x + 2\*(c\*x\*arcsin(c\*x) + sqrt(-c^2\*x^2 + 1))\*a\*b/c

**Fricas [A]** time = 1.97223, size = 159, normalized size = 3.38

$$\frac{b^2cx \arcsin(cx)^2 + 2abcx \arcsin(cx) + (a^2 - 2b^2)cx + 2\sqrt{-c^2x^2 + 1}(b^2 \arcsin(cx) + ab)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] (b^2\*c\*x\*arcsin(c\*x)^2 + 2\*a\*b\*c\*x\*arcsin(c\*x) + (a^2 - 2\*b^2)\*c\*x + 2\*sqrt(-c^2\*x^2 + 1)\*(b^2\*arcsin(c\*x) + a\*b))/c

**Sympy [A]** time = 0.300995, size = 82, normalized size = 1.74

$$\begin{cases} a^2x + 2abx \operatorname{asin}(cx) + \frac{2ab\sqrt{-c^2x^2+1}}{c} + b^2x \operatorname{asin}^2(cx) - 2b^2x + \frac{2b^2\sqrt{-c^2x^2+1} \operatorname{asin}(cx)}{c} & \text{for } c \neq 0 \\ a^2x & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2,x)

[Out] Piecewise((a\*\*2\*x + 2\*a\*b\*x\*asin(c\*x) + 2\*a\*b\*sqrt(-c\*\*2\*x\*\*2 + 1)/c + b\*\*2\*x\*asin(c\*x)\*\*2 - 2\*b\*\*2\*x + 2\*b\*\*2\*sqrt(-c\*\*2\*x\*\*2 + 1)\*asin(c\*x)/c, Ne(c, 0)), (a\*\*2\*x, True))

---

**Giac [A]** time = 1.27016, size = 101, normalized size = 2.15

$$b^2x \arcsin(cx)^2 + 2abx \arcsin(cx) + a^2x - 2b^2x + \frac{2\sqrt{-c^2x^2+1}b^2 \arcsin(cx)}{c} + \frac{2\sqrt{-c^2x^2+1}ab}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] b^2\*x\*arcsin(c\*x)^2 + 2\*a\*b\*x\*arcsin(c\*x) + a^2\*x - 2\*b^2\*x + 2\*sqrt(-c^2\*x^2 + 1)\*b^2\*arcsin(c\*x)/c + 2\*sqrt(-c^2\*x^2 + 1)\*a\*b/c

$$3.663 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{d+ex^2} dx$$

**Optimal.** Leaf size=821

$$\frac{\text{PolyLog}\left(3, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}-\sqrt{dc^2+e}}\right)b^2}{\sqrt{-d}\sqrt{e}} + \frac{\text{PolyLog}\left(3, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}-\sqrt{dc^2+e}}\right)b^2}{\sqrt{-d}\sqrt{e}} - \frac{\text{PolyLog}\left(3, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{i\sqrt{-dc}+\sqrt{dc^2+e}}\right)b^2}{\sqrt{-d}\sqrt{e}} + \frac{\text{PolyLog}\left(3, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{i\sqrt{-dc}+\sqrt{dc^2+e}}\right)b^2}{\sqrt{-d}\sqrt{e}}$$

```
[Out] ((a + b*ArcSin[c*x])^2*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])]/(2*Sqrt[-d]*Sqrt[e]) - ((a + b*ArcSin[c*x])^2*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])]/(2*Sqrt[-d]*Sqrt[e]) + ((a + b*ArcSin[c*x])^2*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])]/(2*Sqrt[-d]*Sqrt[e]) - ((a + b*ArcSin[c*x])^2*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])]/(2*Sqrt[-d]*Sqrt[e]) + (I*b*(a + b*ArcSin[c*x])*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))]/(Sqrt[-d]*Sqrt[e]) - (I*b*(a + b*ArcSin[c*x])*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))]/(Sqrt[-d]*Sqrt[e]) + (I*b*(a + b*ArcSin[c*x])*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))]/(Sqrt[-d]*Sqrt[e]) - (I*b*(a + b*ArcSin[c*x])*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))]/(Sqrt[-d]*Sqrt[e]) - (b^2*PolyLog[3, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))]/(Sqrt[-d]*Sqrt[e]) + (b^2*PolyLog[3, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))]/(Sqrt[-d]*Sqrt[e]) - (b^2*PolyLog[3, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))]/(Sqrt[-d]*Sqrt[e]) + (b^2*PolyLog[3, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))]/(Sqrt[-d]*Sqrt[e]))
```

**Rubi [A]** time = 1.34202, antiderivative size = 821, normalized size of antiderivative = 1., number of steps used = 22, number of rules used = 7, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.35$ , Rules used = {4667, 4741, 4521, 2190, 2531, 2282, 6589}

$$\frac{\text{PolyLog}\left(3, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}-\sqrt{dc^2+e}}\right)b^2}{\sqrt{-d}\sqrt{e}} + \frac{\text{PolyLog}\left(3, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d}-\sqrt{dc^2+e}}\right)b^2}{\sqrt{-d}\sqrt{e}} - \frac{\text{PolyLog}\left(3, -\frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{i\sqrt{-dc}+\sqrt{dc^2+e}}\right)b^2}{\sqrt{-d}\sqrt{e}} + \frac{\text{PolyLog}\left(3, \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{i\sqrt{-dc}+\sqrt{dc^2+e}}\right)b^2}{\sqrt{-d}\sqrt{e}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcSin[c*x])^2/(d + e*x^2), x]
```

```
[Out] ((a + b*ArcSin[c*x])^2*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) - ((a + b*ArcSin[c*x])^2*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) + ((a + b*ArcSin[c*x])^2*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) - ((a + b*ArcSin[c*x])^2*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(2*Sqrt[-d]*Sqrt[e]) + (I*b*(a + b*ArcSin[c*x])*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))])/(Sqrt[-d]*Sqrt[e]) - (I*b*(a + b*ArcSin[c*x])*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(Sqrt[-d]*Sqrt[e]) + (I*b*(a + b*ArcSin[c*x])*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))])/(Sqrt[-d]*Sqrt[e]) - (I*b*(a + b*ArcSin[c*x])*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(Sqrt[-d]*Sqrt[e]) - (b^2*PolyLog[3, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e]))])/(Sqrt[-d]*Sqrt[e]) + (b^2*PolyLog[3, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])])/(Sqrt[-d]*Sqrt[e]) - (b^2*PolyLog[3, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))])/(Sqrt[-d]*Sqrt[e]) + (b^2*PolyLog[3, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])])/(Sqrt[-d]*Sqrt[e])
```

#### Rule 4667

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (d + e*x^2)^p, x], x]
/; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])
```

#### Rule 4741

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.)^(n_.)/((d_.) + (e_.)*(x_)), x_Symbol]
:> Subst[Int[((a + b*x)^n*Cos[x])/(c*d + e*Ssin[x]), x], x, ArcSin[c*x]]
/; FreeQ[{a, b, c, d, e}, x] && IGtQ[n, 0]
```

#### Rule 4521

```
Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol]
:> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(I*a - Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x] + Dist[I, Int[((e + f*x)^m*E^(I*(c + d*x)))/(I*a + Rt[-a^2 + b^2, 2] + b*E^(I*(c + d*x))), x], x]
/; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NegQ[a^2 - b^2]
```

#### Rule 2190

```
Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
```



```
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

### Rule 2531

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*(f_) + (g_)
*(x_)^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n]])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

### Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

### Rule 6589

```
Int[PolyLog[n, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin^{-1}(cx))^2}{d + ex^2} dx &= \int \left( \frac{\sqrt{-d} (a + b \sin^{-1}(cx))^2}{2d(\sqrt{-d} - \sqrt{ex})} + \frac{\sqrt{-d} (a + b \sin^{-1}(cx))^2}{2d(\sqrt{-d} + \sqrt{ex})} \right) dx \\
&= \frac{\int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{-d} - \sqrt{ex}} dx}{2\sqrt{-d}} - \frac{\int \frac{(a + b \sin^{-1}(cx))^2}{\sqrt{-d} + \sqrt{ex}} dx}{2\sqrt{-d}} \\
&= -\frac{\text{Subst} \left( \int \frac{(a + bx)^2 \cos(x)}{c\sqrt{-d} - \sqrt{e} \sin(x)} dx, x, \sin^{-1}(cx) \right)}{2\sqrt{-d}} - \frac{\text{Subst} \left( \int \frac{(a + bx)^2 \cos(x)}{c\sqrt{-d} + \sqrt{e} \sin(x)} dx, x, \sin^{-1}(cx) \right)}{2\sqrt{-d}} \\
&= -\frac{i \text{Subst} \left( \int \frac{e^{ix}(a + bx)^2}{ic\sqrt{-d} - \sqrt{c^2d + e} - \sqrt{e}e^{ix}} dx, x, \sin^{-1}(cx) \right)}{2\sqrt{-d}} - \frac{i \text{Subst} \left( \int \frac{e^{ix}(a + bx)^2}{ic\sqrt{-d} + \sqrt{c^2d + e} - \sqrt{e}e^{ix}} dx, x, \sin^{-1}(cx) \right)}{2\sqrt{-d}} \\
&= \frac{(a + b \sin^{-1}(cx))^2 \log \left( 1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2d + e}} \right)}{2\sqrt{-d}\sqrt{e}} - \frac{(a + b \sin^{-1}(cx))^2 \log \left( 1 + \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2d + e}} \right)}{2\sqrt{-d}\sqrt{e}} + \frac{(a + b \sin^{-1}(cx))^2 \log \left( 1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2d + e}} \right)}{2\sqrt{-d}\sqrt{e}} \\
&= \frac{(a + b \sin^{-1}(cx))^2 \log \left( 1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2d + e}} \right)}{2\sqrt{-d}\sqrt{e}} - \frac{(a + b \sin^{-1}(cx))^2 \log \left( 1 + \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2d + e}} \right)}{2\sqrt{-d}\sqrt{e}} + \frac{(a + b \sin^{-1}(cx))^2 \log \left( 1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2d + e}} \right)}{2\sqrt{-d}\sqrt{e}} \\
&= \frac{(a + b \sin^{-1}(cx))^2 \log \left( 1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2d + e}} \right)}{2\sqrt{-d}\sqrt{e}} - \frac{(a + b \sin^{-1}(cx))^2 \log \left( 1 + \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2d + e}} \right)}{2\sqrt{-d}\sqrt{e}} + \frac{(a + b \sin^{-1}(cx))^2 \log \left( 1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2d + e}} \right)}{2\sqrt{-d}\sqrt{e}} \\
&= \frac{(a + b \sin^{-1}(cx))^2 \log \left( 1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2d + e}} \right)}{2\sqrt{-d}\sqrt{e}} - \frac{(a + b \sin^{-1}(cx))^2 \log \left( 1 + \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2d + e}} \right)}{2\sqrt{-d}\sqrt{e}} + \frac{(a + b \sin^{-1}(cx))^2 \log \left( 1 - \frac{\sqrt{e}e^{i \sin^{-1}(cx)}}{ic\sqrt{-d} - \sqrt{c^2d + e}} \right)}{2\sqrt{-d}\sqrt{e}}
\end{aligned}$$

**Mathematica [A]** time = 0.776722, size = 1101, normalized size = 1.34

$$2\sqrt{-d} \tan^{-1} \left( \frac{\sqrt{ex}}{\sqrt{d}} \right) a^2 - 2b\sqrt{d} \sin^{-1}(cx) \log \left( \frac{e^{i \sin^{-1}(cx)} \sqrt{e}}{ic\sqrt{-d} - \sqrt{c^2d + e}} + 1 \right) a + 2b\sqrt{d} \sin^{-1}(cx) \log \left( \frac{e^{i \sin^{-1}(cx)} \sqrt{e}}{\sqrt{c^2d + e} - ic\sqrt{-d}} + 1 \right) a + 2b\sqrt{d} \sin^{-1}(cx) \log \left( \frac{e^{i \sin^{-1}(cx)} \sqrt{e}}{ic\sqrt{-d} - \sqrt{c^2d + e}} + 1 \right) a$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(d + e\*x^2), x]

[Out] (2\*a^2\*sqrt[-d]\*ArcTan[(sqrt[e]\*x)/sqrt[d]] - 2\*a\*b\*sqrt[d]\*ArcSin[c\*x]\*Log[1 + (sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*sqrt[-d] - sqrt[c^2\*d + e])] - b^2\*sqrt[d]\*ArcTan[(sqrt[e]\*x)/sqrt[d]] + 2\*b\*sqrt[d]\*ArcSin[c\*x]\*Log[1 + (sqrt[e]\*E^(I\*ArcSin[c\*x]))/(I\*c\*sqrt[-d] - sqrt[c^2\*d + e])])/(d + e\*x^2)

```

rt[d]*ArcSin[c*x]^2*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqr
t[c^2*d + e])] + 2*a*b*Sqrt[d]*ArcSin[c*x]*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x
]))/((-I)*c*Sqrt[-d] + Sqrt[c^2*d + e])] + b^2*Sqrt[d]*ArcSin[c*x]^2*Log[1
+ (Sqrt[e]*E^(I*ArcSin[c*x]))/((-I)*c*Sqrt[-d] + Sqrt[c^2*d + e])] + 2*a*b*
Sqrt[d]*ArcSin[c*x]*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqr
t[c^2*d + e])] + b^2*Sqrt[d]*ArcSin[c*x]^2*Log[1 - (Sqrt[e]*E^(I*ArcSin[c*x
]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])] - 2*a*b*Sqrt[d]*ArcSin[c*x]*Log[1 + (
Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])] - b^2*Sqrt[d]*
ArcSin[c*x]^2*Log[1 + (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*
d + e])] - (2*I)*b*Sqrt[d]*(a + b*ArcSin[c*x])*PolyLog[2, (Sqrt[e]*E^(I*Arc
Sin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])] + (2*I)*b*Sqrt[d]*(a + b*ArcSi
n[c*x])*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/((-I)*c*Sqrt[-d] + Sqrt[c^2*
d + e])] + (2*I)*a*b*Sqrt[d]*PolyLog[2, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*
Sqrt[-d] + Sqrt[c^2*d + e]))] + (2*I)*b^2*Sqrt[d]*ArcSin[c*x]*PolyLog[2, -(
(Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d + e]))] - (2*I)*a*b*
Sqrt[d]*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d +
e])] - (2*I)*b^2*Sqrt[d]*ArcSin[c*x]*PolyLog[2, (Sqrt[e]*E^(I*ArcSin[c*x])
)/(I*c*Sqrt[-d] + Sqrt[c^2*d + e])] + 2*b^2*Sqrt[d]*PolyLog[3, (Sqrt[e]*E^(
I*ArcSin[c*x]))/(I*c*Sqrt[-d] - Sqrt[c^2*d + e])] - 2*b^2*Sqrt[d]*PolyLog[3
, (Sqrt[e]*E^(I*ArcSin[c*x]))/((-I)*c*Sqrt[-d] + Sqrt[c^2*d + e])] - 2*b^2*
Sqrt[d]*PolyLog[3, -((Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-d] + Sqrt[c^2*d
+ e]))] + 2*b^2*Sqrt[d]*PolyLog[3, (Sqrt[e]*E^(I*ArcSin[c*x]))/(I*c*Sqrt[-
d] + Sqrt[c^2*d + e])]/(2*Sqrt[-d^2]*Sqrt[e])

```

**Maple [F]** time = 0.711, size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^2}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/(e\*x^2+d),x)

[Out] int((a+b\*arcsin(c\*x))^2/(e\*x^2+d),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(e*x^2+d),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(e*x^2+d),x, algorithm="fricas")
```

```
[Out] integral((b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)/(e*x^2 + d), x)
```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \arcsin(cx))^2}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))**2/(e*x**2+d),x)
```

```
[Out] Integral((a + b*asin(c*x))**2/(d + e*x**2), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(e*x^2+d),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2/(e*x^2 + d), x)
```

$$3.664 \quad \int \sqrt{d + ex^2} \left( a + b \sin^{-1}(cx) \right)^2 dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable}\left(\sqrt{d + ex^2} \left( a + b \sin^{-1}(cx) \right)^2, x\right)$$

[Out] Unintegrable[Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^2, x]

**Rubi [A]** time = 0.0371079, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \sqrt{d + ex^2} \left( a + b \sin^{-1}(cx) \right)^2 dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] Defer[Int][Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^2, x]

Rubi steps

$$\int \sqrt{d + ex^2} \left( a + b \sin^{-1}(cx) \right)^2 dx = \int \sqrt{d + ex^2} \left( a + b \sin^{-1}(cx) \right)^2 dx$$

**Mathematica [A]** time = 16.879, size = 0, normalized size = 0.

$$\int \sqrt{d + ex^2} \left( a + b \sin^{-1}(cx) \right)^2 dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^2,x]

[Out] Integrate[Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^2, x]

**Maple [A]** time = 0.379, size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d} (a + b \arcsin(cx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x)

[Out] int((e\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2\right)\sqrt{ex^2 + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^(1/2)\*(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(e\*x^2 + d), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{asin}(cx))^2 \sqrt{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)**(1/2)*(a+b*asin(c*x))**2,x)
```

```
[Out] Integral((a + b*asin(c*x))**2*sqrt(d + e*x**2), x)
```

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ex^2 + d}(b \arcsin(cx) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^(1/2)*(a+b*arcsin(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate(sqrt(e*x^2 + d)*(b*arcsin(c*x) + a)^2, x)
```

$$3.665 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{d+ex^2}} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{d+ex^2}}, x \right)$$

[Out] Unintegrable[(a + b\*ArcSin[c\*x])^2/Sqrt[d + e\*x^2], x]

**Rubi [A]** time = 0.0389481, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{d+ex^2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b\*ArcSin[c\*x])^2/Sqrt[d + e\*x^2], x]

[Out] Defer[Int] [(a + b\*ArcSin[c\*x])^2/Sqrt[d + e\*x^2], x]

Rubi steps

$$\int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{d+ex^2}} dx = \int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{d+ex^2}} dx$$

**Mathematica [A]** time = 12.1306, size = 0, normalized size = 0.

$$\int \frac{(a+b \sin^{-1}(cx))^2}{\sqrt{d+ex^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/Sqrt[d + e\*x^2], x]



[Out] Integrate[(a + b\*ArcSin[c\*x])^2/Sqrt[d + e\*x^2], x]

**Maple [A]** time = 0.368, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/(e\*x^2+d)^(1/2),x)

[Out] int((a+b\*arcsin(c\*x))^2/(e\*x^2+d)^(1/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(e\*x^2+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}{\sqrt{ex^2 + d}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(e\*x^2+d)^(1/2),x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)/sqrt(e\*x^2 + d), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asin}(cx))^2}{\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/(e\*x\*\*2+d)\*\*(1/2),x)

[Out] Integral((a + b\*asin(c\*x))\*\*2/sqrt(d + e\*x\*\*2), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)^2}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(e\*x^2+d)^(1/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/sqrt(e\*x^2 + d), x)

$$3.666 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{(d+ex^2)^{3/2}} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{(a+b \sin^{-1}(cx))^2}{(d+ex^2)^{3/2}}, x \right)$$

[Out] Unintegrable[(a + b\*ArcSin[c\*x])^2/(d + e\*x^2)^(3/2), x]

**Rubi [A]** time = 0.043805, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(a+b \sin^{-1}(cx))^2}{(d+ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b\*ArcSin[c\*x])^2/(d + e\*x^2)^(3/2), x]

[Out] Defer[Int] [(a + b\*ArcSin[c\*x])^2/(d + e\*x^2)^(3/2), x]

Rubi steps

$$\int \frac{(a+b \sin^{-1}(cx))^2}{(d+ex^2)^{3/2}} dx = \int \frac{(a+b \sin^{-1}(cx))^2}{(d+ex^2)^{3/2}} dx$$

**Mathematica [A]** time = 3.91783, size = 0, normalized size = 0.

$$\int \frac{(a+b \sin^{-1}(cx))^2}{(d+ex^2)^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(d + e\*x^2)^(3/2),x]

[Out] Integrate[(a + b\*ArcSin[c\*x])^2/(d + e\*x^2)^(3/2), x]

**Maple [A]** time = 0.293, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/(e\*x^2+d)^(3/2),x)

[Out] int((a+b\*arcsin(c\*x))^2/(e\*x^2+d)^(3/2),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(e\*x^2+d)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2)\sqrt{ex^2 + d}}{e^2x^4 + 2dex^2 + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(e\*x^2+d)^(3/2),x, algorithm="fricas")

[Out] integral((b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2)\*sqrt(e\*x^2 + d)/(e^2\*x^4 + 2\*d\*e\*x^2 + d^2), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asin}(cx))^2}{(d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*2/(e\*x\*\*2+d)\*\*(3/2),x)

[Out] Integral((a + b\*asin(c\*x))\*\*2/(d + e\*x\*\*2)\*\*(3/2), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arcsin}(cx) + a)^2}{(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(e\*x^2+d)^(3/2),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^2/(e\*x^2 + d)^(3/2), x)

$$3.667 \quad \int \frac{(a+b \sin^{-1}(cx))^2}{(d+ex^2)^{5/2}} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{(a + b \sin^{-1}(cx))^2}{(d + ex^2)^{5/2}}, x \right)$$

[Out] Unintegrable[(a + b\*ArcSin[c\*x])^2/(d + e\*x^2)^(5/2), x]

**Rubi [A]** time = 0.0441763, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(a + b \sin^{-1}(cx))^2}{(d + ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b\*ArcSin[c\*x])^2/(d + e\*x^2)^(5/2), x]

[Out] Defer[Int] [(a + b\*ArcSin[c\*x])^2/(d + e\*x^2)^(5/2), x]

Rubi steps

$$\int \frac{(a + b \sin^{-1}(cx))^2}{(d + ex^2)^{5/2}} dx = \int \frac{(a + b \sin^{-1}(cx))^2}{(d + ex^2)^{5/2}} dx$$

**Mathematica [A]** time = 8.16982, size = 0, normalized size = 0.

$$\int \frac{(a + b \sin^{-1}(cx))^2}{(d + ex^2)^{5/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b\*ArcSin[c\*x])^2/(d + e\*x^2)^(5/2), x]

[Out] Integrate[(a + b\*ArcSin[c\*x])^2/(d + e\*x^2)^(5/2), x]

**Maple [A]** time = 0.301, size = 0, normalized size = 0.

$$\int (a + b \arcsin(cx))^2 (ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^2/(e\*x^2+d)^(5/2), x)

[Out] int((a+b\*arcsin(c\*x))^2/(e\*x^2+d)^(5/2), x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{3} a^2 \left( \frac{2x}{\sqrt{ex^2 + dd^2}} + \frac{x}{(ex^2 + d)^{\frac{3}{2}} d} \right) + \int \frac{\left( b^2 \arctan\left( cx, \sqrt{cx+1}\sqrt{-cx+1} \right)^2 + 2ab \arctan\left( cx, \sqrt{cx+1}\sqrt{-cx+1} \right) \right) \sqrt{ex^2}}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^2/(e\*x^2+d)^(5/2), x, algorithm="maxima")

[Out] 1/3\*a^2\*(2\*x/(sqrt(e\*x^2 + d)\*d^2) + x/((e\*x^2 + d)^(3/2)\*d)) + integrate((b^2\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1))^2 + 2\*a\*b\*arctan2(c\*x, sqrt(c\*x + 1)\*sqrt(-c\*x + 1)))\*sqrt(e\*x^2 + d)/(e^3\*x^6 + 3\*d\*e^2\*x^4 + 3\*d^2\*e\*x^2 + d^3), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{\left( b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2 \right) \sqrt{ex^2 + d}}{e^3 x^6 + 3 d e^2 x^4 + 3 d^2 e x^2 + d^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(e*x^2+d)^(5/2),x, algorithm="fricas")
```

```
[Out] integral((b^2*arcsin(c*x)^2 + 2*a*b*arcsin(c*x) + a^2)*sqrt(e*x^2 + d)/(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))^2/(e*x**2+d)**(5/2),x)
```

```
[Out] Timed out
```

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^2}{(ex^2 + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^2/(e*x^2+d)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^2/(e*x^2 + d)^(5/2), x)
```



$$3.668 \quad \int \frac{(d+ex^2)^2}{a+b \sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=387

$$\frac{de \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{2bc^3} - \frac{de \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3(a+b \sin^{-1}(cx))}{b}\right)}{2bc^3} + \frac{e^2 \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{8bc^5}$$

[Out] (d^2\*cos[a/b]\*CosIntegral[(a + b\*ArcSin[c\*x])/b])/(b\*c) + (d\*e\*cos[a/b]\*CosIntegral[(a + b\*ArcSin[c\*x])/b])/(2\*b\*c^3) + (e^2\*cos[a/b]\*CosIntegral[(a + b\*ArcSin[c\*x])/b])/(8\*b\*c^5) - (d\*e\*cos[(3\*a)/b]\*CosIntegral[(3\*(a + b\*ArcSin[c\*x]))/b])/(2\*b\*c^3) - (3\*e^2\*cos[(3\*a)/b]\*CosIntegral[(3\*(a + b\*ArcSin[c\*x]))/b])/(16\*b\*c^5) + (e^2\*cos[(5\*a)/b]\*CosIntegral[(5\*(a + b\*ArcSin[c\*x]))/b])/(16\*b\*c^5) + (d^2\*sin[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(b\*c) + (d\*e\*sin[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(2\*b\*c^3) + (e^2\*sin[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(8\*b\*c^5) - (d\*e\*sin[(3\*a)/b]\*SinIntegral[(3\*(a + b\*ArcSin[c\*x]))/b])/(2\*b\*c^3) - (3\*e^2\*sin[(3\*a)/b]\*SinIntegral[(3\*(a + b\*ArcSin[c\*x]))/b])/(16\*b\*c^5) + (e^2\*sin[(5\*a)/b]\*SinIntegral[(5\*(a + b\*ArcSin[c\*x]))/b])/(16\*b\*c^5)

**Rubi [A]** time = 0.770322, antiderivative size = 379, normalized size of antiderivative = 0.98, number of steps used = 27, number of rules used = 7, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.35$ , Rules used = {4667, 4623, 3303, 3299, 3302, 4635, 4406}

$$\frac{de \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{2bc^3} - \frac{de \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{2bc^3} + \frac{e^2 \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{8bc^5}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2)^2/(a + b\*ArcSin[c\*x]),x]

[Out] (d\*e\*cos[a/b]\*CosIntegral[a/b + ArcSin[c\*x]])/(2\*b\*c^3) + (e^2\*cos[a/b]\*CosIntegral[a/b + ArcSin[c\*x]])/(8\*b\*c^5) - (d\*e\*cos[(3\*a)/b]\*CosIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(2\*b\*c^3) - (3\*e^2\*cos[(3\*a)/b]\*CosIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(16\*b\*c^5) + (e^2\*cos[(5\*a)/b]\*CosIntegral[(5\*a)/b + 5\*ArcSin[c\*x]])/(16\*b\*c^5) + (d^2\*cos[a/b]\*CosIntegral[(a + b\*ArcSin[c\*x])/b])/(b\*c) + (d\*e\*sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(2\*b\*c^3) + (e^2\*sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(8\*b\*c^5) - (d\*e\*sin[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(2\*b\*c^3) - (3\*e^2\*sin[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(16\*b\*c^5) + (e^2\*sin[(5\*a)/b]\*SinIntegral[(5\*a)/b + 3\*ArcSin[c\*x]])/(16\*b\*c^5) + (e^2\*sin[(5\*a)/b]\*SinIntegral[(5\*a)/b + 3\*ArcSin[c\*x]])/(16\*b\*c^5)

+ 5\*ArcSin[c\*x]]/(16\*b\*c^5) + (d^2\*Sin[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(b\*c)

### Rule 4667

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*ArcSin[c\*x])^n, (d + e\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])

### Rule 4623

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_), x\_Symbol] :> Dist[1/(b\*c), Subst[Int[x^n\*Cos[a/b - x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

### Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] :> Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

### Rule 4635

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^ (n\_.)\*(x\_)^(m\_.), x\_Symbol] :> Dist[1/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

### Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]^n\*Cos[a + b\*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG

tQ[p, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex^2)^2}{a + b \sin^{-1}(cx)} dx &= \int \left( \frac{d^2}{a + b \sin^{-1}(cx)} + \frac{2dex^2}{a + b \sin^{-1}(cx)} + \frac{e^2x^4}{a + b \sin^{-1}(cx)} \right) dx \\
 &= d^2 \int \frac{1}{a + b \sin^{-1}(cx)} dx + (2de) \int \frac{x^2}{a + b \sin^{-1}(cx)} dx + e^2 \int \frac{x^4}{a + b \sin^{-1}(cx)} dx \\
 &= \frac{d^2 \operatorname{Subst} \left( \int \frac{\cos\left(\frac{a}{b} - \frac{x}{b}\right)}{x} dx, x, a + b \sin^{-1}(cx) \right)}{bc} + \frac{(2de) \operatorname{Subst} \left( \int \frac{\cos(x) \sin^2(x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{c^3} + \frac{e^2 \operatorname{Subst} \left( \int \frac{\cos(x) \sin^4(x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{c^5} \\
 &= \frac{(2de) \operatorname{Subst} \left( \int \left( \frac{\cos(x)}{4(a+bx)} - \frac{\cos(3x)}{4(a+bx)} \right) dx, x, \sin^{-1}(cx) \right)}{c^3} + \frac{e^2 \operatorname{Subst} \left( \int \left( \frac{\cos(x)}{8(a+bx)} - \frac{3 \cos(3x)}{16(a+bx)} + \frac{\cos(5x)}{16(a+bx)} \right) dx, x, \sin^{-1}(cx) \right)}{c^5} \\
 &= \frac{d^2 \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc} + \frac{d^2 \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc} + \frac{(de) \operatorname{Subst} \left( \int \frac{\cos(x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{2c^3} \\
 &= \frac{d^2 \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc} + \frac{d^2 \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc} + \frac{(de \cos\left(\frac{a}{b}\right)) \operatorname{Subst} \left( \int \frac{\cos\left(\frac{a}{b} + x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{2c^3} \\
 &= \frac{de \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{2bc^3} + \frac{e^2 \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{8bc^5} - \frac{de \cos\left(\frac{3a}{b}\right) \operatorname{Ci}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{2bc^3}
 \end{aligned}$$

**Mathematica [A]** time = 0.614831, size = 253, normalized size = 0.65

$$\frac{2 \cos\left(\frac{a}{b}\right) (8c^4d^2 + 4c^2de + e^2) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) - e \cos\left(\frac{3a}{b}\right) (8c^2d + 3e) \operatorname{CosIntegral}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) + \dots}{2bc^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2)^2/(a + b\*ArcSin[c\*x]),x]

[Out] (2\*(8\*c^4\*d^2 + 4\*c^2\*d\*e + e^2)\*Cos[a/b]\*CosIntegral[a/b + ArcSin[c\*x]] - e\*(8\*c^2\*d + 3\*e)\*Cos[(3\*a)/b]\*CosIntegral[3\*(a/b + ArcSin[c\*x])] + e^2\*Cos[(5\*a)/b]\*CosIntegral[5\*(a/b + ArcSin[c\*x])] + 16\*c^4\*d^2\*Sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] + 8\*c^2\*d\*e\*Sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] + 2\*e^2\*Sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] - 8\*c^2\*d\*e\*Sin[(3\*a)/b]\*SinIntegral[3\*(a/b + ArcSin[c\*x])] - 3\*e^2\*Sin[(3\*a)/b]\*SinIntegral[3\*(a/b + ArcSin[c\*x])])/(2\*b\*c^3)

$\text{ArcSin}[c*x]] + e^{2*\text{Sin}[(5*a)/b]}*\text{SinIntegral}[5*(a/b + \text{ArcSin}[c*x])]/(16*b*c^5)$

**Maple [A]** time = 0.046, size = 310, normalized size = 0.8

$$\frac{1}{16c^5b} \left( 16 \text{Si} \left( \arcsin(cx) + \frac{a}{b} \right) \sin \left( \frac{a}{b} \right) c^4 d^2 + 16 \text{Ci} \left( \arcsin(cx) + \frac{a}{b} \right) \cos \left( \frac{a}{b} \right) c^4 d^2 - 8 \text{Si} \left( 3 \arcsin(cx) + 3 \frac{a}{b} \right) \sin \left( 3 \frac{a}{b} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2/(a+b*arcsin(c*x)),x)`

[Out]  $\frac{1}{16/c^5} (16*\text{Si}(\arcsin(c*x)+a/b)*\sin(a/b)*c^4*d^2+16*\text{Ci}(\arcsin(c*x)+a/b)*\cos(a/b)*c^4*d^2-8*\text{Si}(3*\arcsin(c*x)+3*a/b)*\sin(3*a/b)*c^2*d*e-8*\text{Ci}(3*\arcsin(c*x)+3*a/b)*\cos(3*a/b)*c^2*d*e+8*\text{Si}(\arcsin(c*x)+a/b)*\sin(a/b)*c^2*d*e+8*\text{Ci}(\arcsin(c*x)+a/b)*\cos(a/b)*c^2*d*e+\sin(5*a/b)*\text{Si}(5*\arcsin(c*x)+5*a/b)*e^2+\cos(5*a/b)*\text{Ci}(5*\arcsin(c*x)+5*a/b)*e^2-3*\text{Si}(3*\arcsin(c*x)+3*a/b)*\sin(3*a/b)*e^2-3*\text{Ci}(3*\arcsin(c*x)+3*a/b)*\cos(3*a/b)*e^2+2*\text{Si}(\arcsin(c*x)+a/b)*\sin(a/b)*e^2+2*\text{Ci}(\arcsin(c*x)+a/b)*\cos(a/b)*e^2)/b$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^2}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2/(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d)^2/(b*arcsin(c*x) + a), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{e^2 x^4 + 2 d e x^2 + d^2}{b \arcsin(cx) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^2/(a+b*arcsin(c*x)),x, algorithm="fricas")
```

```
[Out] integral((e^2*x^4 + 2*d*e*x^2 + d^2)/(b*arcsin(c*x) + a), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(d + ex^2)^2}{a + b \operatorname{asin}(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)**2/(a+b*asin(c*x)),x)
```

```
[Out] Integral((d + e*x**2)**2/(a + b*asin(c*x)), x)
```

**Giac [A]** time = 1.39394, size = 846, normalized size = 2.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^2/(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] d^2*cos(a/b)*cos_integral(a/b + arcsin(c*x))/(b*c) - 2*d*cos(a/b)^3*cos_int
egral(3*a/b + 3*arcsin(c*x))*e/(b*c^3) - 2*d*cos(a/b)^2*e*sin(a/b)*sin_inte
gral(3*a/b + 3*arcsin(c*x))/(b*c^3) + d^2*sin(a/b)*sin_integral(a/b + arcsi
n(c*x))/(b*c) + cos(a/b)^5*cos_integral(5*a/b + 5*arcsin(c*x))*e^2/(b*c^5)
+ cos(a/b)^4*e^2*sin(a/b)*sin_integral(5*a/b + 5*arcsin(c*x))/(b*c^5) + 3/2
*d*cos(a/b)*cos_integral(3*a/b + 3*arcsin(c*x))*e/(b*c^3) + 1/2*d*cos(a/b)*
cos_integral(a/b + arcsin(c*x))*e/(b*c^3) + 1/2*d*e*sin(a/b)*sin_integral(3
*a/b + 3*arcsin(c*x))/(b*c^3) + 1/2*d*e*sin(a/b)*sin_integral(a/b + arcsin(
c*x))/(b*c^3) - 5/4*cos(a/b)^3*cos_integral(5*a/b + 5*arcsin(c*x))*e^2/(b*c
^5) - 3/4*cos(a/b)^3*cos_integral(3*a/b + 3*arcsin(c*x))*e^2/(b*c^5) - 3/4*
cos(a/b)^2*e^2*sin(a/b)*sin_integral(5*a/b + 5*arcsin(c*x))/(b*c^5) - 3/4*c
os(a/b)^2*e^2*sin(a/b)*sin_integral(3*a/b + 3*arcsin(c*x))/(b*c^5) + 5/16*c
os(a/b)*cos_integral(5*a/b + 5*arcsin(c*x))*e^2/(b*c^5) + 9/16*cos(a/b)*cos
_integral(3*a/b + 3*arcsin(c*x))*e^2/(b*c^5) + 1/8*cos(a/b)*cos_integral(a/
b + arcsin(c*x))*e^2/(b*c^5) + 1/16*e^2*sin(a/b)*sin_integral(5*a/b + 5*arc
sin(c*x))/(b*c^5) + 3/16*e^2*sin(a/b)*sin_integral(3*a/b + 3*arcsin(c*x))/(
```

$$b*c^5) + 1/8*e^2*\sin(a/b)*\sin\_integral(a/b + \arcsin(c*x))/(b*c^5)$$

$$3.669 \quad \int \frac{d+ex^2}{a+b \sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=179

$$\frac{e \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{4bc^3} - \frac{e \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3(a+b \sin^{-1}(cx))}{b}\right)}{4bc^3} + \frac{e \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{4bc^3} - \frac{e \sin\left(\frac{3a}{b}\right) \text{Si}\left(\frac{3(a+b \sin^{-1}(cx))}{b}\right)}{4bc^3}$$

[Out] (d\*Cos[a/b]\*CosIntegral[(a + b\*ArcSin[c\*x])/b])/(b\*c) + (e\*Cos[a/b]\*CosIntegral[(a + b\*ArcSin[c\*x])/b])/(4\*b\*c^3) - (e\*Cos[(3\*a)/b]\*CosIntegral[(3\*(a + b\*ArcSin[c\*x])/b])/(4\*b\*c^3) + (d\*Sin[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(b\*c) + (e\*Sin[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(4\*b\*c^3) - (e\*Sin[(3\*a)/b]\*SinIntegral[(3\*(a + b\*ArcSin[c\*x])/b])/(4\*b\*c^3)

**Rubi [A]** time = 0.335467, antiderivative size = 175, normalized size of antiderivative = 0.98, number of steps used = 15, number of rules used = 7, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$ , Rules used = {4667, 4623, 3303, 3299, 3302, 4635, 4406}

$$\frac{e \cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4bc^3} - \frac{e \cos\left(\frac{3a}{b}\right) \text{CosIntegral}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{4bc^3} + \frac{e \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4bc^3} - \frac{e \sin\left(\frac{3a}{b}\right) \text{Si}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{4bc^3}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2)/(a + b\*ArcSin[c\*x]),x]

[Out] (e\*Cos[a/b]\*CosIntegral[a/b + ArcSin[c\*x]])/(4\*b\*c^3) - (e\*Cos[(3\*a)/b]\*CosIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(4\*b\*c^3) + (d\*Cos[a/b]\*CosIntegral[(a + b\*ArcSin[c\*x])/b])/(b\*c) + (e\*Sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(4\*b\*c^3) - (e\*Sin[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(4\*b\*c^3) + (d\*Sin[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(b\*c)

#### Rule 4667

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^(n\_.)\*((d\_.) + (e\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*ArcSin[c\*x])^n, (d + e\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])

#### Rule 4623

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[1/(b*c), Sub
st[Int[x^n*Cos[a/b - x/b], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c,
n}, x]
```

### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

### Rule 4635

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Dist[1
/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x], x], x, ArcSin[c*x]], x]
/; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

### Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

### Rubi steps



$$\begin{aligned}
\int \frac{d + ex^2}{a + b \sin^{-1}(cx)} dx &= \int \left( \frac{d}{a + b \sin^{-1}(cx)} + \frac{ex^2}{a + b \sin^{-1}(cx)} \right) dx \\
&= d \int \frac{1}{a + b \sin^{-1}(cx)} dx + e \int \frac{x^2}{a + b \sin^{-1}(cx)} dx \\
&= \frac{d \operatorname{Subst} \left( \int \frac{\cos\left(\frac{a-x}{b}\right)}{x} dx, x, a + b \sin^{-1}(cx) \right)}{bc} + \frac{e \operatorname{Subst} \left( \int \frac{\cos(x) \sin^2(x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{c^3} \\
&= \frac{e \operatorname{Subst} \left( \int \left( \frac{\cos(x)}{4(a+bx)} - \frac{\cos(3x)}{4(a+bx)} \right) dx, x, \sin^{-1}(cx) \right)}{c^3} + \frac{(d \cos\left(\frac{a}{b}\right)) \operatorname{Subst} \left( \int \frac{\cos\left(\frac{x}{b}\right)}{x} dx, x, a + b \sin^{-1}(cx) \right)}{bc} \\
&= \frac{d \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc} + \frac{d \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc} + \frac{e \operatorname{Subst} \left( \int \frac{\cos(x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{4c^3} - \frac{e \operatorname{Subst} \left( \int \frac{\cos(3x)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{4c^3} \\
&= \frac{d \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc} + \frac{d \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc} + \frac{(e \cos\left(\frac{a}{b}\right)) \operatorname{Subst} \left( \int \frac{\cos\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{4c^3} - \frac{(e \cos\left(\frac{3a}{b}\right)) \operatorname{Subst} \left( \int \frac{\cos\left(\frac{3a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx) \right)}{4c^3} \\
&= \frac{e \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4bc^3} - \frac{e \cos\left(\frac{3a}{b}\right) \operatorname{Ci}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{4bc^3} + \frac{d \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc} + \frac{d \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc}
\end{aligned}$$

**Mathematica [A]** time = 0.267668, size = 125, normalized size = 0.7

$$\frac{\cos\left(\frac{a}{b}\right) (4c^2d + e) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) + 4c^2d \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right) - e \cos\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right) - e \sin\left(\frac{3a}{b}\right) \operatorname{Si}\left(3\left(\frac{a}{b} + \sin^{-1}(cx)\right)\right)}{4bc^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2)/(a + b\*ArcSin[c\*x]),x]

[Out] ((4\*c^2\*d + e)\*Cos[a/b]\*CosIntegral[a/b + ArcSin[c\*x]] - e\*Cos[(3\*a)/b]\*CosIntegral[3\*(a/b + ArcSin[c\*x])] + 4\*c^2\*d\*Sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] + e\*Sin[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] - e\*Sin[(3\*a)/b]\*SinIntegral[3\*(a/b + ArcSin[c\*x])])/(4\*b\*c^3)

**Maple [A]** time = 0.038, size = 142, normalized size = 0.8

$$-\frac{1}{4c^3b} \left( -4 \operatorname{Si} \left( \arcsin(cx) + \frac{a}{b} \right) \sin\left(\frac{a}{b}\right) c^2d - 4 \operatorname{Ci} \left( \arcsin(cx) + \frac{a}{b} \right) \cos\left(\frac{a}{b}\right) c^2d + \operatorname{Si} \left( 3 \arcsin(cx) + 3 \frac{a}{b} \right) \sin\left(3 \frac{a}{b}\right) e - \operatorname{Si} \left( 3 \arcsin(cx) + 3 \frac{a}{b} \right) \cos\left(3 \frac{a}{b}\right) e \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)/(a+b*arcsin(c*x)),x)`

[Out]  $-1/4/c^3*(-4*Si(arcsin(c*x)+a/b)*sin(a/b)*c^2*d-4*Ci(arcsin(c*x)+a/b)*cos(a/b)*c^2*d+Si(3*arcsin(c*x)+3*a/b)*sin(3*a/b)*e+Ci(3*arcsin(c*x)+3*a/b)*cos(3*a/b)*e-Si(arcsin(c*x)+a/b)*sin(a/b)*e-Ci(arcsin(c*x)+a/b)*cos(a/b)*e)/b$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{ex^2 + d}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d)/(b*arcsin(c*x) + a), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{ex^2 + d}{b \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral((e*x^2 + d)/(b*arcsin(c*x) + a), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{d + ex^2}{a + b \arcsin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)/(a+b\*asin(c\*x)),x)

[Out] Integral((d + e\*x\*\*2)/(a + b\*asin(c\*x)), x)

**Giac [A]** time = 1.24264, size = 317, normalized size = 1.77

$$\frac{d \cos\left(\frac{a}{b}\right) \operatorname{Ci}\left(\frac{a}{b} + \arcsin(cx)\right)}{bc} - \frac{\cos\left(\frac{a}{b}\right)^3 \operatorname{Ci}\left(\frac{3a}{b} + 3 \arcsin(cx)\right) e}{bc^3} - \frac{\cos\left(\frac{a}{b}\right)^2 e \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{3a}{b} + 3 \arcsin(cx)\right)}{bc^3} + \frac{d \sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \arcsin(cx)\right)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] d\*cos(a/b)\*cos\_integral(a/b + arcsin(c\*x))/(b\*c) - cos(a/b)^3\*cos\_integral(3\*a/b + 3\*arcsin(c\*x))\*e/(b\*c^3) - cos(a/b)^2\*e\*sin(a/b)\*sin\_integral(3\*a/b + 3\*arcsin(c\*x))/(b\*c^3) + d\*sin(a/b)\*sin\_integral(a/b + arcsin(c\*x))/(b\*c) + 3/4\*cos(a/b)\*cos\_integral(3\*a/b + 3\*arcsin(c\*x))\*e/(b\*c^3) + 1/4\*cos(a/b)\*cos\_integral(a/b + arcsin(c\*x))\*e/(b\*c^3) + 1/4\*e\*sin(a/b)\*sin\_integral(3\*a/b + 3\*arcsin(c\*x))/(b\*c^3) + 1/4\*e\*sin(a/b)\*sin\_integral(a/b + arcsin(c\*x))/(b\*c^3)

$$3.670 \quad \int \frac{1}{a+b \sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=53

$$\frac{\cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc} + \frac{\sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc}$$

[Out] (Cos[a/b]\*CosIntegral[(a + b\*ArcSin[c\*x])/b])/(b\*c) + (Sin[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(b\*c)

**Rubi [A]** time = 0.0634425, antiderivative size = 53, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$ , Rules used = {4623, 3303, 3299, 3302}

$$\frac{\cos\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc} + \frac{\sin\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^(-1), x]

[Out] (Cos[a/b]\*CosIntegral[(a + b\*ArcSin[c\*x])/b])/(b\*c) + (Sin[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(b\*c)

#### Rule 4623

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[1/(b\*c), Subst[Int[x^n\*Cos[a/b - x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

#### Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

#### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{a + b \sin^{-1}(cx)} dx &= \frac{\text{Subst}\left(\int \frac{\cos\left(\frac{a-x}{b}\right)}{x} dx, x, a + b \sin^{-1}(cx)\right)}{bc} \\ &= \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{x}{b}\right)}{x} dx, x, a + b \sin^{-1}(cx)\right)}{bc} + \frac{\sin\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{x}{b}\right)}{x} dx, x, a + b \sin^{-1}(cx)\right)}{bc} \\ &= \frac{\cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc} + \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{bc} \end{aligned}$$

**Mathematica [A]** time = 0.0248446, size = 44, normalized size = 0.83

$$\frac{\cos\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) + \sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{bc}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*ArcSin[c*x])^(-1), x]
```

```
[Out] (Cos[a/b]*CosIntegral[a/b + ArcSin[c*x]] + Sin[a/b]*SinIntegral[a/b + ArcSi
n[c*x]])/(b*c)
```

**Maple [A]** time = 0.026, size = 48, normalized size = 0.9

$$\frac{1}{c} \left( \frac{1}{b} \text{Si}\left(\arcsin(cx) + \frac{a}{b}\right) \sin\left(\frac{a}{b}\right) + \frac{1}{b} \text{Ci}\left(\arcsin(cx) + \frac{a}{b}\right) \cos\left(\frac{a}{b}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*arcsin(c*x)),x)`

[Out] `1/c*(Si(arcsin(c*x)+a/b)*sin(a/b)/b+Ci(arcsin(c*x)+a/b)*cos(a/b)/b)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsin(c*x)),x, algorithm="maxima")`

[Out] `integrate(1/(b*arcsin(c*x) + a), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsin(c*x)),x, algorithm="fricas")`

[Out] `integral(1/(b*arcsin(c*x) + a), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{a + b \arcsin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*asin(c*x)),x)`

[Out] `Integral(1/(a + b*asin(c*x)), x)`

---

**Giac [A]** time = 1.32841, size = 66, normalized size = 1.25

$$\frac{\cos\left(\frac{a}{b}\right) \text{Ci}\left(\frac{a}{b} + \arcsin(cx)\right)}{bc} + \frac{\sin\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \arcsin(cx)\right)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] cos(a/b)\*cos\_integral(a/b + arcsin(c\*x))/(b\*c) + sin(a/b)\*sin\_integral(a/b + arcsin(c\*x))/(b\*c)

$$3.671 \quad \int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=22

$$\text{Unintegrable}\left(\frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))}, x\right)$$

[Out] Unintegrable[1/((d + e\*x^2)\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.0357308, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((d + e\*x^2)\*(a + b\*ArcSin[c\*x])),x]

[Out] Defer[Int][1/((d + e\*x^2)\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))} dx = \int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 0.684052, size = 0, normalized size = 0.

$$\int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((d + e\*x^2)\*(a + b\*ArcSin[c\*x])),x]



[Out] Integrate[1/((d + e\*x^2)\*(a + b\*ArcSin[c\*x])), x]

---

**Maple [A]** time = 0.523, size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)(a + b \arcsin(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^2+d)/(a+b\*arcsin(c\*x)),x)

[Out] int(1/(e\*x^2+d)/(a+b\*arcsin(c\*x)),x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(1/((e\*x^2 + d)\*(b\*arcsin(c\*x) + a)), x)

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{aex^2 + ad + (bex^2 + bd) \arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(1/(a\*e\*x^2 + a\*d + (b\*e\*x^2 + b\*d)\*arcsin(c\*x)), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \operatorname{asin}(cx))(d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x\*\*2+d)/(a+b\*asin(c\*x)),x)

[Out] Integral(1/((a + b\*asin(c\*x))\*(d + e\*x\*\*2)), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)(b \operatorname{arcsin}(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(1/((e\*x^2 + d)\*(b\*arcsin(c\*x) + a)), x)

$$3.672 \quad \int \frac{1}{(d+ex^2)^2(a+b\sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=22

$$\text{Unintegrable}\left(\frac{1}{(d+ex^2)^2(a+b\sin^{-1}(cx))}, x\right)$$

[Out] Unintegrable[1/((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.0343192, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(d+ex^2)^2(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][1/((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{(d+ex^2)^2(a+b\sin^{-1}(cx))} dx = \int \frac{1}{(d+ex^2)^2(a+b\sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 3.45141, size = 0, normalized size = 0.

$$\int \frac{1}{(d+ex^2)^2(a+b\sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[1/((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 1.979, size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)^2 (a + b \arcsin(cx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^2+d)^2/(a+b\*arcsin(c\*x)),x)

[Out] int(1/(e\*x^2+d)^2/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)^2 (b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^2/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(1/((e\*x^2 + d)^2\*(b\*arcsin(c\*x) + a)), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{ae^2x^4 + 2adex^2 + ad^2 + (be^2x^4 + 2bdex^2 + bd^2)\arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^2/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(1/(a\*e^2\*x^4 + 2\*a\*d\*e\*x^2 + a\*d^2 + (b\*e^2\*x^4 + 2\*b\*d\*e\*x^2 + b\*d^2)\*arcsin(c\*x)), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x**2+d)**2/(a+b*asin(c*x)),x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x^2+d)^2/(a+b*arcsin(c*x)),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.673 \quad \int \frac{\sqrt{d+ex^2}}{a+b \sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{\sqrt{d+ex^2}}{a+b \sin^{-1}(cx)}, x \right)$$

[Out] Unintegrable[Sqrt[d + e\*x^2]/(a + b\*ArcSin[c\*x]), x]

**Rubi [A]** time = 0.0421287, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{d+ex^2}}{a+b \sin^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[d + e\*x^2]/(a + b\*ArcSin[c\*x]),x]

[Out] Defer[Int][Sqrt[d + e\*x^2]/(a + b\*ArcSin[c\*x]), x]

Rubi steps

$$\int \frac{\sqrt{d+ex^2}}{a+b \sin^{-1}(cx)} dx = \int \frac{\sqrt{d+ex^2}}{a+b \sin^{-1}(cx)} dx$$

**Mathematica [A]** time = 1.2525, size = 0, normalized size = 0.

$$\int \frac{\sqrt{d+ex^2}}{a+b \sin^{-1}(cx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[d + e\*x^2]/(a + b\*ArcSin[c\*x]),x]

[Out] Integrate[Sqrt[d + e\*x^2]/(a + b\*ArcSin[c\*x]), x]

---

**Maple [A]** time = 0.253, size = 0, normalized size = 0.

$$\int \frac{1}{a + b \arcsin(cx)} \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x)),x)

[Out] int((e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x)),x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{ex^2 + d}}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(sqrt(e\*x^2 + d)/(b\*arcsin(c\*x) + a), x)

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}}{b \arcsin(cx) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(e\*x^2 + d)/(b\*arcsin(c\*x) + a), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{d + ex^2}}{a + b \arcsin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*\*(1/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(sqrt(d + e\*x\*\*2)/(a + b\*asin(c\*x)), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{ex^2 + d}}{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(sqrt(e\*x^2 + d)/(b\*arcsin(c\*x) + a), x)



$$3.674 \quad \int \frac{1}{\sqrt{d+ex^2}(a+b \sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{1}{\sqrt{d+ex^2}(a+b \sin^{-1}(cx))}, x \right)$$

[Out] Unintegrable[1/(Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.0439177, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{\sqrt{d+ex^2}(a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])),x]

[Out] Defer[Int][1/(Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{\sqrt{d+ex^2}(a+b \sin^{-1}(cx))} dx = \int \frac{1}{\sqrt{d+ex^2}(a+b \sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 1.10146, size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{d+ex^2}(a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])),x]

[Out] Integrate[1/(Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])), x]

---

**Maple [A]** time = 0.235, size = 0, normalized size = 0.

$$\int \frac{1}{a + b \arcsin(cx)} \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(1/(e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x)),x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{ex^2 + d}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(1/(sqrt(e\*x^2 + d)\*(b\*arcsin(c\*x) + a)), x)

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}}{aex^2 + ad + (bex^2 + bd) \arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(e\*x^2 + d)/(a\*e\*x^2 + a\*d + (b\*e\*x^2 + b\*d)\*arcsin(c\*x)), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \operatorname{asin}(cx)) \sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x\*\*2+d)\*\*(1/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(1/((a + b\*asin(c\*x))\*sqrt(d + e\*x\*\*2)), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{ex^2 + d}(b \operatorname{arcsin}(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(1/(sqrt(e\*x^2 + d)\*(b\*arcsin(c\*x) + a)), x)

$$3.675 \quad \int \frac{1}{(d+ex^2)^{3/2} (a+b \sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{1}{(d+ex^2)^{3/2} (a+b \sin^{-1}(cx))}, x \right)$$

[Out] Unintegrable[1/((d + e\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.0470364, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(d+ex^2)^{3/2} (a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((d + e\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])),x]

[Out] Defer[Int][1/((d + e\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{(d+ex^2)^{3/2} (a+b \sin^{-1}(cx))} dx = \int \frac{1}{(d+ex^2)^{3/2} (a+b \sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 1.5695, size = 0, normalized size = 0.

$$\int \frac{1}{(d+ex^2)^{3/2} (a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((d + e\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])),x]

[Out] Integrate[1/((d + e\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 0.184, size = 0, normalized size = 0.

$$\int \frac{1}{a + b \arcsin(cx)} (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^2+d)^(3/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(1/(e\*x^2+d)^(3/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)^{\frac{3}{2}}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(1/((e\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}}{ae^2x^4 + 2adex^2 + ad^2 + (be^2x^4 + 2bdex^2 + bd^2) \arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(e\*x^2 + d)/(a\*e^2\*x^4 + 2\*a\*d\*e\*x^2 + a\*d^2 + (b\*e^2\*x^4 + 2\*b\*d\*e\*x^2 + b\*d^2)\*arcsin(c\*x)), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \operatorname{asin}(cx)) (d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x\*\*2+d)\*\*(3/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(1/((a + b\*asin(c\*x))\*(d + e\*x\*\*2)\*\*(3/2)), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)^{\frac{3}{2}} (b \operatorname{arcsin}(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(3/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(1/((e\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)), x)

$$3.676 \quad \int \frac{1}{(d+ex^2)^{5/2}(a+b \sin^{-1}(cx))} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{1}{(d+ex^2)^{5/2}(a+b \sin^{-1}(cx))}, x \right)$$

[Out] Unintegrable[1/((d + e\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

**Rubi [A]** time = 0.0477665, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(d+ex^2)^{5/2}(a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((d + e\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Defer[Int][1/((d + e\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

Rubi steps

$$\int \frac{1}{(d+ex^2)^{5/2}(a+b \sin^{-1}(cx))} dx = \int \frac{1}{(d+ex^2)^{5/2}(a+b \sin^{-1}(cx))} dx$$

**Mathematica [A]** time = 3.78724, size = 0, normalized size = 0.

$$\int \frac{1}{(d+ex^2)^{5/2}(a+b \sin^{-1}(cx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((d + e\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

[Out] Integrate[1/((d + e\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])), x]

**Maple [A]** time = 0.185, size = 0, normalized size = 0.

$$\int \frac{1}{a + b \arcsin(cx)} (ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^2+d)^(5/2)/(a+b\*arcsin(c\*x)),x)

[Out] int(1/(e\*x^2+d)^(5/2)/(a+b\*arcsin(c\*x)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)^{\frac{5}{2}}(b \arcsin(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="maxima")

[Out] integrate(1/((e\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}}{ae^3x^6 + 3ade^2x^4 + 3ad^2ex^2 + ad^3 + (be^3x^6 + 3bde^2x^4 + 3bd^2ex^2 + bd^3) \arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="fricas")

[Out] integral(sqrt(e\*x^2 + d)/(a\*e^3\*x^6 + 3\*a\*d\*e^2\*x^4 + 3\*a\*d^2\*e\*x^2 + a\*d^3 + (b\*e^3\*x^6 + 3\*b\*d\*e^2\*x^4 + 3\*b\*d^2\*e\*x^2 + b\*d^3)\*arcsin(c\*x)), x)



---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \operatorname{asin}(cx)) (d + ex^2)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x\*\*2+d)\*\*(5/2)/(a+b\*asin(c\*x)),x)

[Out] Integral(1/((a + b\*asin(c\*x))\*(d + e\*x\*\*2)\*\*(5/2)), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)^{\frac{5}{2}} (b \operatorname{arcsin}(cx) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(5/2)/(a+b\*arcsin(c\*x)),x, algorithm="giac")

[Out] integrate(1/((e\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)), x)

$$3.677 \quad \int \frac{(d+ex^2)^2}{(a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=498

$$\frac{de \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{2b^2c^3} - \frac{3de \sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3(a+b \sin^{-1}(cx))}{b}\right)}{2b^2c^3} + \frac{e^2 \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{8b^2c^5}$$

[Out]  $-\left(\frac{d^2 \sqrt{1-c^2x^2}}{b^2c^3} - \frac{2de \sqrt{1-c^2x^2}}{b^2c^3} + \frac{e^2 \sqrt{1-c^2x^2}}{8b^2c^5}\right) - \left(\frac{d^2 \operatorname{CosIntegral}\left[\frac{a+b \operatorname{ArcSin}[cx]}{b}\right] \sin\left[\frac{a}{b}\right]}{b^2c^3} + \frac{d^2 \operatorname{CosIntegral}\left[\frac{3(a+b \operatorname{ArcSin}[cx])}{b}\right] \sin\left[\frac{3a}{b}\right]}{2b^2c^3} - \frac{9e^2 \operatorname{CosIntegral}\left[\frac{3(a+b \operatorname{ArcSin}[cx])}{b}\right] \sin\left[\frac{3a}{b}\right]}{16b^2c^5} + \frac{5e^2 \operatorname{CosIntegral}\left[\frac{5(a+b \operatorname{ArcSin}[cx])}{b}\right] \sin\left[\frac{5a}{b}\right]}{16b^2c^5} - \frac{d^2 \operatorname{SinIntegral}\left[\frac{a+b \operatorname{ArcSin}[cx]}{b}\right]}{b^2c^3} - \frac{d^2 \operatorname{SinIntegral}\left[\frac{3(a+b \operatorname{ArcSin}[cx])}{b}\right]}{2b^2c^3} - \frac{e^2 \operatorname{SinIntegral}\left[\frac{a+b \operatorname{ArcSin}[cx]}{b}\right]}{8b^2c^5} + \frac{3de \operatorname{SinIntegral}\left[\frac{3(a+b \operatorname{ArcSin}[cx])}{b}\right]}{2b^2c^3} + \frac{9e^2 \operatorname{SinIntegral}\left[\frac{3(a+b \operatorname{ArcSin}[cx])}{b}\right]}{16b^2c^5} - \frac{5e^2 \operatorname{SinIntegral}\left[\frac{5(a+b \operatorname{ArcSin}[cx])}{b}\right]}{16b^2c^5}\right)$

**Rubi [A]** time = 0.761288, antiderivative size = 486, normalized size of antiderivative = 0.98, number of steps used = 26, number of rules used = 7, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.35$ , Rules used = {4667, 4621, 4723, 3303, 3299, 3302, 4631}

$$\frac{de \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{2b^2c^3} - \frac{3de \sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{2b^2c^3} + \frac{e^2 \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{8b^2c^5}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2)^2/(a + b\*ArcSin[c\*x])^2,x]

[Out]  $-\left(\frac{d^2 \sqrt{1-c^2x^2}}{b^2c^3} - \frac{2de \sqrt{1-c^2x^2}}{b^2c^3} + \frac{e^2 \sqrt{1-c^2x^2}}{8b^2c^5}\right) - \left(\frac{d^2 \operatorname{CosIntegral}\left[\frac{a+b \operatorname{ArcSin}[cx]}{b}\right] \sin\left[\frac{a}{b}\right]}{b^2c^3} + \frac{d^2 \operatorname{CosIntegral}\left[\frac{3(a+b \operatorname{ArcSin}[cx])}{b}\right] \sin\left[\frac{3a}{b}\right]}{2b^2c^3} - \frac{9e^2 \operatorname{CosIntegral}\left[\frac{3(a+b \operatorname{ArcSin}[cx])}{b}\right] \sin\left[\frac{3a}{b}\right]}{16b^2c^5} + \frac{5e^2 \operatorname{CosIntegral}\left[\frac{5(a+b \operatorname{ArcSin}[cx])}{b}\right] \sin\left[\frac{5a}{b}\right]}{16b^2c^5} - \frac{d^2 \operatorname{SinIntegral}\left[\frac{a+b \operatorname{ArcSin}[cx]}{b}\right]}{b^2c^3} - \frac{d^2 \operatorname{SinIntegral}\left[\frac{3(a+b \operatorname{ArcSin}[cx])}{b}\right]}{2b^2c^3} - \frac{e^2 \operatorname{SinIntegral}\left[\frac{a+b \operatorname{ArcSin}[cx]}{b}\right]}{8b^2c^5} + \frac{3de \operatorname{SinIntegral}\left[\frac{3(a+b \operatorname{ArcSin}[cx])}{b}\right]}{2b^2c^3} + \frac{9e^2 \operatorname{SinIntegral}\left[\frac{3(a+b \operatorname{ArcSin}[cx])}{b}\right]}{16b^2c^5} - \frac{5e^2 \operatorname{SinIntegral}\left[\frac{5(a+b \operatorname{ArcSin}[cx])}{b}\right]}{16b^2c^5}\right)$

\*ArcSin[c\*x]]\*Sin[(3\*a)/b))/(2\*b^2\*c^3) - (9\*e^2\*CosIntegral[(3\*a)/b + 3\*ArcSin[c\*x]]\*Sin[(3\*a)/b))/(16\*b^2\*c^5) + (5\*e^2\*CosIntegral[(5\*a)/b + 5\*ArcSin[c\*x]]\*Sin[(5\*a)/b))/(16\*b^2\*c^5) - (d^2\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(b^2\*c) - (d\*e\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(2\*b^2\*c^3) - (e^2\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(8\*b^2\*c^5) + (3\*d\*e\*Cos[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(2\*b^2\*c^3) + (9\*e^2\*Cos[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(16\*b^2\*c^5) - (5\*e^2\*Cos[(5\*a)/b]\*SinIntegral[(5\*a)/b + 5\*ArcSin[c\*x]])/(16\*b^2\*c^5)

#### Rule 4667

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*ArcSin[c\*x])^n, (d + e\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])

#### Rule 4621

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.), x\_Symbol] := Simp[(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[c/(b\*(n + 1)), Int[(x\*(a + b\*ArcSin[c\*x])^(n + 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

#### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[d^p\*c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

#### Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

#### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

#### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

### Rule 4631

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[(
x^m*sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist
[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Sin
[x]^(m - 1)*(m - (m + 1)*Sin[x]^2), x], x], x, ArcSin[c*x]], x] /; FreeQ[{a
, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2}{(a + b \sin^{-1}(cx))^2} dx &= \int \left( \frac{d^2}{(a + b \sin^{-1}(cx))^2} + \frac{2dex^2}{(a + b \sin^{-1}(cx))^2} + \frac{e^2x^4}{(a + b \sin^{-1}(cx))^2} \right) dx \\
&= d^2 \int \frac{1}{(a + b \sin^{-1}(cx))^2} dx + (2de) \int \frac{x^2}{(a + b \sin^{-1}(cx))^2} dx + e^2 \int \frac{x^4}{(a + b \sin^{-1}(cx))^2} dx \\
&= -\frac{d^2 \sqrt{1 - c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{2dex^2 \sqrt{1 - c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{e^2x^4 \sqrt{1 - c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{(cd^2) \int \frac{x}{\sqrt{1 - c^2x^2}(a + b \sin^{-1}(cx))} dx}{b} \\
&= -\frac{d^2 \sqrt{1 - c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{2dex^2 \sqrt{1 - c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{e^2x^4 \sqrt{1 - c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{d^2 \text{Subst} \left( \int \frac{\sin(x)}{a + bx} dx, x, \frac{a}{b} + \sin^{-1}(cx) \right)}{bc} \\
&= -\frac{d^2 \sqrt{1 - c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{2dex^2 \sqrt{1 - c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{e^2x^4 \sqrt{1 - c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{(d^2 \cos \left( \frac{a}{b} \right)) \text{Subst} \left( \int \frac{\sin(x)}{a + bx} dx, x, \frac{a}{b} + \sin^{-1}(cx) \right)}{bc} \\
&= -\frac{d^2 \sqrt{1 - c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{2dex^2 \sqrt{1 - c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{e^2x^4 \sqrt{1 - c^2x^2}}{bc(a + b \sin^{-1}(cx))} + \frac{d^2 \text{Ci} \left( \frac{a}{b} + \sin^{-1}(cx) \right) \sin \left( \frac{a}{b} + \sin^{-1}(cx) \right)}{b^2c}
\end{aligned}$$

**Mathematica [A]** time = 2.081, size = 359, normalized size = 0.72

$$-\frac{2 \sin \left( \frac{a}{b} \right) (8c^4d^2 + 4c^2de + e^2) \text{CosIntegral} \left( \frac{a}{b} + \sin^{-1}(cx) \right) + 3e \sin \left( \frac{3a}{b} \right) (8c^2d + 3e) \text{CosIntegral} \left( 3 \left( \frac{a}{b} + \sin^{-1}(cx) \right) \right)}{b^2c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2)^2/(a + b\*ArcSin[c\*x])^2,x]

[Out] 
$$-\frac{(16bc^4d^2\sqrt{1-c^2x^2})/(a+b\text{ArcSin}[cx]) + (32b^2c^4de^2x^2\sqrt{1-c^2x^2})/(a+b\text{ArcSin}[cx]) - 2(8c^4d^2 + 4c^2de + e^2)\text{CosIntegral}[a/b + \text{ArcSin}[cx]]\text{Sin}[a/b] + 3e(8c^2d + 3e)\text{CosIntegral}[3(a/b + \text{ArcSin}[cx])]\text{Sin}[(3a)/b] - 5e^2\text{CosIntegral}[5(a/b + \text{ArcSin}[cx])]\text{Sin}[(5a)/b] + 16c^4d^2\text{Cos}[a/b]\text{SinIntegral}[a/b + \text{ArcSin}[cx]] + 8c^2de\text{Cos}[a/b]\text{SinIntegral}[a/b + \text{ArcSin}[cx]] + 2e^2\text{Cos}[a/b]\text{SinIntegral}[a/b + \text{ArcSin}[cx]] - 24c^2de\text{Cos}[(3a)/b]\text{SinIntegral}[3(a/b + \text{ArcSin}[cx])] - 9e^2\text{Cos}[(3a)/b]\text{SinIntegral}[3(a/b + \text{ArcSin}[cx])] + 5e^2\text{Cos}[(5a)/b]\text{SinIntegral}[5(a/b + \text{ArcSin}[cx])])}{(16b^2c^5)}$$

**Maple [A]** time = 0.092, size = 795, normalized size = 1.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)^2/(a+b\*arcsin(c\*x))^2,x)

[Out] 
$$-1/16/c^5*(5\text{Si}(5\text{arcsin}(cx)+5a/b)*\cos(5a/b)*a^2e^{-5}\text{Ci}(5\text{arcsin}(cx)+5a/b)*\sin(5a/b)*a^2e^{-9}\text{Si}(3\text{arcsin}(cx)+3a/b)*\cos(3a/b)*a^2e^9\text{Ci}(3\text{arcsin}(cx)+3a/b)*\sin(3a/b)*a^2e^2+2\text{Si}(\text{arcsin}(cx)+a/b)*\cos(a/b)*a^2e^{-2}\text{Ci}(\text{arcsin}(cx)+a/b)*\sin(a/b)*a^2e^{16}(-c^2x^2+1)^{1/2}*b^2c^4d^2+\cos(5\text{arcsin}(cx))*b^2e^2+24\text{Ci}(3\text{arcsin}(cx)+3a/b)*\sin(3a/b)*a^2c^2de-3\cos(3\text{arcsin}(cx))*b^2e^2+2(-c^2x^2+1)^{1/2}*b^2e^2-8\cos(3\text{arcsin}(cx))*b^2c^2de+16\text{Si}(\text{arcsin}(cx)+a/b)*\cos(a/b)*a^2c^4d^2-16\text{Ci}(\text{arcsin}(cx)+a/b)*\sin(a/b)*a^2c^4d^2+8(-c^2x^2+1)^{1/2}*b^2c^2de+5\text{arcsin}(cx)*\text{Si}(5\text{arcsin}(cx)+5a/b)*\cos(5a/b)*b^2e^{-5}\text{arcsin}(cx)*\text{Ci}(5\text{arcsin}(cx)+5a/b)*\sin(5a/b)*b^2e^{-9}\text{arcsin}(cx)*\text{Si}(3\text{arcsin}(cx)+3a/b)*\cos(3a/b)*b^2e^9\text{arcsin}(cx)*\text{Ci}(3\text{arcsin}(cx)+3a/b)*\sin(3a/b)*b^2e^2+2\text{arcsin}(cx)*\text{Si}(\text{arcsin}(cx)+a/b)*\cos(a/b)*b^2e^{-2}\text{arcsin}(cx)*\text{Ci}(\text{arcsin}(cx)+a/b)*\sin(a/b)*b^2e^{16}\text{arcsin}(cx)*\text{Si}(\text{arcsin}(cx)+a/b)*\cos(a/b)*b^2c^4d^2-16\text{arcsin}(cx)*\text{Ci}(\text{arcsin}(cx)+a/b)*\sin(a/b)*b^2c^4d^2-24\text{Si}(3\text{arcsin}(cx)+3a/b)*\cos(3a/b)*a^2c^2de-24\text{arcsin}(cx)*\text{Si}(3\text{arcsin}(cx)+3a/b)*\cos(3a/b)*b^2c^2de+24\text{arcsin}(cx)*\text{Ci}(3\text{arcsin}(cx)+3a/b)*\sin(3a/b)*b^2c^2de+8\text{arcsin}(cx)*\text{Si}(\text{arcsin}(cx)+a/b)*\cos(a/b)*b^2c^2de-8\text{arcsin}(cx)*\text{Ci}(\text{arcsin}(cx)+a/b)*\sin(a/b)*b^2c^2de+8\text{Si}(\text{arcsin}(cx)+a/b)*\cos(a/b)*a^2c^2de-8\text{Ci}(\text{arcsin}(cx)+a/b)*\sin(a/b)*a^2c^2de)/(a+b\text{arcsin}(cx))/b^2$$

---

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{e^2x^4 + 2dex^2 + d^2}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((e^2\*x^4 + 2\*d\*e\*x^2 + d^2)/(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(d + ex^2)^2}{(a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*\*2/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral((d + e\*x\*\*2)\*\*2/(a + b\*asin(c\*x))\*\*2, x)

---

**Giac [B]** time = 1.67164, size = 3137, normalized size = 6.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] 
$$\begin{aligned} & b^3 c^4 d^2 \arcsin(c x) \cos\_integral(a/b + \arcsin(c x)) \sin(a/b) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) - 6 b^3 c^2 d \arcsin(c x) \cos(a/b)^2 \cos\_integral(3 a/b + 3 \arcsin(c x)) e \sin(a/b) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) + 6 b^3 c^2 d \arcsin(c x) \cos(a/b)^3 e \sin\_integral(3 a/b + 3 \arcsin(c x)) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) - b^3 c^4 d^2 \arcsin(c x) \cos(a/b) \sin\_integral(a/b + \arcsin(c x)) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) + a^3 c^4 d^2 \cos\_integral(a/b + \arcsin(c x)) \sin(a/b) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) + 5 b \arcsin(c x) \cos(a/b)^4 \cos\_integral(5 a/b + 5 \arcsin(c x)) e^2 \sin(a/b) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) - 6 a^3 c^2 d \cos(a/b)^2 \cos\_integral(3 a/b + 3 \arcsin(c x)) e \sin(a/b) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) - 5 b \arcsin(c x) \cos(a/b)^5 e^2 \sin\_integral(5 a/b + 5 \arcsin(c x)) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) + 6 a^3 c^2 d \cos(a/b)^3 e \sin\_integral(3 a/b + 3 \arcsin(c x)) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) - a^3 c^4 d^2 \cos(a/b) \sin\_integral(a/b + \arcsin(c x)) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) + 5 a \cos(a/b)^4 \cos\_integral(5 a/b + 5 \arcsin(c x)) e^2 \sin(a/b) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) + 3/2 b^3 c^2 d \arcsin(c x) \cos\_integral(3 a/b + 3 \arcsin(c x)) e \sin(a/b) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) + 1/2 b^3 c^2 d \arcsin(c x) \cos\_integral(a/b + \arcsin(c x)) e \sin(a/b) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) - 5 a \cos(a/b)^5 e^2 \sin\_integral(5 a/b + 5 \arcsin(c x)) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) - 9/2 b^3 c^2 d \arcsin(c x) \cos(a/b) e \sin\_integral(3 a/b + 3 \arcsin(c x)) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) - 1/2 b^3 c^2 d \arcsin(c x) \cos(a/b) e \sin\_integral(a/b + \arcsin(c x)) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) - \sqrt{-c^2 x^2 + 1} b^3 c^4 d^2 / (b^3 c^5 \arcsin(c x) + a b^2 c^5) - 15/4 b \arcsin(c x) \cos(a/b)^2 \cos\_integral(5 a/b + 5 \arcsin(c x)) e^2 \sin(a/b) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) - 9/4 b \arcsin(c x) \cos(a/b)^2 \cos\_integral(3 a/b + 3 \arcsin(c x)) e^2 \sin(a/b) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) + 3/2 a^3 c^2 d \cos\_integral(3 a/b + 3 \arcsin(c x)) e \sin(a/b) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) + 1/2 a^3 c^2 d \cos\_integral(a/b + \arcsin(c x)) e \sin(a/b) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) + 25/4 b \arcsin(c x) \cos(a/b)^3 e^2 \sin\_integral(5 a/b + 5 \arcsin(c x)) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) + 9/4 b \arcsin(c x) \cos(a/b)^3 e^2 \sin\_integral(3 a/b + 3 \arcsin(c x)) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) - 9/2 a^3 c^2 d \cos(a/b) e \sin\_integral(3 a/b + 3 \arcsin(c x)) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) - 1/2 a^3 c^2 d \cos(a/b) e \sin\_integral(a/b + \arcsin(c x)) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) + 2 * (-c^2 x^2 + 1)^(3/2) b^3 c^2 d e / (b^3 c^5 \arcsin(c x) + a b^2 c^5) - 15/4 a \cos(a/b)^2 \cos\_integral(5 a/b + 5 \arcsin(c x)) e^2 \sin(a/b) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) - 9/4 a \cos(a/b)^2 \cos\_integral(3 a/b + 3 \arcsin(c x)) e^2 \sin(a/b) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) + 25/4 a \cos(a/b)^3 e^2 \sin\_integral(5 a/b + 5 \arcsin(c x)) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) + 9/4 a \cos(a/b)^3 e^2 \sin\_integral(3 a/b + 3 \arcsin(c x)) / (b^3 c^5 \arcsin(c x) + a b^2 c^5) - 2 \sqrt{-c^2 x^2 + 1} b^3 c^2 d e / (b^3 c^5 \arcsin(c x) + a b^2 c^5) \end{aligned}$$

$$\begin{aligned}
& c\sin(cx) + a^2b^2c^5) + 5/16b\arcsin(cx)\cos\_integral(5a/b + 5\arcsin(cx))e^2\sin(a/b)/(b^3c^5\arcsin(cx) + a^2b^2c^5) + 9/16b\arcsin(cx)\cos\_integral(3a/b + 3\arcsin(cx))e^2\sin(a/b)/(b^3c^5\arcsin(cx) + a^2b^2c^5) + 1/8b\arcsin(cx)\cos\_integral(a/b + \arcsin(cx))e^2\sin(a/b)/(b^3c^5\arcsin(cx) + a^2b^2c^5) - 25/16b\arcsin(cx)\cos(a/b)e^2\sin\_integral(5a/b + 5\arcsin(cx))/(b^3c^5\arcsin(cx) + a^2b^2c^5) - 27/16b\arcsin(cx)\cos(a/b)e^2\sin\_integral(3a/b + 3\arcsin(cx))/(b^3c^5\arcsin(cx) + a^2b^2c^5) - 1/8b\arcsin(cx)\cos(a/b)e^2\sin\_integral(a/b + \arcsin(cx))/(b^3c^5\arcsin(cx) + a^2b^2c^5) - (c^2x^2 - 1)^2\sqrt{-c^2x^2 + 1} * b e^2 / (b^3c^5\arcsin(cx) + a^2b^2c^5) + 5/16a\cos\_integral(5a/b + 5\arcsin(cx))e^2\sin(a/b)/(b^3c^5\arcsin(cx) + a^2b^2c^5) + 9/16a\cos\_integral(3a/b + 3\arcsin(cx))e^2\sin(a/b)/(b^3c^5\arcsin(cx) + a^2b^2c^5) + 1/8a\cos\_integral(a/b + \arcsin(cx))e^2\sin(a/b)/(b^3c^5\arcsin(cx) + a^2b^2c^5) - 25/16a\cos(a/b)e^2\sin\_integral(5a/b + 5\arcsin(cx))/(b^3c^5\arcsin(cx) + a^2b^2c^5) - 27/16a\cos(a/b)e^2\sin\_integral(3a/b + 3\arcsin(cx))/(b^3c^5\arcsin(cx) + a^2b^2c^5) - 1/8a\cos(a/b)e^2\sin\_integral(a/b + \arcsin(cx))/(b^3c^5\arcsin(cx) + a^2b^2c^5) + 2*(-c^2x^2 + 1)^{3/2} * b e^2 / (b^3c^5\arcsin(cx) + a^2b^2c^5) - \sqrt{-c^2x^2 + 1} * b e^2 / (b^3c^5\arcsin(cx) + a^2b^2c^5)
\end{aligned}$$



$$3.678 \quad \int \frac{d+ex^2}{(a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=249

$$\frac{e \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{4b^2c^3} - \frac{3e \sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3(a+b \sin^{-1}(cx))}{b}\right)}{4b^2c^3} - \frac{e \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{4b^2c^3} + \frac{3e \cos\left(\frac{3a}{b}\right) \operatorname{Si}\left(\frac{3(a+b \sin^{-1}(cx))}{b}\right)}{4b^2c^3}$$

[Out] -((d\*Sqrt[1 - c^2\*x^2])/(b\*c\*(a + b\*ArcSin[c\*x]))) - (e\*x^2\*Sqrt[1 - c^2\*x^2])/(b\*c\*(a + b\*ArcSin[c\*x])) + (d\*CosIntegral[(a + b\*ArcSin[c\*x])/b]\*Sin[a/b])/(b^2\*c) + (e\*CosIntegral[(a + b\*ArcSin[c\*x])/b]\*Sin[a/b])/(4\*b^2\*c^3) - (3\*e\*CosIntegral[(3\*(a + b\*ArcSin[c\*x]))/b]\*Sin[(3\*a)/b])/(4\*b^2\*c^3) - (d\*Cos[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(b^2\*c) - (e\*Cos[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(4\*b^2\*c^3) + (3\*e\*Cos[(3\*a)/b]\*SinIntegral[(3\*(a + b\*ArcSin[c\*x]))/b])/(4\*b^2\*c^3)

**Rubi [A]** time = 0.418202, antiderivative size = 241, normalized size of antiderivative = 0.97, number of steps used = 15, number of rules used = 7, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$ , Rules used = {4667, 4621, 4723, 3303, 3299, 3302, 4631}

$$\frac{e \sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4b^2c^3} - \frac{3e \sin\left(\frac{3a}{b}\right) \operatorname{CosIntegral}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{4b^2c^3} - \frac{e \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4b^2c^3} + \frac{3e \cos\left(\frac{3a}{b}\right) \operatorname{Si}\left(\frac{3a}{b} + 3 \sin^{-1}(cx)\right)}{4b^2c^3}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2)/(a + b\*ArcSin[c\*x])^2, x]

[Out] -((d\*Sqrt[1 - c^2\*x^2])/(b\*c\*(a + b\*ArcSin[c\*x]))) - (e\*x^2\*Sqrt[1 - c^2\*x^2])/(b\*c\*(a + b\*ArcSin[c\*x])) + (d\*CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b])/(b^2\*c) + (e\*CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b])/(4\*b^2\*c^3) - (3\*e\*CosIntegral[(3\*a)/b + 3\*ArcSin[c\*x]]\*Sin[(3\*a)/b])/(4\*b^2\*c^3) - (d\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(b^2\*c) - (e\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(4\*b^2\*c^3) + (3\*e\*Cos[(3\*a)/b]\*SinIntegral[(3\*a)/b + 3\*ArcSin[c\*x]])/(4\*b^2\*c^3)

**Rule 4667**

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^n\_.\*((d\_) + (e\_.)\*(x\_)^2)^p\_., x\_Symbol] :> Int[ExpandIntegrand[(a + b\*ArcSin[c\*x])^n, (d + e\*x^2)^p, x], x]

] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2\*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])

### Rule 4621

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_), x\_Symbol] := Simp[(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[c/(b\*(n + 1)), Int[(x\*(a + b\*ArcSin[c\*x])^(n + 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (IntegerQ[p] || GtQ[d, 0])

### Rule 3303

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/(c + d\*x), x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/(c + d\*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d\*e - c\*f, 0]

### Rule 3299

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[SinIntegral[e + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*e - c\*f, 0]

### Rule 3302

Int[sin[(e\_.) + (f\_.)\*(x\_)]/((c\_.) + (d\_.)\*(x\_)), x\_Symbol] := Simp[CosIntegral[e - Pi/2 + f\*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d\*(e - Pi/2) - c\*f, 0]

### Rule 4631

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)^(m\_.), x\_Symbol] := Simp[(x^m\*Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] - Dist[1/(b\*c^(m + 1)\*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b\*x)^(n + 1), Sin[x]^(m - 1)\*(m - (m + 1)\*Sin[x]^2), x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^2}{(a + b \sin^{-1}(cx))^2} dx &= \int \left( \frac{d}{(a + b \sin^{-1}(cx))^2} + \frac{ex^2}{(a + b \sin^{-1}(cx))^2} \right) dx \\
&= d \int \frac{1}{(a + b \sin^{-1}(cx))^2} dx + e \int \frac{x^2}{(a + b \sin^{-1}(cx))^2} dx \\
&= -\frac{d\sqrt{1-c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{ex^2\sqrt{1-c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{(cd) \int \frac{x}{\sqrt{1-c^2x^2}(a+b \sin^{-1}(cx))} dx}{b} + \frac{e \operatorname{Subst}\left(\int \left(-\frac{1}{\sqrt{1-c^2x^2}}\right) dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{d\sqrt{1-c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{ex^2\sqrt{1-c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{d \operatorname{Subst}\left(\int \frac{\sin(x)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc} - \frac{e \operatorname{Subst}\left(\int \left(-\frac{1}{\sqrt{1-c^2x^2}}\right) dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{d\sqrt{1-c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{ex^2\sqrt{1-c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{(d \cos\left(\frac{a}{b}\right)) \operatorname{Subst}\left(\int \frac{\sin\left(\frac{a}{b}+x\right)}{a+bx} dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{d\sqrt{1-c^2x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{ex^2\sqrt{1-c^2x^2}}{bc(a + b \sin^{-1}(cx))} + \frac{d \operatorname{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right) \sin\left(\frac{a}{b}\right)}{b^2c} + \frac{e \operatorname{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4b^2c}
\end{aligned}$$

**Mathematica [A]** time = 0.94263, size = 191, normalized size = 0.77

$$-\frac{\sin\left(\frac{a}{b}\right) \left(4c^2d + e\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) + 4c^2d \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right) + \frac{4bc^2d\sqrt{1-c^2x^2}}{a+b \sin^{-1}(cx)} + \frac{4bc^2ex^2\sqrt{1-c^2x^2}}{a+b \sin^{-1}(cx)} + 3e \operatorname{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{4b^2c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2)/(a + b\*ArcSin[c\*x])^2,x]

[Out] -((4\*b\*c^2\*d\*Sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x]) + (4\*b\*c^2\*e\*x^2\*Sqrt[1 - c^2\*x^2])/(a + b\*ArcSin[c\*x]) - (4\*c^2\*d + e)\*CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b] + 3\*e\*CosIntegral[3\*(a/b + ArcSin[c\*x])]\*Sin[(3\*a)/b] + 4\*c^2\*d\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] + e\*Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]] - 3\*e\*Cos[(3\*a)/b]\*SinIntegral[3\*(a/b + ArcSin[c\*x])])/(4\*b^2\*c^3)

**Maple [A]** time = 0.071, size = 367, normalized size = 1.5

$$\frac{1}{4c^3(a+b\arcsin(cx))b^2} \left( -4\arcsin(cx)\operatorname{Si}\left(\arcsin(cx)+\frac{a}{b}\right)\cos\left(\frac{a}{b}\right)bc^2d + 4\arcsin(cx)\operatorname{Ci}\left(\arcsin(cx)+\frac{a}{b}\right)\sin\left(\frac{a}{b}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)/(a+b\*arcsin(c\*x))^2,x)

[Out] 1/4/c^3\*(-4\*arcsin(c\*x)\*Si(arcsin(c\*x)+a/b)\*cos(a/b)\*b\*c^2\*d+4\*arcsin(c\*x)\*Ci(arcsin(c\*x)+a/b)\*sin(a/b)\*b\*c^2\*d-4\*Si(arcsin(c\*x)+a/b)\*cos(a/b)\*a\*c^2\*d+4\*Ci(arcsin(c\*x)+a/b)\*sin(a/b)\*a\*c^2\*d+3\*arcsin(c\*x)\*Si(3\*arcsin(c\*x)+3\*a/b)\*cos(3\*a/b)\*b\*e-3\*arcsin(c\*x)\*Ci(3\*arcsin(c\*x)+3\*a/b)\*sin(3\*a/b)\*b\*e-arcsin(c\*x)\*Si(arcsin(c\*x)+a/b)\*cos(a/b)\*b\*e+arcsin(c\*x)\*Ci(arcsin(c\*x)+a/b)\*sin(a/b)\*b\*e-4\*(-c^2\*x^2+1)^(1/2)\*b\*c^2\*d+3\*Si(3\*arcsin(c\*x)+3\*a/b)\*cos(3\*a/b)\*a\*e-3\*Ci(3\*arcsin(c\*x)+3\*a/b)\*sin(3\*a/b)\*a\*e-Si(arcsin(c\*x)+a/b)\*cos(a/b)\*a\*e+Ci(arcsin(c\*x)+a/b)\*sin(a/b)\*a\*e-(-c^2\*x^2+1)^(1/2)\*b\*e+cos(3\*arcsin(c\*x))\*b\*e)/(a+b\*arcsin(c\*x))/b^2

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{ex^2+d}{b^2\arcsin(cx)^2+2ab\arcsin(cx)+a^2},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral((e\*x^2 + d)/(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{d + ex^2}{(a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral((d + e\*x\*\*2)/(a + b\*asin(c\*x))\*\*2, x)

---

**Giac [B]** time = 1.49064, size = 1222, normalized size = 4.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out]  $b^3 c^2 d \arcsin(c x) \cos\_integral(a/b + \arcsin(c x)) \sin(a/b) / (b^3 c^3 \arcsin(c x) + a b^2 c^3) - 3 b \arcsin(c x) \cos(a/b)^2 \cos\_integral(3 a/b + 3 \arcsin(c x)) e \sin(a/b) / (b^3 c^3 \arcsin(c x) + a b^2 c^3) + 3 b \arcsin(c x) \cos(a/b)^3 e \sin\_integral(3 a/b + 3 \arcsin(c x)) / (b^3 c^3 \arcsin(c x) + a b^2 c^3) - b c^2 d \arcsin(c x) \cos(a/b) \sin\_integral(a/b + \arcsin(c x)) / (b^3 c^3 \arcsin(c x) + a b^2 c^3) + a c^2 d \cos\_integral(a/b + \arcsin(c x)) \sin(a/b) / (b^3 c^3 \arcsin(c x) + a b^2 c^3) - 3 a \cos(a/b)^2 \cos\_integral(3 a/b + 3 \arcsin(c x)) e \sin(a/b) / (b^3 c^3 \arcsin(c x) + a b^2 c^3) + 3 a \cos(a/b)^3 e \sin\_integral(3 a/b + 3 \arcsin(c x)) / (b^3 c^3 \arcsin(c x) + a b^2 c^3) - a c^2 d \cos(a/b) \sin\_integral(a/b + \arcsin(c x)) / (b^3 c^3 \arcsin(c x) + a b^2 c^3) + 3/4 b \arcsin(c x) \cos\_integral(3 a/b + 3 \arcsin(c x)) e \sin(a/b) / (b^3 c^3 \arcsin(c x) + a b^2 c^3) + 1/4 b \arcsin(c x) \cos\_integral(a/b + \arcsin(c x)) e \sin(a/b) / (b^3 c^3 \arcsin(c x) + a b^2 c^3) - 9/4 b \arcsin(c x) \cos(a/b) e \sin\_integral(3 a/b + 3 \arcsin(c x)) / (b^3 c^3 \arcsin(c x) + a b^2 c^3) - 1/4 b \arcsin(c x) \cos(a/b) e \sin\_integral(a/b + \arcsin(c x)) / (b^3 c^3 \arcsin(c x) + a b^2 c^3) - \sqrt{-c^2 x^2 + 1} b c^2 d / (b^3 c^3 \arcsin(c x) + a b^2 c^3) + 3/4 a \cos\_integral(3 a/b + 3 \arcsin(c x)) e \sin(a/b) / (b^3 c^3 \arcsin(c x) + a b^2 c^3) + 1/4 a \cos\_integral(a/b + \arcsin(c x)) e \sin(a/b) / (b^3 c^3 \arcsin(c x) + a b^2 c^3) - 9/4 a \cos(a/b) e \sin\_integral(3 a/b + 3 \arcsin(c x)) / (b^3 c^3 \arcsin(c x) + a b^2 c^3) - 1/4 a \cos(a/b) e \sin\_integral(a/b + \arcsin(c x)) / (b^3 c^3 \arcsin(c x) + a b^2 c^3) + (-c^2$

$$\frac{x^2 + 1)^{3/2} * b * e / (b^3 * c^3 * \arcsin(cx) + a * b^2 * c^3) - \sqrt{-c^2 * x^2 + 1} * b * e / (b^3 * c^3 * \arcsin(cx) + a * b^2 * c^3)}{}$$

$$3.679 \quad \int \frac{1}{(a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=86

$$\frac{\sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{b^2 c} - \frac{\cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a+b \sin^{-1}(cx)}{b}\right)}{b^2 c} - \frac{\sqrt{1-c^2 x^2}}{bc(a+b \sin^{-1}(cx))}$$

[Out] -(Sqrt[1 - c^2\*x^2]/(b\*c\*(a + b\*ArcSin[c\*x]))) + (CosIntegral[(a + b\*ArcSin[c\*x])/b]\*Sin[a/b])/(b^2\*c) - (Cos[a/b]\*SinIntegral[(a + b\*ArcSin[c\*x])/b])/(b^2\*c)

**Rubi [A]** time = 0.16764, antiderivative size = 82, normalized size of antiderivative = 0.95, number of steps used = 5, number of rules used = 5, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {4621, 4723, 3303, 3299, 3302}

$$\frac{\sin\left(\frac{a}{b}\right) \operatorname{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{b^2 c} - \frac{\cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{b^2 c} - \frac{\sqrt{1-c^2 x^2}}{bc(a+b \sin^{-1}(cx))}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^(-2), x]

[Out] -(Sqrt[1 - c^2\*x^2]/(b\*c\*(a + b\*ArcSin[c\*x]))) + (CosIntegral[a/b + ArcSin[c\*x]]\*Sin[a/b])/(b^2\*c) - (Cos[a/b]\*SinIntegral[a/b + ArcSin[c\*x]])/(b^2\*c)

### Rule 4621

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.), x\_Symbol] :> Simp[(Sqrt[1 - c^2\*x^2]\*(a + b\*ArcSin[c\*x])^(n + 1))/(b\*c\*(n + 1)), x] + Dist[c/(b\*(n + 1)), Int[(x\*(a + b\*ArcSin[c\*x])^(n + 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_.)]\*(b\_.))^ (n\_.)\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer

Q[p] || GtQ[d, 0])

### Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

### Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

### Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{(a + b \sin^{-1}(cx))^2} dx &= -\frac{\sqrt{1 - c^2 x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{c \int \frac{x}{\sqrt{1 - c^2 x^2}(a + b \sin^{-1}(cx))} dx}{b} \\
 &= -\frac{\sqrt{1 - c^2 x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{\text{Subst}\left(\int \frac{\sin(x)}{a + bx} dx, x, \sin^{-1}(cx)\right)}{bc} \\
 &= -\frac{\sqrt{1 - c^2 x^2}}{bc(a + b \sin^{-1}(cx))} - \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{a}{b} + x\right)}{a + bx} dx, x, \sin^{-1}(cx)\right)}{bc} + \frac{\sin\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{a}{b} + x\right)}{a + bx} dx, x, \sin^{-1}(cx)\right)}{bc} \\
 &= -\frac{\sqrt{1 - c^2 x^2}}{bc(a + b \sin^{-1}(cx))} + \frac{\text{Ci}\left(\frac{a}{b} + \sin^{-1}(cx)\right) \sin\left(\frac{a}{b}\right)}{b^2 c} - \frac{\cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{b^2 c}
 \end{aligned}$$

**Mathematica [A]** time = 0.163086, size = 72, normalized size = 0.84

$$\frac{-\frac{b\sqrt{1-c^2x^2}}{a+b\sin^{-1}(cx)} + \sin\left(\frac{a}{b}\right) \text{CosIntegral}\left(\frac{a}{b} + \sin^{-1}(cx)\right) - \cos\left(\frac{a}{b}\right) \text{Si}\left(\frac{a}{b} + \sin^{-1}(cx)\right)}{b^2 c}$$

Antiderivative was successfully verified.



[In] Integrate[(a + b\*ArcSin[c\*x])^(-2),x]

[Out]  $-\left(\frac{b\sqrt{1-c^2x^2}}{a+b\text{ArcSin}[c*x]}\right) + \text{CosIntegral}\left[\frac{a}{b} + \text{ArcSin}[c*x]\right] * \text{Sin}\left[\frac{a}{b}\right] - \text{Cos}\left[\frac{a}{b}\right] * \text{SinIntegral}\left[\frac{a}{b} + \text{ArcSin}[c*x]\right]\right) / (b^2*c)$

**Maple [A]** time = 0., size = 76, normalized size = 0.9

$$\frac{1}{c} \left( -\frac{1}{(a+b\arcsin(cx))b} \sqrt{-c^2x^2+1} - \frac{1}{b^2} \left( \text{Si}\left(\arcsin(cx) + \frac{a}{b}\right) \cos\left(\frac{a}{b}\right) - \text{Ci}\left(\arcsin(cx) + \frac{a}{b}\right) \sin\left(\frac{a}{b}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*arcsin(c\*x))^2,x)

[Out]  $1/c * (-(-c^2*x^2+1)^{(1/2)} / (a+b*\arcsin(c*x)) / b - (\text{Si}(\arcsin(c*x)+a/b) * \cos(a/b) - \text{Ci}(\arcsin(c*x)+a/b) * \sin(a/b)) / b^2)$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(1/(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral((a + b\*asin(c\*x))\*\*(-2), x)

**Giac [B]** time = 1.30513, size = 259, normalized size = 3.01

$$\frac{b \operatorname{arcsin}(cx) \operatorname{Ci}\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right) \sin\left(\frac{a}{b}\right)}{b^3 c \operatorname{arcsin}(cx) + ab^2 c} - \frac{b \operatorname{arcsin}(cx) \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right)}{b^3 c \operatorname{arcsin}(cx) + ab^2 c} + \frac{a \operatorname{Ci}\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right) \sin\left(\frac{a}{b}\right)}{b^3 c \operatorname{arcsin}(cx) + ab^2 c} - \frac{a \cos\left(\frac{a}{b}\right) \operatorname{Si}\left(\frac{a}{b} + \operatorname{arcsin}(cx)\right)}{b^3 c \operatorname{arcsin}(cx) + ab^2 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] b\*arcsin(c\*x)\*cos\_integral(a/b + arcsin(c\*x))\*sin(a/b)/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c) - b\*arcsin(c\*x)\*cos(a/b)\*sin\_integral(a/b + arcsin(c\*x))/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c) + a\*cos\_integral(a/b + arcsin(c\*x))\*sin(a/b)/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c) - a\*cos(a/b)\*sin\_integral(a/b + arcsin(c\*x))/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c) - sqrt(-c^2\*x^2 + 1)\*b/(b^3\*c\*arcsin(c\*x) + a\*b^2\*c)

$$3.680 \quad \int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=22

$$\text{Unintegrable} \left( \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[1/((d + e\*x^2)\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.0340797, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((d + e\*x^2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][1/((d + e\*x^2)\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))^2} dx = \int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 20.5259, size = 0, normalized size = 0.

$$\int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((d + e\*x^2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[1/((d + e\*x^2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.688, size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)(a + b \arcsin(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^2+d)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(1/(e\*x^2+d)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{a^2ex^2 + a^2d + (b^2ex^2 + b^2d) \arcsin(cx)^2 + 2(abex^2 + abd) \arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(1/(a^2\*e\*x^2 + a^2\*d + (b^2\*e\*x^2 + b^2\*d)\*arcsin(c\*x)^2 + 2\*(a\*b\*e\*x^2 + a\*b\*d)\*arcsin(c\*x)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x\*\*2+d)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)(b \arcsin(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(1/((e\*x^2 + d)\*(b\*arcsin(c\*x) + a)^2), x)

$$3.681 \quad \int \frac{1}{(d+ex^2)^2 (a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=22

$$\text{Unintegrable} \left( \frac{1}{(d+ex^2)^2 (a+b \sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[1/((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.0327086, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(d+ex^2)^2 (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])^2),x]

[Out] Defer[Int][1/((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{1}{(d+ex^2)^2 (a+b \sin^{-1}(cx))^2} dx = \int \frac{1}{(d+ex^2)^2 (a+b \sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 49.753, size = 0, normalized size = 0.

$$\int \frac{1}{(d+ex^2)^2 (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])^2),x]

[Out] Integrate[1/((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 2.052, size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)^2 (a + b \arcsin(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^2+d)^2/(a+b\*arcsin(c\*x))^2,x)

[Out] int(1/(e\*x^2+d)^2/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^2/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{a^2e^2x^4 + 2a^2dex^2 + a^2d^2 + (b^2e^2x^4 + 2b^2dex^2 + b^2d^2)\arcsin(cx)^2 + 2(abe^2x^4 + 2abdex^2 + abd^2)\arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^2/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(1/(a^2\*e^2\*x^4 + 2\*a^2\*d\*e\*x^2 + a^2\*d^2 + (b^2\*e^2\*x^4 + 2\*b^2\*d\*e\*x^2 + b^2\*d^2)\*arcsin(c\*x)^2 + 2\*(a\*b\*e^2\*x^4 + 2\*a\*b\*d\*e\*x^2 + a\*b\*d^2)\*arcsin(c\*x)), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x**2+d)**2/(a+b*asin(c*x))**2,x)`

[Out] Timed out

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x^2+d)^2/(a+b*arcsin(c*x))^2,x, algorithm="giac")`

[Out] Timed out



$$3.682 \quad \int \frac{\sqrt{d+ex^2}}{(a+b \sin^{-1}(cx))^2} dx$$

Optimal. Leaf size=24

$$\text{Unintegrable} \left( \frac{\sqrt{d+ex^2}}{(a+b \sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[Sqrt[d + e\*x^2]/(a + b\*ArcSin[c\*x])^2, x]

**Rubi [A]** time = 0.040308, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{d+ex^2}}{(a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[d + e\*x^2]/(a + b\*ArcSin[c\*x])^2, x]

[Out] Defer[Int][Sqrt[d + e\*x^2]/(a + b\*ArcSin[c\*x])^2, x]

Rubi steps

$$\int \frac{\sqrt{d+ex^2}}{(a+b \sin^{-1}(cx))^2} dx = \int \frac{\sqrt{d+ex^2}}{(a+b \sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 6.87117, size = 0, normalized size = 0.

$$\int \frac{\sqrt{d+ex^2}}{(a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[d + e\*x^2]/(a + b\*ArcSin[c\*x])^2,x]

[Out] Integrate[Sqrt[d + e\*x^2]/(a + b\*ArcSin[c\*x])^2, x]

**Maple [A]** time = 0.261, size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \arcsin(cx))^2} \sqrt{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int((e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}}{b^2 \arcsin(cx)^2 + 2ab \arcsin(cx) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(e\*x^2 + d)/(b^2\*arcsin(c\*x)^2 + 2\*a\*b\*arcsin(c\*x) + a^2), x)

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{d + ex^2}}{(a + b \operatorname{asin}(cx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*\*(1/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(sqrt(d + e\*x\*\*2)/(a + b\*asin(c\*x))\*\*2, x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{ex^2 + d}}{(b \operatorname{arcsin}(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(sqrt(e\*x^2 + d)/(b\*arcsin(c\*x) + a)^2, x)

$$3.683 \quad \int \frac{1}{\sqrt{d+ex^2}(a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{1}{\sqrt{d+ex^2}(a+b \sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[1/(Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.0407799, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{\sqrt{d+ex^2}(a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][1/(Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{1}{\sqrt{d+ex^2}(a+b \sin^{-1}(cx))^2} dx = \int \frac{1}{\sqrt{d+ex^2}(a+b \sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 11.1927, size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{d+ex^2}(a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[1/(Sqrt[d + e\*x^2]\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.242, size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \arcsin(cx))^2} \frac{1}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(1/(e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}}{a^2ex^2 + a^2d + (b^2ex^2 + b^2d)\arcsin(cx)^2 + 2(abex^2 + abd)\arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(e\*x^2 + d)/(a^2\*e\*x^2 + a^2\*d + (b^2\*e\*x^2 + b^2\*d)\*arcsin(c\*x)^2 + 2\*(a\*b\*e\*x^2 + a\*b\*d)\*arcsin(c\*x)), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \operatorname{asin}(cx))^2 \sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x\*\*2+d)\*\*(1/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(1/((a + b\*asin(c\*x))\*\*2\*sqrt(d + e\*x\*\*2)), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{ex^2 + d}(b \operatorname{arcsin}(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(1/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(1/(sqrt(e\*x^2 + d)\*(b\*arcsin(c\*x) + a)^2), x)

$$3.684 \quad \int \frac{1}{(d+ex^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{1}{(d+ex^2)^{3/2} (a+b \sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[1/((d + e\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.0443735, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(d+ex^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((d + e\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][1/((d + e\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{1}{(d+ex^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx = \int \frac{1}{(d+ex^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 25.0262, size = 0, normalized size = 0.

$$\int \frac{1}{(d+ex^2)^{3/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((d + e\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[1/((d + e\*x^2)^(3/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.187, size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \arcsin(cx))^2} (ex^2 + d)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^2+d)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(1/(e\*x^2+d)^(3/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{\sqrt{ex^2 + d}}{a^2e^2x^4 + 2a^2dex^2 + a^2d^2 + (b^2e^2x^4 + 2b^2dex^2 + b^2d^2) \arcsin(cx)^2 + 2(abe^2x^4 + 2abdex^2 + abd^2) \arcsin(cx)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(e\*x^2 + d)/(a^2\*e^2\*x^4 + 2\*a^2\*d\*e\*x^2 + a^2\*d^2 + (b^2\*e^2\*x^4 + 2\*b^2\*d\*e\*x^2 + b^2\*d^2)\*arcsin(c\*x)^2 + 2\*(a\*b\*e^2\*x^4 + 2\*a\*b\*d\*e\*x^2 + a\*b\*d^2)\*arcsin(c\*x)), x)



---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \operatorname{asin}(cx))^2 (d + ex^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x\*\*2+d)\*\*(3/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Integral(1/((a + b\*asin(c\*x))\*\*2\*(d + e\*x\*\*2)\*\*(3/2)), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)^{\frac{3}{2}} (b \operatorname{arcsin}(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(3/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(1/((e\*x^2 + d)^(3/2)\*(b\*arcsin(c\*x) + a)^2), x)

$$3.685 \quad \int \frac{1}{(d+ex^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{1}{(d+ex^2)^{5/2} (a+b \sin^{-1}(cx))^2}, x \right)$$

[Out] Unintegrable[1/((d + e\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Rubi [A]** time = 0.0432489, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(d+ex^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((d + e\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Defer[Int][1/((d + e\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

Rubi steps

$$\int \frac{1}{(d+ex^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx = \int \frac{1}{(d+ex^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

**Mathematica [A]** time = 48.4118, size = 0, normalized size = 0.

$$\int \frac{1}{(d+ex^2)^{5/2} (a+b \sin^{-1}(cx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((d + e\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

[Out] Integrate[1/((d + e\*x^2)^(5/2)\*(a + b\*ArcSin[c\*x])^2), x]

**Maple [A]** time = 0.185, size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \arcsin(cx))^2} (ex^2 + d)^{-\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^2+d)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

[Out] int(1/(e\*x^2+d)^(5/2)/(a+b\*arcsin(c\*x))^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{ex^2 + d}}{a^2e^3x^6 + 3a^2de^2x^4 + 3a^2d^2ex^2 + a^2d^3 + (b^2e^3x^6 + 3b^2de^2x^4 + 3b^2d^2ex^2 + b^2d^3) \arcsin(cx)^2 + 2(abe^3x^6 + 3abde^2x^4 + 3abd^2ex^2 + abd^3) \arcsin(cx)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="fricas")

[Out] integral(sqrt(e\*x^2 + d)/(a^2\*e^3\*x^6 + 3\*a^2\*d\*e^2\*x^4 + 3\*a^2\*d^2\*e\*x^2 + a^2\*d^3 + (b^2\*e^3\*x^6 + 3\*b^2\*d\*e^2\*x^4 + 3\*b^2\*d^2\*e\*x^2 + b^2\*d^3)\*arcsin(c\*x)^2 + 2\*(a\*b\*e^3\*x^6 + 3\*a\*b\*d\*e^2\*x^4 + 3\*a\*b\*d^2\*e\*x^2 + a\*b\*d^3)\*arcsin(c\*x)), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x\*\*2+d)\*\*(5/2)/(a+b\*asin(c\*x))\*\*2,x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)^{\frac{5}{2}}(b \arcsin(cx) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^(5/2)/(a+b\*arcsin(c\*x))^2,x, algorithm="giac")

[Out] integrate(1/((e\*x^2 + d)^(5/2)\*(b\*arcsin(c\*x) + a)^2), x)

$$3.686 \quad \int (d + ex^2)^2 \sqrt{a + b \sin^{-1}(cx)} dx$$

Optimal. Leaf size=754

result too large to display

```
[Out] d^2*x*Sqrt[a + b*ArcSin[c*x]] + (2*d*e*x^3*Sqrt[a + b*ArcSin[c*x]])/3 + (e^
2*x^5*Sqrt[a + b*ArcSin[c*x]])/5 - (Sqrt[b]*d^2*Sqrt[Pi/2]*Cos[a/b]*Fresnel
S[(Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]])/c - (Sqrt[b]*d*e*Sqrt[Pi/2
]*Cos[a/b]*FresnelS[(Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]])/(2*c^3)
- (Sqrt[b]*e^2*Sqrt[Pi/2]*Cos[a/b]*FresnelS[(Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c
*x]])/Sqrt[b]])/(8*c^5) + (Sqrt[b]*d*e*Sqrt[Pi/6]*Cos[(3*a)/b]*FresnelS[(Sq
rt[6/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]])/(6*c^3) + (Sqrt[b]*e^2*Sqrt[Pi/
6]*Cos[(3*a)/b]*FresnelS[(Sqrt[6/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]])/(16
*c^5) - (Sqrt[b]*e^2*Sqrt[Pi/10]*Cos[(5*a)/b]*FresnelS[(Sqrt[10/Pi]*Sqrt[a
+ b*ArcSin[c*x]])/Sqrt[b]])/(80*c^5) + (Sqrt[b]*d^2*Sqrt[Pi/2]*FresnelC[(Sq
rt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]]*Sin[a/b])/c + (Sqrt[b]*d*e*Sqrt[
Pi/2]*FresnelC[(Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]]*Sin[a/b])/(2*c
^3) + (Sqrt[b]*e^2*Sqrt[Pi/2]*FresnelC[(Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])
/Sqrt[b]]*Sin[a/b])/(8*c^5) - (Sqrt[b]*d*e*Sqrt[Pi/6]*FresnelC[(Sqrt[6/Pi]*
Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]]*Sin[(3*a)/b])/(6*c^3) - (Sqrt[b]*e^2*Sqrt
[Pi/6]*FresnelC[(Sqrt[6/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]]*Sin[(3*a)/b])
/(16*c^5) + (Sqrt[b]*e^2*Sqrt[Pi/10]*FresnelC[(Sqrt[10/Pi]*Sqrt[a + b*ArcSi
n[c*x]])/Sqrt[b]]*Sin[(5*a)/b])/(80*c^5)
```

**Rubi [A]** time = 2.26488, antiderivative size = 754, normalized size of antiderivative = 1., number of steps used = 42, number of rules used = 10, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.454$ , Rules used = {4667, 4619, 4723, 3306, 3305, 3351, 3304, 3352, 4629, 3312}

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{bde} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{2c^3} - \frac{\sqrt{\frac{\pi}{6}} \sqrt{bde} \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{6c^3} - \frac{\sqrt{\frac{\pi}{2}} \sqrt{bde} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{2c^3}$$

Antiderivative was successfully verified.

```
[In] Int[(d + e*x^2)^2*Sqrt[a + b*ArcSin[c*x]],x]
```

```
[Out] d^2*x*Sqrt[a + b*ArcSin[c*x]] + (2*d*e*x^3*Sqrt[a + b*ArcSin[c*x]])/3 + (e^
2*x^5*Sqrt[a + b*ArcSin[c*x]])/5 - (Sqrt[b]*d^2*Sqrt[Pi/2]*Cos[a/b]*Fresnel
S[(Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]])/c - (Sqrt[b]*d*e*Sqrt[Pi/2
]*Cos[a/b]*FresnelS[(Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]])/(2*c^3)
```

$$\begin{aligned}
& - (\text{Sqrt}[b] * e^2 * \text{Sqrt}[\text{Pi}/2] * \text{Cos}[a/b] * \text{FresnelS}[(\text{Sqrt}[2/\text{Pi}] * \text{Sqrt}[a + b * \text{ArcSin}[c * x]]) / \text{Sqrt}[b]]) / (8 * c^5) + (\text{Sqrt}[b] * d * e * \text{Sqrt}[\text{Pi}/6] * \text{Cos}[(3 * a)/b] * \text{FresnelS}[(\text{Sqrt}[6/\text{Pi}] * \text{Sqrt}[a + b * \text{ArcSin}[c * x]]) / \text{Sqrt}[b]]) / (6 * c^3) + (\text{Sqrt}[b] * e^2 * \text{Sqrt}[\text{Pi}/6] * \text{Cos}[(3 * a)/b] * \text{FresnelS}[(\text{Sqrt}[6/\text{Pi}] * \text{Sqrt}[a + b * \text{ArcSin}[c * x]]) / \text{Sqrt}[b]]) / (16 * c^5) \\
& - (\text{Sqrt}[b] * e^2 * \text{Sqrt}[\text{Pi}/10] * \text{Cos}[(5 * a)/b] * \text{FresnelS}[(\text{Sqrt}[10/\text{Pi}] * \text{Sqrt}[a + b * \text{ArcSin}[c * x]]) / \text{Sqrt}[b]]) / (80 * c^5) + (\text{Sqrt}[b] * d^2 * \text{Sqrt}[\text{Pi}/2] * \text{FresnelC}[(\text{Sqrt}[2/\text{Pi}] * \text{Sqrt}[a + b * \text{ArcSin}[c * x]]) / \text{Sqrt}[b]] * \text{Sin}[a/b]) / c + (\text{Sqrt}[b] * d * e * \text{Sqrt}[\text{Pi}/2] * \text{FresnelC}[(\text{Sqrt}[2/\text{Pi}] * \text{Sqrt}[a + b * \text{ArcSin}[c * x]]) / \text{Sqrt}[b]] * \text{Sin}[a/b]) / (2 * c^3) \\
& + (\text{Sqrt}[b] * e^2 * \text{Sqrt}[\text{Pi}/2] * \text{FresnelC}[(\text{Sqrt}[2/\text{Pi}] * \text{Sqrt}[a + b * \text{ArcSin}[c * x]]) / \text{Sqrt}[b]] * \text{Sin}[a/b]) / (8 * c^5) - (\text{Sqrt}[b] * d * e * \text{Sqrt}[\text{Pi}/6] * \text{FresnelC}[(\text{Sqrt}[6/\text{Pi}] * \text{Sqrt}[a + b * \text{ArcSin}[c * x]]) / \text{Sqrt}[b]] * \text{Sin}[(3 * a)/b]) / (6 * c^3) \\
& - (\text{Sqrt}[b] * e^2 * \text{Sqrt}[\text{Pi}/6] * \text{FresnelC}[(\text{Sqrt}[6/\text{Pi}] * \text{Sqrt}[a + b * \text{ArcSin}[c * x]]) / \text{Sqrt}[b]] * \text{Sin}[(3 * a)/b]) / (16 * c^5) + (\text{Sqrt}[b] * e^2 * \text{Sqrt}[\text{Pi}/10] * \text{FresnelC}[(\text{Sqrt}[10/\text{Pi}] * \text{Sqrt}[a + b * \text{ArcSin}[c * x]]) / \text{Sqrt}[b]] * \text{Sin}[(5 * a)/b]) / (80 * c^5)
\end{aligned}$$

### Rule 4667

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.) * (x_.)] * (b_.)]^{(n_.)} * ((d_.) + (e_.) * (x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b * \text{ArcSin}[c * x])^n, (d + e * x^2)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x\} \&\& \text{NeQ}[c^2 * d + e, 0] \&\& \text{IntegerQ}[p] \&\& (\text{GtQ}[p, 0] \parallel \text{IGtQ}[n, 0])$$

### Rule 4619

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.) * (x_.)] * (b_.)]^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[x * (a + b * \text{ArcSin}[c * x])^n, x] - \text{Dist}[b * c * n, \text{Int}[(x * (a + b * \text{ArcSin}[c * x])^{(n - 1)}) / \text{Sqrt}[1 - c^2 * x^2], x], x] /; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{GtQ}[n, 0]$$

### Rule 4723

$$\text{Int}[(a_.) + \text{ArcSin}[(c_.) * (x_.)] * (b_.)]^{(n_.)} * (x_.)^{(m_.)} * ((d_.) + (e_.) * (x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[d^p / c^{(m + 1)}, \text{Subst}[\text{Int}[(a + b * x)^n * \text{Sin}[x]^{m * \text{Cos}[x]^{(2 * p + 1)}}, x], x, \text{ArcSin}[c * x]], x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x\} \&\& \text{EqQ}[c^2 * d + e, 0] \&\& \text{IntegerQ}[2 * p] \&\& \text{GtQ}[p, -1] \&\& \text{IGtQ}[m, 0] \&\& (\text{IntegerQ}[p] \parallel \text{GtQ}[d, 0])$$

### Rule 3306

$$\text{Int}[\text{sin}[(e_.) + (f_.) * (x_.)] / \text{Sqrt}[(c_.) + (d_.) * (x_.)], x\_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d * e - c * f) / d], \text{Int}[\text{Sin}[(c * f) / d + f * x] / \text{Sqrt}[c + d * x], x], x] + \text{Dist}[\text{Sin}[(d * e - c * f) / d], \text{Int}[\text{Cos}[(c * f) / d + f * x] / \text{Sqrt}[c + d * x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{ComplexFreeQ}[f] \&\& \text{NeQ}[d * e - c * f, 0]$$

### Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

### Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

### Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d
, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

### Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

### Rule 4629

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Simp[(
x^(m + 1)*(a + b*ArcSin[c*x])^n)/(m + 1), x] - Dist[(b*c*n)/(m + 1), Int[(x
^(m + 1)*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a
, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

### Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

### Rubi steps

$$\begin{aligned}
\int (d + ex^2)^2 \sqrt{a + b \sin^{-1}(cx)} dx &= \int \left( d^2 \sqrt{a + b \sin^{-1}(cx)} + 2dex^2 \sqrt{a + b \sin^{-1}(cx)} + e^2 x^4 \sqrt{a + b \sin^{-1}(cx)} \right) dx \\
&= d^2 \int \sqrt{a + b \sin^{-1}(cx)} dx + (2de) \int x^2 \sqrt{a + b \sin^{-1}(cx)} dx + e^2 \int x^4 \sqrt{a + b \sin^{-1}(cx)} dx \\
&= d^2 x \sqrt{a + b \sin^{-1}(cx)} + \frac{2}{3} dex^3 \sqrt{a + b \sin^{-1}(cx)} + \frac{1}{5} e^2 x^5 \sqrt{a + b \sin^{-1}(cx)} - \frac{1}{2} (bcd^2) \sqrt{a + b \sin^{-1}(cx)} \\
&= d^2 x \sqrt{a + b \sin^{-1}(cx)} + \frac{2}{3} dex^3 \sqrt{a + b \sin^{-1}(cx)} + \frac{1}{5} e^2 x^5 \sqrt{a + b \sin^{-1}(cx)} - \frac{(bd^2) \sqrt{a + b \sin^{-1}(cx)}}{2} \\
&= d^2 x \sqrt{a + b \sin^{-1}(cx)} + \frac{2}{3} dex^3 \sqrt{a + b \sin^{-1}(cx)} + \frac{1}{5} e^2 x^5 \sqrt{a + b \sin^{-1}(cx)} - \frac{(bde) \sqrt{a + b \sin^{-1}(cx)}}{2} \\
&= d^2 x \sqrt{a + b \sin^{-1}(cx)} + \frac{2}{3} dex^3 \sqrt{a + b \sin^{-1}(cx)} + \frac{1}{5} e^2 x^5 \sqrt{a + b \sin^{-1}(cx)} + \frac{(bde) \sqrt{a + b \sin^{-1}(cx)}}{2} \\
&= d^2 x \sqrt{a + b \sin^{-1}(cx)} + \frac{2}{3} dex^3 \sqrt{a + b \sin^{-1}(cx)} + \frac{1}{5} e^2 x^5 \sqrt{a + b \sin^{-1}(cx)} - \frac{\sqrt{bd^2} \sqrt{\frac{\pi}{2}}}{2} \\
&= d^2 x \sqrt{a + b \sin^{-1}(cx)} + \frac{2}{3} dex^3 \sqrt{a + b \sin^{-1}(cx)} + \frac{1}{5} e^2 x^5 \sqrt{a + b \sin^{-1}(cx)} - \frac{\sqrt{bd^2} \sqrt{\frac{\pi}{2}}}{2} \\
&= d^2 x \sqrt{a + b \sin^{-1}(cx)} + \frac{2}{3} dex^3 \sqrt{a + b \sin^{-1}(cx)} + \frac{1}{5} e^2 x^5 \sqrt{a + b \sin^{-1}(cx)} - \frac{\sqrt{bd^2} \sqrt{\frac{\pi}{2}}}{2}
\end{aligned}$$

**Mathematica [C]** time = 1.56011, size = 400, normalized size = 0.53

$$be^{-\frac{5ia}{b}} \left( 450e^{\frac{4ia}{b}} (8c^4 d^2 + 4c^2 de + e^2) \sqrt{-\frac{i(a+b \sin^{-1}(cx))}{b}} \Gamma\left(\frac{3}{2}, -\frac{i(a+b \sin^{-1}(cx))}{b}\right) + 450e^{\frac{6ia}{b}} (8c^4 d^2 + 4c^2 de + e^2) \sqrt{\frac{i(a+b \sin^{-1}(cx))}{b}} \Gamma\left(\frac{3}{2}, \frac{i(a+b \sin^{-1}(cx))}{b}\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e\*x^2)^2\*Sqrt[a + b\*ArcSin[c\*x]],x]

[Out] (b\*(450\*(8\*c^4\*d^2 + 4\*c^2\*d\*e + e^2)\*E^(((4\*I)\*a)/b)\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[3/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] + 450\*(8\*c^4\*d^2 + 4



```

*c^2*d*e + e^2)*E^(((6*I)*a)/b)*Sqrt[(I*(a + b*ArcSin[c*x]))/b]*Gamma[3/2,
(I*(a + b*ArcSin[c*x]))/b] - e*(25*Sqrt[3]*(8*c^2*d + 3*e)*E^(((2*I)*a)/b)*
Sqrt[((-I)*(a + b*ArcSin[c*x]))/b]*Gamma[3/2, ((-3*I)*(a + b*ArcSin[c*x]))/
b] + 25*Sqrt[3]*(8*c^2*d + 3*e)*E^(((8*I)*a)/b)*Sqrt[(I*(a + b*ArcSin[c*x])
)/b]*Gamma[3/2, ((3*I)*(a + b*ArcSin[c*x]))/b] - 9*Sqrt[5]*e*(Sqrt[((-I)*(a
+ b*ArcSin[c*x]))/b]*Gamma[3/2, ((-5*I)*(a + b*ArcSin[c*x]))/b] + E^(((10*
I)*a)/b)*Sqrt[(I*(a + b*ArcSin[c*x]))/b]*Gamma[3/2, ((5*I)*(a + b*ArcSin[c*
x]))/b])))))/(7200*c^5*E^(((5*I)*a)/b)*Sqrt[a + b*ArcSin[c*x]])

```

**Maple [A]** time = 0.159, size = 1137, normalized size = 1.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (e*x^2+d)^2*(a+b*\arcsin(c*x))^{1/2}, x$

```

[Out] -1/7200/c^5*(-200*2^(1/2)*(1/b)^(1/2)*cos(3*a/b)*FresnelS(2^(1/2)/Pi^(1/2)*
3^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*Pi^(1/2)*3^(1/2)*(a+b*arcsin
(c*x))^(1/2)*b*c^2*d*e+200*2^(1/2)*(1/b)^(1/2)*sin(3*a/b)*FresnelC(2^(1/2)/
Pi^(1/2)*3^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*Pi^(1/2)*3^(1/2)*(a
+b*arcsin(c*x))^(1/2)*b*c^2*d*e-75*2^(1/2)*(1/b)^(1/2)*cos(3*a/b)*FresnelS(
2^(1/2)/Pi^(1/2)*3^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*Pi^(1/2)*3^(
1/2)*(a+b*arcsin(c*x))^(1/2)*b*e^2+75*2^(1/2)*(1/b)^(1/2)*sin(3*a/b)*Fresn
elC(2^(1/2)/Pi^(1/2)*3^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*Pi^(1/2
)*3^(1/2)*(a+b*arcsin(c*x))^(1/2)*b*e^2+1200*arcsin(c*x)*sin(3*(a+b*arcsin(
c*x))/b-3*a/b)*b*c^2*d*e+1200*sin(3*(a+b*arcsin(c*x))/b-3*a/b)*a*c^2*d*e+45
0*arcsin(c*x)*sin(3*(a+b*arcsin(c*x))/b-3*a/b)*b*e^2+450*sin(3*(a+b*arcsin(
c*x))/b-3*a/b)*a*e^2+3600*2^(1/2)*(1/b)^(1/2)*cos(a/b)*FresnelS(2^(1/2)/Pi^(
1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*Pi^(1/2)*(a+b*arcsin(c*x))^(1/
2)*b*c^4*d^2-3600*2^(1/2)*(1/b)^(1/2)*sin(a/b)*FresnelC(2^(1/2)/Pi^(1/2)/(1
/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*Pi^(1/2)*(a+b*arcsin(c*x))^(1/2)*b*c^4
*d^2+1800*2^(1/2)*(1/b)^(1/2)*cos(a/b)*FresnelS(2^(1/2)/Pi^(1/2)/(1/b)^(1/2
))*(a+b*arcsin(c*x))^(1/2)/b)*Pi^(1/2)*(a+b*arcsin(c*x))^(1/2)*b*c^2*d*e-180
0*2^(1/2)*(1/b)^(1/2)*sin(a/b)*FresnelC(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*a
rcsin(c*x))^(1/2)/b)*Pi^(1/2)*(a+b*arcsin(c*x))^(1/2)*b*c^2*d*e-7200*arcsin
(c*x)*sin((a+b*arcsin(c*x))/b-a/b)*b*c^4*d^2+450*2^(1/2)*(1/b)^(1/2)*cos(a/
b)*FresnelS(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*Pi^(1/2
)*(a+b*arcsin(c*x))^(1/2)*b*e^2-450*2^(1/2)*(1/b)^(1/2)*sin(a/b)*FresnelC(2
^(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*Pi^(1/2)*(a+b*arcsin
(c*x))^(1/2)*b*e^2-7200*sin((a+b*arcsin(c*x))/b-a/b)*a*c^4*d^2-3600*arcsin(
c*x)*sin((a+b*arcsin(c*x))/b-a/b)*b*c^2*d*e-3600*sin((a+b*arcsin(c*x))/b-a/

```

$b) * a * c^2 * d * e^{-900 * \arcsin(cx)} * \sin((a + b * \arcsin(cx)) / b - a/b) * b * e^{-2 - 900 * \sin((a + b * \arcsin(cx)) / b - a/b)} * a * e^{-2 - 9 * 5^{1/2} * 2^{1/2}} * (1/b)^{1/2} * \text{FresnelC}(2^{1/2} / \text{Pi}^{1/2} * 5^{1/2} / (1/b)^{1/2}) * (a + b * \arcsin(cx))^{1/2} / b * \sin(5 * a/b) * \text{Pi}^{1/2} * (a + b * \arcsin(cx))^{1/2} * b * e^{-2 + 9 * 5^{1/2} * 2^{1/2}} * (1/b)^{1/2} * \cos(5 * a/b) * \text{FresnelS}(2^{1/2} / \text{Pi}^{1/2} * 5^{1/2} / (1/b)^{1/2}) * (a + b * \arcsin(cx))^{1/2} / b * \text{Pi}^{1/2} * (a + b * \arcsin(cx))^{1/2} * b * e^{-2 - 90 * \arcsin(cx)} * \sin(5 * (a + b * \arcsin(cx)) / b - 5 * a/b) * b * e^{-2 - 90 * \sin(5 * (a + b * \arcsin(cx)) / b - 5 * a/b)} * a * e^{-2} / (a + b * \arcsin(cx))^{1/2}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)^2 \sqrt{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2\*(a+b\*arcsin(c\*x))^(1/2),x, algorithm="maxima")

[Out] integrate((e\*x^2 + d)^2\*sqrt(b\*arcsin(c\*x) + a), x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2\*(a+b\*arcsin(c\*x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \arcsin(cx)} (d + ex^2)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*\*2\*(a+b\*asin(c\*x))\*\*(1/2),x)

[Out] Integral(sqrt(a + b\*asin(c\*x))\*(d + e\*x\*\*2)\*\*2, x)

**Giac [C]** time = 3.21901, size = 1751, normalized size = 2.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2\*(a+b\*arcsin(c\*x))^(1/2),x, algorithm="giac")

[Out] 
$$\begin{aligned} & \frac{1}{4} I \sqrt{2} \sqrt{\pi} b^2 d^2 \operatorname{erf}\left(-\frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arcsin(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{I a / b} \\ & / \left( \left( I b^2 / \sqrt{\operatorname{abs}(b)} + b \sqrt{\operatorname{abs}(b)} \right) c - \frac{1}{4} I \sqrt{2} \sqrt{\pi} b^2 d^2 \operatorname{erf}\left(\frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arcsin(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{-I a / b} \right. \\ & / \left( -I b^2 / \sqrt{\operatorname{abs}(b)} + b \sqrt{\operatorname{abs}(b)} \right) c - \frac{1}{2} I \sqrt{b \arcsin(c x) + a} d^2 e^{I \arcsin(c x)} / c + \frac{1}{2} I \sqrt{b \arcsin(c x) + a} d^2 e^{-I \arcsin(c x)} / c + \frac{1}{8} I \sqrt{2} \sqrt{\pi} \\ & \left. \right) b^2 d \operatorname{erf}\left(-\frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arcsin(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{I a / b + 1} \\ & / \left( \left( I b^2 / \sqrt{\operatorname{abs}(b)} + b \sqrt{\operatorname{abs}(b)} \right) c^3 - \frac{1}{8} I \sqrt{2} \sqrt{\pi} b^2 d \operatorname{erf}\left(\frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arcsin(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{-I a / b + 1} \right. \\ & / \left( -I b^2 / \sqrt{\operatorname{abs}(b)} + b \sqrt{\operatorname{abs}(b)} \right) c^3 - \frac{1}{12} I \sqrt{\pi} b^{3/2} d \operatorname{erf}\left(-\frac{1}{2} \sqrt{6} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{b} - \frac{1}{2} I \sqrt{6} \sqrt{b \arcsin(c x) + a} \sqrt{b} / \operatorname{abs}(b) e^{3 I a / b + 1} \\ & / \left( \left( \sqrt{6} b + I \sqrt{6} b^2 / \operatorname{abs}(b) \right) c^3 + \frac{1}{12} I \sqrt{\pi} b^{3/2} d \operatorname{erf}\left(-\frac{1}{2} \sqrt{6} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{b} + \frac{1}{2} I \sqrt{6} \sqrt{b \arcsin(c x) + a} \sqrt{b} / \operatorname{abs}(b) e^{-3 I a / b + 1} \right. \\ & / \left( \left( \sqrt{6} b - I \sqrt{6} b^2 / \operatorname{abs}(b) \right) c^3 + \frac{1}{12} I \sqrt{b \arcsin(c x) + a} d e^{3 I \arcsin(c x) + 1} / c^3 - \frac{1}{4} I \sqrt{b \arcsin(c x) + a} d e^{I \arcsin(c x) + 1} / c^3 + \frac{1}{4} I \sqrt{b \arcsin(c x) + a} d e^{-I \arcsin(c x) + 1} / c^3 - \frac{1}{12} I \sqrt{b \arcsin(c x) + a} d e^{-3 I \arcsin(c x) + 1} / c^3 + \frac{1}{32} I \sqrt{2} \sqrt{\pi} b^2 \operatorname{erf}\left(-\frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arcsin(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{I a / b + 2} \right. \\ & / \left( \left( I b^2 / \sqrt{\operatorname{abs}(b)} + b \sqrt{\operatorname{abs}(b)} \right) c^5 - \frac{1}{32} I \sqrt{2} \sqrt{\pi} b^2 \operatorname{erf}\left(\frac{1}{2} I \sqrt{2} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{\operatorname{abs}(b)} - \frac{1}{2} \sqrt{2} \sqrt{b \arcsin(c x) + a} \sqrt{\operatorname{abs}(b)} / b e^{-I a / b + 2} \right. \\ & / \left( -I b^2 / \sqrt{\operatorname{abs}(b)} + b \sqrt{\operatorname{abs}(b)} \right) c^5 + \frac{1}{160} I \sqrt{\pi} b^{3/2} \operatorname{erf}\left(-\frac{1}{2} \sqrt{10} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{b} - \frac{1}{2} I \sqrt{10} \sqrt{b \arcsin(c x) + a} \sqrt{b} / \operatorname{abs}(b) e^{5 I a / b + 2} \\ & / \left( \left( \sqrt{10} b + I \sqrt{10} b^2 / \operatorname{abs}(b) \right) c^5 - \frac{1}{32} I \sqrt{\pi} b^{3/2} \operatorname{erf}\left(-\frac{1}{2} \sqrt{6} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{b} - \frac{1}{2} I \sqrt{6} \sqrt{b \arcsin(c x) + a} \sqrt{b} / \operatorname{abs}(b) e^{3 I a / b + 2} \right. \\ & / \left( \left( \sqrt{6} b + I \sqrt{6} b^2 / \operatorname{abs}(b) \right) c^5 + \frac{1}{32} I \sqrt{\pi} b^{3/2} \operatorname{erf}\left(-\frac{1}{2} \sqrt{6} \sqrt{b \arcsin(c x) + a}\right) / \sqrt{b} + \frac{1}{2} I \sqrt{6} \sqrt{b \arcsin(c x) + a} \sqrt{b} / \operatorname{abs}(b) e^{-3 I a / b + 2} \right) \end{aligned}$$

$$\begin{aligned} & \text{qrt}(b \cdot \arcsin(cx) + a) \cdot \sqrt{b} / \text{abs}(b) \cdot e^{(-3I \cdot a/b + 2)} / ((\sqrt{6} \cdot b - I \cdot \sqrt{6} \cdot b^2 / \text{abs}(b)) \cdot c^5) - 1/160 \cdot I \cdot \sqrt{\pi} \cdot b^{(3/2)} \cdot \text{erf}(-1/2 \cdot \sqrt{10} \cdot \sqrt{b \cdot \arcsin(cx) + a}) / \sqrt{b} + 1/2 \cdot I \cdot \sqrt{10} \cdot \sqrt{b \cdot \arcsin(cx) + a} \cdot \sqrt{b} / \text{abs}(b) \cdot e^{(-5I \cdot a/b + 2)} / ((\sqrt{10} \cdot b - I \cdot \sqrt{10} \cdot b^2 / \text{abs}(b)) \cdot c^5) - 1/160 \cdot I \cdot \sqrt{b \cdot \arcsin(cx) + a} \cdot e^{(5I \cdot \arcsin(cx) + 2)} / c^5 + 1/32 \cdot I \cdot \sqrt{b \cdot \arcsin(cx) + a} \cdot e^{(3I \cdot \arcsin(cx) + 2)} / c^5 - 1/16 \cdot I \cdot \sqrt{b \cdot \arcsin(cx) + a} \cdot e^{(I \cdot \arcsin(cx) + 2)} / c^5 + 1/16 \cdot I \cdot \sqrt{b \cdot \arcsin(cx) + a} \cdot e^{(-I \cdot \arcsin(cx) + 2)} / c^5 - 1/32 \cdot I \cdot \sqrt{b \cdot \arcsin(cx) + a} \cdot e^{(-3I \cdot \arcsin(cx) + 2)} / c^5 + 1/160 \cdot I \cdot \sqrt{b \cdot \arcsin(cx) + a} \cdot e^{(-5I \cdot \arcsin(cx) + 2)} / c^5 \end{aligned}$$

$$3.687 \quad \int (d + ex^2) \sqrt{a + b \sin^{-1}(cx)} dx$$

**Optimal.** Leaf size=369

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{be} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{4c^3} - \frac{\sqrt{\frac{\pi}{6}} \sqrt{be} \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{12c^3} - \frac{\sqrt{\frac{\pi}{2}} \sqrt{be} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{4c^3}$$

[Out] d\*x\*Sqrt[a + b\*ArcSin[c\*x]] + (e\*x^3\*Sqrt[a + b\*ArcSin[c\*x]])/3 - (Sqrt[b]\*d\*Sqrt[Pi/2]\*Cos[a/b]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/c - (Sqrt[b]\*e\*Sqrt[Pi/2]\*Cos[a/b]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(4\*c^3) + (Sqrt[b]\*e\*Sqrt[Pi/6]\*Cos[(3\*a)/b]\*FresnelS[(Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(12\*c^3) + (Sqrt[b]\*d\*Sqrt[Pi/2]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/c + (Sqrt[b]\*e\*Sqrt[Pi/2]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(4\*c^3) - (Sqrt[b]\*e\*Sqrt[Pi/6]\*FresnelC[(Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[(3\*a)/b])/(12\*c^3)

**Rubi [A]** time = 1.02657, antiderivative size = 369, normalized size of antiderivative = 1., number of steps used = 23, number of rules used = 10, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {4667, 4619, 4723, 3306, 3305, 3351, 3304, 3352, 4629, 3312}

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{be} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{4c^3} - \frac{\sqrt{\frac{\pi}{6}} \sqrt{be} \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{12c^3} - \frac{\sqrt{\frac{\pi}{2}} \sqrt{be} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{4c^3}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2)\*Sqrt[a + b\*ArcSin[c\*x]],x]

[Out] d\*x\*Sqrt[a + b\*ArcSin[c\*x]] + (e\*x^3\*Sqrt[a + b\*ArcSin[c\*x]])/3 - (Sqrt[b]\*d\*Sqrt[Pi/2]\*Cos[a/b]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/c - (Sqrt[b]\*e\*Sqrt[Pi/2]\*Cos[a/b]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(4\*c^3) + (Sqrt[b]\*e\*Sqrt[Pi/6]\*Cos[(3\*a)/b]\*FresnelS[(Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(12\*c^3) + (Sqrt[b]\*d\*Sqrt[Pi/2]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/c + (Sqrt[b]\*e\*Sqrt[Pi/2]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(4\*c^3) - (Sqrt[b]\*e\*Sqrt[Pi/6]\*FresnelC[(Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[(3\*a)/b])/(12\*c^3)

Rule 4667

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])
```

Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*Ar
cSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 -
c^2*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*C
os[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d
, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 4629

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))(n_)(x_)(m_.), x_Symbol] := Simp[(x(m + 1)*(a + b*ArcSin[c*x])n)/(m + 1), x] - Dist[(b*c*n)/(m + 1), Int[(x(m + 1)*(a + b*ArcSin[c*x])(n - 1))/Sqrt[1 - c2*x2], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))(m_)*sin[(e_.) + (f_.)*(x_)](n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)m, Sin[e + f*x]n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rubi steps

$$\begin{aligned}
\int (d + ex^2) \sqrt{a + b \sin^{-1}(cx)} dx &= \int \left( d\sqrt{a + b \sin^{-1}(cx)} + ex^2\sqrt{a + b \sin^{-1}(cx)} \right) dx \\
&= d \int \sqrt{a + b \sin^{-1}(cx)} dx + e \int x^2 \sqrt{a + b \sin^{-1}(cx)} dx \\
&= dx\sqrt{a + b \sin^{-1}(cx)} + \frac{1}{3}ex^3\sqrt{a + b \sin^{-1}(cx)} - \frac{1}{2}(bcd) \int \frac{x}{\sqrt{1 - c^2x^2}\sqrt{a + b \sin^{-1}(cx)}} dx \\
&= dx\sqrt{a + b \sin^{-1}(cx)} + \frac{1}{3}ex^3\sqrt{a + b \sin^{-1}(cx)} - \frac{(bd) \text{Subst} \left( \int \frac{\sin(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{2c} \\
&= dx\sqrt{a + b \sin^{-1}(cx)} + \frac{1}{3}ex^3\sqrt{a + b \sin^{-1}(cx)} - \frac{(be) \text{Subst} \left( \int \left( \frac{3\sin(x)}{4\sqrt{a+bx}} - \frac{\sin(3x)}{4\sqrt{a+bx}} \right) dx, x, \sin^{-1}(cx) \right)}{6c^3} \\
&= dx\sqrt{a + b \sin^{-1}(cx)} + \frac{1}{3}ex^3\sqrt{a + b \sin^{-1}(cx)} + \frac{(be) \text{Subst} \left( \int \frac{\sin(3x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{24c^3} \\
&= dx\sqrt{a + b \sin^{-1}(cx)} + \frac{1}{3}ex^3\sqrt{a + b \sin^{-1}(cx)} - \frac{\sqrt{bd} \sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{c} + \\
&= dx\sqrt{a + b \sin^{-1}(cx)} + \frac{1}{3}ex^3\sqrt{a + b \sin^{-1}(cx)} - \frac{\sqrt{bd} \sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{c} + \\
&= dx\sqrt{a + b \sin^{-1}(cx)} + \frac{1}{3}ex^3\sqrt{a + b \sin^{-1}(cx)} - \frac{\sqrt{bd} \sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{c}
\end{aligned}$$

**Mathematica [C]** time = 0.613829, size = 244, normalized size = 0.66

$$\frac{be^{-\frac{3ia}{b}} \left( 9e^{\frac{2ia}{b}} (4c^2d + e) \sqrt{-\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma} \left( \frac{3}{2}, -\frac{i(a+b \sin^{-1}(cx))}{b} \right) + 9e^{\frac{4ia}{b}} (4c^2d + e) \sqrt{\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma} \left( \frac{3}{2}, \frac{i(a+b \sin^{-1}(cx))}{b} \right) \right)}{72c^3 \sqrt{a + b \sin^{-1}(cx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e\*x^2)\*Sqrt[a + b\*ArcSin[c\*x]],x]

[Out] (b\*(9\*(4\*c^2\*d + e)\*E^(((2\*I)\*a)/b)\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[3/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] + 9\*(4\*c^2\*d + e)\*E^(((4\*I)\*a)/b)\*Sqrt



```
[(I*(a + b*ArcSin[c*x]))/b]*Gamma[3/2, (I*(a + b*ArcSin[c*x]))/b] - Sqrt[3]
*e*(Sqrt[((-I)*(a + b*ArcSin[c*x]))/b]*Gamma[3/2, ((-3*I)*(a + b*ArcSin[c*x]
]))/b] + E^(((6*I)*a)/b)*Sqrt[(I*(a + b*ArcSin[c*x]))/b]*Gamma[3/2, ((3*I)*
(a + b*ArcSin[c*x]))/b]]/(72*c^3*E^(((3*I)*a)/b)*Sqrt[a + b*ArcSin[c*x]])
```

**Maple [A]** time = 0.112, size = 542, normalized size = 1.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d)*(a+b*arcsin(c*x))^(1/2),x)
```

```
[Out] 1/72/c^3*(-36*(1/b)^(1/2)*Pi^(1/2)*2^(1/2)*(a+b*arcsin(c*x))^(1/2)*cos(a/b)
*FresnelS(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*b*c^2*d+3
6*(1/b)^(1/2)*Pi^(1/2)*2^(1/2)*(a+b*arcsin(c*x))^(1/2)*sin(a/b)*FresnelC(2^
(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*b*c^2*d+3^(1/2)*(1/b)
^(1/2)*Pi^(1/2)*2^(1/2)*(a+b*arcsin(c*x))^(1/2)*cos(3*a/b)*FresnelS(2^(1/2)
/Pi^(1/2)*3^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*b*e-3^(1/2)*(1/b)^(
1/2)*Pi^(1/2)*2^(1/2)*(a+b*arcsin(c*x))^(1/2)*sin(3*a/b)*FresnelC(2^(1/2)/
Pi^(1/2)*3^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*b*e-9*(1/b)^(1/2)*P
i^(1/2)*2^(1/2)*(a+b*arcsin(c*x))^(1/2)*cos(a/b)*FresnelS(2^(1/2)/Pi^(1/2)/
(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*b*e+9*(1/b)^(1/2)*Pi^(1/2)*2^(1/2)*
(a+b*arcsin(c*x))^(1/2)*sin(a/b)*FresnelC(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*
arcsin(c*x))^(1/2)/b)*b*e+72*arcsin(c*x)*sin((a+b*arcsin(c*x))/b-a/b)*b*c^2
*d+72*sin((a+b*arcsin(c*x))/b-a/b)*a*c^2*d+18*arcsin(c*x)*sin((a+b*arcsin(c
*x))/b-a/b)*b*e-6*arcsin(c*x)*sin(3*(a+b*arcsin(c*x))/b-3*a/b)*b*e+18*sin((
a+b*arcsin(c*x))/b-a/b)*a*e-6*sin(3*(a+b*arcsin(c*x))/b-3*a/b)*a*e)/(a+b*ar
csin(c*x))^(1/2)
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)\sqrt{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)*(a+b*arcsin(c*x))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((e*x^2 + d)*sqrt(b*arcsin(c*x) + a), x)
```

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)\*(a+b\*arcsin(c\*x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \operatorname{asin}(cx)} (d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*(a+b\*asin(c\*x))\*\*(1/2),x)

[Out] Integral(sqrt(a + b\*asin(c\*x))\*(d + e\*x\*\*2), x)

---

**Giac [C]** time = 2.38412, size = 865, normalized size = 2.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)\*(a+b\*arcsin(c\*x))^(1/2),x, algorithm="giac")

[Out]  $\frac{1}{4} I \sqrt{2} \sqrt{\pi} b^2 d \operatorname{erf}\left(-\frac{1}{2} I \sqrt{2} \sqrt{b \operatorname{arcsin}(c x) + a}\right) / \sqrt{t(\operatorname{abs}(b))} - \frac{1}{2} \sqrt{2} \sqrt{b \operatorname{arcsin}(c x) + a} \sqrt{t(\operatorname{abs}(b))} / b e^{I a / b} / \left( (I b^2 / \sqrt{t(\operatorname{abs}(b))} + b \sqrt{t(\operatorname{abs}(b))}) c \right) - \frac{1}{4} I \sqrt{2} \sqrt{\pi} b^2 d \operatorname{erf}\left(\frac{1}{2} I \sqrt{2} \sqrt{b \operatorname{arcsin}(c x) + a}\right) / \sqrt{t(\operatorname{abs}(b))} - \frac{1}{2} \sqrt{2} \sqrt{b \operatorname{arcsin}(c x) + a} \sqrt{t(\operatorname{abs}(b))} / b e^{-I a / b} / \left( (-I b^2 / \sqrt{t(\operatorname{abs}(b))} + b \sqrt{t(\operatorname{abs}(b))}) c \right) - \frac{1}{2} I \sqrt{2} \sqrt{b \operatorname{arcsin}(c x) + a} d e^{I \operatorname{arcsin}(c x)} / c + \frac{1}{2} I \sqrt{2} \sqrt{b \operatorname{arcsin}(c x) + a} d e^{-I \operatorname{arcsin}(c x)} / c + \frac{1}{16} I \sqrt{2} \sqrt{\pi} b^2 e \operatorname{erf}\left(-\frac{1}{2} I \sqrt{2} \sqrt{b \operatorname{arcsin}(c x) + a}\right) / \sqrt{t(\operatorname{abs}(b))} - \frac{1}{2} \sqrt{2} \sqrt{b \operatorname{arcsin}(c x) + a} \sqrt{t(\operatorname{abs}(b))} / b e^{I a / b + 1} / \left( (I b^2 / \sqrt{t(\operatorname{abs}(b))} + b \sqrt{t(\operatorname{abs}(b))}) c \right)$

$$\begin{aligned}
& \text{rt}(\text{abs}(b)) * c^3 - 1/16 * I * \text{sqrt}(2) * \text{sqrt}(\pi) * b^2 * \text{erf}(1/2 * I * \text{sqrt}(2) * \text{sqrt}(b * \text{arcsin}(c * x) + a) / \text{sqrt}(\text{abs}(b)) - 1/2 * \text{sqrt}(2) * \text{sqrt}(b * \text{arcsin}(c * x) + a) * \text{sqrt}(\text{abs}(b)) / b) * e^{(-I * a / b + 1)} / ((-I * b^2 / \text{sqrt}(\text{abs}(b)) + b * \text{sqrt}(\text{abs}(b))) * c^3) - 1/24 * I * \text{sqrt}(\pi) * b^{(3/2)} * \text{erf}(-1/2 * \text{sqrt}(6) * \text{sqrt}(b * \text{arcsin}(c * x) + a) / \text{sqrt}(b) - 1/2 * I * \text{sqrt}(6) * \text{sqrt}(b * \text{arcsin}(c * x) + a) * \text{sqrt}(b) / \text{abs}(b)) * e^{(3 * I * a / b + 1)} / ((\text{sqrt}(6) * b + I * \text{sqrt}(6) * b^2 / \text{abs}(b)) * c^3) + 1/24 * I * \text{sqrt}(\pi) * b^{(3/2)} * \text{erf}(-1/2 * \text{sqrt}(6) * \text{sqrt}(b * \text{arcsin}(c * x) + a) / \text{sqrt}(b) + 1/2 * I * \text{sqrt}(6) * \text{sqrt}(b * \text{arcsin}(c * x) + a) * \text{sqrt}(b) / \text{abs}(b)) * e^{(-3 * I * a / b + 1)} / ((\text{sqrt}(6) * b - I * \text{sqrt}(6) * b^2 / \text{abs}(b)) * c^3) + 1/24 * I * \text{sqrt}(b * \text{arcsin}(c * x) + a) * e^{(3 * I * \text{arcsin}(c * x) + 1)} / c^3 - 1/8 * I * \text{sqrt}(b * \text{arcsin}(c * x) + a) * e^{(I * \text{arcsin}(c * x) + 1)} / c^3 + 1/8 * I * \text{sqrt}(b * \text{arcsin}(c * x) + a) * e^{(-I * \text{arcsin}(c * x) + 1)} / c^3 - 1/24 * I * \text{sqrt}(b * \text{arcsin}(c * x) + a) * e^{(-3 * I * \text{arcsin}(c * x) + 1)} / c^3
\end{aligned}$$

### 3.688 $\int \sqrt{a + b \sin^{-1}(cx)} dx$

**Optimal.** Leaf size=120

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{b} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{c} - \frac{\sqrt{\frac{\pi}{2}} \sqrt{b} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{c} + x \sqrt{a + b \sin^{-1}(cx)}$$

[Out] x\*Sqrt[a + b\*ArcSin[c\*x]] - (Sqrt[b]\*Sqrt[Pi/2]\*Cos[a/b]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/c + (Sqrt[b]\*Sqrt[Pi/2]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/c

**Rubi [A]** time = 0.270951, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {4619, 4723, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{b} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{c} - \frac{\sqrt{\frac{\pi}{2}} \sqrt{b} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{c} + x \sqrt{a + b \sin^{-1}(cx)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*ArcSin[c\*x]], x]

[Out] x\*Sqrt[a + b\*ArcSin[c\*x]] - (Sqrt[b]\*Sqrt[Pi/2]\*Cos[a/b]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/c + (Sqrt[b]\*Sqrt[Pi/2]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/c

#### Rule 4619

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.), x\_Symbol] :> Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcSin[c\*x]))^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

#### Rule 4723

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))^(n\_.)\*(x\_)^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[d^p/c^(m + 1), Subst[Int[(a + b\*x)^n\*Sin[x]^m\*Cos[x]^(2\*p + 1), x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[c^2\*d + e, 0] && IntegerQ[2\*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer

Q[p] || GtQ[d, 0])

### Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

### Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

### Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

### Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d
, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

### Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

### Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \sin^{-1}(cx)} dx &= x\sqrt{a + b \sin^{-1}(cx)} - \frac{1}{2}(bc) \int \frac{x}{\sqrt{1 - c^2x^2}\sqrt{a + b \sin^{-1}(cx)}} dx \\
&= x\sqrt{a + b \sin^{-1}(cx)} - \frac{b \operatorname{Subst}\left(\int \frac{\sin(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{2c} \\
&= x\sqrt{a + b \sin^{-1}(cx)} - \frac{(b \cos\left(\frac{a}{b}\right)) \operatorname{Subst}\left(\int \frac{\sin\left(\frac{a}{b}+x\right)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{2c} + \frac{(b \sin\left(\frac{a}{b}\right)) \operatorname{Subst}\left(\int \frac{\cos\left(\frac{a}{b}\right)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{2c} \\
&= x\sqrt{a + b \sin^{-1}(cx)} - \frac{\cos\left(\frac{a}{b}\right) \operatorname{Subst}\left(\int \sin\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{c} + \frac{\sin\left(\frac{a}{b}\right) \operatorname{Subst}\left(\int \cos\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{c} \\
&= x\sqrt{a + b \sin^{-1}(cx)} - \frac{\sqrt{b}\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{c} + \frac{\sqrt{b}\sqrt{\frac{\pi}{2}} C\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right) \sin\left(\frac{a}{b}\right)}{c}
\end{aligned}$$

**Mathematica [C]** time = 0.0926495, size = 119, normalized size = 0.99

$$\frac{be^{-\frac{ia}{b}} \left( \sqrt{-\frac{i(a+b \sin^{-1}(cx))}{b}} \operatorname{Gamma}\left(\frac{3}{2}, -\frac{i(a+b \sin^{-1}(cx))}{b}\right) + e^{\frac{2ia}{b}} \sqrt{\frac{i(a+b \sin^{-1}(cx))}{b}} \operatorname{Gamma}\left(\frac{3}{2}, \frac{i(a+b \sin^{-1}(cx))}{b}\right) \right)}{2c\sqrt{a + b \sin^{-1}(cx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b\*ArcSin[c\*x]], x]

[Out] (b\*(Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b])\*Gamma[3/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] + E^(((2\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b])\*Gamma[3/2, (I\*(a + b\*ArcSin[c\*x]))/b])/(2\*c\*E^((I\*a)/b)\*Sqrt[a + b\*ArcSin[c\*x]])

**Maple [A]** time = 0.001, size = 178, normalized size = 1.5

$$\frac{1}{2c} \left( -\sqrt{2}\sqrt{\pi}\sqrt{b^{-1}}\sqrt{a + b \arcsin(cx)} \cos\left(\frac{a}{b}\right) \operatorname{FresnelS}\left(\frac{\sqrt{2}}{\sqrt{\pi b}}\sqrt{a + b \arcsin(cx)}\frac{1}{\sqrt{b^{-1}}}\right) b + \sqrt{2}\sqrt{\pi}\sqrt{b^{-1}}\sqrt{a + b \arcsin(cx)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))^(1/2),x)`

[Out]  $\frac{1}{2} \frac{1}{c} \frac{1}{(a+b \arcsin(cx))^{1/2}} \left( -2^{1/2} \pi^{1/2} \frac{1}{b^{1/2}} (a+b \arcsin(cx))^{1/2} \cos\left(\frac{a}{b}\right) \operatorname{FresnelS}\left(\frac{2^{1/2}}{\pi^{1/2}} \frac{1}{b^{1/2}} (a+b \arcsin(cx))^{1/2}\right) \frac{1}{b} + 2^{1/2} \pi^{1/2} \frac{1}{b^{1/2}} (a+b \arcsin(cx))^{1/2} \sin\left(\frac{a}{b}\right) \operatorname{FresnelC}\left(\frac{2^{1/2}}{\pi^{1/2}} \frac{1}{b^{1/2}} (a+b \arcsin(cx))^{1/2}\right) \frac{1}{b} + 2 \arcsin(cx) \sin\left(\frac{a+b \arcsin(cx)}{b-a/b}\right) + 2 \sin\left(\frac{a+b \arcsin(cx)}{b-a/b}\right) a \right)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \arcsin(cx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*arcsin(c*x) + a), x)`

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(1/2),x, algorithm="fricas")`

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a + b \arcsin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*asin(c*x))**(1/2),x)`

[Out] Integral(sqrt(a + b\*asin(c\*x)), x)

---

**Giac [C]** time = 1.50831, size = 266, normalized size = 2.22

$$\frac{i\sqrt{2}\sqrt{\pi}b \operatorname{erf}\left(-\frac{i\sqrt{2}\sqrt{b\arcsin(cx)+a}}{2\sqrt{|b|}} - \frac{\sqrt{2}\sqrt{b\arcsin(cx)+a}\sqrt{|b|}}{2b}\right) e^{\left(\frac{ia}{b}\right)}}{4c\left(\frac{ib}{\sqrt{|b|}} + \sqrt{|b|}\right)} - \frac{i\sqrt{2}\sqrt{\pi}b \operatorname{erf}\left(\frac{i\sqrt{2}\sqrt{b\arcsin(cx)+a}}{2\sqrt{|b|}} - \frac{\sqrt{2}\sqrt{b\arcsin(cx)+a}\sqrt{|b|}}{2b}\right) e^{\left(-\frac{ia}{b}\right)}}{4c\left(-\frac{ib}{\sqrt{|b|}} + \sqrt{|b|}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^(1/2),x, algorithm="giac")

[Out] 1/4\*I\*sqrt(2)\*sqrt(pi)\*b\*erf(-1/2\*I\*sqrt(2)\*sqrt(b\*arcsin(c\*x) + a)/sqrt(abs(b)) - 1/2\*sqrt(2)\*sqrt(b\*arcsin(c\*x) + a)\*sqrt(abs(b))/b)\*e^(I\*a/b)/(c\*(I\*b/sqrt(abs(b)) + sqrt(abs(b)))) - 1/4\*I\*sqrt(2)\*sqrt(pi)\*b\*erf(1/2\*I\*sqrt(2)\*sqrt(b\*arcsin(c\*x) + a)/sqrt(abs(b)) - 1/2\*sqrt(2)\*sqrt(b\*arcsin(c\*x) + a)\*sqrt(abs(b))/b)\*e^(-I\*a/b)/(c\*(-I\*b/sqrt(abs(b)) + sqrt(abs(b)))) - 1/2\*I\*sqrt(b\*arcsin(c\*x) + a)\*e^(I\*arcsin(c\*x))/c + 1/2\*I\*sqrt(b\*arcsin(c\*x) + a)\*e^(-I\*arcsin(c\*x))/c



$$3.689 \quad \int \frac{\sqrt{a+b \sin^{-1}(cx)}}{d+ex^2} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{\sqrt{a+b \sin^{-1}(cx)}}{d+ex^2}, x \right)$$

[Out] Unintegrable[Sqrt[a + b\*ArcSin[c\*x]]/(d + e\*x^2), x]

**Rubi [A]** time = 0.0529863, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{a+b \sin^{-1}(cx)}}{d+ex^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[a + b\*ArcSin[c\*x]]/(d + e\*x^2), x]

[Out] Defer[Int][Sqrt[a + b\*ArcSin[c\*x]]/(d + e\*x^2), x]

Rubi steps

$$\int \frac{\sqrt{a+b \sin^{-1}(cx)}}{d+ex^2} dx = \int \frac{\sqrt{a+b \sin^{-1}(cx)}}{d+ex^2} dx$$

**Mathematica [A]** time = 9.96503, size = 0, normalized size = 0.

$$\int \frac{\sqrt{a+b \sin^{-1}(cx)}}{d+ex^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[a + b\*ArcSin[c\*x]]/(d + e\*x^2), x]

[Out] Integrate[Sqrt[a + b\*ArcSin[c\*x]]/(d + e\*x^2), x]

---

**Maple [A]** time = 0.202, size = 0, normalized size = 0.

$$\int \frac{1}{ex^2 + d} \sqrt{a + b \arcsin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^(1/2)/(e\*x^2+d),x)

[Out] int((a+b\*arcsin(c\*x))^(1/2)/(e\*x^2+d),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^(1/2)/(e\*x^2+d),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^(1/2)/(e\*x^2+d),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a + b \arcsin(cx)}}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*(1/2)/(e\*x\*\*2+d),x)

[Out] Integral(sqrt(a + b\*asin(c\*x))/(d + e\*x\*\*2), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{b \arcsin(cx) + a}}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^(1/2)/(e\*x^2+d),x, algorithm="giac")

[Out] integrate(sqrt(b\*arcsin(c\*x) + a)/(e\*x^2 + d), x)

$$3.690 \quad \int \frac{\sqrt{a+b \sin^{-1}(cx)}}{(d+ex^2)^2} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{\sqrt{a+b \sin^{-1}(cx)}}{(d+ex^2)^2}, x \right)$$

[Out] Unintegrable[Sqrt[a + b\*ArcSin[c\*x]]/(d + e\*x^2)^2, x]

**Rubi [A]** time = 0.0488776, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{\sqrt{a+b \sin^{-1}(cx)}}{(d+ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[a + b\*ArcSin[c\*x]]/(d + e\*x^2)^2,x]

[Out] Defer[Int][Sqrt[a + b\*ArcSin[c\*x]]/(d + e\*x^2)^2, x]

Rubi steps

$$\int \frac{\sqrt{a+b \sin^{-1}(cx)}}{(d+ex^2)^2} dx = \int \frac{\sqrt{a+b \sin^{-1}(cx)}}{(d+ex^2)^2} dx$$

**Mathematica [A]** time = 21.2521, size = 0, normalized size = 0.

$$\int \frac{\sqrt{a+b \sin^{-1}(cx)}}{(d+ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[a + b\*ArcSin[c\*x]]/(d + e\*x^2)^2,x]

[Out] Integrate[Sqrt[a + b\*ArcSin[c\*x]]/(d + e\*x^2)^2, x]

**Maple [A]** time = 0.501, size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)^2} \sqrt{a + b \arcsin(cx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^(1/2)/(e\*x^2+d)^2,x)

[Out] int((a+b\*arcsin(c\*x))^(1/2)/(e\*x^2+d)^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{b \arcsin(cx) + a}}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^(1/2)/(e\*x^2+d)^2,x, algorithm="maxima")

[Out] integrate(sqrt(b\*arcsin(c\*x) + a)/(e\*x^2 + d)^2, x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^(1/2)/(e\*x^2+d)^2,x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a + b \operatorname{asin}(cx)}}{(d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*asin(c*x))**(1/2)/(e*x**2+d)**2,x)
```

```
[Out] Integral(sqrt(a + b*asin(c*x))/(d + e*x**2)**2, x)
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arcsin(c*x))^(1/2)/(e*x^2+d)^2,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.691 \quad \int (d + ex^2) (a + b \sin^{-1}(cx))^{3/2} dx$$

**Optimal.** Leaf size=482

$$\frac{3\sqrt{\frac{\pi}{2}}b^{3/2}e \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{8c^3} + \frac{\sqrt{\frac{\pi}{6}}b^{3/2}e \cos\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{24c^3} - \frac{3\sqrt{\frac{\pi}{2}}b^{3/2}e \sin\left(\frac{a}{b}\right) \text{FresnelS}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{8c^3}$$

[Out] (3\*b\*d\*Sqrt[1 - c^2\*x^2]\*Sqrt[a + b\*ArcSin[c\*x]])/(2\*c) + (b\*e\*Sqrt[1 - c^2\*x^2]\*Sqrt[a + b\*ArcSin[c\*x]])/(3\*c^3) + (b\*e\*x^2\*Sqrt[1 - c^2\*x^2]\*Sqrt[a + b\*ArcSin[c\*x]])/(6\*c) + d\*x\*(a + b\*ArcSin[c\*x])^(3/2) + (e\*x^3\*(a + b\*ArcSin[c\*x])^(3/2))/3 - (3\*b^(3/2)\*d\*Sqrt[Pi/2]\*Cos[a/b]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(2\*c) - (3\*b^(3/2)\*e\*Sqrt[Pi/2]\*Cos[a/b]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(8\*c^3) + (b^(3/2)\*e\*Sqrt[Pi/6]\*Cos[(3\*a)/b]\*FresnelC[(Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(24\*c^3) - (3\*b^(3/2)\*d\*Sqrt[Pi/2]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(2\*c) - (3\*b^(3/2)\*e\*Sqrt[Pi/2]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(8\*c^3) + (b^(3/2)\*e\*Sqrt[Pi/6]\*FresnelS[(Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[(3\*a)/b])/(24\*c^3)

**Rubi [A]** time = 1.42438, antiderivative size = 482, normalized size of antiderivative = 1., number of steps used = 32, number of rules used = 13, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.65$ , Rules used = {4667, 4619, 4677, 4623, 3306, 3305, 3351, 3304, 3352, 4629, 4707, 4635, 4406}

$$\frac{3\sqrt{\frac{\pi}{2}}b^{3/2}e \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{8c^3} + \frac{\sqrt{\frac{\pi}{6}}b^{3/2}e \cos\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{24c^3} - \frac{3\sqrt{\frac{\pi}{2}}b^{3/2}e \sin\left(\frac{a}{b}\right) \text{FresnelS}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{8c^3}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2)\*(a + b\*ArcSin[c\*x])^(3/2), x]

[Out] (3\*b\*d\*Sqrt[1 - c^2\*x^2]\*Sqrt[a + b\*ArcSin[c\*x]])/(2\*c) + (b\*e\*Sqrt[1 - c^2\*x^2]\*Sqrt[a + b\*ArcSin[c\*x]])/(3\*c^3) + (b\*e\*x^2\*Sqrt[1 - c^2\*x^2]\*Sqrt[a + b\*ArcSin[c\*x]])/(6\*c) + d\*x\*(a + b\*ArcSin[c\*x])^(3/2) + (e\*x^3\*(a + b\*ArcSin[c\*x])^(3/2))/3 - (3\*b^(3/2)\*d\*Sqrt[Pi/2]\*Cos[a/b]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(2\*c) - (3\*b^(3/2)\*e\*Sqrt[Pi/2]\*Cos[a/b]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(8\*c^3) + (b^(3/2)\*e\*Sqrt[Pi/6]\*Cos[(3\*a)/b]\*FresnelC[(Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(24\*c^3) - (3\*b^(3/2)\*d\*Sqrt[Pi/2]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(2\*c) - (3\*b^(3/2)\*e\*Sqrt[Pi/2]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(8\*c^3) + (b^(3/2)\*e\*Sqrt[Pi/6]\*FresnelS[(Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[(3\*a)/b])/(24\*c^3)

$$\frac{\text{rt}[b]}{(24c^3) - (3b^{3/2}d\sqrt{\pi/2}\text{FresnelS}[\sqrt{2/\pi}\sqrt{a + b\text{ArcSin}[c*x]})/\sqrt{b}]\text{Sin}[a/b])/(2c) - (3b^{3/2}e\sqrt{\pi/2}\text{FresnelS}[\sqrt{2/\pi}\sqrt{a + b\text{ArcSin}[c*x]})/\sqrt{b}]\text{Sin}[a/b])/(8c^3) + (b^{3/2}e\sqrt{\pi/6}\text{FresnelS}[\sqrt{6/\pi}\sqrt{a + b\text{ArcSin}[c*x]})/\sqrt{b}]\text{Sin}[(3a)/b])/(24c^3)}$$
Rule 4667

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (d + e*x^2)^p, x], x]
;/; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])
```

Rule 4619

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol]
:> Simp[x*(a + b*ArcSin[c*x])^n, x] - Dist[b*c*n, Int[(x*(a + b*ArcSin[c*x])^(n - 1))/Sqrt[1 - c^2*x^2], x], x]
;/; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 4677

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d_) + (e_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[((d + e*x^2)^(p + 1)*(a + b*ArcSin[c*x])^n)/(2*e*(p + 1)), x] + Dist[(b*n*d^IntPart[p]*(d + e*x^2)^FracPart[p])/(2*c*(p + 1)*(1 - c^2*x^2)^FracPart[p]), Int[(1 - c^2*x^2)^(p + 1/2)*(a + b*ArcSin[c*x])^(n - 1), x], x]
;/; FreeQ[{a, b, c, d, e, p}, x] && EqQ[c^2*d + e, 0] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 4623

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_), x_Symbol]
:> Dist[1/(b*c), Subst[Int[x^n*Cos[a/b - x/b], x], x, a + b*ArcSin[c*x]], x]
;/; FreeQ[{a, b, c, n}, x]
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol]
:> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x]
;/; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol]
:> Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x]
;/; FreeQ[{c, d, e, f}
```



, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

### Rule 3351

Int[Sin[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]\*FresnelS[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)]]/(f\*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

### Rule 3304

Int[sin[Pi/2 + (e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[2/d, Subst[Int[Cos[(f\*x<sup>2</sup>)/d], x], x, Sqrt[c + d\*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d\*e - c\*f, 0]

### Rule 3352

Int[Cos[(d\_.)\*((e\_.) + (f\_.)\*(x\_))<sup>2</sup>], x\_Symbol] := Simp[(Sqrt[Pi/2]\*FresnelC[Sqrt[2/Pi]\*Rt[d, 2]\*(e + f\*x)]]/(f\*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

### Rule 4629

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))<sup>(n\_)</sup>(x\_)<sup>(m\_)</sup>, x\_Symbol] := Simp[(x<sup>(m + 1)</sup>\*(a + b\*ArcSin[c\*x])<sup>n</sup>)/(m + 1), x] - Dist[(b\*c\*n)/(m + 1), Int[(x<sup>(m + 1)</sup>\*(a + b\*ArcSin[c\*x])<sup>(n - 1)</sup>)/Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>], x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

### Rule 4707

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))<sup>(n\_)</sup>((f\_.)\*(x\_)<sup>(m\_)</sup>)/Sqrt[(d\_ + (e\_.)\*(x\_)<sup>2</sup>], x\_Symbol] := Simp[(f\*(f\*x)<sup>(m - 1)</sup>\*Sqrt[d + e\*x<sup>2</sup>]\*(a + b\*ArcSin[c\*x])<sup>n</sup>)/(e\*m), x] + (Dist[(f<sup>2</sup>\*(m - 1))/(c<sup>2</sup>\*m), Int[(f\*x)<sup>(m - 2)</sup>\*(a + b\*ArcSin[c\*x])<sup>n</sup>]/Sqrt[d + e\*x<sup>2</sup>], x], x] + Dist[(b\*f\*n\*Sqrt[1 - c<sup>2</sup>\*x<sup>2</sup>])/(c\*m\*Sqrt[d + e\*x<sup>2</sup>]), Int[(f\*x)<sup>(m - 1)</sup>\*(a + b\*ArcSin[c\*x])<sup>(n - 1)</sup>, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[c<sup>2</sup>\*d + e, 0] && GtQ[n, 0] && GtQ[m, 1] && IntegerQ[m]

### Rule 4635

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)])\*(b\_.))<sup>(n\_)</sup>(x\_)<sup>(m\_)</sup>, x\_Symbol] := Dist[1/c<sup>(m + 1)</sup>, Subst[Int[(a + b\*x)<sup>n</sup>\*Sin[x]<sup>m</sup>\*Cos[x], x], x, ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

### Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_)]<sup>(p\_.)</sup>((c\_.) + (d\_.)\*(x\_)<sup>(m\_.)</sup>\*Sin[(a\_.) + (b\_.)\*(x\_)])<sup>(n\_.)</sup>, x\_Symbol] := Int[ExpandTrigReduce[(c + d\*x)<sup>m</sup>, Sin[a + b\*x

$]^n \text{Cos}[a + b \cdot x]^p, x] /; \text{FreeQ}\{a, b, c, d, m, x\} \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$

### Rubi steps

$$\begin{aligned}
 \int (d + ex^2) (a + b \sin^{-1}(cx))^{3/2} dx &= \int \left( d (a + b \sin^{-1}(cx))^{3/2} + ex^2 (a + b \sin^{-1}(cx))^{3/2} \right) dx \\
 &= d \int (a + b \sin^{-1}(cx))^{3/2} dx + e \int x^2 (a + b \sin^{-1}(cx))^{3/2} dx \\
 &= dx (a + b \sin^{-1}(cx))^{3/2} + \frac{1}{3} ex^3 (a + b \sin^{-1}(cx))^{3/2} - \frac{1}{2} (3bcd) \int \frac{x \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{1 - c^2 x^2}} dx \\
 &= \frac{3bd\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{2c} + \frac{bex^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{6c} + dx (a + b \sin^{-1}(cx))^{3/2} \\
 &= \frac{3bd\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{2c} + \frac{be\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{3c^3} + \frac{bex^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{6c} \\
 &= \frac{3bd\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{2c} + \frac{be\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{3c^3} + \frac{bex^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{6c} \\
 &= \frac{3bd\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{2c} + \frac{be\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{3c^3} + \frac{bex^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{6c} \\
 &= \frac{3bd\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{2c} + \frac{be\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{3c^3} + \frac{bex^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{6c} \\
 &= \frac{3bd\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{2c} + \frac{be\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{3c^3} + \frac{bex^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{6c} \\
 &= \frac{3bd\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{2c} + \frac{be\sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{3c^3} + \frac{bex^2 \sqrt{1 - c^2 x^2} \sqrt{a + b \sin^{-1}(cx)}}{6c}
 \end{aligned}$$

**Mathematica [C]** time = 10.1017, size = 873, normalized size = 1.81

$$\frac{abde^{-\frac{ia}{b}} \left( \sqrt{-\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma} \left( \frac{3}{2}, -\frac{i(a+b \sin^{-1}(cx))}{b} \right) + e^{\frac{2ia}{b}} \sqrt{\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma} \left( \frac{3}{2}, \frac{i(a+b \sin^{-1}(cx))}{b} \right) \right)}{2c\sqrt{a + b \sin^{-1}(cx)}} + \frac{abee^{-\frac{3ia}{b}} \left( 9e^{\frac{2ia}{b}} \right)}{6c}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e\*x^2)\*(a + b\*ArcSin[c\*x])^(3/2),x]

[Out] (a\*b\*d\*(Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[3/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] + E^(((2\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[3/2, (I\*(a + b\*ArcSin[c\*x]))/b]))/(2\*c\*E^((I\*a)/b)\*Sqrt[a + b\*ArcSin[c\*x]]) + (a\*b\*e\*(9\*E^(((2\*I)\*a)/b)\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[3/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] + 9\*E^(((4\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[3/2, (I\*(a + b\*ArcSin[c\*x]))/b] - Sqrt[3]\*(Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[3/2, ((-3\*I)\*(a + b\*ArcSin[c\*x]))/b] + E^(((6\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[3/2, ((3\*I)\*(a + b\*ArcSin[c\*x]))/b])))/(72\*c^3\*E^(((3\*I)\*a)/b)\*Sqrt[a + b\*ArcSin[c\*x]]) + (b\*d\*(2\*Sqrt[a + b\*ArcSin[c\*x]]\*(3\*Sqrt[1 - c^2\*x^2] + 2\*c\*x\*ArcSin[c\*x]) - Sqrt[b^(-1)]\*Sqrt[2\*Pi]\*FresnelC[Sqrt[b^(-1)]\*Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]]]\*(3\*b\*Cos[a/b] + 2\*a\*Sin[a/b]) + Sqrt[b^(-1)]\*Sqrt[2\*Pi]\*FresnelS[Sqrt[b^(-1)]\*Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]]]\*(2\*a\*Cos[a/b] - 3\*b\*Sin[a/b])))/(4\*c) + (b\*e\*(18\*Sqrt[a + b\*ArcSin[c\*x]]\*(3\*Sqrt[1 - c^2\*x^2] + 2\*c\*x\*ArcSin[c\*x]) - 9\*Sqrt[b^(-1)]\*Sqrt[2\*Pi]\*FresnelC[Sqrt[b^(-1)]\*Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]]]\*(3\*b\*Cos[a/b] + 2\*a\*Sin[a/b]) + 9\*Sqrt[b^(-1)]\*Sqrt[2\*Pi]\*FresnelS[Sqrt[b^(-1)]\*Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]]]\*(2\*a\*Cos[a/b] - 3\*b\*Sin[a/b]) + Sqrt[b^(-1)]\*Sqrt[6\*Pi]\*FresnelC[Sqrt[b^(-1)]\*Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]]]\*(b\*Cos[(3\*a)/b] + 2\*a\*Sin[(3\*a)/b]) + Sqrt[b^(-1)]\*Sqrt[6\*Pi]\*FresnelS[Sqrt[b^(-1)]\*Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]]]\*(-2\*a\*Cos[(3\*a)/b] + b\*Sin[(3\*a)/b]) - 6\*Sqrt[a + b\*ArcSin[c\*x]]\*(Cos[3\*ArcSin[c\*x]] + 2\*ArcSin[c\*x]\*Sin[3\*ArcSin[c\*x]])))/(144\*c^3)

---

**Maple [B]** time = 0.154, size = 835, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)\*(a+b\*arcsin(c\*x))^(3/2),x)

[Out] 1/144/c^3\*(-108\*(1/b)^(1/2)\*Pi^(1/2)\*2^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)\*cos(a/b)\*FresnelC(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*b^2\*c^2\*d-108\*(1/b)^(1/2)\*Pi^(1/2)\*2^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)\*sin(a/b)\*FresnelS(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*b^2\*c^2\*d+(1/b)^(1/2)\*Pi^(1/2)\*2^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)\*cos(3\*a/b)\*FresnelC(2^(1/2)/Pi^(1/2)\*3^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*3^(1/2)\*b^2\*e+(1/b)^(1/2)\*Pi^(1/2)\*2^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)\*sin(3\*a/b)\*FresnelS(2^(1/2)

---

$$\frac{\pi^{1/2} 3^{1/2} / (1/b)^{1/2} (a+b \arcsin(cx))^{1/2} / b \cdot 3^{1/2} b^2 e^{-27} (1/b)^{1/2} \pi^{1/2} 2^{1/2} (a+b \arcsin(cx))^{1/2} \cos(a/b) \operatorname{FresnelC}(2^{1/2} / \pi^{1/2} / (1/b)^{1/2} (a+b \arcsin(cx))^{1/2} / b \cdot b^2 e^{-27} (1/b)^{1/2} \pi^{1/2} 2^{1/2} (a+b \arcsin(cx))^{1/2} \sin(a/b) \operatorname{FresnelS}(2^{1/2} / \pi^{1/2} / (1/b)^{1/2} (a+b \arcsin(cx))^{1/2} / b \cdot b^2 e^{144} \arcsin(cx)^2 \sin((a+b \arcsin(cx)) / b - a/b) \cdot b^2 c^{2d} + 288 \arcsin(cx) \sin((a+b \arcsin(cx)) / b - a/b) \cdot a \cdot b \cdot c^{2d} + 216 \arcsin(cx) \cos((a+b \arcsin(cx)) / b - a/b) \cdot b^2 c^{2d} + 36 \arcsin(cx)^2 \sin((a+b \arcsin(cx)) / b - a/b) \cdot b^2 e^{-12} \arcsin(cx)^2 \sin(3(a+b \arcsin(cx)) / b - 3a/b) \cdot b^2 e^{144} \sin((a+b \arcsin(cx)) / b - a/b) \cdot a^2 c^{2d} + 216 \cos((a+b \arcsin(cx)) / b - a/b) \cdot a \cdot b \cdot c^{2d} + 72 \arcsin(cx) \sin((a+b \arcsin(cx)) / b - a/b) \cdot a \cdot b \cdot e^{54} \arcsin(cx) \cos((a+b \arcsin(cx)) / b - a/b) \cdot b^2 e^{-24} \arcsin(cx) \sin(3(a+b \arcsin(cx)) / b - 3a/b) \cdot a \cdot b \cdot e^{-6} \arcsin(cx) \cos(3(a+b \arcsin(cx)) / b - 3a/b) \cdot b^2 e^{36} \sin((a+b \arcsin(cx)) / b - a/b) \cdot a^2 e^{54} \cos((a+b \arcsin(cx)) / b - a/b) \cdot a \cdot b \cdot e^{-12} \sin(3(a+b \arcsin(cx)) / b - 3a/b) \cdot a^2 e^{-6} \cos(3(a+b \arcsin(cx)) / b - 3a/b) \cdot a \cdot b \cdot e)}{(a+b \arcsin(cx))^{1/2}}$$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (ex^2 + d)(b \arcsin(cx) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)\*(a+b\*arcsin(c\*x))^(3/2),x, algorithm="maxima")

[Out] integrate((e\*x^2 + d)\*(b\*arcsin(c\*x) + a)^(3/2), x)

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)\*(a+b\*arcsin(c\*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{asin}(cx))^{\frac{3}{2}} (d + ex^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*(a+b\*asin(c\*x))\*\*(3/2),x)

[Out] Integral((a + b\*asin(c\*x))\*\*(3/2)\*(d + e\*x\*\*2), x)

**Giac [C]** time = 3.82275, size = 2699, normalized size = 5.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)\*(a+b\*arcsin(c\*x))^(3/2),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/4*I*\sqrt{2}*\sqrt{\pi}*a*b^3*d*\operatorname{erf}(-1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a})/ \\ & \sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(I*a/b)} / \\ & ((I*b^3/\sqrt{\operatorname{abs}(b)} + b^2*\sqrt{\operatorname{abs}(b)})*c) + 3/8*\sqrt{2}*\sqrt{\pi}*b^4*d* \\ & \operatorname{erf}(-1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{ \\ & b*\arcsin(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(I*a/b)} / ((I*b^3/\sqrt{\operatorname{abs}(b)} + b^2*\sqrt{ \\ & \operatorname{abs}(b)})*c) + 1/4*I*\sqrt{2}*\sqrt{\pi}*a*b^3*d*\operatorname{erf}(1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a})/ \\ & \sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(-I*a/b)} / \\ & ((-I*b^3/\sqrt{\operatorname{abs}(b)} + b^2*\sqrt{\operatorname{abs}(b)})*c) + 3/8*\sqrt{2} \\ & *\sqrt{\pi}*b^4*d*\operatorname{erf}(1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/ \\ & 2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(-I*a/b)} / ((-I*b^3/\sqrt{ \\ & \operatorname{abs}(b)} + b^2*\sqrt{\operatorname{abs}(b)})*c) + 1/4*I*\sqrt{2}*\sqrt{\pi}*a*b^2*d*\operatorname{erf}(-1/2*I* \\ & \sqrt{2}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c* \\ & x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(I*a/b)} / ((I*b^2/\sqrt{\operatorname{abs}(b)} + b*\sqrt{\operatorname{abs}(b)})*c) \\ & - 1/4*I*\sqrt{2}*\sqrt{\pi}*a*b^2*d*\operatorname{erf}(1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a})/ \\ & \sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(-I*a \\ & /b)} / ((-I*b^2/\sqrt{\operatorname{abs}(b)} + b*\sqrt{\operatorname{abs}(b)})*c) - 1/2*I*\sqrt{b*\arcsin(c*x) + \\ & a}*b*d*\arcsin(c*x)*e^{(I*\arcsin(c*x))}/c + 1/2*I*\sqrt{b*\arcsin(c*x) + a}*b*d \\ & *\arcsin(c*x)*e^{(-I*\arcsin(c*x))}/c - 1/16*I*\sqrt{2}*\sqrt{\pi}*a*b^3*\operatorname{erf}(-1/2* \\ & I*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin( \\ & c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e^{(I*a/b + 1)} / ((I*b^3/\sqrt{\operatorname{abs}(b)} + b^2*\sqrt{\operatorname{abs} \\ & (b)})*c^3) + 3/32*\sqrt{2}*\sqrt{\pi}*b^4*\operatorname{erf}(-1/2*I*\sqrt{2}*\sqrt{b*\arcsin(c*x) \\ & ) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\arcsin(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b)*e \\ & ^{(I*a/b + 1)} / ((I*b^3/\sqrt{\operatorname{abs}(b)} + b^2*\sqrt{\operatorname{abs}(b)})*c^3) + 1/16*I*\sqrt{2} \end{aligned}$$

$$\begin{aligned}
& * \sqrt{\pi} * a * b^3 * \operatorname{erf}\left(\frac{1}{2} * I * \sqrt{2} * \sqrt{b * \arcsin(c * x) + a} / \sqrt{\operatorname{abs}(b)}\right) - \frac{1}{2} * \sqrt{2} * \sqrt{b * \arcsin(c * x) + a} * \sqrt{\operatorname{abs}(b)} / b * e^{(-I * a / b + 1)} / \left(\left(-I * b^3 / \sqrt{\operatorname{abs}(b)} + b^2 * \sqrt{\operatorname{abs}(b)}\right) * c^3\right) + \frac{3}{32} * \sqrt{2} * \sqrt{\pi} * b^4 * \operatorname{erf}\left(\frac{1}{2} * I * \sqrt{2} * \sqrt{b * \arcsin(c * x) + a} / \sqrt{\operatorname{abs}(b)}\right) - \frac{1}{2} * \sqrt{2} * \sqrt{b * \arcsin(c * x) + a} * \sqrt{\operatorname{abs}(b)} / b * e^{(-I * a / b + 1)} / \left(\left(-I * b^3 / \sqrt{\operatorname{abs}(b)} + b^2 * \sqrt{\operatorname{abs}(b)}\right) * c^3\right) - \frac{1}{2} * I * \sqrt{b * \arcsin(c * x) + a} * a * d * e^{(I * \arcsin(c * x))} / c + \frac{3}{4} * \sqrt{b * \arcsin(c * x) + a} * b * d * e^{(I * \arcsin(c * x))} / c + \frac{1}{2} * I * \sqrt{b * \arcsin(c * x) + a} * a * d * e^{(-I * \arcsin(c * x))} / c + \frac{3}{4} * \sqrt{b * \arcsin(c * x) + a} * b * d * e^{(-I * \arcsin(c * x))} / c + \frac{1}{24} * I * \sqrt{\pi} * a * b^{(5/2)} * \operatorname{erf}\left(-\frac{1}{2} * \sqrt{6} * \sqrt{b * \arcsin(c * x) + a} / \sqrt{b}\right) - \frac{1}{2} * I * \sqrt{6} * \sqrt{b * \arcsin(c * x) + a} * \sqrt{b} / \operatorname{abs}(b) * e^{(3 * I * a / b + 1)} / \left(\left(\sqrt{6} * b^2 + I * \sqrt{6} * b^3 / \operatorname{abs}(b)\right) * c^3\right) - \frac{1}{48} * \sqrt{\pi} * b^{(7/2)} * \operatorname{erf}\left(-\frac{1}{2} * \sqrt{6} * \sqrt{b * \arcsin(c * x) + a} / \sqrt{b}\right) - \frac{1}{2} * I * \sqrt{6} * \sqrt{b * \arcsin(c * x) + a} * \sqrt{b} / \operatorname{abs}(b) * e^{(3 * I * a / b + 1)} / \left(\left(\sqrt{6} * b^2 + I * \sqrt{6} * b^3 / \operatorname{abs}(b)\right) * c^3\right) + \frac{1}{16} * I * \sqrt{2} * \sqrt{\pi} * a * b^2 * \operatorname{erf}\left(-\frac{1}{2} * I * \sqrt{2} * \sqrt{b * \arcsin(c * x) + a} / \sqrt{\operatorname{abs}(b)}\right) - \frac{1}{2} * \sqrt{2} * \sqrt{b * \arcsin(c * x) + a} * \sqrt{\operatorname{abs}(b)} / b * e^{(I * a / b + 1)} / \left(\left(I * b^2 / \sqrt{\operatorname{abs}(b)} + b * \sqrt{\operatorname{abs}(b)}\right) * c^3\right) - \frac{1}{16} * I * \sqrt{2} * \sqrt{\pi} * a * b^2 * \operatorname{erf}\left(\frac{1}{2} * I * \sqrt{2} * \sqrt{b * \arcsin(c * x) + a} / \sqrt{\operatorname{abs}(b)}\right) - \frac{1}{2} * \sqrt{2} * \sqrt{b * \arcsin(c * x) + a} * \sqrt{\operatorname{abs}(b)} / b * e^{(-I * a / b + 1)} / \left(\left(-I * b^2 / \sqrt{\operatorname{abs}(b)} + b * \sqrt{\operatorname{abs}(b)}\right) * c^3\right) - \frac{1}{24} * I * \sqrt{\pi} * a * b^{(5/2)} * \operatorname{erf}\left(-\frac{1}{2} * \sqrt{6} * \sqrt{b * \arcsin(c * x) + a} / \sqrt{b}\right) + \frac{1}{2} * I * \sqrt{6} * \sqrt{b * \arcsin(c * x) + a} * \sqrt{b} / \operatorname{abs}(b) * e^{(-3 * I * a / b + 1)} / \left(\left(\sqrt{6} * b^2 - I * \sqrt{6} * b^3 / \operatorname{abs}(b)\right) * c^3\right) - \frac{1}{48} * \sqrt{\pi} * b^{(7/2)} * \operatorname{erf}\left(-\frac{1}{2} * \sqrt{6} * \sqrt{b * \arcsin(c * x) + a} / \sqrt{b}\right) + \frac{1}{2} * I * \sqrt{6} * \sqrt{b * \arcsin(c * x) + a} * \sqrt{b} / \operatorname{abs}(b) * e^{(-3 * I * a / b + 1)} / \left(\left(\sqrt{6} * b^2 - I * \sqrt{6} * b^3 / \operatorname{abs}(b)\right) * c^3\right) - \frac{1}{24} * I * \sqrt{\pi} * a * b^{(3/2)} * \operatorname{erf}\left(-\frac{1}{2} * \sqrt{6} * \sqrt{b * \arcsin(c * x) + a} / \sqrt{b}\right) - \frac{1}{2} * I * \sqrt{6} * \sqrt{b * \arcsin(c * x) + a} * \sqrt{b} / \operatorname{abs}(b) * e^{(3 * I * a / b + 1)} / \left(\left(\sqrt{6} * b + I * \sqrt{6} * b^2 / \operatorname{abs}(b)\right) * c^3\right) + \frac{1}{24} * I * \sqrt{\pi} * a * b^{(3/2)} * \operatorname{erf}\left(-\frac{1}{2} * \sqrt{6} * \sqrt{b * \arcsin(c * x) + a} / \sqrt{b}\right) + \frac{1}{2} * I * \sqrt{6} * \sqrt{b * \arcsin(c * x) + a} * \sqrt{b} / \operatorname{abs}(b) * e^{(-3 * I * a / b + 1)} / \left(\left(\sqrt{6} * b - I * \sqrt{6} * b^2 / \operatorname{abs}(b)\right) * c^3\right) + \frac{1}{24} * I * \sqrt{b * \arcsin(c * x) + a} * b * \arcsin(c * x) * e^{(3 * I * \arcsin(c * x) + 1)} / c^3 - \frac{1}{8} * I * \sqrt{b * \arcsin(c * x) + a} * b * \arcsin(c * x) * e^{(I * \arcsin(c * x) + 1)} / c^3 + \frac{1}{8} * I * \sqrt{b * \arcsin(c * x) + a} * b * \arcsin(c * x) * e^{(-I * \arcsin(c * x) + 1)} / c^3 - \frac{1}{24} * I * \sqrt{b * \arcsin(c * x) + a} * b * \arcsin(c * x) * e^{(-3 * I * \arcsin(c * x) + 1)} / c^3 + \frac{1}{24} * I * \sqrt{b * \arcsin(c * x) + a} * a * e^{(3 * I * \arcsin(c * x) + 1)} / c^3 - \frac{1}{48} * \sqrt{b * \arcsin(c * x) + a} * b * e^{(3 * I * \arcsin(c * x) + 1)} / c^3 - \frac{1}{8} * I * \sqrt{b * \arcsin(c * x) + a} * a * e^{(I * \arcsin(c * x) + 1)} / c^3 + \frac{3}{16} * \sqrt{b * \arcsin(c * x) + a} * b * e^{(I * \arcsin(c * x) + 1)} / c^3 + \frac{1}{8} * I * \sqrt{b * \arcsin(c * x) + a} * a * e^{(-I * \arcsin(c * x) + 1)} / c^3 + \frac{3}{16} * \sqrt{b * \arcsin(c * x) + a} * b * e^{(-I * \arcsin(c * x) + 1)} / c^3 - \frac{1}{24} * I * \sqrt{b * \arcsin(c * x) + a} * a * e^{(-3 * I * \arcsin(c * x) + 1)} / c^3 - \frac{1}{48} * \sqrt{b * \arcsin(c * x) + a} * b * e^{(-3 * I * \arcsin(c * x) + 1)} / c^3
\end{aligned}$$

$$3.692 \quad \int (a + b \sin^{-1}(cx))^{3/2} dx$$

**Optimal.** Leaf size=159

$$\frac{3\sqrt{\frac{\pi}{2}}b^{3/2}\cos\left(\frac{a}{b}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{2c} - \frac{3\sqrt{\frac{\pi}{2}}b^{3/2}\sin\left(\frac{a}{b}\right)S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{2c} + \frac{3b\sqrt{1-c^2x^2}\sqrt{a+b\sin^{-1}(cx)}}{2c}$$

[Out] (3\*b\*Sqrt[1 - c^2\*x^2]\*Sqrt[a + b\*ArcSin[c\*x]])/(2\*c) + x\*(a + b\*ArcSin[c\*x])^(3/2) - (3\*b^(3/2)\*Sqrt[Pi/2]\*Cos[a/b]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(2\*c) - (3\*b^(3/2)\*Sqrt[Pi/2]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(2\*c)

**Rubi [A]** time = 0.232287, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$ , Rules used = {4619, 4677, 4623, 3306, 3305, 3351, 3304, 3352}

$$\frac{3\sqrt{\frac{\pi}{2}}b^{3/2}\cos\left(\frac{a}{b}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{2c} - \frac{3\sqrt{\frac{\pi}{2}}b^{3/2}\sin\left(\frac{a}{b}\right)S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b\sin^{-1}(cx)}}{\sqrt{b}}\right)}{2c} + \frac{3b\sqrt{1-c^2x^2}\sqrt{a+b\sin^{-1}(cx)}}{2c}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*ArcSin[c\*x])^(3/2), x]

[Out] (3\*b\*Sqrt[1 - c^2\*x^2]\*Sqrt[a + b\*ArcSin[c\*x]])/(2\*c) + x\*(a + b\*ArcSin[c\*x])^(3/2) - (3\*b^(3/2)\*Sqrt[Pi/2]\*Cos[a/b]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(2\*c) - (3\*b^(3/2)\*Sqrt[Pi/2]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(2\*c)

### Rule 4619

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.), x\_Symbol] :> Simp[x\*(a + b\*ArcSin[c\*x])^n, x] - Dist[b\*c\*n, Int[(x\*(a + b\*ArcSin[c\*x])^(n - 1))/Sqrt[1 - c^2\*x^2], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

### Rule 4677

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_.)\*(x\_)\*((d\_.) + (e\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x^2)^(p + 1)\*(a + b\*ArcSin[c\*x])^n)/(2\*e\*(p + 1)), x] + Dist[(b\*n\*d^IntPart[p]\*(d + e\*x^2)^FracPart[p])/(2\*c\*(p + 1)\*(1

$-c^2x^2)^{\text{FracPart}[p]}$ ,  $\text{Int}[(1 - c^2x^2)^{(p + 1/2)}(a + b\text{ArcSin}[c*x])^{(n - 1)}, x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, p\}, x\} \&\& \text{EqQ}[c^2d + e, 0] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[p, -1]$

### Rule 4623

$\text{Int}[(a + \text{ArcSin}[c*x])*(b)^{(n)}, x_{\text{Symbol}}] := \text{Dist}[1/(b*c), \text{Subst}[\text{Int}[x^n*\text{Cos}[a/b - x/b], x], x, a + b*\text{ArcSin}[c*x]], x] /;$   $\text{FreeQ}\{a, b, c, n\}, x]$

### Rule 3306

$\text{Int}[\sin[(e + (f*x))/\text{Sqrt}[c + (d*x)]], x_{\text{Symbol}}] := \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/\text{Sqrt}[c + d*x], x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/\text{Sqrt}[c + d*x], x], x] /;$   $\text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{ComplexFreeQ}[f] \&\& \text{NeQ}[d*e - c*f, 0]$

### Rule 3305

$\text{Int}[\sin[(e + (f*x))/\text{Sqrt}[c + (d*x)]], x_{\text{Symbol}}] := \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /;$   $\text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

### Rule 3351

$\text{Int}[\text{Sin}[(d)*((e + (f*x))^2)], x_{\text{Symbol}}] := \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /;$   $\text{FreeQ}\{d, e, f\}, x]$

### Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e + (f*x))/\text{Sqrt}[c + (d*x)]], x_{\text{Symbol}}] := \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /;$   $\text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

### Rule 3352

$\text{Int}[\text{Cos}[(d)*((e + (f*x))^2)], x_{\text{Symbol}}] := \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /;$   $\text{FreeQ}\{d, e, f\}, x]$

### Rubi steps



$$\begin{aligned}
\int (a + b \sin^{-1}(cx))^{3/2} dx &= x(a + b \sin^{-1}(cx))^{3/2} - \frac{1}{2}(3bc) \int \frac{x\sqrt{a + b \sin^{-1}(cx)}}{\sqrt{1 - c^2x^2}} dx \\
&= \frac{3b\sqrt{1 - c^2x^2}\sqrt{a + b \sin^{-1}(cx)}}{2c} + x(a + b \sin^{-1}(cx))^{3/2} - \frac{1}{4}(3b^2) \int \frac{1}{\sqrt{a + b \sin^{-1}(cx)}} dx \\
&= \frac{3b\sqrt{1 - c^2x^2}\sqrt{a + b \sin^{-1}(cx)}}{2c} + x(a + b \sin^{-1}(cx))^{3/2} - \frac{(3b) \text{Subst}\left(\int \frac{\cos\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + b\right)}{4c} \\
&= \frac{3b\sqrt{1 - c^2x^2}\sqrt{a + b \sin^{-1}(cx)}}{2c} + x(a + b \sin^{-1}(cx))^{3/2} - \frac{(3b \cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \frac{\cos\left(\frac{x}{b}\right)}{\sqrt{x}} dx, x\right)}{4c} \\
&= \frac{3b\sqrt{1 - c^2x^2}\sqrt{a + b \sin^{-1}(cx)}}{2c} + x(a + b \sin^{-1}(cx))^{3/2} - \frac{(3b \cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \cos\left(\frac{x^2}{b}\right) dx\right)}{2c} \\
&= \frac{3b\sqrt{1 - c^2x^2}\sqrt{a + b \sin^{-1}(cx)}}{2c} + x(a + b \sin^{-1}(cx))^{3/2} - \frac{3b^{3/2}\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{2c}
\end{aligned}$$

**Mathematica [C]** time = 2.74216, size = 291, normalized size = 1.83

$$b \left( \frac{2ae^{-\frac{ia}{b}} \left( \sqrt{-\frac{i(a+b \sin^{-1}(cx))}{b}} \Gamma\left(\frac{3}{2}, -\frac{i(a+b \sin^{-1}(cx))}{b}\right) + e^{\frac{2ia}{b}} \sqrt{\frac{i(a+b \sin^{-1}(cx))}{b}} \Gamma\left(\frac{3}{2}, \frac{i(a+b \sin^{-1}(cx))}{b}\right) \right)}{\sqrt{a+b \sin^{-1}(cx)}} \right) + 2 \left( 3\sqrt{1 - c^2x^2} + 2cx \sin^{-1}(cx) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^(3/2), x]

[Out] (b\*(2\*Sqrt[a + b\*ArcSin[c\*x]]\*(3\*Sqrt[1 - c^2\*x^2] + 2\*c\*x\*ArcSin[c\*x]) + (2\*a\*(Sqrt[(-I)\*(a + b\*ArcSin[c\*x]])/b]\*Gamma[3/2, ((-I)\*(a + b\*ArcSin[c\*x])/b]) + E^(((2\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x])/b]\*Gamma[3/2, (I\*(a + b\*ArcSin[c\*x])/b)]))/(E^((I\*a)/b)\*Sqrt[a + b\*ArcSin[c\*x]]) - Sqrt[b^(-1)]\*Sqrt[2\*Pi]\*FresnelC[Sqrt[b^(-1)]\*Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]]]\*(3\*b\*Cos[a/b] + 2\*a\*Sin[a/b]) + Sqrt[b^(-1)]\*Sqrt[2\*Pi]\*FresnelS[Sqrt[b^(-1)]\*Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]]]\*(2\*a\*Cos[a/b] - 3\*b\*Sin[a/b]))/(4\*c)

---

**Maple [B]** time = 0., size = 270, normalized size = 1.7

$$\frac{1}{4c} \left( -3 \sqrt{b^{-1}} \sqrt{\pi} \sqrt{a + b \arcsin(cx)} \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{b^{-1}} \sqrt{\pi} b}\right) \sqrt{2} b^2 - 3 \sqrt{b^{-1}} \sqrt{\pi} \sqrt{a + b \arcsin(cx)} \sin\left(\frac{a}{b}\right) \text{FresnelS}\left(\frac{\sqrt{2} \sqrt{a + b \arcsin(cx)}}{\sqrt{b^{-1}} \sqrt{\pi} b}\right) \sqrt{2} b^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*arcsin(c*x))^(3/2),x)`

[Out] `1/4/c/(a+b*arcsin(c*x))^(1/2)*(-3*(1/b)^(1/2)*Pi^(1/2)*(a+b*arcsin(c*x))^(1/2)*cos(a/b)*FresnelC(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*2^(1/2)*b^2-3*(1/b)^(1/2)*Pi^(1/2)*(a+b*arcsin(c*x))^(1/2)*sin(a/b)*FresnelS(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)*(a+b*arcsin(c*x))^(1/2)/b)*2^(1/2)*b^2+4*arcsin(c*x)^2*sin((a+b*arcsin(c*x))/b-a/b)*b^2+8*arcsin(c*x)*sin((a+b*arcsin(c*x))/b-a/b)*a*b+6*arcsin(c*x)*cos((a+b*arcsin(c*x))/b-a/b)*b^2+4*sin((a+b*arcsin(c*x))/b-a/b)*a^2+6*cos((a+b*arcsin(c*x))/b-a/b)*a*b`

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (b \arcsin(cx) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(3/2),x, algorithm="maxima")`

[Out] `integrate((b*arcsin(c*x) + a)^(3/2), x)`

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arcsin(c*x))^(3/2),x, algorithm="fricas")`

[Out] Exception raised: UnboundLocalError

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{asin}(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*(3/2),x)

[Out] Integral((a + b\*asin(c\*x))\*\*(3/2), x)

---

**Giac [C]** time = 2.18128, size = 879, normalized size = 5.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^(3/2),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/4*I*\sqrt{2}*\sqrt{\pi}*a*b^3*\operatorname{erf}(-1/2*I*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(I*a/b)}/ \\ & ((I*b^3/\sqrt{\operatorname{abs}(b)} + b^2*\sqrt{\operatorname{abs}(b)})*c) + 3/8*\sqrt{2}*\sqrt{\pi}*b^4*\operatorname{erf}(-1/2*I*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(I*a/b)}/((I*b^3/\sqrt{\operatorname{abs}(b)} + b^2*\sqrt{\operatorname{abs}(b)})*c) + 1/4*I*\sqrt{2}*\sqrt{\pi}*a*b^3*\operatorname{erf}(1/2*I*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(-I*a/b)}/((-I*b^3/\sqrt{\operatorname{abs}(b)} + b^2*\sqrt{\operatorname{abs}(b)})*c) + 3/8*\sqrt{2}*\sqrt{\pi}*b^4*\operatorname{erf}(1/2*I*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(-I*a/b)}/((-I*b^3/\sqrt{\operatorname{abs}(b)} + b^2*\sqrt{\operatorname{abs}(b)})*c) + 1/4*I*\sqrt{2}*\sqrt{\pi}*a*b^2*\operatorname{erf}(-1/2*I*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(I*a/b)}/((I*b^2/\sqrt{\operatorname{abs}(b)} + b*\sqrt{\operatorname{abs}(b)})*c) - 1/4*I*\sqrt{2}*\sqrt{\pi}*a*b^2*\operatorname{erf}(1/2*I*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a})/\sqrt{\operatorname{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\operatorname{arcsin}(c*x) + a}*\sqrt{\operatorname{abs}(b)}/b*e^{(-I*a/b)}/((-I*b^2/\sqrt{\operatorname{abs}(b)} + b*\sqrt{\operatorname{abs}(b)})*c) - 1/2*I*\sqrt{b*\operatorname{arcsin}(c*x) + a}*b*\operatorname{arcsin}(c*x)*e^{(I*\operatorname{arcsin}(c*x))}/c + 1/2*I*\sqrt{b*\operatorname{arcsin}(c*x) + a}*b*\operatorname{arcsin}(c*x)*e^{(-I*\operatorname{arcsin}(c*x))}/c - 1/2*I*\sqrt{b*\operatorname{arcsin}(c*x) + a}*a*e^{(I*\operatorname{arcsin}(c*x))}/c + 3/4*\sqrt{b*\operatorname{arcsin}(c*x) + a}*b*e^{(I*\operatorname{arcsin}(c*x))}/c + 1/2*I*\sqrt{b*\operatorname{arcsin}(c*x) + a}*a*e^{(-I*\operatorname{arcsin}(c*x))}/c + 3/4*\sqrt{b*\operatorname{arcsin}(c*x) + a}*b*e^{(-I*\operatorname{arcsin}(c*x))}/c \end{aligned}$$

$$3.693 \quad \int \frac{(a+b \sin^{-1}(cx))^{3/2}}{d+ex^2} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{(a+b \sin^{-1}(cx))^{3/2}}{d+ex^2}, x \right)$$

[Out] Unintegrable[(a + b\*ArcSin[c\*x])^(3/2)/(d + e\*x^2), x]

**Rubi [A]** time = 0.0619877, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(a+b \sin^{-1}(cx))^{3/2}}{d+ex^2} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b\*ArcSin[c\*x])^(3/2)/(d + e\*x^2), x]

[Out] Defer[Int] [(a + b\*ArcSin[c\*x])^(3/2)/(d + e\*x^2), x]

Rubi steps

$$\int \frac{(a+b \sin^{-1}(cx))^{3/2}}{d+ex^2} dx = \int \frac{(a+b \sin^{-1}(cx))^{3/2}}{d+ex^2} dx$$

**Mathematica [A]** time = 3.38365, size = 0, normalized size = 0.

$$\int \frac{(a+b \sin^{-1}(cx))^{3/2}}{d+ex^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b\*ArcSin[c\*x])^(3/2)/(d + e\*x^2), x]

[Out] Integrate[(a + b\*ArcSin[c\*x])^(3/2)/(d + e\*x^2), x]

**Maple [A]** time = 0.204, size = 0, normalized size = 0.

$$\int \frac{1}{ex^2 + d} (a + b \arcsin(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^(3/2)/(e\*x^2+d),x)

[Out] int((a+b\*arcsin(c\*x))^(3/2)/(e\*x^2+d),x)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^(3/2)/(e\*x^2+d),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^(3/2)/(e\*x^2+d),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{asin}(cx))^{\frac{3}{2}}}{d + ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*(3/2)/(e\*x\*\*2+d),x)

[Out] Integral((a + b\*asin(c\*x))\*\*(3/2)/(d + e\*x\*\*2), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^{\frac{3}{2}}}{ex^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^(3/2)/(e\*x^2+d),x, algorithm="giac")

[Out] integrate((b\*arcsin(c\*x) + a)^(3/2)/(e\*x^2 + d), x)

$$3.694 \quad \int \frac{(a+b \sin^{-1}(cx))^{3/2}}{(d+ex^2)^2} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{(a+b \sin^{-1}(cx))^{3/2}}{(d+ex^2)^2}, x \right)$$

[Out] Unintegrable[(a + b\*ArcSin[c\*x])^(3/2)/(d + e\*x^2)^2, x]

**Rubi [A]** time = 0.0587861, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(a+b \sin^{-1}(cx))^{3/2}}{(d+ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b\*ArcSin[c\*x])^(3/2)/(d + e\*x^2)^2,x]

[Out] Defer[Int] [(a + b\*ArcSin[c\*x])^(3/2)/(d + e\*x^2)^2, x]

Rubi steps

$$\int \frac{(a+b \sin^{-1}(cx))^{3/2}}{(d+ex^2)^2} dx = \int \frac{(a+b \sin^{-1}(cx))^{3/2}}{(d+ex^2)^2} dx$$

**Mathematica [A]** time = 11.3023, size = 0, normalized size = 0.

$$\int \frac{(a+b \sin^{-1}(cx))^{3/2}}{(d+ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b\*ArcSin[c\*x])^(3/2)/(d + e\*x^2)^2,x]

[Out] Integrate[(a + b\*ArcSin[c\*x])^(3/2)/(d + e\*x^2)^2, x]

**Maple [A]** time = 0.562, size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)^2} (a + b \arcsin(cx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*arcsin(c\*x))^(3/2)/(e\*x^2+d)^2,x)

[Out] int((a+b\*arcsin(c\*x))^(3/2)/(e\*x^2+d)^2,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \arcsin(cx) + a)^{\frac{3}{2}}}{(ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^(3/2)/(e\*x^2+d)^2,x, algorithm="maxima")

[Out] integrate((b\*arcsin(c\*x) + a)^(3/2)/(e\*x^2 + d)^2, x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^(3/2)/(e\*x^2+d)^2,x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError



---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*asin(c\*x))\*\*(3/2)/(e\*x\*\*2+d)\*\*2,x)

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*arcsin(c\*x))^(3/2)/(e\*x^2+d)^2,x, algorithm="giac")

[Out] Exception raised: TypeError

$$3.695 \quad \int \frac{(d+ex^2)^2}{\sqrt{a+b \sin^{-1}(cx)}} dx$$

**Optimal.** Leaf size=679

$$\frac{\sqrt{\frac{\pi}{2}} de \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc^3}} - \frac{\sqrt{\frac{\pi}{6}} de \cos\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc^3}} + \frac{\sqrt{\frac{\pi}{2}} de \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc^3}}$$

[Out] (d\*e\*Sqrt[Pi/2]\*Cos[a/b]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(Sqrt[b]\*c^3) + (e^2\*Sqrt[Pi/2]\*Cos[a/b]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(4\*Sqrt[b]\*c^5) + (d^2\*Sqrt[2\*Pi]\*Cos[a/b]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(Sqrt[b]\*c) - (d\*e\*Sqrt[Pi/6]\*Cos[(3\*a)/b]\*FresnelC[(Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(Sqrt[b]\*c^3) - (e^2\*Sqrt[(3\*Pi)/2]\*Cos[(3\*a)/b]\*FresnelC[(Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(8\*Sqrt[b]\*c^5) + (e^2\*Sqrt[Pi/10]\*Cos[(5\*a)/b]\*FresnelC[(Sqrt[10/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(8\*Sqrt[b]\*c^5) + (d\*e\*Sqrt[Pi/2]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(Sqrt[b]\*c^3) + (e^2\*Sqrt[Pi/2]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(4\*Sqrt[b]\*c^5) + (d^2\*Sqrt[2\*Pi]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(Sqrt[b]\*c) - (d\*e\*Sqrt[Pi/6]\*FresnelS[(Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[(3\*a)/b])/(Sqrt[b]\*c^3) - (e^2\*Sqrt[(3\*Pi)/2]\*FresnelS[(Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[(3\*a)/b])/(8\*Sqrt[b]\*c^5) + (e^2\*Sqrt[Pi/10]\*FresnelS[(Sqrt[10/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[(5\*a)/b])/(8\*Sqrt[b]\*c^5)

**Rubi [A]** time = 1.50435, antiderivative size = 679, normalized size of antiderivative = 1., number of steps used = 39, number of rules used = 9, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$ , Rules used = {4667, 4623, 3306, 3305, 3351, 3304, 3352, 4635, 4406}

$$\frac{\sqrt{\frac{\pi}{2}} de \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc^3}} - \frac{\sqrt{\frac{\pi}{6}} de \cos\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc^3}} + \frac{\sqrt{\frac{\pi}{2}} de \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc^3}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2)^2/Sqrt[a + b\*ArcSin[c\*x]], x]

```
[Out] (d*e*Sqrt[Pi/2]*Cos[a/b]*FresnelC[(Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]])/(Sqrt[b]*c^3) + (e^2*Sqrt[Pi/2]*Cos[a/b]*FresnelC[(Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]])/(4*Sqrt[b]*c^5) + (d^2*Sqrt[2*Pi]*Cos[a/b]*FresnelC[(Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]])/(Sqrt[b]*c) - (d*e*Sqrt[Pi/6]*Cos[(3*a)/b]*FresnelC[(Sqrt[6/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]])/(Sqrt[b]*c^3) - (e^2*Sqrt[(3*Pi)/2]*Cos[(3*a)/b]*FresnelC[(Sqrt[6/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]])/(8*Sqrt[b]*c^5) + (e^2*Sqrt[Pi/10]*Cos[(5*a)/b]*FresnelC[(Sqrt[10/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]])/(8*Sqrt[b]*c^5) + (d*e*Sqrt[Pi/2]*FresnelS[(Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]]*Sin[a/b])/((Sqrt[b]*c^3) + (e^2*Sqrt[Pi/2]*FresnelS[(Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]]*Sin[a/b]))/(4*Sqrt[b]*c^5) + (d^2*Sqrt[2*Pi]*FresnelS[(Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]]*Sin[a/b])/((Sqrt[b]*c) - (d*e*Sqrt[Pi/6]*FresnelS[(Sqrt[6/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]]*Sin[(3*a)/b]))/(Sqrt[b]*c^3) - (e^2*Sqrt[(3*Pi)/2]*FresnelS[(Sqrt[6/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]]*Sin[(3*a)/b]))/(8*Sqrt[b]*c^5) + (e^2*Sqrt[Pi/10]*FresnelS[(Sqrt[10/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]]*Sin[(5*a)/b]))/(8*Sqrt[b]*c^5)
```

#### Rule 4667

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_)*((d_) + (e_.)*(x_)^2)^p_., x_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (d + e*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (GtQ[p, 0] || IGtQ[n, 0])
```

#### Rule 4623

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_., x_Symbol] := Dist[1/(b*c), Subst[Int[x^n*Cos[a/b - x/b], x], x, a + b*ArcSin[c*x]], x] /; FreeQ[{a, b, c, n}, x]
```

#### Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

#### Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 4635

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))(n_)(x_)(m_), x_Symbol] := Dist[1/c(m + 1), Subst[Int[(a + b*x)n*Sin[x]m*Cos[x], x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)](p_)((c_.) + (d_.)*(x_))(m_)*Sin[(a_.) + (b_.)*(x_)](n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)m, Sin[a + b*x]n*Cos[a + b*x]p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2}{\sqrt{a + b \sin^{-1}(cx)}} dx &= \int \left( \frac{d^2}{\sqrt{a + b \sin^{-1}(cx)}} + \frac{2dex^2}{\sqrt{a + b \sin^{-1}(cx)}} + \frac{e^2x^4}{\sqrt{a + b \sin^{-1}(cx)}} \right) dx \\
&= d^2 \int \frac{1}{\sqrt{a + b \sin^{-1}(cx)}} dx + (2de) \int \frac{x^2}{\sqrt{a + b \sin^{-1}(cx)}} dx + e^2 \int \frac{x^4}{\sqrt{a + b \sin^{-1}(cx)}} dx \\
&= \frac{d^2 \operatorname{Subst} \left( \int \frac{\cos\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + b \sin^{-1}(cx) \right)}{bc} + \frac{(2de) \operatorname{Subst} \left( \int \frac{\cos(x) \sin^2(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{c^3} + \\
&= \frac{(2de) \operatorname{Subst} \left( \int \left( \frac{\cos(x)}{4\sqrt{a+bx}} - \frac{\cos(3x)}{4\sqrt{a+bx}} \right) dx, x, \sin^{-1}(cx) \right)}{c^3} + \frac{e^2 \operatorname{Subst} \left( \int \left( \frac{\cos(x)}{8\sqrt{a+bx}} - \frac{3\cos(3x)}{16\sqrt{a+bx}} + \frac{\cos(5x)}{16\sqrt{a+bx}} \right) dx, x, \sin^{-1}(cx) \right)}{c^5} \\
&= \frac{(de) \operatorname{Subst} \left( \int \frac{\cos(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{2c^3} - \frac{(de) \operatorname{Subst} \left( \int \frac{\cos(3x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{2c^3} + \frac{e^2 \operatorname{Subst} \left( \int \frac{\cos(5x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{2c^3} \\
&= \frac{d^2 \sqrt{2\pi} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc}} + \frac{d^2 \sqrt{2\pi} S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right) \sin\left(\frac{a}{b}\right)}{\sqrt{bc}} + \frac{(de \cos\left(\frac{a}{b}\right)) \operatorname{Subst} \left( \int \frac{\cos(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{\sqrt{bc}} \\
&= \frac{d^2 \sqrt{2\pi} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc}} + \frac{d^2 \sqrt{2\pi} S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right) \sin\left(\frac{a}{b}\right)}{\sqrt{bc}} + \frac{(de \cos\left(\frac{a}{b}\right)) \operatorname{Subst} \left( \int \frac{\cos(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{\sqrt{bc}} \\
&= \frac{de \sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc^3}} + \frac{e^2 \sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{4\sqrt{bc^5}} + \frac{d^2 \sqrt{2\pi} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc}}
\end{aligned}$$

**Mathematica [C]** time = 1.5743, size = 401, normalized size = 0.59

$$ie^{-\frac{5ia}{b}} \left( -30e^{\frac{4ia}{b}} (8c^4d^2 + 4c^2de + e^2) \sqrt{-\frac{i(a+b \sin^{-1}(cx))}{b}} \operatorname{Gamma}\left(\frac{1}{2}, -\frac{i(a+b \sin^{-1}(cx))}{b}\right) + 30e^{\frac{6ia}{b}} (8c^4d^2 + 4c^2de + e^2) \sqrt{\frac{i(a+b \sin^{-1}(cx))}{b}} \operatorname{Gamma}\left(\frac{1}{2}, \frac{i(a+b \sin^{-1}(cx))}{b}\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e\*x^2)^2/Sqrt[a + b\*ArcSin[c\*x]],x]

[Out] ((I/480)\*(-30\*(8\*c^4\*d^2 + 4\*c^2\*d\*e + e^2)\*E^(((4\*I)\*a)/b)\*Sqrt[(-I)\*(a + b\*ArcSin[c\*x])/b]\*Gamma[1/2, ((-I)\*(a + b\*ArcSin[c\*x])/b)] + 30\*(8\*c^4\*d^2 + 4\*c^2\*d\*e + e^2)\*E^(((6\*I)\*a)/b)\*Sqrt[(I)\*(a + b\*ArcSin[c\*x])/b]\*Gamma[1/2, (I)\*(a + b\*ArcSin[c\*x])/b])

$$2 + 4c^2 d e + e^2) E^{\left(\frac{(6I)a}{b} \sqrt{\frac{I(a + b \operatorname{ArcSin}[c x])}{b}}\right) \Gamma\left[\frac{1}{2}, \frac{I(a + b \operatorname{ArcSin}[c x])}{b}\right] + e(5 \sqrt{3}(8c^2 d + 3e) E^{\left(\frac{(2I)a}{b} \sqrt{\frac{(-I)(a + b \operatorname{ArcSin}[c x])}{b}}\right) \Gamma\left[\frac{1}{2}, \frac{(-3I)(a + b \operatorname{ArcSin}[c x])}{b}\right]} - 5 \sqrt{3}(8c^2 d + 3e) E^{\left(\frac{(8I)a}{b} \sqrt{\frac{I(a + b \operatorname{ArcSin}[c x])}{b}}\right) \Gamma\left[\frac{1}{2}, \frac{(3I)(a + b \operatorname{ArcSin}[c x])}{b}\right]} - 3 \sqrt{5} e \left(\sqrt{\frac{(-I)(a + b \operatorname{ArcSin}[c x])}{b}}\right) \Gamma\left[\frac{1}{2}, \frac{(-5I)(a + b \operatorname{ArcSin}[c x])}{b}\right] - E^{\left(\frac{(10I)a}{b} \sqrt{\frac{I(a + b \operatorname{ArcSin}[c x])}{b}}\right) \Gamma\left[\frac{1}{2}, \frac{(5I)(a + b \operatorname{ArcSin}[c x])}{b}\right])} / (c^5 E^{\left(\frac{(5I)a}{b} \sqrt{\frac{I(a + b \operatorname{ArcSin}[c x])}{b}}\right)} \sqrt{a + b \operatorname{ArcSin}[c x]})$$

**Maple [A]** time = 0.101, size = 545, normalized size = 0.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (e x^2 + d)^2 / (a + b \arcsin(cx))^{1/2} dx$

[Out] 
$$\begin{aligned} & -1/240/c^5(1/b)^{1/2} \pi^{1/2} 2^{1/2} 5^{1/2} (-48 5^{1/2} \cos(a/b) \operatorname{FresnelC}(2^{1/2}/\pi^{1/2}/(1/b)^{1/2} (a + b \arcsin(cx))^{1/2}/b) c^4 d^2 - 48 5^{1/2} \\ & (1/2) \sin(a/b) \operatorname{FresnelS}(2^{1/2}/\pi^{1/2}/(1/b)^{1/2} (a + b \arcsin(cx))^{1/2}/b) c^4 d^2 + 8 5^{1/2} 3^{1/2} \cos(3a/b) \operatorname{FresnelC}(2^{1/2}/\pi^{1/2} 3^{1/2}/(1/b)^{1/2} \\ & (a + b \arcsin(cx))^{1/2}/b) c^2 d e + 8 5^{1/2} 3^{1/2} \sin(3a/b) \operatorname{FresnelS}(2^{1/2}/\pi^{1/2} 3^{1/2}/(1/b)^{1/2} (a + b \arcsin(cx))^{1/2}/b) c^2 d e \\ & - 24 5^{1/2} \cos(a/b) \operatorname{FresnelC}(2^{1/2}/\pi^{1/2}/(1/b)^{1/2} (a + b \arcsin(cx))^{1/2}/b) c^2 d e - 24 5^{1/2} \sin(a/b) \operatorname{FresnelS}(2^{1/2}/\pi^{1/2}/(1/b)^{1/2} \\ & (a + b \arcsin(cx))^{1/2}/b) c^2 d e + 3 5^{1/2} 3^{1/2} \cos(3a/b) \operatorname{FresnelC}(2^{1/2}/\pi^{1/2} 3^{1/2}/(1/b)^{1/2} (a + b \arcsin(cx))^{1/2}/b) e^2 + 3 5^{1/2} \\ & 3^{1/2} \sin(3a/b) \operatorname{FresnelS}(2^{1/2}/\pi^{1/2} 3^{1/2}/(1/b)^{1/2} (a + b \arcsin(cx))^{1/2}/b) e^2 - 6 5^{1/2} \cos(a/b) \operatorname{FresnelC}(2^{1/2}/\pi^{1/2}/(1/b)^{1/2} \\ & (a + b \arcsin(cx))^{1/2}/b) e^2 - 6 5^{1/2} \sin(a/b) \operatorname{FresnelS}(2^{1/2}/\pi^{1/2}/(1/b)^{1/2} (a + b \arcsin(cx))^{1/2}/b) e^2 - 3 \cos(5a/b) \operatorname{FresnelC}(2^{1/2}/\pi^{1/2} 5^{1/2}/(1/b)^{1/2} \\ & (a + b \arcsin(cx))^{1/2}/b) e^2 - 3 \sin(5a/b) \operatorname{FresnelS}(2^{1/2}/\pi^{1/2} 5^{1/2}/(1/b)^{1/2} (a + b \arcsin(cx))^{1/2}/b) e^2 \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(ex^2 + d)^2}{\sqrt{b \arcsin(cx) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2/(a+b\*arcsin(c\*x))^(1/2),x, algorithm="maxima")

[Out] integrate((e\*x^2 + d)^2/sqrt(b\*arcsin(c\*x) + a), x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2/(a+b\*arcsin(c\*x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(d + ex^2)^2}{\sqrt{a + b \operatorname{asin}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)\*\*2/(a+b\*asin(c\*x))\*\*(1/2),x)

[Out] Integral((d + e\*x\*\*2)\*\*2/sqrt(a + b\*asin(c\*x)), x)

**Giac [C]** time = 3.08554, size = 1314, normalized size = 1.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)^2/(a+b\*arcsin(c\*x))^(1/2),x, algorithm="giac")

[Out]  $-\sqrt{\pi}d^2\operatorname{erf}\left(-\frac{1}{2}I\sqrt{2}\sqrt{b\operatorname{arcsin}(c*x)+a}\right)/\sqrt{\operatorname{abs}(b)} - \frac{1}{2}\sqrt{2}\sqrt{b\operatorname{arcsin}(c*x)+a}\sqrt{\operatorname{abs}(b)}/b * e^{(I*a/b)}/(c*(I*\sqrt{2})*b/$

$$\begin{aligned}
& \sqrt{\text{abs}(b)} + \sqrt{2} \sqrt{\text{abs}(b)})) - \sqrt{\pi} * d^2 * \text{erf}(1/2 * I * \sqrt{2} * \sqrt{b * \arcsin(c*x) + a} / \sqrt{\text{abs}(b)} - 1/2 * \sqrt{2} * \sqrt{b * \arcsin(c*x) + a} * \sqrt{\text{abs}(b)} / b * e^{(-I * a / b) / (c * (-I * \sqrt{2} * b / \sqrt{\text{abs}(b)} + \sqrt{2} * \sqrt{\text{abs}(b)})} \\
& )) + 1/2 * \sqrt{\pi} * d * \text{erf}(-1/2 * \sqrt{6} * \sqrt{b * \arcsin(c*x) + a} / \sqrt{b} - 1/2 * I * \sqrt{6} * \sqrt{b * \arcsin(c*x) + a} * \sqrt{b} / \text{abs}(b)) * e^{(3 * I * a / b + 1) / ((\sqrt{6} * \sqrt{b} + I * \sqrt{6} * b^{(3/2)} / \text{abs}(b)) * c^3} - 1/2 * \sqrt{\pi} * d * \text{erf}(-1/2 * I * \sqrt{2} * \sqrt{b * \arcsin(c*x) + a} / \sqrt{\text{abs}(b)} - 1/2 * \sqrt{2} * \sqrt{b * \arcsin(c*x) + a} * \sqrt{\text{abs}(b)} / b * e^{(I * a / b + 1) / (c^3 * (I * \sqrt{2} * b / \sqrt{\text{abs}(b)} + \sqrt{2} * \sqrt{\text{abs}(b)}))} \\
& )) - 1/2 * \sqrt{\pi} * d * \text{erf}(1/2 * I * \sqrt{2} * \sqrt{b * \arcsin(c*x) + a} / \sqrt{\text{abs}(b)} - 1/2 * \sqrt{2} * \sqrt{b * \arcsin(c*x) + a} * \sqrt{\text{abs}(b)} / b * e^{(-I * a / b + 1) / (c^3 * (-I * \sqrt{2} * b / \sqrt{\text{abs}(b)} + \sqrt{2} * \sqrt{\text{abs}(b)})} \\
& )) + 1/2 * \sqrt{\pi} * d * \text{erf}(-1/2 * \sqrt{6} * \sqrt{b * \arcsin(c*x) + a} / \sqrt{b} + 1/2 * I * \sqrt{6} * \sqrt{b * \arcsin(c*x) + a} * \sqrt{b} / \text{abs}(b)) * e^{(-3 * I * a / b + 1) / ((\sqrt{6} * \sqrt{b} - I * \sqrt{6} * b^{(3/2)} / \text{abs}(b)) * c^3} - 1/16 * \sqrt{\pi} * \text{erf}(-1/2 * \sqrt{10} * \sqrt{b * \arcsin(c*x) + a} / \sqrt{b} - 1/2 * I * \sqrt{10} * \sqrt{b * \arcsin(c*x) + a} * \sqrt{b} / \text{abs}(b)) * e^{(5 * I * a / b + 2) / ((\sqrt{10} * \sqrt{b} + I * \sqrt{10} * b^{(3/2)} / \text{abs}(b)) * c^5} - 1/8 * \sqrt{\pi} * \text{erf}(-1/2 * I * \sqrt{2} * \sqrt{b * \arcsin(c*x) + a} / \sqrt{\text{abs}(b)} - 1/2 * \sqrt{2} * \sqrt{b * \arcsin(c*x) + a} * \sqrt{\text{abs}(b)} / b * e^{(I * a / b + 2) / (c^5 * (I * \sqrt{2} * b / \sqrt{\text{abs}(b)} + \sqrt{2} * \sqrt{\text{abs}(b)})} \\
& )) - 1/8 * \sqrt{\pi} * \text{erf}(1/2 * I * \sqrt{2} * \sqrt{b * \arcsin(c*x) + a} / \sqrt{\text{abs}(b)} - 1/2 * \sqrt{2} * \sqrt{b * \arcsin(c*x) + a} * \sqrt{\text{abs}(b)} / b * e^{(-I * a / b + 2) / (c^5 * (-I * \sqrt{2} * b / \sqrt{\text{abs}(b)} + \sqrt{2} * \sqrt{\text{abs}(b)})} \\
& )) - 1/16 * \sqrt{\pi} * \text{erf}(-1/2 * \sqrt{10} * \sqrt{b * \arcsin(c*x) + a} / \sqrt{b} + 1/2 * I * \sqrt{10} * \sqrt{b * \arcsin(c*x) + a} * \sqrt{b} / \text{abs}(b)) * e^{(-5 * I * a / b + 2) / ((\sqrt{10} * \sqrt{b} - I * \sqrt{10} * b^{(3/2)} / \text{abs}(b)) * c^5} + 3/16 * \sqrt{\pi} * \text{erf}(-1/2 * \sqrt{6} * \sqrt{b * \arcsin(c*x) + a} / \sqrt{b} - 1/2 * I * \sqrt{6} * \sqrt{b * \arcsin(c*x) + a} * \sqrt{b} / \text{abs}(b)) * e^{(3 * I * a / b + 2) / (\sqrt{b} * c^5 * (\sqrt{6} + I * \sqrt{6} * b / \text{abs}(b)))} + 3/16 * \sqrt{\pi} * \text{erf}(-1/2 * \sqrt{6} * \sqrt{b * \arcsin(c*x) + a} / \sqrt{b} + 1/2 * I * \sqrt{6} * \sqrt{b * \arcsin(c*x) + a} * \sqrt{b} / \text{abs}(b)) * e^{(-3 * I * a / b + 2) / (\sqrt{b} * c^5 * (\sqrt{6} - I * \sqrt{6} * b / \text{abs}(b)))}
\end{aligned}$$



$$3.696 \quad \int \frac{d+ex^2}{\sqrt{a+b \sin^{-1}(cx)}} dx$$

**Optimal.** Leaf size=329

$$\frac{\sqrt{\frac{\pi}{2}} e \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{bc^3}} - \frac{\sqrt{\frac{\pi}{6}} e \cos\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{bc^3}} + \frac{\sqrt{\frac{\pi}{2}} e \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{bc^3}}$$

[Out] (e\*Sqrt[Pi/2]\*Cos[a/b]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(2\*Sqrt[b]\*c^3) + (d\*Sqrt[2\*Pi]\*Cos[a/b]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(Sqrt[b]\*c) - (e\*Sqrt[Pi/6]\*Cos[(3\*a)/b]\*FresnelC[(Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(2\*Sqrt[b]\*c^3) + (e\*Sqrt[Pi/2]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(2\*Sqrt[b]\*c^3) + (d\*Sqrt[2\*Pi]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(Sqrt[b]\*c) - (e\*Sqrt[Pi/6]\*FresnelS[(Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[(3\*a)/b])/(2\*Sqrt[b]\*c^3)

**Rubi [A]** time = 0.637046, antiderivative size = 329, normalized size of antiderivative = 1., number of steps used = 21, number of rules used = 9, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.45$ , Rules used = {4667, 4623, 3306, 3305, 3351, 3304, 3352, 4635, 4406}

$$\frac{\sqrt{\frac{\pi}{2}} e \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{bc^3}} - \frac{\sqrt{\frac{\pi}{6}} e \cos\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{bc^3}} + \frac{\sqrt{\frac{\pi}{2}} e \sin\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{bc^3}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2)/Sqrt[a + b\*ArcSin[c\*x]],x]

[Out] (e\*Sqrt[Pi/2]\*Cos[a/b]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(2\*Sqrt[b]\*c^3) + (d\*Sqrt[2\*Pi]\*Cos[a/b]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(Sqrt[b]\*c) - (e\*Sqrt[Pi/6]\*Cos[(3\*a)/b]\*FresnelC[(Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(2\*Sqrt[b]\*c^3) + (e\*Sqrt[Pi/2]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(2\*Sqrt[b]\*c^3) + (d\*Sqrt[2\*Pi]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(Sqrt[b]\*c) - (e\*Sqrt[Pi/6]\*FresnelS[(Sqrt[6/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[(3\*a)/b])/(2\*Sqrt[b]\*c^3)

**Rule 4667**

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_.)*((d_.) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])
```

### Rule 4623

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[1/(b*c), Sub
st[Int[x^n*Cos[a/b - x/b], x], x, a + b*ArcSin[c*x], x] /; FreeQ[{a, b, c,
n}, x]
```

### Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

### Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

### Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

### Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x], x] /; FreeQ[{c, d
, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

### Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

### Rule 4635

```
Int[((a_.) + ArcSin[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Dist[1
/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Cos[x], x], x, ArcSin[c*x], x]
```

;/ FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

### Rule 4406

Int[Cos[(a\_.) + (b\_.)\*(x\_)]^(p\_.)\*((c\_.) + (d\_.)\*(x\_))^(m\_.)\*Sin[(a\_.) + (b\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Int[ExpandTrigReduce[(c + d\*x)^m, Sin[a + b\*x]]^n\*Cos[a + b\*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{d + ex^2}{\sqrt{a + b \sin^{-1}(cx)}} dx &= \int \left( \frac{d}{\sqrt{a + b \sin^{-1}(cx)}} + \frac{ex^2}{\sqrt{a + b \sin^{-1}(cx)}} \right) dx \\
 &= d \int \frac{1}{\sqrt{a + b \sin^{-1}(cx)}} dx + e \int \frac{x^2}{\sqrt{a + b \sin^{-1}(cx)}} dx \\
 &= \frac{d \operatorname{Subst} \left( \int \frac{\cos\left(\frac{a}{b} - \frac{x}{b}\right)}{\sqrt{x}} dx, x, a + b \sin^{-1}(cx) \right)}{bc} + \frac{e \operatorname{Subst} \left( \int \frac{\cos(x) \sin^2(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{c^3} \\
 &= \frac{e \operatorname{Subst} \left( \int \left( \frac{\cos(x)}{4\sqrt{a+bx}} - \frac{\cos(3x)}{4\sqrt{a+bx}} \right) dx, x, \sin^{-1}(cx) \right)}{c^3} + \frac{\left( d \cos\left(\frac{a}{b}\right) \right) \operatorname{Subst} \left( \int \frac{\cos\left(\frac{x}{b}\right)}{\sqrt{x}} dx, x, a + b \sin^{-1}(cx) \right)}{bc} \\
 &= \frac{e \operatorname{Subst} \left( \int \frac{\cos(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{4c^3} - \frac{e \operatorname{Subst} \left( \int \frac{\cos(3x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{4c^3} + \frac{\left( 2d \cos\left(\frac{a}{b}\right) \right) \operatorname{Subst} \left( \int \frac{\cos\left(\frac{x}{b}\right)}{\sqrt{x}} dx, x, a + b \sin^{-1}(cx) \right)}{bc} \\
 &= \frac{d\sqrt{2\pi} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc}} + \frac{d\sqrt{2\pi} S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right) \sin\left(\frac{a}{b}\right)}{\sqrt{bc}} + \frac{\left( e \cos\left(\frac{a}{b}\right) \right) \operatorname{Subst} \left( \int \frac{\cos\left(\frac{x}{b}\right)}{\sqrt{x}} dx, x, a + b \sin^{-1}(cx) \right)}{bc} \\
 &= \frac{d\sqrt{2\pi} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc}} + \frac{d\sqrt{2\pi} S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right) \sin\left(\frac{a}{b}\right)}{\sqrt{bc}} + \frac{\left( e \cos\left(\frac{a}{b}\right) \right) \operatorname{Subst} \left( \int \frac{\cos\left(\frac{x}{b}\right)}{\sqrt{x}} dx, x, a + b \sin^{-1}(cx) \right)}{bc} \\
 &= \frac{e\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{bc^3}} + \frac{d\sqrt{2\pi} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc}} - \frac{e\sqrt{\frac{\pi}{6}} \cos\left(\frac{3a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{2\sqrt{bc^3}}
 \end{aligned}$$

**Mathematica [C]** time = 0.60476, size = 246, normalized size = 0.75

$$ie^{-\frac{3ia}{b}} \left( 3e^{\frac{2ia}{b}} (4c^2d + e) \sqrt{-\frac{i(a+b\sin^{-1}(cx))}{b}} \text{Gamma} \left( \frac{1}{2}, -\frac{i(a+b\sin^{-1}(cx))}{b} \right) - 3e^{\frac{4ia}{b}} (4c^2d + e) \sqrt{\frac{i(a+b\sin^{-1}(cx))}{b}} \text{Gamma} \left( \frac{1}{2}, \frac{i(a+b\sin^{-1}(cx))}{b} \right) \right) / (24c^3 \sqrt{a + b \sin^{-1}(cx)})$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e\*x^2)/Sqrt[a + b\*ArcSin[c\*x]],x]

[Out] ((-I/24)\*(3\*(4\*c^2\*d + e)\*E^(((2\*I)\*a)/b)\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] - 3\*(4\*c^2\*d + e)\*E^(((4\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, (I\*(a + b\*ArcSin[c\*x]))/b] - Sqrt[3]\*e\*(Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((-3\*I)\*(a + b\*ArcSin[c\*x]))/b] - E^(((6\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((3\*I)\*(a + b\*ArcSin[c\*x]))/b]))/(c^3\*E^(((3\*I)\*a)/b)\*Sqrt[a + b\*ArcSin[c\*x]])]

**Maple [A]** time = 0.068, size = 248, normalized size = 0.8

$$\frac{\sqrt{2}\sqrt{\pi}}{12c^3} \sqrt{b^{-1}} \left( 12 \sin\left(\frac{a}{b}\right) \text{FresnelS}\left(\frac{\sqrt{2}\sqrt{a + b \arcsin(cx)}}{\sqrt{\pi}\sqrt{b^{-1}b}}\right) c^2d + 12 \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{2}\sqrt{a + b \arcsin(cx)}}{\sqrt{\pi}\sqrt{b^{-1}b}}\right) c^2d - \sqrt{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)/(a+b\*arcsin(c\*x))^(1/2),x)

[Out] 1/12/c^3\*(1/b)^(1/2)\*2^(1/2)\*Pi^(1/2)\*(12\*sin(a/b)\*FresnelS(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*c^2\*d+12\*cos(a/b)\*FresnelC(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*c^2\*d-3^(1/2)\*cos(3\*a/b)\*FresnelC(2^(1/2)/Pi^(1/2)\*3^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*e-3^(1/2)\*sin(3\*a/b)\*FresnelS(2^(1/2)/Pi^(1/2)\*3^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*e+3\*sin(a/b)\*FresnelS(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*e+3\*cos(a/b)\*FresnelC(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)\*e)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{ex^2 + d}{\sqrt{b \arcsin(cx) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)/(a+b*arcsin(c*x))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((e*x^2 + d)/sqrt(b*arcsin(c*x) + a), x)
```

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)/(a+b*arcsin(c*x))^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: UnboundLocalError
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{d + ex^2}{\sqrt{a + b \operatorname{asin}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)/(a+b*asin(c*x))**(1/2),x)
```

```
[Out] Integral((d + e*x**2)/sqrt(a + b*asin(c*x)), x)
```

**Giac [C]** time = 2.56747, size = 655, normalized size = 1.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)/(a+b*arcsin(c*x))^(1/2),x, algorithm="giac")
```

```
[Out] -sqrt(pi)*d*erf(-1/2*I*sqrt(2)*sqrt(b*arcsin(c*x) + a)/sqrt(abs(b)) - 1/2*sqrt(2)*sqrt(b*arcsin(c*x) + a)*sqrt(abs(b))/b)*e^(I*a/b)/(c*(I*sqrt(2)*b/sq
```

$$\begin{aligned}
& \text{rt}(\text{abs}(b)) + \sqrt{2}*\sqrt{\text{abs}(b)}) - \sqrt{\pi}*d*\text{erf}(1/2*I*\sqrt{2}*\sqrt{b*a} \\
& \text{rcsin}(c*x) + a)/\sqrt{\text{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\text{arcsin}(c*x) + a}*\sqrt{\text{abs} \\
& (b))/b)*e^{(-I*a/b)/(c*(-I*\sqrt{2}*b/\sqrt{\text{abs}(b)} + \sqrt{2}*\sqrt{\text{abs}(b)}))} + \\
& 1/4*\sqrt{\pi}*\text{erf}(-1/2*\sqrt{6}*\sqrt{b*\text{arcsin}(c*x) + a})/\sqrt{b} - 1/2*I*\sqrt{ \\
& (6)*\sqrt{b*\text{arcsin}(c*x) + a}*\sqrt{b}/\text{abs}(b))*e^{(3*I*a/b + 1)/((\sqrt{6})*\sqrt{ \\
& b) + I*\sqrt{6}*b^{(3/2)}/\text{abs}(b))*c^3} - 1/4*\sqrt{\pi}*\text{erf}(-1/2*I*\sqrt{2}*\sqrt{ \\
& b*\text{arcsin}(c*x) + a)/\sqrt{\text{abs}(b)} - 1/2*\sqrt{2}*\sqrt{b*\text{arcsin}(c*x) + a}*\sqrt{ \\
& \text{abs}(b))/b)*e^{(I*a/b + 1)/(c^3*(I*\sqrt{2}*b/\sqrt{\text{abs}(b)} + \sqrt{2}*\sqrt{\text{abs} \\
& (b)}))} - 1/4*\sqrt{\pi}*\text{erf}(1/2*I*\sqrt{2}*\sqrt{b*\text{arcsin}(c*x) + a})/\sqrt{\text{abs}(b)} \\
& - 1/2*\sqrt{2}*\sqrt{b*\text{arcsin}(c*x) + a}*\sqrt{\text{abs}(b))/b)*e^{(-I*a/b + 1)/(c^3* \\
& (-I*\sqrt{2}*b/\sqrt{\text{abs}(b)} + \sqrt{2}*\sqrt{\text{abs}(b)}))} + 1/4*\sqrt{\pi}*\text{erf}(-1/2 \\
& *\sqrt{6}*\sqrt{b*\text{arcsin}(c*x) + a})/\sqrt{b} + 1/2*I*\sqrt{6}*\sqrt{b*\text{arcsin}(c*x) \\
& + a}*\sqrt{b}/\text{abs}(b))*e^{(-3*I*a/b + 1)/((\sqrt{6})*\sqrt{b} - I*\sqrt{6}*b^{(3/2} \\
& )/\text{abs}(b))*c^3}
\end{aligned}$$

$$3.697 \quad \int \frac{1}{\sqrt{a+b \sin^{-1}(cx)}} dx$$

**Optimal.** Leaf size=101

$$\frac{\sqrt{2\pi} \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc}} + \frac{\sqrt{2\pi} \sin\left(\frac{a}{b}\right) \text{S}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc}}$$

[Out] (Sqrt[2\*Pi]\*Cos[a/b]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(Sqrt[b]\*c) + (Sqrt[2\*Pi]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(Sqrt[b]\*c)

**Rubi [A]** time = 0.0950421, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$ , Rules used = {4623, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{2\pi} \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc}} + \frac{\sqrt{2\pi} \sin\left(\frac{a}{b}\right) \text{S}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[a + b\*ArcSin[c\*x]],x]

[Out] (Sqrt[2\*Pi]\*Cos[a/b]\*FresnelC[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]])/(Sqrt[b]\*c) + (Sqrt[2\*Pi]\*FresnelS[(Sqrt[2/Pi]\*Sqrt[a + b\*ArcSin[c\*x]])/Sqrt[b]]\*Sin[a/b])/(Sqrt[b]\*c)

#### Rule 4623

Int[((a\_.) + ArcSin[(c\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] :> Dist[1/(b\*c), Subst[Int[x^n\*Cos[a/b - x/b], x], x, a + b\*ArcSin[c\*x]], x] /; FreeQ[{a, b, c, n}, x]

#### Rule 3306

Int[sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Dist[Cos[(d\*e - c\*f)/d], Int[Sin[(c\*f)/d + f\*x]/Sqrt[c + d\*x], x], x] + Dist[Sin[(d\*e - c\*f)/d], Int[Cos[(c\*f)/d + f\*x]/Sqrt[c + d\*x], x], x] /; FreeQ[{c, d,

$e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{NeQ}[d*e - c*f, 0]$

### Rule 3305

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \text{ :> Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] \text{ /; FreeQ}\{c, d, e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

### Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] \text{ :> Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] \text{ /; FreeQ}\{d, e, f\}, x]$

### Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x\_Symbol] \text{ :> Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] \text{ /; FreeQ}\{c, d, e, f\}, x] \&\& \text{ComplexFreeQ}[f] \&\& \text{EqQ}[d*e - c*f, 0]$

### Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x\_Symbol] \text{ :> Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] \text{ /; FreeQ}\{d, e, f\}, x]$

### Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{a + b \sin^{-1}(cx)}} dx &= \frac{\text{Subst}\left(\int \frac{\cos\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + b \sin^{-1}(cx)\right)}{bc} \\ &= \frac{\cos\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\cos\left(\frac{x}{b}\right)}{\sqrt{x}} dx, x, a + b \sin^{-1}(cx)\right)}{bc} + \frac{\sin\left(\frac{a}{b}\right) \text{Subst}\left(\int \frac{\sin\left(\frac{x}{b}\right)}{\sqrt{x}} dx, x, a + b \sin^{-1}(cx)\right)}{bc} \\ &= \frac{(2 \cos\left(\frac{a}{b}\right)) \text{Subst}\left(\int \cos\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{bc} + \frac{(2 \sin\left(\frac{a}{b}\right)) \text{Subst}\left(\int \sin\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{bc} \\ &= \frac{\sqrt{2\pi} \cos\left(\frac{a}{b}\right) C\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{\sqrt{bc}} + \frac{\sqrt{2\pi} S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a + b \sin^{-1}(cx)}}{\sqrt{b}}\right) \sin\left(\frac{a}{b}\right)}{\sqrt{bc}} \end{aligned}$$



**Mathematica [C]** time = 0.0964359, size = 121, normalized size = 1.2

$$\frac{ie^{-\frac{ia}{b}} \left( e^{\frac{2ia}{b}} \sqrt{\frac{i(a+b\sin^{-1}(cx))}{b}} \Gamma\left(\frac{1}{2}, \frac{i(a+b\sin^{-1}(cx))}{b}\right) - \sqrt{-\frac{i(a+b\sin^{-1}(cx))}{b}} \Gamma\left(\frac{1}{2}, -\frac{i(a+b\sin^{-1}(cx))}{b}\right) \right)}{2c\sqrt{a+b\sin^{-1}(cx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/Sqrt[a + b\*ArcSin[c\*x]], x]

[Out] ((I/2)\*(-(Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b]) + E^(((2\*I)\*a)/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, (I\*(a + b\*ArcSin[c\*x]))/b]))/(c\*E^((I\*a)/b)\*Sqrt[a + b\*ArcSin[c\*x]])

**Maple [A]** time = 0., size = 83, normalized size = 0.8

$$\frac{\sqrt{2}\sqrt{\pi}}{c} \sqrt{b^{-1}} \left( \cos\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{2}}{\sqrt{\pi b}} \sqrt{a + b \arcsin(cx)} \frac{1}{\sqrt{b^{-1}}}\right) + \sin\left(\frac{a}{b}\right) \text{FresnelS}\left(\frac{\sqrt{2}}{\sqrt{\pi b}} \sqrt{a + b \arcsin(cx)} \frac{1}{\sqrt{b^{-1}}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*arcsin(c\*x))^(1/2), x)

[Out] 2^(1/2)\*Pi^(1/2)\*(1/b)^(1/2)\*(cos(a/b)\*FresnelC(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b)+sin(a/b)\*FresnelS(2^(1/2)/Pi^(1/2)/(1/b)^(1/2)\*(a+b\*arcsin(c\*x))^(1/2)/b))/c

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{b \arcsin(cx) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))^(1/2), x, algorithm="maxima")

[Out] integrate(1/sqrt(b\*arcsin(c\*x) + a), x)

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{a + b \operatorname{asin}(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*asin(c\*x))\*\*(1/2),x)

[Out] Integral(1/sqrt(a + b\*asin(c\*x)), x)

---

**Giac [C]** time = 1.79073, size = 215, normalized size = 2.13

$$\frac{\sqrt{\pi} \operatorname{erf}\left(-\frac{i\sqrt{2}\sqrt{b}\operatorname{arcsin}(cx)+a}{2\sqrt{|b|}} - \frac{\sqrt{2}\sqrt{b}\operatorname{arcsin}(cx)+a\sqrt{|b|}}{2b}\right) e^{\left(\frac{ia}{b}\right)}}{c\left(\frac{i\sqrt{2}b}{\sqrt{|b|}} + \sqrt{2}\sqrt{|b|}\right)} - \frac{\sqrt{\pi} \operatorname{erf}\left(\frac{i\sqrt{2}\sqrt{b}\operatorname{arcsin}(cx)+a}{2\sqrt{|b|}} - \frac{\sqrt{2}\sqrt{b}\operatorname{arcsin}(cx)+a\sqrt{|b|}}{2b}\right) e^{\left(-\frac{ia}{b}\right)}}{c\left(-\frac{i\sqrt{2}b}{\sqrt{|b|}} + \sqrt{2}\sqrt{|b|}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*arcsin(c\*x))^(1/2),x, algorithm="giac")

[Out] -sqrt(pi)\*erf(-1/2\*I\*sqrt(2)\*sqrt(b\*arcsin(c\*x) + a)/sqrt(abs(b)) - 1/2\*sqrt(2)\*sqrt(b\*arcsin(c\*x) + a)\*sqrt(abs(b))/b)\*e^(I\*a/b)/(c\*(I\*sqrt(2)\*b/sqrt(abs(b)) + sqrt(2)\*sqrt(abs(b)))) - sqrt(pi)\*erf(1/2\*I\*sqrt(2)\*sqrt(b\*arcsin(c\*x) + a)/sqrt(abs(b)) - 1/2\*sqrt(2)\*sqrt(b\*arcsin(c\*x) + a)\*sqrt(abs(b))/b)\*e^(-I\*a/b)/(c\*(-I\*sqrt(2)\*b/sqrt(abs(b)) + sqrt(2)\*sqrt(abs(b))))

$$3.698 \quad \int \frac{1}{(d+ex^2)\sqrt{a+b\sin^{-1}(cx)}} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable}\left(\frac{1}{(d+ex^2)\sqrt{a+b\sin^{-1}(cx)}}, x\right)$$

[Out] Unintegrable[1/((d + e\*x^2)\*Sqrt[a + b\*ArcSin[c\*x]]), x]

**Rubi [A]** time = 0.0567442, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(d+ex^2)\sqrt{a+b\sin^{-1}(cx)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/((d + e\*x^2)\*Sqrt[a + b\*ArcSin[c\*x]]), x]

[Out] Defer[Int][1/((d + e\*x^2)\*Sqrt[a + b\*ArcSin[c\*x]]), x]

Rubi steps

$$\int \frac{1}{(d+ex^2)\sqrt{a+b\sin^{-1}(cx)}} dx = \int \frac{1}{(d+ex^2)\sqrt{a+b\sin^{-1}(cx)}} dx$$

**Mathematica [A]** time = 0.145486, size = 0, normalized size = 0.

$$\int \frac{1}{(d+ex^2)\sqrt{a+b\sin^{-1}(cx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((d + e\*x^2)\*Sqrt[a + b\*ArcSin[c\*x]]), x]

[Out] Integrate[1/((d + e\*x^2)\*Sqrt[a + b\*ArcSin[c\*x]]), x]

---

**Maple [A]** time = 0.209, size = 0, normalized size = 0.

$$\int \frac{1}{ex^2 + d} \frac{1}{\sqrt{a + b \arcsin(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^2+d)/(a+b\*arcsin(c\*x))^(1/2),x)

[Out] int(1/(e\*x^2+d)/(a+b\*arcsin(c\*x))^(1/2),x)

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)/(a+b\*arcsin(c\*x))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)/(a+b\*arcsin(c\*x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{a + b \operatorname{asin}(cx)} (d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x\*\*2+d)/(a+b\*asin(c\*x))\*\*(1/2),x)

[Out] Integral(1/(sqrt(a + b\*asin(c\*x))\*(d + e\*x\*\*2)), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)\sqrt{b \operatorname{arcsin}(cx) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)/(a+b\*arcsin(c\*x))^(1/2),x, algorithm="giac")

[Out] integrate(1/((e\*x^2 + d)\*sqrt(b\*arcsin(c\*x) + a)), x)

$$3.699 \quad \int \frac{1}{(d+ex^2)^2 \sqrt{a+b \sin^{-1}(cx)}} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{1}{(d+ex^2)^2 \sqrt{a+b \sin^{-1}(cx)}}, x \right)$$

[Out] Unintegrable[1/((d + e\*x^2)^2\*Sqrt[a + b\*ArcSin[c\*x]]), x]

**Rubi [A]** time = 0.0537331, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(d+ex^2)^2 \sqrt{a+b \sin^{-1}(cx)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/((d + e\*x^2)^2\*Sqrt[a + b\*ArcSin[c\*x]]),x]

[Out] Defer[Int][1/((d + e\*x^2)^2\*Sqrt[a + b\*ArcSin[c\*x]]), x]

Rubi steps

$$\int \frac{1}{(d+ex^2)^2 \sqrt{a+b \sin^{-1}(cx)}} dx = \int \frac{1}{(d+ex^2)^2 \sqrt{a+b \sin^{-1}(cx)}} dx$$

**Mathematica [A]** time = 0.279222, size = 0, normalized size = 0.

$$\int \frac{1}{(d+ex^2)^2 \sqrt{a+b \sin^{-1}(cx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((d + e\*x^2)^2\*Sqrt[a + b\*ArcSin[c\*x]]),x]

[Out] Integrate[1/((d + e\*x^2)^2\*Sqrt[a + b\*ArcSin[c\*x]]), x]

---

**Maple [A]** time = 0.478, size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)^2} \frac{1}{\sqrt{a + b \arcsin(cx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^2+d)^2/(a+b\*arcsin(c\*x))^(1/2),x)

[Out] int(1/(e\*x^2+d)^2/(a+b\*arcsin(c\*x))^(1/2),x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)^2 \sqrt{b \arcsin(cx) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^2/(a+b\*arcsin(c\*x))^(1/2),x, algorithm="maxima")

[Out] integrate(1/((e\*x^2 + d)^2\*sqrt(b\*arcsin(c\*x) + a)), x)

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^2/(a+b\*arcsin(c\*x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x**2+d)**2/(a+b*asin(c*x))**(1/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x^2+d)^2/(a+b*arcsin(c*x))^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```



$$3.700 \quad \int \frac{d+ex^2}{(a+b \sin^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=394

$$\frac{\sqrt{\frac{\pi}{2}} e \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2} c^3} - \frac{\sqrt{\frac{3\pi}{2}} e \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2} c^3} - \frac{\sqrt{\frac{\pi}{2}} e \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2} c^3}$$

[Out]  $(-2*d*\text{Sqrt}[1 - c^2*x^2])/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (2*e*x^2*\text{Sqrt}[1 - c^2*x^2])/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (e*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c^3) - (2*d*\text{Sqrt}[2*\text{Pi}]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c) + (e*\text{Sqrt}[(3*\text{Pi})/2]*\text{Cos}[(3*a)/b]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c^3) + (e*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(b^{(3/2)}*c^3) + (2*d*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(b^{(3/2)}*c) - (e*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelC}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[(3*a)/b])/(b^{(3/2)}*c^3)$

**Rubi [A]** time = 0.797611, antiderivative size = 394, normalized size of antiderivative = 1., number of steps used = 21, number of rules used = 9, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.45$ , Rules used = {4667, 4621, 4723, 3306, 3305, 3351, 3304, 3352, 4631}

$$\frac{\sqrt{\frac{\pi}{2}} e \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2} c^3} - \frac{\sqrt{\frac{3\pi}{2}} e \sin\left(\frac{3a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2} c^3} - \frac{\sqrt{\frac{\pi}{2}} e \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2} c^3}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d + e*x^2)/(a + b*\text{ArcSin}[c*x])^{(3/2)}, x]$

[Out]  $(-2*d*\text{Sqrt}[1 - c^2*x^2])/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (2*e*x^2*\text{Sqrt}[1 - c^2*x^2])/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (e*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c^3) - (2*d*\text{Sqrt}[2*\text{Pi}]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c) + (e*\text{Sqrt}[(3*\text{Pi})/2]*\text{Cos}[(3*a)/b]*\text{FresnelS}[(\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c^3) + (e*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(b^{(3/2)}*c^3) + (2*d*\text{Sqrt}[2*\text{Pi}]*\text{Fres$

```

nelC[(Sqrt[2/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]]*Sin[a/b]/(b^(3/2)*c) -
(e*Sqrt[(3*Pi)/2]*FresnelC[(Sqrt[6/Pi]*Sqrt[a + b*ArcSin[c*x]])/Sqrt[b]]*Si
n[(3*a)/b])/b^(3/2)*c^3

```

### Rule 4667

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_)*((d_) + (e_.)*(x_)^2)^(p_.), x
_Symbol] := Int[ExpandIntegrand[(a + b*ArcSin[c*x])^n, (d + e*x^2)^p, x], x
] /; FreeQ[{a, b, c, d, e, n}, x] && NeQ[c^2*d + e, 0] && IntegerQ[p] && (G
tQ[p, 0] || IGtQ[n, 0])

```

### Rule 4621

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_], x_Symbol] := Simp[(Sqrt[1 - c^
2*x^2]*(a + b*ArcSin[c*x])^(n + 1))/(b*c*(n + 1)), x] + Dist[c/(b*(n + 1)),
Int[(x*(a + b*ArcSin[c*x])^(n + 1))/Sqrt[1 - c^2*x^2], x], x] /; FreeQ[{a,
b, c}, x] && LtQ[n, -1]

```

### Rule 4723

```

Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^n_)*(x_)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*Co
s[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])

```

### Rule 3306

```

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

```

### Rule 3305

```

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

```

### Rule 3351

```

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 4631

```
Int[((a_.) + ArcSin[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[(x^m*Sqrt[1 - c^2*x^2]*(a + b*ArcSin[c*x])^(n + 1))/(b*c*(n + 1)), x] - Dist[1/(b*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[(a + b*x)^(n + 1), Sin[x]^(m - 1)*(m - (m + 1)*Sin[x]^2), x], x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^2}{(a + b \sin^{-1}(cx))^{3/2}} dx &= \int \left( \frac{d}{(a + b \sin^{-1}(cx))^{3/2}} + \frac{ex^2}{(a + b \sin^{-1}(cx))^{3/2}} \right) dx \\
&= d \int \frac{1}{(a + b \sin^{-1}(cx))^{3/2}} dx + e \int \frac{x^2}{(a + b \sin^{-1}(cx))^{3/2}} dx \\
&= \frac{2d\sqrt{1-c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{2ex^2\sqrt{1-c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(2cd) \int \frac{x}{\sqrt{1-c^2x^2}\sqrt{a+b \sin^{-1}(cx)}} dx}{b} + \frac{(2e) \text{Subst} \left( \int \frac{1}{\sqrt{1-c^2x^2}} dx, x, \sin^{-1}(cx) \right)}{bc} \\
&= \frac{2d\sqrt{1-c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{2ex^2\sqrt{1-c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(2d) \text{Subst} \left( \int \frac{\sin(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{bc} - \frac{e \text{Subst} \left( \int \frac{1}{\sqrt{1-c^2x^2}} dx, x, \sin^{-1}(cx) \right)}{bc} \\
&= \frac{2d\sqrt{1-c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{2ex^2\sqrt{1-c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(2d \cos\left(\frac{a}{b}\right)) \text{Subst} \left( \int \frac{\sin\left(\frac{a}{b}+x\right)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx) \right)}{bc} - \frac{e \text{Subst} \left( \int \frac{1}{\sqrt{1-c^2x^2}} dx, x, \sin^{-1}(cx) \right)}{bc} \\
&= \frac{2d\sqrt{1-c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{2ex^2\sqrt{1-c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(4d \cos\left(\frac{a}{b}\right)) \text{Subst} \left( \int \sin\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)} \right)}{b^2c} - \frac{e \text{Subst} \left( \int \frac{1}{\sqrt{1-c^2x^2}} dx, x, \sin^{-1}(cx) \right)}{bc} \\
&= \frac{2d\sqrt{1-c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{2ex^2\sqrt{1-c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{e\sqrt{\frac{\pi}{2}} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^3} - \frac{2d\sqrt{2\pi} \cos\left(\frac{a}{b}\right)}{b^{3/2}c^3}
\end{aligned}$$

**Mathematica [C]** time = 1.17343, size = 417, normalized size = 1.06

$$e^{-\frac{3i(a+b \sin^{-1}(cx))}{b}} \left( (4c^2d + e) e^{\frac{2ia}{b} + 3i \sin^{-1}(cx)} \sqrt{-\frac{i(a+b \sin^{-1}(cx))}{b}} \text{Gamma}\left(\frac{1}{2}, -\frac{i(a+b \sin^{-1}(cx))}{b}\right) + (4c^2d + e) e^{\frac{4ia}{b} + 3i \sin^{-1}(cx)} \sqrt{\frac{i(a+b \sin^{-1}(cx))}{b}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e\*x^2)/(a + b\*ArcSin[c\*x])^(3/2), x]

[Out] (e\*E^(((3\*I)\*a)/b) - 4\*c^2\*d\*E^(((3\*I)\*a)/b + (2\*I)\*ArcSin[c\*x]) - e\*E^(((3\*I)\*a)/b + (2\*I)\*ArcSin[c\*x]) - 4\*c^2\*d\*E^(((3\*I)\*a)/b + (4\*I)\*ArcSin[c\*x]) - e\*E^(((3\*I)\*a)/b + (4\*I)\*ArcSin[c\*x]) + e\*E^(((3\*I)\*(a + 2\*b\*ArcSin[c\*x]))

$$\left. \right)/b + (4c^2d + e)E^{\left(\frac{(2I)a}{b} + (3I)\text{ArcSin}[cx]\right)}\sqrt{\frac{(-I)(a + b\text{ArcSin}[cx])}{b}}\Gamma\left[\frac{1}{2}, \frac{(-I)(a + b\text{ArcSin}[cx])}{b}\right] + (4c^2d + e)E^{\left(\frac{(4I)a}{b} + (3I)\text{ArcSin}[cx]\right)}\sqrt{\frac{I(a + b\text{ArcSin}[cx])}{b}}\Gamma\left[\frac{1}{2}, \frac{I(a + b\text{ArcSin}[cx])}{b}\right] - \sqrt{3}eE^{\left(\frac{(3I)a}{b} + \text{ArcSin}[cx]\right)}\sqrt{\frac{(-I)(a + b\text{ArcSin}[cx])}{b}}\Gamma\left[\frac{1}{2}, \frac{(-3I)(a + b\text{ArcSin}[cx])}{b}\right] - \sqrt{3}eE^{\left(\frac{(3I)a}{b} + \text{ArcSin}[cx]\right)}\sqrt{\frac{I(a + b\text{ArcSin}[cx])}{b}}\Gamma\left[\frac{1}{2}, \frac{(3I)(a + b\text{ArcSin}[cx])}{b}\right] \left. \right)/(4b^3c^3E^{\left(\frac{(3I)a}{b} + \text{ArcSin}[cx]\right)}\sqrt{a + b\text{ArcSin}[cx]}}$$

**Maple [A]** time = 0.113, size = 446, normalized size = 1.1

$$\frac{1}{2bc^3} \left( -4\sqrt{\pi}\sqrt{a + b\arcsin(cx)}\cos\left(\frac{a}{b}\right)\text{FresnelS}\left(\frac{\sqrt{2}\sqrt{a + b\arcsin(cx)}}{\sqrt{\pi}\sqrt{b^{-1}b}}\right)\sqrt{2}\sqrt{b^{-1}c^2d} + 4\sqrt{\pi}\sqrt{a + b\arcsin(cx)}\sin\left(\frac{a}{b}\right)\text{FresnelC}\left(\frac{\sqrt{2}\sqrt{a + b\arcsin(cx)}}{\sqrt{\pi}\sqrt{b^{-1}b}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^2+d)/(a+b\*arcsin(c\*x))^(3/2),x)

[Out]  $\frac{1}{2c^3b}(-4\pi^{1/2}(a+b\arcsin(cx))^{1/2}\cos(a/b)\text{FresnelS}(2^{1/2}/\pi^{1/2})^{1/2}/(1/b)^{1/2}(a+b\arcsin(cx))^{1/2}/b)2^{1/2}(1/b)^{1/2}c^2d + 4\pi^{1/2}(a+b\arcsin(cx))^{1/2}\sin(a/b)\text{FresnelC}(2^{1/2}/\pi^{1/2})^{1/2}/(1/b)^{1/2}(a+b\arcsin(cx))^{1/2}/b)2^{1/2}(1/b)^{1/2}c^2d + \pi^{1/2}(a+b\arcsin(cx))^{1/2}\cos(3a/b)\text{FresnelS}(2^{1/2}/\pi^{1/2})^{3/2}/(1/b)^{1/2}(a+b\arcsin(cx))^{1/2}/b)2^{1/2}(1/b)^{1/2}3^{1/2}e^{-\pi^{1/2}(a+b\arcsin(cx))^{1/2}}\sin(3a/b)\text{FresnelC}(2^{1/2}/\pi^{1/2})^{3/2}/(1/b)^{1/2}(a+b\arcsin(cx))^{1/2}/b)2^{1/2}(1/b)^{1/2}3^{1/2}e^{-\pi^{1/2}(a+b\arcsin(cx))^{1/2}}\cos(a/b)\text{FresnelS}(2^{1/2}/\pi^{1/2})^{1/2}/(1/b)^{1/2}(a+b\arcsin(cx))^{1/2}/b)2^{1/2}(1/b)^{1/2}e + \pi^{1/2}(a+b\arcsin(cx))^{1/2}\sin(a/b)\text{FresnelC}(2^{1/2}/\pi^{1/2})^{1/2}/(1/b)^{1/2}(a+b\arcsin(cx))^{1/2}/b)2^{1/2}(1/b)^{1/2}e - 4\cos((a+b\arcsin(cx))/b - a/b)c^2d + \cos(3(a+b\arcsin(cx))/b - 3a/b)e - \cos((a+b\arcsin(cx))/b - a/b)e)/(a+b\arcsin(cx))^{1/2}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{ex^2 + d}{(b\arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="maxima")

[Out] integrate((e\*x^2 + d)/(b\*arcsin(c\*x) + a)^(3/2), x)

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{d + ex^2}{(a + b \operatorname{asin}(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*2+d)/(a+b\*asin(c\*x))\*\*(3/2),x)

[Out] Integral((d + e\*x\*\*2)/(a + b\*asin(c\*x))\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{ex^2 + d}{(b \operatorname{arcsin}(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^2+d)/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="giac")

[Out] integrate((e\*x^2 + d)/(b\*arcsin(c\*x) + a)^(3/2), x)

$$3.701 \quad \int \frac{1}{(a+b \sin^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=137

$$\frac{2\sqrt{2\pi} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} - \frac{2\sqrt{2\pi} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} - \frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a+b \sin^{-1}(cx)}}$$

[Out]  $(-2*\text{Sqrt}[1 - c^2*x^2])/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (2*\text{Sqrt}[2*Pi]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/Pi]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c) + (2*\text{Sqrt}[2*Pi]*\text{FresnelC}[(\text{Sqrt}[2/Pi]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(b^{(3/2)}*c)$

**Rubi [A]** time = 0.268031, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$ , Rules used = {4621, 4723, 3306, 3305, 3351, 3304, 3352}

$$\frac{2\sqrt{2\pi} \sin\left(\frac{a}{b}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} - \frac{2\sqrt{2\pi} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} - \frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a+b \sin^{-1}(cx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{ArcSin}[c*x])^{(-3/2)}, x]$

[Out]  $(-2*\text{Sqrt}[1 - c^2*x^2])/(b*c*\text{Sqrt}[a + b*\text{ArcSin}[c*x]]) - (2*\text{Sqrt}[2*Pi]*\text{Cos}[a/b]*\text{FresnelS}[(\text{Sqrt}[2/Pi]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]])/(b^{(3/2)}*c) + (2*\text{Sqrt}[2*Pi]*\text{FresnelC}[(\text{Sqrt}[2/Pi]*\text{Sqrt}[a + b*\text{ArcSin}[c*x]])/\text{Sqrt}[b]]*\text{Sin}[a/b])/(b^{(3/2)}*c)$

#### Rule 4621

$\text{Int}[(a + b*\text{ArcSin}[c*x])^{(n)}, x] := \text{Simp}[(\text{Sqrt}[1 - c^2*x^2])*(a + b*\text{ArcSin}[c*x])^{(n+1)}]/(b*c*(n+1)), x] + \text{Dist}[c/(b*(n+1)), \text{Int}[(x*(a + b*\text{ArcSin}[c*x])^{(n+1)})/\text{Sqrt}[1 - c^2*x^2], x], x] /;$  FreeQ[{a, b, c}, x] && LtQ[n, -1]

#### Rule 4723

```
Int[((a_.) + ArcSin[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.)*((d_) + (e_.)*(x_)^
2)^(p_.), x_Symbol] := Dist[d^p/c^(m + 1), Subst[Int[(a + b*x)^n*Sin[x]^m*C
os[x]^(2*p + 1), x], x, ArcSin[c*x]], x] /; FreeQ[{a, b, c, d, e, n}, x] &&
EqQ[c^2*d + e, 0] && IntegerQ[2*p] && GtQ[p, -1] && IGtQ[m, 0] && (Integer
Q[p] || GtQ[d, 0])
```

### Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

### Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

### Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

### Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d
, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

### Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

### Rubi steps



$$\begin{aligned}
\int \frac{1}{(a + b \sin^{-1}(cx))^{3/2}} dx &= -\frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(2c) \int \frac{x}{\sqrt{1-c^2x^2}\sqrt{a+b \sin^{-1}(cx)}} dx}{b} \\
&= -\frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{2 \operatorname{Subst}\left(\int \frac{\sin(x)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(2 \cos\left(\frac{a}{b}\right)) \operatorname{Subst}\left(\int \frac{\sin\left(\frac{a}{b}+x\right)}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{bc} + \frac{(2 \sin\left(\frac{a}{b}\right)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{(4 \cos\left(\frac{a}{b}\right)) \operatorname{Subst}\left(\int \sin\left(\frac{x^2}{b}\right) dx, x, \sqrt{a + b \sin^{-1}(cx)}\right)}{b^2c} + \frac{(4 \sin\left(\frac{a}{b}\right)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{a+bx}} dx, x, \sin^{-1}(cx)\right)}{bc} \\
&= -\frac{2\sqrt{1-c^2x^2}}{bc\sqrt{a + b \sin^{-1}(cx)}} - \frac{2\sqrt{2\pi} \cos\left(\frac{a}{b}\right) S\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} + \frac{2\sqrt{2\pi} C\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{a+b \sin^{-1}(cx)}}{\sqrt{b}}\right) \sin\left(\frac{a}{b}\right)}{b^{3/2}c}
\end{aligned}$$

**Mathematica [C]** time = 0.308078, size = 167, normalized size = 1.22

$$\frac{e^{-\frac{i(a+b \sin^{-1}(cx))}{b}} \left( e^{i \sin^{-1}(cx)} \sqrt{-\frac{i(a+b \sin^{-1}(cx))}{b}} \operatorname{Gamma}\left(\frac{1}{2}, -\frac{i(a+b \sin^{-1}(cx))}{b}\right) + e^{\frac{ia}{b}} \left( e^{\frac{i(a+b \sin^{-1}(cx))}{b}} \sqrt{\frac{i(a+b \sin^{-1}(cx))}{b}} \operatorname{Gamma}\left(\frac{1}{2}, \frac{i(a+b \sin^{-1}(cx))}{b}\right) \right) \right)}{bc\sqrt{a + b \sin^{-1}(cx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*ArcSin[c\*x])^(-3/2), x]

[Out] (E^(I\*ArcSin[c\*x])\*Sqrt[((-I)\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, ((-I)\*(a + b\*ArcSin[c\*x]))/b] + E^((I\*a)/b)\*(-1 - E^((2\*I)\*ArcSin[c\*x]) + E^((I\*(a + b\*ArcSin[c\*x]))/b)\*Sqrt[(I\*(a + b\*ArcSin[c\*x]))/b]\*Gamma[1/2, (I\*(a + b\*ArcSin[c\*x]))/b]))/(b\*c\*E^((I\*(a + b\*ArcSin[c\*x]))/b)\*Sqrt[a + b\*ArcSin[c\*x]])

**Maple [A]** time = 0., size = 149, normalized size = 1.1

$$-2 \frac{1}{cb\sqrt{a + b \arcsin(cx)}} \left( \sqrt{b^{-1}} \sqrt{\pi} \sqrt{2} \sqrt{a + b \arcsin(cx)} \cos\left(\frac{a}{b}\right) \operatorname{FresnelS}\left(\frac{\sqrt{2}\sqrt{a + b \arcsin(cx)}}{\sqrt{b^{-1}}\sqrt{\pi}b}\right) - \sqrt{b^{-1}} \sqrt{\pi} \sqrt{2} \sqrt{a + b \arcsin(cx)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*arcsin(c*x))^(3/2),x)`

[Out]  $-2/c/b*((1/b)^{(1/2)}\pi^{(1/2)}2^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}\cos(a/b)*\operatorname{FresnelS}(2^{(1/2)}/\pi^{(1/2)}/(1/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b)-(1/b)^{(1/2)}\pi^{(1/2)}2^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}\sin(a/b)*\operatorname{FresnelC}(2^{(1/2)}/\pi^{(1/2)}/(1/b)^{(1/2)}*(a+b*\arcsin(c*x))^{(1/2)}/b)+\cos((a+b*\arcsin(c*x))/b-a/b)/(a+b*\arcsin(c*x))^{(1/2)}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsin(c*x))^(3/2),x, algorithm="maxima")`

[Out] `integrate((b*arcsin(c*x) + a)^(-3/2), x)`

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*arcsin(c*x))^(3/2),x, algorithm="fricas")`

[Out] Exception raised: UnboundLocalError

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \arcsin(cx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*asin(c*x))**(3/2),x)
```

```
[Out] Integral((a + b*asin(c*x))**(-3/2), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*arcsin(c*x))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*arcsin(c*x) + a)^(-3/2), x)
```

$$3.702 \quad \int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))^{3/2}}, x \right)$$

[Out] Unintegrable[1/((d + e\*x^2)\*(a + b\*ArcSin[c\*x]))^(3/2)), x]

**Rubi [A]** time = 0.0639963, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[1/((d + e\*x^2)\*(a + b\*ArcSin[c\*x]))^(3/2)),x]

[Out] Defer[Int][1/((d + e\*x^2)\*(a + b\*ArcSin[c\*x]))^(3/2)), x]

Rubi steps

$$\int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))^{3/2}} dx = \int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))^{3/2}} dx$$

**Mathematica [A]** time = 0.159029, size = 0, normalized size = 0.

$$\int \frac{1}{(d+ex^2)(a+b \sin^{-1}(cx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((d + e\*x^2)\*(a + b\*ArcSin[c\*x]))^(3/2)),x]

[Out] Integrate[1/((d + e\*x^2)\*(a + b\*ArcSin[c\*x])^(3/2)), x]

---

**Maple [A]** time = 0.201, size = 0, normalized size = 0.

$$\int \frac{1}{ex^2 + d} (a + b \arcsin(cx))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^2+d)/(a+b\*arcsin(c\*x))^(3/2),x)

[Out] int(1/(e\*x^2+d)/(a+b\*arcsin(c\*x))^(3/2),x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)(b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="maxima")

[Out] integrate(1/((e\*x^2 + d)\*(b\*arcsin(c\*x) + a)^(3/2)), x)

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \operatorname{asin}(cx))^{\frac{3}{2}} (d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x\*\*2+d)/(a+b\*asin(c\*x))\*\*(3/2),x)

[Out] Integral(1/((a + b\*asin(c\*x))\*\*(3/2)\*(d + e\*x\*\*2)), x)

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)(b \operatorname{arcsin}(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="giac")

[Out] integrate(1/((e\*x^2 + d)\*(b\*arcsin(c\*x) + a)^(3/2)), x)

$$3.703 \quad \int \frac{1}{(d+ex^2)^2 (a+b \sin^{-1}(cx))^{3/2}} dx$$

**Optimal.** Leaf size=24

$$\text{Unintegrable} \left( \frac{1}{(d+ex^2)^2 (a+b \sin^{-1}(cx))^{3/2}}, x \right)$$

[Out] Unintegrable[1/((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])^(3/2)), x]

**Rubi [A]** time = 0.0604461, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{1}{(d+ex^2)^2 (a+b \sin^{-1}(cx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[1/((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])^(3/2)),x]

[Out] Defer[Int][1/((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])^(3/2)), x]

Rubi steps

$$\int \frac{1}{(d+ex^2)^2 (a+b \sin^{-1}(cx))^{3/2}} dx = \int \frac{1}{(d+ex^2)^2 (a+b \sin^{-1}(cx))^{3/2}} dx$$

**Mathematica [A]** time = 0.294822, size = 0, normalized size = 0.

$$\int \frac{1}{(d+ex^2)^2 (a+b \sin^{-1}(cx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])^(3/2)),x]

[Out] Integrate[1/((d + e\*x^2)^2\*(a + b\*ArcSin[c\*x])^(3/2)), x]

---

**Maple [A]** time = 0.503, size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)^2} (a + b \arcsin(cx))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^2+d)^2/(a+b\*arcsin(c\*x))^(3/2),x)

[Out] int(1/(e\*x^2+d)^2/(a+b\*arcsin(c\*x))^(3/2),x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(ex^2 + d)^2 (b \arcsin(cx) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^2/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="maxima")

[Out] integrate(1/((e\*x^2 + d)^2\*(b\*arcsin(c\*x) + a)^(3/2)), x)

---

**Fricas [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x^2+d)^2/(a+b\*arcsin(c\*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

---



**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x**2+d)**2/(a+b*asin(c*x))**(3/2),x)`

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x^2+d)^2/(a+b*arcsin(c*x))^(3/2),x, algorithm="giac")`

[Out] Exception raised: TypeError



# Chapter 4

## Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

### 4.0.1 Mathematica and Rubi grading function

```
1 (* Original version thanks to Albert Rich emailed on 03/21/2017 *)
2 (* ::Package:: *)
3
4 (* ::Subsection:: *)
5 (*GradeAntiderivative[result,optimal]*)
6
7
8 (* ::Text:: *)
9 (*If result and optimal are mathematical expressions, *)
10 (*      GradeAntiderivative[result,optimal] returns*)
11 (* "F" if the result fails to integrate an expression that*)
12 (*      is integrable*)
13 (* "C" if result involves higher level functions than necessary*)
14 (* "B" if result is more than twice the size of the optimal*)
15 (*      antiderivative*)
16 (* "A" if result can be considered optimal*)
17
18
19 GradeAntiderivative[result_,optimal_] :=
20   If[ExpnType[result]<=ExpnType[optimal],
21     If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
```

```

22     If[LeafCount[result]<=2*LeafCount[optimal],
23         "A",
24         "B"],
25     "C"],
26 If[FreeQ[result,Integrate] && FreeQ[result,Int],
27     "C",
28     "F"]]
29
30
31 (* ::Text:: *)
32 (*The following summarizes the type number assigned an *)
33 (*expression based on the functions it involves*)
34 (*1 = rational function*)
35 (*2 = algebraic function*)
36 (*3 = elementary function*)
37 (*4 = special function*)
38 (*5 = hyperpergeometric function*)
39 (*6 = appell function*)
40 (*7 = rootsum function*)
41 (*8 = integrate function*)
42 (*9 = unknown function*)
43
44
45 ExpnType[expn_] :=
46     If[AtomQ[expn],
47         1,
48     If[ListQ[expn],
49         Max[Map[ExpnType,expn]],
50     If[Head[expn]===Power,
51         If[IntegerQ[expn[[2]]],
52             ExpnType[expn[[1]]],
53         If[Head[expn[[2]]]===Rational,
54             If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
55                 1,
56                 Max[ExpnType[expn[[1]],2]],
57             Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
58     If[Head[expn]===Plus || Head[expn]===Times,
59         Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
60     If[ElementaryFunctionQ[Head[expn]],
61         Max[3,ExpnType[expn[[1]]],
62     If[SpecialFunctionQ[Head[expn]],
63         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
64     If[HypergeometricFunctionQ[Head[expn]],
65         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
66     If[AppellFunctionQ[Head[expn]],
67         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
68     If[Head[expn]===RootSum,

```

```

69   Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
70   If[Head[expn]===Integrate || Head[expn]===Int,
71     Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
72   9]]]]]]]]]]
73
74
75 ElementaryFunctionQ[func_] :=
76   MemberQ[{
77     Exp, Log,
78     Sin, Cos, Tan, Cot, Sec, Csc,
79     ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
80     Sinh, Cosh, Tanh, Coth, Sech, Csch,
81     ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
82   }, func]
83
84
85 SpecialFunctionQ[func_] :=
86   MemberQ[{
87     Erf, Erfc, Erfi,
88     FresnelS, FresnelC,
89     ExpIntegralE, ExpIntegralEi, LogIntegral,
90     SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
91     Gamma, LogGamma, PolyGamma,
92     Zeta, PolyLog, ProductLog,
93     EllipticF, EllipticE, EllipticPi
94   }, func]
95
96
97 HypergeometricFunctionQ[func_] :=
98   MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]
99
100
101 AppellFunctionQ[func_] :=
102   MemberQ[{AppellF1}, func]

```

## 4.0.2 Maple grading function

```

1 # File: GradeAntiderivative.mpl
2 # Original version thanks to Albert Rich emailed on 03/21/2017
3
4 #Nasser 03/22/2017 Use Maple leaf count instead since buildin
5 #Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
6 #Nasser 03/24/2017 corrected the check for complex result
7 #Nasser 10/27/2017 check for leafsize and do not call ExpnType()
8 #
9 #Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
10 #
11 see problem 156, file Apostol_Problems

```

```

11
12 GradeAntiderivative := proc(result,optimal)
13 local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;
14
15     leaf_count_result:=leafcount(result);
16     #do NOT call ExpnType() if leaf size is too large. Recursion problem
17     if leaf_count_result > 500000 then
18         return "B";
19     fi;
20
21     leaf_count_optimal:=leafcount(optimal);
22
23     ExpnType_result:=ExpnType(result);
24     ExpnType_optimal:=ExpnType(optimal);
25
26     if debug then
27         print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
    ExpnType_optimal);
28     fi;
29
30 # If result and optimal are mathematical expressions,
31 # GradeAntiderivative[result,optimal] returns
32 #   "F" if the result fails to integrate an expression that
33 #     is integrable
34 #   "C" if result involves higher level functions than necessary
35 #   "B" if result is more than twice the size of the optimal
36 #     antiderivative
37 #   "A" if result can be considered optimal
38
39 #This check below actually is not needed, since I only
40 #call this grading only for passed integrals. i.e. I check
41 #for "F" before calling this. But no harm of keeping it here.
42 #just in case.
43
44
45 if not type(result,freeof('int')) then
46     return "F";
47 end if;
48
49
50 if ExpnType_result<=ExpnType_optimal then
51     if debug then
52         print("ExpnType_result<=ExpnType_optimal");
53     fi;
54     if is_contains_complex(result) then
55         if is_contains_complex(optimal) then

```

```

56     if debug then
57         print("both result and optimal complex");
58     fi;
59     #both result and optimal complex
60     if leaf_count_result<=2*leaf_count_optimal then
61         return "A";
62     else
63         return "B";
64     end if
65     else #result contains complex but optimal is not
66         if debug then
67             print("result contains complex but optimal is not");
68         fi;
69         return "C";
70     end if
71     else # result do not contain complex
72         # this assumes optimal do not as well
73         if debug then
74             print("result do not contain complex, this assumes optimal do not
as well");
75         fi;
76         if leaf_count_result<=2*leaf_count_optimal then
77             if debug then
78                 print("leaf_count_result<=2*leaf_count_optimal");
79             fi;
80             return "A";
81         else
82             if debug then
83                 print("leaf_count_result>2*leaf_count_optimal");
84             fi;
85             return "B";
86         end if
87     end if
88     else #ExpnType(result) > ExpnType(optimal)
89         if debug then
90             print("ExpnType(result) > ExpnType(optimal)");
91         fi;
92         return "C";
93     end if
94
95 end proc:
96
97 #
98 # is_contains_complex(result)
99 # takes expressions and returns true if it contains "I" else false
100 #
101 #Nasser 032417

```

```

102 is_contains_complex:= proc(expression)
103   return (has(expression,I));
104 end proc:
105
106 # The following summarizes the type number assigned an expression
107 # based on the functions it involves
108 # 1 = rational function
109 # 2 = algebraic function
110 # 3 = elementary function
111 # 4 = special function
112 # 5 = hyperpergeometric function
113 # 6 = appell function
114 # 7 = rootsum function
115 # 8 = integrate function
116 # 9 = unknown function
117
118 ExpnType := proc(expn)
119   if type(expn,'atomic') then
120     1
121   elif type(expn,'list') then
122     apply(max,map(ExpnType,expn))
123   elif type(expn,'sqrt') then
124     if type(op(1,expn),'rational') then
125       1
126     else
127       max(2,ExpnType(op(1,expn)))
128     end if
129   elif type(expn,'^^') then
130     if type(op(2,expn),'integer') then
131       ExpnType(op(1,expn))
132     elif type(op(2,expn),'rational') then
133       if type(op(1,expn),'rational') then
134         1
135       else
136         max(2,ExpnType(op(1,expn)))
137       end if
138     else
139       max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
140     end if
141   elif type(expn,'^+^') or type(expn,'`*`') then
142     max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
143   elif ElementaryFunctionQ(op(0,expn)) then
144     max(3,ExpnType(op(1,expn)))
145   elif SpecialFunctionQ(op(0,expn)) then
146     max(4,apply(max,map(ExpnType,[op(expn)])))
147   elif HypergeometricFunctionQ(op(0,expn)) then
148     max(5,apply(max,map(ExpnType,[op(expn)])))

```



```

149   elif AppellFunctionQ(op(0,expn)) then
150       max(6,apply(max,map(ExpnType,[op(expn)])))
151   elif op(0,expn)='int' then
152       max(8,apply(max,map(ExpnType,[op(expn)]))) else
153       9
154   end if
155 end proc:
156
157 ElementaryFunctionQ := proc(func)
158     member(func,[
159         exp,log,ln,
160         sin,cos,tan,cot,sec,csc,
161         arcsin,arccos,arctan,arccot,arcsec,arccsc,
162         sinh,cosh,tanh,coth,sech,csch,
163         arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
164 end proc:
165
166 SpecialFunctionQ := proc(func)
167     member(func,[
168         erf,erfc,erfi,
169         FresnelS,FresnelC,
170         Ei,Ei,Li,Si,Ci,Shi,Chi,
171         GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
172         EllipticF,EllipticE,EllipticPi])
173 end proc:
174
175 HypergeometricFunctionQ := proc(func)
176     member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
177 end proc:
178
179 AppellFunctionQ := proc(func)
180     member(func,[AppellF1])
181 end proc:
182
183 # u is a sum or product. rest(u) returns all but the
184 # first term or factor of u.
185 rest := proc(u) local v;
186     if nops(u)=2 then
187         op(2,u)
188     else
189         apply(op(0,u),op(2..nops(u),u))
190     end if
191 end proc:
192
193 #leafcount(u) returns the number of nodes in u.
194 #Nasser 3/23/17 Replaced by build-in leafCount from package in Maple

```

```

196 leafcount := proc(u)
197     MmaTranslator[Mma][LeafCount](u);
198 end proc:

```

### 4.0.3 Sympy grading function

```

1 #Dec 24, 2019. Nasser M. Abbasi:
2 #           Port of original Maple grading function by
3 #           Albert Rich to use with Sympy/Python
4 #Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
5 #           added 'exp_polar'
6 from sympy import *
7
8 def leaf_count(expr):
9     #sympy do not have leaf count function. This is approximation
10    return round(1.7*count_ops(expr))
11
12 def is_sqrt(expr):
13     if isinstance(expr,Pow):
14         if expr.args[1] == Rational(1,2):
15             return True
16         else:
17             return False
18     else:
19         return False
20
21 def is_elementary_function(func):
22     return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
23                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
24                    asinh,acosh,atanh,acoth,asech,acsch
25                    ]
26
27 def is_special_function(func):
28     return func in [ erf,erfc,erfi,
29                    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
30                    gamma,loggamma,digamma,zeta,polylog,LambertW,
31                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
32                    ]
33
34 def is_hypergeometric_function(func):
35     return func in [hyper]
36
37 def is_appell_function(func):
38     return func in [appellf1]
39
40 def is_atom(expn):
41     try:

```

```

42     if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
43         return True
44     else:
45         return False
46
47     except AttributeError as error:
48         return False
49
50 def expnType(expn):
51     debug=False
52     if debug:
53         print("expn=",expn,"type(expn)=",type(expn))
54
55     if is_atom(expn):
56         return 1
57     elif isinstance(expn,list):
58         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
59     elif is_sqrt(expn):
60         if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
61             return 1
62         else:
63             return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
64     elif isinstance(expn,Pow): #type(expn,'^^')
65         if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
66             return expnType(expn.args[0]) #ExpnType(op(1,expn))
67         elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
68             if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
69                 return 1
70             else:
71                 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
72 ))
73     else:
74         return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
75 ExpnType(op(1,expn)),ExpnType(op(2,expn)))
76     elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+' or type
77 (expn,'*')
78         m1 = expnType(expn.args[0])
79         m2 = expnType(list(expn.args[1:]))
80         return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
81     elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
82         return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
83     elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
84         m1 = max(map(expnType, list(expn.args)))
85         return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
86     elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
87 expn))
88         m1 = max(map(expnType, list(expn.args)))

```

```

85     return max(5,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
86 elif is_appell_function(expn.func):
87     m1 = max(map(expnType, list(expn.args)))
88     return max(6,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
89 elif isinstance(expn,RootSum):
90     m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
91     return max(7,m1)
92 elif str(expn).find("Integral") != -1:
93     m1 = max(map(expnType, list(expn.args)))
94     return max(8,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
95 else:
96     return 9
97
98 #main function
99 def grade_antiderivative(result,optimal):
100
101     leaf_count_result  = leaf_count(result)
102     leaf_count_optimal = leaf_count(optimal)
103
104     expnType_result  = expnType(result)
105     expnType_optimal = expnType(optimal)
106
107     if str(result).find("Integral") != -1:
108         return "F"
109
110     if expnType_result <= expnType_optimal:
111         if result.has(I):
112             if optimal.has(I): #both result and optimal complex
113                 if leaf_count_result <= 2*leaf_count_optimal:
114                     return "A"
115                 else:
116                     return "B"
117             else: #result contains complex but optimal is not
118                 return "C"
119         else: # result do not contain complex, this assumes optimal do not as
well
120             if leaf_count_result <= 2*leaf_count_optimal:
121                 return "A"
122             else:
123                 return "B"
124     else:
125         return "C"

```

## 4.0.4 SageMath grading function

1 #Dec 24, 2019. Nasser: Ported original Maple grading function by

```

2 #           Albert Rich to use with Sagemath. This is used to
3 #           grade Fracas, Giac and Maxima results.
4 #Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
5 #           'arctan2','floor','abs','log_integral'
6
7 from sage.all import *
8 from sage.symbolic.operators import add_vararg, mul_vararg
9
10 def tree(expr):
11     debug=False;
12     if debug:
13         print ("Enter tree(expr), expr=",expr)
14         print ("expr.operator()=",expr.operator())
15         print ("expr.operands()=",expr.operands())
16         print ("map(tree, expr.operands()=",map(tree, expr.operands()))
17
18     if expr.operator() is None:
19         return expr
20     else:
21         return [expr.operator()+list(map(tree, expr.operands()))
22
23 def leaf_count(anti):
24     debug=False;
25
26     if debug: print ("Enter leaf_count, anti=", anti, " len(anti)=", len(anti))
27
28     if len(anti) == 0: #special check for optimal being 0 for some test cases.
29         if debug: print ("len(anti) == 0")
30         return 1
31     else:
32         if debug: print ("round(1.35*len(flatten(tree(anti))))=",round(1.35*len(
33         flatten(tree(anti))))
34         return round(1.35*len(flatten(tree(anti)))) #fudge factor
35         #since this estimate of leaf count is bit lower than
36         #what it should be compared to Mathematica's
37
38 def is_sqrt(expr):
39     debug=False;
40     if expr.operator() == operator.pow: #isinstance(expr,Pow):
41         if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
42             if debug: print ("expr is sqrt")
43             return True
44         else:
45             return False
46     else:
47         return False

```

```

48 def is_elementary_function(func):
49     debug = False
50
51     m = func.name() in ['exp','log','ln',
52         'sin','cos','tan','cot','sec','csc',
53         'arcsin','arccos','arctan','arccot','arcsec','arccsc',
54         'sinh','cosh','tanh','coth','sech','csch',
55         'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
56         'arctan2','floor','abs'
57     ]
58     if debug:
59         if m:
60             print ("func ", func , " is elementary_function")
61         else:
62             print ("func ", func , " is NOT elementary_function")
63
64
65     return m
66
67 def is_special_function(func):
68     debug = False
69
70     if debug: print ("type(func)=", type(func))
71
72     m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
73         'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
74     sinh_integral'
75         'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
76         'polylog','lambert_w','elliptic_f','elliptic_e',
77         'elliptic_pi','exp_integral_e','log_integral']
78
79     if debug:
80         print ("m=",m)
81         if m:
82             print ("func ", func ," is special_function")
83         else:
84             print ("func ", func ," is NOT special_function")
85
86     return m
87
88
89 def is_hypergeometric_function(func):
90     return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
91     ']
92
93 def is_appell_function(func):

```

```

93     return func.name() in ['hypergeometric']    #[appellf1] can't find this in
          sagemath
94
95 def is_atom(expn):
96
97     #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
98     try:
99         if expn.parent() is SR:
100             return expn.operator() is None
101         if expn.parent() in (ZZ, QQ, AA, QQbar):
102             return expn in expn.parent() # Should always return True
103         if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
104             return expn in expn.parent().base_ring() or expn in expn.parent().
          gens()
105         return False
106
107     except AttributeError as error:
108         return False
109
110
111 def expnType(expn):
112     debug=False
113
114     if debug:
115         print(">>>>Enter expnType, expn=", expn)
116         print(">>>>is_atom(expn)=", is_atom(expn))
117
118     if is_atom(expn):
119         return 1
120     elif type(expn)==list:    #isinstance(expn,list):
121         return max(map(expnType, expn))    #apply(max,map(ExpnType,expn))
122     elif is_sqrt(expn):
123         if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
          Rational):
124             return 1
125         else:
126             return max(2,expnType(expn.operands()[0]))    #max(2,expnType(expn.
          args[0]))
127     elif expn.operator() == operator.pow:    #isinstance(expn,Pow)
128         if type(expn.operands()[1])==Integer:    #isinstance(expn.args[1],Integer)
129             return expnType(expn.operands()[0])    #expnType(expn.args[0])
130         elif type(expn.operands()[1])==Rational:    #isinstance(expn.args[1],
          Rational)
131             if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
          Rational)
132                 return 1

```

```

133         else:
134             return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
135         else:
136             return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
137         elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
138             m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
139             m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
140             return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
141         elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
142             return max(3,expnType(expn.operands()[0]))
143         elif is_special_function(expn.operator()): #is_special_function(expn.func)
144             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
145             return max(4,m1) #max(4,m1)
146         elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
147             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
148             return max(5,m1) #max(5,m1)
149         elif is_appell_function(expn.operator()):
150             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
151             return max(6,m1) #max(6,m1)
152         elif str(expn).find("Integral") != -1: #this will never happen, since it
153             #is checked before calling the grading function that is passed.
154             #but kept it here.
155             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
156             return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
157         else:
158             return 9
159
160 #main function
161 def grade_antiderivative(result,optimal):
162     debug = False;
163
164     if debug: print ("Enter grade_antiderivative for sagemath")
165
166     leaf_count_result = leaf_count(result)
167     leaf_count_optimal = leaf_count(optimal)
168
169     if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

```



```
170
171
172     expnType_result = expnType(result)
173     expnType_optimal = expnType(optimal)
174
175     if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
176                     expnType_optimal)
177
178     if expnType_result <= expnType_optimal:
179         if result.has(I):
180             if optimal.has(I): #both result and optimal complex
181                 if leaf_count_result <= 2*leaf_count_optimal:
182                     return "A"
183             else:
184                 return "B"
185         else: #result contains complex but optimal is not
186             return "C"
187     else: # result do not contain complex, this assumes optimal do not as
188         well
189         if leaf_count_result <= 2*leaf_count_optimal:
190             return "A"
191         else:
192             return "B"
193     else:
194         return "C"
```