

Computer algebra independent integration tests

5-Inverse-trig-functions/5.4-Inverse-cotangent/5.4.1-Inverse-cotangent-
functions

Nasser M. Abbasi

May 24, 2020

Compiled on May 24, 2020 at 10:52am

Contents

| | | |
|----------|---|-----------|
| 1 | Introduction | 3 |
| 1.1 | Listing of CAS systems tested | 3 |
| 1.2 | Results | 3 |
| 1.3 | Performance | 5 |
| 1.4 | list of integrals that has no closed form antiderivative | 6 |
| 1.5 | list of integrals solved by CAS but has no known antiderivative | 6 |
| 1.6 | list of integrals solved by CAS but failed verification | 6 |
| 1.7 | Timing | 7 |
| 1.8 | Verification | 7 |
| 1.9 | Important notes about some of the results | 7 |
| 1.10 | Design of the test system | 8 |
| 2 | detailed summary tables of results | 11 |
| 2.1 | List of integrals sorted by grade for each CAS | 11 |
| 2.2 | Detailed conclusion table per each integral for all CAS systems | 13 |
| 2.3 | Detailed conclusion table specific for Rubi results | 47 |
| 3 | Listing of integrals | 53 |
| 3.1 | $\int x^5 \cot^{-1}(ax) dx$ | 53 |
| 3.2 | $\int x^4 \cot^{-1}(ax) dx$ | 56 |
| 3.3 | $\int x^3 \cot^{-1}(ax) dx$ | 59 |
| 3.4 | $\int x^2 \cot^{-1}(ax) dx$ | 62 |
| 3.5 | $\int x \cot^{-1}(ax) dx$ | 65 |
| 3.6 | $\int \cot^{-1}(ax) dx$ | 68 |
| 3.7 | $\int \frac{\cot^{-1}(ax)}{x} dx$ | 71 |
| 3.8 | $\int \frac{\cot^{-1}(ax)}{x^2} dx$ | 74 |
| 3.9 | $\int \frac{\cot^{-1}(ax)}{x^3} dx$ | 77 |
| 3.10 | $\int \frac{\cot^{-1}(ax)}{x^4} dx$ | 80 |
| 3.11 | $\int \frac{\cot^{-1}(ax)}{x^5} dx$ | 83 |
| 3.12 | $\int x^5 \cot^{-1}(ax)^2 dx$ | 86 |
| 3.13 | $\int x^4 \cot^{-1}(ax)^2 dx$ | 90 |
| 3.14 | $\int x^3 \cot^{-1}(ax)^2 dx$ | 94 |
| 3.15 | $\int x^2 \cot^{-1}(ax)^2 dx$ | 98 |
| 3.16 | $\int x \cot^{-1}(ax)^2 dx$ | 102 |

| | | |
|------|--|-----|
| 3.17 | $\int \cot^{-1}(ax)^2 dx$ | 105 |
| 3.18 | $\int \frac{\cot^{-1}(ax)^2}{x} dx$ | 108 |
| 3.19 | $\int \frac{\cot^{-1}(ax)^2}{x^2} dx$ | 111 |
| 3.20 | $\int \frac{\cot^{-1}(ax)^2}{x^3} dx$ | 114 |
| 3.21 | $\int \frac{\cot^{-1}(ax)^2}{x^4} dx$ | 117 |
| 3.22 | $\int \frac{\cot^{-1}(ax)^2}{x^5} dx$ | 121 |
| 3.23 | $\int x^5 \cot^{-1}(ax)^3 dx$ | 125 |
| 3.24 | $\int x^4 \cot^{-1}(ax)^3 dx$ | 129 |
| 3.25 | $\int x^3 \cot^{-1}(ax)^3 dx$ | 134 |
| 3.26 | $\int x^2 \cot^{-1}(ax)^3 dx$ | 138 |
| 3.27 | $\int x \cot^{-1}(ax)^3 dx$ | 142 |
| 3.28 | $\int \cot^{-1}(ax)^3 dx$ | 146 |
| 3.29 | $\int \frac{\cot^{-1}(ax)^3}{x} dx$ | 149 |
| 3.30 | $\int \frac{\cot^{-1}(ax)^3}{x^2} dx$ | 153 |
| 3.31 | $\int \frac{\cot^{-1}(ax)^3}{x^3} dx$ | 157 |
| 3.32 | $\int \frac{\cot^{-1}(ax)^3}{x^4} dx$ | 160 |
| 3.33 | $\int \frac{\cot^{-1}(ax)^3}{x^5} dx$ | 164 |
| 3.34 | $\int x^m \cot^{-1}(ax)^3 dx$ | 168 |
| 3.35 | $\int x^m \cot^{-1}(ax)^2 dx$ | 170 |
| 3.36 | $\int x^m \cot^{-1}(ax) dx$ | 172 |
| 3.37 | $\int \frac{x^4 \cot^{-1}(x)}{1+x^2} dx$ | 175 |
| 3.38 | $\int \frac{x^3 \cot^{-1}(x)}{1+x^2} dx$ | 178 |
| 3.39 | $\int \frac{x^2 \cot^{-1}(x)}{1+x^2} dx$ | 181 |
| 3.40 | $\int \frac{x \cot^{-1}(x)}{1+x^2} dx$ | 184 |
| 3.41 | $\int \frac{\cot^{-1}(x)}{1+x^2} dx$ | 187 |
| 3.42 | $\int \frac{\cot^{-1}(x)}{x(1+x^2)} dx$ | 189 |
| 3.43 | $\int \frac{\cot^{-1}(x)}{x^2(1+x^2)} dx$ | 192 |
| 3.44 | $\int \frac{\cot^{-1}(x)}{x^3(1+x^2)} dx$ | 195 |
| 3.45 | $\int \frac{\cot^{-1}(x)}{x^4(1+x^2)} dx$ | 199 |
| 3.46 | $\int \frac{x^2 \cot^{-1}(cx)}{1+x^2} dx$ | 202 |
| 3.47 | $\int \frac{x \cot^{-1}(cx)}{1+x^2} dx$ | 207 |
| 3.48 | $\int \frac{\cot^{-1}(cx)}{1+x^2} dx$ | 210 |
| 3.49 | $\int \frac{\cot^{-1}(cx)}{x(1+x^2)} dx$ | 214 |
| 3.50 | $\int \frac{\cot^{-1}(cx)}{x^2(1+x^2)} dx$ | 218 |
| 3.51 | $\int \frac{1}{(1+x^2) \cot^{-1}(x)} dx$ | 223 |
| 3.52 | $\int \frac{\cot^{-1}(x)^n}{1+x^2} dx$ | 225 |
| 3.53 | $\int (c + dx^2)^4 \cot^{-1}(ax) dx$ | 227 |
| 3.54 | $\int (c + dx^2)^3 \cot^{-1}(ax) dx$ | 231 |
| 3.55 | $\int (c + dx^2)^2 \cot^{-1}(ax) dx$ | 234 |
| 3.56 | $\int (c + dx^2) \cot^{-1}(ax) dx$ | 237 |
| 3.57 | $\int \frac{\cot^{-1}(ax)}{c+dx^2} dx$ | 240 |

| | | |
|------|--|-----|
| 3.58 | $\int \frac{\cot^{-1}(ax)}{(c+dx^2)^2} dx$ | 245 |
| 3.59 | $\int \sqrt{c+dx^2} \cot^{-1}(ax) dx$ | 251 |
| 3.60 | $\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx$ | 253 |
| 3.61 | $\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{3/2}} dx$ | 255 |
| 3.62 | $\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{5/2}} dx$ | 259 |
| 3.63 | $\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{7/2}} dx$ | 264 |
| 3.64 | $\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{9/2}} dx$ | 269 |
| 3.65 | $\int \sqrt{a+ax^2} \cot^{-1}(x) dx$ | 274 |
| 3.66 | $\int \frac{\cot^{-1}(x)}{\sqrt{a+ax^2}} dx$ | 277 |
| 3.67 | $\int \frac{\cot^{-1}(x)}{(a+ax^2)^{3/2}} dx$ | 280 |
| 3.68 | $\int \frac{\cot^{-1}(x)}{(a+ax^2)^{5/2}} dx$ | 282 |
| 3.69 | $\int \frac{\cot^{-1}(x)}{(a+ax^2)^{7/2}} dx$ | 285 |
| 3.70 | $\int \frac{x \cot^{-1}(x)}{(1+x^2)^2} dx$ | 288 |
| 3.71 | $\int \frac{x \cot^{-1}(x)}{(1+x^2)^3} dx$ | 291 |
| 3.72 | $\int \frac{\cot^{-1}(x)}{(1+x^2)^2} dx$ | 294 |
| 3.73 | $\int \frac{\cot^{-1}(x)^2}{(1+x^2)^2} dx$ | 297 |
| 3.74 | $\int x^5 \cot^{-1}(ax^2) dx$ | 300 |
| 3.75 | $\int x^3 \cot^{-1}(ax^2) dx$ | 303 |
| 3.76 | $\int x \cot^{-1}(ax^2) dx$ | 306 |
| 3.77 | $\int \frac{\cot^{-1}(ax^2)}{x} dx$ | 309 |
| 3.78 | $\int \frac{\cot^{-1}(ax^2)}{x^3} dx$ | 312 |
| 3.79 | $\int \frac{\cot^{-1}(ax^2)}{x^5} dx$ | 315 |
| 3.80 | $\int x^4 \cot^{-1}(ax^2) dx$ | 318 |
| 3.81 | $\int x^2 \cot^{-1}(ax^2) dx$ | 323 |
| 3.82 | $\int \cot^{-1}(ax^2) dx$ | 328 |
| 3.83 | $\int \frac{\cot^{-1}(ax^2)}{x^2} dx$ | 332 |
| 3.84 | $\int \frac{\cot^{-1}(ax^2)}{x^4} dx$ | 336 |
| 3.85 | $\int x^2 \cot^{-1}(\sqrt{x}) dx$ | 341 |
| 3.86 | $\int x \cot^{-1}(\sqrt{x}) dx$ | 344 |
| 3.87 | $\int \cot^{-1}(\sqrt{x}) dx$ | 347 |
| 3.88 | $\int \frac{\cot^{-1}(\sqrt{x})}{x} dx$ | 350 |
| 3.89 | $\int \frac{\cot^{-1}(\sqrt{x})}{x^2} dx$ | 353 |
| 3.90 | $\int \frac{\cot^{-1}(\sqrt{x})}{x^3} dx$ | 356 |
| 3.91 | $\int x^{3/2} \cot^{-1}(\sqrt{x}) dx$ | 359 |
| 3.92 | $\int \sqrt{x} \cot^{-1}(\sqrt{x}) dx$ | 362 |
| 3.93 | $\int \frac{\cot^{-1}(\sqrt{x})}{\sqrt{x}} dx$ | 365 |
| 3.94 | $\int \frac{\cot^{-1}(\sqrt{x})}{x^{3/2}} dx$ | 367 |

| | | |
|-------|---|-----|
| 3.95 | $\int \frac{\cot^{-1}(\sqrt{x})}{x^{5/2}} dx$ | 370 |
| 3.96 | $\int \cot^{-1}\left(\frac{1}{x}\right) dx$ | 373 |
| 3.97 | $\int \frac{\cot^{-1}(ax^n)}{x} dx$ | 376 |
| 3.98 | $\int \frac{\cot^{-1}(ax^5)}{x} dx$ | 379 |
| 3.99 | $\int x^3 \cot^{-1}(a + bx) dx$ | 382 |
| 3.100 | $\int x^2 \cot^{-1}(a + bx) dx$ | 386 |
| 3.101 | $\int x \cot^{-1}(a + bx) dx$ | 389 |
| 3.102 | $\int \cot^{-1}(a + bx) dx$ | 392 |
| 3.103 | $\int \frac{\cot^{-1}(a+bx)}{x} dx$ | 395 |
| 3.104 | $\int \frac{\cot^{-1}(a+bx)}{x^2} dx$ | 398 |
| 3.105 | $\int \frac{\cot^{-1}(a+bx)}{x^3} dx$ | 402 |
| 3.106 | $\int \frac{\cot^{-1}(a+bx)}{x^4} dx$ | 406 |
| 3.107 | $\int \frac{\cot^{-1}(a+bx)}{c+dx^2} dx$ | 410 |
| 3.108 | $\int \frac{\cot^{-1}(a+bx)}{c+dx} dx$ | 415 |
| 3.109 | $\int \frac{\cot^{-1}(a+bx)}{c+\frac{d}{x}} dx$ | 419 |
| 3.110 | $\int \frac{\cot^{-1}(a+bx)}{c+\frac{d}{x^2}} dx$ | 424 |
| 3.111 | $\int \frac{\cot^{-1}(a+bx)}{c+d\sqrt{x}} dx$ | 428 |
| 3.112 | $\int \frac{\cot^{-1}(a+bx)}{c+\frac{d}{\sqrt{x}}} dx$ | 434 |
| 3.113 | $\int \frac{\cot^{-1}(d+ex)}{a+bx+cx^2} dx$ | 440 |
| 3.114 | $\int \frac{\cot^{-1}(a+bx)}{\sqrt{1+a^2+2abx+b^2x^2}} dx$ | 446 |
| 3.115 | $\int \frac{\cot^{-1}(a+bx)}{\sqrt{(1+a^2)c+2abcx+b^2cx^2}} dx$ | 449 |
| 3.116 | $\int \frac{\cot^{-1}(a+bx)}{\sqrt[3]{1+a^2+2abx+b^2x^2}} dx$ | 452 |
| 3.117 | $\int \frac{\cot^{-1}(a+bx)}{\sqrt[3]{(1+a^2)c+2abcx+b^2cx^2}} dx$ | 455 |
| 3.118 | $\int \frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt{1+a^2+2abx+b^2x^2}} dx$ | 458 |
| 3.119 | $\int \frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt{(1+a^2)c+2abcx+b^2cx^2}} dx$ | 461 |
| 3.120 | $\int \frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt[3]{1+a^2+2abx+b^2x^2}} dx$ | 465 |
| 3.121 | $\int \frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt[3]{(1+a^2)c+2abcx+b^2cx^2}} dx$ | 468 |
| 3.122 | $\int (a + bx)^2 \cot^{-1}(a + bx) dx$ | 471 |
| 3.123 | $\int (a + bx) \cot^{-1}(a + bx) dx$ | 474 |
| 3.124 | $\int \frac{\cot^{-1}(a+bx)}{a+bx} dx$ | 477 |
| 3.125 | $\int \frac{\cot^{-1}(a+bx)}{(a+bx)^2} dx$ | 480 |
| 3.126 | $\int \frac{\cot^{-1}(1+x)}{2+2x} dx$ | 483 |
| 3.127 | $\int \frac{\cot^{-1}(a+bx)}{\frac{ad}{b}+dx} dx$ | 486 |
| 3.128 | $\int (a + bx)^2 \sqrt{\cot^{-1}(a + bx)} dx$ | 489 |
| 3.129 | $\int (e + fx)^3 (a + b \cot^{-1}(c + dx)) dx$ | 491 |
| 3.130 | $\int (e + fx)^2 (a + b \cot^{-1}(c + dx)) dx$ | 495 |
| 3.131 | $\int (e + fx) (a + b \cot^{-1}(c + dx)) dx$ | 499 |
| 3.132 | $\int (a + b \cot^{-1}(c + dx)) dx$ | 503 |

| | | |
|-------|--|-----|
| 3.133 | $\int \frac{a+b \cot^{-1}(c+dx)}{e+fx} dx$ | 506 |
| 3.134 | $\int \frac{a+b \cot^{-1}(c+dx)}{(e+fx)^2} dx$ | 509 |
| 3.135 | $\int \frac{a+b \cot^{-1}(c+dx)}{(e+fx)^3} dx$ | 513 |
| 3.136 | $\int (e+fx)^2 (a+b \cot^{-1}(c+dx))^2 dx$ | 518 |
| 3.137 | $\int (e+fx) (a+b \cot^{-1}(c+dx))^2 dx$ | 524 |
| 3.138 | $\int (a+b \cot^{-1}(c+dx))^2 dx$ | 529 |
| 3.139 | $\int \frac{(a+b \cot^{-1}(c+dx))^2}{e+fx} dx$ | 533 |
| 3.140 | $\int \frac{(a+b \cot^{-1}(c+dx))^2}{(e+fx)^2} dx$ | 537 |
| 3.141 | $\int (e+fx)^2 (a+b \cot^{-1}(c+dx))^3 dx$ | 545 |
| 3.142 | $\int (e+fx) (a+b \cot^{-1}(c+dx))^3 dx$ | 553 |
| 3.143 | $\int (a+b \cot^{-1}(c+dx))^3 dx$ | 559 |
| 3.144 | $\int \frac{(a+b \cot^{-1}(c+dx))^3}{e+fx} dx$ | 563 |
| 3.145 | $\int \frac{(a+b \cot^{-1}(c+dx))^3}{(e+fx)^2} dx$ | 567 |
| 3.146 | $\int (e+fx)^m (a+b \cot^{-1}(c+dx)) dx$ | 575 |
| 3.147 | $\int (e+fx)^m (a+b \cot^{-1}(c+dx))^2 dx$ | 578 |
| 3.148 | $\int (e+fx)^m (a+b \cot^{-1}(c+dx))^3 dx$ | 580 |
| 3.149 | $\int x^3 \cot^{-1}(a+bx^4) dx$ | 582 |
| 3.150 | $\int x^{-1+n} \cot^{-1}(a+bx^n) dx$ | 585 |
| 3.151 | $\int \frac{\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1-c^2x^2} dx$ | 588 |
| 3.152 | $\int \frac{\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1-c^2x^2} dx$ | 591 |
| 3.153 | $\int \frac{\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1-c^2x^2} dx$ | 596 |
| 3.154 | $\int \frac{a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{1-c^2x^2} dx$ | 600 |
| 3.155 | $\int \frac{1}{(1-c^2x^2)\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)} dx$ | 603 |
| 3.156 | $\int \frac{1}{(1-c^2x^2)\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2} dx$ | 606 |
| 3.157 | $\int \cot^{-1}(\tan(a+bx)) dx$ | 609 |
| 3.158 | $\int x^2 \cot^{-1}(c+d \tan(a+bx)) dx$ | 612 |
| 3.159 | $\int x \cot^{-1}(c+d \tan(a+bx)) dx$ | 617 |
| 3.160 | $\int \cot^{-1}(c+d \tan(a+bx)) dx$ | 621 |
| 3.161 | $\int \frac{\cot^{-1}(c+d \tan(a+bx))}{x} dx$ | 625 |
| 3.162 | $\int x^2 \cot^{-1}(c+(1+ic) \tan(a+bx)) dx$ | 627 |
| 3.163 | $\int x \cot^{-1}(c+(1+ic) \tan(a+bx)) dx$ | 631 |
| 3.164 | $\int \cot^{-1}(c+(1+ic) \tan(a+bx)) dx$ | 635 |
| 3.165 | $\int \frac{\cot^{-1}(c+(1+ic) \tan(a+bx))}{x} dx$ | 639 |
| 3.166 | $\int x^2 \cot^{-1}(c-(1-ic) \tan(a+bx)) dx$ | 641 |
| 3.167 | $\int x \cot^{-1}(c-(1-ic) \tan(a+bx)) dx$ | 645 |
| 3.168 | $\int \cot^{-1}(c-(1-ic) \tan(a+bx)) dx$ | 649 |
| 3.169 | $\int \frac{\cot^{-1}(c-(1-ic) \tan(a+bx))}{x} dx$ | 653 |
| 3.170 | $\int \cot^{-1}(\cot(a+bx)) dx$ | 655 |
| 3.171 | $\int x^2 \cot^{-1}(c+d \cot(a+bx)) dx$ | 658 |

| | | |
|-------|---|-----|
| 3.172 | $\int x \cot^{-1}(c + d \cot(a + bx)) dx$ | 663 |
| 3.173 | $\int \cot^{-1}(c + d \cot(a + bx)) dx$ | 667 |
| 3.174 | $\int \frac{\cot^{-1}(c+d \cot(a+bx))}{x} dx$ | 672 |
| 3.175 | $\int x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx$ | 674 |
| 3.176 | $\int x \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx$ | 678 |
| 3.177 | $\int \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx$ | 682 |
| 3.178 | $\int \frac{\cot^{-1}(c+(1-ic) \cot(a+bx))}{x} dx$ | 686 |
| 3.179 | $\int x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$ | 688 |
| 3.180 | $\int x \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$ | 692 |
| 3.181 | $\int \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$ | 696 |
| 3.182 | $\int \frac{\cot^{-1}(c-(1+ic) \cot(a+bx))}{x} dx$ | 700 |
| 3.183 | $\int (e + fx)^3 \cot^{-1}(\tanh(a + bx)) dx$ | 702 |
| 3.184 | $\int (e + fx)^2 \cot^{-1}(\tanh(a + bx)) dx$ | 707 |
| 3.185 | $\int (e + fx) \cot^{-1}(\tanh(a + bx)) dx$ | 711 |
| 3.186 | $\int \cot^{-1}(\tanh(a + bx)) dx$ | 716 |
| 3.187 | $\int \frac{\cot^{-1}(\tanh(a+bx))}{e+fx} dx$ | 719 |
| 3.188 | $\int x^2 \cot^{-1}(c + d \tanh(a + bx)) dx$ | 721 |
| 3.189 | $\int x \cot^{-1}(c + d \tanh(a + bx)) dx$ | 725 |
| 3.190 | $\int \cot^{-1}(c + d \tanh(a + bx)) dx$ | 729 |
| 3.191 | $\int \frac{\cot^{-1}(c+d \tanh(a+bx))}{x} dx$ | 733 |
| 3.192 | $\int x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$ | 735 |
| 3.193 | $\int x \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$ | 739 |
| 3.194 | $\int \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$ | 743 |
| 3.195 | $\int \frac{\cot^{-1}(c+(i+c) \tanh(a+bx))}{x} dx$ | 747 |
| 3.196 | $\int x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$ | 749 |
| 3.197 | $\int x \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$ | 753 |
| 3.198 | $\int \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$ | 757 |
| 3.199 | $\int \frac{\cot^{-1}(c-(i-c) \tanh(a+bx))}{x} dx$ | 761 |
| 3.200 | $\int (e + fx)^3 \cot^{-1}(\coth(a + bx)) dx$ | 763 |
| 3.201 | $\int (e + fx)^2 \cot^{-1}(\coth(a + bx)) dx$ | 768 |
| 3.202 | $\int (e + fx) \cot^{-1}(\coth(a + bx)) dx$ | 772 |
| 3.203 | $\int \cot^{-1}(\coth(a + bx)) dx$ | 777 |
| 3.204 | $\int \frac{\cot^{-1}(\coth(a+bx))}{e+fx} dx$ | 780 |
| 3.205 | $\int x^2 \cot^{-1}(c + d \coth(a + bx)) dx$ | 782 |
| 3.206 | $\int x \cot^{-1}(c + d \coth(a + bx)) dx$ | 786 |
| 3.207 | $\int \cot^{-1}(c + d \coth(a + bx)) dx$ | 790 |
| 3.208 | $\int \frac{\cot^{-1}(c+d \coth(a+bx))}{x} dx$ | 794 |
| 3.209 | $\int x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) dx$ | 796 |
| 3.210 | $\int x \cot^{-1}(c + (i + c) \coth(a + bx)) dx$ | 800 |
| 3.211 | $\int \cot^{-1}(c + (i + c) \coth(a + bx)) dx$ | 804 |
| 3.212 | $\int \frac{\cot^{-1}(c+(i+c) \coth(a+bx))}{x} dx$ | 808 |
| 3.213 | $\int x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) dx$ | 810 |
| 3.214 | $\int x \cot^{-1}(c - (i - c) \coth(a + bx)) dx$ | 814 |
| 3.215 | $\int \cot^{-1}(c - (i - c) \coth(a + bx)) dx$ | 818 |
| 3.216 | $\int \frac{\cot^{-1}(c-(i-c) \coth(a+bx))}{x} dx$ | 822 |
| 3.217 | $\int \frac{(a+b \cot^{-1}(cx^m))(d+e \log(fx^m))}{x} dx$ | 824 |
| 3.218 | $\int \cot^{-1}(e^x) dx$ | 828 |
| 3.219 | $\int x \cot^{-1}(e^x) dx$ | 831 |
| 3.220 | $\int x^2 \cot^{-1}(e^x) dx$ | 834 |
| 3.221 | $\int \cot^{-1}(e^{a+bx}) dx$ | 837 |

| | | |
|----------|--|------------|
| 3.222 | $\int x \cot^{-1}(e^{a+bx}) dx$ | 840 |
| 3.223 | $\int x^2 \cot^{-1}(e^{a+bx}) dx$ | 843 |
| 3.224 | $\int \cot^{-1}(a + bf^{c+dx}) dx$ | 847 |
| 3.225 | $\int x \cot^{-1}(a + bf^{c+dx}) dx$ | 851 |
| 3.226 | $\int x^2 \cot^{-1}(a + bf^{c+dx}) dx$ | 855 |
| 3.227 | $\int e^{-x} \cot^{-1}(e^x) dx$ | 860 |
| 3.228 | $\int \frac{1}{(a+ax^2)(b-2b \cot^{-1}(x))} dx$ | 863 |
| 3.229 | $\int e^{c(a+bx)} \cot^{-1}(\sinh(ac + bcx)) dx$ | 865 |
| 3.230 | $\int e^{c(a+bx)} \cot^{-1}(\cosh(ac + bcx)) dx$ | 869 |
| 3.231 | $\int e^{c(a+bx)} \cot^{-1}(\tanh(ac + bcx)) dx$ | 873 |
| 3.232 | $\int e^{c(a+bx)} \cot^{-1}(\coth(ac + bcx)) dx$ | 878 |
| 3.233 | $\int e^{c(a+bx)} \cot^{-1}(\operatorname{sech}(ac + bcx)) dx$ | 883 |
| 3.234 | $\int e^{c(a+bx)} \cot^{-1}(\operatorname{csch}(ac + bcx)) dx$ | 887 |
| 4 | Listing of Grading functions | 891 |

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [234]. This is test number [154].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12 on windows 10.
3. Maple 2020 (64 bit) on windows 10.
4. Maxima 5.43 on Linux. (via sagemath 8.9)
5. Fricas 1.3.6 on Linux (via sagemath 9.0)
6. Sympy 1.5 under Python 3.7.3 using Anaconda distribution.
7. Giac/Xcas 1.5 on Linux. (via sagemath 8.9)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

| System | solved | Failed |
|-------------|-----------------|-----------------|
| Rubi | % 100. (234) | % 0. (0) |
| Mathematica | % 97.86 (229) | % 2.14 (5) |
| Maple | % 97.44 (228) | % 2.56 (6) |
| Maxima | % 56.41 (132) | % 43.59 (102) |
| Fricas | % 71.79 (168) | % 28.21 (66) |
| Sympy | % 33.33 (78) | % 66.67 (156) |
| Giac | % 46.15 (108) | % 53.85 (126) |


The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

| grade | description |
|-------|---|
| A | Integral was solved and antiderivative is optimal in quality and leaf size. |
| B | Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size. |
| C | Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not. |
| F | Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised. |


Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.

| System | % A grade | % B grade | % C grade | % F grade |
|-------------|-----------|-----------|-----------|-----------|
| Rubi | 100. | 0. | 0. | 0. |
| Mathematica | 79.49 | 6.84 | 11.54 | 2.14 |
| Maple | 51.71 | 22.65 | 23.08 | 2.56 |
| Maxima | 47.01 | 9.4 | 0. | 43.59 |
| Fricas | 44.02 | 11.97 | 15.81 | 28.21 |
| Sympy | 29.49 | 3.85 | 0. | 66.67 |
| Giac | 43.59 | 2.56 | 0. | 53.85 |

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

| System | Mean time (sec) | Mean size | Normalized mean | Median size | Normalized median |
|-------------|-----------------|-----------|-----------------|-------------|-------------------|
| Rubi | 0.23 | 133.07 | 0.88 | 91. | 1. |
| Mathematica | 0.92 | 191.38 | 1.37 | 95. | 0.91 |
| Maple | 2.14 | 1094.64 | 5.04 | 147.5 | 1.4 |
| Maxima | 1.62 | 130.95 | 1.45 | 75. | 1.27 |
| Fricas | 2.2 | 640.4 | 4.23 | 177.5 | 2.98 |
| Sympy | 4.76 | 139.38 | 1.63 | 39. | 0.97 |
| Giac | 0.91 | 106.11 | 1.2 | 46. | 1.29 |

1.4 list of integrals that has no closed form antiderivative

{34, 35, 59, 60, 116, 117, 120, 121, 128, 147, 148, 151, 155, 156, 161, 165, 169, 174, 178, 182, 187, 191, 195, 199, 204, 208, 212, 216}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {116, 117, 120, 121}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {107, 109, 110}

Mathematica {13, 15, 17, 18, 19, 21, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 38, 40, 42, 44, 47, 48, 49, 50, 57, 58, 65, 66, 103, 107, 108, 109, 110, 113, 114, 115, 116, 117, 118, 119, 120, 121, 133, 136, 137, 138, 140, 141, 142, 143, 160, 164, 168, 173, 177, 181, 229, 230, 231, 232, 233, 234}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

1.7 Timing

The command `AboluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 30 such integrals out of total 705, or about 4 percent. This pecentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. If the output was an exception `ValueError` then this is most likely due to this reason.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```

from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')

```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error Exception raised: NotImplementedError

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function LeafSize is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size is determined as follows.

For Fricas, Giac and Maxima (all called via sagemath) the following code is used

#see <https://stackoverflow.com/questions/25202346/how-to-obtain-leaf-count-expression-size-in->

```

def tree(expr):
    if expr.operator() is None:
        return expr
    else:
        return [expr.operator()+map(tree, expr.operands())

```

```

try:
    # 1.35 is a fudge factor since this estimate of leaf count is bit lower than
    #what it should be compared to Mathematica's
    leafCount = round(1.35*len(flatten(tree(anti))))
except Exception as ee:
    leafCount =1

```

For Sympy, called directly from Python, the following code is used

```

try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))


except Exception as ee:
    leafCount =1

```

When these cas systems have a builtin function to find the leaf size of expressions, it will be used instead, and these tests run again.

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. It contains 13 fields. This is description of each record (line)

1. integer, the problem number.
2. integer. 0 or 1 for failed or passed. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. The optimal antiderivative in CAS own syntax.

High level overview of the CAS independent integration test build system

Naser M. Abbasi
June 22, 2018

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 39, 41, 43, 45, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 85, 86, 87, 88, 91, 92, 93, 94, 95, 96, 97, 98, 102, 107, 109, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 124, 125, 126, 127, 128, 132, 133, 136, 137, 138, 140, 142, 143, 146, 147, 148, 149, 150, 151, 154, 155, 156, 157, 158, 159, 161, 162, 163, 165, 166, 167, 169, 170, 171, 172, 174, 175, 176, 178, 179, 180, 182, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 234 }

B grade: { 38, 40, 42, 46, 103, 108, 110, 141, 160, 164, 168, 173, 177, 181, 183, 200 }

C grade: { 9, 11, 44, 61, 62, 63, 64, 79, 89, 90, 99, 100, 101, 104, 105, 106, 123, 129, 130, 131, 134, 135, 217, 230, 231, 232, 233 }

F grade: { 139, 144, 145, 152, 153 }

2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 14, 16, 20, 22, 23, 25, 27, 31, 33, 34, 35, 37, 39, 41, 43, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 59, 60, 65, 66, 70, 71, 72, 73, 74, 75, 76, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 89, 90, 91, 92, 93, 94, 95, 96, 99, 100, 101, 102, 103, 104, 105, 106, 108, 109, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 125, 128, 131, 132, 133, 134, 135, 145, 147, 148, 149, 151, 155, 156, 157, 161, 165, 169, 174, 178, 182, 187, 191, 195, 199, 204, 208, 212, 216, 219, 220, 224, 227, 228 }

B grade: { 7, 13, 15, 17, 19, 21, 28, 38, 40, 42, 44, 57, 58, 88, 97, 107, 113, 124, 126, 127, 129, 130, 136, 137, 138, 140, 141, 142, 143, 152, 153, 154, 160, 164, 168, 170, 173, 177, 181, 186, 190, 194, 198, 203, 207, 211, 215, 218, 221, 222, 223, 225, 226 }

C grade: { 18, 24, 26, 29, 30, 32, 67, 68, 69, 77, 98, 110, 111, 112, 139, 144, 150, 158, 159, 162, 163, 166, 167, 171, 172, 175, 176, 179, 180, 183, 184, 185, 188, 189, 192, 193, 196, 197, 200, 201, 202, 205, 206, 209, 210, 213, 214, 217, 229, 230, 231, 232, 233, 234 }

F grade: { 36, 61, 62, 63, 64, 146 }

2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 14, 16, 20, 22, 37, 39, 41, 43, 45, 46, 48, 50, 51, 53, 54, 55, 56, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 78, 79, 85, 86, 87, 89, 90, 91, 92, 93, 94, 95, 96, 99, 100, 101, 102, 103, 104, 105, 106, 109, 116, 117, 120, 121, 123, 125, 129, 130, 131, 132, 134, 135, 149, 150, 151, 155, 156, 157, 170, 187, 191, 192, 193, 194, 195, 196, 197, 198, 199, 204, 208, 209, 210, 211, 212, 213, 214, 215, 216, 218, 221, 224, 227, 228, 229, 230, 231, 232, 233, 234 }

B grade: { 7, 77, 80, 81, 82, 83, 84, 88, 98, 108, 122, 124, 126, 127, 160, 162, 163, 164, 166, 167, 168, 173 }

C grade: { }

F grade: { 13, 15, 17, 18, 19, 21, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 38, 40, 42, 44, 47, 49, 52, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 97, 107, 110, 111, 112, 113, 114, 115, 118, 119, 128, 133, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 152, 153, 154, 158, 159, 161, 165, 169, 171, 172, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 188, 189, 190, 200, 201, 202, 203, 205, 206, 207, 217, 219, 220, 222, 223, 225, 226 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 14, 16, 20, 22, 34, 35, 37, 39, 41, 43, 45, 51, 52, 53, 54, 55, 56, 59, 60, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 78, 79, 82, 85, 86, 87, 89, 90, 91, 92, 93, 94, 95, 96, 97, 99, 100, 101, 102, 104, 105, 106, 116, 117, 120, 121, 122, 123, 125, 129, 130, 131, 132, 134, 147, 148, 149, 150, 151, 155, 156, 157, 161, 165, 169, 170, 174, 177, 178, 181, 182, 187, 191, 195, 199, 204, 208, 212, 216, 224, 227, 228, 234 }

B grade: { 61, 62, 63, 64, 80, 81, 83, 84, 135, 160, 164, 168, 173, 186, 190, 194, 198, 203, 207, 211, 215, 218, 221, 229, 230, 231, 232, 233 }

C grade: { 158, 159, 162, 163, 166, 167, 171, 172, 175, 176, 179, 180, 183, 184, 185, 188, 189, 192, 193, 196, 197, 200, 201, 202, 205, 206, 209, 210, 213, 214, 217, 219, 220, 222, 223, 225, 226 }

F grade: { 7, 13, 15, 17, 18, 19, 21, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 36, 38, 40, 42, 44, 46, 47, 48, 49, 50, 57, 58, 65, 66, 77, 88, 98, 103, 107, 108, 109, 110, 111, 112, 113, 114, 115, 118, 119, 124, 126, 127, 128, 133, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 152, 153, 154 }

2.1.6 Sympy

A grade: { 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 14, 16, 20, 22, 34, 35, 37, 39, 41, 43, 45, 51, 52, 53, 54, 55, 56, 59, 60, 70, 74, 75, 76, 78, 79, 80, 81, 82, 83, 84, 92, 93, 94, 96, 99, 100, 101, 102, 116, 117, 120, 122, 123, 125, 128, 129, 130, 131, 132, 149, 151, 155, 156, 170, 187, 204, 227, 228 }

B grade: { 71, 89, 90, 91, 95, 104, 105, 106, 157 }

C grade: { }

F grade: { 7, 13, 15, 17, 18, 19, 21, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 36, 38, 40, 42, 44, 46, 47, 48, 49, 50, 57, 58, 61, 62, 63, 64, 65, 66, 67, 68, 69, 72, 73, 77, 85, 86, 87, 88, 97, 98, 103, 107, 108, 109, 110, 111, 112, 113, 114, 115, 118, 119, 121, 124, 126, 127, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 150, 152, 153, 154, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 229, 230, 231, 232, 233, 234 } }

2.1.7 Giac

A grade: { 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 14, 16, 34, 35, 41, 51, 52, 53, 54, 55, 56, 59, 60, 61, 62, 63, 64, 67, 68, 69, 70, 71, 74, 75, 76, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 89, 90, 91, 92, 93, 94, 95, 96, 99, 100, 101, 102, 104, 105, 106, 116, 117, 120, 121, 122, 123, 125, 128, 132, 134, 147, 148, 149, 150, 151, 155, 156, 157, 161, 165, 169, 170, 174, 178, 182, 187, 191, 195, 199, 204, 208, 212, 216, 227, 228, 229, 230, 231, 232, 233, 234 }

B grade: { 37, 39, 129, 130, 131, 135 }

C grade: { }

F grade: { 7, 13, 15, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 36, 38, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 57, 58, 65, 66, 72, 73, 77, 88, 97, 98, 103, 107, 108, 109, 110, 111, 112, 113, 114, 115, 118, 119, 124, 126, 127, 133, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 152, 153, 154, 158, 159, 160, 162, 163, 164, 166, 167, 168, 171, 172, 173, 175, 176, 177, 179, 180, 181, 183, 184, 185, 186, 188, 189, 190, 192, 193, 194, 196, 197, 198, 200, 201, 202, 203, 205, 206, 207, 209, 210, 211, 213, 214, 215, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

| Problem 1 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 51 | 51 | 51 | 42 | 63 | 100 | 48 | 74 |
| normalized size | 1 | 1. | 1. | 0.82 | 1.24 | 1.96 | 0.94 | 1.45 |
| time (sec) | N/A | 0.025 | 0.003 | 0.039 | 1.468 | 1.846 | 1.593 | 1.143 |

| Problem 2 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 49 | 49 | 49 | 42 | 62 | 104 | 46 | 68 |
| normalized size | 1 | 1. | 1. | 0.86 | 1.27 | 2.12 | 0.94 | 1.39 |
| time (sec) | N/A | 0.036 | 0.012 | 0.04 | 0.975 | 1.856 | 1.196 | 1.081 |

| Problem 3 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 41 | 41 | 41 | 34 | 51 | 78 | 39 | 61 |
| normalized size | 1 | 1. | 1. | 0.83 | 1.24 | 1.9 | 0.95 | 1.49 |
| time (sec) | N/A | 0.021 | 0.002 | 0.042 | 1.454 | 1.858 | 0.884 | 1.113 |

| Problem 4 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 39 | 39 | 39 | 34 | 49 | 84 | 37 | 54 |
| normalized size | 1 | 1. | 1. | 0.87 | 1.26 | 2.15 | 0.95 | 1.38 |
| time (sec) | N/A | 0.026 | 0.01 | 0.039 | 0.989 | 1.922 | 0.638 | 1.137 |

| Problem 5 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 31 | 31 | 31 | 26 | 38 | 58 | 31 | 43 |
| normalized size | 1 | 1. | 1. | 0.84 | 1.23 | 1.87 | 1. | 1.39 |
| time (sec) | N/A | 0.012 | 0.002 | 0.039 | 1.49 | 1.905 | 0.413 | 1.115 |

| Problem 6 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 24 | 24 | 24 | 23 | 32 | 62 | 24 | 35 |
| normalized size | 1 | 1. | 1. | 0.96 | 1.33 | 2.58 | 1. | 1.46 |
| time (sec) | N/A | 0.006 | 0.003 | 0.036 | 0.972 | 2.026 | 0.258 | 1.122 |

| Problem 7 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | B | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 37 | 37 | 37 | 63 | 89 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1. | 1.7 | 2.41 | 0. | 0. | 0. |
| time (sec) | N/A | 0.025 | 0.003 | 0.049 | 1.626 | 0. | 0. | 0. |

| Problem 8 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 30 | 30 | 30 | 31 | 41 | 82 | 24 | 46 |
| normalized size | 1 | 1. | 1. | 1.03 | 1.37 | 2.73 | 0.8 | 1.53 |
| time (sec) | N/A | 0.018 | 0.002 | 0.043 | 0.967 | 1.913 | 0.345 | 1.093 |

| Problem 9 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | C | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 31 | 31 | 36 | 26 | 31 | 58 | 24 | 36 |
| normalized size | 1 | 1. | 1.16 | 0.84 | 1. | 1.87 | 0.77 | 1.16 |
| time (sec) | N/A | 0.015 | 0.002 | 0.043 | 1.501 | 1.875 | 0.631 | 1.11 |

| Problem 10 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 46 | 46 | 44 | 41 | 57 | 105 | 39 | 73 |
| normalized size | 1 | 1. | 0.96 | 0.89 | 1.24 | 2.28 | 0.85 | 1.59 |
| time (sec) | N/A | 0.027 | 0.011 | 0.044 | 0.981 | 1.995 | 0.87 | 1.125 |

| Problem 11 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 41 | 41 | 36 | 34 | 50 | 80 | 32 | 55 |
| normalized size | 1 | 1. | 0.88 | 0.83 | 1.22 | 1.95 | 0.78 | 1.34 |
| time (sec) | N/A | 0.018 | 0.003 | 0.046 | 1.484 | 1.864 | 1.018 | 1.123 |

| Problem 12 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 104 | 104 | 79 | 102 | 128 | 189 | 104 | 190 |
| normalized size | 1 | 1. | 0.76 | 0.98 | 1.23 | 1.82 | 1. | 1.83 |
| time (sec) | N/A | 0.221 | 0.023 | 0.049 | 1.523 | 1.989 | 2.48 | 1.119 |

| Problem 13 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 135 | 135 | 95 | 233 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.7 | 1.73 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.211 | 0.501 | 0.121 | 0. | 0. | 0. | 0. |

| Problem 14 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 80 | 80 | 61 | 82 | 104 | 144 | 78 | 146 |
| normalized size | 1 | 1. | 0.76 | 1.02 | 1.3 | 1.8 | 0.98 | 1.82 |
| time (sec) | N/A | 0.146 | 0.02 | 0.051 | 1.543 | 1.917 | 1.327 | 1.137 |

| Problem 15 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 111 | 111 | 76 | 213 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.68 | 1.92 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.14 | 0.263 | 0.112 | 0. | 0. | 0. | 0. |

| Problem 16 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 53 | 53 | 42 | 61 | 77 | 105 | 54 | 101 |
| normalized size | 1 | 1. | 0.79 | 1.15 | 1.45 | 1.98 | 1.02 | 1.91 |
| time (sec) | N/A | 0.072 | 0.013 | 0.048 | 1.537 | 1.749 | 0.646 | 1.122 |

| Problem 17 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 67 | 67 | 56 | 136 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.84 | 2.03 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.074 | 0.076 | 0.164 | 0. | 0. | 0. | 0. |

| Problem 18 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 116 | 116 | 132 | 959 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1.14 | 8.27 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.213 | 0.06 | 0.601 | 0. | 0. | 0. | 0. |

| Problem 19 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F(-1) | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 66 | 66 | 64 | 234 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.97 | 3.55 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.105 | 0.044 | 0.138 | 0. | 0. | 0. | 0. |

| Problem 20 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | A | A | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 59 | 59 | 56 | 68 | 76 | 143 | 53 | 0 |
| normalized size | 1 | 1. | 0.95 | 1.15 | 1.29 | 2.42 | 0.9 | 0. |
| time (sec) | N/A | 0.088 | 0.017 | 0.052 | 1.473 | 2.027 | 0.695 | 0. |

| Problem 21 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F(-1) | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 113 | 113 | 96 | 290 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.85 | 2.57 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.161 | 0.232 | 0.133 | 0. | 0. | 0. | 0. |

| Problem 22 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | A | A | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 89 | 89 | 81 | 91 | 128 | 181 | 80 | 0 |
| normalized size | 1 | 1. | 0.91 | 1.02 | 1.44 | 2.03 | 0.9 | 0. |
| time (sec) | N/A | 0.155 | 0.02 | 0.058 | 1.526 | 1.88 | 1.197 | 0. |

| Problem 23 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F(-1) | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 194 | 194 | 125 | 243 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.64 | 1.25 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.667 | 0.601 | 0.531 | 0. | 0. | 0. | 0. |

| Problem 24 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 205 | 205 | 184 | 2731 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.9 | 13.32 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.517 | 0.586 | 3.753 | 0. | 0. | 0. | 0. |

| Problem 25 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F(-1) | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 148 | 148 | 96 | 209 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.65 | 1.41 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.386 | 0.333 | 0.451 | 0. | 0. | 0. | 0. |

| Problem 26 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 157 | 157 | 149 | 1815 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.95 | 11.56 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.302 | 0.324 | 1.355 | 0. | 0. | 0. | 0. |

| Problem 27 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F(-1) | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 103 | 103 | 76 | 162 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.74 | 1.57 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.171 | 0.086 | 0.316 | 0. | 0. | 0. | 0. |

| Problem 28 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 96 | 96 | 90 | 199 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.94 | 2.07 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.15 | 0.104 | 0.163 | 0. | 0. | 0. | 0. |

| Problem 29 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 178 | 178 | 180 | 1050 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1.01 | 5.9 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.327 | 0.076 | 0.412 | 0. | 0. | 0. | 0. |

| Problem 30 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | F(-1) | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 93 | 93 | 83 | 1576 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.89 | 16.95 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.188 | 0.072 | 0.574 | 0. | 0. | 0. | 0. |

| Problem 31 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F(-1) | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 105 | 105 | 90 | 109 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.86 | 1.04 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.199 | 0.16 | 0.322 | 0. | 0. | 0. | 0. |

| Problem 32 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | F(-1) | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 167 | 167 | 151 | 5029 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.9 | 30.11 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.337 | 0.244 | 1.627 | 0. | 0. | 0. | 0. |

| Problem 33 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F(-1) | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 152 | 152 | 126 | 158 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.83 | 1.04 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.42 | 0.258 | 0.485 | 0. | 0. | 0. | 0. |

| Problem 34 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | F(-2) | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.013 | 0.828 | 1.293 | 0. | 0. | 0. | 0. |

| Problem 35 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | F(-2) | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.013 | 0.815 | 0.956 | 0. | 0. | 0. | 0. |

| Problem 36 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | F | F(-2) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 57 | 57 | 52 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.91 | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.02 | 0.02 | 1.026 | 0. | 0. | 0. | 0. |

| Problem 37 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 40 | 40 | 32 | 38 | 47 | 100 | 34 | 90 |
| normalized size | 1 | 1. | 0.8 | 0.95 | 1.18 | 2.5 | 0.85 | 2.25 |
| time (sec) | N/A | 0.097 | 0.027 | 0.029 | 1.479 | 1.999 | 0.711 | 1.137 |

| Problem 38 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | B | B | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 67 | 67 | 241 | 128 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 3.6 | 1.91 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.093 | 0.059 | 0.114 | 0. | 0. | 0. | 0. |

| Problem 39 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 23 | 23 | 23 | 26 | 32 | 68 | 19 | 58 |
| normalized size | 1 | 1. | 1. | 1.13 | 1.39 | 2.96 | 0.83 | 2.52 |
| time (sec) | N/A | 0.048 | 0.013 | 0.03 | 1.541 | 1.867 | 0.389 | 1.124 |

| Problem 40 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | B | B | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 48 | 48 | 221 | 114 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 4.6 | 2.38 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.054 | 0.047 | 0.104 | 0. | 0. | 0. | 0. |

| Problem 41 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 8 | 8 | 8 | 7 | 8 | 24 | 7 | 11 |
| normalized size | 1 | 1. | 1. | 0.88 | 1. | 3. | 0.88 | 1.38 |
| time (sec) | N/A | 0.012 | 0.003 | 0.02 | 0.978 | 1.922 | 0.695 | 1.108 |

| Problem 42 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | B | B | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 49 | 49 | 251 | 163 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 5.12 | 3.33 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.073 | 0.06 | 0.115 | 0. | 0. | 0. | 0. |

| Problem 43 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | A | A | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 30 | 30 | 30 | 33 | 39 | 90 | 22 | 0 |
| normalized size | 1 | 1. | 1. | 1.1 | 1.3 | 3. | 0.73 | 0. |
| time (sec) | N/A | 0.056 | 0.016 | 0.033 | 1.507 | 1.944 | 0.654 | 0. |

| Problem 44 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | C | B | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 72 | 72 | 280 | 180 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 3.89 | 2.5 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.115 | 0.063 | 0.115 | 0. | 0. | 0. | 0. |

| Problem 45 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | A | A | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 47 | 47 | 47 | 43 | 74 | 130 | 42 | 0 |
| normalized size | 1 | 1. | 1. | 0.91 | 1.57 | 2.77 | 0.89 | 0. |
| time (sec) | N/A | 0.109 | 0.02 | 0.039 | 1.479 | 1.957 | 1.875 | 0. |

| Problem 46 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade | A | A | B | A | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 206 | 206 | 626 | 265 | 269 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 3.04 | 1.29 | 1.31 | 0. | 0. | 0. |
| time (sec) | N/A | 0.58 | 1.585 | 0.247 | 1.588 | 0. | 0. | 0. |

| Problem 47 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 188 | 188 | 343 | 284 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1.82 | 1.51 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.184 | 0.083 | 0.174 | 0. | 0. | 0. | 0. |

| Problem 48 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | A | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 183 | 183 | 319 | 304 | 266 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1.74 | 1.66 | 1.45 | 0. | 0. | 0. |
| time (sec) | N/A | 0.465 | 0.078 | 0.184 | 1.596 | 0. | 0. | 0. |

| Problem 49 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 223 | 223 | 379 | 345 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1.7 | 1.55 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.247 | 0.091 | 0.149 | 0. | 0. | 0. | 0. |

| Problem 50 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | A | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 212 | 212 | 348 | 271 | 261 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1.64 | 1.28 | 1.23 | 0. | 0. | 0. |
| time (sec) | N/A | 0.503 | 0.085 | 0.207 | 1.549 | 0. | 0. | 0. |

| Problem 51 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 5 | 5 | 5 | 6 | 7 | 23 | 5 | 11 |
| normalized size | 1 | 1. | 1. | 1.2 | 1.4 | 4.6 | 1. | 2.2 |
| time (sec) | N/A | 0.02 | 0.023 | 0.019 | 0.947 | 1.769 | 0.345 | 1.095 |

| Problem 52 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F(-2) | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 13 | 13 | 13 | 14 | 0 | 43 | 17 | 20 |
| normalized size | 1 | 1. | 1. | 1.08 | 0. | 3.31 | 1.31 | 1.54 |
| time (sec) | N/A | 0.024 | 0.007 | 0.038 | 0. | 1.999 | 4.601 | 1.09 |

| Problem 53 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 244 | 244 | 212 | 279 | 305 | 540 | 367 | 320 |
| normalized size | 1 | 1. | 0.87 | 1.14 | 1.25 | 2.21 | 1.5 | 1.31 |
| time (sec) | N/A | 0.176 | 0.162 | 0.044 | 1.003 | 1.91 | 6.184 | 1.12 |

| Problem 54 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 168 | 168 | 149 | 191 | 215 | 366 | 243 | 221 |
| normalized size | 1 | 1. | 0.89 | 1.14 | 1.28 | 2.18 | 1.45 | 1.32 |
| time (sec) | N/A | 0.12 | 0.104 | 0.043 | 0.972 | 1.838 | 3.536 | 1.131 |

| Problem 55 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 109 | 109 | 97 | 119 | 139 | 240 | 151 | 142 |
| normalized size | 1 | 1. | 0.89 | 1.09 | 1.28 | 2.2 | 1.39 | 1.3 |
| time (sec) | N/A | 0.127 | 0.066 | 0.042 | 1.013 | 1.923 | 1.935 | 1.116 |

| Problem 56 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 58 | 58 | 67 | 60 | 72 | 127 | 73 | 74 |
| normalized size | 1 | 1. | 1.16 | 1.03 | 1.24 | 2.19 | 1.26 | 1.28 |
| time (sec) | N/A | 0.061 | 0.009 | 0.04 | 0.953 | 2.147 | 0.836 | 1.104 |

| Problem 57 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F(-2) | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 403 | 403 | 523 | 826 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1.3 | 2.05 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.919 | 0.293 | 0.264 | 0. | 0. | 0. | 0. |

| Problem 58 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F(-2) | F | F(-1) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 801 | 801 | 802 | 2177 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1. | 2.72 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 1.158 | 7.306 | 0.447 | 0. | 0. | 0. | 0. |

| Problem 59 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | F(-2) | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.019 | 5.408 | 0.954 | 0. | 0. | 0. | 0. |

| Problem 60 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | F(-2) | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.022 | 3.74 | 0.858 | 0. | 0. | 0. | 0. |

| Problem 61 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | F | F(-2) | B | F | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 66 | 66 | 169 | 0 | 0 | 729 | 0 | 80 |
| normalized size | 1 | 1. | 2.56 | 0. | 0. | 11.05 | 0. | 1.21 |
| time (sec) | N/A | 0.094 | 0.227 | 0.644 | 0. | 2.329 | 0. | 1.144 |

| Problem 62 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | F | F(-2) | B | F | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 134 | 134 | 262 | 0 | 0 | 1450 | 0 | 170 |
| normalized size | 1 | 1. | 1.96 | 0. | 0. | 10.82 | 0. | 1.27 |
| time (sec) | N/A | 0.326 | 0.607 | 0.665 | 0. | 2.82 | 0. | 1.175 |

| Problem 63 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | F | F(-2) | B | F(-1) | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 208 | 208 | 345 | 0 | 0 | 2569 | 0 | 281 |
| normalized size | 1 | 1. | 1.66 | 0. | 0. | 12.35 | 0. | 1.35 |
| time (sec) | N/A | 0.935 | 0.938 | 0.891 | 0. | 3.581 | 0. | 1.217 |

| Problem 64 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | C | F | F(-2) | B | F(-1) | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 293 | 293 | 450 | 0 | 0 | 4097 | 0 | 459 |
| normalized size | 1 | 1. | 1.54 | 0. | 0. | 13.98 | 0. | 1.57 |
| time (sec) | N/A | 1.155 | 1.395 | 0.725 | 0. | 7.702 | 0. | 1.23 |

| Problem 65 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F(-2) | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 195 | 195 | 136 | 117 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.7 | 0.6 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.072 | 1.114 | 0.7 | 0. | 0. | 0. | 0. |

| Problem 66 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F(-2) | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 155 | 155 | 89 | 99 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.57 | 0.64 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.045 | 0.103 | 0.57 | 0. | 0. | 0. | 0. |

| Problem 67 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | C | A | A | F | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 35 | 35 | 21 | 68 | 42 | 69 | 0 | 45 |
| normalized size | 1 | 1. | 0.6 | 1.94 | 1.2 | 1.97 | 0. | 1.29 |
| time (sec) | N/A | 0.02 | 0.023 | 0.381 | 1.469 | 2.118 | 0. | 1.144 |

| Problem 68 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | C | A | A | F | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 79 | 79 | 37 | 165 | 85 | 122 | 0 | 74 |
| normalized size | 1 | 1. | 0.47 | 2.09 | 1.08 | 1.54 | 0. | 0.94 |
| time (sec) | N/A | 0.044 | 0.031 | 0.386 | 1.456 | 2.203 | 0. | 1.148 |

| Problem 69 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | C | A | A | F(-1) | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 118 | 118 | 47 | 289 | 126 | 174 | 0 | 112 |
| normalized size | 1 | 1. | 0.4 | 2.45 | 1.07 | 1.47 | 0. | 0.95 |
| time (sec) | N/A | 0.067 | 0.038 | 0.455 | 1.539 | 2.192 | 0. | 1.145 |

| Problem 70 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 32 | 32 | 25 | 27 | 35 | 55 | 31 | 38 |
| normalized size | 1 | 1. | 0.78 | 0.84 | 1.09 | 1.72 | 0.97 | 1.19 |
| time (sec) | N/A | 0.026 | 0.018 | 0.026 | 1.487 | 2.145 | 0.707 | 1.102 |

| Problem 71 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | B | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 44 | 44 | 36 | 37 | 53 | 96 | 88 | 49 |
| normalized size | 1 | 1. | 0.82 | 0.84 | 1.2 | 2.18 | 2. | 1.11 |
| time (sec) | N/A | 0.029 | 0.021 | 0.025 | 1.472 | 2.102 | 1.204 | 1.112 |

| Problem 72 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | A | A | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 34 | 34 | 28 | 35 | 51 | 81 | 0 | 0 |
| normalized size | 1 | 1. | 0.82 | 1.03 | 1.5 | 2.38 | 0. | 0. |
| time (sec) | N/A | 0.015 | 0.013 | 0.034 | 1.464 | 2.151 | 0. | 0. |

| Problem 73 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | A | A | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 56 | 56 | 46 | 61 | 101 | 123 | 0 | 0 |
| normalized size | 1 | 1. | 0.82 | 1.09 | 1.8 | 2.2 | 0. | 0. |
| time (sec) | N/A | 0.044 | 0.024 | 0.169 | 1.525 | 2.082 | 0. | 0. |

| Problem 74 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 41 | 41 | 41 | 36 | 51 | 88 | 39 | 54 |
| normalized size | 1 | 1. | 1. | 0.88 | 1.24 | 2.15 | 0.95 | 1.32 |
| time (sec) | N/A | 0.025 | 0.014 | 0.045 | 0.975 | 2.16 | 2.94 | 1.106 |

| Problem 75 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 37 | 37 | 37 | 32 | 46 | 63 | 36 | 49 |
| normalized size | 1 | 1. | 1. | 0.86 | 1.24 | 1.7 | 0.97 | 1.32 |
| time (sec) | N/A | 0.019 | 0.006 | 0.04 | 1.443 | 2.108 | 1.485 | 1.126 |

| Problem 76 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 31 | 31 | 31 | 28 | 38 | 68 | 31 | 39 |
| normalized size | 1 | 1. | 1. | 0.9 | 1.23 | 2.19 | 1. | 1.26 |
| time (sec) | N/A | 0.009 | 0.006 | 0.039 | 0.994 | 2.21 | 0.839 | 1.091 |

| Problem 77 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | B | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 37 | 37 | 37 | 57 | 108 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1. | 1.54 | 2.92 | 0. | 0. | 0. |
| time (sec) | N/A | 0.034 | 0.006 | 0.117 | 1.614 | 0. | 0. | 0. |

| Problem 78 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 34 | 34 | 34 | 31 | 43 | 93 | 29 | 46 |
| normalized size | 1 | 1. | 1. | 0.91 | 1.26 | 2.74 | 0.85 | 1.35 |
| time (sec) | N/A | 0.017 | 0.006 | 0.048 | 0.966 | 2.291 | 1.054 | 1.143 |

| Problem 79 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 35 | 35 | 38 | 30 | 36 | 63 | 29 | 39 |
| normalized size | 1 | 1. | 1.09 | 0.86 | 1.03 | 1.8 | 0.83 | 1.11 |
| time (sec) | N/A | 0.018 | 0.006 | 0.044 | 1.463 | 2.127 | 1.733 | 1.122 |

| Problem 80 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|------|
| grade | A | A | A | A | B | B | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 152 | 152 | 136 | 129 | 362 | 757 | 1086 | 211 |
| normalized size | 1 | 1. | 0.89 | 0.85 | 2.38 | 4.98 | 7.14 | 1.39 |
| time (sec) | N/A | 0.104 | 0.041 | 0.061 | 1.455 | 2.369 | 58.118 | 1.14 |

| Problem 81 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|------|
| grade | A | A | A | A | B | B | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 150 | 150 | 133 | 127 | 342 | 713 | 1081 | 207 |
| normalized size | 1 | 1. | 0.89 | 0.85 | 2.28 | 4.75 | 7.21 | 1.38 |
| time (sec) | N/A | 0.094 | 0.027 | 0.043 | 1.502 | 2.301 | 30.421 | 1.12 |

| Problem 82 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade | A | A | A | A | B | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 132 | 132 | 102 | 118 | 339 | 647 | 440 | 194 |
| normalized size | 1 | 1. | 0.77 | 0.89 | 2.57 | 4.9 | 3.33 | 1.47 |
| time (sec) | N/A | 0.076 | 0.034 | 0.041 | 1.511 | 2.25 | 14.902 | 1.097 |

| Problem 83 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade | A | A | A | A | B | B | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 135 | 135 | 105 | 115 | 327 | 633 | 462 | 182 |
| normalized size | 1 | 1. | 0.78 | 0.85 | 2.42 | 4.69 | 3.42 | 1.35 |
| time (sec) | N/A | 0.079 | 0.04 | 0.042 | 1.492 | 2.313 | 30.065 | 1.129 |

| Problem 84 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade | A | A | A | A | B | B | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 150 | 150 | 146 | 121 | 356 | 706 | 1074 | 189 |
| normalized size | 1 | 1. | 0.97 | 0.81 | 2.37 | 4.71 | 7.16 | 1.26 |
| time (sec) | N/A | 0.092 | 0.051 | 0.043 | 1.476 | 2.34 | 55.366 | 1.109 |

| Problem 85 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | F | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 51 | 51 | 40 | 32 | 42 | 88 | 0 | 42 |
| normalized size | 1 | 1. | 0.78 | 0.63 | 0.82 | 1.73 | 0. | 0.82 |
| time (sec) | N/A | 0.012 | 0.015 | 0.023 | 1.456 | 2.229 | 0. | 1.105 |

| Problem 86 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | F | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 42 | 42 | 33 | 27 | 35 | 72 | 0 | 35 |
| normalized size | 1 | 1. | 0.79 | 0.64 | 0.83 | 1.71 | 0. | 0.83 |
| time (sec) | N/A | 0.009 | 0.011 | 0.022 | 1.424 | 2.28 | 0. | 1.091 |

| Problem 87 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | F | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 22 | 22 | 22 | 17 | 22 | 47 | 0 | 22 |
| normalized size | 1 | 1. | 1. | 0.77 | 1. | 2.14 | 0. | 1. |
| time (sec) | N/A | 0.006 | 0.006 | 0.023 | 1.454 | 2.212 | 0. | 1.108 |

| Problem 88 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | B | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 31 | 31 | 31 | 61 | 47 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1. | 1.97 | 1.52 | 0. | 0. | 0. |
| time (sec) | N/A | 0.032 | 0.005 | 0.033 | 1.583 | 0. | 0. | 0. |

| Problem 89 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | A | A | A | B | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 23 | 23 | 29 | 18 | 23 | 54 | 92 | 26 |
| normalized size | 1 | 1. | 1.26 | 0.78 | 1. | 2.35 | 4. | 1.13 |
| time (sec) | N/A | 0.011 | 0.009 | 0.024 | 1.466 | 2.269 | 3.079 | 1.101 |

| Problem 90 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | A | A | A | B | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 42 | 42 | 34 | 27 | 35 | 80 | 160 | 35 |
| normalized size | 1 | 1. | 0.81 | 0.64 | 0.83 | 1.9 | 3.81 | 0.83 |
| time (sec) | N/A | 0.012 | 0.01 | 0.029 | 1.463 | 2.188 | 8.744 | 1.108 |

| Problem 91 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | B | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 36 | 36 | 29 | 25 | 32 | 88 | 85 | 32 |
| normalized size | 1 | 1. | 0.81 | 0.69 | 0.89 | 2.44 | 2.36 | 0.89 |
| time (sec) | N/A | 0.014 | 0.016 | 0.023 | 0.974 | 2.209 | 7.887 | 1.096 |

| Problem 92 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 29 | 29 | 25 | 20 | 26 | 73 | 24 | 26 |
| normalized size | 1 | 1. | 0.86 | 0.69 | 0.9 | 2.52 | 0.83 | 0.9 |
| time (sec) | N/A | 0.011 | 0.011 | 0.023 | 0.973 | 2.189 | 1.332 | 1.107 |

| Problem 93 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 18 | 18 | 18 | 15 | 19 | 54 | 17 | 19 |
| normalized size | 1 | 1. | 1. | 0.83 | 1.06 | 3. | 0.94 | 1.06 |
| time (sec) | N/A | 0.007 | 0.007 | 0.023 | 0.955 | 2.208 | 0.45 | 1.093 |

| Problem 94 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 22 | 22 | 22 | 19 | 24 | 77 | 20 | 22 |
| normalized size | 1 | 1. | 1. | 0.86 | 1.09 | 3.5 | 0.91 | 1. |
| time (sec) | N/A | 0.008 | 0.012 | 0.027 | 0.979 | 2.136 | 1.766 | 1.128 |

| Problem 95 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | B | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 37 | 37 | 29 | 26 | 34 | 97 | 143 | 38 |
| normalized size | 1 | 1. | 0.78 | 0.7 | 0.92 | 2.62 | 3.86 | 1.03 |
| time (sec) | N/A | 0.012 | 0.018 | 0.029 | 1.006 | 2.262 | 8.517 | 1.129 |

| Problem 96 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 17 | 17 | 17 | 20 | 20 | 46 | 14 | 18 |
| normalized size | 1 | 1. | 1. | 1.18 | 1.18 | 2.71 | 0.82 | 1.06 |
| time (sec) | N/A | 0.006 | 0.002 | 0.049 | 0.992 | 2.075 | 0.191 | 1.099 |

| Problem 97 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | A | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 47 | 47 | 40 | 94 | 0 | 181 | 0 | 0 |
| normalized size | 1 | 1. | 0.85 | 2. | 0. | 3.85 | 0. | 0. |
| time (sec) | N/A | 0.035 | 0.015 | 0.052 | 0. | 2.321 | 0. | 0. |

| Problem 98 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | B | F | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 37 | 37 | 37 | 57 | 108 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1. | 1.54 | 2.92 | 0. | 0. | 0. |
| time (sec) | N/A | 0.034 | 0.007 | 0.116 | 1.629 | 0. | 0. | 0. |

| Problem 99 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 106 | 106 | 95 | 132 | 140 | 225 | 155 | 142 |
| normalized size | 1 | 1. | 0.9 | 1.25 | 1.32 | 2.12 | 1.46 | 1.34 |
| time (sec) | N/A | 0.107 | 0.067 | 0.052 | 1.445 | 2.227 | 4.025 | 1.127 |

| Problem 100 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | C | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 80 | 80 | 114 | 94 | 115 | 184 | 117 | 113 |
| normalized size | 1 | 1. | 1.42 | 1.18 | 1.44 | 2.3 | 1.46 | 1.41 |
| time (sec) | N/A | 0.078 | 0.042 | 0.041 | 1.475 | 2.208 | 1.309 | 1.12 |

| Problem 101 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 60 | 60 | 90 | 66 | 92 | 143 | 78 | 84 |
| normalized size | 1 | 1. | 1.5 | 1.1 | 1.53 | 2.38 | 1.3 | 1.4 |
| time (sec) | N/A | 0.055 | 0.033 | 0.044 | 1.474 | 2.273 | 0.833 | 1.093 |

| Problem 102 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 33 | 33 | 44 | 36 | 39 | 119 | 46 | 68 |
| normalized size | 1 | 1. | 1.33 | 1.09 | 1.18 | 3.61 | 1.39 | 2.06 |
| time (sec) | N/A | 0.012 | 0.013 | 0.039 | 0.956 | 2.146 | 0.488 | 1.118 |

| Problem 103 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | B | A | A | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 120 | 120 | 251 | 103 | 180 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 2.09 | 0.86 | 1.5 | 0. | 0. | 0. |
| time (sec) | N/A | 0.108 | 0.025 | 0.056 | 1.65 | 0. | 0. | 0. |

| Problem 104 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | A | A | A | B | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 62 | 62 | 66 | 63 | 104 | 174 | 330 | 97 |
| normalized size | 1 | 1. | 1.06 | 1.02 | 1.68 | 2.81 | 5.32 | 1.56 |
| time (sec) | N/A | 0.039 | 0.052 | 0.049 | 1.478 | 2.316 | 9.504 | 1.111 |

| Problem 105 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade | A | A | C | A | A | A | B | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 95 | 95 | 92 | 104 | 151 | 248 | 675 | 158 |
| normalized size | 1 | 1. | 0.97 | 1.09 | 1.59 | 2.61 | 7.11 | 1.66 |
| time (sec) | N/A | 0.082 | 0.093 | 0.048 | 1.474 | 2.305 | 15.208 | 1.114 |

| Problem 106 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade | A | A | C | A | A | A | B | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 129 | 129 | 126 | 164 | 223 | 344 | 1125 | 242 |
| normalized size | 1 | 1. | 0.98 | 1.27 | 1.73 | 2.67 | 8.72 | 1.88 |
| time (sec) | N/A | 0.112 | 0.132 | 0.053 | 1.489 | 2.403 | 33.039 | 1.134 |

| Problem 107 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F(-2) | F | F(-1) | F |
| verified | N/A | NO | NO | TBD | TBD | TBD | TBD | TBD |
| size | 642 | 655 | 563 | 2082 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1.02 | 0.88 | 3.24 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.998 | 0.549 | 0.814 | 0. | 0. | 0. | 0. |

| Problem 108 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | B | A | B | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 152 | 152 | 345 | 198 | 382 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 2.27 | 1.3 | 2.51 | 0. | 0. | 0. |
| time (sec) | N/A | 0.142 | 0.04 | 0.057 | 1.896 | 0. | 0. | 0. |

| Problem 109 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | A | F | F | F |
| verified | N/A | NO | NO | TBD | TBD | TBD | TBD | TBD |
| size | 338 | 422 | 602 | 317 | 378 | 0 | 0 | 0 |
| normalized size | 1 | 1.25 | 1.78 | 0.94 | 1.12 | 0. | 0. | 0. |
| time (sec) | N/A | 0.498 | 9.245 | 0.066 | 1.879 | 0. | 0. | 0. |

| Problem 110 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | B | C | F(-2) | F | F(-1) | F |
| verified | N/A | NO | NO | TBD | TBD | TBD | TBD | TBD |
| size | 735 | 818 | 5117 | 52954 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1.11 | 6.96 | 72.05 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 1.518 | 33.893 | 1.987 | 0. | 0. | 0. | 0. |

| Problem 111 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | F | F | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 693 | 693 | 618 | 343 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.89 | 0.49 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 2.065 | 0.736 | 0.231 | 0. | 0. | 0. | 0. |

| Problem 112 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | F | F | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 830 | 830 | 809 | 376 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.97 | 0.45 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 2.322 | 0.686 | 0.214 | 0. | 0. | 0. | 0. |

| Problem 113 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F(-2) | F | F(-1) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 367 | 367 | 629 | 4601 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1.71 | 12.54 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.686 | 0.455 | 1.072 | 0. | 0. | 0. | 0. |

| Problem 114 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F(-2) | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 132 | 132 | 127 | 123 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.96 | 0.93 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.096 | 0.144 | 0.429 | 0. | 0. | 0. | 0. |

| Problem 115 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F(-2) | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 216 | 216 | 138 | 156 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.64 | 0.72 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.168 | 0.077 | 0.518 | 0. | 0. | 0. | 0. |

| Problem 116 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | A | A | A | A |
| verified | N/A | N/A | NO | TBD | TBD | TBD | TBD | TBD |
| size | 22 | 0 | 177 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 8.05 | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.04 | 0.379 | 1.135 | 0. | 0. | 0. | 0. |

| Problem 117 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | A | A | A | A |
| verified | N/A | N/A | NO | TBD | TBD | TBD | TBD | TBD |
| size | 24 | 0 | 180 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 7.5 | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.053 | 0.085 | 1.108 | 0. | 0. | 0. | 0. |

| Problem 118 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F(-2) | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 187 | 187 | 202 | 167 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1.08 | 0.89 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.223 | 1.444 | 0.642 | 0. | 0. | 0. | 0. |

| Problem 119 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F(-2) | F | F(-1) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 281 | 281 | 207 | 202 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.74 | 0.72 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.349 | 0.901 | 1.1 | 0. | 0. | 0. | 0. |

| Problem 120 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | A | A | A | A |
| verified | N/A | N/A | NO | TBD | TBD | TBD | TBD | TBD |
| size | 29 | 0 | 198 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 6.83 | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.137 | 0.92 | 1.473 | 0. | 0. | 0. | 0. |

| Problem 121 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | A | A | F(-1) | A |
| verified | N/A | N/A | NO | TBD | TBD | TBD | TBD | TBD |
| size | 31 | 0 | 200 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 6.45 | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.19 | 0.205 | 1.456 | 0. | 0. | 0. | 0. |

| Problem 122 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | B | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 52 | 52 | 42 | 86 | 126 | 192 | 100 | 86 |
| normalized size | 1 | 1. | 0.81 | 1.65 | 2.42 | 3.69 | 1.92 | 1.65 |
| time (sec) | N/A | 0.039 | 0.014 | 0.042 | 1.472 | 2.186 | 1.671 | 1.1 |

| Problem 123 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 39 | 39 | 141 | 57 | 70 | 82 | 56 | 54 |
| normalized size | 1 | 1. | 3.62 | 1.46 | 1.79 | 2.1 | 1.44 | 1.38 |
| time (sec) | N/A | 0.021 | 0.055 | 0.043 | 1.452 | 2.108 | 1.071 | 1.111 |

| Problem 124 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | B | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 45 | 45 | 38 | 98 | 151 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.84 | 2.18 | 3.36 | 0. | 0. | 0. |
| time (sec) | N/A | 0.041 | 0.007 | 0.052 | 1.632 | 0. | 0. | 0. |

| Problem 125 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 47 | 47 | 40 | 46 | 72 | 150 | 150 | 49 |
| normalized size | 1 | 1. | 0.85 | 0.98 | 1.53 | 3.19 | 3.19 | 1.04 |
| time (sec) | N/A | 0.032 | 0.017 | 0.046 | 1.007 | 2.222 | 1.962 | 1.109 |

| Problem 126 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | B | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 35 | 35 | 35 | 68 | 86 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1. | 1.94 | 2.46 | 0. | 0. | 0. |
| time (sec) | N/A | 0.037 | 0.004 | 0.036 | 1.597 | 0. | 0. | 0. |

| Problem 127 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | B | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 45 | 45 | 38 | 98 | 165 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.84 | 2.18 | 3.67 | 0. | 0. | 0. |
| time (sec) | N/A | 0.046 | 0.006 | 0.054 | 1.646 | 0. | 0. | 0. |

| Problem 128 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | F(-2) | F(-2) | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.018 | 8.545 | 0.55 | 0. | 0. | 0. | 0. |

| Problem 129 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | B | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 233 | 233 | 157 | 526 | 460 | 694 | 627 | 1045 |
| normalized size | 1 | 1. | 0.67 | 2.26 | 1.97 | 2.98 | 2.69 | 4.48 |
| time (sec) | N/A | 0.357 | 0.266 | 0.052 | 1.496 | 2.469 | 8.921 | 3.224 |

| Problem 130 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | B | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 154 | 154 | 118 | 312 | 292 | 459 | 357 | 641 |
| normalized size | 1 | 1. | 0.77 | 2.03 | 1.9 | 2.98 | 2.32 | 4.16 |
| time (sec) | N/A | 0.186 | 0.145 | 0.048 | 1.497 | 2.388 | 4.351 | 1.494 |

| Problem 131 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 97 | 97 | 163 | 146 | 153 | 257 | 177 | 340 |
| normalized size | 1 | 1. | 1.68 | 1.51 | 1.58 | 2.65 | 1.82 | 3.51 |
| time (sec) | N/A | 0.114 | 0.082 | 0.045 | 1.472 | 2.301 | 2.026 | 1.234 |

| Problem 132 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 38 | 38 | 49 | 42 | 46 | 140 | 51 | 77 |
| normalized size | 1 | 1. | 1.29 | 1.11 | 1.21 | 3.68 | 1.34 | 2.03 |
| time (sec) | N/A | 0.02 | 0.012 | 0.041 | 0.986 | 2.147 | 0.49 | 1.095 |

| Problem 133 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 162 | 162 | 304 | 224 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1.88 | 1.38 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.149 | 0.095 | 0.06 | 0. | 0. | 0. | 0. |

| Problem 134 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | A | A | A | F(-1) | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 153 | 153 | 118 | 206 | 239 | 513 | 0 | 396 |
| normalized size | 1 | 1. | 0.77 | 1.35 | 1.56 | 3.35 | 0. | 2.59 |
| time (sec) | N/A | 0.111 | 0.164 | 0.051 | 1.497 | 5.349 | 0. | 1.108 |

| Problem 135 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | A | A | B | F(-1) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 228 | 228 | 180 | 437 | 554 | 1531 | 0 | 1550 |
| normalized size | 1 | 1. | 0.79 | 1.92 | 2.43 | 6.71 | 0. | 6.8 |
| time (sec) | N/A | 0.278 | 0.502 | 0.059 | 1.521 | 20.437 | 0. | 6.614 |

| Problem 136 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 382 | 382 | 665 | 1832 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1.74 | 4.8 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.582 | 4.98 | 0.153 | 0. | 0. | 0. | 0. |

| Problem 137 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 220 | 220 | 286 | 766 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1.3 | 3.48 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.384 | 0.561 | 0.135 | 0. | 0. | 0. | 0. |

| Problem 138 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 102 | 102 | 118 | 236 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1.16 | 2.31 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.116 | 0.161 | 0.143 | 0. | 0. | 0. | 0. |

| Problem 139 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | F | C | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 261 | 261 | 0 | 2201 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0. | 8.43 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.177 | 6.452 | 1.504 | 0. | 0. | 0. | 0. |

| Problem 140 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | F | F(-1) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 567 | 567 | 454 | 1180 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.8 | 2.08 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 1.386 | 8.941 | 0.114 | 0. | 0. | 0. | 0. |

| Problem 141 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | B | B | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 565 | 565 | 2336 | 3693 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 4.13 | 6.54 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.963 | 10.451 | 0.552 | 0. | 0. | 0. | 0. |

| Problem 142 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 337 | 337 | 630 | 1570 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1.87 | 4.66 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.664 | 1.221 | 0.517 | 0. | 0. | 0. | 0. |

| Problem 143 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 143 | 143 | 228 | 507 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 1.59 | 3.55 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.217 | 0.312 | 0.324 | 0. | 0. | 0. | 0. |

| Problem 144 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | F | C | F | F | F(-1) | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 372 | 372 | 0 | 4521 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0. | 12.15 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.216 | 55.631 | 0.865 | 0. | 0. | 0. | 0. |

| Problem 145 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | F | A | F | F | F(-1) | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 1233 | 1233 | 0 | 1579 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0. | 1.28 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 2.254 | 60.416 | 0.522 | 0. | 0. | 0. | 0. |

| Problem 146 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | F | F(-2) | F | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 177 | 177 | 162 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.92 | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.244 | 0.327 | 1.395 | 0. | 0. | 0. | 0. |

| Problem 147 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | F(-2) | A | F(-1) | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.061 | 5.214 | 1.3 | 0. | 0. | 0. | 0. |

| Problem 148 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | F(-2) | A | F(-1) | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.06 | 0.473 | 1.349 | 0. | 0. | 0. | 0. |

| Problem 149 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 42 | 42 | 37 | 46 | 47 | 130 | 60 | 80 |
| normalized size | 1 | 1. | 0.88 | 1.1 | 1.12 | 3.1 | 1.43 | 1.9 |
| time (sec) | N/A | 0.044 | 0.016 | 0.039 | 0.974 | 2.52 | 5.628 | 1.096 |

| Problem 150 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | C | A | A | F(-1) | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 45 | 45 | 40 | 149 | 51 | 140 | 0 | 88 |
| normalized size | 1 | 1. | 0.89 | 3.31 | 1.13 | 3.11 | 0. | 1.96 |
| time (sec) | N/A | 0.044 | 0.035 | 0.215 | 0.963 | 2.718 | 0. | 1.107 |

| Problem 151 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 42 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.046 | 0.093 | 1.185 | 0. | 0. | 0. | 0. |

| Problem 152 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | F | B | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 488 | 488 | 0 | 1717 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0. | 3.52 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.523 | 0.293 | 2.868 | 0. | 0. | 0. | 0. |

| Problem 153 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade | A | A | F | B | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 321 | 321 | 0 | 931 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0. | 2.9 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.32 | 0.536 | 1.422 | 0. | 0. | 0. | 0. |

| Problem 154 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 98 | 98 | 93 | 364 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 1. | 0.95 | 3.71 | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.069 | 0.036 | 0.773 | 0. | 0. | 0. | 0. |

| Problem 155 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 42 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.046 | 0.093 | 1.186 | 0. | 0. | 0. | 0. |

| Problem 156 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 42 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.042 | 0.825 | 1.228 | 0. | 0. | 0. | 0. |

| Problem 157 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | B | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 16 | 16 | 18 | 20 | 23 | 42 | 48 | 41 |
| normalized size | 1 | 1. | 1.12 | 1.25 | 1.44 | 2.62 | 3. | 2.56 |
| time (sec) | N/A | 0.008 | 0.005 | 0.042 | 0.976 | 2.353 | 0.167 | 1.123 |

| Problem 158 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | F | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 403 | 403 | 363 | 8034 | 0 | 5146 | 0 | 0 |
| normalized size | 1 | 1. | 0.9 | 19.94 | 0. | 12.77 | 0. | 0. |
| time (sec) | N/A | 0.512 | 0.81 | 8.365 | 0. | 3.626 | 0. | 0. |

| Problem 159 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | F | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 305 | 305 | 272 | 7678 | 0 | 4035 | 0 | 0 |
| normalized size | 1 | 1. | 0.89 | 25.17 | 0. | 13.23 | 0. | 0. |
| time (sec) | N/A | 0.406 | 0.589 | 31.149 | 0. | 3.491 | 0. | 0. |

| Problem 160 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | B | B | B | B | F(-1) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 198 | 198 | 555 | 1142 | 585 | 2894 | 0 | 0 |
| normalized size | 1 | 1. | 2.8 | 5.77 | 2.95 | 14.62 | 0. | 0. |
| time (sec) | N/A | 0.243 | 1.664 | 0.314 | 1.871 | 3.429 | 0. | 0. |

| Problem 161 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | F(-1) | A | F(-1) | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.075 | 0.32 | 0.385 | 0. | 0. | 0. | 0. |

| Problem 162 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | B | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 154 | 154 | 136 | 1526 | 417 | 902 | 0 | 0 |
| normalized size | 1 | 1. | 0.88 | 9.91 | 2.71 | 5.86 | 0. | 0. |
| time (sec) | N/A | 0.253 | 0.203 | 23.174 | 1.132 | 2.68 | 0. | 0. |

| Problem 163 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | B | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 123 | 123 | 110 | 1491 | 294 | 749 | 0 | 0 |
| normalized size | 1 | 1. | 0.89 | 12.12 | 2.39 | 6.09 | 0. | 0. |
| time (sec) | N/A | 0.22 | 0.112 | 12.351 | 1.065 | 2.442 | 0. | 0. |

| Problem 164 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | B | B | B | B | F(-1) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 85 | 85 | 967 | 1489 | 614 | 541 | 0 | 0 |
| normalized size | 1 | 1. | 11.38 | 17.52 | 7.22 | 6.36 | 0. | 0. |
| time (sec) | N/A | 0.132 | 2.709 | 0.11 | 1.623 | 2.554 | 0. | 0. |

| Problem 165 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | F(-2) | A | F(-1) | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.104 | 0.32 | 0.415 | 0. | 0. | 0. | 0. |

| Problem 166 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | B | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 155 | 155 | 141 | 1527 | 421 | 918 | 0 | 0 |
| normalized size | 1 | 1. | 0.91 | 9.85 | 2.72 | 5.92 | 0. | 0. |
| time (sec) | N/A | 0.261 | 0.224 | 22.292 | 1.131 | 2.62 | 0. | 0. |

| Problem 167 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | B | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 124 | 124 | 111 | 1492 | 298 | 763 | 0 | 0 |
| normalized size | 1 | 1. | 0.9 | 12.03 | 2.4 | 6.15 | 0. | 0. |
| time (sec) | N/A | 0.239 | 0.092 | 10.865 | 1.101 | 2.58 | 0. | 0. |

| Problem 168 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | B | B | B | B | F(-1) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 86 | 86 | 847 | 1681 | 608 | 552 | 0 | 0 |
| normalized size | 1 | 1. | 9.85 | 19.55 | 7.07 | 6.42 | 0. | 0. |
| time (sec) | N/A | 0.142 | 3.02 | 0.112 | 1.602 | 2.596 | 0. | 0. |

| Problem 169 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | F(-2) | A | F(-1) | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.164 | 0.771 | 0.407 | 0. | 0. | 0. | 0. |

| Problem 170 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | B | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 16 | 16 | 18 | 45 | 14 | 23 | 15 | 14 |
| normalized size | 1 | 1. | 1.12 | 2.81 | 0.88 | 1.44 | 0.94 | 0.88 |
| time (sec) | N/A | 0.013 | 0.006 | 0.049 | 0.946 | 1.963 | 0.18 | 1.105 |

| Problem 171 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | F | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 399 | 399 | 359 | 7900 | 0 | 4058 | 0 | 0 |
| normalized size | 1 | 1. | 0.9 | 19.8 | 0. | 10.17 | 0. | 0. |
| time (sec) | N/A | 0.508 | 0.766 | 8.084 | 0. | 3.996 | 0. | 0. |

| Problem 172 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | F | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 303 | 303 | 270 | 7550 | 0 | 3298 | 0 | 0 |
| normalized size | 1 | 1. | 0.89 | 24.92 | 0. | 10.88 | 0. | 0. |
| time (sec) | N/A | 0.417 | 0.584 | 28.744 | 0. | 3.973 | 0. | 0. |

| Problem 173 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | B | B | B | B | F(-1) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 198 | 198 | 1649 | 1160 | 710 | 2508 | 0 | 0 |
| normalized size | 1 | 1. | 8.33 | 5.86 | 3.59 | 12.67 | 0. | 0. |
| time (sec) | N/A | 0.254 | 12.984 | 0.316 | 1.909 | 3.9 | 0. | 0. |

| Problem 174 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | F(-1) | A | F(-1) | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.118 | 0.366 | 0.405 | 0. | 0. | 0. | 0. |

| Problem 175 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | F(-2) | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 154 | 154 | 140 | 1526 | 0 | 482 | 0 | 0 |
| normalized size | 1 | 1. | 0.91 | 9.91 | 0. | 3.13 | 0. | 0. |
| time (sec) | N/A | 0.266 | 0.197 | 22.095 | 0. | 2.501 | 0. | 0. |

| Problem 176 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | F(-2) | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 123 | 123 | 110 | 1491 | 0 | 419 | 0 | 0 |
| normalized size | 1 | 1. | 0.89 | 12.12 | 0. | 3.41 | 0. | 0. |
| time (sec) | N/A | 0.224 | 0.101 | 11.927 | 0. | 2.527 | 0. | 0. |

| Problem 177 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | B | B | F(-2) | A | F(-1) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 85 | 85 | 929 | 1498 | 0 | 327 | 0 | 0 |
| normalized size | 1 | 1. | 10.93 | 17.62 | 0. | 3.85 | 0. | 0. |
| time (sec) | N/A | 0.136 | 5.243 | 0.116 | 0. | 2.509 | 0. | 0. |

| Problem 178 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | F(-2) | A | F(-1) | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.114 | 0.365 | 0.418 | 0. | 0. | 0. | 0. |

| Problem 179 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | F(-2) | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 155 | 155 | 136 | 1527 | 0 | 481 | 0 | 0 |
| normalized size | 1 | 1. | 0.88 | 9.85 | 0. | 3.1 | 0. | 0. |
| time (sec) | N/A | 0.257 | 0.201 | 22.102 | 0. | 2.674 | 0. | 0. |

| Problem 180 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | F(-2) | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 124 | 124 | 110 | 1492 | 0 | 416 | 0 | 0 |
| normalized size | 1 | 1. | 0.89 | 12.03 | 0. | 3.35 | 0. | 0. |
| time (sec) | N/A | 0.219 | 0.123 | 12.221 | 0. | 2.748 | 0. | 0. |

| Problem 181 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | B | B | F(-2) | A | F(-1) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 86 | 86 | 872 | 1756 | 0 | 323 | 0 | 0 |
| normalized size | 1 | 1. | 10.14 | 20.42 | 0. | 3.76 | 0. | 0. |
| time (sec) | N/A | 0.132 | 2.616 | 0.116 | 0. | 2.366 | 0. | 0. |

| Problem 182 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | F(-2) | A | F(-1) | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.117 | 0.379 | 0.434 | 0. | 0. | 0. | 0. |

| Problem 183 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | B | C | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 299 | 299 | 600 | 7275 | 0 | 4072 | 0 | 0 |
| normalized size | 1 | 1. | 2.01 | 24.33 | 0. | 13.62 | 0. | 0. |
| time (sec) | N/A | 0.208 | 0.333 | 4.991 | 0. | 3.884 | 0. | 0. |

| Problem 184 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 229 | 229 | 375 | 5425 | 0 | 2901 | 0 | 0 |
| normalized size | 1 | 1. | 1.64 | 23.69 | 0. | 12.67 | 0. | 0. |
| time (sec) | N/A | 0.154 | 0.189 | 10.434 | 0. | 3.561 | 0. | 0. |

| Problem 185 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 159 | 159 | 278 | 2688 | 0 | 1894 | 0 | 0 |
| normalized size | 1 | 1. | 1.75 | 16.91 | 0. | 11.91 | 0. | 0. |
| time (sec) | N/A | 0.102 | 0.223 | 8.715 | 0. | 3.34 | 0. | 0. |

| Problem 186 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | B | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 73 | 73 | 132 | 196 | 0 | 1098 | 0 | 0 |
| normalized size | 1 | 1. | 1.81 | 2.68 | 0. | 15.04 | 0. | 0. |
| time (sec) | N/A | 0.041 | 0.049 | 0.17 | 0. | 2.736 | 0. | 0. |

| Problem 187 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.04 | 0.75 | 0.936 | 0. | 0. | 0. | 0. |

| Problem 188 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | F | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 355 | 355 | 305 | 6930 | 0 | 3641 | 0 | 0 |
| normalized size | 1 | 1. | 0.86 | 19.52 | 0. | 10.26 | 0. | 0. |
| time (sec) | N/A | 0.455 | 5.115 | 10.428 | 0. | 3.269 | 0. | 0. |

| Problem 189 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | F | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 267 | 267 | 229 | 6580 | 0 | 2985 | 0 | 0 |
| normalized size | 1 | 1. | 0.86 | 24.64 | 0. | 11.18 | 0. | 0. |
| time (sec) | N/A | 0.376 | 3.93 | 21.403 | 0. | 3.011 | 0. | 0. |

| Problem 190 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | B | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 174 | 174 | 288 | 350 | 0 | 2288 | 0 | 0 |
| normalized size | 1 | 1. | 1.66 | 2.01 | 0. | 13.15 | 0. | 0. |
| time (sec) | N/A | 0.222 | 1.347 | 0.097 | 0. | 6.682 | 0. | 0. |

| Problem 191 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | A | A | F(-1) | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.081 | 5.104 | 0.447 | 0. | 0. | 0. | 0. |

| Problem 192 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | A | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 142 | 142 | 128 | 1549 | 174 | 869 | 0 | 0 |
| normalized size | 1 | 1. | 0.9 | 10.91 | 1.23 | 6.12 | 0. | 0. |
| time (sec) | N/A | 0.228 | 0.177 | 17.627 | 5.767 | 2.245 | 0. | 0. |

| Problem 193 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | A | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 113 | 113 | 102 | 1513 | 144 | 720 | 0 | 0 |
| normalized size | 1 | 1. | 0.9 | 13.39 | 1.27 | 6.37 | 0. | 0. |
| time (sec) | N/A | 0.197 | 0.086 | 8.242 | 5.787 | 2.175 | 0. | 0. |

| Problem 194 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | A | B | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 79 | 79 | 71 | 1381 | 108 | 520 | 0 | 0 |
| normalized size | 1 | 1. | 0.9 | 17.48 | 1.37 | 6.58 | 0. | 0. |
| time (sec) | N/A | 0.12 | 0.793 | 0.118 | 5.849 | 2.24 | 0. | 0. |

| Problem 195 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | A | A | F(-1) | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.093 | 3.183 | 0.414 | 0. | 0. | 0. | 0. |

| Problem 196 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | A | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 145 | 145 | 128 | 1570 | 174 | 853 | 0 | 0 |
| normalized size | 1 | 1. | 0.88 | 10.83 | 1.2 | 5.88 | 0. | 0. |
| time (sec) | N/A | 0.227 | 0.184 | 15.757 | 5.878 | 2.261 | 0. | 0. |

| Problem 197 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | A | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 116 | 116 | 102 | 1534 | 143 | 706 | 0 | 0 |
| normalized size | 1 | 1. | 0.88 | 13.22 | 1.23 | 6.09 | 0. | 0. |
| time (sec) | N/A | 0.194 | 0.098 | 5.872 | 5.817 | 2.142 | 0. | 0. |

| Problem 198 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | A | B | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 82 | 82 | 71 | 1351 | 108 | 509 | 0 | 0 |
| normalized size | 1 | 1. | 0.87 | 16.48 | 1.32 | 6.21 | 0. | 0. |
| time (sec) | N/A | 0.119 | 0.711 | 0.116 | 5.773 | 2.246 | 0. | 0. |

| Problem 199 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | A | A | F(-1) | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.089 | 3.216 | 0.446 | 0. | 0. | 0. | 0. |

| Problem 200 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | B | C | F | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 299 | 299 | 600 | 7275 | 0 | 4070 | 0 | 0 |
| normalized size | 1 | 1. | 2.01 | 24.33 | 0. | 13.61 | 0. | 0. |
| time (sec) | N/A | 0.208 | 0.336 | 7.395 | 0. | 3.03 | 0. | 0. |

| Problem 201 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 229 | 229 | 375 | 5425 | 0 | 2903 | 0 | 0 |
| normalized size | 1 | 1. | 1.64 | 23.69 | 0. | 12.68 | 0. | 0. |
| time (sec) | N/A | 0.154 | 0.202 | 9.65 | 0. | 2.585 | 0. | 0. |

| Problem 202 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 159 | 159 | 278 | 2688 | 0 | 1894 | 0 | 0 |
| normalized size | 1 | 1. | 1.75 | 16.91 | 0. | 11.91 | 0. | 0. |
| time (sec) | N/A | 0.099 | 0.245 | 8.72 | 0. | 2.374 | 0. | 0. |

| Problem 203 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | B | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 74 | 74 | 132 | 196 | 0 | 1098 | 0 | 0 |
| normalized size | 1 | 1. | 1.78 | 2.65 | 0. | 14.84 | 0. | 0. |
| time (sec) | N/A | 0.043 | 0.041 | 0.143 | 0. | 2.011 | 0. | 0. |

| Problem 204 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | A | A | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.037 | 0.773 | 0.937 | 0. | 0. | 0. | 0. |

| Problem 205 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | F | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 351 | 351 | 299 | 6912 | 0 | 3614 | 0 | 0 |
| normalized size | 1 | 1. | 0.85 | 19.69 | 0. | 10.3 | 0. | 0. |
| time (sec) | N/A | 0.463 | 5.398 | 12.255 | 0. | 2.85 | 0. | 0. |

| Problem 206 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | F | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 265 | 265 | 225 | 6514 | 0 | 2963 | 0 | 0 |
| normalized size | 1 | 1. | 0.85 | 24.58 | 0. | 11.18 | 0. | 0. |
| time (sec) | N/A | 0.376 | 4.036 | 20.174 | 0. | 2.561 | 0. | 0. |

| Problem 207 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | B | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 174 | 174 | 287 | 350 | 0 | 2272 | 0 | 0 |
| normalized size | 1 | 1. | 1.65 | 2.01 | 0. | 13.06 | 0. | 0. |
| time (sec) | N/A | 0.232 | 1.218 | 0.095 | 0. | 5.706 | 0. | 0. |

| Problem 208 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | A | A | F(-1) | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.079 | 5.209 | 0.382 | 0. | 0. | 0. | 0. |

| Problem 209 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | A | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 142 | 142 | 128 | 1548 | 174 | 856 | 0 | 0 |
| normalized size | 1 | 1. | 0.9 | 10.9 | 1.23 | 6.03 | 0. | 0. |
| time (sec) | N/A | 0.231 | 0.172 | 14.447 | 5.841 | 2.069 | 0. | 0. |

| Problem 210 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | A | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 113 | 113 | 102 | 1512 | 144 | 709 | 0 | 0 |
| normalized size | 1 | 1. | 0.9 | 13.38 | 1.27 | 6.27 | 0. | 0. |
| time (sec) | N/A | 0.203 | 0.091 | 6.462 | 5.886 | 2.168 | 0. | 0. |

| Problem 211 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | A | B | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 79 | 79 | 71 | 1381 | 108 | 512 | 0 | 0 |
| normalized size | 1 | 1. | 0.9 | 17.48 | 1.37 | 6.48 | 0. | 0. |
| time (sec) | N/A | 0.124 | 0.623 | 0.121 | 5.901 | 2.219 | 0. | 0. |

| Problem 212 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | A | A | F(-1) | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.083 | 3.162 | 0.441 | 0. | 0. | 0. | 0. |

| Problem 213 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade | A | A | A | C | A | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 145 | 145 | 128 | 1571 | 174 | 867 | 0 | 0 |
| normalized size | 1 | 1. | 0.88 | 10.83 | 1.2 | 5.98 | 0. | 0. |
| time (sec) | N/A | 0.232 | 0.196 | 16.543 | 6.041 | 2.192 | 0. | 0. |

| Problem 214 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | C | A | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 116 | 116 | 102 | 1535 | 143 | 717 | 0 | 0 |
| normalized size | 1 | 1. | 0.88 | 13.23 | 1.23 | 6.18 | 0. | 0. |
| time (sec) | N/A | 0.205 | 0.116 | 8.506 | 5.902 | 2.27 | 0. | 0. |

| Problem 215 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | A | B | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 82 | 82 | 71 | 1351 | 108 | 517 | 0 | 0 |
| normalized size | 1 | 1. | 0.87 | 16.48 | 1.32 | 6.3 | 0. | 0. |
| time (sec) | N/A | 0.124 | 0.644 | 0.12 | 5.903 | 2.172 | 0. | 0. |

| Problem 216 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | N/A | A | A | A | A | A | F(-1) | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD |
| size | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| normalized size | 1 | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| time (sec) | N/A | 0.108 | 3.089 | 0.424 | 0. | 0. | 0. | 0. |

| Problem 217 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | C | C | F | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 187 | 187 | 132 | 1058 | 0 | 711 | 0 | 0 |
| normalized size | 1 | 1. | 0.71 | 5.66 | 0. | 3.8 | 0. | 0. |
| time (sec) | N/A | 0.608 | 0.336 | 0.371 | 0. | 2.409 | 0. | 0. |

| Problem 218 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | A | B | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 35 | 35 | 59 | 59 | 46 | 147 | 0 | 0 |
| normalized size | 1 | 1. | 1.69 | 1.69 | 1.31 | 4.2 | 0. | 0. |
| time (sec) | N/A | 0.028 | 0.033 | 0.033 | 1.61 | 2.158 | 0. | 0. |

| Problem 219 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 71 | 71 | 58 | 50 | 0 | 238 | 0 | 0 |
| normalized size | 1 | 1. | 0.82 | 0.7 | 0. | 3.35 | 0. | 0. |
| time (sec) | N/A | 0.047 | 0.01 | 0.185 | 0. | 2.193 | 0. | 0. |

| Problem 220 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 103 | 103 | 103 | 76 | 0 | 298 | 0 | 0 |
| normalized size | 1 | 1. | 1. | 0.74 | 0. | 2.89 | 0. | 0. |
| time (sec) | N/A | 0.07 | 0.008 | 0.154 | 0. | 2.236 | 0. | 0. |

| Problem 221 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | A | B | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 51 | 51 | 83 | 106 | 85 | 297 | 0 | 0 |
| normalized size | 1 | 1. | 1.63 | 2.08 | 1.67 | 5.82 | 0. | 0. |
| time (sec) | N/A | 0.03 | 0.079 | 0.058 | 1.635 | 2.382 | 0. | 0. |

| Problem 222 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 103 | 103 | 83 | 355 | 0 | 431 | 0 | 0 |
| normalized size | 1 | 1. | 0.81 | 3.45 | 0. | 4.18 | 0. | 0. |
| time (sec) | N/A | 0.062 | 0.014 | 0.25 | 0. | 2.455 | 0. | 0. |

| Problem 223 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 151 | 151 | 151 | 413 | 0 | 540 | 0 | 0 |
| normalized size | 1 | 1. | 1. | 2.74 | 0. | 3.58 | 0. | 0. |
| time (sec) | N/A | 0.098 | 0.008 | 0.253 | 0. | 2.696 | 0. | 0. |

| Problem 224 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | A | A | A | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 196 | 196 | 167 | 186 | 302 | 554 | 0 | 0 |
| normalized size | 1 | 1. | 0.85 | 0.95 | 1.54 | 2.83 | 0. | 0. |
| time (sec) | N/A | 0.154 | 0.182 | 0.057 | 1.712 | 2.691 | 0. | 0. |

| Problem 225 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F(-2) | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 250 | 250 | 250 | 678 | 0 | 778 | 0 | 0 |
| normalized size | 1 | 1. | 1. | 2.71 | 0. | 3.11 | 0. | 0. |
| time (sec) | N/A | 2.654 | 0.284 | 0.414 | 0. | 2.818 | 0. | 0. |

| Problem 226 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | A | B | F(-2) | C | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 313 | 313 | 313 | 764 | 0 | 967 | 0 | 0 |
| normalized size | 1 | 1. | 1. | 2.44 | 0. | 3.09 | 0. | 0. |
| time (sec) | N/A | 2.448 | 0.229 | 0.408 | 0. | 2.806 | 0. | 0. |

| Problem 227 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|--------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 27 | 27 | 27 | 25 | 26 | 84 | 19 | 28 |
| normalized size | 1 | 1. | 1. | 0.93 | 0.96 | 3.11 | 0.7 | 1.04 |
| time (sec) | N/A | 0.02 | 0.021 | 0.027 | 0.987 | 2.4 | 12.894 | 1.095 |

| Problem 228 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | A | A |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD |
| size | 17 | 17 | 17 | 19 | 23 | 43 | 12 | 24 |
| normalized size | 1 | 1. | 1. | 1.12 | 1.35 | 2.53 | 0.71 | 1.41 |
| time (sec) | N/A | 0.04 | 0.045 | 0.128 | 1.014 | 2.35 | 0.74 | 1.146 |

| Problem 229 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | C | A | B | F(-1) | A |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 47 | 47 | 61 | 1281 | 63 | 343 | 0 | 89 |
| normalized size | 1 | 1. | 1.3 | 27.26 | 1.34 | 7.3 | 0. | 1.89 |
| time (sec) | N/A | 0.074 | 0.104 | 0.337 | 1.525 | 2.494 | 0. | 1.143 |

| Problem 230 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | C | A | B | F(-1) | A |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 103 | 103 | 146 | 1358 | 177 | 741 | 0 | 208 |
| normalized size | 1 | 1. | 1.42 | 13.18 | 1.72 | 7.19 | 0. | 2.02 |
| time (sec) | N/A | 0.139 | 0.139 | 0.394 | 1.541 | 2.715 | 0. | 1.134 |

| Problem 231 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | C | C | A | B | F(-1) | A |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 180 | 180 | 89 | 1323 | 225 | 1153 | 0 | 344 |
| normalized size | 1 | 1. | 0.49 | 7.35 | 1.25 | 6.41 | 0. | 1.91 |
| time (sec) | N/A | 0.178 | 0.109 | 0.403 | 1.54 | 2.788 | 0. | 1.485 |

| Problem 232 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade | A | A | C | C | A | B | F(-1) | A |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 180 | 180 | 89 | 1323 | 225 | 1152 | 0 | 344 |
| normalized size | 1 | 1. | 0.49 | 7.35 | 1.25 | 6.4 | 0. | 1.91 |
| time (sec) | N/A | 0.18 | 0.109 | 0.377 | 1.543 | 2.642 | 0. | 1.53 |

| Problem 233 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade | A | A | C | C | A | B | F(-1) | A |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 103 | 103 | 145 | 859 | 228 | 591 | 0 | 208 |
| normalized size | 1 | 1. | 1.41 | 8.34 | 2.21 | 5.74 | 0. | 2.02 |
| time (sec) | N/A | 0.151 | 0.147 | 0.356 | 1.577 | 2.754 | 0. | 1.14 |

| Problem 234 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade | A | A | A | C | A | A | F | A |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD |
| size | 48 | 48 | 59 | 903 | 65 | 192 | 0 | 88 |
| normalized size | 1 | 1. | 1.23 | 18.81 | 1.35 | 4. | 0. | 1.83 |
| time (sec) | N/A | 0.077 | 0.093 | 0.307 | 1.521 | 2.487 | 0. | 1.132 |

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [50] had the largest ratio of [1.267]

Table 2.1: Rubi specific breakdown of results for each integral

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 1 | A | 4 | 3 | 1. | 8 | 0.375 |
| 2 | A | 4 | 3 | 1. | 8 | 0.375 |
| 3 | A | 4 | 3 | 1. | 8 | 0.375 |
| 4 | A | 4 | 3 | 1. | 8 | 0.375 |
| 5 | A | 3 | 3 | 1. | 6 | 0.5 |
| 6 | A | 2 | 2 | 1. | 4 | 0.5 |
| 7 | A | 3 | 2 | 1. | 8 | 0.25 |
| 8 | A | 5 | 5 | 1. | 8 | 0.625 |
| 9 | A | 3 | 3 | 1. | 8 | 0.375 |
| 10 | A | 4 | 3 | 1. | 8 | 0.375 |
| 11 | A | 4 | 3 | 1. | 8 | 0.375 |
| 12 | A | 15 | 7 | 1. | 10 | 0.7 |
| 13 | A | 14 | 9 | 1. | 10 | 0.9 |
| 14 | A | 10 | 7 | 1. | 10 | 0.7 |
| 15 | A | 9 | 8 | 1. | 10 | 0.8 |
| 16 | A | 5 | 5 | 1. | 8 | 0.625 |
| 17 | A | 5 | 5 | 1. | 6 | 0.833 |
| 18 | A | 6 | 5 | 1. | 10 | 0.5 |
| 19 | A | 4 | 4 | 1. | 10 | 0.4 |
| 20 | A | 8 | 7 | 1. | 10 | 0.7 |
| 21 | A | 8 | 7 | 1. | 10 | 0.7 |
| 22 | A | 13 | 8 | 1. | 10 | 0.8 |
| 23 | A | 33 | 11 | 1. | 10 | 1.1 |
| 24 | A | 22 | 11 | 1. | 10 | 1.1 |
| 25 | A | 18 | 10 | 1. | 10 | 1. |
| 26 | A | 11 | 9 | 1. | 10 | 0.9 |
| 27 | A | 8 | 8 | 1. | 8 | 1. |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 28 | A | 5 | 6 | 1. | 6 | 1. |
| 29 | A | 8 | 6 | 1. | 10 | 0.6 |
| 30 | A | 5 | 6 | 1. | 10 | 0.6 |
| 31 | A | 7 | 6 | 1. | 10 | 0.6 |
| 32 | A | 14 | 11 | 1. | 10 | 1.1 |
| 33 | A | 16 | 8 | 1. | 10 | 0.8 |
| 34 | A | 0 | 0 | 0. | 0 | 0. |
| 35 | A | 0 | 0 | 0. | 0 | 0. |
| 36 | A | 2 | 2 | 1. | 8 | 0.25 |
| 37 | A | 9 | 7 | 1. | 13 | 0.538 |
| 38 | A | 8 | 8 | 1. | 13 | 0.615 |
| 39 | A | 4 | 4 | 1. | 13 | 0.308 |
| 40 | A | 4 | 4 | 1. | 11 | 0.364 |
| 41 | A | 1 | 1 | 1. | 10 | 0.1 |
| 42 | A | 3 | 3 | 1. | 13 | 0.231 |
| 43 | A | 7 | 7 | 1. | 13 | 0.538 |
| 44 | A | 7 | 7 | 1. | 13 | 0.538 |
| 45 | A | 12 | 8 | 1. | 13 | 0.615 |
| 46 | A | 28 | 15 | 1. | 15 | 1. |
| 47 | A | 10 | 5 | 1. | 13 | 0.385 |
| 48 | A | 25 | 13 | 1. | 12 | 1.083 |
| 49 | A | 15 | 7 | 1. | 15 | 0.467 |
| 50 | A | 31 | 19 | 1. | 15 | 1.267 |
| 51 | A | 1 | 1 | 1. | 12 | 0.083 |
| 52 | A | 1 | 1 | 1. | 12 | 0.083 |
| 53 | A | 4 | 4 | 1. | 14 | 0.286 |
| 54 | A | 4 | 4 | 1. | 14 | 0.286 |
| 55 | A | 5 | 5 | 1. | 14 | 0.357 |
| 56 | A | 5 | 4 | 1. | 12 | 0.333 |
| 57 | A | 27 | 13 | 1. | 14 | 0.929 |
| 58 | A | 24 | 12 | 1. | 14 | 0.857 |
| 59 | A | 0 | 0 | 0. | 0 | 0. |
| 60 | A | 0 | 0 | 0. | 0 | 0. |
| 61 | A | 5 | 6 | 1. | 16 | 0.375 |
| 62 | A | 7 | 9 | 1. | 16 | 0.562 |
| 63 | A | 8 | 9 | 1. | 16 | 0.562 |
| 64 | A | 8 | 9 | 1. | 16 | 0.562 |
| 65 | A | 3 | 3 | 1. | 14 | 0.214 |
| 66 | A | 2 | 2 | 1. | 14 | 0.143 |
| 67 | A | 1 | 1 | 1. | 14 | 0.071 |
| 68 | A | 2 | 2 | 1. | 14 | 0.143 |
| 69 | A | 3 | 2 | 1. | 14 | 0.143 |
| 70 | A | 3 | 3 | 1. | 11 | 0.273 |
| 71 | A | 4 | 3 | 1. | 11 | 0.273 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 72 | A | 2 | 2 | 1. | 10 | 0.2 |
| 73 | A | 4 | 4 | 1. | 12 | 0.333 |
| 74 | A | 4 | 3 | 1. | 10 | 0.3 |
| 75 | A | 4 | 4 | 1. | 10 | 0.4 |
| 76 | A | 2 | 2 | 1. | 8 | 0.25 |
| 77 | A | 4 | 3 | 1. | 10 | 0.3 |
| 78 | A | 5 | 5 | 1. | 10 | 0.5 |
| 79 | A | 4 | 4 | 1. | 10 | 0.4 |
| 80 | A | 11 | 8 | 1. | 10 | 0.8 |
| 81 | A | 11 | 8 | 1. | 10 | 0.8 |
| 82 | A | 10 | 7 | 1. | 6 | 1.167 |
| 83 | A | 10 | 7 | 1. | 10 | 0.7 |
| 84 | A | 11 | 8 | 1. | 10 | 0.8 |
| 85 | A | 6 | 4 | 1. | 10 | 0.4 |
| 86 | A | 5 | 4 | 1. | 8 | 0.5 |
| 87 | A | 4 | 4 | 1. | 6 | 0.667 |
| 88 | A | 4 | 3 | 1. | 10 | 0.3 |
| 89 | A | 4 | 4 | 1. | 10 | 0.4 |
| 90 | A | 5 | 4 | 1. | 10 | 0.4 |
| 91 | A | 3 | 2 | 1. | 12 | 0.167 |
| 92 | A | 3 | 2 | 1. | 12 | 0.167 |
| 93 | A | 2 | 2 | 1. | 12 | 0.167 |
| 94 | A | 4 | 4 | 1. | 12 | 0.333 |
| 95 | A | 3 | 2 | 1. | 12 | 0.167 |
| 96 | A | 3 | 3 | 1. | 4 | 0.75 |
| 97 | A | 4 | 3 | 1. | 10 | 0.3 |
| 98 | A | 4 | 3 | 1. | 10 | 0.3 |
| 99 | A | 7 | 6 | 1. | 10 | 0.6 |
| 100 | A | 7 | 6 | 1. | 10 | 0.6 |
| 101 | A | 7 | 6 | 1. | 8 | 0.75 |
| 102 | A | 3 | 3 | 1. | 6 | 0.5 |
| 103 | A | 5 | 5 | 1. | 10 | 0.5 |
| 104 | A | 7 | 7 | 1. | 10 | 0.7 |
| 105 | A | 8 | 7 | 1. | 10 | 0.7 |
| 106 | A | 8 | 7 | 1. | 10 | 0.7 |
| 107 | A | 37 | 7 | 1.02 | 16 | 0.438 |
| 108 | A | 5 | 5 | 1. | 14 | 0.357 |
| 109 | A | 37 | 10 | 1.25 | 16 | 0.625 |
| 110 | A | 57 | 11 | 1.11 | 16 | 0.688 |
| 111 | A | 55 | 16 | 1. | 18 | 0.889 |
| 112 | A | 65 | 19 | 1. | 18 | 1.056 |
| 113 | A | 12 | 8 | 1. | 19 | 0.421 |
| 114 | A | 2 | 2 | 1. | 28 | 0.071 |
| 115 | A | 3 | 3 | 1. | 33 | 0.091 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 116 | A | 0 | 0 | 0. | 0 | 0. |
| 117 | A | 0 | 0 | 0. | 0 | 0. |
| 118 | A | 4 | 4 | 1. | 35 | 0.114 |
| 119 | A | 5 | 5 | 1. | 40 | 0.125 |
| 120 | A | 0 | 0 | 0. | 0 | 0. |
| 121 | A | 0 | 0 | 0. | 0 | 0. |
| 122 | A | 5 | 4 | 1. | 14 | 0.286 |
| 123 | A | 4 | 4 | 1. | 12 | 0.333 |
| 124 | A | 4 | 3 | 1. | 14 | 0.214 |
| 125 | A | 6 | 6 | 1. | 14 | 0.429 |
| 126 | A | 5 | 4 | 1. | 12 | 0.333 |
| 127 | A | 5 | 4 | 1. | 19 | 0.21 |
| 128 | A | 0 | 0 | 0. | 0 | 0. |
| 129 | A | 7 | 6 | 1. | 18 | 0.333 |
| 130 | A | 7 | 6 | 1. | 18 | 0.333 |
| 131 | A | 7 | 6 | 1. | 16 | 0.375 |
| 132 | A | 4 | 3 | 1. | 10 | 0.3 |
| 133 | A | 5 | 5 | 1. | 18 | 0.278 |
| 134 | A | 8 | 8 | 1. | 18 | 0.444 |
| 135 | A | 9 | 8 | 1. | 18 | 0.444 |
| 136 | A | 16 | 13 | 1. | 20 | 0.65 |
| 137 | A | 13 | 10 | 1. | 18 | 0.556 |
| 138 | A | 6 | 6 | 1. | 12 | 0.5 |
| 139 | A | 2 | 2 | 1. | 20 | 0.1 |
| 140 | A | 25 | 25 | 1. | 20 | 1.25 |
| 141 | A | 21 | 14 | 1. | 20 | 0.7 |
| 142 | A | 15 | 11 | 1. | 18 | 0.611 |
| 143 | A | 6 | 7 | 1. | 12 | 0.583 |
| 144 | A | 2 | 2 | 1. | 20 | 0.1 |
| 145 | A | 35 | 22 | 1. | 20 | 1.1 |
| 146 | A | 6 | 4 | 1. | 18 | 0.222 |
| 147 | A | 0 | 0 | 0. | 0 | 0. |
| 148 | A | 0 | 0 | 0. | 0 | 0. |
| 149 | A | 4 | 4 | 1. | 12 | 0.333 |
| 150 | A | 4 | 4 | 1. | 14 | 0.286 |
| 151 | A | 0 | 0 | 0. | 0 | 0. |
| 152 | A | 9 | 7 | 1. | 40 | 0.175 |
| 153 | A | 7 | 6 | 1. | 40 | 0.15 |
| 154 | A | 4 | 4 | 1. | 38 | 0.105 |
| 155 | A | 0 | 0 | 0. | 0 | 0. |
| 156 | A | 0 | 0 | 0. | 0 | 0. |
| 157 | A | 2 | 2 | 1. | 7 | 0.286 |
| 158 | A | 11 | 6 | 1. | 15 | 0.4 |
| 159 | A | 9 | 5 | 1. | 13 | 0.385 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 160 | A | 7 | 4 | 1. | 11 | 0.364 |
| 161 | A | 0 | 0 | 0. | 0 | 0. |
| 162 | A | 7 | 7 | 1. | 21 | 0.333 |
| 163 | A | 6 | 6 | 1. | 19 | 0.316 |
| 164 | A | 5 | 5 | 1. | 17 | 0.294 |
| 165 | A | 0 | 0 | 0. | 0 | 0. |
| 166 | A | 7 | 7 | 1. | 22 | 0.318 |
| 167 | A | 6 | 6 | 1. | 20 | 0.3 |
| 168 | A | 5 | 5 | 1. | 18 | 0.278 |
| 169 | A | 0 | 0 | 0. | 0 | 0. |
| 170 | A | 2 | 2 | 1. | 7 | 0.286 |
| 171 | A | 11 | 6 | 1. | 15 | 0.4 |
| 172 | A | 9 | 5 | 1. | 13 | 0.385 |
| 173 | A | 7 | 4 | 1. | 11 | 0.364 |
| 174 | A | 0 | 0 | 0. | 0 | 0. |
| 175 | A | 7 | 7 | 1. | 21 | 0.333 |
| 176 | A | 6 | 6 | 1. | 19 | 0.316 |
| 177 | A | 5 | 5 | 1. | 17 | 0.294 |
| 178 | A | 0 | 0 | 0. | 0 | 0. |
| 179 | A | 7 | 7 | 1. | 22 | 0.318 |
| 180 | A | 6 | 6 | 1. | 20 | 0.3 |
| 181 | A | 5 | 5 | 1. | 18 | 0.278 |
| 182 | A | 0 | 0 | 0. | 0 | 0. |
| 183 | A | 12 | 6 | 1. | 15 | 0.4 |
| 184 | A | 10 | 6 | 1. | 15 | 0.4 |
| 185 | A | 8 | 5 | 1. | 13 | 0.385 |
| 186 | A | 6 | 4 | 1. | 7 | 0.571 |
| 187 | A | 0 | 0 | 0. | 0 | 0. |
| 188 | A | 11 | 6 | 1. | 15 | 0.4 |
| 189 | A | 9 | 5 | 1. | 13 | 0.385 |
| 190 | A | 7 | 4 | 1. | 11 | 0.364 |
| 191 | A | 0 | 0 | 0. | 0 | 0. |
| 192 | A | 7 | 7 | 1. | 19 | 0.368 |
| 193 | A | 6 | 6 | 1. | 17 | 0.353 |
| 194 | A | 5 | 5 | 1. | 15 | 0.333 |
| 195 | A | 0 | 0 | 0. | 0 | 0. |
| 196 | A | 7 | 7 | 1. | 22 | 0.318 |
| 197 | A | 6 | 6 | 1. | 20 | 0.3 |
| 198 | A | 5 | 5 | 1. | 18 | 0.278 |
| 199 | A | 0 | 0 | 0. | 0 | 0. |
| 200 | A | 12 | 6 | 1. | 15 | 0.4 |
| 201 | A | 10 | 6 | 1. | 15 | 0.4 |
| 202 | A | 8 | 5 | 1. | 13 | 0.385 |
| 203 | A | 6 | 4 | 1. | 7 | 0.571 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 204 | A | 0 | 0 | 0. | 0 | 0. |
| 205 | A | 11 | 6 | 1. | 15 | 0.4 |
| 206 | A | 9 | 5 | 1. | 13 | 0.385 |
| 207 | A | 7 | 4 | 1. | 11 | 0.364 |
| 208 | A | 0 | 0 | 0. | 0 | 0. |
| 209 | A | 7 | 7 | 1. | 19 | 0.368 |
| 210 | A | 6 | 6 | 1. | 17 | 0.353 |
| 211 | A | 5 | 5 | 1. | 15 | 0.333 |
| 212 | A | 0 | 0 | 0. | 0 | 0. |
| 213 | A | 7 | 7 | 1. | 22 | 0.318 |
| 214 | A | 6 | 6 | 1. | 20 | 0.3 |
| 215 | A | 5 | 5 | 1. | 18 | 0.278 |
| 216 | A | 0 | 0 | 0. | 0 | 0. |
| 217 | A | 13 | 9 | 1. | 24 | 0.375 |
| 218 | A | 4 | 3 | 1. | 4 | 0.75 |
| 219 | A | 7 | 4 | 1. | 6 | 0.667 |
| 220 | A | 9 | 5 | 1. | 8 | 0.625 |
| 221 | A | 4 | 3 | 1. | 8 | 0.375 |
| 222 | A | 7 | 4 | 1. | 10 | 0.4 |
| 223 | A | 9 | 5 | 1. | 12 | 0.417 |
| 224 | A | 6 | 6 | 1. | 12 | 0.5 |
| 225 | A | 25 | 8 | 1. | 14 | 0.571 |
| 226 | A | 29 | 9 | 1. | 16 | 0.562 |
| 227 | A | 5 | 6 | 1. | 10 | 0.6 |
| 228 | A | 1 | 1 | 1. | 19 | 0.053 |
| 229 | A | 5 | 5 | 1. | 20 | 0.25 |
| 230 | A | 8 | 7 | 1. | 20 | 0.35 |
| 231 | A | 13 | 10 | 1. | 20 | 0.5 |
| 232 | A | 13 | 10 | 1. | 20 | 0.5 |
| 233 | A | 8 | 7 | 1. | 20 | 0.35 |
| 234 | A | 5 | 5 | 1. | 20 | 0.25 |

Chapter 3

Listing of integrals

3.1 $\int x^5 \cot^{-1}(ax) dx$

Optimal. Leaf size=51

$$-\frac{x^3}{18a^3} + \frac{x}{6a^5} - \frac{\tan^{-1}(ax)}{6a^6} + \frac{x^5}{30a} + \frac{1}{6}x^6 \cot^{-1}(ax)$$

[Out] $x/(6*a^5) - x^3/(18*a^3) + x^5/(30*a) + (x^6*ArcCot[a*x])/6 - ArcTan[a*x]/(6*a^6)$

Rubi [A] time = 0.0251326, antiderivative size = 51, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4853, 302, 203}

$$-\frac{x^3}{18a^3} + \frac{x}{6a^5} - \frac{\tan^{-1}(ax)}{6a^6} + \frac{x^5}{30a} + \frac{1}{6}x^6 \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[x^5*ArcCot[a*x],x]

[Out] $x/(6*a^5) - x^3/(18*a^3) + x^5/(30*a) + (x^6*ArcCot[a*x])/6 - ArcTan[a*x]/(6*a^6)$

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^ (p_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2
), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || Integ
erQ[m]) && NeQ[m, -1]
```

Rule 302

```
Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Int[PolynomialDivide[x
^m, a + b*x^n, x], x] /; FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && Gt
Q[m, 2*n - 1]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
```

, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int x^5 \cot^{-1}(ax) dx &= \frac{1}{6}x^6 \cot^{-1}(ax) + \frac{1}{6}a \int \frac{x^6}{1+a^2x^2} dx \\
 &= \frac{1}{6}x^6 \cot^{-1}(ax) + \frac{1}{6}a \int \left(\frac{1}{a^6} - \frac{x^2}{a^4} + \frac{x^4}{a^2} - \frac{1}{a^6(1+a^2x^2)} \right) dx \\
 &= \frac{x}{6a^5} - \frac{x^3}{18a^3} + \frac{x^5}{30a} + \frac{1}{6}x^6 \cot^{-1}(ax) - \frac{\int \frac{1}{1+a^2x^2} dx}{6a^5} \\
 &= \frac{x}{6a^5} - \frac{x^3}{18a^3} + \frac{x^5}{30a} + \frac{1}{6}x^6 \cot^{-1}(ax) - \frac{\tan^{-1}(ax)}{6a^6}
 \end{aligned}$$

Mathematica [A] time = 0.002514, size = 51, normalized size = 1.

$$-\frac{x^3}{18a^3} + \frac{x}{6a^5} - \frac{\tan^{-1}(ax)}{6a^6} + \frac{x^5}{30a} + \frac{1}{6}x^6 \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Integrate[x^5*ArcCot[a*x], x]

[Out] x/(6*a^5) - x^3/(18*a^3) + x^5/(30*a) + (x^6*ArcCot[a*x])/6 - ArcTan[a*x]/(6*a^6)

Maple [A] time = 0.039, size = 42, normalized size = 0.8

$$\frac{x}{6a^5} - \frac{x^3}{18a^3} + \frac{x^5}{30a} + \frac{x^6 \operatorname{arccot}(ax)}{6} - \frac{\arctan(ax)}{6a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*arccot(a*x), x)

[Out] 1/6*x/a^5-1/18*x^3/a^3+1/30*x^5/a+1/6*x^6*arccot(a*x)-1/6*arctan(a*x)/a^6

Maxima [A] time = 1.46764, size = 63, normalized size = 1.24

$$\frac{1}{6}x^6 \operatorname{arccot}(ax) + \frac{1}{90}a \left(\frac{3a^4x^5 - 5a^2x^3 + 15x}{a^6} - \frac{15 \arctan(ax)}{a^7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*arccot(a*x), x, algorithm="maxima")

[Out] 1/6*x^6*arccot(a*x) + 1/90*a*((3*a^4*x^5 - 5*a^2*x^3 + 15*x)/a^6 - 15*arctan(a*x)/a^7)

Fricas [A] time = 1.84552, size = 100, normalized size = 1.96

$$\frac{3a^5x^5 - 5a^3x^3 + 15ax + 15(a^6x^6 + 1)\operatorname{arccot}(ax)}{90a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*arccot(a*x),x, algorithm="fricas")

[Out] 1/90*(3*a^5*x^5 - 5*a^3*x^3 + 15*a*x + 15*(a^6*x^6 + 1)*arccot(a*x))/a^6

Sympy [A] time = 1.59348, size = 48, normalized size = 0.94

$$\begin{cases} \frac{x^6 \operatorname{acot}(ax)}{6} + \frac{x^5}{30a} - \frac{x^3}{18a^3} + \frac{x}{6a^5} + \frac{\operatorname{acot}(ax)}{6a^6} & \text{for } a \neq 0 \\ \frac{\pi x^6}{12} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*acot(a*x),x)

[Out] Piecewise((x**6*acot(a*x)/6 + x**5/(30*a) - x**3/(18*a**3) + x/(6*a**5) + a*cot(a*x)/(6*a**6), Ne(a, 0)), (pi*x**6/12, True))

Giac [A] time = 1.14345, size = 74, normalized size = 1.45

$$\frac{1}{6}x^6 \arctan\left(\frac{1}{ax}\right) - \frac{1}{90}a \left(\frac{15 \arctan(ax)}{a^7} - \frac{3a^8x^5 - 5a^6x^3 + 15a^4x}{a^{10}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*arccot(a*x),x, algorithm="giac")

[Out] 1/6*x^6*arctan(1/(a*x)) - 1/90*a*(15*arctan(a*x)/a^7 - (3*a^8*x^5 - 5*a^6*x^3 + 15*a^4*x)/a^10)

3.2 $\int x^4 \cot^{-1}(ax) dx$

Optimal. Leaf size=49

$$-\frac{x^2}{10a^3} + \frac{\log(a^2x^2 + 1)}{10a^5} + \frac{x^4}{20a} + \frac{1}{5}x^5 \cot^{-1}(ax)$$

[Out] $-x^2/(10*a^3) + x^4/(20*a) + (x^5*ArcCot[a*x])/5 + \text{Log}[1 + a^2*x^2]/(10*a^5)$
)

Rubi [A] time = 0.0363023, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4853, 266, 43}

$$-\frac{x^2}{10a^3} + \frac{\log(a^2x^2 + 1)}{10a^5} + \frac{x^4}{20a} + \frac{1}{5}x^5 \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[x^4*ArcCot[a*x],x]

[Out] $-x^2/(10*a^3) + x^4/(20*a) + (x^5*ArcCot[a*x])/5 + \text{Log}[1 + a^2*x^2]/(10*a^5)$
)

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*((d_.)*(x_.))^ (m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2
), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^ (p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_.) + (b_.)*(x_.))^ (m_.)*((c_.) + (d_.)*(x_.))^ (n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned}
\int x^4 \cot^{-1}(ax) dx &= \frac{1}{5}x^5 \cot^{-1}(ax) + \frac{1}{5}a \int \frac{x^5}{1+a^2x^2} dx \\
&= \frac{1}{5}x^5 \cot^{-1}(ax) + \frac{1}{10}a \operatorname{Subst}\left(\int \frac{x^2}{1+a^2x} dx, x, x^2\right) \\
&= \frac{1}{5}x^5 \cot^{-1}(ax) + \frac{1}{10}a \operatorname{Subst}\left(\int \left(-\frac{1}{a^4} + \frac{x}{a^2} + \frac{1}{a^4(1+a^2x)}\right) dx, x, x^2\right) \\
&= -\frac{x^2}{10a^3} + \frac{x^4}{20a} + \frac{1}{5}x^5 \cot^{-1}(ax) + \frac{\log(1+a^2x^2)}{10a^5}
\end{aligned}$$

Mathematica [A] time = 0.0123587, size = 49, normalized size = 1.

$$-\frac{x^2}{10a^3} + \frac{\log(a^2x^2+1)}{10a^5} + \frac{x^4}{20a} + \frac{1}{5}x^5 \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Integrate[x^4*ArcCot[a*x], x]

[Out] -x^2/(10*a^3) + x^4/(20*a) + (x^5*ArcCot[a*x])/5 + Log[1 + a^2*x^2]/(10*a^5)

Maple [A] time = 0.04, size = 42, normalized size = 0.9

$$-\frac{x^2}{10a^3} + \frac{x^4}{20a} + \frac{x^5 \operatorname{arccot}(ax)}{5} + \frac{\ln(a^2x^2+1)}{10a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*arccot(a*x), x)

[Out] -1/10*x^2/a^3+1/20*x^4/a+1/5*x^5*arccot(a*x)+1/10*ln(a^2*x^2+1)/a^5

Maxima [A] time = 0.97502, size = 62, normalized size = 1.27

$$\frac{1}{5}x^5 \operatorname{arccot}(ax) + \frac{1}{20}a \left(\frac{a^2x^4 - 2x^2}{a^4} + \frac{2 \log(a^2x^2 + 1)}{a^6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccot(a*x), x, algorithm="maxima")

[Out] 1/5*x^5*arccot(a*x) + 1/20*a*((a^2*x^4 - 2*x^2)/a^4 + 2*log(a^2*x^2 + 1)/a^6)

Fricas [A] time = 1.85585, size = 104, normalized size = 2.12

$$\frac{4a^5x^5 \operatorname{arccot}(ax) + a^4x^4 - 2a^2x^2 + 2 \log(a^2x^2 + 1)}{20a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁴*arccot(a*x),x, algorithm="fricas")

[Out] 1/20*(4*a⁵*x⁵*arccot(a*x) + a⁴*x⁴ - 2*a²*x² + 2*log(a²*x² + 1))/a⁵

Sympy [A] time = 1.19608, size = 46, normalized size = 0.94

$$\begin{cases} \frac{x^5 \operatorname{acot}(ax)}{5} + \frac{x^4}{20a} - \frac{x^2}{10a^3} + \frac{\log(a^2x^2+1)}{10a^5} & \text{for } a \neq 0 \\ \frac{\pi x^5}{10} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*acot(a*x),x)

[Out] Piecewise((x**5*acot(a*x)/5 + x**4/(20*a) - x**2/(10*a**3) + log(a**2*x**2 + 1)/(10*a**5), Ne(a, 0)), (pi*x**5/10, True))

Giac [A] time = 1.08115, size = 68, normalized size = 1.39

$$\frac{1}{5}x^5 \arctan\left(\frac{1}{ax}\right) + \frac{1}{20}a\left(\frac{a^2x^4 - 2x^2}{a^4} + \frac{2 \log(a^2x^2 + 1)}{a^6}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁴*arccot(a*x),x, algorithm="giac")

[Out] 1/5*x⁵*arctan(1/(a*x)) + 1/20*a*((a²*x⁴ - 2*x²)/a⁴ + 2*log(a²*x² + 1)/a⁶)

3.3 $\int x^3 \cot^{-1}(ax) dx$

Optimal. Leaf size=41

$$-\frac{x}{4a^3} + \frac{\tan^{-1}(ax)}{4a^4} + \frac{x^3}{12a} + \frac{1}{4}x^4 \cot^{-1}(ax)$$

[Out] $-x/(4*a^3) + x^3/(12*a) + (x^4*ArcCot[a*x])/4 + ArcTan[a*x]/(4*a^4)$

Rubi [A] time = 0.0208234, antiderivative size = 41, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4853, 302, 203}

$$-\frac{x}{4a^3} + \frac{\tan^{-1}(ax)}{4a^4} + \frac{x^3}{12a} + \frac{1}{4}x^4 \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[x^3*ArcCot[a*x], x]

[Out] $-x/(4*a^3) + x^3/(12*a) + (x^4*ArcCot[a*x])/4 + ArcTan[a*x]/(4*a^4)$

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)*((d_.)*(x_.))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 302

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Int[PolynomialDivide[x^m, a + b*x^n, x], x] /; FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && GtQ[m, 2*n - 1]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int x^3 \cot^{-1}(ax) dx &= \frac{1}{4}x^4 \cot^{-1}(ax) + \frac{1}{4}a \int \frac{x^4}{1+a^2x^2} dx \\ &= \frac{1}{4}x^4 \cot^{-1}(ax) + \frac{1}{4}a \int \left(-\frac{1}{a^4} + \frac{x^2}{a^2} + \frac{1}{a^4(1+a^2x^2)} \right) dx \\ &= -\frac{x}{4a^3} + \frac{x^3}{12a} + \frac{1}{4}x^4 \cot^{-1}(ax) + \frac{\int \frac{1}{1+a^2x^2} dx}{4a^3} \\ &= -\frac{x}{4a^3} + \frac{x^3}{12a} + \frac{1}{4}x^4 \cot^{-1}(ax) + \frac{\tan^{-1}(ax)}{4a^4} \end{aligned}$$

Mathematica [A] time = 0.0022742, size = 41, normalized size = 1.

$$-\frac{x}{4a^3} + \frac{\tan^{-1}(ax)}{4a^4} + \frac{x^3}{12a} + \frac{1}{4}x^4 \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*ArcCot[a*x],x]

[Out] -x/(4*a^3) + x^3/(12*a) + (x^4*ArcCot[a*x])/4 + ArcTan[a*x]/(4*a^4)

Maple [A] time = 0.042, size = 34, normalized size = 0.8

$$-\frac{x}{4a^3} + \frac{x^3}{12a} + \frac{x^4 \operatorname{arccot}(ax)}{4} + \frac{\arctan(ax)}{4a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*arccot(a*x),x)

[Out] -1/4*x/a^3+1/12*x^3/a+1/4*x^4*arccot(a*x)+1/4*arctan(a*x)/a^4

Maxima [A] time = 1.45369, size = 51, normalized size = 1.24

$$\frac{1}{4}x^4 \operatorname{arccot}(ax) + \frac{1}{12}a \left(\frac{a^2x^3 - 3x}{a^4} + \frac{3 \arctan(ax)}{a^5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccot(a*x),x, algorithm="maxima")

[Out] 1/4*x^4*arccot(a*x) + 1/12*a*((a^2*x^3 - 3*x)/a^4 + 3*arctan(a*x)/a^5)

Fricas [A] time = 1.85826, size = 78, normalized size = 1.9

$$\frac{a^3x^3 - 3ax + 3(a^4x^4 - 1) \operatorname{arccot}(ax)}{12a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccot(a*x),x, algorithm="fricas")

[Out] 1/12*(a^3*x^3 - 3*a*x + 3*(a^4*x^4 - 1)*arccot(a*x))/a^4

Sympy [A] time = 0.883826, size = 39, normalized size = 0.95

$$\begin{cases} \frac{x^4 \operatorname{acot}(ax)}{4} + \frac{x^3}{12a} - \frac{x}{4a^3} - \frac{\operatorname{acot}(ax)}{4a^4} & \text{for } a \neq 0 \\ \frac{\pi x^4}{8} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*acot(a*x),x)

[Out] Piecewise((x**4*acot(a*x)/4 + x**3/(12*a) - x/(4*a**3) - acot(a*x)/(4*a**4), Ne(a, 0)), (pi*x**4/8, True))

Giac [A] time = 1.11311, size = 61, normalized size = 1.49

$$\frac{1}{4} x^4 \arctan\left(\frac{1}{ax}\right) + \frac{1}{12} a \left(\frac{3 \arctan(ax)}{a^5} + \frac{a^4 x^3 - 3 a^2 x}{a^6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccot(a*x),x, algorithm="giac")

[Out] 1/4*x^4*arctan(1/(a*x)) + 1/12*a*(3*arctan(a*x)/a^5 + (a^4*x^3 - 3*a^2*x)/a^6)

3.4 $\int x^2 \cot^{-1}(ax) dx$

Optimal. Leaf size=39

$$-\frac{\log(a^2x^2+1)}{6a^3} + \frac{x^2}{6a} + \frac{1}{3}x^3 \cot^{-1}(ax)$$

[Out] $x^2/(6*a) + (x^3*ArcCot[a*x])/3 - \text{Log}[1 + a^2*x^2]/(6*a^3)$

Rubi [A] time = 0.0260955, antiderivative size = 39, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4853, 266, 43}

$$-\frac{\log(a^2x^2+1)}{6a^3} + \frac{x^2}{6a} + \frac{1}{3}x^3 \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*ArcCot[a*x], x]$

[Out] $x^2/(6*a) + (x^3*ArcCot[a*x])/3 - \text{Log}[1 + a^2*x^2]/(6*a^3)$

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*((d_.)*(x_.))^ (m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2
), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || Integ
erQ[m]) && NeQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^ (p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_.) + (b_.)*(x_.))^ (m_.)*((c_.) + (d_.)*(x_.))^ (n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned} \int x^2 \cot^{-1}(ax) dx &= \frac{1}{3}x^3 \cot^{-1}(ax) + \frac{1}{3}a \int \frac{x^3}{1+a^2x^2} dx \\ &= \frac{1}{3}x^3 \cot^{-1}(ax) + \frac{1}{6}a \text{Subst}\left(\int \frac{x}{1+a^2x} dx, x, x^2\right) \\ &= \frac{1}{3}x^3 \cot^{-1}(ax) + \frac{1}{6}a \text{Subst}\left(\int \left(\frac{1}{a^2} - \frac{1}{a^2(1+a^2x)}\right) dx, x, x^2\right) \\ &= \frac{x^2}{6a} + \frac{1}{3}x^3 \cot^{-1}(ax) - \frac{\log(1+a^2x^2)}{6a^3} \end{aligned}$$

Mathematica [A] time = 0.0104125, size = 39, normalized size = 1.

$$-\frac{\log(a^2x^2+1)}{6a^3} + \frac{x^2}{6a} + \frac{1}{3}x^3 \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Integrate[x^2*ArcCot[a*x],x]

[Out] x^2/(6*a) + (x^3*ArcCot[a*x])/3 - Log[1 + a^2*x^2]/(6*a^3)

Maple [A] time = 0.039, size = 34, normalized size = 0.9

$$\frac{x^2}{6a} + \frac{x^3 \operatorname{arccot}(ax)}{3} - \frac{\ln(a^2x^2+1)}{6a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*arccot(a*x),x)

[Out] 1/6*x^2/a+1/3*x^3*arccot(a*x)-1/6*ln(a^2*x^2+1)/a^3

Maxima [A] time = 0.988707, size = 49, normalized size = 1.26

$$\frac{1}{3}x^3 \operatorname{arccot}(ax) + \frac{1}{6}a \left(\frac{x^2}{a^2} - \frac{\log(a^2x^2+1)}{a^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(a*x),x, algorithm="maxima")

[Out] 1/3*x^3*arccot(a*x) + 1/6*a*(x^2/a^2 - log(a^2*x^2 + 1)/a^4)

Fricas [A] time = 1.92215, size = 84, normalized size = 2.15

$$\frac{2a^3x^3 \operatorname{arccot}(ax) + a^2x^2 - \log(a^2x^2+1)}{6a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(a*x),x, algorithm="fricas")

[Out] 1/6*(2*a^3*x^3*arccot(a*x) + a^2*x^2 - log(a^2*x^2 + 1))/a^3

Sympy [A] time = 0.637841, size = 37, normalized size = 0.95

$$\begin{cases} \frac{x^3 \operatorname{acot}(ax)}{3} + \frac{x^2}{6a} - \frac{\log(a^2x^2+1)}{6a^3} & \text{for } a \neq 0 \\ \frac{\pi x^3}{6} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(a*x),x)

[Out] Piecewise((x**3*acot(a*x)/3 + x**2/(6*a) - log(a**2*x**2 + 1)/(6*a**3), Ne(a, 0)), (pi*x**3/6, True))

Giac [A] time = 1.13748, size = 54, normalized size = 1.38

$$\frac{1}{3}x^3 \arctan\left(\frac{1}{ax}\right) + \frac{1}{6}a\left(\frac{x^2}{a^2} - \frac{\log(a^2x^2 + 1)}{a^4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(a*x),x, algorithm="giac")

[Out] 1/3*x^3*arctan(1/(a*x)) + 1/6*a*(x^2/a^2 - log(a^2*x^2 + 1)/a^4)

3.5 $\int x \cot^{-1}(ax) dx$

Optimal. Leaf size=31

$$-\frac{\tan^{-1}(ax)}{2a^2} + \frac{1}{2}x^2 \cot^{-1}(ax) + \frac{x}{2a}$$

[Out] $x/(2*a) + (x^2*ArcCot[a*x])/2 - ArcTan[a*x]/(2*a^2)$

Rubi [A] time = 0.0115336, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {4853, 321, 203}

$$-\frac{\tan^{-1}(ax)}{2a^2} + \frac{1}{2}x^2 \cot^{-1}(ax) + \frac{x}{2a}$$

Antiderivative was successfully verified.

[In] Int[x*ArcCot[a*x], x]

[Out] $x/(2*a) + (x^2*ArcCot[a*x])/2 - ArcTan[a*x]/(2*a^2)$

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*((d_.)*(x_.))^ (m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 321

Int[((c_.)*(x_.))^ (m_.)*((a_.) + (b_.)*(x_.)^ (n_.))^ (p_.), x_Symbol] :> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^ (-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int x \cot^{-1}(ax) dx &= \frac{1}{2}x^2 \cot^{-1}(ax) + \frac{1}{2}a \int \frac{x^2}{1 + a^2x^2} dx \\ &= \frac{x}{2a} + \frac{1}{2}x^2 \cot^{-1}(ax) - \frac{\int \frac{1}{1+a^2x^2} dx}{2a} \\ &= \frac{x}{2a} + \frac{1}{2}x^2 \cot^{-1}(ax) - \frac{\tan^{-1}(ax)}{2a^2} \end{aligned}$$

Mathematica [A] time = 0.0017257, size = 31, normalized size = 1.

$$-\frac{\tan^{-1}(ax)}{2a^2} + \frac{1}{2}x^2 \cot^{-1}(ax) + \frac{x}{2a}$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcCot[a*x],x]

[Out] x/(2*a) + (x^2*ArcCot[a*x])/2 - ArcTan[a*x]/(2*a^2)

Maple [A] time = 0.039, size = 26, normalized size = 0.8

$$\frac{x}{2a} + \frac{x^2 \operatorname{arccot}(ax)}{2} - \frac{\arctan(ax)}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccot(a*x),x)

[Out] 1/2*x/a+1/2*x^2*arccot(a*x)-1/2*arctan(a*x)/a^2

Maxima [A] time = 1.48985, size = 38, normalized size = 1.23

$$\frac{1}{2}x^2 \operatorname{arccot}(ax) + \frac{1}{2}a \left(\frac{x}{a^2} - \frac{\arctan(ax)}{a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(a*x),x, algorithm="maxima")

[Out] 1/2*x^2*arccot(a*x) + 1/2*a*(x/a^2 - arctan(a*x)/a^3)

Fricas [A] time = 1.90484, size = 58, normalized size = 1.87

$$\frac{ax + (a^2x^2 + 1) \operatorname{arccot}(ax)}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(a*x),x, algorithm="fricas")

[Out] 1/2*(a*x + (a^2*x^2 + 1)*arccot(a*x))/a^2

Sympy [A] time = 0.413212, size = 31, normalized size = 1.

$$\begin{cases} \frac{x^2 \operatorname{acot}(ax)}{2} + \frac{x}{2a} + \frac{\operatorname{acot}(ax)}{2a^2} & \text{for } a \neq 0 \\ \frac{\pi x^2}{4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*acot(a*x),x)

[Out] Piecewise((x**2*acot(a*x)/2 + x/(2*a) + acot(a*x)/(2*a**2), Ne(a, 0)), (pi*x**2/4, True))

Giac [A] time = 1.11481, size = 43, normalized size = 1.39

$$\frac{1}{2}x^2 \arctan\left(\frac{1}{ax}\right) + \frac{1}{2}a\left(\frac{x}{a^2} - \frac{\arctan(ax)}{a^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(a*x),x, algorithm="giac")

[Out] 1/2*x^2*arctan(1/(a*x)) + 1/2*a*(x/a^2 - arctan(a*x)/a^3)

3.6 $\int \cot^{-1}(ax) dx$

Optimal. Leaf size=24

$$\frac{\log(a^2x^2 + 1)}{2a} + x \cot^{-1}(ax)$$

[Out] x*ArcCot[a*x] + Log[1 + a^2*x^2]/(2*a)

Rubi [A] time = 0.0059009, antiderivative size = 24, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {4847, 260}

$$\frac{\log(a^2x^2 + 1)}{2a} + x \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x], x]

[Out] x*ArcCot[a*x] + Log[1 + a^2*x^2]/(2*a)

Rule 4847

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.), x_Symbol] :> Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned} \int \cot^{-1}(ax) dx &= x \cot^{-1}(ax) + a \int \frac{x}{1 + a^2x^2} dx \\ &= x \cot^{-1}(ax) + \frac{\log(1 + a^2x^2)}{2a} \end{aligned}$$

Mathematica [A] time = 0.0027033, size = 24, normalized size = 1.

$$\frac{\log(a^2x^2 + 1)}{2a} + x \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x], x]

[Out] x*ArcCot[a*x] + Log[1 + a^2*x^2]/(2*a)

Maple [A] time = 0.036, size = 23, normalized size = 1.

$$x \operatorname{arccot}(ax) + \frac{\ln(a^2x^2 + 1)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x),x)

[Out] x*arccot(a*x)+1/2*ln(a^2*x^2+1)/a

Maxima [A] time = 0.972293, size = 32, normalized size = 1.33

$$\frac{2ax \operatorname{arccot}(ax) + \log(a^2x^2 + 1)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x),x, algorithm="maxima")

[Out] 1/2*(2*a*x*arccot(a*x) + log(a^2*x^2 + 1))/a

Fricas [A] time = 2.02604, size = 62, normalized size = 2.58

$$\frac{2ax \operatorname{arccot}(ax) + \log(a^2x^2 + 1)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x),x, algorithm="fricas")

[Out] 1/2*(2*a*x*arccot(a*x) + log(a^2*x^2 + 1))/a

Sympy [A] time = 0.257776, size = 24, normalized size = 1.

$$\begin{cases} x \operatorname{acot}(ax) + \frac{\log(a^2x^2+1)}{2a} & \text{for } a \neq 0 \\ \frac{\pi x}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x),x)

[Out] Piecewise((x*acot(a*x) + log(a**2*x**2 + 1)/(2*a), Ne(a, 0)), (pi*x/2, True))

Giac [A] time = 1.12187, size = 35, normalized size = 1.46

$$x \arctan\left(\frac{1}{ax}\right) + \frac{\log(a^2x^2 + 1)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x),x, algorithm="giac")
```

```
[Out] x*arctan(1/(a*x)) + 1/2*log(a^2*x^2 + 1)/a
```

$$3.7 \quad \int \frac{\cot^{-1}(ax)}{x} dx$$

Optimal. Leaf size=37

$$\frac{1}{2}i\text{PolyLog}\left(2, \frac{i}{ax}\right) - \frac{1}{2}i\text{PolyLog}\left(2, -\frac{i}{ax}\right)$$

[Out] $(-I/2)*\text{PolyLog}[2, (-I)/(a*x)] + (I/2)*\text{PolyLog}[2, I/(a*x)]$

Rubi [A] time = 0.0252205, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {4849, 2391}

$$\frac{1}{2}i\text{PolyLog}\left(2, \frac{i}{ax}\right) - \frac{1}{2}i\text{PolyLog}\left(2, -\frac{i}{ax}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]/x,x]

[Out] $(-I/2)*\text{PolyLog}[2, (-I)/(a*x)] + (I/2)*\text{PolyLog}[2, I/(a*x)]$

Rule 4849

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))/(x_), x_Symbol] :> Simp[a*Log[x], x] + (Dist[(I*b)/2, Int[Log[1 - I/(c*x)]/x, x], x] - Dist[(I*b)/2, Int[Log[1 + I/(c*x)]/x, x], x]) /; FreeQ[{a, b, c}, x]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(ax)}{x} dx &= \frac{1}{2}i \int \frac{\log\left(1 - \frac{i}{ax}\right)}{x} dx - \frac{1}{2}i \int \frac{\log\left(1 + \frac{i}{ax}\right)}{x} dx \\ &= -\frac{1}{2}i\text{Li}_2\left(-\frac{i}{ax}\right) + \frac{1}{2}i\text{Li}_2\left(\frac{i}{ax}\right) \end{aligned}$$

Mathematica [A] time = 0.0026943, size = 37, normalized size = 1.

$$\frac{1}{2}i\text{PolyLog}\left(2, \frac{i}{ax}\right) - \frac{1}{2}i\text{PolyLog}\left(2, -\frac{i}{ax}\right)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x]/x,x]

[Out] $(-I/2)*\text{PolyLog}[2, (-I)/(a*x)] + (I/2)*\text{PolyLog}[2, I/(a*x)]$

Maple [B] time = 0.049, size = 63, normalized size = 1.7

$$\ln(ax) \operatorname{arccot}(ax) - \frac{i}{2} \ln(ax) \ln(1+iax) + \frac{i}{2} \ln(ax) \ln(1-iax) - \frac{i}{2} \operatorname{dilog}(1+iax) + \frac{i}{2} \operatorname{dilog}(1-iax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)/x,x)

[Out] ln(a*x)*arccot(a*x)-1/2*I*ln(a*x)*ln(1+I*a*x)+1/2*I*ln(a*x)*ln(1-I*a*x)-1/2*I*dilog(1+I*a*x)+1/2*I*dilog(1-I*a*x)

Maxima [B] time = 1.62585, size = 89, normalized size = 2.41

$$-i \arctan(ax) \arctan(0, a) + \frac{1}{4} \pi \log(a^2 x^2 + 1) - \arctan(ax) \log(x|a|) + \operatorname{arccot}(ax) \log(x) + \arctan(ax) \log(x) + \frac{1}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/x,x, algorithm="maxima")

[Out] -I*arctan(a*x)*arctan2(0, a) + 1/4*pi*log(a^2*x^2 + 1) - arctan(a*x)*log(x*abs(a)) + arccot(a*x)*log(x) + arctan(a*x)*log(x) + 1/2*I*dilog(I*a*x + 1) - 1/2*I*dilog(-I*a*x + 1)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(ax)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/x,x, algorithm="fricas")

[Out] integral(arccot(a*x)/x, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x)/x,x)

[Out] Integral(acot(a*x)/x, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x)/x,x, algorithm="giac")
```

```
[Out] integrate(arccot(a*x)/x, x)
```

3.8 $\int \frac{\cot^{-1}(ax)}{x^2} dx$

Optimal. Leaf size=30

$$\frac{1}{2}a \log(a^2x^2 + 1) - a \log(x) - \frac{\cot^{-1}(ax)}{x}$$

[Out] $-(\text{ArcCot}[a*x]/x) - a*\text{Log}[x] + (a*\text{Log}[1 + a^2*x^2])/2$

Rubi [A] time = 0.0178592, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {4853, 266, 36, 29, 31}

$$\frac{1}{2}a \log(a^2x^2 + 1) - a \log(x) - \frac{\cot^{-1}(ax)}{x}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]/x^2,x]

[Out] $-(\text{ArcCot}[a*x]/x) - a*\text{Log}[x] + (a*\text{Log}[1 + a^2*x^2])/2$

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2
), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] :> Dist[b/(b*c
- a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 29

```
Int[(x_)^(-1), x_Symbol] :> Simp[Log[x], x]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(ax)}{x^2} dx &= -\frac{\cot^{-1}(ax)}{x} - a \int \frac{1}{x(1+a^2x^2)} dx \\
&= -\frac{\cot^{-1}(ax)}{x} - \frac{1}{2}a \operatorname{Subst} \left(\int \frac{1}{x(1+a^2x)} dx, x, x^2 \right) \\
&= -\frac{\cot^{-1}(ax)}{x} - \frac{1}{2}a \operatorname{Subst} \left(\int \frac{1}{x} dx, x, x^2 \right) + \frac{1}{2}a^3 \operatorname{Subst} \left(\int \frac{1}{1+a^2x} dx, x, x^2 \right) \\
&= -\frac{\cot^{-1}(ax)}{x} - a \log(x) + \frac{1}{2}a \log(1+a^2x^2)
\end{aligned}$$

Mathematica [A] time = 0.0022753, size = 30, normalized size = 1.

$$\frac{1}{2}a \log(a^2x^2 + 1) - a \log(x) - \frac{\cot^{-1}(ax)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x]/x^2,x]

[Out] -(ArcCot[a*x]/x) - a*Log[x] + (a*Log[1 + a^2*x^2])/2

Maple [A] time = 0.043, size = 31, normalized size = 1.

$$-\frac{\operatorname{arccot}(ax)}{x} + \frac{a \ln(a^2x^2 + 1)}{2} - a \ln(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)/x^2,x)

[Out] -arccot(a*x)/x+1/2*a*ln(a^2*x^2+1)-a*ln(a*x)

Maxima [A] time = 0.966614, size = 41, normalized size = 1.37

$$\frac{1}{2}a(\log(a^2x^2 + 1) - \log(x^2)) - \frac{\operatorname{arccot}(ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/x^2,x, algorithm="maxima")

[Out] 1/2*a*(log(a^2*x^2 + 1) - log(x^2)) - arccot(a*x)/x

Fricas [A] time = 1.91349, size = 82, normalized size = 2.73

$$\frac{ax \log(a^2x^2 + 1) - 2ax \log(x) - 2 \operatorname{arccot}(ax)}{2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/x^2,x, algorithm="fricas")

[Out] 1/2*(a*x*log(a^2*x^2 + 1) - 2*a*x*log(x) - 2*arccot(a*x))/x

Sympy [A] time = 0.34515, size = 24, normalized size = 0.8

$$-a \log(x) + \frac{a \log(a^2 x^2 + 1)}{2} - \frac{\operatorname{acot}(ax)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x)/x**2,x)

[Out] -a*log(x) + a*log(a**2*x**2 + 1)/2 - acot(a*x)/x

Giac [A] time = 1.09297, size = 46, normalized size = 1.53

$$\frac{1}{2} a (\log(a^2 x^2 + 1) - \log(x^2)) - \frac{\arctan\left(\frac{1}{ax}\right)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/x^2,x, algorithm="giac")

[Out] 1/2*a*(log(a^2*x^2 + 1) - log(x^2)) - arctan(1/(a*x))/x

3.9 $\int \frac{\cot^{-1}(ax)}{x^3} dx$

Optimal. Leaf size=31

$$\frac{1}{2}a^2 \tan^{-1}(ax) - \frac{\cot^{-1}(ax)}{2x^2} + \frac{a}{2x}$$

[Out] a/(2*x) - ArcCot[a*x]/(2*x^2) + (a^2*ArcTan[a*x])/2

Rubi [A] time = 0.0148004, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4853, 325, 203}

$$\frac{1}{2}a^2 \tan^{-1}(ax) - \frac{\cot^{-1}(ax)}{2x^2} + \frac{a}{2x}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]/x^3,x]

[Out] a/(2*x) - ArcCot[a*x]/(2*x^2) + (a^2*ArcTan[a*x])/2

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 325

Int[((c_.)*(x_))^(m_)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(ax)}{x^3} dx &= -\frac{\cot^{-1}(ax)}{2x^2} - \frac{1}{2}a \int \frac{1}{x^2(1+a^2x^2)} dx \\ &= \frac{a}{2x} - \frac{\cot^{-1}(ax)}{2x^2} + \frac{1}{2}a^3 \int \frac{1}{1+a^2x^2} dx \\ &= \frac{a}{2x} - \frac{\cot^{-1}(ax)}{2x^2} + \frac{1}{2}a^2 \tan^{-1}(ax) \end{aligned}$$

Mathematica [C] time = 0.0023036, size = 36, normalized size = 1.16

$$\frac{{}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; -a^2x^2\right)}{2x} - \frac{\cot^{-1}(ax)}{2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x]/x^3,x]

[Out] -ArcCot[a*x]/(2*x^2) + (a*Hypergeometric2F1[-1/2, 1, 1/2, -(a^2*x^2)])/(2*x)

Maple [A] time = 0.043, size = 26, normalized size = 0.8

$$\frac{a}{2x} - \frac{\operatorname{arccot}(ax)}{2x^2} + \frac{a^2 \operatorname{arctan}(ax)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)/x^3,x)

[Out] 1/2*a/x-1/2*arccot(a*x)/x^2+1/2*a^2*arctan(a*x)

Maxima [A] time = 1.50052, size = 31, normalized size = 1.

$$\frac{1}{2} \left(a \operatorname{arctan}(ax) + \frac{1}{x} \right) a - \frac{\operatorname{arccot}(ax)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/x^3,x, algorithm="maxima")

[Out] 1/2*(a*arctan(a*x) + 1/x)*a - 1/2*arccot(a*x)/x^2

Fricas [A] time = 1.87474, size = 58, normalized size = 1.87

$$\frac{ax - (a^2x^2 + 1) \operatorname{arccot}(ax)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/x^3,x, algorithm="fricas")

[Out] 1/2*(a*x - (a^2*x^2 + 1)*arccot(a*x))/x^2

Sympy [A] time = 0.631373, size = 24, normalized size = 0.77

$$-\frac{a^2 \operatorname{acot}(ax)}{2} + \frac{a}{2x} - \frac{\operatorname{acot}(ax)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x)/x**3,x)

[Out] -a**2*acot(a*x)/2 + a/(2*x) - acot(a*x)/(2*x**2)

Giac [A] time = 1.1101, size = 36, normalized size = 1.16

$$\frac{1}{2} \left(a \arctan(ax) + \frac{1}{x} \right) a - \frac{\arctan\left(\frac{1}{ax}\right)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/x^3,x, algorithm="giac")

[Out] 1/2*(a*arctan(a*x) + 1/x)*a - 1/2*arctan(1/(a*x))/x^2

3.10 $\int \frac{\cot^{-1}(ax)}{x^4} dx$

Optimal. Leaf size=46

$$-\frac{1}{6}a^3 \log(a^2x^2 + 1) + \frac{1}{3}a^3 \log(x) + \frac{a}{6x^2} - \frac{\cot^{-1}(ax)}{3x^3}$$

[Out] $a/(6*x^2) - \text{ArcCot}[a*x]/(3*x^3) + (a^3*\text{Log}[x])/3 - (a^3*\text{Log}[1 + a^2*x^2])/6$

Rubi [A] time = 0.0271508, antiderivative size = 46, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4853, 266, 44}

$$-\frac{1}{6}a^3 \log(a^2x^2 + 1) + \frac{1}{3}a^3 \log(x) + \frac{a}{6x^2} - \frac{\cot^{-1}(ax)}{3x^3}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]/x^4, x]

[Out] $a/(6*x^2) - \text{ArcCot}[a*x]/(3*x^3) + (a^3*\text{Log}[x])/3 - (a^3*\text{Log}[1 + a^2*x^2])/6$

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*((d_.)*(x_.))^ (m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2
), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^ (p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 44

```
Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[
ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &
& NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m
+ n + 2, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(ax)}{x^4} dx &= -\frac{\cot^{-1}(ax)}{3x^3} - \frac{1}{3}a \int \frac{1}{x^3(1+a^2x^2)} dx \\ &= -\frac{\cot^{-1}(ax)}{3x^3} - \frac{1}{6}a \text{Subst} \left(\int \frac{1}{x^2(1+a^2x)} dx, x, x^2 \right) \\ &= -\frac{\cot^{-1}(ax)}{3x^3} - \frac{1}{6}a \text{Subst} \left(\int \left(\frac{1}{x^2} - \frac{a^2}{x} + \frac{a^4}{1+a^2x} \right) dx, x, x^2 \right) \\ &= \frac{a}{6x^2} - \frac{\cot^{-1}(ax)}{3x^3} + \frac{1}{3}a^3 \log(x) - \frac{1}{6}a^3 \log(1+a^2x^2) \end{aligned}$$

Mathematica [A] time = 0.0113659, size = 44, normalized size = 0.96

$$-\frac{1}{6}a \left(a^2 \log(a^2 x^2 + 1) - 2a^2 \log(x) - \frac{1}{x^2} \right) - \frac{\cot^{-1}(ax)}{3x^3}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x]/x^4,x]

[Out] -ArcCot[a*x]/(3*x^3) - (a*(-x^(-2) - 2*a^2*Log[x] + a^2*Log[1 + a^2*x^2]))/6

Maple [A] time = 0.044, size = 41, normalized size = 0.9

$$-\frac{\operatorname{arccot}(ax)}{3x^3} - \frac{a^3 \ln(a^2 x^2 + 1)}{6} + \frac{a}{6x^2} + \frac{a^3 \ln(ax)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)/x^4,x)

[Out] -1/3*arccot(a*x)/x^3-1/6*a^3*ln(a^2*x^2+1)+1/6*a/x^2+1/3*a^3*ln(a*x)

Maxima [A] time = 0.980529, size = 57, normalized size = 1.24

$$-\frac{1}{6} \left(a^2 \log(a^2 x^2 + 1) - a^2 \log(x^2) - \frac{1}{x^2} \right) a - \frac{\operatorname{arccot}(ax)}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/x^4,x, algorithm="maxima")

[Out] -1/6*(a^2*log(a^2*x^2 + 1) - a^2*log(x^2) - 1/x^2)*a - 1/3*arccot(a*x)/x^3

Fricas [A] time = 1.99549, size = 105, normalized size = 2.28

$$\frac{a^3 x^3 \log(a^2 x^2 + 1) - 2 a^3 x^3 \log(x) - ax + 2 \operatorname{arccot}(ax)}{6 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/x^4,x, algorithm="fricas")

[Out] -1/6*(a^3*x^3*log(a^2*x^2 + 1) - 2*a^3*x^3*log(x) - a*x + 2*arccot(a*x))/x^3

Sympy [A] time = 0.869719, size = 39, normalized size = 0.85

$$\frac{a^3 \log(x)}{3} - \frac{a^3 \log(a^2 x^2 + 1)}{6} + \frac{a}{6x^2} - \frac{\operatorname{acot}(ax)}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x)/x**4,x)

[Out] a**3*log(x)/3 - a**3*log(a**2*x**2 + 1)/6 + a/(6*x**2) - acot(a*x)/(3*x**3)

Giac [A] time = 1.12538, size = 73, normalized size = 1.59

$$-\frac{1}{6} \left(a^2 \log(a^2 x^2 + 1) - a^2 \log(x^2) + \frac{a^2 x^2 - 1}{x^2} \right) a - \frac{\arctan\left(\frac{1}{ax}\right)}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/x^4,x, algorithm="giac")

[Out] -1/6*(a^2*log(a^2*x^2 + 1) - a^2*log(x^2) + (a^2*x^2 - 1)/x^2)*a - 1/3*arctan(1/(a*x))/x^3

3.11 $\int \frac{\cot^{-1}(ax)}{x^5} dx$

Optimal. Leaf size=41

$$-\frac{a^3}{4x} - \frac{1}{4}a^4 \tan^{-1}(ax) + \frac{a}{12x^3} - \frac{\cot^{-1}(ax)}{4x^4}$$

[Out] a/(12*x^3) - a^3/(4*x) - ArcCot[a*x]/(4*x^4) - (a^4*ArcTan[a*x])/4

Rubi [A] time = 0.018415, antiderivative size = 41, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4853, 325, 203}

$$-\frac{a^3}{4x} - \frac{1}{4}a^4 \tan^{-1}(ax) + \frac{a}{12x^3} - \frac{\cot^{-1}(ax)}{4x^4}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]/x^5, x]

[Out] a/(12*x^3) - a^3/(4*x) - ArcCot[a*x]/(4*x^4) - (a^4*ArcTan[a*x])/4

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^ (p_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 325

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c*x)^(m + 1)*(a + b*x^n)^(p + 1)/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(ax)}{x^5} dx &= -\frac{\cot^{-1}(ax)}{4x^4} - \frac{1}{4}a \int \frac{1}{x^4(1+a^2x^2)} dx \\ &= \frac{a}{12x^3} - \frac{\cot^{-1}(ax)}{4x^4} + \frac{1}{4}a^3 \int \frac{1}{x^2(1+a^2x^2)} dx \\ &= \frac{a}{12x^3} - \frac{a^3}{4x} - \frac{\cot^{-1}(ax)}{4x^4} - \frac{1}{4}a^5 \int \frac{1}{1+a^2x^2} dx \\ &= \frac{a}{12x^3} - \frac{a^3}{4x} - \frac{\cot^{-1}(ax)}{4x^4} - \frac{1}{4}a^4 \tan^{-1}(ax) \end{aligned}$$

Mathematica [C] time = 0.0027656, size = 36, normalized size = 0.88

$$\frac{{}_2F_1\left(-\frac{3}{2}, 1; -\frac{1}{2}; -a^2x^2\right)}{12x^3} - \frac{\cot^{-1}(ax)}{4x^4}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x]/x^5,x]

[Out] -ArcCot[a*x]/(4*x^4) + (a*Hypergeometric2F1[-3/2, 1, -1/2, -(a^2*x^2)])/(12*x^3)

Maple [A] time = 0.046, size = 34, normalized size = 0.8

$$\frac{a}{12x^3} - \frac{a^3}{4x} - \frac{\operatorname{arccot}(ax)}{4x^4} - \frac{a^4 \arctan(ax)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)/x^5,x)

[Out] 1/12*a/x^3-1/4*a^3/x-1/4*arccot(a*x)/x^4-1/4*a^4*arctan(a*x)

Maxima [A] time = 1.48393, size = 50, normalized size = 1.22

$$-\frac{1}{12} \left(3a^3 \arctan(ax) + \frac{3a^2x^2 - 1}{x^3} \right) a - \frac{\operatorname{arccot}(ax)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/x^5,x, algorithm="maxima")

[Out] -1/12*(3*a^3*arctan(a*x) + (3*a^2*x^2 - 1)/x^3)*a - 1/4*arccot(a*x)/x^4

Fricas [A] time = 1.86439, size = 80, normalized size = 1.95

$$-\frac{3a^3x^3 - ax - 3(a^4x^4 - 1)\operatorname{arccot}(ax)}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/x^5,x, algorithm="fricas")

[Out] -1/12*(3*a^3*x^3 - a*x - 3*(a^4*x^4 - 1)*arccot(a*x))/x^4

Sympy [A] time = 1.01842, size = 32, normalized size = 0.78

$$\frac{a^4 \operatorname{acot}(ax)}{4} - \frac{a^3}{4x} + \frac{a}{12x^3} - \frac{\operatorname{acot}(ax)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x)/x**5,x)

[Out] a**4*acot(a*x)/4 - a**3/(4*x) + a/(12*x**3) - acot(a*x)/(4*x**4)

Giac [A] time = 1.12323, size = 55, normalized size = 1.34

$$-\frac{1}{12} \left(3a^3 \arctan(ax) + \frac{3a^2x^2 - 1}{x^3} \right) a - \frac{\arctan\left(\frac{1}{ax}\right)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/x^5,x, algorithm="giac")

[Out] -1/12*(3*a^3*arctan(a*x) + (3*a^2*x^2 - 1)/x^3)*a - 1/4*arctan(1/(a*x))/x^4

3.12 $\int x^5 \cot^{-1}(ax)^2 dx$

Optimal. Leaf size=104

$$\frac{x^4}{60a^2} - \frac{4x^2}{45a^4} + \frac{23 \log(a^2x^2 + 1)}{90a^6} - \frac{x^3 \cot^{-1}(ax)}{9a^3} + \frac{x \cot^{-1}(ax)}{3a^5} + \frac{\cot^{-1}(ax)^2}{6a^6} + \frac{1}{6}x^6 \cot^{-1}(ax)^2 + \frac{x^5 \cot^{-1}(ax)}{15a}$$

[Out] $(-4*x^2)/(45*a^4) + x^4/(60*a^2) + (x*ArcCot[a*x])/(3*a^5) - (x^3*ArcCot[a*x])/(9*a^3) + (x^5*ArcCot[a*x])/(15*a) + ArcCot[a*x]^2/(6*a^6) + (x^6*ArcCot[a*x]^2)/6 + (23*Log[1 + a^2*x^2])/(90*a^6)$

Rubi [A] time = 0.221475, antiderivative size = 104, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.7$, Rules used = {4853, 4917, 266, 43, 4847, 260, 4885}

$$\frac{x^4}{60a^2} - \frac{4x^2}{45a^4} + \frac{23 \log(a^2x^2 + 1)}{90a^6} - \frac{x^3 \cot^{-1}(ax)}{9a^3} + \frac{x \cot^{-1}(ax)}{3a^5} + \frac{\cot^{-1}(ax)^2}{6a^6} + \frac{1}{6}x^6 \cot^{-1}(ax)^2 + \frac{x^5 \cot^{-1}(ax)}{15a}$$

Antiderivative was successfully verified.

[In] Int[x^5*ArcCot[a*x]^2,x]

[Out] $(-4*x^2)/(45*a^4) + x^4/(60*a^2) + (x*ArcCot[a*x])/(3*a^5) - (x^3*ArcCot[a*x])/(9*a^3) + (x^5*ArcCot[a*x])/(15*a) + ArcCot[a*x]^2/(6*a^6) + (x^6*ArcCot[a*x]^2)/6 + (23*Log[1 + a^2*x^2])/(90*a^6)$

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 4917

Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*((f_.)*(x_))^(m_.))/((d_) + (e_.)*(x_)^2), x_Symbol] :> Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcCot[c*x])^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 4847

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.), x_Symbol] := Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))]/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]
```

Rule 260

```
Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 4885

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)^2), x_Symbol] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
 \int x^5 \cot^{-1}(ax)^2 dx &= \frac{1}{6}x^6 \cot^{-1}(ax)^2 + \frac{1}{3}a \int \frac{x^6 \cot^{-1}(ax)}{1 + a^2x^2} dx \\
 &= \frac{1}{6}x^6 \cot^{-1}(ax)^2 + \frac{\int x^4 \cot^{-1}(ax) dx}{3a} - \frac{\int \frac{x^4 \cot^{-1}(ax)}{1 + a^2x^2} dx}{3a} \\
 &= \frac{x^5 \cot^{-1}(ax)}{15a} + \frac{1}{6}x^6 \cot^{-1}(ax)^2 + \frac{1}{15} \int \frac{x^5}{1 + a^2x^2} dx - \frac{\int x^2 \cot^{-1}(ax) dx}{3a^3} + \frac{\int \frac{x^2 \cot^{-1}(ax)}{1 + a^2x^2} dx}{3a^3} \\
 &= -\frac{x^3 \cot^{-1}(ax)}{9a^3} + \frac{x^5 \cot^{-1}(ax)}{15a} + \frac{1}{6}x^6 \cot^{-1}(ax)^2 + \frac{1}{30} \text{Subst} \left(\int \frac{x^2}{1 + a^2x} dx, x, x^2 \right) + \frac{\int \cot^{-1}(ax) dx}{3a^5} \\
 &= \frac{x \cot^{-1}(ax)}{3a^5} - \frac{x^3 \cot^{-1}(ax)}{9a^3} + \frac{x^5 \cot^{-1}(ax)}{15a} + \frac{\cot^{-1}(ax)^2}{6a^6} + \frac{1}{6}x^6 \cot^{-1}(ax)^2 + \frac{1}{30} \text{Subst} \left(\int \left(-\frac{x}{1 + a^2x} \right) dx, x, x^2 \right) \\
 &= -\frac{x^2}{30a^4} + \frac{x^4}{60a^2} + \frac{x \cot^{-1}(ax)}{3a^5} - \frac{x^3 \cot^{-1}(ax)}{9a^3} + \frac{x^5 \cot^{-1}(ax)}{15a} + \frac{\cot^{-1}(ax)^2}{6a^6} + \frac{1}{6}x^6 \cot^{-1}(ax)^2 + \frac{1}{30} \text{Subst} \left(\int \left(-\frac{x}{1 + a^2x} \right) dx, x, x^2 \right) \\
 &= -\frac{4x^2}{45a^4} + \frac{x^4}{60a^2} + \frac{x \cot^{-1}(ax)}{3a^5} - \frac{x^3 \cot^{-1}(ax)}{9a^3} + \frac{x^5 \cot^{-1}(ax)}{15a} + \frac{\cot^{-1}(ax)^2}{6a^6} + \frac{1}{6}x^6 \cot^{-1}(ax)^2 + \frac{1}{30} \text{Subst} \left(\int \left(-\frac{x}{1 + a^2x} \right) dx, x, x^2 \right)
 \end{aligned}$$

Mathematica [A] time = 0.0228788, size = 79, normalized size = 0.76

$$\frac{3a^4x^4 - 16a^2x^2 + 46 \log(a^2x^2 + 1) + 4ax(3a^4x^4 - 5a^2x^2 + 15) \cot^{-1}(ax) + 30(a^6x^6 + 1) \cot^{-1}(ax)^2}{180a^6}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^5*ArcCot[a*x]^2,x]
```

```
[Out] (-16*a^2*x^2 + 3*a^4*x^4 + 4*a*x*(15 - 5*a^2*x^2 + 3*a^4*x^4)*ArcCot[a*x] + 30*(1 + a^6*x^6)*ArcCot[a*x]^2 + 46*Log[1 + a^2*x^2])/(180*a^6)
```

Maple [A] time = 0.049, size = 102, normalized size = 1.

$$\frac{x^6 (\operatorname{arccot}(ax))^2}{6} + \frac{x^5 \operatorname{arccot}(ax)}{15a} - \frac{x^3 \operatorname{arccot}(ax)}{9a^3} + \frac{x \operatorname{arccot}(ax)}{3a^5} - \frac{\operatorname{arccot}(ax) \arctan(ax)}{3a^6} + \frac{x^4}{60a^2} - \frac{4x^2}{45a^4} + \frac{23}{180a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*arccot(a*x)^2,x)`

[Out] $\frac{1}{6}x^6\operatorname{arccot}(ax)^2 + \frac{1}{15}x^5\operatorname{arccot}(ax)/a - \frac{1}{9}x^3\operatorname{arccot}(ax)/a^3 + \frac{1}{3}x\operatorname{arccot}(ax)/a^5 - \frac{1}{3}a^6\operatorname{arccot}(ax)\operatorname{arctan}(ax) + \frac{1}{60}x^4/a^2 - \frac{4}{45}x^2/a^4 + \frac{2}{3/90*\ln(a^2*x^2+1)/a^6 - 1/6/a^6*\operatorname{arctan}(ax)^2}$

Maxima [A] time = 1.52281, size = 128, normalized size = 1.23

$$\frac{1}{6}x^6\operatorname{arccot}(ax)^2 + \frac{1}{45}a\left(\frac{3a^4x^5 - 5a^2x^3 + 15x}{a^6} - \frac{15\operatorname{arctan}(ax)}{a^7}\right)\operatorname{arccot}(ax) + \frac{3a^4x^4 - 16a^2x^2 - 30\operatorname{arctan}(ax)^2 + 4}{180a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*arccot(a*x)^2,x, algorithm="maxima")`

[Out] $\frac{1}{6}x^6\operatorname{arccot}(ax)^2 + \frac{1}{45}a*((3a^4x^5 - 5a^2x^3 + 15x)/a^6 - 15*\operatorname{arctan}(ax)/a^7)*\operatorname{arccot}(ax) + \frac{1}{180}*(3a^4x^4 - 16a^2x^2 - 30*\operatorname{arctan}(ax)^2 + 46*\log(a^2*x^2 + 1))/a^6$

Fricas [A] time = 1.98936, size = 189, normalized size = 1.82

$$\frac{3a^4x^4 - 16a^2x^2 + 30(a^6x^6 + 1)\operatorname{arccot}(ax)^2 + 4(3a^5x^5 - 5a^3x^3 + 15ax)\operatorname{arccot}(ax) + 46\log(a^2x^2 + 1)}{180a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*arccot(a*x)^2,x, algorithm="fricas")`

[Out] $\frac{1}{180}*(3a^4x^4 - 16a^2x^2 + 30*(a^6x^6 + 1)*\operatorname{arccot}(ax)^2 + 4*(3a^5x^5 - 5a^3x^3 + 15a*x)*\operatorname{arccot}(ax) + 46*\log(a^2*x^2 + 1))/a^6$

Sympy [A] time = 2.48021, size = 104, normalized size = 1.

$$\begin{cases} \frac{x^6\operatorname{acot}^2(ax)}{6} + \frac{x^5\operatorname{acot}(ax)}{15a} + \frac{x^4}{60a^2} - \frac{x^3\operatorname{acot}(ax)}{9a^3} - \frac{4x^2}{45a^4} + \frac{x\operatorname{acot}(ax)}{3a^5} + \frac{23\log(a^2x^2+1)}{90a^6} + \frac{\operatorname{acot}^2(ax)}{6a^6} & \text{for } a \neq 0 \\ \frac{\pi^2x^6}{24} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*acot(a*x)**2,x)`

[Out] `Piecewise((x**6*acot(a*x)**2/6 + x**5*acot(a*x)/(15*a) + x**4/(60*a**2) - x**3*acot(a*x)/(9*a**3) - 4*x**2/(45*a**4) + x*acot(a*x)/(3*a**5) + 23*log(a**2*x**2 + 1)/(90*a**6) + acot(a*x)**2/(6*a**6), Ne(a, 0)), (pi**2*x**6/24, True))`

Giac [A] time = 1.11885, size = 190, normalized size = 1.83

$$\frac{1}{6}x^6\operatorname{arctan}\left(\frac{1}{ax}\right)^2 + \frac{12a^5ix^5\log\left(\frac{ax-i}{ax+i}\right) + 6a^4x^4 - 20a^3ix^3\log\left(\frac{ax-i}{ax+i}\right) - 32a^2x^2 + 60aix\log\left(\frac{ax-i}{ax+i}\right) - 15\log\left(\frac{ax-i}{ax+i}\right)^2 + 92}{360a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*arccot(a*x)^2,x, algorithm="giac")
```

```
[Out] 1/6*x^6*arctan(1/(a*x))^2 + 1/360*(12*a^5*i*x^5*log((a*x - i)/(a*x + i)) +  
6*a^4*x^4 - 20*a^3*i*x^3*log((a*x - i)/(a*x + i)) - 32*a^2*x^2 + 60*a*i*x*log((a*x - i)/(a*x + i)) - 15*log((a*x - i)/(a*x + i))^2 + 92*log(a^2*x^2 + 1))/a^6
```

3.13 $\int x^4 \cot^{-1}(ax)^2 dx$

Optimal. Leaf size=135

$$\frac{i \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+iax}\right)}{5a^5} + \frac{x^3}{30a^2} - \frac{x^2 \cot^{-1}(ax)}{5a^3} - \frac{3x}{10a^4} + \frac{3 \tan^{-1}(ax)}{10a^5} + \frac{i \cot^{-1}(ax)^2}{5a^5} - \frac{2 \log\left(\frac{2}{1+iax}\right) \cot^{-1}(ax)}{5a^5} + \frac{1}{5} x^5 \cot^{-1}(ax)$$

[Out] $(-3*x)/(10*a^4) + x^3/(30*a^2) - (x^2*ArcCot[a*x])/(5*a^3) + (x^4*ArcCot[a*x])/(10*a) + ((I/5)*ArcCot[a*x]^2)/a^5 + (x^5*ArcCot[a*x]^2)/5 + (3*ArcTan[a*x])/(10*a^5) - (2*ArcCot[a*x]*Log[2/(1 + I*a*x)])/(5*a^5) + ((I/5)*PolyLog[2, 1 - 2/(1 + I*a*x)])/a^5$

Rubi [A] time = 0.210867, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 9, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.9$, Rules used = {4853, 4917, 302, 203, 321, 4921, 4855, 2402, 2315}

$$\frac{i \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+iax}\right)}{5a^5} + \frac{x^3}{30a^2} - \frac{x^2 \cot^{-1}(ax)}{5a^3} - \frac{3x}{10a^4} + \frac{3 \tan^{-1}(ax)}{10a^5} + \frac{i \cot^{-1}(ax)^2}{5a^5} - \frac{2 \log\left(\frac{2}{1+iax}\right) \cot^{-1}(ax)}{5a^5} + \frac{1}{5} x^5 \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^4*ArcCot[a*x]^2, x]$

[Out] $(-3*x)/(10*a^4) + x^3/(30*a^2) - (x^2*ArcCot[a*x])/(5*a^3) + (x^4*ArcCot[a*x])/(10*a) + ((I/5)*ArcCot[a*x]^2)/a^5 + (x^5*ArcCot[a*x]^2)/5 + (3*ArcTan[a*x])/(10*a^5) - (2*ArcCot[a*x]*Log[2/(1 + I*a*x)])/(5*a^5) + ((I/5)*PolyLog[2, 1 - 2/(1 + I*a*x)])/a^5$

Rule 4853

$\operatorname{Int}[(a_. + \operatorname{ArcCot}[(c_.)*(x_.)]*(b_.))^p*(d_.*(x_.))^m, x_Symbol] \rightarrow \operatorname{Simp}[(d*x)^{m+1}*(a + b*ArcCot[c*x])^p/(d*(m+1)), x] + \operatorname{Dist}[(b*c*p)/(d*(m+1)), \operatorname{Int}[(d*x)^{m+1}*(a + b*ArcCot[c*x])^{p-1}/(1 + c^2*x^2), x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, m\}, x$ && $\operatorname{IGtQ}[p, 0]$ && $(\operatorname{EqQ}[p, 1] \parallel \operatorname{IntegerQ}[m])$ && $\operatorname{NeQ}[m, -1]$

Rule 4917

$\operatorname{Int}[(a_. + \operatorname{ArcCot}[(c_.)*(x_.)]*(b_.))^p*(f_.*(x_.))^m/(d_. + (e_.)*(x_.)^2), x_Symbol] \rightarrow \operatorname{Dist}[f^2/e, \operatorname{Int}[(f*x)^{m-2}*(a + b*ArcCot[c*x])^p, x], x] - \operatorname{Dist}[(d*f^2)/e, \operatorname{Int}[(f*x)^{m-2}*(a + b*ArcCot[c*x])^p/(d + e*x^2), x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f\}, x$ && $\operatorname{GtQ}[p, 0]$ && $\operatorname{GtQ}[m, 1]$

Rule 302

$\operatorname{Int}[(x_)^m/((a_) + (b_.)*(x_)^n), x_Symbol] \rightarrow \operatorname{Int}[\operatorname{PolynomialDivide}[x^m, a + b*x^n, x], x] /;$ $\operatorname{FreeQ}\{a, b\}, x$ && $\operatorname{IGtQ}[m, 0]$ && $\operatorname{IGtQ}[n, 0]$ && $\operatorname{GtQ}[m, 2*n - 1]$

Rule 203

$\operatorname{Int}[(a_. + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /;$ $\operatorname{FreeQ}\{a, b\}, x$ && $\operatorname{PosQ}[a/b]$ && $(\operatorname{GtQ}[a, 0] \parallel \operatorname{GtQ}[b, 0])$

Rule 321

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 4921

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*(x_)/((d_) + (e_.)*(x_)^2), x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*e*(p + 1)), x] - Dist[1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]

Rule 4855

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)/e, Int[(a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]]/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_)/((d_) + (e_.)*(x_))], x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rubi steps

$$\begin{aligned}
 \int x^4 \cot^{-1}(ax)^2 dx &= \frac{1}{5}x^5 \cot^{-1}(ax)^2 + \frac{1}{5}(2a) \int \frac{x^5 \cot^{-1}(ax)}{1 + a^2x^2} dx \\
 &= \frac{1}{5}x^5 \cot^{-1}(ax)^2 + \frac{2 \int x^3 \cot^{-1}(ax) dx}{5a} - \frac{2 \int \frac{x^3 \cot^{-1}(ax)}{1 + a^2x^2} dx}{5a} \\
 &= \frac{x^4 \cot^{-1}(ax)}{10a} + \frac{1}{5}x^5 \cot^{-1}(ax)^2 + \frac{1}{10} \int \frac{x^4}{1 + a^2x^2} dx - \frac{2 \int x \cot^{-1}(ax) dx}{5a^3} + \frac{2 \int \frac{x \cot^{-1}(ax)}{1 + a^2x^2} dx}{5a^3} \\
 &= -\frac{x^2 \cot^{-1}(ax)}{5a^3} + \frac{x^4 \cot^{-1}(ax)}{10a} + \frac{i \cot^{-1}(ax)^2}{5a^5} + \frac{1}{5}x^5 \cot^{-1}(ax)^2 + \frac{1}{10} \int \left(-\frac{1}{a^4} + \frac{x^2}{a^2} + \frac{1}{a^4(1 + a^2x^2)} \right) dx \\
 &= -\frac{3x}{10a^4} + \frac{x^3}{30a^2} - \frac{x^2 \cot^{-1}(ax)}{5a^3} + \frac{x^4 \cot^{-1}(ax)}{10a} + \frac{i \cot^{-1}(ax)^2}{5a^5} + \frac{1}{5}x^5 \cot^{-1}(ax)^2 - \frac{2 \cot^{-1}(ax) \log(1 + a^2x^2)}{5a^5} \\
 &= -\frac{3x}{10a^4} + \frac{x^3}{30a^2} - \frac{x^2 \cot^{-1}(ax)}{5a^3} + \frac{x^4 \cot^{-1}(ax)}{10a} + \frac{i \cot^{-1}(ax)^2}{5a^5} + \frac{1}{5}x^5 \cot^{-1}(ax)^2 + \frac{3 \tan^{-1}(ax)}{10a^5} - \frac{2 \cot^{-1}(ax) \log(1 + a^2x^2)}{5a^5} \\
 &= -\frac{3x}{10a^4} + \frac{x^3}{30a^2} - \frac{x^2 \cot^{-1}(ax)}{5a^3} + \frac{x^4 \cot^{-1}(ax)}{10a} + \frac{i \cot^{-1}(ax)^2}{5a^5} + \frac{1}{5}x^5 \cot^{-1}(ax)^2 + \frac{3 \tan^{-1}(ax)}{10a^5} - \frac{2 \cot^{-1}(ax) \log(1 + a^2x^2)}{5a^5}
 \end{aligned}$$

Mathematica [A] time = 0.501046, size = 95, normalized size = 0.7

$$\frac{6i \operatorname{PolyLog}\left(2, e^{2i \cot^{-1}(ax)}\right) + ax\left(a^2 x^2 - 9\right) + 6\left(a^5 x^5 + i\right) \cot^{-1}(ax)^2 + 3 \cot^{-1}(ax)\left(a^4 x^4 - 2a^2 x^2 - 4 \log\left(1 - e^{2i \cot^{-1}(ax)}\right)\right)}{30a^5}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4*ArcCot[a*x]^2,x]

[Out] (a*x*(-9 + a^2*x^2) + 6*(I + a^5*x^5)*ArcCot[a*x]^2 + 3*ArcCot[a*x]*(-3 - 2*a^2*x^2 + a^4*x^4 - 4*Log[1 - E^((2*I)*ArcCot[a*x])]) + (6*I)*PolyLog[2, E^((2*I)*ArcCot[a*x])])/(30*a^5)

Maple [B] time = 0.121, size = 233, normalized size = 1.7

$$\frac{x^5 (\operatorname{arccot}(ax))^2}{5} + \frac{x^4 \operatorname{arccot}(ax)}{10a} - \frac{x^2 \operatorname{arccot}(ax)}{5a^3} + \frac{\operatorname{arccot}(ax) \ln(a^2 x^2 + 1)}{5a^5} + \frac{x^3}{30a^2} - \frac{3x}{10a^4} + \frac{3 \arctan(ax)}{10a^5} + \frac{i}{20} \operatorname{Li}_2\left(-\frac{1}{2} + \frac{1}{2}i \operatorname{arccot}(ax)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*arccot(a*x)^2,x)

[Out] 1/5*x^5*arccot(a*x)^2+1/10*x^4*arccot(a*x)/a-1/5*x^2*arccot(a*x)/a^3+1/5/a^5*arccot(a*x)*ln(a^2*x^2+1)+1/30*x^3/a^2-3/10*x/a^4+3/10*arctan(a*x)/a^5+1/20*I/a^5*ln(a*x-I)^2+1/10*I/a^5*ln(a*x-I)*ln(-1/2*I*(a*x+I))-1/10*I/a^5*ln(a*x-I)*ln(a^2*x^2+1)+1/10*I/a^5*dilog(-1/2*I*(a*x+I))-1/20*I/a^5*ln(a*x+I)^2-1/10*I/a^5*ln(a*x+I)*ln(1/2*I*(a*x-I))+1/10*I/a^5*ln(a*x+I)*ln(a^2*x^2+1)-1/10*I/a^5*dilog(1/2*I*(a*x-I))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{20} x^5 \arctan(1, ax)^2 - \frac{1}{80} x^5 \log(a^2 x^2 + 1)^2 + \int \frac{60 a^2 x^6 \arctan(1, ax)^2 + 4 a^2 x^6 \log(a^2 x^2 + 1) + 8 a x^5 \arctan(1, ax)}{80 (a^2 x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccot(a*x)^2,x, algorithm="maxima")

[Out] 1/20*x^5*arctan2(1, a*x)^2 - 1/80*x^5*log(a^2*x^2 + 1)^2 + integrate(1/80*(60*a^2*x^6*arctan2(1, a*x)^2 + 4*a^2*x^6*log(a^2*x^2 + 1) + 8*a*x^5*arctan2(1, a*x) + 60*x^4*arctan2(1, a*x)^2 + 5*(a^2*x^6 + x^4)*log(a^2*x^2 + 1)^2)/(a^2*x^2 + 1), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(x^4 \operatorname{arccot}(ax)^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccot(a*x)^2,x, algorithm="fricas")

[Out] `integral(x^4*arccot(a*x)^2, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^4 \operatorname{acot}^2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*acot(a*x)**2,x)`

[Out] `Integral(x**4*acot(a*x)**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^4 \operatorname{arccot}(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arccot(a*x)^2,x, algorithm="giac")`

[Out] `integrate(x^4*arccot(a*x)^2, x)`

3.14 $\int x^3 \cot^{-1}(ax)^2 dx$

Optimal. Leaf size=80

$$\frac{x^2}{12a^2} - \frac{\log(a^2x^2 + 1)}{3a^4} - \frac{x \cot^{-1}(ax)}{2a^3} - \frac{\cot^{-1}(ax)^2}{4a^4} + \frac{1}{4}x^4 \cot^{-1}(ax)^2 + \frac{x^3 \cot^{-1}(ax)}{6a}$$

[Out] $x^2/(12*a^2) - (x*ArcCot[a*x])/(2*a^3) + (x^3*ArcCot[a*x])/(6*a) - ArcCot[a*x]^2/(4*a^4) + (x^4*ArcCot[a*x]^2)/4 - Log[1 + a^2*x^2]/(3*a^4)$

Rubi [A] time = 0.145659, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.7$, Rules used = {4853, 4917, 266, 43, 4847, 260, 4885}

$$\frac{x^2}{12a^2} - \frac{\log(a^2x^2 + 1)}{3a^4} - \frac{x \cot^{-1}(ax)}{2a^3} - \frac{\cot^{-1}(ax)^2}{4a^4} + \frac{1}{4}x^4 \cot^{-1}(ax)^2 + \frac{x^3 \cot^{-1}(ax)}{6a}$$

Antiderivative was successfully verified.

[In] Int[x^3*ArcCot[a*x]^2,x]

[Out] $x^2/(12*a^2) - (x*ArcCot[a*x])/(2*a^3) + (x^3*ArcCot[a*x])/(6*a) - ArcCot[a*x]^2/(4*a^4) + (x^4*ArcCot[a*x]^2)/4 - Log[1 + a^2*x^2]/(3*a^4)$

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2
), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]
```

Rule 4917

```
Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*((f_.)*(x_))^(m_.))/((d_.) + (e
_.)*(x_)^2), x_Symbol] :> Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcCot[c*x])
]^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcCot[c*x])^p)/(d
+ e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 4847

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.), x_Symbol] :> Simp[x*(a + b*Ar
cCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2
```

*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 4885

Int[((a_) + ArcCot[(c_)*(x_)]*(b_))^(p_)/((d_) + (e_)*(x_)^2), x_Symbol] :> -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int x^3 \cot^{-1}(ax)^2 dx &= \frac{1}{4}x^4 \cot^{-1}(ax)^2 + \frac{1}{2}a \int \frac{x^4 \cot^{-1}(ax)}{1 + a^2x^2} dx \\
 &= \frac{1}{4}x^4 \cot^{-1}(ax)^2 + \frac{\int x^2 \cot^{-1}(ax) dx}{2a} - \frac{\int \frac{x^2 \cot^{-1}(ax)}{1+a^2x^2} dx}{2a} \\
 &= \frac{x^3 \cot^{-1}(ax)}{6a} + \frac{1}{4}x^4 \cot^{-1}(ax)^2 + \frac{1}{6} \int \frac{x^3}{1 + a^2x^2} dx - \frac{\int \cot^{-1}(ax) dx}{2a^3} + \frac{\int \frac{\cot^{-1}(ax)}{1+a^2x^2} dx}{2a^3} \\
 &= -\frac{x \cot^{-1}(ax)}{2a^3} + \frac{x^3 \cot^{-1}(ax)}{6a} - \frac{\cot^{-1}(ax)^2}{4a^4} + \frac{1}{4}x^4 \cot^{-1}(ax)^2 + \frac{1}{12} \text{Subst} \left(\int \frac{x}{1 + a^2x} dx, x, x^2 \right) \\
 &= -\frac{x \cot^{-1}(ax)}{2a^3} + \frac{x^3 \cot^{-1}(ax)}{6a} - \frac{\cot^{-1}(ax)^2}{4a^4} + \frac{1}{4}x^4 \cot^{-1}(ax)^2 - \frac{\log(1 + a^2x^2)}{4a^4} + \frac{1}{12} \text{Subst} \left(\int \frac{x}{1 + a^2x} dx, x, x^2 \right) \\
 &= \frac{x^2}{12a^2} - \frac{x \cot^{-1}(ax)}{2a^3} + \frac{x^3 \cot^{-1}(ax)}{6a} - \frac{\cot^{-1}(ax)^2}{4a^4} + \frac{1}{4}x^4 \cot^{-1}(ax)^2 - \frac{\log(1 + a^2x^2)}{3a^4}
 \end{aligned}$$

Mathematica [A] time = 0.0203256, size = 61, normalized size = 0.76

$$\frac{a^2x^2 - 4 \log(a^2x^2 + 1) + 2ax(a^2x^2 - 3) \cot^{-1}(ax) + 3(a^4x^4 - 1) \cot^{-1}(ax)^2}{12a^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*ArcCot[a*x]^2,x]

[Out] (a^2*x^2 + 2*a*x*(-3 + a^2*x^2)*ArcCot[a*x] + 3*(-1 + a^4*x^4)*ArcCot[a*x]^2 - 4*Log[1 + a^2*x^2])/(12*a^4)

Maple [A] time = 0.051, size = 82, normalized size = 1.

$$\frac{x^4 (\operatorname{arccot}(ax))^2}{4} + \frac{x^3 \operatorname{arccot}(ax)}{6a} - \frac{x \operatorname{arccot}(ax)}{2a^3} + \frac{\operatorname{arccot}(ax) \arctan(ax)}{2a^4} + \frac{x^2}{12a^2} - \frac{\ln(a^2x^2 + 1)}{3a^4} + \frac{\arctan(ax)}{4a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*arccot(a*x)^2,x)

[Out] 1/4*x^4*arccot(a*x)^2+1/6*x^3*arccot(a*x)/a-1/2*x*arccot(a*x)/a^3+1/2/a^4*a rccot(a*x)*arctan(a*x)+1/12*x^2/a^2-1/3*ln(a^2*x^2+1)/a^4+1/4/a^4*arctan(a*

$x)^2$

Maxima [A] time = 1.54347, size = 104, normalized size = 1.3

$$\frac{1}{4} x^4 \operatorname{arccot}(ax)^2 + \frac{1}{6} a \left(\frac{a^2 x^3 - 3x}{a^4} + \frac{3 \arctan(ax)}{a^5} \right) \operatorname{arccot}(ax) + \frac{a^2 x^2 + 3 \arctan(ax)^2 - 4 \log(a^2 x^2 + 1)}{12 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccot(a*x)^2,x, algorithm="maxima")

[Out] 1/4*x^4*arccot(a*x)^2 + 1/6*a*((a^2*x^3 - 3*x)/a^4 + 3*arctan(a*x)/a^5)*arccot(a*x) + 1/12*(a^2*x^2 + 3*arctan(a*x)^2 - 4*log(a^2*x^2 + 1))/a^4

Fricas [A] time = 1.91668, size = 144, normalized size = 1.8

$$\frac{a^2 x^2 + 3(a^4 x^4 - 1) \operatorname{arccot}(ax)^2 + 2(a^3 x^3 - 3ax) \operatorname{arccot}(ax) - 4 \log(a^2 x^2 + 1)}{12 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccot(a*x)^2,x, algorithm="fricas")

[Out] 1/12*(a^2*x^2 + 3*(a^4*x^4 - 1)*arccot(a*x)^2 + 2*(a^3*x^3 - 3*a*x)*arccot(a*x) - 4*log(a^2*x^2 + 1))/a^4

Sympy [A] time = 1.3269, size = 78, normalized size = 0.98

$$\begin{cases} \frac{x^4 \operatorname{acot}^2(ax)}{4} + \frac{x^3 \operatorname{acot}(ax)}{6a} + \frac{x^2}{12a^2} - \frac{x \operatorname{acot}(ax)}{2a^3} - \frac{\log(a^2 x^2 + 1)}{3a^4} - \frac{\operatorname{acot}^2(ax)}{4a^4} & \text{for } a \neq 0 \\ \frac{\pi^2 x^4}{16} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*acot(a*x)**2,x)

[Out] Piecewise((x**4*acot(a*x)**2/4 + x**3*acot(a*x)/(6*a) + x**2/(12*a**2) - x*acot(a*x)/(2*a**3) - log(a**2*x**2 + 1)/(3*a**4) - acot(a*x)**2/(4*a**4), N e(a, 0)), (pi**2*x**4/16, True))

Giac [A] time = 1.13697, size = 146, normalized size = 1.82

$$\frac{1}{4} x^4 \arctan\left(\frac{1}{ax}\right)^2 + \frac{4 a^3 i x^3 \log\left(\frac{ax-i}{ax+i}\right) + 4 a^2 x^2 - 12 a i x \log\left(\frac{ax-i}{ax+i}\right) + 3 \log\left(\frac{ax-i}{ax+i}\right)^2 - 16 \log(a^2 x^2 + 1)}{48 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccot(a*x)^2,x, algorithm="giac")

```
[Out] 1/4*x^4*arctan(1/(a*x))^2 + 1/48*(4*a^3*i*x^3*log((a*x - i)/(a*x + i)) + 4*  
a^2*x^2 - 12*a*i*x*log((a*x - i)/(a*x + i)) + 3*log((a*x - i)/(a*x + i))^2  
- 16*log(a^2*x^2 + 1))/a^4
```

3.15 $\int x^2 \cot^{-1}(ax)^2 dx$

Optimal. Leaf size=111

$$-\frac{i\text{PolyLog}\left(2, 1 - \frac{2}{1+iax}\right)}{3a^3} + \frac{x}{3a^2} - \frac{\tan^{-1}(ax)}{3a^3} - \frac{i \cot^{-1}(ax)^2}{3a^3} + \frac{2 \log\left(\frac{2}{1+iax}\right) \cot^{-1}(ax)}{3a^3} + \frac{1}{3}x^3 \cot^{-1}(ax)^2 + \frac{x^2 \cot^{-1}(ax)}{3a}$$

[Out] x/(3*a^2) + (x^2*ArcCot[a*x])/(3*a) - ((I/3)*ArcCot[a*x]^2)/a^3 + (x^3*ArcCot[a*x]^2)/3 - ArcTan[a*x]/(3*a^3) + (2*ArcCot[a*x]*Log[2/(1 + I*a*x)])/(3*a^3) - ((I/3)*PolyLog[2, 1 - 2/(1 + I*a*x)])/a^3

Rubi [A] time = 0.140106, antiderivative size = 111, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.8$, Rules used = {4853, 4917, 321, 203, 4921, 4855, 2402, 2315}

$$-\frac{i\text{PolyLog}\left(2, 1 - \frac{2}{1+iax}\right)}{3a^3} + \frac{x}{3a^2} - \frac{\tan^{-1}(ax)}{3a^3} - \frac{i \cot^{-1}(ax)^2}{3a^3} + \frac{2 \log\left(\frac{2}{1+iax}\right) \cot^{-1}(ax)}{3a^3} + \frac{1}{3}x^3 \cot^{-1}(ax)^2 + \frac{x^2 \cot^{-1}(ax)}{3a}$$

Antiderivative was successfully verified.

[In] Int[x^2*ArcCot[a*x]^2,x]

[Out] x/(3*a^2) + (x^2*ArcCot[a*x])/(3*a) - ((I/3)*ArcCot[a*x]^2)/a^3 + (x^3*ArcCot[a*x]^2)/3 - ArcTan[a*x]/(3*a^3) + (2*ArcCot[a*x]*Log[2/(1 + I*a*x)])/(3*a^3) - ((I/3)*PolyLog[2, 1 - 2/(1 + I*a*x)])/a^3

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^ (p_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2)
), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]
```

Rule 4917

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^ (p_.)*((f_.)*(x_))^(m_.)/((d_) + (e
_.)*(x_)^2), x_Symbol] :> Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcCot[c*x])
^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcCot[c*x])^p)/(d +
e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]
```

Rule 321

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^ (p_.), x_Symbol] :> Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```


Rule 4921

Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)*(x_.))/((d_.) + (e_.)*(x_.)^2), x_Symbol] :> Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*e*(p + 1)), x] - Dist[1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]

Rule 4855

Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.))/((d_.) + (e_.)*(x_.)), x_Symbol] :> -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)/e, Int[((a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)])/((1 + c^2*x^2)), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_.) + (e_.)*(x_.))]/((f_.) + (g_.)*(x_.)^2), x_Symbol] :> -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_.)/((d_.) + (e_.)*(x_.))], x_Symbol] :> -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rubi steps

$$\begin{aligned}
 \int x^2 \cot^{-1}(ax)^2 dx &= \frac{1}{3}x^3 \cot^{-1}(ax)^2 + \frac{1}{3}(2a) \int \frac{x^3 \cot^{-1}(ax)}{1 + a^2x^2} dx \\
 &= \frac{1}{3}x^3 \cot^{-1}(ax)^2 + \frac{2 \int x \cot^{-1}(ax) dx}{3a} - \frac{2 \int \frac{x \cot^{-1}(ax)}{1 + a^2x^2} dx}{3a} \\
 &= \frac{x^2 \cot^{-1}(ax)}{3a} - \frac{i \cot^{-1}(ax)^2}{3a^3} + \frac{1}{3}x^3 \cot^{-1}(ax)^2 + \frac{1}{3} \int \frac{x^2}{1 + a^2x^2} dx + \frac{2 \int \frac{\cot^{-1}(ax)}{i - ax} dx}{3a^2} \\
 &= \frac{x}{3a^2} + \frac{x^2 \cot^{-1}(ax)}{3a} - \frac{i \cot^{-1}(ax)^2}{3a^3} + \frac{1}{3}x^3 \cot^{-1}(ax)^2 + \frac{2 \cot^{-1}(ax) \log\left(\frac{2}{1 + iax}\right)}{3a^3} - \frac{\int \frac{1}{1 + a^2x^2} dx}{3a^2} + \dots \\
 &= \frac{x}{3a^2} + \frac{x^2 \cot^{-1}(ax)}{3a} - \frac{i \cot^{-1}(ax)^2}{3a^3} + \frac{1}{3}x^3 \cot^{-1}(ax)^2 - \frac{\tan^{-1}(ax)}{3a^3} + \frac{2 \cot^{-1}(ax) \log\left(\frac{2}{1 + iax}\right)}{3a^3} - \dots \\
 &= \frac{x}{3a^2} + \frac{x^2 \cot^{-1}(ax)}{3a} - \frac{i \cot^{-1}(ax)^2}{3a^3} + \frac{1}{3}x^3 \cot^{-1}(ax)^2 - \frac{\tan^{-1}(ax)}{3a^3} + \frac{2 \cot^{-1}(ax) \log\left(\frac{2}{1 + iax}\right)}{3a^3} - \dots
 \end{aligned}$$

Mathematica [A] time = 0.262658, size = 76, normalized size = 0.68

$$\frac{-i \text{PolyLog}\left(2, e^{2i \cot^{-1}(ax)}\right) + (a^3 x^3 - i) \cot^{-1}(ax)^2 + \cot^{-1}(ax) \left(a^2 x^2 + 2 \log\left(1 - e^{2i \cot^{-1}(ax)}\right) + 1\right) + ax}{3a^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2*ArcCot[a*x]^2,x]

[Out] (a*x + (-I + a^3*x^3)*ArcCot[a*x]^2 + ArcCot[a*x]*(1 + a^2*x^2 + 2*Log[1 - E^((2*I)*ArcCot[a*x])]) - I*PolyLog[2, E^((2*I)*ArcCot[a*x])])/(3*a^3)

Maple [B] time = 0.112, size = 213, normalized size = 1.9

$$\frac{x^3 (\operatorname{arccot}(ax))^2}{3} + \frac{x^2 \operatorname{arccot}(ax)}{3a} - \frac{\operatorname{arccot}(ax) \ln(a^2x^2 + 1)}{3a^3} + \frac{x}{3a^2} - \frac{\arctan(ax)}{3a^3} - \frac{\frac{i}{12} (\ln(ax - i))^2}{a^3} - \frac{\frac{i}{6} \ln(ax - i) \ln(a^2x^2 + 1)}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*arccot(a*x)^2,x)

[Out] 1/3*x^3*arccot(a*x)^2+1/3*x^2*arccot(a*x)/a-1/3/a^3*arccot(a*x)*ln(a^2*x^2+1)+1/3*x/a^2-1/3*arctan(a*x)/a^3-1/12*I/a^3*ln(a*x-I)^2-1/6*I/a^3*ln(a*x-I)*ln(-1/2*I*(a*x+I))+1/6*I/a^3*ln(a*x-I)*ln(a^2*x^2+1)-1/6*I/a^3*dilog(-1/2*I*(a*x+I))+1/12*I/a^3*ln(a*x+I)^2+1/6*I/a^3*ln(a*x+I)*ln(1/2*I*(a*x-I))-1/6*I/a^3*ln(a*x+I)*ln(a^2*x^2+1)+1/6*I/a^3*dilog(1/2*I*(a*x-I))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{12} x^3 \arctan(1, ax)^2 - \frac{1}{48} x^3 \log(a^2x^2 + 1)^2 + \int \frac{36 a^2 x^4 \arctan(1, ax)^2 + 4 a^2 x^4 \log(a^2x^2 + 1) + 8 ax^3 \arctan(1, ax) + 36 a^2 x^4 \arctan(1, ax)^2}{48 (a^2x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(a*x)^2,x, algorithm="maxima")

[Out] 1/12*x^3*arctan2(1, a*x)^2 - 1/48*x^3*log(a^2*x^2 + 1)^2 + integrate(1/48*(36*a^2*x^4*arctan2(1, a*x)^2 + 4*a^2*x^4*log(a^2*x^2 + 1) + 8*a*x^3*arctan2(1, a*x) + 36*x^2*arctan2(1, a*x)^2 + 3*(a^2*x^4 + x^2)*log(a^2*x^2 + 1)^2)/(a^2*x^2 + 1), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}(x^2 \operatorname{arccot}(ax)^2, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(a*x)^2,x, algorithm="fricas")

[Out] integral(x^2*arccot(a*x)^2, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{acot}^2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(a*x)**2,x)

[Out] Integral(x**2*acot(a*x)**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{arccot}(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccot(a*x)^2,x, algorithm="giac")
```

```
[Out] integrate(x^2*arccot(a*x)^2, x)
```

3.16 $\int x \cot^{-1}(ax)^2 dx$

Optimal. Leaf size=53

$$\frac{\log(a^2x^2 + 1)}{2a^2} + \frac{\cot^{-1}(ax)^2}{2a^2} + \frac{1}{2}x^2 \cot^{-1}(ax)^2 + \frac{x \cot^{-1}(ax)}{a}$$

[Out] (x*ArcCot[a*x])/a + ArcCot[a*x]^2/(2*a^2) + (x^2*ArcCot[a*x]^2)/2 + Log[1 + a^2*x^2]/(2*a^2)

Rubi [A] time = 0.0719063, antiderivative size = 53, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {4853, 4917, 4847, 260, 4885}

$$\frac{\log(a^2x^2 + 1)}{2a^2} + \frac{\cot^{-1}(ax)^2}{2a^2} + \frac{1}{2}x^2 \cot^{-1}(ax)^2 + \frac{x \cot^{-1}(ax)}{a}$$

Antiderivative was successfully verified.

[In] Int[x*ArcCot[a*x]^2,x]

[Out] (x*ArcCot[a*x])/a + ArcCot[a*x]^2/(2*a^2) + (x^2*ArcCot[a*x]^2)/2 + Log[1 + a^2*x^2]/(2*a^2)

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2
), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || Integ
erQ[m]) && NeQ[m, -1]
```

Rule 4917

```
Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)*((f_.)*(x_))^(m_)/((d_) + (e
_.)*(x_)^2), x_Symbol] :> Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcCot[c*x])
^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcCot[c*x])^p)/(d +
e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]
```

Rule 4847

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.), x_Symbol] :> Simp[x*(a + b*Ar
cCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2
*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]
```

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveConten
t[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 4885

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)/((d_) + (e_.)*(x_)^2), x_Symbo
l] :> -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b,
c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int x \cot^{-1}(ax)^2 dx &= \frac{1}{2}x^2 \cot^{-1}(ax)^2 + a \int \frac{x^2 \cot^{-1}(ax)}{1+a^2x^2} dx \\
&= \frac{1}{2}x^2 \cot^{-1}(ax)^2 + \frac{\int \cot^{-1}(ax) dx}{a} - \frac{\int \frac{\cot^{-1}(ax)}{1+a^2x^2} dx}{a} \\
&= \frac{x \cot^{-1}(ax)}{a} + \frac{\cot^{-1}(ax)^2}{2a^2} + \frac{1}{2}x^2 \cot^{-1}(ax)^2 + \int \frac{x}{1+a^2x^2} dx \\
&= \frac{x \cot^{-1}(ax)}{a} + \frac{\cot^{-1}(ax)^2}{2a^2} + \frac{1}{2}x^2 \cot^{-1}(ax)^2 + \frac{\log(1+a^2x^2)}{2a^2}
\end{aligned}$$

Mathematica [A] time = 0.0131157, size = 42, normalized size = 0.79

$$\frac{\log(a^2x^2 + 1) + (a^2x^2 + 1) \cot^{-1}(ax)^2 + 2ax \cot^{-1}(ax)}{2a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcCot[a*x]^2,x]

[Out] (2*a*x*ArcCot[a*x] + (1 + a^2*x^2)*ArcCot[a*x]^2 + Log[1 + a^2*x^2])/(2*a^2)

Maple [A] time = 0.048, size = 61, normalized size = 1.2

$$\frac{x^2 (\operatorname{arccot}(ax))^2}{2} - \frac{\operatorname{arccot}(ax) \arctan(ax)}{a^2} + \frac{x \operatorname{arccot}(ax)}{a} + \frac{\ln(a^2x^2 + 1)}{2a^2} - \frac{(\arctan(ax))^2}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccot(a*x)^2,x)

[Out] 1/2*x^2*arccot(a*x)^2-1/a^2*arccot(a*x)*arctan(a*x)+x*arccot(a*x)/a+1/2*ln(a^2*x^2+1)/a^2-1/2/a^2*arctan(a*x)^2

Maxima [A] time = 1.53683, size = 77, normalized size = 1.45

$$\frac{1}{2}x^2 \operatorname{arccot}(ax)^2 + a \left(\frac{x}{a^2} - \frac{\arctan(ax)}{a^3} \right) \operatorname{arccot}(ax) - \frac{\arctan(ax)^2 - \log(a^2x^2 + 1)}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(a*x)^2,x, algorithm="maxima")

[Out] 1/2*x^2*arccot(a*x)^2 + a*(x/a^2 - arctan(a*x)/a^3)*arccot(a*x) - 1/2*(arctan(a*x)^2 - log(a^2*x^2 + 1))/a^2

Fricas [A] time = 1.74942, size = 105, normalized size = 1.98

$$\frac{2ax \operatorname{arccot}(ax) + (a^2x^2 + 1) \operatorname{arccot}(ax)^2 + \log(a^2x^2 + 1)}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(a*x)^2,x, algorithm="fricas")

[Out] 1/2*(2*a*x*arccot(a*x) + (a^2*x^2 + 1)*arccot(a*x)^2 + log(a^2*x^2 + 1))/a^2

Sympy [A] time = 0.645709, size = 54, normalized size = 1.02

$$\begin{cases} \frac{x^2 \operatorname{acot}^2(ax)}{2} + \frac{x \operatorname{acot}(ax)}{a} + \frac{\log(a^2x^2+1)}{2a^2} + \frac{\operatorname{acot}^2(ax)}{2a^2} & \text{for } a \neq 0 \\ \frac{\pi^2 x^2}{8} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*acot(a*x)**2,x)

[Out] Piecewise((x**2*acot(a*x)**2/2 + x*acot(a*x)/a + log(a**2*x**2 + 1)/(2*a**2) + acot(a*x)**2/(2*a**2), Ne(a, 0)), (pi**2*x**2/8, True))

Giac [A] time = 1.12203, size = 101, normalized size = 1.91

$$\frac{1}{2}x^2 \arctan\left(\frac{1}{ax}\right)^2 + \frac{4aix \log\left(\frac{ax-i}{ax+i}\right) - \log\left(\frac{ax-i}{ax+i}\right)^2 + 4 \log(a^2x^2 + 1)}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(a*x)^2,x, algorithm="giac")

[Out] 1/2*x^2*arctan(1/(a*x))^2 + 1/8*(4*a*i*x*log((a*x - i)/(a*x + i)) - log((a*x - i)/(a*x + i))^2 + 4*log(a^2*x^2 + 1))/a^2

3.17 $\int \cot^{-1}(ax)^2 dx$

Optimal. Leaf size=67

$$\frac{i\text{PolyLog}\left(2, 1 - \frac{2}{1+iax}\right)}{a} + x \cot^{-1}(ax)^2 + \frac{i \cot^{-1}(ax)^2}{a} - \frac{2 \log\left(\frac{2}{1+iax}\right) \cot^{-1}(ax)}{a}$$

[Out] (I*ArcCot[a*x]^2)/a + x*ArcCot[a*x]^2 - (2*ArcCot[a*x]*Log[2/(1 + I*a*x)])/a + (I*PolyLog[2, 1 - 2/(1 + I*a*x)])/a

Rubi [A] time = 0.074329, antiderivative size = 67, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.833$, Rules used = {4847, 4921, 4855, 2402, 2315}

$$\frac{i\text{PolyLog}\left(2, 1 - \frac{2}{1+iax}\right)}{a} + x \cot^{-1}(ax)^2 + \frac{i \cot^{-1}(ax)^2}{a} - \frac{2 \log\left(\frac{2}{1+iax}\right) \cot^{-1}(ax)}{a}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]^2,x]

[Out] (I*ArcCot[a*x]^2)/a + x*ArcCot[a*x]^2 - (2*ArcCot[a*x]*Log[2/(1 + I*a*x)])/a + (I*PolyLog[2, 1 - 2/(1 + I*a*x)])/a

Rule 4847

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.), x_Symbol] :> Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 4921

Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)*(x_)/((d_.) + (e_.)*(x_)^2), x_Symbol] :> Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*e*(p + 1)), x] - Dist[1/(c*d), Int[(a + b*ArcCot[c*x])^p/(1 - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]

Rule 4855

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)/((d_.) + (e_.)*(x_)), x_Symbol] :> -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)/e, Int[(a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]]/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_.) + (e_.)*(x_))]/((f_.) + (g_.)*(x_)^2), x_Symbol] :> -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_)/((d_.) + (e_.)*(x_))], x_Symbol] :> -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rubi steps

$$\begin{aligned}
\int \cot^{-1}(ax)^2 dx &= x \cot^{-1}(ax)^2 + (2a) \int \frac{x \cot^{-1}(ax)}{1 + a^2x^2} dx \\
&= \frac{i \cot^{-1}(ax)^2}{a} + x \cot^{-1}(ax)^2 - 2 \int \frac{\cot^{-1}(ax)}{i - ax} dx \\
&= \frac{i \cot^{-1}(ax)^2}{a} + x \cot^{-1}(ax)^2 - \frac{2 \cot^{-1}(ax) \log\left(\frac{2}{1+iax}\right)}{a} - 2 \int \frac{\log\left(\frac{2}{1+iax}\right)}{1 + a^2x^2} dx \\
&= \frac{i \cot^{-1}(ax)^2}{a} + x \cot^{-1}(ax)^2 - \frac{2 \cot^{-1}(ax) \log\left(\frac{2}{1+iax}\right)}{a} + \frac{(2i) \text{Subst}\left(\int \frac{\log(2x)}{1-2x} dx, x, \frac{1}{1+iax}\right)}{a} \\
&= \frac{i \cot^{-1}(ax)^2}{a} + x \cot^{-1}(ax)^2 - \frac{2 \cot^{-1}(ax) \log\left(\frac{2}{1+iax}\right)}{a} + \frac{i \text{Li}_2\left(1 - \frac{2}{1+iax}\right)}{a}
\end{aligned}$$

Mathematica [A] time = 0.0758582, size = 56, normalized size = 0.84

$$\frac{i \text{PolyLog}\left(2, e^{2i \cot^{-1}(ax)}\right) + \cot^{-1}(ax) \left((ax + i) \cot^{-1}(ax) - 2 \log\left(1 - e^{2i \cot^{-1}(ax)}\right) \right)}{a}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[a*x]^2, x]

[Out] (ArcCot[a*x]*((I + a*x)*ArcCot[a*x] - 2*Log[1 - E^((2*I)*ArcCot[a*x])]) + I *PolyLog[2, E^((2*I)*ArcCot[a*x])])/a

Maple [B] time = 0.164, size = 136, normalized size = 2.

$$x(\operatorname{arccot}(ax))^2 + \frac{i(\operatorname{arccot}(ax))^2}{a} + \frac{2i}{a} \operatorname{polylog}\left(2, -(ax+i)\frac{1}{\sqrt{a^2x^2+1}}\right) + \frac{2i}{a} \operatorname{polylog}\left(2, (ax+i)\frac{1}{\sqrt{a^2x^2+1}}\right) - 2\frac{\operatorname{arccot}(ax)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)^2, x)

[Out] x*arccot(a*x)^2+I*arccot(a*x)^2/a+2*I/a*polylog(2, -(a*x+I)/(a^2*x^2+1)^(1/2)))+2*I/a*polylog(2, (a*x+I)/(a^2*x^2+1)^(1/2))-2/a*arccot(a*x)*ln(1+(a*x+I)/(a^2*x^2+1)^(1/2))-2/a*arccot(a*x)*ln(1-(a*x+I)/(a^2*x^2+1)^(1/2))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{4} x \arctan(1, ax)^2 + 12 a^2 \int \frac{x^2 \arctan\left(\frac{1}{ax}\right)^2}{16(a^2x^2+1)} dx + a^2 \int \frac{x^2 \log(a^2x^2+1)^2}{16(a^2x^2+1)} dx + 4 a^2 \int \frac{x^2 \log(a^2x^2+1)}{16(a^2x^2+1)} dx - \frac{1}{16} x \log$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^2, x, algorithm="maxima")


```
[Out] 1/4*x*arctan2(1, a*x)^2 + 12*a^2*integrate(1/16*x^2*arctan(1/(a*x))^2/(a^2*x^2 + 1), x) + a^2*integrate(1/16*x^2*log(a^2*x^2 + 1)^2/(a^2*x^2 + 1), x) + 4*a^2*integrate(1/16*x^2*log(a^2*x^2 + 1)/(a^2*x^2 + 1), x) - 1/16*x*log(a^2*x^2 + 1)^2 + 1/4*arctan(a*x)^3/a + 3/4*arctan(a*x)^2*arctan(1/(a*x))/a + 3/4*arctan(a*x)*arctan(1/(a*x))^2/a + 8*a*integrate(1/16*x*arctan(1/(a*x))/(a^2*x^2 + 1), x) + integrate(1/16*log(a^2*x^2 + 1)^2/(a^2*x^2 + 1), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}(\text{arccot}(ax)^2, x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x)^2,x, algorithm="fricas")
```

```
[Out] integral(arccot(a*x)^2, x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \text{acot}^2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acot(a*x)**2,x)
```

```
[Out] Integral(acot(a*x)**2, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \text{arccot}(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x)^2,x, algorithm="giac")
```

```
[Out] integrate(arccot(a*x)^2, x)
```

$$3.18 \quad \int \frac{\cot^{-1}(ax)^2}{x} dx$$

Optimal. Leaf size=116

$$-\frac{1}{2}\text{PolyLog}\left(3, 1 - \frac{2i}{ax+i}\right) + \frac{1}{2}\text{PolyLog}\left(3, 1 - \frac{2ax}{ax+i}\right) - i \cot^{-1}(ax)\text{PolyLog}\left(2, 1 - \frac{2i}{ax+i}\right) + i \cot^{-1}(ax)\text{PolyLog}\left(2, 1 - \frac{2ax}{ax+i}\right)$$

[Out] 2*ArcCot[a*x]^2*ArcCoth[1 - 2/(1 + I*a*x)] - I*ArcCot[a*x]*PolyLog[2, 1 - (2*I)/(I + a*x)] + I*ArcCot[a*x]*PolyLog[2, 1 - (2*a*x)/(I + a*x)] - PolyLog[3, 1 - (2*I)/(I + a*x)]/2 + PolyLog[3, 1 - (2*a*x)/(I + a*x)]/2

Rubi [A] time = 0.212925, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {4851, 4989, 4885, 4993, 6610}

$$-\frac{1}{2}\text{PolyLog}\left(3, 1 - \frac{2i}{ax+i}\right) + \frac{1}{2}\text{PolyLog}\left(3, 1 - \frac{2ax}{ax+i}\right) - i \cot^{-1}(ax)\text{PolyLog}\left(2, 1 - \frac{2i}{ax+i}\right) + i \cot^{-1}(ax)\text{PolyLog}\left(2, 1 - \frac{2ax}{ax+i}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]^2/x, x]

[Out] 2*ArcCot[a*x]^2*ArcCoth[1 - 2/(1 + I*a*x)] - I*ArcCot[a*x]*PolyLog[2, 1 - (2*I)/(I + a*x)] + I*ArcCot[a*x]*PolyLog[2, 1 - (2*a*x)/(I + a*x)] - PolyLog[3, 1 - (2*I)/(I + a*x)]/2 + PolyLog[3, 1 - (2*a*x)/(I + a*x)]/2

Rule 4851

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_)/(x_), x_Symbol] :> Simp[2*(a + b*ArcCot[c*x])^p*ArcCoth[1 - 2/(1 + I*c*x)], x] + Dist[2*b*c*p, Int[((a + b*ArcCot[c*x])^(p - 1)*ArcCoth[1 - 2/(1 + I*c*x)])/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 1]

Rule 4989

Int[(ArcCoth[u_] * ((a_.) + ArcCot[(c_.)*(x_)]) * (b_.))^(p_.) / ((d_.) + (e_.)*(x_)^2), x_Symbol] :> Dist[1/2, Int[(Log[SimplifyIntegrand[1 + 1/u, x]] * (a + b*ArcCot[c*x])^p) / (d + e*x^2), x], x] - Dist[1/2, Int[(Log[SimplifyIntegrand[1 - 1/u, x]] * (a + b*ArcCot[c*x])^p) / (d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && EqQ[u^2 - (1 - (2*I)/(I - c*x))^2, 0]

Rule 4885

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.) / ((d_.) + (e_.)*(x_)^2), x_Symbol] :> -Simp[(a + b*ArcCot[c*x])^(p + 1) / (b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]

Rule 4993

Int[(Log[u_] * ((a_.) + ArcCot[(c_.)*(x_)]) * (b_.))^(p_.) / ((d_.) + (e_.)*(x_)^2), x_Symbol] :> Simp[(I*(a + b*ArcCot[c*x])^p * PolyLog[2, 1 - u]) / (2*c*d), x] + Dist[(b*p*I)/2, Int[((a + b*ArcCot[c*x])^(p - 1) * PolyLog[2, 1 - u]) / (d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && EqQ[(1 - u)^2 - (1 - (2*I)/(I + c*x))^2, 0]

Rule 6610

Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v, x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(ax)^2}{x} dx &= 2 \cot^{-1}(ax)^2 \coth^{-1}\left(1 - \frac{2}{1+iax}\right) + (4a) \int \frac{\cot^{-1}(ax) \coth^{-1}\left(1 - \frac{2}{1+iax}\right)}{1+a^2x^2} dx \\ &= 2 \cot^{-1}(ax)^2 \coth^{-1}\left(1 - \frac{2}{1+iax}\right) - (2a) \int \frac{\cot^{-1}(ax) \log\left(\frac{2i}{i+ax}\right)}{1+a^2x^2} dx + (2a) \int \frac{\cot^{-1}(ax) \log\left(\frac{2ax}{i+ax}\right)}{1+a^2x^2} dx \\ &= 2 \cot^{-1}(ax)^2 \coth^{-1}\left(1 - \frac{2}{1+iax}\right) - i \cot^{-1}(ax) \text{Li}_2\left(1 - \frac{2i}{i+ax}\right) + i \cot^{-1}(ax) \text{Li}_2\left(1 - \frac{2ax}{i+ax}\right) - (i) \int \frac{\cot^{-1}(ax)}{1+a^2x^2} dx \\ &= 2 \cot^{-1}(ax)^2 \coth^{-1}\left(1 - \frac{2}{1+iax}\right) - i \cot^{-1}(ax) \text{Li}_2\left(1 - \frac{2i}{i+ax}\right) + i \cot^{-1}(ax) \text{Li}_2\left(1 - \frac{2ax}{i+ax}\right) - \frac{1}{2} \int \frac{\cot^{-1}(ax)}{1+a^2x^2} dx \end{aligned}$$

Mathematica [A] time = 0.0604744, size = 132, normalized size = 1.14

$$-i \cot^{-1}(ax) \text{PolyLog}\left(2, e^{-2i \cot^{-1}(ax)}\right) - i \cot^{-1}(ax) \text{PolyLog}\left(2, -e^{2i \cot^{-1}(ax)}\right) - \frac{1}{2} \text{PolyLog}\left(3, e^{-2i \cot^{-1}(ax)}\right) + \frac{1}{2} \text{PolyLog}\left(3, -e^{2i \cot^{-1}(ax)}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[a*x]^2/x, x]

[Out] $((-2*I)/3)*\text{ArcCot}[a*x]^3 - \text{ArcCot}[a*x]^2*\text{Log}[1 - E^{((-2*I)*\text{ArcCot}[a*x])}] + \text{ArcCot}[a*x]^2*\text{Log}[1 + E^{((2*I)*\text{ArcCot}[a*x])}] - I*\text{ArcCot}[a*x]*\text{PolyLog}[2, E^{((-2*I)*\text{ArcCot}[a*x])}] - I*\text{ArcCot}[a*x]*\text{PolyLog}[2, -E^{((2*I)*\text{ArcCot}[a*x])}] - \text{PolyLog}[3, E^{((-2*I)*\text{ArcCot}[a*x])}]/2 + \text{PolyLog}[3, -E^{((2*I)*\text{ArcCot}[a*x])}]/2$

Maple [C] time = 0.601, size = 959, normalized size = 8.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)^2/x, x)

[Out] $\ln(ax)*\text{arccot}(ax)^2 + 1/2*I*\text{Pi}*csgn(I/((ax+I)^2/(a^2*x^2+1)-1))*((ax+I)^2/(a^2*x^2+1)+1)^3*\text{arccot}(ax)^2 - 1/2*I*\text{Pi}*csgn(1/((ax+I)^2/(a^2*x^2+1)-1))*((ax+I)^2/(a^2*x^2+1)+1)^3*\text{arccot}(ax)^2 + 1/2*I*\text{Pi}*csgn(I/((ax+I)^2/(a^2*x^2+1)-1))*((ax+I)^2/(a^2*x^2+1)+1)*csgn(1/((ax+I)^2/(a^2*x^2+1)-1))*((ax+I)^2/(a^2*x^2+1)+1)*\text{arccot}(ax)^2 + 2*I*\text{arccot}(ax)*\text{polylog}(2, -(ax+I)/(a^2*x^2+1)^{(1/2)}) - 1/2*I*\text{Pi}*csgn(I/((ax+I)^2/(a^2*x^2+1)-1))*((ax+I)^2/(a^2*x^2+1)+1)^2*csgn(I*((ax+I)^2/(a^2*x^2+1)+1))*\text{arccot}(ax)^2 - 1/2*I*\text{Pi}*csgn(I/((ax+I)^2/(a^2*x^2+1)-1))*((ax+I)^2/(a^2*x^2+1)+1)*csgn(1/((ax+I)^2/(a^2*x^2+1)-1))*((ax+I)^2/(a^2*x^2+1)+1)^2*\text{arccot}(ax)^2 - 1/2*I*\text{Pi}*csgn(I/((ax+I)^2/(a^2*x^2+1)-1))*((ax+I)^2/(a^2*x^2+1)+1)*csgn(I/((ax+I)^2/(a^2*x^2+1)-1))*((ax+I)^2/(a^2*x^2+1)+1)*csgn(I/((ax+I)^2/(a^2*x^2+1)-1))*((ax+I)^2/(a^2*x^2+1)+1)*csgn(I*((ax+I)^2/(a^2*x^2+1)+1))*\text{arccot}(ax)^2 + 2*I*\text{arccot}(ax)*\text{polylog}(2, (ax+I)/(a^2*x^2+1)^{(1/2)}) + \text{arccot}(ax)^2*\ln((ax+I)^2/(a^2*x^2+1)-1) - \text{arccot}(ax)^2*\ln(1-(ax+I)/(a^2*x^2+1)^{(1/2)}) - 1/2*I*\text{Pi}$

```
i*csgn(I/((a*x+I)^2/(a^2*x^2+1)-1))*csgn(I/((a*x+I)^2/(a^2*x^2+1)-1))*((a*x+I)^2/(a^2*x^2+1)+1)^2*arccot(a*x)^2-2*polylog(3,(a*x+I)/(a^2*x^2+1)^(1/2))-arccot(a*x)^2*ln(1+(a*x+I)/(a^2*x^2+1)^(1/2))-I*arccot(a*x)*polylog(2,-(a*x+I)^2/(a^2*x^2+1))-2*polylog(3,-(a*x+I)/(a^2*x^2+1)^(1/2))+1/2*I*Pi*csgn(1/((a*x+I)^2/(a^2*x^2+1)-1))*((a*x+I)^2/(a^2*x^2+1)+1)^2*arccot(a*x)^2+1/2*polylog(3,-(a*x+I)^2/(a^2*x^2+1))
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(ax)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x)^2/x,x, algorithm="maxima")
```

```
[Out] integrate(arccot(a*x)^2/x, x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(ax)^2}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x)^2/x,x, algorithm="fricas")
```

```
[Out] integral(arccot(a*x)^2/x, x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}^2(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acot(a*x)**2/x,x)
```

```
[Out] Integral(acot(a*x)**2/x, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(ax)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x)^2/x,x, algorithm="giac")
```

```
[Out] integrate(arccot(a*x)^2/x, x)
```

3.19 $\int \frac{\cot^{-1}(ax)^2}{x^2} dx$

Optimal. Leaf size=66

$$-ia \operatorname{PolyLog}\left(2, -1 + \frac{2}{1-iax}\right) - ia \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{x} - 2a \log\left(2 - \frac{2}{1-iax}\right) \cot^{-1}(ax)$$

[Out] (-I)*a*ArcCot[a*x]^2 - ArcCot[a*x]^2/x - 2*a*ArcCot[a*x]*Log[2 - 2/(1 - I*a*x)] - I*a*PolyLog[2, -1 + 2/(1 - I*a*x)]

Rubi [A] time = 0.105241, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {4853, 4925, 4869, 2447}

$$-ia \operatorname{PolyLog}\left(2, -1 + \frac{2}{1-iax}\right) - ia \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{x} - 2a \log\left(2 - \frac{2}{1-iax}\right) \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]^2/x^2, x]

[Out] (-I)*a*ArcCot[a*x]^2 - ArcCot[a*x]^2/x - 2*a*ArcCot[a*x]*Log[2 - 2/(1 - I*a*x)] - I*a*PolyLog[2, -1 + 2/(1 - I*a*x)]

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^ (p_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 4925

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^ (p_.)/((x_)*((d_) + (e_.)*(x_)^2)), x_Symbol] :> Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*d*(p + 1)), x] + Dist[I/d, Int[(a + b*ArcCot[c*x])^p/(x*(I + c*x)), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && GtQ[p, 0]

Rule 4869

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^ (p_.)/((x_)*((d_) + (e_.)*(x_))), x_Symbol] :> Simp[(a + b*ArcCot[c*x])^p*Log[2 - 2/(1 + (e*x)/d)]/d, x] + Dist[(b*c*p)/d, Int[(a + b*ArcCot[c*x])^(p - 1)*Log[2 - 2/(1 + (e*x)/d)]/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 2447

Int[Log[u]*(Pq_)^(m_.), x_Symbol] :> With[{C = FullSimplify[(Pq^m*(1 - u))/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(ax)^2}{x^2} dx &= -\frac{\cot^{-1}(ax)^2}{x} - (2a) \int \frac{\cot^{-1}(ax)}{x(1+a^2x^2)} dx \\
&= -ia \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{x} - (2ia) \int \frac{\cot^{-1}(ax)}{x(i+ax)} dx \\
&= -ia \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{x} - 2a \cot^{-1}(ax) \log\left(2 - \frac{2}{1-iax}\right) - (2a^2) \int \frac{\log\left(2 - \frac{2}{1-iax}\right)}{1+a^2x^2} dx \\
&= -ia \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{x} - 2a \cot^{-1}(ax) \log\left(2 - \frac{2}{1-iax}\right) - ia \operatorname{Li}_2\left(-1 + \frac{2}{1-iax}\right)
\end{aligned}$$

Mathematica [A] time = 0.0439344, size = 64, normalized size = 0.97

$$a \left(i \operatorname{PolyLog}\left(2, -e^{2i \cot^{-1}(ax)}\right) - \frac{\cot^{-1}(ax)^2}{ax} + i \cot^{-1}(ax)^2 - 2 \cot^{-1}(ax) \log\left(1 + e^{2i \cot^{-1}(ax)}\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[a*x]^2/x^2,x]

[Out] a*(I*ArcCot[a*x]^2 - ArcCot[a*x]^2/(a*x) - 2*ArcCot[a*x]*Log[1 + E^((2*I)*ArcCot[a*x])]) + I*PolyLog[2, -E^((2*I)*ArcCot[a*x])])

Maple [B] time = 0.138, size = 234, normalized size = 3.6

$$-\frac{(\operatorname{arccot}(ax))^2}{x} + a \operatorname{arccot}(ax) \ln(a^2x^2 + 1) - 2a \ln(ax) \operatorname{arccot}(ax) + ia \ln(ax) \ln(1 + iax) - ia \ln(ax) \ln(1 - iax) + ia$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)^2/x^2,x)

[Out] -arccot(a*x)^2/x+a*arccot(a*x)*ln(a^2*x^2+1)-2*a*ln(a*x)*arccot(a*x)+I*a*ln(a*x)*ln(1+I*a*x)-I*a*ln(a*x)*ln(1-I*a*x)+I*a*dilog(1+I*a*x)-I*a*dilog(1-I*a*x)+1/4*I*a*ln(a*x-I)^2+1/2*I*a*ln(a*x-I)*ln(-1/2*I*(a*x+I))-1/2*I*a*ln(a*x-I)*ln(a^2*x^2+1)+1/2*I*a*dilog(-1/2*I*(a*x+I))-1/4*I*a*ln(a*x+I)^2-1/2*I*a*ln(a*x+I)*ln(1/2*I*(a*x-I))+1/2*I*a*ln(a*x+I)*ln(a^2*x^2+1)-1/2*I*a*dilog(1/2*I*(a*x-I))

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^2/x^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\text{arccot}(ax)^2}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^2/x^2,x, algorithm="fricas")

[Out] integral(arccot(a*x)^2/x^2, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{acot}^2(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x)**2/x**2,x)

[Out] Integral(acot(a*x)**2/x**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{arccot}(ax)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^2/x^2,x, algorithm="giac")

[Out] integrate(arccot(a*x)^2/x^2, x)

3.20 $\int \frac{\cot^{-1}(ax)^2}{x^3} dx$

Optimal. Leaf size=59

$$-\frac{1}{2}a^2 \log(a^2x^2 + 1) + a^2 \log(x) - \frac{1}{2}a^2 \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{2x^2} + \frac{a \cot^{-1}(ax)}{x}$$

[Out] (a*ArcCot[a*x])/x - (a^2*ArcCot[a*x]^2)/2 - ArcCot[a*x]^2/(2*x^2) + a^2*Log[x] - (a^2*Log[1 + a^2*x^2])/2

Rubi [A] time = 0.087978, antiderivative size = 59, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.7$, Rules used = {4853, 4919, 266, 36, 29, 31, 4885}

$$-\frac{1}{2}a^2 \log(a^2x^2 + 1) + a^2 \log(x) - \frac{1}{2}a^2 \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{2x^2} + \frac{a \cot^{-1}(ax)}{x}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]^2/x^3,x]

[Out] (a*ArcCot[a*x])/x - (a^2*ArcCot[a*x]^2)/2 - ArcCot[a*x]^2/(2*x^2) + a^2*Log[x] - (a^2*Log[1 + a^2*x^2])/2

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2
), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || Integ
erQ[m]) && NeQ[m, -1]
```

Rule 4919

```
Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)*((f_.)*(x_.))^(m_.))/((d_.) + (e
_.)*(x_)^2), x_Symbol] :> Dist[1/d, Int[(f*x)^m*(a + b*ArcCot[c*x])^p, x],
x] - Dist[e/(d*f^2), Int[((f*x)^(m + 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2),
x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.))), x_Symbol] :> Dist[b/(b*c
- a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 29

```
Int[(x_)^(-1), x_Symbol] :> Simp[Log[x], x]
```

Rule 31

Int[((a_) + (b_)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 4885

Int[((a_) + ArcCot[(c_)*(x_)]*(b_))^(p_)/((d_) + (e_)*(x_)^2), x_Symbol] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{\cot^{-1}(ax)^2}{x^3} dx &= -\frac{\cot^{-1}(ax)^2}{2x^2} - a \int \frac{\cot^{-1}(ax)}{x^2(1+a^2x^2)} dx \\
 &= -\frac{\cot^{-1}(ax)^2}{2x^2} - a \int \frac{\cot^{-1}(ax)}{x^2} dx + a^3 \int \frac{\cot^{-1}(ax)}{1+a^2x^2} dx \\
 &= \frac{a \cot^{-1}(ax)}{x} - \frac{1}{2}a^2 \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{2x^2} + a^2 \int \frac{1}{x(1+a^2x^2)} dx \\
 &= \frac{a \cot^{-1}(ax)}{x} - \frac{1}{2}a^2 \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{2x^2} + \frac{1}{2}a^2 \text{Subst} \left(\int \frac{1}{x(1+a^2x)} dx, x, x^2 \right) \\
 &= \frac{a \cot^{-1}(ax)}{x} - \frac{1}{2}a^2 \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{2x^2} + \frac{1}{2}a^2 \text{Subst} \left(\int \frac{1}{x} dx, x, x^2 \right) - \frac{1}{2}a^4 \text{Subst} \left(\int \frac{1}{1+a^2x} dx, x, x^2 \right) \\
 &= \frac{a \cot^{-1}(ax)}{x} - \frac{1}{2}a^2 \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{2x^2} + a^2 \log(x) - \frac{1}{2}a^2 \log(1+a^2x^2)
 \end{aligned}$$

Mathematica [A] time = 0.0167775, size = 56, normalized size = 0.95

$$-\frac{1}{2}a^2 \log(a^2x^2 + 1) + \frac{(-a^2x^2 - 1) \cot^{-1}(ax)^2}{2x^2} + a^2 \log(x) + \frac{a \cot^{-1}(ax)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x]^2/x^3, x]

[Out] (a*ArcCot[a*x])/x + ((-1 - a^2*x^2)*ArcCot[a*x]^2)/(2*x^2) + a^2*Log[x] - (a^2*Log[1 + a^2*x^2])/2

Maple [A] time = 0.052, size = 68, normalized size = 1.2

$$-\frac{(\operatorname{arccot}(ax))^2}{2x^2} + a^2 \operatorname{arccot}(ax) \operatorname{arctan}(ax) + \frac{a \operatorname{arccot}(ax)}{x} - \frac{a^2 \ln(a^2x^2 + 1)}{2} + a^2 \ln(ax) + \frac{a^2 (\operatorname{arctan}(ax))^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)^2/x^3, x)

[Out] -1/2*arccot(a*x)^2/x^2+a^2*arccot(a*x)*arctan(a*x)+a*arccot(a*x)/x-1/2*a^2*ln(a^2*x^2+1)+a^2*ln(a*x)+1/2*a^2*arctan(a*x)^2

Maxima [A] time = 1.47291, size = 76, normalized size = 1.29

$$\frac{1}{2} \left(\arctan(ax)^2 - \log(a^2x^2 + 1) + 2 \log(x) \right) a^2 + \left(a \arctan(ax) + \frac{1}{x} \right) a \operatorname{arccot}(ax) - \frac{\operatorname{arccot}(ax)^2}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^2/x^3,x, algorithm="maxima")

[Out] 1/2*(arctan(a*x)^2 - log(a^2*x^2 + 1) + 2*log(x))*a^2 + (a*arctan(a*x) + 1/x)*a*arccot(a*x) - 1/2*arccot(a*x)^2/x^2

Fricas [A] time = 2.02672, size = 143, normalized size = 2.42

$$\frac{a^2x^2 \log(a^2x^2 + 1) - 2a^2x^2 \log(x) - 2ax \operatorname{arccot}(ax) + (a^2x^2 + 1) \operatorname{arccot}(ax)^2}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^2/x^3,x, algorithm="fricas")

[Out] -1/2*(a^2*x^2*log(a^2*x^2 + 1) - 2*a^2*x^2*log(x) - 2*a*x*arccot(a*x) + (a^2*x^2 + 1)*arccot(a*x)^2)/x^2

Sympy [A] time = 0.695179, size = 53, normalized size = 0.9

$$a^2 \log(x) - \frac{a^2 \log(a^2x^2 + 1)}{2} - \frac{a^2 \operatorname{acot}^2(ax)}{2} + \frac{a \operatorname{acot}(ax)}{x} - \frac{\operatorname{acot}^2(ax)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x)**2/x**3,x)

[Out] a**2*log(x) - a**2*log(a**2*x**2 + 1)/2 - a**2*acot(a*x)**2/2 + a*acot(a*x)/x - acot(a*x)**2/(2*x**2)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(ax)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^2/x^3,x, algorithm="giac")

[Out] integrate(arccot(a*x)^2/x^3, x)

3.21 $\int \frac{\cot^{-1}(ax)^2}{x^4} dx$

Optimal. Leaf size=113

$$\frac{1}{3}ia^3 \text{PolyLog}\left(2, -1 + \frac{2}{1-iax}\right) - \frac{a^2}{3x} - \frac{1}{3}a^3 \tan^{-1}(ax) + \frac{1}{3}ia^3 \cot^{-1}(ax)^2 + \frac{2}{3}a^3 \log\left(2 - \frac{2}{1-iax}\right) \cot^{-1}(ax) + \frac{a \cot^{-1}}{3x^2}$$

```
[Out] -a^2/(3*x) + (a*ArcCot[a*x])/(3*x^2) + (I/3)*a^3*ArcCot[a*x]^2 - ArcCot[a*x]^2/(3*x^3) - (a^3*ArcTan[a*x])/3 + (2*a^3*ArcCot[a*x]*Log[2 - 2/(1 - I*a*x)])/3 + (I/3)*a^3*PolyLog[2, -1 + 2/(1 - I*a*x)]
```

Rubi [A] time = 0.161392, antiderivative size = 113, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.7$, Rules used = {4853, 4919, 325, 203, 4925, 4869, 2447}

$$\frac{1}{3}ia^3 \text{PolyLog}\left(2, -1 + \frac{2}{1-iax}\right) - \frac{a^2}{3x} - \frac{1}{3}a^3 \tan^{-1}(ax) + \frac{1}{3}ia^3 \cot^{-1}(ax)^2 + \frac{2}{3}a^3 \log\left(2 - \frac{2}{1-iax}\right) \cot^{-1}(ax) + \frac{a \cot^{-1}}{3x^2}$$

Antiderivative was successfully verified.

```
[In] Int[ArcCot[a*x]^2/x^4, x]
```

```
[Out] -a^2/(3*x) + (a*ArcCot[a*x])/(3*x^2) + (I/3)*a^3*ArcCot[a*x]^2 - ArcCot[a*x]^2/(3*x^3) - (a^3*ArcTan[a*x])/3 + (2*a^3*ArcCot[a*x]*Log[2 - 2/(1 - I*a*x)])/3 + (I/3)*a^3*PolyLog[2, -1 + 2/(1 - I*a*x)]
```

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]
```

Rule 4919

```
Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)*((f_.)*(x_))^(m_)/((d_.) + (e_.)*(x_)^2), x_Symbol]
:> Dist[1/d, Int[(f*x)^m*(a + b*ArcCot[c*x])^p, x], x] - Dist[e/(d*f^2), Int[((f*x)^(m + 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1]
```

Rule 325

```
Int[((c_.)*(x_))^(m_)*((a_.) + (b_.)*(x_)^(n_))^ (p_), x_Symbol]
:> Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol]
:> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 4925

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)/((x_.)*((d_.) + (e_.)*(x_.^2)),
x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*d*(p + 1)), x] + Dist[
I/d, Int[(a + b*ArcCot[c*x])^p/(x*(I + c*x)), x], x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[e, c^2*d] && GtQ[p, 0]
```

Rule 4869

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)/((x_.)*((d_.) + (e_.)*(x_.))), x_
Symbol] := Simp[((a + b*ArcCot[c*x])^p*Log[2 - 2/(1 + (e*x)/d)])/d, x] + Di
st[(b*c*p)/d, Int[((a + b*ArcCot[c*x])^(p - 1)*Log[2 - 2/(1 + (e*x)/d)])/
(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d
^2 + e^2, 0]
```

Rule 2447

```
Int[Log[u_]*(Pq_)^(m_), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))
/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x]] /; IntegerQ[m] &&
PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u,
x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(ax)^2}{x^4} dx &= -\frac{\cot^{-1}(ax)^2}{3x^3} - \frac{1}{3}(2a) \int \frac{\cot^{-1}(ax)}{x^3(1+a^2x^2)} dx \\ &= -\frac{\cot^{-1}(ax)^2}{3x^3} - \frac{1}{3}(2a) \int \frac{\cot^{-1}(ax)}{x^3} dx + \frac{1}{3}(2a^3) \int \frac{\cot^{-1}(ax)}{x(1+a^2x^2)} dx \\ &= \frac{a \cot^{-1}(ax)}{3x^2} + \frac{1}{3}ia^3 \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{3x^3} + \frac{1}{3}a^2 \int \frac{1}{x^2(1+a^2x^2)} dx + \frac{1}{3}(2ia^3) \int \frac{\cot^{-1}(ax)}{x(i+ax)} dx \\ &= -\frac{a^2}{3x} + \frac{a \cot^{-1}(ax)}{3x^2} + \frac{1}{3}ia^3 \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{3x^3} + \frac{2}{3}a^3 \cot^{-1}(ax) \log\left(2 - \frac{2}{1-iax}\right) - \frac{1}{3}a^4 \int \frac{1}{1+ax} dx \\ &= -\frac{a^2}{3x} + \frac{a \cot^{-1}(ax)}{3x^2} + \frac{1}{3}ia^3 \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{3x^3} - \frac{1}{3}a^3 \tan^{-1}(ax) + \frac{2}{3}a^3 \cot^{-1}(ax) \log\left(2 - \frac{2}{1-iax}\right) \end{aligned}$$

Mathematica [A] time = 0.23248, size = 96, normalized size = 0.85

$$\frac{-ia^3x^3 \text{PolyLog}\left(2, -e^{2i \cot^{-1}(ax)}\right) - a^2x^2 + (-1 - ia^3x^3) \cot^{-1}(ax)^2 + ax \cot^{-1}(ax) \left(a^2x^2 + 2a^2x^2 \log\left(1 + e^{2i \cot^{-1}(ax)}\right) + 1\right)}{3x^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[a*x]^2/x^4, x]

[Out] $(-(a^2x^2) + (-1 - I a^3x^3) \text{ArcCot}[a*x]^2 + a*x \text{ArcCot}[a*x] * (1 + a^2x^2 + 2a^2x^2 \text{Log}[1 + E^((2*I) \text{ArcCot}[a*x])]) - I a^3x^3 \text{PolyLog}[2, -E^((2*I) \text{ArcCot}[a*x])]) / (3x^3)$

Maple [B] time = 0.133, size = 290, normalized size = 2.6

$$-\frac{(\text{arccot}(ax))^2}{3x^3} - \frac{a^3 \text{arccot}(ax) \ln(a^2x^2 + 1)}{3} + \frac{a \text{arccot}(ax)}{3x^2} + \frac{2a^3 \ln(ax) \text{arccot}(ax)}{3} + \frac{i}{12}a^3 (\ln(ax + i))^2 - \frac{i}{3}a^3 \text{dilog}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccot(a*x)^2/x^4,x)`

[Out]
$$-1/3 \operatorname{arccot}(ax)^2/x^3 - 1/3 a^3 \operatorname{arccot}(ax) \ln(a^2 x^2 + 1) + 1/3 a \operatorname{arccot}(ax) / x^2 + 2/3 a^3 \ln(ax) \operatorname{arccot}(ax) + 1/12 I a^3 \ln(ax+I)^2 - 1/3 I a^3 \operatorname{dilog}(1+I a x) + 1/6 I a^3 \operatorname{dilog}(1/2 I (ax-I)) + 1/6 I a^3 \ln(ax-I) \ln(a^2 x^2 + 1) + 1/3 I a^3 \operatorname{dilog}(1-I a x) - 1/3 I a^3 \ln(ax) \ln(1+I a x) + 1/6 I a^3 \ln(ax+I) \ln(1/2 I (ax-I)) - 1/6 I a^3 \ln(ax+I) \ln(a^2 x^2 + 1) - 1/3 a^3 \arctan(ax) - 1/3 a^2 / x - 1/6 I a^3 \operatorname{dilog}(-1/2 I (ax+I)) + 1/3 I a^3 \ln(ax) \ln(1-I a x) - 1/6 I a^3 \ln(ax-I) \ln(-1/2 I (ax+I)) - 1/12 I a^3 \ln(ax-I)^2$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(a*x)^2/x^4,x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(ax)^2}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(a*x)^2/x^4,x, algorithm="fricas")`

[Out] `integral(arccot(a*x)^2/x^4, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}^2(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acot(a*x)**2/x**4,x)`

[Out] `Integral(acot(a*x)**2/x**4, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(ax)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x)^2/x^4,x, algorithm="giac")
```

```
[Out] integrate(arccot(a*x)^2/x^4, x)
```

3.22 $\int \frac{\cot^{-1}(ax)^2}{x^5} dx$

Optimal. Leaf size=89

$$-\frac{a^2}{12x^2} + \frac{1}{3}a^4 \log(a^2x^2 + 1) - \frac{2}{3}a^4 \log(x) + \frac{1}{4}a^4 \cot^{-1}(ax)^2 - \frac{a^3 \cot^{-1}(ax)}{2x} + \frac{a \cot^{-1}(ax)}{6x^3} - \frac{\cot^{-1}(ax)^2}{4x^4}$$

[Out] $-a^2/(12*x^2) + (a*\text{ArcCot}[a*x])/(6*x^3) - (a^3*\text{ArcCot}[a*x])/(2*x) + (a^4*\text{ArcCot}[a*x]^2)/4 - \text{ArcCot}[a*x]^2/(4*x^4) - (2*a^4*\text{Log}[x])/3 + (a^4*\text{Log}[1 + a^2*x^2])/3$

Rubi [A] time = 0.15512, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.8$, Rules used = {4853, 4919, 266, 44, 36, 29, 31, 4885}

$$-\frac{a^2}{12x^2} + \frac{1}{3}a^4 \log(a^2x^2 + 1) - \frac{2}{3}a^4 \log(x) + \frac{1}{4}a^4 \cot^{-1}(ax)^2 - \frac{a^3 \cot^{-1}(ax)}{2x} + \frac{a \cot^{-1}(ax)}{6x^3} - \frac{\cot^{-1}(ax)^2}{4x^4}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]^2/x^5,x]

[Out] $-a^2/(12*x^2) + (a*\text{ArcCot}[a*x])/(6*x^3) - (a^3*\text{ArcCot}[a*x])/(2*x) + (a^4*\text{ArcCot}[a*x]^2)/4 - \text{ArcCot}[a*x]^2/(4*x^4) - (2*a^4*\text{Log}[x])/3 + (a^4*\text{Log}[1 + a^2*x^2])/3$

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 4919

Int((((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*((f_.)*(x_))^(m_.))/((d_.) + (e_.)*(x_)^2), x_Symbol] :> Dist[1/d, Int[(f*x)^m*(a + b*ArcCot[c*x])^p, x], x] - Dist[e/(d*f^2), Int[((f*x)^(m + 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 44

Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[b/(b*c
- a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 29

```
Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(p_ - 1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 4885

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_)^2), x_Symbo
l] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b,
c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(ax)^2}{x^5} dx &= -\frac{\cot^{-1}(ax)^2}{4x^4} - \frac{1}{2}a \int \frac{\cot^{-1}(ax)}{x^4(1+a^2x^2)} dx \\
&= -\frac{\cot^{-1}(ax)^2}{4x^4} - \frac{1}{2}a \int \frac{\cot^{-1}(ax)}{x^4} dx + \frac{1}{2}a^3 \int \frac{\cot^{-1}(ax)}{x^2(1+a^2x^2)} dx \\
&= \frac{a \cot^{-1}(ax)}{6x^3} - \frac{\cot^{-1}(ax)^2}{4x^4} + \frac{1}{6}a^2 \int \frac{1}{x^3(1+a^2x^2)} dx + \frac{1}{2}a^3 \int \frac{\cot^{-1}(ax)}{x^2} dx - \frac{1}{2}a^5 \int \frac{\cot^{-1}(ax)}{1+a^2x^2} dx \\
&= \frac{a \cot^{-1}(ax)}{6x^3} - \frac{a^3 \cot^{-1}(ax)}{2x} + \frac{1}{4}a^4 \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{4x^4} + \frac{1}{12}a^2 \operatorname{Subst}\left(\int \frac{1}{x^2(1+a^2x)} dx, x, x^2\right) \\
&= \frac{a \cot^{-1}(ax)}{6x^3} - \frac{a^3 \cot^{-1}(ax)}{2x} + \frac{1}{4}a^4 \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{4x^4} + \frac{1}{12}a^2 \operatorname{Subst}\left(\int \left(\frac{1}{x^2} - \frac{a^2}{x} + \frac{a^4}{1+a^2x}\right) dx, x, x^2\right) \\
&= -\frac{a^2}{12x^2} + \frac{a \cot^{-1}(ax)}{6x^3} - \frac{a^3 \cot^{-1}(ax)}{2x} + \frac{1}{4}a^4 \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{4x^4} - \frac{1}{6}a^4 \log(x) + \frac{1}{12}a^4 \log(1+a^2x) \\
&= -\frac{a^2}{12x^2} + \frac{a \cot^{-1}(ax)}{6x^3} - \frac{a^3 \cot^{-1}(ax)}{2x} + \frac{1}{4}a^4 \cot^{-1}(ax)^2 - \frac{\cot^{-1}(ax)^2}{4x^4} - \frac{2}{3}a^4 \log(x) + \frac{1}{3}a^4 \log(1+a^2x)
\end{aligned}$$

Mathematica [A] time = 0.0197266, size = 81, normalized size = 0.91

$$-\frac{a^2}{12x^2} + \frac{1}{3}a^4 \log(a^2x^2 + 1) - \frac{a(3a^2x^2 - 1) \cot^{-1}(ax)}{6x^3} + \frac{(a^4x^4 - 1) \cot^{-1}(ax)^2}{4x^4} - \frac{2}{3}a^4 \log(x)$$

Antiderivative was successfully verified.

```
[In] Integrate[ArcCot[a*x]^2/x^5, x]
```

```
[Out] -a^2/(12*x^2) - (a*(-1 + 3*a^2*x^2)*ArcCot[a*x])/(6*x^3) + ((-1 + a^4*x^4)*
ArcCot[a*x]^2)/(4*x^4) - (2*a^4*Log[x])/3 + (a^4*Log[1 + a^2*x^2])/3
```

Maple [A] time = 0.058, size = 91, normalized size = 1.

$$-\frac{(\operatorname{arccot}(ax))^2}{4x^4} - \frac{a^4 \operatorname{arccot}(ax) \arctan(ax)}{2} + \frac{a \operatorname{arccot}(ax)}{6x^3} - \frac{a^3 \operatorname{arccot}(ax)}{2x} + \frac{a^4 \ln(a^2x^2 + 1)}{3} - \frac{a^2}{12x^2} - \frac{2a^4 \ln(ax)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccot(a*x)^2/x^5,x)`

[Out] $-1/4*\arccot(a*x)^2/x^4-1/2*a^4*\arccot(a*x)*\arctan(a*x)+1/6*a*\arccot(a*x)/x^3-1/2*a^3*\arccot(a*x)/x+1/3*a^4*\ln(a^2*x^2+1)-1/12*a^2/x^2-2/3*a^4*\ln(a*x)-1/4*a^4*\arctan(a*x)^2$

Maxima [A] time = 1.52573, size = 128, normalized size = 1.44

$$-\frac{1}{6}\left(3a^3\arctan(ax)+\frac{3a^2x^2-1}{x^3}\right)a\arccot(ax)-\frac{(3a^2x^2\arctan(ax)^2-4a^2x^2\log(a^2x^2+1)+8a^2x^2\log(x)+1)a^2}{12x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(a*x)^2/x^5,x, algorithm="maxima")`

[Out] $-1/6*(3*a^3*\arctan(a*x) + (3*a^2*x^2 - 1)/x^3)*a*\arccot(a*x) - 1/12*(3*a^2*x^2*\arctan(a*x)^2 - 4*a^2*x^2*\log(a^2*x^2 + 1) + 8*a^2*x^2*\log(x) + 1)*a^2/x^2 - 1/4*\arccot(a*x)^2/x^4$

Fricas [A] time = 1.87986, size = 181, normalized size = 2.03

$$\frac{4a^4x^4\log(a^2x^2+1)-8a^4x^4\log(x)-a^2x^2+3(a^4x^4-1)\arccot(ax)^2-2(3a^3x^3-ax)\arccot(ax)}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(a*x)^2/x^5,x, algorithm="fricas")`

[Out] $1/12*(4*a^4*x^4*\log(a^2*x^2 + 1) - 8*a^4*x^4*\log(x) - a^2*x^2 + 3*(a^4*x^4 - 1)*\arccot(a*x)^2 - 2*(3*a^3*x^3 - a*x)*\arccot(a*x))/x^4$

Sympy [A] time = 1.19707, size = 80, normalized size = 0.9

$$-\frac{2a^4\log(x)}{3} + \frac{a^4\log(a^2x^2+1)}{3} + \frac{a^4\operatorname{acot}^2(ax)}{4} - \frac{a^3\operatorname{acot}(ax)}{2x} - \frac{a^2}{12x^2} + \frac{a\operatorname{acot}(ax)}{6x^3} - \frac{\operatorname{acot}^2(ax)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acot(a*x)**2/x**5,x)`

[Out] $-2*a**4*\log(x)/3 + a**4*\log(a**2*x**2 + 1)/3 + a**4*acot(a*x)**2/4 - a**3*a\cot(a*x)/(2*x) - a**2/(12*x**2) + a*acot(a*x)/(6*x**3) - acot(a*x)**2/(4*x**4)$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\arccot(ax)^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x)^2/x^5,x, algorithm="giac")
```

```
[Out] integrate(arccot(a*x)^2/x^5, x)
```

3.23 $\int x^5 \cot^{-1}(ax)^3 dx$

Optimal. Leaf size=194

$$\frac{23i\text{PolyLog}\left(2, 1 - \frac{2}{1+iax}\right)}{30a^6} + \frac{x^3}{60a^3} + \frac{x^4 \cot^{-1}(ax)}{20a^2} - \frac{x^3 \cot^{-1}(ax)^2}{6a^3} - \frac{4x^2 \cot^{-1}(ax)}{15a^4} - \frac{19x}{60a^5} + \frac{19 \tan^{-1}(ax)}{60a^6} + \frac{x \cot^{-1}(ax)}{2a^7}$$

[Out] $(-19*x)/(60*a^5) + x^3/(60*a^3) - (4*x^2*\text{ArcCot}[a*x])/(15*a^4) + (x^4*\text{ArcCot}[a*x])/(20*a^2) + (((23*I)/30)*\text{ArcCot}[a*x]^2)/a^6 + (x*\text{ArcCot}[a*x]^2)/(2*a^5) - (x^3*\text{ArcCot}[a*x]^2)/(6*a^3) + (x^5*\text{ArcCot}[a*x]^2)/(10*a) + \text{ArcCot}[a*x]^3/(6*a^6) + (x^6*\text{ArcCot}[a*x]^3)/6 + (19*\text{ArcTan}[a*x])/(60*a^6) - (23*\text{ArcCot}[a*x]*\text{Log}[2/(1 + I*a*x)])/(15*a^6) + (((23*I)/30)*\text{PolyLog}[2, 1 - 2/(1 + I*a*x)]) / a^6$

Rubi [A] time = 0.666636, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 33, number of rules used = 11, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 1.1$, Rules used = {4853, 4917, 302, 203, 321, 4921, 4855, 2402, 2315, 4847, 4885}

$$\frac{23i\text{PolyLog}\left(2, 1 - \frac{2}{1+iax}\right)}{30a^6} + \frac{x^3}{60a^3} + \frac{x^4 \cot^{-1}(ax)}{20a^2} - \frac{x^3 \cot^{-1}(ax)^2}{6a^3} - \frac{4x^2 \cot^{-1}(ax)}{15a^4} - \frac{19x}{60a^5} + \frac{19 \tan^{-1}(ax)}{60a^6} + \frac{x \cot^{-1}(ax)}{2a^7}$$

Antiderivative was successfully verified.

[In] Int[x^5*ArcCot[a*x]^3, x]

[Out] $(-19*x)/(60*a^5) + x^3/(60*a^3) - (4*x^2*\text{ArcCot}[a*x])/(15*a^4) + (x^4*\text{ArcCot}[a*x])/(20*a^2) + (((23*I)/30)*\text{ArcCot}[a*x]^2)/a^6 + (x*\text{ArcCot}[a*x]^2)/(2*a^5) - (x^3*\text{ArcCot}[a*x]^2)/(6*a^3) + (x^5*\text{ArcCot}[a*x]^2)/(10*a) + \text{ArcCot}[a*x]^3/(6*a^6) + (x^6*\text{ArcCot}[a*x]^3)/6 + (19*\text{ArcTan}[a*x])/(60*a^6) - (23*\text{ArcCot}[a*x]*\text{Log}[2/(1 + I*a*x)])/(15*a^6) + (((23*I)/30)*\text{PolyLog}[2, 1 - 2/(1 + I*a*x)]) / a^6$

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 4917

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)*((f_.)*(x_))^(m_.)/((d_.) + (e_.)*(x_)^2), x_Symbol] :> Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcCot[c*x])^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]

Rule 302

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Int[PolynomialDivide[x^m, a + b*x^n, x], x] /; FreeQ[{a, b}, x] && IGtQ[m, 0] && IGtQ[n, 0] && GtQ[m, 2*n - 1]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 321

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 4921

Int[(((a_) + ArcCot[(c_)*(x_)]*(b_))^(p_)*(x_))/((d_) + (e_)*(x_)^2), x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*e*(p + 1)), x] - Dist[1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]

Rule 4855

Int[((a_) + ArcCot[(c_)*(x_)]*(b_))^(p_)/((d_) + (e_)*(x_)), x_Symbol] := -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)/e, Int[((a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)])/((1 + c^2*x^2)), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_)/((d_) + (e_)*(x_))]/((f_) + (g_)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_)*(x_)/((d_) + (e_)*(x_))], x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rule 4847

Int[((a_) + ArcCot[(c_)*(x_)]*(b_))^(p_), x_Symbol] := Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 4885

Int[((a_) + ArcCot[(c_)*(x_)]*(b_))^(p_)/((d_) + (e_)*(x_)^2), x_Symbol] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int x^5 \cot^{-1}(ax)^3 dx &= \frac{1}{6}x^6 \cot^{-1}(ax)^3 + \frac{1}{2}a \int \frac{x^6 \cot^{-1}(ax)^2}{1+a^2x^2} dx \\
&= \frac{1}{6}x^6 \cot^{-1}(ax)^3 + \frac{\int x^4 \cot^{-1}(ax)^2 dx}{2a} - \frac{\int \frac{x^4 \cot^{-1}(ax)^2}{1+a^2x^2} dx}{2a} \\
&= \frac{x^5 \cot^{-1}(ax)^2}{10a} + \frac{1}{6}x^6 \cot^{-1}(ax)^3 + \frac{1}{5} \int \frac{x^5 \cot^{-1}(ax)}{1+a^2x^2} dx - \frac{\int x^2 \cot^{-1}(ax)^2 dx}{2a^3} + \frac{\int \frac{x^2 \cot^{-1}(ax)^2}{1+a^2x^2} dx}{2a^3} \\
&= -\frac{x^3 \cot^{-1}(ax)^2}{6a^3} + \frac{x^5 \cot^{-1}(ax)^2}{10a} + \frac{1}{6}x^6 \cot^{-1}(ax)^3 + \frac{\int \cot^{-1}(ax)^2 dx}{2a^5} - \frac{\int \frac{\cot^{-1}(ax)^2}{1+a^2x^2} dx}{2a^5} + \frac{\int x^3 \cot^{-1}(ax) dx}{2a^3} \\
&= \frac{x^4 \cot^{-1}(ax)}{20a^2} + \frac{x \cot^{-1}(ax)^2}{2a^5} - \frac{x^3 \cot^{-1}(ax)^2}{6a^3} + \frac{x^5 \cot^{-1}(ax)^2}{10a} + \frac{\cot^{-1}(ax)^3}{6a^6} + \frac{1}{6}x^6 \cot^{-1}(ax)^3 - \frac{\int x^2 \cot^{-1}(ax) dx}{2a^3} \\
&= -\frac{4x^2 \cot^{-1}(ax)}{15a^4} + \frac{x^4 \cot^{-1}(ax)}{20a^2} + \frac{23i \cot^{-1}(ax)^2}{30a^6} + \frac{x \cot^{-1}(ax)^2}{2a^5} - \frac{x^3 \cot^{-1}(ax)^2}{6a^3} + \frac{x^5 \cot^{-1}(ax)^2}{10a} \\
&= -\frac{19x}{60a^5} + \frac{x^3}{60a^3} - \frac{4x^2 \cot^{-1}(ax)}{15a^4} + \frac{x^4 \cot^{-1}(ax)}{20a^2} + \frac{23i \cot^{-1}(ax)^2}{30a^6} + \frac{x \cot^{-1}(ax)^2}{2a^5} - \frac{x^3 \cot^{-1}(ax)^2}{6a^3} \\
&= -\frac{19x}{60a^5} + \frac{x^3}{60a^3} - \frac{4x^2 \cot^{-1}(ax)}{15a^4} + \frac{x^4 \cot^{-1}(ax)}{20a^2} + \frac{23i \cot^{-1}(ax)^2}{30a^6} + \frac{x \cot^{-1}(ax)^2}{2a^5} - \frac{x^3 \cot^{-1}(ax)^2}{6a^3} \\
&= -\frac{19x}{60a^5} + \frac{x^3}{60a^3} - \frac{4x^2 \cot^{-1}(ax)}{15a^4} + \frac{x^4 \cot^{-1}(ax)}{20a^2} + \frac{23i \cot^{-1}(ax)^2}{30a^6} + \frac{x \cot^{-1}(ax)^2}{2a^5} - \frac{x^3 \cot^{-1}(ax)^2}{6a^3}
\end{aligned}$$

Mathematica [A] time = 0.600621, size = 125, normalized size = 0.64

$$\frac{46i \operatorname{PolyLog}\left(2, e^{2i \cot^{-1}(ax)}\right) + ax(a^2x^2 - 19) + 10(a^6x^6 + 1) \cot^{-1}(ax)^3 + 2(3a^5x^5 - 5a^3x^3 + 15ax + 23i) \cot^{-1}(ax)^2}{60a^6}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^5*ArcCot[a*x]^3,x]

[Out] (a*x*(-19 + a^2*x^2) + 2*(23*I + 15*a*x - 5*a^3*x^3 + 3*a^5*x^5)*ArcCot[a*x]^2 + 10*(1 + a^6*x^6)*ArcCot[a*x]^3 + ArcCot[a*x]*(-19 - 16*a^2*x^2 + 3*a^4*x^4 - 92*Log[1 - E^((2*I)*ArcCot[a*x])]) + (46*I)*PolyLog[2, E^((2*I)*ArcCot[a*x])])/(60*a^6)

Maple [A] time = 0.531, size = 243, normalized size = 1.3

$$\frac{x^6 (\operatorname{arccot}(ax))^3}{6} + \frac{(\operatorname{arccot}(ax))^3}{6a^6} + \frac{x^5 (\operatorname{arccot}(ax))^2}{10a} - \frac{x^3 (\operatorname{arccot}(ax))^2}{6a^3} + \frac{x^4 \operatorname{arccot}(ax)}{20a^2} - \frac{4x^2 \operatorname{arccot}(ax)}{15a^4} + \frac{x \operatorname{arccot}(ax)}{2a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*arccot(a*x)^3,x)

[Out] 1/6*x^6*arccot(a*x)^3+1/6*arccot(a*x)^3/a^6+1/10*x^5*arccot(a*x)^2/a-1/6*x^3*arccot(a*x)^2/a^3+1/20*x^4*arccot(a*x)/a^2-4/15*x^2*arccot(a*x)/a^4+1/2*x*arccot(a*x)^2/a^5+1/60*x^3/a^3-19/60*x/a^5+1/3*I/a^6-19/60/a^6*arccot(a*x)+23/15*I/a^6*polylog(2,-(a*x+I)/(a^2*x^2+1)^(1/2))-23/15/a^6*arccot(a*x)*ln(1+(a*x+I)/(a^2*x^2+1)^(1/2))+23/15*I/a^6*polylog(2,(a*x+I)/(a^2*x^2+1)^(1/2))

2)) - 23/15/a^6*arccot(a*x)*ln(1-(a*x+I)/(a^2*x^2+1)^(1/2))+23/30*I*arccot(a*x)^2/a^6

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*arccot(a*x)^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}(x^5 \operatorname{arccot}(ax)^3, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*arccot(a*x)^3,x, algorithm="fricas")

[Out] integral(x^5*arccot(a*x)^3, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^5 \operatorname{acot}^3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*acot(a*x)**3,x)

[Out] Integral(x**5*acot(a*x)**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^5 \operatorname{arccot}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*arccot(a*x)^3,x, algorithm="giac")

[Out] integrate(x^5*arccot(a*x)^3, x)

3.24 $\int x^4 \cot^{-1}(ax)^3 dx$

Optimal. Leaf size=205

$$-\frac{3\text{PolyLog}\left(3, 1 - \frac{2}{1+iax}\right)}{10a^5} + \frac{3i \cot^{-1}(ax)\text{PolyLog}\left(2, 1 - \frac{2}{1+iax}\right)}{5a^5} + \frac{x^2}{20a^3} - \frac{\log(a^2x^2 + 1)}{2a^5} + \frac{x^3 \cot^{-1}(ax)}{10a^2} - \frac{3x^2 \cot^{-1}(ax)}{10a^3}$$

```
[Out] x^2/(20*a^3) - (9*x*ArcCot[a*x])/(10*a^4) + (x^3*ArcCot[a*x])/(10*a^2) - (9
*ArcCot[a*x]^2)/(20*a^5) - (3*x^2*ArcCot[a*x]^2)/(10*a^3) + (3*x^4*ArcCot[a
*x]^2)/(20*a) + ((I/5)*ArcCot[a*x]^3)/a^5 + (x^5*ArcCot[a*x]^3)/5 - (3*ArcC
ot[a*x]^2*Log[2/(1 + I*a*x)])/(5*a^5) - Log[1 + a^2*x^2]/(2*a^5) + (((3*I)/
5)*ArcCot[a*x]*PolyLog[2, 1 - 2/(1 + I*a*x)])/a^5 - (3*PolyLog[3, 1 - 2/(1
+ I*a*x)])/(10*a^5)
```

Rubi [A] time = 0.517435, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 22, number of rules used = 11, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 1.1$, Rules used = {4853, 4917, 266, 43, 4847, 260, 4885, 4921, 4855, 4995, 6610}

$$-\frac{3\text{PolyLog}\left(3, 1 - \frac{2}{1+iax}\right)}{10a^5} + \frac{3i \cot^{-1}(ax)\text{PolyLog}\left(2, 1 - \frac{2}{1+iax}\right)}{5a^5} + \frac{x^2}{20a^3} - \frac{\log(a^2x^2 + 1)}{2a^5} + \frac{x^3 \cot^{-1}(ax)}{10a^2} - \frac{3x^2 \cot^{-1}(ax)}{10a^3}$$

Antiderivative was successfully verified.

```
[In] Int[x^4*ArcCot[a*x]^3, x]
```

```
[Out] x^2/(20*a^3) - (9*x*ArcCot[a*x])/(10*a^4) + (x^3*ArcCot[a*x])/(10*a^2) - (9
*ArcCot[a*x]^2)/(20*a^5) - (3*x^2*ArcCot[a*x]^2)/(10*a^3) + (3*x^4*ArcCot[a
*x]^2)/(20*a) + ((I/5)*ArcCot[a*x]^3)/a^5 + (x^5*ArcCot[a*x]^3)/5 - (3*ArcC
ot[a*x]^2*Log[2/(1 + I*a*x)])/(5*a^5) - Log[1 + a^2*x^2]/(2*a^5) + (((3*I)/
5)*ArcCot[a*x]*PolyLog[2, 1 - 2/(1 + I*a*x)])/a^5 - (3*PolyLog[3, 1 - 2/(1
+ I*a*x)])/(10*a^5)
```

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^ (p_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p
)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2
), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || Integ
erQ[m]) && NeQ[m, -1]
```

Rule 4917

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^ (p_.)*((f_.)*(x_))^(m_.)/((d_.) + (e
_.)*(x_)^2), x_Symbol] := Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcCot[c*x])
^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcCot[c*x])^p)/(d +
e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^ (p_.), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 43

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 4847

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.), x_Symbol] := Simp[x*(a + b*Ar
cCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2
*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]
```

Rule 260

```
Int[(x_)^(m_.)/((a_.) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveConten
t[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 4885

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)/((d_.) + (e_.)*(x_)^2), x_Symbo
l] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b,
c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]
```

Rule 4921

```
Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*(x_)/((d_.) + (e_.)*(x_)^2),
x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*e*(p + 1)), x] - Dist[
1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]
```

Rule 4855

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)/((d_.) + (e_.)*(x_)), x_Symbol]
:= -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)
/e, Int[((a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]]/(1 + c^2*x^2), x
], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]
```

Rule 4995

```
Int[(Log[u_] * ((a_.) + ArcCot[(c_.)*(x_)]) * (b_.))^(p_.) / ((d_.) + (e_.)*(x_)^2
), x_Symbol] := -Simp[(I*(a + b*ArcCot[c*x])^p * PolyLog[2, 1 - u]) / (2*c*d),
x] - Dist[(b*p*I) / 2, Int[((a + b*ArcCot[c*x])^(p - 1) * PolyLog[2, 1 - u]) / (d
+ e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*
d] && EqQ[(1 - u)^2 - (1 - (2*I)/(I - c*x))^2, 0]
```

Rule 6610

```
Int[(u_) * PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v,
x]}, Simp[w * PolyLog[n + 1, v], x] /; !FalseQ[w] /; FreeQ[n, x]
```

Rubi steps

$$\begin{aligned}
\int x^4 \cot^{-1}(ax)^3 dx &= \frac{1}{5}x^5 \cot^{-1}(ax)^3 + \frac{1}{5}(3a) \int \frac{x^5 \cot^{-1}(ax)^2}{1+a^2x^2} dx \\
&= \frac{1}{5}x^5 \cot^{-1}(ax)^3 + \frac{3 \int x^3 \cot^{-1}(ax)^2 dx}{5a} - \frac{3 \int \frac{x^3 \cot^{-1}(ax)^2}{1+a^2x^2} dx}{5a} \\
&= \frac{3x^4 \cot^{-1}(ax)^2}{20a} + \frac{1}{5}x^5 \cot^{-1}(ax)^3 + \frac{3}{10} \int \frac{x^4 \cot^{-1}(ax)}{1+a^2x^2} dx - \frac{3 \int x \cot^{-1}(ax)^2 dx}{5a^3} + \frac{3 \int \frac{x \cot^{-1}(ax)}{1+a^2x^2} dx}{5a^3} \\
&= -\frac{3x^2 \cot^{-1}(ax)^2}{10a^3} + \frac{3x^4 \cot^{-1}(ax)^2}{20a} + \frac{i \cot^{-1}(ax)^3}{5a^5} + \frac{1}{5}x^5 \cot^{-1}(ax)^3 - \frac{3 \int \frac{\cot^{-1}(ax)^2}{i-ax} dx}{5a^4} + \frac{3 \int x^2}{5} \\
&= \frac{x^3 \cot^{-1}(ax)}{10a^2} - \frac{3x^2 \cot^{-1}(ax)^2}{10a^3} + \frac{3x^4 \cot^{-1}(ax)^2}{20a} + \frac{i \cot^{-1}(ax)^3}{5a^5} + \frac{1}{5}x^5 \cot^{-1}(ax)^3 - \frac{3 \cot^{-1}(ax)}{5} \\
&= -\frac{9x \cot^{-1}(ax)}{10a^4} + \frac{x^3 \cot^{-1}(ax)}{10a^2} - \frac{9 \cot^{-1}(ax)^2}{20a^5} - \frac{3x^2 \cot^{-1}(ax)^2}{10a^3} + \frac{3x^4 \cot^{-1}(ax)^2}{20a} + \frac{i \cot^{-1}(ax)}{5a^5} \\
&= -\frac{9x \cot^{-1}(ax)}{10a^4} + \frac{x^3 \cot^{-1}(ax)}{10a^2} - \frac{9 \cot^{-1}(ax)^2}{20a^5} - \frac{3x^2 \cot^{-1}(ax)^2}{10a^3} + \frac{3x^4 \cot^{-1}(ax)^2}{20a} + \frac{i \cot^{-1}(ax)}{5a^5} \\
&= \frac{x^2}{20a^3} - \frac{9x \cot^{-1}(ax)}{10a^4} + \frac{x^3 \cot^{-1}(ax)}{10a^2} - \frac{9 \cot^{-1}(ax)^2}{20a^5} - \frac{3x^2 \cot^{-1}(ax)^2}{10a^3} + \frac{3x^4 \cot^{-1}(ax)^2}{20a} + \frac{i \cot^{-1}(ax)}{5a^5}
\end{aligned}$$

Mathematica [A] time = 0.585929, size = 184, normalized size = 0.9

$$-24i \cot^{-1}(ax) \text{PolyLog}\left(2, e^{-2i \cot^{-1}(ax)}\right) - 12 \text{PolyLog}\left(3, e^{-2i \cot^{-1}(ax)}\right) + 2a^2x^2 + 40 \log\left(\frac{1}{ax\sqrt{\frac{1}{a^2x^2}+1}}\right) + 8a^5x^5 \cot^{-1}(ax)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4*ArcCot[a*x]^3,x]

[Out] (2 + I*Pi^3 + 2*a^2*x^2 - 36*a*x*ArcCot[a*x] + 4*a^3*x^3*ArcCot[a*x] - 18*ArcCot[a*x]^2 - 12*a^2*x^2*ArcCot[a*x]^2 + 6*a^4*x^4*ArcCot[a*x]^2 - (8*I)*ArcCot[a*x]^3 + 8*a^5*x^5*ArcCot[a*x]^3 - 24*ArcCot[a*x]^2*Log[1 - E^((-2*I)*ArcCot[a*x])] + 40*Log[1/(a*Sqrt[1 + 1/(a^2*x^2)]*x)] - (24*I)*ArcCot[a*x]*PolyLog[2, E^((-2*I)*ArcCot[a*x])] - 12*PolyLog[3, E^((-2*I)*ArcCot[a*x])])/(40*a^5)

Maple [C] time = 3.753, size = 2731, normalized size = 13.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*arccot(a*x)^3,x)

[Out] -9/10*x*arccot(a*x)/a^4+1/10*x^3*arccot(a*x)/a^2-3/10*x^2*arccot(a*x)^2/a^3+3/20*x^4*arccot(a*x)^2/a+1/20/a^5-6/5/a^5*polylog(3,(a*x+I)/(a^2*x^2+1)^(1/2))-6/5/a^5*polylog(3,-(a*x+I)/(a^2*x^2+1)^(1/2))+1/a^5*ln(1+(a*x+I)/(a^2*x^2+1)^(1/2))+1/a^5*ln((a*x+I)/(a^2*x^2+1)^(1/2))-1)-3/10*I/a^5*arccot(a*x)^2*Pi+6/5*I/a^5*arccot(a*x)*polylog(2,(a*x+I)/(a^2*x^2+1)^(1/2))+6/5*I/a^5*a

$$\begin{aligned} & \operatorname{rccot}(ax) \operatorname{polylog}(2, -(ax+I)/(a^2x^2+1)^{(1/2)}) + 1/5 I \operatorname{arccot}(ax)^3/a^5 + 1/20 x^2/a^3 - 9/20 \operatorname{arccot}(ax)^2/a^5 + 1/5 x^5 \operatorname{arccot}(ax)^3 + 9/160/a^4 \operatorname{arccot}(ax) \\ & x^2 \operatorname{Pi} \operatorname{csgn}(-I*(ax+I)^4/(a^2x^2+1)^2 + 2*I*(ax+I)^2/(a^2x^2+1) - I)^3 x + 9/160/a^4 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1)^2)^3 x + 21/160 I/a^5 \\ & \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(-I*(ax+I)^4/(a^2x^2+1)^2 + 2*I*(ax+I)^2/(a^2x^2+1) - I)^3 - 3/160 I/a^5 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1)^2)^3 - \\ & 3/20 I/a^5 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1)/((ax+I)^2/(a^2x^2+1) - 1)^2)^3 + 9/160/a^4 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(-I*(ax+I)^4/(a^2x^2+1)^2 + 2*I \\ & *(ax+I)^2/(a^2x^2+1) - I) \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1) - I)^2 x - 9/80/a^4 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1))^2 x + 9/160/a^4 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1))^2 x + 3/80/a^2 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1))^2 x \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1)) x + 9/160/a^4 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1))^2 x + 3/80/a^2 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1))^2 x \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1)) x^3 - 3/160/a^2 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1))^2 x^3 - 3/80/a^2 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(-I*(ax+I)^4/(a^2x^2+1)^2 + 2*I*(ax+I)^2/(a^2x^2+1) - I)^2 x \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1) - I) x^3 - 3/160/a^2 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(-I*(ax+I)^4/(a^2x^2+1)^2 + 2*I*(ax+I)^2/(a^2x^2+1) - I) \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1) - I)^2 x^3 + 9/160 I/a^3 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(-I*(ax+I)^4/(a^2x^2+1)^2 + 2*I*(ax+I)^2/(a^2x^2+1) - I)^3 x^2 + 9/160 I/a^3 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(-I*(ax+I)^4/(a^2x^2+1)^2 + 2*I*(ax+I)^2/(a^2x^2+1) - I)^2 x \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1) - I) + 21/160 I/a^5 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(-I*(ax+I)^4/(a^2x^2+1)^2 + 2*I*(ax+I)^2/(a^2x^2+1) - I) \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1) - I)^2 + 3/80 I/a^5 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1))^2)^2 \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1)) - 3/160 I/a^5 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1))^2 \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1))^2 - 3/20 I/a^5 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1)/((ax+I)^2/(a^2x^2+1) - 1)^2)^2 \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1)) - 3/20 I/a^5 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1)/((ax+I)^2/(a^2x^2+1) - 1)^2)^2 \operatorname{csgn}(I*(ax+I)/(a^2x^2+1)^{(1/2)}) + 3/20 I/a^5 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1)) \operatorname{csgn}(I*(ax+I)/(a^2x^2+1)^{(1/2)})^2 + 9/80/a^4 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(-I*(ax+I)^4/(a^2x^2+1)^2 + 2*I*(ax+I)^2/(a^2x^2+1) - I)^2 \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1) - I) x + 3/20 I/a^5 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1))^3 - 3/160/a^2 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1))^2)^3 x^3 - 9/80 I/a^3 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1))^2)^2 \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1)) x^2 + 9/160 I/a^3 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1))^2 \operatorname{csgn}(I*((ax+I)^2/(a^2x^2+1) - 1))^2 x^2 + 3/20 I/a^5 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1)/((ax+I)^2/(a^2x^2+1) - 1)^2) \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1)) \operatorname{csgn}(I/(ax+I)^2/(a^2x^2+1) - 1)^2) + 9/80 I/a^3 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(-I*(ax+I)^4/(a^2x^2+1)^2 + 2*I*(ax+I)^2/(a^2x^2+1) - I)^2 \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1) - I) x^2 + 9/160 I/a^3 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(-I*(ax+I)^4/(a^2x^2+1)^2 + 2*I*(ax+I)^2/(a^2x^2+1) - I) \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1) - I)^2 x^2 + 3/10 I/a^5 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(I*(ax+I)^2/(a^2x^2+1)/((ax+I)^2/(a^2x^2+1) - 1)^2)^2 + 3/5/a^5 \operatorname{arccot}(ax)^2 \ln((ax+I)^2/(a^2x^2+1) - 1) + 3/10/a^5 \operatorname{arccot}(ax)^2 \ln(a^2x^2+1) - 3/5/a^5 \operatorname{arccot}(ax)^2 \ln(1 - (ax+I)/(a^2x^2+1)^{(1/2)}) - 3/5/a^5 \operatorname{arccot}(ax)^2 \ln(1 + (ax+I)/(a^2x^2+1)^{(1/2)}) - 3/5/a^5 \operatorname{arccot}(ax)^2 \ln((ax+I)/(a^2x^2+1)^{(1/2)}) - 3/5/a^5 \operatorname{arccot}(ax)^2 \ln(2) - I/a^5 \operatorname{arccot}(ax) - 3/160/a^2 \operatorname{arccot}(ax)^2 \operatorname{Pi} \operatorname{csgn}(-I*(ax+I)^4/(a^2x^2+1)^2 + 2*I*(ax+I)^2/(a^2x^2+1) - I)^3 x^3 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{40} x^5 \arctan(1, ax)^3 - \frac{3}{160} x^5 \arctan(1, ax) \log(a^2 x^2 + 1)^2 + \int \frac{140 a^2 x^6 \arctan(1, ax)^3 + 12 a^2 x^6 \arctan(1, ax) \log(a^2 x^2 + 1)^2}{160} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccot(a*x)^3,x, algorithm="maxima")

[Out] 1/40*x^5*arctan2(1, a*x)^3 - 3/160*x^5*arctan2(1, a*x)*log(a^2*x^2 + 1)^2 +
 integrate(1/160*(140*a^2*x^6*arctan2(1, a*x)^3 + 12*a^2*x^6*arctan2(1, a*x)
)*log(a^2*x^2 + 1) + 12*a*x^5*arctan2(1, a*x)^2 + 140*x^4*arctan2(1, a*x)^3
 + 3*(5*a^2*x^6*arctan2(1, a*x) - a*x^5 + 5*x^4*arctan2(1, a*x))*log(a^2*x^2
 + 1)^2)/(a^2*x^2 + 1), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}(x^4 \operatorname{arccot}(ax)^3, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccot(a*x)^3,x, algorithm="fricas")

[Out] integral(x^4*arccot(a*x)^3, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^4 \operatorname{acot}^3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*acot(a*x)**3,x)

[Out] Integral(x**4*acot(a*x)**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^4 \operatorname{arccot}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccot(a*x)^3,x, algorithm="giac")

[Out] integrate(x^4*arccot(a*x)^3, x)

3.25 $\int x^3 \cot^{-1}(ax)^3 dx$

Optimal. Leaf size=148

$$-\frac{i\text{PolyLog}\left(2, 1 - \frac{2}{1+iax}\right)}{a^4} + \frac{x^2 \cot^{-1}(ax)}{4a^2} + \frac{x}{4a^3} - \frac{\tan^{-1}(ax)}{4a^4} - \frac{3x \cot^{-1}(ax)^2}{4a^3} - \frac{\cot^{-1}(ax)^3}{4a^4} - \frac{i \cot^{-1}(ax)^2}{a^4} + \frac{2 \log\left(\frac{2}{1+iax}\right)}{a^4}$$

[Out] x/(4*a^3) + (x^2*ArcCot[a*x])/(4*a^2) - (I*ArcCot[a*x]^2)/a^4 - (3*x*ArcCot[a*x]^2)/(4*a^3) + (x^3*ArcCot[a*x]^2)/(4*a) - ArcCot[a*x]^3/(4*a^4) + (x^4*ArcCot[a*x]^3)/4 - ArcTan[a*x]/(4*a^4) + (2*ArcCot[a*x]*Log[2/(1 + I*a*x)])/a^4 - (I*PolyLog[2, 1 - 2/(1 + I*a*x)])/a^4

Rubi [A] time = 0.385544, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 10, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 1.$, Rules used = {4853, 4917, 321, 203, 4921, 4855, 2402, 2315, 4847, 4885}

$$-\frac{i\text{PolyLog}\left(2, 1 - \frac{2}{1+iax}\right)}{a^4} + \frac{x^2 \cot^{-1}(ax)}{4a^2} + \frac{x}{4a^3} - \frac{\tan^{-1}(ax)}{4a^4} - \frac{3x \cot^{-1}(ax)^2}{4a^3} - \frac{\cot^{-1}(ax)^3}{4a^4} - \frac{i \cot^{-1}(ax)^2}{a^4} + \frac{2 \log\left(\frac{2}{1+iax}\right)}{a^4}$$

Antiderivative was successfully verified.

[In] Int[x^3*ArcCot[a*x]^3, x]

[Out] x/(4*a^3) + (x^2*ArcCot[a*x])/(4*a^2) - (I*ArcCot[a*x]^2)/a^4 - (3*x*ArcCot[a*x]^2)/(4*a^3) + (x^3*ArcCot[a*x]^2)/(4*a) - ArcCot[a*x]^3/(4*a^4) + (x^4*ArcCot[a*x]^3)/4 - ArcTan[a*x]/(4*a^4) + (2*ArcCot[a*x]*Log[2/(1 + I*a*x)])/a^4 - (I*PolyLog[2, 1 - 2/(1 + I*a*x)])/a^4

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*((d_.)*(x_.))^ (m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 4917

Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*((f_.)*(x_.))^ (m_.))/((d_.) + (e_.)*(x_)^2), x_Symbol] :> Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcCot[c*x])^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]

Rule 321

Int[((c_.)*(x_.))^ (m_.)*((a_.) + (b_.)*(x_)^(n_.))^ (p_.), x_Symbol] :> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^p)/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])]/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a

, 0] || GtQ[b, 0])

Rule 4921

Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)*(x_.))/((d_.) + (e_.)*(x_.)^2), x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*e*(p + 1)), x] - Dist[1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]

Rule 4855

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_.)), x_Symbol] := -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)/e, Int[((a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)])/((1 + c^2*x^2)), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_.) + (e_.)*(x_.))]/((f_.) + (g_.)*(x_.)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_.)/((d_.) + (e_.)*(x_.))], x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rule 4847

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.), x_Symbol] := Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 4885

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_.)^2), x_Symbol] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\int x^3 \cot^{-1}(ax)^3 dx &= \frac{1}{4}x^4 \cot^{-1}(ax)^3 + \frac{1}{4}(3a) \int \frac{x^4 \cot^{-1}(ax)^2}{1+a^2x^2} dx \\
&= \frac{1}{4}x^4 \cot^{-1}(ax)^3 + \frac{3 \int x^2 \cot^{-1}(ax)^2 dx}{4a} - \frac{3 \int \frac{x^2 \cot^{-1}(ax)^2}{1+a^2x^2} dx}{4a} \\
&= \frac{x^3 \cot^{-1}(ax)^2}{4a} + \frac{1}{4}x^4 \cot^{-1}(ax)^3 + \frac{1}{2} \int \frac{x^3 \cot^{-1}(ax)}{1+a^2x^2} dx - \frac{3 \int \cot^{-1}(ax)^2 dx}{4a^3} + \frac{3 \int \frac{\cot^{-1}(ax)^2}{1+a^2x^2} dx}{4a^3} \\
&= -\frac{3x \cot^{-1}(ax)^2}{4a^3} + \frac{x^3 \cot^{-1}(ax)^2}{4a} - \frac{\cot^{-1}(ax)^3}{4a^4} + \frac{1}{4}x^4 \cot^{-1}(ax)^3 + \frac{\int x \cot^{-1}(ax) dx}{2a^2} - \frac{\int \frac{x \cot^{-1}(ax)}{1+a^2x^2} dx}{2a^2} \\
&= \frac{x^2 \cot^{-1}(ax)}{4a^2} - \frac{i \cot^{-1}(ax)^2}{a^4} - \frac{3x \cot^{-1}(ax)^2}{4a^3} + \frac{x^3 \cot^{-1}(ax)^2}{4a} - \frac{\cot^{-1}(ax)^3}{4a^4} + \frac{1}{4}x^4 \cot^{-1}(ax)^3 + \int \dots \\
&= \frac{x}{4a^3} + \frac{x^2 \cot^{-1}(ax)}{4a^2} - \frac{i \cot^{-1}(ax)^2}{a^4} - \frac{3x \cot^{-1}(ax)^2}{4a^3} + \frac{x^3 \cot^{-1}(ax)^2}{4a} - \frac{\cot^{-1}(ax)^3}{4a^4} + \frac{1}{4}x^4 \cot^{-1}(ax)^3 \\
&= \frac{x}{4a^3} + \frac{x^2 \cot^{-1}(ax)}{4a^2} - \frac{i \cot^{-1}(ax)^2}{a^4} - \frac{3x \cot^{-1}(ax)^2}{4a^3} + \frac{x^3 \cot^{-1}(ax)^2}{4a} - \frac{\cot^{-1}(ax)^3}{4a^4} + \frac{1}{4}x^4 \cot^{-1}(ax)^3 \\
&= \frac{x}{4a^3} + \frac{x^2 \cot^{-1}(ax)}{4a^2} - \frac{i \cot^{-1}(ax)^2}{a^4} - \frac{3x \cot^{-1}(ax)^2}{4a^3} + \frac{x^3 \cot^{-1}(ax)^2}{4a} - \frac{\cot^{-1}(ax)^3}{4a^4} + \frac{1}{4}x^4 \cot^{-1}(ax)^3
\end{aligned}$$

Mathematica [A] time = 0.332578, size = 96, normalized size = 0.65

$$\frac{-4i \text{PolyLog}\left(2, e^{2i \cot^{-1}(ax)}\right) + (a^4 x^4 - 1) \cot^{-1}(ax)^3 + (a^3 x^3 - 3ax - 4i) \cot^{-1}(ax)^2 + \cot^{-1}(ax) \left(a^2 x^2 + 8 \log\left(1 - e^{2i \cot^{-1}(ax)}\right)\right)}{4a^4}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^3*ArcCot[a*x]^3,x]

[Out] (a*x + (-4*I - 3*a*x + a^3*x^3)*ArcCot[a*x]^2 + (-1 + a^4*x^4)*ArcCot[a*x]^3 + ArcCot[a*x]*(1 + a^2*x^2 + 8*Log[1 - E^((2*I)*ArcCot[a*x])]) - (4*I)*PolyLog[2, E^((2*I)*ArcCot[a*x])])/(4*a^4)

Maple [A] time = 0.451, size = 209, normalized size = 1.4

$$\frac{x^4 (\operatorname{arccot}(ax))^3}{4} - \frac{(\operatorname{arccot}(ax))^3}{4a^4} + \frac{x^3 (\operatorname{arccot}(ax))^2}{4a} - \frac{3x (\operatorname{arccot}(ax))^2}{4a^3} + \frac{x^2 \operatorname{arccot}(ax)}{4a^2} - \frac{i (\operatorname{arccot}(ax))^2}{a^4} + \frac{\operatorname{arccot}(ax)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*arccot(a*x)^3,x)

[Out] 1/4*x^4*arccot(a*x)^3-1/4*arccot(a*x)^3/a^4+1/4*x^3*arccot(a*x)^2/a-3/4*x*arccot(a*x)^2/a^3+1/4*x^2*arccot(a*x)/a^2-I*arccot(a*x)^2/a^4+1/4/a^4*arccot(a*x)+1/4*x/a^3-1/4*I/a^4+2/a^4*arccot(a*x)*ln(1+(a*x+I)/(a^2*x^2+1)^(1/2))-2*I/a^4*polylog(2,-(a*x+I)/(a^2*x^2+1)^(1/2))+2/a^4*arccot(a*x)*ln(1-(a*x+I)/(a^2*x^2+1)^(1/2))-2*I/a^4*polylog(2,(a*x+I)/(a^2*x^2+1)^(1/2))

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccot(a*x)^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}(x^3 \operatorname{arccot}(ax)^3, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccot(a*x)^3,x, algorithm="fricas")

[Out] integral(x^3*arccot(a*x)^3, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^3 \operatorname{acot}^3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*acot(a*x)**3,x)

[Out] Integral(x**3*acot(a*x)**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^3 \operatorname{arccot}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccot(a*x)^3,x, algorithm="giac")

[Out] integrate(x^3*arccot(a*x)^3, x)

3.26 $\int x^2 \cot^{-1}(ax)^3 dx$

Optimal. Leaf size=157

$$\frac{\text{PolyLog}\left(3, 1 - \frac{2}{1+iax}\right)}{2a^3} - \frac{i \cot^{-1}(ax) \text{PolyLog}\left(2, 1 - \frac{2}{1+iax}\right)}{a^3} + \frac{\log(a^2x^2 + 1)}{2a^3} - \frac{i \cot^{-1}(ax)^3}{3a^3} + \frac{\cot^{-1}(ax)^2}{2a^3} + \frac{x \cot^{-1}(ax)}{a^2}$$

[Out] (x*ArcCot[a*x])/a^2 + ArcCot[a*x]^2/(2*a^3) + (x^2*ArcCot[a*x]^2)/(2*a) - ((I/3)*ArcCot[a*x]^3)/a^3 + (x^3*ArcCot[a*x]^3)/3 + (ArcCot[a*x]^2*Log[2/(1 + I*a*x)])/a^3 + Log[1 + a^2*x^2]/(2*a^3) - (I*ArcCot[a*x]*PolyLog[2, 1 - 2/(1 + I*a*x)])/a^3 + PolyLog[3, 1 - 2/(1 + I*a*x)]/(2*a^3)

Rubi [A] time = 0.301527, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.9$, Rules used = {4853, 4917, 4847, 260, 4885, 4921, 4855, 4995, 6610}

$$\frac{\text{PolyLog}\left(3, 1 - \frac{2}{1+iax}\right)}{2a^3} - \frac{i \cot^{-1}(ax) \text{PolyLog}\left(2, 1 - \frac{2}{1+iax}\right)}{a^3} + \frac{\log(a^2x^2 + 1)}{2a^3} - \frac{i \cot^{-1}(ax)^3}{3a^3} + \frac{\cot^{-1}(ax)^2}{2a^3} + \frac{x \cot^{-1}(ax)}{a^2}$$

Antiderivative was successfully verified.

[In] Int[x^2*ArcCot[a*x]^3, x]

[Out] (x*ArcCot[a*x])/a^2 + ArcCot[a*x]^2/(2*a^3) + (x^2*ArcCot[a*x]^2)/(2*a) - ((I/3)*ArcCot[a*x]^3)/a^3 + (x^3*ArcCot[a*x]^3)/3 + (ArcCot[a*x]^2*Log[2/(1 + I*a*x)])/a^3 + Log[1 + a^2*x^2]/(2*a^3) - (I*ArcCot[a*x]*PolyLog[2, 1 - 2/(1 + I*a*x)])/a^3 + PolyLog[3, 1 - 2/(1 + I*a*x)]/(2*a^3)

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*((d_.)*(x_.))^ (m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]
```

Rule 4917

```
Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*((f_.)*(x_.))^ (m_.))/((d_.) + (e_.)*(x_)^2), x_Symbol]
:> Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcCot[c*x])^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]
```

Rule 4847

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.), x_Symbol]
:> Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]
```

Rule 260

```
Int[(x_)^(m_.)/((a_.) + (b_.)*(x_)^(n_.)), x_Symbol]
:> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 4885

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)^2), x_Symbol] :> -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]

Rule 4921

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*(x_)/((d_) + (e_.)*(x_)^2), x_Symbol] :> Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*e*(p + 1)), x] - Dist[1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]

Rule 4855

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symbol] :> -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)/e, Int[(a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 4995

Int[(Log[u_]*((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)^2), x_Symbol] :> -Simp[(I*(a + b*ArcCot[c*x])^p*PolyLog[2, 1 - u])/(2*c*d), x] - Dist[(b*p*I)/2, Int[(a + b*ArcCot[c*x])^(p - 1)*PolyLog[2, 1 - u])/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && EqQ[(1 - u)^2 - (1 - (2*I)/(I - c*x))^2, 0]

Rule 6610

Int[(u_)*PolyLog[n_, v_], x_Symbol] :> With[{w = DerivativeDivides[v, u*v, x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]

Rubi steps

$$\begin{aligned}
 \int x^2 \cot^{-1}(ax)^3 dx &= \frac{1}{3}x^3 \cot^{-1}(ax)^3 + a \int \frac{x^3 \cot^{-1}(ax)^2}{1 + a^2x^2} dx \\
 &= \frac{1}{3}x^3 \cot^{-1}(ax)^3 + \frac{\int x \cot^{-1}(ax)^2 dx}{a} - \frac{\int \frac{x \cot^{-1}(ax)^2}{1 + a^2x^2} dx}{a} \\
 &= \frac{x^2 \cot^{-1}(ax)^2}{2a} - \frac{i \cot^{-1}(ax)^3}{3a^3} + \frac{1}{3}x^3 \cot^{-1}(ax)^3 + \frac{\int \frac{\cot^{-1}(ax)^2}{i - ax} dx}{a^2} + \int \frac{x^2 \cot^{-1}(ax)}{1 + a^2x^2} dx \\
 &= \frac{x^2 \cot^{-1}(ax)^2}{2a} - \frac{i \cot^{-1}(ax)^3}{3a^3} + \frac{1}{3}x^3 \cot^{-1}(ax)^3 + \frac{\cot^{-1}(ax)^2 \log\left(\frac{2}{1 + iax}\right)}{a^3} + \frac{\int \cot^{-1}(ax) dx}{a^2} - \int \frac{1}{1 + a^2x^2} dx \\
 &= \frac{x \cot^{-1}(ax)}{a^2} + \frac{\cot^{-1}(ax)^2}{2a^3} + \frac{x^2 \cot^{-1}(ax)^2}{2a} - \frac{i \cot^{-1}(ax)^3}{3a^3} + \frac{1}{3}x^3 \cot^{-1}(ax)^3 + \frac{\cot^{-1}(ax)^2 \log\left(\frac{2}{1 + iax}\right)}{a^3} \\
 &= \frac{x \cot^{-1}(ax)}{a^2} + \frac{\cot^{-1}(ax)^2}{2a^3} + \frac{x^2 \cot^{-1}(ax)^2}{2a} - \frac{i \cot^{-1}(ax)^3}{3a^3} + \frac{1}{3}x^3 \cot^{-1}(ax)^3 + \frac{\cot^{-1}(ax)^2 \log\left(\frac{2}{1 + iax}\right)}{a^3}
 \end{aligned}$$

Mathematica [A] time = 0.323755, size = 149, normalized size = 0.95

$$24i \cot^{-1}(ax) \text{PolyLog}\left(2, e^{-2i \cot^{-1}(ax)}\right) + 12 \text{PolyLog}\left(3, e^{-2i \cot^{-1}(ax)}\right) - 24 \log\left(\frac{1}{ax \sqrt{\frac{1}{a^2x^2} + 1}}\right) + 8a^3x^3 \cot^{-1}(ax)^3 + 12a^2$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2*ArcCot[a*x]^3,x]

[Out] $((-I)\pi^3 + 24ax \operatorname{ArcCot}[ax] + 12 \operatorname{ArcCot}[ax]^2 + 12a^2x^2 \operatorname{ArcCot}[ax]^2 + (8I) \operatorname{ArcCot}[ax]^3 + 8a^3x^3 \operatorname{ArcCot}[ax]^3 + 24 \operatorname{ArcCot}[ax]^2 \operatorname{Log}[1 - E^{((-2I)\operatorname{ArcCot}[ax])}] - 24 \operatorname{Log}[1/(a\sqrt{1+1/(a^2x^2)})x] + (24I) \operatorname{ArcCot}[ax] \operatorname{PolyLog}[2, E^{((-2I)\operatorname{ArcCot}[ax])}] + 12 \operatorname{PolyLog}[3, E^{((-2I)\operatorname{ArcCot}[ax])}]) / (24a^3)$

Maple [C] time = 1.355, size = 1815, normalized size = 11.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*arccot(a*x)^3,x)

[Out] $-1/8/a^2 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(-I(a+x)^4/(a^2x^2+1)^2+2I(a+x)^2/(a^2x^2+1)-I)^3x+1/2x^2 \operatorname{arccot}(ax)^2/a-1/3I \operatorname{arccot}(ax)^3/a^3+1/4I/a^3a \operatorname{rccot}(ax)^2 \pi \operatorname{csgn}(I(a+x)^2/(a^2x^2+1)/((a+x)^2/(a^2x^2+1)-1)^2)^3 -1/8I/a^3 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(-I(a+x)^4/(a^2x^2+1)^2+2I(a+x)^2/(a^2x^2+1)-I) \operatorname{csgn}(I(a+x)^2/(a^2x^2+1)-I)^2-1/4I/a^3 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(I((a+x)^2/(a^2x^2+1)-1)^2)^2 \operatorname{csgn}(I((a+x)^2/(a^2x^2+1)-1))+1/8I/a^3 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(I((a+x)^2/(a^2x^2+1)-1)^2) \operatorname{csgn}(I((a+x)^2/(a^2x^2+1)-1))^2+1/2I/a^3 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(I(a+x)^2/(a^2x^2+1))^2 \operatorname{csgn}(I(a+x)/(a^2x^2+1)^{(1/2)})+1/4I/a^3 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(I(a+x)^2/(a^2x^2+1)) \operatorname{csgn}(I(a+x)^2/(a^2x^2+1)/((a+x)^2/(a^2x^2+1)-1)^2)^2-1/4I/a^3 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(I(a+x)^2/(a^2x^2+1)) \operatorname{csgn}(I(a+x+I)/(a^2x^2+1)^{(1/2)})^2+1/4I/a^3 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(I(a+x)^2/(a^2x^2+1)/((a+x)^2/(a^2x^2+1)-1)^2)-1/4/a^2 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(-I(a+x)^4/(a^2x^2+1)^2+2I(a+x)^2/(a^2x^2+1)-I)^2 \operatorname{csgn}(I(a+x)^2/(a^2x^2+1)-I)x-1/8/a^2 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(-I(a+x)^4/(a^2x^2+1)^2+2I(a+x)^2/(a^2x^2+1)-I) \operatorname{csgn}(I(a+x)^2/(a^2x^2+1)-I)^2x+1/4/a^2 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(I((a+x)^2/(a^2x^2+1)-1)^2)^2 \operatorname{csgn}(I((a+x)^2/(a^2x^2+1)-1))x-1/8/a^2 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(I((a+x)^2/(a^2x^2+1)-1)^2) \operatorname{csgn}(I((a+x)^2/(a^2x^2+1)-1))^2x-1/4I/a^3a \operatorname{rccot}(ax)^2 \pi \operatorname{csgn}(-I(a+x)^4/(a^2x^2+1)^2+2I(a+x)^2/(a^2x^2+1)-I)^2 \operatorname{csgn}(I(a+x)^2/(a^2x^2+1)-I)+x \operatorname{arccot}(ax)/a^2-1/2I/a^3 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(I(a+x)^2/(a^2x^2+1)/((a+x)^2/(a^2x^2+1)-1)^2)^2-2I/a^3a \operatorname{rccot}(ax) \operatorname{polylog}(2, (a+x)/(a^2x^2+1)^{(1/2)})-2I/a^3 \operatorname{arccot}(ax) \operatorname{polylog}(2, -(a+x)/(a^2x^2+1)^{(1/2)})+1/2I/a^3 \operatorname{arccot}(ax)^2 \pi -1/4I/a^3 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(I(a+x)^2/(a^2x^2+1)) \operatorname{csgn}(I(a+x)^2/(a^2x^2+1)/((a+x)^2/(a^2x^2+1)-1)^2)-1/2/a^3 \operatorname{arccot}(ax)^2 \ln(a^2x^2+1)+1/a^3 \operatorname{arccot}(ax)^2 \ln((a+x)/(a^2x^2+1)^{(1/2)})-1/a^3 \operatorname{arccot}(ax)^2 \ln((a+x)^2/(a^2x^2+1)-1)+1/a^3 \operatorname{arccot}(ax)^2 \ln(1-(a+x)/(a^2x^2+1)^{(1/2)})+1/a^3 \operatorname{arccot}(ax)^2 \ln(1+(a+x)/(a^2x^2+1)^{(1/2)})+I/a^3 \operatorname{arccot}(ax)+1/a^3 \operatorname{arccot}(ax)^2 \ln(2)+1/2 \operatorname{arccot}(ax)^2/a^3+1/3x^3 \operatorname{arccot}(ax)^3-1/8/a^2 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(I((a+x)^2/(a^2x^2+1)-1)^2)^3x-1/8I/a^3 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(-I(a+x)^4/(a^2x^2+1)^2+2I(a+x)^2/(a^2x^2+1)-I)^3+1/8I/a^3 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(I((a+x)^2/(a^2x^2+1)-1)^2)^3-1/4I/a^3 \operatorname{arccot}(ax)^2 \pi \operatorname{csgn}(I(a+x)^2/(a^2x^2+1))^3+2/a^3 \operatorname{polylog}(3, (a+x)/(a^2x^2+1)^{(1/2)})+2/a^3 \operatorname{polylog}(3, -(a+x)/(a^2x^2+1)^{(1/2)})-1/a^3 \ln((a+x)/(a^2x^2+1)^{(1/2)}-1)-1/a^3 \ln(1+(a+x)/(a^2x^2+1)^{(1/2)})$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{24} x^3 \arctan(1, ax)^3 - \frac{1}{32} x^3 \arctan(1, ax) \log(a^2 x^2 + 1)^2 + \int \frac{28 a^2 x^4 \arctan(1, ax)^3 + 4 a^2 x^4 \arctan(1, ax) \log(a^2 x^2 + 1)^2}{(a^2 x^2 + 1)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(a*x)^3,x, algorithm="maxima")

[Out] 1/24*x^3*arctan2(1, a*x)^3 - 1/32*x^3*arctan2(1, a*x)*log(a^2*x^2 + 1)^2 + integrate(1/32*(28*a^2*x^4*arctan2(1, a*x)^3 + 4*a^2*x^4*arctan2(1, a*x)*log(a^2*x^2 + 1) + 4*a*x^3*arctan2(1, a*x)^2 + 28*x^2*arctan2(1, a*x)^3 + (3*a^2*x^4*arctan2(1, a*x) - a*x^3 + 3*x^2*arctan2(1, a*x))*log(a^2*x^2 + 1)^2)/(a^2*x^2 + 1), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}(x^2 \operatorname{arccot}(ax)^3, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(a*x)^3,x, algorithm="fricas")

[Out] integral(x^2*arccot(a*x)^3, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{acot}^3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(a*x)**3,x)

[Out] Integral(x**2*acot(a*x)**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{arccot}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(a*x)^3,x, algorithm="giac")

[Out] integrate(x^2*arccot(a*x)^3, x)

3.27 $\int x \cot^{-1}(ax)^3 dx$

Optimal. Leaf size=103

$$\frac{3i \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+iax}\right)}{2a^2} + \frac{\cot^{-1}(ax)^3}{2a^2} + \frac{3i \cot^{-1}(ax)^2}{2a^2} - \frac{3 \log\left(\frac{2}{1+iax}\right) \cot^{-1}(ax)}{a^2} + \frac{1}{2} x^2 \cot^{-1}(ax)^3 + \frac{3x \cot^{-1}(ax)^2}{2a}$$

[Out] (((3*I)/2)*ArcCot[a*x]^2)/a^2 + (3*x*ArcCot[a*x]^2)/(2*a) + ArcCot[a*x]^3/(2*a^2) + (x^2*ArcCot[a*x]^3)/2 - (3*ArcCot[a*x]*Log[2/(1 + I*a*x)])/a^2 + ((3*I)/2)*PolyLog[2, 1 - 2/(1 + I*a*x)]/a^2

Rubi [A] time = 0.170855, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 1.$, Rules used = {4853, 4917, 4847, 4921, 4855, 2402, 2315, 4885}

$$\frac{3i \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+iax}\right)}{2a^2} + \frac{\cot^{-1}(ax)^3}{2a^2} + \frac{3i \cot^{-1}(ax)^2}{2a^2} - \frac{3 \log\left(\frac{2}{1+iax}\right) \cot^{-1}(ax)}{a^2} + \frac{1}{2} x^2 \cot^{-1}(ax)^3 + \frac{3x \cot^{-1}(ax)^2}{2a}$$

Antiderivative was successfully verified.

[In] Int[x*ArcCot[a*x]^3,x]

[Out] (((3*I)/2)*ArcCot[a*x]^2)/a^2 + (3*x*ArcCot[a*x]^2)/(2*a) + ArcCot[a*x]^3/(2*a^2) + (x^2*ArcCot[a*x]^3)/2 - (3*ArcCot[a*x]*Log[2/(1 + I*a*x)])/a^2 + ((3*I)/2)*PolyLog[2, 1 - 2/(1 + I*a*x)]/a^2

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]
```

Rule 4917

```
Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*((f_.)*(x_))^(m_.)/((d_) + (e_.)*(x_)^2), x_Symbol]
:> Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcCot[c*x])^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]
```

Rule 4847

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.), x_Symbol]
:> Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]
```

Rule 4921

```
Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*(x_)/((d_) + (e_.)*(x_)^2), x_Symbol]
:> Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*e*(p + 1)), x] - Dist[1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]
```

Rule 4855

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symbol]
  := -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)
/e, Int[((a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]]/(1 + c^2*x^2),
x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]
```

Rule 2402

```
Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dis
t[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{
c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 -
c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 4885

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)^2), x_Symbo
l] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b,
c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int x \cot^{-1}(ax)^3 dx &= \frac{1}{2}x^2 \cot^{-1}(ax)^3 + \frac{1}{2}(3a) \int \frac{x^2 \cot^{-1}(ax)^2}{1 + a^2x^2} dx \\
&= \frac{1}{2}x^2 \cot^{-1}(ax)^3 + \frac{3 \int \cot^{-1}(ax)^2 dx}{2a} - \frac{3 \int \frac{\cot^{-1}(ax)^2}{1+a^2x^2} dx}{2a} \\
&= \frac{3x \cot^{-1}(ax)^2}{2a} + \frac{\cot^{-1}(ax)^3}{2a^2} + \frac{1}{2}x^2 \cot^{-1}(ax)^3 + 3 \int \frac{x \cot^{-1}(ax)}{1 + a^2x^2} dx \\
&= \frac{3i \cot^{-1}(ax)^2}{2a^2} + \frac{3x \cot^{-1}(ax)^2}{2a} + \frac{\cot^{-1}(ax)^3}{2a^2} + \frac{1}{2}x^2 \cot^{-1}(ax)^3 - \frac{3 \int \frac{\cot^{-1}(ax)}{i-ax} dx}{a} \\
&= \frac{3i \cot^{-1}(ax)^2}{2a^2} + \frac{3x \cot^{-1}(ax)^2}{2a} + \frac{\cot^{-1}(ax)^3}{2a^2} + \frac{1}{2}x^2 \cot^{-1}(ax)^3 - \frac{3 \cot^{-1}(ax) \log\left(\frac{2}{1+iax}\right)}{a^2} - \frac{3 \int \frac{\log\left(\frac{2}{1+iax}\right)}{i-ax} dx}{a} \\
&= \frac{3i \cot^{-1}(ax)^2}{2a^2} + \frac{3x \cot^{-1}(ax)^2}{2a} + \frac{\cot^{-1}(ax)^3}{2a^2} + \frac{1}{2}x^2 \cot^{-1}(ax)^3 - \frac{3 \cot^{-1}(ax) \log\left(\frac{2}{1+iax}\right)}{a^2} + \frac{(3i) \operatorname{Li}_2\left(\frac{2}{1+iax}\right)}{a} \\
&= \frac{3i \cot^{-1}(ax)^2}{2a^2} + \frac{3x \cot^{-1}(ax)^2}{2a} + \frac{\cot^{-1}(ax)^3}{2a^2} + \frac{1}{2}x^2 \cot^{-1}(ax)^3 - \frac{3 \cot^{-1}(ax) \log\left(\frac{2}{1+iax}\right)}{a^2} + \frac{3i \operatorname{Li}_2\left(\frac{2}{1+iax}\right)}{a}
\end{aligned}$$

Mathematica [A] time = 0.0857338, size = 76, normalized size = 0.74

$$\frac{3i \operatorname{PolyLog}\left(2, e^{2i \cot^{-1}(ax)}\right) + \cot^{-1}(ax) \left((a^2x^2 + 1) \cot^{-1}(ax)^2 + 3(ax + i) \cot^{-1}(ax) - 6 \log\left(1 - e^{2i \cot^{-1}(ax)}\right) \right)}{2a^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[x*ArcCot[a*x]^3,x]
```

```
[Out] (ArcCot[a*x]*(3*(I + a*x)*ArcCot[a*x] + (1 + a^2*x^2)*ArcCot[a*x]^2 - 6*Log
[1 - E^((2*I)*ArcCot[a*x])]) + (3*I)*PolyLog[2, E^((2*I)*ArcCot[a*x])])/(2*
a^2)
```

Maple [A] time = 0.316, size = 162, normalized size = 1.6

$$\frac{x^2 (\operatorname{arccot}(ax))^3}{2} + \frac{(\operatorname{arccot}(ax))^3}{2a^2} + \frac{3x (\operatorname{arccot}(ax))^2}{2a} + \frac{\frac{3i}{2} (\operatorname{arccot}(ax))^2}{a^2} - 3 \frac{\operatorname{arccot}(ax)}{a^2} \ln\left(1 - \frac{ax+i}{\sqrt{a^2x^2+1}}\right) - 3 \frac{\operatorname{arccot}(ax)}{a^2} \ln\left(1 + \frac{ax+i}{\sqrt{a^2x^2+1}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccot(a*x)^3,x)

[Out] 1/2*x^2*arccot(a*x)^3+1/2*arccot(a*x)^3/a^2+3/2*x*arccot(a*x)^2/a+3/2*I*arccot(a*x)^2/a^2-3/a^2*arccot(a*x)*ln(1-(a*x+I)/(a^2*x^2+1)^(1/2))-3/a^2*arccot(a*x)*ln(1+(a*x+I)/(a^2*x^2+1)^(1/2))+3*I/a^2*polylog(2,-(a*x+I)/(a^2*x^2+1)^(1/2))+3*I/a^2*polylog(2,(a*x+I)/(a^2*x^2+1)^(1/2))

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(a*x)^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}(x \operatorname{arccot}(ax)^3, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(a*x)^3,x, algorithm="fricas")

[Out] integral(x*arccot(a*x)^3, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{arccot}^3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(a*x)**3,x)

[Out] Integral(x*arccot(a*x)**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{arccot}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arccot(a*x)^3,x, algorithm="giac")
```

```
[Out] integrate(x*arccot(a*x)^3, x)
```

3.28 $\int \cot^{-1}(ax)^3 dx$

Optimal. Leaf size=96

$$-\frac{3\text{PolyLog}\left(3,1-\frac{2}{1+iax}\right)}{2a} + \frac{3i\cot^{-1}(ax)\text{PolyLog}\left(2,1-\frac{2}{1+iax}\right)}{a} + x\cot^{-1}(ax)^3 + \frac{i\cot^{-1}(ax)^3}{a} - \frac{3\log\left(\frac{2}{1+iax}\right)\cot^{-1}(ax)^2}{a}$$

[Out] (I*ArcCot[a*x]^3)/a + x*ArcCot[a*x]^3 - (3*ArcCot[a*x]^2*Log[2/(1 + I*a*x)])/a + ((3*I)*ArcCot[a*x]*PolyLog[2, 1 - 2/(1 + I*a*x)])/a - (3*PolyLog[3, 1 - 2/(1 + I*a*x)])/(2*a)

Rubi [A] time = 0.149912, antiderivative size = 96, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 6, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 1.$, Rules used = {4847, 4921, 4855, 4885, 4995, 6610}

$$-\frac{3\text{PolyLog}\left(3,1-\frac{2}{1+iax}\right)}{2a} + \frac{3i\cot^{-1}(ax)\text{PolyLog}\left(2,1-\frac{2}{1+iax}\right)}{a} + x\cot^{-1}(ax)^3 + \frac{i\cot^{-1}(ax)^3}{a} - \frac{3\log\left(\frac{2}{1+iax}\right)\cot^{-1}(ax)^2}{a}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]^3,x]

[Out] (I*ArcCot[a*x]^3)/a + x*ArcCot[a*x]^3 - (3*ArcCot[a*x]^2*Log[2/(1 + I*a*x)])/a + ((3*I)*ArcCot[a*x]*PolyLog[2, 1 - 2/(1 + I*a*x)])/a - (3*PolyLog[3, 1 - 2/(1 + I*a*x)])/(2*a)

Rule 4847

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.), x_Symbol] := Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c^p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 4921

Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*(x_)/((d_) + (e_.)*(x_)^2), x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*e*(p + 1)), x] - Dist[1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]

Rule 4855

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c^p)/e, Int[(a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]]/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 4885

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)/((d_) + (e_.)*(x_)^2), x_Symbol] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]

Rule 4995

Int[(Log[u_] * ((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)/((d_) + (e_.)*(x_)^2), x_Symbol] := -Simp[(I*(a + b*ArcCot[c*x])^p*PolyLog[2, 1 - u]]/(2*c*d),

$x] - \text{Dist}[(b*p*I)/2, \text{Int}[(a + b*\text{ArcCot}[c*x])^{(p-1)}*\text{PolyLog}[2, 1-u]/(d + e*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{IGtQ}[p, 0] \&\& \text{EqQ}[e, c^2*d] \&\& \text{EqQ}[(1-u)^2 - (1-(2*I)/(I-c*x))^2, 0]$

Rule 6610

$\text{Int}[(u_)*\text{PolyLog}[n_, v_], x_Symbol] \rightarrow \text{With}[\{w = \text{DerivativeDivides}[v, u*v, x]\}, \text{Simp}[w*\text{PolyLog}[n+1, v], x] /; \text{!FalseQ}[w]] /; \text{FreeQ}[n, x]$

Rubi steps

$$\begin{aligned} \int \cot^{-1}(ax)^3 dx &= x \cot^{-1}(ax)^3 + (3a) \int \frac{x \cot^{-1}(ax)^2}{1+a^2x^2} dx \\ &= \frac{i \cot^{-1}(ax)^3}{a} + x \cot^{-1}(ax)^3 - 3 \int \frac{\cot^{-1}(ax)^2}{i-ax} dx \\ &= \frac{i \cot^{-1}(ax)^3}{a} + x \cot^{-1}(ax)^3 - \frac{3 \cot^{-1}(ax)^2 \log\left(\frac{2}{1+iax}\right)}{a} - 6 \int \frac{\cot^{-1}(ax) \log\left(\frac{2}{1+iax}\right)}{1+a^2x^2} dx \\ &= \frac{i \cot^{-1}(ax)^3}{a} + x \cot^{-1}(ax)^3 - \frac{3 \cot^{-1}(ax)^2 \log\left(\frac{2}{1+iax}\right)}{a} + \frac{3i \cot^{-1}(ax) \text{Li}_2\left(1 - \frac{2}{1+iax}\right)}{a} + 3i \int \frac{\text{Li}_2\left(1 - \frac{2}{1+iax}\right)}{1+a^2x^2} dx \\ &= \frac{i \cot^{-1}(ax)^3}{a} + x \cot^{-1}(ax)^3 - \frac{3 \cot^{-1}(ax)^2 \log\left(\frac{2}{1+iax}\right)}{a} + \frac{3i \cot^{-1}(ax) \text{Li}_2\left(1 - \frac{2}{1+iax}\right)}{a} - \frac{3 \text{Li}_3\left(1 - \frac{2}{1+iax}\right)}{2a} \end{aligned}$$

Mathematica [A] time = 0.104136, size = 90, normalized size = 0.94

$$\frac{3i \cot^{-1}(ax) \text{PolyLog}\left(2, e^{-2i \cot^{-1}(ax)}\right)}{a} - \frac{3 \text{PolyLog}\left(3, e^{-2i \cot^{-1}(ax)}\right)}{2a} + x \cot^{-1}(ax)^3 - \frac{i \cot^{-1}(ax)^3}{a} - \frac{3 \cot^{-1}(ax)^2 \log\left(\frac{2}{1+iax}\right)}{a}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[a*x]^3,x]

[Out] $((-I)*\text{ArcCot}[a*x]^3)/a + x*\text{ArcCot}[a*x]^3 - (3*\text{ArcCot}[a*x]^2*\text{Log}[1 - E^{((-2*I)*\text{ArcCot}[a*x])}])/a - ((3*I)*\text{ArcCot}[a*x]*\text{PolyLog}[2, E^{((-2*I)*\text{ArcCot}[a*x])}])/a - (3*\text{PolyLog}[3, E^{((-2*I)*\text{ArcCot}[a*x])}])/(2*a)$

Maple [B] time = 0.163, size = 199, normalized size = 2.1

$$x(\text{arccot}(ax))^3 + \frac{i(\text{arccot}(ax))^3}{a} - 3 \frac{(\text{arccot}(ax))^2}{a} \ln\left(1 - \frac{ax+i}{\sqrt{a^2x^2+1}}\right) - 3 \frac{(\text{arccot}(ax))^2}{a} \ln\left(1 + \frac{ax+i}{\sqrt{a^2x^2+1}}\right) + 6i \frac{\text{arccot}(ax)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)^3,x)

[Out] $x*\text{arccot}(a*x)^3 + I*\text{arccot}(a*x)^3/a - 3/a*\text{arccot}(a*x)^2*\ln(1-(a*x+I)/(a^2*x^2+1)^{(1/2)}) - 3/a*\text{arccot}(a*x)^2*\ln(1+(a*x+I)/(a^2*x^2+1)^{(1/2)}) + 6*I/a*\text{arccot}(a*x)*\text{polylog}(2, (a*x+I)/(a^2*x^2+1)^{(1/2)}) + 6*I/a*\text{arccot}(a*x)*\text{polylog}(2, -(a*x+I)/(a^2*x^2+1)^{(1/2)}) - 6/a*\text{polylog}(3, -(a*x+I)/(a^2*x^2+1)^{(1/2)}) - 6/a*\text{polylog}(3, (a*x+I)/(a^2*x^2+1)^{(1/2)})$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{8} x \arctan(1, ax)^3 - \frac{3}{32} x \arctan(1, ax) \log(a^2 x^2 + 1)^2 + \frac{21 \arctan(ax)^2 \arctan\left(\frac{1}{ax}\right)^2}{16 a} + \frac{7 \arctan(ax) \arctan\left(\frac{1}{ax}\right)^3}{8 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^3,x, algorithm="maxima")

[Out] 1/8*x*arctan2(1, a*x)^3 - 3/32*x*arctan2(1, a*x)*log(a^2*x^2 + 1)^2 + 21/16*arctan(a*x)^2*arctan(1/(a*x))^2/a + 7/8*arctan(a*x)*arctan(1/(a*x))^3/a + 28*a^2*integrate(1/32*x^2*arctan(1/(a*x))^3/(a^2*x^2 + 1), x) + 3*a^2*integrate(1/32*x^2*arctan(1/(a*x))*log(a^2*x^2 + 1)^2/(a^2*x^2 + 1), x) + 12*a^2*integrate(1/32*x^2*arctan(1/(a*x))*log(a^2*x^2 + 1)/(a^2*x^2 + 1), x) + 12*a*integrate(1/32*x*arctan(1/(a*x))^2/(a^2*x^2 + 1), x) - 3*a*integrate(1/32*x*log(a^2*x^2 + 1)^2/(a^2*x^2 + 1), x) + 7/32*(a*arctan(a*x)^4 + 4*a*arctan(a*x)^3*arctan(1/(a*x)))/a^2 + 3*integrate(1/32*arctan(1/(a*x))*log(a^2*x^2 + 1)^2/(a^2*x^2 + 1), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}(\text{arccot}(ax)^3, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^3,x, algorithm="fricas")

[Out] integral(arccot(a*x)^3, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \text{acot}^3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x)**3,x)

[Out] Integral(acot(a*x)**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \text{arccot}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^3,x, algorithm="giac")

[Out] integrate(arccot(a*x)^3, x)

$$3.29 \quad \int \frac{\cot^{-1}(ax)^3}{x} dx$$

Optimal. Leaf size=178

$$\frac{3}{4}i\text{PolyLog}\left(4, 1 - \frac{2i}{ax+i}\right) - \frac{3}{4}i\text{PolyLog}\left(4, 1 - \frac{2ax}{ax+i}\right) - \frac{3}{2}i\cot^{-1}(ax)^2\text{PolyLog}\left(2, 1 - \frac{2i}{ax+i}\right) + \frac{3}{2}i\cot^{-1}(ax)^2\text{PolyLog}\left(2, 1 - \frac{2ax}{ax+i}\right)$$

```
[Out] 2*ArcCot[a*x]^3*ArcCoth[1 - 2/(1 + I*a*x)] - ((3*I)/2)*ArcCot[a*x]^2*PolyLog[2, 1 - (2*I)/(I + a*x)] + ((3*I)/2)*ArcCot[a*x]^2*PolyLog[2, 1 - (2*a*x)/(I + a*x)] - (3*ArcCot[a*x]*PolyLog[3, 1 - (2*I)/(I + a*x)])/2 + (3*ArcCot[a*x]*PolyLog[3, 1 - (2*a*x)/(I + a*x)])/2 + ((3*I)/4)*PolyLog[4, 1 - (2*I)/(I + a*x)] - ((3*I)/4)*PolyLog[4, 1 - (2*a*x)/(I + a*x)]
```

Rubi [A] time = 0.326695, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.6$, Rules used = {4851, 4989, 4885, 4993, 4997, 6610}

$$\frac{3}{4}i\text{PolyLog}\left(4, 1 - \frac{2i}{ax+i}\right) - \frac{3}{4}i\text{PolyLog}\left(4, 1 - \frac{2ax}{ax+i}\right) - \frac{3}{2}i\cot^{-1}(ax)^2\text{PolyLog}\left(2, 1 - \frac{2i}{ax+i}\right) + \frac{3}{2}i\cot^{-1}(ax)^2\text{PolyLog}\left(2, 1 - \frac{2ax}{ax+i}\right)$$

Antiderivative was successfully verified.

```
[In] Int[ArcCot[a*x]^3/x, x]
```

```
[Out] 2*ArcCot[a*x]^3*ArcCoth[1 - 2/(1 + I*a*x)] - ((3*I)/2)*ArcCot[a*x]^2*PolyLog[2, 1 - (2*I)/(I + a*x)] + ((3*I)/2)*ArcCot[a*x]^2*PolyLog[2, 1 - (2*a*x)/(I + a*x)] - (3*ArcCot[a*x]*PolyLog[3, 1 - (2*I)/(I + a*x)])/2 + (3*ArcCot[a*x]*PolyLog[3, 1 - (2*a*x)/(I + a*x)])/2 + ((3*I)/4)*PolyLog[4, 1 - (2*I)/(I + a*x)] - ((3*I)/4)*PolyLog[4, 1 - (2*a*x)/(I + a*x)]
```

Rule 4851

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)^(p_.)/(x_), x_Symbol] := Simp[2*(a + b*ArcCot[c*x])^p*ArcCoth[1 - 2/(1 + I*c*x)], x] + Dist[2*b*c*p, Int[((a + b*ArcCot[c*x])^(p - 1)*ArcCoth[1 - 2/(1 + I*c*x)])/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 1]
```

Rule 4989

```
Int[(ArcCoth[u_] * ((a_.) + ArcCot[(c_.)*(x_)]) * (b_.)^(p_.)) / ((d_.) + (e_.)*(x_)^2), x_Symbol] := Dist[1/2, Int[(Log[SimplifyIntegrand[1 + 1/u, x]] * (a + b*ArcCot[c*x])^p) / (d + e*x^2), x], x] - Dist[1/2, Int[(Log[SimplifyIntegrand[1 - 1/u, x]] * (a + b*ArcCot[c*x])^p) / (d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && EqQ[u^2 - (1 - (2*I)/(I - c*x))^2, 0]
```

Rule 4885

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)^(p_.) / ((d_.) + (e_.)*(x_)^2), x_Symbol] := -Simp[(a + b*ArcCot[c*x])^(p + 1) / (b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]
```

Rule 4993

```
Int[(Log[u_] * ((a_.) + ArcCot[(c_.)*(x_)]) * (b_.)^(p_.)) / ((d_.) + (e_.)*(x_)^2), x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^p * PolyLog[2, 1 - u]) / (2*c*d), x]
```

```
] + Dist[(b*p*I)/2, Int[((a + b*ArcCot[c*x])^(p - 1)*PolyLog[2, 1 - u])/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && EqQ[(1 - u)^2 - (1 - (2*I)/(I + c*x))^2, 0]
```

Rule 4997

```
Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)*PolyLog[k_, u_])/((d_.) + (e_.)*(x_.^2), x_Symbol] := -Simp[(I*(a + b*ArcCot[c*x])^p*PolyLog[k + 1, u])/(2*c*d), x] - Dist[(b*p*I)/2, Int[((a + b*ArcCot[c*x])^(p - 1)*PolyLog[k + 1, u])/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, k}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && EqQ[u^2 - (1 - (2*I)/(I + c*x))^2, 0]
```

Rule 6610

```
Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v, x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(ax)^3}{x} dx &= 2 \cot^{-1}(ax)^3 \coth^{-1}\left(1 - \frac{2}{1+iax}\right) + (6a) \int \frac{\cot^{-1}(ax)^2 \coth^{-1}\left(1 - \frac{2}{1+iax}\right)}{1+a^2x^2} dx \\ &= 2 \cot^{-1}(ax)^3 \coth^{-1}\left(1 - \frac{2}{1+iax}\right) - (3a) \int \frac{\cot^{-1}(ax)^2 \log\left(\frac{2i}{i+ax}\right)}{1+a^2x^2} dx + (3a) \int \frac{\cot^{-1}(ax)^2 \log\left(\frac{2ax}{i+ax}\right)}{1+a^2x^2} dx \\ &= 2 \cot^{-1}(ax)^3 \coth^{-1}\left(1 - \frac{2}{1+iax}\right) - \frac{3}{2}i \cot^{-1}(ax)^2 \text{Li}_2\left(1 - \frac{2i}{i+ax}\right) + \frac{3}{2}i \cot^{-1}(ax)^2 \text{Li}_2\left(1 - \frac{2ax}{i+ax}\right) \\ &= 2 \cot^{-1}(ax)^3 \coth^{-1}\left(1 - \frac{2}{1+iax}\right) - \frac{3}{2}i \cot^{-1}(ax)^2 \text{Li}_2\left(1 - \frac{2i}{i+ax}\right) + \frac{3}{2}i \cot^{-1}(ax)^2 \text{Li}_2\left(1 - \frac{2ax}{i+ax}\right) \\ &= 2 \cot^{-1}(ax)^3 \coth^{-1}\left(1 - \frac{2}{1+iax}\right) - \frac{3}{2}i \cot^{-1}(ax)^2 \text{Li}_2\left(1 - \frac{2i}{i+ax}\right) + \frac{3}{2}i \cot^{-1}(ax)^2 \text{Li}_2\left(1 - \frac{2ax}{i+ax}\right) \end{aligned}$$

Mathematica [A] time = 0.0757724, size = 180, normalized size = 1.01

$$\frac{1}{64}i \left(-96 \cot^{-1}(ax)^2 \text{PolyLog}\left(2, e^{-2i \cot^{-1}(ax)}\right) - 96 \cot^{-1}(ax)^2 \text{PolyLog}\left(2, -e^{2i \cot^{-1}(ax)}\right) + 96i \cot^{-1}(ax) \text{PolyLog}\left(3, e^{-2i \cot^{-1}(ax)}\right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[ArcCot[a*x]^3/x, x]
```

```
[Out] (I/64)*(Pi^4 - 32*ArcCot[a*x]^4 + (64*I)*ArcCot[a*x]^3*Log[1 - E^((-2*I)*ArcCot[a*x])] - (64*I)*ArcCot[a*x]^3*Log[1 + E^((2*I)*ArcCot[a*x])] - 96*ArcCot[a*x]^2*PolyLog[2, E^((-2*I)*ArcCot[a*x])] - 96*ArcCot[a*x]^2*PolyLog[2, -E^((2*I)*ArcCot[a*x])] + (96*I)*ArcCot[a*x]*PolyLog[3, E^((-2*I)*ArcCot[a*x])] - (96*I)*ArcCot[a*x]*PolyLog[3, -E^((2*I)*ArcCot[a*x])] + 48*PolyLog[4, E^((-2*I)*ArcCot[a*x])] + 48*PolyLog[4, -E^((2*I)*ArcCot[a*x])])
```

Maple [C] time = 0.412, size = 1050, normalized size = 5.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)^3/x,x)

[Out] $\ln(ax) \operatorname{arccot}(ax)^3 + \operatorname{arccot}(ax)^3 \ln\left(\frac{(ax+I)^2}{(a^2x^2+1)-1}\right) - \operatorname{arccot}(ax)^3 \ln\left(1 - \frac{(ax+I)}{(a^2x^2+1)^{1/2}}\right) + \frac{3}{4} I \operatorname{polylog}\left(4, -\frac{(ax+I)^2}{(a^2x^2+1)}\right) - 6 \operatorname{arccot}(ax) \operatorname{polylog}\left(3, \frac{(ax+I)}{(a^2x^2+1)^{1/2}}\right) + \frac{1}{2} I \operatorname{Pi} \operatorname{csgn}\left(\frac{I}{(ax+I)^2/(a^2x^2+1)-1}\right) \operatorname{csgn}\left(\frac{I}{(ax+I)^2/(a^2x^2+1)-1}\right) \left(\frac{(ax+I)^2}{(a^2x^2+1)+1}\right) \operatorname{csgn}\left(I \left(\frac{(ax+I)^2}{(a^2x^2+1)+1}\right)\right) \operatorname{arccot}(ax)^3 - \operatorname{arccot}(ax)^3 \ln\left(1 + \frac{(ax+I)}{(a^2x^2+1)^{1/2}}\right) - 6 I \operatorname{polylog}\left(4, -\frac{(ax+I)}{(a^2x^2+1)^{1/2}}\right) - 6 \operatorname{arccot}(ax) \operatorname{polylog}\left(3, -\frac{(ax+I)}{(a^2x^2+1)^{1/2}}\right) + 3 I \operatorname{arccot}(ax)^2 \operatorname{polylog}\left(2, \frac{(ax+I)}{(a^2x^2+1)^{1/2}}\right) + \frac{1}{2} I \operatorname{Pi} \operatorname{csgn}\left(\frac{I}{(ax+I)^2/(a^2x^2+1)-1}\right) \left(\frac{(ax+I)^2}{(a^2x^2+1)+1}\right) \operatorname{csgn}\left(\frac{1}{(ax+I)^2/(a^2x^2+1)-1}\right) \left(\frac{(ax+I)^2}{(a^2x^2+1)+1}\right) \operatorname{arccot}(ax)^3 - \frac{1}{2} I \operatorname{Pi} \operatorname{csgn}\left(\frac{I}{(ax+I)^2/(a^2x^2+1)-1}\right) \operatorname{csgn}\left(\frac{I}{(ax+I)^2/(a^2x^2+1)-1}\right) \left(\frac{(ax+I)^2}{(a^2x^2+1)+1}\right)^2 \operatorname{arccot}(ax)^3 - \frac{3}{2} I \operatorname{arccot}(ax)^2 \operatorname{polylog}\left(2, -\frac{(ax+I)^2}{(a^2x^2+1)}\right) - \frac{1}{2} I \operatorname{Pi} \operatorname{arccot}(ax)^3 + \frac{3}{2} \operatorname{arccot}(ax) \operatorname{polylog}\left(3, -\frac{(ax+I)^2}{(a^2x^2+1)}\right) - \frac{1}{2} I \operatorname{Pi} \operatorname{csgn}\left(\frac{I}{(ax+I)^2/(a^2x^2+1)-1}\right) \left(\frac{(ax+I)^2}{(a^2x^2+1)+1}\right) \operatorname{csgn}\left(\frac{1}{(ax+I)^2/(a^2x^2+1)-1}\right) \left(\frac{(ax+I)^2}{(a^2x^2+1)+1}\right)^2 \operatorname{arccot}(ax)^3 - 6 I \operatorname{polylog}\left(4, \frac{(ax+I)}{(a^2x^2+1)^{1/2}}\right) - \frac{1}{2} I \operatorname{Pi} \operatorname{csgn}\left(\frac{1}{(ax+I)^2/(a^2x^2+1)-1}\right) \left(\frac{(ax+I)^2}{(a^2x^2+1)+1}\right)^3 \operatorname{arccot}(ax)^3 + 3 I \operatorname{arccot}(ax)^2 \operatorname{polylog}\left(2, -\frac{(ax+I)}{(a^2x^2+1)^{1/2}}\right) - \frac{1}{2} I \operatorname{Pi} \operatorname{csgn}\left(\frac{I}{(ax+I)^2/(a^2x^2+1)-1}\right) \left(\frac{(ax+I)^2}{(a^2x^2+1)+1}\right)^2 \operatorname{csgn}\left(I \left(\frac{(ax+I)^2}{(a^2x^2+1)+1}\right)\right) \operatorname{arccot}(ax)^3 + \frac{1}{2} I \operatorname{Pi} \operatorname{csgn}\left(\frac{I}{(ax+I)^2/(a^2x^2+1)-1}\right) \left(\frac{(ax+I)^2}{(a^2x^2+1)+1}\right)^3 \operatorname{arccot}(ax)^3 + \frac{1}{2} I \operatorname{Pi} \operatorname{csgn}\left(\frac{1}{(ax+I)^2/(a^2x^2+1)-1}\right) \left(\frac{(ax+I)^2}{(a^2x^2+1)+1}\right)^2 \operatorname{arccot}(ax)^3$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(ax)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^3/x,x, algorithm="maxima")

[Out] integrate(arccot(a*x)^3/x, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(ax)^3}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^3/x,x, algorithm="fricas")

[Out] integral(arccot(a*x)^3/x, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}^3(ax)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acot(a*x)**3/x,x)
```

```
[Out] Integral(acot(a*x)**3/x, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(ax)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x)^3/x,x, algorithm="giac")
```

```
[Out] integrate(arccot(a*x)^3/x, x)
```

$$3.30 \quad \int \frac{\cot^{-1}(ax)^3}{x^2} dx$$

Optimal. Leaf size=93

$$-\frac{3}{2}a\text{PolyLog}\left(3, -1 + \frac{2}{1-iax}\right) - 3ia \cot^{-1}(ax)\text{PolyLog}\left(2, -1 + \frac{2}{1-iax}\right) - ia \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{x} - 3a \log\left(2 - \frac{2}{1-iax}\right)$$

[Out] (-I)*a*ArcCot[a*x]^3 - ArcCot[a*x]^3/x - 3*a*ArcCot[a*x]^2*Log[2 - 2/(1 - I*a*x)] - (3*I)*a*ArcCot[a*x]*PolyLog[2, -1 + 2/(1 - I*a*x)] - (3*a*PolyLog[3, -1 + 2/(1 - I*a*x))]/2

Rubi [A] time = 0.188242, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.6$, Rules used = {4853, 4925, 4869, 4885, 4993, 6610}

$$-\frac{3}{2}a\text{PolyLog}\left(3, -1 + \frac{2}{1-iax}\right) - 3ia \cot^{-1}(ax)\text{PolyLog}\left(2, -1 + \frac{2}{1-iax}\right) - ia \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{x} - 3a \log\left(2 - \frac{2}{1-iax}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]^3/x^2, x]

[Out] (-I)*a*ArcCot[a*x]^3 - ArcCot[a*x]^3/x - 3*a*ArcCot[a*x]^2*Log[2 - 2/(1 - I*a*x)] - (3*I)*a*ArcCot[a*x]*PolyLog[2, -1 + 2/(1 - I*a*x)] - (3*a*PolyLog[3, -1 + 2/(1 - I*a*x))]/2

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 4925

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^2)), x_Symbol] :> Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*d*(p + 1)), x] + Dist[I/d, Int[(a + b*ArcCot[c*x])^p/(x*(I + c*x)), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && GtQ[p, 0]

Rule 4869

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_))), x_Symbol] :> Simp[((a + b*ArcCot[c*x])^p*Log[2 - 2/(1 + (e*x)/d)])/d, x] + Dist[(b*c*p)/d, Int[(a + b*ArcCot[c*x])^(p - 1)*Log[2 - 2/(1 + (e*x)/d)]]/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 4885

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)/((d_) + (e_.)*(x_)^2), x_Symbol] :> -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]

Rule 4993

```
Int[(Log[u_]*((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.))/((d_) + (e_.)*(x_)^2
), x_Symbol] :> Simp[(I*(a + b*ArcCot[c*x])^p*PolyLog[2, 1 - u])/(2*c*d), x
] + Dist[(b*p*I)/2, Int[((a + b*ArcCot[c*x])^(p - 1)*PolyLog[2, 1 - u])/(d
+ e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d
] && EqQ[(1 - u)^2 - (1 - (2*I)/(I + c*x))^2, 0]
```

Rule 6610

```
Int[(u_)*PolyLog[n_, v_], x_Symbol] :> With[{w = DerivativeDivides[v, u*v,
x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(ax)^3}{x^2} dx &= -\frac{\cot^{-1}(ax)^3}{x} - (3a) \int \frac{\cot^{-1}(ax)^2}{x(1+a^2x^2)} dx \\ &= -ia \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{x} - (3ia) \int \frac{\cot^{-1}(ax)^2}{x(i+ax)} dx \\ &= -ia \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{x} - 3a \cot^{-1}(ax)^2 \log\left(2 - \frac{2}{1-iax}\right) - (6a^2) \int \frac{\cot^{-1}(ax) \log\left(2 - \frac{2}{1-iax}\right)}{1+a^2x^2} dx \\ &= -ia \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{x} - 3a \cot^{-1}(ax)^2 \log\left(2 - \frac{2}{1-iax}\right) - 3ia \cot^{-1}(ax) \text{Li}_2\left(-1 + \frac{2}{1-iax}\right) - \frac{3}{2} \\ &= -ia \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{x} - 3a \cot^{-1}(ax)^2 \log\left(2 - \frac{2}{1-iax}\right) - 3ia \cot^{-1}(ax) \text{Li}_2\left(-1 + \frac{2}{1-iax}\right) - \frac{3}{2} \end{aligned}$$

Mathematica [A] time = 0.0720911, size = 83, normalized size = 0.89

$$3ia \cot^{-1}(ax) \text{PolyLog}\left(2, -e^{2i \cot^{-1}(ax)}\right) - \frac{3}{2} a \text{PolyLog}\left(3, -e^{2i \cot^{-1}(ax)}\right) + \frac{(-1+iax) \cot^{-1}(ax)^3}{x} - 3a \cot^{-1}(ax)^2 \log\left(1 + \frac{2}{1-iax}\right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[ArcCot[a*x]^3/x^2, x]
```

```
[Out] ((-1 + I*a*x)*ArcCot[a*x]^3)/x - 3*a*ArcCot[a*x]^2*Log[1 + E^((2*I)*ArcCot[
a*x])] + (3*I)*a*ArcCot[a*x]*PolyLog[2, -E^((2*I)*ArcCot[a*x])] - (3*a*Poly
Log[3, -E^((2*I)*ArcCot[a*x])])/2
```

Maple [C] time = 0.574, size = 1576, normalized size = 17.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(arccot(a*x)^3/x^2, x)
```

```
[Out] -3/2*a*polylog(3, -(a*x+I)^2/(a^2*x^2+1))+3/2*I*a*arccot(a*x)^2*Pisgn(1/((
a*x+I)^2/(a^2*x^2+1)-1)*((a*x+I)^2/(a^2*x^2+1)+1))^3-3/2*I*a*arccot(a*x)^2*
Pi*csgn(I/((a*x+I)^2/(a^2*x^2+1)-1)*((a*x+I)^2/(a^2*x^2+1)+1))^3+3/4*I*a*ar
ccot(a*x)^2*Pisgn(I*(a*x+I)^2/(a^2*x^2+1))^3-3/4*I*a*arccot(a*x)^2*Pisgn
(I*(a*x+I)^2/(a^2*x^2+1)/((a*x+I)^2/(a^2*x^2+1)-1)^2)^3-3/4*I*a*arccot(a*x
)^2*Pisgn(I*((a*x+I)^2/(a^2*x^2+1)-1)^2)^3-3/2*I*a*arccot(a*x)^2*Pisgn(
```


$$\begin{aligned}
& 1/((a*x+I)^2/(a^2*x^2+1)-1)*((a*x+I)^2/(a^2*x^2+1)+1))^2-3/4*I*a*\operatorname{arccot}(a*x) \\
&)^2*Pi*csgn(I*((a*x+I)^2/(a^2*x^2+1)-1)^2)*csgn(I*((a*x+I)^2/(a^2*x^2+1)-1) \\
&)^2-3/2*I*a*\operatorname{arccot}(a*x)^2*Pi*csgn(1/((a*x+I)^2/(a^2*x^2+1)-1)*((a*x+I)^2/(a \\
& ^2*x^2+1)+1))*csgn(I/((a*x+I)^2/(a^2*x^2+1)-1)*((a*x+I)^2/(a^2*x^2+1)+1))+3 \\
& /2*I*a*\operatorname{arccot}(a*x)^2*Pi*csgn(1/((a*x+I)^2/(a^2*x^2+1)-1)*((a*x+I)^2/(a^2*x^ \\
& 2+1)+1))^2*csgn(I/((a*x+I)^2/(a^2*x^2+1)-1)*((a*x+I)^2/(a^2*x^2+1)+1))+3/2* \\
& I*a*\operatorname{arccot}(a*x)^2*Pi*csgn(I/((a*x+I)^2/(a^2*x^2+1)-1)*((a*x+I)^2/(a^2*x^2+1 \\
& +1))^2*csgn(I/((a*x+I)^2/(a^2*x^2+1)-1))+3/2*I*a*\operatorname{arccot}(a*x)^2*Pi*csgn(I/(\\
& (a*x+I)^2/(a^2*x^2+1)-1)*((a*x+I)^2/(a^2*x^2+1)+1))^2*csgn(I*((a*x+I)^2/(a^ \\
& 2*x^2+1)+1))+3/4*I*a*\operatorname{arccot}(a*x)^2*Pi*csgn(I*(a*x+I)/(a^2*x^2+1)^(1/2))^2*c \\
& sgn(I*(a*x+I)^2/(a^2*x^2+1))-3/2*I*a*\operatorname{arccot}(a*x)^2*Pi*csgn(I*(a*x+I)/(a^2*x \\
& ^2+1)^(1/2))*csgn(I*(a*x+I)^2/(a^2*x^2+1))^2-3/4*I*a*\operatorname{arccot}(a*x)^2*Pi*csgn(\\
& I*(a*x+I)^2/(a^2*x^2+1))*csgn(I*(a*x+I)^2/(a^2*x^2+1)/((a*x+I)^2/(a^2*x^2+1 \\
& -1)^2))^2-3/4*I*a*\operatorname{arccot}(a*x)^2*Pi*csgn(I/((a*x+I)^2/(a^2*x^2+1)-1)^2)*csgn \\
& (I*(a*x+I)^2/(a^2*x^2+1)/((a*x+I)^2/(a^2*x^2+1)-1)^2))^2+3/2*I*a*\operatorname{arccot}(a*x) \\
& ^2*Pi*csgn(I*((a*x+I)^2/(a^2*x^2+1)-1)^2))^2*csgn(I*((a*x+I)^2/(a^2*x^2+1)-1 \\
&))+I*a*\operatorname{arccot}(a*x)^3+3/2*a*\operatorname{arccot}(a*x)^2*\ln(a^2*x^2+1)-3*a*\ln(a*x)*\operatorname{arccot}(a \\
& *x)^2-3*a*\operatorname{arccot}(a*x)^2*\ln((a*x+I)/(a^2*x^2+1)^(1/2))-3*a*\operatorname{arccot}(a*x)^2*\ln(\\
& 2)+3*I*a*\operatorname{arccot}(a*x)*\operatorname{polylog}(2,-(a*x+I)^2/(a^2*x^2+1))+3/4*I*a*\operatorname{arccot}(a*x)^ \\
& 2*Pi*csgn(I*(a*x+I)^2/(a^2*x^2+1))*csgn(I/((a*x+I)^2/(a^2*x^2+1)-1)^2)*csgn \\
& (I*(a*x+I)^2/(a^2*x^2+1)/((a*x+I)^2/(a^2*x^2+1)-1)^2)-\operatorname{arccot}(a*x)^3/x-3/2*I \\
& *a*\operatorname{arccot}(a*x)^2*Pi*csgn(I/((a*x+I)^2/(a^2*x^2+1)-1)*((a*x+I)^2/(a^2*x^2+1 \\
& +1))*csgn(I/((a*x+I)^2/(a^2*x^2+1)-1))*csgn(I*((a*x+I)^2/(a^2*x^2+1)+1))+3/ \\
& 2*I*a*\operatorname{arccot}(a*x)^2*Pi*csgn(I*(a*x+I)^2/(a^2*x^2+1)/((a*x+I)^2/(a^2*x^2+1)- \\
& 1)^2))^2
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^3/x^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(ax)^3}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^3/x^2,x, algorithm="fricas")

[Out] integral(arccot(a*x)^3/x^2, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}^3(ax)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acot(a*x)**3/x**2,x)
```

```
[Out] Integral(acot(a*x)**3/x**2, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(ax)^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x)^3/x^2,x, algorithm="giac")
```

```
[Out] integrate(arccot(a*x)^3/x^2, x)
```

3.31 $\int \frac{\cot^{-1}(ax)^3}{x^3} dx$

Optimal. Leaf size=105

$$\frac{3}{2}ia^2\text{PolyLog}\left(2, -1 + \frac{2}{1-iax}\right) - \frac{1}{2}a^2 \cot^{-1}(ax)^3 + \frac{3}{2}ia^2 \cot^{-1}(ax)^2 + 3a^2 \log\left(2 - \frac{2}{1-iax}\right) \cot^{-1}(ax) - \frac{\cot^{-1}(ax)^3}{2x^2} +$$

[Out] ((3*I)/2)*a^2*ArcCot[a*x]^2 + (3*a*ArcCot[a*x]^2)/(2*x) - (a^2*ArcCot[a*x]^3)/2 - ArcCot[a*x]^3/(2*x^2) + 3*a^2*ArcCot[a*x]*Log[2 - 2/(1 - I*a*x)] + (3*I)/2*a^2*PolyLog[2, -1 + 2/(1 - I*a*x)]

Rubi [A] time = 0.199437, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.6$, Rules used = {4853, 4919, 4925, 4869, 2447, 4885}

$$\frac{3}{2}ia^2\text{PolyLog}\left(2, -1 + \frac{2}{1-iax}\right) - \frac{1}{2}a^2 \cot^{-1}(ax)^3 + \frac{3}{2}ia^2 \cot^{-1}(ax)^2 + 3a^2 \log\left(2 - \frac{2}{1-iax}\right) \cot^{-1}(ax) - \frac{\cot^{-1}(ax)^3}{2x^2} +$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]^3/x^3,x]

[Out] ((3*I)/2)*a^2*ArcCot[a*x]^2 + (3*a*ArcCot[a*x]^2)/(2*x) - (a^2*ArcCot[a*x]^3)/2 - ArcCot[a*x]^3/(2*x^2) + 3*a^2*ArcCot[a*x]*Log[2 - 2/(1 - I*a*x)] + (3*I)/2*a^2*PolyLog[2, -1 + 2/(1 - I*a*x)]

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 4919

Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)*((f_.)*(x_))^(m_.)/((d_.) + (e_.)*(x_)^2), x_Symbol] :> Dist[1/d, Int[(f*x)^m*(a + b*ArcCot[c*x])^p, x], x] - Dist[e/(d*f^2), Int[((f*x)^(m + 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1]

Rule 4925

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)/((x_)*((d_.) + (e_.)*(x_)^2)), x_Symbol] :> Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*d*(p + 1)), x] + Dist[I/d, Int[(a + b*ArcCot[c*x])^p/(x*(I + c*x)), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && GtQ[p, 0]

Rule 4869

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)/((x_)*((d_.) + (e_.)*(x_))), x_Symbol] :> Simp[((a + b*ArcCot[c*x])^p*Log[2 - 2/(1 + (e*x)/d)])/d, x] + Dist[(b*c*p)/d, Int[((a + b*ArcCot[c*x])^(p - 1)*Log[2 - 2/(1 + (e*x)/d)]]/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 2447

```
Int[Log[u_]*(Pq_)^(m_), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))
/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] &&
PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u,
x][[2]], Expon[Pq, x]]
```

Rule 4885

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_)^2), x_Symbol] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b,
c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(ax)^3}{x^3} dx &= -\frac{\cot^{-1}(ax)^3}{2x^2} - \frac{1}{2}(3a) \int \frac{\cot^{-1}(ax)^2}{x^2(1+a^2x^2)} dx \\ &= -\frac{\cot^{-1}(ax)^3}{2x^2} - \frac{1}{2}(3a) \int \frac{\cot^{-1}(ax)^2}{x^2} dx + \frac{1}{2}(3a^3) \int \frac{\cot^{-1}(ax)^2}{1+a^2x^2} dx \\ &= \frac{3a \cot^{-1}(ax)^2}{2x} - \frac{1}{2}a^2 \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{2x^2} + (3a^2) \int \frac{\cot^{-1}(ax)}{x(1+a^2x^2)} dx \\ &= \frac{3}{2}ia^2 \cot^{-1}(ax)^2 + \frac{3a \cot^{-1}(ax)^2}{2x} - \frac{1}{2}a^2 \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{2x^2} + (3ia^2) \int \frac{\cot^{-1}(ax)}{x(i+ax)} dx \\ &= \frac{3}{2}ia^2 \cot^{-1}(ax)^2 + \frac{3a \cot^{-1}(ax)^2}{2x} - \frac{1}{2}a^2 \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{2x^2} + 3a^2 \cot^{-1}(ax) \log\left(2 - \frac{2}{1-iax}\right) + \\ &= \frac{3}{2}ia^2 \cot^{-1}(ax)^2 + \frac{3a \cot^{-1}(ax)^2}{2x} - \frac{1}{2}a^2 \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{2x^2} + 3a^2 \cot^{-1}(ax) \log\left(2 - \frac{2}{1-iax}\right) + \end{aligned}$$

Mathematica [A] time = 0.160054, size = 90, normalized size = 0.86

$$-\frac{3}{2}ia^2 \text{PolyLog}\left(2, -e^{2i \cot^{-1}(ax)}\right) - \frac{\cot^{-1}(ax) \left((a^2x^2 + 1) \cot^{-1}(ax)^2 - 6a^2x^2 \log\left(1 + e^{2i \cot^{-1}(ax)}\right) + 3iax(ax + i) \cot^{-1}(ax) \right)}{2x^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[ArcCot[a*x]^3/x^3, x]
```

```
[Out] -(ArcCot[a*x]*((3*I)*a*x*(I + a*x)*ArcCot[a*x] + (1 + a^2*x^2)*ArcCot[a*x]^2 - 6*a^2*x^2*Log[1 + E^((2*I)*ArcCot[a*x])]))/(2*x^2) - ((3*I)/2)*a^2*PolyLog[2, -E^((2*I)*ArcCot[a*x])]
```

Maple [A] time = 0.322, size = 109, normalized size = 1.

$$-\frac{(\operatorname{arccot}(ax))^3}{2x^2} - \frac{a^2(\operatorname{arccot}(ax))^3}{2} - \frac{3i}{2}a^2(\operatorname{arccot}(ax))^2 + \frac{3a(\operatorname{arccot}(ax))^2}{2x} + 3a^2 \operatorname{arccot}(ax) \ln\left(\frac{(ax+i)^2}{a^2x^2+1} + 1\right) - \frac{3i}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(arccot(a*x)^3/x^3, x)
```

[Out] $-1/2*\operatorname{arccot}(a*x)^3/x^2-1/2*a^2*\operatorname{arccot}(a*x)^3-3/2*I*a^2*\operatorname{arccot}(a*x)^2+3/2*a*\operatorname{arccot}(a*x)^2/x+3*a^2*\operatorname{arccot}(a*x)*\ln((a*x+I)^2/(a^2*x^2+1)+1)-3/2*I*a^2*\operatorname{polylog}(2,-(a*x+I)^2/(a^2*x^2+1))$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(a*x)^3/x^3,x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(ax)^3}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(a*x)^3/x^3,x, algorithm="fricas")`

[Out] `integral(arccot(a*x)^3/x^3, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}^3(ax)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acot(a*x)**3/x**3,x)`

[Out] `Integral(acot(a*x)**3/x**3, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(ax)^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(a*x)^3/x^3,x, algorithm="giac")`

[Out] `integrate(arccot(a*x)^3/x^3, x)`

3.32 $\int \frac{\cot^{-1}(ax)^3}{x^4} dx$

Optimal. Leaf size=167

$$\frac{1}{2}a^3 \text{PolyLog}\left(3, -1 + \frac{2}{1-iax}\right) + ia^3 \cot^{-1}(ax) \text{PolyLog}\left(2, -1 + \frac{2}{1-iax}\right) + \frac{1}{2}a^3 \log(a^2x^2 + 1) - a^3 \log(x) + \frac{1}{3}ia^3 \cot^{-1}(ax)$$

[Out] $-\left(\frac{a^2 \text{ArcCot}[a*x]}{x}\right) + \frac{a^3 \text{ArcCot}[a*x]^2}{2} + \frac{a \text{ArcCot}[a*x]^2}{2*x^2} + \frac{(I/3)*a^3 \text{ArcCot}[a*x]^3 - \text{ArcCot}[a*x]^3/(3*x^3) - a^3 \text{Log}[x] + (a^3 \text{Log}[1 + a^2*x^2])}{2} + a^3 \text{ArcCot}[a*x]^2 \text{Log}\left[2 - \frac{2}{1 - I*a*x}\right] + I*a^3 \text{ArcCot}[a*x] \text{PolyLog}\left[2, -1 + \frac{2}{1 - I*a*x}\right] + \frac{a^3 \text{PolyLog}\left[3, -1 + \frac{2}{1 - I*a*x}\right]}{2}$

Rubi [A] time = 0.336865, antiderivative size = 167, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 11, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 1.1$, Rules used = {4853, 4919, 266, 36, 29, 31, 4885, 4925, 4869, 4993, 6610}

$$\frac{1}{2}a^3 \text{PolyLog}\left(3, -1 + \frac{2}{1-iax}\right) + ia^3 \cot^{-1}(ax) \text{PolyLog}\left(2, -1 + \frac{2}{1-iax}\right) + \frac{1}{2}a^3 \log(a^2x^2 + 1) - a^3 \log(x) + \frac{1}{3}ia^3 \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]^3/x^4,x]

[Out] $-\left(\frac{a^2 \text{ArcCot}[a*x]}{x}\right) + \frac{a^3 \text{ArcCot}[a*x]^2}{2} + \frac{a \text{ArcCot}[a*x]^2}{2*x^2} + \frac{(I/3)*a^3 \text{ArcCot}[a*x]^3 - \text{ArcCot}[a*x]^3/(3*x^3) - a^3 \text{Log}[x] + (a^3 \text{Log}[1 + a^2*x^2])}{2} + a^3 \text{ArcCot}[a*x]^2 \text{Log}\left[2 - \frac{2}{1 - I*a*x}\right] + I*a^3 \text{ArcCot}[a*x] \text{PolyLog}\left[2, -1 + \frac{2}{1 - I*a*x}\right] + \frac{a^3 \text{PolyLog}\left[3, -1 + \frac{2}{1 - I*a*x}\right]}{2}$

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]
```

Rule 4919

```
Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*((f_.)*(x_))^(m_.)/((d_.) + (e_.)*(x_)^2), x_Symbol]
:> Dist[1/d, Int[(f*x)^m*(a + b*ArcCot[c*x])^p, x], x] - Dist[e/(d*f^2), Int[((f*x)^(m + 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol]
:> Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 29

`Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]`

Rule 31

`Int[((a_) + (b_)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rule 4885

`Int[((a_) + ArcCot[(c_)*(x_)]*(b_))^(p_)/((d_) + (e_)*(x_)^2), x_Symbol] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]`

Rule 4925

`Int[((a_) + ArcCot[(c_)*(x_)]*(b_))^(p_)/((x_)*((d_) + (e_)*(x_)^2)), x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*d*(p + 1)), x] + Dist[I/d, Int[(a + b*ArcCot[c*x])^p/(x*(I + c*x)), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && GtQ[p, 0]`

Rule 4869

`Int[((a_) + ArcCot[(c_)*(x_)]*(b_))^(p_)/((x_)*((d_) + (e_)*(x_))), x_Symbol] := Simp[((a + b*ArcCot[c*x])^p*Log[2 - 2/(1 + (e*x)/d)])/d, x] + Dist[(b*c*p)/d, Int[((a + b*ArcCot[c*x])^(p - 1)*Log[2 - 2/(1 + (e*x)/d)])/((1 + c^2*x^2)), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]`

Rule 4993

`Int[(Log[u_]*((a_) + ArcCot[(c_)*(x_)]*(b_))^(p_))/((d_) + (e_)*(x_)^2), x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^p*PolyLog[2, 1 - u])/(2*c*d), x] + Dist[(b*p*I)/2, Int[((a + b*ArcCot[c*x])^(p - 1)*PolyLog[2, 1 - u])/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && EqQ[(1 - u)^2 - (1 - (2*I)/(I + c*x))^2, 0]`

Rule 6610

`Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v, x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]`

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(ax)^3}{x^4} dx &= -\frac{\cot^{-1}(ax)^3}{3x^3} - a \int \frac{\cot^{-1}(ax)^2}{x^3(1+a^2x^2)} dx \\
&= -\frac{\cot^{-1}(ax)^3}{3x^3} - a \int \frac{\cot^{-1}(ax)^2}{x^3} dx + a^3 \int \frac{\cot^{-1}(ax)^2}{x(1+a^2x^2)} dx \\
&= \frac{a \cot^{-1}(ax)^2}{2x^2} + \frac{1}{3} ia^3 \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{3x^3} + a^2 \int \frac{\cot^{-1}(ax)}{x^2(1+a^2x^2)} dx + (ia^3) \int \frac{\cot^{-1}(ax)^2}{x(i+ax)} dx \\
&= \frac{a \cot^{-1}(ax)^2}{2x^2} + \frac{1}{3} ia^3 \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{3x^3} + a^3 \cot^{-1}(ax)^2 \log\left(2 - \frac{2}{1-iax}\right) + a^2 \int \frac{\cot^{-1}(ax)}{x^2} dx \\
&= -\frac{a^2 \cot^{-1}(ax)}{x} + \frac{1}{2} a^3 \cot^{-1}(ax)^2 + \frac{a \cot^{-1}(ax)^2}{2x^2} + \frac{1}{3} ia^3 \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{3x^3} + a^3 \cot^{-1}(ax)^2 \log \\
&= -\frac{a^2 \cot^{-1}(ax)}{x} + \frac{1}{2} a^3 \cot^{-1}(ax)^2 + \frac{a \cot^{-1}(ax)^2}{2x^2} + \frac{1}{3} ia^3 \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{3x^3} + a^3 \cot^{-1}(ax)^2 \log \\
&= -\frac{a^2 \cot^{-1}(ax)}{x} + \frac{1}{2} a^3 \cot^{-1}(ax)^2 + \frac{a \cot^{-1}(ax)^2}{2x^2} + \frac{1}{3} ia^3 \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{3x^3} + a^3 \cot^{-1}(ax)^2 \log \\
&= -\frac{a^2 \cot^{-1}(ax)}{x} + \frac{1}{2} a^3 \cot^{-1}(ax)^2 + \frac{a \cot^{-1}(ax)^2}{2x^2} + \frac{1}{3} ia^3 \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{3x^3} - a^3 \log(x) + \frac{1}{2} a^3 \log
\end{aligned}$$

Mathematica [A] time = 0.243506, size = 151, normalized size = 0.9

$$\frac{1}{6} \left(-6ia^3 \cot^{-1}(ax) \text{PolyLog}\left(2, -e^{2i \cot^{-1}(ax)}\right) + 3a^3 \text{PolyLog}\left(3, -e^{2i \cot^{-1}(ax)}\right) - 6a^3 \log\left(\frac{1}{\sqrt{\frac{1}{a^2x^2} + 1}}\right) - 2ia^3 \cot^{-1}(ax)^3 + \dots \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[a*x]^3/x^4, x]

[Out] ((-6*a^2*ArcCot[a*x])/x + 3*a^3*ArcCot[a*x]^2 + (3*a*ArcCot[a*x]^2)/x^2 - (2*I)*a^3*ArcCot[a*x]^3 - (2*ArcCot[a*x]^3)/x^3 + 6*a^3*ArcCot[a*x]^2*Log[1 + E^((2*I)*ArcCot[a*x])] - 6*a^3*Log[1/Sqrt[1 + 1/(a^2*x^2)]] - (6*I)*a^3*ArcCot[a*x]*PolyLog[2, -E^((2*I)*ArcCot[a*x])] + 3*a^3*PolyLog[3, -E^((2*I)*ArcCot[a*x])])/6

Maple [C] time = 1.627, size = 5029, normalized size = 30.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)^3/x^4, x)

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^3/x^4,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\text{arccot}(ax)^3}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^3/x^4,x, algorithm="fricas")

[Out] integral(arccot(a*x)^3/x^4, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{acot}^3(ax)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x)**3/x**4,x)

[Out] Integral(acot(a*x)**3/x**4, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{arccot}(ax)^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^3/x^4,x, algorithm="giac")

[Out] integrate(arccot(a*x)^3/x^4, x)

3.33 $\int \frac{\cot^{-1}(ax)^3}{x^5} dx$

Optimal. Leaf size=152

$$-ia^4 \text{PolyLog}\left(2, -1 + \frac{2}{1-iax}\right) - \frac{a^2 \cot^{-1}(ax)}{4x^2} + \frac{a^3}{4x} + \frac{1}{4}a^4 \tan^{-1}(ax) + \frac{1}{4}a^4 \cot^{-1}(ax)^3 - ia^4 \cot^{-1}(ax)^2 - \frac{3a^3 \cot^{-1}(ax)}{4x}$$

```
[Out] a^3/(4*x) - (a^2*ArcCot[a*x])/(4*x^2) - I*a^4*ArcCot[a*x]^2 + (a*ArcCot[a*x]^2)/(4*x^3) - (3*a^3*ArcCot[a*x]^2)/(4*x) + (a^4*ArcCot[a*x]^3)/4 - ArcCot[a*x]^3/(4*x^4) + (a^4*ArcTan[a*x])/4 - 2*a^4*ArcCot[a*x]*Log[2 - 2/(1 - I*a*x)] - I*a^4*PolyLog[2, -1 + 2/(1 - I*a*x)]
```

Rubi [A] time = 0.419914, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 8, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.8$, Rules used = {4853, 4919, 325, 203, 4925, 4869, 2447, 4885}

$$-ia^4 \text{PolyLog}\left(2, -1 + \frac{2}{1-iax}\right) - \frac{a^2 \cot^{-1}(ax)}{4x^2} + \frac{a^3}{4x} + \frac{1}{4}a^4 \tan^{-1}(ax) + \frac{1}{4}a^4 \cot^{-1}(ax)^3 - ia^4 \cot^{-1}(ax)^2 - \frac{3a^3 \cot^{-1}(ax)}{4x}$$

Antiderivative was successfully verified.

```
[In] Int[ArcCot[a*x]^3/x^5,x]
```

```
[Out] a^3/(4*x) - (a^2*ArcCot[a*x])/(4*x^2) - I*a^4*ArcCot[a*x]^2 + (a*ArcCot[a*x]^2)/(4*x^3) - (3*a^3*ArcCot[a*x]^2)/(4*x) + (a^4*ArcCot[a*x]^3)/4 - ArcCot[a*x]^3/(4*x^4) + (a^4*ArcTan[a*x])/4 - 2*a^4*ArcCot[a*x]*Log[2 - 2/(1 - I*a*x)] - I*a^4*PolyLog[2, -1 + 2/(1 - I*a*x)]
```

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*((d_.)*(x_.))^ (m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]
```

Rule 4919

```
Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*((f_.)*(x_.))^ (m_.))/((d_.) + (e_.)*(x_.)^2), x_Symbol]
:> Dist[1/d, Int[(f*x)^m*(a + b*ArcCot[c*x])^p, x], x] - Dist[e/(d*f^2), Int[(f*x)^(m + 2)*(a + b*ArcCot[c*x])^p]/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1]
```

Rule 325

```
Int[((c_.)*(x_.))^ (m_.)*((a_.) + (b_.)*(x_.)^ (n_.))^ (p_.), x_Symbol]
:> Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_.)^2)^ (-1), x_Symbol]
:> Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])]/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
```

, 0] || GtQ[b, 0])

Rule 4925

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)/((x_.)*((d_.) + (e_.)*(x_.)^2)), x_Symbol] :> Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*d*(p + 1)), x] + Dist[I/d, Int[(a + b*ArcCot[c*x])^p/(x*(I + c*x)), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && GtQ[p, 0]

Rule 4869

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)/((x_.)*((d_.) + (e_.)*(x_.))), x_Symbol] :> Simp[((a + b*ArcCot[c*x])^p*Log[2 - 2/(1 + (e*x)/d)])/d, x] + Dist[(b*c*p)/d, Int[((a + b*ArcCot[c*x])^(p - 1)*Log[2 - 2/(1 + (e*x)/d)])/((1 + c^2*x^2)), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 2447

Int[Log[u_]*(Pq_)^(m_.), x_Symbol] :> With[{C = FullSimplify[(Pq^m*(1 - u))/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]

Rule 4885

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_.)^2), x_Symbol] :> -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{\cot^{-1}(ax)^3}{x^5} dx &= -\frac{\cot^{-1}(ax)^3}{4x^4} - \frac{1}{4}(3a) \int \frac{\cot^{-1}(ax)^2}{x^4(1+a^2x^2)} dx \\
 &= -\frac{\cot^{-1}(ax)^3}{4x^4} - \frac{1}{4}(3a) \int \frac{\cot^{-1}(ax)^2}{x^4} dx + \frac{1}{4}(3a^3) \int \frac{\cot^{-1}(ax)^2}{x^2(1+a^2x^2)} dx \\
 &= \frac{a \cot^{-1}(ax)^2}{4x^3} - \frac{\cot^{-1}(ax)^3}{4x^4} + \frac{1}{2}a^2 \int \frac{\cot^{-1}(ax)}{x^3(1+a^2x^2)} dx + \frac{1}{4}(3a^3) \int \frac{\cot^{-1}(ax)^2}{x^2} dx - \frac{1}{4}(3a^5) \int \frac{\cot^{-1}(ax)}{1+a^2x^2} dx \\
 &= \frac{a \cot^{-1}(ax)^2}{4x^3} - \frac{3a^3 \cot^{-1}(ax)^2}{4x} + \frac{1}{4}a^4 \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{4x^4} + \frac{1}{2}a^2 \int \frac{\cot^{-1}(ax)}{x^3} dx - \frac{1}{2}a^4 \int \frac{\cot^{-1}(ax)}{1+a^2x^2} dx \\
 &= -\frac{a^2 \cot^{-1}(ax)}{4x^2} - ia^4 \cot^{-1}(ax)^2 + \frac{a \cot^{-1}(ax)^2}{4x^3} - \frac{3a^3 \cot^{-1}(ax)^2}{4x} + \frac{1}{4}a^4 \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{4x^4} \\
 &= \frac{a^3}{4x} - \frac{a^2 \cot^{-1}(ax)}{4x^2} - ia^4 \cot^{-1}(ax)^2 + \frac{a \cot^{-1}(ax)^2}{4x^3} - \frac{3a^3 \cot^{-1}(ax)^2}{4x} + \frac{1}{4}a^4 \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{4x^4} \\
 &= \frac{a^3}{4x} - \frac{a^2 \cot^{-1}(ax)}{4x^2} - ia^4 \cot^{-1}(ax)^2 + \frac{a \cot^{-1}(ax)^2}{4x^3} - \frac{3a^3 \cot^{-1}(ax)^2}{4x} + \frac{1}{4}a^4 \cot^{-1}(ax)^3 - \frac{\cot^{-1}(ax)^3}{4x^4}
 \end{aligned}$$

Mathematica [A] time = 0.258419, size = 126, normalized size = 0.83

$$\frac{4ia^4x^4 \text{PolyLog}\left(2, -e^{2i \cot^{-1}(ax)}\right) + a^3x^3 + (a^4x^4 - 1) \cot^{-1}(ax)^3 + (4ia^4x^4 - 3a^3x^3 + ax) \cot^{-1}(ax)^2 - a^2x^2 \cot^{-1}(ax)}{4x^4}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[a*x]^3/x^5,x]

[Out] $(a^3x^3 + (ax - 3a^3x^3 + (4I)a^4x^4)*\text{ArcCot}[a*x]^2 + (-1 + a^4x^4)*\text{ArcCot}[a*x]^3 - a^2x^2*\text{ArcCot}[a*x]*(1 + a^2x^2 + 8a^2x^2*\text{Log}[1 + E^((2*I)*\text{ArcCot}[a*x])])) + (4I)a^4x^4*\text{PolyLog}[2, -E^((2I)*\text{ArcCot}[a*x])])/(4x^4)$

Maple [A] time = 0.485, size = 158, normalized size = 1.

$$-\frac{(\operatorname{arccot}(ax))^3}{4x^4} + \frac{a^4(\operatorname{arccot}(ax))^3}{4} + ia^4(\operatorname{arccot}(ax))^2 - \frac{a^4\operatorname{arccot}(ax)}{4} - \frac{3a^3(\operatorname{arccot}(ax))^2}{4x} + \frac{i}{4}a^4 + \frac{a^3}{4x} - \frac{a^2\operatorname{arccot}(ax)}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)^3/x^5,x)

[Out] $-1/4*\operatorname{arccot}(a*x)^3/x^4 + 1/4*a^4*\operatorname{arccot}(a*x)^3 + I*a^4*\operatorname{arccot}(a*x)^2 - 1/4*a^4*\operatorname{arccot}(a*x) - 3/4*a^3*\operatorname{arccot}(a*x)^2/x + 1/4*I*a^4 + 1/4*a^3/x - 1/4*a^2*\operatorname{arccot}(a*x)/x^2 + 1/4*a*\operatorname{arccot}(a*x)^2/x^3 - 2*a^4*\operatorname{arccot}(a*x)*\ln((a*x+I)^2/(a^2*x^2+1)) + I*a^4*\operatorname{polylog}(2, -(a*x+I)^2/(a^2*x^2+1))$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^3/x^5,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(ax)^3}{x^5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)^3/x^5,x, algorithm="fricas")

[Out] integral(arccot(a*x)^3/x^5, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}^3(ax)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acot(a*x)**3/x**5,x)
```

```
[Out] Integral(acot(a*x)**3/x**5, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(ax)^3}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x)^3/x^5,x, algorithm="giac")
```

```
[Out] integrate(arccot(a*x)^3/x^5, x)
```

3.34 $\int x^m \cot^{-1}(ax)^3 dx$

Optimal. Leaf size=12

Unintegrable($x^m \cot^{-1}(ax)^3, x$)

[Out] Unintegrable[x^m*ArcCot[a*x]³, x]

Rubi [A] time = 0.0129573, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int x^m \cot^{-1}(ax)^3 dx$$

Verification is Not applicable to the result.

[In] Int[x^m*ArcCot[a*x]³, x]

[Out] Defer[Int][x^m*ArcCot[a*x]³, x]

Rubi steps

$$\int x^m \cot^{-1}(ax)^3 dx = \int x^m \cot^{-1}(ax)^3 dx$$

Mathematica [A] time = 0.827706, size = 0, normalized size = 0.

$$\int x^m \cot^{-1}(ax)^3 dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m*ArcCot[a*x]³, x]

[Out] Integrate[x^m*ArcCot[a*x]³, x]

Maple [A] time = 1.293, size = 0, normalized size = 0.

$$\int x^m (\operatorname{arccot}(ax))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*arccot(a*x)³, x)

[Out] int(x^m*arccot(a*x)³, x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*arccot(a*x)^3,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}(x^m \operatorname{arccot}(ax)^3, x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*arccot(a*x)^3,x, algorithm="fricas")
```

```
[Out] integral(x^m*arccot(a*x)^3, x)
```

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int x^m \operatorname{acot}^3(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**m*acot(a*x)**3,x)
```

```
[Out] Integral(x**m*acot(a*x)**3, x)
```

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int x^m \operatorname{arccot}(ax)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*arccot(a*x)^3,x, algorithm="giac")
```

```
[Out] integrate(x^m*arccot(a*x)^3, x)
```

3.35 $\int x^m \cot^{-1}(ax)^2 dx$

Optimal. Leaf size=12

Unintegrable($x^m \cot^{-1}(ax)^2, x$)

[Out] Unintegrable[x^m*ArcCot[a*x]², x]

Rubi [A] time = 0.0126703, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int x^m \cot^{-1}(ax)^2 dx$$

Verification is Not applicable to the result.

[In] Int[x^m*ArcCot[a*x]², x]

[Out] Defer[Int][x^m*ArcCot[a*x]², x]

Rubi steps

$$\int x^m \cot^{-1}(ax)^2 dx = \int x^m \cot^{-1}(ax)^2 dx$$

Mathematica [A] time = 0.814933, size = 0, normalized size = 0.

$$\int x^m \cot^{-1}(ax)^2 dx$$

Verification is Not applicable to the result.

[In] Integrate[x^m*ArcCot[a*x]², x]

[Out] Integrate[x^m*ArcCot[a*x]², x]

Maple [A] time = 0.956, size = 0, normalized size = 0.

$$\int x^m (\operatorname{arccot}(ax))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*arccot(a*x)², x)

[Out] int(x^m*arccot(a*x)², x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*arccot(a*x)^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}(x^m \operatorname{arccot}(ax)^2, x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*arccot(a*x)^2,x, algorithm="fricas")
```

```
[Out] integral(x^m*arccot(a*x)^2, x)
```

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int x^m \operatorname{acot}^2(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**m*acot(a*x)**2,x)
```

```
[Out] Integral(x**m*acot(a*x)**2, x)
```

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int x^m \operatorname{arccot}(ax)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*arccot(a*x)^2,x, algorithm="giac")
```

```
[Out] integrate(x^m*arccot(a*x)^2, x)
```

3.36 $\int x^m \cot^{-1}(ax) dx$

Optimal. Leaf size=57

$$\frac{ax^{m+2} {}_2F_1\left(1, \frac{m+2}{2}; \frac{m+4}{2}; -a^2x^2\right)}{m^2 + 3m + 2} + \frac{x^{m+1} \cot^{-1}(ax)}{m + 1}$$

[Out] $(x^{(1+m)} \text{ArcCot}[a*x]) / (1+m) + (a*x^{(2+m)} \text{Hypergeometric2F1}[1, (2+m)/2, (4+m)/2, -(a^2*x^2)]) / (2+3*m+m^2)$

Rubi [A] time = 0.020079, antiderivative size = 57, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {4853, 364}

$$\frac{ax^{m+2} {}_2F_1\left(1, \frac{m+2}{2}; \frac{m+4}{2}; -a^2x^2\right)}{m^2 + 3m + 2} + \frac{x^{m+1} \cot^{-1}(ax)}{m + 1}$$

Antiderivative was successfully verified.

[In] Int[x^m*ArcCot[a*x], x]

[Out] $(x^{(1+m)} \text{ArcCot}[a*x]) / (1+m) + (a*x^{(2+m)} \text{Hypergeometric2F1}[1, (2+m)/2, (4+m)/2, -(a^2*x^2)]) / (2+3*m+m^2)$

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^p_.*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m+1)*(a + b*ArcCot[c*x])^p)/(d*(m+1)), x] + Dist[(b*c^p)/(d*(m+1)), Int[((d*x)^(m+1)*(a + b*ArcCot[c*x])^(p-1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])/((c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rubi steps

$$\begin{aligned} \int x^m \cot^{-1}(ax) dx &= \frac{x^{1+m} \cot^{-1}(ax)}{1+m} + \frac{a \int \frac{x^{1+m}}{1+a^2x^2} dx}{1+m} \\ &= \frac{x^{1+m} \cot^{-1}(ax)}{1+m} + \frac{ax^{2+m} {}_2F_1\left(1, \frac{2+m}{2}; \frac{4+m}{2}; -a^2x^2\right)}{2+3m+m^2} \end{aligned}$$

Mathematica [A] time = 0.0198512, size = 52, normalized size = 0.91

$$\frac{x^{m+1} \left(ax {}_2F_1\left(1, \frac{m}{2} + 1; \frac{m}{2} + 2; -a^2x^2\right) + (m+2) \cot^{-1}(ax) \right)}{(m+1)(m+2)}$$

Antiderivative was successfully verified.

[In] Integrate[x^m*ArcCot[a*x],x]

[Out] (x^(1 + m)*((2 + m)*ArcCot[a*x] + a*x*Hypergeometric2F1[1, 1 + m/2, 2 + m/2, -(a²*x²)]))/((1 + m)*(2 + m))

Maple [F] time = 1.026, size = 0, normalized size = 0.

$$\int x^m \operatorname{arccot}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*arccot(a*x),x)

[Out] int(x^m*arccot(a*x),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*arccot(a*x),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}(x^m \operatorname{arccot}(ax), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*arccot(a*x),x, algorithm="fricas")

[Out] integral(x^m*arccot(a*x), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^m \operatorname{acot}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**m*acot(a*x),x)

[Out] Integral(x**m*acot(a*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^m \operatorname{arccot}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*arccot(a*x),x, algorithm="giac")
```

```
[Out] integrate(x^m*arccot(a*x), x)
```

$$3.37 \quad \int \frac{x^4 \cot^{-1}(x)}{1+x^2} dx$$

Optimal. Leaf size=40

$$\frac{x^2}{6} - \frac{2}{3} \log(x^2 + 1) + \frac{1}{3} x^3 \cot^{-1}(x) - x \cot^{-1}(x) - \frac{1}{2} \cot^{-1}(x)^2$$

[Out] $x^2/6 - x \operatorname{ArcCot}[x] + (x^3 \operatorname{ArcCot}[x])/3 - \operatorname{ArcCot}[x]^2/2 - (2 \operatorname{Log}[1 + x^2])/3$

Rubi [A] time = 0.0965447, antiderivative size = 40, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.538$, Rules used = {4917, 4853, 266, 43, 4847, 260, 4885}

$$\frac{x^2}{6} - \frac{2}{3} \log(x^2 + 1) + \frac{1}{3} x^3 \cot^{-1}(x) - x \cot^{-1}(x) - \frac{1}{2} \cot^{-1}(x)^2$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^4 \operatorname{ArcCot}[x])/(1 + x^2), x]$

[Out] $x^2/6 - x \operatorname{ArcCot}[x] + (x^3 \operatorname{ArcCot}[x])/3 - \operatorname{ArcCot}[x]^2/2 - (2 \operatorname{Log}[1 + x^2])/3$

Rule 4917

$\operatorname{Int}[(a + \operatorname{ArcCot}[c(x)](b))^p (f(x))^m / (d + e(x)^2), x_Symbol] := \operatorname{Dist}[f^2/e, \operatorname{Int}[(f(x))^{m-2} (a + b \operatorname{ArcCot}[c(x)])^p, x], x] - \operatorname{Dist}[(d f^2)/e, \operatorname{Int}[(f(x))^{m-2} (a + b \operatorname{ArcCot}[c(x)])^p / (d + e x^2), x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]

Rule 4853

$\operatorname{Int}[(a + \operatorname{ArcCot}[c(x)](b))^p (d(x))^m, x_Symbol] := \operatorname{Simp}[(d(x))^{m+1} (a + b \operatorname{ArcCot}[c(x)])^p / (d(m+1)), x] + \operatorname{Dist}[(b c^p) / (d(m+1)), \operatorname{Int}[(d(x))^{m+1} (a + b \operatorname{ArcCot}[c(x)])^p / (1 + c^2 x^2), x], x] /;$ FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 266

$\operatorname{Int}[x^m (a + (b(x)^n)^p), x_Symbol] := \operatorname{Dist}[1/n, \operatorname{Subst}[\operatorname{Int}[x^{(\operatorname{Simplify}[(m+1)/n) - 1} (a + b x)^p, x], x, x^n], x] /;$ FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m+1)/n]]

Rule 43

$\operatorname{Int}[(a + (b(x))^m) (c + d(x)^n), x_Symbol] := \operatorname{Int}[\operatorname{ExpandIntegrand}[(a + b x)^m (c + d x)^n, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n+1), 0] || GtQ[m+n+2, 0])

Rule 4847

$\operatorname{Int}[(a + \operatorname{ArcCot}[c(x)](b))^p, x_Symbol] := \operatorname{Simp}[x (a + b \operatorname{ArcCot}[c(x)])^p, x] + \operatorname{Dist}[b c^p, \operatorname{Int}[(x (a + b \operatorname{ArcCot}[c(x)])^p - 1) / (1 + c^2$

$*x^2), x], x] /; \text{FreeQ}\{a, b, c\}, x] \ \&\& \ \text{IGtQ}[p, 0]$

Rule 260

$\text{Int}[(x_)^{(m_.)}/((a_) + (b_.)*(x_)^{(n_.)}), x_Symbol] \ :> \ \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]]/(b*n), x] /; \text{FreeQ}\{a, b, m, n\}, x] \ \&\& \ \text{EqQ}[m, n - 1]$

Rule 4885

$\text{Int}[(a_.) + \text{ArcCot}[(c_.)*(x_)]*(b_.)]^{(p_.)}/((d_.) + (e_.)*(x_)^2), x_Symbol] \ :> \ -\text{Simp}[(a + b*\text{ArcCot}[c*x])^{(p + 1)}/(b*c*d*(p + 1)), x] /; \text{FreeQ}\{a, b, c, d, e, p\}, x] \ \&\& \ \text{EqQ}[e, c^2*d] \ \&\& \ \text{NeQ}[p, -1]$

Rubi steps

$$\begin{aligned} \int \frac{x^4 \cot^{-1}(x)}{1+x^2} dx &= \int x^2 \cot^{-1}(x) dx - \int \frac{x^2 \cot^{-1}(x)}{1+x^2} dx \\ &= \frac{1}{3} x^3 \cot^{-1}(x) + \frac{1}{3} \int \frac{x^3}{1+x^2} dx - \int \cot^{-1}(x) dx + \int \frac{\cot^{-1}(x)}{1+x^2} dx \\ &= -x \cot^{-1}(x) + \frac{1}{3} x^3 \cot^{-1}(x) - \frac{1}{2} \cot^{-1}(x)^2 + \frac{1}{6} \text{Subst} \left(\int \frac{x}{1+x} dx, x, x^2 \right) - \int \frac{x}{1+x^2} dx \\ &= -x \cot^{-1}(x) + \frac{1}{3} x^3 \cot^{-1}(x) - \frac{1}{2} \cot^{-1}(x)^2 - \frac{1}{2} \log(1+x^2) + \frac{1}{6} \text{Subst} \left(\int \left(1 + \frac{1}{-1-x} \right) dx, x, x^2 \right) \\ &= \frac{x^2}{6} - x \cot^{-1}(x) + \frac{1}{3} x^3 \cot^{-1}(x) - \frac{1}{2} \cot^{-1}(x)^2 - \frac{2}{3} \log(1+x^2) \end{aligned}$$

Mathematica [A] time = 0.0274571, size = 32, normalized size = 0.8

$$\frac{1}{6} (x^2 - 4 \log(x^2 + 1) + 2(x^2 - 3)x \cot^{-1}(x) - 3 \cot^{-1}(x)^2)$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*ArcCot[x])/(1 + x^2),x]

[Out] (x^2 + 2*x*(-3 + x^2)*ArcCot[x] - 3*ArcCot[x]^2 - 4*Log[1 + x^2])/6

Maple [A] time = 0.029, size = 38, normalized size = 1.

$$\frac{x^3 \operatorname{arccot}(x)}{3} - x \operatorname{arccot}(x) + \operatorname{arccot}(x) \arctan(x) + \frac{x^2}{6} - \frac{2 \ln(x^2 + 1)}{3} + \frac{(\arctan(x))^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*arccot(x)/(x^2+1),x)

[Out] 1/3*x^3*arccot(x)-x*arccot(x)+arccot(x)*arctan(x)+1/6*x^2-2/3*ln(x^2+1)+1/2*arctan(x)^2

Maxima [A] time = 1.47917, size = 47, normalized size = 1.18

$$\frac{1}{6} x^2 + \frac{1}{3} (x^3 - 3x + 3 \arctan(x)) \operatorname{arccot}(x) + \frac{1}{2} \arctan(x)^2 - \frac{2}{3} \log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccot(x)/(x^2+1),x, algorithm="maxima")

[Out] $\frac{1}{6}x^2 + \frac{1}{3}(x^3 - 3x + 3\arctan(x))\operatorname{arccot}(x) + \frac{1}{2}\arctan(x)^2 - \frac{2}{3}\log(x^2 + 1)$

Fricas [A] time = 1.99925, size = 100, normalized size = 2.5

$$\frac{1}{6}x^2 + \frac{1}{3}(x^3 - 3x)\operatorname{arccot}(x) - \frac{1}{2}\operatorname{arccot}(x)^2 - \frac{2}{3}\log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccot(x)/(x^2+1),x, algorithm="fricas")

[Out] $\frac{1}{6}x^2 + \frac{1}{3}(x^3 - 3x)\operatorname{arccot}(x) - \frac{1}{2}\operatorname{arccot}(x)^2 - \frac{2}{3}\log(x^2 + 1)$

Sympy [A] time = 0.710818, size = 34, normalized size = 0.85

$$\frac{x^3 \operatorname{acot}(x)}{3} + \frac{x^2}{6} - x \operatorname{acot}(x) - \frac{2 \log(x^2 + 1)}{3} - \frac{\operatorname{acot}^2(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*acot(x)/(x**2+1),x)

[Out] $x**3*\operatorname{acot}(x)/3 + x**2/6 - x*\operatorname{acot}(x) - 2*\log(x**2 + 1)/3 - \operatorname{acot}(x)**2/2$

Giac [B] time = 1.13736, size = 90, normalized size = 2.25

$$\frac{1}{6}ix^3 \log\left(-\frac{i-x}{i+x}\right) - \frac{1}{2}ix \log\left(-\frac{i-x}{i+x}\right) + \frac{1}{6}x^2 + \frac{1}{8} \log\left(-\frac{i-x}{i+x}\right)^2 - \frac{2}{3} \log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*arccot(x)/(x^2+1),x, algorithm="giac")

[Out] $\frac{1}{6}i*x^3*\log(-(i-x)/(i+x)) - \frac{1}{2}i*x*\log(-(i-x)/(i+x)) + \frac{1}{6}x^2 + \frac{1}{8}*\log(-(i-x)/(i+x))^2 - \frac{2}{3}*\log(x^2 + 1)$

3.38 $\int \frac{x^3 \cot^{-1}(x)}{1+x^2} dx$

Optimal. Leaf size=67

$$-\frac{1}{2}i\text{PolyLog}\left(2, 1 - \frac{2}{1+ix}\right) + \frac{1}{2}x^2 \cot^{-1}(x) + \frac{x}{2} - \frac{1}{2} \tan^{-1}(x) - \frac{1}{2}i \cot^{-1}(x)^2 + \log\left(\frac{2}{1+ix}\right) \cot^{-1}(x)$$

[Out] x/2 + (x^2*ArcCot[x])/2 - (I/2)*ArcCot[x]^2 - ArcTan[x]/2 + ArcCot[x]*Log[2/(1 + I*x)] - (I/2)*PolyLog[2, 1 - 2/(1 + I*x)]

Rubi [A] time = 0.0926004, antiderivative size = 67, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.615$, Rules used = {4917, 4853, 321, 203, 4921, 4855, 2402, 2315}

$$-\frac{1}{2}i\text{PolyLog}\left(2, 1 - \frac{2}{1+ix}\right) + \frac{1}{2}x^2 \cot^{-1}(x) + \frac{x}{2} - \frac{1}{2} \tan^{-1}(x) - \frac{1}{2}i \cot^{-1}(x)^2 + \log\left(\frac{2}{1+ix}\right) \cot^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(x^3*ArcCot[x])/(1 + x^2), x]

[Out] x/2 + (x^2*ArcCot[x])/2 - (I/2)*ArcCot[x]^2 - ArcTan[x]/2 + ArcCot[x]*Log[2/(1 + I*x)] - (I/2)*PolyLog[2, 1 - 2/(1 + I*x)]

Rule 4917

Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*((f_.)*(x_.))^ (m_.))/((d_.) + (e_.)*(x_.)^2), x_Symbol] :> Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcCot[c*x])^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]

Rule 4853

Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*((d_.)*(x_.))^ (m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 321

Int[(((c_.)*(x_.))^ (m_.)*((a_.) + (b_.)*(x_.)^ (n_.))^ (p_.), x_Symbol] :> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 203

Int[(((a_.) + (b_.)*(x_.)^2)^ (-1), x_Symbol] :> Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])]/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 4921

Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*(x_.))/((d_.) + (e_.)*(x_.)^2), x_Symbol] :> Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*e*(p + 1)), x] - Dist[

$1/(c*d)$, Int[(a + b*ArcCot[c*x])^p/(1 - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]

Rule 4855

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^p/((d_.) + (e_.)*(x_.)), x_Symbol] :> -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)/e, Int[((a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)])/((1 + c^2*x^2)), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_.) + (e_.)*(x_.))]/((f_.) + (g_.)*(x_.)^2), x_Symbol] :> -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_.)/((d_.) + (e_.)*(x_.))], x_Symbol] :> -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rubi steps

$$\begin{aligned} \int \frac{x^3 \cot^{-1}(x)}{1+x^2} dx &= \int x \cot^{-1}(x) dx - \int \frac{x \cot^{-1}(x)}{1+x^2} dx \\ &= \frac{1}{2}x^2 \cot^{-1}(x) - \frac{1}{2}i \cot^{-1}(x)^2 + \frac{1}{2} \int \frac{x^2}{1+x^2} dx + \int \frac{\cot^{-1}(x)}{i-x} dx \\ &= \frac{x}{2} + \frac{1}{2}x^2 \cot^{-1}(x) - \frac{1}{2}i \cot^{-1}(x)^2 + \cot^{-1}(x) \log\left(\frac{2}{1+ix}\right) - \frac{1}{2} \int \frac{1}{1+x^2} dx + \int \frac{\log\left(\frac{2}{1+ix}\right)}{1+x^2} dx \\ &= \frac{x}{2} + \frac{1}{2}x^2 \cot^{-1}(x) - \frac{1}{2}i \cot^{-1}(x)^2 - \frac{1}{2} \tan^{-1}(x) + \cot^{-1}(x) \log\left(\frac{2}{1+ix}\right) - i \operatorname{Subst}\left(\int \frac{\log(2x)}{1-2x} dx, x, \frac{1}{1+ix}\right) \\ &= \frac{x}{2} + \frac{1}{2}x^2 \cot^{-1}(x) - \frac{1}{2}i \cot^{-1}(x)^2 - \frac{1}{2} \tan^{-1}(x) + \cot^{-1}(x) \log\left(\frac{2}{1+ix}\right) - \frac{1}{2}i \operatorname{Li}_2\left(1 - \frac{2}{1+ix}\right) \end{aligned}$$

Mathematica [B] time = 0.0590699, size = 241, normalized size = 3.6

$$-\frac{1}{4}i \operatorname{PolyLog}\left(2, -\frac{1}{2}i(-x+i)\right) + \frac{1}{4}i \operatorname{PolyLog}\left(2, -\frac{1}{2}i(x+i)\right) + \frac{1}{2}x^2 \cot^{-1}(x) + \frac{x}{2} + \frac{1}{8}i \log^2(-x+i) - \frac{1}{8}i \log^2(x+i) - \frac{1}{4}i \log^2(x+i)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3*ArcCot[x])/(1 + x^2), x]

[Out] x/2 + (x^2*ArcCot[x])/2 - ArcTan[x]/2 + (I/8)*Log[I - x]^2 - (I/4)*Log[I - x]*Log[-((I - x)/x)] - (I/4)*Log[I - x]*Log[(-I/2)*(I + x)] + (I/4)*Log[(-I/2)*(I - x)]*Log[I + x] - (I/4)*Log[-((I - x)/x)]*Log[I + x] - (I/8)*Log[I + x]^2 + (I/4)*Log[I - x]*Log[(I + x)/x] + (I/4)*Log[I + x]*Log[(I + x)/x] - (I/4)*PolyLog[2, (-I/2)*(I - x)] + (I/4)*PolyLog[2, (-I/2)*(I + x)]

Maple [B] time = 0.114, size = 128, normalized size = 1.9

$$\frac{x^2 \operatorname{arccot}(x)}{2} - \frac{\operatorname{arccot}(x) \ln(x^2 + 1)}{2} + \frac{x}{2} - \frac{\arctan(x)}{2} - \frac{i}{8} (\ln(x-i))^2 - \frac{i}{4} \ln(x-i) \ln\left(-\frac{i}{2}(x+i)\right) + \frac{i}{4} \ln(x-i) \ln\left(\frac{i}{2}(x+i)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*arccot(x)/(x^2+1),x)`

[Out] $\frac{1}{2}x^2\operatorname{arccot}(x) - \frac{1}{2}\operatorname{arccot}(x)\ln(x^2+1) + \frac{1}{2}x - \frac{1}{2}\arctan(x) - \frac{1}{8}i\ln(x-i)^2 - \frac{1}{4}i\ln(x-i)\ln(-\frac{1}{2}i(x+i)) + \frac{1}{4}i\ln(x-i)\ln(x^2+1) - \frac{1}{4}i\operatorname{dilog}(-\frac{1}{2}i(x+i)) + \frac{1}{8}i\ln(x+i)^2 + \frac{1}{4}i\ln(x+i)\ln(\frac{1}{2}i(x-i)) - \frac{1}{4}i\ln(x+i)\ln(x^2+1) + \frac{1}{4}i\operatorname{dilog}(\frac{1}{2}i(x-i))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 \operatorname{arccot}(x)}{x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arccot(x)/(x^2+1),x, algorithm="maxima")`

[Out] `integrate(x^3*arccot(x)/(x^2 + 1), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{x^3 \operatorname{arccot}(x)}{x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arccot(x)/(x^2+1),x, algorithm="fricas")`

[Out] `integral(x^3*arccot(x)/(x^2 + 1), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 \operatorname{acot}(x)}{x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*acot(x)/(x**2+1),x)`

[Out] `Integral(x**3*acot(x)/(x**2 + 1), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3 \operatorname{arccot}(x)}{x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*arccot(x)/(x^2+1),x, algorithm="giac")`

[Out] `integrate(x^3*arccot(x)/(x^2 + 1), x)`

$$3.39 \quad \int \frac{x^2 \cot^{-1}(x)}{1+x^2} dx$$

Optimal. Leaf size=23

$$\frac{1}{2} \log(x^2 + 1) + \frac{1}{2} \cot^{-1}(x)^2 + x \cot^{-1}(x)$$

[Out] x*ArcCot[x] + ArcCot[x]^2/2 + Log[1 + x^2]/2

Rubi [A] time = 0.0481948, antiderivative size = 23, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$, Rules used = {4917, 4847, 260, 4885}

$$\frac{1}{2} \log(x^2 + 1) + \frac{1}{2} \cot^{-1}(x)^2 + x \cot^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(x^2*ArcCot[x])/(1 + x^2), x]

[Out] x*ArcCot[x] + ArcCot[x]^2/2 + Log[1 + x^2]/2

Rule 4917

Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)*((f_.)*(x_))^(m_)]/((d_) + (e_.)*(x_)^2), x_Symbol] := Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcCot[c*x])^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]

Rule 4847

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.), x_Symbol] := Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 4885

Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)/((d_) + (e_.)*(x_)^2), x_Symbol] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{x^2 \cot^{-1}(x)}{1+x^2} dx &= \int \cot^{-1}(x) dx - \int \frac{\cot^{-1}(x)}{1+x^2} dx \\ &= x \cot^{-1}(x) + \frac{1}{2} \cot^{-1}(x)^2 + \int \frac{x}{1+x^2} dx \\ &= x \cot^{-1}(x) + \frac{1}{2} \cot^{-1}(x)^2 + \frac{1}{2} \log(1+x^2) \end{aligned}$$

Mathematica [A] time = 0.0133661, size = 23, normalized size = 1.

$$\frac{1}{2} \log(x^2 + 1) + \frac{1}{2} \cot^{-1}(x)^2 + x \cot^{-1}(x)$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*ArcCot[x])/(1 + x^2),x]

[Out] x*ArcCot[x] + ArcCot[x]^2/2 + Log[1 + x^2]/2

Maple [A] time = 0.03, size = 26, normalized size = 1.1

$$-\operatorname{arccot}(x) \arctan(x) + x \operatorname{arccot}(x) + \frac{\ln(x^2 + 1)}{2} - \frac{(\arctan(x))^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*arccot(x)/(x^2+1),x)

[Out] -arccot(x)*arctan(x)+x*arccot(x)+1/2*ln(x^2+1)-1/2*arctan(x)^2

Maxima [A] time = 1.54104, size = 32, normalized size = 1.39

$$(x - \arctan(x)) \operatorname{arccot}(x) - \frac{1}{2} \arctan(x)^2 + \frac{1}{2} \log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(x)/(x^2+1),x, algorithm="maxima")

[Out] (x - arctan(x))*arccot(x) - 1/2*arctan(x)^2 + 1/2*log(x^2 + 1)

Fricas [A] time = 1.86692, size = 68, normalized size = 2.96

$$x \operatorname{arccot}(x) + \frac{1}{2} \operatorname{arccot}(x)^2 + \frac{1}{2} \log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(x)/(x^2+1),x, algorithm="fricas")

[Out] x*arccot(x) + 1/2*arccot(x)^2 + 1/2*log(x^2 + 1)

Sympy [A] time = 0.38859, size = 19, normalized size = 0.83

$$x \operatorname{acot}(x) + \frac{\log(x^2 + 1)}{2} + \frac{\operatorname{acot}^2(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*acot(x)/(x**2+1),x)
```

```
[Out] x*acot(x) + log(x**2 + 1)/2 + acot(x)**2/2
```

Giac [B] time = 1.1239, size = 58, normalized size = 2.52

$$\frac{1}{2}ix \log\left(-\frac{i-x}{i+x}\right) - \frac{1}{8} \log\left(-\frac{i-x}{i+x}\right)^2 + \frac{1}{2} \log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccot(x)/(x^2+1),x, algorithm="giac")
```

```
[Out] 1/2*i*x*log(-(i - x)/(i + x)) - 1/8*log(-(i - x)/(i + x))^2 + 1/2*log(x^2 + 1)
```

3.40 $\int \frac{x \cot^{-1}(x)}{1+x^2} dx$

Optimal. Leaf size=48

$$\frac{1}{2}i\text{PolyLog}\left(2, 1 - \frac{2}{1+ix}\right) + \frac{1}{2}i \cot^{-1}(x)^2 - \log\left(\frac{2}{1+ix}\right) \cot^{-1}(x)$$

[Out] (I/2)*ArcCot[x]^2 - ArcCot[x]*Log[2/(1 + I*x)] + (I/2)*PolyLog[2, 1 - 2/(1 + I*x)]

Rubi [A] time = 0.0540192, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {4921, 4855, 2402, 2315}

$$\frac{1}{2}i\text{PolyLog}\left(2, 1 - \frac{2}{1+ix}\right) + \frac{1}{2}i \cot^{-1}(x)^2 - \log\left(\frac{2}{1+ix}\right) \cot^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(x*ArcCot[x])/(1 + x^2), x]

[Out] (I/2)*ArcCot[x]^2 - ArcCot[x]*Log[2/(1 + I*x)] + (I/2)*PolyLog[2, 1 - 2/(1 + I*x)]

Rule 4921

Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*(x_)/((d_) + (e_.)*(x_)^2), x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*e*(p + 1)), x] - Dist[1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]

Rule 4855

Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)/e, Int[((a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)])/((1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_)/((d_) + (e_.)*(x_))], x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x \cot^{-1}(x)}{1+x^2} dx &= \frac{1}{2} i \cot^{-1}(x)^2 - \int \frac{\cot^{-1}(x)}{i-x} dx \\
&= \frac{1}{2} i \cot^{-1}(x)^2 - \cot^{-1}(x) \log\left(\frac{2}{1+ix}\right) - \int \frac{\log\left(\frac{2}{1+ix}\right)}{1+x^2} dx \\
&= \frac{1}{2} i \cot^{-1}(x)^2 - \cot^{-1}(x) \log\left(\frac{2}{1+ix}\right) + i \operatorname{Subst}\left(\int \frac{\log(2x)}{1-2x} dx, x, \frac{1}{1+ix}\right) \\
&= \frac{1}{2} i \cot^{-1}(x)^2 - \cot^{-1}(x) \log\left(\frac{2}{1+ix}\right) + \frac{1}{2} i \operatorname{Li}_2\left(1 - \frac{2}{1+ix}\right)
\end{aligned}$$

Mathematica [B] time = 0.0472643, size = 221, normalized size = 4.6

$$\frac{1}{4} i \operatorname{PolyLog}\left(2, -\frac{1}{2} i(-x+i)\right) - \frac{1}{4} i \operatorname{PolyLog}\left(2, -\frac{1}{2} i(x+i)\right) - \frac{1}{8} i \log^2(-x+i) + \frac{1}{8} i \log^2(x+i) + \frac{1}{4} i \log\left(-\frac{-x+i}{x}\right) \log(-)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x*ArcCot[x])/(1 + x^2), x]

[Out] (-I/8)*Log[I - x]^2 + (I/4)*Log[I - x]*Log[-((I - x)/x)] + (I/4)*Log[I - x]*Log[(-I/2)*(I + x)] - (I/4)*Log[(-I/2)*(I - x)]*Log[I + x] + (I/4)*Log[-((I - x)/x)]*Log[I + x] + (I/8)*Log[I + x]^2 - (I/4)*Log[I - x]*Log[(I + x)/x] - (I/4)*Log[I + x]*Log[(I + x)/x] + (I/4)*PolyLog[2, (-I/2)*(I - x)] - (I/4)*PolyLog[2, (-I/2)*(I + x)]

Maple [B] time = 0.104, size = 114, normalized size = 2.4

$$\frac{\operatorname{arccot}(x) \ln(x^2 + 1)}{2} - \frac{i}{4} \ln(x-i) \ln(x^2 + 1) + \frac{i}{8} (\ln(x-i))^2 + \frac{i}{4} \ln(x-i) \ln\left(-\frac{i}{2}(x+i)\right) + \frac{i}{4} \operatorname{dilog}\left(-\frac{i}{2}(x+i)\right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccot(x)/(x^2+1), x)

[Out] 1/2*arccot(x)*ln(x^2+1)-1/4*I*ln(x-I)*ln(x^2+1)+1/8*I*ln(x-I)^2+1/4*I*ln(x-I)*ln(-1/2*I*(x+I))+1/4*I*dilog(-1/2*I*(x+I))+1/4*I*ln(x+I)*ln(x^2+1)-1/8*I*ln(x+I)^2-1/4*I*ln(x+I)*ln(1/2*I*(x-I))-1/4*I*dilog(1/2*I*(x-I))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x \operatorname{arccot}(x)}{x^2+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(x)/(x^2+1), x, algorithm="maxima")

[Out] integrate(x*arccot(x)/(x^2 + 1), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{x \operatorname{arccot}(x)}{x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(x)/(x^2+1),x, algorithm="fricas")

[Out] integral(x*arccot(x)/(x^2 + 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x \operatorname{acot}(x)}{x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*acot(x)/(x**2+1),x)

[Out] Integral(x*acot(x)/(x**2 + 1), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x \operatorname{arccot}(x)}{x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(x)/(x^2+1),x, algorithm="giac")

[Out] integrate(x*arccot(x)/(x^2 + 1), x)

$$3.41 \quad \int \frac{\cot^{-1}(x)}{1+x^2} dx$$

Optimal. Leaf size=8

$$-\frac{1}{2} \cot^{-1}(x)^2$$

[Out] -ArcCot[x]^2/2

Rubi [A] time = 0.0115701, antiderivative size = 8, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$, Rules used = {4885}

$$-\frac{1}{2} \cot^{-1}(x)^2$$

Antiderivative was successfully verified.

[In] Int[ArcCot[x]/(1 + x^2), x]

[Out] -ArcCot[x]^2/2

Rule 4885

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)/((d_) + (e_.)*(x_)^2), x_Symbol] :> -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]

Rubi steps

$$\int \frac{\cot^{-1}(x)}{1+x^2} dx = -\frac{1}{2} \cot^{-1}(x)^2$$

Mathematica [A] time = 0.0031552, size = 8, normalized size = 1.

$$-\frac{1}{2} \cot^{-1}(x)^2$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[x]/(1 + x^2), x]

[Out] -ArcCot[x]^2/2

Maple [A] time = 0.02, size = 7, normalized size = 0.9

$$\frac{(\operatorname{arccot}(x))^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccot(x)/(x^2+1),x)`

[Out] `-1/2*arccot(x)^2`

Maxima [A] time = 0.977856, size = 8, normalized size = 1.

$$-\frac{1}{2} \operatorname{arccot}(x)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x)/(x^2+1),x, algorithm="maxima")`

[Out] `-1/2*arccot(x)^2`

Fricas [A] time = 1.92167, size = 24, normalized size = 3.

$$-\frac{1}{2} \operatorname{arccot}(x)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x)/(x^2+1),x, algorithm="fricas")`

[Out] `-1/2*arccot(x)^2`

Sympy [A] time = 0.695324, size = 7, normalized size = 0.88

$$-\frac{\operatorname{acot}^2(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acot(x)/(x**2+1),x)`

[Out] `-acot(x)**2/2`

Giac [A] time = 1.10768, size = 11, normalized size = 1.38

$$-\frac{1}{2} \arctan\left(\frac{1}{x}\right)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x)/(x^2+1),x, algorithm="giac")`

[Out] `-1/2*arctan(1/x)^2`

$$3.42 \quad \int \frac{\cot^{-1}(x)}{x(1+x^2)} dx$$

Optimal. Leaf size=49

$$\frac{1}{2}i\text{PolyLog}\left(2, -1 + \frac{2}{1-ix}\right) + \frac{1}{2}i\cot^{-1}(x)^2 + \log\left(2 - \frac{2}{1-ix}\right)\cot^{-1}(x)$$

[Out] (I/2)*ArcCot[x]^2 + ArcCot[x]*Log[2 - 2/(1 - I*x)] + (I/2)*PolyLog[2, -1 + 2/(1 - I*x)]

Rubi [A] time = 0.0729478, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {4925, 4869, 2447}

$$\frac{1}{2}i\text{PolyLog}\left(2, -1 + \frac{2}{1-ix}\right) + \frac{1}{2}i\cot^{-1}(x)^2 + \log\left(2 - \frac{2}{1-ix}\right)\cot^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[x]/(x*(1 + x^2)), x]

[Out] (I/2)*ArcCot[x]^2 + ArcCot[x]*Log[2 - 2/(1 - I*x)] + (I/2)*PolyLog[2, -1 + 2/(1 - I*x)]

Rule 4925

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^2)), x_Symbol] :> Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*d*(p + 1)), x] + Dist[I/d, Int[(a + b*ArcCot[c*x])^p/(x*(I + c*x)), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && GtQ[p, 0]

Rule 4869

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_))), x_Symbol] :> Simp[((a + b*ArcCot[c*x])^p*Log[2 - 2/(1 + (e*x)/d)])/d, x] + Dist[(b*c*p)/d, Int[(a + b*ArcCot[c*x])^(p - 1)*Log[2 - 2/(1 + (e*x)/d)]]/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 2447

Int[Log[u_]*(Pq_)^(m_.), x_Symbol] :> With[{C = FullSimplify[(Pq^m*(1 - u))/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(x)}{x(1+x^2)} dx &= \frac{1}{2}i \cot^{-1}(x)^2 + i \int \frac{\cot^{-1}(x)}{x(i+x)} dx \\ &= \frac{1}{2}i \cot^{-1}(x)^2 + \cot^{-1}(x) \log\left(2 - \frac{2}{1-ix}\right) + \int \frac{\log\left(2 - \frac{2}{1-ix}\right)}{1+x^2} dx \\ &= \frac{1}{2}i \cot^{-1}(x)^2 + \cot^{-1}(x) \log\left(2 - \frac{2}{1-ix}\right) + \frac{1}{2}i \text{Li}_2\left(-1 + \frac{2}{1-ix}\right) \end{aligned}$$

Mathematica [B] time = 0.0596438, size = 251, normalized size = 5.12

$$-\frac{1}{4}i \text{PolyLog}\left(2, -\frac{1}{2}i(-x+i)\right) - \frac{1}{2}i \text{PolyLog}\left(2, -\frac{i}{x}\right) + \frac{1}{2}i \text{PolyLog}\left(2, \frac{i}{x}\right) + \frac{1}{4}i \text{PolyLog}\left(2, -\frac{1}{2}i(x+i)\right) + \frac{1}{8}i \log^2(-x+i)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[x]/(x*(1 + x^2)),x]

[Out] (I/8)*Log[I - x]^2 - (I/4)*Log[I - x]*Log[-((I - x)/x)] - (I/4)*Log[I - x]*Log[(-I/2)*(I + x)] + (I/4)*Log[(-I/2)*(I - x)]*Log[I + x] - (I/4)*Log[-((I - x)/x)]*Log[I + x] - (I/8)*Log[I + x]^2 + (I/4)*Log[I - x]*Log[(I + x)/x] + (I/4)*Log[I + x]*Log[(I + x)/x] - (I/4)*PolyLog[2, (-I/2)*(I - x)] - (I/2)*PolyLog[2, (-I)/x] + (I/2)*PolyLog[2, I/x] + (I/4)*PolyLog[2, (-I/2)*(I + x)]

Maple [B] time = 0.115, size = 163, normalized size = 3.3

$$-\frac{\operatorname{arccot}(x) \ln(x^2 + 1)}{2} + \operatorname{arccot}(x) \ln(x) - \frac{i}{2} \ln(x) \ln(1 + ix) + \frac{i}{2} \ln(x) \ln(1 - ix) - \frac{i}{2} \operatorname{dilog}(1 + ix) + \frac{i}{2} \operatorname{dilog}(1 - ix)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(x)/x/(x^2+1),x)

[Out] -1/2*arccot(x)*ln(x^2+1)+arccot(x)*ln(x)-1/2*I*ln(x)*ln(1+I*x)+1/2*I*ln(x)*ln(1-I*x)-1/2*I*dilog(1+I*x)+1/2*I*dilog(1-I*x)-1/8*I*ln(x-I)^2-1/4*I*ln(x-I)*ln(-1/2*I*(x+I))+1/4*I*ln(x-I)*ln(x^2+1)-1/4*I*dilog(-1/2*I*(x+I))+1/8*I*ln(x+I)^2+1/4*I*ln(x+I)*ln(1/2*I*(x-I))-1/4*I*ln(x+I)*ln(x^2+1)+1/4*I*dilog(1/2*I*(x-I))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(x)}{(x^2 + 1)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/x/(x^2+1),x, algorithm="maxima")

[Out] integrate(arccot(x)/((x^2 + 1)*x), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\text{arccot}(x)}{x^3 + x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/x/(x^2+1),x, algorithm="fricas")

[Out] integral(arccot(x)/(x^3 + x), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{acot}(x)}{x(x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(x)/x/(x**2+1),x)

[Out] Integral(acot(x)/(x*(x**2 + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{arccot}(x)}{(x^2 + 1)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/x/(x^2+1),x, algorithm="giac")

[Out] integrate(arccot(x)/((x^2 + 1)*x), x)

3.43 $\int \frac{\cot^{-1}(x)}{x^2(1+x^2)} dx$

Optimal. Leaf size=30

$$\frac{1}{2} \log(x^2 + 1) - \log(x) + \frac{1}{2} \cot^{-1}(x)^2 - \frac{\cot^{-1}(x)}{x}$$

[Out] $-(\text{ArcCot}[x]/x) + \text{ArcCot}[x]^2/2 - \text{Log}[x] + \text{Log}[1 + x^2]/2$

Rubi [A] time = 0.0557802, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.538$, Rules used = {4919, 4853, 266, 36, 29, 31, 4885}

$$\frac{1}{2} \log(x^2 + 1) - \log(x) + \frac{1}{2} \cot^{-1}(x)^2 - \frac{\cot^{-1}(x)}{x}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{ArcCot}[x]/(x^2*(1 + x^2)), x]$

[Out] $-(\text{ArcCot}[x]/x) + \text{ArcCot}[x]^2/2 - \text{Log}[x] + \text{Log}[1 + x^2]/2$

Rule 4919

$\text{Int}[(((a_.) + \text{ArcCot}[(c_.)*(x_.)]*(b_.))^{\text{p}_.}*((f_.)*(x_.))^{\text{m}_.})/((d_.) + (e_.)*(x_.)^2), x_Symbol] \rightarrow \text{Dist}[1/d, \text{Int}[(f*x)^m*(a + b*\text{ArcCot}[c*x])^p, x], x] - \text{Dist}[e/(d*f^2), \text{Int}[(f*x)^{(m+2)}*(a + b*\text{ArcCot}[c*x])^p]/(d + e*x^2), x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{LtQ}[m, -1]$

Rule 4853

$\text{Int}[((a_.) + \text{ArcCot}[(c_.)*(x_.)]*(b_.))^{\text{p}_.}*((d_.)*(x_.))^{\text{m}_.}, x_Symbol] \rightarrow \text{Simp}[(d*x)^{(m+1)}*(a + b*\text{ArcCot}[c*x])^p/(d*(m+1)), x] + \text{Dist}[(b*c*p)/(d*(m+1)), \text{Int}[(d*x)^{(m+1)}*(a + b*\text{ArcCot}[c*x])^{p-1}/(1 + c^2*x^2), x], x] /;$ $\text{FreeQ}\{a, b, c, d, m\}, x] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ (\text{EqQ}[p, 1] \ || \ \text{IntegerQ}[m]) \ \&\& \ \text{NeQ}[m, -1]$

Rule 266

$\text{Int}[(x_.)^{\text{m}_.}*((a_.) + (b_.)*(x_.)^{\text{n}_.})^{\text{p}_.}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /;$ $\text{FreeQ}\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$

Rule 36

$\text{Int}[1/(((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.))), x_Symbol] \rightarrow \text{Dist}[b/(b*c - a*d), \text{Int}[1/(a + b*x), x], x] - \text{Dist}[d/(b*c - a*d), \text{Int}[1/(c + d*x), x], x] /;$ $\text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 29

$\text{Int}[(x_.)^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[x], x]$

Rule 31

```
Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 4885

```
Int[((a_) + ArcCot[(c_.)*(x_)]*(b_.))^p_./((d_) + (e_.)*(x_)^2), x_Symbol] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(x)}{x^2(1+x^2)} dx &= \int \frac{\cot^{-1}(x)}{x^2} dx - \int \frac{\cot^{-1}(x)}{1+x^2} dx \\ &= -\frac{\cot^{-1}(x)}{x} + \frac{1}{2} \cot^{-1}(x)^2 - \int \frac{1}{x(1+x^2)} dx \\ &= -\frac{\cot^{-1}(x)}{x} + \frac{1}{2} \cot^{-1}(x)^2 - \frac{1}{2} \text{Subst}\left(\int \frac{1}{x(1+x)} dx, x, x^2\right) \\ &= -\frac{\cot^{-1}(x)}{x} + \frac{1}{2} \cot^{-1}(x)^2 - \frac{1}{2} \text{Subst}\left(\int \frac{1}{x} dx, x, x^2\right) + \frac{1}{2} \text{Subst}\left(\int \frac{1}{1+x} dx, x, x^2\right) \\ &= -\frac{\cot^{-1}(x)}{x} + \frac{1}{2} \cot^{-1}(x)^2 - \log(x) + \frac{1}{2} \log(1+x^2) \end{aligned}$$

Mathematica [A] time = 0.0158508, size = 30, normalized size = 1.

$$\frac{1}{2} \log(x^2 + 1) - \log(x) + \frac{1}{2} \cot^{-1}(x)^2 - \frac{\cot^{-1}(x)}{x}$$

Antiderivative was successfully verified.

```
[In] Integrate[ArcCot[x]/(x^2*(1 + x^2)), x]
```

```
[Out] -(ArcCot[x]/x) + ArcCot[x]^2/2 - Log[x] + Log[1 + x^2]/2
```

Maple [A] time = 0.033, size = 33, normalized size = 1.1

$$-\text{arccot}(x) \arctan(x) - \frac{\text{arccot}(x)}{x} + \frac{\ln(x^2 + 1)}{2} - \ln(x) - \frac{(\arctan(x))^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(arccot(x)/x^2/(x^2+1), x)
```

```
[Out] -arccot(x)*arctan(x)-arccot(x)/x+1/2*ln(x^2+1)-ln(x)-1/2*arctan(x)^2
```

Maxima [A] time = 1.50688, size = 39, normalized size = 1.3

$$-\left(\frac{1}{x} + \arctan(x)\right) \text{arccot}(x) - \frac{1}{2} \arctan(x)^2 + \frac{1}{2} \log(x^2 + 1) - \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/x^2/(x^2+1),x, algorithm="maxima")

[Out] $-(1/x + \arctan(x))\operatorname{arccot}(x) - 1/2\arctan(x)^2 + 1/2\log(x^2 + 1) - \log(x)$

Fricas [A] time = 1.94416, size = 90, normalized size = 3.

$$\frac{x \operatorname{arccot}(x)^2 + x \log(x^2 + 1) - 2x \log(x) - 2 \operatorname{arccot}(x)}{2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/x^2/(x^2+1),x, algorithm="fricas")

[Out] $1/2*(x*\operatorname{arccot}(x)^2 + x*\log(x^2 + 1) - 2*x*\log(x) - 2*\operatorname{arccot}(x))/x$

Sympy [A] time = 0.654051, size = 22, normalized size = 0.73

$$-\log(x) + \frac{\log(x^2 + 1)}{2} + \frac{\operatorname{acot}^2(x)}{2} - \frac{\operatorname{acot}(x)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(x)/x**2/(x**2+1),x)

[Out] $-\log(x) + \log(x**2 + 1)/2 + \operatorname{acot}(x)**2/2 - \operatorname{acot}(x)/x$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(x)}{(x^2 + 1)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/x^2/(x^2+1),x, algorithm="giac")

[Out] integrate(arccot(x)/((x^2 + 1)*x^2), x)

$$3.44 \quad \int \frac{\cot^{-1}(x)}{x^3(1+x^2)} dx$$

Optimal. Leaf size=72

$$-\frac{1}{2}i\text{PolyLog}\left(2, -1 + \frac{2}{1-ix}\right) - \frac{\cot^{-1}(x)}{2x^2} + \frac{1}{2x} + \frac{1}{2}\tan^{-1}(x) - \frac{1}{2}i\cot^{-1}(x)^2 - \log\left(2 - \frac{2}{1-ix}\right)\cot^{-1}(x)$$

[Out] 1/(2*x) - ArcCot[x]/(2*x^2) - (I/2)*ArcCot[x]^2 + ArcTan[x]/2 - ArcCot[x]*Log[2 - 2/(1 - I*x)] - (I/2)*PolyLog[2, -1 + 2/(1 - I*x)]

Rubi [A] time = 0.114667, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.538$, Rules used = {4919, 4853, 325, 203, 4925, 4869, 2447}

$$-\frac{1}{2}i\text{PolyLog}\left(2, -1 + \frac{2}{1-ix}\right) - \frac{\cot^{-1}(x)}{2x^2} + \frac{1}{2x} + \frac{1}{2}\tan^{-1}(x) - \frac{1}{2}i\cot^{-1}(x)^2 - \log\left(2 - \frac{2}{1-ix}\right)\cot^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[x]/(x^3*(1 + x^2)), x]

[Out] 1/(2*x) - ArcCot[x]/(2*x^2) - (I/2)*ArcCot[x]^2 + ArcTan[x]/2 - ArcCot[x]*Log[2 - 2/(1 - I*x)] - (I/2)*PolyLog[2, -1 + 2/(1 - I*x)]

Rule 4919

Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)*((f_.)*(x_))^(m_.)]/((d_.) + (e_.)*(x_)^2), x_Symbol] := Dist[1/d, Int[(f*x)^m*(a + b*ArcCot[c*x])^p, x], x] - Dist[e/(d*f^2), Int[((f*x)^(m + 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1]

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 325

Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 4925

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)/((x_.)*((d_.) + (e_.)*(x_.^2))),
x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*d*(p + 1)), x] + Dist[
I/d, Int[(a + b*ArcCot[c*x])^p/(x*(I + c*x)), x], x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[e, c^2*d] && GtQ[p, 0]
```

Rule 4869

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)/((x_.)*((d_.) + (e_.)*(x_.))),
x_Symbol] := Simp[((a + b*ArcCot[c*x])^p*Log[2 - 2/(1 + (e*x)/d)])/d, x] + Di
st[(b*c*p)/d, Int[((a + b*ArcCot[c*x])^(p - 1)*Log[2 - 2/(1 + (e*x)/d)])/
(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d
^2 + e^2, 0]
```

Rule 2447

```
Int[Log[u_]*(Pq_)^(m_), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))
/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] &&
PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u,
x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(x)}{x^3(1+x^2)} dx &= \int \frac{\cot^{-1}(x)}{x^3} dx - \int \frac{\cot^{-1}(x)}{x(1+x^2)} dx \\ &= -\frac{\cot^{-1}(x)}{2x^2} - \frac{1}{2}i \cot^{-1}(x)^2 - i \int \frac{\cot^{-1}(x)}{x(i+x)} dx - \frac{1}{2} \int \frac{1}{x^2(1+x^2)} dx \\ &= \frac{1}{2x} - \frac{\cot^{-1}(x)}{2x^2} - \frac{1}{2}i \cot^{-1}(x)^2 - \cot^{-1}(x) \log\left(2 - \frac{2}{1-ix}\right) + \frac{1}{2} \int \frac{1}{1+x^2} dx - \int \frac{\log\left(2 - \frac{2}{1-ix}\right)}{1+x^2} dx \\ &= \frac{1}{2x} - \frac{\cot^{-1}(x)}{2x^2} - \frac{1}{2}i \cot^{-1}(x)^2 + \frac{1}{2} \tan^{-1}(x) - \cot^{-1}(x) \log\left(2 - \frac{2}{1-ix}\right) - \frac{1}{2}i \text{Li}_2\left(-1 + \frac{2}{1-ix}\right) \end{aligned}$$

Mathematica [C] time = 0.06297, size = 280, normalized size = 3.89

$$\frac{1}{4}i \text{PolyLog}\left(2, -\frac{1}{2}i(-x+i)\right) + \frac{1}{2}i \text{PolyLog}\left(2, -\frac{i}{x}\right) - \frac{1}{2}i \text{PolyLog}\left(2, \frac{i}{x}\right) - \frac{1}{4}i \text{PolyLog}\left(2, -\frac{1}{2}i(x+i)\right) + \frac{{}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; -\frac{2}{1-ix}\right)}{2x}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[x]/(x^3*(1 + x^2)),x]

[Out] -ArcCot[x]/(2*x^2) + Hypergeometric2F1[-1/2, 1, 1/2, -x^2]/(2*x) - (I/8)*Lo
g[I - x]^2 + (I/4)*Log[I - x]*Log[-((I - x)/x)] + (I/4)*Log[I - x]*Log[(-I/
2)*(I + x)] - (I/4)*Log[(-I/2)*(I - x)]*Log[I + x] + (I/4)*Log[-((I - x)/x)
]*Log[I + x] + (I/8)*Log[I + x]^2 - (I/4)*Log[I - x]*Log[(I + x)/x] - (I/4)
*Log[I + x]*Log[(I + x)/x] + (I/4)*PolyLog[2, (-I/2)*(I - x)] + (I/2)*PolyL
og[2, (-I)/x] - (I/2)*PolyLog[2, I/x] - (I/4)*PolyLog[2, (-I/2)*(I + x)]

Maple [B] time = 0.115, size = 180, normalized size = 2.5

$$\frac{\operatorname{arccot}(x) \ln(x^2 + 1)}{2} - \frac{\operatorname{arccot}(x)}{2x^2} - \operatorname{arccot}(x) \ln(x) - \frac{i}{8} (\ln(x+i))^2 + \frac{i}{4} \ln(x+i) \ln(x^2 + 1) - \frac{i}{2} \operatorname{dilog}(1-ix) + \frac{i}{2} \operatorname{dilog}(1+ix)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccot(x)/x^3/(x^2+1),x)`

[Out] $1/2*\operatorname{arccot}(x)*\ln(x^2+1)-1/2*\operatorname{arccot}(x)/x^2-\operatorname{arccot}(x)*\ln(x)-1/8*I*\ln(x+I)^2+1/4*I*\ln(x+I)*\ln(x^2+1)-1/2*I*\operatorname{dilog}(1-I*x)+1/2*I*\operatorname{dilog}(1+I*x)+1/4*I*\ln(x-I)*\ln(-1/2*I*(x+I))-1/4*I*\ln(x-I)*\ln(x^2+1)+1/4*I*\operatorname{dilog}(-1/2*I*(x+I))+1/8*I*\ln(x-I)^2+1/2*\arctan(x)+1/2/x-1/4*I*\ln(x+I)*\ln(1/2*I*(x-I))+1/2*I*\ln(x)*\ln(1+I*x)-1/4*I*\operatorname{dilog}(1/2*I*(x-I))-1/2*I*\ln(x)*\ln(1-I*x)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(x)}{(x^2+1)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x)/x^3/(x^2+1),x, algorithm="maxima")`

[Out] `integrate(arccot(x)/((x^2 + 1)*x^3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(x)}{x^5+x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x)/x^3/(x^2+1),x, algorithm="fricas")`

[Out] `integral(arccot(x)/(x^5 + x^3), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(x)}{x^3(x^2+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acot(x)/x**3/(x**2+1),x)`

[Out] `Integral(acot(x)/(x**3*(x**2 + 1)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(x)}{(x^2+1)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(x)/x^3/(x^2+1),x, algorithm="giac")
```

```
[Out] integrate(arccot(x)/((x^2 + 1)*x^3), x)
```

$$3.45 \quad \int \frac{\cot^{-1}(x)}{x^4(1+x^2)} dx$$

Optimal. Leaf size=47

$$\frac{1}{6x^2} - \frac{2}{3} \log(x^2 + 1) - \frac{\cot^{-1}(x)}{3x^3} + \frac{4 \log(x)}{3} - \frac{1}{2} \cot^{-1}(x)^2 + \frac{\cot^{-1}(x)}{x}$$

[Out] 1/(6*x^2) - ArcCot[x]/(3*x^3) + ArcCot[x]/x - ArcCot[x]^2/2 + (4*Log[x])/3 - (2*Log[1 + x^2])/3

Rubi [A] time = 0.109391, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.615$, Rules used = {4919, 4853, 266, 44, 36, 29, 31, 4885}

$$\frac{1}{6x^2} - \frac{2}{3} \log(x^2 + 1) - \frac{\cot^{-1}(x)}{3x^3} + \frac{4 \log(x)}{3} - \frac{1}{2} \cot^{-1}(x)^2 + \frac{\cot^{-1}(x)}{x}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[x]/(x^4*(1 + x^2)), x]

[Out] 1/(6*x^2) - ArcCot[x]/(3*x^3) + ArcCot[x]/x - ArcCot[x]^2/2 + (4*Log[x])/3 - (2*Log[1 + x^2])/3

Rule 4919

Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*((f_.)*(x_.))^ (m_.))/((d_.) + (e_.)*(x_.)^2), x_Symbol] := Dist[1/d, Int[(f*x)^m*(a + b*ArcCot[c*x])^p, x], x] - Dist[e/(d*f^2), Int[((f*x)^(m + 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1]

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*((d_.)*(x_.))^ (m_.), x_Symbol] := Simp[(((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^ (p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 44

Int[((a_) + (b_.)*(x_.))^ (m_.)*((c_.) + (d_.)*(x_.))^ (n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 36

Int[1/(((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x],

`x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]`

Rule 29

`Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]`

Rule 31

`Int[((a_) + (b_)*(x_))^(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rule 4885

`Int[((a_) + ArcCot[(c_)*(x_)])*(b_)^((p_))/((d_) + (e_)*(x_)^2), x_Symbol] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]`

Rubi steps

$$\begin{aligned}
 \int \frac{\cot^{-1}(x)}{x^4(1+x^2)} dx &= \int \frac{\cot^{-1}(x)}{x^4} dx - \int \frac{\cot^{-1}(x)}{x^2(1+x^2)} dx \\
 &= -\frac{\cot^{-1}(x)}{3x^3} - \frac{1}{3} \int \frac{1}{x^3(1+x^2)} dx - \int \frac{\cot^{-1}(x)}{x^2} dx + \int \frac{\cot^{-1}(x)}{1+x^2} dx \\
 &= -\frac{\cot^{-1}(x)}{3x^3} + \frac{\cot^{-1}(x)}{x} - \frac{1}{2} \cot^{-1}(x)^2 - \frac{1}{6} \text{Subst} \left(\int \frac{1}{x^2(1+x)} dx, x, x^2 \right) + \int \frac{1}{x(1+x^2)} dx \\
 &= -\frac{\cot^{-1}(x)}{3x^3} + \frac{\cot^{-1}(x)}{x} - \frac{1}{2} \cot^{-1}(x)^2 - \frac{1}{6} \text{Subst} \left(\int \left(\frac{1}{x^2} - \frac{1}{x} + \frac{1}{1+x} \right) dx, x, x^2 \right) + \frac{1}{2} \text{Subst} \left(\int \frac{1}{x(1+x^2)} dx, x, x^2 \right) \\
 &= \frac{1}{6x^2} - \frac{\cot^{-1}(x)}{3x^3} + \frac{\cot^{-1}(x)}{x} - \frac{1}{2} \cot^{-1}(x)^2 + \frac{\log(x)}{3} - \frac{1}{6} \log(1+x^2) + \frac{1}{2} \text{Subst} \left(\int \frac{1}{x} dx, x, x^2 \right) - \frac{1}{2} \text{Subst} \left(\int \frac{1}{1+x^2} dx, x, x^2 \right) \\
 &= \frac{1}{6x^2} - \frac{\cot^{-1}(x)}{3x^3} + \frac{\cot^{-1}(x)}{x} - \frac{1}{2} \cot^{-1}(x)^2 + \frac{4 \log(x)}{3} - \frac{2}{3} \log(1+x^2)
 \end{aligned}$$

Mathematica [A] time = 0.0203647, size = 47, normalized size = 1.

$$\frac{1}{6x^2} - \frac{2}{3} \log(x^2 + 1) - \frac{\cot^{-1}(x)}{3x^3} + \frac{4 \log(x)}{3} - \frac{1}{2} \cot^{-1}(x)^2 + \frac{\cot^{-1}(x)}{x}$$

Antiderivative was successfully verified.

`[In] Integrate[ArcCot[x]/(x^4*(1 + x^2)), x]`

`[Out] 1/(6*x^2) - ArcCot[x]/(3*x^3) + ArcCot[x]/x - ArcCot[x]^2/2 + (4*Log[x])/3 - (2*Log[1 + x^2])/3`

Maple [A] time = 0.039, size = 43, normalized size = 0.9

$$\operatorname{arccot}(x) \operatorname{arctan}(x) - \frac{\operatorname{arccot}(x)}{3x^3} + \frac{\operatorname{arccot}(x)}{x} - \frac{2 \ln(x^2 + 1)}{3} + \frac{1}{6x^2} + \frac{4 \ln(x)}{3} + \frac{(\operatorname{arctan}(x))^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int(arccot(x)/x^4/(x^2+1), x)`

[Out] $\operatorname{arccot}(x) \cdot \arctan(x) - 1/3 \cdot \operatorname{arccot}(x)/x^3 + \operatorname{arccot}(x)/x - 2/3 \cdot \ln(x^2 + 1) + 1/6/x^2 + 4/3 \cdot \ln(x) + 1/2 \cdot \arctan(x)^2$

Maxima [A] time = 1.47906, size = 74, normalized size = 1.57

$$\frac{1}{3} \left(\frac{3x^2 - 1}{x^3} + 3 \arctan(x) \right) \operatorname{arccot}(x) + \frac{3x^2 \arctan(x)^2 - 4x^2 \log(x^2 + 1) + 8x^2 \log(x) + 1}{6x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x)/x^4/(x^2+1),x, algorithm="maxima")`

[Out] $1/3 \cdot ((3x^2 - 1)/x^3 + 3 \cdot \arctan(x)) \cdot \operatorname{arccot}(x) + 1/6 \cdot (3x^2 \cdot \arctan(x)^2 - 4x^2 \cdot \log(x^2 + 1) + 8x^2 \cdot \log(x) + 1)/x^2$

Fricas [A] time = 1.95685, size = 130, normalized size = 2.77

$$\frac{3x^3 \operatorname{arccot}(x)^2 + 4x^3 \log(x^2 + 1) - 8x^3 \log(x) - 2(3x^2 - 1) \operatorname{arccot}(x) - x}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x)/x^4/(x^2+1),x, algorithm="fricas")`

[Out] $-1/6 \cdot (3x^3 \cdot \operatorname{arccot}(x)^2 + 4x^3 \cdot \log(x^2 + 1) - 8x^3 \cdot \log(x) - 2 \cdot (3x^2 - 1) \cdot \operatorname{arccot}(x) - x)/x^3$

Sympy [A] time = 1.87486, size = 42, normalized size = 0.89

$$\frac{4 \log(x)}{3} - \frac{2 \log(x^2 + 1)}{3} - \frac{\operatorname{acot}^2(x)}{2} + \frac{\operatorname{acot}(x)}{x} + \frac{1}{6x^2} - \frac{\operatorname{acot}(x)}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acot(x)/x**4/(x**2+1),x)`

[Out] $4 \cdot \log(x)/3 - 2 \cdot \log(x^2 + 1)/3 - \operatorname{acot}(x)^2/2 + \operatorname{acot}(x)/x + 1/(6x^2) - \operatorname{acot}(x)/(3x^3)$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(x)}{(x^2 + 1)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x)/x^4/(x^2+1),x, algorithm="giac")`

[Out] `integrate(arccot(x)/((x^2 + 1)*x^4), x)`

3.46 $\int \frac{x^2 \cot^{-1}(cx)}{1+x^2} dx$

Optimal. Leaf size=206

$$\frac{1}{4} \text{PolyLog}\left(2, 1 + \frac{2i(-cx+i)}{(1-c)(1-ix)}\right) - \frac{1}{4} \text{PolyLog}\left(2, 1 + \frac{2i(cx+i)}{(c+1)(1-ix)}\right) + \frac{\log(c^2x^2+1)}{2c} + x \cot^{-1}(cx) - \frac{1}{2}i \tan^{-1}(x) \log$$

[Out] x*ArcCot[c*x] - (I/2)*ArcTan[x]*Log[1 - I/(c*x)] + (I/2)*ArcTan[x]*Log[1 + I/(c*x)] + (I/2)*ArcTan[x]*Log[((-2*I)*(I - c*x))/((1 - c)*(1 - I*x))] - (I/2)*ArcTan[x]*Log[((-2*I)*(I + c*x))/((1 + c)*(1 - I*x))] + Log[1 + c^2*x^2]/(2*c) + PolyLog[2, 1 + ((2*I)*(I - c*x))/((1 - c)*(1 - I*x))]/4 - PolyLog[2, 1 + ((2*I)*(I + c*x))/((1 + c)*(1 - I*x))]/4

Rubi [A] time = 0.579502, antiderivative size = 206, normalized size of antiderivative = 1., number of steps used = 28, number of rules used = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 1.$, Rules used = {4917, 4847, 260, 4909, 203, 2470, 6688, 12, 4876, 4848, 2391, 4856, 2402, 2315, 2447}

$$\frac{1}{4} \text{PolyLog}\left(2, 1 + \frac{2i(-cx+i)}{(1-c)(1-ix)}\right) - \frac{1}{4} \text{PolyLog}\left(2, 1 + \frac{2i(cx+i)}{(c+1)(1-ix)}\right) + \frac{\log(c^2x^2+1)}{2c} + x \cot^{-1}(cx) - \frac{1}{2}i \tan^{-1}(x) \log$$

Antiderivative was successfully verified.

[In] Int[(x^2*ArcCot[c*x])/(1 + x^2), x]

[Out] x*ArcCot[c*x] - (I/2)*ArcTan[x]*Log[1 - I/(c*x)] + (I/2)*ArcTan[x]*Log[1 + I/(c*x)] + (I/2)*ArcTan[x]*Log[((-2*I)*(I - c*x))/((1 - c)*(1 - I*x))] - (I/2)*ArcTan[x]*Log[((-2*I)*(I + c*x))/((1 + c)*(1 - I*x))] + Log[1 + c^2*x^2]/(2*c) + PolyLog[2, 1 + ((2*I)*(I - c*x))/((1 - c)*(1 - I*x))]/4 - PolyLog[2, 1 + ((2*I)*(I + c*x))/((1 + c)*(1 - I*x))]/4

Rule 4917

Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^p_.)*((f_.)*(x_.))^m_)/((d_.) + (e_.)*(x_.)^2), x_Symbol] :=> Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcCot[c*x])^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]

Rule 4847

Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^p_.), x_Symbol] :=> Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 260

Int[(x_)^m_/((a_) + (b_.)*(x_)^n_), x_Symbol] :=> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 4909

Int[ArcCot[(c_.)*(x_.)]/((d_.) + (e_.)*(x_)^2), x_Symbol] :=> Dist[I/2, Int[Log[1 - I/(c*x)]/(d + e*x^2), x], x] - Dist[I/2, Int[Log[1 + I/(c*x)]/(d + e*x^2), x], x] /; FreeQ[{c, d, e}, x]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 2470

Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)^(n_))^(p_)]*(b_))/((f_) + (g_)*(x_)^2), x_Symbol] := With[{u = IntHide[1/(f + g*x^2), x]}, Simp[u*(a + b*Log[c*(d + e*x^n)^p]), x] - Dist[b*e*n*p, Int[(u*x^(n - 1))/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && IntegerQ[n]

Rule 6688

Int[u_, x_Symbol] := With[{v = SimplifyIntegrand[u, x]}, Int[v, x] /; SimplifierIntegrandQ[v, u, x]]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 4876

Int[((a_) + ArcTan[(c_)*(x_)]*(b_))^(p_)*((f_)*(x_))^(m_)*((d_) + (e_)*(x_))^(q_), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcTan[c*x])^p, (f*x)^m*(d + e*x)^q, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || NeQ[a, 0] || IntegerQ[m])

Rule 4848

Int[((a_) + ArcTan[(c_)*(x_)]*(b_))/(x_), x_Symbol] := Simp[a*Log[x], x] + (Dist[(I*b)/2, Int[Log[1 - I*c*x]/x, x], x] - Dist[(I*b)/2, Int[Log[1 + I*c*x]/x, x], x]) /; FreeQ[{a, b, c}, x]

Rule 2391

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4856

Int[((a_) + ArcTan[(c_)*(x_)]*(b_))/((d_) + (e_)*(x_)), x_Symbol] := -Simp[((a + b*ArcTan[c*x])*Log[2/(1 - I*c*x)])/e, x] + (Dist[(b*c)/e, Int[Log[2/(1 - I*c*x)]/(1 + c^2*x^2), x], x] - Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))]/(1 + c^2*x^2), x], x] + Simp[((a + b*ArcTan[c*x])*Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/e, x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_)/((d_) + (e_)*(x_))]/((f_) + (g_)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_)*(x_)]/((d_) + (e_)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rule 2447

```
Int[Log[u_]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))
/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] &&
PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u,
x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 \cot^{-1}(cx)}{1+x^2} dx &= \int \cot^{-1}(cx) dx - \int \frac{\cot^{-1}(cx)}{1+x^2} dx \\
&= x \cot^{-1}(cx) - \frac{1}{2}i \int \frac{\log\left(1 - \frac{i}{cx}\right)}{1+x^2} dx + \frac{1}{2}i \int \frac{\log\left(1 + \frac{i}{cx}\right)}{1+x^2} dx + c \int \frac{x}{1+c^2x^2} dx \\
&= x \cot^{-1}(cx) - \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) + \frac{\log(1+c^2x^2)}{2c} - \frac{\int \frac{\tan^{-1}(x)}{\left(1 - \frac{i}{cx}\right)x^2} dx}{2c} \\
&= x \cot^{-1}(cx) - \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) + \frac{\log(1+c^2x^2)}{2c} - \frac{\int \frac{c \tan^{-1}(x)}{x(-i+cx)} dx}{2c} \\
&= x \cot^{-1}(cx) - \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) + \frac{\log(1+c^2x^2)}{2c} - \frac{1}{2} \int \frac{\tan^{-1}(x)}{x(-i+cx)} dx \\
&= x \cot^{-1}(cx) - \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) + \frac{\log(1+c^2x^2)}{2c} - \frac{1}{2} \int \left(\frac{i \tan^{-1}(x)}{x}\right) dx \\
&= x \cot^{-1}(cx) - \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) + \frac{\log(1+c^2x^2)}{2c} + \frac{1}{2}(ic) \int \frac{\tan^{-1}(x)}{-i+cx} dx \\
&= x \cot^{-1}(cx) - \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(-\frac{2i(i-cx)}{(1-c)(1-i+cx)}\right) \\
&= x \cot^{-1}(cx) - \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(-\frac{2i(i-cx)}{(1-c)(1-i+cx)}\right)
\end{aligned}$$

Mathematica [B] time = 1.58503, size = 626, normalized size = 3.04

$$\frac{1}{4}\sqrt{-c^2} \left(i \left(\text{PolyLog} \left(2, \frac{(c^2+2i\sqrt{-c^2}+1)(\sqrt{-c^2}+cx)}{(c^2-1)(\sqrt{-c^2}-cx)} \right) - \text{PolyLog} \left(2, \frac{(c^2-2i\sqrt{-c^2}+1)(\sqrt{-c^2}+cx)}{(c^2-1)(\sqrt{-c^2}-cx)} \right) \right) + 2 \cos^{-1} \left(\frac{c^2+1}{c^2-1} \right) \tanh^{-1} \left(\frac{\sqrt{-c^2}}{cx} \right) - 4 \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*ArcCot[c*x])/(1 + x^2), x]
```

```
[Out] (c*x*ArcCot[c*x] - Log[1/(c*Sqrt[1 + 1/(c^2*x^2)]*x)] + (Sqrt[-c^2]*(2*ArcCos[(1 + c^2)/(-1 + c^2)]*ArcTanh[Sqrt[-c^2]/(c*x)] - 4*ArcCot[c*x]*ArcTanh[(c*x)/Sqrt[-c^2]] - (ArcCos[(1 + c^2)/(-1 + c^2)] - (2*I)*ArcTanh[Sqrt[-c^2]/(c*x)])*Log[(-2*(c^2 + I*Sqrt[-c^2])*(-I + c*x))/((-1 + c^2)*(Sqrt[-c^2] - c*x))] - (ArcCos[(1 + c^2)/(-1 + c^2)] + (2*I)*ArcTanh[Sqrt[-c^2]/(c*x)])*Log[((2*I)*(I*c^2 + Sqrt[-c^2])*(I + c*x))/((-1 + c^2)*(Sqrt[-c^2] - c*x))] + (ArcCos[(1 + c^2)/(-1 + c^2)] - (2*I)*ArcTanh[Sqrt[-c^2]/(c*x)] + (2*I)*ArcTanh[(c*x)/Sqrt[-c^2]])*Log[(Sqrt[2]*Sqrt[-c^2])/((Sqrt[-1 + c^2])*E^(I*ArcCot[c*x])*Sqrt[-1 - c^2 + (-1 + c^2)*Cos[2*ArcCot[c*x]])]) + (ArcCos[(1 + c^2)/(-1 + c^2)] + (2*I)*ArcTanh[Sqrt[-c^2]/(c*x)] - (2*I)*ArcTanh[(c*x)/S
```

```

qrt[-c^2]]*Log[(Sqrt[2]*Sqrt[-c^2]*E^(I*ArcCot[c*x]))/(Sqrt[-1 + c^2]*Sqrt
[-1 - c^2 + (-1 + c^2)*Cos[2*ArcCot[c*x]])] + I*(-PolyLog[2, ((1 + c^2 - (
2*I)*Sqrt[-c^2])*(Sqrt[-c^2] + c*x))/((-1 + c^2)*(Sqrt[-c^2] - c*x))] + Pol
yLog[2, ((1 + c^2 + (2*I)*Sqrt[-c^2])*(Sqrt[-c^2] + c*x))/((-1 + c^2)*(Sqrt
[-c^2] - c*x))])))/4)/c

```

Maple [A] time = 0.247, size = 265, normalized size = 1.3

$$-\arctan(x) \operatorname{arccot}(cx) + x \operatorname{arccot}(cx) + \frac{\ln(c^2 x^2 + 1)}{2c} + \frac{\frac{i}{2} c \arctan(x)}{-1+c} \ln\left(1 - \frac{(1+c)(1+ix)^2}{(x^2+1)(-1+c)}\right) - \frac{\frac{i}{2} \arctan(x)}{-1+c} \ln\left(\dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*arccot(c*x)/(x^2+1), x)
```

```
[Out] -arctan(x)*arccot(c*x)+x*arccot(c*x)+1/2*ln(c^2*x^2+1)/c+1/2*I*c/(-1+c)*ln(
1-(1+c)*(1+I*x)^2/(x^2+1)/(-1+c))*arctan(x)-1/2*I/(-1+c)*ln(1-(1+c)*(1+I*x)
^2/(x^2+1)/(-1+c))*arctan(x)+1/2*c/(-1+c)*arctan(x)^2+1/4*c/(-1+c)*polylog(
2,(1+c)*(1+I*x)^2/(x^2+1)/(-1+c))-1/2/(-1+c)*arctan(x)^2-1/4/(-1+c)*polylog
(2,(1+c)*(1+I*x)^2/(x^2+1)/(-1+c))-1/2*I*arctan(x)*ln(1-(-1+c)*(1+I*x)^2/(x
^2+1)/(1+c))-1/2*arctan(x)^2-1/4*polylog(2,(-1+c)*(1+I*x)^2/(x^2+1)/(1+c))

```

Maxima [A] time = 1.58836, size = 269, normalized size = 1.31

$$(x - \arctan(x)) \operatorname{arccot}(cx) - \frac{4c \arctan(x) \arctan\left(\frac{cx}{c+1}, \frac{1}{c+1}\right) - 4c \arctan(x) \arctan\left(\frac{cx}{c-1}, -\frac{1}{c-1}\right) + c \log(x^2 + 1) \log(\dots)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccot(c*x)/(x^2+1), x, algorithm="maxima")
```

```
[Out] (x - arctan(x))*arccot(c*x) - 1/8*(4*c*arctan(x)*arctan2(c*x/(c + 1), 1/(c
+ 1)) - 4*c*arctan(x)*arctan2(c*x/(c - 1), -1/(c - 1)) + c*log(x^2 + 1)*log
((c^2*x^2 + 1)/(c^2 + 2*c + 1)) - c*log(x^2 + 1)*log((c^2*x^2 + 1)/(c^2 - 2
*c + 1)) + 2*c*dilog((I*c*x + c)/(c + 1)) + 2*c*dilog(-(I*c*x - c)/(c + 1))
- 2*c*dilog((I*c*x + c)/(c - 1)) - 2*c*dilog(-(I*c*x - c)/(c - 1)) - 4*log
(c^2*x^2 + 1))/c

```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{x^2 \operatorname{arccot}(cx)}{x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccot(c*x)/(x^2+1), x, algorithm="fricas")
```

```
[Out] integral(x^2*arccot(c*x)/(x^2 + 1), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \operatorname{acot}(cx)}{x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(c*x)/(x**2+1),x)

[Out] Integral(x**2*acot(c*x)/(x**2 + 1), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 \operatorname{arccot}(cx)}{x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c*x)/(x^2+1),x, algorithm="giac")

[Out] integrate(x^2*arccot(c*x)/(x^2 + 1), x)

$$3.47 \quad \int \frac{x \cot^{-1}(cx)}{1+x^2} dx$$

Optimal. Leaf size=188

$$-\frac{1}{2}i\text{PolyLog}\left(2, 1 - \frac{2}{1-icx}\right) + \frac{1}{4}i\text{PolyLog}\left(2, 1 - \frac{2ic(-x+i)}{(1-c)(1-icx)}\right) + \frac{1}{4}i\text{PolyLog}\left(2, 1 + \frac{2ic(x+i)}{(c+1)(1-icx)}\right) + \log\left(\frac{2}{1-}\right)$$

```
[Out] -(ArcCot[c*x]*Log[2/(1 - I*c*x)]) + (ArcCot[c*x]*Log[((2*I)*c*(I - x))/((1 - c)*(1 - I*c*x))])/2 + (ArcCot[c*x]*Log[((-2*I)*c*(I + x))/((1 + c)*(1 - I*c*x))])/2 - (I/2)*PolyLog[2, 1 - 2/(1 - I*c*x)] + (I/4)*PolyLog[2, 1 - ((2*I)*c*(I - x))/((1 - c)*(1 - I*c*x))] + (I/4)*PolyLog[2, 1 + ((2*I)*c*(I + x))/((1 + c)*(1 - I*c*x))]
```

Rubi [A] time = 0.18417, antiderivative size = 188, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 5, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {4929, 4857, 2402, 2315, 2447}

$$-\frac{1}{2}i\text{PolyLog}\left(2, 1 - \frac{2}{1-icx}\right) + \frac{1}{4}i\text{PolyLog}\left(2, 1 - \frac{2ic(-x+i)}{(1-c)(1-icx)}\right) + \frac{1}{4}i\text{PolyLog}\left(2, 1 + \frac{2ic(x+i)}{(c+1)(1-icx)}\right) + \log\left(\frac{2}{1-}\right)$$

Antiderivative was successfully verified.

```
[In] Int[(x*ArcCot[c*x])/(1 + x^2), x]
```

```
[Out] -(ArcCot[c*x]*Log[2/(1 - I*c*x)]) + (ArcCot[c*x]*Log[((2*I)*c*(I - x))/((1 - c)*(1 - I*c*x))])/2 + (ArcCot[c*x]*Log[((-2*I)*c*(I + x))/((1 + c)*(1 - I*c*x))])/2 - (I/2)*PolyLog[2, 1 - 2/(1 - I*c*x)] + (I/4)*PolyLog[2, 1 - ((2*I)*c*(I - x))/((1 - c)*(1 - I*c*x))] + (I/4)*PolyLog[2, 1 + ((2*I)*c*(I + x))/((1 + c)*(1 - I*c*x))]
```

Rule 4929

```
Int[(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))*(x_)^(m_.))/((d_.) + (e_.)*(x_)^2), x_Symbol] :> Int[ExpandIntegrand[a + b*ArcCot[c*x], x^m/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IntegerQ[m] && !(EqQ[m, 1] && NeQ[a, 0])
```

Rule 4857

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))/((d_.) + (e_.)*(x_)), x_Symbol] :> -Simp[((a + b*ArcCot[c*x])*Log[2/(1 - I*c*x)])/e, x] + (-Dist[(b*c)/e, Int[Log[2/(1 - I*c*x)]/(1 + c^2*x^2), x], x] + Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))]/(1 + c^2*x^2), x], x] + Simp[((a + b*ArcCot[c*x])*Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/e, x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 + e^2, 0]
```

Rule 2402

```
Int[Log[(c_.)/((d_.) + (e_.)*(x_))]/((f_.) + (g_.)*(x_)^2), x_Symbol] :> -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_)]/((d_.) + (e_.)*(x_)), x_Symbol] :> -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 2447

```
Int[Log[u]*(Pq_)^(m_), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))
/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] &&
PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u,
x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned} \int \frac{x \cot^{-1}(cx)}{1+x^2} dx &= \int \left(-\frac{\cot^{-1}(cx)}{2(i-x)} + \frac{\cot^{-1}(cx)}{2(i+x)} \right) dx \\ &= -\left(\frac{1}{2} \int \frac{\cot^{-1}(cx)}{i-x} dx \right) + \frac{1}{2} \int \frac{\cot^{-1}(cx)}{i+x} dx \\ &= -\cot^{-1}(cx) \log\left(\frac{2}{1-icx}\right) + \frac{1}{2} \cot^{-1}(cx) \log\left(\frac{2ic(i-x)}{(1-c)(1-icx)}\right) + \frac{1}{2} \cot^{-1}(cx) \log\left(-\frac{2ic(i+x)}{(1+c)(1-icx)}\right) \\ &= -\cot^{-1}(cx) \log\left(\frac{2}{1-icx}\right) + \frac{1}{2} \cot^{-1}(cx) \log\left(\frac{2ic(i-x)}{(1-c)(1-icx)}\right) + \frac{1}{2} \cot^{-1}(cx) \log\left(-\frac{2ic(i+x)}{(1+c)(1-icx)}\right) \\ &= -\cot^{-1}(cx) \log\left(\frac{2}{1-icx}\right) + \frac{1}{2} \cot^{-1}(cx) \log\left(\frac{2ic(i-x)}{(1-c)(1-icx)}\right) + \frac{1}{2} \cot^{-1}(cx) \log\left(-\frac{2ic(i+x)}{(1+c)(1-icx)}\right) \end{aligned}$$

Mathematica [A] time = 0.0831109, size = 343, normalized size = 1.82

$$-\frac{1}{4}i\text{PolyLog}\left(2, \frac{ic(-x+i)}{1-c}\right) + \frac{1}{4}i\text{PolyLog}\left(2, -\frac{ic(-x+i)}{c+1}\right) + \frac{1}{4}i\text{PolyLog}\left(2, \frac{ic(x+i)}{1-c}\right) - \frac{1}{4}i\text{PolyLog}\left(2, -\frac{ic(x+i)}{c+1}\right) - \frac{1}{4}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(x*ArcCot[c*x])/(1 + x^2), x]
```

```
[Out] (-I/4)*Log[I - x]*Log[(-I)*(I - c*x)/(1 - c)] - (I/4)*Log[I + x]*Log[(-I)
*(I - c*x)/(1 + c)] + (I/4)*Log[I - x]*Log[-((I - c*x)/(c*x))] + (I/4)*Lo
g[I + x]*Log[-((I - c*x)/(c*x))] + (I/4)*Log[I + x]*Log[(-I)*(I + c*x)/(1
- c)] + (I/4)*Log[I - x]*Log[(-I)*(I + c*x)/(1 + c)] - (I/4)*Log[I - x]*
Log[(I + c*x)/(c*x)] - (I/4)*Log[I + x]*Log[(I + c*x)/(c*x)] - (I/4)*PolyLo
g[2, (I*c*(I - x))/(1 - c)] + (I/4)*PolyLog[2, ((-I)*c*(I - x))/(1 + c)] +
(I/4)*PolyLog[2, (I*c*(I + x))/(1 - c)] - (I/4)*PolyLog[2, ((-I)*c*(I + x))
/(1 + c)]
```

Maple [A] time = 0.174, size = 284, normalized size = 1.5

$$\frac{\ln(c^2x^2 + c^2) \operatorname{arccot}(cx)}{2} + \frac{i}{4} \ln(cx - i) \ln\left(\frac{i(cx - i) - c - 1}{-c - 1}\right) + \frac{i}{4} \ln(cx - i) \ln\left(\frac{i(cx - i) + c - 1}{-1 + c}\right) - \frac{i}{4} \ln(cx - i) \ln(c^2x^2 + c^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*arccot(c*x)/(x^2+1), x)
```

```
[Out] 1/2*ln(c^2*x^2+c^2)*arccot(c*x)+1/4*I*ln(c*x-I)*ln((I*(c*x-I)-c-1)/(-c-1))+
1/4*I*ln(c*x-I)*ln((I*(c*x-I)+c-1)/(-1+c))-1/4*I*ln(c*x-I)*ln(c^2*x^2+c^2)+
1/4*I*dilog((I*(c*x-I)-c-1)/(-c-1))+1/4*I*dilog((I*(c*x-I)+c-1)/(-1+c))-1/4
*I*ln(c*x+I)*ln((-I*(c*x+I)-c-1)/(-c-1))-1/4*I*ln(c*x+I)*ln((-I*(c*x+I)+c-1
```

$)/(-1+c))+1/4*I*\ln(c*x+I)*\ln(c^2*x^2+c^2)-1/4*I*dilog((-I*(c*x+I)-c-1)/(-c-1))-1/4*I*dilog((-I*(c*x+I)+c-1)/(-1+c))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x \operatorname{arccot}(cx)}{x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(c*x)/(x^2+1),x, algorithm="maxima")

[Out] integrate(x*arccot(c*x)/(x^2 + 1), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{x \operatorname{arccot}(cx)}{x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(c*x)/(x^2+1),x, algorithm="fricas")

[Out] integral(x*arccot(c*x)/(x^2 + 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x \operatorname{acot}(cx)}{x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*acot(c*x)/(x**2+1),x)

[Out] Integral(x*acot(c*x)/(x**2 + 1), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x \operatorname{arccot}(cx)}{x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(c*x)/(x^2+1),x, algorithm="giac")

[Out] integrate(x*arccot(c*x)/(x^2 + 1), x)

$$3.48 \quad \int \frac{\cot^{-1}(cx)}{1+x^2} dx$$

Optimal. Leaf size=183

$$-\frac{1}{4}\text{PolyLog}\left(2, 1 + \frac{2i(-cx+i)}{(1-c)(1-ix)}\right) + \frac{1}{4}\text{PolyLog}\left(2, 1 + \frac{2i(cx+i)}{(c+1)(1-ix)}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) - \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right)$$

[Out] (I/2)*ArcTan[x]*Log[1 - I/(c*x)] - (I/2)*ArcTan[x]*Log[1 + I/(c*x)] - (I/2)*ArcTan[x]*Log[((-2*I)*(I - c*x))/((1 - c)*(1 - I*x))] + (I/2)*ArcTan[x]*Log[((-2*I)*(I + c*x))/((1 + c)*(1 - I*x))] - PolyLog[2, 1 + ((2*I)*(I - c*x))/((1 - c)*(1 - I*x))]/4 + PolyLog[2, 1 + ((2*I)*(I + c*x))/((1 + c)*(1 - I*x))]/4

Rubi [A] time = 0.464618, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 25, number of rules used = 13, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 1.083$, Rules used = {4909, 203, 2470, 260, 6688, 12, 4876, 4848, 2391, 4856, 2402, 2315, 2447}

$$-\frac{1}{4}\text{PolyLog}\left(2, 1 + \frac{2i(-cx+i)}{(1-c)(1-ix)}\right) + \frac{1}{4}\text{PolyLog}\left(2, 1 + \frac{2i(cx+i)}{(c+1)(1-ix)}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) - \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[c*x]/(1 + x^2), x]

[Out] (I/2)*ArcTan[x]*Log[1 - I/(c*x)] - (I/2)*ArcTan[x]*Log[1 + I/(c*x)] - (I/2)*ArcTan[x]*Log[((-2*I)*(I - c*x))/((1 - c)*(1 - I*x))] + (I/2)*ArcTan[x]*Log[((-2*I)*(I + c*x))/((1 + c)*(1 - I*x))] - PolyLog[2, 1 + ((2*I)*(I - c*x))/((1 - c)*(1 - I*x))]/4 + PolyLog[2, 1 + ((2*I)*(I + c*x))/((1 + c)*(1 - I*x))]/4

Rule 4909

Int[ArcCot[(c_.)*(x_)]/((d_.) + (e_.)*(x_)^2), x_Symbol] := Dist[I/2, Int[Log[1 - I/(c*x)]/(d + e*x^2), x], x] - Dist[I/2, Int[Log[1 + I/(c*x)]/(d + e*x^2), x], x] /; FreeQ[{c, d, e}, x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 2470

Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_)^(n_))]^(p_.))*(b_.))/((f_.) + (g_.)*(x_)^2), x_Symbol] := With[{u = IntHide[1/(f + g*x^2), x]}, Simp[u*(a + b*Log[c*(d + e*x^n)^p]), x] - Dist[b*e*n*p, Int[(u*x^(n-1))/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && IntegerQ[n]

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 6688


```
Int[u_, x_Symbol] := With[{v = SimplifyIntegrand[u, x]}, Int[v, x] /; SimplifyIntegrandQ[v, u, x]]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 4876

```
Int[((a_.) + ArcTan[(c_.)*(x_)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcTan[c*x])^p, (f*x)^m*(d + e*x)^q, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || NeQ[a, 0] || IntegerQ[m])
```

Rule 4848

```
Int[((a_.) + ArcTan[(c_.)*(x_)]*(b_.))/(x_), x_Symbol] := Simp[a*Log[x], x] + (Dist[(I*b)/2, Int[Log[1 - I*c*x]/x, x], x] - Dist[(I*b)/2, Int[Log[1 + I*c*x]/x, x], x]) /; FreeQ[{a, b, c}, x]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4856

```
Int[((a_.) + ArcTan[(c_.)*(x_)]*(b_.))/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[(a + b*ArcTan[c*x])*Log[2/(1 - I*c*x)]/e, x] + (Dist[(b*c)/e, Int[Log[2/(1 - I*c*x)]/(1 + c^2*x^2), x], x] - Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))]/(1 + c^2*x^2), x], x] + Simp[(a + b*ArcTan[c*x])*Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))]/e, x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 + e^2, 0]
```

Rule 2402

```
Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 2447

```
Int[Log[u_]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(cx)}{1+x^2} dx &= \frac{1}{2}i \int \frac{\log\left(1 - \frac{i}{cx}\right)}{1+x^2} dx - \frac{1}{2}i \int \frac{\log\left(1 + \frac{i}{cx}\right)}{1+x^2} dx \\
&= \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) - \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) + \frac{\int \frac{\tan^{-1}(x)}{\left(1 - \frac{i}{cx}\right)x^2} dx}{2c} + \frac{\int \frac{\tan^{-1}(x)}{\left(1 + \frac{i}{cx}\right)x^2} dx}{2c} \\
&= \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) - \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) + \frac{\int \frac{c \tan^{-1}(x)}{x(-i+cx)} dx}{2c} + \frac{\int \frac{c \tan^{-1}(x)}{x(i+cx)} dx}{2c} \\
&= \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) - \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) + \frac{1}{2} \int \frac{\tan^{-1}(x)}{x(-i+cx)} dx + \frac{1}{2} \int \frac{\tan^{-1}(x)}{x(i+cx)} dx \\
&= \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) - \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) + \frac{1}{2} \int \left(\frac{i \tan^{-1}(x)}{x} - \frac{ic \tan^{-1}(x)}{-i+cx} \right) dx + \frac{1}{2} \int \left(-\frac{i \tan^{-1}(x)}{x} + \frac{ic \tan^{-1}(x)}{i+cx} \right) dx \\
&= \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) - \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) - \frac{1}{2}(ic) \int \frac{\tan^{-1}(x)}{-i+cx} dx + \frac{1}{2}(ic) \int \frac{\tan^{-1}(x)}{i+cx} dx \\
&= \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) - \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) - \frac{1}{2}i \tan^{-1}(x) \log\left(-\frac{2i(i-cx)}{(1-c)(1-ix)}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(-\frac{2i(i-cx)}{(1-c)(1-ix)}\right) \\
&= \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) - \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) - \frac{1}{2}i \tan^{-1}(x) \log\left(-\frac{2i(i-cx)}{(1-c)(1-ix)}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(-\frac{2i(i-cx)}{(1-c)(1-ix)}\right)
\end{aligned}$$

Mathematica [A] time = 0.0782909, size = 319, normalized size = 1.74

$$-\frac{1}{4}\text{PolyLog}\left(2, \frac{ic(-x+i)}{1-c}\right) + \frac{1}{4}\text{PolyLog}\left(2, -\frac{ic(-x+i)}{c+1}\right) - \frac{1}{4}\text{PolyLog}\left(2, \frac{ic(x+i)}{1-c}\right) + \frac{1}{4}\text{PolyLog}\left(2, -\frac{ic(x+i)}{c+1}\right) - \frac{1}{4}\log\left(\frac{1-c}{1+c}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[c*x]/(1 + x^2), x]

[Out] $-(\text{Log}[I - x] * \text{Log}[((-I) * (I - c * x)) / (1 - c)]) / 4 + (\text{Log}[I + x] * \text{Log}[((-I) * (I - c * x)) / (1 + c)]) / 4 + (\text{Log}[I - x] * \text{Log}[(-(I - c * x)) / (c * x)]) / 4 - (\text{Log}[I + x] * \text{Log}[(-(I - c * x)) / (c * x)]) / 4 - (\text{Log}[I + x] * \text{Log}[((-I) * (I + c * x)) / (1 - c)]) / 4 + (\text{Log}[I - x] * \text{Log}[((-I) * (I + c * x)) / (1 + c)]) / 4 - (\text{Log}[I - x] * \text{Log}[(I + c * x) / (c * x)]) / 4 + (\text{Log}[I + x] * \text{Log}[(I + c * x) / (c * x)]) / 4 - \text{PolyLog}[2, (I * c * (I - x)) / (1 - c)] / 4 + \text{PolyLog}[2, ((-I) * c * (I - x)) / (1 + c)] / 4 - \text{PolyLog}[2, (I * c * (I + x)) / (1 - c)] / 4 + \text{PolyLog}[2, ((-I) * c * (I + x)) / (1 + c)] / 4$

Maple [A] time = 0.184, size = 304, normalized size = 1.7

$$\arctan(x) \operatorname{arccot}(cx) + \arctan(cx) \arctan(x) + \frac{i}{2} \arctan(cx) \ln\left(1 - \frac{(1+c)(1+icx)^2}{(c^2x^2+1)(1-c)}\right) + \frac{(\arctan(cx))^2}{2} + \frac{1}{4} \operatorname{polylog}\left(2, \frac{(1+c)(1+icx)^2}{(c^2x^2+1)(1-c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c*x)/(x^2+1), x)

[Out] $\arctan(x) * \operatorname{arccot}(c * x) + \arctan(c * x) * \arctan(x) + 1/2 * I * \arctan(c * x) * \ln(1 - (1 + c) * (1 + I * c * x)^2 / (c^2 * x^2 + 1) / (1 - c)) + 1/2 * \arctan(c * x)^2 + 1/4 * \operatorname{polylog}(2, (1 + c) * (1 + I * c * x)^2 / (c^2 * x^2 + 1) / (1 - c)) - 1/2 * I * c / (1 + c) * \arctan(c * x) * \ln(1 - (-1 + c) * (1 + I * c * x)^2 / (c^2 * x^2 + 1) / (-c - 1)) - 1/2 * I / (1 + c) * \ln(1 - (-1 + c) * (1 + I * c * x)^2 / (c^2 * x^2 + 1) / (-c - 1)) * \arctan(c * x) - 1/2 * c / (1 + c) * \arctan(c * x)^2 - 1/4 * c / (1 + c) * \operatorname{polylog}(2, (-1 + c) * (1 + I * c * x)^2 / (c^2 * x^2 + 1) / (-c - 1))$

$$\frac{1}{2} \sqrt{\frac{c^2 x^2 + 1}{-c-1}} - \frac{1}{2} \sqrt{\frac{1+c}{1+c}} \arctan(c x) - \frac{1}{4} \sqrt{\frac{1+c}{1+c}} \operatorname{polylog}(2, (-1+c) \sqrt{\frac{1+c}{1+c}} \arctan(c x) \sqrt{\frac{c^2 x^2 + 1}{-c-1}})$$

Maxima [A] time = 1.59556, size = 266, normalized size = 1.45

$$\frac{1}{8} c \left(\frac{8 \arctan(cx) \arctan(x)}{c} - \frac{4 \arctan(x) \arctan\left(\frac{cx}{c+1}, \frac{1}{c+1}\right) - 4 \arctan(x) \arctan\left(\frac{cx}{c-1}, -\frac{1}{c-1}\right) + \log(x^2 + 1) \log\left(\frac{c^2 x^2 + 1}{c^2 + 2c + 1}\right) - \log(x^2 + 1) \log\left(\frac{c^2 x^2 + 1}{c^2 - 2c + 1}\right) + 2 \operatorname{dilog}\left(\frac{I c x + c}{c + 1}\right) + 2 \operatorname{dilog}\left(\frac{-I c x - c}{c + 1}\right) - 2 \operatorname{dilog}\left(\frac{I c x + c}{c - 1}\right) - 2 \operatorname{dilog}\left(\frac{-I c x - c}{c - 1}\right)}{c} + \operatorname{arccot}(c x) \arctan(x) + \arctan(c x) \arctan(x) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c*x)/(x^2+1),x, algorithm="maxima")

[Out] $-1/8*c*(8*\arctan(c*x)*\arctan(x)/c - (4*\arctan(x)*\arctan2(c*x/(c + 1), 1/(c + 1)) - 4*\arctan(x)*\arctan2(c*x/(c - 1), -1/(c - 1)) + \log(x^2 + 1)*\log((c^2*x^2 + 1)/(c^2 + 2*c + 1)) - \log(x^2 + 1)*\log((c^2*x^2 + 1)/(c^2 - 2*c + 1))) + 2*\operatorname{dilog}((I*c*x + c)/(c + 1)) + 2*\operatorname{dilog}(-I*c*x - c)/(c + 1)) - 2*\operatorname{dilog}((I*c*x + c)/(c - 1)) - 2*\operatorname{dilog}(-I*c*x - c)/(c - 1))/c + \operatorname{arccot}(c*x)*\arctan(x) + \arctan(c*x)*\arctan(x)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(cx)}{x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c*x)/(x^2+1),x, algorithm="fricas")

[Out] integral(arccot(c*x)/(x^2 + 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(cx)}{x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c*x)/(x**2+1),x)

[Out] Integral(acot(c*x)/(x**2 + 1), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(cx)}{x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c*x)/(x^2+1),x, algorithm="giac")

[Out] integrate(arccot(c*x)/(x^2 + 1), x)

$$3.49 \quad \int \frac{\cot^{-1}(cx)}{x(1+x^2)} dx$$

Optimal. Leaf size=223

$$-\frac{1}{2}i\text{PolyLog}\left(2, -\frac{i}{cx}\right) + \frac{1}{2}i\text{PolyLog}\left(2, \frac{i}{cx}\right) + \frac{1}{2}i\text{PolyLog}\left(2, 1 - \frac{2}{1-icx}\right) - \frac{1}{4}i\text{PolyLog}\left(2, 1 - \frac{2ic(-x+i)}{(1-c)(1-icx)}\right) - \frac{1}{4}i\text{PolyLog}\left(2, 1 + \frac{2ic(-x+i)}{(1-c)(1-icx)}\right)$$

```
[Out] ArcCot[c*x]*Log[2/(1 - I*c*x)] - (ArcCot[c*x]*Log[((2*I)*c*(I - x))/((1 - c)*(1 - I*c*x))])/2 - (ArcCot[c*x]*Log[((-2*I)*c*(I + x))/((1 + c)*(1 - I*c*x))])/2 - (I/2)*PolyLog[2, (-I)/(c*x)] + (I/2)*PolyLog[2, I/(c*x)] + (I/2)*PolyLog[2, 1 - 2/(1 - I*c*x)] - (I/4)*PolyLog[2, 1 - ((2*I)*c*(I - x))/((1 - c)*(1 - I*c*x))] - (I/4)*PolyLog[2, 1 + ((2*I)*c*(I + x))/((1 + c)*(1 - I*c*x))]
```

Rubi [A] time = 0.24714, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {4929, 4849, 2391, 4857, 2402, 2315, 2447}

$$-\frac{1}{2}i\text{PolyLog}\left(2, -\frac{i}{cx}\right) + \frac{1}{2}i\text{PolyLog}\left(2, \frac{i}{cx}\right) + \frac{1}{2}i\text{PolyLog}\left(2, 1 - \frac{2}{1-icx}\right) - \frac{1}{4}i\text{PolyLog}\left(2, 1 - \frac{2ic(-x+i)}{(1-c)(1-icx)}\right) - \frac{1}{4}i\text{PolyLog}\left(2, 1 + \frac{2ic(-x+i)}{(1-c)(1-icx)}\right)$$

Antiderivative was successfully verified.

```
[In] Int[ArcCot[c*x]/(x*(1 + x^2)), x]
```

```
[Out] ArcCot[c*x]*Log[2/(1 - I*c*x)] - (ArcCot[c*x]*Log[((2*I)*c*(I - x))/((1 - c)*(1 - I*c*x))])/2 - (ArcCot[c*x]*Log[((-2*I)*c*(I + x))/((1 + c)*(1 - I*c*x))])/2 - (I/2)*PolyLog[2, (-I)/(c*x)] + (I/2)*PolyLog[2, I/(c*x)] + (I/2)*PolyLog[2, 1 - 2/(1 - I*c*x)] - (I/4)*PolyLog[2, 1 - ((2*I)*c*(I - x))/((1 - c)*(1 - I*c*x))] - (I/4)*PolyLog[2, 1 + ((2*I)*c*(I + x))/((1 + c)*(1 - I*c*x))]
```

Rule 4929

```
Int[(((a_) + ArcCot[(c_)*(x_)]*(b_))*(x_)^(m_))/((d_) + (e_)*(x_)^2), x_Symbol] :> Int[ExpandIntegrand[a + b*ArcCot[c*x], x^m/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IntegerQ[m] && !(EqQ[m, 1] && NeQ[a, 0])
```

Rule 4849

```
Int[((a_) + ArcCot[(c_)*(x_)]*(b_))/(x_), x_Symbol] :> Simp[a*Log[x], x] + (Dist[(I*b)/2, Int[Log[1 - I/(c*x)]/x, x], x] - Dist[(I*b)/2, Int[Log[1 + I/(c*x)]/x, x], x]) /; FreeQ[{a, b, c}, x]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4857

```
Int[((a_) + ArcCot[(c_)*(x_)]*(b_))/((d_) + (e_)*(x_)), x_Symbol] :> -Simp[((a + b*ArcCot[c*x])*Log[2/(1 - I*c*x)])/e, x] + (-Dist[(b*c)/e, Int[Log[2/(1 - I*c*x)]/(1 + c^2*x^2), x], x] + Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))]/(1 + c^2*x^2), x], x] + Simp[((a + b*ArcCot[c*x])*Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/e, x]) /; FreeQ[{a, b, c, d, e}, x]
```

, c, d, e}, x] && NeQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rule 2447

Int[Log[u_]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]

Rubi steps

$$\begin{aligned}
 \int \frac{\cot^{-1}(cx)}{x(1+x^2)} dx &= \int \left(\frac{\cot^{-1}(cx)}{x} - \frac{x \cot^{-1}(cx)}{1+x^2} \right) dx \\
 &= \int \frac{\cot^{-1}(cx)}{x} dx - \int \frac{x \cot^{-1}(cx)}{1+x^2} dx \\
 &= \frac{1}{2}i \int \frac{\log\left(1 - \frac{i}{cx}\right)}{x} dx - \frac{1}{2}i \int \frac{\log\left(1 + \frac{i}{cx}\right)}{x} dx - \int \left(-\frac{\cot^{-1}(cx)}{2(i-x)} + \frac{\cot^{-1}(cx)}{2(i+x)} \right) dx \\
 &= -\frac{1}{2}i \operatorname{Li}_2\left(-\frac{i}{cx}\right) + \frac{1}{2}i \operatorname{Li}_2\left(\frac{i}{cx}\right) + \frac{1}{2} \int \frac{\cot^{-1}(cx)}{i-x} dx - \frac{1}{2} \int \frac{\cot^{-1}(cx)}{i+x} dx \\
 &= \cot^{-1}(cx) \log\left(\frac{2}{1-icx}\right) - \frac{1}{2} \cot^{-1}(cx) \log\left(\frac{2ic(i-x)}{(1-c)(1-icx)}\right) - \frac{1}{2} \cot^{-1}(cx) \log\left(-\frac{2ic(i+x)}{(1+c)(1-icx)}\right) \\
 &= \cot^{-1}(cx) \log\left(\frac{2}{1-icx}\right) - \frac{1}{2} \cot^{-1}(cx) \log\left(\frac{2ic(i-x)}{(1-c)(1-icx)}\right) - \frac{1}{2} \cot^{-1}(cx) \log\left(-\frac{2ic(i+x)}{(1+c)(1-icx)}\right) \\
 &= \cot^{-1}(cx) \log\left(\frac{2}{1-icx}\right) - \frac{1}{2} \cot^{-1}(cx) \log\left(\frac{2ic(i-x)}{(1-c)(1-icx)}\right) - \frac{1}{2} \cot^{-1}(cx) \log\left(-\frac{2ic(i+x)}{(1+c)(1-icx)}\right)
 \end{aligned}$$

Mathematica [A] time = 0.0912358, size = 379, normalized size = 1.7

$$\frac{1}{4}i \operatorname{PolyLog}\left(2, \frac{ic(-x+i)}{1-c}\right) - \frac{1}{4}i \operatorname{PolyLog}\left(2, -\frac{ic(-x+i)}{c+1}\right) - \frac{1}{2}i \operatorname{PolyLog}\left(2, -\frac{i}{cx}\right) + \frac{1}{2}i \operatorname{PolyLog}\left(2, \frac{i}{cx}\right) - \frac{1}{4}i \operatorname{PolyLog}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[c*x]/(x*(1 + x^2)), x]

[Out] (I/4)*Log[I - x]*Log[(-I)*(I - c*x)/(1 - c)] + (I/4)*Log[I + x]*Log[(-I)*(I - c*x)/(1 + c)] - (I/4)*Log[I - x]*Log[-((I - c*x)/(c*x))] - (I/4)*Log[I + x]*Log[-((I - c*x)/(c*x))] - (I/4)*Log[I + x]*Log[(-I)*(I + c*x)/(1 - c)] - (I/4)*Log[I - x]*Log[(-I)*(I + c*x)/(1 + c)] + (I/4)*Log[I - x]*Log[(I + c*x)/(c*x)] + (I/4)*Log[I + x]*Log[(I + c*x)/(c*x)] + (I/4)*PolyLog[2, (I*c*(I - x))/(1 - c)] - (I/4)*PolyLog[2, ((-I)*c*(I - x))/(1 + c)] - (

$I/2 * \text{PolyLog}[2, (-I)/(c*x)] + (I/2) * \text{PolyLog}[2, I/(c*x)] - (I/4) * \text{PolyLog}[2, (I*c*(I + x))/(1 - c)] + (I/4) * \text{PolyLog}[2, ((-I)*c*(I + x))/(1 + c)]$

Maple [A] time = 0.149, size = 345, normalized size = 1.6

$$-\frac{\ln(c^2x^2 + c^2) \operatorname{arccot}(cx)}{2} + \operatorname{arccot}(cx) \ln(cx) + \frac{i}{4} \ln(cx + i) \ln\left(\frac{-i(cx + i) - c - 1}{-c - 1}\right) + \frac{i}{4} \operatorname{dilog}\left(\frac{-i(cx + i) + c - 1}{-1 + c}\right) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccot(c*x)/x/(x^2+1), x)`

[Out] $-1/2 * \ln(c^2 * x^2 + c^2) * \operatorname{arccot}(c * x) + \operatorname{arccot}(c * x) * \ln(c * x) + 1/4 * I * \ln(c * x + I) * \ln((-I * (c * x + I) - c - 1) / (-c - 1)) + 1/4 * I * \operatorname{dilog}((-I * (c * x + I) + c - 1) / (-1 + c)) + 1/2 * I * \operatorname{dilog}(1 - I * c * x) - 1/2 * I * \operatorname{dilog}(1 + I * c * x) + 1/2 * I * \ln(c * x) * \ln(1 - I * c * x) - 1/4 * I * \operatorname{dilog}(I * (c * x - I) - c - 1) / (-c - 1) - 1/4 * I * \ln(c * x + I) * \ln(c^2 * x^2 + c^2) - 1/4 * I * \ln(c * x - I) * \ln(I * (c * x - I) + c - 1) / (-1 + c) - 1/4 * I * \operatorname{dilog}(I * (c * x - I) + c - 1) / (-1 + c) + 1/4 * I * \ln(c * x - I) * \ln(c^2 * x^2 + c^2) - 1/2 * I * \ln(c * x) * \ln(1 + I * c * x) - 1/4 * I * \ln(c * x - I) * \ln(I * (c * x - I) - c - 1) / (-c - 1) + 1/4 * I * \ln(c * x + I) * \ln((-I * (c * x + I) + c - 1) / (-1 + c)) + 1/4 * I * \operatorname{dilog}((-I * (c * x + I) - c - 1) / (-c - 1))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(cx)}{(x^2 + 1)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(c*x)/x/(x^2+1), x, algorithm="maxima")`

[Out] `integrate(arccot(c*x)/((x^2 + 1)*x), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(cx)}{x^3 + x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(c*x)/x/(x^2+1), x, algorithm="fricas")`

[Out] `integral(arccot(c*x)/(x^3 + x), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(cx)}{x(x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acot(c*x)/x/(x**2+1),x)
```

```
[Out] Integral(acot(c*x)/(x*(x**2 + 1)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(cx)}{(x^2 + 1)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(c*x)/x/(x^2+1),x, algorithm="giac")
```

```
[Out] integrate(arccot(c*x)/((x^2 + 1)*x), x)
```

3.50 $\int \frac{\cot^{-1}(cx)}{x^2(1+x^2)} dx$

Optimal. Leaf size=212

$$\frac{1}{4}\text{PolyLog}\left(2, 1 + \frac{2i(-cx+i)}{(1-c)(1-ix)}\right) - \frac{1}{4}\text{PolyLog}\left(2, 1 + \frac{2i(cx+i)}{(c+1)(1-ix)}\right) + \frac{1}{2}c \log(c^2x^2+1) - c \log(x) - \frac{\cot^{-1}(cx)}{x} - \frac{1}{2}i \tan^{-1}\left(\frac{cx+i}{1-ix}\right) - \frac{1}{2}i \tan^{-1}\left(\frac{cx+i}{1+ix}\right)$$

```
[Out] -(ArcCot[c*x]/x) - (I/2)*ArcTan[x]*Log[1 - I/(c*x)] + (I/2)*ArcTan[x]*Log[1 + I/(c*x)] - c*Log[x] + (I/2)*ArcTan[x]*Log[((-2*I)*(I - c*x))/((1 - c)*(1 - I*x))] - (I/2)*ArcTan[x]*Log[((-2*I)*(I + c*x))/((1 + c)*(1 - I*x))] + (c*Log[1 + c^2*x^2])/2 + PolyLog[2, 1 + ((2*I)*(I - c*x))/((1 - c)*(1 - I*x))]/4 - PolyLog[2, 1 + ((2*I)*(I + c*x))/((1 + c)*(1 - I*x))]/4
```

Rubi [A] time = 0.503106, antiderivative size = 212, normalized size of antiderivative = 1., number of steps used = 31, number of rules used = 19, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 1.267$, Rules used = {4919, 4853, 266, 36, 29, 31, 4909, 203, 2470, 260, 6688, 12, 4876, 4848, 2391, 4856, 2402, 2315, 2447}

$$\frac{1}{4}\text{PolyLog}\left(2, 1 + \frac{2i(-cx+i)}{(1-c)(1-ix)}\right) - \frac{1}{4}\text{PolyLog}\left(2, 1 + \frac{2i(cx+i)}{(c+1)(1-ix)}\right) + \frac{1}{2}c \log(c^2x^2+1) - c \log(x) - \frac{\cot^{-1}(cx)}{x} - \frac{1}{2}i \tan^{-1}\left(\frac{cx+i}{1-ix}\right) - \frac{1}{2}i \tan^{-1}\left(\frac{cx+i}{1+ix}\right)$$

Antiderivative was successfully verified.

```
[In] Int[ArcCot[c*x]/(x^2*(1 + x^2)), x]
```

```
[Out] -(ArcCot[c*x]/x) - (I/2)*ArcTan[x]*Log[1 - I/(c*x)] + (I/2)*ArcTan[x]*Log[1 + I/(c*x)] - c*Log[x] + (I/2)*ArcTan[x]*Log[((-2*I)*(I - c*x))/((1 - c)*(1 - I*x))] - (I/2)*ArcTan[x]*Log[((-2*I)*(I + c*x))/((1 + c)*(1 - I*x))] + (c*Log[1 + c^2*x^2])/2 + PolyLog[2, 1 + ((2*I)*(I - c*x))/((1 - c)*(1 - I*x))]/4 - PolyLog[2, 1 + ((2*I)*(I + c*x))/((1 + c)*(1 - I*x))]/4
```

Rule 4919

```
Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^p_.)*((f_.)*(x_.))^m_.)/(d_. + (e_.)*(x_.)^2), x_Symbol] := Dist[1/d, Int[(f*x)^m*(a + b*ArcCot[c*x])^p, x], x] - Dist[e/(d*f^2), Int[((f*x)^(m + 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1]
```

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^p_.)*((d_.)*(x_.))^m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]
```

Rule 266

```
Int[(x_)^m_.)*((a_.) + (b_.)*(x_)^n_)^p_, x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x]
```


$x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 29

$\text{Int}[(x_)^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[x], x]$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 4909

$\text{Int}[\text{ArcCot}[(c_)*(x_)]/((d_ + (e_)*(x_)^2), x_Symbol] \rightarrow \text{Dist}[I/2, \text{Int}[\text{Log}[1 - I/(c*x)]/(d + e*x^2), x], x] - \text{Dist}[I/2, \text{Int}[\text{Log}[1 + I/(c*x)]/(d + e*x^2), x], x] /; \text{FreeQ}\{c, d, e\}, x]$

Rule 203

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

Rule 2470

$\text{Int}[(a_ + \text{Log}[(c_)*((d_ + (e_)*(x_)^n))^p])*(b_)/((f_ + (g_)*(x_)^2), x_Symbol] \rightarrow \text{With}\{u = \text{IntHide}[1/(f + g*x^2), x]\}, \text{Simp}[u*(a + b*\text{Log}[c*(d + e*x^n)^p]), x] - \text{Dist}[b*e*n*p, \text{Int}[(u*x^{(n-1)})/(d + e*x^n), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, n, p\}, x] \ \&\& \ \text{IntegerQ}[n]$

Rule 260

$\text{Int}[(x_)^m/((a_ + (b_)*(x_)^n), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]]/(b*n), x] /; \text{FreeQ}\{a, b, m, n\}, x] \ \&\& \ \text{EqQ}[m, n - 1]$

Rule 6688

$\text{Int}[u, x_Symbol] \rightarrow \text{With}\{v = \text{SimplifyIntegrand}[u, x]\}, \text{Int}[v, x] /; \text{SimplerIntegrandQ}[v, u, x]$

Rule 12

$\text{Int}[(a_)*(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

Rule 4876

$\text{Int}[(a_ + \text{ArcTan}[(c_)*(x_)]*(b_))^p*((f_)*(x_))^m*((d_ + (e_)*(x_))^q), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcTan}[c*x])^p, (f*x)^m*(d + e*x)^q], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{IGtQ}[p, 0] \ \& \ \text{IntegerQ}[q] \ \&\& \ (\text{GtQ}[q, 0] \ || \ \text{NeQ}[a, 0] \ || \ \text{IntegerQ}[m])$

Rule 4848

$\text{Int}[(a_ + \text{ArcTan}[(c_)*(x_)]*(b_))/(x_), x_Symbol] \rightarrow \text{Simp}[a*\text{Log}[x], x] + (\text{Dist}[(I*b)/2, \text{Int}[\text{Log}[1 - I*c*x]/x, x], x] - \text{Dist}[(I*b)/2, \text{Int}[\text{Log}[1 + I*c*x]/x, x], x]) /; \text{FreeQ}\{a, b, c\}, x]$

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4856

Int[((a_.) + ArcTan[(c_.)*(x_)])*(b_.)/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[((a + b*ArcTan[c*x])*Log[2/(1 - I*c*x)])/e, x] + (Dist[(b*c)/e, Int[Log[2/(1 - I*c*x)]/(1 + c^2*x^2), x], x] - Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))]/(1 + c^2*x^2), x], x] + Simp[((a + b*ArcTan[c*x])*Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/e, x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rule 2447

Int[Log[u_]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]

Rubi steps

$$\begin{aligned}
 \int \frac{\cot^{-1}(cx)}{x^2(1+x^2)} dx &= \int \frac{\cot^{-1}(cx)}{x^2} dx - \int \frac{\cot^{-1}(cx)}{1+x^2} dx \\
 &= -\frac{\cot^{-1}(cx)}{x} - \frac{1}{2}i \int \frac{\log\left(1 - \frac{i}{cx}\right)}{1+x^2} dx + \frac{1}{2}i \int \frac{\log\left(1 + \frac{i}{cx}\right)}{1+x^2} dx - c \int \frac{1}{x(1+c^2x^2)} dx \\
 &= -\frac{\cot^{-1}(cx)}{x} - \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) - \frac{\int \frac{\tan^{-1}(x)}{\left(1 - \frac{i}{cx}\right)x^2} dx}{2c} - \frac{\int \frac{\tan^{-1}(x)}{\left(1 + \frac{i}{cx}\right)x^2} dx}{2c} \\
 &= -\frac{\cot^{-1}(cx)}{x} - \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) - \frac{\int \frac{c \tan^{-1}(x)}{x(-i+cx)} dx}{2c} - \frac{\int \frac{c \tan^{-1}(x)}{x(i+cx)} dx}{2c} \\
 &= -\frac{\cot^{-1}(cx)}{x} - \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) - c \log(x) + \frac{1}{2}c \log(1 + c^2x^2) - \frac{1}{2} \\
 &= -\frac{\cot^{-1}(cx)}{x} - \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) - c \log(x) + \frac{1}{2}c \log(1 + c^2x^2) - \frac{1}{2} \\
 &= -\frac{\cot^{-1}(cx)}{x} - \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) - c \log(x) + \frac{1}{2}c \log(1 + c^2x^2) + \frac{1}{2} \\
 &= -\frac{\cot^{-1}(cx)}{x} - \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) - c \log(x) + \frac{1}{2}i \tan^{-1}(x) \log\left(-\frac{1}{1 - \frac{i}{cx}}\right) \\
 &= -\frac{\cot^{-1}(cx)}{x} - \frac{1}{2}i \tan^{-1}(x) \log\left(1 - \frac{i}{cx}\right) + \frac{1}{2}i \tan^{-1}(x) \log\left(1 + \frac{i}{cx}\right) - c \log(x) + \frac{1}{2}i \tan^{-1}(x) \log\left(-\frac{1}{1 - \frac{i}{cx}}\right)
 \end{aligned}$$

Mathematica [A] time = 0.0847863, size = 348, normalized size = 1.64

$$\frac{1}{4}\text{PolyLog}\left(2, \frac{ic(-x+i)}{1-c}\right) - \frac{1}{4}\text{PolyLog}\left(2, -\frac{ic(-x+i)}{c+1}\right) + \frac{1}{4}\text{PolyLog}\left(2, \frac{ic(x+i)}{1-c}\right) - \frac{1}{4}\text{PolyLog}\left(2, -\frac{ic(x+i)}{c+1}\right) + \frac{1}{2}c \log\left(\frac{1-c}{1+c}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[c*x]/(x^2*(1 + x^2)), x]

[Out] $-(\text{ArcCot}[c*x]/x) - c*\text{Log}[x] + (\text{Log}[I - x]*\text{Log}[((-I)*(I - c*x))/(1 - c)])/4 - (\text{Log}[I + x]*\text{Log}[((-I)*(I - c*x))/(1 + c)])/4 - (\text{Log}[I - x]*\text{Log}[(-(I - c*x)/(c*x))])/4 + (\text{Log}[I + x]*\text{Log}[(-(I - c*x)/(c*x))])/4 + (\text{Log}[I + x]*\text{Log}[((-I)*(I + c*x))/(1 - c)])/4 - (\text{Log}[I - x]*\text{Log}[((-I)*(I + c*x))/(1 + c)])/4 + (\text{Log}[I - x]*\text{Log}[(I + c*x)/(c*x)])/4 - (\text{Log}[I + x]*\text{Log}[(I + c*x)/(c*x)])/4 + (c*\text{Log}[1 + c^2*x^2])/2 + \text{PolyLog}[2, (I*c*(I - x))/(1 - c)]/4 - \text{PolyLog}[2, ((-I)*c*(I - x))/(1 + c)]/4 + \text{PolyLog}[2, (I*c*(I + x))/(1 - c)]/4 - \text{PolyLog}[2, ((-I)*c*(I + x))/(1 + c)]/4$

Maple [A] time = 0.207, size = 271, normalized size = 1.3

$$-\arctan(x)\operatorname{arccot}(cx) - \frac{\operatorname{arccot}(cx)}{x} + \frac{c \ln(c^2x^2 + 1)}{2} - c \ln(x) + \frac{\frac{i}{2}c \arctan(x)}{-1+c} \ln\left(1 - \frac{(1+c)(1+ix)^2}{(x^2+1)(-1+c)}\right) - \frac{\frac{i}{2} \arctan(x)}{-1+c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c*x)/x^2/(x^2+1), x)

[Out] $-\arctan(x)*\operatorname{arccot}(c*x) - \operatorname{arccot}(c*x)/x + 1/2*c*\ln(c^2*x^2+1) - c*\ln(x) + 1/2*I*c/(-1+c)*\ln(1-(1+c)*(1+I*x)^2/(x^2+1)/(-1+c))*\arctan(x) - 1/2*I/(-1+c)*\ln(1-(1+c)*(1+I*x)^2/(x^2+1)/(-1+c))*\arctan(x) + 1/2*c/(-1+c)*\arctan(x)^2 + 1/4*c/(-1+c)*\operatorname{polylog}(2, (1+c)*(1+I*x)^2/(x^2+1)/(-1+c)) - 1/2/(-1+c)*\arctan(x)^2 - 1/4/(-1+c)*\operatorname{polylog}(2, (1+c)*(1+I*x)^2/(x^2+1)/(-1+c)) - 1/2*I*\arctan(x)*\ln(1-(-1+c)*(1+I*x)^2/(x^2+1)/(1+c)) - 1/2*\arctan(x)^2 - 1/4*\operatorname{polylog}(2, (-1+c)*(1+I*x)^2/(x^2+1)/(1+c))$

Maxima [A] time = 1.54924, size = 261, normalized size = 1.23

$$-\left(\frac{1}{x} + \arctan(x)\right)\operatorname{arccot}(cx) - \frac{1}{2}\arctan(x)\arctan\left(\frac{cx}{c+1}, \frac{1}{c+1}\right) + \frac{1}{2}\arctan(x)\arctan\left(\frac{cx}{c-1}, -\frac{1}{c-1}\right) + \frac{1}{2}c \log\left(\frac{1-c}{1+c}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c*x)/x^2/(x^2+1), x, algorithm="maxima")

[Out] $-(1/x + \arctan(x))*\operatorname{arccot}(c*x) - 1/2*\arctan(x)*\arctan2(c*x/(c + 1), 1/(c + 1)) + 1/2*\arctan(x)*\arctan2(c*x/(c - 1), -1/(c - 1)) + 1/2*c*\log(c^2*x^2 + 1) - c*\log(x) - 1/8*\log(x^2 + 1)*\log((c^2*x^2 + 1)/(c^2 + 2*c + 1)) + 1/8*\log(x^2 + 1)*\log((c^2*x^2 + 1)/(c^2 - 2*c + 1)) - 1/4*\operatorname{dilog}((I*c*x + c)/(c + 1)) - 1/4*\operatorname{dilog}(-(I*c*x - c)/(c + 1)) + 1/4*\operatorname{dilog}((I*c*x + c)/(c - 1)) + 1/4*\operatorname{dilog}(-(I*c*x - c)/(c - 1))$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\operatorname{arccot}(cx)}{x^4 + x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c*x)/x^2/(x^2+1),x, algorithm="fricas")

[Out] integral(arccot(c*x)/(x^4 + x^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(cx)}{x^2(x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c*x)/x**2/(x**2+1),x)

[Out] Integral(acot(c*x)/(x**2*(x**2 + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(cx)}{(x^2 + 1)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c*x)/x^2/(x^2+1),x, algorithm="giac")

[Out] integrate(arccot(c*x)/((x^2 + 1)*x^2), x)

$$3.51 \quad \int \frac{1}{(1+x^2) \cot^{-1}(x)} dx$$

Optimal. Leaf size=5

$$-\log(\cot^{-1}(x))$$

[Out] -Log[ArcCot[x]]

Rubi [A] time = 0.0199193, antiderivative size = 5, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {4883}

$$-\log(\cot^{-1}(x))$$

Antiderivative was successfully verified.

[In] Int[1/((1 + x^2)*ArcCot[x]),x]

[Out] -Log[ArcCot[x]]

Rule 4883

Int[1/(((a_.) + ArcCot[(c_.)*(x_)])*(b_.))*((d_) + (e_.)*(x_)^2)), x_Symbol]
 :> -Simp[Log[RemoveContent[a + b*ArcCot[c*x], x]]/(b*c*d), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d]

Rubi steps

$$\int \frac{1}{(1+x^2) \cot^{-1}(x)} dx = -\log(\cot^{-1}(x))$$

Mathematica [A] time = 0.0226783, size = 5, normalized size = 1.

$$-\log(\cot^{-1}(x))$$

Antiderivative was successfully verified.

[In] Integrate[1/((1 + x^2)*ArcCot[x]),x]

[Out] -Log[ArcCot[x]]

Maple [A] time = 0.019, size = 6, normalized size = 1.2

$$-\ln(\operatorname{arccot}(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2+1)/arccot(x),x)

[Out] $-\ln(\operatorname{arccot}(x))$

Maxima [A] time = 0.946703, size = 7, normalized size = 1.4

$-\log(\operatorname{arccot}(x))$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(x^2+1)/arccot(x),x, algorithm="maxima")`

[Out] $-\log(\operatorname{arccot}(x))$

Fricas [A] time = 1.76909, size = 23, normalized size = 4.6

$-\log(\operatorname{arccot}(x))$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(x^2+1)/arccot(x),x, algorithm="fricas")`

[Out] $-\log(\operatorname{arccot}(x))$

Sympy [A] time = 0.344778, size = 5, normalized size = 1.

$-\log(\operatorname{acot}(x))$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(x**2+1)/acot(x),x)`

[Out] $-\log(\operatorname{acot}(x))$

Giac [A] time = 1.09545, size = 11, normalized size = 2.2

$-\log\left(\left|\arctan\left(\frac{1}{x}\right)\right|\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(x^2+1)/arccot(x),x, algorithm="giac")`

[Out] $-\log(\operatorname{abs}(\arctan(1/x)))$

$$3.52 \quad \int \frac{\cot^{-1}(x)^n}{1+x^2} dx$$

Optimal. Leaf size=13

$$-\frac{\cot^{-1}(x)^{n+1}}{n+1}$$

[Out] -(ArcCot[x]^(1 + n)/(1 + n))

Rubi [A] time = 0.0235998, antiderivative size = 13, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {4885}

$$-\frac{\cot^{-1}(x)^{n+1}}{n+1}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[x]^n/(1 + x^2), x]

[Out] -(ArcCot[x]^(1 + n)/(1 + n))

Rule 4885

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_)^2), x_Symbol] :> -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]

Rubi steps

$$\int \frac{\cot^{-1}(x)^n}{1+x^2} dx = -\frac{\cot^{-1}(x)^{1+n}}{1+n}$$

Mathematica [A] time = 0.0070566, size = 13, normalized size = 1.

$$-\frac{\cot^{-1}(x)^{n+1}}{n+1}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[x]^n/(1 + x^2), x]

[Out] -(ArcCot[x]^(1 + n)/(1 + n))

Maple [A] time = 0.038, size = 14, normalized size = 1.1

$$-\frac{(\operatorname{arccot}(x))^{1+n}}{1+n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccot(x)^n/(x^2+1),x)`

[Out] `-arccot(x)^(1+n)/(1+n)`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x)^n/(x^2+1),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 1.99926, size = 43, normalized size = 3.31

$$-\frac{\operatorname{arccot}(x)^n \operatorname{arccot}(x)}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x)^n/(x^2+1),x, algorithm="fricas")`

[Out] `-arccot(x)^n*arccot(x)/(n + 1)`

Sympy [A] time = 4.60103, size = 17, normalized size = 1.31

$$-\begin{cases} \frac{\operatorname{acot}^{n+1}(x)}{n+1} & \text{for } n \neq -1 \\ \log(\operatorname{acot}(x)) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acot(x)**n/(x**2+1),x)`

[Out] `-Piecewise((acot(x)**(n + 1)/(n + 1), Ne(n, -1)), (log(acot(x)), True))`

Giac [A] time = 1.09028, size = 20, normalized size = 1.54

$$-\frac{\arctan\left(\frac{1}{x}\right)^{n+1}}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x)^n/(x^2+1),x, algorithm="giac")`

[Out] `-arctan(1/x)^(n + 1)/(n + 1)`

3.53 $\int (c + dx^2)^4 \cot^{-1}(ax) dx$

Optimal. Leaf size=244

$$\frac{d^2x^4(378a^4c^2 - 180a^2cd + 35d^2)}{1260a^5} + \frac{dx^2(-378a^4c^2d + 420a^6c^3 + 180a^2cd^2 - 35d^3)}{630a^7} + \frac{(378a^4c^2d^2 - 420a^6c^3d + 315a^8c^4 - 180a^2cd^3 + 35d^4)\text{Log}[1 + a^2x^2]}{630a^9}$$

[Out] (d*(420*a^6*c^3 - 378*a^4*c^2*d + 180*a^2*c*d^2 - 35*d^3)*x^2)/(630*a^7) + (d^2*(378*a^4*c^2 - 180*a^2*c*d + 35*d^2)*x^4)/(1260*a^5) + ((36*a^2*c - 7*d)*d^3*x^6)/(378*a^3) + (d^4*x^8)/(72*a) + c^4*x*ArcCot[a*x] + (4*c^3*d*x^3*ArcCot[a*x])/3 + (6*c^2*d^2*x^5*ArcCot[a*x])/5 + (4*c*d^3*x^7*ArcCot[a*x])/7 + (d^4*x^9*ArcCot[a*x])/9 + ((315*a^8*c^4 - 420*a^6*c^3*d + 378*a^4*c^2*d^2 - 180*a^2*c*d^3 + 35*d^4)*Log[1 + a^2*x^2])/(630*a^9)

Rubi [A] time = 0.176358, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {194, 4913, 1810, 260}

$$\frac{d^2x^4(378a^4c^2 - 180a^2cd + 35d^2)}{1260a^5} + \frac{dx^2(-378a^4c^2d + 420a^6c^3 + 180a^2cd^2 - 35d^3)}{630a^7} + \frac{(378a^4c^2d^2 - 420a^6c^3d + 315a^8c^4 - 180a^2cd^3 + 35d^4)\text{Log}[1 + a^2x^2]}{630a^9}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^2)^4*ArcCot[a*x], x]

[Out] (d*(420*a^6*c^3 - 378*a^4*c^2*d + 180*a^2*c*d^2 - 35*d^3)*x^2)/(630*a^7) + (d^2*(378*a^4*c^2 - 180*a^2*c*d + 35*d^2)*x^4)/(1260*a^5) + ((36*a^2*c - 7*d)*d^3*x^6)/(378*a^3) + (d^4*x^8)/(72*a) + c^4*x*ArcCot[a*x] + (4*c^3*d*x^3*ArcCot[a*x])/3 + (6*c^2*d^2*x^5*ArcCot[a*x])/5 + (4*c*d^3*x^7*ArcCot[a*x])/7 + (d^4*x^9*ArcCot[a*x])/9 + ((315*a^8*c^4 - 420*a^6*c^3*d + 378*a^4*c^2*d^2 - 180*a^2*c*d^3 + 35*d^4)*Log[1 + a^2*x^2])/(630*a^9)

Rule 194

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4913

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))*((d_.) + (e_.)*(x_)^2)^(q_.), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Dist[a + b*ArcCot[c*x], u, x] + Dist[b*c, Int[u/(1 + c^2*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])

Rule 1810

Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned}
\int (c + dx^2)^4 \cot^{-1}(ax) dx &= c^4 x \cot^{-1}(ax) + \frac{4}{3} c^3 dx^3 \cot^{-1}(ax) + \frac{6}{5} c^2 d^2 x^5 \cot^{-1}(ax) + \frac{4}{7} cd^3 x^7 \cot^{-1}(ax) + \frac{1}{9} d^4 x^9 \cot^{-1}(ax) \\
&= c^4 x \cot^{-1}(ax) + \frac{4}{3} c^3 dx^3 \cot^{-1}(ax) + \frac{6}{5} c^2 d^2 x^5 \cot^{-1}(ax) + \frac{4}{7} cd^3 x^7 \cot^{-1}(ax) + \frac{1}{9} d^4 x^9 \cot^{-1}(ax) \\
&= \frac{d(420a^6c^3 - 378a^4c^2d + 180a^2cd^2 - 35d^3)x^2}{630a^7} + \frac{d^2(378a^4c^2 - 180a^2cd + 35d^2)x^4}{1260a^5} + \frac{(36a^2d^2 - 35d^3)x^6}{630a^7} \\
&= \frac{d(420a^6c^3 - 378a^4c^2d + 180a^2cd^2 - 35d^3)x^2}{630a^7} + \frac{d^2(378a^4c^2 - 180a^2cd + 35d^2)x^4}{1260a^5} + \frac{(36a^2d^2 - 35d^3)x^6}{630a^7}
\end{aligned}$$

Mathematica [A] time = 0.161579, size = 212, normalized size = 0.87

$$\frac{a^2 dx^2 (3a^6 (756c^2 dx^2 + 1680c^3 + 240cd^2 x^4 + 35d^3 x^6) - 4a^4 d (1134c^2 + 270cdx^2 + 35d^2 x^4) + 30a^2 d^2 (72c + 7dx^2) - 420d^3 x^6)}{630a^7}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^2)^4*ArcCot[a*x],x]

[Out] (a^2*d*x^2*(-420*d^3 + 30*a^2*d^2*(72*c + 7*d*x^2) - 4*a^4*d*(1134*c^2 + 270*c*d*x^2 + 35*d^2*x^4) + 3*a^6*(1680*c^3 + 756*c^2*d*x^2 + 240*c*d^2*x^4 + 35*d^3*x^6)) + 24*a^9*x*(315*c^4 + 420*c^3*d*x^2 + 378*c^2*d^2*x^4 + 180*c*d^3*x^6 + 35*d^4*x^8)*ArcCot[a*x] + 12*(315*a^8*c^4 - 420*a^6*c^3*d + 378*a^4*c^2*d^2 - 180*a^2*c*d^3 + 35*d^4)*Log[1 + a^2*x^2])/(7560*a^9)

Maple [A] time = 0.044, size = 279, normalized size = 1.1

$$\frac{d^4 x^9 \operatorname{arccot}(ax)}{9} + \frac{4cd^3 x^7 \operatorname{arccot}(ax)}{7} + \frac{6c^2 d^2 x^5 \operatorname{arccot}(ax)}{5} + \frac{4c^3 dx^3 \operatorname{arccot}(ax)}{3} + c^4 x \operatorname{arccot}(ax) + \frac{2dc^3 x^2}{3a} + \frac{3c^2 d^2 x^4}{10a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^2+c)^4*arccot(a*x),x)

[Out] 1/9*d^4*x^9*arccot(a*x)+4/7*c*d^3*x^7*arccot(a*x)+6/5*c^2*d^2*x^5*arccot(a*x)+4/3*c^3*d*x^3*arccot(a*x)+c^4*x*arccot(a*x)+2/3/a*c^3*d*x^2+3/10/a*c^2*d^2*x^4+2/21/a*c*d^3*x^6-3/5/a^3*c^2*d^2*x^2+1/72*d^4*x^8/a-1/7/a^3*x^4*c*d^3-1/54/a^3*d^4*x^6+2/7/a^5*x^2*c*d^3+1/36/a^5*d^4*x^4-1/18/a^7*x^2*d^4+1/2/a*ln(a^2*x^2+1)*c^4-2/3/a^3*ln(a^2*x^2+1)*c^3*d+3/5/a^5*ln(a^2*x^2+1)*c^2*d^2-2/7/a^7*ln(a^2*x^2+1)*c*d^3+1/18/a^9*ln(a^2*x^2+1)*d^4

Maxima [A] time = 1.0026, size = 305, normalized size = 1.25

$$\frac{1}{7560} a^9 \left(\frac{105 a^6 d^4 x^8 + 20 (36 a^6 c d^3 - 7 a^4 d^4) x^6 + 6 (378 a^6 c^2 d^2 - 180 a^4 c d^3 + 35 a^2 d^4) x^4 + 12 (420 a^6 c^3 d - 378 a^4 c^2 d^2 + 180 a^2 c d^3 - 35 d^4) x^2 + 420 d^3 x^6}{a^8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^4*arccot(a*x),x, algorithm="maxima")

[Out] $1/7560*a*((105*a^6*d^4*x^8 + 20*(36*a^6*c*d^3 - 7*a^4*d^4)*x^6 + 6*(378*a^6*c^2*d^2 - 180*a^4*c*d^3 + 35*a^2*d^4)*x^4 + 12*(420*a^6*c^3*d - 378*a^4*c^2*d^2 + 180*a^2*c*d^3 - 35*d^4)*x^2)/a^8 + 12*(315*a^8*c^4 - 420*a^6*c^3*d + 378*a^4*c^2*d^2 - 180*a^2*c*d^3 + 35*d^4)*\log(a^2*x^2 + 1)/a^{10} + 1/315*(35*d^4*x^9 + 180*c*d^3*x^7 + 378*c^2*d^2*x^5 + 420*c^3*d*x^3 + 315*c^4*x)*\operatorname{arccot}(a*x)$

Fricas [A] time = 1.91021, size = 540, normalized size = 2.21

$$105 a^8 d^4 x^8 + 20 (36 a^8 c d^3 - 7 a^6 d^4) x^6 + 6 (378 a^8 c^2 d^2 - 180 a^6 c d^3 + 35 a^4 d^4) x^4 + 12 (420 a^8 c^3 d - 378 a^6 c^2 d^2 + 180 a^4 c d^3 - 35 d^4) x^2 + 24 (35 a^9 d^4 x^9 + 180 a^9 c d^3 x^7 + 378 a^9 c^2 d^2 x^5 + 420 a^9 c^3 d x^3 + 315 a^9 c^4 x) \operatorname{arccot}(a x) + 12 (315 a^8 c^4 - 420 a^6 c^3 d + 378 a^4 c^2 d^2 - 180 a^2 c d^3 + 35 d^4) \log(a^2 x^2 + 1) / a^9$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^2+c)^4*arccot(a*x),x, algorithm="fricas")`

[Out] $1/7560*(105*a^8*d^4*x^8 + 20*(36*a^8*c*d^3 - 7*a^6*d^4)*x^6 + 6*(378*a^8*c^2*d^2 - 180*a^6*c*d^3 + 35*a^4*d^4)*x^4 + 12*(420*a^8*c^3*d - 378*a^6*c^2*d^2 + 180*a^4*c*d^3 - 35*d^4)*x^2 + 24*(35*a^9*d^4*x^9 + 180*a^9*c*d^3*x^7 + 378*a^9*c^2*d^2*x^5 + 420*a^9*c^3*d*x^3 + 315*a^9*c^4*x)*\operatorname{arccot}(a*x) + 12*(315*a^8*c^4 - 420*a^6*c^3*d + 378*a^4*c^2*d^2 - 180*a^2*c*d^3 + 35*d^4)*\log(a^2*x^2 + 1)/a^9$

Sympy [A] time = 6.18352, size = 367, normalized size = 1.5

$$\left\{ \begin{array}{l} c^4 x \operatorname{acot}(a x) + \frac{4c^3 dx^3 \operatorname{acot}(a x)}{3} + \frac{6c^2 d^2 x^5 \operatorname{acot}(a x)}{5} + \frac{4cd^3 x^7 \operatorname{acot}(a x)}{7} + \frac{d^4 x^9 \operatorname{acot}(a x)}{9} + \frac{c^4 \log\left(x^2 + \frac{1}{a^2}\right)}{2a} + \frac{2c^3 dx^2}{3a} + \frac{3c^2 d^2 x^4}{10a} + \frac{2cd^3 x^6}{21a} \\ \frac{\pi\left(c^4 x + \frac{4c^3 dx^3}{3} + \frac{6c^2 d^2 x^5}{5} + \frac{4cd^3 x^7}{7} + \frac{d^4 x^9}{9}\right)}{2} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**2+c)**4*acot(a*x),x)`

[Out] `Piecewise((c**4*x*acot(a*x) + 4*c**3*d*x**3*acot(a*x)/3 + 6*c**2*d**2*x**5*acot(a*x)/5 + 4*c*d**3*x**7*acot(a*x)/7 + d**4*x**9*acot(a*x)/9 + c**4*log(x**2 + a**(-2))/(2*a) + 2*c**3*d*x**2/(3*a) + 3*c**2*d**2*x**4/(10*a) + 2*c*d**3*x**6/(21*a) + d**4*x**8/(72*a) - 2*c**3*d*log(x**2 + a**(-2))/(3*a**3) - 3*c**2*d**2*x**2/(5*a**3) - c*d**3*x**4/(7*a**3) - d**4*x**6/(54*a**3) + 3*c**2*d**2*log(x**2 + a**(-2))/(5*a**5) + 2*c*d**3*x**2/(7*a**5) + d**4*x**4/(36*a**5) - 2*c*d**3*log(x**2 + a**(-2))/(7*a**7) - d**4*x**2/(18*a**7) + d**4*log(x**2 + a**(-2))/(18*a**9), Ne(a, 0)), (pi*(c**4*x + 4*c**3*d*x**3/3 + 6*c**2*d**2*x**5/5 + 4*c*d**3*x**7/7 + d**4*x**9/9)/2, True))`

Giac [A] time = 1.11988, size = 320, normalized size = 1.31

$$\frac{1}{315} (35 d^4 x^9 + 180 c d^3 x^7 + 378 c^2 d^2 x^5 + 420 c^3 d x^3 + 315 c^4 x) \arctan\left(\frac{1}{ax}\right) + \frac{105 a^7 d^4 x^8 + 720 a^7 c d^3 x^6 + 2268 a^7 c^2 d^2 x^4 + 12 (420 a^8 c^3 d - 378 a^6 c^2 d^2 + 180 a^4 c d^3 - 35 d^4) x^2 + 24 (35 a^9 d^4 x^9 + 180 a^9 c d^3 x^7 + 378 a^9 c^2 d^2 x^5 + 420 a^9 c^3 d x^3 + 315 a^9 c^4 x) \operatorname{arccot}(a x) + 12 (315 a^8 c^4 - 420 a^6 c^3 d + 378 a^4 c^2 d^2 - 180 a^2 c d^3 + 35 d^4) \log(a^2 x^2 + 1) / a^9}{a^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^2+c)^4*arccot(a*x),x, algorithm="giac")`

```
[Out] 1/315*(35*d^4*x^9 + 180*c*d^3*x^7 + 378*c^2*d^2*x^5 + 420*c^3*d*x^3 + 315*c^4*x)*arctan(1/(a*x)) + 1/7560*(105*a^7*d^4*x^8 + 720*a^7*c*d^3*x^6 + 2268*a^7*c^2*d^2*x^4 - 140*a^5*d^4*x^6 + 5040*a^7*c^3*d*x^2 - 1080*a^5*c*d^3*x^4 - 4536*a^5*c^2*d^2*x^2 + 210*a^3*d^4*x^4 + 2160*a^3*c*d^3*x^2 - 420*a*d^4*x^2)/a^8 + 1/630*(315*a^8*c^4 - 420*a^6*c^3*d + 378*a^4*c^2*d^2 - 180*a^2*c*d^3 + 35*d^4)*log(a^2*x^2 + 1)/a^9
```

3.54 $\int (c + dx^2)^3 \cot^{-1}(ax) dx$

Optimal. Leaf size=168

$$\frac{dx^2 (35a^4c^2 - 21a^2cd + 5d^2)}{70a^5} + \frac{(-35a^4c^2d + 35a^6c^3 + 21a^2cd^2 - 5d^3) \log(a^2x^2 + 1)}{70a^7} + \frac{d^2x^4 (21a^2c - 5d)}{140a^3} + c^2dx^3 \cot$$

[Out] (d*(35*a^4*c^2 - 21*a^2*c*d + 5*d^2)*x^2)/(70*a^5) + ((21*a^2*c - 5*d)*d^2*x^4)/(140*a^3) + (d^3*x^6)/(42*a) + c^3*x*ArcCot[a*x] + c^2*d*x^3*ArcCot[a*x] + (3*c*d^2*x^5*ArcCot[a*x])/5 + (d^3*x^7*ArcCot[a*x])/7 + ((35*a^6*c^3 - 35*a^4*c^2*d + 21*a^2*c*d^2 - 5*d^3)*Log[1 + a^2*x^2])/(70*a^7)

Rubi [A] time = 0.120067, antiderivative size = 168, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {194, 4913, 1810, 260}

$$\frac{dx^2 (35a^4c^2 - 21a^2cd + 5d^2)}{70a^5} + \frac{(-35a^4c^2d + 35a^6c^3 + 21a^2cd^2 - 5d^3) \log(a^2x^2 + 1)}{70a^7} + \frac{d^2x^4 (21a^2c - 5d)}{140a^3} + c^2dx^3 \cot$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^2)^3*ArcCot[a*x], x]

[Out] (d*(35*a^4*c^2 - 21*a^2*c*d + 5*d^2)*x^2)/(70*a^5) + ((21*a^2*c - 5*d)*d^2*x^4)/(140*a^3) + (d^3*x^6)/(42*a) + c^3*x*ArcCot[a*x] + c^2*d*x^3*ArcCot[a*x] + (3*c*d^2*x^5*ArcCot[a*x])/5 + (d^3*x^7*ArcCot[a*x])/7 + ((35*a^6*c^3 - 35*a^4*c^2*d + 21*a^2*c*d^2 - 5*d^3)*Log[1 + a^2*x^2])/(70*a^7)

Rule 194

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4913

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))*((d_.) + (e_.)*(x_)^2)^(q_.), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Dist[a + b*ArcCot[c*x], u, x] + Dist[b*c, Int[u/(1 + c^2*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])

Rule 1810

Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned}
\int (c + dx^2)^3 \cot^{-1}(ax) dx &= c^3 x \cot^{-1}(ax) + c^2 dx^3 \cot^{-1}(ax) + \frac{3}{5} cd^2 x^5 \cot^{-1}(ax) + \frac{1}{7} d^3 x^7 \cot^{-1}(ax) + a \int \frac{c^3 x + c^2 dx^3 - \dots}{1 + \dots} \\
&= c^3 x \cot^{-1}(ax) + c^2 dx^3 \cot^{-1}(ax) + \frac{3}{5} cd^2 x^5 \cot^{-1}(ax) + \frac{1}{7} d^3 x^7 \cot^{-1}(ax) + a \int \left(\frac{d(35a^4 c^2 - \dots)}{\dots} \right) \\
&= \frac{d(35a^4 c^2 - 21a^2 cd + 5d^2)x^2}{70a^5} + \frac{(21a^2 c - 5d)d^2 x^4}{140a^3} + \frac{d^3 x^6}{42a} + c^3 x \cot^{-1}(ax) + c^2 dx^3 \cot^{-1}(ax) \\
&= \frac{d(35a^4 c^2 - 21a^2 cd + 5d^2)x^2}{70a^5} + \frac{(21a^2 c - 5d)d^2 x^4}{140a^3} + \frac{d^3 x^6}{42a} + c^3 x \cot^{-1}(ax) + c^2 dx^3 \cot^{-1}(ax)
\end{aligned}$$

Mathematica [A] time = 0.103544, size = 149, normalized size = 0.89

$$\frac{a^2 dx^2 (a^4 (210c^2 + 63cdx^2 + 10d^2 x^4) - 3a^2 d (42c + 5dx^2) + 30d^2) + 6(-35a^4 c^2 d + 35a^6 c^3 + 21a^2 cd^2 - 5d^3) \log(a^2 x^2 + 1)}{420a^7}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^2)^3*ArcCot[a*x], x]

[Out] (a^2*d*x^2*(30*d^2 - 3*a^2*d*(42*c + 5*d*x^2) + a^4*(210*c^2 + 63*c*d*x^2 + 10*d^2*x^4)) + 12*a^7*x*(35*c^3 + 35*c^2*d*x^2 + 21*c*d^2*x^4 + 5*d^3*x^6) *ArcCot[a*x] + 6*(35*a^6*c^3 - 35*a^4*c^2*d + 21*a^2*c*d^2 - 5*d^3)*Log[1 + a^2*x^2])/(420*a^7)

Maple [A] time = 0.043, size = 191, normalized size = 1.1

$$\frac{d^3 x^7 \operatorname{arccot}(ax)}{7} + \frac{3 cd^2 x^5 \operatorname{arccot}(ax)}{5} + c^2 dx^3 \operatorname{arccot}(ax) + c^3 x \operatorname{arccot}(ax) + \frac{c^2 dx^2}{2a} + \frac{3 cx^4 d^2}{20a} + \frac{d^3 x^6}{42a} - \frac{3 cd^2 x^2}{10a^3} - \frac{d^3 x^4}{28a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^2+c)^3*arccot(a*x), x)

[Out] 1/7*d^3*x^7*arccot(a*x)+3/5*c*d^2*x^5*arccot(a*x)+c^2*d*x^3*arccot(a*x)+c^3*x*arccot(a*x)+1/2*c^2*d*x^2/a+3/20/a*x^4*c*d^2+1/42*d^3*x^6/a-3/10/a^3*c*d^2*x^2-1/28/a^5*d^3*x^4+1/14/a^5*d^3*x^2+1/2/a*ln(a^2*x^2+1)*c^3-1/2/a^3*ln(a^2*x^2+1)*c^2*d+3/10/a^5*ln(a^2*x^2+1)*c*d^2-1/14/a^7*ln(a^2*x^2+1)*d^3

Maxima [A] time = 0.971695, size = 215, normalized size = 1.28

$$\frac{1}{420} a \left(\frac{10 a^4 d^3 x^6 + 3 (21 a^4 c d^2 - 5 a^2 d^3) x^4 + 6 (35 a^4 c^2 d - 21 a^2 c d^2 + 5 d^3) x^2}{a^6} + \frac{6 (35 a^6 c^3 - 35 a^4 c^2 d + 21 a^2 c d^2 - 5 d^3) \log(a^2 x^2 + 1)}{a^8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^3*arccot(a*x), x, algorithm="maxima")

[Out] 1/420*a*((10*a^4*d^3*x^6 + 3*(21*a^4*c*d^2 - 5*a^2*d^3)*x^4 + 6*(35*a^4*c^2*d - 21*a^2*c*d^2 + 5*d^3)*x^2)/a^6 + 6*(35*a^6*c^3 - 35*a^4*c^2*d + 21*a^2*c*d^2 - 5*d^3)*log(a^2*x^2 + 1)/a^8 + 1/35*(5*d^3*x^7 + 21*c*d^2*x^5 + 35

$$*c^2*d*x^3 + 35*c^3*x)*\operatorname{arccot}(a*x)$$

Fricas [A] time = 1.83765, size = 366, normalized size = 2.18

$$\frac{10 a^6 d^3 x^6 + 3 (21 a^6 c d^2 - 5 a^4 d^3) x^4 + 6 (35 a^6 c^2 d - 21 a^4 c d^2 + 5 a^2 d^3) x^2 + 12 (5 a^7 d^3 x^7 + 21 a^7 c d^2 x^5 + 35 a^7 c^2 d x^3 + 35 a^7 c^3 x) \operatorname{arccot}(a x) + 6 (35 a^6 c^3 - 35 a^4 c^2 d + 21 a^2 c d^2 - 5 d^3) \log(a^2 x^2 + 1)}{420 a^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^3*arccot(a*x),x, algorithm="fricas")

[Out] 1/420*(10*a^6*d^3*x^6 + 3*(21*a^6*c*d^2 - 5*a^4*d^3)*x^4 + 6*(35*a^6*c^2*d - 21*a^4*c*d^2 + 5*a^2*d^3)*x^2 + 12*(5*a^7*d^3*x^7 + 21*a^7*c*d^2*x^5 + 35*a^7*c^2*d*x^3 + 35*a^7*c^3*x)*arccot(a*x) + 6*(35*a^6*c^3 - 35*a^4*c^2*d + 21*a^2*c*d^2 - 5*d^3)*log(a^2*x^2 + 1)/a^7

Sympy [A] time = 3.53637, size = 243, normalized size = 1.45

$$\left\{ \frac{c^3 x \operatorname{acot}(a x) + c^2 d x^3 \operatorname{acot}(a x) + \frac{3 c d^2 x^5 \operatorname{acot}(a x)}{5} + \frac{d^3 x^7 \operatorname{acot}(a x)}{7} + \frac{c^3 \log\left(x^2 + \frac{1}{a^2}\right)}{2 a} + \frac{c^2 d x^2}{2 a} + \frac{3 c d^2 x^4}{20 a} + \frac{d^3 x^6}{42 a} - \frac{c^2 d \log\left(x^2 + \frac{1}{a^2}\right)}{2 a^3} - \frac{\pi\left(c^3 x + c^2 d x^3 + \frac{3 c d^2 x^5}{5} + \frac{d^3 x^7}{7}\right)}{2} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**2+c)**3*acot(a*x),x)

[Out] Piecewise((c**3*x*acot(a*x) + c**2*d*x**3*acot(a*x) + 3*c*d**2*x**5*acot(a*x)/5 + d**3*x**7*acot(a*x)/7 + c**3*log(x**2 + a**(-2))/(2*a) + c**2*d*x**2/(2*a) + 3*c*d**2*x**4/(20*a) + d**3*x**6/(42*a) - c**2*d*log(x**2 + a**(-2))/(2*a**3) - 3*c*d**2*x**2/(10*a**3) - d**3*x**4/(28*a**3) + 3*c*d**2*log(x**2 + a**(-2))/(10*a**5) + d**3*x**2/(14*a**5) - d**3*log(x**2 + a**(-2))/(14*a**7), Ne(a, 0)), (pi*(c**3*x + c**2*d*x**3 + 3*c*d**2*x**5/5 + d**3*x**7/7)/2, True))

Giac [A] time = 1.13143, size = 221, normalized size = 1.32

$$\frac{1}{35} (5 d^3 x^7 + 21 c d^2 x^5 + 35 c^2 d x^3 + 35 c^3 x) \arctan\left(\frac{1}{a x}\right) + \frac{10 a^5 d^3 x^6 + 63 a^5 c d^2 x^4 + 210 a^5 c^2 d x^2 - 15 a^3 d^3 x^4 - 126 a^3 c d^2 x^2 + 30 a d^3 x^2}{420 a^6} + \frac{6 (35 a^6 c^2 d - 21 a^4 c d^2 + 5 a^2 d^3) x^2 + 12 (5 a^7 d^3 x^7 + 21 a^7 c d^2 x^5 + 35 a^7 c^2 d x^3 + 35 a^7 c^3 x) \operatorname{arccot}(a x) + 6 (35 a^6 c^3 - 35 a^4 c^2 d + 21 a^2 c d^2 - 5 d^3) \log(a^2 x^2 + 1)}{420 a^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^3*arccot(a*x),x, algorithm="giac")

[Out] 1/35*(5*d^3*x^7 + 21*c*d^2*x^5 + 35*c^2*d*x^3 + 35*c^3*x)*arctan(1/(a*x)) + 1/420*(10*a^5*d^3*x^6 + 63*a^5*c*d^2*x^4 + 210*a^5*c^2*d*x^2 - 15*a^3*d^3*x^4 - 126*a^3*c*d^2*x^2 + 30*a*d^3*x^2)/a^6 + 1/70*(35*a^6*c^3 - 35*a^4*c^2*d + 21*a^2*c*d^2 - 5*d^3)*log(a^2*x^2 + 1)/a^7

3.55 $\int (c + dx^2)^2 \cot^{-1}(ax) dx$

Optimal. Leaf size=109

$$\frac{(15a^4c^2 - 10a^2cd + 3d^2) \log(a^2x^2 + 1)}{30a^5} + \frac{dx^2(10a^2c - 3d)}{30a^3} + c^2x \cot^{-1}(ax) + \frac{2}{3}cdx^3 \cot^{-1}(ax) + \frac{d^2x^4}{20a} + \frac{1}{5}d^2x^5 \cot^{-1}(ax)$$

[Out] $((10a^2c - 3d)d^2x^2)/(30a^3) + (d^2x^4)/(20a) + c^2x \text{ArcCot}[a*x] + (2c*d*x^3 \text{ArcCot}[a*x])/3 + (d^2*x^5 \text{ArcCot}[a*x])/5 + ((15a^4*c^2 - 10a^2*c*d + 3*d^2)*\text{Log}[1 + a^2*x^2])/(30a^5)$

Rubi [A] time = 0.126527, antiderivative size = 109, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {194, 4913, 1594, 1247, 698}

$$\frac{(15a^4c^2 - 10a^2cd + 3d^2) \log(a^2x^2 + 1)}{30a^5} + \frac{dx^2(10a^2c - 3d)}{30a^3} + c^2x \cot^{-1}(ax) + \frac{2}{3}cdx^3 \cot^{-1}(ax) + \frac{d^2x^4}{20a} + \frac{1}{5}d^2x^5 \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x^2)^2 \text{ArcCot}[a*x], x]$

[Out] $((10a^2c - 3d)d^2x^2)/(30a^3) + (d^2x^4)/(20a) + c^2x \text{ArcCot}[a*x] + (2c*d*x^3 \text{ArcCot}[a*x])/3 + (d^2*x^5 \text{ArcCot}[a*x])/5 + ((15a^4*c^2 - 10a^2*c*d + 3*d^2)*\text{Log}[1 + a^2*x^2])/(30a^5)$

Rule 194

$\text{Int}[(a + b*x^n)^p, x] \text{Symbol} \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x^n)^p, x], x] /; \text{FreeQ}[a, b], x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IGtQ}[p, 0]$

Rule 4913

$\text{Int}[(a + \text{ArcCot}[c*x])*(b + (d + e*x^2)^q), x] \text{Symbol} \rightarrow \text{With}[u = \text{IntHide}[(d + e*x^2)^q, x], \text{Dist}[a + b*\text{ArcCot}[c*x], u, x] + \text{Dist}[b*c, \text{Int}[u/(1 + c^2*x^2), x], x] /; \text{FreeQ}[a, b, c, d, e], x \ \&\& \ (\text{IntegerQ}[q] \ || \ \text{ILtQ}[q + 1/2, 0])$

Rule 1594

$\text{Int}[(a + b*x^p + c*x^q)^n, x] \text{Symbol} \rightarrow \text{Int}[u*x^{(n*p)}*(a + b*x^{(q-p)} + c*x^{(r-p)})^n, x] /; \text{FreeQ}[a, b, c, p, q, r], x \ \&\& \ \text{IntegerQ}[n] \ \&\& \ \text{PosQ}[q - p] \ \&\& \ \text{PosQ}[r - p]$

Rule 1247

$\text{Int}[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x] \text{Symbol} \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}[a, b, c, d, e, p, q], x]$

Rule 698

$\text{Int}[(d + e*x^m)*(a + b*x + c*x^2)^p, x] \text{Symbol} \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; \text{FreeQ}[a, b, c, d, e, m], x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ (\text{GtQ}[p, 0] \ || \ (\text{EqQ}[a, 0])$

&& IntegerQ[m]))

Rubi steps

$$\begin{aligned}
 \int (c + dx^2)^2 \cot^{-1}(ax) dx &= c^2x \cot^{-1}(ax) + \frac{2}{3}cdx^3 \cot^{-1}(ax) + \frac{1}{5}d^2x^5 \cot^{-1}(ax) + a \int \frac{c^2x + \frac{2}{3}cdx^3 + \frac{d^2x^5}{5}}{1 + a^2x^2} dx \\
 &= c^2x \cot^{-1}(ax) + \frac{2}{3}cdx^3 \cot^{-1}(ax) + \frac{1}{5}d^2x^5 \cot^{-1}(ax) + a \int \frac{x \left(c^2 + \frac{2}{3}cdx^2 + \frac{d^2x^4}{5} \right)}{1 + a^2x^2} dx \\
 &= c^2x \cot^{-1}(ax) + \frac{2}{3}cdx^3 \cot^{-1}(ax) + \frac{1}{5}d^2x^5 \cot^{-1}(ax) + \frac{1}{2}a \operatorname{Subst} \left(\int \frac{c^2 + \frac{2cdx}{3} + \frac{d^2x^2}{5}}{1 + a^2x} dx, \right. \\
 &= c^2x \cot^{-1}(ax) + \frac{2}{3}cdx^3 \cot^{-1}(ax) + \frac{1}{5}d^2x^5 \cot^{-1}(ax) + \frac{1}{2}a \operatorname{Subst} \left(\int \left(\frac{(10a^2c - 3d)d}{15a^4} + \frac{c}{5} \right. \right. \\
 &= \frac{(10a^2c - 3d) dx^2}{30a^3} + \frac{d^2x^4}{20a} + c^2x \cot^{-1}(ax) + \frac{2}{3}cdx^3 \cot^{-1}(ax) + \frac{1}{5}d^2x^5 \cot^{-1}(ax) + \frac{(15a^4c - 3d^2)}{60a^5}
 \end{aligned}$$

Mathematica [A] time = 0.0659073, size = 97, normalized size = 0.89

$$\frac{(30a^4c^2 - 20a^2cd + 6d^2) \log(a^2x^2 + 1) + 4a^5x \cot^{-1}(ax) (15c^2 + 10cdx^2 + 3d^2x^4) + a^2dx^2 (a^2(20c + 3dx^2) - 6d)}{60a^5}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^2)^2*ArcCot[a*x], x]

[Out] (a^2*d*x^2*(-6*d + a^2*(20*c + 3*d*x^2)) + 4*a^5*x*(15*c^2 + 10*c*d*x^2 + 3*d^2*x^4)*ArcCot[a*x] + (30*a^4*c^2 - 20*a^2*c*d + 6*d^2)*Log[1 + a^2*x^2]) / (60*a^5)

Maple [A] time = 0.042, size = 119, normalized size = 1.1

$$\frac{d^2x^5 \operatorname{arccot}(ax)}{5} + \frac{2cdx^3 \operatorname{arccot}(ax)}{3} + c^2x \operatorname{arccot}(ax) + \frac{dcx^2}{3a} + \frac{d^2x^4}{20a} - \frac{d^2x^2}{10a^3} + \frac{\ln(a^2x^2 + 1)c^2}{2a} - \frac{\ln(a^2x^2 + 1)cd}{3a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^2+c)^2*arccot(a*x), x)

[Out] 1/5*d^2*x^5*arccot(a*x)+2/3*c*d*x^3*arccot(a*x)+c^2*x*arccot(a*x)+1/3/a*d*c*x^2+1/20*d^2*x^4/a-1/10/a^3*x^2*d^2+1/2/a*ln(a^2*x^2+1)*c^2-1/3/a^3*ln(a^2*x^2+1)*c*d+1/10/a^5*ln(a^2*x^2+1)*d^2

Maxima [A] time = 1.01283, size = 139, normalized size = 1.28

$$\frac{1}{60} a \left(\frac{3a^2d^2x^4 + 2(10a^2cd - 3d^2)x^2}{a^4} + \frac{2(15a^4c^2 - 10a^2cd + 3d^2) \log(a^2x^2 + 1)}{a^6} \right) + \frac{1}{15} (3d^2x^5 + 10cdx^3 + 15c^2x) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^2*arccot(a*x),x, algorithm="maxima")

[Out] $\frac{1}{60}a*((3a^2d^2x^4 + 2*(10a^2cd - 3d^2)x^2)/a^4 + 2*(15a^4c^2 - 10a^2cd + 3d^2)*\log(a^2x^2 + 1)/a^6) + \frac{1}{15}*(3d^2x^5 + 10cdx^3 + 15c^2x)*\arccot(ax)$

Fricas [A] time = 1.92299, size = 240, normalized size = 2.2

$$\frac{3a^4d^2x^4 + 2(10a^4cd - 3a^2d^2)x^2 + 4(3a^5d^2x^5 + 10a^5cdx^3 + 15a^5c^2x)\arccot(ax) + 2(15a^4c^2 - 10a^2cd + 3d^2)\log(a^2x^2 + 1)}{60a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^2*arccot(a*x),x, algorithm="fricas")

[Out] $\frac{1}{60}*(3a^4d^2x^4 + 2*(10a^4cd - 3a^2d^2)x^2 + 4*(3a^5d^2x^5 + 10a^5cdx^3 + 15a^5c^2x)*\arccot(ax) + 2*(15a^4c^2 - 10a^2cd + 3d^2)*\log(a^2x^2 + 1))/a^5$

Sympy [A] time = 1.93479, size = 151, normalized size = 1.39

$$\begin{cases} c^2x \operatorname{acot}(ax) + \frac{2cdx^3 \operatorname{acot}(ax)}{3} + \frac{d^2x^5 \operatorname{acot}(ax)}{5} + \frac{c^2 \log\left(x^2 + \frac{1}{a^2}\right)}{2a} + \frac{cdx^2}{3a} + \frac{d^2x^4}{20a} - \frac{cd \log\left(x^2 + \frac{1}{a^2}\right)}{3a^3} - \frac{d^2x^2}{10a^3} + \frac{d^2 \log\left(x^2 + \frac{1}{a^2}\right)}{10a^5} & \text{for } a \neq 0 \\ \frac{\pi\left(c^2x + \frac{2cdx^3}{3} + \frac{d^2x^5}{5}\right)}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**2+c)**2*acot(a*x),x)

[Out] Piecewise((c**2*x*acot(a*x) + 2*c*d*x**3*acot(a*x)/3 + d**2*x**5*acot(a*x)/5 + c**2*log(x**2 + a**(-2))/(2*a) + c*d*x**2/(3*a) + d**2*x**4/(20*a) - c*d*log(x**2 + a**(-2))/(3*a**3) - d**2*x**2/(10*a**3) + d**2*log(x**2 + a**(-2))/(10*a**5), Ne(a, 0)), (pi*(c**2*x + 2*c*d*x**3/3 + d**2*x**5/5)/2, True))

Giac [A] time = 1.11553, size = 142, normalized size = 1.3

$$\frac{1}{15} (3d^2x^5 + 10cdx^3 + 15c^2x) \arctan\left(\frac{1}{ax}\right) + \frac{3a^3d^2x^4 + 20a^3cdx^2 - 6ad^2x^2}{60a^4} + \frac{(15a^4c^2 - 10a^2cd + 3d^2)\log(a^2x^2 + 1)}{30a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^2*arccot(a*x),x, algorithm="giac")

[Out] $\frac{1}{15}*(3d^2x^5 + 10cdx^3 + 15c^2x)*\arctan(1/(a*x)) + \frac{1}{60}*(3a^3d^2x^4 + 20a^3cdx^2 - 6a^3d^2x^2)/a^4 + \frac{1}{30}*(15a^4c^2 - 10a^2cd + 3d^2)*\log(a^2x^2 + 1)/a^5$

3.56 $\int (c + dx^2) \cot^{-1}(ax) dx$

Optimal. Leaf size=58

$$\frac{(3a^2c - d) \log(a^2x^2 + 1)}{6a^3} + cx \cot^{-1}(ax) + \frac{dx^2}{6a} + \frac{1}{3} dx^3 \cot^{-1}(ax)$$

[Out] (d*x^2)/(6*a) + c*x*ArcCot[a*x] + (d*x^3*ArcCot[a*x])/3 + ((3*a^2*c - d)*Log[1 + a^2*x^2])/(6*a^3)

Rubi [A] time = 0.061042, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4913, 1593, 444, 43}

$$\frac{(3a^2c - d) \log(a^2x^2 + 1)}{6a^3} + cx \cot^{-1}(ax) + \frac{dx^2}{6a} + \frac{1}{3} dx^3 \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^2)*ArcCot[a*x], x]

[Out] (d*x^2)/(6*a) + c*x*ArcCot[a*x] + (d*x^3*ArcCot[a*x])/3 + ((3*a^2*c - d)*Log[1 + a^2*x^2])/(6*a^3)

Rule 4913

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))*((d_.) + (e_.)*(x_)^2)^(q_.), x_Symbol] :> With[{u = IntHide[(d + e*x^2)^q, x]}, Dist[a + b*ArcCot[c*x], u, x] + Dist[b*c, Int[u/(1 + c^2*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])

Rule 1593

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] :> Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 444

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]

Rule 43

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned}
\int (c + dx^2) \cot^{-1}(ax) dx &= cx \cot^{-1}(ax) + \frac{1}{3} dx^3 \cot^{-1}(ax) + a \int \frac{cx + \frac{dx^3}{3}}{1 + a^2x^2} dx \\
&= cx \cot^{-1}(ax) + \frac{1}{3} dx^3 \cot^{-1}(ax) + a \int \frac{x \left(c + \frac{dx^2}{3} \right)}{1 + a^2x^2} dx \\
&= cx \cot^{-1}(ax) + \frac{1}{3} dx^3 \cot^{-1}(ax) + \frac{1}{2} a \operatorname{Subst} \left(\int \frac{c + \frac{dx}{3}}{1 + a^2x} dx, x, x^2 \right) \\
&= cx \cot^{-1}(ax) + \frac{1}{3} dx^3 \cot^{-1}(ax) + \frac{1}{2} a \operatorname{Subst} \left(\int \left(\frac{d}{3a^2} + \frac{3a^2c - d}{3a^2(1 + a^2x)} \right) dx, x, x^2 \right) \\
&= \frac{dx^2}{6a} + cx \cot^{-1}(ax) + \frac{1}{3} dx^3 \cot^{-1}(ax) + \frac{(3a^2c - d) \log(1 + a^2x^2)}{6a^3}
\end{aligned}$$

Mathematica [A] time = 0.0089964, size = 67, normalized size = 1.16

$$\frac{c \log(a^2x^2 + 1)}{2a} - \frac{d \log(a^2x^2 + 1)}{6a^3} + cx \cot^{-1}(ax) + \frac{dx^2}{6a} + \frac{1}{3} dx^3 \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^2)*ArcCot[a*x], x]

[Out] (d*x^2)/(6*a) + c*x*ArcCot[a*x] + (d*x^3*ArcCot[a*x])/3 + (c*Log[1 + a^2*x^2])/(2*a) - (d*Log[1 + a^2*x^2])/(6*a^3)

Maple [A] time = 0.04, size = 60, normalized size = 1.

$$\frac{dx^3 \operatorname{arccot}(ax)}{3} + cx \operatorname{arccot}(ax) + \frac{dx^2}{6a} + \frac{\ln(a^2x^2 + 1)c}{2a} - \frac{\ln(a^2x^2 + 1)d}{6a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^2+c)*arccot(a*x), x)

[Out] 1/3*d*x^3*arccot(a*x)+c*x*arccot(a*x)+1/6*d*x^2/a+1/2/a*ln(a^2*x^2+1)*c-1/6/a^3*ln(a^2*x^2+1)*d

Maxima [A] time = 0.953438, size = 72, normalized size = 1.24

$$\frac{1}{6} a \left(\frac{dx^2}{a^2} + \frac{(3a^2c - d) \log(a^2x^2 + 1)}{a^4} \right) + \frac{1}{3} (dx^3 + 3cx) \operatorname{arccot}(ax)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)*arccot(a*x), x, algorithm="maxima")

[Out] 1/6*a*(d*x^2/a^2 + (3*a^2*c - d)*log(a^2*x^2 + 1)/a^4) + 1/3*(d*x^3 + 3*c*x)*arccot(a*x)

Fricas [A] time = 2.14745, size = 127, normalized size = 2.19

$$\frac{a^2 dx^2 + 2(a^3 dx^3 + 3a^3 cx) \operatorname{arccot}(ax) + (3a^2 c - d) \log(a^2 x^2 + 1)}{6a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)*arccot(a*x),x, algorithm="fricas")

[Out] 1/6*(a^2*d*x^2 + 2*(a^3*d*x^3 + 3*a^3*c*x)*arccot(a*x) + (3*a^2*c - d)*log(a^2*x^2 + 1))/a^3

Sympy [A] time = 0.836268, size = 73, normalized size = 1.26

$$\begin{cases} cx \operatorname{acot}(ax) + \frac{dx^3 \operatorname{acot}(ax)}{3} + \frac{c \log\left(x^2 + \frac{1}{a^2}\right)}{2a} + \frac{dx^2}{6a} - \frac{d \log\left(x^2 + \frac{1}{a^2}\right)}{6a^3} & \text{for } a \neq 0 \\ \frac{\pi\left(cx + \frac{dx^3}{3}\right)}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**2+c)*acot(a*x),x)

[Out] Piecewise((c*x*acot(a*x) + d*x**3*acot(a*x)/3 + c*log(x**2 + a**(-2))/(2*a) + d*x**2/(6*a) - d*log(x**2 + a**(-2))/(6*a**3), Ne(a, 0)), (pi*(c*x + d*x**3/3)/2, True))

Giac [A] time = 1.10448, size = 74, normalized size = 1.28

$$\frac{dx^2}{6a} + \frac{1}{3}(dx^3 + 3cx) \arctan\left(\frac{1}{ax}\right) + \frac{(3a^2c - d) \log(a^2x^2 + 1)}{6a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)*arccot(a*x),x, algorithm="giac")

[Out] 1/6*d*x^2/a + 1/3*(d*x^3 + 3*c*x)*arctan(1/(a*x)) + 1/6*(3*a^2*c - d)*log(a^2*x^2 + 1)/a^3

$$3.57 \quad \int \frac{\cot^{-1}(ax)}{c+dx^2} dx$$

Optimal. Leaf size=403

$$\frac{\text{PolyLog}\left(2, 1 - \frac{2i\sqrt{c}\sqrt{d}(-ax+i)}{(a\sqrt{c}-\sqrt{d})(\sqrt{c}-i\sqrt{d}x)}\right)}{4\sqrt{c}\sqrt{d}} + \frac{\text{PolyLog}\left(2, 1 + \frac{2i\sqrt{c}\sqrt{d}(ax+i)}{(a\sqrt{c}+\sqrt{d})(\sqrt{c}-i\sqrt{d}x)}\right)}{4\sqrt{c}\sqrt{d}} + \frac{i \log\left(1 - \frac{i}{ax}\right) \tan^{-1}\left(\frac{\sqrt{d}x}{\sqrt{c}}\right)}{2\sqrt{c}\sqrt{d}} - \frac{i \log\left(1 + \frac{i}{ax}\right)}{2\sqrt{c}}$$

[Out] ((I/2)*ArcTan[(Sqrt[d]*x)/Sqrt[c]]*Log[1 - I/(a*x)]/(Sqrt[c]*Sqrt[d]) - ((I/2)*ArcTan[(Sqrt[d]*x)/Sqrt[c]]*Log[1 + I/(a*x)]/(Sqrt[c]*Sqrt[d]) - ((I/2)*ArcTan[(Sqrt[d]*x)/Sqrt[c]]*Log[((2*I)*Sqrt[c]*Sqrt[d]*(I - a*x))/((a*Sqrt[c] - Sqrt[d])*(Sqrt[c] - I*Sqrt[d]*x))]/(Sqrt[c]*Sqrt[d]) + ((I/2)*ArcTan[(Sqrt[d]*x)/Sqrt[c]]*Log[((-2*I)*Sqrt[c]*Sqrt[d]*(I + a*x))/((a*Sqrt[c] + Sqrt[d])*(Sqrt[c] - I*Sqrt[d]*x))]/(Sqrt[c]*Sqrt[d]) - PolyLog[2, 1 - ((2*I)*Sqrt[c]*Sqrt[d]*(I - a*x))/((a*Sqrt[c] - Sqrt[d])*(Sqrt[c] - I*Sqrt[d]*x))]/(4*Sqrt[c]*Sqrt[d]) + PolyLog[2, 1 + ((2*I)*Sqrt[c]*Sqrt[d]*(I + a*x))/((a*Sqrt[c] + Sqrt[d])*(Sqrt[c] - I*Sqrt[d]*x))]/(4*Sqrt[c]*Sqrt[d])

Rubi [A] time = 0.919218, antiderivative size = 403, normalized size of antiderivative = 1., number of steps used = 27, number of rules used = 13, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.929$, Rules used = {4909, 205, 2470, 12, 260, 6688, 4876, 4848, 2391, 4856, 2402, 2315, 2447}

$$\frac{\text{PolyLog}\left(2, 1 - \frac{2i\sqrt{c}\sqrt{d}(-ax+i)}{(a\sqrt{c}-\sqrt{d})(\sqrt{c}-i\sqrt{d}x)}\right)}{4\sqrt{c}\sqrt{d}} + \frac{\text{PolyLog}\left(2, 1 + \frac{2i\sqrt{c}\sqrt{d}(ax+i)}{(a\sqrt{c}+\sqrt{d})(\sqrt{c}-i\sqrt{d}x)}\right)}{4\sqrt{c}\sqrt{d}} + \frac{i \log\left(1 - \frac{i}{ax}\right) \tan^{-1}\left(\frac{\sqrt{d}x}{\sqrt{c}}\right)}{2\sqrt{c}\sqrt{d}} - \frac{i \log\left(1 + \frac{i}{ax}\right)}{2\sqrt{c}}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]/(c + d*x^2), x]

[Out] ((I/2)*ArcTan[(Sqrt[d]*x)/Sqrt[c]]*Log[1 - I/(a*x)]/(Sqrt[c]*Sqrt[d]) - ((I/2)*ArcTan[(Sqrt[d]*x)/Sqrt[c]]*Log[1 + I/(a*x)]/(Sqrt[c]*Sqrt[d]) - ((I/2)*ArcTan[(Sqrt[d]*x)/Sqrt[c]]*Log[((2*I)*Sqrt[c]*Sqrt[d]*(I - a*x))/((a*Sqrt[c] - Sqrt[d])*(Sqrt[c] - I*Sqrt[d]*x))]/(Sqrt[c]*Sqrt[d]) + ((I/2)*ArcTan[(Sqrt[d]*x)/Sqrt[c]]*Log[((-2*I)*Sqrt[c]*Sqrt[d]*(I + a*x))/((a*Sqrt[c] + Sqrt[d])*(Sqrt[c] - I*Sqrt[d]*x))]/(Sqrt[c]*Sqrt[d]) - PolyLog[2, 1 - ((2*I)*Sqrt[c]*Sqrt[d]*(I - a*x))/((a*Sqrt[c] - Sqrt[d])*(Sqrt[c] - I*Sqrt[d]*x))]/(4*Sqrt[c]*Sqrt[d]) + PolyLog[2, 1 + ((2*I)*Sqrt[c]*Sqrt[d]*(I + a*x))/((a*Sqrt[c] + Sqrt[d])*(Sqrt[c] - I*Sqrt[d]*x))]/(4*Sqrt[c]*Sqrt[d])

Rule 4909

Int[ArcCot[(c_.)*(x_)]/((d_.) + (e_.)*(x_)^2), x_Symbol] := Dist[I/2, Int[Log[1 - I/(c*x)]/(d + e*x^2), x], x] - Dist[I/2, Int[Log[1 + I/(c*x)]/(d + e*x^2), x], x] /; FreeQ[{c, d, e}, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2470

Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_)^(n_))]^(p_.)]*(b_.)/((f_.) + (g_.)*(x_)^2), x_Symbol] := With[{u = IntHide[1/(f + g*x^2), x]}, Simp[u*(a + b*

$\text{Log}[c*(d + e*x^n)^p], x] - \text{Dist}[b*e*n*p, \text{Int}[(u*x^{(n-1)})/(d + e*x^n), x], x]] /; \text{FreeQ}\{a, b, c, d, e, f, g, n, p\}, x] \ \&\& \ \text{IntegerQ}[n]$

Rule 12

$\text{Int}[(a_)*(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

Rule 260

$\text{Int}[(x_)^{(m_)} / ((a_) + (b_)*(x_)^{(n_)}), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]] / (b*n), x] /; \text{FreeQ}\{a, b, m, n\}, x] \ \&\& \ \text{EqQ}[m, n - 1]$

Rule 6688

$\text{Int}[u_, x_Symbol] \rightarrow \text{With}\{v = \text{SimplifyIntegrand}[u, x]\}, \text{Int}[v, x] /; \text{SimplerIntegrandQ}[v, u, x]$

Rule 4876

$\text{Int}[(a_) + \text{ArcTan}[(c_)*(x_)]*(b_)]^{(p_)} * ((f_)*(x_))^{(m_)} * ((d_) + (e_)*(x_))^{(q_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcTan}[c*x])^p, (f*x)^m*(d + e*x)^q], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{IntegerQ}[q] \ \&\& \ (\text{GtQ}[q, 0] \ || \ \text{NeQ}[a, 0] \ || \ \text{IntegerQ}[m])$

Rule 4848

$\text{Int}[(a_) + \text{ArcTan}[(c_)*(x_)]*(b_)] / (x_), x_Symbol] \rightarrow \text{Simp}[a*\text{Log}[x], x] + (\text{Dist}[(I*b)/2, \text{Int}[\text{Log}[1 - I*c*x]/x, x], x] - \text{Dist}[(I*b)/2, \text{Int}[\text{Log}[1 + I*c*x]/x, x], x]) /; \text{FreeQ}\{a, b, c\}, x]$

Rule 2391

$\text{Int}[\text{Log}[(c_)*((d_) + (e_)*(x_))^{(n_)}]] / (x_), x_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c*d, 1]$

Rule 4856

$\text{Int}[(a_) + \text{ArcTan}[(c_)*(x_)]*(b_)] / ((d_) + (e_)*(x_)), x_Symbol] \rightarrow -\text{Simp}[(a + b*\text{ArcTan}[c*x])* \text{Log}[2/(1 - I*c*x)]/e, x] + (\text{Dist}[(b*c)/e, \text{Int}[\text{Log}[2/(1 - I*c*x)]/(1 + c^2*x^2), x], x] - \text{Dist}[(b*c)/e, \text{Int}[\text{Log}[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))]/(1 + c^2*x^2), x], x] + \text{Simp}[(a + b*\text{ArcTan}[c*x])* \text{Log}[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))]/e, x]) /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[c^2*d^2 + e^2, 0]$

Rule 2402

$\text{Int}[\text{Log}[(c_)] / ((d_) + (e_)*(x_))] / ((f_) + (g_)*(x_)^2), x_Symbol] \rightarrow -\text{Dist}[e/g, \text{Subst}[\text{Int}[\text{Log}[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; \text{FreeQ}\{c, d, e, f, g\}, x] \ \&\& \ \text{EqQ}[c, 2*d] \ \&\& \ \text{EqQ}[e^2*f + d^2*g, 0]$

Rule 2315

$\text{Int}[\text{Log}[(c_)*(x_)] / ((d_) + (e_)*(x_)), x_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, 1 - c*x]/e, x] /; \text{FreeQ}\{c, d, e\}, x] \ \&\& \ \text{EqQ}[e + c*d, 0]$

Rule 2447

$$\begin{aligned} & \log[\sqrt{-c} - \sqrt{d}x] + \log\left(\frac{\sqrt{d}(I + ax)}{a\sqrt{-c} + I\sqrt{d}}\right) \\ &] * \log[\sqrt{-c} - \sqrt{d}x] - \log\left[1 - \frac{I}{ax}\right] * \log[\sqrt{-c} + \sqrt{d}x] + \\ & \log\left[1 + \frac{I}{ax}\right] * \log[\sqrt{-c} + \sqrt{d}x] + \log\left(\frac{\sqrt{d}(I - ax)}{a\sqrt{-c} + I\sqrt{d}}\right) \\ &] * \log[\sqrt{-c} + \sqrt{d}x] - \log\left(-\frac{\sqrt{d}(I + ax)}{a\sqrt{-c} - I\sqrt{d}}\right) \\ &] * \log[\sqrt{-c} + \sqrt{d}x] - \text{PolyLog}[2, (a(\sqrt{-c} - \sqrt{d}x)) / (a\sqrt{-c} - I\sqrt{d})] \\ &] + \text{PolyLog}[2, (a(\sqrt{-c} - \sqrt{d}x)) / (a\sqrt{-c} + I\sqrt{d})] - \text{PolyLog}[2, (a(\sqrt{-c} + \sqrt{d}x)) / (a\sqrt{-c} - I\sqrt{d})] \\ &] + \text{PolyLog}[2, (a(\sqrt{-c} + \sqrt{d}x)) / (a\sqrt{-c} + I\sqrt{d})] \end{aligned}$$

Maple [B] time = 0.264, size = 826, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(ax)/(d*x^2+c), x)

[Out]
$$\begin{aligned} & -1/2 * I / a * (a^2 * c * d)^{(1/2)} / c / d * \arccot(ax) * \ln(1 - (a^2 * c - d) * (ax + I)^2 / (a^2 * x^2 + 1) / (a^2 * c + 2 * (a^2 * c * d)^{(1/2)} + d)) + 1/2 * a^3 * \arccot(ax)^2 / d / (a^4 * c^2 - 2 * a^2 * c * d + d^2) * (a^2 * c * d)^{(1/2)} * c - a * \arccot(ax)^2 / (a^4 * c^2 - 2 * a^2 * c * d + d^2) * (a^2 * c * d)^{(1/2)} \\ & + 1/2 * I * a^3 * \ln(1 - (a^2 * c - d) * (ax + I)^2 / (a^2 * x^2 + 1) / (a^2 * c - 2 * (a^2 * c * d)^{(1/2)} + d)) * \arccot(ax) / d / (a^4 * c^2 - 2 * a^2 * c * d + d^2) * (a^2 * c * d)^{(1/2)} * c - I * a * \ln(1 - (a^2 * c - d) * (ax + I)^2 / (a^2 * x^2 + 1) / (a^2 * c - 2 * (a^2 * c * d)^{(1/2)} + d)) * \arccot(ax) / (a^4 * c^2 - 2 * a^2 * c * d + d^2) * (a^2 * c * d)^{(1/2)} \\ & + 1/4 * a^3 * \text{polylog}(2, (a^2 * c - d) * (ax + I)^2 / (a^2 * x^2 + 1) / (a^2 * c - 2 * (a^2 * c * d)^{(1/2)} + d)) / d / (a^4 * c^2 - 2 * a^2 * c * d + d^2) * (a^2 * c * d)^{(1/2)} * c - 1/2 * a * \text{polylog}(2, (a^2 * c - d) * (ax + I)^2 / (a^2 * x^2 + 1) / (a^2 * c - 2 * (a^2 * c * d)^{(1/2)} + d)) / (a^4 * c^2 - 2 * a^2 * c * d + d^2) * (a^2 * c * d)^{(1/2)} \\ & + 1/4 * a * \text{polylog}(2, (a^2 * c - d) * (ax + I)^2 / (a^2 * x^2 + 1) / (a^2 * c - 2 * (a^2 * c * d)^{(1/2)} + d)) / c / (a^4 * c^2 - 2 * a^2 * c * d + d^2) * (a^2 * c * d)^{(1/2)} * d + 1/2 * I / a * \ln(1 - (a^2 * c - d) * (ax + I)^2 / (a^2 * x^2 + 1) / (a^2 * c - 2 * (a^2 * c * d)^{(1/2)} + d)) * \arccot(ax) / c / (a^4 * c^2 - 2 * a^2 * c * d + d^2) * (a^2 * c * d)^{(1/2)} * d - 1/2 * a * (a^2 * c * d)^{(1/2)} / c / d * \arccot(ax)^2 - 1/4 * a * (a^2 * c * d)^{(1/2)} / c / d * \text{polylog}(2, (a^2 * c - d) * (ax + I)^2 / (a^2 * x^2 + 1) / (a^2 * c + 2 * (a^2 * c * d)^{(1/2)} + d)) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(ax)/(d*x^2+c), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\arccot(ax)}{dx^2 + c}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x)/(d*x^2+c),x, algorithm="fricas")
```

```
[Out] integral(arccot(a*x)/(d*x^2 + c), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(ax)}{c + dx^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acot(a*x)/(d*x**2+c),x)
```

```
[Out] Integral(acot(a*x)/(c + d*x**2), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(ax)}{dx^2 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x)/(d*x^2+c),x, algorithm="giac")
```

```
[Out] integrate(arccot(a*x)/(d*x^2 + c), x)
```

$$3.58 \quad \int \frac{\cot^{-1}(ax)}{(c+dx^2)^2} dx$$

Optimal. Leaf size=801

$$\frac{\tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)\cot^{-1}(ax)}{2c^{3/2}\sqrt{d}} + \frac{x\cot^{-1}(ax)}{2c(dx^2+c)} - \frac{ia\log\left(\frac{\sqrt{d}(1-\sqrt{-a^2x})}{i\sqrt{-a^2}\sqrt{c+\sqrt{d}}}\right)\log\left(1-\frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}} + \frac{ia\log\left(-\frac{\sqrt{d}(\sqrt{-a^2x+1})}{i\sqrt{-a^2}\sqrt{c-\sqrt{d}}}\right)\log\left(1-\frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}} + \dots$$

```
[Out] (x*ArcCot[a*x])/(2*c*(c + d*x^2)) + (ArcCot[a*x]*ArcTan[(Sqrt[d]*x)/Sqrt[c]])/(2*c^(3/2)*Sqrt[d]) - ((I/8)*a*Log[(Sqrt[d]*(1 - Sqrt[-a^2]*x))/(I*Sqrt[-a^2]*Sqrt[c] + Sqrt[d])]*Log[1 - (I*Sqrt[d]*x)/Sqrt[c]])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) + ((I/8)*a*Log[-((Sqrt[d]*(1 + Sqrt[-a^2]*x))/(I*Sqrt[-a^2]*Sqrt[c] - Sqrt[d]))]*Log[1 - (I*Sqrt[d]*x)/Sqrt[c]])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) + ((I/8)*a*Log[-((Sqrt[d]*(1 - Sqrt[-a^2]*x))/(I*Sqrt[-a^2]*Sqrt[c] - Sqrt[d]))]*Log[1 + (I*Sqrt[d]*x)/Sqrt[c]])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) - ((I/8)*a*Log[(Sqrt[d]*(1 + Sqrt[-a^2]*x))/(I*Sqrt[-a^2]*Sqrt[c] + Sqrt[d])]*Log[1 + (I*Sqrt[d]*x)/Sqrt[c]])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) + (a*Log[1 + a^2*x^2])/(4*c*(a^2*c - d)) - (a*Log[c + d*x^2])/(4*c*(a^2*c - d)) - ((I/8)*a*PolyLog[2, (Sqrt[-a^2]*(Sqrt[c] - I*Sqrt[d]*x))/(Sqrt[-a^2]*Sqrt[c] - I*Sqrt[d])])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) + ((I/8)*a*PolyLog[2, (Sqrt[-a^2]*(Sqrt[c] - I*Sqrt[d]*x))/(Sqrt[-a^2]*Sqrt[c] + I*Sqrt[d])])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) - ((I/8)*a*PolyLog[2, (Sqrt[-a^2]*(Sqrt[c] + I*Sqrt[d]*x))/(Sqrt[-a^2]*Sqrt[c] - I*Sqrt[d])])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) + ((I/8)*a*PolyLog[2, (Sqrt[-a^2]*(Sqrt[c] + I*Sqrt[d]*x))/(Sqrt[-a^2]*Sqrt[c] + I*Sqrt[d])])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d])
```

Rubi [A] time = 1.15834, antiderivative size = 801, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 12, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.857$, Rules used = {199, 205, 4913, 6725, 444, 36, 31, 4908, 2409, 2394, 2393, 2391}

$$\frac{\tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)\cot^{-1}(ax)}{2c^{3/2}\sqrt{d}} + \frac{x\cot^{-1}(ax)}{2c(dx^2+c)} - \frac{ia\log\left(\frac{\sqrt{d}(1-\sqrt{-a^2x})}{i\sqrt{-a^2}\sqrt{c+\sqrt{d}}}\right)\log\left(1-\frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}} + \frac{ia\log\left(-\frac{\sqrt{d}(\sqrt{-a^2x+1})}{i\sqrt{-a^2}\sqrt{c-\sqrt{d}}}\right)\log\left(1-\frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[ArcCot[a*x]/(c + d*x^2)^2,x]
```

```
[Out] (x*ArcCot[a*x])/(2*c*(c + d*x^2)) + (ArcCot[a*x]*ArcTan[(Sqrt[d]*x)/Sqrt[c]])/(2*c^(3/2)*Sqrt[d]) - ((I/8)*a*Log[(Sqrt[d]*(1 - Sqrt[-a^2]*x))/(I*Sqrt[-a^2]*Sqrt[c] + Sqrt[d])]*Log[1 - (I*Sqrt[d]*x)/Sqrt[c]])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) + ((I/8)*a*Log[-((Sqrt[d]*(1 + Sqrt[-a^2]*x))/(I*Sqrt[-a^2]*Sqrt[c] - Sqrt[d]))]*Log[1 - (I*Sqrt[d]*x)/Sqrt[c]])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) + ((I/8)*a*Log[-((Sqrt[d]*(1 - Sqrt[-a^2]*x))/(I*Sqrt[-a^2]*Sqrt[c] - Sqrt[d]))]*Log[1 + (I*Sqrt[d]*x)/Sqrt[c]])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) - ((I/8)*a*Log[(Sqrt[d]*(1 + Sqrt[-a^2]*x))/(I*Sqrt[-a^2]*Sqrt[c] + Sqrt[d])]*Log[1 + (I*Sqrt[d]*x)/Sqrt[c]])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) + (a*Log[1 + a^2*x^2])/(4*c*(a^2*c - d)) - (a*Log[c + d*x^2])/(4*c*(a^2*c - d)) - ((I/8)*a*PolyLog[2, (Sqrt[-a^2]*(Sqrt[c] - I*Sqrt[d]*x))/(Sqrt[-a^2]*Sqrt[c] - I*Sqrt[d])])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) + ((I/8)*a*PolyLog[2, (Sqrt[-a^2]*(Sqrt[c] - I*Sqrt[d]*x))/(Sqrt[-a^2]*Sqrt[c] + I*Sqrt[d])])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) - ((I/8)*a*PolyLog[2, (Sqrt[-a^2]*(Sqrt[c] + I*Sqrt[d]*x))/(Sqrt[-a^2]*Sqrt[c] - I*Sqrt[d])])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) + ((I/8)*a*PolyLog[2, (Sqrt[-a^2]*(Sqrt[c] + I*Sqrt[d]*x))/(Sqrt[-a^2]*Sqrt[c] + I*Sqrt[d])])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d])
```

)]/(Sqrt[-a^2]*c^(3/2)*Sqrt[d])

Rule 199

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 4913

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_)^2)^(q_.), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Dist[a + b*ArcCot[c*x], u, x] + Dist[b*c, Int[u/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])

Rule 6725

Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]

Rule 444

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]

Rule 36

Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]

Rule 31

Int[((a_) + (b_.)*(x_))^(p_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 4908

Int[ArcTan[(c_.)*(x_)]/((d_.) + (e_.)*(x_)^2), x_Symbol] := Dist[I/2, Int[Log[1 - I*c*x]/(d + e*x^2), x], x] - Dist[I/2, Int[Log[1 + I*c*x]/(d + e*x^2), x], x] /; FreeQ[{c, d, e}, x]

Rule 2409

Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*((f_) + (g_.)*(x_)^(r_))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x^n)]^p, (f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, r}, x] && IGtQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[r] && NeQ[r, 1]))

Rule 2394

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))/((f_.) + (g_.)*(x_
)), x_Symbol] :> Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x
)^n]))/g, x] - Dist[(b*e*n)/g, Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x
), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]
```

Rule 2393

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))]*(b_.))/((f_.) + (g_.)*(x_)), x_
Symbol] :> Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x
], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*
(e*f - d*g), 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(ax)}{(c+dx^2)^2} dx &= \frac{x \cot^{-1}(ax)}{2c(c+dx^2)} + \frac{\cot^{-1}(ax) \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} + a \int \frac{\frac{x}{2c(c+dx^2)} + \frac{\tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}}}{1+a^2x^2} dx \\
&= \frac{x \cot^{-1}(ax)}{2c(c+dx^2)} + \frac{\cot^{-1}(ax) \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} + a \int \left(\frac{x}{2c(1+a^2x^2)(c+dx^2)} + \frac{\tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}(1+a^2x^2)} \right) dx \\
&= \frac{x \cot^{-1}(ax)}{2c(c+dx^2)} + \frac{\cot^{-1}(ax) \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} + \frac{a \int \frac{x}{(1+a^2x^2)(c+dx^2)} dx}{2c} + \frac{a \int \frac{\tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{1+a^2x^2} dx}{2c^{3/2}\sqrt{d}} \\
&= \frac{x \cot^{-1}(ax)}{2c(c+dx^2)} + \frac{\cot^{-1}(ax) \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} + \frac{a \operatorname{Subst}\left(\int \frac{1}{(1+a^2x)(c+dx)} dx, x, x^2\right)}{4c} + \frac{(ia) \int \frac{\log\left(1-\frac{i\sqrt{dx}}{\sqrt{c}}\right)}{1+a^2x^2} dx}{4c^{3/2}\sqrt{d}} \\
&= \frac{x \cot^{-1}(ax)}{2c(c+dx^2)} + \frac{\cot^{-1}(ax) \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} + \frac{a^3 \operatorname{Subst}\left(\int \frac{1}{1+a^2x} dx, x, x^2\right)}{4c(a^2c-d)} + \frac{(ia) \int \left(\frac{\log\left(1-\frac{i\sqrt{dx}}{\sqrt{c}}\right)}{2(1-\sqrt{-a^2}x)} + \frac{\log\left(1-\frac{i\sqrt{dx}}{\sqrt{c}}\right)}{2(1+\sqrt{-a^2}x)} \right) dx}{4c^{3/2}\sqrt{d}} \\
&= \frac{x \cot^{-1}(ax)}{2c(c+dx^2)} + \frac{\cot^{-1}(ax) \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} + \frac{a \log(1+a^2x^2)}{4c(a^2c-d)} - \frac{a \log(c+dx^2)}{4c(a^2c-d)} + \frac{(ia) \int \frac{\log\left(1-\frac{i\sqrt{dx}}{\sqrt{c}}\right)}{1-\sqrt{-a^2}x} dx}{8c^{3/2}\sqrt{d}} \\
&= \frac{x \cot^{-1}(ax)}{2c(c+dx^2)} + \frac{\cot^{-1}(ax) \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} - \frac{ia \log\left(\frac{\sqrt{d}(1-\sqrt{-a^2}x)}{i\sqrt{-a^2}\sqrt{c}+\sqrt{d}}\right) \log\left(1-\frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}} + \frac{ia \log\left(-\frac{\sqrt{d}(1+\sqrt{-a^2}x)}{i\sqrt{-a^2}\sqrt{c}-\sqrt{d}}\right) \log\left(1-\frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}} \\
&= \frac{x \cot^{-1}(ax)}{2c(c+dx^2)} + \frac{\cot^{-1}(ax) \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} - \frac{ia \log\left(\frac{\sqrt{d}(1-\sqrt{-a^2}x)}{i\sqrt{-a^2}\sqrt{c}+\sqrt{d}}\right) \log\left(1-\frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}} + \frac{ia \log\left(-\frac{\sqrt{d}(1+\sqrt{-a^2}x)}{i\sqrt{-a^2}\sqrt{c}-\sqrt{d}}\right) \log\left(1-\frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}} \\
&= \frac{x \cot^{-1}(ax)}{2c(c+dx^2)} + \frac{\cot^{-1}(ax) \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} - \frac{ia \log\left(\frac{\sqrt{d}(1-\sqrt{-a^2}x)}{i\sqrt{-a^2}\sqrt{c}+\sqrt{d}}\right) \log\left(1-\frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}} + \frac{ia \log\left(-\frac{\sqrt{d}(1+\sqrt{-a^2}x)}{i\sqrt{-a^2}\sqrt{c}-\sqrt{d}}\right) \log\left(1-\frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}}
\end{aligned}$$

Mathematica [A] time = 7.30628, size = 802, normalized size = 1.

$$a \left(\frac{2 \log\left(1 - \frac{(a^2c-d) \cos(2 \cot^{-1}(ax))}{ca^2+d}\right)}{a^2c-d} + \frac{2 \cos^{-1}\left(\frac{ca^2+d}{a^2c-d}\right) \tanh^{-1}\left(\frac{ac}{\sqrt{-a^2}cdx}\right) + 4 \cot^{-1}(ax) \tanh^{-1}\left(\frac{adx}{\sqrt{-a^2}cd}\right) + \left(\cos^{-1}\left(\frac{ca^2+d}{a^2c-d}\right) - 2i \tanh^{-1}\left(\frac{ac}{\sqrt{-a^2}cdx}\right)\right) \log\left(\frac{2id(ica^2+d)}{(a^2c-d)}\right)}{a^2c-d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[a*x]/(c + d*x^2)^2,x]

[Out] -(a*((2*Log[1 - ((a^2*c - d)*Cos[2*ArcCot[a*x]])/(a^2*c + d)])/(a^2*c - d)) / (a^2*c - d) + (2*ArcCos[(a^2*c + d)/(a^2*c - d)]*ArcTanh[(a*c)/(Sqrt[-(a^2*c*d)]*x]) +

$$4\text{ArcCot}[a*x]\text{ArcTanh}[(a*d*x)/\text{Sqrt}[-(a^2*c*d)]] + (\text{ArcCos}[(a^2*c + d)/(a^2*c - d)] - (2*I)*\text{ArcTanh}[(a*c)/(\text{Sqrt}[-(a^2*c*d)]*x)])*\text{Log}[(2*I)*d*(I*a^2*c + \text{Sqrt}[-(a^2*c*d)])*(I + a*x))/((a^2*c - d)*(\text{Sqrt}[-(a^2*c*d)] - a*d*x))] + (\text{ArcCos}[(a^2*c + d)/(a^2*c - d)] + (2*I)*\text{ArcTanh}[(a*c)/(\text{Sqrt}[-(a^2*c*d)]*x)])*\text{Log}[(2*d*(a^2*c + I*\text{Sqrt}[-(a^2*c*d)])*(-I + a*x))/((a^2*c - d)*(-\text{Sqrt}[-(a^2*c*d)] + a*d*x))] - (\text{ArcCos}[(a^2*c + d)/(a^2*c - d)] + (2*I)*\text{ArcTanh}[(a*c)/(\text{Sqrt}[-(a^2*c*d)]*x)] + (2*I)*\text{ArcTanh}[(a*d*x)/\text{Sqrt}[-(a^2*c*d)]])*\text{Log}[(\text{Sqrt}[2]*\text{Sqrt}[-(a^2*c*d)])/(\text{Sqrt}[a^2*c - d]*E^(I*\text{ArcCot}[a*x])* \text{Sqrt}[-(a^2*c - d + (a^2*c - d)*\text{Cos}[2*\text{ArcCot}[a*x]]))] - (\text{ArcCos}[(a^2*c + d)/(a^2*c - d)] - (2*I)*\text{ArcTanh}[(a*c)/(\text{Sqrt}[-(a^2*c*d)]*x)] - (2*I)*\text{ArcTanh}[(a*d*x)/\text{Sqrt}[-(a^2*c*d)]])*\text{Log}[(\text{Sqrt}[2]*\text{Sqrt}[-(a^2*c*d)]*E^(I*\text{ArcCot}[a*x]))/(\text{Sqrt}[a^2*c - d]*\text{Sqrt}[-(a^2*c - d + (a^2*c - d)*\text{Cos}[2*\text{ArcCot}[a*x]]))] + I*(\text{PolyLog}[2, ((a^2*c + d - (2*I)*\text{Sqrt}[-(a^2*c*d)])*(\text{Sqrt}[-(a^2*c*d)] + a*d*x))/((a^2*c - d)*(\text{Sqrt}[-(a^2*c*d)] - a*d*x))] - \text{PolyLog}[2, ((a^2*c + d + (2*I)*\text{Sqrt}[-(a^2*c*d)])*(\text{Sqrt}[-(a^2*c*d)] + a*d*x))/((a^2*c - d)*(\text{Sqrt}[-(a^2*c*d)] - a*d*x))])]/\text{Sqrt}[-(a^2*c*d)] - (4*\text{ArcCot}[a*x]*\text{Sin}[2*\text{ArcCot}[a*x]])/(a^2*c + d + (-a^2*c + d)*\text{Cos}[2*\text{ArcCot}[a*x]])))/(8*c)$$

Maple [B] time = 0.447, size = 2177, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\text{arccot}(a*x)/(d*x^2+c)^2, x)$

[Out] $\frac{1}{4}a^2(d*c)^{(1/2)}/d/c*\text{arctanh}(1/4*(2*(a^2*c-d)*(a*x+I)^2/(a^2*x^2+1)-2*a^2*c-2*d)/a/(d*c)^{(1/2)})/(a^2*c-d)+1/4*a*(a^2*c*d)^{(1/2)}/c/(a^2*c-d)/d*\text{arccot}(a*x)^2+1/8*a*(a^2*c*d)^{(1/2)}/c/(a^2*c-d)/d*\text{polylog}(2, (a^2*c-d)*(a*x+I)^2/(a^2*x^2+1)/(a^2*c-2*(a^2*c*d)^{(1/2)}+d))+1/4*(d*c)^{(1/2)}/c^2*\text{arctanh}(1/4*(2*(a^2*c-d)*(a*x+I)^2/(a^2*x^2+1)-2*a^2*c-2*d)/a/(d*c)^{(1/2)})/(a^2*c-d)+1/4*I/a*d^2*\ln(1-(a^2*c-d)*(a*x+I)^2/(a^2*x^2+1)/(a^2*c+2*(a^2*c*d)^{(1/2)}+d))*\text{arccot}(a*x)/(a^2*c-d)/c^2/(a^4*c^2-2*a^2*c*d+d^2)*(a^2*c*d)^{(1/2)}-3/4*I*a*\ln(1-(a^2*c-d)*(a*x+I)^2/(a^2*x^2+1)/(a^2*c+2*(a^2*c*d)^{(1/2)}+d))*\text{arccot}(a*x)*d/c/(a^2*c-d)/(a^4*c^2-2*a^2*c*d+d^2)*(a^2*c*d)^{(1/2)}-1/4*I*a^5*\ln(1-(a^2*c-d)*(a*x+I)^2/(a^2*x^2+1)/(a^2*c+2*(a^2*c*d)^{(1/2)}+d))*\text{arccot}(a*x)/(a^2*c-d)/d/(a^4*c^2-2*a^2*c*d+d^2)*(a^2*c*d)^{(1/2)*c}+3/4*a^3/(a^2*c-d)/(a^4*c^2-2*a^2*c*d+d^2)*\text{arccot}(a*x)^2*(a^2*c*d)^{(1/2)}-a/(a^2*c-d)^2/c*d*\ln((a*x+I)/(a^2*x^2+1)^{(1/2)}))+1/4*a/(a^2*c-d)^2/c*d*\ln((a*x+I)^4/(a^2*x^2+1)^2*a^2*c-2*a^2*c*(a*x+I)^2/(a^2*x^2+1)-(a*x+I)^4/(a^2*x^2+1)^2*d+a^2*c-2*(a*x+I)^2/(a^2*x^2+1)*d-d)-1/4*a^4*(d*c)^{(1/2)}/d*\text{arctanh}(1/4*(2*(a^2*c-d)*(a*x+I)^2/(a^2*x^2+1)-2*a^2*c-2*d)/a/(d*c)^{(1/2)})/(a^2*c-d)^2+3/8*a^3/(a^2*c-d)/(a^4*c^2-2*a^2*c*d+d^2)*\text{polylog}(2, (a^2*c-d)*(a*x+I)^2/(a^2*x^2+1)/(a^2*c+2*(a^2*c*d)^{(1/2)}+d))*(a^2*c*d)^{(1/2)}-1/2*I*a^3*\text{arccot}(a*x)/(a^2*c-d)/(a^2*d*x^2+a^2*c)+1/4*(d*c)^{(1/2)}/c^2*d*\text{arctanh}(1/4*(2*(a^2*c-d)*(a*x+I)^2/(a^2*x^2+1)-2*a^2*c-2*d)/a/(d*c)^{(1/2)})/(a^2*c-d)^2+1/2*a^4*\text{arccot}(a*x)/(a^2*c-d)/(a^2*d*x^2+a^2*c)*x-1/4/a*(a^2*c*d)^{(1/2)}/(a^2*c-d)/c^2*\text{arccot}(a*x)^2-1/2*I*a^3*\text{arccot}(a*x)/(a^2*c-d)/c/(a^2*d*x^2+a^2*c)*x^2*d+1/4*I*a*(a^2*c*d)^{(1/2)}/c/(a^2*c-d)/d*\text{arccot}(a*x)*\ln(1-(a^2*c-d)*(a*x+I)^2/(a^2*x^2+1)/(a^2*c-2*(a^2*c*d)^{(1/2)}+d))-1/8/a*(a^2*c*d)^{(1/2)}/(a^2*c-d)/c^2*\text{polylog}(2, (a^2*c-d)*(a*x+I)^2/(a^2*x^2+1)/(a^2*c-2*(a^2*c*d)^{(1/2)}+d))-1/4*a^3/(a^2*c-d)^2*\ln((a*x+I)^4/(a^2*x^2+1)^2*a^2*c-2*a^2*c*(a*x+I)^2/(a^2*x^2+1)-(a*x+I)^4/(a^2*x^2+1)^2*d+a^2*c-2*(a*x+I)^2/(a^2*x^2+1)*d-d)+a^3/(a^2*c-d)^2*\ln((a*x+I)/(a^2*x^2+1)^{(1/2)}))-3/8*a/(a^2*c-d)/c*d/(a^4*c^2-2*a^2*c*d+d^2)*\text{polylog}(2, (a^2*c-d)*(a*x+I)^2/(a^2*x^2+1)/(a^2*c+2*(a^2*c*d)^{(1/2)}+d))*(a^2*c*d)^{(1/2)}-1/8*a^5/(a^2*c-d)/d/(a^4*c^2-2*a^2*c*d+d^2)*\text{polylog}(2, (a^2*c-d)*(a*x+I)^2/(a^2*x^2+1)/(a^2*c+2*(a^2*c*d)^{(1/2)}+d))*(a^2*c*d)^{(1/2)*c}-3/4*a/(a^2*c-d)/c*d/(a^4*c^2-2$

```
*a^2*c*d+d^2)*arccot(a*x)^2*(a^2*c*d)^(1/2)-1/4*a^5/(a^2*c-d)/d/(a^4*c^2-2*
a^2*c*d+d^2)*arccot(a*x)^2*(a^2*c*d)^(1/2)*c+1/8/a/(a^2*c-d)/c^2*d^2/(a^4*c
^2-2*a^2*c*d+d^2)*polylog(2,(a^2*c-d)*(a*x+I)^2/(a^2*x^2+1)/(a^2*c+2*(a^2*c
*d)^(1/2)+d))*(a^2*c*d)^(1/2)+3/4*I*a^3*ln(1-(a^2*c-d)*(a*x+I)^2/(a^2*x^2+1
)/(a^2*c+2*(a^2*c*d)^(1/2)+d))*arccot(a*x)/(a^2*c-d)/(a^4*c^2-2*a^2*c*d+d^2
)*(a^2*c*d)^(1/2)-1/4*I/a*(a^2*c*d)^(1/2)/(a^2*c-d)/c^2*arccot(a*x)*ln(1-(a
^2*c-d)*(a*x+I)^2/(a^2*x^2+1)/(a^2*c-2*(a^2*c*d)^(1/2)+d))-1/2*a^2*arccot(a
*x)/(a^2*c-d)/c/(a^2*d*x^2+a^2*c)*x*d+1/4/a/(a^2*c-d)/c^2*d^2/(a^4*c^2-2*a^
2*c*d+d^2)*arccot(a*x)^2*(a^2*c*d)^(1/2)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/(d*x^2+c)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\text{arccot}(ax)}{d^2x^4 + 2cdx^2 + c^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/(d*x^2+c)^2,x, algorithm="fricas")

[Out] integral(arccot(a*x)/(d^2*x^4 + 2*c*d*x^2 + c^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x)/(d*x**2+c)**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{arccot}(ax)}{(dx^2 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/(d*x^2+c)^2,x, algorithm="giac")

[Out] integrate(arccot(a*x)/(d*x^2 + c)^2, x)

$$3.59 \quad \int \sqrt{c + dx^2} \cot^{-1}(ax) dx$$

Optimal. Leaf size=18

$$\text{Unintegrable}\left(\cot^{-1}(ax)\sqrt{c + dx^2}, x\right)$$

[Out] Unintegrable[Sqrt[c + d*x^2]*ArcCot[a*x], x]

Rubi [A] time = 0.0186725, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \sqrt{c + dx^2} \cot^{-1}(ax) dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[c + d*x^2]*ArcCot[a*x], x]

[Out] Defer[Int][Sqrt[c + d*x^2]*ArcCot[a*x], x]

Rubi steps

$$\int \sqrt{c + dx^2} \cot^{-1}(ax) dx = \int \sqrt{c + dx^2} \cot^{-1}(ax) dx$$

Mathematica [A] time = 5.40839, size = 0, normalized size = 0.

$$\int \sqrt{c + dx^2} \cot^{-1}(ax) dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[c + d*x^2]*ArcCot[a*x], x]

[Out] Integrate[Sqrt[c + d*x^2]*ArcCot[a*x], x]

Maple [A] time = 0.954, size = 0, normalized size = 0.

$$\int \sqrt{dx^2 + c} \operatorname{arccot}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^2+c)^(1/2)*arccot(a*x), x)

[Out] int((d*x^2+c)^(1/2)*arccot(a*x), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^(1/2)*arccot(a*x),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{dx^2 + c} \operatorname{arccot}(ax), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^(1/2)*arccot(a*x),x, algorithm="fricas")

[Out] integral(sqrt(d*x^2 + c)*arccot(a*x), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{c + dx^2} \operatorname{acot}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**2+c)**(1/2)*acot(a*x),x)

[Out] Integral(sqrt(c + d*x**2)*acot(a*x), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{dx^2 + c} \operatorname{arccot}(ax) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^(1/2)*arccot(a*x),x, algorithm="giac")

[Out] integrate(sqrt(d*x^2 + c)*arccot(a*x), x)

$$3.60 \quad \int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx$$

Optimal. Leaf size=18

$$\text{Unintegrable}\left(\frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}}, x\right)$$

[Out] Unintegrable[ArcCot[a*x]/Sqrt[c + d*x^2], x]

Rubi [A] time = 0.0221814, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[a*x]/Sqrt[c + d*x^2], x]

[Out] Defer[Int][ArcCot[a*x]/Sqrt[c + d*x^2], x]

Rubi steps

$$\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx = \int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx$$

Mathematica [A] time = 3.74009, size = 0, normalized size = 0.

$$\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCot[a*x]/Sqrt[c + d*x^2], x]

[Out] Integrate[ArcCot[a*x]/Sqrt[c + d*x^2], x]

Maple [A] time = 0.858, size = 0, normalized size = 0.

$$\int \operatorname{arccot}(ax) \frac{1}{\sqrt{dx^2+c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)/(d*x^2+c)^(1/2), x)

[Out] int(arccot(a*x)/(d*x^2+c)^(1/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/(d*x^2+c)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\text{arccot}(ax)}{\sqrt{dx^2+c}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/(d*x^2+c)^(1/2),x, algorithm="fricas")

[Out] integral(arccot(a*x)/sqrt(d*x^2 + c), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{acot}(ax)}{\sqrt{c+dx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x)/(d*x**2+c)**(1/2),x)

[Out] Integral(acot(a*x)/sqrt(c + d*x**2), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{arccot}(ax)}{\sqrt{dx^2+c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/(d*x^2+c)^(1/2),x, algorithm="giac")

[Out] integrate(arccot(a*x)/sqrt(d*x^2 + c), x)

$$3.61 \quad \int \frac{\cot^{-1}(ax)}{(c+dx^2)^{3/2}} dx$$

Optimal. Leaf size=66

$$\frac{x \cot^{-1}(ax)}{c\sqrt{c+dx^2}} - \frac{\tanh^{-1}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{c\sqrt{a^2c-d}}$$

[Out] (x*ArcCot[a*x])/(c*Sqrt[c + d*x^2]) - ArcTanh[(a*Sqrt[c + d*x^2])/Sqrt[a^2*c - d]]/(c*Sqrt[a^2*c - d])

Rubi [A] time = 0.0940461, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {191, 4913, 12, 444, 63, 208}

$$\frac{x \cot^{-1}(ax)}{c\sqrt{c+dx^2}} - \frac{\tanh^{-1}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{c\sqrt{a^2c-d}}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]/(c + d*x^2)^(3/2), x]

[Out] (x*ArcCot[a*x])/(c*Sqrt[c + d*x^2]) - ArcTanh[(a*Sqrt[c + d*x^2])/Sqrt[a^2*c - d]]/(c*Sqrt[a^2*c - d])

Rule 191

Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 4913

Int[((a_) + ArcCot[(c_)*(x_)]*(b_))*((d_) + (e_)*(x_)^2)^(q_), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Dist[a + b*ArcCot[c*x], u, x] + Dist[b*c, Int[u/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 444

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]

Rule 63

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ

`[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(ax)}{(c+dx^2)^{3/2}} dx &= \frac{x \cot^{-1}(ax)}{c\sqrt{c+dx^2}} + a \int \frac{x}{c(1+a^2x^2)\sqrt{c+dx^2}} dx \\ &= \frac{x \cot^{-1}(ax)}{c\sqrt{c+dx^2}} + \frac{a \int \frac{x}{(1+a^2x^2)\sqrt{c+dx^2}} dx}{c} \\ &= \frac{x \cot^{-1}(ax)}{c\sqrt{c+dx^2}} + \frac{a \operatorname{Subst}\left(\int \frac{1}{(1+a^2x)\sqrt{c+dx}} dx, x, x^2\right)}{2c} \\ &= \frac{x \cot^{-1}(ax)}{c\sqrt{c+dx^2}} + \frac{a \operatorname{Subst}\left(\int \frac{1}{1-\frac{a^2c}{d}+\frac{a^2x^2}{d}} dx, x, \sqrt{c+dx^2}\right)}{cd} \\ &= \frac{x \cot^{-1}(ax)}{c\sqrt{c+dx^2}} - \frac{\tanh^{-1}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{c\sqrt{a^2c-d}} \end{aligned}$$

Mathematica [C] time = 0.227145, size = 169, normalized size = 2.56

$$\frac{\frac{2x \cot^{-1}(ax)}{\sqrt{c+dx^2}} + \frac{-\log\left(\frac{4ac(\sqrt{a^2c-d}\sqrt{c+dx^2}+ac-idx)}{(ax+i)\sqrt{a^2c-d}}\right) - \log\left(\frac{4ac(\sqrt{a^2c-d}\sqrt{c+dx^2}+ac+idx)}{(ax-i)\sqrt{a^2c-d}}\right)}{\sqrt{a^2c-d}}}{2c}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x]/(c + d*x^2)^(3/2), x]

[Out] ((2*x*ArcCot[a*x])/Sqrt[c + d*x^2] + (-Log[(4*a*c*(a*c - I*d*x + Sqrt[a^2*c - d]*Sqrt[c + d*x^2]))/(Sqrt[a^2*c - d]*(I + a*x))] - Log[(4*a*c*(a*c + I*d*x + Sqrt[a^2*c - d]*Sqrt[c + d*x^2]))/(Sqrt[a^2*c - d]*(-I + a*x))])/Sqrt[a^2*c - d])/(2*c)

Maple [F] time = 0.644, size = 0, normalized size = 0.

$$\int \operatorname{arccot}(ax) (dx^2 + c)^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)/(d*x^2+c)^(3/2), x)

[Out] int(arccot(a*x)/(d*x^2+c)^(3/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/(d*x^2+c)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 2.32864, size = 729, normalized size = 11.05

$$\frac{4(a^2c-d)\sqrt{dx^2+cx}\operatorname{arccot}(ax)+\sqrt{a^2c-d}(dx^2+c)\log\left(\frac{a^4d^2x^4+8a^4c^2-8a^2cd+2(4a^4cd-3a^2d^2)x^2-4(a^3dx^2+2a^3c-ad)\sqrt{a^2c-d}\sqrt{d}}{a^4x^4+2a^2x^2+1}\right)}{4(a^2c^3-c^2d+(a^2c^2d-cd^2)x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/(d*x^2+c)^(3/2),x, algorithm="fricas")

[Out] [1/4*(4*(a^2*c - d)*sqrt(d*x^2 + c)*x*arccot(a*x) + sqrt(a^2*c - d)*(d*x^2 + c)*log((a^4*d^2*x^4 + 8*a^4*c^2 - 8*a^2*c*d + 2*(4*a^4*c*d - 3*a^2*d^2)*x^2 - 4*(a^3*d*x^2 + 2*a^3*c - a*d)*sqrt(a^2*c - d)*sqrt(d*x^2 + c) + d^2)/(a^4*x^4 + 2*a^2*x^2 + 1)))/(a^2*c^3 - c^2*d + (a^2*c^2*d - c*d^2)*x^2), 1/2*(2*(a^2*c - d)*sqrt(d*x^2 + c)*x*arccot(a*x) - sqrt(-a^2*c + d)*(d*x^2 + c)*arctan(-1/2*(a^2*d*x^2 + 2*a^2*c - d)*sqrt(-a^2*c + d)*sqrt(d*x^2 + c)/(a^3*c^2 - a*c*d + (a^3*c*d - a*d^2)*x^2)))/(a^2*c^3 - c^2*d + (a^2*c^2*d - c*d^2)*x^2)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(ax)}{(c+dx^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x)/(d*x**2+c)**(3/2),x)

[Out] Integral(acot(a*x)/(c + d*x**2)**(3/2), x)

Giac [A] time = 1.14364, size = 80, normalized size = 1.21

$$\frac{x \arctan\left(\frac{1}{ax}\right)}{\sqrt{dx^2+cc}} + \frac{\arctan\left(\frac{\sqrt{dx^2+ca}}{\sqrt{-a^2c+d}}\right)}{\sqrt{-a^2c+d}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x)/(d*x^2+c)^(3/2),x, algorithm="giac")
```

```
[Out] x*arctan(1/(a*x))/(sqrt(d*x^2 + c)*c) + arctan(sqrt(d*x^2 + c)*a/sqrt(-a^2*c + d))/(sqrt(-a^2*c + d)*c)
```


$$3.62 \quad \int \frac{\cot^{-1}(ax)}{(c+dx^2)^{5/2}} dx$$

Optimal. Leaf size=134

$$-\frac{(3a^2c - 2d) \tanh^{-1}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{3c^2(a^2c - d)^{3/2}} + \frac{a}{3c(a^2c - d)\sqrt{c+dx^2}} + \frac{2x \cot^{-1}(ax)}{3c^2\sqrt{c+dx^2}} + \frac{x \cot^{-1}(ax)}{3c(c+dx^2)^{3/2}}$$

[Out] a/(3*c*(a^2*c - d)*Sqrt[c + d*x^2]) + (x*ArcCot[a*x])/(3*c*(c + d*x^2)^(3/2)) + (2*x*ArcCot[a*x])/(3*c^2*Sqrt[c + d*x^2]) - ((3*a^2*c - 2*d)*ArcTanh[(a*Sqrt[c + d*x^2])/Sqrt[a^2*c - d]])/(3*c^2*(a^2*c - d)^(3/2))

Rubi [A] time = 0.325742, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 9, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.562$, Rules used = {192, 191, 4913, 6688, 12, 571, 78, 63, 208}

$$-\frac{(3a^2c - 2d) \tanh^{-1}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{3c^2(a^2c - d)^{3/2}} + \frac{a}{3c(a^2c - d)\sqrt{c+dx^2}} + \frac{2x \cot^{-1}(ax)}{3c^2\sqrt{c+dx^2}} + \frac{x \cot^{-1}(ax)}{3c(c+dx^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]/(c + d*x^2)^(5/2), x]

[Out] a/(3*c*(a^2*c - d)*Sqrt[c + d*x^2]) + (x*ArcCot[a*x])/(3*c*(c + d*x^2)^(3/2)) + (2*x*ArcCot[a*x])/(3*c^2*Sqrt[c + d*x^2]) - ((3*a^2*c - 2*d)*ArcTanh[(a*Sqrt[c + d*x^2])/Sqrt[a^2*c - d]])/(3*c^2*(a^2*c - d)^(3/2))

Rule 192

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 4913

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_)^2)^(q_.), x_Symbol] :> With[{u = IntHide[(d + e*x^2)^q, x]}, Dist[a + b*ArcCot[c*x], u, x] + Dist[b*c, Int[u/(1 + c^2*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])

Rule 6688

Int[u_, x_Symbol] :> With[{v = SimplifyIntegrand[u, x]}, Int[v, x] /; SimplifierIntegrandQ[v, u, x]]

Rule 12

```
Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 571

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_
)*(e_) + (f_)*(x_)^(n_))^(r_), x_Symbol] :=> Dist[1/n, Subst[Int[(a + b*x
)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, f, m,
n, p, q, r}, x] && EqQ[m - n + 1, 0]
```

Rule 78

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] :=> -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(
f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f
*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x],
x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || Int
egerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :=> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[
b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{5/2}} dx &= \frac{x \cot^{-1}(ax)}{3c(c+dx^2)^{3/2}} + \frac{2x \cot^{-1}(ax)}{3c^2 \sqrt{c+dx^2}} + a \int \frac{\frac{x}{3c(c+dx^2)^{3/2}} + \frac{2x}{3c^2 \sqrt{c+dx^2}}}{1+a^2x^2} dx \\
&= \frac{x \cot^{-1}(ax)}{3c(c+dx^2)^{3/2}} + \frac{2x \cot^{-1}(ax)}{3c^2 \sqrt{c+dx^2}} + a \int \frac{x(3c+2dx^2)}{3c^2(1+a^2x^2)(c+dx^2)^{3/2}} dx \\
&= \frac{x \cot^{-1}(ax)}{3c(c+dx^2)^{3/2}} + \frac{2x \cot^{-1}(ax)}{3c^2 \sqrt{c+dx^2}} + \frac{a \int \frac{x(3c+2dx^2)}{(1+a^2x^2)(c+dx^2)^{3/2}} dx}{3c^2} \\
&= \frac{x \cot^{-1}(ax)}{3c(c+dx^2)^{3/2}} + \frac{2x \cot^{-1}(ax)}{3c^2 \sqrt{c+dx^2}} + \frac{a \operatorname{Subst}\left(\int \frac{3c+2dx}{(1+a^2x)(c+dx)^{3/2}} dx, x, x^2\right)}{6c^2} \\
&= \frac{a}{3c(a^2c-d)\sqrt{c+dx^2}} + \frac{x \cot^{-1}(ax)}{3c(c+dx^2)^{3/2}} + \frac{2x \cot^{-1}(ax)}{3c^2 \sqrt{c+dx^2}} + \frac{(a(3a^2c-2d)) \operatorname{Subst}\left(\int \frac{1}{(1+a^2x)\sqrt{c+dx}} dx\right)}{6c^2(a^2c-d)} \\
&= \frac{a}{3c(a^2c-d)\sqrt{c+dx^2}} + \frac{x \cot^{-1}(ax)}{3c(c+dx^2)^{3/2}} + \frac{2x \cot^{-1}(ax)}{3c^2 \sqrt{c+dx^2}} + \frac{(a(3a^2c-2d)) \operatorname{Subst}\left(\int \frac{1}{1-\frac{a^2c}{d}+\frac{a^2x^2}{d}} dx\right)}{3c^2(a^2c-d)d} \\
&= \frac{a}{3c(a^2c-d)\sqrt{c+dx^2}} + \frac{x \cot^{-1}(ax)}{3c(c+dx^2)^{3/2}} + \frac{2x \cot^{-1}(ax)}{3c^2 \sqrt{c+dx^2}} - \frac{(3a^2c-2d) \tanh^{-1}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{3c^2(a^2c-d)^{3/2}}
\end{aligned}$$

Mathematica [C] time = 0.606831, size = 262, normalized size = 1.96

$$\frac{(3a^2c-2d) \log\left(\frac{12ac^2\sqrt{a^2c-d}(\sqrt{a^2c-d}\sqrt{c+dx^2}+ac-idx)}{(ax+i)(3a^2c-2d)}\right)}{(a^2c-d)^{3/2}} + \frac{(3a^2c-2d) \log\left(\frac{12ac^2\sqrt{a^2c-d}(\sqrt{a^2c-d}\sqrt{c+dx^2}+ac+idx)}{(ax-i)(3a^2c-2d)}\right)}{(a^2c-d)^{3/2}} - \frac{2ac}{(a^2c-d)\sqrt{c+dx^2}} - \frac{2x \cot^{-1}(ax)(3c+2dx^2)}{(c+dx^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x]/(c+d*x^2)^(5/2),x]

[Out] $-\frac{(-2ac)}{(a^2c-d)\sqrt{c+dx^2}} - \frac{(2x(3c+2dx^2)\operatorname{ArcCot}[ax])}{(c+dx^2)^{3/2}} + \frac{((3a^2c-2d)\operatorname{Log}[(12a^2c^2\sqrt{a^2c-d}(ac-I dx + \sqrt{a^2c-d}\sqrt{c+dx^2}))]/((3a^2c-2d)(I+ax)))]}{(a^2c-d)^{3/2}} + \frac{((3a^2c-2d)\operatorname{Log}[(12a^2c^2\sqrt{a^2c-d}(ac+I dx + \sqrt{a^2c-d}\sqrt{c+dx^2}))]/((3a^2c-2d)(-I+ax)))]}{(a^2c-d)^{3/2}}/(6c^2)$

Maple [F] time = 0.665, size = 0, normalized size = 0.

$$\int \operatorname{arccot}(ax)(dx^2+c)^{-5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)/(d*x^2+c)^(5/2),x)

[Out] $\int \operatorname{arccot}(ax)/(d*x^2+c)^{(5/2)}, x$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(\operatorname{arccot}(ax)/(d*x^2+c)^{(5/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [B] time = 2.81989, size = 1450, normalized size = 10.82

$$\left[\frac{(3a^2c^3 + (3a^2cd^2 - 2d^3)x^4 - 2c^2d + 2(3a^2c^2d - 2cd^2)x^2)\sqrt{a^2c - d} \log\left(\frac{a^4d^2x^4 + 8a^4c^2 - 8a^2cd + 2(4a^4cd - 3a^2d^2)x^2 - 4(a^3dx^2 + 2a^3c - 2a^2d^2)x + 4a^2c^2 - 4a^2cd + 2a^2d^2}{a^4x^4 + 2a^2x^2 + 1}\right)}{12(a^4c^6 - 2a^2c^5d + c^4d^2 + (a^4c^4d^2 - 2a^2c^3d^2 + c^3d^3)x^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(\operatorname{arccot}(ax)/(d*x^2+c)^{(5/2)}, x, \text{algorithm}="fricas")$

[Out] $\left[\frac{1}{12} \left((3a^2c^3 + (3a^2cd^2 - 2d^3)x^4 - 2c^2d + 2(3a^2c^2d - 2cd^2)x^2) \sqrt{a^2c - d} \log((a^4d^2x^4 + 8a^4c^2 - 8a^2cd + 2(4a^4cd - 3a^2d^2)x^2 - 4(a^3dx^2 + 2a^3c - 2a^2d^2)x + 4a^2c^2 - 4a^2cd + 2a^2d^2) / (a^4x^4 + 2a^2x^2 + 1)) + 4(a^3c^3 - a^2cd + (a^3c^2d - a^2cd^2)x^2 + (2(a^4c^2d - 2a^2cd^2 + d^3)x^3 + 3(a^4c^3 - 2a^2c^2d + cd^2)x) \operatorname{arccot}(ax)) \sqrt{d*x^2 + c} \right) / (a^4c^6 - 2a^2c^5d + c^4d^2 + (a^4c^4d^2 - 2a^2c^3d^3 + c^2d^4)x^4 + 2(a^4c^5d - 2a^2c^4d^2 + c^3d^3)x^2), -1/6((3a^2c^3 + (3a^2cd^2 - 2d^3)x^4 - 2c^2d + 2(3a^2c^2d - 2cd^2)x^2) \sqrt{-a^2c + d} \arctan(-1/2(a^2d*x^2 + 2a^2c - d) \sqrt{-a^2c + d} \sqrt{d*x^2 + c}) / (a^3c^2 - a^2cd + (a^3cd - ad^2)x^2)) - 2(a^3c^3 - a^2cd + (a^3c^2d - a^2cd^2)x^2 + (2(a^4c^2d - 2a^2cd^2 + d^3)x^3 + 3(a^4c^3 - 2a^2c^2d + cd^2)x) \operatorname{arccot}(ax)) \sqrt{d*x^2 + c} \right) / (a^4c^6 - 2a^2c^5d + c^4d^2 + (a^4c^4d^2 - 2a^2c^3d^3 + c^2d^4)x^4 + 2(a^4c^5d - 2a^2c^4d^2 + c^3d^3)x^2) \right]$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(ax)}{(c + dx^2)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(\operatorname{acot}(ax)/(d*x**2+c)**(5/2), x)$

[Out] $\operatorname{Integral}(\operatorname{acot}(ax)/(c + d*x**2)**(5/2), x)$

Giac [A] time = 1.17533, size = 170, normalized size = 1.27

$$\frac{1}{3} a \left(\frac{(3a^2c - 2d) \arctan\left(\frac{\sqrt{dx^2+ca}}{\sqrt{-a^2c+d}}\right)}{(a^2c^3 - c^2d)\sqrt{-a^2c+d}} + \frac{1}{(a^2c^2 - cd)\sqrt{dx^2+c}} \right) + \frac{x\left(\frac{2dx^2}{c^2} + \frac{3}{c}\right) \arctan\left(\frac{1}{ax}\right)}{3(dx^2+c)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/(d*x^2+c)^(5/2),x, algorithm="giac")

[Out] 1/3*a*((3*a^2*c - 2*d)*arctan(sqrt(d*x^2 + c)*a/sqrt(-a^2*c + d))/((a^2*c^3 - c^2*d)*sqrt(-a^2*c + d)*a) + 1/((a^2*c^2 - c*d)*sqrt(d*x^2 + c))) + 1/3*x*(2*d*x^2/c^2 + 3/c)*arctan(1/(a*x))/(d*x^2 + c)^(3/2)

3.63 $\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{7/2}} dx$

Optimal. Leaf size=208

$$-\frac{(15a^4c^2 - 20a^2cd + 8d^2) \tanh^{-1}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{15c^3(a^2c-d)^{5/2}} + \frac{a(7a^2c-4d)}{15c^2(a^2c-d)^2\sqrt{c+dx^2}} + \frac{a}{15c(a^2c-d)(c+dx^2)^{3/2}} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c+dx^2}} + \dots$$

[Out] a/(15*c*(a^2*c - d)*(c + d*x^2)^(3/2)) + (a*(7*a^2*c - 4*d))/(15*c^2*(a^2*c - d)^2*Sqrt[c + d*x^2]) + (x*ArcCot[a*x])/(5*c*(c + d*x^2)^(5/2)) + (4*x*ArcCot[a*x])/(15*c^2*(c + d*x^2)^(3/2)) + (8*x*ArcCot[a*x])/(15*c^3*Sqrt[c + d*x^2]) - ((15*a^4*c^2 - 20*a^2*c*d + 8*d^2)*ArcTanh[(a*Sqrt[c + d*x^2])/Sqrt[a^2*c - d]])/(15*c^3*(a^2*c - d)^(5/2))

Rubi [A] time = 0.934717, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 9, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.562$, Rules used = {192, 191, 4913, 6688, 12, 6715, 897, 1261, 208}

$$-\frac{(15a^4c^2 - 20a^2cd + 8d^2) \tanh^{-1}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{15c^3(a^2c-d)^{5/2}} + \frac{a(7a^2c-4d)}{15c^2(a^2c-d)^2\sqrt{c+dx^2}} + \frac{a}{15c(a^2c-d)(c+dx^2)^{3/2}} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c+dx^2}} + \dots$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x]/(c + d*x^2)^(7/2), x]

[Out] a/(15*c*(a^2*c - d)*(c + d*x^2)^(3/2)) + (a*(7*a^2*c - 4*d))/(15*c^2*(a^2*c - d)^2*Sqrt[c + d*x^2]) + (x*ArcCot[a*x])/(5*c*(c + d*x^2)^(5/2)) + (4*x*ArcCot[a*x])/(15*c^2*(c + d*x^2)^(3/2)) + (8*x*ArcCot[a*x])/(15*c^3*Sqrt[c + d*x^2]) - ((15*a^4*c^2 - 20*a^2*c*d + 8*d^2)*ArcTanh[(a*Sqrt[c + d*x^2])/Sqrt[a^2*c - d]])/(15*c^3*(a^2*c - d)^(5/2))

Rule 192

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 4913

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_)^2)^(q_.), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Dist[a + b*ArcCot[c*x], u, x] + Dist[b*c, Int[u/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])

Rule 6688

```
Int[u_, x_Symbol] := With[{v = SimplifyIntegrand[u, x]}, Int[v, x] /; Simpl
erIntegrandQ[v, u, x]]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]]
```

Rule 6715

```
Int[(u_)*(x_)^(m_), x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m +
1), u, x], x], x, x^(m + 1)], x] /; FreeQ[m, x] && NeQ[m, -1] && FunctionO
fQ[x^(m + 1), u, x]
```

Rule 897

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_)^(n_))*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, S
ubst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e +
a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)
^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[
b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegersQ[n, p] && Fra
ctionQ[m]
```

Rule 1261

```
Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))*((a_) + (b_)*(x_)^2 + (
c_)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[
b^2 - 4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{7/2}} dx &= \frac{x \cot^{-1}(ax)}{5c(c+dx^2)^{5/2}} + \frac{4x \cot^{-1}(ax)}{15c^2(c+dx^2)^{3/2}} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c+dx^2}} + a \int \frac{\frac{x}{5c(c+dx^2)^{5/2}} + \frac{4x}{15c^2(c+dx^2)^{3/2}} + \frac{8x}{15c^3\sqrt{c+dx^2}}}{1+a^2x^2} dx \\
&= \frac{x \cot^{-1}(ax)}{5c(c+dx^2)^{5/2}} + \frac{4x \cot^{-1}(ax)}{15c^2(c+dx^2)^{3/2}} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c+dx^2}} + a \int \frac{x(15c^2+20cdx^2+8d^2x^4)}{15c^3(1+a^2x^2)(c+dx^2)^{5/2}} dx \\
&= \frac{x \cot^{-1}(ax)}{5c(c+dx^2)^{5/2}} + \frac{4x \cot^{-1}(ax)}{15c^2(c+dx^2)^{3/2}} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c+dx^2}} + \frac{a \int \frac{x(15c^2+20cdx^2+8d^2x^4)}{(1+a^2x^2)(c+dx^2)^{5/2}} dx}{15c^3} \\
&= \frac{x \cot^{-1}(ax)}{5c(c+dx^2)^{5/2}} + \frac{4x \cot^{-1}(ax)}{15c^2(c+dx^2)^{3/2}} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c+dx^2}} + \frac{a \operatorname{Subst}\left(\int \frac{15c^2+20cdx+8d^2x^2}{(1+a^2x)(c+dx)^{5/2}} dx, x, x^2\right)}{30c^3} \\
&= \frac{x \cot^{-1}(ax)}{5c(c+dx^2)^{5/2}} + \frac{4x \cot^{-1}(ax)}{15c^2(c+dx^2)^{3/2}} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c+dx^2}} + \frac{a \operatorname{Subst}\left(\int \frac{3c^2+4cx^2+8x^4}{x^4\left(\frac{-a^2c+d}{d} + \frac{a^2x^2}{d}\right)} dx, x, \sqrt{c+dx^2}\right)}{15c^3d} \\
&= \frac{x \cot^{-1}(ax)}{5c(c+dx^2)^{5/2}} + \frac{4x \cot^{-1}(ax)}{15c^2(c+dx^2)^{3/2}} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c+dx^2}} + \frac{a \operatorname{Subst}\left(\int \left(\frac{3c^2d}{(-a^2c+d)x^4} - \frac{c(7a^2c-4d)d}{(-a^2c+d)^2x^2} + \frac{d(15a^4c-d)}{(-a^2c+d)}\right) dx, x, \sqrt{c+dx^2}\right)}{15c^3d} \\
&= \frac{a}{15c(a^2c-d)(c+dx^2)^{3/2}} + \frac{a(7a^2c-4d)}{15c^2(a^2c-d)^2\sqrt{c+dx^2}} + \frac{x \cot^{-1}(ax)}{5c(c+dx^2)^{5/2}} + \frac{4x \cot^{-1}(ax)}{15c^2(c+dx^2)^{3/2}} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c+dx^2}} \\
&= \frac{a}{15c(a^2c-d)(c+dx^2)^{3/2}} + \frac{a(7a^2c-4d)}{15c^2(a^2c-d)^2\sqrt{c+dx^2}} + \frac{x \cot^{-1}(ax)}{5c(c+dx^2)^{5/2}} + \frac{4x \cot^{-1}(ax)}{15c^2(c+dx^2)^{3/2}} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c+dx^2}}
\end{aligned}$$

Mathematica [C] time = 0.938296, size = 345, normalized size = 1.66

$$\frac{(15a^4c^2-20a^2cd+8d^2) \log\left(\frac{60ac^3(a^2c-d)^{3/2}(\sqrt{a^2c-d}\sqrt{c+dx^2}+ac-idx)}{(ax+i)(15a^4c^2-20a^2cd+8d^2)}\right)}{(a^2c-d)^{5/2}} + \frac{(15a^4c^2-20a^2cd+8d^2) \log\left(\frac{60ac^3(a^2c-d)^{3/2}(\sqrt{a^2c-d}\sqrt{c+dx^2}+ac+idx)}{(ax-i)(15a^4c^2-20a^2cd+8d^2)}\right)}{(a^2c-d)^{5/2}} - \frac{2ac(a^2c(8c+7dx^2)-c^2)}{(d-a^2c)^2(c+dx^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x]/(c + d*x^2)^(7/2), x]

[Out] -((-2*a*c*(-(d*(5*c + 4*d*x^2)) + a^2*c*(8*c + 7*d*x^2)))/((-a^2*c) + d)^2*(c + d*x^2)^(3/2)) - (2*x*(15*c^2 + 20*c*d*x^2 + 8*d^2*x^4)*ArcCot[a*x])/((c + d*x^2)^(5/2) + ((15*a^4*c^2 - 20*a^2*c*d + 8*d^2)*Log[(60*a*c^3*(a^2*c - d)^(3/2)*(a*c - I*d*x + Sqrt[a^2*c - d]*Sqrt[c + d*x^2])])/((15*a^4*c^2 - 20*a^2*c*d + 8*d^2)*(I + a*x)))]/(a^2*c - d)^(5/2) + ((15*a^4*c^2 - 20*a^2*c*d + 8*d^2)*Log[(60*a*c^3*(a^2*c - d)^(3/2)*(a*c + I*d*x + Sqrt[a^2*c - d]*Sqrt[c + d*x^2])])/((15*a^4*c^2 - 20*a^2*c*d + 8*d^2)*(-I + a*x)))]/(a^2*c - d)^(5/2))/(30*c^3)

Maple [F] time = 0.891, size = 0, normalized size = 0.

$$\int \operatorname{arccot}(ax) (dx^2 + c)^{-7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(arccot(a*x)/(d*x^2+c)^(7/2),x)
```

```
[Out] int(arccot(a*x)/(d*x^2+c)^(7/2),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x)/(d*x^2+c)^(7/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 3.58127, size = 2569, normalized size = 12.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x)/(d*x^2+c)^(7/2),x, algorithm="fricas")
```

```
[Out] [1/60*((15*a^4*c^5 - 20*a^2*c^4*d + (15*a^4*c^2*d^3 - 20*a^2*c*d^4 + 8*d^5)
*x^6 + 8*c^3*d^2 + 3*(15*a^4*c^3*d^2 - 20*a^2*c^2*d^3 + 8*c*d^4)*x^4 + 3*(1
5*a^4*c^4*d - 20*a^2*c^3*d^2 + 8*c^2*d^3)*x^2)*sqrt(a^2*c - d)*log((a^4*d^2
*x^4 + 8*a^4*c^2 - 8*a^2*c*d + 2*(4*a^4*c*d - 3*a^2*d^2)*x^2 - 4*(a^3*d*x^2
+ 2*a^3*c - a*d)*sqrt(a^2*c - d)*sqrt(d*x^2 + c) + d^2)/(a^4*x^4 + 2*a^2*x
^2 + 1)) + 4*(8*a^5*c^5 - 13*a^3*c^4*d + 5*a*c^3*d^2 + (7*a^5*c^3*d^2 - 11*
a^3*c^2*d^3 + 4*a*c*d^4)*x^4 + 3*(5*a^5*c^4*d - 8*a^3*c^3*d^2 + 3*a*c^2*d^3
)*x^2 + (8*(a^6*c^3*d^2 - 3*a^4*c^2*d^3 + 3*a^2*c*d^4 - d^5)*x^5 + 20*(a^6*
c^4*d - 3*a^4*c^3*d^2 + 3*a^2*c^2*d^3 - c*d^4)*x^3 + 15*(a^6*c^5 - 3*a^4*c^
4*d + 3*a^2*c^3*d^2 - c^2*d^3)*x)*arccot(a*x))*sqrt(d*x^2 + c))/(a^6*c^9 -
3*a^4*c^8*d + 3*a^2*c^7*d^2 - c^6*d^3 + (a^6*c^6*d^3 - 3*a^4*c^5*d^4 + 3*a^
2*c^4*d^5 - c^3*d^6)*x^6 + 3*(a^6*c^7*d^2 - 3*a^4*c^6*d^3 + 3*a^2*c^5*d^4 -
c^4*d^5)*x^4 + 3*(a^6*c^8*d - 3*a^4*c^7*d^2 + 3*a^2*c^6*d^3 - c^5*d^4)*x^2
), -1/30*((15*a^4*c^5 - 20*a^2*c^4*d + (15*a^4*c^2*d^3 - 20*a^2*c*d^4 + 8*d
^5)*x^6 + 8*c^3*d^2 + 3*(15*a^4*c^3*d^2 - 20*a^2*c^2*d^3 + 8*c*d^4)*x^4 + 3
*(15*a^4*c^4*d - 20*a^2*c^3*d^2 + 8*c^2*d^3)*x^2)*sqrt(-a^2*c + d)*arctan(-
1/2*(a^2*d*x^2 + 2*a^2*c - d)*sqrt(-a^2*c + d)*sqrt(d*x^2 + c)/(a^3*c^2 - a
*c*d + (a^3*c*d - a*d^2)*x^2)) - 2*(8*a^5*c^5 - 13*a^3*c^4*d + 5*a*c^3*d^2
+ (7*a^5*c^3*d^2 - 11*a^3*c^2*d^3 + 4*a*c*d^4)*x^4 + 3*(5*a^5*c^4*d - 8*a^3
*c^3*d^2 + 3*a*c^2*d^3)*x^2 + (8*(a^6*c^3*d^2 - 3*a^4*c^2*d^3 + 3*a^2*c*d^4
- d^5)*x^5 + 20*(a^6*c^4*d - 3*a^4*c^3*d^2 + 3*a^2*c^2*d^3 - c*d^4)*x^3 +
15*(a^6*c^5 - 3*a^4*c^4*d + 3*a^2*c^3*d^2 - c^2*d^3)*x)*arccot(a*x))*sqrt(d
*x^2 + c))/(a^6*c^9 - 3*a^4*c^8*d + 3*a^2*c^7*d^2 - c^6*d^3 + (a^6*c^6*d^3
- 3*a^4*c^5*d^4 + 3*a^2*c^4*d^5 - c^3*d^6)*x^6 + 3*(a^6*c^7*d^2 - 3*a^4*c^6
*d^3 + 3*a^2*c^5*d^4 - c^4*d^5)*x^4 + 3*(a^6*c^8*d - 3*a^4*c^7*d^2 + 3*a^2*
c^6*d^3 - c^5*d^4)*x^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x)/(d*x**2+c)**(7/2),x)

[Out] Timed out

Giac [A] time = 1.21745, size = 281, normalized size = 1.35

$$\frac{1}{15} a \left(\frac{(15 a^4 c^2 - 20 a^2 c d + 8 d^2) \arctan\left(\frac{\sqrt{dx^2+ca}}{\sqrt{-a^2c+d}}\right)}{(a^4 c^5 - 2 a^2 c^4 d + c^3 d^2) \sqrt{-a^2c+da}} + \frac{7(dx^2+c)a^2c + a^2c^2 - 4(dx^2+c)d - cd}{(a^4c^4 - 2a^2c^3d + c^2d^2)(dx^2+c)^{\frac{3}{2}}} \right) + \frac{\left(4x^2\left(\frac{2d^2x^2}{c^3} + \frac{5d}{c^2}\right) + \frac{15}{c}\right)}{15(dx^2+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/(d*x^2+c)^(7/2),x, algorithm="giac")

[Out] 1/15*a*((15*a^4*c^2 - 20*a^2*c*d + 8*d^2)*arctan(sqrt(d*x^2 + c)*a/sqrt(-a^2*c + d))/((a^4*c^5 - 2*a^2*c^4*d + c^3*d^2)*sqrt(-a^2*c + d)*a) + (7*(d*x^2 + c)*a^2*c + a^2*c^2 - 4*(d*x^2 + c)*d - c*d)/((a^4*c^4 - 2*a^2*c^3*d + c^2*d^2)*(d*x^2 + c)^(3/2))) + 1/15*(4*x^2*(2*d^2*x^2/c^3 + 5*d/c^2) + 15/c)*x*arctan(1/(a*x))/(d*x^2 + c)^(5/2)

$$3.64 \quad \int \frac{\cot^{-1}(ax)}{(c+dx^2)^{9/2}} dx$$

Optimal. Leaf size=293

$$\frac{a(19a^4c^2 - 22a^2cd + 8d^2)}{35c^3(a^2c - d)^3\sqrt{c + dx^2}} - \frac{(-70a^4c^2d + 35a^6c^3 + 56a^2cd^2 - 16d^3)\tanh^{-1}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{35c^4(a^2c - d)^{7/2}} + \frac{a(11a^2c - 6d)}{105c^2(a^2c - d)^2(c + dx^2)^{3/2}}$$

```
[Out] a/(35*c*(a^2*c - d)*(c + d*x^2)^(5/2)) + (a*(11*a^2*c - 6*d))/(105*c^2*(a^2*c - d)^2*(c + d*x^2)^(3/2)) + (a*(19*a^4*c^2 - 22*a^2*c*d + 8*d^2))/(35*c^3*(a^2*c - d)^3*sqrt(c + d*x^2)) + (x*ArcCot[a*x])/(7*c*(c + d*x^2)^(7/2)) + (6*x*ArcCot[a*x])/(35*c^2*(c + d*x^2)^(5/2)) + (8*x*ArcCot[a*x])/(35*c^3*(c + d*x^2)^(3/2)) + (16*x*ArcCot[a*x])/(35*c^4*sqrt(c + d*x^2)) - ((35*a^6*c^3 - 70*a^4*c^2*d + 56*a^2*c*d^2 - 16*d^3)*ArcTanh[(a*sqrt(c + d*x^2))/sqrt(a^2*c - d)])/(35*c^4*(a^2*c - d)^(7/2))
```

Rubi [A] time = 1.1551, antiderivative size = 293, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 9, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.562$, Rules used = {192, 191, 4913, 6688, 12, 6715, 1619, 63, 208}

$$\frac{a(19a^4c^2 - 22a^2cd + 8d^2)}{35c^3(a^2c - d)^3\sqrt{c + dx^2}} - \frac{(-70a^4c^2d + 35a^6c^3 + 56a^2cd^2 - 16d^3)\tanh^{-1}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{35c^4(a^2c - d)^{7/2}} + \frac{a(11a^2c - 6d)}{105c^2(a^2c - d)^2(c + dx^2)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[ArcCot[a*x]/(c + d*x^2)^(9/2), x]
```

```
[Out] a/(35*c*(a^2*c - d)*(c + d*x^2)^(5/2)) + (a*(11*a^2*c - 6*d))/(105*c^2*(a^2*c - d)^2*(c + d*x^2)^(3/2)) + (a*(19*a^4*c^2 - 22*a^2*c*d + 8*d^2))/(35*c^3*(a^2*c - d)^3*sqrt(c + d*x^2)) + (x*ArcCot[a*x])/(7*c*(c + d*x^2)^(7/2)) + (6*x*ArcCot[a*x])/(35*c^2*(c + d*x^2)^(5/2)) + (8*x*ArcCot[a*x])/(35*c^3*(c + d*x^2)^(3/2)) + (16*x*ArcCot[a*x])/(35*c^4*sqrt(c + d*x^2)) - ((35*a^6*c^3 - 70*a^4*c^2*d + 56*a^2*c*d^2 - 16*d^3)*ArcTanh[(a*sqrt(c + d*x^2))/sqrt(a^2*c - d)])/(35*c^4*(a^2*c - d)^(7/2))
```

Rule 192

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]
```

Rule 191

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

Rule 4913

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_)^2)^(q_.), x_Symbol] :> With[{u = IntHide[(d + e*x^2)^q, x]}, Dist[a + b*ArcCot[c*x], u, x] + Dist[b*c, Int[u/(1 + c^2*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && (I
```

IntegerQ[q] || ILtQ[q + 1/2, 0])

Rule 6688

Int[u_, x_Symbol] :=> With[{v = SimplifyIntegrand[u, x]}, Int[v, x] /; SimplifyIntegrandQ[v, u, x]]

Rule 12

Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 6715

Int[(u_)*(x_)^(m_), x_Symbol] :=> Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), u, x], x, x^(m + 1)], x] /; FreeQ[m, x] && NeQ[m, -1] && FunctionOfQ[x^(m + 1), u, x]

Rule 1619

Int[((Px_)*((c_) + (d_)*(x_))^(n_))/((a_) + (b_)*(x_)), x_Symbol] :=> Int[ExpandIntegrand[1/Sqrt[c + d*x], (Px*(c + d*x)^(n + 1/2))/(a + b*x), x], x] /; FreeQ[{a, b, c, d, n}, x] && PolyQ[Px, x] && ILtQ[n + 1/2, 0] && GtQ[Expon[Px, x], 2]

Rule 63

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :=> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{9/2}} dx &= \frac{x \cot^{-1}(ax)}{7c(c+dx^2)^{7/2}} + \frac{6x \cot^{-1}(ax)}{35c^2(c+dx^2)^{5/2}} + \frac{8x \cot^{-1}(ax)}{35c^3(c+dx^2)^{3/2}} + \frac{16x \cot^{-1}(ax)}{35c^4\sqrt{c+dx^2}} + a \int \frac{\frac{x}{7c(c+dx^2)^{7/2}} + \frac{1}{35c^2}}{c+dx^2} dx \\
&= \frac{x \cot^{-1}(ax)}{7c(c+dx^2)^{7/2}} + \frac{6x \cot^{-1}(ax)}{35c^2(c+dx^2)^{5/2}} + \frac{8x \cot^{-1}(ax)}{35c^3(c+dx^2)^{3/2}} + \frac{16x \cot^{-1}(ax)}{35c^4\sqrt{c+dx^2}} + a \int \frac{x(35c^3+70c^2dx^2)}{35c^4(1+a^2x^2)} dx \\
&= \frac{x \cot^{-1}(ax)}{7c(c+dx^2)^{7/2}} + \frac{6x \cot^{-1}(ax)}{35c^2(c+dx^2)^{5/2}} + \frac{8x \cot^{-1}(ax)}{35c^3(c+dx^2)^{3/2}} + \frac{16x \cot^{-1}(ax)}{35c^4\sqrt{c+dx^2}} + \frac{a \int \frac{x(35c^3+70c^2dx^2+56cd^2)}{(1+a^2x^2)(c+dx^2)} dx}{35c^4} \\
&= \frac{x \cot^{-1}(ax)}{7c(c+dx^2)^{7/2}} + \frac{6x \cot^{-1}(ax)}{35c^2(c+dx^2)^{5/2}} + \frac{8x \cot^{-1}(ax)}{35c^3(c+dx^2)^{3/2}} + \frac{16x \cot^{-1}(ax)}{35c^4\sqrt{c+dx^2}} + \frac{a \operatorname{Subst}\left(\int \frac{35c^3+70c^2dx}{(1+a^2x^2)(c+dx^2)}\right)}{35c^4} \\
&= \frac{x \cot^{-1}(ax)}{7c(c+dx^2)^{7/2}} + \frac{6x \cot^{-1}(ax)}{35c^2(c+dx^2)^{5/2}} + \frac{8x \cot^{-1}(ax)}{35c^3(c+dx^2)^{3/2}} + \frac{16x \cot^{-1}(ax)}{35c^4\sqrt{c+dx^2}} + \frac{a \operatorname{Subst}\left(\int \left(-\frac{5c^3}{(a^2c-d)(c+dx^2)}\right) dx\right)}{35c^4} \\
&= \frac{a}{35c(a^2c-d)(c+dx^2)^{5/2}} + \frac{a(11a^2c-6d)}{105c^2(a^2c-d)^2(c+dx^2)^{3/2}} + \frac{a(19a^4c^2-22a^2cd+8d^2)}{35c^3(a^2c-d)^3\sqrt{c+dx^2}} + \frac{x \cot^{-1}(ax)}{7c(c+dx^2)^{7/2}} \\
&= \frac{a}{35c(a^2c-d)(c+dx^2)^{5/2}} + \frac{a(11a^2c-6d)}{105c^2(a^2c-d)^2(c+dx^2)^{3/2}} + \frac{a(19a^4c^2-22a^2cd+8d^2)}{35c^3(a^2c-d)^3\sqrt{c+dx^2}} + \frac{x \cot^{-1}(ax)}{7c(c+dx^2)^{7/2}} \\
&= \frac{a}{35c(a^2c-d)(c+dx^2)^{5/2}} + \frac{a(11a^2c-6d)}{105c^2(a^2c-d)^2(c+dx^2)^{3/2}} + \frac{a(19a^4c^2-22a^2cd+8d^2)}{35c^3(a^2c-d)^3\sqrt{c+dx^2}} + \frac{x \cot^{-1}(ax)}{7c(c+dx^2)^{7/2}}
\end{aligned}$$

Mathematica [C] time = 1.39481, size = 450, normalized size = 1.54

$$\frac{2ac(3(19a^4c^2-22a^2cd+8d^2)(c+dx^2)^2+3c^2(d-a^2c)^2+c(11a^2c-6d)(a^2c-d)(c+dx^2))}{(a^2c-d)^3(c+dx^2)^{5/2}} - \frac{3(-70a^4c^2d+35a^6c^3+56a^2cd^2-16d^3) \log\left(\frac{140ac^4(a^2c-d)^{5/2}(\sqrt{a^2c-d}\sqrt{c+dx^2}+ax+i)(-70a^4c^2d+35a^6c^3+56a^2cd^2-16d^3)}{(a^2c-d)^{7/2}}\right)}{(a^2c-d)^{7/2}}$$

210c⁴

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x]/(c + d*x^2)^(9/2), x]

[Out] ((2*a*c*(3*c^2*(-(a^2*c) + d)^2 + c*(11*a^2*c - 6*d)*(a^2*c - d)*(c + d*x^2) + 3*(19*a^4*c^2 - 22*a^2*c*d + 8*d^2)*(c + d*x^2)^2))/((a^2*c - d)^3*(c + d*x^2)^(5/2)) + (6*x*(35*c^3 + 70*c^2*d*x^2 + 56*c*d^2*x^4 + 16*d^3*x^6)*ArcCot[a*x])/(c + d*x^2)^(7/2) - (3*(35*a^6*c^3 - 70*a^4*c^2*d + 56*a^2*c*d^2 - 16*d^3)*Log[(140*a*c^4*(a^2*c - d)^(5/2)*(a*c - I*d*x + Sqrt[a^2*c - d]*Sqrt[c + d*x^2]))]/((35*a^6*c^3 - 70*a^4*c^2*d + 56*a^2*c*d^2 - 16*d^3)*(I + a*x)))/(a^2*c - d)^(7/2) - (3*(35*a^6*c^3 - 70*a^4*c^2*d + 56*a^2*c*d^2 - 16*d^3)*Log[(140*a*c^4*(a^2*c - d)^(5/2)*(a*c + I*d*x + Sqrt[a^2*c - d]*Sqrt[c + d*x^2]))]/((35*a^6*c^3 - 70*a^4*c^2*d + 56*a^2*c*d^2 - 16*d^3)*(-I + a*x)))/(a^2*c - d)^(7/2))/(210*c^4)

Maple [F] time = 0.725, size = 0, normalized size = 0.

$$\int \operatorname{arccot}(ax) (dx^2 + c)^{-\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x)/(d*x^2+c)^(9/2),x)

[Out] int(arccot(a*x)/(d*x^2+c)^(9/2),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/(d*x^2+c)^(9/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 7.70193, size = 4097, normalized size = 13.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/(d*x^2+c)^(9/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/420*(3*(35*a^6*c^7 - 70*a^4*c^6*d + 56*a^2*c^5*d^2 + (35*a^6*c^3*d^4 - 70*a^4*c^2*d^5 + 56*a^2*c*d^6 - 16*d^7))*x^8 - 16*c^4*d^3 + 4*(35*a^6*c^4*d^3 - 70*a^4*c^3*d^4 + 56*a^2*c^2*d^5 - 16*c*d^6))*x^6 + 6*(35*a^6*c^5*d^2 - 70*a^4*c^4*d^3 + 56*a^2*c^3*d^4 - 16*c^2*d^5))*x^4 + 4*(35*a^6*c^6*d - 70*a^4*c^5*d^2 + 56*a^2*c^4*d^3 - 16*c^3*d^4))*x^2)*\sqrt{a^2*c - d}*\log((a^4*d^2*x^4 + 8*a^4*c^2 - 8*a^2*c*d + 2*(4*a^4*c*d - 3*a^2*d^2))*x^2 - 4*(a^3*d*x^2 + 2*a^3*c - a*d)*\sqrt{a^2*c - d}*\sqrt{d*x^2 + c} + d^2)/(a^4*x^4 + 2*a^2*x^2 + 1)) + 4*(71*a^7*c^7 - 160*a^5*c^6*d + 122*a^3*c^5*d^2 - 33*a*c^4*d^3 + 3*(19*a^7*c^4*d^3 - 41*a^5*c^3*d^4 + 30*a^3*c^2*d^5 - 8*a*c*d^6))*x^6 + (182*a^7*c^5*d^2 - 397*a^5*c^4*d^3 + 293*a^3*c^3*d^4 - 78*a*c^2*d^5))*x^4 + (196*a^7*c^6*d - 434*a^5*c^5*d^2 + 325*a^3*c^4*d^3 - 87*a*c^3*d^4))*x^2 + 3*(16*(a^8*c^4*d^3 - 4*a^6*c^3*d^4 + 6*a^4*c^2*d^5 - 4*a^2*c*d^6 + d^7))*x^7 + 56*(a^8*c^5*d^2 - 4*a^6*c^4*d^3 + 6*a^4*c^3*d^4 - 4*a^2*c^2*d^5 + c*d^6))*x^5 + 70*(a^8*c^6*d - 4*a^6*c^5*d^2 + 6*a^4*c^4*d^3 - 4*a^2*c^3*d^4 + c^2*d^5))*x^3 + 35*(a^8*c^7 - 4*a^6*c^6*d + 6*a^4*c^5*d^2 - 4*a^2*c^4*d^3 + c^3*d^4))*x)*\operatorname{arccot}(a*x))*\sqrt{d*x^2 + c})/(a^8*c^12 - 4*a^6*c^11*d + 6*a^4*c^10*d^2 - 4*a^2*c^9*d^3 + c^8*d^4 + (a^8*c^8*d^4 - 4*a^6*c^7*d^5 + 6*a^4*c^6*d^6 - 4*a^2*c^5*d^7 + c^4*d^8))*x^8 + 4*(a^8*c^9*d^3 - 4*a^6*c^8*d^4 + 6*a^4*c^7*d^5 - 4*a^2*c^6*d^6 + c^5*d^7))*x^6 + 6*(a^8*c^10*d^2 - 4*a^6*c^9*d^3 + 6*a^4*c^8*d^4 - 4*a^2*c^7*d^5 + c^6*d^6))*x^4 + 4*(a^8*c^11*d - 4*a^6*c^10*d^2 + 6*a^4*c^9*d^3 - 4*a^2*c^8*d^4 + c^7*d^5))*x^2), -1/210*(3*(35*a^6*c^7 - 70*a^4*c^6*d + 56*a^2*c^5*d^2 + (35*a^6*c^3*d^4 - 70*a^4*c^2*d^5 + 56*a^2*c*d^6 - 16*d^7))*x^8 - 16*c^4*d^3 + 4*(35*a^6*c^4*d^3 - 70*a^4*c^3*d^4 + 56*a^2*c^2*d^5 - 16*c*d^6))*x^6 + 6*(35*a^6*c^5*d^2 - 70*a^4*c^4*d^3 + 56*a^2*c^3*d^4 - 16*c^2*d^5))*x^4 + 4*(35*a^6*c^6*d - 70*a^4*c^5*d^2 + 56*a^2*c^4*d^3 - 16*c$$

$$\begin{aligned} & ^3d^4)x^2)\sqrt{-a^2c+d})\arctan(-1/2*(a^2d*x^2+2*a^2*c-d)\sqrt{-a^2*c+d}\sqrt{d*x^2+c})/(a^3*c^2-a*c*d+(a^3*c*d-a*d^2)*x^2))-2*(7 \\ & 1*a^7*c^7-160*a^5*c^6*d+122*a^3*c^5*d^2-33*a*c^4*d^3+3*(19*a^7*c^4*d^3-41*a^5*c^3*d^4+30*a^3*c^2*d^5-8*a*c*d^6)*x^6+(182*a^7*c^5*d^2- \\ & 397*a^5*c^4*d^3+293*a^3*c^3*d^4-78*a*c^2*d^5)*x^4+(196*a^7*c^6*d-4 \\ & 34*a^5*c^5*d^2+325*a^3*c^4*d^3-87*a*c^3*d^4)*x^2+3*(16*(a^8*c^4*d^3-4*a^6*c^3*d^4+6*a^4*c^2*d^5-4*a^2*c*d^6+d^7)*x^7+56*(a^8*c^5*d^2-4*a^6*c^4*d^3+6*a^4*c^3*d^4-4*a^2*c^2*d^5+c*d^6)*x^5+70*(a^8*c^6*d-4*a^6*c^5*d^2+6*a^4*c^4*d^3-4*a^2*c^3*d^4+c^2*d^5)*x^3+35*(a^8*c^7-4*a^6*c^6*d+6*a^4*c^5*d^2-4*a^2*c^4*d^3+c^3*d^4)*x)\operatorname{arccot}(a*x))\sqrt{d*x^2+c})/(a^8*c^12-4*a^6*c^11*d+6*a^4*c^10*d^2-4*a^2*c^9*d^3+c^8*d^4+(a^8*c^8*d^4-4*a^6*c^7*d^5+6*a^4*c^6*d^6-4*a^2*c^5*d^7+c^4*d^8)*x^8+4*(a^8*c^9*d^3-4*a^6*c^8*d^4+6*a^4*c^7*d^5-4*a^2*c^6*d^6+c^5*d^7)*x^6+6*(a^8*c^10*d^2-4*a^6*c^9*d^3+6*a^4*c^8*d^4-4*a^2*c^7*d^5+c^6*d^6)*x^4+4*(a^8*c^11*d-4*a^6*c^10*d^2+6*a^4*c^9*d^3-4*a^2*c^8*d^4+c^7*d^5)*x^2)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x)/(d*x**2+c)**(9/2),x)

[Out] Timed out

Giac [A] time = 1.23049, size = 459, normalized size = 1.57

$$\frac{1}{105} a \left(\frac{3(35 a^6 c^3 - 70 a^4 c^2 d + 56 a^2 c d^2 - 16 d^3) \arctan\left(\frac{\sqrt{dx^2+ca}}{\sqrt{-a^2c+d}}\right)}{(a^6 c^7 - 3 a^4 c^6 d + 3 a^2 c^5 d^2 - c^4 d^3) \sqrt{-a^2c+d}} + \frac{57(dx^2+c)^2 a^4 c^2 + 11(dx^2+c) a^4 c^3 + 3 a^4 c^4 - 6}{(a^6 c^7 - 3 a^4 c^6 d + 3 a^2 c^5 d^2 - c^4 d^3)} \right) \quad (a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x)/(d*x^2+c)^(9/2),x, algorithm="giac")

[Out] 1/105*a*(3*(35*a^6*c^3-70*a^4*c^2*d+56*a^2*c*d^2-16*d^3)*arctan(sqrt(d*x^2+c)*a/sqrt(-a^2*c+d))/((a^6*c^7-3*a^4*c^6*d+3*a^2*c^5*d^2-c^4*d^3)*sqrt(-a^2*c+d)*a)+(57*(d*x^2+c)^2*a^4*c^2+11*(d*x^2+c)*a^4*c^3+3*a^4*c^4-66*(d*x^2+c)^2*a^2*c*d-17*(d*x^2+c)*a^2*c^2*d-6*a^2*c^3*d+24*(d*x^2+c)^2*d^2+6*(d*x^2+c)*c*d^2+3*c^2*d^2)/((a^6*c^7-3*a^4*c^5*d+3*a^2*c^4*d^2-c^3*d^3)*(d*x^2+c)^(5/2)))+1/35*(2*(4*x^2*(2*d^3*x^2/c^4+7*d^2/c^3)+35*d/c^2)*x^2+35/c)*x*arctan(1/(a*x))/(d*x^2+c)^(7/2)

3.65 $\int \sqrt{a + ax^2} \cot^{-1}(x) dx$

Optimal. Leaf size=195

$$-\frac{ia\sqrt{x^2+1}\text{PolyLog}\left(2, -\frac{i\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{2\sqrt{ax^2+a}} + \frac{ia\sqrt{x^2+1}\text{PolyLog}\left(2, \frac{i\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{2\sqrt{ax^2+a}} + \frac{1}{2}\sqrt{ax^2+a} + \frac{1}{2}x\sqrt{ax^2+a}\cot^{-1}(x) - \frac{ia\sqrt{x^2+1}\tan^{-1}\left(\frac{x-i}{x+i}\right)}{2\sqrt{ax^2+a}}$$

```
[Out] Sqrt[a + a*x^2]/2 + (x*Sqrt[a + a*x^2]*ArcCot[x])/2 - (I*a*Sqrt[1 + x^2]*ArcCot[x]*ArcTan[Sqrt[1 + I*x]/Sqrt[1 - I*x]])/Sqrt[a + a*x^2] - ((I/2)*a*Sqrt[1 + x^2]*PolyLog[2, ((-I)*Sqrt[1 + I*x])/Sqrt[1 - I*x]])/Sqrt[a + a*x^2] + ((I/2)*a*Sqrt[1 + x^2]*PolyLog[2, (I*Sqrt[1 + I*x])/Sqrt[1 - I*x]])/Sqrt[a + a*x^2]
```

Rubi [A] time = 0.0718277, antiderivative size = 195, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {4879, 4891, 4887}

$$-\frac{ia\sqrt{x^2+1}\text{PolyLog}\left(2, -\frac{i\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{2\sqrt{ax^2+a}} + \frac{ia\sqrt{x^2+1}\text{PolyLog}\left(2, \frac{i\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{2\sqrt{ax^2+a}} + \frac{1}{2}\sqrt{ax^2+a} + \frac{1}{2}x\sqrt{ax^2+a}\cot^{-1}(x) - \frac{ia\sqrt{x^2+1}\tan^{-1}\left(\frac{x-i}{x+i}\right)}{2\sqrt{ax^2+a}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + a*x^2]*ArcCot[x], x]
```

```
[Out] Sqrt[a + a*x^2]/2 + (x*Sqrt[a + a*x^2]*ArcCot[x])/2 - (I*a*Sqrt[1 + x^2]*ArcCot[x]*ArcTan[Sqrt[1 + I*x]/Sqrt[1 - I*x]])/Sqrt[a + a*x^2] - ((I/2)*a*Sqrt[1 + x^2]*PolyLog[2, ((-I)*Sqrt[1 + I*x])/Sqrt[1 - I*x]])/Sqrt[a + a*x^2] + ((I/2)*a*Sqrt[1 + x^2]*PolyLog[2, (I*Sqrt[1 + I*x])/Sqrt[1 - I*x]])/Sqrt[a + a*x^2]
```

Rule 4879

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))*((d_) + (e_.)*(x_)^2)^(q_.), x_Symbol] :> Simp[(b*(d + e*x^2)^q)/(2*c*q*(2*q + 1)), x] + (Dist[(2*d*q)/(2*q + 1), Int[(d + e*x^2)^(q - 1)*(a + b*ArcCot[c*x]), x], x] + Simp[(x*(d + e*x^2)^q*(a + b*ArcCot[c*x])]/(2*q + 1), x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && GtQ[q, 0]
```

Rule 4891

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> Dist[Sqrt[1 + c^2*x^2]/Sqrt[d + e*x^2], Int[(a + b*ArcCot[c*x])^p/Sqrt[1 + c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0] && !GtQ[d, 0]
```

Rule 4887

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> Simp[(-2*I*(a + b*ArcCot[c*x])*ArcTan[Sqrt[1 + I*c*x]/Sqrt[1 - I*c*x]])/(c*Sqrt[d]), x] + (-Simp[(I*b*PolyLog[2, -((I*Sqrt[1 + I*c*x])/Sqrt[1 - I*c*x])])]/(c*Sqrt[d]), x] + Simp[(I*b*PolyLog[2, (I*Sqrt[1 + I*c*x])/Sqrt[1 - I*c*x]])]/(c*Sqrt[d]), x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && GtQ[d, 0]
```

Rubi steps

$$\begin{aligned} \int \sqrt{a+ax^2} \cot^{-1}(x) dx &= \frac{1}{2} \sqrt{a+ax^2} + \frac{1}{2} x \sqrt{a+ax^2} \cot^{-1}(x) + \frac{1}{2} a \int \frac{\cot^{-1}(x)}{\sqrt{a+ax^2}} dx \\ &= \frac{1}{2} \sqrt{a+ax^2} + \frac{1}{2} x \sqrt{a+ax^2} \cot^{-1}(x) + \frac{(a\sqrt{1+x^2}) \int \frac{\cot^{-1}(x)}{\sqrt{1+x^2}} dx}{2\sqrt{a+ax^2}} \\ &= \frac{1}{2} \sqrt{a+ax^2} + \frac{1}{2} x \sqrt{a+ax^2} \cot^{-1}(x) - \frac{ia\sqrt{1+x^2} \cot^{-1}(x) \tan^{-1}\left(\frac{\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{\sqrt{a+ax^2}} - \frac{ia\sqrt{1+x^2} \text{Li}_2\left(-\frac{1}{\sqrt{a+ax^2}}\right)}{2\sqrt{a+ax^2}} \end{aligned}$$

Mathematica [A] time = 1.11405, size = 136, normalized size = 0.7

$$\frac{(a(x^2+1))^{3/2} \left(4i \text{PolyLog}\left(2, -e^{i \cot^{-1}(x)}\right) - 4i \text{PolyLog}\left(2, e^{i \cot^{-1}(x)}\right) - 2 \cot\left(\frac{1}{2} \cot^{-1}(x)\right) + 4 \cot^{-1}(x) \log\left(1 - e^{i \cot^{-1}(x)}\right) \right)}{8a \left(\frac{1}{x^2} + \dots\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + a*x^2]*ArcCot[x], x]

[Out] $-\left((a*(1+x^2))^{3/2}*(-2*\text{Cot}[\text{ArcCot}[x]/2] - \text{ArcCot}[x]*\text{Csc}[\text{ArcCot}[x]/2]^2 + 4*\text{ArcCot}[x]*\text{Log}[1 - \text{E}^{(I*\text{ArcCot}[x])}] - 4*\text{ArcCot}[x]*\text{Log}[1 + \text{E}^{(I*\text{ArcCot}[x])}]) + (4*I)*\text{PolyLog}[2, -\text{E}^{(I*\text{ArcCot}[x])}] - (4*I)*\text{PolyLog}[2, \text{E}^{(I*\text{ArcCot}[x])}] + \text{ArcCot}[x]*\text{Sec}[\text{ArcCot}[x]/2]^2 - 2*\text{Tan}[\text{ArcCot}[x]/2])\right)/(8*a*(1+x^2))^{3/2}$

Maple [A] time = 0.7, size = 117, normalized size = 0.6

$$\frac{\text{arccot}(x)+1}{2} \sqrt{a(x+i)(x-i)} - \frac{i}{2} \sqrt{a(x+i)(x-i)} \left(i \text{arccot}(x) \ln\left(1+(x+i)\frac{1}{\sqrt{x^2+1}}\right) - i \text{arccot}(x) \ln\left(1-(x+i)\frac{1}{\sqrt{x^2+1}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*x^2+a)^(1/2)*arccot(x), x)

[Out] $\frac{1}{2}*(a*(x+I)*(x-I))^{1/2}*(x*\text{arccot}(x)+1) - \frac{1}{2}*I*(a*(x+I)*(x-I))^{1/2}*(I*\text{arccot}(x)*\ln(1+(x+I)/(x^2+1)^{1/2}) - I*\text{arccot}(x)*\ln(1-(x+I)/(x^2+1)^{1/2})) + \text{polylog}(2, -(x+I)/(x^2+1)^{1/2}) - \text{polylog}(2, (x+I)/(x^2+1)^{1/2}) / (x^2+1)^{1/2}$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*x^2+a)^(1/2)*arccot(x), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{ax^2 + a} \operatorname{arccot}(x), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*x^2+a)^(1/2)*arccot(x),x, algorithm="fricas")

[Out] integral(sqrt(a*x^2 + a)*arccot(x), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(x^2 + 1)} \operatorname{acot}(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*x**2+a)**(1/2)*acot(x),x)

[Out] Integral(sqrt(a*(x**2 + 1))*acot(x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{ax^2 + a} \operatorname{arccot}(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*x^2+a)^(1/2)*arccot(x),x, algorithm="giac")

[Out] integrate(sqrt(a*x^2 + a)*arccot(x), x)

$$3.66 \quad \int \frac{\cot^{-1}(x)}{\sqrt{a+ax^2}} dx$$

Optimal. Leaf size=155

$$-\frac{i\sqrt{x^2+1}\text{PolyLog}\left(2, -\frac{i\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{\sqrt{ax^2+a}} + \frac{i\sqrt{x^2+1}\text{PolyLog}\left(2, \frac{i\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{\sqrt{ax^2+a}} - \frac{2i\sqrt{x^2+1}\tan^{-1}\left(\frac{\sqrt{1+ix}}{\sqrt{1-ix}}\right)\cot^{-1}(x)}{\sqrt{ax^2+a}}$$

[Out] $((-2*I)*\text{Sqrt}[1+x^2]*\text{ArcCot}[x]*\text{ArcTan}[\text{Sqrt}[1+I*x]/\text{Sqrt}[1-I*x]])/\text{Sqrt}[a+a*x^2] - (I*\text{Sqrt}[1+x^2]*\text{PolyLog}[2, ((-I)*\text{Sqrt}[1+I*x])/\text{Sqrt}[1-I*x]])/\text{Sqrt}[a+a*x^2] + (I*\text{Sqrt}[1+x^2]*\text{PolyLog}[2, (I*\text{Sqrt}[1+I*x])/\text{Sqrt}[1-I*x]])/\text{Sqrt}[a+a*x^2]$

Rubi [A] time = 0.0447531, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4891, 4887}

$$-\frac{i\sqrt{x^2+1}\text{PolyLog}\left(2, -\frac{i\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{\sqrt{ax^2+a}} + \frac{i\sqrt{x^2+1}\text{PolyLog}\left(2, \frac{i\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{\sqrt{ax^2+a}} - \frac{2i\sqrt{x^2+1}\tan^{-1}\left(\frac{\sqrt{1+ix}}{\sqrt{1-ix}}\right)\cot^{-1}(x)}{\sqrt{ax^2+a}}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[x]/Sqrt[a + a*x^2], x]

[Out] $((-2*I)*\text{Sqrt}[1+x^2]*\text{ArcCot}[x]*\text{ArcTan}[\text{Sqrt}[1+I*x]/\text{Sqrt}[1-I*x]])/\text{Sqrt}[a+a*x^2] - (I*\text{Sqrt}[1+x^2]*\text{PolyLog}[2, ((-I)*\text{Sqrt}[1+I*x])/\text{Sqrt}[1-I*x]])/\text{Sqrt}[a+a*x^2] + (I*\text{Sqrt}[1+x^2]*\text{PolyLog}[2, (I*\text{Sqrt}[1+I*x])/\text{Sqrt}[1-I*x]])/\text{Sqrt}[a+a*x^2]$

Rule 4891

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^p_/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> Dist[Sqrt[1 + c^2*x^2]/Sqrt[d + e*x^2], Int[(a + b*ArcCot[c*x])^p/Sqrt[1 + c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0] && !GtQ[d, 0]

Rule 4887

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> Simp[(-2*I*(a + b*ArcCot[c*x])*ArcTan[Sqrt[1 + I*c*x]/Sqrt[1 - I*c*x]])/(c*Sqrt[d]), x] + (-Simp[(I*b*PolyLog[2, -((I*Sqrt[1 + I*c*x])/Sqrt[1 - I*c*x])])/(c*Sqrt[d]), x] + Simp[(I*b*PolyLog[2, (I*Sqrt[1 + I*c*x])/Sqrt[1 - I*c*x]])/(c*Sqrt[d]), x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && GtQ[d, 0]

Rubi steps

$$\int \frac{\cot^{-1}(x)}{\sqrt{a+ax^2}} dx = \frac{\sqrt{1+x^2} \int \frac{\cot^{-1}(x)}{\sqrt{1+x^2}} dx}{\sqrt{a+ax^2}} = -\frac{2i\sqrt{1+x^2}\cot^{-1}(x)\tan^{-1}\left(\frac{\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{\sqrt{a+ax^2}} - \frac{i\sqrt{1+x^2}\text{Li}_2\left(-\frac{i\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{\sqrt{a+ax^2}} + \frac{i\sqrt{1+x^2}\text{Li}_2\left(\frac{i\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{\sqrt{a+ax^2}}$$

Mathematica [A] time = 0.102603, size = 89, normalized size = 0.57

$$\frac{\sqrt{a(x^2+1)} \left(i \operatorname{PolyLog}\left(2, -e^{i \cot^{-1}(x)}\right) - i \operatorname{PolyLog}\left(2, e^{i \cot^{-1}(x)}\right) + \cot^{-1}(x) \left(\log\left(1 - e^{i \cot^{-1}(x)}\right) - \log\left(1 + e^{i \cot^{-1}(x)}\right) \right) \right)}{a \sqrt{\frac{1}{x^2} + 1} x}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[x]/Sqrt[a + a*x^2], x]

[Out] -((Sqrt[a*(1 + x^2)]*(ArcCot[x]*(Log[1 - E^(I*ArcCot[x])]) - Log[1 + E^(I*ArcCot[x])])) + I*PolyLog[2, -E^(I*ArcCot[x])]) - I*PolyLog[2, E^(I*ArcCot[x])])/(a*Sqrt[1 + x^(-2)]*x)

Maple [A] time = 0.57, size = 99, normalized size = 0.6

$$\frac{i}{a} \left(\operatorname{arccot}(x) \ln\left(1 - (x+i) \frac{1}{\sqrt{x^2+1}}\right) - \operatorname{arccot}(x) \ln\left(1 + (x+i) \frac{1}{\sqrt{x^2+1}}\right) + \operatorname{polylog}\left(2, (x+i) \frac{1}{\sqrt{x^2+1}}\right) - \operatorname{polylog}\left(2, (x-i) \frac{1}{\sqrt{x^2+1}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(x)/(a*x^2+a)^(1/2), x)

[Out] I*(I*arccot(x)*ln(1-(x+I)/(x^2+1)^(1/2))-I*arccot(x)*ln(1+(x+I)/(x^2+1)^(1/2))+polylog(2,(x+I)/(x^2+1)^(1/2))-polylog(2,-(x+I)/(x^2+1)^(1/2)))*(a*(x+I)*(x-I))^(1/2)/(x^2+1)^(1/2)/a

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/(a*x^2+a)^(1/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(x)}{\sqrt{ax^2+a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/(a*x^2+a)^(1/2), x, algorithm="fricas")

[Out] integral(arccot(x)/sqrt(a*x^2 + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(x)}{\sqrt{a(x^2 + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(x)/(a*x**2+a)**(1/2), x)

[Out] Integral(acot(x)/sqrt(a*(x**2 + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(x)}{\sqrt{ax^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/(a*x^2+a)^(1/2), x, algorithm="giac")

[Out] integrate(arccot(x)/sqrt(a*x^2 + a), x)

$$3.67 \quad \int \frac{\cot^{-1}(x)}{(a+ax^2)^{3/2}} dx$$

Optimal. Leaf size=35

$$\frac{x \cot^{-1}(x)}{a\sqrt{ax^2 + a}} - \frac{1}{a\sqrt{ax^2 + a}}$$

[Out] $-(1/(a*\text{Sqrt}[a + a*x^2])) + (x*\text{ArcCot}[x])/(a*\text{Sqrt}[a + a*x^2])$

Rubi [A] time = 0.0203738, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {4895}

$$\frac{x \cot^{-1}(x)}{a\sqrt{ax^2 + a}} - \frac{1}{a\sqrt{ax^2 + a}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{ArcCot}[x]/(a + a*x^2)^{(3/2)}, x]$

[Out] $-(1/(a*\text{Sqrt}[a + a*x^2])) + (x*\text{ArcCot}[x])/(a*\text{Sqrt}[a + a*x^2])$

Rule 4895

$\text{Int}[(a_.) + \text{ArcCot}[(c_.)*(x_.)]*(b_.)]/((d_.) + (e_.)*(x_.)^2)^{(3/2)}, x_Symbol] :> -\text{Simp}[b/(c*d*\text{Sqrt}[d + e*x^2]), x] + \text{Simp}[(x*(a + b*\text{ArcCot}[c*x]))/(d*\text{Sqrt}[d + e*x^2]), x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[e, c^2*d]$

Rubi steps

$$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{3/2}} dx = -\frac{1}{a\sqrt{a+ax^2}} + \frac{x \cot^{-1}(x)}{a\sqrt{a+ax^2}}$$

Mathematica [A] time = 0.0227613, size = 21, normalized size = 0.6

$$\frac{x \cot^{-1}(x) - 1}{a\sqrt{a(x^2 + 1)}}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[\text{ArcCot}[x]/(a + a*x^2)^{(3/2)}, x]$

[Out] $(-1 + x*\text{ArcCot}[x])/(a*\text{Sqrt}[a*(1 + x^2)])$

Maple [C] time = 0.381, size = 68, normalized size = 1.9

$$\frac{(\text{arccot}(x) + i)(x + i)}{(2x^2 + 2)a^2} \sqrt{a(x + i)(x - i)} + \frac{(x - i)(\text{arccot}(x) - i)}{(2x^2 + 2)a^2} \sqrt{a(x + i)(x - i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccot(x)/(a*x^2+a)^(3/2),x)`

[Out] $\frac{1}{2}(\operatorname{arccot}(x)+I)(x+I)(a(x+I)(x-I))^{1/2}/(x^2+1)/a^2+1/2(a(x+I)(x-I))^{1/2}(x-I)(\operatorname{arccot}(x)-I)/(x^2+1)/a^2$

Maxima [A] time = 1.46939, size = 42, normalized size = 1.2

$$\frac{x \operatorname{arccot}(x)}{\sqrt{ax^2 + aa}} - \frac{1}{\sqrt{ax^2 + aa}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x)/(a*x^2+a)^(3/2),x, algorithm="maxima")`

[Out] $x \operatorname{arccot}(x)/(\sqrt{a x^2+a} a)-1/(\sqrt{a x^2+a} a)$

Fricas [A] time = 2.11805, size = 69, normalized size = 1.97

$$\frac{\sqrt{ax^2 + a}(x \operatorname{arccot}(x) - 1)}{a^2 x^2 + a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x)/(a*x^2+a)^(3/2),x, algorithm="fricas")`

[Out] $\sqrt{a x^2+a}(x \operatorname{arccot}(x)-1)/(a^2 x^2+a^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(x)}{(a(x^2+1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acot(x)/(a*x**2+a)**(3/2),x)`

[Out] `Integral(acot(x)/(a*(x**2 + 1))**(3/2), x)`

Giac [A] time = 1.14389, size = 45, normalized size = 1.29

$$\frac{x \arctan\left(\frac{1}{x}\right)}{\sqrt{ax^2 + aa}} - \frac{1}{\sqrt{ax^2 + aa}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x)/(a*x^2+a)^(3/2),x, algorithm="giac")`

[Out] $x \arctan(1/x)/(\sqrt{a x^2+a} a)-1/(\sqrt{a x^2+a} a)$

$$3.68 \quad \int \frac{\cot^{-1}(x)}{(a+ax^2)^{5/2}} dx$$

Optimal. Leaf size=79

$$-\frac{2}{3a^2\sqrt{ax^2+a}} + \frac{2x \cot^{-1}(x)}{3a^2\sqrt{ax^2+a}} - \frac{1}{9a(ax^2+a)^{3/2}} + \frac{x \cot^{-1}(x)}{3a(ax^2+a)^{3/2}}$$

[Out] $-1/(9*a*(a + a*x^2)^{(3/2)}) - 2/(3*a^2*sqrt[a + a*x^2]) + (x*ArcCot[x])/(3*a*(a + a*x^2)^{(3/2)}) + (2*x*ArcCot[x])/(3*a^2*sqrt[a + a*x^2])$

Rubi [A] time = 0.0440098, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4897, 4895}

$$-\frac{2}{3a^2\sqrt{ax^2+a}} + \frac{2x \cot^{-1}(x)}{3a^2\sqrt{ax^2+a}} - \frac{1}{9a(ax^2+a)^{3/2}} + \frac{x \cot^{-1}(x)}{3a(ax^2+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[x]/(a + a*x^2)^(5/2), x]

[Out] $-1/(9*a*(a + a*x^2)^{(3/2)}) - 2/(3*a^2*sqrt[a + a*x^2]) + (x*ArcCot[x])/(3*a*(a + a*x^2)^{(3/2)}) + (2*x*ArcCot[x])/(3*a^2*sqrt[a + a*x^2])$

Rule 4897

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))/((d_) + (e_.)*(x_)^2)^(q_), x_Symbol] :> -Simp[(b*(d + e*x^2)^(q + 1))/(4*c*d*(q + 1)^2), x] + (Dist[(2*q + 3)/(2*d*(q + 1)), Int[(d + e*x^2)^(q + 1)*(a + b*ArcCot[c*x]), x], x] - Simp[(x*(d + e*x^2)^(q + 1)*(a + b*ArcCot[c*x]))/(2*d*(q + 1)), x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && LtQ[q, -1] && NeQ[q, -3/2]

Rule 4895

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))/((d_) + (e_.)*(x_)^2)^(3/2), x_Symbol] :> -Simp[b/(c*d*Sqrt[d + e*x^2]), x] + Simp[(x*(a + b*ArcCot[c*x]))/(d*Sqrt[d + e*x^2]), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d]

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(x)}{(a+ax^2)^{5/2}} dx &= -\frac{1}{9a(a+ax^2)^{3/2}} + \frac{x \cot^{-1}(x)}{3a(a+ax^2)^{3/2}} + \frac{2 \int \frac{\cot^{-1}(x)}{(a+ax^2)^{3/2}} dx}{3a} \\ &= -\frac{1}{9a(a+ax^2)^{3/2}} - \frac{2}{3a^2\sqrt{a+ax^2}} + \frac{x \cot^{-1}(x)}{3a(a+ax^2)^{3/2}} + \frac{2x \cot^{-1}(x)}{3a^2\sqrt{a+ax^2}} \end{aligned}$$

Mathematica [A] time = 0.0305638, size = 37, normalized size = 0.47

$$\frac{-6x^2 + (6x^3 + 9x) \cot^{-1}(x) - 7}{9a(a(x^2 + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[x]/(a + a*x^2)^(5/2), x]

[Out] $(-7 - 6x^2 + (9x + 6x^3) \operatorname{ArcCot}[x]) / (9a(a(1 + x^2))^{3/2})$

Maple [C] time = 0.386, size = 165, normalized size = 2.1

$$\frac{(i + 3 \operatorname{arccot}(x))(3ix^2 + x^3 - i - 3x)}{72(x^2 + 1)^2 a^3} \sqrt{a(x+i)(x-i)} + \frac{(3 \operatorname{arccot}(x) + 3i)(x+i)}{8a^3(x^2 + 1)} \sqrt{a(x+i)(x-i)} + \frac{(3x - 3i)(a(x-i))^{3/2}}{8a^3(x^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(x)/(a*x^2+a)^(5/2), x)

[Out] $-1/72*(I+3*\operatorname{arccot}(x))*(3*I*x^2+x^3-I-3*x)*(a*(x+I)*(x-I))^{1/2}/(x^2+1)^2/a^3+3/8*(\operatorname{arccot}(x)+I)*(x+I)*(a*(x+I)*(x-I))^{1/2}/a^3/(x^2+1)+3/8*(a*(x+I)*(x-I))^{1/2}*(x-I)*(\operatorname{arccot}(x)-I)/a^3/(x^2+1)-1/72*(-I+3*\operatorname{arccot}(x))*(a*(x+I)*(x-I))^{1/2}*(-3*x-3*I*x^2+x^3+I)/(x^4+2*x^2+1)/a^3$

Maxima [A] time = 1.45611, size = 85, normalized size = 1.08

$$\frac{1}{3} \left(\frac{2x}{\sqrt{ax^2 + aa^2}} + \frac{x}{(ax^2 + a)^{3/2} a} \right) \operatorname{arccot}(x) - \frac{2}{3\sqrt{ax^2 + aa^2}} - \frac{1}{9(ax^2 + a)^{3/2} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/(a*x^2+a)^(5/2), x, algorithm="maxima")

[Out] $1/3*(2*x/(\operatorname{sqrt}(a*x^2 + a)*a^2) + x/((a*x^2 + a)^{3/2}*a))*\operatorname{arccot}(x) - 2/3/(\operatorname{sqrt}(a*x^2 + a)*a^2) - 1/9/((a*x^2 + a)^{3/2}*a)$

Fricas [A] time = 2.20266, size = 122, normalized size = 1.54

$$\frac{\sqrt{ax^2 + a}(6x^2 - 3(2x^3 + 3x) \operatorname{arccot}(x) + 7)}{9(a^3x^4 + 2a^3x^2 + a^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/(a*x^2+a)^(5/2), x, algorithm="fricas")

[Out] $-1/9*\operatorname{sqrt}(a*x^2 + a)*(6*x^2 - 3*(2*x^3 + 3*x)*\operatorname{arccot}(x) + 7)/(a^3*x^4 + 2*a^3*x^2 + a^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(x)}{(a(x^2 + 1))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(x)/(a*x**2+a)**(5/2),x)

[Out] Integral(acot(x)/(a*(x**2 + 1))**(5/2), x)

Giac [A] time = 1.14799, size = 74, normalized size = 0.94

$$\frac{x\left(\frac{2x^2}{a} + \frac{3}{a}\right)\arctan\left(\frac{1}{x}\right)}{3(ax^2 + a)^{\frac{3}{2}}} - \frac{6ax^2 + 7a}{9(ax^2 + a)^{\frac{3}{2}}a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/(a*x^2+a)^(5/2),x, algorithm="giac")

[Out] 1/3*x*(2*x^2/a + 3/a)*arctan(1/x)/(a*x^2 + a)^(3/2) - 1/9*(6*a*x^2 + 7*a)/(a*x^2 + a)^(3/2)*a^2)

$$3.69 \quad \int \frac{\cot^{-1}(x)}{(a+ax^2)^{7/2}} dx$$

Optimal. Leaf size=118

$$-\frac{8}{15a^3\sqrt{ax^2+a}} - \frac{4}{45a^2(ax^2+a)^{3/2}} + \frac{8x\cot^{-1}(x)}{15a^3\sqrt{ax^2+a}} + \frac{4x\cot^{-1}(x)}{15a^2(ax^2+a)^{3/2}} - \frac{1}{25a(ax^2+a)^{5/2}} + \frac{x\cot^{-1}(x)}{5a(ax^2+a)^{5/2}}$$

[Out] $-1/(25*a*(a + a*x^2)^(5/2)) - 4/(45*a^2*(a + a*x^2)^(3/2)) - 8/(15*a^3*\text{Sqrt}[a + a*x^2]) + (x*\text{ArcCot}[x])/(5*a*(a + a*x^2)^(5/2)) + (4*x*\text{ArcCot}[x])/(15*a^2*(a + a*x^2)^(3/2)) + (8*x*\text{ArcCot}[x])/(15*a^3*\text{Sqrt}[a + a*x^2])$

Rubi [A] time = 0.0670812, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4897, 4895}

$$-\frac{8}{15a^3\sqrt{ax^2+a}} - \frac{4}{45a^2(ax^2+a)^{3/2}} + \frac{8x\cot^{-1}(x)}{15a^3\sqrt{ax^2+a}} + \frac{4x\cot^{-1}(x)}{15a^2(ax^2+a)^{3/2}} - \frac{1}{25a(ax^2+a)^{5/2}} + \frac{x\cot^{-1}(x)}{5a(ax^2+a)^{5/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{ArcCot}[x]/(a + a*x^2)^(7/2), x]$

[Out] $-1/(25*a*(a + a*x^2)^(5/2)) - 4/(45*a^2*(a + a*x^2)^(3/2)) - 8/(15*a^3*\text{Sqrt}[a + a*x^2]) + (x*\text{ArcCot}[x])/(5*a*(a + a*x^2)^(5/2)) + (4*x*\text{ArcCot}[x])/(15*a^2*(a + a*x^2)^(3/2)) + (8*x*\text{ArcCot}[x])/(15*a^3*\text{Sqrt}[a + a*x^2])$

Rule 4897

$\text{Int}[(a + \text{ArcCot}[c*x])*(b + (d + e*x^2)^q), x]$ Symbol
 $\text{Int}[(a + \text{ArcCot}[c*x])*(b + (d + e*x^2)^q), x] \rightarrow -\text{Simp}[b*(d + e*x^2)^{q+1}/(4*c*d*(q+1)^2), x] + (\text{Dist}[(2*q+3)/(2*d*(q+1)), \text{Int}[(d + e*x^2)^{q+1}*(a + b*\text{ArcCot}[c*x]), x], x] - \text{Simp}[x*(d + e*x^2)^{q+1}*(a + b*\text{ArcCot}[c*x])/(2*d*(q+1)), x]) /;$ FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && LtQ[q, -1] && NeQ[q, -3/2]

Rule 4895

$\text{Int}[(a + \text{ArcCot}[c*x])/(d + e*x^2)^{3/2}, x]$ Symbol
 $\text{Int}[(a + \text{ArcCot}[c*x])/(d + e*x^2)^{3/2}, x] \rightarrow -\text{Simp}[b/(c*d*\text{Sqrt}[d + e*x^2]), x] + \text{Simp}[(x*(a + b*\text{ArcCot}[c*x]))/(d*\text{Sqrt}[d + e*x^2]), x] /;$ FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d]

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(x)}{(a+ax^2)^{7/2}} dx &= -\frac{1}{25a(a+ax^2)^{5/2}} + \frac{x\cot^{-1}(x)}{5a(a+ax^2)^{5/2}} + \frac{4 \int \frac{\cot^{-1}(x)}{(a+ax^2)^{5/2}} dx}{5a} \\ &= -\frac{1}{25a(a+ax^2)^{5/2}} - \frac{4}{45a^2(a+ax^2)^{3/2}} + \frac{x\cot^{-1}(x)}{5a(a+ax^2)^{5/2}} + \frac{4x\cot^{-1}(x)}{15a^2(a+ax^2)^{3/2}} + \frac{8 \int \frac{\cot^{-1}(x)}{(a+ax^2)^{3/2}} dx}{15a^2} \\ &= -\frac{1}{25a(a+ax^2)^{5/2}} - \frac{4}{45a^2(a+ax^2)^{3/2}} - \frac{8}{15a^3\sqrt{a+ax^2}} + \frac{x\cot^{-1}(x)}{5a(a+ax^2)^{5/2}} + \frac{4x\cot^{-1}(x)}{15a^2(a+ax^2)^{3/2}} + \end{aligned}$$

Mathematica [A] time = 0.0378354, size = 47, normalized size = 0.4

$$\frac{-120x^4 - 260x^2 + 15(8x^4 + 20x^2 + 15)x \cot^{-1}(x) - 149}{225a(a(x^2 + 1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[x]/(a + a*x^2)^(7/2), x]

[Out] (-149 - 260*x^2 - 120*x^4 + 15*x*(15 + 20*x^2 + 8*x^4)*ArcCot[x])/(225*a*(a*(1 + x^2))^(5/2))

Maple [C] time = 0.455, size = 289, normalized size = 2.5

$$\frac{(i + 5 \operatorname{arccot}(x))(5ix^4 + x^5 - 10ix^2 - 10x^3 + i + 5x)}{800(x^2 + 1)^3 a^4} \sqrt{a(x+i)(x-i)} - \frac{(5i + 15 \operatorname{arccot}(x))(3ix^2 + x^3 - i - 3x)}{288a^4(x^2 + 1)^2} \sqrt{a(x+i)(x-i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(x)/(a*x^2+a)^(7/2), x)

[Out] 1/800*(I+5*arccot(x))*(5*I*x^4+x^5-10*I*x^2-10*x^3+I+5*x)*(a*(x+I)*(x-I))^(1/2)/(x^2+1)^3/a^4-5/288*(I+3*arccot(x))*(3*I*x^2+x^3-I-3*x)*(a*(x+I)*(x-I))^(1/2)/a^4/(x^2+1)^2+5/16*(arccot(x)+I)*(x+I)*(a*(x+I)*(x-I))^(1/2)/(x^2+1)/a^4+5/16*(a*(x+I)*(x-I))^(1/2)*(x-I)*(arccot(x)-I)/(x^2+1)/a^4-5/288*(-I+3*arccot(x))*(a*(x+I)*(x-I))^(1/2)*(-3*x-3*I*x^2+x^3+I)/(x^4+2*x^2+1)/a^4+1/800*(-I+5*arccot(x))*(a*(x+I)*(x-I))^(1/2)*(-10*x^3-5*I*x^4+x^5+5*x+10*I*x^2-I)/(x^6+3*x^4+3*x^2+1)/a^4

Maxima [A] time = 1.53891, size = 126, normalized size = 1.07

$$\frac{1}{15} \left(\frac{8x}{\sqrt{ax^2 + aa^3}} + \frac{4x}{(ax^2 + a)^{\frac{3}{2}} a^2} + \frac{3x}{(ax^2 + a)^{\frac{5}{2}} a} \right) \operatorname{arccot}(x) - \frac{8}{15 \sqrt{ax^2 + aa^3}} - \frac{4}{45 (ax^2 + a)^{\frac{3}{2}} a^2} - \frac{1}{25 (ax^2 + a)^{\frac{5}{2}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/(a*x^2+a)^(7/2), x, algorithm="maxima")

[Out] 1/15*(8*x/(sqrt(a*x^2 + a)*a^3) + 4*x/((a*x^2 + a)^(3/2)*a^2) + 3*x/((a*x^2 + a)^(5/2)*a))*arccot(x) - 8/15/(sqrt(a*x^2 + a)*a^3) - 4/45/((a*x^2 + a)^(3/2)*a^2) - 1/25/((a*x^2 + a)^(5/2)*a)

Fricas [A] time = 2.19193, size = 174, normalized size = 1.47

$$\frac{(120x^4 + 260x^2 - 15(8x^5 + 20x^3 + 15x) \operatorname{arccot}(x) + 149) \sqrt{ax^2 + a}}{225(a^4x^6 + 3a^4x^4 + 3a^4x^2 + a^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/(a*x^2+a)^(7/2),x, algorithm="fricas")

[Out] $-\frac{1}{225}(120x^4 + 260x^2 - 15(8x^5 + 20x^3 + 15x)\operatorname{arccot}(x) + 149)\sqrt{(ax^2 + a)/(a^4x^6 + 3a^4x^4 + 3a^4x^2 + a^4)}$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(x)/(a*x**2+a)**(7/2),x)

[Out] Timed out

Giac [A] time = 1.14537, size = 112, normalized size = 0.95

$$\frac{\left(4x^2\left(\frac{2x^2}{a} + \frac{5}{a}\right) + \frac{15}{a}\right)x \arctan\left(\frac{1}{x}\right)}{15(ax^2 + a)^{\frac{5}{2}}} - \frac{120(ax^2 + a)^2 + 20(ax^2 + a)a + 9a^2}{225(ax^2 + a)^{\frac{5}{2}}a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/(a*x^2+a)^(7/2),x, algorithm="giac")

[Out] $\frac{1}{15}(4x^2(2x^2/a + 5/a) + 15/a)x \arctan(1/x)/(ax^2 + a)^{5/2} - \frac{1}{225} \frac{(120(ax^2 + a)^2 + 20(ax^2 + a)a + 9a^2)}{(ax^2 + a)^{5/2}a^3}$

$$3.70 \quad \int \frac{x \cot^{-1}(x)}{(1+x^2)^2} dx$$

Optimal. Leaf size=32

$$-\frac{x}{4(x^2+1)} - \frac{\cot^{-1}(x)}{2(x^2+1)} - \frac{1}{4} \tan^{-1}(x)$$

[Out] $-x/(4*(1 + x^2)) - \text{ArcCot}[x]/(2*(1 + x^2)) - \text{ArcTan}[x]/4$

Rubi [A] time = 0.0261825, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {4931, 199, 203}

$$-\frac{x}{4(x^2+1)} - \frac{\cot^{-1}(x)}{2(x^2+1)} - \frac{1}{4} \tan^{-1}(x)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x*\text{ArcCot}[x])/(1 + x^2)^2, x]$

[Out] $-x/(4*(1 + x^2)) - \text{ArcCot}[x]/(2*(1 + x^2)) - \text{ArcTan}[x]/4$

Rule 4931

$\text{Int}[(a_.) + \text{ArcCot}[(c_.)*(x_)]*(b_.)]^{(p_.)}*(x_)*((d_.) + (e_.)*(x_)^2)^{(q_.)}, x_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^{(q+1)}*(a + b*\text{ArcCot}[c*x])^p]/(2*e*(q+1)), x] + \text{Dist}[(b*p)/(2*c*(q+1)), \text{Int}[(d + e*x^2)^q*(a + b*\text{ArcCot}[c*x])^{(p-1)}, x], x] /;$ FreeQ[{a, b, c, d, e, q}, x] && EqQ[e, c^2*d] && GtQ[p, 0] && NeQ[q, -1]

Rule 199

$\text{Int}[(a_.) + (b_.)*(x_)^{(n_)}]^{(p_.)}, x_Symbol] \rightarrow -\text{Simp}[(x*(a + b*x^n)^{(p+1)})/(a*n*(p+1)), x] + \text{Dist}[(n*(p+1) + 1)/(a*n*(p+1)), \text{Int}[(a + b*x^n)^{(p+1)}, x], x] /;$ FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])

Rule 203

$\text{Int}[(a_.) + (b_.)*(x_)^2]^{(-1)}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{x \cot^{-1}(x)}{(1+x^2)^2} dx &= -\frac{\cot^{-1}(x)}{2(1+x^2)} - \frac{1}{2} \int \frac{1}{(1+x^2)^2} dx \\ &= -\frac{x}{4(1+x^2)} - \frac{\cot^{-1}(x)}{2(1+x^2)} - \frac{1}{4} \int \frac{1}{1+x^2} dx \\ &= -\frac{x}{4(1+x^2)} - \frac{\cot^{-1}(x)}{2(1+x^2)} - \frac{1}{4} \tan^{-1}(x) \end{aligned}$$

Mathematica [A] time = 0.0183403, size = 25, normalized size = 0.78

$$-\frac{x^2 \tan^{-1}(x) + x + \tan^{-1}(x) + 2 \cot^{-1}(x)}{4x^2 + 4}$$

Antiderivative was successfully verified.

[In] Integrate[(x*ArcCot[x])/(1 + x^2)^2,x]

[Out] -((x + 2*ArcCot[x] + ArcTan[x] + x^2*ArcTan[x])/(4 + 4*x^2))

Maple [A] time = 0.026, size = 27, normalized size = 0.8

$$-\frac{x}{4x^2 + 4} - \frac{\operatorname{arccot}(x)}{2x^2 + 2} - \frac{\operatorname{arctan}(x)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccot(x)/(x^2+1)^2,x)

[Out] -1/4*x/(x^2+1)-1/2*arccot(x)/(x^2+1)-1/4*arctan(x)

Maxima [A] time = 1.48701, size = 35, normalized size = 1.09

$$-\frac{x}{4(x^2 + 1)} - \frac{\operatorname{arccot}(x)}{2(x^2 + 1)} - \frac{1}{4} \operatorname{arctan}(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(x)/(x^2+1)^2,x, algorithm="maxima")

[Out] -1/4*x/(x^2 + 1) - 1/2*arccot(x)/(x^2 + 1) - 1/4*arctan(x)

Fricas [A] time = 2.14481, size = 55, normalized size = 1.72

$$\frac{(x^2 - 1) \operatorname{arccot}(x) - x}{4(x^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(x)/(x^2+1)^2,x, algorithm="fricas")

[Out] 1/4*((x^2 - 1)*arccot(x) - x)/(x^2 + 1)

Sympy [A] time = 0.70656, size = 31, normalized size = 0.97

$$\frac{x^2 \operatorname{acot}(x)}{4x^2 + 4} - \frac{x}{4x^2 + 4} - \frac{\operatorname{acot}(x)}{4x^2 + 4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*acot(x)/(x**2+1)**2,x)

[Out] x**2*acot(x)/(4*x**2 + 4) - x/(4*x**2 + 4) - acot(x)/(4*x**2 + 4)

Giac [A] time = 1.10231, size = 38, normalized size = 1.19

$$-\frac{x}{4(x^2 + 1)} - \frac{\arctan\left(\frac{1}{x}\right)}{2(x^2 + 1)} - \frac{1}{4} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(x)/(x^2+1)^2,x, algorithm="giac")

[Out] -1/4*x/(x^2 + 1) - 1/2*arctan(1/x)/(x^2 + 1) - 1/4*arctan(x)

$$3.71 \quad \int \frac{x \cot^{-1}(x)}{(1+x^2)^3} dx$$

Optimal. Leaf size=44

$$-\frac{3x}{32(x^2+1)} - \frac{x}{16(x^2+1)^2} - \frac{\cot^{-1}(x)}{4(x^2+1)^2} - \frac{3}{32} \tan^{-1}(x)$$

[Out] $-x/(16*(1 + x^2)^2) - (3*x)/(32*(1 + x^2)) - \text{ArcCot}[x]/(4*(1 + x^2)^2) - (3*\text{ArcTan}[x])/32$

Rubi [A] time = 0.0288825, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {4931, 199, 203}

$$-\frac{3x}{32(x^2+1)} - \frac{x}{16(x^2+1)^2} - \frac{\cot^{-1}(x)}{4(x^2+1)^2} - \frac{3}{32} \tan^{-1}(x)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x*\text{ArcCot}[x])/(1 + x^2)^3, x]$

[Out] $-x/(16*(1 + x^2)^2) - (3*x)/(32*(1 + x^2)) - \text{ArcCot}[x]/(4*(1 + x^2)^2) - (3*\text{ArcTan}[x])/32$

Rule 4931

$\text{Int}[(a + \text{ArcCot}[c*x])*(b*x)^p*(d + e*x^2)^q, x_Symbol] := \text{Simp}[(d + e*x^2)^{q+1}*(a + b*\text{ArcCot}[c*x])^p/(2*e*(q+1)), x] + \text{Dist}[(b*p)/(2*c*(q+1)), \text{Int}[(d + e*x^2)^q*(a + b*\text{ArcCot}[c*x])^{p-1}, x], x] /;$ FreeQ[{a, b, c, d, e, q}, x] && EqQ[e, c^2*d] && GtQ[p, 0] && NeQ[q, -1]

Rule 199

$\text{Int}[(a + b*x^n)^p, x_Symbol] := -\text{Simp}[(x*(a + b*x^n)^{p+1})/(a*n*(p+1)), x] + \text{Dist}[(n*(p+1) + 1)/(a*n*(p+1)), \text{Int}[(a + b*x^n)^{p+1}, x], x] /;$ FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])

Rule 203

$\text{Int}[(a + b*x^2)^{-1}, x_Symbol] := \text{Simp}[(1*\text{ArcTan}[\text{Rt}[b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{x \cot^{-1}(x)}{(1+x^2)^3} dx &= -\frac{\cot^{-1}(x)}{4(1+x^2)^2} - \frac{1}{4} \int \frac{1}{(1+x^2)^3} dx \\
&= -\frac{x}{16(1+x^2)^2} - \frac{\cot^{-1}(x)}{4(1+x^2)^2} - \frac{3}{16} \int \frac{1}{(1+x^2)^2} dx \\
&= -\frac{x}{16(1+x^2)^2} - \frac{3x}{32(1+x^2)} - \frac{\cot^{-1}(x)}{4(1+x^2)^2} - \frac{3}{32} \int \frac{1}{1+x^2} dx \\
&= -\frac{x}{16(1+x^2)^2} - \frac{3x}{32(1+x^2)} - \frac{\cot^{-1}(x)}{4(1+x^2)^2} - \frac{3}{32} \tan^{-1}(x)
\end{aligned}$$

Mathematica [A] time = 0.021473, size = 36, normalized size = 0.82

$$\frac{x(3x^2 + 5) + 3(x^2 + 1)^2 \tan^{-1}(x) + 8 \cot^{-1}(x)}{32(x^2 + 1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x*ArcCot[x])/(1 + x^2)^3,x]

[Out] -(x*(5 + 3*x^2) + 8*ArcCot[x] + 3*(1 + x^2)^2*ArcTan[x])/(32*(1 + x^2)^2)

Maple [A] time = 0.025, size = 37, normalized size = 0.8

$$-\frac{x}{16(x^2 + 1)^2} - \frac{3x}{32x^2 + 32} - \frac{\operatorname{arccot}(x)}{4(x^2 + 1)^2} - \frac{3 \operatorname{arctan}(x)}{32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccot(x)/(x^2+1)^3,x)

[Out] -1/16*x/(x^2+1)^2-3/32*x/(x^2+1)-1/4*arccot(x)/(x^2+1)^2-3/32*arctan(x)

Maxima [A] time = 1.47224, size = 53, normalized size = 1.2

$$-\frac{3x^3 + 5x}{32(x^4 + 2x^2 + 1)} - \frac{\operatorname{arccot}(x)}{4(x^2 + 1)^2} - \frac{3}{32} \operatorname{arctan}(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(x)/(x^2+1)^3,x, algorithm="maxima")

[Out] -1/32*(3*x^3 + 5*x)/(x^4 + 2*x^2 + 1) - 1/4*arccot(x)/(x^2 + 1)^2 - 3/32*arctan(x)

Fricas [A] time = 2.10158, size = 96, normalized size = 2.18

$$-\frac{3x^3 - (3x^4 + 6x^2 - 5)\operatorname{arccot}(x) + 5x}{32(x^4 + 2x^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(x)/(x^2+1)^3,x, algorithm="fricas")

[Out] -1/32*(3*x^3 - (3*x^4 + 6*x^2 - 5)*arccot(x) + 5*x)/(x^4 + 2*x^2 + 1)

Sympy [B] time = 1.20351, size = 88, normalized size = 2.

$$\frac{3x^4 \operatorname{acot}(x)}{32x^4 + 64x^2 + 32} - \frac{3x^3}{32x^4 + 64x^2 + 32} + \frac{6x^2 \operatorname{acot}(x)}{32x^4 + 64x^2 + 32} - \frac{5x}{32x^4 + 64x^2 + 32} - \frac{5 \operatorname{acot}(x)}{32x^4 + 64x^2 + 32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*acot(x)/(x**2+1)**3,x)

[Out] 3*x**4*acot(x)/(32*x**4 + 64*x**2 + 32) - 3*x**3/(32*x**4 + 64*x**2 + 32) + 6*x**2*acot(x)/(32*x**4 + 64*x**2 + 32) - 5*x/(32*x**4 + 64*x**2 + 32) - 5*acot(x)/(32*x**4 + 64*x**2 + 32)

Giac [A] time = 1.11184, size = 49, normalized size = 1.11

$$-\frac{3x^3 + 5x}{32(x^2 + 1)^2} - \frac{\arctan\left(\frac{1}{x}\right)}{4(x^2 + 1)^2} - \frac{3}{32} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(x)/(x^2+1)^3,x, algorithm="giac")

[Out] -1/32*(3*x^3 + 5*x)/(x^2 + 1)^2 - 1/4*arctan(1/x)/(x^2 + 1)^2 - 3/32*arctan(x)

$$3.72 \quad \int \frac{\cot^{-1}(x)}{(1+x^2)^2} dx$$

Optimal. Leaf size=34

$$-\frac{1}{4(x^2+1)} + \frac{x \cot^{-1}(x)}{2(x^2+1)} - \frac{1}{4} \cot^{-1}(x)^2$$

[Out] $-1/(4*(1 + x^2)) + (x*ArcCot[x])/(2*(1 + x^2)) - ArcCot[x]^2/4$

Rubi [A] time = 0.0145949, antiderivative size = 34, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4893, 261}

$$-\frac{1}{4(x^2+1)} + \frac{x \cot^{-1}(x)}{2(x^2+1)} - \frac{1}{4} \cot^{-1}(x)^2$$

Antiderivative was successfully verified.

[In] Int[ArcCot[x]/(1 + x^2)^2, x]

[Out] $-1/(4*(1 + x^2)) + (x*ArcCot[x])/(2*(1 + x^2)) - ArcCot[x]^2/4$

Rule 4893

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^p_]/((d_) + (e_.)*(x_)^2)^2, x_Symbol] :> Simp[(x*(a + b*ArcCot[c*x])^p)/(2*d*(d + e*x^2)), x] + (Dist[(b*c*p)/2, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(d + e*x^2)^2, x], x] - Simp[(a + b*ArcCot[c*x])^(p + 1)/(2*b*c*d^2*(p + 1)), x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && GtQ[p, 0]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(x)}{(1+x^2)^2} dx &= \frac{x \cot^{-1}(x)}{2(1+x^2)} - \frac{1}{4} \cot^{-1}(x)^2 + \frac{1}{2} \int \frac{x}{(1+x^2)^2} dx \\ &= -\frac{1}{4(1+x^2)} + \frac{x \cot^{-1}(x)}{2(1+x^2)} - \frac{1}{4} \cot^{-1}(x)^2 \end{aligned}$$

Mathematica [A] time = 0.0127626, size = 28, normalized size = 0.82

$$-\frac{(x^2+1) \cot^{-1}(x)^2 - 2x \cot^{-1}(x) + 1}{4(x^2+1)}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[x]/(1 + x^2)^2,x]

[Out] $-(1 - 2*x*ArcCot[x] + (1 + x^2)*ArcCot[x]^2)/(4*(1 + x^2))$

Maple [A] time = 0.034, size = 35, normalized size = 1.

$$\frac{x \operatorname{arccot}(x)}{2x^2 + 2} + \frac{\operatorname{arccot}(x) \arctan(x)}{2} - \frac{1}{4x^2 + 4} + \frac{(\arctan(x))^2}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(x)/(x^2+1)^2,x)

[Out] $1/2*x*\operatorname{arccot}(x)/(x^2+1)+1/2*\operatorname{arccot}(x)*\arctan(x)-1/4/(x^2+1)+1/4*\arctan(x)^2$

Maxima [A] time = 1.46364, size = 51, normalized size = 1.5

$$\frac{1}{2} \left(\frac{x}{x^2 + 1} + \arctan(x) \right) \operatorname{arccot}(x) + \frac{(x^2 + 1) \arctan(x)^2 - 1}{4(x^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/(x^2+1)^2,x, algorithm="maxima")

[Out] $1/2*(x/(x^2 + 1) + \arctan(x))*\operatorname{arccot}(x) + 1/4*((x^2 + 1)*\arctan(x)^2 - 1)/(x^2 + 1)$

Fricas [A] time = 2.1514, size = 81, normalized size = 2.38

$$\frac{(x^2 + 1) \operatorname{arccot}(x)^2 - 2x \operatorname{arccot}(x) + 1}{4(x^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/(x^2+1)^2,x, algorithm="fricas")

[Out] $-1/4*((x^2 + 1)*\operatorname{arccot}(x)^2 - 2*x*\operatorname{arccot}(x) + 1)/(x^2 + 1)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(x)}{(x^2 + 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(x)/(x**2+1)**2,x)

[Out] Integral(acot(x)/(x**2 + 1)**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(x)}{(x^2 + 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)/(x^2+1)^2,x, algorithm="giac")

[Out] integrate(arccot(x)/(x^2 + 1)^2, x)

3.73 $\int \frac{\cot^{-1}(x)^2}{(1+x^2)^2} dx$

Optimal. Leaf size=56

$$-\frac{x}{4(x^2+1)} + \frac{x \cot^{-1}(x)^2}{2(x^2+1)} - \frac{\cot^{-1}(x)}{2(x^2+1)} - \frac{1}{4} \tan^{-1}(x) - \frac{1}{6} \cot^{-1}(x)^3$$

[Out] $-x/(4*(1 + x^2)) - \text{ArcCot}[x]/(2*(1 + x^2)) + (x*\text{ArcCot}[x]^2)/(2*(1 + x^2)) - \text{ArcCot}[x]^3/6 - \text{ArcTan}[x]/4$

Rubi [A] time = 0.0438201, antiderivative size = 56, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4893, 4931, 199, 203}

$$-\frac{x}{4(x^2+1)} + \frac{x \cot^{-1}(x)^2}{2(x^2+1)} - \frac{\cot^{-1}(x)}{2(x^2+1)} - \frac{1}{4} \tan^{-1}(x) - \frac{1}{6} \cot^{-1}(x)^3$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{ArcCot}[x]^2/(1 + x^2)^2, x]$

[Out] $-x/(4*(1 + x^2)) - \text{ArcCot}[x]/(2*(1 + x^2)) + (x*\text{ArcCot}[x]^2)/(2*(1 + x^2)) - \text{ArcCot}[x]^3/6 - \text{ArcTan}[x]/4$

Rule 4893

$\text{Int}[(a + \text{ArcCot}[c*x])*(b*x)^p / ((d + e*x^2)^2), x_Symbol] \rightarrow \text{Simp}[(x*(a + b*\text{ArcCot}[c*x])^p) / (2*d*(d + e*x^2)), x] + (\text{Dist}[(b*c*p) / 2, \text{Int}[(x*(a + b*\text{ArcCot}[c*x])^{p-1}) / (d + e*x^2)^2, x], x] - \text{Simp}[(a + b*\text{ArcCot}[c*x])^{p+1} / (2*b*c*d^2*(p+1)), x]) / ; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[e, c^2*d] \ \&\& \ \text{GtQ}[p, 0]$

Rule 4931

$\text{Int}[(a + \text{ArcCot}[c*x])*(b*x)^p * ((d + e*x^2)^q), x_Symbol] \rightarrow \text{Simp}[(d + e*x^2)^{q+1} * (a + b*\text{ArcCot}[c*x])^p / (2*e*(q+1)), x] + \text{Dist}[(b*p) / (2*c*(q+1)), \text{Int}[(d + e*x^2)^q * (a + b*\text{ArcCot}[c*x])^{p-1}, x], x] / ; \text{FreeQ}\{a, b, c, d, e, q\}, x] \ \&\& \ \text{EqQ}[e, c^2*d] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{NeQ}[q, -1]$

Rule 199

$\text{Int}[(a + (b*x)^n)^p, x_Symbol] \rightarrow -\text{Simp}[(x*(a + b*x^n)^{p+1}) / (a*n*(p+1)), x] + \text{Dist}[(n*(p+1) + 1) / (a*n*(p+1)), \text{Int}[(a + b*x^n)^{p+1}, x], x] / ; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ (\text{IntegerQ}[2*p] \ || \ (n == 2 \ \&\& \ \text{IntegerQ}[4*p]) \ || \ (n == 2 \ \&\& \ \text{IntegerQ}[3*p]) \ || \ \text{Denominator}[p + 1/n] < \text{Denominator}[p])$

Rule 203

$\text{Int}[(a + (b*x^2)^{-1}), x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[\text{Rt}[b, 2]*x] / \text{Rt}[a, 2]) / (\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] / ; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(x)^2}{(1+x^2)^2} dx &= \frac{x \cot^{-1}(x)^2}{2(1+x^2)} - \frac{1}{6} \cot^{-1}(x)^3 + \int \frac{x \cot^{-1}(x)}{(1+x^2)^2} dx \\
&= -\frac{\cot^{-1}(x)}{2(1+x^2)} + \frac{x \cot^{-1}(x)^2}{2(1+x^2)} - \frac{1}{6} \cot^{-1}(x)^3 - \frac{1}{2} \int \frac{1}{(1+x^2)^2} dx \\
&= -\frac{x}{4(1+x^2)} - \frac{\cot^{-1}(x)}{2(1+x^2)} + \frac{x \cot^{-1}(x)^2}{2(1+x^2)} - \frac{1}{6} \cot^{-1}(x)^3 - \frac{1}{4} \int \frac{1}{1+x^2} dx \\
&= -\frac{x}{4(1+x^2)} - \frac{\cot^{-1}(x)}{2(1+x^2)} + \frac{x \cot^{-1}(x)^2}{2(1+x^2)} - \frac{1}{6} \cot^{-1}(x)^3 - \frac{1}{4} \tan^{-1}(x)
\end{aligned}$$

Mathematica [A] time = 0.0235425, size = 46, normalized size = 0.82

$$\frac{3((x^2+1)\tan^{-1}(x)+x)+2(x^2+1)\cot^{-1}(x)^3-6x\cot^{-1}(x)^2+6\cot^{-1}(x)}{12(x^2+1)}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[x]^2/(1+x^2)^2,x]

[Out] -(6*ArcCot[x] - 6*x*ArcCot[x]^2 + 2*(1+x^2)*ArcCot[x]^3 + 3*(x+(1+x^2)*ArcTan[x]))/(12*(1+x^2))

Maple [A] time = 0.169, size = 61, normalized size = 1.1

$$-\frac{(\operatorname{arccot}(x))^2(x^2\operatorname{arccot}(x)+\operatorname{arccot}(x)-x)}{2x^2+2} + \frac{x^2\operatorname{arccot}(x)}{2x^2+2} - \frac{x}{4x^2+4} - \frac{\operatorname{arccot}(x)}{4} + \frac{(\operatorname{arccot}(x))^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(x)^2/(x^2+1)^2,x)

[Out] -1/2*arccot(x)^2*(x^2*arccot(x)+arccot(x)-x)/(x^2+1)+1/2*x^2*arccot(x)/(x^2+1)-1/4*x/(x^2+1)-1/4*arccot(x)+1/3*arccot(x)^3

Maxima [A] time = 1.52471, size = 101, normalized size = 1.8

$$\frac{1}{2} \left(\frac{x}{x^2+1} + \arctan(x) \right) \operatorname{arccot}(x)^2 + \frac{((x^2+1)\arctan(x)^2-1)\operatorname{arccot}(x)}{2(x^2+1)} + \frac{2(x^2+1)\arctan(x)^3-3(x^2+1)\arctan(x)}{12(x^2+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)^2/(x^2+1)^2,x, algorithm="maxima")

[Out] 1/2*(x/(x^2+1)+arctan(x))*arccot(x)^2+1/2*((x^2+1)*arctan(x)^2-1)*arccot(x)/(x^2+1)+1/12*(2*(x^2+1)*arctan(x)^3-3*(x^2+1)*arctan(x)-3*x)/(x^2+1)

Fricas [A] time = 2.08247, size = 123, normalized size = 2.2

$$\frac{2(x^2 + 1) \operatorname{arccot}(x)^3 - 6x \operatorname{arccot}(x)^2 - 3(x^2 - 1) \operatorname{arccot}(x) + 3x}{12(x^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)^2/(x^2+1)^2,x, algorithm="fricas")

[Out] -1/12*(2*(x^2 + 1)*arccot(x)^3 - 6*x*arccot(x)^2 - 3*(x^2 - 1)*arccot(x) + 3*x)/(x^2 + 1)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}^2(x)}{(x^2 + 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(x)**2/(x**2+1)**2,x)

[Out] Integral(acot(x)**2/(x**2 + 1)**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(x)^2}{(x^2 + 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x)^2/(x^2+1)^2,x, algorithm="giac")

[Out] integrate(arccot(x)^2/(x^2 + 1)^2, x)

3.74 $\int x^5 \cot^{-1}(ax^2) dx$

Optimal. Leaf size=41

$$-\frac{\log(a^2x^4+1)}{12a^3} + \frac{x^4}{12a} + \frac{1}{6}x^6 \cot^{-1}(ax^2)$$

[Out] $x^4/(12*a) + (x^6*ArcCot[a*x^2])/6 - \text{Log}[1 + a^2*x^4]/(12*a^3)$

Rubi [A] time = 0.0253619, antiderivative size = 41, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$, Rules used = {5034, 266, 43}

$$-\frac{\log(a^2x^4+1)}{12a^3} + \frac{x^4}{12a} + \frac{1}{6}x^6 \cot^{-1}(ax^2)$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^5*ArcCot[a*x^2], x]$

[Out] $x^4/(12*a) + (x^6*ArcCot[a*x^2])/6 - \text{Log}[1 + a^2*x^4]/(12*a^3)$

Rule 5034

$\text{Int}[(a_.) + \text{ArcCot}[(c_.)*(x_.)^{(n_.)}]*(b_.)]*((d_.)*(x_.)^{(m_.)}, x_Symbol] :> \text{Simp}[(d*x)^{(m+1)}*(a + b*ArcCot[c*x^n])/(d*(m+1)), x] + \text{Dist}[(b*c*n)/(d*(m+1)), \text{Int}[(x^{(n-1)}*(d*x)^{(m+1)})/(1 + c^2*x^{(2*n)}), x], x] /;$ $\text{FreeQ}\{a, b, c, d, m, n\}, x \} \&\& \text{NeQ}[m, -1]$

Rule 266

$\text{Int}(x_.)^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] :> \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)}*(a + b*x)^p, x], x, x^n], x] /;$ $\text{FreeQ}\{a, b, m, n, p\}, x \} \&\& \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$

Rule 43

$\text{Int}(((a_.) + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /;$ $\text{FreeQ}\{a, b, c, d, n\}, x \} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& (!\text{IntegerQ}[n] \|\| (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) \|\| \text{LtQ}[9*m + 5*(n+1), 0] \|\| \text{GtQ}[m + n + 2, 0])$

Rubi steps

$$\begin{aligned} \int x^5 \cot^{-1}(ax^2) dx &= \frac{1}{6}x^6 \cot^{-1}(ax^2) + \frac{1}{3}a \int \frac{x^7}{1+a^2x^4} dx \\ &= \frac{1}{6}x^6 \cot^{-1}(ax^2) + \frac{1}{12}a \text{Subst}\left(\int \frac{x}{1+a^2x} dx, x, x^4\right) \\ &= \frac{1}{6}x^6 \cot^{-1}(ax^2) + \frac{1}{12}a \text{Subst}\left(\int \left(\frac{1}{a^2} - \frac{1}{a^2(1+a^2x)}\right) dx, x, x^4\right) \\ &= \frac{x^4}{12a} + \frac{1}{6}x^6 \cot^{-1}(ax^2) - \frac{\log(1+a^2x^4)}{12a^3} \end{aligned}$$

Mathematica [A] time = 0.0144449, size = 41, normalized size = 1.

$$-\frac{\log(a^2x^4 + 1)}{12a^3} + \frac{x^4}{12a} + \frac{1}{6}x^6 \cot^{-1}(ax^2)$$

Antiderivative was successfully verified.

[In] Integrate[x^5*ArcCot[a*x^2],x]

[Out] x^4/(12*a) + (x^6*ArcCot[a*x^2])/6 - Log[1 + a^2*x^4]/(12*a^3)

Maple [A] time = 0.045, size = 36, normalized size = 0.9

$$\frac{x^4}{12a} + \frac{x^6 \operatorname{arccot}(ax^2)}{6} - \frac{\ln(a^2x^4 + 1)}{12a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*arccot(a*x^2),x)

[Out] 1/12*x^4/a+1/6*x^6*arccot(a*x^2)-1/12*ln(a^2*x^4+1)/a^3

Maxima [A] time = 0.974629, size = 51, normalized size = 1.24

$$\frac{1}{6}x^6 \operatorname{arccot}(ax^2) + \frac{1}{12} \left(\frac{x^4}{a^2} - \frac{\log(a^2x^4 + 1)}{a^4} \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*arccot(a*x^2),x, algorithm="maxima")

[Out] 1/6*x^6*arccot(a*x^2) + 1/12*(x^4/a^2 - log(a^2*x^4 + 1)/a^4)*a

Fricas [A] time = 2.1604, size = 88, normalized size = 2.15

$$\frac{2a^3x^6 \operatorname{arccot}(ax^2) + a^2x^4 - \log(a^2x^4 + 1)}{12a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*arccot(a*x^2),x, algorithm="fricas")

[Out] 1/12*(2*a^3*x^6*arccot(a*x^2) + a^2*x^4 - log(a^2*x^4 + 1))/a^3

Sympy [A] time = 2.93952, size = 39, normalized size = 0.95

$$\begin{cases} \frac{x^6 \operatorname{acot}(ax^2)}{6} + \frac{x^4}{12a} - \frac{\log(a^2x^4+1)}{12a^3} & \text{for } a \neq 0 \\ \frac{\pi x^6}{12} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*acot(a*x**2),x)

[Out] Piecewise((x**6*acot(a*x**2)/6 + x**4/(12*a) - log(a**2*x**4 + 1)/(12*a**3), Ne(a, 0)), (pi*x**6/12, True))

Giac [A] time = 1.10586, size = 54, normalized size = 1.32

$$\frac{1}{6}x^6 \arctan\left(\frac{1}{ax^2}\right) + \frac{1}{12}\left(\frac{x^4}{a^2} - \frac{\log(a^2x^4 + 1)}{a^4}\right)a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*arccot(a*x^2),x, algorithm="giac")

[Out] 1/6*x^6*arctan(1/(a*x^2)) + 1/12*(x^4/a^2 - log(a^2*x^4 + 1)/a^4)*a

3.75 $\int x^3 \cot^{-1}(ax^2) dx$

Optimal. Leaf size=37

$$-\frac{\tan^{-1}(ax^2)}{4a^2} + \frac{x^2}{4a} + \frac{1}{4}x^4 \cot^{-1}(ax^2)$$

[Out] $x^2/(4*a) + (x^4*ArcCot[a*x^2])/4 - ArcTan[a*x^2]/(4*a^2)$

Rubi [A] time = 0.0193072, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {5034, 275, 321, 203}

$$-\frac{\tan^{-1}(ax^2)}{4a^2} + \frac{x^2}{4a} + \frac{1}{4}x^4 \cot^{-1}(ax^2)$$

Antiderivative was successfully verified.

[In] Int[x^3*ArcCot[a*x^2],x]

[Out] $x^2/(4*a) + (x^4*ArcCot[a*x^2])/4 - ArcTan[a*x^2]/(4*a^2)$

Rule 5034

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.)*((d_.)*(x_)^(m_.)), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x^n]))/(d*(m + 1)), x] + Dist[(b*c^n)/(d*(m + 1)), Int[(x^(n - 1)*(d*x)^(m + 1))/(1 + c^2*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 321

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int x^3 \cot^{-1}(ax^2) dx &= \frac{1}{4}x^4 \cot^{-1}(ax^2) + \frac{1}{2}a \int \frac{x^5}{1+a^2x^4} dx \\
&= \frac{1}{4}x^4 \cot^{-1}(ax^2) + \frac{1}{4}a \operatorname{Subst}\left(\int \frac{x^2}{1+a^2x^2} dx, x, x^2\right) \\
&= \frac{x^2}{4a} + \frac{1}{4}x^4 \cot^{-1}(ax^2) - \frac{\operatorname{Subst}\left(\int \frac{1}{1+a^2x^2} dx, x, x^2\right)}{4a} \\
&= \frac{x^2}{4a} + \frac{1}{4}x^4 \cot^{-1}(ax^2) - \frac{\tan^{-1}(ax^2)}{4a^2}
\end{aligned}$$

Mathematica [A] time = 0.0056528, size = 37, normalized size = 1.

$$-\frac{\tan^{-1}(ax^2)}{4a^2} + \frac{x^2}{4a} + \frac{1}{4}x^4 \cot^{-1}(ax^2)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*ArcCot[a*x^2], x]

[Out] x^2/(4*a) + (x^4*ArcCot[a*x^2])/4 - ArcTan[a*x^2]/(4*a^2)

Maple [A] time = 0.04, size = 32, normalized size = 0.9

$$\frac{x^2}{4a} + \frac{x^4 \operatorname{arccot}(ax^2)}{4} - \frac{\operatorname{arctan}(ax^2)}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*arccot(a*x^2), x)

[Out] 1/4*x^2/a+1/4*x^4*arccot(a*x^2)-1/4*arctan(a*x^2)/a^2

Maxima [A] time = 1.44328, size = 46, normalized size = 1.24

$$\frac{1}{4}x^4 \operatorname{arccot}(ax^2) + \frac{1}{4}a \left(\frac{x^2}{a^2} - \frac{\operatorname{arctan}(ax^2)}{a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccot(a*x^2), x, algorithm="maxima")

[Out] 1/4*x^4*arccot(a*x^2) + 1/4*a*(x^2/a^2 - arctan(a*x^2)/a^3)

Fricas [A] time = 2.10793, size = 63, normalized size = 1.7

$$\frac{ax^2 + (a^2x^4 + 1) \operatorname{arccot}(ax^2)}{4a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*arccot(a*x^2),x, algorithm="fricas")
```

```
[Out] 1/4*(a*x^2 + (a^2*x^4 + 1)*arccot(a*x^2))/a^2
```

Sympy [A] time = 1.48478, size = 36, normalized size = 0.97

$$\begin{cases} \frac{x^4 \operatorname{acot}(ax^2)}{4} + \frac{x^2}{4a} + \frac{\operatorname{acot}(ax^2)}{4a^2} & \text{for } a \neq 0 \\ \frac{\pi x^4}{8} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*acot(a*x**2),x)
```

```
[Out] Piecewise((x**4*acot(a*x**2)/4 + x**2/(4*a) + acot(a*x**2)/(4*a**2), Ne(a, 0)), (pi*x**4/8, True))
```

Giac [A] time = 1.12607, size = 49, normalized size = 1.32

$$\frac{1}{4} x^4 \arctan\left(\frac{1}{ax^2}\right) + \frac{1}{4} a \left(\frac{x^2}{a^2} - \frac{\arctan(ax^2)}{a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*arccot(a*x^2),x, algorithm="giac")
```

```
[Out] 1/4*x^4*arctan(1/(a*x^2)) + 1/4*a*(x^2/a^2 - arctan(a*x^2)/a^3)
```

3.76 $\int x \cot^{-1}(ax^2) dx$

Optimal. Leaf size=31

$$\frac{\log(a^2x^4 + 1)}{4a} + \frac{1}{2}x^2 \cot^{-1}(ax^2)$$

[Out] $(x^2 \text{ArcCot}[a x^2])/2 + \text{Log}[1 + a^2 x^4]/(4 a)$

Rubi [A] time = 0.0091751, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {5034, 260}

$$\frac{\log(a^2x^4 + 1)}{4a} + \frac{1}{2}x^2 \cot^{-1}(ax^2)$$

Antiderivative was successfully verified.

[In] $\text{Int}[x \text{ArcCot}[a x^2], x]$

[Out] $(x^2 \text{ArcCot}[a x^2])/2 + \text{Log}[1 + a^2 x^4]/(4 a)$

Rule 5034

$\text{Int}[(a_.) + \text{ArcCot}[(c_.)(x_.)^{(n_.)}] * (b_.)] * ((d_.)(x_.))^{(m_.)}, x_Symbol] :> \text{Simp}[(d*x)^{(m+1)} * (a + b * \text{ArcCot}[c*x^n]) / (d*(m+1)), x] + \text{Dist}[(b*c*n) / (d*(m+1)), \text{Int}[(x^{(n-1)} * (d*x)^{(m+1)}) / (1 + c^2*x^{(2*n)}), x], x] /;$ FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 260

$\text{Int}[(x_.)^{(m_.)} / ((a_.) + (b_.)(x_.)^{(n_.)}), x_Symbol] :> \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]] / (b*n), x] /;$ FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned} \int x \cot^{-1}(ax^2) dx &= \frac{1}{2}x^2 \cot^{-1}(ax^2) + a \int \frac{x^3}{1 + a^2x^4} dx \\ &= \frac{1}{2}x^2 \cot^{-1}(ax^2) + \frac{\log(1 + a^2x^4)}{4a} \end{aligned}$$

Mathematica [A] time = 0.006245, size = 31, normalized size = 1.

$$\frac{\log(a^2x^4 + 1)}{4a} + \frac{1}{2}x^2 \cot^{-1}(ax^2)$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[x \text{ArcCot}[a x^2], x]$

[Out] $(x^2 \text{ArcCot}[a x^2])/2 + \text{Log}[1 + a^2 x^4]/(4 a)$

Maple [A] time = 0.039, size = 28, normalized size = 0.9

$$\frac{x^2 \operatorname{arccot}(ax^2)}{2} + \frac{\ln(a^2x^4 + 1)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccot(a*x^2),x)

[Out] 1/2*x^2*arccot(a*x^2)+1/4*ln(a^2*x^4+1)/a

Maxima [A] time = 0.993607, size = 38, normalized size = 1.23

$$\frac{2ax^2 \operatorname{arccot}(ax^2) + \log(a^2x^4 + 1)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(a*x^2),x, algorithm="maxima")

[Out] 1/4*(2*a*x^2*arccot(a*x^2) + log(a^2*x^4 + 1))/a

Fricas [A] time = 2.21044, size = 68, normalized size = 2.19

$$\frac{2ax^2 \operatorname{arccot}(ax^2) + \log(a^2x^4 + 1)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(a*x^2),x, algorithm="fricas")

[Out] 1/4*(2*a*x^2*arccot(a*x^2) + log(a^2*x^4 + 1))/a

Sympy [A] time = 0.839381, size = 31, normalized size = 1.

$$\begin{cases} \frac{x^2 \operatorname{acot}(ax^2)}{2} + \frac{\log(a^2x^4+1)}{4a} & \text{for } a \neq 0 \\ \frac{\pi x^2}{4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*acot(a*x**2),x)

[Out] Piecewise((x**2*acot(a*x**2)/2 + log(a**2*x**4 + 1)/(4*a), Ne(a, 0)), (pi*x**2/4, True))

Giac [A] time = 1.09056, size = 39, normalized size = 1.26

$$\frac{1}{2} x^2 \arctan\left(\frac{1}{ax^2}\right) + \frac{\log(a^2 x^4 + 1)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(a*x^2),x, algorithm="giac")

[Out] 1/2*x^2*arctan(1/(a*x^2)) + 1/4*log(a^2*x^4 + 1)/a

$$3.77 \quad \int \frac{\cot^{-1}(ax^2)}{x} dx$$

Optimal. Leaf size=37

$$\frac{1}{4}i\text{PolyLog}\left(2, \frac{i}{ax^2}\right) - \frac{1}{4}i\text{PolyLog}\left(2, -\frac{i}{ax^2}\right)$$

[Out] $(-I/4)*\text{PolyLog}[2, (-I)/(a*x^2)] + (I/4)*\text{PolyLog}[2, I/(a*x^2)]$

Rubi [A] time = 0.0338291, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$, Rules used = {5032, 4849, 2391}

$$\frac{1}{4}i\text{PolyLog}\left(2, \frac{i}{ax^2}\right) - \frac{1}{4}i\text{PolyLog}\left(2, -\frac{i}{ax^2}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x^2]/x,x]

[Out] $(-I/4)*\text{PolyLog}[2, (-I)/(a*x^2)] + (I/4)*\text{PolyLog}[2, I/(a*x^2)]$

Rule 5032

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.)^(p_.)/(x_), x_Symbol] := Dist[1/n, Subst[Int[(a + b*ArcCot[c*x])^p/x, x], x, x^n], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[p, 0]

Rule 4849

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)/(x_), x_Symbol] := Simp[a*Log[x], x] + (Dist[(I*b)/2, Int[Log[1 - I/(c*x)]/x, x], x] - Dist[(I*b)/2, Int[Log[1 + I/(c*x)]/x, x], x]) /; FreeQ[{a, b, c}, x]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(ax^2)}{x} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{\cot^{-1}(ax)}{x} dx, x, x^2 \right) \\ &= \frac{1}{4}i \text{Subst} \left(\int \frac{\log\left(1 - \frac{i}{ax}\right)}{x} dx, x, x^2 \right) - \frac{1}{4}i \text{Subst} \left(\int \frac{\log\left(1 + \frac{i}{ax}\right)}{x} dx, x, x^2 \right) \\ &= -\frac{1}{4}i \text{Li}_2\left(-\frac{i}{ax^2}\right) + \frac{1}{4}i \text{Li}_2\left(\frac{i}{ax^2}\right) \end{aligned}$$

Mathematica [A] time = 0.0056303, size = 37, normalized size = 1.

$$\frac{1}{4}i\text{PolyLog}\left(2, \frac{i}{ax^2}\right) - \frac{1}{4}i\text{PolyLog}\left(2, -\frac{i}{ax^2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x^2]/x,x]

[Out] (-I/4)*PolyLog[2, (-I)/(a*x^2)] + (I/4)*PolyLog[2, I/(a*x^2)]

Maple [C] time = 0.117, size = 57, normalized size = 1.5

$$\ln(x) \operatorname{arccot}(ax^2) + \frac{1}{2a} \sum_{_R1=\operatorname{RootOf}(a^2_Z^4+1)} \frac{1}{_R1^2} \left(\ln(x) \ln\left(\frac{-R1-x}{_R1}\right) + \operatorname{dilog}\left(\frac{-R1-x}{_R1}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x^2)/x,x)

[Out] ln(x)*arccot(a*x^2)+1/2/a*sum(1/_R1^2*(ln(x)*ln((-R1-x)/_R1)+dilog((-R1-x)/_R1)),_R1=RootOf(_Z^4*a^2+1))

Maxima [B] time = 1.61403, size = 108, normalized size = 2.92

$$-\frac{1}{2}i \arctan(ax^2) \arctan(0, a) + \frac{1}{8} \pi \log(a^2x^4 + 1) - \frac{1}{2} \arctan(ax^2) \log(x^2|a|) + \operatorname{arccot}(ax^2) \log(x) + \arctan(ax^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^2)/x,x, algorithm="maxima")

[Out] -1/2*I*arctan(a*x^2)*arctan2(0, a) + 1/8*pi*log(a^2*x^4 + 1) - 1/2*arctan(a*x^2)*log(x^2*abs(a)) + arccot(a*x^2)*log(x) + arctan(a*x^2)*log(x) + 1/4*I*dilog(I*a*x^2 + 1) - 1/4*I*dilog(-I*a*x^2 + 1)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(ax^2)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^2)/x,x, algorithm="fricas")

[Out] integral(arccot(a*x^2)/x, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(ax^2)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acot(a*x**2)/x,x)
```

```
[Out] Integral(acot(a*x**2)/x, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(ax^2)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x^2)/x,x, algorithm="giac")
```

```
[Out] integrate(arccot(a*x^2)/x, x)
```

$$3.78 \quad \int \frac{\cot^{-1}(ax^2)}{x^3} dx$$

Optimal. Leaf size=34

$$\frac{1}{4}a \log(a^2x^4 + 1) - \frac{\cot^{-1}(ax^2)}{2x^2} - a \log(x)$$

[Out] -ArcCot[a*x^2]/(2*x^2) - a*Log[x] + (a*Log[1 + a^2*x^4])/4

Rubi [A] time = 0.0173108, antiderivative size = 34, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {5034, 266, 36, 29, 31}

$$\frac{1}{4}a \log(a^2x^4 + 1) - \frac{\cot^{-1}(ax^2)}{2x^2} - a \log(x)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x^2]/x^3,x]

[Out] -ArcCot[a*x^2]/(2*x^2) - a*Log[x] + (a*Log[1 + a^2*x^4])/4

Rule 5034

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.)*((d_.)*(x_)^(m_.)), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x^n]))/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[(x^(n - 1)*(d*x)^(m + 1))/(1 + c^2*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 36

Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] :> Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]

Rule 29

Int[(x_)^(-1), x_Symbol] :> Simp[Log[x], x]

Rule 31

Int[((a_) + (b_.)*(x_))^(p_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(ax^2)}{x^3} dx &= -\frac{\cot^{-1}(ax^2)}{2x^2} - a \int \frac{1}{x(1+a^2x^4)} dx \\
&= -\frac{\cot^{-1}(ax^2)}{2x^2} - \frac{1}{4}a \operatorname{Subst}\left(\int \frac{1}{x(1+a^2x)} dx, x, x^4\right) \\
&= -\frac{\cot^{-1}(ax^2)}{2x^2} - \frac{1}{4}a \operatorname{Subst}\left(\int \frac{1}{x} dx, x, x^4\right) + \frac{1}{4}a^3 \operatorname{Subst}\left(\int \frac{1}{1+a^2x} dx, x, x^4\right) \\
&= -\frac{\cot^{-1}(ax^2)}{2x^2} - a \log(x) + \frac{1}{4}a \log(1+a^2x^4)
\end{aligned}$$

Mathematica [A] time = 0.0058354, size = 34, normalized size = 1.

$$\frac{1}{4}a \log(a^2x^4 + 1) - \frac{\cot^{-1}(ax^2)}{2x^2} - a \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x^2]/x^3,x]

[Out] -ArcCot[a*x^2]/(2*x^2) - a*Log[x] + (a*Log[1 + a^2*x^4])/4

Maple [A] time = 0.048, size = 31, normalized size = 0.9

$$-\frac{\operatorname{arccot}(ax^2)}{2x^2} - a \ln(x) + \frac{a \ln(a^2x^4 + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x^2)/x^3,x)

[Out] -1/2*arccot(a*x^2)/x^2-a*ln(x)+1/4*a*ln(a^2*x^4+1)

Maxima [A] time = 0.965668, size = 43, normalized size = 1.26

$$\frac{1}{4}a(\log(a^2x^4 + 1) - \log(x^4)) - \frac{\operatorname{arccot}(ax^2)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^2)/x^3,x, algorithm="maxima")

[Out] 1/4*a*(log(a^2*x^4 + 1) - log(x^4)) - 1/2*arccot(a*x^2)/x^2

Fricas [A] time = 2.29115, size = 93, normalized size = 2.74

$$\frac{ax^2 \log(a^2x^4 + 1) - 4ax^2 \log(x) - 2 \operatorname{arccot}(ax^2)}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^2)/x^3,x, algorithm="fricas")

[Out] 1/4*(a*x^2*log(a^2*x^4 + 1) - 4*a*x^2*log(x) - 2*arccot(a*x^2))/x^2

Sympy [A] time = 1.05433, size = 29, normalized size = 0.85

$$-a \log(x) + \frac{a \log(a^2 x^4 + 1)}{4} - \frac{\operatorname{acot}(ax^2)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x**2)/x**3,x)

[Out] -a*log(x) + a*log(a**2*x**4 + 1)/4 - acot(a*x**2)/(2*x**2)

Giac [A] time = 1.14325, size = 46, normalized size = 1.35

$$\frac{1}{4} a (\log(a^2 x^4 + 1) - \log(x^4)) - \frac{\arctan\left(\frac{1}{ax^2}\right)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^2)/x^3,x, algorithm="giac")

[Out] 1/4*a*(log(a^2*x^4 + 1) - log(x^4)) - 1/2*arctan(1/(a*x^2))/x^2

$$3.79 \quad \int \frac{\cot^{-1}(ax^2)}{x^5} dx$$

Optimal. Leaf size=35

$$\frac{1}{4}a^2 \tan^{-1}(ax^2) + \frac{a}{4x^2} - \frac{\cot^{-1}(ax^2)}{4x^4}$$

[Out] a/(4*x^2) - ArcCot[a*x^2]/(4*x^4) + (a^2*ArcTan[a*x^2])/4

Rubi [A] time = 0.0179996, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {5034, 275, 325, 203}

$$\frac{1}{4}a^2 \tan^{-1}(ax^2) + \frac{a}{4x^2} - \frac{\cot^{-1}(ax^2)}{4x^4}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x^2]/x^5,x]

[Out] a/(4*x^2) - ArcCot[a*x^2]/(4*x^4) + (a^2*ArcTan[a*x^2])/4

Rule 5034

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x^n]))/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[(x^(n - 1)*(d*x)^(m + 1))/(1 + c^2*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 325

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(ax^2)}{x^5} dx &= -\frac{\cot^{-1}(ax^2)}{4x^4} - \frac{1}{2}a \int \frac{1}{x^3(1+a^2x^4)} dx \\
&= -\frac{\cot^{-1}(ax^2)}{4x^4} - \frac{1}{4}a \operatorname{Subst}\left(\int \frac{1}{x^2(1+a^2x^2)} dx, x, x^2\right) \\
&= \frac{a}{4x^2} - \frac{\cot^{-1}(ax^2)}{4x^4} + \frac{1}{4}a^3 \operatorname{Subst}\left(\int \frac{1}{1+a^2x^2} dx, x, x^2\right) \\
&= \frac{a}{4x^2} - \frac{\cot^{-1}(ax^2)}{4x^4} + \frac{1}{4}a^2 \tan^{-1}(ax^2)
\end{aligned}$$

Mathematica [C] time = 0.0064748, size = 38, normalized size = 1.09

$$\frac{{}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; -a^2x^4\right)}{4x^2} - \frac{\cot^{-1}(ax^2)}{4x^4}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x^2]/x^5, x]

[Out] -ArcCot[a*x^2]/(4*x^4) + (a*Hypergeometric2F1[-1/2, 1, 1/2, -(a^2*x^4)])/(4*x^2)

Maple [A] time = 0.044, size = 30, normalized size = 0.9

$$\frac{a}{4x^2} - \frac{\operatorname{arccot}(ax^2)}{4x^4} + \frac{a^2 \operatorname{arctan}(ax^2)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x^2)/x^5, x)

[Out] 1/4*a/x^2-1/4*arccot(a*x^2)/x^4+1/4*a^2*arctan(a*x^2)

Maxima [A] time = 1.46295, size = 36, normalized size = 1.03

$$\frac{1}{4} \left(a \operatorname{arctan}(ax^2) + \frac{1}{x^2} \right) a - \frac{\operatorname{arccot}(ax^2)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^2)/x^5, x, algorithm="maxima")

[Out] 1/4*(a*arctan(a*x^2) + 1/x^2)*a - 1/4*arccot(a*x^2)/x^4

Fricas [A] time = 2.12745, size = 63, normalized size = 1.8

$$\frac{ax^2 - (a^2x^4 + 1) \operatorname{arccot}(ax^2)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^2)/x^5,x, algorithm="fricas")

[Out] 1/4*(a*x^2 - (a^2*x^4 + 1)*arccot(a*x^2))/x^4

Sympy [A] time = 1.73273, size = 29, normalized size = 0.83

$$-\frac{a^2 \operatorname{acot}(ax^2)}{4} + \frac{a}{4x^2} - \frac{\operatorname{acot}(ax^2)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x**2)/x**5,x)

[Out] -a**2*acot(a*x**2)/4 + a/(4*x**2) - acot(a*x**2)/(4*x**4)

Giac [A] time = 1.12162, size = 39, normalized size = 1.11

$$\frac{1}{4} \left(a \arctan(ax^2) + \frac{1}{x^2} \right) a - \frac{\arctan\left(\frac{1}{ax^2}\right)}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^2)/x^5,x, algorithm="giac")

[Out] 1/4*(a*arctan(a*x^2) + 1/x^2)*a - 1/4*arctan(1/(a*x^2))/x^4

3.80 $\int x^4 \cot^{-1}(ax^2) dx$

Optimal. Leaf size=152

$$-\frac{\log(ax^2 - \sqrt{2}\sqrt{ax} + 1)}{10\sqrt{2}a^{5/2}} + \frac{\log(ax^2 + \sqrt{2}\sqrt{ax} + 1)}{10\sqrt{2}a^{5/2}} + \frac{\tan^{-1}(1 - \sqrt{2}\sqrt{ax})}{5\sqrt{2}a^{5/2}} - \frac{\tan^{-1}(\sqrt{2}\sqrt{ax} + 1)}{5\sqrt{2}a^{5/2}} + \frac{2x^3}{15a} + \frac{1}{5}x^5 \cot^{-1}(ax)$$

[Out] (2*x^3)/(15*a) + (x^5*ArcCot[a*x^2])/5 + ArcTan[1 - Sqrt[2]*Sqrt[a]*x]/(5*Sqrt[2]*a^(5/2)) - ArcTan[1 + Sqrt[2]*Sqrt[a]*x]/(5*Sqrt[2]*a^(5/2)) - Log[1 - Sqrt[2]*Sqrt[a]*x + a*x^2]/(10*Sqrt[2]*a^(5/2)) + Log[1 + Sqrt[2]*Sqrt[a]*x + a*x^2]/(10*Sqrt[2]*a^(5/2))

Rubi [A] time = 0.104254, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.8$, Rules used = {5034, 321, 297, 1162, 617, 204, 1165, 628}

$$-\frac{\log(ax^2 - \sqrt{2}\sqrt{ax} + 1)}{10\sqrt{2}a^{5/2}} + \frac{\log(ax^2 + \sqrt{2}\sqrt{ax} + 1)}{10\sqrt{2}a^{5/2}} + \frac{\tan^{-1}(1 - \sqrt{2}\sqrt{ax})}{5\sqrt{2}a^{5/2}} - \frac{\tan^{-1}(\sqrt{2}\sqrt{ax} + 1)}{5\sqrt{2}a^{5/2}} + \frac{2x^3}{15a} + \frac{1}{5}x^5 \cot^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[x^4*ArcCot[a*x^2],x]

[Out] (2*x^3)/(15*a) + (x^5*ArcCot[a*x^2])/5 + ArcTan[1 - Sqrt[2]*Sqrt[a]*x]/(5*Sqrt[2]*a^(5/2)) - ArcTan[1 + Sqrt[2]*Sqrt[a]*x]/(5*Sqrt[2]*a^(5/2)) - Log[1 - Sqrt[2]*Sqrt[a]*x + a*x^2]/(10*Sqrt[2]*a^(5/2)) + Log[1 + Sqrt[2]*Sqrt[a]*x + a*x^2]/(10*Sqrt[2]*a^(5/2))

Rule 5034

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.))*((d_.)*(x_)^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x^n]))/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[(x^(n - 1)*(d*x)^(m + 1))/(1 + c^2*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 321

Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 297

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] :> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &

& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned}
 \int x^4 \cot^{-1}(ax^2) dx &= \frac{1}{5}x^5 \cot^{-1}(ax^2) + \frac{1}{5}(2a) \int \frac{x^6}{1+a^2x^4} dx \\
 &= \frac{2x^3}{15a} + \frac{1}{5}x^5 \cot^{-1}(ax^2) - \frac{2 \int \frac{x^2}{1+a^2x^4} dx}{5a} \\
 &= \frac{2x^3}{15a} + \frac{1}{5}x^5 \cot^{-1}(ax^2) + \frac{\int \frac{1-ax^2}{1+a^2x^4} dx}{5a^2} - \frac{\int \frac{1+ax^2}{1+a^2x^4} dx}{5a^2} \\
 &= \frac{2x^3}{15a} + \frac{1}{5}x^5 \cot^{-1}(ax^2) - \frac{\int \frac{1}{\frac{1}{a} - \frac{\sqrt{2}x}{\sqrt{a}} + x^2} dx}{10a^3} - \frac{\int \frac{1}{\frac{1}{a} + \frac{\sqrt{2}x}{\sqrt{a}} + x^2} dx}{10a^3} - \frac{\int \frac{\frac{\sqrt{2}}{\sqrt{a}} + 2x}{-\frac{1}{a} - \frac{\sqrt{2}x}{\sqrt{a}} - x^2} dx}{10\sqrt{2}a^{5/2}} - \frac{\int \frac{\frac{\sqrt{2}}{\sqrt{a}} - 2x}{-\frac{1}{a} + \frac{\sqrt{2}x}{\sqrt{a}} - x^2} dx}{10\sqrt{2}a^{5/2}} \\
 &= \frac{2x^3}{15a} + \frac{1}{5}x^5 \cot^{-1}(ax^2) - \frac{\log(1 - \sqrt{2}\sqrt{ax} + ax^2)}{10\sqrt{2}a^{5/2}} + \frac{\log(1 + \sqrt{2}\sqrt{ax} + ax^2)}{10\sqrt{2}a^{5/2}} - \frac{\text{Subst}\left(\int \frac{1}{-1-x^2} dx\right)}{5\sqrt{2}a^{5/2}} \\
 &= \frac{2x^3}{15a} + \frac{1}{5}x^5 \cot^{-1}(ax^2) + \frac{\tan^{-1}(1 - \sqrt{2}\sqrt{ax})}{5\sqrt{2}a^{5/2}} - \frac{\tan^{-1}(1 + \sqrt{2}\sqrt{ax})}{5\sqrt{2}a^{5/2}} - \frac{\log(1 - \sqrt{2}\sqrt{ax} + ax^2)}{10\sqrt{2}a^{5/2}}
 \end{aligned}$$

Mathematica [A] time = 0.0414145, size = 136, normalized size = 0.89

$$\frac{8a^{3/2}x^3 + 12a^{5/2}x^5 \cot^{-1}(ax^2) - 3\sqrt{2} \log(ax^2 - \sqrt{2}\sqrt{ax} + 1) + 3\sqrt{2} \log(ax^2 + \sqrt{2}\sqrt{ax} + 1) + 6\sqrt{2} \tan^{-1}(1 - \sqrt{2}\sqrt{ax})}{60a^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*ArcCot[a*x^2], x]

[Out] $(8a^{3/2}x^3 + 12a^{5/2}x^5 \operatorname{ArcCot}[ax^2] + 6\sqrt{2} \operatorname{ArcTan}[1 - \sqrt{2} \sqrt{a}x] - 6\sqrt{2} \operatorname{ArcTan}[1 + \sqrt{2} \sqrt{a}x] - 3\sqrt{2} \operatorname{Log}[1 - \sqrt{2} \sqrt{a}x + ax^2] + 3\sqrt{2} \operatorname{Log}[1 + \sqrt{2} \sqrt{a}x + ax^2]) / (60a^{5/2})$

Maple [A] time = 0.061, size = 129, normalized size = 0.9

$$\frac{x^5 \operatorname{arccot}(ax^2)}{5} + \frac{2x^3}{15a} - \frac{\sqrt{2}}{20a^3} \ln\left(\left(x^2 - \sqrt[4]{a^{-2}}x\sqrt{2} + \sqrt{a^{-2}}\right)\left(x^2 + \sqrt[4]{a^{-2}}x\sqrt{2} + \sqrt{a^{-2}}\right)^{-1}\right) \frac{1}{\sqrt[4]{a^{-2}}} - \frac{\sqrt{2}}{10a^3} \arctan\left(x\sqrt{2} \frac{1}{\sqrt[4]{a^{-2}}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*arccot(a*x^2),x)`

[Out] $\frac{1}{5}x^5 \operatorname{arccot}(ax^2) + \frac{2}{15}x^3/a - \frac{1}{20/a^3} \frac{1}{(1/a^2)^{1/4}} 2^{1/2} \ln\left(\frac{x^2 - (1/a^2)^{1/4}x2^{1/2} + (1/a^2)^{1/2}}{x^2 + (1/a^2)^{1/4}x2^{1/2} + (1/a^2)^{1/2}}\right) - \frac{1}{10/a^3} \frac{1}{(1/a^2)^{1/4}} 2^{1/2} \arctan\left(\frac{2^{1/2}}{(1/a^2)^{1/4}x+1}\right) - \frac{1}{10/a^3} \frac{1}{(1/a^2)^{1/4}} 2^{1/2} \arctan\left(\frac{2^{1/2}}{(1/a^2)^{1/4}x-1}\right)$

Maxima [B] time = 1.45523, size = 362, normalized size = 2.38

$$\frac{1}{5}x^5 \operatorname{arccot}(ax^2) + \frac{1}{60}a \left(\frac{8x^3}{a^2} + \frac{3 \left(\frac{\sqrt{2} \log\left(\sqrt{a^2}x^2 + \sqrt{2}(a^2)^{\frac{1}{4}}x+1\right)}{(a^2)^{\frac{3}{4}}} - \frac{\sqrt{2} \log\left(\sqrt{a^2}x^2 - \sqrt{2}(a^2)^{\frac{1}{4}}x+1\right)}{(a^2)^{\frac{3}{4}}} - \frac{\sqrt{2} \log\left(\frac{2\sqrt{a^2}x - \sqrt{2}\sqrt{-\sqrt{a^2} + \sqrt{2}(a^2)^{\frac{1}{4}}}}{2\sqrt{a^2}x + \sqrt{2}\sqrt{-\sqrt{a^2} + \sqrt{2}(a^2)^{\frac{1}{4}}}}\right)}{\sqrt{a^2}\sqrt{-\sqrt{a^2}}} - \sqrt{2} \log\left(\frac{2\sqrt{a^2}x - \sqrt{2}\sqrt{-\sqrt{a^2} + \sqrt{2}(a^2)^{\frac{1}{4}}}}{2\sqrt{a^2}x + \sqrt{2}\sqrt{-\sqrt{a^2} + \sqrt{2}(a^2)^{\frac{1}{4}}}}\right)}{\sqrt{a^2}\sqrt{-\sqrt{a^2}}} \right)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*arccot(a*x^2),x, algorithm="maxima")`

[Out] $\frac{1}{5}x^5 \operatorname{arccot}(ax^2) + \frac{1}{60}a \left(\frac{8x^3}{a^2} + 3 \frac{(\sqrt{2} \log(\sqrt{a^2}x^2 + \sqrt{2}(a^2)^{1/4}x+1)) - (\sqrt{2} \log(\sqrt{a^2}x^2 - \sqrt{2}(a^2)^{1/4}x+1)) - (\sqrt{2} \log(\frac{2\sqrt{a^2}x - \sqrt{2}\sqrt{-\sqrt{a^2} + \sqrt{2}(a^2)^{1/4}}}{2\sqrt{a^2}x + \sqrt{2}\sqrt{-\sqrt{a^2} + \sqrt{2}(a^2)^{1/4}}}))}{\sqrt{a^2}\sqrt{-\sqrt{a^2}}} - \sqrt{2} \log(\frac{2\sqrt{a^2}x - \sqrt{2}\sqrt{-\sqrt{a^2} + \sqrt{2}(a^2)^{1/4}}}{2\sqrt{a^2}x + \sqrt{2}\sqrt{-\sqrt{a^2} + \sqrt{2}(a^2)^{1/4}}})}{\sqrt{a^2}\sqrt{-\sqrt{a^2}}} \right) / a^2$

Fricas [B] time = 2.36893, size = 757, normalized size = 4.98

$$12ax^5 \arctan\left(\frac{1}{ax^2}\right) + 8x^3 + 12\sqrt{2}a \frac{1}{a^{10}} \frac{1}{4} \arctan\left(-\sqrt{2}a^3 \frac{1}{a^{10}} \frac{1}{4}x + \sqrt{2}\sqrt{\sqrt{2}a^7 \frac{1}{a^{10}} \frac{3}{4}x + a^4\sqrt{\frac{1}{a^{10}} + x^2a^3 \frac{1}{a^{10}} \frac{1}{4}} - 1}\right) + 12\sqrt{2}a \frac{1}{a^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*arccot(a*x^2),x, algorithm="fricas")
```

```
[Out] 1/60*(12*a*x^5*arctan(1/(a*x^2)) + 8*x^3 + 12*sqrt(2)*a*(a^(-10))^(1/4)*arc
tan(-sqrt(2)*a^3*(a^(-10))^(1/4)*x + sqrt(2)*sqrt(sqrt(2)*a^7*(a^(-10))^(3/
4)*x + a^4*sqrt(a^(-10)) + x^2)*a^3*(a^(-10))^(1/4) - 1) + 12*sqrt(2)*a*(a^
(-10))^(1/4)*arctan(-sqrt(2)*a^3*(a^(-10))^(1/4)*x + sqrt(2)*sqrt(-sqrt(2)*
a^7*(a^(-10))^(3/4)*x + a^4*sqrt(a^(-10)) + x^2)*a^3*(a^(-10))^(1/4) + 1) +
3*sqrt(2)*a*(a^(-10))^(1/4)*log(sqrt(2)*a^7*(a^(-10))^(3/4)*x + a^4*sqrt(a
^(-10)) + x^2) - 3*sqrt(2)*a*(a^(-10))^(1/4)*log(-sqrt(2)*a^7*(a^(-10))^(3/
4)*x + a^4*sqrt(a^(-10)) + x^2))/a
```

Sympy [A] time = 58.1177, size = 1086, normalized size = 7.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*acot(a*x**2),x)
```

```
[Out] Piecewise((-x**5*acot((-sqrt(2)/2 - sqrt(2)*I/2)**(-2))/5, Eq(a, -1/(x**2*(
-sqrt(2)/2 - sqrt(2)*I/2)**2)), (-x**5*acot((-sqrt(2)/2 + sqrt(2)*I/2)**(-
2))/5, Eq(a, -1/(x**2*(-sqrt(2)/2 + sqrt(2)*I/2)**2)), (-x**5*acot((sqrt(2)
)/2 - sqrt(2)*I/2)**(-2))/5, Eq(a, -1/(x**2*(sqrt(2)/2 - sqrt(2)*I/2)**2))
), (-x**5*acot((sqrt(2)/2 + sqrt(2)*I/2)**(-2))/5, Eq(a, -1/(x**2*(sqrt(2)/2
+ sqrt(2)*I/2)**2)), (pi*x**5/10, Eq(a, 0)), (-6*(-1)**(3/4)*a**10*x**9*(
a**(-2))**((15/4)*acot(a*x**2)/(-30*(-1)**(3/4)*a**10*x**4*(a**(-2))**((15/4)
- 30*(-1)**(3/4)*a**8*(a**(-2))**((15/4)) - 4*(-1)**(3/4)*a**9*x**7*(a**(-2)
)**((15/4)/(-30*(-1)**(3/4)*a**10*x**4*(a**(-2))**((15/4) - 30*(-1)**(3/4)*a
**8*(a**(-2))**((15/4)) - 6*(-1)**(3/4)*a**8*x**5*(a**(-2))**((15/4)*acot(a*x
**2)/(-30*(-1)**(3/4)*a**10*x**4*(a**(-2))**((15/4) - 30*(-1)**(3/4)*a**8*(a
**(-2))**((15/4)) - 4*(-1)**(3/4)*a**7*x**3*(a**(-2))**((15/4)/(-30*(-1)**(3/
4)*a**10*x**4*(a**(-2))**((15/4) - 30*(-1)**(3/4)*a**8*(a**(-2))**((15/4)) +
6*I*a**5*x**4*(a**(-2))**((5/2)*log(x - (-1)**(1/4)*(a**(-2))**((1/4)))/(-30*(
-1)**(3/4)*a**10*x**4*(a**(-2))**((15/4) - 30*(-1)**(3/4)*a**8*(a**(-2))**((1
5/4)) - 3*I*a**5*x**4*(a**(-2))**((5/2)*log(x**2 + I*sqrt(a**(-2)))/(-30*(-1)
)**(3/4)*a**10*x**4*(a**(-2))**((15/4) - 30*(-1)**(3/4)*a**8*(a**(-2))**((15/
4)) - 6*I*a**5*x**4*(a**(-2))**((5/2)*atan((-1)**(3/4)*x/(a**(-2))**((1/4)))/(-
30*(-1)**(3/4)*a**10*x**4*(a**(-2))**((15/4) - 30*(-1)**(3/4)*a**8*(a**(-2)
)**((15/4)) + 6*I*a**3*(a**(-2))**((5/2)*log(x - (-1)**(1/4)*(a**(-2))**((1/4)
)/(-30*(-1)**(3/4)*a**10*x**4*(a**(-2))**((15/4) - 30*(-1)**(3/4)*a**8*(a**(-
2))**((15/4)) - 3*I*a**3*(a**(-2))**((5/2)*log(x**2 + I*sqrt(a**(-2)))/(-30*(
-1)**(3/4)*a**10*x**4*(a**(-2))**((15/4) - 30*(-1)**(3/4)*a**8*(a**(-2))**((
15/4)) - 6*I*a**3*(a**(-2))**((5/2)*atan((-1)**(3/4)*x/(a**(-2))**((1/4)))/(-3
0*(-1)**(3/4)*a**10*x**4*(a**(-2))**((15/4) - 30*(-1)**(3/4)*a**8*(a**(-2))*
**((15/4)) - 6*x**4*acot(a*x**2)/(-30*(-1)**(3/4)*a**10*x**4*(a**(-2))**((15/4)
) - 30*(-1)**(3/4)*a**8*(a**(-2))**((15/4)) - 6*acot(a*x**2)/(-30*(-1)**(3/4)
)*a**12*x**4*(a**(-2))**((15/4) - 30*(-1)**(3/4)*a**10*(a**(-2))**((15/4))), T
rue))
```

Giac [A] time = 1.1401, size = 211, normalized size = 1.39

$$\frac{1}{5}x^5 \arctan\left(\frac{1}{ax^2}\right) + \frac{1}{60}a \left(\frac{8x^3}{a^2} - \frac{6\sqrt{2}\sqrt{|a|} \arctan\left(\frac{1}{2}\sqrt{2}\left(2x + \frac{\sqrt{2}}{\sqrt{|a|}}\right)\sqrt{|a|}\right)}{a^4} - \frac{6\sqrt{2}\sqrt{|a|} \arctan\left(\frac{1}{2}\sqrt{2}\left(2x - \frac{\sqrt{2}}{\sqrt{|a|}}\right)\sqrt{|a|}\right)}{a^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*arccot(a*x^2),x, algorithm="giac")
```

```
[Out] 1/5*x^5*arctan(1/(a*x^2)) + 1/60*a*(8*x^3/a^2 - 6*sqrt(2)*sqrt(abs(a))*arctan(1/2*sqrt(2)*(2*x + sqrt(2)/sqrt(abs(a)))*sqrt(abs(a)))/a^4 - 6*sqrt(2)*sqrt(abs(a))*arctan(1/2*sqrt(2)*(2*x - sqrt(2)/sqrt(abs(a)))*sqrt(abs(a)))/a^4 + 3*sqrt(2)*sqrt(abs(a))*log(x^2 + sqrt(2)*x/sqrt(abs(a)) + 1/abs(a))/a^4 - 3*sqrt(2)*sqrt(abs(a))*log(x^2 - sqrt(2)*x/sqrt(abs(a)) + 1/abs(a))/a^4)
```


3.81 $\int x^2 \cot^{-1}(ax^2) dx$

Optimal. Leaf size=150

$$\frac{\log(ax^2 - \sqrt{2}\sqrt{ax} + 1)}{6\sqrt{2}a^{3/2}} - \frac{\log(ax^2 + \sqrt{2}\sqrt{ax} + 1)}{6\sqrt{2}a^{3/2}} + \frac{\tan^{-1}(1 - \sqrt{2}\sqrt{ax})}{3\sqrt{2}a^{3/2}} - \frac{\tan^{-1}(\sqrt{2}\sqrt{ax} + 1)}{3\sqrt{2}a^{3/2}} + \frac{1}{3}x^3 \cot^{-1}(ax^2) +$$

```
[Out] (2*x)/(3*a) + (x^3*ArcCot[a*x^2])/3 + ArcTan[1 - Sqrt[2]*Sqrt[a]*x]/(3*Sqrt[2]*a^(3/2)) - ArcTan[1 + Sqrt[2]*Sqrt[a]*x]/(3*Sqrt[2]*a^(3/2)) + Log[1 - Sqrt[2]*Sqrt[a]*x + a*x^2]/(6*Sqrt[2]*a^(3/2)) - Log[1 + Sqrt[2]*Sqrt[a]*x + a*x^2]/(6*Sqrt[2]*a^(3/2))
```

Rubi [A] time = 0.0942241, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.8$, Rules used = {5034, 321, 211, 1165, 628, 1162, 617, 204}

$$\frac{\log(ax^2 - \sqrt{2}\sqrt{ax} + 1)}{6\sqrt{2}a^{3/2}} - \frac{\log(ax^2 + \sqrt{2}\sqrt{ax} + 1)}{6\sqrt{2}a^{3/2}} + \frac{\tan^{-1}(1 - \sqrt{2}\sqrt{ax})}{3\sqrt{2}a^{3/2}} - \frac{\tan^{-1}(\sqrt{2}\sqrt{ax} + 1)}{3\sqrt{2}a^{3/2}} + \frac{1}{3}x^3 \cot^{-1}(ax^2) +$$

Antiderivative was successfully verified.

```
[In] Int[x^2*ArcCot[a*x^2], x]
```

```
[Out] (2*x)/(3*a) + (x^3*ArcCot[a*x^2])/3 + ArcTan[1 - Sqrt[2]*Sqrt[a]*x]/(3*Sqrt[2]*a^(3/2)) - ArcTan[1 + Sqrt[2]*Sqrt[a]*x]/(3*Sqrt[2]*a^(3/2)) + Log[1 - Sqrt[2]*Sqrt[a]*x + a*x^2]/(6*Sqrt[2]*a^(3/2)) - Log[1 + Sqrt[2]*Sqrt[a]*x + a*x^2]/(6*Sqrt[2]*a^(3/2))
```

Rule 5034

```
Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.))*((d_.)*(x_)^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x^n]))/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[(x^(n - 1)*(d*x)^(m + 1))/(1 + c^2*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

Rule 321

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 211

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
```

$\text{eQ}\{a, c, d, e, x\} \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[d*e]$

Rule 628

$\text{Int}[\{(d_)+(e_)*(x_)\}/\{(a_)+(b_)*(x_)+(c_)*(x_)^2\}, x_Symbol] \ :> \ \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] \ /; \ \text{FreeQ}\{a, b, c, d, e\}, x\} \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 1162

$\text{Int}[\{(d_)+(e_)*(x_)^2\}/\{(a_)+(c_)*(x_)^4\}, x_Symbol] \ :> \ \text{With}\{q = \text{Rt}[(2*d)/e, 2]\}, \ \text{Dist}[e/(2*c), \ \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x] + \text{Dist}[e/(2*c), \ \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] \ /; \ \text{FreeQ}\{a, c, d, e\}, x\} \ \& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$

Rule 617

$\text{Int}[\{(a_)+(b_)*(x_)+(c_)*(x_)^2\}^{-1}, x_Symbol] \ :> \ \text{With}\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \ \text{Dist}[-2/b, \ \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] \ /; \ \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) \ /; \ \text{FreeQ}\{a, b, c\}, x\} \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 204

$\text{Int}[\{(a_)+(b_)*(x_)^2\}^{-1}, x_Symbol] \ :> \ -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] \ /; \ \text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rubi steps

$$\begin{aligned} \int x^2 \cot^{-1}(ax^2) dx &= \frac{1}{3}x^3 \cot^{-1}(ax^2) + \frac{1}{3}(2a) \int \frac{x^4}{1+a^2x^4} dx \\ &= \frac{2x}{3a} + \frac{1}{3}x^3 \cot^{-1}(ax^2) - \frac{2 \int \frac{1}{1+a^2x^4} dx}{3a} \\ &= \frac{2x}{3a} + \frac{1}{3}x^3 \cot^{-1}(ax^2) - \frac{\int \frac{1-ax^2}{1+a^2x^4} dx}{3a} - \frac{\int \frac{1+ax^2}{1+a^2x^4} dx}{3a} \\ &= \frac{2x}{3a} + \frac{1}{3}x^3 \cot^{-1}(ax^2) - \frac{\int \frac{1}{\frac{1}{a} - \frac{\sqrt{2}x}{\sqrt{a}} + x^2} dx}{6a^2} - \frac{\int \frac{1}{\frac{1}{a} + \frac{\sqrt{2}x}{\sqrt{a}} + x^2} dx}{6a^2} + \frac{\int \frac{\frac{\sqrt{2}}{\sqrt{a}} + 2x}{-\frac{1}{a} - \frac{\sqrt{2}x}{\sqrt{a}} - x^2} dx}{6\sqrt{2}a^{3/2}} + \frac{\int \frac{\frac{\sqrt{2}}{\sqrt{a}} - 2x}{-\frac{1}{a} + \frac{\sqrt{2}x}{\sqrt{a}} - x^2} dx}{6\sqrt{2}a^{3/2}} \\ &= \frac{2x}{3a} + \frac{1}{3}x^3 \cot^{-1}(ax^2) + \frac{\log(1 - \sqrt{2}\sqrt{ax} + ax^2)}{6\sqrt{2}a^{3/2}} - \frac{\log(1 + \sqrt{2}\sqrt{ax} + ax^2)}{6\sqrt{2}a^{3/2}} - \frac{\text{Subst}\left(\int \frac{1}{-1-x^2} dx, \frac{1 - \sqrt{2}\sqrt{ax}}{1 + \sqrt{2}\sqrt{ax}}\right)}{3\sqrt{2}a^{3/2}} \\ &= \frac{2x}{3a} + \frac{1}{3}x^3 \cot^{-1}(ax^2) + \frac{\tan^{-1}(1 - \sqrt{2}\sqrt{ax})}{3\sqrt{2}a^{3/2}} - \frac{\tan^{-1}(1 + \sqrt{2}\sqrt{ax})}{3\sqrt{2}a^{3/2}} + \frac{\log(1 - \sqrt{2}\sqrt{ax} + ax^2)}{6\sqrt{2}a^{3/2}} - \frac{\log(1 + \sqrt{2}\sqrt{ax} + ax^2)}{6\sqrt{2}a^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.0273759, size = 133, normalized size = 0.89

$$\frac{4a^{3/2}x^3 \cot^{-1}(ax^2) + \sqrt{2} \log(ax^2 - \sqrt{2}\sqrt{ax} + 1) - \sqrt{2} \log(ax^2 + \sqrt{2}\sqrt{ax} + 1) + 8\sqrt{ax} + 2\sqrt{2} \tan^{-1}(1 - \sqrt{2}\sqrt{ax}) - 2\sqrt{2} \tan^{-1}(1 + \sqrt{2}\sqrt{ax})}{12a^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*ArcCot[a*x^2], x]

[Out] $(8\sqrt{a}x + 4a^{3/2}x^3\text{ArcCot}[a x^2] + 2\sqrt{2}\text{ArcTan}[1 - \sqrt{2}\sqrt{a}x] - 2\sqrt{2}\text{ArcTan}[1 + \sqrt{2}\sqrt{a}x] + \sqrt{2}\text{Log}[1 - \sqrt{2}\sqrt{a}x] - 2\sqrt{2}\text{Log}[1 + \sqrt{2}\sqrt{a}x] - \sqrt{2}\text{Log}[1 + \sqrt{2}\sqrt{a}x] + \sqrt{2}\text{Log}[1 + \sqrt{2}\sqrt{a}x]) / (12a^{3/2})$

Maple [A] time = 0.043, size = 127, normalized size = 0.9

$$\frac{x^3 \operatorname{arccot}(ax^2)}{3} + \frac{2x}{3a} - \frac{\sqrt{2}}{12a} \sqrt[4]{a^{-2}} \ln\left(\left(x^2 + \sqrt[4]{a^{-2}}x\sqrt{2} + \sqrt{a^{-2}}\right)\left(x^2 - \sqrt[4]{a^{-2}}x\sqrt{2} + \sqrt{a^{-2}}\right)^{-1}\right) - \frac{\sqrt{2}}{6a} \sqrt[4]{a^{-2}} \arctan\left(x\sqrt{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*arccot(a*x^2),x)`

[Out] $1/3x^3\operatorname{arccot}(ax^2) + 2/3x/a - 1/12/a*(1/a^2)^{1/4}*2^{1/2}*\ln((x^2+(1/a^2)^{1/4}*x*2^{1/2}+(1/a^2)^{1/4})*(x^2-(1/a^2)^{1/4}*x*2^{1/2}+(1/a^2)^{1/4}))-1/6/a*(1/a^2)^{1/4}*2^{1/2}*\arctan(2^{1/2}/(1/a^2)^{1/4}*x+1)-1/6/a*(1/a^2)^{1/4}*2^{1/2}*\arctan(2^{1/2}/(1/a^2)^{1/4}*x-1)$

Maxima [B] time = 1.50193, size = 342, normalized size = 2.28

$$\frac{1}{3}x^3 \operatorname{arccot}(ax^2) - \frac{1}{12}a \left(\frac{\sqrt{2} \log\left(\sqrt{a^2}x^2 + \sqrt{2}(a^2)^{\frac{1}{4}}x + 1\right)}{(a^2)^{\frac{1}{4}}} - \frac{\sqrt{2} \log\left(\sqrt{a^2}x^2 - \sqrt{2}(a^2)^{\frac{1}{4}}x + 1\right)}{(a^2)^{\frac{1}{4}}} + \frac{\sqrt{2} \log\left(\frac{2\sqrt{a^2}x - \sqrt{2}\sqrt{-\sqrt{a^2}} + \sqrt{2}(a^2)^{\frac{1}{4}}}{2\sqrt{a^2}x + \sqrt{2}\sqrt{-\sqrt{a^2}} + \sqrt{2}(a^2)^{\frac{1}{4}}}\right)}{\sqrt{-\sqrt{a^2}}} + \frac{\sqrt{2} \log\left(\frac{2\sqrt{a^2}x + \sqrt{2}\sqrt{-\sqrt{a^2}} + \sqrt{2}(a^2)^{\frac{1}{4}}}{2\sqrt{a^2}x - \sqrt{2}\sqrt{-\sqrt{a^2}} + \sqrt{2}(a^2)^{\frac{1}{4}}}\right)}{\sqrt{-\sqrt{a^2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arccot(a*x^2),x, algorithm="maxima")`

[Out] $1/3x^3\operatorname{arccot}(ax^2) - 1/12*a*((\sqrt{2}*\log(\sqrt{a^2}*x^2 + \sqrt{2}*(a^2)^{1/4}*x + 1)/(\sqrt{a^2})^{1/4} - \sqrt{2}*\log(\sqrt{a^2}*x^2 - \sqrt{2}*(a^2)^{1/4}*x + 1)/(\sqrt{a^2})^{1/4} + \sqrt{2}*\log((2*\sqrt{a^2}*x - \sqrt{2}*\sqrt{-\sqrt{a^2}}) + \sqrt{2}*(a^2)^{1/4})/(2*\sqrt{a^2}*x + \sqrt{2}*\sqrt{-\sqrt{a^2}}) + \sqrt{2}*(a^2)^{1/4})/\sqrt{-\sqrt{a^2}} + \sqrt{2}*\log((2*\sqrt{a^2}*x - \sqrt{2}*\sqrt{-\sqrt{a^2}}) - \sqrt{2}*(a^2)^{1/4})/(2*\sqrt{a^2}*x + \sqrt{2}*\sqrt{-\sqrt{a^2}}) - \sqrt{2}*(a^2)^{1/4})/\sqrt{-\sqrt{a^2}})/a^2 - 8*x/a^2$

Fricas [B] time = 2.30081, size = 713, normalized size = 4.75

$$4ax^3 \arctan\left(\frac{1}{ax^2}\right) + 4\sqrt{2}a\frac{1}{a^6}^{\frac{1}{4}} \arctan\left(-\sqrt{2}a^5\frac{1}{a^6}^{\frac{3}{4}}x + \sqrt{2}\sqrt{\sqrt{2}a\frac{1}{a^6}^{\frac{1}{4}}x + a^2\sqrt{\frac{1}{a^6}} + x^2a^5\frac{1}{a^6}^{\frac{3}{4}} - 1}\right) + 4\sqrt{2}a\frac{1}{a^6}^{\frac{1}{4}} \arctan\left(-\sqrt{2}a^5\frac{1}{a^6}^{\frac{3}{4}}x - \sqrt{2}\sqrt{\sqrt{2}a\frac{1}{a^6}^{\frac{1}{4}}x + a^2\sqrt{\frac{1}{a^6}} + x^2a^5\frac{1}{a^6}^{\frac{3}{4}} - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arccot(a*x^2),x, algorithm="fricas")`

```
[Out] 1/12*(4*a*x^3*arctan(1/(a*x^2)) + 4*sqrt(2)*a*(a^(-6))^(1/4)*arctan(-sqrt(2)
)*a^5*(a^(-6))^(3/4)*x + sqrt(2)*sqrt(sqrt(2)*a*(a^(-6))^(1/4)*x + a^2*sqrt
(a^(-6)) + x^2)*a^5*(a^(-6))^(3/4) - 1) + 4*sqrt(2)*a*(a^(-6))^(1/4)*arctan
(-sqrt(2)*a^5*(a^(-6))^(3/4)*x + sqrt(2)*sqrt(-sqrt(2)*a*(a^(-6))^(1/4)*x +
a^2*sqrt(a^(-6)) + x^2)*a^5*(a^(-6))^(3/4) + 1) - sqrt(2)*a*(a^(-6))^(1/4)
*log(sqrt(2)*a*(a^(-6))^(1/4)*x + a^2*sqrt(a^(-6)) + x^2) + sqrt(2)*a*(a^(-
6))^(1/4)*log(-sqrt(2)*a*(a^(-6))^(1/4)*x + a^2*sqrt(a^(-6)) + x^2) + 8*x)/
a
```

Sympy [A] time = 30.4211, size = 1081, normalized size = 7.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*acot(a*x**2),x)
```

```
[Out] Piecewise((-x**3*acot((-sqrt(2)/2 - sqrt(2)*I/2)**(-2))/3, Eq(a, -1/(x**2*(
-sqrt(2)/2 - sqrt(2)*I/2)**2)), (-x**3*acot((-sqrt(2)/2 + sqrt(2)*I/2)**(-
2))/3, Eq(a, -1/(x**2*(-sqrt(2)/2 + sqrt(2)*I/2)**2)), (-x**3*acot((sqrt(2)
)/2 - sqrt(2)*I/2)**(-2))/3, Eq(a, -1/(x**2*(sqrt(2)/2 - sqrt(2)*I/2)**2))
, (-x**3*acot((sqrt(2)/2 + sqrt(2)*I/2)**(-2))/3, Eq(a, -1/(x**2*(sqrt(2)/2
+ sqrt(2)*I/2)**2)), (pi*x**3/6, Eq(a, 0)), (-2*(-1)**(1/4)*a**8*x**7*(a*
*(-2))**(13/4)*acot(a*x**2)/(-6*(-1)**(1/4)*a**8*x**4*(a**(-2))**(13/4) - 6
*(-1)**(1/4)*a**6*(a**(-2))**(13/4) - 4*(-1)**(1/4)*a**7*x**5*(a**(-2))**(
13/4)/(-6*(-1)**(1/4)*a**8*x**4*(a**(-2))**(13/4) - 6*(-1)**(1/4)*a**6*(a**
(-2))**(13/4)) - 2*(-1)**(1/4)*a**6*x**3*(a**(-2))**(13/4)*acot(a*x**2)/(-6
*(-1)**(1/4)*a**8*x**4*(a**(-2))**(13/4) - 6*(-1)**(1/4)*a**6*(a**(-2))**(1
3/4)) - 2*I*a**5*x**4*(a**(-2))**(5/2)*log(x - (-1)**(1/4)*(a**(-2))**(1/4)
)/(-6*(-1)**(1/4)*a**8*x**4*(a**(-2))**(13/4) - 6*(-1)**(1/4)*a**6*(a**(-2)
)**(13/4)) + I*a**5*x**4*(a**(-2))**(5/2)*log(x**2 + I*sqrt(a**(-2)))/(-6*(-
1)**(1/4)*a**8*x**4*(a**(-2))**(13/4) - 6*(-1)**(1/4)*a**6*(a**(-2))**(13/
4)) - 2*I*a**5*x**4*(a**(-2))**(5/2)*atan((-1)**(3/4)*x/(a**(-2))**(1/4))/(-
6*(-1)**(1/4)*a**8*x**4*(a**(-2))**(13/4) - 6*(-1)**(1/4)*a**6*(a**(-2))**
(13/4)) - 4*(-1)**(1/4)*a**5*x*(a**(-2))**(13/4)/(-6*(-1)**(1/4)*a**8*x**4*
(a**(-2))**(13/4) - 6*(-1)**(1/4)*a**6*(a**(-2))**(13/4)) - 2*I*a**3*(a**(-
2))**(5/2)*log(x - (-1)**(1/4)*(a**(-2))**(1/4))/(-6*(-1)**(1/4)*a**8*x**4*
(a**(-2))**(13/4) - 6*(-1)**(1/4)*a**6*(a**(-2))**(13/4)) + I*a**3*(a**(-2)
)**(5/2)*log(x**2 + I*sqrt(a**(-2)))/(-6*(-1)**(1/4)*a**8*x**4*(a**(-2))**(
13/4) - 6*(-1)**(1/4)*a**6*(a**(-2))**(13/4)) - 2*I*a**3*(a**(-2))**(5/2)*a
tan((-1)**(3/4)*x/(a**(-2))**(1/4))/(-6*(-1)**(1/4)*a**8*x**4*(a**(-2))**(1
3/4) - 6*(-1)**(1/4)*a**6*(a**(-2))**(13/4)) + 2*x**4*acot(a*x**2)/(-6*(-1)
)**(1/4)*a**8*x**4*(a**(-2))**(13/4) - 6*(-1)**(1/4)*a**6*(a**(-2))**(13/4)
+ 2*acot(a*x**2)/(-6*(-1)**(1/4)*a**10*x**4*(a**(-2))**(13/4) - 6*(-1)**(1
/4)*a**8*(a**(-2))**(13/4)), True))
```

Giac [A] time = 1.11955, size = 207, normalized size = 1.38

$$\frac{1}{3}x^3 \arctan\left(\frac{1}{ax^2}\right) + \frac{1}{12}a \left(\frac{8x}{a^2} - \frac{2\sqrt{2} \arctan\left(\frac{1}{2}\sqrt{2}\left(2x + \frac{\sqrt{2}}{\sqrt{|a|}}\right)\sqrt{|a|}\right)}{a^2\sqrt{|a|}} - \frac{2\sqrt{2} \arctan\left(\frac{1}{2}\sqrt{2}\left(2x - \frac{\sqrt{2}}{\sqrt{|a|}}\right)\sqrt{|a|}\right)}{a^2\sqrt{|a|}} - \frac{\sqrt{2} \log\left(x^2 + \frac{\sqrt{2}}{\sqrt{|a|}}\right)}{a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccot(a*x^2),x, algorithm="giac")
```

```
[Out] 1/3*x^3*arctan(1/(a*x^2)) + 1/12*a*(8*x/a^2 - 2*sqrt(2)*arctan(1/2*sqrt(2)*
(2*x + sqrt(2)/sqrt(abs(a)))*sqrt(abs(a)))/(a^2*sqrt(abs(a))) - 2*sqrt(2)*a
rctan(1/2*sqrt(2)*(2*x - sqrt(2)/sqrt(abs(a)))*sqrt(abs(a)))/(a^2*sqrt(abs(
a))) - sqrt(2)*log(x^2 + sqrt(2)*x/sqrt(abs(a)) + 1/abs(a))/(a^2*sqrt(abs(a
))) + sqrt(2)*log(x^2 - sqrt(2)*x/sqrt(abs(a)) + 1/abs(a))/(a^2*sqrt(abs(a)
)))
```

3.82 $\int \cot^{-1}(ax^2) dx$

Optimal. Leaf size=132

$$\frac{\log(ax^2 - \sqrt{2}\sqrt{ax} + 1)}{2\sqrt{2}\sqrt{a}} - \frac{\log(ax^2 + \sqrt{2}\sqrt{ax} + 1)}{2\sqrt{2}\sqrt{a}} + x \cot^{-1}(ax^2) - \frac{\tan^{-1}(1 - \sqrt{2}\sqrt{ax})}{\sqrt{2}\sqrt{a}} + \frac{\tan^{-1}(\sqrt{2}\sqrt{ax} + 1)}{\sqrt{2}\sqrt{a}}$$

[Out] x*ArcCot[a*x^2] - ArcTan[1 - Sqrt[2]*Sqrt[a]*x]/(Sqrt[2]*Sqrt[a]) + ArcTan[1 + Sqrt[2]*Sqrt[a]*x]/(Sqrt[2]*Sqrt[a]) + Log[1 - Sqrt[2]*Sqrt[a]*x + a*x^2]/(2*Sqrt[2]*Sqrt[a]) - Log[1 + Sqrt[2]*Sqrt[a]*x + a*x^2]/(2*Sqrt[2]*Sqrt[a])

Rubi [A] time = 0.0760943, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 1.167$, Rules used = {5028, 297, 1162, 617, 204, 1165, 628}

$$\frac{\log(ax^2 - \sqrt{2}\sqrt{ax} + 1)}{2\sqrt{2}\sqrt{a}} - \frac{\log(ax^2 + \sqrt{2}\sqrt{ax} + 1)}{2\sqrt{2}\sqrt{a}} + x \cot^{-1}(ax^2) - \frac{\tan^{-1}(1 - \sqrt{2}\sqrt{ax})}{\sqrt{2}\sqrt{a}} + \frac{\tan^{-1}(\sqrt{2}\sqrt{ax} + 1)}{\sqrt{2}\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x^2], x]

[Out] x*ArcCot[a*x^2] - ArcTan[1 - Sqrt[2]*Sqrt[a]*x]/(Sqrt[2]*Sqrt[a]) + ArcTan[1 + Sqrt[2]*Sqrt[a]*x]/(Sqrt[2]*Sqrt[a]) + Log[1 - Sqrt[2]*Sqrt[a]*x + a*x^2]/(2*Sqrt[2]*Sqrt[a]) - Log[1 + Sqrt[2]*Sqrt[a]*x + a*x^2]/(2*Sqrt[2]*Sqrt[a])

Rule 5028

Int[ArcCot[(c_.)*(x_)^(n_)], x_Symbol] := Simp[x*ArcCot[c*x^n], x] + Dist[c*n, Int[x^n/(1 + c^2*x^(2*n)), x], x] /; FreeQ[{c, n}, x]

Rule 297

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rubi steps

$$\begin{aligned} \int \cot^{-1}(ax^2) dx &= x \cot^{-1}(ax^2) + (2a) \int \frac{x^2}{1+a^2x^4} dx \\ &= x \cot^{-1}(ax^2) - \int \frac{1-ax^2}{1+a^2x^4} dx + \int \frac{1+ax^2}{1+a^2x^4} dx \\ &= x \cot^{-1}(ax^2) + \frac{\int \frac{1}{\frac{1}{a} - \frac{\sqrt{2}x}{\sqrt{a}} + x^2} dx}{2a} + \frac{\int \frac{1}{\frac{1}{a} + \frac{\sqrt{2}x}{\sqrt{a}} + x^2} dx}{2a} + \frac{\int \frac{\frac{\sqrt{2}}{\sqrt{a}} + 2x}{\frac{1}{a} - \frac{\sqrt{2}x}{\sqrt{a}} - x^2} dx}{2\sqrt{2}\sqrt{a}} + \frac{\int \frac{\frac{\sqrt{2}}{\sqrt{a}} - 2x}{\frac{1}{a} + \frac{\sqrt{2}x}{\sqrt{a}} - x^2} dx}{2\sqrt{2}\sqrt{a}} \\ &= x \cot^{-1}(ax^2) + \frac{\log(1 - \sqrt{2}\sqrt{ax} + ax^2)}{2\sqrt{2}\sqrt{a}} - \frac{\log(1 + \sqrt{2}\sqrt{ax} + ax^2)}{2\sqrt{2}\sqrt{a}} + \frac{\text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1 - \sqrt{2}\sqrt{ax}\right)}{\sqrt{2}\sqrt{a}} \\ &= x \cot^{-1}(ax^2) - \frac{\tan^{-1}(1 - \sqrt{2}\sqrt{ax})}{\sqrt{2}\sqrt{a}} + \frac{\tan^{-1}(1 + \sqrt{2}\sqrt{ax})}{\sqrt{2}\sqrt{a}} + \frac{\log(1 - \sqrt{2}\sqrt{ax} + ax^2)}{2\sqrt{2}\sqrt{a}} - \frac{\log(1 + \sqrt{2}\sqrt{ax} + ax^2)}{2\sqrt{2}\sqrt{a}} \end{aligned}$$

Mathematica [A] time = 0.0337439, size = 102, normalized size = 0.77

$$x \cot^{-1}(ax^2) + \frac{\log(ax^2 - \sqrt{2}\sqrt{ax} + 1) - \log(ax^2 + \sqrt{2}\sqrt{ax} + 1) - 2 \tan^{-1}(1 - \sqrt{2}\sqrt{ax}) + 2 \tan^{-1}(\sqrt{2}\sqrt{ax} + 1)}{2\sqrt{2}\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x^2], x]

[Out] x*ArcCot[a*x^2] + (-2*ArcTan[1 - Sqrt[2]*Sqrt[a]*x] + 2*ArcTan[1 + Sqrt[2]*Sqrt[a]*x] + Log[1 - Sqrt[2]*Sqrt[a]*x + a*x^2] - Log[1 + Sqrt[2]*Sqrt[a]*x + a*x^2])/(2*Sqrt[2]*Sqrt[a])

Maple [A] time = 0.041, size = 118, normalized size = 0.9

$$x \operatorname{arccot}(ax^2) + \frac{\sqrt{2}}{4a} \ln \left(\left(x^2 - \sqrt[4]{a^{-2}} x \sqrt{2} + \sqrt{a^{-2}} \right) \left(x^2 + \sqrt[4]{a^{-2}} x \sqrt{2} + \sqrt{a^{-2}} \right)^{-1} \right) \frac{1}{\sqrt[4]{a^{-2}}} + \frac{\sqrt{2}}{2a} \arctan \left(x \sqrt{2} \frac{1}{\sqrt[4]{a^{-2}}} + 1 \right) \frac{1}{\sqrt[4]{a^{-2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x^2),x)

[Out] x*arccot(a*x^2)+1/4/a/(1/a^2)^(1/4)*2^(1/2)*ln((x^2-(1/a^2)^(1/4)*x*2^(1/2)+(1/a^2)^(1/2))/(x^2+(1/a^2)^(1/4)*x*2^(1/2)+(1/a^2)^(1/2)))+1/2/a/(1/a^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/(1/a^2)^(1/4)*x+1)+1/2/a/(1/a^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/(1/a^2)^(1/4)*x-1)

Maxima [B] time = 1.51113, size = 339, normalized size = 2.57

$$-\frac{1}{4}a \left(\frac{\sqrt{2} \log\left(\sqrt{a^2}x^2 + \sqrt{2}(a^2)^{\frac{1}{4}}x + 1\right)}{(a^2)^{\frac{3}{4}}} - \frac{\sqrt{2} \log\left(\sqrt{a^2}x^2 - \sqrt{2}(a^2)^{\frac{1}{4}}x + 1\right)}{(a^2)^{\frac{3}{4}}} - \frac{\sqrt{2} \log\left(\frac{2\sqrt{a^2}x - \sqrt{2}\sqrt{-\sqrt{a^2} + \sqrt{2}(a^2)^{\frac{1}{4}}}}{2\sqrt{a^2}x + \sqrt{2}\sqrt{-\sqrt{a^2} + \sqrt{2}(a^2)^{\frac{1}{4}}}}\right)}{\sqrt{a^2}\sqrt{-\sqrt{a^2}}} - \frac{\sqrt{2} \log\left(\dots\right)}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^2),x, algorithm="maxima")

[Out] -1/4*a*(sqrt(2)*log(sqrt(a^2)*x^2 + sqrt(2)*(a^2)^(1/4)*x + 1)/(a^2)^(3/4) - sqrt(2)*log(sqrt(a^2)*x^2 - sqrt(2)*(a^2)^(1/4)*x + 1)/(a^2)^(3/4) - sqrt(2)*log((2*sqrt(a^2)*x - sqrt(2)*sqrt(-sqrt(a^2)) + sqrt(2)*(a^2)^(1/4))/(2*sqrt(a^2)*x + sqrt(2)*sqrt(-sqrt(a^2)) + sqrt(2)*(a^2)^(1/4)))/(sqrt(a^2)*sqrt(-sqrt(a^2))) - sqrt(2)*log((2*sqrt(a^2)*x - sqrt(2)*sqrt(-sqrt(a^2)) - sqrt(2)*(a^2)^(1/4))/(2*sqrt(a^2)*x + sqrt(2)*sqrt(-sqrt(a^2)) - sqrt(2)*(a^2)^(1/4)))/(sqrt(a^2)*sqrt(-sqrt(a^2)))) + x*arccot(a*x^2)

Fricas [A] time = 2.24999, size = 647, normalized size = 4.9

$$x \arctan\left(\frac{1}{ax^2}\right) - \sqrt{2} \frac{1}{a^2} \arctan\left(-\sqrt{2}a \frac{1}{a^2} x + \sqrt{2} \sqrt{\sqrt{2}a \frac{1}{a^2} x + x^2 + \sqrt{\frac{1}{a^2}a \frac{1}{a^2} - 1}}\right) - \sqrt{2} \frac{1}{a^2} \arctan\left(-\sqrt{2}a \frac{1}{a^2} x + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^2),x, algorithm="fricas")

[Out] x*arctan(1/(a*x^2)) - sqrt(2)*(a^(-2))^(1/4)*arctan(-sqrt(2)*a*(a^(-2))^(1/4)*x + sqrt(2)*sqrt(sqrt(2)*a*(a^(-2))^(3/4)*x + x^2 + sqrt(a^(-2))))*a*(a^(-2))^(1/4) - 1) - sqrt(2)*(a^(-2))^(1/4)*arctan(-sqrt(2)*a*(a^(-2))^(1/4)*x + sqrt(2)*sqrt(-sqrt(2)*a*(a^(-2))^(3/4)*x + x^2 + sqrt(a^(-2))))*a*(a^(-2))^(1/4) + 1) - 1/4*sqrt(2)*(a^(-2))^(1/4)*log(sqrt(2)*a*(a^(-2))^(3/4)*x + x^2 + sqrt(a^(-2))) + 1/4*sqrt(2)*(a^(-2))^(1/4)*log(-sqrt(2)*a*(a^(-2))^(3/4)*x + x^2 + sqrt(a^(-2)))

Sympy [A] time = 14.9019, size = 440, normalized size = 3.33

$$\left\{ \begin{array}{l} \frac{\pi x}{2} \\ \infty i x \\ -\infty i x \end{array} \right. - \frac{2(-1)^{\frac{3}{4}} a^7 x^4 \left(\frac{1}{a^2}\right)^{\frac{11}{4}} \log\left(x - \sqrt[4]{-1} \sqrt{\frac{1}{a^2}}\right)}{2a^2 x^4 + 2} + \frac{(-1)^{\frac{3}{4}} a^7 x^4 \left(\frac{1}{a^2}\right)^{\frac{11}{4}} \log\left(x^2 + i \sqrt{\frac{1}{a^2}}\right)}{2a^2 x^4 + 2} + \frac{2(-1)^{\frac{3}{4}} a^7 x^4 \left(\frac{1}{a^2}\right)^{\frac{11}{4}} \operatorname{atan}\left(\frac{(-1)^{\frac{3}{4}} x}{\sqrt{\frac{1}{a^2}}}\right)}{2a^2 x^4 + 2} - \frac{2(-1)^{\frac{3}{4}} a^5 \left(\frac{1}{a^2}\right)^{\frac{11}{4}} \log\left(x - \sqrt[4]{-1} \sqrt{\frac{1}{a^2}}\right)}{2a^2 x^4 + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x**2),x)

[Out] Piecewise((pi*x/2, Eq(a, 0)), (oo*I*x, Eq(a, -I/x**2)), (-oo*I*x, Eq(a, I/x**2)), (-2*(-1)**(3/4)*a**7*x**4*(a**(-2))**(11/4)*log(x - (-1)**(1/4)*(a**(-2))**(1/4))/(2*a**2*x**4 + 2) + (-1)**(3/4)*a**7*x**4*(a**(-2))**(11/4)*log(x**2 + I*sqrt(a**(-2)))/(2*a**2*x**4 + 2) + 2*(-1)**(3/4)*a**7*x**4*(a**(-2))**(11/4)*atan((-1)**(3/4)*x/(a**(-2))**(1/4))/(2*a**2*x**4 + 2) - 2*(-1)**(3/4)*a**5*(a**(-2))**(11/4)*log(x - (-1)**(1/4)*(a**(-2))**(1/4))/(2*a**2*x**4 + 2) + (-1)**(3/4)*a**5*(a**(-2))**(11/4)*log(x**2 + I*sqrt(a**(-2)))/(2*a**2*x**4 + 2) + 2*(-1)**(3/4)*a**5*(a**(-2))**(11/4)*atan((-1)**(3/4)*x/(a**(-2))**(1/4))/(2*a**2*x**4 + 2) + 2*(-1)**(1/4)*a**4*x**4*(a**(-2))**(5/4)*acot(a*x**2)/(2*a**2*x**4 + 2) + 2*(-1)**(1/4)*a**4*(a**(-2))**(9/4)*acot(a*x**2)/(2*a**2*x**4 + 2) + 2*a**2*x**5*acot(a*x**2)/(2*a**2*x**4 + 2) + 2*x*acot(a*x**2)/(2*a**2*x**4 + 2), True))

Giac [A] time = 1.09722, size = 194, normalized size = 1.47

$$\frac{1}{4} a \left(\frac{2\sqrt{2}\sqrt{|a|} \arctan\left(\frac{1}{2}\sqrt{2}\left(2x + \frac{\sqrt{2}}{\sqrt{|a|}}\right)\sqrt{|a|}\right)}{a^2} + \frac{2\sqrt{2}\sqrt{|a|} \arctan\left(\frac{1}{2}\sqrt{2}\left(2x - \frac{\sqrt{2}}{\sqrt{|a|}}\right)\sqrt{|a|}\right)}{a^2} - \frac{\sqrt{2}\sqrt{|a|} \log\left(x^2 + \frac{\sqrt{2}x}{\sqrt{|a|}} + \frac{1}{|a|}\right)}{a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^2),x, algorithm="giac")

[Out] 1/4*a*(2*sqrt(2)*sqrt(abs(a))*arctan(1/2*sqrt(2)*(2*x + sqrt(2)/sqrt(abs(a)))*sqrt(abs(a)))/a^2 + 2*sqrt(2)*sqrt(abs(a))*arctan(1/2*sqrt(2)*(2*x - sqrt(2)/sqrt(abs(a)))*sqrt(abs(a)))/a^2 - sqrt(2)*sqrt(abs(a))*log(x^2 + sqrt(2)*x/sqrt(abs(a)) + 1/abs(a))/a^2 + sqrt(2)*sqrt(abs(a))*log(x^2 - sqrt(2)*x/sqrt(abs(a)) + 1/abs(a))/a^2) + x*arctan(1/(a*x^2))

3.83 $\int \frac{\cot^{-1}(ax^2)}{x^2} dx$

Optimal. Leaf size=135

$$\frac{\sqrt{a} \log(ax^2 - \sqrt{2}\sqrt{ax} + 1)}{2\sqrt{2}} - \frac{\sqrt{a} \log(ax^2 + \sqrt{2}\sqrt{ax} + 1)}{2\sqrt{2}} - \frac{\cot^{-1}(ax^2)}{x} + \frac{\sqrt{a} \tan^{-1}(1 - \sqrt{2}\sqrt{ax})}{\sqrt{2}} - \frac{\sqrt{a} \tan^{-1}(\sqrt{2}\sqrt{ax} + 1)}{\sqrt{2}}$$

[Out] $-(\text{ArcCot}[a*x^2]/x) + (\text{Sqrt}[a]*\text{ArcTan}[1 - \text{Sqrt}[2]*\text{Sqrt}[a]*x])/\text{Sqrt}[2] - (\text{Sqrt}[a]*\text{ArcTan}[1 + \text{Sqrt}[2]*\text{Sqrt}[a]*x])/\text{Sqrt}[2] + (\text{Sqrt}[a]*\text{Log}[1 - \text{Sqrt}[2]*\text{Sqrt}[a]*x + a*x^2])/(2*\text{Sqrt}[2]) - (\text{Sqrt}[a]*\text{Log}[1 + \text{Sqrt}[2]*\text{Sqrt}[a]*x + a*x^2])/(2*\text{Sqrt}[2])$

Rubi [A] time = 0.0786399, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.7$, Rules used = {5034, 211, 1165, 628, 1162, 617, 204}

$$\frac{\sqrt{a} \log(ax^2 - \sqrt{2}\sqrt{ax} + 1)}{2\sqrt{2}} - \frac{\sqrt{a} \log(ax^2 + \sqrt{2}\sqrt{ax} + 1)}{2\sqrt{2}} - \frac{\cot^{-1}(ax^2)}{x} + \frac{\sqrt{a} \tan^{-1}(1 - \sqrt{2}\sqrt{ax})}{\sqrt{2}} - \frac{\sqrt{a} \tan^{-1}(\sqrt{2}\sqrt{ax} + 1)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{ArcCot}[a*x^2]/x^2, x]$

[Out] $-(\text{ArcCot}[a*x^2]/x) + (\text{Sqrt}[a]*\text{ArcTan}[1 - \text{Sqrt}[2]*\text{Sqrt}[a]*x])/\text{Sqrt}[2] - (\text{Sqrt}[a]*\text{ArcTan}[1 + \text{Sqrt}[2]*\text{Sqrt}[a]*x])/\text{Sqrt}[2] + (\text{Sqrt}[a]*\text{Log}[1 - \text{Sqrt}[2]*\text{Sqrt}[a]*x + a*x^2])/(2*\text{Sqrt}[2]) - (\text{Sqrt}[a]*\text{Log}[1 + \text{Sqrt}[2]*\text{Sqrt}[a]*x + a*x^2])/(2*\text{Sqrt}[2])$

Rule 5034

$\text{Int}[(a + \text{ArcCot}[c*(x)^n]*b)*(d*(x))^m, x_Symbol] :> \text{Simp}[(d*x)^{m+1}*(a + b*\text{ArcCot}[c*x^n])/(d*(m+1)), x] + \text{Dist}[b*c*n/(d*(m+1)), \text{Int}[(x^{n-1}*(d*x)^{m+1})/(1 + c^2*x^{2*n}), x], x] /;$ FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 211

$\text{Int}[(a + b*(x)^4)^{-1}, x_Symbol] :> \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 2]], s = \text{Denominator}[\text{Rt}[a/b, 2]]\}, \text{Dist}[1/(2*r), \text{Int}[(r - s*x^2)/(a + b*x^4), x], x] + \text{Dist}[1/(2*r), \text{Int}[(r + s*x^2)/(a + b*x^4), x], x]] /;$ FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 1165

$\text{Int}[(d + e*(x)^2)/((a + c*(x)^4), x_Symbol] :> \text{With}[\{q = \text{Rt}[-(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /;$ FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 628

$\text{Int}[(d + e*(x))/((a + b*(x) + c*(x)^2), x_Symbol] :> \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /;$ FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] & & EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(ax^2)}{x^2} dx &= -\frac{\cot^{-1}(ax^2)}{x} - (2a) \int \frac{1}{1+a^2x^4} dx \\ &= -\frac{\cot^{-1}(ax^2)}{x} - a \int \frac{1-ax^2}{1+a^2x^4} dx - a \int \frac{1+ax^2}{1+a^2x^4} dx \\ &= -\frac{\cot^{-1}(ax^2)}{x} - \frac{1}{2} \int \frac{1}{\frac{1}{a} - \frac{\sqrt{2}x}{\sqrt{a}} + x^2} dx - \frac{1}{2} \int \frac{1}{\frac{1}{a} + \frac{\sqrt{2}x}{\sqrt{a}} + x^2} dx + \frac{\sqrt{a} \int \frac{\frac{\sqrt{2}}{\sqrt{a}} + 2x}{-\frac{1}{a} - \frac{\sqrt{2}x}{\sqrt{a}} - x^2} dx}{2\sqrt{2}} + \frac{\sqrt{a} \int \frac{\frac{\sqrt{2}}{\sqrt{a}}}{-\frac{1}{a} + \frac{\sqrt{2}x}{\sqrt{a}} + x^2} dx}{2\sqrt{2}} \\ &= -\frac{\cot^{-1}(ax^2)}{x} + \frac{\sqrt{a} \log(1 - \sqrt{2}\sqrt{ax} + ax^2)}{2\sqrt{2}} - \frac{\sqrt{a} \log(1 + \sqrt{2}\sqrt{ax} + ax^2)}{2\sqrt{2}} - \frac{\sqrt{a} \operatorname{Subst}\left(\int \frac{1}{-1-x^2} dx\right)}{\sqrt{2}} \\ &= -\frac{\cot^{-1}(ax^2)}{x} + \frac{\sqrt{a} \tan^{-1}(1 - \sqrt{2}\sqrt{ax})}{\sqrt{2}} - \frac{\sqrt{a} \tan^{-1}(1 + \sqrt{2}\sqrt{ax})}{\sqrt{2}} + \frac{\sqrt{a} \log(1 - \sqrt{2}\sqrt{ax} + ax^2)}{2\sqrt{2}} \end{aligned}$$

Mathematica [A] time = 0.0397873, size = 105, normalized size = 0.78

$$\frac{\sqrt{a} (\log(ax^2 - \sqrt{2}\sqrt{ax} + 1) - \log(ax^2 + \sqrt{2}\sqrt{ax} + 1) + 2 \tan^{-1}(1 - \sqrt{2}\sqrt{ax}) - 2 \tan^{-1}(\sqrt{2}\sqrt{ax} + 1))}{2\sqrt{2}} - \frac{\cot^{-1}(ax^2)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x^2]/x^2,x]

[Out] -(ArcCot[a*x^2]/x) + (Sqrt[a]*(2*ArcTan[1 - Sqrt[2]*Sqrt[a]*x] - 2*ArcTan[1 + Sqrt[2]*Sqrt[a]*x] + Log[1 - Sqrt[2]*Sqrt[a]*x + a*x^2] - Log[1 + Sqrt[2]*Sqrt[a]*x + a*x^2]))/(2*Sqrt[2])

Maple [A] time = 0.042, size = 115, normalized size = 0.9

$$-\frac{\operatorname{arccot}(ax^2)}{x} - \frac{a\sqrt{2}}{2} \sqrt[4]{a^{-2}} \arctan\left(\sqrt{2}x \frac{1}{\sqrt[4]{a^{-2}}} - 1\right) - \frac{a\sqrt{2}}{4} \sqrt[4]{a^{-2}} \ln\left(\left(x^2 + \sqrt[4]{a^{-2}}x\sqrt{2} + \sqrt{a^{-2}}\right)\left(x^2 - \sqrt[4]{a^{-2}}x\sqrt{2} + \sqrt{a^{-2}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccot(a*x^2)/x^2,x)`

[Out] $-\operatorname{arccot}(a x^2) / x - 1/2 * a * (1/a^2)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (1/a^2)^{(1/4)} * x - 1) - 1/4 * a * (1/a^2)^{(1/4)} * 2^{(1/2)} * \ln((x^2 + (1/a^2)^{(1/4)} * x * 2^{(1/2)} + (1/a^2)^{(1/2)}) / (x^2 - (1/a^2)^{(1/4)} * x * 2^{(1/2)} + (1/a^2)^{(1/2)})) - 1/2 * a * (1/a^2)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (1/a^2)^{(1/4)} * x + 1)$

Maxima [B] time = 1.49246, size = 327, normalized size = 2.42

$$\frac{1}{4} \left(\frac{\sqrt{2} \log\left(\sqrt{a^2} x^2 + \sqrt{2} (a^2)^{\frac{1}{4}} x + 1\right)}{(a^2)^{\frac{1}{4}}} - \frac{\sqrt{2} \log\left(\sqrt{a^2} x^2 - \sqrt{2} (a^2)^{\frac{1}{4}} x + 1\right)}{(a^2)^{\frac{1}{4}}} + \frac{\sqrt{2} \log\left(\frac{2\sqrt{a^2} x - \sqrt{2}\sqrt{-\sqrt{a^2} + \sqrt{2}(a^2)^{\frac{1}{4}}}}{2\sqrt{a^2} x + \sqrt{2}\sqrt{-\sqrt{a^2} + \sqrt{2}(a^2)^{\frac{1}{4}}}}\right)}{\sqrt{-\sqrt{a^2}}} + \frac{\sqrt{2} \log\left(\frac{2\sqrt{a^2} x + \sqrt{2}\sqrt{-\sqrt{a^2} + \sqrt{2}(a^2)^{\frac{1}{4}}}}{2\sqrt{a^2} x - \sqrt{2}\sqrt{-\sqrt{a^2} + \sqrt{2}(a^2)^{\frac{1}{4}}}}\right)}{\sqrt{-\sqrt{a^2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(a*x^2)/x^2,x, algorithm="maxima")`

[Out] $-1/4 * (\sqrt{2} * \log(\sqrt{a^2} * x^2 + \sqrt{2} * (a^2)^{(1/4)} * x + 1) / (a^2)^{(1/4)} - \sqrt{2} * \log(\sqrt{a^2} * x^2 - \sqrt{2} * (a^2)^{(1/4)} * x + 1) / (a^2)^{(1/4)} + \sqrt{2} * \log((2 * \sqrt{a^2} * x - \sqrt{2} * \sqrt{-\sqrt{a^2}}) + \sqrt{2} * (a^2)^{(1/4)}) / (2 * \sqrt{a^2} * x + \sqrt{2} * \sqrt{-\sqrt{a^2}}) + \sqrt{2} * (a^2)^{(1/4)}) / \sqrt{-\sqrt{a^2}} + \sqrt{2} * \log((2 * \sqrt{a^2} * x - \sqrt{2} * \sqrt{-\sqrt{a^2}}) - \sqrt{2} * (a^2)^{(1/4)}) / (2 * \sqrt{a^2} * x + \sqrt{2} * \sqrt{-\sqrt{a^2}}) - \sqrt{2} * (a^2)^{(1/4)}) / \sqrt{-\sqrt{a^2}}) * a - \operatorname{arccot}(a x^2) / x$

Fricas [B] time = 2.31341, size = 633, normalized size = 4.69

$$4 \sqrt{2} (a^2)^{\frac{1}{4}} x \arctan\left(-\frac{\sqrt{2} (a^2)^{\frac{3}{4}} a x + a^2 - \sqrt{2} \sqrt{a^2 x^2 + \sqrt{2} (a^2)^{\frac{1}{4}} a x + \sqrt{a^2} (a^2)^{\frac{3}{4}}}}{a^2}\right) + 4 \sqrt{2} (a^2)^{\frac{1}{4}} x \arctan\left(-\frac{\sqrt{2} (a^2)^{\frac{3}{4}} a x - a^2 - \sqrt{2} \sqrt{a^2 x^2 - \sqrt{2} (a^2)^{\frac{1}{4}} a x + \sqrt{a^2} (a^2)^{\frac{3}{4}}}}{a^2}\right)$$

4 x

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(a*x^2)/x^2,x, algorithm="fricas")`

[Out] $1/4 * (4 * \sqrt{2} * (a^2)^{(1/4)} * x * \arctan(-(\sqrt{2} * (a^2)^{(3/4)} * a * x + a^2 - \sqrt{2} * \sqrt{a^2 * x^2 + \sqrt{2} * (a^2)^{(1/4)} * a * x + \sqrt{a^2} * (a^2)^{(3/4)})} / a^2) + 4 * \sqrt{2} * (a^2)^{(1/4)} * x * \arctan(-(\sqrt{2} * (a^2)^{(3/4)} * a * x - a^2 - \sqrt{2} * \sqrt{a^2 * x^2 - \sqrt{2} * (a^2)^{(1/4)} * a * x + \sqrt{a^2} * (a^2)^{(3/4)})} / a^2) - \sqrt{2} * (a^2)^{(1/4)} * x * \log(a^2 * x^2 + \sqrt{2} * (a^2)^{(1/4)} * a * x + \sqrt{a^2}) + \sqrt{2} * (a^2)^{(1/4)} * x * \log(a^2 * x^2 - \sqrt{2} * (a^2)^{(1/4)} * a * x + \sqrt{a^2}) - 4 * \arctan(1 / (a * x^2))) / x$

Sympy [A] time = 30.0655, size = 462, normalized size = 3.42

$$\left\{ \begin{array}{l} -\frac{\infty i}{x} \\ \frac{\infty i}{x} \\ \frac{x}{2x} \\ -\frac{\pi}{2x} \end{array} \right. \frac{2(-1)^{\frac{3}{4}} a^5 x^5 \left(\frac{1}{a^2}\right)^{\frac{7}{4}} \operatorname{acot}(ax^2)}{2ax^5 + \frac{2x}{a}} + \frac{2\sqrt[4]{-1} a^4 x^5 \left(\frac{1}{a^2}\right)^{\frac{5}{4}} \log\left(x - \sqrt[4]{-1} \sqrt{\frac{1}{a^2}}\right)}{2ax^5 + \frac{2x}{a}} - \frac{\sqrt[4]{-1} a^4 x^5 \left(\frac{1}{a^2}\right)^{\frac{5}{4}} \log\left(x^2 + i \sqrt{\frac{1}{a^2}}\right)}{2ax^5 + \frac{2x}{a}} + \frac{2\sqrt[4]{-1} a^4 x^5 \left(\frac{1}{a^2}\right)^{\frac{5}{4}} \operatorname{atan}\left(\frac{(-1)^{\frac{3}{4}} x}{\sqrt{\frac{1}{a^2}}}\right)}{2ax^5 + \frac{2x}{a}} + \frac{2(-1)^{\frac{3}{4}} a^5 x^5 \left(\frac{1}{a^2}\right)^{\frac{7}{4}} \operatorname{acot}(ax^2)}{2ax^5 + \frac{2x}{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x**2)/x**2,x)

[Out] Piecewise((-oo*I/x, Eq(a, -I/x**2)), (oo*I/x, Eq(a, I/x**2)), (-pi/(2*x), Eq(a, 0)), (2*(-1)**(3/4)*a**5*x**5*(a**(-2))**(7/4)*acot(a*x**2)/(2*a*x**5 + 2*x/a) + 2*(-1)**(1/4)*a**4*x**5*(a**(-2))**(5/4)*log(x - (-1)**(1/4)*(a**(-2))**(1/4))/(2*a*x**5 + 2*x/a) - (-1)**(1/4)*a**4*x**5*(a**(-2))**(5/4)*log(x**2 + I*sqrt(a**(-2)))/(2*a*x**5 + 2*x/a) + 2*(-1)**(1/4)*a**4*x**5*(a**(-2))**(5/4)*atan((-1)**(3/4)*x/(a**(-2))**(1/4))/(2*a*x**5 + 2*x/a) + 2*(-1)**(3/4)*a**3*x*(a**(-2))**(7/4)*acot(a*x**2)/(2*a*x**5 + 2*x/a) + 2*(-1)**(1/4)*a**2*x*(a**(-2))**(5/4)*log(x - (-1)**(1/4)*(a**(-2))**(1/4))/(2*a*x**5 + 2*x/a) - (-1)**(1/4)*a**2*x*(a**(-2))**(5/4)*log(x**2 + I*sqrt(a**(-2)))/(2*a*x**5 + 2*x/a) + 2*(-1)**(1/4)*a**2*x*(a**(-2))**(5/4)*atan((-1)**(3/4)*x/(a**(-2))**(1/4))/(2*a*x**5 + 2*x/a) - 2*a*x**4*acot(a*x**2)/(2*a*x**5 + 2*x/a) - 2*acot(a*x**2)/(2*a**2*x**5 + 2*x), True))

Giac [A] time = 1.12927, size = 182, normalized size = 1.35

$$-\frac{1}{4} a \left(\frac{2\sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} \left(2x + \frac{\sqrt{2}}{\sqrt{|a|}}\right) \sqrt{|a|}\right)}{\sqrt{|a|}} + \frac{2\sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} \left(2x - \frac{\sqrt{2}}{\sqrt{|a|}}\right) \sqrt{|a|}\right)}{\sqrt{|a|}} + \frac{\sqrt{2} \log\left(x^2 + \frac{\sqrt{2}x}{\sqrt{|a|}} + \frac{1}{|a|}\right)}{\sqrt{|a|}} - \frac{\sqrt{2} \log\left(x^2 - \frac{\sqrt{2}x}{\sqrt{|a|}} + \frac{1}{|a|}\right)}{\sqrt{|a|}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^2)/x^2,x, algorithm="giac")

[Out] -1/4*a*(2*sqrt(2)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)/sqrt(abs(a)))*sqrt(abs(a)))/sqrt(abs(a)) + 2*sqrt(2)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)/sqrt(abs(a)))*sqrt(abs(a)))/sqrt(abs(a)) + sqrt(2)*log(x^2 + sqrt(2)*x/sqrt(abs(a)) + 1/abs(a))/sqrt(abs(a)) - sqrt(2)*log(x^2 - sqrt(2)*x/sqrt(abs(a)) + 1/abs(a))/sqrt(abs(a))) - arctan(1/(a*x^2))/x

$$3.84 \quad \int \frac{\cot^{-1}(ax^2)}{x^4} dx$$

Optimal. Leaf size=150

$$\frac{a^{3/2} \log(ax^2 - \sqrt{2}\sqrt{ax} + 1)}{6\sqrt{2}} - \frac{a^{3/2} \log(ax^2 + \sqrt{2}\sqrt{ax} + 1)}{6\sqrt{2}} - \frac{a^{3/2} \tan^{-1}(1 - \sqrt{2}\sqrt{ax})}{3\sqrt{2}} + \frac{a^{3/2} \tan^{-1}(\sqrt{2}\sqrt{ax} + 1)}{3\sqrt{2}} - \frac{\cot^{-1}}{3a}$$

[Out] (2*a)/(3*x) - ArcCot[a*x^2]/(3*x^3) - (a^(3/2)*ArcTan[1 - Sqrt[2]*Sqrt[a]*x])/(3*Sqrt[2]) + (a^(3/2)*ArcTan[1 + Sqrt[2]*Sqrt[a]*x])/(3*Sqrt[2]) + (a^(3/2)*Log[1 - Sqrt[2]*Sqrt[a]*x + a*x^2])/(6*Sqrt[2]) - (a^(3/2)*Log[1 + Sqrt[2]*Sqrt[a]*x + a*x^2])/(6*Sqrt[2])

Rubi [A] time = 0.0916708, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.8$, Rules used = {5034, 325, 297, 1162, 617, 204, 1165, 628}

$$\frac{a^{3/2} \log(ax^2 - \sqrt{2}\sqrt{ax} + 1)}{6\sqrt{2}} - \frac{a^{3/2} \log(ax^2 + \sqrt{2}\sqrt{ax} + 1)}{6\sqrt{2}} - \frac{a^{3/2} \tan^{-1}(1 - \sqrt{2}\sqrt{ax})}{3\sqrt{2}} + \frac{a^{3/2} \tan^{-1}(\sqrt{2}\sqrt{ax} + 1)}{3\sqrt{2}} - \frac{\cot^{-1}}{3a}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x^2]/x^4,x]

[Out] (2*a)/(3*x) - ArcCot[a*x^2]/(3*x^3) - (a^(3/2)*ArcTan[1 - Sqrt[2]*Sqrt[a]*x])/(3*Sqrt[2]) + (a^(3/2)*ArcTan[1 + Sqrt[2]*Sqrt[a]*x])/(3*Sqrt[2]) + (a^(3/2)*Log[1 - Sqrt[2]*Sqrt[a]*x + a*x^2])/(6*Sqrt[2]) - (a^(3/2)*Log[1 + Sqrt[2]*Sqrt[a]*x + a*x^2])/(6*Sqrt[2])

Rule 5034

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.))*((d_.)*(x_)^(m_.), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x^n]))/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[(x^(n - 1)*(d*x)^(m + 1))/(1 + c^2*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 325

Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && LtQ[m, -1] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 297

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] :> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e

$/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x] /; \text{FreeQ}\{a, c, d, e\}, x\} \&$
 $\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[d*e]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S$
 $\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b$
 $], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \parallel \text{!RationalQ}[b^2 - 4*a*c]) /; \text{Free}$
 $\text{Q}\{a, b, c\}, x\} \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]*x]/\text{Rt}[-$
 $-a, 2]]/\text{Rt}[-a, 2]*\text{Rt}[-b, 2], x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[$
 $a, 0] \parallel \text{LtQ}[b, 0])$

Rule 1165

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-$
 $(-2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x],$
 $x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x] /; \text{Fre}$
 $e\text{Q}\{a, c, d, e\}, x\} \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[d*e]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] \rightarrow \text{S}$
 $\text{imp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d,$
 $e\}, x\} \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(ax^2)}{x^4} dx &= -\frac{\cot^{-1}(ax^2)}{3x^3} - \frac{1}{3}(2a) \int \frac{1}{x^2(1+a^2x^4)} dx \\ &= \frac{2a}{3x} - \frac{\cot^{-1}(ax^2)}{3x^3} + \frac{1}{3}(2a^3) \int \frac{x^2}{1+a^2x^4} dx \\ &= \frac{2a}{3x} - \frac{\cot^{-1}(ax^2)}{3x^3} - \frac{1}{3}a^2 \int \frac{1-ax^2}{1+a^2x^4} dx + \frac{1}{3}a^2 \int \frac{1+ax^2}{1+a^2x^4} dx \\ &= \frac{2a}{3x} - \frac{\cot^{-1}(ax^2)}{3x^3} + \frac{1}{6}a \int \frac{1}{\frac{1}{a} - \frac{\sqrt{2}x}{\sqrt{a}} + x^2} dx + \frac{1}{6}a \int \frac{1}{\frac{1}{a} + \frac{\sqrt{2}x}{\sqrt{a}} + x^2} dx + \frac{a^{3/2} \int \frac{\frac{\sqrt{2}}{\sqrt{a}} + 2x}{-\frac{1}{a} - \frac{\sqrt{2}x}{\sqrt{a}} - x^2} dx}{6\sqrt{2}} + \frac{a^{3/2} \int \frac{\frac{\sqrt{2}}{\sqrt{a}} - 2x}{-\frac{1}{a} - \frac{\sqrt{2}x}{\sqrt{a}} - x^2} dx}{6\sqrt{2}} \\ &= \frac{2a}{3x} - \frac{\cot^{-1}(ax^2)}{3x^3} + \frac{a^{3/2} \log(1 - \sqrt{2}\sqrt{ax} + ax^2)}{6\sqrt{2}} - \frac{a^{3/2} \log(1 + \sqrt{2}\sqrt{ax} + ax^2)}{6\sqrt{2}} + \frac{a^{3/2} \text{Subst}\left(\int \frac{1}{u} du\right)}{6\sqrt{2}} \\ &= \frac{2a}{3x} - \frac{\cot^{-1}(ax^2)}{3x^3} - \frac{a^{3/2} \tan^{-1}(1 - \sqrt{2}\sqrt{ax})}{3\sqrt{2}} + \frac{a^{3/2} \tan^{-1}(1 + \sqrt{2}\sqrt{ax})}{3\sqrt{2}} + \frac{a^{3/2} \log(1 - \sqrt{2}\sqrt{ax} + ax^2)}{6\sqrt{2}} \end{aligned}$$

Mathematica [A] time = 0.0514186, size = 146, normalized size = 0.97

$$\frac{ax^2(\sqrt{2}\sqrt{ax} \log(ax^2 - \sqrt{2}\sqrt{ax} + 1) - \sqrt{2}\sqrt{ax} \log(ax^2 + \sqrt{2}\sqrt{ax} + 1) - 2\sqrt{2}\sqrt{ax} \tan^{-1}(1 - \sqrt{2}\sqrt{ax}) + 2\sqrt{2}\sqrt{ax} \tan^{-1}(1 + \sqrt{2}\sqrt{ax}))}{12x^3}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x^2]/x^4,x]

[Out] (-4*ArcCot[a*x^2] + a*x^2*(8 - 2*Sqrt[2]*Sqrt[a]*x*ArcTan[1 - Sqrt[2]*Sqrt[a]*x] + 2*Sqrt[2]*Sqrt[a]*x*ArcTan[1 + Sqrt[2]*Sqrt[a]*x] + Sqrt[2]*Sqrt[a]*x*Log[1 - Sqrt[2]*Sqrt[a]*x + a*x^2] - Sqrt[2]*Sqrt[a]*x*Log[1 + Sqrt[2]*Sqrt[a]*x + a*x^2]))/(12*x^3)

Maple [A] time = 0.043, size = 121, normalized size = 0.8

$$-\frac{\operatorname{arccot}(ax^2)}{3x^3} + \frac{a\sqrt{2}}{12} \ln\left(\left(x^2 - \sqrt[4]{a^{-2}}x\sqrt{2} + \sqrt{a^{-2}}\right)\left(x^2 + \sqrt[4]{a^{-2}}x\sqrt{2} + \sqrt{a^{-2}}\right)^{-1}\right) \frac{1}{\sqrt[4]{a^{-2}}} + \frac{a\sqrt{2}}{6} \arctan\left(x\sqrt{2}\frac{1}{\sqrt[4]{a^{-2}}} + 1\right) \frac{1}{\sqrt[4]{a^{-2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x^2)/x^4,x)

[Out] -1/3*arccot(a*x^2)/x^3+1/12*a/(1/a^2)^(1/4)*2^(1/2)*ln((x^2-(1/a^2)^(1/4)*x*2^(1/2)+(1/a^2)^(1/2))/(x^2+(1/a^2)^(1/4)*x*2^(1/2)+(1/a^2)^(1/2)))+1/6*a/(1/a^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/(1/a^2)^(1/4)*x+1)+1/6*a/(1/a^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/(1/a^2)^(1/4)*x-1)+2/3*a/x

Maxima [B] time = 1.47613, size = 356, normalized size = 2.37

$$-\frac{1}{12} \left(a^2 \left(\frac{\sqrt{2} \log\left(\sqrt{a^2}x^2 + \sqrt{2}(a^2)^{\frac{1}{4}}x + 1\right)}{(a^2)^{\frac{3}{4}}} - \frac{\sqrt{2} \log\left(\sqrt{a^2}x^2 - \sqrt{2}(a^2)^{\frac{1}{4}}x + 1\right)}{(a^2)^{\frac{3}{4}}} - \frac{\sqrt{2} \log\left(\frac{2\sqrt{a^2}x - \sqrt{2}\sqrt{-\sqrt{a^2}} + \sqrt{2}(a^2)^{\frac{1}{4}}}{2\sqrt{a^2}x + \sqrt{2}\sqrt{-\sqrt{a^2}} + \sqrt{2}(a^2)^{\frac{1}{4}}}\right)}{\sqrt{a^2}\sqrt{-\sqrt{a^2}}} - \frac{\sqrt{2} \log\left(\frac{2\sqrt{a^2}x + \sqrt{2}\sqrt{-\sqrt{a^2}} + \sqrt{2}(a^2)^{\frac{1}{4}}}{2\sqrt{a^2}x - \sqrt{2}\sqrt{-\sqrt{a^2}} + \sqrt{2}(a^2)^{\frac{1}{4}}}\right)}{\sqrt{a^2}\sqrt{-\sqrt{a^2}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^2)/x^4,x, algorithm="maxima")

[Out] -1/12*(a^2*(sqrt(2)*log(sqrt(a^2)*x^2 + sqrt(2)*(a^2)^(1/4)*x + 1)/(a^2)^(3/4) - sqrt(2)*log(sqrt(a^2)*x^2 - sqrt(2)*(a^2)^(1/4)*x + 1)/(a^2)^(3/4) - sqrt(2)*log((2*sqrt(a^2)*x - sqrt(2)*sqrt(-sqrt(a^2)) + sqrt(2)*(a^2)^(1/4))/(2*sqrt(a^2)*x + sqrt(2)*sqrt(-sqrt(a^2)) + sqrt(2)*(a^2)^(1/4)))/(sqrt(a^2)*sqrt(-sqrt(a^2))) - sqrt(2)*log((2*sqrt(a^2)*x - sqrt(2)*sqrt(-sqrt(a^2)) - sqrt(2)*(a^2)^(1/4))/(2*sqrt(a^2)*x + sqrt(2)*sqrt(-sqrt(a^2)) - sqrt(2)*(a^2)^(1/4)))/(sqrt(a^2)*sqrt(-sqrt(a^2)))) - 8/x)*a - 1/3*arccot(a*x^2)/x^3

Fricas [B] time = 2.34024, size = 706, normalized size = 4.71

$$4\sqrt{2}(a^6)^{\frac{1}{4}}x^3 \arctan\left(-\frac{\sqrt{2}(a^6)^{\frac{1}{4}}a^5x+a^6-\sqrt{2}\sqrt{a^{10}x^2+\sqrt{2}(a^6)^{\frac{3}{4}}a^5x+\sqrt{a^6a^6}(a^6)^{\frac{1}{4}}}}{a^6}\right) + 4\sqrt{2}(a^6)^{\frac{1}{4}}x^3 \arctan\left(-\frac{\sqrt{2}(a^6)^{\frac{1}{4}}a^5x-a^6-\sqrt{2}\sqrt{a^{10}x^2-\sqrt{2}(a^6)^{\frac{3}{4}}a^5x+\sqrt{a^6a^6}(a^6)^{\frac{1}{4}}}}{a^6}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^2)/x^4,x, algorithm="fricas")

[Out]
$$-1/12*(4*\sqrt{2}*(a^6)^{(1/4)}*x^3*\arctan(-(\sqrt{2}*(a^6)^{(1/4)}*a^5*x + a^6 - \sqrt{2}*\sqrt{a^{10}*x^2 + \sqrt{2}*(a^6)^{(3/4)}*a^5*x + \sqrt{a^6}*a^6}*(a^6)^{(1/4)})/a^6) + 4*\sqrt{2}*(a^6)^{(1/4)}*x^3*\arctan(-(\sqrt{2}*(a^6)^{(1/4)}*a^5*x - a^6 - \sqrt{2}*\sqrt{a^{10}*x^2 - \sqrt{2}*(a^6)^{(3/4)}*a^5*x + \sqrt{a^6}*a^6}*(a^6)^{(1/4)})/a^6) + \sqrt{2}*(a^6)^{(1/4)}*x^3*\log(a^{10}*x^2 + \sqrt{2}*(a^6)^{(3/4)}*a^5*x + \sqrt{a^6}*a^6) - \sqrt{2}*(a^6)^{(1/4)}*x^3*\log(a^{10}*x^2 - \sqrt{2}*(a^6)^{(3/4)}*a^5*x + \sqrt{a^6}*a^6) - 8*a*x^2 + 4*\arctan(1/(a*x^2)))/x^3$$

Sympy [A] time = 55.3665, size = 1074, normalized size = 7.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(a*x**2)/x**4,x)

[Out]
$$\text{Piecewise}((\text{acot}((-\sqrt{2})/2 - \sqrt{2}*I/2)**(-2))/(3*x**3), \text{Eq}(a, -1/(x**2*(-\sqrt{2})/2 - \sqrt{2}*I/2)**2)), (\text{acot}((-\sqrt{2})/2 + \sqrt{2}*I/2)**(-2))/(3*x**3), \text{Eq}(a, -1/(x**2*(-\sqrt{2})/2 + \sqrt{2}*I/2)**2)), (\text{acot}((\sqrt{2})/2 - \sqrt{2}*I/2)**(-2))/(3*x**3), \text{Eq}(a, -1/(x**2*(\sqrt{2})/2 - \sqrt{2}*I/2)**2)), (\text{acot}((\sqrt{2})/2 + \sqrt{2}*I/2)**(-2))/(3*x**3), \text{Eq}(a, -1/(x**2*(\sqrt{2})/2 + \sqrt{2}*I/2)**2)), (-\pi/(6*x**3), \text{Eq}(a, 0)), (-4*(-1)**(1/4)*a**15*x**6*(a**(-2))**(37/4)/(-6*(-1)**(1/4)*a**14*x**7*(a**(-2))**(37/4) - 6*(-1)**(1/4)*a**12*x**3*(a**(-2))**(37/4)) + 2*(-1)**(1/4)*a**14*x**4*(a**(-2))**(37/4)*\text{acot}(a*x**2)/(-6*(-1)**(1/4)*a**14*x**7*(a**(-2))**(37/4) - 6*(-1)**(1/4)*a**12*x**3*(a**(-2))**(37/4)) - 4*(-1)**(1/4)*a**13*x**2*(a**(-2))**(37/4)/(-6*(-1)**(1/4)*a**14*x**7*(a**(-2))**(37/4) - 6*(-1)**(1/4)*a**12*x**3*(a**(-2))**(37/4)) + 2*(-1)**(1/4)*a**12*(a**(-2))**(37/4)*\text{acot}(a*x**2)/(-6*(-1)**(1/4)*a**14*x**7*(a**(-2))**(37/4) - 6*(-1)**(1/4)*a**12*x**3*(a**(-2))**(37/4)) - 2*I*a**8*x**7*(a**(-2))**(11/2)*\text{acot}(a*x**2)/(-6*(-1)**(1/4)*a**14*x**7*(a**(-2))**(37/4) - 6*(-1)**(1/4)*a**12*x**3*(a**(-2))**(37/4)) - 2*I*a**6*x**3*(a**(-2))**(11/2)*\text{acot}(a*x**2)/(-6*(-1)**(1/4)*a**14*x**7*(a**(-2))**(37/4) - 6*(-1)**(1/4)*a**12*x**3*(a**(-2))**(37/4)) - 2*x**7*\log(x - (-1)**(1/4)*(a**(-2))**(1/4))/(-6*(-1)**(1/4)*a**17*x**7*(a**(-2))**(37/4) - 6*(-1)**(1/4)*a**15*x**3*(a**(-2))**(37/4)) + x**7*\log(x**2 + I*\sqrt{a**(-2)}))/(-6*(-1)**(1/4)*a**17*x**7*(a**(-2))**(37/4) - 6*(-1)**(1/4)*a**15*x**3*(a**(-2))**(37/4)) + 2*x**7*\text{atan}((-1)**(3/4)*x/(a**(-2))**(1/4))/(-6*(-1)**(1/4)*a**17*x**7*(a**(-2))**(37/4) - 6*(-1)**(1/4)*a**15*x**3*(a**(-2))**(37/4)) - 2*x**3*\log(x - (-1)**(1/4)*(a**(-2))**(1/4))/(-6*(-1)**(1/4)*a**19*x**7*(a**(-2))**(37/4) - 6*(-1)**(1/4)*a**17*x**3*(a**(-2))**(37/4)) + x**3*\log(x**2 + I*\sqrt{a**(-2)}))/(-6*(-1)**(1/4)*a**19*x**7*(a**(-2))**(37/4) - 6*(-1)**(1/4)*a**17*x**3*(a**(-2))**(37/4)) + 2*x**3*\text{atan}((-1)**(3/4)*x/(a**(-2))**(1/4))/(-6*(-1)**(1/4)*a**19*x**7*(a**(-2))**(37/4) - 6*(-1)**(1/4)*a**17*x**3*(a**(-2))**(37/4)), \text{True}))$$

Giac [A] time = 1.10934, size = 189, normalized size = 1.26

$$\frac{1}{12} \left(2\sqrt{2}\sqrt{|a|} \arctan \left(\frac{1}{2} \sqrt{2} \left(2x + \frac{\sqrt{2}}{\sqrt{|a|}} \right) \sqrt{|a|} \right) + 2\sqrt{2}\sqrt{|a|} \arctan \left(\frac{1}{2} \sqrt{2} \left(2x - \frac{\sqrt{2}}{\sqrt{|a|}} \right) \sqrt{|a|} \right) - \sqrt{2}\sqrt{|a|} \log \left(x^2 + \frac{\sqrt{2}x}{\sqrt{|a|}} + \frac{1}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x^2)/x^4,x, algorithm="giac")
```

```
[Out] 1/12*(2*sqrt(2)*sqrt(abs(a))*arctan(1/2*sqrt(2)*(2*x + sqrt(2)/sqrt(abs(a)))*sqrt(abs(a))) + 2*sqrt(2)*sqrt(abs(a))*arctan(1/2*sqrt(2)*(2*x - sqrt(2)/sqrt(abs(a)))*sqrt(abs(a))) - sqrt(2)*sqrt(abs(a))*log(x^2 + sqrt(2)*x/sqrt(abs(a)) + 1/abs(a)) + sqrt(2)*sqrt(abs(a))*log(x^2 - sqrt(2)*x/sqrt(abs(a)) + 1/abs(a)) + 8/x)*a - 1/3*arctan(1/(a*x^2))/x^3
```

3.85 $\int x^2 \cot^{-1}(\sqrt{x}) dx$

Optimal. Leaf size=51

$$\frac{x^{5/2}}{15} - \frac{x^{3/2}}{9} + \frac{1}{3}x^3 \cot^{-1}(\sqrt{x}) + \frac{\sqrt{x}}{3} - \frac{1}{3} \tan^{-1}(\sqrt{x})$$

[Out] Sqrt[x]/3 - x^(3/2)/9 + x^(5/2)/15 + (x^3*ArcCot[Sqrt[x]])/3 - ArcTan[Sqrt[x]]/3

Rubi [A] time = 0.0124204, antiderivative size = 51, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {5034, 50, 63, 203}

$$\frac{x^{5/2}}{15} - \frac{x^{3/2}}{9} + \frac{1}{3}x^3 \cot^{-1}(\sqrt{x}) + \frac{\sqrt{x}}{3} - \frac{1}{3} \tan^{-1}(\sqrt{x})$$

Antiderivative was successfully verified.

[In] Int[x^2*ArcCot[Sqrt[x]], x]

[Out] Sqrt[x]/3 - x^(3/2)/9 + x^(5/2)/15 + (x^3*ArcCot[Sqrt[x]])/3 - ArcTan[Sqrt[x]]/3

Rule 5034

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.)*((d_.)*(x_)^(m_.)), x_Symbol] :> Simp[((d*x)^(m+1)*(a + b*ArcCot[c*x^n]))/(d*(m+1)), x] + Dist[(b*c*n)/(d*(m+1)), Int[(x^(n-1)*(d*x)^(m+1))/(1 + c^2*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 50

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[((a + b*x)^(m+1)*(c + d*x)^n)/(b*(m+n+1)), x] + Dist[(n*(b*c - a*d))/(b*(m+n+1)), Int[(a + b*x)^m*(c + d*x)^(n-1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m+n+1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m-n, 0]))) && !ILtQ[m+n+2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m+1)-1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int x^2 \cot^{-1}(\sqrt{x}) dx &= \frac{1}{3}x^3 \cot^{-1}(\sqrt{x}) + \frac{1}{6} \int \frac{x^{5/2}}{1+x} dx \\
&= \frac{x^{5/2}}{15} + \frac{1}{3}x^3 \cot^{-1}(\sqrt{x}) - \frac{1}{6} \int \frac{x^{3/2}}{1+x} dx \\
&= -\frac{x^{3/2}}{9} + \frac{x^{5/2}}{15} + \frac{1}{3}x^3 \cot^{-1}(\sqrt{x}) + \frac{1}{6} \int \frac{\sqrt{x}}{1+x} dx \\
&= \frac{\sqrt{x}}{3} - \frac{x^{3/2}}{9} + \frac{x^{5/2}}{15} + \frac{1}{3}x^3 \cot^{-1}(\sqrt{x}) - \frac{1}{6} \int \frac{1}{\sqrt{x}(1+x)} dx \\
&= \frac{\sqrt{x}}{3} - \frac{x^{3/2}}{9} + \frac{x^{5/2}}{15} + \frac{1}{3}x^3 \cot^{-1}(\sqrt{x}) - \frac{1}{3} \text{Subst} \left(\int \frac{1}{1+x^2} dx, x, \sqrt{x} \right) \\
&= \frac{\sqrt{x}}{3} - \frac{x^{3/2}}{9} + \frac{x^{5/2}}{15} + \frac{1}{3}x^3 \cot^{-1}(\sqrt{x}) - \frac{1}{3} \tan^{-1}(\sqrt{x})
\end{aligned}$$

Mathematica [A] time = 0.0146515, size = 40, normalized size = 0.78

$$\frac{1}{45} \left((3x^2 - 5x + 15) \sqrt{x} + 15x^3 \cot^{-1}(\sqrt{x}) - 15 \tan^{-1}(\sqrt{x}) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2*ArcCot[Sqrt[x]], x]

[Out] (Sqrt[x]*(15 - 5*x + 3*x^2) + 15*x^3*ArcCot[Sqrt[x]] - 15*ArcTan[Sqrt[x]])/45

Maple [A] time = 0.023, size = 32, normalized size = 0.6

$$-\frac{1}{9}x^{\frac{3}{2}} + \frac{1}{15}x^{\frac{5}{2}} + \frac{x^3}{3} \operatorname{arccot}(\sqrt{x}) - \frac{1}{3} \operatorname{arctan}(\sqrt{x}) + \frac{1}{3}\sqrt{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*arccot(x^(1/2)), x)

[Out] -1/9*x^(3/2)+1/15*x^(5/2)+1/3*x^3*arccot(x^(1/2))-1/3*arctan(x^(1/2))+1/3*x^(1/2)

Maxima [A] time = 1.45556, size = 42, normalized size = 0.82

$$\frac{1}{3}x^3 \operatorname{arccot}(\sqrt{x}) + \frac{1}{15}x^{\frac{5}{2}} - \frac{1}{9}x^{\frac{3}{2}} + \frac{1}{3}\sqrt{x} - \frac{1}{3} \operatorname{arctan}(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(x^(1/2)), x, algorithm="maxima")

[Out] 1/3*x^3*arccot(sqrt(x)) + 1/15*x^(5/2) - 1/9*x^(3/2) + 1/3*sqrt(x) - 1/3*arctan(sqrt(x))

Fricas [A] time = 2.22925, size = 88, normalized size = 1.73

$$\frac{1}{3}(x^3 + 1)\operatorname{arccot}(\sqrt{x}) + \frac{1}{45}(3x^2 - 5x + 15)\sqrt{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(x^(1/2)),x, algorithm="fricas")

[Out] 1/3*(x^3 + 1)*arccot(sqrt(x)) + 1/45*(3*x^2 - 5*x + 15)*sqrt(x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{acot}(\sqrt{x}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(x**(1/2)),x)

[Out] Integral(x**2*acot(sqrt(x)), x)

Giac [A] time = 1.10455, size = 42, normalized size = 0.82

$$\frac{1}{3}x^3 \arctan\left(\frac{1}{\sqrt{x}}\right) + \frac{1}{15}x^{\frac{5}{2}} - \frac{1}{9}x^{\frac{3}{2}} + \frac{1}{3}\sqrt{x} - \frac{1}{3}\arctan(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(x^(1/2)),x, algorithm="giac")

[Out] 1/3*x^3*arctan(1/sqrt(x)) + 1/15*x^(5/2) - 1/9*x^(3/2) + 1/3*sqrt(x) - 1/3*arctan(sqrt(x))

3.86 $\int x \cot^{-1}(\sqrt{x}) dx$

Optimal. Leaf size=42

$$\frac{x^{3/2}}{6} + \frac{1}{2}x^2 \cot^{-1}(\sqrt{x}) - \frac{\sqrt{x}}{2} + \frac{1}{2} \tan^{-1}(\sqrt{x})$$

[Out] $-\text{Sqrt}[x]/2 + x^{(3/2)}/6 + (x^2 \cdot \text{ArcCot}[\text{Sqrt}[x]])/2 + \text{ArcTan}[\text{Sqrt}[x]]/2$

Rubi [A] time = 0.0085725, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {5034, 50, 63, 203}

$$\frac{x^{3/2}}{6} + \frac{1}{2}x^2 \cot^{-1}(\sqrt{x}) - \frac{\sqrt{x}}{2} + \frac{1}{2} \tan^{-1}(\sqrt{x})$$

Antiderivative was successfully verified.

[In] $\text{Int}[x \cdot \text{ArcCot}[\text{Sqrt}[x]], x]$

[Out] $-\text{Sqrt}[x]/2 + x^{(3/2)}/6 + (x^2 \cdot \text{ArcCot}[\text{Sqrt}[x]])/2 + \text{ArcTan}[\text{Sqrt}[x]]/2$

Rule 5034

$\text{Int}[(a_.) + \text{ArcCot}[(c_.)(x_)^{(n_)}] * (b_.)] * ((d_.)(x_)^{(m_.)}, x_Symbol] :> \text{Simp}[(d*x)^{(m+1)} * (a + b * \text{ArcCot}[c*x^n]) / (d*(m+1)), x] + \text{Dist}[(b*c*n) / (d*(m+1)), \text{Int}[(x^{(n-1)} * (d*x)^{(m+1)}) / (1 + c^2*x^{(2*n)}), x], x] /; \text{FreeQ}\{a, b, c, d, m, n\}, x] \&\& \text{NeQ}[m, -1]$

Rule 50

$\text{Int}[(a_.) + (b_.)(x_)^{(m_)}] * ((c_.) + (d_.)(x_)^{(n_)}, x_Symbol] :> \text{Simp}[(a + b*x)^{(m+1)} * (c + d*x)^n / (b*(m+n+1)), x] + \text{Dist}[(n*(b*c - a*d)) / (b*(m+n+1)), \text{Int}[(a + b*x)^m * (c + d*x)^{(n-1)}, x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[m+n+1, 0] \&\& !(\text{IGtQ}[m, 0] \&\& (!\text{IntegerQ}[n] || (\text{GtQ}[m, 0] \&\& \text{LtQ}[m-n, 0]))) \&\& !\text{ILtQ}[m+n+2, 0] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 63

$\text{Int}[(a_.) + (b_.)(x_)^{(m_)}] * ((c_.) + (d_.)(x_)^{(n_)}, x_Symbol] :> \text{With}\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)} * (c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 203

$\text{Int}[(a_.) + (b_.)(x_)^2]^{(-1)}, x_Symbol] :> \text{Simp}[(1 * \text{ArcTan}[\text{Rt}[b, 2]*x] / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] * \text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] || \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned}
\int x \cot^{-1}(\sqrt{x}) dx &= \frac{1}{2}x^2 \cot^{-1}(\sqrt{x}) + \frac{1}{4} \int \frac{x^{3/2}}{1+x} dx \\
&= \frac{x^{3/2}}{6} + \frac{1}{2}x^2 \cot^{-1}(\sqrt{x}) - \frac{1}{4} \int \frac{\sqrt{x}}{1+x} dx \\
&= -\frac{\sqrt{x}}{2} + \frac{x^{3/2}}{6} + \frac{1}{2}x^2 \cot^{-1}(\sqrt{x}) + \frac{1}{4} \int \frac{1}{\sqrt{x}(1+x)} dx \\
&= -\frac{\sqrt{x}}{2} + \frac{x^{3/2}}{6} + \frac{1}{2}x^2 \cot^{-1}(\sqrt{x}) + \frac{1}{2} \text{Subst} \left(\int \frac{1}{1+x^2} dx, x, \sqrt{x} \right) \\
&= -\frac{\sqrt{x}}{2} + \frac{x^{3/2}}{6} + \frac{1}{2}x^2 \cot^{-1}(\sqrt{x}) + \frac{1}{2} \tan^{-1}(\sqrt{x})
\end{aligned}$$

Mathematica [A] time = 0.0106243, size = 33, normalized size = 0.79

$$\frac{1}{6} (3x^2 \cot^{-1}(\sqrt{x}) + (x-3)\sqrt{x} + 3 \tan^{-1}(\sqrt{x}))$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcCot[Sqrt[x]], x]

[Out] ((-3 + x)*Sqrt[x] + 3*x^2*ArcCot[Sqrt[x]] + 3*ArcTan[Sqrt[x]])/6

Maple [A] time = 0.022, size = 27, normalized size = 0.6

$$\frac{1}{6}x^{\frac{3}{2}} + \frac{x^2}{2} \operatorname{arccot}(\sqrt{x}) + \frac{1}{2} \arctan(\sqrt{x}) - \frac{1}{2}\sqrt{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccot(x^(1/2)), x)

[Out] 1/6*x^(3/2)+1/2*x^2*arccot(x^(1/2))+1/2*arctan(x^(1/2))-1/2*x^(1/2)

Maxima [A] time = 1.4242, size = 35, normalized size = 0.83

$$\frac{1}{2}x^2 \operatorname{arccot}(\sqrt{x}) + \frac{1}{6}x^{\frac{3}{2}} - \frac{1}{2}\sqrt{x} + \frac{1}{2} \arctan(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(x^(1/2)), x, algorithm="maxima")

[Out] 1/2*x^2*arccot(sqrt(x)) + 1/6*x^(3/2) - 1/2*sqrt(x) + 1/2*arctan(sqrt(x))

Fricas [A] time = 2.28035, size = 72, normalized size = 1.71

$$\frac{1}{2}(x^2 - 1) \operatorname{arccot}(\sqrt{x}) + \frac{1}{6}(x-3)\sqrt{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(x^(1/2)),x, algorithm="fricas")

[Out] 1/2*(x^2 - 1)*arccot(sqrt(x)) + 1/6*(x - 3)*sqrt(x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{acot}(\sqrt{x}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*acot(x**(1/2)),x)

[Out] Integral(x*acot(sqrt(x)), x)

Giac [A] time = 1.09093, size = 35, normalized size = 0.83

$$\frac{1}{2} x^2 \arctan\left(\frac{1}{\sqrt{x}}\right) + \frac{1}{6} x^{\frac{3}{2}} - \frac{1}{2} \sqrt{x} + \frac{1}{2} \arctan(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(x^(1/2)),x, algorithm="giac")

[Out] 1/2*x^2*arctan(1/sqrt(x)) + 1/6*x^(3/2) - 1/2*sqrt(x) + 1/2*arctan(sqrt(x))

3.87 $\int \cot^{-1}(\sqrt{x}) dx$

Optimal. Leaf size=22

$$\sqrt{x} - \tan^{-1}(\sqrt{x}) + x \cot^{-1}(\sqrt{x})$$

[Out] Sqrt[x] + x*ArcCot[Sqrt[x]] - ArcTan[Sqrt[x]]

Rubi [A] time = 0.0055551, antiderivative size = 22, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {5028, 50, 63, 203}

$$\sqrt{x} - \tan^{-1}(\sqrt{x}) + x \cot^{-1}(\sqrt{x})$$

Antiderivative was successfully verified.

[In] Int[ArcCot[Sqrt[x]], x]

[Out] Sqrt[x] + x*ArcCot[Sqrt[x]] - ArcTan[Sqrt[x]]

Rule 5028

Int[ArcCot[(c_.)*(x_)^(n_)], x_Symbol] := Simp[x*ArcCot[c*x^n], x] + Dist[c*n, Int[x^n/(1 + c^2*x^(2*n)), x], x] /; FreeQ[{c, n}, x]

Rule 50

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \cot^{-1}(\sqrt{x}) dx &= x \cot^{-1}(\sqrt{x}) + \frac{1}{2} \int \frac{\sqrt{x}}{1+x} dx \\
&= \sqrt{x} + x \cot^{-1}(\sqrt{x}) - \frac{1}{2} \int \frac{1}{\sqrt{x}(1+x)} dx \\
&= \sqrt{x} + x \cot^{-1}(\sqrt{x}) - \text{Subst}\left(\int \frac{1}{1+x^2} dx, x, \sqrt{x}\right) \\
&= \sqrt{x} + x \cot^{-1}(\sqrt{x}) - \tan^{-1}(\sqrt{x})
\end{aligned}$$

Mathematica [A] time = 0.005846, size = 22, normalized size = 1.

$$\sqrt{x} - \tan^{-1}(\sqrt{x}) + x \cot^{-1}(\sqrt{x})$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[Sqrt[x]],x]

[Out] Sqrt[x] + x*ArcCot[Sqrt[x]] - ArcTan[Sqrt[x]]

Maple [A] time = 0.023, size = 17, normalized size = 0.8

$$x \operatorname{arccot}(\sqrt{x}) - \arctan(\sqrt{x}) + \sqrt{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(x^(1/2)),x)

[Out] x*arccot(x^(1/2))-arctan(x^(1/2))+x^(1/2)

Maxima [A] time = 1.45385, size = 22, normalized size = 1.

$$x \operatorname{arccot}(\sqrt{x}) + \sqrt{x} - \arctan(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2)),x, algorithm="maxima")

[Out] x*arccot(sqrt(x)) + sqrt(x) - arctan(sqrt(x))

Fricas [A] time = 2.21215, size = 47, normalized size = 2.14

$$(x + 1) \operatorname{arccot}(\sqrt{x}) + \sqrt{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2)),x, algorithm="fricas")

[Out] (x + 1)*arccot(sqrt(x)) + sqrt(x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{acot}(\sqrt{x}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(x**(1/2)),x)

[Out] Integral(acot(sqrt(x)), x)

Giac [A] time = 1.10771, size = 22, normalized size = 1.

$$x \arctan\left(\frac{1}{\sqrt{x}}\right) + \sqrt{x} - \arctan(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2)),x, algorithm="giac")

[Out] x*arctan(1/sqrt(x)) + sqrt(x) - arctan(sqrt(x))

$$3.88 \quad \int \frac{\cot^{-1}(\sqrt{x})}{x} dx$$

Optimal. Leaf size=31

$$i\text{PolyLog}\left(2, \frac{i}{\sqrt{x}}\right) - i\text{PolyLog}\left(2, -\frac{i}{\sqrt{x}}\right)$$

[Out] (-I)*PolyLog[2, (-I)/Sqrt[x]] + I*PolyLog[2, I/Sqrt[x]]

Rubi [A] time = 0.0322822, antiderivative size = 31, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$, Rules used = {5032, 4849, 2391}

$$i\text{PolyLog}\left(2, \frac{i}{\sqrt{x}}\right) - i\text{PolyLog}\left(2, -\frac{i}{\sqrt{x}}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[Sqrt[x]]/x,x]

[Out] (-I)*PolyLog[2, (-I)/Sqrt[x]] + I*PolyLog[2, I/Sqrt[x]]

Rule 5032

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.)^(p_.)/(x_), x_Symbol] := Dist[1/n, Subst[Int[(a + b*ArcCot[c*x])^p/x, x], x, x^n], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[p, 0]

Rule 4849

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)/(x_), x_Symbol] := Simp[a*Log[x], x] + (Dist[(I*b)/2, Int[Log[1 - I/(c*x)]/x, x], x] - Dist[(I*b)/2, Int[Log[1 + I/(c*x)]/x, x], x]) /; FreeQ[{a, b, c}, x]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(\sqrt{x})}{x} dx &= 2 \text{Subst} \left(\int \frac{\cot^{-1}(x)}{x} dx, x, \sqrt{x} \right) \\ &= i \text{Subst} \left(\int \frac{\log\left(1 - \frac{i}{x}\right)}{x} dx, x, \sqrt{x} \right) - i \text{Subst} \left(\int \frac{\log\left(1 + \frac{i}{x}\right)}{x} dx, x, \sqrt{x} \right) \\ &= -i\text{Li}_2\left(-\frac{i}{\sqrt{x}}\right) + i\text{Li}_2\left(\frac{i}{\sqrt{x}}\right) \end{aligned}$$

Mathematica [A] time = 0.0051538, size = 31, normalized size = 1.

$$i\text{PolyLog}\left(2, \frac{i}{\sqrt{x}}\right) - i\text{PolyLog}\left(2, -\frac{i}{\sqrt{x}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[Sqrt[x]]/x,x]

[Out] (-I)*PolyLog[2, (-I)/Sqrt[x]] + I*PolyLog[2, I/Sqrt[x]]

Maple [B] time = 0.033, size = 61, normalized size = 2.

$$\ln(x) \operatorname{arccot}(\sqrt{x}) - \frac{i}{2} \ln(x) \ln(1 + i\sqrt{x}) + \frac{i}{2} \ln(x) \ln(1 - i\sqrt{x}) - i \operatorname{dilog}(1 + i\sqrt{x}) + i \operatorname{dilog}(1 - i\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(x^(1/2))/x,x)

[Out] ln(x)*arccot(x^(1/2))-1/2*I*ln(x)*ln(1+I*x^(1/2))+1/2*I*ln(x)*ln(1-I*x^(1/2))-I*dilog(1+I*x^(1/2))+I*dilog(1-I*x^(1/2))

Maxima [B] time = 1.58263, size = 47, normalized size = 1.52

$$\frac{1}{2} \pi \log(x + 1) + \operatorname{arccot}(\sqrt{x}) \log(x) + i \operatorname{Li}_2(i\sqrt{x} + 1) - i \operatorname{Li}_2(-i\sqrt{x} + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2))/x,x, algorithm="maxima")

[Out] 1/2*pi*log(x + 1) + arccot(sqrt(x))*log(x) + I*dilog(I*sqrt(x) + 1) - I*dilog(-I*sqrt(x) + 1)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(\sqrt{x})}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2))/x,x, algorithm="fricas")

[Out] integral(arccot(sqrt(x))/x, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(\sqrt{x})}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(x**(1/2))/x,x)

[Out] Integral(acot(sqrt(x))/x, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(\sqrt{x})}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2))/x,x, algorithm="giac")

[Out] integrate(arccot(sqrt(x))/x, x)

$$3.89 \quad \int \frac{\cot^{-1}(\sqrt{x})}{x^2} dx$$

Optimal. Leaf size=23

$$\frac{1}{\sqrt{x}} + \tan^{-1}(\sqrt{x}) - \frac{\cot^{-1}(\sqrt{x})}{x}$$

[Out] 1/Sqrt[x] - ArcCot[Sqrt[x]]/x + ArcTan[Sqrt[x]]

Rubi [A] time = 0.0109688, antiderivative size = 23, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {5034, 51, 63, 203}

$$\frac{1}{\sqrt{x}} + \tan^{-1}(\sqrt{x}) - \frac{\cot^{-1}(\sqrt{x})}{x}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[Sqrt[x]]/x^2,x]

[Out] 1/Sqrt[x] - ArcCot[Sqrt[x]]/x + ArcTan[Sqrt[x]]

Rule 5034

```
Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.)*((d_.)*(x_)^(m_.)), x_Symbol] :
> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x^n]))/(d*(m + 1)), x] + Dist[(b*c*n)
/(d*(m + 1)), Int[(x^(n - 1)*(d*x)^(m + 1))/(1 + c^2*x^(2*n)), x], x] /; Fr
eeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

Rule 51

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(\sqrt{x})}{x^2} dx &= -\frac{\cot^{-1}(\sqrt{x})}{x} - \frac{1}{2} \int \frac{1}{x^{3/2}(1+x)} dx \\
&= \frac{1}{\sqrt{x}} - \frac{\cot^{-1}(\sqrt{x})}{x} + \frac{1}{2} \int \frac{1}{\sqrt{x}(1+x)} dx \\
&= \frac{1}{\sqrt{x}} - \frac{\cot^{-1}(\sqrt{x})}{x} + \text{Subst} \left(\int \frac{1}{1+x^2} dx, x, \sqrt{x} \right) \\
&= \frac{1}{\sqrt{x}} - \frac{\cot^{-1}(\sqrt{x})}{x} + \tan^{-1}(\sqrt{x})
\end{aligned}$$

Mathematica [C] time = 0.0087166, size = 29, normalized size = 1.26

$$\frac{{}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; -x\right)}{\sqrt{x}} - \frac{\cot^{-1}(\sqrt{x})}{x}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[Sqrt[x]]/x^2,x]

[Out] -(ArcCot[Sqrt[x]]/x) + Hypergeometric2F1[-1/2, 1, 1/2, -x]/Sqrt[x]

Maple [A] time = 0.024, size = 18, normalized size = 0.8

$$-\frac{1}{x} \operatorname{arccot}(\sqrt{x}) + \arctan(\sqrt{x}) + \frac{1}{\sqrt{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(x^(1/2))/x^2,x)

[Out] -arccot(x^(1/2))/x+arctan(x^(1/2))+1/x^(1/2)

Maxima [A] time = 1.46619, size = 23, normalized size = 1.

$$-\frac{\operatorname{arccot}(\sqrt{x})}{x} + \frac{1}{\sqrt{x}} + \arctan(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2))/x^2,x, algorithm="maxima")

[Out] -arccot(sqrt(x))/x + 1/sqrt(x) + arctan(sqrt(x))

Fricas [A] time = 2.26882, size = 54, normalized size = 2.35

$$-\frac{(x+1) \operatorname{arccot}(\sqrt{x}) - \sqrt{x}}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2))/x^2,x, algorithm="fricas")

[Out] -((x + 1)*arccot(sqrt(x)) - sqrt(x))/x

Sympy [B] time = 3.07875, size = 92, normalized size = 4.

$$-\frac{x^{\frac{5}{2}} \operatorname{acot}(\sqrt{x})}{x^{\frac{5}{2}} + x^{\frac{3}{2}}} - \frac{2x^{\frac{3}{2}} \operatorname{acot}(\sqrt{x})}{x^{\frac{5}{2}} + x^{\frac{3}{2}}} - \frac{\sqrt{x} \operatorname{acot}(\sqrt{x})}{x^{\frac{5}{2}} + x^{\frac{3}{2}}} + \frac{x^2}{x^{\frac{5}{2}} + x^{\frac{3}{2}}} + \frac{x}{x^{\frac{5}{2}} + x^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(x**(1/2))/x**2,x)

[Out] -x**(5/2)*acot(sqrt(x))/(x**(5/2) + x**(3/2)) - 2*x**(3/2)*acot(sqrt(x))/(x**(5/2) + x**(3/2)) - sqrt(x)*acot(sqrt(x))/(x**(5/2) + x**(3/2)) + x**2/(x**(5/2) + x**(3/2)) + x/(x**(5/2) + x**(3/2))

Giac [A] time = 1.10118, size = 26, normalized size = 1.13

$$-\frac{\arctan\left(\frac{1}{\sqrt{x}}\right)}{x} + \frac{1}{\sqrt{x}} - \arctan\left(\frac{1}{\sqrt{x}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2))/x^2,x, algorithm="giac")

[Out] -arctan(1/sqrt(x))/x + 1/sqrt(x) - arctan(1/sqrt(x))

3.90 $\int \frac{\cot^{-1}(\sqrt{x})}{x^3} dx$

Optimal. Leaf size=42

$$\frac{1}{6x^{3/2}} - \frac{\cot^{-1}(\sqrt{x})}{2x^2} - \frac{1}{2\sqrt{x}} - \frac{1}{2} \tan^{-1}(\sqrt{x})$$

[Out] 1/(6*x^(3/2)) - 1/(2*Sqrt[x]) - ArcCot[Sqrt[x]]/(2*x^2) - ArcTan[Sqrt[x]]/2

Rubi [A] time = 0.0122351, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {5034, 51, 63, 203}

$$\frac{1}{6x^{3/2}} - \frac{\cot^{-1}(\sqrt{x})}{2x^2} - \frac{1}{2\sqrt{x}} - \frac{1}{2} \tan^{-1}(\sqrt{x})$$

Antiderivative was successfully verified.

[In] Int[ArcCot[Sqrt[x]]/x^3, x]

[Out] 1/(6*x^(3/2)) - 1/(2*Sqrt[x]) - ArcCot[Sqrt[x]]/(2*x^2) - ArcTan[Sqrt[x]]/2

Rule 5034

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.)*((d_.)*(x_)^(m_.)), x_Symbol] :> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x^n]))/(d*(m + 1)), x] + Dist[(b*c*n)/(d*(m + 1)), Int[(x^(n - 1)*(d*x)^(m + 1))/(1 + c^2*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 51

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(\sqrt{x})}{x^3} dx &= -\frac{\cot^{-1}(\sqrt{x})}{2x^2} - \frac{1}{4} \int \frac{1}{x^{5/2}(1+x)} dx \\
&= \frac{1}{6x^{3/2}} - \frac{\cot^{-1}(\sqrt{x})}{2x^2} + \frac{1}{4} \int \frac{1}{x^{3/2}(1+x)} dx \\
&= \frac{1}{6x^{3/2}} - \frac{1}{2\sqrt{x}} - \frac{\cot^{-1}(\sqrt{x})}{2x^2} - \frac{1}{4} \int \frac{1}{\sqrt{x}(1+x)} dx \\
&= \frac{1}{6x^{3/2}} - \frac{1}{2\sqrt{x}} - \frac{\cot^{-1}(\sqrt{x})}{2x^2} - \frac{1}{2} \text{Subst} \left(\int \frac{1}{1+x^2} dx, x, \sqrt{x} \right) \\
&= \frac{1}{6x^{3/2}} - \frac{1}{2\sqrt{x}} - \frac{\cot^{-1}(\sqrt{x})}{2x^2} - \frac{1}{2} \tan^{-1}(\sqrt{x})
\end{aligned}$$

Mathematica [C] time = 0.0095162, size = 34, normalized size = 0.81

$$\frac{{}_2F_1\left(-\frac{3}{2}, 1; -\frac{1}{2}; -x\right)}{6x^{3/2}} - \frac{\cot^{-1}(\sqrt{x})}{2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[Sqrt[x]]/x^3,x]

[Out] -ArcCot[Sqrt[x]]/(2*x^2) + Hypergeometric2F1[-3/2, 1, -1/2, -x]/(6*x^(3/2))

Maple [A] time = 0.029, size = 27, normalized size = 0.6

$$\frac{1}{6}x^{-\frac{3}{2}} - \frac{1}{2x^2}\operatorname{arccot}(\sqrt{x}) - \frac{1}{2}\operatorname{arctan}(\sqrt{x}) - \frac{1}{2}\frac{1}{\sqrt{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(x^(1/2))/x^3,x)

[Out] 1/6/x^(3/2)-1/2*arccot(x^(1/2))/x^2-1/2*arctan(x^(1/2))-1/2/x^(1/2)

Maxima [A] time = 1.46271, size = 35, normalized size = 0.83

$$-\frac{3x-1}{6x^{\frac{3}{2}}} - \frac{\operatorname{arccot}(\sqrt{x})}{2x^2} - \frac{1}{2}\operatorname{arctan}(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2))/x^3,x, algorithm="maxima")

[Out] -1/6*(3*x - 1)/x^(3/2) - 1/2*arccot(sqrt(x))/x^2 - 1/2*arctan(sqrt(x))

Fricas [A] time = 2.18785, size = 80, normalized size = 1.9

$$\frac{3(x^2 - 1) \operatorname{arccot}(\sqrt{x}) - (3x - 1)\sqrt{x}}{6x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2))/x^3,x, algorithm="fricas")

[Out] 1/6*(3*(x^2 - 1)*arccot(sqrt(x)) - (3*x - 1)*sqrt(x))/x^2

Sympy [B] time = 8.74439, size = 160, normalized size = 3.81

$$\frac{3x^{\frac{7}{2}} \operatorname{acot}(\sqrt{x})}{6x^{\frac{7}{2}} + 6x^{\frac{5}{2}}} + \frac{3x^{\frac{5}{2}} \operatorname{acot}(\sqrt{x})}{6x^{\frac{7}{2}} + 6x^{\frac{5}{2}}} - \frac{3x^{\frac{3}{2}} \operatorname{acot}(\sqrt{x})}{6x^{\frac{7}{2}} + 6x^{\frac{5}{2}}} - \frac{3\sqrt{x} \operatorname{acot}(\sqrt{x})}{6x^{\frac{7}{2}} + 6x^{\frac{5}{2}}} - \frac{3x^3}{6x^{\frac{7}{2}} + 6x^{\frac{5}{2}}} - \frac{2x^2}{6x^{\frac{7}{2}} + 6x^{\frac{5}{2}}} + \frac{x}{6x^{\frac{7}{2}} + 6x^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(x**(1/2))/x**3,x)

[Out] 3*x**(7/2)*acot(sqrt(x))/(6*x**(7/2) + 6*x**(5/2)) + 3*x**(5/2)*acot(sqrt(x))/(6*x**(7/2) + 6*x**(5/2)) - 3*x**(3/2)*acot(sqrt(x))/(6*x**(7/2) + 6*x**(5/2)) - 3*sqrt(x)*acot(sqrt(x))/(6*x**(7/2) + 6*x**(5/2)) - 3*x**3/(6*x**(7/2) + 6*x**(5/2)) - 2*x**2/(6*x**(7/2) + 6*x**(5/2)) + x/(6*x**(7/2) + 6*x**(5/2))

Giac [A] time = 1.1076, size = 35, normalized size = 0.83

$$-\frac{3x - 1}{6x^{\frac{3}{2}}} - \frac{\arctan\left(\frac{1}{\sqrt{x}}\right)}{2x^2} - \frac{1}{2} \arctan(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2))/x^3,x, algorithm="giac")

[Out] -1/6*(3*x - 1)/x^(3/2) - 1/2*arctan(1/sqrt(x))/x^2 - 1/2*arctan(sqrt(x))

3.91 $\int x^{3/2} \cot^{-1}(\sqrt{x}) dx$

Optimal. Leaf size=36

$$\frac{x^2}{10} + \frac{2}{5}x^{5/2} \cot^{-1}(\sqrt{x}) - \frac{x}{5} + \frac{1}{5} \log(x+1)$$

[Out] $-x/5 + x^2/10 + (2*x^{(5/2)}*ArcCot[Sqrt[x]])/5 + Log[1 + x]/5$

Rubi [A] time = 0.0137792, antiderivative size = 36, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {5034, 43}

$$\frac{x^2}{10} + \frac{2}{5}x^{5/2} \cot^{-1}(\sqrt{x}) - \frac{x}{5} + \frac{1}{5} \log(x+1)$$

Antiderivative was successfully verified.

[In] Int[x^(3/2)*ArcCot[Sqrt[x]], x]

[Out] $-x/5 + x^2/10 + (2*x^{(5/2)}*ArcCot[Sqrt[x]])/5 + Log[1 + x]/5$

Rule 5034

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.)*((d_.)*(x_)^(m_.)), x_Symbol] :> Simp[((d*x)^(m+1)*(a + b*ArcCot[c*x^n]))/(d*(m+1)), x] + Dist[(b*c*n)/(d*(m+1)), Int[(x^(n-1)*(d*x)^(m+1))/(1 + c^2*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 43

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int x^{3/2} \cot^{-1}(\sqrt{x}) dx &= \frac{2}{5}x^{5/2} \cot^{-1}(\sqrt{x}) + \frac{1}{5} \int \frac{x^2}{1+x} dx \\ &= \frac{2}{5}x^{5/2} \cot^{-1}(\sqrt{x}) + \frac{1}{5} \int \left(-1 + x + \frac{1}{1+x}\right) dx \\ &= -\frac{x}{5} + \frac{x^2}{10} + \frac{2}{5}x^{5/2} \cot^{-1}(\sqrt{x}) + \frac{1}{5} \log(1+x) \end{aligned}$$

Mathematica [A] time = 0.0161584, size = 29, normalized size = 0.81

$$\frac{1}{10} \left(4x^{5/2} \cot^{-1}(\sqrt{x}) + (x-2)x + 2 \log(x+1)\right)$$

Antiderivative was successfully verified.

[In] Integrate[x^(3/2)*ArcCot[Sqrt[x]], x]

[Out] $((-2 + x)*x + 4*x^{(5/2)}*ArcCot[Sqrt[x]] + 2*Log[1 + x])/10$

Maple [A] time = 0.023, size = 25, normalized size = 0.7

$$-\frac{x}{5} + \frac{x^2}{10} + \frac{2}{5}x^2 \operatorname{arccot}(\sqrt{x}) + \frac{\ln(x+1)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^(3/2)*arccot(x^(1/2)),x)`

[Out] $-1/5*x+1/10*x^2+2/5*x^{(5/2)}*arccot(x^{(1/2)})+1/5*\ln(x+1)$

Maxima [A] time = 0.973942, size = 32, normalized size = 0.89

$$\frac{2}{5}x^2 \operatorname{arccot}(\sqrt{x}) + \frac{1}{10}x^2 - \frac{1}{5}x + \frac{1}{5}\log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(3/2)*arccot(x^(1/2)),x, algorithm="maxima")`

[Out] $2/5*x^{(5/2)}*arccot(sqrt(x)) + 1/10*x^2 - 1/5*x + 1/5*\log(x + 1)$

Fricas [A] time = 2.20899, size = 88, normalized size = 2.44

$$\frac{2}{5}x^2 \operatorname{arccot}(\sqrt{x}) + \frac{1}{10}x^2 - \frac{1}{5}x + \frac{1}{5}\log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(3/2)*arccot(x^(1/2)),x, algorithm="fricas")`

[Out] $2/5*x^{(5/2)}*arccot(sqrt(x)) + 1/10*x^2 - 1/5*x + 1/5*\log(x + 1)$

Sympy [B] time = 7.88749, size = 85, normalized size = 2.36

$$\frac{4x^{\frac{7}{2}} \operatorname{acot}(\sqrt{x})}{10x+10} + \frac{4x^{\frac{5}{2}} \operatorname{acot}(\sqrt{x})}{10x+10} + \frac{x^3}{10x+10} - \frac{x^2}{10x+10} + \frac{2x \log(x+1)}{10x+10} + \frac{2 \log(x+1)}{10x+10} + \frac{2}{10x+10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**(3/2)*acot(x**(1/2)),x)`

[Out] $4*x^{(7/2)}*acot(sqrt(x))/(10*x + 10) + 4*x^{(5/2)}*acot(sqrt(x))/(10*x + 10) + x^{(3)}/(10*x + 10) - x^{(2)}/(10*x + 10) + 2*x*\log(x + 1)/(10*x + 10) + 2*\log(x + 1)/(10*x + 10) + 2/(10*x + 10)$

Giac [A] time = 1.09629, size = 32, normalized size = 0.89

$$\frac{2}{5} x^{\frac{5}{2}} \arctan\left(\frac{1}{\sqrt{x}}\right) + \frac{1}{10} x^2 - \frac{1}{5} x + \frac{1}{5} \log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(3/2)*arccot(x^(1/2)),x, algorithm="giac")
```

```
[Out] 2/5*x^(5/2)*arctan(1/sqrt(x)) + 1/10*x^2 - 1/5*x + 1/5*log(x + 1)
```

3.92 $\int \sqrt{x} \cot^{-1}(\sqrt{x}) dx$

Optimal. Leaf size=29

$$\frac{2}{3}x^{3/2} \cot^{-1}(\sqrt{x}) + \frac{x}{3} - \frac{1}{3} \log(x+1)$$

[Out] $x/3 + (2*x^{(3/2)*ArcCot[Sqrt[x]])/3 - \text{Log}[1 + x]/3$

Rubi [A] time = 0.0105779, antiderivative size = 29, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {5034, 43}

$$\frac{2}{3}x^{3/2} \cot^{-1}(\sqrt{x}) + \frac{x}{3} - \frac{1}{3} \log(x+1)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[x]*ArcCot[Sqrt[x]],x]

[Out] $x/3 + (2*x^{(3/2)*ArcCot[Sqrt[x]])/3 - \text{Log}[1 + x]/3$

Rule 5034

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.))*((d_.)*(x_)^(m_.), x_Symbol] :> Simp[((d*x)^(m+1)*(a + b*ArcCot[c*x^n]))/(d*(m+1)), x] + Dist[(b*c*n)/(d*(m+1)), Int[(x^(n-1)*(d*x)^(m+1))/(1 + c^2*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 43

Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int \sqrt{x} \cot^{-1}(\sqrt{x}) dx &= \frac{2}{3}x^{3/2} \cot^{-1}(\sqrt{x}) + \frac{1}{3} \int \frac{x}{1+x} dx \\ &= \frac{2}{3}x^{3/2} \cot^{-1}(\sqrt{x}) + \frac{1}{3} \int \left(1 + \frac{1}{-1-x}\right) dx \\ &= \frac{x}{3} + \frac{2}{3}x^{3/2} \cot^{-1}(\sqrt{x}) - \frac{1}{3} \log(1+x) \end{aligned}$$

Mathematica [A] time = 0.0108016, size = 25, normalized size = 0.86

$$\frac{1}{3} \left(2x^{3/2} \cot^{-1}(\sqrt{x}) + x - \log(x+1) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[x]*ArcCot[Sqrt[x]],x]

[Out] $(x + 2x^{3/2} \operatorname{ArcCot}[\sqrt{x}] - \operatorname{Log}[1 + x])/3$

Maple [A] time = 0.023, size = 20, normalized size = 0.7

$$\frac{x}{3} + \frac{2}{3}x^{3/2} \operatorname{arccot}(\sqrt{x}) - \frac{\ln(x+1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^(1/2)*arccot(x^(1/2)),x)`

[Out] $1/3*x+2/3*x^{3/2}*arccot(x^{1/2})-1/3*\ln(x+1)$

Maxima [A] time = 0.973025, size = 26, normalized size = 0.9

$$\frac{2}{3}x^{3/2} \operatorname{arccot}(\sqrt{x}) + \frac{1}{3}x - \frac{1}{3} \log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(1/2)*arccot(x^(1/2)),x, algorithm="maxima")`

[Out] $2/3*x^{3/2}*arccot(sqrt(x)) + 1/3*x - 1/3*log(x + 1)$

Fricas [A] time = 2.18903, size = 73, normalized size = 2.52

$$\frac{2}{3}x^{3/2} \operatorname{arccot}(\sqrt{x}) + \frac{1}{3}x - \frac{1}{3} \log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(1/2)*arccot(x^(1/2)),x, algorithm="fricas")`

[Out] $2/3*x^{3/2}*arccot(sqrt(x)) + 1/3*x - 1/3*log(x + 1)$

Sympy [A] time = 1.33226, size = 24, normalized size = 0.83

$$\frac{2x^{3/2} \operatorname{acot}(\sqrt{x})}{3} + \frac{x}{3} - \frac{\log(x+1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**(1/2)*acot(x**(1/2)),x)`

[Out] $2*x^{3/2}*acot(sqrt(x))/3 + x/3 - \log(x + 1)/3$

Giac [A] time = 1.10654, size = 26, normalized size = 0.9

$$\frac{2}{3}x^{\frac{3}{2}}\arctan\left(\frac{1}{\sqrt{x}}\right) + \frac{1}{3}x - \frac{1}{3}\log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(1/2)*arccot(x^(1/2)),x, algorithm="giac")
```

```
[Out] 2/3*x^(3/2)*arctan(1/sqrt(x)) + 1/3*x - 1/3*log(x + 1)
```

$$3.93 \quad \int \frac{\cot^{-1}(\sqrt{x})}{\sqrt{x}} dx$$

Optimal. Leaf size=18

$$\log(x+1) + 2\sqrt{x} \cot^{-1}(\sqrt{x})$$

[Out] 2*Sqrt[x]*ArcCot[Sqrt[x]] + Log[1 + x]

Rubi [A] time = 0.0068054, antiderivative size = 18, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {5034, 31}

$$\log(x+1) + 2\sqrt{x} \cot^{-1}(\sqrt{x})$$

Antiderivative was successfully verified.

[In] Int[ArcCot[Sqrt[x]]/Sqrt[x], x]

[Out] 2*Sqrt[x]*ArcCot[Sqrt[x]] + Log[1 + x]

Rule 5034

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.))*((d_.)*(x_)^(m_.), x_Symbol] :> Simp[((d*x)^(m+1)*(a + b*ArcCot[c*x^n]))/(d*(m+1)), x] + Dist[(b*c*n)/(d*(m+1)), Int[(x^(n-1)*(d*x)^(m+1))/(1 + c^2*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(\sqrt{x})}{\sqrt{x}} dx &= 2\sqrt{x} \cot^{-1}(\sqrt{x}) + \int \frac{1}{1+x} dx \\ &= 2\sqrt{x} \cot^{-1}(\sqrt{x}) + \log(1+x) \end{aligned}$$

Mathematica [A] time = 0.0068556, size = 18, normalized size = 1.

$$\log(x+1) + 2\sqrt{x} \cot^{-1}(\sqrt{x})$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[Sqrt[x]]/Sqrt[x], x]

[Out] 2*Sqrt[x]*ArcCot[Sqrt[x]] + Log[1 + x]

Maple [A] time = 0.023, size = 15, normalized size = 0.8

$$\ln(x+1) + 2\sqrt{x}\operatorname{arccot}(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccot(x^(1/2))/x^(1/2),x)`

[Out] `ln(x+1)+2*x^(1/2)*arccot(x^(1/2))`

Maxima [A] time = 0.955033, size = 19, normalized size = 1.06

$$2\sqrt{x}\operatorname{arccot}(\sqrt{x}) + \log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x^(1/2))/x^(1/2),x, algorithm="maxima")`

[Out] `2*sqrt(x)*arccot(sqrt(x)) + log(x + 1)`

Fricas [A] time = 2.20801, size = 54, normalized size = 3.

$$2\sqrt{x}\operatorname{arccot}(\sqrt{x}) + \log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x^(1/2))/x^(1/2),x, algorithm="fricas")`

[Out] `2*sqrt(x)*arccot(sqrt(x)) + log(x + 1)`

Sympy [A] time = 0.449524, size = 17, normalized size = 0.94

$$2\sqrt{x}\operatorname{acot}(\sqrt{x}) + \log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acot(x**(1/2))/x**(1/2),x)`

[Out] `2*sqrt(x)*acot(sqrt(x)) + log(x + 1)`

Giac [A] time = 1.09288, size = 19, normalized size = 1.06

$$2\sqrt{x}\operatorname{arctan}\left(\frac{1}{\sqrt{x}}\right) + \log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(x^(1/2))/x^(1/2),x, algorithm="giac")`

[Out] `2*sqrt(x)*arctan(1/sqrt(x)) + log(x + 1)`

$$3.94 \quad \int \frac{\cot^{-1}(\sqrt{x})}{x^{3/2}} dx$$

Optimal. Leaf size=22

$$-\log(x) + \log(x+1) - \frac{2 \cot^{-1}(\sqrt{x})}{\sqrt{x}}$$

[Out] $(-2*\text{ArcCot}[\text{Sqrt}[x]])/\text{Sqrt}[x] - \text{Log}[x] + \text{Log}[1 + x]$

Rubi [A] time = 0.0076322, antiderivative size = 22, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5034, 36, 29, 31}

$$-\log(x) + \log(x+1) - \frac{2 \cot^{-1}(\sqrt{x})}{\sqrt{x}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{ArcCot}[\text{Sqrt}[x]]/x^{(3/2)}, x]$

[Out] $(-2*\text{ArcCot}[\text{Sqrt}[x]])/\text{Sqrt}[x] - \text{Log}[x] + \text{Log}[1 + x]$

Rule 5034

$\text{Int}[(a + \text{ArcCot}[c(x)^n] * b) * (d(x))^m, x_Symbol] :> \text{Simp}[(d(x))^{m+1} * (a + b * \text{ArcCot}[c(x)^n]) / (d(x)^{m+1}), x] + \text{Dist}[b * c * n / (d(x)^{m+1}), \text{Int}[(x^{n-1} * (d(x))^{m+1}) / (1 + c^2 * x^{2n}), x], x] /;$ FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 36

$\text{Int}[1/((a + b(x)) * (c + d(x))), x_Symbol] :> \text{Dist}[b/(b*c - a*d), \text{Int}[1/(a + b*x), x], x] - \text{Dist}[d/(b*c - a*d), \text{Int}[1/(c + d*x), x], x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]

Rule 29

$\text{Int}[(x)^{-1}, x_Symbol] :> \text{Simp}[\text{Log}[x], x]$

Rule 31

$\text{Int}[(a + b(x))^{-1}, x_Symbol] :> \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /;$ FreeQ[{a, b}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(\sqrt{x})}{x^{3/2}} dx &= -\frac{2 \cot^{-1}(\sqrt{x})}{\sqrt{x}} - \int \frac{1}{x(1+x)} dx \\ &= -\frac{2 \cot^{-1}(\sqrt{x})}{\sqrt{x}} - \int \frac{1}{x} dx + \int \frac{1}{1+x} dx \\ &= -\frac{2 \cot^{-1}(\sqrt{x})}{\sqrt{x}} - \log(x) + \log(1+x) \end{aligned}$$

Mathematica [A] time = 0.0118346, size = 22, normalized size = 1.

$$-\log(x) + \log(x+1) - \frac{2 \cot^{-1}(\sqrt{x})}{\sqrt{x}}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[Sqrt[x]]/x^(3/2), x]

[Out] (-2*ArcCot[Sqrt[x]])/Sqrt[x] - Log[x] + Log[1 + x]

Maple [A] time = 0.027, size = 19, normalized size = 0.9

$$-\ln(x) + \ln(x+1) - 2 \frac{\operatorname{arccot}(\sqrt{x})}{\sqrt{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(x^(1/2))/x^(3/2), x)

[Out] -ln(x)+ln(x+1)-2*arccot(x^(1/2))/x^(1/2)

Maxima [A] time = 0.978603, size = 24, normalized size = 1.09

$$-\frac{2 \operatorname{arccot}(\sqrt{x})}{\sqrt{x}} + \log(x+1) - \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2))/x^(3/2), x, algorithm="maxima")

[Out] -2*arccot(sqrt(x))/sqrt(x) + log(x + 1) - log(x)

Fricas [A] time = 2.13551, size = 77, normalized size = 3.5

$$\frac{x \log(x+1) - x \log(x) - 2\sqrt{x} \operatorname{arccot}(\sqrt{x})}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2))/x^(3/2), x, algorithm="fricas")

[Out] (x*log(x + 1) - x*log(x) - 2*sqrt(x)*arccot(sqrt(x)))/x

Sympy [A] time = 1.76621, size = 20, normalized size = 0.91

$$-\log(x) + \log(x+1) - \frac{2 \operatorname{acot}(\sqrt{x})}{\sqrt{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(x**(1/2))/x**(3/2), x)

[Out] -log(x) + log(x + 1) - 2*acot(sqrt(x))/sqrt(x)

Giac [A] time = 1.12818, size = 22, normalized size = 1.

$$-\frac{2 \arctan\left(\frac{1}{\sqrt{x}}\right)}{\sqrt{x}} + \log\left(\frac{1}{x} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2))/x^(3/2), x, algorithm="giac")

[Out] -2*arctan(1/sqrt(x))/sqrt(x) + log(1/x + 1)

$$3.95 \quad \int \frac{\cot^{-1}(\sqrt{x})}{x^{5/2}} dx$$

Optimal. Leaf size=37

$$-\frac{2 \cot^{-1}(\sqrt{x})}{3x^{3/2}} + \frac{1}{3x} + \frac{\log(x)}{3} - \frac{1}{3} \log(x+1)$$

[Out] 1/(3*x) - (2*ArcCot[Sqrt[x]])/(3*x^(3/2)) + Log[x]/3 - Log[1 + x]/3

Rubi [A] time = 0.0120186, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {5034, 44}

$$-\frac{2 \cot^{-1}(\sqrt{x})}{3x^{3/2}} + \frac{1}{3x} + \frac{\log(x)}{3} - \frac{1}{3} \log(x+1)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[Sqrt[x]]/x^(5/2), x]

[Out] 1/(3*x) - (2*ArcCot[Sqrt[x]])/(3*x^(3/2)) + Log[x]/3 - Log[1 + x]/3

Rule 5034

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.)*((d_.)*(x_)^(m_.)), x_Symbol] :> Simp[((d*x)^(m+1)*(a + b*ArcCot[c*x^n]))/(d*(m+1)), x] + Dist[(b*c*n)/(d*(m+1)), Int[(x^(n-1)*(d*x)^(m+1))/(1 + c^2*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]

Rule 44

Int[((a_) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(\sqrt{x})}{x^{5/2}} dx &= -\frac{2 \cot^{-1}(\sqrt{x})}{3x^{3/2}} - \frac{1}{3} \int \frac{1}{x^2(1+x)} dx \\ &= -\frac{2 \cot^{-1}(\sqrt{x})}{3x^{3/2}} - \frac{1}{3} \int \left(\frac{1}{x^2} - \frac{1}{x} + \frac{1}{1+x} \right) dx \\ &= \frac{1}{3x} - \frac{2 \cot^{-1}(\sqrt{x})}{3x^{3/2}} + \frac{\log(x)}{3} - \frac{1}{3} \log(1+x) \end{aligned}$$

Mathematica [A] time = 0.018484, size = 29, normalized size = 0.78

$$\frac{1}{3} \left(-\frac{2 \cot^{-1}(\sqrt{x})}{x^{3/2}} + \frac{1}{x} + \log(x) - \log(x+1) \right)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[Sqrt[x]]/x^(5/2),x]

[Out] (x^(-1) - (2*ArcCot[Sqrt[x]])/x^(3/2) + Log[x] - Log[1 + x])/3

Maple [A] time = 0.029, size = 26, normalized size = 0.7

$$\frac{1}{3x} - \frac{2}{3} \operatorname{arccot}(\sqrt{x}) x^{-\frac{3}{2}} + \frac{\ln(x)}{3} - \frac{\ln(x+1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(x^(1/2))/x^(5/2),x)

[Out] 1/3/x-2/3*arccot(x^(1/2))/x^(3/2)+1/3*ln(x)-1/3*ln(x+1)

Maxima [A] time = 1.00591, size = 34, normalized size = 0.92

$$-\frac{2 \operatorname{arccot}(\sqrt{x})}{3x^{\frac{3}{2}}} + \frac{1}{3x} - \frac{1}{3} \log(x+1) + \frac{1}{3} \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2))/x^(5/2),x, algorithm="maxima")

[Out] -2/3*arccot(sqrt(x))/x^(3/2) + 1/3/x - 1/3*log(x + 1) + 1/3*log(x)

Fricas [A] time = 2.26169, size = 97, normalized size = 2.62

$$-\frac{x^2 \log(x+1) - x^2 \log(x) + 2\sqrt{x} \operatorname{arccot}(\sqrt{x}) - x}{3x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2))/x^(5/2),x, algorithm="fricas")

[Out] -1/3*(x^2*log(x + 1) - x^2*log(x) + 2*sqrt(x)*arccot(sqrt(x)) - x)/x^2

Sympy [B] time = 8.51655, size = 143, normalized size = 3.86

$$-\frac{2x^{\frac{3}{2}} \operatorname{acot}(\sqrt{x})}{3x^3 + 3x^2} - \frac{2\sqrt{x} \operatorname{acot}(\sqrt{x})}{3x^3 + 3x^2} + \frac{x^3 \log(x)}{3x^3 + 3x^2} - \frac{x^3 \log(x+1)}{3x^3 + 3x^2} - \frac{x^3}{3x^3 + 3x^2} + \frac{x^2 \log(x)}{3x^3 + 3x^2} - \frac{x^2 \log(x+1)}{3x^3 + 3x^2} + \frac{x}{3x^3 + 3x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(x**(1/2))/x**(5/2),x)

[Out] -2*x**(3/2)*acot(sqrt(x))/(3*x**3 + 3*x**2) - 2*sqrt(x)*acot(sqrt(x))/(3*x**3 + 3*x**2) + x**3*log(x)/(3*x**3 + 3*x**2) - x**3*log(x + 1)/(3*x**3 + 3*x**2)

$$x^{**2}) - x^{**3}/(3*x^{**3} + 3*x^{**2}) + x^{**2}*\log(x)/(3*x^{**3} + 3*x^{**2}) - x^{**2}*\log(x + 1)/(3*x^{**3} + 3*x^{**2}) + x/(3*x^{**3} + 3*x^{**2})$$

Giac [A] time = 1.12866, size = 38, normalized size = 1.03

$$-\frac{x-1}{3x} - \frac{2 \arctan\left(\frac{1}{\sqrt{x}}\right)}{3x^{\frac{3}{2}}} - \frac{1}{3} \log(x+1) + \frac{1}{3} \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(x^(1/2))/x^(5/2),x, algorithm="giac")

[Out] -1/3*(x - 1)/x - 2/3*arctan(1/sqrt(x))/x^(3/2) - 1/3*log(x + 1) + 1/3*log(x)

3.96 $\int \cot^{-1}\left(\frac{1}{x}\right) dx$

Optimal. Leaf size=17

$$x \cot^{-1}\left(\frac{1}{x}\right) - \frac{1}{2} \log(x^2 + 1)$$

[Out] x*ArcCot[x^(-1)] - Log[1 + x^2]/2

Rubi [A] time = 0.005577, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.75$, Rules used = {5028, 263, 260}

$$x \cot^{-1}\left(\frac{1}{x}\right) - \frac{1}{2} \log(x^2 + 1)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[x^(-1)],x]

[Out] x*ArcCot[x^(-1)] - Log[1 + x^2]/2

Rule 5028

Int[ArcCot[(c_.)*(x_)^(n_)], x_Symbol] := Simp[x*ArcCot[c*x^n], x] + Dist[c*n, Int[x^n/(1 + c^2*x^(2*n)), x], x] /; FreeQ[{c, n}, x]

Rule 263

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[x^(m + n*p)*(b + a/x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && IntegerQ[p] && NegQ[n]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned} \int \cot^{-1}\left(\frac{1}{x}\right) dx &= x \cot^{-1}\left(\frac{1}{x}\right) - \int \frac{1}{\left(1 + \frac{1}{x^2}\right)x} dx \\ &= x \cot^{-1}\left(\frac{1}{x}\right) - \int \frac{x}{1 + x^2} dx \\ &= x \cot^{-1}\left(\frac{1}{x}\right) - \frac{1}{2} \log(1 + x^2) \end{aligned}$$

Mathematica [A] time = 0.0015833, size = 17, normalized size = 1.

$$x \cot^{-1}\left(\frac{1}{x}\right) - \frac{1}{2} \log(x^2 + 1)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[x^(-1)],x]

[Out] x*ArcCot[x^(-1)] - Log[1 + x^2]/2

Maple [A] time = 0.049, size = 20, normalized size = 1.2

$$x \operatorname{arccot}(x^{-1}) - \frac{\ln(x^{-2} + 1)}{2} + \ln(x^{-1})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(1/x),x)

[Out] x*arccot(1/x)-1/2*ln(1/x^2+1)+ln(1/x)

Maxima [A] time = 0.992027, size = 20, normalized size = 1.18

$$x \operatorname{arccot}\left(\frac{1}{x}\right) - \frac{1}{2} \log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(1/x),x, algorithm="maxima")

[Out] x*arccot(1/x) - 1/2*log(x^2 + 1)

Fricas [A] time = 2.07521, size = 46, normalized size = 2.71

$$x \operatorname{arccot}\left(\frac{1}{x}\right) - \frac{1}{2} \log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(1/x),x, algorithm="fricas")

[Out] x*arccot(1/x) - 1/2*log(x^2 + 1)

Sympy [A] time = 0.191395, size = 14, normalized size = 0.82

$$x \operatorname{acot}\left(\frac{1}{x}\right) - \frac{\log(x^2 + 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(1/x),x)

[Out] x*acot(1/x) - log(x**2 + 1)/2

Giac [A] time = 1.09883, size = 18, normalized size = 1.06

$$x \arctan(x) - \frac{1}{2} \log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(1/x),x, algorithm="giac")

[Out] x*arctan(x) - 1/2*log(x^2 + 1)

$$3.97 \quad \int \frac{\cot^{-1}(ax^n)}{x} dx$$

Optimal. Leaf size=47

$$\frac{i\text{PolyLog}\left(2, \frac{ix^{-n}}{a}\right)}{2n} - \frac{i\text{PolyLog}\left(2, -\frac{ix^{-n}}{a}\right)}{2n}$$

[Out] $((-I/2)*\text{PolyLog}[2, (-I)/(a*x^n)]) / n + ((I/2)*\text{PolyLog}[2, I/(a*x^n)]) / n$

Rubi [A] time = 0.0351754, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$, Rules used = {5032, 4849, 2391}

$$\frac{i\text{PolyLog}\left(2, \frac{ix^{-n}}{a}\right)}{2n} - \frac{i\text{PolyLog}\left(2, -\frac{ix^{-n}}{a}\right)}{2n}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x^n]/x,x]

[Out] $((-I/2)*\text{PolyLog}[2, (-I)/(a*x^n)]) / n + ((I/2)*\text{PolyLog}[2, I/(a*x^n)]) / n$

Rule 5032

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.)^(p_.)/(x_), x_Symbol] := Dist[1/n, Subst[Int[(a + b*ArcCot[c*x])^p/x, x], x, x^n], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[p, 0]

Rule 4849

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)/(x_), x_Symbol] := Simp[a*Log[x], x] + (Dist[(I*b)/2, Int[Log[1 - I/(c*x)]/x, x], x] - Dist[(I*b)/2, Int[Log[1 + I/(c*x)]/x, x], x]) /; FreeQ[{a, b, c}, x]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(ax^n)}{x} dx &= \frac{\text{Subst}\left(\int \frac{\cot^{-1}(ax)}{x} dx, x, x^n\right)}{n} \\ &= \frac{i\text{Subst}\left(\int \frac{\log\left(1-\frac{i}{ax}\right)}{x} dx, x, x^n\right)}{2n} - \frac{i\text{Subst}\left(\int \frac{\log\left(1+\frac{i}{ax}\right)}{x} dx, x, x^n\right)}{2n} \\ &= -\frac{i\text{Li}_2\left(-\frac{ix^{-n}}{a}\right)}{2n} + \frac{i\text{Li}_2\left(\frac{ix^{-n}}{a}\right)}{2n} \end{aligned}$$

Mathematica [A] time = 0.0150394, size = 40, normalized size = 0.85

$$\frac{i \left(\text{PolyLog} \left(2, -\frac{ix^{-n}}{a} \right) - \text{PolyLog} \left(2, \frac{ix^{-n}}{a} \right) \right)}{2n}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x^n]/x,x]

[Out] ((-I/2)*(PolyLog[2, (-I)/(a*x^n)] - PolyLog[2, I/(a*x^n)]))/n

Maple [B] time = 0.052, size = 94, normalized size = 2.

$$\frac{\ln(ax^n) \operatorname{arccot}(ax^n)}{n} - \frac{\frac{i}{2} \ln(ax^n) \ln(1+iax^n)}{n} + \frac{\frac{i}{2} \ln(ax^n) \ln(1-iax^n)}{n} - \frac{\frac{i}{2} \operatorname{dilog}(1+iax^n)}{n} + \frac{\frac{i}{2} \operatorname{dilog}(1-iax^n)}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x^n)/x,x)

[Out] 1/n*ln(a*x^n)*arccot(a*x^n)-1/2*I/n*ln(a*x^n)*ln(1+I*a*x^n)+1/2*I/n*ln(a*x^n)*ln(1-I*a*x^n)-1/2*I/n*dilog(1+I*a*x^n)+1/2*I/n*dilog(1-I*a*x^n)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$an \int \frac{x^n \log(x)}{a^2 x x^{2n} + x} dx + \arctan(1, ax^n) \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^n)/x,x, algorithm="maxima")

[Out] a*n*integrate(x^n*log(x)/(a^2*x*x^(2*n) + x), x) + arctan2(1, a*x^n)*log(x)

Fricas [A] time = 2.32139, size = 181, normalized size = 3.85

$$\frac{2n \operatorname{arccot}(ax^n) \log(x) - in \log(iax^n + 1) \log(x) + in \log(-iax^n + 1) \log(x) + i \operatorname{Li}_2(iax^n) - i \operatorname{Li}_2(-iax^n)}{2n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^n)/x,x, algorithm="fricas")

[Out] 1/2*(2*n*arccot(a*x^n)*log(x) - I*n*log(I*a*x^n + 1)*log(x) + I*n*log(-I*a*x^n + 1)*log(x) + I*dilog(I*a*x^n) - I*dilog(-I*a*x^n))/n

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(ax^n)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acot(a*x**n)/x,x)
```

```
[Out] Integral(acot(a*x**n)/x, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(ax^n)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x^n)/x,x, algorithm="giac")
```

```
[Out] integrate(arccot(a*x^n)/x, x)
```


$$3.98 \quad \int \frac{\cot^{-1}(ax^5)}{x} dx$$

Optimal. Leaf size=37

$$\frac{1}{10}i\text{PolyLog}\left(2, \frac{i}{ax^5}\right) - \frac{1}{10}i\text{PolyLog}\left(2, -\frac{i}{ax^5}\right)$$

[Out] $(-I/10)*\text{PolyLog}[2, (-I)/(a*x^5)] + (I/10)*\text{PolyLog}[2, I/(a*x^5)]$

Rubi [A] time = 0.0344804, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$, Rules used = {5032, 4849, 2391}

$$\frac{1}{10}i\text{PolyLog}\left(2, \frac{i}{ax^5}\right) - \frac{1}{10}i\text{PolyLog}\left(2, -\frac{i}{ax^5}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a*x^5]/x,x]

[Out] $(-I/10)*\text{PolyLog}[2, (-I)/(a*x^5)] + (I/10)*\text{PolyLog}[2, I/(a*x^5)]$

Rule 5032

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_)])*(b_.)^(p_.)/(x_), x_Symbol] := Dist[1/n, Subst[Int[(a + b*ArcCot[c*x])^p/x, x], x, x^n], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[p, 0]

Rule 4849

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)/(x_), x_Symbol] := Simp[a*Log[x], x] + (Dist[(I*b)/2, Int[Log[1 - I/(c*x)]/x, x], x] - Dist[(I*b)/2, Int[Log[1 + I/(c*x)]/x, x], x]) /; FreeQ[{a, b, c}, x]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(ax^5)}{x} dx &= \frac{1}{5} \text{Subst} \left(\int \frac{\cot^{-1}(ax)}{x} dx, x, x^5 \right) \\ &= \frac{1}{10}i \text{Subst} \left(\int \frac{\log\left(1 - \frac{i}{ax}\right)}{x} dx, x, x^5 \right) - \frac{1}{10}i \text{Subst} \left(\int \frac{\log\left(1 + \frac{i}{ax}\right)}{x} dx, x, x^5 \right) \\ &= -\frac{1}{10}i\text{Li}_2\left(-\frac{i}{ax^5}\right) + \frac{1}{10}i\text{Li}_2\left(\frac{i}{ax^5}\right) \end{aligned}$$

Mathematica [A] time = 0.0069422, size = 37, normalized size = 1.

$$\frac{1}{10}i\text{PolyLog}\left(2, \frac{i}{ax^5}\right) - \frac{1}{10}i\text{PolyLog}\left(2, -\frac{i}{ax^5}\right)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a*x^5]/x,x]

[Out] (-I/10)*PolyLog[2, (-I)/(a*x^5)] + (I/10)*PolyLog[2, I/(a*x^5)]

Maple [C] time = 0.116, size = 57, normalized size = 1.5

$$\ln(x) \operatorname{arccot}(ax^5) + \frac{1}{2a} \sum_{_R1=\operatorname{RootOf}(_Z^{10}a^2+1)} \frac{1}{_R1^5} \left(\ln(x) \ln\left(\frac{-_R1-x}{_R1}\right) + \operatorname{dilog}\left(\frac{-_R1-x}{_R1}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a*x^5)/x,x)

[Out] ln(x)*arccot(a*x^5)+1/2/a*sum(1/_R1^5*(ln(x)*ln((-R1-x)/_R1)+dilog((-R1-x)/_R1)),_R1=RootOf(_Z^10*a^2+1))

Maxima [B] time = 1.62922, size = 108, normalized size = 2.92

$$-\frac{1}{5}i \operatorname{arctan}(ax^5) \operatorname{arctan}(0, a) + \frac{1}{20} \pi \log(a^2x^{10} + 1) - \frac{1}{5} \operatorname{arctan}(ax^5) \log(x^5|a|) + \operatorname{arccot}(ax^5) \log(x) + \operatorname{arctan}(ax^5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^5)/x,x, algorithm="maxima")

[Out] -1/5*I*arctan(a*x^5)*arctan2(0, a) + 1/20*pi*log(a^2*x^10 + 1) - 1/5*arctan(a*x^5)*log(x^5*abs(a)) + arccot(a*x^5)*log(x) + arctan(a*x^5)*log(x) + 1/10*I*dilog(I*a*x^5 + 1) - 1/10*I*dilog(-I*a*x^5 + 1)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(ax^5)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a*x^5)/x,x, algorithm="fricas")

[Out] integral(arccot(a*x^5)/x, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(acot(a*x**5)/x,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(ax^5)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(a*x^5)/x,x, algorithm="giac")
```

```
[Out] integrate(arccot(a*x^5)/x, x)
```

3.99 $\int x^3 \cot^{-1}(a + bx) dx$

Optimal. Leaf size=106

$$-\frac{(1-6a^2)x}{4b^3} + \frac{a(1-a^2)\log((a+bx)^2+1)}{2b^4} + \frac{(a^4-6a^2+1)\tan^{-1}(a+bx)}{4b^4} + \frac{(a+bx)^3}{12b^4} - \frac{a(a+bx)^2}{2b^4} + \frac{1}{4}x^4 \cot^{-1}(a+bx)$$

[Out] $-\frac{((1-6a^2)*x)}{(4*b^3)} - \frac{(a*(a+b*x)^2)}{(2*b^4)} + \frac{(a+b*x)^3}{(12*b^4)} + \frac{(x^4*ArcCot[a+b*x])}{4} + \frac{((1-6a^2+a^4)*ArcTan[a+b*x])}{(4*b^4)} + \frac{(a*(1-a^2)*Log[1+(a+b*x)^2])}{(2*b^4)}$

Rubi [A] time = 0.107426, antiderivative size = 106, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.6$, Rules used = {5048, 4863, 702, 635, 203, 260}

$$-\frac{(1-6a^2)x}{4b^3} + \frac{a(1-a^2)\log((a+bx)^2+1)}{2b^4} + \frac{(a^4-6a^2+1)\tan^{-1}(a+bx)}{4b^4} + \frac{(a+bx)^3}{12b^4} - \frac{a(a+bx)^2}{2b^4} + \frac{1}{4}x^4 \cot^{-1}(a+bx)$$

Antiderivative was successfully verified.

[In] Int[x^3*ArcCot[a + b*x],x]

[Out] $-\frac{((1-6a^2)*x)}{(4*b^3)} - \frac{(a*(a+b*x)^2)}{(2*b^4)} + \frac{(a+b*x)^3}{(12*b^4)} + \frac{(x^4*ArcCot[a+b*x])}{4} + \frac{((1-6a^2+a^4)*ArcTan[a+b*x])}{(4*b^4)} + \frac{(a*(1-a^2)*Log[1+(a+b*x)^2])}{(2*b^4)}$

Rule 5048

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol] :> Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IGtQ[p, 0]

Rule 4863

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_.))^(q_.), x_Symbol] :> Simp[((d + e*x)^(q + 1)*(a + b*ArcCot[c*x]))/(e*(q + 1)), x] + Dist[(b*c)/(e*(q + 1)), Int[(d + e*x)^(q + 1)/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]

Rule 702

Int[((d_.) + (e_.)*(x_.))^(m_.)/((a_.) + (c_.)*(x_.)^2), x_Symbol] :> Int[PolynomialDivide[(d + e*x)^m, a + c*x^2, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[m, 1] && (NeQ[d, 0] || GtQ[m, 2])

Rule 635

Int[((d_.) + (e_.)*(x_.))/((a_.) + (c_.)*(x_.)^2), x_Symbol] :> Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 203

Int[((a_.) + (b_.)*(x_.)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a

, 0] || GtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned}
 \int x^3 \cot^{-1}(a + bx) dx &= \frac{\text{Subst}\left(\int \left(-\frac{a}{b} + \frac{x}{b}\right)^3 \cot^{-1}(x) dx, x, a + bx\right)}{b} \\
 &= \frac{1}{4}x^4 \cot^{-1}(a + bx) + \frac{1}{4} \text{Subst}\left(\int \frac{\left(-\frac{a}{b} + \frac{x}{b}\right)^4}{1 + x^2} dx, x, a + bx\right) \\
 &= \frac{1}{4}x^4 \cot^{-1}(a + bx) + \frac{1}{4} \text{Subst}\left(\int \left(-\frac{1 - 6a^2}{b^4} - \frac{4ax}{b^4} + \frac{x^2}{b^4} + \frac{1 - 6a^2 + a^4 + 4a(1 - a^2)x}{b^4(1 + x^2)}\right) dx, \right. \\
 &= -\frac{(1 - 6a^2)x}{4b^3} - \frac{a(a + bx)^2}{2b^4} + \frac{(a + bx)^3}{12b^4} + \frac{1}{4}x^4 \cot^{-1}(a + bx) + \frac{\text{Subst}\left(\int \frac{1 - 6a^2 + a^4 + 4a(1 - a^2)x}{1 + x^2} dx, \right.}{4b^4} \\
 &= -\frac{(1 - 6a^2)x}{4b^3} - \frac{a(a + bx)^2}{2b^4} + \frac{(a + bx)^3}{12b^4} + \frac{1}{4}x^4 \cot^{-1}(a + bx) + \frac{(a(1 - a^2)) \text{Subst}\left(\int \frac{x}{1 + x^2} dx, \right.}{b^4} \\
 &= -\frac{(1 - 6a^2)x}{4b^3} - \frac{a(a + bx)^2}{2b^4} + \frac{(a + bx)^3}{12b^4} + \frac{1}{4}x^4 \cot^{-1}(a + bx) + \frac{(1 - 6a^2 + a^4) \tan^{-1}(a + bx)}{4b^4}
 \end{aligned}$$

Mathematica [C] time = 0.066809, size = 95, normalized size = 0.9

$$\frac{6(6a^2 - 1)bx + 6b^4x^4 \cot^{-1}(a + bx) + 2(a + bx)^3 - 12a(a + bx)^2 - 3i(a - i)^4 \log(-a - bx + i) + 3i(a + i)^4 \log(a + bx + i)}{24b^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*ArcCot[a + b*x], x]

[Out] (6*(-1 + 6*a^2)*b*x - 12*a*(a + b*x)^2 + 2*(a + b*x)^3 + 6*b^4*x^4*ArcCot[a + b*x] - (3*I)*(-I + a)^4*Log[I - a - b*x] + (3*I)*(I + a)^4*Log[I + a + b*x])/(24*b^4)

Maple [A] time = 0.052, size = 132, normalized size = 1.3

$$-\frac{a}{4b^4} - \frac{x}{4b^3} + \frac{13a^3}{12b^4} + \frac{x^4 \operatorname{arccot}(bx + a)}{4} - \frac{ax^2}{4b^2} + \frac{3a^2x}{4b^3} + \frac{x^3}{12b} + \frac{\arctan(bx + a)}{4b^4} - \frac{\ln(1 + (bx + a)^2)a^3}{2b^4} + \frac{\ln(1 + (bx + a)^2)a^4}{2b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*arccot(b*x+a), x)

[Out] -1/4/b^4*a-1/4/b^3*x+13/12/b^4*a^3+1/4*x^4*arccot(b*x+a)-1/4/b^2*x^2*a+3/4/b^3*x*a^2+1/12/b*x^3+1/4/b^4*arctan(b*x+a)-1/2/b^4*ln(1+(b*x+a)^2)*a^3+1/2/b^4*ln(1+(b*x+a)^2)*a+1/4/b^4*arctan(b*x+a)*a^4-3/2/b^4*arctan(b*x+a)*a^2

Maxima [A] time = 1.44549, size = 140, normalized size = 1.32

$$\frac{1}{4}x^4 \operatorname{arccot}(bx+a) + \frac{1}{12}b \left(\frac{b^2x^3 - 3abx^2 + 3(3a^2 - 1)x}{b^4} + \frac{3(a^4 - 6a^2 + 1) \arctan\left(\frac{b^2x+ab}{b}\right)}{b^5} - \frac{6(a^3 - a) \log(b^2x^2 + 2abx + a^2 + 1)}{b^5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccot(b*x+a),x, algorithm="maxima")

[Out] 1/4*x^4*arccot(b*x + a) + 1/12*b*((b^2*x^3 - 3*a*b*x^2 + 3*(3*a^2 - 1)*x)/b^4 + 3*(a^4 - 6*a^2 + 1)*arctan((b^2*x + a*b)/b)/b^5 - 6*(a^3 - a)*log(b^2*x^2 + 2*a*b*x + a^2 + 1)/b^5)

Fricas [A] time = 2.22711, size = 225, normalized size = 2.12

$$\frac{3b^4x^4 \operatorname{arccot}(bx+a) + b^3x^3 - 3ab^2x^2 + 3(3a^2 - 1)bx + 3(a^4 - 6a^2 + 1) \arctan(bx+a) - 6(a^3 - a) \log(b^2x^2 + 2abx + a^2 + 1)}{12b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccot(b*x+a),x, algorithm="fricas")

[Out] 1/12*(3*b^4*x^4*arccot(b*x + a) + b^3*x^3 - 3*a*b^2*x^2 + 3*(3*a^2 - 1)*b*x + 3*(a^4 - 6*a^2 + 1)*arctan(b*x + a) - 6*(a^3 - a)*log(b^2*x^2 + 2*a*b*x + a^2 + 1))/b^4

Sympy [A] time = 4.02526, size = 155, normalized size = 1.46

$$\left\{ \begin{array}{l} -\frac{a^4 \operatorname{acot}(a+bx)}{4b^4} - \frac{a^3 \log(a^2+2abx+b^2x^2+1)}{2b^4} + \frac{3a^2x}{4b^3} + \frac{3a^2 \operatorname{acot}(a+bx)}{2b^4} - \frac{ax^2}{4b^2} + \frac{a \log(a^2+2abx+b^2x^2+1)}{2b^4} + \frac{x^4 \operatorname{acot}(a+bx)}{4} + \frac{x^3}{12b} - \frac{x}{4b^3} - \frac{\operatorname{acot}(a)}{4b} \\ \frac{x^4 \operatorname{acot}(a)}{4} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*acot(b*x+a),x)

[Out] Piecewise((-a**4*acot(a + b*x)/(4*b**4) - a**3*log(a**2 + 2*a*b*x + b**2*x**2 + 1)/(2*b**4) + 3*a**2*x/(4*b**3) + 3*a**2*acot(a + b*x)/(2*b**4) - a*x**2/(4*b**2) + a*log(a**2 + 2*a*b*x + b**2*x**2 + 1)/(2*b**4) + x**4*acot(a + b*x)/4 + x**3/(12*b) - x/(4*b**3) - acot(a + b*x)/(4*b**4), Ne(b, 0)), (x**4*acot(a)/4, True))

Giac [A] time = 1.12715, size = 142, normalized size = 1.34

$$\frac{1}{4}x^4 \arctan\left(\frac{1}{bx+a}\right) + \frac{1}{12}b \left(\frac{3(a^4 - 6a^2 + 1) \arctan(bx+a)}{b^5} - \frac{6(a^3 - a) \log(b^2x^2 + 2abx + a^2 + 1)}{b^5} + \frac{b^4x^3 - 3ab^3x^2}{b^5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*arccot(b*x+a),x, algorithm="giac")
```

```
[Out] 1/4*x^4*arctan(1/(b*x + a)) + 1/12*b*(3*(a^4 - 6*a^2 + 1)*arctan(b*x + a)/b^5 - 6*(a^3 - a)*log(b^2*x^2 + 2*a*b*x + a^2 + 1)/b^5 + (b^4*x^3 - 3*a*b^3*x^2 + 9*a^2*b^2*x - 3*b^2*x)/b^6)
```

3.100 $\int x^2 \cot^{-1}(a + bx) dx$

Optimal. Leaf size=80

$$-\frac{(1-3a^2)\log((a+bx)^2+1)}{6b^3} + \frac{a(3-a^2)\tan^{-1}(a+bx)}{3b^3} - \frac{ax}{b^2} + \frac{(a+bx)^2}{6b^3} + \frac{1}{3}x^3 \cot^{-1}(a+bx)$$

[Out] $-\frac{(a*x)/b^2}{1} + \frac{(a + b*x)^2/(6*b^3)}{1} + \frac{(x^3*ArcCot[a + b*x])/3}{1} + \frac{(a*(3 - a^2)*ArcTan[a + b*x])/(3*b^3)}{1} - \frac{((1 - 3*a^2)*Log[1 + (a + b*x)^2])/(6*b^3)}{1}$

Rubi [A] time = 0.0782526, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.6$, Rules used = {5048, 4863, 702, 635, 203, 260}

$$-\frac{(1-3a^2)\log((a+bx)^2+1)}{6b^3} + \frac{a(3-a^2)\tan^{-1}(a+bx)}{3b^3} - \frac{ax}{b^2} + \frac{(a+bx)^2}{6b^3} + \frac{1}{3}x^3 \cot^{-1}(a+bx)$$

Antiderivative was successfully verified.

[In] Int[x^2*ArcCot[a + b*x],x]

[Out] $-\frac{(a*x)/b^2}{1} + \frac{(a + b*x)^2/(6*b^3)}{1} + \frac{(x^3*ArcCot[a + b*x])/3}{1} + \frac{(a*(3 - a^2)*ArcTan[a + b*x])/(3*b^3)}{1} - \frac{((1 - 3*a^2)*Log[1 + (a + b*x)^2])/(6*b^3)}{1}$

Rule 5048

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol] :> Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IGtQ[p, 0]

Rule 4863

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_.))^(q_.), x_Symbol] :> Simp[((d + e*x)^(q + 1)*(a + b*ArcCot[c*x]))/(e*(q + 1)), x] + Dist[(b*c)/(e*(q + 1)), Int[(d + e*x)^(q + 1)/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]

Rule 702

Int[((d_.) + (e_.)*(x_.))^(m_.)/((a_.) + (c_.)*(x_.)^2), x_Symbol] :> Int[PolynomialDivide[(d + e*x)^m, a + c*x^2, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[m, 1] && (NeQ[d, 0] || GtQ[m, 2])

Rule 635

Int[((d_.) + (e_.)*(x_.))/((a_.) + (c_.)*(x_.)^2), x_Symbol] :> Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 203

Int[((a_.) + (b_.)*(x_.)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 260

$\text{Int}[(x_)^{(m_.)}/((a_) + (b_.)*(x_)^{(n_)}), x_Symbol] \text{ :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[\{a, b, m, n\}, x] \&\& \text{EqQ}[m, n - 1]$

Rubi steps

$$\begin{aligned} \int x^2 \cot^{-1}(a + bx) dx &= \frac{\text{Subst}\left(\int \left(-\frac{a}{b} + \frac{x}{b}\right)^2 \cot^{-1}(x) dx, x, a + bx\right)}{b} \\ &= \frac{1}{3}x^3 \cot^{-1}(a + bx) + \frac{1}{3} \text{Subst}\left(\int \frac{\left(-\frac{a}{b} + \frac{x}{b}\right)^3}{1 + x^2} dx, x, a + bx\right) \\ &= \frac{1}{3}x^3 \cot^{-1}(a + bx) + \frac{1}{3} \text{Subst}\left(\int \left(-\frac{3a}{b^3} + \frac{x}{b^3} + \frac{a(3 - a^2) - (1 - 3a^2)x}{b^3(1 + x^2)}\right) dx, x, a + bx\right) \\ &= -\frac{ax}{b^2} + \frac{(a + bx)^2}{6b^3} + \frac{1}{3}x^3 \cot^{-1}(a + bx) + \frac{\text{Subst}\left(\int \frac{a(3 - a^2) - (1 - 3a^2)x}{1 + x^2} dx, x, a + bx\right)}{3b^3} \\ &= -\frac{ax}{b^2} + \frac{(a + bx)^2}{6b^3} + \frac{1}{3}x^3 \cot^{-1}(a + bx) - \frac{(1 - 3a^2) \text{Subst}\left(\int \frac{x}{1 + x^2} dx, x, a + bx\right)}{3b^3} + \frac{a(3 - a^2)}{6b^3} \\ &= -\frac{ax}{b^2} + \frac{(a + bx)^2}{6b^3} + \frac{1}{3}x^3 \cot^{-1}(a + bx) + \frac{a(3 - a^2) \tan^{-1}(a + bx)}{3b^3} - \frac{(1 - 3a^2) \log(1 + (a + bx)^2)}{6b^3} \end{aligned}$$

Mathematica [C] time = 0.0418469, size = 114, normalized size = 1.42

$$\frac{\frac{1}{3}b\left(\frac{a+bx}{b} - \frac{a}{b}\right)^3 \cot^{-1}(a + bx) + \frac{1}{3}b\left(\frac{(a+bx)^2}{2b^3} - \frac{3ax}{b^2} - \frac{(1-ia)^3 \log(a+bx+i)}{2b^3} - \frac{(1+ia)^3 \log(-a-bx+i)}{2b^3}\right)}{b}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*ArcCot[a + b*x], x]

[Out] ((b*(-(a/b) + (a + b*x)/b)^3*ArcCot[a + b*x])/3 + (b*((-3*a*x)/b^2 + (a + b*x)^2/(2*b^3) - ((1 + I*a)^3*Log[I - a - b*x])/(2*b^3) - ((1 - I*a)^3*Log[I + a + b*x])/(2*b^3)))/3)/b

Maple [A] time = 0.041, size = 94, normalized size = 1.2

$$\frac{x^3 \operatorname{arccot}(bx + a)}{3} + \frac{x^2}{6b} - \frac{2ax}{3b^2} - \frac{5a^2}{6b^3} + \frac{\ln(1 + (bx + a)^2) a^2}{2b^3} - \frac{\ln(1 + (bx + a)^2)}{6b^3} - \frac{\arctan(bx + a) a^3}{3b^3} + \frac{\arctan(bx + a)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*arccot(b*x+a), x)

[Out] 1/3*x^3*arccot(b*x+a)+1/6/b*x^2-2/3*a*x/b^2-5/6/b^3*a^2+1/2/b^3*ln(1+(b*x+a)^2)*a^2-1/6/b^3*ln(1+(b*x+a)^2)-1/3/b^3*arctan(b*x+a)*a^3+1/b^3*arctan(b*x+a)*a

Maxima [A] time = 1.47509, size = 115, normalized size = 1.44

$$\frac{1}{3} x^3 \operatorname{arccot}(bx + a) + \frac{1}{6} b \left(\frac{bx^2 - 4ax}{b^3} - \frac{2(a^3 - 3a) \arctan\left(\frac{b^2x+ab}{b}\right)}{b^4} + \frac{(3a^2 - 1) \log(b^2x^2 + 2abx + a^2 + 1)}{b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(b*x+a),x, algorithm="maxima")

[Out] 1/3*x^3*arccot(b*x + a) + 1/6*b*((b*x^2 - 4*a*x)/b^3 - 2*(a^3 - 3*a)*arctan((b^2*x + a*b)/b)/b^4 + (3*a^2 - 1)*log(b^2*x^2 + 2*a*b*x + a^2 + 1)/b^4)

Fricas [A] time = 2.20814, size = 184, normalized size = 2.3

$$\frac{2b^3x^3 \operatorname{arccot}(bx + a) + b^2x^2 - 4abx - 2(a^3 - 3a) \arctan(bx + a) + (3a^2 - 1) \log(b^2x^2 + 2abx + a^2 + 1)}{6b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(b*x+a),x, algorithm="fricas")

[Out] 1/6*(2*b^3*x^3*arccot(b*x + a) + b^2*x^2 - 4*a*b*x - 2*(a^3 - 3*a)*arctan(b*x + a) + (3*a^2 - 1)*log(b^2*x^2 + 2*a*b*x + a^2 + 1))/b^3

Sympy [A] time = 1.30885, size = 117, normalized size = 1.46

$$\begin{cases} \frac{a^3 \operatorname{acot}(a+bx)}{3b^3} + \frac{a^2 \log(a^2+2abx+b^2x^2+1)}{2b^3} - \frac{2ax}{3b^2} - \frac{a \operatorname{acot}(a+bx)}{b^3} + \frac{x^3 \operatorname{acot}(a+bx)}{3} + \frac{x^2}{6b} - \frac{\log(a^2+2abx+b^2x^2+1)}{6b^3} & \text{for } b \neq 0 \\ \frac{x^3 \operatorname{acot}(a)}{3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(b*x+a),x)

[Out] Piecewise((a**3*acot(a + b*x)/(3*b**3) + a**2*log(a**2 + 2*a*b*x + b**2*x**2 + 1)/(2*b**3) - 2*a*x/(3*b**2) - a*acot(a + b*x)/b**3 + x**3*acot(a + b*x)/3 + x**2/(6*b) - log(a**2 + 2*a*b*x + b**2*x**2 + 1)/(6*b**3), Ne(b, 0)), (x**3*acot(a)/3, True))

Giac [A] time = 1.12045, size = 113, normalized size = 1.41

$$\frac{1}{3} x^3 \arctan\left(\frac{1}{bx + a}\right) - \frac{1}{6} b \left(\frac{2(a^3 - 3a) \arctan(bx + a)}{b^4} - \frac{(3a^2 - 1) \log(b^2x^2 + 2abx + a^2 + 1)}{b^4} - \frac{b^2x^2 - 4abx}{b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(b*x+a),x, algorithm="giac")

[Out] 1/3*x^3*arctan(1/(b*x + a)) - 1/6*b*(2*(a^3 - 3*a)*arctan(b*x + a)/b^4 - (3*a^2 - 1)*log(b^2*x^2 + 2*a*b*x + a^2 + 1)/b^4 - (b^2*x^2 - 4*a*b*x)/b^4)

3.101 $\int x \cot^{-1}(a + bx) dx$

Optimal. Leaf size=60

$$-\frac{(1-a^2)\tan^{-1}(a+bx)}{2b^2} - \frac{a \log((a+bx)^2+1)}{2b^2} + \frac{1}{2}x^2 \cot^{-1}(a+bx) + \frac{x}{2b}$$

[Out] $x/(2*b) + (x^2*ArcCot[a + b*x])/2 - ((1 - a^2)*ArcTan[a + b*x])/(2*b^2) - (a*Log[1 + (a + b*x)^2])/(2*b^2)$

Rubi [A] time = 0.0553805, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.75$, Rules used = {5048, 4863, 702, 635, 203, 260}

$$-\frac{(1-a^2)\tan^{-1}(a+bx)}{2b^2} - \frac{a \log((a+bx)^2+1)}{2b^2} + \frac{1}{2}x^2 \cot^{-1}(a+bx) + \frac{x}{2b}$$

Antiderivative was successfully verified.

[In] Int[x*ArcCot[a + b*x],x]

[Out] $x/(2*b) + (x^2*ArcCot[a + b*x])/2 - ((1 - a^2)*ArcTan[a + b*x])/(2*b^2) - (a*Log[1 + (a + b*x)^2])/(2*b^2)$

Rule 5048

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_)])*(b_.))^(p_.)*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IGtQ[p, 0]

Rule 4863

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))*((d_.) + (e_.)*(x_))^(q_.), x_Symbol] := Simp[((d + e*x)^(q + 1)*(a + b*ArcCot[c*x]))/(e*(q + 1)), x] + Dist[(b*c)/(e*(q + 1)), Int[(d + e*x)^(q + 1)/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]

Rule 702

Int[((d_.) + (e_.)*(x_))^(m_)/((a_.) + (c_.)*(x_)^2), x_Symbol] := Int[PolynomialDivide[(d + e*x)^m, a + c*x^2, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[m, 1] && (NeQ[d, 0] || GtQ[m, 2])

Rule 635

Int[((d_.) + (e_.)*(x_))/((a_.) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rubi steps

$$\begin{aligned}
\int x \cot^{-1}(a + bx) dx &= \frac{\text{Subst}\left(\int \left(-\frac{a}{b} + \frac{x}{b}\right) \cot^{-1}(x) dx, x, a + bx\right)}{b} \\
&= \frac{1}{2}x^2 \cot^{-1}(a + bx) + \frac{1}{2} \text{Subst}\left(\int \frac{\left(-\frac{a}{b} + \frac{x}{b}\right)^2}{1 + x^2} dx, x, a + bx\right) \\
&= \frac{1}{2}x^2 \cot^{-1}(a + bx) + \frac{1}{2} \text{Subst}\left(\int \left(\frac{1}{b^2} - \frac{1 - a^2 + 2ax}{b^2(1 + x^2)}\right) dx, x, a + bx\right) \\
&= \frac{x}{2b} + \frac{1}{2}x^2 \cot^{-1}(a + bx) - \frac{\text{Subst}\left(\int \frac{1 - a^2 + 2ax}{1 + x^2} dx, x, a + bx\right)}{2b^2} \\
&= \frac{x}{2b} + \frac{1}{2}x^2 \cot^{-1}(a + bx) - \frac{a \text{Subst}\left(\int \frac{x}{1 + x^2} dx, x, a + bx\right)}{b^2} - \frac{(1 - a^2) \text{Subst}\left(\int \frac{1}{1 + x^2} dx, x, a + bx\right)}{2b^2} \\
&= \frac{x}{2b} + \frac{1}{2}x^2 \cot^{-1}(a + bx) - \frac{(1 - a^2) \tan^{-1}(a + bx)}{2b^2} - \frac{a \log(1 + (a + bx)^2)}{2b^2}
\end{aligned}$$

Mathematica [C] time = 0.0328707, size = 90, normalized size = 1.5

$$\frac{ia^2 \log(a + bx + i) + 2b^2x^2 \cot^{-1}(a + bx) - 2a \log(a + bx + i) - i(a - i)^2 \log(-a - bx + i) - i \log(a + bx + i) + 2bx}{4b^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x*ArcCot[a + b*x], x]
```

```
[Out] (2*b*x + 2*b^2*x^2*ArcCot[a + b*x] - I*(-I + a)^2*Log[I - a - b*x] - I*Log[I + a + b*x] - 2*a*Log[I + a + b*x] + I*a^2*Log[I + a + b*x])/(4*b^2)
```

Maple [A] time = 0.044, size = 66, normalized size = 1.1

$$\frac{x^2 \operatorname{arccot}(bx + a)}{2} - \frac{\operatorname{arccot}(bx + a) a^2}{2b^2} + \frac{x}{2b} + \frac{a}{2b^2} - \frac{a \ln(1 + (bx + a)^2)}{2b^2} - \frac{\arctan(bx + a)}{2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*arccot(b*x+a), x)
```

```
[Out] 1/2*x^2*arccot(b*x+a)-1/2/b^2*arccot(b*x+a)*a^2+1/2*x/b+1/2/b^2*a-1/2*a*ln(1+(b*x+a)^2)/b^2-1/2/b^2*arctan(b*x+a)
```

Maxima [A] time = 1.47358, size = 92, normalized size = 1.53

$$\frac{1}{2}x^2 \operatorname{arccot}(bx + a) + \frac{1}{2}b \left(\frac{x}{b^2} + \frac{(a^2 - 1) \arctan\left(\frac{b^2x + ab}{b}\right)}{b^3} - \frac{a \log(b^2x^2 + 2abx + a^2 + 1)}{b^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(b*x+a),x, algorithm="maxima")

[Out] $\frac{1}{2}x^2 \operatorname{arccot}(bx+a) + \frac{1}{2}b\left(\frac{x}{b^2} + (a^2-1)\arctan\left(\frac{b^2x+ab}{b}\right) - a\log(b^2x^2+2abx+a^2+1)\right)/b^3$

Fricas [A] time = 2.2728, size = 143, normalized size = 2.38

$$\frac{b^2x^2 \operatorname{arccot}(bx+a) + bx + (a^2-1)\arctan(bx+a) - a\log(b^2x^2+2abx+a^2+1)}{2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(b*x+a),x, algorithm="fricas")

[Out] $\frac{1}{2}(b^2x^2 \operatorname{arccot}(bx+a) + bx + (a^2-1)\arctan(bx+a) - a\log(b^2x^2+2abx+a^2+1))/b^2$

Sympy [A] time = 0.833307, size = 78, normalized size = 1.3

$$\begin{cases} -\frac{a^2 \operatorname{acot}(a+bx)}{2b^2} - \frac{a\log(a^2+2abx+b^2x^2+1)}{2b^2} + \frac{x^2 \operatorname{acot}(a+bx)}{2} + \frac{x}{2b} + \frac{\operatorname{acot}(a+bx)}{2b^2} & \text{for } b \neq 0 \\ \frac{x^2 \operatorname{acot}(a)}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*acot(b*x+a),x)

[Out] Piecewise((-a**2*acot(a + b*x)/(2*b**2) - a*log(a**2 + 2*a*b*x + b**2*x**2 + 1)/(2*b**2) + x**2*acot(a + b*x)/2 + x/(2*b) + acot(a + b*x)/(2*b**2), Ne(b, 0)), (x**2*acot(a)/2, True))

Giac [A] time = 1.09278, size = 84, normalized size = 1.4

$$\frac{1}{2}x^2 \arctan\left(\frac{1}{bx+a}\right) + \frac{1}{2}b\left(\frac{x}{b^2} + \frac{(a^2-1)\arctan(bx+a)}{b^3} - \frac{a\log(b^2x^2+2abx+a^2+1)}{b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(b*x+a),x, algorithm="giac")

[Out] $\frac{1}{2}x^2 \arctan(1/(bx+a)) + \frac{1}{2}b\left(\frac{x}{b^2} + (a^2-1)\arctan(bx+a)/b^3 - a\log(b^2x^2+2abx+a^2+1)/b^3\right)$

3.102 $\int \cot^{-1}(a + bx) dx$

Optimal. Leaf size=33

$$\frac{\log((a + bx)^2 + 1)}{2b} + \frac{(a + bx) \cot^{-1}(a + bx)}{b}$$

[Out] ((a + b*x)*ArcCot[a + b*x])/b + Log[1 + (a + b*x)^2]/(2*b)

Rubi [A] time = 0.0115419, antiderivative size = 33, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {5040, 4847, 260}

$$\frac{\log((a + bx)^2 + 1)}{2b} + \frac{(a + bx) \cot^{-1}(a + bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a + b*x], x]

[Out] ((a + b*x)*ArcCot[a + b*x])/b + Log[1 + (a + b*x)^2]/(2*b)

Rule 5040

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_)])*(b_.))^(p_.), x_Symbol] := Dist[1/d, Subst[Int[(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[p, 0]

Rule 4847

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.), x_Symbol] := Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 260

Int[(x_)^(m_.)/((a_.) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned} \int \cot^{-1}(a + bx) dx &= \frac{\text{Subst}\left(\int \cot^{-1}(x) dx, x, a + bx\right)}{b} \\ &= \frac{(a + bx) \cot^{-1}(a + bx)}{b} + \frac{\text{Subst}\left(\int \frac{x}{1+x^2} dx, x, a + bx\right)}{b} \\ &= \frac{(a + bx) \cot^{-1}(a + bx)}{b} + \frac{\log(1 + (a + bx)^2)}{2b} \end{aligned}$$

Mathematica [A] time = 0.013004, size = 44, normalized size = 1.33

$$\frac{\log(a^2 + 2abx + b^2x^2 + 1) - 2a \tan^{-1}(a + bx)}{2b} + x \cot^{-1}(a + bx)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a + b*x],x]

[Out] $x \operatorname{ArcCot}[a + b*x] + (-2*a*\operatorname{ArcTan}[a + b*x] + \operatorname{Log}[1 + a^2 + 2*a*b*x + b^2*x^2])/(2*b)$

Maple [A] time = 0.039, size = 36, normalized size = 1.1

$$x \operatorname{arccot}(bx + a) + \frac{\operatorname{arccot}(bx + a)a}{b} + \frac{\ln(1 + (bx + a)^2)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(b*x+a),x)

[Out] $x \operatorname{arccot}(b*x+a) + 1/b \operatorname{arccot}(b*x+a) * a + 1/2 * \ln(1 + (b*x+a)^2) / b$

Maxima [A] time = 0.956345, size = 39, normalized size = 1.18

$$\frac{2(bx + a) \operatorname{arccot}(bx + a) + \log((bx + a)^2 + 1)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a),x, algorithm="maxima")

[Out] $1/2*(2*(b*x + a)*\operatorname{arccot}(b*x + a) + \log((b*x + a)^2 + 1))/b$

Fricas [A] time = 2.14645, size = 119, normalized size = 3.61

$$\frac{2bx \operatorname{arccot}(bx + a) - 2a \operatorname{arctan}(bx + a) + \log(b^2x^2 + 2abx + a^2 + 1)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a),x, algorithm="fricas")

[Out] $1/2*(2*b*x*\operatorname{arccot}(b*x + a) - 2*a*\operatorname{arctan}(b*x + a) + \log(b^2*x^2 + 2*a*b*x + a^2 + 1))/b$

Sympy [A] time = 0.487655, size = 46, normalized size = 1.39

$$\begin{cases} \frac{a \operatorname{acot}(a+bx)}{b} + x \operatorname{acot}(a + bx) + \frac{\log(a^2+2abx+b^2x^2+1)}{2b} & \text{for } b \neq 0 \\ x \operatorname{acot}(a) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(b*x+a),x)

[Out] Piecewise((a*acot(a + b*x)/b + x*acot(a + b*x) + log(a**2 + 2*a*b*x + b**2*x**2 + 1)/(2*b), Ne(b, 0)), (x*acot(a), True))

Giac [A] time = 1.11836, size = 68, normalized size = 2.06

$$-\frac{1}{2}b\left(\frac{2a\arctan(bx+a)}{b^2} - \frac{\log(b^2x^2 + 2abx + a^2 + 1)}{b^2}\right) + x\arctan\left(\frac{1}{bx+a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a),x, algorithm="giac")

[Out] -1/2*b*(2*a*arctan(b*x + a)/b^2 - log(b^2*x^2 + 2*a*b*x + a^2 + 1)/b^2) + x*arctan(1/(b*x + a))

3.103 $\int \frac{\cot^{-1}(a+bx)}{x} dx$

Optimal. Leaf size=120

$$-\frac{1}{2}i\text{PolyLog}\left(2, 1 - \frac{2}{1-i(a+bx)}\right) + \frac{1}{2}i\text{PolyLog}\left(2, 1 - \frac{2bx}{(-a+i)(1-i(a+bx))}\right) + \log\left(\frac{2}{1-i(a+bx)}\right)(-\cot^{-1}(a+bx))$$

[Out] -(ArcCot[a + b*x]*Log[2/(1 - I*(a + b*x))]) + ArcCot[a + b*x]*Log[(2*b*x)/(I - a)*(1 - I*(a + b*x))] - (I/2)*PolyLog[2, 1 - 2/(1 - I*(a + b*x))] + (I/2)*PolyLog[2, 1 - (2*b*x)/((I - a)*(1 - I*(a + b*x)))]

Rubi [A] time = 0.10834, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {5048, 4857, 2402, 2315, 2447}

$$-\frac{1}{2}i\text{PolyLog}\left(2, 1 - \frac{2}{1-i(a+bx)}\right) + \frac{1}{2}i\text{PolyLog}\left(2, 1 - \frac{2bx}{(-a+i)(1-i(a+bx))}\right) + \log\left(\frac{2}{1-i(a+bx)}\right)(-\cot^{-1}(a+bx))$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a + b*x]/x,x]

[Out] -(ArcCot[a + b*x]*Log[2/(1 - I*(a + b*x))]) + ArcCot[a + b*x]*Log[(2*b*x)/(I - a)*(1 - I*(a + b*x))] - (I/2)*PolyLog[2, 1 - 2/(1 - I*(a + b*x))] + (I/2)*PolyLog[2, 1 - (2*b*x)/((I - a)*(1 - I*(a + b*x)))]

Rule 5048

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_)])*(b_.))^(p_.)*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IGtQ[p, 0]

Rule 4857

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))/((d_.) + (e_.)*(x_)), x_Symbol] := -Simp[((a + b*ArcCot[c*x])*Log[2/(1 - I*c*x)])/e, x] + (-Dist[(b*c)/e, Int[Log[2/(1 - I*c*x)]/(1 + c^2*x^2), x], x] + Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))]/(1 + c^2*x^2), x], x] + Simp[((a + b*ArcCot[c*x])*Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/e, x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_.) + (e_.)*(x_))]/((f_.) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_)]/((d_.) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rule 2447

Int[Log[u_]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] &&

PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(a+bx)}{x} dx &= \frac{\text{Subst}\left(\int \frac{\cot^{-1}(x)}{-\frac{a}{b} + \frac{x}{b}} dx, x, a+bx\right)}{b} \\ &= -\cot^{-1}(a+bx) \log\left(\frac{2}{1-i(a+bx)}\right) + \cot^{-1}(a+bx) \log\left(\frac{2bx}{(i-a)(1-i(a+bx))}\right) - \text{Subst}\left(\int \frac{\log\left(\frac{1}{1+i}\right)}{1+i} dx, x, a+bx\right) \\ &= -\cot^{-1}(a+bx) \log\left(\frac{2}{1-i(a+bx)}\right) + \cot^{-1}(a+bx) \log\left(\frac{2bx}{(i-a)(1-i(a+bx))}\right) + \frac{1}{2}i\text{Li}_2\left(1 - \frac{1}{i-a}\right) \\ &= -\cot^{-1}(a+bx) \log\left(\frac{2}{1-i(a+bx)}\right) + \cot^{-1}(a+bx) \log\left(\frac{2bx}{(i-a)(1-i(a+bx))}\right) - \frac{1}{2}i\text{Li}_2\left(1 - \frac{1}{1-i}\right) \end{aligned}$$

Mathematica [B] time = 0.024878, size = 251, normalized size = 2.09

$$-\frac{1}{2}i\text{PolyLog}\left(2, -\frac{b\left(\frac{a+bx}{b} - \frac{a}{b}\right)}{a-i}\right) + \frac{1}{2}i\text{PolyLog}\left(2, -\frac{b\left(\frac{a+bx}{b} - \frac{a}{b}\right)}{a+i}\right) - \frac{1}{2}i \log\left(\frac{a+bx-i}{b\left(\frac{a}{b} - \frac{i}{b}\right)}\right) \log\left(\frac{a+bx}{b} - \frac{a}{b}\right) + \frac{1}{2}i \log\left(\frac{a+bx}{a+i}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[a + b*x]/x, x]

[Out] (-I/2)*Log[(-I + a + b*x)/(((I)/b + a/b)*b)]*Log[-(a/b) + (a + b*x)/b] + (I/2)*Log[(-I + a + b*x)/(a + b*x)]*Log[-(a/b) + (a + b*x)/b] + (I/2)*Log[(I + a + b*x)/((I/b + a/b)*b)]*Log[-(a/b) + (a + b*x)/b] - (I/2)*Log[(I + a + b*x)/(a + b*x)]*Log[-(a/b) + (a + b*x)/b] - (I/2)*PolyLog[2, -((b*(-(a/b) + (a + b*x)/b))/(-I + a))] + (I/2)*PolyLog[2, -((b*(-(a/b) + (a + b*x)/b))/(I + a))]

Maple [A] time = 0.056, size = 103, normalized size = 0.9

$$\ln(bx) \operatorname{arccot}(bx+a) - \frac{i}{2} \ln(bx) \ln\left(\frac{i-a-bx}{i-a}\right) + \frac{i}{2} \ln(bx) \ln\left(\frac{i+a+bx}{i+a}\right) - \frac{i}{2} \operatorname{dilog}\left(\frac{i-a-bx}{i-a}\right) + \frac{i}{2} \operatorname{dilog}\left(\frac{i+a+bx}{i+a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(b*x+a)/x, x)

[Out] ln(b*x)*arccot(b*x+a)-1/2*I*ln(b*x)*ln((I-a-b*x)/(I-a))+1/2*I*ln(b*x)*ln((I+a+b*x)/(I+a))-1/2*I*dilog((I-a-b*x)/(I-a))+1/2*I*dilog((I+a+b*x)/(I+a))

Maxima [A] time = 1.64997, size = 180, normalized size = 1.5

$$\frac{1}{2} \arctan\left(\frac{bx}{a^2+1}, -\frac{abx}{a^2+1}\right) \log(b^2x^2 + 2abx + a^2 + 1) - \frac{1}{2} \arctan(bx+a) \log\left(\frac{b^2x^2}{a^2+1}\right) + \operatorname{arccot}(bx+a) \log(x) + \operatorname{arccot}(bx+a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/x,x, algorithm="maxima")

[Out] $\frac{1}{2} \arctan 2\left(\frac{b x}{a^2+1}, -\frac{a b x}{a^2+1}\right) \log\left(b^2 x^2+2 a b x+a^2+1\right)-\frac{1}{2} \arctan(b x+a) \log\left(b^2 x^2 /\left(a^2+1\right)\right)+\arccot(b x+a) \log(x)+\arctan\left(\frac{b^2 x+a b}{b}\right) \log(x)+\frac{1}{2} I \operatorname{dilog}\left(\frac{I b x+I a+1}{I a+1}\right)-\frac{1}{2} I \operatorname{dilog}\left(\frac{I b x+I a-1}{I a-1}\right)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(b x+a)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/x,x, algorithm="fricas")

[Out] integral(arccot(b*x + a)/x, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(a+b x)}{x} d x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(b*x+a)/x,x)

[Out] Integral(acot(a + b*x)/x, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(b x+a)}{x} d x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/x,x, algorithm="giac")

[Out] integrate(arccot(b*x + a)/x, x)

3.104 $\int \frac{\cot^{-1}(a+bx)}{x^2} dx$

Optimal. Leaf size=62

$$-\frac{b \log(x)}{a^2+1} + \frac{b \log((a+bx)^2+1)}{2(a^2+1)} + \frac{ab \tan^{-1}(a+bx)}{a^2+1} - \frac{\cot^{-1}(a+bx)}{x}$$

[Out] $-(\text{ArcCot}[a + b*x]/x) + (a*b*\text{ArcTan}[a + b*x])/(1 + a^2) - (b*\text{Log}[x])/(1 + a^2) + (b*\text{Log}[1 + (a + b*x)^2])/(2*(1 + a^2))$

Rubi [A] time = 0.0393536, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.7$, Rules used = {5046, 371, 706, 31, 635, 203, 260}

$$-\frac{b \log(x)}{a^2+1} + \frac{b \log((a+bx)^2+1)}{2(a^2+1)} + \frac{ab \tan^{-1}(a+bx)}{a^2+1} - \frac{\cot^{-1}(a+bx)}{x}$$

Antiderivative was successfully verified.

[In] `Int[ArcCot[a + b*x]/x^2, x]`

[Out] $-(\text{ArcCot}[a + b*x]/x) + (a*b*\text{ArcTan}[a + b*x])/(1 + a^2) - (b*\text{Log}[x])/(1 + a^2) + (b*\text{Log}[1 + (a + b*x)^2])/(2*(1 + a^2))$

Rule 5046

```
Int[((a_) + ArcCot[(c_) + (d_)*(x_)])*(b_)^(p_)*((e_) + (f_)*(x_))^(m_), x_Symbol] := Simp[((e + f*x)^(m + 1)*(a + b*ArcCot[c + d*x])^p)/(f*(m + 1)), x] + Dist[(b*d*p)/(f*(m + 1)), Int[((e + f*x)^(m + 1)*(a + b*ArcCot[c + d*x])^(p - 1))/(1 + (c + d*x)^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[m, -1]
```

Rule 371

```
Int[((a_) + (b_)*(v_)^(n_))^(p_)*(x_)^(m_), x_Symbol] := With[{c = Coefficient[v, x, 0], d = Coefficient[v, x, 1]}, Dist[1/d^(m + 1), Subst[Int[SimplifyIntegrand[(x - c)^m*(a + b*x^n)^p, x], x], x, v], x] /; NeQ[c, 0] /; FreeQ[{a, b, n, p}, x] && LinearQ[v, x] && IntegerQ[m]
```

Rule 706

```
Int[1/(((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)), x_Symbol] := Dist[e^2/(c*d^2 + a*e^2), Int[1/(d + e*x), x], x] + Dist[1/(c*d^2 + a*e^2), Int[(c*d - c*e*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0]
```

Rule 31

```
Int[((a_) + (b_)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 635

```
Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x]
```

} , x] && !NiceSqrtQ[-(a*c)]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned}
 \int \frac{\cot^{-1}(a+bx)}{x^2} dx &= -\frac{\cot^{-1}(a+bx)}{x} - b \int \frac{1}{x(1+(a+bx)^2)} dx \\
 &= -\frac{\cot^{-1}(a+bx)}{x} - b \operatorname{Subst}\left(\int \frac{1}{(-a+x)(1+x^2)} dx, x, a+bx\right) \\
 &= -\frac{\cot^{-1}(a+bx)}{x} - \frac{b \operatorname{Subst}\left(\int \frac{1}{-a+x} dx, x, a+bx\right)}{1+a^2} - \frac{b \operatorname{Subst}\left(\int \frac{-a-x}{1+x^2} dx, x, a+bx\right)}{1+a^2} \\
 &= -\frac{\cot^{-1}(a+bx)}{x} - \frac{b \log(x)}{1+a^2} + \frac{b \operatorname{Subst}\left(\int \frac{x}{1+x^2} dx, x, a+bx\right)}{1+a^2} + \frac{(ab) \operatorname{Subst}\left(\int \frac{1}{1+x^2} dx, x, a+bx\right)}{1+a^2} \\
 &= -\frac{\cot^{-1}(a+bx)}{x} + \frac{ab \tan^{-1}(a+bx)}{1+a^2} - \frac{b \log(x)}{1+a^2} + \frac{b \log(1+(a+bx)^2)}{2(1+a^2)}
 \end{aligned}$$

Mathematica [C] time = 0.0521144, size = 66, normalized size = 1.06

$$-\frac{\cot^{-1}(a+bx)}{x} + \frac{b((1-ia)\log(-a-bx+i) + (1+ia)\log(a+bx+i) - 2\log(x))}{2(a^2+1)}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a + b*x]/x^2, x]

[Out] -(ArcCot[a + b*x]/x) + (b*(-2*Log[x] + (1 - I*a)*Log[I - a - b*x] + (1 + I*a)*Log[I + a + b*x]))/(2*(1 + a^2))

Maple [A] time = 0.049, size = 63, normalized size = 1.

$$-\frac{\operatorname{arccot}(bx+a)}{x} + \frac{b \ln(1+(bx+a)^2)}{2a^2+2} + \frac{ab \arctan(bx+a)}{a^2+1} - \frac{b \ln(bx)}{a^2+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(b*x+a)/x^2, x)

[Out] -arccot(b*x+a)/x+1/2*b*ln(1+(b*x+a)^2)/(a^2+1)+a*b*arctan(b*x+a)/(a^2+1)-b/(a^2+1)*ln(b*x)

Maxima [A] time = 1.47844, size = 104, normalized size = 1.68

$$\frac{1}{2} b \left(\frac{2 a \arctan\left(\frac{b^2 x + a b}{b}\right)}{a^2 + 1} + \frac{\log(b^2 x^2 + 2 a b x + a^2 + 1)}{a^2 + 1} - \frac{2 \log(x)}{a^2 + 1} \right) - \frac{\operatorname{arccot}(b x + a)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/x^2,x, algorithm="maxima")

[Out] 1/2*b*(2*a*arctan((b^2*x + a*b)/b)/(a^2 + 1) + log(b^2*x^2 + 2*a*b*x + a^2 + 1)/(a^2 + 1) - 2*log(x)/(a^2 + 1)) - arccot(b*x + a)/x

Fricas [A] time = 2.31603, size = 174, normalized size = 2.81

$$\frac{2 a b x \arctan(b x + a) + b x \log(b^2 x^2 + 2 a b x + a^2 + 1) - 2 b x \log(x) - 2(a^2 + 1) \operatorname{arccot}(b x + a)}{2(a^2 + 1)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/x^2,x, algorithm="fricas")

[Out] 1/2*(2*a*b*x*arctan(b*x + a) + b*x*log(b^2*x^2 + 2*a*b*x + a^2 + 1) - 2*b*x*log(x) - 2*(a^2 + 1)*arccot(b*x + a))/((a^2 + 1)*x)

Sympy [B] time = 9.50362, size = 330, normalized size = 5.32

$$\begin{cases} \frac{2ib^2x^2 \operatorname{acot}(bx-i)}{4bx^2-8ix} + \frac{b^2x^2}{4bx^2-8ix} - \frac{8bx \operatorname{acot}(bx-i)}{8bx \operatorname{acot}(bx+i)} + \frac{8i \operatorname{acot}(bx-i)}{4bx^2-8ix} + \frac{4}{4bx^2-8ix} & \text{for } a = -i \\ \frac{2ib^2x^2 \operatorname{acot}(bx+i)}{4bx^2+8ix} + \frac{b^2x^2}{4bx^2+8ix} - \frac{8bx \operatorname{acot}(bx+i)}{8bx \operatorname{acot}(bx+i)} - \frac{8i \operatorname{acot}(bx+i)}{4bx^2+8ix} + \frac{4}{4bx^2+8ix} & \text{for } a = i \\ -\frac{2a^2 \operatorname{acot}(a+bx)}{2a^2x+2x} - \frac{2abx \operatorname{acot}(a+bx)}{2a^2x+2x} - \frac{2bx \log(x)}{2a^2x+2x} + \frac{bx \log(a^2+2abx+b^2x^2+1)}{2a^2x+2x} - \frac{2 \operatorname{acot}(a+bx)}{2a^2x+2x} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(b*x+a)/x**2,x)

[Out] Piecewise((-2*I*b**2*x**2*acot(b*x - I)/(4*b*x**2 - 8*I*x) + b**2*x**2/(4*b*x**2 - 8*I*x) - 8*b*x*acot(b*x - I)/(4*b*x**2 - 8*I*x) + 8*I*acot(b*x - I)/(4*b*x**2 - 8*I*x) + 4/(4*b*x**2 - 8*I*x), Eq(a, -I)), (2*I*b**2*x**2*acot(b*x + I)/(4*b*x**2 + 8*I*x) + b**2*x**2/(4*b*x**2 + 8*I*x) - 8*b*x*acot(b*x + I)/(4*b*x**2 + 8*I*x) - 8*I*acot(b*x + I)/(4*b*x**2 + 8*I*x) + 4/(4*b*x**2 + 8*I*x), Eq(a, I)), (-2*a**2*acot(a + b*x)/(2*a**2*x + 2*x) - 2*a*b*x*acot(a + b*x)/(2*a**2*x + 2*x) - 2*b*x*log(x)/(2*a**2*x + 2*x) + b*x*log(a**2 + 2*a*b*x + b**2*x**2 + 1)/(2*a**2*x + 2*x) - 2*acot(a + b*x)/(2*a**2*x + 2*x), True))

Giac [A] time = 1.11117, size = 97, normalized size = 1.56

$$\frac{1}{2} b \left(\frac{2 a \arctan(b x + a)}{a^2 + 1} + \frac{\log(b^2 x^2 + 2 a b x + a^2 + 1)}{a^2 + 1} - \frac{2 \log(|x|)}{a^2 + 1} \right) - \frac{\arctan\left(\frac{1}{b x + a}\right)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(b*x+a)/x^2,x, algorithm="giac")
```

```
[Out] 1/2*b*(2*a*arctan(b*x + a)/(a^2 + 1) + log(b^2*x^2 + 2*a*b*x + a^2 + 1)/(a^2 + 1) - 2*log(abs(x))/(a^2 + 1)) - arctan(1/(b*x + a))/x
```

3.105 $\int \frac{\cot^{-1}(a+bx)}{x^3} dx$

Optimal. Leaf size=95

$$\frac{ab^2 \log(x)}{(a^2+1)^2} - \frac{ab^2 \log((a+bx)^2+1)}{2(a^2+1)^2} + \frac{(1-a^2)b^2 \tan^{-1}(a+bx)}{2(a^2+1)^2} + \frac{b}{2(a^2+1)x} - \frac{\cot^{-1}(a+bx)}{2x^2}$$

[Out] b/(2*(1 + a^2)*x) - ArcCot[a + b*x]/(2*x^2) + ((1 - a^2)*b^2*ArcTan[a + b*x])/((2*(1 + a^2)^2) + (a*b^2*Log[x]))/(1 + a^2)^2 - (a*b^2*Log[1 + (a + b*x)^2])/((2*(1 + a^2)^2)

Rubi [A] time = 0.0821167, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.7$, Rules used = {5046, 371, 710, 801, 635, 203, 260}

$$\frac{ab^2 \log(x)}{(a^2+1)^2} - \frac{ab^2 \log((a+bx)^2+1)}{2(a^2+1)^2} + \frac{(1-a^2)b^2 \tan^{-1}(a+bx)}{2(a^2+1)^2} + \frac{b}{2(a^2+1)x} - \frac{\cot^{-1}(a+bx)}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a + b*x]/x^3,x]

[Out] b/(2*(1 + a^2)*x) - ArcCot[a + b*x]/(2*x^2) + ((1 - a^2)*b^2*ArcTan[a + b*x])/((2*(1 + a^2)^2) + (a*b^2*Log[x]))/(1 + a^2)^2 - (a*b^2*Log[1 + (a + b*x)^2])/((2*(1 + a^2)^2)

Rule 5046

```
Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^ (p_.)*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol] := Simp[((e + f*x)^(m + 1)*(a + b*ArcCot[c + d*x])^p)/(f*(m + 1)), x] + Dist[(b*d*p)/(f*(m + 1)), Int[((e + f*x)^(m + 1)*(a + b*ArcCot[c + d*x])^(p - 1))/(1 + (c + d*x)^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[m, -1]
```

Rule 371

```
Int[((a_.) + (b_.)*(v_.)^(n_.))^(p_.)*(x_.)^(m_.), x_Symbol] := With[{c = Coefficient[v, x, 0], d = Coefficient[v, x, 1]}, Dist[1/d^(m + 1), Subst[Int[SimplifyIntegrand[(x - c)^m*(a + b*x^n)^p, x], x], x, v], x] /; NeQ[c, 0] /; FreeQ[{a, b, n, p}, x] && LinearQ[v, x] && IntegerQ[m]
```

Rule 710

```
Int[((d_.) + (e_.)*(x_.))^(m_.)/((a_.) + (c_.)*(x_.)^2), x_Symbol] := Simp[(e*(d + e*x)^(m + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[c/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(d - e*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

Rule 801

```
Int[((d_.) + (e_.)*(x_.))^(m_.)*((f_.) + (g_.)*(x_.))/((a_.) + (c_.)*(x_.)^2), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[m]
```


Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned}
 \int \frac{\cot^{-1}(a+bx)}{x^3} dx &= -\frac{\cot^{-1}(a+bx)}{2x^2} - \frac{1}{2}b \int \frac{1}{x^2(1+(a+bx)^2)} dx \\
 &= -\frac{\cot^{-1}(a+bx)}{2x^2} - \frac{1}{2}b^2 \text{Subst}\left(\int \frac{1}{(-a+x)^2(1+x^2)} dx, x, a+bx\right) \\
 &= \frac{b}{2(1+a^2)x} - \frac{\cot^{-1}(a+bx)}{2x^2} - \frac{b^2 \text{Subst}\left(\int \frac{-a-x}{(-a+x)(1+x^2)} dx, x, a+bx\right)}{2(1+a^2)} \\
 &= \frac{b}{2(1+a^2)x} - \frac{\cot^{-1}(a+bx)}{2x^2} - \frac{b^2 \text{Subst}\left(\int \left(\frac{2a}{(1+a^2)(a-x)} + \frac{-1+a^2+2ax}{(1+a^2)(1+x^2)}\right) dx, x, a+bx\right)}{2(1+a^2)} \\
 &= \frac{b}{2(1+a^2)x} - \frac{\cot^{-1}(a+bx)}{2x^2} + \frac{ab^2 \log(x)}{(1+a^2)^2} - \frac{b^2 \text{Subst}\left(\int \frac{-1+a^2+2ax}{1+x^2} dx, x, a+bx\right)}{2(1+a^2)^2} \\
 &= \frac{b}{2(1+a^2)x} - \frac{\cot^{-1}(a+bx)}{2x^2} + \frac{ab^2 \log(x)}{(1+a^2)^2} - \frac{(ab^2) \text{Subst}\left(\int \frac{x}{1+x^2} dx, x, a+bx\right)}{(1+a^2)^2} + \frac{((1-a^2)b^2)}{2(1+a^2)^2} \\
 &= \frac{b}{2(1+a^2)x} - \frac{\cot^{-1}(a+bx)}{2x^2} + \frac{(1-a^2)b^2 \tan^{-1}(a+bx)}{2(1+a^2)^2} + \frac{ab^2 \log(x)}{(1+a^2)^2} - \frac{ab^2 \log(1+(a+bx)^2)}{2(1+a^2)^2}
 \end{aligned}$$

Mathematica [C] time = 0.0928639, size = 92, normalized size = 0.97

$$\frac{-2 \cot^{-1}(a+bx) + \frac{bx(i(a+i)^2bx \log(-a-bx+i) + 4abx \log(x) + (a-i)((-1-ia)bx \log(a+bx+i) + 2(a+i)))}{(a^2+1)^2}}{4x^2}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a + b*x]/x^3, x]

[Out] (-2*ArcCot[a + b*x] + (b*x*(4*a*b*x*Log[x] + I*(I + a)^2*b*x*Log[I - a - b*x] + (-I + a)*(2*(I + a) + (-1 - I*a)*b*x*Log[I + a + b*x])))/(1 + a^2)^2/(4*x^2)

Maple [A] time = 0.048, size = 104, normalized size = 1.1

$$\frac{\operatorname{arccot}(bx+a)}{2x^2} - \frac{b^2 \arctan(bx+a)a^2}{2(a^2+1)^2} - \frac{ab^2 \ln(1+(bx+a)^2)}{2(a^2+1)^2} + \frac{b^2 \arctan(bx+a)}{2(a^2+1)^2} + \frac{b}{(2a^2+2)x} + \frac{ab^2 \ln(bx)}{(a^2+1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(b*x+a)/x^3,x)

[Out] $-1/2*\operatorname{arccot}(b*x+a)/x^2 - 1/2*b^2/(a^2+1)^2*\arctan(b*x+a)*a^2 - 1/2*a*b^2*\ln(1+(b*x+a)^2)/(a^2+1)^2 + 1/2*b^2/(a^2+1)^2*\arctan(b*x+a) + 1/2*b/(a^2+1)/x + b^2/(a^2+1)^2*a*\ln(b*x)$

Maxima [A] time = 1.47359, size = 151, normalized size = 1.59

$$-\frac{1}{2} \left(\frac{(a^2-1)b \arctan\left(\frac{b^2x+ab}{b}\right)}{a^4+2a^2+1} + \frac{ab \log(b^2x^2+2abx+a^2+1)}{a^4+2a^2+1} - \frac{2ab \log(x)}{a^4+2a^2+1} - \frac{1}{(a^2+1)x} \right) b - \frac{\operatorname{arccot}(bx+a)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/x^3,x, algorithm="maxima")

[Out] $-1/2*((a^2-1)*b*\arctan((b^2*x+a*b)/b)/(a^4+2*a^2+1) + a*b*\log(b^2*x^2+2*a*b*x+a^2+1)/(a^4+2*a^2+1) - 2*a*b*\log(x)/(a^4+2*a^2+1) - 1/((a^2+1)*x))*b - 1/2*\operatorname{arccot}(b*x+a)/x^2$

Fricas [A] time = 2.30524, size = 248, normalized size = 2.61

$$\frac{(a^2-1)b^2x^2 \arctan(bx+a) + ab^2x^2 \log(b^2x^2+2abx+a^2+1) - 2ab^2x^2 \log(x) - (a^2+1)bx + (a^4+2a^2+1) \operatorname{arccot}(bx+a)}{2(a^4+2a^2+1)x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/x^3,x, algorithm="fricas")

[Out] $-1/2*((a^2-1)*b^2*x^2*\arctan(b*x+a) + a*b^2*x^2*\log(b^2*x^2+2*a*b*x+a^2+1) - 2*a*b^2*x^2*\log(x) - (a^2+1)*b*x + (a^4+2*a^2+1)*\operatorname{arccot}(b*x+a))/((a^4+2*a^2+1)*x^2)$

Sympy [B] time = 15.2081, size = 675, normalized size = 7.11

$$\left(\begin{array}{l} \frac{2b^3x^3 \operatorname{acot}(bx-i)}{2b^3x^3 \operatorname{acot}(bx+i)} - \frac{ib^3x^3}{ib^3x^3} + \frac{4ib^2x^2 \operatorname{acot}(bx-i)}{4ib^2x^2 \operatorname{acot}(bx+i)} - \frac{8bx \operatorname{acot}(bx-i)}{8bx \operatorname{acot}(bx+i)} - \frac{2ibx}{2ibx} + \frac{16i \operatorname{acot}(bx-i)}{16i \operatorname{acot}(bx+i)} + \frac{4}{16b^3x^3-32ix^2} + \frac{4}{16b^3x^3-32ix^2} \\ \frac{16bx^3+32ix^2}{a^4 \operatorname{acot}(a+bx)} + \frac{16bx^3+32ix^2}{a^2b^2x^2 \operatorname{acot}(a+bx)} - \frac{16bx^3+32ix^2}{a^2bx} - \frac{16bx^3+32ix^2}{2a^2 \operatorname{acot}(a+bx)} + \frac{2ab^2x^2 \log(x)}{2a^4x^2+4a^2x^2+2x^2} - \frac{ab^2x^2 \log(a^2+2abx+b^2x^2+1)}{2a^4x^2+4a^2x^2+2x^2} - \frac{2ab}{2a^4x^2+4a^2x^2+2x^2} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(b*x+a)/x**3,x)

[Out] Piecewise((-2*b**3*x**3*acot(b*x - I)/(16*b*x**3 - 32*I*x**2) - I*b**3*x**3/(16*b*x**3 - 32*I*x**2) + 4*I*b**2*x**2*acot(b*x - I)/(16*b*x**3 - 32*I*x**2) - 8*b*x*acot(b*x - I)/(16*b*x**3 - 32*I*x**2) - 2*I*b*x/(16*b*x**3 - 32*I*x**2) + 16*I*acot(b*x - I)/(16*b*x**3 - 32*I*x**2) + 4/(16*b*x**3 - 32*I*x**2), Eq(a, -I)), (-2*b**3*x**3*acot(b*x + I)/(16*b*x**3 + 32*I*x**2) + I*b**3*x**3/(16*b*x**3 + 32*I*x**2) - 4*I*b**2*x**2*acot(b*x + I)/(16*b*x**3 + 32*I*x**2) - 8*b*x*acot(b*x + I)/(16*b*x**3 + 32*I*x**2) + 2*I*b*x/(16*b*x**3 + 32*I*x**2) - 16*I*acot(b*x + I)/(16*b*x**3 + 32*I*x**2) + 4/(16*b*x**3 + 32*I*x**2), Eq(a, I)), (-a**4*acot(a + b*x)/(2*a**4*x**2 + 4*a**2*x**2 + 2*x**2) + a**2*b*x/(2*a**4*x**2 + 4*a**2*x**2 + 2*x**2) - 2*a**2*acot(a + b*x)/(2*a**4*x**2 + 4*a**2*x**2 + 2*x**2) + 2*a*b**2*x**2*log(x)/(2*a**4*x**2 + 4*a**2*x**2 + 2*x**2) - a*b**2*x**2*log(a**2 + 2*a*b*x + b**2*x**2 + 1)/(2*a**4*x**2 + 4*a**2*x**2 + 2*x**2) - 2*a*b**2*x**2/(2*a**4*x**2 + 4*a**2*x**2 + 2*x**2) - b**2*x**2*acot(a + b*x)/(2*a**4*x**2 + 4*a**2*x**2 + 2*x**2) + b*x/(2*a**4*x**2 + 4*a**2*x**2 + 2*x**2) - acot(a + b*x)/(2*a**4*x**2 + 4*a**2*x**2 + 2*x**2), True))

Giac [A] time = 1.11415, size = 158, normalized size = 1.66

$$-\frac{1}{2} \left(\frac{ab \log(b^2 x^2 + 2abx + a^2 + 1)}{a^4 + 2a^2 + 1} - \frac{2ab \log(|x|)}{a^4 + 2a^2 + 1} + \frac{(a^2 b^2 - b^2) \arctan(bx + a)}{(a^4 + 2a^2 + 1)b} - \frac{1}{(a^2 + 1)x} \right) b - \frac{\arctan\left(\frac{1}{bx+a}\right)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/x^3,x, algorithm="giac")

[Out] -1/2*(a*b*log(b^2*x^2 + 2*a*b*x + a^2 + 1)/(a^4 + 2*a^2 + 1) - 2*a*b*log(abs(x))/(a^4 + 2*a^2 + 1) + (a^2*b^2 - b^2)*arctan(b*x + a)/((a^4 + 2*a^2 + 1)*b) - 1/((a^2 + 1)*x))*b - 1/2*arctan(1/(b*x + a))/x^2

3.106 $\int \frac{\cot^{-1}(a+bx)}{x^4} dx$

Optimal. Leaf size=129

$$-\frac{2ab^2}{3(a^2+1)^2 x} + \frac{(1-3a^2)b^3 \log(x)}{3(a^2+1)^3} - \frac{(1-3a^2)b^3 \log((a+bx)^2+1)}{6(a^2+1)^3} - \frac{a(3-a^2)b^3 \tan^{-1}(a+bx)}{3(a^2+1)^3} + \frac{b}{6(a^2+1)x^2} - \frac{co}{6(a^2+1)x^2}$$

[Out] b/(6*(1 + a^2)*x^2) - (2*a*b^2)/(3*(1 + a^2)^2*x) - ArcCot[a + b*x]/(3*x^3) - (a*(3 - a^2)*b^3*ArcTan[a + b*x])/(3*(1 + a^2)^3) + ((1 - 3*a^2)*b^3*Log[x])/(3*(1 + a^2)^3) - ((1 - 3*a^2)*b^3*Log[1 + (a + b*x)^2])/(6*(1 + a^2)^3)

Rubi [A] time = 0.111787, antiderivative size = 129, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.7$, Rules used = {5046, 371, 710, 801, 635, 203, 260}

$$-\frac{2ab^2}{3(a^2+1)^2 x} + \frac{(1-3a^2)b^3 \log(x)}{3(a^2+1)^3} - \frac{(1-3a^2)b^3 \log((a+bx)^2+1)}{6(a^2+1)^3} - \frac{a(3-a^2)b^3 \tan^{-1}(a+bx)}{3(a^2+1)^3} + \frac{b}{6(a^2+1)x^2} - \frac{co}{6(a^2+1)x^2}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a + b*x]/x^4,x]

[Out] b/(6*(1 + a^2)*x^2) - (2*a*b^2)/(3*(1 + a^2)^2*x) - ArcCot[a + b*x]/(3*x^3) - (a*(3 - a^2)*b^3*ArcTan[a + b*x])/(3*(1 + a^2)^3) + ((1 - 3*a^2)*b^3*Log[x])/(3*(1 + a^2)^3) - ((1 - 3*a^2)*b^3*Log[1 + (a + b*x)^2])/(6*(1 + a^2)^3)

Rule 5046

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^ (p_.)*((e_.) + (f_.)*(x_.))^ (m_.), x_Symbol] :> Simp[((e + f*x)^(m + 1)*(a + b*ArcCot[c + d*x])^p)/(f*(m + 1)), x] + Dist[(b*d*p)/(f*(m + 1)), Int[((e + f*x)^(m + 1)*(a + b*ArcCot[c + d*x])^(p - 1))/(1 + (c + d*x)^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[m, -1]

Rule 371

Int[((a_.) + (b_.)*(v_)^(n_))^(p_.)*(x_)^(m_.), x_Symbol] :> With[{c = Coefficient[v, x, 0], d = Coefficient[v, x, 1]}, Dist[1/d^(m + 1), Subst[Int[SimplifyIntegrand[(x - c)^m*(a + b*x^n)^p, x], x], x, v], x] /; NeQ[c, 0] /; FreeQ[{a, b, n, p}, x] && LinearQ[v, x] && IntegerQ[m]

Rule 710

Int[((d_.) + (e_.)*(x_)^(m_))/((a_.) + (c_.)*(x_)^2), x_Symbol] :> Simp[(e*(d + e*x)^(m + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[c/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(d - e*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]

Rule 801

Int((((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_)))/((a_.) + (c_.)*(x_)^2), x_Symbol] :> Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + c*x^2), x],

$x] /; \text{FreeQ}\{a, c, d, e, f, g\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{IntegerQ}[m]$

Rule 635

$\text{Int}[\{(d_)+(e_)*(x_)\}/\{(a_)+(c_)*(x_)^2\}, x_Symbol] \rightarrow \text{Dist}[d, \text{Int}[1/(a + c*x^2), x], x] + \text{Dist}[e, \text{Int}[x/(a + c*x^2), x], x] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{!NiceSqrtQ}[-(a*c)]$

Rule 203

$\text{Int}[\{(a_)+(b_)*(x_)^2\}^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[\text{Rt}[b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{GtQ}[b, 0])$

Rule 260

$\text{Int}[(x_)^{m_}/\{(a_)+(b_)*(x_)^{n_}\}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]]/(b*n), x] /; \text{FreeQ}\{a, b, m, n\}, x] \&\& \text{EqQ}[m, n - 1]$

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(a+bx)}{x^4} dx &= -\frac{\cot^{-1}(a+bx)}{3x^3} - \frac{1}{3}b \int \frac{1}{x^3(1+(a+bx)^2)} dx \\ &= -\frac{\cot^{-1}(a+bx)}{3x^3} - \frac{1}{3}b^3 \text{Subst}\left(\int \frac{1}{(-a+x)^3(1+x^2)} dx, x, a+bx\right) \\ &= \frac{b}{6(1+a^2)x^2} - \frac{\cot^{-1}(a+bx)}{3x^3} - \frac{b^3 \text{Subst}\left(\int \frac{-a-x}{(-a+x)^2(1+x^2)} dx, x, a+bx\right)}{3(1+a^2)} \\ &= \frac{b}{6(1+a^2)x^2} - \frac{\cot^{-1}(a+bx)}{3x^3} - \frac{b^3 \text{Subst}\left(\int \left(-\frac{2a}{(1+a^2)(a-x)^2} + \frac{1-3a^2}{(1+a^2)^2(a-x)} + \frac{a(3-a^2)+(1-3a^2)x}{(1+a^2)^2(1+x^2)}\right) dx, x, a+bx\right)}{3(1+a^2)} \\ &= \frac{b}{6(1+a^2)x^2} - \frac{2ab^2}{3(1+a^2)^2 x} - \frac{\cot^{-1}(a+bx)}{3x^3} + \frac{(1-3a^2)b^3 \log(x)}{3(1+a^2)^3} - \frac{b^3 \text{Subst}\left(\int \frac{a(3-a^2)+(1-3a^2)x}{1+x^2} dx, x, a+bx\right)}{3(1+a^2)} \\ &= \frac{b}{6(1+a^2)x^2} - \frac{2ab^2}{3(1+a^2)^2 x} - \frac{\cot^{-1}(a+bx)}{3x^3} + \frac{(1-3a^2)b^3 \log(x)}{3(1+a^2)^3} - \frac{((1-3a^2)b^3) \text{Subst}\left(\int \frac{1}{1+x^2} dx, x, a+bx\right)}{3(1+a^2)} \\ &= \frac{b}{6(1+a^2)x^2} - \frac{2ab^2}{3(1+a^2)^2 x} - \frac{\cot^{-1}(a+bx)}{3x^3} - \frac{a(3-a^2)b^3 \tan^{-1}(a+bx)}{3(1+a^2)^3} + \frac{(1-3a^2)b^3 \log(x)}{3(1+a^2)^3} \end{aligned}$$

Mathematica [C] time = 0.131685, size = 126, normalized size = 0.98

$$\frac{2(1-3a^2)b^3x^3 \log(x) + (a-i)bx((a+i)(a^2-4abx+1) + i(a-i)^2b^2x^2 \log(a+bx+i)) - 2(a^2+1)^3 \cot^{-1}(a+bx)}{6(a^2+1)^3 x^3}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a + b*x]/x^4,x]

[Out] (-2*(1 + a^2)^3*ArcCot[a + b*x] + 2*(1 - 3*a^2)*b^3*x^3*Log[x] + (-1 + I*a)^3*b^3*x^3*Log[I - a - b*x] + (-I + a)*b*x*((I + a)*(1 + a^2 - 4*a*b*x) + I

$*(-I + a)^2 * b^2 * x^2 * \text{Log}[I + a + b * x]) / (6 * (1 + a^2)^3 * x^3)$

Maple [A] time = 0.053, size = 164, normalized size = 1.3

$$-\frac{\operatorname{arccot}(bx+a)}{3x^3} + \frac{b^3 \ln(1+(bx+a)^2) a^2}{2(a^2+1)^3} - \frac{b^3 \ln(1+(bx+a)^2)}{6(a^2+1)^3} + \frac{b^3 \arctan(bx+a) a^3}{3(a^2+1)^3} - \frac{b^3 \arctan(bx+a) a}{(a^2+1)^3} + \frac{b^3 \arctan(bx+a)}{(6a^2+1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(b*x+a)/x^4,x)

[Out] $-1/3 * \operatorname{arccot}(b * x + a) / x^3 + 1/2 * b^3 / (a^2 + 1)^3 * \ln(1 + (b * x + a)^2) * a^2 - 1/6 * b^3 / (a^2 + 1)^3 * \ln(1 + (b * x + a)^2) + 1/3 * b^3 / (a^2 + 1)^3 * \arctan(b * x + a) * a^3 - b^3 / (a^2 + 1)^3 * \arctan(b * x + a) * a + 1/6 * b / (a^2 + 1) / x^2 - b^3 / (a^2 + 1)^3 * \ln(b * x) * a^2 + 1/3 * b^3 / (a^2 + 1)^3 * \ln(b * x) - 2/3 * a * b^2 / (a^2 + 1)^2 / x$

Maxima [A] time = 1.48873, size = 223, normalized size = 1.73

$$\frac{1}{6} \left(\frac{2(a^3 - 3a)b^2 \arctan\left(\frac{b^2x+ab}{b}\right)}{a^6 + 3a^4 + 3a^2 + 1} + \frac{(3a^2 - 1)b^2 \log(b^2x^2 + 2abx + a^2 + 1)}{a^6 + 3a^4 + 3a^2 + 1} - \frac{2(3a^2 - 1)b^2 \log(x)}{a^6 + 3a^4 + 3a^2 + 1} - \frac{4abx - a^2 - 1}{(a^4 + 2a^2 + 1)x^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/x^4,x, algorithm="maxima")

[Out] $1/6 * (2 * (a^3 - 3 * a) * b^2 * \arctan((b^2 * x + a * b) / b) / (a^6 + 3 * a^4 + 3 * a^2 + 1) + (3 * a^2 - 1) * b^2 * \log(b^2 * x^2 + 2 * a * b * x + a^2 + 1) / (a^6 + 3 * a^4 + 3 * a^2 + 1) - 2 * (3 * a^2 - 1) * b^2 * \log(x) / (a^6 + 3 * a^4 + 3 * a^2 + 1) - (4 * a * b * x - a^2 - 1) / ((a^4 + 2 * a^2 + 1) * x^2)) * b - 1/3 * \operatorname{arccot}(b * x + a) / x^3$

Fricas [A] time = 2.40332, size = 344, normalized size = 2.67

$$\frac{2(a^3 - 3a)b^3x^3 \arctan(bx+a) + (3a^2 - 1)b^3x^3 \log(b^2x^2 + 2abx + a^2 + 1) - 2(3a^2 - 1)b^3x^3 \log(x) - 4(a^3 + a)b^2x^2 + 4abx - a^2 - 1}{6(a^6 + 3a^4 + 3a^2 + 1)x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/x^4,x, algorithm="fricas")

[Out] $1/6 * (2 * (a^3 - 3 * a) * b^3 * x^3 * \arctan(b * x + a) + (3 * a^2 - 1) * b^3 * x^3 * \log(b^2 * x^2 + 2 * a * b * x + a^2 + 1) - 2 * (3 * a^2 - 1) * b^3 * x^3 * \log(x) - 4 * (a^3 + a) * b^2 * x^2 + (a^4 + 2 * a^2 + 1) * b * x - 2 * (a^6 + 3 * a^4 + 3 * a^2 + 1) * \operatorname{arccot}(b * x + a)) / ((a^6 + 3 * a^4 + 3 * a^2 + 1) * x^3)$

Sympy [B] time = 33.0395, size = 1125, normalized size = 8.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(b*x+a)/x**4,x)

[Out] Piecewise((3*I*b**4*x**4*acot(b*x - I)/(72*b*x**4 - 144*I*x**3) + 6*b**3*x**3*acot(b*x - I)/(72*b*x**4 - 144*I*x**3) - 3*I*b**3*x**3/(72*b*x**4 - 144*I*x**3) - 3*b**2*x**2/(72*b*x**4 - 144*I*x**3) - 24*b*x*acot(b*x - I)/(72*b*x**4 - 144*I*x**3) - 2*I*b*x/(72*b*x**4 - 144*I*x**3) + 48*I*acot(b*x - I)/(72*b*x**4 - 144*I*x**3) + 8/(72*b*x**4 - 144*I*x**3), Eq(a, -I)), (-3*I*b**4*x**4*acot(b*x + I)/(72*b*x**4 + 144*I*x**3) + 6*b**3*x**3*acot(b*x + I)/(72*b*x**4 + 144*I*x**3) + 3*I*b**3*x**3/(72*b*x**4 + 144*I*x**3) - 3*b**2*x**2/(72*b*x**4 + 144*I*x**3) - 24*b*x*acot(b*x + I)/(72*b*x**4 + 144*I*x**3) + 2*I*b*x/(72*b*x**4 + 144*I*x**3) - 48*I*acot(b*x + I)/(72*b*x**4 + 144*I*x**3) + 8/(72*b*x**4 + 144*I*x**3), Eq(a, I)), (-2*a**6*acot(a + b*x)/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3) + a**4*b*x/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3) - 6*a**4*acot(a + b*x)/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3) - 2*a**3*b**3*x**3*acot(a + b*x)/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3) - 4*a**3*b**2*x**2/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3) - 6*a**2*b**3*x**3*log(x)/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3) + 3*a**2*b**3*x**3*log(a**2 + 2*a*b*x + b**2*x**2 + 1)/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3) + 7*a**2*b**3*x**3/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3) + 2*a**2*b*x/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3) - 6*a**2*acot(a + b*x)/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3) + 6*a*b**3*x**3*acot(a + b*x)/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3) - 4*a*b**2*x**2/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3) + 2*b**3*x**3*log(x)/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3) - b**3*x**3*log(a**2 + 2*a*b*x + b**2*x**2 + 1)/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3) - b**3*x**3/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3) + b*x/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3) - 2*acot(a + b*x)/(6*a**6*x**3 + 18*a**4*x**3 + 18*a**2*x**3 + 6*x**3), True))

Giac [A] time = 1.13441, size = 242, normalized size = 1.88

$$\frac{1}{6}b \left(\frac{(3a^2b^2 - b^2) \log(b^2x^2 + 2abx + a^2 + 1)}{a^6 + 3a^4 + 3a^2 + 1} - \frac{2(3a^2b^2 - b^2) \log(|x|)}{a^6 + 3a^4 + 3a^2 + 1} + \frac{2(a^3b^3 - 3ab^3) \arctan(bx + a)}{(a^6 + 3a^4 + 3a^2 + 1)b} + \frac{a^4 + 2a^2}{6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/x^4,x, algorithm="giac")

[Out] 1/6*b*((3*a^2*b^2 - b^2)*log(b^2*x^2 + 2*a*b*x + a^2 + 1)/(a^6 + 3*a^4 + 3*a^2 + 1) - 2*(3*a^2*b^2 - b^2)*log(abs(x))/(a^6 + 3*a^4 + 3*a^2 + 1) + 2*(a^3*b^3 - 3*a*b^3)*arctan(b*x + a)/((a^6 + 3*a^4 + 3*a^2 + 1)*b) + (a^4 + 2*a^2 - 4*(a^3*b + a*b)*x + 1)/((a^2 + 1)^3*x^2) - 1/3*arctan(1/(b*x + a))/x^3

3.107 $\int \frac{\cot^{-1}(a+bx)}{c+dx^2} dx$

Optimal. Leaf size=642

$$\frac{\text{PolyLog}\left(2, -\frac{(-a-bx+i)(b\sqrt{c-ia}\sqrt{d})}{(a+bx)(b\sqrt{c-(1+ia)}\sqrt{d})}\right)}{4\sqrt{c}\sqrt{d}} - \frac{\text{PolyLog}\left(2, -\frac{(-a-bx+i)(b\sqrt{c+ia}\sqrt{d})}{(a+bx)(b\sqrt{c+(1+ia)}\sqrt{d})}\right)}{4\sqrt{c}\sqrt{d}} - \frac{\text{PolyLog}\left(2, \frac{(a+bx+i)(b\sqrt{c-ia}\sqrt{d})}{(a+bx)(b\sqrt{c+(1-ia)}\sqrt{d})}\right)}{4\sqrt{c}\sqrt{d}} + \frac{\text{PolyLog}\left(2, \frac{(a+bx+i)(b\sqrt{c+ia}\sqrt{d})}{(a+bx)(b\sqrt{c+(1+ia)}\sqrt{d})}\right)}{4\sqrt{c}\sqrt{d}}$$

```
[Out] -(Log[(I + a + b*x)/(a + b*x)]*Log[-((b*(I*Sqrt[c] - Sqrt[d]*x))/((b*Sqrt[c] + (1 - I*a)*Sqrt[d])*(a + b*x)))]/(4*Sqrt[c]*Sqrt[d]) + (Log[-((I - a - b*x)/(a + b*x))]*Log[(I*b*(Sqrt[c] + I*Sqrt[d]*x))/((b*Sqrt[c] - (1 + I*a)*Sqrt[d])*(a + b*x)))]/(4*Sqrt[c]*Sqrt[d]) - (Log[-((I - a - b*x)/(a + b*x))]*Log[(b*(I*Sqrt[c] + Sqrt[d]*x))/((b*Sqrt[c] + (1 + I*a)*Sqrt[d])*(a + b*x)))]/(4*Sqrt[c]*Sqrt[d]) + (Log[(I + a + b*x)/(a + b*x)]*Log[-((b*(I*Sqrt[c] + Sqrt[d]*x))/((b*Sqrt[c] + I*(I + a)*Sqrt[d])*(a + b*x)))]/(4*Sqrt[c]*Sqrt[d]) + PolyLog[2, -((b*Sqrt[c] - I*a*Sqrt[d])*(I - a - b*x))/((b*Sqrt[c] - (1 + I*a)*Sqrt[d])*(a + b*x)))]/(4*Sqrt[c]*Sqrt[d]) - PolyLog[2, -((b*Sqrt[c] + I*a*Sqrt[d])*(I - a - b*x))/((b*Sqrt[c] + (1 + I*a)*Sqrt[d])*(a + b*x)))]/(4*Sqrt[c]*Sqrt[d]) - PolyLog[2, ((b*Sqrt[c] - I*a*Sqrt[d])*(I + a + b*x))/((b*Sqrt[c] + (1 - I*a)*Sqrt[d])*(a + b*x)))]/(4*Sqrt[c]*Sqrt[d]) + PolyLog[2, ((b*Sqrt[c] + I*a*Sqrt[d])*(I + a + b*x))/((b*Sqrt[c] + I*(I + a)*Sqrt[d])*(a + b*x)))]/(4*Sqrt[c]*Sqrt[d])
```

Rubi [A] time = 0.997957, antiderivative size = 655, normalized size of antiderivative = 1.02, number of steps used = 37, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {5052, 2513, 2409, 2394, 2393, 2391, 205}

$$\frac{i\text{PolyLog}\left(2, -\frac{\sqrt{d}(-a-bx+i)}{b\sqrt{-c-(a+i)}\sqrt{d}}\right)}{4\sqrt{-c}\sqrt{d}} - \frac{i\text{PolyLog}\left(2, \frac{\sqrt{d}(-a-bx+i)}{b\sqrt{-c+(a+i)}\sqrt{d}}\right)}{4\sqrt{-c}\sqrt{d}} + \frac{i\text{PolyLog}\left(2, -\frac{\sqrt{d}(a+bx+i)}{b\sqrt{-c-(a+i)}\sqrt{d}}\right)}{4\sqrt{-c}\sqrt{d}} - \frac{i\text{PolyLog}\left(2, \frac{\sqrt{d}(a+bx+i)}{b\sqrt{-c+(a+i)}\sqrt{d}}\right)}{4\sqrt{-c}\sqrt{d}}$$

Warning: Unable to verify antiderivative.

```
[In] Int[ArcCot[a + b*x]/(c + d*x^2), x]
```

```
[Out] ((I/2)*ArcTan[(Sqrt[d]*x)/Sqrt[c]]*(Log[-((I - a - b*x)/(a + b*x))]) + Log[a + b*x] - Log[-I + a + b*x])/(Sqrt[c]*Sqrt[d]) - ((I/2)*ArcTan[(Sqrt[d]*x)/Sqrt[c]]*(Log[a + b*x] - Log[I + a + b*x] + Log[(I + a + b*x)/(a + b*x)])))/(Sqrt[c]*Sqrt[d]) + ((I/4)*Log[-I + a + b*x]*Log[(b*(Sqrt[-c] - Sqrt[d]*x))/(b*Sqrt[-c] - (I - a)*Sqrt[d])])/(Sqrt[-c]*Sqrt[d]) - ((I/4)*Log[I + a + b*x]*Log[(b*(Sqrt[-c] - Sqrt[d]*x))/(b*Sqrt[-c] + (I + a)*Sqrt[d])])/(Sqrt[-c]*Sqrt[d]) - ((I/4)*Log[-I + a + b*x]*Log[(b*(Sqrt[-c] + Sqrt[d]*x))/(b*Sqrt[-c] + (I - a)*Sqrt[d])])/(Sqrt[-c]*Sqrt[d]) + ((I/4)*Log[I + a + b*x]*Log[(b*(Sqrt[-c] + Sqrt[d]*x))/(b*Sqrt[-c] - (I + a)*Sqrt[d])])/(Sqrt[-c]*Sqrt[d]) + ((I/4)*PolyLog[2, -((Sqrt[d]*(I - a - b*x))/(b*Sqrt[-c] - (I - a)*Sqrt[d]))])/(Sqrt[-c]*Sqrt[d]) - ((I/4)*PolyLog[2, (Sqrt[d]*(I - a - b*x))/(b*Sqrt[-c] + (I - a)*Sqrt[d])])/(Sqrt[-c]*Sqrt[d]) + ((I/4)*PolyLog[2, -((Sqrt[d]*(I + a + b*x))/(b*Sqrt[-c] - (I + a)*Sqrt[d]))])/(Sqrt[-c]*Sqrt[d]) - ((I/4)*PolyLog[2, (Sqrt[d]*(I + a + b*x))/(b*Sqrt[-c] + (I + a)*Sqrt[d])])/(Sqrt[-c]*Sqrt[d])
```

Rule 5052

```
Int[ArcCot[(a_) + (b_)*(x_)]/((c_) + (d_)*(x_)^(n_.)), x_Symbol] := Dist[I/2, Int[Log[(-I + a + b*x)/(a + b*x)]/(c + d*x^n), x], x] - Dist[I/2, Int[Log[(I + a + b*x)/(a + b*x)]/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d}, x]
```


&& RationalQ[n]

Rule 2513

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*(Rfx_), x_Symbol] := Dist[p*r, Int[Rfx*Log[a + b*x], x], x] + (Dis
t[q*r, Int[Rfx*Log[c + d*x], x], x] - Dist[p*r*Log[a + b*x] + q*r*Log[c + d
*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r], Int[Rfx, x], x]) /; FreeQ[{a, b
, c, d, e, f, p, q, r}, x] && RationalFunctionQ[Rfx, x] && NeQ[b*c - a*d, 0
] && !MatchQ[Rfx, (u_.)*(a + b*x)^(m_.)*(c + d*x)^(n_.) /; IntegersQ[m, n]
]
```

Rule 2409

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_) + (g_.
)*(x_)^(r_))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)
^n])^p, (f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, r}, x] && I
GtQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[r] && NeQ[r, 1]))
```

Rule 2394

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))/((f_.) + (g_.)*(x_
)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x)
^n]))/g, x] - Dist[(b*e^n)/g, Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]
```

Rule 2393

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))/((f_.) + (g_.)*(x_
)), x_Symbol] := Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x
], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*
(e*f - d*g), 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(a+bx)}{c+dx^2} dx &= \frac{1}{2}i \int \frac{\log\left(\frac{-i+a+bx}{a+bx}\right)}{c+dx^2} dx - \frac{1}{2}i \int \frac{\log\left(\frac{i+a+bx}{a+bx}\right)}{c+dx^2} dx \\
&= \frac{1}{2}i \int \frac{\log(-i+a+bx)}{c+dx^2} dx - \frac{1}{2}i \int \frac{\log(i+a+bx)}{c+dx^2} dx - \frac{1}{2} \left(i \left(-\log(a+bx) + \log(-i+a+bx) - \log(i+a+bx) \right) \right) \\
&= \frac{i \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) - \log(-i+a+bx) \right)}{2\sqrt{c}\sqrt{d}} - \frac{i \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \left(\log(a+bx) - \log(i+a+bx) \right)}{2\sqrt{c}\sqrt{d}} \\
&= \frac{i \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) - \log(-i+a+bx) \right)}{2\sqrt{c}\sqrt{d}} - \frac{i \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \left(\log(a+bx) - \log(i+a+bx) \right)}{2\sqrt{c}\sqrt{d}} \\
&= \frac{i \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) - \log(-i+a+bx) \right)}{2\sqrt{c}\sqrt{d}} - \frac{i \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \left(\log(a+bx) - \log(i+a+bx) \right)}{2\sqrt{c}\sqrt{d}} \\
&= \frac{i \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) - \log(-i+a+bx) \right)}{2\sqrt{c}\sqrt{d}} - \frac{i \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \left(\log(a+bx) - \log(i+a+bx) \right)}{2\sqrt{c}\sqrt{d}} \\
&= \frac{i \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) - \log(-i+a+bx) \right)}{2\sqrt{c}\sqrt{d}} - \frac{i \tan^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \left(\log(a+bx) - \log(i+a+bx) \right)}{2\sqrt{c}\sqrt{d}}
\end{aligned}$$

Mathematica [A] time = 0.548539, size = 563, normalized size = 0.88

$$i \left(\text{PolyLog}\left(2, \frac{b(\sqrt{-c}-\sqrt{dx})}{b\sqrt{-c}+(a-i)\sqrt{d}}\right) - \text{PolyLog}\left(2, \frac{b(\sqrt{-c}-\sqrt{dx})}{b\sqrt{-c}+(a+i)\sqrt{d}}\right) - \text{PolyLog}\left(2, \frac{b(\sqrt{-c}+\sqrt{dx})}{b\sqrt{-c}-(a-i)\sqrt{d}}\right) + \text{PolyLog}\left(2, \frac{b(\sqrt{-c}+\sqrt{dx})}{b\sqrt{-c}-(a+i)\sqrt{d}}\right) \right) + \log$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[a + b*x]/(c + d*x^2), x]

[Out] ((-I/4)*(Log[(Sqrt[d]*(-I + a + b*x))/(b*Sqrt[-c] + (-I + a)*Sqrt[d])]*Log[Sqrt[-c] - Sqrt[d]*x] - Log[(-I + a + b*x)/(a + b*x)]*Log[Sqrt[-c] - Sqrt[d]*x] - Log[(Sqrt[d]*(I + a + b*x))/(b*Sqrt[-c] + (I + a)*Sqrt[d])]*Log[Sqrt[-c] - Sqrt[d]*x] + Log[(I + a + b*x)/(a + b*x)]*Log[Sqrt[-c] - Sqrt[d]*x] - Log[-((Sqrt[d]*(-I + a + b*x))/(b*Sqrt[-c] - (-I + a)*Sqrt[d]))]*Log[Sqrt[-c] + Sqrt[d]*x] + Log[(-I + a + b*x)/(a + b*x)]*Log[Sqrt[-c] + Sqrt[d]*x] + Log[-((Sqrt[d]*(I + a + b*x))/(b*Sqrt[-c] - (I + a)*Sqrt[d]))]*Log[Sqrt[-c] + Sqrt[d]*x] - Log[(I + a + b*x)/(a + b*x)]*Log[Sqrt[-c] + Sqrt[d]*x] + PolyLog[2, (b*(Sqrt[-c] - Sqrt[d]*x))/(b*Sqrt[-c] + (-I + a)*Sqrt[d])] - PolyLog[2, (b*(Sqrt[-c] - Sqrt[d]*x))/(b*Sqrt[-c] + (I + a)*Sqrt[d])] - PolyLog[2, (b*(Sqrt[-c] + Sqrt[d]*x))/(b*Sqrt[-c] - (-I + a)*Sqrt[d])] + PolyLog[2, (b*(Sqrt[-c] + Sqrt[d]*x))/(b*Sqrt[-c] - (I + a)*Sqrt[d])])/(Sqrt[-c]*Sqrt[d])

Maple [B] time = 0.814, size = 2082, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(b*x+a)/(d*x^2+c),x)

[Out]
$$\begin{aligned} & -1/2*I/b*(b^2*c*d)^{(1/2)}/c/(a^2*d+c*b^2+2*(b^2*c*d)^{(1/2)+d})*\ln(1-(-2*I*a*d \\ & +a^2*d+c*b^2-d)*(I+a+b*x)^2/(1+(b*x+a)^2)/(a^2*d+c*b^2+2*(b^2*c*d)^{(1/2)+d}) \\ &)*\arccot(b*x+a)*a^2-1/2*I*b/d*(b^2*c*d)^{(1/2)}/(a^2*d+c*b^2+2*(b^2*c*d)^{(1/2) \\ &)+d)*\ln(1-(-2*I*a*d+a^2*d+c*b^2-d)*(I+a+b*x)^2/(1+(b*x+a)^2)/(a^2*d+c*b^2+2 \\ & *(b^2*c*d)^{(1/2)+d})*\arccot(b*x+a)-I*b/(a^2*d+c*b^2+2*(b^2*c*d)^{(1/2)+d})*\ln \\ & (1-(-2*I*a*d+a^2*d+c*b^2-d)*(I+a+b*x)^2/(1+(b*x+a)^2)/(a^2*d+c*b^2+2*(b^2*c \\ & *d)^{(1/2)+d}))*\arccot(b*x+a)-I*b/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/2)+d})*\ln(1-(-2* \\ & I*a*d+a^2*d+c*b^2-d)*(I+a+b*x)^2/(1+(b*x+a)^2)/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/ \\ & 2)+d}))*\arccot(b*x+a)+1/2*b/d*(b^2*c*d)^{(1/2)}/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/2) \\ &)+d)*\arccot(b*x+a)^2-b/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/2)+d})*\arccot(b*x+a)^2+1/2 \\ & /b*(b^2*c*d)^{(1/2)}/c/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/2)+d})*\arccot(b*x+a)^2+1/2/ \\ & b*(b^2*c*d)^{(1/2)}/c/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/2)+d})*\arccot(b*x+a)^2*a^2+1 \\ & /4*b/d*(b^2*c*d)^{(1/2)}/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/2)+d})*\operatorname{polylog}(2,(-2*I*a* \\ & d+a^2*d+c*b^2-d)*(I+a+b*x)^2/(1+(b*x+a)^2)/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/2)+d} \\ &))-1/2*b/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/2)+d})*\operatorname{polylog}(2,(-2*I*a*d+a^2*d+c*b^2- \\ & d)*(I+a+b*x)^2/(1+(b*x+a)^2)/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/2)+d}))+1/4/b*(b^2* \\ & c*d)^{(1/2)}/c/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/2)+d})*\operatorname{polylog}(2,(-2*I*a*d+a^2*d+c* \\ & b^2-d)*(I+a+b*x)^2/(1+(b*x+a)^2)/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/2)+d}))+1/4/b*(\\ & b^2*c*d)^{(1/2)}/c/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/2)+d})*\operatorname{polylog}(2,(-2*I*a*d+a^2* \\ & d+c*b^2-d)*(I+a+b*x)^2/(1+(b*x+a)^2)/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/2)+d}))*a^2 \\ & +1/2*I*b/d*(b^2*c*d)^{(1/2)}/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/2)+d})*\ln(1-(-2*I*a*d \\ & +a^2*d+c*b^2-d)*(I+a+b*x)^2/(1+(b*x+a)^2)/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/2)+d} \\ &)*\arccot(b*x+a)+1/2*I/b*(b^2*c*d)^{(1/2)}/c/(a^2*d+c*b^2-2*(b^2*c*d)^{(1/2)+d} \\ &)*\ln(1-(-2*I*a*d+a^2*d+c*b^2-d)*(I+a+b*x)^2/(1+(b*x+a)^2)/(a^2*d+c*b^2-2*(b^ \\ & 2*c*d)^{(1/2)+d}))*\arccot(b*x+a)+1/2*I/b*(b^2*c*d)^{(1/2)}/c/(a^2*d+c*b^2-2*(b^ \\ & 2*c*d)^{(1/2)+d})*\ln(1-(-2*I*a*d+a^2*d+c*b^2-d)*(I+a+b*x)^2/(1+(b*x+a)^2)/(a^ \\ & 2*d+c*b^2-2*(b^2*c*d)^{(1/2)+d}))*\arccot(b*x+a)*a^2-1/2*I/b*(b^2*c*d)^{(1/2)}/c \\ & /(a^2*d+c*b^2+2*(b^2*c*d)^{(1/2)+d})*\ln(1-(-2*I*a*d+a^2*d+c*b^2-d)*(I+a+b*x)^ \\ & 2/(1+(b*x+a)^2)/(a^2*d+c*b^2+2*(b^2*c*d)^{(1/2)+d}))*\arccot(b*x+a)-1/2*b/d*(b \\ & ^2*c*d)^{(1/2)}/(a^2*d+c*b^2+2*(b^2*c*d)^{(1/2)+d})*\arccot(b*x+a)^2-b/(a^2*d+c* \\ & b^2+2*(b^2*c*d)^{(1/2)+d})*\arccot(b*x+a)^2-1/2/b*(b^2*c*d)^{(1/2)}/c/(a^2*d+c*b \\ & ^2+2*(b^2*c*d)^{(1/2)+d})*\arccot(b*x+a)^2-1/2/b*(b^2*c*d)^{(1/2)}/c/(a^2*d+c*b \\ & ^2+2*(b^2*c*d)^{(1/2)+d})*\arccot(b*x+a)^2*a^2-1/4*b/d*(b^2*c*d)^{(1/2)}/(a^2*d+c \\ & *b^2+2*(b^2*c*d)^{(1/2)+d})*\operatorname{polylog}(2,(-2*I*a*d+a^2*d+c*b^2-d)*(I+a+b*x)^2/(1 \\ & +(b*x+a)^2)/(a^2*d+c*b^2+2*(b^2*c*d)^{(1/2)+d}))-1/2*b/(a^2*d+c*b^2+2*(b^2*c* \\ & d)^{(1/2)+d})*\operatorname{polylog}(2,(-2*I*a*d+a^2*d+c*b^2-d)*(I+a+b*x)^2/(1+(b*x+a)^2)/(a \\ & ^2*d+c*b^2+2*(b^2*c*d)^{(1/2)+d}))-1/4/b*(b^2*c*d)^{(1/2)}/c/(a^2*d+c*b^2+2*(b^ \\ & 2*c*d)^{(1/2)+d})*\operatorname{polylog}(2,(-2*I*a*d+a^2*d+c*b^2-d)*(I+a+b*x)^2/(1+(b*x+a)^2 \\ &)/(a^2*d+c*b^2+2*(b^2*c*d)^{(1/2)+d}))-1/4/b*(b^2*c*d)^{(1/2)}/c/(a^2*d+c*b^2+2 \\ & *(b^2*c*d)^{(1/2)+d})*\operatorname{polylog}(2,(-2*I*a*d+a^2*d+c*b^2-d)*(I+a+b*x)^2/(1+(b*x+ \\ & a)^2)/(a^2*d+c*b^2+2*(b^2*c*d)^{(1/2)+d}))*a^2 \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(d*x^2+c),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\text{arccot}(bx+a)}{dx^2+c}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(d*x^2+c),x, algorithm="fricas")

[Out] integral(arccot(b*x + a)/(d*x^2 + c), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(b*x+a)/(d*x**2+c),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{arccot}(bx+a)}{dx^2+c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(d*x^2+c),x, algorithm="giac")

[Out] integrate(arccot(b*x + a)/(d*x^2 + c), x)

$$3.108 \quad \int \frac{\cot^{-1}(a+bx)}{c+dx} dx$$

Optimal. Leaf size=152

$$\frac{i\text{PolyLog}\left(2, 1 - \frac{2b(c+dx)}{(1-i(a+bx))(-ad+bc+id)}\right)}{2d} - \frac{i\text{PolyLog}\left(2, 1 - \frac{2}{1-i(a+bx)}\right)}{2d} + \frac{\cot^{-1}(a+bx) \log\left(\frac{2b(c+dx)}{(1-i(a+bx))(-ad+bc+id)}\right)}{d} - \frac{\log\left(\frac{2b(c+dx)}{(1-i(a+bx))(-ad+bc+id)}\right)}{d}$$

[Out] -((ArcCot[a + b*x]*Log[2/(1 - I*(a + b*x))])/d) + (ArcCot[a + b*x]*Log[(2*b*(c + d*x))/((b*c + I*d - a*d)*(1 - I*(a + b*x)))]/d) - ((I/2)*PolyLog[2, 1 - 2/(1 - I*(a + b*x))])/d + ((I/2)*PolyLog[2, 1 - (2*b*(c + d*x))/((b*c + I*d - a*d)*(1 - I*(a + b*x)))]/d)

Rubi [A] time = 0.14161, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {5048, 4857, 2402, 2315, 2447}

$$\frac{i\text{PolyLog}\left(2, 1 - \frac{2b(c+dx)}{(1-i(a+bx))(-ad+bc+id)}\right)}{2d} - \frac{i\text{PolyLog}\left(2, 1 - \frac{2}{1-i(a+bx)}\right)}{2d} + \frac{\cot^{-1}(a+bx) \log\left(\frac{2b(c+dx)}{(1-i(a+bx))(-ad+bc+id)}\right)}{d} - \frac{\log\left(\frac{2b(c+dx)}{(1-i(a+bx))(-ad+bc+id)}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a + b*x]/(c + d*x), x]

[Out] -((ArcCot[a + b*x]*Log[2/(1 - I*(a + b*x))])/d) + (ArcCot[a + b*x]*Log[(2*b*(c + d*x))/((b*c + I*d - a*d)*(1 - I*(a + b*x)))]/d) - ((I/2)*PolyLog[2, 1 - 2/(1 - I*(a + b*x))])/d + ((I/2)*PolyLog[2, 1 - (2*b*(c + d*x))/((b*c + I*d - a*d)*(1 - I*(a + b*x)))]/d)

Rule 5048

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol] :> Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IGtQ[p, 0]

Rule 4857

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))/((d_.) + (e_.)*(x_.)), x_Symbol] :> -Simp[((a + b*ArcCot[c*x])*Log[2/(1 - I*c*x)])/e, x] + (-Dist[(b*c)/e, Int[Log[2/(1 - I*c*x)]/(1 + c^2*x^2), x], x] + Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))]/(1 + c^2*x^2), x], x] + Simp[((a + b*ArcCot[c*x])*Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/e, x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_.) + (e_.)*(x_.))]/((f_.) + (g_.)*(x_.)^2), x_Symbol] :> -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_.)/((d_.) + (e_.)*(x_.))], x_Symbol] :> -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rule 2447

```
Int[Log[u_]*(Pq_)^(m_), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))
/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] &&
PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u,
x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\int \frac{\cot^{-1}(a + bx)}{c + dx} dx = \frac{\text{Subst}\left(\int \frac{\cot^{-1}(x)}{\frac{bc-ad}{b} + \frac{dx}{b}} dx, x, a + bx\right)}{b}$$

$$= -\frac{\cot^{-1}(a + bx) \log\left(\frac{2}{1-i(a+bx)}\right)}{d} + \frac{\cot^{-1}(a + bx) \log\left(\frac{2b(c+dx)}{(bc+id-ad)(1-i(a+bx))}\right)}{d} - \frac{\text{Subst}\left(\int \frac{\log\left(\frac{2}{1-ix}\right)}{1+x^2} dx, x, a + bx\right)}{d}$$

$$= -\frac{\cot^{-1}(a + bx) \log\left(\frac{2}{1-i(a+bx)}\right)}{d} + \frac{\cot^{-1}(a + bx) \log\left(\frac{2b(c+dx)}{(bc+id-ad)(1-i(a+bx))}\right)}{d} + \frac{i \text{Li}_2\left(1 - \frac{2b(c+dx)}{(bc+id-ad)(1-i(a+bx))}\right)}{2d}$$

$$= -\frac{\cot^{-1}(a + bx) \log\left(\frac{2}{1-i(a+bx)}\right)}{d} + \frac{\cot^{-1}(a + bx) \log\left(\frac{2b(c+dx)}{(bc+id-ad)(1-i(a+bx))}\right)}{d} - \frac{i \text{Li}_2\left(1 - \frac{2}{1-i(a+bx)}\right)}{2d} + \frac{i \text{Li}_2\left(\frac{2b(c+dx)}{(bc+id-ad)(1-i(a+bx))}\right)}{2d}$$

Mathematica [B] time = 0.0399261, size = 345, normalized size = 2.27

$$\frac{i \text{PolyLog}\left(2, \frac{b\left(\frac{bc-ad}{b} + \frac{d(a+bx)}{b}\right)}{-ad+bc-id}\right)}{2d} - \frac{i \text{PolyLog}\left(2, \frac{b\left(\frac{bc-ad}{b} + \frac{d(a+bx)}{b}\right)}{-ad+bc+id}\right)}{2d} - \frac{i \log\left(\frac{d(a+bx-i)}{b\left(-\frac{bc-ad}{b} - \frac{id}{b}\right)}\right) \log\left(\frac{bc-ad}{b} + \frac{d(a+bx)}{b}\right)}{2d} + \frac{i \log\left(\frac{a+bx-i}{a+bx}\right) \log\left(\frac{bc-ad}{b} + \frac{d(a+bx)}{b}\right)}{2d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[ArcCot[a + b*x]/(c + d*x), x]
```

```
[Out] ((-I/2)*Log[(d*(-I + a + b*x))/(b*((-I)*d)/b - (b*c - a*d)/b)]*Log[(b*c - a*d)/b + (d*(a + b*x))/b])/d + ((I/2)*Log[(-I + a + b*x)/(a + b*x)]*Log[(b*c - a*d)/b + (d*(a + b*x))/b])/d + ((I/2)*Log[(d*(I + a + b*x))/(b*((I*d)/b - (b*c - a*d)/b)]*Log[(b*c - a*d)/b + (d*(a + b*x))/b])/d - ((I/2)*Log[(I + a + b*x)/(a + b*x)]*Log[(b*c - a*d)/b + (d*(a + b*x))/b])/d + ((I/2)*PolyLog[2, (b*((b*c - a*d)/b + (d*(a + b*x))/b))/(b*c - I*d - a*d)]/d - ((I/2)*PolyLog[2, (b*((b*c - a*d)/b + (d*(a + b*x))/b))/(b*c + I*d - a*d)]/d
```

Maple [A] time = 0.057, size = 198, normalized size = 1.3

$$\frac{\ln(d(bx + a) - ad + cb) \operatorname{arccot}(bx + a)}{d} - \frac{\frac{i}{2} \ln(d(bx + a) - ad + cb)}{d} \ln\left(\frac{id - d(bx + a)}{cb + id - ad}\right) + \frac{\frac{i}{2} \ln(d(bx + a) - ad + cb)}{d} \ln\left(\frac{d(bx + a) - ad + cb}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(arccot(b*x+a)/(d*x+c), x)
```

```
[Out] ln(d*(b*x+a)-a*d+c*b)/d*arccot(b*x+a)-1/2*I*ln(d*(b*x+a)-a*d+c*b)/d*ln((I*d-d*(b*x+a))/(c*b+I*d-a*d))+1/2*I*ln(d*(b*x+a)-a*d+c*b)/d*ln((I*d+d*(b*x+a))
```

$$\frac{1}{(I*d+a*d-c*b)} - \frac{1}{2} * I/d * \text{dilog}\left(\frac{I*d-d*(b*x+a)}{c*b+I*d-a*d}\right) + \frac{1}{2} * I/d * \text{dilog}\left(\frac{I*d+d*(b*x+a)}{I*d+a*d-c*b}\right)$$

Maxima [B] time = 1.89624, size = 382, normalized size = 2.51

$$\frac{\operatorname{arccot}(bx+a) \log(dx+c)}{d} + \frac{\arctan\left(\frac{b^2x+ab}{b}\right) \log(dx+c)}{d} + \frac{\arctan\left(\frac{bd^2x+bcd}{b^2c^2-2abcd+(a^2+1)d^2}, \frac{b^2c^2-abcd+(b^2cd-abd^2)x}{b^2c^2-2abcd+(a^2+1)d^2}\right) \log(b^2x^2+2abx+a^2+1)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(d*x+c), x, algorithm="maxima")

[Out] arccot(b*x + a)*log(d*x + c)/d + arctan((b^2*x + a*b)/b)*log(d*x + c)/d + 1/2*(arctan2((b*d^2*x + b*c*d)/(b^2*c^2 - 2*a*b*c*d + (a^2 + 1)*d^2), (b^2*c^2 - a*b*c*d + (b^2*c*d - a*b*d^2)*x)/(b^2*c^2 - 2*a*b*c*d + (a^2 + 1)*d^2))*log(b^2*x^2 + 2*a*b*x + a^2 + 1) - arctan(b*x + a)*log((b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)/(b^2*c^2 - 2*a*b*c*d + (a^2 + 1)*d^2)) + I*dilog((I*b*d*x + (I*a + 1)*d)/(-I*b*c + (I*a + 1)*d)) - I*dilog((I*b*d*x + (I*a - 1)*d)/(-I*b*c + (I*a - 1)*d))/d

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(bx+a)}{dx+c}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(d*x+c), x, algorithm="fricas")

[Out] integral(arccot(b*x + a)/(d*x + c), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(a+bx)}{c+dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(b*x+a)/(d*x+c), x)

[Out] Integral(acot(a + b*x)/(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(bx+a)}{dx+c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(d*x+c), x, algorithm="giac")

```
[Out] integrate(arccot(b*x + a)/(d*x + c), x)
```


$$3.109 \quad \int \frac{\cot^{-1}(a+bx)}{c+\frac{d}{x}} dx$$

Optimal. Leaf size=338

$$-\frac{idPolyLog\left(2, -\frac{b(cx+d)}{-bd+(a+i)c}\right)}{2c^2} + \frac{idPolyLog\left(2, \frac{b(cx+d)}{-ac+bd+ic}\right)}{2c^2} + \frac{id \log(cx+d) \log\left(\frac{c(-a-bx+i)}{-ac+bd+ic}\right)}{2c^2} - \frac{id \log\left(-\frac{-a-bx+i}{a+bx}\right) \log(cx+d)}{2c^2}$$

```
[Out] Log[I - a - b*x]/(2*b*c) + ((I/2)*(a + b*x)*Log[-((I - a - b*x)/(a + b*x))])
)/(b*c) + Log[I + a + b*x]/(2*b*c) - ((I/2)*(a + b*x)*Log[(I + a + b*x)/(a
+ b*x)])/(b*c) + ((I/2)*d*Log[(c*(I - a - b*x))/(I*c - a*c + b*d)]*Log[d +
c*x])/c^2 - ((I/2)*d*Log[-((I - a - b*x)/(a + b*x))]*Log[d + c*x])/c^2 - ((
I/2)*d*Log[(c*(I + a + b*x))/((I + a)*c - b*d)]*Log[d + c*x])/c^2 + ((I/2)*
d*Log[(I + a + b*x)/(a + b*x)]*Log[d + c*x])/c^2 - ((I/2)*d*PolyLog[2, -((b
*(d + c*x))/((I + a)*c - b*d))])/c^2 + ((I/2)*d*PolyLog[2, (b*(d + c*x))/(I
*c - a*c + b*d))])/c^2
```

Rubi [A] time = 0.498225, antiderivative size = 422, normalized size of antiderivative = 1.25, number of steps used = 37, number of rules used = 10, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {5052, 2513, 2409, 2389, 2295, 2394, 2393, 2391, 193, 43}

$$-\frac{idPolyLog\left(2, \frac{c(-a-bx+i)}{bd+(-a+i)c}\right)}{2c^2} + \frac{idPolyLog\left(2, \frac{c(a+bx+i)}{-bd+(a+i)c}\right)}{2c^2} - \frac{id \left(\log\left(-\frac{-a-bx+i}{a+bx}\right) + \log(a+bx) - \log(a+bx-i) \right) \log(cx+d)}{2c^2}$$

Warning: Unable to verify antiderivative.

```
[In] Int[ArcCot[a + b*x]/(c + d/x), x]
```

```
[Out] ((I/2)*x*(Log[-((I - a - b*x)/(a + b*x))] + Log[a + b*x] - Log[-I + a + b*x
]))/c - ((I/2)*(I - a - b*x)*Log[-I + a + b*x])/(b*c) - ((I/2)*(I + a + b*x
)*Log[I + a + b*x])/(b*c) - ((I/2)*x*(Log[a + b*x] - Log[I + a + b*x] + Log
[(I + a + b*x)/(a + b*x)]))/c - ((I/2)*d*(Log[-((I - a - b*x)/(a + b*x))] +
Log[a + b*x] - Log[-I + a + b*x])*Log[d + c*x])/c^2 + ((I/2)*d*(Log[a + b*
x] - Log[I + a + b*x] + Log[(I + a + b*x)/(a + b*x)]*Log[d + c*x])/c^2 + (
(I/2)*d*Log[I + a + b*x]*Log[-((b*(d + c*x))/((I + a)*c - b*d))])/c^2 - ((I
/2)*d*Log[-I + a + b*x]*Log[(b*(d + c*x))/((I - a)*c + b*d)])/c^2 - ((I/2)*
d*PolyLog[2, (c*(I - a - b*x))/((I - a)*c + b*d)]/c^2 + ((I/2)*d*PolyLog[2
, (c*(I + a + b*x))/((I + a)*c - b*d)]/c^2
```

Rule 5052

```
Int[ArcCot[(a_) + (b_.)*(x_)]/((c_) + (d_.)*(x_)^(n_.)), x_Symbol] := Dist[
I/2, Int[Log[(-I + a + b*x)/(a + b*x)]/(c + d*x^n), x], x] - Dist[I/2, Int[
Log[(I + a + b*x)/(a + b*x)]/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d}, x]
&& RationalQ[n]
```

Rule 2513

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_)^(p_.))*((c_.) + (d_.)*(x_)^(q_.))
^(r_.)]*(RFx_), x_Symbol] := Dist[p*r, Int[RFx*Log[a + b*x], x], x] + (Dis
t[q*r, Int[RFx*Log[c + d*x], x], x] - Dist[p*r*Log[a + b*x] + q*r*Log[c + d
*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r], Int[RFx, x], x]) /; FreeQ[{a, b
, c, d, e, f, p, q, r}, x] && RationalFunctionQ[RFx, x] && NeQ[b*c - a*d, 0
] && !MatchQ[RFx, (u_.)*(a + b*x)^(m_.)*(c + d*x)^(n_.)] /; IntegersQ[m, n
]
```

Rule 2409

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_) + (g_.)
)*(x_)^(r_))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)
^n])^p, (f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, r}, x] && I
GtQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[r] && NeQ[r, 1]))
```

Rule 2389

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.), x_Symbol] :
> Dist[1/e, Subst[Int[(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /; FreeQ[{a
, b, c, d, e, n, p}, x]
```

Rule 2295

```
Int[Log[(c_.)*(x_)^(n_.)], x_Symbol] := Simp[x*Log[c*x^n], x] - Simp[n*x, x
] /; FreeQ[{c, n}, x]
```

Rule 2394

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))/((f_.) + (g_.)*(x_
)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x)
^n]))/g, x] - Dist[(b*e*n)/g, Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]
```

Rule 2393

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))]*(b_.))/((f_.) + (g_.)*(x_)), x_
Symbol] := Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x
], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*
(e*f - d*g), 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 193

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[x^(n*p)*(b + a/x^n)^p,
x] /; FreeQ[{a, b}, x] && LtQ[n, 0] && IntegerQ[p]
```

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(a+bx)}{c+\frac{d}{x}} dx &= \frac{1}{2}i \int \frac{\log\left(\frac{-i+a+bx}{a+bx}\right)}{c+\frac{d}{x}} dx - \frac{1}{2}i \int \frac{\log\left(\frac{i+a+bx}{a+bx}\right)}{c+\frac{d}{x}} dx \\
&= \frac{1}{2}i \int \frac{\log(-i+a+bx)}{c+\frac{d}{x}} dx - \frac{1}{2}i \int \frac{\log(i+a+bx)}{c+\frac{d}{x}} dx - \frac{1}{2} \left(i \left(-\log(a+bx) + \log(-i+a+bx) \right) \right) \\
&= \frac{1}{2}i \int \left(\frac{\log(-i+a+bx)}{c} - \frac{d \log(-i+a+bx)}{c(d+cx)} \right) dx - \frac{1}{2}i \int \left(\frac{\log(i+a+bx)}{c} - \frac{d \log(i+a+bx)}{c(d+cx)} \right) dx \\
&= \frac{i \int \log(-i+a+bx) dx}{2c} - \frac{i \int \log(i+a+bx) dx}{2c} - \frac{(id) \int \frac{\log(-i+a+bx)}{d+cx} dx}{2c} + \frac{(id) \int \frac{\log(i+a+bx)}{d+cx} dx}{2c} \\
&= \frac{ix \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) - \log(-i+a+bx) \right)}{2c} - \frac{ix \left(\log(a+bx) - \log(i+a+bx) + \log\left(\frac{i-a-bx}{a+bx}\right) \right)}{2c} \\
&= \frac{ix \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) - \log(-i+a+bx) \right)}{2c} - \frac{i(i-a-bx) \log(-i+a+bx)}{2bc} - \frac{i(i+a+bx) \log(i+a+bx)}{2bc} \\
&= \frac{ix \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) - \log(-i+a+bx) \right)}{2c} - \frac{i(i-a-bx) \log(-i+a+bx)}{2bc} - \frac{i(i+a+bx) \log(i+a+bx)}{2bc}
\end{aligned}$$

Mathematica [A] time = 9.24453, size = 602, normalized size = 1.78

$$\frac{\left((a+bx)^2 + 1 \right) \left(-ibcd \operatorname{PolyLog}\left(2, \exp\left(2i \left(\cot^{-1}(a+bx) - \tan^{-1}\left(\frac{c}{ac-bd} \right) \right) \right) \right) + ibcd \operatorname{PolyLog}\left(2, e^{2i \cot^{-1}(a+bx)} \right) + abc \right)}{2c^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[a + b*x]/(c + d/x), x]

[Out] $-\left((1 + (a + b*x)^2) * (I*b*c*d*Pi*ArcCot[a + b*x] - 2*c^2*(a + b*x)*ArcCot[a + b*x] + I*b*c*d*ArcCot[a + b*x]^2 - a*b*c*d*ArcCot[a + b*x]^2 + b^2*d^2*ArcCot[a + b*x]^2 + (a*b*c*d*sqrt(((1 + a^2)*c^2 - 2*a*b*c*d + b^2*d^2)/(a*c - b*d)^2)*ArcCot[a + b*x]^2)/E^{(I*ArcTan[c/(a*c - b*d)])} - (b^2*d^2*sqrt(((1 + a^2)*c^2 - 2*a*b*c*d + b^2*d^2)/(a*c - b*d)^2)*ArcCot[a + b*x]^2)/E^{(I*ArcTan[c/(a*c - b*d)])} + (2*I)*b*c*d*ArcCot[a + b*x]*ArcTan[c/(a*c - b*d)] + b*c*d*Pi*Log[1 + E^{((-2*I)*ArcCot[a + b*x])}] - 2*b*c*d*ArcCot[a + b*x]*Log[1 - E^{((2*I)*ArcCot[a + b*x])}] + 2*b*c*d*ArcCot[a + b*x]*Log[1 - E^{((2*I)*(ArcCot[a + b*x] - ArcTan[c/(a*c - b*d)])} - 2*b*c*d*ArcTan[c/(a*c - b*d)]*Log[1 - E^{((2*I)*(ArcCot[a + b*x] - ArcTan[c/(a*c - b*d)])} - b*c*d*Pi*Log[1/sqrt[1 + (a + b*x)^{-2}]] + 2*c^2*Log[1/((a + b*x)*sqrt[1 + (a + b*x)^{-2}])] + 2*b*c*d*ArcTan[c/(a*c - b*d)]*Log[Sin[ArcCot[a + b*x] - ArcTan[c/(a*c - b*d)]]] + I*b*c*d*PolyLog[2, E^{((2*I)*ArcCot[a + b*x])}] - I*b*c*d*PolyLog[2, E^{((2*I)*(ArcCot[a + b*x] - ArcTan[c/(a*c - b*d)])}))/((2*b*c^3*(a + b*x)^2*sqrt[(1 + a^2 + 2*a*b*x + b^2*x^2)/(a + b*x)^2]*sqrt[1 + (a + b*x)^{-2}])$

Maple [A] time = 0.066, size = 317, normalized size = 0.9

$$\frac{\operatorname{arccot}(bx+a)}{c} + \frac{\operatorname{arccot}(bx+a)a}{cb} - \frac{\operatorname{arccot}(bx+a)d \ln(c(bx+a) - ac + bd)}{c^2} + \frac{\ln(a^2c^2 - 2abcd + b^2d^2 + 2ac)}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccot(b*x+a)/(c+d/x),x)`

[Out] $\operatorname{arccot}(b*x+a)/c*x+1/b*\operatorname{arccot}(b*x+a)/c*a-\operatorname{arccot}(b*x+a)*d/c^2*\ln(c*(b*x+a)-a*c+b*d)+1/2/b/c*\ln(a^2*c^2-2*a*b*c*d+b^2*d^2+2*a*c*(c*(b*x+a)-a*c+b*d)-2*(c*(b*x+a)-a*c+b*d)*b*d+(c*(b*x+a)-a*c+b*d)^2+c^2)+1/2*I/c^2*d*\ln(c*(b*x+a)-a*c+b*d)*\ln((I*c-c*(b*x+a))/(I*c-a*c+b*d))-1/2*I/c^2*d*\ln(c*(b*x+a)-a*c+b*d)*\ln((I*c+c*(b*x+a))/(I*c+a*c-b*d))+1/2*I/c^2*d*\operatorname{dilog}((I*c-c*(b*x+a))/(I*c-a*c+b*d))-1/2*I/c^2*d*\operatorname{dilog}((I*c+c*(b*x+a))/(I*c+a*c-b*d))$

Maxima [A] time = 1.87904, size = 378, normalized size = 1.12

$$\frac{2bcx \arctan(1, bx + a) - bd \arctan(1, bx + a) \log\left(-\frac{b^2c^2x^2 + 2b^2cdx + b^2d^2}{2abcd - b^2d^2 - (a^2 + 1)c^2}\right) - 2ac \arctan(bx + a) + i bd \operatorname{Li}_2\left(\frac{bcx + (a+i)c}{(a+i)c - bd}\right) - ib}{2bc^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(b*x+a)/(c+d/x),x, algorithm="maxima")`

[Out] $1/2*(2*b*c*x*\arctan2(1, b*x + a) - b*d*\arctan2(1, b*x + a)*\log(-(b^2*c^2*x^2 + 2*b^2*c*d*x + b^2*d^2)/(2*a*b*c*d - b^2*d^2 - (a^2 + 1)*c^2)) - 2*a*c*a*\arctan(b*x + a) + I*b*d*\operatorname{dilog}((b*c*x + (a + I)*c)/((a + I)*c - b*d)) - I*b*d*\operatorname{dilog}((b*c*x + (a - I)*c)/((a - I)*c - b*d)) - (b*d*\arctan2(-(b*c^2*x + b*c*d)/(2*a*b*c*d - b^2*d^2 - (a^2 + 1)*c^2), (a*b*c*d - b^2*d^2 + (a*b*c^2 - b^2*c*d)*x)/(2*a*b*c*d - b^2*d^2 - (a^2 + 1)*c^2)) - c)*\log(b^2*x^2 + 2*a*b*x + a^2 + 1))/(b*c^2)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{x \operatorname{arccot}(bx + a)}{cx + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(b*x+a)/(c+d/x),x, algorithm="fricas")`

[Out] `integral(x*arccot(b*x + a)/(c*x + d), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x \operatorname{acot}(a + bx)}{cx + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acot(b*x+a)/(c+d/x),x)`

[Out] `Integral(x*acot(a + b*x)/(c*x + d), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(bx + a)}{c + \frac{d}{x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(c+d/x),x, algorithm="giac")

[Out] integrate(arccot(b*x + a)/(c + d/x), x)

$$3.110 \quad \int \frac{\cot^{-1}(a+bx)}{c + \frac{d}{x^2}} dx$$

Optimal. Leaf size=735

$$\frac{\sqrt{d}\text{PolyLog}\left(2, \frac{b(\sqrt{d}-i\sqrt{cx})}{b\sqrt{d}+(1+ia)\sqrt{c}}\right)}{4c^{3/2}} + \frac{\sqrt{d}\text{PolyLog}\left(2, \frac{b(\sqrt{d}-i\sqrt{cx})}{b\sqrt{d}+i(a+i)\sqrt{c}}\right)}{4c^{3/2}} + \frac{\sqrt{d}\text{PolyLog}\left(2, -\frac{b(\sqrt{d}+i\sqrt{cx})}{-b\sqrt{d}+(1+ia)\sqrt{c}}\right)}{4c^{3/2}} - \frac{\sqrt{d}\text{PolyLog}\left(2, \frac{b(\sqrt{d}+i\sqrt{cx})}{b\sqrt{d}+i(a+i)\sqrt{c}}\right)}{4c^{3/2}}$$

[Out] Log[I - a - b*x]/(2*b*c) + ((I/2)*(a + b*x)*Log[-((I - a - b*x)/(a + b*x))])/(b*c) - ((I/2)*Sqrt[d]*ArcTan[(Sqrt[c]*x)/Sqrt[d]]*Log[-((I - a - b*x)/(a + b*x))])/c^(3/2) + Log[I + a + b*x]/(2*b*c) - ((I/2)*(a + b*x)*Log[(I + a + b*x)/(a + b*x)])/(b*c) + ((I/2)*Sqrt[d]*ArcTan[(Sqrt[c]*x)/Sqrt[d]]*Log[(I + a + b*x)/(a + b*x)]/c^(3/2) - (Sqrt[d]*Log[(Sqrt[c]*(I - a - b*x))/((I - a)*Sqrt[c] + I*b*Sqrt[d])])*Log[1 - (I*Sqrt[c]*x)/Sqrt[d]]/(4*c^(3/2)) + (Sqrt[d]*Log[(Sqrt[c]*(I + a + b*x))/((I + a)*Sqrt[c] - I*b*Sqrt[d])])*Log[1 - (I*Sqrt[c]*x)/Sqrt[d]]/(4*c^(3/2)) + (Sqrt[d]*Log[(Sqrt[c]*(I - a - b*x))/((I - a)*Sqrt[c] - I*b*Sqrt[d])])*Log[1 + (I*Sqrt[c]*x)/Sqrt[d]]/(4*c^(3/2)) - (Sqrt[d]*Log[(Sqrt[c]*(I + a + b*x))/((I + a)*Sqrt[c] + I*b*Sqrt[d])])*Log[1 + (I*Sqrt[c]*x)/Sqrt[d]]/(4*c^(3/2)) - (Sqrt[d]*PolyLog[2, (b*(Sqrt[d] - I*Sqrt[c]*x))/((1 + I*a)*Sqrt[c] + b*Sqrt[d])])/(4*c^(3/2)) + (Sqrt[d]*PolyLog[2, (b*(Sqrt[d] - I*Sqrt[c]*x))/(I*(I + a)*Sqrt[c] + b*Sqrt[d])])/(4*c^(3/2)) + (Sqrt[d]*PolyLog[2, -(b*(Sqrt[d] + I*Sqrt[c]*x))/((1 + I*a)*Sqrt[c] - b*Sqrt[d])])/(4*c^(3/2)) - (Sqrt[d]*PolyLog[2, (b*(Sqrt[d] + I*Sqrt[c]*x))/((1 - I*a)*Sqrt[c] + b*Sqrt[d])])/(4*c^(3/2))

Rubi [A] time = 1.51786, antiderivative size = 818, normalized size of antiderivative = 1.11, number of steps used = 57, number of rules used = 11, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.688$, Rules used = {5052, 2513, 2409, 2389, 2295, 2394, 2393, 2391, 193, 321, 205}

$$\frac{ix \left(\log\left(-\frac{-a-bx+i}{a+bx}\right) + \log(a+bx) - \log(a+bx-i) \right)}{2c} - \frac{i\sqrt{d} \tan^{-1}\left(\frac{\sqrt{cx}}{\sqrt{d}}\right) \left(\log\left(-\frac{-a-bx+i}{a+bx}\right) + \log(a+bx) - \log(a+bx-i) \right)}{2c^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Int[ArcCot[a + b*x]/(c + d/x^2), x]

[Out] ((I/2)*x*(Log[-((I - a - b*x)/(a + b*x))]) + Log[a + b*x] - Log[-I + a + b*x])/c - ((I/2)*Sqrt[d]*ArcTan[(Sqrt[c]*x)/Sqrt[d]]*(Log[-((I - a - b*x)/(a + b*x))]) + Log[a + b*x] - Log[-I + a + b*x])/c^(3/2) - ((I/2)*(I - a - b*x)*Log[-I + a + b*x])/(b*c) - ((I/2)*(I + a + b*x)*Log[I + a + b*x])/(b*c) - ((I/2)*x*(Log[a + b*x] - Log[I + a + b*x] + Log[(I + a + b*x)/(a + b*x)]))/c + ((I/2)*Sqrt[d]*ArcTan[(Sqrt[c]*x)/Sqrt[d]]*(Log[a + b*x] - Log[I + a + b*x] + Log[(I + a + b*x)/(a + b*x)]))/c^(3/2) - ((I/4)*Sqrt[d]*Log[-I + a + b*x]*Log[-((b*(Sqrt[d] - Sqrt[-c]*x))/((I - a)*Sqrt[-c] - b*Sqrt[d]))])/(-c)^(3/2) + ((I/4)*Sqrt[d]*Log[I + a + b*x]*Log[(b*(Sqrt[d] - Sqrt[-c]*x))/((I + a)*Sqrt[-c] + b*Sqrt[d])])/(-c)^(3/2) - ((I/4)*Sqrt[d]*Log[I + a + b*x]*Log[-((b*(Sqrt[d] + Sqrt[-c]*x))/((I + a)*Sqrt[-c] - b*Sqrt[d]))])/(-c)^(3/2) + ((I/4)*Sqrt[d]*Log[-I + a + b*x]*Log[(b*(Sqrt[d] + Sqrt[-c]*x))/((I - a)*Sqrt[-c] + b*Sqrt[d])])/(-c)^(3/2) - ((I/4)*Sqrt[d]*PolyLog[2, (Sqrt[-c]*(I - a - b*x))/((I - a)*Sqrt[-c] - b*Sqrt[d])])/(-c)^(3/2) + ((I/4)*Sqrt[d]*PolyLog[2, (Sqrt[-c]*(I - a - b*x))/((I - a)*Sqrt[-c] + b*Sqrt[d])])/(-c)^(3/2) - ((I/4)*Sqrt[d]*PolyLog[2, (Sqrt[-c]*(I + a + b*x))/((I + a)*Sqrt[-c] - b*Sqrt[d])])/(-c)^(3/2) + ((I/4)*Sqrt[d]*PolyLog[2, (Sqrt[-c]*(I + a + b*x))/((I + a)*Sqrt[-c] + b*Sqrt[d])])/(-c)^(3/2)

Rule 5052

```
Int[ArcCot[(a_) + (b_)*(x_)]/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Dist[
I/2, Int[Log[(-I + a + b*x)/(a + b*x)]/(c + d*x^n), x], x] - Dist[I/2, Int[
Log[(I + a + b*x)/(a + b*x)]/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d}, x]
&& RationalQ[n]
```

Rule 2513

```
Int[Log[(e_)*((f_)*((a_) + (b_)*(x_)^(p_))*((c_) + (d_)*(x_)^(q_))
^(r_)]*(RFx_), x_Symbol] := Dist[p*r, Int[RFx*Log[a + b*x], x], x] + (Dis
t[q*r, Int[RFx*Log[c + d*x], x], x] - Dist[p*r*Log[a + b*x] + q*r*Log[c + d
*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r], Int[RFx, x], x)) /; FreeQ[{a, b
, c, d, e, f, p, q, r}, x] && RationalFunctionQ[RFx, x] && NeQ[b*c - a*d, 0
] && !MatchQ[RFx, (u_)*(a + b*x)^(m_)*(c + d*x)^(n_)] /; IntegerQ[m, n]
]
```

Rule 2409

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)^(n_))]*(b_))^(p_)*((f_) + (g_
)*(x_)^(r_))^(q_), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)
^n])^p, (f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, r}, x] && I
GtQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[r] && NeQ[r, 1]))
```

Rule 2389

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)^(n_))]*(b_))^(p_), x_Symbol] :
> Dist[1/e, Subst[Int[(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /; FreeQ[{a
, b, c, d, e, n, p}, x]
```

Rule 2295

```
Int[Log[(c_)*(x_)^(n_)], x_Symbol] := Simp[x*Log[c*x^n], x] - Simp[n*x, x
] /; FreeQ[{c, n}, x]
```

Rule 2394

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)^(n_))]*(b_))/((f_) + (g_)*(x_
)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x)
^n]))/g, x] - Dist[(b*e^n)/g, Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x)
, x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]
```

Rule 2393

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_))]*(b_))/((f_) + (g_)*(x_)), x_
Symbol] := Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x
], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*
(e*f - d*g), 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 193

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[x^(n*p)*(b + a/x^n)^p,
x] /; FreeQ[{a, b}, x] && LtQ[n, 0] && IntegerQ[p]
```

Rule 321

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(
n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[
(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x],
x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p
+ 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(a+bx)}{c+\frac{d}{x^2}} dx &= \frac{1}{2}i \int \frac{\log\left(\frac{-i+a+bx}{a+bx}\right)}{c+\frac{d}{x^2}} dx - \frac{1}{2}i \int \frac{\log\left(\frac{i+a+bx}{a+bx}\right)}{c+\frac{d}{x^2}} dx \\
&= \frac{1}{2}i \int \frac{\log(-i+a+bx)}{c+\frac{d}{x^2}} dx - \frac{1}{2}i \int \frac{\log(i+a+bx)}{c+\frac{d}{x^2}} dx - \frac{1}{2} \left(i \left(-\log(a+bx) + \log(-i+a+bx) - \log\left(\frac{i+a+bx}{a+bx}\right) \right) \right) \\
&= \frac{1}{2}i \int \left(\frac{\log(-i+a+bx)}{c} - \frac{d \log(-i+a+bx)}{c(d+cx^2)} \right) dx - \frac{1}{2}i \int \left(\frac{\log(i+a+bx)}{c} - \frac{d \log(i+a+bx)}{c(d+cx^2)} \right) dx \\
&= \frac{ix \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) - \log(-i+a+bx) \right)}{2c} - \frac{ix \left(\log(a+bx) - \log(i+a+bx) + \log\left(\frac{i+a+bx}{a+bx}\right) \right)}{2c} \\
&= \frac{ix \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) - \log(-i+a+bx) \right)}{2c} - \frac{i\sqrt{d} \tan^{-1}\left(\frac{\sqrt{cx}}{\sqrt{d}}\right) \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) \right)}{2c^{3/2}} \\
&= \frac{ix \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) - \log(-i+a+bx) \right)}{2c} - \frac{i\sqrt{d} \tan^{-1}\left(\frac{\sqrt{cx}}{\sqrt{d}}\right) \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) \right)}{2c^{3/2}} \\
&= \frac{ix \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) - \log(-i+a+bx) \right)}{2c} - \frac{i\sqrt{d} \tan^{-1}\left(\frac{\sqrt{cx}}{\sqrt{d}}\right) \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) \right)}{2c^{3/2}} \\
&= \frac{ix \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) - \log(-i+a+bx) \right)}{2c} - \frac{i\sqrt{d} \tan^{-1}\left(\frac{\sqrt{cx}}{\sqrt{d}}\right) \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) \right)}{2c^{3/2}} \\
&= \frac{ix \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) - \log(-i+a+bx) \right)}{2c} - \frac{i\sqrt{d} \tan^{-1}\left(\frac{\sqrt{cx}}{\sqrt{d}}\right) \left(\log\left(-\frac{i-a-bx}{a+bx}\right) + \log(a+bx) \right)}{2c^{3/2}}
\end{aligned}$$

Mathematica [B] time = 33.8933, size = 5117, normalized size = 6.96

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[a + b*x]/(c + d/x^2), x]

[Out] Result too large to show

Maple [C] time = 1.987, size = 52954, normalized size = 72.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccot(b*x+a)/(c+d/x^2),x)`

[Out] result too large to display

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(b*x+a)/(c+d/x^2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{x^2 \operatorname{arccot}(bx+a)}{cx^2+d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(b*x+a)/(c+d/x^2),x, algorithm="fricas")`

[Out] `integral(x^2*arccot(b*x + a)/(c*x^2 + d), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acot(b*x+a)/(c+d/x**2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(bx+a)}{c + \frac{d}{x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(b*x+a)/(c+d/x^2),x, algorithm="giac")`

[Out] `integrate(arccot(b*x + a)/(c + d/x^2), x)`

$$3.111 \quad \int \frac{\cot^{-1}(a+bx)}{c+d\sqrt{x}} dx$$

Optimal. Leaf size=693

$$\frac{icPolyLog\left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc}-\sqrt{-a-id}}\right)}{d^2} - \frac{icPolyLog\left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc}+\sqrt{-a-id}}\right)}{d^2} + \frac{icPolyLog\left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc}-\sqrt{-a+id}}\right)}{d^2} + \frac{icPolyLog\left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc}+\sqrt{-a+id}}\right)}{d^2}$$

[Out] $((-2*I)*\text{Sqrt}[I + a]*\text{ArcTan}[(\text{Sqrt}[b]*\text{Sqrt}[x])/\text{Sqrt}[I + a]])/(\text{Sqrt}[b]*d) + ((2*I)*\text{Sqrt}[I - a]*\text{ArcTanh}[(\text{Sqrt}[b]*\text{Sqrt}[x])/\text{Sqrt}[I - a]])/(\text{Sqrt}[b]*d) - (I*c*\text{Log}[(d*(\text{Sqrt}[-I - a] - \text{Sqrt}[b]*\text{Sqrt}[x]))/(\text{Sqrt}[b]*c + \text{Sqrt}[-I - a]*d)]*\text{Log}[c + d*\text{Sqrt}[x]])/d^2 + (I*c*\text{Log}[(d*(\text{Sqrt}[I - a] - \text{Sqrt}[b]*\text{Sqrt}[x]))/(\text{Sqrt}[b]*c + \text{Sqrt}[I - a]*d)]*\text{Log}[c + d*\text{Sqrt}[x]])/d^2 - (I*c*\text{Log}[-((d*(\text{Sqrt}[-I - a] + \text{Sqrt}[b]*\text{Sqrt}[x]))/(\text{Sqrt}[b]*c - \text{Sqrt}[-I - a]*d))]*\text{Log}[c + d*\text{Sqrt}[x]])/d^2 + (I*c*\text{Log}[-((d*(\text{Sqrt}[I - a] + \text{Sqrt}[b]*\text{Sqrt}[x]))/(\text{Sqrt}[b]*c - \text{Sqrt}[I - a]*d))]*\text{Log}[c + d*\text{Sqrt}[x]])/d^2 + (I*\text{Sqrt}[x]*\text{Log}[-((I - a - b*x)/(a + b*x))])/d - (I*c*\text{Log}[c + d*\text{Sqrt}[x]]*\text{Log}[-((I - a - b*x)/(a + b*x))])/d^2 - (I*\text{Sqrt}[x]*\text{Log}[(I + a + b*x)/(a + b*x)]/d + (I*c*\text{Log}[c + d*\text{Sqrt}[x]]*\text{Log}[(I + a + b*x)/(a + b*x)]/d^2 - (I*c*\text{PolyLog}[2, (\text{Sqrt}[b]*(c + d*\text{Sqrt}[x]))/(\text{Sqrt}[b]*c - \text{Sqrt}[-I - a]*d)]/d^2 - (I*c*\text{PolyLog}[2, (\text{Sqrt}[b]*(c + d*\text{Sqrt}[x]))/(\text{Sqrt}[b]*c + \text{Sqrt}[-I - a]*d)]/d^2 + (I*c*\text{PolyLog}[2, (\text{Sqrt}[b]*(c + d*\text{Sqrt}[x]))/(\text{Sqrt}[b]*c - \text{Sqrt}[I - a]*d)]/d^2 + (I*c*\text{PolyLog}[2, (\text{Sqrt}[b]*(c + d*\text{Sqrt}[x]))/(\text{Sqrt}[b]*c + \text{Sqrt}[I - a]*d)]/d^2$

Rubi [A] time = 2.06471, antiderivative size = 693, normalized size of antiderivative = 1., number of steps used = 55, number of rules used = 16, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.889$, Rules used = {5052, 190, 43, 2528, 2523, 12, 481, 205, 208, 2524, 2418, 260, 2416, 2394, 2393, 2391}

$$\frac{icPolyLog\left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc}-\sqrt{-a-id}}\right)}{d^2} - \frac{icPolyLog\left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc}+\sqrt{-a-id}}\right)}{d^2} + \frac{icPolyLog\left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc}-\sqrt{-a+id}}\right)}{d^2} + \frac{icPolyLog\left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc}+\sqrt{-a+id}}\right)}{d^2}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a + b*x]/(c + d*Sqrt[x]), x]

[Out] $((-2*I)*\text{Sqrt}[I + a]*\text{ArcTan}[(\text{Sqrt}[b]*\text{Sqrt}[x])/\text{Sqrt}[I + a]])/(\text{Sqrt}[b]*d) + ((2*I)*\text{Sqrt}[I - a]*\text{ArcTanh}[(\text{Sqrt}[b]*\text{Sqrt}[x])/\text{Sqrt}[I - a]])/(\text{Sqrt}[b]*d) - (I*c*\text{Log}[(d*(\text{Sqrt}[-I - a] - \text{Sqrt}[b]*\text{Sqrt}[x]))/(\text{Sqrt}[b]*c + \text{Sqrt}[-I - a]*d)]*\text{Log}[c + d*\text{Sqrt}[x]])/d^2 + (I*c*\text{Log}[(d*(\text{Sqrt}[I - a] - \text{Sqrt}[b]*\text{Sqrt}[x]))/(\text{Sqrt}[b]*c + \text{Sqrt}[I - a]*d)]*\text{Log}[c + d*\text{Sqrt}[x]])/d^2 - (I*c*\text{Log}[-((d*(\text{Sqrt}[-I - a] + \text{Sqrt}[b]*\text{Sqrt}[x]))/(\text{Sqrt}[b]*c - \text{Sqrt}[-I - a]*d))]*\text{Log}[c + d*\text{Sqrt}[x]])/d^2 + (I*c*\text{Log}[-((d*(\text{Sqrt}[I - a] + \text{Sqrt}[b]*\text{Sqrt}[x]))/(\text{Sqrt}[b]*c - \text{Sqrt}[I - a]*d))]*\text{Log}[c + d*\text{Sqrt}[x]])/d^2 + (I*\text{Sqrt}[x]*\text{Log}[-((I - a - b*x)/(a + b*x))])/d - (I*c*\text{Log}[c + d*\text{Sqrt}[x]]*\text{Log}[-((I - a - b*x)/(a + b*x))])/d^2 - (I*\text{Sqrt}[x]*\text{Log}[(I + a + b*x)/(a + b*x)]/d + (I*c*\text{Log}[c + d*\text{Sqrt}[x]]*\text{Log}[(I + a + b*x)/(a + b*x)]/d^2 - (I*c*\text{PolyLog}[2, (\text{Sqrt}[b]*(c + d*\text{Sqrt}[x]))/(\text{Sqrt}[b]*c - \text{Sqrt}[-I - a]*d)]/d^2 - (I*c*\text{PolyLog}[2, (\text{Sqrt}[b]*(c + d*\text{Sqrt}[x]))/(\text{Sqrt}[b]*c + \text{Sqrt}[-I - a]*d)]/d^2 + (I*c*\text{PolyLog}[2, (\text{Sqrt}[b]*(c + d*\text{Sqrt}[x]))/(\text{Sqrt}[b]*c - \text{Sqrt}[I - a]*d)]/d^2 + (I*c*\text{PolyLog}[2, (\text{Sqrt}[b]*(c + d*\text{Sqrt}[x]))/(\text{Sqrt}[b]*c + \text{Sqrt}[I - a]*d)]/d^2$

Rule 5052

```
Int[ArcCot[(a_) + (b_)*(x_)]/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Dist[
I/2, Int[Log[(-I + a + b*x)/(a + b*x)]/(c + d*x^n), x], x] - Dist[I/2, Int[
Log[(I + a + b*x)/(a + b*x)]/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d}, x]
&& RationalQ[n]
```

Rule 190

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(1/n
- 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, p}, x] && FractionQ[n] &&
IntegerQ[1/n]
```

Rule 43

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 2528

```
Int[((a_) + Log[(c_)*(Rfx_)^(p_)])*(b_)^(n_)*(RGx_), x_Symbol] := With
[{u = ExpandIntegrand[(a + b*Log[c*Rfx^p])^n, RGx, x]}, Int[u, x] /; SumQ[
]] /; FreeQ[{a, b, c, p}, x] && RationalFunctionQ[Rfx, x] && RationalFunci
onQ[RGx, x] && IGtQ[n, 0]
```

Rule 2523

```
Int[((a_) + Log[(c_)*(Rfx_)^(p_)])*(b_)^(n_), x_Symbol] := Simp[x*(a +
b*Log[c*Rfx^p])^n, x] - Dist[b*n*p, Int[SimplifyIntegrand[(x*(a + b*Log[c*
Rfx^p])^(n - 1)*D[Rfx, x])/Rfx, x], x] /; FreeQ[{a, b, c, p}, x] && Rat
ionalFunctionQ[Rfx, x] && IGtQ[n, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 481

```
Int[((e_)*(x_)^(m_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(n_)),
x_Symbol] := -Dist[(a*e^n)/(b*c - a*d), Int[(e*x)^(m - n)/(a + b*x^n), x],
x] + Dist[(c*e^n)/(b*c - a*d), Int[(e*x)^(m - n)/(c + d*x^n), x], x] /; Fr
eeQ[{a, b, c, d, e, m}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LeQ[n, m,
2*n - 1]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 2524

```
Int[((a_) + Log[(c_)*(Rfx_)^(p_)])*(b_)^(n_)/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[(Log[d + e*x]*(a + b*Log[c*Rfx^p])^n)/e, x] - Dist[(b*n*p)/e
```

```
, Int[(Log[d + e*x]*(a + b*Log[c*RFx^p])^(n - 1)*D[RFx, x])/RFx, x], x] /;
FreeQ[{a, b, c, d, e, p}, x] && RationalFunctionQ[RFx, x] && IGtQ[n, 0]
```

Rule 2418

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*(RFx_), x_Sy
mbol] :=> With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]},
Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[
RFx, x] && IntegerQ[p]
```

Rule 260

```
Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :=> Simp[Log[RemoveConten
t[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 2416

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*((h_.)*(x_)
^(m_.)*((f_) + (g_.)*(x_)^(r_.))^(q_.), x_Symbol] :=> Int[ExpandIntegrand[(a
+ b*Log[c*(d + e*x)^n])^p, (h*x)^m*(f + g*x^r)^q, x], x] /; FreeQ[{a, b, c
, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]
```

Rule 2394

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))/((f_.) + (g_.)*(x_
)), x_Symbol] :=> Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x
)^n]))/g, x] - Dist[(b*e*n)/g, Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x
), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]
```

Rule 2393

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))/((f_.) + (g_.)*(x_
)), x_Symbol] :=> Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x
], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*
(e*f - d*g), 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :=> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(a+bx)}{c+d\sqrt{x}} dx &= \frac{1}{2}i \int \frac{\log\left(\frac{-i+a+bx}{a+bx}\right)}{c+d\sqrt{x}} dx - \frac{1}{2}i \int \frac{\log\left(\frac{i+a+bx}{a+bx}\right)}{c+d\sqrt{x}} dx \\
&= i \operatorname{Subst} \left(\int \frac{x \log\left(\frac{-i+a+bx^2}{a+bx^2}\right)}{c+dx} dx, x, \sqrt{x} \right) - i \operatorname{Subst} \left(\int \frac{x \log\left(\frac{i+a+bx^2}{a+bx^2}\right)}{c+dx} dx, x, \sqrt{x} \right) \\
&= i \operatorname{Subst} \left(\int \left(\frac{\log\left(\frac{-i+a+bx^2}{a+bx^2}\right)}{d} - \frac{c \log\left(\frac{-i+a+bx^2}{a+bx^2}\right)}{d(c+dx)} \right) dx, x, \sqrt{x} \right) - i \operatorname{Subst} \left(\int \left(\frac{\log\left(\frac{i+a+bx^2}{a+bx^2}\right)}{d} - \frac{c \log\left(\frac{i+a+bx^2}{a+bx^2}\right)}{d(c+dx)} \right) dx, x, \sqrt{x} \right) \\
&= \frac{i \operatorname{Subst} \left(\int \log\left(\frac{-i+a+bx^2}{a+bx^2}\right) dx, x, \sqrt{x} \right)}{d} - \frac{i \operatorname{Subst} \left(\int \log\left(\frac{i+a+bx^2}{a+bx^2}\right) dx, x, \sqrt{x} \right)}{d} - \frac{(ic) \operatorname{Subst} \left(\int \frac{\log\left(\frac{-i+a+bx^2}{a+bx^2}\right)}{c+dx} dx, x, \sqrt{x} \right)}{d} + \frac{(ic) \operatorname{Subst} \left(\int \frac{\log\left(\frac{i+a+bx^2}{a+bx^2}\right)}{c+dx} dx, x, \sqrt{x} \right)}{d} \\
&= \frac{i\sqrt{x} \log\left(-\frac{i-a-bx}{a+bx}\right)}{d} - \frac{ic \log(c+d\sqrt{x}) \log\left(-\frac{i-a-bx}{a+bx}\right)}{d^2} - \frac{i\sqrt{x} \log\left(\frac{i+a+bx}{a+bx}\right)}{d} + \frac{ic \log(c+d\sqrt{x}) \log\left(\frac{i+a+bx}{a+bx}\right)}{d^2} \\
&= \frac{i\sqrt{x} \log\left(-\frac{i-a-bx}{a+bx}\right)}{d} - \frac{ic \log(c+d\sqrt{x}) \log\left(-\frac{i-a-bx}{a+bx}\right)}{d^2} - \frac{i\sqrt{x} \log\left(\frac{i+a+bx}{a+bx}\right)}{d} + \frac{ic \log(c+d\sqrt{x}) \log\left(\frac{i+a+bx}{a+bx}\right)}{d^2} \\
&= \frac{i\sqrt{x} \log\left(-\frac{i-a-bx}{a+bx}\right)}{d} - \frac{ic \log(c+d\sqrt{x}) \log\left(-\frac{i-a-bx}{a+bx}\right)}{d^2} - \frac{i\sqrt{x} \log\left(\frac{i+a+bx}{a+bx}\right)}{d} + \frac{ic \log(c+d\sqrt{x}) \log\left(\frac{i+a+bx}{a+bx}\right)}{d^2} \\
&= -\frac{2i\sqrt{i+a} \tan^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i+a}}\right)}{\sqrt{bd}} + \frac{2i\sqrt{i-a} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i-a}}\right)}{\sqrt{bd}} + \frac{i\sqrt{x} \log\left(-\frac{i-a-bx}{a+bx}\right)}{d} - \frac{ic \log(c+d\sqrt{x}) \log\left(-\frac{i-a-bx}{a+bx}\right)}{d^2} \\
&= -\frac{2i\sqrt{i+a} \tan^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i+a}}\right)}{\sqrt{bd}} + \frac{2i\sqrt{i-a} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i-a}}\right)}{\sqrt{bd}} + \frac{i\sqrt{x} \log\left(-\frac{i-a-bx}{a+bx}\right)}{d} - \frac{ic \log(c+d\sqrt{x}) \log\left(-\frac{i-a-bx}{a+bx}\right)}{d^2} \\
&= -\frac{2i\sqrt{i+a} \tan^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i+a}}\right)}{\sqrt{bd}} + \frac{2i\sqrt{i-a} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i-a}}\right)}{\sqrt{bd}} - \frac{ic \log\left(\frac{d(\sqrt{-i-a}-\sqrt{b}\sqrt{x})}{\sqrt{bc+\sqrt{-i-ad}}}\right) \log(c+d\sqrt{x})}{d^2} + \frac{ic \log\left(\frac{d(\sqrt{-i-a}+\sqrt{b}\sqrt{x})}{\sqrt{bc+\sqrt{-i-ad}}}\right) \log(c+d\sqrt{x})}{d^2} \\
&= -\frac{2i\sqrt{i+a} \tan^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i+a}}\right)}{\sqrt{bd}} + \frac{2i\sqrt{i-a} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i-a}}\right)}{\sqrt{bd}} - \frac{ic \log\left(\frac{d(\sqrt{-i-a}-\sqrt{b}\sqrt{x})}{\sqrt{bc+\sqrt{-i-ad}}}\right) \log(c+d\sqrt{x})}{d^2} + \frac{ic \log\left(\frac{d(\sqrt{-i-a}+\sqrt{b}\sqrt{x})}{\sqrt{bc+\sqrt{-i-ad}}}\right) \log(c+d\sqrt{x})}{d^2} \\
&= -\frac{2i\sqrt{i+a} \tan^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i+a}}\right)}{\sqrt{bd}} + \frac{2i\sqrt{i-a} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i-a}}\right)}{\sqrt{bd}} - \frac{ic \log\left(\frac{d(\sqrt{-i-a}-\sqrt{b}\sqrt{x})}{\sqrt{bc+\sqrt{-i-ad}}}\right) \log(c+d\sqrt{x})}{d^2} + \frac{ic \log\left(\frac{d(\sqrt{-i-a}+\sqrt{b}\sqrt{x})}{\sqrt{bc+\sqrt{-i-ad}}}\right) \log(c+d\sqrt{x})}{d^2}
\end{aligned}$$

Mathematica [A] time = 0.73575, size = 618, normalized size = 0.89

$$i \left(c \operatorname{PolyLog} \left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc-\sqrt{-a-id}}} \right) + c \operatorname{PolyLog} \left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc+\sqrt{-a-id}}} \right) - c \operatorname{PolyLog} \left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc-\sqrt{-a+id}}} \right) - c \operatorname{PolyLog} \left(2, \frac{\sqrt{b}(c+d\sqrt{x})}{\sqrt{bc+\sqrt{-a+id}}} \right) \right) +$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a + b*x]/(c + d*Sqrt[x]), x]

```
[Out] ((-1)*((2*Sqrt[I + a]*d*ArcTan[(Sqrt[b]*Sqrt[x])/Sqrt[I + a]])/Sqrt[b] - (2
*Sqrt[I - a]*d*ArcTanh[(Sqrt[b]*Sqrt[x])/Sqrt[I - a]])/Sqrt[b] + c*Log[(d*(
Sqrt[-I - a] - Sqrt[b]*Sqrt[x]))/(Sqrt[b]*c + Sqrt[-I - a]*d))*Log[c + d*Sq
rt[x]] - c*Log[(d*(Sqrt[I - a] - Sqrt[b]*Sqrt[x]))/(Sqrt[b]*c + Sqrt[I - a]
*d))*Log[c + d*Sqrt[x]] + c*Log[(d*(Sqrt[-I - a] + Sqrt[b]*Sqrt[x]))/(-(Sqr
t[b]*c) + Sqrt[-I - a]*d))*Log[c + d*Sqrt[x]] - c*Log[(d*(Sqrt[I - a] + Sqr
t[b]*Sqrt[x]))/(-(Sqrt[b]*c) + Sqrt[I - a]*d))*Log[c + d*Sqrt[x]] - d*Sqrt[
x]*Log[(-I + a + b*x)/(a + b*x)] + c*Log[c + d*Sqrt[x]]*Log[(-I + a + b*x)/
(a + b*x)] + d*Sqrt[x]*Log[(I + a + b*x)/(a + b*x)] - c*Log[c + d*Sqrt[x]]*
Log[(I + a + b*x)/(a + b*x)] + c*PolyLog[2, (Sqrt[b]*(c + d*Sqrt[x]))/(Sqrt
[b]*c - Sqrt[-I - a]*d)] + c*PolyLog[2, (Sqrt[b]*(c + d*Sqrt[x]))/(Sqrt[b]*
c + Sqrt[-I - a]*d)] - c*PolyLog[2, (Sqrt[b]*(c + d*Sqrt[x]))/(Sqrt[b]*c -
Sqrt[I - a]*d)] - c*PolyLog[2, (Sqrt[b]*(c + d*Sqrt[x]))/(Sqrt[b]*c + Sqrt[
I - a]*d)))]/d^2
```

Maple [C] time = 0.231, size = 343, normalized size = 0.5

$$2 \frac{\operatorname{arccot}(bx+a)\sqrt{x}}{d} - 2 \frac{\operatorname{arccot}(bx+a)c \ln(c+d\sqrt{x})}{d^2} - c \sum_{\substack{_R1=\operatorname{RootOf}(b^2_Z^4-4cb^2_Z^3+(2abd^2+6b^2c^2)_Z^2+(-4abcd^2-4b^2c^3)_Z+a^2d^4)}} \frac{1}{(_R1^2b-2_R1*b*c+a*d^2+b*c^2)*(\ln(c+d*x^{(1/2)})*\ln((-d*x^{(1/2)}+_R1-c)/_R1)+\operatorname{dilog}((-d*x^{(1/2)}+_R1-c)/_R1))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(arccot(b*x+a)/(c+d*x^(1/2)),x)
```

```
[Out] 2*arccot(b*x+a)*x^(1/2)/d-2*arccot(b*x+a)*c/d^2*ln(c+d*x^(1/2))-c*sum(1/(_R
1^2*b-2*_R1*b*c+a*d^2+b*c^2)*(\ln(c+d*x^(1/2))*\ln((-d*x^(1/2)+_R1-c)/_R1)+di
log((-d*x^(1/2)+_R1-c)/_R1)),_R1=RootOf(b^2*_Z^4-4*c*b^2*_Z^3+(2*a*b*d^2+6*
b^2*c^2)*_Z^2+(-4*a*b*c*d^2-4*b^2*c^3)*_Z+a^2*d^4+2*a*b*c^2*d^2+b^2*c^4+d^4
))+sum((\_R^2-2*_R*c+c^2)/(\_R^3*b-3*_R^2*b*c+_R*a*d^2+3*_R*b*c^2-a*c*d^2-b*c
^3)*\ln(d*x^(1/2)-_R+c),_R=RootOf(b^2*_Z^4-4*c*b^2*_Z^3+(2*a*b*d^2+6*b^2*c^2
)*_Z^2+(-4*a*b*c*d^2-4*b^2*c^3)*_Z+a^2*d^4+2*a*b*c^2*d^2+b^2*c^4+d^4))
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(bx+a)}{d\sqrt{x}+c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(b*x+a)/(c+d*x^(1/2)),x, algorithm="maxima")
```

```
[Out] integrate(arccot(b*x + a)/(d*sqrt(x) + c), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{d\sqrt{x} \operatorname{arccot}(bx+a) - c \operatorname{arccot}(bx+a)}{d^2x - c^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(b*x+a)/(c+d*x^(1/2)),x, algorithm="fricas")
```

[Out] `integral((d*sqrt(x)*arccot(b*x + a) - c*arccot(b*x + a))/(d^2*x - c^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acot(b*x+a)/(c+d*x**(1/2)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(bx + a)}{d\sqrt{x} + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(b*x+a)/(c+d*x^(1/2)),x, algorithm="giac")`

[Out] `integrate(arccot(b*x + a)/(d*sqrt(x) + c), x)`

$$3.112 \quad \int \frac{\cot^{-1}(a+bx)}{c + \frac{d}{\sqrt{x}}} dx$$

Optimal. Leaf size=830

$$\frac{i \log\left(\frac{c(\sqrt{-a-i}-\sqrt{b}\sqrt{x})}{\sqrt{-a-ic}+\sqrt{bd}}\right) \log(\sqrt{xc+d}) d^2}{c^3} - \frac{i \log\left(\frac{c(\sqrt{i-a}-\sqrt{b}\sqrt{x})}{\sqrt{i-ac}+\sqrt{bd}}\right) \log(\sqrt{xc+d}) d^2}{c^3} + \frac{i \log\left(\frac{c(\sqrt{-a-i}+\sqrt{b}\sqrt{x})}{\sqrt{-a-ic}-\sqrt{bd}}\right) \log(\sqrt{xc+d}) d^2}{c^3}$$

```
[Out] ((2*I)*Sqrt[I + a]*d*ArcTan[(Sqrt[b]*Sqrt[x])/Sqrt[I + a]]/(Sqrt[b]*c^2) -
((2*I)*Sqrt[I - a]*d*ArcTanh[(Sqrt[b]*Sqrt[x])/Sqrt[I - a]]/(Sqrt[b]*c^2)
+ (I*d^2*Log[(c*(Sqrt[-I - a] - Sqrt[b]*Sqrt[x]))/(Sqrt[-I - a]*c + Sqrt[b]
*d)]*Log[d + c*Sqrt[x]])/c^3 - (I*d^2*Log[(c*(Sqrt[I - a] - Sqrt[b]*Sqrt[x]
)))/(Sqrt[I - a]*c + Sqrt[b]*d)]*Log[d + c*Sqrt[x]])/c^3 + (I*d^2*Log[(c*(S
qrt[-I - a] + Sqrt[b]*Sqrt[x]))/(Sqrt[-I - a]*c - Sqrt[b]*d)]*Log[d + c*Sqr
t[x]])/c^3 - (I*d^2*Log[(c*(Sqrt[I - a] + Sqrt[b]*Sqrt[x]))/(Sqrt[I - a]*c
- Sqrt[b]*d)]*Log[d + c*Sqrt[x]])/c^3 + ((1 + I*a)*Log[I - a - b*x])/(2*b*c
) - (I*d*Sqrt[x]*Log[-((I - a - b*x)/(a + b*x))])/c^2 + ((I/2)*x*Log[-((I -
a - b*x)/(a + b*x))])/c + (I*d^2*Log[d + c*Sqrt[x]]*Log[-((I - a - b*x)/(a
+ b*x))])/c^3 + ((1 - I*a)*Log[I + a + b*x])/(2*b*c) + (I*d*Sqrt[x]*Log[(I
+ a + b*x)/(a + b*x)]/c^2 - ((I/2)*x*Log[(I + a + b*x)/(a + b*x)]/c - (I
*d^2*Log[d + c*Sqrt[x]]*Log[(I + a + b*x)/(a + b*x)]/c^3 + (I*d^2*PolyLog[
2, -((Sqrt[b]*(d + c*Sqrt[x]))/(Sqrt[-I - a]*c - Sqrt[b]*d))])/c^3 - (I*d^2
*PolyLog[2, -((Sqrt[b]*(d + c*Sqrt[x]))/(Sqrt[I - a]*c - Sqrt[b]*d))])/c^3
+ (I*d^2*PolyLog[2, (Sqrt[b]*(d + c*Sqrt[x]))/(Sqrt[-I - a]*c + Sqrt[b]*d)
])/c^3 - (I*d^2*PolyLog[2, (Sqrt[b]*(d + c*Sqrt[x]))/(Sqrt[I - a]*c + Sqrt[b]
*d)))/c^3
```

Rubi [A] time = 2.32187, antiderivative size = 830, normalized size of antiderivative = 1., number of steps used = 65, number of rules used = 19, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 1.056$, Rules used = {5052, 190, 44, 2528, 2523, 12, 481, 205, 208, 2525, 446, 72, 2524, 2418, 260, 2416, 2394, 2393, 2391}

$$\frac{i \log\left(\frac{c(\sqrt{-a-i}-\sqrt{b}\sqrt{x})}{\sqrt{-a-ic}+\sqrt{bd}}\right) \log(\sqrt{xc+d}) d^2}{c^3} - \frac{i \log\left(\frac{c(\sqrt{i-a}-\sqrt{b}\sqrt{x})}{\sqrt{i-ac}+\sqrt{bd}}\right) \log(\sqrt{xc+d}) d^2}{c^3} + \frac{i \log\left(\frac{c(\sqrt{-a-i}+\sqrt{b}\sqrt{x})}{\sqrt{-a-ic}-\sqrt{bd}}\right) \log(\sqrt{xc+d}) d^2}{c^3}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a + b*x]/(c + d/Sqrt[x]), x]

```
[Out] ((2*I)*Sqrt[I + a]*d*ArcTan[(Sqrt[b]*Sqrt[x])/Sqrt[I + a]]/(Sqrt[b]*c^2) -
((2*I)*Sqrt[I - a]*d*ArcTanh[(Sqrt[b]*Sqrt[x])/Sqrt[I - a]]/(Sqrt[b]*c^2)
+ (I*d^2*Log[(c*(Sqrt[-I - a] - Sqrt[b]*Sqrt[x]))/(Sqrt[-I - a]*c + Sqrt[b]
*d)]*Log[d + c*Sqrt[x]])/c^3 - (I*d^2*Log[(c*(Sqrt[I - a] - Sqrt[b]*Sqrt[x]
)))/(Sqrt[I - a]*c + Sqrt[b]*d)]*Log[d + c*Sqrt[x]])/c^3 + (I*d^2*Log[(c*(S
qrt[-I - a] + Sqrt[b]*Sqrt[x]))/(Sqrt[-I - a]*c - Sqrt[b]*d)]*Log[d + c*Sqr
t[x]])/c^3 - (I*d^2*Log[(c*(Sqrt[I - a] + Sqrt[b]*Sqrt[x]))/(Sqrt[I - a]*c
- Sqrt[b]*d)]*Log[d + c*Sqrt[x]])/c^3 + ((1 + I*a)*Log[I - a - b*x])/(2*b*c
) - (I*d*Sqrt[x]*Log[-((I - a - b*x)/(a + b*x))])/c^2 + ((I/2)*x*Log[-((I -
a - b*x)/(a + b*x))])/c + (I*d^2*Log[d + c*Sqrt[x]]*Log[-((I - a - b*x)/(a
+ b*x))])/c^3 + ((1 - I*a)*Log[I + a + b*x])/(2*b*c) + (I*d*Sqrt[x]*Log[(I
+ a + b*x)/(a + b*x)]/c^2 - ((I/2)*x*Log[(I + a + b*x)/(a + b*x)]/c - (I
*d^2*Log[d + c*Sqrt[x]]*Log[(I + a + b*x)/(a + b*x)]/c^3 + (I*d^2*PolyLog[
2, -((Sqrt[b]*(d + c*Sqrt[x]))/(Sqrt[-I - a]*c - Sqrt[b]*d))])/c^3 - (I*d^2
*PolyLog[2, -((Sqrt[b]*(d + c*Sqrt[x]))/(Sqrt[I - a]*c - Sqrt[b]*d))])/c^3
```


+ (I*d^2*PolyLog[2, (Sqrt[b]*(d + c*Sqrt[x]))/(Sqrt[-I - a]*c + Sqrt[b]*d)]
)/c^3 - (I*d^2*PolyLog[2, (Sqrt[b]*(d + c*Sqrt[x]))/(Sqrt[I - a]*c + Sqrt[b]
]*d)]/c^3

Rule 5052

Int[ArcCot[(a_) + (b_)*(x_)]/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Dist[
 I/2, Int[Log[(-I + a + b*x)/(a + b*x)]/(c + d*x^n), x], x] - Dist[I/2, Int[
 Log[(I + a + b*x)/(a + b*x)]/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d}, x]
 && RationalQ[n]

Rule 190

Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(1/n
 - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, p}, x] && FractionQ[n] &&
 IntegerQ[1/n]

Rule 44

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Int[
 ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &&
 NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m
 + n + 2, 0])

Rule 2528

Int[((a_) + Log[(c_)*(RFx_)^(p_)])*(b_)^(n_)*(RGx_), x_Symbol] := With
 [{u = ExpandIntegrand[(a + b*Log[c*RFx^p])^n, RGx, x]}, Int[u, x] /; SumQ[u
]] /; FreeQ[{a, b, c, p}, x] && RationalFunctionQ[RFx, x] && RationalFunc
 tionQ[RGx, x] && IGtQ[n, 0]

Rule 2523

Int[((a_) + Log[(c_)*(RFx_)^(p_)])*(b_)^(n_), x_Symbol] := Simp[x*(a +
 b*Log[c*RFx^p])^n, x] - Dist[b*n*p, Int[SimplifyIntegrand[(x*(a + b*Log[c*
 RFx^p])^(n - 1)*D[RFx, x])/RFx, x], x], x] /; FreeQ[{a, b, c, p}, x] && Ra
 tionalFunctionQ[RFx, x] && IGtQ[n, 0]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
 Q[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 481

Int[((e_)*(x_))^(m_)/(((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(n_))),
 x_Symbol] := -Dist[(a*e^n)/(b*c - a*d), Int[(e*x)^(m - n)/(a + b*x^n), x],
 x] + Dist[(c*e^n)/(b*c - a*d), Int[(e*x)^(m - n)/(c + d*x^n), x], x] /; Fr
 eeQ[{a, b, c, d, e, m}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LeQ[n, m,
 2*n - 1]

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
 /b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 2525

Int[((a_) + Log[(c_)*(Rfx_)^(p_)]*(b_))^(n_)*((d_) + (e_)*(x_))^(m_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(a + b*Log[c*Rfx^p])^n)/(e*(m + 1)), x] - Dist[(b*n*p)/(e*(m + 1)), Int[SimplifyIntegrand[((d + e*x)^(m + 1)*(a + b*Log[c*Rfx^p])^(n - 1)*D[Rfx, x])/Rfx, x], x], x] /; FreeQ[{a, b, c, d, e, m, p}, x] && RationalFunctionQ[Rfx, x] && IGtQ[n, 0] && (EqQ[n, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 446

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 72

Int[((e_) + (f_)*(x_))^(p_)/(((a_) + (b_)*(x_))*((c_) + (d_)*(x_))), x_Symbol] := Int[ExpandIntegrand[(e + f*x)^p/((a + b*x)*(c + d*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]

Rule 2524

Int[((a_) + Log[(c_)*(Rfx_)^(p_)]*(b_))^(n_)/((d_) + (e_)*(x_)), x_Symbol] := Simp[(Log[d + e*x]*(a + b*Log[c*Rfx^p])^n)/e, x] - Dist[(b*n*p)/e, Int[(Log[d + e*x]*(a + b*Log[c*Rfx^p])^(n - 1)*D[Rfx, x])/Rfx, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && RationalFunctionQ[Rfx, x] && IGtQ[n, 0]

Rule 2418

Int[((a_) + Log[(c_)*((d_) + (e_)*(x_))^(n_)]*(b_))^(p_)*(Rfx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, Rfx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[Rfx, x] && IntegerQ[p]

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 2416

Int[((a_) + Log[(c_)*((d_) + (e_)*(x_))^(n_)]*(b_))^(p_)*((h_)*(x_))^(m_)*((f_) + (g_)*(x_)^(r_))^(q_), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (h*x)^m*(f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]

Rule 2394

Int[((a_) + Log[(c_)*((d_) + (e_)*(x_))^(n_)]*(b_))/((f_) + (g_)*(x_)), x_Symbol] := Simp[(Log[(e*(f + g*x))/(e*f - d*g)]*(a + b*Log[c*(d + e*x)^n])/g, x] - Dist[(b*e*n)/g, Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]

Rule 2393

Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_.))]*(b_.))/((f_.) + (g_.)*(x_.)), x_Symbol] :> Dist[1/g, Subst[Int[(a + b*Log[1 + (c*e*x)/g])/x, x], x, f + g*x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*(e*f - d*g), 0]

Rule 2391

Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
 \int \frac{\cot^{-1}(a+bx)}{c + \frac{d}{\sqrt{x}}} dx &= \frac{1}{2}i \int \frac{\log\left(\frac{-i+a+bx}{a+bx}\right)}{c + \frac{d}{\sqrt{x}}} dx - \frac{1}{2}i \int \frac{\log\left(\frac{i+a+bx}{a+bx}\right)}{c + \frac{d}{\sqrt{x}}} dx \\
 &= i \operatorname{Subst}\left(\int \frac{x^2 \log\left(\frac{-i+a+bx^2}{a+bx^2}\right)}{d+cx} dx, x, \sqrt{x}\right) - i \operatorname{Subst}\left(\int \frac{x^2 \log\left(\frac{i+a+bx^2}{a+bx^2}\right)}{d+cx} dx, x, \sqrt{x}\right) \\
 &= i \operatorname{Subst}\left(\int \left(-\frac{d \log\left(\frac{-i+a+bx^2}{a+bx^2}\right)}{c^2} + \frac{x \log\left(\frac{-i+a+bx^2}{a+bx^2}\right)}{c} + \frac{d^2 \log\left(\frac{-i+a+bx^2}{a+bx^2}\right)}{c^2(d+cx)}\right) dx, x, \sqrt{x}\right) - i \operatorname{Subst}\left(\int \left(\frac{d \log\left(\frac{i+a+bx^2}{a+bx^2}\right)}{c^2} - \frac{x \log\left(\frac{i+a+bx^2}{a+bx^2}\right)}{c} + \frac{d^2 \log\left(\frac{i+a+bx^2}{a+bx^2}\right)}{c^2(d+cx)}\right) dx, x, \sqrt{x}\right) \\
 &= \frac{i \operatorname{Subst}\left(\int x \log\left(\frac{-i+a+bx^2}{a+bx^2}\right) dx, x, \sqrt{x}\right)}{c} - \frac{i \operatorname{Subst}\left(\int x \log\left(\frac{i+a+bx^2}{a+bx^2}\right) dx, x, \sqrt{x}\right)}{c} - (id) \operatorname{Subst}\left(\int \frac{d \log\left(\frac{-i+a+bx^2}{a+bx^2}\right)}{c^2} dx, x, \sqrt{x}\right) + (id) \operatorname{Subst}\left(\int \frac{d \log\left(\frac{i+a+bx^2}{a+bx^2}\right)}{c^2} dx, x, \sqrt{x}\right) \\
 &= -\frac{id\sqrt{x} \log\left(-\frac{i-a-bx}{a+bx}\right)}{c^2} + \frac{ix \log\left(-\frac{i-a-bx}{a+bx}\right)}{2c} + \frac{id^2 \log(d+c\sqrt{x}) \log\left(-\frac{i-a-bx}{a+bx}\right)}{c^3} + \frac{id\sqrt{x} \log\left(\frac{i+a+bx}{a+bx}\right)}{c^2} \\
 &= -\frac{id\sqrt{x} \log\left(-\frac{i-a-bx}{a+bx}\right)}{c^2} + \frac{ix \log\left(-\frac{i-a-bx}{a+bx}\right)}{2c} + \frac{id^2 \log(d+c\sqrt{x}) \log\left(-\frac{i-a-bx}{a+bx}\right)}{c^3} + \frac{id\sqrt{x} \log\left(\frac{i+a+bx}{a+bx}\right)}{c^2} \\
 &= -\frac{id\sqrt{x} \log\left(-\frac{i-a-bx}{a+bx}\right)}{c^2} + \frac{ix \log\left(-\frac{i-a-bx}{a+bx}\right)}{2c} + \frac{id^2 \log(d+c\sqrt{x}) \log\left(-\frac{i-a-bx}{a+bx}\right)}{c^3} + \frac{id\sqrt{x} \log\left(\frac{i+a+bx}{a+bx}\right)}{c^2} \\
 &= \frac{2i\sqrt{i+ad} \tan^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i+a}}\right)}{\sqrt{bc^2}} - \frac{2i\sqrt{i-ad} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i-a}}\right)}{\sqrt{bc^2}} - \frac{id\sqrt{x} \log\left(-\frac{i-a-bx}{a+bx}\right)}{c^2} + \frac{ix \log\left(-\frac{i-a-bx}{a+bx}\right)}{2c} \\
 &= \frac{2i\sqrt{i+ad} \tan^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i+a}}\right)}{\sqrt{bc^2}} - \frac{2i\sqrt{i-ad} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i-a}}\right)}{\sqrt{bc^2}} + \frac{(1+ia) \log(i-a-bx)}{2bc} - \frac{id\sqrt{x} \log\left(-\frac{i-a-bx}{a+bx}\right)}{c^2} \\
 &= \frac{2i\sqrt{i+ad} \tan^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i+a}}\right)}{\sqrt{bc^2}} - \frac{2i\sqrt{i-ad} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i-a}}\right)}{\sqrt{bc^2}} + \frac{id^2 \log\left(\frac{c(\sqrt{-i-a}-\sqrt{b}\sqrt{x})}{\sqrt{-i-ac}+\sqrt{bd}}\right) \log(d+c\sqrt{x})}{c^3} \\
 &= \frac{2i\sqrt{i+ad} \tan^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i+a}}\right)}{\sqrt{bc^2}} - \frac{2i\sqrt{i-ad} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i-a}}\right)}{\sqrt{bc^2}} + \frac{id^2 \log\left(\frac{c(\sqrt{-i-a}-\sqrt{b}\sqrt{x})}{\sqrt{-i-ac}+\sqrt{bd}}\right) \log(d+c\sqrt{x})}{c^3} \\
 &= \frac{2i\sqrt{i+ad} \tan^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i+a}}\right)}{\sqrt{bc^2}} - \frac{2i\sqrt{i-ad} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{x}}{\sqrt{i-a}}\right)}{\sqrt{bc^2}} + \frac{id^2 \log\left(\frac{c(\sqrt{-i-a}-\sqrt{b}\sqrt{x})}{\sqrt{-i-ac}+\sqrt{bd}}\right) \log(d+c\sqrt{x})}{c^3}
 \end{aligned}$$

Mathematica [A] time = 0.685635, size = 809, normalized size = 0.97

$$ia \log(-a - bx + i)c^2 + \log(-a - bx + i)c^2 + ibx \log\left(\frac{a+bx-i}{a+bx}\right)c^2 - ia \log(a + bx + i)c^2 + \log(a + bx + i)c^2 - ibx \log\left(\frac{a+bx+i}{a+bx}\right)c^2$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a + b*x]/(c + d/Sqrt[x]),x]

[Out] ((4*I)*Sqrt[I + a]*Sqrt[b]*c*d*ArcTan[(Sqrt[b]*Sqrt[x])/Sqrt[I + a]] - (4*I)*Sqrt[I - a]*Sqrt[b]*c*d*ArcTanh[(Sqrt[b]*Sqrt[x])/Sqrt[I - a]] + (2*I)*b*d^2*Log[(c*(Sqrt[-I - a] - Sqrt[b]*Sqrt[x]))/(Sqrt[-I - a]*c + Sqrt[b]*d)]*Log[d + c*Sqrt[x]] - (2*I)*b*d^2*Log[(c*(Sqrt[I - a] - Sqrt[b]*Sqrt[x]))/(Sqrt[I - a]*c + Sqrt[b]*d)]*Log[d + c*Sqrt[x]] + (2*I)*b*d^2*Log[(c*(Sqrt[-I - a] + Sqrt[b]*Sqrt[x]))/(Sqrt[-I - a]*c - Sqrt[b]*d)]*Log[d + c*Sqrt[x]] - (2*I)*b*d^2*Log[(c*(Sqrt[I - a] + Sqrt[b]*Sqrt[x]))/(Sqrt[I - a]*c - Sqrt[b]*d)]*Log[d + c*Sqrt[x]] + c^2*Log[I - a - b*x] + I*a*c^2*Log[I - a - b*x] - (2*I)*b*c*d*Sqrt[x]*Log[(-I + a + b*x)/(a + b*x)] + I*b*c^2*x*Log[(-I + a + b*x)/(a + b*x)] + (2*I)*b*d^2*Log[d + c*Sqrt[x]]*Log[(-I + a + b*x)/(a + b*x)] + c^2*Log[I + a + b*x] - I*a*c^2*Log[I + a + b*x] + (2*I)*b*c*d*Sqrt[x]*Log[(I + a + b*x)/(a + b*x)] - I*b*c^2*x*Log[(I + a + b*x)/(a + b*x)] - (2*I)*b*d^2*Log[d + c*Sqrt[x]]*Log[(I + a + b*x)/(a + b*x)] + (2*I)*b*d^2*PolyLog[2, (Sqrt[b]*(d + c*Sqrt[x]))/(-(Sqrt[-I - a]*c) + Sqrt[b]*d)] + (2*I)*b*d^2*PolyLog[2, (Sqrt[b]*(d + c*Sqrt[x]))/(Sqrt[-I - a]*c + Sqrt[b]*d)] - (2*I)*b*d^2*PolyLog[2, (Sqrt[b]*(d + c*Sqrt[x]))/(-(Sqrt[I - a]*c) + Sqrt[b]*d)] - (2*I)*b*d^2*PolyLog[2, (Sqrt[b]*(d + c*Sqrt[x]))/(Sqrt[I - a]*c + Sqrt[b]*d)])/(2*b*c^3)

Maple [C] time = 0.214, size = 376, normalized size = 0.5

$$\frac{\operatorname{arccot}(bx+a)}{c} - 2 \frac{\operatorname{arccot}(bx+a)d\sqrt{x}}{c^2} + 2 \frac{\operatorname{arccot}(bx+a)d^2 \ln(d+c\sqrt{x})}{c^3} + \frac{d^2}{c} \operatorname{Li}_2\left(\frac{d+c\sqrt{x}}{R_1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(b*x+a)/(c+d/x^(1/2)),x)

[Out] arccot(b*x+a)/c*x-2*arccot(b*x+a)/c^2*d*x^(1/2)+2*arccot(b*x+a)/c^3*d^2*ln(d+c*x^(1/2))+1/c*d^2*sum(1/(_R1^2*b-2*_R1*b*d+a*c^2+b*d^2)*(ln(d+c*x^(1/2))*ln((-c*x^(1/2)+_R1-d)/_R1)+dilog((-c*x^(1/2)+_R1-d)/_R1)),_R1=RootOf(b^2*_Z^4-4*b^2*d*_Z^3+(2*a*b*c^2+6*b^2*d^2)*_Z^2+(-4*a*b*c^2*d-4*b^2*d^3)*_Z+a^2*c^4+2*a*b*c^2*d^2+b^2*d^4+c^4))+1/2/c*sum((_R^3-5*_R^2*d+7*_R*d^2-3*d^3)/(_R^3*b-3*_R^2*b*d+_R*a*c^2+3*_R*b*d^2-a*c^2*d-b*d^3)*ln(c*x^(1/2)-_R+d),_R=RootOf(b^2*_Z^4-4*b^2*d*_Z^3+(2*a*b*c^2+6*b^2*d^2)*_Z^2+(-4*a*b*c^2*d-4*b^2*d^3)*_Z+a^2*c^4+2*a*b*c^2*d^2+b^2*d^4+c^4))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(bx+a)}{c + \frac{d}{\sqrt{x}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(c+d/x^(1/2)),x, algorithm="maxima")

[Out] integrate(arccot(b*x + a)/(c + d/sqrt(x)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{cx \operatorname{arccot}(bx + a) - d\sqrt{x} \operatorname{arccot}(bx + a)}{c^2x - d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(c+d/x^(1/2)),x, algorithm="fricas")

[Out] integral((c*x*arccot(b*x + a) - d*sqrt(x)*arccot(b*x + a))/(c^2*x - d^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(b*x+a)/(c+d/x**(1/2)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(bx + a)}{c + \frac{d}{\sqrt{x}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(c+d/x^(1/2)),x, algorithm="giac")

[Out] integrate(arccot(b*x + a)/(c + d/sqrt(x)), x)

$$3.113 \quad \int \frac{\cot^{-1}(d+ex)}{a+bx+cx^2} dx$$

Optimal. Leaf size=367

$$\frac{i\text{PolyLog}\left(2, 1 + \frac{2(-e(b-\sqrt{b^2-4ac})-2c(d+ex)+2cd)}{(1-i(d+ex))(-e\sqrt{b^2-4ac}+be-2cd+2ic)}\right)}{2\sqrt{b^2-4ac}} - \frac{i\text{PolyLog}\left(2, 1 + \frac{2(-e(\sqrt{b^2-4ac}+b)-2c(d+ex)+2cd)}{(1-i(d+ex))(e\sqrt{b^2-4ac}+b)+2c(-d+i)}\right)}{2\sqrt{b^2-4ac}} + \frac{\cot^{-1}(d+ex) \log\left(\frac{2(-e(b-\sqrt{b^2-4ac})-2c(d+ex)+2cd)}{(1-i(d+ex))(-e\sqrt{b^2-4ac}+be-2cd+2ic)}\right)}{2\sqrt{b^2-4ac}}$$

[Out] (ArcCot[d + e*x]*Log[(2*e*(b - Sqrt[b^2 - 4*a*c] + 2*c*x))/((2*c*(I - d) + (b - Sqrt[b^2 - 4*a*c])*e)*(1 - I*(d + e*x)))]/Sqrt[b^2 - 4*a*c] - (ArcCot[d + e*x]*Log[(2*e*(b + Sqrt[b^2 - 4*a*c] + 2*c*x))/((2*c*(I - d) + (b + Sqrt[b^2 - 4*a*c])*e)*(1 - I*(d + e*x)))]/Sqrt[b^2 - 4*a*c] + ((I/2)*PolyLog[2, 1 + (2*(2*c*d - (b - Sqrt[b^2 - 4*a*c])*e - 2*c*(d + e*x)))/(((2*I)*c - 2*c*d + b*e - Sqrt[b^2 - 4*a*c])*e)*(1 - I*(d + e*x)))]/Sqrt[b^2 - 4*a*c] - ((I/2)*PolyLog[2, 1 + (2*(2*c*d - (b + Sqrt[b^2 - 4*a*c])*e - 2*c*(d + e*x)))/((2*c*(I - d) + (b + Sqrt[b^2 - 4*a*c])*e)*(1 - I*(d + e*x)))]/Sqrt[b^2 - 4*a*c])

Rubi [A] time = 0.686065, antiderivative size = 367, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {618, 206, 6728, 5048, 4857, 2402, 2315, 2447}

$$\frac{i\text{PolyLog}\left(2, 1 + \frac{2(-e(b-\sqrt{b^2-4ac})-2c(d+ex)+2cd)}{(1-i(d+ex))(-e\sqrt{b^2-4ac}+be-2cd+2ic)}\right)}{2\sqrt{b^2-4ac}} - \frac{i\text{PolyLog}\left(2, 1 + \frac{2(-e(\sqrt{b^2-4ac}+b)-2c(d+ex)+2cd)}{(1-i(d+ex))(e\sqrt{b^2-4ac}+b)+2c(-d+i)}\right)}{2\sqrt{b^2-4ac}} + \frac{\cot^{-1}(d+ex) \log\left(\frac{2(-e(b-\sqrt{b^2-4ac})-2c(d+ex)+2cd)}{(1-i(d+ex))(-e\sqrt{b^2-4ac}+be-2cd+2ic)}\right)}{2\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[d + e*x]/(a + b*x + c*x^2), x]

[Out] (ArcCot[d + e*x]*Log[(2*e*(b - Sqrt[b^2 - 4*a*c] + 2*c*x))/((2*c*(I - d) + (b - Sqrt[b^2 - 4*a*c])*e)*(1 - I*(d + e*x)))]/Sqrt[b^2 - 4*a*c] - (ArcCot[d + e*x]*Log[(2*e*(b + Sqrt[b^2 - 4*a*c] + 2*c*x))/((2*c*(I - d) + (b + Sqrt[b^2 - 4*a*c])*e)*(1 - I*(d + e*x)))]/Sqrt[b^2 - 4*a*c] + ((I/2)*PolyLog[2, 1 + (2*(2*c*d - (b - Sqrt[b^2 - 4*a*c])*e - 2*c*(d + e*x)))/(((2*I)*c - 2*c*d + b*e - Sqrt[b^2 - 4*a*c])*e)*(1 - I*(d + e*x)))]/Sqrt[b^2 - 4*a*c] - ((I/2)*PolyLog[2, 1 + (2*(2*c*d - (b + Sqrt[b^2 - 4*a*c])*e - 2*c*(d + e*x)))/((2*c*(I - d) + (b + Sqrt[b^2 - 4*a*c])*e)*(1 - I*(d + e*x)))]/Sqrt[b^2 - 4*a*c])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 6728

```
Int[(u_)/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x_Symbol] := With[
{v = RationalFunctionExpand[u/(a + b*x^n + c*x^(2*n)), x]}, Int[v, x] /; Su
mQ[v]] /; FreeQ[{a, b, c}, x] && EqQ[n2, 2*n] && IGtQ[n, 0]
```

Rule 5048

```
Int[((a_) + ArcCot[(c_) + (d_)*(x_)]*(b_))^(p_)*((e_) + (f_)*(x_))^(m
_), x_Symbol] := Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*Ar
cCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IG
tQ[p, 0]
```

Rule 4857

```
Int[((a_) + ArcCot[(c_)*(x_)]*(b_))/((d_) + (e_)*(x_)), x_Symbol] := -S
imp[((a + b*ArcCot[c*x])*Log[2/(1 - I*c*x)])/e, x] + (-Dist[(b*c)/e, Int[Lo
g[2/(1 - I*c*x)]/(1 + c^2*x^2), x], x] + Dist[(b*c)/e, Int[Log[(2*c*(d + e*
x))/((c*d + I*e)*(1 - I*c*x))]/(1 + c^2*x^2), x], x] + Simp[((a + b*ArcCot[
c*x])*Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/e, x]) /; FreeQ[{a, b
, c, d, e}, x] && NeQ[c^2*d^2 + e^2, 0]
```

Rule 2402

```
Int[Log[(c_)/((d_) + (e_)*(x_))]/((f_) + (g_)*(x_)^2), x_Symbol] := -Dis
t[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{
c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_)*(x_)/((d_) + (e_)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 -
c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 2447

```
Int[Log[u_]*(Pq_)^(m_), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))
/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] &&
PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u,
x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(d+ex)}{a+bx+cx^2} dx &= \int \left(\frac{2c \cot^{-1}(d+ex)}{\sqrt{b^2-4ac} (b-\sqrt{b^2-4ac}+2cx)} - \frac{2c \cot^{-1}(d+ex)}{\sqrt{b^2-4ac} (b+\sqrt{b^2-4ac}+2cx)} \right) dx \\
&= \frac{(2c) \int \frac{\cot^{-1}(d+ex)}{b-\sqrt{b^2-4ac}+2cx} dx}{\sqrt{b^2-4ac}} - \frac{(2c) \int \frac{\cot^{-1}(d+ex)}{b+\sqrt{b^2-4ac}+2cx} dx}{\sqrt{b^2-4ac}} \\
&= \frac{(2c) \text{Subst} \left(\int \frac{\cot^{-1}(x)}{\frac{-2cd+(b-\sqrt{b^2-4ac})e}{e} + \frac{2cx}{e}} dx, x, d+ex \right)}{\sqrt{b^2-4ac}e} - \frac{(2c) \text{Subst} \left(\int \frac{\cot^{-1}(x)}{\frac{-2cd+(b+\sqrt{b^2-4ac})e}{e} + \frac{2cx}{e}} dx, x, d+ex \right)}{\sqrt{b^2-4ac}e} \\
&= \frac{\cot^{-1}(d+ex) \log \left(\frac{2e(b-\sqrt{b^2-4ac}+2cx)}{(2ic-2cd+be-\sqrt{b^2-4ac}e)(1-i(d+ex))} \right)}{\sqrt{b^2-4ac}} - \frac{\cot^{-1}(d+ex) \log \left(\frac{2e(b+\sqrt{b^2-4ac}+2cx)}{(2c(i-d)+(b+\sqrt{b^2-4ac})e)(1-i(d+ex))} \right)}{\sqrt{b^2-4ac}} \\
&= \frac{\cot^{-1}(d+ex) \log \left(\frac{2e(b-\sqrt{b^2-4ac}+2cx)}{(2ic-2cd+be-\sqrt{b^2-4ac}e)(1-i(d+ex))} \right)}{\sqrt{b^2-4ac}} - \frac{\cot^{-1}(d+ex) \log \left(\frac{2e(b+\sqrt{b^2-4ac}+2cx)}{(2c(i-d)+(b+\sqrt{b^2-4ac})e)(1-i(d+ex))} \right)}{\sqrt{b^2-4ac}}
\end{aligned}$$

Mathematica [A] time = 0.454859, size = 629, normalized size = 1.71

$$i \left(\text{PolyLog} \left(2, \frac{e^{(\sqrt{b^2-4ac}-b-2cx)}}{e^{(\sqrt{b^2-4ac}-b)+2c(d-i)}} \right) - \text{PolyLog} \left(2, \frac{e^{(\sqrt{b^2-4ac}-b-2cx)}}{e^{(\sqrt{b^2-4ac}-b)+2c(d+i)}} \right) - \text{PolyLog} \left(2, \frac{e^{(\sqrt{b^2-4ac}+b+2cx)}}{e^{(\sqrt{b^2-4ac}+b)-2c(d-i)}} \right) + \text{PolyLog} \left(2, \frac{e^{(\sqrt{b^2-4ac}+b+2cx)}}{e^{(\sqrt{b^2-4ac}+b)-2c(d+i)}} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[d + e*x]/(a + b*x + c*x^2), x]

[Out] ((-I/2)*(Log[b - Sqrt[b^2 - 4*a*c] + 2*c*x]*Log[(2*c*(-I + d + e*x))/(2*c*(-I + d) + (-b + Sqrt[b^2 - 4*a*c])*e]] - Log[b + Sqrt[b^2 - 4*a*c] + 2*c*x]*Log[(2*c*(-I + d + e*x))/(2*c*(-I + d) - (b + Sqrt[b^2 - 4*a*c])*e]] - Log[b - Sqrt[b^2 - 4*a*c] + 2*c*x]*Log[(-I + d + e*x)/(d + e*x)] + Log[b + Sqrt[b^2 - 4*a*c] + 2*c*x]*Log[(-I + d + e*x)/(d + e*x)] - Log[b - Sqrt[b^2 - 4*a*c] + 2*c*x]*Log[(2*c*(I + d + e*x))/(2*c*(I + d) + (-b + Sqrt[b^2 - 4*a*c])*e]] + Log[b + Sqrt[b^2 - 4*a*c] + 2*c*x]*Log[(2*c*(I + d + e*x))/(2*c*(I + d) - (b + Sqrt[b^2 - 4*a*c])*e]] + Log[b - Sqrt[b^2 - 4*a*c] + 2*c*x]*Log[(I + d + e*x)/(d + e*x)] - Log[b + Sqrt[b^2 - 4*a*c] + 2*c*x]*Log[(I + d + e*x)/(d + e*x)] + PolyLog[2, (e*(-b + Sqrt[b^2 - 4*a*c] - 2*c*x))/(2*c*(-I + d) + (-b + Sqrt[b^2 - 4*a*c])*e]] - PolyLog[2, (e*(-b + Sqrt[b^2 - 4*a*c] - 2*c*x))/(2*c*(I + d) + (-b + Sqrt[b^2 - 4*a*c])*e]] - PolyLog[2, (e*(b + Sqrt[b^2 - 4*a*c] + 2*c*x))/(-2*c*(-I + d) + (b + Sqrt[b^2 - 4*a*c])*e]] + PolyLog[2, (e*(b + Sqrt[b^2 - 4*a*c] + 2*c*x))/(-2*c*(I + d) + (b + Sqrt[b^2 - 4*a*c])*e]]))/Sqrt[b^2 - 4*a*c]

Maple [B] time = 1.072, size = 4601, normalized size = 12.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\text{arccot}(e*x+d)/(c*x^2+b*x+a), x)$

[Out]
$$\begin{aligned} & -e/(a*e^2-b*e*d+c*d^2+(e^2*(4*a*c-b^2))^{1/2}+c)*\text{arccot}(e*x+d)^2-1/2*e/(a*e \\ & ^2-b*e*d+c*d^2+(e^2*(4*a*c-b^2))^{1/2}+c)*\text{polylog}(2, (I*b*e-2*I*d*c+a*e^2-b* \\ & e*d+c*d^2-c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2+(e^2*(4*a*c-b^2)) \\ & ^{1/2}+c))-e/(a*e^2-b*e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2}+c)*\text{arccot}(e*x+d)^2- \\ & 1/2*e/(a*e^2-b*e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2}+c)*\text{polylog}(2, (I*b*e-2*I*d* \\ & c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2-(e^2*(4 \\ & *a*c-b^2))^{1/2}+c))+1/4*I*e*(e^2*(4*a*c-b^2))^{1/2}/c/(4*a*c-b^2)/(a*e^2-b \\ & *e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2}+c)*\ln(1-(I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2 \\ & -c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2}+c) \\ &)*\text{arccot}(e*x+d)*b^2-1/4*I*e*(e^2*(4*a*c-b^2))^{1/2}/c/(4*a*c-b^2)/(a*e^2-b* \\ & e*d+c*d^2+(e^2*(4*a*c-b^2))^{1/2}+c)*\ln(1-(I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2- \\ & c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2+(e^2*(4*a*c-b^2))^{1/2}+c)) \\ & *\text{arccot}(e*x+d)*b^2+1/e*(e^2*(4*a*c-b^2))^{1/2}*c/(4*a*c-b^2)/(a*e^2-b*e*d+c \\ & *d^2-(e^2*(4*a*c-b^2))^{1/2}+c)*\text{arccot}(e*x+d)^2*d^2-1/e*(e^2*(4*a*c-b^2))^{1/2} \\ & *c/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2+(e^2*(4*a*c-b^2))^{1/2}+c)*\text{arccot}(e*x \\ & +d)^2*d^2-1/2/e*(e^2*(4*a*c-b^2))^{1/2}*c/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2+(e \\ & ^2*(4*a*c-b^2))^{1/2}+c)*\text{polylog}(2, (I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x \\ & +d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2+(e^2*(4*a*c-b^2))^{1/2}+c))*d^2+1/ \\ & 2/e*(e^2*(4*a*c-b^2))^{1/2}*c/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2-(e^2*(4*a*c-b^ \\ & 2))^{1/2}+c)*\text{polylog}(2, (I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((e* \\ & x+d)^2+1)/(a*e^2-b*e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2}+c))*d^2+1/8*e*(e^2*(4* \\ & a*c-b^2))^{1/2}/c/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2}+c) \\ & *\text{polylog}(2, (I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a \\ & *e^2-b*e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2}+c))*b^2+1/4*e*(e^2*(4*a*c-b^2))^{1/2} \\ & /c/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2}+c)*\text{arccot}(e*x+ \\ & d)^2*b^2-1/4*e*(e^2*(4*a*c-b^2))^{1/2}/c/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2+(e^ \\ & 2*(4*a*c-b^2))^{1/2}+c)*\text{arccot}(e*x+d)^2*b^2-1/8*e*(e^2*(4*a*c-b^2))^{1/2}/c \\ & /c/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2+(e^2*(4*a*c-b^2))^{1/2}+c)*\text{polylog}(2, (I*b*e \\ & -2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2+ \\ & (e^2*(4*a*c-b^2))^{1/2}+c))*b^2+1/4*I*e*(e^2*(4*a*c-b^2))^{1/2}/c/(a*e^2-b* \\ & e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2}+c)*\ln(1-(I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2- \\ & c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2}+c)) \\ & *\text{arccot}(e*x+d)-1/4*I*e*(e^2*(4*a*c-b^2))^{1/2}/c/(a*e^2-b*e*d+c*d^2+(e^2*(4 \\ & *a*c-b^2))^{1/2}+c)*\ln(1-(I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((\\ & e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2+(e^2*(4*a*c-b^2))^{1/2}+c))*\text{arccot}(e*x+d)-I* \\ & (e^2*(4*a*c-b^2))^{1/2}/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2} \\ & +c)*\ln(1-(I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((e*x+d)^2+1)/(\\ & a*e^2-b*e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2}+c))*\text{arccot}(e*x+d)*b*d+I/e*(e^2*(4 \\ & *a*c-b^2))^{1/2}*c/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2}+c \\ &)*\ln(1-(I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2 \\ & -b*e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2}+c))*\text{arccot}(e*x+d)+I*(e^2*(4*a*c-b^2))^{1/2} \\ & /c/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2+(e^2*(4*a*c-b^2))^{1/2}+c)*\ln(1-(I*b*e \\ & -2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2+ \\ & (e^2*(4*a*c-b^2))^{1/2}+c))*\text{arccot}(e*x+d)*b*d-I/e*(e^2*(4*a*c-b^2))^{1/2}*c \\ & /c/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2+(e^2*(4*a*c-b^2))^{1/2}+c)*\ln(1-(I*b*e-2*I* \\ & d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2+(e^2* \\ & (4*a*c-b^2))^{1/2}+c))*\text{arccot}(e*x+d)+1/8*e*(e^2*(4*a*c-b^2))^{1/2}/c/(a*e^2 \\ & -b*e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2}+c)*\text{polylog}(2, (I*b*e-2*I*d*c+a*e^2-b*e* \\ & d+c*d^2-c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2} \\ & +c))+I/e*(e^2*(4*a*c-b^2))^{1/2}*c/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2-(e^2*(4*a* \\ & c-b^2))^{1/2}+c)*\ln(1-(I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/ \\ & ((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2-(e^2*(4*a*c-b^2))^{1/2}+c))*\text{arccot}(e*x+d)* \\ & d^2-I/e*(e^2*(4*a*c-b^2))^{1/2}*c/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2+(e^2*(4*a* \\ & c-b^2))^{1/2}+c)*\ln(1-(I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((e*x \\ & +d)^2+1)/(a*e^2-b*e*d+c*d^2+(e^2*(4*a*c-b^2))^{1/2}+c))*\text{arccot}(e*x+d)*d^2-1 \end{aligned}$$

$$\begin{aligned} & /4*e*(e^{2*(4*a*c-b^2)})^{(1/2)}/c/(a*e^2-b*e*d+c*d^2+(e^{2*(4*a*c-b^2)})^{(1/2)+c} \\ &)*\operatorname{arccot}(e*x+d)^2-I*e/(a*e^2-b*e*d+c*d^2-(e^{2*(4*a*c-b^2)})^{(1/2)+c})*\ln(1-(I \\ & *b*e-2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c* \\ & d^2-(e^{2*(4*a*c-b^2)})^{(1/2)+c})*\operatorname{arccot}(e*x+d)-I*e/(a*e^2-b*e*d+c*d^2+(e^{2*(4*a*c-b^2)})^{(1/2)+c})*\ln(1-(I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2+(e^{2*(4*a*c-b^2)})^{(1/2)+c})*\operatorname{arccot}(e*x+d)+(e^{2*(4*a*c-b^2)})^{(1/2)}/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2+(e^{2*(4*a*c-b^2)})^{(1/2)+c})*\operatorname{arccot}(e*x+d)^2*b*d+1/2*(e^{2*(4*a*c-b^2)})^{(1/2)}/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2+(e^{2*(4*a*c-b^2)})^{(1/2)+c})*\operatorname{polylog}(2,(I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2+(e^{2*(4*a*c-b^2)})^{(1/2)+c}))*b*d-(e^{2*(4*a*c-b^2)})^{(1/2)}/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2-(e^{2*(4*a*c-b^2)})^{(1/2)+c})*\operatorname{arccot}(e*x+d)^2*b*d-1/2*(e^{2*(4*a*c-b^2)})^{(1/2)}/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2-(e^{2*(4*a*c-b^2)})^{(1/2)+c})*\operatorname{polylog}(2,(I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2-(e^{2*(4*a*c-b^2)})^{(1/2)+c}))*b*d-1/e*(e^{2*(4*a*c-b^2)})^{(1/2)*c}/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2+(e^{2*(4*a*c-b^2)})^{(1/2)+c})*\operatorname{arccot}(e*x+d)^2-1/2/e*(e^{2*(4*a*c-b^2)})^{(1/2)*c}/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2+(e^{2*(4*a*c-b^2)})^{(1/2)+c})*\operatorname{polylog}(2,(I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2+(e^{2*(4*a*c-b^2)})^{(1/2)+c}))+1/e*(e^{2*(4*a*c-b^2)})^{(1/2)*c}/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2-(e^{2*(4*a*c-b^2)})^{(1/2)+c})*\operatorname{arccot}(e*x+d)^2+1/2/e*(e^{2*(4*a*c-b^2)})^{(1/2)*c}/(4*a*c-b^2)/(a*e^2-b*e*d+c*d^2-(e^{2*(4*a*c-b^2)})^{(1/2)+c})*\operatorname{polylog}(2,(I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2-(e^{2*(4*a*c-b^2)})^{(1/2)+c}))-1/8*e*(e^{2*(4*a*c-b^2)})^{(1/2)}/c/(a*e^2-b*e*d+c*d^2+(e^{2*(4*a*c-b^2)})^{(1/2)+c})*\operatorname{polylog}(2,(I*b*e-2*I*d*c+a*e^2-b*e*d+c*d^2-c)*(e*x+d+I)^2/((e*x+d)^2+1)/(a*e^2-b*e*d+c*d^2+(e^{2*(4*a*c-b^2)})^{(1/2)+c}))+1/4*e*(e^{2*(4*a*c-b^2)})^{(1/2)}/c/(a*e^2-b*e*d+c*d^2-(e^{2*(4*a*c-b^2)})^{(1/2)+c})*\operatorname{arccot}(e*x+d)^2 \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(e*x+d)/(c*x^2+b*x+a),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(ex+d)}{cx^2+bx+a},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(e*x+d)/(c*x^2+b*x+a),x, algorithm="fricas")

[Out] integral(arccot(e*x + d)/(c*x^2 + b*x + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(e*x+d)/(c*x**2+b*x+a), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(ex + d)}{cx^2 + bx + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(e*x+d)/(c*x^2+b*x+a), x, algorithm="giac")

[Out] integrate(arccot(e*x + d)/(c*x^2 + b*x + a), x)

$$3.114 \quad \int \frac{\cot^{-1}(a+bx)}{\sqrt{1+a^2+2abx+b^2x^2}} dx$$

Optimal. Leaf size=132

$$-\frac{i\text{PolyLog}\left(2, -\frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{b} + \frac{i\text{PolyLog}\left(2, \frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{b} - \frac{2i \tan^{-1}\left(\frac{\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right) \cot^{-1}(a+bx)}{b}$$

[Out] $((-2*I)*\text{ArcCot}[a + b*x]*\text{ArcTan}[\text{Sqrt}[1 + I*(a + b*x)]/\text{Sqrt}[1 - I*(a + b*x]])/b - (I*\text{PolyLog}[2, ((-I)*\text{Sqrt}[1 + I*(a + b*x)])/\text{Sqrt}[1 - I*(a + b*x)])]/b + (I*\text{PolyLog}[2, (I*\text{Sqrt}[1 + I*(a + b*x)])/\text{Sqrt}[1 - I*(a + b*x)])]/b$

Rubi [A] time = 0.0964322, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {5056, 4887}

$$-\frac{i\text{PolyLog}\left(2, -\frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{b} + \frac{i\text{PolyLog}\left(2, \frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{b} - \frac{2i \tan^{-1}\left(\frac{\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right) \cot^{-1}(a+bx)}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{ArcCot}[a + b*x]/\text{Sqrt}[1 + a^2 + 2*a*b*x + b^2*x^2], x]$

[Out] $((-2*I)*\text{ArcCot}[a + b*x]*\text{ArcTan}[\text{Sqrt}[1 + I*(a + b*x)]/\text{Sqrt}[1 - I*(a + b*x]])/b - (I*\text{PolyLog}[2, ((-I)*\text{Sqrt}[1 + I*(a + b*x)])/\text{Sqrt}[1 - I*(a + b*x)])]/b + (I*\text{PolyLog}[2, (I*\text{Sqrt}[1 + I*(a + b*x)])/\text{Sqrt}[1 - I*(a + b*x)])]/b$

Rule 5056

$\text{Int}[(a_.) + \text{ArcCot}[(c_.) + (d_.)*(x_)]*(b_.)]^{(p_.)} * ((A_.) + (B_.)*(x_.) + (C_.)*(x_.)^2)^{(q_.)}, x_Symbol] \rightarrow \text{Dist}[1/d, \text{Subst}[\text{Int}[(C/d^2 + (C*x^2)/d^2)^q * (a + b*\text{ArcCot}[x])^p, x], x, c + d*x], x] /; \text{FreeQ}\{a, b, c, d, A, B, C, p, q\}, x] \ \&\& \ \text{EqQ}[B*(1 + c^2) - 2*A*c*d, 0] \ \&\& \ \text{EqQ}[2*c*C - B*d, 0]$

Rule 4887

$\text{Int}[(a_.) + \text{ArcCot}[(c_.)*(x_)]*(b_.)]/\text{Sqrt}[(d_.) + (e_.)*(x_.)^2], x_Symbol] \rightarrow \text{Simp}[(-2*I*(a + b*\text{ArcCot}[c*x])* \text{ArcTan}[\text{Sqrt}[1 + I*c*x]/\text{Sqrt}[1 - I*c*x]])/(c*\text{Sqrt}[d]), x] + (-\text{Simp}[(I*b*\text{PolyLog}[2, -((I*\text{Sqrt}[1 + I*c*x])/ \text{Sqrt}[1 - I*c*x])])]/(c*\text{Sqrt}[d]), x] + \text{Simp}[(I*b*\text{PolyLog}[2, (I*\text{Sqrt}[1 + I*c*x])/ \text{Sqrt}[1 - I*c*x])])]/(c*\text{Sqrt}[d]), x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[e, c^2*d] \ \&\& \ \text{GtQ}[d, 0]$

Rubi steps

$$\int \frac{\cot^{-1}(a+bx)}{\sqrt{1+a^2+2abx+b^2x^2}} dx = \frac{\text{Subst}\left(\int \frac{\cot^{-1}(x)}{\sqrt{1+x^2}} dx, x, a+bx\right)}{b} = -\frac{2i \cot^{-1}(a+bx) \tan^{-1}\left(\frac{\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{b} - \frac{i\text{Li}_2\left(-\frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{b} + \frac{i\text{Li}_2\left(\frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{b}$$

Mathematica [A] time = 0.143723, size = 127, normalized size = 0.96

$$\frac{\sqrt{a^2 + 2abx + b^2x^2 + 1} \left(i \operatorname{PolyLog} \left(2, -e^{i \cot^{-1}(a+bx)} \right) - i \operatorname{PolyLog} \left(2, e^{i \cot^{-1}(a+bx)} \right) + \cot^{-1}(a+bx) \left(\log \left(1 - e^{i \cot^{-1}(a+bx)} \right) \right) \right)}{b(a+bx) \sqrt{\frac{1}{(a+bx)^2} + 1}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[a + b*x]/Sqrt[1 + a^2 + 2*a*b*x + b^2*x^2], x]

[Out] -((Sqrt[1 + a^2 + 2*a*b*x + b^2*x^2]*(ArcCot[a + b*x]*(Log[1 - E^(I*ArcCot[a + b*x])]) - Log[1 + E^(I*ArcCot[a + b*x])])) + I*PolyLog[2, -E^(I*ArcCot[a + b*x])]) - I*PolyLog[2, E^(I*ArcCot[a + b*x])])/(b*(a + b*x)*Sqrt[1 + (a + b*x)^(-2)])

Maple [A] time = 0.429, size = 123, normalized size = 0.9

$$-\frac{\operatorname{arccot}(bx+a)}{b} \ln \left(1 - (i+a+bx) \frac{1}{\sqrt{1+(bx+a)^2}} \right) + \frac{\operatorname{arccot}(bx+a)}{b} \ln \left(1 + (i+a+bx) \frac{1}{\sqrt{1+(bx+a)^2}} \right) - \frac{i}{b} \operatorname{polylog} \left(2, -\frac{i+a+bx}{\sqrt{1+(bx+a)^2}} \right) + \frac{i}{b} \operatorname{polylog} \left(2, \frac{i+a+bx}{\sqrt{1+(bx+a)^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/2), x)

[Out] -1/b*arccot(b*x+a)*ln(1-(I+a+b*x)/(1+(b*x+a)^2)^(1/2))+1/b*arccot(b*x+a)*ln(1+(I+a+b*x)/(1+(b*x+a)^2)^(1/2))-I/b*polylog(2,-(I+a+b*x)/(1+(b*x+a)^2)^(1/2))+I/b*polylog(2,(I+a+b*x)/(1+(b*x+a)^2)^(1/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\frac{\operatorname{arccot}(bx+a)}{\sqrt{b^2x^2 + 2abx + a^2 + 1}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/2), x, algorithm="fricas")

[Out] integral(arccot(b*x + a)/sqrt(b^2*x^2 + 2*a*b*x + a^2 + 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(a + bx)}{\sqrt{a^2 + 2abx + b^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(b*x+a)/(b**2*x**2+2*a*b*x+a**2+1)**(1/2),x)

[Out] Integral(acot(a + b*x)/sqrt(a**2 + 2*a*b*x + b**2*x**2 + 1), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(bx + a)}{\sqrt{b^2x^2 + 2abx + a^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(arccot(b*x + a)/sqrt(b^2*x^2 + 2*a*b*x + a^2 + 1), x)

$$3.115 \quad \int \frac{\cot^{-1}(a+bx)}{\sqrt{(1+a^2)c+2abcx+b^2cx^2}} dx$$

Optimal. Leaf size=216

$$\frac{i\sqrt{(a+bx)^2+1}\text{PolyLog}\left(2, -\frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{b\sqrt{c(a+bx)^2+c}} + \frac{i\sqrt{(a+bx)^2+1}\text{PolyLog}\left(2, \frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{b\sqrt{c(a+bx)^2+c}} - \frac{2i\sqrt{(a+bx)^2+1}\tan^{-1}\left(\frac{\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{b\sqrt{c(a+bx)^2+c}}$$

```
[Out] ((-2*I)*Sqrt[1 + (a + b*x)^2]*ArcCot[a + b*x]*ArcTan[Sqrt[1 + I*(a + b*x)]/
Sqrt[1 - I*(a + b*x)]])/(b*Sqrt[c + c*(a + b*x)^2]) - (I*Sqrt[1 + (a + b*x)
^2]*PolyLog[2, ((-I)*Sqrt[1 + I*(a + b*x)]/Sqrt[1 - I*(a + b*x)])]/(b*Sqrt
[c + c*(a + b*x)^2]) + (I*Sqrt[1 + (a + b*x)^2]*PolyLog[2, (I*Sqrt[1 + I*(a
+ b*x)]/Sqrt[1 - I*(a + b*x)])]/(b*Sqrt[c + c*(a + b*x)^2])
```

Rubi [A] time = 0.167586, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {5056, 4891, 4887}

$$\frac{i\sqrt{(a+bx)^2+1}\text{PolyLog}\left(2, -\frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{b\sqrt{c(a+bx)^2+c}} + \frac{i\sqrt{(a+bx)^2+1}\text{PolyLog}\left(2, \frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{b\sqrt{c(a+bx)^2+c}} - \frac{2i\sqrt{(a+bx)^2+1}\tan^{-1}\left(\frac{\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{b\sqrt{c(a+bx)^2+c}}$$

Antiderivative was successfully verified.

```
[In] Int[ArcCot[a + b*x]/Sqrt[(1 + a^2)*c + 2*a*b*c*x + b^2*c*x^2], x]
```

```
[Out] ((-2*I)*Sqrt[1 + (a + b*x)^2]*ArcCot[a + b*x]*ArcTan[Sqrt[1 + I*(a + b*x)]/
Sqrt[1 - I*(a + b*x)]])/(b*Sqrt[c + c*(a + b*x)^2]) - (I*Sqrt[1 + (a + b*x)
^2]*PolyLog[2, ((-I)*Sqrt[1 + I*(a + b*x)]/Sqrt[1 - I*(a + b*x)])]/(b*Sqrt
[c + c*(a + b*x)^2]) + (I*Sqrt[1 + (a + b*x)^2]*PolyLog[2, (I*Sqrt[1 + I*(a
+ b*x)]/Sqrt[1 - I*(a + b*x)])]/(b*Sqrt[c + c*(a + b*x)^2])
```

Rule 5056

```
Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^(p_.)*((A_.) + (B_.)*(x_.) + (
C_.)*(x_)^2)^(q_.), x_Symbol] := Dist[1/d, Subst[Int[(C/d^2 + (C*x^2)/d^2)^
q*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, A, B, C, p
, q}, x] && EqQ[B*(1 + c^2) - 2*A*c*d, 0] && EqQ[2*c*C - B*d, 0]
```

Rule 4891

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)/Sqrt[(d_.) + (e_.)*(x_)^2], x_S
ymbol] := Dist[Sqrt[1 + c^2*x^2]/Sqrt[d + e*x^2], Int[(a + b*ArcCot[c*x])^p
/Sqrt[1 + c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] &&
IGtQ[p, 0] && !GtQ[d, 0]
```

Rule 4887

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))/Sqrt[(d_.) + (e_.)*(x_)^2], x_Symbol]
:= Simp[(-2*I*(a + b*ArcCot[c*x])*ArcTan[Sqrt[1 + I*c*x]/Sqrt[1 - I*c*x]])/
(c*Sqrt[d]), x] + (-Simp[(I*b*PolyLog[2, -(I*Sqrt[1 + I*c*x])/Sqrt[1 - I*c*x]])/
(c*Sqrt[d]), x] + Simp[(I*b*PolyLog[2, (I*Sqrt[1 + I*c*x])/Sqrt[1 - I*c*x]])/
(c*Sqrt[d]), x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] &&
GtQ[d, 0]
```

Rubi steps

$$\int \frac{\cot^{-1}(a+bx)}{\sqrt{(1+a^2)c+2abcx+b^2cx^2}} dx = \frac{\text{Subst}\left(\int \frac{\cot^{-1}(x)}{\sqrt{c+cx^2}} dx, x, a+bx\right)}{b}$$

$$= \frac{\sqrt{1+(a+bx)^2} \text{Subst}\left(\int \frac{\cot^{-1}(x)}{\sqrt{1+x^2}} dx, x, a+bx\right)}{b\sqrt{c+c(a+bx)^2}}$$

$$= -\frac{2i\sqrt{1+(a+bx)^2} \cot^{-1}(a+bx) \tan^{-1}\left(\frac{\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{b\sqrt{c+c(a+bx)^2}} - \frac{i\sqrt{1+(a+bx)^2} \text{Li}_2\left(-\frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{b\sqrt{c+c(a+bx)^2}}$$

Mathematica [A] time = 0.0765339, size = 138, normalized size = 0.64

$$\frac{((a+bx)^2+1)\left(i\text{PolyLog}\left(2, -e^{i\cot^{-1}(a+bx)}\right) - i\text{PolyLog}\left(2, e^{i\cot^{-1}(a+bx)}\right) + \cot^{-1}(a+bx)\left(\log\left(1 - e^{i\cot^{-1}(a+bx)}\right) - \log\left(1 + e^{i\cot^{-1}(a+bx)}\right)\right)\right)}{b(a+bx)\sqrt{\frac{1}{(a+bx)^2} + 1}\sqrt{c(a^2+2abx+b^2x^2+1)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[a + b*x]/Sqrt[(1 + a^2)*c + 2*a*b*c*x + b^2*c*x^2], x]

[Out] -((((1 + (a + b*x)^2)*(ArcCot[a + b*x]*(Log[1 - E^(I*ArcCot[a + b*x]])] - Log[1 + E^(I*ArcCot[a + b*x]])] + I*PolyLog[2, -E^(I*ArcCot[a + b*x]])] - I*PolyLog[2, E^(I*ArcCot[a + b*x]])]))/(b*(a + b*x)*Sqrt[c*(1 + a^2 + 2*a*b*x + b^2*x^2)]*Sqrt[1 + (a + b*x)^(-2)])

Maple [A] time = 0.518, size = 156, normalized size = 0.7

$$\frac{i}{cb} \left(i\text{arccot}(bx+a) \ln\left(1 - (i+a+bx) \frac{1}{\sqrt{1+(bx+a)^2}}\right) - i\text{arccot}(bx+a) \ln\left(1 + (i+a+bx) \frac{1}{\sqrt{1+(bx+a)^2}}\right) - \text{polylog}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+b^2*c*x^2)^(1/2), x)

[Out] I*(I*arccot(b*x+a)*ln(1-(I+a+b*x)/(1+(b*x+a)^2)^(1/2))-I*arccot(b*x+a)*ln(1+(I+a+b*x)/(1+(b*x+a)^2)^(1/2))-polylog(2, -(I+a+b*x)/(1+(b*x+a)^2)^(1/2))+polylog(2, (I+a+b*x)/(1+(b*x+a)^2)^(1/2)))*(c*(-I+a+b*x)*(I+a+b*x))^(1/2)/(b^2*x^2+2*a*b*x+a^2+1)^(1/2)/c/b

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+c*x^2*b^2)^(1/2), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{\operatorname{arccot}(bx + a)}{\sqrt{b^2cx^2 + 2abcx + (a^2 + 1)c}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+c*x^2*b^2)^(1/2),x, algorithm="fricas")

[Out] integral(arccot(b*x + a)/sqrt(b^2*c*x^2 + 2*a*b*c*x + (a^2 + 1)*c), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(a + bx)}{\sqrt{c(a^2 + 2abx + b^2x^2 + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(b*x+a)/((a**2+1)*c+2*a*b*c*x+c*x**2*b**2)**(1/2),x)

[Out] Integral(acot(a + b*x)/sqrt(c*(a**2 + 2*a*b*x + b**2*x**2 + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(bx + a)}{\sqrt{b^2cx^2 + 2abcx + (a^2 + 1)c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+c*x^2*b^2)^(1/2),x, algorithm="giac")

[Out] integrate(arccot(b*x + a)/sqrt(b^2*c*x^2 + 2*a*b*c*x + (a^2 + 1)*c), x)

$$3.116 \quad \int \frac{\cot^{-1}(a+bx)}{\sqrt[3]{1+a^2+2abx+b^2x^2}} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{\cot^{-1}(a+bx)}{\sqrt[3]{(a+bx)^2+1}}, x\right)$$

[Out] Unintegrable[ArcCot[a + b*x]/(1 + (a + b*x)^2)^(1/3), x]

Rubi [A] time = 0.0400934, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(a+bx)}{\sqrt[3]{1+a^2+2abx+b^2x^2}} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[a + b*x]/(1 + a^2 + 2*a*b*x + b^2*x^2)^(1/3), x]

[Out] Defer[Subst][Defer[Int][ArcCot[x]/(1 + x^2)^(1/3), x], x, a + b*x]/b

Rubi steps

$$\int \frac{\cot^{-1}(a+bx)}{\sqrt[3]{1+a^2+2abx+b^2x^2}} dx = \frac{\text{Subst}\left(\int \frac{\cot^{-1}(x)}{\sqrt[3]{1+x^2}} dx, x, a+bx\right)}{b}$$

Mathematica [A] time = 0.37931, size = 177, normalized size = 8.05

$$\frac{6\Gamma\left(\frac{11}{6}\right)\Gamma\left(\frac{7}{3}\right)\left(4(a+bx) {}_2F_1\left(1, \frac{4}{3}; \frac{11}{6}; \frac{1}{a^2+2bxa+b^2x^2+1}\right)\cot^{-1}(a+bx) + 5(a^2+2abx+b^2x^2+1)(2(a+bx))\right)}{20b\Gamma\left(\frac{11}{6}\right)\Gamma\left(\frac{7}{3}\right)(a^2+2abx+b^2x^2+1)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[a + b*x]/(1 + a^2 + 2*a*b*x + b^2*x^2)^(1/3), x]

[Out] (6*Gamma[11/6]*Gamma[7/3]*(5*(1 + a^2 + 2*a*b*x + b^2*x^2)*(-3 + 2*(a + b*x))*ArcCot[a + b*x]) + 4*(a + b*x)*ArcCot[a + b*x]*Hypergeometric2F1[1, 4/3, 11/6, (1 + a^2 + 2*a*b*x + b^2*x^2)^(-1)]) - 5*2^(1/3)*Sqrt[Pi]*Gamma[5/3]*HypergeometricPFQ[{1, 4/3, 4/3}, {11/6, 7/3}, (1 + a^2 + 2*a*b*x + b^2*x^2)^(-1)]/(20*b*(1 + a^2 + 2*a*b*x + b^2*x^2)^(4/3)*Gamma[11/6]*Gamma[7/3])

Maple [A] time = 1.135, size = 0, normalized size = 0.

$$\int \operatorname{arccot}(bx+a) \frac{1}{\sqrt[3]{b^2x^2+2xab+a^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/3),x)`

[Out] `int(arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/3),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(bx+a)}{(b^2x^2+2abx+a^2+1)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/3),x, algorithm="maxima")`

[Out] `integrate(arccot(b*x + a)/(b^2*x^2 + 2*a*b*x + a^2 + 1)^(1/3), x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(bx+a)}{(b^2x^2+2abx+a^2+1)^{\frac{1}{3}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/3),x, algorithm="fricas")`

[Out] `integral(arccot(b*x + a)/(b^2*x^2 + 2*a*b*x + a^2 + 1)^(1/3), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(a+bx)}{\sqrt[3]{a^2+2abx+b^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acot(b*x+a)/(b**2*x**2+2*a*b*x+a**2+1)**(1/3),x)`

[Out] `Integral(acot(a + b*x)/(a**2 + 2*a*b*x + b**2*x**2 + 1)**(1/3), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(bx+a)}{(b^2x^2+2abx+a^2+1)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/3),x, algorithm="giac")`

```
[Out] integrate(arccot(b*x + a)/(b^2*x^2 + 2*a*b*x + a^2 + 1)^(1/3), x)
```

$$3.117 \quad \int \frac{\cot^{-1}(a+bx)}{\sqrt[3]{(1+a^2)c+2abcx+b^2cx^2}} dx$$

Optimal. Leaf size=24

$$\text{Unintegrable}\left(\frac{\cot^{-1}(a+bx)}{\sqrt[3]{c(a+bx)^2+c}}, x\right)$$

[Out] Unintegrable[ArcCot[a + b*x]/(c + c*(a + b*x)^2)^(1/3), x]

Rubi [A] time = 0.0533345, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(a+bx)}{\sqrt[3]{(1+a^2)c+2abcx+b^2cx^2}} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[a + b*x]/((1 + a^2)*c + 2*a*b*c*x + b^2*c*x^2)^(1/3), x]

[Out] Defer[Subst][Defer[Int][ArcCot[x]/(c + c*x^2)^(1/3), x], x, a + b*x]/b

Rubi steps

$$\int \frac{\cot^{-1}(a+bx)}{\sqrt[3]{(1+a^2)c+2abcx+b^2cx^2}} dx = \frac{\text{Subst}\left(\int \frac{\cot^{-1}(x)}{\sqrt[3]{c+cx^2}} dx, x, a+bx\right)}{b}$$

Mathematica [A] time = 0.0850221, size = 180, normalized size = 7.5

$$\frac{c \left(6 \Gamma\left(\frac{11}{6}\right) \Gamma\left(\frac{7}{3}\right) \left(4(a+bx) {}_2F_1\left(1, \frac{4}{3}; \frac{11}{6}; \frac{1}{a^2+2bxa+b^2x^2+1}\right) \cot^{-1}(a+bx) + 5(a^2+2abx+b^2x^2+1) \right) (2(a+bx) \text{ArcCot}[a+bx]) + 4(a+bx) \text{ArcCot}[a+bx] \text{Hypergeometric2F1}\left[1, \frac{4}{3}, \frac{11}{6}, (1+a^2+2abx+b^2x^2)^{-1}\right] - 5 \cdot 2^{1/3} \sqrt{\pi} \Gamma\left[\frac{5}{3}\right] \text{HypergeometricPFQ}\left[\{1, \frac{4}{3}, \frac{4}{3}\}, \left\{\frac{11}{6}, \frac{7}{3}\right\}, (1+a^2+2abx+b^2x^2)^{-1}\right] \right)}{20b \Gamma\left(\frac{11}{6}\right) \Gamma\left(\frac{7}{3}\right) c}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[a + b*x]/((1 + a^2)*c + 2*a*b*c*x + b^2*c*x^2)^(1/3), x]

[Out] (c*(6*Gamma[11/6]*Gamma[7/3]*(5*(1 + a^2 + 2*a*b*x + b^2*x^2)*(-3 + 2*(a + b*x)*ArcCot[a + b*x]) + 4*(a + b*x)*ArcCot[a + b*x]*Hypergeometric2F1[1, 4/3, 11/6, (1 + a^2 + 2*a*b*x + b^2*x^2)^(-1)]) - 5*2^(1/3)*Sqrt[Pi]*Gamma[5/3]*HypergeometricPFQ[{1, 4/3, 4/3}, {11/6, 7/3}, (1 + a^2 + 2*a*b*x + b^2*x^2)^(-1)])/(20*b*(c*(1 + a^2 + 2*a*b*x + b^2*x^2))^(4/3)*Gamma[11/6]*Gamma[7/3])

Maple [A] time = 1.108, size = 0, normalized size = 0.

$$\int \text{arccot}(bx+a) \frac{1}{\sqrt[3]{(a^2+1)c+2abcx+b^2cx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+b^2*c*x^2)^(1/3),x)`

[Out] `int(arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+b^2*c*x^2)^(1/3),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(bx+a)}{(b^2cx^2 + 2abcx + (a^2+1)c)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+c*x^2*b^2)^(1/3),x, algorithm="maxima")`

[Out] `integrate(arccot(b*x + a)/(b^2*c*x^2 + 2*a*b*c*x + (a^2 + 1)*c)^(1/3), x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(bx+a)}{(b^2cx^2 + 2abcx + (a^2+1)c)^{\frac{1}{3}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+c*x^2*b^2)^(1/3),x, algorithm="fricas")`

[Out] `integral(arccot(b*x + a)/(b^2*c*x^2 + 2*a*b*c*x + (a^2 + 1)*c)^(1/3), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(a+bx)}{\sqrt[3]{c(a^2 + 2abx + b^2x^2 + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acot(b*x+a)/((a**2+1)*c+2*a*b*c*x+c*x**2*b**2)**(1/3),x)`

[Out] `Integral(acot(a + b*x)/(c*(a**2 + 2*a*b*x + b**2*x**2 + 1))**(1/3), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(bx+a)}{(b^2cx^2 + 2abcx + (a^2+1)c)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+c*x^2*b^2)^(1/3),x, algorithm="giac")
```

```
[Out] integrate(arccot(b*x + a)/(b^2*c*x^2 + 2*a*b*c*x + (a^2 + 1)*c)^(1/3), x)
```

$$3.118 \quad \int \frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt{1+a^2+2abx+b^2x^2}} dx$$

Optimal. Leaf size=187

$$\frac{i \operatorname{PolyLog}\left(2, -\frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{2b} - \frac{i \operatorname{PolyLog}\left(2, \frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{2b} + \frac{\sqrt{(a+bx)^2+1}}{2b} + \frac{(a+bx)\sqrt{(a+bx)^2+1} \cot^{-1}(a+bx)}{2b} + \frac{i \operatorname{atan}\left(\frac{\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{2b}$$

[Out] Sqrt[1 + (a + b*x)^2]/(2*b) + ((a + b*x)*Sqrt[1 + (a + b*x)^2]*ArcCot[a + b*x])/(2*b) + (I*ArcCot[a + b*x]*ArcTan[Sqrt[1 + I*(a + b*x)]/Sqrt[1 - I*(a + b*x)])]/b + ((I/2)*PolyLog[2, ((-I)*Sqrt[1 + I*(a + b*x)]/Sqrt[1 - I*(a + b*x)])]/b - ((I/2)*PolyLog[2, (I*Sqrt[1 + I*(a + b*x)]/Sqrt[1 - I*(a + b*x)])]/b

Rubi [A] time = 0.2229, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {5058, 4953, 261, 4887}

$$\frac{i \operatorname{PolyLog}\left(2, -\frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{2b} - \frac{i \operatorname{PolyLog}\left(2, \frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{2b} + \frac{\sqrt{(a+bx)^2+1}}{2b} + \frac{(a+bx)\sqrt{(a+bx)^2+1} \cot^{-1}(a+bx)}{2b} + \frac{i \operatorname{atan}\left(\frac{\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{2b}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x)^2*ArcCot[a + b*x])/Sqrt[1 + a^2 + 2*a*b*x + b^2*x^2], x]

[Out] Sqrt[1 + (a + b*x)^2]/(2*b) + ((a + b*x)*Sqrt[1 + (a + b*x)^2]*ArcCot[a + b*x])/(2*b) + (I*ArcCot[a + b*x]*ArcTan[Sqrt[1 + I*(a + b*x)]/Sqrt[1 - I*(a + b*x)])]/b + ((I/2)*PolyLog[2, ((-I)*Sqrt[1 + I*(a + b*x)]/Sqrt[1 - I*(a + b*x)])]/b - ((I/2)*PolyLog[2, (I*Sqrt[1 + I*(a + b*x)]/Sqrt[1 - I*(a + b*x)])]/b

Rule 5058

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^ (p_.)*((e_.) + (f_.)*(x_.))^ (m_.)*((A_.) + (B_.)*(x_.) + (C_.)*(x_.)^2)^ (q_.), x_Symbol] :> Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(C/d^2 + (C*x^2)/d^2)^q*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, p, q}, x] && EqQ[B*(1 + c^2) - 2*A*c*d, 0] && EqQ[2*c*C - B*d, 0]

Rule 4953

Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*((f_.)*(x_.))^ (m_.))/Sqrt[(d_.) + (e_.)*(x_.)^2], x_Symbol] :> Simp[(f*(f*x)^(m - 1)*Sqrt[d + e*x^2]*(a + b*ArcCot[c*x])^p)/(c^2*d*m), x] + (Dist[(b*f*p)/(c*m), Int[((f*x)^(m - 1)*(a + b*ArcCot[c*x])^(p - 1))/Sqrt[d + e*x^2], x], x] - Dist[(f^2*(m - 1))/(c^2*m), Int[((f*x)^(m - 2)*(a + b*ArcCot[c*x])^p)/Sqrt[d + e*x^2], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[e, c^2*d] && GtQ[p, 0] && GtQ[m, 1]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^ (p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 4887


```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[(-2*I*(a + b*ArcCot[c*x])*ArcTan[Sqrt[1 + I*c*x]/Sqrt[1 - I*c*x]])
/(c*Sqrt[d]), x] + (-Simp[(I*b*PolyLog[2, -((I*Sqrt[1 + I*c*x])/Sqrt[1 - I*
c*x])])/(c*Sqrt[d]), x] + Simp[(I*b*PolyLog[2, (I*Sqrt[1 + I*c*x])/Sqrt[1 -
I*c*x]])/(c*Sqrt[d]), x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] &&
GtQ[d, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt{1+a^2+2abx+b^2x^2}} dx &= \frac{\text{Subst}\left(\int \frac{x^2 \cot^{-1}(x)}{\sqrt{1+x^2}} dx, x, a+bx\right)}{b} \\ &= \frac{(a+bx)\sqrt{1+(a+bx)^2} \cot^{-1}(a+bx)}{2b} + \frac{\text{Subst}\left(\int \frac{x}{\sqrt{1+x^2}} dx, x, a+bx\right)}{2b} - \frac{\text{Subst}\left(\int \frac{1}{\sqrt{1+x^2}} dx, x, a+bx\right)}{2b} \\ &= \frac{\sqrt{1+(a+bx)^2}}{2b} + \frac{(a+bx)\sqrt{1+(a+bx)^2} \cot^{-1}(a+bx)}{2b} + \frac{i \cot^{-1}(a+bx) \tan^{-1}\left(\frac{\sqrt{1+(a+bx)^2}}{\sqrt{1-(a+bx)^2}}\right)}{b} \end{aligned}$$

Mathematica [A] time = 1.4439, size = 202, normalized size = 1.08

$$\frac{\sqrt{(a+bx)^2 \left(\frac{1}{(a+bx)^2} + 1\right)} \left(-4i \text{PolyLog}\left(2, -e^{i \cot^{-1}(a+bx)}\right) + 4i \text{PolyLog}\left(2, e^{i \cot^{-1}(a+bx)}\right) - 2 \cot\left(\frac{1}{2} \cot^{-1}(a+bx)\right) - 4\right)}{2b}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + b*x)^2*ArcCot[a + b*x])/Sqrt[1 + a^2 + 2*a*b*x + b^2*x^2], x]
```

```
[Out] -(Sqrt[(a + b*x)^2*(1 + (a + b*x)^(-2))]*(-2*Cot[ArcCot[a + b*x]/2] - ArcCot[a + b*x]*Csc[ArcCot[a + b*x]/2]^2 - 4*ArcCot[a + b*x]*Log[1 - E^(I*ArcCot[a + b*x])]) + 4*ArcCot[a + b*x]*Log[1 + E^(I*ArcCot[a + b*x])] - (4*I)*PolyLog[2, -E^(I*ArcCot[a + b*x])] + (4*I)*PolyLog[2, E^(I*ArcCot[a + b*x])] + ArcCot[a + b*x]*Sec[ArcCot[a + b*x]/2]^2 - 2*Tan[ArcCot[a + b*x]/2]))/(8*b*(a + b*x)*Sqrt[1 + (a + b*x)^(-2)])
```

Maple [A] time = 0.642, size = 167, normalized size = 0.9

$$\frac{\text{arccot}(bx+a)xb + \text{arccot}(bx+a)a + 1}{2b} \sqrt{b^2x^2 + 2xab + a^2 + 1} - \frac{\text{arccot}(bx+a)}{2b} \ln\left(1 + (i+a+bx) \frac{1}{\sqrt{1+(bx+a)^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x+a)^2*arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/2), x)
```

```
[Out] 1/2*(arccot(b*x+a)*x*b+arccot(b*x+a)*a+1)*(b^2*x^2+2*a*b*x+a^2+1)^(1/2)/b-1/2/b*arccot(b*x+a)*ln(1+(I+a+b*x)/(1+(b*x+a)^2)^(1/2))+1/2/b*arccot(b*x+a)*ln(1-(I+a+b*x)/(1+(b*x+a)^2)^(1/2))+1/2*I/b*polylog(2,-(I+a+b*x)/(1+(b*x+a)^2)^(1/2))-1/2*I/b*polylog(2,(I+a+b*x)/(1+(b*x+a)^2)^(1/2))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(b^2x^2 + 2abx + a^2)\text{arccot}(bx + a)}{\sqrt{b^2x^2 + 2abx + a^2 + 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/2),x, algorithm="fricas")

[Out] integral((b^2*x^2 + 2*a*b*x + a^2)*arccot(b*x + a)/sqrt(b^2*x^2 + 2*a*b*x + a^2 + 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + bx)^2 \text{acot}(a + bx)}{\sqrt{a^2 + 2abx + b^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**2*acot(b*x+a)/(b**2*x**2+2*a*b*x+a**2+1)**(1/2),x)

[Out] Integral((a + b*x)**2*acot(a + b*x)/sqrt(a**2 + 2*a*b*x + b**2*x**2 + 1), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(bx + a)^2 \text{arccot}(bx + a)}{\sqrt{b^2x^2 + 2abx + a^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/2),x, algorithm="giac")

[Out] integrate((b*x + a)^2*arccot(b*x + a)/sqrt(b^2*x^2 + 2*a*b*x + a^2 + 1), x)

$$3.119 \quad \int \frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt{(1+a^2)c+2abcx+b^2cx^2}} dx$$

Optimal. Leaf size=281

$$\frac{i\sqrt{(a+bx)^2+1}\text{PolyLog}\left(2, -\frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{2b\sqrt{c(a+bx)^2+c}} - \frac{i\sqrt{(a+bx)^2+1}\text{PolyLog}\left(2, \frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{2b\sqrt{c(a+bx)^2+c}} + \frac{\sqrt{c(a+bx)^2+c}}{2bc} + \frac{(a+bx)\sqrt{c(a+bx)^2+c}}{2bc}$$

```
[Out] Sqrt[c + c*(a + b*x)^2]/(2*b*c) + ((a + b*x)*Sqrt[c + c*(a + b*x)^2]*ArcCot[a + b*x])/(2*b*c) + (I*Sqrt[1 + (a + b*x)^2]*ArcCot[a + b*x]*ArcTan[Sqrt[1 + I*(a + b*x)]/Sqrt[1 - I*(a + b*x)]])/(b*Sqrt[c + c*(a + b*x)^2]) + ((I/2)*Sqrt[1 + (a + b*x)^2]*PolyLog[2, ((-I)*Sqrt[1 + I*(a + b*x)]/Sqrt[1 - I*(a + b*x)])])/(b*Sqrt[c + c*(a + b*x)^2]) - ((I/2)*Sqrt[1 + (a + b*x)^2]*PolyLog[2, (I*Sqrt[1 + I*(a + b*x)]/Sqrt[1 - I*(a + b*x)])])/(b*Sqrt[c + c*(a + b*x)^2])
```

Rubi [A] time = 0.3486, antiderivative size = 281, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {5058, 4953, 261, 4891, 4887}

$$\frac{i\sqrt{(a+bx)^2+1}\text{PolyLog}\left(2, -\frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{2b\sqrt{c(a+bx)^2+c}} - \frac{i\sqrt{(a+bx)^2+1}\text{PolyLog}\left(2, \frac{i\sqrt{1+i(a+bx)}}{\sqrt{1-i(a+bx)}}\right)}{2b\sqrt{c(a+bx)^2+c}} + \frac{\sqrt{c(a+bx)^2+c}}{2bc} + \frac{(a+bx)\sqrt{c(a+bx)^2+c}}{2bc}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*x)^2*ArcCot[a + b*x])/Sqrt[(1 + a^2)*c + 2*a*b*c*x + b^2*c*x^2], x]
```

```
[Out] Sqrt[c + c*(a + b*x)^2]/(2*b*c) + ((a + b*x)*Sqrt[c + c*(a + b*x)^2]*ArcCot[a + b*x])/(2*b*c) + (I*Sqrt[1 + (a + b*x)^2]*ArcCot[a + b*x]*ArcTan[Sqrt[1 + I*(a + b*x)]/Sqrt[1 - I*(a + b*x)]])/(b*Sqrt[c + c*(a + b*x)^2]) + ((I/2)*Sqrt[1 + (a + b*x)^2]*PolyLog[2, ((-I)*Sqrt[1 + I*(a + b*x)]/Sqrt[1 - I*(a + b*x)])])/(b*Sqrt[c + c*(a + b*x)^2]) - ((I/2)*Sqrt[1 + (a + b*x)^2]*PolyLog[2, (I*Sqrt[1 + I*(a + b*x)]/Sqrt[1 - I*(a + b*x)])])/(b*Sqrt[c + c*(a + b*x)^2])
```

Rule 5058

```
Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(m_.)*(A_.) + (B_.)*(x_.) + (C_.)*(x_.)^2)^(q_.), x_Symbol] := Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(C/d^2 + (C*x^2)/d^2)^q*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, p, q}, x] && EqQ[B*(1 + c^2) - 2*A*c*d, 0] && EqQ[2*c*C - B*d, 0]
```

Rule 4953

```
Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)*((f_.)*(x_.))^(m_.))/Sqrt[(d_.) + (e_.)*(x_.)^2], x_Symbol] := Simp[(f*(f*x)^(m-1)*Sqrt[d + e*x^2]*(a + b*ArcCot[c*x])^p)/(c^2*d*m), x] + (Dist[(b*f*p)/(c*m), Int[((f*x)^(m-1)*(a + b*ArcCot[c*x])^(p-1))/Sqrt[d + e*x^2], x], x] - Dist[(f^2*(m-1))/(c^2*m), Int[((f*x)^(m-2)*(a + b*ArcCot[c*x])^p)/Sqrt[d + e*x^2], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[e, c^2*d] && GtQ[p, 0] && GtQ[m, 1]
```

Rule 261

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rule 4891

```
Int[((a_) + ArcCot[(c_)*(x_)])*(b_)^(p_)/Sqrt[(d_) + (e_)*(x_)^2], x_Symbol] := Dist[Sqrt[1 + c^2*x^2]/Sqrt[d + e*x^2], Int[(a + b*ArcCot[c*x])^p/Sqrt[1 + c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0] && !GtQ[d, 0]
```

Rule 4887

```
Int[((a_) + ArcCot[(c_)*(x_)])*(b_)/Sqrt[(d_) + (e_)*(x_)^2], x_Symbol] := Simp[(-2*I*(a + b*ArcCot[c*x])*ArcTan[Sqrt[1 + I*c*x]/Sqrt[1 - I*c*x]])/(c*Sqrt[d]), x] + (-Simp[(I*b*PolyLog[2, -(I*Sqrt[1 + I*c*x])/Sqrt[1 - I*c*x]])/(c*Sqrt[d]), x] + Simp[(I*b*PolyLog[2, (I*Sqrt[1 + I*c*x])/Sqrt[1 - I*c*x]])/(c*Sqrt[d]), x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && GtQ[d, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt{(1+a^2)c+2abcx+b^2cx^2}} dx &= \frac{\text{Subst}\left(\int \frac{x^2 \cot^{-1}(x)}{\sqrt{c+cx^2}} dx, x, a+bx\right)}{b} \\ &= \frac{(a+bx)\sqrt{c+c(a+bx)^2} \cot^{-1}(a+bx)}{2bc} + \frac{\text{Subst}\left(\int \frac{x}{\sqrt{c+cx^2}} dx, x, a+bx\right)}{2b} - \frac{\text{Subst}\left(\int \frac{1}{\sqrt{c+cx^2}} dx, x, a+bx\right)}{2b} \\ &= \frac{\sqrt{c+c(a+bx)^2}}{2bc} + \frac{(a+bx)\sqrt{c+c(a+bx)^2} \cot^{-1}(a+bx)}{2bc} - \frac{\sqrt{1+(a+bx)^2} \text{Subst}\left(\int \frac{1}{\sqrt{c+cx^2}} dx, x, a+bx\right)}{2b\sqrt{c+c(a+bx)^2}} \\ &= \frac{\sqrt{c+c(a+bx)^2}}{2bc} + \frac{(a+bx)\sqrt{c+c(a+bx)^2} \cot^{-1}(a+bx)}{2bc} + \frac{i\sqrt{1+(a+bx)^2} \cot^{-1}(a+bx)}{b\sqrt{c+c(a+bx)^2}} \end{aligned}$$

Mathematica [A] time = 0.900675, size = 207, normalized size = 0.74

$$\frac{\sqrt{c(a^2+2abx+b^2x^2+1)}\left(-4i\text{PolyLog}\left(2,-e^{i\cot^{-1}(a+bx)}\right)+4i\text{PolyLog}\left(2,e^{i\cot^{-1}(a+bx)}\right)-2\cot\left(\frac{1}{2}\cot^{-1}(a+bx)\right)-4\right)}{8b^2\sqrt{c+c(a+bx)^2}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + b*x)^2*ArcCot[a + b*x])/Sqrt[(1 + a^2)*c + 2*a*b*c*x + b^2*c*x^2], x]
```

```
[Out] -(Sqrt[c*(1 + a^2 + 2*a*b*x + b^2*x^2)]*(-2*Cot[ArcCot[a + b*x]/2] - ArcCot[a + b*x]*Csc[ArcCot[a + b*x]/2]^2 - 4*ArcCot[a + b*x]*Log[1 - E^(I*ArcCot[a + b*x])]) + 4*ArcCot[a + b*x]*Log[1 + E^(I*ArcCot[a + b*x])]) - (4*I)*PolyLog[2, -E^(I*ArcCot[a + b*x])] + (4*I)*PolyLog[2, E^(I*ArcCot[a + b*x])] + ArcCot[a + b*x]*Sec[ArcCot[a + b*x]/2]^2 - 2*Tan[ArcCot[a + b*x]/2])/(8*b*c*(a + b*x)*Sqrt[1 + (a + b*x)^(-2)])
```

Maple [A] time = 1.1, size = 202, normalized size = 0.7

$$\frac{\operatorname{arccot}(bx+a)xb + \operatorname{arccot}(bx+a)a + 1}{2cb} \sqrt{c(-i+a+bx)(i+a+bx)} - \frac{i}{cb} \left(i \operatorname{arccot}(bx+a) \ln \left(1 - (i+a+bx) \frac{1}{\sqrt{1-}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^2*arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+b^2*c*x^2)^(1/2),x)

[Out] 1/2*(arccot(b*x+a)*x*b+arccot(b*x+a)*a+1)*(c*(-I+a+b*x)*(I+a+b*x))^(1/2)/c/b-1/2*I*(I*arccot(b*x+a)*ln(1-(I+a+b*x)/(1+(b*x+a)^2)^(1/2))-I*arccot(b*x+a)*ln(1+(I+a+b*x)/(1+(b*x+a)^2)^(1/2))-polylog(2,-(I+a+b*x)/(1+(b*x+a)^2)^(1/2))+polylog(2,(I+a+b*x)/(1+(b*x+a)^2)^(1/2)))*(c*(-I+a+b*x)*(I+a+b*x))^(1/2)/(b^2*x^2+2*a*b*x+a^2+1)^(1/2)/b/c

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+c*x^2*b^2)^(1/2),x,algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\frac{(b^2x^2 + 2abx + a^2) \operatorname{arccot}(bx+a)}{\sqrt{b^2cx^2 + 2abcx + (a^2+1)c}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+c*x^2*b^2)^(1/2),x,algorithm="fricas")

[Out] integral((b^2*x^2 + 2*a*b*x + a^2)*arccot(b*x + a)/sqrt(b^2*c*x^2 + 2*a*b*c*x + (a^2 + 1)*c), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**2*acot(b*x+a)/((a**2+1)*c+2*a*b*c*x+c*x**2*b**2)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(bx + a)^2 \operatorname{arccot}(bx + a)}{\sqrt{b^2cx^2 + 2abcx + (a^2 + 1)c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+c*x^2*b^2)^(1/2),x,
algorithm="giac")

[Out] integrate((b*x + a)^2*arccot(b*x + a)/sqrt(b^2*c*x^2 + 2*a*b*c*x + (a^2 + 1)
)c), x)

$$3.120 \quad \int \frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt[3]{1+a^2+2abx+b^2x^2}} dx$$

Optimal. Leaf size=29

$$\text{Unintegrable} \left(\frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt[3]{(a+bx)^2+1}}, x \right)$$

[Out] Unintegrable[((a + b*x)^2*ArcCot[a + b*x])/(1 + (a + b*x)^2)^(1/3), x]

Rubi [A] time = 0.137071, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt[3]{1+a^2+2abx+b^2x^2}} dx$$

Verification is Not applicable to the result.

[In] Int[((a + b*x)^2*ArcCot[a + b*x])/(1 + a^2 + 2*a*b*x + b^2*x^2)^(1/3), x]

[Out] Defer[Subst][Defer[Int] [(x^2*ArcCot[x])/(1 + x^2)^(1/3), x], x, a + b*x]/b

Rubi steps

$$\int \frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt[3]{1+a^2+2abx+b^2x^2}} dx = \frac{\text{Subst} \left(\int \frac{x^2 \cot^{-1}(x)}{\sqrt[3]{1+x^2}} dx, x, a+bx \right)}{b}$$

Mathematica [A] time = 0.920116, size = 198, normalized size = 6.83

$$\frac{3 \left(5 \sqrt[3]{2} \sqrt{\pi} \Gamma\left(\frac{5}{3}\right) \text{HypergeometricPFQ}\left(\left\{1, \frac{4}{3}, \frac{4}{3}\right\}, \left\{\frac{11}{6}, \frac{7}{3}\right\}, \frac{1}{a^2+2abx+b^2x^2+1}\right) + \Gamma\left(\frac{11}{6}\right) \Gamma\left(\frac{7}{3}\right) \left(5 \left(1 + (a+bx)^2\right)^{3/2} \text{ArcCot}[a+bx] - 24(a+bx) \text{ArcCot}[a+bx] \right) \right)}{140b \Gamma\left(\frac{11}{6}\right) \Gamma\left(\frac{7}{3}\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*x)^2*ArcCot[a + b*x])/(1 + a^2 + 2*a*b*x + b^2*x^2)^(1/3), x]

[Out] (3*(Gamma[11/6]*Gamma[7/3]*(5*(1 + (a + b*x)^2)^(3/2)*ArcCot[a + b*x] - 24*(a + b*x)*ArcCot[a + b*x]*Hypergeometric2F1[1, 4/3, 11/6, (1 + a^2 + 2*a*b*x + b^2*x^2)^(-1)])) + 5*2^(1/3)*Sqrt[Pi]*Gamma[5/3]*HypergeometricPFQ[{1, 4/3, 4/3}, {11/6, 7/3}, (1 + a^2 + 2*a*b*x + b^2*x^2)^(-1)])/(140*b*(1 + a^2 + 2*a*b*x + b^2*x^2)^(1/3)*(1 + (a + b*x)^2)*Gamma[11/6]*Gamma[7/3])

Maple [A] time = 1.473, size = 0, normalized size = 0.

$$\int (bx+a)^2 \operatorname{arccot}(bx+a) \frac{1}{\sqrt[3]{b^2x^2+2xab+a^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x+a)^2*arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/3),x)`

[Out] `int((b*x+a)^2*arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/3),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(bx + a)^2 \operatorname{arccot}(bx + a)}{(b^2x^2 + 2abx + a^2 + 1)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)^2*arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/3),x, algorithm="maxima")`

[Out] `integrate((b*x + a)^2*arccot(b*x + a)/(b^2*x^2 + 2*a*b*x + a^2 + 1)^(1/3), x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(b^2x^2 + 2abx + a^2) \operatorname{arccot}(bx + a)}{(b^2x^2 + 2abx + a^2 + 1)^{\frac{1}{3}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)^2*arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/3),x, algorithm="fricas")`

[Out] `integral((b^2*x^2 + 2*a*b*x + a^2)*arccot(b*x + a)/(b^2*x^2 + 2*a*b*x + a^2 + 1)^(1/3), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + bx)^2 \operatorname{acot}(a + bx)}{\sqrt[3]{a^2 + 2abx + b^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)**2*acot(b*x+a)/(b**2*x**2+2*a*b*x+a**2+1)**(1/3),x)`

[Out] `Integral((a + b*x)**2*acot(a + b*x)/(a**2 + 2*a*b*x + b**2*x**2 + 1)**(1/3), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(bx + a)^2 \operatorname{arccot}(bx + a)}{(b^2x^2 + 2abx + a^2 + 1)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^2*arccot(b*x+a)/(b^2*x^2+2*a*b*x+a^2+1)^(1/3),x, algorithm="giac")
```

```
[Out] integrate((b*x + a)^2*arccot(b*x + a)/(b^2*x^2 + 2*a*b*x + a^2 + 1)^(1/3), x)
```

$$3.121 \quad \int \frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt[3]{(1+a^2)c+2abcx+b^2cx^2}} dx$$

Optimal. Leaf size=31

$$\text{Unintegrable}\left(\frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt[3]{c(a+bx)^2+c}}, x\right)$$

[Out] Unintegrable[((a + b*x)^2*ArcCot[a + b*x])/(c + c*(a + b*x)^2)^(1/3), x]

Rubi [A] time = 0.189707, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt[3]{(1+a^2)c+2abcx+b^2cx^2}} dx$$

Verification is Not applicable to the result.

[In] Int[((a + b*x)^2*ArcCot[a + b*x])/((1 + a^2)*c + 2*a*b*c*x + b^2*c*x^2)^(1/3), x]

[Out] Defer[Subst][Defer[Int][(x^2*ArcCot[x])/(c + c*x^2)^(1/3), x], x, a + b*x]/b

Rubi steps

$$\int \frac{(a+bx)^2 \cot^{-1}(a+bx)}{\sqrt[3]{(1+a^2)c+2abcx+b^2cx^2}} dx = \frac{\text{Subst}\left(\int \frac{x^2 \cot^{-1}(x)}{\sqrt[3]{c+cx^2}} dx, x, a+bx\right)}{b}$$

Mathematica [A] time = 0.204658, size = 200, normalized size = 6.45

$$\frac{3\left(5\sqrt[3]{2}\sqrt{\pi}\Gamma\left(\frac{5}{3}\right)\text{HypergeometricPFQ}\left(\left\{1, \frac{4}{3}, \frac{4}{3}\right\}, \left\{\frac{11}{6}, \frac{7}{3}\right\}, \frac{1}{a^2+2abx+b^2x^2+1}\right) + \Gamma\left(\frac{11}{6}\right)\Gamma\left(\frac{7}{3}\right)\left(5((a+b^2x^2)^{1/3}\sqrt{\pi}\Gamma\left(\frac{5}{3}\right)\text{HypergeometricPFQ}\left(\left\{1, \frac{4}{3}, \frac{4}{3}\right\}, \left\{\frac{11}{6}, \frac{7}{3}\right\}, \frac{1}{a^2+2abx+b^2x^2+1}\right) + \Gamma\left(\frac{11}{6}\right)\Gamma\left(\frac{7}{3}\right)\right)}{140b\Gamma\left(\frac{11}{6}\right)\Gamma\left(\frac{7}{3}\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*x)^2*ArcCot[a + b*x])/((1 + a^2)*c + 2*a*b*c*x + b^2*c*x^2)^(1/3), x]

[Out] (3*(Gamma[11/6]*Gamma[7/3]*(5*(1 + (a + b*x)^2)*(3*(7 + (a + b*x)^2) + 4*(a + b*x)*(-2 + (a + b*x)^2)*ArcCot[a + b*x]) - 24*(a + b*x)*ArcCot[a + b*x]*Hypergeometric2F1[1, 4/3, 11/6, (1 + a^2 + 2*a*b*x + b^2*x^2)^(-1)]) + 5*2^(1/3)*Sqrt[Pi]*Gamma[5/3]*HypergeometricPFQ[{1, 4/3, 4/3}, {11/6, 7/3}, (1 + a^2 + 2*a*b*x + b^2*x^2)^(-1)])/(140*b*(c*(1 + a^2 + 2*a*b*x + b^2*x^2))^(1/3)*(1 + (a + b*x)^2)*Gamma[11/6]*Gamma[7/3])

Maple [A] time = 1.456, size = 0, normalized size = 0.

$$\int (bx + a)^2 \operatorname{arccot}(bx + a) \frac{1}{\sqrt[3]{(a^2 + 1)c + 2abcx + b^2cx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^2*arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+b^2*c*x^2)^(1/3),x)

[Out] int((b*x+a)^2*arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+b^2*c*x^2)^(1/3),x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(bx + a)^2 \operatorname{arccot}(bx + a)}{(b^2cx^2 + 2abcx + (a^2 + 1)c)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+c*x^2*b^2)^(1/3),x,
algorithm="maxima")

[Out] integrate((b*x + a)^2*arccot(b*x + a)/(b^2*c*x^2 + 2*a*b*c*x + (a^2 + 1)*c)^(1/3), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(b^2x^2 + 2abx + a^2) \operatorname{arccot}(bx + a)}{(b^2cx^2 + 2abcx + (a^2 + 1)c)^{\frac{1}{3}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+c*x^2*b^2)^(1/3),x,
algorithm="fricas")

[Out] integral((b^2*x^2 + 2*a*b*x + a^2)*arccot(b*x + a)/(b^2*c*x^2 + 2*a*b*c*x + (a^2 + 1)*c)^(1/3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**2*acot(b*x+a)/((a**2+1)*c+2*a*b*c*x+c*x**2*b**2)**(1/3),
x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(bx + a)^2 \operatorname{arccot}(bx + a)}{(b^2cx^2 + 2abcx + (a^2 + 1)c)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^2*arccot(b*x+a)/((a^2+1)*c+2*a*b*c*x+c*x^2*b^2)^(1/3), x,  
algorithm="giac")
```

```
[Out] integrate((b*x + a)^2*arccot(b*x + a)/(b^2*c*x^2 + 2*a*b*c*x + (a^2 + 1)*c)  
^(1/3), x)
```

3.122 $\int (a + bx)^2 \cot^{-1}(a + bx) dx$

Optimal. Leaf size=52

$$\frac{(a + bx)^2}{6b} - \frac{\log((a + bx)^2 + 1)}{6b} + \frac{(a + bx)^3 \cot^{-1}(a + bx)}{3b}$$

[Out] $(a + b*x)^2/(6*b) + ((a + b*x)^3*ArcCot[a + b*x])/(3*b) - \text{Log}[1 + (a + b*x)^2]/(6*b)$

Rubi [A] time = 0.0386925, antiderivative size = 52, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {5044, 4853, 266, 43}

$$\frac{(a + bx)^2}{6b} - \frac{\log((a + bx)^2 + 1)}{6b} + \frac{(a + bx)^3 \cot^{-1}(a + bx)}{3b}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)^2*ArcCot[a + b*x], x]

[Out] $(a + b*x)^2/(6*b) + ((a + b*x)^3*ArcCot[a + b*x])/(3*b) - \text{Log}[1 + (a + b*x)^2]/(6*b)$

Rule 5044

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_)])*(b_.))^(p_.)*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Dist[1/d, Subst[Int[((f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[d*e - c*f, 0] && IGtQ[p, 0]

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rubi steps

$$\begin{aligned}
\int (a+bx)^2 \cot^{-1}(a+bx) dx &= \frac{\text{Subst}\left(\int x^2 \cot^{-1}(x) dx, x, a+bx\right)}{b} \\
&= \frac{(a+bx)^3 \cot^{-1}(a+bx)}{3b} + \frac{\text{Subst}\left(\int \frac{x^3}{1+x^2} dx, x, a+bx\right)}{3b} \\
&= \frac{(a+bx)^3 \cot^{-1}(a+bx)}{3b} + \frac{\text{Subst}\left(\int \frac{x}{1+x} dx, x, (a+bx)^2\right)}{6b} \\
&= \frac{(a+bx)^3 \cot^{-1}(a+bx)}{3b} + \frac{\text{Subst}\left(\int \left(1 + \frac{1}{-1-x}\right) dx, x, (a+bx)^2\right)}{6b} \\
&= \frac{(a+bx)^2}{6b} + \frac{(a+bx)^3 \cot^{-1}(a+bx)}{3b} - \frac{\log\left(1 + (a+bx)^2\right)}{6b}
\end{aligned}$$

Mathematica [A] time = 0.0136469, size = 42, normalized size = 0.81

$$\frac{(a+bx)^2 - \log\left((a+bx)^2 + 1\right) + 2(a+bx)^3 \cot^{-1}(a+bx)}{6b}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)^2*ArcCot[a + b*x],x]

[Out] ((a + b*x)^2 + 2*(a + b*x)^3*ArcCot[a + b*x] - Log[1 + (a + b*x)^2])/(6*b)

Maple [A] time = 0.042, size = 86, normalized size = 1.7

$$\frac{b^2 \operatorname{arccot}(bx+a)x^3}{3} + b \operatorname{arccot}(bx+a)x^2 a + \operatorname{arccot}(bx+a)x a^2 + \frac{\operatorname{arccot}(bx+a)a^3}{3b} + \frac{bx^2}{6} + \frac{ax}{3} + \frac{a^2}{6b} - \frac{\ln\left(1 + (bx+a)^2\right)}{6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^2*arccot(b*x+a),x)

[Out] 1/3*b^2*arccot(b*x+a)*x^3+b*arccot(b*x+a)*x^2*a+arccot(b*x+a)*x*a^2+1/3/b*a*arccot(b*x+a)*a^3+1/6*b*x^2+1/3*a*x+1/6/b*a^2-1/6*ln(1+(b*x+a)^2)/b

Maxima [B] time = 1.47172, size = 126, normalized size = 2.42

$$-\frac{1}{6} \left(\frac{2a^3 \arctan\left(\frac{b^2x+ab}{b}\right)}{b^2} - \frac{bx^2 + 2ax}{b} + \frac{\log(b^2x^2 + 2abx + a^2 + 1)}{b^2} \right) b + \frac{1}{3} (b^2x^3 + 3abx^2 + 3a^2x) \operatorname{arccot}(bx+a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*arccot(b*x+a),x, algorithm="maxima")

[Out] -1/6*(2*a^3*arctan((b^2*x + a*b)/b)/b^2 - (b*x^2 + 2*a*x)/b + log(b^2*x^2 + 2*a*b*x + a^2 + 1)/b^2)*b + 1/3*(b^2*x^3 + 3*a*b*x^2 + 3*a^2*x)*arccot(b*x + a)

Fricas [A] time = 2.1865, size = 192, normalized size = 3.69

$$\frac{b^2x^2 - 2a^3 \arctan(bx + a) + 2abx + 2(b^3x^3 + 3ab^2x^2 + 3a^2bx) \operatorname{arccot}(bx + a) - \log(b^2x^2 + 2abx + a^2 + 1)}{6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*arccot(b*x+a),x, algorithm="fricas")

[Out] 1/6*(b^2*x^2 - 2*a^3*arctan(b*x + a) + 2*a*b*x + 2*(b^3*x^3 + 3*a*b^2*x^2 + 3*a^2*b*x)*arccot(b*x + a) - log(b^2*x^2 + 2*a*b*x + a^2 + 1))/b

Sympy [A] time = 1.67135, size = 100, normalized size = 1.92

$$\begin{cases} \frac{a^3 \operatorname{acot}(a+bx)}{3b} + a^2x \operatorname{acot}(a+bx) + abx^2 \operatorname{acot}(a+bx) + \frac{ax}{3} + \frac{b^2x^3 \operatorname{acot}(a+bx)}{3} + \frac{bx^2}{6} - \frac{\log\left(\frac{a^2}{b^2} + \frac{2ax}{b} + x^2 + \frac{1}{b^2}\right)}{6b} & \text{for } b \neq 0 \\ a^2x \operatorname{acot}(a) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**2*acot(b*x+a),x)

[Out] Piecewise((a**3*acot(a + b*x)/(3*b) + a**2*x*acot(a + b*x) + a*b*x**2*acot(a + b*x) + a*x/3 + b**2*x**3*acot(a + b*x)/3 + b*x**2/6 - log(a**2/b**2 + 2*a*x/b + x**2 + b**(-2))/(6*b), Ne(b, 0)), (a**2*x*acot(a), True))

Giac [A] time = 1.10006, size = 86, normalized size = 1.65

$$\frac{(bx + a)^3 \arctan\left(\frac{1}{bx+a}\right)}{3b} - \frac{\log(b^2x^2 + 2abx + a^2 + 1)}{6b} + \frac{b^5x^2 + 2ab^4x}{6b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*arccot(b*x+a),x, algorithm="giac")

[Out] 1/3*(b*x + a)^3*arctan(1/(b*x + a))/b - 1/6*log(b^2*x^2 + 2*a*b*x + a^2 + 1)/b + 1/6*(b^5*x^2 + 2*a*b^4*x)/b^4

3.123 $\int (a + bx) \cot^{-1}(a + bx) dx$

Optimal. Leaf size=39

$$-\frac{\tan^{-1}(a + bx)}{2b} + \frac{(a + bx)^2 \cot^{-1}(a + bx)}{2b} + \frac{x}{2}$$

[Out] x/2 + ((a + b*x)^2*ArcCot[a + b*x])/(2*b) - ArcTan[a + b*x]/(2*b)

Rubi [A] time = 0.0209446, antiderivative size = 39, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5044, 4853, 321, 203}

$$-\frac{\tan^{-1}(a + bx)}{2b} + \frac{(a + bx)^2 \cot^{-1}(a + bx)}{2b} + \frac{x}{2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)*ArcCot[a + b*x], x]

[Out] x/2 + ((a + b*x)^2*ArcCot[a + b*x])/(2*b) - ArcTan[a + b*x]/(2*b)

Rule 5044

Int[((a_.) + ArcCot[(c_) + (d_.)*(x_)])*(b_.))^(p_.)*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Dist[1/d, Subst[Int[((f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[d*e - c*f, 0] && IGtQ[p, 0]

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 321

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])]/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int (a + bx) \cot^{-1}(a + bx) dx &= \frac{\text{Subst}\left(\int x \cot^{-1}(x) dx, x, a + bx\right)}{b} \\
&= \frac{(a + bx)^2 \cot^{-1}(a + bx)}{2b} + \frac{\text{Subst}\left(\int \frac{x^2}{1+x^2} dx, x, a + bx\right)}{2b} \\
&= \frac{x}{2} + \frac{(a + bx)^2 \cot^{-1}(a + bx)}{2b} - \frac{\text{Subst}\left(\int \frac{1}{1+x^2} dx, x, a + bx\right)}{2b} \\
&= \frac{x}{2} + \frac{(a + bx)^2 \cot^{-1}(a + bx)}{2b} - \frac{\tan^{-1}(a + bx)}{2b}
\end{aligned}$$

Mathematica [C] time = 0.0548926, size = 141, normalized size = 3.62

$$\frac{a \left(\log(a^2 + 2abx + b^2x^2 + 1) - 2a \tan^{-1}(a + bx) \right)}{2b} + \frac{1}{2}b \left(-\frac{i(-a + i)^2 \log(-a - bx + i)}{2b^2} + \frac{i(a + i)^2 \log(a + bx + i)}{2b^2} + \frac{x}{b} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)*ArcCot[a + b*x], x]

[Out] a*x*ArcCot[a + b*x] + (b*(-(a/b) + (a + b*x)/b)^2*ArcCot[a + b*x])/2 + (b*(x/b - ((I/2)*(I - a)^2*Log[I - a - b*x])/b^2 + ((I/2)*(I + a)^2*Log[I + a + b*x])/b^2))/2 + (a*(-2*a*ArcTan[a + b*x] + Log[1 + a^2 + 2*a*b*x + b^2*x^2]))/(2*b)

Maple [A] time = 0.043, size = 57, normalized size = 1.5

$$\frac{\text{barccot}(bx + a)x^2}{2} + \text{arccot}(bx + a)xa + \frac{\text{arccot}(bx + a)a^2}{2b} + \frac{x}{2} + \frac{a}{2b} - \frac{\arctan(bx + a)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)*arccot(b*x+a), x)

[Out] 1/2*b*arccot(b*x+a)*x^2+arccot(b*x+a)*x*a+1/2/b*arccot(b*x+a)*a^2+1/2*x+1/2*a/b-1/2*arctan(b*x+a)/b

Maxima [A] time = 1.45168, size = 70, normalized size = 1.79

$$\frac{1}{2}b \left(\frac{x}{b} - \frac{(a^2 + 1) \arctan\left(\frac{b^2x + ab}{b}\right)}{b^2} \right) + \frac{1}{2}(bx^2 + 2ax) \text{arccot}(bx + a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*arccot(b*x+a), x, algorithm="maxima")

[Out] 1/2*b*(x/b - (a^2 + 1)*arctan((b^2*x + a*b)/b)/b^2) + 1/2*(b*x^2 + 2*a*x)*arccot(b*x + a)

Fricas [A] time = 2.10774, size = 82, normalized size = 2.1

$$\frac{bx + (b^2x^2 + 2abx + a^2 + 1) \operatorname{arccot}(bx + a)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*arccot(b*x+a),x, algorithm="fricas")

[Out] 1/2*(b*x + (b^2*x^2 + 2*a*b*x + a^2 + 1)*arccot(b*x + a))/b

Sympy [A] time = 1.07128, size = 56, normalized size = 1.44

$$\begin{cases} \frac{a^2 \operatorname{acot}(a+bx)}{2b} + ax \operatorname{acot}(a + bx) + \frac{bx^2 \operatorname{acot}(a+bx)}{2} + \frac{x}{2} + \frac{\operatorname{acot}(a+bx)}{2b} & \text{for } b \neq 0 \\ ax \operatorname{acot}(a) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*acot(b*x+a),x)

[Out] Piecewise((a**2*acot(a + b*x)/(2*b) + a*x*acot(a + b*x) + b*x**2*acot(a + b*x)/2 + x/2 + acot(a + b*x)/(2*b), Ne(b, 0)), (a*x*acot(a), True))

Giac [A] time = 1.11124, size = 54, normalized size = 1.38

$$\frac{1}{2} (bx^2 + 2ax) \arctan\left(\frac{1}{bx+a}\right) + \frac{1}{2} x - \frac{(a^2 + 1) \arctan(bx + a)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*arccot(b*x+a),x, algorithm="giac")

[Out] 1/2*(b*x^2 + 2*a*x)*arctan(1/(b*x + a)) + 1/2*x - 1/2*(a^2 + 1)*arctan(b*x + a)/b

$$3.124 \quad \int \frac{\cot^{-1}(a+bx)}{a+bx} dx$$

Optimal. Leaf size=45

$$\frac{i\text{PolyLog}\left(2, \frac{i}{a+bx}\right)}{2b} - \frac{i\text{PolyLog}\left(2, -\frac{i}{a+bx}\right)}{2b}$$

[Out] $((-I/2)*\text{PolyLog}[2, (-I)/(a + b*x)]) / b + ((I/2)*\text{PolyLog}[2, I/(a + b*x)]) / b$

Rubi [A] time = 0.0414755, antiderivative size = 45, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {5044, 4849, 2391}

$$\frac{i\text{PolyLog}\left(2, \frac{i}{a+bx}\right)}{2b} - \frac{i\text{PolyLog}\left(2, -\frac{i}{a+bx}\right)}{2b}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a + b*x]/(a + b*x), x]

[Out] $((-I/2)*\text{PolyLog}[2, (-I)/(a + b*x)]) / b + ((I/2)*\text{PolyLog}[2, I/(a + b*x)]) / b$

Rule 5044

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol] := Dist[1/d, Subst[Int[((f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[d*e - c*f, 0] && IGtQ[p, 0]

Rule 4849

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))/(x_), x_Symbol] := Simp[a*Log[x], x] + (Dist[(I*b)/2, Int[Log[1 - I/(c*x)]/x, x], x] - Dist[(I*b)/2, Int[Log[1 + I/(c*x)]/x, x], x]) /; FreeQ[{a, b, c}, x]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(a+bx)}{a+bx} dx &= \frac{\text{Subst}\left(\int \frac{\cot^{-1}(x)}{x} dx, x, a+bx\right)}{b} \\ &= \frac{i\text{Subst}\left(\int \frac{\log\left(1-\frac{i}{x}\right)}{x} dx, x, a+bx\right)}{2b} - \frac{i\text{Subst}\left(\int \frac{\log\left(1+\frac{i}{x}\right)}{x} dx, x, a+bx\right)}{2b} \\ &= -\frac{i\text{Li}_2\left(-\frac{i}{a+bx}\right)}{2b} + \frac{i\text{Li}_2\left(\frac{i}{a+bx}\right)}{2b} \end{aligned}$$

Mathematica [A] time = 0.0068087, size = 38, normalized size = 0.84

$$\frac{i \left(\text{PolyLog} \left(2, -\frac{i}{a+bx} \right) - \text{PolyLog} \left(2, \frac{i}{a+bx} \right) \right)}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a + b*x]/(a + b*x), x]

[Out] ((-I/2)*(PolyLog[2, (-I)/(a + b*x)] - PolyLog[2, I/(a + b*x)]))/b

Maple [B] time = 0.052, size = 98, normalized size = 2.2

$$\frac{\ln(bx+a) \operatorname{arccot}(bx+a)}{b} - \frac{\frac{i}{2} \ln(bx+a) \ln(1+i(bx+a))}{b} + \frac{\frac{i}{2} \ln(bx+a) \ln(1-i(bx+a))}{b} - \frac{\frac{i}{2} \operatorname{dilog}(1+i(bx+a))}{b} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(b*x+a)/(b*x+a), x)

[Out] 1/b*ln(b*x+a)*arccot(b*x+a)-1/2*I/b*ln(b*x+a)*ln(1+I*(b*x+a))+1/2*I/b*ln(b*x+a)*ln(1-I*(b*x+a))-1/2*I/b*dilog(1+I*(b*x+a))+1/2*I/b*dilog(1-I*(b*x+a))

Maxima [B] time = 1.63219, size = 151, normalized size = 3.36

$$\frac{\operatorname{arccot}(bx+a) \log(bx+a)}{b} + \frac{\arctan\left(\frac{b^2x+ab}{b}\right) \log(bx+a)}{b} + \frac{\arctan(bx+a, 0) \log(b^2x^2 + 2abx + a^2 + 1) - 2 \arctan(bx+a, 0) \log(bx+a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(b*x+a), x, algorithm="maxima")

[Out] arccot(b*x + a)*log(b*x + a)/b + arctan((b^2*x + a*b)/b)*log(b*x + a)/b + 1/2*(arctan2(b*x + a, 0)*log(b^2*x^2 + 2*a*b*x + a^2 + 1) - 2*arctan(b*x + a)*log(abs(b*x + a))) + I*dilog(I*b*x + I*a + 1) - I*dilog(-I*b*x - I*a + 1))/b

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(bx+a)}{bx+a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(b*x+a), x, algorithm="fricas")

[Out] integral(arccot(b*x + a)/(b*x + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(a + bx)}{a + bx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(b*x+a)/(b*x+a), x)

[Out] Integral(acot(a + b*x)/(a + b*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(bx + a)}{bx + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(b*x+a), x, algorithm="giac")

[Out] integrate(arccot(b*x + a)/(b*x + a), x)

$$3.125 \quad \int \frac{\cot^{-1}(a+bx)}{(a+bx)^2} dx$$

Optimal. Leaf size=47

$$-\frac{\log(a+bx)}{b} + \frac{\log((a+bx)^2+1)}{2b} - \frac{\cot^{-1}(a+bx)}{b(a+bx)}$$

[Out] -(ArcCot[a + b*x]/(b*(a + b*x))) - Log[a + b*x]/b + Log[1 + (a + b*x)^2]/(2*b)

Rubi [A] time = 0.0316369, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {5044, 4853, 266, 36, 29, 31}

$$-\frac{\log(a+bx)}{b} + \frac{\log((a+bx)^2+1)}{2b} - \frac{\cot^{-1}(a+bx)}{b(a+bx)}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a + b*x]/(a + b*x)^2, x]

[Out] -(ArcCot[a + b*x]/(b*(a + b*x))) - Log[a + b*x]/b + Log[1 + (a + b*x)^2]/(2*b)

Rule 5044

```
Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol]
:> Dist[1/d, Subst[Int[((f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[d*e - c*f, 0] && IGtQ[p, 0]
```

Rule 4853

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 36

```
Int[1/(((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.))), x_Symbol]
:> Dist[b/(b*c - a*d), Int[1/(a + b*x), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0]
```

Rule 29

```
Int[(x_)^(-1), x_Symbol]
:> Simp[Log[x], x]
```

Rule 31

`Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rubi steps

$$\begin{aligned} \int \frac{\cot^{-1}(a+bx)}{(a+bx)^2} dx &= \frac{\text{Subst}\left(\int \frac{\cot^{-1}(x)}{x^2} dx, x, a+bx\right)}{b} \\ &= -\frac{\cot^{-1}(a+bx)}{b(a+bx)} - \frac{\text{Subst}\left(\int \frac{1}{x(1+x^2)} dx, x, a+bx\right)}{b} \\ &= -\frac{\cot^{-1}(a+bx)}{b(a+bx)} - \frac{\text{Subst}\left(\int \frac{1}{x(1+x)} dx, x, (a+bx)^2\right)}{2b} \\ &= -\frac{\cot^{-1}(a+bx)}{b(a+bx)} - \frac{\text{Subst}\left(\int \frac{1}{x} dx, x, (a+bx)^2\right)}{2b} + \frac{\text{Subst}\left(\int \frac{1}{1+x} dx, x, (a+bx)^2\right)}{2b} \\ &= -\frac{\cot^{-1}(a+bx)}{b(a+bx)} - \frac{\log(a+bx)}{b} + \frac{\log(1+(a+bx)^2)}{2b} \end{aligned}$$

Mathematica [A] time = 0.0174963, size = 40, normalized size = 0.85

$$-\frac{\log(a+bx) - \frac{1}{2} \log((a+bx)^2 + 1) + \frac{\cot^{-1}(a+bx)}{a+bx}}{b}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a + b*x]/(a + b*x)^2, x]

[Out] -((ArcCot[a + b*x]/(a + b*x) + Log[a + b*x] - Log[1 + (a + b*x)^2]/2)/b)

Maple [A] time = 0.046, size = 46, normalized size = 1.

$$-\frac{\operatorname{arccot}(bx+a)}{b(bx+a)} - \frac{\ln(bx+a)}{b} + \frac{\ln(1+(bx+a)^2)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(b*x+a)/(b*x+a)^2, x)

[Out] -arccot(b*x+a)/b/(b*x+a) - ln(b*x+a)/b + 1/2*ln(1+(b*x+a)^2)/b

Maxima [A] time = 1.00666, size = 72, normalized size = 1.53

$$\frac{\log(b^2x^2 + 2abx + a^2 + 1)}{2b} - \frac{\log(bx+a)}{b} - \frac{\operatorname{arccot}(bx+a)}{(bx+a)b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(b*x+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{2} \log(b^2 x^2 + 2 a b x + a^2 + 1) / b - \log(b x + a) / b - \operatorname{arccot}(b x + a) / ((b x + a) * b)$

Fricas [A] time = 2.22231, size = 150, normalized size = 3.19

$$\frac{(b x + a) \log\left(b^2 x^2 + 2 a b x + a^2 + 1\right) - 2 (b x + a) \log(b x + a) - 2 \operatorname{arccot}(b x + a)}{2 (b^2 x + a b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(b*x+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{2} * ((b * x + a) * \log(b^2 * x^2 + 2 * a * b * x + a^2 + 1) - 2 * (b * x + a) * \log(b * x + a) - 2 * \operatorname{arccot}(b * x + a)) / (b^2 * x + a * b)$

Sympy [A] time = 1.96155, size = 150, normalized size = 3.19

$$\begin{cases} -\frac{2 a \log\left(\frac{a}{b}+x\right)}{2 a b+2 b^2 x} + \frac{a \log\left(\frac{a^2}{b^2}+\frac{2 a x}{b}+x^2+\frac{1}{b^2}\right)}{2 a b+2 b^2 x} - \frac{2 b x \log\left(\frac{a}{b}+x\right)}{2 a b+2 b^2 x} + \frac{b x \log\left(\frac{a^2}{b^2}+\frac{2 a x}{b}+x^2+\frac{1}{b^2}\right)}{2 a b+2 b^2 x} - \frac{2 \operatorname{acot}(a+b x)}{2 a b+2 b^2 x} & \text{for } b \neq 0 \\ \frac{x \operatorname{acot}(a)}{a^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(b*x+a)/(b*x+a)**2,x)

[Out] Piecewise((-2*a*log(a/b + x)/(2*a*b + 2*b**2*x) + a*log(a**2/b**2 + 2*a*x/b + x**2 + b**(-2))/(2*a*b + 2*b**2*x) - 2*b*x*log(a/b + x)/(2*a*b + 2*b**2*x) + b*x*log(a**2/b**2 + 2*a*x/b + x**2 + b**(-2))/(2*a*b + 2*b**2*x) - 2*a*cot(a + b*x)/(2*a*b + 2*b**2*x), Ne(b, 0)), (x*acot(a)/a**2, True))

Giac [A] time = 1.10879, size = 49, normalized size = 1.04

$$\frac{\log\left(\frac{1}{(b x+a)^2}+1\right)}{2 b} - \frac{\arctan\left(\frac{1}{b x+a}\right)}{(b x+a) b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(b*x+a)^2,x, algorithm="giac")

[Out] $\frac{1}{2} * \log(1 / (b * x + a)^2 + 1) / b - \arctan(1 / (b * x + a)) / ((b * x + a) * b)$

$$3.126 \quad \int \frac{\cot^{-1}(1+x)}{2+2x} dx$$

Optimal. Leaf size=35

$$\frac{1}{4}i\text{PolyLog}\left(2, \frac{i}{x+1}\right) - \frac{1}{4}i\text{PolyLog}\left(2, -\frac{i}{x+1}\right)$$

[Out] $(-I/4)*\text{PolyLog}[2, (-I)/(1 + x)] + (I/4)*\text{PolyLog}[2, I/(1 + x)]$

Rubi [A] time = 0.036544, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5044, 12, 4849, 2391}

$$\frac{1}{4}i\text{PolyLog}\left(2, \frac{i}{x+1}\right) - \frac{1}{4}i\text{PolyLog}\left(2, -\frac{i}{x+1}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[1 + x]/(2 + 2*x), x]

[Out] $(-I/4)*\text{PolyLog}[2, (-I)/(1 + x)] + (I/4)*\text{PolyLog}[2, I/(1 + x)]$

Rule 5044

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol] := Dist[1/d, Subst[Int[((f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[d*e - c*f, 0] && IGtQ[p, 0]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 4849

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))/(x_), x_Symbol] := Simp[a*Log[x], x] + (Dist[(I*b)/2, Int[Log[1 - I/(c*x)]/x, x], x] - Dist[(I*b)/2, Int[Log[1 + I/(c*x)]/x, x], x]) /; FreeQ[{a, b, c}, x]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(1+x)}{2+2x} dx &= \text{Subst} \left(\int \frac{\cot^{-1}(x)}{2x} dx, x, 1+x \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{\cot^{-1}(x)}{x} dx, x, 1+x \right) \\
&= \frac{1}{4} i \text{Subst} \left(\int \frac{\log\left(1-\frac{i}{x}\right)}{x} dx, x, 1+x \right) - \frac{1}{4} i \text{Subst} \left(\int \frac{\log\left(1+\frac{i}{x}\right)}{x} dx, x, 1+x \right) \\
&= -\frac{1}{4} i \text{Li}_2 \left(-\frac{i}{1+x} \right) + \frac{1}{4} i \text{Li}_2 \left(\frac{i}{1+x} \right)
\end{aligned}$$

Mathematica [A] time = 0.0043733, size = 35, normalized size = 1.

$$\frac{1}{4} i \text{PolyLog} \left(2, \frac{i}{x+1} \right) - \frac{1}{4} i \text{PolyLog} \left(2, -\frac{i}{x+1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[1 + x]/(2 + 2*x), x]

[Out] (-I/4)*PolyLog[2, (-I)/(1 + x)] + (I/4)*PolyLog[2, I/(1 + x)]

Maple [B] time = 0.036, size = 68, normalized size = 1.9

$$\frac{\ln(x+1) \operatorname{arccot}(x+1)}{2} - \frac{i}{4} \ln(x+1) \ln(1+i(x+1)) + \frac{i}{4} \ln(x+1) \ln(1-i(x+1)) - \frac{i}{4} \operatorname{dilog}(1+i(x+1)) + \frac{i}{4} \operatorname{dilog}(1-i(x+1))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(x+1)/(2+2*x), x)

[Out] 1/2*ln(x+1)*arccot(x+1)-1/4*I*ln(x+1)*ln(1+I*(x+1))+1/4*I*ln(x+1)*ln(1-I*(x+1))-1/4*I*dilog(1+I*(x+1))+1/4*I*dilog(1-I*(x+1))

Maxima [B] time = 1.59732, size = 86, normalized size = 2.46

$$\frac{1}{4} \arctan(x+1, 0) \log(x^2 + 2x + 2) + \frac{1}{2} \operatorname{arccot}(x+1) \log(x+1) + \frac{1}{2} \arctan(x+1) \log(x+1) - \frac{1}{2} \arctan(x+1) \log(\operatorname{abs}(x+1)) + \frac{1}{4} i \operatorname{dilog}(i(x+1) + 1) - \frac{1}{4} i \operatorname{dilog}(-i(x+1) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(1+x)/(2+2*x), x, algorithm="maxima")

[Out] 1/4*arctan2(x + 1, 0)*log(x^2 + 2*x + 2) + 1/2*arccot(x + 1)*log(x + 1) + 1/2*arctan(x + 1)*log(x + 1) - 1/2*arctan(x + 1)*log(abs(x + 1)) + 1/4*I*dilog(I*x + I + 1) - 1/4*I*dilog(-I*x - I + 1)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left(\frac{\operatorname{arccot}(x+1)}{2(x+1)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(1+x)/(2+2*x),x, algorithm="fricas")

[Out] integral(1/2*arccot(x + 1)/(x + 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(x+1)}{x+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(1+x)/(2+2*x),x)

[Out] Integral(acot(x + 1)/(x + 1), x)/2

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(x+1)}{2(x+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(1+x)/(2+2*x),x, algorithm="giac")

[Out] integrate(1/2*arccot(x + 1)/(x + 1), x)

$$3.127 \quad \int \frac{\cot^{-1}(a+bx)}{\frac{ad}{b}+dx} dx$$

Optimal. Leaf size=45

$$\frac{i\text{PolyLog}\left(2, \frac{i}{a+bx}\right)}{2d} - \frac{i\text{PolyLog}\left(2, -\frac{i}{a+bx}\right)}{2d}$$

[Out] $((-I/2)*\text{PolyLog}[2, (-I)/(a + b*x)])/d + ((I/2)*\text{PolyLog}[2, I/(a + b*x)])/d$

Rubi [A] time = 0.0456755, antiderivative size = 45, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {5044, 12, 4849, 2391}

$$\frac{i\text{PolyLog}\left(2, \frac{i}{a+bx}\right)}{2d} - \frac{i\text{PolyLog}\left(2, -\frac{i}{a+bx}\right)}{2d}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[a + b*x]/((a*d)/b + d*x), x]

[Out] $((-I/2)*\text{PolyLog}[2, (-I)/(a + b*x)])/d + ((I/2)*\text{PolyLog}[2, I/(a + b*x)])/d$

Rule 5044

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol] :> Dist[1/d, Subst[Int[((f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[d*e - c*f, 0] && IGtQ[p, 0]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 4849

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))/(x_), x_Symbol] :> Simp[a*Log[x], x] + (Dist[(I*b)/2, Int[Log[1 - I/(c*x)]/x, x], x] - Dist[(I*b)/2, Int[Log[1 + I/(c*x)]/x, x], x]) /; FreeQ[{a, b, c}, x]

Rule 2391

Int[Log[(c_.)*((d_.) + (e_.)*(x_.)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \frac{\cot^{-1}(a+bx)}{\frac{ad}{b} + dx} dx &= \frac{\text{Subst}\left(\int \frac{b \cot^{-1}(x)}{dx} dx, x, a+bx\right)}{b} \\
&= \frac{\text{Subst}\left(\int \frac{\cot^{-1}(x)}{x} dx, x, a+bx\right)}{d} \\
&= \frac{i \text{Subst}\left(\int \frac{\log\left(1-\frac{i}{x}\right)}{x} dx, x, a+bx\right)}{2d} - \frac{i \text{Subst}\left(\int \frac{\log\left(1+\frac{i}{x}\right)}{x} dx, x, a+bx\right)}{2d} \\
&= -\frac{i \text{Li}_2\left(-\frac{i}{a+bx}\right)}{2d} + \frac{i \text{Li}_2\left(\frac{i}{a+bx}\right)}{2d}
\end{aligned}$$

Mathematica [A] time = 0.0062224, size = 38, normalized size = 0.84

$$-\frac{i\left(\text{PolyLog}\left(2, -\frac{i}{a+bx}\right) - \text{PolyLog}\left(2, \frac{i}{a+bx}\right)\right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[a + b*x]/((a*d)/b + d*x), x]

[Out] ((-I/2)*(PolyLog[2, (-I)/(a + b*x)] - PolyLog[2, I/(a + b*x)]))/d

Maple [B] time = 0.054, size = 98, normalized size = 2.2

$$\frac{\ln(bx+a) \operatorname{arccot}(bx+a)}{d} - \frac{\frac{i}{2} \ln(bx+a) \ln(1+i(bx+a))}{d} + \frac{\frac{i}{2} \ln(bx+a) \ln(1-i(bx+a))}{d} - \frac{\frac{i}{2} \operatorname{dilog}(1+i(bx+a))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(b*x+a)/(a*d/b+d*x), x)

[Out] 1/d*ln(b*x+a)*arccot(b*x+a)-1/2*I/d*ln(b*x+a)*ln(1+I*(b*x+a))+1/2*I/d*ln(b*x+a)*ln(1-I*(b*x+a))-1/2*I/d*dilog(1+I*(b*x+a))+1/2*I/d*dilog(1-I*(b*x+a))

Maxima [B] time = 1.6455, size = 165, normalized size = 3.67

$$\frac{\operatorname{arccot}(bx+a) \log\left(dx + \frac{ad}{b}\right)}{d} + \frac{\arctan\left(\frac{b^2x+ab}{b}\right) \log\left(dx + \frac{ad}{b}\right)}{d} + \frac{\arctan(bx+a, 0) \log(b^2x^2 + 2abx + a^2 + 1) - 2 \arctan(bx+a) \log(bx+a)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(a*d/b+d*x), x, algorithm="maxima")

[Out] arccot(b*x + a)*log(d*x + a*d/b)/d + arctan((b^2*x + a*b)/b)*log(d*x + a*d/b)/d + 1/2*(arctan2(b*x + a, 0)*log(b^2*x^2 + 2*a*b*x + a^2 + 1) - 2*arctan(b*x + a)*log(abs(b*x + a)) + I*dilog(I*b*x + I*a + 1) - I*dilog(-I*b*x - I*a + 1))/d

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b \operatorname{arccot}(bx + a)}{bdx + ad}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(a*d/b+d*x),x, algorithm="fricas")

[Out] integral(b*arccot(b*x + a)/(b*d*x + a*d), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{b \int \frac{\operatorname{acot}(a+bx)}{a+bx} dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(b*x+a)/(a*d/b+d*x),x)

[Out] b*Integral(acot(a + b*x)/(a + b*x), x)/d

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(bx + a)}{dx + \frac{ad}{b}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(b*x+a)/(a*d/b+d*x),x, algorithm="giac")

[Out] integrate(arccot(b*x + a)/(d*x + a*d/b), x)

$$3.128 \quad \int (a + bx)^2 \sqrt{\cot^{-1}(a + bx)} dx$$

Optimal. Leaf size=20

$$\text{Unintegrable}\left((a + bx)^2 \sqrt{\cot^{-1}(a + bx)}, x\right)$$

[Out] Unintegrable[(a + b*x)^2*Sqrt[ArcCot[a + b*x]], x]

Rubi [A] time = 0.0176178, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (a + bx)^2 \sqrt{\cot^{-1}(a + bx)} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*x)^2*Sqrt[ArcCot[a + b*x]], x]

[Out] Defer[Int][(a + b*x)^2*Sqrt[ArcCot[a + b*x]], x]

Rubi steps

$$\int (a + bx)^2 \sqrt{\cot^{-1}(a + bx)} dx = \int (a + bx)^2 \sqrt{\cot^{-1}(a + bx)} dx$$

Mathematica [A] time = 8.5454, size = 0, normalized size = 0.

$$\int (a + bx)^2 \sqrt{\cot^{-1}(a + bx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*x)^2*Sqrt[ArcCot[a + b*x]], x]

[Out] Integrate[(a + b*x)^2*Sqrt[ArcCot[a + b*x]], x]

Maple [A] time = 0.55, size = 0, normalized size = 0.

$$\int (bx + a)^2 \sqrt{\operatorname{arccot}(bx + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^2*arccot(b*x+a)^(1/2), x)

[Out] int((b*x+a)^2*arccot(b*x+a)^(1/2), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*arccot(b*x+a)^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*arccot(b*x+a)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int (a + bx)^2 \sqrt{\operatorname{acot}(a + bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**2*acot(b*x+a)**(1/2),x)

[Out] Integral((a + b*x)**2*sqrt(acot(a + b*x)), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (bx + a)^2 \sqrt{\operatorname{arccot}(bx + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*arccot(b*x+a)^(1/2),x, algorithm="giac")

[Out] integrate((b*x + a)^2*sqrt(arccot(b*x + a)), x)

3.129 $\int (e + fx)^3 (a + b \cot^{-1}(c + dx)) dx$

Optimal. Leaf size=233

$$\frac{(e + fx)^4 (a + b \cot^{-1}(c + dx))}{4f} + \frac{bfx(-1 - 6c^2)f^2 - 12cdef + 6d^2e^2}{4d^3} + \frac{b(-6(1 - c^2)d^2e^2f^2 + 4c(3 - c^2)def^3 + \dots)}{4d^3}$$

```
[Out] (b*f*(6*d^2*e^2 - 12*c*d*e*f - (1 - 6*c^2)*f^2)*x)/(4*d^3) + (b*f^2*(d*e - c*f)*(c + d*x)^2)/(2*d^4) + (b*f^3*(c + d*x)^3)/(12*d^4) + ((e + f*x)^4*(a + b*ArcCot[c + d*x]))/(4*f) + (b*(d^4*e^4 - 4*c*d^3*e^3*f - 6*(1 - c^2)*d^2*e^2*f^2 + 4*c*(3 - c^2)*d*e*f^3 + (1 - 6*c^2 + c^4)*f^4)*ArcTan[c + d*x])/(4*d^4*f) + (b*(d*e - c*f)*(d*e + f - c*f)*(d*e - (1 + c)*f)*Log[1 + (c + d*x)^2])/(2*d^4)
```

Rubi [A] time = 0.356664, antiderivative size = 233, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5048, 4863, 702, 635, 203, 260}

$$\frac{(e + fx)^4 (a + b \cot^{-1}(c + dx))}{4f} + \frac{bfx(-1 - 6c^2)f^2 - 12cdef + 6d^2e^2}{4d^3} + \frac{b(-6(1 - c^2)d^2e^2f^2 + 4c(3 - c^2)def^3 + \dots)}{4d^3}$$

Antiderivative was successfully verified.

```
[In] Int[(e + f*x)^3*(a + b*ArcCot[c + d*x]),x]
```

```
[Out] (b*f*(6*d^2*e^2 - 12*c*d*e*f - (1 - 6*c^2)*f^2)*x)/(4*d^3) + (b*f^2*(d*e - c*f)*(c + d*x)^2)/(2*d^4) + (b*f^3*(c + d*x)^3)/(12*d^4) + ((e + f*x)^4*(a + b*ArcCot[c + d*x]))/(4*f) + (b*(d^4*e^4 - 4*c*d^3*e^3*f - 6*(1 - c^2)*d^2*e^2*f^2 + 4*c*(3 - c^2)*d*e*f^3 + (1 - 6*c^2 + c^4)*f^4)*ArcTan[c + d*x])/(4*d^4*f) + (b*(d*e - c*f)*(d*e + f - c*f)*(d*e - (1 + c)*f)*Log[1 + (c + d*x)^2])/(2*d^4)
```

Rule 5048

```
Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_)])*(b_.))^(p_.)*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IGtQ[p, 0]
```

Rule 4863

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))*((d_.) + (e_.)*(x_))^(q_.), x_Symbol] := Simp[((d + e*x)^(q + 1)*(a + b*ArcCot[c*x]))/(e*(q + 1)), x] + Dist[(b*c)/(e*(q + 1)), Int[(d + e*x)^(q + 1)/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]
```

Rule 702

```
Int[((d_.) + (e_.)*(x_))^(m_)/((a_.) + (c_.)*(x_)^2), x_Symbol] := Int[PolynomialDivide[(d + e*x)^m, a + c*x^2, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[m, 1] && (NeQ[d, 0] || GtQ[m, 2])
```

Rule 635

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}
```

}, x] && !NiceSqrtQ[-(a*c)]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\int (e + fx)^3 (a + b \cot^{-1}(c + dx)) dx = \frac{\text{Subst}\left(\int \left(\frac{de-cf}{d} + \frac{fx}{d}\right)^3 (a + b \cot^{-1}(x)) dx, x, c + dx\right)}{d}$$

$$= \frac{(e + fx)^4 (a + b \cot^{-1}(c + dx))}{4f} + \frac{b \text{Subst}\left(\int \frac{\left(\frac{de-cf}{d} + \frac{fx}{d}\right)^4}{1+x^2} dx, x, c + dx\right)}{4f}$$

$$= \frac{(e + fx)^4 (a + b \cot^{-1}(c + dx))}{4f} + \frac{b \text{Subst}\left(\int \left(\frac{f^2(6d^2e^2 - 12cdef - (1 - 6c^2)f^2)}{d^4} + \frac{4f^3(de-cf)}{d^4}\right) dx, x, c + dx\right)}{4f}$$

$$= \frac{bf(6d^2e^2 - 12cdef - (1 - 6c^2)f^2)x}{4d^3} + \frac{bf^2(de - cf)(c + dx)^2}{2d^4} + \frac{bf^3(c + dx)^3}{12d^4} + \dots$$

$$= \frac{bf(6d^2e^2 - 12cdef - (1 - 6c^2)f^2)x}{4d^3} + \frac{bf^2(de - cf)(c + dx)^2}{2d^4} + \frac{bf^3(c + dx)^3}{12d^4} + \dots$$

$$= \frac{bf(6d^2e^2 - 12cdef - (1 - 6c^2)f^2)x}{4d^3} + \frac{bf^2(de - cf)(c + dx)^2}{2d^4} + \frac{bf^3(c + dx)^3}{12d^4} + \dots$$

Mathematica [C] time = 0.266223, size = 157, normalized size = 0.67

$$\frac{(e + fx)^4 (a + b \cot^{-1}(c + dx)) + \frac{b(6df^2x((6c^2-1)f^2-12cdef+6d^2e^2)+12f^3(c+dx)^2(de-cf)-3i(de-(c-i)f)^4 \log(-c-dx+i)+3i(de-(c+i)f)^4 \log(c+dx+i))}{6d^4}}{4f}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^3*(a + b*ArcCot[c + d*x]), x]

[Out] ((e + f*x)^4*(a + b*ArcCot[c + d*x]) + (b*(6*d*f^2*(6*d^2*e^2 - 12*c*d*e*f + (-1 + 6*c^2)*f^2)*x + 12*f^3*(d*e - c*f)*(c + d*x)^2 + 2*f^4*(c + d*x)^3 - (3*I)*(d*e - (-I + c)*f)^4*Log[I - c - d*x] + (3*I)*(d*e - (I + c)*f)^4*Log[I + c + d*x]))/(6*d^4))/(4*f)

Maple [B] time = 0.052, size = 526, normalized size = 2.3

$$\frac{bf^3 \ln(1 + (dx + c)^2)c}{2d^4} - \frac{3bf \arctan(dx + c)e^2}{2d^2} - \frac{3bf^3 \arctan(dx + c)c^2}{2d^4} - \frac{b \arctan(dx + c)ce^3}{d} + \frac{3bf \operatorname{arccot}(dx + c)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*(a+b*arccot(d*x+c)),x)

[Out] $\frac{1}{2}d^4b^3f^3\ln(1+(d*x+c)^2)*c-3/2d^2b^3f^3\arctan(d*x+c)*e^2-3/2d^4b^3f^3\arctan(d*x+c)*c^2-1/d*b^3\arctan(d*x+c)*c^3+3/2*b^3f^3\arccot(d*x+c)*e^2*x^2+3/4*b/d^3f^3*c^2*x+3/2*b/d*f^3*e^2*x-1/4/d^2*b^3f^3*c*x^2+1/2/d*b^3f^2*e*x^2-1/2/d^4b^3f^3\ln(1+(d*x+c)^2)*c^3+1/4/d^4b^3f^3\arctan(d*x+c)*c^4-1/2/d^3b^3f^2*\ln(1+(d*x+c)^2)*e+b*f^2*\arccot(d*x+c)*e*x^3+3/2/d^2b^3f^3*c*e^2-5/2/d^3b^3f^2*c^2*e+a*x*e^3+1/4*a*f^3*x^4+13/12/d^4b^3f^3*c^3+1/4*a/f^3*e^4-1/4/d^4b^3f^3*c-1/4*b/d^3f^3*x+a*f^2*x^3*e+3/2*a*f*x^2*e^2+1/12/d*b^3f^3*x^3+1/4*b/f*\arccot(d*x+c)*e^4+1/4*b^3f^3*\arccot(d*x+c)*x^4+1/4*b/f*\arctan(d*x+c)*e^4+\arccot(d*x+c)*x*b^3e^3+1/2/d*b*\ln(1+(d*x+c)^2)*e^3+1/4/d^4b^3f^3*\arctan(d*x+c)+3/d^3b^3f^2*\arctan(d*x+c)*c^3+3/2/d^3b^3f^2*\ln(1+(d*x+c)^2)*c^2*e-3/2/d^2b^3f^3*\ln(1+(d*x+c)^2)*c^3e^2+3/2/d^2b^3f^3*\arctan(d*x+c)*c^2*e^2-1/d^3b^3f^2*\arctan(d*x+c)*c^3e^2*b/d^2f^2*c*e*x$

Maxima [A] time = 1.49634, size = 460, normalized size = 1.97

$$\frac{1}{4}af^3x^4 + aef^2x^3 + \frac{3}{2}ae^2fx^2 + \frac{3}{2}\left(x^2\arccot(dx+c) + d\left(\frac{x}{d^2} + \frac{(c^2-1)\arctan\left(\frac{d^2x+cd}{d}\right)}{d^3} - \frac{c\log(d^2x^2+2cdx+c^2+d^2)}{d^3}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*(a+b*arccot(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{4}a*f^3*x^4 + a*e*f^2*x^3 + \frac{3}{2}a*e^2*f*x^2 + \frac{3}{2}*(x^2*\arccot(d*x+c) + d*(x/d^2 + (c^2 - 1)*\arctan((d^2*x + c*d)/d)/d^3 - c*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)/d^3))*b^3*e^2*f + 1/2*(2*x^3*\arccot(d*x+c) + d*((d*x^2 - 4*c*x)/d^3 - 2*(c^3 - 3*c)*\arctan((d^2*x + c*d)/d)/d^4 + (3*c^2 - 1)*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)/d^4))*b^3*e*f^2 + 1/12*(3*x^4*\arccot(d*x+c) + d*((d^2*x^3 - 3*c*d*x^2 + 3*(3*c^2 - 1)*x)/d^4 + 3*(c^4 - 6*c^2 + 1)*\arctan((d^2*x + c*d)/d)/d^5 - 6*(c^3 - c)*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)/d^5))*b^3*f^2 + a*e^3*x + 1/2*(2*(d*x+c)*\arccot(d*x+c) + \log((d*x+c)^2 + 1))*b^3/e^3$

Fricas [A] time = 2.46891, size = 694, normalized size = 2.98

$$3ad^4f^3x^4 + (12ad^4ef^2 + bd^3f^3)x^3 + 3(6ad^4e^2f + 2bd^3ef^2 - bcd^2f^3)x^2 + 3(4ad^4e^3 + 6bd^3e^2f - 8bcd^2ef^2 + (3bc^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*(a+b*arccot(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{12}*(3*a*d^4*f^3*x^4 + (12*a*d^4*e*f^2 + b*d^3*f^3)*x^3 + 3*(6*a*d^4*e^2*f + 2*b*d^3*e*f^2 - b*c*d^2*f^3))*x^2 + 3*(4*a*d^4*e^3 + 6*b*d^3*e^2*f - 8*b*c*d^2*e*f^2 + (3*b*c^2 - b)*d*f^3)*x + 3*(b*d^4*f^3*x^4 + 4*b*d^4*e*f^2*x^3 + 6*b*d^4*e^2*f*x^2 + 4*b*d^4*e^3*x)*\arccot(d*x+c) - 3*(4*b*c*d^3*e^3 - 6*(b*c^2 - b)*d^2*e^2*f + 4*(b*c^3 - 3*b*c)*d*e*f^2 - (b*c^4 - 6*b*c^2 + b)*f^3)*\arctan(d*x+c) + 6*(b*d^3*e^3 - 3*b*c*d^2*e^2*f + (3*b*c^2 - b)*d*e*f^2 - (b*c^3 - b*c)*f^3)*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)/d^4$

Sympy [A] time = 8.92132, size = 627, normalized size = 2.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*(a+b*acot(d*x+c)),x)

[Out] Piecewise((a*e**3*x + 3*a*e**2*f*x**2/2 + a*e*f**2*x**3 + a*f**3*x**4/4 - b*c**4*f**3*acot(c + d*x)/(4*d**4) + b*c**3*e*f**2*acot(c + d*x)/d**3 - b*c**3*f**3*log(c**2/d**2 + 2*c*x/d + x**2 + d**(-2))/(2*d**4) - 3*b*c**2*e**2*f*acot(c + d*x)/(2*d**2) + 3*b*c**2*e*f**2*log(c**2/d**2 + 2*c*x/d + x**2 + d**(-2))/(2*d**3) + 3*b*c**2*f**3*x/(4*d**3) + 3*b*c**2*f**3*acot(c + d*x)/(2*d**4) + b*c*e**3*acot(c + d*x)/d - 3*b*c*e**2*f*log(c**2/d**2 + 2*c*x/d + x**2 + d**(-2))/(2*d**2) - 2*b*c*e*f**2*x/d**2 - b*c*f**3*x**2/(4*d**2) - 3*b*c*e*f**2*acot(c + d*x)/d**3 + b*c*f**3*log(c**2/d**2 + 2*c*x/d + x**2 + d**(-2))/(2*d**4) + b*e**3*x*acot(c + d*x) + 3*b*e**2*f*x**2*acot(c + d*x)/2 + b*e*f**2*x**3*acot(c + d*x) + b*f**3*x**4*acot(c + d*x)/4 + b*e**3*log(c**2/d**2 + 2*c*x/d + x**2 + d**(-2))/(2*d) + 3*b*e**2*f*x/(2*d) + b*e*f**2*x**2/(2*d) + b*f**3*x**3/(12*d) + 3*b*e**2*f*acot(c + d*x)/(2*d**2) - b*e*f**2*log(c**2/d**2 + 2*c*x/d + x**2 + d**(-2))/(2*d**3) - b*f**3*x/(4*d**3) - b*f**3*acot(c + d*x)/(4*d**4), Ne(d, 0)), ((a + b*acot(c))*(e**3*x + 3*e**2*f*x**2/2 + e*f**2*x**3 + f**3*x**4/4), True))

Giac [B] time = 3.22393, size = 1045, normalized size = 4.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*(a+b*arccot(d*x+c)),x, algorithm="giac")

[Out] 1/24*(6*pi*b*d^4*f^3*x^4*floor(1/2*(pi*sgn(d*x + c) - 2*arctan(1/(d*x + c)))/pi) - 3*pi*b*d^4*f^3*x^4*sgn(d*x + c) + 3*pi*b*d^4*f^3*x^4 + 6*b*d^4*f^3*x^4*arctan(1/(d*x + c)) + 6*a*d^4*f^3*x^4 + 24*b*d^4*f^2*x^3*arctan(1/(d*x + c))*e + 24*a*d^4*f^2*x^3*e + 2*b*d^3*f^3*x^3 + 36*b*d^4*f*x^2*arctan(1/(d*x + c))*e^2 + 3*pi*b*c^4*f^3*sgn(d*x + c) - 12*pi*b*c^3*d*f^2*e*sgn(d*x + c) - 3*pi*b*c^4*f^3 - 6*b*c*d^2*f^3*x^2 - 6*b*c^4*f^3*arctan(1/(d*x + c)) + 36*a*d^4*f*x^2*e^2 + 12*pi*b*c^3*d*f^2*e + 12*b*d^3*f^2*x^2*e + 24*b*c^3*d*f^2*arctan(1/(d*x + c))*e + 18*pi*b*c^2*d^2*f*e^2*sgn(d*x + c) + 18*b*c^2*d*f^3*x + 24*b*d^4*x*arctan(1/(d*x + c))*e^3 - 18*pi*b*c^2*d^2*f*e^2 - 36*b*c^2*d^2*f*arctan(1/(d*x + c))*e^2 - 48*b*c*d^2*f^2*x*e - 12*b*c^3*f^3*log(d^2*x^2 + 2*c*d*x + c^2 + 1) + 36*b*c^2*d*f^2*e*log(d^2*x^2 + 2*c*d*x + c^2 + 1) - 18*pi*b*c^2*f^3*sgn(d*x + c) + 36*pi*b*c*d*f^2*e*sgn(d*x + c) + 18*pi*b*c^2*f^3 + 36*b*c^2*f^3*arctan(1/(d*x + c)) + 24*a*d^4*x*e^3 - 24*b*c*d^3*arctan(d*x + c)*e^3 + 36*b*d^3*f*x*e^2 - 36*pi*b*c*d*f^2*e - 72*b*c*d*f^2*arctan(1/(d*x + c))*e - 36*b*c*d^2*f*e^2*log(d^2*x^2 + 2*c*d*x + c^2 + 1) - 18*pi*b*d^2*f*e^2*sgn(d*x + c) - 6*b*d*f^3*x + 18*pi*b*d^2*f*e^2 + 36*b*d^2*f*arctan(1/(d*x + c))*e^2 + 12*b*c*f^3*log(d^2*x^2 + 2*c*d*x + c^2 + 1) + 12*b*d^3*e^3*log(d^2*x^2 + 2*c*d*x + c^2 + 1) - 12*b*d*f^2*e*log(d^2*x^2 + 2*c*d*x + c^2 + 1) + 3*pi*b*f^3*sgn(d*x + c) - 3*pi*b*f^3 - 6*b*f^3*arctan(1/(d*x + c)))/d^4

3.130 $\int (e + fx)^2 (a + b \cot^{-1}(c + dx)) dx$

Optimal. Leaf size=154

$$\frac{(e + fx)^3 (a + b \cot^{-1}(c + dx))}{3f} + \frac{b(- (1 - 3c^2) f^2 - 6cdef + 3d^2 e^2) \log((c + dx)^2 + 1)}{6d^3} + \frac{b(de - cf)(- (3 - c^2) f^2 - 3a)}{3a}$$

```
[Out] (b*f*(d*e - c*f)*x)/d^2 + (b*f^2*(c + d*x)^2)/(6*d^3) + ((e + f*x)^3*(a + b
*ArcCot[c + d*x]))/(3*f) + (b*(d*e - c*f)*(d^2*e^2 - 2*c*d*e*f - (3 - c^2)*
f^2)*ArcTan[c + d*x])/(3*d^3*f) + (b*(3*d^2*e^2 - 6*c*d*e*f - (1 - 3*c^2)*f
^2)*Log[1 + (c + d*x)^2])/(6*d^3)
```

Rubi [A] time = 0.185669, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5048, 4863, 702, 635, 203, 260}

$$\frac{(e + fx)^3 (a + b \cot^{-1}(c + dx))}{3f} + \frac{b(- (1 - 3c^2) f^2 - 6cdef + 3d^2 e^2) \log((c + dx)^2 + 1)}{6d^3} + \frac{b(de - cf)(- (3 - c^2) f^2 - 3a)}{3a}$$

Antiderivative was successfully verified.

```
[In] Int[(e + f*x)^2*(a + b*ArcCot[c + d*x]),x]
```

```
[Out] (b*f*(d*e - c*f)*x)/d^2 + (b*f^2*(c + d*x)^2)/(6*d^3) + ((e + f*x)^3*(a + b
*ArcCot[c + d*x]))/(3*f) + (b*(d*e - c*f)*(d^2*e^2 - 2*c*d*e*f - (3 - c^2)*
f^2)*ArcTan[c + d*x])/(3*d^3*f) + (b*(3*d^2*e^2 - 6*c*d*e*f - (1 - 3*c^2)*f
^2)*Log[1 + (c + d*x)^2])/(6*d^3)
```

Rule 5048

```
Int[((a_) + ArcCot[(c_) + (d_)*(x_)])*(b_)^(p_)*((e_) + (f_)*(x_))^(m
_), x_Symbol] := Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*Ar
cCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IG
tQ[p, 0]
```

Rule 4863

```
Int[((a_) + ArcCot[(c_)*(x_)])*(b_)*((d_) + (e_)*(x_))^(q_), x_Symbol]
:= Simp[((d + e*x)^(q + 1)*(a + b*ArcCot[c*x]))/(e*(q + 1)), x] + Dist[(b*
c)/(e*(q + 1)), Int[(d + e*x)^(q + 1)/(1 + c^2*x^2), x], x] /; FreeQ[{a, b,
c, d, e, q}, x] && NeQ[q, -1]
```

Rule 702

```
Int[((d_) + (e_)*(x_))^(m_)/((a_) + (c_)*(x_)^2), x_Symbol] := Int[Polyno
mialDivide[(d + e*x)^m, a + c*x^2, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 + a*e^2, 0] && IGtQ[m, 1] && (NeQ[d, 0] || GtQ[m, 2])
```

Rule 635

```
Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(
a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e
}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 260

```
Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rubi steps

$$\begin{aligned} \int (e + fx)^2 (a + b \cot^{-1}(c + dx)) dx &= \frac{\text{Subst}\left(\int \left(\frac{de-cf}{d} + \frac{fx}{d}\right)^2 (a + b \cot^{-1}(x)) dx, x, c + dx\right)}{d} \\ &= \frac{(e + fx)^3 (a + b \cot^{-1}(c + dx))}{3f} + \frac{b \text{Subst}\left(\int \frac{\left(\frac{de-cf}{d} + \frac{fx}{d}\right)^3}{1+x^2} dx, x, c + dx\right)}{3f} \\ &= \frac{(e + fx)^3 (a + b \cot^{-1}(c + dx))}{3f} + \frac{b \text{Subst}\left(\int \left(\frac{3f^2(de-cf)}{d^3} + \frac{f^3x}{d^3} + \frac{(de-cf)(d^2e^2-2cdef-3d^2e^2)}{d^3}\right) dx, x, c + dx\right)}{3f} \\ &= \frac{bf(de-cf)x}{d^2} + \frac{bf^2(c+dx)^2}{6d^3} + \frac{(e+fx)^3(a+b\cot^{-1}(c+dx))}{3f} + \frac{b \text{Subst}\left(\int \frac{de-cf}{1+x^2} dx, x, c + dx\right)}{3f} \\ &= \frac{bf(de-cf)x}{d^2} + \frac{bf^2(c+dx)^2}{6d^3} + \frac{(e+fx)^3(a+b\cot^{-1}(c+dx))}{3f} + \frac{b(3d^2e^2-6cd^2e-3d^2e^2)}{6d^3} \\ &= \frac{bf(de-cf)x}{d^2} + \frac{bf^2(c+dx)^2}{6d^3} + \frac{(e+fx)^3(a+b\cot^{-1}(c+dx))}{3f} + \frac{b(de-cf)(d^2e^2-2cde-3d^2e^2)}{6d^3} \end{aligned}$$

Mathematica [C] time = 0.145346, size = 118, normalized size = 0.77

$$\frac{(e + fx)^3 (a + b \cot^{-1}(c + dx)) + \frac{b(6df^2x(de-cf) - i(de-(c-i)f)^3 \log(-c-dx+i) + i(de-(c+i)f)^3 \log(c+dx+i) + f^3(c+dx)^2)}{2d^3}}{3f}$$

Antiderivative was successfully verified.

```
[In] Integrate[(e + f*x)^2*(a + b*ArcCot[c + d*x]),x]
```

```
[Out] ((e + f*x)^3*(a + b*ArcCot[c + d*x]) + (b*(6*d*f^2*(d*e - c*f)*x + f^3*(c + d*x)^2 - I*(d*e - (-I + c)*f)^3*Log[I - c - d*x] + I*(d*e - (I + c)*f)^3*Log[I + c + d*x]))/(2*d^3)/(3*f)
```

Maple [B] time = 0.048, size = 312, normalized size = 2.

$$\frac{bf \arctan(dx + c)c^2e}{d^2} - \frac{bf \ln(1 + (dx + c)^2)ce}{d^2} - \frac{b \arctan(dx + c)ce^2}{d} - \frac{bf^2 \ln(1 + (dx + c)^2)}{6d^3} - \frac{5bf^2c^2}{6d^3} + \text{arccot}(dx)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^2*(a+b*arccot(d*x+c)),x)
```

```
[Out] 1/d^2*b*f*arctan(d*x+c)*c^2*e-1/d^2*b*f*ln(1+(d*x+c)^2)*c*e-1/d*b*arctan(d*x+c)*c*e^2-1/6/d^3*b*f^2*ln(1+(d*x+c)^2)-5/6/d^3*b*f^2*c^2+arccot(d*x+c)*x*b*e^2+1/3*b*f^2*arccot(d*x+c)*x^3-1/d^2*b*f*arctan(d*x+c)*e+1/d^3*b*f^2*arctan(d*x+c)*c+1/2/d*b*ln(1+(d*x+c)^2)*e^2-1/3/d^3*b*f^2*arctan(d*x+c)*c^3+1/3*b/f*arctan(d*x+c)*e^3+1/2/d^3*b*f^2*ln(1+(d*x+c)^2)*c^2+b/d*f*e*x-2/3*b/d^2*f^2*c*x+1/3*b/f*arccot(d*x+c)*e^3+a*f*x^2*e+a*x*e^2+1/d^2*b*f*c*e+1/6/d*b*f^2*x^2+1/3*a*f^2*x^3+1/3*a/f*e^3+b*f*arccot(d*x+c)*e*x^2
```

Maxima [A] time = 1.49671, size = 292, normalized size = 1.9

$$\frac{1}{3} a f^2 x^3 + a e f x^2 + \left(x^2 \operatorname{arccot}(d x + c) + d \left(\frac{x}{d^2} + \frac{(c^2 - 1) \arctan\left(\frac{d^2 x + c d}{d}\right) - c \log(d^2 x^2 + 2 c d x + c^2 + 1)}{d^3} \right) \right) b e f + \frac{1}{6} \left(2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*(a+b*arccot(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/3*a*f^2*x^3 + a*e*f*x^2 + (x^2*arccot(d*x + c) + d*(x/d^2 + (c^2 - 1)*arctan((d^2*x + c*d)/d)/d^3 - c*log(d^2*x^2 + 2*c*d*x + c^2 + 1)/d^3))*b*e*f + 1/6*(2*x^3*arccot(d*x + c) + d*((d*x^2 - 4*c*x)/d^3 - 2*(c^3 - 3*c)*arctan((d^2*x + c*d)/d)/d^4 + (3*c^2 - 1)*log(d^2*x^2 + 2*c*d*x + c^2 + 1)/d^4))*b*f^2 + a*e^2*x + 1/2*(2*(d*x + c)*arccot(d*x + c) + log((d*x + c)^2 + 1))*b*e^2/d
```

Fricas [A] time = 2.38821, size = 459, normalized size = 2.98

$$2 a d^3 f^2 x^3 + (6 a d^3 e f + b d^2 f^2) x^2 + 2 (3 a d^3 e^2 + 3 b d^2 e f - 2 b c d f^2) x + 2 (b d^3 f^2 x^3 + 3 b d^3 e f x^2 + 3 b d^3 e^2 x) \operatorname{arccot}(d x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*(a+b*arccot(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/6*(2*a*d^3*f^2*x^3 + (6*a*d^3*e*f + b*d^2*f^2)*x^2 + 2*(3*a*d^3*e^2 + 3*b*d^2*e*f - 2*b*c*d*f^2)*x + 2*(b*d^3*f^2*x^3 + 3*b*d^3*e*f*x^2 + 3*b*d^3*e^2*x)*arccot(d*x + c) - 2*(3*b*c*d^2*e^2 - 3*(b*c^2 - b)*d*e*f + (b*c^3 - 3*b*c)*f^2)*arctan(d*x + c) + (3*b*d^2*e^2 - 6*b*c*d*e*f + (3*b*c^2 - b)*f^2)*log(d^2*x^2 + 2*c*d*x + c^2 + 1)/d^3
```

Sympy [A] time = 4.35104, size = 357, normalized size = 2.32

$$\left\{ \begin{array}{l} a e^2 x + a e f x^2 + \frac{a f^2 x^3}{3} + \frac{b c^3 f^2 \operatorname{acot}(c + d x)}{3 d^3} - \frac{b c^2 e f \operatorname{acot}(c + d x)}{d^2} + \frac{b c^2 f^2 \log\left(\frac{c^2}{d^2} + \frac{2 c x}{d} + x^2 + \frac{1}{d^2}\right)}{2 d^3} + \frac{b c e^2 \operatorname{acot}(c + d x)}{d} - \frac{b c e f \log\left(\frac{c^2}{d^2} + \frac{2 c x}{d} + x^2 + \frac{1}{d^2}\right)}{d^2} \\ (a + b \operatorname{acot}(c)) \left(e^2 x + e f x^2 + \frac{f^2 x^3}{3} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**2*(a+b*acot(d*x+c)),x)
```

```
[Out] Piecewise((a*e**2*x + a*e*f*x**2 + a*f**2*x**3/3 + b*c**3*f**2*acot(c + d*x)/(3*d**3) - b*c**2*e*f*acot(c + d*x)/d**2 + b*c**2*f**2*log(c**2/d**2 + 2*
```

```

c*x/d + x**2 + d**(-2))/(2*d**3) + b*c*e**2*acot(c + d*x)/d - b*c*e*f*log(c
**2/d**2 + 2*c*x/d + x**2 + d**(-2))/d**2 - 2*b*c*f**2*x/(3*d**2) - b*c*f**
2*acot(c + d*x)/d**3 + b*e**2*x*acot(c + d*x) + b*e*f*x**2*acot(c + d*x) +
b*f**2*x**3*acot(c + d*x)/3 + b*e**2*log(c**2/d**2 + 2*c*x/d + x**2 + d**(-
2))/(2*d) + b*e*f*x/d + b*f**2*x**2/(6*d) + b*e*f*acot(c + d*x)/d**2 - b*f*
**2*log(c**2/d**2 + 2*c*x/d + x**2 + d**(-2))/(6*d**3), Ne(d, 0)), ((a + b*a
cot(c))*(e**2*x + e*f*x**2 + f**2*x**3/3), True))

```

Giac [B] time = 1.4938, size = 641, normalized size = 4.16

$$2\pi bd^3 f^2 x^3 \left[\frac{\pi \operatorname{sgn}(dx+c) - 2 \arctan\left(\frac{1}{dx+c}\right)}{2\pi} \right] - \pi bd^3 f^2 x^3 \operatorname{sgn}(dx+c) + \pi bd^3 f^2 x^3 + 2bd^3 f^2 x^3 \arctan\left(\frac{1}{dx+c}\right) + 2ad^3 f^2 x^3 + 6bd^3 f^2 x^3$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*(a+b*arccot(d*x+c)),x, algorithm="giac")
```

```

[Out] 1/6*(2*pi*b*d^3*f^2*x^3*floor(1/2*(pi*sgn(d*x + c) - 2*arctan(1/(d*x + c)))
/pi) - pi*b*d^3*f^2*x^3*sgn(d*x + c) + pi*b*d^3*f^2*x^3 + 2*b*d^3*f^2*x^3*a
rctan(1/(d*x + c)) + 2*a*d^3*f^2*x^3 + 6*b*d^3*f*x^2*arctan(1/(d*x + c))*e
+ 6*a*d^3*f*x^2*e - pi*b*c^3*f^2*sgn(d*x + c) + 3*pi*b*c^2*d*f*e*sgn(d*x +
c) + pi*b*c^3*f^2 + b*d^2*f^2*x^2 + 2*b*c^3*f^2*arctan(1/(d*x + c)) + 6*b*d
^3*x*arctan(1/(d*x + c))*e^2 - 3*pi*b*c^2*d*f*e - 6*b*c^2*d*f*arctan(1/(d*x
+ c))*e - 4*b*c*d*f^2*x + 6*a*d^3*x*e^2 - 6*b*c*d^2*arctan(d*x + c)*e^2 +
6*b*d^2*f*x*e + 3*b*c^2*f^2*log(d^2*x^2 + 2*c*d*x + c^2 + 1) - 6*b*c*d*f*e
log(d^2*x^2 + 2*c*d*x + c^2 + 1) + 3*pi*b*c*f^2*sgn(d*x + c) - 3*pi*b*d*f*e
*sgn(d*x + c) - 3*pi*b*c*f^2 - 6*b*c*f^2*arctan(1/(d*x + c)) + 3*pi*b*d*f*e
+ 6*b*d*f*arctan(1/(d*x + c))*e + 3*b*d^2*e^2*log(d^2*x^2 + 2*c*d*x + c^2
+ 1) - b*f^2*log(d^2*x^2 + 2*c*d*x + c^2 + 1))/d^3

```


3.131 $\int (e + fx) (a + b \cot^{-1}(c + dx)) dx$

Optimal. Leaf size=97

$$\frac{(e + fx)^2 (a + b \cot^{-1}(c + dx))}{2f} + \frac{b(de - cf) \log((c + dx)^2 + 1)}{2d^2} + \frac{b(-cf + de + f)(de - (c + 1)f) \tan^{-1}(c + dx)}{2d^2 f} + \frac{bf}{2d}$$

```
[Out] (b*f*x)/(2*d) + ((e + f*x)^2*(a + b*ArcCot[c + d*x]))/(2*f) + (b*(d*e + f - c*f)*(d*e - (1 + c)*f)*ArcTan[c + d*x])/(2*d^2*f) + (b*(d*e - c*f)*Log[1 + (c + d*x)^2])/(2*d^2)
```

Rubi [A] time = 0.114413, antiderivative size = 97, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {5048, 4863, 702, 635, 203, 260}

$$\frac{(e + fx)^2 (a + b \cot^{-1}(c + dx))}{2f} + \frac{b(de - cf) \log((c + dx)^2 + 1)}{2d^2} + \frac{b(-cf + de + f)(de - (c + 1)f) \tan^{-1}(c + dx)}{2d^2 f} + \frac{bf}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[(e + f*x)*(a + b*ArcCot[c + d*x]), x]
```

```
[Out] (b*f*x)/(2*d) + ((e + f*x)^2*(a + b*ArcCot[c + d*x]))/(2*f) + (b*(d*e + f - c*f)*(d*e - (1 + c)*f)*ArcTan[c + d*x])/(2*d^2*f) + (b*(d*e - c*f)*Log[1 + (c + d*x)^2])/(2*d^2)
```

Rule 5048

```
Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_)])*(b_.))^(p_.)*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IGtQ[p, 0]
```

Rule 4863

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))*((d_.) + (e_.)*(x_))^(q_.), x_Symbol] := Simp[((d + e*x)^(q + 1)*(a + b*ArcCot[c*x]))/(e*(q + 1)), x] + Dist[(b*c)/(e*(q + 1)), Int[(d + e*x)^(q + 1)/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]
```

Rule 702

```
Int[((d_.) + (e_.)*(x_))^(m_)/((a_.) + (c_.)*(x_)^2), x_Symbol] := Int[PolynomialDivide[(d + e*x)^m, a + c*x^2, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[m, 1] && (NeQ[d, 0] || GtQ[m, 2])
```

Rule 635

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
```

, 0] || GtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned} \int (e + fx)(a + b \cot^{-1}(c + dx)) dx &= \frac{\text{Subst}\left(\int\left(\frac{de-cf}{d} + \frac{fx}{d}\right)(a + b \cot^{-1}(x)) dx, x, c + dx\right)}{d} \\ &= \frac{(e + fx)^2(a + b \cot^{-1}(c + dx))}{2f} + \frac{b \text{Subst}\left(\int\frac{\left(\frac{de-cf}{d} + \frac{fx}{d}\right)^2}{1+x^2} dx, x, c + dx\right)}{2f} \\ &= \frac{(e + fx)^2(a + b \cot^{-1}(c + dx))}{2f} + \frac{b \text{Subst}\left(\int\left(\frac{f^2}{d^2} + \frac{(de-f-cf)(de+f-cf)+2f(de-cf)x}{d^2(1+x^2)}\right) dx, x, c + dx\right)}{2f} \\ &= \frac{bfx}{2d} + \frac{(e + fx)^2(a + b \cot^{-1}(c + dx))}{2f} + \frac{b \text{Subst}\left(\int\frac{(de-f-cf)(de+f-cf)+2f(de-cf)x}{1+x^2} dx, x, c + dx\right)}{2d^2f} \\ &= \frac{bfx}{2d} + \frac{(e + fx)^2(a + b \cot^{-1}(c + dx))}{2f} + \frac{(b(de - cf)) \text{Subst}\left(\int\frac{x}{1+x^2} dx, x, c + dx\right)}{d^2} \\ &= \frac{bfx}{2d} + \frac{(e + fx)^2(a + b \cot^{-1}(c + dx))}{2f} + \frac{b(de + f - cf)(de - (1 + c)f) \tan^{-1}(c + dx)}{2d^2f} \end{aligned}$$

Mathematica [C] time = 0.0817701, size = 163, normalized size = 1.68

$$aex + \frac{1}{2}afx^2 + \frac{be(\log(c^2 + 2cdx + d^2x^2 + 1) - 2c \tan^{-1}(c + dx))}{2d} + \frac{bf\left(\frac{1}{2}d\left(\frac{c+dx}{d} - \frac{c}{d}\right)^2 \cot^{-1}(c + dx) + \frac{1}{2}d\left(-\frac{i(-c+i)^2 \log(-c+dx+i)}{2d^2}\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)*(a + b*ArcCot[c + d*x]),x]

[Out] a*e*x + (a*f*x^2)/2 + b*e*x*ArcCot[c + d*x] + (b*f*((d*(-(c/d) + (c + d*x)/d)^2*ArcCot[c + d*x])/2 + (d*(x/d - ((I/2)*(I - c)^2*Log[I - c - d*x])/d^2 + ((I/2)*(I + c)^2*Log[I + c + d*x])/d^2))/2)/d + (b*e*(-2*c*ArcTan[c + d*x] + Log[1 + c^2 + 2*c*d*x + d^2*x^2]))/(2*d)

Maple [A] time = 0.045, size = 146, normalized size = 1.5

$$\frac{ax^2f}{2} - \frac{ac^2f}{2d^2} + axe + \frac{ace}{d} + \frac{\text{barccot}(dx + c)fx^2}{2} - \frac{\text{arccot}(dx + c)bc^2f}{2d^2} + \text{arccot}(dx + c)xbe + \frac{\text{barccot}(dx + c)ce}{d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*(a+b*arccot(d*x+c)),x)

[Out] 1/2*a*x^2*f-1/2/d^2*a*f*c^2+a*x*e+1/d*a*c*e+1/2*b*arccot(d*x+c)*f*x^2-1/2/d^2*b*arccot(d*x+c)*f*c^2+arccot(d*x+c)*x*b*e+1/d*arccot(d*x+c)*b*c*e+1/2*b*

$f*x/d+1/2/d^2*b*c*f-1/2/d^2*b*\ln(1+(d*x+c)^2)*c*f+1/2/d*b*\ln(1+(d*x+c)^2)*e-1/2/d^2*b*f*\arctan(d*x+c)$

Maxima [A] time = 1.47205, size = 153, normalized size = 1.58

$$\frac{1}{2}afx^2 + \frac{1}{2}\left(x^2 \operatorname{arccot}(dx+c) + d\left(\frac{x}{d^2} + \frac{(c^2-1)\arctan\left(\frac{d^2x+cd}{d}\right) - c\log(d^2x^2+2cdx+c^2+1)}{d^3}\right)\right)bf + aex + \frac{(2(dx+c)^2 + \dots)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(a+b*arccot(d*x+c)),x, algorithm="maxima")

[Out] 1/2*a*f*x^2 + 1/2*(x^2*arccot(d*x + c) + d*(x/d^2 + (c^2 - 1)*arctan((d^2*x + c*d)/d)/d^3 - c*log(d^2*x^2 + 2*c*d*x + c^2 + 1)/d^3))*b*f + a*e*x + 1/2*(2*(d*x + c)*arccot(d*x + c) + log((d*x + c)^2 + 1))*b*e/d

Fricas [A] time = 2.30109, size = 257, normalized size = 2.65

$$\frac{ad^2fx^2 + (2ad^2e + bdf)x + (bd^2fx^2 + 2bd^2ex)\operatorname{arccot}(dx+c) - (2bcde - (bc^2 - b)f)\operatorname{arctan}(dx+c) + (bde - bcf)}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(a+b*arccot(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(a*d^2*f*x^2 + (2*a*d^2*e + b*d*f)*x + (b*d^2*f*x^2 + 2*b*d^2*e*x)*arccot(d*x + c) - (2*b*c*d*e - (b*c^2 - b)*f)*arctan(d*x + c) + (b*d*e - b*c*f)*log(d^2*x^2 + 2*c*d*x + c^2 + 1))/d^2

Sympy [A] time = 2.02614, size = 177, normalized size = 1.82

$$\left\{ \begin{array}{l} aex + \frac{afx^2}{2} - \frac{bc^2f \operatorname{acot}(c+dx)}{2d^2} + \frac{bce \operatorname{acot}(c+dx)}{d} - \frac{bcf \log\left(\frac{c^2}{d^2} + \frac{2cx}{d} + x^2 + \frac{1}{d^2}\right)}{2d^2} + bex \operatorname{acot}(c+dx) + \frac{bf x^2 \operatorname{acot}(c+dx)}{2} + \frac{be \log\left(\frac{c^2}{d^2} + \frac{2cx}{d} + x^2 + \frac{1}{d^2}\right)}{2d} \\ (a + b \operatorname{acot}(c))\left(ex + \frac{fx^2}{2}\right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(a+b*acot(d*x+c)),x)

[Out] Piecewise((a*e*x + a*f*x**2/2 - b*c**2*f*acot(c + d*x)/(2*d**2) + b*c*e*acot(c + d*x)/d - b*c*f*log(c**2/d**2 + 2*c*x/d + x**2 + d**(-2))/(2*d**2) + b*e*x*acot(c + d*x) + b*f*x**2*acot(c + d*x)/2 + b*e*log(c**2/d**2 + 2*c*x/d + x**2 + d**(-2))/(2*d) + b*f*x/(2*d) + b*f*acot(c + d*x)/(2*d**2), Ne(d, 0)), ((a + b*acot(c))*(e*x + f*x**2/2), True))

Giac [B] time = 1.23385, size = 340, normalized size = 3.51

$$2\pi bd^2fx^2 \left[\frac{\pi \operatorname{sgn}(dx+c) - 2 \arctan\left(\frac{1}{dx+c}\right)}{2\pi} \right] - \pi bd^2fx^2 \operatorname{sgn}(dx+c) + \pi bd^2fx^2 + 2bd^2fx^2 \arctan\left(\frac{1}{dx+c}\right) + 2ad^2fx^2 + 4bd^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(a+b*arccot(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{4} * (2 * \pi * b * d^2 * f * x^2 * \text{floor}(\frac{1}{2} * (\pi * \text{sgn}(d * x + c) - 2 * \arctan(1 / (d * x + c)))) / \pi - \pi * b * d^2 * f * x^2 * \text{sgn}(d * x + c) + \pi * b * d^2 * f * x^2 + 2 * b * d^2 * f * x^2 * \arctan(1 / (d * x + c)) + 2 * a * d^2 * f * x^2 + 4 * b * d^2 * x * \arctan(1 / (d * x + c)) * e + \pi * b * c^2 * f * \text{sgn}(d * x + c) - \pi * b * c^2 * f - 2 * b * c^2 * f * \arctan(1 / (d * x + c)) + 4 * a * d^2 * x * e - 4 * b * c * d * \arctan(d * x + c) * e + 2 * b * d * f * x - 2 * b * c * f * \log(d^2 * x^2 + 2 * c * d * x + c^2 + 1) + 2 * b * d * e * \log(d^2 * x^2 + 2 * c * d * x + c^2 + 1) - \pi * b * f * \text{sgn}(d * x + c) + \pi * b * f + 2 * b * f * \arctan(1 / (d * x + c))) / d^2$

3.132 $\int (a + b \cot^{-1}(c + dx)) dx$

Optimal. Leaf size=38

$$ax + \frac{b \log((c + dx)^2 + 1)}{2d} + \frac{b(c + dx) \cot^{-1}(c + dx)}{d}$$

[Out] a*x + (b*(c + d*x)*ArcCot[c + d*x])/d + (b*Log[1 + (c + d*x)^2])/(2*d)

Rubi [A] time = 0.0201107, antiderivative size = 38, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$, Rules used = {5040, 4847, 260}

$$ax + \frac{b \log((c + dx)^2 + 1)}{2d} + \frac{b(c + dx) \cot^{-1}(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[a + b*ArcCot[c + d*x],x]

[Out] a*x + (b*(c + d*x)*ArcCot[c + d*x])/d + (b*Log[1 + (c + d*x)^2])/(2*d)

Rule 5040

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_)])*(b_.))^(p_.), x_Symbol] :> Dist[1/d, Subst[Int[(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[p, 0]

Rule 4847

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.), x_Symbol] :> Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 260

Int[(x_)^(m_.)/((a_.) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned} \int (a + b \cot^{-1}(c + dx)) dx &= ax + b \int \cot^{-1}(c + dx) dx \\ &= ax + \frac{b \text{Subst}\left(\int \cot^{-1}(x) dx, x, c + dx\right)}{d} \\ &= ax + \frac{b(c + dx) \cot^{-1}(c + dx)}{d} + \frac{b \text{Subst}\left(\int \frac{x}{1+x^2} dx, x, c + dx\right)}{d} \\ &= ax + \frac{b(c + dx) \cot^{-1}(c + dx)}{d} + \frac{b \log(1 + (c + dx)^2)}{2d} \end{aligned}$$

Mathematica [A] time = 0.0120605, size = 49, normalized size = 1.29

$$ax + \frac{b(\log(c^2 + 2cdx + d^2x^2 + 1) - 2c \tan^{-1}(c + dx))}{2d} + bx \cot^{-1}(c + dx)$$

Antiderivative was successfully verified.

[In] Integrate[a + b*ArcCot[c + d*x],x]

[Out] a*x + b*x*ArcCot[c + d*x] + (b*(-2*c*ArcTan[c + d*x] + Log[1 + c^2 + 2*c*d*x + d^2*x^2]))/(2*d)

Maple [A] time = 0.041, size = 42, normalized size = 1.1

$$ax + \operatorname{arccot}(dx + c)x + \frac{\operatorname{arccot}(dx + c)c}{d} + \frac{b \ln(1 + (dx + c)^2)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a+b*arccot(d*x+c),x)

[Out] a*x+b*arccot(d*x+c)*x+b/d*arccot(d*x+c)*c+1/2*b*ln(1+(d*x+c)^2)/d

Maxima [A] time = 0.985581, size = 46, normalized size = 1.21

$$ax + \frac{(2(dx + c) \operatorname{arccot}(dx + c) + \log((dx + c)^2 + 1))b}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*arccot(d*x+c),x, algorithm="maxima")

[Out] a*x + 1/2*(2*(d*x + c)*arccot(d*x + c) + log((d*x + c)^2 + 1))*b/d

Fricas [A] time = 2.14706, size = 140, normalized size = 3.68

$$\frac{2bdx \operatorname{arccot}(dx + c) + 2adx - 2bc \operatorname{arctan}(dx + c) + b \log(d^2x^2 + 2cdx + c^2 + 1)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*arccot(d*x+c),x, algorithm="fricas")

[Out] 1/2*(2*b*d*x*arccot(d*x + c) + 2*a*d*x - 2*b*c*arctan(d*x + c) + b*log(d^2*x^2 + 2*c*d*x + c^2 + 1))/d

Sympy [A] time = 0.490215, size = 51, normalized size = 1.34

$$ax + b \begin{cases} \frac{c \operatorname{acot}(c+dx)}{d} + x \operatorname{acot}(c + dx) + \frac{\log(c^2+2cdx+d^2x^2+1)}{2d} & \text{for } d \neq 0 \\ x \operatorname{acot}(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*acot(d*x+c),x)

[Out] a*x + b*Piecewise((c*acot(c + d*x)/d + x*acot(c + d*x) + log(c**2 + 2*c*d*x + d**2*x**2 + 1)/(2*d), Ne(d, 0)), (x*acot(c), True))

Giac [A] time = 1.09487, size = 77, normalized size = 2.03

$$-\frac{1}{2} \left(d \left(\frac{2c \arctan(dx+c)}{d^2} - \frac{\log(d^2x^2 + 2cdx + c^2 + 1)}{d^2} \right) - 2x \arctan\left(\frac{1}{dx+c}\right) \right) b + ax$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*arccot(d*x+c),x, algorithm="giac")

[Out] -1/2*(d*(2*c*arctan(d*x + c)/d^2 - log(d^2*x^2 + 2*c*d*x + c^2 + 1)/d^2) - 2*x*arctan(1/(d*x + c)))*b + a*x

$$3.133 \quad \int \frac{a+b \cot^{-1}(c+dx)}{e+fx} dx$$

Optimal. Leaf size=162

$$\frac{ibPolyLog\left(2, 1 - \frac{2d(e+fx)}{(1-i(c+dx))(-cf+de+if)}\right)}{2f} - \frac{ibPolyLog\left(2, 1 - \frac{2}{1-i(c+dx)}\right)}{2f} + \frac{(a+b \cot^{-1}(c+dx)) \log\left(\frac{2d(e+fx)}{(1-i(c+dx))(-cf+de+if)}\right)}{f}$$

[Out] -(((a + b*ArcCot[c + d*x])*Log[2/(1 - I*(c + d*x))])/f) + ((a + b*ArcCot[c + d*x])*Log[(2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x)))]/f) - ((I/2)*b*PolyLog[2, 1 - 2/(1 - I*(c + d*x))])/f + ((I/2)*b*PolyLog[2, 1 - (2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x)))]/f)

Rubi [A] time = 0.148596, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {5048, 4857, 2402, 2315, 2447}

$$\frac{ibPolyLog\left(2, 1 - \frac{2d(e+fx)}{(1-i(c+dx))(-cf+de+if)}\right)}{2f} - \frac{ibPolyLog\left(2, 1 - \frac{2}{1-i(c+dx)}\right)}{2f} + \frac{(a+b \cot^{-1}(c+dx)) \log\left(\frac{2d(e+fx)}{(1-i(c+dx))(-cf+de+if)}\right)}{f}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCot[c + d*x])/(e + f*x), x]

[Out] -(((a + b*ArcCot[c + d*x])*Log[2/(1 - I*(c + d*x))])/f) + ((a + b*ArcCot[c + d*x])*Log[(2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x)))]/f) - ((I/2)*b*PolyLog[2, 1 - 2/(1 - I*(c + d*x))])/f + ((I/2)*b*PolyLog[2, 1 - (2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x)))]/f)

Rule 5048

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol] :> Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IGtQ[p, 0]

Rule 4857

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))/((d_.) + (e_.)*(x_.)), x_Symbol] :> -Simp[((a + b*ArcCot[c*x])*Log[2/(1 - I*c*x)])/e, x] + (-Dist[(b*c)/e, Int[Log[2/(1 - I*c*x)]/(1 + c^2*x^2), x], x] + Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))]/(1 + c^2*x^2), x], x] + Simp[((a + b*ArcCot[c*x])*Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/e, x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_.) + (e_.)*(x_.))]/((f_.) + (g_.)*(x_.)^2), x_Symbol] :> -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_.)/((d_.) + (e_.)*(x_.)), x_Symbol] :> -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rule 2447

Int[Log[u_]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]

Rubi steps

$$\int \frac{a + b \cot^{-1}(c + dx)}{e + fx} dx = \frac{\text{Subst}\left(\int \frac{a + b \cot^{-1}(x)}{\frac{de - cf}{d} + \frac{fx}{d}} dx, x, c + dx\right)}{d}$$

$$= -\frac{(a + b \cot^{-1}(c + dx)) \log\left(\frac{2}{1 - i(c + dx)}\right)}{f} + \frac{(a + b \cot^{-1}(c + dx)) \log\left(\frac{2d(e + fx)}{(de + if - cf)(1 - i(c + dx))}\right)}{f}$$

$$= -\frac{(a + b \cot^{-1}(c + dx)) \log\left(\frac{2}{1 - i(c + dx)}\right)}{f} + \frac{(a + b \cot^{-1}(c + dx)) \log\left(\frac{2d(e + fx)}{(de + if - cf)(1 - i(c + dx))}\right)}{f}$$

$$= -\frac{(a + b \cot^{-1}(c + dx)) \log\left(\frac{2}{1 - i(c + dx)}\right)}{f} + \frac{(a + b \cot^{-1}(c + dx)) \log\left(\frac{2d(e + fx)}{(de + if - cf)(1 - i(c + dx))}\right)}{f}$$

Mathematica [A] time = 0.0945604, size = 304, normalized size = 1.88

$$-\frac{ib \text{PolyLog}\left(2, \frac{f(c + dx) - cf + de}{de + (-c + i)f}\right)}{2f} + \frac{ib \text{PolyLog}\left(2, \frac{f(c + dx) - cf + de}{de - (c + i)f}\right)}{2f} + \frac{a \log(f(c + dx) - cf + de)}{f} - \frac{ib \log\left(\frac{f(-c - dx + i)}{de + (-c + i)f}\right) \log(f)}{2f}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcCot[c + d*x])/(e + f*x), x]

[Out] (a*Log[d*e - c*f + f*(c + d*x)]/f - ((I/2)*b*Log[(f*(I - c - d*x))/(d*e + (I - c)*f)]*Log[d*e - c*f + f*(c + d*x)]/f + ((I/2)*b*Log[-((I - c - d*x)/(c + d*x))]*Log[d*e - c*f + f*(c + d*x)]/f + ((I/2)*b*Log[-((f*(I + c + d*x))/(d*e - (I + c)*f))]*Log[d*e - c*f + f*(c + d*x)]/f - ((I/2)*b*Log[(I + c + d*x)/(c + d*x)]*Log[d*e - c*f + f*(c + d*x)]/f - ((I/2)*b*PolyLog[2, (d*e - c*f + f*(c + d*x))/(d*e + (I - c)*f)]/f + ((I/2)*b*PolyLog[2, (d*e - c*f + f*(c + d*x))/(d*e - (I + c)*f)]/f

Maple [A] time = 0.06, size = 224, normalized size = 1.4

$$\frac{a \ln(f(dx + c) - cf + de)}{f} + \frac{b \ln(f(dx + c) - cf + de) \operatorname{arccot}(dx + c)}{f} - \frac{i}{2} \frac{b \ln(f(dx + c) - cf + de)}{f} \ln\left(\frac{if - f(dx + c)}{de + if - c}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccot(d*x+c))/(f*x+e), x)

[Out] a*ln(f*(d*x+c)-c*f+d*e)/f+b*ln(f*(d*x+c)-c*f+d*e)/f*arccot(d*x+c)-1/2*I*b*ln(f*(d*x+c)-c*f+d*e)/f*ln((I*f-f*(d*x+c))/(d*e+I*f-c*f))+1/2*I*b*ln(f*(d*x+c)-c*f+d*e)/f

$c - c*f + d*e) / f * \ln((I*f + f*(d*x + c)) / (I*f + c*f - d*e)) - 1/2 * I*b / f * \operatorname{dilog}((I*f - f*(d*x + c)) / (d*e + I*f - c*f)) + 1/2 * I*b / f * \operatorname{dilog}((I*f + f*(d*x + c)) / (I*f + c*f - d*e))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$2b \int \frac{\arctan(1, dx + c)}{2(fx + e)} dx + \frac{a \log(fx + e)}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))/(f*x+e),x, algorithm="maxima")

[Out] 2*b*integrate(1/2*arctan2(1, d*x + c)/(f*x + e), x) + a*log(f*x + e)/f

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b \operatorname{arccot}(dx + c) + a}{fx + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))/(f*x+e),x, algorithm="fricas")

[Out] integral((b*arccot(d*x + c) + a)/(f*x + e), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \operatorname{acot}(c + dx)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acot(d*x+c))/(f*x+e),x)

[Out] Integral((a + b*acot(c + d*x))/(e + f*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{b \operatorname{arccot}(dx + c) + a}{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))/(f*x+e),x, algorithm="giac")

[Out] integrate((b*arccot(d*x + c) + a)/(f*x + e), x)

$$3.134 \quad \int \frac{a+b \cot^{-1}(c+dx)}{(e+fx)^2} dx$$

Optimal. Leaf size=153

$$-\frac{a+b \cot^{-1}(c+dx)}{f(e+fx)} + \frac{bd \log(c^2+2cdx+d^2x^2+1)}{2((c^2+1)f^2-2cdef+d^2e^2)} - \frac{bd \log(e+fx)}{(c^2+1)f^2-2cdef+d^2e^2} - \frac{bd(de-cf) \tan^{-1}(c+dx)}{f((c^2+1)f^2-2cdef+d^2e^2)}$$

[Out] $-\left(\frac{a+b \operatorname{ArcCot}[c+d*x]}{f*(e+f*x)}\right) - \frac{(b*d*(d*e-c*f)*\operatorname{ArcTan}[c+d*x])}{(f*(d^2*e^2-2*c*d*e*f+(1+c^2)*f^2))} - \frac{(b*d*\operatorname{Log}[e+f*x])}{(d^2*e^2-2*c*d*e*f+(1+c^2)*f^2)} + \frac{(b*d*\operatorname{Log}[1+c^2+2*c*d*x+d^2*x^2])}{(2*(d^2*e^2-2*c*d*e*f+(1+c^2)*f^2))}$

Rubi [A] time = 0.110938, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {5046, 1982, 705, 31, 634, 618, 204, 628}

$$-\frac{a+b \cot^{-1}(c+dx)}{f(e+fx)} + \frac{bd \log(c^2+2cdx+d^2x^2+1)}{2((c^2+1)f^2-2cdef+d^2e^2)} - \frac{bd \log(e+fx)}{(c^2+1)f^2-2cdef+d^2e^2} - \frac{bd(de-cf) \tan^{-1}(c+dx)}{f((c^2+1)f^2-2cdef+d^2e^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a+b*\operatorname{ArcCot}[c+d*x])/(e+f*x)^2,x]$

[Out] $-\left(\frac{a+b \operatorname{ArcCot}[c+d*x]}{f*(e+f*x)}\right) - \frac{(b*d*(d*e-c*f)*\operatorname{ArcTan}[c+d*x])}{(f*(d^2*e^2-2*c*d*e*f+(1+c^2)*f^2))} - \frac{(b*d*\operatorname{Log}[e+f*x])}{(d^2*e^2-2*c*d*e*f+(1+c^2)*f^2)} + \frac{(b*d*\operatorname{Log}[1+c^2+2*c*d*x+d^2*x^2])}{(2*(d^2*e^2-2*c*d*e*f+(1+c^2)*f^2))}$

Rule 5046

$\operatorname{Int}[(a + \operatorname{ArcCot}(c + d*x)) * (b + (e + f*x)^m)] / (e + f*x)^{m+1}, x] \rightarrow \operatorname{Simp}[(e + f*x)^{m+1} * (a + b * \operatorname{ArcCot}(c + d*x)) / (f * (m + 1)), x] + \operatorname{Dist}[(b * d * p) / (f * (m + 1)), \operatorname{Int}[(e + f*x)^{m+1} * (a + b * \operatorname{ArcCot}(c + d*x)) / (1 + (c + d*x)^2), x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[m, -1]

Rule 1982

$\operatorname{Int}(u^m * v^p, x) \rightarrow \operatorname{Int}[\operatorname{ExpandToSum}[u, x]^m * \operatorname{ExpandToSum}[v, x]^p, x] /;$ FreeQ[{m, p}, x] && LinearQ[u, x] && QuadraticQ[v, x] && ! (LinearMatchQ[u, x] && QuadraticMatchQ[v, x])

Rule 705

$\operatorname{Int}[1/((d + e*x) * (a + b*x + c*x^2)), x] \rightarrow \operatorname{Dist}[e^2 / (c*d^2 - b*d*e + a*e^2), \operatorname{Int}[1/(d + e*x), x], x] + \operatorname{Dist}[1 / (c*d^2 - b*d*e + a*e^2), \operatorname{Int}[(c*d - b*e - c*e*x) / (a + b*x + c*x^2), x], x] /;$ FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0]

Rule 31

$\operatorname{Int}[(a + b*x)^{-1}, x] \rightarrow \operatorname{Simp}[\operatorname{Log}[\operatorname{RemoveContent}[a + b*x, x]] / b, x] /;$ FreeQ[{a, b}, x]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 628

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{a + b \cot^{-1}(c + dx)}{(e + fx)^2} dx &= -\frac{a + b \cot^{-1}(c + dx)}{f(e + fx)} - \frac{(bd) \int \frac{1}{(e+fx)(1+(c+dx)^2)} dx}{f} \\ &= -\frac{a + b \cot^{-1}(c + dx)}{f(e + fx)} - \frac{(bd) \int \frac{1}{(e+fx)(1+c^2+2cdx+d^2x^2)} dx}{f} \\ &= -\frac{a + b \cot^{-1}(c + dx)}{f(e + fx)} - \frac{(bd) \int \frac{d^2e-2cdf-d^2fx}{1+c^2+2cdx+d^2x^2} dx}{f(d^2e^2 - 2cdef + (1+c^2)f^2)} - \frac{(bdf) \int \frac{1}{e+fx} dx}{d^2e^2 - 2cdef + (1+c^2)f^2} \\ &= -\frac{a + b \cot^{-1}(c + dx)}{f(e + fx)} - \frac{bd \log(e + fx)}{d^2e^2 - 2cdef + (1+c^2)f^2} + \frac{(bd) \int \frac{2cd+2d^2x}{1+c^2+2cdx+d^2x^2} dx}{2(d^2e^2 - 2cdef + (1+c^2)f^2)} - \frac{(bd^2)}{f(d^2e^2 - 2cdef + (1+c^2)f^2)} \\ &= -\frac{a + b \cot^{-1}(c + dx)}{f(e + fx)} - \frac{bd \log(e + fx)}{d^2e^2 - 2cdef + (1+c^2)f^2} + \frac{bd \log(1 + c^2 + 2cdx + d^2x^2)}{2(d^2e^2 - 2cdef + (1+c^2)f^2)} + \frac{(2bd^2)}{2(d^2e^2 - 2cdef + (1+c^2)f^2)} \\ &= -\frac{a + b \cot^{-1}(c + dx)}{f(e + fx)} - \frac{bd(de - cf) \tan^{-1}(c + dx)}{f(d^2e^2 - 2cdef + (1+c^2)f^2)} - \frac{bd \log(e + fx)}{d^2e^2 - 2cdef + (1+c^2)f^2} + \frac{bd \log(1 + c^2 + 2cdx + d^2x^2)}{2(d^2e^2 - 2cdef + (1+c^2)f^2)} \end{aligned}$$

Mathematica [C] time = 0.164227, size = 118, normalized size = 0.77

$$\frac{-\frac{a+b \cot^{-1}(c+dx)}{e+fx} + \frac{bd((-icf+ide+f) \log(-c-dx+i)+(icf-ide+f) \log(c+dx+i)-2f \log(d(e+fx)))}{2((c^2+1)f^2-2cdef+d^2e^2)}}{f}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcCot[c + d*x])/(e + f*x)^2,x]

[Out] (-((a + b*ArcCot[c + d*x])/(e + f*x)) + (b*d*((I*d*e + f - I*c*f)*Log[I - c - d*x] + ((-I)*d*e + f + I*c*f)*Log[I + c + d*x] - 2*f*Log[d*(e + f*x)]))/

$$(2*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2))/f$$

Maple [A] time = 0.051, size = 206, normalized size = 1.4

$$\frac{ad}{(dfx + de)f} - \frac{bd \operatorname{arccot}(dx + c)}{(dfx + de)f} + \frac{bd \ln(1 + (dx + c)^2)}{2c^2f^2 - 4cdef + 2d^2e^2 + 2f^2} + \frac{bd \operatorname{arctan}(dx + c)c}{c^2f^2 - 2cdef + d^2e^2 + f^2} - \frac{bd^2 \operatorname{arctan}(dx + c)}{f(c^2f^2 - 2cdef + d^2e^2 + f^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccot(d*x+c))/(f*x+e)^2,x)

[Out] -d*a/(d*f*x+d*e)/f-d*b/(d*f*x+d*e)/f*arccot(d*x+c)+1/2*d*b/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*ln(1+(d*x+c)^2)+d*b/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*arctan(d*x+c)*c-d^2*b/f/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*arctan(d*x+c)*e-d*b/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*ln(f*(d*x+c)-c*f+d*e)

Maxima [A] time = 1.49717, size = 239, normalized size = 1.56

$$-\frac{1}{2} \left(d \left(\frac{2(d^2e - cdf) \operatorname{arctan}\left(\frac{d^2x+cd}{d}\right)}{(d^2e^2f - 2cdef^2 + (c^2 + 1)f^3)d} - \frac{\log(d^2x^2 + 2cdx + c^2 + 1)}{d^2e^2 - 2cdef + (c^2 + 1)f^2} + \frac{2 \log(fx + e)}{d^2e^2 - 2cdef + (c^2 + 1)f^2} \right) + \frac{2 \operatorname{arccot}(dx + c)}{f^2x + ef} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))/(f*x+e)^2,x, algorithm="maxima")

[Out] -1/2*(d*(2*(d^2*e - c*d*f)*arctan((d^2*x + c*d)/d)/((d^2*e^2*f - 2*c*d*e*f^2 + (c^2 + 1)*f^3)*d) - log(d^2*x^2 + 2*c*d*x + c^2 + 1)/(d^2*e^2 - 2*c*d*e*f + (c^2 + 1)*f^2) + 2*log(f*x + e)/(d^2*e^2 - 2*c*d*e*f + (c^2 + 1)*f^2)) + 2*arccot(d*x + c)/(f^2*x + e*f)*b - a/(f^2*x + e*f)

Fricas [A] time = 5.34871, size = 513, normalized size = 3.35

$$\frac{2ad^2e^2 - 4acdef + 2(ac^2 + a)f^2 + 2(bd^2e^2 - 2bcdef + (bc^2 + b)f^2) \operatorname{arccot}(dx + c) + 2(bd^2e^2 - bcdef + (bd^2ef - 2cde^2f + (c^2 + 1)ef^3 + (d^2e^2 - 2cdef + (c^2 + 1)f^2))) \operatorname{arctan}(dx + c)}{2(d^2e^3f - 2cde^2f^2 + (c^2 + 1)ef^3 + (d^2e^2 - 2cdef + (c^2 + 1)f^2))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))/(f*x+e)^2,x, algorithm="fricas")

[Out] -1/2*(2*a*d^2*e^2 - 4*a*c*d*e*f + 2*(a*c^2 + a)*f^2 + 2*(b*d^2*e^2 - 2*b*c*d*e*f + (b*c^2 + b)*f^2)*arccot(d*x + c) + 2*(b*d^2*e^2 - b*c*d*e*f + (b*d^2*e*f - b*c*d*f^2)*x)*arctan(d*x + c) - (b*d*f^2*x + b*d*e*f)*log(d^2*x^2 + 2*c*d*x + c^2 + 1) + 2*(b*d*f^2*x + b*d*e*f)*log(f*x + e)/(d^2*e^3*f - 2*c*d*e^2*f^2 + (c^2 + 1)*e*f^3 + (d^2*e^2*f^2 - 2*c*d*e*f^3 + (c^2 + 1)*f^4)*x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acot(d*x+c))/(f*x+e)**2,x)

[Out] Timed out

Giac [A] time = 1.1077, size = 396, normalized size = 2.59

$$\frac{1}{2} \left(df^2 \frac{\log\left(d^2 + \frac{2cdf}{fx+e} + \frac{c^2f^2}{(fx+e)^2} - \frac{2d^2e}{fx+e} - \frac{2cdf e}{(fx+e)^2} + \frac{d^2e^2}{(fx+e)^2} + \frac{f^2}{(fx+e)^2}\right)}{c^2f^4 - 2cdf^3e + d^2f^2e^2 + f^4} + \frac{2(cdf - d^2e) \arctan\left(-\frac{cdf + \frac{c^2f^2}{fx+e} - d^2e - \frac{2cdf e}{fx+e} + \frac{d^2e^2}{fx+e} + \frac{f^2}{fx+e}}{df}\right)}{(c^2f^3 - 2cdf^2e + d^2fe^2 + f^3)df^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))/(f*x+e)^2,x, algorithm="giac")

[Out] 1/2*(d*f^2*(log(d^2 + 2*c*d*f/(f*x + e) + c^2*f^2/(f*x + e)^2 - 2*d^2*e/(f*x + e) - 2*c*d*f*e/(f*x + e)^2 + d^2*e^2/(f*x + e)^2 + f^2/(f*x + e)^2)/(c^2*f^4 - 2*c*d*f^3*e + d^2*f^2*e^2 + f^4) + 2*(c*d*f - d^2*e)*arctan(-(c*d*f + c^2*f^2/(f*x + e) - d^2*e - 2*c*d*f*e/(f*x + e) + d^2*e^2/(f*x + e) + f^2/(f*x + e))/(d*f)))/((c^2*f^3 - 2*c*d*f^2*e + d^2*f*e^2 + f^3)*d*f^2) - 2*arctan(1/(d*x + c))/((f*x + e)*f)*b - a/((f*x + e)*f)

$$3.135 \quad \int \frac{a+b \cot^{-1}(c+dx)}{(e+fx)^3} dx$$

Optimal. Leaf size=228

$$\frac{a+b \cot^{-1}(c+dx)}{2f(e+fx)^2} + \frac{bd^2(de-cf) \log(c^2+2cdx+d^2x^2+1)}{2((c^2+1)f^2-2cdef+d^2e^2)^2} + \frac{bd}{2(e+fx)((c^2+1)f^2-2cdef+d^2e^2)} - \frac{bd^2(de-cf)}{((c^2+1)f^2-2cdef+d^2e^2)}$$

```
[Out] (b*d)/(2*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)*(e + f*x)) - (a + b*ArcCot[c + d*x])/(2*f*(e + f*x)^2) - (b*d^2*(d*e + f - c*f)*(d*e - (1 + c)*f)*ArcTan[c + d*x])/(2*f*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)^2) - (b*d^2*(d*e - c*f)*Log[e + f*x])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)^2 + (b*d^2*(d*e - c*f)*Log[1 + c^2 + 2*c*d*x + d^2*x^2])/(2*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)^2)
```

Rubi [A] time = 0.278451, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {5046, 1982, 709, 800, 634, 618, 204, 628}

$$\frac{a+b \cot^{-1}(c+dx)}{2f(e+fx)^2} + \frac{bd^2(de-cf) \log(c^2+2cdx+d^2x^2+1)}{2((c^2+1)f^2-2cdef+d^2e^2)^2} + \frac{bd}{2(e+fx)((c^2+1)f^2-2cdef+d^2e^2)} - \frac{bd^2(de-cf)}{((c^2+1)f^2-2cdef+d^2e^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcCot[c + d*x])/(e + f*x)^3, x]
```

```
[Out] (b*d)/(2*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)*(e + f*x)) - (a + b*ArcCot[c + d*x])/(2*f*(e + f*x)^2) - (b*d^2*(d*e + f - c*f)*(d*e - (1 + c)*f)*ArcTan[c + d*x])/(2*f*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)^2) - (b*d^2*(d*e - c*f)*Log[e + f*x])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)^2 + (b*d^2*(d*e - c*f)*Log[1 + c^2 + 2*c*d*x + d^2*x^2])/(2*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)^2)
```

Rule 5046

```
Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol] := Simp[((e + f*x)^(m + 1)*(a + b*ArcCot[c + d*x])^p)/(f*(m + 1)), x] + Dist[(b*d*p)/(f*(m + 1)), Int[((e + f*x)^(m + 1)*(a + b*ArcCot[c + d*x])^(p - 1))/(1 + (c + d*x)^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[m, -1]
```

Rule 1982

```
Int[(u_)^(m_.)*(v_)^(p_.), x_Symbol] := Int[ExpandToSum[u, x]^m*ExpandToSum[v, x]^p, x] /; FreeQ[{m, p}, x] && LinearQ[u, x] && QuadraticQ[v, x] && ! (LinearMatchQ[u, x] && QuadraticMatchQ[v, x])
```

Rule 709

```
Int[((d_.) + (e_.)*(x_.))^(m_.)/((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2), x_Symbol] := Simp[(e*(d + e*x)^(m + 1))/((m + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(c*d^2 - b*d*e + a*e^2), Int[((d + e*x)^(m + 1)*Simp[c*d - b*e - c*e*x, x])/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && LtQ[m, -1]
```

Rule 800

```
Int[(((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_)))/((a_.) + (b_.)*(x_) +
(c_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a
+ b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*
c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[m]
```

Rule 634

```
Int[(((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 628

```
Int[(((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \cot^{-1}(c + dx)}{(e + fx)^3} dx &= -\frac{a + b \cot^{-1}(c + dx)}{2f(e + fx)^2} - \frac{(bd) \int \frac{1}{(e+fx)^2(1+(c+dx)^2)} dx}{2f} \\
&= -\frac{a + b \cot^{-1}(c + dx)}{2f(e + fx)^2} - \frac{(bd) \int \frac{1}{(e+fx)^2(1+c^2+2cdx+d^2x^2)} dx}{2f} \\
&= \frac{bd}{2(d^2e^2 - 2cdef + (1 + c^2)f^2)(e + fx)} - \frac{a + b \cot^{-1}(c + dx)}{2f(e + fx)^2} - \frac{(bd) \int \frac{d(de-2cf)-d^2fx}{(e+fx)(1+c^2+2cdx+d^2x^2)} dx}{2f(d^2e^2 - 2cdef + (1 + c^2)f^2)} \\
&= \frac{bd}{2(d^2e^2 - 2cdef + (1 + c^2)f^2)(e + fx)} - \frac{a + b \cot^{-1}(c + dx)}{2f(e + fx)^2} - \frac{(bd) \int \left(\frac{2df^2(de-cf)}{(d^2e^2-2cdef+(1+c^2)f^2)} \right) dx}{2f(d^2e^2 - 2cdef + (1 + c^2)f^2)} \\
&= \frac{bd}{2(d^2e^2 - 2cdef + (1 + c^2)f^2)(e + fx)} - \frac{a + b \cot^{-1}(c + dx)}{2f(e + fx)^2} - \frac{bd^2(de - cf) \log(e + fx)}{(d^2e^2 - 2cdef + (1 + c^2)f^2)} \\
&= \frac{bd}{2(d^2e^2 - 2cdef + (1 + c^2)f^2)(e + fx)} - \frac{a + b \cot^{-1}(c + dx)}{2f(e + fx)^2} - \frac{bd^2(de - cf) \log(e + fx)}{(d^2e^2 - 2cdef + (1 + c^2)f^2)} \\
&= \frac{bd}{2(d^2e^2 - 2cdef + (1 + c^2)f^2)(e + fx)} - \frac{a + b \cot^{-1}(c + dx)}{2f(e + fx)^2} - \frac{bd^2(de - cf) \log(e + fx)}{(d^2e^2 - 2cdef + (1 + c^2)f^2)} \\
&= \frac{bd}{2(d^2e^2 - 2cdef + (1 + c^2)f^2)(e + fx)} - \frac{a + b \cot^{-1}(c + dx)}{2f(e + fx)^2} - \frac{bd^2(de - f - cf)(de + f - cf)}{2f(d^2e^2 - 2cdef + (1 + c^2)f^2)}
\end{aligned}$$

Mathematica [C] time = 0.502029, size = 180, normalized size = 0.79

$$\frac{-\frac{a+b \cot^{-1}(c+dx)}{(e+fx)^2} + \frac{bdf}{(e+fx)((c^2+1)f^2-2cdef+d^2e^2)} - \frac{2bd^2f(de-cf) \log(d(e+fx))}{((c^2+1)f^2-2cdef+d^2e^2)^2} + \frac{ibd^2 \log(-c-dx+i)}{2(de-(c-i)f)^2} - \frac{ibd^2 \log(c+dx+i)}{2(de-(c+i)f)^2}}{2f}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcCot[c + d*x])/(e + f*x)^3, x]

[Out] ((b*d*f)/((d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)*(e + f*x)) - (a + b*ArcCot[c + d*x])/(e + f*x)^2 + ((I/2)*b*d^2*Log[I - c - d*x])/(d*e - (-I + c)*f)^2 - ((I/2)*b*d^2*Log[I + c + d*x])/(d*e - (I + c)*f)^2 - (2*b*d^2*f*(d*e - c*f)*Log[d*(e + f*x)])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)^2)/(2*f)

Maple [A] time = 0.059, size = 437, normalized size = 1.9

$$-\frac{d^2a}{2(dfx + de)^2f} - \frac{bd^2 \operatorname{arccot}(dx + c)}{2(dfx + de)^2f} - \frac{bd^2f \operatorname{arctan}(dx + c)c^2}{2(c^2f^2 - 2cdef + d^2e^2 + f^2)^2} + \frac{bd^3 \operatorname{arctan}(dx + c)ce}{(c^2f^2 - 2cdef + d^2e^2 + f^2)^2} - \frac{d^4b}{2(c^2f^2 - 2cdef + d^2e^2 + f^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccot(d*x+c))/(f*x+e)^3, x)

[Out] -1/2*d^2*a/(d*f*x+d*e)^2/f-1/2*d^2*b/(d*f*x+d*e)^2/f*arccot(d*x+c)-1/2*d^2*b*f/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)^2*arctan(d*x+c)*c^2+d^3*b/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)^2

$$d*ef+d^2*e^2+f^2)^2*\arctan(dx+c)*c*e-1/2*d^4*b/f/(c^2*f^2-2*c*d*ef+d^2*e^2+f^2)^2*\arctan(dx+c)*e^2-1/2*d^2*b*f/(c^2*f^2-2*c*d*ef+d^2*e^2+f^2)^2*\ln(1+(dx+c)^2)*c+1/2*d^3*b/(c^2*f^2-2*c*d*ef+d^2*e^2+f^2)^2*\ln(1+(dx+c)^2)*e+1/2*d^2*b*f/(c^2*f^2-2*c*d*ef+d^2*e^2+f^2)^2*\arctan(dx+c)+1/2*d^2*b/(c^2*f^2-2*c*d*ef+d^2*e^2+f^2)/(d*f*x+d*e)+d^2*b*f/(c^2*f^2-2*c*d*ef+d^2*e^2+f^2)^2*\ln(f*(dx+c)-c*f+d*e)*c-d^3*b/(c^2*f^2-2*c*d*ef+d^2*e^2+f^2)^2*\ln(f*(dx+c)-c*f+d*e)*e$$

Maxima [A] time = 1.52127, size = 554, normalized size = 2.43

$$\frac{1}{2} \left(d \left(\frac{(d^2e - cdf) \log(d^2x^2 + 2cdx + c^2 + 1)}{d^4e^4 - 4cd^3e^3f + 2(3c^2 + 1)d^2e^2f^2 - 4(c^3 + c)def^3 + (c^4 + 2c^2 + 1)f^4} - \frac{2(d^2e - cdf) \log(fx + e)}{d^4e^4 - 4cd^3e^3f + 2(3c^2 + 1)d^2e^2f^2 - 4(c^3 + c)def^3 + (c^4 + 2c^2 + 1)f^4} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(dx+c))/(f*x+e)^3,x, algorithm="maxima")

[Out] 1/2*(d*((d^2*e - c*d*f)*log(d^2*x^2 + 2*c*d*x + c^2 + 1)/(d^4*e^4 - 4*c*d^3*e^3*f + 2*(3*c^2 + 1)*d^2*e^2*f^2 - 4*(c^3 + c)*d*e*f^3 + (c^4 + 2*c^2 + 1)*f^4) - 2*(d^2*e - c*d*f)*log(f*x + e)/(d^4*e^4 - 4*c*d^3*e^3*f + 2*(3*c^2 + 1)*d^2*e^2*f^2 - 4*(c^3 + c)*d*e*f^3 + (c^4 + 2*c^2 + 1)*f^4) - (d^4*e^2 - 2*c*d^3*e*f + (c^2 - 1)*d^2*f^2)*arctan((d^2*x + c*d)/d)/((d^4*e^4*f - 4*c*d^3*e^3*f^2 + 2*(3*c^2 + 1)*d^2*e^2*f^3 - 4*(c^3 + c)*d*e*f^4 + (c^4 + 2*c^2 + 1)*f^5)*d) + 1/(d^2*e^3 - 2*c*d*e^2*f + (c^2 + 1)*e*f^2 + (d^2*e^2*f - 2*c*d*e*f^2 + (c^2 + 1)*f^3)*x) - arccot(dx + c)/(f^3*x^2 + 2*e*f^2*x + e^2*f))*b - 1/2*a/(f^3*x^2 + 2*e*f^2*x + e^2*f)

Fricas [B] time = 20.4374, size = 1531, normalized size = 6.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(dx+c))/(f*x+e)^3,x, algorithm="fricas")

[Out] -1/2*(a*d^4*e^4 - (4*a*c + b)*d^3*e^3*f + 2*(3*a*c^2 + b*c + a)*d^2*e^2*f^2 - (4*a*c^3 + b*c^2 + 4*a*c + b)*d*e*f^3 + (a*c^4 + 2*a*c^2 + a)*f^4 - (b*d^3*e^2*f^2 - 2*b*c*d^2*e*f^3 + (b*c^2 + b)*d*f^4)*x + (b*d^4*e^4 - 4*b*c*d^3*e^3*f + 2*(3*b*c^2 + b)*d^2*e^2*f^2 - 4*(b*c^3 + b*c)*d*e*f^3 + (b*c^4 + 2*b*c^2 + b)*f^4)*arccot(dx + c) + (b*d^4*e^4 - 2*b*c*d^3*e^3*f + (b*c^2 - b)*d^2*e^2*f^2 + (b*d^4*e^2*f^2 - 2*b*c*d^3*e*f^3 + (b*c^2 - b)*d^2*f^4)*x^2 + 2*(b*d^4*e^3*f - 2*b*c*d^3*e^2*f^2 + (b*c^2 - b)*d^2*e*f^3)*x)*arctan(dx + c) - (b*d^3*e^3*f - b*c*d^2*e^2*f^2 + (b*d^3*e*f^3 - b*c*d^2*f^4)*x^2 + 2*(b*d^3*e^2*f^2 - b*c*d^2*e*f^3)*x)*log(d^2*x^2 + 2*c*d*x + c^2 + 1) + 2*(b*d^3*e^3*f - b*c*d^2*e^2*f^2 + (b*d^3*e*f^3 - b*c*d^2*f^4)*x^2 + 2*(b*d^3*e^2*f^2 - b*c*d^2*e*f^3)*x)*log(f*x + e)/(d^4*e^6*f - 4*c*d^3*e^5*f^2 + 2*(3*c^2 + 1)*d^2*e^4*f^3 - 4*(c^3 + c)*d*e^3*f^4 + (c^4 + 2*c^2 + 1)*e^2*f^5 + (d^4*e^4*f^3 - 4*c*d^3*e^3*f^4 + 2*(3*c^2 + 1)*d^2*e^2*f^5 - 4*(c^3 + c)*d*e*f^6 + (c^4 + 2*c^2 + 1)*f^7)*x^2 + 2*(d^4*e^5*f^2 - 4*c*d^3*e^4*f^3 + 2*(3*c^2 + 1)*d^2*e^3*f^4 - 4*(c^3 + c)*d*e^2*f^5 + (c^4 + 2*c^2 + 1)*e*f^6)*x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acot(d*x+c))/(f*x+e)**3,x)

[Out] Timed out

Giac [B] time = 6.61449, size = 1550, normalized size = 6.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))/(f*x+e)^3,x, algorithm="giac")

[Out]
$$-1/2*(b*c^2*d^2*f^4*x^2*\arctan(d*x + c) - 2*b*c*d^3*f^3*x^2*\arctan(d*x + c) * e + b*d^4*f^2*x^2*\arctan(d*x + c)*e^2 + 2*b*c^2*d^2*f^3*x*\arctan(d*x + c)* e + b*c*d^2*f^4*x^2*\log(d^2*x^2 + 2*c*d*x + c^2 + 1) - b*d^3*f^3*x^2*e*\log(d^2*x^2 + 2*c*d*x + c^2 + 1) - 2*b*c*d^2*f^4*x^2*\log(\text{abs}(f*x + e)) + 2*b*d^3*f^3*x^2*e*\log(\text{abs}(f*x + e)) - b*d^2*f^4*x^2*\arctan(d*x + c) + b*c^4*f^4*a \arctan(1/(d*x + c)) - 4*b*c*d^3*f^2*x*\arctan(d*x + c)*e^2 - 4*b*c^3*d*f^3*\ar \arctan(1/(d*x + c))*e + 2*b*c*d^2*f^3*x*e*\log(d^2*x^2 + 2*c*d*x + c^2 + 1) - 4*b*c*d^2*f^3*x*e*\log(\text{abs}(f*x + e)) + a*c^4*f^4 - b*c^2*d*f^4*x + 2*b*d^4*f *x*\arctan(d*x + c)*e^3 + b*c^2*d^2*f^2*\arctan(d*x + c)*e^2 + 6*b*c^2*d^2*f^2*\arctan(1/(d*x + c))*e^2 - 4*a*c^3*d*f^3*e + 2*b*c*d^2*f^3*x*e - 2*b*d^2*f ^3*x*\arctan(d*x + c)*e - 2*b*d^3*f^2*x*e^2*\log(d^2*x^2 + 2*c*d*x + c^2 + 1) + 4*b*d^3*f^2*x*e^2*\log(\text{abs}(f*x + e)) + 2*b*c^2*f^4*\arctan(1/(d*x + c)) - 2*b*c*d^3*f*\arctan(d*x + c)*e^3 - 4*b*c*d^3*f*\arctan(1/(d*x + c))*e^3 + 6*a *c^2*d^2*f^2*e^2 - b*d^3*f^2*x*e^2 - b*c^2*d*f^3*e - 4*b*c*d*f^3*\arctan(1/(d*x + c))*e + b*c*d^2*f^2*e^2*\log(d^2*x^2 + 2*c*d*x + c^2 + 1) - 2*b*c*d^2*f ^2*e^2*\log(\text{abs}(f*x + e)) + 2*a*c^2*f^4 - b*d*f^4*x + b*d^4*\arctan(d*x + c) *e^4 + b*d^4*\arctan(1/(d*x + c))*e^4 - 4*a*c*d^3*f*e^3 + 2*b*c*d^2*f^2*e^2 - b*d^2*f^2*\arctan(d*x + c)*e^2 + 2*b*d^2*f^2*\arctan(1/(d*x + c))*e^2 - 4*a *c*d*f^3*e - b*d^3*f*e^3*\log(d^2*x^2 + 2*c*d*x + c^2 + 1) + 2*b*d^3*f*e^3*\log(\text{abs}(f*x + e)) + b*f^4*\arctan(1/(d*x + c)) + a*d^4*e^4 - b*d^3*f*e^3 + 2* a*d^2*f^2*e^2 - b*d*f^3*e + a*f^4)/(c^4*f^7*x^2 - 4*c^3*d*f^6*x^2*e + 6*c^2 *d^2*f^5*x^2*e^2 + 2*c^4*f^6*x*e + 2*c^2*f^7*x^2 - 4*c*d^3*f^4*x^2*e^3 - 8* c^3*d*f^5*x*e^2 - 4*c*d*f^6*x^2*e + d^4*f^3*x^2*e^4 + 12*c^2*d^2*f^4*x*e^3 + c^4*f^5*e^2 + 2*d^2*f^5*x^2*e^2 + 4*c^2*f^6*x*e + f^7*x^2 - 8*c*d^3*f^3*x *e^4 - 4*c^3*d*f^4*e^3 - 8*c*d*f^5*x*e^2 + 2*d^4*f^2*x*e^5 + 6*c^2*d^2*f^3* e^4 + 4*d^2*f^4*x*e^3 + 2*c^2*f^5*e^2 + 2*f^6*x*e - 4*c*d^3*f^2*e^5 - 4*c*d *f^4*e^3 + d^4*f*e^6 + 2*d^2*f^3*e^4 + f^5*e^2)$$

3.136 $\int (e + fx)^2 (a + b \cot^{-1}(c + dx))^2 dx$

Optimal. Leaf size=382

$$\frac{ib^2 \left(-(1-3c^2)f^2 - 6cdef + 3d^2e^2 \right) \text{PolyLog} \left(2, 1 - \frac{2}{1+i(c+dx)} \right)}{3d^3} + \frac{i \left(-(1-3c^2)f^2 - 6cdef + 3d^2e^2 \right) (a + b \cot^{-1}(c + dx))}{3d^3}$$

```
[Out] (b^2*f^2*x)/(3*d^2) + (2*a*b*f*(d*e - c*f)*x)/d^2 + (2*b^2*f*(d*e - c*f)*(c
+ d*x)*ArcCot[c + d*x])/d^3 + (b*f^2*(c + d*x)^2*(a + b*ArcCot[c + d*x]))/
(3*d^3) + ((I/3)*(3*d^2*e^2 - 6*c*d*e*f - (1 - 3*c^2)*f^2)*(a + b*ArcCot[c
+ d*x])^2)/d^3 - ((d*e - c*f)*(d^2*e^2 - 2*c*d*e*f - (3 - c^2)*f^2)*(a + b*
ArcCot[c + d*x])^2)/(3*d^3*f) + ((e + f*x)^3*(a + b*ArcCot[c + d*x])^2)/(3*
f) - (b^2*f^2*ArcTan[c + d*x])/(3*d^3) - (2*b*(3*d^2*e^2 - 6*c*d*e*f - (1 -
3*c^2)*f^2)*(a + b*ArcCot[c + d*x])*Log[2/(1 + I*(c + d*x))])/(3*d^3) + (b
^2*f*(d*e - c*f)*Log[1 + (c + d*x)^2])/d^3 + ((I/3)*b^2*(3*d^2*e^2 - 6*c*d*
e*f - (1 - 3*c^2)*f^2)*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/d^3
```

Rubi [A] time = 0.582392, antiderivative size = 382, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 13, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.65$, Rules used = {5048, 4865, 4847, 260, 4853, 321, 203, 4985, 4885, 4921, 4855, 2402, 2315}

$$\frac{ib^2 \left(-(1-3c^2)f^2 - 6cdef + 3d^2e^2 \right) \text{PolyLog} \left(2, 1 - \frac{2}{1+i(c+dx)} \right)}{3d^3} + \frac{i \left(-(1-3c^2)f^2 - 6cdef + 3d^2e^2 \right) (a + b \cot^{-1}(c + dx))}{3d^3}$$

Antiderivative was successfully verified.

```
[In] Int[(e + f*x)^2*(a + b*ArcCot[c + d*x])^2,x]
```

```
[Out] (b^2*f^2*x)/(3*d^2) + (2*a*b*f*(d*e - c*f)*x)/d^2 + (2*b^2*f*(d*e - c*f)*(c
+ d*x)*ArcCot[c + d*x])/d^3 + (b*f^2*(c + d*x)^2*(a + b*ArcCot[c + d*x]))/
(3*d^3) + ((I/3)*(3*d^2*e^2 - 6*c*d*e*f - (1 - 3*c^2)*f^2)*(a + b*ArcCot[c
+ d*x])^2)/d^3 - ((d*e - c*f)*(d^2*e^2 - 2*c*d*e*f - (3 - c^2)*f^2)*(a + b*
ArcCot[c + d*x])^2)/(3*d^3*f) + ((e + f*x)^3*(a + b*ArcCot[c + d*x])^2)/(3*
f) - (b^2*f^2*ArcTan[c + d*x])/(3*d^3) - (2*b*(3*d^2*e^2 - 6*c*d*e*f - (1 -
3*c^2)*f^2)*(a + b*ArcCot[c + d*x])*Log[2/(1 + I*(c + d*x))])/(3*d^3) + (b
^2*f*(d*e - c*f)*Log[1 + (c + d*x)^2])/d^3 + ((I/3)*b^2*(3*d^2*e^2 - 6*c*d*
e*f - (1 - 3*c^2)*f^2)*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/d^3
```

Rule 5048

```
Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_)])*(b_.))^(p_.)*((e_.) + (f_.)*(x_))^(m
_.), x_Symbol] := Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*Ar
cCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IG
tQ[p, 0]
```

Rule 4865

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)*((d_.) + (e_.)*(x_))^(q_.), x_Sy
mbol] := Simp[((d + e*x)^(q + 1)*(a + b*ArcCot[c*x])^p)/(e*(q + 1)), x] + D
ist[(b*c*p)/(e*(q + 1)), Int[ExpandIntegrand[(a + b*ArcCot[c*x])^(p - 1), (
d + e*x)^(q + 1)/(1 + c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] &&
IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]
```

Rule 4847

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.), x_Symbol] := Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*((d_.)*(x_)^(m_.)), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 321

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 4985

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*((f_.) + (g_.)*(x_)^(m_.))/((d_.) + (e_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCot[c*x])^p/(d + e*x^2), (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && IGtQ[m, 0]

Rule 4885

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_)^2), x_Symbol] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]

Rule 4921

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*(x_)/((d_.) + (e_.)*(x_)^2), x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*e*(p + 1)), x] - Dist[1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]

Rule 4855

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_)), x_Symbol] := -Simp[(a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)]/e, x] - Dist[(b*c*p)/e, Int[(a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 2402

```
Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dis
t[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{
c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 -
c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rubi steps

$$\int (e + fx)^2 (a + b \cot^{-1}(c + dx))^2 dx = \frac{\text{Subst}\left(\int \left(\frac{de-cf}{d} + \frac{fx}{d}\right)^2 (a + b \cot^{-1}(x))^2 dx, x, c + dx\right)}{d}$$

$$= \frac{(e + fx)^3 (a + b \cot^{-1}(c + dx))^2}{3f} + \frac{(2b) \text{Subst}\left(\int \left(\frac{3f^2(de-cf)(a+b \cot^{-1}(x))}{d^3} + \frac{f^3x(a+b \cot^{-1}(x))}{d^3}\right) dx, x, c + dx\right)}{3d^3}$$

$$= \frac{(e + fx)^3 (a + b \cot^{-1}(c + dx))^2}{3f} + \frac{(2b) \text{Subst}\left(\int \frac{((de-cf)(d^2e^2-2cdef-3f^2+c^2f^2)+f(3d^2e^2-2cde-f^2))}{d^3} dx, x, c + dx\right)}{3d^3}$$

$$= \frac{2abf(de - cf)x}{d^2} + \frac{bf^2(c + dx)^2 (a + b \cot^{-1}(c + dx))}{3d^3} + \frac{(e + fx)^3 (a + b \cot^{-1}(c + dx))^2}{3f}$$

$$= \frac{b^2f^2x}{3d^2} + \frac{2abf(de - cf)x}{d^2} + \frac{2b^2f(de - cf)(c + dx) \cot^{-1}(c + dx)}{d^3} + \frac{bf^2(c + dx)^2}{3f}$$

$$= \frac{b^2f^2x}{3d^2} + \frac{2abf(de - cf)x}{d^2} + \frac{2b^2f(de - cf)(c + dx) \cot^{-1}(c + dx)}{d^3} + \frac{bf^2(c + dx)^2}{3f}$$

$$= \frac{b^2f^2x}{3d^2} + \frac{2abf(de - cf)x}{d^2} + \frac{2b^2f(de - cf)(c + dx) \cot^{-1}(c + dx)}{d^3} + \frac{bf^2(c + dx)^2}{3f}$$

$$= \frac{b^2f^2x}{3d^2} + \frac{2abf(de - cf)x}{d^2} + \frac{2b^2f(de - cf)(c + dx) \cot^{-1}(c + dx)}{d^3} + \frac{bf^2(c + dx)^2}{3f}$$

Mathematica [A] time = 4.98049, size = 665, normalized size = 1.74

$$\frac{b^2ef \left(-2ic \text{PolyLog}\left(2, e^{2i \cot^{-1}(c+dx)}\right) + (-c^2 - 2ic + d^2x^2 + 1) \cot^{-1}(c + dx)^2 - 2 \log\left(\frac{1}{(c+dx)\sqrt{\frac{1}{(c+dx)^2} + 1}}\right) + 2 \cot^{-1}(c + dx) \right)}{d^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(e + f*x)^2*(a + b*ArcCot[c + d*x])^2,x]
```

```
[Out] a^2*e^2*x + a^2*e*f*x^2 + (a^2*f^2*x^3)/3 + (a*b*(d*f*x*(6*d*e - 4*c*f + d*
f*x) + 2*d^3*x*(3*e^2 + 3*e*f*x + f^2*x^2)*ArcCot[c + d*x] - 2*(3*c*d^2*e^2
+ 3*d*e*f - 3*c^2*d*e*f - 3*c*f^2 + c^3*f^2)*ArcTan[c + d*x] + (3*d^2*e^2
- 6*c*d*e*f + (-1 + 3*c^2)*f^2)*Log[1 + c^2 + 2*c*d*x + d^2*x^2])/(3*d^3)
```

$$\begin{aligned}
& + (b^2 e^2 (\text{ArcCot}[c + dx] * ((I + c + dx) * \text{ArcCot}[c + dx] - 2 * \text{Log}[1 - E^{((2I) * \text{ArcCot}[c + dx])}])) + I * \text{PolyLog}[2, E^{((2I) * \text{ArcCot}[c + dx])}])) / d + (b^2 * e * f * ((1 - (2I) * c - c^2 + d^2 * x^2) * \text{ArcCot}[c + dx]^2 + 2 * \text{ArcCot}[c + dx] * (c + dx + 2 * c * \text{Log}[1 - E^{((2I) * \text{ArcCot}[c + dx])}]) - 2 * \text{Log}[1 / ((c + dx) * \text{Sqrt}[1 + (c + dx)^{-2}]]]) - (2I) * c * \text{PolyLog}[2, E^{((2I) * \text{ArcCot}[c + dx])}])) / d^2 + (b^2 * f^2 * ((c + dx) * (1 + (c + dx)^2) * (1 - 6 * c * \text{ArcCot}[c + dx] + 3 * (1 + c^2) * \text{ArcCot}[c + dx]^2) - (c + dx) * \text{Sqrt}[1 + (c + dx)^{-2}] * (1 + (c + dx)^2) * (1 - 6 * c * \text{ArcCot}[c + dx] + (-1 + 3 * c^2) * \text{ArcCot}[c + dx]^2) * \text{Cos}[3 * \text{ArcCot}[c + dx]] + 2 * (1 + (c + dx)^2) * ((-I) * \text{ArcCot}[c + dx]^2 * (1 - (6I) * c - 3 * c^2 + (-1 + 3 * c^2) * \text{Cos}[2 * \text{ArcCot}[c + dx]]) + 2 * \text{ArcCot}[c + dx] * (1 + (1 - 3 * c^2) * \text{Log}[1 - E^{((2I) * \text{ArcCot}[c + dx])}]) + (-1 + 3 * c^2) * \text{Cos}[2 * \text{ArcCot}[c + dx]]) * \text{Log}[1 - E^{((2I) * \text{ArcCot}[c + dx])}]) - 6 * c * (-1 + \text{Cos}[2 * \text{ArcCot}[c + dx]]) * \text{Log}[1 / ((c + dx) * \text{Sqrt}[1 + (c + dx)^{-2}]]]) + (4I) * (-1 + 3 * c^2) * \text{PolyLog}[2, E^{((2I) * \text{ArcCot}[c + dx])}])) / (12 * d^3)
\end{aligned}$$

Maple [B] time = 0.153, size = 1832, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*(a+b*arccot(dx+c))^2,x)

[Out] $a^2 x e^2 + 1/3 a^2 f^2 x^3 + 2/3 a b / f \arctan(dx+c) e^3 + 2/3 a b / f \arccot(dx+c) e^3 + 2 \arccot(dx+c) x a b e^2 + 2/3 a b f^2 \arccot(dx+c) x^3 + b^2 f \arccot(dx+c)^2 e x^2 + 2/3 b^2 / f \arccot(dx+c) \arctan(dx+c) e^3 + 1/6 I / d^3 b^2 \text{dilog}(1/2 I * (dx+c-I)) f^2 - 1/2 I / d b^2 \text{dilog}(1/2 I * (dx+c-I)) e^2 + 1/4 I / d b^2 \ln(dx+c-I)^2 e^2 - 1/4 I / d b^2 \ln(dx+c+I)^2 e^2 + 1/2 I / d b^2 \text{dilog}(-1/2 I * (dx+c+I)) e^2 + 1/12 I / d^3 b^2 \ln(dx+c+I)^2 f^2 + 1/d^2 b^2 f \ln(1+(dx+c)^2) e^{-1/d^2 b^2 f \arctan(dx+c)^2} e^{-1/3/d^3 b^2 f^2 \arccot(dx+c) \ln(1+(dx+c)^2)} - 1/d b^2 \arctan(dx+c)^2 c e^2 + 1/d b^2 \arccot(dx+c) \ln(1+(dx+c)^2) e^2 - 1/3/d^3 b^2 f^2 \arctan(dx+c)^2 c^3 + 1/3/d a b f^2 x^2 - 1/6 I / d^3 b^2 \text{dilog}(-1/2 I * (dx+c+I)) f^2 - 1/d^3 b^2 f^2 \ln(1+(dx+c)^2) c + 1/d^3 b^2 f^2 \arctan(dx+c)^2 c - 1/3/d^3 a b f^2 \ln(1+(dx+c)^2) - 5/3/d^3 b^2 f^2 \arccot(dx+c) c^2 + 1/3/d b^2 f^2 \arccot(dx+c) x^2 + 1/d a b \ln(1+(dx+c)^2) e^2 - 5/3/d^3 a b f^2 c^2 + I/d^2 b^2 \ln(dx+c-I) \ln(1+(dx+c)^2) c e f - I/d^2 b^2 \ln(dx+c-I) \ln(-1/2 I * (dx+c+I)) c e f - I/d^2 b^2 \ln(1+(dx+c)^2) \ln(dx+c+I) c e f + I/d^2 b^2 \ln(dx+c+I) \ln(1/2 I * (dx+c-I)) c e f + 1/d^3 a b f^2 \ln(1+(dx+c)^2) c^2 - 2/d^2 a b f \arctan(dx+c) e^{-2/d b^2 \arccot(dx+c) \arctan(dx+c) c e^2 - 2/d a b \arctan(dx+c) c e^2 + 2/d^3 b^2 f^2 \arccot(dx+c) \arctan(dx+c) c - 4/3/d^2 b^2 f^2 \arccot(dx+c) c x + 2/d b^2 f \arccot(dx+c) e x + 2/d^2 b^2 f \arccot(dx+c) e c - 2/3/d^3 a b f^2 \arctan(dx+c) c^3 + 2/d^2 a b f c e - 1/6 I / d^3 b^2 \ln(dx+c-I) \ln(-1/2 I * (dx+c+I)) f^2 + 1/6 I / d^3 b^2 \ln(dx+c-I) \ln(1+(dx+c)^2) f^2 - 1/2 I / d^3 b^2 \text{dilog}(1/2 I * (dx+c-I)) c^2 f^2 - 1/6 I / d^3 b^2 \ln(1+(dx+c)^2) \ln(dx+c+I) f^2 + 1/2 I / d b^2 \ln(1+(dx+c)^2) \ln(dx+c+I) e^2 - 1/2 I / d b^2 \ln(dx+c-I) \ln(1+(dx+c)^2) e^2 + 1/6 I / d^3 b^2 \ln(dx+c+I) \ln(1/2 I * (dx+c-I)) f^2 - 1/4 I / d^3 b^2 \ln(dx+c+I)^2 c^2 f^2 + 1/4 I / d^3 b^2 \ln(dx+c-I)^2 c^2 f^2 - 2/d^2 b^2 f \arccot(dx+c) \arctan(dx+c) e^{-2/3/d^3 b^2 f^2 \arccot(dx+c) \arctan(dx+c) c^3 + 1/d^3 b^2 f^2 \arccot(dx+c) \ln(1+(dx+c)^2) c^2 - 1/2 I / d b^2 \ln(dx+c+I) \ln(1/2 I * (dx+c-I)) e^2 + 1/2 I / d b^2 \ln(dx+c-I) \ln(-1/2 I * (dx+c+I)) e^2 + 1/2 I / d^3 b^2 \text{dilog}(-1/2 I * (dx+c+I)) c^2 f^2 - 4/3 a b / d^2 f^2 c x + 2 a b / d f e x + 2 a b f \arccot(dx+c) e x^2 + 1/d^2 b^2 f \arctan(dx+c)^2 c^2 e + 2/d^3 a b f^2 \arctan(dx+c) c - 1/12 I / d^3 b^2 \ln(dx+c-I)^2 f^2 + 2/d^2 b^2 f \arccot(dx+c) \arctan(dx+c) c^2 e - I/d^2 b^2 \text{dilog}(-1/2 I * (dx+c+I)) c e f + 1/2 I / d^2 b^2 \ln(dx+c+I)^2 c e f + 1/3 b^2 f^2 \arccot(dx+c)^2 x^3 + \arccot(dx+c)^2 x b^2 e^2 + a^2 f x^2 e + 1/3 b^2 / f \arctan(dx+c)^2 e^3 + 1/3 b^2 / f \arccot(dx+c)^2 e^3 + 1/3/d^3 b^2 f^2 c + 1/3 a^2 / f e^3 + 1/2 I / d^3 b^2 \ln(1+(d$

$$\begin{aligned} & (x+c)^2 \ln(dx+c+I) * c^2 f^2 - 1/2 * I/d^3 * b^2 \ln(dx+c+I) * \ln(1/2 * I * (dx+c-I)) * c \\ & ^2 f^2 - 1/2 * I/d^2 * b^2 \ln(dx+c-I)^2 * c * e * f + 1/2 * I/d^3 * b^2 \ln(dx+c-I) * \ln(-1/2 * \\ & I * (dx+c+I)) * c^2 f^2 - 1/2 * I/d^3 * b^2 \ln(dx+c-I) * \ln(1+(dx+c)^2) * c^2 f^2 + I/d^ \\ & 2 * b^2 * \operatorname{dilog}(1/2 * I * (dx+c-I)) * c * e * f + 2/d^2 * a * b * f * \arctan(dx+c) * c^2 * e - 2/d^2 * b^ \\ & 2 * f * \operatorname{arccot}(dx+c) * \ln(1+(dx+c)^2) * c * e - 2/d^2 * a * b * f * \ln(1+(dx+c)^2) * c * e + 1/3 * b \\ & ^2 * f^2 * x/d^2 - 1/3 * b^2 * f^2 * \arctan(dx+c)/d^3 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(a+b*arccot(dx+c))^2,x, algorithm="maxima")

[Out] $\frac{1}{12} b^2 f^2 x^3 \arctan^2(1, dx + c) + \frac{1}{4} b^2 e f x^2 \arctan^2(1, dx + c) + \frac{1}{3} a^2 f^2 x^3 + \frac{1}{4} b^2 e^2 x \arctan^2(1, dx + c) + a^2 e f x^2 + 2(x^2 \operatorname{arccot}(dx + c) + d(x/d^2 + (c^2 - 1) \arctan((d^2 x + c*d)/d)/d^3 - c \log(d^2 x^2 + 2*c*d*x + c^2 + 1)/d^3)) * a * b * e * f + \frac{1}{3} (2*x^3 \operatorname{arccot}(dx + c) + d((d*x^2 - 4*c*x)/d^3 - 2*(c^3 - 3*c) \arctan((d^2*x + c*d)/d)/d^4 + (3*c^2 - 1) \log(d^2*x^2 + 2*c*d*x + c^2 + 1)/d^4)) * a * b * f^2 + a^2 * e^2 * x + (2*(dx + c) \operatorname{arccot}(dx + c) + \log((dx + c)^2 + 1)) * a * b * e^2/d - 1/48 * (b^2 * f^2 * x^3 + 3 * b^2 * e * f * x^2 + 3 * b^2 * e^2 * x) * \log(d^2 * x^2 + 2 * c * d * x + c^2 + 1)^2 + \operatorname{integrate}(1/48 * (36 * b^2 * d^2 * f^2 * x^4 \arctan^2(1, dx + c)^2 + 8 * (9 * b^2 * d^2 * e * f * \arctan^2(1, dx + c)^2 + (9 * b^2 * c * \arctan^2(1, dx + c)^2 + b^2 * \arctan^2(1, dx + c)) * d * f^2) * x^3 + 36 * (b^2 * c^2 * \arctan^2(1, dx + c)^2 + b^2 * \arctan^2(1, dx + c)^2) * e^2 + 12 * (3 * b^2 * d^2 * e^2 * \arctan^2(1, dx + c)^2 + 2 * (6 * b^2 * c * \arctan^2(1, dx + c)^2 + b^2 * \arctan^2(1, dx + c)) * d * e * f + 3 * (b^2 * c^2 * \arctan^2(1, dx + c)^2 + b^2 * \arctan^2(1, dx + c)^2) * f^2) * x^2 + 3 * (b^2 * d^2 * f^2 * x^4 + 2 * (b^2 * d^2 * e * f + b^2 * c * d * f^2) * x^3 + (b^2 * c^2 + b^2) * e^2 + (b^2 * d^2 * e^2 + 4 * b^2 * c * d * e * f + (b^2 * c^2 + b^2) * f^2) * x^2 + 2 * (b^2 * c * d * e^2 + (b^2 * c^2 + b^2) * e * f) * x) * \log(d^2 * x^2 + 2 * c * d * x + c^2 + 1)^2 + 24 * ((3 * b^2 * c * \arctan^2(1, dx + c)^2 + b^2 * \arctan^2(1, dx + c)) * d * e^2 + 3 * (b^2 * c^2 * \arctan^2(1, dx + c)^2 + b^2 * \arctan^2(1, dx + c)^2) * e * f) * x + 4 * (b^2 * d^2 * f^2 * x^4 + 3 * b^2 * c * d * e^2 * x + (3 * b^2 * d^2 * e * f + b^2 * c * d * f^2) * x^3 + 3 * (b^2 * d^2 * e^2 + b^2 * c * d * e * f) * x^2) * \log(d^2 * x^2 + 2 * c * d * x + c^2 + 1)) / (d^2 * x^2 + 2 * c * d * x + c^2 + 1), x$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}(a^2 f^2 x^2 + 2 a^2 e f x + a^2 e^2 + (b^2 f^2 x^2 + 2 b^2 e f x + b^2 e^2) \operatorname{arccot}(dx + c)^2 + 2(abf^2 x^2 + 2 abefx + abe^2) \operatorname{arccot}(dx + c), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(a+b*arccot(dx+c))^2,x, algorithm="fricas")

[Out] $\operatorname{integral}(a^2 f^2 x^2 + 2 a^2 e f x + a^2 e^2 + (b^2 f^2 x^2 + 2 b^2 e f x + b^2 e^2) \operatorname{arccot}(dx + c)^2 + 2 * (a * b * f^2 * x^2 + 2 * a * b * e * f * x + a * b * e^2) \operatorname{arccot}(dx + c), x)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{acot}(c + dx))^2 (e + fx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*(a+b*acot(d*x+c))**2,x)

[Out] Integral((a + b*acot(c + d*x))**2*(e + f*x)**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (fx + e)^2 (b \operatorname{arccot}(dx + c) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(a+b*arccot(d*x+c))^2,x, algorithm="giac")

[Out] integrate((f*x + e)^2*(b*arccot(d*x + c) + a)^2, x)

3.137 $\int (e + fx) \left(a + b \cot^{-1}(c + dx) \right)^2 dx$

Optimal. Leaf size=220

$$\frac{ib^2(de - cf)\text{PolyLog}\left(2, 1 - \frac{2}{1+i(c+dx)}\right)}{d^2} + \frac{i(de - cf)(a + b \cot^{-1}(c + dx))^2}{d^2} - \frac{(-cf + de + f)(de - (c + 1)f)(a + b \cot^{-1}(c + dx))}{2d^2 f}$$

[Out] (a*b*f*x)/d + (b^2*f*(c + d*x)*ArcCot[c + d*x])/d^2 + (I*(d*e - c*f)*(a + b*ArcCot[c + d*x])^2)/d^2 - ((d*e + f - c*f)*(d*e - (1 + c)*f)*(a + b*ArcCot[c + d*x])^2)/(2*d^2*f) + ((e + f*x)^2*(a + b*ArcCot[c + d*x])^2)/(2*f) - (2*b*(d*e - c*f)*(a + b*ArcCot[c + d*x])*Log[2/(1 + I*(c + d*x))])/d^2 + (b^2*f*Log[1 + (c + d*x)^2])/(2*d^2) + (I*b^2*(d*e - c*f)*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/d^2

Rubi [A] time = 0.384159, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$, Rules used = {5048, 4865, 4847, 260, 4985, 4885, 4921, 4855, 2402, 2315}

$$\frac{ib^2(de - cf)\text{PolyLog}\left(2, 1 - \frac{2}{1+i(c+dx)}\right)}{d^2} + \frac{i(de - cf)(a + b \cot^{-1}(c + dx))^2}{d^2} - \frac{(-cf + de + f)(de - (c + 1)f)(a + b \cot^{-1}(c + dx))}{2d^2 f}$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)*(a + b*ArcCot[c + d*x])^2,x]

[Out] (a*b*f*x)/d + (b^2*f*(c + d*x)*ArcCot[c + d*x])/d^2 + (I*(d*e - c*f)*(a + b*ArcCot[c + d*x])^2)/d^2 - ((d*e + f - c*f)*(d*e - (1 + c)*f)*(a + b*ArcCot[c + d*x])^2)/(2*d^2*f) + ((e + f*x)^2*(a + b*ArcCot[c + d*x])^2)/(2*f) - (2*b*(d*e - c*f)*(a + b*ArcCot[c + d*x])*Log[2/(1 + I*(c + d*x))])/d^2 + (b^2*f*Log[1 + (c + d*x)^2])/(2*d^2) + (I*b^2*(d*e - c*f)*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/d^2

Rule 5048

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^ (p_.)*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol] :> Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IGtQ[p, 0]

Rule 4865

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.)*((d_.) + (e_.)*(x_.))^(q_.), x_Symbol] :> Simp[((d + e*x)^(q + 1)*(a + b*ArcCot[c*x])^p)/(e*(q + 1)), x] + Dist[(b*c*p)/(e*(q + 1)), Int[ExpandIntegrand[(a + b*ArcCot[c*x])^(p - 1), (d + e*x)^(q + 1)/(1 + c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]

Rule 4847

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^ (p_.), x_Symbol] :> Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 4985

Int[(((a_) + ArcCot[(c_)*(x_)])*(b_))^(p_)*((f_) + (g_)*(x_)^(m_))/((d_) + (e_)*(x_)^2), x_Symbol] :> Int[ExpandIntegrand[(a + b*ArcCot[c*x])^p/(d + e*x^2), (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && IGtQ[m, 0]

Rule 4885

Int[((a_) + ArcCot[(c_)*(x_)])*(b_))^(p_)/((d_) + (e_)*(x_)^2), x_Symbol] :> -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]

Rule 4921

Int[(((a_) + ArcCot[(c_)*(x_)])*(b_))^(p_)*(x_)/((d_) + (e_)*(x_)^2), x_Symbol] :> Simp[(I*(a + b*ArcCot[c*x])^(p + 1)/(b*e*(p + 1)), x] - Dist[1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]

Rule 4855

Int[((a_) + ArcCot[(c_)*(x_)])*(b_))^(p_)/((d_) + (e_)*(x_)), x_Symbol] :> -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)/e, Int[((a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)])/((1 + c^2*x^2)), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_)/((d_) + (e_)*(x_))]/((f_) + (g_)*(x_)^2), x_Symbol] :> -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_)*(x_)/((d_) + (e_)*(x_))], x_Symbol] :> -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rubi steps

$$\begin{aligned}
\int (e + fx)(a + b \cot^{-1}(c + dx))^2 dx &= \frac{\text{Subst}\left(\int \left(\frac{de-cf}{d} + \frac{fx}{d}\right)(a + b \cot^{-1}(x))^2 dx, x, c + dx\right)}{d} \\
&= \frac{(e + fx)^2 (a + b \cot^{-1}(c + dx))^2}{2f} + \frac{b \text{Subst}\left(\int \left(\frac{f^2(a+b \cot^{-1}(x))}{d^2} + \frac{((de-f-cf)(de+f-cf))}{d^2}\right) dx, x, c + dx\right)}{f} \\
&= \frac{(e + fx)^2 (a + b \cot^{-1}(c + dx))^2}{2f} + \frac{b \text{Subst}\left(\int \frac{((de-f-cf)(de+f-cf)+2f(de-cf)x)(a+b \cot^{-1}(x))}{1+x^2} dx, x, c + dx\right)}{d^2 f} \\
&= \frac{abfx}{d} + \frac{(e + fx)^2 (a + b \cot^{-1}(c + dx))^2}{2f} + \frac{b \text{Subst}\left(\int \left(\frac{(de+f-cf)(de-(1+c)f)(a+b \cot^{-1}(x))}{1+x^2}\right) dx, x, c + dx\right)}{d^2} \\
&= \frac{abfx}{d} + \frac{b^2 f(c + dx) \cot^{-1}(c + dx)}{d^2} + \frac{(e + fx)^2 (a + b \cot^{-1}(c + dx))^2}{2f} + \frac{(b^2 f) \text{Subst}\left(\int \frac{1}{1+x^2} dx, x, c + dx\right)}{d^2} \\
&= \frac{abfx}{d} + \frac{b^2 f(c + dx) \cot^{-1}(c + dx)}{d^2} + \frac{i(de - cf)(a + b \cot^{-1}(c + dx))^2}{d^2} - \frac{(de + f) \text{Subst}\left(\int \frac{1}{1+x^2} dx, x, c + dx\right)}{d^2} \\
&= \frac{abfx}{d} + \frac{b^2 f(c + dx) \cot^{-1}(c + dx)}{d^2} + \frac{i(de - cf)(a + b \cot^{-1}(c + dx))^2}{d^2} - \frac{(de + f) \text{Subst}\left(\int \frac{1}{1+x^2} dx, x, c + dx\right)}{d^2} \\
&= \frac{abfx}{d} + \frac{b^2 f(c + dx) \cot^{-1}(c + dx)}{d^2} + \frac{i(de - cf)(a + b \cot^{-1}(c + dx))^2}{d^2} - \frac{(de + f) \text{Subst}\left(\int \frac{1}{1+x^2} dx, x, c + dx\right)}{d^2} \\
&= \frac{abfx}{d} + \frac{b^2 f(c + dx) \cot^{-1}(c + dx)}{d^2} + \frac{i(de - cf)(a + b \cot^{-1}(c + dx))^2}{d^2} - \frac{(de + f) \text{Subst}\left(\int \frac{1}{1+x^2} dx, x, c + dx\right)}{d^2}
\end{aligned}$$

Mathematica [A] time = 0.561316, size = 286, normalized size = 1.3

$$2ib^2(de - cf)\text{PolyLog}\left(2, e^{2i \cot^{-1}(c+dx)}\right) - a^2c^2f + 2a^2cde + 2a^2d^2ex + a^2d^2fx^2 + 2b \cot^{-1}(c + dx) \left(- (c + dx)(acf - ad(2$$

Warning: Unable to verify antiderivative.

[In] Integrate[(e + f*x)*(a + b*ArcCot[c + d*x])^2, x]

[Out] (2*a^2*c*d*e + 2*a*b*c*f - a^2*c^2*f + 2*a^2*d^2*e*x + 2*a*b*d*f*x + a^2*d^2*f*x^2 + b^2*(I + c + d*x)*(-(I + c)*f) + d*(2*e + f*x))*ArcCot[c + d*x]^2 - 2*a*b*f*ArcTan[c + d*x] + 2*b*ArcCot[c + d*x]*(-(c + d*x)*(-b*f) + a*c*f - a*d*(2*e + f*x)) - 2*b*(d*e - c*f)*Log[1 - E^((2*I)*ArcCot[c + d*x])] - 4*a*b*d*e*Log[1/((c + d*x)*Sqrt[1 + (c + d*x)^(-2)])] - 2*b^2*f*Log[1/((c + d*x)*Sqrt[1 + (c + d*x)^(-2)])] + 4*a*b*c*f*Log[1/((c + d*x)*Sqrt[1 + (c + d*x)^(-2)])] + (2*I)*b^2*(d*e - c*f)*PolyLog[2, E^((2*I)*ArcCot[c + d*x])]]/(2*d^2)

Maple [B] time = 0.135, size = 766, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*(a+b*arccot(d*x+c))^2,x)

[Out] $\frac{1}{2}I/d^2b^2\text{dilog}(1/2I*(d*x+c-I))*c*f+1/4I/d^2b^2\ln(d*x+c+I)^2*c*f-1/2I/d*b^2\ln(d*x+c-I)*\ln(1+(d*x+c)^2)*e-1/2I/d*b^2\ln(d*x+c+I)*\ln(1/2I*(d*x+c-I))*e+1/2I/d*b^2\ln(d*x+c+I)*\ln(1+(d*x+c)^2)*e+1/2I/d*b^2\ln(d*x+c-I)*\ln(-1/2I*(d*x+c+I))*e-1/d^2*a*b*\text{arccot}(d*x+c)*c^2*f-1/d^2*b^2\ln(1+(d*x+c)^2)*\text{arccot}(d*x+c)*c*f-1/d^2*a*b*\ln(1+(d*x+c)^2)*c*f-1/4I/d^2b^2\ln(d*x+c-I)^2*c*f-1/2I/d^2b^2\text{dilog}(-1/2I*(d*x+c+I))*c*f+2/d*\text{arccot}(d*x+c)*a*b*c*e+1/2*a^2*x^2*f+a^2*x*e+1/2*b^2*f*\ln(1+(d*x+c)^2)/d^2-1/2/d^2b^2*f*\text{arctan}(d*x+c)^2+1/2*b^2*\text{arccot}(d*x+c)^2*f*x^2+\text{arccot}(d*x+c)^2*x*b^2*e-1/2/d^2*a^2*f*c^2+1/d*a^2*c*e+2*\text{arccot}(d*x+c)*x*a*b*e-1/d^2*b^2*\text{arctan}(d*x+c)*\text{arccot}(d*x+c)*f+1/d*a*b*\ln(1+(d*x+c)^2)*e-1/d^2*a*b*f*\text{arctan}(d*x+c)+1/d*b^2*\ln(1+(d*x+c)^2)*\text{arccot}(d*x+c)*e+1/d*\text{arccot}(d*x+c)^2*b^2*c*e+1/d*b^2*\text{arccot}(d*x+c)*f*x+1/d^2*b^2*\text{arccot}(d*x+c)*f*c-1/2/d^2*b^2*\text{arccot}(d*x+c)^2*f*c^2-1/4I/d*b^2*\ln(d*x+c+I)^2*e-1/2I/d*b^2*\text{dilog}(1/2I*(d*x+c-I))*e+1/4I/d*b^2*\ln(d*x+c-I)^2*e+1/2I/d*b^2*\text{dilog}(-1/2I*(d*x+c+I))*e+a*b*\text{arccot}(d*x+c)*f*x^2+1/d^2*a*b*f*c+1/2I/d^2b^2*\ln(d*x+c-I)*\ln(1+(d*x+c)^2)*c*f+1/2I/d^2b^2*\ln(d*x+c+I)*\ln(1/2I*(d*x+c-I))*c*f-1/2I/d^2b^2*\ln(d*x+c+I)*\ln(1+(d*x+c)^2)*c*f-1/2I/d^2b^2*\ln(d*x+c-I)*\ln(-1/2I*(d*x+c+I))*c*f+a*b*f*x/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{8}b^2fx^2\arctan(1,dx+c)^2 + \frac{1}{4}b^2ex\arctan(1,dx+c)^2 + \frac{1}{2}a^2fx^2 + \left(x^2\arccot(dx+c) + d\left(\frac{x}{d^2} + \frac{(c^2-1)\arctan\left(\frac{d}{c^2-1}\right)}{d^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(a+b*arccot(d*x+c))^2,x, algorithm="maxima")

[Out] $\frac{1}{8}b^2f*x^2*\text{arctan}^2(1, d*x + c)^2 + \frac{1}{4}b^2*e*x*\text{arctan}^2(1, d*x + c)^2 + \frac{1}{2}a^2*f*x^2 + (x^2*\text{arccot}(d*x + c) + d*(x/d^2 + (c^2 - 1)*\text{arctan}((d^2*x + c*d)/d)/d^3 - c*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)/d^3))*a*b*f + a^2*e*x + (2*(d*x + c)*\text{arccot}(d*x + c) + \log((d*x + c)^2 + 1))*a*b*e/d - 1/32*(b^2*f*x^2 + 2*b^2*e*x)*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)^2 + \text{integrate}(1/16*(12*b^2*d^2*f*x^3*\text{arctan}^2(1, d*x + c)^2 + 4*(3*b^2*d^2*e*\text{arctan}^2(1, d*x + c)^2 + (6*b^2*c*\text{arctan}^2(1, d*x + c)^2 + b^2*\text{arctan}^2(1, d*x + c))*d*f)*x^2 + (b^2*d^2*f*x^3 + (b^2*d^2*e + 2*b^2*c*d*f)*x^2 + (b^2*c^2 + b^2)*e + (2*b^2*c*d*e + (b^2*c^2 + b^2)*f)*x)*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)^2 + 12*(b^2*c^2*\text{arctan}^2(1, d*x + c)^2 + b^2*\text{arctan}^2(1, d*x + c)^2)*e + 4*(2*(3*b^2*c*\text{arctan}^2(1, d*x + c)^2 + b^2*\text{arctan}^2(1, d*x + c))*d*e + 3*(b^2*c^2*\text{arctan}^2(1, d*x + c)^2 + b^2*\text{arctan}^2(1, d*x + c)^2)*f)*x + 2*(b^2*d^2*f*x^3 + 2*b^2*c*d*e*x + (2*b^2*d^2*e + b^2*c*d*f)*x^2)*\log(d^2*x^2 + 2*c*d*x + c^2 + 1))/(d^2*x^2 + 2*c*d*x + c^2 + 1), x)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(a^2fx + a^2e + (b^2fx + b^2e)\text{arccot}(dx+c)^2 + 2(abfx + abe)\text{arccot}(dx+c), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(a+b*arccot(d*x+c))^2,x, algorithm="fricas")

[Out] `integral(a^2*f*x + a^2*e + (b^2*f*x + b^2*e)*arccot(d*x + c)^2 + 2*(a*b*f*x + a*b*e)*arccot(d*x + c), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{arccot}(c + dx))^2 (e + fx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*(a+b*acot(d*x+c))**2,x)`

[Out] `Integral((a + b*acot(c + d*x))**2*(e + f*x), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (fx + e)(b \operatorname{arccot}(dx + c) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*(a+b*arccot(d*x+c))^2,x, algorithm="giac")`

[Out] `integrate((f*x + e)*(b*arccot(d*x + c) + a)^2, x)`

3.138 $\int (a + b \cot^{-1}(c + dx))^2 dx$

Optimal. Leaf size=102

$$\frac{ib^2 \text{PolyLog}\left(2, 1 - \frac{2}{1+i(c+dx)}\right)}{d} + \frac{(c+dx)(a+b \cot^{-1}(c+dx))^2}{d} + \frac{i(a+b \cot^{-1}(c+dx))^2}{d} - \frac{2b \log\left(\frac{2}{1+i(c+dx)}\right)(a+b \cot^{-1}(c+dx))}{d}$$

[Out] (I*(a + b*ArcCot[c + d*x])^2)/d + ((c + d*x)*(a + b*ArcCot[c + d*x])^2)/d - (2*b*(a + b*ArcCot[c + d*x])*Log[2/(1 + I*(c + d*x))])/d + (I*b^2*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/d

Rubi [A] time = 0.116343, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {5040, 4847, 4921, 4855, 2402, 2315}

$$\frac{ib^2 \text{PolyLog}\left(2, 1 - \frac{2}{1+i(c+dx)}\right)}{d} + \frac{(c+dx)(a+b \cot^{-1}(c+dx))^2}{d} + \frac{i(a+b \cot^{-1}(c+dx))^2}{d} - \frac{2b \log\left(\frac{2}{1+i(c+dx)}\right)(a+b \cot^{-1}(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCot[c + d*x])^2, x]

[Out] (I*(a + b*ArcCot[c + d*x])^2)/d + ((c + d*x)*(a + b*ArcCot[c + d*x])^2)/d - (2*b*(a + b*ArcCot[c + d*x])*Log[2/(1 + I*(c + d*x))])/d + (I*b^2*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/d

Rule 5040

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^p], x_Symbol] := Dist[1/d, Subst[Int[(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[p, 0]

Rule 4847

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^p], x_Symbol] := Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p-1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 4921

Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^p)*(x_)/((d_) + (e_.)*(x_)^2), x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^(p+1))/(b*e*(p+1)), x] - Dist[1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]

Rule 4855

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^p/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)/e, Int[(a + b*ArcCot[c*x])^(p-1)*Log[2/(1 + (e*x)/d)]]/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_.) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{

c, d, e, f, g, x && EqQ[$c, 2*d$] && EqQ[$e^2*f + d^2*g, 0$]

Rule 2315

Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] :> -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rubi steps

$$\begin{aligned} \int (a + b \cot^{-1}(c + dx))^2 dx &= \frac{\text{Subst}\left(\int (a + b \cot^{-1}(x))^2 dx, x, c + dx\right)}{d} \\ &= \frac{(c + dx)(a + b \cot^{-1}(c + dx))^2}{d} + \frac{(2b) \text{Subst}\left(\int \frac{x^{(a+b \cot^{-1}(x))}}{1+x^2} dx, x, c + dx\right)}{d} \\ &= \frac{i(a + b \cot^{-1}(c + dx))^2}{d} + \frac{(c + dx)(a + b \cot^{-1}(c + dx))^2}{d} - \frac{(2b) \text{Subst}\left(\int \frac{a+b \cot^{-1}(x)}{i-x} dx, x, c + dx\right)}{d} \\ &= \frac{i(a + b \cot^{-1}(c + dx))^2}{d} + \frac{(c + dx)(a + b \cot^{-1}(c + dx))^2}{d} - \frac{2b(a + b \cot^{-1}(c + dx)) \log\left(\frac{c + dx + i(a + b \cot^{-1}(c + dx))}{c + dx - i(a + b \cot^{-1}(c + dx))}\right)}{d} \\ &= \frac{i(a + b \cot^{-1}(c + dx))^2}{d} + \frac{(c + dx)(a + b \cot^{-1}(c + dx))^2}{d} - \frac{2b(a + b \cot^{-1}(c + dx)) \log\left(\frac{c + dx + i(a + b \cot^{-1}(c + dx))}{c + dx - i(a + b \cot^{-1}(c + dx))}\right)}{d} \\ &= \frac{i(a + b \cot^{-1}(c + dx))^2}{d} + \frac{(c + dx)(a + b \cot^{-1}(c + dx))^2}{d} - \frac{2b(a + b \cot^{-1}(c + dx)) \log\left(\frac{c + dx + i(a + b \cot^{-1}(c + dx))}{c + dx - i(a + b \cot^{-1}(c + dx))}\right)}{d} \end{aligned}$$

Mathematica [A] time = 0.161494, size = 118, normalized size = 1.16

$$\frac{ib^2 \text{PolyLog}\left(2, e^{2i \cot^{-1}(c+dx)}\right) + a \left(ac + adx - 2b \log\left(\frac{1}{(c+dx)\sqrt{\frac{1}{(c+dx)^2} + 1}}\right) \right) + 2b \cot^{-1}(c + dx) \left(ac + adx - b \log\left(1 - e^{2i \cot^{-1}(c+dx)}\right) \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*ArcCot[c + d*x])^2, x]

[Out] (b^2*(I + c + d*x)*ArcCot[c + d*x]^2 + 2*b*ArcCot[c + d*x]*(a*c + a*d*x - b*Log[1 - E^((2*I)*ArcCot[c + d*x])]) + a*(a*c + a*d*x - 2*b*Log[1/((c + d*x)*Sqrt[1 + (c + d*x)^(-2)]))]) + I*b^2*PolyLog[2, E^((2*I)*ArcCot[c + d*x])]/d

Maple [B] time = 0.143, size = 236, normalized size = 2.3

$$(\text{arccot}(dx + c))^2 x b^2 + \frac{i(\text{arccot}(dx + c))^2 b^2}{d} + \frac{(\text{arccot}(dx + c))^2 b^2 c}{d} + 2 \text{arccot}(dx + c) x a b - 2 \frac{\text{arccot}(dx + c) b^2}{d} \ln\left(\frac{c + dx + i \text{arccot}(dx + c)}{c + dx - i \text{arccot}(dx + c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccot(d*x+c))^2, x)


```
[Out] arccot(d*x+c)^2*x*b^2+I/d*arccot(d*x+c)^2*b^2+1/d*arccot(d*x+c)^2*b^2*c+2*a
rccot(d*x+c)*x*a*b-2/d*arccot(d*x+c)*ln(1+(d*x+c+I)/(1+(d*x+c)^2)^(1/2))*b^
2-2/d*arccot(d*x+c)*ln(1-(d*x+c+I)/(1+(d*x+c)^2)^(1/2))*b^2+2/d*arccot(d*x+
c)*a*b*c+2*I/d*polylog(2,(d*x+c+I)/(1+(d*x+c)^2)^(1/2))*b^2+2*I/d*polylog(2
,-(d*x+c+I)/(1+(d*x+c)^2)^(1/2))*b^2+a^2*x+1/d*a*b*ln(1+(d*x+c)^2)+a^2*c/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{16} \left(4x \arctan(1, dx + c)^2 - x \log(d^2x^2 + 2cdx + c^2 + 1)^2 + 16 \int \frac{12d^2x^2 \arctan(1, dx + c)^2 + 12c^2 \arctan(1, dx + c)^2}{d^2x^2 + 2cdx + c^2 + 1} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccot(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] 1/16*(4*x*arctan2(1, d*x + c)^2 - x*log(d^2*x^2 + 2*c*d*x + c^2 + 1)^2 + 16
*integrate(1/16*(12*d^2*x^2*arctan2(1, d*x + c)^2 + 12*c^2*arctan2(1, d*x +
c)^2 + 8*(3*c*arctan2(1, d*x + c)^2 + arctan2(1, d*x + c))*d*x + (d^2*x^2
+ 2*c*d*x + c^2 + 1)*log(d^2*x^2 + 2*c*d*x + c^2 + 1)^2 + 12*arctan2(1, d*x
+ c)^2 + 4*(d^2*x^2 + c*d*x)*log(d^2*x^2 + 2*c*d*x + c^2 + 1))/(d^2*x^2 +
2*c*d*x + c^2 + 1), x))*b^2 + a^2*x + (2*(d*x + c)*arccot(d*x + c) + log((d
*x + c)^2 + 1))*a*b/d
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}(b^2 \operatorname{arccot}(dx + c)^2 + 2ab \operatorname{arccot}(dx + c) + a^2, x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccot(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] integral(b^2*arccot(d*x + c)^2 + 2*a*b*arccot(d*x + c) + a^2, x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{acot}(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acot(d*x+c))**2,x)
```

```
[Out] Integral((a + b*acot(c + d*x))**2, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccot}(dx + c) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccot(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((b*arccot(d*x + c) + a)^2, x)
```

$$3.139 \quad \int \frac{(a+b \cot^{-1}(c+dx))^2}{e+fx} dx$$

Optimal. Leaf size=261

$$\frac{ib(a+b \cot^{-1}(c+dx)) \operatorname{PolyLog}\left(2, 1 - \frac{2d(e+fx)}{(1-i(c+dx))(-cf+de+if)}\right)}{f} - \frac{ib \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-i(c+dx)}\right)(a+b \cot^{-1}(c+dx))}{f} + \dots$$

```
[Out] -(((a + b*ArcCot[c + d*x])^2*Log[2/(1 - I*(c + d*x))])/f) + ((a + b*ArcCot[
c + d*x])^2*Log[(2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x))])/f -
(I*b*(a + b*ArcCot[c + d*x])*PolyLog[2, 1 - 2/(1 - I*(c + d*x))])/f + (I*b
*(a + b*ArcCot[c + d*x])*PolyLog[2, 1 - (2*d*(e + f*x))/((d*e + I*f - c*f)*
(1 - I*(c + d*x))])/f - (b^2*PolyLog[3, 1 - 2/(1 - I*(c + d*x))])/(2*f) +
(b^2*PolyLog[3, 1 - (2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x))])
/(2*f)
```

Rubi [A] time = 0.176723, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$, Rules used = {5048, 4859}

$$\frac{ib(a+b \cot^{-1}(c+dx)) \operatorname{PolyLog}\left(2, 1 - \frac{2d(e+fx)}{(1-i(c+dx))(-cf+de+if)}\right)}{f} - \frac{ib \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-i(c+dx)}\right)(a+b \cot^{-1}(c+dx))}{f} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcCot[c + d*x])^2/(e + f*x), x]
```

```
[Out] -(((a + b*ArcCot[c + d*x])^2*Log[2/(1 - I*(c + d*x))])/f) + ((a + b*ArcCot[
c + d*x])^2*Log[(2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x))])/f -
(I*b*(a + b*ArcCot[c + d*x])*PolyLog[2, 1 - 2/(1 - I*(c + d*x))])/f + (I*b
*(a + b*ArcCot[c + d*x])*PolyLog[2, 1 - (2*d*(e + f*x))/((d*e + I*f - c*f)*
(1 - I*(c + d*x))])/f - (b^2*PolyLog[3, 1 - 2/(1 - I*(c + d*x))])/(2*f) +
(b^2*PolyLog[3, 1 - (2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x))])
/(2*f)
```

Rule 5048

```
Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_)])*(b_.))^p_.*((e_.) + (f_.)*(x_))^(m
_.), x_Symbol] := Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*Ar
cCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IG
tQ[p, 0]
```

Rule 4859

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^2/((d_.) + (e_.)*(x_)), x_Symbol] :=
-Simp[((a + b*ArcCot[c*x])^2*Log[2/(1 - I*c*x)])/e, x] + (Simp[((a + b*ArcC
ot[c*x])^2*Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/e, x] - Simp[(I*
b*(a + b*ArcCot[c*x])*PolyLog[2, 1 - 2/(1 - I*c*x)])/e, x] + Simp[(I*b*(a +
b*ArcCot[c*x])*PolyLog[2, 1 - (2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/
e, x] - Simp[(b^2*PolyLog[3, 1 - 2/(1 - I*c*x)])/e, x] + Simp[(b^2*Poly
Log[3, 1 - (2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/e, x]) /; FreeQ[
{a, b, c, d, e}, x] && NeQ[c^2*d^2 + e^2, 0]
```

Rubi steps

$$\int \frac{(a + b \cot^{-1}(c + dx))^2}{e + fx} dx = \frac{\text{Subst}\left(\int \frac{(a+b \cot^{-1}(x))^2}{\frac{de-cf}{d} + \frac{fx}{d}} dx, x, c + dx\right)}{d}$$

$$= -\frac{(a + b \cot^{-1}(c + dx))^2 \log\left(\frac{2}{1-i(c+dx)}\right)}{f} + \frac{(a + b \cot^{-1}(c + dx))^2 \log\left(\frac{2d(e+fx)}{(de+if-cf)(1-i(c+dx))}\right)}{f}$$

Mathematica [F] time = 6.45206, size = 0, normalized size = 0.

$$\int \frac{(a + b \cot^{-1}(c + dx))^2}{e + fx} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCot[c + d*x])^2/(e + f*x), x]

[Out] Integrate[(a + b*ArcCot[c + d*x])^2/(e + f*x), x]

Maple [C] time = 1.504, size = 2201, normalized size = 8.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccot(d*x+c))^2/(f*x+e), x)

[Out]
$$b^2*c/(-I*f+c*f-d*e)*\arccot(d*x+c)^2*\ln(1-(d*e+I*f-c*f)/(-c*f+d*e-I*f))*(d*x+c+I)^2/(1+(d*x+c)^2)+2*a*b*\ln(f*(d*x+c)-c*f+d*e)/f*\arccot(d*x+c)-I*a*b/f*\text{dilog}((I*f-f*(d*x+c))/(d*e+I*f-c*f))+2*I*b^2/f*\arccot(d*x+c)*\text{polylog}(2, (d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})-I*b^2/(-I*f+c*f-d*e)*\arccot(d*x+c)^2*\ln(1-(d*e+I*f-c*f)/(-c*f+d*e-I*f))*(d*x+c+I)^2/(1+(d*x+c)^2))+2*I*b^2/f*\arccot(d*x+c)*\text{polylog}(2, -(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})-I*b^2/f*\text{Pi}*\arccot(d*x+c)^2-1/2*d*b^2/f*e/(-I*f+c*f-d*e)*\text{polylog}(3, (d*e+I*f-c*f)/(-c*f+d*e-I*f))*(d*x+c+I)^2/(1+(d*x+c)^2))+I*a*b*\ln(f*(d*x+c)-c*f+d*e)/f*\ln((I*f+f*(d*x+c))/(I*f+c*f-d*e))+I*b^2/f*\text{Pi}*\arccot(d*x+c)^2*\text{csgn}(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)/((d*x+c+I)^2/(1+(d*x+c)^2)-1))^2-1/2*I*b^2/f*\text{Pi}*\arccot(d*x+c)^2*\text{csgn}(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)/((d*x+c+I)^2/(1+(d*x+c)^2)-1))^3-I*b^2*c/(-I*f+c*f-d*e)*\arccot(d*x+c)*\text{polylog}(2, (d*e+I*f-c*f)/(-c*f+d*e-I*f))*(d*x+c+I)^2/(1+(d*x+c)^2))-I*a*b*\ln(f*(d*x+c)-c*f+d*e)/f*\ln((I*f-f*(d*x+c))/(d*e+I*f-c*f))-b^2/f*\arccot(d*x+c)^2*\ln(1+(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})-b^2/f*\arccot(d*x+c)^2*\ln(1-(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})+b^2/f*\arccot(d*x+c)^2*\ln((d*x+c+I)^2/(1+(d*x+c)^2)-1)-b^2/(-I*f+c*f-d*e)*\arccot(d*x+c)*\text{polylog}(2, (d*e+I*f-c*f)/(-c*f+d*e-I*f))*(d*x+c+I)^2/(1+(d*x+c)^2))-b^2/f*\arccot(d*x+c)^2*\ln(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)+b^2*\ln(f*(d*x+c)-c*f+d*e)/f*\arccot(d*x+c)^2+1/2*b^2*c/(-I*f+c*f-d*e)*\text{polylog}(3, (d*e+I*f-c*f)/(-c*f+d*e-I*f))*(d*x+c+I)^2/(1+(d*x+c)^2))-1/2*I*b^2/(-I*f+c*f-d*e)*\text{polylog}(3, (d*e+I*f-c*f)/(-c*f+d*e-I*f))*(d*x+c+I)^2/(1+(d*x+c)^2))+2*I*d*b^2/f*e*\arccot(d*x+c)*\text{polylog}(2, (d*e+I*f-c*f)/(-c*f+d*e-I*f))*(d*x+c+I)^2/(1+(d*x+c)^2))/(-2*I*f+2*c*f-2*d*e)+1/2*I*b^2/f*\text{Pi}*\arccot(d*x+c)^2*\text{csgn}(I/((d*x+c+I)^2/(1+(d*x+c)^2)-1))*\text{csgn}(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2))$$

```
*f-I*f))*csgn(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)/((d*x+c+I)^2/(1+(d*x+c)^2)-1))+I*a*b/f*dilog((I*f+f*(d*x+c))/(I*f+c*f-d*e))+a^2*ln(f*(d*x+c)-c*f+d*e)/f-2*b^2/f*polylog(3,(d*x+c+I)/(1+(d*x+c)^2)^(1/2))-2*b^2/f*polylog(3,-(d*x+c+I)/(1+(d*x+c)^2)^(1/2))-1/2*I*b^2/f*Pi*arccot(d*x+c)^2*csgn(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f))*csgn(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)/((d*x+c+I)^2/(1+(d*x+c)^2)-1))^2-d*b^2/f*e/(-I*f+c*f-d*e)*arccot(d*x+c)^2*ln(1-(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))-1/2*I*b^2/f*Pi*arccot(d*x+c)^2*csgn(I/((d*x+c+I)^2/(1+(d*x+c)^2)-1))*csgn(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)/((d*x+c+I)^2/(1+(d*x+c)^2)-1))^2
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{a^2 \log(fx + e)}{f} + \int \frac{12b^2 \arctan(1, dx + c)^2 + b^2 \log(d^2x^2 + 2cdx + c^2 + 1)^2 + 32ab \arctan(1, dx + c)}{16(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccot(d*x+c))^2/(f*x+e),x, algorithm="maxima")
```

```
[Out] a^2*log(f*x + e)/f + integrate(1/16*(12*b^2*arctan2(1, d*x + c)^2 + b^2*log(d^2*x^2 + 2*c*d*x + c^2 + 1)^2 + 32*a*b*arctan2(1, d*x + c))/(f*x + e), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b^2 \operatorname{arccot}(dx + c)^2 + 2ab \operatorname{arccot}(dx + c) + a^2}{fx + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccot(d*x+c))^2/(f*x+e),x, algorithm="fricas")
```

```
[Out] integral((b^2*arccot(d*x + c)^2 + 2*a*b*arccot(d*x + c) + a^2)/(f*x + e), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \operatorname{acot}(c + dx))^2}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*acot(d*x+c))**2/(f*x+e),x)
```

```
[Out] Integral((a + b*acot(c + d*x))**2/(e + f*x), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccot}(dx + c) + a)^2}{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccot(d*x+c))^2/(f*x+e),x, algorithm="giac")
```

```
[Out] integrate((b*arccot(d*x + c) + a)^2/(f*x + e), x)
```

$$3.140 \quad \int \frac{(a+b \cot^{-1}(c+dx))^2}{(e+fx)^2} dx$$

Optimal. Leaf size=567

$$\frac{ib^2 d \text{PolyLog}\left(2, 1 - \frac{2}{1-i(c+dx)}\right)}{(c^2+1)f^2 - 2cdef + d^2e^2} - \frac{ib^2 d \text{PolyLog}\left(2, 1 - \frac{2d(e+fx)}{(1-i(c+dx))(-cf+de+if)}\right)}{(c^2+1)f^2 - 2cdef + d^2e^2} + \frac{ib^2 d \text{PolyLog}\left(2, 1 - \frac{2}{1+i(c+dx)}\right)}{(c^2+1)f^2 - 2cdef + d^2e^2} - \frac{2abd \log}{(de - c^2)}$$

```
[Out] (I*b^2*d*ArcCot[c + d*x]^2)/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + (b^2*d*(d*e - c*f)*ArcCot[c + d*x]^2)/(f*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)) - (a + b*ArcCot[c + d*x])^2/(f*(e + f*x)) - (2*a*b*d*(d*e - c*f)*ArcTan[c + d*x])/(f*(f^2 + (d*e - c*f)^2)) - (2*a*b*d*Log[e + f*x])/(f^2 + (d*e - c*f)^2) + (2*b^2*d*ArcCot[c + d*x]*Log[2/(1 - I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) - (2*b^2*d*ArcCot[c + d*x]*Log[(2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x)))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) - (2*b^2*d*ArcCot[c + d*x]*Log[2/(1 + I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + (a*b*d*Log[1 + (c + d*x)^2])/(f^2 + (d*e - c*f)^2) + (I*b^2*d*PolyLog[2, 1 - 2/(1 - I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) - (I*b^2*d*PolyLog[2, 1 - (2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x)))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + (I*b^2*d*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)
```

Rubi [A] time = 1.3864, antiderivative size = 567, normalized size of antiderivative = 1., number of steps used = 25, number of rules used = 25, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 1.25$, Rules used = {5046, 1982, 705, 31, 634, 618, 204, 628, 6741, 5058, 706, 635, 203, 260, 6688, 12, 6725, 4857, 2402, 2315, 2447, 4985, 4885, 4921, 4855}

$$\frac{ib^2 d \text{PolyLog}\left(2, 1 - \frac{2}{1-i(c+dx)}\right)}{(c^2+1)f^2 - 2cdef + d^2e^2} - \frac{ib^2 d \text{PolyLog}\left(2, 1 - \frac{2d(e+fx)}{(1-i(c+dx))(de+(-c+i)f)}\right)}{(c^2+1)f^2 - 2cdef + d^2e^2} + \frac{ib^2 d \text{PolyLog}\left(2, 1 - \frac{2}{1+i(c+dx)}\right)}{(c^2+1)f^2 - 2cdef + d^2e^2} - \frac{2abd \log}{(de - c^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcCot[c + d*x])^2/(e + f*x)^2, x]
```

```
[Out] (I*b^2*d*ArcCot[c + d*x]^2)/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + (b^2*d*(d*e - c*f)*ArcCot[c + d*x]^2)/(f*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)) - (a + b*ArcCot[c + d*x])^2/(f*(e + f*x)) - (2*a*b*d*(d*e - c*f)*ArcTan[c + d*x])/(f*(f^2 + (d*e - c*f)^2)) - (2*a*b*d*Log[e + f*x])/(f^2 + (d*e - c*f)^2) + (2*b^2*d*ArcCot[c + d*x]*Log[2/(1 - I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) - (2*b^2*d*ArcCot[c + d*x]*Log[(2*d*(e + f*x))/((d*e + (I - c)*f)*(1 - I*(c + d*x)))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) - (2*b^2*d*ArcCot[c + d*x]*Log[2/(1 + I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + (a*b*d*Log[1 + (c + d*x)^2])/(f^2 + (d*e - c*f)^2) + (I*b^2*d*PolyLog[2, 1 - 2/(1 - I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) - (I*b^2*d*PolyLog[2, 1 - (2*d*(e + f*x))/((d*e + (I - c)*f)*(1 - I*(c + d*x)))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + (I*b^2*d*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)
```

Rule 5046

```
Int[((a_.) + ArcCot[(c_) + (d_.)*(x_)])*(b_.))^ (p_.)*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[((e + f*x)^(m + 1)*(a + b*ArcCot[c + d*x])^p)/(f*(m + 1)), x] + Dist[(b*d*p)/(f*(m + 1)), Int[((e + f*x)^(m + 1)*(a + b*ArcCot[c + d*x])^(p - 1))/(1 + (c + d*x)^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x]
```

&& IGtQ[p, 0] && ILtQ[m, -1]

Rule 1982

Int[(u_)^(m_)*(v_)^(p_), x_Symbol] := Int[ExpandToSum[u, x]^m*ExpandToSum[v, x]^p, x] /; FreeQ[{m, p}, x] && LinearQ[u, x] && QuadraticQ[v, x] && ! (LinearMatchQ[u, x] && QuadraticMatchQ[v, x])

Rule 705

Int[1/(((d_) + (e_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)), x_Symbol] := Dist[e^2/(c*d^2 - b*d*e + a*e^2), Int[1/(d + e*x), x], x] + Dist[1/(c*d^2 - b*d*e + a*e^2), Int[(c*d - b*e - c*e*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0]

Rule 31

Int[((a_) + (b_)*(x_))^(p_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 618

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 6741

Int[u_, x_Symbol] := With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v != u]

Rule 5058

Int[((a_) + ArcCot[(c_) + (d_)*(x_)])*(b_)^(p_)*((e_) + (f_)*(x_))^(m_)*((A_) + (B_)*(x_) + (C_)*(x_)^2)^(q_), x_Symbol] := Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(C/d^2 + (C*x^2)/d^2)^q*(a + b*ArcCot[x])^p, x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, p, q}, x] && EqQ[B*(1 + c^2) - 2*A*c*d, 0] && EqQ[2*c*C - B*d, 0]

Rule 706

```
Int[1/(((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)), x_Symbol] := Dist[e^2/(c
*d^2 + a*e^2), Int[1/(d + e*x), x], x] + Dist[1/(c*d^2 + a*e^2), Int[(c*d -
c*e*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2,
0]
```

Rule 635

```
Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(
a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e
}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveConten
t[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 6688

```
Int[u_, x_Symbol] := With[{v = SimplifyIntegrand[u, x]}, Int[v, x] /; Simpl
erIntegrandQ[v, u, x]]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 6725

```
Int[(u_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]
```

Rule 4857

```
Int[((a_) + ArcCot[(c_)*(x_)]*(b_))/((d_) + (e_)*(x_)), x_Symbol] := -S
imp[((a + b*ArcCot[c*x])*Log[2/(1 - I*c*x)]/e, x] + (-Dist[(b*c)/e, Int[Lo
g[2/(1 - I*c*x)]/(1 + c^2*x^2), x], x] + Dist[(b*c)/e, Int[Log[(2*c*(d + e*
x))/((c*d + I*e)*(1 - I*c*x))]/(1 + c^2*x^2), x], x] + Simp[((a + b*ArcCot[
c*x])*Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))]/e, x)) /; FreeQ[{a, b
, c, d, e}, x] && NeQ[c^2*d^2 + e^2, 0]
```

Rule 2402

```
Int[Log[(c_)/((d_) + (e_)*(x_))]/((f_) + (g_)*(x_)^2), x_Symbol] := -Dis
t[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{
c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_)*(x_)/((d_) + (e_)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 -
c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 2447

```
Int[Log[u_]*(Pq_)^(m_), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))
/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] &&
PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u,
x][[2]], Expon[Pq, x]]
```

Rule 4985

```
Int[(((a_) + ArcCot[(c_)*(x_)])*(b_))^(p_)*((f_) + (g_)*(x_))^(m_)/((
d_) + (e_)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCot[c*x])^p
/(d + e*x^2), (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && IGt
Q[p, 0] && EqQ[e, c^2*d] && IGtQ[m, 0]
```

Rule 4885

```
Int[((a_) + ArcCot[(c_)*(x_)])*(b_))^(p_)/((d_) + (e_)*(x_)^2), x_Symbo
l] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b,
c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]
```

Rule 4921

```
Int[(((a_) + ArcCot[(c_)*(x_)])*(b_))^(p_)*(x_)/((d_) + (e_)*(x_)^2),
x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^(p + 1)/(b*e*(p + 1)), x] - Dist[
1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]
```

Rule 4855

```
Int[((a_) + ArcCot[(c_)*(x_)])*(b_))^(p_)/((d_) + (e_)*(x_)), x_Symbol]
:= -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)
/e, Int[((a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]]/(1 + c^2*x^2), x
], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cot^{-1}(c + dx))^2}{(e + fx)^2} dx &= -\frac{(a + b \cot^{-1}(c + dx))^2}{f(e + fx)} - \frac{(2bd) \int \frac{a + b \cot^{-1}(c + dx)}{(e + fx)(1 + (c + dx)^2)} dx}{f} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^2}{f(e + fx)} - \frac{(2bd) \int \frac{a + b \cot^{-1}(c + dx)}{(e + fx)(1 + c^2 + 2cdx + d^2x^2)} dx}{f} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^2}{f(e + fx)} - \frac{(2b) \text{Subst} \left(\int \frac{a + b \cot^{-1}(x)}{\left(\frac{de - cf + fx}{d} + \frac{fx}{d}\right)(1 + x^2)} dx, x, c + dx \right)}{f} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^2}{f(e + fx)} - \frac{(2b) \text{Subst} \left(\int \frac{d(a + b \cot^{-1}(x))}{(de - cf + fx)(1 + x^2)} dx, x, c + dx \right)}{f} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^2}{f(e + fx)} - \frac{(2bd) \text{Subst} \left(\int \frac{a + b \cot^{-1}(x)}{(de - cf + fx)(1 + x^2)} dx, x, c + dx \right)}{f} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^2}{f(e + fx)} - \frac{(2bd) \text{Subst} \left(\int \left(\frac{a}{(de - cf + fx)(1 + x^2)} + \frac{b \cot^{-1}(x)}{(de - cf + fx)(1 + x^2)} \right) dx, x, c + dx \right)}{f} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^2}{f(e + fx)} - \frac{(2abd) \text{Subst} \left(\int \frac{1}{(de - cf + fx)(1 + x^2)} dx, x, c + dx \right)}{f} - \frac{(2b^2d) \text{Subst} \left(\int \frac{\cot^{-1}(x)}{(de - cf + fx)(1 + x^2)} dx, x, c + dx \right)}{f} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^2}{f(e + fx)} - \frac{(2b^2d) \text{Subst} \left(\int \left(\frac{f^2 \cot^{-1}(x)}{(d^2e^2 - 2cdef + (1 + c^2)f^2)(de - cf + fx)} + \frac{(de - cf)}{(d^2e^2 - 2cdef + (1 + c^2)f^2)} \right) dx, x, c + dx \right)}{f} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^2}{f(e + fx)} - \frac{2abd \log(e + fx)}{f^2 + (de - cf)^2} - \frac{(2b^2d) \text{Subst} \left(\int \frac{(de - cf - fx) \cot^{-1}(x)}{1 + x^2} dx, x, c + dx \right)}{f(d^2e^2 - 2cdef + (1 + c^2)f^2)} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^2}{f(e + fx)} - \frac{2abd(de - cf) \tan^{-1}(c + dx)}{f(f^2 + (de - cf)^2)} - \frac{2abd \log(e + fx)}{f^2 + (de - cf)^2} + \frac{2b^2d \cot^{-1}(c + dx)}{d^2e^2 - 2cdef + (1 + c^2)f^2} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^2}{f(e + fx)} - \frac{2abd(de - cf) \tan^{-1}(c + dx)}{f(f^2 + (de - cf)^2)} - \frac{2abd \log(e + fx)}{f^2 + (de - cf)^2} + \frac{2b^2d \cot^{-1}(c + dx)}{d^2e^2 - 2cdef + (1 + c^2)f^2} \\
&= \frac{ib^2d \cot^{-1}(c + dx)^2}{d^2e^2 - 2cdef + (1 + c^2)f^2} + \frac{b^2d(de - cf) \cot^{-1}(c + dx)^2}{f(d^2e^2 - 2cdef + (1 + c^2)f^2)} - \frac{(a + b \cot^{-1}(c + dx))^2}{f(e + fx)} \\
&= \frac{ib^2d \cot^{-1}(c + dx)^2}{d^2e^2 - 2cdef + (1 + c^2)f^2} + \frac{b^2d(de - cf) \cot^{-1}(c + dx)^2}{f(d^2e^2 - 2cdef + (1 + c^2)f^2)} - \frac{(a + b \cot^{-1}(c + dx))^2}{f(e + fx)} \\
&= \frac{ib^2d \cot^{-1}(c + dx)^2}{d^2e^2 - 2cdef + (1 + c^2)f^2} + \frac{b^2d(de - cf) \cot^{-1}(c + dx)^2}{f(d^2e^2 - 2cdef + (1 + c^2)f^2)} - \frac{(a + b \cot^{-1}(c + dx))^2}{f(e + fx)} \\
&= \frac{ib^2d \cot^{-1}(c + dx)^2}{d^2e^2 - 2cdef + (1 + c^2)f^2} + \frac{b^2d(de - cf) \cot^{-1}(c + dx)^2}{f(d^2e^2 - 2cdef + (1 + c^2)f^2)} - \frac{(a + b \cot^{-1}(c + dx))^2}{f(e + fx)}
\end{aligned}$$

Mathematica [A] time = 8.94061, size = 454, normalized size = 0.8

$$b^2 d((c+dx)^2+1)(e+fx) \left(\frac{f \left(-i \operatorname{PolyLog} \left(2, \exp \left(2i \left(\tan^{-1} \left(\frac{f}{de-cf} \right) + \cot^{-1}(c+dx) \right) \right) \right) + 2 \cot^{-1}(c+dx) \log \left(1 - \exp \left(2i \left(\tan^{-1} \left(\frac{f}{de-cf} \right) + \cot^{-1}(c+dx) \right) \right) \right) + 2 \tan^{-1} \left(\frac{f}{cf-de} \right) \left(-\log \left(1 - \exp \left(2i \left(\tan^{-1} \left(\frac{f}{de-cf} \right) + \cot^{-1}(c+dx) \right) \right) \right) \right) \right)}{(c^2+1)}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcCot[c + d*x])^2/(e + f*x)^2,x]
```

```
[Out] -((a^2 + (2*a*b*f*((-(c*d*e) + f + c^2*f - d^2*e*x + c*d*f*x)*ArcCot[c + d*x] + d*(e + f*x)*Log[-((d*(e + f*x))/((c + d*x)*Sqrt[1 + (c + d*x)^(-2)]))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + (b^2*d*(e + f*x)*(1 + (c + d*x)^2)*((E^(I*ArcTan[f/(d*e - c*f)])*ArcCot[c + d*x]^2)/((-d*e) + c*f)*Sqrt[1 + f^2/(d*e - c*f)^2]) + ArcCot[c + d*x]^2/(d*e + d*f*x) + (f*(I*Pi*ArcCot[c + d*x] + Pi*Log[1 + E^((-2*I)*ArcCot[c + d*x])]) + 2*ArcCot[c + d*x]*Log[1 - E^((2*I)*(ArcCot[c + d*x] + ArcTan[f/(d*e - c*f)])]) - Pi*Log[1/Sqrt[1 + (c + d*x)^(-2)]] + 2*ArcTan[f/(-(d*e) + c*f)]*(I*ArcCot[c + d*x] - Log[1 - E^((2*I)*(ArcCot[c + d*x] + ArcTan[f/(d*e - c*f)])]) + Log[Sin[ArcCot[c + d*x] + ArcTan[f/(d*e - c*f)])]) - I*PolyLog[2, E^((2*I)*(ArcCot[c + d*x] + ArcTan[f/(d*e - c*f)])]))/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2))/((c + d*x)^2*(1 + (c + d*x)^(-2)))/(f*(e + f*x))
```

Maple [B] time = 0.114, size = 1180, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*arccot(d*x+c))^2/(f*x+e)^2,x)
```

```
[Out] 1/2*I*d*b^2/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*dilog(-1/2*I*(d*x+c+I))+d*a*b/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*ln(1+(d*x+c)^2)-2*d*a*b/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*ln(f*(d*x+c)-c*f+d*e)-d*b^2/(d*f*x+d*e)/f*arccot(d*x+c)^2-2*d*b^2*arccot(d*x+c)/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*ln(f*(d*x+c)-c*f+d*e)+d*b^2/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*arctan(d*x+c)^2*c+I*d*b^2/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*dilog((I*f-f*(d*x+c))/(d*e+I*f-c*f))-I*d*b^2/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*dilog((I*f+f*(d*x+c))/(I*f+c*f-d*e))-1/4*I*d*b^2/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*ln(d*x+c+I)^2-1/2*I*d*b^2/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*dilog(1/2*I*(d*x+c-I))+1/4*I*d*b^2/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*ln(d*x+c-I)^2+d*b^2*arccot(d*x+c)/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*ln(1+(d*x+c)^2)-2*d^2*a*b/f/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*arctan(d*x+c)*e-1/2*I*d*b^2/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*ln(d*x+c-I)*ln(1+(d*x+c)^2)+I*d*b^2/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*ln(f*(d*x+c)-c*f+d*e)*ln((I*f-f*(d*x+c))/(d*e+I*f-c*f))+1/2*I*d*b^2/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*ln(d*x+c-I)*ln(-1/2*I*(d*x+c+I))-I*d*b^2/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*ln(f*(d*x+c)-c*f+d*e)*ln((I*f+f*(d*x+c))/(I*f+c*f-d*e))+2*d*a*b/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*arctan(d*x+c)*c-d^2*b^2/f/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*arctan(d*x+c)^2*e-1/2*I*d*b^2/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*ln(d*x+c+I)*ln(1/2*I*(d*x+c-I))+1/2*I*d*b^2/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*ln(d*x+c+I)*ln(1+(d*x+c)^2)-2*d^2*b^2/f*arccot(d*x+c)/(c^2*f^2-2*c*d*e*f+d^2*e^2+f^2)*arctan(d*x+c)*e-2*d*a*b/(d*f*x+d*e)/f*arccot(d*x+c)+2*d*b^2*arccot(d*x+c)/(c^2*f^2-2*c*d*e*f+d^2
```

$$2e^{2+fx} \arctan(dx+c) \cdot c - d \cdot a^2 / (d \cdot f \cdot x + d \cdot e) / f$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\left[d \left(\frac{2(d^2e - cdf) \arctan\left(\frac{d^2x+cd}{d}\right)}{(d^2e^2f - 2cdef^2 + (c^2+1)f^3)d} - \frac{\log(d^2x^2 + 2cdx + c^2 + 1)}{d^2e^2 - 2cdef + (c^2+1)f^2} + \frac{2 \log(fx + e)}{d^2e^2 - 2cdef + (c^2+1)f^2} \right) + \frac{2 \operatorname{arccot}(dx + c)}{f^2x + ef} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))^2/(f*x+e)^2,x, algorithm="maxima")

[Out] $-(d \cdot (2 \cdot (d^2 \cdot e - c \cdot d \cdot f) \cdot \arctan((d^2 \cdot x + c \cdot d) / d) / ((d^2 \cdot e^2 \cdot f - 2 \cdot c \cdot d \cdot e \cdot f^2 + (c^2 + 1) \cdot f^3) \cdot d) - \log(d^2 \cdot x^2 + 2 \cdot c \cdot d \cdot x + c^2 + 1) / (d^2 \cdot e^2 - 2 \cdot c \cdot d \cdot e \cdot f + (c^2 + 1) \cdot f^2) + 2 \cdot \log(f \cdot x + e) / (d^2 \cdot e^2 - 2 \cdot c \cdot d \cdot e \cdot f + (c^2 + 1) \cdot f^2)) + 2 \cdot \operatorname{arccot}(d \cdot x + c) / (f^2 \cdot x + e \cdot f)) \cdot a \cdot b - 1 / 16 \cdot (4 \cdot \arctan^2(1, d \cdot x + c)^2 - 16 \cdot (f^2 \cdot x + e \cdot f) \cdot \int (1 / 16 \cdot (12 \cdot d^2 \cdot f \cdot x^2 \cdot \arctan^2(1, d \cdot x + c)^2 + 8 \cdot (3 \cdot c \cdot \arctan^2(1, d \cdot x + c)^2 - \arctan^2(1, d \cdot x + c)) \cdot d \cdot f \cdot x - 8 \cdot d \cdot e \cdot \arctan^2(1, d \cdot x + c) + (d^2 \cdot f \cdot x^2 + 2 \cdot c \cdot d \cdot f \cdot x + (c^2 + 1) \cdot f) \cdot \log(d^2 \cdot x^2 + 2 \cdot c \cdot d \cdot x + c^2 + 1))^2 + 12 \cdot (c^2 \cdot \arctan^2(1, d \cdot x + c)^2 + \arctan^2(1, d \cdot x + c)^2) \cdot f - 4 \cdot (d^2 \cdot f \cdot x^2 + c \cdot d \cdot e + (d^2 \cdot e + c \cdot d \cdot f) \cdot x) \cdot \log(d^2 \cdot x^2 + 2 \cdot c \cdot d \cdot x + c^2 + 1)) / (d^2 \cdot f^3 \cdot x^4 + (c^2 + 1) \cdot e^2 \cdot f + 2 \cdot (d^2 \cdot e \cdot f^2 + c \cdot d \cdot f^3) \cdot x^3 + (d^2 \cdot e^2 \cdot f + 4 \cdot c \cdot d \cdot e \cdot f^2 + (c^2 + 1) \cdot f^3) \cdot x^2 + 2 \cdot (c \cdot d \cdot e^2 \cdot f + (c^2 + 1) \cdot e \cdot f^2) \cdot x), x) - \log(d^2 \cdot x^2 + 2 \cdot c \cdot d \cdot x + c^2 + 1)^2 \cdot b^2 / (f^2 \cdot x + e \cdot f) - a^2 / (f^2 \cdot x + e \cdot f)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{b^2 \operatorname{arccot}(dx + c)^2 + 2ab \operatorname{arccot}(dx + c) + a^2}{f^2x^2 + 2efx + e^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))^2/(f*x+e)^2,x, algorithm="fricas")

[Out] $\operatorname{integral}((b^2 \cdot \operatorname{arccot}(d \cdot x + c)^2 + 2 \cdot a \cdot b \cdot \operatorname{arccot}(d \cdot x + c) + a^2) / (f^2 \cdot x^2 + 2 \cdot e \cdot f \cdot x + e^2), x)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acot(d*x+c))**2/(f*x+e)**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccot}(dx + c) + a)^2}{(fx + e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccot(d*x+c))^2/(f*x+e)^2,x, algorithm="giac")
```

```
[Out] integrate((b*arccot(d*x + c) + a)^2/(f*x + e)^2, x)
```

3.141 $\int (e + fx)^2 \left(a + b \cot^{-1}(c + dx) \right)^3 dx$

Optimal. Leaf size=565

$$\frac{ib^2 \left(-(1 - 3c^2) f^2 - 6cdef + 3d^2 e^2 \right) \text{PolyLog} \left(2, 1 - \frac{2}{1+i(c+dx)} \right) (a + b \cot^{-1}(c + dx))}{d^3} - \frac{b^3 \left(-(1 - 3c^2) f^2 - 6cdef + 3d^2 e^2 \right) \text{PolyLog} \left(3, 1 - \frac{2}{1+i(c+dx)} \right) (a + b \cot^{-1}(c + dx))}{d^3}$$

```
[Out] (a*b^2*f^2*x)/d^2 + (b^3*f^2*(c + d*x)*ArcCot[c + d*x])/d^3 + (b*f^2*(a + b
*ArcCot[c + d*x])^2)/(2*d^3) + ((3*I)*b*f*(d*e - c*f)*(a + b*ArcCot[c + d*x
])^2)/d^3 + (3*b*f*(d*e - c*f)*(c + d*x)*(a + b*ArcCot[c + d*x])^2)/d^3 + (
b*f^2*(c + d*x)^2*(a + b*ArcCot[c + d*x])^2)/(2*d^3) + ((I/3)*(3*d^2*e^2 -
6*c*d*e*f - (1 - 3*c^2)*f^2)*(a + b*ArcCot[c + d*x])^3)/d^3 - ((d*e - c*f)*
(d^2*e^2 - 2*c*d*e*f - (3 - c^2)*f^2)*(a + b*ArcCot[c + d*x])^3)/(3*d^3*f)
+ ((e + f*x)^3*(a + b*ArcCot[c + d*x])^3)/(3*f) - (6*b^2*f*(d*e - c*f)*(a +
b*ArcCot[c + d*x])*Log[2/(1 + I*(c + d*x))])/d^3 - (b*(3*d^2*e^2 - 6*c*d*e
*f - (1 - 3*c^2)*f^2)*(a + b*ArcCot[c + d*x])^2*Log[2/(1 + I*(c + d*x))])/d
^3 + (b^3*f^2*Log[1 + (c + d*x)^2])/d^3 + ((3*I)*b^3*f*(d*e - c*f)*Poly
Log[2, 1 - 2/(1 + I*(c + d*x))])/d^3 + (I*b^2*(3*d^2*e^2 - 6*c*d*e*f - (1 -
3*c^2)*f^2)*(a + b*ArcCot[c + d*x])*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/d
^3 - (b^3*(3*d^2*e^2 - 6*c*d*e*f - (1 - 3*c^2)*f^2)*PolyLog[3, 1 - 2/(1 + I
*(c + d*x))])/d^3
```

Rubi [A] time = 0.963499, antiderivative size = 565, normalized size of antiderivative = 1., number of steps used = 21, number of rules used = 14, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.7$, Rules used = {5048, 4865, 4847, 4921, 4855, 2402, 2315, 4853, 4917, 260, 4885, 4985, 4995, 6610}

$$\frac{ib^2 \left(-(1 - 3c^2) f^2 - 6cdef + 3d^2 e^2 \right) \text{PolyLog} \left(2, 1 - \frac{2}{1+i(c+dx)} \right) (a + b \cot^{-1}(c + dx))}{d^3} - \frac{b^3 \left(-(1 - 3c^2) f^2 - 6cdef + 3d^2 e^2 \right) \text{PolyLog} \left(3, 1 - \frac{2}{1+i(c+dx)} \right) (a + b \cot^{-1}(c + dx))}{d^3}$$

Antiderivative was successfully verified.

```
[In] Int[(e + f*x)^2*(a + b*ArcCot[c + d*x])^3,x]
```

```
[Out] (a*b^2*f^2*x)/d^2 + (b^3*f^2*(c + d*x)*ArcCot[c + d*x])/d^3 + (b*f^2*(a + b
*ArcCot[c + d*x])^2)/(2*d^3) + ((3*I)*b*f*(d*e - c*f)*(a + b*ArcCot[c + d*x
])^2)/d^3 + (3*b*f*(d*e - c*f)*(c + d*x)*(a + b*ArcCot[c + d*x])^2)/d^3 + (
b*f^2*(c + d*x)^2*(a + b*ArcCot[c + d*x])^2)/(2*d^3) + ((I/3)*(3*d^2*e^2 -
6*c*d*e*f - (1 - 3*c^2)*f^2)*(a + b*ArcCot[c + d*x])^3)/d^3 - ((d*e - c*f)*
(d^2*e^2 - 2*c*d*e*f - (3 - c^2)*f^2)*(a + b*ArcCot[c + d*x])^3)/(3*d^3*f)
+ ((e + f*x)^3*(a + b*ArcCot[c + d*x])^3)/(3*f) - (6*b^2*f*(d*e - c*f)*(a +
b*ArcCot[c + d*x])*Log[2/(1 + I*(c + d*x))])/d^3 - (b*(3*d^2*e^2 - 6*c*d*e
*f - (1 - 3*c^2)*f^2)*(a + b*ArcCot[c + d*x])^2*Log[2/(1 + I*(c + d*x))])/d
^3 + (b^3*f^2*Log[1 + (c + d*x)^2])/d^3 + ((3*I)*b^3*f*(d*e - c*f)*Poly
Log[2, 1 - 2/(1 + I*(c + d*x))])/d^3 + (I*b^2*(3*d^2*e^2 - 6*c*d*e*f - (1 -
3*c^2)*f^2)*(a + b*ArcCot[c + d*x])*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/d
^3 - (b^3*(3*d^2*e^2 - 6*c*d*e*f - (1 - 3*c^2)*f^2)*PolyLog[3, 1 - 2/(1 + I
*(c + d*x))])/d^3
```

Rule 5048

```
Int[((a_.) + ArcCot[(c_) + (d_.)*(x_)])*(b_.)^(p_.)*((e_.) + (f_.)*(x_))^(m
_.), x_Symbol] := Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*Arc
Cot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IG
```

tQ[p, 0]

Rule 4865

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.), x_Symbol] := Simp[((d + e*x)^(q + 1)*(a + b*ArcCot[c*x])^p)/(e*(q + 1)), x] + Dist[(b*c*p)/(e*(q + 1)), Int[ExpandIntegrand[(a + b*ArcCot[c*x])^(p - 1), (d + e*x)^(q + 1)/(1 + c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]

Rule 4847

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.), x_Symbol] := Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 4921

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*(x_)/((d_) + (e_.)*(x_)^2), x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*e*(p + 1)), x] - Dist[1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]

Rule 4855

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)/e, Int[((a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)])/((1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_.) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_)/((d_) + (e_.)*(x_))], x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rule 4853

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^p)/(d*(m + 1)), x] + Dist[(b*c*p)/(d*(m + 1)), Int[((d*x)^(m + 1)*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[p, 0] && (EqQ[p, 1] || IntegerQ[m]) && NeQ[m, -1]

Rule 4917

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)/((d_) + (e_.)*(x_)^2), x_Symbol] := Dist[f^2/e, Int[(f*x)^(m - 2)*(a + b*ArcCot[c*x])^p, x], x] - Dist[(d*f^2)/e, Int[((f*x)^(m - 2)*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 4885

Int[((a_) + ArcCot[(c_)*(x_)]*(b_))^(p_)/((d_) + (e_)*(x_)^2), x_Symbol] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]

Rule 4985

Int[((a_) + ArcCot[(c_)*(x_)]*(b_))^(p_)*((f_) + (g_)*(x_)^(m_))/((d_) + (e_)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCot[c*x])^p/(d + e*x^2), (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && IGtQ[m, 0]

Rule 4995

Int[(Log[u_]*((a_) + ArcCot[(c_)*(x_)]*(b_))^(p_))/((d_) + (e_)*(x_)^2), x_Symbol] := -Simp[(I*(a + b*ArcCot[c*x])^p*PolyLog[2, 1 - u])/(2*c*d), x] - Dist[(b*p*I)/2, Int[((a + b*ArcCot[c*x])^(p - 1)*PolyLog[2, 1 - u])/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && EqQ[(1 - u)^2 - (1 - (2*I)/(I - c*x))^2, 0]

Rule 6610

Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v, x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]

Rubi steps

$$\begin{aligned}
\int (e + fx)^2 (a + b \cot^{-1}(c + dx))^3 dx &= \frac{\text{Subst}\left(\int \left(\frac{de - cf}{d} + \frac{fx}{d}\right)^2 (a + b \cot^{-1}(x))^3 dx, x, c + dx\right)}{d} \\
&= \frac{(e + fx)^3 (a + b \cot^{-1}(c + dx))^3}{3f} + \frac{b \text{Subst}\left(\int \left(\frac{3f^2(de - cf)(a + b \cot^{-1}(x))^2}{d^3} + \frac{f^3x(a + b \cot^{-1}(x))}{d^3}\right) dx, x, c + dx\right)}{d^3} \\
&= \frac{(e + fx)^3 (a + b \cot^{-1}(c + dx))^3}{3f} + \frac{b \text{Subst}\left(\int \frac{((de - cf)(d^2e^2 - 2cdef - 3f^2 + c^2f^2) + f(3d^2e^2 - 3d^2e - 3d^2f^2 + c^2f^2))}{1 + x^2} dx, x, c + dx\right)}{d^3f} \\
&= \frac{3bf(de - cf)(c + dx)(a + b \cot^{-1}(c + dx))^2}{d^3} + \frac{bf^2(c + dx)^2 (a + b \cot^{-1}(c + dx))^2}{2d^3} \\
&= \frac{3ibf(de - cf)(a + b \cot^{-1}(c + dx))^2}{d^3} + \frac{3bf(de - cf)(c + dx)(a + b \cot^{-1}(c + dx))^2}{d^3} \\
&= \frac{ab^2f^2x}{d^2} + \frac{bf^2(a + b \cot^{-1}(c + dx))^2}{2d^3} + \frac{3ibf(de - cf)(a + b \cot^{-1}(c + dx))^2}{d^3} + \frac{3bf(de - cf)(c + dx)(a + b \cot^{-1}(c + dx))^2}{d^3} \\
&= \frac{ab^2f^2x}{d^2} + \frac{b^3f^2(c + dx) \cot^{-1}(c + dx)}{d^3} + \frac{bf^2(a + b \cot^{-1}(c + dx))^2}{2d^3} + \frac{3ibf(de - cf)(a + b \cot^{-1}(c + dx))^2}{d^3} \\
&= \frac{ab^2f^2x}{d^2} + \frac{b^3f^2(c + dx) \cot^{-1}(c + dx)}{d^3} + \frac{bf^2(a + b \cot^{-1}(c + dx))^2}{2d^3} + \frac{3ibf(de - cf)(a + b \cot^{-1}(c + dx))^2}{d^3} \\
&= \frac{ab^2f^2x}{d^2} + \frac{b^3f^2(c + dx) \cot^{-1}(c + dx)}{d^3} + \frac{bf^2(a + b \cot^{-1}(c + dx))^2}{2d^3} + \frac{3ibf(de - cf)(a + b \cot^{-1}(c + dx))^2}{d^3}
\end{aligned}$$

Mathematica [B] time = 10.4507, size = 2336, normalized size = 4.13

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(e + f*x)^2*(a + b*ArcCot[c + d*x])^3,x]

[Out] (a^2*(a*d^2*e^2 + 3*b*d*e*f - 2*b*c*f^2)*x)/d^2 + (a^2*f*(2*a*d*e + b*f)*x^2)/(2*d) + (a^3*f^2*x^3)/3 + a^2*b*x*(3*e^2 + 3*e*f*x + f^2*x^2)*ArcCot[c + d*x] + ((-3*a^2*b*c*d^2*e^2 - 3*a^2*b*d*e*f + 3*a^2*b*c^2*d*e*f + 3*a^2*b*c*f^2 - a^2*b*c^3*f^2)*ArcTan[c + d*x])/d^3 + ((3*a^2*b*d^2*e^2 - 6*a^2*b*c*d*e*f - a^2*b*f^2 + 3*a^2*b*c^2*f^2)*Log[1 + c^2 + 2*c*d*x + d^2*x^2])/(2*d^3) + (a*b^2*f^2*x^2*(1 + (c + d*x)^2)*((c + d*x)*(1 - 6*c*ArcCot[c + d*x] + 3*ArcCot[c + d*x]^2 + 3*c^2*ArcCot[c + d*x]^2) - (c + d*x)*Sqrt[1 + (c + d*x)^(-2)]*(1 - 6*c*ArcCot[c + d*x] - ArcCot[c + d*x]^2 + 3*c^2*ArcCot[c + d*x]^2)*Cos[3*ArcCot[c + d*x]] - 2*(-2*ArcCot[c + d*x] + I*ArcCot[c + d*x]^2 + 6*c*ArcCot[c + d*x]^2 - (3*I)*c^2*ArcCot[c + d*x]^2 + 2*(-1 + 3*c^2)*ArcCot[c + d*x]*Log[1 - E^((2*I)*ArcCot[c + d*x])]) - 6*c*Log[1/((c + d*x)*Sqrt[1 + (c + d*x)^(-2)])]) + Cos[2*ArcCot[c + d*x]]*(I*(-1 + 3*c^2)*ArcCot[c + d*x]^2 + (2 - 6*c^2)*ArcCot[c + d*x]*Log[1 - E^((2*I)*ArcCot[c + d*x])]) + 6*c*Log[1/((c + d*x)*Sqrt[1 + (c + d*x)^(-2)])]) + ((4*I)*(-1 + 3*c^2)*PolyLog[2, E^((2*I)*ArcCot[c + d*x])])/(c + d*x)^2*(1 + (c + d*x)^(-2)))/(4*d*(c + d*x)^2*(1 + (c + d*x)^(-2))*(1/Sqrt[1 + (c + d*x)^(-2)] - c/((c +

$$\begin{aligned}
& d*x)*\text{Sqrt}[1 + (c + d*x)^{-2}]]^2) - (3*a*b^2*e^2*(1 + (c + d*x)^2)*(-(c + \\
& d*x)*\text{ArcCot}[c + d*x]^2) + 2*\text{ArcCot}[c + d*x]*\text{Log}[1 - E^{((2*I)*\text{ArcCot}[c + d* \\
& x])}] - I*(\text{ArcCot}[c + d*x]^2 + \text{PolyLog}[2, E^{((2*I)*\text{ArcCot}[c + d*x])}])))/(d*(\\
& c + d*x)^2*(1 + (c + d*x)^{-2})) + (6*a*b^2*e*f*(1 + (c + d*x)^2)*(((c + d* \\
& x)*\text{ArcCot}[c + d*x])/d^2 - (c*(c + d*x)*\text{ArcCot}[c + d*x]^2)/d^2 + ((c + d*x)^ \\
& 2*(1 + (c + d*x)^{-2})*\text{ArcCot}[c + d*x]^2)/(2*d^2) - \text{Log}[1/((c + d*x)*\text{Sqrt}[1 \\
& + (c + d*x)^{-2}]]]/d^2 + (2*c*(\text{ArcCot}[c + d*x]*\text{Log}[1 - E^{((2*I)*\text{ArcCot}[c \\
& + d*x])}] - (I/2)*(\text{ArcCot}[c + d*x]^2 + \text{PolyLog}[2, E^{((2*I)*\text{ArcCot}[c + d*x])}])) \\
&))/d^2))/((c + d*x)^2*(1 + (c + d*x)^{-2})) - (b^3*e^2*(1 + (c + d*x)^2)* \\
& (-I/8)*\text{Pi}^3 + I*\text{ArcCot}[c + d*x]^3 - (c + d*x)*\text{ArcCot}[c + d*x]^3 + 3*\text{ArcCot}[\\
& c + d*x]^2*\text{Log}[1 - E^{((-2*I)*\text{ArcCot}[c + d*x])}] + (3*I)*\text{ArcCot}[c + d*x]*\text{Poly} \\
& \text{Log}[2, E^{((-2*I)*\text{ArcCot}[c + d*x])}] + (3*\text{PolyLog}[3, E^{((-2*I)*\text{ArcCot}[c + d*x] \\
&)}]))/2))/(d*(c + d*x)^2*(1 + (c + d*x)^{-2})) + (b^3*e*f*(1 + (c + d*x)^2)* \\
& ((-I)*c*\text{Pi}^3 + (12*I)*\text{ArcCot}[c + d*x]^2 + 12*(c + d*x)*\text{ArcCot}[c + d*x]^2 + \\
& (8*I)*c*\text{ArcCot}[c + d*x]^3 - 8*c*(c + d*x)*\text{ArcCot}[c + d*x]^3 + 4*(c + d*x)^2 \\
& *(1 + (c + d*x)^{-2})*\text{ArcCot}[c + d*x]^3 + 24*c*\text{ArcCot}[c + d*x]^2*\text{Log}[1 - E^{ \\
& ((-2*I)*\text{ArcCot}[c + d*x])}] - 24*\text{ArcCot}[c + d*x]*\text{Log}[1 - E^{((2*I)*\text{ArcCot}[c + \\
& d*x])}] + (24*I)*c*\text{ArcCot}[c + d*x]*\text{PolyLog}[2, E^{((-2*I)*\text{ArcCot}[c + d*x])}] + \\
& (12*I)*\text{PolyLog}[2, E^{((2*I)*\text{ArcCot}[c + d*x])}] + 12*c*\text{PolyLog}[3, E^{((-2*I)*\text{Arc} \\
& \text{Cot}[c + d*x])}]))/(4*d^2*(c + d*x)^2*(1 + (c + d*x)^{-2})) - (b^3*f^2*(1 + \\
& (c + d*x)^2)*(I*(-1 + 3*c^2)*\text{ArcCot}[c + d*x]*\text{PolyLog}[2, E^{((-2*I)*\text{ArcCot}[c \\
& + d*x])}] + ((c + d*x)^3*(1 + (c + d*x)^{-2}))^{3/2}*(((3*I)*\text{Pi}^3)/((c + d*x) \\
& *\text{Sqrt}[1 + (c + d*x)^{-2}]) - ((9*I)*c^2*\text{Pi}^3)/((c + d*x)*\text{Sqrt}[1 + (c + d*x) \\
& ^{-2}]) - (24*\text{ArcCot}[c + d*x])/ \text{Sqrt}[1 + (c + d*x)^{-2}] + (72*c*\text{ArcCot}[c + \\
& d*x]^2)/ \text{Sqrt}[1 + (c + d*x)^{-2}] - (48*\text{ArcCot}[c + d*x]^2)/((c + d*x)*\text{Sqrt}[1 \\
& + (c + d*x)^{-2}]) + ((216*I)*c*\text{ArcCot}[c + d*x]^2)/((c + d*x)*\text{Sqrt}[1 + (c \\
& + d*x)^{-2}]) - (24*\text{ArcCot}[c + d*x]^3)/ \text{Sqrt}[1 + (c + d*x)^{-2}] - (24*c^2*A \\
& \text{rcCot}[c + d*x]^3)/ \text{Sqrt}[1 + (c + d*x)^{-2}] - ((24*I)*\text{ArcCot}[c + d*x]^3)/((c \\
& + d*x)*\text{Sqrt}[1 + (c + d*x)^{-2}]) + (96*c*\text{ArcCot}[c + d*x]^3)/((c + d*x)*\text{Sqr} \\
& \text{t}[1 + (c + d*x)^{-2}]) + ((72*I)*c^2*\text{ArcCot}[c + d*x]^3)/((c + d*x)*\text{Sqrt}[1 + \\
& (c + d*x)^{-2}]) + 24*\text{ArcCot}[c + d*x]*\text{Cos}[3*\text{ArcCot}[c + d*x]] - 72*c*\text{ArcCot} \\
& [c + d*x]^2*\text{Cos}[3*\text{ArcCot}[c + d*x]] - 8*\text{ArcCot}[c + d*x]^3*\text{Cos}[3*\text{ArcCot}[c + d \\
& *x]] + 24*c^2*\text{ArcCot}[c + d*x]^3*\text{Cos}[3*\text{ArcCot}[c + d*x]] - (72*\text{ArcCot}[c + d*x] \\
& ^2*\text{Log}[1 - E^{((-2*I)*\text{ArcCot}[c + d*x])}])/((c + d*x)*\text{Sqrt}[1 + (c + d*x)^{-2}]) \\
& + (216*c^2*\text{ArcCot}[c + d*x]^2*\text{Log}[1 - E^{((-2*I)*\text{ArcCot}[c + d*x])}])/((c + \\
& d*x)*\text{Sqrt}[1 + (c + d*x)^{-2}]) - (432*c*\text{ArcCot}[c + d*x]*\text{Log}[1 - E^{((2*I)*\text{Arc} \\
& \text{Cot}[c + d*x])}])/((c + d*x)*\text{Sqrt}[1 + (c + d*x)^{-2}]) + (72*\text{Log}[1/((c + d*x) \\
& *\text{Sqrt}[1 + (c + d*x)^{-2}])])/((c + d*x)*\text{Sqrt}[1 + (c + d*x)^{-2}]) + ((288* \\
& I)*c*\text{PolyLog}[2, E^{((2*I)*\text{ArcCot}[c + d*x])}])/((c + d*x)^3*(1 + (c + d*x)^{-2} \\
&))^{3/2} + (48*(-1 + 3*c^2)*\text{PolyLog}[3, E^{((-2*I)*\text{ArcCot}[c + d*x])}])/((c + \\
& d*x)^3*(1 + (c + d*x)^{-2}))^{3/2} - I*\text{Pi}^3*\text{Sin}[3*\text{ArcCot}[c + d*x]] + (3*I)* \\
& c^2*\text{Pi}^3*\text{Sin}[3*\text{ArcCot}[c + d*x]] - (72*I)*c*\text{ArcCot}[c + d*x]^2*\text{Sin}[3*\text{ArcCot}[c \\
& + d*x]] + (8*I)*\text{ArcCot}[c + d*x]^3*\text{Sin}[3*\text{ArcCot}[c + d*x]] - (24*I)*c^2*\text{ArcC} \\
& \text{ot}[c + d*x]^3*\text{Sin}[3*\text{ArcCot}[c + d*x]] + 24*\text{ArcCot}[c + d*x]^2*\text{Log}[1 - E^{((-2* \\
& I)*\text{ArcCot}[c + d*x])}]*\text{Sin}[3*\text{ArcCot}[c + d*x]] - 72*c^2*\text{ArcCot}[c + d*x]^2*\text{Log}[\\
& 1 - E^{((-2*I)*\text{ArcCot}[c + d*x])}]*\text{Sin}[3*\text{ArcCot}[c + d*x]] + 144*c*\text{ArcCot}[c + d \\
& *x]*\text{Log}[1 - E^{((2*I)*\text{ArcCot}[c + d*x])}]*\text{Sin}[3*\text{ArcCot}[c + d*x]] - 24*\text{Log}[1/((\\
& c + d*x)*\text{Sqrt}[1 + (c + d*x)^{-2}])]*\text{Sin}[3*\text{ArcCot}[c + d*x]])/96))/(d^3*(c + \\
& d*x)^2*(1 + (c + d*x)^{-2}))
\end{aligned}$$

Maple [B] time = 0.552, size = 3693, normalized size = 6.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*(a+b*arccot(d*x+c))^3,x)

```
[Out] 1/3*a^3*f^2*x^3+a^3*x*e^2+6/d^2*a*b^2*f*arccot(d*x+c)*e*c-3/d^2*a^2*b*f*ln(
1+(d*x+c)^2)*c*e+3/d^2*a^2*b*f*arctan(d*x+c)*c^2*e-6/d*a*b^2*arccot(d*x+c)*
arctan(d*x+c)*c*e^2+3/d^2*a*b^2*f*arctan(d*x+c)^2*c^2*e+6/d^2*b^3*f*c*e*arc
cot(d*x+c)^2*ln(1-(d*x+c+I)/(1+(d*x+c)^2)^(1/2))-1/2*I/d^3*a*b^2*ln(d*x+c-I
)*ln(-1/2*I*(d*x+c+I))*f^2-1/2*I/d^3*a*b^2*ln(1+(d*x+c)^2)*ln(d*x+c+I)*f^2+
1/2*I/d^3*a*b^2*ln(d*x+c+I)*ln(1/2*I*(d*x+c-I))*f^2+1/2*I/d^3*a*b^2*ln(1+(d
*x+c)^2)*ln(d*x+c-I)*f^2+6*I/d^3*b^3*f^2*c^2*arccot(d*x+c)*polylog(2,(d*x+c
+I)/(1+(d*x+c)^2)^(1/2))+3/2*I/d^3*a*b^2*dilog(-1/2*I*(d*x+c+I))*c^2*f^2+6*I
/d^3*b^3*f^2*c^2*arccot(d*x+c)*polylog(2,-(d*x+c+I)/(1+(d*x+c)^2)^(1/2))-3
/4*I/d^3*a*b^2*ln(d*x+c+I)^2*c^2*f^2+a*b^2*f^2*x/d^2+3/2/d^3*a^2*b*f^2*ln(1
+(d*x+c)^2)*c^2+3/d^2*a*b^2*f*ln(1+(d*x+c)^2)*e-3/d^2*a*b^2*f*arctan(d*x+c)
^2*e-3*I/d^3*b^3*f^2*arccot(d*x+c)^2*c+3/4*I/d*a*b^2*ln(d*x+c-I)^2*e^2+3/2*
I/d*a*b^2*dilog(-1/2*I*(d*x+c+I))*e^2-3/4*I/d*a*b^2*ln(d*x+c+I)^2*e^2+3*I/d
^2*b^3*f*arccot(d*x+c)^2*e-1/2*I/d^3*a*b^2*dilog(-1/2*I*(d*x+c+I))*f^2-1/4*
I/d^3*a*b^2*ln(d*x+c-I)^2*f^2+6*I/d^2*b^3*f*e*polylog(2,-(d*x+c+I)/(1+(d*x+
c)^2)^(1/2))+6*I/d^2*b^3*f*e*polylog(2,(d*x+c+I)/(1+(d*x+c)^2)^(1/2))-6*I/d
^3*b^3*f^2*c*polylog(2,(d*x+c+I)/(1+(d*x+c)^2)^(1/2))+3*a^2*b*f*arccot(d*x+
c)*e*x^2+3*a*b^2*f*arccot(d*x+c)^2*e*x^2-3/d*a^2*b*arctan(d*x+c)*c*e^2-3/d*
a*b^2*arctan(d*x+c)^2*c*e^2+3/2/d*e^2*a^2*b*ln(1+(d*x+c)^2)+1/d^3*a*b^2*f^2
*c-5/2/d^3*a^2*b*f^2*c^2-6/d^2*a*b^2*f*arccot(d*x+c)*ln(1+(d*x+c)^2)*c*e+6/
d^2*a*b^2*f*arccot(d*x+c)*arctan(d*x+c)*c^2*e+3*I/d^2*a*b^2*dilog(1/2*I*(d*
x+c-I))*c*e*f-3/2*I/d^3*a*b^2*ln(1+(d*x+c)^2)*ln(d*x+c-I)*c^2*f^2-12*I/d^2*
b^3*f*c*e*arccot(d*x+c)*polylog(2,-(d*x+c+I)/(1+(d*x+c)^2)^(1/2))-12*I/d^2*
b^3*f*c*e*arccot(d*x+c)*polylog(2,(d*x+c+I)/(1+(d*x+c)^2)^(1/2))+3/2*I/d^3*
a*b^2*ln(d*x+c-I)*ln(-1/2*I*(d*x+c+I))*c^2*f^2-3/2*I/d^2*a*b^2*ln(d*x+c-I)^
2*c*e*f+1/3*a^3/f*e^3+a^3*f*x^2*e+3/2*I/d^2*a*b^2*ln(d*x+c+I)^2*c*e*f-3*I/d
^2*a*b^2*dilog(-1/2*I*(d*x+c+I))*c*e*f+3/2*I/d^3*a*b^2*ln(1+(d*x+c)^2)*ln(d
*x+c+I)*c^2*f^2-3/2*I/d^3*a*b^2*ln(d*x+c+I)*ln(1/2*I*(d*x+c-I))*c^2*f^2+1/d
^3*b^3*f^2*arccot(d*x+c)^2*ln(1-(d*x+c+I)/(1+(d*x+c)^2)^(1/2))+1/d^3*b^3*f^
2*arccot(d*x+c)^2*ln(1+(d*x+c+I)/(1+(d*x+c)^2)^(1/2))-5/2/d^3*b^3*f^2*arcco
t(d*x+c)^2*c^2+1/3/d^3*b^3*f^2*arccot(d*x+c)^3*c^3+1/2/d*b^3*f^2*arccot(d*x
+c)^2*x^2+1/d^2*b^3*f^2*arccot(d*x+c)*x+1/d^3*b^3*f^2*arccot(d*x+c)*c-1/2/d
^3*a^2*b*f^2*ln(1+(d*x+c)^2)+a*b^2/f*arccot(d*x+c)^2*e^3-1/d^3*a*b^2*f^2*ar
ctan(d*x+c)+1/d^2*b^3*f*arccot(d*x+c)^3*e-1/d^3*b^3*f^2*arccot(d*x+c)^3*c+b
^3*f*arccot(d*x+c)^3*e*x^2+a^2*b*f^2*arccot(d*x+c)*x^3+3*arccot(d*x+c)*x*a^
2*b*e^2+3*arccot(d*x+c)^2*x*a*b^2*e^2+a*b^2*f^2*arccot(d*x+c)^2*x^3+a^2*b/f
*arctan(d*x+c)*e^3+a^2*b/f*arccot(d*x+c)*e^3+a*b^2/f*arctan(d*x+c)^2*e^3-1/
3*I/d^3*b^3*f^2*arccot(d*x+c)^3-I/d^3*b^3*f^2*arccot(d*x+c)+1/3*b^3*f^2*arc
cot(d*x+c)^3*x^3+arccot(d*x+c)^3*x*b^3*e^2-6/d*b^3*e^2*polylog(3,(d*x+c+I)/
(1+(d*x+c)^2)^(1/2))-6/d*b^3*e^2*polylog(3,-(d*x+c+I)/(1+(d*x+c)^2)^(1/2))+
2/d^3*b^3*f^2*polylog(3,-(d*x+c+I)/(1+(d*x+c)^2)^(1/2))+2/d^3*b^3*f^2*polyl
og(3,(d*x+c+I)/(1+(d*x+c)^2)^(1/2))+1/2/d^3*b^3*f^2*arccot(d*x+c)^2-1/d^3*b
^3*f^2*ln(1+(d*x+c+I)/(1+(d*x+c)^2)^(1/2))-1/d^3*b^3*f^2*ln((d*x+c+I)/(1+(d
*x+c)^2)^(1/2)-1)+2/d^3*b^3*f^2*ln((d*x+c+I)/(1+(d*x+c)^2)^(1/2))-2*a^2*b/d
^2*x*c*f^2+3*a^2*b/d*x*e*f+2*a*b^2/f*arccot(d*x+c)*arctan(d*x+c)*e^3-6/d^2*
b^3*f*e*arccot(d*x+c)*ln(1+(d*x+c+I)/(1+(d*x+c)^2)^(1/2))+3/d^3*a*b^2*f^2*a
rctan(d*x+c)^2*c-3/2*I/d*a*b^2*dilog(1/2*I*(d*x+c-I))*e^2+6*I/d*b^3*e^2*arc
cot(d*x+c)*polylog(2,(d*x+c+I)/(1+(d*x+c)^2)^(1/2))-6/d^3*b^3*f^2*c^2*polyl
og(3,(d*x+c+I)/(1+(d*x+c)^2)^(1/2))-6/d^3*b^3*f^2*c^2*polylog(3,-(d*x+c+I)/
(1+(d*x+c)^2)^(1/2))-3/d*b^3*e^2*arccot(d*x+c)^2*ln(1+(d*x+c+I)/(1+(d*x+c)^
2)^(1/2))-3/d*b^3*e^2*arccot(d*x+c)^2*ln(1-(d*x+c+I)/(1+(d*x+c)^2)^(1/2))+1
/d*arccot(d*x+c)^3*b^3*c*e^2+I/d*b^3*arccot(d*x+c)^3*e^2-1/d^3*a^2*b*f^2*ar
ctan(d*x+c)*c^3+12/d^2*b^3*f*c*e*polylog(3,-(d*x+c+I)/(1+(d*x+c)^2)^(1/2))+
12/d^2*b^3*f*c*e*polylog(3,(d*x+c+I)/(1+(d*x+c)^2)^(1/2))-1/d^2*b^3*f*arcco
t(d*x+c)^3*c^2*e-5/d^3*a*b^2*f^2*arccot(d*x+c)*c^2-2/d^2*b^3*f^2*arccot(d*x
+c)^2*c*x+3/d*b^3*f*arccot(d*x+c)^2*e*x+3/d^2*b^3*f*arccot(d*x+c)^2*e*c+6/d
^3*b^3*f^2*c*arccot(d*x+c)*ln(1+(d*x+c+I)/(1+(d*x+c)^2)^(1/2))+6/d^3*b^3*f^
2*c*arccot(d*x+c)*ln(1-(d*x+c+I)/(1+(d*x+c)^2)^(1/2))-3/d^3*b^3*f^2*c^2*arc
cot(d*x+c)^2*ln(1-(d*x+c+I)/(1+(d*x+c)^2)^(1/2))-3/d^3*b^3*f^2*c^2*arccot(d
```

$$\begin{aligned}
& *x+c)^2*\ln(1+(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})-6/d^2*b^3*f*e*\operatorname{arccot}(d*x+c)*\ln(\\
& 1-(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})-1/d^3*a*b^2*f^2*\operatorname{arccot}(d*x+c)*\ln(1+(d*x+c) \\
& ^2)+1/d*a*b^2*f^2*\operatorname{arccot}(d*x+c)*x^2+1/2/d*a^2*b*f^2*x^2+6*I/d*b^3*e^2*\operatorname{arcco} \\
& t(d*x+c)*\operatorname{polylog}(2,-(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})+1/2*I/d^3*a*b^2*\operatorname{dilog}(1/ \\
& 2*I*(d*x+c-I))*f^2-2*I/d^3*b^3*f^2*\operatorname{arccot}(d*x+c)*\operatorname{polylog}(2,-(d*x+c+I)/(1+(d \\
& *x+c)^2)^{(1/2)})-2*I/d^3*b^3*f^2*\operatorname{arccot}(d*x+c)*\operatorname{polylog}(2,(d*x+c+I)/(1+(d*x+c) \\
&)^2)^{(1/2)})-6*I/d^3*b^3*f^2*c*\operatorname{polylog}(2,-(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})+1/4 \\
& *I/d^3*a*b^2*\ln(d*x+c+I)^2*f^2-1/d^3*a*b^2*f^2*\operatorname{arctan}(d*x+c)^2*c^3+I/d^3*b^ \\
& 3*f^2*\operatorname{arccot}(d*x+c)^3*c^2+3/d*a*b^2*\operatorname{arccot}(d*x+c)*\ln(1+(d*x+c)^2)*e^2+3/d^3 \\
& *a^2*b*f^2*\operatorname{arctan}(d*x+c)*c-3/d^2*a^2*b*f*\operatorname{arctan}(d*x+c)*e-3/d^3*a*b^2*f^2*\ln \\
& (1+(d*x+c)^2)*c-3*I/d^2*a*b^2*\ln(1+(d*x+c)^2)*\ln(d*x+c+I)*c*e*f-3*I/d^2*a*b \\
& ^2*\ln(d*x+c-I)*\ln(-1/2*I*(d*x+c+I))*c*e*f+3*I/d^2*a*b^2*\ln(d*x+c+I)*\ln(1/2* \\
& I*(d*x+c-I))*c*e*f+3*I/d^2*a*b^2*\ln(1+(d*x+c)^2)*\ln(d*x+c-I)*c*e*f-2*I/d^2* \\
& b^3*f*\operatorname{arccot}(d*x+c)^3*c*e+3/4*I/d^3*a*b^2*\ln(d*x+c-I)^2*c^2*f^2-3/2*I/d*a*b \\
& ^2*\ln(1+(d*x+c)^2)*\ln(d*x+c-I)*e^2+3/2*I/d*a*b^2*\ln(d*x+c-I)*\ln(-1/2*I*(d*x \\
& +c+I))*e^2+3/2*I/d*a*b^2*\ln(1+(d*x+c)^2)*\ln(d*x+c+I)*e^2-3/2*I/d*a*b^2*\ln(d \\
& *x+c+I)*\ln(1/2*I*(d*x+c-I))*e^2-3/2*I/d^3*a*b^2*\operatorname{dilog}(1/2*I*(d*x+c-I))*c^2* \\
& f^2-6/d^2*a*b^2*f*\operatorname{arccot}(d*x+c)*\operatorname{arctan}(d*x+c)*e+6/d^2*b^3*f*c*e*\operatorname{arccot}(d*x+ \\
& c)^2*\ln(1+(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})+3/d^3*a*b^2*f^2*\operatorname{arccot}(d*x+c)*\ln(1 \\
& +(d*x+c)^2)*c^2-4/d^2*a*b^2*f^2*\operatorname{arccot}(d*x+c)*c*x-2/d^3*a*b^2*f^2*\operatorname{arccot}(d* \\
& x+c)*\operatorname{arctan}(d*x+c)*c^3+6/d^3*a*b^2*f^2*\operatorname{arccot}(d*x+c)*\operatorname{arctan}(d*x+c)*c+6/d*a* \\
& b^2*f*\operatorname{arccot}(d*x+c)*e*x+3/d^2*a^2*b*f*c*e
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(a+b*arccot(d*x+c))^3,x, algorithm="maxima")

[Out] $1/24*b^3*f^2*x^3*\operatorname{arctan}^2(1, d*x + c)^3 + 1/8*b^3*e*f*x^2*\operatorname{arctan}^2(1, d*x + c)^3 + 1/8*b^3*e^2*x*\operatorname{arctan}^2(1, d*x + c)^3 + 1/3*a^3*f^2*x^3 + a^3*e*f*x^2 + 3*(x^2*\operatorname{arccot}(d*x + c) + d*(x/d^2 + (c^2 - 1)*\operatorname{arctan}((d^2*x + c*d)/d)/d^3 - c*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)/d^3))*a^2*b*e*f + 1/2*(2*x^3*\operatorname{arccot}(d*x + c) + d*((d*x^2 - 4*c*x)/d^3 - 2*(c^3 - 3*c)*\operatorname{arctan}((d^2*x + c*d)/d)/d^4 + (3*c^2 - 1)*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)/d^4))*a^2*b*f^2 + a^3*e^2*x + 3/2*(2*(d*x + c)*\operatorname{arccot}(d*x + c) + \log((d*x + c)^2 + 1))*a^2*b*e^2/d - 1/32*(b^3*f^2*x^3*\operatorname{arctan}^2(1, d*x + c) + 3*b^3*e*f*x^2*\operatorname{arctan}^2(1, d*x + c) + 3*b^3*e^2*x*\operatorname{arctan}^2(1, d*x + c))*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)^2 + \operatorname{integrate}(1/32*(4*(7*b^3*\operatorname{arctan}^2(1, d*x + c)^3 + 24*a*b^2*\operatorname{arctan}^2(1, d*x + c)^2)*d^2*f^2*x^4 + 4*(2*(7*b^3*\operatorname{arctan}^2(1, d*x + c)^3 + 24*a*b^2*\operatorname{arctan}^2(1, d*x + c)^2)*d^2*e*f + (b^3*\operatorname{arctan}^2(1, d*x + c)^2 + 2*(7*b^3*\operatorname{arctan}^2(1, d*x + c)^3 + 24*a*b^2*\operatorname{arctan}^2(1, d*x + c)^2)*c)*d*f^2)*x^3 + 4*(7*b^3*\operatorname{arctan}^2(1, d*x + c)^3 + 24*a*b^2*\operatorname{arctan}^2(1, d*x + c)^2 + (7*b^3*\operatorname{arctan}^2(1, d*x + c)^3 + 24*a*b^2*\operatorname{arctan}^2(1, d*x + c)^2)*c^2)*e^2 + 4*((7*b^3*\operatorname{arctan}^2(1, d*x + c)^3 + 24*a*b^2*\operatorname{arctan}^2(1, d*x + c)^2)*d^2*e^2 + (3*b^3*\operatorname{arctan}^2(1, d*x + c)^2 + 4*(7*b^3*\operatorname{arctan}^2(1, d*x + c)^3 + 24*a*b^2*\operatorname{arctan}^2(1, d*x + c)^2)*c)*d*e*f + (7*b^3*\operatorname{arctan}^2(1, d*x + c)^3 + 24*a*b^2*\operatorname{arctan}^2(1, d*x + c)^2 + (7*b^3*\operatorname{arctan}^2(1, d*x + c)^3 + 24*a*b^2*\operatorname{arctan}^2(1, d*x + c)^2)*c^2)*f^2)*x^2 + (3*b^3*d^2*f^2*x^4*\operatorname{arctan}^2(1, d*x + c) + (6*b^3*d^2*e*f*\operatorname{arctan}^2(1, d*x + c) + (6*b^3*c*\operatorname{arctan}^2(1, d*x + c) - b^3)*d*f^2)*x^3 + 3*(b^3*c^2*\operatorname{arctan}^2(1, d*x + c) + b^3*\operatorname{arctan}^2(1, d*x + c))*e^2 + 3*(b^3*d^2*e^2*\operatorname{arctan}^2(1, d*x + c) + (4*b^3*c*\operatorname{arctan}^2(1, d*x + c) - b^3)*d*e*f + (b^3*c^2*\operatorname{arctan}^2(1, d*x + c) + b^3*\operatorname{arctan}^2(1, d*x + c))*f^2)*x^2 + 3*((2*b^3*c*\operatorname{arctan}^2(1, d*x + c) - b^3)*d*e^2 + 2*(b^3*c^2*\operatorname{arctan}^2(1, d*x + c) + b^3*\operatorname{arctan}^2(1, d*x + c))*e*f)*x)*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)^2 + 4*((3*b^3*\operatorname{arctan}^2(1, d*x + c)^2 + 2*(7*b^3$

```
*arctan2(1, d*x + c)^3 + 24*a*b^2*arctan2(1, d*x + c)^2)*c)*d*e^2 + 2*(7*b^
3*arctan2(1, d*x + c)^3 + 24*a*b^2*arctan2(1, d*x + c)^2 + (7*b^3*arctan2(1
, d*x + c)^3 + 24*a*b^2*arctan2(1, d*x + c)^2)*c^2)*e*f)*x + 4*(b^3*d^2*f^2
*x^4*arctan2(1, d*x + c) + 3*b^3*c*d*e^2*x*arctan2(1, d*x + c) + (3*b^3*d^2
*e*f*arctan2(1, d*x + c) + b^3*c*d*f^2*arctan2(1, d*x + c))*x^3 + 3*(b^3*d^
2*e^2*arctan2(1, d*x + c) + b^3*c*d*e*f*arctan2(1, d*x + c))*x^2)*log(d^2*x
^2 + 2*c*d*x + c^2 + 1))/(d^2*x^2 + 2*c*d*x + c^2 + 1), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

integral($a^3 f^2 x^2 + 2 a^3 e f x + a^3 e^2 + (b^3 f^2 x^2 + 2 b^3 e f x + b^3 e^2) \operatorname{arccot}(dx + c)^3 + 3(ab^2 f^2 x^2 + 2 ab^2 e f x + ab^2 e^2) \operatorname{arccot}(dx + c)^2 + 3(a^2 b f^2 x^2 + 2 a^2 b e f x + a^2 b e^2) \operatorname{arccot}(dx + c)$), x)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*(a+b*arccot(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] integral(a^3*f^2*x^2 + 2*a^3*e*f*x + a^3*e^2 + (b^3*f^2*x^2 + 2*b^3*e*f*x +
b^3*e^2)*arccot(d*x + c)^3 + 3*(a*b^2*f^2*x^2 + 2*a*b^2*e*f*x + a*b^2*e^2)
*arccot(d*x + c)^2 + 3*(a^2*b*f^2*x^2 + 2*a^2*b*e*f*x + a^2*b*e^2)*arccot(d
*x + c), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{acot}(c + dx))^3 (e + fx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**2*(a+b*acot(d*x+c))**3,x)
```

```
[Out] Integral((a + b*acot(c + d*x))**3*(e + f*x)**2, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (fx + e)^2 (b \operatorname{arccot}(dx + c) + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*(a+b*arccot(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^2*(b*arccot(d*x + c) + a)^3, x)
```

3.142 $\int (e + fx) \left(a + b \cot^{-1}(c + dx) \right)^3 dx$

Optimal. Leaf size=337

$$\frac{3ib^2(de - cf)\text{PolyLog}\left(2, 1 - \frac{2}{1+i(c+dx)}\right)(a + b \cot^{-1}(c + dx))}{d^2} - \frac{3b^3(de - cf)\text{PolyLog}\left(3, 1 - \frac{2}{1+i(c+dx)}\right)}{2d^2} + \frac{3ib^3 f \text{PolyLog}\left(2, 1 - \frac{2}{1+i(c+dx)}\right)}{d^2}$$

```
[Out] (((3*I)/2)*b*f*(a + b*ArcCot[c + d*x])^2)/d^2 + (3*b*f*(c + d*x)*(a + b*ArcCot[c + d*x])^2)/(2*d^2) + (I*(d*e - c*f)*(a + b*ArcCot[c + d*x])^3)/d^2 - ((d*e + f - c*f)*(d*e - (1 + c)*f)*(a + b*ArcCot[c + d*x])^3)/(2*d^2*f) + ((e + f*x)^2*(a + b*ArcCot[c + d*x])^3)/(2*f) - (3*b^2*f*(a + b*ArcCot[c + d*x])*Log[2/(1 + I*(c + d*x))])/d^2 - (3*b*(d*e - c*f)*(a + b*ArcCot[c + d*x])^2*Log[2/(1 + I*(c + d*x))])/d^2 + (((3*I)/2)*b^3*f*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/d^2 + ((3*I)*b^2*(d*e - c*f)*(a + b*ArcCot[c + d*x])*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/d^2 - (3*b^3*(d*e - c*f)*PolyLog[3, 1 - 2/(1 + I*(c + d*x))])/d^2
```

Rubi [A] time = 0.66385, antiderivative size = 337, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 11, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.611$, Rules used = {5048, 4865, 4847, 4921, 4855, 2402, 2315, 4985, 4885, 4995, 6610}

$$\frac{3ib^2(de - cf)\text{PolyLog}\left(2, 1 - \frac{2}{1+i(c+dx)}\right)(a + b \cot^{-1}(c + dx))}{d^2} - \frac{3b^3(de - cf)\text{PolyLog}\left(3, 1 - \frac{2}{1+i(c+dx)}\right)}{2d^2} + \frac{3ib^3 f \text{PolyLog}\left(2, 1 - \frac{2}{1+i(c+dx)}\right)}{d^2}$$

Antiderivative was successfully verified.

```
[In] Int[(e + f*x)*(a + b*ArcCot[c + d*x])^3, x]
```

```
[Out] (((3*I)/2)*b*f*(a + b*ArcCot[c + d*x])^2)/d^2 + (3*b*f*(c + d*x)*(a + b*ArcCot[c + d*x])^2)/(2*d^2) + (I*(d*e - c*f)*(a + b*ArcCot[c + d*x])^3)/d^2 - ((d*e + f - c*f)*(d*e - (1 + c)*f)*(a + b*ArcCot[c + d*x])^3)/(2*d^2*f) + ((e + f*x)^2*(a + b*ArcCot[c + d*x])^3)/(2*f) - (3*b^2*f*(a + b*ArcCot[c + d*x])*Log[2/(1 + I*(c + d*x))])/d^2 - (3*b*(d*e - c*f)*(a + b*ArcCot[c + d*x])^2*Log[2/(1 + I*(c + d*x))])/d^2 + (((3*I)/2)*b^3*f*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/d^2 + ((3*I)*b^2*(d*e - c*f)*(a + b*ArcCot[c + d*x])*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/d^2 - (3*b^3*(d*e - c*f)*PolyLog[3, 1 - 2/(1 + I*(c + d*x))])/d^2
```

Rule 5048

```
Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_)])*(b_.))^ (p_.)*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IGtQ[p, 0]
```

Rule 4865

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^ (p_.)*((d_.) + (e_.)*(x_))^(q_.), x_Symbol] := Simp[((d + e*x)^(q + 1)*(a + b*ArcCot[c*x])^p)/(e*(q + 1)), x] + Dist[(b*c*p)/(e*(q + 1)), Int[ExpandIntegrand[(a + b*ArcCot[c*x])^(p - 1), (d + e*x)^(q + 1)/(1 + c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 1] && IntegerQ[q] && NeQ[q, -1]
```

Rule 4847

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.), x_Symbol] := Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 4921

Int[(((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*(x_))/((d_) + (e_.)*(x_)^2), x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*e*(p + 1)), x] - Dist[1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]

Rule 4855

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)/e, Int[(a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]]/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rule 4985

Int[(((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*((f_) + (g_.)*(x_)^(m_.)))/((d_) + (e_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCot[c*x])^p/(d + e*x^2), (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && IGtQ[m, 0]

Rule 4885

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)^2), x_Symbol] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]

Rule 4995

Int[(Log[u_]*((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.))/((d_) + (e_.)*(x_)^2), x_Symbol] := -Simp[(I*(a + b*ArcCot[c*x])^p*PolyLog[2, 1 - u])/(2*c*d), x] - Dist[(b*p*I)/2, Int[(a + b*ArcCot[c*x])^(p - 1)*PolyLog[2, 1 - u]]/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && EqQ[(1 - u)^2 - (1 - (2*I)/(I - c*x))^2, 0]

Rule 6610

Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v, x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]

Rubi steps

$$\begin{aligned}
\int (e + fx) (a + b \cot^{-1}(c + dx))^3 dx &= \frac{\text{Subst} \left(\int \left(\frac{de-cf}{d} + \frac{fx}{d} \right) (a + b \cot^{-1}(x))^3 dx, x, c + dx \right)}{d} \\
&= \frac{(e + fx)^2 (a + b \cot^{-1}(c + dx))^3}{2f} + \frac{(3b) \text{Subst} \left(\int \left(\frac{f^2(a+b \cot^{-1}(x))^2}{d^2} + \frac{((de-f-cf)(de+f-cf)(de-cf)x)}{2d^2} \right) dx, x, c + dx \right)}{2d^2} \\
&= \frac{(e + fx)^2 (a + b \cot^{-1}(c + dx))^3}{2f} + \frac{(3b) \text{Subst} \left(\int \frac{((de-f-cf)(de+f-cf)+2f(de-cf)x)(a+b \cot^{-1}(x))^2}{1+x^2} dx, x, c + dx \right)}{2d^2 f} \\
&= \frac{3bf(c + dx) (a + b \cot^{-1}(c + dx))^2}{2d^2} + \frac{(e + fx)^2 (a + b \cot^{-1}(c + dx))^3}{2f} + \frac{(3b) \text{Subst} \left(\int \frac{f^2(a+b \cot^{-1}(x))^2}{d^2} dx, x, c + dx \right)}{2d^2} \\
&= \frac{3ibf (a + b \cot^{-1}(c + dx))^2}{2d^2} + \frac{3bf(c + dx) (a + b \cot^{-1}(c + dx))^2}{2d^2} + \frac{(e + fx)^2 (a + b \cot^{-1}(c + dx))^3}{2f} \\
&= \frac{3ibf (a + b \cot^{-1}(c + dx))^2}{2d^2} + \frac{3bf(c + dx) (a + b \cot^{-1}(c + dx))^2}{2d^2} + \frac{i(de - cf) (a + b \cot^{-1}(c + dx))^2}{2d^2} \\
&= \frac{3ibf (a + b \cot^{-1}(c + dx))^2}{2d^2} + \frac{3bf(c + dx) (a + b \cot^{-1}(c + dx))^2}{2d^2} + \frac{i(de - cf) (a + b \cot^{-1}(c + dx))^2}{2d^2} \\
&= \frac{3ibf (a + b \cot^{-1}(c + dx))^2}{2d^2} + \frac{3bf(c + dx) (a + b \cot^{-1}(c + dx))^2}{2d^2} + \frac{i(de - cf) (a + b \cot^{-1}(c + dx))^2}{2d^2} \\
&= \frac{3ibf (a + b \cot^{-1}(c + dx))^2}{2d^2} + \frac{3bf(c + dx) (a + b \cot^{-1}(c + dx))^2}{2d^2} + \frac{i(de - cf) (a + b \cot^{-1}(c + dx))^2}{2d^2}
\end{aligned}$$

Mathematica [A] time = 1.22149, size = 630, normalized size = 1.87

$$6ab^2de \left(i \text{PolyLog} \left(2, e^{2i \cot^{-1}(c+dx)} \right) + \cot^{-1}(c + dx) \left((c + dx + i) \cot^{-1}(c + dx) - 2 \log \left(1 - e^{2i \cot^{-1}(c+dx)} \right) \right) \right) - 6ab^2cf$$

Warning: Unable to verify antiderivative.

[In] Integrate[(e + f*x)*(a + b*ArcCot[c + d*x])^3, x]

[Out] (a^2*(2*a*d*e + 3*b*f - 2*a*c*f)*(c + d*x) + a^3*f*(c + d*x)^2 - 3*a^2*b*(c + d*x)*(c*f - d*(2*e + f*x))*ArcCot[c + d*x] - 3*a^2*b*f*ArcTan[c + d*x] + 6*a*b^2*f*((c + d*x)*ArcCot[c + d*x] + ((1 + (c + d*x)^2)*ArcCot[c + d*x]^2)/2 - Log[1/((c + d*x)*Sqrt[1 + (c + d*x)^(-2)])]) + 3*a^2*b*(d*e - c*f)*Log[1 + (c + d*x)^2] + 6*a*b^2*d*e*(ArcCot[c + d*x]*((I + c + d*x)*ArcCot[c + d*x] - 2*Log[1 - E^((2*I)*ArcCot[c + d*x])]) + I*PolyLog[2, E^((2*I)*ArcCot[c + d*x])]) - 6*a*b^2*c*f*(ArcCot[c + d*x]*((I + c + d*x)*ArcCot[c + d*x] - 2*Log[1 - E^((2*I)*ArcCot[c + d*x])]) + I*PolyLog[2, E^((2*I)*ArcCot[c + d*x])]) + b^3*f*(3*(c + d*x)*ArcCot[c + d*x]^2 + (1 + (c + d*x)^2)*ArcCot[c + d*x]^3 - 6*ArcCot[c + d*x]*Log[1 - E^((2*I)*ArcCot[c + d*x])]) + (3*I)*(ArcCot[c + d*x]^2 + PolyLog[2, E^((2*I)*ArcCot[c + d*x])])) + 2*b^3*d*e*((I/8)*Pi^3 - I*ArcCot[c + d*x]^3 + (c + d*x)*ArcCot[c + d*x]^3 - 3*ArcCot[c + d*x]^2*Log[1 - E^((-2*I)*ArcCot[c + d*x])]) - (3*I)*ArcCot[c + d*x]*PolyLo

$$g[2, E^{((-2*I)*ArcCot[c + d*x])}] - (3*PolyLog[3, E^{((-2*I)*ArcCot[c + d*x])}]/2) - 2*b^3*c*f*((I/8)*Pi^3 - I*ArcCot[c + d*x]^3 + (c + d*x)*ArcCot[c + d*x]^3 - 3*ArcCot[c + d*x]^2*Log[1 - E^{((-2*I)*ArcCot[c + d*x])}] - (3*I)*ArcCot[c + d*x]*PolyLog[2, E^{((-2*I)*ArcCot[c + d*x])}] - (3*PolyLog[3, E^{((-2*I)*ArcCot[c + d*x])}]/2))/(2*d^2)$$

Maple [B] time = 0.517, size = 1570, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*(a+b*arccot(d*x+c))^3,x)

[Out] $6/d^2*b^3*c*f*polylog(3, (d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})+6/d^2*b^3*c*f*polylog(3, -(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})-3/d*b^3*e*arccot(d*x+c)^2*\ln(1+(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})-3/d*b^3*e*arccot(d*x+c)^2*\ln(1-(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})+1/d*arccot(d*x+c)^3*b^3*c*e^{-3/2}/d^2*a^2*b*f*arctan(d*x+c)+3*I/d^2*b^3*f*polylog(2, (d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})+3/2*I/d^2*b^3*f*arccot(d*x+c)^2+3*I/d^2*b^3*f*polylog(2, -(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})+3/2*a*b^2*arccot(d*x+c)^2*f*x^2+I/d*b^3*arccot(d*x+c)^3*e+3/2/d*a^2*b*\ln(1+(d*x+c)^2)*e+3/2/d^2*a*b^2*f*\ln(1+(d*x+c)^2)-3/2*I/d^2*a*b^2*\ln(d*x+c+I)*\ln(1+(d*x+c)^2)*c*f-3/2*I/d^2*a*b^2*\ln(d*x+c-I)*\ln(-1/2*I*(d*x+c+I))*c*f+3/2*I/d^2*a*b^2*\ln(d*x+c-I)*\ln(1+(d*x+c)^2)*c*f+3/2*I/d^2*a*b^2*\ln(d*x+c+I)*\ln(1/2*I*(d*x+c-I))*c*f-3/4*I/d*a*b^2*\ln(d*x+c+I)^2*e^{-3/2}/d*a*b^2*dilog(1/2*I*(d*x+c-I))*e+3/d*a*b^2*arccot(d*x+c)*f*x+3/d^2*a*b^2*arccot(d*x+c)*f*c+3/d*arccot(d*x+c)*a^2*b*c*e+3/d*arccot(d*x+c)^2*a*b^2*c*e^{-3/2}/d^2*a*b^2*arccot(d*x+c)^2*c^2*f-3/2/d^2*a^2*b*arccot(d*x+c)*c^2*f-3/2/d^2*a^2*b*\ln(1+(d*x+c)^2)*c*f+3/d^2*b^3*c*f*arccot(d*x+c)^2*\ln(1+(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})+3/d^2*b^3*c*f*arccot(d*x+c)^2*\ln(1-(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})-3/d^2*a*b^2*arctan(d*x+c)*arccot(d*x+c)*f+3/2/d^2*a^2*b*c*f+3/d*a*b^2*\ln(1+(d*x+c)^2)*arccot(d*x+c)*e+6*I/d*b^3*e*arccot(d*x+c)*polylog(2, -(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})+6*I/d*b^3*e*arccot(d*x+c)*polylog(2, (d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})-I/d^2*b^3*arccot(d*x+c)^3*c*f+3/4*I/d*a*b^2*\ln(d*x+c-I)^2*e+3/2*I/d*a*b^2*dilog(-1/2*I*(d*x+c+I))*e+1/2*a^3*x^2*f+a^3*x*e^{-3/2}/d^2*a*b^2*f*arctan(d*x+c)^2-3/d^2*b^3*f*arccot(d*x+c)*\ln(1-(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})-3/d^2*b^3*f*arccot(d*x+c)*\ln(1+(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})-1/2/d^2*b^3*arccot(d*x+c)^3*c^2*f+3/2/d*b^3*arccot(d*x+c)^2*f*x+3*arccot(d*x+c)*x*a^2*b*e+3*arccot(d*x+c)^2*x*a*b^2*e+3/2*a^2*b*arccot(d*x+c)*f*x^2+3/2*a^2*b/d*f*x+3/2*I/d*a*b^2*\ln(d*x+c-I)*\ln(-1/2*I*(d*x+c+I))*e^{-3/2}/d^2*a*b^2*\ln(1+(d*x+c)^2)*arccot(d*x+c)*c*f-6*I/d^2*b^3*c*f*arccot(d*x+c)*polylog(2, (d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})-6*I/d^2*b^3*c*f*arccot(d*x+c)*polylog(2, -(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})-3/4*I/d^2*a*b^2*\ln(d*x+c-I)^2*c*f-3/2*I/d^2*a*b^2*dilog(-1/2*I*(d*x+c+I))*c*f+3/4*I/d^2*a*b^2*\ln(d*x+c+I)^2*c*f+3/2*I/d^2*a*b^2*dilog(1/2*I*(d*x+c-I))*c*f-3/2*I/d*a*b^2*\ln(d*x+c-I)*\ln(1+(d*x+c)^2)*e^{-3/2}/d*a*b^2*\ln(d*x+c+I)*\ln(1/2*I*(d*x+c-I))*e+3/2*I/d*a*b^2*\ln(d*x+c+I)*\ln(1+(d*x+c)^2)*e^{-1/2}/d^2*a^3*f*c^2+1/d*a^3*c*e+1/2*b^3*arccot(d*x+c)^3*f*x^2+arccot(d*x+c)^3*x*b^3*e^{-6}/d*b^3*e*polylog(3, -(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})-6/d*b^3*e*polylog(3, (d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})+1/2/d^2*b^3*arccot(d*x+c)^3*f+3/2/d^2*b^3*arccot(d*x+c)^2*f*c$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(a+b*arccot(d*x+c))^3,x, algorithm="maxima")

[Out] $1/16*b^3*f*x^2*\arctan2(1, d*x + c)^3 + 1/8*b^3*e*x*\arctan2(1, d*x + c)^3 + 1/2*a^3*f*x^2 + 3/2*(x^2*\arccot(d*x + c) + d*(x/d^2 + (c^2 - 1)*\arctan((d^2*x + c*d)/d)/d^3 - c*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)/d^3))*a^2*b*f + a^3*e*x + 3/2*(2*(d*x + c)*\arccot(d*x + c) + \log((d*x + c)^2 + 1))*a^2*b*e/d - 3/64*(b^3*f*x^2*\arctan2(1, d*x + c) + 2*b^3*e*x*\arctan2(1, d*x + c))*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)^2 + \text{integrate}(1/64*(8*(7*b^3*\arctan2(1, d*x + c)^3 + 24*a*b^2*\arctan2(1, d*x + c)^2)*d^2*f*x^3 + 4*(2*(7*b^3*\arctan2(1, d*x + c)^3 + 24*a*b^2*\arctan2(1, d*x + c)^2)*d^2*e + (3*b^3*\arctan2(1, d*x + c)^2 + 4*(7*b^3*\arctan2(1, d*x + c)^3 + 24*a*b^2*\arctan2(1, d*x + c)^2)*c)*d*f)*x^2 + 3*(2*b^3*d^2*f*x^3*\arctan2(1, d*x + c) + (2*b^3*d^2*e*\arctan2(1, d*x + c) + (4*b^3*c*\arctan2(1, d*x + c) - b^3)*d*f)*x^2 + 2*(b^3*c^2*\arctan2(1, d*x + c) + b^3*\arctan2(1, d*x + c))*e + 2*((2*b^3*c*\arctan2(1, d*x + c) - b^3)*d*e + (b^3*c^2*\arctan2(1, d*x + c) + b^3*\arctan2(1, d*x + c))*f)*x)*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)^2 + 8*(7*b^3*\arctan2(1, d*x + c)^3 + 24*a*b^2*\arctan2(1, d*x + c)^2 + (7*b^3*\arctan2(1, d*x + c)^3 + 24*a*b^2*\arctan2(1, d*x + c)^2)*c^2)*e + 8*((3*b^3*\arctan2(1, d*x + c)^2 + 2*(7*b^3*\arctan2(1, d*x + c)^3 + 24*a*b^2*\arctan2(1, d*x + c)^2)*c)*d*e + (7*b^3*\arctan2(1, d*x + c)^3 + 24*a*b^2*\arctan2(1, d*x + c)^2 + (7*b^3*\arctan2(1, d*x + c)^3 + 24*a*b^2*\arctan2(1, d*x + c)^2)*c^2)*f)*x + 12*(b^3*d^2*f*x^3*\arctan2(1, d*x + c) + 2*b^3*c*d*e*x*\arctan2(1, d*x + c) + (2*b^3*d^2*e*\arctan2(1, d*x + c) + b^3*c*d*f*\arctan2(1, d*x + c))*x^2)*\log(d^2*x^2 + 2*c*d*x + c^2 + 1))/(d^2*x^2 + 2*c*d*x + c^2 + 1), x)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$\text{integral}(a^3fx + a^3e + (b^3fx + b^3e)\arccot(dx + c)^3 + 3(ab^2fx + ab^2e)\arccot(dx + c)^2 + 3(a^2bfx + a^2be)\arccot(dx + c), x)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(a+b*arccot(d*x+c))^3,x, algorithm="fricas")

[Out] $\text{integral}(a^3fx + a^3e + (b^3fx + b^3e)*\arccot(d*x + c)^3 + 3*(a*b^2*f*x + a*b^2*e)*\arccot(d*x + c)^2 + 3*(a^2*b*f*x + a^2*b*e)*\arccot(d*x + c), x)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{acot}(c + dx))^3 (e + fx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(a+b*acot(d*x+c))**3,x)

[Out] $\text{Integral}((a + b*\operatorname{acot}(c + d*x))**3*(e + f*x), x)$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (fx + e)(b \operatorname{arccot}(dx + c) + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*(a+b*arccot(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((f*x + e)*(b*arccot(d*x + c) + a)^3, x)
```

3.143 $\int (a + b \cot^{-1}(c + dx))^3 dx$

Optimal. Leaf size=143

$$\frac{3ib^2 \text{PolyLog}\left(2, 1 - \frac{2}{1+i(c+dx)}\right)(a + b \cot^{-1}(c + dx))}{d} - \frac{3b^3 \text{PolyLog}\left(3, 1 - \frac{2}{1+i(c+dx)}\right)}{2d} + \frac{(c + dx)(a + b \cot^{-1}(c + dx))^3}{d}$$

[Out] (I*(a + b*ArcCot[c + d*x])^3)/d + ((c + d*x)*(a + b*ArcCot[c + d*x])^3)/d - (3*b*(a + b*ArcCot[c + d*x])^2*Log[2/(1 + I*(c + d*x))])/d + ((3*I)*b^2*(a + b*ArcCot[c + d*x])*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/d - (3*b^3*PolyLog[3, 1 - 2/(1 + I*(c + d*x))])/(2*d)

Rubi [A] time = 0.216905, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 7, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {5040, 4847, 4921, 4855, 4885, 4995, 6610}

$$\frac{3ib^2 \text{PolyLog}\left(2, 1 - \frac{2}{1+i(c+dx)}\right)(a + b \cot^{-1}(c + dx))}{d} - \frac{3b^3 \text{PolyLog}\left(3, 1 - \frac{2}{1+i(c+dx)}\right)}{2d} + \frac{(c + dx)(a + b \cot^{-1}(c + dx))^3}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCot[c + d*x])^3, x]

[Out] (I*(a + b*ArcCot[c + d*x])^3)/d + ((c + d*x)*(a + b*ArcCot[c + d*x])^3)/d - (3*b*(a + b*ArcCot[c + d*x])^2*Log[2/(1 + I*(c + d*x))])/d + ((3*I)*b^2*(a + b*ArcCot[c + d*x])*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/d - (3*b^3*PolyLog[3, 1 - 2/(1 + I*(c + d*x))])/(2*d)

Rule 5040

Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_.)]*(b_.))^p], x_Symbol] := Dist[1/d, Subst[Int[(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[p, 0]

Rule 4847

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^p], x_Symbol] := Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 4921

Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^p)*(x_)/((d_) + (e_.)*(x_)^2), x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*e*(p + 1)), x] - Dist[1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]

Rule 4855

Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^p/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)/e, Int[(a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]]/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]

Rule 4885

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_.)^2), x_Symbol]
:> -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x]
&& EqQ[e, c^2*d] && NeQ[p, -1]
```

Rule 4995

```
Int[(Log[u_]*((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.))/((d_.) + (e_.)*(x_.)^2), x_Symbol]
:> -Simp[(I*(a + b*ArcCot[c*x])^p*PolyLog[2, 1 - u])/(2*c*d), x] - Dist[(b*p*I)/2, Int[((a + b*ArcCot[c*x])^(p - 1)*PolyLog[2, 1 - u])/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && EqQ[(1 - u)^2 - (1 - (2*I)/(I - c*x))^2, 0]
```

Rule 6610

```
Int[(u_)*PolyLog[n_, v_], x_Symbol] :> With[{w = DerivativeDivides[v, u*v, x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \cot^{-1}(c + dx))^3 dx &= \frac{\text{Subst}\left(\int (a + b \cot^{-1}(x))^3 dx, x, c + dx\right)}{d} \\ &= \frac{(c + dx)(a + b \cot^{-1}(c + dx))^3}{d} + \frac{(3b) \text{Subst}\left(\int \frac{x^{(a+b \cot^{-1}(x))^2}}{1+x^2} dx, x, c + dx\right)}{d} \\ &= \frac{i(a + b \cot^{-1}(c + dx))^3}{d} + \frac{(c + dx)(a + b \cot^{-1}(c + dx))^3}{d} - \frac{(3b) \text{Subst}\left(\int \frac{(a+b \cot^{-1}(x))^2}{i-x} dx\right)}{d} \\ &= \frac{i(a + b \cot^{-1}(c + dx))^3}{d} + \frac{(c + dx)(a + b \cot^{-1}(c + dx))^3}{d} - \frac{3b(a + b \cot^{-1}(c + dx))^2 \log}{d} \\ &= \frac{i(a + b \cot^{-1}(c + dx))^3}{d} + \frac{(c + dx)(a + b \cot^{-1}(c + dx))^3}{d} - \frac{3b(a + b \cot^{-1}(c + dx))^2 \log}{d} \\ &= \frac{i(a + b \cot^{-1}(c + dx))^3}{d} + \frac{(c + dx)(a + b \cot^{-1}(c + dx))^3}{d} - \frac{3b(a + b \cot^{-1}(c + dx))^2 \log}{d} \end{aligned}$$

Mathematica [A] time = 0.312413, size = 228, normalized size = 1.59

$$\frac{6ab^2 \left(i \text{PolyLog}\left(2, e^{2i \cot^{-1}(c+dx)}\right) + \cot^{-1}(c + dx) \left((c + dx + i) \cot^{-1}(c + dx) - 2 \log\left(1 - e^{2i \cot^{-1}(c+dx)}\right) \right) \right) + 2b^3 \left(-3i \cot^{-1}(c + dx) \right)}{d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*ArcCot[c + d*x])^3, x]
```

```
[Out] (2*a^3*(c + d*x) + 6*a^2*b*(c + d*x)*ArcCot[c + d*x] + 3*a^2*b*Log[1 + (c + d*x)^2] + 6*a*b^2*(ArcCot[c + d*x]*((I + c + d*x)*ArcCot[c + d*x] - 2*Log[1 - E^((2*I)*ArcCot[c + d*x])]) + I*PolyLog[2, E^((2*I)*ArcCot[c + d*x])]) + 2*b^3*((I/8)*Pi^3 - I*ArcCot[c + d*x]^3 + (c + d*x)*ArcCot[c + d*x]^3 - 3*ArcCot[c + d*x]^2*Log[1 - E^((-2*I)*ArcCot[c + d*x])] - (3*I)*ArcCot[c + d*x]*PolyLog[2, E^((-2*I)*ArcCot[c + d*x])] - (3*PolyLog[3, E^((-2*I)*ArcCot[c + d*x])])]/2))/(2*d)
```

Maple [B] time = 0.324, size = 507, normalized size = 3.6

$$xa^3 + \frac{a^3c}{d} + \frac{3i(\operatorname{arccot}(dx+c))^2 ab^2}{d} + (\operatorname{arccot}(dx+c))^3 xb^3 + \frac{(\operatorname{arccot}(dx+c))^3 b^3c}{d} - 3 \frac{(\operatorname{arccot}(dx+c))^2 b^3}{d} \ln \left(1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccot(d*x+c))^3,x)

[Out] $x*a^3+1/d*a^3*c+3*I/d*\operatorname{arccot}(d*x+c)^2*a*b^2+\operatorname{arccot}(d*x+c)^3*x*b^3+1/d*\operatorname{arccot}(d*x+c)^3*b^3*c-3/d*\operatorname{arccot}(d*x+c)^2*\ln(1-(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})*b^3-3/d*\operatorname{arccot}(d*x+c)^2*\ln(1+(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})*b^3+6*I/d*\operatorname{arccot}(d*x+c)*\operatorname{polylog}(2,-(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})*b^3+6*I/d*\operatorname{arccot}(d*x+c)*\operatorname{polylog}(2,(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})*b^3-6/d*\operatorname{polylog}(3,-(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})*b^3-6/d*\operatorname{polylog}(3,(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})*b^3+6*I/d*\operatorname{polylog}(2,(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})*a*b^2+3*\operatorname{arccot}(d*x+c)^2*x*a*b^2+3/d*\operatorname{arccot}(d*x+c)^2*a*b^2*c-6/d*\operatorname{arccot}(d*x+c)*\ln(1-(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})*a*b^2-6/d*\operatorname{arccot}(d*x+c)*\ln(1+(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})*a*b^2+I/d*\operatorname{arccot}(d*x+c)^3*b^3+6*I/d*\operatorname{polylog}(2,-(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)})*a*b^2+3*a*\operatorname{arccot}(d*x+c)*x*a^2*b+3/d*\operatorname{arccot}(d*x+c)*a^2*b*c+3/2/d*a^2*b*\ln(1+(d*x+c)^2)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{8} b^3 x \arctan(1, dx + c)^3 - \frac{3}{32} b^3 x \arctan(1, dx + c) \log(d^2 x^2 + 2 c dx + c^2 + 1)^2 + a^3 x + \frac{3(2(dx+c)\operatorname{arccot}(dx+c) + \log(d^2 x^2 + 2 c dx + c^2 + 1))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))^3,x, algorithm="maxima")

[Out] $1/8*b^3*x*\arctan2(1, d*x + c)^3 - 3/32*b^3*x*\arctan2(1, d*x + c)*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)^2 + a^3*x + 3/2*(2*(d*x + c)*\operatorname{arccot}(d*x + c) + \log((d*x + c)^2 + 1))*a^2*b/d + \operatorname{integrate}(1/32*(28*b^3*\arctan2(1, d*x + c)^3 + 4*(7*b^3*\arctan2(1, d*x + c)^3 + 24*a*b^2*\arctan2(1, d*x + c)^2)*d^2*x^2 + 9*6*a*b^2*\arctan2(1, d*x + c)^2 + 4*(7*b^3*\arctan2(1, d*x + c)^3 + 24*a*b^2*\arctan2(1, d*x + c)^2)*c^2 + 4*(3*b^3*\arctan2(1, d*x + c)^2 + 2*(7*b^3*\arctan2(1, d*x + c)^3 + 24*a*b^2*\arctan2(1, d*x + c)^2)*c)*d*x + 3*(b^3*d^2*x^2*\arctan2(1, d*x + c) + b^3*c^2*\arctan2(1, d*x + c) + b^3*\arctan2(1, d*x + c) + (2*b^3*c*\arctan2(1, d*x + c) - b^3)*d*x)*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)^2 + 12*(b^3*d^2*x^2*\arctan2(1, d*x + c) + b^3*c*d*x*\arctan2(1, d*x + c))*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)/(d^2*x^2 + 2*c*d*x + c^2 + 1), x)$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}(b^3 \operatorname{arccot}(dx+c)^3 + 3ab^2 \operatorname{arccot}(dx+c)^2 + 3a^2b \operatorname{arccot}(dx+c) + a^3, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))^3,x, algorithm="fricas")

[Out] `integral(b^3*arccot(d*x + c)^3 + 3*a*b^2*arccot(d*x + c)^2 + 3*a^2*b*arccot(d*x + c) + a^3, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \operatorname{arccot}(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*acot(d*x+c))**3,x)`

[Out] `Integral((a + b*acot(c + d*x))**3, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccot}(dx + c) + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*arccot(d*x+c))^3,x, algorithm="giac")`

[Out] `integrate((b*arccot(d*x + c) + a)^3, x)`

$$3.144 \quad \int \frac{(a+b \cot^{-1}(c+dx))^3}{e+fx} dx$$

Optimal. Leaf size=372

$$\frac{3b^2(a+b \cot^{-1}(c+dx)) \operatorname{PolyLog}\left(3, 1 - \frac{2d(e+fx)}{(1-i(c+dx))(-cf+de+if)}\right)}{2f} - \frac{3b^2 \operatorname{PolyLog}\left(3, 1 - \frac{2}{1-i(c+dx)}\right)(a+b \cot^{-1}(c+dx))}{2f}$$

```
[Out] -(((a + b*ArcCot[c + d*x])^3*Log[2/(1 - I*(c + d*x))])/f) + ((a + b*ArcCot[
c + d*x])^3*Log[(2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x))])/f -
(((3*I)/2)*b*(a + b*ArcCot[c + d*x])^2*PolyLog[2, 1 - 2/(1 - I*(c + d*x))
])/f + (((3*I)/2)*b*(a + b*ArcCot[c + d*x])^2*PolyLog[2, 1 - (2*d*(e + f*x)
)/((d*e + I*f - c*f)*(1 - I*(c + d*x))])/f - (3*b^2*(a + b*ArcCot[c + d*x]
)*PolyLog[3, 1 - 2/(1 - I*(c + d*x))])/(2*f) + (3*b^2*(a + b*ArcCot[c + d*x]
)*PolyLog[3, 1 - (2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x))])/
(2*f) + (((3*I)/4)*b^3*PolyLog[4, 1 - 2/(1 - I*(c + d*x))])/f - (((3*I)/4)*b^
3*PolyLog[4, 1 - (2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x))])/f
```

Rubi [A] time = 0.215706, antiderivative size = 372, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$, Rules used = {5048, 4861}

$$\frac{3b^2(a+b \cot^{-1}(c+dx)) \operatorname{PolyLog}\left(3, 1 - \frac{2d(e+fx)}{(1-i(c+dx))(-cf+de+if)}\right)}{2f} - \frac{3b^2 \operatorname{PolyLog}\left(3, 1 - \frac{2}{1-i(c+dx)}\right)(a+b \cot^{-1}(c+dx))}{2f}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcCot[c + d*x])^3/(e + f*x), x]
```

```
[Out] -(((a + b*ArcCot[c + d*x])^3*Log[2/(1 - I*(c + d*x))])/f) + ((a + b*ArcCot[
c + d*x])^3*Log[(2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x))])/f -
(((3*I)/2)*b*(a + b*ArcCot[c + d*x])^2*PolyLog[2, 1 - 2/(1 - I*(c + d*x))
])/f + (((3*I)/2)*b*(a + b*ArcCot[c + d*x])^2*PolyLog[2, 1 - (2*d*(e + f*x)
)/((d*e + I*f - c*f)*(1 - I*(c + d*x))])/f - (3*b^2*(a + b*ArcCot[c + d*x]
)*PolyLog[3, 1 - 2/(1 - I*(c + d*x))])/(2*f) + (3*b^2*(a + b*ArcCot[c + d*x]
)*PolyLog[3, 1 - (2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x))])/
(2*f) + (((3*I)/4)*b^3*PolyLog[4, 1 - 2/(1 - I*(c + d*x))])/f - (((3*I)/4)*b^
3*PolyLog[4, 1 - (2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x))])/f
```

Rule 5048

```
Int[((a_.) + ArcCot[(c_.) + (d_.)*(x_)])*(b_.))^p_.*((e_.) + (f_.)*(x_))^(m
_.), x_Symbol] := Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*Ar
cCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IG
tQ[p, 0]
```

Rule 4861

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^3/((d_.) + (e_.)*(x_)), x_Symbol] :=
-Simp[((a + b*ArcCot[c*x])^3*Log[2/(1 - I*c*x)])/e, x] + (Simp[((a + b*ArcC
ot[c*x])^3*Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/e, x] - Simp[(3*
I*b*(a + b*ArcCot[c*x])^2*PolyLog[2, 1 - 2/(1 - I*c*x)])/
(2*e), x] + Simp[(3*I*b*(a + b*ArcCot[c*x])^2*PolyLog[2, 1 - (2*c*(d + e*x)
)/((c*d + I*e)*(1 - I*c*x))])/
(2*e), x] - Simp[(3*b^2*(a + b*ArcCot[c*x])*PolyLog[3, 1 - 2/(1
- I*c*x)])/
(2*e), x] + Simp[(3*b^2*(a + b*ArcCot[c*x])*PolyLog[3, 1 - (2*c
```

$(d + ex)/((c*d + I*e)*(1 - I*c*x)))/(2*e), x] + \text{Simp}[(3*I*b^3*\text{PolyLog}[4, 1 - 2/(1 - I*c*x)])/(4*e), x] - \text{Simp}[(3*I*b^3*\text{PolyLog}[4, 1 - (2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/(4*e), x)] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{NeQ}[c^2*d^2 + e^2, 0]$

Rubi steps

$$\int \frac{(a + b \cot^{-1}(c + dx))^3}{e + fx} dx = \frac{\text{Subst}\left(\int \frac{(a+b \cot^{-1}(x))^3}{\frac{de-cf}{d} + \frac{fx}{d}} dx, x, c + dx\right)}{d} = -\frac{(a + b \cot^{-1}(c + dx))^3 \log\left(\frac{2}{1-i(c+dx)}\right)}{f} + \frac{(a + b \cot^{-1}(c + dx))^3 \log\left(\frac{2d(e+fx)}{(de+if-cf)(1-i(c+dx))}\right)}{f}$$

Mathematica [F] time = 55.631, size = 0, normalized size = 0.

$$\int \frac{(a + b \cot^{-1}(c + dx))^3}{e + fx} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCot[c + d*x])^3/(e + f*x), x]

[Out] Integrate[(a + b*ArcCot[c + d*x])^3/(e + f*x), x]

Maple [C] time = 0.865, size = 4521, normalized size = 12.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccot(d*x+c))^3/(f*x+e), x)

[Out] $a^3 \ln(f*(d*x+c)-c*f+d*e)/f + 3/4*b^3/(-I*f+c*f-d*e)*\text{polylog}(4, (d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2)) - 6*b^3/f*\text{arccot}(d*x+c)*\text{polylog}(3, -(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)}) + b^3/f*\text{arccot}(d*x+c)^3*\ln((d*x+c+I)^2/(1+(d*x+c)^2)-1) + b^3*\ln(f*(d*x+c)-c*f+d*e)/f*\text{arccot}(d*x+c)^3 - 6*I*b^3/f*\text{polylog}(4, (d*x+c+I)/(1+(d*x+c)^2)^{(1/2)}) - 6*I*b^3/f*\text{polylog}(4, -(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)}) - 6*a*b^2/f*\text{polylog}(3, (d*x+c+I)/(1+(d*x+c)^2)^{(1/2)}) - 6*a*b^2/f*\text{polylog}(3, -(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)}) - 3/2*b^3/(-I*f+c*f-d*e)*\text{arccot}(d*x+c)^2*\text{polylog}(2, (d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2)) - 6*b^3/f*\text{arccot}(d*x+c)*\text{polylog}(3, (d*x+c+I)/(1+(d*x+c)^2)^{(1/2)}) - b^3/f*\text{arccot}(d*x+c)^3*\ln(1+(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)}) - b^3/f*\text{arccot}(d*x+c)^3*\ln(1-(d*x+c+I)/(1+(d*x+c)^2)^{(1/2)}) - b^3/f*\text{arccot}(d*x+c)^3*\ln(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)+3*I*d*b^3/f*e*\text{arccot}(d*x+c)^2*\text{polylog}(2, (d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))/(-2*I*f+2*c*f-2*d*e)-3/2*I*a*b^2/f*Pi*\text{arccot}(d*x+c)^2*\text{csign}(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f))*\text{csign}(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)/((d*x+c+I)^2/(1+(d*x+c)^2)-1))^2-3/2*I*a*b^2/f*Pi*\text{arccot}(d*x+c)^2*\text{csign}(I/((d*x+c+I)^2/(1+(d*x+c)^2)-1))*\text{csign}(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)/((d*x+c+I)^2/(1+(d*x+c)^2)-1))$

$$\begin{aligned}
& + (d*x+c)^2-1))^2+1/2*I*b^3/f*Pi*arccot(d*x+c)^3*csgn(I/((d*x+c+I)^2/(1+(d*x+c)^2-1))) *csgn(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)) *csgn(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)/((d*x+c+I)^2/(1+(d*x+c)^2)-1))+3/2*a*b^2*c/(-I*f+c*f-d*e)*polylog(3,(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))+3*a*b^2*ln(f*(d*x+c)-c*f+d*e)/f*arccot(d*x+c)^2-3*a*b^2/f*arccot(d*x+c)^2*ln(1+(d*x+c+I)/(1+(d*x+c)^2)^(1/2))+3*I*b^3/f*arccot(d*x+c)^2*polylog(2,(d*x+c+I)/(1+(d*x+c)^2)^(1/2))+3*I*b^3/f*arccot(d*x+c)^2*polylog(2,-(d*x+c+I)/(1+(d*x+c)^2)^(1/2))-I*b^3/(-I*f+c*f-d*e)*arccot(d*x+c)^3*ln(1-(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))-3/2*I*b^3/(-I*f+c*f-d*e)*arccot(d*x+c)*polylog(3,(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))+3/2*I*a^2*b/f*dilog((I*f+f*(d*x+c))/(I*f+c*f-d*e))-3/2*I*a*b^2/(-I*f+c*f-d*e)*polylog(3,(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))-3/2*I*a^2*b/f*dilog((I*f-f*(d*x+c))/(d*e+I*f-c*f))-I*b^3/f*arccot(d*x+c)^3*Pi+3/4*I*b^3*c/(-I*f+c*f-d*e)*polylog(4,(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))-3*a*b^2/f*arccot(d*x+c)^2*ln(1-(d*x+c+I)/(1+(d*x+c)^2)^(1/2))+3*a*b^2/f*arccot(d*x+c)^2*ln((d*x+c+I)^2/(1+(d*x+c)^2)-1)-3*a*b^2/(-I*f+c*f-d*e)*arccot(d*x+c)*polylog(2,(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))-3*a*b^2/f*arccot(d*x+c)^2*ln(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)+3*a^2*b*ln(f*(d*x+c)-c*f+d*e)/f*arccot(d*x+c)+3/2*b^3*c/(-I*f+c*f-d*e)*arccot(d*x+c)*polylog(3,(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))-3*d*a*b^2/f*e/(-I*f+c*f-d*e)*arccot(d*x+c)^2*ln(1-(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))+b^3*c/(-I*f+c*f-d*e)*arccot(d*x+c)^3*ln(1-(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))+3*a*b^2*c/(-I*f+c*f-d*e)*arccot(d*x+c)^2*ln(1-(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))+I*b^3/f*Pi*arccot(d*x+c)^3*csgn(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)/((d*x+c+I)^2/(1+(d*x+c)^2)-1))^2-3/2*d*a*b^2/f*e/(-I*f+c*f-d*e)*polylog(3,(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))-3/2*d*b^3/f*e/(-I*f+c*f-d*e)*arccot(d*x+c)*polylog(3,(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))-d*b^3/f*e/(-I*f+c*f-d*e)*arccot(d*x+c)^3*ln(1-(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))+3*I*a*b^2/f*Pi*arccot(d*x+c)^2*csgn(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)/((d*x+c+I)^2/(1+(d*x+c)^2)-1))^2-1/2*I*b^3/f*Pi*arccot(d*x+c)^3*csgn(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)) *csgn(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)/((d*x+c+I)^2/(1+(d*x+c)^2)-1))^2-1/2*I*b^3/f*Pi*arccot(d*x+c)^3*csgn(I/((d*x+c+I)^2/(1+(d*x+c)^2)-1))) *csgn(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)/((d*x+c+I)^2/(1+(d*x+c)^2)-1))^2-3*I*a*b^2*c/(-I*f+c*f-d*e)*arccot(d*x+c)*polylog(2,(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))-3/2*I*a*b^2/f*Pi*arccot(d*x+c)^2*csgn(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)/((d*x+c+I)^2/(1+(d*x+c)^2)-1))^3-3*I*d*b^3/f*e*polylog(4,(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))/(-4*I*f+4*c*f-4*d*e)-3/2*I*a^2*b*ln(f*(d*x+c)-c*f+d*e)/f*ln((I*f-f*(d*x+c))/(d*e+I*f-c*f))+3/2*I*a^2*b*ln(f*(d*x+c)-c*f+d*e)/f*ln((I*f+f*(d*x+c))/(I*f+c*f-d*e))-3*I*a*b^2/f*Pi*arccot(d*x+c)^2+6*I*a*b^2/f*arccot(d*x+c)*polylog(2,-(d*x+c+I)/(1+(d*x+c)^2)^(1/2))+6*I*a*b^2/f*arccot(d*x+c)*polylog(2,(d*x+c+I)/(1+(d*x+c)^2)^(1/2))-3*I*a*b^2/(-I*f+c*f-d*e)*arccot(d*x+c)^2*ln(1-(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))-1/2*I*b^3/f*Pi*arccot(d*x+c)^3*csgn(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)/((d*x+c+I)^2/(1+(d*x+c)^2)-1))^3-3/2*I*b^3*c/(-I*f+c*f-d*e)*arccot(d*x+c)^2*polylog(2,(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))+3/2*I*a*b^2/f*Pi*arccot(d*x+c)^2*csgn(I/((d*x+c+I)^2/(1+(d*x+c)^2)-1))) *csgn(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)) *cs
\end{aligned}$$

gn(I*(c*f*(d*x+c+I)^2/(1+(d*x+c)^2)-d*e*(d*x+c+I)^2/(1+(d*x+c)^2)-c*f+d*e-I*(d*x+c+I)^2/(1+(d*x+c)^2)*f-I*f)/((d*x+c+I)^2/(1+(d*x+c)^2)-1))+6*I*d*a*b^2/f*e*arccot(d*x+c)*polylog(2,(d*e+I*f-c*f)/(-c*f+d*e-I*f)*(d*x+c+I)^2/(1+(d*x+c)^2))/(-2*I*f+2*c*f-2*d*e)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{a^3 \log(fx + e)}{f} + \int \frac{28b^3 \arctan(1, dx + c)^3 + 3b^3 \arctan(1, dx + c) \log(d^2x^2 + 2cdx + c^2 + 1)^2 + 96ab^2 \arctan(1, dx + c)}{32(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))^3/(f*x+e),x, algorithm="maxima")

[Out] a^3*log(f*x + e)/f + integrate(1/32*(28*b^3*arctan2(1, d*x + c)^3 + 3*b^3*arctan2(1, d*x + c)*log(d^2*x^2 + 2*c*d*x + c^2 + 1)^2 + 96*a*b^2*arctan2(1, d*x + c)^2 + 96*a^2*b*arctan2(1, d*x + c))/(f*x + e), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{b^3 \operatorname{arccot}(dx + c)^3 + 3ab^2 \operatorname{arccot}(dx + c)^2 + 3a^2b \operatorname{arccot}(dx + c) + a^3}{fx + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))^3/(f*x+e),x, algorithm="fricas")

[Out] integral((b^3*arccot(d*x + c)^3 + 3*a*b^2*arccot(d*x + c)^2 + 3*a^2*b*arccot(d*x + c) + a^3)/(f*x + e), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acot(d*x+c))^3/(f*x+e),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccot}(dx + c) + a)^3}{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))^3/(f*x+e),x, algorithm="giac")

[Out] integrate((b*arccot(d*x + c) + a)^3/(f*x + e), x)

$$3.145 \quad \int \frac{(a+b \cot^{-1}(c+dx))^3}{(e+fx)^2} dx$$

Optimal. Leaf size=1233

result too large to display

```
[Out] ((3*I)*a*b^2*d*ArcCot[c + d*x]^2)/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + (
3*a*b^2*d*(d*e - c*f)*ArcCot[c + d*x]^2)/(f*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)
)*f^2)) + (I*b^3*d*ArcCot[c + d*x]^3)/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)
+ (b^3*d*(d*e - c*f)*ArcCot[c + d*x]^3)/(f*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)
)*f^2)) - (a + b*ArcCot[c + d*x])^3/(f*(e + f*x)) - (3*a^2*b*d*(d*e - c*f)*
ArcTan[c + d*x])/(f*(f^2 + (d*e - c*f)^2)) - (3*a^2*b*d*Log[e + f*x])/(f^2
+ (d*e - c*f)^2) + (6*a*b^2*d*ArcCot[c + d*x]*Log[2/(1 - I*(c + d*x))])/(d^
2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + (3*b^3*d*ArcCot[c + d*x]^2*Log[2/(1 -
I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) - (6*a*b^2*d*ArcCot[c
+ d*x]*Log[(2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x)))])/(d^2*e^2
- 2*c*d*e*f + (1 + c^2)*f^2) - (3*b^3*d*ArcCot[c + d*x]^2*Log[(2*d*(e + f*
x))/((d*e + I*f - c*f)*(1 - I*(c + d*x)))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)
)*f^2) - (6*a*b^2*d*ArcCot[c + d*x]*Log[2/(1 + I*(c + d*x))])/(d^2*e^2 - 2*
c*d*e*f + (1 + c^2)*f^2) - (3*b^3*d*ArcCot[c + d*x]^2*Log[2/(1 + I*(c + d*x)
))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + (3*a^2*b*d*Log[1 + (c + d*x)^2
])/(2*(f^2 + (d*e - c*f)^2)) + ((3*I)*a*b^2*d*PolyLog[2, 1 - 2/(1 - I*(c +
d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + ((3*I)*b^3*d*ArcCot[c + d*x
]*PolyLog[2, 1 - 2/(1 - I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2
) - ((3*I)*a*b^2*d*PolyLog[2, 1 - (2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I
*(c + d*x)))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) - ((3*I)*b^3*d*ArcCot[
c + d*x]*PolyLog[2, 1 - (2*d*(e + f*x))/((d*e + I*f - c*f)*(1 - I*(c + d*x)
))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + ((3*I)*a*b^2*d*PolyLog[2, 1 -
2/(1 + I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + ((3*I)*b^3*d*
ArcCot[c + d*x]*PolyLog[2, 1 - 2/(1 + I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f +
(1 + c^2)*f^2) + (3*b^3*d*PolyLog[3, 1 - 2/(1 - I*(c + d*x))])/(2*(d^2*e^2
- 2*c*d*e*f + (1 + c^2)*f^2)) - (3*b^3*d*PolyLog[3, 1 - (2*d*(e + f*x))/((
d*e + I*f - c*f)*(1 - I*(c + d*x)))])/(2*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f
^2)) - (3*b^3*d*PolyLog[3, 1 - 2/(1 + I*(c + d*x))])/(2*(d^2*e^2 - 2*c*d*e*
f + (1 + c^2)*f^2))
```

Rubi [A] time = 2.25367, antiderivative size = 1233, normalized size of antiderivative = 1., number of steps used = 35, number of rules used = 22, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 1.1$, Rules used = {5046, 6741, 5058, 6688, 12, 6725, 706, 31, 635, 203, 260, 4857, 2402, 2315, 2447, 4985, 4885, 4921, 4855, 4859, 4995, 6610}

$$\frac{id \cot^{-1}(c+dx)^3 b^3}{d^2 e^2 - 2cdfe + (c^2 + 1)f^2} + \frac{d(de - cf) \cot^{-1}(c+dx)^3 b^3}{f(d^2 e^2 - 2cdfe + (c^2 + 1)f^2)} + \frac{3d \cot^{-1}(c+dx)^2 \log\left(\frac{2}{1-i(c+dx)}\right) b^3}{d^2 e^2 - 2cdfe + (c^2 + 1)f^2} - \frac{3d \cot^{-1}(c+dx)}{d^2 e^2 - 2cdfe + (c^2 + 1)f^2}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcCot[c + d*x])^3/(e + f*x)^2,x]
```

```
[Out] ((3*I)*a*b^2*d*ArcCot[c + d*x]^2)/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + (
3*a*b^2*d*(d*e - c*f)*ArcCot[c + d*x]^2)/(f*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)
)*f^2)) + (I*b^3*d*ArcCot[c + d*x]^3)/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)
+ (b^3*d*(d*e - c*f)*ArcCot[c + d*x]^3)/(f*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)
)*f^2)) - (a + b*ArcCot[c + d*x])^3/(f*(e + f*x)) - (3*a^2*b*d*(d*e - c*f)*
ArcTan[c + d*x])/(f*(f^2 + (d*e - c*f)^2)) - (3*a^2*b*d*Log[e + f*x])/(f^2
```

$$\begin{aligned}
& + (d*e - c*f)^2 + (6*a*b^2*d*\text{ArcCot}[c + d*x]*\text{Log}[2/(1 - I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + (3*b^3*d*\text{ArcCot}[c + d*x]^2*\text{Log}[2/(1 - I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) - (6*a*b^2*d*\text{ArcCot}[c + d*x]*\text{Log}[(2*d*(e + f*x))/((d*e + (I - c)*f)*(1 - I*(c + d*x)))]/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) - (3*b^3*d*\text{ArcCot}[c + d*x]^2*\text{Log}[(2*d*(e + f*x))/((d*e + (I - c)*f)*(1 - I*(c + d*x)))]/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) - (6*a*b^2*d*\text{ArcCot}[c + d*x]*\text{Log}[2/(1 + I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) - (3*b^3*d*\text{ArcCot}[c + d*x]^2*\text{Log}[2/(1 + I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + (3*a^2*b*d*\text{Log}[1 + (c + d*x)^2])/(2*(f^2 + (d*e - c*f)^2)) + ((3*I)*a*b^2*d*\text{PolyLog}[2, 1 - 2/(1 - I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + ((3*I)*b^3*d*\text{ArcCot}[c + d*x]*\text{PolyLog}[2, 1 - 2/(1 - I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) - ((3*I)*a*b^2*d*\text{PolyLog}[2, 1 - (2*d*(e + f*x))/((d*e + (I - c)*f)*(1 - I*(c + d*x)))]/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) - ((3*I)*b^3*d*\text{ArcCot}[c + d*x]*\text{PolyLog}[2, 1 - (2*d*(e + f*x))/((d*e + (I - c)*f)*(1 - I*(c + d*x)))]/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + ((3*I)*a*b^2*d*\text{PolyLog}[2, 1 - 2/(1 + I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + ((3*I)*b^3*d*\text{ArcCot}[c + d*x]*\text{PolyLog}[2, 1 - 2/(1 + I*(c + d*x))])/(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2) + (3*b^3*d*\text{PolyLog}[3, 1 - 2/(1 - I*(c + d*x))])/(2*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)) - (3*b^3*d*\text{PolyLog}[3, 1 - (2*d*(e + f*x))/((d*e + (I - c)*f)*(1 - I*(c + d*x)))]/(2*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2)) - (3*b^3*d*\text{PolyLog}[3, 1 - 2/(1 + I*(c + d*x))])/(2*(d^2*e^2 - 2*c*d*e*f + (1 + c^2)*f^2))
\end{aligned}$$

Rule 5046

```

Int[((a_.) + ArcCot[(c_) + (d_.)*(x_)]*(b_.))^ (p_.)*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[((e + f*x)^(m + 1)*(a + b*ArcCot[c + d*x])^p)/(f*(m + 1)), x] + Dist[(b*d*p)/(f*(m + 1)), Int[((e + f*x)^(m + 1)*(a + b*ArcCot[c + d*x])^(p - 1))/(1 + (c + d*x)^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[m, -1]

```

Rule 6741

```

Int[u_, x_Symbol] := With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v != u]

```

Rule 5058

```

Int[((a_.) + ArcCot[(c_) + (d_.)*(x_)]*(b_.))^ (p_.)*((e_.) + (f_.)*(x_))^(m_.)*((A_.) + (B_.)*(x_) + (C_.)*(x_)^2)^(q_.), x_Symbol] := Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(C/d^2 + (C*x^2)/d^2)^q*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, p, q}, x] && EqQ[B*(1 + c^2) - 2*A*c*d, 0] && EqQ[2*c*C - B*d, 0]

```

Rule 6688

```

Int[u_, x_Symbol] := With[{v = SimplifyIntegrand[u, x]}, Int[v, x] /; SimplifierIntegrandQ[v, u, x]]

```

Rule 12

```

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

```

Rule 6725

```

Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ

```

[n, 0]

Rule 706

Int[1/(((d_) + (e_)*(x_))*((a_) + (c_)*(x_)^2)), x_Symbol] := Dist[e^2/(c*d^2 + a*e^2), Int[1/(d + e*x), x], x] + Dist[1/(c*d^2 + a*e^2), Int[(c*d - c*e*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0]

Rule 31

Int[((a_) + (b_)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 635

Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 203

Int[((a_) + (b_)*(x_)^2)^-1, x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 4857

Int[((a_) + ArcCot[(c_)*(x_)])*(b_)/((d_) + (e_)*(x_)), x_Symbol] := -Simp[((a + b*ArcCot[c*x])*Log[2/(1 - I*c*x)])/e, x] + (-Dist[(b*c)/e, Int[Log[2/(1 - I*c*x)]/(1 + c^2*x^2), x], x] + Dist[(b*c)/e, Int[Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))]/(1 + c^2*x^2), x], x] + Simp[((a + b*ArcCot[c*x])*Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/e, x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 + e^2, 0]

Rule 2402

Int[Log[(c_)/((d_) + (e_)*(x_))]/((f_) + (g_)*(x_)^2), x_Symbol] := -Dist[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]

Rule 2315

Int[Log[(c_)*(x_)/((d_) + (e_)*(x_))], x_Symbol] := -Simp[PolyLog[2, 1 - c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

Rule 2447

Int[Log[u]*(Pq_)^(m_), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]

Rule 4985

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)*((f_.) + (g_.)*(x_.)^(m_.))/((d_.) + (e_.)*(x_.)^2), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcCot[c*x])^p/(d + e*x^2), (f + g*x)^m, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && IGtQ[m, 0]
```

Rule 4885

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_.)^2), x_Symbol] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]
```

Rule 4921

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)*(x_.)/((d_.) + (e_.)*(x_.)^2), x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^(p + 1))/(b*e*(p + 1)), x] - Dist[1/(c*d), Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]
```

Rule 4855

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_.)), x_Symbol] := -Simp[((a + b*ArcCot[c*x])^p*Log[2/(1 + (e*x)/d)])/e, x] - Dist[(b*c*p)/e, Int[(a + b*ArcCot[c*x])^(p - 1)*Log[2/(1 + (e*x)/d)]/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0]
```

Rule 4859

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^2/((d_.) + (e_.)*(x_.)), x_Symbol] := -Simp[((a + b*ArcCot[c*x])^2*Log[2/(1 - I*c*x)])/e, x] + (Simp[(a + b*ArcCot[c*x])^2*Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/e, x] - Simp[(I*b*(a + b*ArcCot[c*x])*PolyLog[2, 1 - 2/(1 - I*c*x)])/e, x] + Simp[(I*b*(a + b*ArcCot[c*x])*PolyLog[2, 1 - (2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/e, x] - Simp[(b^2*PolyLog[3, 1 - 2/(1 - I*c*x)]/(2*e), x] + Simp[(b^2*PolyLog[3, 1 - (2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))]/(2*e), x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 + e^2, 0]
```

Rule 4995

```
Int[(Log[u]*((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.))/((d_.) + (e_.)*(x_.)^2), x_Symbol] := -Simp[(I*(a + b*ArcCot[c*x])^p*PolyLog[2, 1 - u]/(2*c*d), x] - Dist[(b*p*I)/2, Int[(a + b*ArcCot[c*x])^(p - 1)*PolyLog[2, 1 - u]/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && EqQ[(1 - u)^2 - (1 - (2*I)/(I - c*x))^2, 0]
```

Rule 6610

```
Int[(u)*PolyLog[n, v], x_Symbol] := With[{w = DerivativeDivides[v, u*v, x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w] /; FreeQ[n, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cot^{-1}(c + dx))^3}{(e + fx)^2} dx &= -\frac{(a + b \cot^{-1}(c + dx))^3}{f(e + fx)} - \frac{(3bd) \int \frac{(a + b \cot^{-1}(c + dx))^2}{(e + fx)(1 + (c + dx)^2)} dx}{f} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^3}{f(e + fx)} - \frac{(3bd) \int \frac{(a + b \cot^{-1}(c + dx))^2}{(e + fx)(1 + c^2 + 2cdx + d^2x^2)} dx}{f} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^3}{f(e + fx)} - \frac{(3b) \text{Subst} \left(\int \frac{(a + b \cot^{-1}(x))^2}{\left(\frac{de - cf}{d} + \frac{fx}{d}\right)(1 + x^2)} dx, x, c + dx \right)}{f} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^3}{f(e + fx)} - \frac{(3b) \text{Subst} \left(\int \frac{d(a + b \cot^{-1}(x))^2}{(de - cf + fx)(1 + x^2)} dx, x, c + dx \right)}{f} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^3}{f(e + fx)} - \frac{(3bd) \text{Subst} \left(\int \frac{(a + b \cot^{-1}(x))^2}{(de - cf + fx)(1 + x^2)} dx, x, c + dx \right)}{f} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^3}{f(e + fx)} - \frac{(3bd) \text{Subst} \left(\int \left(\frac{a^2}{(de - cf + fx)(1 + x^2)} + \frac{2ab \cot^{-1}(x)}{(de - cf + fx)(1 + x^2)} + \frac{b^2 \cot^2(x)}{(de - cf + fx)(1 + x^2)} \right) dx, x, c + dx \right)}{f} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^3}{f(e + fx)} - \frac{(3a^2bd) \text{Subst} \left(\int \frac{1}{(de - cf + fx)(1 + x^2)} dx, x, c + dx \right)}{f} - \frac{(6ab^2d) \text{Subst} \left(\int \frac{\cot^{-1}(x)}{(de - cf + fx)(1 + x^2)} dx, x, c + dx \right)}{f} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^3}{f(e + fx)} - \frac{(6ab^2d) \text{Subst} \left(\int \left(\frac{f^2 \cot^{-1}(x)}{(d^2e^2 - 2cdef + (1 + c^2)f^2)(de - cf + fx)} + \frac{(de - cf) \cot^2(x)}{(d^2e^2 - 2cdef + (1 + c^2)f^2)} \right) dx, x, c + dx \right)}{f} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^3}{f(e + fx)} - \frac{3a^2bd \log(e + fx)}{f^2 + (de - cf)^2} - \frac{(6ab^2d) \text{Subst} \left(\int \frac{(de - cf - fx) \cot^{-1}(x)}{1 + x^2} dx, x, c + dx \right)}{f(d^2e^2 - 2cdef + (1 + c^2)f^2)} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^3}{f(e + fx)} - \frac{3a^2bd(de - cf) \tan^{-1}(c + dx)}{f(f^2 + (de - cf)^2)} - \frac{3a^2bd \log(e + fx)}{f^2 + (de - cf)^2} + \frac{6ab^2d}{d^2} \\
&= -\frac{(a + b \cot^{-1}(c + dx))^3}{f(e + fx)} - \frac{3a^2bd(de - cf) \tan^{-1}(c + dx)}{f(f^2 + (de - cf)^2)} - \frac{3a^2bd \log(e + fx)}{f^2 + (de - cf)^2} + \frac{6ab^2d}{d^2} \\
&= \frac{3iab^2d \cot^{-1}(c + dx)^2}{d^2e^2 - 2cdef + (1 + c^2)f^2} + \frac{3ab^2d(de - cf) \cot^{-1}(c + dx)^2}{f(d^2e^2 - 2cdef + (1 + c^2)f^2)} + \frac{ib^3d \cot^{-1}(c + dx)^3}{d^2e^2 - 2cdef + (1 + c^2)f^2} \\
&= \frac{3iab^2d \cot^{-1}(c + dx)^2}{d^2e^2 - 2cdef + (1 + c^2)f^2} + \frac{3ab^2d(de - cf) \cot^{-1}(c + dx)^2}{f(d^2e^2 - 2cdef + (1 + c^2)f^2)} + \frac{ib^3d \cot^{-1}(c + dx)^3}{d^2e^2 - 2cdef + (1 + c^2)f^2} \\
&= \frac{3iab^2d \cot^{-1}(c + dx)^2}{d^2e^2 - 2cdef + (1 + c^2)f^2} + \frac{3ab^2d(de - cf) \cot^{-1}(c + dx)^2}{f(d^2e^2 - 2cdef + (1 + c^2)f^2)} + \frac{ib^3d \cot^{-1}(c + dx)^3}{d^2e^2 - 2cdef + (1 + c^2)f^2} \\
&= \frac{3iab^2d \cot^{-1}(c + dx)^2}{d^2e^2 - 2cdef + (1 + c^2)f^2} + \frac{3ab^2d(de - cf) \cot^{-1}(c + dx)^2}{f(d^2e^2 - 2cdef + (1 + c^2)f^2)} + \frac{ib^3d \cot^{-1}(c + dx)^3}{d^2e^2 - 2cdef + (1 + c^2)f^2}
\end{aligned}$$

Mathematica [F] time = 60.4162, size = 0, normalized size = 0.

$$\int \frac{(a + b \cot^{-1}(c + dx))^3}{(e + fx)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCot[c + d*x])^3/(e + f*x)^2,x]

[Out] Integrate[(a + b*ArcCot[c + d*x])^3/(e + f*x)^2, x]

Maple [A] time = 0.522, size = 1579, normalized size = 1.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccot(d*x+c))^3/(f*x+e)^2,x)

[Out]
$$\begin{aligned} & \frac{3}{2} d^2 a^2 b / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \ln(1 + (d x + c)^2) - 6 d^2 a^2 b^2 \operatorname{arccot}(d x + c) / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \ln(f * (d x + c) - c f + d e) - 3 d^2 a^2 b / (d f x + d e) / f \operatorname{arccot}(d x + c) - 3 d^2 a^2 b^2 / (d f x + d e) / f \operatorname{arccot}(d x + c)^2 + 2 I d^2 b^3 / (-I f + c f - d e) / (I f + c f - d e) \operatorname{arccot}(d x + c)^3 + 3 / 4 I d^2 a^2 b^2 / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \ln(d x + c - I)^2 + 3 / 2 I d^2 a^2 b^2 / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \operatorname{dilog}(-1 / 2 I * (d x + c + I)) - 3 I d^2 a^2 b^2 / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \operatorname{dilog}((I f + f * (d x + c)) / (I f + c f - d e)) + 3 I d^2 a^2 b^2 / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \operatorname{dilog}((I f - f * (d x + c)) / (d e + I f - c f)) + 3 d^2 a^2 b^2 / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \operatorname{arctan}(d x + c)^2 c + 3 d^2 a^2 b / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \operatorname{arctan}(d x + c) * c - 3 d^2 b^3 / (-I f + c f - d e) / (I f + c f - d e) \operatorname{arccot}(d x + c)^2 \ln(1 - (-I f + c f - d e) * (d x + c + I)^2 / (1 + (d x + c)^2) / (I f + c f - d e)) + 3 d^2 a^2 b^2 \operatorname{arccot}(d x + c) / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \ln(1 + (d x + c)^2) - 3 / 2 I d^2 a^2 b^2 / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \operatorname{dilog}(1 / 2 I * (d x + c - I)) - 3 / 4 I d^2 a^2 b^2 / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \ln(d x + c + I)^2 - 3 d^2 a^2 b / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \ln(f * (d x + c) - c f + d e) - d^2 b^3 / f \operatorname{arccot}(d x + c)^3 / (-I f + c f - d e) - 3 / 2 d^2 b^3 / (-I f + c f - d e) / (I f + c f - d e) \operatorname{polylog}(3, (-I f + c f - d e) * (d x + c + I)^2 / (1 + (d x + c)^2) / (I f + c f - d e)) - d^2 b^3 / (d f x + d e) / f \operatorname{arccot}(d x + c)^3 - 6 d^2 a^2 b^2 / f \operatorname{arccot}(d x + c) / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \operatorname{arctan}(d x + c) * e - d^2 a^3 / (d f x + d e) / f - 3 d^2 a^2 b^2 / f / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \operatorname{arctan}(d x + c)^2 * e - 3 d^2 a^2 b / f / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \operatorname{arctan}(d x + c) * e + 6 d^2 a^2 b^2 \operatorname{arccot}(d x + c) / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \operatorname{arctan}(d x + c) * c - 3 I d^2 a^2 b^2 / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \ln(f * (d x + c) - c f + d e) \ln((I f + f * (d x + c)) / (I f + c f - d e)) - 3 / 2 I d^2 a^2 b^2 / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \ln(d x + c + I) \ln(1 / 2 I * (d x + c - I)) + 3 / 2 I d^2 a^2 b^2 / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \ln(d x + c - I) \ln(-1 / 2 I * (d x + c + I)) - 3 / 2 I d^2 a^2 b^2 / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \ln(d x + c - I) \ln(1 + (d x + c)^2) + 3 / 2 I d^2 a^2 b^2 / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \ln(1 + (d x + c)^2) \ln(d x + c + I) + 3 I d^2 b^3 / (-I f + c f - d e) / (I f + c f - d e) \operatorname{arccot}(d x + c) \operatorname{polylog}(2, (-I f + c f - d e) * (d x + c + I)^2 / (1 + (d x + c)^2) / (I f + c f - d e)) + 3 I d^2 a^2 b^2 / (c^2 f^2 - 2 c d e f + d^2 e^2 + f^2) \ln(f * (d x + c) - c f + d e) \ln((I f - f * (d x + c)) / (d e + I f - c f)) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))^3/(f*x+e)^2,x, algorithm="maxima")

[Out]
$$-3/2*(d*(2*(d^2*e - c*d*f)*\arctan((d^2*x + c*d)/d)/((d^2*e^2*f - 2*c*d*e*f^2 + (c^2 + 1)*f^3)*d) - \log(d^2*x^2 + 2*c*d*x + c^2 + 1)/(d^2*e^2 - 2*c*d*e*f + (c^2 + 1)*f^2) + 2*\log(f*x + e)/(d^2*e^2 - 2*c*d*e*f + (c^2 + 1)*f^2)) + 2*\arccot(d*x + c)/(f^2*x + e*f))*a^2*b - a^3/(f^2*x + e*f) - 1/32*(4*b^3*\arctan2(1, d*x + c)^3 - 3*b^3*\arctan2(1, d*x + c)*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)^2 - 32*(f^2*x + e*f)*\integrate(-1/32*(12*b^3*d*e*\arctan2(1, d*x + c)^2 - 4*(7*b^3*\arctan2(1, d*x + c)^3 + 24*a*b^2*\arctan2(1, d*x + c)^2)*d^2*f*x^2 + 4*(3*b^3*\arctan2(1, d*x + c)^2 - 2*(7*b^3*\arctan2(1, d*x + c)^3 + 24*a*b^2*\arctan2(1, d*x + c)^2)*c)*d*f*x - 3*(b^3*d^2*f*x^2*\arctan2(1, d*x + c) + b^3*d*e + (2*b^3*c*\arctan2(1, d*x + c) + b^3)*d*f*x + (b^3*c^2*\arctan2(1, d*x + c) + b^3*\arctan2(1, d*x + c))*f)*\log(d^2*x^2 + 2*c*d*x + c^2 + 1)^2 - 4*(7*b^3*\arctan2(1, d*x + c)^3 + 24*a*b^2*\arctan2(1, d*x + c)^2 + (7*b^3*\arctan2(1, d*x + c)^3 + 24*a*b^2*\arctan2(1, d*x + c)^2)*c^2)*f + 12*(b^3*d^2*f*x^2*\arctan2(1, d*x + c) + b^3*c*d*e*\arctan2(1, d*x + c) + (b^3*d^2*e*\arctan2(1, d*x + c) + b^3*c*d*f*\arctan2(1, d*x + c))*x)*\log(d^2*x^2 + 2*c*d*x + c^2 + 1))/(d^2*f^3*x^4 + (c^2 + 1)*e^2*f + 2*(d^2*e*f^2 + c*d*f^3)*x^3 + (d^2*e^2*f + 4*c*d*e*f^2 + (c^2 + 1)*f^3)*x^2 + 2*(c*d*e^2*f + (c^2 + 1)*e*f^2)*x), x)/(f^2*x + e*f)$$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\int \left(\frac{b^3 \operatorname{arccot}(dx + c)^3 + 3ab^2 \operatorname{arccot}(dx + c)^2 + 3a^2b \operatorname{arccot}(dx + c) + a^3}{f^2x^2 + 2efx + e^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))^3/(f*x+e)^2,x, algorithm="fricas")

[Out]
$$\int (b^3 \operatorname{arccot}(dx + c)^3 + 3a^2b \operatorname{arccot}(dx + c)^2 + 3a^2b \operatorname{arccot}(dx + c) + a^3) / (f^2x^2 + 2e^2fx + e^2), x$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acot(d*x+c))**3/(f*x+e)**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccot}(dx + c) + a)^3}{(fx + e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(d*x+c))^3/(f*x+e)^2,x, algorithm="giac")

```
[Out] integrate((b*arccot(d*x + c) + a)^3/(f*x + e)^2, x)
```

3.146 $\int (e + fx)^m (a + b \cot^{-1}(c + dx)) dx$

Optimal. Leaf size=177

$$\frac{(e + fx)^{m+1} (a + b \cot^{-1}(c + dx))}{f(m+1)} + \frac{ibd(e + fx)^{m+2} {}_2F_1\left(1, m+2; m+3; \frac{d(e+fx)}{de-cf+if}\right)}{2f(m+1)(m+2)(de + (-c + i)f)} - \frac{ibd(e + fx)^{m+2} {}_2F_1\left(1, m+2; m+3; \frac{d(e+fx)}{de-cf+if}\right)}{2f(m+1)(m+2)(de - (c + i)f)}$$

[Out] $((e + f*x)^{(1 + m)*(a + b*ArcCot[c + d*x])})/(f*(1 + m)) + ((I/2)*b*d*(e + f*x)^{(2 + m)*Hypergeometric2F1[1, 2 + m, 3 + m, (d*(e + f*x))/(d*e + I*f - c*f)]})/(f*(d*e + (I - c)*f)*(1 + m)*(2 + m)) - ((I/2)*b*d*(e + f*x)^{(2 + m)*Hypergeometric2F1[1, 2 + m, 3 + m, (d*(e + f*x))/(d*e - (I + c)*f)]})/(f*(d*e - (I + c)*f)*(1 + m)*(2 + m))$

Rubi [A] time = 0.243636, antiderivative size = 177, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {5048, 4863, 712, 68}

$$\frac{(e + fx)^{m+1} (a + b \cot^{-1}(c + dx))}{f(m+1)} + \frac{ibd(e + fx)^{m+2} {}_2F_1\left(1, m+2; m+3; \frac{d(e+fx)}{de-cf+if}\right)}{2f(m+1)(m+2)(de + (-c + i)f)} - \frac{ibd(e + fx)^{m+2} {}_2F_1\left(1, m+2; m+3; \frac{d(e+fx)}{de-cf+if}\right)}{2f(m+1)(m+2)(de - (c + i)f)}$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)^m*(a + b*ArcCot[c + d*x]),x]

[Out] $((e + f*x)^{(1 + m)*(a + b*ArcCot[c + d*x])})/(f*(1 + m)) + ((I/2)*b*d*(e + f*x)^{(2 + m)*Hypergeometric2F1[1, 2 + m, 3 + m, (d*(e + f*x))/(d*e + I*f - c*f)]})/(f*(d*e + (I - c)*f)*(1 + m)*(2 + m)) - ((I/2)*b*d*(e + f*x)^{(2 + m)*Hypergeometric2F1[1, 2 + m, 3 + m, (d*(e + f*x))/(d*e - (I + c)*f)]})/(f*(d*e - (I + c)*f)*(1 + m)*(2 + m))$

Rule 5048

Int[((a_) + ArcCot[(c_) + (d_)*(x_)])*(b_)^(p_)*((e_) + (f_)*(x_))^(m_), x_Symbol] := Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IGtQ[p, 0]

Rule 4863

Int[((a_) + ArcCot[(c_)*(x_)])*(b_)*((d_) + (e_)*(x_))^(q_), x_Symbol] := Simp[((d + e*x)^(q + 1)*(a + b*ArcCot[c*x]))/(e*(q + 1)), x] + Dist[(b*c)/(e*(q + 1)), Int[(d + e*x)^(q + 1)/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[q, -1]

Rule 712

Int[((d_) + (e_)*(x_))^(m_)/((a_) + (c_)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m, 1/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] && !IntegerQ[m]

Rule 68

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -(d*(a + b*x))/(b*c - a*d)])/(b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x]

$\&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rubi steps

$$\begin{aligned} \int (e + fx)^m (a + b \cot^{-1}(c + dx)) dx &= \frac{\text{Subst}\left(\int \left(\frac{de-cf}{d} + \frac{fx}{d}\right)^m (a + b \cot^{-1}(x)) dx, x, c + dx\right)}{d} \\ &= \frac{(e + fx)^{1+m} (a + b \cot^{-1}(c + dx))}{f(1+m)} + \frac{b \text{Subst}\left(\int \frac{\left(\frac{de-cf}{d} + \frac{fx}{d}\right)^{1+m}}{1+x^2} dx, x, c + dx\right)}{f(1+m)} \\ &= \frac{(e + fx)^{1+m} (a + b \cot^{-1}(c + dx))}{f(1+m)} + \frac{b \text{Subst}\left(\int \left(\frac{i\left(\frac{de-cf}{d} + \frac{fx}{d}\right)^{1+m}}{2(i-x)} + \frac{i\left(\frac{de-cf}{d} + \frac{fx}{d}\right)^{1+m}}{2(i+x)}\right) dx, x, c + dx\right)}{f(1+m)} \\ &= \frac{(e + fx)^{1+m} (a + b \cot^{-1}(c + dx))}{f(1+m)} + \frac{(ib) \text{Subst}\left(\int \frac{\left(\frac{de-cf}{d} + \frac{fx}{d}\right)^{1+m}}{i-x} dx, x, c + dx\right)}{2f(1+m)} + \dots \\ &= \frac{(e + fx)^{1+m} (a + b \cot^{-1}(c + dx))}{f(1+m)} + \frac{ibd(e + fx)^{2+m} {}_2F_1\left(1, 2 + m; 3 + m; \frac{d(e+fx)}{de+if-cf}\right)}{2f(de + (i - c)f)(1 + m)(2 + m)} \end{aligned}$$

Mathematica [A] time = 0.326997, size = 162, normalized size = 0.92

$$\frac{(e + fx)^{m+1} \left(2(a + b \cot^{-1}(c + dx)) + \frac{bd(e+fx)\left((de-(c+i)f) {}_2F_1\left(1, m+2; m+3; \frac{d(e+fx)}{de-(c-i)f}\right) + (-de+(c-i)f) {}_2F_1\left(1, m+2; m+3; \frac{d(e+fx)}{de-(c+i)f}\right)\right)}{(m+2)(icf-ide+f)(de-(c+i)f)} \right)}{2f(m+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^m*(a + b*ArcCot[c + d*x]), x]

[Out] ((e + f*x)^(1 + m)*(2*(a + b*ArcCot[c + d*x]) + (b*d*(e + f*x)*((d*e - (I + c)*f)*Hypergeometric2F1[1, 2 + m, 3 + m, (d*(e + f*x))/(d*e - (-I + c)*f)] + (-d*e) + (-I + c)*f)*Hypergeometric2F1[1, 2 + m, 3 + m, (d*(e + f*x))/(d*e - (I + c)*f)]))/(((-I)*d*e + f + I*c*f)*(d*e - (I + c)*f)*(2 + m)))/(2*f*(1 + m))

Maple [F] time = 1.395, size = 0, normalized size = 0.

$$\int (fx + e)^m (a + \text{arccot}(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*(a+b*arccot(d*x+c)), x)

[Out] int((f*x+e)^m*(a+b*arccot(d*x+c)), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*(a+b*arccot(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((b \operatorname{arccot}(dx + c) + a)(fx + e)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*(a+b*arccot(d*x+c)),x, algorithm="fricas")

[Out] integral((b*arccot(d*x + c) + a)*(f*x + e)^m, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*(a+b*acot(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccot}(dx + c) + a)(fx + e)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*(a+b*arccot(d*x+c)),x, algorithm="giac")

[Out] integrate((b*arccot(d*x + c) + a)*(f*x + e)^m, x)

$$3.147 \quad \int (e + fx)^m (a + b \cot^{-1}(c + dx))^2 dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left((e + fx)^m (a + b \cot^{-1}(c + dx))^2, x\right)$$

[Out] Unintegrable[(e + f*x)^m*(a + b*ArcCot[c + d*x])^2, x]

Rubi [A] time = 0.0605398, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (e + fx)^m (a + b \cot^{-1}(c + dx))^2 dx$$

Verification is Not applicable to the result.

[In] Int[(e + f*x)^m*(a + b*ArcCot[c + d*x])^2,x]

[Out] Defer[Subst][Defer[Int][((d*e - c*f)/d + (f*x)/d)^m*(a + b*ArcCot[x])^2, x], x, c + d*x]/d

Rubi steps

$$\int (e + fx)^m (a + b \cot^{-1}(c + dx))^2 dx = \frac{\text{Subst}\left(\int \left(\frac{de-cf}{d} + \frac{fx}{d}\right)^m (a + b \cot^{-1}(x))^2 dx, x, c + dx\right)}{d}$$

Mathematica [A] time = 5.2142, size = 0, normalized size = 0.

$$\int (e + fx)^m (a + b \cot^{-1}(c + dx))^2 dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)^m*(a + b*ArcCot[c + d*x])^2,x]

[Out] Integrate[(e + f*x)^m*(a + b*ArcCot[c + d*x])^2, x]

Maple [A] time = 1.3, size = 0, normalized size = 0.

$$\int (fx + e)^m (a + \text{barccot}(dx + c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*(a+b*arccot(d*x+c))^2,x)

[Out] int((f*x+e)^m*(a+b*arccot(d*x+c))^2,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*(a+b*arccot(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(b^2 \operatorname{arccot}(dx+c)^2 + 2ab \operatorname{arccot}(dx+c) + a^2\right)(fx+e)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*(a+b*arccot(d*x+c))^2,x, algorithm="fricas")

[Out] integral((b^2*arccot(d*x + c)^2 + 2*a*b*arccot(d*x + c) + a^2)*(f*x + e)^m, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*(a+b*acot(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccot}(dx+c) + a)^2 (fx+e)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*(a+b*arccot(d*x+c))^2,x, algorithm="giac")

[Out] integrate((b*arccot(d*x + c) + a)^2*(f*x + e)^m, x)

3.148 $\int (e + fx)^m (a + b \cot^{-1}(c + dx))^3 dx$

Optimal. Leaf size=22

$$\text{Unintegrable}\left((e + fx)^m (a + b \cot^{-1}(c + dx))^3, x\right)$$

[Out] Unintegrable[(e + f*x)^m*(a + b*ArcCot[c + d*x])^3, x]

Rubi [A] time = 0.0598165, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (e + fx)^m (a + b \cot^{-1}(c + dx))^3 dx$$

Verification is Not applicable to the result.

[In] Int[(e + f*x)^m*(a + b*ArcCot[c + d*x])^3, x]

[Out] Defer[Subst][Defer[Int][((d*e - c*f)/d + (f*x)/d)^m*(a + b*ArcCot[x])^3, x], x, c + d*x]/d

Rubi steps

$$\int (e + fx)^m (a + b \cot^{-1}(c + dx))^3 dx = \frac{\text{Subst}\left(\int \left(\frac{de-cf}{d} + \frac{fx}{d}\right)^m (a + b \cot^{-1}(x))^3 dx, x, c + dx\right)}{d}$$

Mathematica [A] time = 0.473046, size = 0, normalized size = 0.

$$\int (e + fx)^m (a + b \cot^{-1}(c + dx))^3 dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)^m*(a + b*ArcCot[c + d*x])^3, x]

[Out] Integrate[(e + f*x)^m*(a + b*ArcCot[c + d*x])^3, x]

Maple [A] time = 1.349, size = 0, normalized size = 0.

$$\int (fx + e)^m (a + b \operatorname{arccot}(dx + c))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*(a+b*arccot(d*x+c))^3, x)

[Out] int((f*x+e)^m*(a+b*arccot(d*x+c))^3, x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*(a+b*arccot(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(b^3 \operatorname{arccot}(dx+c)^3 + 3ab^2 \operatorname{arccot}(dx+c)^2 + 3a^2b \operatorname{arccot}(dx+c) + a^3\right)(fx+e)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*(a+b*arccot(d*x+c))^3,x, algorithm="fricas")

[Out] integral((b^3*arccot(d*x + c)^3 + 3*a*b^2*arccot(d*x + c)^2 + 3*a^2*b*arccot(d*x + c) + a^3)*(f*x + e)^m, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*(a+b*acot(d*x+c))**3,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (b \operatorname{arccot}(dx+c) + a)^3 (fx+e)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*(a+b*arccot(d*x+c))^3,x, algorithm="giac")

[Out] integrate((b*arccot(d*x + c) + a)^3*(f*x + e)^m, x)

3.149 $\int x^3 \cot^{-1}(a + bx^4) dx$

Optimal. Leaf size=42

$$\frac{\log\left((a + bx^4)^2 + 1\right)}{8b} + \frac{(a + bx^4) \cot^{-1}(a + bx^4)}{4b}$$

[Out] $((a + b*x^4)*\text{ArcCot}[a + b*x^4])/(4*b) + \text{Log}[1 + (a + b*x^4)^2]/(8*b)$

Rubi [A] time = 0.0435711, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6715, 5040, 4847, 260}

$$\frac{\log\left((a + bx^4)^2 + 1\right)}{8b} + \frac{(a + bx^4) \cot^{-1}(a + bx^4)}{4b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*\text{ArcCot}[a + b*x^4], x]$

[Out] $((a + b*x^4)*\text{ArcCot}[a + b*x^4])/(4*b) + \text{Log}[1 + (a + b*x^4)^2]/(8*b)$

Rule 6715

$\text{Int}[(u_)*(x_)^{(m_.)}, x_Symbol] \rightarrow \text{Dist}[1/(m + 1), \text{Subst}[\text{Int}[\text{SubstFor}[x^{(m + 1)}, u, x], x], x, x^{(m + 1)}], x] /; \text{FreeQ}[m, x] \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ \text{FunctionOfQ}[x^{(m + 1)}, u, x]$

Rule 5040

$\text{Int}[(a_.) + \text{ArcCot}[(c_.) + (d_.)*(x_)]*(b_.)]^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[1/d, \text{Subst}[\text{Int}[(a + b*\text{ArcCot}[x])^p, x], x, c + d*x], x] /; \text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{IGtQ}[p, 0]$

Rule 4847

$\text{Int}[(a_.) + \text{ArcCot}[(c_.)*(x_)]*(b_.)]^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[x*(a + b*\text{ArcCot}[c*x])^p, x] + \text{Dist}[b*c*p, \text{Int}[(x*(a + b*\text{ArcCot}[c*x])^{(p - 1)})/(1 + c^2*x^2), x], x] /; \text{FreeQ}\{a, b, c, x\} \ \&\& \ \text{IGtQ}[p, 0]$

Rule 260

$\text{Int}[(x_)^{(m_.)}/((a_.) + (b_.)*(x_)^{(n_.)}), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]]/(b*n), x] /; \text{FreeQ}\{a, b, m, n, x\} \ \&\& \ \text{EqQ}[m, n - 1]$

Rubi steps

$$\begin{aligned}
\int x^3 \cot^{-1}(a + bx^4) dx &= \frac{1}{4} \text{Subst} \left(\int \cot^{-1}(a + bx) dx, x, x^4 \right) \\
&= \frac{\text{Subst} \left(\int \cot^{-1}(x) dx, x, a + bx^4 \right)}{4b} \\
&= \frac{(a + bx^4) \cot^{-1}(a + bx^4)}{4b} + \frac{\text{Subst} \left(\int \frac{x}{1+x^2} dx, x, a + bx^4 \right)}{4b} \\
&= \frac{(a + bx^4) \cot^{-1}(a + bx^4)}{4b} + \frac{\log \left(1 + (a + bx^4)^2 \right)}{8b}
\end{aligned}$$

Mathematica [A] time = 0.0160148, size = 37, normalized size = 0.88

$$\frac{\log \left((a + bx^4)^2 + 1 \right) + 2(a + bx^4) \cot^{-1}(a + bx^4)}{8b}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*ArcCot[a + b*x^4], x]

[Out] (2*(a + b*x^4)*ArcCot[a + b*x^4] + Log[1 + (a + b*x^4)^2])/(8*b)

Maple [A] time = 0.039, size = 46, normalized size = 1.1

$$\frac{\operatorname{arccot}(bx^4 + a)x^4}{4} + \frac{\operatorname{arccot}(bx^4 + a)a}{4b} + \frac{\ln \left(1 + (bx^4 + a)^2 \right)}{8b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*arccot(b*x^4+a), x)

[Out] 1/4*arccot(b*x^4+a)*x^4+1/4/b*arccot(b*x^4+a)*a+1/8*ln(1+(b*x^4+a)^2)/b

Maxima [A] time = 0.973675, size = 47, normalized size = 1.12

$$\frac{2(bx^4 + a) \operatorname{arccot}(bx^4 + a) + \log \left((bx^4 + a)^2 + 1 \right)}{8b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccot(b*x^4+a), x, algorithm="maxima")

[Out] 1/8*(2*(b*x^4 + a)*arccot(b*x^4 + a) + log((b*x^4 + a)^2 + 1))/b

Fricas [A] time = 2.5196, size = 130, normalized size = 3.1

$$\frac{2bx^4 \operatorname{arccot}(bx^4 + a) - 2a \arctan(bx^4 + a) + \log(b^2x^8 + 2abx^4 + a^2 + 1)}{8b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccot(b*x^4+a),x, algorithm="fricas")

[Out] 1/8*(2*b*x^4*arccot(b*x^4 + a) - 2*a*arctan(b*x^4 + a) + log(b^2*x^8 + 2*a*b*x^4 + a^2 + 1))/b

Sympy [A] time = 5.6283, size = 60, normalized size = 1.43

$$\begin{cases} \frac{a \operatorname{acot}(a+bx^4)}{4b} + \frac{x^4 \operatorname{acot}(a+bx^4)}{4} + \frac{\log(a^2+2abx^4+b^2x^8+1)}{8b} & \text{for } b \neq 0 \\ \frac{x^4 \operatorname{acot}(a)}{4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*acot(b*x**4+a),x)

[Out] Piecewise((a*acot(a + b*x**4)/(4*b) + x**4*acot(a + b*x**4)/4 + log(a**2 + 2*a*b*x**4 + b**2*x**8 + 1)/(8*b), Ne(b, 0)), (x**4*acot(a)/4, True))

Giac [A] time = 1.09646, size = 80, normalized size = 1.9

$$\frac{1}{4}x^4 \arctan\left(\frac{1}{bx^4 + a}\right) - \frac{1}{8}b \left(\frac{2a \arctan(bx^4 + a)}{b^2} - \frac{\log(b^2x^8 + 2abx^4 + a^2 + 1)}{b^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*arccot(b*x^4+a),x, algorithm="giac")

[Out] 1/4*x^4*arctan(1/(b*x^4 + a)) - 1/8*b*(2*a*arctan(b*x^4 + a)/b^2 - log(b^2*x^8 + 2*a*b*x^4 + a^2 + 1)/b^2)

3.150 $\int x^{-1+n} \cot^{-1}(a + bx^n) dx$

Optimal. Leaf size=45

$$\frac{\log((a + bx^n)^2 + 1)}{2bn} + \frac{(a + bx^n) \cot^{-1}(a + bx^n)}{bn}$$

[Out] ((a + b*x^n)*ArcCot[a + b*x^n])/(b*n) + Log[1 + (a + b*x^n)^2]/(2*b*n)

Rubi [A] time = 0.0444314, antiderivative size = 45, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {6715, 5040, 4847, 260}

$$\frac{\log((a + bx^n)^2 + 1)}{2bn} + \frac{(a + bx^n) \cot^{-1}(a + bx^n)}{bn}$$

Antiderivative was successfully verified.

[In] Int[x^(-1 + n)*ArcCot[a + b*x^n], x]

[Out] ((a + b*x^n)*ArcCot[a + b*x^n])/(b*n) + Log[1 + (a + b*x^n)^2]/(2*b*n)

Rule 6715

Int[(u_)*(x_)^(m_), x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), u, x], x, x^(m + 1)], x] /; FreeQ[m, x] && NeQ[m, -1] && FunctionOfQ[x^(m + 1), u, x]

Rule 5040

Int[((a_) + ArcCot[(c_) + (d_)*(x_)])*(b_)^(p_), x_Symbol] := Dist[1/d, Subst[Int[(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[p, 0]

Rule 4847

Int[((a_) + ArcCot[(c_)*(x_)])*(b_)^(p_), x_Symbol] := Simp[x*(a + b*ArcCot[c*x])^p, x] + Dist[b*c*p, Int[(x*(a + b*ArcCot[c*x])^(p - 1))/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 0]

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned}
\int x^{-1+n} \cot^{-1}(a + bx^n) dx &= \frac{\text{Subst}\left(\int \cot^{-1}(a + bx) dx, x, x^n\right)}{n} \\
&= \frac{\text{Subst}\left(\int \cot^{-1}(x) dx, x, a + bx^n\right)}{bn} \\
&= \frac{(a + bx^n) \cot^{-1}(a + bx^n)}{bn} + \frac{\text{Subst}\left(\int \frac{x}{1+x^2} dx, x, a + bx^n\right)}{bn} \\
&= \frac{(a + bx^n) \cot^{-1}(a + bx^n)}{bn} + \frac{\log\left(1 + (a + bx^n)^2\right)}{2bn}
\end{aligned}$$

Mathematica [A] time = 0.0348946, size = 40, normalized size = 0.89

$$\frac{\log\left((a + bx^n)^2 + 1\right) + 2(a + bx^n) \cot^{-1}(a + bx^n)}{2bn}$$

Antiderivative was successfully verified.

[In] Integrate[x^(-1 + n)*ArcCot[a + b*xⁿ], x]

[Out] (2*(a + b*xⁿ)*ArcCot[a + b*xⁿ] + Log[1 + (a + b*xⁿ)²])/(2*b*n)

Maple [C] time = 0.215, size = 149, normalized size = 3.3

$$\frac{\frac{i}{2}x^n \ln(1 + i(a + bx^n))}{n} - \frac{\frac{i}{2}x^n \ln(1 - i(a + bx^n))}{n} - \frac{\frac{i}{2}a}{bn} \ln\left(\frac{i+a}{b} + x^n\right) + \frac{\frac{i}{2}a}{bn} \ln\left(x^n - \frac{i-a}{b}\right) + \frac{\pi x^n}{2n} + \frac{1}{2bn} \ln\left(\frac{i+a}{b} + x^n\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x⁽ⁿ⁻¹⁾*arccot(a+b*xⁿ), x)

[Out] 1/2*I/n*xⁿ*ln(1+I*(a+b*xⁿ))-1/2*I/n*xⁿ*ln(1-I*(a+b*xⁿ))-1/2*I/b/n*ln((I+a)/b+xⁿ)+a+1/2*I/b/n*ln(xⁿ-(I-a)/b)+a+1/2/n*Pi*xⁿ+1/2/b/n*ln((I+a)/b+xⁿ)+1/2/b/n*ln(xⁿ-(I-a)/b)

Maxima [A] time = 0.962616, size = 51, normalized size = 1.13

$$\frac{2(bx^n + a) \operatorname{arccot}(bx^n + a) + \log\left((bx^n + a)^2 + 1\right)}{2bn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁽⁻¹⁺ⁿ⁾*arccot(a+b*xⁿ), x, algorithm="maxima")

[Out] 1/2*(2*(b*xⁿ + a)*arccot(b*xⁿ + a) + log((b*xⁿ + a)² + 1))/(b*n)

Fricas [A] time = 2.71834, size = 140, normalized size = 3.11

$$\frac{2bx^n \operatorname{arccot}(bx^n + a) - 2a \arctan(bx^n + a) + \log\left(b^2x^{2n} + 2abx^n + a^2 + 1\right)}{2bn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁽⁻¹⁺ⁿ⁾*arccot(a+b*xⁿ),x, algorithm="fricas")

[Out] 1/2*(2*b*xⁿ*arccot(b*xⁿ + a) - 2*a*arctan(b*xⁿ + a) + log(b²*x^(2*n) + 2*a*b*xⁿ + a² + 1))/(b*n)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁽⁻¹⁺ⁿ⁾*acot(a+b*xⁿ),x)

[Out] Timed out

Giac [A] time = 1.10714, size = 88, normalized size = 1.96

$$\frac{b \left(\frac{2a \arctan(bx^n+a)}{b^2} - \frac{\log(b^2x^{2n}+2abx^n+a^2+1)}{b^2} \right) - 2x^n \arctan\left(\frac{1}{bx^n+a}\right)}{2n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁽⁻¹⁺ⁿ⁾*arccot(a+b*xⁿ),x, algorithm="giac")

[Out] -1/2*(b*(2*a*arctan(b*xⁿ + a)/b² - log(b²*x^(2*n) + 2*a*b*xⁿ + a² + 1)/b² - 2*xⁿ*arctan(1/(b*xⁿ + a)))/n

$$3.151 \quad \int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1-c^2x^2} dx$$

Optimal. Leaf size=42

$$\text{Unintegrable}\left(\frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1-c^2x^2}, x\right)$$

[Out] Unintegrable[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^n/(1 - c^2*x^2), x]

Rubi [A] time = 0.0458797, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1-c^2x^2} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^n/(1 - c^2*x^2), x]

[Out] Defer[Int][(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^n/(1 - c^2*x^2), x]

Rubi steps

$$\int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1-c^2x^2} dx = \int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1-c^2x^2} dx$$

Mathematica [A] time = 0.0934448, size = 0, normalized size = 0.

$$\int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1-c^2x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^n/(1 - c^2*x^2), x]

[Out] Integrate[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^n/(1 - c^2*x^2), x]

Maple [A] time = 1.185, size = 0, normalized size = 0.

$$\int \frac{1}{-c^2x^2 + 1} \left(a + b \operatorname{arccot}\left(\sqrt{-cx + 1} \frac{1}{\sqrt{cx + 1}}\right)\right)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1),x)

[Out] int((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1),x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$-\int \frac{\left(b \operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^n}{c^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1),x, algorithm="maxima")

[Out] -integrate((b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)^n/(c^2*x^2 - 1), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{\left(b \operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^n}{c^2x^2 - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1),x, algorithm="fricas")

[Out] integral(-(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)^n/(c^2*x^2 - 1), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$-\int \frac{\left(a + b \operatorname{acot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)\right)^n}{c^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acot((-c*x+1)**(1/2)/(c*x+1)**(1/2)))**n/(-c**2*x**2+1),x)

[Out] -Integral((a + b*acot(sqrt(-c*x + 1)/sqrt(c*x + 1)))**n/(c**2*x**2 - 1), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int -\frac{\left(b \operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^n}{c^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1),x, algo  
rithm="giac")
```

```
[Out] integrate(-(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)^n/(c^2*x^2 - 1), x)
```

$$3.152 \quad \int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1-c^2x^2} dx$$

Optimal. Leaf size=488

$$\frac{3b^2 \text{PolyLog}\left(3, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i}\right) \left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)}{2c} - \frac{3b^2 \text{PolyLog}\left(3, 1 - \frac{2\sqrt{1-cx}}{\sqrt{cx+1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i\right)}\right) \left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)}{2c} + \dots$$

```
[Out] (-2*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^3*ArcCoth[1 - 2/(1 + (I*Sqrt[1 - c*x])/Sqrt[1 + c*x])])/c + (((3*I)/2)*b*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2*PolyLog[2, 1 - (2*I)/(I + Sqrt[1 - c*x]/Sqrt[1 + c*x])])/c - (((3*I)/2)*b*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2*PolyLog[2, 1 - (2*Sqrt[1 - c*x])/(Sqrt[1 + c*x]*(I + Sqrt[1 - c*x]/Sqrt[1 + c*x]))])/c + (3*b^2*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])*PolyLog[3, 1 - (2*I)/(I + Sqrt[1 - c*x]/Sqrt[1 + c*x])])/(2*c) - (3*b^2*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])*PolyLog[3, 1 - (2*Sqrt[1 - c*x])/(Sqrt[1 + c*x]*(I + Sqrt[1 - c*x]/Sqrt[1 + c*x]))])/c + (((3*I)/4)*b^3*PolyLog[4, 1 - (2*I)/(I + Sqrt[1 - c*x]/Sqrt[1 + c*x])])/c + (((3*I)/4)*b^3*PolyLog[4, 1 - (2*Sqrt[1 - c*x])/(Sqrt[1 + c*x]*(I + Sqrt[1 - c*x]/Sqrt[1 + c*x]))])/c
```

Rubi [A] time = 0.522737, antiderivative size = 488, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {6681, 4851, 4989, 4885, 4993, 4997, 6610}

$$\frac{3b^2 \text{PolyLog}\left(3, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i}\right) \left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)}{2c} - \frac{3b^2 \text{PolyLog}\left(3, 1 - \frac{2\sqrt{1-cx}}{\sqrt{cx+1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i\right)}\right) \left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)}{2c} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^3/(1 - c^2*x^2), x]
```

```
[Out] (-2*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^3*ArcCoth[1 - 2/(1 + (I*Sqrt[1 - c*x])/Sqrt[1 + c*x])])/c + (((3*I)/2)*b*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2*PolyLog[2, 1 - (2*I)/(I + Sqrt[1 - c*x]/Sqrt[1 + c*x])])/c - (((3*I)/2)*b*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2*PolyLog[2, 1 - (2*Sqrt[1 - c*x])/(Sqrt[1 + c*x]*(I + Sqrt[1 - c*x]/Sqrt[1 + c*x]))])/c + (3*b^2*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])*PolyLog[3, 1 - (2*I)/(I + Sqrt[1 - c*x]/Sqrt[1 + c*x])])/(2*c) - (3*b^2*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])*PolyLog[3, 1 - (2*Sqrt[1 - c*x])/(Sqrt[1 + c*x]*(I + Sqrt[1 - c*x]/Sqrt[1 + c*x]))])/c + (((3*I)/4)*b^3*PolyLog[4, 1 - (2*I)/(I + Sqrt[1 - c*x]/Sqrt[1 + c*x])])/c + (((3*I)/4)*b^3*PolyLog[4, 1 - (2*Sqrt[1 - c*x])/(Sqrt[1 + c*x]*(I + Sqrt[1 - c*x]/Sqrt[1 + c*x]))])/c
```

Rule 6681

```
Int[((a_.) + (b_.)*(F_))(((c_.)*Sqrt[(d_.) + (e_.)*(x_.)]/Sqrt[(f_.) + (g_.)*(x_.)])^n_)/((A_.) + (C_.)*(x_)^2), x_Symbol] :> Dist[(2*e*g)/(C*(e*f - d*g)), Subst[Int[(a + b*F[c*x])^n/x, x], x, Sqrt[d + e*x]/Sqrt[f + g*x]], x] /; FreeQ[{a, b, c, d, e, f, g, A, C, F}, x] && EqQ[C*d*f - A*e*g, 0] && EqQ[e*f + d*g, 0] && IGtQ[n, 0]
```

Rule 4851

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_)/(x_), x_Symbol] := Simp[2*(a +
b*ArcCot[c*x])^p*ArcCoth[1 - 2/(1 + I*c*x)], x] + Dist[2*b*c*p, Int[((a + b
*ArcCot[c*x])^(p - 1)*ArcCoth[1 - 2/(1 + I*c*x))]/(1 + c^2*x^2), x], x] /;
FreeQ[{a, b, c}, x] && IGtQ[p, 1]
```

Rule 4989

```
Int[(ArcCoth[u_]*((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.))/((d_) + (e_.)*(x
_)^2), x_Symbol] := Dist[1/2, Int[(Log[SimplifyIntegrand[1 + 1/u, x]]*(a +
b*ArcCot[c*x])^p)/(d + e*x^2), x], x] - Dist[1/2, Int[(Log[SimplifyIntegran
d[1 - 1/u, x]]*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c
, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && EqQ[u^2 - (1 - (2*I)/(I - c*x
))^2, 0]
```

Rule 4885

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)^2), x_Symbo
l] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b,
c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]
```

Rule 4993

```
Int[(Log[u_]*((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.))/((d_) + (e_.)*(x_)^2
), x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^p*PolyLog[2, 1 - u])/(2*c*d), x
] + Dist[(b*p*I)/2, Int[((a + b*ArcCot[c*x])^(p - 1)*PolyLog[2, 1 - u])/(d
+ e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d
] && EqQ[(1 - u)^2 - (1 - (2*I)/(I + c*x))^2, 0]
```

Rule 4997

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*PolyLog[k_, u_])/((d_) + (e_.
)*(x_)^2), x_Symbol] := -Simp[(I*(a + b*ArcCot[c*x])^p*PolyLog[k + 1, u])/(
2*c*d), x] - Dist[(b*p*I)/2, Int[((a + b*ArcCot[c*x])^(p - 1)*PolyLog[k + 1
, u])/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, k}, x] && IGtQ[p, 0] &&
EqQ[e, c^2*d] && EqQ[u^2 - (1 - (2*I)/(I + c*x))^2, 0]
```

Rule 6610

```
Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v,
x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w] /; FreeQ[n, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1-c^2x^2} dx &= -\frac{\text{Subst}\left(\int \frac{(a+b \cot^{-1}(x))^3}{x} dx, x, \frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{c} \\
&= -\frac{2\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3 \coth^{-1}\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{c} - \frac{(6b) \text{Subst}\left(\int \frac{(a+b \cot^{-1}(x))^2 \coth^{-1}(1-x)}{1+x^2} dx\right)}{c} \\
&= -\frac{2\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3 \coth^{-1}\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{c} + \frac{(3b) \text{Subst}\left(\int \frac{(a+b \cot^{-1}(x))^2 \log\left(\frac{2i}{i+x}\right)}{1+x^2} dx\right)}{c} \\
&= -\frac{2\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3 \coth^{-1}\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{c} + \frac{3ib\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2 \text{Li}_2\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{2c} \\
&= -\frac{2\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3 \coth^{-1}\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{c} + \frac{3ib\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2 \text{Li}_2\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{2c} \\
&= -\frac{2\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3 \coth^{-1}\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{c} + \frac{3ib\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2 \text{Li}_2\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{2c}
\end{aligned}$$

Mathematica [F] time = 0.292622, size = 0, normalized size = 0.

$$\int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1-c^2x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^3/(1 - c^2*x^2), x]

[Out] Integrate[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^3/(1 - c^2*x^2), x]

Maple [B] time = 2.868, size = 1717, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3/(-c^2*x^2+1), x)

[Out] $-6Ia^2b^2/c \arccot((-c*x+1)^{1/2}/(c*x+1)^{1/2}) \text{polylog}(2, (I+(-c*x+1)^{1/2}/(c*x+1)^{1/2})/((-c*x+1)/(c*x+1)+1)^{1/2}) - 6Ia^2b^2/c \arccot((-c*x+1)^{1/2}/(c*x+1)^{1/2}) \text{polylog}(2, -(I+(-c*x+1)^{1/2}/(c*x+1)^{1/2})/((-c*x+1)/(c*x+1)+1)^{1/2}) + 3Ia^2b^2/c \arccot((-c*x+1)^{1/2}/(c*x+1)^{1/2}) \text{polylog}(2, -(I+(-c*x+1)^{1/2}/(c*x+1)^{1/2})^2/((-c*x+1)/(c*x+1)+1)) - 1/2a^3/c \ln(c*x-1) + 1/2a^3/c \ln(c*x+1) + b^3/c \arccot((-c*x+1)^{1/2}/(c*x+1)^{1/2})^3 \ln(1 - (I+(-c*x+1)^{1/2}/(c*x+1)^{1/2})/((-c*x+1)/(c*x+1)+1)^{1/2}) + 6b^3/c \arccot((-c*x+1)^{1/2}/(c*x+1)^{1/2}) \text{polylog}(3, (I+(-c*x+1)^{1/2}/(c*x+1)^{1/2})/((-c*x+1)/(c*x+1)+1)^{1/2}) + b^3/c \arccot((-c*x+1)^{1/2}/(c*x+1)^{1/2})^3 \ln(1$

$$\begin{aligned}
& + (I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) / ((-c*x+1) / (c*x+1) + 1)^{(1/2)} + 6*b^3/c*\arccot \\
& t((-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) * \text{polylog}(3, -(I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) \\
& / ((-c*x+1) / (c*x+1) + 1)^{(1/2)}) - b^3/c*\arccot((-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)})^3 * \ln \\
& n((I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)})^2 / ((-c*x+1) / (c*x+1) + 1) + 1) - 3/2*b^3/c*\arccot \\
& ot((-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) * \text{polylog}(3, -(I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) \\
&)^2 / ((-c*x+1) / (c*x+1) + 1)) + 6*I*b^3/c*\text{polylog}(4, (I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) \\
&) / ((-c*x+1) / (c*x+1) + 1)^{(1/2)}) + 6*I*b^3/c*\text{polylog}(4, -(I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) \\
&) / ((-c*x+1) / (c*x+1) + 1)^{(1/2)}) - 3/4*I*b^3/c*\text{polylog}(4, -(I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) \\
&)^2 / ((-c*x+1) / (c*x+1) + 1)) + 6*a*b^2/c*\text{polylog}(3, (I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) \\
&) / ((-c*x+1) / (c*x+1) + 1)^{(1/2)}) + 6*a*b^2/c*\text{polylog}(3, -(I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) \\
&) / ((-c*x+1) / (c*x+1) + 1)^{(1/2)}) - 3/2*a*b^2/c*\text{polylog}(3, -(I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) \\
&)^2 / ((-c*x+1) / (c*x+1) + 1)) + 3/2*I*b^3/c*a \\
& rccot((-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)})^2 * \text{polylog}(2, -(I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) \\
&)^2 / ((-c*x+1) / (c*x+1) + 1)) - 3*I*b^3/c*\arccot((-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)})^2 * \text{polylog}(2, -(I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) \\
&) / ((-c*x+1) / (c*x+1) + 1)^{(1/2)}) + 3*a^2*b/c*\arccot((-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) * \ln(1 + (I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) \\
&) / ((-c*x+1) / (c*x+1) + 1)^{(1/2)}) + 3*a^2*b/c*\arccot((-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) * \ln(1 - (I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) \\
&) / ((-c*x+1) / (c*x+1) + 1)^{(1/2)}) - 3*a^2*b/c*\arccot((-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) * \ln((I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) \\
&)^2 / ((-c*x+1) / (c*x+1) + 1) + 1) - 3*I*a^2*b/c*\text{polylog}(2, -(I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) \\
&) / ((-c*x+1) / (c*x+1) + 1)^{(1/2)}) - 3*I*a^2*b/c*\text{polylog}(2, (I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) \\
&) / ((-c*x+1) / (c*x+1) + 1)^{(1/2)}) + 3/2*I*a^2*b/c*\text{polylog}(2, -(I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)})^2 / ((-c*x+1) / (c*x+1) + 1)) + 3*a*b^2/c*\arccot \\
& ot((-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)})^2 * \ln(1 - (I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) / ((-c*x+1) / (c*x+1) + 1)^{(1/2)}) + 3*a*b^2/c*\arccot((-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)})^2 * \\
& \ln(1 + (I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) / ((-c*x+1) / (c*x+1) + 1)^{(1/2)}) - 3*a*b^2/c \\
& * \arccot((-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)})^2 * \ln((I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) \\
&)^2 / ((-c*x+1) / (c*x+1) + 1) + 1) - 3*I*b^3/c*\arccot((-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)})^2 * \\
& \text{polylog}(2, (I + (-c*x+1)^{(1/2)} / (c*x+1)^{(1/2)}) / ((-c*x+1) / (c*x+1) + 1)^{(1/2)})
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} a^3 \left(\frac{\log(cx+1)}{c} - \frac{\log(cx-1)}{c} \right) + \frac{\frac{15}{2} (b^3 \log(cx+1) - b^3 \log(-cx+1)) \arctan(\sqrt{cx+1}, \sqrt{-cx+1})^3 - \frac{45}{8} (b^3 \log(2))^2}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3/(-c^2*x^2+1),x, algorithm="maxima")

[Out] 1/2*a^3*(log(c*x + 1)/c - log(c*x - 1)/c) + 1/64*(4*(b^3*log(c*x + 1) - b^3*log(-c*x + 1))*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1))^3 - 3*(b^3*log(2)^2*log(c*x + 1) - b^3*log(2)^2*log(-c*x + 1))*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1)) + 64*c*integrate(-1/128*(112*b^3*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1))^3 + 384*a*b^2*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1))^2 + 3*(b^3*log(2)^2*log(c*x + 1) - b^3*log(2)^2*log(-c*x + 1) - 4*(b^3*log(c*x + 1) - b^3*log(-c*x + 1))*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1))^2)*sqrt(c*x + 1)*sqrt(-c*x + 1) + 12*(b^3*log(2)^2 + 32*a^2*b)*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1)))/(-c^2*x^2 - 1), x))/c

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{b^3 \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)^3 + 3ab^2 \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)^2 + 3a^2b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a^3}{c^2x^2 - 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3/(-c^2*x^2+1),x, algorithm="fricas")

[Out] integral(-(b^3*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1))^3 + 3*a*b^2*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1))^2 + 3*a^2*b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a^3)/(c^2*x^2 - 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{a^3}{c^2x^2 - 1} dx - \int \frac{b^3 \operatorname{acot}^3 \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)}{c^2x^2 - 1} dx - \int \frac{3ab^2 \operatorname{acot}^2 \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)}{c^2x^2 - 1} dx - \int \frac{3a^2b \operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)}{c^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acot((-c*x+1)**(1/2)/(c*x+1)**(1/2)))**3/(-c**2*x**2+1),x)

[Out] -Integral(a**3/(c**2*x**2 - 1), x) - Integral(b**3*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))**3/(c**2*x**2 - 1), x) - Integral(3*a*b**2*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))**2/(c**2*x**2 - 1), x) - Integral(3*a**2*b*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))/(c**2*x**2 - 1), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\left(b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a \right)^3}{c^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3/(-c^2*x^2+1),x, algorithm="giac")

[Out] integrate(-(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)^3/(c^2*x^2 - 1), x)

$$3.153 \quad \int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1-c^2x^2} dx$$

Optimal. Leaf size=321

$$\frac{ibPolyLog\left(2, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i}\right)\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)}{c} - \frac{ibPolyLog\left(2, 1 - \frac{2\sqrt{1-cx}}{\sqrt{cx+1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i\right)}\right)\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)}{c} + \frac{b^2PolyLog\left(3, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i}\right)\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)}{2c} - \frac{b^2PolyLog\left(3, 1 - \frac{2\sqrt{1-cx}}{\sqrt{cx+1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i\right)}\right)\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)}{2c}$$

[Out] $(-2*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2*ArcCoth[1 - 2/(1 + (I*Sqrt[1 - c*x])/Sqrt[1 + c*x])])/c + (I*b*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])*PolyLog[2, 1 - (2*I)/(I + Sqrt[1 - c*x]/Sqrt[1 + c*x])])/c - (I*b*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])*PolyLog[2, 1 - (2*Sqrt[1 - c*x])/(Sqrt[1 + c*x]*(I + Sqrt[1 - c*x]/Sqrt[1 + c*x])])/c + (b^2*PolyLog[3, 1 - (2*I)/(I + Sqrt[1 - c*x]/Sqrt[1 + c*x])])/(2*c) - (b^2*PolyLog[3, 1 - (2*Sqrt[1 - c*x])/(Sqrt[1 + c*x]*(I + Sqrt[1 - c*x]/Sqrt[1 + c*x])])/(2*c)$

Rubi [A] time = 0.319821, antiderivative size = 321, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.15$, Rules used = {6681, 4851, 4989, 4885, 4993, 6610}

$$\frac{ibPolyLog\left(2, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i}\right)\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)}{c} - \frac{ibPolyLog\left(2, 1 - \frac{2\sqrt{1-cx}}{\sqrt{cx+1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i\right)}\right)\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)}{c} + \frac{b^2PolyLog\left(3, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i}\right)\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)}{2c} - \frac{b^2PolyLog\left(3, 1 - \frac{2\sqrt{1-cx}}{\sqrt{cx+1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i\right)}\right)\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)}{2c}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2/(1 - c^2*x^2), x]

[Out] $(-2*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2*ArcCoth[1 - 2/(1 + (I*Sqrt[1 - c*x])/Sqrt[1 + c*x])])/c + (I*b*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])*PolyLog[2, 1 - (2*I)/(I + Sqrt[1 - c*x]/Sqrt[1 + c*x])])/c - (I*b*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])*PolyLog[2, 1 - (2*Sqrt[1 - c*x])/(Sqrt[1 + c*x]*(I + Sqrt[1 - c*x]/Sqrt[1 + c*x])])/c + (b^2*PolyLog[3, 1 - (2*I)/(I + Sqrt[1 - c*x]/Sqrt[1 + c*x])])/(2*c) - (b^2*PolyLog[3, 1 - (2*Sqrt[1 - c*x])/(Sqrt[1 + c*x]*(I + Sqrt[1 - c*x]/Sqrt[1 + c*x])])/(2*c)$

Rule 6681

Int[((a_.) + (b_.)*(F_))(((c_.)*Sqrt[(d_.) + (e_.)*(x_)])/Sqrt[(f_.) + (g_.)*(x_)])^(n_.)/((A_.) + (C_.)*(x_)^2), x_Symbol] := Dist[(2*e*g)/(C*(e*f - d*g)), Subst[Int[(a + b*F[c*x])^n/x, x], x, Sqrt[d + e*x]/Sqrt[f + g*x], x] /; FreeQ[{a, b, c, d, e, f, g, A, C, F}, x] && EqQ[C*d*f - A*e*g, 0] && EqQ[e*f + d*g, 0] && IGtQ[n, 0]

Rule 4851

Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)^(p_.)/(x_), x_Symbol] := Simp[2*(a + b*ArcCot[c*x])^p*ArcCoth[1 - 2/(1 + I*c*x)], x] + Dist[2*b*c^p, Int[((a + b*ArcCot[c*x])^(p - 1)*ArcCoth[1 - 2/(1 + I*c*x)])/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[p, 1]

Rule 4989

```
Int[(ArcCoth[u_]*((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.))/((d_) + (e_.)*(x_
_)^2), x_Symbol] := Dist[1/2, Int[(Log[SimplifyIntegrand[1 + 1/u, x]]*(a +
b*ArcCot[c*x])^p)/(d + e*x^2), x], x] - Dist[1/2, Int[(Log[SimplifyIntegran
d[1 - 1/u, x]]*(a + b*ArcCot[c*x])^p)/(d + e*x^2), x], x] /; FreeQ[{a, b, c
, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && EqQ[u^2 - (1 - (2*I)/(I - c*x
))^2, 0]
```

Rule 4885

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)^2), x_Symbo
l] := -Simp[(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b,
c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]
```

Rule 4993

```
Int[(Log[u_]*((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.))/((d_) + (e_.)*(x_)^2
), x_Symbol] := Simp[(I*(a + b*ArcCot[c*x])^p*PolyLog[2, 1 - u])/((2*c*d), x
] + Dist[(b*p*I)/2, Int[((a + b*ArcCot[c*x])^(p - 1)*PolyLog[2, 1 - u])/((d
+ e*x^2), x), x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d
] && EqQ[(1 - u)^2 - (1 - (2*I)/(I + c*x))^2, 0]
```

Rule 6610

```
Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v,
x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]
```

Rubi steps

$$\int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2x^2} dx = -\frac{\text{Subst}\left(\int \frac{(a+b \cot^{-1}(x))^2}{x} dx, x, \frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{c}$$

$$= -\frac{2\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2 \coth^{-1}\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{c} - \frac{(4b) \text{Subst}\left(\int \frac{(a+b \cot^{-1}(x)) \coth^{-1}(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}})}{1+x^2} dx, x, \frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{c}$$

$$= -\frac{2\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2 \coth^{-1}\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{c} + \frac{(2b) \text{Subst}\left(\int \frac{(a+b \cot^{-1}(x)) \log\left(\frac{2i}{i+x}\right)}{1+x^2} dx, x, \frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{c}$$

$$= -\frac{2\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2 \coth^{-1}\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{c} + \frac{ib\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right) \text{Li}_2\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{c}$$

$$= -\frac{2\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2 \coth^{-1}\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{c} + \frac{ib\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right) \text{Li}_2\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{c}$$

Mathematica [F] time = 0.535587, size = 0, normalized size = 0.

$$\int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2x^2} dx$$

Verification is Not applicable to the result.

```
[In] Integrate[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2/(1 - c^2*x^2), x]
```

[Out] Integrate[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2/(1 - c^2*x^2), x]

Maple [B] time = 1.422, size = 931, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2/(-c^2*x^2+1),x)

[Out] $\frac{1}{2}a^2/c \ln(c*x+1) - \frac{1}{2}a^2/c \ln(c*x-1) + b^2/c \operatorname{arccot}\left(\frac{(-c*x+1)^{1/2}}{(c*x+1)^{1/2}}\right)^2 \ln\left(1 - \frac{I+(-c*x+1)^{1/2}/(c*x+1)^{1/2}}{(-c*x+1)/(c*x+1)+1}\right)^2 + I*b^2/c \operatorname{arccot}\left(\frac{(-c*x+1)^{1/2}}{(c*x+1)^{1/2}}\right) \operatorname{polylog}\left(2, -\frac{I+(-c*x+1)^{1/2}/(c*x+1)^{1/2}}{(-c*x+1)/(c*x+1)+1}\right)^2 + 2*b^2/c \operatorname{polylog}\left(3, \frac{I+(-c*x+1)^{1/2}/(c*x+1)^{1/2}}{(-c*x+1)/(c*x+1)+1}\right) + b^2/c \operatorname{arccot}\left(\frac{(-c*x+1)^{1/2}}{(c*x+1)^{1/2}}\right)^2 \ln\left(1 + \frac{I+(-c*x+1)^{1/2}/(c*x+1)^{1/2}}{(-c*x+1)/(c*x+1)+1}\right)^2 - 2*I*a*b/c \operatorname{polylog}\left(2, \frac{I+(-c*x+1)^{1/2}/(c*x+1)^{1/2}}{(-c*x+1)/(c*x+1)+1}\right) + 2*b^2/c \operatorname{polylog}\left(3, -\frac{I+(-c*x+1)^{1/2}/(c*x+1)^{1/2}}{(-c*x+1)/(c*x+1)+1}\right) - b^2/c \operatorname{arccot}\left(\frac{(-c*x+1)^{1/2}}{(c*x+1)^{1/2}}\right)^2 \ln\left(\frac{I+(-c*x+1)^{1/2}/(c*x+1)^{1/2}}{(-c*x+1)/(c*x+1)+1}\right)^2 + I*a*b/c \operatorname{polylog}\left(2, -\frac{I+(-c*x+1)^{1/2}/(c*x+1)^{1/2}}{(-c*x+1)/(c*x+1)+1}\right) - \frac{1}{2}b^2/c \operatorname{polylog}\left(3, -\frac{I+(-c*x+1)^{1/2}/(c*x+1)^{1/2}}{(-c*x+1)/(c*x+1)+1}\right) + 2*a*b/c \operatorname{arccot}\left(\frac{(-c*x+1)^{1/2}}{(c*x+1)^{1/2}}\right) \ln\left(1 + \frac{I+(-c*x+1)^{1/2}/(c*x+1)^{1/2}}{(-c*x+1)/(c*x+1)+1}\right)^2 - 2*I*a*b/c \operatorname{polylog}\left(2, -\frac{I+(-c*x+1)^{1/2}/(c*x+1)^{1/2}}{(-c*x+1)/(c*x+1)+1}\right) + 2*a*b/c \operatorname{arccot}\left(\frac{(-c*x+1)^{1/2}}{(c*x+1)^{1/2}}\right) \ln\left(1 - \frac{I+(-c*x+1)^{1/2}/(c*x+1)^{1/2}}{(-c*x+1)/(c*x+1)+1}\right)^2 - 2*I*b^2/c \operatorname{arccot}\left(\frac{(-c*x+1)^{1/2}}{(c*x+1)^{1/2}}\right) \operatorname{polylog}\left(2, \frac{I+(-c*x+1)^{1/2}/(c*x+1)^{1/2}}{(-c*x+1)/(c*x+1)+1}\right) - 2*a*b/c \operatorname{arccot}\left(\frac{(-c*x+1)^{1/2}}{(c*x+1)^{1/2}}\right) \ln\left(\frac{I+(-c*x+1)^{1/2}/(c*x+1)^{1/2}}{(-c*x+1)/(c*x+1)+1}\right)^2 + 2*I*b^2/c \operatorname{arccot}\left(\frac{(-c*x+1)^{1/2}}{(c*x+1)^{1/2}}\right) \operatorname{polylog}\left(2, -\frac{I+(-c*x+1)^{1/2}/(c*x+1)^{1/2}}{(-c*x+1)/(c*x+1)+1}\right) + (-c*x+1)/(c*x+1)+1)^{1/2})$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$b^2 \log(2)^2 \log(cx + 1) - b^2 \log(2)^2 \log(-cx + 1) - 4(b^2 \log(cx + 1) - b^2 \log(-cx + 1))$$

$$\frac{1}{2} a^2 \left(\frac{\log(cx + 1)}{c} - \frac{\log(cx - 1)}{c} \right) -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2/(-c^2*x^2+1),x, algorithm="maxima")

[Out] $\frac{1}{2}a^2 * (\log(cx + 1)/c - \log(cx - 1)/c) - \frac{1}{32} * (b^2 * \log(2)^2 * \log(cx + 1) - b^2 * \log(2)^2 * \log(-cx + 1) - 4 * (b^2 * \log(cx + 1) - b^2 * \log(-cx + 1)) * \operatorname{arctan}^2(\sqrt{cx + 1}, \sqrt{-cx + 1})^2 - (b^2 * (\log(cx + 1)/c - \log(cx - 1)/c) * \log(2)^2 + 64 * b^2 * \int \frac{1}{16} \sqrt{cx + 1} * \sqrt{-cx + 1} * \operatorname{arctan}(\sqrt{cx + 1}/\sqrt{-cx + 1}) * \log(cx + 1)/(c^2 * x^2 - 1), x) - 64 * b^2 * \int \frac{1}{16} \sqrt{cx + 1} * \sqrt{-cx + 1} * \operatorname{arctan}(\sqrt{cx + 1}/\sqrt{-cx + 1}) * \log(-cx + 1)/(c^2 * x^2 - 1), x) - 384 * b^2 * \int \frac{1}{16} \operatorname{arctan}(\sqrt{cx + 1}/\sqrt{-cx + 1})^2/(c^2 * x^2 - 1), x) - 1024 * a * b * \int \frac{1}{16} \operatorname{arctan}(\sqrt{cx + 1}/\sqrt{-cx + 1})^2/(c^2 * x^2 - 1), x)$

$t(c*x + 1)/\sqrt{-c*x + 1})/(c^2*x^2 - 1), x) * c) / c$

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(-\frac{b^2 \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)^2 + 2ab \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a^2}{c^2x^2 - 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2/(-c^2*x^2+1),x, algorithm="fricas")

[Out] integral(-(b^2*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1))^2 + 2*a*b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a^2)/(c^2*x^2 - 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{a^2}{c^2x^2 - 1} dx - \int \frac{b^2 \operatorname{acot}^2 \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)}{c^2x^2 - 1} dx - \int \frac{2ab \operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)}{c^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acot((-c*x+1)**(1/2)/(c*x+1)**(1/2)))**2/(-c**2*x**2+1),x)

[Out] -Integral(a**2/(c**2*x**2 - 1), x) - Integral(b**2*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))**2/(c**2*x**2 - 1), x) - Integral(2*a*b*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))/(c**2*x**2 - 1), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{\left(b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a \right)^2}{c^2x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2/(-c^2*x^2+1),x, algorithm="giac")

[Out] integrate(-(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)^2/(c^2*x^2 - 1), x)

$$3.154 \quad \int \frac{a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{1-c^2x^2} dx$$

Optimal. Leaf size=98

$$\frac{ib\text{PolyLog}\left(2, -\frac{i\sqrt{cx+1}}{\sqrt{1-cx}}\right)}{2c} - \frac{ib\text{PolyLog}\left(2, \frac{i\sqrt{cx+1}}{\sqrt{1-cx}}\right)}{2c} - \frac{a \log\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)}{c}$$

[Out] $-\left(\frac{a \log\left[\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right]}{c}\right) + \left(\frac{(I/2)b \text{PolyLog}\left[2, \left(\frac{-I}{\sqrt{1-cx}}\right)\sqrt{1+cx}\right]}{c}\right) - \left(\frac{(I/2)b \text{PolyLog}\left[2, \left(\frac{I}{\sqrt{1-cx}}\right)\sqrt{1+cx}\right]}{c}\right)$

Rubi [A] time = 0.0690427, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {206, 6681, 4849, 2391}

$$\frac{ib\text{PolyLog}\left(2, -\frac{i\sqrt{cx+1}}{\sqrt{1-cx}}\right)}{2c} - \frac{ib\text{PolyLog}\left(2, \frac{i\sqrt{cx+1}}{\sqrt{1-cx}}\right)}{2c} - \frac{a \log\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)}{c}$$

Antiderivative was successfully verified.

[In] Int[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])/(1 - c^2*x^2), x]

[Out] $-\left(\frac{a \log\left[\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right]}{c}\right) + \left(\frac{(I/2)b \text{PolyLog}\left[2, \left(\frac{-I}{\sqrt{1-cx}}\right)\sqrt{1+cx}\right]}{c}\right) - \left(\frac{(I/2)b \text{PolyLog}\left[2, \left(\frac{I}{\sqrt{1-cx}}\right)\sqrt{1+cx}\right]}{c}\right)$

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 6681

Int[((a_) + (b_)*(F_)[((c_)*Sqrt[(d_) + (e_)*(x_)])/Sqrt[(f_) + (g_)*(x_)])^(n_)]/((A_) + (C_)*(x_)^2), x_Symbol] :> Dist[(2*e*g)/(C*(e*f - d*g)), Subst[Int[(a + b*F[c*x])^n/x, x], x, Sqrt[d + e*x]/Sqrt[f + g*x], x] /; FreeQ[{a, b, c, d, e, f, g, A, C, F}, x] && EqQ[C*d*f - A*e*g, 0] && EqQ[e*f + d*g, 0] && IGtQ[n, 0]

Rule 4849

Int[((a_) + ArcCot[(c_)*(x_)])*(b_)]/(x_), x_Symbol] :> Simp[a*Log[x], x] + (Dist[(I*b)/2, Int[Log[1 - I/(c*x)]/x, x], x] - Dist[(I*b)/2, Int[Log[1 + I/(c*x)]/x, x], x]) /; FreeQ[{a, b, c}, x]

Rule 2391

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\int \frac{a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{1 - c^2x^2} dx = -\frac{\text{Subst}\left(\int \frac{a+b \cot^{-1}(x)}{x} dx, x, \frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{c}$$

$$= -\frac{a \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{c} - \frac{(ib) \text{Subst}\left(\int \frac{\log\left(1-\frac{i}{x}\right)}{x} dx, x, \frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{2c} + \frac{(ib) \text{Subst}\left(\int \frac{\log\left(1+\frac{i}{x}\right)}{x} dx, x, \frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{2c}$$

$$= -\frac{a \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{c} + \frac{ib \text{Li}_2\left(-\frac{i\sqrt{1+cx}}{\sqrt{1-cx}}\right)}{2c} - \frac{ib \text{Li}_2\left(\frac{i\sqrt{1+cx}}{\sqrt{1-cx}}\right)}{2c}$$

Mathematica [A] time = 0.0361056, size = 93, normalized size = 0.95

$$-\frac{\frac{1}{2}ib \text{PolyLog}\left(2, -\frac{i\sqrt{cx+1}}{\sqrt{1-cx}}\right) + \frac{1}{2}ib \text{PolyLog}\left(2, \frac{i\sqrt{cx+1}}{\sqrt{1-cx}}\right) + a \log\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)}{c}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])/(1 - c^2*x^2), x]

[Out] -((a*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]] - (I/2)*b*PolyLog[2, ((-I)*Sqrt[1 + c*x])/Sqrt[1 - c*x]] + (I/2)*b*PolyLog[2, (I*Sqrt[1 + c*x])/Sqrt[1 - c*x]])/c)

Maple [B] time = 0.773, size = 364, normalized size = 3.7

$$\frac{a \ln(cx+1)}{2c} - \frac{a \ln(cx-1)}{2c} + \frac{b}{c} \operatorname{arccot}\left(\sqrt{-cx+1} \frac{1}{\sqrt{cx+1}}\right) \ln\left(1 + \left(i + \sqrt{-cx+1} \frac{1}{\sqrt{cx+1}}\right) \frac{1}{\sqrt{\frac{-cx+1}{cx+1} + 1}}\right) - \frac{ib}{c} \operatorname{polylog}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))/(-c^2*x^2+1), x)

[Out] 1/2*a/c*ln(c*x+1)-1/2*a/c*ln(c*x-1)+b/c*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))*ln(1+(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1/2))-I*b/c*polylog(2, -(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1/2))+b/c*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))*ln(1-(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1/2))-I*b/c*polylog(2, (I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1/2))-b/c*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))*ln((I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))^2/((-c*x+1)/(c*x+1)+1)+1/2*I*b/c*polylog(2, -(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))^2/((-c*x+1)/(c*x+1)+1)))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}a\left(\frac{\log(cx+1)}{c} - \frac{\log(cx-1)}{c}\right) + \frac{\left((\log(cx+1) - \log(-cx+1)) \arctan\left(\sqrt{cx+1}, \sqrt{-cx+1}\right) + c \int \frac{e^{\left(\frac{1}{2} \log(cx+1) + \frac{1}{2} \log(-cx+1)\right)}}{2c} dx\right)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))/(-c^2*x^2+1),x, algorithm="maxima")

[Out] 1/2*a*(log(c*x + 1)/c - log(c*x - 1)/c) + 1/2*((log(c*x + 1) - log(-c*x + 1))*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1)) + 2*c*integrate(1/2*(e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1))*log(c*x + 1) - e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1))*log(-c*x + 1))/((c^2*x^2 - 1)*(c*x + 1) - (c^2*x^2 - 1)*(c*x - 1)), x))*b/c

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(-\frac{b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a}{c^2 x^2 - 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))/(-c^2*x^2+1),x, algorithm="fricas")

[Out] integral(-(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)/(c^2*x^2 - 1), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{a}{c^2 x^2 - 1} dx - \int \frac{b \operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)}{c^2 x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acot((-c*x+1)**(1/2)/(c*x+1)**(1/2)))/(-c**2*x**2+1),x)

[Out] -Integral(a/(c**2*x**2 - 1), x) - Integral(b*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))/(c**2*x**2 - 1), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a}{c^2 x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))/(-c^2*x^2+1),x, algorithm="giac")

[Out] integrate(-(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)/(c^2*x^2 - 1), x)

$$3.155 \quad \int \frac{1}{(1-c^2x^2)\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)} dx$$

Optimal. Leaf size=42

$$\text{Unintegrable}\left(\frac{1}{(1-c^2x^2)\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)}, x\right)$$

[Out] Unintegrable[1/((1 - c^2*x^2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])), x]

Rubi [A] time = 0.0457182, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(1-c^2x^2)\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)} dx$$

Verification is Not applicable to the result.

[In] Int[1/((1 - c^2*x^2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])), x]

[Out] Defer[Int][1/((1 - c^2*x^2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])), x]

Rubi steps

$$\int \frac{1}{(1-c^2x^2)\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)} dx = \int \frac{1}{(1-c^2x^2)\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)} dx$$

Mathematica [A] time = 0.0934652, size = 0, normalized size = 0.

$$\int \frac{1}{(1-c^2x^2)\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((1 - c^2*x^2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])), x]

[Out] Integrate[1/((1 - c^2*x^2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])), x]

Maple [A] time = 1.186, size = 0, normalized size = 0.

$$\int \frac{1}{-c^2x^2+1} \left(a + \text{barccot} \left(\sqrt{-cx+1} \frac{1}{\sqrt{cx+1}} \right) \right)^{-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x)`

[Out] `int(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$-\int \frac{1}{(c^2x^2 - 1)\left(b \operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x, algorithm="maxima")`

[Out] `-integrate(1/((c^2*x^2 - 1)*(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)), x)`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{1}{ac^2x^2 + (bc^2x^2 - b) \operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x, algorithm="fricas")`

[Out] `integral(-1/(a*c^2*x^2 + (b*c^2*x^2 - b)*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) - a), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$-\int \frac{1}{ac^2x^2 - a + bc^2x^2 \operatorname{acot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) - b \operatorname{acot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-c**2*x**2+1)/(a+b*acot((-c*x+1)**(1/2)/(c*x+1)**(1/2))),x)`

[Out] `-Integral(1/(a*c**2*x**2 - a + b*c**2*x**2*acot(sqrt(-c*x + 1)/sqrt(c*x + 1)) - b*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(c^2x^2 - 1)\left(b \operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x, algo  
rithm="giac")
```

```
[Out] integrate(-1/((c^2*x^2 - 1)*(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)),  
x)
```

$$3.156 \quad \int \frac{1}{(1-c^2x^2)\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2} dx$$

Optimal. Leaf size=42

$$\text{Unintegrable}\left(\frac{1}{(1-c^2x^2)\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}, x\right)$$

[Out] Unintegrable[1/((1 - c^2*x^2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2), x]

Rubi [A] time = 0.0415443, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(1-c^2x^2)\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((1 - c^2*x^2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2), x]

[Out] Defer[Int][1/((1 - c^2*x^2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2), x]

Rubi steps

$$\int \frac{1}{(1-c^2x^2)\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2} dx = \int \frac{1}{(1-c^2x^2)\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2} dx$$

Mathematica [A] time = 0.824999, size = 0, normalized size = 0.

$$\int \frac{1}{(1-c^2x^2)\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((1 - c^2*x^2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2), x]

[Out] Integrate[1/((1 - c^2*x^2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2), x]

Maple [A] time = 1.228, size = 0, normalized size = 0.

$$\int \frac{1}{-c^2x^2 + 1} \left(a + \text{barccot} \left(\sqrt{-cx + 1} \frac{1}{\sqrt{cx + 1}} \right) \right)^{-2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x)`

[Out] `int(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x)`

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\frac{2 \left((b^2 c^2 \arctan(\sqrt{cx+1}, \sqrt{-cx+1}) + abc^2) \sqrt{cx+1} \sqrt{-cx+1} \int \frac{x}{(abc^2 x^2 - ab + (b^2 c^2 x^2 - b^2) \arctan(\sqrt{cx+1}, \sqrt{-cx+1})) \sqrt{cx+1} \sqrt{-cx+1}} \right)}{(b^2 c \arctan(\sqrt{cx+1}, \sqrt{-cx+1}) + abc) \sqrt{cx+1} \sqrt{-cx+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x, algorithm="maxima")`

[Out] `-2*(2*(b^2*c^2*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1)) + a*b*c^2)*sqrt(c*x + 1)*sqrt(-c*x + 1)*integrate(1/2*x/((a*b*c^2*x^2 - a*b + (b^2*c^2*x^2 - b^2)*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1)))*sqrt(c*x + 1)*sqrt(-c*x + 1)), x) + 1)/((b^2*c*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1)) + a*b*c)*sqrt(c*x + 1)*sqrt(-c*x + 1))`

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{1}{a^2 c^2 x^2 + (b^2 c^2 x^2 - b^2) \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)^2 - a^2 + 2 (abc^2 x^2 - ab) \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x, algorithm="fricas")`

[Out] `integral(-1/(a^2*c^2*x^2 + (b^2*c^2*x^2 - b^2)*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1))^2 - a^2 + 2*(a*b*c^2*x^2 - a*b)*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1))), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$-\int \frac{1}{a^2 c^2 x^2 - a^2 + 2abc^2 x^2 \operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) - 2ab \operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + b^2 c^2 x^2 \operatorname{acot}^2 \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) - b^2 \operatorname{acot}^2 \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)}{dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-c**2*x**2+1)/(a+b*acot((-c*x+1)**(1/2)/(c*x+1)**(1/2)))**2,x)`

[Out] `-Integral(1/(a**2*c**2*x**2 - a**2 + 2*a*b*c**2*x**2*acot(sqrt(-c*x + 1)/sqrt(c*x + 1)) - 2*a*b*acot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + b**2*c**2*x**2*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))**2 - b**2*acot(sqrt(-c*x + 1)/sqrt(c*x + 1)`

))**2), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int -\frac{1}{(c^2x^2 - 1)\left(b \operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x, algorithm="giac")

[Out] integrate(-1/((c^2*x^2 - 1)*(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)^2), x)

3.157 $\int \cot^{-1}(\tan(a + bx)) dx$

Optimal. Leaf size=16

$$-\frac{\cot^{-1}(\tan(a + bx))^2}{2b}$$

[Out] -ArcCot[Tan[a + b*x]]^2/(2*b)

Rubi [A] time = 0.0082204, antiderivative size = 16, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2157, 30}

$$-\frac{\cot^{-1}(\tan(a + bx))^2}{2b}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[Tan[a + b*x]], x]

[Out] -ArcCot[Tan[a + b*x]]^2/(2*b)

Rule 2157

Int[(u_)^(m_), x_Symbol] :> With[{c = Simplify[D[u, x]]}, Dist[1/c, Subst[
Int[x^m, x], x, u], x]] /; FreeQ[m, x] && PiecewiseLinearQ[u, x]

Rule 30

Int[(x_)^(m_), x_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \cot^{-1}(\tan(a + bx)) dx &= -\frac{\text{Subst}\left(\int x dx, x, \cot^{-1}(\tan(a + bx))\right)}{b} \\ &= -\frac{\cot^{-1}(\tan(a + bx))^2}{2b} \end{aligned}$$

Mathematica [A] time = 0.0053343, size = 18, normalized size = 1.12

$$x \cot^{-1}(\tan(a + bx)) + \frac{bx^2}{2}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[Tan[a + b*x]], x]

[Out] (b*x^2)/2 + x*ArcCot[Tan[a + b*x]]

Maple [A] time = 0.042, size = 20, normalized size = 1.3

$$\frac{\pi x}{2} - \frac{(\arctan(\tan(bx + a)))^2}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/2*Pi-arctan(tan(b*x+a)),x)

[Out] 1/2*Pi*x-1/2/b*arctan(tan(b*x+a))^2

Maxima [A] time = 0.975565, size = 23, normalized size = 1.44

$$\frac{1}{2} \pi x - \frac{(bx + a)^2}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/2*pi-arctan(tan(b*x+a)),x, algorithm="maxima")

[Out] 1/2*pi*x - 1/2*(b*x + a)^2/b

Fricas [A] time = 2.35328, size = 42, normalized size = 2.62

$$-\frac{1}{2} bx^2 + \frac{1}{2} (\pi - 2a)x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/2*pi-arctan(tan(b*x+a)),x, algorithm="fricas")

[Out] -1/2*b*x^2 + 1/2*(pi - 2*a)*x

Sympy [B] time = 0.167083, size = 48, normalized size = 3.

$$\frac{\pi x}{2} - \begin{cases} \frac{\left(\operatorname{atan}(\tan(a+bx)) + \pi \left\lfloor \frac{a+bx-\frac{\pi}{2}}{\pi} \right\rfloor\right)^2}{2b} & \text{for } b \neq 0 \\ x \left(\operatorname{atan}(\tan(a)) + \pi \left\lfloor \frac{a-\frac{\pi}{2}}{\pi} \right\rfloor \right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/2*pi-atan(tan(b*x+a)),x)

[Out] pi*x/2 - Piecewise(((atan(tan(a + b*x)) + pi*floor((a + b*x - pi/2)/pi))**2)/(2*b), Ne(b, 0)), (x*(atan(tan(a)) + pi*floor((a - pi/2)/pi)), True))

Giac [A] time = 1.12254, size = 41, normalized size = 2.56

$$-\frac{1}{2} bx^2 + \pi x \left\lfloor \frac{bx + a}{\pi} + \frac{1}{2} \right\rfloor + \frac{1}{2} \pi x - ax$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/2*pi-arctan(tan(b*x+a)),x, algorithm="giac")
```

```
[Out] -1/2*b*x^2 + pi*x*floor((b*x + a)/pi + 1/2) + 1/2*pi*x - a*x
```

3.158 $\int x^2 \cot^{-1}(c + d \tan(a + bx)) dx$

Optimal. Leaf size=403

$$-\frac{ix \operatorname{PolyLog}\left(3, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{4b^2} + \frac{ix \operatorname{PolyLog}\left(3, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{4b^2} + \frac{\operatorname{PolyLog}\left(4, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{8b^3} - \frac{\operatorname{PolyLog}\left(4, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{8b^3}$$

```
[Out] (x^3*ArcCot[c + d*Tan[a + b*x]])/3 - (I/6)*x^3*Log[1 + ((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d)] + (I/6)*x^3*Log[1 + ((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d))] - (x^2*PolyLog[2, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d))]/(4*b) + (x^2*PolyLog[2, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d)))]/(4*b) - ((I/4)*x*PolyLog[3, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d))]/b^2 + ((I/4)*x*PolyLog[3, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d)))]/b^2 + PolyLog[4, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d))]/(8*b^3) - PolyLog[4, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d)))]/(8*b^3)
```

Rubi [A] time = 0.511602, antiderivative size = 403, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {5176, 2190, 2531, 6609, 2282, 6589}

$$-\frac{ix \operatorname{PolyLog}\left(3, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{4b^2} + \frac{ix \operatorname{PolyLog}\left(3, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{4b^2} + \frac{\operatorname{PolyLog}\left(4, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{8b^3} - \frac{\operatorname{PolyLog}\left(4, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{8b^3}$$

Antiderivative was successfully verified.

```
[In] Int[x^2*ArcCot[c + d*Tan[a + b*x]], x]
```

```
[Out] (x^3*ArcCot[c + d*Tan[a + b*x]])/3 - (I/6)*x^3*Log[1 + ((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d)] + (I/6)*x^3*Log[1 + ((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d))] - (x^2*PolyLog[2, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d))]/(4*b) + (x^2*PolyLog[2, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d)))]/(4*b) - ((I/4)*x*PolyLog[3, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d))]/b^2 + ((I/4)*x*PolyLog[3, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d)))]/b^2 + PolyLog[4, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d))]/(8*b^3) - PolyLog[4, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d)))]/(8*b^3)
```

Rule 5176

```
Int[ArcCot[(c_.) + (d_.)*Tan[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> Simp[((e + f*x)^(m + 1)*ArcCot[c + d*Tan[a + b*x]]/(f*(m + 1)), x] + (-Dist[(b*(1 - I*c - d))/(f*(m + 1)), Int[((e + f*x)^(m + 1)*E^(2*I*a + 2*I*b*x))/(1 - I*c + d + (1 - I*c - d)*E^(2*I*a + 2*I*b*x)), x], x] + Dist[(b*(1 + I*c + d))/(f*(m + 1)), Int[((e + f*x)^(m + 1)*E^(2*I*a + 2*I*b*x))/(1 + I*c - d + (1 + I*c + d)*E^(2*I*a + 2*I*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[(c + I*d)^2, -1]
```

Rule 2190

```
Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
```

st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 6609

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_.))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
 \int x^2 \cot^{-1}(c + d \tan(a + bx)) dx &= \frac{1}{3} x^3 \cot^{-1}(c + d \tan(a + bx)) - \frac{1}{3} (b(1 - ic - d)) \int \frac{e^{2ia+2ibx} x^3}{1 - ic + d + (1 - ic - d)e^{2ia+2ibx}} \\
 &= \frac{1}{3} x^3 \cot^{-1}(c + d \tan(a + bx)) - \frac{1}{6} ix^3 \log \left(1 + \frac{(1 + ic + d)e^{2ia+2ibx}}{1 + ic - d} \right) + \frac{1}{6} ix^3 \log \left(1 + \frac{(1 - ic - d)e^{2ia+2ibx}}{1 - ic + d} \right) \\
 &= \frac{1}{3} x^3 \cot^{-1}(c + d \tan(a + bx)) - \frac{1}{6} ix^3 \log \left(1 + \frac{(1 + ic + d)e^{2ia+2ibx}}{1 + ic - d} \right) + \frac{1}{6} ix^3 \log \left(1 + \frac{(1 - ic - d)e^{2ia+2ibx}}{1 - ic + d} \right) \\
 &= \frac{1}{3} x^3 \cot^{-1}(c + d \tan(a + bx)) - \frac{1}{6} ix^3 \log \left(1 + \frac{(1 + ic + d)e^{2ia+2ibx}}{1 + ic - d} \right) + \frac{1}{6} ix^3 \log \left(1 + \frac{(1 - ic - d)e^{2ia+2ibx}}{1 - ic + d} \right) \\
 &= \frac{1}{3} x^3 \cot^{-1}(c + d \tan(a + bx)) - \frac{1}{6} ix^3 \log \left(1 + \frac{(1 + ic + d)e^{2ia+2ibx}}{1 + ic - d} \right) + \frac{1}{6} ix^3 \log \left(1 + \frac{(1 - ic - d)e^{2ia+2ibx}}{1 - ic + d} \right) \\
 &= \frac{1}{3} x^3 \cot^{-1}(c + d \tan(a + bx)) - \frac{1}{6} ix^3 \log \left(1 + \frac{(1 + ic + d)e^{2ia+2ibx}}{1 + ic - d} \right) + \frac{1}{6} ix^3 \log \left(1 + \frac{(1 - ic - d)e^{2ia+2ibx}}{1 - ic + d} \right)
 \end{aligned}$$

Mathematica [A] time = 0.810433, size = 363, normalized size = 0.9

$$\frac{1}{3} x^3 \cot^{-1}(d \tan(a + bx) + c) + \frac{-6b^2 x^2 \text{PolyLog} \left(2, -\frac{(c - i(d+1))e^{2i(a+bx)}}{c + i(d-1)} \right) + 6b^2 x^2 \text{PolyLog} \left(2, -\frac{(c - id + i)e^{2i(a+bx)}}{c + i(d+1)} \right) - 6ibx \text{PolyLog} \left(2, -\frac{(c - i(d+1))e^{2i(a+bx)}}{c + i(d-1)} \right) - 6ibx \text{PolyLog} \left(2, -\frac{(c - id + i)e^{2i(a+bx)}}{c + i(d+1)} \right)}{1}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*ArcCot[c + d*Tan[a + b*x]],x]
```

```
[Out] (x^3*ArcCot[c + d*Tan[a + b*x]])/3 + ((-4*I)*b^3*x^3*Log[1 + ((c - I*(1 + d))
)*E^((2*I)*(a + b*x))]/(c + I*(-1 + d))] + (4*I)*b^3*x^3*Log[1 + ((I + c -
I*d)*E^((2*I)*(a + b*x)))/(c + I*(1 + d))] - 6*b^2*x^2*PolyLog[2, -(((c -
I*(1 + d))*E^((2*I)*(a + b*x)))/(c + I*(-1 + d)))] + 6*b^2*x^2*PolyLog[2, -
(((I + c - I*d)*E^((2*I)*(a + b*x)))/(c + I*(1 + d)))] - (6*I)*b*x*PolyLog[
3, -(((c - I*(1 + d))*E^((2*I)*(a + b*x)))/(c + I*(-1 + d)))] + (6*I)*b*x*P
olyLog[3, -(((I + c - I*d)*E^((2*I)*(a + b*x)))/(c + I*(1 + d)))] + 3*PolyL
og[4, -(((c - I*(1 + d))*E^((2*I)*(a + b*x)))/(c + I*(-1 + d)))] - 3*PolyLo
g[4, -(((I + c - I*d)*E^((2*I)*(a + b*x)))/(c + I*(1 + d)))]/(24*b^3)
```

Maple [C] time = 8.365, size = 8034, normalized size = 19.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*arccot(c+d*tan(b*x+a)),x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccot(c+d*tan(b*x+a)),x, algorithm="maxima")
```

```
[Out] 1/6*x^3*arctan2(-(d + 1)*cos(2*b*x + 2*a) + c*sin(2*b*x + 2*a) + d - 1, -c*
cos(2*b*x + 2*a) - (d + 1)*sin(2*b*x + 2*a) - c) - 1/6*x^3*arctan2(-(d - 1)
*cos(2*b*x + 2*a) + c*sin(2*b*x + 2*a) + d + 1, -c*cos(2*b*x + 2*a) - (d -
1)*sin(2*b*x + 2*a) - c) - 4*b*d*integrate(-1/3*(2*(c^2 + d^2 + 1)*x^3*cos(
2*b*x + 2*a)^2 + 2*c*d*x^3*sin(2*b*x + 2*a) + 2*(c^2 + d^2 + 1)*x^3*sin(2*b
*x + 2*a)^2 + (c^2 - d^2 + 1)*x^3*cos(2*b*x + 2*a) - (2*c*d*x^3*sin(2*b*x +
2*a) - (c^2 - d^2 + 1)*x^3*cos(2*b*x + 2*a))*cos(4*b*x + 4*a) + (2*c*d*x^3
*cos(2*b*x + 2*a) + (c^2 - d^2 + 1)*x^3*sin(2*b*x + 2*a))*sin(4*b*x + 4*a)
)/(c^4 + d^4 + 2*(c^2 - 1)*d^2 + (c^4 + d^4 + 2*(c^2 - 1)*d^2 + 2*c^2 + 1)*c
os(4*b*x + 4*a)^2 + 4*(c^4 + d^4 + 2*(c^2 + 1)*d^2 + 2*c^2 + 1)*cos(2*b*x +
2*a)^2 + (c^4 + d^4 + 2*(c^2 - 1)*d^2 + 2*c^2 + 1)*sin(4*b*x + 4*a)^2 + 4*
(c^4 + d^4 + 2*(c^2 + 1)*d^2 + 2*c^2 + 1)*sin(2*b*x + 2*a)^2 + 2*c^2 + 2*(c
^4 + d^4 - 2*(3*c^2 + 1)*d^2 + 2*c^2 + 2*(c^4 - d^4 + 2*c^2 + 1)*cos(2*b*x
+ 2*a) - 4*(c*d^3 + (c^3 + c)*d)*sin(2*b*x + 2*a) + 1)*cos(4*b*x + 4*a) + 4
*(c^4 - d^4 + 2*c^2 + 1)*cos(2*b*x + 2*a) - 4*(2*c*d^3 - 2*(c^3 + c)*d - 2*
(c*d^3 + (c^3 + c)*d)*cos(2*b*x + 2*a) - (c^4 - d^4 + 2*c^2 + 1)*sin(2*b*x
+ 2*a))*sin(4*b*x + 4*a) + 8*(c*d^3 + (c^3 + c)*d)*sin(2*b*x + 2*a) + 1), x
)
```

Fricas [C] time = 3.62622, size = 5146, normalized size = 12.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c+d*tan(b*x+a)),x, algorithm="fricas")

[Out]
$$\frac{1}{48} \cdot (16b^3x^3 \operatorname{arccot}(d \tan(bx+a) + c) - 6b^2x^2 \operatorname{dilog}((2(Icd - d^2 + d) \tan(bx+a)^2 - 2c^2 - 2Icd - (-2Ic^2 + 4cd + 2Id^2 - 2I) \tan(bx+a) + 2d - 2) / ((c^2 + d^2 - 2d + 1) \tan(bx+a)^2 + c^2 + d^2 - 2d + 1) + 1) + 6b^2x^2 \operatorname{dilog}((2(Icd - d^2 - d) \tan(bx+a)^2 - 2c^2 - 2Icd - (-2Ic^2 + 4cd + 2Id^2 - 2I) \tan(bx+a) - 2d - 2) / ((c^2 + d^2 + 2d + 1) \tan(bx+a)^2 + c^2 + d^2 + 2d + 1) + 1) - 6b^2x^2 \operatorname{dilog}((2(-Icd - d^2 + d) \tan(bx+a)^2 - 2c^2 + 2Icd - (2Ic^2 + 4cd - 2Id^2 + 2I) \tan(bx+a) + 2d - 2) / ((c^2 + d^2 - 2d + 1) \tan(bx+a)^2 + c^2 + d^2 - 2d + 1) + 1) + 6b^2x^2 \operatorname{dilog}((2(-Icd - d^2 - d) \tan(bx+a)^2 - 2c^2 + 2Icd - (2Ic^2 + 4cd - 2Id^2 + 2I) \tan(bx+a) - 2d - 2) / ((c^2 + d^2 + 2d + 1) \tan(bx+a)^2 + c^2 + d^2 + 2d + 1) + 1) - 4Ia^3 \log(((Icd + d^2 + d) \tan(bx+a)^2 - c^2 + Icd + (Ic^2 + Id^2 + 2Id + I) \tan(bx+a) - d - 1) / (\tan(bx+a)^2 + 1)) + 4Ia^3 \log(((Icd + d^2 - d) \tan(bx+a)^2 - c^2 + Icd + (Ic^2 + Id^2 - 2Id + I) \tan(bx+a) + d - 1) / (\tan(bx+a)^2 + 1)) - 4Ia^3 \log(((Icd - d^2 + d) \tan(bx+a)^2 + c^2 + Icd + (Ic^2 + Id^2 - 2Id + I) \tan(bx+a) - d + 1) / (\tan(bx+a)^2 + 1)) + 4Ia^3 \log(((Icd - d^2 - d) \tan(bx+a)^2 + c^2 + Icd + (Ic^2 + Id^2 + 2Id + I) \tan(bx+a) + d + 1) / (\tan(bx+a)^2 + 1)) - 6Ib^2x \operatorname{polylog}(3, ((c^2 + 2Icd - d^2 + 1) \tan(bx+a)^2 - c^2 - 2Icd + d^2 + (2Ic^2 - 4cd - 2Id^2 + 2I) \tan(bx+a) - 1) / ((c^2 + d^2 + 2d + 1) \tan(bx+a)^2 + c^2 + d^2 + 2d + 1)) + 6Ib^2x \operatorname{polylog}(3, ((c^2 - 2Icd - d^2 + 1) \tan(bx+a)^2 - c^2 + 2Icd + d^2 + (-2Ic^2 - 4cd + 2Id^2 - 2I) \tan(bx+a) - 1) / ((c^2 + d^2 + 2d + 1) \tan(bx+a)^2 + c^2 + d^2 + 2d + 1)) + 6Ib^2x \operatorname{polylog}(3, ((c^2 + 2Icd - d^2 + 1) \tan(bx+a)^2 - c^2 - 2Icd + d^2 + (2Ic^2 - 4cd - 2Id^2 + 2I) \tan(bx+a) - 1) / ((c^2 + d^2 - 2d + 1) \tan(bx+a)^2 + c^2 + d^2 - 2d + 1)) - 6Ib^2x \operatorname{polylog}(3, ((c^2 - 2Icd - d^2 + 1) \tan(bx+a)^2 - c^2 + 2Icd + d^2 + (-2Ic^2 - 4cd + 2Id^2 - 2I) \tan(bx+a) - 1) / ((c^2 + d^2 - 2d + 1) \tan(bx+a)^2 + c^2 + d^2 - 2d + 1)) + (4Ib^3x^3 + 4Ia^3) \log(-2(Icd - d^2 + d) \tan(bx+a)^2 - 2c^2 - 2Icd - (-2Ic^2 + 4cd + 2Id^2 - 2I) \tan(bx+a) + 2d - 2) / ((c^2 + d^2 - 2d + 1) \tan(bx+a)^2 + c^2 + d^2 - 2d + 1)) + (-4Ib^3x^3 - 4Ia^3) \log(-2(Icd - d^2 - d) \tan(bx+a)^2 - 2c^2 - 2Icd - (-2Ic^2 + 4cd + 2Id^2 - 2I) \tan(bx+a) - 2d - 2) / ((c^2 + d^2 + 2d + 1) \tan(bx+a)^2 + c^2 + d^2 + 2d + 1)) + (-4Ib^3x^3 - 4Ia^3) \log(-2(-Icd - d^2 + d) \tan(bx+a)^2 - 2c^2 + 2Icd - (2Ic^2 + 4cd - 2Id^2 + 2I) \tan(bx+a) + 2d - 2) / ((c^2 + d^2 - 2d + 1) \tan(bx+a)^2 + c^2 + d^2 - 2d + 1)) + (4Ib^3x^3 + 4Ia^3) \log(-2(-Icd - d^2 - d) \tan(bx+a)^2 - 2c^2 + 2Icd - (2Ic^2 + 4cd - 2Id^2 + 2I) \tan(bx+a) - 2d - 2) / ((c^2 + d^2 + 2d + 1) \tan(bx+a)^2 + c^2 + d^2 + 2d + 1)) - 3 \operatorname{polylog}(4, ((c^2 + 2Icd - d^2 + 1) \tan(bx+a)^2 - c^2 - 2Icd + d^2 + (2Ic^2 - 4cd - 2Id^2 + 2I) \tan(bx+a) - 1) / ((c^2 + d^2 + 2d + 1) \tan(bx+a)^2 + c^2 + d^2 + 2d + 1)) - 3 \operatorname{polylog}(4, ((c^2 - 2Icd - d^2 + 1) \tan(bx+a)^2 - c^2 + 2Icd + d^2 + (-2Ic^2 - 4cd + 2Id^2 - 2I) \tan(bx+a) - 1) / ((c^2 + d^2 + 2d + 1) \tan(bx+a)^2 + c^2 + d^2 + 2d + 1)) + 3 \operatorname{polylog}(4, ((c^2 + 2Icd - d^2 + 1) \tan(bx+a)^2 - c^2 - 2Icd + d^2 + (2Ic^2 - 4cd - 2Id^2 + 2I) \tan(bx+a) - 1) / ((c^2 + d^2 - 2d + 1) \tan(bx+a)^2 + c^2 + d^2 - 2d + 1)) + 3 \operatorname{polylog}(4, ((c^2 - 2Icd - d^2 + 1) \tan(bx+a)^2 - c^2 + 2Icd + d^2 + (-2Ic^2 - 4cd + 2Id^2 - 2I) \tan(bx+a) - 1) / ((c^2 + d^2 - 2d + 1) \tan(bx+a)^2 + c^2 + d^2 - 2d + 1))) / b^3$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*acot(c+d*tan(b*x+a)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{arccot}(d \tan(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arccot(c+d*tan(b*x+a)),x, algorithm="giac")`

[Out] `integrate(x^2*arccot(d*tan(b*x + a) + c), x)`

3.159 $\int x \cot^{-1}(c + d \tan(a + bx)) dx$

Optimal. Leaf size=305

$$\frac{i \operatorname{PolyLog}\left(3, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{8b^2} + \frac{i \operatorname{PolyLog}\left(3, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{8b^2} - \frac{x \operatorname{PolyLog}\left(2, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{4b} + \frac{x \operatorname{PolyLog}\left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{4b}$$

```
[Out] (x^2*ArcCot[c + d*Tan[a + b*x]])/2 - (I/4)*x^2*Log[1 + ((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d)] + (I/4)*x^2*Log[1 + ((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d))] - (x*PolyLog[2, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d))]/(4*b) + (x*PolyLog[2, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d)))]/(4*b) - ((I/8)*PolyLog[3, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d))]/b^2 + ((I/8)*PolyLog[3, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d)))]/b^2
```

Rubi [A] time = 0.405548, antiderivative size = 305, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {5176, 2190, 2531, 2282, 6589}

$$\frac{i \operatorname{PolyLog}\left(3, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{8b^2} + \frac{i \operatorname{PolyLog}\left(3, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{8b^2} - \frac{x \operatorname{PolyLog}\left(2, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{4b} + \frac{x \operatorname{PolyLog}\left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{4b}$$

Antiderivative was successfully verified.

```
[In] Int[x*ArcCot[c + d*Tan[a + b*x]], x]
```

```
[Out] (x^2*ArcCot[c + d*Tan[a + b*x]])/2 - (I/4)*x^2*Log[1 + ((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d)] + (I/4)*x^2*Log[1 + ((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d))] - (x*PolyLog[2, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d))]/(4*b) + (x*PolyLog[2, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d)))]/(4*b) - ((I/8)*PolyLog[3, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d))]/b^2 + ((I/8)*PolyLog[3, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d)))]/b^2
```

Rule 5176

```
Int[ArcCot[(c_.) + (d_.)*Tan[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[((e + f*x)^(m + 1)*ArcCot[c + d*Tan[a + b*x]])/(f*(m + 1)), x] + (-Dist[(b*(1 - I*c - d))/(f*(m + 1)), Int[((e + f*x)^(m + 1)*E^(2*I*a + 2*I*b*x))/(1 - I*c + d + (1 - I*c - d)*E^(2*I*a + 2*I*b*x)), x], x] + Dist[(b*(1 + I*c + d))/(f*(m + 1)), Int[((e + f*x)^(m + 1)*E^(2*I*a + 2*I*b*x))/(1 + I*c - d + (1 + I*c + d)*E^(2*I*a + 2*I*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[(c + I*d)^2, -1]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)]/g, x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

)))^n)]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned} \int x \cot^{-1}(c + d \tan(a + bx)) dx &= \frac{1}{2}x^2 \cot^{-1}(c + d \tan(a + bx)) - \frac{1}{2}(b(1 - ic - d)) \int \frac{e^{2ia+2ibx} x^2}{1 - ic + d + (1 - ic - d)e^{2ia+2ibx}} dx \\ &= \frac{1}{2}x^2 \cot^{-1}(c + d \tan(a + bx)) - \frac{1}{4}ix^2 \log\left(1 + \frac{(1 + ic + d)e^{2ia+2ibx}}{1 + ic - d}\right) + \frac{1}{4}ix^2 \log\left(1 + \frac{(c + d \tan(a + bx))e^{2ia+2ibx}}{1 + ic - d}\right) \\ &= \frac{1}{2}x^2 \cot^{-1}(c + d \tan(a + bx)) - \frac{1}{4}ix^2 \log\left(1 + \frac{(1 + ic + d)e^{2ia+2ibx}}{1 + ic - d}\right) + \frac{1}{4}ix^2 \log\left(1 + \frac{(c + d \tan(a + bx))e^{2ia+2ibx}}{1 + ic - d}\right) \\ &= \frac{1}{2}x^2 \cot^{-1}(c + d \tan(a + bx)) - \frac{1}{4}ix^2 \log\left(1 + \frac{(1 + ic + d)e^{2ia+2ibx}}{1 + ic - d}\right) + \frac{1}{4}ix^2 \log\left(1 + \frac{(c + d \tan(a + bx))e^{2ia+2ibx}}{1 + ic - d}\right) \\ &= \frac{1}{2}x^2 \cot^{-1}(c + d \tan(a + bx)) - \frac{1}{4}ix^2 \log\left(1 + \frac{(1 + ic + d)e^{2ia+2ibx}}{1 + ic - d}\right) + \frac{1}{4}ix^2 \log\left(1 + \frac{(c + d \tan(a + bx))e^{2ia+2ibx}}{1 + ic - d}\right) \end{aligned}$$

Mathematica [A] time = 0.589063, size = 272, normalized size = 0.89

$$\frac{1}{2}x^2 \cot^{-1}(d \tan(a + bx) + c) - \frac{i\left(-2ibx \operatorname{PolyLog}\left(2, -\frac{(c-i(d+1))e^{2i(a+bx)}}{c+i(d-1)}\right) + 2ibx \operatorname{PolyLog}\left(2, -\frac{(c-id+i)e^{2i(a+bx)}}{c+i(d+1)}\right) + \operatorname{PolyLog}\left(3, -\frac{(c-i(d+1))e^{2i(a+bx)}}{c+i(d-1)}\right) + \operatorname{PolyLog}\left(3, -\frac{(c-id+i)e^{2i(a+bx)}}{c+i(d+1)}\right)\right)}{b^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcCot[c + d*Tan[a + b*x]], x]

[Out] (x^2*ArcCot[c + d*Tan[a + b*x]])/2 - ((I/8)*(2*b^2*x^2*Log[1 + ((c - I*(1 + d))*E^((2*I)*(a + b*x)))/(c + I*(-1 + d))] - 2*b^2*x^2*Log[1 + ((I + c - I*d)*E^((2*I)*(a + b*x)))/(c + I*(1 + d))] - (2*I)*b*x*PolyLog[2, -(((c - I*(1 + d))*E^((2*I)*(a + b*x)))/(c + I*(-1 + d)))] + (2*I)*b*x*PolyLog[2, -(((I + c - I*d)*E^((2*I)*(a + b*x)))/(c + I*(1 + d)))] + PolyLog[3, -(((c - I*(1 + d))*E^((2*I)*(a + b*x)))/(c + I*(-1 + d)))] - PolyLog[3, -(((I + c - I*d)*E^((2*I)*(a + b*x)))/(c + I*(1 + d)))]))/b^2

Maple [C] time = 31.149, size = 7678, normalized size = 25.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*arccot(c+d*tan(b*x+a)),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arccot(c+d*tan(b*x+a)),x, algorithm="maxima")`

[Out]
$$\frac{1}{4}x^2 \arctan^2(-(d+1)\cos(2bx+2a) + c\sin(2bx+2a) + d - 1, -c\cos(2bx+2a) - (d+1)\sin(2bx+2a) - c) - \frac{1}{4}x^2 \arctan^2(-(d-1)\cos(2bx+2a) + c\sin(2bx+2a) + d + 1, -c\cos(2bx+2a) - (d-1)\sin(2bx+2a) - c) - 2bd \int -(2(c^2 + d^2 + 1)x^2 \cos(2bx+2a)^2 + 2cdx^2 \sin(2bx+2a) + 2(c^2 + d^2 + 1)x^2 \sin(2bx+2a)^2 + (c^2 - d^2 + 1)x^2 \cos(2bx+2a) - (2cdx^2 \sin(2bx+2a) - (c^2 - d^2 + 1)x^2 \cos(2bx+2a))) \cos(4bx+4a) + (2cdx^2 \cos(2bx+2a) + (c^2 - d^2 + 1)x^2 \sin(2bx+2a)) \sin(4bx+4a) / (c^4 + d^4 + 2(c^2 - 1)d^2 + (c^4 + d^4 + 2(c^2 - 1)d^2 + 2c^2 + 1)\cos(4bx+4a)^2 + 4(c^4 + d^4 + 2(c^2 + 1)d^2 + 2c^2 + 1)\cos(2bx+2a)^2 + (c^4 + d^4 + 2(c^2 - 1)d^2 + 2c^2 + 1)\sin(4bx+4a)^2 + 4(c^4 + d^4 + 2(c^2 + 1)d^2 + 2c^2 + 1)\sin(2bx+2a)^2 + 2c^2 + 2(c^4 + d^4 - 2(3c^2 + 1)d^2 + 2c^2 + 2(c^4 - d^4 + 2c^2 + 1)\cos(2bx+2a) - 4(cd^3 + (c^3 + c)d)\sin(2bx+2a) + 1)\cos(4bx+4a) + 4(c^4 - d^4 + 2c^2 + 1)\cos(2bx+2a) - 4(2cd^3 - 2(c^3 + c)d - 2(c^3 + (c^3 + c)d)\cos(2bx+2a) - (c^4 - d^4 + 2c^2 + 1)\sin(2bx+2a))\sin(4bx+4a) + 8(cd^3 + (c^3 + c)d)\sin(2bx+2a) + 1), x$$

Fricas [C] time = 3.49119, size = 4035, normalized size = 13.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arccot(c+d*tan(b*x+a)),x, algorithm="fricas")`

[Out]
$$\frac{1}{16}(8b^2x^2 \arccot(d\tan(bx+a) + c) - 2bx \operatorname{dilog}((2(Icd - d^2 + d)\tan(bx+a)^2 - 2c^2 - 2Icd - (-2Ic^2 + 4cd + 2Id^2 - 2I))\tan(bx+a) + 2d - 2) / ((c^2 + d^2 - 2d + 1)\tan(bx+a)^2 + c^2 + d^2 - 2d + 1) + 1) + 2bx \operatorname{dilog}((2(Icd - d^2 - d)\tan(bx+a)^2 - 2c^2 - 2Icd - (-2Ic^2 + 4cd + 2Id^2 - 2I))\tan(bx+a) - 2d - 2) / ((c^2 + d^2 + 2d + 1)\tan(bx+a)^2 + c^2 + d^2 + 2d + 1) + 1) - 2bx \operatorname{dilog}((2(-Icd - d^2 + d)\tan(bx+a)^2 - 2c^2 + 2Icd - (2Ic^2 + 4cd - 2Id^2 + 2I))\tan(bx+a) + 2d - 2) / ((c^2 + d^2 - 2d + 1)\tan(bx+a)^2 + c^2 + d^2 - 2d + 1) + 1) + 2bx \operatorname{dilog}((2(-Icd - d^2 - d)\tan(bx+a)^2 - 2c^2 + 2Icd - (2Ic^2 + 4cd - 2Id^2 + 2I))\tan(bx+a) - 2d - 2) / ((c^2 + d^2 + 2d + 1)\tan(bx+a)^2 + c^2 + d^2 + 2d + 1) + 1) + 2Ia^2 \log(((Icd + d^2 + d)\tan(bx+a)^2 - c^2 + Icd + (Ic^2 + Id^2 + 2Id + I)\tan(bx+a) - d - 1) / (\tan(bx+a)^2 + 1)) - 2Ia^2 \log(((Icd + d^2 - d)\tan(bx+a)^2 - c^2 + Icd + (Ic^2 + Id^2 - 2Id + I)$$

```

*tan(b*x + a) + d - 1)/(tan(b*x + a)^2 + 1)) + 2*I*a^2*log(((I*c*d - d^2 +
d)*tan(b*x + a)^2 + c^2 + I*c*d + (I*c^2 + I*d^2 - 2*I*d + I)*tan(b*x + a
- d + 1)/(tan(b*x + a)^2 + 1)) - 2*I*a^2*log(((I*c*d - d^2 - d)*tan(b*x + a
)^2 + c^2 + I*c*d + (I*c^2 + I*d^2 + 2*I*d + I)*tan(b*x + a) + d + 1)/(tan(
b*x + a)^2 + 1)) + (2*I*b^2*x^2 - 2*I*a^2)*log(-(2*(I*c*d - d^2 + d)*tan(b*
x + a)^2 - 2*c^2 - 2*I*c*d - (-2*I*c^2 + 4*c*d + 2*I*d^2 - 2*I)*tan(b*x + a
) + 2*d - 2)/((c^2 + d^2 - 2*d + 1)*tan(b*x + a)^2 + c^2 + d^2 - 2*d + 1))
+ (-2*I*b^2*x^2 + 2*I*a^2)*log(-(2*(I*c*d - d^2 - d)*tan(b*x + a)^2 - 2*c^2
- 2*I*c*d - (-2*I*c^2 + 4*c*d + 2*I*d^2 - 2*I)*tan(b*x + a) - 2*d - 2)/((c
^2 + d^2 + 2*d + 1)*tan(b*x + a)^2 + c^2 + d^2 + 2*d + 1)) + (-2*I*b^2*x^2
+ 2*I*a^2)*log(-(2*(-I*c*d - d^2 + d)*tan(b*x + a)^2 - 2*c^2 + 2*I*c*d - (2
*I*c^2 + 4*c*d - 2*I*d^2 + 2*I)*tan(b*x + a) + 2*d - 2)/((c^2 + d^2 - 2*d +
1)*tan(b*x + a)^2 + c^2 + d^2 - 2*d + 1)) + (2*I*b^2*x^2 - 2*I*a^2)*log(-
(2*(-I*c*d - d^2 - d)*tan(b*x + a)^2 - 2*c^2 + 2*I*c*d - (2*I*c^2 + 4*c*d -
2*I*d^2 + 2*I)*tan(b*x + a) - 2*d - 2)/((c^2 + d^2 + 2*d + 1)*tan(b*x + a)^
2 + c^2 + d^2 + 2*d + 1)) - I*polylog(3, ((c^2 + 2*I*c*d - d^2 + 1)*tan(b*x
+ a)^2 - c^2 - 2*I*c*d + d^2 + (2*I*c^2 - 4*c*d - 2*I*d^2 + 2*I)*tan(b*x +
a) - 1)/((c^2 + d^2 + 2*d + 1)*tan(b*x + a)^2 + c^2 + d^2 + 2*d + 1)) + I*
polylog(3, ((c^2 - 2*I*c*d - d^2 + 1)*tan(b*x + a)^2 - c^2 + 2*I*c*d + d^2
+ (-2*I*c^2 - 4*c*d + 2*I*d^2 - 2*I)*tan(b*x + a) - 1)/((c^2 + d^2 + 2*d +
1)*tan(b*x + a)^2 + c^2 + d^2 + 2*d + 1)) + I*polylog(3, ((c^2 + 2*I*c*d -
d^2 + 1)*tan(b*x + a)^2 - c^2 - 2*I*c*d + d^2 + (2*I*c^2 - 4*c*d - 2*I*d^2
+ 2*I)*tan(b*x + a) - 1)/((c^2 + d^2 - 2*d + 1)*tan(b*x + a)^2 + c^2 + d^2
- 2*d + 1)) - I*polylog(3, ((c^2 - 2*I*c*d - d^2 + 1)*tan(b*x + a)^2 - c^2
+ 2*I*c*d + d^2 + (-2*I*c^2 - 4*c*d + 2*I*d^2 - 2*I)*tan(b*x + a) - 1)/((c^
2 + d^2 - 2*d + 1)*tan(b*x + a)^2 + c^2 + d^2 - 2*d + 1)))/b^2

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*acot(c+d*tan(b*x+a)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{arccot}(d \tan(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arccot(c+d*tan(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(x*arccot(d*tan(b*x + a) + c), x)
```

3.160 $\int \cot^{-1}(c + d \tan(a + bx)) dx$

Optimal. Leaf size=198

$$-\frac{\text{PolyLog}\left(2, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{4b} + \frac{\text{PolyLog}\left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{4b} - \frac{1}{2}ix \log\left(1 + \frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right) + \frac{1}{2}ix \log\left(1 + \frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)$$

```
[Out] x*ArcCot[c + d*Tan[a + b*x]] - (I/2)*x*Log[1 + ((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d)] + (I/2)*x*Log[1 + ((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d))] - PolyLog[2, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d))]/(4*b) + PolyLog[2, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d)))]/(4*b)
```

Rubi [A] time = 0.243227, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {5168, 2190, 2279, 2391}

$$-\frac{\text{PolyLog}\left(2, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{4b} + \frac{\text{PolyLog}\left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{4b} - \frac{1}{2}ix \log\left(1 + \frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right) + \frac{1}{2}ix \log\left(1 + \frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)$$

Antiderivative was successfully verified.

```
[In] Int[ArcCot[c + d*Tan[a + b*x]], x]
```

```
[Out] x*ArcCot[c + d*Tan[a + b*x]] - (I/2)*x*Log[1 + ((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d)] + (I/2)*x*Log[1 + ((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d))] - PolyLog[2, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d))]/(4*b) + PolyLog[2, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d)))]/(4*b)
```

Rule 5168

```
Int[ArcCot[(c_.) + (d_.)*Tan[(a_.) + (b_.)*(x_)]], x_Symbol] :> Simp[x*ArcCot[c + d*Tan[a + b*x]], x] + (-Dist[b*(1 - I*c - d), Int[(x*E^(2*I*a + 2*I*b*x))/(1 - I*c + d + (1 - I*c - d)*E^(2*I*a + 2*I*b*x)), x], x] + Dist[b*(1 + I*c + d), Int[(x*E^(2*I*a + 2*I*b*x))/(1 + I*c - d + (1 + I*c + d)*E^(2*I*a + 2*I*b*x)), x], x]) /; FreeQ[{a, b, c, d}, x] && NeQ[(c + I*d)^2, -1]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp[(((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F])), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned} \int \cot^{-1}(c + d \tan(a + bx)) dx &= x \cot^{-1}(c + d \tan(a + bx)) - (b(1 - ic - d)) \int \frac{e^{2ia+2ibx}}{1 - ic + d + (1 - ic - d)e^{2ia+2ibx}} dx + (b(1 - ic - d)) \int \frac{e^{2ia+2ibx}}{1 - ic + d + (1 - ic - d)e^{2ia+2ibx}} dx \\ &= x \cot^{-1}(c + d \tan(a + bx)) - \frac{1}{2}ix \log\left(1 + \frac{(1 + ic + d)e^{2ia+2ibx}}{1 + ic - d}\right) + \frac{1}{2}ix \log\left(1 + \frac{(c + i(1 - ic - d))e^{2ia+2ibx}}{c + i(1 - ic - d)}\right) \\ &= x \cot^{-1}(c + d \tan(a + bx)) - \frac{1}{2}ix \log\left(1 + \frac{(1 + ic + d)e^{2ia+2ibx}}{1 + ic - d}\right) + \frac{1}{2}ix \log\left(1 + \frac{(c + i(1 - ic - d))e^{2ia+2ibx}}{c + i(1 - ic - d)}\right) \\ &= x \cot^{-1}(c + d \tan(a + bx)) - \frac{1}{2}ix \log\left(1 + \frac{(1 + ic + d)e^{2ia+2ibx}}{1 + ic - d}\right) + \frac{1}{2}ix \log\left(1 + \frac{(c + i(1 - ic - d))e^{2ia+2ibx}}{c + i(1 - ic - d)}\right) \end{aligned}$$

Mathematica [B] time = 1.66415, size = 555, normalized size = 2.8

$$x \cot^{-1}(d \tan(a + bx) + c) - \frac{x \left(-i\sqrt{-d^2} \left(\text{PolyLog}\left(2, \frac{d^2(1-i\tan(a+bx))}{icd+d^2-i\sqrt{-d^2}}\right) + \log(1-i\tan(a+bx)) \log\left(\frac{d^2(-\tan(a+bx))-cd+\sqrt{-d^2}}{-cd+id^2+\sqrt{-d^2}}\right) \right) \right)}{2d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[c + d*Tan[a + b*x]], x]

[Out] x*ArcCot[c + d*Tan[a + b*x]] - (x*(-4*a*d*ArcTan[c + d*Tan[a + b*x]] - I*Sqrt[-d^2]*(Log[1 - I*Tan[a + b*x]]*Log[(-(c*d) + Sqrt[-d^2] - d^2*Tan[a + b*x])/(-(c*d) + I*d^2 + Sqrt[-d^2])] + PolyLog[2, (d^2*(1 - I*Tan[a + b*x]))/(I*c*d + d^2 - I*Sqrt[-d^2])]) + I*Sqrt[-d^2]*(Log[1 - I*Tan[a + b*x]]*Log[(c*d + Sqrt[-d^2] + d^2*Tan[a + b*x])/(c*d - I*d^2 + Sqrt[-d^2])]) + PolyLog[2, (d^2*(1 - I*Tan[a + b*x]))/(I*c*d + d^2 + I*Sqrt[-d^2])]) + I*Sqrt[-d^2]*(Log[1 + I*Tan[a + b*x]]*Log[(c*d - Sqrt[-d^2] + d^2*Tan[a + b*x])/(c*d + I*d^2 - Sqrt[-d^2])]) + PolyLog[2, (d^2*(1 + I*Tan[a + b*x]))/((-I)*c*d + d^2 + I*Sqrt[-d^2])]) - I*Sqrt[-d^2]*(Log[1 + I*Tan[a + b*x]]*Log[(c*d + Sqrt[-d^2] + d^2*Tan[a + b*x])/(c*d + I*d^2 + Sqrt[-d^2])]) + PolyLog[2, (d^2*(1 + I*Tan[a + b*x]))/(d^2 - I*(c*d + Sqrt[-d^2]))]))/(2*d*(2*a - I*Log[1 - I*Tan[a + b*x]] + I*Log[1 + I*Tan[a + b*x]]))

Maple [B] time = 0.314, size = 1142, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c+d*tan(b*x+a)), x)

[Out] 1/b*arctan(tan(b*x+a))*arccot(c+d*tan(b*x+a))+1/b*arctan(d*((c+d*tan(b*x+a))/d-c/d)+c)*arctan((c+d*tan(b*x+a))/d-c/d)-1/2*I*d/b*ln(1-(I-I*d+c)*(1+I*(d*((c+d*tan(b*x+a))/d-c/d)+c))^2/((d*((c+d*tan(b*x+a))/d-c/d)+c)^2+1)/(I*d+I-c))*arctan(d*((c+d*tan(b*x+a))/d-c/d)+c)/(1+I*c+d)-1/2*I/b*ln(1-(I-I*d+c)*(1+I*(d*((c+d*tan(b*x+a))/d-c/d)+c))^2/((d*((c+d*tan(b*x+a))/d-c/d)+c)^2+1)

$$\begin{aligned} & / (I*d+I-c)) * \arctan(d*((c+d*\tan(b*x+a))/d-c/d)+c) / (1+I*c+d) - 1/2*I/b / (-I-I*d+c) \\ & * \ln(1-(I-I*d+c)*(1+I*(d*((c+d*\tan(b*x+a))/d-c/d)+c))^2 / ((d*((c+d*\tan(b*x+a))/d-c/d)+c)^2+1) / (I*d+I-c)) \\ & * \arctan(d*((c+d*\tan(b*x+a))/d-c/d)+c) * c - 1/2*d / b * \arctan(d*((c+d*\tan(b*x+a))/d-c/d)+c)^2 / (1+I*c+d) - 1/4*d/b * \text{polylog}(2, (I-I*d+c) \\ & * (1+I*(d*((c+d*\tan(b*x+a))/d-c/d)+c))^2 / ((d*((c+d*\tan(b*x+a))/d-c/d)+c)^2+1) / (I*d+I-c)) / (1+I*c+d) \\ & - 1/2/b * \arctan(d*((c+d*\tan(b*x+a))/d-c/d)+c)^2 / (1+I*c+d) - 1/2/b / (-I-I*d+c) * \arctan(d*((c+d*\tan(b*x+a))/d-c/d)+c)^2 * c - 1/4/b * \text{polylog}(2, (I-I*d+c) \\ & * (1+I*(d*((c+d*\tan(b*x+a))/d-c/d)+c))^2 / ((d*((c+d*\tan(b*x+a))/d-c/d)+c)^2+1) / (I*d+I-c)) / (1+I*c+d) \\ & - 1/4/b / (-I-I*d+c) * \text{polylog}(2, (I-I*d+c) * (1+I*(d*((c+d*\tan(b*x+a))/d-c/d)+c))^2 / ((d*((c+d*\tan(b*x+a))/d-c/d)+c)^2+1) / (I*d+I-c)) \\ & * c + 1/2*I/b * \arctan(d*((c+d*\tan(b*x+a))/d-c/d)+c) * \ln(1-(I+I*d+c)*(1+I*(d*((c+d*\tan(b*x+a))/d-c/d)+c))^2 / ((d*((c+d*\tan(b*x+a))/d-c/d)+c)^2+1) / (-I*d+I-c)) \\ & + 1/2/b * \arctan(d*((c+d*\tan(b*x+a))/d-c/d)+c)^2 + 1/4/b * \text{polylog}(2, (I+I*d+c) * (1+I*(d*((c+d*\tan(b*x+a))/d-c/d)+c))^2 / ((d*((c+d*\tan(b*x+a))/d-c/d)+c)^2+1) / (-I*d+I-c)) \end{aligned}$$

Maxima [B] time = 1.87091, size = 585, normalized size = 2.95

$$d \left(\frac{8(bx+a) \arctan\left(\frac{d^2 \tan(bx+a)+cd}{d}\right)}{d} - \frac{4(bx+a) \arctan\left(\frac{cd+(d^2+d)\tan(bx+a)}{c^2+d^2+2d+1}, \frac{cd \tan(bx+a)+c^2+d+1}{c^2+d^2+2d+1}\right) - 4(bx+a) \arctan\left(\frac{cd+(d^2-d)\tan(bx+a)}{c^2+d^2-2d+1}, \frac{cd \tan(bx+a)+c^2-d}{c^2+d^2-2d+1}\right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*tan(b*x+a)),x, algorithm="maxima")

[Out] $-1/8*(d*(8*(b*x + a)*\arctan((d^2*\tan(b*x + a) + c*d)/d)/d - (4*(b*x + a)*\arctan^2((c*d + (d^2 + d)*\tan(b*x + a))/(c^2 + d^2 + 2*d + 1), (c*d*\tan(b*x + a) + c^2 + d + 1)/(c^2 + d^2 + 2*d + 1)) - 4*(b*x + a)*\arctan^2((c*d + (d^2 - d)*\tan(b*x + a))/(c^2 + d^2 - 2*d + 1), (c*d*\tan(b*x + a) + c^2 - d + 1)/(c^2 + d^2 - 2*d + 1)) + \log(\tan(b*x + a)^2 + 1)*\log((d^2*\tan(b*x + a)^2 + 2*c*d*\tan(b*x + a) + c^2 + 1)/(c^2 + d^2 + 2*d + 1)) - \log(\tan(b*x + a)^2 + 1)*\log((d^2*\tan(b*x + a)^2 + 2*c*d*\tan(b*x + a) + c^2 + 1)/(c^2 + d^2 - 2*d + 1)) + 2*\text{dilog}(-I*d*\tan(b*x + a) - d)/(I*c + d + 1)) - 2*\text{dilog}(-I*d*\tan(b*x + a) - d)/(I*c + d - 1)) + 2*\text{dilog}((I*d*\tan(b*x + a) + d)/(-I*c + d + 1)) - 2*\text{dilog}((I*d*\tan(b*x + a) + d)/(-I*c + d - 1)))/d - 8*(b*x + a)*\arccot(d*\tan(b*x + a) + c) - 8*(b*x + a)*\arctan((d^2*\tan(b*x + a) + c*d)/d))/b$

Fricas [B] time = 3.42933, size = 2894, normalized size = 14.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*tan(b*x+a)),x, algorithm="fricas")

[Out] $1/8*(8*b*x*\text{arccot}(d*\tan(b*x + a) + c) + (2*I*b*x + 2*I*a)*\log(-(2*(I*c*d - d^2 + d)*\tan(b*x + a)^2 - 2*c^2 - 2*I*c*d - (-2*I*c^2 + 4*c*d + 2*I*d^2 - 2*I)*\tan(b*x + a) + 2*d - 2)/((c^2 + d^2 - 2*d + 1)*\tan(b*x + a)^2 + c^2 + d^2 - 2*d + 1)) + (-2*I*b*x - 2*I*a)*\log(-(2*(I*c*d - d^2 - d)*\tan(b*x + a)^2 - 2*c^2 - 2*I*c*d - (-2*I*c^2 + 4*c*d + 2*I*d^2 - 2*I)*\tan(b*x + a) - 2*d - 2)/((c^2 + d^2 + 2*d + 1)*\tan(b*x + a)^2 + c^2 + d^2 + 2*d + 1)) + (-2*I*b*x - 2*I*a)*\log(-(2*(-I*c*d - d^2 + d)*\tan(b*x + a)^2 - 2*c^2 + 2*I*c*d - (2*I*c^2 + 4*c*d - 2*I*d^2 + 2*I)*\tan(b*x + a) + 2*d - 2)/((c^2 + d^2 - 2*d + 1)*\tan(b*x + a)^2 + c^2 + d^2 - 2*d + 1))$

$$\begin{aligned}
& d + 1) \tan(bx + a)^2 + c^2 + d^2 - 2d + 1)) + (2Ibx + 2Ia) \log(-2(-Icd - d^2 - d) \tan(bx + a)^2 - 2c^2 + 2Icd - (2Ic^2 + 4cd - 2Id^2 + 2I) \tan(bx + a) - 2d - 2) / ((c^2 + d^2 + 2d + 1) \tan(bx + a)^2 + c^2 + d^2 + 2d + 1)) - 2Ia \log(((Icd + d^2 + d) \tan(bx + a)^2 - c^2 + Icd + (Ic^2 + Id^2 + 2Id + I) \tan(bx + a) - d - 1) / (\tan(bx + a)^2 + 1)) + 2Ia \log(((Icd + d^2 - d) \tan(bx + a)^2 - c^2 + Icd + (Ic^2 + Id^2 - 2Id + I) \tan(bx + a) + d - 1) / (\tan(bx + a)^2 + 1)) - 2Ia \log(((Icd - d^2 + d) \tan(bx + a)^2 + c^2 + Icd + (Ic^2 + Id^2 - 2Id + I) \tan(bx + a) - d + 1) / (\tan(bx + a)^2 + 1)) + 2Ia \log(((Icd - d^2 - d) \tan(bx + a)^2 + c^2 + Icd + (Ic^2 + Id^2 + 2Id + I) \tan(bx + a) + d + 1) / (\tan(bx + a)^2 + 1)) - \operatorname{dilog}((2(Icd - d^2 + d) \tan(bx + a)^2 - 2c^2 - 2Icd - (-2Ic^2 + 4cd + 2Id^2 - 2I) \tan(bx + a) + 2d - 2) / ((c^2 + d^2 - 2d + 1) \tan(bx + a)^2 + c^2 + d^2 - 2d + 1) + 1) + \operatorname{dilog}((2(Icd - d^2 - d) \tan(bx + a)^2 - 2c^2 - 2Icd - (-2Ic^2 + 4cd + 2Id^2 - 2I) \tan(bx + a) - 2d - 2) / ((c^2 + d^2 + 2d + 1) \tan(bx + a)^2 + c^2 + d^2 + 2d + 1) + 1) - \operatorname{dilog}((2(-Icd - d^2 + d) \tan(bx + a)^2 - 2c^2 + 2Icd - (2Ic^2 + 4cd - 2Id^2 + 2I) \tan(bx + a) + 2d - 2) / ((c^2 + d^2 - 2d + 1) \tan(bx + a)^2 + c^2 + d^2 - 2d + 1) + 1) + \operatorname{dilog}((2(-Icd - d^2 - d) \tan(bx + a)^2 - 2c^2 + 2Icd - (2Ic^2 + 4cd - 2Id^2 + 2I) \tan(bx + a) - 2d - 2) / ((c^2 + d^2 + 2d + 1) \tan(bx + a)^2 + c^2 + d^2 + 2d + 1) + 1)) / b
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c+d*tan(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{arccot}(d \tan(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*tan(b*x+a)),x, algorithm="giac")

[Out] integrate(arccot(d*tan(b*x + a) + c), x)

$$3.161 \quad \int \frac{\cot^{-1}(c+d \tan(a+bx))}{x} dx$$

Optimal. Leaf size=17

$$\text{CannotIntegrate}\left(\frac{\cot^{-1}(d \tan(a+bx)+c)}{x}, x\right)$$

[Out] CannotIntegrate[ArcCot[c + d*Tan[a + b*x]]/x, x]

Rubi [A] time = 0.0748455, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(c+d \tan(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[c + d*Tan[a + b*x]]/x, x]

[Out] Defer[Int][ArcCot[c + d*Tan[a + b*x]]/x, x]

Rubi steps

$$\int \frac{\cot^{-1}(c+d \tan(a+bx))}{x} dx = \int \frac{\cot^{-1}(c+d \tan(a+bx))}{x} dx$$

Mathematica [A] time = 0.320061, size = 0, normalized size = 0.

$$\int \frac{\cot^{-1}(c+d \tan(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCot[c + d*Tan[a + b*x]]/x, x]

[Out] Integrate[ArcCot[c + d*Tan[a + b*x]]/x, x]

Maple [A] time = 0.385, size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(c+d \tan(bx+a))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c+d*tan(b*x+a))/x, x)

[Out] int(arccot(c+d*tan(b*x+a))/x, x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*tan(b*x+a))/x,x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\text{arccot}(d \tan(bx + a) + c)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*tan(b*x+a))/x,x, algorithm="fricas")

[Out] integral(arccot(d*tan(b*x + a) + c)/x, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c+d*tan(b*x+a))/x,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{arccot}(d \tan(bx + a) + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*tan(b*x+a))/x,x, algorithm="giac")

[Out] integrate(arccot(d*tan(b*x + a) + c)/x, x)

3.162 $\int x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx$

Optimal. Leaf size=154

$$\frac{ix \operatorname{PolyLog}\left(3, ice^{2ia+2ibx}\right)}{4b^2} - \frac{\operatorname{PolyLog}\left(4, ice^{2ia+2ibx}\right)}{8b^3} + \frac{x^2 \operatorname{PolyLog}\left(2, ice^{2ia+2ibx}\right)}{4b} + \frac{1}{6} ix^3 \log\left(1 - ice^{2ia+2ibx}\right) + \frac{1}{3} x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

[Out] (b*x^4)/12 + (x^3*ArcCot[c + (1 + I*c)*Tan[a + b*x]])/3 + (I/6)*x^3*Log[1 - I*c*E^((2*I)*a + (2*I)*b*x)] + (x^2*PolyLog[2, I*c*E^((2*I)*a + (2*I)*b*x)])/ (4*b) + ((I/4)*x*PolyLog[3, I*c*E^((2*I)*a + (2*I)*b*x)])/b^2 - PolyLog[4, I*c*E^((2*I)*a + (2*I)*b*x)]/(8*b^3)

Rubi [A] time = 0.252764, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5172, 2184, 2190, 2531, 6609, 2282, 6589}

$$\frac{ix \operatorname{PolyLog}\left(3, ice^{2ia+2ibx}\right)}{4b^2} - \frac{\operatorname{PolyLog}\left(4, ice^{2ia+2ibx}\right)}{8b^3} + \frac{x^2 \operatorname{PolyLog}\left(2, ice^{2ia+2ibx}\right)}{4b} + \frac{1}{6} ix^3 \log\left(1 - ice^{2ia+2ibx}\right) + \frac{1}{3} x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

Antiderivative was successfully verified.

[In] Int[x^2*ArcCot[c + (1 + I*c)*Tan[a + b*x]],x]

[Out] (b*x^4)/12 + (x^3*ArcCot[c + (1 + I*c)*Tan[a + b*x]])/3 + (I/6)*x^3*Log[1 - I*c*E^((2*I)*a + (2*I)*b*x)] + (x^2*PolyLog[2, I*c*E^((2*I)*a + (2*I)*b*x)])/ (4*b) + ((I/4)*x*PolyLog[3, I*c*E^((2*I)*a + (2*I)*b*x)])/b^2 - PolyLog[4, I*c*E^((2*I)*a + (2*I)*b*x)]/(8*b^3)

Rule 5172

Int[ArcCot[(c_.) + (d_.)*Tan[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[((e + f*x)^(m + 1)*ArcCot[c + d*Tan[a + b*x]])/(f*(m + 1)), x] + Dist[(I*b)/(f*(m + 1)), Int[(e + f*x)^(m + 1)/(c + I*d + c*E^(2*I*a + 2*I*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c + I*d)^2, -1]

Rule 2184

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f}

, g, n}, x] && GtQ[m, 0]

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_)))^(p_.)], x_Symbol] :> Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
 \int x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx &= \frac{1}{3} x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{3} (ib) \int \frac{x^3}{i(1 + ic) + c + ce^{2ia+2ibx}} dx \\
 &= \frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx)) - \frac{1}{3} (bc) \int \frac{e^{2ia+2ibx} x^3}{i(1 + ic) + c + ce^{2ia+2ibx}} dx \\
 &= \frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{6} ix^3 \log(1 - ice^{2ia+2ibx}) - \frac{1}{2} i \int x^2 \frac{e^{2ia+2ibx}}{i(1 + ic) + c + ce^{2ia+2ibx}} dx \\
 &= \frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{6} ix^3 \log(1 - ice^{2ia+2ibx}) + \frac{x^2 \text{Li}_2(-ice^{2ia+2ibx})}{6} \\
 &= \frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{6} ix^3 \log(1 - ice^{2ia+2ibx}) + \frac{x^2 \text{Li}_2(-ice^{2ia+2ibx})}{6} \\
 &= \frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{6} ix^3 \log(1 - ice^{2ia+2ibx}) + \frac{x^2 \text{Li}_2(-ice^{2ia+2ibx})}{6} \\
 &= \frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{6} ix^3 \log(1 - ice^{2ia+2ibx}) + \frac{x^2 \text{Li}_2(-ice^{2ia+2ibx})}{6}
 \end{aligned}$$

Mathematica [A] time = 0.202893, size = 136, normalized size = 0.88

$$\frac{1}{24} \left(\frac{6ix \text{PolyLog}\left(3, -\frac{ie^{-2i(a+bx)}}{c}\right)}{b^2} + \frac{3 \text{PolyLog}\left(4, -\frac{ie^{-2i(a+bx)}}{c}\right)}{b^3} - \frac{6x^2 \text{PolyLog}\left(2, -\frac{ie^{-2i(a+bx)}}{c}\right)}{b} + 4ix^3 \log\left(1 + \frac{ie^{-2i(a+bx)}}{c}\right) + 8 \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*ArcCot[c + (1 + I*c)*Tan[a + b*x]], x]
```

```
[Out] (8*x^3*ArcCot[c + (1 + I*c)*Tan[a + b*x]] + (4*I)*x^3*Log[1 + I/(c*E^((2*I)
*(a + b*x)))] - (6*x^2*PolyLog[2, (-I)/(c*E^((2*I)*(a + b*x)))])/b + ((6*I)
```

*x*PolyLog[3, (-I)/(c*E^((2*I)*(a + b*x)))]/b^2 + (3*PolyLog[4, (-I)/(c*E^((2*I)*(a + b*x)))]/b^3)/24

Maple [C] time = 23.174, size = 1526, normalized size = 9.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*arccot(c+(1+I*c)*tan(b*x+a)), x)

[Out] $\frac{1}{2}I/b^2a^2\ln(1+I\exp(I(b*x+a)))*(-Ic)^{(1/2)}x - \frac{1}{2}I/b^2\ln(1-Ic\exp(2I(b*x+a)))*x^2 + \frac{1}{2}I/b^2a^2\ln(1-I\exp(I(b*x+a)))*(-Ic)^{(1/2)}x + \frac{1}{12}x^3\pi\operatorname{csgn}(I\exp(2I(b*x+a)))^3 - \frac{1}{12}x^3\pi\operatorname{csgn}(I/(\exp(2I(b*x+a))+1))*\operatorname{csgn}(I(c\exp(2I(b*x+a))+I))*\operatorname{csgn}(I(c\exp(2I(b*x+a))+I)/(\exp(2I(b*x+a))+1)) - \frac{1}{12}x^3\pi\operatorname{csgn}(I\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))+1))*\operatorname{csgn}(\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))+1))^2 + \frac{1}{12}x^3\pi\operatorname{csgn}(I/(\exp(2I(b*x+a))+1))*\operatorname{csgn}(I(c\exp(2I(b*x+a))+I)/(\exp(2I(b*x+a))+1))^2 + \frac{1}{12}x^3\pi\operatorname{csgn}(I(c\exp(2I(b*x+a))+I))*\operatorname{csgn}(I(c\exp(2I(b*x+a))+I)/(\exp(2I(b*x+a))+1))^2 - \frac{1}{12}x^3\pi\operatorname{csgn}(I\exp(2I(b*x+a)))*\operatorname{csgn}(I\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))+1))^2 + \frac{1}{12}x^3\pi\operatorname{csgn}(I(c\exp(2I(b*x+a))+I)/(\exp(2I(b*x+a))+1))*\operatorname{csgn}((c\exp(2I(b*x+a))+I)/(\exp(2I(b*x+a))+1))^2 - \frac{1}{12}x^3\pi\operatorname{csgn}(I/(\exp(2I(b*x+a))+1))*\operatorname{csgn}(I(c-I)/(\exp(2I(b*x+a))+1))^2 - \frac{1}{12}x^3\pi\operatorname{csgn}(I(c-I))*\operatorname{csgn}(I(c-I)/(\exp(2I(b*x+a))+1))^2 - \frac{1}{12}x^3\pi\operatorname{csgn}(I(c-I)/(\exp(2I(b*x+a))+1))*\operatorname{csgn}(I\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))+1))^2 + \frac{1}{12}b^2x^4 + \frac{1}{12}x^3\pi\operatorname{csgn}(I\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))+1))*\operatorname{csgn}(\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))+1))) + \frac{1}{2}I/b^3a^3\ln(1-I\exp(I(b*x+a)))*(-Ic)^{(1/2)} - \frac{1}{12}x^3\pi\operatorname{csgn}(I(c\exp(2I(b*x+a))+I)/(\exp(2I(b*x+a))+1))^3 + \frac{1}{2}/b^3a^2\operatorname{dilog}(1-I\exp(I(b*x+a)))*(-Ic)^{(1/2)} + \frac{1}{2}/b^3a^2\operatorname{dilog}(1+I\exp(I(b*x+a)))*(-Ic)^{(1/2)} + \frac{1}{4}x^2\operatorname{polylog}(2, I*c\exp(2I(b*x+a)))/b - \frac{1}{12}x^3\pi\operatorname{csgn}(I(c\exp(2I(b*x+a))+I)/(\exp(2I(b*x+a))+1))*\operatorname{csgn}((c\exp(2I(b*x+a))+I)/(\exp(2I(b*x+a))+1))) + \frac{1}{6}I*x^3*\ln(c-I) + \frac{1}{12}x^3\pi\operatorname{csgn}(I(c-I)/(\exp(2I(b*x+a))+1))^3 + \frac{1}{3}I*x^3*\ln(\exp(I(b*x+a))) + \frac{1}{12}x^3\pi\operatorname{csgn}(I/(\exp(2I(b*x+a))+1))*\operatorname{csgn}(I(c-I))*\operatorname{csgn}(I(c-I)/(\exp(2I(b*x+a))+1))) + \frac{1}{12}x^3\pi\operatorname{csgn}(I\exp(2I(b*x+a)))*\operatorname{csgn}(I(c-I)/(\exp(2I(b*x+a))+1))*\operatorname{csgn}(I\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))+1))) + \frac{1}{2}I/b^3a^3\ln(1+I\exp(I(b*x+a)))*(-Ic)^{(1/2)} - \frac{1}{3}I/b^3\ln(1-Ic\exp(2I(b*x+a)))*a^3 - \frac{1}{6}I/b^3a^3\ln(c\exp(2I(b*x+a))+I) + \frac{1}{4}I*x*\operatorname{polylog}(3, Ic\exp(2I(b*x+a)))/b^2 - \frac{1}{12}x^3\pi\operatorname{csgn}(\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))+1)))^3 + \frac{1}{12}x^3\pi\operatorname{csgn}(\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))+1)))^2 + \frac{1}{6}I*x^3*\ln(1-Ic\exp(2I(b*x+a))) + \frac{1}{12}x^3\pi\operatorname{csgn}(I\exp(I(b*x+a)))^2*\operatorname{csgn}(I\exp(2I(b*x+a))) - \frac{1}{6}I*x^3*\ln(c\exp(2I(b*x+a))+I) - \frac{1}{4}/b^3\operatorname{polylog}(2, Ic\exp(2I(b*x+a)))*a^2 + \frac{1}{12}x^3\pi\operatorname{csgn}(I\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))+1)))^3 - \frac{1}{8}\operatorname{polylog}(4, Ic\exp(2I(b*x+a)))/b^3 - \frac{1}{12}x^3\pi\operatorname{csgn}((c\exp(2I(b*x+a))+I)/(\exp(2I(b*x+a))+1)))^3 + \frac{1}{12}x^3\pi\operatorname{csgn}((c\exp(2I(b*x+a))+I)/(\exp(2I(b*x+a))+1)))^2 - \frac{1}{6}x^3\pi\operatorname{csgn}(I\exp(I(b*x+a)))*\operatorname{csgn}(I\exp(2I(b*x+a)))^2$

Maxima [B] time = 1.13204, size = 417, normalized size = 2.71

$$\frac{(bx+a)^3 - 3(bx+a)^2a + 3(bx+a)a^2}{b^2} \operatorname{arccot}((ic+1)\tan(bx+a)+c) - \frac{3(-3i(bx+a)^4 + 12i(bx+a)^3a - 18i(bx+a)^2a^2 + (-8i(bx+a)^3 + 18i(bx+a)^2a - 18i(bx+a)a^2)ai}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="maxima")

[Out] 1/3*(((b*x + a)^3 - 3*(b*x + a)^2*a + 3*(b*x + a)*a^2)*arccot((I*c + 1)*tan(b*x + a) + c)/b^2 - 3*(-3*I*(b*x + a)^4 + 12*I*(b*x + a)^3*a - 18*I*(b*x + a)^2*a^2 + (-8*I*(b*x + a)^3 + 18*I*(b*x + a)^2*a - 18*I*(b*x + a)*a^2)*arctan2(c*cos(2*b*x + 2*a), c*sin(2*b*x + 2*a) + 1) + (-12*I*(b*x + a)^2 + 18*I*(b*x + a)*a - 9*I*a^2)*dilog(I*c*e^(2*I*b*x + 2*I*a)) + (4*(b*x + a)^3 - 9*(b*x + a)^2*a + 9*(b*x + a)*a^2)*log(c^2*cos(2*b*x + 2*a)^2 + c^2*sin(2*b*x + 2*a)^2 + 2*c*sin(2*b*x + 2*a) + 1) + 3*(4*b*x + a)*polylog(3, I*c*e^(2*I*b*x + 2*I*a)) + 6*I*polylog(4, I*c*e^(2*I*b*x + 2*I*a))*(-I*c - 1)/(b^2*(12*c - 12*I))/b

Fricas [C] time = 2.68018, size = 902, normalized size = 5.86

$$b^4 x^4 - 2i b^3 x^3 \log\left(\frac{(ce^{2ibx+2ia}+i)e^{-2ibx-2ia}}{c-i}\right) + 6b^2 x^2 \operatorname{Li}_2\left(\frac{1}{2}\sqrt{4i}ce^{ibx+ia}\right) + 6b^2 x^2 \operatorname{Li}_2\left(-\frac{1}{2}\sqrt{4i}ce^{ibx+ia}\right) - a^4 - 2i a^3 \log\left(\frac{2}{c-i}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="fricas")

[Out] 1/12*(b^4*x^4 - 2*I*b^3*x^3*log((c*e^(2*I*b*x + 2*I*a) + I)*e^(-2*I*b*x - 2*I*a)/(c - I)) + 6*b^2*x^2*dilog(1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) + 6*b^2*x^2*dilog(-1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) - a^4 - 2*I*a^3*log(1/2*(2*c*e^(I*b*x + I*a) + I*sqrt(4*I*c))/c) - 2*I*a^3*log(1/2*(2*c*e^(I*b*x + I*a) - I*sqrt(4*I*c))/c) + 12*I*b*x*polylog(3, 1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) + 12*I*b*x*polylog(3, -1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) + (2*I*b^3*x^3 + 2*I*a^3)*log(1/2*sqrt(4*I*c)*e^(I*b*x + I*a) + 1) + (2*I*b^3*x^3 + 2*I*a^3)*log(-1/2*sqrt(4*I*c)*e^(I*b*x + I*a) + 1) - 12*polylog(4, 1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) - 12*polylog(4, -1/2*sqrt(4*I*c)*e^(I*b*x + I*a)))/b^3

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(c+(1+I*c)*tan(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{arccot}((ic + 1) \tan(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="giac")

[Out] integrate(x^2*arccot((I*c + 1)*tan(b*x + a) + c), x)

3.163 $\int x \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx$

Optimal. Leaf size=123

$$\frac{i \operatorname{PolyLog}\left(3, ice^{2ia+2ibx}\right)}{8b^2} + \frac{x \operatorname{PolyLog}\left(2, ice^{2ia+2ibx}\right)}{4b} + \frac{1}{4} ix^2 \log\left(1 - ice^{2ia+2ibx}\right) + \frac{1}{2} x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

[Out] (b*x^3)/6 + (x^2*ArcCot[c + (1 + I*c)*Tan[a + b*x]])/2 + (I/4)*x^2*Log[1 - I*c*E^((2*I)*a + (2*I)*b*x)] + (x*PolyLog[2, I*c*E^((2*I)*a + (2*I)*b*x)])/ (4*b) + ((I/8)*PolyLog[3, I*c*E^((2*I)*a + (2*I)*b*x)])/b^2

Rubi [A] time = 0.220351, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {5172, 2184, 2190, 2531, 2282, 6589}

$$\frac{i \operatorname{PolyLog}\left(3, ice^{2ia+2ibx}\right)}{8b^2} + \frac{x \operatorname{PolyLog}\left(2, ice^{2ia+2ibx}\right)}{4b} + \frac{1}{4} ix^2 \log\left(1 - ice^{2ia+2ibx}\right) + \frac{1}{2} x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

Antiderivative was successfully verified.

[In] Int[x*ArcCot[c + (1 + I*c)*Tan[a + b*x]], x]

[Out] (b*x^3)/6 + (x^2*ArcCot[c + (1 + I*c)*Tan[a + b*x]])/2 + (I/4)*x^2*Log[1 - I*c*E^((2*I)*a + (2*I)*b*x)] + (x*PolyLog[2, I*c*E^((2*I)*a + (2*I)*b*x)])/ (4*b) + ((I/8)*PolyLog[3, I*c*E^((2*I)*a + (2*I)*b*x)])/b^2

Rule 5172

Int[ArcCot[(c_.) + (d_.)*Tan[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[((e + f*x)^(m + 1)*ArcCot[c + d*Tan[a + b*x]])/(f*(m + 1)), x] + Dist[(I*b)/(f*(m + 1)), Int[(e + f*x)^(m + 1)/(c + I*d + c*E^(2*I*a + 2*I*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c + I*d)^2, -1]

Rule 2184

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[(c + d*x)^m*(F^(g*(e + f*x)))^n]/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int x \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx &= \frac{1}{2} x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{2} (ib) \int \frac{x^2}{i(1 + ic) + c + ce^{2ia+2ibx}} dx \\ &= \frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) - \frac{1}{2} (bc) \int \frac{e^{2ia+2ibx} x^2}{i(1 + ic) + c + ce^{2ia+2ibx}} dx \\ &= \frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{4} ix^2 \log(1 - ice^{2ia+2ibx}) - \frac{1}{2} i \int x \log(1 - ice^{2ia+2ibx}) dx \\ &= \frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{4} ix^2 \log(1 - ice^{2ia+2ibx}) + \frac{x \text{Li}_2(ice^{2ia+2ibx})}{4} \\ &= \frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{4} ix^2 \log(1 - ice^{2ia+2ibx}) + \frac{x \text{Li}_2(ice^{2ia+2ibx})}{4} \\ &= \frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{4} ix^2 \log(1 - ice^{2ia+2ibx}) + \frac{x \text{Li}_2(ice^{2ia+2ibx})}{4} \end{aligned}$$

Mathematica [A] time = 0.112315, size = 110, normalized size = 0.89

$$\frac{i \left(2ibx \text{PolyLog} \left(2, -\frac{ie^{-2i(a+bx)}}{c} \right) + \text{PolyLog} \left(3, -\frac{ie^{-2i(a+bx)}}{c} \right) + 2b^2 x^2 \log \left(1 + \frac{ie^{-2i(a+bx)}}{c} \right) \right)}{8b^2} + \frac{1}{2} x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

Antiderivative was successfully verified.

```
[In] Integrate[x*ArcCot[c + (1 + I*c)*Tan[a + b*x]], x]
```

```
[Out] (x^2*ArcCot[c + (1 + I*c)*Tan[a + b*x]])/2 + ((I/8)*(2*b^2*x^2*Log[1 + I/(c*E^((2*I)*(a + b*x)))] + (2*I)*b*x*PolyLog[2, (-I)/(c*E^((2*I)*(a + b*x)))] + PolyLog[3, (-I)/(c*E^((2*I)*(a + b*x)))]))/b^2
```

Maple [C] time = 12.351, size = 1491, normalized size = 12.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*arccot(c+(1+I*c)*tan(b*x+a)), x)
```

```
[Out] 1/2*I/b*ln(1-I*c*exp(2*I*(b*x+a)))*x*a-1/2*I/b*a*ln(1+I*exp(I*(b*x+a)))*(-I*c)^(1/2)*x-1/2/b^2*a*dilog(1+I*exp(I*(b*x+a))*(-I*c)^(1/2))+1/4*I*x^2*ln(1
```

$$\begin{aligned}
& -I*c*\exp(2*I*(b*x+a))-1/2*I/b^2*a^2*\ln(1+I*\exp(I*(b*x+a))*(-I*c)^(1/2))+1/ \\
& 4*I/b^2*\ln(1-I*c*\exp(2*I*(b*x+a)))*a^2+1/4*I/b^2*a^2*\ln(c*\exp(2*I*(b*x+a))+ \\
& I)-1/2*I/b^2*a^2*\ln(1-I*\exp(I*(b*x+a))*(-I*c)^(1/2))-1/8*x^2*Pi*csgn(\exp(2* \\
& I*(b*x+a))*(c-I)/(\exp(2*I*(b*x+a))+1))^3+1/4*I*x^2*\ln(c-I)+1/8*I*polylog(3, \\
& I*c*\exp(2*I*(b*x+a)))/b^2+1/8*x^2*Pi*csgn(I/(\exp(2*I*(b*x+a))+1))*csgn(I*(c \\
& -I))*csgn(I*(c-I)/(\exp(2*I*(b*x+a))+1))+1/8*x^2*Pi*csgn(I*\exp(2*I*(b*x+a))) \\
& *csgn(I*(c-I)/(\exp(2*I*(b*x+a))+1))*csgn(I*\exp(2*I*(b*x+a))*(c-I)/(\exp(2*I* \\
& (b*x+a))+1))-1/8*x^2*Pi*csgn(I/(\exp(2*I*(b*x+a))+1))*csgn(I*(c*\exp(2*I*(b*x \\
& +a))+I))*csgn(I*(c*\exp(2*I*(b*x+a))+I)/(\exp(2*I*(b*x+a))+1))+1/8*x^2*Pi*csg \\
& n((c*\exp(2*I*(b*x+a))+I)/(\exp(2*I*(b*x+a))+1))^2+1/8*x^2*Pi*csgn(\exp(2*I*(b \\
& *x+a))*(c-I)/(\exp(2*I*(b*x+a))+1))^2+1/8*x^2*Pi*csgn(I*\exp(2*I*(b*x+a))*(c- \\
& I)/(\exp(2*I*(b*x+a))+1))*csgn(\exp(2*I*(b*x+a))*(c-I)/(\exp(2*I*(b*x+a))+1))+ \\
& 1/6*b*x^3+1/8*x^2*Pi*csgn(I*\exp(2*I*(b*x+a))*(c-I)/(\exp(2*I*(b*x+a))+1))^3+ \\
& 1/4*x*polylog(2,I*c*\exp(2*I*(b*x+a)))/b-1/4*I*x^2*\ln(c*\exp(2*I*(b*x+a))+I)- \\
& 1/8*x^2*Pi*csgn(I*\exp(2*I*(b*x+a))*(c-I)/(\exp(2*I*(b*x+a))+1))*csgn(\exp(2*I \\
& *(b*x+a))*(c-I)/(\exp(2*I*(b*x+a))+1))^2-1/8*x^2*Pi*csgn(I*(c*\exp(2*I*(b*x+a \\
&))+I)/(\exp(2*I*(b*x+a))+1))^3+1/8*x^2*Pi*csgn(I*(c-I)/(\exp(2*I*(b*x+a))+1)) \\
& ^3+1/8*x^2*Pi*csgn(I*(c*\exp(2*I*(b*x+a))+I)/(\exp(2*I*(b*x+a))+1))*csgn((c*e \\
& xp(2*I*(b*x+a))+I)/(\exp(2*I*(b*x+a))+1))^2-1/8*x^2*Pi*csgn(I/(\exp(2*I*(b*x+ \\
& a))+1))*csgn(I*(c-I)/(\exp(2*I*(b*x+a))+1))^2-1/8*x^2*Pi*csgn(I*(c-I))*csgn(\\
& I*(c-I)/(\exp(2*I*(b*x+a))+1))^2+1/8*x^2*Pi*csgn(I/(\exp(2*I*(b*x+a))+1))*csg \\
& n(I*(c*\exp(2*I*(b*x+a))+I)/(\exp(2*I*(b*x+a))+1))^2+1/8*x^2*Pi*csgn(I*(c*\exp \\
& (2*I*(b*x+a))+I))*csgn(I*(c*\exp(2*I*(b*x+a))+I)/(\exp(2*I*(b*x+a))+1))^2-1/8 \\
& *x^2*Pi*csgn(I*(c*\exp(2*I*(b*x+a))+I)/(\exp(2*I*(b*x+a))+1))*csgn((c*\exp(2*I \\
& *(b*x+a))+I)/(\exp(2*I*(b*x+a))+1))-1/2*I/b*a*\ln(1-I*\exp(I*(b*x+a))*(-I*c)^(\\
& 1/2))*x-1/8*x^2*Pi*csgn((c*\exp(2*I*(b*x+a))+I)/(\exp(2*I*(b*x+a))+1))^3+1/8* \\
& x^2*Pi*csgn(I*\exp(2*I*(b*x+a)))^3+1/4/b^2*polylog(2,I*c*\exp(2*I*(b*x+a)))*a \\
& -1/2/b^2*a*dilog(1-I*\exp(I*(b*x+a))*(-I*c)^(1/2))+1/8*x^2*Pi*csgn(I*\exp(I*(\\
& b*x+a)))^2*csgn(I*\exp(2*I*(b*x+a)))-1/4*x^2*Pi*csgn(I*\exp(I*(b*x+a)))*csgn(\\
& I*\exp(2*I*(b*x+a)))^2-1/8*x^2*Pi*csgn(I*\exp(2*I*(b*x+a)))*csgn(I*\exp(2*I*(b \\
& *x+a))*(c-I)/(\exp(2*I*(b*x+a))+1))^2-1/8*x^2*Pi*csgn(I*(c-I)/(\exp(2*I*(b*x+ \\
& a))+1))*csgn(I*\exp(2*I*(b*x+a))*(c-I)/(\exp(2*I*(b*x+a))+1))^2+1/2*I*x^2*\ln(\\
& \exp(I*(b*x+a)))
\end{aligned}$$

Maxima [B] time = 1.06528, size = 294, normalized size = 2.39

$$\frac{(bx+a)^2-2(bx+a)a \operatorname{arccot}((ic+1)\tan(bx+a)+c)}{b} - \frac{2(-4i(bx+a)^3+12i(bx+a)^2a-6ibx\operatorname{Li}_2(ice^{2ibx+2ia})+(-6i(bx+a)^2+12i(bx+a)a)\operatorname{arctan}(c\cos(2bx+2a)))}{2b}$$

2b

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="maxima")

[Out] 1/2*(((b*x + a)^2 - 2*(b*x + a)*a)*arccot((I*c + 1)*tan(b*x + a) + c)/b - 2*(-4*I*(b*x + a)^3 + 12*I*(b*x + a)^2*a - 6*I*b*x*dilog(I*c*e^(2*I*b*x + 2*I*a)) + (-6*I*(b*x + a)^2 + 12*I*(b*x + a)*a)*arctan2(c*cos(2*b*x + 2*a), c*sin(2*b*x + 2*a) + 1) + 3*((b*x + a)^2 - 2*(b*x + a)*a)*log(c^2*cos(2*b*x + 2*a)^2 + c^2*sin(2*b*x + 2*a)^2 + 2*c*sin(2*b*x + 2*a) + 1) + 3*polylog(3, I*c*e^(2*I*b*x + 2*I*a)))*(-I*c - 1)/(b*(12*c - 12*I))/b

Fricas [C] time = 2.44242, size = 749, normalized size = 6.09

$$2b^3x^3 - 3ib^2x^2 \log\left(\frac{(ce^{2ibx+2ia}+i)e^{-2ibx-2ia}}{c-i}\right) + 2a^3 + 6bx\operatorname{Li}_2\left(\frac{1}{2}\sqrt{4i}ce^{ibx+ia}\right) + 6bx\operatorname{Li}_2\left(-\frac{1}{2}\sqrt{4i}ce^{ibx+ia}\right) + 3ia^2 \log$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="fricas")
```

```
[Out] 1/12*(2*b^3*x^3 - 3*I*b^2*x^2*log((c*e^(2*I*b*x + 2*I*a) + I)*e^(-2*I*b*x -
2*I*a)/(c - I)) + 2*a^3 + 6*b*x*dilog(1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) + 6
*b*x*dilog(-1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) + 3*I*a^2*log(1/2*(2*c*e^(I*b*
x + I*a) + I*sqrt(4*I*c))/c) + 3*I*a^2*log(1/2*(2*c*e^(I*b*x + I*a) - I*sq
r(4*I*c))/c) + (3*I*b^2*x^2 - 3*I*a^2)*log(1/2*sqrt(4*I*c)*e^(I*b*x + I*a)
+ 1) + (3*I*b^2*x^2 - 3*I*a^2)*log(-1/2*sqrt(4*I*c)*e^(I*b*x + I*a) + 1) +
6*I*polylog(3, 1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) + 6*I*polylog(3, -1/2*sqrt(
4*I*c)*e^(I*b*x + I*a)))/b^2
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*acot(c+(1+I*c)*tan(b*x+a)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{arccot}((ic + 1) \tan(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(x*arccot((I*c + 1)*tan(b*x + a) + c), x)
```


3.164 $\int \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx$

Optimal. Leaf size=85

$$\frac{\text{PolyLog}\left(2, ice^{2ia+2ibx}\right)}{4b} + \frac{1}{2}ix \log\left(1 - ice^{2ia+2ibx}\right) + x \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{bx^2}{2}$$

[Out] (b*x^2)/2 + x*ArcCot[c + (1 + I*c)*Tan[a + b*x]] + (I/2)*x*Log[1 - I*c*E^((2*I)*a + (2*I)*b*x)] + PolyLog[2, I*c*E^((2*I)*a + (2*I)*b*x)]/(4*b)

Rubi [A] time = 0.131599, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {5164, 2184, 2190, 2279, 2391}

$$\frac{\text{PolyLog}\left(2, ice^{2ia+2ibx}\right)}{4b} + \frac{1}{2}ix \log\left(1 - ice^{2ia+2ibx}\right) + x \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{bx^2}{2}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[c + (1 + I*c)*Tan[a + b*x]], x]

[Out] (b*x^2)/2 + x*ArcCot[c + (1 + I*c)*Tan[a + b*x]] + (I/2)*x*Log[1 - I*c*E^((2*I)*a + (2*I)*b*x)] + PolyLog[2, I*c*E^((2*I)*a + (2*I)*b*x)]/(4*b)

Rule 5164

Int[ArcCot[(c_.) + (d_.)*Tan[(a_.) + (b_.)*(x_)]], x_Symbol] :> Simp[x*ArcCot[c + d*Tan[a + b*x]], x] + Dist[I*b, Int[x/(c + I*d + c*E^(2*I*a + 2*I*b*x)), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[(c + I*d)^2, -1]

Rule 2184

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] :> Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x))))^n/(a + b*(F^(g*(e + f*x))))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x))))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_.) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))]^(n_.), x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx &= x \cot^{-1}(c + (1 + ic) \tan(a + bx)) + (ib) \int \frac{x}{i(1 + ic) + c + ce^{2ia+2ibx}} dx \\
&= \frac{bx^2}{2} + x \cot^{-1}(c + (1 + ic) \tan(a + bx)) - (bc) \int \frac{e^{2ia+2ibx} x}{i(1 + ic) + c + ce^{2ia+2ibx}} dx \\
&= \frac{bx^2}{2} + x \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{2} ix \log(1 - ice^{2ia+2ibx}) - \frac{1}{2} i \int \log\left(1 + \frac{ice^{2ia+2ibx}}{i(1 + ic) + c + ce^{2ia+2ibx}}\right) dx \\
&= \frac{bx^2}{2} + x \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{2} ix \log(1 - ice^{2ia+2ibx}) - \frac{\text{Subst}\left(\int \frac{\log\left(1 + \frac{ice^{2ia+2ibx}}{i(1 + ic) + c + ce^{2ia+2ibx}}\right)}{ice^{2ia+2ibx}} dx\right)}{4b} \\
&= \frac{bx^2}{2} + x \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{2} ix \log(1 - ice^{2ia+2ibx}) + \frac{\text{Li}_2(ice^{2ia+2ibx})}{4b}
\end{aligned}$$

Mathematica [B] time = 2.70852, size = 967, normalized size = 11.38

$$x \cot^{-1}(c + (ic + 1) \tan(a + bx)) - \frac{\left((c + i) \cos(a + bx) + (ic + 1) \sin(a + bx)\right) \left(\log(i \tan(bx) + 1) \tan(bx) \cos^2(a) + 2bx - \dots\right)}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[c + (1 + I*c)*Tan[a + b*x]], x]

[Out] x*ArcCot[c + (1 + I*c)*Tan[a + b*x]] - (I*x*((2*I)*b*x*Log[2*Cos[b*x]*(Cos[b*x] - I*Sin[b*x])] - Log[(Sec[b*x]*(Cos[a] - I*Sin[a])*((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x])]/(2*c)]*Log[1 - I*Tan[b*x]] + Log[(Sec[b*x]*((1 - I*c)*Cos[a + b*x] + (-I + c)*Sin[a + b*x]))/(2*Cos[a] - (2*I)*Sin[a])]*Log[1 + I*Tan[b*x]] - PolyLog[2, -Cos[2*b*x] + I*Sin[2*b*x]] - PolyLog[2, (Sec[b*x]*((-I + c)*Cos[a] + I*(I + c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x]))/(2*c)] + PolyLog[2, (Sec[b*x]*((1 + I*c)*Cos[a] - (I + c)*Sin[a])*(Cos[a + b*x] + I*Sin[a + b*x])/2])*Sec[a + b*x]^2*(Cos[b*x] + I*Sin[b*x])*(I*Cos[b*x] + Sin[b*x])*((1 - I*c)*Cos[a + b*x] + (-I + c)*Sin[a + b*x]))/(((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x])*(2*b*x - I*Log[1 - (Sec[b*x]*((-I + c)*Cos[a] + I*(I + c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x]))/(2*c)] - I*Log[1 + (Sec[b*x]*((-1 - I*c)*Cos[a] + (I + c)*Sin[a])*(Cos[a + b*x] + I*Sin[a + b*x]))/2] - (I*(-I + c)*Cos[a + b*x]*(Log[1 - I*Tan[b*x]] - Log[1 + I*Tan[b*x]])/((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x]) + ((I + c)*(Log[1 - I*Tan[b*x]] - Log[1 + I*Tan[b*x]])*Sin[a + b*x])/((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x]) - (2*I)*b*x*Tan[b*x] + Log[1 - (Sec[b*x]*((-I + c)*Cos[a] + I*(I + c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x]))/(2*c)]*Tan[b*x] - Log[1 + (Sec[b*x]*((-1 - I*c)*Cos[a] + (I + c)*Sin[a])*(Cos[a + b*x] + I*Sin[a + b*x]))/2]*Tan[b*x] - Log[1 - I*Tan[b*x]]*Tan[b*x] + Cos[a]^2*Log[1 + I*Tan[b*x]]*Tan[b*x] + Log[1 + I*Tan[b*x]]*Sin[a]^2*Tan[b*x] + (Log[(Sec[b*x]*((1 - I*c)*Cos[a + b*x] + (-I + c)*Sin[a + b*x]))/(2*Cos[a] - (2*I)*Sin[a])]*Sec[b*x]^2)/(-I + Tan[b*x]) - (Log[(Sec[b*x]*(Cos[a] - I*Sin[a])*((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x]))/(2*c)]*Sec[b*x]^2)/(I + Tan[b*x]))*(-I + Tan[a + b*x])*(1 - I*c + (-I + c)*Tan[a + b*x]))

Maple [B] time = 0.11, size = 1489, normalized size = 17.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(arccot(c+(1+I*c)*tan(b*x+a)),x)`

[Out] $\frac{1}{4}I/(1+Ic)/b/(I-c)*\operatorname{dilog}(-\frac{1}{2}I*(c+(1+Ic)*\tan(bx+a)+I))-\frac{1}{8}I/(1+Ic)/b/(I-c)*\ln(c+(1+Ic)*\tan(bx+a)-I)^2+\frac{1}{4}/(1+Ic)/b/(I-c)*\ln(c+(1+Ic)*\tan(bx+a)-I)^2*c+\frac{1}{2}/(1+Ic)/b/(I-c)*\operatorname{dilog}(\frac{1}{2}*(c+(1+Ic)*\tan(bx+a)+I)/c)*c-\frac{1}{2}/(1+Ic)/b/(I-c)*\operatorname{dilog}((c+(1+Ic)*\tan(bx+a)-I)/(-2*I+2*c))*c-\frac{1}{4}I/(1+Ic)/b/(I-c)*\operatorname{dilog}(\frac{1}{2}*(c+(1+Ic)*\tan(bx+a)+I)/c)+\frac{1}{4}I/(1+Ic)/b/(I-c)*\operatorname{dilog}((c+(1+Ic)*\tan(bx+a)-I)/(-2*I+2*c))+1/(1+Ic)/b*\operatorname{arccot}(c+(1+Ic)*\tan(bx+a))/(2*I-2*c)*\ln(c+(1+Ic)*\tan(bx+a)-I)-\frac{1}{2}/(1+Ic)/b/(I-c)*\operatorname{dilog}(-\frac{1}{2}I*(c+(1+Ic)*\tan(bx+a)+I))*c-\frac{1}{(1+Ic)/b*\operatorname{arccot}(c+(1+Ic)*\tan(bx+a))/(2*I-2*c)*\ln((1+Ic)*\tan(bx+a)-c+I))+\frac{1}{4}I/(1+Ic)/b/(I-c)*\operatorname{dilog}(\frac{1}{2}*(c+(1+Ic)*\tan(bx+a)+I)/c)*c^2-\frac{1}{4}I/(1+Ic)/b/(I-c)*\ln(\frac{1}{2}*(c+(1+Ic)*\tan(bx+a)+I)/c)*\ln((1+Ic)*\tan(bx+a)-c+I))+\frac{1}{4}I/(1+Ic)/b/(I-c)*\ln((c+(1+Ic)*\tan(bx+a)-I)/(-2*I+2*c))*\ln((1+Ic)*\tan(bx+a)-c+I)-\frac{1}{4}I/(1+Ic)/b/(I-c)*\operatorname{dilog}((c+(1+Ic)*\tan(bx+a)-I)/(-2*I+2*c))*c^2+\frac{1}{4}I/(1+Ic)/b/(I-c)*\ln(-\frac{1}{2}I*(c+(1+Ic)*\tan(bx+a)+I))*\ln(c+(1+Ic)*\tan(bx+a)-I)+\frac{1}{2}/(1+Ic)/b/(I-c)*\ln(\frac{1}{2}*(c+(1+Ic)*\tan(bx+a)+I)/c)*\ln((1+Ic)*\tan(bx+a)-c+I))*c+\frac{1}{(1+Ic)/b*\operatorname{arccot}(c+(1+Ic)*\tan(bx+a))/(2*I-2*c)*\ln((1+Ic)*\tan(bx+a)-c+I))*c^2-\frac{1}{(1+Ic)/b*\operatorname{arccot}(c+(1+Ic)*\tan(bx+a))/(2*I-2*c)*\ln(c+(1+Ic)*\tan(bx+a)-I))*c^2-\frac{1}{2}/(1+Ic)/b/(I-c)*\ln((c+(1+Ic)*\tan(bx+a)-I)/(-2*I+2*c))*\ln((1+Ic)*\tan(bx+a)-c+I))*c-\frac{1}{4}I/(1+Ic)/b/(I-c)*\operatorname{dilog}(-\frac{1}{2}I*(c+(1+Ic)*\tan(bx+a)+I))*c^2-\frac{1}{2}/(1+Ic)/b/(I-c)*\ln(-\frac{1}{2}I*(c+(1+Ic)*\tan(bx+a)+I))*\ln(c+(1+Ic)*\tan(bx+a)-I))*c+\frac{1}{8}I/(1+Ic)/b/(I-c)*\ln(c+(1+Ic)*\tan(bx+a)-I)^2*c^2-\frac{1}{4}I/(1+Ic)/b/(I-c)*\ln(-\frac{1}{2}I*(c+(1+Ic)*\tan(bx+a)+I))*\ln(c+(1+Ic)*\tan(bx+a)-I))*c^2+\frac{1}{4}I/(1+Ic)/b/(I-c)*\ln(\frac{1}{2}*(c+(1+Ic)*\tan(bx+a)+I)/c)*\ln((1+Ic)*\tan(bx+a)-c+I))*c^2-\frac{1}{4}I/(1+Ic)/b/(I-c)*\ln((c+(1+Ic)*\tan(bx+a)-I)/(-2*I+2*c))*\ln((1+Ic)*\tan(bx+a)-c+I))*c^2-2*I/(1+Ic)/b*\operatorname{arccot}(c+(1+Ic)*\tan(bx+a))/(2*I-2*c)*\ln((1+Ic)*\tan(bx+a)-c+I))*c+2*I/(1+Ic)/b*\operatorname{arccot}(c+(1+Ic)*\tan(bx+a))/(2*I-2*c)*\ln(c+(1+Ic)*\tan(bx+a)-I))*c$

Maxima [B] time = 1.62273, size = 614, normalized size = 7.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="maxima")`

[Out] $-\frac{1}{8}*((-Ic-1)*(4I*(bx+a)*\log((2Ic^2-2*(c^2-2Ic-1)*\tan(bx+a)+4c-2I)/(2Ic^2-2*(c^2-2Ic-1)*\tan(bx+a)+2I)))/(Ic+1)-I*(4*(bx+a)*(\log(-Ic^2+(c^2-2Ic-1)*\tan(bx+a)-2c+I)-\log(-Ic^2+(c^2-2Ic-1)*\tan(bx+a)-I))+I*\log(-Ic^2+(c^2-2Ic-1)*\tan(bx+a)-2c+I)^2-2I*\log(-Ic^2+(c^2-2Ic-1)*\tan(bx+a)-I)*\log(-\frac{1}{2}*(c-I)*\tan(bx+a)+\frac{1}{2}Ic+\frac{1}{2}))+2I*\log(-Ic^2+(c^2-2Ic-1)*\tan(bx+a)-I)*\log(-\frac{1}{2}*((Ic+1)*\tan(bx+a)+c+I)/c+1)-2I*\log(-Ic^2+(c^2-2Ic-1)*\tan(bx+a)-2c+I)*\log(-\frac{1}{2}I*\tan(bx+a)+\frac{1}{2}))-2I*\operatorname{dilog}(\frac{1}{2}*(c-I)*\tan(bx+a)-\frac{1}{2}Ic+\frac{1}{2}))+2I*\operatorname{dilog}(\frac{1}{2}*((Ic+1)*\tan(bx+a)+c+I)/c)-2I*\operatorname{dilog}(\frac{1}{2}I*\tan(bx+a)+\frac{1}{2}))/Ic+1))-8*(bx+a)*\operatorname{arccot}((Ic+1)*\tan(bx+a)+c)-4*(bx+a)*(c-I)*\log((2Ic^2-2*(c^2-2Ic-1)*\tan(bx+a)+4c-2I)/(2Ic^2-2*(c^2-2Ic-1)*\tan(bx+a)+2I))/Ic+1))/b$

Fricas [B] time = 2.55377, size = 541, normalized size = 6.36

$$\frac{b^2x^2 - ibx \log\left(\frac{(ce^{2ibx+2ia}+i)e^{(-2ibx-2ia)}}{c-i}\right) - a^2 + (ibx + ia) \log\left(\frac{1}{2} \sqrt{4ice^{(ibx+ia)}} + 1\right) + (ibx + ia) \log\left(-\frac{1}{2} \sqrt{4ice^{(ibx+ia)}} + 1\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="fricas")

[Out] 1/2*(b^2*x^2 - I*b*x*log((c*e^(2*I*b*x + 2*I*a) + I)*e^(-2*I*b*x - 2*I*a)/(c - I)) - a^2 + (I*b*x + I*a)*log(1/2*sqrt(4*I*c)*e^(I*b*x + I*a) + 1) + (I*b*x + I*a)*log(-1/2*sqrt(4*I*c)*e^(I*b*x + I*a) + 1) - I*a*log(1/2*(2*c*e^(I*b*x + I*a) + I*sqrt(4*I*c))/c) - I*a*log(1/2*(2*c*e^(I*b*x + I*a) - I*sqrt(4*I*c))/c) + dilog(1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) + dilog(-1/2*sqrt(4*I*c)*e^(I*b*x + I*a)))/b

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c+(1+I*c)*tan(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{arccot}((ic + 1) \tan(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="giac")

[Out] integrate(arccot((I*c + 1)*tan(b*x + a) + c), x)

$$3.165 \quad \int \frac{\cot^{-1}(c+(1+ic)\tan(a+bx))}{x} dx$$

Optimal. Leaf size=23

$$\text{CannotIntegrate}\left(\frac{\cot^{-1}(c+(1+ic)\tan(a+bx))}{x}, x\right)$$

[Out] CannotIntegrate[ArcCot[c + (1 + I*c)*Tan[a + b*x]]/x, x]

Rubi [A] time = 0.10437, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(c+(1+ic)\tan(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[c + (1 + I*c)*Tan[a + b*x]]/x, x]

[Out] Defer[Int][ArcCot[c + (1 + I*c)*Tan[a + b*x]]/x, x]

Rubi steps

$$\int \frac{\cot^{-1}(c+(1+ic)\tan(a+bx))}{x} dx = \int \frac{\cot^{-1}(c+(1+ic)\tan(a+bx))}{x} dx$$

Mathematica [A] time = 0.320209, size = 0, normalized size = 0.

$$\int \frac{\cot^{-1}(c+(1+ic)\tan(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCot[c + (1 + I*c)*Tan[a + b*x]]/x, x]

[Out] Integrate[ArcCot[c + (1 + I*c)*Tan[a + b*x]]/x, x]

Maple [A] time = 0.415, size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(c+(1+ic)\tan(bx+a))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c+(1+I*c)*tan(b*x+a))/x, x)

[Out] int(arccot(c+(1+I*c)*tan(b*x+a))/x, x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+(1+I*c)*tan(b*x+a))/x,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{i \log\left(\frac{(ce^{2ibx+2ia}+i)e^{(-2ibx-2ia)}}{c-i}\right)}{2x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+(1+I*c)*tan(b*x+a))/x,x, algorithm="fricas")

[Out] integral(-1/2*I*log((c*e^(2*I*b*x + 2*I*a) + I)*e^(-2*I*b*x - 2*I*a)/(c - I))/x, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c+(1+I*c)*tan(b*x+a))/x,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\arccot\left(\frac{(ic+1)\tan(bx+a)+c}{x}\right) dx}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+(1+I*c)*tan(b*x+a))/x,x, algorithm="giac")

[Out] integrate(arccot((I*c + 1)*tan(b*x + a) + c)/x, x)

3.166 $\int x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx$

Optimal. Leaf size=155

$$\frac{ix \operatorname{PolyLog}\left(3, -ice^{2ia+2ibx}\right)}{4b^2} + \frac{\operatorname{PolyLog}\left(4, -ice^{2ia+2ibx}\right)}{8b^3} - \frac{x^2 \operatorname{PolyLog}\left(2, -ice^{2ia+2ibx}\right)}{4b} - \frac{1}{6} ix^3 \log\left(1 + ice^{2ia+2ibx}\right) +$$

[Out] $-(b*x^4)/12 + (x^3*\operatorname{ArcCot}[c - (1 - I*c)*\operatorname{Tan}[a + b*x]])/3 - (I/6)*x^3*\operatorname{Log}[1 + I*c*E^{((2*I)*a + (2*I)*b*x)}] - (x^2*\operatorname{PolyLog}[2, (-I)*c*E^{((2*I)*a + (2*I)*b*x)}])/(4*b) - ((I/4)*x*\operatorname{PolyLog}[3, (-I)*c*E^{((2*I)*a + (2*I)*b*x)}])/b^2 + \operatorname{PolyLog}[4, (-I)*c*E^{((2*I)*a + (2*I)*b*x)}]/(8*b^3)$

Rubi [A] time = 0.26094, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$, Rules used = {5172, 2184, 2190, 2531, 6609, 2282, 6589}

$$\frac{ix \operatorname{PolyLog}\left(3, -ice^{2ia+2ibx}\right)}{4b^2} + \frac{\operatorname{PolyLog}\left(4, -ice^{2ia+2ibx}\right)}{8b^3} - \frac{x^2 \operatorname{PolyLog}\left(2, -ice^{2ia+2ibx}\right)}{4b} - \frac{1}{6} ix^3 \log\left(1 + ice^{2ia+2ibx}\right) +$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2*\operatorname{ArcCot}[c - (1 - I*c)*\operatorname{Tan}[a + b*x]], x]$

[Out] $-(b*x^4)/12 + (x^3*\operatorname{ArcCot}[c - (1 - I*c)*\operatorname{Tan}[a + b*x]])/3 - (I/6)*x^3*\operatorname{Log}[1 + I*c*E^{((2*I)*a + (2*I)*b*x)}] - (x^2*\operatorname{PolyLog}[2, (-I)*c*E^{((2*I)*a + (2*I)*b*x)}])/(4*b) - ((I/4)*x*\operatorname{PolyLog}[3, (-I)*c*E^{((2*I)*a + (2*I)*b*x)}])/b^2 + \operatorname{PolyLog}[4, (-I)*c*E^{((2*I)*a + (2*I)*b*x)}]/(8*b^3)$

Rule 5172

$\operatorname{Int}[\operatorname{ArcCot}[(c_.) + (d_.)*\operatorname{Tan}[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(e + f*x)^{(m + 1)}*\operatorname{ArcCot}[c + d*\operatorname{Tan}[a + b*x]]/(f*(m + 1)), x] + \operatorname{Dist}[(I*b)/(f*(m + 1)), \operatorname{Int}[(e + f*x)^{(m + 1)}/(c + I*d + c*E^{(2*I*a + 2*I*b*x)})], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{IGtQ}[m, 0] \&\& \operatorname{EqQ}[(c + I*d)^2, -1]$

Rule 2184

$\operatorname{Int}[(c_.) + (d_.)*(x_)]^{(m_.)}/((a_.) + (b_.)*((F_)^{((g_.)*((e_.) + (f_.)*(x_)))})^{(n_.)}), x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m + 1)}/(a*d*(m + 1)), x] - \operatorname{Dist}[b/a, \operatorname{Int}[(c + d*x)^m*(F^{(g*(e + f*x)))})^n]/(a + b*(F^{(g*(e + f*x)))})^n], x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \operatorname{IGtQ}[m, 0]$

Rule 2190

$\operatorname{Int}[(F)^{((g_.)*((e_.) + (f_.)*(x_)))})^{(n_.)*((c_.) + (d_.)*(x_))^{(m_.)}/((a_.) + (b_.)*((F)^{((g_.)*((e_.) + (f_.)*(x_)))})^{(n_.)}), x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^m*\operatorname{Log}[1 + (b*(F^{(g*(e + f*x)))})^n]/a]/(b*f*g*n*\operatorname{Log}[F]), x] - \operatorname{Dist}[(d*m)/(b*f*g*n*\operatorname{Log}[F]), \operatorname{Int}[(c + d*x)^{(m - 1)}*\operatorname{Log}[1 + (b*(F^{(g*(e + f*x)))})^n]/a], x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \operatorname{IGtQ}[m, 0]$

Rule 2531

$\operatorname{Int}[\operatorname{Log}[1 + (e_.)*((F_)^{((c_.)*((a_.) + (b_.)*(x_)))})^{(n_.)}]]*((f_.) + (g_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow -\operatorname{Simp}[(f + g*x)^m*\operatorname{PolyLog}[2, -(e*(F^{(c*(a + b*x)))})^n)]/(b*c*n*\operatorname{Log}[F]), x] + \operatorname{Dist}[(g*m)/(b*c*n*\operatorname{Log}[F]), \operatorname{Int}[(f + g*x)^{(m - 1)}*\operatorname{PolyLog}[2, -(e*(F^{(c*(a + b*x)))})^n]], x], x] /; \operatorname{FreeQ}\{F, a, b, c, e, f$

, g, n}, x] && GtQ[m, 0]

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx &= \frac{1}{3} x^3 \cot^{-1}(c - (1 - ic) \tan(a + bx)) + \frac{1}{3} (ib) \int \frac{x^3}{i(-1 + ic) + c + ce^{2ia+2ibx}} dx \\
&= -\frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c - (1 - ic) \tan(a + bx)) + \frac{1}{3} (bc) \int \frac{e^{2ia+2ibx} x^3}{i(-1 + ic) + c + ce^{2ia+2ibx}} dx \\
&= -\frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{6} ix^3 \log(1 + ice^{2ia+2ibx}) + \frac{1}{2} i \int x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx \\
&= -\frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{6} ix^3 \log(1 + ice^{2ia+2ibx}) - \frac{x^2 \text{Li}_2(-ice^{2ia+2ibx})}{6} \\
&= -\frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{6} ix^3 \log(1 + ice^{2ia+2ibx}) - \frac{x^2 \text{Li}_2(-ice^{2ia+2ibx})}{6} \\
&= -\frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{6} ix^3 \log(1 + ice^{2ia+2ibx}) - \frac{x^2 \text{Li}_2(-ice^{2ia+2ibx})}{6} \\
&= -\frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{6} ix^3 \log(1 + ice^{2ia+2ibx}) - \frac{x^2 \text{Li}_2(-ice^{2ia+2ibx})}{6}
\end{aligned}$$

Mathematica [A] time = 0.223739, size = 141, normalized size = 0.91

$$\frac{1}{3} x^3 \cot^{-1}(c + i(c + i) \tan(a + bx)) - \frac{-6b^2 x^2 \text{PolyLog}\left(2, \frac{ie^{-2i(a+bx)}}{c}\right) + 6ibx \text{PolyLog}\left(3, \frac{ie^{-2i(a+bx)}}{c}\right) + 3 \text{PolyLog}\left(4, \frac{ie^{-2i(a+bx)}}{c}\right)}{24b^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*ArcCot[c - (1 - I*c)*Tan[a + b*x]], x]
```

```
[Out] (x^3*ArcCot[c + I*(I + c)*Tan[a + b*x]])/3 - (((4*I)*b^3*x^3*Log[1 - I/(c*E^
((2*I)*(a + b*x))]) - 6*b^2*x^2*PolyLog[2, I/(c*E^((2*I)*(a + b*x))]) + (6*
I)*b*x*PolyLog[3, I/(c*E^((2*I)*(a + b*x))]) + 3*PolyLog[4, I/(c*E^((2*I)*
```


$a + b*x))))]/(24*b^3)$

Maple [C] time = 22.292, size = 1527, normalized size = 9.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (x^2 \operatorname{arccot}(c - (1 - I*c) \tan(b*x+a)), x)$

[Out]
$$\begin{aligned} & -1/4*I*x*\operatorname{polylog}(3, -I*c*\exp(2*I*(b*x+a)))/b^2 - 1/12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I*\exp(2*I*(b*x+a))) \\ & *c\operatorname{sgn}(I*(I+c)/(\exp(2*I*(b*x+a))+1))*c\operatorname{sgn}(I*\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))+1)) \\ & - 1/12*x^3*\operatorname{Pi}*c\operatorname{sgn}((c*\exp(2*I*(b*x+a))-I)/(\exp(2*I*(b*x+a))+1))^3 + 1/12*x^3*\operatorname{Pi}*c\operatorname{sgn}((c*\exp(2*I*(b*x+a))-I)/(\exp(2*I*(b*x+a))+1))^{2+1} \\ & / 12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I*\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))+1))*c\operatorname{sgn}(\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))+1))^{2+1} \\ & / 12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I*\exp(2*I*(b*x+a))) *c\operatorname{sgn}(I*\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))+1))^{2+1} \\ & / 12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I*(I+c)/(\exp(2*I*(b*x+a))+1))*c\operatorname{sgn}(I*\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))+1))^{2-1} \\ & / 12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I*\exp(2*I*(b*x+a)))^3 - 1/12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I/(\exp(2*I*(b*x+a))+1))*c\operatorname{sgn}(I*(I+c))*c\operatorname{sgn}(I*(I+c)/(\exp(2*I*(b*x+a))+1)) \\ & - 1/12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I/(\exp(2*I*(b*x+a))+1))*c\operatorname{sgn}(I*(c*\exp(2*I*(b*x+a))-I)/(\exp(2*I*(b*x+a))+1))^{2-1} \\ & / 12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I*(c*\exp(2*I*(b*x+a))-I))*c\operatorname{sgn}(I*(c*\exp(2*I*(b*x+a))-I)/(\exp(2*I*(b*x+a))+1))^{2+1} \\ & / 12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I/(\exp(2*I*(b*x+a))+1))*c\operatorname{sgn}(I*(I+c)/(\exp(2*I*(b*x+a))+1))^{2+1} \\ & / 12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I*(c*\exp(2*I*(b*x+a))-I)/(\exp(2*I*(b*x+a))+1))*c\operatorname{sgn}((c*\exp(2*I*(b*x+a))-I)/(\exp(2*I*(b*x+a))+1)) + 1/8*\operatorname{polylog}(4, -I*c*\exp(2*I*(b*x+a)))/b^3 + 1/4/b^3*\operatorname{polylog}(2, -I*c*\exp(2*I*(b*x+a))) \\ & *a^2 - 1/2*I/b^3*a^3*\ln(1 - I*\exp(I*(b*x+a))*(I*c)^{(1/2)}) - 1/2/b^3*a^2*\operatorname{dilog}(1 - I*\exp(I*(b*x+a))*(I*c)^{(1/2)}) + 1/12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I*(I+c))*c\operatorname{sgn}(I*(I+c)/(\exp(2*I*(b*x+a))+1))^{2-1} \\ & / 12*x^3*\operatorname{Pi}*c\operatorname{sgn}(\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))+1))^{3-1} \\ & / 12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I*(c*\exp(2*I*(b*x+a))-I)/(\exp(2*I*(b*x+a))+1))^{3+1} \\ & / 6*I*x^3*\ln(c*\exp(2*I*(b*x+a))-I) - 1/12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I*(I+c)/(\exp(2*I*(b*x+a))+1))^{3-1} \\ & / 6*I*x^3*\ln(1 + I*c*\exp(2*I*(b*x+a))) - 1/2/b^3*a^2*\operatorname{dilog}(1 + I*\exp(I*(b*x+a))*(I*c)^{(1/2)}) - 1/6*I*x^3*\ln(I+c) + 1/2*I/b^2*\ln(1 + I*c*\exp(2*I*(b*x+a))) \\ & *x*a^2 - 1/12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I*\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))+1))^{3-1} \\ & / 2*I/b^2*a^2*\ln(1 + I*\exp(I*(b*x+a))*(I*c)^{(1/2)}) *x - 1/2*I/b^2*a^2*\ln(1 - I*\exp(I*(b*x+a))*(I*c)^{(1/2)}) *x + 1/12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I/(\exp(2*I*(b*x+a))+1))*c\operatorname{sgn}(I*(c*\exp(2*I*(b*x+a))-I))*c\operatorname{sgn}(I*(c*\exp(2*I*(b*x+a))-I)/(\exp(2*I*(b*x+a))+1)) + 1/12*x^3*\operatorname{Pi}*c\operatorname{sgn}(\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))+1))^{2+1} \\ & / 6*I/b^3*a^3*\ln(-c*\exp(2*I*(b*x+a))+I) - 1/12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I*\exp(I*(b*x+a)))^2 *c\operatorname{sgn}(I*\exp(2*I*(b*x+a))) - 1/3*I*x^3*\ln(\exp(I*(b*x+a))) - 1/4*x^2*\operatorname{polylog}(2, -I*c*\exp(2*I*(b*x+a)))/b - 1/12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I*(c*\exp(2*I*(b*x+a))-I)/(\exp(2*I*(b*x+a))+1))*c\operatorname{sgn}((c*\exp(2*I*(b*x+a))-I)/(\exp(2*I*(b*x+a))+1))^{2-1} \\ & / 2*I/b^3*a^3*\ln(1 + I*\exp(I*(b*x+a))*(I*c)^{(1/2)}) + 1/3*I/b^3*\ln(1 + I*c*\exp(2*I*(b*x+a))) *a^3 - 1/12*x^3*\operatorname{Pi}*c\operatorname{sgn}(I*\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))+1))*c\operatorname{sgn}(\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))+1)) + 1/6*x^3*\operatorname{Pi}*c\operatorname{sgn}(I*\exp(I*(b*x+a))) *c\operatorname{sgn}(I*\exp(2*I*(b*x+a)))^2 \end{aligned}$$

Maxima [B] time = 1.13118, size = 421, normalized size = 2.72

$$\frac{(bx+a)^3 - 3(bx+a)^2a + 3(bx+a)a^2}{b^2} \operatorname{arccot}((-ic+1)\tan(bx+a)-c) + \frac{3(-3i(bx+a)^4 + 12i(bx+a)^3a - 18i(bx+a)^2a^2 + (8i(bx+a)^3 - 18i(bx+a)^2a + 18i(bx+a)a^2))}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="maxima")

[Out]
$$-1/3*((b*x + a)^3 - 3*(b*x + a)^2*a + 3*(b*x + a)*a^2)*\arccot((-I*c + 1)*\tan(b*x + a) - c)/b^2 + 3*(-3*I*(b*x + a)^4 + 12*I*(b*x + a)^3*a - 18*I*(b*x + a)^2*a^2 + (8*I*(b*x + a)^3 - 18*I*(b*x + a)^2*a + 18*I*(b*x + a)*a^2)*\operatorname{rctan2}(c*\cos(2*b*x + 2*a), -c*\sin(2*b*x + 2*a) + 1) + (-12*I*(b*x + a)^2 + 18*I*(b*x + a)*a - 9*I*a^2)*\operatorname{dilog}(-I*c*e^{(2*I*b*x + 2*I*a)}) + (4*(b*x + a)^3 - 9*(b*x + a)^2*a + 9*(b*x + a)*a^2)*\log(c^2*\cos(2*b*x + 2*a)^2 + c^2*\sin(2*b*x + 2*a)^2 - 2*c*\sin(2*b*x + 2*a) + 1) + 3*(4*b*x + a)*\operatorname{polylog}(3, -I*c*e^{(2*I*b*x + 2*I*a)}) + 6*I*\operatorname{polylog}(4, -I*c*e^{(2*I*b*x + 2*I*a)})*(I*c - 1)/(b^2*(12*c + 12*I))/b$$

Fricas [C] time = 2.62011, size = 918, normalized size = 5.92

$$b^4 x^4 + 2i b^3 x^3 \log\left(\frac{(c+i)e^{(2ibx+2ia)}}{ce^{(2ibx+2ia)}-i}\right) + 6b^2 x^2 \operatorname{Li}_2\left(\frac{1}{2}\sqrt{-4i}ce^{(ibx+ia)}\right) + 6b^2 x^2 \operatorname{Li}_2\left(-\frac{1}{2}\sqrt{-4i}ce^{(ibx+ia)}\right) - a^4 - 2ia^3 \log\left(\frac{2ce^{(ibx+ia)}}{ce^{(2ibx+2ia)}-i}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="fricas")

[Out]
$$-1/12*(b^4*x^4 + 2*I*b^3*x^3*\log((c + I)*e^{(2*I*b*x + 2*I*a)}/(c*e^{(2*I*b*x + 2*I*a)} - I)) + 6*b^2*x^2*\operatorname{dilog}(1/2*\sqrt{-4*I*c}*e^{(I*b*x + I*a)}) + 6*b^2*x^2*\operatorname{dilog}(-1/2*\sqrt{-4*I*c}*e^{(I*b*x + I*a)}) - a^4 - 2*I*a^3*\log(1/2*(2*c*e^{(I*b*x + I*a)} + I*\sqrt{-4*I*c}))/c - 2*I*a^3*\log(1/2*(2*c*e^{(I*b*x + I*a)} - I*\sqrt{-4*I*c}))/c + 12*I*b*x*\operatorname{polylog}(3, 1/2*\sqrt{-4*I*c}*e^{(I*b*x + I*a)}) + 12*I*b*x*\operatorname{polylog}(3, -1/2*\sqrt{-4*I*c}*e^{(I*b*x + I*a)}) - (-2*I*b^3*x^3 - 2*I*a^3)*\log(1/2*\sqrt{-4*I*c}*e^{(I*b*x + I*a)} + 1) - (-2*I*b^3*x^3 - 2*I*a^3)*\log(-1/2*\sqrt{-4*I*c}*e^{(I*b*x + I*a)} + 1) - 12*\operatorname{polylog}(4, 1/2*\sqrt{-4*I*c}*e^{(I*b*x + I*a)}) - 12*\operatorname{polylog}(4, -1/2*\sqrt{-4*I*c}*e^{(I*b*x + I*a)})/b^3$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(c-(1-I*c)*tan(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{arccot}(-(-ic + 1) \tan(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="giac")

[Out] integrate(x^2*arccot(-(-I*c + 1)*tan(b*x + a) + c), x)

3.167 $\int x \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx$

Optimal. Leaf size=124

$$\frac{i \operatorname{PolyLog}\left(3, -ice^{2ia+2ibx}\right)}{8b^2} - \frac{x \operatorname{PolyLog}\left(2, -ice^{2ia+2ibx}\right)}{4b} - \frac{1}{4} ix^2 \log\left(1 + ice^{2ia+2ibx}\right) + \frac{1}{2} x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx))$$

[Out] $-(b*x^3)/6 + (x^2*\operatorname{ArcCot}[c - (1 - I*c)*\operatorname{Tan}[a + b*x]])/2 - (I/4)*x^2*\operatorname{Log}[1 + I*c*E^{((2*I)*a + (2*I)*b*x)}] - (x*\operatorname{PolyLog}[2, (-I)*c*E^{((2*I)*a + (2*I)*b*x)}])/(4*b) - ((I/8)*\operatorname{PolyLog}[3, (-I)*c*E^{((2*I)*a + (2*I)*b*x)}])/b^2$

Rubi [A] time = 0.239233, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$, Rules used = {5172, 2184, 2190, 2531, 2282, 6589}

$$\frac{i \operatorname{PolyLog}\left(3, -ice^{2ia+2ibx}\right)}{8b^2} - \frac{x \operatorname{PolyLog}\left(2, -ice^{2ia+2ibx}\right)}{4b} - \frac{1}{4} ix^2 \log\left(1 + ice^{2ia+2ibx}\right) + \frac{1}{2} x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx))$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*\operatorname{ArcCot}[c - (1 - I*c)*\operatorname{Tan}[a + b*x]], x]$

[Out] $-(b*x^3)/6 + (x^2*\operatorname{ArcCot}[c - (1 - I*c)*\operatorname{Tan}[a + b*x]])/2 - (I/4)*x^2*\operatorname{Log}[1 + I*c*E^{((2*I)*a + (2*I)*b*x)}] - (x*\operatorname{PolyLog}[2, (-I)*c*E^{((2*I)*a + (2*I)*b*x)}])/(4*b) - ((I/8)*\operatorname{PolyLog}[3, (-I)*c*E^{((2*I)*a + (2*I)*b*x)}])/b^2$

Rule 5172

$\operatorname{Int}[\operatorname{ArcCot}[(c_.) + (d_.)*\operatorname{Tan}[(a_.) + (b_.)*(x_.)]]*((e_.) + (f_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(e + f*x)^{(m+1)}*\operatorname{ArcCot}[c + d*\operatorname{Tan}[a + b*x]]/(f*(m+1)), x] + \operatorname{Dist}[(I*b)/(f*(m+1)), \operatorname{Int}[(e + f*x)^{(m+1)}/(c + I*d + c*E^{(2*I*a + 2*I*b*x)})], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f\}, x$ && $\operatorname{IGtQ}[m, 0]$ && $\operatorname{EqQ}[(c + I*d)^2, -1]$

Rule 2184

$\operatorname{Int}[(c_.) + (d_.)*(x_.))^{(m_.)}/((a_.) + (b_.)*((F_.)^{((g_.)*((e_.) + (f_.)*(x_.)))})^{(n_.)}), x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m+1)}/(a*d*(m+1)), x] - \operatorname{Dist}[b/a, \operatorname{Int}[(c + d*x)^m*(F^{(g*(e + f*x)))^n})/(a + b*(F^{(g*(e + f*x)))^n}), x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x$ && $\operatorname{IGtQ}[m, 0]$

Rule 2190

$\operatorname{Int}[(F_.)^{((g_.)*((e_.) + (f_.)*(x_.)))})^{(n_.)*((c_.) + (d_.)*(x_.))^{(m_.)}/((a_.) + (b_.)*((F_.)^{((g_.)*((e_.) + (f_.)*(x_.)))})^{(n_.)}), x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^m*\operatorname{Log}[1 + (b*(F^{(g*(e + f*x)))^n})/a]/(b*f*g*n*\operatorname{Log}[F]), x] - \operatorname{Dist}[(d*m)/(b*f*g*n*\operatorname{Log}[F]), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Log}[1 + (b*(F^{(g*(e + f*x)))^n})/a], x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x$ && $\operatorname{IGtQ}[m, 0]$

Rule 2531

$\operatorname{Int}[\operatorname{Log}[1 + (e_.)*((F_.)^{((c_.)*((a_.) + (b_.)*(x_.)))})^{(n_.)}]]*((f_.) + (g_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow -\operatorname{Simp}[(f + g*x)^m*\operatorname{PolyLog}[2, -(e*(F^{(c*(a + b*x)))^n})]/(b*c*n*\operatorname{Log}[F]), x] + \operatorname{Dist}[(g*m)/(b*c*n*\operatorname{Log}[F]), \operatorname{Int}[(f + g*x)^{(m-1)}*\operatorname{PolyLog}[2, -(e*(F^{(c*(a + b*x)))^n})], x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, e, f, g, n\}, x$ && $\operatorname{GtQ}[m, 0]$

Rule 2282

```
Int[u_, x_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :=> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int x \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx &= \frac{1}{2} x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) + \frac{1}{2} (ib) \int \frac{x^2}{i(-1 + ic) + c + ce^{2ia+2ibx}} dx \\ &= -\frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) + \frac{1}{2} (bc) \int \frac{e^{2ia+2ibx} x^2}{i(-1 + ic) + c + ce^{2ia+2ibx}} dx \\ &= -\frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{4} ix^2 \log(1 + ice^{2ia+2ibx}) + \frac{1}{2} i \int x \\ &= -\frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{4} ix^2 \log(1 + ice^{2ia+2ibx}) - \frac{x \text{Li}_2(-)}{4} \\ &= -\frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{4} ix^2 \log(1 + ice^{2ia+2ibx}) - \frac{x \text{Li}_2(-)}{4} \\ &= -\frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{4} ix^2 \log(1 + ice^{2ia+2ibx}) - \frac{x \text{Li}_2(-)}{4} \end{aligned}$$

Mathematica [A] time = 0.0922509, size = 111, normalized size = 0.9

$$\frac{1}{2} x^2 \cot^{-1}(c + i(c + i) \tan(a + bx)) - \frac{i \left(2ibx \text{PolyLog} \left(2, \frac{ie^{-2i(a+bx)}}{c} \right) + \text{PolyLog} \left(3, \frac{ie^{-2i(a+bx)}}{c} \right) + 2b^2 x^2 \log \left(1 - \frac{ie^{-2i(a+bx)}}{c} \right) \right)}{8b^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x*ArcCot[c - (1 - I*c)*Tan[a + b*x]], x]
```

```
[Out] (x^2*ArcCot[c + I*(I + c)*Tan[a + b*x]])/2 - ((I/8)*(2*b^2*x^2*Log[1 - I/(c
 *E^((2*I)*(a + b*x)))] + (2*I)*b*x*PolyLog[2, I/(c *E^((2*I)*(a + b*x)))] +
 PolyLog[3, I/(c *E^((2*I)*(a + b*x)))]))/b^2
```

Maple [C] time = 10.865, size = 1492, normalized size = 12.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*arccot(c-(1-I*c)*tan(b*x+a)), x)
```

```
[Out] -1/2*I/b*ln(1+I*c*exp(2*I*(b*x+a)))*x*a-1/4*I*x^2*ln(I+c)-1/8*I*polylog(3,-
 I*c*exp(2*I*(b*x+a)))/b^2-1/4*x*polylog(2,-I*c*exp(2*I*(b*x+a)))/b-1/8*x^2*
```

$$\begin{aligned} & \text{Pi} * \text{csgn}(\exp(2 * I * (b * x + a)) * (I + c) / (\exp(2 * I * (b * x + a)) + 1))^{-3} - 1/8 * x^2 * \text{Pi} * \text{csgn}((c * \exp(2 * I * (b * x + a)) - I) / (\exp(2 * I * (b * x + a)) + 1))^{-3} + 1/8 * x^2 * \text{Pi} * \text{csgn}((c * \exp(2 * I * (b * x + a)) - I) / (\exp(2 * I * (b * x + a)) + 1))^{-2} - 1/8 * x^2 * \text{Pi} * \text{csgn}(I / (\exp(2 * I * (b * x + a)) + 1)) * \text{csgn}(I * (I + c)) * \text{csgn}(I * (I + c) / (\exp(2 * I * (b * x + a)) + 1)) + 1/8 * x^2 * \text{Pi} * \text{csgn}(I * \exp(2 * I * (b * x + a)) * (I + c) / (\exp(2 * I * (b * x + a)) + 1)) * \text{csgn}(\exp(2 * I * (b * x + a)) * (I + c) / (\exp(2 * I * (b * x + a)) + 1))^{-2} - 1/8 * x^2 * \text{Pi} * \text{csgn}(I / (\exp(2 * I * (b * x + a)) + 1)) * \text{csgn}(I * (c * \exp(2 * I * (b * x + a)) - I) / (\exp(2 * I * (b * x + a)) + 1))^{-2} - 1/8 * x^2 * \text{Pi} * \text{csgn}(I * (c * \exp(2 * I * (b * x + a)) - I) / (\exp(2 * I * (b * x + a)) + 1))^{-2} - 1/8 * x^2 * \text{Pi} * \text{csgn}(I * (I + c) / (\exp(2 * I * (b * x + a)) + 1))^{-3} - 1/4 * I * x^2 * \ln(1 + I * c * \exp(2 * I * (b * x + a))) - 1/4 / b^2 * \text{polylog}(2, -I * c * \exp(2 * I * (b * x + a))) * a + 1/2 / b^2 * a * \text{dilog}(1 + I * \exp(I * (b * x + a)) * (I * c)^{(1/2)}) - 1/8 * x^2 * \text{Pi} * \text{csgn}(I * \exp(2 * I * (b * x + a))) * \text{csgn}(I * (I + c) / (\exp(2 * I * (b * x + a)) + 1)) * \text{csgn}(I * \exp(2 * I * (b * x + a)) * (I + c) / (\exp(2 * I * (b * x + a)) + 1)) + 1/2 * I / b * a * \ln(1 + I * \exp(I * (b * x + a)) * (I * c)^{(1/2)}) * x + 1/2 * I / b * a * \ln(1 - I * \exp(I * (b * x + a)) * (I * c)^{(1/2)}) * x + 1/8 * x^2 * \text{Pi} * \text{csgn}(I * \exp(2 * I * (b * x + a))) * \text{csgn}(I * \exp(2 * I * (b * x + a)) * (I + c) / (\exp(2 * I * (b * x + a)) + 1))^{-2} + 1/8 * x^2 * \text{Pi} * \text{csgn}(I * (I + c) / (\exp(2 * I * (b * x + a)) + 1)) * \text{csgn}(I * \exp(2 * I * (b * x + a)) * (I + c) / (\exp(2 * I * (b * x + a)) + 1))^{-2} - 1/6 * b * x^3 + 1/2 / b^2 * a * \text{dilog}(1 - I * \exp(I * (b * x + a)) * (I * c)^{(1/2)}) + 1/8 * x^2 * \text{Pi} * \text{csgn}(\exp(2 * I * (b * x + a)) * (I + c) / (\exp(2 * I * (b * x + a)) + 1))^{-2} - 1/8 * x^2 * \text{Pi} * \text{csgn}(I * (c * \exp(2 * I * (b * x + a)) - I) / (\exp(2 * I * (b * x + a)) + 1)) * \text{csgn}((c * \exp(2 * I * (b * x + a)) - I) / (\exp(2 * I * (b * x + a)) + 1))^{-2} + 1/8 * x^2 * \text{Pi} * \text{csgn}(I * (c * \exp(2 * I * (b * x + a)) - I) / (\exp(2 * I * (b * x + a)) + 1)) * \text{csgn}((c * \exp(2 * I * (b * x + a)) - I) / (\exp(2 * I * (b * x + a)) + 1)) + 1/8 * x^2 * \text{Pi} * \text{csgn}(I / (\exp(2 * I * (b * x + a)) + 1)) * \text{csgn}(I * (I + c) / (\exp(2 * I * (b * x + a)) + 1))^{-2} + 1/8 * x^2 * \text{Pi} * \text{csgn}(I * (I + c)) * \text{csgn}(I * (I + c) / (\exp(2 * I * (b * x + a)) + 1))^{-2} + 1/8 * x^2 * \text{Pi} * \text{csgn}(I * (c * \exp(2 * I * (b * x + a)) - I) / (\exp(2 * I * (b * x + a)) + 1))^{-3} + 1/2 * I / b^2 * a^2 * \ln(1 - I * \exp(I * (b * x + a)) * (I * c)^{(1/2)}) - 1/8 * x^2 * \text{Pi} * \text{csgn}(I * \exp(2 * I * (b * x + a)) * (I + c) / (\exp(2 * I * (b * x + a)) + 1)) * \text{csgn}(\exp(2 * I * (b * x + a)) * (I + c) / (\exp(2 * I * (b * x + a)) + 1)) - 1/8 * x^2 * \text{Pi} * \text{csgn}(I * \exp(2 * I * (b * x + a)) * (I + c) / (\exp(2 * I * (b * x + a)) + 1))^{-3} - 1/8 * x^2 * \text{Pi} * \text{csgn}(I * \exp(2 * I * (b * x + a)))^{-3} - 1/4 * I / b^2 * \ln(1 + I * c * \exp(2 * I * (b * x + a))) * a^2 - 1/4 * I / b^2 * a^2 * \ln(-c * \exp(2 * I * (b * x + a)) + I) + 1/2 * I / b^2 * a^2 * \ln(1 + I * \exp(I * (b * x + a)) * (I * c)^{(1/2)}) + 1/4 * I * x^2 * \ln(c * \exp(2 * I * (b * x + a)) - I) - 1/8 * x^2 * \text{Pi} * \text{csgn}(I * \exp(I * (b * x + a)))^{-2} * \text{csgn}(I * \exp(2 * I * (b * x + a))) + 1/4 * x^2 * \text{Pi} * \text{csgn}(I * \exp(I * (b * x + a))) * \text{csgn}(I * \exp(2 * I * (b * x + a)))^{-2} + 1/8 * x^2 * \text{Pi} * \text{csgn}(I / (\exp(2 * I * (b * x + a)) + 1)) * \text{csgn}(I * (c * \exp(2 * I * (b * x + a)) - I)) * \text{csgn}(I * (c * \exp(2 * I * (b * x + a)) - I) / (\exp(2 * I * (b * x + a)) + 1)) - 1/2 * I * x^2 * \ln(\exp(I * (b * x + a))) \end{aligned}$$

Maxima [B] time = 1.1007, size = 298, normalized size = 2.4

$$\frac{((bx+a)^2 - 2(bx+a)a) \operatorname{arccot}((-ic+1) \tan(bx+a) - c)}{b} + \frac{2(-4i(bx+a)^3 + 12i(bx+a)^2a - 6i b x \operatorname{Li}_2(-i c e^{2i bx + 2i a})) + (6i(bx+a)^2 - 12i(bx+a)a) \operatorname{arctan}(c \cos(2bx + 2a))}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="maxima")

[Out] $-1/2 * ((b * x + a)^2 - 2 * (b * x + a) * a) * \operatorname{arccot}((-I * c + 1) * \tan(b * x + a) - c) / b + 2 * (-4 * I * (b * x + a)^3 + 12 * I * (b * x + a)^2 * a - 6 * I * b * x * \operatorname{dilog}(-I * c * e^{(2 * I * b * x + 2 * I * a)}) + (6 * I * (b * x + a)^2 - 12 * I * (b * x + a) * a) * \operatorname{arctan}(2 * c * \cos(2 * b * x + 2 * a), -c * \sin(2 * b * x + 2 * a) + 1) + 3 * ((b * x + a)^2 - 2 * (b * x + a) * a) * \log(c^2 * \cos(2 * b * x + 2 * a)^2 + c^2 * \sin(2 * b * x + 2 * a)^2 - 2 * c * \sin(2 * b * x + 2 * a) + 1) + 3 * \operatorname{polylog}(3, -I * c * e^{(2 * I * b * x + 2 * I * a)}) * (I * c - 1) / (b * (12 * c + 12 * I))) / b$

Fricas [C] time = 2.57957, size = 763, normalized size = 6.15

$$\frac{2b^3x^3 + 3ib^2x^2 \log\left(\frac{(c+i)e^{2ibx+2ia}}{ce^{2ibx+2ia}-i}\right) + 2a^3 + 6bx \operatorname{Li}_2\left(\frac{1}{2} \sqrt{-4i} ce^{(ibx+ia)}\right) + 6bx \operatorname{Li}_2\left(-\frac{1}{2} \sqrt{-4i} ce^{(ibx+ia)}\right) + 3ia^2 \log\left(\frac{2ce^{2ibx+2ia}}{ce^{2ibx+2ia}-i}\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="fricas")
```

```
[Out] -1/12*(2*b^3*x^3 + 3*I*b^2*x^2*log((c + I)*e^(2*I*b*x + 2*I*a)/(c*e^(2*I*b*x + 2*I*a) - I)) + 2*a^3 + 6*b*x*dilog(1/2*sqrt(-4*I*c)*e^(I*b*x + I*a)) + 6*b*x*dilog(-1/2*sqrt(-4*I*c)*e^(I*b*x + I*a)) + 3*I*a^2*log(1/2*(2*c*e^(I*b*x + I*a) + I*sqrt(-4*I*c))/c) + 3*I*a^2*log(1/2*(2*c*e^(I*b*x + I*a) - I*sqrt(-4*I*c))/c) - (-3*I*b^2*x^2 + 3*I*a^2)*log(1/2*sqrt(-4*I*c)*e^(I*b*x + I*a) + 1) - (-3*I*b^2*x^2 + 3*I*a^2)*log(-1/2*sqrt(-4*I*c)*e^(I*b*x + I*a) + 1) + 6*I*polylog(3, 1/2*sqrt(-4*I*c)*e^(I*b*x + I*a)) + 6*I*polylog(3, -1/2*sqrt(-4*I*c)*e^(I*b*x + I*a)))/b^2
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*acot(c-(1-I*c)*tan(b*x+a)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{arccot}(-(-ic + 1) \tan(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(x*arccot(-(-I*c + 1)*tan(b*x + a) + c), x)
```

3.168 $\int \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx$

Optimal. Leaf size=86

$$-\frac{\text{PolyLog}\left(2, -ice^{2ia+2ibx}\right)}{4b} - \frac{1}{2}ix \log\left(1 + ice^{2ia+2ibx}\right) + x \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{bx^2}{2}$$

[Out] $-(b*x^2)/2 + x*\text{ArcCot}[c - (1 - I*c)*\text{Tan}[a + b*x]] - (I/2)*x*\text{Log}[1 + I*c*E^{(2*I)*a + (2*I)*b*x}] - \text{PolyLog}[2, (-I)*c*E^{(2*I)*a + (2*I)*b*x}]/(4*b)$

Rubi [A] time = 0.141577, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {5164, 2184, 2190, 2279, 2391}

$$-\frac{\text{PolyLog}\left(2, -ice^{2ia+2ibx}\right)}{4b} - \frac{1}{2}ix \log\left(1 + ice^{2ia+2ibx}\right) + x \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{bx^2}{2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{ArcCot}[c - (1 - I*c)*\text{Tan}[a + b*x]], x]$

[Out] $-(b*x^2)/2 + x*\text{ArcCot}[c - (1 - I*c)*\text{Tan}[a + b*x]] - (I/2)*x*\text{Log}[1 + I*c*E^{(2*I)*a + (2*I)*b*x}] - \text{PolyLog}[2, (-I)*c*E^{(2*I)*a + (2*I)*b*x}]/(4*b)$

Rule 5164

$\text{Int}[\text{ArcCot}[(c_.) + (d_.)*\text{Tan}[(a_.) + (b_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[x*\text{ArcCot}[c + d*\text{Tan}[a + b*x]], x] + \text{Dist}[I*b, \text{Int}[x/(c + I*d + c*E^{(2*I)*a + 2*I*b*x}), x], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \text{EqQ}[(c + I*d)^2, -1]$

Rule 2184

$\text{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}/((a_.) + (b_.)*((F_.)^{(g_.)*((e_.) + (f_.)*(x_.))})^{(n_.)}), x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(m + 1)}/(a*d*(m + 1)), x] - \text{Dist}[b/a, \text{Int}[(c + d*x)^m*(F^{(g*(e + f*x)))^n}/(a + b*(F^{(g*(e + f*x)))^n}), x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2190

$\text{Int}[(((F_.)^{(g_.)*((e_.) + (f_.)*(x_.))})^{(n_.)*((c_.) + (d_.)*(x_.))^{(m_.)})/((a_.) + (b_.)*((F_.)^{(g_.)*((e_.) + (f_.)*(x_.))})^{(n_.)}), x_Symbol] \rightarrow \text{Simp}[(c + d*x)^m*\text{Log}[1 + (b*(F^{(g*(e + f*x)))^n})/a]/(b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m - 1)}*\text{Log}[1 + (b*(F^{(g*(e + f*x)))^n})/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2279

$\text{Int}[\text{Log}[(a_.) + (b_.)*((F_.)^{(e_.)*((c_.) + (d_.)*(x_.))})^{(n_.)}], x_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x\} \ \&\& \ \text{GtQ}[a, 0]$

Rule 2391

$\text{Int}[\text{Log}[(c_.)*((d_.) + (e_.)*(x_.)^{(n_.)})]/(x_.), x_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x\} \ \&\& \ \text{EqQ}[c*d, 1]$

Rubi steps

$$\begin{aligned}
\int \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx &= x \cot^{-1}(c - (1 - ic) \tan(a + bx)) + (ib) \int \frac{x}{i(-1 + ic) + c + ce^{2ia+2ibx}} dx \\
&= -\frac{bx^2}{2} + x \cot^{-1}(c - (1 - ic) \tan(a + bx)) + (bc) \int \frac{e^{2ia+2ibx} x}{i(-1 + ic) + c + ce^{2ia+2ibx}} dx \\
&= -\frac{bx^2}{2} + x \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{2} ix \log(1 + ice^{2ia+2ibx}) + \frac{1}{2} i \int \log(1 - \dots) \\
&= -\frac{bx^2}{2} + x \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{2} ix \log(1 + ice^{2ia+2ibx}) + \frac{\text{Subst}\left(\int \frac{\log}{\dots}\right)}{\dots} \\
&= -\frac{bx^2}{2} + x \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{2} ix \log(1 + ice^{2ia+2ibx}) - \frac{\text{Li}_2(-ice^{2ia+2ibx})}{4b}
\end{aligned}$$

Mathematica [B] time = 3.02039, size = 847, normalized size = 9.85

$$x \cot^{-1}(c + i(c + i) \tan(a + bx)) - \frac{ix \left(-2ibx \log(2 \cos(bx)(\cos(bx) - i \sin(bx))) + \log\left(\frac{1}{2} \sec(bx)(\cos(a) + i \sin(a))((c+1) \cos(a+bx) - (c+i) \sin(a+bx))\right) \right)}{((c-i) \cos(a+bx) + i(c+i) \sin(a+bx)) \left(-\frac{\log\left(\frac{1}{2} \sec(bx)(\cos(a) + i \sin(a))((c+1) \cos(a+bx) - (c+i) \sin(a+bx))\right)}{\tan(bx) - i} \right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[c - (1 - I*c)*Tan[a + b*x]], x]

[Out] x*ArcCot[c + I*(I + c)*Tan[a + b*x]] - (I*x*((-2*I)*b*x*Log[2*Cos[b*x]*(Cos[b*x] - I*Sin[b*x])] + Log[(Sec[b*x]*(Cos[a] - I*Sin[a])*((-I + c)*Cos[a + b*x] + I*(I + c)*Sin[a + b*x])]/(2*c)]*Log[1 - I*Tan[b*x]] - Log[(Sec[b*x]*(Cos[a] + I*Sin[a])*((1 + I*c)*Cos[a + b*x] - (I + c)*Sin[a + b*x])]/2]*Log[1 + I*Tan[b*x]] + PolyLog[2, -Cos[2*b*x] + I*Sin[2*b*x]] + PolyLog[2, (Sec[b*x]*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x])]/(2*c)] - PolyLog[2, ((Cos[a] + I*Sin[a])*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(-I + Tan[b*x]))/2])*Sec[a + b*x]*(Cos[b*x] + I*Sin[b*x])*(I*Cos[b*x] + Sin[b*x]))/(((I + c)*Cos[a + b*x] + I*(I + c)*Sin[a + b*x])*(-2*b*x + I*Log[1 - (Sec[b*x]*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x])]/(2*c)] + (I*(I + c)*Cos[a + b*x]*(Log[1 - I*Tan[b*x]] - Log[1 + I*Tan[b*x]])))/((-I + c)*Cos[a + b*x] + I*(I + c)*Sin[a + b*x]) + ((1 + I*c)*(Log[1 - I*Tan[b*x]] - Log[1 + I*Tan[b*x]])*Sin[a + b*x])/((-1 - I*c)*Cos[a + b*x] + (I + c)*Sin[a + b*x]) + (2*I)*b*x*Tan[b*x] - Log[1 - (Sec[b*x]*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x])]/(2*c)]*Tan[b*x] + Log[1 - I*Tan[b*x]]*Tan[b*x] - Log[1 + I*Tan[b*x]]*Tan[b*x] - (Log[(Sec[b*x]*(Cos[a] + I*Sin[a])*((1 + I*c)*Cos[a + b*x] - (I + c)*Sin[a + b*x])]/2)*Sec[b*x]^2)/(-I + Tan[b*x]) + (Log[1 - ((Cos[a] + I*Sin[a])*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(-I + Tan[b*x]))/2]*Sec[b*x]^2)/(-I + Tan[b*x]) + (Log[(Sec[b*x]*(Cos[a] - I*Sin[a])*((-I + c)*Cos[a + b*x] + I*(I + c)*Sin[a + b*x])]/(2*c)]*Sec[b*x]^2)/(I + Tan[b*x]))*(-I + Tan[a + b*x]))

Maple [B] time = 0.112, size = 1681, normalized size = 19.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c-(1-I*c)*tan(b*x+a)),x)

[Out]
$$\begin{aligned} & -1/4/b/(-1+I*c)/(I+c)*\ln((-1+I*c)*\tan(b*x+a)+c+I)^2*c-1/2/b/(-1+I*c)/(I+c)* \\ & \operatorname{dilog}(-1/2*(-(-1+I*c)*\tan(b*x+a)-c+I)/c)*c+1/2/b/(-1+I*c)/(I+c)*\operatorname{dilog}((-(-1 \\ & +I*c)*\tan(b*x+a)-c-I)/(-2*I-2*c))*c+1/b/(-1+I*c)*\operatorname{arccot}(c+(-1+I*c)*\tan(b*x+ \\ & a))/(2*I+2*c)*\ln(-(-1+I*c)*\tan(b*x+a)+c+I)-1/b/(-1+I*c)*\operatorname{arccot}(c+(-1+I*c)*\tan \\ & (b*x+a))/(2*I+2*c)*\ln((-1+I*c)*\tan(b*x+a)+c+I)-1/4*I/b/(-1+I*c)/(I+c)*\operatorname{dilog} \\ & (-1/2*(-(-1+I*c)*\tan(b*x+a)-c+I)/c)+1/4*I/b/(-1+I*c)/(I+c)*\operatorname{dilog}((-(-1+I*c) \\ & c)*\tan(b*x+a)-c-I)/(-2*I-2*c))-1/4*I/b/(-1+I*c)/(I+c)*\operatorname{dilog}(-1/2*I*((-1+I*c) \\ &)*\tan(b*x+a)+c+I))-1/8*I/b/(-1+I*c)/(I+c)*\ln((-1+I*c)*\tan(b*x+a)+c+I)^2+1/2 \\ & /b/(-1+I*c)/(I+c)*\ln(-1/2*I*(-(-1+I*c)*\tan(b*x+a)-c+I))*\ln((-1+I*c)*\tan(b*x \\ & +a)+c+I)*c-1/2/b/(-1+I*c)/(I+c)*\operatorname{dilog}(-1/2*I*((-1+I*c)*\tan(b*x+a)+c+I))*c+1 \\ & /4*I/b/(-1+I*c)/(I+c)*\operatorname{dilog}(-1/2*(-(-1+I*c)*\tan(b*x+a)-c+I)/c)*c^2-1/4*I/b/ \\ & (-1+I*c)/(I+c)*\ln(-1/2*(-(-1+I*c)*\tan(b*x+a)-c+I)/c)*\ln(-(-1+I*c)*\tan(b*x+a) \\ & +c+I)-1/4*I/b/(-1+I*c)/(I+c)*\operatorname{dilog}((-(-1+I*c)*\tan(b*x+a)-c-I)/(-2*I-2*c))* \\ & c^2-1/4*I/b/(-1+I*c)/(I+c)*\ln(-1/2*I*((-1+I*c)*\tan(b*x+a)+c+I))*\ln(-1/2*I*(\\ & -(-1+I*c)*\tan(b*x+a)-c+I))+1/4*I/b/(-1+I*c)/(I+c)*\ln(-1/2*I*(-(-1+I*c)*\tan(\\ & b*x+a)-c+I))*\ln((-1+I*c)*\tan(b*x+a)+c+I)-1/b/(-1+I*c)*\operatorname{arccot}(c+(-1+I*c)*\tan \\ & (b*x+a))/(2*I+2*c)*\ln(-(-1+I*c)*\tan(b*x+a)+c+I)*c^2+1/b/(-1+I*c)*\operatorname{arccot}(c+(\\ & -1+I*c)*\tan(b*x+a))/(2*I+2*c)*\ln((-1+I*c)*\tan(b*x+a)+c+I)*c^2-1/2/b/(-1+I*c) \\ &)/(I+c)*\ln(-1/2*(-(-1+I*c)*\tan(b*x+a)-c+I)/c)*\ln(-(-1+I*c)*\tan(b*x+a)+c+I)* \\ & c+1/2/b/(-1+I*c)/(I+c)*\ln((-(-1+I*c)*\tan(b*x+a)-c-I)/(-2*I-2*c))*\ln(-(-1+I* \\ & c)*\tan(b*x+a)+c+I)*c-1/2/b/(-1+I*c)/(I+c)*\ln(-1/2*I*((-1+I*c)*\tan(b*x+a)+c+ \\ & I))*\ln(-1/2*I*(-(-1+I*c)*\tan(b*x+a)-c+I))*c+1/4*I/b/(-1+I*c)/(I+c)*\ln((-(-1 \\ & +I*c)*\tan(b*x+a)-c-I)/(-2*I-2*c))*\ln(-(-1+I*c)*\tan(b*x+a)+c+I)+1/4*I/b/(-1+ \\ & I*c)/(I+c)*\operatorname{dilog}(-1/2*I*((-1+I*c)*\tan(b*x+a)+c+I))*c^2+1/8*I/b/(-1+I*c)/(I+ \\ & c)*\ln((-1+I*c)*\tan(b*x+a)+c+I)^2*c^2+1/4*I/b/(-1+I*c)/(I+c)*\ln(-1/2*I*((-1+ \\ & I*c)*\tan(b*x+a)+c+I))*\ln(-1/2*I*(-(-1+I*c)*\tan(b*x+a)-c+I))*c^2-1/4*I/b/(-1 \\ & +I*c)/(I+c)*\ln(-1/2*I*(-(-1+I*c)*\tan(b*x+a)-c+I))*\ln((-1+I*c)*\tan(b*x+a)+c+ \\ & I)*c^2+1/4*I/b/(-1+I*c)/(I+c)*\ln(-1/2*(-(-1+I*c)*\tan(b*x+a)-c+I)/c)*\ln(-(-1 \\ & +I*c)*\tan(b*x+a)+c+I)*c^2-1/4*I/b/(-1+I*c)/(I+c)*\ln((-(-1+I*c)*\tan(b*x+a)-c \\ & -I)/(-2*I-2*c))*\ln(-(-1+I*c)*\tan(b*x+a)+c+I)*c^2-2*I/b/(-1+I*c)*\operatorname{arccot}(c+(- \\ & 1+I*c)*\tan(b*x+a))/(2*I+2*c)*\ln(-(-1+I*c)*\tan(b*x+a)+c+I)*c+2*I/b/(-1+I*c)* \\ & \operatorname{arccot}(c+(-1+I*c)*\tan(b*x+a))/(2*I+2*c)*\ln((-1+I*c)*\tan(b*x+a)+c+I)*c \end{aligned}$$

Maxima [B] time = 1.60214, size = 608, normalized size = 7.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="maxima")

[Out]
$$\begin{aligned} & 1/8*((I*c - 1)*(4*I*(b*x + a)*\log((2*I*c^2 - 2*(c^2 + 2*I*c - 1)*\tan(b*x + \\ & a) + 2*I))/(2*I*c^2 - 2*(c^2 + 2*I*c - 1)*\tan(b*x + a) - 4*c - 2*I))/(I*c - \\ & 1) + I*(4*(b*x + a)*(\log(-I*c^2 + (c^2 + 2*I*c - 1)*\tan(b*x + a) + 2*c + I) \\ & - \log(-I*c^2 + (c^2 + 2*I*c - 1)*\tan(b*x + a) - I)) + I*\log(-I*c^2 + (c^2 \\ & + 2*I*c - 1)*\tan(b*x + a) + 2*c + I)^2 - 2*I*\log(-I*c^2 + (c^2 + 2*I*c - 1) \\ & *\tan(b*x + a) - I)*\log(1/2*(c + I)*\tan(b*x + a) - 1/2*I*c + 1/2) + 2*I*\log(\\ & -I*c^2 + (c^2 + 2*I*c - 1)*\tan(b*x + a) - I)*\log(-1/2*((I*c - 1)*\tan(b*x + \\ & a) + c - I)/c + 1) - 2*I*\log(-I*c^2 + (c^2 + 2*I*c - 1)*\tan(b*x + a) + 2*c \\ & + I)*\log(-1/2*I*\tan(b*x + a) + 1/2) - 2*I*\operatorname{dilog}(-1/2*(c + I)*\tan(b*x + a) + \\ & 1/2*I*c + 1/2) + 2*I*\operatorname{dilog}(1/2*((I*c - 1)*\tan(b*x + a) + c - I)/c) - 2*I*\operatorname{dilog} \\ & (1/2*I*\tan(b*x + a) + 1/2))/(I*c - 1) - 8*(b*x + a)*\operatorname{arccot}((-I*c + 1)* \\ & \tan(b*x + a) - c) + 4*(-I*b*x - I*a)*\log((2*I*c^2 - 2*(c^2 + 2*I*c - 1)*\tan \\ & (b*x + a) + 2*I)/(2*I*c^2 - 2*(c^2 + 2*I*c - 1)*\tan(b*x + a) - 4*c - 2*I))) \end{aligned}$$

/b

Fricas [B] time = 2.59641, size = 552, normalized size = 6.42

$$\frac{b^2x^2 + i bx \log\left(\frac{(c+i)e^{(2ibx+2ia)}}{ce^{(2ibx+2ia)-i}}\right) - a^2 - (-ibx - ia) \log\left(\frac{1}{2}\sqrt{-4ic}e^{(ibx+ia)} + 1\right) - (-ibx - ia) \log\left(-\frac{1}{2}\sqrt{-4ic}e^{(ibx+ia)} + 1\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="fricas")

[Out] -1/2*(b^2*x^2 + I*b*x*log((c + I)*e^(2*I*b*x + 2*I*a)/(c*e^(2*I*b*x + 2*I*a) - I)) - a^2 - (-I*b*x - I*a)*log(1/2*sqrt(-4*I*c)*e^(I*b*x + I*a) + 1) - (-I*b*x - I*a)*log(-1/2*sqrt(-4*I*c)*e^(I*b*x + I*a) + 1) - I*a*log(1/2*(2*c*e^(I*b*x + I*a) + I*sqrt(-4*I*c))/c) - I*a*log(1/2*(2*c*e^(I*b*x + I*a) - I*sqrt(-4*I*c))/c) + dilog(1/2*sqrt(-4*I*c)*e^(I*b*x + I*a)) + dilog(-1/2*sqrt(-4*I*c)*e^(I*b*x + I*a)))/b

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c-(1-I*c)*tan(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{arccot}(-(-ic + 1) \tan(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="giac")

[Out] integrate(arccot(-(-I*c + 1)*tan(b*x + a) + c), x)

$$3.169 \quad \int \frac{\cot^{-1}(c-(1-ic)\tan(ax+bx))}{x} dx$$

Optimal. Leaf size=24

$$\text{CannotIntegrate}\left(\frac{\cot^{-1}(c-(1-ic)\tan(ax+bx))}{x}, x\right)$$

[Out] CannotIntegrate[ArcCot[c - (1 - I*c)*Tan[a + b*x]]/x, x]

Rubi [A] time = 0.163922, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(c-(1-ic)\tan(ax+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[c - (1 - I*c)*Tan[a + b*x]]/x, x]

[Out] Defer[Int][ArcCot[c - (1 - I*c)*Tan[a + b*x]]/x, x]

Rubi steps

$$\int \frac{\cot^{-1}(c-(1-ic)\tan(ax+bx))}{x} dx = \int \frac{\cot^{-1}(c-(1-ic)\tan(ax+bx))}{x} dx$$

Mathematica [A] time = 0.770654, size = 0, normalized size = 0.

$$\int \frac{\cot^{-1}(c-(1-ic)\tan(ax+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCot[c - (1 - I*c)*Tan[a + b*x]]/x, x]

[Out] Integrate[ArcCot[c - (1 - I*c)*Tan[a + b*x]]/x, x]

Maple [A] time = 0.407, size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(c-(1-ic)\tan(bx+a))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c-(1-I*c)*tan(b*x+a))/x, x)

[Out] int(arccot(c-(1-I*c)*tan(b*x+a))/x, x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c-(1-I*c)*tan(b*x+a))/x,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(-\frac{i \log \left(\frac{(c+i)e^{2ibx+2ia}}{ce^{2ibx+2ia}-i} \right)}{2x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c-(1-I*c)*tan(b*x+a))/x,x, algorithm="fricas")

[Out] integral(-1/2*I*log((c + I)*e^(2*I*b*x + 2*I*a)/(c*e^(2*I*b*x + 2*I*a) - I))/x, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c-(1-I*c)*tan(b*x+a))/x,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{arccot}(-(-ic + 1)\tan(bx + a) + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c-(1-I*c)*tan(b*x+a))/x,x, algorithm="giac")

[Out] integrate(arccot(-(-I*c + 1)*tan(b*x + a) + c)/x, x)

3.170 $\int \cot^{-1}(\cot(a + bx)) dx$

Optimal. Leaf size=16

$$\frac{\cot^{-1}(\cot(a + bx))^2}{2b}$$

[Out] ArcCot[Cot[a + b*x]]^2/(2*b)

Rubi [A] time = 0.0128469, antiderivative size = 16, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2157, 30}

$$\frac{\cot^{-1}(\cot(a + bx))^2}{2b}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[Cot[a + b*x]], x]

[Out] ArcCot[Cot[a + b*x]]^2/(2*b)

Rule 2157

Int[(u_)^(m_.), x_Symbol] :> With[{c = Simplify[D[u, x]]}, Dist[1/c, Subst[
Int[x^m, x], x, u], x]] /; FreeQ[m, x] && PiecewiseLinearQ[u, x]

Rule 30

Int[(x_)^(m_.), x_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \cot^{-1}(\cot(a + bx)) dx &= \frac{\text{Subst}\left(\int x dx, x, \cot^{-1}(\cot(a + bx))\right)}{b} \\ &= \frac{\cot^{-1}(\cot(a + bx))^2}{2b} \end{aligned}$$

Mathematica [A] time = 0.0062584, size = 18, normalized size = 1.12

$$x \cot^{-1}(\cot(a + bx)) - \frac{bx^2}{2}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[Cot[a + b*x]], x]

[Out] -(b*x^2)/2 + x*ArcCot[Cot[a + b*x]]

Maple [B] time = 0.049, size = 45, normalized size = 2.8

$$\frac{1}{b} \left(- \left(\frac{\pi}{2} - \operatorname{arccot}(\cot(bx + a)) \right) \operatorname{arccot}(\cot(bx + a)) - \frac{1}{2} \left(\frac{\pi}{2} - \operatorname{arccot}(\cot(bx + a)) \right)^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(cot(b*x+a)), x)

[Out] 1/b*(-(1/2*Pi-arccot(cot(b*x+a)))*arccot(cot(b*x+a))-1/2*(1/2*Pi-arccot(cot(b*x+a)))^2)

Maxima [A] time = 0.945519, size = 14, normalized size = 0.88

$$\frac{1}{2}bx^2 + ax$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(cot(b*x+a)), x, algorithm="maxima")

[Out] 1/2*b*x^2 + a*x

Fricas [A] time = 1.96274, size = 23, normalized size = 1.44

$$\frac{1}{2}x^2b + xa$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(cot(b*x+a)), x, algorithm="fricas")

[Out] 1/2*x^2*b + x*a

Sympy [A] time = 0.179973, size = 15, normalized size = 0.94

$$-\frac{bx^2}{2} + x \operatorname{acot}(\cot(a + bx))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(cot(b*x+a)), x)

[Out] -b*x**2/2 + x*acot(cot(a + b*x))

Giac [A] time = 1.1046, size = 14, normalized size = 0.88

$$\frac{1}{2}bx^2 + ax$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(cot(b*x+a)),x, algorithm="giac")
```

```
[Out] 1/2*b*x^2 + a*x
```

3.171 $\int x^2 \cot^{-1}(c + d \cot(a + bx)) dx$

Optimal. Leaf size=399

$$-\frac{ix\text{PolyLog}\left(3, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right)}{4b^2} + \frac{ix\text{PolyLog}\left(3, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)}{4b^2} + \frac{\text{PolyLog}\left(4, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right)}{8b^3} - \frac{\text{PolyLog}\left(4, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)}{8b^3}$$

```
[Out] (x^3*ArcCot[c + d*Cot[a + b*x]])/3 - (I/6)*x^3*Log[1 - ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)] + (I/6)*x^3*Log[1 - ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))] - (x^2*PolyLog[2, ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)]/(4*b) + (x^2*PolyLog[2, ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))]/(4*b) - ((I/4)*x*PolyLog[3, ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)]/b^2 + ((I/4)*x*PolyLog[3, ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))]/b^2 + PolyLog[4, ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)]/(8*b^3) - PolyLog[4, ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))]/(8*b^3)]
```

Rubi [A] time = 0.507946, antiderivative size = 399, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {5178, 2190, 2531, 6609, 2282, 6589}

$$-\frac{ix\text{PolyLog}\left(3, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right)}{4b^2} + \frac{ix\text{PolyLog}\left(3, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)}{4b^2} + \frac{\text{PolyLog}\left(4, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right)}{8b^3} - \frac{\text{PolyLog}\left(4, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)}{8b^3}$$

Antiderivative was successfully verified.

```
[In] Int[x^2*ArcCot[c + d*Cot[a + b*x]],x]
```

```
[Out] (x^3*ArcCot[c + d*Cot[a + b*x]])/3 - (I/6)*x^3*Log[1 - ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)] + (I/6)*x^3*Log[1 - ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))] - (x^2*PolyLog[2, ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)]/(4*b) + (x^2*PolyLog[2, ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))]/(4*b) - ((I/4)*x*PolyLog[3, ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)]/b^2 + ((I/4)*x*PolyLog[3, ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))]/b^2 + PolyLog[4, ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)]/(8*b^3) - PolyLog[4, ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))]/(8*b^3)]
```

Rule 5178

```
Int[ArcCot[(c_.) + Cot[(a_.) + (b_.)*(x_.)]*(d_.)]*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol] :> Simp[((e + f*x)^(m + 1)*ArcCot[c + d*Cot[a + b*x]])/(f*(m + 1)), x] + (-Dist[(b*(1 + I*c - d))/(f*(m + 1)), Int[((e + f*x)^(m + 1))*E^((2*I*a + 2*I*b*x))/(1 + I*c + d - (1 + I*c - d)*E^((2*I*a + 2*I*b*x))), x], x] + Dist[(b*(1 - I*c + d))/(f*(m + 1)), Int[((e + f*x)^(m + 1))*E^((2*I*a + 2*I*b*x))/(1 - I*c - d - (1 - I*c + d)*E^((2*I*a + 2*I*b*x))), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[(c - I*d)^2, -1]
```

Rule 2190

```
Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_.)))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_.)))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
```


st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 6609

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(p_.)], x_Symbol] :> Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_.))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned} \int x^2 \cot^{-1}(c + d \cot(a + bx)) dx &= \frac{1}{3} x^3 \cot^{-1}(c + d \cot(a + bx)) - \frac{1}{3} (b(1 + ic - d)) \int \frac{e^{2ia+2ibx} x^3}{1 + ic + d + (-1 - ic + d)e^{2ia+2ibx}} dx \\ &= \frac{1}{3} x^3 \cot^{-1}(c + d \cot(a + bx)) - \frac{1}{6} ix^3 \log \left(1 - \frac{(1 + ic - d)e^{2ia+2ibx}}{1 + ic + d} \right) + \frac{1}{6} ix^3 \log \left(1 - \frac{(1 - ic - d)e^{2ia+2ibx}}{1 + ic + d} \right) \\ &= \frac{1}{3} x^3 \cot^{-1}(c + d \cot(a + bx)) - \frac{1}{6} ix^3 \log \left(1 - \frac{(1 + ic - d)e^{2ia+2ibx}}{1 + ic + d} \right) + \frac{1}{6} ix^3 \log \left(1 - \frac{(1 - ic - d)e^{2ia+2ibx}}{1 + ic + d} \right) \\ &= \frac{1}{3} x^3 \cot^{-1}(c + d \cot(a + bx)) - \frac{1}{6} ix^3 \log \left(1 - \frac{(1 + ic - d)e^{2ia+2ibx}}{1 + ic + d} \right) + \frac{1}{6} ix^3 \log \left(1 - \frac{(1 - ic - d)e^{2ia+2ibx}}{1 + ic + d} \right) \\ &= \frac{1}{3} x^3 \cot^{-1}(c + d \cot(a + bx)) - \frac{1}{6} ix^3 \log \left(1 - \frac{(1 + ic - d)e^{2ia+2ibx}}{1 + ic + d} \right) + \frac{1}{6} ix^3 \log \left(1 - \frac{(1 - ic - d)e^{2ia+2ibx}}{1 + ic + d} \right) \\ &= \frac{1}{3} x^3 \cot^{-1}(c + d \cot(a + bx)) - \frac{1}{6} ix^3 \log \left(1 - \frac{(1 + ic - d)e^{2ia+2ibx}}{1 + ic + d} \right) + \frac{1}{6} ix^3 \log \left(1 - \frac{(1 - ic - d)e^{2ia+2ibx}}{1 + ic + d} \right) \end{aligned}$$

Mathematica [A] time = 0.765992, size = 359, normalized size = 0.9

$$\frac{1}{3} x^3 \cot^{-1}(d \cot(a + bx) + c) + \frac{-6b^2 x^2 \text{PolyLog} \left(2, \frac{(c+i(d-1))e^{2i(a+bx)}}{c-i(d+1)} \right) + 6b^2 x^2 \text{PolyLog} \left(2, \frac{(c+i(d+1))e^{2i(a+bx)}}{c-id+i} \right) - 6ibx \text{PolyLog} \left(2, \frac{(c+i(d-1))e^{2i(a+bx)}}{c-i(d+1)} \right) - 6ibx \text{PolyLog} \left(2, \frac{(c+i(d+1))e^{2i(a+bx)}}{c-id+i} \right)}{6}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*ArcCot[c + d*Cot[a + b*x]],x]
```

```
[Out] (x^3*ArcCot[c + d*Cot[a + b*x]])/3 + ((-4*I)*b^3*x^3*Log[1 - ((c + I*(-1 + d))*E^((2*I)*(a + b*x)))/(c - I*(1 + d))] + (4*I)*b^3*x^3*Log[1 - ((c + I*(1 + d))*E^((2*I)*(a + b*x)))/(I + c - I*d)] - 6*b^2*x^2*PolyLog[2, ((c + I*(-1 + d))*E^((2*I)*(a + b*x)))/(c - I*(1 + d))] + 6*b^2*x^2*PolyLog[2, ((c + I*(1 + d))*E^((2*I)*(a + b*x)))/(I + c - I*d)] - (6*I)*b*x*PolyLog[3, ((c + I*(-1 + d))*E^((2*I)*(a + b*x)))/(c - I*(1 + d))] + (6*I)*b*x*PolyLog[3, ((c + I*(1 + d))*E^((2*I)*(a + b*x)))/(I + c - I*d)] + 3*PolyLog[4, ((c + I*(-1 + d))*E^((2*I)*(a + b*x)))/(c - I*(1 + d))] - 3*PolyLog[4, ((c + I*(1 + d))*E^((2*I)*(a + b*x)))/(I + c - I*d)]/(24*b^3)
```

Maple [C] time = 8.084, size = 7900, normalized size = 19.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*arccot(c+d*cot(b*x+a)),x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccot(c+d*cot(b*x+a)),x, algorithm="maxima")
```

```
[Out] 1/6*x^3*arctan2((d + 1)*cos(2*b*x + 2*a) + c*sin(2*b*x + 2*a) + d - 1, c*cos(2*b*x + 2*a) - (d + 1)*sin(2*b*x + 2*a) - c) - 1/6*x^3*arctan2((d - 1)*cos(2*b*x + 2*a) + c*sin(2*b*x + 2*a) + d + 1, c*cos(2*b*x + 2*a) - (d - 1)*sin(2*b*x + 2*a) - c) - 4*b*d*integrate(1/3*(2*(c^2 + d^2 + 1)*x^3*cos(2*b*x + 2*a)^2 + 2*c*d*x^3*sin(2*b*x + 2*a) + 2*(c^2 + d^2 + 1)*x^3*sin(2*b*x + 2*a)^2 - (c^2 - d^2 + 1)*x^3*cos(2*b*x + 2*a) - (2*c*d*x^3*sin(2*b*x + 2*a) + (c^2 - d^2 + 1)*x^3*cos(2*b*x + 2*a))*cos(4*b*x + 4*a) + (2*c*d*x^3*cos(2*b*x + 2*a) - (c^2 - d^2 + 1)*x^3*sin(2*b*x + 2*a))*sin(4*b*x + 4*a))/(c^4 + d^4 + 2*(c^2 - 1)*d^2 + (c^4 + d^4 + 2*(c^2 - 1)*d^2 + 2*c^2 + 1)*cos(4*b*x + 4*a)^2 + 4*(c^4 + d^4 + 2*(c^2 + 1)*d^2 + 2*c^2 + 1)*cos(2*b*x + 2*a)^2 + (c^4 + d^4 + 2*(c^2 - 1)*d^2 + 2*c^2 + 1)*sin(4*b*x + 4*a)^2 + 4*(c^4 + d^4 + 2*(c^2 + 1)*d^2 + 2*c^2 + 1)*sin(2*b*x + 2*a)^2 + 2*c^2 + 2*(c^4 + d^4 - 2*(3*c^2 + 1)*d^2 + 2*c^2 - 2*(c^4 - d^4 + 2*c^2 + 1)*cos(2*b*x + 2*a) - 4*(c*d^3 + (c^3 + c)*d)*sin(2*b*x + 2*a) + 1)*cos(4*b*x + 4*a) - 4*(c^4 - d^4 + 2*c^2 + 1)*cos(2*b*x + 2*a) + 4*(2*c*d^3 - 2*(c^3 + c)*d + 2*(c*d^3 + (c^3 + c)*d)*cos(2*b*x + 2*a) - (c^4 - d^4 + 2*c^2 + 1)*sin(2*b*x + 2*a))*sin(4*b*x + 4*a) + 8*(c*d^3 + (c^3 + c)*d)*sin(2*b*x + 2*a) + 1), x)
```

Fricas [C] time = 3.9963, size = 4058, normalized size = 10.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c+d*cot(b*x+a)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/48*(16*b^3*x^3*arccot(d*cot(b*x + a) + c) - 6*b^2*x^2*dilog(-(c^2 + d^2 - \\ & (c^2 + 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (-I*c^2 + 2*c*d + I*d^2 - I)* \\ & sin(2*b*x + 2*a) + 2*d + 1)/(c^2 + d^2 + 2*d + 1) + 1) - 6*b^2*x^2*dilog(-(\\ & c^2 + d^2 - (c^2 - 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (I*c^2 + 2*c*d - I \\ & *d^2 + I)*sin(2*b*x + 2*a) + 2*d + 1)/(c^2 + d^2 + 2*d + 1) + 1) + 6*b^2*x^ \\ & 2*dilog(-(c^2 + d^2 - (c^2 + 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (-I*c^2 \\ & + 2*c*d + I*d^2 - I)*sin(2*b*x + 2*a) - 2*d + 1)/(c^2 + d^2 - 2*d + 1) + 1) \\ & + 6*b^2*x^2*dilog(-(c^2 + d^2 - (c^2 - 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) \\ & + (I*c^2 + 2*c*d - I*d^2 + I)*sin(2*b*x + 2*a) - 2*d + 1)/(c^2 + d^2 - 2*d \\ & + 1) + 1) + 4*I*a^3*log(1/2*c^2 + I*c*d - 1/2*d^2 - 1/2*(c^2 + d^2 + 2*d + \\ & 1)*cos(2*b*x + 2*a) + 1/2*(I*c^2 + I*d^2 + 2*I*d + I)*sin(2*b*x + 2*a) + 1 \\ & /2) - 4*I*a^3*log(1/2*c^2 + I*c*d - 1/2*d^2 - 1/2*(c^2 + d^2 - 2*d + 1)*cos \\ & (2*b*x + 2*a) + 1/2*(I*c^2 + I*d^2 - 2*I*d + I)*sin(2*b*x + 2*a) + 1/2) - 4 \\ & *I*a^3*log(-1/2*c^2 + I*c*d + 1/2*d^2 + 1/2*(c^2 + d^2 + 2*d + 1)*cos(2*b*x \\ & + 2*a) + 1/2*(I*c^2 + I*d^2 + 2*I*d + I)*sin(2*b*x + 2*a) - 1/2) + 4*I*a^3 \\ & *log(-1/2*c^2 + I*c*d + 1/2*d^2 + 1/2*(c^2 + d^2 - 2*d + 1)*cos(2*b*x + 2*a \\ &) + 1/2*(I*c^2 + I*d^2 - 2*I*d + I)*sin(2*b*x + 2*a) - 1/2) - 6*I*b*x*polylog \\ & (3, ((c^2 + 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (I*c^2 - 2*c*d - I*d^2 \\ & + I)*sin(2*b*x + 2*a))/(c^2 + d^2 + 2*d + 1)) + 6*I*b*x*polylog(3, ((c^2 + \\ & 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (I*c^2 - 2*c*d - I*d^2 + I)*sin(2*b*x \\ & + 2*a))/(c^2 + d^2 - 2*d + 1)) + 6*I*b*x*polylog(3, ((c^2 - 2*I*c*d - d^2 \\ & + 1)*cos(2*b*x + 2*a) + (-I*c^2 - 2*c*d + I*d^2 - I)*sin(2*b*x + 2*a))/(c^2 \\ & + d^2 + 2*d + 1)) - 6*I*b*x*polylog(3, ((c^2 - 2*I*c*d - d^2 + 1)*cos(2*b* \\ & x + 2*a) + (-I*c^2 - 2*c*d + I*d^2 - I)*sin(2*b*x + 2*a))/(c^2 + d^2 - 2*d \\ & + 1)) + (-4*I*b^3*x^3 - 4*I*a^3)*log((c^2 + d^2 - (c^2 + 2*I*c*d - d^2 + 1) \\ & *cos(2*b*x + 2*a) + (-I*c^2 + 2*c*d + I*d^2 - I)*sin(2*b*x + 2*a) + 2*d + 1 \\ &))/(c^2 + d^2 + 2*d + 1)) + (4*I*b^3*x^3 + 4*I*a^3)*log((c^2 + d^2 - (c^2 - \\ & 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (I*c^2 + 2*c*d - I*d^2 + I)*sin(2*b*x \\ & + 2*a) + 2*d + 1)/(c^2 + d^2 + 2*d + 1)) + (4*I*b^3*x^3 + 4*I*a^3)*log((c^ \\ & 2 + d^2 - (c^2 + 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (-I*c^2 + 2*c*d + I* \\ & d^2 - I)*sin(2*b*x + 2*a) - 2*d + 1)/(c^2 + d^2 - 2*d + 1)) + (-4*I*b^3*x^3 \\ & - 4*I*a^3)*log((c^2 + d^2 - (c^2 - 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (\\ & I*c^2 + 2*c*d - I*d^2 + I)*sin(2*b*x + 2*a) - 2*d + 1)/(c^2 + d^2 - 2*d + 1 \\ &)) + 3*polylog(4, ((c^2 + 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (I*c^2 - 2* \\ & c*d - I*d^2 + I)*sin(2*b*x + 2*a))/(c^2 + d^2 + 2*d + 1)) - 3*polylog(4, ((\\ & c^2 + 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (I*c^2 - 2*c*d - I*d^2 + I)*sin \\ & (2*b*x + 2*a))/(c^2 + d^2 - 2*d + 1)) + 3*polylog(4, ((c^2 - 2*I*c*d - d^2 \\ & + 1)*cos(2*b*x + 2*a) + (-I*c^2 - 2*c*d + I*d^2 - I)*sin(2*b*x + 2*a))/(c^2 \\ & + d^2 + 2*d + 1)) - 3*polylog(4, ((c^2 - 2*I*c*d - d^2 + 1)*cos(2*b*x + 2* \\ & a) + (-I*c^2 - 2*c*d + I*d^2 - I)*sin(2*b*x + 2*a))/(c^2 + d^2 - 2*d + 1))) \\ & /b^3 \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(c+d*cot(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{arccot}(d \cot(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccot(c+d*cot(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(x^2*arccot(d*cot(b*x + a) + c), x)
```

3.172 $\int x \cot^{-1}(c + d \cot(a + bx)) dx$

Optimal. Leaf size=303

$$\frac{i \operatorname{PolyLog}\left(3, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right)}{8b^2} + \frac{i \operatorname{PolyLog}\left(3, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)}{8b^2} - \frac{x \operatorname{PolyLog}\left(2, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right)}{4b} + \frac{x \operatorname{PolyLog}\left(2, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)}{4b}$$

```
[Out] (x^2*ArcCot[c + d*Cot[a + b*x]])/2 - (I/4)*x^2*Log[1 - ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)] + (I/4)*x^2*Log[1 - ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))] - (x*PolyLog[2, ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)])/(4*b) + (x*PolyLog[2, ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d)))]/(4*b) - ((I/8)*PolyLog[3, ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)]/b^2 + ((I/8)*PolyLog[3, ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d)))]/b^2
```

Rubi [A] time = 0.417358, antiderivative size = 303, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {5178, 2190, 2531, 2282, 6589}

$$\frac{i \operatorname{PolyLog}\left(3, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right)}{8b^2} + \frac{i \operatorname{PolyLog}\left(3, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)}{8b^2} - \frac{x \operatorname{PolyLog}\left(2, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right)}{4b} + \frac{x \operatorname{PolyLog}\left(2, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)}{4b}$$

Antiderivative was successfully verified.

```
[In] Int[x*ArcCot[c + d*Cot[a + b*x]], x]
```

```
[Out] (x^2*ArcCot[c + d*Cot[a + b*x]])/2 - (I/4)*x^2*Log[1 - ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)] + (I/4)*x^2*Log[1 - ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))] - (x*PolyLog[2, ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)])/(4*b) + (x*PolyLog[2, ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d)))]/(4*b) - ((I/8)*PolyLog[3, ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)]/b^2 + ((I/8)*PolyLog[3, ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d)))]/b^2
```

Rule 5178

```
Int[ArcCot[(c_.) + Cot[(a_.) + (b_.)*(x_)]]*(d_.)]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[((e + f*x)^(m + 1)*ArcCot[c + d*Cot[a + b*x]])/(f*(m + 1)), x] + (-Dist[(b*(1 + I*c - d))/(f*(m + 1)), Int[((e + f*x)^(m + 1)*E^(2*I*a + 2*I*b*x))/(1 + I*c + d - (1 + I*c - d)*E^(2*I*a + 2*I*b*x)), x], x] + Dist[(b*(1 - I*c + d))/(f*(m + 1)), Int[((e + f*x)^(m + 1)*E^(2*I*a + 2*I*b*x))/(1 - I*c - d - (1 - I*c + d)*E^(2*I*a + 2*I*b*x)), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[(c - I*d)^2, -1]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])
```

```

)))^n)]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]

```

Rule 2282

```

Int[u_, x_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

```

Rule 6589

```

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :=> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]

```

Rubi steps

$$\begin{aligned}
\int x \cot^{-1}(c + d \cot(a + bx)) dx &= \frac{1}{2} x^2 \cot^{-1}(c + d \cot(a + bx)) - \frac{1}{2} (b(1 + ic - d)) \int \frac{e^{2ia+2ibx} x^2}{1 + ic + d + (-1 - ic + d)e^{2ia+2ibx}} dx \\
&= \frac{1}{2} x^2 \cot^{-1}(c + d \cot(a + bx)) - \frac{1}{4} ix^2 \log\left(1 - \frac{(1 + ic - d)e^{2ia+2ibx}}{1 + ic + d}\right) + \frac{1}{4} ix^2 \log\left(1 - \frac{(c + d)}{1 + ic + d}\right) \\
&= \frac{1}{2} x^2 \cot^{-1}(c + d \cot(a + bx)) - \frac{1}{4} ix^2 \log\left(1 - \frac{(1 + ic - d)e^{2ia+2ibx}}{1 + ic + d}\right) + \frac{1}{4} ix^2 \log\left(1 - \frac{(c + d)}{1 + ic + d}\right) \\
&= \frac{1}{2} x^2 \cot^{-1}(c + d \cot(a + bx)) - \frac{1}{4} ix^2 \log\left(1 - \frac{(1 + ic - d)e^{2ia+2ibx}}{1 + ic + d}\right) + \frac{1}{4} ix^2 \log\left(1 - \frac{(c + d)}{1 + ic + d}\right) \\
&= \frac{1}{2} x^2 \cot^{-1}(c + d \cot(a + bx)) - \frac{1}{4} ix^2 \log\left(1 - \frac{(1 + ic - d)e^{2ia+2ibx}}{1 + ic + d}\right) + \frac{1}{4} ix^2 \log\left(1 - \frac{(c + d)}{1 + ic + d}\right)
\end{aligned}$$

Mathematica [A] time = 0.584095, size = 270, normalized size = 0.89

$$\frac{1}{2} x^2 \cot^{-1}(d \cot(a + bx) + c) - \frac{i \left(-2ibx \operatorname{PolyLog}\left(2, \frac{(c+i(d-1))e^{2i(a+bx)}}{c-i(d+1)}\right) + 2ibx \operatorname{PolyLog}\left(2, \frac{(c+i(d+1))e^{2i(a+bx)}}{c-id+i}\right) + \operatorname{PolyLog}\left(3, \frac{(c+i(d+1))e^{2i(a+bx)}}{c-id+i}\right) \right)}{b^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x*ArcCot[c + d*Cot[a + b*x]], x]
```

```
[Out] (x^2*ArcCot[c + d*Cot[a + b*x]])/2 - ((I/8)*(2*b^2*x^2*Log[1 - ((c + I*(-1 + d))*E^((2*I)*(a + b*x)))/(c - I*(1 + d))] - 2*b^2*x^2*Log[1 - ((c + I*(1 + d))*E^((2*I)*(a + b*x)))/(I + c - I*d)] - (2*I)*b*x*PolyLog[2, ((c + I*(-1 + d))*E^((2*I)*(a + b*x)))/(c - I*(1 + d))] + (2*I)*b*x*PolyLog[2, ((c + I*(1 + d))*E^((2*I)*(a + b*x)))/(I + c - I*d)] + PolyLog[3, ((c + I*(-1 + d))*E^((2*I)*(a + b*x)))/(c - I*(1 + d))] - PolyLog[3, ((c + I*(1 + d))*E^((2*I)*(a + b*x)))/(I + c - I*d)]))/b^2
```

Maple [C] time = 28.744, size = 7550, normalized size = 24.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*arccot(c+d*cot(b*x+a)),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arccot(c+d*cot(b*x+a)),x, algorithm="maxima")`

[Out] $\frac{1}{4}x^2 \arctan_2((d+1)\cos(2bx+2a) + c\sin(2bx+2a) + d - 1, c\cos(2bx+2a) - (d+1)\sin(2bx+2a) - c) - \frac{1}{4}x^2 \arctan_2((d-1)\cos(2bx+2a) + c\sin(2bx+2a) + d + 1, c\cos(2bx+2a) - (d-1)\sin(2bx+2a) - c) - 2bd \int ((c^2 + d^2 + 1)x^2 \cos(2bx+2a)^2 + 2cdx^2 \sin(2bx+2a) + 2(c^2 + d^2 + 1)x^2 \sin(2bx+2a)^2 - (c^2 - d^2 + 1)x^2 \cos(2bx+2a) - (2cdx^2 \sin(2bx+2a) + (c^2 - d^2 + 1)x^2 \cos(2bx+2a)) \cos(4bx+4a) + (2cdx^2 \cos(2bx+2a) - (c^2 - d^2 + 1)x^2 \sin(2bx+2a)) \sin(4bx+4a)) / (c^4 + d^4 + 2(c^2 - 1)d^2 + (c^4 + d^4 + 2(c^2 + 1)d^2 + 2c^2 + 1)\cos(4bx+4a)^2 + 4(c^4 + d^4 + 2(c^2 + 1)d^2 + 2c^2 + 1)\cos(2bx+2a)^2 + (c^4 + d^4 + 2(c^2 - 1)d^2 + 2c^2 + 1)\sin(4bx+4a)^2 + 4(c^4 + d^4 + 2(c^2 + 1)d^2 + 2c^2 + 1)\sin(2bx+2a)^2 + 2c^2 + 2(c^4 + d^4 - 2(3c^2 + 1)d^2 + 2c^2 - 2(c^4 - d^4 + 2c^2 + 1)\cos(2bx+2a) - 4(cd^3 + (c^3 + c)d)\sin(2bx+2a) + 1)\cos(4bx+4a) - 4(c^4 - d^4 + 2c^2 + 1)\cos(2bx+2a) + 4(2cd^3 - 2(c^3 + c)d + 2(cd^3 + (c^3 + c)d)\cos(2bx+2a) - (c^4 - d^4 + 2c^2 + 1)\sin(2bx+2a)) \sin(4bx+4a) + 8(cd^3 + (c^3 + c)d)\sin(2bx+2a) + 1), x)$

Fricas [C] time = 3.97339, size = 3298, normalized size = 10.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arccot(c+d*cot(b*x+a)),x, algorithm="fricas")`

[Out] $\frac{1}{16}(8b^2x^2 \arccot(d\cot(bx+a) + c) - 2bx \operatorname{dilog}(-(c^2 + d^2 - (c^2 + 2Icd - d^2 + 1)\cos(2bx+2a) + (-Ic^2 + 2cd + Id^2 - I)\sin(2bx+2a) + 2d + 1)/(c^2 + d^2 + 2d + 1) + 1) - 2bx \operatorname{dilog}(-(c^2 + d^2 - (c^2 - 2Icd - d^2 + 1)\cos(2bx+2a) + (Ic^2 + 2cd - Id^2 + I)\sin(2bx+2a) + 2d + 1)/(c^2 + d^2 + 2d + 1) + 1) + 2bx \operatorname{dilog}(-(c^2 + d^2 - (c^2 + 2Icd - d^2 + 1)\cos(2bx+2a) + (-Ic^2 + 2cd + Id^2 - I)\sin(2bx+2a) - 2d + 1)/(c^2 + d^2 - 2d + 1) + 1) + 2bx \operatorname{dilog}(-(c^2 + d^2 - (c^2 - 2Icd - d^2 + 1)\cos(2bx+2a) + (Ic^2 + 2cd - Id^2 + I)\sin(2bx+2a) - 2d + 1)/(c^2 + d^2 - 2d + 1) + 1) - 2Ia^2 \log(1/2c^2 + Icd - 1/2d^2 - 1/2(c^2 + d^2 + 2d + 1)\cos(2bx+2a) + 1/2(Ic^2 + Id^2 + 2Id + I)\sin(2bx+2a) + 1/2) + 2Ia^2 \log(1/2c^2 + Icd - 1/2d^2 - 1/2(c^2 + d^2 - 2d + 1)\cos(2bx+2a) + 1/2(Ic^2 + Id^2 - 2Id + I)\sin(2bx+2a) + 1/2) + 2Ia^2 \log(-1/2c^2 + Icd + 1/2d^2 + 1/2(c^2 + d^2 + 2d + 1)\cos(2bx+2a) + 1/2(I$

$$\begin{aligned}
& c^2 + I*d^2 + 2*I*d + I)*\sin(2*b*x + 2*a) - 1/2) - 2*I*a^2*\log(-1/2*c^2 + I \\
& *c*d + 1/2*d^2 + 1/2*(c^2 + d^2 - 2*d + 1)*\cos(2*b*x + 2*a) + 1/2*(I*c^2 + \\
& I*d^2 - 2*I*d + I)*\sin(2*b*x + 2*a) - 1/2) + (-2*I*b^2*x^2 + 2*I*a^2)*\log((\\
& c^2 + d^2 - (c^2 + 2*I*c*d - d^2 + 1)*\cos(2*b*x + 2*a) + (-I*c^2 + 2*c*d + \\
& I*d^2 - I)*\sin(2*b*x + 2*a) + 2*d + 1)/(c^2 + d^2 + 2*d + 1)) + (2*I*b^2*x^ \\
& 2 - 2*I*a^2)*\log((c^2 + d^2 - (c^2 - 2*I*c*d - d^2 + 1)*\cos(2*b*x + 2*a) + \\
& (I*c^2 + 2*c*d - I*d^2 + I)*\sin(2*b*x + 2*a) + 2*d + 1)/(c^2 + d^2 + 2*d + \\
& 1)) + (2*I*b^2*x^2 - 2*I*a^2)*\log((c^2 + d^2 - (c^2 + 2*I*c*d - d^2 + 1)*co \\
& s(2*b*x + 2*a) + (-I*c^2 + 2*c*d + I*d^2 - I)*\sin(2*b*x + 2*a) - 2*d + 1)/(\\
& c^2 + d^2 - 2*d + 1)) + (-2*I*b^2*x^2 + 2*I*a^2)*\log((c^2 + d^2 - (c^2 - 2* \\
& I*c*d - d^2 + 1)*\cos(2*b*x + 2*a) + (I*c^2 + 2*c*d - I*d^2 + I)*\sin(2*b*x + \\
& 2*a) - 2*d + 1)/(c^2 + d^2 - 2*d + 1)) - I*polylog(3, ((c^2 + 2*I*c*d - d^ \\
& 2 + 1)*\cos(2*b*x + 2*a) + (I*c^2 - 2*c*d - I*d^2 + I)*\sin(2*b*x + 2*a))/(c^ \\
& 2 + d^2 + 2*d + 1)) + I*polylog(3, ((c^2 + 2*I*c*d - d^2 + 1)*\cos(2*b*x + 2 \\
& *a) + (I*c^2 - 2*c*d - I*d^2 + I)*\sin(2*b*x + 2*a))/(c^2 + d^2 - 2*d + 1)) \\
& + I*polylog(3, ((c^2 - 2*I*c*d - d^2 + 1)*\cos(2*b*x + 2*a) + (-I*c^2 - 2*c* \\
& d + I*d^2 - I)*\sin(2*b*x + 2*a))/(c^2 + d^2 + 2*d + 1)) - I*polylog(3, ((c^ \\
& 2 - 2*I*c*d - d^2 + 1)*\cos(2*b*x + 2*a) + (-I*c^2 - 2*c*d + I*d^2 - I)*\sin(\\
& 2*b*x + 2*a))/(c^2 + d^2 - 2*d + 1)))/b^2
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*acot(c+d*cot(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{arccot}(d \cot(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(c+d*cot(b*x+a)),x, algorithm="giac")

[Out] integrate(x*arccot(d*cot(b*x + a) + c), x)

3.173 $\int \cot^{-1}(c + d \cot(a + bx)) dx$

Optimal. Leaf size=198

$$-\frac{\text{PolyLog}\left(2, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right)}{4b} + \frac{\text{PolyLog}\left(2, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)}{4b} - \frac{1}{2}ix \log\left(1 - \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right) + \frac{1}{2}ix \log\left(1 - \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)$$

```
[Out] x*ArcCot[c + d*Cot[a + b*x]] - (I/2)*x*Log[1 - ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)] + (I/2)*x*Log[1 - ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))] - PolyLog[2, ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)]/(4*b) + PolyLog[2, ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))]/(4*b)
```

Rubi [A] time = 0.253798, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {5170, 2190, 2279, 2391}

$$-\frac{\text{PolyLog}\left(2, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right)}{4b} + \frac{\text{PolyLog}\left(2, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)}{4b} - \frac{1}{2}ix \log\left(1 - \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right) + \frac{1}{2}ix \log\left(1 - \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)$$

Antiderivative was successfully verified.

```
[In] Int[ArcCot[c + d*Cot[a + b*x]], x]
```

```
[Out] x*ArcCot[c + d*Cot[a + b*x]] - (I/2)*x*Log[1 - ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)] + (I/2)*x*Log[1 - ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))] - PolyLog[2, ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)]/(4*b) + PolyLog[2, ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))]/(4*b)
```

Rule 5170

```
Int[ArcCot[(c_.) + Cot[(a_.) + (b_.)*(x_)]]*(d_.), x_Symbol] :> Simp[x*ArcCot[c + d*Cot[a + b*x]], x] + (-Dist[b*(1 + I*c - d), Int[(x*E^(2*I*a + 2*I*b*x))/(1 + I*c + d - (1 + I*c - d)*E^(2*I*a + 2*I*b*x)), x], x] + Dist[b*(1 - I*c + d), Int[(x*E^(2*I*a + 2*I*b*x))/(1 - I*c - d - (1 - I*c + d)*E^(2*I*a + 2*I*b*x)), x], x]) /; FreeQ[{a, b, c, d}, x] && NeQ[(c - I*d)^2, -1]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp[(((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned} \int \cot^{-1}(c + d \cot(a + bx)) dx &= x \cot^{-1}(c + d \cot(a + bx)) - (b(1 + ic - d)) \int \frac{e^{2ia+2ibx}}{1 + ic + d + (-1 - ic + d)e^{2ia+2ibx}} dx + (b(1 + ic - d)) \int \frac{e^{2ia+2ibx}}{1 + ic + d + (-1 - ic + d)e^{2ia+2ibx}} dx \\ &= x \cot^{-1}(c + d \cot(a + bx)) - \frac{1}{2}ix \log\left(1 - \frac{(1 + ic - d)e^{2ia+2ibx}}{1 + ic + d}\right) + \frac{1}{2}ix \log\left(1 - \frac{(c + i(1 + ic - d))e^{2ia+2ibx}}{c + i(1 + ic - d)}\right) \\ &= x \cot^{-1}(c + d \cot(a + bx)) - \frac{1}{2}ix \log\left(1 - \frac{(1 + ic - d)e^{2ia+2ibx}}{1 + ic + d}\right) + \frac{1}{2}ix \log\left(1 - \frac{(c + i(1 + ic - d))e^{2ia+2ibx}}{c + i(1 + ic - d)}\right) \\ &= x \cot^{-1}(c + d \cot(a + bx)) - \frac{1}{2}ix \log\left(1 - \frac{(1 + ic - d)e^{2ia+2ibx}}{1 + ic + d}\right) + \frac{1}{2}ix \log\left(1 - \frac{(c + i(1 + ic - d))e^{2ia+2ibx}}{c + i(1 + ic - d)}\right) \end{aligned}$$

Mathematica [B] time = 12.9836, size = 1649, normalized size = 8.33

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[c + d*Cot[a + b*x]],x]

[Out] x*ArcCot[c + d*Cot[a + b*x]] - (d*(4*a*Sqrt[-d^2]*ArcTan[(c*d + Tan[a + b*x] + c^2*Tan[a + b*x])/d] + I*d*Log[1 + I*Tan[a + b*x]]*Log[(c*d - Sqrt[-d^2] + Tan[a + b*x] + c^2*Tan[a + b*x])/(I + I*c^2 + c*d - Sqrt[-d^2])]) + I*d*Log[1 - I*Tan[a + b*x]]*Log[(c*d + Sqrt[-d^2] + Tan[a + b*x] + c^2*Tan[a + b*x])/(I + I*c^2 + c*d + Sqrt[-d^2])]) - I*d*Log[1 + I*Tan[a + b*x]]*Log[(c*d + Sqrt[-d^2] + Tan[a + b*x] + c^2*Tan[a + b*x])/(I + I*c^2 + c*d + Sqrt[-d^2])]) - I*d*Log[1 - I*Tan[a + b*x]]*Log[(-(c*d) + Sqrt[-d^2] - (1 + c^2)*Tan[a + b*x])/(I + I*c^2 - c*d + Sqrt[-d^2])]) - I*d*PolyLog[2, ((1 + c^2)*(1 - I*Tan[a + b*x]))/(1 + c^2 + I*c*d - I*Sqrt[-d^2])] + I*d*PolyLog[2, ((1 + c^2)*(1 - I*Tan[a + b*x]))/(1 + c^2 + I*c*d + I*Sqrt[-d^2])] - I*d*PolyLog[2, ((1 + c^2)*(1 + I*Tan[a + b*x]))/(1 + c^2 - I*c*d - I*Sqrt[-d^2])] + I*d*PolyLog[2, ((1 + c^2)*(1 + I*Tan[a + b*x]))/(1 + c^2 - I*c*d + I*Sqrt[-d^2])])*(2*a)/(b*(-1 - c^2 - d^2 + Cos[2*(a + b*x)] + c^2*Cos[2*(a + b*x)] - d^2*Cos[2*(a + b*x)] - 2*c*d*Sin[2*(a + b*x)])) - (2*(a + b*x))/(b*(-1 - c^2 - d^2 + Cos[2*(a + b*x)] + c^2*Cos[2*(a + b*x)] - d^2*Cos[2*(a + b*x)] - 2*c*d*Sin[2*(a + b*x)])))/((d*Log[1 - ((1 + c^2)*(1 - I*Tan[a + b*x]))/(1 + c^2 + I*c*d - I*Sqrt[-d^2])] * Sec[a + b*x]^2)/(1 - I*Tan[a + b*x]) - (d*Log[1 - ((1 + c^2)*(1 - I*Tan[a + b*x]))/(1 + c^2 + I*c*d + I*Sqrt[-d^2])] * Sec[a + b*x]^2)/(1 - I*Tan[a + b*x]) + (d*Log[(c*d + Sqrt[-d^2] + Tan[a + b*x] + c^2*Tan[a + b*x])/(I + I*c^2 + c*d + Sqrt[-d^2])] * Sec[a + b*x]^2)/(1 - I*Tan[a + b*x]) - (d*Log[(-(c*d) + Sqrt[-d^2] - (1 + c^2)*Tan[a + b*x])/(I + I*c^2 - c*d + Sqrt[-d^2])] * Sec[a + b*x]^2)/(1 - I*Tan[a + b*x]) - (d*Log[1 - ((1 + c^2)*(1 + I*Tan[a + b*x]))/(1 + c^2 - I*c*d - I*Sqrt[-d^2])] * Sec[a + b*x]^2)/(1 + I*Tan[a + b*x]) + (d*Log[1 - ((1 + c^2)*(1 + I*Tan[a + b*x]))/(1 + c^2 - I*c*d + I*Sqrt[-d^2])] * Sec[a + b*x]^2)/(1 + I*Tan[a + b*x]) - (d*Log[(c*d - Sqrt[-d^2] + Tan[a + b*x] + c^2*Tan[a + b*x])/(I + I*c^2 + c*d - Sqrt[-d^2])] * Sec[a + b*x]^2)/(1 + I*Tan[a + b*x]) + (d*Log[(c*d + Sqrt[-d^2] + Tan[a + b*x] + c^2*Tan[a + b*x])/(I + I*c^2 + c*d + Sqrt[-d^2])] * Sec[a + b*x]^2)/(1 + I*Tan[a + b*x]) + (I*d*Log[1 + I*Tan[a + b*x]]*(Sec[a + b*x]^2 + c^2*Sec[a + b*x]^2))/(c*d - Sqrt[-d^2] + Tan[a + b*x] + c^2*Tan[a + b*x]) + (I*d*Log[1 - I*Tan[a + b*x]]*(Sec[a + b*x]^2 + c^2*Sec[a + b*x]^2))/(c*d + Sqrt[-d^2] + Tan[a + b*x] + c^2*Tan[a + b*x])

$$\frac{b^2 x^2}{c^2 d + \sqrt{-d^2} + \tan[a + bx] + c^2 \tan[a + bx]} - (I d \log[1 + I \tan[a + bx]] (\sec[a + bx]^2 + c^2 \sec[a + bx]^2)) / (c^2 d + \sqrt{-d^2} + \tan[a + bx] + c^2 \tan[a + bx]) + (I (1 + c^2) d \log[1 - I \tan[a + bx]] \sec[a + bx]^2) / (-c^2 d + \sqrt{-d^2} - (1 + c^2) \tan[a + bx]) + (4 a \sqrt{-d^2} (\sec[a + bx]^2 + c^2 \sec[a + bx]^2)) / (d (1 + (c^2 d + \tan[a + bx] + c^2 \tan[a + bx])^2 / d^2))$$

Maple [B] time = 0.316, size = 1160, normalized size = 5.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c+d*cot(b*x+a)),x)

[Out]
$$\begin{aligned} & -1/2/b \operatorname{arccot}(c+d \cot(bx+a)) \pi + 1/b \operatorname{arccot}(c+d \cot(bx+a)) \operatorname{arccot}(\cot(bx+a)) \\ & - 1/b \operatorname{arctan}(d((c+d \cot(bx+a))/d-c/d)+c) \operatorname{arctan}((c+d \cot(bx+a))/d-c/d) \\ & + 1/2 I d/b \ln(1-(I-I d+c)(1+I(d((c+d \cot(bx+a))/d-c/d)+c))^2 / ((d((c+d \cot(bx+a))/d-c/d)+c)^2+1) / (I d+I-c)) \operatorname{arctan}(d((c+d \cot(bx+a))/d-c/d)+c) / \\ & (1+I c+d) + 1/2 I/b \ln(1-(I-I d+c)(1+I(d((c+d \cot(bx+a))/d-c/d)+c))^2 / ((d((c+d \cot(bx+a))/d-c/d)+c)^2+1) / (I d+I-c)) \operatorname{arctan}(d((c+d \cot(bx+a))/d-c/d)+c) / \\ & (1+I c+d) + 1/2 I/b / (-I-I d+c) \ln(1-(I-I d+c)(1+I(d((c+d \cot(bx+a))/d-c/d)+c))^2 / ((d((c+d \cot(bx+a))/d-c/d)+c)^2+1) / (I d+I-c)) \operatorname{arctan}(d((c+d \cot(bx+a))/d-c/d)+c) * c + \\ & 1/2 d/b \operatorname{arctan}(d((c+d \cot(bx+a))/d-c/d)+c)^2 / (1+I c+d) + 1/4 d/b \operatorname{polylog}(2, (I-I d+c)(1+I(d((c+d \cot(bx+a))/d-c/d)+c))^2 / ((d((c+d \cot(bx+a))/d-c/d)+c)^2+1) / (I d+I-c)) / (1+I c+d) + \\ & 1/2/b \operatorname{arctan}(d((c+d \cot(bx+a))/d-c/d)+c)^2 / (1+I c+d) + 1/2/b / (-I-I d+c) \operatorname{arctan}(d((c+d \cot(bx+a))/d-c/d)+c)^2 * c + \\ & 1/4/b \operatorname{polylog}(2, (I-I d+c)(1+I(d((c+d \cot(bx+a))/d-c/d)+c))^2 / ((d((c+d \cot(bx+a))/d-c/d)+c)^2+1) / (I d+I-c)) / (1+I c+d) + 1/4/b / (-I-I d+c) \operatorname{polylog}(2, (I-I d+c)(1+I(d((c+d \cot(bx+a))/d-c/d)+c))^2 / ((d((c+d \cot(bx+a))/d-c/d)+c)^2+1) / (I d+I-c)) * c - \\ & 1/2 I/b \operatorname{arctan}(d((c+d \cot(bx+a))/d-c/d)+c) \ln(1-(I+I d+c)(1+I(d((c+d \cot(bx+a))/d-c/d)+c))^2 / ((d((c+d \cot(bx+a))/d-c/d)+c)^2+1) / (-I d+I-c)) - \\ & 1/2/b \operatorname{arctan}(d((c+d \cot(bx+a))/d-c/d)+c)^2 - 1/4/b \operatorname{polylog}(2, (I+I d+c)(1+I(d((c+d \cot(bx+a))/d-c/d)+c))^2 / ((d((c+d \cot(bx+a))/d-c/d)+c)^2+1) / (-I d+I-c)) \end{aligned}$$

Maxima [B] time = 1.90947, size = 710, normalized size = 3.59

$$d \left(\frac{8(bx+a) \arctan\left(\frac{cd+(c^2+1)\tan(bx+a)}{d}\right)}{d} - \frac{8(bx+a) \arctan\left(\frac{cd+(c^2+1)\tan(bx+a)}{d}\right) - 4 \arctan(cd+(c^2+1)\tan(bx+a), d) \arctan\left(\frac{cd+(c^2+d+1)\tan(bx+a)}{c^2+d^2+2d+1}, -\frac{cd \tan(bx+a)}{c^2+d^2+2d+1}\right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*cot(b*x+a)),x, algorithm="maxima")

[Out]
$$\begin{aligned} & 1/8 * (d * (8 * (bx + a) * \arctan((c*d + (c^2 + 1) * \tan(b*x + a)) / d)) / d - (8 * (bx + a) * \arctan((c*d + (c^2 + 1) * \tan(b*x + a)) / d) - 4 * \arctan2(c*d + (c^2 + 1) * \tan(b*x + a), d) * \arctan2((c*d + (c^2 + d + 1) * \tan(b*x + a)) / (c^2 + d^2 + 2*d + 1), -(c*d * \tan(b*x + a) - c^2 - d - 1) / (c^2 + d^2 + 2*d + 1)) + 4 * \arctan2(c*d + (c^2 + 1) * \tan(b*x + a), d) * \arctan2(-(c*d + (c^2 - d + 1) * \tan(b*x + a)) / (c^2 + d^2 - 2*d + 1), -(c*d * \tan(b*x + a) - c^2 + d - 1) / (c^2 + d^2 - 2*d + 1)) - (\log(((c^2 + 1) * \tan(b*x + a))^2 + c^2 + 1) / (c^2 + d^2 + 2*d + 1)) - \end{aligned}$$

$$\log\left(\frac{(c^2 + 1)\tan(bx + a)^2 + c^2 + 1}{c^2 + d^2 - 2d + 1}\right) \log\left(\frac{c^2 + 1}{d^2 + 2(c^3 + c)d\tan(bx + a) + (c^4 + 2c^2 + 1)\tan(bx + a)^2}\right) - 2\operatorname{dilog}\left(\frac{(Ic - 1)\tan(bx + a) + Id}{c + Id + I}\right) + 2\operatorname{dilog}\left(\frac{(Ic + 1)\tan(bx + a) + Id}{c + Id - I}\right) + 2\operatorname{dilog}\left(\frac{-((Ic - 1)\tan(bx + a) + Id)}{c - Id + I}\right) - 2\operatorname{dilog}\left(\frac{-((Ic + 1)\tan(bx + a) + Id)}{c - Id - I}\right) \Big/ d + 8(bx + a)\operatorname{arccot}(c + d/\tan(bx + a)) - 8(bx + a)\operatorname{arctan}((cd + (c^2 + 1)\tan(bx + a))/d) \Big/ b$$

Fricas [B] time = 3.90021, size = 2508, normalized size = 12.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*cot(b*x+a)),x, algorithm="fricas")

[Out] $\frac{1}{8}(8bx\operatorname{arccot}(d\cot(bx + a) + c) + 2Ia\log(1/2c^2 + Id - 1/2d^2 - 1/2(c^2 + d^2 + 2d + 1)\cos(2bx + 2a) + 1/2(Ic^2 + Id^2 + 2Id + I)\sin(2bx + 2a) + 1/2) - 2Ia\log(1/2c^2 + Id - 1/2d^2 - 1/2(c^2 + d^2 - 2d + 1)\cos(2bx + 2a) + 1/2(Ic^2 + Id^2 - 2Id + I)\sin(2bx + 2a) + 1/2) - 2Ia\log(-1/2c^2 + Id + 1/2d^2 + 1/2(c^2 + d^2 + 2d + 1)\cos(2bx + 2a) + 1/2(Ic^2 + Id^2 + 2Id + I)\sin(2bx + 2a) - 1/2) + 2Ia\log(-1/2c^2 + Id + 1/2d^2 + 1/2(c^2 + d^2 - 2d + 1)\cos(2bx + 2a) + 1/2(Ic^2 + Id^2 - 2Id + I)\sin(2bx + 2a) - 1/2) + (-2Ibx - 2Ia)\log((c^2 + d^2 - (c^2 + 2Icd - d^2 + 1)\cos(2bx + 2a) + (-Ic^2 + 2cd + Id^2 - I)\sin(2bx + 2a) + 2d + 1)/(c^2 + d^2 + 2d + 1)) + (2Ibx + 2Ia)\log((c^2 + d^2 - (c^2 - 2Icd - d^2 + 1)\cos(2bx + 2a) + (Ic^2 + 2cd - Id^2 + I)\sin(2bx + 2a) + 2d + 1)/(c^2 + d^2 + 2d + 1)) + (2Ibx + 2Ia)\log((c^2 + d^2 - (c^2 + 2Icd - d^2 + 1)\cos(2bx + 2a) + (-Ic^2 + 2cd + Id^2 - I)\sin(2bx + 2a) - 2d + 1)/(c^2 + d^2 - 2d + 1)) + (-2Ibx - 2Ia)\log((c^2 + d^2 - (c^2 - 2Icd - d^2 + 1)\cos(2bx + 2a) + (Ic^2 + 2cd - Id^2 + I)\sin(2bx + 2a) - 2d + 1)/(c^2 + d^2 - 2d + 1)) - \operatorname{dilog}(-(c^2 + d^2 - (c^2 + 2Icd - d^2 + 1)\cos(2bx + 2a) + (-Ic^2 + 2cd + Id^2 - I)\sin(2bx + 2a) + 2d + 1)/(c^2 + d^2 + 2d + 1) + 1) - \operatorname{dilog}(-(c^2 + d^2 - (c^2 - 2Icd - d^2 + 1)\cos(2bx + 2a) + (Ic^2 + 2cd - Id^2 + I)\sin(2bx + 2a) + 2d + 1)/(c^2 + d^2 + 2d + 1) + 1) + \operatorname{dilog}(-(c^2 + d^2 - (c^2 + 2Icd - d^2 + 1)\cos(2bx + 2a) + (-Ic^2 + 2cd + Id^2 - I)\sin(2bx + 2a) - 2d + 1)/(c^2 + d^2 - 2d + 1) + 1) + \operatorname{dilog}(-(c^2 + d^2 - (c^2 - 2Icd - d^2 + 1)\cos(2bx + 2a) + (Ic^2 + 2cd - Id^2 + I)\sin(2bx + 2a) - 2d + 1)/(c^2 + d^2 - 2d + 1) + 1)) \Big/ b$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c+d*cot(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{arccot}(d \cot(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(c+d*cot(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(arccot(d*cot(b*x + a) + c), x)
```

$$3.174 \quad \int \frac{\cot^{-1}(c+d \cot(a+bx))}{x} dx$$

Optimal. Leaf size=17

$$\text{CannotIntegrate}\left(\frac{\cot^{-1}(d \cot(a+bx)+c)}{x}, x\right)$$

[Out] CannotIntegrate[ArcCot[c + d*Cot[a + b*x]]/x, x]

Rubi [A] time = 0.117841, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(c+d \cot(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[c + d*Cot[a + b*x]]/x,x]

[Out] Defer[Int][ArcCot[c + d*Cot[a + b*x]]/x, x]

Rubi steps

$$\int \frac{\cot^{-1}(c+d \cot(a+bx))}{x} dx = \int \frac{\cot^{-1}(c+d \cot(a+bx))}{x} dx$$

Mathematica [A] time = 0.365694, size = 0, normalized size = 0.

$$\int \frac{\cot^{-1}(c+d \cot(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCot[c + d*Cot[a + b*x]]/x,x]

[Out] Integrate[ArcCot[c + d*Cot[a + b*x]]/x, x]

Maple [A] time = 0.405, size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(c+d \cot(bx+a))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c+d*cot(b*x+a))/x,x)

[Out] int(arccot(c+d*cot(b*x+a))/x,x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*cot(b*x+a))/x,x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\text{arccot}(d \cot(bx + a) + c)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*cot(b*x+a))/x,x, algorithm="fricas")

[Out] integral(arccot(d*cot(b*x + a) + c)/x, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c+d*cot(b*x+a))/x,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{arccot}(d \cot(bx + a) + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*cot(b*x+a))/x,x, algorithm="giac")

[Out] integrate(arccot(d*cot(b*x + a) + c)/x, x)

3.175 $\int x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx$

Optimal. Leaf size=154

$$-\frac{ix \operatorname{PolyLog}\left(3, ice^{2ia+2ibx}\right)}{4b^2} + \frac{\operatorname{PolyLog}\left(4, ice^{2ia+2ibx}\right)}{8b^3} - \frac{x^2 \operatorname{PolyLog}\left(2, ice^{2ia+2ibx}\right)}{4b} - \frac{1}{6} ix^3 \log\left(1 - ice^{2ia+2ibx}\right) + \frac{1}{3} x^3 \cot$$

[Out] $-(b*x^4)/12 + (x^3*\operatorname{ArcCot}[c + (1 - I*c)*\operatorname{Cot}[a + b*x]])/3 - (I/6)*x^3*\operatorname{Log}[1 - I*c*E^{((2*I)*a + (2*I)*b*x)} - (x^2*\operatorname{PolyLog}[2, I*c*E^{((2*I)*a + (2*I)*b*x)}])]/(4*b) - ((I/4)*x*\operatorname{PolyLog}[3, I*c*E^{((2*I)*a + (2*I)*b*x)}])/b^2 + \operatorname{PolyLog}[4, I*c*E^{((2*I)*a + (2*I)*b*x)}]/(8*b^3)$

Rubi [A] time = 0.265914, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5174, 2184, 2190, 2531, 6609, 2282, 6589}

$$-\frac{ix \operatorname{PolyLog}\left(3, ice^{2ia+2ibx}\right)}{4b^2} + \frac{\operatorname{PolyLog}\left(4, ice^{2ia+2ibx}\right)}{8b^3} - \frac{x^2 \operatorname{PolyLog}\left(2, ice^{2ia+2ibx}\right)}{4b} - \frac{1}{6} ix^3 \log\left(1 - ice^{2ia+2ibx}\right) + \frac{1}{3} x^3 \cot$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2*\operatorname{ArcCot}[c + (1 - I*c)*\operatorname{Cot}[a + b*x]], x]$

[Out] $-(b*x^4)/12 + (x^3*\operatorname{ArcCot}[c + (1 - I*c)*\operatorname{Cot}[a + b*x]])/3 - (I/6)*x^3*\operatorname{Log}[1 - I*c*E^{((2*I)*a + (2*I)*b*x)} - (x^2*\operatorname{PolyLog}[2, I*c*E^{((2*I)*a + (2*I)*b*x)}])]/(4*b) - ((I/4)*x*\operatorname{PolyLog}[3, I*c*E^{((2*I)*a + (2*I)*b*x)}])/b^2 + \operatorname{PolyLog}[4, I*c*E^{((2*I)*a + (2*I)*b*x)}]/(8*b^3)$

Rule 5174

$\operatorname{Int}[\operatorname{ArcCot}[(c_.) + \operatorname{Cot}[(a_.) + (b_.)*(x_.)]*(d_.)]*((e_.) + (f_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(e + f*x)^{(m+1)}*\operatorname{ArcCot}[c + d*\operatorname{Cot}[a + b*x]]/(f*(m+1)), x] + \operatorname{Dist}[(I*b)/(f*(m+1)), \operatorname{Int}[(e + f*x)^{(m+1)}/(c - I*d - c*E^{(2*I*a + 2*I*b*x)})], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f\}, x$ && $\operatorname{IGtQ}[m, 0]$ && $\operatorname{Eq} Q[(c - I*d)^2, -1]$

Rule 2184

$\operatorname{Int}[(c_.) + (d_.)*(x_.))^{(m_.)}/((a_.) + (b_.)*((F_.)^{((g_.)*((e_.) + (f_.)*(x_.)))})^{(n_.)}), x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m+1)}/(a*d*(m+1)), x] - \operatorname{Dist}[b/a, \operatorname{Int}[(c + d*x)^m*(F^{(g*(e + f*x)))})^n/(a + b*(F^{(g*(e + f*x)))})^n], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x$ && $\operatorname{IGtQ}[m, 0]$

Rule 2190

$\operatorname{Int}[(F_.)^{((g_.)*((e_.) + (f_.)*(x_.)))})^{(n_.)*((c_.) + (d_.)*(x_.))^{(m_.)}/((a_.) + (b_.)*((F_.)^{((g_.)*((e_.) + (f_.)*(x_.)))})^{(n_.)}), x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^m*\operatorname{Log}[1 + (b*(F^{(g*(e + f*x)))})^n/a]/(b*f*g*n*\operatorname{Log}[F]), x] - \operatorname{Dist}[(d*m)/(b*f*g*n*\operatorname{Log}[F]), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Log}[1 + (b*(F^{(g*(e + f*x)))})^n/a], x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x$ && $\operatorname{IGtQ}[m, 0]$

Rule 2531

$\operatorname{Int}[\operatorname{Log}[1 + (e_.)*((F_.)^{((c_.)*((a_.) + (b_.)*(x_.)))})^{(n_.)}]*((f_.) + (g_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow -\operatorname{Simp}[(f + g*x)^m*\operatorname{PolyLog}[2, -(e*(F^{(c*(a + b*x)))})^n]/(b*c*n*\operatorname{Log}[F]), x] + \operatorname{Dist}[(g*m)/(b*c*n*\operatorname{Log}[F]), \operatorname{Int}[(f + g*x)^{(m-1)}*\operatorname{PolyLog}[2, -(e*(F^{(c*(a + b*x)))})^n], x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, e, f$

, g, n}, x] && GtQ[m, 0]

Rule 6609

Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.)))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
 \int x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx &= \frac{1}{3} x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) + \frac{1}{3} (ib) \int \frac{x^3}{-i(1 - ic) + c - ce^{2ia+2ibx}} dx \\
 &= -\frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{3} (bc) \int \frac{e^{2ia+2ibx} x^3}{-i(1 - ic) + c - ce^{2ia+2ibx}} dx \\
 &= -\frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{6} ix^3 \log(1 - ice^{2ia+2ibx}) + \frac{1}{2} i \int \frac{x^2}{-i(1 - ic) + c - ce^{2ia+2ibx}} dx \\
 &= -\frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{6} ix^3 \log(1 - ice^{2ia+2ibx}) - \frac{x^2 L}{6} \\
 &= -\frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{6} ix^3 \log(1 - ice^{2ia+2ibx}) - \frac{x^2 L}{6} \\
 &= -\frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{6} ix^3 \log(1 - ice^{2ia+2ibx}) - \frac{x^2 L}{6} \\
 &= -\frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{6} ix^3 \log(1 - ice^{2ia+2ibx}) - \frac{x^2 L}{6}
 \end{aligned}$$

Mathematica [A] time = 0.196723, size = 140, normalized size = 0.91

$$\frac{1}{3} x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{-6b^2 x^2 \text{PolyLog}\left(2, -\frac{ie^{-2i(a+bx)}}{c}\right) + 6ibx \text{PolyLog}\left(3, -\frac{ie^{-2i(a+bx)}}{c}\right) + 3 \text{PolyLog}\left(4, -\frac{ie^{-2i(a+bx)}}{c}\right)}{24b^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*ArcCot[c + (1 - I*c)*Cot[a + b*x]], x]

[Out] (x^3*ArcCot[c + (1 - I*c)*Cot[a + b*x]])/3 - ((4*I)*b^3*x^3*Log[1 + I/(c*E^((2*I)*(a + b*x)))] - 6*b^2*x^2*PolyLog[2, (-I)/(c*E^((2*I)*(a + b*x)))] + (6*I)*b*x*PolyLog[3, (-I)/(c*E^((2*I)*(a + b*x)))] + 3*PolyLog[4, (-I)/(c*E^((2*I)*(a + b*x)))]

$$\int \frac{((2I)(a + bx))}{(24b^3)}$$

Maple [C] time = 22.095, size = 1526, normalized size = 9.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(Pi-arccot(-c-(1-I*c)*cot(b*x+a))),x)`

[Out]
$$\begin{aligned} & -1/12*x^3*Pi*csgn(I*\exp(2*I*(b*x+a)))^3+1/12*x^3*Pi*csgn(I*\exp(2*I*(b*x+a))) \\ & *(I+c)/(exp(2*I*(b*x+a))-1)*csgn(exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1)) \\ & ^2+1/12*x^3*Pi*csgn(I*\exp(2*I*(b*x+a))) *csgn(I*\exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1)) \\ & ^2-1/12*x^3*Pi*csgn(I*\exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1)) *csgn(exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1)) \\ & -1/12*x^3*Pi*csgn(I*(c*\exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+a))-1)) *csgn((c*\exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+a))-1)) \\ & ^2-1/4*I*x*polylog(3,I*c*\exp(2*I*(b*x+a)))/b^2+1/12*x^3*Pi*csgn(I*(c*\exp(2*I*(b*x+a))+I)) *csgn(I/(exp(2*I*(b*x+a))-1)) *csgn(I*(c*\exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+a))-1)) \\ & -1/12*x^3*Pi*csgn(I*(I+c)) *csgn(I/(exp(2*I*(b*x+a))-1)) *csgn(I*(I+c)/(exp(2*I*(b*x+a))-1)) +1/12*x^3*Pi*csgn(I*(I+c)/(exp(2*I*(b*x+a))-1)) *csgn(I*\exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1)) \\ & ^2+1/12*x^3*Pi*csgn(I*(I+c)) *csgn(I*(I+c)/(exp(2*I*(b*x+a))-1)) ^2+1/12*x^3*Pi*csgn(I/(exp(2*I*(b*x+a))-1)) *csgn(I*(I+c)/(exp(2*I*(b*x+a))-1)) ^2 \\ & -1/12*x^3*Pi*csgn(I*(c*\exp(2*I*(b*x+a))+I)) *csgn(I*(c*\exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+a))-1)) ^2-1/12*x^3*Pi*csgn(I/(exp(2*I*(b*x+a))-1)) *csgn(I*(c*\exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+a))-1)) \\ & ^2-1/12*b*x^4+1/3*I/b^3*ln(1-I*c*\exp(2*I*(b*x+a))) *a^3+1/6*I/b^3*a^3*ln(c*\exp(2*I*(b*x+a))+I)-1/2*I/b^3*a^3*ln(1-I*\exp(I*(b*x+a))*(-I*c)^(1/2))-1/2*I/b^3*a^3*ln(1+I*\exp(I*(b*x+a))*(-I*c)^(1/2))+1/12*x^3*Pi*csgn(I*(c*\exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+a))-1)) *csgn((c*\exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+a))-1)) \\ & -1/12*x^3*Pi*csgn(I*\exp(2*I*(b*x+a))) *csgn(I*(I+c)/(exp(2*I*(b*x+a))-1)) *csgn(I*\exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1)) \\ & -1/2/b^3*a^2*dilog(1-I*\exp(I*(b*x+a))*(-I*c)^(1/2))-1/2/b^3*a^2*dilog(1+I*\exp(I*(b*x+a))*(-I*c)^(1/2))-1/4*x^2*polylog(2,I*c*\exp(2*I*(b*x+a)))/b-1/6*I*x^3*ln(I+c)+1/2*I/b^2*ln(1-I*c*\exp(2*I*(b*x+a))) *x*a^2-1/2*I/b^2*a^2*ln(1-I*\exp(I*(b*x+a))*(-I*c)^(1/2))*x-1/2*I/b^2*a^2*ln(1+I*\exp(I*(b*x+a))*(-I*c)^(1/2))*x-1/12*x^3*Pi*csgn(I*\exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1)) ^3-1/12*x^3*Pi*csgn((c*\exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+a))-1)) ^3-1/12*x^3*Pi*csgn(I*\exp(I*(b*x+a))) ^2*csgn(I*\exp(2*I*(b*x+a))) -1/3*I*x^3*ln(exp(I*(b*x+a)))-1/12*x^3*Pi*csgn(exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1)) ^3+1/4/b^3*polylog(2,I*c*\exp(2*I*(b*x+a)))*a^2+1/12*x^3*Pi*csgn(exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1)) ^2+1/8*polylog(4,I*c*\exp(2*I*(b*x+a)))/b^3+1/12*x^3*Pi*csgn((c*\exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+a))-1)) ^2-1/6*I*x^3*ln(1-I*c*\exp(2*I*(b*x+a)))+1/12*x^3*Pi*csgn(I*(c*\exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+a))-1)) ^3+1/6*I*x^3*ln(c*\exp(2*I*(b*x+a))+I)-1/12*x^3*Pi*csgn(I*(I+c)/(exp(2*I*(b*x+a))-1)) ^3+1/6*x^3*Pi*csgn(I*\exp(I*(b*x+a))) *csgn(I*\exp(2*I*(b*x+a))) ^2 \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(pi-arccot(-c-(1-I*c)*cot(b*x+a))),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [C] time = 2.50114, size = 482, normalized size = 3.13

$$\frac{2b^4x^4 - 8\pi b^3x^3 - 4ib^3x^3 \log\left(\frac{ce^{(2ibx+2ia)+i}e^{-2ibx-2ia}}{c+i}\right) + 6b^2x^2 \operatorname{Li}_2\left(ice^{(2ibx+2ia)}\right) - 2a^4 - 4ia^3 \log\left(\frac{ce^{(2ibx+2ia)+i}}{c}\right) + 6i}{24b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(pi-arccot(-c-(1-I*c)*cot(b*x+a))),x, algorithm="fricas")

[Out]
$$\frac{-1/24*(2*b^4*x^4 - 8*\pi*b^3*x^3 - 4*I*b^3*x^3*\log((c*e^{(2*I*b*x + 2*I*a)} + I)*e^{(-2*I*b*x - 2*I*a)/(c + I)}) + 6*b^2*x^2*\operatorname{dilog}(I*c*e^{(2*I*b*x + 2*I*a)}) - 2*a^4 - 4*I*a^3*\log((c*e^{(2*I*b*x + 2*I*a)} + I)/c) + 6*I*b*x*\operatorname{polylog}(3, I*c*e^{(2*I*b*x + 2*I*a)}) - (-4*I*b^3*x^3 - 4*I*a^3)*\log(-I*c*e^{(2*I*b*x + 2*I*a)} + 1) - 3*\operatorname{polylog}(4, I*c*e^{(2*I*b*x + 2*I*a)}))}{b^3}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(pi-acot(-c-(1-I*c)*cot(b*x+a))),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (\pi - \operatorname{arccot}(-(-ic + 1)\cot(bx + a) - c))x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(pi-arccot(-c-(1-I*c)*cot(b*x+a))),x, algorithm="giac")

[Out] integrate((pi - arccot(-(-I*c + 1)*cot(b*x + a) - c))*x^2, x)

3.176 $\int x \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx$

Optimal. Leaf size=123

$$-\frac{i \operatorname{PolyLog}\left(3, ic e^{2ia+2ibx}\right)}{8b^2} - \frac{x \operatorname{PolyLog}\left(2, ic e^{2ia+2ibx}\right)}{4b} - \frac{1}{4} ix^2 \log\left(1 - ic e^{2ia+2ibx}\right) + \frac{1}{2} x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) -$$

[Out] $-(b*x^3)/6 + (x^2*ArcCot[c + (1 - I*c)*Cot[a + b*x]])/2 - (I/4)*x^2*Log[1 - I*c*E^{((2*I)*a + (2*I)*b*x)}] - (x*PolyLog[2, I*c*E^{((2*I)*a + (2*I)*b*x)}])/(4*b) - ((I/8)*PolyLog[3, I*c*E^{((2*I)*a + (2*I)*b*x)}])/b^2$

Rubi [A] time = 0.223926, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {5174, 2184, 2190, 2531, 2282, 6589}

$$-\frac{i \operatorname{PolyLog}\left(3, ic e^{2ia+2ibx}\right)}{8b^2} - \frac{x \operatorname{PolyLog}\left(2, ic e^{2ia+2ibx}\right)}{4b} - \frac{1}{4} ix^2 \log\left(1 - ic e^{2ia+2ibx}\right) + \frac{1}{2} x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) -$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*ArcCot[c + (1 - I*c)*Cot[a + b*x]], x]$

[Out] $-(b*x^3)/6 + (x^2*ArcCot[c + (1 - I*c)*Cot[a + b*x]])/2 - (I/4)*x^2*Log[1 - I*c*E^{((2*I)*a + (2*I)*b*x)}] - (x*PolyLog[2, I*c*E^{((2*I)*a + (2*I)*b*x)}])/(4*b) - ((I/8)*PolyLog[3, I*c*E^{((2*I)*a + (2*I)*b*x)}])/b^2$

Rule 5174

$\operatorname{Int}[ArcCot[(c_.) + Cot[(a_.) + (b_.)*(x_.)]*(d_.)]*((e_.) + (f_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(e + f*x)^{(m+1)}*ArcCot[c + d*Cot[a + b*x]]/(f*(m+1)), x] + \operatorname{Dist}[(I*b)/(f*(m+1)), \operatorname{Int}[(e + f*x)^{(m+1)}/(c - I*d - c*E^{(2*I*a + 2*I*b*x)})], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c - I*d)^2, -1]

Rule 2184

$\operatorname{Int}[(c_. + (d_.)*(x_.))^{(m_.)}/((a_.) + (b_.)*((F_.)^{(g_.)*((e_.) + (f_.)*(x_.))^{(n_.))})^{(n_.)}], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m+1)}/(a*d*(m+1)), x] - \operatorname{Dist}[b/a, \operatorname{Int}[(c + d*x)^m*(F^{(g*(e + f*x)))^n})/(a + b*(F^{(g*(e + f*x)))^n}), x] /;$ FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

$\operatorname{Int}[(F_.)^{(g_.)*((e_.) + (f_.)*(x_.))^{(n_.)}}*((c_.) + (d_.)*(x_.))^{(m_.)}/((a_.) + (b_.)*((F_.)^{(g_.)*((e_.) + (f_.)*(x_.))^{(n_.))})^{(n_.)}], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^m*Log[1 + (b*(F^{(g*(e + f*x)))^n})/a]/(b*f*g*n*Log[F]), x] - \operatorname{Dist}[(d*m)/(b*f*g*n*Log[F]), \operatorname{Int}[(c + d*x)^{(m-1)}*Log[1 + (b*(F^{(g*(e + f*x)))^n})/a], x] /;$ FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

$\operatorname{Int}[Log[1 + (e_.)*((F_.)^{(c_.)*((a_.) + (b_.)*(x_.))^{(n_.)}})]*((f_.) + (g_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow -\operatorname{Simp}[(f + g*x)^m*PolyLog[2, -(e*(F^{(c*(a + b*x)))^n})]/(b*c*n*Log[F]), x] + \operatorname{Dist}[(g*m)/(b*c*n*Log[F]), \operatorname{Int}[(f + g*x)^{(m-1)}*PolyLog[2, -(e*(F^{(c*(a + b*x)))^n})], x] /;$ FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int x \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx &= \frac{1}{2} x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) + \frac{1}{2} (ib) \int \frac{x^2}{-i(1 - ic) + c - ce^{2ia+2ibx}} dx \\ &= -\frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{2} (bc) \int \frac{e^{2ia+2ibx} x^2}{-i(1 - ic) + c - ce^{2ia+2ibx}} dx \\ &= -\frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{4} ix^2 \log(1 - ice^{2ia+2ibx}) + \frac{1}{2} i \int \frac{x^2}{-i(1 - ic) + c - ce^{2ia+2ibx}} dx \\ &= -\frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{4} ix^2 \log(1 - ice^{2ia+2ibx}) - \frac{x \text{Li}_2}{4} \\ &= -\frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{4} ix^2 \log(1 - ice^{2ia+2ibx}) - \frac{x \text{Li}_2}{4} \\ &= -\frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{4} ix^2 \log(1 - ice^{2ia+2ibx}) - \frac{x \text{Li}_2}{4} \end{aligned}$$

Mathematica [A] time = 0.101451, size = 110, normalized size = 0.89

$$\frac{1}{2} x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{i \left(2ibx \text{PolyLog} \left(2, -\frac{ie^{-2i(a+bx)}}{c} \right) + \text{PolyLog} \left(3, -\frac{ie^{-2i(a+bx)}}{c} \right) + 2b^2 x^2 \log \left(1 + \frac{ie^{-2i(a+bx)}}{c} \right) \right)}{8b^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x*ArcCot[c + (1 - I*c)*Cot[a + b*x]], x]
```

```
[Out] (x^2*ArcCot[c + (1 - I*c)*Cot[a + b*x]])/2 - ((I/8)*(2*b^2*x^2*Log[1 + I/(c*E^((2*I)*(a + b*x)))] + (2*I)*b*x*PolyLog[2, (-I)/(c*E^((2*I)*(a + b*x)))] + PolyLog[3, (-I)/(c*E^((2*I)*(a + b*x)))]))/b^2
```

Maple [C] time = 11.927, size = 1491, normalized size = 12.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(Pi-arccot(-c-(1-I*c)*cot(b*x+a))), x)
```

```
[Out] 1/2/b^2*a*dilog(1+I*exp(I*(b*x+a))*(-I*c)^(1/2))+1/8*x^2*Pi*csgn(exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1))^2-1/4*I*x^2*ln(I+c)+1/4*I*x^2*ln(c*exp(2
```

```
*I*(b*x+a))+I)+1/8*x^2*Pi*csgn(I*exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1
)))*csgn(exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1))^2-1/8*x^2*Pi*csgn(I*(c
*exp(2*I*(b*x+a))+I))*csgn(I*(c*exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+a))-1))^2
-1/8*x^2*Pi*csgn(I/(exp(2*I*(b*x+a))-1))*csgn(I*(c*exp(2*I*(b*x+a))+I)/(exp
(2*I*(b*x+a))-1))^2+1/8*x^2*Pi*csgn(I*exp(2*I*(b*x+a)))*csgn(I*exp(2*I*(b*x
+a))*(I+c)/(exp(2*I*(b*x+a))-1))^2+1/8*x^2*Pi*csgn(I*(c*exp(2*I*(b*x+a))+I)
)*csgn(I/(exp(2*I*(b*x+a))-1))*csgn(I*(c*exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+
a))-1))-1/8*x^2*Pi*csgn(I*(I+c))*csgn(I/(exp(2*I*(b*x+a))-1))*csgn(I*(I+c)/
(exp(2*I*(b*x+a))-1))+1/8*x^2*Pi*csgn((c*exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+
a))-1))^2+1/8*x^2*Pi*csgn(I*(c*exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+a))-1))^3-
1/6*b*x^3-1/4*x*polylog(2,I*c*exp(2*I*(b*x+a)))/b-1/4*I*x^2*ln(1-I*c*exp(2*
I*(b*x+a)))-1/8*I*polylog(3,I*c*exp(2*I*(b*x+a)))/b^2-1/8*x^2*Pi*csgn(exp(2
*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1))^3-1/8*x^2*Pi*csgn(I*exp(2*I*(b*x+a)
))*(I+c)/(exp(2*I*(b*x+a))-1))*csgn(exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a)
)-1))-1/8*x^2*Pi*csgn((c*exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+a))-1))^3+1/8*x^2
*Pi*csgn(I*(I+c)/(exp(2*I*(b*x+a))-1))*csgn(I*exp(2*I*(b*x+a))*(I+c)/(exp(2
*I*(b*x+a))-1))^2-1/8*x^2*Pi*csgn(I*(c*exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+a)
)-1))*csgn((c*exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+a))-1))^2-1/8*x^2*Pi*csgn(I
*exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1))^3-1/8*x^2*Pi*csgn(I*exp(2*I*(
b*x+a)))*csgn(I*(I+c)/(exp(2*I*(b*x+a))-1))*csgn(I*exp(2*I*(b*x+a))*(I+c)/(
exp(2*I*(b*x+a))-1))+1/8*x^2*Pi*csgn(I*(I+c))*csgn(I*(I+c)/(exp(2*I*(b*x+a)
)-1))^2+1/8*x^2*Pi*csgn(I/(exp(2*I*(b*x+a))-1))*csgn(I*(I+c)/(exp(2*I*(b*x+
a))-1))^2-1/8*x^2*Pi*csgn(I*exp(2*I*(b*x+a)))^3+1/2*I/b^2*a^2*ln(1-I*exp(I*
(b*x+a))*(-I*c)^(1/2))+1/2*I/b^2*a^2*ln(1+I*exp(I*(b*x+a))*(-I*c)^(1/2))-1/
4*I/b^2*ln(1-I*c*exp(2*I*(b*x+a)))*a^2+1/8*x^2*Pi*csgn(I*(c*exp(2*I*(b*x+a)
)+I)/(exp(2*I*(b*x+a))-1))*csgn((c*exp(2*I*(b*x+a))+I)/(exp(2*I*(b*x+a))-1)
)-1/4*I/b^2*a^2*ln(c*exp(2*I*(b*x+a))+I)-1/8*x^2*Pi*csgn(I*(I+c)/(exp(2*I*(
b*x+a))-1))^3-1/4/b^2*polylog(2,I*c*exp(2*I*(b*x+a)))*a+1/2/b^2*a*dilog(1-I
*exp(I*(b*x+a))*(-I*c)^(1/2))-1/8*x^2*Pi*csgn(I*exp(I*(b*x+a)))^2*csgn(I*ex
p(2*I*(b*x+a)))+1/4*x^2*Pi*csgn(I*exp(I*(b*x+a)))*csgn(I*exp(2*I*(b*x+a)))^
2-1/2*I/b*ln(1-I*c*exp(2*I*(b*x+a)))*x+a+1/2*I/b*a*ln(1-I*exp(I*(b*x+a))*(-
I*c)^(1/2))*x+1/2*I/b*a*ln(1+I*exp(I*(b*x+a))*(-I*c)^(1/2))*x-1/2*I*x^2*ln(
exp(I*(b*x+a)))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(pi-arccot(-c-(1-I*c)*cot(b*x+a))),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 2.5275, size = 419, normalized size = 3.41

$$\frac{4b^3x^3 - 12\pi b^2x^2 - 6ib^2x^2 \log\left(\frac{(ce^{2ibx+2ia}+i)e^{-2ibx-2ia}}{c+i}\right) + 4a^3 + 6bx\text{Li}_2\left(ice^{2ibx+2ia}\right) + 6ia^2 \log\left(\frac{ce^{2ibx+2ia}+i}{c}\right) - (-6ib^2x^2 - 12\pi b^2x^2)}{24b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(pi-arccot(-c-(1-I*c)*cot(b*x+a))),x, algorithm="fricas")
```

```
[Out] -1/24*(4*b^3*x^3 - 12*pi*b^2*x^2 - 6*I*b^2*x^2*log((c*e^(2*I*b*x + 2*I*a) + I)*e^(-2*I*b*x - 2*I*a)/(c + I)) + 4*a^3 + 6*b*x*dilog(I*c*e^(2*I*b*x + 2*
I*a)) + 6*I*a^2*log(c*e^(2*I*b*x + 2*I*a)/c) - (-6*I*b^2*x^2 - 12*pi*b^2*x^2))
```

$$I*a)) + 6*I*a^2*\log((c*e^{(2*I*b*x + 2*I*a)} + I)/c) - (-6*I*b^2*x^2 + 6*I*a^2)*\log(-I*c*e^{(2*I*b*x + 2*I*a)} + 1) + 3*I*\text{polylog}(3, I*c*e^{(2*I*b*x + 2*I*a)})))/b^2$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(pi-acot(-c-(1-I*c)*cot(b*x+a))),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (\pi - \operatorname{arccot}(-(-ic + 1)\cot(bx + a) - c))x \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(pi-arccot(-c-(1-I*c)*cot(b*x+a))),x, algorithm="giac")

[Out] integrate((pi - arccot(-(-I*c + 1)*cot(b*x + a) - c))*x, x)

3.177 $\int \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx$

Optimal. Leaf size=85

$$-\frac{\text{PolyLog}\left(2, ice^{2ia+2ibx}\right)}{4b} - \frac{1}{2}ix \log\left(1 - ice^{2ia+2ibx}\right) + x \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{bx^2}{2}$$

[Out] $-(b*x^2)/2 + x*ArcCot[c + (1 - I*c)*Cot[a + b*x]] - (I/2)*x*Log[1 - I*c*E^{(2*I)*a + (2*I)*b*x}] - PolyLog[2, I*c*E^{(2*I)*a + (2*I)*b*x}]/(4*b)$

Rubi [A] time = 0.135915, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {5166, 2184, 2190, 2279, 2391}

$$-\frac{\text{PolyLog}\left(2, ice^{2ia+2ibx}\right)}{4b} - \frac{1}{2}ix \log\left(1 - ice^{2ia+2ibx}\right) + x \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{bx^2}{2}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[c + (1 - I*c)*Cot[a + b*x]], x]

[Out] $-(b*x^2)/2 + x*ArcCot[c + (1 - I*c)*Cot[a + b*x]] - (I/2)*x*Log[1 - I*c*E^{(2*I)*a + (2*I)*b*x}] - PolyLog[2, I*c*E^{(2*I)*a + (2*I)*b*x}]/(4*b)$

Rule 5166

Int[ArcCot[(c_.) + Cot[(a_.) + (b_.)*(x_.)]*(d_.)], x_Symbol] := Simp[x*ArcCot[c + d*Cot[a + b*x]], x] + Dist[I*b, Int[x/(c - I*d - c*E^{2*I*a + 2*I*b*x}), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[(c - I*d)^2, -1]

Rule 2184

Int[((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_.))))^(n_.), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_.))))^(n_.), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_.) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_.)))]^(n_.), x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_.) + (e_.)*(x_.)^n)]/(x_.), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx &= x \cot^{-1}(c + (1 - ic) \cot(a + bx)) + (ib) \int \frac{x}{-i(1 - ic) + c - ce^{2ia+2ibx}} dx \\
&= -\frac{bx^2}{2} + x \cot^{-1}(c + (1 - ic) \cot(a + bx)) - (bc) \int \frac{e^{2ia+2ibx} x}{-i(1 - ic) + c - ce^{2ia+2ibx}} dx \\
&= -\frac{bx^2}{2} + x \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{2} ix \log(1 - ice^{2ia+2ibx}) + \frac{1}{2} i \int \log\left(\frac{e^{2ia+2ibx} x}{-i(1 - ic) + c - ce^{2ia+2ibx}}\right) dx \\
&= -\frac{bx^2}{2} + x \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{2} ix \log(1 - ice^{2ia+2ibx}) + \frac{\text{Subst}\left(\int \log\left(\frac{e^{2ia+2ibx} x}{-i(1 - ic) + c - ce^{2ia+2ibx}}\right) dx\right)}{2b} \\
&= -\frac{bx^2}{2} + x \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{2} ix \log(1 - ice^{2ia+2ibx}) - \frac{\text{Li}_2(ice^{2ia+2ibx})}{4b}
\end{aligned}$$

Mathematica [B] time = 5.24344, size = 929, normalized size = 10.93

$$(\cot(a + bx) + i)(ic + (c + i) \cot(a + bx) + 1) \left(i \log(i \tan(bx) + 1) \tan(bx) \cos^2(a) + 2ibx + \log\left(1 - \frac{\sec(bx)((c-i) \cos(a) + i)}{\dots}\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[c + (1 - I*c)*Cot[a + b*x]], x]

[Out] x*ArcCot[c + (1 - I*c)*Cot[a + b*x]] + (I*x*Csc[a + b*x]^2*(2*b*x*Log[2*Cos[b*x]*(Cos[b*x] - I*Sin[b*x])] + I*Log[(Sec[b*x]*(Cos[a] - I*Sin[a])*((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x])]/(2*c)]*Log[1 - I*Tan[b*x]] - I*Log[(Sec[b*x]*((1 - I*c)*Cos[a + b*x] + (-I + c)*Sin[a + b*x])]/(2*Cos[a] - (2*I)*Sin[a])]*Log[1 + I*Tan[b*x]] + I*PolyLog[2, -Cos[2*b*x] + I*Sin[2*b*x]] + I*PolyLog[2, (Sec[b*x]*((-I + c)*Cos[a] + I*(I + c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x])]/(2*c)] - I*PolyLog[2, (Sec[b*x]*((1 + I*c)*Cos[a] - (I + c)*Sin[a])*(Cos[a + b*x] + I*Sin[a + b*x])/2])*(Cos[b*x] - I*Sin[b*x])*(Cos[b*x] + I*Sin[b*x])]/((I + Cot[a + b*x])*(1 + I*c + (I + c)*Cot[a + b*x])*((2*I)*b*x + Log[1 - (Sec[b*x]*((-I + c)*Cos[a] + I*(I + c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x])]/(2*c))] + Log[1 + (Sec[b*x]*((-1 - I*c)*Cos[a] + (I + c)*Sin[a])*(Cos[a + b*x] + I*Sin[a + b*x])/2] + ((-I + c)*Cos[a + b*x]*(Log[1 - I*Tan[b*x]] - Log[1 + I*Tan[b*x]])/((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x]) + ((I + c)*(Log[1 - I*Tan[b*x]] - Log[1 + I*Tan[b*x]])*Sin[a + b*x])/((1 - I*c)*Cos[a + b*x] + (-I + c)*Sin[a + b*x]) + 2*b*x*Tan[b*x] + I*Log[1 - (Sec[b*x]*((-I + c)*Cos[a] + I*(I + c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x])]/(2*c)]*Tan[b*x] - I*Log[1 + (Sec[b*x]*((-1 - I*c)*Cos[a] + (I + c)*Sin[a])*(Cos[a + b*x] + I*Sin[a + b*x])/2]*Tan[b*x] - I*Log[1 - I*Tan[b*x]]*Tan[b*x] + I*Cos[a]^2*Log[1 + I*Tan[b*x]]*Tan[b*x] + I*Log[1 + I*Tan[b*x]]*Sin[a]^2*Tan[b*x] + (I*Log[(Sec[b*x]*((1 - I*c)*Cos[a + b*x] + (-I + c)*Sin[a + b*x])]/(2*Cos[a] - (2*I)*Sin[a])]*Sec[b*x]^2)/(-I + Tan[b*x]) - (I*Log[(Sec[b*x]*(Cos[a] - I*Sin[a])*((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x])]/(2*c)]*Sec[b*x]^2)/(I + Tan[b*x])))

Maple [B] time = 0.116, size = 1498, normalized size = 17.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(Pi-arccot(-c-(1-I*c)*cot(b*x+a)),x)

[Out] $\text{Pi} \cdot x + \frac{1}{2} \frac{b}{(-1+I \cdot c)} \frac{1}{(I+c)} \text{dilog}\left(\frac{-1/2 \cdot I \cdot (\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c+I)}{c} + \frac{1}{2} \frac{b}{(-1+I \cdot c)} \frac{1}{(I+c)} \text{dilog}\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c-I}{(-2 \cdot I - 2 \cdot c)}\right) \cdot c - \frac{1}{b} \frac{1}{(-1+I \cdot c)} \cdot \arccot\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c}{(2 \cdot I + 2 \cdot c)}\right) \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) + c+I}{(2 \cdot I + 2 \cdot c)}\right) + \frac{1}{b} \frac{1}{(-1+I \cdot c)} \cdot \arccot\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c}{(2 \cdot I + 2 \cdot c)}\right) \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c-I}{(2 \cdot I + 2 \cdot c)}\right) - \frac{1}{8} \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c-I}{(2 \cdot I + 2 \cdot c)}\right)^2 - \frac{1}{4} \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \text{dilog}\left(\frac{-1/2 \cdot (\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c+I)}{c} + \frac{1}{4} \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \text{dilog}\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c-I}{(-2 \cdot I - 2 \cdot c)}\right) + \frac{1}{4} \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \text{dilog}\left(\frac{-1/2 \cdot I \cdot (\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c+I)}{c} - \frac{1}{4} \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c-I}{(2 \cdot I + 2 \cdot c)}\right) \cdot c - \frac{1}{2} \cdot \frac{b}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \text{dilog}\left(\frac{-1/2 \cdot (\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c+I)}{c}\right) \cdot c + \frac{1}{4} \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \ln\left(-\frac{1}{2} \cdot I \cdot (\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c+I)\right) \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c-I}{(2 \cdot I + 2 \cdot c)}\right) - \frac{1}{4} \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) + c+I}{(2 \cdot I + 2 \cdot c)}\right) \cdot \ln\left(-\frac{1}{2} \cdot (\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c+I)}{c} + \frac{1}{4} \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \text{dilog}\left(\frac{-1/2 \cdot (\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c+I)}{c}\right) \cdot c^2 - \frac{1}{4} \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \text{dilog}\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c-I}{(-2 \cdot I - 2 \cdot c)}\right) \cdot c^2 + \frac{1}{4} \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) + c+I}{(2 \cdot I + 2 \cdot c)}\right) \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c-I}{(-2 \cdot I - 2 \cdot c)}\right) + \frac{1}{8} \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c-I}{(2 \cdot I + 2 \cdot c)}\right)^2 \cdot c^2 - \frac{1}{4} \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \ln\left(-\frac{1}{2} \cdot I \cdot (\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c+I)\right) \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c-I}{(2 \cdot I + 2 \cdot c)}\right) \cdot c^2 + \frac{1}{4} \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) + c+I}{(2 \cdot I + 2 \cdot c)}\right) \cdot \ln\left(-\frac{1}{2} \cdot (\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c+I)}{c} \cdot c^2 - \frac{1}{4} \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) + c+I}{(2 \cdot I + 2 \cdot c)}\right) \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c-I}{(-2 \cdot I - 2 \cdot c)}\right) \cdot c^2 + 2 \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \cdot \arccot\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c}{(2 \cdot I + 2 \cdot c)}\right) \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) + c+I}{(2 \cdot I + 2 \cdot c)}\right) \cdot c - 2 \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \cdot \arccot\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c}{(2 \cdot I + 2 \cdot c)}\right) \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c-I}{(2 \cdot I + 2 \cdot c)}\right) \cdot c + \frac{1}{2} \cdot \frac{b}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \ln\left(-\frac{1}{2} \cdot I \cdot (\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c+I)\right) \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c-I}{(2 \cdot I + 2 \cdot c)}\right) \cdot c - \frac{1}{2} \cdot \frac{b}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) + c+I}{(2 \cdot I + 2 \cdot c)}\right) \cdot \ln\left(-\frac{1}{2} \cdot (\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c+I)}{c} \cdot c + \frac{1}{2} \cdot \frac{b}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) + c+I}{(2 \cdot I + 2 \cdot c)}\right) \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c-I}{(-2 \cdot I - 2 \cdot c)}\right) \cdot c + \frac{1}{b} \frac{1}{(-1+I \cdot c)} \cdot \arccot\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c}{(2 \cdot I + 2 \cdot c)}\right) \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) + c+I}{(2 \cdot I + 2 \cdot c)}\right) \cdot c^2 - \frac{1}{b} \frac{1}{(-1+I \cdot c)} \cdot \arccot\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c}{(2 \cdot I + 2 \cdot c)}\right) \cdot \ln\left(\frac{\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c-I}{(2 \cdot I + 2 \cdot c)}\right) \cdot c^2 - \frac{1}{4} \cdot \frac{I}{b} \frac{1}{(-1+I \cdot c)} \frac{1}{(I+c)} \cdot \text{dilog}\left(\frac{-1/2 \cdot I \cdot (\cot(b \cdot x+a) \cdot (-1+I \cdot c) - c+I)}{c}\right) \cdot c^2$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(pi-arccot(-c-(1-I*c)*cot(b*x+a)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 2.50861, size = 327, normalized size = 3.85

$$\frac{2b^2x^2 - 4\pi bx - 2ibx \log\left(\frac{(ce^{2ibx+2ia})+i}{c+i}\right) - 2a^2 - (-2ibx - 2ia) \log(-ice^{2ibx+2ia} + 1) - 2ia \log\left(\frac{ce^{2ibx+2ia}+i}{c}\right)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(pi-arccot(-c-(1-I*c)*cot(b*x+a)),x, algorithm="fricas")

[Out] $-\frac{1}{4} \cdot (2 \cdot b^2 \cdot x^2 - 4 \cdot \pi \cdot b \cdot x - 2 \cdot I \cdot b \cdot x \cdot \log((c \cdot e^{(2 \cdot I \cdot b \cdot x + 2 \cdot I \cdot a)} + I) \cdot e^{-(2 \cdot I \cdot b \cdot x - 2 \cdot I \cdot a)}) / (c + I)) - 2 \cdot a^2 - (-2 \cdot I \cdot b \cdot x - 2 \cdot I \cdot a) \cdot \log(-I \cdot c \cdot e^{(2 \cdot I \cdot b \cdot x + 2 \cdot I \cdot a)} + 1) - 2 \cdot I \cdot a \cdot \log((c \cdot e^{(2 \cdot I \cdot b \cdot x + 2 \cdot I \cdot a)} + I) / c) + \text{dilog}(I \cdot c \cdot e^{(2 \cdot I \cdot b \cdot x + 2 \cdot I \cdot a)})$

$*x + 2*I*a)))/b$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(pi-acot(-c-(1-I*c)*cot(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \pi - \operatorname{arccot}(-(-ic + 1)\cot(bx + a) - c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(pi-arccot(-c-(1-I*c)*cot(b*x+a)),x, algorithm="giac")

[Out] integrate(pi - arccot(-(-I*c + 1)*cot(b*x + a) - c), x)

$$3.178 \quad \int \frac{\cot^{-1}(c+(1-ic)\cot(a+bx))}{x} dx$$

Optimal. Leaf size=23

$$\text{CannotIntegrate}\left(\frac{\cot^{-1}(c+(1-ic)\cot(a+bx))}{x}, x\right)$$

[Out] CannotIntegrate[ArcCot[c + (1 - I*c)*Cot[a + b*x]]/x, x]

Rubi [A] time = 0.113958, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(c+(1-ic)\cot(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[c + (1 - I*c)*Cot[a + b*x]]/x,x]

[Out] Defer[Int][ArcCot[c + (1 - I*c)*Cot[a + b*x]]/x, x]

Rubi steps

$$\int \frac{\cot^{-1}(c+(1-ic)\cot(a+bx))}{x} dx = \int \frac{\cot^{-1}(c+(1-ic)\cot(a+bx))}{x} dx$$

Mathematica [A] time = 0.365223, size = 0, normalized size = 0.

$$\int \frac{\cot^{-1}(c+(1-ic)\cot(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCot[c + (1 - I*c)*Cot[a + b*x]]/x,x]

[Out] Integrate[ArcCot[c + (1 - I*c)*Cot[a + b*x]]/x, x]

Maple [A] time = 0.418, size = 0, normalized size = 0.

$$\int \frac{\pi - \operatorname{arccot}(-c - (1-ic)\cot(bx+a))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((Pi-arccot(-c-(1-I*c)*cot(b*x+a)))/x,x)

[Out] int((Pi-arccot(-c-(1-I*c)*cot(b*x+a)))/x,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((pi-arccot(-c-(1-I*c)*cot(b*x+a)))/x,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{2\pi + i \log \left(\frac{(ce^{(2ibx+2ia)+i})e^{(-2ibx-2ia)}}{c+i} \right)}{2x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((pi-arccot(-c-(1-I*c)*cot(b*x+a)))/x,x, algorithm="fricas")

[Out] integral(1/2*(2*pi + I*log((c*e^(2*I*b*x + 2*I*a) + I)*e^(-2*I*b*x - 2*I*a)/(c + I)))/x, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((pi-acot(-c-(1-I*c)*cot(b*x+a)))/x,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\pi - \operatorname{arccot}(-(-ic + 1) \cot(bx + a) - c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((pi-arccot(-c-(1-I*c)*cot(b*x+a)))/x,x, algorithm="giac")

[Out] integrate((pi - arccot(-(-I*c + 1)*cot(b*x + a) - c))/x, x)

3.179 $\int x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$

Optimal. Leaf size=155

$$\frac{ix \operatorname{PolyLog}\left(3, -ice^{2ia+2ibx}\right)}{4b^2} - \frac{\operatorname{PolyLog}\left(4, -ice^{2ia+2ibx}\right)}{8b^3} + \frac{x^2 \operatorname{PolyLog}\left(2, -ice^{2ia+2ibx}\right)}{4b} + \frac{1}{6} ix^3 \log\left(1 + ice^{2ia+2ibx}\right) + \frac{1}{3} x^3 \cot(a + bx)$$

[Out] (b*x^4)/12 + (x^3*ArcCot[c - (1 + I*c)*Cot[a + b*x]])/3 + (I/6)*x^3*Log[1 + I*c*E^((2*I)*a + (2*I)*b*x)] + (x^2*PolyLog[2, (-I)*c*E^((2*I)*a + (2*I)*b*x)])/ (4*b) + ((I/4)*x*PolyLog[3, (-I)*c*E^((2*I)*a + (2*I)*b*x)])/b^2 - PolyLog[4, (-I)*c*E^((2*I)*a + (2*I)*b*x)]/(8*b^3)

Rubi [A] time = 0.256928, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$, Rules used = {5174, 2184, 2190, 2531, 6609, 2282, 6589}

$$\frac{ix \operatorname{PolyLog}\left(3, -ice^{2ia+2ibx}\right)}{4b^2} - \frac{\operatorname{PolyLog}\left(4, -ice^{2ia+2ibx}\right)}{8b^3} + \frac{x^2 \operatorname{PolyLog}\left(2, -ice^{2ia+2ibx}\right)}{4b} + \frac{1}{6} ix^3 \log\left(1 + ice^{2ia+2ibx}\right) + \frac{1}{3} x^3 \cot(a + bx)$$

Antiderivative was successfully verified.

[In] Int[x^2*ArcCot[c - (1 + I*c)*Cot[a + b*x]],x]

[Out] (b*x^4)/12 + (x^3*ArcCot[c - (1 + I*c)*Cot[a + b*x]])/3 + (I/6)*x^3*Log[1 + I*c*E^((2*I)*a + (2*I)*b*x)] + (x^2*PolyLog[2, (-I)*c*E^((2*I)*a + (2*I)*b*x)])/ (4*b) + ((I/4)*x*PolyLog[3, (-I)*c*E^((2*I)*a + (2*I)*b*x)])/b^2 - PolyLog[4, (-I)*c*E^((2*I)*a + (2*I)*b*x)]/(8*b^3)

Rule 5174

Int[ArcCot[(c_.) + Cot[(a_.) + (b_.)*(x_.)]*(d_.)]*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol] :> Simp[((e + f*x)^(m + 1)*ArcCot[c + d*Cot[a + b*x]])/(f*(m + 1)), x] + Dist[(I*b)/(f*(m + 1)), Int[(e + f*x)^(m + 1)/(c - I*d - c*E^(2*I*a + 2*I*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c - I*d)^2, -1]

Rule 2184

Int[((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] :> Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.))))^(n_.)]*((f_.) + (g_.)*(x_.))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f}

, g, n}, x] && GtQ[m, 0]

Rule 6609

Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.)))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
 \int x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx &= \frac{1}{3} x^3 \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{3} (ib) \int \frac{x^3}{-i(-1 - ic) + c - ce^{2ia+2ibx}} dx \\
 &= \frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{3} (bc) \int \frac{e^{2ia+2ibx} x^3}{-i(-1 - ic) + c - ce^{2ia+}} \\
 &= \frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{6} ix^3 \log(1 + ice^{2ia+2ibx}) - \frac{1}{2} i \int \\
 &= \frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{6} ix^3 \log(1 + ice^{2ia+2ibx}) + \frac{x^2 \text{Li}}{6} \\
 &= \frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{6} ix^3 \log(1 + ice^{2ia+2ibx}) + \frac{x^2 \text{Li}}{6} \\
 &= \frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{6} ix^3 \log(1 + ice^{2ia+2ibx}) + \frac{x^2 \text{Li}}{6} \\
 &= \frac{bx^4}{12} + \frac{1}{3} x^3 \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{6} ix^3 \log(1 + ice^{2ia+2ibx}) + \frac{x^2 \text{Li}}{6}
 \end{aligned}$$

Mathematica [A] time = 0.201403, size = 136, normalized size = 0.88

$$\frac{1}{24} \left(\frac{6ix \text{PolyLog}\left(3, \frac{ie^{-2i(a+bx)}}{c}\right)}{b^2} + \frac{3 \text{PolyLog}\left(4, \frac{ie^{-2i(a+bx)}}{c}\right)}{b^3} - \frac{6x^2 \text{PolyLog}\left(2, \frac{ie^{-2i(a+bx)}}{c}\right)}{b} + 4ix^3 \log\left(1 - \frac{ie^{-2i(a+bx)}}{c}\right) + 8x \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2*ArcCot[c - (1 + I*c)*Cot[a + b*x]], x]

[Out] (8*x^3*ArcCot[c + (-1 - I*c)*Cot[a + b*x]] + (4*I)*x^3*Log[1 - I/(c*E^((2*I)*(a + b*x)))] - (6*x^2*PolyLog[2, I/(c*E^((2*I)*(a + b*x)))]/b + ((6*I)*x

*PolyLog[3, I/(c*E^((2*I)*(a + b*x)))]/b^2 + (3*PolyLog[4, I/(c*E^((2*I)*(a + b*x)))]/b^3)/24

Maple [C] time = 22.102, size = 1527, normalized size = 9.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(Pi-arccot(-c+(1+I*c)*cot(b*x+a))),x)

[Out] $\frac{1}{6}I^3x^3\ln(1+Ic\exp(2I(b*x+a)))+\frac{1}{12}x^3\pi\operatorname{csgn}(I\exp(2I(b*x+a)))^3-1/12x^3\pi\operatorname{csgn}(I(c\exp(2I(b*x+a))-I)/(\exp(2I(b*x+a))-1))\operatorname{csgn}((c\exp(2I(b*x+a))-I)/(\exp(2I(b*x+a))-1))-1/8\operatorname{polylog}(4,-Ic\exp(2I(b*x+a)))/b^3-1/4/b^3\operatorname{polylog}(2,-Ic\exp(2I(b*x+a)))*a^2-1/12x^3\pi\operatorname{csgn}(I\exp(2I(b*x+a)))*(c-I)/(\exp(2I(b*x+a))-1))\operatorname{csgn}(\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))-1))^2+1/2/b^3a^2\operatorname{dilog}(1-I\exp(I(b*x+a)))*(Ic)^{(1/2)}-1/6I/b^3a^3\ln(-c\exp(2I(b*x+a))+I)+1/2I/b^3a^3\ln(1+I\exp(I(b*x+a)))*(Ic)^{(1/2)}+1/2I/b^3a^3\ln(1-I\exp(I(b*x+a)))*(Ic)^{(1/2)}-1/3I/b^3\ln(1+Ic\exp(2I(b*x+a)))*a^3-1/12x^3\pi\operatorname{csgn}(I\exp(2I(b*x+a)))\operatorname{csgn}(I\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))-1))^2-1/12x^3\pi\operatorname{csgn}(I(c\exp(2I(b*x+a))-I))\operatorname{csgn}(I/\exp(2I(b*x+a))-1))\operatorname{csgn}(I(c\exp(2I(b*x+a))-I)/(\exp(2I(b*x+a))-1))+1/12b^4x+1/12x^3\pi\operatorname{csgn}(I/\exp(2I(b*x+a))-1))\operatorname{csgn}(I(c\exp(2I(b*x+a))-I)/(\exp(2I(b*x+a))-1))^2+1/12x^3\pi\operatorname{csgn}(I(c\exp(2I(b*x+a))-I))\operatorname{csgn}(I(c\exp(2I(b*x+a))-I)/(\exp(2I(b*x+a))-1))^2-1/12x^3\pi\operatorname{csgn}(I(c-I))\operatorname{csgn}(I(c-I)/(\exp(2I(b*x+a))-1))^2-1/12x^3\pi\operatorname{csgn}(I/\exp(2I(b*x+a))-1))\operatorname{csgn}(I(c-I)/(\exp(2I(b*x+a))-1))^2+1/12x^3\pi\operatorname{csgn}(I(c\exp(2I(b*x+a))-I)/(\exp(2I(b*x+a))-1))\operatorname{csgn}((c\exp(2I(b*x+a))-I)/(\exp(2I(b*x+a))-1))^2+1/4I^2x^2\operatorname{polylog}(3,-Ic\exp(2I(b*x+a)))/b^2+1/12x^3\pi\operatorname{csgn}((c\exp(2I(b*x+a))-I)/(\exp(2I(b*x+a))-1))^2+1/2/b^3a^2\operatorname{dilog}(1+I\exp(I(b*x+a)))*(Ic)^{(1/2)}+1/12x^3\pi\operatorname{csgn}(I\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))-1))\operatorname{csgn}(\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))-1))+1/12x^3\pi\operatorname{csgn}(I(c-I))\operatorname{csgn}(I/\exp(2I(b*x+a))-1))\operatorname{csgn}(I(c-I)/(\exp(2I(b*x+a))-1))-1/2I/b^2\ln(1+Ic\exp(2I(b*x+a)))*x*a^2+1/2I/b^2a^2\ln(1+I\exp(I(b*x+a)))*(Ic)^{(1/2)}*x+1/2I/b^2a^2\ln(1-I\exp(I(b*x+a)))*(Ic)^{(1/2)}*x+1/6I^2x^3\ln(c-I)+1/3I^2x^3\ln(\exp(I(b*x+a)))+1/12x^3\pi\operatorname{csgn}(I\exp(I(b*x+a)))^2\operatorname{csgn}(I\exp(2I(b*x+a)))+1/4x^2\operatorname{polylog}(2,-Ic\exp(2I(b*x+a)))/b+1/12x^3\pi\operatorname{csgn}(I(c-I)/(\exp(2I(b*x+a))-1))^3+1/12x^3\pi\operatorname{csgn}(I\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))-1))^3-1/12x^3\pi\operatorname{csgn}(I(c\exp(2I(b*x+a))-I)/(\exp(2I(b*x+a))-1))^3-1/6I^2x^3\ln(c\exp(2I(b*x+a))-I)-1/12x^3\pi\operatorname{csgn}(\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))-1))^2-1/12x^3\pi\operatorname{csgn}((c\exp(2I(b*x+a))-I)/(\exp(2I(b*x+a))-1))^3+1/12x^3\pi\operatorname{csgn}(I\exp(2I(b*x+a)))\operatorname{csgn}(I(c-I)/(\exp(2I(b*x+a))-1))\operatorname{csgn}(I\exp(2I(b*x+a))*(c-I)/(\exp(2I(b*x+a))-1))-1/6x^3\pi\operatorname{csgn}(I\exp(I(b*x+a)))\operatorname{csgn}(I\exp(2I(b*x+a)))^2$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(pi-arccot(-c+(1+I*c)*cot(b*x+a))),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 2.67434, size = 481, normalized size = 3.1

$$\frac{2b^4x^4 + 8\pi b^3x^3 + 4ib^3x^3 \log\left(\frac{(c-i)e^{(2ibx+2ia)}}{ce^{(2ibx+2ia)-i}}\right) + 6b^2x^2 \operatorname{Li}_2(-ice^{(2ibx+2ia)}) - 2a^4 - 4ia^3 \log\left(\frac{ce^{(2ibx+2ia)-i}}{c}\right) + 6ibx \operatorname{polylog}}{24b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(pi-arccot(-c+(1+I*c)*cot(b*x+a))),x, algorithm="fricas")

[Out] $\frac{1}{24} \cdot (2b^4x^4 + 8\pi b^3x^3 + 4Ib^3x^3 \log((c - I)e^{(2Ib*x + 2I*a)}) / (c \cdot e^{(2Ib*x + 2I*a)} - I)) + 6b^2x^2 \operatorname{dilog}(-Ic \cdot e^{(2Ib*x + 2I*a)}) - 2a^4 - 4Ia^3 \log((c \cdot e^{(2Ib*x + 2I*a)} - I)/c) + 6Ib*x \operatorname{polylog}(3, -Ic \cdot e^{(2Ib*x + 2I*a)}) + (4Ib^3x^3 + 4Ia^3) \log(Ic \cdot e^{(2Ib*x + 2I*a)} + 1) - 3 \operatorname{polylog}(4, -Ic \cdot e^{(2Ib*x + 2I*a)}) / b^3$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(pi-acot(-c+(1+I*c)*cot(b*x+a))),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (\pi - \operatorname{arccot}((ic + 1) \cot(bx + a) - c)) x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(pi-arccot(-c+(1+I*c)*cot(b*x+a))),x, algorithm="giac")

[Out] integrate((pi - arccot((I*c + 1)*cot(b*x + a) - c))*x^2, x)

3.180 $\int x \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$

Optimal. Leaf size=124

$$\frac{i \operatorname{PolyLog}(3, -ice^{2ia+2ibx})}{8b^2} + \frac{x \operatorname{PolyLog}(2, -ice^{2ia+2ibx})}{4b} + \frac{1}{4} ix^2 \log(1 + ice^{2ia+2ibx}) + \frac{1}{2} x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx))$$

[Out] (b*x^3)/6 + (x^2*ArcCot[c - (1 + I*c)*Cot[a + b*x]])/2 + (I/4)*x^2*Log[1 + I*c*E^((2*I)*a + (2*I)*b*x)] + (x*PolyLog[2, (-I)*c*E^((2*I)*a + (2*I)*b*x)])/ (4*b) + ((I/8)*PolyLog[3, (-I)*c*E^((2*I)*a + (2*I)*b*x)])/b^2

Rubi [A] time = 0.219299, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$, Rules used = {5174, 2184, 2190, 2531, 2282, 6589}

$$\frac{i \operatorname{PolyLog}(3, -ice^{2ia+2ibx})}{8b^2} + \frac{x \operatorname{PolyLog}(2, -ice^{2ia+2ibx})}{4b} + \frac{1}{4} ix^2 \log(1 + ice^{2ia+2ibx}) + \frac{1}{2} x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx))$$

Antiderivative was successfully verified.

[In] Int[x*ArcCot[c - (1 + I*c)*Cot[a + b*x]],x]

[Out] (b*x^3)/6 + (x^2*ArcCot[c - (1 + I*c)*Cot[a + b*x]])/2 + (I/4)*x^2*Log[1 + I*c*E^((2*I)*a + (2*I)*b*x)] + (x*PolyLog[2, (-I)*c*E^((2*I)*a + (2*I)*b*x)])/ (4*b) + ((I/8)*PolyLog[3, (-I)*c*E^((2*I)*a + (2*I)*b*x)])/b^2

Rule 5174

Int[ArcCot[(c_.) + Cot[(a_.) + (b_.)*(x_.)]*(d_.)]*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol] :> Simp[((e + f*x)^(m + 1)*ArcCot[c + d*Cot[a + b*x]])/(f*(m + 1)), x] + Dist[(I*b)/(f*(m + 1)), Int[(e + f*x)^(m + 1)/(c - I*d - c*E^(2*I*a + 2*I*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c - I*d)^2, -1]

Rule 2184

Int[((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] :> Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.))))^(n_.)]*((f_.) + (g_.)*(x_.))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int x \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx &= \frac{1}{2} x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{2} (ib) \int \frac{x^2}{-i(-1 - ic) + c - ce^{2ia+2ibx}} dx \\ &= \frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{2} (bc) \int \frac{e^{2ia+2ibx} x^2}{-i(-1 - ic) + c - ce^{2ia+2ibx}} dx \\ &= \frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{4} ix^2 \log(1 + ice^{2ia+2ibx}) - \frac{1}{2} i \int \frac{x^2}{-i(-1 - ic) + c - ce^{2ia+2ibx}} dx \\ &= \frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{4} ix^2 \log(1 + ice^{2ia+2ibx}) + \frac{x \operatorname{Li}_2(-ice^{2ia+2ibx})}{2} \\ &= \frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{4} ix^2 \log(1 + ice^{2ia+2ibx}) + \frac{x \operatorname{Li}_2(-ice^{2ia+2ibx})}{2} \\ &= \frac{bx^3}{6} + \frac{1}{2} x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{4} ix^2 \log(1 + ice^{2ia+2ibx}) + \frac{x \operatorname{Li}_2(-ice^{2ia+2ibx})}{2} \end{aligned}$$

Mathematica [A] time = 0.123093, size = 110, normalized size = 0.89

$$\frac{i \left(2ibx \operatorname{PolyLog}\left(2, \frac{ie^{-2i(a+bx)}}{c}\right) + \operatorname{PolyLog}\left(3, \frac{ie^{-2i(a+bx)}}{c}\right) + 2b^2 x^2 \log\left(1 - \frac{ie^{-2i(a+bx)}}{c}\right) \right)}{8b^2} + \frac{1}{2} x^2 \cot^{-1}(c + (-1 - ic) \cot(a + bx))$$

Antiderivative was successfully verified.

```
[In] Integrate[x*ArcCot[c - (1 + I*c)*Cot[a + b*x]], x]
```

```
[Out] (x^2*ArcCot[c + (-1 - I*c)*Cot[a + b*x]])/2 + ((I/8)*(2*b^2*x^2*Log[1 - I/(c*E^((2*I)*(a + b*x)))] + (2*I)*b*x*PolyLog[2, I/(c*E^((2*I)*(a + b*x)))] + PolyLog[3, I/(c*E^((2*I)*(a + b*x)))]))/b^2
```

Maple [C] time = 12.221, size = 1492, normalized size = 12.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(Pi-arccot(-c+(1+I*c)*cot(b*x+a))), x)
```

```
[Out] 1/4*I*x^2*ln(1+I*c*exp(2*I*(b*x+a)))+1/4*x*polylog(2,-I*c*exp(2*I*(b*x+a)))/b+1/4*I*x^2*ln(c-I)+1/8*x^2*Pi*csgn(I*(c-I))*csgn(I/(exp(2*I*(b*x+a))-1))*
```

```

csgn(I*(c-I)/(exp(2*I*(b*x+a))-1))+1/8*x^2*Pi*csgn(I*exp(2*I*(b*x+a)))*csgn
(I*(c-I)/(exp(2*I*(b*x+a))-1))*csgn(I*exp(2*I*(b*x+a))*(c-I)/(exp(2*I*(b*x+
a))-1))-1/8*x^2*Pi*csgn(I*(c*exp(2*I*(b*x+a))-I))*csgn(I/(exp(2*I*(b*x+a))-
1))*csgn(I*(c*exp(2*I*(b*x+a))-I)/(exp(2*I*(b*x+a))-1))-1/8*x^2*Pi*csgn(I*(
c*exp(2*I*(b*x+a))-I)/(exp(2*I*(b*x+a))-1))^3+1/8*x^2*Pi*csgn((c*exp(2*I*(b
*x+a))-I)/(exp(2*I*(b*x+a))-1))^2-1/8*x^2*Pi*csgn((c*exp(2*I*(b*x+a))-I)/(e
xp(2*I*(b*x+a))-1))^3+1/8*x^2*Pi*csgn(exp(2*I*(b*x+a))*(c-I)/(exp(2*I*(b*x+
a))-1))^2+1/4/b^2*polylog(2,-I*c*exp(2*I*(b*x+a)))*a-1/2/b^2*a*dilog(1+I*exp
(I*(b*x+a))*(I*c)^(1/2))+1/8*I*polylog(3,-I*c*exp(2*I*(b*x+a)))/b^2+1/8*x^
2*Pi*csgn(I*(c-I)/(exp(2*I*(b*x+a))-1))^3-1/8*x^2*Pi*csgn(I*exp(2*I*(b*x+a)
))*(c-I)/(exp(2*I*(b*x+a))-1))*csgn(exp(2*I*(b*x+a))*(c-I)/(exp(2*I*(b*x+a)
-1))^2-1/8*x^2*Pi*csgn(I*exp(2*I*(b*x+a)))*csgn(I*exp(2*I*(b*x+a))*(c-I)/(e
xp(2*I*(b*x+a))-1))^2+1/8*x^2*Pi*csgn(I*exp(2*I*(b*x+a))*(c-I)/(exp(2*I*(b*
x+a))-1))^3-1/8*x^2*Pi*csgn(I*(c*exp(2*I*(b*x+a))-I)/(exp(2*I*(b*x+a))-1))*
csgn((c*exp(2*I*(b*x+a))-I)/(exp(2*I*(b*x+a))-1))+1/6*b*x^3-1/2/b^2*a*dilog
(1-I*exp(I*(b*x+a))*(I*c)^(1/2))+1/8*x^2*Pi*csgn(I*(c*exp(2*I*(b*x+a))-I))*
csgn(I*(c*exp(2*I*(b*x+a))-I)/(exp(2*I*(b*x+a))-1))^2+1/8*x^2*Pi*csgn(I/(ex
p(2*I*(b*x+a))-1))*csgn(I*(c*exp(2*I*(b*x+a))-I)/(exp(2*I*(b*x+a))-1))^2+1/
8*x^2*Pi*csgn(I*(c*exp(2*I*(b*x+a))-I)/(exp(2*I*(b*x+a))-1))*csgn((c*exp(2*
I*(b*x+a))-I)/(exp(2*I*(b*x+a))-1))^2-1/8*x^2*Pi*csgn(I*(c-I))*csgn(I*(c-I)
/(exp(2*I*(b*x+a))-1))^2-1/8*x^2*Pi*csgn(I/(exp(2*I*(b*x+a))-1))*csgn(I*(c-
I)/(exp(2*I*(b*x+a))-1))^2+1/4*I/b^2*ln(1+I*c*exp(2*I*(b*x+a)))*a^2+1/4*I/b
^2*a^2*ln(-c*exp(2*I*(b*x+a))+I)-1/2*I/b^2*a^2*ln(1+I*exp(I*(b*x+a))*(I*c)^(
1/2))+1/8*x^2*Pi*csgn(I*exp(2*I*(b*x+a)))^3+1/2*I/b*ln(1+I*c*exp(2*I*(b*x+
a)))*x*a-1/2*I/b*a*ln(1+I*exp(I*(b*x+a))*(I*c)^(1/2))*x-1/2*I/b*a*ln(1-I*exp
(I*(b*x+a))*(I*c)^(1/2))*x+1/8*x^2*Pi*csgn(I*exp(2*I*(b*x+a))*(c-I)/(exp(2
*I*(b*x+a))-1))*csgn(exp(2*I*(b*x+a))*(c-I)/(exp(2*I*(b*x+a))-1))-1/8*x^2*P
i*csgn(exp(2*I*(b*x+a))*(c-I)/(exp(2*I*(b*x+a))-1))^3-1/2*I/b^2*a^2*ln(1-I*
exp(I*(b*x+a))*(I*c)^(1/2))-1/4*I*x^2*ln(c*exp(2*I*(b*x+a))-I)-1/8*x^2*Pi*c
sgn(I*(c-I)/(exp(2*I*(b*x+a))-1))*csgn(I*exp(2*I*(b*x+a))*(c-I)/(exp(2*I*(b
*x+a))-1))^2+1/8*x^2*Pi*csgn(I*exp(I*(b*x+a)))^2*csgn(I*exp(2*I*(b*x+a)))^2-
1/4*x^2*Pi*csgn(I*exp(I*(b*x+a)))*csgn(I*exp(2*I*(b*x+a)))^2+1/2*I*x^2*ln(ex
p(I*(b*x+a)))

```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(pi-arccot(-c+(1+I*c)*cot(b*x+a))),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 2.74782, size = 416, normalized size = 3.35

$$\frac{4b^3x^3 + 12\pi b^2x^2 + 6ib^2x^2 \log\left(\frac{(c-i)e^{2ibx+2ia}}{ce^{2ibx+2ia}-i}\right) + 4a^3 + 6bx\text{Li}_2(-ice^{2ibx+2ia}) + 6ia^2 \log\left(\frac{ce^{2ibx+2ia}-i}{c}\right) + (6ib^2x^2 - 6ia^2)}{24b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(pi-arccot(-c+(1+I*c)*cot(b*x+a))),x, algorithm="fricas")

[Out] 1/24*(4*b^3*x^3 + 12*pi*b^2*x^2 + 6*I*b^2*x^2*log((c - I)*e^(2*I*b*x + 2*I*a)/(c*e^(2*I*b*x + 2*I*a) - I)) + 4*a^3 + 6*b*x*dilog(-I*c*e^(2*I*b*x + 2*I

```
*a)) + 6*I*a^2*log((c*e^(2*I*b*x + 2*I*a) - I)/c) + (6*I*b^2*x^2 - 6*I*a^2)
*log(I*c*e^(2*I*b*x + 2*I*a) + 1) + 3*I*polylog(3, -I*c*e^(2*I*b*x + 2*I*a)
)/b^2
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(pi-acot(-c+(1+I*c)*cot(b*x+a))),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (\pi - \operatorname{arccot}((ic + 1) \cot(bx + a) - c))x \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(pi-arccot(-c+(1+I*c)*cot(b*x+a))),x, algorithm="giac")
```

```
[Out] integrate((pi - arccot((I*c + 1)*cot(b*x + a) - c))*x, x)
```

3.181 $\int \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$

Optimal. Leaf size=86

$$\frac{\text{PolyLog}\left(2, -ice^{2ia+2ibx}\right)}{4b} + \frac{1}{2}ix \log\left(1 + ice^{2ia+2ibx}\right) + x \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{bx^2}{2}$$

[Out] (b*x^2)/2 + x*ArcCot[c - (1 + I*c)*Cot[a + b*x]] + (I/2)*x*Log[1 + I*c*E^((2*I)*a + (2*I)*b*x)] + PolyLog[2, (-I)*c*E^((2*I)*a + (2*I)*b*x)]/(4*b)

Rubi [A] time = 0.131732, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {5166, 2184, 2190, 2279, 2391}

$$\frac{\text{PolyLog}\left(2, -ice^{2ia+2ibx}\right)}{4b} + \frac{1}{2}ix \log\left(1 + ice^{2ia+2ibx}\right) + x \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{bx^2}{2}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[c - (1 + I*c)*Cot[a + b*x]], x]

[Out] (b*x^2)/2 + x*ArcCot[c - (1 + I*c)*Cot[a + b*x]] + (I/2)*x*Log[1 + I*c*E^((2*I)*a + (2*I)*b*x)] + PolyLog[2, (-I)*c*E^((2*I)*a + (2*I)*b*x)]/(4*b)

Rule 5166

Int[ArcCot[(c_.) + Cot[(a_.) + (b_.)*(x_.)]*(d_.)], x_Symbol] := Simp[x*ArcCot[c + d*Cot[a + b*x]], x] + Dist[I*b, Int[x/(c - I*d - c*E^(2*I*a + 2*I*b*x)), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[(c - I*d)^2, -1]

Rule 2184

Int[((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_.))))^(n_.), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_.))))^(n_.), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n]/a)]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_.) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_.)))]^(n_.), x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_.) + (e_.)*(x_.)^(n_.))]/(x_.), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx &= x \cot^{-1}(c - (1 + ic) \cot(a + bx)) + (ib) \int \frac{x}{-i(-1 - ic) + c - ce^{2ia+2ibx}} dx \\
&= \frac{bx^2}{2} + x \cot^{-1}(c - (1 + ic) \cot(a + bx)) + (bc) \int \frac{e^{2ia+2ibx} x}{-i(-1 - ic) + c - ce^{2ia+2ibx}} dx \\
&= \frac{bx^2}{2} + x \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{2} ix \log(1 + ice^{2ia+2ibx}) - \frac{1}{2} i \int \log(1 + ice^{2ia+2ibx}) dx \\
&= \frac{bx^2}{2} + x \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{2} ix \log(1 + ice^{2ia+2ibx}) - \frac{\text{Subst}\left(\int \log(1 + ice^{2ia+2ibx}) dx\right)}{2b} \\
&= \frac{bx^2}{2} + x \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{2} ix \log(1 + ice^{2ia+2ibx}) + \frac{\text{Li}_2(-ice^{2ia+2ibx})}{4b}
\end{aligned}$$

Mathematica [B] time = 2.61616, size = 872, normalized size = 10.14

$$x \cot^{-1}(c + (-ic - 1) \cot(a + bx)) - \frac{ix \csc(a + bx) \left(2bx \log(2 \cos(bx)(\cos(bx) - i)) - \log\left(\frac{1}{2} \sec(bx)(\cos(a) + i \sin(a))\right) \right)}{(\cot(a + bx) + i)((c - i) \cos(a + bx) + i(c + i) \sin(a + bx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[ArcCot[c - (1 + I*c)*Cot[a + b*x]], x]

[Out] x*ArcCot[c + (-1 - I*c)*Cot[a + b*x]] - (I*x*Csc[a + b*x]*(2*b*x*Log[2*Cos[b*x]*(Cos[b*x] - I*Sin[b*x])] + I*Log[(Sec[b*x]*(Cos[a] - I*Sin[a])*((-I + c)*Cos[a + b*x] + I*(I + c)*Sin[a + b*x])]/(2*c)]*Log[1 - I*Tan[b*x]] - I*Log[(Sec[b*x]*(Cos[a] + I*Sin[a])*((1 + I*c)*Cos[a + b*x] - (I + c)*Sin[a + b*x])]/2]*Log[1 + I*Tan[b*x]] + I*PolyLog[2, -Cos[2*b*x] + I*Sin[2*b*x]] + I*PolyLog[2, (Sec[b*x]*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x])]/(2*c)] - I*PolyLog[2, ((Cos[a] + I*Sin[a])*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(-I + Tan[b*x]))/2])*(Cos[b*x] - I*Sin[b*x])*(Cos[b*x] + I*Sin[b*x]))/((I + Cot[a + b*x])*((-I + c)*Cos[a + b*x] + I*(I + c)*Sin[a + b*x])*((-2*I)*b*x - Log[1 - (Sec[b*x]*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x])]/(2*c)] - (Log[1 - I*Tan[b*x]]*((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x]))/((-I + c)*Cos[a + b*x] + I*(I + c)*Sin[a + b*x]) + (Log[1 + I*Tan[b*x]]*((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x]))/((-I + c)*Cos[a + b*x] + I*(I + c)*Sin[a + b*x]) + (Log[(Sec[b*x]*(Cos[a] + I*Sin[a])*((1 + I*c)*Cos[a + b*x] - (I + c)*Sin[a + b*x])]/2]*Sec[b*x]^2)/(1 + I*Tan[b*x]) - 2*b*x*Tan[b*x] - I*Log[1 - (Sec[b*x]*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x])]/(2*c)]*Tan[b*x] + I*Log[1 - I*Tan[b*x]]*Tan[b*x] - I*Log[1 + I*Tan[b*x]]*Tan[b*x] + (I*Log[1 - ((Cos[a] + I*Sin[a])*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(-I + Tan[b*x]))/2]*Sec[b*x]^2)/(-I + Tan[b*x]) + (I*Log[(Sec[b*x]*(Cos[a] - I*Sin[a])*((-I + c)*Cos[a + b*x] + I*(I + c)*Sin[a + b*x])]/(2*c)]*Sec[b*x]^2)/(I + Tan[b*x]))

Maple [B] time = 0.116, size = 1756, normalized size = 20.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(Pi-arccot(-c+(1+I*c)*cot(b*x+a)),x)

[Out]
$$\begin{aligned} & \text{Pi} \cdot x + \frac{1}{4} \frac{I}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \text{dilog} \left(\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - I}{(-2 \cdot I + 2 \cdot c)} \right) + \frac{1}{4} \frac{I}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \ln \left(-\frac{1}{2} \frac{I}{c} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \cdot \ln \left(\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - c + I}{c} \right) \\ & - \frac{1}{4} \frac{I}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \ln \left(-\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \cdot \ln \left(\frac{1}{2} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \\ & + \frac{1}{4} \frac{I}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \ln \left(-\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \cdot \ln \left(\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - I}{(-2 \cdot I + 2 \cdot c)} \right) \\ & + \frac{1}{4} \frac{I}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \text{dilog} \left(-\frac{1}{2} \frac{I}{c} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - c + I}{c} \right) \cdot c^2 + \frac{1}{8} \frac{I}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \ln \left(\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - c + I}{c} \right) \cdot c^2 \\ & + \frac{1}{4} \frac{I}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \text{dilog} \left(\frac{1}{2} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \cdot c^2 - \frac{1}{4} \frac{I}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \text{dilog} \left(\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - I}{(-2 \cdot I + 2 \cdot c)} \right) \cdot c^2 \\ & - \frac{1}{2} \frac{1}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \text{dilog} \left(\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - I}{(-2 \cdot I + 2 \cdot c)} \right) \cdot c + \frac{1}{2} \frac{1}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \text{dilog} \left(-\frac{1}{2} \frac{I}{c} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - c + I}{c} \right) \cdot c \\ & + \frac{1}{4} \frac{1}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \text{dilog} \left(\frac{1}{2} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \cdot c + \frac{1}{(1+I \cdot c)} \frac{1}{b} \cdot \text{arccot} \left(-\frac{c + (1+I \cdot c) \cdot \cot(b \cdot x + a)}{(2 \cdot I - 2 \cdot c)} \right) \cdot \ln \left(-\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \\ & - \frac{1}{(1+I \cdot c)} \frac{1}{b} \cdot \text{arccot} \left(-\frac{c + (1+I \cdot c) \cdot \cot(b \cdot x + a)}{(2 \cdot I - 2 \cdot c)} \right) \cdot \ln \left(\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - c + I}{c} \right) \\ & - \frac{1}{4} \frac{I}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \text{dilog} \left(-\frac{1}{2} \frac{I}{c} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - c + I}{c} \right) - \frac{1}{8} \frac{I}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \ln \left(\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - c + I}{c} \right) \cdot c^2 \\ & - \frac{1}{4} \frac{I}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \text{dilog} \left(\frac{1}{2} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \cdot c^2 - \frac{1}{4} \frac{I}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \ln \left(-\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \cdot c^2 \\ & - \frac{1}{4} \frac{I}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \ln \left(\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - I}{(-2 \cdot I + 2 \cdot c)} \right) \cdot c^2 + \frac{2 \cdot I}{(1+I \cdot c)} \frac{1}{b} \cdot \text{arccot} \left(-\frac{c + (1+I \cdot c) \cdot \cot(b \cdot x + a)}{(2 \cdot I - 2 \cdot c)} \right) \cdot \ln \left(-\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \cdot c \\ & - \frac{2 \cdot I}{(1+I \cdot c)} \frac{1}{b} \cdot \text{arccot} \left(-\frac{c + (1+I \cdot c) \cdot \cot(b \cdot x + a)}{(2 \cdot I - 2 \cdot c)} \right) \cdot \ln \left(\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - c + I}{c} \right) \cdot c \\ & + \frac{1}{4} \frac{I}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \ln \left(-\frac{1}{2} \frac{I}{c} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - c + I}{c} \right) \cdot \ln \left(-\frac{1}{2} \frac{I}{c} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \cdot c^2 \\ & - \frac{1}{4} \frac{I}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \ln \left(-\frac{1}{2} \frac{I}{c} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \cdot \ln \left(\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - c + I}{c} \right) \cdot c^2 \\ & - \frac{1}{(1+I \cdot c)} \frac{1}{b} \cdot \text{arccot} \left(-\frac{c + (1+I \cdot c) \cdot \cot(b \cdot x + a)}{(2 \cdot I - 2 \cdot c)} \right) \cdot \ln \left(-\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \cdot c^2 \\ & - \frac{1}{(1+I \cdot c)} \frac{1}{b} \cdot \text{arccot} \left(-\frac{c + (1+I \cdot c) \cdot \cot(b \cdot x + a)}{(2 \cdot I - 2 \cdot c)} \right) \cdot \ln \left(\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - c + I}{c} \right) \cdot c^2 \\ & - \frac{1}{2} \frac{1}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \ln \left(-\frac{1}{2} \frac{I}{c} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - c + I}{c} \right) \cdot \ln \left(-\frac{1}{2} \frac{I}{c} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \\ & + \frac{1}{2} \frac{1}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \ln \left(-\frac{1}{2} \frac{I}{c} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - c + I}{c} \right) \cdot \ln \left(-\frac{1}{2} \frac{I}{c} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \cdot c \\ & - \frac{1}{2} \frac{1}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \ln \left(-\frac{1}{2} \frac{I}{c} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \cdot \ln \left(\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - c + I}{c} \right) \cdot c \\ & + \frac{1}{2} \frac{1}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \ln \left(-\frac{1}{2} \frac{I}{c} \frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \cdot \ln \left(-\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \cdot c \\ & - \frac{1}{2} \frac{1}{(1+I \cdot c)} \frac{1}{b} \frac{1}{(I-c)} \cdot \ln \left(-\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) + I}{c} \right) \cdot \ln \left(\frac{c - (1+I \cdot c) \cdot \cot(b \cdot x + a) - I}{(-2 \cdot I + 2 \cdot c)} \right) \cdot c \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(pi-arccot(-c+(1+I*c)*cot(b*x+a)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 2.36614, size = 323, normalized size = 3.76

$$\frac{2b^2x^2 + 4\pi b x + 2i b x \log\left(\frac{(c-i)e^{2i b x + 2i a}}{ce^{2i b x + 2i a} - i}\right) - 2a^2 + (2i b x + 2i a) \log\left(ice^{2i b x + 2i a} + 1\right) - 2i a \log\left(\frac{ce^{2i b x + 2i a} - i}{c}\right) + \text{Li}_2(-ice^{2i b x + 2i a})}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(pi-arccot(-c+(1+I*c)*cot(b*x+a)),x, algorithm="fricas")


```
[Out] 1/4*(2*b^2*x^2 + 4*pi*b*x + 2*I*b*x*log((c - I)*e^(2*I*b*x + 2*I*a)/(c*e^(2
*I*b*x + 2*I*a) - I)) - 2*a^2 + (2*I*b*x + 2*I*a)*log(I*c*e^(2*I*b*x + 2*I*
a) + 1) - 2*I*a*log((c*e^(2*I*b*x + 2*I*a) - I)/c) + dilog(-I*c*e^(2*I*b*x
+ 2*I*a)))/b
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(pi-acot(-c+(1+I*c)*cot(b*x+a)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \pi - \operatorname{arccot}((ic + 1) \cot(bx + a) - c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(pi-arccot(-c+(1+I*c)*cot(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(pi - arccot((I*c + 1)*cot(b*x + a) - c), x)
```

$$3.182 \quad \int \frac{\cot^{-1}(c-(1+ic)\cot(a+bx))}{x} dx$$

Optimal. Leaf size=24

$$\text{CannotIntegrate}\left(\frac{\cot^{-1}(c-(1+ic)\cot(a+bx))}{x}, x\right)$$

[Out] CannotIntegrate[ArcCot[c - (1 + I*c)*Cot[a + b*x]]/x, x]

Rubi [A] time = 0.116512, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(c-(1+ic)\cot(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[c - (1 + I*c)*Cot[a + b*x]]/x,x]

[Out] Defer[Int][ArcCot[c - (1 + I*c)*Cot[a + b*x]]/x, x]

Rubi steps

$$\int \frac{\cot^{-1}(c-(1+ic)\cot(a+bx))}{x} dx = \int \frac{\cot^{-1}(c-(1+ic)\cot(a+bx))}{x} dx$$

Mathematica [A] time = 0.379418, size = 0, normalized size = 0.

$$\int \frac{\cot^{-1}(c-(1+ic)\cot(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCot[c - (1 + I*c)*Cot[a + b*x]]/x,x]

[Out] Integrate[ArcCot[c - (1 + I*c)*Cot[a + b*x]]/x, x]

Maple [A] time = 0.434, size = 0, normalized size = 0.

$$\int \frac{\pi - \operatorname{arccot}(-c + (1 + ic)\cot(bx + a))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((Pi-arccot(-c+(1+I*c)*cot(b*x+a)))/x,x)

[Out] int((Pi-arccot(-c+(1+I*c)*cot(b*x+a)))/x,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((pi-arccot(-c+(1+I*c)*cot(b*x+a)))/x,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{2\pi + i \log\left(\frac{(c-i)e^{2ibx+2ia}}{ce^{2ibx+2ia}-i}\right)}{2x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((pi-arccot(-c+(1+I*c)*cot(b*x+a)))/x,x, algorithm="fricas")

[Out] integral(1/2*(2*pi + I*log((c - I)*e^(2*I*b*x + 2*I*a)/(c*e^(2*I*b*x + 2*I*a) - I)))/x, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((pi-acot(-c+(1+I*c)*cot(b*x+a)))/x,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\pi - \operatorname{arccot}((ic + 1) \cot(bx + a) - c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((pi-arccot(-c+(1+I*c)*cot(b*x+a)))/x,x, algorithm="giac")

[Out] integrate((pi - arccot((I*c + 1)*cot(b*x + a) - c))/x, x)

3.183 $\int (e + fx)^3 \cot^{-1}(\tanh(a + bx)) dx$

Optimal. Leaf size=299

$$-\frac{3if^2(e + fx)\text{PolyLog}(4, -ie^{2a+2bx})}{8b^3} + \frac{3if^2(e + fx)\text{PolyLog}(4, ie^{2a+2bx})}{8b^3} + \frac{3if(e + fx)^2\text{PolyLog}(3, -ie^{2a+2bx})}{8b^2} - \frac{3if(e + fx)\text{PolyLog}(3, ie^{2a+2bx})}{8b^2}$$

```
[Out] ((e + f*x)^4*ArcCot[Tanh[a + b*x]])/(4*f) + ((e + f*x)^4*ArcTan[E^(2*a + 2*
b*x)])/(4*f) - ((I/4)*(e + f*x)^3*PolyLog[2, (-I)*E^(2*a + 2*b*x)])/b + ((I
/4)*(e + f*x)^3*PolyLog[2, I*E^(2*a + 2*b*x)])/b + (((3*I)/8)*f*(e + f*x)^2
*PolyLog[3, (-I)*E^(2*a + 2*b*x)])/b^2 - (((3*I)/8)*f*(e + f*x)^2*PolyLog[3
, I*E^(2*a + 2*b*x)])/b^2 - (((3*I)/8)*f^2*(e + f*x)*PolyLog[4, (-I)*E^(2*a
+ 2*b*x)])/b^3 + (((3*I)/8)*f^2*(e + f*x)*PolyLog[4, I*E^(2*a + 2*b*x)])/b
^3 + (((3*I)/16)*f^3*PolyLog[5, (-I)*E^(2*a + 2*b*x)])/b^4 - (((3*I)/16)*f^
3*PolyLog[5, I*E^(2*a + 2*b*x)])/b^4
```

Rubi [A] time = 0.208437, antiderivative size = 299, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {5184, 4180, 2531, 6609, 2282, 6589}

$$-\frac{3if^2(e + fx)\text{PolyLog}(4, -ie^{2a+2bx})}{8b^3} + \frac{3if^2(e + fx)\text{PolyLog}(4, ie^{2a+2bx})}{8b^3} + \frac{3if(e + fx)^2\text{PolyLog}(3, -ie^{2a+2bx})}{8b^2} - \frac{3if(e + fx)\text{PolyLog}(3, ie^{2a+2bx})}{8b^2}$$

Antiderivative was successfully verified.

```
[In] Int[(e + f*x)^3*ArcCot[Tanh[a + b*x]], x]
```

```
[Out] ((e + f*x)^4*ArcCot[Tanh[a + b*x]])/(4*f) + ((e + f*x)^4*ArcTan[E^(2*a + 2*
b*x)])/(4*f) - ((I/4)*(e + f*x)^3*PolyLog[2, (-I)*E^(2*a + 2*b*x)])/b + ((I
/4)*(e + f*x)^3*PolyLog[2, I*E^(2*a + 2*b*x)])/b + (((3*I)/8)*f*(e + f*x)^2
*PolyLog[3, (-I)*E^(2*a + 2*b*x)])/b^2 - (((3*I)/8)*f*(e + f*x)^2*PolyLog[3
, I*E^(2*a + 2*b*x)])/b^2 - (((3*I)/8)*f^2*(e + f*x)*PolyLog[4, (-I)*E^(2*a
+ 2*b*x)])/b^3 + (((3*I)/8)*f^2*(e + f*x)*PolyLog[4, I*E^(2*a + 2*b*x)])/b
^3 + (((3*I)/16)*f^3*PolyLog[5, (-I)*E^(2*a + 2*b*x)])/b^4 - (((3*I)/16)*f^
3*PolyLog[5, I*E^(2*a + 2*b*x)])/b^4
```

Rule 5184

```
Int[ArcCot[Tanh[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol]
:> Simp[((e + f*x)^(m + 1)*ArcCot[Tanh[a + b*x]])/(f*(m + 1)), x] + Dist[b/
(f*(m + 1)), Int[(e + f*x)^(m + 1)*Sech[2*a + 2*b*x], x], x] /; FreeQ[{a, b
, e, f}, x] && IGtQ[m, 0]
```

Rule 4180

```
Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_
))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(-(I*e) + f*fz*x)/E^(
I*k*Pi)])/((f*fz*I), x] + (-Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1)*Log[1
- E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[(d*m)/(f*fz*I), Int[(c +
d*x)^(m - 1)*Log[1 + E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c,
d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))]^(n_.)*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] :> -Simp[(f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
```

))ⁿ)]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^{(c*(a + b*x)))ⁿ)]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]}

Rule 6609

Int[((e_.) + (f_.)*(x_.))^{(m_.)*PolyLog[n_, (d_.)*((F_)^{((c_.)*((a_.) + (b_.)*(x_.)))^{(p_.)]}], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^{(c*(a + b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^{(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]}}}}

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^{((c_.)*((a_.) + (b_.)*x))}*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^{(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]}

Rubi steps

$$\begin{aligned}
 \int (e + fx)^3 \cot^{-1}(\tanh(a + bx)) dx &= \frac{(e + fx)^4 \cot^{-1}(\tanh(a + bx))}{4f} + \frac{b \int (e + fx)^4 \operatorname{sech}(2a + 2bx) dx}{4f} \\
 &= \frac{(e + fx)^4 \cot^{-1}(\tanh(a + bx))}{4f} + \frac{(e + fx)^4 \tan^{-1}(e^{2a+2bx})}{4f} - \frac{1}{2}i \int (e + fx)^3 \log \dots \\
 &= \frac{(e + fx)^4 \cot^{-1}(\tanh(a + bx))}{4f} + \frac{(e + fx)^4 \tan^{-1}(e^{2a+2bx})}{4f} - \frac{i(e + fx)^3 \operatorname{Li}_2(-ie \dots)}{4b} \\
 &= \frac{(e + fx)^4 \cot^{-1}(\tanh(a + bx))}{4f} + \frac{(e + fx)^4 \tan^{-1}(e^{2a+2bx})}{4f} - \frac{i(e + fx)^3 \operatorname{Li}_2(-ie \dots)}{4b} \\
 &= \frac{(e + fx)^4 \cot^{-1}(\tanh(a + bx))}{4f} + \frac{(e + fx)^4 \tan^{-1}(e^{2a+2bx})}{4f} - \frac{i(e + fx)^3 \operatorname{Li}_2(-ie \dots)}{4b} \\
 &= \frac{(e + fx)^4 \cot^{-1}(\tanh(a + bx))}{4f} + \frac{(e + fx)^4 \tan^{-1}(e^{2a+2bx})}{4f} - \frac{i(e + fx)^3 \operatorname{Li}_2(-ie \dots)}{4b} \\
 &= \frac{(e + fx)^4 \cot^{-1}(\tanh(a + bx))}{4f} + \frac{(e + fx)^4 \tan^{-1}(e^{2a+2bx})}{4f} - \frac{i(e + fx)^3 \operatorname{Li}_2(-ie \dots)}{4b}
 \end{aligned}$$

Mathematica [B] time = 0.332775, size = 600, normalized size = 2.01

$$\frac{1}{4}x(6e^2fx + 4e^3 + 4ef^2x^2 + f^3x^3) \cot^{-1}(\tanh(a + bx)) + \frac{i(6b^2e^2f \operatorname{PolyLog}(3, -ie^{2(a+bx)}) - 6b^2e^2f \operatorname{PolyLog}(3, ie^{2(a+bx)}))}{4b}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)³*ArcCot[Tanh[a + b*x]],x]

```
[Out] (x*(4*e^3 + 6*e^2*f*x + 4*e*f^2*x^2 + f^3*x^3)*ArcCot[Tanh[a + b*x]])/4 + (
(I/16)*(8*b^4*e^3*x*Log[1 - I*E^(2*(a + b*x))] + 12*b^4*e^2*f*x^2*Log[1 - I
*e^(2*(a + b*x))] + 8*b^4*e*f^2*x^3*Log[1 - I*E^(2*(a + b*x))] + 2*b^4*f^3*
x^4*Log[1 - I*E^(2*(a + b*x))] - 8*b^4*e^3*x*Log[1 + I*E^(2*(a + b*x))] - 1
2*b^4*e^2*f*x^2*Log[1 + I*E^(2*(a + b*x))] - 8*b^4*e*f^2*x^3*Log[1 + I*E^(2
*(a + b*x))] - 2*b^4*f^3*x^4*Log[1 + I*E^(2*(a + b*x))] - 4*b^3*(e + f*x)^3
*PolyLog[2, (-I)*E^(2*(a + b*x))] + 4*b^3*(e + f*x)^3*PolyLog[2, I*E^(2*(a
+ b*x))] + 6*b^2*e^2*f*PolyLog[3, (-I)*E^(2*(a + b*x))] + 12*b^2*e*f^2*x*Po
lyLog[3, (-I)*E^(2*(a + b*x))] + 6*b^2*f^3*x^2*PolyLog[3, (-I)*E^(2*(a + b*
x))] - 6*b^2*e^2*f*PolyLog[3, I*E^(2*(a + b*x))] - 12*b^2*e*f^2*x*PolyLog[3
, I*E^(2*(a + b*x))] - 6*b^2*f^3*x^2*PolyLog[3, I*E^(2*(a + b*x))] - 6*b*e*
f^2*PolyLog[4, (-I)*E^(2*(a + b*x))] - 6*b*f^3*x*PolyLog[4, (-I)*E^(2*(a +
b*x))] + 6*b*e*f^2*PolyLog[4, I*E^(2*(a + b*x))] + 6*b*f^3*x*PolyLog[4, I*E
^(2*(a + b*x))] + 3*f^3*PolyLog[5, (-I)*E^(2*(a + b*x))] - 3*f^3*PolyLog[5,
I*E^(2*(a + b*x))])/b^4
```

Maple [C] time = 4.991, size = 7275, normalized size = 24.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^3*arccot(tanh(b*x+a)),x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{4} (f^3 x^4 + 4 e f^2 x^3 + 6 e^2 f x^2 + 4 e^3 x) \arctan(e^{2bx+2a} + 1, e^{2bx+2a} - 1) + \int \frac{(bf^3 x^4 e^{2a} + 4 b e f^2 x^3 e^{2a} + 6 b e^2 f x^2 e^{2a})}{2(e^{4bx+4a} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*arccot(tanh(b*x+a)),x, algorithm="maxima")
```

```
[Out] 1/4*(f^3*x^4 + 4*e*f^2*x^3 + 6*e^2*f*x^2 + 4*e^3*x)*arctan2(e^(2*b*x + 2*a)
+ 1, e^(2*b*x + 2*a) - 1) + integrate(1/2*(b*f^3*x^4*e^(2*a) + 4*b*e*f^2*x
^3*e^(2*a) + 6*b*e^2*f*x^2*e^(2*a) + 4*b*e^3*x*e^(2*a))*e^(2*b*x)/(e^(4*b*x
+ 4*a) + 1), x)
```

Fricas [C] time = 3.88441, size = 4072, normalized size = 13.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*arccot(tanh(b*x+a)),x, algorithm="fricas")
```

```
[Out] 1/8*(-24*I*f^3*polylog(5, 1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) -
24*I*f^3*polylog(5, -1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 24*I*
f^3*polylog(5, 1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 24*I*f^3*p
```

```

olylog(5, -1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 2*(b^4*f^3*x^4
+ 4*b^4*e*f^2*x^3 + 6*b^4*e^2*f*x^2 + 4*b^4*e^3*x)*arctan(cosh(b*x + a)/si
nh(b*x + a)) + (4*I*b^3*f^3*x^3 + 12*I*b^3*e*f^2*x^2 + 12*I*b^3*e^2*f*x + 4
*I*b^3*e^3)*dilog(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (4*I*b^3
*f^3*x^3 + 12*I*b^3*e*f^2*x^2 + 12*I*b^3*e^2*f*x + 4*I*b^3*e^3)*dilog(-1/2*
sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (-4*I*b^3*f^3*x^3 - 12*I*b^3*e
*f^2*x^2 - 12*I*b^3*e^2*f*x - 4*I*b^3*e^3)*dilog(1/2*sqrt(-4*I)*(cosh(b*x +
a) + sinh(b*x + a))) + (-4*I*b^3*f^3*x^3 - 12*I*b^3*e*f^2*x^2 - 12*I*b^3*e
^2*f*x - 4*I*b^3*e^3)*dilog(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))
) + (I*b^4*f^3*x^4 + 4*I*b^4*e*f^2*x^3 + 6*I*b^4*e^2*f*x^2 + 4*I*b^4*e^3*x
+ 4*I*a*b^3*e^3 - 6*I*a^2*b^2*e^2*f + 4*I*a^3*b*e*f^2 - I*a^4*f^3)*log(1/2*
sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b^4*f^3*x^4 + 4*I*b^4*e
*f^2*x^3 + 6*I*b^4*e^2*f*x^2 + 4*I*b^4*e^3*x + 4*I*a*b^3*e^3 - 6*I*a^2*b^2*
e^2*f + 4*I*a^3*b*e*f^2 - I*a^4*f^3)*log(-1/2*sqrt(4*I)*(cosh(b*x + a) + si
nh(b*x + a)) + 1) + (-I*b^4*f^3*x^4 - 4*I*b^4*e*f^2*x^3 - 6*I*b^4*e^2*f*x^2
- 4*I*b^4*e^3*x - 4*I*a*b^3*e^3 + 6*I*a^2*b^2*e^2*f - 4*I*a^3*b*e*f^2 + I*
a^4*f^3)*log(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b^4*
f^3*x^4 - 4*I*b^4*e*f^2*x^3 - 6*I*b^4*e^2*f*x^2 - 4*I*b^4*e^3*x - 4*I*a*b^3
*e^3 + 6*I*a^2*b^2*e^2*f - 4*I*a^3*b*e*f^2 + I*a^4*f^3)*log(-1/2*sqrt(-4*I)
*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-4*I*a*b^3*e^3 + 6*I*a^2*b^2*e^2*f
- 4*I*a^3*b*e*f^2 + I*a^4*f^3)*log(I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(
b*x + a)) + (-4*I*a*b^3*e^3 + 6*I*a^2*b^2*e^2*f - 4*I*a^3*b*e*f^2 + I*a^4*f
^3)*log(-I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + (4*I*a*b^3*e^3
- 6*I*a^2*b^2*e^2*f + 4*I*a^3*b*e*f^2 - I*a^4*f^3)*log(I*sqrt(-4*I) + 2*cos
h(b*x + a) + 2*sinh(b*x + a)) + (4*I*a*b^3*e^3 - 6*I*a^2*b^2*e^2*f + 4*I*a^
3*b*e*f^2 - I*a^4*f^3)*log(-I*sqrt(-4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a
)) + (24*I*b*f^3*x + 24*I*b*e*f^2)*polylog(4, 1/2*sqrt(4*I)*(cosh(b*x + a)
+ sinh(b*x + a))) + (24*I*b*f^3*x + 24*I*b*e*f^2)*polylog(4, -1/2*sqrt(4*I)
*(cosh(b*x + a) + sinh(b*x + a))) + (-24*I*b*f^3*x - 24*I*b*e*f^2)*polylog(
4, 1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (-24*I*b*f^3*x - 24*I*
b*e*f^2)*polylog(4, -1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (-12
*I*b^2*f^3*x^2 - 24*I*b^2*e*f^2*x - 12*I*b^2*e^2*f)*polylog(3, 1/2*sqrt(4*I)
*(cosh(b*x + a) + sinh(b*x + a))) + (-12*I*b^2*f^3*x^2 - 24*I*b^2*e*f^2*x
- 12*I*b^2*e^2*f)*polylog(3, -1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))
) + (12*I*b^2*f^3*x^2 + 24*I*b^2*e*f^2*x + 12*I*b^2*e^2*f)*polylog(3, 1/2*s
qrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (12*I*b^2*f^3*x^2 + 24*I*b^2*e
*f^2*x + 12*I*b^2*e^2*f)*polylog(3, -1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(
b*x + a))))/b^4

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (e + fx)^3 \operatorname{acot}(\tanh(a + bx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*acot(tanh(b*x+a)), x)

[Out] Integral((e + f*x)**3*acot(tanh(a + b*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (fx + e)^3 \operatorname{arccot}(\tanh(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*arccot(tanh(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^3*arccot(tanh(b*x + a)), x)
```


3.184 $\int (e + fx)^2 \cot^{-1}(\tanh(a + bx)) dx$

Optimal. Leaf size=229

$$\frac{if(e + fx)\text{PolyLog}(3, -ie^{2a+2bx})}{4b^2} - \frac{if(e + fx)\text{PolyLog}(3, ie^{2a+2bx})}{4b^2} - \frac{if^2\text{PolyLog}(4, -ie^{2a+2bx})}{8b^3} + \frac{if^2\text{PolyLog}(4, ie^{2a+2bx})}{8b^3}$$

[Out] $((e + fx)^3 \text{ArcCot}[\text{Tanh}[a + bx]])/(3f) + ((e + fx)^3 \text{ArcTan}[E^{(2a + 2bx)}])/ (3f) - ((I/4)(e + fx)^2 \text{PolyLog}[2, (-I)E^{(2a + 2bx)}])/b + ((I/4)(e + fx)^2 \text{PolyLog}[2, I E^{(2a + 2bx)}])/b + ((I/4)f(e + fx) \text{PolyLog}[3, (-I)E^{(2a + 2bx)}])/b^2 - ((I/4)f(e + fx) \text{PolyLog}[3, I E^{(2a + 2bx)}])/b^2 - ((I/8)f^2 \text{PolyLog}[4, (-I)E^{(2a + 2bx)}])/b^3 + ((I/8)f^2 \text{PolyLog}[4, I E^{(2a + 2bx)}])/b^3$

Rubi [A] time = 0.153882, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {5184, 4180, 2531, 6609, 2282, 6589}

$$\frac{if(e + fx)\text{PolyLog}(3, -ie^{2a+2bx})}{4b^2} - \frac{if(e + fx)\text{PolyLog}(3, ie^{2a+2bx})}{4b^2} - \frac{if^2\text{PolyLog}(4, -ie^{2a+2bx})}{8b^3} + \frac{if^2\text{PolyLog}(4, ie^{2a+2bx})}{8b^3}$$

Antiderivative was successfully verified.

[In] Int[(e + fx)^2 ArcCot[Tanh[a + bx]], x]

[Out] $((e + fx)^3 \text{ArcCot}[\text{Tanh}[a + bx]])/(3f) + ((e + fx)^3 \text{ArcTan}[E^{(2a + 2bx)}])/ (3f) - ((I/4)(e + fx)^2 \text{PolyLog}[2, (-I)E^{(2a + 2bx)}])/b + ((I/4)(e + fx)^2 \text{PolyLog}[2, I E^{(2a + 2bx)}])/b + ((I/4)f(e + fx) \text{PolyLog}[3, (-I)E^{(2a + 2bx)}])/b^2 - ((I/4)f(e + fx) \text{PolyLog}[3, I E^{(2a + 2bx)}])/b^2 - ((I/8)f^2 \text{PolyLog}[4, (-I)E^{(2a + 2bx)}])/b^3 + ((I/8)f^2 \text{PolyLog}[4, I E^{(2a + 2bx)}])/b^3$

Rule 5184

Int[ArcCot[Tanh[(a_.) + (b_.)(x_)]]*((e_.) + (f_.)(x_))^(m_.), x_Symbol] :> Simp[((e + fx)^(m + 1) ArcCot[Tanh[a + bx]])/(f(m + 1)), x] + Dist[b/(f(m + 1)), Int[(e + fx)^(m + 1) Sech[2a + 2bx], x], x] /; FreeQ[{a, b, e, f}, x] && IGtQ[m, 0]

Rule 4180

Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)(x_)]*((c_.) + (d_.)(x_))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m ArcTanh[E^(-(I*e) + f*fz*x)/E^(I*k*Pi)])/(f*fz*I), x] + (-Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1) Log[1 - E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1) Log[1 + E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)(x_)))^(n_.)]*((f_.) + (g_.)(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m PolyLog[2, -(e*(F^(c*(a + bx))))^n])/ (b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1) PolyLog[2, -(e*(F^(c*(a + bx))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int (e + fx)^2 \cot^{-1}(\tanh(a + bx)) dx &= \frac{(e + fx)^3 \cot^{-1}(\tanh(a + bx))}{3f} + \frac{b \int (e + fx)^3 \operatorname{sech}(2a + 2bx) dx}{3f} \\ &= \frac{(e + fx)^3 \cot^{-1}(\tanh(a + bx))}{3f} + \frac{(e + fx)^3 \tan^{-1}(e^{2a+2bx})}{3f} - \frac{1}{2}i \int (e + fx)^2 \log(1 - ie^{2a+2bx}) dx \\ &= \frac{(e + fx)^3 \cot^{-1}(\tanh(a + bx))}{3f} + \frac{(e + fx)^3 \tan^{-1}(e^{2a+2bx})}{3f} - \frac{i(e + fx)^2 \operatorname{Li}_2(-ie^{2a+2bx})}{4b} \\ &= \frac{(e + fx)^3 \cot^{-1}(\tanh(a + bx))}{3f} + \frac{(e + fx)^3 \tan^{-1}(e^{2a+2bx})}{3f} - \frac{i(e + fx)^2 \operatorname{Li}_2(-ie^{2a+2bx})}{4b} \\ &= \frac{(e + fx)^3 \cot^{-1}(\tanh(a + bx))}{3f} + \frac{(e + fx)^3 \tan^{-1}(e^{2a+2bx})}{3f} - \frac{i(e + fx)^2 \operatorname{Li}_2(-ie^{2a+2bx})}{4b} \\ &= \frac{(e + fx)^3 \cot^{-1}(\tanh(a + bx))}{3f} + \frac{(e + fx)^3 \tan^{-1}(e^{2a+2bx})}{3f} - \frac{i(e + fx)^2 \operatorname{Li}_2(-ie^{2a+2bx})}{4b} \end{aligned}$$

Mathematica [A] time = 0.189336, size = 375, normalized size = 1.64

$$\frac{1}{3}x(3e^2 + 3efx + f^2x^2) \cot^{-1}(\tanh(a + bx)) + \frac{i(-6b^2(e + fx)^2 \operatorname{PolyLog}(2, -ie^{2(a+bx)}) + 6b^2(e + fx)^2 \operatorname{PolyLog}(2, ie^{2(a+bx)}))}{3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(e + f*x)^2*ArcCot[Tanh[a + b*x]], x]
```

```
[Out] (x*(3*e^2 + 3*e*f*x + f^2*x^2)*ArcCot[Tanh[a + b*x]])/3 + ((I/24)*(12*b^3*e
^2*x*Log[1 - I*E^(2*(a + b*x))] + 12*b^3*e*f*x^2*Log[1 - I*E^(2*(a + b*x))]
+ 4*b^3*f^2*x^3*Log[1 - I*E^(2*(a + b*x))] - 12*b^3*e^2*x*Log[1 + I*E^(2*(
a + b*x))] - 12*b^3*e*f*x^2*Log[1 + I*E^(2*(a + b*x))] - 4*b^3*f^2*x^3*Log[
1 + I*E^(2*(a + b*x))] - 6*b^2*(e + f*x)^2*PolyLog[2, (-I)*E^(2*(a + b*x))]
+ 6*b^2*(e + f*x)^2*PolyLog[2, I*E^(2*(a + b*x))] + 6*b*e*f*PolyLog[3, (-I
)*E^(2*(a + b*x))] + 6*b*f^2*x*PolyLog[3, (-I)*E^(2*(a + b*x))] - 6*b*e*f*P
olyLog[3, I*E^(2*(a + b*x))] - 6*b*f^2*x*PolyLog[3, I*E^(2*(a + b*x))] - 3*
```

$f^2 \text{PolyLog}[4, (-1) \cdot E^{(2(a + b \cdot x))}] + 3 \cdot f^2 \text{PolyLog}[4, 1 \cdot E^{(2(a + b \cdot x))}]$
 $) / b^3$

Maple [C] time = 10.434, size = 5425, normalized size = 23.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^2*arccot(tanh(b*x+a)),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{3} (f^2 x^3 + 3 e f x^2 + 3 e^2 x) \arctan(e^{2bx+2a} + 1, e^{2bx+2a} - 1) + \int \frac{2 (b f^2 x^3 e^{2a} + 3 b e f x^2 e^{2a} + 3 b e^2 x e^{2a}) e^{2bx}}{3 (e^{4bx+4a} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*arccot(tanh(b*x+a)),x, algorithm="maxima")`

[Out] `1/3*(f^2*x^3 + 3*e*f*x^2 + 3*e^2*x)*arctan2(e^(2*b*x + 2*a) + 1, e^(2*b*x + 2*a) - 1) + integrate(2/3*(b*f^2*x^3*e^(2*a) + 3*b*e*f*x^2*e^(2*a) + 3*b*e^2*x*e^(2*a))*e^(2*b*x)/(e^(4*b*x + 4*a) + 1), x)`

Fricas [C] time = 3.56103, size = 2901, normalized size = 12.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*arccot(tanh(b*x+a)),x, algorithm="fricas")`

[Out] `1/6*(6*I*f^2*polylog(4, 1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 6*I*f^2*polylog(4, -1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 6*I*f^2*polylog(4, 1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 6*I*f^2*polylog(4, -1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 2*(b^3*f^2*x^3 + 3*b^3*e*f*x^2 + 3*b^3*e^2*x)*arctan(cosh(b*x + a)/sinh(b*x + a)) + (3*I*b^2*f^2*x^2 + 6*I*b^2*e*f*x + 3*I*b^2*e^2)*dilog(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (3*I*b^2*f^2*x^2 + 6*I*b^2*e*f*x + 3*I*b^2*e^2)*dilog(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (-3*I*b^2*f^2*x^2 - 6*I*b^2*e*f*x - 3*I*b^2*e^2)*dilog(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (-3*I*b^2*f^2*x^2 - 6*I*b^2*e*f*x - 3*I*b^2*e^2)*dilog(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (I*b^3*f^2*x^3 + 3*I*b^3*e*f*x^2 + 3*I*b^3*e^2*x + 3*I*a*b^2*e^2 - 3*I*a^2*b*e*f + I*a^3*f^2)*log(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b^3*f^2*x^3 + 3*I*b^3*e*f*x^2 + 3*I*b^3*e^2*x + 3*I*a*b^2*e^2 - 3*I*a^2*b*e*f + I*a^3*f^2)*log(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b^3*f^2*x^3 - 3*I*b^3*e*f*x^2 - 3*I*b^3*e^2*x - 3*I*a*b^2*e^2 + 3*I*a^2*b*e*f - I*a^3*f^2)*log(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b^3*f^2*x^3 - 3*I*b^3*e*f*x^2 -`

$$3Ib^3e^{2x} - 3Iab^2e^2 + 3Ia^2b*ef - Ia^3f^2) \log(-1/2\sqrt{-4I}(\cosh(bx+a) + \sinh(bx+a)) + 1) + (-3Iab^2e^2 + 3Ia^2b*ef - Ia^3f^2) \log(I\sqrt{4I} + 2\cosh(bx+a) + 2\sinh(bx+a)) + (-3Iab^2e^2 + 3Ia^2b*ef - Ia^3f^2) \log(-I\sqrt{4I} + 2\cosh(bx+a) + 2\sinh(bx+a)) + (3Iab^2e^2 - 3Ia^2b*ef + Ia^3f^2) \log(I\sqrt{-4I} + 2\cosh(bx+a) + 2\sinh(bx+a)) + (3Iab^2e^2 - 3Ia^2b*ef + Ia^3f^2) \log(-I\sqrt{-4I} + 2\cosh(bx+a) + 2\sinh(bx+a)) + (-6Ib*f^2x - 6Ib*ef) \operatorname{polylog}(3, 1/2\sqrt{4I}(\cosh(bx+a) + \sinh(bx+a))) + (-6Ib*f^2x - 6Ib*ef) \operatorname{polylog}(3, -1/2\sqrt{4I}(\cosh(bx+a) + \sinh(bx+a))) + (6Ib*f^2x + 6Ib*ef) \operatorname{polylog}(3, 1/2\sqrt{-4I}(\cosh(bx+a) + \sinh(bx+a))) + (6Ib*f^2x + 6Ib*ef) \operatorname{polylog}(3, -1/2\sqrt{-4I}(\cosh(bx+a) + \sinh(bx+a))))/b^3$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (e + fx)^2 \operatorname{acot}(\tanh(a + bx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*acot(tanh(b*x+a)),x)

[Out] Integral((e + f*x)**2*acot(tanh(a + b*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (fx + e)^2 \operatorname{arccot}(\tanh(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*arccot(tanh(b*x+a)),x, algorithm="giac")

[Out] integrate((f*x + e)^2*arccot(tanh(b*x + a)), x)

3.185 $\int (e + fx) \cot^{-1}(\tanh(a + bx)) dx$

Optimal. Leaf size=159

$$\frac{i f \operatorname{PolyLog}\left(3, -i e^{2a+2bx}\right)}{8 b^2} - \frac{i f \operatorname{PolyLog}\left(3, i e^{2a+2bx}\right)}{8 b^2} - \frac{i(e+f x) \operatorname{PolyLog}\left(2, -i e^{2a+2bx}\right)}{4 b} + \frac{i(e+f x) \operatorname{PolyLog}\left(2, i e^{2a+2bx}\right)}{4 b}$$

[Out] $((e + f*x)^2 * \operatorname{ArcCot}[\operatorname{Tanh}[a + b*x]]) / (2*f) + ((e + f*x)^2 * \operatorname{ArcTan}[E^{(2*a + 2*b*x)}]) / (2*f) - ((I/4)*(e + f*x)*\operatorname{PolyLog}[2, (-I)*E^{(2*a + 2*b*x)}]) / b + ((I/4)*(e + f*x)*\operatorname{PolyLog}[2, I*E^{(2*a + 2*b*x)}]) / b + ((I/8)*f*\operatorname{PolyLog}[3, (-I)*E^{(2*a + 2*b*x)}]) / b^2 - ((I/8)*f*\operatorname{PolyLog}[3, I*E^{(2*a + 2*b*x)}]) / b^2$

Rubi [A] time = 0.101938, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {5184, 4180, 2531, 2282, 6589}

$$\frac{i f \operatorname{PolyLog}\left(3, -i e^{2a+2bx}\right)}{8 b^2} - \frac{i f \operatorname{PolyLog}\left(3, i e^{2a+2bx}\right)}{8 b^2} - \frac{i(e+f x) \operatorname{PolyLog}\left(2, -i e^{2a+2bx}\right)}{4 b} + \frac{i(e+f x) \operatorname{PolyLog}\left(2, i e^{2a+2bx}\right)}{4 b}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e + f*x)*\operatorname{ArcCot}[\operatorname{Tanh}[a + b*x]], x]$

[Out] $((e + f*x)^2 * \operatorname{ArcCot}[\operatorname{Tanh}[a + b*x]]) / (2*f) + ((e + f*x)^2 * \operatorname{ArcTan}[E^{(2*a + 2*b*x)}]) / (2*f) - ((I/4)*(e + f*x)*\operatorname{PolyLog}[2, (-I)*E^{(2*a + 2*b*x)}]) / b + ((I/4)*(e + f*x)*\operatorname{PolyLog}[2, I*E^{(2*a + 2*b*x)}]) / b + ((I/8)*f*\operatorname{PolyLog}[3, (-I)*E^{(2*a + 2*b*x)}]) / b^2 - ((I/8)*f*\operatorname{PolyLog}[3, I*E^{(2*a + 2*b*x)}]) / b^2$

Rule 5184

$\operatorname{Int}[\operatorname{ArcCot}[\operatorname{Tanh}[(a_.) + (b_.)*(x_.)]]*((e_.) + (f_.)*(x_.))^m, x_Symbol]$
 $\rightarrow \operatorname{Simp}[(e + f*x)^{m+1} * \operatorname{ArcCot}[\operatorname{Tanh}[a + b*x]] / (f*(m+1)), x] + \operatorname{Dist}[b / (f*(m+1)), \operatorname{Int}[(e + f*x)^{m+1} * \operatorname{Sech}[2*a + 2*b*x], x], x] /;$ FreeQ[{a, b, e, f}, x] && IGtQ[m, 0]

Rule 4180

$\operatorname{Int}[\operatorname{csc}[(e_.) + \operatorname{Pi}*(k_.) + (\operatorname{Complex}[0, fz_])*(f_.)*(x_.)]]*((c_.) + (d_.)*(x_.))^m, x_Symbol]$
 $\rightarrow \operatorname{Simp}[(-2*(c + d*x)^m * \operatorname{ArcTanh}[E^{-(I*e) + f*fz*x}]/E^{(I*k*Pi)}) / (f*fz*I), x] + (-\operatorname{Dist}[(d*m)/(f*fz*I), \operatorname{Int}[(c + d*x)^{m-1} * \operatorname{Log}[1 - E^{-(I*e) + f*fz*x}]/E^{(I*k*Pi)}], x], x] + \operatorname{Dist}[(d*m)/(f*fz*I), \operatorname{Int}[(c + d*x)^{m-1} * \operatorname{Log}[1 + E^{-(I*e) + f*fz*x}]/E^{(I*k*Pi)}], x], x] /;$ FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 2531

$\operatorname{Int}[\operatorname{Log}[1 + (e_.)*((F_.)^((c_.)*((a_.) + (b_.)*(x_.))))^n]*((f_.) + (g_.)*(x_.))^m, x_Symbol]$
 $\rightarrow -\operatorname{Simp}[(f + g*x)^m * \operatorname{PolyLog}[2, -(e*(F^{(c*(a + b*x))))^n]] / (b*c*n * \operatorname{Log}[F]), x] + \operatorname{Dist}[(g*m)/(b*c*n * \operatorname{Log}[F]), \operatorname{Int}[(f + g*x)^{m-1} * \operatorname{PolyLog}[2, -(e*(F^{(c*(a + b*x))))^n]], x], x] /;$ FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

$\operatorname{Int}[u, x_Symbol] \rightarrow \operatorname{With}[\{v = \operatorname{FunctionOfExponential}[u, x]\}, \operatorname{Dist}[v/D[v, x], \operatorname{Subst}[\operatorname{Int}[\operatorname{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /;$ Functi

```

onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

```

Rule 6589

```

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]

```

Rubi steps

$$\begin{aligned}
\int (e + fx) \cot^{-1}(\tanh(a + bx)) dx &= \frac{(e + fx)^2 \cot^{-1}(\tanh(a + bx))}{2f} + \frac{b \int (e + fx)^2 \operatorname{sech}(2a + 2bx) dx}{2f} \\
&= \frac{(e + fx)^2 \cot^{-1}(\tanh(a + bx))}{2f} + \frac{(e + fx)^2 \tan^{-1}(e^{2a+2bx})}{2f} - \frac{1}{2} i \int (e + fx) \log(1 - \\
&= \frac{(e + fx)^2 \cot^{-1}(\tanh(a + bx))}{2f} + \frac{(e + fx)^2 \tan^{-1}(e^{2a+2bx})}{2f} - \frac{i(e + fx) \operatorname{Li}_2(-ie^{2a+2bx})}{4b} \\
&= \frac{(e + fx)^2 \cot^{-1}(\tanh(a + bx))}{2f} + \frac{(e + fx)^2 \tan^{-1}(e^{2a+2bx})}{2f} - \frac{i(e + fx) \operatorname{Li}_2(-ie^{2a+2bx})}{4b} \\
&= \frac{(e + fx)^2 \cot^{-1}(\tanh(a + bx))}{2f} + \frac{(e + fx)^2 \tan^{-1}(e^{2a+2bx})}{2f} - \frac{i(e + fx) \operatorname{Li}_2(-ie^{2a+2bx})}{4b}
\end{aligned}$$

Mathematica [A] time = 0.222783, size = 278, normalized size = 1.75

$$\frac{if(-2bx \operatorname{PolyLog}(2, -ie^{2(a+bx)}) + 2bx \operatorname{PolyLog}(2, ie^{2(a+bx)}) + \operatorname{PolyLog}(3, -ie^{2(a+bx)}) - \operatorname{PolyLog}(3, ie^{2(a+bx)}) + 2b^2 x^2 \log(1 - ie^{2(a+bx)}))}{8b^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(e + f*x)*ArcCot[Tanh[a + b*x]], x]
```

```

[Out] e*x*ArcCot[Tanh[a + b*x]] + (f*x^2*ArcCot[Tanh[a + b*x]])/2 + (e*(-(((4*I)
*a + Pi - (4*I)*b*x)*(Log[1 - I*E^(2*(a + b*x))] - Log[1 + I*E^(2*(a + b*x)
]))) + (((-4*I)*a + Pi)*Log[Cot[((4*I)*a + Pi + (4*I)*b*x)/4]] - (2*I)*(Poly
Log[2, (-I)*E^(2*(a + b*x))] - PolyLog[2, I*E^(2*(a + b*x))])))/(8*b) + ((I
/8)*f*(2*b^2*x^2*Log[1 - I*E^(2*(a + b*x))] - 2*b^2*x^2*Log[1 + I*E^(2*(a
+ b*x))] - 2*b*x*PolyLog[2, (-I)*E^(2*(a + b*x))] + 2*b*x*PolyLog[2, I*E^(2*
(a + b*x))] + PolyLog[3, (-I)*E^(2*(a + b*x))] - PolyLog[3, I*E^(2*(a + b*x
))]))/b^2

```

Maple [C] time = 8.715, size = 2688, normalized size = 16.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)*arccot(tanh(b*x+a)), x)
```

```

[Out] 1/2*I/b*e*dilog(((I)^(1/2)-exp(b*x+a))/(I)^(1/2))+1/2*I/b*e*dilog(((I)^(
1/2)+exp(b*x+a))/(I)^(1/2))-1/2*I*e/b*dilog(1+exp(b*x+a)*(-I)^(3/4))-1/2*I

```

$$\begin{aligned}
& *e/b*\operatorname{dilog}(1-\exp(b*x+a)*(-1)^{(3/4)})+1/8*\pi*x^2*f*\operatorname{csgn}((1-I)*(\exp(2*b*x+2*a) \\
& -I)/(\exp(2*b*x+2*a)+1))^2+1/4*\pi*x*e*\operatorname{csgn}((1-I)*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))^2-1/4*\pi*x*e*\operatorname{csgn}((1+I)*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))^3+1/8*\pi*x^2*f*\operatorname{csgn}(I*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))^3-1/8*\pi*x^2*f \\
& *\operatorname{csgn}(I*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}((1+I)*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))+1/4*\pi*x*e*\operatorname{csgn}(I*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}((1-I)*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))-1/4*\pi*x*e*\operatorname{csgn}(I*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}((1+I)*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))+1/4*I*\ln(\exp(2*b*x+2*a)-I)*f*x^2-1/8*\pi*x^2*f*\operatorname{csgn}(I*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))^3-1/8*\pi*x^2*f*\operatorname{csgn}((1-I)*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))^3-1/8*\pi*x^2*f*\operatorname{csgn}((1+I)*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))^3+1/4*\pi*x*e*\operatorname{csgn}(I*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))^3-1/4*I*f/b^2*a^2*\ln(-\exp(2*b*x+2*a)+I)+1/2*I*e/b*a*\ln(-\exp(2*b*x+2*a)+I)-1/2*I/b*a*e*\ln(\exp(2*b*x+2*a)+I)-1/4*I*f*\ln(1+I*\exp(2*b*x+2*a))*x^2-1/2*I*e*\ln(1+\exp(b*x+a)*(-1)^{(3/4)})*x-1/2*I*e*\ln(1-\exp(b*x+a)*(-1)^{(3/4)})*x+1/4*\pi*x*e*\operatorname{csgn}(I*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}((1+I)*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))^2+1/8*\pi*x^2*f*\operatorname{csgn}(I*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}((1+I)*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))^2+1/4*I/b^2*f*a^2*\ln(\exp(2*b*x+2*a)+I)+1/4*\pi*x*e*\operatorname{csgn}(I/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}(I*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))^2-1/4*\pi*x*e*\operatorname{csgn}(I*(\exp(2*b*x+2*a)-I))*\operatorname{csgn}(I*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))^2+1/4*\pi*x*e*\operatorname{csgn}(I*(\exp(2*b*x+2*a)+I))*\operatorname{csgn}(I*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))^2+1/4*I*f*\ln(1-I*\exp(2*b*x+2*a))*x^2+1/2*I*\ln(((1-I)^{(1/2)}+\exp(b*x+a))/(-1)^{(1/2)})*x*e+1/2*I*\ln(((1-I)^{(1/2)}-\exp(b*x+a))/(-1)^{(1/2)})*x*e+1/8*I*f*\operatorname{polylog}(3,-I*\exp(2*b*x+2*a))/b^2-1/8*\pi*x^2*f*\operatorname{csgn}(I/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}(I*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))^2-1/2*I*(1/2*f*x^2+e*x)*\ln(\exp(2*b*x+2*a)+I)+1/8*\pi*x^2*f*\operatorname{csgn}(I*(\exp(2*b*x+2*a)+I))*\operatorname{csgn}(I*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))^2-1/8*\pi*x^2*f*\operatorname{csgn}(I*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}((1-I)*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))^2-1/4*\pi*x*e*\operatorname{csgn}(I/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}(I*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))^2+1/8*\pi*f*x^2+1/4*\pi*e*x+1/2*I*\ln(\exp(2*b*x+2*a)-I)*e*x-1/4*I*f/b^2*\ln(1+I*\exp(2*b*x+2*a))*a^2-1/4*I*f/b*\operatorname{polylog}(2,-I*\exp(2*b*x+2*a))*x-1/4*I*f/b^2*\operatorname{polylog}(2,-I*\exp(2*b*x+2*a))*a+1/2*I/b*\ln(((1-I)^{(1/2)}+\exp(b*x+a))/(-1)^{(1/2)})*a*e+1/2*I/b*\ln(((1-I)^{(1/2)}-\exp(b*x+a))/(-1)^{(1/2)})*a*e-1/2*I/b^2*f*a^2*\ln(((1-I)^{(1/2)}+\exp(b*x+a))/(-1)^{(1/2)}))+1/4*I/b*f*\operatorname{polylog}(2,I*\exp(2*b*x+2*a))*x+1/4*I/b^2*f*\operatorname{polylog}(2,I*\exp(2*b*x+2*a))*a+1/4*I/b^2*f*\ln(1-I*\exp(2*b*x+2*a))*a^2-1/2*I/b^2*f*a^2*\ln(((1-I)^{(1/2)}-\exp(b*x+a))/(-1)^{(1/2)}))+1/8*\pi*x^2*f*\operatorname{csgn}((1+I)*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))^2+1/4*\pi*x*e*\operatorname{csgn}((1+I)*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))^2-1/4*\pi*x*e*\operatorname{csgn}(I*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}((1-I)*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))^2+1/8*\pi*x^2*f*\operatorname{csgn}(I*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}((1-I)*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))+1/8*\pi*x^2*f*\operatorname{csgn}(I/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}(I*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))^2-1/8*\pi*x^2*f*\operatorname{csgn}(I*(\exp(2*b*x+2*a)-I))*\operatorname{csgn}(I*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))^2-1/4*\pi*x*e*\operatorname{csgn}(I*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))^3-1/4*\pi*x*e*\operatorname{csgn}((1-I)*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))^3-1/8*I*f*\operatorname{polylog}(3,I*\exp(2*b*x+2*a))/b^2-1/2*I/b*f*a*\ln(((1-I)^{(1/2)}+\exp(b*x+a))/(-1)^{(1/2)})*x+1/2*I/b*f*\ln(1-I*\exp(2*b*x+2*a))*x*a-1/2*I/b*f*a*\ln(((1-I)^{(1/2)}-\exp(b*x+a))/(-1)^{(1/2)})*x-1/2*I*f/b*\ln(1+I*\exp(2*b*x+2*a))*x*a+1/2*I*f/b*a*\ln(1+\exp(b*x+a)*(-1)^{(3/4)})*x+1/2*I*f/b*a*\ln(1-\exp(b*x+a)*(-1)^{(3/4)})*x+1/2*I*f/b^2*a*\operatorname{dilog}(1+\exp(b*x+a)*(-1)^{(3/4)})+1/2*I*f/b^2*a*\operatorname{dilog}(1-\exp(b*x+a)*(-1)^{(3/4)})-1/2*I/b^2*f*a*\operatorname{dilog}(((1-I)^{(1/2)}-\exp(b*x+a))/(-1)^{(1/2)}))-1/2*I/b^2*f*a*\operatorname{dilog}(((1-I)^{(1/2)}+\exp(b*x+a))/(-1)^{(1/2)}))+1/8*\pi*x^2*f*\operatorname{csgn}(I/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}(I*(\exp(2*b*x+2*a)-I))*\operatorname{csgn}(I*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))-1/8*\pi*x^2*f*\operatorname{csgn}(I/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}(I*(\exp(2*b*x+2*a)+I))*\operatorname{csgn}(I*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))+1/4*\pi*x*e*\operatorname{csgn}(I/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}(I*(\exp(2*b*x+2*a)-I))*\operatorname{csgn}(I*(\exp(2*b*x+2*a)-I)/(\exp(2*b*x+2*a)+1))-1/4*\pi*x*e*\operatorname{csgn}(I/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}(I*(\exp(2*b*x+2*a)+I))*\operatorname{csgn}(I*(\exp(2*b*x+2*a)+I)/(\exp(2*b*x+2*a)+1))-1/2*I*e/b*\ln(1+\exp(b*x+a)*(-1)^{(3/4)})*a-1/2*I*e/b*\ln(1-\exp(b*x+a)*(-1)^{(3/4)})*a+1/2*I*f/b^2*a^2*\ln(1+
\end{aligned}$$

$\exp(b*x+a)*(-1)^{(3/4)}+1/2*I*f/b^2*a^2*\ln(1-\exp(b*x+a)*(-1)^{(3/4)})$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} (fx^2 + 2ex) \arctan(e^{2bx+2a} + 1, e^{2bx+2a} - 1) + \int \frac{(bfx^2e^{2a} + 2bexe^{2a})e^{2bx}}{e^{4bx+4a} + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*arccot(tanh(b*x+a)),x, algorithm="maxima")

[Out] 1/2*(f*x^2 + 2*e*x)*arctan2(e^(2*b*x + 2*a) + 1, e^(2*b*x + 2*a) - 1) + integrate((b*f*x^2*e^(2*a) + 2*b*e*x*e^(2*a))*e^(2*b*x)/(e^(4*b*x + 4*a) + 1), x)

Fricas [C] time = 3.34042, size = 1894, normalized size = 11.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*arccot(tanh(b*x+a)),x, algorithm="fricas")

[Out] 1/4*(2*(b^2*f*x^2 + 2*b^2*e*x)*arctan(cosh(b*x + a)/sinh(b*x + a)) + (2*I*b*f*x + 2*I*b*e)*dilog(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (2*I*b*f*x + 2*I*b*e)*dilog(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (-2*I*b*f*x - 2*I*b*e)*dilog(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (-2*I*b*f*x - 2*I*b*e)*dilog(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (I*b^2*f*x^2 + 2*I*b^2*e*x + 2*I*a*b*e - I*a^2*f)*log(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b^2*f*x^2 + 2*I*b^2*e*x + 2*I*a*b*e - I*a^2*f)*log(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b^2*f*x^2 - 2*I*b^2*e*x - 2*I*a*b*e + I*a^2*f)*log(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b^2*f*x^2 - 2*I*b^2*e*x - 2*I*a*b*e + I*a^2*f)*log(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-2*I*a*b*e + I*a^2*f)*log(I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + (-2*I*a*b*e + I*a^2*f)*log(-I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + (2*I*a*b*e - I*a^2*f)*log(I*sqrt(-4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + (2*I*a*b*e - I*a^2*f)*log(-I*sqrt(-4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) - 2*I*f*polylog(3, 1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 2*I*f*polylog(3, -1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 2*I*f*polylog(3, 1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 2*I*f*polylog(3, -1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))))/b^2

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (e + fx) \operatorname{acot}(\tanh(a + bx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*acot(tanh(b*x+a)),x)

[Out] Integral((e + f*x)*acot(tanh(a + b*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (fx + e) \operatorname{arccot}(\tanh(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*arccot(tanh(b*x+a)),x, algorithm="giac")

[Out] integrate((f*x + e)*arccot(tanh(b*x + a)), x)

3.186 $\int \cot^{-1}(\tanh(a + bx)) dx$

Optimal. Leaf size=73

$$-\frac{i\text{PolyLog}\left(2, -ie^{2a+2bx}\right)}{4b} + \frac{i\text{PolyLog}\left(2, ie^{2a+2bx}\right)}{4b} + x \tan^{-1}\left(e^{2a+2bx}\right) + x \cot^{-1}(\tanh(a + bx))$$

[Out] x*ArcCot[Tanh[a + b*x]] + x*ArcTan[E^(2*a + 2*b*x)] - ((I/4)*PolyLog[2, (-I)*E^(2*a + 2*b*x)])/b + ((I/4)*PolyLog[2, I*E^(2*a + 2*b*x)])/b

Rubi [A] time = 0.0412203, antiderivative size = 73, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used = {5180, 4180, 2279, 2391}

$$-\frac{i\text{PolyLog}\left(2, -ie^{2a+2bx}\right)}{4b} + \frac{i\text{PolyLog}\left(2, ie^{2a+2bx}\right)}{4b} + x \tan^{-1}\left(e^{2a+2bx}\right) + x \cot^{-1}(\tanh(a + bx))$$

Antiderivative was successfully verified.

[In] Int[ArcCot[Tanh[a + b*x]], x]

[Out] x*ArcCot[Tanh[a + b*x]] + x*ArcTan[E^(2*a + 2*b*x)] - ((I/4)*PolyLog[2, (-I)*E^(2*a + 2*b*x)])/b + ((I/4)*PolyLog[2, I*E^(2*a + 2*b*x)])/b

Rule 5180

Int[ArcCot[Tanh[(a_.) + (b_.)*(x_)]], x_Symbol] := Simp[x*ArcCot[Tanh[a + b*x]], x] + Dist[b, Int[x*Sech[2*a + 2*b*x], x], x] /; FreeQ[{a, b}, x]

Rule 4180

Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(-(I*e) + f*fz*x)/E^(I*k*Pi)])/(f*fz*I), x] + (-Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1)*Log[1 - E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1)*Log[1 + E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \cot^{-1}(\tanh(a + bx)) dx &= x \cot^{-1}(\tanh(a + bx)) + b \int x \operatorname{sech}(2a + 2bx) dx \\
&= x \cot^{-1}(\tanh(a + bx)) + x \tan^{-1}(e^{2a+2bx}) - \frac{1}{2}i \int \log(1 - ie^{2a+2bx}) dx + \frac{1}{2}i \int \log(1 + ie^{2a+2bx}) dx \\
&= x \cot^{-1}(\tanh(a + bx)) + x \tan^{-1}(e^{2a+2bx}) - \frac{i \operatorname{Subst}\left(\int \frac{\log(1-ix)}{x} dx, x, e^{2a+2bx}\right)}{4b} + \frac{i \operatorname{Subst}\left(\int \frac{\log(1+ix)}{x} dx, x, e^{2a+2bx}\right)}{4b} \\
&= x \cot^{-1}(\tanh(a + bx)) + x \tan^{-1}(e^{2a+2bx}) - \frac{i \operatorname{Li}_2(-ie^{2a+2bx})}{4b} + \frac{i \operatorname{Li}_2(ie^{2a+2bx})}{4b}
\end{aligned}$$

Mathematica [A] time = 0.0490017, size = 132, normalized size = 1.81

$$x \cot^{-1}(\tanh(a + bx)) + \frac{-2i \left(\operatorname{PolyLog}(2, -ie^{2(a+bx)}) - \operatorname{PolyLog}(2, ie^{2(a+bx)}) \right) - (-4ia - 4ibx + \pi) \left(\log(1 - ie^{2(a+bx)}) - \log(1 + ie^{2(a+bx)}) \right)}{8b}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[Tanh[a + b*x]], x]

[Out] x*ArcCot[Tanh[a + b*x]] + (-((((-4*I)*a + Pi - (4*I)*b*x)*(Log[1 - I*E^(2*(a + b*x))] - Log[1 + I*E^(2*(a + b*x))]) + ((-4*I)*a + Pi)*Log[Cot[((4*I)*a + Pi + (4*I)*b*x)/4]] - (2*I)*(PolyLog[2, (-I)*E^(2*(a + b*x))] - PolyLog[2, I*E^(2*(a + b*x))])))/(8*b)

Maple [B] time = 0.17, size = 196, normalized size = 2.7

$$\frac{\operatorname{Artanh}(\tanh(bx + a)) \operatorname{arccot}(\tanh(bx + a))}{b} + \frac{\operatorname{arctan}(\tanh(bx + a)) \operatorname{Artanh}(\tanh(bx + a))}{b} + \frac{\operatorname{arctan}(\tanh(bx + a)) \operatorname{arctan}(\tanh(bx + a))}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(tanh(b*x+a)), x)

[Out] 1/b*arctanh(tanh(b*x+a))*arccot(tanh(b*x+a))+1/b*arctan(tanh(b*x+a))*arctanh(tanh(b*x+a))+1/2/b*arctan(tanh(b*x+a))*ln(1+I*(1+I*tanh(b*x+a))^2/(tanh(b*x+a)^2+1))-1/4*I/b*polylog(2,-I*(1+I*tanh(b*x+a))^2/(tanh(b*x+a)^2+1))-1/2/b*arctan(tanh(b*x+a))*ln(1-I*(1+I*tanh(b*x+a))^2/(tanh(b*x+a)^2+1))+1/4*I/b*polylog(2,I*(1+I*tanh(b*x+a))^2/(tanh(b*x+a)^2+1))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$x \operatorname{arctan}\left(e^{(2bx+2a)} + 1, e^{(2bx+2a)} - 1\right) + 2b \int \frac{xe^{(2bx+2a)}}{e^{(4bx+4a)} + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(tanh(b*x+a)), x, algorithm="maxima")

[Out] x*arctan2(e^(2*b*x + 2*a) + 1, e^(2*b*x + 2*a) - 1) + 2*b*integrate(x*e^(2*b*x + 2*a)/(e^(4*b*x + 4*a) + 1), x)

Fricas [B] time = 2.73648, size = 1098, normalized size = 15.04

$$2bx \arctan\left(\frac{\cosh(bx+a)}{\sinh(bx+a)}\right) + (ibx + ia) \log\left(\frac{1}{2} \sqrt{4i}(\cosh(bx+a) + \sinh(bx+a)) + 1\right) + (ibx + ia) \log\left(-\frac{1}{2} \sqrt{4i}(\cosh(bx+a) + \sinh(bx+a)) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(tanh(b*x+a)),x, algorithm="fricas")

[Out] 1/2*(2*b*x*arctan(cosh(b*x + a)/sinh(b*x + a)) + (I*b*x + I*a)*log(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b*x + I*a)*log(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b*x - I*a)*log(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b*x - I*a)*log(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) - I*a*log(I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) - I*a*log(-I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + I*a*log(I*sqrt(-4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + I*a*log(-I*sqrt(-4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + I*dilog(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + I*dilog(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - I*dilog(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) - I*dilog(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))))/b

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{acot}(\tanh(a + bx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(tanh(b*x+a)),x)

[Out] Integral(acot(tanh(a + b*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{arccot}(\tanh(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(tanh(b*x+a)),x, algorithm="giac")

[Out] integrate(arccot(tanh(b*x + a)), x)

$$3.187 \quad \int \frac{\cot^{-1}(\tanh(a+bx))}{e+fx} dx$$

Optimal. Leaf size=17

$$\text{CannotIntegrate}\left(\frac{\cot^{-1}(\tanh(a+bx))}{e+fx}, x\right)$$

[Out] CannotIntegrate[ArcCot[Tanh[a + b*x]]/(e + f*x), x]

Rubi [A] time = 0.0402191, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(\tanh(a+bx))}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[Tanh[a + b*x]]/(e + f*x), x]

[Out] Defer[Int][ArcCot[Tanh[a + b*x]]/(e + f*x), x]

Rubi steps

$$\int \frac{\cot^{-1}(\tanh(a+bx))}{e+fx} dx = \int \frac{\cot^{-1}(\tanh(a+bx))}{e+fx} dx$$

Mathematica [A] time = 0.750089, size = 0, normalized size = 0.

$$\int \frac{\cot^{-1}(\tanh(a+bx))}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCot[Tanh[a + b*x]]/(e + f*x), x]

[Out] Integrate[ArcCot[Tanh[a + b*x]]/(e + f*x), x]

Maple [A] time = 0.936, size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(\tanh(bx+a))}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(tanh(b*x+a))/(f*x+e), x)

[Out] int(arccot(tanh(b*x+a))/(f*x+e), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(\tanh(bx + a))}{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(tanh(b*x+a))/(f*x+e),x, algorithm="maxima")

[Out] integrate(arccot(tanh(b*x + a))/(f*x + e), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(\tanh(bx + a))}{fx + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(tanh(b*x+a))/(f*x+e),x, algorithm="fricas")

[Out] integral(arccot(tanh(b*x + a))/(f*x + e), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(\tanh(a + bx))}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(tanh(b*x+a))/(f*x+e),x)

[Out] Integral(acot(tanh(a + b*x))/(e + f*x), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(\tanh(bx + a))}{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(tanh(b*x+a))/(f*x+e),x, algorithm="giac")

[Out] integrate(arccot(tanh(b*x + a))/(f*x + e), x)

3.188 $\int x^2 \cot^{-1}(c + d \tanh(a + bx)) dx$

Optimal. Leaf size=355

$$\frac{ix \operatorname{PolyLog}\left(3, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{4b^2} - \frac{ix \operatorname{PolyLog}\left(3, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{4b^2} - \frac{i \operatorname{PolyLog}\left(4, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{8b^3} + \frac{i \operatorname{PolyLog}\left(4, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{8b^3}$$

```
[Out] (x^3*ArcCot[c + d*Tanh[a + b*x]])/3 - (I/6)*x^3*Log[1 + ((I - c - d)*E^(2*a + 2*b*x))/(I - c + d)] + (I/6)*x^3*Log[1 + ((I + c + d)*E^(2*a + 2*b*x))/(I + c - d)] - ((I/4)*x^2*PolyLog[2, -(((I - c - d)*E^(2*a + 2*b*x))/(I - c + d))]/b + ((I/4)*x^2*PolyLog[2, -(((I + c + d)*E^(2*a + 2*b*x))/(I + c - d))]/b + ((I/4)*x*PolyLog[3, -(((I - c - d)*E^(2*a + 2*b*x))/(I - c + d))]/b^2 - ((I/4)*x*PolyLog[3, -(((I + c + d)*E^(2*a + 2*b*x))/(I + c - d))]/b^2 - ((I/8)*PolyLog[4, -(((I - c - d)*E^(2*a + 2*b*x))/(I - c + d))]/b^3 + ((I/8)*PolyLog[4, -(((I + c + d)*E^(2*a + 2*b*x))/(I + c - d))]/b^3
```

Rubi [A] time = 0.455425, antiderivative size = 355, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {5200, 2190, 2531, 6609, 2282, 6589}

$$\frac{ix \operatorname{PolyLog}\left(3, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{4b^2} - \frac{ix \operatorname{PolyLog}\left(3, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{4b^2} - \frac{i \operatorname{PolyLog}\left(4, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{8b^3} + \frac{i \operatorname{PolyLog}\left(4, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{8b^3}$$

Antiderivative was successfully verified.

```
[In] Int[x^2*ArcCot[c + d*Tanh[a + b*x]], x]
```

```
[Out] (x^3*ArcCot[c + d*Tanh[a + b*x]])/3 - (I/6)*x^3*Log[1 + ((I - c - d)*E^(2*a + 2*b*x))/(I - c + d)] + (I/6)*x^3*Log[1 + ((I + c + d)*E^(2*a + 2*b*x))/(I + c - d)] - ((I/4)*x^2*PolyLog[2, -(((I - c - d)*E^(2*a + 2*b*x))/(I - c + d))]/b + ((I/4)*x^2*PolyLog[2, -(((I + c + d)*E^(2*a + 2*b*x))/(I + c - d))]/b + ((I/4)*x*PolyLog[3, -(((I - c - d)*E^(2*a + 2*b*x))/(I - c + d))]/b^2 - ((I/4)*x*PolyLog[3, -(((I + c + d)*E^(2*a + 2*b*x))/(I + c - d))]/b^2 - ((I/8)*PolyLog[4, -(((I - c - d)*E^(2*a + 2*b*x))/(I - c + d))]/b^3 + ((I/8)*PolyLog[4, -(((I + c + d)*E^(2*a + 2*b*x))/(I + c - d))]/b^3
```

Rule 5200

```
Int[ArcCot[(c_.) + (d_.)*Tanh[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[((e + f*x)^(m + 1)*ArcCot[c + d*Tanh[a + b*x]])/(f*(m + 1)), x] + (-Dist[(I*b*(I - c - d))/(f*(m + 1)), Int[((e + f*x)^(m + 1)*E^(2*a + 2*b*x))/(I - c + d + (I - c - d)*E^(2*a + 2*b*x)), x], x] + Dist[(I*b*(I + c + d))/(f*(m + 1)), Int[((e + f*x)^(m + 1)*E^(2*a + 2*b*x))/(I + c - d + (I + c + d)*E^(2*a + 2*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[(c - d)^2, -1]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)
*(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_.))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int x^2 \cot^{-1}(c + d \tanh(a + bx)) dx &= \frac{1}{3}x^3 \cot^{-1}(c + d \tanh(a + bx)) - \frac{1}{3}(b(1 - i(c + d))) \int \frac{e^{2a+2bx} x^3}{i + c - d + (i + c + d)e^{2a+2bx}} dx \\
&= \frac{1}{3}x^3 \cot^{-1}(c + d \tanh(a + bx)) - \frac{1}{6}ix^3 \log\left(1 + \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) + \frac{1}{6}ix^3 \log\left(1 + \frac{(i + c + d)e^{2a+2bx}}{i + c - d}\right) \\
&= \frac{1}{3}x^3 \cot^{-1}(c + d \tanh(a + bx)) - \frac{1}{6}ix^3 \log\left(1 + \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) + \frac{1}{6}ix^3 \log\left(1 + \frac{(i + c + d)e^{2a+2bx}}{i + c - d}\right) \\
&= \frac{1}{3}x^3 \cot^{-1}(c + d \tanh(a + bx)) - \frac{1}{6}ix^3 \log\left(1 + \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) + \frac{1}{6}ix^3 \log\left(1 + \frac{(i + c + d)e^{2a+2bx}}{i + c - d}\right) \\
&= \frac{1}{3}x^3 \cot^{-1}(c + d \tanh(a + bx)) - \frac{1}{6}ix^3 \log\left(1 + \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) + \frac{1}{6}ix^3 \log\left(1 + \frac{(i + c + d)e^{2a+2bx}}{i + c - d}\right) \\
&= \frac{1}{3}x^3 \cot^{-1}(c + d \tanh(a + bx)) - \frac{1}{6}ix^3 \log\left(1 + \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) + \frac{1}{6}ix^3 \log\left(1 + \frac{(i + c + d)e^{2a+2bx}}{i + c - d}\right)
\end{aligned}$$

Mathematica [A] time = 5.11512, size = 305, normalized size = 0.86

$$\frac{1}{3}x^3 \cot^{-1}(d \tanh(a + bx) + c) - \frac{i\left(6b^2x^2 \text{PolyLog}\left(2, -\frac{(c+d-i)e^{2(a+bx)}}{c-d-i}\right) - 6b^2x^2 \text{PolyLog}\left(2, -\frac{(c+d+i)e^{2(a+bx)}}{c-d+i}\right) - 6bx \text{PolyLog}\right)}{3}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*ArcCot[c + d*Tanh[a + b*x]], x]
```



```
[Out] (x^3*ArcCot[c + d*Tanh[a + b*x]])/3 - ((I/24)*(4*b^3*x^3*Log[1 + ((-I + c + d)*E^(2*(a + b*x)))/(-I + c - d)] - 4*b^3*x^3*Log[1 + ((I + c + d)*E^(2*(a + b*x)))/(I + c - d)] + 6*b^2*x^2*PolyLog[2, -(((I + c + d)*E^(2*(a + b*x)))/(-I + c - d)))/(-I + c - d)) - 6*b^2*x^2*PolyLog[2, -(((I + c + d)*E^(2*(a + b*x)))/(I + c - d))]/(I + c - d)) - 6*b*x*PolyLog[3, -(((I + c + d)*E^(2*(a + b*x)))/(-I + c - d))] + 6*b*x*PolyLog[3, -(((I + c + d)*E^(2*(a + b*x)))/(I + c - d))] + 3*PolyLog[4, -(((I + c + d)*E^(2*(a + b*x)))/(-I + c - d))] - 3*PolyLog[4, -(((I + c + d)*E^(2*(a + b*x)))/(I + c - d)))]/b^3
```

Maple [C] time = 10.428, size = 6930, normalized size = 19.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*arccot(c+d*tanh(b*x+a)),x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{3} x^3 \arctan\left(e^{(2bx+2a)} + 1, (ce^{(2a)} + de^{(2a)})e^{(2bx)} + c - d\right) + 4bd \int \frac{x^3 e^{(2bx)}}{3(c^2 - 2cd + d^2 + (c^2 e^{(4a)} + 2cde^{(4a)} + d^2 e^{(4a)} + e^{(4a)}))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccot(c+d*tanh(b*x+a)),x, algorithm="maxima")
```

```
[Out] 1/3*x^3*arctan2(e^(2*b*x + 2*a) + 1, (c*e^(2*a) + d*e^(2*a))*e^(2*b*x) + c - d) + 4*b*d*integrate(1/3*x^3*e^(2*b*x + 2*a)/(c^2 - 2*c*d + d^2 + (c^2*e^(4*a) + 2*c*d*e^(4*a) + d^2*e^(4*a) + e^(4*a))*e^(4*b*x) + 2*(c^2*e^(2*a) - d^2*e^(2*a) + e^(2*a))*e^(2*b*x) + 1), x)
```

Fricas [C] time = 3.26864, size = 3641, normalized size = 10.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccot(c+d*tanh(b*x+a)),x, algorithm="fricas")
```

```
[Out] 1/6*(2*b^3*x^3*arctan(cosh(b*x + a)/(c*cosh(b*x + a) + d*sinh(b*x + a))) - 3*I*b^2*x^2*dilog(1/2*sqrt(-(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) - 3*I*b^2*x^2*dilog(-1/2*sqrt(-(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) + 3*I*b^2*x^2*dilog(1/2*sqrt(-(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) + 3*I*b^2*x^2*dilog(-1/2*sqrt(-(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) + I*a^3*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x + a) + (c^2 - d^2 - 2*I*d + 1)*sqrt(-(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))) + I*a^3*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x + a) - (c^2 - d^2
```

$$\begin{aligned}
& - 2*I*d + 1)*\sqrt{-(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))} - \\
& I*a^3*\log(2*(c^2 + 2*c*d + d^2 + 1)*\cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + \\
& 1)*\sinh(b*x + a) + (c^2 - d^2 + 2*I*d + 1)*\sqrt{-(4*c^2 - 4*d^2 - 8*I*d + \\
& 4)/(c^2 - 2*c*d + d^2 + 1))} - I*a^3*\log(2*(c^2 + 2*c*d + d^2 + 1)*\cosh(b*x \\
& + a) + 2*(c^2 + 2*c*d + d^2 + 1)*\sinh(b*x + a) - (c^2 - d^2 + 2*I*d + 1)*s \\
& \text{qrt}(-(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))) + 6*I*b*x*\text{polylo} \\
& \text{g}(3, 1/2*\sqrt{-(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b \\
& *x + a) + \sinh(b*x + a))) + 6*I*b*x*\text{polylog}(3, -1/2*\sqrt{-(4*c^2 - 4*d^2 + \\
& 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) - 6*I* \\
& b*x*\text{polylog}(3, 1/2*\sqrt{-(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1} \\
&))*(\cosh(b*x + a) + \sinh(b*x + a))) - 6*I*b*x*\text{polylog}(3, -1/2*\sqrt{-(4*c^2 \\
& - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a \\
&))) + (-I*b^3*x^3 - I*a^3)*\log(1/2*\sqrt{-(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - \\
& 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)) + 1) + (-I*b^3*x^3 - I*a \\
& ^3)*\log(-1/2*\sqrt{-(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\co \\
& sh(b*x + a) + \sinh(b*x + a)) + 1) + (I*b^3*x^3 + I*a^3)*\log(1/2*\sqrt{-(4*c^ \\
& 2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + \\
& a)) + 1) + (I*b^3*x^3 + I*a^3)*\log(-1/2*\sqrt{-(4*c^2 - 4*d^2 - 8*I*d + 4)/ \\
& (c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)) + 1) - 6*I*\text{polylog} \\
& (4, 1/2*\sqrt{-(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b* \\
& x + a) + \sinh(b*x + a))) - 6*I*\text{polylog}(4, -1/2*\sqrt{-(4*c^2 - 4*d^2 + 8*I*d \\
& + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) + 6*I*\text{polyl} \\
& \text{og}(4, 1/2*\sqrt{-(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(\\
& b*x + a) + \sinh(b*x + a))) + 6*I*\text{polylog}(4, -1/2*\sqrt{-(4*c^2 - 4*d^2 - 8*I \\
& *d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))))/b^3
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(c+d*tanh(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{arccot}(d \tanh(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c+d*tanh(b*x+a)),x, algorithm="giac")

[Out] integrate(x^2*arccot(d*tanh(b*x + a) + c), x)

3.189 $\int x \cot^{-1}(c + d \tanh(a + bx)) dx$

Optimal. Leaf size=267

$$\frac{i \operatorname{PolyLog}\left(3, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{8b^2} - \frac{i \operatorname{PolyLog}\left(3, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{8b^2} - \frac{ix \operatorname{PolyLog}\left(2, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{4b} + \frac{ix \operatorname{PolyLog}\left(2, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{4b}$$

[Out] $(x^2 \operatorname{ArcCot}[c + d \operatorname{Tanh}[a + b*x]])/2 - (I/4)*x^2 \operatorname{Log}[1 + ((I - c - d)*E^{(2*a + 2*b*x)})/(I - c + d)] + (I/4)*x^2 \operatorname{Log}[1 + ((I + c + d)*E^{(2*a + 2*b*x)})/(I + c - d)] - ((I/4)*x \operatorname{PolyLog}[2, -(((I - c - d)*E^{(2*a + 2*b*x)})/(I - c + d))]/b + ((I/4)*x \operatorname{PolyLog}[2, -(((I + c + d)*E^{(2*a + 2*b*x)})/(I + c - d))]/b + ((I/8)*\operatorname{PolyLog}[3, -(((I - c - d)*E^{(2*a + 2*b*x)})/(I - c + d))]/b^2 - ((I/8)*\operatorname{PolyLog}[3, -(((I + c + d)*E^{(2*a + 2*b*x)})/(I + c - d))]/b^2$

Rubi [A] time = 0.375928, antiderivative size = 267, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {5200, 2190, 2531, 2282, 6589}

$$\frac{i \operatorname{PolyLog}\left(3, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{8b^2} - \frac{i \operatorname{PolyLog}\left(3, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{8b^2} - \frac{ix \operatorname{PolyLog}\left(2, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{4b} + \frac{ix \operatorname{PolyLog}\left(2, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{4b}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x \operatorname{ArcCot}[c + d \operatorname{Tanh}[a + b*x]], x]$

[Out] $(x^2 \operatorname{ArcCot}[c + d \operatorname{Tanh}[a + b*x]])/2 - (I/4)*x^2 \operatorname{Log}[1 + ((I - c - d)*E^{(2*a + 2*b*x)})/(I - c + d)] + (I/4)*x^2 \operatorname{Log}[1 + ((I + c + d)*E^{(2*a + 2*b*x)})/(I + c - d)] - ((I/4)*x \operatorname{PolyLog}[2, -(((I - c - d)*E^{(2*a + 2*b*x)})/(I - c + d))]/b + ((I/4)*x \operatorname{PolyLog}[2, -(((I + c + d)*E^{(2*a + 2*b*x)})/(I + c - d))]/b + ((I/8)*\operatorname{PolyLog}[3, -(((I - c - d)*E^{(2*a + 2*b*x)})/(I - c + d))]/b^2 - ((I/8)*\operatorname{PolyLog}[3, -(((I + c + d)*E^{(2*a + 2*b*x)})/(I + c - d))]/b^2$

Rule 5200

$\operatorname{Int}[\operatorname{ArcCot}[(c_.) + (d_.)*\operatorname{Tanh}[(a_.) + (b_.)*(x_.)]]*((e_.) + (f_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(e + f*x)^{(m+1)} \operatorname{ArcCot}[c + d \operatorname{Tanh}[a + b*x]]/(f*(m+1)), x] + (-\operatorname{Dist}[(I*b*(I - c - d))/(f*(m+1)), \operatorname{Int}[(e + f*x)^{(m+1)} E^{(2*a + 2*b*x)}/(I - c + d + (I - c - d)*E^{(2*a + 2*b*x)}), x], x] + \operatorname{Dist}[(I*b*(I + c + d))/(f*(m+1)), \operatorname{Int}[(e + f*x)^{(m+1)} E^{(2*a + 2*b*x)}/(I + c - d + (I + c + d)*E^{(2*a + 2*b*x)}), x], x]) /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{IGtQ}[m, 0] \&\& \operatorname{NeQ}[(c - d)^2, -1]$

Rule 2190

$\operatorname{Int}[(F_.)^{((g_.)*((e_.) + (f_.)*(x_.)))^{(n_.)*((c_.) + (d_.)*(x_.))^{(m_.)}}/((a_.) + (b_.)*(F_.)^{((g_.)*((e_.) + (f_.)*(x_.)))^{(n_.)}), x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^m \operatorname{Log}[1 + (b*(F^{(g*(e + f*x)))^n)/a]/(b*f*g*n \operatorname{Log}[F]), x] - \operatorname{Dist}[(d*m)/(b*f*g*n \operatorname{Log}[F]), \operatorname{Int}[(c + d*x)^{(m-1)} \operatorname{Log}[1 + (b*(F^{(g*(e + f*x)))^n)/a], x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \operatorname{IGtQ}[m, 0]$

Rule 2531

$\operatorname{Int}[\operatorname{Log}[1 + (e_.)*((F_.)^{((c_.)*((a_.) + (b_.)*(x_.)))^{(n_.)}}] * ((f_.) + (g_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow -\operatorname{Simp}[(f + g*x)^m \operatorname{PolyLog}[2, -(e*(F^{(c*(a + b*x)))^n)])/b*c*n \operatorname{Log}[F], x] + \operatorname{Dist}[(g*m)/(b*c*n \operatorname{Log}[F]), \operatorname{Int}[(f + g*x)^{(m-1)}$

1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned} \int x \cot^{-1}(c + d \tanh(a + bx)) dx &= \frac{1}{2} x^2 \cot^{-1}(c + d \tanh(a + bx)) - \frac{1}{2} (b(1 - i(c + d))) \int \frac{e^{2a+2bx} x^2}{i + c - d + (i + c + d)e^{2a+2bx}} dx \\ &= \frac{1}{2} x^2 \cot^{-1}(c + d \tanh(a + bx)) - \frac{1}{4} ix^2 \log \left(1 + \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) + \frac{1}{4} ix^2 \log \left(1 + \frac{(i + c + d)e^{2a+2bx}}{i + c - d} \right) \\ &= \frac{1}{2} x^2 \cot^{-1}(c + d \tanh(a + bx)) - \frac{1}{4} ix^2 \log \left(1 + \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) + \frac{1}{4} ix^2 \log \left(1 + \frac{(i + c + d)e^{2a+2bx}}{i + c - d} \right) \\ &= \frac{1}{2} x^2 \cot^{-1}(c + d \tanh(a + bx)) - \frac{1}{4} ix^2 \log \left(1 + \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) + \frac{1}{4} ix^2 \log \left(1 + \frac{(i + c + d)e^{2a+2bx}}{i + c - d} \right) \\ &= \frac{1}{2} x^2 \cot^{-1}(c + d \tanh(a + bx)) - \frac{1}{4} ix^2 \log \left(1 + \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) + \frac{1}{4} ix^2 \log \left(1 + \frac{(i + c + d)e^{2a+2bx}}{i + c - d} \right) \end{aligned}$$

Mathematica [A] time = 3.92955, size = 229, normalized size = 0.86

$$\frac{1}{2} x^2 \cot^{-1}(d \tanh(a + bx) + c) - \frac{i \left(2bx \operatorname{PolyLog} \left(2, -\frac{(c+d-i)e^{2(a+bx)}}{c-d-i} \right) - 2bx \operatorname{PolyLog} \left(2, -\frac{(c+d+i)e^{2(a+bx)}}{c-d+i} \right) - \operatorname{PolyLog} \left(3, -\frac{(c+d-i)e^{2(a+bx)}}{c-d-i} \right) + \operatorname{PolyLog} \left(3, -\frac{(c+d+i)e^{2(a+bx)}}{c-d+i} \right) \right)}{b^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcCot[c + d*Tanh[a + b*x]], x]

[Out] (x^2*ArcCot[c + d*Tanh[a + b*x]])/2 - ((I/8)*(2*b^2*x^2*Log[1 + ((-I + c + d)*E^(2*(a + b*x)))/(-I + c - d)] - 2*b^2*x^2*Log[1 + ((I + c + d)*E^(2*(a + b*x)))/(I + c - d)] + 2*b*x*PolyLog[2, -(((I + c + d)*E^(2*(a + b*x)))/(-I + c - d))] - 2*b*x*PolyLog[2, -(((I + c + d)*E^(2*(a + b*x)))/(I + c - d))]) - PolyLog[3, -(((I + c + d)*E^(2*(a + b*x)))/(-I + c - d))] + PolyLog[3, -(((I + c + d)*E^(2*(a + b*x)))/(I + c - d))])/b^2

Maple [C] time = 21.403, size = 6580, normalized size = 24.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*arccot(c+d*tanh(b*x+a)),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}x^2 \arctan\left(e^{2bx+2a} + 1, (ce^{2a} + de^{2a})e^{2bx} + c - d\right) + 2bd \int \frac{x^2 e^{2bx+2a}}{c^2 - 2cd + d^2 + (c^2 e^{4a} + 2cde^{4a} + d^2 e^{4a}) + e^{4a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arccot(c+d*tanh(b*x+a)),x, algorithm="maxima")`

[Out] $\frac{1}{2}x^2 \arctan2(e^{2bx+2a} + 1, (c e^{2a} + d e^{2a}) e^{2bx} + c - d) + 2bd \int \frac{x^2 e^{2bx+2a}}{c^2 - 2cd + d^2 + (c^2 e^{4a} + 2cde^{4a} + d^2 e^{4a}) + e^{4a}}$

Fricas [C] time = 3.01131, size = 2985, normalized size = 11.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arccot(c+d*tanh(b*x+a)),x, algorithm="fricas")`

[Out] $\frac{1}{4}(2b^2x^2 \arctan(\cosh(bx+a)/(c \cosh(bx+a) + d \sinh(bx+a))) - 2Ibx \operatorname{dilog}(1/2 \sqrt{-(4c^2 - 4d^2 + 8Id + 4)/(c^2 - 2cd + d^2 + 1)} (\cosh(bx+a) + \sinh(bx+a))) - 2Ibx \operatorname{dilog}(-1/2 \sqrt{-(4c^2 - 4d^2 + 8Id + 4)/(c^2 - 2cd + d^2 + 1)} (\cosh(bx+a) + \sinh(bx+a))) + 2Ibx \operatorname{dilog}(1/2 \sqrt{-(4c^2 - 4d^2 - 8Id + 4)/(c^2 - 2cd + d^2 + 1)} (\cosh(bx+a) + \sinh(bx+a))) + 2Ibx \operatorname{dilog}(-1/2 \sqrt{-(4c^2 - 4d^2 - 8Id + 4)/(c^2 - 2cd + d^2 + 1)} (\cosh(bx+a) + \sinh(bx+a))) - I a^2 \log(2(c^2 + 2cd + d^2 + 1) \cosh(bx+a) + 2(c^2 + 2cd + d^2 + 1) \sinh(bx+a) + (c^2 - d^2 - 2Id + 1) \sqrt{-(4c^2 - 4d^2 + 8Id + 4)/(c^2 - 2cd + d^2 + 1)})) - I a^2 \log(2(c^2 + 2cd + d^2 + 1) \cosh(bx+a) + 2(c^2 + 2cd + d^2 + 1) \sinh(bx+a) - (c^2 - d^2 - 2Id + 1) \sqrt{-(4c^2 - 4d^2 + 8Id + 4)/(c^2 - 2cd + d^2 + 1)})) + I a^2 \log(2(c^2 + 2cd + d^2 + 1) \cosh(bx+a) + 2(c^2 + 2cd + d^2 + 1) \sinh(bx+a) + (c^2 - d^2 + 2Id + 1) \sqrt{-(4c^2 - 4d^2 - 8Id + 4)/(c^2 - 2cd + d^2 + 1)})) + I a^2 \log(2(c^2 + 2cd + d^2 + 1) \cosh(bx+a) + 2(c^2 + 2cd + d^2 + 1) \sinh(bx+a) - (c^2 - d^2 + 2Id + 1) \sqrt{-(4c^2 - 4d^2 - 8Id + 4)/(c^2 - 2cd + d^2 + 1)})) + (-I b^2 x^2 + I a^2) \log(1/2 \sqrt{-(4c^2 - 4d^2 + 8Id + 4)/(c^2 - 2cd + d^2 + 1)} (\cosh(bx+a) + \sinh(bx+a)) + 1) + (-I b^2 x^2 + I a^2) \log(-1/2 \sqrt{-(4c^2 - 4d^2 + 8Id + 4)/(c^2 - 2cd + d^2 + 1)} (\cosh(bx+a) + \sinh(bx+a)) + 1) + (I b^2 x^2 - I a^2) \log(1/2 \sqrt{-(4c^2 - 4d^2 - 8Id + 4)/(c^2 - 2cd + d^2 + 1)} (\cosh(bx+a) + \sinh(bx+a)) + 1) + (I b^2 x^2 - I a^2) \log(-1/2 \sqrt{-(4c^2 - 4d^2 - 8Id + 4)/(c^2 - 2cd + d^2 + 1)} (\cosh(bx+a) + \sinh(bx+a)) + 1) + 2I \operatorname{polylog}(3, 1/2 \sqrt{-(4c^2 - 4d^2 + 8Id + 4)/(c^2 - 2cd + d^2 + 1)} (\cosh(bx+a) + \sinh(bx+a))) + 2I \operatorname{polylog}(3, -1/2 \sqrt{-(4c^2 - 4d^2 + 8Id + 4)/(c^2 - 2cd + d^2 + 1)} (\cosh(bx+a) + \sinh(bx+a)))$

$$\frac{(b*x + a) + \sinh(b*x + a)) - 2*I*\text{polylog}(3, 1/2*\sqrt{-(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) - 2*I*\text{polylog}(3, -1/2*\sqrt{-(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)))}{b^2}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*acot(c+d*tanh(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{arccot}(d \tanh(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(c+d*tanh(b*x+a)),x, algorithm="giac")

[Out] integrate(x*arccot(d*tanh(b*x + a) + c), x)

3.190 $\int \cot^{-1}(c + d \tanh(ax + bx)) dx$

Optimal. Leaf size=174

$$-\frac{i \operatorname{PolyLog}\left(2, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{4b} + \frac{i \operatorname{PolyLog}\left(2, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{4b} - \frac{1}{2}ix \log\left(1 + \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right) + \frac{1}{2}ix \log\left(1 + \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)$$

```
[Out] x*ArcCot[c + d*Tanh[a + b*x]] - (I/2)*x*Log[1 + ((I - c - d)*E^(2*a + 2*b*x)) / (I - c + d)] + (I/2)*x*Log[1 + ((I + c + d)*E^(2*a + 2*b*x)) / (I + c - d)] - ((I/4)*PolyLog[2, -((I - c - d)*E^(2*a + 2*b*x)) / (I - c + d)]] / b + ((I/4)*PolyLog[2, -((I + c + d)*E^(2*a + 2*b*x)) / (I + c - d)]] / b
```

Rubi [A] time = 0.222279, antiderivative size = 174, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {5192, 2190, 2279, 2391}

$$-\frac{i \operatorname{PolyLog}\left(2, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{4b} + \frac{i \operatorname{PolyLog}\left(2, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{4b} - \frac{1}{2}ix \log\left(1 + \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right) + \frac{1}{2}ix \log\left(1 + \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)$$

Antiderivative was successfully verified.

```
[In] Int[ArcCot[c + d*Tanh[a + b*x]], x]
```

```
[Out] x*ArcCot[c + d*Tanh[a + b*x]] - (I/2)*x*Log[1 + ((I - c - d)*E^(2*a + 2*b*x)) / (I - c + d)] + (I/2)*x*Log[1 + ((I + c + d)*E^(2*a + 2*b*x)) / (I + c - d)] - ((I/4)*PolyLog[2, -((I - c - d)*E^(2*a + 2*b*x)) / (I - c + d)]] / b + ((I/4)*PolyLog[2, -((I + c + d)*E^(2*a + 2*b*x)) / (I + c - d)]] / b
```

Rule 5192

```
Int[ArcCot[(c_.) + (d_.)*Tanh[(a_.) + (b_.)*(x_)]], x_Symbol] := Simp[x*ArcCot[c + d*Tanh[a + b*x]], x] + (-Dist[I*b*(I - c - d), Int[(x*E^(2*a + 2*b*x)) / (I - c + d + (I - c - d)*E^(2*a + 2*b*x)), x], x] + Dist[I*b*(I + c + d), Int[(x*E^(2*a + 2*b*x)) / (I + c - d + (I + c + d)*E^(2*a + 2*b*x)), x], x]) /; FreeQ[{a, b, c, d}, x] && NeQ[(c - d)^2, -1]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)) / ((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]) / (b*f*g*n*Log[F])), x] - Dist[(d*m) / (b*f*g*n*Log[F]), Int[(c + d*x)^(m-1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \cot^{-1}(c + d \tanh(a + bx)) dx &= x \cot^{-1}(c + d \tanh(a + bx)) - (b(1 - i(c + d))) \int \frac{e^{2a+2bx} x}{i + c - d + (i + c + d)e^{2a+2bx}} dx + (b(1 + i(c + d))) \int \frac{e^{2a+2bx} x}{i - c + d + (i - c - d)e^{2a+2bx}} dx \\
&= x \cot^{-1}(c + d \tanh(a + bx)) - \frac{1}{2} ix \log \left(1 + \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) + \frac{1}{2} ix \log \left(1 + \frac{(i + c + d)e^{2a+2bx}}{i + c - d} \right) \\
&= x \cot^{-1}(c + d \tanh(a + bx)) - \frac{1}{2} ix \log \left(1 + \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) + \frac{1}{2} ix \log \left(1 + \frac{(i + c + d)e^{2a+2bx}}{i + c - d} \right) \\
&= x \cot^{-1}(c + d \tanh(a + bx)) - \frac{1}{2} ix \log \left(1 + \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) + \frac{1}{2} ix \log \left(1 + \frac{(i + c + d)e^{2a+2bx}}{i + c - d} \right)
\end{aligned}$$

Mathematica [A] time = 1.3467, size = 288, normalized size = 1.66

$$x \cot^{-1}(d \tanh(a + bx) + c) - \frac{d \operatorname{PolyLog} \left(2, -\frac{(c^2 + 2cd + d^2 + 1)e^{2(a+bx)}}{c^2 - d^2 + 2\sqrt{-d^2 + 1}} \right) - d \operatorname{PolyLog} \left(2, \frac{(c^2 + 2cd + d^2 + 1)e^{2(a+bx)}}{-c^2 + d^2 + 2\sqrt{-d^2 - 1}} \right) - 2d(a + bx) \log \left(\frac{c + d \tanh(a + bx) + c}{c + d \tanh(a + bx) - c} \right)}{2}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[c + d*Tanh[a + b*x]], x]

[Out] x*ArcCot[c + d*Tanh[a + b*x]] - (4*a*Sqrt[-d^2]*ArcTan[(1 + c^2 - d^2 + (1 + c^2 + 2*c*d + d^2)*E^(2*(a + b*x)))/(2*d)] - 2*d*(a + b*x)*Log[1 + (2*(1 + (c + d)^2)*E^(2*(a + b*x)))/(2 + 2*c^2 - 2*d^2 - 4*Sqrt[-d^2])] + 2*d*(a + b*x)*Log[1 + ((1 + (c + d)^2)*E^(2*(a + b*x)))/(1 + c^2 - d^2 + 2*Sqrt[-d^2])] + d*PolyLog[2, -(((1 + c^2 + 2*c*d + d^2)*E^(2*(a + b*x)))/(1 + c^2 - d^2 + 2*Sqrt[-d^2]))] - d*PolyLog[2, ((1 + c^2 + 2*c*d + d^2)*E^(2*(a + b*x)))/(-1 - c^2 + d^2 + 2*Sqrt[-d^2])])/(4*b*Sqrt[-d^2])

Maple [B] time = 0.097, size = 350, normalized size = 2.

$$-\frac{\operatorname{arccot}(c + d \tanh(bx + a)) \ln(d \tanh(bx + a) - d)}{2b} + \frac{\operatorname{arccot}(c + d \tanh(bx + a)) \ln(d \tanh(bx + a) + d)}{2b} + \frac{i}{4} \ln \left(\frac{d \tanh(bx + a) - d}{d \tanh(bx + a) + d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c+d*tanh(b*x+a)), x)

[Out] -1/2/b*arccot(c+d*tanh(b*x+a))*ln(d*tanh(b*x+a)-d)+1/2/b*arccot(c+d*tanh(b*x+a))*ln(d*tanh(b*x+a)+d)+1/4*I/b*ln(d*tanh(b*x+a)-d)*ln((-d*tanh(b*x+a)+I-c)/(I-c-d))-1/4*I/b*ln(d*tanh(b*x+a)-d)*ln((d*tanh(b*x+a)+c+I)/(I+c+d))+1/4*I/b*dilog((-d*tanh(b*x+a)+I-c)/(I-c-d))-1/4*I/b*dilog((d*tanh(b*x+a)+c+I)/(I+c+d))-1/4*I/b*ln(d*tanh(b*x+a)+d)*ln((-d*tanh(b*x+a)+I-c)/(I-c+d))+1/4*I/b*ln(d*tanh(b*x+a)+d)*ln((d*tanh(b*x+a)+c+I)/(I+c-d))-1/4*I/b*dilog((-d*tanh(b*x+a)+I-c)/(I-c+d))+1/4*I/b*dilog((d*tanh(b*x+a)+c+I)/(I+c-d))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$4bd \int \frac{xe^{(2bx+2a)}}{c^2 - 2cd + d^2 + (c^2e^{(4a)} + 2cde^{(4a)} + d^2e^{(4a)} + e^{(4a)})e^{(4bx)} + 2(c^2e^{(2a)} - d^2e^{(2a)} + e^{(2a)})e^{(2bx)} + 1} dx + x \arctan \left(\frac{c + d \tanh(bx + a)}{c - d \tanh(bx + a)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*tanh(b*x+a)),x, algorithm="maxima")

[Out] $4*b*d*\integrate(x*e^{(2*b*x + 2*a)}/(c^2 - 2*c*d + d^2 + (c^2*e^{(4*a)} + 2*c*d*e^{(4*a)} + d^2*e^{(4*a)} + e^{(4*a)})*e^{(4*b*x)} + 2*(c^2*e^{(2*a)} - d^2*e^{(2*a)} + e^{(2*a)})*e^{(2*b*x)} + 1), x) + x*\arctan2(e^{(2*b*x + 2*a)} + 1, (c*e^{(2*a)} + d*e^{(2*a)})*e^{(2*b*x)} + c - d)$

Fricas [B] time = 6.68202, size = 2288, normalized size = 13.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*tanh(b*x+a)),x, algorithm="fricas")

[Out] $\frac{1}{2}*(2*b*x*\arctan(\cosh(b*x + a)/(c*\cosh(b*x + a) + d*\sinh(b*x + a))) + I*a*\log(2*(c^2 + 2*c*d + d^2 + 1)*\cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*\sinh(b*x + a) + (c^2 - d^2 - 2*I*d + 1)*\sqrt{-(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)})) + I*a*\log(2*(c^2 + 2*c*d + d^2 + 1)*\cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*\sinh(b*x + a) - (c^2 - d^2 - 2*I*d + 1)*\sqrt{-(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)})) - I*a*\log(2*(c^2 + 2*c*d + d^2 + 1)*\cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*\sinh(b*x + a) + (c^2 - d^2 + 2*I*d + 1)*\sqrt{-(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)})) - I*a*\log(2*(c^2 + 2*c*d + d^2 + 1)*\cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*\sinh(b*x + a) - (c^2 - d^2 + 2*I*d + 1)*\sqrt{-(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)})) + (-I*b*x - I*a)*\log(1/2*\sqrt{-(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)) + 1) + (-I*b*x - I*a)*\log(-1/2*\sqrt{-(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)) + 1) + (I*b*x + I*a)*\log(1/2*\sqrt{-(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)) + 1) + (I*b*x + I*a)*\log(-1/2*\sqrt{-(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)) + 1) - I*dilog(1/2*\sqrt{-(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) - I*dilog(-1/2*\sqrt{-(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) + I*dilog(1/2*\sqrt{-(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) + I*dilog(-1/2*\sqrt{-(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))))/b$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c+d*tanh(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{arccot}(d \tanh(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(c+d*tanh(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(arccot(d*tanh(b*x + a) + c), x)
```

$$3.191 \quad \int \frac{\cot^{-1}(c+d \tanh(a+bx))}{x} dx$$

Optimal. Leaf size=17

$$\text{CannotIntegrate}\left(\frac{\cot^{-1}(d \tanh(a+bx)+c)}{x}, x\right)$$

[Out] CannotIntegrate[ArcCot[c + d*Tanh[a + b*x]]/x, x]

Rubi [A] time = 0.0806673, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(c+d \tanh(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[c + d*Tanh[a + b*x]]/x, x]

[Out] Defer[Int][ArcCot[c + d*Tanh[a + b*x]]/x, x]

Rubi steps

$$\int \frac{\cot^{-1}(c+d \tanh(a+bx))}{x} dx = \int \frac{\cot^{-1}(c+d \tanh(a+bx))}{x} dx$$

Mathematica [A] time = 5.10422, size = 0, normalized size = 0.

$$\int \frac{\cot^{-1}(c+d \tanh(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCot[c + d*Tanh[a + b*x]]/x, x]

[Out] Integrate[ArcCot[c + d*Tanh[a + b*x]]/x, x]

Maple [A] time = 0.447, size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(c+d \tanh(bx+a))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c+d*tanh(b*x+a))/x, x)

[Out] int(arccot(c+d*tanh(b*x+a))/x, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(d \tanh(bx + a) + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*tanh(b*x+a))/x,x, algorithm="maxima")

[Out] integrate(arccot(d*tanh(b*x + a) + c)/x, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(d \tanh(bx + a) + c)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*tanh(b*x+a))/x,x, algorithm="fricas")

[Out] integral(arccot(d*tanh(b*x + a) + c)/x, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c+d*tanh(b*x+a))/x,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(d \tanh(bx + a) + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*tanh(b*x+a))/x,x, algorithm="giac")

[Out] integrate(arccot(d*tanh(b*x + a) + c)/x, x)

3.192 $\int x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$

Optimal. Leaf size=142

$$\frac{ix \operatorname{PolyLog}(3, -ice^{2a+2bx})}{4b^2} - \frac{i \operatorname{PolyLog}(4, -ice^{2a+2bx})}{8b^3} - \frac{ix^2 \operatorname{PolyLog}(2, -ice^{2a+2bx})}{4b} - \frac{1}{6} ix^3 \log(1 + ice^{2a+2bx}) + \frac{1}{3} x^3$$

[Out] (I/12)*b*x^4 + (x^3*ArcCot[c + (I + c)*Tanh[a + b*x]])/3 - (I/6)*x^3*Log[1 + I*c*E^(2*a + 2*b*x)] - ((I/4)*x^2*PolyLog[2, (-I)*c*E^(2*a + 2*b*x)])/b + ((I/4)*x*PolyLog[3, (-I)*c*E^(2*a + 2*b*x)])/b^2 - ((I/8)*PolyLog[4, (-I)*c*E^(2*a + 2*b*x)])/b^3

Rubi [A] time = 0.227638, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {5196, 2184, 2190, 2531, 6609, 2282, 6589}

$$\frac{ix \operatorname{PolyLog}(3, -ice^{2a+2bx})}{4b^2} - \frac{i \operatorname{PolyLog}(4, -ice^{2a+2bx})}{8b^3} - \frac{ix^2 \operatorname{PolyLog}(2, -ice^{2a+2bx})}{4b} - \frac{1}{6} ix^3 \log(1 + ice^{2a+2bx}) + \frac{1}{3} x^3$$

Antiderivative was successfully verified.

[In] Int[x^2*ArcCot[c + (I + c)*Tanh[a + b*x]],x]

[Out] (I/12)*b*x^4 + (x^3*ArcCot[c + (I + c)*Tanh[a + b*x]])/3 - (I/6)*x^3*Log[1 + I*c*E^(2*a + 2*b*x)] - ((I/4)*x^2*PolyLog[2, (-I)*c*E^(2*a + 2*b*x)])/b + ((I/4)*x*PolyLog[3, (-I)*c*E^(2*a + 2*b*x)])/b^2 - ((I/8)*PolyLog[4, (-I)*c*E^(2*a + 2*b*x)])/b^3

Rule 5196

Int[ArcCot[(c_.) + (d_.)*Tanh[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> Simp[((e + f*x)^(m + 1)*ArcCot[c + d*Tanh[a + b*x]])/(f*(m + 1)), x] + Dist[b/(f*(m + 1)), Int[(e + f*x)^(m + 1)/(c - d + c*E^(2*a + 2*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c - d)^2, -1]

Rule 2184

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] :> Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))]^(n_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f}

, g, n}, x] && GtQ[m, 0]

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
 \int x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) dx &= \frac{1}{3} x^3 \cot^{-1}(c + (i + c) \tanh(a + bx)) + \frac{1}{3} b \int \frac{x^3}{-i + ce^{2a+2bx}} dx \\
 &= \frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{3} (ibc) \int \frac{e^{2a+2bx} x^3}{-i + ce^{2a+2bx}} dx \\
 &= \frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{6} ix^3 \log(1 + ice^{2a+2bx}) + \frac{1}{2} i \int \frac{ix^2 L}{-i + ce^{2a+2bx}} dx \\
 &= \frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{6} ix^3 \log(1 + ice^{2a+2bx}) - \frac{ix^2 L}{-i + ce^{2a+2bx}} \\
 &= \frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{6} ix^3 \log(1 + ice^{2a+2bx}) - \frac{ix^2 L}{-i + ce^{2a+2bx}} \\
 &= \frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{6} ix^3 \log(1 + ice^{2a+2bx}) - \frac{ix^2 L}{-i + ce^{2a+2bx}} \\
 &= \frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{6} ix^3 \log(1 + ice^{2a+2bx}) - \frac{ix^2 L}{-i + ce^{2a+2bx}}
 \end{aligned}$$

Mathematica [A] time = 0.176547, size = 128, normalized size = 0.9

$$\frac{1}{3} x^3 \cot^{-1}(c + (c + i) \tanh(a + bx)) - \frac{i \left(-6b^2 x^2 \text{PolyLog} \left(2, \frac{ie^{-2(a+bx)}}{c} \right) - 6bx \text{PolyLog} \left(3, \frac{ie^{-2(a+bx)}}{c} \right) - 3 \text{PolyLog} \left(4, \frac{ie^{-2(a+bx)}}{c} \right) \right)}{24b^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*ArcCot[c + (I + c)*Tanh[a + b*x]], x]
```

```
[Out] (x^3*ArcCot[c + (I + c)*Tanh[a + b*x]])/3 - ((I/24)*(4*b^3*x^3*Log[1 - I/(c
*E^(2*(a + b*x))]) - 6*b^2*x^2*PolyLog[2, I/(c*E^(2*(a + b*x))]) - 6*b*x*Po
lyLog[3, I/(c*E^(2*(a + b*x))]) - 3*PolyLog[4, I/(c*E^(2*(a + b*x))])])/b^3
```

Maple [C] time = 17.627, size = 1549, normalized size = 10.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*arccot(c+(I+c)*tanh(b*x+a)),x)`

[Out]
$$\begin{aligned} & -1/3*I/b^3*c*a^3/(I+c)*\ln(\exp(b*x+a))+1/3*I/b^2*c/(I+c)*x*a^3+1/12*Pi*x^3*c \\ & \operatorname{sgn}(I*(2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}((2*\exp(2*b*x+2*a)*c \\ & -2*I)/(\exp(2*b*x+2*a)+1))+1/12*Pi*x^3*\operatorname{csgn}(I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b* \\ & x+2*a)*c))*\operatorname{csgn}(I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1 \\ &))^2+1/12*Pi*x^3*\operatorname{csgn}(I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+ \\ & 2*a)+1))*\operatorname{csgn}((2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))^2 \\ & -1/12*Pi*x^3*\operatorname{csgn}(I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a) \\ & +1))^3+1/12*Pi*x^3*\operatorname{csgn}((2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)+1))^2+1/2* \\ & I/b^2*\ln(1+I*c*\exp(2*b*x+2*a))*x*a^2-1/2*I/b^2*a^2*\ln(1+I*\exp(b*x+a)*(I*c)^(\\ & 1/2))*x-1/2*I/b^2*a^2*\ln(1-I*\exp(b*x+a)*(I*c)^(1/2))*x-1/8*I*\operatorname{polylog}(4,-I* \\ & c*\exp(2*b*x+2*a))/b^3+1/12*I*b*c/(I+c)*x^4+1/4*I/b^3*c/(I+c)*a^4-1/12*Pi*x^ \\ & 3*\operatorname{csgn}(I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}((\\ & 2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))-1/12*Pi*x^3*\operatorname{csgn} \\ & (I*(2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}((2*\exp(2*b*x+2*a)*c-2* \\ & I)/(\exp(2*b*x+2*a)+1))^2+1/6*I/b^3*a^3*\ln(-\exp(2*b*x+2*a)*c+I)+1/3/b^3*a^3/ \\ & (I+c)*\ln(\exp(b*x+a))-1/3/b^2/(I+c)*x*a^3+1/4*I*x*\operatorname{polylog}(3,-I*c*\exp(2*b*x+2 \\ & *a))/b^2-1/12*Pi*x^3*\operatorname{csgn}((2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b* \\ & x+2*a)+1))^3-1/12*Pi*x^3*\operatorname{csgn}((2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)+1))^ \\ & 3-1/6*I*x^3*\ln(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)+1/6*I*x^3*\ln(2*\exp(2* \\ & b*x+2*a)*c-2*I)-1/6*I*x^3*\ln(1+I*c*\exp(2*b*x+2*a))+1/12*Pi*x^3*\operatorname{csgn}(I*(2*\exp \\ & (2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)+1))^3+1/12*Pi*x^3*\operatorname{csgn}(I/(\exp(2*b*x+2*a) \\ & +1))*\operatorname{csgn}(I*(2*\exp(2*b*x+2*a)*c-2*I))*\operatorname{csgn}(I*(2*\exp(2*b*x+2*a)*c-2*I)/(\exp \\ & (2*b*x+2*a)+1))-1/12*Pi*x^3*\operatorname{csgn}(I/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}(I*(2*I*\exp(2*b* \\ & x+2*a)+2*\exp(2*b*x+2*a)*c))*\operatorname{csgn}(I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/ \\ & (\exp(2*b*x+2*a)+1))-1/12*Pi*x^3*\operatorname{csgn}(I/(\exp(2*b*x+2*a)+1))*\operatorname{csgn}(I*(2*\exp(2* \\ & b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)+1))^2+1/12*Pi*x^3*\operatorname{csgn}(I/(\exp(2*b*x+2*a)+1) \\ &)*\operatorname{csgn}(I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))^2-1/12 \\ & *Pi*x^3*\operatorname{csgn}(I*(2*\exp(2*b*x+2*a)*c-2*I))*\operatorname{csgn}(I*(2*\exp(2*b*x+2*a)*c-2*I)/(e \\ & xp(2*b*x+2*a)+1))^2+1/12*Pi*x^3*\operatorname{csgn}((2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c \\ &)/(\exp(2*b*x+2*a)+1))^2-1/4*I*x^2*\operatorname{polylog}(2,-I*c*\exp(2*b*x+2*a))/b-1/4/b^3/ \\ & (I+c)*a^4-1/12*b/(I+c)*x^4+1/3*I/b^3*\ln(1+I*c*\exp(2*b*x+2*a))*a^3+1/4*I/b^3 \\ & *\operatorname{polylog}(2,-I*c*\exp(2*b*x+2*a))*a^2-1/2*I/b^3*a^3*\ln(1+I*\exp(b*x+a)*(I*c)^(\\ & 1/2))-1/2*I/b^3*a^3*\ln(1-I*\exp(b*x+a)*(I*c)^(1/2))-1/2*I/b^3*a^2*\operatorname{dilog}(1+I* \\ & \exp(b*x+a)*(I*c)^(1/2))-1/2*I/b^3*a^2*\operatorname{dilog}(1-I*\exp(b*x+a)*(I*c)^(1/2)) \end{aligned}$$

Maxima [A] time = 5.76678, size = 174, normalized size = 1.23

$$\frac{1}{3}x^3 \operatorname{arccot}((c+i)\tanh(bx+a)+c) - \frac{4}{9} \left(\frac{3x^4}{4ic-4} - \frac{4b^3x^3 \log(ice^{(2bx+2a)}+1) + 6b^2x^2 \operatorname{Li}_2(-ice^{(2bx+2a)}) - 6bx \operatorname{Li}_3(-ice^{(2bx+2a)})}{-2b^4(-ic+1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & 1/3*x^3*\operatorname{arccot}((c+I)*\tanh(b*x+a)+c) - 4/9*(3*x^4/(4*I*c-4) - (4*b^3 \\ & *x^3*\log(I*c*e^{(2*b*x+2*a)}+1) + 6*b^2*x^2*\operatorname{dilog}(-I*c*e^{(2*b*x+2*a)}) - \\ & 6*b*x*\operatorname{polylog}(3,-I*c*e^{(2*b*x+2*a)}) + 3*\operatorname{polylog}(4,-I*c*e^{(2*b*x+2*a)}) \end{aligned}$$

))/(b^4*(2*I*c - 2))*b*(c + I)

Fricas [C] time = 2.24497, size = 869, normalized size = 6.12

$$i b^4 x^4 + 2i b^3 x^3 \log\left(\frac{(c e^{(2bx+2a)} - i) e^{(-2bx-2a)}}{c+i}\right) - 6i b^2 x^2 \operatorname{Li}_2\left(\frac{1}{2} \sqrt{-4i c} e^{(bx+a)}\right) - 6i b^2 x^2 \operatorname{Li}_2\left(-\frac{1}{2} \sqrt{-4i c} e^{(bx+a)}\right) - i a^4 + 2i a^3 \log\left(\frac{c e^{(2bx+2a)} - i}{c+i}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="fricas")

[Out] 1/12*(I*b^4*x^4 + 2*I*b^3*x^3*log((c*e^(2*b*x + 2*a) - I)*e^(-2*b*x - 2*a)/(c + I)) - 6*I*b^2*x^2*dilog(1/2*sqrt(-4*I*c)*e^(b*x + a)) - 6*I*b^2*x^2*dilog(-1/2*sqrt(-4*I*c)*e^(b*x + a)) - I*a^4 + 2*I*a^3*log(1/2*(2*c*e^(b*x + a) + I*sqrt(-4*I*c))/c) + 2*I*a^3*log(1/2*(2*c*e^(b*x + a) - I*sqrt(-4*I*c))/c) + 12*I*b*x*polylog(3, 1/2*sqrt(-4*I*c)*e^(b*x + a)) + 12*I*b*x*polylog(3, -1/2*sqrt(-4*I*c)*e^(b*x + a)) + (-2*I*b^3*x^3 - 2*I*a^3)*log(1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) + (-2*I*b^3*x^3 - 2*I*a^3)*log(-1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) - 12*I*polylog(4, 1/2*sqrt(-4*I*c)*e^(b*x + a)) - 12*I*polylog(4, -1/2*sqrt(-4*I*c)*e^(b*x + a)))/b^3

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(c+(I+c)*tanh(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{arccot}((c + i) \tanh(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="giac")

[Out] integrate(x^2*arccot((c + I)*tanh(b*x + a) + c), x)

3.193 $\int x \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$

Optimal. Leaf size=113

$$\frac{i \operatorname{PolyLog}\left(3, -ice^{2a+2bx}\right)}{8b^2} - \frac{ix \operatorname{PolyLog}\left(2, -ice^{2a+2bx}\right)}{4b} - \frac{1}{4}ix^2 \log\left(1 + ice^{2a+2bx}\right) + \frac{1}{2}x^2 \cot^{-1}(c + (c + i) \tanh(a + bx))$$

[Out] (I/6)*b*x^3 + (x^2*ArcCot[c + (I + c)*Tanh[a + b*x]])/2 - (I/4)*x^2*Log[1 + I*c*E^(2*a + 2*b*x)] - ((I/4)*x*PolyLog[2, (-I)*c*E^(2*a + 2*b*x)])/b + ((I/8)*PolyLog[3, (-I)*c*E^(2*a + 2*b*x)])/b^2

Rubi [A] time = 0.197445, antiderivative size = 113, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {5196, 2184, 2190, 2531, 2282, 6589}

$$\frac{i \operatorname{PolyLog}\left(3, -ice^{2a+2bx}\right)}{8b^2} - \frac{ix \operatorname{PolyLog}\left(2, -ice^{2a+2bx}\right)}{4b} - \frac{1}{4}ix^2 \log\left(1 + ice^{2a+2bx}\right) + \frac{1}{2}x^2 \cot^{-1}(c + (c + i) \tanh(a + bx))$$

Antiderivative was successfully verified.

[In] Int[x*ArcCot[c + (I + c)*Tanh[a + b*x]], x]

[Out] (I/6)*b*x^3 + (x^2*ArcCot[c + (I + c)*Tanh[a + b*x]])/2 - (I/4)*x^2*Log[1 + I*c*E^(2*a + 2*b*x)] - ((I/4)*x*PolyLog[2, (-I)*c*E^(2*a + 2*b*x)])/b + ((I/8)*PolyLog[3, (-I)*c*E^(2*a + 2*b*x)])/b^2

Rule 5196

Int[ArcCot[(c_.) + (d_.)*Tanh[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> Simp[((e + f*x)^(m + 1)*ArcCot[c + d*Tanh[a + b*x]])/(f*(m + 1)), x] + Dist[b/(f*(m + 1)), Int[(e + f*x)^(m + 1)/(c - d + c*E^(2*a + 2*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c - d)^2, -1]

Rule 2184

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] :> Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))]^(n_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int x \cot^{-1}(c + (i + c) \tanh(a + bx)) dx &= \frac{1}{2} x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) + \frac{1}{2} b \int \frac{x^2}{-i + ce^{2a+2bx}} dx \\
&= \frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{2} (ibc) \int \frac{e^{2a+2bx} x^2}{-i + ce^{2a+2bx}} dx \\
&= \frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{4} ix^2 \log(1 + ice^{2a+2bx}) + \frac{1}{2} i \int x \\
&= \frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{4} ix^2 \log(1 + ice^{2a+2bx}) - \frac{ix \text{Li}_2}{4} \\
&= \frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{4} ix^2 \log(1 + ice^{2a+2bx}) - \frac{ix \text{Li}_2}{4} \\
&= \frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{4} ix^2 \log(1 + ice^{2a+2bx}) - \frac{ix \text{Li}_2}{4}
\end{aligned}$$

Mathematica [A] time = 0.0864655, size = 102, normalized size = 0.9

$$\frac{1}{2} x^2 \cot^{-1}(c + (c + i) \tanh(a + bx)) - \frac{i \left(-2bx \text{PolyLog} \left(2, \frac{ie^{-2(a+bx)}}{c} \right) - \text{PolyLog} \left(3, \frac{ie^{-2(a+bx)}}{c} \right) + 2b^2 x^2 \log \left(1 - \frac{ie^{-2(a+bx)}}{c} \right) \right)}{8b^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x*ArcCot[c + (I + c)*Tanh[a + b*x]], x]
```

```
[Out] (x^2*ArcCot[c + (I + c)*Tanh[a + b*x]])/2 - ((I/8)*(2*b^2*x^2*Log[1 - I/(c*
E^(2*(a + b*x)))] - 2*b*x*PolyLog[2, I/(c*E^(2*(a + b*x)))] - PolyLog[3, I/
(c*E^(2*(a + b*x)))]))/b^2
```

Maple [C] time = 8.242, size = 1513, normalized size = 13.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*arccot(c+(I+c)*tanh(b*x+a)), x)
```

```
[Out] 1/8*Pi*x^2*csgn(I*(2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)+1))^3-1/2/b^2*a^
2/(I+c)*ln(exp(b*x+a))+1/2/b/(I+c)*x*a^2-1/4*I/b^2*ln(1+I*c*exp(2*b*x+2*a))
```

$$\begin{aligned}
& *a^{-2-1/4}I/b^2 \text{polylog}(2, -I*c*\exp(2*b*x+2*a)) *a+1/2*I/b^2*a^2*\ln(1+I*\exp(b*x+a) \\
& *(I*c)^{(1/2)})+1/2*I/b^2*a^2*\ln(1-I*\exp(b*x+a) *(I*c)^{(1/2)})+1/2*I/b^2*a^2 \\
& \text{dilog}(1+I*\exp(b*x+a) *(I*c)^{(1/2)})+1/2*I/b^2*a^2*\text{dilog}(1-I*\exp(b*x+a) *(I*c)^{(1/2)}) \\
& +1/8*I*\text{polylog}(3, -I*c*\exp(2*b*x+2*a))/b^2-1/3*I/b^2*c/(I+c)*a^3+1/6*I*b \\
& *c/(I+c)*x^3-1/8*Pi*x^2*c\text{sgn}(I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp \\
& (2*b*x+2*a)+1))^3+1/2*I/b*a*\ln(1+I*\exp(b*x+a) *(I*c)^{(1/2)}) *x-1/8*Pi*x^2*c\text{sgn} \\
& n(I*(2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)+1))^2*c\text{sgn}((2*\exp(2*b*x+2*a)*c-2 \\
& *I)/(\exp(2*b*x+2*a)+1))^2-1/4*I*x^2*\ln(1+I*c*\exp(2*b*x+2*a))+1/4*I*x^2*\ln(2 \\
& *\exp(2*b*x+2*a)*c-2*I)-1/8*Pi*x^2*c\text{sgn}((2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a) \\
& *c)/(\exp(2*b*x+2*a)+1))^3-1/8*Pi*x^2*c\text{sgn}((2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b \\
& *x+2*a)+1))^3+1/3/b^2/(I+c)*a^3-1/6*b/(I+c)*x^3+1/2*I/b*a*\ln(1-I*\exp(b*x+a) \\
& *(I*c)^{(1/2)}) *x-1/4*I*x^2*\ln(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)-1/4*I*x \\
& *\text{polylog}(2, -I*c*\exp(2*b*x+2*a))/b-1/4*I/b^2*a^2*\ln(-\exp(2*b*x+2*a)*c+I)-1/8 \\
& *Pi*x^2*c\text{sgn}(I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))^2 \\
& *c\text{sgn}((2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))+1/8*Pi*x^2 \\
& *c\text{sgn}((2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)+1))^2+1/8*Pi*x^2*c\text{sgn}((2*I*\exp \\
& (2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))^2-1/8*Pi*x^2*c\text{sgn}(I/(\exp \\
& (2*b*x+2*a)+1))^2*c\text{sgn}(I*(2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)+1))^2+1/ \\
& 8*Pi*x^2*c\text{sgn}(I*(2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)+1))^2*c\text{sgn}((2*\exp(2* \\
& b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)+1))+1/8*Pi*x^2*c\text{sgn}(I*(2*I*\exp(2*b*x+2*a)+2 \\
& *\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))^2*c\text{sgn}((2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x \\
& +2*a)*c)/(\exp(2*b*x+2*a)+1))^2+1/8*Pi*x^2*c\text{sgn}(I*(2*I*\exp(2*b*x+2*a)+2*\exp(\\
& 2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))^2*c\text{sgn}(I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2* \\
& a)+1))^2+1/8*Pi*x^2*c\text{sgn}(I/(\exp(2*b*x+2*a)+1))^2*c\text{sgn}(I*(2*I*\exp(2*b*x+2*a)+2 \\
& *\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))^2-1/8*Pi*x^2*c\text{sgn}(I*(2*\exp(2*b*x+2*a) \\
&) *c-2*I))^2*c\text{sgn}(I*(2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)+1))^2-1/2*I/b*\ln(\\
& 1+I*c*\exp(2*b*x+2*a)) *x*a+1/2*I/b^2*c*a^2/(I+c)*\ln(\exp(b*x+a))-1/2*I/b*c/(I \\
& +c)*x*a^2+1/8*Pi*x^2*c\text{sgn}(I/(\exp(2*b*x+2*a)+1))^2*c\text{sgn}(I*(2*\exp(2*b*x+2*a)*c- \\
& 2*I))^2*c\text{sgn}(I*(2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)+1))-1/8*Pi*x^2*c\text{sgn}(I \\
& /(\exp(2*b*x+2*a)+1))^2*c\text{sgn}(I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c))^2*c\text{sgn}(I \\
& *(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))
\end{aligned}$$

Maxima [A] time = 5.78706, size = 144, normalized size = 1.27

$$-\left(\frac{2x^3}{3ic-3} - \frac{2b^2x^2 \log(ice^{(2bx+2a)} + 1) + 2bx\text{Li}_2(-ice^{(2bx+2a)}) - \text{Li}_3(-ice^{(2bx+2a)})}{-2b^3(-ic+1)} \right) b(c+i) + \frac{1}{2}x^2 \operatorname{arccot}((c+i) \tanh(bx+a))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="maxima")

[Out] $-(2*x^3/(3*I*c - 3) - (2*b^2*x^2*\log(I*c*e^{(2*b*x + 2*a)} + 1) + 2*b*x*\text{dilog}(-I*c*e^{(2*b*x + 2*a)}) - \text{polylog}(3, -I*c*e^{(2*b*x + 2*a)}))/b^3*(2*I*c - 2)) * b*(c + I) + 1/2*x^2*\operatorname{arccot}((c + I)*\tanh(b*x + a) + c)$

Fricas [C] time = 2.17546, size = 720, normalized size = 6.37

$$2i b^3 x^3 + 3i b^2 x^2 \log\left(\frac{(ce^{(2bx+2a)} - i)e^{(-2bx-2a)}}{c+i}\right) + 2i a^3 - 6i bx\text{Li}_2\left(\frac{1}{2}\sqrt{-4i}ce^{(bx+a)}\right) - 6i bx\text{Li}_2\left(-\frac{1}{2}\sqrt{-4i}ce^{(bx+a)}\right) - 3i a^2 \log(c+i)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="fricas")

```
[Out] 1/12*(2*I*b^3*x^3 + 3*I*b^2*x^2*log((c*e^(2*b*x + 2*a) - I)*e^(-2*b*x - 2*a)
)/(c + I)) + 2*I*a^3 - 6*I*b*x*dilog(1/2*sqrt(-4*I*c)*e^(b*x + a)) - 6*I*b*
x*dilog(-1/2*sqrt(-4*I*c)*e^(b*x + a)) - 3*I*a^2*log(1/2*(2*c*e^(b*x + a) +
I*sqrt(-4*I*c))/c) - 3*I*a^2*log(1/2*(2*c*e^(b*x + a) - I*sqrt(-4*I*c))/c)
+ (-3*I*b^2*x^2 + 3*I*a^2)*log(1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) + (-3*I*b
^2*x^2 + 3*I*a^2)*log(-1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) + 6*I*polylog(3, 1
/2*sqrt(-4*I*c)*e^(b*x + a)) + 6*I*polylog(3, -1/2*sqrt(-4*I*c)*e^(b*x + a
))/b^2
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*acot(c+(I+c)*tanh(b*x+a)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{arccot}((c + i) \tanh(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(x*arccot((c + I)*tanh(b*x + a) + c), x)
```

3.194 $\int \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$

Optimal. Leaf size=79

$$-\frac{i \operatorname{PolyLog}\left(2, -ice^{2a+2bx}\right)}{4b} - \frac{1}{2}ix \log\left(1 + ice^{2a+2bx}\right) + x \cot^{-1}(c + (c + i) \tanh(a + bx)) + \frac{1}{2}ibx^2$$

[Out] (I/2)*b*x^2 + x*ArcCot[c + (I + c)*Tanh[a + b*x]] - (I/2)*x*Log[1 + I*c*E^(2*a + 2*b*x)] - ((I/4)*PolyLog[2, (-I)*c*E^(2*a + 2*b*x)])/b

Rubi [A] time = 0.119533, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5188, 2184, 2190, 2279, 2391}

$$-\frac{i \operatorname{PolyLog}\left(2, -ice^{2a+2bx}\right)}{4b} - \frac{1}{2}ix \log\left(1 + ice^{2a+2bx}\right) + x \cot^{-1}(c + (c + i) \tanh(a + bx)) + \frac{1}{2}ibx^2$$

Antiderivative was successfully verified.

[In] Int[ArcCot[c + (I + c)*Tanh[a + b*x]], x]

[Out] (I/2)*b*x^2 + x*ArcCot[c + (I + c)*Tanh[a + b*x]] - (I/2)*x*Log[1 + I*c*E^(2*a + 2*b*x)] - ((I/4)*PolyLog[2, (-I)*c*E^(2*a + 2*b*x)])/b

Rule 5188

Int[ArcCot[(c_.) + (d_.)*Tanh[(a_.) + (b_.)*(x_)]], x_Symbol] := Simp[x*ArcCot[c + d*Tanh[a + b*x]], x] + Dist[b, Int[x/(c - d + c*E^(2*a + 2*b*x)), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[(c - d)^2, -1]

Rule 2184

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n]/a)]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_.) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))]^(n_.), x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \cot^{-1}(c + (i + c) \tanh(a + bx)) dx &= x \cot^{-1}(c + (i + c) \tanh(a + bx)) + b \int \frac{x}{-i + ce^{2a+2bx}} dx \\
&= \frac{1}{2} ibx^2 + x \cot^{-1}(c + (i + c) \tanh(a + bx)) - (ibc) \int \frac{e^{2a+2bx} x}{-i + ce^{2a+2bx}} dx \\
&= \frac{1}{2} ibx^2 + x \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{2} ix \log(1 + ice^{2a+2bx}) + \frac{1}{2} i \int \log(1 + ice^{2a+2bx}) dx \\
&= \frac{1}{2} ibx^2 + x \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{2} ix \log(1 + ice^{2a+2bx}) + \frac{i \operatorname{Subst}\left(\int \frac{1}{1 + ice^{2a+2bx}} dx\right)}{2} \\
&= \frac{1}{2} ibx^2 + x \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{2} ix \log(1 + ice^{2a+2bx}) - \frac{i \operatorname{Li}_2(-ice^{2a+2bx})}{4b}
\end{aligned}$$

Mathematica [A] time = 0.792621, size = 71, normalized size = 0.9

$$x \cot^{-1}(c + (c + i) \tanh(a + bx)) - \frac{i \left(2bx \log\left(1 - \frac{ie^{-2(a+bx)}}{c}\right) - \operatorname{PolyLog}\left(2, \frac{ie^{-2(a+bx)}}{c}\right) \right)}{4b}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[c + (I + c)*Tanh[a + b*x]], x]

[Out] x*ArcCot[c + (I + c)*Tanh[a + b*x]] - ((I/4)*(2*b*x*Log[1 - I/(c*E^(2*(a + b*x)))] - PolyLog[2, I/(c*E^(2*(a + b*x)))]))/b

Maple [B] time = 0.118, size = 1381, normalized size = 17.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c+(I+c)*tanh(b*x+a)), x)

[Out] $\frac{1}{4} \frac{I}{(I+c)^2} \frac{1}{b} \ln(c - (I+c) \tanh(b*x+a) + I) \ln(-1/2 * (-c - (I+c) \tanh(b*x+a) + I) / c) + \frac{1}{4} \frac{I}{(I+c)^2} \frac{1}{b} \ln(c - (I+c) \tanh(b*x+a) + I) \ln((-c - (I+c) \tanh(b*x+a) - I) / (-2*I - 2*c)) + \frac{1}{4} \frac{I}{(I+c)^2} \frac{1}{b} \ln(c + (I+c) \tanh(b*x+a) + I) \ln(-1/2 * I * (-c - (I+c) \tanh(b*x+a) + I) / c) + \frac{1}{4} \frac{I}{(I+c)^2} \frac{1}{b} \ln(c + (I+c) \tanh(b*x+a) + I) \ln(-1/2 * I * (-c - (I+c) \tanh(b*x+a) + I) - 1/4 * I / (I+c)^2 / b \ln(-1/2 * I * (c + (I+c) \tanh(b*x+a) + I) * \ln(-1/2 * I * (-c - (I+c) \tanh(b*x+a) + I) - 1/4 * I / (I+c)^2 / b \ln(c - (I+c) \tanh(b*x+a) + I) * \ln(-1/2 * (-c - (I+c) \tanh(b*x+a) + I) / c) + 1/4 * I / (I+c)^2 / b \ln(c - (I+c) \tanh(b*x+a) + I) * \ln((-c - (I+c) \tanh(b*x+a) - I) / (-2*I - 2*c)) + 1/4 * I / (I+c)^2 / b \operatorname{dilog}(-1/2 * I * (c + (I+c) \tanh(b*x+a) + I) / c) + 1/8 * I / (I+c)^2 / b \ln(c + (I+c) \tanh(b*x+a) + I)^2 * c^{-2} - 1/2 / (I+c)^2 / b \ln(c - (I+c) \tanh(b*x+a) + I) \ln(-1/2 * (-c - (I+c) \tanh(b*x+a) + I) / c) * c + 1/2 / (I+c)^2 / b \ln(c - (I+c) \tanh(b*x+a) + I) \ln((-c - (I+c) \tanh(b*x+a) - I) / (-2*I - 2*c)) * c - 1 / (I+c) / b \operatorname{arccot}(c + (I+c) \tanh(b*x+a)) / (2*I + 2*c) * \ln(c + (I+c) \tanh(b*x+a) + I) + 1 / (I+c) / b \operatorname{arccot}(c + (I+c) \tanh(b*x+a)) / (2*I + 2*c) * \ln(c - (I+c) \tanh(b*x+a) + I) + 1/2 / (I+c)^2 / b \ln(c + (I+c) \tanh(b*x+a) + I) \ln(-1/2 * I * (-c - (I+c) \tanh(b*x+a) + I) * c + 1/4 * I / (I+c)^2 / b \operatorname{dilog}(-1/2 * (-c - (I+c) \tanh(b*x+a) + I) / c) * c^{-2} - 1/4 * I / (I+c)^2 / b \operatorname{dilog}((-c - (I+c) \tanh(b*x+a) - I) / (-2*I - 2*c)) * c^{-2} - 1/8 * I / (I+c)^2 / b \ln(c + (I+c) \tanh(b*x+a) + I)^2 - 1/4 * I / (I+c)^2 / b \operatorname{dilog}(-1/2 * (-c - (I+c) \tanh(b*x+a) + I) / c) + 1/4 * I / (I+c)^2 / b \operatorname{dilog}((-c - (I+c) \tanh(b*x+a) - I) / (-2*I - 2*c)) - 1/4 * I / (I+c)^2 / b \operatorname{dilog}(-1/2 * I * (c + (I+c) \tanh(b*x+a) + I) - 1/2 / (I+c)^2 / b \operatorname{dilog}(-1/2 * (-c - (I+c) \tanh(b*x+a) + I) / c) * c + 1/2 / (I+c)^2 / b \operatorname{dilog}((-c - (I+c) \tanh(b*x+a) - I)$

$$\begin{aligned} &/(-2*I-2*c))*c-1/2/(I+c)^2/b*dilog(-1/2*I*(c+(I+c)*tanh(b*x+a)+I))*c-1/4/(I \\ &+c)^2/b*\ln(c+(I+c)*tanh(b*x+a)+I)^2*c-1/2/(I+c)^2/b*\ln(-1/2*I*(c+(I+c)*tanh \\ &(b*x+a)+I))*\ln(-1/2*I*(-c-(I+c)*tanh(b*x+a)+I))*c+1/4*I/(I+c)^2/b*\ln(-1/2*I \\ &*(c+(I+c)*tanh(b*x+a)+I))*\ln(-1/2*I*(-c-(I+c)*tanh(b*x+a)+I))*c^2-1/(I+c)/b \\ &*arccot(c+(I+c)*tanh(b*x+a))/(2*I+2*c)*\ln(c-(I+c)*tanh(b*x+a)+I)*c^2+1/(I+c \\ &)/b*arccot(c+(I+c)*tanh(b*x+a))/(2*I+2*c)*\ln(c+(I+c)*tanh(b*x+a)+I)*c^2+2*I \\ &/I+c)/b*arccot(c+(I+c)*tanh(b*x+a))/(2*I+2*c)*\ln(c+(I+c)*tanh(b*x+a)+I)*c- \\ &2*I/I+c)/b*arccot(c+(I+c)*tanh(b*x+a))/(2*I+2*c)*\ln(c-(I+c)*tanh(b*x+a)+I) \\ &*c \end{aligned}$$

Maxima [A] time = 5.84948, size = 108, normalized size = 1.37

$$-2b(c+i)\left(\frac{2x^2}{2ic-2} - \frac{2bx \log(ice^{(2bx+2a)} + 1) + \text{Li}_2(-ice^{(2bx+2a)})}{-2b^2(-ic+1)}\right) + x \operatorname{arccot}((c+i)\tanh(bx+a) + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="maxima")

[Out] $-2*b*(c + I)*(2*x^2/(2*I*c - 2) - (2*b*x*\log(I*c*e^{(2*b*x + 2*a)} + 1) + \operatorname{dilog}(-I*c*e^{(2*b*x + 2*a)}))/(b^2*(2*I*c - 2))) + x*\operatorname{arccot}((c + I)*\tanh(b*x + a) + c)$

Fricas [B] time = 2.23965, size = 520, normalized size = 6.58

$$ib^2x^2 + ibx \log\left(\frac{(ce^{(2bx+2a)} - i)e^{(-2bx-2a)}}{c+i}\right) - ia^2 + (-ibx - ia) \log\left(\frac{1}{2}\sqrt{-4i}ce^{(bx+a)} + 1\right) + (-ibx - ia) \log\left(-\frac{1}{2}\sqrt{-4i}ce^{(bx+a)} + 1\right)$$

2b

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="fricas")

[Out] $1/2*(I*b^2*x^2 + I*b*x*\log((c*e^{(2*b*x + 2*a)} - I)*e^{(-2*b*x - 2*a)})/(c + I) - I*a^2 + (-I*b*x - I*a)*\log(1/2*\sqrt{-4*I*c}*e^{(b*x + a)} + 1) + (-I*b*x - I*a)*\log(-1/2*\sqrt{-4*I*c}*e^{(b*x + a)} + 1) + I*a*\log(1/2*(2*c*e^{(b*x + a)} + I*\sqrt{-4*I*c}))/c + I*a*\log(1/2*(2*c*e^{(b*x + a)} - I*\sqrt{-4*I*c}))/c - I*dilog(1/2*\sqrt{-4*I*c}*e^{(b*x + a)}) - I*dilog(-1/2*\sqrt{-4*I*c}*e^{(b*x + a)}))/b$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$b(c^3 + 3ic^2 - 3c - i) \int \frac{x}{c^4 e^{2a} e^{2bx} + 3ic^3 e^{2a} e^{2bx} - ic^3 - 3c^2 e^{2a} e^{2bx} + 3c^2 - ic e^{2a} e^{2bx} + 3ic - 1} dx + \frac{ix \log\left(1 - \frac{c}{c - \frac{c}{e^{2a} e^{2bx} + 1}}\right)}{c - \frac{c}{e^{2a} e^{2bx} + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c+(I+c)*tanh(b*x+a)),x)

[Out] $b*(c**3 + 3*I*c**2 - 3*c - I)*\operatorname{Integral}(x/(c**4*\exp(2*a)*\exp(2*b*x) + 3*I*c**3*\exp(2*a)*\exp(2*b*x) - I*c**3 - 3*c**2*\exp(2*a)*\exp(2*b*x) + 3*c**2 - I*c$

```
*exp(2*a)*exp(2*b*x) + 3*I*c - 1), x) + I*x*log(1 - I/(c - c/(exp(2*a)*exp(
2*b*x) + 1) + c*exp(a)*exp(b*x)/(exp(a)*exp(b*x) + exp(-a)*exp(-b*x)) - I/(
exp(2*a)*exp(2*b*x) + 1) + I*exp(a)*exp(b*x)/(exp(a)*exp(b*x) + exp(-a)*exp
(-b*x))))/2 - I*x*log(1 + I/(c - c/(exp(2*a)*exp(2*b*x) + 1) + c*exp(a)*exp
(b*x)/(exp(a)*exp(b*x) + exp(-a)*exp(-b*x)) - I/(exp(2*a)*exp(2*b*x) + 1) +
I*exp(a)*exp(b*x)/(exp(a)*exp(b*x) + exp(-a)*exp(-b*x))))/2
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{arccot}((c + i) \tanh(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(arccot((c + I)*tanh(b*x + a) + c), x)
```


$$3.195 \quad \int \frac{\cot^{-1}(c+(i+c)\tanh(a+bx))}{x} dx$$

Optimal. Leaf size=21

$$\text{CannotIntegrate}\left(\frac{\cot^{-1}(c+(c+i)\tanh(a+bx))}{x}, x\right)$$

[Out] CannotIntegrate[ArcCot[c + (I + c)*Tanh[a + b*x]]/x, x]

Rubi [A] time = 0.0930228, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(c+(i+c)\tanh(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[c + (I + c)*Tanh[a + b*x]]/x, x]

[Out] Defer[Int][ArcCot[c + (I + c)*Tanh[a + b*x]]/x, x]

Rubi steps

$$\int \frac{\cot^{-1}(c+(i+c)\tanh(a+bx))}{x} dx = \int \frac{\cot^{-1}(c+(i+c)\tanh(a+bx))}{x} dx$$

Mathematica [A] time = 3.18315, size = 0, normalized size = 0.

$$\int \frac{\cot^{-1}(c+(i+c)\tanh(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCot[c + (I + c)*Tanh[a + b*x]]/x, x]

[Out] Integrate[ArcCot[c + (I + c)*Tanh[a + b*x]]/x, x]

Maple [A] time = 0.414, size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(c+(i+c)\tanh(bx+a))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c+(I+c)*tanh(b*x+a))/x, x)

[Out] int(arccot(c+(I+c)*tanh(b*x+a))/x, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$-ibx - \frac{1}{4}(2\pi + 4ia - 2 \arctan(1, c) + i \log(c^2 + 1)) \log(x) - \frac{1}{2} \int \frac{\arctan(1, -ce^{(2bx+2a)})}{x} dx + \frac{1}{4}i \int \frac{\log(c^2 e^{(4bx+4a)})}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+(I+c)*tanh(b*x+a))/x,x, algorithm="maxima")

[Out] -I*b*x - 1/4*(2*pi + 4*I*a - 2*arctan2(1, c) + I*log(c^2 + 1))*log(x) - 1/2 *integrate(arctan2(1, -c*e^(2*b*x + 2*a))/x, x) + 1/4*I*integrate(log(c^2*e^(4*b*x + 4*a) + 1)/x, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{i \log \left(\frac{(ce^{(2bx+2a)} - i)e^{(-2bx-2a)}}{c+i} \right)}{2x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+(I+c)*tanh(b*x+a))/x,x, algorithm="fricas")

[Out] integral(1/2*I*log((c*e^(2*b*x + 2*a) - I)*e^(-2*b*x - 2*a)/(c + I))/x, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c+(I+c)*tanh(b*x+a))/x,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{arccot}((c+i)\tanh(bx+a)+c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+(I+c)*tanh(b*x+a))/x,x, algorithm="giac")

[Out] integrate(arccot((c + I)*tanh(b*x + a) + c)/x, x)

3.196 $\int x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$

Optimal. Leaf size=145

$$\frac{ix \operatorname{PolyLog}\left(3, ice^{2a+2bx}\right)}{4b^2} + \frac{i \operatorname{PolyLog}\left(4, ice^{2a+2bx}\right)}{8b^3} + \frac{ix^2 \operatorname{PolyLog}\left(2, ice^{2a+2bx}\right)}{4b} + \frac{1}{6} ix^3 \log\left(1 - ice^{2a+2bx}\right) + \frac{1}{3} x^3 \cot$$

[Out] $(-I/12)*b*x^4 + (x^3*ArcCot[c - (I - c)*Tanh[a + b*x]])/3 + (I/6)*x^3*Log[1 - I*c*E^(2*a + 2*b*x)] + ((I/4)*x^2*PolyLog[2, I*c*E^(2*a + 2*b*x)])/b - (I/4)*x*PolyLog[3, I*c*E^(2*a + 2*b*x)]/b^2 + ((I/8)*PolyLog[4, I*c*E^(2*a + 2*b*x)])/b^3$

Rubi [A] time = 0.2268, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$, Rules used = {5196, 2184, 2190, 2531, 6609, 2282, 6589}

$$\frac{ix \operatorname{PolyLog}\left(3, ice^{2a+2bx}\right)}{4b^2} + \frac{i \operatorname{PolyLog}\left(4, ice^{2a+2bx}\right)}{8b^3} + \frac{ix^2 \operatorname{PolyLog}\left(2, ice^{2a+2bx}\right)}{4b} + \frac{1}{6} ix^3 \log\left(1 - ice^{2a+2bx}\right) + \frac{1}{3} x^3 \cot$$

Antiderivative was successfully verified.

[In] Int[x^2*ArcCot[c - (I - c)*Tanh[a + b*x]],x]

[Out] $(-I/12)*b*x^4 + (x^3*ArcCot[c - (I - c)*Tanh[a + b*x]])/3 + (I/6)*x^3*Log[1 - I*c*E^(2*a + 2*b*x)] + ((I/4)*x^2*PolyLog[2, I*c*E^(2*a + 2*b*x)])/b - (I/4)*x*PolyLog[3, I*c*E^(2*a + 2*b*x)]/b^2 + ((I/8)*PolyLog[4, I*c*E^(2*a + 2*b*x)])/b^3$

Rule 5196

Int[ArcCot[(c_.) + (d_.)*Tanh[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> Simp[((e + f*x)^(m + 1)*ArcCot[c + d*Tanh[a + b*x]])/(f*(m + 1)), x] + Dist[b/(f*(m + 1)), Int[(e + f*x)^(m + 1)/(c - d + c*E^(2*a + 2*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c - d)^2, -1]

Rule 2184

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] :> Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))]^(n_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f

, g, n}, x] && GtQ[m, 0]

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_)))^(p_.)], x_Symbol] :> Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) dx &= \frac{1}{3} x^3 \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{3} b \int \frac{x^3}{i + ce^{2a+2bx}} dx \\ &= -\frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{3} (ibc) \int \frac{e^{2a+2bx} x^3}{i + ce^{2a+2bx}} dx \\ &= -\frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{6} ix^3 \log(1 - ice^{2a+2bx}) - \frac{1}{2} i \int \frac{x^2}{i + ce^{2a+2bx}} dx \\ &= -\frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{6} ix^3 \log(1 - ice^{2a+2bx}) + \frac{ix^2}{2} \int \frac{1}{i + ce^{2a+2bx}} dx \\ &= -\frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{6} ix^3 \log(1 - ice^{2a+2bx}) + \frac{ix^2}{2} \int \frac{1}{i + ce^{2a+2bx}} dx \\ &= -\frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{6} ix^3 \log(1 - ice^{2a+2bx}) + \frac{ix^2}{2} \int \frac{1}{i + ce^{2a+2bx}} dx \\ &= -\frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{6} ix^3 \log(1 - ice^{2a+2bx}) + \frac{ix^2}{2} \int \frac{1}{i + ce^{2a+2bx}} dx \end{aligned}$$

Mathematica [A] time = 0.183992, size = 128, normalized size = 0.88

$$\frac{i \left(-6b^2 x^2 \operatorname{PolyLog} \left(2, -\frac{ie^{-2(a+bx)}}{c} \right) - 6bx \operatorname{PolyLog} \left(3, -\frac{ie^{-2(a+bx)}}{c} \right) - 3 \operatorname{PolyLog} \left(4, -\frac{ie^{-2(a+bx)}}{c} \right) + 4b^3 x^3 \log \left(1 + \frac{ie^{-2(a+bx)}}{c} \right) \right)}{24b^3} + \frac{1}{3}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*ArcCot[c - (I - c)*Tanh[a + b*x]], x]
```

```
[Out] (x^3*ArcCot[c + (-I + c)*Tanh[a + b*x]])/3 + ((I/24)*(4*b^3*x^3*Log[1 + I/(
c*E^(2*(a + b*x))]) - 6*b^2*x^2*PolyLog[2, (-I)/(c*E^(2*(a + b*x))]) - 6*b*
x*PolyLog[3, (-I)/(c*E^(2*(a + b*x))]) - 3*PolyLog[4, (-I)/(c*E^(2*(a + b*x
))])])]/b^3
```

Maple [C] time = 15.757, size = 1570, normalized size = 10.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^2 \operatorname{arccot}(c - (I - c) \tanh(bx + a)), x)$

[Out]
$$\begin{aligned} & -1/12\pi x^3 \operatorname{csgn}(I(2\exp(2bx+2a)c+2I)/(\exp(2bx+2a)+1)) \operatorname{csgn}((2\exp(2bx+2a)c+2I)/(\exp(2bx+2a)+1)) \\ & + 1/12\pi x^3 \operatorname{csgn}(I/(\exp(2bx+2a)+1)) \operatorname{csgn}(I(2\exp(2bx+2a)c+2I)/(\exp(2bx+2a)+1)) \\ & - 1/12\pi x^3 \operatorname{csgn}(I/(\exp(2bx+2a)+1)) \operatorname{csgn}(I(-2I\exp(2bx+2a)+2\exp(2bx+2a)c)/(\exp(2bx+2a)+1)) \\ & + 1/3\pi x^3 - 1/12\pi x^3 \operatorname{csgn}((-2I\exp(2bx+2a)+2\exp(2bx+2a)c)/(\exp(2bx+2a)+1)) \\ & - 1/12\pi x^3 \operatorname{csgn}(I/(\exp(2bx+2a)+1)) \operatorname{csgn}(I(2\exp(2bx+2a)c+2I)) \operatorname{csgn}(I(2\exp(2bx+2a)c+2I)/(\exp(2bx+2a)+1)) \\ & + 1/12Ibc/(I-c)x^4 + 1/4I/b^3c/(I-c)a^4 + 1/8I\operatorname{polylog}(4, Ic\exp(2bx+2a))/b^3 \\ & + 1/4I x^2 \operatorname{polylog}(2, Ic\exp(2bx+2a))/b + 1/12\pi x^3 \operatorname{csgn}(I(-2I\exp(2bx+2a)+2\exp(2bx+2a)c)/(\exp(2bx+2a)+1)) \\ & \operatorname{csgn}((-2I\exp(2bx+2a)+2\exp(2bx+2a)c)/(\exp(2bx+2a)+1)) + 1/12\pi x^3 \operatorname{csgn}(I(2\exp(2bx+2a)c+2I)/(\exp(2bx+2a)+1)) \\ & ^3 + 1/6I x^3 \ln(2I\exp(2bx+2a) - 2\exp(2bx+2a)c) - 1/12\pi x^3 \operatorname{csgn}((-2I\exp(2bx+2a)+2\exp(2bx+2a)c)/(\exp(2bx+2a)+1)) \\ & ^2 - 1/12\pi x^3 \operatorname{csgn}((2\exp(2bx+2a)c+2I)/(\exp(2bx+2a)+1)) \\ & ^3 - 1/12\pi x^3 \operatorname{csgn}(I(-2I\exp(2bx+2a)+2\exp(2bx+2a)c)/(\exp(2bx+2a)+1)) \\ & ^3 - 1/12\pi x^3 \operatorname{csgn}(I(2\exp(2bx+2a)c+2I)) \operatorname{csgn}(I(2\exp(2bx+2a)c+2I)/(\exp(2bx+2a)+1)) \\ & ^2 + 1/12\pi x^3 \operatorname{csgn}(I(-2I\exp(2bx+2a)+2\exp(2bx+2a)c)) \operatorname{csgn}(I(-2I\exp(2bx+2a)+2\exp(2bx+2a)c)/(\exp(2bx+2a)+1)) \\ & ^2 - 1/12\pi x^3 \operatorname{csgn}(I(2\exp(2bx+2a)c+2I)/(\exp(2bx+2a)+1)) \\ & ^2 + 1/12\pi x^3 \operatorname{csgn}(I(-2I\exp(2bx+2a)+2\exp(2bx+2a)c)/(\exp(2bx+2a)+1)) \\ & \operatorname{csgn}((-2I\exp(2bx+2a)+2\exp(2bx+2a)c)/(\exp(2bx+2a)+1)) \\ & ^2 - 1/6I/b^3 a^3 \ln(\exp(2bx+2a)c+I) + 1/3I/b^2c/(I-c)x a^3 - 1/3I/b^3c a^3/(I-c) \\ & \ln(\exp(bx+a)) + 1/6I x^3 \ln(1 - Ic\exp(2bx+2a)) + 1/4/b^3/(I-c)a^4 + 1/12b/(I-c)x^4 \\ & + 1/12\pi x^3 \operatorname{csgn}(I/(\exp(2bx+2a)+1)) \operatorname{csgn}(I(-2I\exp(2bx+2a)+2\exp(2bx+2a)c)) \\ & \operatorname{csgn}(I(-2I\exp(2bx+2a)+2\exp(2bx+2a)c)/(\exp(2bx+2a)+1)) - 1/2I/b^2 \ln(1 - Ic\exp(2bx+2a)) \\ & x a^2 + 1/2I/b^2 a^2 \ln(1 - I\exp(bx+a)(-Ic)^{(1/2)}) \\ & x + 1/2I/b^2 a^2 \ln(1 + I\exp(bx+a)(-Ic)^{(1/2)}) \\ & x - 1/12\pi x^3 \operatorname{csgn}((2\exp(2bx+2a)c+2I)/(\exp(2bx+2a)+1)) \\ & ^2 - 1/6I x^3 \ln(-2\exp(2bx+2a)c - 2I) - 1/4I x \operatorname{polylog}(3, Ic\exp(2bx+2a))/b^2 \\ & - 1/3I/b^3 \ln(1 - Ic\exp(2bx+2a)) a^3 - 1/4I/b^3 \operatorname{polylog}(2, Ic\exp(2bx+2a)) \\ & a^2 + 1/2I/b^3 a^3 \ln(1 - I\exp(bx+a)(-Ic)^{(1/2)}) + 1/2I/b^3 a^3 \ln(1 + I\exp(bx+a)(-Ic)^{(1/2)}) \\ & + 1/2I/b^3 a^2 \operatorname{dilog}(1 - I\exp(bx+a)(-Ic)^{(1/2)}) + 1/2I/b^3 a^2 \operatorname{dilog}(1 + I\exp(bx+a)(-Ic)^{(1/2)}) \\ & - 1/3/b^3 a^3/(I-c) \ln(\exp(bx+a)) + 1/3/b^2/(I-c) x a^3 \end{aligned}$$

Maxima [A] time = 5.87755, size = 174, normalized size = 1.2

$$\frac{1}{3} x^3 \operatorname{arccot}((c - i) \tanh(bx + a) + c) + \frac{4}{9} \left(\frac{3x^4}{4ic + 4} - \frac{4b^3 x^3 \log(-ice^{(2bx+2a)} + 1) + 6b^2 x^2 \operatorname{Li}_2(ice^{(2bx+2a)}) - 6bx \operatorname{Li}_2(ice^{(2bx+2a)})}{-2b^4(-ic - 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^2 \operatorname{arccot}(c - (I - c) \tanh(bx + a)), x, \text{algorithm}="maxima")$

[Out]
$$\begin{aligned} & 1/3 x^3 \operatorname{arccot}((c - I) \tanh(bx + a) + c) + 4/9(3x^4/(4Ic + 4) - (4b^3 \\ & x^3 \log(-Ic e^{(2bx + 2a)} + 1) + 6b^2 x^2 \operatorname{dilog}(Ic e^{(2bx + 2a)}) - \end{aligned}$$

$$\frac{6*b*x*polylog(3, I*c*e^(2*b*x + 2*a)) + 3*polylog(4, I*c*e^(2*b*x + 2*a))}{(b^4*(2*I*c + 2))*b*(c - I)}$$

Fricas [C] time = 2.2607, size = 853, normalized size = 5.88

$$-i b^4 x^4 + 2i b^3 x^3 \log\left(\frac{(c-i)e^{(2bx+2a)}}{ce^{(2bx+2a)+i}}\right) + 6i b^2 x^2 \operatorname{Li}_2\left(\frac{1}{2} \sqrt{4i} ce^{(bx+a)}\right) + 6i b^2 x^2 \operatorname{Li}_2\left(-\frac{1}{2} \sqrt{4i} ce^{(bx+a)}\right) + i a^4 - 2i a^3 \log\left(\frac{2ce^{(bx+a)+i}}{2c}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="fricas")

[Out] $\frac{1}{12}(-I*b^4*x^4 + 2*I*b^3*x^3*\log((c - I)*e^{(2*b*x + 2*a)/(c*e^{(2*b*x + 2*a)} + I)) + 6*I*b^2*x^2*\operatorname{dilog}(1/2*\sqrt{4*I*c}*e^{(b*x + a)}) + 6*I*b^2*x^2*\operatorname{dilog}(-1/2*\sqrt{4*I*c}*e^{(b*x + a)}) + I*a^4 - 2*I*a^3*\log(1/2*(2*c*e^{(b*x + a)} + I*\sqrt{4*I*c}))/c - 2*I*a^3*\log(1/2*(2*c*e^{(b*x + a)} - I*\sqrt{4*I*c}))/c - 12*I*b*x*polylog(3, 1/2*\sqrt{4*I*c}*e^{(b*x + a)}) - 12*I*b*x*polylog(3, -1/2*\sqrt{4*I*c}*e^{(b*x + a)}) + (2*I*b^3*x^3 + 2*I*a^3)*\log(1/2*\sqrt{4*I*c}*e^{(b*x + a)} + 1) + (2*I*b^3*x^3 + 2*I*a^3)*\log(-1/2*\sqrt{4*I*c}*e^{(b*x + a)} + 1) + 12*I*polylog(4, 1/2*\sqrt{4*I*c}*e^{(b*x + a)}) + 12*I*polylog(4, -1/2*\sqrt{4*I*c}*e^{(b*x + a)}))/b^3$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(c-(I-c)*tanh(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{arccot}((c - i) \tanh(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="giac")

[Out] integrate(x^2*arccot((c - I)*tanh(b*x + a) + c), x)

3.197 $\int x \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$

Optimal. Leaf size=116

$$\frac{i \operatorname{PolyLog}\left(3, ice^{2a+2bx}\right)}{8b^2} + \frac{ix \operatorname{PolyLog}\left(2, ice^{2a+2bx}\right)}{4b} + \frac{1}{4} ix^2 \log\left(1 - ice^{2a+2bx}\right) + \frac{1}{2} x^2 \cot^{-1}(c - (-c + i) \tanh(a + bx))$$

[Out] $(-I/6)*b*x^3 + (x^2*ArcCot[c - (I - c)*Tanh[a + b*x]])/2 + (I/4)*x^2*Log[1 - I*c*E^(2*a + 2*b*x)] + ((I/4)*x*PolyLog[2, I*c*E^(2*a + 2*b*x)])/b - ((I/8)*PolyLog[3, I*c*E^(2*a + 2*b*x)])/b^2$

Rubi [A] time = 0.194392, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$, Rules used = {5196, 2184, 2190, 2531, 2282, 6589}

$$\frac{i \operatorname{PolyLog}\left(3, ice^{2a+2bx}\right)}{8b^2} + \frac{ix \operatorname{PolyLog}\left(2, ice^{2a+2bx}\right)}{4b} + \frac{1}{4} ix^2 \log\left(1 - ice^{2a+2bx}\right) + \frac{1}{2} x^2 \cot^{-1}(c - (-c + i) \tanh(a + bx))$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*ArcCot[c - (I - c)*Tanh[a + b*x]], x]$

[Out] $(-I/6)*b*x^3 + (x^2*ArcCot[c - (I - c)*Tanh[a + b*x]])/2 + (I/4)*x^2*Log[1 - I*c*E^(2*a + 2*b*x)] + ((I/4)*x*PolyLog[2, I*c*E^(2*a + 2*b*x)])/b - ((I/8)*PolyLog[3, I*c*E^(2*a + 2*b*x)])/b^2$

Rule 5196

$\operatorname{Int}[ArcCot[(c_.) + (d_.)*Tanh[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] \rightarrow \operatorname{Simp}[(e + f*x)^(m + 1)*ArcCot[c + d*Tanh[a + b*x]]/(f*(m + 1)), x] + \operatorname{Dist}[b/(f*(m + 1)), \operatorname{Int}[(e + f*x)^(m + 1)/(c - d + c*E^(2*a + 2*b*x)), x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \operatorname{IGtQ}[m, 0] \ \&\& \operatorname{EqQ}[(c - d)^2, -1]$

Rule 2184

$\operatorname{Int}[(c_.) + (d_.)*(x_)]^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - \operatorname{Dist}[b/a, \operatorname{Int}[(c + d*x)^m*(F^(g*(e + f*x)))^n]/(a + b*(F^(g*(e + f*x)))^n), x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x \ \&\& \operatorname{IGtQ}[m, 0]$

Rule 2190

$\operatorname{Int}[(F_)^(g_.)*((e_.) + (f_.)*(x_))]^(n_.)*((c_.) + (d_.)*(x_)]^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - \operatorname{Dist}[(d*m)/(b*f*g*n*Log[F]), \operatorname{Int}[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x \ \&\& \operatorname{IGtQ}[m, 0]$

Rule 2531

$\operatorname{Int}[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))]^(n_.)*((f_.) + (g_.)*(x_)]^(m_.), x_Symbol] \rightarrow -\operatorname{Simp}[(f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]/(b*c*n*Log[F]), x] + \operatorname{Dist}[(g*m)/(b*c*n*Log[F]), \operatorname{Int}[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, e, f, g, n\}, x \ \&\& \operatorname{GtQ}[m, 0]$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int x \cot^{-1}(c - (i - c) \tanh(a + bx)) dx &= \frac{1}{2} x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{2} b \int \frac{x^2}{i + ce^{2a+2bx}} dx \\ &= -\frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{2} (ibc) \int \frac{e^{2a+2bx} x^2}{i + ce^{2a+2bx}} dx \\ &= -\frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{4} ix^2 \log(1 - ice^{2a+2bx}) - \frac{1}{2} i \int \frac{e^{2a+2bx} x^2}{i + ce^{2a+2bx}} dx \\ &= -\frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{4} ix^2 \log(1 - ice^{2a+2bx}) + \frac{ix \text{Li}_2}{2} \\ &= -\frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{4} ix^2 \log(1 - ice^{2a+2bx}) + \frac{ix \text{Li}_2}{2} \\ &= -\frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{4} ix^2 \log(1 - ice^{2a+2bx}) + \frac{ix \text{Li}_2}{2} \end{aligned}$$

Mathematica [A] time = 0.0978775, size = 102, normalized size = 0.88

$$\frac{i \left(-2bx \text{PolyLog} \left(2, -\frac{ie^{-2(a+bx)}}{c} \right) - \text{PolyLog} \left(3, -\frac{ie^{-2(a+bx)}}{c} \right) + 2b^2 x^2 \log \left(1 + \frac{ie^{-2(a+bx)}}{c} \right) \right)}{8b^2} + \frac{1}{2} x^2 \cot^{-1}(c + (c - i) \tanh(a + bx))$$

Antiderivative was successfully verified.

```
[In] Integrate[x*ArcCot[c - (I - c)*Tanh[a + b*x]], x]
```

```
[Out] (x^2*ArcCot[c + (-I + c)*Tanh[a + b*x]])/2 + ((I/8)*(2*b^2*x^2*Log[1 + I/(c
*e^(2*(a + b*x)))] - 2*b*x*PolyLog[2, (-I)/(c*e^(2*(a + b*x)))] - PolyLog[3
, (-I)/(c*e^(2*(a + b*x)))]))/b^2
```

Maple [C] time = 5.872, size = 1534, normalized size = 13.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*arccot(c-(I-c)*tanh(b*x+a)), x)
```

```
[Out] 1/2*Pi*x^2-1/3/b^2/(I-c)*a^3+1/6*b*x^3/(I-c)-1/2/b/(I-c)*x*a^2-1/8*Pi*x^2*c
sgn((2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)+1))^3-1/8*Pi*x^2*csgn((2*exp(2
```


$$\begin{aligned}
& *b*x+2*a)*c+2*I)/(\exp(2*b*x+2*a)+1))^2-1/8*Pi*x^2*csgn(I/(\exp(2*b*x+2*a)+1)) \\
&) *csgn(I*(-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))^2+1/4 \\
& *I/b^2*a^2*\ln(\exp(2*b*x+2*a)*c+I)+1/4*I*x*\text{polylog}(2, I*c*\exp(2*b*x+2*a))/b+1 \\
& /8*Pi*x^2*csgn(I*(-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1)) \\
&) *csgn((-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))^2-1/8* \\
& Pi*x^2*csgn(I*(2*\exp(2*b*x+2*a)*c+2*I)) *csgn(I*(2*\exp(2*b*x+2*a)*c+2*I)/(\exp(2*b*x+2*a)+1))^2+1/8*Pi*x^2*csgn(I*(2*\exp(2*b*x+2*a)*c+2*I)/(\exp(2*b*x+2*a)+1))^3-1/8*Pi*x^2*csgn(I*(-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))^3+1/8*Pi*x^2*csgn(I*(-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)) *csgn(I*(-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))^2-1/8*Pi*x^2*csgn(I*(2*\exp(2*b*x+2*a)*c+2*I)/(\exp(2*b*x+2*a)+1)) *csgn((2*\exp(2*b*x+2*a)*c+2*I)/(\exp(2*b*x+2*a)+1))-1/8*I*\text{polylog}(3, I*c*\exp(2*b*x+2*a))/b^2-1/3*I/b^2*c/(I-c)*a^3+1/6*I*b*c/(I-c)*x^3-1/2*I/b*c/(I-c)*x*a^2+1/2*I/b^2*c*a^2/(I-c)*\ln(\exp(b*x+a))-1/2*I/b^2*a*dilog(1-I*\exp(b*x+a)*(-I*c)^(1/2))+1/4*I/b^2*\ln(1-I*c*\exp(2*b*x+2*a))*a^2+1/4*I/b^2*\text{polylog}(2, I*c*\exp(2*b*x+2*a))*a-1/2*I/b^2*a^2*\ln(1-I*\exp(b*x+a)*(-I*c)^(1/2))-1/2*I/b^2*a^2*\ln(1+I*\exp(b*x+a)*(-I*c)^(1/2))-1/2*I/b^2*a*dilog(1+I*\exp(b*x+a)*(-I*c)^(1/2))+1/4*I*x^2*\ln(1-I*c*\exp(2*b*x+2*a))+1/4*I*x^2*\ln(2*I*\exp(2*b*x+2*a)-2*\exp(2*b*x+2*a)*c)-1/4*I*x^2*\ln(-2*\exp(2*b*x+2*a)*c-2*I)-1/8*Pi*x^2*csgn(I/(\exp(2*b*x+2*a)+1)) *csgn(I*(2*\exp(2*b*x+2*a)*c+2*I)) *csgn(I*(2*\exp(2*b*x+2*a)*c+2*I)/(\exp(2*b*x+2*a)+1))+1/8*Pi*x^2*csgn(I/(\exp(2*b*x+2*a)+1)) *csgn(I*(-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))+1/2*I/b*\ln(1-I*c*\exp(2*b*x+2*a))*x*a-1/2*I/b*a*\ln(1-I*\exp(b*x+a)*(-I*c)^(1/2))*x-1/2*I/b*a*\ln(1+I*\exp(b*x+a)*(-I*c)^(1/2))*x-1/8*Pi*x^2*csgn((-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))^3-1/8*Pi*x^2*csgn((-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))^2+1/8*Pi*x^2*csgn(I/(\exp(2*b*x+2*a)+1)) *csgn(I*(2*\exp(2*b*x+2*a)*c+2*I)/(\exp(2*b*x+2*a)+1))^2+1/8*Pi*x^2*csgn(I*(-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1)) *csgn((-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)+1))+1/2/b^2*a^2/(I-c)*\ln(\exp(b*x+a))-1/8*Pi*x^2*csgn(I*(2*\exp(2*b*x+2*a)*c+2*I)/(\exp(2*b*x+2*a)+1)) *csgn((2*\exp(2*b*x+2*a)*c+2*I)/(\exp(2*b*x+2*a)+1))^2
\end{aligned}$$

Maxima [A] time = 5.81669, size = 143, normalized size = 1.23

$$\left(\frac{2x^3}{3ic+3} - \frac{2b^2x^2 \log(-ice^{(2bx+2a)} + 1) + 2bx\text{Li}_2(ice^{(2bx+2a)}) - \text{Li}_3(ice^{(2bx+2a)})}{-2b^3(-ic-1)} \right) b(c-i) + \frac{1}{2} x^2 \text{arccot}((c-i) \tanh$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="maxima")

[Out] (2*x^3/(3*I*c + 3) - (2*b^2*x^2*log(-I*c*e^(2*b*x + 2*a) + 1) + 2*b*x*dilog(I*c*e^(2*b*x + 2*a)) - polylog(3, I*c*e^(2*b*x + 2*a)))/(b^3*(2*I*c + 2)))*b*(c - I) + 1/2*x^2*arccot((c - I)*tanh(b*x + a) + c)

Fricas [C] time = 2.14237, size = 706, normalized size = 6.09

$$-2i b^3 x^3 + 3i b^2 x^2 \log\left(\frac{(c-i)e^{(2bx+2a)}}{ce^{(2bx+2a)+i}}\right) - 2i a^3 + 6i bx\text{Li}_2\left(\frac{1}{2} \sqrt{4i ce^{(bx+a)}}\right) + 6i bx\text{Li}_2\left(-\frac{1}{2} \sqrt{4i ce^{(bx+a)}}\right) + 3i a^2 \log\left(\frac{2ce^{(bx+a)}}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="fricas")

```
[Out] 1/12*(-2*I*b^3*x^3 + 3*I*b^2*x^2*log((c - I)*e^(2*b*x + 2*a)/(c*e^(2*b*x + 2*a) + I)) - 2*I*a^3 + 6*I*b*x*dilog(1/2*sqrt(4*I*c)*e^(b*x + a)) + 6*I*b*x*dilog(-1/2*sqrt(4*I*c)*e^(b*x + a)) + 3*I*a^2*log(1/2*(2*c*e^(b*x + a) + I*sqrt(4*I*c)))/c + 3*I*a^2*log(1/2*(2*c*e^(b*x + a) - I*sqrt(4*I*c)))/c + (3*I*b^2*x^2 - 3*I*a^2)*log(1/2*sqrt(4*I*c)*e^(b*x + a) + 1) + (3*I*b^2*x^2 - 3*I*a^2)*log(-1/2*sqrt(4*I*c)*e^(b*x + a) + 1) - 6*I*polylog(3, 1/2*sqrt(4*I*c)*e^(b*x + a)) - 6*I*polylog(3, -1/2*sqrt(4*I*c)*e^(b*x + a)))/b^2
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*acot(c-(I-c)*tanh(b*x+a)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{arccot}((c - i) \tanh(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(x*arccot((c - I)*tanh(b*x + a) + c), x)
```

3.198 $\int \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$

Optimal. Leaf size=82

$$\frac{i \operatorname{PolyLog}\left(2, ice^{2a+2bx}\right)}{4b} + \frac{1}{2} ix \log\left(1 - ice^{2a+2bx}\right) + x \cot^{-1}(c - (-c + i) \tanh(a + bx)) - \frac{1}{2} ibx^2$$

[Out] $(-I/2)*b*x^2 + x*ArcCot[c - (I - c)*Tanh[a + b*x]] + (I/2)*x*Log[1 - I*c*E^{(2*a + 2*b*x)}] + ((I/4)*PolyLog[2, I*c*E^{(2*a + 2*b*x)}])/b$

Rubi [A] time = 0.118658, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {5188, 2184, 2190, 2279, 2391}

$$\frac{i \operatorname{PolyLog}\left(2, ice^{2a+2bx}\right)}{4b} + \frac{1}{2} ix \log\left(1 - ice^{2a+2bx}\right) + x \cot^{-1}(c - (-c + i) \tanh(a + bx)) - \frac{1}{2} ibx^2$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[ArcCot[c - (I - c)*Tanh[a + b*x]], x]$

[Out] $(-I/2)*b*x^2 + x*ArcCot[c - (I - c)*Tanh[a + b*x]] + (I/2)*x*Log[1 - I*c*E^{(2*a + 2*b*x)}] + ((I/4)*PolyLog[2, I*c*E^{(2*a + 2*b*x)}])/b$

Rule 5188

$\operatorname{Int}[ArcCot[(c_.) + (d_.)*Tanh[(a_.) + (b_.)*(x_)]], x_Symbol] \rightarrow \operatorname{Simp}[x*ArcCot[c + d*Tanh[a + b*x]], x] + \operatorname{Dist}[b, \operatorname{Int}[x/(c - d + c*E^{(2*a + 2*b*x)}), x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d\}, x \ \&\& \operatorname{EqQ}[(c - d)^2, -1]$

Rule 2184

$\operatorname{Int}[(c_. + (d_.)*(x_))^{(m_.)}/((a_.) + (b_.)*((F_)^{((g_.)*((e_.) + (f_.)*(x_)))})^{(n_.)}), x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m + 1)}/(a*d*(m + 1)), x] - \operatorname{Dist}[b/a, \operatorname{Int}[(c + d*x)^m*(F^{(g*(e + f*x)))})^n/(a + b*(F^{(g*(e + f*x)))})^n), x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x \ \&\& \operatorname{IGtQ}[m, 0]$

Rule 2190

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))})^{(n_.)*((c_.) + (d_.)*(x_))^{(m_.)}/((a_.) + (b_.)*((F_)^{((g_.)*((e_.) + (f_.)*(x_)))})^{(n_.)}), x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^m*Log[1 + (b*(F^{(g*(e + f*x)))})^n]/a]/(b*f*g*n*Log[F]), x] - \operatorname{Dist}[(d*m)/(b*f*g*n*Log[F]), \operatorname{Int}[(c + d*x)^{(m - 1)}*Log[1 + (b*(F^{(g*(e + f*x)))})^n]/a], x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x \ \&\& \operatorname{IGtQ}[m, 0]$

Rule 2279

$\operatorname{Int}[Log[(a_.) + (b_.)*((F_)^{((e_.)*((c_.) + (d_.)*(x_)))})^{(n_.)}], x_Symbol] \rightarrow \operatorname{Dist}[1/(d*e*n*Log[F]), \operatorname{Subst}[\operatorname{Int}[Log[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, n\}, x \ \&\& \operatorname{GtQ}[a, 0]$

Rule 2391

$\operatorname{Int}[Log[(c_.)*((d_.) + (e_.)*(x_)^{(n_.)})]/(x_), x_Symbol] \rightarrow -\operatorname{Simp}[PolyLog[2, -(c*e*x^n)]/n, x] /;$ $\operatorname{FreeQ}\{c, d, e, n\}, x \ \&\& \operatorname{EqQ}[c*d, 1]$

Rubi steps

$$\begin{aligned}
\int \cot^{-1}(c - (i - c) \tanh(a + bx)) dx &= x \cot^{-1}(c - (i - c) \tanh(a + bx)) + b \int \frac{x}{i + ce^{2a+2bx}} dx \\
&= -\frac{1}{2} ibx^2 + x \cot^{-1}(c - (i - c) \tanh(a + bx)) + (ibc) \int \frac{e^{2a+2bx} x}{i + ce^{2a+2bx}} dx \\
&= -\frac{1}{2} ibx^2 + x \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{2} ix \log(1 - ice^{2a+2bx}) - \frac{1}{2} i \int \log(1 - ice^{2a+2bx}) dx \\
&= -\frac{1}{2} ibx^2 + x \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{2} ix \log(1 - ice^{2a+2bx}) - \frac{i \operatorname{Subst}\left(\int \log(1 - ice^{2a+2bx}) dx\right)}{4b} \\
&= -\frac{1}{2} ibx^2 + x \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{2} ix \log(1 - ice^{2a+2bx}) + \frac{i \operatorname{Li}_2(ice^{2a+2bx})}{4b}
\end{aligned}$$

Mathematica [A] time = 0.71074, size = 71, normalized size = 0.87

$$\frac{i \left(2bx \log\left(1 + \frac{ie^{-2(a+bx)}}{c}\right) - \operatorname{PolyLog}\left(2, -\frac{ie^{-2(a+bx)}}{c}\right) \right)}{4b} + x \cot^{-1}(c + (c - i) \tanh(a + bx))$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[c - (I - c)*Tanh[a + b*x]], x]

[Out] x*ArcCot[c + (-I + c)*Tanh[a + b*x]] + ((I/4)*(2*b*x*Log[1 + I/(c*E^(2*(a + b*x)))] - PolyLog[2, (-I)/(c*E^(2*(a + b*x))]]))/b

Maple [B] time = 0.116, size = 1351, normalized size = 16.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c-(I-c)*tanh(b*x+a)), x)

[Out] 1/4*I/b/(c-I)/(I-c)*dilog(-1/2*I*((c-I)*tanh(b*x+a)+c+I))-1/b/(c-I)*arccot((c-I)*tanh(b*x+a)+c)/(2*I-2*c)*ln((c-I)*tanh(b*x+a)-c+I)-1/2/b/(c-I)/(I-c)*dilog(-1/2*I*((c-I)*tanh(b*x+a)+c+I))*c+1/4/b/(c-I)/(I-c)*ln((c-I)*tanh(b*x+a)+c-I)^2*c-1/2/b/(c-I)/(I-c)*dilog(((c-I)*tanh(b*x+a)+c-I)/(-2*I+2*c))*c+1/2/b/(c-I)/(I-c)*dilog(1/2*((c-I)*tanh(b*x+a)+c+I)/c)*c+1/b/(c-I)*arccot((c-I)*tanh(b*x+a)+c)/(2*I-2*c)*ln((c-I)*tanh(b*x+a)+c-I)-1/8*I/b/(c-I)/(I-c)*ln((c-I)*tanh(b*x+a)+c-I)^2+1/4*I/b/(c-I)/(I-c)*dilog(((c-I)*tanh(b*x+a)+c-I)/(-2*I+2*c))-1/4*I/b/(c-I)/(I-c)*dilog(1/2*((c-I)*tanh(b*x+a)+c+I)/c)-1/b/(c-I)*arccot((c-I)*tanh(b*x+a)+c)/(2*I-2*c)*ln((c-I)*tanh(b*x+a)+c-I)*c^2-1/2/b/(c-I)/(I-c)*ln((c-I)*tanh(b*x+a)-c+I)*ln(((c-I)*tanh(b*x+a)+c-I)/(-2*I+2*c))*c+1/2/b/(c-I)/(I-c)*ln((c-I)*tanh(b*x+a)-c+I)*ln(1/2*((c-I)*tanh(b*x+a)+c+I)/c)*c-1/4*I/b/(c-I)/(I-c)*ln((c-I)*tanh(b*x+a)-c+I)*ln(1/2*((c-I)*tanh(b*x+a)+c+I)/c)-1/2/b/(c-I)/(I-c)*ln((c-I)*tanh(b*x+a)+c-I)*ln(-1/2*I*((c-I)*tanh(b*x+a)+c+I))*c+1/b/(c-I)*arccot((c-I)*tanh(b*x+a)+c)/(2*I-2*c)*ln((c-I)*tanh(b*x+a)-c+I)*c^2-1/4*I/b/(c-I)/(I-c)*dilog(-1/2*I*((c-I)*tanh(b*x+a)+c+I))*c^2+1/8*I/b/(c-I)/(I-c)*ln((c-I)*tanh(b*x+a)+c-I)^2*c^2-1/4*I/b/(c-I)/(I-c)*dilog(((c-I)*tanh(b*x+a)+c-I)/(-2*I+2*c))*c^2+1/4*I/b/(c-I)/(I-c)*dilog(1/2*((c-I)*tanh(b*x+a)+c+I)/c)*c^2+1/4*I/b/(c-I)/(I-c)*ln((c-I)*tanh(b*x+a)-c+I)*ln(((c-I)*tanh(b*x+a)+c-I)/(-2*I+2*c))+1/4*I/b/(c-I)/(I-c)*ln((c-I)*tanh(b*x+a)+c-I)*ln(-1/2*I*((c-I)*tanh(b*x+a)+c+I))+2*I/b/(c-I)*a

$$\operatorname{rccot}((c-I)\tanh(b*x+a)+c)/(2*I-2*c)*\ln((c-I)\tanh(b*x+a)+c-I)*c-1/4*I/b/(c-I)/(I-c)*\ln((c-I)\tanh(b*x+a)+c-I)*\ln(-1/2*I*((c-I)\tanh(b*x+a)+c+I))*c^2-1/4*I/b/(c-I)/(I-c)*\ln((c-I)\tanh(b*x+a)-c+I)*\ln(((c-I)\tanh(b*x+a)+c-I)/(-2*I+2*c))*c^2+1/4*I/b/(c-I)/(I-c)*\ln((c-I)\tanh(b*x+a)-c+I)*\ln(1/2*((c-I)\tanh(b*x+a)+c+I)/c)*c^2-2*I/b/(c-I)*\operatorname{arccot}((c-I)\tanh(b*x+a)+c)/(2*I-2*c)*\ln((c-I)\tanh(b*x+a)-c+I)*c$$

Maxima [A] time = 5.77346, size = 108, normalized size = 1.32

$$2b(c-i)\left(\frac{2x^2}{2ic+2} - \frac{2bx\log(-ice^{(2bx+2a)}+1) + \operatorname{Li}_2(ice^{(2bx+2a)})}{-2b^2(-ic-1)}\right) + x \operatorname{arccot}((c-i)\tanh(bx+a)+c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="maxima")

[Out] 2*b*(c - I)*(2*x^2/(2*I*c + 2) - (2*b*x*log(-I*c*e^(2*b*x + 2*a) + 1) + dilog(I*c*e^(2*b*x + 2*a)))/(b^2*(2*I*c + 2))) + x*arccot((c - I)*tanh(b*x + a) + c)

Fricas [B] time = 2.24632, size = 509, normalized size = 6.21

$$\frac{-ib^2x^2 + ibx \log\left(\frac{(c-i)e^{(2bx+2a)}}{ce^{(2bx+2a)+i}}\right) + ia^2 + (ibx + ia) \log\left(\frac{1}{2}\sqrt{4ice^{(bx+a)}+1}\right) + (ibx + ia) \log\left(-\frac{1}{2}\sqrt{4ice^{(bx+a)}+1}\right) - ia \log\left(\frac{1}{2}\sqrt{4ice^{(bx+a)}+1}\right) - ia \log\left(-\frac{1}{2}\sqrt{4ice^{(bx+a)}+1}\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="fricas")

[Out] 1/2*(-I*b^2*x^2 + I*b*x*log((c - I)*e^(2*b*x + 2*a)/(c*e^(2*b*x + 2*a) + I) + I*a^2 + (I*b*x + I*a)*log(1/2*sqrt(4*I*c)*e^(b*x + a) + 1) + (I*b*x + I*a)*log(-1/2*sqrt(4*I*c)*e^(b*x + a) + 1) - I*a*log(1/2*(2*c*e^(b*x + a) + I*sqrt(4*I*c))/c) - I*a*log(1/2*(2*c*e^(b*x + a) - I*sqrt(4*I*c))/c) + I*dilog(1/2*sqrt(4*I*c)*e^(b*x + a)) + I*dilog(-1/2*sqrt(4*I*c)*e^(b*x + a)))/b

Sympy [F] time = 0., size = 0, normalized size = 0.

$$b(c^6 - 6ic^5 - 15c^4 + 20ic^3 + 15c^2 - 6ic - 1) \int \frac{x}{c^7 e^{2a} e^{2bx} - 6ic^6 e^{2a} e^{2bx} + ic^6 - 15c^5 e^{2a} e^{2bx} + 6c^5 + 20ic^4 e^{2a} e^{2bx} - 15ic^4 - 6ic^3 + 15c^2 - 6ic - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c-(I-c)*tanh(b*x+a)),x)

[Out] b*(c**6 - 6*I*c**5 - 15*c**4 + 20*I*c**3 + 15*c**2 - 6*I*c - 1)*Integral(x/(c**7*exp(2*a)*exp(2*b*x) - 6*I*c**6*exp(2*a)*exp(2*b*x) + I*c**6 - 15*c**5*exp(2*a)*exp(2*b*x) + 6*c**5 + 20*I*c**4*exp(2*a)*exp(2*b*x) - 15*I*c**4 + 15*c**3*exp(2*a)*exp(2*b*x) - 20*c**3 - 6*I*c**2*exp(2*a)*exp(2*b*x) + 15*I*c**2 - c*exp(2*a)*exp(2*b*x) + 6*c - I), x) + I*x*log(1 - I/(c - c/(exp(2

```
*a)*exp(2*b*x) + 1) + c*exp(a)*exp(b*x)/(exp(a)*exp(b*x) + exp(-a)*exp(-b*x
)) + I/(exp(2*a)*exp(2*b*x) + 1) - I*exp(a)*exp(b*x)/(exp(a)*exp(b*x) + exp
(-a)*exp(-b*x)))/2 - (I*c*x + x)*log(1 + I/(c - c/(exp(2*a)*exp(2*b*x) + 1
) + c*exp(a)*exp(b*x)/(exp(a)*exp(b*x) + exp(-a)*exp(-b*x)) + I/(exp(2*a)*e
xp(2*b*x) + 1) - I*exp(a)*exp(b*x)/(exp(a)*exp(b*x) + exp(-a)*exp(-b*x))))/
(2*c - 2*I)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{arccot}((c - i) \tanh(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(arccot((c - I)*tanh(b*x + a) + c), x)
```

$$3.199 \quad \int \frac{\cot^{-1}(c-(i-c)\tanh(a+bx))}{x} dx$$

Optimal. Leaf size=24

$$\text{CannotIntegrate}\left(\frac{\cot^{-1}(c-(-c+i)\tanh(a+bx))}{x}, x\right)$$

[Out] CannotIntegrate[ArcCot[c - (I - c)*Tanh[a + b*x]]/x, x]

Rubi [A] time = 0.0894306, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(c-(i-c)\tanh(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[c - (I - c)*Tanh[a + b*x]]/x, x]

[Out] Defer[Int][ArcCot[c - (I - c)*Tanh[a + b*x]]/x, x]

Rubi steps

$$\int \frac{\cot^{-1}(c-(i-c)\tanh(a+bx))}{x} dx = \int \frac{\cot^{-1}(c-(i-c)\tanh(a+bx))}{x} dx$$

Mathematica [A] time = 3.21579, size = 0, normalized size = 0.

$$\int \frac{\cot^{-1}(c-(i-c)\tanh(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCot[c - (I - c)*Tanh[a + b*x]]/x, x]

[Out] Integrate[ArcCot[c - (I - c)*Tanh[a + b*x]]/x, x]

Maple [A] time = 0.446, size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(c-(i-c)\tanh(bx+a))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c-(I-c)*tanh(b*x+a))/x, x)

[Out] int(arccot(c-(I-c)*tanh(b*x+a))/x, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$ibx + \frac{1}{4} (2\pi + 4ia - 2 \arctan(1, -c) + i \log(c^2 + 1)) \log(x) + \frac{1}{2} \int \frac{\arctan(1, ce^{(2bx+2a)})}{x} dx - \frac{1}{4} i \int \frac{\log(c^2 e^{(4bx+4a)} + 1)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c-(I-c)*tanh(b*x+a))/x,x, algorithm="maxima")

[Out] I*b*x + 1/4*(2*pi + 4*I*a - 2*arctan2(1, -c) + I*log(c^2 + 1))*log(x) + 1/2*integrate(arctan2(1, c*e^(2*b*x + 2*a))/x, x) - 1/4*I*integrate(log(c^2*e^(4*b*x + 4*a) + 1)/x, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{i \log \left(\frac{(c-i)e^{(2bx+2a)}}{ce^{(2bx+2a)}+i} \right)}{2x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c-(I-c)*tanh(b*x+a))/x,x, algorithm="fricas")

[Out] integral(1/2*I*log((c - I)*e^(2*b*x + 2*a)/(c*e^(2*b*x + 2*a) + I))/x, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c-(I-c)*tanh(b*x+a))/x,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{arccot}((c-i)\tanh(bx+a)+c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c-(I-c)*tanh(b*x+a))/x,x, algorithm="giac")

[Out] integrate(arccot((c - I)*tanh(b*x + a) + c)/x, x)

3.200 $\int (e + fx)^3 \cot^{-1}(\coth(a + bx)) dx$

Optimal. Leaf size=299

$$\frac{3if^2(e + fx)\text{PolyLog}(4, -ie^{2a+2bx})}{8b^3} - \frac{3if^2(e + fx)\text{PolyLog}(4, ie^{2a+2bx})}{8b^3} - \frac{3if(e + fx)^2\text{PolyLog}(3, -ie^{2a+2bx})}{8b^2} + \frac{3if(e + fx)\text{PolyLog}(3, ie^{2a+2bx})}{8b^2}$$

[Out] $((e + fx)^4 \text{ArcCot}[\text{Coth}[a + bx]])/(4f) - ((e + fx)^4 \text{ArcTan}[E^{(2a + 2bx)}])/(4f) + ((I/4)(e + fx)^3 \text{PolyLog}[2, (-I)E^{(2a + 2bx)}])/b - ((I/4)(e + fx)^3 \text{PolyLog}[2, I E^{(2a + 2bx)}])/b - (((3I)/8) f (e + fx)^2 \text{PolyLog}[3, (-I)E^{(2a + 2bx)}])/b^2 + (((3I)/8) f (e + fx)^2 \text{PolyLog}[3, I E^{(2a + 2bx)}])/b^2 + (((3I)/8) f^2 (e + fx) \text{PolyLog}[4, (-I)E^{(2a + 2bx)}])/b^3 - (((3I)/8) f^2 (e + fx) \text{PolyLog}[4, I E^{(2a + 2bx)}])/b^3 - (((3I)/16) f^3 \text{PolyLog}[5, (-I)E^{(2a + 2bx)}])/b^4 + (((3I)/16) f^3 \text{PolyLog}[5, I E^{(2a + 2bx)}])/b^4$

Rubi [A] time = 0.208478, antiderivative size = 299, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {5186, 4180, 2531, 6609, 2282, 6589}

$$\frac{3if^2(e + fx)\text{PolyLog}(4, -ie^{2a+2bx})}{8b^3} - \frac{3if^2(e + fx)\text{PolyLog}(4, ie^{2a+2bx})}{8b^3} - \frac{3if(e + fx)^2\text{PolyLog}(3, -ie^{2a+2bx})}{8b^2} + \frac{3if(e + fx)\text{PolyLog}(3, ie^{2a+2bx})}{8b^2}$$

Antiderivative was successfully verified.

[In] Int[(e + fx)^3 ArcCot[Coth[a + bx]], x]

[Out] $((e + fx)^4 \text{ArcCot}[\text{Coth}[a + bx]])/(4f) - ((e + fx)^4 \text{ArcTan}[E^{(2a + 2bx)}])/(4f) + ((I/4)(e + fx)^3 \text{PolyLog}[2, (-I)E^{(2a + 2bx)}])/b - ((I/4)(e + fx)^3 \text{PolyLog}[2, I E^{(2a + 2bx)}])/b - (((3I)/8) f (e + fx)^2 \text{PolyLog}[3, (-I)E^{(2a + 2bx)}])/b^2 + (((3I)/8) f (e + fx)^2 \text{PolyLog}[3, I E^{(2a + 2bx)}])/b^2 + (((3I)/8) f^2 (e + fx) \text{PolyLog}[4, (-I)E^{(2a + 2bx)}])/b^3 - (((3I)/8) f^2 (e + fx) \text{PolyLog}[4, I E^{(2a + 2bx)}])/b^3 - (((3I)/16) f^3 \text{PolyLog}[5, (-I)E^{(2a + 2bx)}])/b^4 + (((3I)/16) f^3 \text{PolyLog}[5, I E^{(2a + 2bx)}])/b^4$

Rule 5186

Int[ArcCot[Coth[(a_.) + (b_.)(x_)]]*((e_.) + (f_.)(x_))^(m_.), x_Symbol] :> Simp[((e + fx)^(m + 1) ArcCot[Coth[a + bx]])/(f(m + 1)), x] - Dist[b/(f(m + 1)), Int[(e + fx)^(m + 1) Sech[2a + 2bx], x], x] /; FreeQ[{a, b, e, f}, x] && IGtQ[m, 0]

Rule 4180

Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)(x_)]*((c_.) + (d_.)(x_))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m ArcTanh[E^(-I*e) + f*fz*x)/E^(I*k*Pi)]/(f*fz*I), x] + (-Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1) Log[1 - E^(-I*e) + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1) Log[1 + E^(-I*e) + f*fz*x)/E^(I*k*Pi)], x], x] /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)(x_)))^(n_.)]*((f_.) + (g_.)(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m PolyLog[2, -(e*(F^(c*(a + bx))))], x], x]

```

)))^n)]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]

```

Rule 6609

```

Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_.)))^(p_.)], x_Symbol] :> Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]

```

Rule 2282

```

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

```

Rule 6589

```

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]

```

Rubi steps

$$\begin{aligned}
\int (e + fx)^3 \cot^{-1}(\coth(a + bx)) dx &= \frac{(e + fx)^4 \cot^{-1}(\coth(a + bx))}{4f} - \frac{b \int (e + fx)^4 \operatorname{sech}(2a + 2bx) dx}{4f} \\
&= \frac{(e + fx)^4 \cot^{-1}(\coth(a + bx))}{4f} - \frac{(e + fx)^4 \tan^{-1}(e^{2a+2bx})}{4f} + \frac{1}{2} i \int (e + fx)^3 \log(1 - \\
&= \frac{(e + fx)^4 \cot^{-1}(\coth(a + bx))}{4f} - \frac{(e + fx)^4 \tan^{-1}(e^{2a+2bx})}{4f} + \frac{i(e + fx)^3 \operatorname{Li}_2(-ie^{2a+2bx})}{4b} \\
&= \frac{(e + fx)^4 \cot^{-1}(\coth(a + bx))}{4f} - \frac{(e + fx)^4 \tan^{-1}(e^{2a+2bx})}{4f} + \frac{i(e + fx)^3 \operatorname{Li}_2(-ie^{2a+2bx})}{4b} \\
&= \frac{(e + fx)^4 \cot^{-1}(\coth(a + bx))}{4f} - \frac{(e + fx)^4 \tan^{-1}(e^{2a+2bx})}{4f} + \frac{i(e + fx)^3 \operatorname{Li}_2(-ie^{2a+2bx})}{4b} \\
&= \frac{(e + fx)^4 \cot^{-1}(\coth(a + bx))}{4f} - \frac{(e + fx)^4 \tan^{-1}(e^{2a+2bx})}{4f} + \frac{i(e + fx)^3 \operatorname{Li}_2(-ie^{2a+2bx})}{4b} \\
&= \frac{(e + fx)^4 \cot^{-1}(\coth(a + bx))}{4f} - \frac{(e + fx)^4 \tan^{-1}(e^{2a+2bx})}{4f} + \frac{i(e + fx)^3 \operatorname{Li}_2(-ie^{2a+2bx})}{4b}
\end{aligned}$$

Mathematica [B] time = 0.336366, size = 600, normalized size = 2.01

$$\frac{1}{4} x (6e^2 f x + 4e^3 + 4ef^2 x^2 + f^3 x^3) \cot^{-1}(\coth(a + bx)) - \frac{i(6b^2 e^2 f \operatorname{PolyLog}(3, -ie^{2(a+bx)}) - 6b^2 e^2 f \operatorname{PolyLog}(3, ie^{2(a+bx)})}{4}$$

Antiderivative was successfully verified.

```
[In] Integrate[(e + f*x)^3*ArcCot[Coth[a + b*x]], x]
```

```
[Out] (x*(4*e^3 + 6*e^2*f*x + 4*e*f^2*x^2 + f^3*x^3)*ArcCot[Coth[a + b*x]])/4 - (
(I/16)*(8*b^4*e^3*x*Log[1 - I*E^(2*(a + b*x))] + 12*b^4*e^2*f*x^2*Log[1 - I
*e^(2*(a + b*x))] + 8*b^4*e*f^2*x^3*Log[1 - I*E^(2*(a + b*x))] + 2*b^4*f^3*
x^4*Log[1 - I*E^(2*(a + b*x))] - 8*b^4*e^3*x*Log[1 + I*E^(2*(a + b*x))] - 1
2*b^4*e^2*f*x^2*Log[1 + I*E^(2*(a + b*x))] - 8*b^4*e*f^2*x^3*Log[1 + I*E^(2
*(a + b*x))] - 2*b^4*f^3*x^4*Log[1 + I*E^(2*(a + b*x))] - 4*b^3*(e + f*x)^3
*PolyLog[2, (-I)*E^(2*(a + b*x))] + 4*b^3*(e + f*x)^3*PolyLog[2, I*E^(2*(a
+ b*x))] + 6*b^2*e^2*f*PolyLog[3, (-I)*E^(2*(a + b*x))] + 12*b^2*e*f^2*x*Po
lyLog[3, (-I)*E^(2*(a + b*x))] + 6*b^2*f^3*x^2*PolyLog[3, (-I)*E^(2*(a + b
*x))] - 6*b^2*e^2*f*PolyLog[3, I*E^(2*(a + b*x))] - 12*b^2*e*f^2*x*PolyLog[3
, I*E^(2*(a + b*x))] - 6*b^2*f^3*x^2*PolyLog[3, I*E^(2*(a + b*x))] - 6*b*e*
f^2*PolyLog[4, (-I)*E^(2*(a + b*x))] - 6*b*f^3*x*PolyLog[4, (-I)*E^(2*(a +
b*x))] + 6*b*e*f^2*PolyLog[4, I*E^(2*(a + b*x))] + 6*b*f^3*x*PolyLog[4, I*E
^(2*(a + b*x))] + 3*f^3*PolyLog[5, (-I)*E^(2*(a + b*x))] - 3*f^3*PolyLog[5,
I*E^(2*(a + b*x))]))/b^4
```

Maple [C] time = 7.395, size = 7275, normalized size = 24.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^3*arccot(coth(b*x+a)),x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{4} (f^3 x^4 + 4 e f^2 x^3 + 6 e^2 f x^2 + 4 e^3 x) \arctan\left(\frac{e^{(2bx+2a)} - 1}{e^{(2bx+2a)} + 1}\right) - \int \frac{(bf^3 x^4 e^{(2a)} + 4 b e f^2 x^3 e^{(2a)} + 6 b e^2 f x^2 e^{(2a)} + 4 b e^3 x e^{(2a)})}{2(e^{(4bx+4a)} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*arccot(coth(b*x+a)),x, algorithm="maxima")
```

```
[Out] 1/4*(f^3*x^4 + 4*e*f^2*x^3 + 6*e^2*f*x^2 + 4*e^3*x)*arctan((e^(2*b*x + 2*a)
- 1)/(e^(2*b*x + 2*a) + 1)) - integrate(1/2*(b*f^3*x^4*e^(2*a) + 4*b*e*f^2
*x^3*e^(2*a) + 6*b*e^2*f*x^2*e^(2*a) + 4*b*e^3*x*e^(2*a))*e^(2*b*x)/(e^(4*b
*x + 4*a) + 1), x)
```

Fricas [C] time = 3.03046, size = 4070, normalized size = 13.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*arccot(coth(b*x+a)),x, algorithm="fricas")
```

```
[Out] 1/8*(24*I*f^3*polylog(5, 1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 2
4*I*f^3*polylog(5, -1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 24*I*f
^3*polylog(5, 1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 24*I*f^3*po
```

```

lylog(5, -1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 2*(b^4*f^3*x^4
+ 4*b^4*e*f^2*x^3 + 6*b^4*e^2*f*x^2 + 4*b^4*e^3*x)*arctan(sinh(b*x + a)/cos
h(b*x + a)) + (-4*I*b^3*f^3*x^3 - 12*I*b^3*e*f^2*x^2 - 12*I*b^3*e^2*f*x - 4
*I*b^3*e^3)*dilog(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (-4*I*b^
3*f^3*x^3 - 12*I*b^3*e*f^2*x^2 - 12*I*b^3*e^2*f*x - 4*I*b^3*e^3)*dilog(-1/2
*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (4*I*b^3*f^3*x^3 + 12*I*b^3*e
*f^2*x^2 + 12*I*b^3*e^2*f*x + 4*I*b^3*e^3)*dilog(1/2*sqrt(-4*I)*(cosh(b*x +
a) + sinh(b*x + a))) + (4*I*b^3*f^3*x^3 + 12*I*b^3*e*f^2*x^2 + 12*I*b^3*e^
2*f*x + 4*I*b^3*e^3)*dilog(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)))
+ (-I*b^4*f^3*x^4 - 4*I*b^4*e*f^2*x^3 - 6*I*b^4*e^2*f*x^2 - 4*I*b^4*e^3*x
- 4*I*a*b^3*e^3 + 6*I*a^2*b^2*e^2*f - 4*I*a^3*b*e*f^2 + I*a^4*f^3)*log(1/2*
sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b^4*f^3*x^4 - 4*I*b^4*
e*f^2*x^3 - 6*I*b^4*e^2*f*x^2 - 4*I*b^4*e^3*x - 4*I*a*b^3*e^3 + 6*I*a^2*b^2
*e^2*f - 4*I*a^3*b*e*f^2 + I*a^4*f^3)*log(-1/2*sqrt(4*I)*(cosh(b*x + a) + s
inh(b*x + a)) + 1) + (I*b^4*f^3*x^4 + 4*I*b^4*e*f^2*x^3 + 6*I*b^4*e^2*f*x^2
+ 4*I*b^4*e^3*x + 4*I*a*b^3*e^3 - 6*I*a^2*b^2*e^2*f + 4*I*a^3*b*e*f^2 - I*
a^4*f^3)*log(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b^4*f
^3*x^4 + 4*I*b^4*e*f^2*x^3 + 6*I*b^4*e^2*f*x^2 + 4*I*b^4*e^3*x + 4*I*a*b^3*
e^3 - 6*I*a^2*b^2*e^2*f + 4*I*a^3*b*e*f^2 - I*a^4*f^3)*log(-1/2*sqrt(-4*I)*
(cosh(b*x + a) + sinh(b*x + a)) + 1) + (4*I*a*b^3*e^3 - 6*I*a^2*b^2*e^2*f +
4*I*a^3*b*e*f^2 - I*a^4*f^3)*log(I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*
x + a)) + (4*I*a*b^3*e^3 - 6*I*a^2*b^2*e^2*f + 4*I*a^3*b*e*f^2 - I*a^4*f^3)
*log(-I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + (-4*I*a*b^3*e^3 +
6*I*a^2*b^2*e^2*f - 4*I*a^3*b*e*f^2 + I*a^4*f^3)*log(I*sqrt(-4*I) + 2*cosh(
b*x + a) + 2*sinh(b*x + a)) + (-4*I*a*b^3*e^3 + 6*I*a^2*b^2*e^2*f - 4*I*a^3
*b*e*f^2 + I*a^4*f^3)*log(-I*sqrt(-4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)
) + (-24*I*b*f^3*x - 24*I*b*e*f^2)*polylog(4, 1/2*sqrt(4*I)*(cosh(b*x + a)
+ sinh(b*x + a))) + (-24*I*b*f^3*x - 24*I*b*e*f^2)*polylog(4, -1/2*sqrt(4*I)
)*(cosh(b*x + a) + sinh(b*x + a))) + (24*I*b*f^3*x + 24*I*b*e*f^2)*polylog(
4, 1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (24*I*b*f^3*x + 24*I*b
*e*f^2)*polylog(4, -1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (12*I
*b^2*f^3*x^2 + 24*I*b^2*e*f^2*x + 12*I*b^2*e^2*f)*polylog(3, 1/2*sqrt(4*I)*
(cosh(b*x + a) + sinh(b*x + a))) + (12*I*b^2*f^3*x^2 + 24*I*b^2*e*f^2*x + 1
2*I*b^2*e^2*f)*polylog(3, -1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) +
(-12*I*b^2*f^3*x^2 - 24*I*b^2*e*f^2*x - 12*I*b^2*e^2*f)*polylog(3, 1/2*sqr
t(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (-12*I*b^2*f^3*x^2 - 24*I*b^2*e*
f^2*x - 12*I*b^2*e^2*f)*polylog(3, -1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*
x + a))))/b^4

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*acot(coth(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (fx + e)^3 \operatorname{arccot}(\operatorname{coth}(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*arccot(coth(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^3*arccot(coth(b*x + a)), x)
```

3.201 $\int (e + fx)^2 \cot^{-1}(\coth(a + bx)) dx$

Optimal. Leaf size=229

$$-\frac{if(e + fx)\text{PolyLog}(3, -ie^{2a+2bx})}{4b^2} + \frac{if(e + fx)\text{PolyLog}(3, ie^{2a+2bx})}{4b^2} + \frac{if^2\text{PolyLog}(4, -ie^{2a+2bx})}{8b^3} - \frac{if^2\text{PolyLog}(4, ie^{2a+2bx})}{8b^3}$$

[Out] $((e + fx)^3 \text{ArcCot}[\text{Coth}[a + bx]]) / (3f) - ((e + fx)^3 \text{ArcTan}[E^{(2a + 2bx)}]) / (3f) + ((I/4)(e + fx)^2 \text{PolyLog}[2, (-I)E^{(2a + 2bx)}]) / b - ((I/4)(e + fx)^2 \text{PolyLog}[2, I E^{(2a + 2bx)}]) / b - ((I/4)f(e + fx) \text{PolyLog}[3, (-I)E^{(2a + 2bx)}]) / b^2 + ((I/4)f(e + fx) \text{PolyLog}[3, I E^{(2a + 2bx)}]) / b^2 + ((I/8)f^2 \text{PolyLog}[4, (-I)E^{(2a + 2bx)}]) / b^3 - ((I/8)f^2 \text{PolyLog}[4, I E^{(2a + 2bx)}]) / b^3$

Rubi [A] time = 0.153689, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {5186, 4180, 2531, 6609, 2282, 6589}

$$-\frac{if(e + fx)\text{PolyLog}(3, -ie^{2a+2bx})}{4b^2} + \frac{if(e + fx)\text{PolyLog}(3, ie^{2a+2bx})}{4b^2} + \frac{if^2\text{PolyLog}(4, -ie^{2a+2bx})}{8b^3} - \frac{if^2\text{PolyLog}(4, ie^{2a+2bx})}{8b^3}$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)^2*ArcCot[Coth[a + b*x]], x]

[Out] $((e + fx)^3 \text{ArcCot}[\text{Coth}[a + bx]]) / (3f) - ((e + fx)^3 \text{ArcTan}[E^{(2a + 2bx)}]) / (3f) + ((I/4)(e + fx)^2 \text{PolyLog}[2, (-I)E^{(2a + 2bx)}]) / b - ((I/4)(e + fx)^2 \text{PolyLog}[2, I E^{(2a + 2bx)}]) / b - ((I/4)f(e + fx) \text{PolyLog}[3, (-I)E^{(2a + 2bx)}]) / b^2 + ((I/4)f(e + fx) \text{PolyLog}[3, I E^{(2a + 2bx)}]) / b^2 + ((I/8)f^2 \text{PolyLog}[4, (-I)E^{(2a + 2bx)}]) / b^3 - ((I/8)f^2 \text{PolyLog}[4, I E^{(2a + 2bx)}]) / b^3$

Rule 5186

Int[ArcCot[Coth[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> Simp[((e + f*x)^(m + 1)*ArcCot[Coth[a + b*x]])/(f*(m + 1)), x] - Dist[b/(f*(m + 1)), Int[(e + f*x)^(m + 1)*Sech[2*a + 2*b*x], x], x] /; FreeQ[{a, b, e, f}, x] && IGtQ[m, 0]

Rule 4180

Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(-(I*e) + f*fz*x)/E^(I*k*Pi)])/(f*fz*I), x] + (-Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1)*Log[1 - E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1)*Log[1 + E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 6609

```
Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_.)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^
(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int (e + fx)^2 \cot^{-1}(\coth(a + bx)) dx &= \frac{(e + fx)^3 \cot^{-1}(\coth(a + bx))}{3f} - \frac{b \int (e + fx)^3 \operatorname{sech}(2a + 2bx) dx}{3f} \\ &= \frac{(e + fx)^3 \cot^{-1}(\coth(a + bx))}{3f} - \frac{(e + fx)^3 \tan^{-1}(e^{2a+2bx})}{3f} + \frac{1}{2} i \int (e + fx)^2 \log \\ &= \frac{(e + fx)^3 \cot^{-1}(\coth(a + bx))}{3f} - \frac{(e + fx)^3 \tan^{-1}(e^{2a+2bx})}{3f} + \frac{i(e + fx)^2 \operatorname{Li}_2(-ie^2)}{4b} \\ &= \frac{(e + fx)^3 \cot^{-1}(\coth(a + bx))}{3f} - \frac{(e + fx)^3 \tan^{-1}(e^{2a+2bx})}{3f} + \frac{i(e + fx)^2 \operatorname{Li}_2(-ie^2)}{4b} \\ &= \frac{(e + fx)^3 \cot^{-1}(\coth(a + bx))}{3f} - \frac{(e + fx)^3 \tan^{-1}(e^{2a+2bx})}{3f} + \frac{i(e + fx)^2 \operatorname{Li}_2(-ie^2)}{4b} \\ &= \frac{(e + fx)^3 \cot^{-1}(\coth(a + bx))}{3f} - \frac{(e + fx)^3 \tan^{-1}(e^{2a+2bx})}{3f} + \frac{i(e + fx)^2 \operatorname{Li}_2(-ie^2)}{4b} \end{aligned}$$

Mathematica [A] time = 0.201568, size = 375, normalized size = 1.64

$$\frac{1}{3} x (3e^2 + 3efx + f^2x^2) \cot^{-1}(\coth(a + bx)) - \frac{i(-6b^2(e + fx)^2 \operatorname{PolyLog}(2, -ie^{2(a+bx)}) + 6b^2(e + fx)^2 \operatorname{PolyLog}(2, ie^2))}{3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(e + f*x)^2*ArcCot[Coth[a + b*x]],x]
```

```
[Out] (x*(3*e^2 + 3*e*f*x + f^2*x^2)*ArcCot[Coth[a + b*x]])/3 - ((I/24)*(12*b^3*e
^2*x*Log[1 - I*E^(2*(a + b*x))] + 12*b^3*e*f*x^2*Log[1 - I*E^(2*(a + b*x))]
+ 4*b^3*f^2*x^3*Log[1 - I*E^(2*(a + b*x))] - 12*b^3*e^2*x*Log[1 + I*E^(2*(
a + b*x))] - 12*b^3*e*f*x^2*Log[1 + I*E^(2*(a + b*x))] - 4*b^3*f^2*x^3*Log[
1 + I*E^(2*(a + b*x))] - 6*b^2*(e + f*x)^2*PolyLog[2, (-I)*E^(2*(a + b*x))]
+ 6*b^2*(e + f*x)^2*PolyLog[2, I*E^(2*(a + b*x))] + 6*b*e*f*PolyLog[3, (-I
)*E^(2*(a + b*x))] + 6*b*f^2*x*PolyLog[3, (-I)*E^(2*(a + b*x))] - 6*b*e*f*P
olyLog[3, I*E^(2*(a + b*x))] - 6*b*f^2*x*PolyLog[3, I*E^(2*(a + b*x))] - 3*
```

$f^2 \text{PolyLog}[4, (-I)E^{(2(a + b*x))}] + 3f^2 \text{PolyLog}[4, I E^{(2(a + b*x))}] / b^3$

Maple [C] time = 9.65, size = 5425, normalized size = 23.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^2*arccot(coth(b*x+a)),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{3} (f^2 x^3 + 3efx^2 + 3e^2 x) \arctan\left(\frac{e^{(2bx+2a)} - 1}{e^{(2bx+2a)} + 1}\right) - \int \frac{2(bf^2 x^3 e^{(2a)} + 3befx^2 e^{(2a)} + 3be^2 x e^{(2a)})e^{(2bx)}}{3(e^{(4bx+4a)} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*arccot(coth(b*x+a)),x, algorithm="maxima")`

[Out] $\frac{1}{3}(f^2 x^3 + 3efx^2 + 3e^2 x) \arctan\left(\frac{e^{(2bx+2a)} - 1}{e^{(2bx+2a)} + 1}\right) - \int \frac{2(bf^2 x^3 e^{(2a)} + 3befx^2 e^{(2a)} + 3be^2 x e^{(2a)})e^{(2bx)}}{3(e^{(4bx+4a)} + 1)} dx$

Fricas [C] time = 2.58532, size = 2903, normalized size = 12.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*arccot(coth(b*x+a)),x, algorithm="fricas")`

[Out] $\frac{1}{6}(-6I f^2 \text{polylog}(4, \frac{1}{2}\sqrt{4I}(\cosh(bx+a) + \sinh(bx+a))) - 6I f^2 \text{polylog}(4, -\frac{1}{2}\sqrt{4I}(\cosh(bx+a) + \sinh(bx+a))) + 6I f^2 \text{polylog}(4, \frac{1}{2}\sqrt{-4I}(\cosh(bx+a) + \sinh(bx+a))) + 6I f^2 \text{polylog}(4, -\frac{1}{2}\sqrt{-4I}(\cosh(bx+a) + \sinh(bx+a))) + 2(b^3 f^2 x^3 + 3b^3 e f x^2 + 3b^3 e^2 x) \arctan(\sinh(bx+a)/\cosh(bx+a)) + (-3I b^2 f^2 x^2 - 6I b^2 e f x - 3I b^2 e^2) \text{dilog}(\frac{1}{2}\sqrt{4I}(\cosh(bx+a) + \sinh(bx+a))) + (-3I b^2 f^2 x^2 - 6I b^2 e f x - 3I b^2 e^2) \text{dilog}(-\frac{1}{2}\sqrt{4I}(\cosh(bx+a) + \sinh(bx+a))) + (3I b^2 f^2 x^2 + 6I b^2 e f x + 3I b^2 e^2) \text{dilog}(\frac{1}{2}\sqrt{-4I}(\cosh(bx+a) + \sinh(bx+a))) + (3I b^2 f^2 x^2 + 6I b^2 e f x + 3I b^2 e^2) \text{dilog}(-\frac{1}{2}\sqrt{-4I}(\cosh(bx+a) + \sinh(bx+a))) + (-I b^3 f^2 x^3 - 3I b^3 e f x^2 - 3I b^3 e^2 x - 3I a b^2 e^2 + 3I a^2 b e f - I a^3 f^2) \log(\frac{1}{2}\sqrt{4I}(\cosh(bx+a) + \sinh(bx+a)) + 1) + (-I b^3 f^2 x^3 - 3I b^3 e f x^2 - 3I b^3 e^2 x - 3I a b^2 e^2 + 3I a^2 b e f - I a^3 f^2) \log(-\frac{1}{2}\sqrt{4I}(\cosh(bx+a) + \sinh(bx+a)) + 1) + (I b^3 f^2 x^3 + 3I b^3 e f x^2 + 3I b^3 e^2 x + 3I a b^2 e^2 - 3I a^2 b e f + I a^3 f^2) \log(\frac{1}{2}\sqrt{-4I}(\cosh(bx+a) + \sinh(bx+a)) + 1) + (I b^3 f^2 x^3 + 3I b^3 e f x^2 +$

$$\begin{aligned} & 3I*b^3*e^{2*x} + 3I*a*b^2*e^2 - 3I*a^2*b*e*f + I*a^3*f^2)*\log(-1/2*\sqrt{-4*I}*(\cosh(b*x + a) + \sinh(b*x + a)) + 1) + (3I*a*b^2*e^2 - 3I*a^2*b*e*f \\ & + I*a^3*f^2)*\log(I*\sqrt{4*I} + 2*\cosh(b*x + a) + 2*\sinh(b*x + a)) + (3I*a* \\ & b^2*e^2 - 3I*a^2*b*e*f + I*a^3*f^2)*\log(-I*\sqrt{4*I} + 2*\cosh(b*x + a) + 2 \\ & *\sinh(b*x + a)) + (-3I*a*b^2*e^2 + 3I*a^2*b*e*f - I*a^3*f^2)*\log(I*\sqrt{-4*I} + 2*\cosh(b*x + a) + 2*\sinh(b*x + a)) + (-3I*a*b^2*e^2 + 3I*a^2*b*e*f \\ & - I*a^3*f^2)*\log(-I*\sqrt{-4*I} + 2*\cosh(b*x + a) + 2*\sinh(b*x + a)) + (6I \\ & *b*f^2*x + 6I*b*e*f)*\text{polylog}(3, 1/2*\sqrt{4*I}*(\cosh(b*x + a) + \sinh(b*x + \\ & a))) + (6I*b*f^2*x + 6I*b*e*f)*\text{polylog}(3, -1/2*\sqrt{4*I}*(\cosh(b*x + a) + \\ & \sinh(b*x + a))) + (-6I*b*f^2*x - 6I*b*e*f)*\text{polylog}(3, 1/2*\sqrt{-4*I}*(\cosh(b*x + a) + \sinh(b*x + a))) + (-6I*b*f^2*x - 6I*b*e*f)*\text{polylog}(3, -1/2*\sqrt{-4*I}*(\cosh(b*x + a) + \sinh(b*x + a))))/b^3 \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (e + fx)^2 \operatorname{acot}(\operatorname{coth}(a + bx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*acot(coth(b*x+a)),x)

[Out] Integral((e + f*x)**2*acot(coth(a + b*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (fx + e)^2 \operatorname{arccot}(\operatorname{coth}(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*arccot(coth(b*x+a)),x, algorithm="giac")

[Out] integrate((f*x + e)^2*arccot(coth(b*x + a)), x)

3.202 $\int (e + fx) \cot^{-1}(\coth(a + bx)) dx$

Optimal. Leaf size=159

$$-\frac{if\text{PolyLog}(3, -ie^{2a+2bx})}{8b^2} + \frac{if\text{PolyLog}(3, ie^{2a+2bx})}{8b^2} + \frac{i(e + fx)\text{PolyLog}(2, -ie^{2a+2bx})}{4b} - \frac{i(e + fx)\text{PolyLog}(2, ie^{2a+2bx})}{4b}$$

[Out] $((e + fx)^2 \text{ArcCot}[\text{Coth}[a + bx]])/(2f) - ((e + fx)^2 \text{ArcTan}[E^{(2a + 2bx)}])/(2f) + ((I/4)(e + fx) \text{PolyLog}[2, (-I)E^{(2a + 2bx)}])/b - ((I/4)(e + fx) \text{PolyLog}[2, I E^{(2a + 2bx)}])/b - ((I/8)f \text{PolyLog}[3, (-I)E^{(2a + 2bx)}])/b^2 + ((I/8)f \text{PolyLog}[3, I E^{(2a + 2bx)}])/b^2$

Rubi [A] time = 0.0989876, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {5186, 4180, 2531, 2282, 6589}

$$-\frac{if\text{PolyLog}(3, -ie^{2a+2bx})}{8b^2} + \frac{if\text{PolyLog}(3, ie^{2a+2bx})}{8b^2} + \frac{i(e + fx)\text{PolyLog}(2, -ie^{2a+2bx})}{4b} - \frac{i(e + fx)\text{PolyLog}(2, ie^{2a+2bx})}{4b}$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)*ArcCot[Coth[a + b*x]], x]

[Out] $((e + fx)^2 \text{ArcCot}[\text{Coth}[a + bx]])/(2f) - ((e + fx)^2 \text{ArcTan}[E^{(2a + 2bx)}])/(2f) + ((I/4)(e + fx) \text{PolyLog}[2, (-I)E^{(2a + 2bx)}])/b - ((I/4)(e + fx) \text{PolyLog}[2, I E^{(2a + 2bx)}])/b - ((I/8)f \text{PolyLog}[3, (-I)E^{(2a + 2bx)}])/b^2 + ((I/8)f \text{PolyLog}[3, I E^{(2a + 2bx)}])/b^2$

Rule 5186

Int[ArcCot[Coth[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[((e + f*x)^(m + 1)*ArcCot[Coth[a + b*x]])/(f*(m + 1)), x] - Dist[b/(f*(m + 1)), Int[(e + f*x)^(m + 1)*Sech[2*a + 2*b*x], x], x] /; FreeQ[{a, b, e, f}, x] && IGtQ[m, 0]

Rule 4180

Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(-(I*e) + f*fz*x)/E^(I*k*Pi)])/(f*fz*I), x] + (-Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1)*Log[1 - E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1)*Log[1 + E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))]^(n_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/b*c*n*Log[F], x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi

```
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int (e + fx) \cot^{-1}(\coth(a + bx)) dx &= \frac{(e + fx)^2 \cot^{-1}(\coth(a + bx))}{2f} - \frac{b \int (e + fx)^2 \operatorname{sech}(2a + 2bx) dx}{2f} \\ &= \frac{(e + fx)^2 \cot^{-1}(\coth(a + bx))}{2f} - \frac{(e + fx)^2 \tan^{-1}(e^{2a+2bx})}{2f} + \frac{1}{2} i \int (e + fx) \log(1 \\ &= \frac{(e + fx)^2 \cot^{-1}(\coth(a + bx))}{2f} - \frac{(e + fx)^2 \tan^{-1}(e^{2a+2bx})}{2f} + \frac{i(e + fx) \operatorname{Li}_2(-ie^{2a+2bx})}{4b} \\ &= \frac{(e + fx)^2 \cot^{-1}(\coth(a + bx))}{2f} - \frac{(e + fx)^2 \tan^{-1}(e^{2a+2bx})}{2f} + \frac{i(e + fx) \operatorname{Li}_2(-ie^{2a+2bx})}{4b} \\ &= \frac{(e + fx)^2 \cot^{-1}(\coth(a + bx))}{2f} - \frac{(e + fx)^2 \tan^{-1}(e^{2a+2bx})}{2f} + \frac{i(e + fx) \operatorname{Li}_2(-ie^{2a+2bx})}{4b} \end{aligned}$$

Mathematica [A] time = 0.244567, size = 278, normalized size = 1.75

$$\frac{i f \left(-2 b x \operatorname{PolyLog} \left(2, -i e^{2(a+b x)} \right) + 2 b x \operatorname{PolyLog} \left(2, i e^{2(a+b x)} \right) + \operatorname{PolyLog} \left(3, -i e^{2(a+b x)} \right) - \operatorname{PolyLog} \left(3, i e^{2(a+b x)} \right) + 2 b \right)}{8 b^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(e + f*x)*ArcCot[Coth[a + b*x]], x]
```

```
[Out] e*x*ArcCot[Coth[a + b*x]] + (f*x^2*ArcCot[Coth[a + b*x]])/2 - (e*(-(((4*I
*a + Pi - (4*I)*b*x)*(Log[1 - I*E^(2*(a + b*x))] - Log[1 + I*E^(2*(a + b*x)
])) + ((-4*I)*a + Pi)*Log[Cot[((4*I)*a + Pi + (4*I)*b*x)/4]] - (2*I)*(Poly
Log[2, (-I)*E^(2*(a + b*x))] - PolyLog[2, I*E^(2*(a + b*x))])))/(8*b) - ((I
/8)*f*(2*b^2*x^2*Log[1 - I*E^(2*(a + b*x))] - 2*b^2*x^2*Log[1 + I*E^(2*(a
+ b*x))] - 2*b*x*PolyLog[2, (-I)*E^(2*(a + b*x))] + 2*b*x*PolyLog[2, I*E^(2
(a + b*x))] + PolyLog[3, (-I)*E^(2*(a + b*x))] - PolyLog[3, I*E^(2*(a + b*x
))]))/b^2
```

Maple [C] time = 8.72, size = 2688, normalized size = 16.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)*arccot(coth(b*x+a)), x)
```

```
[Out] 1/4*Pi*x*e*csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))*csgn(((1-I)*(exp(2*
b*x+2*a)+I)/(exp(2*b*x+2*a)-1))-1/4*Pi*x*e*csgn(I*(exp(2*b*x+2*a)-I)/(exp(2
```

$$\begin{aligned}
& *b*x+2*a)-1)) *csgn((1+I)*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))-1/4*Pi*x*e \\
& csgn(I/(exp(2*b*x+2*a)-1)) *csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^2- \\
& 1/4*Pi*x*e*csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1)) *csgn((1-I)*(exp(2* \\
& b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^2+1/4*Pi*x*e*csgn((1+I)*(exp(2*b*x+2*a)-I)/ \\
& (exp(2*b*x+2*a)-1))^2+1/8*Pi*x^2*f*csgn((1+I)*(exp(2*b*x+2*a)-I)/(exp(2*b*x \\
& +2*a)-1))^2-1/4*Pi*x*e*csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))^3+1/4* \\
& Pi*x*e*csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^3-1/4*Pi*x*e*csgn((1-I \\
&)*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^3-1/4*Pi*x*e*csgn((1+I)*(exp(2*b*x \\
& +2*a)-I)/(exp(2*b*x+2*a)-1))^3+1/8*Pi*x^2*f*csgn(I*(exp(2*b*x+2*a)+I)/(exp(\\
& 2*b*x+2*a)-1)) *csgn((1-I)*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))+1/4*Pi*x*e \\
& *csgn((1-I)*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^2-1/8*Pi*x^2*f*csgn(I*(e \\
& xp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1)) *csgn((1+I)*(exp(2*b*x+2*a)-I)/(exp(2*b \\
& *x+2*a)-1))+1/2*I*(1/2*f*x^2+e*x)*ln(exp(2*b*x+2*a)+I)+1/8*Pi*x^2*f*csgn(I* \\
& (exp(2*b*x+2*a)-I)) *csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))^2-1/4*I/b \\
& ^2*f*a^2*ln(exp(2*b*x+2*a)+I)+1/2*I/b*a*e*ln(exp(2*b*x+2*a)+I)-1/2*I*e/b*a* \\
& ln(-exp(2*b*x+2*a)+I)+1/8*I*f*polylog(3, I*exp(2*b*x+2*a))/b^2-1/4*I*ln(exp(\\
& 2*b*x+2*a)-I)*f*x^2-1/2*I*ln(exp(2*b*x+2*a)-I)*e*x-1/8*Pi*x^2*f*csgn(I*(exp \\
& (2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1)) *csgn((1-I)*(exp(2*b*x+2*a)+I)/(exp(2*b*x \\
& +2*a)-1))^2+1/4*Pi*x*e*csgn(I*(exp(2*b*x+2*a)-I)) *csgn(I*(exp(2*b*x+2*a)-I) \\
& / (exp(2*b*x+2*a)-1))^2+1/8*Pi*f*x^2+1/4*Pi*e*x-1/8*Pi*x^2*f*csgn(I*(exp(2*b \\
& *x+2*a)+I)) *csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^2-1/4*I*f*ln(1-I* \\
& exp(2*b*x+2*a))*x^2-1/2*I*ln(((-I)^(1/2)-exp(b*x+a))/(-I)^(1/2))*x*e-1/2*I* \\
& ln(((-I)^(1/2)+exp(b*x+a))/(-I)^(1/2))*x*e+1/4*I*f*ln(1+I*exp(2*b*x+2*a))*x \\
& ^2+1/2*I*e*ln(1+exp(b*x+a))*(-1)^(3/4))*x+1/2*I*e*ln(1-exp(b*x+a))*(-1)^(3/4) \\
&) *x-1/2*I/b*e*dilog(((-I)^(1/2)-exp(b*x+a))/(-I)^(1/2))-1/2*I/b*e*dilog(((- \\
& I)^(1/2)+exp(b*x+a))/(-I)^(1/2))+1/2*I*e/b*dilog(1+exp(b*x+a))*(-1)^(3/4))+1 \\
& /2*I*e/b*dilog(1-exp(b*x+a))*(-1)^(3/4))-1/4*Pi*x*e*csgn(I*(exp(2*b*x+2*a)+I \\
&)) *csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^2+1/4*Pi*x*e*csgn(I/(exp(2 \\
& *b*x+2*a)-1)) *csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))^2+1/4*I*f/b^2*a \\
& ^2*ln(-exp(2*b*x+2*a)+I)+1/4*I*f/b*polylog(2, -I*exp(2*b*x+2*a))*x+1/4*I*f/b \\
& ^2*polylog(2, -I*exp(2*b*x+2*a))*a+1/2*I*e/b*ln(1+exp(b*x+a))*(-1)^(3/4))*a+1 \\
& /2*I*e/b*ln(1-exp(b*x+a))*(-1)^(3/4))*a-1/2*I*f/b^2*a^2*ln(1+exp(b*x+a))*(-1) \\
& ^2+1/2*I*f/b^2*a^2*ln(1-exp(b*x+a))*(-1)^(3/4))+1/2*I/b^2*f*a*dilog(((-I) \\
& I)^(1/2)-exp(b*x+a))/(-I)^(1/2))+1/2*I/b^2*f*a*dilog(((-I)^(1/2)+exp(b*x+a) \\
&)/(-I)^(1/2))-1/2*I*f/b^2*a*dilog(1+exp(b*x+a))*(-1)^(3/4))-1/2*I*f/b^2*a*di \\
& log(1-exp(b*x+a))*(-1)^(3/4))-1/8*Pi*x^2*f*csgn(I*(exp(2*b*x+2*a)-I)) *csgn(I \\
& / (exp(2*b*x+2*a)-1)) *csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))+1/8*Pi*x \\
& ^2*f*csgn(I*(exp(2*b*x+2*a)+I)) *csgn(I/(exp(2*b*x+2*a)-1)) *csgn(I*(exp(2*b* \\
& x+2*a)+I)/(exp(2*b*x+2*a)-1))-1/4*Pi*x*e*csgn(I*(exp(2*b*x+2*a)-I)) *csgn(I/ \\
& (exp(2*b*x+2*a)-1)) *csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))+1/8*Pi*x^ \\
& 2*f*csgn((1-I)*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^2-1/8*Pi*x^2*f*csgn(I \\
& *(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))^3+1/8*Pi*x^2*f*csgn(I*(exp(2*b*x+2* \\
& a)+I)/(exp(2*b*x+2*a)-1))^3-1/8*Pi*x^2*f*csgn((1+I)*(exp(2*b*x+2*a)-I)/(exp \\
& (2*b*x+2*a)-1))^3-1/8*Pi*x^2*f*csgn((1+I)*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a \\
&)-1))^3-1/4*I/b^2*f*polylog(2, I*exp(2*b*x+2*a))*a+1/2*I/b^2*f*a^2*ln(((-I) \\
& (1/2)-exp(b*x+a))/(-I)^(1/2))-1/4*I/b*f*polylog(2, I*exp(2*b*x+2*a))*x+1/4*I \\
& *f/b^2*ln(1+I*exp(2*b*x+2*a))*a^2+1/2*I/b^2*f*a^2*ln(((-I)^(1/2)+exp(b*x+a) \\
&)/(-I)^(1/2))+1/4*Pi*x*e*csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1)) *csgn \\
& ((1+I)*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))^2+1/8*Pi*x^2*f*csgn(I*(exp(2* \\
& b*x+2*a)-I)/(exp(2*b*x+2*a)-1)) *csgn((1+I)*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2* \\
& a)-1))^2+1/8*Pi*x^2*f*csgn(I/(exp(2*b*x+2*a)-1)) *csgn(I*(exp(2*b*x+2*a)-I)/ \\
& (exp(2*b*x+2*a)-1))^2-1/8*Pi*x^2*f*csgn(I/(exp(2*b*x+2*a)-1)) *csgn(I*(exp(2 \\
& *b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^2-1/8*I*f*polylog(3, -I*exp(2*b*x+2*a))/b^2 \\
& -1/2*I/b*ln(((-I)^(1/2)-exp(b*x+a))/(-I)^(1/2))*a*e-1/2*I/b*ln(((-I)^(1/2)+ \\
& exp(b*x+a))/(-I)^(1/2))*a*e-1/4*I/b^2*f*ln(1-I*exp(2*b*x+2*a))*a^2+1/4*Pi*x \\
& *e*csgn(I*(exp(2*b*x+2*a)+I)) *csgn(I/(exp(2*b*x+2*a)-1)) *csgn(I*(exp(2*b*x+ \\
& 2*a)+I)/(exp(2*b*x+2*a)-1))+1/2*I/b*f*a*ln(((-I)^(1/2)-exp(b*x+a))/(-I)^(1/ \\
& 2))*x+1/2*I*f/b*ln(1+I*exp(2*b*x+2*a))*x*a-1/2*I*f/b*a*ln(1+exp(b*x+a))*(-1) \\
& ^2+1/2*I/b*f*a*ln(((-I)^(1/2)+exp(b*x+a))/(-I)^(1/2))*x-1/2*I*f/b*a*
\end{aligned}$$

$\ln(1-\exp(b*x+a)*(-1)^{(3/4)})*x-1/2*I/b*f*\ln(1-I*\exp(2*b*x+2*a))*x*a$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}(fx^2 + 2ex) \arctan\left(\frac{e^{(2bx+2a)} - 1}{e^{(2bx+2a)} + 1}\right) - \int \frac{(bf x^2 e^{(2a)} + 2 bex e^{(2a)})e^{(2bx)}}{e^{(4bx+4a)} + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*arccot(coth(b*x+a)),x, algorithm="maxima")

[Out] 1/2*(f*x^2 + 2*e*x)*arctan((e^(2*b*x + 2*a) - 1)/(e^(2*b*x + 2*a) + 1)) - integrate((b*f*x^2*e^(2*a) + 2*b*e*x*e^(2*a))*e^(2*b*x)/(e^(4*b*x + 4*a) + 1), x)

Fricas [C] time = 2.37412, size = 1894, normalized size = 11.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*arccot(coth(b*x+a)),x, algorithm="fricas")

[Out] 1/4*(2*(b^2*f*x^2 + 2*b^2*e*x)*arctan(sinh(b*x + a)/cosh(b*x + a)) + (-2*I*b*f*x - 2*I*b*e)*dilog(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (-2*I*b*f*x - 2*I*b*e)*dilog(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (2*I*b*f*x + 2*I*b*e)*dilog(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (2*I*b*f*x + 2*I*b*e)*dilog(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (-I*b^2*f*x^2 - 2*I*b^2*e*x - 2*I*a*b*e + I*a^2*f)*log(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b^2*f*x^2 - 2*I*b^2*e*x - 2*I*a*b*e + I*a^2*f)*log(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b^2*f*x^2 + 2*I*b^2*e*x + 2*I*a*b*e - I*a^2*f)*log(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b^2*f*x^2 + 2*I*b^2*e*x + 2*I*a*b*e - I*a^2*f)*log(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (2*I*a*b*e - I*a^2*f)*log(I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + (2*I*a*b*e - I*a^2*f)*log(-I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + (-2*I*a*b*e + I*a^2*f)*log(-I*sqrt(-4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + 2*I*f*polylog(3, 1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 2*I*f*polylog(3, -1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 2*I*f*polylog(3, 1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 2*I*f*polylog(3, -1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))))/b^2

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (e + fx) \operatorname{acot}(\operatorname{coth}(a + bx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*acot(coth(b*x+a)),x)

[Out] Integral((e + f*x)*acot(coth(a + b*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (fx + e) \operatorname{arccot}(\operatorname{coth}(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*arccot(coth(b*x+a)),x, algorithm="giac")

[Out] integrate((f*x + e)*arccot(coth(b*x + a)), x)

3.203 $\int \cot^{-1}(\coth(a + bx)) dx$

Optimal. Leaf size=74

$$\frac{i\text{PolyLog}\left(2, -ie^{2a+2bx}\right)}{4b} - \frac{i\text{PolyLog}\left(2, ie^{2a+2bx}\right)}{4b} - x \tan^{-1}\left(e^{2a+2bx}\right) + x \cot^{-1}(\coth(a + bx))$$

[Out] x*ArcCot[Coth[a + b*x]] - x*ArcTan[E^(2*a + 2*b*x)] + ((I/4)*PolyLog[2, (-I)*E^(2*a + 2*b*x)])/b - ((I/4)*PolyLog[2, I*E^(2*a + 2*b*x)])/b

Rubi [A] time = 0.0429558, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used = {5182, 4180, 2279, 2391}

$$\frac{i\text{PolyLog}\left(2, -ie^{2a+2bx}\right)}{4b} - \frac{i\text{PolyLog}\left(2, ie^{2a+2bx}\right)}{4b} - x \tan^{-1}\left(e^{2a+2bx}\right) + x \cot^{-1}(\coth(a + bx))$$

Antiderivative was successfully verified.

[In] Int[ArcCot[Coth[a + b*x]], x]

[Out] x*ArcCot[Coth[a + b*x]] - x*ArcTan[E^(2*a + 2*b*x)] + ((I/4)*PolyLog[2, (-I)*E^(2*a + 2*b*x)])/b - ((I/4)*PolyLog[2, I*E^(2*a + 2*b*x)])/b

Rule 5182

Int[ArcCot[Coth[(a_.) + (b_.)*(x_)]], x_Symbol] :> Simp[x*ArcCot[Coth[a + b*x]], x] - Dist[b, Int[x*Sech[2*a + 2*b*x], x], x] /; FreeQ[{a, b}, x]

Rule 4180

Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(-(I*e) + f*fz*x)/E^(I*k*Pi)])/(f*fz*I), x] + (-Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1)*Log[1 - E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[(d*m)/(f*fz*I), Int[(c + d*x)^(m - 1)*Log[1 + E^(-(I*e) + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \cot^{-1}(\coth(a + bx)) dx &= x \cot^{-1}(\coth(a + bx)) - b \int x \operatorname{sech}(2a + 2bx) dx \\
&= x \cot^{-1}(\coth(a + bx)) - x \tan^{-1}(e^{2a+2bx}) + \frac{1}{2}i \int \log(1 - ie^{2a+2bx}) dx - \frac{1}{2}i \int \log(1 + ie^{2a+2bx}) dx \\
&= x \cot^{-1}(\coth(a + bx)) - x \tan^{-1}(e^{2a+2bx}) + \frac{i \operatorname{Subst}\left(\int \frac{\log(1-ix)}{x} dx, x, e^{2a+2bx}\right)}{4b} - \frac{i \operatorname{Subst}\left(\int \frac{\log(1+ix)}{x} dx, x, e^{2a+2bx}\right)}{4b} \\
&= x \cot^{-1}(\coth(a + bx)) - x \tan^{-1}(e^{2a+2bx}) + \frac{i \operatorname{Li}_2(-ie^{2a+2bx})}{4b} - \frac{i \operatorname{Li}_2(ie^{2a+2bx})}{4b}
\end{aligned}$$

Mathematica [A] time = 0.0409286, size = 132, normalized size = 1.78

$$x \cot^{-1}(\coth(a + bx)) - \frac{-2i(\operatorname{PolyLog}(2, -ie^{2(a+bx)}) - \operatorname{PolyLog}(2, ie^{2(a+bx)})) - (-4ia - 4ibx + \pi)(\log(1 - ie^{2(a+bx)}) - \log(1 + ie^{2(a+bx)}))}{8b}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[Coth[a + b*x]], x]

[Out] x*ArcCot[Coth[a + b*x]] - (((-4*I)*a + Pi - (4*I)*b*x)*(Log[1 - I*E^(2*(a + b*x))] - Log[1 + I*E^(2*(a + b*x))])) + ((-4*I)*a + Pi)*Log[Cot[((4*I)*a + Pi + (4*I)*b*x)/4]] - (2*I)*(PolyLog[2, (-I)*E^(2*(a + b*x))] - PolyLog[2, I*E^(2*(a + b*x))])/(8*b)

Maple [B] time = 0.143, size = 196, normalized size = 2.7

$$\frac{\operatorname{Artanh}(\coth(bx + a)) \operatorname{arccot}(\coth(bx + a))}{b} + \frac{\operatorname{arctan}(\coth(bx + a)) \operatorname{Artanh}(\coth(bx + a))}{b} + \frac{\operatorname{arctan}(\coth(bx + a))}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(coth(b*x+a)), x)

[Out] 1/b*arctanh(coth(b*x+a))*arccot(coth(b*x+a))+1/b*arctan(coth(b*x+a))*arctanh(coth(b*x+a))+1/2/b*arctan(coth(b*x+a))*ln(1+I*(1+I*coth(b*x+a))^2/(coth(b*x+a)^2+1))-1/4*I/b*polylog(2, -I*(1+I*coth(b*x+a))^2/(coth(b*x+a)^2+1))-1/2/b*arctan(coth(b*x+a))*ln(1-I*(1+I*coth(b*x+a))^2/(coth(b*x+a)^2+1))+1/4*I/b*polylog(2, I*(1+I*coth(b*x+a))^2/(coth(b*x+a)^2+1))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$x \arctan\left(\frac{e^{(2bx+2a)} - 1}{e^{(2bx+2a)} + 1}\right) - 2b \int \frac{xe^{(2bx+2a)}}{e^{(4bx+4a)} + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(coth(b*x+a)), x, algorithm="maxima")

[Out] x*arctan((e^(2*b*x + 2*a) - 1)/(e^(2*b*x + 2*a) + 1)) - 2*b*integrate(x*e^(2*b*x + 2*a)/(e^(4*b*x + 4*a) + 1), x)

Fricas [B] time = 2.01077, size = 1098, normalized size = 14.84

$$2bx \arctan\left(\frac{\sinh(bx+a)}{\cosh(bx+a)}\right) + (-ibx - ia) \log\left(\frac{1}{2}\sqrt{4i}(\cosh(bx+a) + \sinh(bx+a)) + 1\right) + (-ibx - ia) \log\left(-\frac{1}{2}\sqrt{4i}(\cosh(bx+a) + \sinh(bx+a)) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(coth(b*x+a)),x, algorithm="fricas")

[Out] $\frac{1}{2}(2bx \arctan(\sinh(bx+a)/\cosh(bx+a)) + (-Ibx - Ia)\log(1/2\sqrt{4I}(\cosh(bx+a) + \sinh(bx+a)) + 1) + (-Ibx - Ia)\log(-1/2\sqrt{4I}(\cosh(bx+a) + \sinh(bx+a)) + 1) + (Ibx + Ia)\log(1/2\sqrt{-4I}(\cosh(bx+a) + \sinh(bx+a)) + 1) + (Ibx + Ia)\log(-1/2\sqrt{-4I}(\cosh(bx+a) + \sinh(bx+a)) + 1) + Ia\log(I\sqrt{4I} + 2\cosh(bx+a) + 2\sinh(bx+a)) + Ia\log(-I\sqrt{4I} + 2\cosh(bx+a) + 2\sinh(bx+a)) - Ia\log(I\sqrt{-4I} + 2\cosh(bx+a) + 2\sinh(bx+a)) - Ia\log(-I\sqrt{-4I} + 2\cosh(bx+a) + 2\sinh(bx+a)) - I\operatorname{dilog}(1/2\sqrt{4I}(\cosh(bx+a) + \sinh(bx+a))) - I\operatorname{dilog}(-1/2\sqrt{4I}(\cosh(bx+a) + \sinh(bx+a))) + I\operatorname{dilog}(1/2\sqrt{-4I}(\cosh(bx+a) + \sinh(bx+a))) + I\operatorname{dilog}(-1/2\sqrt{-4I}(\cosh(bx+a) + \sinh(bx+a))))/b$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{acot}(\operatorname{coth}(a + bx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(coth(b*x+a)),x)

[Out] Integral(acot(coth(a + b*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{arccot}(\operatorname{coth}(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(coth(b*x+a)),x, algorithm="giac")

[Out] integrate(arccot(coth(b*x + a)), x)

$$3.204 \quad \int \frac{\cot^{-1}(\coth(a+bx))}{e+fx} dx$$

Optimal. Leaf size=17

$$\text{CannotIntegrate}\left(\frac{\cot^{-1}(\coth(a+bx))}{e+fx}, x\right)$$

[Out] CannotIntegrate[ArcCot[Coth[a + b*x]]/(e + f*x), x]

Rubi [A] time = 0.0368274, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(\coth(a+bx))}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[Coth[a + b*x]]/(e + f*x), x]

[Out] Defer[Int][ArcCot[Coth[a + b*x]]/(e + f*x), x]

Rubi steps

$$\int \frac{\cot^{-1}(\coth(a+bx))}{e+fx} dx = \int \frac{\cot^{-1}(\coth(a+bx))}{e+fx} dx$$

Mathematica [A] time = 0.773464, size = 0, normalized size = 0.

$$\int \frac{\cot^{-1}(\coth(a+bx))}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCot[Coth[a + b*x]]/(e + f*x), x]

[Out] Integrate[ArcCot[Coth[a + b*x]]/(e + f*x), x]

Maple [A] time = 0.937, size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(\coth(bx+a))}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(coth(b*x+a))/(f*x+e), x)

[Out] int(arccot(coth(b*x+a))/(f*x+e), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(\operatorname{coth}(bx + a))}{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(coth(b*x+a))/(f*x+e),x, algorithm="maxima")

[Out] integrate(arccot(coth(b*x + a))/(f*x + e), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(\operatorname{coth}(bx + a))}{fx + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(coth(b*x+a))/(f*x+e),x, algorithm="fricas")

[Out] integral(arccot(coth(b*x + a))/(f*x + e), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{acot}(\operatorname{coth}(a + bx))}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(coth(b*x+a))/(f*x+e),x)

[Out] Integral(acot(coth(a + b*x))/(e + f*x), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(\operatorname{coth}(bx + a))}{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(coth(b*x+a))/(f*x+e),x, algorithm="giac")

[Out] integrate(arccot(coth(b*x + a))/(f*x + e), x)

3.205 $\int x^2 \cot^{-1}(c + d \coth(a + bx)) dx$

Optimal. Leaf size=351

$$\frac{ix \operatorname{PolyLog}\left(3, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{4b^2} - \frac{ix \operatorname{PolyLog}\left(3, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{4b^2} - \frac{i \operatorname{PolyLog}\left(4, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{8b^3} + \frac{i \operatorname{PolyLog}\left(4, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{8b^3}$$

[Out] $(x^3 \operatorname{ArcCot}[c + d \operatorname{Coth}[a + b x]])/3 - (I/6) x^3 \operatorname{Log}[1 - ((I - c - d) E^{(2a + 2bx)})/(I - c + d)] + (I/6) x^3 \operatorname{Log}[1 - ((I + c + d) E^{(2a + 2bx)})/(I + c - d)] - ((I/4) x^2 \operatorname{PolyLog}[2, ((I - c - d) E^{(2a + 2bx)})/(I - c + d)])/b + ((I/4) x^2 \operatorname{PolyLog}[2, ((I + c + d) E^{(2a + 2bx)})/(I + c - d)])/b + ((I/4) x \operatorname{PolyLog}[3, ((I - c - d) E^{(2a + 2bx)})/(I - c + d)])/b^2 - ((I/4) x \operatorname{PolyLog}[3, ((I + c + d) E^{(2a + 2bx)})/(I + c - d)])/b^2 - ((I/8) \operatorname{PolyLog}[4, ((I - c - d) E^{(2a + 2bx)})/(I - c + d)])/b^3 + ((I/8) \operatorname{PolyLog}[4, ((I + c + d) E^{(2a + 2bx)})/(I + c - d)])/b^3$

Rubi [A] time = 0.462513, antiderivative size = 351, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {5202, 2190, 2531, 6609, 2282, 6589}

$$\frac{ix \operatorname{PolyLog}\left(3, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{4b^2} - \frac{ix \operatorname{PolyLog}\left(3, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{4b^2} - \frac{i \operatorname{PolyLog}\left(4, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{8b^3} + \frac{i \operatorname{PolyLog}\left(4, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{8b^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2 \operatorname{ArcCot}[c + d \operatorname{Coth}[a + b x]], x]$

[Out] $(x^3 \operatorname{ArcCot}[c + d \operatorname{Coth}[a + b x]])/3 - (I/6) x^3 \operatorname{Log}[1 - ((I - c - d) E^{(2a + 2bx)})/(I - c + d)] + (I/6) x^3 \operatorname{Log}[1 - ((I + c + d) E^{(2a + 2bx)})/(I + c - d)] - ((I/4) x^2 \operatorname{PolyLog}[2, ((I - c - d) E^{(2a + 2bx)})/(I - c + d)])/b + ((I/4) x^2 \operatorname{PolyLog}[2, ((I + c + d) E^{(2a + 2bx)})/(I + c - d)])/b + ((I/4) x \operatorname{PolyLog}[3, ((I - c - d) E^{(2a + 2bx)})/(I - c + d)])/b^2 - ((I/4) x \operatorname{PolyLog}[3, ((I + c + d) E^{(2a + 2bx)})/(I + c - d)])/b^2 - ((I/8) \operatorname{PolyLog}[4, ((I - c - d) E^{(2a + 2bx)})/(I - c + d)])/b^3 + ((I/8) \operatorname{PolyLog}[4, ((I + c + d) E^{(2a + 2bx)})/(I + c - d)])/b^3$

Rule 5202

$\operatorname{Int}[\operatorname{ArcCot}[(c_.) + \operatorname{Coth}[(a_.) + (b_.)(x_.)]*(d_.)]*((e_.) + (f_.)(x_.))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(e + f x)^{(m + 1)} \operatorname{ArcCot}[c + d \operatorname{Coth}[a + b x]]/(f(m + 1)), x] + (\operatorname{Dist}[(I b (I - c - d))/(f(m + 1)), \operatorname{Int}[(e + f x)^{(m + 1)} E^{(2a + 2bx)}/(I - c + d - (I - c - d) E^{(2a + 2bx)})], x] - \operatorname{Dist}[(I b (I + c + d))/(f(m + 1)), \operatorname{Int}[(e + f x)^{(m + 1)} E^{(2a + 2bx)}/(I + c - d - (I + c + d) E^{(2a + 2bx)})], x]) /; \operatorname{FreeQ}\{a, b, c, d, e, f, x\} \&\amp; \operatorname{IGtQ}[m, 0] \&\amp; \operatorname{NeQ}[(c - d)^2, -1]$

Rule 2190

$\operatorname{Int}[(((F_)^{((g_.)*((e_.) + (f_.)(x_.)))})^{(n_.)*((c_.) + (d_.)(x_.))^{(m_.)})/((a_.) + (b_.)*((F_)^{((g_.)*((e_.) + (f_.)(x_.)))})^{(n_.)}), x_Symbol] \rightarrow \operatorname{Simp}[(c + d x)^m \operatorname{Log}[1 + (b(F^{(g(e + f x)))})^n/a]/(b f g n \operatorname{Log}[F]), x] - \operatorname{Dist}[(d m)/(b f g n \operatorname{Log}[F]), \operatorname{Int}[(c + d x)^{(m - 1)} \operatorname{Log}[1 + (b(F^{(g(e + f x)))})^n/a], x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n, x\} \&\amp; \operatorname{IGtQ}[m, 0]$

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*(f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_)^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)
)*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int x^2 \cot^{-1}(c + d \coth(a + bx)) dx &= \frac{1}{3} x^3 \cot^{-1}(c + d \coth(a + bx)) + \frac{1}{3} (b(1 - i(c + d))) \int \frac{e^{2a+2bx} x^3}{i + c - d + (-i - c - d)e^{2a+2bx}} dx \\
&= \frac{1}{3} x^3 \cot^{-1}(c + d \coth(a + bx)) - \frac{1}{6} i x^3 \log \left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) + \frac{1}{6} i x^3 \log \left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) \\
&= \frac{1}{3} x^3 \cot^{-1}(c + d \coth(a + bx)) - \frac{1}{6} i x^3 \log \left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) + \frac{1}{6} i x^3 \log \left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) \\
&= \frac{1}{3} x^3 \cot^{-1}(c + d \coth(a + bx)) - \frac{1}{6} i x^3 \log \left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) + \frac{1}{6} i x^3 \log \left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) \\
&= \frac{1}{3} x^3 \cot^{-1}(c + d \coth(a + bx)) - \frac{1}{6} i x^3 \log \left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) + \frac{1}{6} i x^3 \log \left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) \\
&= \frac{1}{3} x^3 \cot^{-1}(c + d \coth(a + bx)) - \frac{1}{6} i x^3 \log \left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) + \frac{1}{6} i x^3 \log \left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right)
\end{aligned}$$

Mathematica [A] time = 5.39786, size = 299, normalized size = 0.85

$$\frac{1}{3} x^3 \cot^{-1}(d \coth(a + bx) + c) - \frac{i \left(6b^2 x^2 \text{PolyLog} \left(2, \frac{(c+d-i)e^{2(a+bx)}}{c-d-i} \right) - 6b^2 x^2 \text{PolyLog} \left(2, \frac{(c+d+i)e^{2(a+bx)}}{c-d+i} \right) - 6bx \text{PolyLog} \left(2, \frac{(c+d-i)e^{2(a+bx)}}{c-d-i} \right) + 6bx \text{PolyLog} \left(2, \frac{(c+d+i)e^{2(a+bx)}}{c-d+i} \right) \right)}{6}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*ArcCot[c + d*Coth[a + b*x]],x]
```

```
[Out] (x^3*ArcCot[c + d*Coth[a + b*x]])/3 - ((I/24)*(4*b^3*x^3*Log[1 + ((-I + c + d)*E^(2*(a + b*x)))/(I - c + d)] - 4*b^3*x^3*Log[1 + ((I + c + d)*E^(2*(a + b*x)))/(-I - c + d)] + 6*b^2*x^2*PolyLog[2, ((-I + c + d)*E^(2*(a + b*x)))/(-I + c - d)] - 6*b^2*x^2*PolyLog[2, ((I + c + d)*E^(2*(a + b*x)))/(I + c - d)] - 6*b*x*PolyLog[3, ((-I + c + d)*E^(2*(a + b*x)))/(-I + c - d)] + 6*b*x*PolyLog[3, ((I + c + d)*E^(2*(a + b*x)))/(I + c - d)] + 3*PolyLog[4, ((-I + c + d)*E^(2*(a + b*x)))/(-I + c - d)] - 3*PolyLog[4, ((I + c + d)*E^(2*(a + b*x)))/(I + c - d)]))/b^3
```

Maple [C] time = 12.255, size = 6912, normalized size = 19.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*arccot(c+d*coth(b*x+a)),x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{3}x^3 \arctan\left(e^{(2bx+2a)} - 1, (ce^{(2a)} + de^{(2a)})e^{(2bx)} - c + d\right) - 4bd \int \frac{x^3 e^{(2bx+2a)}}{3(c^2 - 2cd + d^2 + (c^2 e^{(4a)} + 2cde^{(4a)} + d^2 e^{(4a)} + e^{(4a)})}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccot(c+d*coth(b*x+a)),x, algorithm="maxima")
```

```
[Out] 1/3*x^3*arctan2(e^(2*b*x + 2*a) - 1, (c*e^(2*a) + d*e^(2*a))*e^(2*b*x) - c + d) - 4*b*d*integrate(1/3*x^3*e^(2*b*x + 2*a)/(c^2 - 2*c*d + d^2 + (c^2*e^(4*a) + 2*c*d*e^(4*a) + d^2*e^(4*a) + e^(4*a))*e^(4*b*x) - 2*(c^2*e^(2*a) - d^2*e^(2*a) + e^(2*a))*e^(2*b*x) + 1), x)
```

Fricas [C] time = 2.84954, size = 3614, normalized size = 10.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccot(c+d*coth(b*x+a)),x, algorithm="fricas")
```

```
[Out] 1/6*(2*b^3*x^3*arctan(sinh(b*x + a)/(d*cosh(b*x + a) + c*sinh(b*x + a))) - 3*I*b^2*x^2*dilog(1/2*sqrt((4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) - 3*I*b^2*x^2*dilog(-1/2*sqrt((4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a)))) + 3*I*b^2*x^2*dilog(1/2*sqrt((4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) + 3*I*b^2*x^2*dilog(-1/2*sqrt((4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a)))) + I*a^3*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x + a) + (c^2 - d^2 - 2*I*d + 1)*sqrt((4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))) + I*a^3*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x + a) - (c^2 - d^2 - 2*
```

$$\begin{aligned}
& I*d + 1)*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))} - I*a^3 \\
& * \log(2*(c^2 + 2*c*d + d^2 + 1)*\cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*\sinh(b*x + a) \\
& + (c^2 - d^2 + 2*I*d + 1)*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))} \\
& - I*a^3*\log(2*(c^2 + 2*c*d + d^2 + 1)*\cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*\sinh(b*x + a) \\
& - (c^2 - d^2 + 2*I*d + 1)*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))} \\
& + 6*I*b*x*\text{polylog}(3, 1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))}*(\cosh(b*x + a) \\
& + \sinh(b*x + a))) + 6*I*b*x*\text{polylog}(3, -1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))} \\
& *(\cosh(b*x + a) + \sinh(b*x + a))) - 6*I*b*x*\text{polylog}(3, 1/2*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))} \\
& *(\cosh(b*x + a) + \sinh(b*x + a))) - 6*I*b*x*\text{polylog}(3, -1/2*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1))} \\
& *(\cosh(b*x + a) + \sinh(b*x + a))) + (-I*b^3*x^3 - I*a^3)*\log(1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)} \\
& *(\cosh(b*x + a) + \sinh(b*x + a)) + 1) + (-I*b^3*x^3 - I*a^3)*\log(-1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)} \\
& *(\cosh(b*x + a) + \sinh(b*x + a)) + 1) + (I*b^3*x^3 + I*a^3)*\log(1/2*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)} \\
& *(\cosh(b*x + a) + \sinh(b*x + a)) + 1) + (I*b^3*x^3 + I*a^3)*\log(-1/2*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)} \\
& *(\cosh(b*x + a) + \sinh(b*x + a)) + 1) - 6*I*\text{polylog}(4, 1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)} \\
& *(\cosh(b*x + a) + \sinh(b*x + a))) - 6*I*\text{polylog}(4, -1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)} \\
& *(\cosh(b*x + a) + \sinh(b*x + a))) + 6*I*\text{polylog}(4, 1/2*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)} \\
& *(\cosh(b*x + a) + \sinh(b*x + a))) + 6*I*\text{polylog}(4, -1/2*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)} \\
& *(\cosh(b*x + a) + \sinh(b*x + a))))/b^3
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(c+d*coth(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{arccot}(d \coth(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c+d*coth(b*x+a)),x, algorithm="giac")

[Out] integrate(x^2*arccot(d*coth(b*x + a) + c), x)

3.206 $\int x \cot^{-1}(c + d \coth(a + bx)) dx$

Optimal. Leaf size=265

$$\frac{i \operatorname{PolyLog}\left(3, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{8b^2} - \frac{i \operatorname{PolyLog}\left(3, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{8b^2} - \frac{ix \operatorname{PolyLog}\left(2, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{4b} + \frac{ix \operatorname{PolyLog}\left(2, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{4b}$$

[Out] $(x^2 \operatorname{ArcCot}[c + d \operatorname{Coth}[a + b x]])/2 - (I/4) x^2 \operatorname{Log}[1 - ((I - c - d) E^{(2a + 2bx)})/(I - c + d)] + (I/4) x^2 \operatorname{Log}[1 - ((I + c + d) E^{(2a + 2bx)})/(I + c - d)] - ((I/4) x \operatorname{PolyLog}[2, ((I - c - d) E^{(2a + 2bx)})/(I - c + d)])/b + ((I/4) x \operatorname{PolyLog}[2, ((I + c + d) E^{(2a + 2bx)})/(I + c - d)])/b + ((I/8) \operatorname{PolyLog}[3, ((I - c - d) E^{(2a + 2bx)})/(I - c + d)])/b^2 - ((I/8) \operatorname{PolyLog}[3, ((I + c + d) E^{(2a + 2bx)})/(I + c - d)])/b^2$

Rubi [A] time = 0.376471, antiderivative size = 265, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {5202, 2190, 2531, 2282, 6589}

$$\frac{i \operatorname{PolyLog}\left(3, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{8b^2} - \frac{i \operatorname{PolyLog}\left(3, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{8b^2} - \frac{ix \operatorname{PolyLog}\left(2, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{4b} + \frac{ix \operatorname{PolyLog}\left(2, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{4b}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x \operatorname{ArcCot}[c + d \operatorname{Coth}[a + b x]], x]$

[Out] $(x^2 \operatorname{ArcCot}[c + d \operatorname{Coth}[a + b x]])/2 - (I/4) x^2 \operatorname{Log}[1 - ((I - c - d) E^{(2a + 2bx)})/(I - c + d)] + (I/4) x^2 \operatorname{Log}[1 - ((I + c + d) E^{(2a + 2bx)})/(I + c - d)] - ((I/4) x \operatorname{PolyLog}[2, ((I - c - d) E^{(2a + 2bx)})/(I - c + d)])/b + ((I/4) x \operatorname{PolyLog}[2, ((I + c + d) E^{(2a + 2bx)})/(I + c - d)])/b + ((I/8) \operatorname{PolyLog}[3, ((I - c - d) E^{(2a + 2bx)})/(I - c + d)])/b^2 - ((I/8) \operatorname{PolyLog}[3, ((I + c + d) E^{(2a + 2bx)})/(I + c - d)])/b^2$

Rule 5202

$\operatorname{Int}[\operatorname{ArcCot}[(c_.) + \operatorname{Coth}[(a_.) + (b_.)(x_.)](d_.)]((e_.) + (f_.)(x_.))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(e + f x)^{(m+1)} \operatorname{ArcCot}[c + d \operatorname{Coth}[a + b x]]/(f(m+1)), x] + (\operatorname{Dist}[(I b (I - c - d))/(f(m+1)), \operatorname{Int}[(e + f x)^{(m+1)} E^{(2a + 2bx)}/(I - c + d - (I - c - d) E^{(2a + 2bx)})], x] - \operatorname{Dist}[(I b (I + c + d))/(f(m+1)), \operatorname{Int}[(e + f x)^{(m+1)} E^{(2a + 2bx)}/(I + c - d - (I + c + d) E^{(2a + 2bx)})], x]) /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{IGtQ}[m, 0] \&\& \operatorname{NeQ}[(c - d)^2, -1]$

Rule 2190

$\operatorname{Int}[(F_.)^{(g_.)((e_.) + (f_.)(x_.))^{(n_.)((c_.) + (d_.)(x_.))^{(m_.)}}/((a_.) + (b_.)((F_.)^{(g_.)((e_.) + (f_.)(x_.))^{(n_.)}}), x_Symbol] \rightarrow \operatorname{Simp}[(c + d x)^m \operatorname{Log}[1 + (b(F^{(g(e + f x)))^n)/a)]/(b f g n \operatorname{Log}[F]), x] - \operatorname{Dist}[(d m)/(b f g n \operatorname{Log}[F]), \operatorname{Int}[(c + d x)^{(m-1)} \operatorname{Log}[1 + (b(F^{(g(e + f x)))^n)/a)], x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \operatorname{IGtQ}[m, 0]$

Rule 2531

$\operatorname{Int}[\operatorname{Log}[1 + (e_.)((F_.)^{(c_.)((a_.) + (b_.)(x_.))^{(n_.)}}]((f_.) + (g_.)(x_.))^{(m_.)}, x_Symbol] \rightarrow -\operatorname{Simp}[(f + g x)^m \operatorname{PolyLog}[2, -(e(F^{(c(a + b x)))^n)])/b c n \operatorname{Log}[F]), x] + \operatorname{Dist}[(g m)/(b c n \operatorname{Log}[F]), \operatorname{Int}[(f + g x)^{(m-1)} \operatorname{Log}[1 + (e(F^{(c(a + b x)))^n)])/b c n \operatorname{Log}[F]), x]$

1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned} \int x \cot^{-1}(c + d \coth(a + bx)) dx &= \frac{1}{2} x^2 \cot^{-1}(c + d \coth(a + bx)) + \frac{1}{2} (b(1 - i(c + d))) \int \frac{e^{2a+2bx} x^2}{i + c - d + (-i - c - d)e^{2a+2bx}} dx \\ &= \frac{1}{2} x^2 \cot^{-1}(c + d \coth(a + bx)) - \frac{1}{4} ix^2 \log\left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) + \frac{1}{4} ix^2 \log\left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) \\ &= \frac{1}{2} x^2 \cot^{-1}(c + d \coth(a + bx)) - \frac{1}{4} ix^2 \log\left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) + \frac{1}{4} ix^2 \log\left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) \\ &= \frac{1}{2} x^2 \cot^{-1}(c + d \coth(a + bx)) - \frac{1}{4} ix^2 \log\left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) + \frac{1}{4} ix^2 \log\left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) \\ &= \frac{1}{2} x^2 \cot^{-1}(c + d \coth(a + bx)) - \frac{1}{4} ix^2 \log\left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) + \frac{1}{4} ix^2 \log\left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) \end{aligned}$$

Mathematica [A] time = 4.0357, size = 225, normalized size = 0.85

$$\frac{1}{2} x^2 \cot^{-1}(d \coth(a + bx) + c) - \frac{i \left(2bx \operatorname{PolyLog}\left(2, \frac{(c+d-i)e^{2(a+bx)}}{c-d-i}\right) - 2bx \operatorname{PolyLog}\left(2, \frac{(c+d+i)e^{2(a+bx)}}{c-d+i}\right) - \operatorname{PolyLog}\left(3, \frac{(c+d-i)e^{2(a+bx)}}{c-d-i}\right) + \operatorname{PolyLog}\left(3, \frac{(c+d+i)e^{2(a+bx)}}{c-d+i}\right) \right)}{b^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcCot[c + d*Coth[a + b*x]], x]

[Out] (x^2*ArcCot[c + d*Coth[a + b*x]])/2 - ((I/8)*(2*b^2*x^2*Log[1 + ((-I + c + d)*E^(2*(a + b*x)))/(I - c + d)] - 2*b^2*x^2*Log[1 + ((I + c + d)*E^(2*(a + b*x)))/(-I - c + d)] + 2*b*x*PolyLog[2, ((-I + c + d)*E^(2*(a + b*x)))/(-I + c - d)] - 2*b*x*PolyLog[2, ((I + c + d)*E^(2*(a + b*x)))/(I + c - d)] - PolyLog[3, ((-I + c + d)*E^(2*(a + b*x)))/(-I + c - d)] + PolyLog[3, ((I + c + d)*E^(2*(a + b*x)))/(I + c - d)]))/b^2

Maple [C] time = 20.174, size = 6514, normalized size = 24.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*arccot(c+d*coth(b*x+a)),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}x^2 \arctan\left(e^{(2bx+2a)} - 1, (ce^{(2a)} + de^{(2a)})e^{(2bx)} - c + d\right) - 2bd \int \frac{x^2 e^{(2bx+2a)}}{c^2 - 2cd + d^2 + (c^2 e^{(4a)} + 2cde^{(4a)} + d^2 e^{(4a)} + e^{(4a)})e^{(2bx+2a)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arccot(c+d*coth(b*x+a)),x, algorithm="maxima")`

[Out] $1/2*x^2*\arctan2(e^{(2*b*x + 2*a)} - 1, (c*e^{(2*a)} + d*e^{(2*a)})*e^{(2*b*x)} - c + d) - 2*b*d*\integrate(x^2*e^{(2*b*x + 2*a)}/(c^2 - 2*c*d + d^2 + (c^2*e^{(4*a)} + 2*c*d*e^{(4*a)} + d^2*e^{(4*a)} + e^{(4*a)})*e^{(4*b*x)} - 2*(c^2*e^{(2*a)} - d^2*e^{(2*a)} + e^{(2*a)})*e^{(2*b*x)} + 1), x)$

Fricas [C] time = 2.5611, size = 2963, normalized size = 11.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arccot(c+d*coth(b*x+a)),x, algorithm="fricas")`

[Out] $1/4*(2*b^2*x^2*\arctan(\sinh(b*x + a)/(d*\cosh(b*x + a) + c*\sinh(b*x + a))) - 2*I*b*x*dilog(1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) - 2*I*b*x*dilog(-1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) + 2*I*b*x*dilog(1/2*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) + 2*I*b*x*dilog(-1/2*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) - I*a^2*\log(2*(c^2 + 2*c*d + d^2 + 1)*\cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*\sinh(b*x + a) + (c^2 - d^2 - 2*I*d + 1)*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)})) - I*a^2*\log(2*(c^2 + 2*c*d + d^2 + 1)*\cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*\sinh(b*x + a) - (c^2 - d^2 - 2*I*d + 1)*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)})) + I*a^2*\log(2*(c^2 + 2*c*d + d^2 + 1)*\cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*\sinh(b*x + a) + (c^2 - d^2 + 2*I*d + 1)*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)})) + I*a^2*\log(2*(c^2 + 2*c*d + d^2 + 1)*\cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*\sinh(b*x + a) - (c^2 - d^2 + 2*I*d + 1)*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)})) + (-I*b^2*x^2 + I*a^2)*\log(1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)) + 1) + (-I*b^2*x^2 + I*a^2)*\log(-1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)) + 1) + (I*b^2*x^2 - I*a^2)*\log(1/2*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)) + 1) + (I*b^2*x^2 - I*a^2)*\log(-1/2*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)) + 1) + 2*I*polylog(3, 1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) + 2*I*polylog(3, -1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) + 2*I*polylog(3, 1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) + 2*I*polylog(3, -1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)))$

$$\frac{\operatorname{nh}(b*x + a)) - 2*I*\operatorname{polylog}(3, 1/2*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) - 2*I*\operatorname{polylog}(3, -1/2*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)))}{b^2}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*acot(c+d*coth(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{arccot}(d \coth(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(c+d*coth(b*x+a)),x, algorithm="giac")

[Out] integrate(x*arccot(d*coth(b*x + a) + c), x)

3.207 $\int \cot^{-1}(c + d \coth(a + bx)) dx$

Optimal. Leaf size=174

$$-\frac{i \operatorname{PolyLog}\left(2, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{4b} + \frac{i \operatorname{PolyLog}\left(2, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{4b} - \frac{1}{2}ix \log\left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right) + \frac{1}{2}ix \log\left(1 - \frac{(c+d+i)}{c-d}\right)$$

[Out] x*ArcCot[c + d*Coth[a + b*x]] - (I/2)*x*Log[1 - ((I - c - d)*E^(2*a + 2*b*x))/(I - c + d)] + (I/2)*x*Log[1 - ((I + c + d)*E^(2*a + 2*b*x))/(I + c - d)] - ((I/4)*PolyLog[2, ((I - c - d)*E^(2*a + 2*b*x))/(I - c + d)])/b + ((I/4)*PolyLog[2, ((I + c + d)*E^(2*a + 2*b*x))/(I + c - d)])/b

Rubi [A] time = 0.23187, antiderivative size = 174, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {5194, 2190, 2279, 2391}

$$-\frac{i \operatorname{PolyLog}\left(2, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{4b} + \frac{i \operatorname{PolyLog}\left(2, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{4b} - \frac{1}{2}ix \log\left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right) + \frac{1}{2}ix \log\left(1 - \frac{(c+d+i)}{c-d}\right)$$

Antiderivative was successfully verified.

[In] Int[ArcCot[c + d*Coth[a + b*x]], x]

[Out] x*ArcCot[c + d*Coth[a + b*x]] - (I/2)*x*Log[1 - ((I - c - d)*E^(2*a + 2*b*x))/(I - c + d)] + (I/2)*x*Log[1 - ((I + c + d)*E^(2*a + 2*b*x))/(I + c - d)] - ((I/4)*PolyLog[2, ((I - c - d)*E^(2*a + 2*b*x))/(I - c + d)])/b + ((I/4)*PolyLog[2, ((I + c + d)*E^(2*a + 2*b*x))/(I + c - d)])/b

Rule 5194

Int[ArcCot[(c_.) + Coth[(a_.) + (b_.)*(x_)]]*(d_.)], x_Symbol] :> Simp[x*ArcCot[c + d*Coth[a + b*x]], x] + (Dist[I*b*(I - c - d), Int[(x*E^(2*a + 2*b*x))/(I - c + d - (I - c - d)*E^(2*a + 2*b*x)), x], x] - Dist[I*b*(I + c + d), Int[(x*E^(2*a + 2*b*x))/(I + c - d - (I + c + d)*E^(2*a + 2*b*x)), x], x]) /; FreeQ[{a, b, c, d}, x] && NeQ[(c - d)^2, -1]

Rule 2190

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)], x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m-1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_.) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \cot^{-1}(c + d \coth(a + bx)) dx &= x \cot^{-1}(c + d \coth(a + bx)) + (b(1 - i(c + d))) \int \frac{e^{2a+2bx} x}{i + c - d + (-i - c - d)e^{2a+2bx}} dx \\
&= x \cot^{-1}(c + d \coth(a + bx)) - \frac{1}{2} ix \log \left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) + \frac{1}{2} ix \log \left(1 - \frac{(i + c - d)e^{2a+2bx}}{i + c + d} \right) \\
&= x \cot^{-1}(c + d \coth(a + bx)) - \frac{1}{2} ix \log \left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) + \frac{1}{2} ix \log \left(1 - \frac{(i + c - d)e^{2a+2bx}}{i + c + d} \right) \\
&= x \cot^{-1}(c + d \coth(a + bx)) - \frac{1}{2} ix \log \left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d} \right) + \frac{1}{2} ix \log \left(1 - \frac{(i + c - d)e^{2a+2bx}}{i + c + d} \right)
\end{aligned}$$

Mathematica [A] time = 1.21804, size = 287, normalized size = 1.65

$$x \cot^{-1}(d \coth(a + bx) + c) - \frac{d \operatorname{PolyLog} \left(2, \frac{(c^2 + 2cd + d^2 + 1)e^{2(a+bx)}}{c^2 - d^2 + 2\sqrt{-d^2 + 1}} \right) - d \operatorname{PolyLog} \left(2, -\frac{(c^2 + 2cd + d^2 + 1)e^{2(a+bx)}}{-c^2 + d^2 + 2\sqrt{-d^2 - 1}} \right) + 2d(a + bx) \log \left(\frac{c + d \coth(a + bx) + c}{c + d \coth(a + bx) - c} \right)}{2}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[c + d*Coth[a + b*x]], x]

[Out] x*ArcCot[c + d*Coth[a + b*x]] - (4*a*Sqrt[-d^2]*ArcTan[(1 + c^2 - d^2 - (1 + c^2 + 2*c*d + d^2)*E^(2*(a + b*x)))/(2*d)] + 2*d*(a + b*x)*Log[1 - ((1 + (c + d)^2)*E^(2*(a + b*x)))/(1 + c^2 - d^2 + 2*Sqrt[-d^2])] - 2*d*(a + b*x)*Log[1 + ((1 + (c + d)^2)*E^(2*(a + b*x)))/(-1 - c^2 + d^2 + 2*Sqrt[-d^2])] + d*PolyLog[2, ((1 + c^2 + 2*c*d + d^2)*E^(2*(a + b*x)))/(1 + c^2 - d^2 + 2*Sqrt[-d^2])] - d*PolyLog[2, -(((1 + c^2 + 2*c*d + d^2)*E^(2*(a + b*x)))/(-1 - c^2 + d^2 + 2*Sqrt[-d^2]))]/(4*b*Sqrt[-d^2])

Maple [B] time = 0.095, size = 350, normalized size = 2.

$$\frac{\operatorname{arccot}(c + d \coth(bx + a)) \ln(d \coth(bx + a) - d)}{2b} + \frac{\operatorname{arccot}(c + d \coth(bx + a)) \ln(d \coth(bx + a) + d)}{2b} + \frac{i}{4} \ln \left(\frac{c + d \coth(bx + a) + d}{c + d \coth(bx + a) - d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c+d*coth(b*x+a)), x)

[Out] -1/2/b*arccot(c+d*coth(b*x+a))*ln(d*coth(b*x+a)-d)+1/2/b*arccot(c+d*coth(b*x+a))*ln(d*coth(b*x+a)+d)+1/4*I/b*ln(d*coth(b*x+a)-d)*ln((-d*coth(b*x+a)+I-c)/(I-c-d))-1/4*I/b*ln(d*coth(b*x+a)-d)*ln((d*coth(b*x+a)+c+I)/(I+c+d))+1/4*I/b*dilog((-d*coth(b*x+a)+I-c)/(I-c-d))-1/4*I/b*dilog((d*coth(b*x+a)+c+I)/(I+c+d))-1/4*I/b*ln(d*coth(b*x+a)+d)*ln((-d*coth(b*x+a)+I-c)/(I-c+d))+1/4*I/b*ln(d*coth(b*x+a)+d)*ln((d*coth(b*x+a)+c+I)/(I+c-d))-1/4*I/b*dilog((-d*coth(b*x+a)+I-c)/(I-c+d))+1/4*I/b*dilog((d*coth(b*x+a)+c+I)/(I+c-d))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-4bd \int \frac{xe^{(2bx+2a)}}{c^2 - 2cd + d^2 + (c^2e^{(4a)} + 2cde^{(4a)} + d^2e^{(4a)} + e^{(4a)})e^{(4bx)} - 2(c^2e^{(2a)} - d^2e^{(2a)} + e^{(2a)})e^{(2bx)} + 1} dx + x \operatorname{arctan} \left(\frac{c + d \coth(bx + a) + d}{c + d \coth(bx + a) - d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*coth(b*x+a)),x, algorithm="maxima")

[Out] $-4*b*d*\integrate(x*e^{(2*b*x + 2*a)}/(c^2 - 2*c*d + d^2 + (c^2*e^{(4*a)} + 2*c*d*e^{(4*a)} + d^2*e^{(4*a)} + e^{(4*a)})*e^{(4*b*x)} - 2*(c^2*e^{(2*a)} - d^2*e^{(2*a)} + e^{(2*a)})*e^{(2*b*x)} + 1), x) + x*\arctan2(e^{(2*b*x + 2*a)} - 1, (c*e^{(2*a)} + d*e^{(2*a)})*e^{(2*b*x)} - c + d)$

Fricas [B] time = 5.70609, size = 2272, normalized size = 13.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*coth(b*x+a)),x, algorithm="fricas")

[Out] $\frac{1}{2}*(2*b*x*\arctan(\sinh(b*x + a)/(d*\cosh(b*x + a) + c*\sinh(b*x + a))) + I*a*\log(2*(c^2 + 2*c*d + d^2 + 1)*\cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*\sinh(b*x + a) + (c^2 - d^2 - 2*I*d + 1)*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)})) + I*a*\log(2*(c^2 + 2*c*d + d^2 + 1)*\cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*\sinh(b*x + a) - (c^2 - d^2 - 2*I*d + 1)*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)})) - I*a*\log(2*(c^2 + 2*c*d + d^2 + 1)*\cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*\sinh(b*x + a) + (c^2 - d^2 + 2*I*d + 1)*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)})) - I*a*\log(2*(c^2 + 2*c*d + d^2 + 1)*\cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*\sinh(b*x + a) - (c^2 - d^2 + 2*I*d + 1)*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)})) + (-I*b*x - I*a)*\log(1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)) + 1) + (-I*b*x - I*a)*\log(-1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)) + 1) + (I*b*x + I*a)*\log(1/2*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)) + 1) + (I*b*x + I*a)*\log(-1/2*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a)) + 1) - I*d*\operatorname{dilog}(1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) - I*d*\operatorname{dilog}(-1/2*\sqrt{(4*c^2 - 4*d^2 + 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) + I*d*\operatorname{dilog}(1/2*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))) + I*d*\operatorname{dilog}(-1/2*\sqrt{(4*c^2 - 4*d^2 - 8*I*d + 4)/(c^2 - 2*c*d + d^2 + 1)}*(\cosh(b*x + a) + \sinh(b*x + a))))/b$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c+d*coth(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{arccot}(d \coth(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(c+d*coth(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(arccot(d*coth(b*x + a) + c), x)
```

$$3.208 \quad \int \frac{\cot^{-1}(c+d \coth(a+bx))}{x} dx$$

Optimal. Leaf size=17

$$\text{CannotIntegrate}\left(\frac{\cot^{-1}(d \coth(a+bx)+c)}{x}, x\right)$$

[Out] CannotIntegrate[ArcCot[c + d*Coth[a + b*x]]/x, x]

Rubi [A] time = 0.0794915, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(c+d \coth(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[c + d*Coth[a + b*x]]/x,x]

[Out] Defer[Int][ArcCot[c + d*Coth[a + b*x]]/x, x]

Rubi steps

$$\int \frac{\cot^{-1}(c+d \coth(a+bx))}{x} dx = \int \frac{\cot^{-1}(c+d \coth(a+bx))}{x} dx$$

Mathematica [A] time = 5.20924, size = 0, normalized size = 0.

$$\int \frac{\cot^{-1}(c+d \coth(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCot[c + d*Coth[a + b*x]]/x,x]

[Out] Integrate[ArcCot[c + d*Coth[a + b*x]]/x, x]

Maple [A] time = 0.382, size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(c+d \coth(bx+a))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c+d*coth(b*x+a))/x,x)

[Out] int(arccot(c+d*coth(b*x+a))/x,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(d \coth(bx + a) + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*coth(b*x+a))/x,x, algorithm="maxima")

[Out] integrate(arccot(d*coth(b*x + a) + c)/x, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{\operatorname{arccot}(d \coth(bx + a) + c)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*coth(b*x+a))/x,x, algorithm="fricas")

[Out] integral(arccot(d*coth(b*x + a) + c)/x, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c+d*coth(b*x+a))/x,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(d \coth(bx + a) + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+d*coth(b*x+a))/x,x, algorithm="giac")

[Out] integrate(arccot(d*coth(b*x + a) + c)/x, x)

3.209 $\int x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) dx$

Optimal. Leaf size=142

$$\frac{ix \operatorname{PolyLog}(3, ice^{2a+2bx})}{4b^2} - \frac{i \operatorname{PolyLog}(4, ice^{2a+2bx})}{8b^3} - \frac{ix^2 \operatorname{PolyLog}(2, ice^{2a+2bx})}{4b} - \frac{1}{6} ix^3 \log(1 - ice^{2a+2bx}) + \frac{1}{3} x^3 \cot^{-1}(c$$

[Out] (I/12)*b*x^4 + (x^3*ArcCot[c + (I + c)*Coth[a + b*x]])/3 - (I/6)*x^3*Log[1 - I*c*E^(2*a + 2*b*x)] - ((I/4)*x^2*PolyLog[2, I*c*E^(2*a + 2*b*x)])/b + ((I/4)*x*PolyLog[3, I*c*E^(2*a + 2*b*x)])/b^2 - ((I/8)*PolyLog[4, I*c*E^(2*a + 2*b*x)])/b^3

Rubi [A] time = 0.231327, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {5198, 2184, 2190, 2531, 6609, 2282, 6589}

$$\frac{ix \operatorname{PolyLog}(3, ice^{2a+2bx})}{4b^2} - \frac{i \operatorname{PolyLog}(4, ice^{2a+2bx})}{8b^3} - \frac{ix^2 \operatorname{PolyLog}(2, ice^{2a+2bx})}{4b} - \frac{1}{6} ix^3 \log(1 - ice^{2a+2bx}) + \frac{1}{3} x^3 \cot^{-1}(c$$

Antiderivative was successfully verified.

[In] Int[x^2*ArcCot[c + (I + c)*Coth[a + b*x]],x]

[Out] (I/12)*b*x^4 + (x^3*ArcCot[c + (I + c)*Coth[a + b*x]])/3 - (I/6)*x^3*Log[1 - I*c*E^(2*a + 2*b*x)] - ((I/4)*x^2*PolyLog[2, I*c*E^(2*a + 2*b*x)])/b + ((I/4)*x*PolyLog[3, I*c*E^(2*a + 2*b*x)])/b^2 - ((I/8)*PolyLog[4, I*c*E^(2*a + 2*b*x)])/b^3

Rule 5198

Int[ArcCot[(c_.) + Coth[(a_.) + (b_.)*(x_)]]*(d_.)]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[((e + f*x)^(m + 1)*ArcCot[c + d*Coth[a + b*x]])/(f*(m + 1)), x] + Dist[b/(f*(m + 1)), Int[(e + f*x)^(m + 1)/(c - d - c*E^(2*a + 2*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c - d)^2, -1]

Rule 2184

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))]^(n_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f

, g, n}, x] && GtQ[m, 0]

Rule 6609

```
Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_.)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^
(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
 \int x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) dx &= \frac{1}{3} x^3 \cot^{-1}(c + (i + c) \coth(a + bx)) + \frac{1}{3} b \int \frac{x^3}{-i - ce^{2a+2bx}} dx \\
 &= \frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c + (i + c) \coth(a + bx)) + \frac{1}{3} (ibc) \int \frac{e^{2a+2bx} x^3}{-i - ce^{2a+2bx}} dx \\
 &= \frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c + (i + c) \coth(a + bx)) - \frac{1}{6} ix^3 \log(1 - ice^{2a+2bx}) + \frac{1}{2} ix^2 \\
 &= \frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c + (i + c) \coth(a + bx)) - \frac{1}{6} ix^3 \log(1 - ice^{2a+2bx}) - \frac{ix^2}{2} \\
 &= \frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c + (i + c) \coth(a + bx)) - \frac{1}{6} ix^3 \log(1 - ice^{2a+2bx}) - \frac{ix^2}{2} \\
 &= \frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c + (i + c) \coth(a + bx)) - \frac{1}{6} ix^3 \log(1 - ice^{2a+2bx}) - \frac{ix^2}{2} \\
 &= \frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c + (i + c) \coth(a + bx)) - \frac{1}{6} ix^3 \log(1 - ice^{2a+2bx}) - \frac{ix^2}{2}
 \end{aligned}$$

Mathematica [A] time = 0.171583, size = 128, normalized size = 0.9

$$\frac{1}{3} x^3 \cot^{-1}(c + (c + i) \coth(a + bx)) - \frac{i \left(-6b^2 x^2 \text{PolyLog} \left(2, -\frac{ie^{-2(a+bx)}}{c} \right) - 6bx \text{PolyLog} \left(3, -\frac{ie^{-2(a+bx)}}{c} \right) - 3 \text{PolyLog} \left(4, -\frac{ie^{-2(a+bx)}}{c} \right) \right)}{24b^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*ArcCot[c + (I + c)*Coth[a + b*x]], x]
```

```
[Out] (x^3*ArcCot[c + (I + c)*Coth[a + b*x]])/3 - ((I/24)*(4*b^3*x^3*Log[1 + I/(c
*E^(2*(a + b*x)))] - 6*b^2*x^2*PolyLog[2, (-I)/(c*E^(2*(a + b*x)))] - 6*b*x
*PolyLog[3, (-I)/(c*E^(2*(a + b*x)))] - 3*PolyLog[4, (-I)/(c*E^(2*(a + b*x)
))]))/b^3
```

Maple [C] time = 14.447, size = 1548, normalized size = 10.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*arccot(c+(I+c)*coth(b*x+a)),x)`

[Out]
$$-1/3*I/b^3*c*a^3/(I+c)*\ln(\exp(b*x+a))+1/3*I/b^2*c/(I+c)*x*a^3-1/12*Pi*x^3*c$$

$$\operatorname{sgn}\left(\frac{2*\exp(2*b*x+2*a)*c+2*I}{(\exp(2*b*x+2*a)-1)}\right)^3+1/12*Pi*x^3*c\operatorname{sgn}\left(\frac{2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c}{(\exp(2*b*x+2*a)-1)}\right)^2+1/6*I*x^3*\ln(2*\exp(2*b*x+2*a)*c+2*I)+1/12*Pi*x^3*c\operatorname{sgn}\left(\frac{I}{(\exp(2*b*x+2*a)-1)}\right)*\operatorname{sgn}\left(\frac{I*(2*\exp(2*b*x+2*a)*c+2*I)}{(\exp(2*b*x+2*a)-1)}\right)-1/12*Pi*x^3*c\operatorname{sgn}\left(\frac{I}{(\exp(2*b*x+2*a)-1)}\right)*\operatorname{sgn}\left(\frac{I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)}{(\exp(2*b*x+2*a)-1)}\right)+1/2*I/b^2*\ln(1-I*c*\exp(2*b*x+2*a))*x*a^2-1/2*I/b^2*a^2*\ln(1-I*\exp(b*x+a))*(-I*c)^{(1/2)}*x-1/8*I*\operatorname{polylog}(4,I*c*\exp(2*b*x+2*a))/b^3+1/4*I*x*\operatorname{polylog}(3,I*c*\exp(2*b*x+2*a))/b^2+1/12*I*b*c/(I+c)*x^4+1/4*I/b^3*c/(I+c)*a^4+1/12*Pi*x^3*c\operatorname{sgn}\left(\frac{2*\exp(2*b*x+2*a)*c+2*I}{(\exp(2*b*x+2*a)-1)}\right)^2+1/3/b^3*a^3/(I+c)*\ln(\exp(b*x+a))-1/3/b^2/(I+c)*x*a^3+1/12*Pi*x^3*c\operatorname{sgn}\left(\frac{I*(2*\exp(2*b*x+2*a)*c+2*I)}{(\exp(2*b*x+2*a)-1)}\right)^3+1/12*Pi*x^3*c\operatorname{sgn}\left(\frac{I*(2*\exp(2*b*x+2*a)*c+2*I)}{(\exp(2*b*x+2*a)-1)}\right)*\operatorname{sgn}\left(\frac{2*\exp(2*b*x+2*a)*c+2*I}{(\exp(2*b*x+2*a)-1)}\right)-1/12*Pi*x^3*c\operatorname{sgn}\left(\frac{I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)}{(\exp(2*b*x+2*a)-1)}\right)+1/6*I/b^3*a^3*\ln(\exp(2*b*x+2*a)*c+I)-1/6*I*x^3*\ln(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)-1/12*Pi*x^3*c\operatorname{sgn}\left(\frac{I*(2*\exp(2*b*x+2*a)*c+2*I)}{(\exp(2*b*x+2*a)-1)}\right)*\operatorname{sgn}\left(\frac{2*\exp(2*b*x+2*a)*c+2*I}{(\exp(2*b*x+2*a)-1)}\right)^2-1/12*Pi*x^3*c\operatorname{sgn}\left(\frac{I*(2*\exp(2*b*x+2*a)*c+2*I)}{(\exp(2*b*x+2*a)-1)}\right)^2+1/12*Pi*x^3*c\operatorname{sgn}\left(\frac{I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)}{(\exp(2*b*x+2*a)-1)}\right)^2-1/6*I*x^3*\ln(1-I*c*\exp(2*b*x+2*a))+1/3*I/b^3*\ln(1-I*c*\exp(2*b*x+2*a))*a^3+1/4*I/b^3*\operatorname{polylog}(2,I*c*\exp(2*b*x+2*a))*a^2-1/2*I/b^3*a^3*\ln(1-I*\exp(b*x+a))*(-I*c)^{(1/2)}-1/2*I/b^3*a^3*\ln(1+I*\exp(b*x+a))*(-I*c)^{(1/2)}-1/2*I/b^3*a^2*\operatorname{dilog}(1-I*\exp(b*x+a))*(-I*c)^{(1/2)}-1/2*I/b^3*a^2*\operatorname{dilog}(1+I*\exp(b*x+a))*(-I*c)^{(1/2)}-1/12*Pi*x^3*c\operatorname{sgn}\left(\frac{2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c}{(\exp(2*b*x+2*a)-1)}\right)^3+1/12*Pi*x^3*c\operatorname{sgn}\left(\frac{I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)}{(\exp(2*b*x+2*a)-1)}\right)*\operatorname{sgn}\left(\frac{2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c}{(\exp(2*b*x+2*a)-1)}\right)^2-1/12*Pi*x^3*c\operatorname{sgn}\left(\frac{I}{(\exp(2*b*x+2*a)-1)}\right)*\operatorname{sgn}\left(\frac{I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)}{(\exp(2*b*x+2*a)-1)}\right)^2+1/12*Pi*x^3*c\operatorname{sgn}\left(\frac{I}{(\exp(2*b*x+2*a)-1)}\right)*\operatorname{sgn}\left(\frac{I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)}{(\exp(2*b*x+2*a)-1)}\right)^2-1/4/b^3/(I+c)*a^4-1/12*b/(I+c)*x^4-1/12*Pi*x^3*c\operatorname{sgn}\left(\frac{I*(2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)}{(\exp(2*b*x+2*a)-1)}\right)^3-1/4*I*x^2*\operatorname{polylog}(2,I*c*\exp(2*b*x+2*a))/b-1/2*I/b^2*a^2*\ln(1+I*\exp(b*x+a))*(-I*c)^{(1/2)}*x$$

Maxima [A] time = 5.84094, size = 174, normalized size = 1.23

$$\frac{1}{3}x^3 \operatorname{arccot}((c+i)\coth(bx+a)+c) - \frac{4}{9}\left(\frac{3x^4}{4ic-4} - \frac{4b^3x^3 \log(-ice^{(2bx+2a)}+1)}{-2b^4(-ic+1)} + 6b^2x^2 \operatorname{Li}_2(ice^{(2bx+2a)}) - 6bx \operatorname{Li}_3(ic)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*arccot(c+(I+c)*coth(b*x+a)),x, algorithm="maxima")`

[Out]
$$1/3*x^3*\operatorname{arccot}((c+I)*\coth(b*x+a)+c) - 4/9*(3*x^4/(4*I*c-4) - (4*b^3*x^3*\log(-I*c*e^{(2*b*x+2*a)}+1) + 6*b^2*x^2*\operatorname{dilog}(I*c*e^{(2*b*x+2*a)}) - 6*b*x*\operatorname{polylog}(3,I*c*e^{(2*b*x+2*a)}) + 3*\operatorname{polylog}(4,I*c*e^{(2*b*x+2*a)}))$$

$$/(b^4*(2*I*c - 2))*b*(c + I)$$

Fricas [C] time = 2.06872, size = 856, normalized size = 6.03

$$i b^4 x^4 + 2i b^3 x^3 \log\left(\frac{(c e^{(2bx+2a)+i}) e^{(-2bx-2a)}}{c+i}\right) - 6i b^2 x^2 \operatorname{Li}_2\left(\frac{1}{2} \sqrt{4i c} e^{(bx+a)}\right) - 6i b^2 x^2 \operatorname{Li}_2\left(-\frac{1}{2} \sqrt{4i c} e^{(bx+a)}\right) - i a^4 + 2i a^3 \log\left(\frac{c+I}{c+I}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c+(I+c)*coth(b*x+a)),x, algorithm="fricas")

[Out] $\frac{1}{12}*(I*b^4*x^4 + 2*I*b^3*x^3*\log((c*e^{(2*b*x + 2*a)} + I)*e^{(-2*b*x - 2*a)})/(c + I)) - 6*I*b^2*x^2*\operatorname{dilog}(1/2*\sqrt{4*I*c}*e^{(b*x + a)}) - 6*I*b^2*x^2*\operatorname{dilog}(-1/2*\sqrt{4*I*c}*e^{(b*x + a)}) - I*a^4 + 2*I*a^3*\log(1/2*(2*c*e^{(b*x + a)} + I*\sqrt{4*I*c}))/c + 2*I*a^3*\log(1/2*(2*c*e^{(b*x + a)} - I*\sqrt{4*I*c}))/c + 12*I*b*x*\operatorname{polylog}(3, 1/2*\sqrt{4*I*c}*e^{(b*x + a)}) + 12*I*b*x*\operatorname{polylog}(3, -1/2*\sqrt{4*I*c}*e^{(b*x + a)}) + (-2*I*b^3*x^3 - 2*I*a^3)*\log(1/2*\sqrt{4*I*c}*e^{(b*x + a)} + 1) + (-2*I*b^3*x^3 - 2*I*a^3)*\log(-1/2*\sqrt{4*I*c}*e^{(b*x + a)} + 1) - 12*I*\operatorname{polylog}(4, 1/2*\sqrt{4*I*c}*e^{(b*x + a)}) - 12*I*\operatorname{polylog}(4, -1/2*\sqrt{4*I*c}*e^{(b*x + a)})/b^3$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(c+(I+c)*coth(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{arccot}((c + i) \coth(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c+(I+c)*coth(b*x+a)),x, algorithm="giac")

[Out] integrate(x^2*arccot((c + I)*coth(b*x + a) + c), x)

3.210 $\int x \cot^{-1}(c + (i + c) \coth(a + bx)) dx$

Optimal. Leaf size=113

$$\frac{i \operatorname{PolyLog}\left(3, ice^{2a+2bx}\right)}{8b^2} - \frac{ix \operatorname{PolyLog}\left(2, ice^{2a+2bx}\right)}{4b} - \frac{1}{4} ix^2 \log\left(1 - ice^{2a+2bx}\right) + \frac{1}{2} x^2 \cot^{-1}(c + (c + i) \coth(a + bx)) + \frac{1}{6} ib$$

[Out] (I/6)*b*x^3 + (x^2*ArcCot[c + (I + c)*Coth[a + b*x]])/2 - (I/4)*x^2*Log[1 - I*c*E^(2*a + 2*b*x)] - ((I/4)*x*PolyLog[2, I*c*E^(2*a + 2*b*x)]/b + ((I/8)*PolyLog[3, I*c*E^(2*a + 2*b*x)]/b^2

Rubi [A] time = 0.202609, antiderivative size = 113, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {5198, 2184, 2190, 2531, 2282, 6589}

$$\frac{i \operatorname{PolyLog}\left(3, ice^{2a+2bx}\right)}{8b^2} - \frac{ix \operatorname{PolyLog}\left(2, ice^{2a+2bx}\right)}{4b} - \frac{1}{4} ix^2 \log\left(1 - ice^{2a+2bx}\right) + \frac{1}{2} x^2 \cot^{-1}(c + (c + i) \coth(a + bx)) + \frac{1}{6} ib$$

Antiderivative was successfully verified.

[In] Int[x*ArcCot[c + (I + c)*Coth[a + b*x]],x]

[Out] (I/6)*b*x^3 + (x^2*ArcCot[c + (I + c)*Coth[a + b*x]])/2 - (I/4)*x^2*Log[1 - I*c*E^(2*a + 2*b*x)] - ((I/4)*x*PolyLog[2, I*c*E^(2*a + 2*b*x)]/b + ((I/8)*PolyLog[3, I*c*E^(2*a + 2*b*x)]/b^2

Rule 5198

Int[ArcCot[(c_.) + Coth[(a_.) + (b_.)*(x_)]]*(d_.)]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> Simp[((e + f*x)^(m + 1)*ArcCot[c + d*Coth[a + b*x]])/(f*(m + 1)), x] + Dist[b/(f*(m + 1)), Int[(e + f*x)^(m + 1)/(c - d - c*E^(2*a + 2*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c - d)^2, -1]

Rule 2184

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] :> Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))]^(n_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_]] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int x \cot^{-1}(c + (i + c) \coth(a + bx)) dx &= \frac{1}{2} x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) + \frac{1}{2} b \int \frac{x^2}{-i - ce^{2a+2bx}} dx \\ &= \frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) + \frac{1}{2} (ibc) \int \frac{e^{2a+2bx} x^2}{-i - ce^{2a+2bx}} dx \\ &= \frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) - \frac{1}{4} ix^2 \log(1 - ice^{2a+2bx}) + \frac{1}{2} i \int \frac{e^{2a+2bx} x^2}{-i - ce^{2a+2bx}} dx \\ &= \frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) - \frac{1}{4} ix^2 \log(1 - ice^{2a+2bx}) - \frac{ix \operatorname{Li}_2(-ice^{2a+2bx})}{4} \\ &= \frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) - \frac{1}{4} ix^2 \log(1 - ice^{2a+2bx}) - \frac{ix \operatorname{Li}_2(-ice^{2a+2bx})}{4} \\ &= \frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) - \frac{1}{4} ix^2 \log(1 - ice^{2a+2bx}) - \frac{ix \operatorname{Li}_2(-ice^{2a+2bx})}{4} \end{aligned}$$

Mathematica [A] time = 0.0911226, size = 102, normalized size = 0.9

$$\frac{1}{2} x^2 \cot^{-1}(c + (c + i) \coth(a + bx)) - \frac{i \left(-2bx \operatorname{PolyLog} \left(2, -\frac{ie^{-2(a+bx)}}{c} \right) - \operatorname{PolyLog} \left(3, -\frac{ie^{-2(a+bx)}}{c} \right) + 2b^2 x^2 \log \left(1 + \frac{ie^{-2(a+bx)}}{c} \right) \right)}{8b^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x*ArcCot[c + (I + c)*Coth[a + b*x]], x]
```

```
[Out] (x^2*ArcCot[c + (I + c)*Coth[a + b*x]])/2 - ((I/8)*(2*b^2*x^2*Log[1 + I/(c*E^(2*(a + b*x)))] - 2*b*x*PolyLog[2, (-I)/(c*E^(2*(a + b*x)))] - PolyLog[3, (-I)/(c*E^(2*(a + b*x)))]))/b^2
```

Maple [C] time = 6.462, size = 1512, normalized size = 13.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*arccot(c+(I+c)*coth(b*x+a)), x)
```

```
[Out] 1/4*I*x^2*ln(2*exp(2*b*x+2*a)*c+2*I)-1/8*Pi*x^2*csgn((2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1))-1/4*I/b^2*ln(1-I*c*exp(2*b*x+2*a))*
```

$$\begin{aligned}
& a^2 - 1/4 * I / b^2 * \text{polylog}(2, I * c * \exp(2 * b * x + 2 * a)) * a + 1/2 * I / b^2 * a^2 * \ln(1 - I * \exp(b * x + a) * (-I * c)^{(1/2)}) \\
& + 1/2 * I / b^2 * a^2 * \ln(1 + I * \exp(b * x + a) * (-I * c)^{(1/2)}) + 1/2 * I / b^2 * a^2 * \text{dilog}(1 - I * \exp(b * x + a) * (-I * c)^{(1/2)}) \\
& + 1/2 * I / b^2 * a^2 * \text{dilog}(1 + I * \exp(b * x + a) * (-I * c)^{(1/2)}) - 1/8 * \text{Pi} * x^2 * \text{csgn}(I / (\exp(2 * b * x + 2 * a) - 1)) * \text{csgn}(I * (2 * \exp(2 * b * x + 2 * a) * c + 2 * I) / (\exp(2 * b * x + 2 * a) - 1))^{2+1/8} \\
& * \text{Pi} * x^2 * \text{csgn}(I * (2 * I * \exp(2 * b * x + 2 * a) + 2 * \exp(2 * b * x + 2 * a) * c) / (\exp(2 * b * x + 2 * a) - 1))^{2+1/8} \\
& * \text{Pi} * x^2 * \text{csgn}(I * (2 * I * \exp(2 * b * x + 2 * a) + 2 * \exp(2 * b * x + 2 * a) * c) / (\exp(2 * b * x + 2 * a) - 1))^{2+1/8} \\
& * \text{Pi} * x^2 * \text{csgn}(I * (2 * I * \exp(2 * b * x + 2 * a) + 2 * \exp(2 * b * x + 2 * a) * c) / (\exp(2 * b * x + 2 * a) - 1))^{2+1/8} \\
& * \text{Pi} * x^2 * \text{csgn}(I * (2 * \exp(2 * b * x + 2 * a) * c + 2 * I) / (\exp(2 * b * x + 2 * a) - 1)) * \text{csgn}((2 * \exp(2 * b * x + 2 * a) * c + 2 * I) / (\exp(2 * b * x + 2 * a) - 1)) - 1/8 * \text{Pi} * x^2 * \text{csgn}(I * (2 * I * \exp(2 * b * x + 2 * a) + 2 * \exp(2 * b * x + 2 * a) * c) / (\exp(2 * b * x + 2 * a) - 1)) * \text{csgn}((2 * I * \exp(2 * b * x + 2 * a) + 2 * \exp(2 * b * x + 2 * a) * c) / (\exp(2 * b * x + 2 * a) - 1)) - 1/8 * \text{Pi} * x^2 * \text{csgn}(I * (2 * \exp(2 * b * x + 2 * a) * c + 2 * I) / (\exp(2 * b * x + 2 * a) - 1)) * \text{csgn}((2 * \exp(2 * b * x + 2 * a) * c + 2 * I) / (\exp(2 * b * x + 2 * a) - 1))^{2-1/4} \\
& I / b^2 * a^2 * \ln(\exp(2 * b * x + 2 * a) * c + I) - 1/8 * \text{Pi} * x^2 * \text{csgn}(I * (2 * \exp(2 * b * x + 2 * a) * c + 2 * I) / (\exp(2 * b * x + 2 * a) - 1))^{2-1/4} \\
& I / b^2 * a^2 * \ln(\exp(b * x + a)) + 1/2 * b / (I + c) * x * a^2 - 1/8 * \text{Pi} * x^2 * \text{csgn}((2 * \exp(2 * b * x + 2 * a) * c + 2 * I) / (\exp(2 * b * x + 2 * a) - 1))^{3+1/8} \\
& I * \text{polylog}(3, I * c * \exp(2 * b * x + 2 * a)) / b^2 - 1/8 * \text{Pi} * x^2 * \text{csgn}(I * (2 * I * \exp(2 * b * x + 2 * a) + 2 * \exp(2 * b * x + 2 * a) * c) / (\exp(2 * b * x + 2 * a) - 1))^{3-1/3} \\
& I / b^2 * c / (I + c) * a^3 + 1/6 * I * b * c / (I + c) * x^3 + 1/8 * \text{Pi} * x^2 * \text{csgn}((2 * I * \exp(2 * b * x + 2 * a) + 2 * \exp(2 * b * x + 2 * a) * c) / (\exp(2 * b * x + 2 * a) - 1))^{2-1/4} \\
& I * x^2 * \ln(1 - I * c * \exp(2 * b * x + 2 * a)) + 1/8 * \text{Pi} * x^2 * \text{csgn}((2 * \exp(2 * b * x + 2 * a) * c + 2 * I) / (\exp(2 * b * x + 2 * a) - 1))^{2+1/8} \\
& * \text{Pi} * x^2 * \text{csgn}(I * (2 * \exp(2 * b * x + 2 * a) * c + 2 * I) / (\exp(2 * b * x + 2 * a) - 1))^{3+1/3} \\
& b^2 / (I + c) * a^3 - 1/6 * b / (I + c) * x^3 - 1/4 * I * x^2 * \ln(2 * I * \exp(2 * b * x + 2 * a) + 2 * \exp(2 * b * x + 2 * a) * c) + 1/8 * \text{Pi} * x^2 * \text{csgn}(I / (\exp(2 * b * x + 2 * a) - 1)) * \text{csgn}(I * (2 * I * \exp(2 * b * x + 2 * a) + 2 * \exp(2 * b * x + 2 * a) * c) / (\exp(2 * b * x + 2 * a) - 1))^{2-1/8} \\
& * \text{Pi} * x^2 * \text{csgn}(I / (\exp(2 * b * x + 2 * a) - 1)) * \text{csgn}(I * (2 * I * \exp(2 * b * x + 2 * a) + 2 * \exp(2 * b * x + 2 * a) * c) / (\exp(2 * b * x + 2 * a) - 1)) - 1/2 * I / b * \ln(1 - I * c * \exp(2 * b * x + 2 * a)) * x * a + 1/2 * I / b * a * \ln(1 - I * \exp(b * x + a) * (-I * c)^{(1/2)}) * x + 1/2 * I / b * a * \ln(1 + I * \exp(b * x + a) * (-I * c)^{(1/2)}) * x + 1/2 * I / b^2 * c * a^2 / (I + c) * \ln(\exp(b * x + a)) - 1/2 * I / b * c / (I + c) * x * a^2 + 1/8 * \text{Pi} * x^2 * \text{csgn}(I / (\exp(2 * b * x + 2 * a) - 1)) * \text{csgn}(I * (2 * \exp(2 * b * x + 2 * a) * c + 2 * I)) * \text{csgn}(I * (2 * \exp(2 * b * x + 2 * a) * c + 2 * I) / (\exp(2 * b * x + 2 * a) - 1)) - 1/4 * I * x * \text{polylog}(2, I * c * \exp(2 * b * x + 2 * a)) / b
\end{aligned}$$

Maxima [A] time = 5.88556, size = 144, normalized size = 1.27

$$-\left(\frac{2x^3}{3ic-3} - \frac{2b^2x^2 \log(-ice^{(2bx+2a)} + 1) + 2bx\text{Li}_2(ice^{(2bx+2a)}) - \text{Li}_3(ice^{(2bx+2a)})}{-2b^3(-ic+1)} \right) b(c+i) + \frac{1}{2} x^2 \operatorname{arccot}((c+i) \coth(bx+a))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(c+(I+c)*coth(b*x+a)),x, algorithm="maxima")

[Out] $-(2 * x^3 / (3 * I * c - 3) - (2 * b^2 * x^2 * \log(-I * c * e^{(2 * b * x + 2 * a)} + 1) + 2 * b * x * \text{dilog}(I * c * e^{(2 * b * x + 2 * a)}) - \text{polylog}(3, I * c * e^{(2 * b * x + 2 * a)})) / (b^3 * (2 * I * c - 2))) * b * (c + I) + 1/2 * x^2 * \operatorname{arccot}((c + I) * \coth(b * x + a) + c)$

Fricas [C] time = 2.16808, size = 709, normalized size = 6.27

$$2i b^3 x^3 + 3i b^2 x^2 \log\left(\frac{(ce^{(2bx+2a)}+i)e^{(-2bx-2a)}}{c+i}\right) + 2i a^3 - 6i bx\text{Li}_2\left(\frac{1}{2} \sqrt{4i} ce^{(bx+a)}\right) - 6i bx\text{Li}_2\left(-\frac{1}{2} \sqrt{4i} ce^{(bx+a)}\right) - 3i a^2 \log\left(\frac{2ce^{(bx+a)}}{c+i}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(c+(I+c)*coth(b*x+a)),x, algorithm="fricas")


```
[Out] 1/12*(2*I*b^3*x^3 + 3*I*b^2*x^2*log((c*e^(2*b*x + 2*a) + I)*e^(-2*b*x - 2*a)
)/(c + I)) + 2*I*a^3 - 6*I*b*x*dilog(1/2*sqrt(4*I*c)*e^(b*x + a)) - 6*I*b*x
*dilog(-1/2*sqrt(4*I*c)*e^(b*x + a)) - 3*I*a^2*log(1/2*(2*c*e^(b*x + a) + I
*sqrt(4*I*c))/c) - 3*I*a^2*log(1/2*(2*c*e^(b*x + a) - I*sqrt(4*I*c))/c) + (
-3*I*b^2*x^2 + 3*I*a^2)*log(1/2*sqrt(4*I*c)*e^(b*x + a) + 1) + (-3*I*b^2*x^
2 + 3*I*a^2)*log(-1/2*sqrt(4*I*c)*e^(b*x + a) + 1) + 6*I*polylog(3, 1/2*sqrt
(4*I*c)*e^(b*x + a)) + 6*I*polylog(3, -1/2*sqrt(4*I*c)*e^(b*x + a)))/b^2
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{b(c^3 + 3ic^2 - 3c - i) \int \frac{x^2}{c^4 e^{2a} e^{2bx} + 3ic^3 e^{2a} e^{2bx} + ic^3 - 3c^2 e^{2a} e^{2bx} - 3c^2 - ic e^{2a} e^{2bx} - 3ic + 1} dx}{2} + \frac{ix^2 \log\left(1 - \frac{i}{c + \frac{c}{e^{2a} e^{2bx} - 1} + \frac{ce^a e^{bx}}{e^a e^{bx} - e^{-a} e^{-bx}} + \frac{i}{e^{2a} e^{2bx} - 1}}}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*acot(c+(I+c)*coth(b*x+a)), x)
```

```
[Out] -b*(c**3 + 3*I*c**2 - 3*c - I)*Integral(x**2/(c**4*exp(2*a)*exp(2*b*x) + 3*
I*c**3*exp(2*a)*exp(2*b*x) + I*c**3 - 3*c**2*exp(2*a)*exp(2*b*x) - 3*c**2 -
I*c*exp(2*a)*exp(2*b*x) - 3*I*c + 1), x)/2 + I*x**2*log(1 - I/(c + c/(exp(
2*a)*exp(2*b*x) - 1) + c*exp(a)*exp(b*x)/(exp(a)*exp(b*x) - exp(-a)*exp(-b*
x)) + I/(exp(2*a)*exp(2*b*x) - 1) + I*exp(a)*exp(b*x)/(exp(a)*exp(b*x) - ex
p(-a)*exp(-b*x))))/4 - I*x**2*log(1 + I/(c + c/(exp(2*a)*exp(2*b*x) - 1) +
c*exp(a)*exp(b*x)/(exp(a)*exp(b*x) - exp(-a)*exp(-b*x)) + I/(exp(2*a)*exp(2
*b*x) - 1) + I*exp(a)*exp(b*x)/(exp(a)*exp(b*x) - exp(-a)*exp(-b*x))))/4
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{arccot}((c + i) \coth(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arccot(c+(I+c)*coth(b*x+a)), x, algorithm="giac")
```

```
[Out] integrate(x*arccot((c + I)*coth(b*x + a) + c), x)
```

3.211 $\int \cot^{-1}(c + (i + c) \coth(a + bx)) dx$

Optimal. Leaf size=79

$$-\frac{i \operatorname{PolyLog}\left(2, ice^{2a+2bx}\right)}{4b} - \frac{1}{2} ix \log\left(1 - ice^{2a+2bx}\right) + x \cot^{-1}(c + (c + i) \coth(a + bx)) + \frac{1}{2} ibx^2$$

[Out] (I/2)*b*x^2 + x*ArcCot[c + (I + c)*Coth[a + b*x]] - (I/2)*x*Log[1 - I*c*E^(2*a + 2*b*x)] - ((I/4)*PolyLog[2, I*c*E^(2*a + 2*b*x)])/b

Rubi [A] time = 0.123531, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5190, 2184, 2190, 2279, 2391}

$$-\frac{i \operatorname{PolyLog}\left(2, ice^{2a+2bx}\right)}{4b} - \frac{1}{2} ix \log\left(1 - ice^{2a+2bx}\right) + x \cot^{-1}(c + (c + i) \coth(a + bx)) + \frac{1}{2} ibx^2$$

Antiderivative was successfully verified.

[In] Int[ArcCot[c + (I + c)*Coth[a + b*x]],x]

[Out] (I/2)*b*x^2 + x*ArcCot[c + (I + c)*Coth[a + b*x]] - (I/2)*x*Log[1 - I*c*E^(2*a + 2*b*x)] - ((I/4)*PolyLog[2, I*c*E^(2*a + 2*b*x)])/b

Rule 5190

Int[ArcCot[(c_) + Coth[(a_) + (b_)*(x_)]*(d_)], x_Symbol] :> Simp[x*ArcCot[c + d*Coth[a + b*x]], x] + Dist[b, Int[x/(c - d - c*E^(2*a + 2*b*x)), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[(c - d)^2, -1]

Rule 2184

Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] :> Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Dist[b/a, Int[((c + d*x)^m*(F^(g*(e + f*x)))^n)/(a + b*(F^(g*(e + f*x)))^n), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \cot^{-1}(c + (i + c) \coth(a + bx)) dx &= x \cot^{-1}(c + (i + c) \coth(a + bx)) + b \int \frac{x}{-i - ce^{2a+2bx}} dx \\
&= \frac{1}{2} ibx^2 + x \cot^{-1}(c + (i + c) \coth(a + bx)) + (ibc) \int \frac{e^{2a+2bx} x}{-i - ce^{2a+2bx}} dx \\
&= \frac{1}{2} ibx^2 + x \cot^{-1}(c + (i + c) \coth(a + bx)) - \frac{1}{2} ix \log(1 - ice^{2a+2bx}) + \frac{1}{2} i \int \log \left(\frac{i \text{Subst} \left(\right)}{\right)} \\
&= \frac{1}{2} ibx^2 + x \cot^{-1}(c + (i + c) \coth(a + bx)) - \frac{1}{2} ix \log(1 - ice^{2a+2bx}) + \frac{i \text{Subst} \left(\right)}{\right)} \\
&= \frac{1}{2} ibx^2 + x \cot^{-1}(c + (i + c) \coth(a + bx)) - \frac{1}{2} ix \log(1 - ice^{2a+2bx}) - \frac{i \text{Li}_2(ice^{2a+2bx})}{4b}
\end{aligned}$$

Mathematica [A] time = 0.623475, size = 71, normalized size = 0.9

$$x \cot^{-1}(c + (c + i) \coth(a + bx)) - \frac{i \left(2bx \log \left(1 + \frac{ie^{-2(a+bx)}}{c} \right) - \text{PolyLog} \left(2, -\frac{ie^{-2(a+bx)}}{c} \right) \right)}{4b}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[c + (I + c)*Coth[a + b*x]], x]

[Out] x*ArcCot[c + (I + c)*Coth[a + b*x]] - ((I/4)*(2*b*x*Log[1 + I/(c*E^(2*(a + b*x)))] - PolyLog[2, (-I)/(c*E^(2*(a + b*x))]]))/b

Maple [B] time = 0.121, size = 1381, normalized size = 17.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c+(I+c)*coth(b*x+a)), x)

[Out] 1/2/(I+c)^2/b*ln(-1/2*I*(-c-(I+c)*coth(b*x+a)+I))*ln(c+(I+c)*coth(b*x+a)+I) *c+1/(I+c)/b*arccot(c+(I+c)*coth(b*x+a))/(2*I+2*c)*ln(c+(I+c)*coth(b*x+a)+I) *c^2-1/(I+c)/b*arccot(c+(I+c)*coth(b*x+a))/(2*I+2*c)*ln(c-(I+c)*coth(b*x+a) +I)*c^2-1/2/(I+c)^2/b*dilog(-1/2*I*(c+(I+c)*coth(b*x+a)+I))*c-1/4/(I+c)^2/ b*ln(c+(I+c)*coth(b*x+a)+I)^2*c-1/2/(I+c)^2/b*dilog(-1/2*(-c-(I+c)*coth(b*x +a)+I)/c)*c+1/2/(I+c)^2/b*dilog((-c-(I+c)*coth(b*x+a)-I)/(-2*I-2*c))*c-1/4* I/(I+c)^2/b*dilog(-1/2*(-c-(I+c)*coth(b*x+a)+I)/c)+1/4*I/(I+c)^2/b*dilog((- c-(I+c)*coth(b*x+a)-I)/(-2*I-2*c))-1/4*I/(I+c)^2/b*dilog(-1/2*I*(c+(I+c)*co th(b*x+a)+I))-1/8*I/(I+c)^2/b*ln(c+(I+c)*coth(b*x+a)+I)^2+1/4*I/(I+c)^2/b*ln (c-(I+c)*coth(b*x+a)+I)*ln(-1/2*(-c-(I+c)*coth(b*x+a)+I)/c)*c^2-1/4*I/(I+c) ^2/b*ln(c-(I+c)*coth(b*x+a)+I)*ln((-c-(I+c)*coth(b*x+a)-I)/(-2*I-2*c))*c^2 +1/4*I/(I+c)^2/b*ln(-1/2*I*(c+(I+c)*coth(b*x+a)+I))*ln(-1/2*I*(-c-(I+c)*cot h(b*x+a)+I))*c^2-1/4*I/(I+c)^2/b*ln(-1/2*I*(-c-(I+c)*coth(b*x+a)+I))*ln(c+(I+c)*coth(b*x+a)+I)*c^2+2*I/(I+c)/b*arccot(c+(I+c)*coth(b*x+a))/(2*I+2*c)*ln (c+(I+c)*coth(b*x+a)+I)*c-2*I/(I+c)/b*arccot(c+(I+c)*coth(b*x+a))/(2*I+2*c) *ln(c-(I+c)*coth(b*x+a)+I)*c-1/2/(I+c)^2/b*ln(c-(I+c)*coth(b*x+a)+I)*ln(-1 /2*(-c-(I+c)*coth(b*x+a)+I)/c)*c+1/2/(I+c)^2/b*ln(c-(I+c)*coth(b*x+a)+I)*ln ((-c-(I+c)*coth(b*x+a)-I)/(-2*I-2*c))*c-1/2/(I+c)^2/b*ln(-1/2*I*(c+(I+c)*co th(b*x+a)+I))*ln(-1/2*I*(-c-(I+c)*coth(b*x+a)+I))*c-1/(I+c)/b*arccot(c+(I+c) *coth(b*x+a))/(2*I+2*c)*ln(c+(I+c)*coth(b*x+a)+I)+1/(I+c)/b*arccot(c+(I+c)

*coth(b*x+a))/(2*I+2*c)*ln(c-(I+c)*coth(b*x+a)+I)-1/4*I/(I+c)^2/b*ln(-1/2*I*(c+(I+c)*coth(b*x+a)+I))*ln(-1/2*I*(-c-(I+c)*coth(b*x+a)+I))+1/4*I/(I+c)^2/b*ln(-1/2*I*(-c-(I+c)*coth(b*x+a)+I))*ln(c+(I+c)*coth(b*x+a)+I)-1/4*I/(I+c)^2/b*ln(c-(I+c)*coth(b*x+a)+I)*ln(-1/2*(-c-(I+c)*coth(b*x+a)+I)/c)+1/4*I/(I+c)^2/b*ln(c-(I+c)*coth(b*x+a)+I)*ln((-c-(I+c)*coth(b*x+a)-I)/(-2*I-2*c))+1/4*I/(I+c)^2/b*dilog(-1/2*I*(c+(I+c)*coth(b*x+a)+I))*c^2+1/8*I/(I+c)^2/b*ln(c+(I+c)*coth(b*x+a)+I)^2*c^2+1/4*I/(I+c)^2/b*dilog(-1/2*(-c-(I+c)*coth(b*x+a)+I)/c)*c^2-1/4*I/(I+c)^2/b*dilog((-c-(I+c)*coth(b*x+a)-I)/(-2*I-2*c))*c^2

Maxima [A] time = 5.90107, size = 108, normalized size = 1.37

$$-2b(c+i)\left(\frac{2x^2}{2ic-2} - \frac{2bx \log(-ice^{(2bx+2a)}+1) + \text{Li}_2(ice^{(2bx+2a)})}{-2b^2(-ic+1)}\right) + x \operatorname{arccot}((c+i)\coth(bx+a)+c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+(I+c)*coth(b*x+a)),x, algorithm="maxima")

[Out] -2*b*(c + I)*(2*x^2/(2*I*c - 2) - (2*b*x*log(-I*c*e^(2*b*x + 2*a) + 1) + di log(I*c*e^(2*b*x + 2*a)))/(b^2*(2*I*c - 2))) + x*arccot((c + I)*coth(b*x + a) + c)

Fricas [B] time = 2.21941, size = 512, normalized size = 6.48

$$ib^2x^2 + ibx \log\left(\frac{(ce^{(2bx+2a)+i})e^{(-2bx-2a)}}{c+i}\right) - ia^2 + (-ibx - ia) \log\left(\frac{1}{2}\sqrt{4ice^{(bx+a)}+1}\right) + (-ibx - ia) \log\left(-\frac{1}{2}\sqrt{4ice^{(bx+a)}+1}\right)$$

2b

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+(I+c)*coth(b*x+a)),x, algorithm="fricas")

[Out] 1/2*(I*b^2*x^2 + I*b*x*log((c*e^(2*b*x + 2*a) + I)*e^(-2*b*x - 2*a)/(c + I)) - I*a^2 + (-I*b*x - I*a)*log(1/2*sqrt(4*I*c)*e^(b*x + a) + 1) + (-I*b*x - I*a)*log(-1/2*sqrt(4*I*c)*e^(b*x + a) + 1) + I*a*log(1/2*(2*c*e^(b*x + a) + I*sqrt(4*I*c))/c) + I*a*log(1/2*(2*c*e^(b*x + a) - I*sqrt(4*I*c))/c) - I*dilog(1/2*sqrt(4*I*c)*e^(b*x + a)) - I*dilog(-1/2*sqrt(4*I*c)*e^(b*x + a)))/b

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-b(c^3 + 3ic^2 - 3c - i) \int \frac{x}{c^4 e^{2a} e^{2bx} + 3ic^3 e^{2a} e^{2bx} + ic^3 - 3c^2 e^{2a} e^{2bx} - 3c^2 - ice^{2a} e^{2bx} - 3ic + 1} dx + ix \log\left(1 - \frac{c}{c + \frac{c}{e^{2a} e^{2bx} - 1} + e^{2a}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c+(I+c)*coth(b*x+a)),x)

[Out] -b*(c**3 + 3*I*c**2 - 3*c - I)*Integral(x/(c**4*exp(2*a)*exp(2*b*x) + 3*I*c**3*exp(2*a)*exp(2*b*x) + I*c**3 - 3*c**2*exp(2*a)*exp(2*b*x) - 3*c**2 - I*

```

c*exp(2*a)*exp(2*b*x) - 3*I*c + 1), x) + I*x*log(1 - I/(c + c/(exp(2*a)*exp
(2*b*x) - 1) + c*exp(a)*exp(b*x)/(exp(a)*exp(b*x) - exp(-a)*exp(-b*x)) + I/
(exp(2*a)*exp(2*b*x) - 1) + I*exp(a)*exp(b*x)/(exp(a)*exp(b*x) - exp(-a)*ex
p(-b*x))))/2 - I*x*log(1 + I/(c + c/(exp(2*a)*exp(2*b*x) - 1) + c*exp(a)*ex
p(b*x)/(exp(a)*exp(b*x) - exp(-a)*exp(-b*x)) + I/(exp(2*a)*exp(2*b*x) - 1)
+ I*exp(a)*exp(b*x)/(exp(a)*exp(b*x) - exp(-a)*exp(-b*x))))/2

```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{arccot}((c + i) \coth(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(c+(I+c)*coth(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(arccot((c + I)*coth(b*x + a) + c), x)
```

$$3.212 \quad \int \frac{\cot^{-1}(c+(i+c) \coth(a+bx))}{x} dx$$

Optimal. Leaf size=21

$$\text{CannotIntegrate}\left(\frac{\cot^{-1}(c+(c+i) \coth(a+bx))}{x}, x\right)$$

[Out] CannotIntegrate[ArcCot[c + (I + c)*Coth[a + b*x]]/x, x]

Rubi [A] time = 0.0825572, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(c+(i+c) \coth(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[c + (I + c)*Coth[a + b*x]]/x,x]

[Out] Defer[Int][ArcCot[c + (I + c)*Coth[a + b*x]]/x, x]

Rubi steps

$$\int \frac{\cot^{-1}(c+(i+c) \coth(a+bx))}{x} dx = \int \frac{\cot^{-1}(c+(i+c) \coth(a+bx))}{x} dx$$

Mathematica [A] time = 3.16182, size = 0, normalized size = 0.

$$\int \frac{\cot^{-1}(c+(i+c) \coth(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCot[c + (I + c)*Coth[a + b*x]]/x,x]

[Out] Integrate[ArcCot[c + (I + c)*Coth[a + b*x]]/x, x]

Maple [A] time = 0.441, size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(c+(i+c) \coth(bx+a))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c+(I+c)*coth(b*x+a))/x,x)

[Out] int(arccot(c+(I+c)*coth(b*x+a))/x,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$-ibx + \frac{1}{4}(-4ia + 2 \arctan(1, c) - i \log(c^2 + 1)) \log(x) - \frac{1}{2} \int \frac{\arctan(1, ce^{(2bx+2a)})}{x} dx + \frac{1}{4} i \int \frac{\log(c^2 e^{(4bx+4a)} + 1)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+(I+c)*coth(b*x+a))/x,x, algorithm="maxima")

[Out] -I*b*x + 1/4*(-4*I*a + 2*arctan2(1, c) - I*log(c^2 + 1))*log(x) - 1/2*integrate(arctan2(1, c*e^(2*b*x + 2*a))/x, x) + 1/4*I*integrate(log(c^2*e^(4*b*x + 4*a) + 1)/x, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{i \log \left(\frac{(ce^{(2bx+2a)+i})e^{(-2bx-2a)}}{c+i} \right)}{2x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+(I+c)*coth(b*x+a))/x,x, algorithm="fricas")

[Out] integral(1/2*I*log((c*e^(2*b*x + 2*a) + I)*e^(-2*b*x - 2*a)/(c + I))/x, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c+(I+c)*coth(b*x+a))/x,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{arccot}((c+i)\text{coth}(bx+a)+c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c+(I+c)*coth(b*x+a))/x,x, algorithm="giac")

[Out] integrate(arccot((c + I)*coth(b*x + a) + c)/x, x)

3.213 $\int x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) dx$

Optimal. Leaf size=145

$$-\frac{ix \operatorname{PolyLog}\left(3, -ice^{2a+2bx}\right)}{4b^2} + \frac{i \operatorname{PolyLog}\left(4, -ice^{2a+2bx}\right)}{8b^3} + \frac{ix^2 \operatorname{PolyLog}\left(2, -ice^{2a+2bx}\right)}{4b} + \frac{1}{6} ix^3 \log\left(1 + ice^{2a+2bx}\right) + \frac{1}{3} x^3 c$$

[Out] $(-I/12)*b*x^4 + (x^3*\operatorname{ArcCot}[c - (I - c)*\operatorname{Coth}[a + b*x]])/3 + (I/6)*x^3*\operatorname{Log}[1 + I*c*E^{(2*a + 2*b*x)}] + ((I/4)*x^2*\operatorname{PolyLog}[2, (-I)*c*E^{(2*a + 2*b*x)}])/b - ((I/4)*x*\operatorname{PolyLog}[3, (-I)*c*E^{(2*a + 2*b*x)}])/b^2 + ((I/8)*\operatorname{PolyLog}[4, (-I)*c*E^{(2*a + 2*b*x)}])/b^3$

Rubi [A] time = 0.23172, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$, Rules used = {5198, 2184, 2190, 2531, 6609, 2282, 6589}

$$-\frac{ix \operatorname{PolyLog}\left(3, -ice^{2a+2bx}\right)}{4b^2} + \frac{i \operatorname{PolyLog}\left(4, -ice^{2a+2bx}\right)}{8b^3} + \frac{ix^2 \operatorname{PolyLog}\left(2, -ice^{2a+2bx}\right)}{4b} + \frac{1}{6} ix^3 \log\left(1 + ice^{2a+2bx}\right) + \frac{1}{3} x^3 c$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2*\operatorname{ArcCot}[c - (I - c)*\operatorname{Coth}[a + b*x]], x]$

[Out] $(-I/12)*b*x^4 + (x^3*\operatorname{ArcCot}[c - (I - c)*\operatorname{Coth}[a + b*x]])/3 + (I/6)*x^3*\operatorname{Log}[1 + I*c*E^{(2*a + 2*b*x)}] + ((I/4)*x^2*\operatorname{PolyLog}[2, (-I)*c*E^{(2*a + 2*b*x)}])/b - ((I/4)*x*\operatorname{PolyLog}[3, (-I)*c*E^{(2*a + 2*b*x)}])/b^2 + ((I/8)*\operatorname{PolyLog}[4, (-I)*c*E^{(2*a + 2*b*x)}])/b^3$

Rule 5198

$\operatorname{Int}[\operatorname{ArcCot}[(c_.) + \operatorname{Coth}[(a_.) + (b_.)*(x_.)]*(d_.)]*((e_.) + (f_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(e + f*x)^{(m+1)}*\operatorname{ArcCot}[c + d*\operatorname{Coth}[a + b*x]]/(f*(m+1)), x] + \operatorname{Dist}[b/(f*(m+1)), \operatorname{Int}[(e + f*x)^{(m+1)}/(c - d - c*E^{(2*a + 2*b*x)}), x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \operatorname{IGtQ}[m, 0] \ \&\& \ \operatorname{EqQ}[(c - d)^2, -1]$

Rule 2184

$\operatorname{Int}[(c_.) + (d_.)*(x_.))^{(m_.)}/((a_.) + (b_.)*((F_.)^{((g_.)*((e_.) + (f_.)*(x_.)))^{(n_.)}}), x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m+1)}/(a*d*(m+1)), x] - \operatorname{Dist}[b/a, \operatorname{Int}[(c + d*x)^m*(F^{(g*(e + f*x)))^n}/(a + b*(F^{(g*(e + f*x)))^n}), x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x \ \&\& \ \operatorname{IGtQ}[m, 0]$

Rule 2190

$\operatorname{Int}[(F_.)^{((g_.)*((e_.) + (f_.)*(x_.)))^{(n_.)}}*((c_.) + (d_.)*(x_.))^{(m_.)}/((a_.) + (b_.)*((F_.)^{((g_.)*((e_.) + (f_.)*(x_.)))^{(n_.)}}), x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^m*\operatorname{Log}[1 + (b*(F^{(g*(e + f*x)))^n})/a]/(b*f*g*n*\operatorname{Log}[F]), x] - \operatorname{Dist}[(d*m)/(b*f*g*n*\operatorname{Log}[F]), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Log}[1 + (b*(F^{(g*(e + f*x)))^n})/a], x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x \ \&\& \ \operatorname{IGtQ}[m, 0]$

Rule 2531

$\operatorname{Int}[\operatorname{Log}[1 + (e_.)*((F_.)^{((c_.)*((a_.) + (b_.)*(x_.)))^{(n_.)}})]*((f_.) + (g_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow -\operatorname{Simp}[(f + g*x)^m*\operatorname{PolyLog}[2, -(e*(F^{(c*(a + b*x)))^n})]/(b*c*n*\operatorname{Log}[F]), x] + \operatorname{Dist}[(g*m)/(b*c*n*\operatorname{Log}[F]), \operatorname{Int}[(f + g*x)^{(m-1)}*\operatorname{PolyLog}[2, -(e*(F^{(c*(a + b*x)))^n})], x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, e, f$

, g, n}, x] && GtQ[m, 0]

Rule 6609

Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_.)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned} \int x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) dx &= \frac{1}{3} x^3 \cot^{-1}(c - (i - c) \coth(a + bx)) + \frac{1}{3} b \int \frac{x^3}{i - ce^{2a+2bx}} dx \\ &= -\frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c - (i - c) \coth(a + bx)) - \frac{1}{3} (ibc) \int \frac{e^{2a+2bx} x^3}{i - ce^{2a+2bx}} dx \\ &= -\frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c - (i - c) \coth(a + bx)) + \frac{1}{6} ix^3 \log(1 + ice^{2a+2bx}) - \frac{1}{2} i \\ &= -\frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c - (i - c) \coth(a + bx)) + \frac{1}{6} ix^3 \log(1 + ice^{2a+2bx}) + \frac{i}{2} \\ &= -\frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c - (i - c) \coth(a + bx)) + \frac{1}{6} ix^3 \log(1 + ice^{2a+2bx}) + \frac{i}{2} \\ &= -\frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c - (i - c) \coth(a + bx)) + \frac{1}{6} ix^3 \log(1 + ice^{2a+2bx}) + \frac{i}{2} \\ &= -\frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c - (i - c) \coth(a + bx)) + \frac{1}{6} ix^3 \log(1 + ice^{2a+2bx}) + \frac{i}{2} \end{aligned}$$

Mathematica [A] time = 0.196235, size = 128, normalized size = 0.88

$$\frac{i \left(-6b^2 x^2 \text{PolyLog} \left(2, \frac{ie^{-2(a+bx)}}{c} \right) - 6bx \text{PolyLog} \left(3, \frac{ie^{-2(a+bx)}}{c} \right) - 3 \text{PolyLog} \left(4, \frac{ie^{-2(a+bx)}}{c} \right) + 4b^3 x^3 \log \left(1 - \frac{ie^{-2(a+bx)}}{c} \right) \right)}{24b^3} + \frac{1}{3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*ArcCot[c - (I - c)*Coth[a + b*x]], x]

[Out] (x^3*ArcCot[c + (-I + c)*Coth[a + b*x]])/3 + ((I/24)*(4*b^3*x^3*Log[1 - I/(c*E^(2*(a + b*x)))] - 6*b^2*x^2*PolyLog[2, I/(c*E^(2*(a + b*x)))] - 6*b*x*PolyLog[3, I/(c*E^(2*(a + b*x)))] - 3*PolyLog[4, I/(c*E^(2*(a + b*x)))])))/b^3

Maple [C] time = 16.543, size = 1571, normalized size = 10.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^2 \operatorname{arccot}(c - (I - c) \coth(bx + a)), x)$

[Out]
$$-1/12 \pi x^3 \operatorname{csgn}\left(\frac{2 \exp(2bx + 2a) c - 2I}{\exp(2bx + 2a) - 1}\right)^3 - 1/12 \pi x^3 \operatorname{csgn}\left(\frac{2 \exp(2bx + 2a) c - 2I}{\exp(2bx + 2a) - 1}\right)^2 + 1/3 \pi x^3 + 1/2 I / b^3 a^3 \ln(1 + I \exp(bx + a) (Ic)^{1/2}) + 1/2 I / b^3 a^3 \ln(1 - I \exp(bx + a) (Ic)^{1/2}) + 1/2 I / b^3 a^2 \operatorname{dilog}(1 + I \exp(bx + a) (Ic)^{1/2}) + 1/2 I / b^3 a^2 \operatorname{dilog}(1 - I \exp(bx + a) (Ic)^{1/2}) - 1/12 \pi x^3 \operatorname{csgn}\left(\frac{-2I \exp(2bx + 2a) + 2 \exp(2bx + 2a) c}{\exp(2bx + 2a) - 1}\right)^3 - 1/6 I x^3 \ln(-2 \exp(2bx + 2a) c + 2I) + 1/12 I b^3 c / (I - c) x^4 + 1/4 I / b^3 c / (I - c) a^4 + 1/6 I x^3 \ln(2I \exp(2bx + 2a) - 2 \exp(2bx + 2a) c) - 1/12 \pi x^3 \operatorname{csgn}(I(2 \exp(2bx + 2a) c - 2I)) \operatorname{csgn}(I(2 \exp(2bx + 2a) c - 2I) / (\exp(2bx + 2a) - 1))^2 + 1/12 \pi x^3 \operatorname{csgn}(I(-2I \exp(2bx + 2a) + 2 \exp(2bx + 2a) c) / (\exp(2bx + 2a) - 1))^2 + 1/12 \pi x^3 \operatorname{csgn}(I(-2I \exp(2bx + 2a) + 2 \exp(2bx + 2a) c) / (\exp(2bx + 2a) - 1)) \operatorname{csgn}((-2I \exp(2bx + 2a) + 2 \exp(2bx + 2a) c) / (\exp(2bx + 2a) - 1))) + 1/12 \pi x^3 \operatorname{csgn}(I / (\exp(2bx + 2a) - 1)) \operatorname{csgn}(I(2 \exp(2bx + 2a) c - 2I) / (\exp(2bx + 2a) - 1))^2 - 1/12 \pi x^3 \operatorname{csgn}(I / (\exp(2bx + 2a) - 1)) \operatorname{csgn}(I(-2I \exp(2bx + 2a) + 2 \exp(2bx + 2a) c) / (\exp(2bx + 2a) - 1))^2 - 1/12 \pi x^3 \operatorname{csgn}(I(-2I \exp(2bx + 2a) + 2 \exp(2bx + 2a) c) / (\exp(2bx + 2a) - 1))^3 + 1/4 I x^2 \operatorname{polylog}(2, -Ic \exp(2bx + 2a)) / b + 1/8 I \operatorname{polylog}(4, -Ic \exp(2bx + 2a)) / b^3 + 1/3 I / b^2 c / (I - c) x a^3 - 1/3 I / b^3 c a^3 / (I - c) \ln(\exp(bx + a)) - 1/6 I / b^3 a^3 \ln(-\exp(2bx + 2a) c + I) + 1/4 / b^3 / (I - c) a^4 + 1/12 b / (I - c) x^4 + 1/6 I x^3 \ln(1 + Ic \exp(2bx + 2a)) - 1/12 \pi x^3 \operatorname{csgn}(I(2 \exp(2bx + 2a) c - 2I) / (\exp(2bx + 2a) - 1)) \operatorname{csgn}((2 \exp(2bx + 2a) c - 2I) / (\exp(2bx + 2a) - 1)) - 1/12 \pi x^3 \operatorname{csgn}(I(2 \exp(2bx + 2a) c - 2I) / (\exp(2bx + 2a) - 1)) \operatorname{csgn}((2 \exp(2bx + 2a) c - 2I) / (\exp(2bx + 2a) - 1))^2 + 1/12 \pi x^3 \operatorname{csgn}(I(-2I \exp(2bx + 2a) + 2 \exp(2bx + 2a) c) / (\exp(2bx + 2a) - 1)) \operatorname{csgn}((-2I \exp(2bx + 2a) + 2 \exp(2bx + 2a) c) / (\exp(2bx + 2a) - 1))^2 - 1/3 I / b^3 \ln(1 + Ic \exp(2bx + 2a)) a^3 - 1/4 I / b^3 \operatorname{polylog}(2, -Ic \exp(2bx + 2a)) a^2 - 1/2 I / b^2 \ln(1 + Ic \exp(2bx + 2a)) x a^2 + 1/2 I / b^2 a^2 \ln(1 + I \exp(bx + a) (Ic)^{1/2}) x + 1/2 I / b^2 a^2 \ln(1 - I \exp(bx + a) (Ic)^{1/2}) x - 1/3 / b^3 a^3 / (I - c) \ln(\exp(bx + a)) + 1/3 / b^2 / (I - c) x a^3 + 1/12 \pi x^3 \operatorname{csgn}(I(2 \exp(2bx + 2a) c - 2I) / (\exp(2bx + 2a) - 1))^3 - 1/12 \pi x^3 \operatorname{csgn}((-2I \exp(2bx + 2a) + 2 \exp(2bx + 2a) c) / (\exp(2bx + 2a) - 1))^2 - 1/4 I x \operatorname{polylog}(3, -Ic \exp(2bx + 2a)) / b^2 + 1/12 \pi x^3 \operatorname{csgn}(I / (\exp(2bx + 2a) - 1)) \operatorname{csgn}(I(-2I \exp(2bx + 2a) + 2 \exp(2bx + 2a) c) / (\exp(2bx + 2a) - 1))) \operatorname{csgn}(I(-2I \exp(2bx + 2a) + 2 \exp(2bx + 2a) c) / (\exp(2bx + 2a) - 1))) - 1/12 \pi x^3 \operatorname{csgn}(I / (\exp(2bx + 2a) - 1)) \operatorname{csgn}(I(2 \exp(2bx + 2a) c - 2I)) \operatorname{csgn}(I(2 \exp(2bx + 2a) c - 2I) / (\exp(2bx + 2a) - 1)))$$

Maxima [A] time = 6.04091, size = 174, normalized size = 1.2

$$\frac{1}{3} x^3 \operatorname{arccot}((c - i) \coth(bx + a) + c) + \frac{4}{9} \left(\frac{3x^4}{4ic + 4} - \frac{4b^3 x^3 \log(ice^{(2bx + 2a)} + 1) + 6b^2 x^2 \operatorname{Li}_2(-ice^{(2bx + 2a)}) - 6bx \operatorname{Li}_3(-ice^{(2bx + 2a)})}{-2b^4(-ic - 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^2 \operatorname{arccot}(c - (I - c) \coth(bx + a)), x, \text{algorithm} = \text{"maxima"})$

[Out]
$$1/3 x^3 \operatorname{arccot}((c - I) \coth(bx + a) + c) + 4/9 (3x^4 / (4Ic + 4) - (4b^3 x^3 \log(Ic e^{(2bx + 2a)} + 1) + 6b^2 x^2 \operatorname{dilog}(-Ic e^{(2bx + 2a)}) -$$

$$6*b*x*polylog(3, -I*c*e^(2*b*x + 2*a)) + 3*polylog(4, -I*c*e^(2*b*x + 2*a)) / (b^4*(2*I*c + 2)) * b*(c - I)$$

Fricas [C] time = 2.19229, size = 867, normalized size = 5.98

$$-i b^4 x^4 + 2i b^3 x^3 \log\left(\frac{(c-i)e^{2bx+2a}}{ce^{2bx+2a}-i}\right) + 6i b^2 x^2 \operatorname{Li}_2\left(\frac{1}{2}\sqrt{-4i}ce^{(bx+a)}\right) + 6i b^2 x^2 \operatorname{Li}_2\left(-\frac{1}{2}\sqrt{-4i}ce^{(bx+a)}\right) + i a^4 - 2i a^3 \log\left(\frac{2ce^{2bx+2a}}{ce^{2bx+2a}-i}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c-(I-c)*coth(b*x+a)),x, algorithm="fricas")

[Out] $\frac{1}{12}(-I*b^4*x^4 + 2*I*b^3*x^3*\log((c - I)*e^(2*b*x + 2*a)/(c*e^(2*b*x + 2*a) - I)) + 6*I*b^2*x^2*\operatorname{dilog}(1/2*\sqrt{-4*I*c}*e^(b*x + a)) + 6*I*b^2*x^2*\operatorname{dilog}(-1/2*\sqrt{-4*I*c}*e^(b*x + a)) + I*a^4 - 2*I*a^3*\log(1/2*(2*c*e^(b*x + a) + I*\sqrt{-4*I*c}))/c - 2*I*a^3*\log(1/2*(2*c*e^(b*x + a) - I*\sqrt{-4*I*c}))/c - 12*I*b*x*polylog(3, 1/2*\sqrt{-4*I*c}*e^(b*x + a)) - 12*I*b*x*polylog(3, -1/2*\sqrt{-4*I*c}*e^(b*x + a)) + (2*I*b^3*x^3 + 2*I*a^3)*\log(1/2*\sqrt{-4*I*c}*e^(b*x + a) + 1) + (2*I*b^3*x^3 + 2*I*a^3)*\log(-1/2*\sqrt{-4*I*c}*e^(b*x + a) + 1) + 12*I*polylog(4, 1/2*\sqrt{-4*I*c}*e^(b*x + a)) + 12*I*polylog(4, -1/2*\sqrt{-4*I*c}*e^(b*x + a)))/b^3$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(c-(I-c)*coth(b*x+a)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{arccot}((c - i) \coth(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(c-(I-c)*coth(b*x+a)),x, algorithm="giac")

[Out] integrate(x^2*arccot((c - I)*coth(b*x + a) + c), x)

3.214 $\int x \cot^{-1}(c - (i - c) \coth(a + bx)) dx$

Optimal. Leaf size=116

$$-\frac{i \operatorname{PolyLog}\left(3, -ice^{2a+2bx}\right)}{8b^2} + \frac{ix \operatorname{PolyLog}\left(2, -ice^{2a+2bx}\right)}{4b} + \frac{1}{4}ix^2 \log\left(1 + ice^{2a+2bx}\right) + \frac{1}{2}x^2 \cot^{-1}(c - (-c + i) \coth(a + bx))$$

[Out] $(-I/6)*b*x^3 + (x^2*ArcCot[c - (I - c)*Coth[a + b*x]])/2 + (I/4)*x^2*Log[1 + I*c*E^(2*a + 2*b*x)] + ((I/4)*x*PolyLog[2, (-I)*c*E^(2*a + 2*b*x)])/b - (I/8)*PolyLog[3, (-I)*c*E^(2*a + 2*b*x)]/b^2$

Rubi [A] time = 0.205318, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$, Rules used = {5198, 2184, 2190, 2531, 2282, 6589}

$$-\frac{i \operatorname{PolyLog}\left(3, -ice^{2a+2bx}\right)}{8b^2} + \frac{ix \operatorname{PolyLog}\left(2, -ice^{2a+2bx}\right)}{4b} + \frac{1}{4}ix^2 \log\left(1 + ice^{2a+2bx}\right) + \frac{1}{2}x^2 \cot^{-1}(c - (-c + i) \coth(a + bx))$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*ArcCot[c - (I - c)*Coth[a + b*x]], x]$

[Out] $(-I/6)*b*x^3 + (x^2*ArcCot[c - (I - c)*Coth[a + b*x]])/2 + (I/4)*x^2*Log[1 + I*c*E^(2*a + 2*b*x)] + ((I/4)*x*PolyLog[2, (-I)*c*E^(2*a + 2*b*x)])/b - (I/8)*PolyLog[3, (-I)*c*E^(2*a + 2*b*x)]/b^2$

Rule 5198

$\operatorname{Int}[ArcCot[(c_.) + Coth[(a_.) + (b_.)*(x_.)]*(d_.)]*((e_.) + (f_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(e + f*x)^{(m+1)}*ArcCot[c + d*Coth[a + b*x]]/(f*(m+1)), x] + \operatorname{Dist}[b/(f*(m+1)), \operatorname{Int}[(e + f*x)^{(m+1)}/(c - d - c*E^{(2*a + 2*b*x)})], x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \operatorname{IGtQ}[m, 0] \ \&\& \operatorname{EqQ}[(c - d)^2, -1]$

Rule 2184

$\operatorname{Int}[(c_.) + (d_.)*(x_.))^{(m_.)}/((a_.) + (b_.)*((F_.)^{(g_.)*((e_.) + (f_.)*(x_.))^{(n_.))})^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m+1)}/(a*d*(m+1)), x] - \operatorname{Dist}[b/a, \operatorname{Int}[(c + d*x)^m*(F^{(g*(e + f*x)))^n})/(a + b*(F^{(g*(e + f*x)))^n}), x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x \ \&\& \operatorname{IGtQ}[m, 0]$

Rule 2190

$\operatorname{Int}[(F_.)^{(g_.)*((e_.) + (f_.)*(x_.))^{(n_.)}}*((c_.) + (d_.)*(x_.))^{(m_.)}/((a_.) + (b_.)*((F_.)^{(g_.)*((e_.) + (f_.)*(x_.))^{(n_.))})^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^m*\operatorname{Log}[1 + (b*(F^{(g*(e + f*x)))^n})/a]/(b*f*g*n*\operatorname{Log}[F]), x] - \operatorname{Dist}[(d*m)/(b*f*g*n*\operatorname{Log}[F]), \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Log}[1 + (b*(F^{(g*(e + f*x)))^n})/a], x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x \ \&\& \operatorname{IGtQ}[m, 0]$

Rule 2531

$\operatorname{Int}[\operatorname{Log}[1 + (e_.)*((F_.)^{(c_.)*((a_.) + (b_.)*(x_.))^{(n_.))})^{(n_.)}]*((f_.) + (g_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow -\operatorname{Simp}[(f + g*x)^m*\operatorname{PolyLog}[2, -(e*(F^{(c*(a + b*x)))^n})]/(b*c*n*\operatorname{Log}[F]), x] + \operatorname{Dist}[(g*m)/(b*c*n*\operatorname{Log}[F]), \operatorname{Int}[(f + g*x)^{(m-1)}*\operatorname{PolyLog}[2, -(e*(F^{(c*(a + b*x)))^n})], x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, e, f, g, n\}, x \ \&\& \operatorname{GtQ}[m, 0]$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_]] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int x \cot^{-1}(c - (i - c) \coth(a + bx)) dx &= \frac{1}{2} x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) + \frac{1}{2} b \int \frac{x^2}{i - ce^{2a+2bx}} dx \\ &= -\frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) - \frac{1}{2} (ibc) \int \frac{e^{2a+2bx} x^2}{i - ce^{2a+2bx}} dx \\ &= -\frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) + \frac{1}{4} ix^2 \log(1 + ice^{2a+2bx}) - \frac{1}{2} i \int \frac{e^{2a+2bx} x}{i - ce^{2a+2bx}} dx \\ &= -\frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) + \frac{1}{4} ix^2 \log(1 + ice^{2a+2bx}) + \frac{ix}{4} \int \frac{e^{2a+2bx}}{i - ce^{2a+2bx}} dx \\ &= -\frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) + \frac{1}{4} ix^2 \log(1 + ice^{2a+2bx}) + \frac{ix}{4} \int \frac{e^{2a+2bx}}{i - ce^{2a+2bx}} dx \\ &= -\frac{1}{6} ibx^3 + \frac{1}{2} x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) + \frac{1}{4} ix^2 \log(1 + ice^{2a+2bx}) + \frac{ix}{4} \int \frac{e^{2a+2bx}}{i - ce^{2a+2bx}} dx \end{aligned}$$

Mathematica [A] time = 0.115977, size = 102, normalized size = 0.88

$$\frac{i \left(-2bx \operatorname{PolyLog} \left(2, \frac{ie^{-2(a+bx)}}{c} \right) - \operatorname{PolyLog} \left(3, \frac{ie^{-2(a+bx)}}{c} \right) + 2b^2 x^2 \log \left(1 - \frac{ie^{-2(a+bx)}}{c} \right) \right)}{8b^2} + \frac{1}{2} x^2 \cot^{-1}(c + (c - i) \coth(a + bx))$$

Antiderivative was successfully verified.

```
[In] Integrate[x*ArcCot[c - (I - c)*Coth[a + b*x]], x]
```

```
[Out] (x^2*ArcCot[c + (-I + c)*Coth[a + b*x]])/2 + ((I/8)*(2*b^2*x^2*Log[1 - I/(c*E^(2*(a + b*x)))] - 2*b*x*PolyLog[2, I/(c*E^(2*(a + b*x)))] - PolyLog[3, I/(c*E^(2*(a + b*x)))]))/b^2
```

Maple [C] time = 8.506, size = 1535, normalized size = 13.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*arccot(c-(I-c)*coth(b*x+a)), x)
```

```
[Out] 1/2*Pi*x^2-1/8*Pi*x^2*csgn((2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)-1))^2-1/3/b^2/(I-c)*a^3+1/6*b*x^3/(I-c)-1/2/b/(I-c)*x*a^2-1/8*Pi*x^2*csgn((-2*I*exp
```

$$\begin{aligned}
& p(2bx+2a)+2\exp(2bx+2a)*c)/(\exp(2bx+2a)-1))^3+1/2*I/b*\ln(1+I*c*\exp \\
& (2bx+2a))*x*a-1/2*I/b*a*\ln(1+I*\exp(bx+a)*(I*c)^{(1/2)})*x-1/2*I/b*a*\ln(1- \\
& I*\exp(bx+a)*(I*c)^{(1/2)})*x-1/8*Pi*x^2*csgn(I*(2*\exp(2bx+2a)*c-2*I))*csg \\
& n(I*(2*\exp(2bx+2a)*c-2*I)/(\exp(2bx+2a)-1))^2-1/8*Pi*x^2*csgn((2*\exp(2 \\
& *bx+2a)*c-2*I)/(\exp(2bx+2a)-1))^3+1/4*I/b^2*\ln(1+I*c*\exp(2bx+2a))*a \\
& ^2+1/4*I/b^2*polylog(2,-I*c*\exp(2bx+2a))*a-1/2*I/b^2*a^2*\ln(1+I*\exp(bx+ \\
& a)*(I*c)^{(1/2)})-1/2*I/b^2*a^2*\ln(1-I*\exp(bx+a)*(I*c)^{(1/2)})-1/2*I/b^2*a*di \\
& log(1+I*\exp(bx+a)*(I*c)^{(1/2)})-1/2*I/b^2*a*dilog(1-I*\exp(bx+a)*(I*c)^{(1/2} \\
&))-1/8*I*polylog(3,-I*c*\exp(2bx+2a))/b^2-1/8*Pi*x^2*csgn((-2*I*\exp(2bx \\
& +2a)+2*\exp(2bx+2a)*c)/(\exp(2bx+2a)-1))^2-1/4*I*x^2*\ln(-2*\exp(2bx+2 \\
& *a)*c+2*I)-1/3*I/b^2*c/(I-c)*a^3+1/6*I*b*c/(I-c)*x^3-1/2*I/b*c/(I-c)*x*a^2+ \\
& 1/2*I/b^2*c*a^2/(I-c)*\ln(\exp(bx+a))+1/4*I*x*polylog(2,-I*c*\exp(2bx+2a)) \\
& /b+1/8*Pi*x^2*csgn(I*(-2*I*\exp(2bx+2a)+2*\exp(2bx+2a)*c))*csgn(I*(-2*I \\
& *\exp(2bx+2a)+2*\exp(2bx+2a)*c)/(\exp(2bx+2a)-1))^2-1/8*Pi*x^2*csgn(I \\
& *(2*\exp(2bx+2a)*c-2*I)/(\exp(2bx+2a)-1))*csgn((2*\exp(2bx+2a)*c-2*I) \\
& /(\exp(2bx+2a)-1))^2+1/8*Pi*x^2*csgn(I*(-2*I*\exp(2bx+2a)+2*\exp(2bx+2 \\
& *a)*c)/(\exp(2bx+2a)-1))*csgn((-2*I*\exp(2bx+2a)+2*\exp(2bx+2a)*c)/(e \\
& xp(2bx+2a)-1))^2+1/8*Pi*x^2*csgn(I/(\exp(2bx+2a)-1))*csgn(I*(2*\exp(2b \\
& *x+2a)*c-2*I)/(\exp(2bx+2a)-1))^2+1/4*I*x^2*\ln(2*I*\exp(2bx+2a)-2*\exp(\\
& 2bx+2a)*c)-1/8*Pi*x^2*csgn(I/(\exp(2bx+2a)-1))*csgn(I*(-2*I*\exp(2bx+ \\
& 2a)+2*\exp(2bx+2a)*c)/(\exp(2bx+2a)-1))^2+1/4*I/b^2*a^2*\ln(-\exp(2bx+ \\
& 2a)*c+I)+1/4*I*x^2*\ln(1+I*c*\exp(2bx+2a))-1/8*Pi*x^2*csgn(I/(\exp(2bx+2 \\
& *a)-1))*csgn(I*(2*\exp(2bx+2a)*c-2*I))*csgn(I*(2*\exp(2bx+2a)*c-2*I)/(e \\
& xp(2bx+2a)-1))+1/8*Pi*x^2*csgn(I*(-2*I*\exp(2bx+2a)+2*\exp(2bx+2a)*c \\
&)/(\exp(2bx+2a)-1))*csgn((-2*I*\exp(2bx+2a)+2*\exp(2bx+2a)*c)/(\exp(2* \\
& bx+2a)-1))-1/8*Pi*x^2*csgn(I*(2*\exp(2bx+2a)*c-2*I)/(\exp(2bx+2a)-1)) \\
& *csgn((2*\exp(2bx+2a)*c-2*I)/(\exp(2bx+2a)-1))+1/2/b^2*a^2/(I-c)*\ln(\exp \\
& (bx+a))+1/8*Pi*x^2*csgn(I*(2*\exp(2bx+2a)*c-2*I)/(\exp(2bx+2a)-1))^3-1 \\
& /8*Pi*x^2*csgn(I*(-2*I*\exp(2bx+2a)+2*\exp(2bx+2a)*c)/(\exp(2bx+2a)-1 \\
&))^3+1/8*Pi*x^2*csgn(I/(\exp(2bx+2a)-1))*csgn(I*(-2*I*\exp(2bx+2a)+2*\exp \\
& (2bx+2a)*c))*csgn(I*(-2*I*\exp(2bx+2a)+2*\exp(2bx+2a)*c)/(\exp(2bx \\
& +2a)-1))
\end{aligned}$$

Maxima [A] time = 5.90224, size = 143, normalized size = 1.23

$$\left(\frac{2x^3}{3ic+3} - \frac{2b^2x^2 \log(ice^{(2bx+2a)}+1) + 2bx\text{Li}_2(-ice^{(2bx+2a)}) - \text{Li}_3(-ice^{(2bx+2a)})}{-2b^3(-ic-1)} \right) b(c-i) + \frac{1}{2}x^2 \operatorname{arccot}((c-i)\coth(bx+a))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(c-(I-c)*coth(b*x+a)),x, algorithm="maxima")

[Out] (2*x^3/(3*I*c + 3) - (2*b^2*x^2*log(I*c*e^(2*b*x + 2*a) + 1) + 2*b*x*dilog(-I*c*e^(2*b*x + 2*a)) - polylog(3, -I*c*e^(2*b*x + 2*a)))/(b^3*(2*I*c + 2)))*b*(c - I) + 1/2*x^2*arccot((c - I)*coth(b*x + a) + c)

Fricas [C] time = 2.26993, size = 717, normalized size = 6.18

$$-2ib^3x^3 + 3ib^2x^2 \log\left(\frac{(c-i)e^{(2bx+2a)}}{ce^{(2bx+2a)}-i}\right) - 2ia^3 + 6ibx\text{Li}_2\left(\frac{1}{2}\sqrt{-4ice^{(bx+a)}}\right) + 6ibx\text{Li}_2\left(-\frac{1}{2}\sqrt{-4ice^{(bx+a)}}\right) + 3ia^2 \log\left(\frac{2ce^{(bx+a)}}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(c-(I-c)*coth(b*x+a)),x, algorithm="fricas")

```
[Out] 1/12*(-2*I*b^3*x^3 + 3*I*b^2*x^2*log((c - I)*e^(2*b*x + 2*a)/(c*e^(2*b*x + 2*a) - I)) - 2*I*a^3 + 6*I*b*x*dilog(1/2*sqrt(-4*I*c)*e^(b*x + a)) + 6*I*b*x*dilog(-1/2*sqrt(-4*I*c)*e^(b*x + a)) + 3*I*a^2*log(1/2*(2*c*e^(b*x + a) + I*sqrt(-4*I*c))/c) + 3*I*a^2*log(1/2*(2*c*e^(b*x + a) - I*sqrt(-4*I*c))/c) + (3*I*b^2*x^2 - 3*I*a^2)*log(1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) + (3*I*b^2*x^2 - 3*I*a^2)*log(-1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) - 6*I*polylog(3, 1/2*sqrt(-4*I*c)*e^(b*x + a)) - 6*I*polylog(3, -1/2*sqrt(-4*I*c)*e^(b*x + a)))/b^2
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*acot(c-(I-c)*coth(b*x+a)), x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{arccot}((c - i) \coth(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arccot(c-(I-c)*coth(b*x+a)), x, algorithm="giac")
```

```
[Out] integrate(x*arccot((c - I)*coth(b*x + a) + c), x)
```

3.215 $\int \cot^{-1}(c - (i - c) \coth(a + bx)) dx$

Optimal. Leaf size=82

$$\frac{i \operatorname{PolyLog}\left(2, -ice^{2a+2bx}\right)}{4b} + \frac{1}{2}ix \log\left(1 + ice^{2a+2bx}\right) + x \cot^{-1}(c - (-c + i) \coth(a + bx)) - \frac{1}{2}ibx^2$$

[Out] $(-I/2)*b*x^2 + x*ArcCot[c - (I - c)*Coth[a + b*x]] + (I/2)*x*Log[1 + I*c*E^{(2*a + 2*b*x)}] + ((I/4)*PolyLog[2, (-I)*c*E^{(2*a + 2*b*x)}])/b$

Rubi [A] time = 0.124294, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {5190, 2184, 2190, 2279, 2391}

$$\frac{i \operatorname{PolyLog}\left(2, -ice^{2a+2bx}\right)}{4b} + \frac{1}{2}ix \log\left(1 + ice^{2a+2bx}\right) + x \cot^{-1}(c - (-c + i) \coth(a + bx)) - \frac{1}{2}ibx^2$$

Antiderivative was successfully verified.

[In] $\text{Int}[ArcCot[c - (I - c)*Coth[a + b*x]], x]$

[Out] $(-I/2)*b*x^2 + x*ArcCot[c - (I - c)*Coth[a + b*x]] + (I/2)*x*Log[1 + I*c*E^{(2*a + 2*b*x)}] + ((I/4)*PolyLog[2, (-I)*c*E^{(2*a + 2*b*x)}])/b$

Rule 5190

$\text{Int}[ArcCot[(c_.) + Coth[(a_.) + (b_.)*(x_)]]*(d_.)], x_Symbol] \rightarrow \text{Simp}[x*ArcCot[c + d*Coth[a + b*x]], x] + \text{Dist}[b, \text{Int}[x/(c - d - c*E^{(2*a + 2*b*x)}), x], x] /;$ $\text{FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \text{EqQ}[(c - d)^2, -1]$

Rule 2184

$\text{Int}[(c_.) + (d_.)*(x_)^m]/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^n), x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{m+1}/(a*d*(m+1)), x] - \text{Dist}[b/a, \text{Int}[(c + d*x)^m*(F^{(g*(e + f*x))})^n]/(a + b*(F^{(g*(e + f*x))})^n), x], x] /;$ $\text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2190

$\text{Int}[(F_)^((g_.)*((e_.) + (f_.)*(x_))))^n*((c_.) + (d_.)*(x_)^m)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^n), x_Symbol] \rightarrow \text{Simp}[(c + d*x)^m*\text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a]/(b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{m-1}*\text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a], x], x] /;$ $\text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2279

$\text{Int}[\text{Log}[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^n)], x_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /;$ $\text{FreeQ}\{F, a, b, c, d, e, n\}, x\} \ \&\& \ \text{GtQ}[a, 0]$

Rule 2391

$\text{Int}[\text{Log}[(c_.)*((d_.) + (e_.)*(x_)^n)]/(x_), x_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /;$ $\text{FreeQ}\{c, d, e, n\}, x\} \ \&\& \ \text{EqQ}[c*d, 1]$

Rubi steps

$$\begin{aligned}
\int \cot^{-1}(c - (i - c) \coth(a + bx)) dx &= x \cot^{-1}(c - (i - c) \coth(a + bx)) + b \int \frac{x}{i - ce^{2a+2bx}} dx \\
&= -\frac{1}{2} ibx^2 + x \cot^{-1}(c - (i - c) \coth(a + bx)) - (ibc) \int \frac{e^{2a+2bx} x}{i - ce^{2a+2bx}} dx \\
&= -\frac{1}{2} ibx^2 + x \cot^{-1}(c - (i - c) \coth(a + bx)) + \frac{1}{2} ix \log(1 + ice^{2a+2bx}) - \frac{1}{2} i \int \log(1 + ice^{2a+2bx}) dx \\
&= -\frac{1}{2} ibx^2 + x \cot^{-1}(c - (i - c) \coth(a + bx)) + \frac{1}{2} ix \log(1 + ice^{2a+2bx}) - \frac{i \operatorname{Subst}\left(\int \log(1 + icu) du\right)}{2b} \\
&= -\frac{1}{2} ibx^2 + x \cot^{-1}(c - (i - c) \coth(a + bx)) + \frac{1}{2} ix \log(1 + ice^{2a+2bx}) + \frac{i \operatorname{Li}_2(-ice^{2a+2bx})}{4b}
\end{aligned}$$

Mathematica [A] time = 0.643599, size = 71, normalized size = 0.87

$$\frac{i \left(2bx \log\left(1 - \frac{ie^{-2(a+bx)}}{c}\right) - \operatorname{PolyLog}\left(2, \frac{ie^{-2(a+bx)}}{c}\right) \right)}{4b} + x \cot^{-1}(c + (c - i) \coth(a + bx))$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[c - (I - c)*Coth[a + b*x]], x]

[Out] x*ArcCot[c + (-I + c)*Coth[a + b*x]] + ((I/4)*(2*b*x*Log[1 - I/(c*E^(2*(a + b*x)))] - PolyLog[2, I/(c*E^(2*(a + b*x)))]))/b

Maple [B] time = 0.12, size = 1351, normalized size = 16.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c-(I-c)*coth(b*x+a)), x)

[Out]
$$\begin{aligned}
& -1/b/(c-I) \operatorname{arccot}((c-I) \coth(b*x+a) + c) / (2*I-2*c) * \ln((c-I) \coth(b*x+a) - c + I) + \\
& 1/4*I/b/(c-I)/(I-c) * \ln(-1/2*I*((c-I) \coth(b*x+a) + c + I)) * \ln((c-I) \coth(b*x+a) \\
& + c - I) - 1/4*I/b/(c-I)/(I-c) * \ln((c-I) \coth(b*x+a) - c + I) * \ln(1/2*((c-I) \coth(b*x+a) \\
& + c + I)/c) - 1/4*I/b/(c-I)/(I-c) * \operatorname{dilog}(((c-I) \coth(b*x+a) + c - I)/(-2*I+2*c)) * c^2 + \\
& 1/4*I/b/(c-I)/(I-c) * \ln((c-I) \coth(b*x+a) - c + I) * \ln(((c-I) \coth(b*x+a) + c - I)/ \\
& (-2*I+2*c)) - 1/4*I/b/(c-I)/(I-c) * \operatorname{dilog}(-1/2*I*((c-I) \coth(b*x+a) + c + I)) * c^2 + \\
& 1/8*I/b/(c-I)/(I-c) * \ln((c-I) \coth(b*x+a) + c - I)^2 * c^2 + 1/4*I/b/(c-I)/(I-c) * \operatorname{dilog} \\
& (1/2*((c-I) \coth(b*x+a) + c + I)/c) * c^2 - 1/b/(c-I) * \operatorname{arccot}((c-I) \coth(b*x+a) + c) / \\
& (2*I-2*c) * \ln((c-I) \coth(b*x+a) + c - I) * c^2 - 1/2/b/(c-I)/(I-c) * \ln(-1/2*I*((c-I) * \\
& \coth(b*x+a) + c + I)) * \ln((c-I) \coth(b*x+a) + c - I) * c + 1/2/b/(c-I)/(I-c) * \ln((c-I) * \coth \\
& (b*x+a) - c + I) * \ln(1/2*((c-I) \coth(b*x+a) + c + I)/c) * c - 1/2/b/(c-I)/(I-c) * \ln((c- \\
& I) \coth(b*x+a) - c + I) * \ln(((c-I) \coth(b*x+a) + c - I)/(-2*I+2*c)) * c + 1/b/(c-I) * \operatorname{arcc} \\
& \operatorname{ot}((c-I) \coth(b*x+a) + c) / (2*I-2*c) * \ln((c-I) \coth(b*x+a) - c + I) * c^2 - 1/4*I/b/(c- \\
& I)/(I-c) * \ln(-1/2*I*((c-I) \coth(b*x+a) + c + I)) * \ln((c-I) \coth(b*x+a) + c - I) * c^2 + \\
& 1/4*I/b/(c-I)/(I-c) * \ln((c-I) \coth(b*x+a) - c + I) * \ln(1/2*((c-I) \coth(b*x+a) + c + I) \\
& /c) * c^2 - 1/4*I/b/(c-I)/(I-c) * \ln((c-I) \coth(b*x+a) - c + I) * \ln(((c-I) \coth(b*x+a) \\
& + c - I)/(-2*I+2*c)) * c^2 - 2*I/b/(c-I) * \operatorname{arccot}((c-I) \coth(b*x+a) + c) / (2*I-2*c) * \ln(\\
& (c-I) \coth(b*x+a) - c + I) * c + 2*I/b/(c-I) * \operatorname{arccot}((c-I) \coth(b*x+a) + c) / (2*I-2*c) * \\
& \ln((c-I) \coth(b*x+a) + c - I) * c + 1/4/b/(c-I)/(I-c) * \ln((c-I) \coth(b*x+a) + c - I)^2 * c \\
& + 1/2/b/(c-I)/(I-c) * \operatorname{dilog}(1/2*((c-I) \coth(b*x+a) + c + I)/c) * c - 1/2/b/(c-I)/(I-c)
\end{aligned}$$

*dilog(((c-I)*coth(b*x+a)+c-I)/(-2*I+2*c))*c-1/2/b/(c-I)/(I-c)*dilog(-1/2*I*((c-I)*coth(b*x+a)+c+I))*c+1/b/(c-I)*arccot((c-I)*coth(b*x+a)+c)/(2*I-2*c)*ln((c-I)*coth(b*x+a)+c-I)-1/8*I/b/(c-I)/(I-c)*ln((c-I)*coth(b*x+a)+c-I)^2-1/4*I/b/(c-I)/(I-c)*dilog(1/2*((c-I)*coth(b*x+a)+c+I)/c)+1/4*I/b/(c-I)/(I-c)*dilog(((c-I)*coth(b*x+a)+c-I)/(-2*I+2*c))+1/4*I/b/(c-I)/(I-c)*dilog(-1/2*I*((c-I)*coth(b*x+a)+c+I))

Maxima [A] time = 5.90343, size = 108, normalized size = 1.32

$$2b(c-i) \left(\frac{2x^2}{2ic+2} - \frac{2bx \log(ice^{(2bx+2a)} + 1) + \text{Li}_2(-ice^{(2bx+2a)})}{-2b^2(-ic-1)} \right) + x \operatorname{arccot}((c-i) \coth(bx+a) + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c-(I-c)*coth(b*x+a)),x, algorithm="maxima")

[Out] 2*b*(c - I)*(2*x^2/(2*I*c + 2) - (2*b*x*log(I*c*e^(2*b*x + 2*a) + 1) + dilog(-I*c*e^(2*b*x + 2*a)))/(b^2*(2*I*c + 2))) + x*arccot((c - I)*coth(b*x + a) + c)

Fricas [B] time = 2.17169, size = 517, normalized size = 6.3

$$\frac{-ib^2x^2 + ibx \log\left(\frac{(c-i)e^{(2bx+2a)}}{ce^{(2bx+2a)}-i}\right) + ia^2 + (ibx + ia) \log\left(\frac{1}{2} \sqrt{-4ice^{(bx+a)} + 1}\right) + (ibx + ia) \log\left(-\frac{1}{2} \sqrt{-4ice^{(bx+a)} + 1}\right) - ia \log\left(\frac{1}{2} \sqrt{-4ice^{(bx+a)} + 1}\right) - ia \log\left(-\frac{1}{2} \sqrt{-4ice^{(bx+a)} + 1}\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c-(I-c)*coth(b*x+a)),x, algorithm="fricas")

[Out] 1/2*(-I*b^2*x^2 + I*b*x*log((c - I)*e^(2*b*x + 2*a)/(c*e^(2*b*x + 2*a) - I)) + I*a^2 + (I*b*x + I*a)*log(1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) + (I*b*x + I*a)*log(-1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) - I*a*log(1/2*(2*c*e^(b*x + a) + I*sqrt(-4*I*c))/c) - I*a*log(1/2*(2*c*e^(b*x + a) - I*sqrt(-4*I*c))/c) + I*dilog(1/2*sqrt(-4*I*c)*e^(b*x + a)) + I*dilog(-1/2*sqrt(-4*I*c)*e^(b*x + a)))/b

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-b(c^6 - 6ic^5 - 15c^4 + 20ic^3 + 15c^2 - 6ic - 1) \int \frac{x}{c^7 e^{2a} e^{2bx} - 6ic^6 e^{2a} e^{2bx} - ic^6 - 15c^5 e^{2a} e^{2bx} - 6c^5 + 20ic^4 e^{2a} e^{2bx} + 15ic^4 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c-(I-c)*coth(b*x+a)),x)

[Out] -b*(c**6 - 6*I*c**5 - 15*c**4 + 20*I*c**3 + 15*c**2 - 6*I*c - 1)*Integral(x/(c**7*exp(2*a)*exp(2*b*x) - 6*I*c**6*exp(2*a)*exp(2*b*x) - I*c**6 - 15*c**5*exp(2*a)*exp(2*b*x) - 6*c**5 + 20*I*c**4*exp(2*a)*exp(2*b*x) + 15*I*c**4 + 15*c**3*exp(2*a)*exp(2*b*x) + 20*c**3 - 6*I*c**2*exp(2*a)*exp(2*b*x) - 15

```
*I*c**2 - c*exp(2*a)*exp(2*b*x) - 6*c + I), x) + I*x*log(1 - I/(c + c/(exp(
2*a)*exp(2*b*x) - 1) + c*exp(a)*exp(b*x)/(exp(a)*exp(b*x) - exp(-a)*exp(-b*
x)) - I/(exp(2*a)*exp(2*b*x) - 1) - I*exp(a)*exp(b*x)/(exp(a)*exp(b*x) - ex
p(-a)*exp(-b*x))))/2 - (I*c*x + x)*log(1 + I/(c + c/(exp(2*a)*exp(2*b*x) -
1) + c*exp(a)*exp(b*x)/(exp(a)*exp(b*x) - exp(-a)*exp(-b*x)) - I/(exp(2*a)*
exp(2*b*x) - 1) - I*exp(a)*exp(b*x)/(exp(a)*exp(b*x) - exp(-a)*exp(-b*x))))
/(2*c - 2*I)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{arccot}((c - i) \coth(bx + a) + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(arccot(c-(I-c)*coth(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(arccot((c - I)*coth(b*x + a) + c), x)
```

$$3.216 \quad \int \frac{\cot^{-1}(c-(i-c)\coth(a+bx))}{x} dx$$

Optimal. Leaf size=24

$$\text{CannotIntegrate}\left(\frac{\cot^{-1}(c-(-c+i)\coth(a+bx))}{x}, x\right)$$

[Out] CannotIntegrate[ArcCot[c - (I - c)*Coth[a + b*x]]/x, x]

Rubi [A] time = 0.108297, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cot^{-1}(c-(i-c)\coth(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Int[ArcCot[c - (I - c)*Coth[a + b*x]]/x,x]

[Out] Defer[Int][ArcCot[c - (I - c)*Coth[a + b*x]]/x, x]

Rubi steps

$$\int \frac{\cot^{-1}(c-(i-c)\coth(a+bx))}{x} dx = \int \frac{\cot^{-1}(c-(i-c)\coth(a+bx))}{x} dx$$

Mathematica [A] time = 3.08878, size = 0, normalized size = 0.

$$\int \frac{\cot^{-1}(c-(i-c)\coth(a+bx))}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[ArcCot[c - (I - c)*Coth[a + b*x]]/x,x]

[Out] Integrate[ArcCot[c - (I - c)*Coth[a + b*x]]/x, x]

Maple [A] time = 0.424, size = 0, normalized size = 0.

$$\int \frac{\operatorname{arccot}(c-(i-c)\coth(bx+a))}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(c-(I-c)*coth(b*x+a))/x,x)

[Out] int(arccot(c-(I-c)*coth(b*x+a))/x,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$ibx - \frac{1}{4}(-4ia + 2 \arctan(1, -c) - i \log(c^2 + 1)) \log(x) + \frac{1}{2} \int \frac{\arctan(1, -ce^{(2bx+2a)})}{x} dx - \frac{1}{4}i \int \frac{\log(c^2 e^{(4bx+4a)} + 1)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c-(I-c)*coth(b*x+a))/x,x, algorithm="maxima")

[Out] I*b*x - 1/4*(-4*I*a + 2*arctan2(1, -c) - I*log(c^2 + 1))*log(x) + 1/2*integrate(arctan2(1, -c*e^(2*b*x + 2*a))/x, x) - 1/4*I*integrate(log(c^2*e^(4*b*x + 4*a) + 1)/x, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{i \log \left(\frac{(c-i)e^{(2bx+2a)}}{ce^{(2bx+2a)}-i} \right)}{2x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c-(I-c)*coth(b*x+a))/x,x, algorithm="fricas")

[Out] integral(1/2*I*log((c - I)*e^(2*b*x + 2*a)/(c*e^(2*b*x + 2*a) - I))/x, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(c-(I-c)*coth(b*x+a))/x,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\text{arccot}((c-i) \coth(bx+a) + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(c-(I-c)*coth(b*x+a))/x,x, algorithm="giac")

[Out] integrate(arccot((c - I)*coth(b*x + a) + c)/x, x)

$$3.217 \quad \int \frac{(a+b \cot^{-1}(cx^n))(d+e \log(fx^m))}{x} dx$$

Optimal. Leaf size=187

$$-\frac{ibdPolyLog\left(2, -\frac{ix^{-n}}{c}\right)}{2n} + \frac{ibdPolyLog\left(2, \frac{ix^{-n}}{c}\right)}{2n} - \frac{ibe \log(fx^m) PolyLog\left(2, -\frac{ix^{-n}}{c}\right)}{2n} + \frac{ibe \log(fx^m) PolyLog\left(2, \frac{ix^{-n}}{c}\right)}{2n}$$

[Out] a*d*Log[x] + (a*e*Log[f*x^m]^2)/(2*m) - ((I/2)*b*d*PolyLog[2, (-I)/(c*x^n)]/n - ((I/2)*b*e*Log[f*x^m]*PolyLog[2, (-I)/(c*x^n)])/n + ((I/2)*b*d*PolyLog[2, I/(c*x^n)])/n + ((I/2)*b*e*Log[f*x^m]*PolyLog[2, I/(c*x^n)])/n - ((I/2)*b*e*m*PolyLog[3, (-I)/(c*x^n)]/n^2 + ((I/2)*b*e*m*PolyLog[3, I/(c*x^n)]/n^2

Rubi [A] time = 0.607913, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 9, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {2301, 6742, 5032, 4849, 2391, 5008, 5006, 2374, 6589}

$$-\frac{ibdPolyLog\left(2, -\frac{ix^{-n}}{c}\right)}{2n} + \frac{ibdPolyLog\left(2, \frac{ix^{-n}}{c}\right)}{2n} - \frac{ibe \log(fx^m) PolyLog\left(2, -\frac{ix^{-n}}{c}\right)}{2n} + \frac{ibe \log(fx^m) PolyLog\left(2, \frac{ix^{-n}}{c}\right)}{2n}$$

Antiderivative was successfully verified.

[In] Int[((a + b*ArcCot[c*x^n])*(d + e*Log[f*x^m]))/x, x]

[Out] a*d*Log[x] + (a*e*Log[f*x^m]^2)/(2*m) - ((I/2)*b*d*PolyLog[2, (-I)/(c*x^n)]/n - ((I/2)*b*e*Log[f*x^m]*PolyLog[2, (-I)/(c*x^n)])/n + ((I/2)*b*d*PolyLog[2, I/(c*x^n)])/n + ((I/2)*b*e*Log[f*x^m]*PolyLog[2, I/(c*x^n)])/n - ((I/2)*b*e*m*PolyLog[3, (-I)/(c*x^n)]/n^2 + ((I/2)*b*e*m*PolyLog[3, I/(c*x^n)]/n^2

Rule 2301

Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/(x_), x_Symbol] := Simp[(a + b*Log[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rule 5032

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] := Dist[1/n, Subst[Int[(a + b*ArcCot[c*x])^p/x, x], x, x^n], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[p, 0]

Rule 4849

Int[((a_.) + ArcCot[(c_.)*(x_)^(n_.)]*(b_.))/(x_), x_Symbol] := Simp[a*Log[x], x] + (Dist[(I*b)/2, Int[Log[1 - I/(c*x)]/x, x], x] - Dist[(I*b)/2, Int[Log[1 + I/(c*x)]/x, x], x]) /; FreeQ[{a, b, c}, x]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 5008

Int[(Log[(d_.)*(x_)^(m_.)]*(ArcCot[(c_.)*(x_)^(n_.)]*(b_.) + (a_.))]/(x_), x_Symbol] := Dist[a, Int[Log[d*x^m]/x, x], x] + Dist[b, Int[(Log[d*x^m]*ArcCot[c*x^n])/x, x], x] /; FreeQ[{a, b, c, d, m, n}, x]

Rule 5006

Int[(ArcCot[(c_.)*(x_)^(n_.)]*Log[(d_.)*(x_)^(m_.))]/(x_), x_Symbol] := Dist[I/2, Int[(Log[d*x^m]*Log[1 - I/(c*x^n)])/x, x], x] - Dist[I/2, Int[(Log[d*x^m]*Log[1 + I/(c*x^n)])/x, x], x] /; FreeQ[{c, d, m, n}, x]

Rule 2374

Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)]/(x_), x_Symbol] := -Simp[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x^n])^p)/m, x] + Dist[(b*n*p)/m, Int[(PolyLog[2, -(d*f*x^m)]*(a + b*Log[c*x^n])^(p - 1))/x, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d*e, 1]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.))]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \cot^{-1}(cx^n))(d + e \log(fx^m))}{x} dx &= \int \left(\frac{d(a + b \cot^{-1}(cx^n))}{x} + \frac{e(a + b \cot^{-1}(cx^n)) \log(fx^m)}{x} \right) dx \\
 &= d \int \frac{a + b \cot^{-1}(cx^n)}{x} dx + e \int \frac{(a + b \cot^{-1}(cx^n)) \log(fx^m)}{x} dx \\
 &= (ae) \int \frac{\log(fx^m)}{x} dx + (be) \int \frac{\cot^{-1}(cx^n) \log(fx^m)}{x} dx + \frac{d \operatorname{Subst}\left(\int \frac{a+}{x} dx\right)}{e} \\
 &= ad \log(x) + \frac{ae \log^2(fx^m)}{2m} + \frac{1}{2}(ibe) \int \frac{\log(fx^m) \log\left(1 - \frac{ix^{-n}}{c}\right)}{x} dx - \frac{1}{2}(ibe) \int \frac{\log(fx^m) \log\left(1 + \frac{ix^{-n}}{c}\right)}{x} dx \\
 &= ad \log(x) + \frac{ae \log^2(fx^m)}{2m} - \frac{ibd \operatorname{Li}_2\left(-\frac{ix^{-n}}{c}\right)}{2n} - \frac{ibe \log(fx^m) \operatorname{Li}_2\left(-\frac{ix^{-n}}{c}\right)}{2n} \\
 &= ad \log(x) + \frac{ae \log^2(fx^m)}{2m} - \frac{ibd \operatorname{Li}_2\left(-\frac{ix^{-n}}{c}\right)}{2n} - \frac{ibe \log(fx^m) \operatorname{Li}_2\left(-\frac{ix^{-n}}{c}\right)}{2n}
 \end{aligned}$$

Mathematica [C] time = 0.335828, size = 132, normalized size = 0.71

$$\frac{bcx^n (d + e \log(fx^m)) \operatorname{HypergeometricPFQ}\left(\left\{\frac{1}{2}, \frac{1}{2}, 1\right\}, \left\{\frac{3}{2}, \frac{3}{2}\right\}, -c^2 x^{2n}\right)}{n} + \frac{bcemx^n \operatorname{HypergeometricPFQ}\left(\left\{\frac{1}{2}, \frac{1}{2}\right\}, \left\{\frac{3}{2}, \frac{3}{2}\right\}, -c^2 x^{2n}\right)}{n^2}$$

Antiderivative was successfully verified.

$b*c*e*n*x^n*\log(x)*\log(x^m) - 2*(b*c*e*\log(f) + b*c*d)*n*x^n*\log(x))/(c^2*x*x^(2*n) + x), x)$

Fricas [C] time = 2.40855, size = 711, normalized size = 3.8

$2 a e m n^2 \log(x)^2 - 2 i b e m \operatorname{polylog}(3, i c x^n) + 2 i b e m \operatorname{polylog}(3, -i c x^n) + 2 (b e m n^2 \log(x)^2 + 2 (b e n^2 \log(f) + b d n^2) l$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(c*x^n))*(d+e*log(f*x^m))/x,x, algorithm="fricas")

[Out] $\frac{1}{4}*(2*a*e*m*n^2*\log(x)^2 - 2*I*b*e*m*\operatorname{polylog}(3, I*c*x^n) + 2*I*b*e*m*\operatorname{polylog}(3, -I*c*x^n) + 2*(b*e*m*n^2*\log(x)^2 + 2*(b*e*n^2*\log(f) + b*d*n^2)*\log(x))*\operatorname{arccot}(c*x^n) + (2*I*b*e*m*n*\log(x) + 2*I*b*e*n*\log(f) + 2*I*b*d*n)*\operatorname{dilog}(I*c*x^n) + (-2*I*b*e*m*n*\log(x) - 2*I*b*e*n*\log(f) - 2*I*b*d*n)*\operatorname{dilog}(-I*c*x^n) + (-I*b*e*m*n^2*\log(x)^2 + (-2*I*b*e*n^2*\log(f) - 2*I*b*d*n^2)*\log(x))*\log(I*c*x^n + 1) + (I*b*e*m*n^2*\log(x)^2 + (2*I*b*e*n^2*\log(f) + 2*I*b*d*n^2)*\log(x))*\log(-I*c*x^n + 1) + 4*(a*e*n^2*\log(f) + a*d*n^2)*\log(x))/n^2$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*acot(c*x**n))*(d+e*ln(f*x**m))/x,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \operatorname{arccot}(c x^n) + a)(e \log(f x^m) + d)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*arccot(c*x^n))*(d+e*log(f*x^m))/x,x, algorithm="giac")

[Out] integrate((b*arccot(c*x^n) + a)*(e*log(f*x^m) + d)/x, x)

3.218 $\int \cot^{-1}(e^x) dx$

Optimal. Leaf size=35

$$\frac{1}{2}i\text{PolyLog}(2, ie^{-x}) - \frac{1}{2}i\text{PolyLog}(2, -ie^{-x})$$

[Out] $(-I/2)*\text{PolyLog}[2, (-I)/E^x] + (I/2)*\text{PolyLog}[2, I/E^x]$

Rubi [A] time = 0.0284399, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.75$, Rules used = {2282, 4849, 2391}

$$\frac{1}{2}i\text{PolyLog}(2, ie^{-x}) - \frac{1}{2}i\text{PolyLog}(2, -ie^{-x})$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{ArcCot}[E^x], x]$

[Out] $(-I/2)*\text{PolyLog}[2, (-I)/E^x] + (I/2)*\text{PolyLog}[2, I/E^x]$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 4849

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)/(x_), x_Symbol] := Simp[a*Log[x], x] + (Dist[(I*b)/2, Int[Log[1 - I/(c*x)]/x, x], x] - Dist[(I*b)/2, Int[Log[1 + I/(c*x)]/x, x], x]) /; FreeQ[{a, b, c}, x]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \cot^{-1}(e^x) dx &= \text{Subst}\left(\int \frac{\cot^{-1}(x)}{x} dx, x, e^x\right) \\ &= \frac{1}{2}i \text{Subst}\left(\int \frac{\log\left(1 - \frac{i}{x}\right)}{x} dx, x, e^x\right) - \frac{1}{2}i \text{Subst}\left(\int \frac{\log\left(1 + \frac{i}{x}\right)}{x} dx, x, e^x\right) \\ &= -\frac{1}{2}i\text{Li}_2(-ie^{-x}) + \frac{1}{2}i\text{Li}_2(ie^{-x}) \end{aligned}$$

Mathematica [A] time = 0.0334939, size = 59, normalized size = 1.69

$$x \cot^{-1}(e^x) + \frac{1}{2}i(-\text{PolyLog}(2, -ie^x) + \text{PolyLog}(2, ie^x) + x(\log(1 - ie^x) - \log(1 + ie^x)))$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[E^x],x]

[Out] x*ArcCot[E^x] + (I/2)*(x*(Log[1 - I*E^x] - Log[1 + I*E^x]) - PolyLog[2, (-I)*E^x] + PolyLog[2, I*E^x])

Maple [B] time = 0.033, size = 59, normalized size = 1.7

$$\ln(e^x) \operatorname{arccot}(e^x) - \frac{i}{2} \ln(e^x) \ln(1 + ie^x) + \frac{i}{2} \ln(e^x) \ln(1 - ie^x) - \frac{i}{2} \operatorname{dilog}(1 + ie^x) + \frac{i}{2} \operatorname{dilog}(1 - ie^x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(exp(x)),x)

[Out] ln(exp(x))*arccot(exp(x))-1/2*I*ln(exp(x))*ln(1+I*exp(x))+1/2*I*ln(exp(x))*ln(1-I*exp(x))-1/2*I*dilog(1+I*exp(x))+1/2*I*dilog(1-I*exp(x))

Maxima [A] time = 1.61049, size = 46, normalized size = 1.31

$$x \operatorname{arccot}(e^x) + \frac{1}{4} \pi \log(e^{2x} + 1) + \frac{1}{2} i \operatorname{Li}_2(ie^x + 1) - \frac{1}{2} i \operatorname{Li}_2(-ie^x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(exp(x)),x, algorithm="maxima")

[Out] x*arccot(e^x) + 1/4*pi*log(e^(2*x) + 1) + 1/2*I*dilog(I*e^x + 1) - 1/2*I*dilog(-I*e^x + 1)

Fricas [B] time = 2.15755, size = 147, normalized size = 4.2

$$x \operatorname{arccot}(e^x) - \frac{1}{2} i x \log(ie^x + 1) + \frac{1}{2} i x \log(-ie^x + 1) + \frac{1}{2} i \operatorname{Li}_2(ie^x) - \frac{1}{2} i \operatorname{Li}_2(-ie^x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(exp(x)),x, algorithm="fricas")

[Out] x*arccot(e^x) - 1/2*I*x*log(I*e^x + 1) + 1/2*I*x*log(-I*e^x + 1) + 1/2*I*dilog(I*e^x) - 1/2*I*dilog(-I*e^x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{acot}(e^x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(exp(x)),x)

[Out] Integral(acot(exp(x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{arccot}(e^x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(exp(x)),x, algorithm="giac")

[Out] integrate(arccot(e^x), x)

3.219 $\int x \cot^{-1}(e^x) dx$

Optimal. Leaf size=71

$$-\frac{1}{2}ix\text{PolyLog}(2, -ie^{-x}) + \frac{1}{2}ix\text{PolyLog}(2, ie^{-x}) - \frac{1}{2}i\text{PolyLog}(3, -ie^{-x}) + \frac{1}{2}i\text{PolyLog}(3, ie^{-x})$$

[Out] $(-I/2)*x*\text{PolyLog}[2, (-I)/E^x] + (I/2)*x*\text{PolyLog}[2, I/E^x] - (I/2)*\text{PolyLog}[3, (-I)/E^x] + (I/2)*\text{PolyLog}[3, I/E^x]$

Rubi [A] time = 0.0465794, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {5144, 2531, 2282, 6589}

$$-\frac{1}{2}ix\text{PolyLog}(2, -ie^{-x}) + \frac{1}{2}ix\text{PolyLog}(2, ie^{-x}) - \frac{1}{2}i\text{PolyLog}(3, -ie^{-x}) + \frac{1}{2}i\text{PolyLog}(3, ie^{-x})$$

Antiderivative was successfully verified.

[In] Int[x*ArcCot[E^x], x]

[Out] $(-I/2)*x*\text{PolyLog}[2, (-I)/E^x] + (I/2)*x*\text{PolyLog}[2, I/E^x] - (I/2)*\text{PolyLog}[3, (-I)/E^x] + (I/2)*\text{PolyLog}[3, I/E^x]$

Rule 5144

Int[ArcCot[(a_.) + (b_.)*(f_)^(c_.) + (d_.)*(x_)]]*(x_)^(m_.), x_Symbol] :> Dist[I/2, Int[x^m*Log[1 - I/(a + b*f^(c + d*x))], x], x] - Dist[I/2, Int[x^m*Log[1 + I/(a + b*f^(c + d*x))], x], x] /; FreeQ[{a, b, c, d, f}, x] && IntegerQ[m] && m > 0

Rule 2531

Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_)^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m-1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
\int x \cot^{-1}(e^x) dx &= \frac{1}{2}i \int x \log(1 - ie^{-x}) dx - \frac{1}{2}i \int x \log(1 + ie^{-x}) dx \\
&= -\frac{1}{2}ix \operatorname{Li}_2(-ie^{-x}) + \frac{1}{2}ix \operatorname{Li}_2(ie^{-x}) + \frac{1}{2}i \int \operatorname{Li}_2(-ie^{-x}) dx - \frac{1}{2}i \int \operatorname{Li}_2(ie^{-x}) dx \\
&= -\frac{1}{2}ix \operatorname{Li}_2(-ie^{-x}) + \frac{1}{2}ix \operatorname{Li}_2(ie^{-x}) - \frac{1}{2}i \operatorname{Subst}\left(\int \frac{\operatorname{Li}_2(-ix)}{x} dx, x, e^{-x}\right) + \frac{1}{2}i \operatorname{Subst}\left(\int \frac{\operatorname{Li}_2(ix)}{x} dx, x, e^{-x}\right) \\
&= -\frac{1}{2}ix \operatorname{Li}_2(-ie^{-x}) + \frac{1}{2}ix \operatorname{Li}_2(ie^{-x}) - \frac{1}{2}i \operatorname{Li}_3(-ie^{-x}) + \frac{1}{2}i \operatorname{Li}_3(ie^{-x})
\end{aligned}$$

Mathematica [A] time = 0.0104373, size = 58, normalized size = 0.82

$$-\frac{1}{2}i \left(x \operatorname{PolyLog}(2, -ie^{-x}) - x \operatorname{PolyLog}(2, ie^{-x}) + \operatorname{PolyLog}(3, -ie^{-x}) - \operatorname{PolyLog}(3, ie^{-x}) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcCot[E^x], x]

[Out] (-I/2)*(x*PolyLog[2, (-I)/E^x] - x*PolyLog[2, I/E^x] + PolyLog[3, (-I)/E^x] - PolyLog[3, I/E^x])

Maple [A] time = 0.185, size = 50, normalized size = 0.7

$$\frac{\pi x^2}{4} + \frac{i}{2} \operatorname{polylog}(2, ie^x) x - \frac{i}{2} \operatorname{polylog}(3, ie^x) - \frac{i}{2} x \operatorname{polylog}(2, -ie^x) + \frac{i}{2} \operatorname{polylog}(3, -ie^x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccot(exp(x)), x)

[Out] 1/4*Pi*x^2+1/2*I*polylog(2,I*exp(x))*x-1/2*I*polylog(3,I*exp(x))-1/2*I*polylog(2,-I*exp(x))*x+1/2*I*polylog(3,-I*exp(x))

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} x^2 \arctan(e^{-x}) + \int \frac{x^2 e^x}{2(e^{2x} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(exp(x)), x, algorithm="maxima")

[Out] 1/2*x^2*arctan(e^(-x)) + integrate(1/2*x^2*e^x/(e^(2*x) + 1), x)

Fricas [C] time = 2.19322, size = 238, normalized size = 3.35

$$\frac{1}{2} x^2 \operatorname{arccot}(e^x) - \frac{1}{4} i x^2 \log(ie^x + 1) + \frac{1}{4} i x^2 \log(-ie^x + 1) + \frac{1}{2} i x \operatorname{Li}_2(ie^x) - \frac{1}{2} i x \operatorname{Li}_2(-ie^x) - \frac{1}{2} i \operatorname{polylog}(3, ie^x) + \frac{1}{2} i \operatorname{polylog}(3, -ie^x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arccot(exp(x)),x, algorithm="fricas")
```

```
[Out] 1/2*x^2*arccot(e^x) - 1/4*I*x^2*log(I*e^x + 1) + 1/4*I*x^2*log(-I*e^x + 1)
+ 1/2*I*x*dilog(I*e^x) - 1/2*I*x*dilog(-I*e^x) - 1/2*I*polylog(3, I*e^x) +
1/2*I*polylog(3, -I*e^x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{acot}(e^x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*acot(exp(x)),x)
```

```
[Out] Integral(x*acot(exp(x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{arccot}(e^x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*arccot(exp(x)),x, algorithm="giac")
```

```
[Out] integrate(x*arccot(e^x), x)
```

3.220 $\int x^2 \cot^{-1}(e^x) dx$

Optimal. Leaf size=103

$$-\frac{1}{2}ix^2\text{PolyLog}(2, -ie^{-x}) + \frac{1}{2}ix^2\text{PolyLog}(2, ie^{-x}) - ix\text{PolyLog}(3, -ie^{-x}) + ix\text{PolyLog}(3, ie^{-x}) - i\text{PolyLog}(4, -ie^{-x}) +$$

```
[Out] (-I/2)*x^2*PolyLog[2, (-I)/E^x] + (I/2)*x^2*PolyLog[2, I/E^x] - I*x*PolyLog
[3, (-I)/E^x] + I*x*PolyLog[3, I/E^x] - I*PolyLog[4, (-I)/E^x] + I*PolyLog[
4, I/E^x]
```

Rubi [A] time = 0.0700694, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {5144, 2531, 6609, 2282, 6589}

$$-\frac{1}{2}ix^2\text{PolyLog}(2, -ie^{-x}) + \frac{1}{2}ix^2\text{PolyLog}(2, ie^{-x}) - ix\text{PolyLog}(3, -ie^{-x}) + ix\text{PolyLog}(3, ie^{-x}) - i\text{PolyLog}(4, -ie^{-x}) +$$

Antiderivative was successfully verified.

```
[In] Int[x^2*ArcCot[E^x], x]
```

```
[Out] (-I/2)*x^2*PolyLog[2, (-I)/E^x] + (I/2)*x^2*PolyLog[2, I/E^x] - I*x*PolyLog
[3, (-I)/E^x] + I*x*PolyLog[3, I/E^x] - I*PolyLog[4, (-I)/E^x] + I*PolyLog[
4, I/E^x]
```

Rule 5144

```
Int[ArcCot[(a_.) + (b_.)*(f_)^((c_.) + (d_.)*(x_))]*(x_)^(m_.), x_Symbol] :
> Dist[I/2, Int[x^m*Log[1 - I/(a + b*f^(c + d*x))], x], x] - Dist[I/2, Int[
x^m*Log[1 + I/(a + b*f^(c + d*x))], x], x] /; FreeQ[{a, b, c, d, f}, x] &&
IntegerQ[m] && m > 0
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)
*(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```


Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int x^2 \cot^{-1}(e^x) dx &= \frac{1}{2}i \int x^2 \log(1 - ie^{-x}) dx - \frac{1}{2}i \int x^2 \log(1 + ie^{-x}) dx \\ &= -\frac{1}{2}ix^2\text{Li}_2(-ie^{-x}) + \frac{1}{2}ix^2\text{Li}_2(ie^{-x}) + i \int x\text{Li}_2(-ie^{-x}) dx - i \int x\text{Li}_2(ie^{-x}) dx \\ &= -\frac{1}{2}ix^2\text{Li}_2(-ie^{-x}) + \frac{1}{2}ix^2\text{Li}_2(ie^{-x}) - ix\text{Li}_3(-ie^{-x}) + ix\text{Li}_3(ie^{-x}) + i \int \text{Li}_3(-ie^{-x}) dx - i \int \text{Li}_3(ie^{-x}) dx \\ &= -\frac{1}{2}ix^2\text{Li}_2(-ie^{-x}) + \frac{1}{2}ix^2\text{Li}_2(ie^{-x}) - ix\text{Li}_3(-ie^{-x}) + ix\text{Li}_3(ie^{-x}) - i \text{Subst}\left(\int \frac{\text{Li}_3(-ix)}{x} dx, x, e^{-x}\right) \\ &= -\frac{1}{2}ix^2\text{Li}_2(-ie^{-x}) + \frac{1}{2}ix^2\text{Li}_2(ie^{-x}) - ix\text{Li}_3(-ie^{-x}) + ix\text{Li}_3(ie^{-x}) - i\text{Li}_4(-ie^{-x}) + i\text{Li}_4(ie^{-x}) \end{aligned}$$

Mathematica [A] time = 0.0082515, size = 103, normalized size = 1.

$$-\frac{1}{2}ix^2\text{PolyLog}(2, -ie^{-x}) + \frac{1}{2}ix^2\text{PolyLog}(2, ie^{-x}) - ix\text{PolyLog}(3, -ie^{-x}) + ix\text{PolyLog}(3, ie^{-x}) - i\text{PolyLog}(4, -ie^{-x}) + i\text{PolyLog}(4, ie^{-x})$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*ArcCot[E^x], x]
```

```
[Out] (-I/2)*x^2*PolyLog[2, (-I)/E^x] + (I/2)*x^2*PolyLog[2, I/E^x] - I*x*PolyLog[3, (-I)/E^x] + I*x*PolyLog[3, I/E^x] - I*PolyLog[4, (-I)/E^x] + I*PolyLog[4, I/E^x]
```

Maple [A] time = 0.154, size = 76, normalized size = 0.7

$$\frac{\pi x^3}{6} + \frac{i}{2}\text{polylog}(2, ie^x)x^2 - ix\text{polylog}(3, ie^x) + ipolylog(4, ie^x) - \frac{i}{2}x^2\text{polylog}(2, -ie^x) + ipolylog(3, -ie^x)x - ipolylog(4, -ie^x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*arccot(exp(x)), x)
```

```
[Out] 1/6*Pi*x^3+1/2*I*polylog(2, I*exp(x))*x^2-I*x*polylog(3, I*exp(x))+I*polylog(4, I*exp(x))-1/2*I*polylog(2, -I*exp(x))*x^2+I*polylog(3, -I*exp(x))*x-I*polylog(4, -I*exp(x))
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{3}x^3 \arctan(e^{-x}) + \int \frac{x^3 e^x}{3(e^{2x} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(exp(x)),x, algorithm="maxima")

[Out] 1/3*x^3*arctan(e^(-x)) + integrate(1/3*x^3*e^x/(e^(2*x) + 1), x)

Fricas [C] time = 2.2362, size = 298, normalized size = 2.89

$$\frac{1}{3}x^3 \operatorname{arccot}(e^x) - \frac{1}{6}ix^3 \log(ie^x + 1) + \frac{1}{6}ix^3 \log(-ie^x + 1) + \frac{1}{2}ix^2 \operatorname{Li}_2(ie^x) - \frac{1}{2}ix^2 \operatorname{Li}_2(-ie^x) - ix \operatorname{polylog}(3, ie^x) + ix \operatorname{polylog}(3, -ie^x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(exp(x)),x, algorithm="fricas")

[Out] 1/3*x^3*arccot(e^x) - 1/6*I*x^3*log(I*e^x + 1) + 1/6*I*x^3*log(-I*e^x + 1) + 1/2*I*x^2*dilog(I*e^x) - 1/2*I*x^2*dilog(-I*e^x) - I*x*polylog(3, I*e^x) + I*x*polylog(3, -I*e^x) + I*polylog(4, I*e^x) - I*polylog(4, -I*e^x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{acot}(e^x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(exp(x)),x)

[Out] Integral(x**2*acot(exp(x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{arccot}(e^x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(exp(x)),x, algorithm="giac")

[Out] integrate(x^2*arccot(e^x), x)

3.221 $\int \cot^{-1}(e^{a+bx}) dx$

Optimal. Leaf size=51

$$\frac{i\text{PolyLog}\left(2, ie^{-a-bx}\right)}{2b} - \frac{i\text{PolyLog}\left(2, -ie^{-a-bx}\right)}{2b}$$

[Out] $((-I/2)*\text{PolyLog}[2, (-I)*E^{(-a - b*x)}])/b + ((I/2)*\text{PolyLog}[2, I*E^{(-a - b*x)}])/b$

Rubi [A] time = 0.0302839, antiderivative size = 51, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {2282, 4849, 2391}

$$\frac{i\text{PolyLog}\left(2, ie^{-a-bx}\right)}{2b} - \frac{i\text{PolyLog}\left(2, -ie^{-a-bx}\right)}{2b}$$

Antiderivative was successfully verified.

[In] Int[ArcCot[E^(a + b*x)], x]

[Out] $((-I/2)*\text{PolyLog}[2, (-I)*E^{(-a - b*x)}])/b + ((I/2)*\text{PolyLog}[2, I*E^{(-a - b*x)}])/b$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 4849

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))/(x_), x_Symbol] := Simp[a*Log[x], x] + (Dist[(I*b)/2, Int[Log[1 - I/(c*x)]/x, x], x] - Dist[(I*b)/2, Int[Log[1 + I/(c*x)]/x, x], x]) /; FreeQ[{a, b, c}, x]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \cot^{-1}(e^{a+bx}) dx &= \frac{\text{Subst}\left(\int \frac{\cot^{-1}(x)}{x} dx, x, e^{a+bx}\right)}{b} \\ &= \frac{i \text{Subst}\left(\int \frac{\log\left(1-\frac{i}{x}\right)}{x} dx, x, e^{a+bx}\right)}{2b} - \frac{i \text{Subst}\left(\int \frac{\log\left(1+\frac{i}{x}\right)}{x} dx, x, e^{a+bx}\right)}{2b} \\ &= -\frac{i\text{Li}_2(-ie^{-a-bx})}{2b} + \frac{i\text{Li}_2(ie^{-a-bx})}{2b} \end{aligned}$$

Mathematica [A] time = 0.0790361, size = 83, normalized size = 1.63

$$x \cot^{-1}(e^{a+bx}) + \frac{i(-\text{PolyLog}(2, -ie^{a+bx}) + \text{PolyLog}(2, ie^{a+bx}) + bx(\log(1 - ie^{a+bx}) - \log(1 + ie^{a+bx})))}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[E^(a + b*x)], x]

[Out] x*ArcCot[E^(a + b*x)] + ((I/2)*(b*x*(Log[1 - I*E^(a + b*x)] - Log[1 + I*E^(a + b*x)]) - PolyLog[2, (-I)*E^(a + b*x)] + PolyLog[2, I*E^(a + b*x)]))/b

Maple [B] time = 0.058, size = 106, normalized size = 2.1

$$\frac{\ln(e^{bx+a}) \operatorname{arccot}(e^{bx+a})}{b} - \frac{\frac{i}{2} \ln(e^{bx+a}) \ln(1 + ie^{bx+a})}{b} + \frac{\frac{i}{2} \ln(e^{bx+a}) \ln(1 - ie^{bx+a})}{b} - \frac{\frac{i}{2} \operatorname{dilog}(1 + ie^{bx+a})}{b} + \frac{\frac{i}{2} \operatorname{dilog}(1 - ie^{bx+a})}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(exp(b*x+a)), x)

[Out] 1/b*ln(exp(b*x+a))*arccot(exp(b*x+a))-1/2*I/b*ln(exp(b*x+a))*ln(1+I*exp(b*x+a))+1/2*I/b*ln(exp(b*x+a))*ln(1-I*exp(b*x+a))-1/2*I/b*dilog(1+I*exp(b*x+a))+1/2*I/b*dilog(1-I*exp(b*x+a))

Maxima [A] time = 1.63464, size = 85, normalized size = 1.67

$$\frac{(bx + a) \operatorname{arccot}(e^{(bx+a)})}{b} + \frac{\pi \log(e^{(2bx+2a)} + 1) + 2i \operatorname{Li}_2(ie^{(bx+a)} + 1) - 2i \operatorname{Li}_2(-ie^{(bx+a)} + 1)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(exp(b*x+a)), x, algorithm="maxima")

[Out] (b*x + a)*arccot(e^(b*x + a))/b + 1/4*(pi*log(e^(2*b*x + 2*a) + 1) + 2*I*dilog(I*e^(b*x + a) + 1) - 2*I*dilog(-I*e^(b*x + a) + 1))/b

Fricas [B] time = 2.38153, size = 297, normalized size = 5.82

$$\frac{2bx \operatorname{arccot}(e^{(bx+a)}) - ia \log(e^{(bx+a)} + i) + ia \log(e^{(bx+a)} - i) + (-ibx - ia) \log(ie^{(bx+a)} + 1) + (ibx + ia) \log(-ie^{(bx+a)} + 1)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(exp(b*x+a)), x, algorithm="fricas")

[Out] 1/2*(2*b*x*arccot(e^(b*x + a)) - I*a*log(e^(b*x + a) + I) + I*a*log(e^(b*x + a) - I) + (-I*b*x - I*a)*log(I*e^(b*x + a) + 1) + (I*b*x + I*a)*log(-I*e^(b*x + a) + 1) + I*dilog(I*e^(b*x + a)) - I*dilog(-I*e^(b*x + a)))/b

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{acot}(e^{a+bx}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(exp(b*x+a)), x)

[Out] Integral(acot(exp(a + b*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{arccot}(e^{(bx+a)}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(exp(b*x+a)), x, algorithm="giac")

[Out] integrate(arccot(e^(b*x + a)), x)

3.222 $\int x \cot^{-1} \left(e^{a+bx} \right) dx$

Optimal. Leaf size=103

$$-\frac{i \operatorname{PolyLog}\left(3, -ie^{-a-bx}\right)}{2b^2} + \frac{i \operatorname{PolyLog}\left(3, ie^{-a-bx}\right)}{2b^2} - \frac{ix \operatorname{PolyLog}\left(2, -ie^{-a-bx}\right)}{2b} + \frac{ix \operatorname{PolyLog}\left(2, ie^{-a-bx}\right)}{2b}$$

[Out] $((-I/2)*x*\operatorname{PolyLog}[2, (-I)*E^{(-a - b*x)}])/b + ((I/2)*x*\operatorname{PolyLog}[2, I*E^{(-a - b*x)}])/b - ((I/2)*\operatorname{PolyLog}[3, (-I)*E^{(-a - b*x)}])/b^2 + ((I/2)*\operatorname{PolyLog}[3, I*E^{(-a - b*x)}])/b^2$

Rubi [A] time = 0.0622578, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {5144, 2531, 2282, 6589}

$$-\frac{i \operatorname{PolyLog}\left(3, -ie^{-a-bx}\right)}{2b^2} + \frac{i \operatorname{PolyLog}\left(3, ie^{-a-bx}\right)}{2b^2} - \frac{ix \operatorname{PolyLog}\left(2, -ie^{-a-bx}\right)}{2b} + \frac{ix \operatorname{PolyLog}\left(2, ie^{-a-bx}\right)}{2b}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*\operatorname{ArcCot}[E^{(a + b*x)}], x]$

[Out] $((-I/2)*x*\operatorname{PolyLog}[2, (-I)*E^{(-a - b*x)}])/b + ((I/2)*x*\operatorname{PolyLog}[2, I*E^{(-a - b*x)}])/b - ((I/2)*\operatorname{PolyLog}[3, (-I)*E^{(-a - b*x)}])/b^2 + ((I/2)*\operatorname{PolyLog}[3, I*E^{(-a - b*x)}])/b^2$

Rule 5144

$\operatorname{Int}[\operatorname{ArcCot}[(a_.) + (b_.)*(f_.)^{((c_.) + (d_.)*(x_.))}]]*(x_.)^{(m_.), x_Symbol] :$
 $> \operatorname{Dist}[I/2, \operatorname{Int}[x^m*\operatorname{Log}[1 - I/(a + b*f^{(c + d*x)})], x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[x^m*\operatorname{Log}[1 + I/(a + b*f^{(c + d*x)})], x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, f, x\} \ \&\&$
 $\operatorname{IntegerQ}[m] \ \&\& \ m > 0$

Rule 2531

$\operatorname{Int}[\operatorname{Log}[1 + (e_.)*((F_.)^{((c_.)*((a_.) + (b_.)*(x_.)))})^{(n_.)}]]*((f_.) + (g_.)*(x_.))^{(m_.), x_Symbol] :$
 $> -\operatorname{Simp}[(f + g*x)^m*\operatorname{PolyLog}[2, -(e*(F^{(c*(a + b*x))))^n)]/(b*c*n*\operatorname{Log}[F]), x] + \operatorname{Dist}[(g*m)/(b*c*n*\operatorname{Log}[F]), \operatorname{Int}[(f + g*x)^{(m-1)}*\operatorname{PolyLog}[2, -(e*(F^{(c*(a + b*x))))^n)], x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, e, f, g, n\}, x] \ \&\& \ \operatorname{GtQ}[m, 0]$

Rule 2282

$\operatorname{Int}[u_, x_Symbol] :$
 $> \operatorname{With}\{v = \operatorname{FunctionOfExponential}[u, x]\}, \operatorname{Dist}[v/D[v, x], \operatorname{Subst}[\operatorname{Int}[\operatorname{FunctionOfExponential}[u, x]/x, x], x, v], x] /;$ $\operatorname{FunctionOfExponentialQ}[u, x] \ \&\& \ !\operatorname{MatchQ}[u, (w_.)*((a_.)*(v_.)^{(n_.)})^{(m_.)} /;$ $\operatorname{FreeQ}\{a, m, n\}, x] \ \&\& \ \operatorname{IntegerQ}[m*n] \ \&\& \ !\operatorname{MatchQ}[u, E^{((c_.)*((a_.) + (b_.)*x))* (F_.)[v_.]} /;$ $\operatorname{FreeQ}\{a, b, c\}, x] \ \&\& \ \operatorname{InverseFunctionQ}[F[x]]]$

Rule 6589

$\operatorname{Int}[\operatorname{PolyLog}[n_, (c_.)*((a_.) + (b_.)*(x_.))^{(p_.)}]/((d_.) + (e_.)*(x_.)), x_Symbol] :$
 $> \operatorname{Simp}[\operatorname{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, n, p\}, x] \ \&\& \ \operatorname{EqQ}[b*d, a*e]$

Rubi steps

$$\begin{aligned}
\int x \cot^{-1}(e^{a+bx}) dx &= \frac{1}{2}i \int x \log(1 - ie^{-a-bx}) dx - \frac{1}{2}i \int x \log(1 + ie^{-a-bx}) dx \\
&= -\frac{ix\text{Li}_2(-ie^{-a-bx})}{2b} + \frac{ix\text{Li}_2(ie^{-a-bx})}{2b} + \frac{i \int \text{Li}_2(-ie^{-a-bx}) dx}{2b} - \frac{i \int \text{Li}_2(ie^{-a-bx}) dx}{2b} \\
&= -\frac{ix\text{Li}_2(-ie^{-a-bx})}{2b} + \frac{ix\text{Li}_2(ie^{-a-bx})}{2b} - \frac{i \text{Subst}\left(\int \frac{\text{Li}_2(-ix)}{x} dx, x, e^{-a-bx}\right)}{2b^2} + \frac{i \text{Subst}\left(\int \frac{\text{Li}_2(ix)}{x} dx, x, e^{-a-bx}\right)}{2b^2} \\
&= -\frac{ix\text{Li}_2(-ie^{-a-bx})}{2b} + \frac{ix\text{Li}_2(ie^{-a-bx})}{2b} - \frac{i\text{Li}_3(-ie^{-a-bx})}{2b^2} + \frac{i\text{Li}_3(ie^{-a-bx})}{2b^2}
\end{aligned}$$

Mathematica [A] time = 0.0138774, size = 83, normalized size = 0.81

$$\frac{i \left(bx \text{PolyLog}\left(2, -ie^{-a-bx}\right) - bx \text{PolyLog}\left(2, ie^{-a-bx}\right) + \text{PolyLog}\left(3, -ie^{-a-bx}\right) - \text{PolyLog}\left(3, ie^{-a-bx}\right) \right)}{2b^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcCot[E^(a + b*x)], x]

[Out] ((-I/2)*(b*x*PolyLog[2, (-I)*E^(-a - b*x)] - b*x*PolyLog[2, I*E^(-a - b*x)] + PolyLog[3, (-I)*E^(-a - b*x)] - PolyLog[3, I*E^(-a - b*x)]))/b^2

Maple [B] time = 0.25, size = 355, normalized size = 3.5

$$\frac{\pi x^2}{4} - \frac{\frac{i}{2} \text{dilog}(-i(e^{bx+a} + i))a}{b^2} + \frac{\frac{i}{2} \ln(-i(-e^{bx+a} + i))xa}{b} - \frac{\frac{i}{2} \ln(-i(e^{bx+a} + i))a^2}{b^2} - \frac{\frac{i}{2} x \text{polylog}(2, -ie^{bx+a})}{b} - \frac{\frac{i}{2} \text{polylog}(2, -ie^{bx+a})}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccot(exp(b*x+a)), x)

[Out] 1/4*Pi*x^2-1/2*I/b^2*dilog(-I*(exp(b*x+a)+I))*a+1/2*I/b*ln(-I*(-exp(b*x+a)+I))*x*a-1/2*I/b^2*ln(-I*(exp(b*x+a)+I))*a^2-1/2*I/b*polylog(2,-I*exp(b*x+a))*x-1/2*I/b^2*polylog(2,-I*exp(b*x+a))*a-1/2*I/b^2*ln(-I*exp(b*x+a))*ln(-I*(-exp(b*x+a)+I))*a+1/2*I/b^2*a^2*ln(1-I*exp(b*x+a))-1/2*I/b*ln(-I*(exp(b*x+a)+I))*x*a-1/2*I/b*ln(1+I*exp(b*x+a))*x*a-1/2*I/b^2*a^2*ln(1+I*exp(b*x+a))+1/2*I/b^2*ln(-I*(-exp(b*x+a)+I))*a^2-1/2*I/b^2*dilog(-I*exp(b*x+a))*a+1/2*I/b*ln(1-I*exp(b*x+a))*x*a-1/2*I/b^2*polylog(3,I*exp(b*x+a))+1/2*I/b^2*polylog(3,-I*exp(b*x+a))+1/2*I/b*polylog(2,I*exp(b*x+a))*x+1/2*I/b^2*polylog(2,I*exp(b*x+a))*a

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{2}x^2 \arctan(e^{(-bx-a)}) + b \int \frac{x^2 e^{(bx+a)}}{2(e^{(2bx+2a)} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(exp(b*x+a)), x, algorithm="maxima")

[Out] $1/2*x^2*\arctan(e^{(-b*x - a)}) + b*\integrate(1/2*x^2*e^{(b*x + a)}/(e^{(2*b*x + 2*a)} + 1), x)$

Fricas [C] time = 2.45491, size = 431, normalized size = 4.18

$$\frac{2b^2x^2 \operatorname{arccot}\left(e^{(bx+a)}\right) + 2ibx\operatorname{Li}_2\left(ie^{(bx+a)}\right) - 2ibx\operatorname{Li}_2\left(-ie^{(bx+a)}\right) + ia^2 \log\left(e^{(bx+a)} + i\right) - ia^2 \log\left(e^{(bx+a)} - i\right) + \left(-ib^2x^2 + \dots\right)}{4b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arccot(exp(b*x+a)),x, algorithm="fricas")`

[Out] $1/4*(2*b^2*x^2*\operatorname{arccot}(e^{(b*x + a)}) + 2*I*b*x*\operatorname{dilog}(I*e^{(b*x + a)}) - 2*I*b*x*\operatorname{dilog}(-I*e^{(b*x + a)}) + I*a^2*\log(e^{(b*x + a)} + I) - I*a^2*\log(e^{(b*x + a)} - I) + (-I*b^2*x^2 + I*a^2)*\log(I*e^{(b*x + a)} + 1) + (I*b^2*x^2 - I*a^2)*\log(-I*e^{(b*x + a)} + 1) - 2*I*\operatorname{polylog}(3, I*e^{(b*x + a)}) + 2*I*\operatorname{polylog}(3, -I*e^{(b*x + a)}))/b^2$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{acot}\left(e^a e^{bx}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*acot(exp(b*x+a)),x)`

[Out] `Integral(x*acot(exp(a)*exp(b*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{arccot}\left(e^{(bx+a)}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*arccot(exp(b*x+a)),x, algorithm="giac")`

[Out] `integrate(x*arccot(e^{(b*x + a)}), x)`

3.223 $\int x^2 \cot^{-1}(e^{a+bx}) dx$

Optimal. Leaf size=151

$$-\frac{ix\text{PolyLog}(3, -ie^{-a-bx})}{b^2} + \frac{ix\text{PolyLog}(3, ie^{-a-bx})}{b^2} - \frac{i\text{PolyLog}(4, -ie^{-a-bx})}{b^3} + \frac{i\text{PolyLog}(4, ie^{-a-bx})}{b^3} - \frac{ix^2\text{PolyLog}(2, (-I)E^{-a-bx})}{b} + \frac{ix^2\text{PolyLog}(2, I E^{-a-bx})}{b}$$

[Out] $((-I/2)*x^2*\text{PolyLog}[2, (-I)*E^{-a-bx}])/b + ((I/2)*x^2*\text{PolyLog}[2, I*E^{-a-bx}])/b - (I*x*\text{PolyLog}[3, (-I)*E^{-a-bx}])/b^2 + (I*x*\text{PolyLog}[3, I*E^{-a-bx}])/b^2 - (I*\text{PolyLog}[4, (-I)*E^{-a-bx}])/b^3 + (I*\text{PolyLog}[4, I*E^{-a-bx}])/b^3$

Rubi [A] time = 0.0977789, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {5144, 2531, 6609, 2282, 6589}

$$-\frac{ix\text{PolyLog}(3, -ie^{-a-bx})}{b^2} + \frac{ix\text{PolyLog}(3, ie^{-a-bx})}{b^2} - \frac{i\text{PolyLog}(4, -ie^{-a-bx})}{b^3} + \frac{i\text{PolyLog}(4, ie^{-a-bx})}{b^3} - \frac{ix^2\text{PolyLog}(2, (-I)E^{-a-bx})}{b} + \frac{ix^2\text{PolyLog}(2, I E^{-a-bx})}{b}$$

Antiderivative was successfully verified.

[In] Int[x^2*ArcCot[E^(a + b*x)], x]

[Out] $((-I/2)*x^2*\text{PolyLog}[2, (-I)*E^{-a-bx}])/b + ((I/2)*x^2*\text{PolyLog}[2, I*E^{-a-bx}])/b - (I*x*\text{PolyLog}[3, (-I)*E^{-a-bx}])/b^2 + (I*x*\text{PolyLog}[3, I*E^{-a-bx}])/b^2 - (I*\text{PolyLog}[4, (-I)*E^{-a-bx}])/b^3 + (I*\text{PolyLog}[4, I*E^{-a-bx}])/b^3$

Rule 5144

Int[ArcCot[(a_.) + (b_.)*(f_)^((c_.) + (d_.)*(x_))]*(x_)^(m_.), x_Symbol] :> Dist[I/2, Int[x^m*Log[1 - I/(a + b*f^(c + d*x))], x], x] - Dist[I/2, Int[x^m*Log[1 + I/(a + b*f^(c + d*x))], x], x] /; FreeQ[{a, b, c, d, f}, x] && IntegerQ[m] && m > 0

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/ (b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m-1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 6609

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] :> Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p])/ (b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m-1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[

{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned} \int x^2 \cot^{-1}(e^{a+bx}) dx &= \frac{1}{2}i \int x^2 \log(1 - ie^{-a-bx}) dx - \frac{1}{2}i \int x^2 \log(1 + ie^{-a-bx}) dx \\ &= -\frac{ix^2 \text{Li}_2(-ie^{-a-bx})}{2b} + \frac{ix^2 \text{Li}_2(ie^{-a-bx})}{2b} + \frac{i \int x \text{Li}_2(-ie^{-a-bx}) dx}{b} - \frac{i \int x \text{Li}_2(ie^{-a-bx}) dx}{b} \\ &= -\frac{ix^2 \text{Li}_2(-ie^{-a-bx})}{2b} + \frac{ix^2 \text{Li}_2(ie^{-a-bx})}{2b} - \frac{ix \text{Li}_3(-ie^{-a-bx})}{b^2} + \frac{ix \text{Li}_3(ie^{-a-bx})}{b^2} + \frac{i \int \text{Li}_3(-ie^{-a-bx}) dx}{b^2} \\ &= -\frac{ix^2 \text{Li}_2(-ie^{-a-bx})}{2b} + \frac{ix^2 \text{Li}_2(ie^{-a-bx})}{2b} - \frac{ix \text{Li}_3(-ie^{-a-bx})}{b^2} + \frac{ix \text{Li}_3(ie^{-a-bx})}{b^2} - \frac{i \text{Subst}\left(\int \frac{\text{Li}_3(-ix)}{x} dx\right)}{b^3} \\ &= -\frac{ix^2 \text{Li}_2(-ie^{-a-bx})}{2b} + \frac{ix^2 \text{Li}_2(ie^{-a-bx})}{2b} - \frac{ix \text{Li}_3(-ie^{-a-bx})}{b^2} + \frac{ix \text{Li}_3(ie^{-a-bx})}{b^2} - \frac{i \text{Li}_4(-ie^{-a-bx})}{b^3} + \dots \end{aligned}$$

Mathematica [A] time = 0.008189, size = 151, normalized size = 1.

$$-\frac{ix \text{PolyLog}(3, -ie^{-a-bx})}{b^2} + \frac{ix \text{PolyLog}(3, ie^{-a-bx})}{b^2} - \frac{i \text{PolyLog}(4, -ie^{-a-bx})}{b^3} + \frac{i \text{PolyLog}(4, ie^{-a-bx})}{b^3} - \frac{ix^2 \text{PolyLog}(2, -ie^{-a-bx})}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*ArcCot[E^(a + b*x)],x]

[Out] ((-I/2)*x^2*PolyLog[2, (-I)*E^(-a - b*x)])/b + ((I/2)*x^2*PolyLog[2, I*E^(-a - b*x)])/b - (I*x*PolyLog[3, (-I)*E^(-a - b*x)])/b^2 + (I*x*PolyLog[3, I*E^(-a - b*x)])/b^2 - (I*PolyLog[4, (-I)*E^(-a - b*x)])/b^3 + (I*PolyLog[4, I*E^(-a - b*x)])/b^3

Maple [B] time = 0.253, size = 413, normalized size = 2.7

$$\frac{\pi x^3}{6} - \frac{i a^3 \ln(1 - ie^{bx+a})}{b^3} + \frac{i \text{polylog}(2, ie^{bx+a}) x^2}{b} - \frac{i x^2 \text{polylog}(2, -ie^{bx+a})}{b} + \frac{i \ln(1 + ie^{bx+a}) x a^2}{b^2} + \frac{i \text{polylog}(4, ie^{bx+a})}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*arccot(exp(b*x+a)),x)

[Out] 1/6*Pi*x^3-1/2*I/b^3*a^3*ln(1-I*exp(b*x+a))+1/2*I/b*polylog(2,I*exp(b*x+a))*x^2-1/2*I/b*polylog(2,-I*exp(b*x+a))*x^2+1/2*I/b^2*ln(1+I*exp(b*x+a))*x*a^2+I/b^3*polylog(4,I*exp(b*x+a))+1/2*I/b^3*polylog(2,-I*exp(b*x+a))*a^2-1/2*I/b^3*polylog(2,I*exp(b*x+a))*a^2-1/2*I/b^2*ln(-I*(-exp(b*x+a)+I))*x*a^2-I/b^3*polylog(4,-I*exp(b*x+a))-1/2*I/b^3*ln(-I*(-exp(b*x+a)+I))*a^3+1/2*I/b^3*ln(-I*(exp(b*x+a)+I))*a^3+1/2*I/b^3*dilog(-I*(exp(b*x+a)+I))*a^2+1/2*I/b^3*a^3*ln(1+I*exp(b*x+a))+1/2*I/b^3*ln(-I*exp(b*x+a))*ln(-I*(-exp(b*x+a)+I))*

$$a^2 + \frac{1}{2} \frac{I}{b^3} \operatorname{dilog}(-I \exp(bx+a)) * a^2 + \frac{I}{b^2} \operatorname{polylog}(3, -I \exp(bx+a)) * x - \frac{I}{b^2} \operatorname{polylog}(3, I \exp(bx+a)) * x + \frac{1}{2} \frac{I}{b^2} \ln(-I(\exp(bx+a)+I)) * x * a^2 - \frac{1}{2} \frac{I}{b^2} \ln(1-I \exp(bx+a)) * x * a^2$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{1}{3} x^3 \arctan(e^{-bx-a}) + b \int \frac{x^3 e^{(bx+a)}}{3(e^{2bx+2a} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(exp(b*x+a)),x, algorithm="maxima")

[Out] 1/3*x^3*arctan(e^(-b*x - a)) + b*integrate(1/3*x^3*e^(b*x + a)/(e^(2*b*x + 2*a) + 1), x)

Fricas [C] time = 2.6963, size = 540, normalized size = 3.58

$$2b^3x^3 \operatorname{arccot}(e^{(bx+a)}) + 3ib^2x^2 \operatorname{Li}_2(ie^{(bx+a)}) - 3ib^2x^2 \operatorname{Li}_2(-ie^{(bx+a)}) - ia^3 \log(e^{(bx+a)} + i) + ia^3 \log(e^{(bx+a)} - i) - 6i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*arccot(exp(b*x+a)),x, algorithm="fricas")

[Out] 1/6*(2*b^3*x^3*arccot(e^(b*x + a)) + 3*I*b^2*x^2*dilog(I*e^(b*x + a)) - 3*I*b^2*x^2*dilog(-I*e^(b*x + a)) - I*a^3*log(e^(b*x + a) + I) + I*a^3*log(e^(b*x + a) - I) - 6*I*b*x*polylog(3, I*e^(b*x + a)) + 6*I*b*x*polylog(3, -I*e^(b*x + a)) + (-I*b^3*x^3 - I*a^3)*log(I*e^(b*x + a) + 1) + (I*b^3*x^3 + I*a^3)*log(-I*e^(b*x + a) + 1) + 6*I*polylog(4, I*e^(b*x + a)) - 6*I*polylog(4, -I*e^(b*x + a)))/b^3

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{acot}(e^a e^{bx}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*acot(exp(b*x+a)),x)

[Out] Integral(x**2*acot(exp(a)*exp(b*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{arccot}(e^{(bx+a)}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccot(exp(b*x+a)),x, algorithm="giac")
```

```
[Out] integrate(x^2*arccot(e^(b*x + a)), x)
```

3.224 $\int \cot^{-1}(a + bf^{c+dx}) dx$

Optimal. Leaf size=196

$$-\frac{i\text{PolyLog}\left(2, 1 - \frac{2}{1-i(a+bf^{c+dx})}\right)}{2d \log(f)} + \frac{i\text{PolyLog}\left(2, 1 - \frac{2bf^{c+dx}}{(-a+i)(1-i(a+bf^{c+dx}))}\right)}{2d \log(f)} - \frac{\log\left(\frac{2}{1-i(a+bf^{c+dx})}\right) \cot^{-1}(a + bf^{c+dx})}{d \log(f)} + \dots$$

```
[Out] -((ArcCot[a + b*f^(c + d*x)]*Log[2/(1 - I*(a + b*f^(c + d*x))]))/(d*Log[f])
) + (ArcCot[a + b*f^(c + d*x)]*Log[(2*b*f^(c + d*x))/((I - a)*(1 - I*(a + b
*f^(c + d*x)))]))/(d*Log[f]) - ((I/2)*PolyLog[2, 1 - 2/(1 - I*(a + b*f^(c +
d*x)))]/(d*Log[f]) + ((I/2)*PolyLog[2, 1 - (2*b*f^(c + d*x))/((I - a)*(1
- I*(a + b*f^(c + d*x)))]))/(d*Log[f])
```

Rubi [A] time = 0.154011, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {2282, 5048, 4857, 2402, 2315, 2447}

$$-\frac{i\text{PolyLog}\left(2, 1 - \frac{2}{1-i(a+bf^{c+dx})}\right)}{2d \log(f)} + \frac{i\text{PolyLog}\left(2, 1 - \frac{2bf^{c+dx}}{(-a+i)(1-i(a+bf^{c+dx}))}\right)}{2d \log(f)} - \frac{\log\left(\frac{2}{1-i(a+bf^{c+dx})}\right) \cot^{-1}(a + bf^{c+dx})}{d \log(f)} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[ArcCot[a + b*f^(c + d*x)], x]
```

```
[Out] -((ArcCot[a + b*f^(c + d*x)]*Log[2/(1 - I*(a + b*f^(c + d*x))]))/(d*Log[f])
) + (ArcCot[a + b*f^(c + d*x)]*Log[(2*b*f^(c + d*x))/((I - a)*(1 - I*(a + b
*f^(c + d*x)))]))/(d*Log[f]) - ((I/2)*PolyLog[2, 1 - 2/(1 - I*(a + b*f^(c +
d*x)))]/(d*Log[f]) + ((I/2)*PolyLog[2, 1 - (2*b*f^(c + d*x))/((I - a)*(1
- I*(a + b*f^(c + d*x)))]))/(d*Log[f])
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]
```

Rule 5048

```
Int[((a_.) + ArcCot[(c_) + (d_.)*(x_)])*(b_.))^(p_.)*((e_.) + (f_.)*(x_))^(m
_.), x_Symbol] := Dist[1/d, Subst[Int[((d*e - c*f)/d + (f*x)/d)^m*(a + b*Ar
cCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && IG
tQ[p, 0]
```

Rule 4857

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))/((d_) + (e_.)*(x_)), x_Symbol] := -S
imp[((a + b*ArcCot[c*x])*Log[2/(1 - I*c*x)])/e, x] + (-Dist[(b*c)/e, Int[Lo
g[2/(1 - I*c*x)]/(1 + c^2*x^2), x], x] + Dist[(b*c)/e, Int[Log[(2*c*(d + e
*x))/((c*d + I*e)*(1 - I*c*x))]/(1 + c^2*x^2), x], x] + Simp[((a + b*ArcCot[
c*x])*Log[(2*c*(d + e*x))/((c*d + I*e)*(1 - I*c*x))])/e, x] /; FreeQ[{a, b
, c, d, e}, x] && NeQ[c^2*d^2 + e^2, 0]
```

Rule 2402

```
Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := -Dis
t[e/g, Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{
c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]
```

Rule 2315

```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := -Simp[PolyLog[2, 1 -
c*x]/e, x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

Rule 2447

```
Int[Log[u_]*(Pq_)^(m_), x_Symbol] := With[{C = FullSimplify[(Pq^m*(1 - u))
/D[u, x]]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] &&
PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u,
x][[2]], Expon[Pq, x]]
```

Rubi steps

$$\int \cot^{-1}(a + bf^{c+dx}) dx = \frac{\text{Subst}\left(\int \frac{\cot^{-1}(a+bx)}{x} dx, x, f^{c+dx}\right)}{d \log(f)}$$

$$= \frac{\text{Subst}\left(\int \frac{\cot^{-1}(x)}{\frac{-a}{-b} + \frac{x}{b}} dx, x, a + bf^{c+dx}\right)}{bd \log(f)}$$

$$= -\frac{\cot^{-1}(a + bf^{c+dx}) \log\left(\frac{2}{1-i(a+bf^{c+dx})}\right)}{d \log(f)} + \frac{\cot^{-1}(a + bf^{c+dx}) \log\left(\frac{2bf^{c+dx}}{(i-a)(1-i(a+bf^{c+dx}))}\right)}{d \log(f)} - \frac{\text{Subst}\left(\int \frac{\cot^{-1}(x)}{x} dx, x, a + bf^{c+dx}\right)}{d \log(f)}$$

$$= -\frac{\cot^{-1}(a + bf^{c+dx}) \log\left(\frac{2}{1-i(a+bf^{c+dx})}\right)}{d \log(f)} + \frac{\cot^{-1}(a + bf^{c+dx}) \log\left(\frac{2bf^{c+dx}}{(i-a)(1-i(a+bf^{c+dx}))}\right)}{d \log(f)} + \frac{i \text{Li}_2\left(1 - \frac{2bf^{c+dx}}{(i-a)(1-i(a+bf^{c+dx}))}\right)}{d \log(f)}$$

$$= -\frac{\cot^{-1}(a + bf^{c+dx}) \log\left(\frac{2}{1-i(a+bf^{c+dx})}\right)}{d \log(f)} + \frac{\cot^{-1}(a + bf^{c+dx}) \log\left(\frac{2bf^{c+dx}}{(i-a)(1-i(a+bf^{c+dx}))}\right)}{d \log(f)} - \frac{i \text{Li}_2\left(1 - \frac{2bf^{c+dx}}{(i-a)(1-i(a+bf^{c+dx}))}\right)}{d \log(f)}$$

Mathematica [A] time = 0.181573, size = 167, normalized size = 0.85

$$\frac{b \left(\text{PolyLog}\left(2, -\frac{b^2 f^{c+dx}}{ab - \sqrt{-b^2}}\right) - \text{PolyLog}\left(2, -\frac{b^2 f^{c+dx}}{ab + \sqrt{-b^2}}\right) + dx \log(f) \left(\log\left(\frac{b^2 f^{c+dx}}{ab - \sqrt{-b^2}} + 1\right) - \log\left(\frac{b^2 f^{c+dx}}{ab + \sqrt{-b^2}} + 1\right) \right) \right)}{2\sqrt{-b^2} d \log(f)} + x \cot^{-1}(a + bf^{c+dx})$$

Antiderivative was successfully verified.

```
[In] Integrate[ArcCot[a + b*f^(c + d*x)], x]
```

```
[Out] x*ArcCot[a + b*f^(c + d*x)] + (b*(d*x*Log[f]*(Log[1 + (b^2*f^(c + d*x))/(a*
b - Sqrt[-b^2]]) - Log[1 + (b^2*f^(c + d*x))/(a*b + Sqrt[-b^2]]) + PolyLog
[2, -((b^2*f^(c + d*x))/(a*b - Sqrt[-b^2]))] - PolyLog[2, -((b^2*f^(c + d*x
))/(a*b + Sqrt[-b^2]))]))/(2*Sqrt[-b^2]*d*Log[f])
```

Maple [A] time = 0.057, size = 186, normalized size = 1.

$$\frac{\ln(bf^{dx+c}) \operatorname{arccot}(a + bf^{dx+c})}{d \ln(f)} - \frac{\frac{i}{2} \ln(bf^{dx+c})}{d \ln(f)} \ln\left(\frac{-bf^{dx+c} - a + i}{i - a}\right) + \frac{\frac{i}{2} \ln(bf^{dx+c})}{d \ln(f)} \ln\left(\frac{bf^{dx+c} + a + i}{i + a}\right) - \frac{\frac{i}{2}}{d \ln(f)} \operatorname{dilog}\left(\frac{-bf^{dx+c} - a + i}{i - a}\right) + \frac{\frac{i}{2}}{d \ln(f)} \operatorname{dilog}\left(\frac{bf^{dx+c} + a + i}{i + a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(a+b*f^(d*x+c)),x)

[Out] 1/d/ln(f)*ln(b*f^(d*x+c))*arccot(a+b*f^(d*x+c))-1/2*I/d/ln(f)*ln(b*f^(d*x+c))*ln((-b*f^(d*x+c)-a+I)/(I-a))+1/2*I/d/ln(f)*ln(b*f^(d*x+c))*ln((b*f^(d*x+c)+a+I)/(I+a))-1/2*I/d/ln(f)*dilog((-b*f^(d*x+c)-a+I)/(I-a))+1/2*I/d/ln(f)*dilog((b*f^(d*x+c)+a+I)/(I+a))

Maxima [A] time = 1.71152, size = 302, normalized size = 1.54

$$\frac{\operatorname{arccot}(bf^{dx+c} + a) \log(f^{dx+c})}{d \log(f)} + \frac{\arctan\left(\frac{bf^{dx+c}}{a^2+1}, -\frac{abf^{dx+c}}{a^2+1}\right) \log(b^2 f^{2dx+2c} + 2abf^{dx+c} + a^2 + 1) - \arctan(bf^{dx+c} + a) \log(b^2 f^{2dx+2c} + 2abf^{dx+c} + a^2 + 1)}{d \log(f)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a+b*f^(d*x+c)),x, algorithm="maxima")

[Out] arccot(b*f^(d*x + c) + a)*log(f^(d*x + c))/(d*log(f)) + 1/2*(arctan2(b*f^(d*x + c)/(a^2 + 1), -a*b*f^(d*x + c)/(a^2 + 1))*log(b^2*f^(2*d*x + 2*c) + 2*a*b*f^(d*x + c) + a^2 + 1) - arctan(b*f^(d*x + c) + a)*log(b^2*f^(2*d*x + 2*c)/(a^2 + 1)) + 2*arctan((b^2*f^(d*x + c) + a*b)/b)*log(f^(d*x + c)) + I*dilog((I*b*f^(d*x + c) + I*a + 1)/(I*a + 1)) - I*dilog((I*b*f^(d*x + c) + I*a - 1)/(I*a - 1)))/(d*log(f))

Fricas [A] time = 2.69097, size = 554, normalized size = 2.83

$$\frac{2 dx \operatorname{arccot}(bf^{dx+c} + a) \log(f) - ic \log(bf^{dx+c} + a + i) \log(f) + ic \log(bf^{dx+c} + a - i) \log(f) + (-i dx - ic) \log(f)}{d \log(f)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(a+b*f^(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(2*d*x*arccot(b*f^(d*x + c) + a)*log(f) - I*c*log(b*f^(d*x + c) + a + I)*log(f) + I*c*log(b*f^(d*x + c) + a - I)*log(f) + (-I*d*x - I*c)*log(f)*log((a^2 + (a*b + I*b)*f^(d*x + c) + 1)/(a^2 + 1)) + (I*d*x + I*c)*log(f)*log((a^2 + (a*b - I*b)*f^(d*x + c) + 1)/(a^2 + 1)) - I*dilog(-(a^2 + (a*b + I*b)*f^(d*x + c) + 1)/(a^2 + 1) + 1) + I*dilog(-(a^2 + (a*b - I*b)*f^(d*x + c) + 1)/(a^2 + 1) + 1))/(d*log(f))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(acot(a+b*f**(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \operatorname{arccot}(bf^{dx+c} + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(arccot(a+b*f^(d*x+c)),x, algorithm="giac")`

[Out] `integrate(arccot(b*f^(d*x + c) + a), x)`

3.225 $\int x \cot^{-1} \left(a + b f^{c+dx} \right) dx$

Optimal. Leaf size=250

$$\frac{i \operatorname{PolyLog}\left(3, \frac{b f^{c+dx}}{-a+i}\right)}{2d^2 \log^2(f)} - \frac{i \operatorname{PolyLog}\left(3, -\frac{b f^{c+dx}}{a+i}\right)}{2d^2 \log^2(f)} - \frac{ix \operatorname{PolyLog}\left(2, \frac{b f^{c+dx}}{-a+i}\right)}{2d \log(f)} + \frac{ix \operatorname{PolyLog}\left(2, -\frac{b f^{c+dx}}{a+i}\right)}{2d \log(f)} - \frac{1}{4} ix^2 \log\left(1 - \frac{b f^c}{-a}\right)$$

```
[Out] (-I/4)*x^2*Log[1 - (b*f^(c + d*x))/(I - a)] + (I/4)*x^2*Log[1 + (b*f^(c + d
*x))/(I + a)] + (I/4)*x^2*Log[1 - I/(a + b*f^(c + d*x))] - (I/4)*x^2*Log[1
+ I/(a + b*f^(c + d*x))] - ((I/2)*x*PolyLog[2, (b*f^(c + d*x))/(I - a)]/(d
*Log[f]) + ((I/2)*x*PolyLog[2, -((b*f^(c + d*x))/(I + a))]/(d*Log[f]) + ((
I/2)*PolyLog[3, (b*f^(c + d*x))/(I - a)]/(d^2*Log[f]^2) - ((I/2)*PolyLog[3
, -((b*f^(c + d*x))/(I + a))]/(d^2*Log[f]^2)
```

Rubi [A] time = 2.65375, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 25, number of rules used = 8, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used = {5144, 2551, 12, 6742, 2190, 2531, 2282, 6589}

$$\frac{i \operatorname{PolyLog}\left(3, \frac{b f^{c+dx}}{-a+i}\right)}{2d^2 \log^2(f)} - \frac{i \operatorname{PolyLog}\left(3, -\frac{b f^{c+dx}}{a+i}\right)}{2d^2 \log^2(f)} - \frac{ix \operatorname{PolyLog}\left(2, \frac{b f^{c+dx}}{-a+i}\right)}{2d \log(f)} + \frac{ix \operatorname{PolyLog}\left(2, -\frac{b f^{c+dx}}{a+i}\right)}{2d \log(f)} - \frac{1}{4} ix^2 \log\left(1 - \frac{b f^c}{-a}\right)$$

Antiderivative was successfully verified.

```
[In] Int[x*ArcCot[a + b*f^(c + d*x)], x]
```

```
[Out] (-I/4)*x^2*Log[1 - (b*f^(c + d*x))/(I - a)] + (I/4)*x^2*Log[1 + (b*f^(c + d
*x))/(I + a)] + (I/4)*x^2*Log[1 - I/(a + b*f^(c + d*x))] - (I/4)*x^2*Log[1
+ I/(a + b*f^(c + d*x))] - ((I/2)*x*PolyLog[2, (b*f^(c + d*x))/(I - a)]/(d
*Log[f]) + ((I/2)*x*PolyLog[2, -((b*f^(c + d*x))/(I + a))]/(d*Log[f]) + ((
I/2)*PolyLog[3, (b*f^(c + d*x))/(I - a)]/(d^2*Log[f]^2) - ((I/2)*PolyLog[3
, -((b*f^(c + d*x))/(I + a))]/(d^2*Log[f]^2)
```

Rule 5144

```
Int[ArcCot[(a_.) + (b_.)*(f_)^((c_.) + (d_.)*(x_))]*(x_)^(m_.), x_Symbol] :
> Dist[I/2, Int[x^m*Log[1 - I/(a + b*f^(c + d*x))], x], x] - Dist[I/2, Int[
x^m*Log[1 + I/(a + b*f^(c + d*x))], x], x] /; FreeQ[{a, b, c, d, f}, x] &&
IntegerQ[m] && m > 0
```

Rule 2551

```
Int[Log[u_] * ((a_.) + (b_.)*(x_)^(m_.), x_Symbol] := Simp[((a + b*x)^(m + 1)
)*Log[u]) / (b*(m + 1)), x] - Dist[1 / (b*(m + 1)), Int[SimplifyIntegrand[
((a + b*x)^(m + 1)*D[u, x]) / u, x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunct
ionFreeQ[u, x] && NeQ[m, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 2190

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int x \cot^{-1}(a + b f^{c+dx}) dx &= \frac{1}{2} i \int x \log\left(1 - \frac{i}{a + b f^{c+dx}}\right) dx - \frac{1}{2} i \int x \log\left(1 + \frac{i}{a + b f^{c+dx}}\right) dx \\
&= \frac{1}{4} i x^2 \log\left(1 - \frac{i}{a + b f^{c+dx}}\right) - \frac{1}{4} i x^2 \log\left(1 + \frac{i}{a + b f^{c+dx}}\right) + \frac{1}{4} \int \frac{b d f^{c+dx} x^2 \log(f)}{(i(1 - ia) + b f^{c+dx})(a + b f^{c+dx})} dx \\
&= \frac{1}{4} i x^2 \log\left(1 - \frac{i}{a + b f^{c+dx}}\right) - \frac{1}{4} i x^2 \log\left(1 + \frac{i}{a + b f^{c+dx}}\right) + \frac{1}{4} (b d \log(f)) \int \frac{f^{c+dx}}{(i(1 - ia) + b f^{c+dx})} dx \\
&= \frac{1}{4} i x^2 \log\left(1 - \frac{i}{a + b f^{c+dx}}\right) - \frac{1}{4} i x^2 \log\left(1 + \frac{i}{a + b f^{c+dx}}\right) + \frac{1}{4} (b d \log(f)) \int \left(\frac{i f^{c+dx} x^2}{a + b f^{c+dx}} - \frac{1}{-i}\right) dx \\
&= \frac{1}{4} i x^2 \log\left(1 - \frac{i}{a + b f^{c+dx}}\right) - \frac{1}{4} i x^2 \log\left(1 + \frac{i}{a + b f^{c+dx}}\right) - \frac{1}{4} (i b d \log(f)) \int \frac{f^{c+dx} x^2}{-i + a + b f^{c+dx}} dx \\
&= -\frac{1}{4} i x^2 \log\left(1 - \frac{b f^{c+dx}}{i - a}\right) + \frac{1}{4} i x^2 \log\left(1 + \frac{b f^{c+dx}}{i + a}\right) + \frac{1}{4} i x^2 \log\left(1 - \frac{i}{a + b f^{c+dx}}\right) - \frac{1}{4} i x^2 \log\left(1 + \frac{i}{a + b f^{c+dx}}\right) \\
&= -\frac{1}{4} i x^2 \log\left(1 - \frac{b f^{c+dx}}{i - a}\right) + \frac{1}{4} i x^2 \log\left(1 + \frac{b f^{c+dx}}{i + a}\right) + \frac{1}{4} i x^2 \log\left(1 - \frac{i}{a + b f^{c+dx}}\right) - \frac{1}{4} i x^2 \log\left(1 + \frac{i}{a + b f^{c+dx}}\right) \\
&= -\frac{1}{4} i x^2 \log\left(1 - \frac{b f^{c+dx}}{i - a}\right) + \frac{1}{4} i x^2 \log\left(1 + \frac{b f^{c+dx}}{i + a}\right) + \frac{1}{4} i x^2 \log\left(1 - \frac{i}{a + b f^{c+dx}}\right) - \frac{1}{4} i x^2 \log\left(1 + \frac{i}{a + b f^{c+dx}}\right) \\
&= -\frac{1}{4} i x^2 \log\left(1 - \frac{b f^{c+dx}}{i - a}\right) + \frac{1}{4} i x^2 \log\left(1 + \frac{b f^{c+dx}}{i + a}\right) + \frac{1}{4} i x^2 \log\left(1 - \frac{i}{a + b f^{c+dx}}\right) - \frac{1}{4} i x^2 \log\left(1 + \frac{i}{a + b f^{c+dx}}\right)
\end{aligned}$$

Mathematica [A] time = 0.284365, size = 250, normalized size = 1.

$$\frac{i\text{PolyLog}\left(3, \frac{bf^{c+dx}}{-a+i}\right)}{2d^2 \log^2(f)} - \frac{i\text{PolyLog}\left(3, -\frac{bf^{c+dx}}{a+i}\right)}{2d^2 \log^2(f)} - \frac{ix\text{PolyLog}\left(2, \frac{bf^{c+dx}}{-a+i}\right)}{2d \log(f)} + \frac{ix\text{PolyLog}\left(2, -\frac{bf^{c+dx}}{a+i}\right)}{2d \log(f)} - \frac{1}{4}ix^2 \log\left(1 - \frac{bf^c}{-a}\right)$$

Antiderivative was successfully verified.

[In] Integrate[x*ArcCot[a + b*f^(c + d*x)], x]

[Out] $(-I/4)*x^2*\text{Log}[1 - (b*f^{(c + d*x)})/(I - a)] + (I/4)*x^2*\text{Log}[1 + (b*f^{(c + d*x)})/(I + a)] + (I/4)*x^2*\text{Log}[1 - I/(a + b*f^{(c + d*x)})] - (I/4)*x^2*\text{Log}[1 + I/(a + b*f^{(c + d*x)})] - ((I/2)*x*\text{PolyLog}[2, (b*f^{(c + d*x)})/(I - a)])/(d*\text{Log}[f]) + ((I/2)*x*\text{PolyLog}[2, -((b*f^{(c + d*x)})/(I + a))]/(d*\text{Log}[f]) + ((I/2)*\text{PolyLog}[3, (b*f^{(c + d*x)})/(I - a)]/(d^2*\text{Log}[f]^2) - ((I/2)*\text{PolyLog}[3, -((b*f^{(c + d*x)})/(I + a))]/(d^2*\text{Log}[f]^2)$

Maple [B] time = 0.414, size = 678, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*arccot(a+b*f^(d*x+c)), x)

[Out] $-1/2*I/d*c*\ln((b*f^{(d*x)}*f^{c+I+a})/(I+a))*x + 1/4*Pi*x^2 + 1/4*I/d^2*\ln(1-I*b/(1-I*a)*f^{(d*x)}*f^c)*c^2 + 1/2*I/d^2*c^2*\ln((b*f^{(d*x)}*f^{c+a-I})/(-I+a)) - 1/2*I/d^2*c^2*\ln((b*f^{(d*x)}*f^{c+I+a})/(I+a)) - 1/2*I/d^2/\ln(f)*c*\text{dilog}((b*f^{(d*x)}*f^{c+I+a})/(I+a)) - 1/4*I*x^2*\ln(1-I*(a+b*f^{(d*x+c)})) - 1/2*I/d*\ln(1-I*b/(-I*a-1)*f^{(d*x)}*f^c)*x*c - 1/4*I/d^2*c^2*\ln(I*f^{(d*x)}*f^c*b+I*a+1) + 1/2*I/d^2/\ln(f)*\text{polylog}(2, I*b/(1-I*a)*f^{(d*x)}*f^c)*c + 1/2*I/d^2/\ln(f)^2*\text{polylog}(3, I*b/(-I*a-1)*f^{(d*x)}*f^c) + 1/2*I/d^2/\ln(f)*c*\text{dilog}((b*f^{(d*x)}*f^{c+a-I})/(-I+a)) - 1/2*I/d*\ln(f)*\text{polylog}(2, I*b/(-I*a-1)*f^{(d*x)}*f^c)*x - 1/2*I/d^2/\ln(f)^2*\text{polylog}(3, I*b/(1-I*a)*f^{(d*x)}*f^c) + 1/2*I/d*\ln(1-I*b/(1-I*a)*f^{(d*x)}*f^c)*x*c + 1/4*I/d^2*c^2*\ln(1-I*a-I*f^{(d*x)}*f^c*b) - 1/4*I/d^2*\ln(1-I*b/(-I*a-1)*f^{(d*x)}*f^c)*c^2 + 1/2*I/d*\ln(f)*\text{polylog}(2, I*b/(1-I*a)*f^{(d*x)}*f^c)*x - 1/2*I/d^2/\ln(f)*\text{polylog}(2, I*b/(-I*a-1)*f^{(d*x)}*f^c)*c + 1/2*I/d*c*\ln((b*f^{(d*x)}*f^{c+a-I})/(-I+a))*x + 1/4*I*x^2*\ln(1+I*(a+b*f^{(d*x+c)})) - 1/4*I*\ln(1-I*b/(-I*a-1)*f^{(d*x)}*f^c)*x^2 + 1/4*I*\ln(1-I*b/(1-I*a)*f^{(d*x)}*f^c)*x^2$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(a+b*f^(d*x+c)), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 2.81829, size = 778, normalized size = 3.11

$$2d^2x^2 \operatorname{arccot}(bf^{dx+c} + a) \log(f)^2 + ic^2 \log(bf^{dx+c} + a + i) \log(f)^2 - ic^2 \log(bf^{dx+c} + a - i) \log(f)^2 - 2i dx \operatorname{Li}_2\left(-\frac{a^2}{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(a+b*f^(d*x+c)),x, algorithm="fricas")

[Out] 1/4*(2*d^2*x^2*arccot(b*f^(d*x + c) + a)*log(f)^2 + I*c^2*log(b*f^(d*x + c) + a + I)*log(f)^2 - I*c^2*log(b*f^(d*x + c) + a - I)*log(f)^2 - 2*I*d*x*di
 log(-(a^2 + (a*b + I*b)*f^(d*x + c) + 1)/(a^2 + 1) + 1)*log(f) + 2*I*d*x*di
 log(-(a^2 + (a*b - I*b)*f^(d*x + c) + 1)/(a^2 + 1) + 1)*log(f) + (-I*d^2*x^2
 + I*c^2)*log(f)^2*log((a^2 + (a*b + I*b)*f^(d*x + c) + 1)/(a^2 + 1)) + (I
 *d^2*x^2 - I*c^2)*log(f)^2*log((a^2 + (a*b - I*b)*f^(d*x + c) + 1)/(a^2 + 1
)) + 2*I*polylog(3, -(a*b + I*b)*f^(d*x + c)/(a^2 + 1)) - 2*I*polylog(3, -(
 a*b - I*b)*f^(d*x + c)/(a^2 + 1)))/(d^2*log(f)^2)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*acot(a+b*f**(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x \operatorname{arccot}(bf^{dx+c} + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*arccot(a+b*f^(d*x+c)),x, algorithm="giac")

[Out] integrate(x*arccot(b*f^(d*x + c) + a), x)

3.226 $\int x^2 \cot^{-1} \left(a + b f^{c+dx} \right) dx$

Optimal. Leaf size=313

$$\frac{ix \operatorname{PolyLog}\left(3, \frac{bf^{c+dx}}{-a+i}\right)}{d^2 \log^2(f)} - \frac{ix \operatorname{PolyLog}\left(3, -\frac{bf^{c+dx}}{a+i}\right)}{d^2 \log^2(f)} - \frac{i \operatorname{PolyLog}\left(4, \frac{bf^{c+dx}}{-a+i}\right)}{d^3 \log^3(f)} + \frac{i \operatorname{PolyLog}\left(4, -\frac{bf^{c+dx}}{a+i}\right)}{d^3 \log^3(f)} - \frac{ix^2 \operatorname{PolyLog}\left(2, \frac{bf^{c+dx}}{-a+i}\right)}{2d \log(f)}$$

```
[Out] (-I/6)*x^3*Log[1 - (b*f^(c + d*x))/(I - a)] + (I/6)*x^3*Log[1 + (b*f^(c + d*x))/(I + a)] + (I/6)*x^3*Log[1 - I/(a + b*f^(c + d*x))] - (I/6)*x^3*Log[1 + I/(a + b*f^(c + d*x))] - ((I/2)*x^2*PolyLog[2, (b*f^(c + d*x))/(I - a)]]/(d*Log[f]) + ((I/2)*x^2*PolyLog[2, -((b*f^(c + d*x))/(I + a))]]/(d*Log[f]) + (I*x*PolyLog[3, (b*f^(c + d*x))/(I - a)]]/(d^2*Log[f]^2) - (I*x*PolyLog[3, -((b*f^(c + d*x))/(I + a))]]/(d^2*Log[f]^2) - (I*PolyLog[4, (b*f^(c + d*x))/(I - a)]]/(d^3*Log[f]^3) + (I*PolyLog[4, -((b*f^(c + d*x))/(I + a))]]/(d^3*Log[f]^3)
```

Rubi [A] time = 2.44833, antiderivative size = 313, normalized size of antiderivative = 1., number of steps used = 29, number of rules used = 9, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.562$, Rules used = {5144, 2551, 12, 6742, 2190, 2531, 6609, 2282, 6589}

$$\frac{ix \operatorname{PolyLog}\left(3, \frac{bf^{c+dx}}{-a+i}\right)}{d^2 \log^2(f)} - \frac{ix \operatorname{PolyLog}\left(3, -\frac{bf^{c+dx}}{a+i}\right)}{d^2 \log^2(f)} - \frac{i \operatorname{PolyLog}\left(4, \frac{bf^{c+dx}}{-a+i}\right)}{d^3 \log^3(f)} + \frac{i \operatorname{PolyLog}\left(4, -\frac{bf^{c+dx}}{a+i}\right)}{d^3 \log^3(f)} - \frac{ix^2 \operatorname{PolyLog}\left(2, \frac{bf^{c+dx}}{-a+i}\right)}{2d \log(f)}$$

Antiderivative was successfully verified.

```
[In] Int[x^2*ArcCot[a + b*f^(c + d*x)], x]
```

```
[Out] (-I/6)*x^3*Log[1 - (b*f^(c + d*x))/(I - a)] + (I/6)*x^3*Log[1 + (b*f^(c + d*x))/(I + a)] + (I/6)*x^3*Log[1 - I/(a + b*f^(c + d*x))] - (I/6)*x^3*Log[1 + I/(a + b*f^(c + d*x))] - ((I/2)*x^2*PolyLog[2, (b*f^(c + d*x))/(I - a)]]/(d*Log[f]) + ((I/2)*x^2*PolyLog[2, -((b*f^(c + d*x))/(I + a))]]/(d*Log[f]) + (I*x*PolyLog[3, (b*f^(c + d*x))/(I - a)]]/(d^2*Log[f]^2) - (I*x*PolyLog[3, -((b*f^(c + d*x))/(I + a))]]/(d^2*Log[f]^2) - (I*PolyLog[4, (b*f^(c + d*x))/(I - a)]]/(d^3*Log[f]^3) + (I*PolyLog[4, -((b*f^(c + d*x))/(I + a))]]/(d^3*Log[f]^3)
```

Rule 5144

```
Int[ArcCot[(a_.) + (b_.)*(f_)^((c_.) + (d_.)*(x_))]*(x_)^(m_.), x_Symbol] :> Dist[I/2, Int[x^m*Log[1 - I/(a + b*f^(c + d*x))], x], x] - Dist[I/2, Int[x^m*Log[1 + I/(a + b*f^(c + d*x))], x], x] /; FreeQ[{a, b, c, d, f}, x] && IntegerQ[m] && m > 0
```

Rule 2551

```
Int[Log[u_] * ((a_.) + (b_.)*(x_)^(m_.), x_Symbol] :> Simp[((a + b*x)^(m + 1) * Log[u]) / (b*(m + 1)), x] - Dist[1 / (b*(m + 1)), Int[SimplifyIntegrand[((a + b*x)^(m + 1) * D[u, x]) / u, x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_.)*(v_) /; FreeQ[b, x]]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 2190

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n]])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_) + (f_)*(x_))^(m_)*PolyLog[n_, (d_)*((F_)^((c_)*((a_) + (b_
)*(x_))))^(p_)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int x^2 \cot^{-1}(a + bf^{c+dx}) dx &= \frac{1}{2}i \int x^2 \log\left(1 - \frac{i}{a + bf^{c+dx}}\right) dx - \frac{1}{2}i \int x^2 \log\left(1 + \frac{i}{a + bf^{c+dx}}\right) dx \\
&= \frac{1}{6}ix^3 \log\left(1 - \frac{i}{a + bf^{c+dx}}\right) - \frac{1}{6}ix^3 \log\left(1 + \frac{i}{a + bf^{c+dx}}\right) + \frac{1}{6} \int \frac{bdf^{c+dx}x^3 \log(f)}{(i(1-ia) + bf^{c+dx})(a + bf^{c+dx})} dx \\
&= \frac{1}{6}ix^3 \log\left(1 - \frac{i}{a + bf^{c+dx}}\right) - \frac{1}{6}ix^3 \log\left(1 + \frac{i}{a + bf^{c+dx}}\right) + \frac{1}{6}(bd \log(f)) \int \frac{f}{(i(1-ia) + bf^{c+dx})} dx \\
&= \frac{1}{6}ix^3 \log\left(1 - \frac{i}{a + bf^{c+dx}}\right) - \frac{1}{6}ix^3 \log\left(1 + \frac{i}{a + bf^{c+dx}}\right) + \frac{1}{6}(bd \log(f)) \int \left(\frac{if^{c+dx}x^3}{a + bf^{c+dx}} - \frac{if^{c+dx}x^3}{i + a + bf^{c+dx}}\right) dx \\
&= \frac{1}{6}ix^3 \log\left(1 - \frac{i}{a + bf^{c+dx}}\right) - \frac{1}{6}ix^3 \log\left(1 + \frac{i}{a + bf^{c+dx}}\right) - \frac{1}{6}(ibd \log(f)) \int \frac{f^{c+dx}x^3}{-i + a + bf^{c+dx}} dx \\
&= -\frac{1}{6}ix^3 \log\left(1 - \frac{bf^{c+dx}}{i - a}\right) + \frac{1}{6}ix^3 \log\left(1 + \frac{bf^{c+dx}}{i + a}\right) + \frac{1}{6}ix^3 \log\left(1 - \frac{i}{a + bf^{c+dx}}\right) - \frac{1}{6}ix^3 \log\left(1 + \frac{i}{a + bf^{c+dx}}\right) \\
&= -\frac{1}{6}ix^3 \log\left(1 - \frac{bf^{c+dx}}{i - a}\right) + \frac{1}{6}ix^3 \log\left(1 + \frac{bf^{c+dx}}{i + a}\right) + \frac{1}{6}ix^3 \log\left(1 - \frac{i}{a + bf^{c+dx}}\right) - \frac{1}{6}ix^3 \log\left(1 + \frac{i}{a + bf^{c+dx}}\right) \\
&= -\frac{1}{6}ix^3 \log\left(1 - \frac{bf^{c+dx}}{i - a}\right) + \frac{1}{6}ix^3 \log\left(1 + \frac{bf^{c+dx}}{i + a}\right) + \frac{1}{6}ix^3 \log\left(1 - \frac{i}{a + bf^{c+dx}}\right) - \frac{1}{6}ix^3 \log\left(1 + \frac{i}{a + bf^{c+dx}}\right) \\
&= -\frac{1}{6}ix^3 \log\left(1 - \frac{bf^{c+dx}}{i - a}\right) + \frac{1}{6}ix^3 \log\left(1 + \frac{bf^{c+dx}}{i + a}\right) + \frac{1}{6}ix^3 \log\left(1 - \frac{i}{a + bf^{c+dx}}\right) - \frac{1}{6}ix^3 \log\left(1 + \frac{i}{a + bf^{c+dx}}\right) \\
&= -\frac{1}{6}ix^3 \log\left(1 - \frac{bf^{c+dx}}{i - a}\right) + \frac{1}{6}ix^3 \log\left(1 + \frac{bf^{c+dx}}{i + a}\right) + \frac{1}{6}ix^3 \log\left(1 - \frac{i}{a + bf^{c+dx}}\right) - \frac{1}{6}ix^3 \log\left(1 + \frac{i}{a + bf^{c+dx}}\right)
\end{aligned}$$

Mathematica [A] time = 0.229287, size = 313, normalized size = 1.

$$\frac{ix \operatorname{PolyLog}\left(3, \frac{bf^{c+dx}}{-a+i}\right)}{d^2 \log^2(f)} - \frac{ix \operatorname{PolyLog}\left(3, -\frac{bf^{c+dx}}{a+i}\right)}{d^2 \log^2(f)} - \frac{i \operatorname{PolyLog}\left(4, \frac{bf^{c+dx}}{-a+i}\right)}{d^3 \log^3(f)} + \frac{i \operatorname{PolyLog}\left(4, -\frac{bf^{c+dx}}{a+i}\right)}{d^3 \log^3(f)} - \frac{ix^2 \operatorname{PolyLog}\left(2, \frac{bf^{c+dx}}{-a+i}\right)}{2d \log(f)}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*ArcCot[a + b*f^(c + d*x)], x]

[Out] (-I/6)*x^3*Log[1 - (b*f^(c + d*x))/(I - a)] + (I/6)*x^3*Log[1 + (b*f^(c + d*x))/(I + a)] + (I/6)*x^3*Log[1 - I/(a + b*f^(c + d*x))] - (I/6)*x^3*Log[1 + I/(a + b*f^(c + d*x))] - ((I/2)*x^2*PolyLog[2, (b*f^(c + d*x))/(I - a)])/ (d*Log[f]) + ((I/2)*x^2*PolyLog[2, -((b*f^(c + d*x))/(I + a))]/(d*Log[f]) + (I*x*PolyLog[3, (b*f^(c + d*x))/(I - a)])/ (d^2*Log[f]^2) - (I*x*PolyLog[3, -((b*f^(c + d*x))/(I + a))])/ (d^2*Log[f]^2) - (I*PolyLog[4, (b*f^(c + d*x))/(I - a)])/ (d^3*Log[f]^3) + (I*PolyLog[4, -((b*f^(c + d*x))/(I + a))])/ (d^3*Log[f]^3)

Maple [B] time = 0.408, size = 764, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*arccot(a+b*f^(d*x+c)), x)

```
[Out] 1/6*Pi*x^3+1/2*I/d^2*c^2*ln((b*f^(d*x)*f^c+I+a)/(I+a))*x-1/2*I/d^2*ln(1-I*b/(1-I*a)*f^(d*x)*f^c)*x*c^2+1/2*I/d^3/ln(f)*c^2*dilog((b*f^(d*x)*f^c+I+a)/(I+a))-1/2*I/d^2*c^2*ln((b*f^(d*x)*f^c+a-I)/(-I+a))*x+1/2*I/d^2*ln(1-I*b/(-I*a-1)*f^(d*x)*f^c)*x*c^2+1/2*I/d^3/ln(f)*polylog(2,I*b/(-I*a-1)*f^(d*x)*f^c)*c^2-1/2*I/d^3/ln(f)*c^2*dilog((b*f^(d*x)*f^c+a-I)/(-I+a))-1/2*I/d/ln(f)*polylog(2,I*b/(-I*a-1)*f^(d*x)*f^c)*x^2-I/d^2/ln(f)^2*polylog(3,I*b/(1-I*a)*f^(d*x)*f^c)*x+1/2*I/d/ln(f)*polylog(2,I*b/(1-I*a)*f^(d*x)*f^c)*x^2-1/2*I/d^3/ln(f)*polylog(2,I*b/(1-I*a)*f^(d*x)*f^c)*c^2+I/d^2/ln(f)^2*polylog(3,I*b/(-I*a-1)*f^(d*x)*f^c)*x-1/6*I*x^3*ln(1-I*(a+b*f^(d*x+c)))+1/6*I*ln(1-I*b/(1-I*a)*f^(d*x)*f^c)*x^3-1/6*I*ln(1-I*b/(-I*a-1)*f^(d*x)*f^c)*x^3+1/6*I*x^3*ln(1+I*(a+b*f^(d*x+c)))+I/d^3/ln(f)^3*polylog(4,I*b/(1-I*a)*f^(d*x)*f^c)+1/6*I/d^3*c^3*ln(I*f^(d*x)*f^c+b+I*a+1)-1/2*I/d^3*c^3*ln((b*f^(d*x)*f^c+a-I)/(-I+a))+1/2*I/d^3*c^3*ln((b*f^(d*x)*f^c+I+a)/(I+a))+1/3*I/d^3*ln(1-I*b/(-I*a-1)*f^(d*x)*f^c)*c^3-I/d^3/ln(f)^3*polylog(4,I*b/(-I*a-1)*f^(d*x)*f^c)-1/3*I/d^3*ln(1-I*b/(1-I*a)*f^(d*x)*f^c)*c^3-1/6*I/d^3*c^3*ln(1-I*a-I*f^(d*x)*f^c*b)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccot(a+b*f^(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 2.80613, size = 967, normalized size = 3.09

$$2d^3x^3 \operatorname{arccot}(bf^{dx+c} + a) \log(f)^3 - 3i d^2 x^2 \operatorname{Li}_2\left(-\frac{a^2+(ab+ib)f^{dx+c+1}}{a^2+1} + 1\right) \log(f)^2 + 3i d^2 x^2 \operatorname{Li}_2\left(-\frac{a^2+(ab-ib)f^{dx+c+1}}{a^2+1} + 1\right) \log(f)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccot(a+b*f^(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/6*(2*d^3*x^3*arccot(b*f^(d*x + c) + a)*log(f)^3 - 3*I*d^2*x^2*dilog(-(a^2 + (a*b + I*b)*f^(d*x + c) + 1)/(a^2 + 1) + 1)*log(f)^2 + 3*I*d^2*x^2*dilog(-(a^2 + (a*b - I*b)*f^(d*x + c) + 1)/(a^2 + 1) + 1)*log(f)^2 - I*c^3*log(b*f^(d*x + c) + a + I)*log(f)^3 + I*c^3*log(b*f^(d*x + c) + a - I)*log(f)^3 + (-I*d^3*x^3 - I*c^3)*log(f)^3*log((a^2 + (a*b + I*b)*f^(d*x + c) + 1)/(a^2 + 1)) + (I*d^3*x^3 + I*c^3)*log(f)^3*log((a^2 + (a*b - I*b)*f^(d*x + c) + 1)/(a^2 + 1)) + 6*I*d*x*log(f)*polylog(3, -(a*b + I*b)*f^(d*x + c)/(a^2 + 1)) - 6*I*d*x*log(f)*polylog(3, -(a*b - I*b)*f^(d*x + c)/(a^2 + 1)) - 6*I*polylog(4, -(a*b + I*b)*f^(d*x + c)/(a^2 + 1)) + 6*I*polylog(4, -(a*b - I*b)*f^(d*x + c)/(a^2 + 1)))/(d^3*log(f)^3)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(x**2*acot(a+b*f**(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \operatorname{arccot}(bf^{dx+c} + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*arccot(a+b*f^(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate(x^2*arccot(b*f^(d*x + c) + a), x)
```

3.227 $\int e^{-x} \cot^{-1}(e^x) dx$

Optimal. Leaf size=27

$$-x + \frac{1}{2} \log(e^{2x} + 1) - e^{-x} \cot^{-1}(e^x)$$

[Out] $-x - \text{ArcCot}[E^x]/E^x + \text{Log}[1 + E^{(2*x)}]/2$

Rubi [A] time = 0.0203293, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.6$, Rules used = {2194, 5208, 2282, 36, 29, 31}

$$-x + \frac{1}{2} \log(e^{2x} + 1) - e^{-x} \cot^{-1}(e^x)$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{ArcCot}[E^x]/E^x, x]$

[Out] $-x - \text{ArcCot}[E^x]/E^x + \text{Log}[1 + E^{(2*x)}]/2$

Rule 2194

$\text{Int}[(F_)^{((c_.) * ((a_.) + (b_.) * (x_)))}^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(F^{(c*(a + b*x))})^n / (b*c*n*\text{Log}[F]), x] /;$ $\text{FreeQ}\{F, a, b, c, n\}, x]$

Rule 5208

$\text{Int}[(a_.) + \text{ArcCot}[u_]*(b_.) * (v_), x_Symbol] \rightarrow \text{With}\{w = \text{IntHide}[v, x]\}, \text{Dist}[a + b*\text{ArcCot}[u], w, x] + \text{Dist}[b, \text{Int}[\text{SimplifyIntegrand}[(w*D[u, x]) / (1 + u^2), x], x], x] /;$ $\text{InverseFunctionFreeQ}[w, x] /;$ $\text{FreeQ}\{a, b\}, x \ \&\& \ \text{InverseFunctionFreeQ}[u, x] \ \&\& \ !\text{MatchQ}[v, ((c_.) + (d_.) * x)^{(m_.)} /;$ $\text{FreeQ}\{c, d, m\}, x] \ \&\& \ \text{FalseQ}[\text{FunctionOfLinear}[v*(a + b*\text{ArcCot}[u]), x]]$

Rule 2282

$\text{Int}[u_, x_Symbol] \rightarrow \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /;$ $\text{FunctionOfExponentialQ}[u, x] \ \&\& \ !\text{MatchQ}[u, (w_)*((a_.) * (v_))^{(n_)}]^{(m_)} /;$ $\text{FreeQ}\{a, m, n\}, x \ \&\& \ \text{IntegerQ}[m*n] \ \&\& \ !\text{MatchQ}[u, E^{((c_.) * ((a_.) + (b_.) * x))} * (F_)[v_] /;$ $\text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{InverseFunctionQ}[F[x]]$

Rule 36

$\text{Int}[1/(((a_.) + (b_.) * (x_)) * ((c_.) + (d_.) * (x_))), x_Symbol] \rightarrow \text{Dist}[b/(b*c - a*d), \text{Int}[1/(a + b*x), x], x] - \text{Dist}[d/(b*c - a*d), \text{Int}[1/(c + d*x), x], x] /;$ $\text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 29

$\text{Int}[(x_)^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[x], x]$

Rule 31

$\text{Int}[(a_.) + (b_.) * (x_))^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /;$ $\text{FreeQ}\{a, b\}, x]$

Rubi steps

$$\begin{aligned}
\int e^{-x} \cot^{-1}(e^x) dx &= -e^{-x} \cot^{-1}(e^x) - \int \frac{1}{1+e^{2x}} dx \\
&= -e^{-x} \cot^{-1}(e^x) - \frac{1}{2} \text{Subst} \left(\int \frac{1}{x(1+x)} dx, x, e^{2x} \right) \\
&= -e^{-x} \cot^{-1}(e^x) - \frac{1}{2} \text{Subst} \left(\int \frac{1}{x} dx, x, e^{2x} \right) + \frac{1}{2} \text{Subst} \left(\int \frac{1}{1+x} dx, x, e^{2x} \right) \\
&= -x - e^{-x} \cot^{-1}(e^x) + \frac{1}{2} \log(1+e^{2x})
\end{aligned}$$

Mathematica [A] time = 0.0208115, size = 27, normalized size = 1.

$$-x + \frac{1}{2} \log(e^{2x} + 1) - e^{-x} \cot^{-1}(e^x)$$

Antiderivative was successfully verified.

[In] Integrate[ArcCot[E^x]/E^x, x]

[Out] -x - ArcCot[E^x]/E^x + Log[1 + E^(2*x)]/2

Maple [A] time = 0.027, size = 25, normalized size = 0.9

$$-\frac{\operatorname{arccot}(e^x)}{e^x} + \frac{\ln((e^x)^2 + 1)}{2} - \ln(e^x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(arccot(exp(x))/exp(x), x)

[Out] -arccot(exp(x))/exp(x)+1/2*ln(exp(x)^2+1)-ln(exp(x))

Maxima [A] time = 0.986912, size = 26, normalized size = 0.96

$$-\operatorname{arccot}(e^x)e^{(-x)} + \frac{1}{2} \log(e^{(-2x)} + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(exp(x))/exp(x), x, algorithm="maxima")

[Out] -arccot(e^x)*e^(-x) + 1/2*log(e^(-2*x) + 1)

Fricas [A] time = 2.40037, size = 84, normalized size = 3.11

$$-\frac{1}{2} (2xe^x - e^x \log(e^{2x} + 1) + 2 \operatorname{arccot}(e^x))e^{(-x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(exp(x))/exp(x),x, algorithm="fricas")

[Out] $-1/2*(2*x*e^x - e^x*\log(e^{2*x} + 1) + 2*\operatorname{arccot}(e^x))*e^{-x}$

Sympy [A] time = 12.8936, size = 19, normalized size = 0.7

$$-x + \frac{\log(e^{2x} + 1)}{2} - e^{-x} \operatorname{acot}(e^x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(acot(exp(x))/exp(x),x)

[Out] $-x + \log(\exp(2*x) + 1)/2 - \exp(-x)*\operatorname{acot}(\exp(x))$

Giac [A] time = 1.09532, size = 28, normalized size = 1.04

$$-\arctan(e^{-x})e^{-x} + \frac{1}{2} \log(e^{-2x} + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(arccot(exp(x))/exp(x),x, algorithm="giac")

[Out] $-\arctan(e^{-x})*e^{-x} + 1/2*\log(e^{-2*x} + 1)$

$$3.228 \quad \int \frac{1}{(a+ax^2)(b-2b \cot^{-1}(x))} dx$$

Optimal. Leaf size=17

$$\frac{\log(1 - 2 \cot^{-1}(x))}{2ab}$$

[Out] Log[1 - 2*ArcCot[x]]/(2*a*b)

Rubi [A] time = 0.04, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {4883}

$$\frac{\log(1 - 2 \cot^{-1}(x))}{2ab}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a*x^2)*(b - 2*b*ArcCot[x])),x]

[Out] Log[1 - 2*ArcCot[x]]/(2*a*b)

Rule 4883

```
Int[1/(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))*((d_) + (e_.)*(x_)^2)), x_Symbol]
:> -Simp[Log[RemoveContent[a + b*ArcCot[c*x], x]]/(b*c*d), x] /; FreeQ[{a,
b, c, d, e}, x] && EqQ[e, c^2*d]
```

Rubi steps

$$\int \frac{1}{(a+ax^2)(b-2b \cot^{-1}(x))} dx = \frac{\log(1 - 2 \cot^{-1}(x))}{2ab}$$

Mathematica [A] time = 0.0447506, size = 17, normalized size = 1.

$$\frac{\log(2 \cot^{-1}(x) - 1)}{2ab}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a*x^2)*(b - 2*b*ArcCot[x])),x]

[Out] Log[-1 + 2*ArcCot[x]]/(2*a*b)

Maple [A] time = 0.128, size = 19, normalized size = 1.1

$$\frac{\ln(2 \operatorname{arccot}(x) - b)}{2ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a*x^2+a)/(b-2*b*arccot(x)),x)`

[Out] $1/2/a*\ln(2*b*\operatorname{arccot}(x)-b)/b$

Maxima [A] time = 1.01412, size = 23, normalized size = 1.35

$$\frac{\log(|2 \arctan(1, x) - 1|)}{2 ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*x^2+a)/(b-2*b*arccot(x)),x, algorithm="maxima")`

[Out] $1/2*\log(\operatorname{abs}(2*\arctan2(1, x) - 1))/(a*b)$

Fricas [A] time = 2.34995, size = 43, normalized size = 2.53

$$\frac{\log(2 \operatorname{arccot}(x) - 1)}{2 ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*x^2+a)/(b-2*b*arccot(x)),x, algorithm="fricas")`

[Out] $1/2*\log(2*\operatorname{arccot}(x) - 1)/(a*b)$

Sympy [A] time = 0.74049, size = 12, normalized size = 0.71

$$\frac{\log\left(\operatorname{acot}(x) - \frac{1}{2}\right)}{2ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*x**2+a)/(b-2*b*acot(x)),x)`

[Out] $\log(\operatorname{acot}(x) - 1/2)/(2*a*b)$

Giac [A] time = 1.14587, size = 24, normalized size = 1.41

$$\frac{\log\left(\left|2 \arctan\left(\frac{1}{x}\right) - 1\right|\right)}{2 ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a*x^2+a)/(b-2*b*arccot(x)),x, algorithm="giac")`

[Out] $1/2*\log(\operatorname{abs}(2*\arctan(1/x) - 1))/(a*b)$

3.229 $\int e^{c(a+bx)} \cot^{-1}(\sinh(ac + bcx)) dx$

Optimal. Leaf size=47

$$\frac{\log(e^{2c(a+bx)} + 1)}{bc} + \frac{e^{ac+bcx} \cot^{-1}(\sinh(c(a+bx)))}{bc}$$

[Out] (E^(a*c + b*c*x)*ArcCot[Sinh[c*(a + b*x)]])/(b*c) + Log[1 + E^(2*c*(a + b*x))]/(b*c)

Rubi [A] time = 0.0744283, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {2194, 5208, 2282, 12, 260}

$$\frac{\log(e^{2c(a+bx)} + 1)}{bc} + \frac{e^{ac+bcx} \cot^{-1}(\sinh(c(a+bx)))}{bc}$$

Antiderivative was successfully verified.

[In] Int[E^(c*(a + b*x))*ArcCot[Sinh[a*c + b*c*x]],x]

[Out] (E^(a*c + b*c*x)*ArcCot[Sinh[c*(a + b*x)]])/(b*c) + Log[1 + E^(2*c*(a + b*x))]/(b*c)

Rule 2194

Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_), x_Symbol] :> Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

Rule 5208

Int[((a_.) + ArcCot[u_]*(b_.))*(v_), x_Symbol] :> With[{w = IntHide[v, x]}, Dist[a + b*ArcCot[u], w, x] + Dist[b, Int[SimplifyIntegrand[(w*D[u, x])/(1 + u^2)], x], x] /; InverseFunctionFreeQ[w, x] /; FreeQ[{a, b}, x] && InverseFunctionFreeQ[u, x] && !MatchQ[v, ((c_.) + (d_.)*x)^(m_.) /; FreeQ[{c, d, m}, x]] && FalseQ[FunctionOfLinear[v*(a + b*ArcCot[u]), x]]

Rule 2282

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_.)*(v_) /; FreeQ[b, x]]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned}
\int e^{c(a+bx)} \cot^{-1}(\sinh(ac + bcx)) dx &= \frac{\text{Subst}\left(\int e^x \cot^{-1}(\sinh(x)) dx, x, ac + bcx\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\sinh(c(a + bx)))}{bc} + \frac{\text{Subst}\left(\int e^x \text{sech}(x) dx, x, ac + bcx\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\sinh(c(a + bx)))}{bc} + \frac{\text{Subst}\left(\int \frac{2x}{1+x^2} dx, x, e^{ac+bcx}\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\sinh(c(a + bx)))}{bc} + \frac{2 \text{Subst}\left(\int \frac{x}{1+x^2} dx, x, e^{ac+bcx}\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\sinh(c(a + bx)))}{bc} + \frac{\log\left(1 + e^{2c(a+bx)}\right)}{bc}
\end{aligned}$$

Mathematica [A] time = 0.10424, size = 61, normalized size = 1.3

$$\frac{\log\left(e^{2c(a+bx)} + 1\right) - e^{c(a+bx)} \cot^{-1}\left(\frac{1}{2}e^{-c(a+bx)} - \frac{1}{2}e^{c(a+bx)}\right)}{bc}$$

Warning: Unable to verify antiderivative.

[In] Integrate[E^(c*(a + b*x))*ArcCot[Sinh[a*c + b*c*x]], x]

[Out] $(-E^{c(a + bx)} \text{ArcCot}[1/(2E^{c(a + bx)})] - E^{c(a + bx)}/2) + \text{Log}[1 + E^{2c(a + bx)}]/(bc)$

Maple [C] time = 0.337, size = 1281, normalized size = 27.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(c*(b*x+a))*arccot(sinh(b*c*x+a*c)), x)

[Out] $-2a/b - 1/4/c/b\pi \text{csgn}(I \exp(-c(b*x+a)) * (\exp(c(b*x+a)) + I)^2) * \text{csgn}(\exp(-c(b*x+a)) * (\exp(c(b*x+a)) + I)^2) * \exp(c(b*x+a)) + \ln(1 + \exp(2c(b*x+a))) / b/c + 1/4/c/b\pi \text{csgn}(I * (\exp(c(b*x+a)) - I)^2) * \text{csgn}(I \exp(-c(b*x+a))) * \text{csgn}(I \exp(-c(b*x+a)) * (\exp(c(b*x+a)) - I)^2) * \exp(c(b*x+a)) - 1/4/c/b\pi \text{csgn}(I * (\exp(c(b*x+a)) + I)^2) * \text{csgn}(I \exp(-c(b*x+a))) * \text{csgn}(I \exp(-c(b*x+a)) * (\exp(c(b*x+a)) + I)^2) * \exp(c(b*x+a)) - I/c/b \exp(c(b*x+a)) * \ln(\exp(c(b*x+a)) + I) + 1/4/c/b\pi \text{csgn}(I * (\exp(c(b*x+a)) - I)^2) * \text{csgn}(I * (\exp(c(b*x+a)) - I)^2) * \exp(c(b*x+a)) - 1/2/c/b\pi \text{csgn}(I * (\exp(c(b*x+a)) - I)) * \text{csgn}(I * (\exp(c(b*x+a)) - I)^2)^2 * \exp(c(b*x+a)) - 1/4/c/b\pi \text{csgn}(I \exp(-c(b*x+a)) * (\exp(c(b*x+a)) - I)^2) * \text{csgn}(\exp(-c(b*x+a)) * (\exp(c(b*x+a)) - I)^2)^2 * \exp(c(b*x+a)) - 1/4/c/b\pi \text{csgn}(I * (\exp(c(b*x+a)) + I)^2) * \text{csgn}(I * (\exp(c(b*x+a)) + I)^2) * \exp(c(b*x+a)) + 1/2/c/b\pi \text{csgn}(I * (\exp(c(b*x+a)) + I)) * \text{csgn}(I * (\exp(c(b*x+a)) + I)^2)^2 * \exp(c(b*x+a)) + 1/4/c/b\pi \text{csgn}(I \exp(-c(b*x+a)) * (\exp(c(b*x+a)) + I)^2) * \text{csgn}(\exp(-c(b*x+a)) * (\exp(c(b*x+a)) + I)^2)^2 * \exp(c(b*x+a)) + 1/4/c/b\pi \text{csgn}(I * (\exp(c(b*x+a)) + I)^2) * \text{csgn}(I \exp(-c(b*x+a))) * \text{csgn}(I \exp(-c(b*x+a)) * (\exp(c(b*x+a)) + I)^2)^2 * \exp(c(b*x+a)) - 1/4/c/b\pi \text{csgn}(I \exp(-c(b*x+a))) * \text{csgn}(I \exp(-c(b*x+a)) * (\exp(c(b*x+a)) - I)^2)^2 * \exp(c(b*x+a)) + 1/4/c/b\pi \text{csgn}(I \exp(-c(b*x+a)) * (\exp(c(b*x+a)) - I)^2) * \text{csgn}(\exp(-c(b*x+a)) * (\exp(c(b*x+a)) - I)^2)$

$2) \exp(c*(b*x+a)) - 1/4/c/b*\text{Pi}*\text{csgn}(\exp(-c*(b*x+a)) * (\exp(c*(b*x+a)) - I)^2)^3 \exp(c*(b*x+a)) + 1/4/c/b*\text{Pi}*\text{csgn}(I * (\exp(c*(b*x+a)) - I)^2)^3 \exp(c*(b*x+a)) - 1/4/c/b*\text{Pi}*\text{csgn}(\exp(-c*(b*x+a)) * (\exp(c*(b*x+a)) + I)^2)^3 \exp(c*(b*x+a)) - 1/4/c/b*\text{Pi}*\text{csgn}(I * (\exp(c*(b*x+a)) + I)^2)^3 \exp(c*(b*x+a)) + 1/4/c/b*\text{Pi}*\text{csgn}(I * \exp(-c*(b*x+a)) * (\exp(c*(b*x+a)) + I)^2)^3 \exp(c*(b*x+a)) + 1/4/c/b*\text{Pi}*\text{csgn}(I * \exp(-c*(b*x+a)) * (\exp(c*(b*x+a)) - I)^2)^3 \exp(c*(b*x+a)) + 1/4/c/b*\text{Pi}*\text{csgn}(\exp(-c*(b*x+a)) * (\exp(c*(b*x+a)) - I)^2)^2 \exp(c*(b*x+a)) + 1/4/c/b*\text{Pi}*\text{csgn}(\exp(-c*(b*x+a)) * (\exp(c*(b*x+a)) + I)^2)^2 \exp(c*(b*x+a)) + I/c/b * \exp(c*(b*x+a)) * \ln(\exp(c*(b*x+a)) - I)$

Maxima [A] time = 1.52502, size = 63, normalized size = 1.34

$$\frac{\operatorname{arccot}(\sinh(bc x + ac)) e^{(bx+a)c}}{bc} + \frac{\log(e^{2bcx+2ac} + 1)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(sinh(b*c*x+a*c)),x, algorithm="maxima")

[Out] arccot(sinh(b*c*x + a*c))*e^((b*x + a)*c)/(b*c) + log(e^(2*b*c*x + 2*a*c) + 1)/(b*c)

Fricas [B] time = 2.49421, size = 343, normalized size = 7.3

$$\frac{(\cosh(bc x + ac) + \sinh(bc x + ac)) \arctan\left(\frac{2(\cosh(bc x + ac) + \sinh(bc x + ac))}{\cosh(bc x + ac)^2 + 2 \cosh(bc x + ac) \sinh(bc x + ac) + \sinh(bc x + ac)^2 - 1}\right) + \log\left(\frac{2 \cosh(bc x + ac)}{\cosh(bc x + ac) - \sinh(bc x + ac)}\right)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(sinh(b*c*x+a*c)),x, algorithm="fricas")

[Out] ((cosh(b*c*x + a*c) + sinh(b*c*x + a*c))*arctan(2*(cosh(b*c*x + a*c) + sinh(b*c*x + a*c))/(cosh(b*c*x + a*c)^2 + 2*cosh(b*c*x + a*c)*sinh(b*c*x + a*c) + sinh(b*c*x + a*c)^2 - 1)) + log(2*cosh(b*c*x + a*c)/(cosh(b*c*x + a*c) - sinh(b*c*x + a*c)))/(b*c)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*acot(sinh(b*c*x+a*c)),x)

[Out] Timed out

Giac [A] time = 1.14281, size = 89, normalized size = 1.89

$$\frac{\left(\arctan\left(\frac{2}{e^{(bcx+ac)} - e^{(-bcx-ac)}}\right) e^{(bcx)} + e^{(-ac)} \log\left(e^{2bcx+2ac} + 1\right)\right) e^{(ac)}}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(exp(c*(b*x+a))*arccot(sinh(b*c*x+a*c)),x, algorithm="giac")
```

```
[Out] (arctan(2/(e^(b*c*x + a*c) - e^(-b*c*x - a*c))))*e^(b*c*x) + e^(-a*c)*log(e^(2*b*c*x + 2*a*c) + 1))*e^(a*c)/(b*c)
```

3.230 $\int e^{c(a+bx)} \cot^{-1}(\cosh(ac + bcx)) dx$

Optimal. Leaf size=103

$$\frac{(1 - \sqrt{2}) \log(e^{2c(a+bx)} + 3 - 2\sqrt{2})}{2bc} + \frac{(1 + \sqrt{2}) \log(e^{2c(a+bx)} + 3 + 2\sqrt{2})}{2bc} + \frac{e^{ac+bcx} \cot^{-1}(\cosh(c(a + bx)))}{bc}$$

[Out] (E^(a*c + b*c*x)*ArcCot[Cosh[c*(a + b*x)]])/(b*c) + ((1 - Sqrt[2])*Log[3 - 2*Sqrt[2] + E^(2*c*(a + b*x))])/(2*b*c) + ((1 + Sqrt[2])*Log[3 + 2*Sqrt[2] + E^(2*c*(a + b*x))])/(2*b*c)

Rubi [A] time = 0.139005, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.35$, Rules used = {2194, 5208, 2282, 12, 1247, 632, 31}

$$\frac{(1 - \sqrt{2}) \log(e^{2c(a+bx)} + 3 - 2\sqrt{2})}{2bc} + \frac{(1 + \sqrt{2}) \log(e^{2c(a+bx)} + 3 + 2\sqrt{2})}{2bc} + \frac{e^{ac+bcx} \cot^{-1}(\cosh(c(a + bx)))}{bc}$$

Antiderivative was successfully verified.

[In] Int[E^(c*(a + b*x))*ArcCot[Cosh[a*c + b*c*x]], x]

[Out] (E^(a*c + b*c*x)*ArcCot[Cosh[c*(a + b*x)]])/(b*c) + ((1 - Sqrt[2])*Log[3 - 2*Sqrt[2] + E^(2*c*(a + b*x))])/(2*b*c) + ((1 + Sqrt[2])*Log[3 + 2*Sqrt[2] + E^(2*c*(a + b*x))])/(2*b*c)

Rule 2194

Int[((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.), x_Symbol] := Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

Rule 5208

Int[((a_.) + ArcCot[u_]*(b_.))*(v_), x_Symbol] := With[{w = IntHide[v, x]}, Dist[a + b*ArcCot[u], w, x] + Dist[b, Int[SimplifyIntegrand[(w*D[u, x])/(1 + u^2), x], x], x] /; InverseFunctionFreeQ[w, x] /; FreeQ[{a, b}, x] && InverseFunctionFreeQ[u, x] && !MatchQ[v, ((c_.) + (d_.)*x)^(m_.) /; FreeQ[{c, d, m}, x]] && FalseQ[FunctionOfLinear[v*(a + b*ArcCot[u]), x]]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*(a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 1247

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x],

$x, x^2], x] /; \text{FreeQ}\{a, b, c, d, e, p, q\}, x]$

Rule 632

$\text{Int}[(d + e \cdot x)/(a + b \cdot x + c \cdot x^2), x_Symbol] :> \text{With}\{q = \text{Rt}[b^2 - 4ac, 2]\}, \text{Dist}[(c \cdot d - e \cdot (b/2 - q/2))/q, \text{Int}[1/(b/2 - q/2 + c \cdot x), x], x] - \text{Dist}[(c \cdot d - e \cdot (b/2 + q/2))/q, \text{Int}[1/(b/2 + q/2 + c \cdot x), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[2cd - b \cdot e, 0] \&\& \text{NeQ}[b^2 - 4ac, 0] \&\& \text{NiceSqrtQ}[b^2 - 4ac]$

Rule 31

$\text{Int}[(a + b \cdot x)^{-1}, x_Symbol] :> \text{Simp}[\text{Log}[\text{RemoveContent}[a + b \cdot x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rubi steps

$$\int e^{c(a+bx)} \cot^{-1}(\cosh(ac + bcx)) dx = \frac{\text{Subst}\left(\int e^x \cot^{-1}(\cosh(x)) dx, x, ac + bcx\right)}{bc}$$

$$= \frac{e^{ac+bcx} \cot^{-1}(\cosh(c(a + bx)))}{bc} + \frac{\text{Subst}\left(\int \frac{e^x \sinh(x)}{1+\cosh^2(x)} dx, x, ac + bcx\right)}{bc}$$

$$= \frac{e^{ac+bcx} \cot^{-1}(\cosh(c(a + bx)))}{bc} + \frac{\text{Subst}\left(\int \frac{2x(-1+x^2)}{1+6x^2+x^4} dx, x, e^{ac+bcx}\right)}{bc}$$

$$= \frac{e^{ac+bcx} \cot^{-1}(\cosh(c(a + bx)))}{bc} + \frac{2 \text{Subst}\left(\int \frac{x(-1+x^2)}{1+6x^2+x^4} dx, x, e^{ac+bcx}\right)}{bc}$$

$$= \frac{e^{ac+bcx} \cot^{-1}(\cosh(c(a + bx)))}{bc} + \frac{\text{Subst}\left(\int \frac{-1+x}{1+6x^2+x^4} dx, x, e^{2ac+2bcx}\right)}{bc}$$

$$= \frac{e^{ac+bcx} \cot^{-1}(\cosh(c(a + bx)))}{bc} + \frac{(1 - \sqrt{2}) \text{Subst}\left(\int \frac{1}{3-2\sqrt{2}+x} dx, x, e^{2ac+2bcx}\right)}{2bc} + \frac{(1 + \sqrt{2}) \text{Subst}\left(\int \frac{1}{3+2\sqrt{2}+x} dx, x, e^{2ac+2bcx}\right)}{2bc}$$

$$= \frac{e^{ac+bcx} \cot^{-1}(\cosh(c(a + bx)))}{bc} + \frac{(1 - \sqrt{2}) \log(3 - 2\sqrt{2} + e^{2ac+2bcx})}{2bc} + \frac{(1 + \sqrt{2}) \log(3 + 2\sqrt{2} + e^{2ac+2bcx})}{2bc}$$

Mathematica [C] time = 0.139229, size = 146, normalized size = 1.42

$$\frac{\text{RootSum}\left[\#1^4 + 6\#1^2 + 1 \&, \frac{7\#1^2 \log(e^{c(a+bx)} - \#1) - 7\#1^2 ac - 7\#1^2 bcx + \log(e^{c(a+bx)} - \#1) - ac - bcx}{3\#1^2 + 1} \&\right] + 4c(a + bx) + 2e^{c(a+bx)} \cot^{-1}\left(\frac{1}{2}e^{-c(a+bx)}\right)}{2bc}$$

Warning: Unable to verify antiderivative.

[In] Integrate[E^(c*(a + b*x))*ArcCot[Cosh[a*c + b*c*x]], x]

[Out] (4*c*(a + b*x) + 2*E^(c*(a + b*x))*ArcCot[(1 + E^(2*c*(a + b*x)))/(2*E^(c*(a + b*x)))] + RootSum[1 + 6*#1^2 + #1^4 &, (-a*c) - b*c*x + Log[E^(c*(a + b*x)) - #1] - 7*a*c*#1^2 - 7*b*c*x*#1^2 + 7*Log[E^(c*(a + b*x)) - #1]*#1^2)/(1 + 3*#1^2) &]/(2*b*c)

Maple [C] time = 0.394, size = 1358, normalized size = 13.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(c*(b*x+a))*arccot(cosh(b*c*x+a*c)),x)

[Out]
$$-1/2*I/c/b*\exp(c*(b*x+a))*\ln(\exp(2*c*(b*x+a))+1+2*I*\exp(c*(b*x+a)))-1/4/c/b*\Pi*csgn(I*\exp(-c*(b*x+a))*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a))))^3*\exp(c*(b*x+a))-1/4/c/b*\Pi*csgn(I*\exp(-c*(b*x+a)))*csgn(I*\exp(-c*(b*x+a))*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a))))^2*\exp(c*(b*x+a))+1/4/c/b*\Pi*csgn(I*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a))))*csgn(I*\exp(-c*(b*x+a))*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a))))^2*\exp(c*(b*x+a))+1/4/c/b*\Pi*csgn(I*\exp(-c*(b*x+a))*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a))))*csgn(\exp(-c*(b*x+a))*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a))))^2*\exp(c*(b*x+a))+1/4/c/b*\Pi*csgn(I*\exp(-c*(b*x+a)))*csgn(I*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a))))*csgn(I*\exp(-c*(b*x+a))*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a))))*\exp(c*(b*x+a))-1/4/c/b*\Pi*csgn(\exp(-c*(b*x+a))*(\exp(2*c*(b*x+a))+1+2*I*\exp(c*(b*x+a))))^3*\exp(c*(b*x+a))+1/4/c/b*\Pi*csgn(I*\exp(-c*(b*x+a))*(\exp(2*c*(b*x+a))+1+2*I*\exp(c*(b*x+a))))*csgn(\exp(-c*(b*x+a))*(\exp(2*c*(b*x+a))+1+2*I*\exp(c*(b*x+a))))^2*\exp(c*(b*x+a))+1/4/c/b*\Pi*csgn(\exp(-c*(b*x+a))*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a))))^3*\exp(c*(b*x+a))-1/4/c/b*\Pi*csgn(I*\exp(-c*(b*x+a)))*csgn(I*(\exp(2*c*(b*x+a))+1+2*I*\exp(c*(b*x+a))))*csgn(I*\exp(-c*(b*x+a))*(\exp(2*c*(b*x+a))+1+2*I*\exp(c*(b*x+a))))*\exp(c*(b*x+a))+1/4/c/b*\Pi*csgn(I*\exp(-c*(b*x+a)))*csgn(I*\exp(-c*(b*x+a))*(\exp(2*c*(b*x+a))+1+2*I*\exp(c*(b*x+a))))^2*\exp(c*(b*x+a))-1/4/c/b*\Pi*csgn(I*\exp(-c*(b*x+a))*(\exp(2*c*(b*x+a))+1+2*I*\exp(c*(b*x+a))))^3*\exp(c*(b*x+a))+1/4/c/b*\Pi*csgn(I*\exp(-c*(b*x+a))*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a))))*\exp(c*(b*x+a))+1/4/c/b*\Pi*csgn(\exp(-c*(b*x+a))*(\exp(2*c*(b*x+a))+1+2*I*\exp(c*(b*x+a))))^2*\exp(c*(b*x+a))-1/4/c/b*\Pi*csgn(I*\exp(-c*(b*x+a))*(\exp(2*c*(b*x+a))+1+2*I*\exp(c*(b*x+a))))^3*\exp(c*(b*x+a))+1/4/c/b*\Pi*csgn(I*\exp(-c*(b*x+a))*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a))))*\exp(c*(b*x+a))+1/4/c/b*\Pi*csgn(\exp(-c*(b*x+a))*(\exp(2*c*(b*x+a))+1+2*I*\exp(c*(b*x+a))))^2*\exp(c*(b*x+a))-1/4/c/b*\Pi*csgn(I*\exp(-c*(b*x+a))*(\exp(2*c*(b*x+a))+1+2*I*\exp(c*(b*x+a))))^3*\exp(c*(b*x+a))+1/4/c/b*\Pi*csgn(I*\exp(-c*(b*x+a))*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a))))*\exp(c*(b*x+a))+1/4/c/b*\Pi*csgn(\exp(-c*(b*x+a))*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a))))^2*\exp(c*(b*x+a))+1/2*I/c/b*\exp(c*(b*x+a))*\ln(\exp(2*c*(b*x+a))+1-2*I*\exp(c*(b*x+a)))+1/2/c/b*\ln(\exp(2*c*(b*x+a)))+(1+2^(1/2))^2)*2^(1/2)-1/2/c/b*\ln(\exp(2*c*(b*x+a)))+(2^(1/2)-1)^2)*2^(1/2)-2*a/b+1/2/c/b*\ln(\exp(2*c*(b*x+a)))+(1+2^(1/2))^2)+1/2/c/b*\ln(\exp(2*c*(b*x+a)))+(2^(1/2)-1)^2)$$

Maxima [A] time = 1.54056, size = 177, normalized size = 1.72

$$\frac{\operatorname{arccot}(\cosh(bc x + ac)) e^{(bx+a)c}}{bc} + \frac{\sqrt{2} \log\left(-\frac{2\sqrt{2}-e^{(-2bcx-2ac)}-3}{2\sqrt{2}+e^{(-2bcx-2ac)}+3}\right)}{2bc} + \frac{2(bc x + ac)}{bc} + \frac{\log\left(6 e^{(-2bcx-2ac)} + e^{(-4bcx-4ac)} + 1\right)}{2bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(cosh(b*c*x+a*c)),x, algorithm="maxima")

[Out]
$$\operatorname{arccot}(\cosh(b*c*x + a*c))*e^{((b*x + a)*c)/(b*c)} + 1/2*\sqrt{2}*\log(-2*\sqrt{2}*(2 - e^{(-2*b*c*x - 2*a*c)} - 3)/(2*\sqrt{2} + e^{(-2*b*c*x - 2*a*c)} + 3))/(b*c) + 2*(b*c*x + a*c)/(b*c) + 1/2*\log(6*e^{(-2*b*c*x - 2*a*c)} + e^{(-4*b*c*x - 4*a*c)} + 1)/(b*c)$$

Fricas [B] time = 2.71541, size = 741, normalized size = 7.19

$$2(\cosh(bc x + ac) + \sinh(bc x + ac)) \arctan\left(\frac{2(\cosh(bc x + ac) + \sinh(bc x + ac))}{\cosh(bc x + ac)^2 + 2 \cosh(bc x + ac) \sinh(bc x + ac) + \sinh(bc x + ac)^2 + 1}\right) + \sqrt{2} \log\left(\frac{3(2\sqrt{2}+3)c}{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(cosh(b*c*x+a*c)),x, algorithm="fricas")

[Out] $\frac{1}{2} * (2 * (\cosh(b*c*x + a*c) + \sinh(b*c*x + a*c)) * \arctan(2 * (\cosh(b*c*x + a*c) + \sinh(b*c*x + a*c)) / (\cosh(b*c*x + a*c)^2 + 2 * \cosh(b*c*x + a*c) * \sinh(b*c*x + a*c) + \sinh(b*c*x + a*c)^2 + 1)) + \sqrt{2} * \log((3 * (2 * \sqrt{2} + 3) * \cosh(b*c*x + a*c)^2 - 4 * (3 * \sqrt{2} + 4) * \cosh(b*c*x + a*c) * \sinh(b*c*x + a*c) + 3 * (2 * \sqrt{2} + 3) * \sinh(b*c*x + a*c)^2 + 2 * \sqrt{2} + 3) / (\cosh(b*c*x + a*c)^2 + \sinh(b*c*x + a*c)^2 + 3)) + \log(2 * (\cosh(b*c*x + a*c)^2 + \sinh(b*c*x + a*c)^2 + 3) / (\cosh(b*c*x + a*c)^2 - 2 * \cosh(b*c*x + a*c) * \sinh(b*c*x + a*c) + \sinh(b*c*x + a*c)^2))) / (b*c)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*acot(cosh(b*c*x+a*c)),x)

[Out] Timed out

Giac [A] time = 1.13431, size = 208, normalized size = 2.02

$$\frac{\left(\sqrt{2}e^{(-ac)} \log\left(-\frac{2\sqrt{2}e^{(2ac)} - e^{(2bcx+4ac)} - 3e^{(2ac)}}{2\sqrt{2}e^{(2ac)} + e^{(2bcx+4ac)} + 3e^{(2ac)}}\right) - 2 \arctan\left(\frac{2}{e^{(bcx+ac)} + e^{(-bcx-ac)}}\right) e^{(bcx)} - e^{(-ac)} \log\left(e^{(4bcx+4ac)} + 6e^{(2bcx+2ac)} + 1\right)\right)}{2bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(cosh(b*c*x+a*c)),x, algorithm="giac")

[Out] $-\frac{1}{2} * (\sqrt{2} * e^{(-a*c)} * \log(-(2 * \sqrt{2} * e^{(2*a*c)} - e^{(2*b*c*x + 4*a*c)} - 3 * e^{(2*a*c)}) / (2 * \sqrt{2} * e^{(2*a*c)} + e^{(2*b*c*x + 4*a*c)} + 3 * e^{(2*a*c)}))) - 2 * \arctan(2 / (e^{(b*c*x + a*c)} + e^{(-b*c*x - a*c)})) * e^{(b*c*x)} - e^{(-a*c)} * \log(e^{(4 * b*c*x + 4*a*c)} + 6 * e^{(2*b*c*x + 2*a*c)} + 1)) * e^{(a*c)} / (b*c)$

3.231 $\int e^{c(a+bx)} \cot^{-1}(\tanh(ac + bcx)) dx$

Optimal. Leaf size=180

$$\frac{\log(e^{2c(a+bx)} - \sqrt{2}e^{ac+bcx} + 1)}{2\sqrt{2}bc} - \frac{\log(e^{2c(a+bx)} + \sqrt{2}e^{ac+bcx} + 1)}{2\sqrt{2}bc} - \frac{\tan^{-1}(1 - \sqrt{2}e^{ac+bcx})}{\sqrt{2}bc} + \frac{\tan^{-1}(\sqrt{2}e^{ac+bcx} + 1)}{\sqrt{2}bc} + e^a$$

[Out] (E^(a*c + b*c*x)*ArcCot[Tanh[c*(a + b*x)]])/(b*c) - ArcTan[1 - Sqrt[2]*E^(a*c + b*c*x)]/(Sqrt[2]*b*c) + ArcTan[1 + Sqrt[2]*E^(a*c + b*c*x)]/(Sqrt[2]*b*c) + Log[1 + E^(2*c*(a + b*x)) - Sqrt[2]*E^(a*c + b*c*x)]/(2*Sqrt[2]*b*c) - Log[1 + E^(2*c*(a + b*x)) + Sqrt[2]*E^(a*c + b*c*x)]/(2*Sqrt[2]*b*c)

Rubi [A] time = 0.177584, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {2194, 5208, 12, 2249, 297, 1162, 617, 204, 1165, 628}

$$\frac{\log(e^{2c(a+bx)} - \sqrt{2}e^{ac+bcx} + 1)}{2\sqrt{2}bc} - \frac{\log(e^{2c(a+bx)} + \sqrt{2}e^{ac+bcx} + 1)}{2\sqrt{2}bc} - \frac{\tan^{-1}(1 - \sqrt{2}e^{ac+bcx})}{\sqrt{2}bc} + \frac{\tan^{-1}(\sqrt{2}e^{ac+bcx} + 1)}{\sqrt{2}bc} + e^a$$

Antiderivative was successfully verified.

[In] Int[E^(c*(a + b*x))*ArcCot[Tanh[a*c + b*c*x]],x]

[Out] (E^(a*c + b*c*x)*ArcCot[Tanh[c*(a + b*x)]])/(b*c) - ArcTan[1 - Sqrt[2]*E^(a*c + b*c*x)]/(Sqrt[2]*b*c) + ArcTan[1 + Sqrt[2]*E^(a*c + b*c*x)]/(Sqrt[2]*b*c) + Log[1 + E^(2*c*(a + b*x)) - Sqrt[2]*E^(a*c + b*c*x)]/(2*Sqrt[2]*b*c) - Log[1 + E^(2*c*(a + b*x)) + Sqrt[2]*E^(a*c + b*c*x)]/(2*Sqrt[2]*b*c)

Rule 2194

Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.), x_Symbol] :> Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

Rule 5208

Int[((a_.) + ArcCot[u_]*(b_.))*(v_), x_Symbol] :> With[{w = IntHide[v, x]}, Dist[a + b*ArcCot[u], w, x] + Dist[b, Int[SimplifyIntegrand[(w*D[u, x])/(1 + u^2)], x], x] /; InverseFunctionFreeQ[w, x] /; FreeQ[{a, b}, x] && InverseFunctionFreeQ[u, x] && !MatchQ[v, ((c_.) + (d_.)*x)^(m_.) /; FreeQ[{c, d, m}, x]] && FalseQ[FunctionOfLinear[v*(a + b*ArcCot[u]), x]]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 2249

Int[((a_) + (b_.)*(F_)^((e_.)*((c_.) + (d_.)*(x_))))^(p_.)*(G_)^((h_.)*((f_.) + (g_.)*(x_))), x_Symbol] :> With[{m = FullSimplify[(d*e*Log[F])/(g*h*Log[G])]}, Dist[Denominator[m]/(g*h*Log[G]), Subst[Int[x^(Denominator[m] - 1)*(a + b*F^(c*e - (d*e*f)/g)*x^Numerator[m]]^p, x], x, G^((h*(f + g*x))/Denominator[m])], x] /; LtQ[m, -1] || GtQ[m, 1]] /; FreeQ[{F, G, a, b, c, d, e, f, g, h, p}, x]

Rule 297

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b,
2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4
), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a,
b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &
& AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int e^{c(a+bx)} \cot^{-1}(\tanh(ac+bcx)) dx &= \frac{\text{Subst}\left(\int e^x \cot^{-1}(\tanh(x)) dx, x, ac+bcx\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\tanh(c(a+bx)))}{bc} + \frac{\text{Subst}\left(\int \frac{2e^{3x}}{1+e^{4x}} dx, x, ac+bcx\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\tanh(c(a+bx)))}{bc} + \frac{2 \text{Subst}\left(\int \frac{e^{3x}}{1+e^{4x}} dx, x, ac+bcx\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\tanh(c(a+bx)))}{bc} + \frac{2 \text{Subst}\left(\int \frac{x^2}{1+x^4} dx, x, e^{ac+bcx}\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\tanh(c(a+bx)))}{bc} - \frac{\text{Subst}\left(\int \frac{1-x^2}{1+x^4} dx, x, e^{ac+bcx}\right)}{bc} + \frac{\text{Subst}\left(\int \frac{1+x^2}{1+x^4} dx, x, e^{ac+bcx}\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\tanh(c(a+bx)))}{bc} + \frac{\text{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, e^{ac+bcx}\right)}{2bc} + \frac{\text{Subst}\left(\int \frac{1}{1+\sqrt{2}x+x^2} dx, x, e^{ac+bcx}\right)}{2bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\tanh(c(a+bx)))}{bc} + \frac{\log\left(1 - \sqrt{2}e^{ac+bcx} + e^{2ac+2bcx}\right)}{2\sqrt{2}bc} - \frac{\log\left(1 + \sqrt{2}e^{ac+bcx} + e^{2ac+2bcx}\right)}{2\sqrt{2}bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\tanh(c(a+bx)))}{bc} - \frac{\tan^{-1}\left(1 - \sqrt{2}e^{ac+bcx}\right)}{\sqrt{2}bc} + \frac{\tan^{-1}\left(1 + \sqrt{2}e^{ac+bcx}\right)}{\sqrt{2}bc}
\end{aligned}$$

Mathematica [C] time = 0.109173, size = 89, normalized size = 0.49

$$\frac{\text{RootSum}\left[\#1^4 + 1 \&, \frac{\log\left(e^{c(a+bx)} - \#1\right) - ac - bcx}{\#1} \&\right] + 2e^{c(a+bx)} \cot^{-1}\left(\frac{e^{2c(a+bx)} - 1}{e^{2c(a+bx)} + 1}\right)}{2bc}$$

Warning: Unable to verify antiderivative.

[In] Integrate[E^(c*(a + b*x))*ArcCot[Tanh[a*c + b*c*x]], x]

[Out] (2*E^(c*(a + b*x))*ArcCot[(-1 + E^(2*c*(a + b*x)))/(1 + E^(2*c*(a + b*x))]) + RootSum[1 + #1^4 &, (-a*c) - b*c*x + Log[E^(c*(a + b*x)) - #1]]/#1 &])/(2*b*c)

Maple [C] time = 0.403, size = 1323, normalized size = 7.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(c*(b*x+a))*arccot(tanh(b*c*x+a*c)), x)

[Out] $-1/4*I/c/b*\ln(\exp(c*(b*x+a)))+(1/2-1/2*I)*2^{(1/2)}*2^{(1/2)}+1/2*I/c/b*\exp(c*(b*x+a))*\ln(\exp(2*c*(b*x+a))-I)+1/4*I/c/b*\ln(\exp(c*(b*x+a))+(-1/2+1/2*I)*2^{(1/2)})*2^{(1/2)}-1/4*I/c/b*\ln(\exp(c*(b*x+a))- (1/2+1/2*I)*2^{(1/2)})*2^{(1/2)}+1/4*I/c/b*\ln(\exp(c*(b*x+a))+ (1/2+1/2*I)*2^{(1/2)})*2^{(1/2)}+1/4/c/b*\exp(c*(b*x+a))*\text{Pi}-1/2*I/c/b*\exp(c*(b*x+a))*\ln(\exp(2*c*(b*x+a))+I)-1/4/c/b*\text{Pi}*c\text{sgn}(I*(\exp(2*c*(b*x+a))-I))*c\text{sgn}(I*(\exp(2*c*(b*x+a))-I)/(1+\exp(2*c*(b*x+a))))^2*\exp(c*(b*x+a))+1/4/c/b*\text{Pi}*c\text{sgn}(I*(\exp(2*c*(b*x+a))+I)/(1+\exp(2*c*(b*x+a))))*c\text{sgn}((1+I)*(\exp(2*c*(b*x+a))+I)/(1+\exp(2*c*(b*x+a))))^2*\exp(c*(b*x+a))-1/4/c/b*\text{Pi}*c\text{sgn}(I*(\exp(2*c*(b*x+a))-I)/(1+\exp(2*c*(b*x+a))))*c\text{sgn}((1-I)*(\exp(2*c*(b*x+a))-I)/(1+\exp(2*c*(b*x+a))))$

$x+a)-I)/(1+\exp(2*c*(b*x+a)))^2*\exp(c*(b*x+a))+1/4/c/b*Pi*csgn(I*(\exp(2*c*(b*x+a))+I))*csgn(I*(\exp(2*c*(b*x+a))+I)/(1+\exp(2*c*(b*x+a))))^2*\exp(c*(b*x+a))-1/4/c/b*Pi*csgn(I*(\exp(2*c*(b*x+a))+I)/(1+\exp(2*c*(b*x+a))))*csgn((1+I)*(\exp(2*c*(b*x+a))+I)/(1+\exp(2*c*(b*x+a))))*\exp(c*(b*x+a))+1/4/c/b*Pi*csgn(I*(\exp(2*c*(b*x+a))-I)/(1+\exp(2*c*(b*x+a))))*csgn((1-I)*(\exp(2*c*(b*x+a))-I)/(1+\exp(2*c*(b*x+a))))*\exp(c*(b*x+a))-1/4/c/b*Pi*csgn(I/(1+\exp(2*c*(b*x+a))))*csgn(I*(\exp(2*c*(b*x+a))+I)/(1+\exp(2*c*(b*x+a))))^2*\exp(c*(b*x+a))+1/4/c/b*Pi*csgn(I/(1+\exp(2*c*(b*x+a))))*csgn(I*(\exp(2*c*(b*x+a))+I)/(1+\exp(2*c*(b*x+a))))^2*\exp(c*(b*x+a))+1/4/c/b*Pi*csgn(I/(1+\exp(2*c*(b*x+a))))*csgn(I*(\exp(2*c*(b*x+a))-I))*csgn(I*(\exp(2*c*(b*x+a))-I)/(1+\exp(2*c*(b*x+a))))*\exp(c*(b*x+a))-1/4/c/b*Pi*csgn(I/(1+\exp(2*c*(b*x+a))))*csgn(I*(\exp(2*c*(b*x+a))+I))*csgn(I*(\exp(2*c*(b*x+a))+I)/(1+\exp(2*c*(b*x+a))))*\exp(c*(b*x+a))-1/4/c/b*ln(\exp(c*(b*x+a))+(1/2-1/2*I)*2^(1/2))*2^(1/2)+1/4/c/b*ln(\exp(c*(b*x+a))+(-1/2+1/2*I)*2^(1/2))*2^(1/2)+1/4/c/b*ln(\exp(c*(b*x+a))-(1/2+1/2*I)*2^(1/2))*2^(1/2)-1/4/c/b*ln(\exp(c*(b*x+a))+(1/2+1/2*I)*2^(1/2))*2^(1/2)-1/4/c/b*Pi*csgn((1+I)*(\exp(2*c*(b*x+a))+I)/(1+\exp(2*c*(b*x+a))))^3*\exp(c*(b*x+a))+1/4/c/b*Pi*csgn(I*(\exp(2*c*(b*x+a))-I)/(1+\exp(2*c*(b*x+a))))^3*\exp(c*(b*x+a))-1/4/c/b*Pi*csgn((1-I)*(\exp(2*c*(b*x+a))-I)/(1+\exp(2*c*(b*x+a))))^3*\exp(c*(b*x+a))+1/4/c/b*Pi*csgn((1+I)*(\exp(2*c*(b*x+a))+I)/(1+\exp(2*c*(b*x+a))))^2*\exp(c*(b*x+a))+1/4/c/b*Pi*csgn((1-I)*(\exp(2*c*(b*x+a))-I)/(1+\exp(2*c*(b*x+a))))^2*\exp(c*(b*x+a))$

Maxima [A] time = 1.54006, size = 225, normalized size = 1.25

$$\frac{\operatorname{arccot}(\tanh(bc x + ac)) e^{(bx+ac)}}{bc} + \frac{\sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}(\sqrt{2} + 2 e^{(bcx+ac)})\right)}{2bc} + \frac{\sqrt{2} \arctan\left(-\frac{1}{2} \sqrt{2}(\sqrt{2} - 2 e^{(bcx+ac)})\right)}{2bc} - \frac{\sqrt{2} \operatorname{arccot}(\tanh(bc x + ac)) e^{(bx+ac)}}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(tanh(b*c*x+a*c)),x, algorithm="maxima")

[Out] $\operatorname{arccot}(\tanh(b*c*x + a*c))*e^{(b*x + a)*c}/(b*c) + 1/2*\sqrt{2}*\arctan(1/2*\sqrt{2}*(\sqrt{2} + 2*e^{(b*c*x + a*c)}))/ (b*c) + 1/2*\sqrt{2}*\arctan(-1/2*\sqrt{2}*(\sqrt{2} - 2*e^{(b*c*x + a*c)}))/ (b*c) - 1/4*\sqrt{2}*\log(\sqrt{2}*e^{(b*c*x + a*c)} + e^{(2*b*c*x + 2*a*c)} + 1)/(b*c) + 1/4*\sqrt{2}*\log(-\sqrt{2}*e^{(b*c*x + a*c)} + e^{(2*b*c*x + 2*a*c)} + 1)/(b*c)$

Fricas [B] time = 2.788, size = 1153, normalized size = 6.41

$$4 \sqrt{2}bc \left(\frac{1}{b^4c^4}\right)^{\frac{1}{4}} \arctan\left(-\sqrt{2}bc \left(\frac{1}{b^4c^4}\right)^{\frac{1}{4}} e^{(bcx+ac)} + \sqrt{2}\sqrt{\sqrt{2}b^3c^3 \left(\frac{1}{b^4c^4}\right)^{\frac{3}{4}} e^{(bcx+ac)} + b^2c^2\sqrt{\frac{1}{b^4c^4}} + e^{(2bcx+2ac)}}\right)bc \left(\frac{1}{b^4c^4}\right)^{\frac{1}{4}} - 1$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(tanh(b*c*x+a*c)),x, algorithm="fricas")

[Out] $-1/4*(4*\sqrt{2}*b*c*(1/(b^4*c^4))^(1/4)*\arctan(-\sqrt{2}*b*c*(1/(b^4*c^4))^(1/4))*e^{(b*c*x + a*c)} + \sqrt{2}*\sqrt{\sqrt{2}*b^3*c^3*(1/(b^4*c^4))^(3/4))*e^{(b*c*x + a*c)} + b^2*c^2*\sqrt{1/(b^4*c^4)} + e^{(2*b*c*x + 2*a*c)}})*b*c*(1/(b^4*c^4))^(1/4) - 1) + 4*\sqrt{2}*b*c*(1/(b^4*c^4))^(1/4)*\arctan(-\sqrt{2}*b*c*(1/(b^4*c^4))^(1/4))*e^{(b*c*x + a*c)} + \sqrt{2}*\sqrt{-\sqrt{2}*b^3*c^3*(1/(b^4*c^4))^(3/4))*e^{(b*c*x + a*c)} + b^2*c^2*\sqrt{1/(b^4*c^4)} + e^{(2*b*c*x + 2*a*c)}})*b*c*(1/(b^4*c^4))^(1/4) - 1)$

$$c^4)^{3/4} e^{(b*c*x + a*c)} + b^2*c^2*\sqrt{1/(b^4*c^4)} + e^{(2*b*c*x + 2*a*c)} * b*c*(1/(b^4*c^4))^{1/4} + 1) + \sqrt{2}*b*c*(1/(b^4*c^4))^{1/4}*\log(\sqrt{2}*b^3*c^3*(1/(b^4*c^4))^{3/4} e^{(b*c*x + a*c)} + b^2*c^2*\sqrt{1/(b^4*c^4)} + e^{(2*b*c*x + 2*a*c)}) - \sqrt{2}*b*c*(1/(b^4*c^4))^{1/4}*\log(-\sqrt{2}*b^3*c^3*(1/(b^4*c^4))^{3/4} e^{(b*c*x + a*c)} + b^2*c^2*\sqrt{1/(b^4*c^4)} + e^{(2*b*c*x + 2*a*c)}) - 4*\arctan((e^{(2*b*c*x + 2*a*c)} + 1)/(e^{(2*b*c*x + 2*a*c)} - 1))*e^{(b*c*x + a*c)})/(b*c)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*acot(tanh(b*c*x+a*c)), x)

[Out] Timed out

Giac [A] time = 1.48529, size = 344, normalized size = 1.91

$$\frac{1}{4} \left(\frac{2\sqrt{2} \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2}e^{-ac} + 2e^{bcx})e^{ac}\right)e^{-11ac}}{bc} + \frac{2\sqrt{2} \arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2}e^{-ac} - 2e^{bcx})e^{ac}\right)e^{-11ac}}{bc} - \sqrt{2}e^{ac} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(tanh(b*c*x+a*c)), x, algorithm="giac")

[Out] 1/4*(2*sqrt(2)*arctan(1/2*sqrt(2)*(sqrt(2)*e^(-a*c) + 2*e^(b*c*x))*e^(a*c))*e^(-11*a*c)/(b*c) + 2*sqrt(2)*arctan(-1/2*sqrt(2)*(sqrt(2)*e^(-a*c) - 2*e^(b*c*x))*e^(a*c))*e^(-11*a*c)/(b*c) - sqrt(2)*e^(-11*a*c)*log(sqrt(2)*e^(b*c*x - a*c) + e^(2*b*c*x) + e^(-2*a*c))/(b*c) + sqrt(2)*e^(-11*a*c)*log(-sqrt(2)*e^(b*c*x - a*c) + e^(2*b*c*x) + e^(-2*a*c))/(b*c))*e^(11*a*c) + 1/4*(4*pi*e^(b*c*x + a*c)*floor(1/4*(5*pi - 4*arctan(e^(-2*a*c))))/pi) - 3*pi*e^(b*c*x + a*c) + 4*arctan(e^(-2*b*c*x - 2*a*c))*e^(b*c*x + a*c))/(b*c)

3.232 $\int e^{c(a+bx)} \cot^{-1}(\coth(ac + bcx)) dx$

Optimal. Leaf size=180

$$-\frac{\log(e^{2c(a+bx)} - \sqrt{2}e^{ac+bcx} + 1)}{2\sqrt{2}bc} + \frac{\log(e^{2c(a+bx)} + \sqrt{2}e^{ac+bcx} + 1)}{2\sqrt{2}bc} + \frac{\tan^{-1}(1 - \sqrt{2}e^{ac+bcx})}{\sqrt{2}bc} - \frac{\tan^{-1}(\sqrt{2}e^{ac+bcx} + 1)}{\sqrt{2}bc} + \frac{e^{ac+bcx}}{bc}$$

[Out] (E^(a*c + b*c*x)*ArcCot[Coth[c*(a + b*x)]]/(b*c) + ArcTan[1 - Sqrt[2]*E^(a*c + b*c*x)]/(Sqrt[2]*b*c) - ArcTan[1 + Sqrt[2]*E^(a*c + b*c*x)]/(Sqrt[2]*b*c) - Log[1 + E^(2*c*(a + b*x)) - Sqrt[2]*E^(a*c + b*c*x)]/(2*Sqrt[2]*b*c) + Log[1 + E^(2*c*(a + b*x)) + Sqrt[2]*E^(a*c + b*c*x)]/(2*Sqrt[2]*b*c)

Rubi [A] time = 0.180084, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {2194, 5208, 12, 2249, 297, 1162, 617, 204, 1165, 628}

$$-\frac{\log(e^{2c(a+bx)} - \sqrt{2}e^{ac+bcx} + 1)}{2\sqrt{2}bc} + \frac{\log(e^{2c(a+bx)} + \sqrt{2}e^{ac+bcx} + 1)}{2\sqrt{2}bc} + \frac{\tan^{-1}(1 - \sqrt{2}e^{ac+bcx})}{\sqrt{2}bc} - \frac{\tan^{-1}(\sqrt{2}e^{ac+bcx} + 1)}{\sqrt{2}bc} + \frac{e^{ac+bcx}}{bc}$$

Antiderivative was successfully verified.

[In] Int[E^(c*(a + b*x))*ArcCot[Coth[a*c + b*c*x]], x]

[Out] (E^(a*c + b*c*x)*ArcCot[Coth[c*(a + b*x)]]/(b*c) + ArcTan[1 - Sqrt[2]*E^(a*c + b*c*x)]/(Sqrt[2]*b*c) - ArcTan[1 + Sqrt[2]*E^(a*c + b*c*x)]/(Sqrt[2]*b*c) - Log[1 + E^(2*c*(a + b*x)) - Sqrt[2]*E^(a*c + b*c*x)]/(2*Sqrt[2]*b*c) + Log[1 + E^(2*c*(a + b*x)) + Sqrt[2]*E^(a*c + b*c*x)]/(2*Sqrt[2]*b*c)

Rule 2194

Int[((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.), x_Symbol] := Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

Rule 5208

Int[((a_.) + ArcCot[u_]*(b_.))*(v_), x_Symbol] := With[{w = IntHide[v, x]}, Dist[a + b*ArcCot[u], w, x] + Dist[b, Int[SimplifyIntegrand[(w*D[u, x])/(1 + u^2)], x], x] /; InverseFunctionFreeQ[w, x] /; FreeQ[{a, b}, x] && InverseFunctionFreeQ[u, x] && !MatchQ[v, ((c_.) + (d_.)*x)^(m_.) /; FreeQ[{c, d, m}, x]] && FalseQ[FunctionOfLinear[v*(a + b*ArcCot[u]), x]]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 2249

Int[((a_) + (b_.)*(F_)^((e_.)*((c_.) + (d_.)*(x_))))^(p_.)*(G_)^((h_.)*((f_.) + (g_.)*(x_))), x_Symbol] := With[{m = FullSimplify[(d*e*Log[F])/(g*h*Log[G])]}, Dist[Denominator[m]/(g*h*Log[G]), Subst[Int[x^(Denominator[m] - 1)*(a + b*F^(c*e - (d*e*f)/g)*x^Numerator[m]]^p, x], x, G^((h*(f + g*x))/Denominator[m])], x] /; LtQ[m, -1] || GtQ[m, 1]] /; FreeQ[{F, G, a, b, c, d, e, f, g, h, p}, x]

Rule 297

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b,
2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4
), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a,
b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &
& AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int e^{c(a+bx)} \cot^{-1}(\coth(ac+bcx)) dx &= \frac{\text{Subst}\left(\int e^x \cot^{-1}(\coth(x)) dx, x, ac+bcx\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\coth(c(a+bx)))}{bc} + \frac{\text{Subst}\left(\int \frac{2e^{3x}}{-1-e^{4x}} dx, x, ac+bcx\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\coth(c(a+bx)))}{bc} + \frac{2 \text{Subst}\left(\int \frac{e^{3x}}{-1-e^{4x}} dx, x, ac+bcx\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\coth(c(a+bx)))}{bc} + \frac{2 \text{Subst}\left(\int \frac{x^2}{-1-x^4} dx, x, e^{ac+bcx}\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\coth(c(a+bx)))}{bc} - \frac{\text{Subst}\left(\int \frac{1-x^2}{-1-x^4} dx, x, e^{ac+bcx}\right)}{bc} + \frac{\text{Subst}\left(\int \frac{1+x^2}{-1-x^4} dx, x, e^{ac+bcx}\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\coth(c(a+bx)))}{bc} - \frac{\text{Subst}\left(\int \frac{1}{1-\sqrt{2}x+x^2} dx, x, e^{ac+bcx}\right)}{2bc} - \frac{\text{Subst}\left(\int \frac{1}{1+\sqrt{2}x+x^2} dx, x, e^{ac+bcx}\right)}{2bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\coth(c(a+bx)))}{bc} - \frac{\log\left(1 - \sqrt{2}e^{ac+bcx} + e^{2ac+2bcx}\right)}{2\sqrt{2}bc} + \frac{\log\left(1 + \sqrt{2}e^{ac+bcx} + e^{2ac+2bcx}\right)}{2\sqrt{2}bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\coth(c(a+bx)))}{bc} + \frac{\tan^{-1}\left(1 - \sqrt{2}e^{ac+bcx}\right)}{\sqrt{2}bc} - \frac{\tan^{-1}\left(1 + \sqrt{2}e^{ac+bcx}\right)}{\sqrt{2}bc}
\end{aligned}$$

Mathematica [C] time = 0.10875, size = 89, normalized size = 0.49

$$\frac{\text{RootSum}\left[\#1^4 + 1 \&, \frac{-\log\left(\frac{e^{c(a+bx)} - \#1}{\#1}\right) + ac + bcx}{\#1} \&\right] + 2e^{c(a+bx)} \cot^{-1}\left(\frac{e^{2c(a+bx)} + 1}{e^{2c(a+bx)} - 1}\right)}{2bc}$$

Warning: Unable to verify antiderivative.

[In] Integrate[E^(c*(a + b*x))*ArcCot[Coth[a*c + b*c*x]], x]

[Out] (2*E^(c*(a + b*x))*ArcCot[(1 + E^(2*c*(a + b*x)))/(-1 + E^(2*c*(a + b*x))]) + RootSum[1 + #1^4 &, (a*c + b*c*x - Log[E^(c*(a + b*x)) - #1])/#1 &]/(2*b*c)

Maple [C] time = 0.377, size = 1323, normalized size = 7.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(c*(b*x+a))*arccot(coth(b*c*x+a*c)), x)

[Out] 1/2*I/c/b*exp(c*(b*x+a))*ln(exp(2*c*(b*x+a))+I)+1/4/c/b*exp(c*(b*x+a))*Pi+1/4/c/b*Pi*csgn(I/(exp(2*c*(b*x+a))-1))*csgn(I*(exp(2*c*(b*x+a))-I)/(exp(2*c*(b*x+a))-1))^2*exp(c*(b*x+a))-1/4/c/b*Pi*csgn(I/(exp(2*c*(b*x+a))-1))*csgn(I*(exp(2*c*(b*x+a))+I)/(exp(2*c*(b*x+a))-1))^2*exp(c*(b*x+a))+1/4/c/b*Pi*csgn(I*(exp(2*c*(b*x+a))-I)/(exp(2*c*(b*x+a))-1))*csgn(I*(exp(2*c*(b*x+a))-I)/(exp(2*c*(b*x+a))-1))^2*exp(c*(b*x+a))+1/4/c/b*Pi*csgn(I*(exp(2*c*(b*x+a))+I))*csgn(I*(exp(2*c*(b*x+a))+I)/(exp(2*c*(b*x+a))-1))^2*exp(c*(b*x+a))-1/4/c/b*Pi*csgn(I*(exp(2*c*(b*x+a))+I))*csgn(I*(exp(2*c*(b*x+a))+I)/(exp(2*c*(b*x+a))-1))^2*exp(c*(b*x+a))-1/4/c/b*Pi*csgn(I*(exp(2*c*(b*x+a))+I))/(e

```

xp(2*c*(b*x+a)-1))*csgn((1-I)*(exp(2*c*(b*x+a))+I)/(exp(2*c*(b*x+a))-1))^2
*exp(c*(b*x+a))-1/4/c/b*Pi*csgn(I*(exp(2*c*(b*x+a))-I)/(exp(2*c*(b*x+a))-1)
)*csgn((1+I)*(exp(2*c*(b*x+a))-I)/(exp(2*c*(b*x+a))-1))*exp(c*(b*x+a))+1/4/
c/b*Pi*csgn(I*(exp(2*c*(b*x+a))+I)/(exp(2*c*(b*x+a))-1))*csgn((1-I)*(exp(2*
c*(b*x+a))+I)/(exp(2*c*(b*x+a))-1))*exp(c*(b*x+a))-1/4/c/b*Pi*csgn(I*(exp(2
*c*(b*x+a))-I))*csgn(I/(exp(2*c*(b*x+a))-1))*csgn(I*(exp(2*c*(b*x+a))-I)/(e
xp(2*c*(b*x+a))-1))*exp(c*(b*x+a))+1/4/c/b*Pi*csgn(I*(exp(2*c*(b*x+a))+I))*
csgn(I/(exp(2*c*(b*x+a))-1))*csgn(I*(exp(2*c*(b*x+a))+I)/(exp(2*c*(b*x+a))-
1))*exp(c*(b*x+a))+1/4/c/b*ln(exp(c*(b*x+a))+(1/2-1/2*I)*2^(1/2))*2^(1/2)-1
/4/c/b*ln(exp(c*(b*x+a))+(-1/2+1/2*I)*2^(1/2))*2^(1/2)-1/4/c/b*ln(exp(c*(b*
x+a))-(1/2+1/2*I)*2^(1/2))*2^(1/2)+1/4/c/b*ln(exp(c*(b*x+a))+(1/2+1/2*I)*2^
(1/2))*2^(1/2)-1/4/c/b*Pi*csgn(I*(exp(2*c*(b*x+a))-I)/(exp(2*c*(b*x+a))-1))
^3*exp(c*(b*x+a))+1/4/c/b*Pi*csgn(I*(exp(2*c*(b*x+a))+I)/(exp(2*c*(b*x+a))-
1))^3*exp(c*(b*x+a))-1/4/c/b*Pi*csgn((1-I)*(exp(2*c*(b*x+a))+I)/(exp(2*c*(b
*x+a))-1))^3*exp(c*(b*x+a))+1/4/c/b*Pi*csgn((1-I)*(exp(2*c*(b*x+a))+
I)/(exp(2*c*(b*x+a))-1))^2*exp(c*(b*x+a))+1/4/c/b*Pi*csgn((1+I)*(exp(2*c*(b
*x+a))-I)/(exp(2*c*(b*x+a))-1))^2*exp(c*(b*x+a))-1/2*I/c/b*exp(c*(b*x+a))*l
n(exp(2*c*(b*x+a))-I)-1/4*I/c/b*ln(exp(c*(b*x+a))+(1/2+1/2*I)*2^(1/2))*2^(1
/2)+1/4*I/c/b*ln(exp(c*(b*x+a))+(1/2-1/2*I)*2^(1/2))*2^(1/2)-1/4*I/c/b*ln(e
xp(c*(b*x+a))+(-1/2+1/2*I)*2^(1/2))*2^(1/2)+1/4*I/c/b*ln(exp(c*(b*x+a))-(1/
2+1/2*I)*2^(1/2))*2^(1/2)

```

Maxima [A] time = 1.54334, size = 225, normalized size = 1.25

$$\frac{\operatorname{arccot}(\operatorname{coth}(bcx+ac))e^{(bx+a)c}}{bc} - \frac{\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2}+2e^{(bcx+ac)})\right)}{2bc} - \frac{\sqrt{2}\arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2}-2e^{(bcx+ac)})\right)}{2bc} + \frac{\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2}+2e^{(bcx+ac)})\right)}{2bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(coth(b*c*x+a*c)),x, algorithm="maxima")

[Out] arccot(coth(b*c*x + a*c))*e^((b*x + a)*c)/(b*c) - 1/2*sqrt(2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*e^(b*c*x + a*c)))/(b*c) - 1/2*sqrt(2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*e^(b*c*x + a*c)))/(b*c) + 1/4*sqrt(2)*log(sqrt(2)*e^(b*c*x + a*c) + e^(2*b*c*x + 2*a*c) + 1)/(b*c) - 1/4*sqrt(2)*log(-sqrt(2)*e^(b*c*x + a*c) + e^(2*b*c*x + 2*a*c) + 1)/(b*c)

Fricas [B] time = 2.6424, size = 1152, normalized size = 6.4

$$\frac{4\sqrt{2}bc\left(\frac{1}{b^4c^4}\right)^{\frac{1}{4}}\arctan\left(-\sqrt{2}bc\left(\frac{1}{b^4c^4}\right)^{\frac{1}{4}}e^{(bcx+ac)}+\sqrt{2}\sqrt{\sqrt{2}b^3c^3\left(\frac{1}{b^4c^4}\right)^{\frac{3}{4}}e^{(bcx+ac)}+b^2c^2\sqrt{\frac{1}{b^4c^4}}+e^{(2bcx+2ac)}}\right)bc\left(\frac{1}{b^4c^4}\right)^{\frac{1}{4}}-1}{\sqrt{2}b^3c^3\left(\frac{1}{b^4c^4}\right)^{\frac{3}{4}}e^{(bcx+ac)}+b^2c^2\sqrt{\frac{1}{b^4c^4}}+e^{(2bcx+2ac)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(coth(b*c*x+a*c)),x, algorithm="fricas")

[Out] 1/4*(4*sqrt(2)*b*c*(1/(b^4*c^4))^(1/4)*arctan(-sqrt(2)*b*c*(1/(b^4*c^4))^(1/4))*e^(b*c*x + a*c) + sqrt(2)*sqrt(sqrt(2)*b^3*c^3*(1/(b^4*c^4))^(3/4))*e^(b*c*x + a*c) + b^2*c^2*sqrt(1/(b^4*c^4)) + e^(2*b*c*x + 2*a*c))*b*c*(1/(b^4*c^4))^(1/4) - 1) + 4*sqrt(2)*b*c*(1/(b^4*c^4))^(1/4)*arctan(-sqrt(2)*b*c*(1/(b^4*c^4))^(1/4))*e^(b*c*x + a*c) + sqrt(2)*sqrt(-sqrt(2)*b^3*c^3*(1/(b^4*c^4))^(3/4))*e^(b*c*x + a*c) + b^2*c^2*sqrt(1/(b^4*c^4)) + e^(2*b*c*x + 2*a*c))*b*c*(1/(b^4*c^4))^(1/4) - 1)

$$\begin{aligned} &^4)^{(3/4)} * e^{(b*c*x + a*c)} + b^2*c^2*\sqrt{1/(b^4*c^4)} + e^{(2*b*c*x + 2*a*c)} \\ &)*b*c*(1/(b^4*c^4))^{(1/4)} + 1 + \sqrt{2}*b*c*(1/(b^4*c^4))^{(1/4)}*\log(\sqrt{2}) \\ &)*b^3*c^3*(1/(b^4*c^4))^{(3/4)}*e^{(b*c*x + a*c)} + b^2*c^2*\sqrt{1/(b^4*c^4)} \\ &+ e^{(2*b*c*x + 2*a*c)} - \sqrt{2}*b*c*(1/(b^4*c^4))^{(1/4)}*\log(-\sqrt{2}) \\ &)*b^3*c^3*(1/(b^4*c^4))^{(3/4)}*e^{(b*c*x + a*c)} + b^2*c^2*\sqrt{1/(b^4*c^4)} + e^{(2*b*c*x + 2*a*c)} \\ &+ 4*\arctan((e^{(2*b*c*x + 2*a*c)} - 1)/(e^{(2*b*c*x + 2*a*c)} + 1))*e^{(b*c*x + a*c)})/(b*c) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*acot(coth(b*c*x+a*c)), x)

[Out] Timed out

Giac [A] time = 1.5302, size = 344, normalized size = 1.91

$$-\frac{1}{4} \left(\frac{2\sqrt{2} \arctan\left(\frac{1}{2}\sqrt{2}(\sqrt{2}e^{-ac} + 2e^{bcx})e^{ac}\right)e^{-11ac}}{bc} + \frac{2\sqrt{2} \arctan\left(-\frac{1}{2}\sqrt{2}(\sqrt{2}e^{-ac} - 2e^{bcx})e^{ac}\right)e^{-11ac}}{bc} - \frac{\sqrt{2}e^{-11ac}}{\sqrt{2}e^{-11ac}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(coth(b*c*x+a*c)), x, algorithm="giac")

[Out]
$$-1/4*(2*\sqrt{2}*\arctan(1/2*\sqrt{2}*(\sqrt{2}*e^{-a*c} + 2*e^{(b*c*x)})*e^{(a*c)})*e^{-11*a*c})/(b*c) + 2*\sqrt{2}*\arctan(-1/2*\sqrt{2}*(\sqrt{2}*e^{-a*c} - 2*e^{(b*c*x)})*e^{(a*c)})*e^{-11*a*c})/(b*c) - \sqrt{2}*e^{-11*a*c}*\log(\sqrt{2}*e^{(b*c*x - a*c)} + e^{(2*b*c*x)} + e^{(-2*a*c)})/(b*c) + \sqrt{2}*e^{-11*a*c}*\log(-\sqrt{2}*e^{(b*c*x - a*c)} + e^{(2*b*c*x)} + e^{(-2*a*c)})/(b*c)*e^{(11*a*c)} - 1/4*(4*\pi*e^{(b*c*x + a*c)}*\text{floor}(1/4*(3*\pi - 4*\arctan(e^{(-2*a*c)})))/\pi) - \pi*e^{(b*c*x + a*c)} + 4*\arctan(e^{(-2*b*c*x - 2*a*c)})*e^{(b*c*x + a*c)})/(b*c)$$

3.233 $\int e^{c(a+bx)} \cot^{-1}(\operatorname{sech}(ac + bcx)) dx$

Optimal. Leaf size=103

$$\frac{(1 - \sqrt{2}) \log(e^{2c(a+bx)} + 3 - 2\sqrt{2})}{2bc} - \frac{(1 + \sqrt{2}) \log(e^{2c(a+bx)} + 3 + 2\sqrt{2})}{2bc} + \frac{e^{ac+bcx} \cot^{-1}(\operatorname{sech}(c(a + bx)))}{bc}$$

[Out] (E^(a*c + b*c*x)*ArcCot[Sech[c*(a + b*x)]]/(b*c) - ((1 - Sqrt[2])*Log[3 - 2*Sqrt[2] + E^(2*c*(a + b*x))])/(2*b*c) - ((1 + Sqrt[2])*Log[3 + 2*Sqrt[2] + E^(2*c*(a + b*x))])/(2*b*c)

Rubi [A] time = 0.150956, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.35$, Rules used = {2194, 5208, 2282, 12, 1247, 632, 31}

$$\frac{(1 - \sqrt{2}) \log(e^{2c(a+bx)} + 3 - 2\sqrt{2})}{2bc} - \frac{(1 + \sqrt{2}) \log(e^{2c(a+bx)} + 3 + 2\sqrt{2})}{2bc} + \frac{e^{ac+bcx} \cot^{-1}(\operatorname{sech}(c(a + bx)))}{bc}$$

Antiderivative was successfully verified.

[In] Int[E^(c*(a + b*x))*ArcCot[Sech[a*c + b*c*x]], x]

[Out] (E^(a*c + b*c*x)*ArcCot[Sech[c*(a + b*x)]]/(b*c) - ((1 - Sqrt[2])*Log[3 - 2*Sqrt[2] + E^(2*c*(a + b*x))])/(2*b*c) - ((1 + Sqrt[2])*Log[3 + 2*Sqrt[2] + E^(2*c*(a + b*x))])/(2*b*c)

Rule 2194

Int[((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_), x_Symbol] := Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

Rule 5208

Int[(a_.) + ArcCot[u_]*(b_.))*(v_), x_Symbol] := With[{w = IntHide[v, x]}, Dist[a + b*ArcCot[u], w, x] + Dist[b, Int[SimplifyIntegrand[(w*D[u, x])/(1 + u^2), x], x], x] /; InverseFunctionFreeQ[w, x] /; FreeQ[{a, b}, x] && InverseFunctionFreeQ[u, x] && !MatchQ[v, ((c_.) + (d_.)*x)^(m_.) /; FreeQ[{c, d, m}, x]] && FalseQ[FunctionOfLinear[v*(a + b*ArcCot[u]), x]]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*(a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 1247

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x],

$x, x^2], x] /; \text{FreeQ}\{a, b, c, d, e, p, q\}, x]$

Rule 632

$\text{Int}[(d + e*x)/(a + b*x + c*x^2), x_Symbol] :> \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[(c*d - e*(b/2 - q/2))/q, \text{Int}[1/(b/2 - q/2 + c*x), x], x] - \text{Dist}[(c*d - e*(b/2 + q/2))/q, \text{Int}[1/(b/2 + q/2 + c*x), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[2*c*d - b*e, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 31

$\text{Int}[(a + b*x)^{-1}, x_Symbol] :> \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rubi steps

$$\begin{aligned} \int e^{c(a+bx)} \cot^{-1}(\text{sech}(ac+bcx)) dx &= \frac{\text{Subst}\left(\int e^x \cot^{-1}(\text{sech}(x)) dx, x, ac+bcx\right)}{bc} \\ &= \frac{e^{ac+bcx} \cot^{-1}(\text{sech}(c(a+bx)))}{bc} - \frac{\text{Subst}\left(\int \frac{e^x \text{sech}(x) \tanh(x)}{1+\text{sech}^2(x)} dx, x, ac+bcx\right)}{bc} \\ &= \frac{e^{ac+bcx} \cot^{-1}(\text{sech}(c(a+bx)))}{bc} - \frac{\text{Subst}\left(\int \frac{2x(-1+x^2)}{1+6x^2+x^4} dx, x, e^{ac+bcx}\right)}{bc} \\ &= \frac{e^{ac+bcx} \cot^{-1}(\text{sech}(c(a+bx)))}{bc} - \frac{2 \text{Subst}\left(\int \frac{x(-1+x^2)}{1+6x^2+x^4} dx, x, e^{ac+bcx}\right)}{bc} \\ &= \frac{e^{ac+bcx} \cot^{-1}(\text{sech}(c(a+bx)))}{bc} - \frac{\text{Subst}\left(\int \frac{-1+x}{1+6x+x^2} dx, x, e^{2ac+2bcx}\right)}{bc} \\ &= \frac{e^{ac+bcx} \cot^{-1}(\text{sech}(c(a+bx)))}{bc} - \frac{(1-\sqrt{2}) \text{Subst}\left(\int \frac{1}{3-2\sqrt{2}+x} dx, x, e^{2ac+2bcx}\right)}{2bc} - \frac{(1+\sqrt{2}) \text{Subst}\left(\int \frac{1}{3+2\sqrt{2}+x} dx, x, e^{2ac+2bcx}\right)}{2bc} \\ &= \frac{e^{ac+bcx} \cot^{-1}(\text{sech}(c(a+bx)))}{bc} - \frac{(1-\sqrt{2}) \log(3-2\sqrt{2}+e^{2ac+2bcx})}{2bc} - \frac{(1+\sqrt{2}) \log(3+2\sqrt{2}+e^{2ac+2bcx})}{2bc} \end{aligned}$$

Mathematica [C] time = 0.147141, size = 145, normalized size = 1.41

$$\frac{\text{RootSum}\left[\#1^4 + 6\#1^2 + 1 \& \mathcal{R}, \frac{-7\#1^2 \log(e^{c(a+bx)} - \#1) + 7\#1^2 ac + 7\#1^2 bcx - \log(e^{c(a+bx)} - \#1) + ac + bcx}{3\#1^2 + 1} \& \mathcal{R}\right] - 4c(a+bx) + 2e^{c(a+bx)} \cot^{-1}\left(\frac{2e^{c(a+bx)}}{e^{2c(a+bx)} + 1}\right)}{2bc}$$

Warning: Unable to verify antiderivative.

[In] Integrate[E^(c*(a + b*x))*ArcCot[Sech[a*c + b*c*x]], x]

[Out] $(-4*c*(a + b*x) + 2*E^{c*(a + b*x)}*ArcCot[(2*E^{c*(a + b*x)})/(1 + E^{2*c*(a + b*x)})] + \text{RootSum}[1 + 6*\#1^2 + \#1^4 \& , (a*c + b*c*x - \text{Log}[E^{c*(a + b*x)} - \#1] + 7*a*c*\#1^2 + 7*b*c*x*\#1^2 - 7*\text{Log}[E^{c*(a + b*x)} - \#1]*\#1^2)/(1 + 3*\#1^2) \&])/(2*b*c)$

Maple [C] time = 0.356, size = 859, normalized size = 8.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(c*(b*x+a))*arccot(sech(b*c*x+a*c)),x)

[Out]
$$-1/2*I/c/b*\exp(c*(b*x+a))*\ln(\exp(2*c*(b*x+a))+1-2*I*\exp(c*(b*x+a)))+1/4/c/b$$

$$*Pi*csgn(I*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a)))/(1+\exp(2*c*(b*x+a))))^3$$

$$*\exp(c*(b*x+a))-1/4/c/b*Pi*csgn(I*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a))))$$

$$*csgn(I*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a)))/(1+\exp(2*c*(b*x+a))))^2*\exp$$

$$p(c*(b*x+a))+1/4/c/b*Pi*csgn(I/(1+\exp(2*c*(b*x+a))))*csgn(I*(-\exp(2*c*(b*x+a)$$

$$a))-1+2*I*\exp(c*(b*x+a)))/(1+\exp(2*c*(b*x+a))))^2*\exp(c*(b*x+a))-1/4/c/b*Pi$$

$$*csgn(I*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a))))*csgn(I/(1+\exp(2*c*(b*x+a)$$

$$)))*csgn(I*(-\exp(2*c*(b*x+a))-1+2*I*\exp(c*(b*x+a)))/(1+\exp(2*c*(b*x+a))))*e$$

$$xp(c*(b*x+a))-1/4/c/b*Pi*csgn(I*(\exp(2*c*(b*x+a))+1+2*I*\exp(c*(b*x+a))))*csgn$$

$$(I*(\exp(2*c*(b*x+a))+1+2*I*\exp(c*(b*x+a)))/(1+\exp(2*c*(b*x+a))))^2*\exp(c*$$

$$(b*x+a))+1/4/c/b*Pi*csgn(I*(\exp(2*c*(b*x+a))+1+2*I*\exp(c*(b*x+a))))*csgn(I/$$

$$(1+\exp(2*c*(b*x+a))))*csgn(I*(\exp(2*c*(b*x+a))+1+2*I*\exp(c*(b*x+a)))/(1+\exp$$

$$(2*c*(b*x+a))))*\exp(c*(b*x+a))+1/4/c/b*Pi*csgn(I*(\exp(2*c*(b*x+a))+1+2*I*\exp$$

$$p(c*(b*x+a)))/(1+\exp(2*c*(b*x+a))))^3*\exp(c*(b*x+a))-1/4/c/b*Pi*csgn(I/(1+\exp$$

$$(2*c*(b*x+a))))^2*\exp(c*(b*x+a))+1/2*I/c/b*\exp(c*(b*x+a))*\ln(\exp(2*c*(b*x+a))+1$$

$$+2*I*\exp(c*(b*x+a)))+1/2/c/b*\exp(c*(b*x+a))*Pi+1/2/c/b*\ln(\exp(2*c*(b*x+a))+$$

$$(2^{(1/2)}-1)^2)*2^{(1/2)}-1/2/c/b*\ln(\exp(2*c*(b*x+a))+(1+2^{(1/2)})^2)*2^{(1/2)}+2$$

$$*a/b-1/2/c/b*\ln(\exp(2*c*(b*x+a))+(2^{(1/2)}-1)^2)-1/2/c/b*\ln(\exp(2*c*(b*x+a))$$

$$+(1+2^{(1/2)})^2)$$

Maxima [A] time = 1.57742, size = 228, normalized size = 2.21

$$\frac{\operatorname{arccot}(\operatorname{sech}(bcx+ac))e^{(bx+a)c}}{bc} + \frac{3\sqrt{2}\log\left(\frac{2\sqrt{2}-e^{(2bcx+2ac)-3}}{2\sqrt{2}+e^{(2bcx+2ac)+3}}\right)}{8bc} - \frac{\sqrt{2}\log\left(\frac{2\sqrt{2}-e^{(-2bcx-2ac)-3}}{2\sqrt{2}+e^{(-2bcx-2ac)+3}}\right)}{8bc} - \frac{\log\left(e^{(4bcx+4ac)}+6\right)}{2bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(sech(b*c*x+a*c)),x, algorithm="maxima")

[Out]
$$\operatorname{arccot}(\operatorname{sech}(b*c*x+a*c))*e^{((b*x+a)*c)/(b*c)} + 3/8*\sqrt{2}*\log(-(2*\sqrt{2}($$

$$2) - e^{(2*b*c*x+2*a*c)-3})/(2*\sqrt{2} + e^{(2*b*c*x+2*a*c)+3}))/ (b*c)$$

$$- 1/8*\sqrt{2}*\log(-(2*\sqrt{2}(2) - e^{(-2*b*c*x-2*a*c)-3})/(2*\sqrt{2} + e^{(-2*b*c*x-2*a*c)+3}))/ (b*c)$$

$$- 1/2*\log(e^{(4*b*c*x+4*a*c)} + 6*e^{(2*b*c*x+2*a*c)} + 1)/(b*c)$$

Fricas [B] time = 2.75424, size = 591, normalized size = 5.74

$$2(\cosh(bc x+ac)+\sinh(bc x+ac))\arctan(\cosh(bc x+ac))+\sqrt{2}\log\left(-\frac{3(2\sqrt{2}-3)\cosh(bc x+ac)^2-4(3\sqrt{2}-4)\cosh(bc x+ac)\sinh(bc x+ac)}{\cosh(bc x+ac)^2+\sinh(bc x+ac)^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(sech(b*c*x+a*c)),x, algorithm="fricas")

[Out]
$$1/2*(2*(\cosh(b*c*x+a*c)+\sinh(b*c*x+a*c))*\arctan(\cosh(b*c*x+a*c))+$$

$$\sqrt{2}*\log(-(3*(2*\sqrt{2}-3)*\cosh(b*c*x+a*c)^2-4*(3*\sqrt{2}-4)*\cos$$

$$h(b*c*x+a*c)*\sinh(b*c*x+a*c)+3*(2*\sqrt{2}-3)*\sinh(b*c*x+a*c)^2+$$

$$2*\sqrt{2}-3)/(\cosh(b*c*x+a*c)^2+\sinh(b*c*x+a*c)^2+3))- \log(2*(\co$$

$$\frac{\operatorname{sh}(b*c*x + a*c)^2 + \sinh(b*c*x + a*c)^2 + 3}{(\cosh(b*c*x + a*c)^2 - 2*\cosh(b*c*x + a*c)*\sinh(b*c*x + a*c) + \sinh(b*c*x + a*c)^2)} / (b*c)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*acot(sech(b*c*x+a*c)), x)

[Out] Timed out

Giac [A] time = 1.1401, size = 208, normalized size = 2.02

$$\frac{\left(\sqrt{2}e^{(-ac)} \log\left(-\frac{2\sqrt{2}e^{(2ac)} - e^{(2bcx+4ac)} - 3e^{(2ac)}}{2\sqrt{2}e^{(2ac)} + e^{(2bcx+4ac)} + 3e^{(2ac)}}\right) + 2 \arctan\left(\frac{1}{2}e^{(bcx+ac)} + \frac{1}{2}e^{(-bcx-ac)}\right) e^{(bcx)} - e^{(-ac)} \log\left(e^{(4bcx+4ac)} + 6e^{(2bcx+2ac)}\right)\right)}{2bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(sech(b*c*x+a*c)), x, algorithm="giac")

[Out] $\frac{1}{2}*(\sqrt{2}*e^{(-a*c)}*\log(-(2*\sqrt{2})*e^{(2*a*c)} - e^{(2*b*c*x + 4*a*c)} - 3*e^{(2*a*c)})/(2*\sqrt{2}*e^{(2*a*c)} + e^{(2*b*c*x + 4*a*c)} + 3*e^{(2*a*c)})) + 2*\arctan(1/2*e^{(b*c*x + a*c)} + 1/2*e^{(-b*c*x - a*c)})*e^{(b*c*x)} - e^{(-a*c)}*\log(e^{(4*b*c*x + 4*a*c)} + 6*e^{(2*b*c*x + 2*a*c)} + 1))*e^{(a*c)}/(b*c)$

3.234 $\int e^{c(a+bx)} \cot^{-1}(\operatorname{csch}(ac + bcx)) dx$

Optimal. Leaf size=48

$$\frac{e^{ac+bcx} \cot^{-1}(\operatorname{csch}(c(a+bx)))}{bc} - \frac{\log(e^{2c(a+bx)} + 1)}{bc}$$

[Out] (E^(a*c + b*c*x)*ArcCot[Csch[c*(a + b*x)]])/(b*c) - Log[1 + E^(2*c*(a + b*x))]/(b*c)

Rubi [A] time = 0.0773401, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {2194, 5208, 2282, 12, 260}

$$\frac{e^{ac+bcx} \cot^{-1}(\operatorname{csch}(c(a+bx)))}{bc} - \frac{\log(e^{2c(a+bx)} + 1)}{bc}$$

Antiderivative was successfully verified.

[In] Int[E^(c*(a + b*x))*ArcCot[Csch[a*c + b*c*x]],x]

[Out] (E^(a*c + b*c*x)*ArcCot[Csch[c*(a + b*x)]])/(b*c) - Log[1 + E^(2*c*(a + b*x))]/(b*c)

Rule 2194

Int[((F_)^((c_)*((a_) + (b_)*(x_)))^(n_), x_Symbol] :> Simp[(F^(c*(a + b*x)))^n/(b*c*n*Log[F]), x] /; FreeQ[{F, a, b, c, n}, x]

Rule 5208

Int[((a_) + ArcCot[u_]*(b_))*(v_), x_Symbol] :> With[{w = IntHide[v, x]}, Dist[a + b*ArcCot[u], w, x] + Dist[b, Int[SimplifyIntegrand[(w*D[u, x])/(1 + u^2)], x], x] /; InverseFunctionFreeQ[w, x] /; FreeQ[{a, b}, x] && InverseFunctionFreeQ[u, x] && !MatchQ[v, ((c_) + (d_)*x)^(m_) /; FreeQ[{c, d, m}, x]] && FalseQ[FunctionOfLinear[v*(a + b*ArcCot[u]), x]]

Rule 2282

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned}
\int e^{c(a+bx)} \cot^{-1}(\operatorname{csch}(ac+bcx)) dx &= \frac{\operatorname{Subst}\left(\int e^x \cot^{-1}(\operatorname{csch}(x)) dx, x, ac+bcx\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\operatorname{csch}(c(a+bx)))}{bc} - \frac{\operatorname{Subst}\left(\int e^x \operatorname{sech}(x) dx, x, ac+bcx\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\operatorname{csch}(c(a+bx)))}{bc} - \frac{\operatorname{Subst}\left(\int \frac{2x}{1+x^2} dx, x, e^{ac+bcx}\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\operatorname{csch}(c(a+bx)))}{bc} - \frac{2 \operatorname{Subst}\left(\int \frac{x}{1+x^2} dx, x, e^{ac+bcx}\right)}{bc} \\
&= \frac{e^{ac+bcx} \cot^{-1}(\operatorname{csch}(c(a+bx)))}{bc} - \frac{\log\left(1+e^{2c(a+bx)}\right)}{bc}
\end{aligned}$$

Mathematica [A] time = 0.0929313, size = 59, normalized size = 1.23

$$\frac{e^{c(a+bx)} \cot^{-1}\left(\frac{2e^{c(a+bx)}}{e^{2c(a+bx)}-1}\right) - \log\left(e^{2c(a+bx)}+1\right)}{bc}$$

Warning: Unable to verify antiderivative.

[In] Integrate[E^(c*(a + b*x))*ArcCot[Csch[a*c + b*c*x]], x]

[Out] (E^(c*(a + b*x))*ArcCot[(2*E^(c*(a + b*x)))/(-1 + E^(2*c*(a + b*x)))] - Log[1 + E^(2*c*(a + b*x))]/(b*c)

Maple [C] time = 0.307, size = 903, normalized size = 18.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(exp(c*(b*x+a))*arccot(csch(b*c*x+a*c)), x)

[Out] I/c/b*exp(c*(b*x+a))*ln(exp(c*(b*x+a))+I)-1/4/c/b*Pi*csgn(I*(exp(c*(b*x+a))-I)^2/(exp(2*c*(b*x+a))-1))^3*exp(c*(b*x+a))+1/4/c/b*Pi*csgn(I*(exp(c*(b*x+a))-I)^2)*csgn(I*(exp(c*(b*x+a))-I)^2/(exp(2*c*(b*x+a))-1))^2*exp(c*(b*x+a))+1/4/c/b*Pi*csgn(I/(exp(2*c*(b*x+a))-1))*csgn(I*(exp(c*(b*x+a))-I)^2/(exp(2*c*(b*x+a))-1))^2*exp(c*(b*x+a))-1/4/c/b*Pi*csgn(I*(exp(c*(b*x+a))-I)^2)*csgn(I/(exp(2*c*(b*x+a))-1))*csgn(I*(exp(c*(b*x+a))-I)^2/(exp(2*c*(b*x+a))-1))^2*exp(c*(b*x+a))+1/4/c/b*Pi*csgn(I*(exp(c*(b*x+a))+I))^2*csgn(I*(exp(c*(b*x+a))+I)^2)*exp(c*(b*x+a))-1/2/c/b*Pi*csgn(I*(exp(c*(b*x+a))+I))*csgn(I*(exp(c*(b*x+a))+I)^2)^2*exp(c*(b*x+a))+1/4/c/b*Pi*csgn(I*(exp(c*(b*x+a))+I)^2)^3*exp(c*(b*x+a))-1/4/c/b*Pi*csgn(I*(exp(c*(b*x+a))+I)^2)*csgn(I*(exp(c*(b*x+a))+I)^2/(exp(2*c*(b*x+a))-1))^2*exp(c*(b*x+a))+1/4/c/b*Pi*csgn(I*(exp(c*(b*x+a))+I)^2)*csgn(I/(exp(2*c*(b*x+a))-1))*csgn(I*(exp(c*(b*x+a))+I)^2/(exp(2*c*(b*x+a))-1))^2*exp(c*(b*x+a))+1/4/c/b*Pi*csgn(I*(exp(c*(b*x+a))+I)^2/(exp(2*c*(b*x+a))-1))^3*exp(c*(b*x+a))-1/4/c/b*Pi*csgn(I/(exp(2*c*(b*x+a))-1))*csgn(I*(exp(c*(b*x+a))+I)^2/(exp(2*c*(b*x+a))-1))^2*exp(c*(b*x+a))-1/2/c/b*Pi*csgn(I*(exp(c*(b*x+a))-I))*csgn(I*(exp(c*(b*x+a))-I)^2)^2*exp(c*(b*x+a))-1/4/c/b*Pi*csgn(I*(exp(c*(b*x+a))-I)^2)^3*exp(c*(b*x+a))-I/c/b*exp(c*(b*x+a))*ln(exp(c*(b*x+a))-I)+1/2/c/b*exp(c*(b*x+a))*Pi+2*a/b-ln(1+exp(2*c*(b*x+a)))/b/c

Maxima [A] time = 1.52135, size = 65, normalized size = 1.35

$$\frac{\operatorname{arccot}(\operatorname{csch}(bcx + ac)) e^{(bx+ac)}}{bc} - \frac{\log(e^{2bcx+2ac} + 1)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(csch(b*c*x+a*c)),x, algorithm="maxima")

[Out] arccot(csch(b*c*x + a*c))*e^((b*x + a)*c)/(b*c) - log(e^(2*b*c*x + 2*a*c) + 1)/(b*c)

Fricas [A] time = 2.48685, size = 192, normalized size = 4.

$$\frac{(\cosh(bc x + ac) + \sinh(bc x + ac)) \arctan(\sinh(bc x + ac)) - \log\left(\frac{2 \cosh(bc x + ac)}{\cosh(bc x + ac) - \sinh(bc x + ac)}\right)}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(csch(b*c*x+a*c)),x, algorithm="fricas")

[Out] ((cosh(b*c*x + a*c) + sinh(b*c*x + a*c))*arctan(sinh(b*c*x + a*c)) - log(2*cosh(b*c*x + a*c)/(cosh(b*c*x + a*c) - sinh(b*c*x + a*c))))/(b*c)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$e^{ac} \int e^{bcx} \operatorname{acot}(\operatorname{csch}(ac + bcx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*acot(csch(b*c*x+a*c)),x)

[Out] exp(a*c)*Integral(exp(b*c*x)*acot(csch(a*c + b*c*x)), x)

Giac [A] time = 1.13233, size = 88, normalized size = 1.83

$$\frac{\left(\arctan\left(\frac{1}{2} e^{(bcx+ac)} - \frac{1}{2} e^{(-bcx-ac)}\right) e^{(bcx)} - e^{(-ac)} \log\left(e^{(2bcx+2ac)} + 1\right)\right) e^{(ac)}}{bc}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(exp(c*(b*x+a))*arccot(csch(b*c*x+a*c)),x, algorithm="giac")

[Out] (arctan(1/2*e^(b*c*x + a*c) - 1/2*e^(-b*c*x - a*c))*e^(b*c*x) - e^(-a*c)*log(e^(2*b*c*x + 2*a*c) + 1))*e^(a*c)/(b*c)

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
1 (* Original version thanks to Albert Rich emailed on 03/21/2017 *)
2 (* ::Package:: *)
3
4 (* ::Subsection:: *)
5 (*GradeAntiderivative[result,optimal]*)
6
7
8 (* ::Text:: *)
9 (*If result and optimal are mathematical expressions, *)
10 (*      GradeAntiderivative[result,optimal] returns*)
11 (* "F" if the result fails to integrate an expression that*)
12 (*   is integrable*)
13 (* "C" if result involves higher level functions than necessary*)
14 (* "B" if result is more than twice the size of the optimal*)
15 (*   antiderivative*)
16 (* "A" if result can be considered optimal*)
17
18
19 GradeAntiderivative[result_,optimal_] :=
20   If[ExpnType[result]<=ExpnType[optimal],
21     If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
22       If[LeafCount[result]<=2*LeafCount[optimal],
23         "A",
24         "B"],
25       "C"],
26     If[FreeQ[result,Integrate] && FreeQ[result,Int],
27       "C",
28       "F"]]
29
30
31 (* ::Text:: *)
32 (*The following summarizes the type number assigned an *)
33 (*expression based on the functions it involves*)
34 (*1 = rational function*)
35 (*2 = algebraic function*)
36 (*3 = elementary function*)
37 (*4 = special function*)
```

```

38 (*5 = hyperpergeometric function*)
39 (*6 = appell function*)
40 (*7 = rootsum function*)
41 (*8 = integrate function*)
42 (*9 = unknown function*)
43
44
45 ExpnType[expn_] :=
46   If[AtomQ[expn],
47     1,
48     If[ListQ[expn],
49       Max[Map[ExpnType,expn]],
50       If[Head[expn]===Power,
51         If[IntegerQ[expn[[2]]],
52           ExpnType[expn[[1]]],
53           If[Head[expn[[2]]]===Rational,
54             If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
55               1,
56               Max[ExpnType[expn[[1]],2]],
57             Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
58             If[Head[expn]===Plus || Head[expn]===Times,
59               Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
60             If[ElementaryFunctionQ[Head[expn]],
61               Max[3,ExpnType[expn[[1]]],
62             If[SpecialFunctionQ[Head[expn]],
63               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
64             If[HypergeometricFunctionQ[Head[expn]],
65               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
66             If[AppellFunctionQ[Head[expn]],
67               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
68             If[Head[expn]===RootSum,
69               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
70             If[Head[expn]===Integrate || Head[expn]===Int,
71               Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
72             9]]]]]]]]]]]]
73
74
75 ElementaryFunctionQ[func_] :=
76   MemberQ[{
77     Exp,Log,
78     Sin,Cos,Tan,Cot,Sec,Csc,
79     ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
80     Sinh,Cosh,Tanh,Coth,Sech,Csch,
81     ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
82   },func]
83
84
85 SpecialFunctionQ[func_] :=
86   MemberQ[{
87     Erf, Erfc, Erfi,
88     FresnelS, FresnelC,
89     ExpIntegralE, ExpIntegralEi, LogIntegral,
90     SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
91     Gamma, LogGamma, PolyGamma,
92     Zeta, PolyLog, ProductLog,
93     EllipticF, EllipticE, EllipticPi
94   },func]
95
96
97 HypergeometricFunctionQ[func_] :=
98   MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]
99
100

```

```

101 AppellFunctionQ[func_] :=
102   MemberQ[{AppellF1},func]

```

4.0.2 Maple grading function

```

1 # File: GradeAntiderivative.mpl
2 # Original version thanks to Albert Rich emailed on 03/21/2017
3
4 #Nasser 03/22/2017 Use Maple leaf count instead since buildin
5 #Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
6 #Nasser 03/24/2017 corrected the check for complex result
7 #Nasser 10/27/2017 check for leafsize and do not call ExpnType()
8 # if leaf size is "too large". Set at 500,000
9 #Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
10 # see problem 156, file Apostol_Problems
11
12 GradeAntiderivative := proc(result,optimal)
13 local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
14     debug:=false;
15
16     leaf_count_result:=leafcount(result);
17     #do NOT call ExpnType() if leaf size is too large. Recursion problem
18     if leaf_count_result > 500000 then
19         return "B";
20     fi;
21
22     leaf_count_optimal:=leafcount(optimal);
23
24     ExpnType_result:=ExpnType(result);
25     ExpnType_optimal:=ExpnType(optimal);
26
27     if debug then
28         print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
29             ExpnType_optimal);
30     fi;
31
32 # If result and optimal are mathematical expressions,
33 # GradeAntiderivative[result,optimal] returns
34 # "F" if the result fails to integrate an expression that
35 # is integrable
36 # "C" if result involves higher level functions than necessary
37 # "B" if result is more than twice the size of the optimal
38 # antiderivative
39 # "A" if result can be considered optimal
40
41 #This check below actually is not needed, since I only
42 #call this grading only for passed integrals. i.e. I check
43 #for "F" before calling this. But no harm of keeping it here.
44 #just in case.
45
46 if not type(result,freeof('int')) then
47     return "F";
48 end if;
49
50 if ExpnType_result<=ExpnType_optimal then
51     if debug then
52         print("ExpnType_result<=ExpnType_optimal");
53     fi;
54     if is_contains_complex(result) then
55         if is_contains_complex(optimal) then
56             if debug then

```

```

57         print("both result and optimal complex");
58         fi;
59         #both result and optimal complex
60         if leaf_count_result<=2*leaf_count_optimal then
61             return "A";
62         else
63             return "B";
64         end if
65     else #result contains complex but optimal is not
66         if debug then
67             print("result contains complex but optimal is not");
68         fi;
69         return "C";
70     end if
71 else # result do not contain complex
72     # this assumes optimal do not as well
73     if debug then
74         print("result do not contain complex, this assumes optimal do
not as well");
75     fi;
76     if leaf_count_result<=2*leaf_count_optimal then
77         if debug then
78             print("leaf_count_result<=2*leaf_count_optimal");
79         fi;
80         return "A";
81     else
82         if debug then
83             print("leaf_count_result>2*leaf_count_optimal");
84         fi;
85         return "B";
86     end if
87 end if
88 else #ExpnType(result) > ExpnType(optimal)
89     if debug then
90         print("ExpnType(result) > ExpnType(optimal)");
91     fi;
92     return "C";
93 end if
94
95 end proc:
96
97 #
98 # is_contains_complex(result)
99 # takes expressions and returns true if it contains "I" else false
100 #
101 #Nasser 032417
102 is_contains_complex:= proc(expression)
103     return (has(expression,I));
104 end proc:
105
106 # The following summarizes the type number assigned an expression
107 # based on the functions it involves
108 # 1 = rational function
109 # 2 = algebraic function
110 # 3 = elementary function
111 # 4 = special function
112 # 5 = hyperpergeometric function
113 # 6 = appell function
114 # 7 = rootsum function
115 # 8 = integrate function
116 # 9 = unknown function
117
118 ExpnType := proc(expn)

```

```

119   if type(expn,'atomic') then
120       1
121   elif type(expn,'list') then
122       apply(max,map(ExpnType,expn))
123   elif type(expn,'sqrt') then
124       if type(op(1,expn),'rational') then
125           1
126       else
127           max(2,ExpnType(op(1,expn)))
128       end if
129   elif type(expn,'^^') then
130       if type(op(2,expn),'integer') then
131           ExpnType(op(1,expn))
132       elif type(op(2,expn),'rational') then
133           if type(op(1,expn),'rational') then
134               1
135           else
136               max(2,ExpnType(op(1,expn)))
137           end if
138       else
139           max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
140       end if
141   elif type(expn,'+`') or type(expn,'*`') then
142       max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
143   elif ElementaryFunctionQ(op(0,expn)) then
144       max(3,ExpnType(op(1,expn)))
145   elif SpecialFunctionQ(op(0,expn)) then
146       max(4,apply(max,map(ExpnType,[op(expn)])))
147   elif HypergeometricFunctionQ(op(0,expn)) then
148       max(5,apply(max,map(ExpnType,[op(expn)])))
149   elif AppellFunctionQ(op(0,expn)) then
150       max(6,apply(max,map(ExpnType,[op(expn)])))
151   elif op(0,expn)='int' then
152       max(8,apply(max,map(ExpnType,[op(expn)]))) else
153       9
154   end if
155 end proc:
156
157
158 ElementaryFunctionQ := proc(func)
159     member(func,[
160         exp,log,ln,
161         sin,cos,tan,cot,sec,csc,
162         arcsin,arccos,arctan,arccot,arcsec,arccsc,
163         sinh,cosh,tanh,coth,sech,csch,
164         arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
165 end proc:
166
167 SpecialFunctionQ := proc(func)
168     member(func,[
169         erf,erfc,erfi,
170         FresnelS,FresnelC,
171         Ei,Ei,Li,Si,Ci,Shi,Chi,
172         GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
173         EllipticF,EllipticE,EllipticPi])
174 end proc:
175
176 HypergeometricFunctionQ := proc(func)
177     member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
178 end proc:
179
180 AppellFunctionQ := proc(func)
181     member(func,[AppellF1])

```

```

182 end proc:
183
184 # u is a sum or product. rest(u) returns all but the
185 # first term or factor of u.
186 rest := proc(u) local v;
187     if nops(u)=2 then
188         op(2,u)
189     else
190         apply(op(0,u),op(2..nops(u),u))
191     end if
192 end proc:
193
194 #leafcount(u) returns the number of nodes in u.
195 #Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
196 leafcount := proc(u)
197     MmaTranslator[Mma][LeafCount](u);
198 end proc:

```

4.0.3 Sympy grading function

```

1 #Dec 24, 2019. Nasser M. Abbasi:
2 #     Port of original Maple grading function by
3 #     Albert Rich to use with Sympy/Python
4 #Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
5 #     added 'exp_polar'
6 from sympy import *
7
8 def leaf_count(expr):
9     #sympy do not have leaf count function. This is approximation
10    return round(1.7*count_ops(expr))
11
12 def is_sqrt(expr):
13     if isinstance(expr,Pow):
14         if expr.args[1] == Rational(1,2):
15             return True
16         else:
17             return False
18     else:
19         return False
20
21 def is_elementary_function(func):
22     return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
23                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
24                    asinh,acosh,atanh,acoth,asech,acsch
25                    ]
26
27 def is_special_function(func):
28     return func in [ erf,erfc,erfi,
29                    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
30                    gamma,loggamma,digamma,zeta,polylog,LambertW,
31                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
32                    ]
33
34 def is_hypergeometric_function(func):
35     return func in [hyper]
36
37 def is_appell_function(func):
38     return func in [appellf1]
39
40 def is_atom(expn):
41     try:
42         if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
43             return True

```

```

44     else:
45         return False
46
47     except AttributeError as error:
48         return False
49
50 def expnType(expn):
51     debug=False
52     if debug:
53         print("expn=",expn,"type(expn)=",type(expn))
54
55     if is_atom(expn):
56         return 1
57     elif isinstance(expn,list):
58         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
59     elif is_sqrt(expn):
60         if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
61             return 1
62         else:
63             return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
64     elif isinstance(expn,Pow): #type(expn,``^`)
65         if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
66             return expnType(expn.args[0]) #ExpnType(op(1,expn))
67         elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
68             if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
69                 return 1
70             else:
71                 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn
72 )))
73     else:
74         return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
75 ExpnType(op(1,expn)),ExpnType(op(2,expn)))
76     elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,``+`) or
77 type(expn,``*`)
78     m1 = expnType(expn.args[0])
79     m2 = expnType(list(expn.args[1:]))
80     return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
81     elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
82     return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
83     elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
84     m1 = max(map(expnType, list(expn.args)))
85     return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
86     elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
87 expn))
88     m1 = max(map(expnType, list(expn.args)))
89     return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
90     elif is_appell_function(expn.func):
91     m1 = max(map(expnType, list(expn.args)))
92     return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
93     elif isinstance(expn,RootSum):
94     m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType
95 ,Apply[List,expn]],7]],
96     return max(7,m1)
97     elif str(expn).find("Integral") != -1:
98     m1 = max(map(expnType, list(expn.args)))
99     return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
100     else:
101     return 9
102
103 #main function
104 def grade_antiderivative(result,optimal):
105
106     leaf_count_result = leaf_count(result)

```

```

102 leaf_count_optimal = leaf_count(optimal)
103
104 expnType_result = expnType(result)
105 expnType_optimal = expnType(optimal)
106
107 if str(result).find("Integral") != -1:
108     return "F"
109
110 if expnType_result <= expnType_optimal:
111     if result.has(I):
112         if optimal.has(I): #both result and optimal complex
113             if leaf_count_result <= 2*leaf_count_optimal:
114                 return "A"
115             else:
116                 return "B"
117         else: #result contains complex but optimal is not
118             return "C"
119     else: # result do not contain complex, this assumes optimal do not as
well
120         if leaf_count_result <= 2*leaf_count_optimal:
121             return "A"
122         else:
123             return "B"
124     else:
125         return "C"

```

4.0.4 SageMath grading function

```

1 #Dec 24, 2019. Nasser: Ported original Maple grading function by
2 #     Albert Rich to use with Sagemath. This is used to
3 #     grade Fracas, Giac and Maxima results.
4 #Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
5 #     'arctan2','floor','abs','log_integral'
6
7 from sage.all import *
8 from sage.symbolic.operators import add_vararg, mul_vararg
9
10 def tree(expr):
11     debug=False;
12     if debug:
13         print ("Enter tree(expr), expr=",expr)
14         print ("expr.operator()=",expr.operator())
15         print ("expr.operands()=",expr.operands())
16         print ("map(tree, expr.operands()=",map(tree, expr.operands()))
17
18     if expr.operator() is None:
19         return expr
20     else:
21         return [expr.operator()+list(map(tree, expr.operands()))
22
23 def leaf_count(anti):
24     debug=False;
25
26     if debug: print ("Enter leaf_count, anti=", anti, " len(anti)=", len(anti))
27
28     if len(anti) == 0: #special check for optimal being 0 for some test cases.
29         if debug: print ("len(anti) == 0")
30         return 1
31     else:
32         if debug: print ("round(1.35*len(flatten(tree(anti))))=",round(1.35*len
(flatten(tree(anti))))
33         return round(1.35*len(flatten(tree(anti)))) #fudge factor
34         #since this estimate of leaf count is bit lower than

```



```

35         #what it should be compared to Mathematica's
36
37 def is_sqrt(expr):
38     debug=False;
39     if expr.operator() == operator.pow: #isinstance(expr,Pow):
40         if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
41             if debug: print ("expr is sqrt")
42             return True
43         else:
44             return False
45     else:
46         return False
47
48 def is_elementary_function(func):
49     debug = False
50
51     m = func.name() in ['exp','log','ln',
52         'sin','cos','tan','cot','sec','csc',
53         'arcsin','arccos','arctan','arccot','arcsec','arccsc',
54         'sinh','cosh','tanh','coth','sech','csch',
55         'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
56         'arctan2','floor','abs'
57     ]
58     if debug:
59         if m:
60             print ("func ", func , " is elementary_function")
61         else:
62             print ("func ", func , " is NOT elementary_function")
63
64
65     return m
66
67 def is_special_function(func):
68     debug = False
69
70     if debug: print ("type(func)=", type(func))
71
72     m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
73         'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
74     sinh_integral'
75         'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
76         'polylog','lambert_w','elliptic_f','elliptic_e',
77         'elliptic_pi','exp_integral_e','log_integral']
78
79     if debug:
80         print ("m=",m)
81         if m:
82             print ("func ", func , " is special_function")
83         else:
84             print ("func ", func , " is NOT special_function")
85
86     return m
87
88
89 def is_hypergeometric_function(func):
90     return func.name() in ['hypergeometric','hypergeometric_M','
91     hypergeometric_U']
92
93 def is_appell_function(func):
94     return func.name() in ['hypergeometric'] #[appellf1] can't find this in
95     sagemath

```

```

95 def is_atom(expn):
96
97     #thanks to answer at https://ask.sagemath.org/question/49179/what-is-
sagemath-equivalent-to-atomic-type-in-maple/
98     try:
99         if expn.parent() is SR:
100             return expn.operator() is None
101         if expn.parent() in (ZZ, QQ, AA, QQbar):
102             return expn in expn.parent() # Should always return True
103         if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens")
:
104             return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
105         return False
106
107     except AttributeError as error:
108         return False
109
110
111 def expnType(expn):
112     debug=False
113
114     if debug:
115         print(">>>>Enter expnType, expn=", expn)
116         print(">>>>is_atom(expn)=", is_atom(expn))
117
118     if is_atom(expn):
119         return 1
120     elif type(expn)==list: #isinstance(expn,list):
121         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
122     elif is_sqrt(expn):
123         if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
Rational):
124             return 1
125         else:
126             return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
127     elif expn.operator() == operator.pow: #isinstance(expn,Pow)
128         if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer
)
129             return expnType(expn.operands()[0]) #expnType(expn.args[0])
130         elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],
Rational)
131             if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
Rational)
132                 return 1
133             else:
134                 return max(2,expnType(expn.operands()[0])) #max(2,expnType(
expn.args[0]))
135         else:
136             return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
137     elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
138         m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
139         m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
140         return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn)))
141     elif is_elementary_function(expn.operator()): #is_elementary_function(expn
.func)
142         return max(3,expnType(expn.operands()[0]))
143     elif is_special_function(expn.operator()): #is_special_function(expn.func)
144         m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))

```

```

145     return max(4,m1)    #max(4,m1)
146     elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
147         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
148         return max(5,m1)    #max(5,m1)
149     elif is_appell_function(expn.operator()):
150         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
151         return max(6,m1)    #max(6,m1)
152     elif str(expn).find("Integral") != -1: #this will never happen, since it
153         #is checked before calling the grading function that is passed.
154         #but kept it here.
155         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
156         return max(8,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
157     else:
158         return 9
159
160 #main function
161 def grade_antiderivative(result,optimal):
162     debug = False;
163
164     if debug: print ("Enter grade_antiderivative for sagemath")
165
166     leaf_count_result = leaf_count(result)
167     leaf_count_optimal = leaf_count(optimal)
168
169     if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)
170
171
172     expnType_result = expnType(result)
173     expnType_optimal = expnType(optimal)
174
175     if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)
176
177     if expnType_result <= expnType_optimal:
178         if result.has(I):
179             if optimal.has(I): #both result and optimal complex
180                 if leaf_count_result <= 2*leaf_count_optimal:
181                     return "A"
182                 else:
183                     return "B"
184             else: #result contains complex but optimal is not
185                 return "C"
186         else: # result do not contain complex, this assumes optimal do not as
well
187             if leaf_count_result <= 2*leaf_count_optimal:
188                 return "A"
189             else:
190                 return "B"
191     else:
192         return "C"

```